

FEDERAL SECURITY AGENCY
OSCAR R. EWING, ADMINISTRATOR



PUBLIC HEALTH SERVICE
LEONARD A. SCHEELE, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1947

PART II

NATALITY AND MORTALITY DATA
FOR THE UNITED STATES
TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

FEDERAL SECURITY AGENCY
PUBLIC HEALTH SERVICE
NATIONAL OFFICE OF VITAL STATISTICS

ERRATA

Vital Statistics of the United States, 1947, Part II

<u>Page</u>	<u>Table</u>	
5	1	Alabama, Washington County (total), stillbirth ratio—21.3 should be 41.3.
54	1	New Mexico, Sandoval County, white, stillbirth ratio—0 should be 28.6.
55	1	New York, Cattaraugus County, Olean, deaths under 1 year, rate—72.2 should be 27.2.

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Principal Analyst*

IWAO M. MORIYAMA, *Mortality Analysis*

SAM SHAPIRO, *Nativity Analysis*

THOMAS N. E. GREVILLE, *Actuarial Analysis*

SAMUEL C. NEWMAN, *Marriage and Divorce Analysis*

ALBERT E. BAILEY, *National Consulting Service*

FRANK S. MORRISON, *International Vital Statistics Cooperation*

HOWARD WEST, *Statistical Processing*

CONTENTS

INTRODUCTION

	Page
The value of vital statistics tabulated by place of residence-----	V
Previous tabulations by place of residence-----	VI
Nonresident tabulations by State offices-----	VI
Definition of residence-----	VIII
Relation of geographic code to the identification of nonresidents-----	VIII
Allocation of deaths to place of residence-----	IX
Special residence instructions for military personnel-----	IX
Allocation of births to place of residence-----	IX

GENERAL NATALITY AND MORTALITY TABLES

LIVE BIRTHS

Table

1. Births by person in attendance, deaths in institutions, deaths under 1 year and infant mortality rates, and stillbirths and stillbirth ratios: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1947-----	2
2. Live births by specified race and sex: United States and each State, 1947-----	94
3. Live births by sex, race, and month: United States and each State, 1947-----	95
4. Live births by race, nativity of white mother, and age of mother; urban and rural: United States and each State, 1947-----	100
5. Live births by sex, race, and nativity of white parents: United States and each State, and by age of mother, United States, 1947-----	124
6A. Live births by age of mother, sex of child, race, nativity of white mother, and birth order: United States, 1947-----	126
6B. Live births by age of mother, race, nativity of white mother, and birth order: Each State, 1947---	129
7. Live births by race, single year of age of mother, nativity of white mother, and birth order: United States, 1947-----	165
8. Live births by race, sex, and age of father: United States and each State, and by age of mother, United States, 1947-----	168
9. Live births by race and person in attendance; urban and rural: United States and each State, 1947--	175
10. Cases of plural births classified by number of children born alive and stillborn, and by race and sex: United States and each State, 1947-----	182

STILLBIRTHS

11. Stillbirths by sex, race, nativity of white mother, and age of mother; urban and rural: United States, 1947-----	187
12. Stillbirths by sex of child, age of mother, race, nativity of white mother, and birth order: United States, 1947-----	189
13. Stillbirths by race; urban and rural: United States and each State, 1947-----	191
14. Stillbirths by age of mother and race: United States and each State, 1947-----	193
15. Stillbirths by birth order and race: United States and each State, 1947-----	195
16. Stillbirths by race and person in attendance: United States and each State, 1947-----	197

TOTAL DEATHS

17. Deaths by specified race and sex: United States and each State, 1947-----	198
18. Deaths by sex, race, and month: United States and each State, 1947-----	199
19. Deaths by race; urban and rural: United States and each State, 1947-----	204
20. Deaths from selected causes, by month: United States and each State, 1947-----	206
21. Deaths from selected causes, by age, race, and sex: United States and each State, 1947-----	240
22. Deaths from each cause, by race and sex: United States and each State, 1947-----	444
23. Deaths from selected causes: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1947-----	512

CONTENTS

INFANT DEATHS

24. Deaths under 1 year of age, by race; urban and rural: United States and each State, 1947-----	616
25. Deaths under 1 year and under 1 month of age, by race and month: United States and each State, and by detailed age, United States, 1947 -----	617
26. Deaths under 1 year and under 1 month of age, by race and sex: United States and each State, 1947-	622
27. Deaths under 1 year by detailed age and race: United States and each State, 1947 -----	623
28. Deaths under 1 year, in institutions, by detailed age and race: United States and each State, 1947---	625
29. Deaths under 1 year of age, from selected causes, by month: United States, 1947 -----	630
30. Deaths under 1 year, from selected causes, by detailed age, race, and sex: United States, 1947 ----	631
31. Deaths under 1 year of age, from selected causes, by race; urban and rural: United States, 1947 ----	637

SYMBOLS USED

	Symbol
Class or item not applicable (3 dots)-----	...
Data not available (series of dashes)-----	---
Quantity is zero, in frequency tables (1 dash)-----	-
Quantity is zero, in rate or percent tables (1 cipher) -----	0
If rate or percent is more than 0, but less than 0.05 -----	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)-	-

VITAL STATISTICS OF THE UNITED STATES

PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

INTRODUCTION

This volume—Vital Statistics of the United States, Part II—contains official natality and mortality statistics for the calendar year 1947, tabulated according to the place of residence of the mother of the child, or the place of residence of the decedent. Data compiled on a place-of-occurrence basis and text tables containing data tabulated by place of residence are published in a volume entitled "Vital Statistics of the United States, Part I." The tabulations published in both part I and part II are compiled from the same source material, being derived from transcripts or microfilm copies of original birth and death certificates received from registration officials of States and cities, and of the outlying territories and possessions of the United States.

The tables given in this volume should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is more difficult because it is dependent upon definitions of residence as well as the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a re-allocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an evaluation of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, vital statistics take on their full value only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It

is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. However, for individual cities or counties or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinement and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.

Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of vital statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called recorded rates, since all the births or deaths recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute resident rates. Since resident death rates are ratios of the number of deaths to the number of persons exposed to the risk

of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the reallocations of deaths from most causes to the area responsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths, it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident birth and death rates provide data of greater value and meaning for many uses. However, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

PREVIOUS TABULATIONS BY PLACE OF RESIDENCE ¹

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of a separation of nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918 it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

¹For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931 the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nation-wide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Resident tabulations for 1935 and 1936 were made but were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics." However, they were released in the series of "Vital Statistics—Special Reports."²

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of national vital statistics. Since then, the tabulations by place of residence have been expanded considerably.

NONRESIDENT TABULATIONS BY STATE OFFICES

Since vital statistics tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis. A survey by the Bureau of the Census in 1935 revealed that 11 States were making rather complete resident reallocations and 8 States were publishing tables showing the number of deaths for cities and counties including and excluding deaths of nonresidents. A survey was made in 1938 by a Committee on Residence Allocation under the auspices of the Vital Statistics Section of the American Public Health Association. This survey indicated that 24 States were making regular tabulations involving the reallocation of nonresidents.

Answers to a questionnaire sent to all the States by the Bureau of the Census in 1941 indicated that 35 States and the District of Columbia were making some resident tabulations. In 4 States, these tabulations were limited to the separation of residents and nonresidents with no allocation to place of residence. In 13 States, the tabulations excluded nonresidents from other areas within the State and included residents who were born or who died elsewhere within the State; however, the tabulations in these States did not exclude nonresidents

²For a list of these reports containing resident tabulations for 1935 and 1936, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

INTRODUCTION

from other States or include residents of the State who were born or who died in another State. Nineteen States made complete place-of-residence tabulations excluding all nonresidents and including all residents within and outside the State.

In many States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate reallocation may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Sta-

tistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the Bureau of the Census copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for all States. Some indication of the amount of variation among States can be seen in the following table.

FEDERAL AND STATE INTERCHANGE OF COPIES OF BIRTH AND DEATH CERTIFICATES FOR NONRESIDENTS: 1947

(Exclusive of stillbirths. Except as noted, includes only transcripts exchanged through National Office of Vital Statistics)

AREA	BIRTHS						DEATHS					
	To nonresidents in the State			To residents in other States			Of nonresidents in the State			Of residents in other States		
	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation
UNITED STATES	91,383	270,267	0.77	91,383	70,102	0.77	39,307	137,183	0.95	39,307	37,097	0.94
Alabama	1,030	915	0.89	2,165	1,753	0.81	453	589	1.30	766	712	0.93
Arizona	689	769	1.11	380	280	0.74	779	918	1.18	297	288	0.95
Arkansas	1,656	1,356	0.82	1,507	1,201	0.80	663	650	0.98	813	782	0.92
California	1,486	305	0.21	1,893	1,695	0.90	1,570	1,637	1.04	1,290	1,305	1.01
Colorado	1,094	1,039	0.95	732	844	0.88	592	726	1.25	378	389	1.03
Connecticut	719	690	0.96	1,576	987	0.63	430	472	1.10	605	652	1.04
Delaware	520	527	1.01	350	305	0.87	183	199	1.09	157	154	0.98
District of Columbia	8,424	2,985	0.59	1,630	245	0.15	1,049	2,382	0.55	836	218	0.26
Florida	3,065	1,994	0.65	1,307	1,070	0.82	2,140	2,137	1.00	982	881	0.94
Georgia	2,275	1,747	0.77	1,687	1,339	0.79	896	720	0.80	696	667	0.96
Idaho	620	2,488	0.79	1,042	2,873	0.84	243	201	0.81	368	345	0.94
Illinois	1,971	2,056	1.04	5,668	5,076	0.90	1,554	1,738	1.12	2,647	2,824	0.99
Indiana	2,777	2,368	0.85	2,410	1,883	0.78	1,068	1,040	0.97	1,225	1,078	0.88
Iowa	2,635	2,671	1.01	1,484	1,296	0.87	967	1,000	1.05	626	623	1.00
Kansas	1,758	1,764	1.00	3,142	3,045	0.97	891	1,101	1.25	797	918	1.15
Kentucky	2,085	1,974	0.95	2,283	1,306	0.58	643	695	1.07	1,011	732	0.72
Louisiana	702	512	0.73	917	636	0.69	658	539	0.81	351	276	0.79
Maine	321	408	1.26	638	773	1.21	267	296	1.07	260	292	1.12
Maryland	3,565	2,105	0.59	5,325	2,453	0.65	1,417	642	0.89	914	2,502	0.55
Massachusetts	2,241	-	0	1,538	1,381	0.90	994	604	0.61	924	1,030	1.11
Michigan	1,432	1,542	0.94	1,851	992	0.60	785	950	1.21	1,073	1,010	0.94
Minnesota	1,891	1,845	0.98	1,990	1,546	0.78	1,245	1,331	1.07	659	688	1.01
Mississippi	1,356	1,056	0.78	1,085	917	0.85	370	360	0.97	782	680	0.93
Missouri	4,857	4,989	1.03	2,573	2,424	0.94	1,578	1,646	1.04	1,416	1,586	1.12
Montana	228	243	1.07	554	497	0.93	199	229	1.15	264	281	1.06
Nebraska	1,097	1,087	0.99	1,212	1,112	0.92	475	465	0.98	551	544	1.02
Nevada	289	281	0.97	140	117	0.84	191	180	0.94	139	145	1.04
New Hampshire	1,264	1,167	0.92	673	398	0.59	410	479	1.17	381	369	0.97
New Jersey	1,199	1,174	0.98	4,246	4,174	0.98	1,343	1,468	1.09	2,005	2,287	1.15
New Mexico	1,079	960	0.89	865	393	0.45	512	482	0.94	360	225	0.63
New York	3,903	4,046	1.04	2,905	2,383	0.82	2,227	2,922	1.31	2,456	2,488	1.02
North Carolina	2,395	2,199	0.92	1,582	1,120	0.71	687	707	1.03	654	569	0.87
North Dakota	1,221	1,261	1.03	941	907	0.96	246	242	0.98	351	375	1.07
Ohio	3,765	1	0.00	3,799	2,031	0.53	1,459	-	0	1,745	1,419	0.81
Oklahoma	1,506	918	0.70	2,019	1,237	0.61	401	391	0.98	954	753	0.81
Oregon	1,183	1,079	0.91	1,108	996	0.90	594	685	1.15	435	471	1.08
Pennsylvania	4,172	4,027	0.97	4,112	3,351	0.81	1,757	1,768	1.01	2,178	2,116	0.97
Rhode Island	912	879	0.96	947	131	0.14	270	294	1.05	314	307	0.98
South Carolina	811	79	0.10	1,078	878	0.81	334	-	0	414	415	1.00
South Dakota	718	598	0.83	980	939	0.96	284	248	0.87	307	312	1.02
Tennessee	4,439	4,605	1.04	2,157	1,928	0.90	1,602	1,710	1.07	715	699	0.98
Texas	1,500	-	0	2,908	2,339	0.80	916	-	0	1,143	1,174	1.03
Utah	550	669	1.22	302	225	0.75	329	342	1.04	149	145	0.97
Vermont	421	444	1.06	809	675	0.83	205	241	1.18	229	250	1.09
Virginia	3,194	2,993	0.94	6,795	2,545	0.67	916	967	1.06	1,115	2,846	0.76
Washington	2,201	2,051	0.93	1,253	2,106	0.88	641	749	1.17	620	609	0.98
West Virginia	2,807	1,176	0.42	2,424	1,179	0.49	847	501	0.59	704	477	0.68
Wisconsin	1,246	91	0.07	1,984	1,889	0.95	811	720	0.89	810	860	1.06
Wyoming	340	338	0.99	499	463	0.93	213	252	1.18	184	182	0.99

¹Includes allocations outside of continental United States.

²Totals include copies reported to National Office of Vital Statistics as having been exchanged directly between States.

In this table the number of nonresidents of each State, according to the definitions of the National Office of Vital Statistics, is compared with those identified by the separate State offices. These comparisons are based upon transcripts which have been cleared through the National Office of Vital Statistics. Since some interchange of nonresident transcripts is still made directly, these ratios do not completely represent the differences in State procedures. The table shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable for some central agency, operating with a uniform although arbitrary set of rules, to make Nation-wide tabulations.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the National Office of Vital Statistics. Because of the large number of transcripts involved in national tabulations, the coding rules used by the National Office of Vital Statistics must be designed and simplified to facilitate mass production. Furthermore, it does not have access to the detailed local information necessary for certain types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States either allocate deaths in custodial institutions to the place of prior residence or consider these institutions as separate tabulation areas. Some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated; deaths from accidents, to the place of accident; deaths from homicide, to the place of homicide, et cetera.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable for a central agency to make national tabulations, these national uniform tabulations do not replace those made by the separate State agencies.

DEFINITION OF RESIDENCE

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications comparable with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the

procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in residence tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the State office may have to make an inquiry to determine the place of residence, particularly in the case of nonresident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place of residence, errors may be made occasionally. Because of these difficulties of residence designation and because of incomplete understanding of the importance of residence data, the residence information may be omitted or incompletely reported on birth and death certificates for certain areas.

Relation of geographic code to the identification of nonresidents

Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration. A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation by place of residence, since any movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city or other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 or more to another place or city of 2,500 or more, in the same or

a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each urban place and county within a State are tabulated, it is not possible to add these figures together and obtain the number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in an urban place may be a resident of some rural area or some other urban place in the same State. Therefore, the term "nonresident" may have one or two meanings. In reference to the smallest unit of tabulation (in this report an urban place or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

Allocation of deaths to place of residence

The allocation of deaths to the place of residence is based on the following general principles and rules.

1. Mortality data should be compiled so as to correspond with enumerated populations on which rates are to be based. Each death should be assigned to the area which was the "usual place of residence" of the decedent.

2. A decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place of death. However, decedents who at the time of death had been living more than 1 year in a community are considered residents of that community even though some other place of residence is stated.

3. Decedents in nonresident institutions such as general hospitals, tuberculosis sanatoriums, convalescent homes, jails, et cetera, are reallocated to the usual place of residence, if they had been in the institution less than 1 year.

4. Decedents in resident institutions where length of stay is usually long, such as mental in-

stitutions; orphanages; homes for the aged, blind, and deaf; et cetera, are not reallocated to the place of prior residence.

5. Decedents whose usual place of residence is a foreign country or a United States possession outside the United States are not reallocated to the usual place of residence.

6. Infants born at other than the place of residence of the mother, who died in that same place, are reallocated to the place of residence of the mother.

For the purpose of coding mortality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction Manual of the Vital Statistics Division.³

Special residence instructions for military personnel

On all death certificates having indications that the deceased was a member of the Army, Navy, or Marine Corps, the usual place of residence is the post or port at which the deceased was stationed.

In cases where the death occurred while the person was in the process of being transferred from one post to another, the person is to be considered a resident of the post from which he was being transferred.

In cases where the death occurred while on land maneuver or leave, the usual place of residence is the post at which the deceased was stationed.

If the death occurred aboard a naval vessel at sea, the place of death will be the vessel and the death certificate should have been filed at the first port of call. If a permanent station is not indicated, the place of residence of the deceased is assumed to be the place of residence of the nearest relative to the deceased.

Allocation of births to place of residence

The allocation of live births and stillbirths is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child, and the allocation is not affected by the mother's length of stay in the community in which the birth occurs.

For the purpose of coding natality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction Manual of the Vital Statistics Division.³

³National Office of Vital Statistics, "Vital Statistics Instruction Manual, Part I, Coding and Punching Geographic and Personal Particulars of Births, Deaths, and Stillbirths Occurring During 1947," Washington, D. C., 1948.

GENERAL NATALITY AND MORTALITY TABLES

(1)

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947

(By place of residence. Births, deaths, and deaths under 1 year exclusive of stillbirths. Deaths exclusive of deaths among armed forces overseas. Stillbirths include only those for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Infant mortality rates and stillbirth ratios per 1,000 live births in a specified group. White and nonwhite are shown separately for those counties and urban places in which the 1940 populations for nonwhite races formed 10 percent or more of the total, or numbered 10,000 or more)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
UNITED STATES	3,699,940	3,136,930	375,407	176,158	1,445,370	763,799	60,446	582,565	119,173	32.2	77,917	21.1
White	3,274,820	2,925,374	300,198	41,564	1,274,693	663,786	72,394	520,909	98,547	30.1	61,072	18.7
Nonwhite	425,120	211,556	75,209	134,594	170,677	100,013	8,052	61,656	20,626	48.5	16,845	39.6
ALABAMA	86,116	47,817	21,587	18,725	26,347	18,244	689	7,180	3,301	37.5	2,455	27.9
White	56,006	40,706	15,367	1,823	15,301	9,818	398	4,885	1,801	31.0	1,219	21.0
Nonwhite	30,110	7,111	6,020	16,902	11,046	8,426	301	2,295	1,500	49.8	1,236	41.0
Autauga	523	204	51	265	190	145	8	36	18	30.6	10	19.1
White	225	193	20	12	93	57	8	27	8	35.6	5	22.2
Nonwhite	298	11	31	253	97	88	—	9	8	26.8	5	15.8
Baldwin	1,202	537	387	274	326	232	—	85	42	34.9	44	35.6
White	894	518	323	49	239	158	—	74	30	33.6	30	33.6
Nonwhite	308	19	64	225	87	74	—	11	12	39.0	14	45.5
Barbour	939	255	227	455	200	218	—	62	55	37.3	27	28.9
White	572	231	130	11	132	93	—	39	16	45.0	6	15.1
Nonwhite	367	24	97	444	148	125	—	23	19	33.5	21	37.0
Bibb	553	202	178	147	187	112	—	45	22	39.8	18	32.5
White	368	196	126	43	91	59	—	32	11	29.9	4	10.9
Nonwhite	185	6	52	127	66	53	—	13	11	59.5	14	75.7
Blount	850	319	489	16	204	166	—	19	27	49.2	16	29.1
Bullock	549	85	46	416	179	160	—	9	3	33.7	2	22.5
White	89	47	32	10	36	27	—	3	—	—	—	—
Nonwhite	460	38	14	406	143	133	—	10	24	52.2	14	30.4
Butler	873	354	159	333	291	231	—	60	24	27.5	21	24.1
White	422	311	98	11	151	107	—	44	9	21.3	4	9.5
Nonwhite	451	43	61	342	140	124	—	16	15	33.3	17	37.7
Calhoun	2,319	1,362	775	182	541	367	—	172	84	36.2	76	32.8
White	1,883	1,261	596	26	415	265	—	149	67	35.6	51	27.1
Nonwhite	436	101	179	156	126	102	—	23	17	39.0	25	57.3
Anniston	1,002	734	175	93	263	175	—	87	38	37.9	35	34.9
White	732	649	76	7	171	108	—	65	24	32.8	22	30.1
Nonwhite	270	85	99	86	92	69	—	22	14	51.9	13	48.1
Balance of county	1,317	628	600	89	278	192	—	85	46	34.9	41	31.1
White	1,151	612	520	19	244	159	—	84	43	37.4	29	25.2
Nonwhite	166	16	80	70	34	33	—	1	3	18.1	12	72.5
Chambers	1,045	647	130	265	339	254	—	85	48	45.9	28	25.8
White	640	596	36	7	193	126	—	67	24	37.5	15	23.4
Nonwhite	405	51	94	258	146	128	—	18	24	59.3	13	32.4
Cherokee	438	178	186	70	118	99	—	11	13	29.7	8	18.5
Chilton	717	337	276	102	227	175	—	51	31	43.2	13	18.1
White	584	327	237	18	183	137	—	45	28	47.9	9	15.4
Nonwhite	133	10	39	84	44	38	—	6	3	22.6	4	30.1
Choctaw	626	239	54	532	147	114	—	33	17	27.2	11	17.6
White	274	212	40	21	62	39	—	23	7	25.5	5	18.2
Nonwhite	352	26	14	311	85	75	—	10	10	28.4	6	17.0
Clarke	755	230	172	350	237	176	—	60	35	46.4	22	29.1
White	362	222	121	17	107	64	—	42	19	52.5	4	11.0
Nonwhite	393	6	51	333	130	112	—	18	16	40.7	18	45.8
Clay	412	99	264	48	130	116	—	14	19	46.1	9	21.8
White	330	99	227	4	110	97	—	13	12	36.4	5	15.2
Nonwhite	82	—	37	44	20	19	—	1	7	85.4	4	48.8
Cleburne	343	90	242	10	103	81	—	20	12	35.0	9	26.2
Coffee	906	276	583	45	129	86	—	38	16	17.7	15	16.6
White	715	263	440	11	133	96	—	35	15	21.0	13	18.2
Nonwhite	191	13	143	34	34	31	—	3	1	5.2	2	10.5
Colbert	1,263	832	253	176	354	222	—	131	53	42.0	26	20.6
White	994	768	191	34	259	150	—	108	42	42.3	15	15.1
Nonwhite	269	64	62	142	95	72	—	23	11	40.9	11	40.9
Conecuh	668	132	165	365	204	162	—	22	25	37.4	20	29.9
White	296	116	143	34	92	77	—	15	8	27.0	2	6.8
Nonwhite	372	16	22	331	112	105	—	7	17	45.7	18	48.4
Coosa	332	148	83	100	86	68	—	18	12	36.1	12	36.1
White	193	125	59	9	46	35	—	13	4	20.7	5	25.9
Nonwhite	139	23	24	91	40	33	—	5	8	57.6	7	50.4
Covington	1,104	586	373	144	290	191	—	99	41	37.1	26	23.6
White	937	573	356	27	232	150	—	82	31	33.1	15	16.0
Nonwhite	167	13	57	117	58	41	—	17	10	59.9	11	65.9
Crenshaw	522	178	240	104	191	143	—	48	18	34.5	21	40.2
White	348	171	169	8	129	90	—	39	9	25.9	10	28.7
Nonwhite	174	7	71	96	62	53	—	9	9	51.7	11	63.2
Cullman	1,535	1,194	299	35	679	203	—	73	38	24.8	29	18.9
Dale	629	237	265	124	123	137	—	24	10	15.9	24	38.2
White	480	232	223	23	133	110	—	22	8	16.7	14	29.2
Nonwhite	149	5	42	101	29	27	—	2	2	13.4	10	67.1
Dallas	1,772	629	116	1,022	672	461	—	190	86	48.5	72	40.6
White	529	510	10	9	190	95	—	95	15	28.4	6	15.1
Nonwhite	1,243	119	106	1,013	482	366	—	95	71	57.1	64	51.5
Selma	717	429	99	2	280	170	—	109	34	47.4	32	44.6
White	356	351	3	2	110	48	—	62	9	25.3	5	14.0
Nonwhite	361	78	96	186	170	122	—	47	25	69.3	27	74.8
Balance of county	1,055	200	17	834	592	311	—	81	52	49.3	40	37.9
White	173	159	7	7	80	47	—	33	6	34.7	3	17.3
Nonwhite	882	41	10	827	512	264	—	48	48	52.2	37	42.0
De Kalb	1,275	604	640	27	292	237	—	40	55	43.1	19	14.9
White	867	520	90	255	279	205	—	69	36	41.5	37	42.7
Nonwhite	408	84	70	187	113	132	—	7	19	31.6	8	19.9
Elmore	501	439	55	7	142	95	—	47	15	29.9	15	29.9
White	366	81	35	248	137	112	—	22	21	57.4	22	60.1

See footnotes on p. 83.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

3

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
ALABAMA—Continued												
Escambia	1,040	514	278	247	299	239	1	52	45	43.3	23	22.1
White	700	461	210	28	191	146	-	38	28	40.0	7	10.0
Nonwhite	340	53	68	219	108	93	1	14	17	50.0	16	47.1
Etowah	2,703	1,585	995	119	670	468	12	190	86	31.8	56	20.7
White	2,363	1,540	759	63	540	352	12	176	73	30.9	45	19.0
Nonwhite	340	45	237	56	130	116	2	14	13	38.2	11	32.4
Gadsden	1,367	932	396	37	350	239	2	109	49	35.8	36	26.3
White	1,129	895	231	2	243	143	2	98	37	32.8	26	23.0
Nonwhite	238	37	165	35	107	96	-	11	12	50.4	10	42.0
Balance of county	1,336	653	600	82	320	229	10	61	37	27.7	20	15.0
Fayette	590	174	347	69	154	128	-	25	23	39.0	19	32.2
White	487	165	287	35	127	104	-	23	18	37.0	17	34.9
Nonwhite	103	9	60	34	27	24	-	2	5	48.5	2	19.4
Franklin	822	439	361	20	189	140	-	44	21	25.5	17	20.7
Geneva	707	285	364	87	201	145	-	35	26	36.8	16	22.6
White	609	253	339	16	176	125	-	30	25	41.1	14	23.0
Nonwhite	98	2	25	71	25	20	-	5	1	10.2	2	20.4
Greene	481	34	74	372	190	185	-	5	22	45.7	84	70.7
White	55	27	24	4	28	27	-	-	-	0	3	54.5
Nonwhite	426	7	50	368	162	158	-	4	22	51.6	81	72.8
Hale	758	119	69	565	245	220	-	25	31	41.0	15	18.8
White	182	114	40	27	71	52	-	19	5	27.5	8	16.5
Nonwhite	574	5	29	538	174	168	-	6	26	45.3	12	20.8
Henry	580	145	125	310	187	130	-	24	26	44.8	18	31.0
White	255	136	91	28	82	63	-	16	12	47.1	7	27.5
Nonwhite	325	9	34	282	75	67	-	8	14	43.1	11	35.8
Houston	1,359	775	285	298	392	291	-	101	40	29.4	28	20.6
White	980	737	174	46	245	165	-	80	24	25.0	16	16.7
Nonwhite	399	36	109	252	147	126	-	21	16	40.1	12	30.1
Dothan	599	428	84	76	201	144	-	57	19	23.3	12	20.4
White	414	398	14	2	105	89	-	46	12	29.0	6	14.5
Nonwhite	175	30	70	74	96	85	-	11	7	40.0	6	34.3
Balance of county	770	345	189	222	191	147	-	44	21	27.5	16	20.8
White	546	339	160	44	140	106	-	34	12	22.0	10	18.3
Nonwhite	224	6	39	178	51	41	-	10	9	40.2	6	26.8
Jackson	1,320	262	687	145	230	235	-	55	48	36.4	38	28.6
Jefferson	14,652	11,464	3,116	56	4,918	2,951	52	1,853	591	40.3	433	29.6
White	8,839	7,858	967	7	2,518	1,399	22	1,047	248	28.1	197	22.3
Nonwhite	5,813	3,606	2,149	49	2,400	1,552	30	806	343	59.0	236	40.6
Birmingham	8,028	6,881	1,133	9	2,843	1,660	2	1,156	310	38.6	242	30.1
White	4,690	4,561	125	2	1,449	779	2	648	124	26.4	101	21.5
Nonwhite	3,338	2,320	1,009	7	1,394	881	-	508	186	55.7	141	42.2
White	815	548	262	4	294	197	-	92	41	50.3	33	40.5
Nonwhite	325	294	31	-	94	49	-	40	13	40.0	11	33.8
Fairfield	490	254	231	4	200	148	-	52	28	57.1	22	44.9
White	377	306	67	2	119	58	-	61	22	58.4	11	29.2
Nonwhite	129	125	4	-	43	20	-	23	1	7.8	6	48.5
White	248	181	63	2	76	38	-	38	21	84.7	5	20.2
Nonwhite	248	181	63	2	76	38	-	38	21	84.7	5	20.2
Balance of county	5,432	3,729	1,654	41	1,662	1,056	50	544	218	40.1	147	27.1
White	3,695	2,678	907	5	932	551	20	358	110	29.8	79	21.4
Nonwhite	1,737	851	947	36	730	485	30	208	108	62.2	68	39.1
Lamar	443	114	289	36	80	71	-	19	11	24.8	12	27.1
White	377	111	256	6	70	61	-	9	23	39.9	11	29.2
Nonwhite	66	3	33	30	10	10	-	2	2	30.3	1	15.2
Lauderdale	1,568	1,139	285	141	427	292	-	129	49	31.3	54	21.7
White	1,359	1,051	247	79	349	230	-	115	42	30.9	25	19.4
Nonwhite	209	108	38	62	78	62	-	16	7	33.5	9	43.1
Florence	701	635	26	40	211	135	-	72	25	35.7	12	17.1
White	551	564	16	11	164	97	-	63	21	35.5	9	15.2
Nonwhite	110	71	10	29	47	38	-	9	4	36.4	3	27.3
Balance of county	867	504	260	101	216	157	-	57	24	27.7	22	25.4
White	768	467	231	68	185	133	-	50	21	27.3	16	20.8
Nonwhite	99	37	29	33	31	24	-	7	3	50.3	6	60.6
Lawrence	880	485	245	148	168	129	-	39	29	33.0	11	12.5
White	694	482	175	25	116	81	-	35	20	29.2	8	11.7
Nonwhite	186	3	70	123	52	48	-	4	9	45.9	3	15.3
Lee	1,122	619	118	384	331	248	-	83	54	48.1	30	26.7
White	534	539	32	13	131	90	-	41	19	32.5	10	17.1
Nonwhite	538	80	86	371	200	158	-	42	35	65.1	20	37.2
Limestone	1,125	620	354	171	275	232	-	43	32	28.4	19	16.9
White	858	613	234	11	168	132	-	36	21	24.5	12	14.0
Nonwhite	267	7	100	160	107	100	-	7	11	41.2	7	26.2
Louise	599	66	6	526	199	176	-	22	36	60.1	31	51.8
White	60	52	4	4	25	13	-	11	1	16.7	1	16.7
Nonwhite	539	14	2	522	174	163	-	11	35	64.9	30	55.7
Macon	793	415	61	319	329	174	21	134	30	37.8	31	39.1
White	104	72	28	4	44	32	-	12	2	19.2	2	19.2
Nonwhite	689	341	33	315	285	142	21	122	28	40.6	29	42.1
Madison	2,280	1,180	651	442	651	477	-	173	82	36.3	60	22.1
White	1,863	1,107	504	80	431	299	-	131	64	38.5	29	17.4
Nonwhite	597	73	127	392	220	178	-	42	18	30.2	21	35.2
Huntsville	698	500	104	94	245	162	-	82	27	39.7	17	24.4
White	518	465	51	1	149	88	-	59	23	44.4	11	21.2
Nonwhite	160	37	53	90	97	74	-	4	4	22.2	6	33.3
Balance of county	1,562	690	527	349	406	315	-	33	4	35.2	33	21.1
White	1,145	644	453	46	293	211	-	72	41	35.8	18	15.7
Nonwhite	417	36	74	302	113	104	-	19	14	33.6	15	36.0

See footnotes on p. 95.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
ALABAMA—Continued												
Marengo	882	152	102	626	361	313	-	46	48	54.4	33	37.4
	222	135	65	20	120	91	-	28	10	45.0	4	18.0
	660	17	37	606	241	222	-	18	58	57.6	29	43.9
Marion	804	366	317	121	176	127	-	48	21	26.1	22	27.4
Marshall	1,367	615	502	49	334	241	-	92	48	35.1	45	32.9
Mobile	7,117	5,475	280	1,356	2,157	1,123	240	767	267	37.5	214	30.1
	4,721	4,338	232	148	1,075	566	16	466	142	30.1	90	19.1
	2,396	1,137	48	1,208	1,082	557	224	301	125	52.2	124	51.8
Mobile	3,583	2,965	53	562	1,203	681	17	486	136	38.0	109	30.4
	2,273	2,226	34	10	636	333	16	299	62	27.3	45	19.8
	1,310	739	19	552	547	348	1	198	74	56.5	64	48.9
Balance of county	3,534	2,510	227	794	954	442	223	281	131	37.1	105	29.7
	2,448	2,112	198	138	419	233	-	178	80	32.7	45	18.4
	1,086	398	29	656	535	209	223	103	51	47.0	60	55.2
Monroe	786	87	271	426	220	192	-	28	31	39.4	22	28.0
	300	77	199	23	82	67	-	15	6	20.0	10	33.3
	486	10	72	403	138	125	-	13	25	51.4	12	24.7
Montgomery	3,582	2,147	104	1,325	1,271	871	19	375	98	27.4	106	29.6
	1,922	1,858	47	17	538	343	2	189	30	15.6	39	20.3
	1,660	289	57	1,308	733	528	17	186	68	41.0	67	40.4
Montgomery	2,665	1,803	39	818	982	656	9	312	76	28.5	67	32.6
	1,572	1,548	14	10	471	294	1	173	23	14.6	35	22.3
	1,093	255	25	808	511	362	8	139	53	48.5	52	47.6
Balance of county	917	344	65	507	269	215	10	63	22	24.0	19	20.7
	350	310	33	7	67	49	1	16	7	20.0	4	11.4
	567	34	32	500	222	166	9	47	15	28.5	15	26.5
Morgan	1,390	960	323	106	420	293	-	122	56	25.9	31	22.3
	1,225	927	252	45	354	218	-	113	51	25.3	24	19.6
	165	33	71	61	66	77	-	9	5	30.3	7	42.4
Decatur	501	415	51	35	192	122	-	70	14	27.9	12	24.0
	426	400	21	5	149	84	-	64	12	28.2	8	16.8
	75	15	30	30	44	38	-	6	2	26.7	4	33.3
Balance of county	889	548	272	71	288	178	-	52	22	24.7	19	21.4
	799	527	231	40	186	134	-	49	19	23.8	16	20.0
	80	18	41	31	42	38	-	3	3	33.3	3	33.3
Perry	615	67	84	460	211	186	-	25	28	45.7	28	45.7
	135	80	58	16	30	36	-	14	6	44.4	2	14.8
	478	7	26	444	161	150	-	11	22	46.0	26	54.4
Pickens	757	123	267	363	214	163	-	31	30	39.6	18	23.8
	355	118	219	16	93	67	-	26	15	42.3	6	15.9
	402	5	48	347	122	116	-	5	15	37.3	12	29.9
Pike	912	417	174	321	308	237	-	72	50	54.8	37	40.6
	494	385	93	16	159	111	-	48	15	30.4	11	22.3
	418	32	81	305	180	126	-	24	35	83.7	26	62.2
Randolph	675	336	188	150	216	172	-	42	26	38.5	20	29.6
	488	323	131	34	150	108	-	40	13	26.6	11	22.5
	187	13	57	116	66	64	-	2	13	69.5	9	48.1
Russell	1,302	635	44	623	374	275	-	85	43	33.0	28	21.5
	613	572	35	8	167	107	-	46	15	24.5	15	24.5
	689	63	11	615	207	188	-	39	28	40.6	13	18.9
Phenix City	646	463	13	170	199	133	-	53	23	35.6	14	21.7
	435	425	9	1	129	81	-	35	12	27.6	12	27.6
	211	38	4	169	70	52	-	18	11	52.1	2	9.5
Balance of county	658	172	31	453	175	142	-	32	20	30.5	14	21.3
	178	147	24	7	38	26	-	11	3	16.9	3	16.9
	478	25	7	446	137	116	-	21	17	35.6	11	23.0
St. Clair	762	381	307	71	204	132	-	72	25	32.8	18	23.6
	604	358	231	13	161	103	-	58	21	34.8	10	16.6
	158	23	76	58	43	29	-	14	4	25.3	8	50.6
Shelby	761	222	445	93	234	185	-	45	26	36.8	19	25.0
	557	218	326	13	141	103	-	36	16	26.7	11	19.7
	204	4	119	80	33	32	-	9	12	58.8	8	39.2
Sumter	723	140	66	516	274	229	-	45	38	62.6	29	40.1
	122	97	25	2	63	41	-	22	4	32.8	1	8.2
	601	43	43	514	211	189	-	23	34	56.6	28	46.6
Talladega	2,015	1,170	363	481	493	323	-	170	81	40.2	50	24.8
	1,296	1,058	199	39	293	163	-	130	40	30.9	29	22.4
	719	112	164	442	200	160	-	40	41	57.0	21	29.2
Tallapoosa	1,016	656	245	115	261	198	-	62	41	40.4	22	21.7
	751	605	139	7	170	122	-	48	29	37.3	11	14.6
	265	51	106	108	91	77	-	14	13	49.1	11	41.5
Tuscaloosa	2,153	1,471	274	406	988	443	344	199	71	33.0	60	27.9
	1,528	1,348	156	23	717	240	338	138	43	28.1	35	22.9
	625	123	118	383	271	203	6	61	28	44.8	25	40.0
Tuscaloosa	907	698	50	158	533	165	289	99	33	36.4	24	26.5
	652	635	13	3	409	88	264	57	18	27.6	12	18.4
	255	63	37	155	124	77	5	42	15	58.8	12	47.1
Balance of county	1,246	713	224	248	455	278	75	100	58	30.5	56	28.9
	876	713	143	20	308	152	74	81	25	28.5	23	26.3
	370	60	81	228	147	126	1	19	13	35.1	13	35.1
Walker	1,824	786	984	52	472	299	-	162	75	41.1	46	25.2
	1,678	762	890	26	381	227	-	143	87	39.9	39	23.2
	146	26	94	26	91	72	-	19	8	54.8	7	47.8

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

5

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS			DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS			
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
ALABAMA—Continued												
Washington	484	76	184	222	116	93	-	22	18	37.2	20	21.3
White	303	73	166	73	63	45	-	17	11	36.3	11	36.3
Nonwhite	181	3	28	149	53	48	-	5	7	38.7	9	49.7
Wilcox	821	72	86	663	310	281	-	29	49	59.7	24	29.2
White	109	53	45	11	41	29	-	12	2	18.3	2	18.3
Nonwhite	712	19	41	652	269	252	-	17	47	66.0	22	30.9
Winston	573	388	164	20	112	70	-	38	15	26.2	12	20.9
ARIZONA	19,153	16,973	1,130	554	6,032	2,694	228	3,014	973	50.8	377	19.7
White	16,928	15,360	948	470	5,008	2,295	210	2,410	671	39.6	310	18.3
Nonwhite	2,225	1,613	182	84	1,024	399	18	604	302	135.7	67	30.1
Apache	498	326	84	1	234	71	-	155	68	136.5	9	18.1
White	185	125	56	1	49	28	-	14	8	43.2	2	10.8
Nonwhite	313	201	28	-	185	43	-	141	60	191.7	7	22.4
Cochise	990	892	66	66	325	140	-	178	49	49.5	26	26.3
Cocconino	587	500	51	2	213	65	-	143	70	119.3	14	23.9
White	407	362	42	1	94	45	-	44	15	36.9	8	19.7
Nonwhite	180	138	9	1	119	20	-	99	55	305.6	6	33.3
Gila	762	689	49	2	202	93	55	52	33	43.3	8	10.5
White	667	616	46	2	165	79	50	34	19	27.0	6	9.0
Nonwhite	95	73	3	-	37	14	5	18	15	157.9	2	21.1
Graham	363	270	71	6	102	54	-	47	15	41.3	7	19.3
Greenlee	486	445	7	1	70	29	-	40	12	26.3	10	21.9
Maricopa	8,294	7,810	187	235	2,543	1,192	123	1,175	328	39.5	157	18.9
Phoenix	4,486	4,284	78	179	1,418	728	2	662	167	37.2	94	21.0
Balance of county	3,808	3,526	109	126	1,125	464	121	513	161	42.3	63	16.5
Mohave	257	241	6	1	69	30	-	37	5	19.5	5	19.5
Navajo	809	645	54	13	249	99	-	150	74	91.5	18	19.8
White	454	428	15	9	107	51	-	56	21	46.3	8	17.6
Nonwhite	355	217	39	4	142	48	-	94	53	149.3	8	22.5
Pima	3,313	2,786	379	48	1,091	516	-	570	191	57.7	74	22.3
White	3,023	2,611	319	36	943	424	-	515	144	47.6	59	19.5
Nonwhite	290	175	60	12	148	92	-	55	47	162.1	15	51.7
Tucson	2,763	2,339	244	37	641	413	-	225	141	51.0	54	19.5
Balance of county	550	457	35	11	450	103	-	345	50	90.9	20	36.4
White	403	372	16	7	347	42	-	303	21	52.1	13	32.3
Nonwhite	147	85	19	4	103	61	-	42	29	197.3	7	47.6
Pinal	1,089	889	82	81	325	163	1	161	56	51.4	23	21.1
White	663	728	75	59	237	118	1	118	30	34.5	15	17.3
Nonwhite	220	161	7	22	88	45	-	43	26	118.2	8	36.4
Santa Cruz	309	205	59	7	84	51	-	33	15	48.5	6	19.4
Yavapai	635	610	21	3	316	105	49	154	20	31.5	8	12.6
Yuma	791	705	14	63	209	86	-	119	38	48.0	14	17.7
White	716	639	12	56	189	76	-	110	34	47.5	12	16.8
Nonwhite	75	66	2	7	20	10	-	9	4	53.5	2	26.7
ARKANSAS	48,993	28,121	13,069	7,520	15,095	9,880	736	4,312	1,445	29.5	672	17.8
White	38,053	26,394	10,742	798	10,835	6,567	514	3,576	1,075	28.3	573	15.1
Nonwhite	10,930	1,727	2,327	6,722	4,260	3,283	222	736	370	33.9	299	27.4
Arkansas	658	388	157	128	151	115	-	30	13	19.8	10	15.2
White	513	386	99	86	119	87	-	26	13	25.3	9	17.5
Nonwhite	145	2	38	102	32	28	-	4	-	0	1	6.9
Ashley	731	308	229	174	213	167	-	46	24	32.8	15	20.5
White	448	265	177	5	96	72	-	24	14	31.3	6	13.4
Nonwhite	283	43	52	169	117	95	-	22	10	35.3	9	31.8
Barter	285	166	112	3	75	56	-	14	11	38.6	5	17.5
Benton	793	622	164	5	319	239	2	77	16	20.2	18	22.7
Boone	445	342	93	10	108	79	-	19	5	11.2	11	24.7
Bradley	467	296	120	46	119	95	-	24	8	17.1	-	0
White	324	292	31	1	83	63	-	20	4	12.3	-	0
Nonwhite	143	4	89	45	36	32	-	4	4	28.0	-	0
Calhoun	155	22	97	33	52	43	-	9	3	19.4	5	32.3
White	85	22	62	1	29	23	-	6	-	0	3	35.3
Nonwhite	70	-	35	32	23	20	-	3	3	42.9	2	28.6
Carroll	286	182	105	9	151	132	-	19	13	43.9	12	40.5
Chicot	555	224	85	265	201	150	-	51	19	34.2	12	21.6
White	283	204	49	29	61	34	-	27	8	28.3	6	21.2
Nonwhite	272	20	16	236	140	116	-	24	11	40.4	6	22.1
Clark	567	305	158	101	182	140	-	33	13	22.9	11	19.4
White	421	303	112	6	124	104	-	20	8	19.0	6	14.3
Nonwhite	146	2	46	95	58	44	-	13	5	34.2	5	34.2
Clay	680	230	431	13	174	139	-	33	19	27.8	15	22.1
Cleburne	318	244	61	10	95	62	-	33	2	6.3	7	22.0
Cleveland	188	66	93	29	70	49	-	21	8	42.6	1	5.3
White	131	62	68	1	48	31	-	17	5	38.2	1	7.6
Nonwhite	57	4	25	28	22	18	-	4	3	52.6	-	0
Columbia	601	347	127	117	167	115	-	51	11	18.3	10	16.6
White	371	314	61	5	79	44	-	34	6	16.2	1	2.7
Nonwhite	230	33	76	112	88	71	-	17	5	21.7	9	39.1
Conway	476	267	132	76	175	124	-	49	19	39.9	9	18.9
White	369	264	96	8	127	78	-	48	13	35.2	4	10.8
Nonwhite	107	3	36	68	48	46	-	1	6	56.1	5	46.7

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
ARKANSAS—Continued												
Craighead-----	1,415	814	543	55	358	227	-	130	36	26.9	15	10.6
Jonesboro-----	431	369	19	43	139	82	-	57	10	23.2	8	18.6
White-----	389	365	19	5	127	71	-	56	8	20.6	5	12.9
Nonwhite--	42	4	-	38	12	11	-	1	2	47.6	3	71.4
Balance of county-----	984	445	524	12	219	145	-	73	28	28.5	7	7.1
Crawford-----	573	360	179	13	172	107	2	59	24	41.9	4	7.0
Crittenden-----	1,326	254	296	765	411	334	-	76	47	35.4	37	27.9
White-----	435	228	194	21	79	45	-	34	9	20.7	6	13.8
Nonwhite--	891	26	112	744	332	289	-	42	38	42.6	31	34.8
Crown-----	783	352	225	204	164	125	-	39	21	26.9	7	8.9
White-----	544	335	194	14	102	68	-	34	14	25.7	6	11.0
Nonwhite--	239	17	31	190	62	57	-	4	7	29.3	1	4.2
Dallas-----	319	106	165	46	104	82	-	22	4	12.5	6	18.8
White-----	161	98	93	-	50	39	-	11	1	5.5	3	16.6
Nonwhite--	138	9	92	46	54	43	-	11	3	21.7	3	21.7
Decha-----	694	299	87	302	150	112	-	37	16	23.1	14	20.2
White-----	389	260	63	45	80	35	-	25	7	18.0	4	10.3
Nonwhite--	305	19	24	257	90	77	-	12	9	29.5	10	32.8
Drew-----	486	279	61	144	138	104	-	34	5	10.3	9	18.5
White-----	322	270	47	4	70	45	-	25	1	3.1	4	12.4
Nonwhite--	164	9	14	140	68	59	-	9	4	24.4	5	30.5
Faulkner-----	656	494	105	56	185	112	-	72	26	39.6	6	9.1
White-----	573	468	97	7	157	90	-	68	26	45.4	5	8.7
Nonwhite--	83	26	6	49	28	22	-	8	-	0	1	12.0
Franklin-----	296	233	62	-	80	65	-	17	11	37.2	3	10.1
Fulton-----	166	35	150	-	50	44	-	6	3	16.1	-	0
Garland-----	1,113	929	113	69	519	283	1	230	48	45.1	17	15.3
White-----	1,021	921	55	43	436	220	1	210	44	43.1	10	9.8
Nonwhite--	92	8	58	26	83	63	-	20	4	45.5	7	76.1
Hot Springs-----	757	652	73	32	427	220	1	201	39	51.5	14	18.5
White-----	676	645	21	10	347	159	1	182	35	51.8	7	10.4
Nonwhite--	81	7	52	22	80	61	-	19	4	49.4	7	86.4
Balance of county-----	356	277	40	37	92	63	-	29	9	25.3	3	8.4
Grant-----	200	70	125	5	61	44	-	17	5	25.0	4	20.0
Greene-----	682	376	301	3	184	128	2	45	21	30.8	13	19.1
Hempstead-----	627	315	148	161	233	164	-	64	22	35.1	15	23.9
White-----	350	294	53	2	137	84	-	48	17	48.6	4	11.4
Nonwhite--	277	21	95	159	96	80	-	16	5	18.1	11	39.7
Hot Spring-----	489	343	109	37	137	89	-	48	11	22.5	13	26.6
White-----	432	340	92	-	118	73	-	45	10	23.1	11	25.5
Nonwhite--	57	3	16	37	19	16	-	3	1	17.5	2	35.1
Howard-----	376	192	133	49	94	70	-	23	6	16.0	5	13.3
White-----	292	165	102	5	79	58	-	21	3	10.5	4	13.7
Nonwhite--	84	7	31	44	15	12	-	2	3	35.7	1	11.9
Independence-----	639	506	114	13	181	123	-	57	20	31.3	6	9.4
Izard-----	234	104	128	2	75	62	-	13	3	12.8	5	21.4
Jackson-----	818	582	203	31	225	133	1	75	40	48.9	12	14.7
White-----	707	519	178	10	178	102	1	62	34	48.1	9	12.7
Nonwhite--	111	63	27	21	47	31	-	13	6	54.1	3	27.0
Jefferson-----	1,865	926	228	700	857	472	10	170	63	33.8	33	17.7
White-----	1,010	675	122	11	333	193	5	131	41	40.6	12	11.9
Nonwhite--	855	51	106	689	324	279	5	39	22	25.7	21	24.6
Pine Bluff-----	773	587	61	125	377	243	4	127	40	51.7	14	18.1
White-----	574	556	17	1	229	120	4	103	29	50.5	7	12.2
Nonwhite--	199	31	44	124	148	123	-	24	11	55.3	7	35.2
Balance of county-----	1,092	339	167	575	280	229	6	43	23	21.1	19	17.4
White-----	436	319	105	10	104	73	1	28	12	27.5	5	11.5
Nonwhite--	656	20	62	565	176	156	5	15	11	16.8	14	21.3
Johnson-----	399	328	58	12	117	85	-	32	11	27.6	6	20.1
Lafayette-----	359	114	112	133	104	82	-	22	14	39.0	4	11.1
White-----	139	113	21	5	33	19	-	14	1	7.2	1	7.2
Nonwhite--	220	1	91	128	71	63	-	8	13	59.1	3	13.6
Lawrence-----	607	368	229	8	151	105	1	43	25	41.2	13	21.4
Lee-----	601	68	170	359	178	150	-	28	24	39.9	18	30.0
White-----	202	62	121	18	58	43	-	15	12	59.4	5	24.8
Nonwhite--	399	6	49	341	120	107	-	13	12	30.1	13	32.6
Lincoln-----	315	98	53	162	117	90	2	18	13	41.3	3	9.5
White-----	123	87	28	8	43	24	-	14	2	16.3	-	0
Nonwhite--	192	11	25	154	74	66	2	4	11	57.3	3	15.6
Little River-----	333	136	83	110	86	62	-	16	5	15.0	8	24.0
White-----	220	132	78	8	50	31	-	13	4	18.2	3	13.6
Nonwhite--	113	4	5	102	36	31	-	3	1	8.8	5	44.2
Logan-----	513	402	108	2	185	106	-	79	12	23.4	3	5.8
Lonoke-----	644	302	349	183	210	153	-	55	23	27.3	17	20.1
White-----	622	286	308	26	137	93	-	42	16	25.7	14	22.5
Nonwhite--	222	16	41	157	73	60	-	13	7	31.5	3	13.5
Madison-----	305	147	110	39	91	60	-	30	7	23.0	4	13.1
Marion-----	204	99	99	4	61	46	-	13	5	24.5	5	14.7

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

7

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
ARKANSAS—Continued												
Miller	648	565	118	161	284	198	-	85	32	37.7	17	20.0
White	630	536	74	18	193	119	-	73	19	28.6	14	22.2
Nonwhite	218	29	44	143	91	79	-	12	14	64.2	3	13.8
Tezarkana	413	345	23	45	185	124	-	60	16	39.7	10	24.2
White	338	330	5	3	152	78	-	53	8	23.7	7	20.7
Nonwhite	75	15	18	42	33	46	-	7	8	105.7	3	40.0
Balance of county	435	220	95	116	99	74	-	25	16	36.8	7	16.1
White	292	206	69	15	61	41	-	20	10	34.2	7	24.0
Nonwhite	143	14	26	101	38	33	-	5	6	42.0	-	0
Mississippi	2,528	1,064	1,079	378	521	384	-	129	95	36.0	49	19.4
White	1,942	1,051	824	64	362	245	-	111	74	39.1	36	19.6
Nonwhite	586	13	255	314	159	141	-	18	22	37.5	11	18.8
Elytheville	393	218	104	71	131	99	-	32	16	40.7	12	30.5
White	292	215	75	2	92	64	-	28	14	47.9	11	37.7
Nonwhite	101	3	29	69	39	35	-	4	2	19.8	1	9.9
Balance of county	2,135	845	975	307	390	285	-	97	60	37.5	57	17.5
White	1,650	836	749	62	270	179	-	83	60	36.4	27	16.4
Nonwhite	485	10	226	245	120	106	-	14	20	41.2	10	20.6
Monroe	433	99	161	165	149	127	-	22	15	34.6	5	11.5
White	232	94	124	14	70	53	-	17	9	39.8	2	8.6
Nonwhite	201	5	37	151	79	74	-	5	6	29.9	3	14.9
Montgomery	152	62	84	6	48	40	-	8	1	6.6	4	26.3
Nevada	335	144	113	74	130	105	-	24	3	9.0	8	23.9
White	199	132	84	2	90	70	-	19	2	16.1	4	20.1
Nonwhite	136	12	49	72	40	35	-	5	1	7.4	4	29.4
Newton	197	94	92	8	32	24	-	8	4	20.3	4	20.3
Ouachita	910	479	190	236	246	162	-	83	25	27.5	22	24.2
White	530	468	77	5	121	71	-	50	9	16.4	13	23.6
Nonwhite	380	11	113	231	125	91	-	33	16	44.4	9	25.0
Perry	175	75	100	-	25	16	-	9	3	17.1	3	17.1
Phillips	1,288	365	172	696	453	348	1	104	37	29.2	32	25.2
White	512	354	117	41	133	72	1	60	16	31.3	7	13.7
Nonwhite	756	31	55	655	320	276	-	44	21	27.8	25	33.1
Pike	162	77	74	10	47	36	-	11	2	12.3	3	18.5
Poinsett	1,271	419	819	33	220	157	-	61	56	44.1	30	23.6
White	1,192	417	769	6	185	131	-	52	51	42.8	23	19.3
Nonwhite	79	2	50	27	35	26	-	9	5	63.3	7	86.6
Folk	450	290	156	3	127	91	-	36	15	33.3	5	11.1
Foss	578	367	165	25	154	109	-	44	8	13.8	9	15.6
Frairie	273	102	132	37	85	65	-	18	9	33.0	2	7.3
White	235	100	122	11	70	53	-	17	7	29.6	2	6.5
Nonwhite	38	2	10	26	15	12	-	1	2	52.6	-	0
Fulcrum	4,952	4,328	411	203	2,293	885	634	759	145	29.3	68	17.8
White	3,688	3,364	292	8	1,557	549	425	569	97	26.3	48	13.0
Nonwhite	1,264	944	119	195	736	336	209	190	48	38.0	40	31.6
Little Rock	2,639	2,494	107	36	1,651	510	501	628	85	32.2	50	18.9
White	2,002	1,949	50	3	1,141	341	310	478	56	28.0	27	13.5
Nonwhite	637	545	57	33	510	169	191	150	29	45.5	23	36.1
North Little Rock	940	853	51	36	234	175	-	57	23	24.5	16	17.0
White	689	665	24	-	139	97	-	40	15	21.8	11	16.0
Nonwhite	251	188	27	36	95	78	-	17	8	31.9	5	19.9
Balance of county	1,373	981	253	131	408	200	133	74	37	26.9	22	16.0
White	997	770	218	5	278	111	115	51	26	26.1	10	10.0
Nonwhite	376	211	35	126	130	89	18	23	11	39.3	12	31.9
Randolph	378	139	231	4	126	100	-	25	17	45.0	10	26.5
St. Francis	950	338	203	397	274	175	-	96	36	37.9	18	18.9
White	429	280	116	29	125	62	-	52	18	42.0	8	18.6
Nonwhite	521	58	87	369	149	113	-	34	18	34.5	10	19.2
Saline	542	237	292	12	208	87	67	51	15	27.7	13	24.0
Scott	189	134	59	4	56	25	-	7	12	60.3	3	15.1
Searcy	282	214	30	33	61	45	-	15	5	17.7	4	14.2
Sebastian	1,634	1,461	162	9	489	234	9	224	41	25.1	15	9.2
Fort Smith	1,187	1,108	49	8	383	189	9	203	39	32.6	12	10.3
White	1,075	1,045	24	4	334	134	9	189	34	31.6	10	9.3
Nonwhite	92	62	25	4	49	35	-	14	4	43.5	2	21.7
Balance of county	487	353	113	1	86	65	-	21	3	6.4	5	6.4
Sevier	329	232	81	14	88	60	-	28	4	12.2	5	15.2
White	308	230	74	2	81	54	-	27	4	13.0	4	13.0
Nonwhite	21	2	7	12	7	6	-	1	-	0	1	47.6
Sharp	162	68	88	4	47	30	-	17	2	12.3	2	12.3
Stone	178	87	79	10	55	44	-	10	4	22.5	3	16.9
Union	1,140	806	107	219	317	208	-	98	18	15.8	22	19.3
White	821	764	51	5	200	116	-	74	13	15.8	11	13.4
Nonwhite	319	42	56	214	92	92	-	24	5	15.7	11	34.5
El Dorado	590	503	30	65	142	94	-	50	8	13.4	14	23.4
White	482	474	8	-	93	48	-	37	6	12.4	9	18.7
Nonwhite	116	29	22	65	49	36	-	13	2	17.2	5	43.1
Balance of county	542	303	77	154	175	124	-	48	10	19.5	8	14.8
White	339	290	43	5	107	68	-	37	7	20.6	2	5.9
Nonwhite	203	15	34	149	68	56	-	11	3	14.8	6	29.6
Van Buren	215	74	138	-	57	46	-	11	4	19.6	1	4.7

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
ARIZONA—Continued												
Washington	1,118	996	94	22	346	209	1	130	39	34.9	25	22.4
White	994	678	299	5	277	180	3	90	24	24.4	15	15.2
Woodruff	479	190	222	63	123	90	-	29	13	27.1	6	12.5
White	302	154	143	5	62	34	-	24	9	23.8	5	16.6
Nonwhite	177	36	79	58	61	56	-	5	4	22.6	1	5.6
Yell	388	257	129	3	53	39	-	13	3	7.7	3	7.7
CALIFORNIA	245,889	240,269	4,498	443	96,697	41,947	4,959	47,882	7,235	29.4	4,054	16.5
White	229,588	224,969	3,670	390	91,674	40,149	4,701	44,853	6,587	28.7	3,629	15.8
Nonwhite	16,301	15,300	828	53	5,023	1,798	258	2,929	646	39.6	425	26.1
Alameda	18,898	18,680	201	2	6,980	3,206	221	3,409	507	26.8	315	16.7
Oakland	9,916	9,808	101	1	4,210	1,892	139	2,105	271	27.3	172	17.5
White	8,490	8,439	47	-	3,826	1,748	139	1,868	216	25.4	127	15.0
Nonwhite	1,426	1,369	54	1	584	144	-	237	55	38.6	45	31.6
Alameda	2,304	2,284	18	-	522	246	13	259	75	32.6	31	13.5
Berkeley	2,840	2,817	22	-	905	467	1	408	49	17.3	42	14.8
Albany	407	403	4	-	87	50	-	35	8	19.7	6	19.7
San Leandro	1,104	1,094	10	-	201	100	2	92	16	14.5	15	13.6
Balance of county	2,327	2,274	46	1	1,055	451	68	509	88	37.8	47	20.2
Alpine	1	1	-	-	6	3	-	3	-	0	1	1,000.0
White	-	-	-	-	3	-	-	3	-	0	-	-
Nonwhite	1	1	-	-	3	3	-	-	-	0	1	1,000.0
Amador	182	166	15	-	111	50	35	24	3	16.5	4	22.0
Butte	1,463	1,447	16	-	706	314	8	362	32	21.9	28	19.1
Calaveras	176	160	16	-	103	40	21	41	7	39.8	-	0
Colusa	265	254	9	-	131	41	-	90	7	26.6	1	3.8
Contra Costa	8,468	8,170	273	4	1,503	691	4	789	246	29.1	133	15.7
Hickman	4,498	4,301	183	1	533	233	-	288	119	26.5	63	14.0
Balance of county	3,970	3,868	90	3	970	458	4	500	127	32.0	70	17.6
Del Norte	157	152	3	-	75	24	1	50	10	83.7	3	19.1
El Dorado	514	290	24	-	140	68	14	56	5	15.9	7	22.3
Fresno	7,062	6,813	217	5	2,307	961	15	1,287	250	35.4	136	18.3
Fresno	2,319	2,297	17	1	1,333	429	9	873	86	37.1	55	23.7
Balance of county	4,744	4,516	200	4	974	532	6	414	184	34.6	81	17.1
Gleason	368	345	23	-	148	71	-	76	10	27.2	7	19.0
Humboldt	1,419	1,409	8	1	660	257	34	369	45	31.7	23	16.2
Sureka	629	627	1	-	359	94	31	234	17	27.0	12	19.1
Balance of county	790	782	7	1	301	163	3	135	28	35.4	11	13.9
Imperial	1,984	1,574	295	55	491	271	-	217	86	43.3	33	16.6
White	1,802	1,428	263	52	429	231	-	195	76	42.2	30	16.6
Nonwhite	182	146	32	3	62	40	-	22	10	54.9	3	16.5
Brawley	461	269	150	34	98	57	-	42	20	43.4	17	36.9
El Centro	386	344	33	5	82	45	-	37	15	38.9	5	13.0
White	337	305	23	5	70	36	-	34	13	36.6	4	11.9
Nonwhite	49	39	10	-	12	9	-	3	2	40.8	1	20.4
Balance of county	1,137	961	112	16	310	169	-	138	51	44.9	11	9.7
White	1,027	867	100	13	266	144	-	119	44	42.8	10	9.7
Nonwhite	110	94	12	3	44	25	-	19	7	63.6	1	9.1
Inyo	244	239	3	1	88	39	7	35	7	28.7	1	4.1
White	205	204	1	-	80	33	7	33	7	34.1	-	0
Nonwhite	39	35	2	1	8	6	-	2	-	0	1	25.8
Kern	6,148	5,923	190	1	1,530	610	-	905	234	38.1	119	19.4
Bakersfield	2,737	2,720	13	1	399	141	-	254	83	30.3	53	19.4
Balance of county	3,408	3,203	177	-	1,132	469	-	651	151	44.3	66	19.4
Kings	1,415	1,337	69	2	365	146	-	219	61	43.1	39	27.6
Lake	259	256	2	-	145	82	-	60	12	46.3	4	15.4
Leason	426	416	10	-	122	52	16	52	16	37.4	10	23.4
Los Angeles	89,980	88,061	1,236	305	38,439	17,745	1,235	18,569	2,461	27.6	1,482	16.5
Long Beach	6,299	6,275	18	-	2,370	955	-	1,326	178	28.3	99	15.7
Los Angeles	47,035	46,007	709	196	21,137	9,654	224	10,771	1,357	28.9	824	17.5
White	42,084	41,321	471	172	19,564	9,058	224	9,806	1,162	27.6	687	16.3
Nonwhite	4,971	4,686	238	24	1,573	596	-	965	195	39.2	137	27.6
Alhambra	876	873	1	1	495	285	3	199	15	17.1	10	11.4
Belvedere (twp.) ³	375	250	44	72	247	110	-	136	23	61.3	11	29.3
Beverly Hills	81	79	2	-	208	169	-	37	3	37.0	1	12.3
Burbank	2,023	2,008	13	2	451	217	2	222	54	26.7	29	14.3
Glendale	1,955	1,947	7	-	962	497	3	432	36	18.4	22	11.3
Huntington Park	723	722	1	-	281	134	-	144	15	20.7	14	19.4
Inglewood	1,226	1,219	6	-	401	176	-	217	30	24.5	14	11.4
Pasadena	2,695	2,671	22	-	1,529	782	8	669	61	22.6	45	16.7
Santa Monica	1,692	1,651	11	-	745	412	6	312	40	23.6	25	14.8
South Gate	1,080	1,076	4	-	277	138	-	137	26	24.1	22	20.4
Hell	397	394	2	-	128	49	-	77	13	32.7	4	10.1
Compton	1,093	1,096	7	-	270	112	7	144	23	21.0	13	11.9
Lynwood	507	504	2	-	147	68	-	78	17	33.5	7	13.8
Maywood	328	327	1	-	112	47	-	65	8	24.4	1	3.0
Monrovia	403	398	15	-	230	125	-	102	10	24.8	8	19.9
Pomona	758	751	5	-	332	184	12	128	21	27.7	20	26.4
Redondo Beach	540	525	12	-	201	100	8	90	17	31.5	7	13.0
San Gabriel	509	502	6	1	163	71	14	76	12	23.6	8	15.7
South Pasadena	295	292	3	-	215	101	19	93	7	23.7	7	23.7
Whittier	547	546	1	-	208	96	1	105	10	18.3	10	18.3
Balance of county	18,443	17,968	344	33	7,330	3,221	929	3,020	505	27.4	281	15.2
White	17,919	17,500	300	30	7,119	3,176	846	2,941	487	27.2	273	15.2
Nonwhite	524	468	44	3	211	45	83	79	18	34.4	8	15.3

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
CALIFORNIA—Continued												
Madera	1,014	1,006	6	1	291	115	-	177	35	34.5	21	20.7
Marin	1,797	1,785	12	-	648	317	71	187	41	22.8	25	12.9
Mariposa	77	75	2	-	46	25	-	21	4	51.9	-	0
Mendocino	795	777	13	2	521	185	134	199	22	27.7	13	16.4
Merced	1,945	1,917	15	1	499	191	-	299	64	32.9	29	14.9
Merced	528	522	2	1	210	36	-	174	20	37.9	8	15.2
Balance of county	1,415	1,395	13	-	279	155	-	124	44	31.1	21	14.9
Modoc	211	209	2	-	95	47	-	48	10	47.4	5	23.7
Mono	30	29	-	-	18	9	-	9	1	33.3	1	33.3
White	26	26	-	-	13	6	-	7	-	0	1	38.5
Nonwhite	4	3	-	-	5	3	-	2	1	250.0	-	0
Monterey	3,073	2,971	90	2	853	391	9	440	108	35.1	52	18.9
Monterey	436	435	1	-	121	49	-	67	10	22.9	7	16.1
Salinas	1,109	1,099	8	1	161	59	-	99	25	22.5	9	8.1
White	1,042	1,033	8	-	152	58	-	90	22	21.1	8	7.7
Nonwhite	67	66	-	1	9	1	-	8	3	44.8	1	14.9
Balance of county	1,528	1,437	61	1	571	235	9	275	73	47.8	36	23.6
Napa	828	824	3	-	848	159	513	186	20	24.2	12	14.5
Nevada	482	472	10	-	224	76	-	148	18	37.3	5	10.4
Orange	5,162	5,001	155	1	1,914	987	5	906	149	29.7	69	13.2
Santa Ana	1,494	1,472	21	1	497	251	4	234	32	21.4	21	14.1
Anaheim	470	459	11	-	149	76	-	72	13	27.7	5	10.6
Fullerton	321	315	5	-	126	52	1	70	9	26.0	3	9.3
Balance of county	2,877	2,754	118	-	1,143	608	-	530	94	32.0	39	13.6
Placer	813	780	29	4	452	175	38	235	22	27.1	11	13.5
Plumas	332	329	2	-	134	54	-	69	11	33.1	6	24.1
Riverside	3,978	3,775	187	2	1,483	658	17	784	133	33.4	73	16.4
Riverside	1,531	1,514	16	-	574	232	17	325	46	30.0	28	10.3
Balance of county	2,447	2,261	171	2	909	426	-	459	87	35.6	45	18.4
Sacramento	8,185	6,102	65	-	2,516	1,055	9	1,404	165	26.7	102	16.5
Sacramento	3,140	3,114	17	-	1,779	692	1	1,082	81	25.8	52	16.6
Balance of county	5,045	2,988	48	-	737	363	8	352	84	27.6	50	16.4
White	2,639	2,788	44	-	687	341	6	328	79	27.8	47	16.6
Nonwhite	207	200	4	-	50	22	2	24	5	24.2	3	14.5
San Benito	389	362	20	2	144	72	15	55	22	56.6	13	33.4
San Bernardino	6,665	6,373	271	2	2,828	1,049	459	1,286	257	35.6	110	16.5
San Bernardino	2,057	1,872	82	-	1,009	292	2	699	80	38.9	36	17.5
Ontario	707	702	5	-	1,508	88	10	54	18	25.5	8	11.3
Redlands	448	407	40	-	183	98	-	65	16	35.7	5	6.7
Balance of county	3,451	3,292	144	2	1,478	571	447	448	123	35.6	63	18.3
San Diego	13,857	13,680	138	6	4,202	1,781	85	2,226	380	27.4	211	15.2
San Diego	9,187	9,077	94	-	2,647	1,159	1	1,457	239	26.0	137	14.9
National City	804	796	6	-	189	62	-	117	28	34.8	17	21.1
Balance of county	3,866	3,807	46	6	1,366	560	82	672	113	29.2	57	14.7
San Francisco, coextensive with												
San Francisco (city)	17,368	17,250	77	14	9,183	3,647	558	4,836	439	25.3	319	18.4
White	15,451	15,376	46	14	8,605	3,487	532	4,444	378	24.5	278	18.0
Nonwhite	1,917	1,874	31	-	578	160	26	392	61	31.8	41	21.4
San Joaquin	4,942	4,851	73	4	2,400	799	414	1,188	192	38.9	76	15.4
Stockton	1,657	1,636	14	2	746	329	5	407	71	42.8	35	21.1
Yodi	315	314	1	-	188	88	-	99	12	38.1	3	9.5
Balance of county	2,970	2,901	58	2	1,474	362	409	682	109	36.7	38	12.8
White	2,713	2,650	54	-	1,338	352	380	605	93	34.3	32	11.8
Nonwhite	257	251	4	2	136	30	29	77	16	62.3	6	23.3
San Luis Obispo	1,198	1,172	24	-	460	190	9	238	39	32.6	13	10.9
San Mateo	4,793	4,780	7	2	1,540	594	99	633	95	17.7	69	14.4
Burlingame	394	394	-	-	102	76	-	26	2	5.1	5	12.7
Redwood City	711	706	2	1	118	72	1	43	12	16.9	8	11.3
San Mateo	786	785	-	-	374	114	-	259	15	19.1	10	12.7
Balance of county	2,902	2,895	5	1	746	332	98	306	56	19.3	46	15.9
Santa Barbara	2,312	2,268	38	2	869	366	-	497	53	22.9	29	12.5
Santa Barbara	1,045	1,029	13	1	472	190	-	259	16	15.3	10	9.6
Balance of county	1,267	1,239	25	1	397	176	-	218	37	29.2	19	15.0
Santa Clara	6,516	6,449	47	8	2,834	1,030	497	1,179	223	34.2	97	14.9
San Jose	3,031	3,000	22	7	853	396	-	388	95	31.3	48	15.8
Palo Alto	520	520	-	-	276	104	-	168	6	11.5	4	7.7
Balance of county	2,965	2,929	25	1	1,705	530	497	633	122	41.1	45	15.2
Santa Cruz	1,404	1,391	10	1	903	421	27	437	50	35.6	12	8.5
Santa Cruz	454	453	1	-	356	172	11	169	15	35.0	4	8.8
Balance of county	950	938	9	1	547	249	16	268	35	36.8	8	8.4
Shasta	752	722	30	-	312	133	4	173	26	37.2	17	22.6
Sierra	57	56	-	-	27	16	1	10	2	35.1	1	17.5
Siskiyou	815	788	42	1	291	127	-	163	19	23.3	16	19.6
Solano	3,417	3,342	69	-	751	295	-	460	116	33.9	63	18.4
Vallejo	2,572	2,555	17	-	337	103	-	232	67	26.0	45	17.5
Balance of county	845	787	52	-	414	163	-	228	49	58.0	18	21.3
Sonoma	2,132	2,118	14	-	1,093	431	117	533	51	23.9	35	16.4
Santa Rosa	772	768	4	-	230	101	6	117	10	13.0	13	16.8
Balance of county	1,360	1,350	10	-	863	330	111	416	41	30.1	22	16.2
Stanislaus	3,514	3,248	64	1	1,056	445	5	585	109	32.9	58	11.5
Modesto	1,113	1,107	6	-	436	98	-	337	31	27.8	15	13.5
Balance of county	2,201	2,141	58	1	620	348	5	258	78	35.4	23	10.4

See footnotes on p. 33.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.-BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by--			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
CALIFORNIA--Continued												
Sutter-----	630	626	4	-	192	81	-	108	20	31.7	12	19.0
Tehama-----	435	432	2	1	222	100	-	122	10	23.0	5	11.5
Trinity-----	72	69	3	-	45	13	-	27	4	55.6	-	0
Tulare-----	4,250	4,037	195	6	1,101	530	17	543	157	36.9	89	16.2
Tuolumne-----	276	273	1	-	156	64	-	92	7	25.4	8	29.0
Ventura-----	2,701	2,538	152	2	1,017	359	245	407	103	38.1	45	16.7
San Buenaventura-----	555	552	3	-	141	67	-	71	17	30.6	6	14.4
Balance of county-----	2,146	1,986	149	2	876	292	245	336	96	40.1	37	17.2
Yolo-----	1,069	1,044	18	-	405	195	2	207	29	27.1	13	12.2
Yuba-----	681	667	10	2	276	99	-	175	37	54.3	14	20.6
COLORADO-----	32,974	29,779	2,932	171	12,613	5,560	692	6,130	1,234	37.5	634	19.3
Whites-----	32,212	29,174	2,779	169	12,329	5,458	671	5,970	1,200	37.3	611	19.0
Nonwhite-----	662	605	53	2	284	102	21	180	34	51.4	23	34.7
Adams-----	790	702	68	6	230	103	-	126	29	37.2	17	21.8
Alamosa-----	298	288	5	3	79	32	-	46	19	63.8	4	13.4
Arapahoe-----	1,165	1,137	25	3	370	170	6	194	22	18.9	30	17.2
Archuleta-----	68	20	48	-	24	18	-	5	2	29.4	1	14.7
Baca-----	214	128	88	-	51	39	-	11	4	18.7	3	14.0
Bent-----	222	216	4	1	86	29	19	36	12	54.1	1	4.5
Boulder-----	1,163	1,089	73	-	447	177	-	269	39	33.5	21	18.1
Boulder-----	605	601	4	-	183	72	-	111	24	39.7	9	14.9
Balance of county-----	558	460	69	-	264	105	-	158	15	28.9	12	21.8
Chaffee-----	163	155	5	3	98	39	3	52	3	18.4	2	12.3
Cheyenne-----	87	75	12	-	28	13	-	12	1	11.5	3	34.5
Clear Creek-----	76	71	5	-	42	26	-	15	3	39.5	1	13.2
Comanche-----	240	209	23	2	66	40	-	26	19	79.2	9	37.5
Costilla-----	204	95	80	25	43	24	-	18	6	29.4	6	29.4
Crowley-----	169	99	58	1	59	36	-	23	12	75.5	3	19.9
Custer-----	30	26	4	-	25	11	-	14	2	66.7	-	0
Delta-----	421	293	125	1	153	117	2	28	25	59.4	7	16.6
Denver, coextensive with Denver (city)-----	10,521	10,108	372	34	4,218	1,747	52	2,342	342	32.5	204	19.4
Dolores-----	67	60	6	1	10	8	-	2	3	44.8	3	44.8
Douglas-----	79	74	5	-	30	18	-	12	2	25.3	2	25.3
Eagle-----	115	113	2	-	30	15	-	14	3	26.1	2	17.4
Eldorado-----	95	92	3	-	37	19	-	18	1	10.5	2	21.1
El Paso-----	1,612	1,570	39	2	771	327	118	323	49	30.4	32	19.9
Colorado Springs-----	1,366	1,334	31	-	593	297	7	296	39	28.6	25	18.3
Balance of county-----	246	236	8	2	108	40	111	37	10	40.7	7	29.5
Fremont-----	372	354	17	1	251	102	10	136	13	34.9	3	8.1
Garfield-----	240	198	41	-	117	46	-	62	5	20.8	4	16.7
Gilpin-----	12	10	2	-	9	7	-	1	-	0	-	0
Grand-----	122	91	31	-	41	21	-	18	6	49.2	2	16.4
Gunnison-----	123	107	16	-	41	21	-	20	3	24.4	2	16.3
Hinsdale-----	5	5	-	-	2	1	-	1	1	200.0	-	0
Huerfano-----	317	141	138	23	130	87	-	43	28	68.3	5	15.8
Jackson-----	40	36	3	-	10	7	-	3	3	75.0	2	50.0
Jefferson-----	1,087	1,055	31	1	360	180	15	141	26	23.9	22	20.2
Kiowa-----	63	63	-	-	19	5	-	14	2	31.7	2	31.7
Kit Carson-----	208	192	16	-	74	36	-	37	11	52.9	2	9.6
Lake-----	190	189	1	-	81	33	-	48	13	68.4	13	68.4
La Plata-----	456	406	48	1	155	58	-	97	22	48.2	11	24.1
Larimer-----	1,080	1,027	48	1	359	169	1	176	37	34.3	21	19.4
Fort Collins-----	542	532	7	-	116	73	1	35	21	38.7	8	14.8
Balance of county-----	538	495	41	1	243	96	-	141	16	29.7	13	24.2
Las Animas-----	754	551	200	1	291	161	-	128	38	50.4	13	17.2
Trinidad-----	458	334	124	-	151	96	-	55	27	59.0	6	13.1
Balance of county-----	296	217	76	1	140	65	-	73	11	37.2	7	23.6
Lincoln-----	153	136	17	-	52	26	-	25	4	26.1	1	6.5
Logan-----	446	435	12	-	177	78	-	99	20	44.6	9	20.1
Mesa-----	968	885	76	-	350	160	23	127	44	45.5	15	15.5
Grand Junction-----	513	491	19	-	198	86	7	93	22	42.9	4	7.8
Balance of county-----	455	394	57	-	152	94	16	34	22	48.4	11	24.2
Mineral-----	18	18	-	-	6	2	-	4	-	0	-	0
Moffat-----	181	158	23	-	24	15	-	9	4	22.1	5	27.6
Montezuma-----	276	253	21	1	82	47	-	34	15	54.3	7	25.4
Montrose-----	343	319	23	-	151	71	4	72	18	52.5	7	20.4
Morgan-----	498	441	47	-	165	72	7	95	17	34.8	15	30.7
Ouray-----	303	297	97	9	274	147	-	127	43	53.5	20	24.9
Ouray-----	43	41	1	-	23	12	-	6	2	46.5	1	23.3
Park-----	43	38	5	-	27	16	-	11	2	46.5	1	23.3
Phillips-----	132	120	12	-	55	30	-	24	5	37.9	2	15.2
Pitkin-----	29	26	3	-	25	17	-	7	-	0	1	34.5
Prowers-----	461	439	22	-	131	75	-	54	18	39.0	13	28.2
Pueblo-----	2,259	1,923	288	39	1,071	304	414	352	88	39.0	30	13.3
Pueblo-----	2,024	1,792	218	9	782	280	245	256	74	36.6	24	11.9
Balance of county-----	235	131	70	30	309	44	169	96	14	59.6	6	25.5
Rio Blanco-----	139	120	19	-	51	19	-	8	6	43.2	4	28.8
Rio Grande-----	382	294	95	1	142	63	-	75	31	61.2	8	20.9
Routt-----	236	235	21	-	106	55	-	51	8	31.3	2	7.8
Saguache-----	167	145	15	5	47	23	1	22	16	95.6	1	6.0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
COLORADO—Continued												
San Juan	47	44	3	-	24	8	-	16	2	42.6	2	42.6
San Miguel	48	37	11	-	23	12	-	11	1	20.8	1	20.8
Sedgwick	127	120	7	-	42	21	-	20	4	31.5	2	15.7
Summit	24	21	3	-	12	6	2	4	1	47.7	2	83.3
Teller	66	63	3	-	30	15	1	15	1	15.2	1	15.2
Washington	155	153	2	-	46	15	-	31	5	32.3	1	6.5
Weld	1,347	1,347	366	6	553	259	14	275	65	37.9	35	20.4
Greeley	572	535	34	3	273	92	14	164	16	28.0	11	19.2
Balance of county	1,143	812	322	3	280	167	-	111	49	42.9	24	21.0
Yuma	255	247	8	-	107	52	-	55	8	31.4	3	11.8
CONNECTICUT	45,581	45,249	326	2	19,153	8,845	1,549	8,633	1,150	25.2	660	14.9
White	44,202	43,892	305	1	18,643	8,674	1,306	8,340	1,088	24.6	647	14.6
Nonwhite	1,379	1,357	21	1	510	171	43	295	62	45.0	33	23.9
Fairfield	11,373	11,315	57	1	4,820	2,149	395	2,220	259	22.8	192	16.9
Bridgeport	4,055	4,034	21	-	1,664	711	117	829	78	19.2	90	22.2
Norwalk	1,104	1,093	10	1	475	217	3	245	30	27.2	14	12.7
Stamford	1,674	1,670	4	-	684	296	-	380	38	22.7	17	10.2
Danbury	705	704	1	-	253	145	7	199	20	28.4	15	21.3
Shelton	226	224	2	-	99	53	3	40	5	22.1	7	31.0
Stratford (town)	747	744	3	-	206	130	-	71	20	26.8	11	14.7
Balance of county	2,862	2,846	16	-	1,339	597	265	458	68	23.8	38	13.3
Hartford	12,643	12,587	55	-	4,622	2,148	70	2,310	317	25.1	178	14.1
Hartford	4,446	4,438	8	-	1,803	721	18	1,040	123	27.7	61	13.7
Bristol	927	927	-	-	261	112	-	163	23	24.8	12	12.9
New Britain	1,628	1,626	2	-	633	294	6	324	42	25.8	31	19.0
West Hartford (town)	835	835	-	-	322	159	10	129	17	20.4	4	4.8
East Hartford (town)	871	863	8	-	199	119	-	76	21	24.1	4	4.6
Balance of county	3,936	3,898	37	-	1,384	743	36	578	91	23.1	66	16.8
Litchfield	2,224	2,212	12	-	992	536	15	425	62	27.9	33	14.8
Torrington	572	569	3	-	257	104	-	149	17	29.7	11	19.2
Balance of county	1,652	1,643	9	-	735	432	15	276	45	27.2	22	13.3
Middletown	1,411	1,406	5	-	673	294	282	292	29	19.8	14	9.9
Middletown	622	620	2	-	311	100	277	134	11	17.7	6	9.6
Balance of county	789	786	3	-	362	194	5	157	17	21.5	8	10.1
New Haven	12,316	12,217	97	1	5,215	2,489	229	2,419	328	26.6	179	14.5
New Haven	3,842	3,807	34	1	1,872	783	109	941	109	28.4	49	12.8
Meriden	1,007	1,006	1	-	430	198	1	226	17	16.9	21	20.9
Waterbury	2,424	2,399	25	-	1,053	423	60	562	93	38.5	39	16.2
West Haven (town)	770	759	11	-	291	167	3	117	15	19.5	10	13.0
Ansonia	418	414	4	-	164	106	-	54	15	35.9	6	14.4
Derby	229	229	-	-	115	49	1	65	3	13.1	5	21.8
Hartford	406	406	-	-	149	87	1	59	6	14.8	3	7.4
Wallingford	343	342	1	-	162	67	42	53	9	26.2	3	8.7
Balance of county	2,887	2,855	31	-	979	608	12	342	61	21.1	43	14.9
New London	3,391	3,362	28	-	1,638	703	319	565	101	29.8	55	16.2
New London	673	671	1	-	314	150	4	174	20	29.7	15	22.5
Norwich	772	766	6	-	396	206	9	171	28	36.3	14	18.1
Balance of county	1,946	1,925	21	-	928	367	306	218	53	27.2	26	13.4
Tolland	808	805	3	-	333	149	14	166	15	18.6	9	11.1
Windham	1,415	1,345	69	-	660	377	26	236	40	28.3	20	14.1
Willimantic	338	337	1	-	166	85	2	67	5	14.8	3	8.9
Balance of county	1,077	1,008	68	-	494	292	23	189	35	32.5	17	15.8
DELAWARE	7,717	6,940	353	387	3,345	1,767	285	1,266	239	31.0	149	19.5
White	6,804	6,290	251	55	2,792	1,508	217	1,046	190	28.8	105	15.9
Nonwhite	1,113	650	102	332	553	265	68	220	49	44.0	44	39.5
Kent	883	664	97	113	541	288	139	114	30	34.0	17	19.3
White	715	624	66	23	419	234	88	97	22	30.8	10	14.0
Nonwhite	168	40	31	90	122	54	51	17	8	47.6	7	41.7
New Castle	5,311	5,170	66	64	2,162	1,081	137	919	149	28.1	93	17.5
White	4,683	4,627	39	15	1,846	935	126	760	126	26.9	73	15.6
Nonwhite	628	543	27	49	316	146	11	159	23	36.6	20	31.8
Wilmington	3,143	3,061	30	31	1,378	647	30	684	107	34.0	61	19.4
White	2,737	2,711	19	7	1,148	546	29	556	91	33.2	45	18.4
Nonwhite	406	370	11	24	230	101	1	128	16	39.4	16	39.4
Balance of county	2,168	2,089	36	33	784	434	107	235	42	19.4	32	14.8
Sussex	1,523	1,106	190	210	642	398	9	235	60	39.4	39	25.6
White	1,206	1,039	146	17	527	333	3	189	42	34.8	22	18.2
Nonwhite	317	67	44	193	115	65	6	44	18	56.8	17	53.6
DISTRICT OF COLUMBIA	21,686	20,985	690	8	8,254	3,285	682	4,255	691	31.9	470	21.7
White	14,016	13,926	88	-	5,253	2,277	458	2,498	377	26.9	203	14.5
Nonwhite	7,670	7,059	602	8	3,001	1,008	224	1,767	314	40.9	267	34.8
FLORIDA	59,807	45,175	5,749	8,708	24,283	13,100	695	9,814	2,285	38.2	1,649	27.6
White	44,472	39,826	3,602	966	17,463	8,830	485	7,548	1,532	34.4	891	20.0
Nonwhite	15,335	5,349	2,147	7,742	6,820	4,270	210	2,266	753	49.1	758	49.4
Alachua	1,350	897	162	267	486	305	22	155	47	34.6	52	39.5
White	924	637	68	19	279	133	22	121	29	31.4	22	25.8
Nonwhite	426	60	94	268	209	172	-	34	18	42.3	30	70.4

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
FLORIDA—Continued												
Alachua—Continued												
Gainesville	612	500	26	85	201	103	8	87	21	34.3	23	37.6
White	487	461	5	1	137	58	8	72	16	34.3	12	25.7
Nonwhite	145	39	21	84	64	48	-	15	5	34.5	11	75.9
Balance of county	738	597	136	202	287	78	14	88	26	35.2	29	59.3
White	457	376	63	16	142	78	14	49	13	28.4	10	21.9
Nonwhite	281	21	73	184	145	124	-	19	13	46.5	19	67.6
Baker	168	70	50	88	47	36	-	9	4	21.5	6	31.9
White	151	70	24	57	30	20	-	8	2	15.3	3	22.9
Nonwhite	57	-	6	31	17	16	-	1	2	35.1	3	52.6
Bay	995	793	74	128	282	178	3	79	38	30.2	33	35.2
White	823	769	19	35	182	110	3	67	26	31.6	27	32.8
Nonwhite	172	24	55	93	80	68	-	12	12	63.8	6	34.8
Panama City	656	498	49	89	169	113	-	55	26	40.9	20	31.4
White	500	480	6	14	104	60	-	43	18	32.0	15	30.0
Nonwhite	156	18	43	75	65	53	-	12	10	73.5	5	56.8
Balance of county	359	295	25	39	95	65	3	24	12	33.4	13	36.2
White	323	289	13	21	79	50	3	24	10	31.0	12	37.2
Nonwhite	36	6	12	18	15	15	-	2	2	55.6	1	27.8
Bradford	335	189	31	114	114	69	-	17	16	47.8	12	35.8
White	244	179	30	35	87	46	-	16	12	49.2	9	36.9
Nonwhite	91	10	1	79	27	22	-	1	4	44.0	3	53.0
Brevard	509	324	40	143	199	136	6	53	21	41.3	16	31.4
White	329	298	15	15	130	80	3	45	9	27.4	7	21.3
Nonwhite	180	26	25	128	68	56	3	8	12	66.7	9	50.0
Broward	1,633	1,109	182	341	626	329	2	292	60	49.0	46	28.2
White	998	743	42	3	425	209	2	212	42	42.5	25	23.3
Nonwhite	643	166	140	338	201	120	-	90	38	58.9	23	35.7
Fort Lauderdale	663	521	71	71	316	165	-	149	53	49.8	13	19.6
White	485	450	5	-	238	119	-	117	23	50.5	7	15.4
Nonwhite	208	71	66	71	78	46	-	32	10	48.1	6	28.8
Balance of county	970	588	111	270	310	164	2	143	47	48.5	33	34.0
White	533	493	37	3	187	90	2	95	19	35.6	16	30.0
Nonwhite	437	95	74	267	123	74	-	48	28	64.1	17	38.9
Calhoun	256	69	150	35	64	46	-	18	8	31.3	7	27.3
White	227	67	141	18	58	40	-	18	7	30.8	6	26.4
Nonwhite	29	2	9	17	6	6	-	1	1	34.5	1	34.5
Charlotte	74	54	12	8	46	36	-	8	-	0	1	15.5
White	62	52	9	1	33	23	-	8	-	0	1	16.1
Nonwhite	12	2	3	7	13	13	-	-	-	0	-	0
Citrus	127	59	21	47	48	37	-	11	4	31.5	6	47.2
White	66	59	19	8	28	16	-	10	2	25.5	5	59.1
Nonwhite	41	-	2	39	20	19	-	1	2	48.8	1	24.4
Clay	264	165	28	71	110	59	24	22	9	34.1	6	22.7
White	197	159	18	21	88	42	24	18	9	45.7	3	15.2
Nonwhite	67	7	10	50	22	17	-	4	-	0	3	44.8
Collier	110	85	3	21	38	28	-	10	3	27.3	2	18.2
White	88	78	2	8	26	20	-	6	2	22.7	-	0
Nonwhite	22	7	1	13	12	8	-	4	1	45.5	2	90.9
Columbia	531	350	71	150	162	107	-	55	19	35.9	10	18.8
White	361	315	42	4	86	50	-	38	15	41.6	5	13.9
Nonwhite	170	15	29	126	74	57	-	17	4	23.5	5	29.4
Dade	8,586	7,835	205	521	3,749	1,722	2	1,799	311	36.2	200	23.3
White	6,974	6,902	53	4	3,109	1,471	2	1,417	232	33.3	127	18.2
Nonwhite	1,612	933	152	517	640	251	-	382	79	49.0	73	45.3
Miami	4,881	4,379	128	380	2,423	1,116	1	1,162	187	38.3	118	24.2
White	3,814	3,777	27	2	1,977	953	1	981	131	34.3	68	18.1
Nonwhite	1,067	602	101	356	446	163	-	281	56	52.5	49	45.9
Miami Beach	495	494	1	-	314	150	-	144	10	36.4	13	26.3
Balance of county	3,210	2,962	76	161	1,012	486	1	493	106	33.0	69	21.5
White	2,666	2,632	25	2	821	368	1	393	83	31.1	45	16.9
Nonwhite	544	330	51	159	191	88	-	98	23	42.3	24	44.1
De Soto	234	229	5	-	93	43	-	49	12	51.3	6	25.6
White	176	173	3	-	68	28	-	39	7	39.8	4	22.7
Nonwhite	58	56	2	-	25	15	-	10	5	66.2	2	34.5
Dixie	111	24	71	16	35	28	-	4	5	27.0	4	36.0
White	93	24	65	4	17	14	-	3	2	21.5	4	43.0
Nonwhite	18	6	12	16	18	14	-	1	1	55.6	-	0
Duval	7,442	6,677	230	492	2,545	1,363	12	1,139	268	36.0	192	25.8
White	5,406	5,201	142	60	1,995	844	6	715	189	35.0	97	17.9
Nonwhite	2,036	1,476	88	432	550	519	6	424	79	36.8	95	46.7
Jacksonville	5,986	5,444	139	362	2,056	1,094	11	933	208	34.7	164	27.4
White	4,162	4,062	66	11	1,203	632	6	548	138	33.2	78	18.7
Nonwhite	1,824	1,382	73	351	853	462	5	385	70	36.4	86	47.1
Balance of county	1,456	1,235	91	150	489	269	1	206	60	41.2	28	19.2
White	1,244	1,119	78	49	392	212	1	167	51	41.0	19	15.3
Nonwhite	212	114	15	81	97	57	1	39	9	42.5	9	42.5
Escambia	2,920	2,278	304	231	851	505	3	327	106	37.6	74	26.2
White	2,264	2,088	148	24	599	327	3	245	81	35.8	47	20.8
Nonwhite	556	190	156	207	262	178	-	82	25	45.0	27	49.6
Pennington	1,473	1,198	180	112	500	294	1	193	51	34.6	35	23.8
White	1,088	1,045	40	2	501	160	1	150	34	31.5	18	16.5
Nonwhite	385	153	120	110	199	134	-	63	17	44.2	17	44.2
Balance of county	1,347	1,080	144	119	351	211	2	154	55	40.8	39	29.0
White	1,176	1,043	108	22	288	167	2	115	47	40.0	28	24.7
Nonwhite	171	37	36	97	63	44	-	19	8	46.8	10	58.5

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by--			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
FLORIDA—Continued												
Flagler	75	38	1	36	23	15	-	8	-	0	2	26.7
White	33	33	-	-	12	6	-	6	-	0	-	0
Nonwhite	42	5	1	36	11	9	-	2	-	0	2	47.6
Franklin	149	71	23	50	52	31	-	20	4	26.8	4	26.8
White	111	69	27	15	26	11	-	14	3	27.0	3	27.0
Nonwhite	38	2	1	35	26	20	-	6	1	26.3	1	26.3
Gadsden	851	255	113	492	700	219	432	48	38	44.7	30	35.3
White	294	237	42	15	366	66	272	27	9	30.6	6	20.4
Nonwhite	557	18	71	467	334	153	160	21	29	52.1	24	43.1
Gilchrist	82	48	32	2	36	30	-	6	2	24.4	2	24.4
White	74	48	26	-	35	28	-	5	2	27.0	1	13.5
Nonwhite	8	-	6	2	3	2	-	1	-	0	1	125.0
Glades	51	23	19	4	20	15	-	5	3	58.8	-	0
White	35	21	13	-	9	5	-	4	1	28.6	-	0
Nonwhite	16	2	6	4	11	10	-	1	2	125.0	-	0
Gulf	218	165	10	43	59	34	-	25	8	36.7	5	22.9
White	163	138	8	17	34	17	-	17	6	36.8	2	12.3
Nonwhite	55	27	2	26	25	17	-	8	2	36.4	3	54.5
Hamilton	292	77	134	71	75	55	-	20	14	49.6	11	39.0
White	158	75	76	7	39	24	-	15	6	38.0	4	25.3
Nonwhite	124	2	58	64	36	31	-	5	8	64.5	7	56.5
Hardee	215	162	53	-	96	64	1	30	11	51.2	6	27.9
Hendry	172	141	6	25	54	33	-	17	8	46.5	7	40.7
White	135	130	3	2	30	20	-	7	5	37.0	2	14.8
Nonwhite	37	11	3	23	24	13	-	10	3	81.1	5	135.1
Hernando	154	106	46	10	59	36	-	23	4	24.4	4	24.4
White	123	94	29	-	41	21	-	20	4	32.5	-	0
Nonwhite	41	14	17	10	18	15	-	3	-	0	4	97.6
Highlands	365	321	11	32	123	69	-	54	13	35.6	13	35.6
White	271	264	4	2	91	50	-	41	7	25.8	10	36.9
Nonwhite	94	57	7	30	32	19	-	13	6	63.8	3	31.9
Hillborough	5,882	5,318	139	421	2,360	1,201	9	1,233	224	38.1	136	25.1
White	5,018	4,875	85	55	1,884	851	9	996	172	34.3	96	19.1
Nonwhite	864	443	54	366	496	250	-	237	52	60.2	40	46.5
Tampa	3,977	3,618	31	326	1,572	676	9	863	133	35.4	89	22.4
White	3,294	3,226	18	49	1,195	488	9	682	97	29.4	59	17.0
Nonwhite	683	392	13	277	377	189	-	181	36	52.7	33	49.3
Balance of county	1,935	1,700	108	95	808	425	-	370	91	47.8	47	24.7
White	1,724	1,649	57	6	689	363	-	314	75	43.5	40	23.2
Nonwhite	181	51	41	89	119	62	-	56	16	98.4	7	38.7
Holmes	453	254	155	44	128	97	-	30	18	39.7	14	30.9
Indian River	265	196	39	30	97	60	-	34	13	49.1	12	45.3
White	182	165	16	1	65	39	-	23	5	27.5	6	35.0
Nonwhite	83	31	23	29	32	21	-	11	6	96.4	6	72.3
Jackson	1,019	365	297	356	299	205	-	92	38	37.3	28	27.5
White	680	344	269	66	179	109	-	70	26	38.2	16	23.5
Nonwhite	339	21	28	290	120	96	-	22	12	35.4	12	35.4
Jefferson	289	58	69	161	114	107	-	6	16	55.4	12	41.5
White	86	44	38	4	35	31	-	4	4	45.3	5	34.9
Nonwhite	203	14	31	157	79	76	-	2	12	59.1	9	44.3
Lafayette	107	22	80	4	30	17	-	12	3	28.0	1	9.5
Lake	625	624	35	161	365	213	-	154	44	53.3	25	30.3
White	595	547	23	18	274	148	-	111	30	50.6	16	27.0
Nonwhite	232	77	12	143	91	65	-	23	14	60.3	9	38.3
Lee	469	376	13	78	228	131	6	88	27	57.7	21	44.9
White	367	356	9	1	171	89	1	82	18	51.8	13	35.4
Nonwhite	101	20	4	77	57	43	5	6	8	79.2	8	79.2
Fort Myers	299	226	6	63	156	88	6	59	17	57.0	15	50.3
White	216	213	2	-	108	54	1	53	11	30.9	8	37.0
Nonwhite	82	15	4	63	48	35	5	6	6	73.2	7	85.4
Balance of county	170	146	7	15	72	42	-	29	10	58.6	6	35.3
White	151	143	7	1	63	34	-	29	8	53.0	5	33.1
Nonwhite	19	5	-	14	9	8	-	2	2	105.3	1	52.6
Leon	1,090	662	101	326	316	193	-	98	37	33.9	35	32.1
White	597	544	45	8	136	74	-	40	19	30.2	7	11.7
Nonwhite	493	118	56	318	180	119	-	58	19	38.5	28	56.8
Tallahassee	667	483	38	146	156	96	-	53	6	9.0	22	33.0
White	415	403	7	5	74	48	-	21	2	4.8	4	9.6
Nonwhite	252	80	31	141	82	48	-	32	4	15.9	18	71.4
Balance of county	423	179	63	180	62	45	-	45	31	73.3	13	30.7
White	182	141	38	3	62	26	-	19	16	87.0	3	16.5
Nonwhite	241	38	25	177	95	71	-	26	15	62.2	10	41.5
Levy	280	101	76	83	100	78	-	21	7	28.9	10	38.5
White	185	97	63	5	48	35	-	13	2	12.1	4	24.2
Nonwhite	95	4	13	78	52	43	-	8	5	52.6	6	63.2
Liberty	69	43	9	16	28	19	-	9	-	0	3	43.5
White	54	43	8	2	20	11	-	9	-	0	2	37.0
Nonwhite	15	-	1	14	8	8	-	-	-	0	1	66.7
Madison	469	185	39	245	146	109	-	37	25	53.3	12	25.6
White	212	171	33	8	67	42	-	25	6	28.3	1	4.7
Nonwhite	257	14	6	237	79	67	-	12	19	73.9	11	42.8
Manatee	684	512	19	140	333	186	5	132	33	48.2	15	21.9
White	467	457	9	1	259	141	5	105	17	36.4	6	12.8
Nonwhite	217	55	10	139	74	47	-	27	16	73.7	9	41.5

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS			DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS			
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
FLORIDA—Continued												
Marion	917	511	88	318	378	240	-	125	19	20.7	27	29.4
White	520	473	40	7	205	113	-	85	9	17.3	4	7.7
Nonwhite	397	38	48	311	173	127	-	40	10	25.2	23	57.9
Martin	139	114	8	17	73	41	-	30	6	43.2	5	36.0
White	90	85	4	1	50	26	-	22	4	44.4	1	11.1
Nonwhite	49	29	4	16	23	15	-	8	2	40.8	4	81.6
Monroe	424	291	29	104	209	110	1	95	22	51.9	6	18.9
White	329	272	24	33	163	80	1	79	20	60.8	5	15.2
Nonwhite	95	19	5	71	46	30	-	16	2	21.1	3	31.6
Key West	396	269	28	99	185	103	1	69	20	50.5	7	17.7
White	309	254	23	32	152	73	1	76	18	58.3	4	12.9
Nonwhite	87	15	5	67	43	30	-	13	2	23.0	3	34.5
Balance of county	28	22	1	5	14	7	-	8	2	71.4	1	35.7
White	20	18	1	1	11	7	-	3	2	100.0	1	50.0
Nonwhite	8	4	-	4	3	-	-	3	-	0	-	0
Nassau	383	252	28	103	115	72	2	41	6	15.7	13	33.9
White	273	237	23	13	67	33	2	32	2	7.3	6	22.0
Nonwhite	110	15	5	90	48	39	-	9	4	36.4	7	63.6
Okaloosa	518	365	112	39	156	103	-	52	33	63.7	11	21.2
White	79	50	5	24	25	17	-	8	3	38.0	5	63.3
Nonwhite	70	48	5	17	18	11	-	7	3	42.9	3	42.9
Balance of county	9	2	-	7	7	6	-	1	-	0	2	222.2
Orange	2,342	1,753	351	258	988	477	30	467	76	32.5	61	26.0
White	1,781	1,694	74	13	758	333	24	371	50	28.1	36	20.2
Nonwhite	561	59	257	245	250	144	6	96	26	46.3	25	44.6
Orlando	1,207	893	201	113	598	271	14	306	40	33.1	27	22.4
White	875	854	19	2	449	194	11	249	23	26.3	18	20.6
Nonwhite	332	39	182	111	149	87	3	57	17	51.2	9	27.1
Balance of county	1,135	860	130	145	390	208	16	181	38	31.7	34	30.0
White	906	840	55	11	389	149	13	122	27	29.8	18	19.9
Nonwhite	229	20	75	134	101	57	3	39	9	39.3	16	89.9
Osceola	228	176	18	22	198	118	-	83	12	52.6	5	21.9
White	187	164	16	-	168	89	-	8	3	48.1	5	26.7
Nonwhite	41	12	2	22	40	30	-	3	3	75.2	-	0
Palm Beach	2,396	1,932	97	368	1,005	530	23	442	94	39.2	87	34.6
White	1,540	1,506	27	6	634	334	16	280	50	32.5	25	15.2
Nonwhite	858	426	70	362	371	196	7	162	44	51.3	59	67.8
West Palm Beach	990	896	6	98	452	232	18	201	33	33.3	30	30.3
White	702	699	3	-	296	148	11	137	18	25.6	9	12.8
Nonwhite	288	187	3	98	156	84	7	64	15	52.1	21	72.9
Balance of county	1,408	1,046	91	270	553	298	5	241	61	43.3	53	37.6
White	838	807	24	6	336	166	5	143	32	38.2	18	19.1
Nonwhite	570	239	67	264	215	112	-	98	29	50.9	37	64.8
Pasco	378	253	96	27	226	148	-	67	29	76.7	8	15.9
White	319	250	66	1	183	108	-	64	21	65.8	4	12.5
Nonwhite	59	3	30	26	43	40	-	3	8	135.6	2	33.9
Pinellas	2,395	2,111	76	198	1,781	832	25	864	71	29.6	68	28.4
White	1,927	1,927	42	7	1,579	709	25	777	60	30.3	44	22.2
Nonwhite	412	184	34	191	202	123	-	77	11	26.7	24	58.3
St. Petersburg	1,395	1,232	14	148	1,241	620	5	568	43	30.8	49	35.1
White	1,112	1,106	5	1	1,090	528	5	509	33	29.7	26	23.4
Nonwhite	283	126	9	147	151	82	-	59	10	35.3	23	81.3
Clearwater	351	313	5	33	147	57	-	84	10	28.5	5	14.2
White	267	262	3	2	117	42	-	71	9	33.7	5	18.7
Nonwhite	84	51	2	31	30	15	-	13	1	11.9	-	0
Balance of county	649	566	57	17	393	155	20	202	18	27.7	14	21.6
Polk	2,788	1,836	582	340	1,030	534	40	436	118	42.3	76	28.0
White	2,205	1,763	383	41	782	378	40	344	82	37.2	46	21.8
Nonwhite	583	73	209	298	248	156	-	92	36	61.7	30	51.5
Lakeland	644	539	11	90	308	159	2	134	21	32.6	30	46.6
White	515	501	3	7	235	115	2	105	10	19.4	15	29.1
Nonwhite	129	38	8	83	73	44	-	29	11	85.3	15	116.3
Balance of county	2,144	1,297	581	250	722	375	38	302	97	45.2	48	22.4
White	1,690	1,262	380	34	547	265	38	239	72	42.6	33	19.5
Nonwhite	454	35	201	216	175	112	-	63	25	55.1	15	35.0
Putnam	472	229	120	123	222	159	3	52	26	55.1	20	42.4
White	273	221	31	21	118	69	3	38	11	40.3	9	33.0
Nonwhite	199	8	89	102	104	90	-	13	15	75.4	11	55.3
St. Johns	591	489	8	95	246	138	-	94	23	38.9	24	40.6
White	393	379	2	12	161	76	-	74	15	38.2	10	25.4
Nonwhite	198	110	4	83	85	62	-	20	8	40.4	14	70.7
St. Augustine	439	420	2	16	194	104	-	77	16	36.4	17	38.7
White	326	326	-	-	156	61	-	64	11	33.7	8	24.5
Nonwhite	113	94	2	16	59	43	-	13	5	44.2	9	78.6
Balance of county	152	69	4	79	52	34	-	17	7	46.1	7	46.1
White	67	53	2	12	25	15	-	10	4	59.7	2	29.9
Nonwhite	85	16	2	67	27	19	-	7	3	35.3	5	58.8
St. Lucie	534	377	9	148	163	86	1	73	23	43.1	11	20.5
White	304	294	3	7	99	49	-	50	10	32.9	3	9.9
Nonwhite	230	83	6	141	64	39	1	23	13	56.5	8	34.8
Santa Rosa	529	211	276	42	125	101	-	24	21	39.7	10	18.9
White	480	208	249	23	105	84	-	21	19	39.6	7	14.6
Nonwhite	49	3	27	19	20	17	-	3	2	40.8	3	61.2

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

15

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
FLORIDA—Continued												
Sarasota	447	418	13	16	234	115	-	112	14	31.3	9	20.1
White	353	347	6	-	195	91	-	97	10	28.3	6	17.0
Nonwhite	94	71	7	16	39	24	-	15	4	42.6	3	31.9
Sarasota	319	304	4	11	175	81	-	87	9	28.2	9	28.2
White	243	242	1	-	144	63	-	74	5	20.6	6	24.7
Nonwhite	76	62	3	11	31	18	-	13	4	52.6	3	39.5
Balance of county	128	114	9	5	59	34	-	25	5	39.1	-	0
White	110	105	5	-	51	28	-	23	5	45.5	-	0
Nonwhite	18	9	4	5	8	6	-	2	-	0	-	0
Seminole	677	447	28	201	260	140	9	107	39	57.6	19	28.1
White	337	311	11	15	132	61	2	66	14	41.5	2	5.9
Nonwhite	340	136	17	186	128	79	7	41	25	73.5	17	50.0
Sanford	282	186	1	94	121	59	-	60	20	70.9	11	39.0
White	142	138	1	3	56	18	-	37	7	49.3	1	7.0
Nonwhite	140	48	-	91	65	41	-	23	13	92.9	10	71.4
Balance of county	395	261	27	107	139	81	9	47	19	48.1	8	20.3
White	195	173	10	12	76	43	2	29	7	35.9	1	5.1
Nonwhite	200	88	17	95	63	38	7	18	12	60.0	7	35.0
Sumter	264	149	41	75	99	65	-	21	5	18.9	1	3.8
White	183	144	34	5	62	33	-	17	4	21.9	1	5.5
Nonwhite	81	4	7	70	37	32	-	4	1	12.3	-	0
Suwannee	506	165	208	133	185	133	-	50	19	37.5	23	45.6
White	369	163	174	32	115	72	-	41	12	32.5	8	21.7
Nonwhite	137	2	34	101	70	61	-	9	7	51.1	15	109.5
Taylor	286	58	181	67	103	65	-	17	10	35.0	2	7.0
White	210	37	165	8	71	58	-	13	8	38.1	2	9.5
Nonwhite	76	1	16	59	32	27	-	4	2	28.3	-	0
Union	165	104	24	36	79	36	31	9	4	24.2	5	30.3
White	124	100	17	6	53	26	16	8	4	32.3	2	16.1
Nonwhite	41	4	7	30	26	10	15	1	-	0	3	75.2
Volusia	1,377	1,091	65	220	779	445	3	307	48	34.9	36	26.1
White	1,003	951	36	16	542	283	3	254	26	25.9	16	16.0
Nonwhite	374	140	29	204	237	162	-	73	22	58.8	20	53.5
Daytona Beach	612	547	17	48	346	191	-	151	23	37.6	18	29.4
White	452	448	1	3	231	113	-	113	10	22.1	5	11.1
Nonwhite	160	99	16	45	115	75	-	38	13	81.3	13	81.3
Balance of county	785	544	48	172	433	254	3	186	25	32.7	18	23.5
White	551	503	35	13	311	167	3	121	16	29.0	11	20.0
Nonwhite	214	41	13	159	122	87	-	36	9	42.1	7	32.7
Wakulla	132	55	15	62	30	23	-	5	1	7.6	3	22.7
White	88	52	11	25	19	16	-	1	-	0	2	22.7
Nonwhite	44	3	4	37	11	7	-	4	1	22.7	1	22.7
Walton	417	268	63	85	117	104	-	13	7	16.8	18	43.2
White	359	265	56	37	95	83	-	12	6	16.7	11	30.6
Nonwhite	58	3	7	48	22	21	-	1	1	17.2	7	120.7
Washington	352	179	77	94	122	101	-	21	17	46.3	17	48.3
White	295	176	67	42	92	73	-	19	14	49.0	13	45.5
Nonwhite	66	3	10	52	30	28	-	2	3	45.5	4	60.6
GEORGIA												
	94,944	61,174	13,225	20,545	28,945	18,704	1,271	8,639	3,281	34.2	2,455	25.9
White	82,894	52,522	8,535	1,817	17,170	10,098	757	6,072	1,781	28.3	1,194	19.0
Nonwhite	32,050	8,652	4,670	16,728	11,776	8,606	514	2,567	1,470	45.9	1,261	39.3
Appling	407	157	163	87	69	52	-	16	4	9.8	6	14.7
White	316	156	141	19	45	30	-	14	3	9.5	4	12.7
Nonwhite	91	1	22	68	24	22	-	2	1	11.0	2	22.0
Atkinson	192	97	80	35	35	26	-	9	3	15.6	2	10.4
White	151	95	52	4	28	19	-	9	2	13.2	2	13.2
Nonwhite	41	2	8	31	7	7	-	1	1	24.4	-	0
Bacon	270	174	64	32	60	48	-	12	7	25.9	9	33.3
White	233	174	54	10	53	42	-	11	5	21.0	9	37.8
Nonwhite	32	-	10	22	7	6	-	1	2	62.5	-	0
Baker	181	56	3	122	35	32	-	2	5	27.6	14	77.3
White	59	48	2	9	9	8	-	1	-	0	1	18.9
Nonwhite	122	8	1	113	26	24	-	1	5	41.0	13	106.6
Baldwin	464	228	15	223	1,057	144	869	44	29	62.5	15	32.3
White	223	215	2	12	547	45	460	42	12	52.4	5	21.8
Nonwhite	235	11	13	211	510	99	409	2	17	72.3	10	42.6
Banks	200	97	94	9	37	28	-	7	3	15.0	3	15.0
Barrow	325	194	90	41	94	76	-	18	5	15.4	10	30.8
White	263	190	69	4	70	55	-	15	4	15.2	6	22.8
Nonwhite	62	4	21	37	24	21	-	3	1	16.1	4	64.5
Bartow	817	635	141	43	188	153	-	35	31	37.9	23	28.2
White	724	595	115	14	147	118	-	29	27	37.3	17	23.5
Nonwhite	93	38	26	29	41	35	-	6	4	45.0	6	64.5
Ben Hill	457	308	6	143	138	91	-	39	23	50.3	17	37.2
White	308	290	5	11	99	61	-	30	19	62.1	9	29.4
Nonwhite	151	18	1	132	39	30	-	9	4	26.5	8	53.0
Berrien	441	267	126	48	95	68	-	23	11	24.9	8	18.1
White	395	261	119	15	78	54	-	20	7	17.7	5	12.7
Nonwhite	46	6	7	33	17	14	-	3	4	87.0	3	65.2
Bibb	3,018	2,703	25	286	1,032	528	13	489	102	33.8	75	24.9
White	1,874	1,643	16	19	538	243	9	284	54	28.8	27	14.4
Nonwhite	1,142	857	9	276	494	285	4	205	48	42.0	48	42.0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
GEORGIA—Continued												
Bibb—Continued												
Macon-----	2,514	2,311	16	187	983	452	-	440	85	33.8	62	24.7
White-----	1,572	1,558	8	6	481	206	-	254	44	28.0	21	13.4
Nonwhite--	942	753	8	181	482	246	-	186	41	43.5	41	43.5
Balance of county-----	502	394	9	99	139	76	13	49	17	33.9	13	25.9
White-----	302	290	8	4	77	37	9	30	10	35.1	6	19.9
Nonwhite--	200	104	1	95	62	39	4	19	7	35.0	7	35.0
Bleckley-----	254	84	80	90	76	67	-	9	8	31.5	11	43.3
White-----	171	84	76	11	43	35	-	8	3	17.5	2	11.7
Nonwhite--	83	-	4	79	33	32	-	1	5	60.2	9	108.4
Brantley-----	209	63	117	29	51	35	-	15	4	19.1	12	57.4
White-----	181	62	107	12	42	28	-	14	4	22.1	10	55.2
Nonwhite--	28	1	10	17	9	7	-	2	-	0	2	71.4
Brooks-----	628	295	29	304	193	127	-	66	29	46.5	23	36.6
White-----	270	252	12	6	89	48	-	41	9	33.3	6	22.2
Nonwhite--	358	43	17	298	104	79	-	25	20	55.9	17	47.5
Bryan-----	172	47	60	65	48	38	-	10	8	46.5	8	46.5
White-----	83	47	36	-	20	13	-	7	2	24.1	4	49.2
Nonwhite--	89	-	24	65	28	25	-	3	6	67.4	4	44.9
Bulloch-----	709	396	72	241	180	105	-	75	21	29.6	34	48.0
White-----	376	333	35	10	114	59	-	55	9	23.8	19	50.3
Nonwhite--	331	63	37	231	66	46	-	20	12	36.3	15	45.3
Burke-----	753	149	96	518	196	157	-	39	19	25.2	14	18.6
White-----	162	127	24	11	44	29	-	15	6	37.0	-	0
Nonwhite--	591	22	62	507	152	128	-	24	13	22.0	14	23.7
Butts-----	231	59	125	47	76	61	-	15	6	26.0	5	21.6
White-----	111	59	47	5	30	21	-	9	2	19.0	3	27.0
Nonwhite--	120	-	78	42	46	40	-	6	4	33.3	2	16.7
Calhoun-----	274	60	19	195	78	55	-	12	7	25.5	8	29.2
White-----	72	49	13	10	28	19	-	9	1	13.9	-	0
Nonwhite--	202	11	6	185	50	46	-	3	6	29.7	8	39.6
Camden-----	184	61	8	115	47	36	-	11	4	21.7	7	39.0
White-----	71	59	4	8	15	9	-	6	-	0	4	56.3
Nonwhite--	113	2	4	107	32	27	-	5	4	35.4	3	26.5
Candler-----	219	89	71	59	59	42	-	14	5	22.8	-	0
White-----	127	86	38	3	30	15	-	12	3	23.6	-	0
Nonwhite--	92	3	33	56	29	27	-	2	2	21.7	-	0
Carroll-----	942	596	246	100	292	199	1	87	49	52.0	26	27.6
White-----	766	582	175	11	222	134	1	63	39	49.5	20	26.0
Nonwhite--	174	14	71	89	70	65	-	4	11	63.2	6	34.5
Catoosa-----	351	307	22	2	70	50	-	20	9	27.2	6	18.1
Charlton-----	168	87	17	64	42	32	-	10	4	23.8	4	23.8
White-----	108	85	11	12	29	22	-	7	3	27.8	3	27.8
Nonwhite--	60	2	6	52	13	10	-	3	1	16.7	1	16.7
Chatham-----	3,939	3,090	598	251	1,527	814	17	693	139	35.3	146	37.1
White-----	2,447	2,400	40	7	713	317	16	378	58	23.7	51	20.8
Nonwhite--	1,492	690	558	244	814	497	1	315	81	54.3	95	63.7
Savannah-----	3,223	2,564	477	182	1,241	630	17	592	112	34.8	134	41.6
White-----	2,015	1,979	30	6	579	236	16	324	49	23.8	47	23.3
Nonwhite--	1,208	585	447	176	662	392	1	268	64	53.0	87	72.0
Balance of county-----	716	526	121	69	286	184	-	101	27	37.7	12	16.8
White-----	432	421	10	1	134	79	-	54	10	23.1	4	9.3
Nonwhite--	284	105	111	68	152	105	-	47	17	59.9	8	28.2
Chattahoochee-----	202	176	4	22	51	23	-	28	8	39.6	2	9.9
White-----	164	160	3	1	39	17	-	22	6	36.6	2	12.2
Nonwhite--	38	16	1	21	12	6	-	6	2	52.6	-	0
Chattooga-----	658	549	70	39	125	89	-	56	20	30.4	11	16.7
Cherokee-----	576	347	201	28	163	104	-	58	15	26.0	13	22.6
Clarke-----	907	689	70	148	284	146	-	137	28	30.9	29	32.0
White-----	660	634	19	7	165	77	-	87	13	19.7	10	15.2
Nonwhite--	247	55	51	141	119	69	-	50	15	60.7	19	76.9
Athens-----	704	564	44	96	232	110	-	121	20	28.4	25	35.5
White-----	534	523	9	2	136	57	-	78	10	16.7	8	15.0
Nonwhite--	170	41	35	94	96	53	-	43	10	59.8	17	100.0
Balance of county-----	203	125	26	52	52	36	-	16	8	39.4	4	19.7
White-----	126	111	10	5	29	20	-	9	3	23.8	2	15.9
Nonwhite--	77	14	16	47	23	16	-	7	5	64.9	2	26.0
Clay-----	184	45	7	134	56	49	-	5	14	76.1	5	27.2
White-----	46	40	3	3	16	10	-	5	3	65.2	-	0
Nonwhite--	138	3	4	131	40	39	-	-	11	79.7	5	36.2
Clayton-----	541	238	52	51	78	53	-	25	9	26.4	2	5.9
White-----	269	237	30	2	57	35	-	22	5	16.6	2	7.4
Nonwhite--	72	1	22	49	21	18	-	3	4	55.6	-	0
Glinch-----	193	88	25	80	49	31	-	14	5	25.9	4	20.7
White-----	108	83	17	8	26	14	-	9	3	27.8	3	27.8
Nonwhite--	85	5	8	72	23	17	-	5	2	23.5	1	11.8
Cobb-----	1,749	1,497	205	46	392	241	2	140	54	30.9	32	19.3
White-----	1,616	1,449	154	13	310	176	2	124	47	29.1	26	16.1
Nonwhite--	132	49	51	33	82	65	-	16	7	53.0	6	45.5
Coffee-----	923	444	200	179	206	150	-	56	36	43.7	30	36.5
White-----	616	430	160	26	146	95	-	51	22	35.7	14	22.7
Nonwhite--	207	14	40	153	60	55	-	5	14	67.6	16	77.3

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

17

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
GEORGIA—Continued												
Colquitt	1,077	771	67	219	252	171	-	79	30	27.9	50	27.9
White	824	725	75	24	195	110	-	74	20	24.3	15	18.2
Nonwhite	253	46	12	195	56	61	-	5	10	39.5	15	59.3
White	394	288	3	106	124	92	-	51	16	40.6	13	33.0
Nonwhite	261	257	1	3	76	45	-	30	7	26.8	4	15.3
White	133	23	2	108	49	47	-	1	9	67.7	9	67.7
Nonwhite	685	486	84	115	128	79	-	48	14	20.5	17	24.9
White	565	458	74	21	110	65	-	44	13	23.1	11	19.5
Nonwhite	120	18	10	92	18	14	-	4	1	8.3	6	50.0
Columbia	256	94	18	144	71	56	-	14	6	23.4	4	15.6
White	97	85	5	7	21	21	-	6	1	10.3	1	10.3
Nonwhite	159	9	13	137	44	35	-	8	5	31.4	3	18.9
Cook	349	121	165	63	88	71	-	13	9	25.8	3	8.6
White	267	117	130	20	51	36	-	11	8	30.0	2	7.5
Nonwhite	82	4	35	43	37	35	-	2	1	12.2	1	12.2
Coweta	459	470	158	230	278	152	-	76	15	17.9	22	25.5
White	459	413	77	9	145	85	-	60	11	22.0	12	24.0
Nonwhite	359	57	81	201	83	67	-	16	4	11.8	10	29.5
Crawford	195	53	18	126	54	50	-	4	14	71.8	5	25.6
White	57	47	5	5	21	17	-	3	3	52.6	-	0
Nonwhite	138	6	11	121	33	33	-	1	11	79.7	5	56.2
Crisp	501	201	37	263	136	103	-	31	17	33.9	21	41.8
White	242	194	26	22	61	48	-	12	5	20.7	12	49.6
Nonwhite	259	7	11	241	75	55	-	19	12	46.3	9	34.7
Dade	179	46	114	19	50	36	-	13	4	22.3	3	16.8
Dawson	116	81	23	12	25	20	-	5	4	34.5	2	17.2
Decatur	691	371	66	254	221	173	1	45	32	46.3	19	25.0
White	348	310	26	12	105	77	1	24	14	40.2	4	11.5
Nonwhite	343	61	40	242	116	96	-	21	18	52.5	14	40.6
De Kalb	3,117	2,770	149	198	780	496	3	274	73	23.4	65	20.9
White	2,678	2,351	121	6	328	208	2	238	44	15.4	37	13.6
Nonwhite	439	219	28	192	152	114	1	36	29	66.1	28	63.8
Atlanta (part)	841	920	10	11	227	154	-	100	16	(7)	(7)	(7)
White	889	855	4	-	221	130	-	89	11	(7)	(7)	(7)
Nonwhite	62	65	6	11	56	24	-	11	5	(7)	(7)	(7)
Decatur	570	518	10	42	159	108	-	50	14	24.6	13	22.8
White	464	459	5	5	121	79	-	41	7	15.1	5	10.8
Nonwhite	106	59	5	42	38	29	-	9	7	66.0	8	75.5
Balance of county	1,606	1,332	128	148	364	234	3	124	43	26.6	51	19.3
White	1,355	1,237	112	6	286	175	2	108	19	19.2	19	14.0
Nonwhite	251	95	17	139	78	61	1	16	17	67.7	12	47.6
Dodge	542	203	140	199	109	80	-	28	15	24.0	12	22.1
White	348	200	119	30	77	53	-	24	6	17.2	4	11.5
Nonwhite	193	3	21	169	31	27	-	4	7	36.3	8	41.5
Dooly	448	135	108	205	136	104	8	24	14	31.3	6	13.4
White	188	127	52	9	55	36	4	15	6	31.8	3	16.0
Nonwhite	260	8	56	196	81	68	4	9	8	50.8	3	11.5
Dougherty	1,030	683	114	233	339	236	-	101	34	33.0	30	28.1
White	581	569	11	1	136	70	-	65	20	34.4	13	22.4
Nonwhite	449	114	103	232	203	166	-	36	14	31.2	17	37.9
Albany	829	598	90	151	273	182	-	90	24	29.0	25	30.2
White	491	485	6	-	116	55	-	60	18	36.7	11	22.4
Nonwhite	338	103	94	151	157	127	-	30	6	17.8	14	41.4
Balance of county	201	95	24	62	66	54	-	11	10	49.8	5	24.9
White	90	84	5	1	20	15	-	5	2	22.2	2	22.2
Nonwhite	111	11	19	61	46	39	-	6	8	72.1	3	27.0
Douglas	305	175	78	52	71	61	-	10	9	29.5	5	16.4
White	244	172	64	8	55	47	-	8	6	24.6	5	20.5
Nonwhite	61	3	14	44	16	14	-	2	3	49.2	-	0
Early	635	261	22	352	159	139	-	17	23	36.2	16	25.2
White	282	250	6	26	59	43	-	12	7	24.8	3	10.6
Nonwhite	353	11	16	326	101	95	-	5	16	45.3	13	36.8
Echols	57	16	7	34	18	14	-	4	4	0	-	0
White	32	15	7	10	9	8	-	1	1	0	-	0
Nonwhite	25	1	-	24	9	6	-	3	3	0	-	0
Effingham	226	90	25	111	86	63	-	22	10	44.2	12	53.1
White	107	81	19	7	39	19	-	19	3	28.0	4	37.4
Nonwhite	119	9	6	104	47	44	-	3	7	59.8	8	67.2
Elbert	465	273	63	149	171	128	-	41	20	41.2	21	43.3
White	394	252	33	6	99	67	-	37	12	40.8	9	30.6
Nonwhite	191	18	30	143	72	66	-	4	8	41.9	12	62.8
Emmanuel	542	268	60	214	164	105	-	38	16	29.5	14	25.8
White	323	250	43	30	114	62	-	36	10	31.0	7	21.7
Nonwhite	219	18	17	184	50	43	-	2	6	27.4	7	32.0
Evans	201	68	60	75	48	39	-	9	9	44.8	5	24.9
White	105	61	42	2	25	19	-	6	3	28.6	3	23.6
Nonwhite	96	5	18	73	23	20	-	3	6	62.5	2	20.8
Fannin	390	167	179	24	102	82	-	18	17	43.6	4	10.3
Fayette	181	88	30	83	69	80	-	9	12	66.3	5	27.6
White	103	67	23	13	46	38	-	8	4	38.8	3	29.1
Nonwhite	78	1	7	70	23	22	-	1	8	102.6	2	26.6

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
GEORGIA—Continued												
Floyd	1,714	1,520	91	103	507	259	6	241	65	37.9	32	18.7
White	1,493	1,397	74	22	398	190	5	202	54	36.2	18	12.1
Nonwhite	221	123	17	81	109	69	1	39	11	49.8	14	65.3
Rome	973	963	25	85	264	148	-	135	31	31.9	19	19.5
White	901	776	16	9	214	98	-	115	23	28.7	8	10.0
Nonwhite	172	107	9	56	70	50	-	20	8	46.5	11	64.0
Balance of county	741	637	66	38	223	111	6	106	34	45.9	13	17.5
White	692	621	56	13	184	92	5	87	31	44.8	10	14.5
Nonwhite	49	16	8	25	39	19	1	19	3	61.2	3	61.2
Forsyth	331	238	76	15	96	76	-	19	16	48.3	4	12.1
Franklin	392	194	185	43	113	83	-	30	14	35.7	6	15.3
White	337	193	126	16	94	66	-	28	12	35.8	5	14.8
Nonwhite	55	1	27	27	19	17	-	2	2	36.4	1	18.2
Fulton	12,751	12,137	476	138	4,439	2,340	230	1,817	430	38.7	299	23.4
White	9,017	8,747	240	30	2,660	1,524	159	1,143	234	28.0	155	17.2
Nonwhite	3,734	3,390	236	108	1,779	1,016	71	674	196	52.5	144	36.6
Atlanta (part) ^b	8,224	7,987	230	87	3,522	1,745	180	1,559	325	(?)	248	(?)
White ^b	5,204	5,109	90	5	1,861	879	126	1,559	325	(?)	120	(?)
Nonwhite ^b	3,020	2,788	170	62	1,661	866	54	626	169	(?)	128	(?)
Atlanta (total) ^b	9,185	8,817	270	78	3,779	1,899	180	1,659	341	37.2	269	29.4
White ^b	6,063	5,964	94	5	2,182	1,009	126	1,022	167	27.5	133	21.9
Nonwhite ^b	3,102	2,853	176	73	1,597	890	54	637	174	56.1	136	43.6
District 1511, Center Hill ^d												
White ^e												
Nonwhite ^e												
East Point	509	490	16	3	100	63	-	37	20	39.3	11	21.6
White	454	424	10	-	74	48	-	26	11	25.3	9	20.7
Nonwhite	75	66	6	3	26	15	-	11	9	120.0	2	26.7
Balance of county	4,018	3,780	200	68	817	532	50	221	85	21.2	40	10.0
White	3,379	3,214	140	25	625	397	33	384	67	19.8	26	7.7
Nonwhite	639	536	60	43	192	135	17	17	18	28.2	14	21.9
Gilmer	290	237	15	38	64	52	-	12	8	27.6	7	24.1
Glascock	87	25	29	33	26	21	-	4	3	34.5	3	34.5
White	58	24	28	6	21	17	-	3	1	17.2	3	51.7
Nonwhite	29	1	1	27	5	4	-	1	2	69.0	-	0
Glynn	840	559	70	211	264	167	-	95	29	34.5	21	25.0
White	573	325	24	24	134	70	-	63	18	31.1	5	8.7
Nonwhite	267	34	46	187	130	97	-	32	11	41.2	16	59.9
Brunswick	632	419	54	159	189	114	-	73	17	26.9	14	22.2
White	415	392	8	15	94	44	-	49	9	21.7	4	9.6
Nonwhite	217	27	46	144	95	70	-	24	8	36.9	10	46.1
Balance of county	208	140	16	52	75	55	-	22	12	57.7	7	33.7
White	158	133	16	9	40	26	-	14	9	57.0	1	6.3
Nonwhite	50	7	-	43	35	27	-	8	3	60.0	6	120.0
Gordon	531	429	88	15	118	78	4	36	15	28.2	11	20.7
Grady	525	230	204	91	167	132	-	28	27	51.4	10	19.0
White	323	221	99	3	109	83	-	20	14	43.5	5	15.5
Nonwhite	202	9	105	88	58	49	-	8	13	64.4	5	24.8
Greene	334	79	115	140	123	104	-	19	11	32.9	12	35.9
White	138	74	65	1	58	42	-	16	3	21.7	2	14.5
Nonwhite	196	5	52	139	65	62	-	3	8	40.8	10	51.0
Gwinnett	826	451	340	35	221	182	-	38	27	32.7	11	13.3
White	751	430	296	25	192	156	-	35	24	32.0	9	12.0
Nonwhite	75	21	44	10	29	26	-	3	3	40.0	2	26.7
Habersham	489	327	142	20	123	94	-	24	16	32.7	7	14.3
Hall	1,058	720	226	92	307	203	-	101	39	37.6	23	22.2
Gainesville	397	265	90	42	141	88	-	51	15	37.8	12	30.2
White	302	262	25	15	106	60	-	44	11	36.4	10	33.1
Nonwhite	95	3	65	27	35	28	-	7	4	42.1	2	21.1
Balance of county	641	455	136	50	166	115	-	50	24	37.4	11	17.2
Hancock	329	56	19	254	115	106	-	8	10	50.4	7	21.3
White	70	50	12	8	30	25	-	4	1	14.3	-	0
Nonwhite	259	6	7	246	85	81	-	4	9	34.7	7	27.0
Haralson	378	254	119	26	92	70	-	20	11	29.0	6	15.8
White	347	228	105	14	84	62	-	20	11	31.7	6	17.3
Nonwhite	32	6	14	12	8	8	-	-	-	0	-	0
Harris	325	108	43	171	97	76	-	16	8	24.8	10	31.0
White	113	80	17	6	40	30	-	10	1	8.8	1	8.8
Nonwhite	210	19	26	165	57	48	-	6	7	33.3	9	42.9
Hart	387	207	125	55	87	85	-	12	4	10.3	9	23.3
White	286	203	72	11	44	37	-	7	1	3.5	2	7.0
Nonwhite	101	4	53	44	23	18	-	5	3	29.7	7	69.5
Heard	168	87	52	49	50	46	-	4	11	65.5	3	17.9
White	114	66	43	5	38	34	-	4	5	43.9	1	8.8
Nonwhite	54	1	9	44	12	12	-	-	6	111.1	2	37.0
Henry	473	137	78	258	160	135	1	23	17	35.9	11	23.3
White	198	134	54	10	77	59	-	17	5	25.3	3	15.2
Nonwhite	275	3	24	248	83	76	1	6	12	43.6	8	29.1
Houston	650	405	119	126	139	113	-	25	16	24.6	14	21.5
White	592	363	26	3	59	41	-	17	2	5.1	5	12.8
Nonwhite	258	42	93	123	80	72	-	8	14	54.3	9	34.9

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

19

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS			DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS			
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
GEORGIA—Continued												
Irwin	381	212	6	163	86	67	-	19	12	31.5	10	26.2
White	217	205	6	6	46	34	-	12	6	27.6	5	23.0
Nonwhite	164	7	-	157	40	33	-	7	6	36.6	5	30.5
Jackson	553	251	280	22	138	103	-	35	16	28.9	8	14.5
White	461	243	212	6	108	76	-	31	11	23.9	7	15.2
Nonwhite	92	8	68	16	30	28	-	2	5	54.3	1	10.9
Jasper	183	32	85	65	86	78	-	6	12	65.6	5	27.3
White	60	30	28	2	40	32	-	6	6	100.0	2	33.3
Nonwhite	123	2	58	63	46	46	-	6	6	48.8	3	24.4
Jeff Davis	278	77	136	65	75	67	-	0	15	54.0	13	46.0
White	214	75	123	16	47	42	-	5	9	42.1	8	37.4
Nonwhite	64	2	13	49	28	25	-	3	6	93.8	5	78.1
Jefferson	535	171	78	286	134	96	-	24	11	20.6	14	26.2
White	212	148	46	18	59	38	-	13	3	14.2	1	4.7
Nonwhite	323	23	32	268	75	58	-	11	8	24.8	13	40.2
Jenkins	299	155	6	147	101	73	-	27	12	41.5	12	41.5
White	114	111	1	2	40	24	-	15	3	26.3	3	26.3
Nonwhite	175	25	5	145	61	49	-	12	9	51.4	9	51.4
Johnson	317	93	102	122	67	45	-	21	5	15.8	11	34.7
White	189	90	61	18	44	24	-	20	3	15.9	6	31.7
Nonwhite	128	3	21	104	23	22	-	1	2	15.6	5	39.1
Jones	204	32	39	133	78	71	-	11	11	53.9	4	19.6
White	85	28	24	1	26	19	-	7	7	37.7	1	18.9
Nonwhite	119	4	15	132	52	52	-	9	9	59.6	3	19.9
Lincoln	265	66	73	127	91	82	-	13	13	48.9	9	33.8
White	134	68	63	5	54	48	-	6	3	22.4	4	29.9
Nonwhite	132	-	10	122	37	34	-	10	5	75.8	5	37.9
Linier	107	60	27	20	17	10	-	7	1	9.3	1	9.3
White	80	55	20	5	14	8	-	6	1	12.5	1	12.5
Nonwhite	27	5	7	15	3	2	-	1	-	0	-	0
Laurens	923	497	104	332	350	215	-	132	50	54.2	36	39.0
White	532	442	70	20	160	74	-	28	20	37.6	13	22.6
Nonwhite	391	45	34	312	190	141	-	46	30	76.7	24	61.4
Lee	232	44	21	167	63	52	-	11	10	43.1	6	25.9
White	59	35	13	11	18	12	-	6	-	0	1	16.9
Nonwhite	173	9	8	156	45	40	-	5	10	57.8	5	28.9
Liberty	305	84	86	135	95	72	-	23	16	52.5	2	6.6
White	103	65	38	-	26	17	-	9	5	48.5	1	9.7
Nonwhite	202	19	48	135	69	55	-	14	11	54.5	1	5.0
Lincoln	158	42	80	36	33	29	-	4	1	6.3	2	12.7
White	85	40	22	3	14	10	-	4	-	0	1	15.4
Nonwhite	73	2	58	33	19	19	-	-	1	10.8	1	10.8
Long	111	24	66	21	27	23	-	4	2	18.0	2	18.0
White	72	23	49	-	14	11	-	3	1	13.9	1	13.9
Nonwhite	39	1	17	21	13	12	-	1	1	25.6	1	25.6
Lowndes	1,042	613	62	367	285	200	-	80	32	30.7	22	21.1
White	523	571	33	19	159	84	-	62	12	19.3	8	12.8
Nonwhite	419	42	29	348	126	106	-	18	20	47.7	14	33.4
Valdosta	586	371	21	194	166	123	-	63	19	32.4	12	20.5
White	369	352	11	6	101	53	-	48	9	24.4	6	16.3
Nonwhite	217	19	10	188	65	70	-	15	10	46.1	6	27.6
Balance of county	456	242	41	173	99	77	-	17	13	28.5	10	21.9
White	254	219	22	13	58	41	-	14	3	11.8	2	7.9
Nonwhite	202	23	19	160	41	36	-	3	10	48.5	8	38.6
Lumpkin	166	115	34	17	41	36	-	5	3	18.1	5	30.1
McDuffie	292	125	28	139	83	65	-	18	12	41.1	3	10.3
White	135	121	11	3	33	23	-	10	3	22.2	1	7.4
Nonwhite	157	4	17	136	50	42	-	8	9	57.3	2	12.7
McIntosh	191	41	7	143	81	65	-	16	11	57.6	8	41.9
White	61	40	6	15	31	18	-	13	6	98.4	-	0
Nonwhite	130	1	1	128	50	47	-	3	5	38.5	8	61.5
Macon	490	157	67	266	155	115	-	40	25	51.0	10	20.4
White	171	144	25	2	39	22	-	17	2	11.7	-	0
Nonwhite	319	13	42	264	116	93	-	23	23	72.1	10	31.3
Madison	336	199	49	88	99	72	-	26	10	28.8	8	23.8
White	265	191	41	33	81	67	-	24	7	26.4	5	18.9
Nonwhite	71	8	8	55	18	15	-	2	3	42.3	3	42.3
Marion	205	18	48	157	65	55	-	9	6	29.6	5	24.6
White	54	17	34	3	34	28	-	5	2	37.0	2	37.0
Nonwhite	149	1	14	154	31	27	-	4	4	26.8	3	20.1
Marivethar	640	220	169	251	180	154	-	18	19	29.7	15	23.4
White	274	207	66	1	86	67	-	13	10	36.5	5	18.2
Nonwhite	366	13	103	250	94	87	-	5	9	24.6	10	27.3
Miller	283	165	14	104	77	55	-	2	13	45.9	9	31.8
White	183	157	11	15	53	35	-	2	10	54.6	3	16.4
Nonwhite	100	8	5	89	24	20	-	3	3	30.0	6	60.0
Mitchell	724	317	148	259	196	156	-	31	34	47.0	27	37.3
White	328	243	80	5	93	67	-	20	16	48.8	11	33.5
Nonwhite	396	74	68	254	103	89	-	11	18	45.5	16	40.4
Monroe	248	108	16	129	91	76	-	15	9	36.3	9	36.3
White	112	99	11	2	50	37	-	13	4	35.7	2	17.9
Nonwhite	136	4	5	127	41	39	-	2	5	36.8	7	51.5

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
GEORGIA—Continued												
Montgomery	154	56	29	69	59	43	-	15	8	51.9	10	64.9
White	85	54	22	7	40	26	-	13	4	48.2	5	60.2
Nonwhite	71	2	7	62	19	17	-	2	4	56.3	5	70.4
Morgan	382	92	72	218	122	102	-	20	13	34.0	10	26.2
White	154	90	46	18	50	35	-	15	6	39.0	5	32.5
Nonwhite	228	2	26	200	72	67	-	5	7	30.7	5	21.9
Murray	297	152	104	41	72	63	-	9	16	53.9	12	40.4
Muscogee	3,391	2,954	131	306	787	447	4	315	100	31.6	100	29.5
White	2,462	2,416	30	14	475	257	2	195	66	26.6	56	22.7
Nonwhite	929	536	101	292	312	190	2	120	42	45.2	44	47.4
Columbus	2,447	2,208	98	141	627	339	2	287	73	29.8	86	35.1
White	1,780	1,758	18	4	585	199	-	185	44	24.7	47	26.4
Nonwhite	667	450	80	137	244	140	2	102	29	43.5	39	58.5
Balance of county	944	746	33	165	160	108	2	48	35	37.1	14	14.8
White	682	660	12	10	92	58	2	30	22	32.3	9	13.2
Nonwhite	262	86	21	155	68	50	-	18	13	49.6	5	19.1
Newton	571	326	58	187	169	123	-	44	19	33.3	12	21.0
White	348	323	20	5	98	63	-	35	12	34.5	6	17.2
Nonwhite	223	3	38	182	71	60	-	9	7	31.4	6	26.9
Oconee	202	86	71	45	67	50	-	17	10	49.5	11	54.5
White	132	83	46	3	48	31	-	17	7	53.0	4	30.3
Nonwhite	70	3	25	42	19	19	-	3	3	42.9	7	100.0
Oglethorpe	287	102	31	154	66	63	-	21	14	48.8	10	34.8
White	123	94	18	13	38	25	-	13	1	8.1	4	32.5
Nonwhite	164	8	15	141	48	38	-	8	13	79.3	6	36.6
Paulding	560	200	139	22	83	64	1	18	8	22.2	4	11.1
White	515	194	116	5	74	55	1	18	6	25.4	3	9.5
Nonwhite	45	6	22	17	9	9	-	-	-	0	1	22.2
Peach	292	116	50	146	97	77	-	20	14	47.9	17	58.2
White	121	105	13	3	38	26	-	12	3	24.8	7	57.9
Nonwhite	171	11	17	143	59	51	-	8	11	64.3	10	58.5
Pickens	257	230	16	11	64	44	-	14	2	7.8	2	7.8
Pierce	361	174	104	83	117	78	-	39	15	41.6	6	16.6
White	290	170	99	21	88	56	-	32	13	44.8	4	15.8
Nonwhite	71	4	5	62	29	22	-	7	2	28.2	2	28.2
Pike	266	79	101	86	73	64	-	9	11	41.4	6	22.6
White	133	77	54	2	35	27	-	8	4	30.1	2	15.0
Nonwhite	133	2	47	84	38	37	-	1	7	52.6	4	30.1
Polk	874	517	247	110	225	170	-	51	23	26.3	23	28.3
White	728	496	210	20	177	128	-	46	15	20.6	19	28.1
Nonwhite	146	19	37	90	48	42	-	5	8	54.8	4	27.4
Pulaski	250	88	15	146	68	56	-	12	8	32.0	8	32.0
White	109	87	9	13	31	20	-	11	3	27.5	2	18.3
Nonwhite	141	2	6	133	37	36	-	1	5	35.5	6	42.6
Putnam	204	60	26	118	78	66	-	8	7	34.3	8	39.2
White	73	57	14	2	31	22	-	7	1	13.7	-	0
Nonwhite	131	3	12	116	47	44	-	1	6	45.8	8	61.1
Quitman	97	15	8	74	31	25	-	6	4	41.2	1	10.3
White	15	13	2	2	10	6	-	4	-	0	-	0
Nonwhite	82	2	6	72	21	19	-	2	4	49.8	1	12.2
Rabun	266	242	4	20	41	27	-	14	5	18.8	8	30.1
Randolph	441	97	41	303	160	148	-	12	22	49.9	13	29.5
White	118	92	19	7	59	31	-	8	4	33.9	2	16.9
Nonwhite	323	5	22	296	101	97	-	4	18	55.7	11	34.1
Richmond	2,421	2,280	58	83	1,008	524	66	414	58	24.0	38	15.7
White	1,562	1,523	26	13	578	278	64	233	40	25.6	18	11.5
Nonwhite	859	757	32	70	430	246	2	181	18	21.0	20	23.3
Augusta	1,935	1,860	47	28	838	426	56	353	43	22.2	34	17.6
White	1,194	1,174	20	-	485	227	56	200	33	27.6	15	12.6
Nonwhite	741	686	27	28	353	199	-	153	10	13.5	19	25.6
Balance of county	486	420	11	55	170	96	10	61	15	30.9	4	8.2
White	368	349	6	13	93	51	8	33	7	19.0	3	8.2
Nonwhite	118	71	5	42	77	47	2	28	8	67.8	1	8.5
Rockdale	219	86	53	80	73	49	-	23	6	27.4	10	45.7
White	125	83	34	8	48	28	-	20	2	16.0	4	32.0
Nonwhite	94	3	19	72	25	21	-	3	4	42.6	6	63.8
Schley	133	36	41	56	41	36	-	5	7	52.6	6	45.1
White	49	31	17	1	22	19	-	3	3	61.2	4	81.6
Nonwhite	84	5	24	55	19	17	-	2	4	47.6	2	23.8
Screven	547	159	34	354	126	88	-	38	15	27.4	22	40.2
White	168	143	17	8	44	23	-	21	6	35.7	6	35.7
Nonwhite	379	16	17	346	82	65	-	17	9	23.7	16	42.2
Seminole	253	147	5	101	73	52	-	19	9	36.6	2	7.9
White	131	120	4	7	43	28	-	15	5	38.2	1	7.6
Nonwhite	122	27	1	94	30	24	-	4	4	32.8	1	8.2
Spalding	814	562	91	161	279	206	-	73	47	57.7	18	22.1
White	583	542	36	5	178	119	-	59	27	46.3	10	17.2
Nonwhite	231	20	55	156	101	87	-	14	20	86.6	8	34.6
Griffin	467	337	46	84	174	129	-	45	28	60.0	14	30.0
White	339	322	15	2	101	86	-	35	14	41.3	8	23.6
Nonwhite	128	15	31	82	73	63	-	10	14	109.4	6	46.9
Balance of county	347	225	45	77	105	77	-	28	19	54.8	4	11.5
White	244	220	21	3	77	53	-	24	13	53.3	2	8.2
Nonwhite	103	5	24	74	28	24	-	4	6	59.3	2	19.4

See footnotes on p. 33.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
GEORGIA—Continued												
Stephens	449	336	37	76	70	49	-	21	7	15.6	-	0
White	376	318	33	25	38	21	-	17	-	0	-	0
Nonwhite	73	18	4	51	32	28	-	4	7	95.9	-	0
Stewart	283	24	14	245	81	68	-	13	10	35.3	5	17.7
White	42	21	13	8	20	14	-	6	3	71.4	1	23.8
Nonwhite	241	3	1	237	61	54	-	7	7	29.0	4	16.6
Sumter	699	294	65	340	273	185	-	87	39	55.8	50	42.9
White	261	253	6	2	97	50	-	47	9	34.5	4	15.3
Nonwhite	438	41	59	338	176	135	-	40	30	68.5	26	59.4
Thibot	229	57	17	155	68	58	-	7	7	30.8	5	21.8
White	43	36	4	3	23	17	-	1	1	23.3	-	0
Nonwhite	186	21	13	152	45	41	-	3	6	32.3	5	26.9
Taliaferro	121	31	6	84	38	34	-	4	4	33.1	6	49.6
White	33	28	-	5	10	6	-	-	-	0	-	0
Nonwhite	88	3	6	79	28	28	-	-	-	45.5	6	68.2
Tattnell	453	244	137	72	115	55	31	24	14	50.9	19	41.9
White	337	228	100	9	73	35	14	21	7	20.8	15	44.5
Nonwhite	116	16	37	63	42	20	17	3	7	60.3	4	34.5
Taylor	251	119	23	109	70	60	-	10	5	19.9	4	15.9
White	133	114	10	9	33	28	-	5	-	0	-	0
Nonwhite	118	5	13	100	37	32	-	5	5	42.4	4	33.9
Welfair	368	125	134	109	114	90	-	22	14	56.0	9	24.5
White	232	125	94	13	73	54	-	18	11	47.4	3	12.9
Nonwhite	136	-	40	96	41	36	-	4	3	22.1	6	44.1
Terrell	457	101	67	289	156	143	-	12	23	50.3	9	19.7
White	115	98	13	4	42	33	-	8	-	-	4	34.8
Nonwhite	342	3	54	285	114	110	-	4	25	67.3	5	14.6
Thomas	938	496	74	368	282	214	2	74	20	21.3	32	34.1
White	516	445	51	20	134	78	1	53	5	9.7	12	23.3
Nonwhite	422	51	23	348	158	136	1	21	15	35.5	20	47.4
Thomasville	433	267	10	156	151	102	2	47	9	20.8	19	45.9
White	251	241	-	10	65	31	1	33	2	8.0	7	27.9
Nonwhite	182	26	10	146	86	71	1	14	7	38.5	12	65.9
Balance of county	805	229	64	212	141	112	-	27	11	21.8	13	25.7
White	265	204	51	10	69	47	-	20	3	11.3	5	18.9
Nonwhite	240	25	13	202	72	65	-	7	8	53.3	8	53.3
Tift	669	397	101	171	174	121	-	49	20	29.9	16	23.9
White	465	383	72	10	102	65	-	33	16	34.4	11	23.7
Nonwhite	204	14	29	161	72	56	-	16	4	19.6	5	24.5
Toombs	542	269	147	126	145	104	11	27	20	36.9	13	24.0
White	386	262	115	9	99	62	11	23	10	25.9	7	18.1
Nonwhite	156	7	32	117	46	42	-	4	10	64.1	6	39.5
Towns	123	91	28	4	37	24	-	13	2	16.3	3	24.4
Treutlen	159	57	54	48	56	36	-	20	6	37.7	5	31.4
White	116	57	50	9	49	30	-	19	4	34.5	1	8.6
Nonwhite	43	-	4	39	7	6	-	1	2	46.5	4	93.0
Troup	1,502	1,092	67	343	406	254	-	151	60	39.9	35	23.3
White	971	934	29	8	233	125	-	108	39	39.1	15	15.4
Nonwhite	531	158	38	335	173	129	-	43	22	41.4	20	37.7
La Orange	732	563	35	134	218	127	-	90	36	49.2	15	20.6
White	518	505	11	2	131	60	-	71	24	46.3	7	13.5
Nonwhite	214	58	24	132	87	67	-	19	12	56.1	8	37.4
Balance of county	770	529	32	209	188	127	-	61	24	31.2	20	26.0
White	453	429	18	6	102	65	-	37	14	30.9	8	17.7
Nonwhite	317	100	14	203	86	62	-	24	10	31.5	12	37.9
Turner	256	101	37	118	62	47	-	15	12	46.9	16	62.5
White	135	99	27	10	24	16	-	8	3	22.1	6	44.1
Nonwhite	120	2	10	108	38	31	-	5	9	75.0	10	63.3
Twigg	260	68	14	178	77	58	-	18	13	50.0	8	30.8
White	84	63	12	9	34	19	-	14	3	35.7	2	23.8
Nonwhite	176	5	2	169	43	39	-	4	10	56.8	6	34.1
Union	222	62	106	34	36	32	-	4	4	18.0	7	31.5
Upson	703	251	321	131	225	184	-	37	37	52.6	21	29.9
White	515	249	252	14	143	106	-	35	22	42.7	19	36.9
Nonwhite	188	2	69	117	82	78	-	2	15	79.8	2	10.6
Walker	1,037	938	83	16	240	159	1	75	32	30.9	24	23.1
White	572	414	42	116	165	127	-	38	18	31.5	17	29.7
Nonwhite	345	305	25	15	108	76	-	32	10	29.0	9	26.1
Walton	227	109	17	101	57	51	-	6	8	35.2	8	35.2
Ware	899	593	156	150	258	154	-	102	36	40.0	22	24.5
White	680	549	112	19	165	84	-	79	27	39.7	13	19.1
Nonwhite	219	44	44	131	93	70	-	23	9	41.1	9	41.1
Waycross	625	441	69	115	194	113	-	80	28	44.8	13	20.8
White	442	399	41	2	117	57	-	59	20	45.2	5	11.3
Nonwhite	183	42	28	113	77	56	-	21	8	43.7	8	43.7
Balance of county	274	152	87	35	64	41	-	22	8	29.2	9	32.8
White	238	150	71	17	48	27	-	20	7	29.4	8	33.6
Nonwhite	36	2	16	18	16	14	-	2	1	27.8	1	27.8
Warren	261	49	43	169	95	83	-	12	11	42.1	5	19.2
White	54	40	13	1	24	27	-	7	2	37.0	-	0
Nonwhite	207	9	30	168	61	56	-	5	9	43.5	5	24.2

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
GEORGIA—Continued												
Washington	655	202	57	396	160	125	-	35	23	35.1	22	33.6
White	229	183	39	7	60	38	-	22	6	26.2	4	17.5
Nonwhite	426	19	18	389	100	87	-	13	17	39.9	18	42.3
Wayne	460	328	48	84	109	85	-	42	12	26.1	9	19.6
White	374	310	58	26	74	45	-	26	8	21.4	7	18.7
Nonwhite	86	18	10	58	35	20	-	14	4	46.5	2	23.5
Webster	125	20	20	85	42	40	-	2	3	24.0	6	40.0
White	24	18	5	1	11	11	-	-	-	0	2	83.3
Nonwhite	101	2	15	84	31	29	-	2	3	29.7	4	39.6
Wheeler	172	69	54	49	47	38	-	6	3	17.4	2	11.6
White	111	69	39	3	27	20	-	5	2	18.0	1	9.0
Nonwhite	61	-	15	46	20	18	-	1	1	16.4	1	16.4
White	185	135	24	26	46	38	-	7	5	27.0	9	46.6
Whitfield	971	866	60	45	216	130	-	78	38	39.1	18	18.5
Dalton	468	414	35	19	115	63	-	52	24	51.3	13	27.8
White	429	410	8	11	95	49	-	46	20	46.6	7	16.3
Nonwhite	39	4	27	8	20	14	-	6	4	102.6	6	153.6
Balance of county	503	452	25	26	101	75	-	26	14	27.8	5	9.9
Wilcox	274	83	83	98	75	54	-	21	19	69.3	6	21.9
White	173	83	70	20	44	28	-	16	10	57.8	4	23.1
Nonwhite	101	-	23	78	31	26	-	5	9	89.1	2	19.8
Wilkes	337	124	36	177	133	111	-	22	10	29.7	6	17.8
White	119	104	10	5	62	41	-	21	4	33.6	1	8.4
Nonwhite	218	20	26	172	71	70	-	1	6	27.5	5	22.9
Wilkinson	262	109	29	124	94	74	-	20	10	36.2	7	26.7
White	130	106	15	9	45	29	-	16	4	30.8	1	7.7
Nonwhite	132	3	14	115	49	45	-	4	6	45.5	6	45.5
Worth	621	137	217	267	138	110	-	25	22	35.4	23	37.0
White	258	125	115	18	54	42	-	12	6	23.3	8	31.0
Nonwhite	363	12	102	249	81	68	-	13	16	44.1	15	41.3
IDAHO	16,265	15,869	345	8	4,780	2,272	266	2,072	478	29.4	267	16.4
White	16,055	15,681	333	5	4,699	2,225	280	2,044	462	26.8	262	16.3
Nonwhite	210	188	12	3	81	47	6	28	16	76.2	5	23.8
Ada	1,828	1,818	3	1	513	234	59	216	33	18.1	30	16.4
Boise City	1,246	1,242	2	-	333	152	1	176	17	13.6	18	14.4
Balance of county	582	576	1	1	180	82	58	40	16	27.5	12	20.8
Adams	86	84	1	-	38	17	-	7	3	34.9	1	11.6
Bannock	1,412	1,404	7	-	293	106	3	180	44	31.2	18	12.7
Pocatello	863	862	1	-	223	70	-	152	32	33.2	11	11.4
Balance of county	449	442	6	-	70	36	3	28	12	26.7	7	15.6
Bear Lake	214	213	1	-	55	35	-	20	4	18.7	4	18.7
Beneva	168	137	29	-	90	45	3	34	9	53.6	1	6.0
Bingham	707	699	5	-	187	66	60	59	15	21.2	5	7.1
Blaine	141	139	1	-	32	21	-	10	1	7.1	4	26.4
Boise	25	25	-	-	22	13	-	9	-	0	1	40.0
Bonner	371	356	14	-	161	92	-	67	10	27.0	6	16.2
Bonneville	505	504	-	1	195	84	-	110	25	27.6	14	15.5
Idaho Falls	591	590	-	1	157	59	-	97	23	38.9	12	20.3
Balance of county	314	314	-	-	38	25	-	13	2	6.4	2	6.4
Boundary	159	157	1	-	60	39	-	18	7	44.0	-	0
Butte	77	76	1	-	15	8	-	7	2	26.0	2	26.0
Camas	23	15	6	-	6	4	-	2	-	0	-	0
Canyon	1,347	1,326	12	2	487	183	61	225	51	37.9	22	16.3
Nampa	415	411	3	-	229	77	17	133	19	45.8	5	12.0
Balance of county	932	915	9	2	258	106	44	92	32	34.3	17	18.2
Caribou	67	67	-	-	17	10	-	7	5	74.6	-	0
Cassia	458	458	20	-	102	57	-	42	15	32.8	7	17.3
Clark	23	23	-	-	12	4	-	8	-	0	-	0
Clearwater	198	191	7	-	107	36	29	40	11	55.6	2	10.1
Custer	74	62	11	-	21	15	-	3	2	27.0	1	13.5
Elmore	171	157	14	-	45	29	-	15	3	17.5	6	35.1
Franklin	316	253	63	-	59	39	-	17	5	15.8	7	22.2
Fremont	268	266	2	-	69	44	1	23	10	37.3	6	22.4
Gen	239	238	1	-	71	34	-	36	9	37.7	5	20.9
Gooding	320	316	4	-	69	32	-	37	11	34.4	10	31.3
Idaho	275	252	21	1	96	51	-	42	8	29.1	6	21.8
Jefferson	337	335	2	-	70	49	-	15	7	20.8	10	29.7
Jerome	376	374	2	-	86	46	-	40	13	34.6	4	10.6
Kootenai	659	647	8	-	238	105	4	105	17	25.8	15	22.8
Coeur d'Alene	323	322	1	-	151	56	4	85	7	21.7	8	24.8
Balance of county	336	325	7	-	87	49	-	20	10	29.8	7	20.8
Latah	542	529	12	-	150	68	1	77	15	27.7	8	14.8
Lemhi	155	136	17	-	67	33	10	9	2	13.1	1	6.5
Lewis	109	106	3	-	41	22	-	18	4	36.7	-	0
Lincoln	117	114	2	-	33	18	-	13	4	34.2	3	25.6
Madison	326	311	15	-	63	39	-	24	8	24.5	2	6.1
Minidoka	285	259	6	-	89	58	-	28	11	41.5	4	15.1
Nez Perce	516	500	13	2	233	106	7	116	18	31.0	11	21.3
Lewiston	348	345	3	-	159	53	-	103	9	25.9	3	8.6
Balance of county	168	155	10	2	74	53	7	13	7	41.7	8	47.6
Oneida	139	137	2	-	35	16	-	18	2	14.4	2	14.4
Owyhee	165	157	7	-	37	19	-	18	6	36.4	4	24.2

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
IDAHO—Continued												
Payette	301	301	-	-	109	62	5	41	10	33.2	5	16.6
Powell	115	106	2	-	25	10	-	15	3	26.5	3	26.5
Shoshone	581	576	5	-	210	72	37	100	19	32.7	11	18.9
Teton	104	104	-	-	25	11	-	11	3	28.8	-	0
Twin Falls	1,219	1,209	10	-	325	183	6	133	41	33.6	13	10.7
Balance of county	489	496	3	-	135	78	-	57	13	26.6	3	6.1
Valley	730	723	7	-	190	105	6	78	28	38.4	10	13.7
Washington	124	110	10	-	33	19	-	10	6	48.4	3	24.2
Yellowstone National Park (part)	247	240	5	1	89	39	-	47	8	32.4	10	40.5
	-	-	-	-	-	-	-	-	-	(?)	-	(?)
ILLINOIS												
	196,007	185,167	10,333	134	93,686	44,566	6,451	41,917	5,572	28.9	3,669	18.7
White	180,417	172,203	7,810	109	86,292	41,601	5,990	37,999	5,024	27.8	3,212	17.8
Nonwhite	15,590	12,964	2,523	25	7,394	2,985	461	3,928	648	41.6	457	29.3
Adams	1,464	1,433	29	-	860	352	92	409	56	38.3	27	18.4
Quincy	1,103	1,100	3	-	588	233	36	328	44	39.9	18	15.3
Balance of county	361	335	26	-	272	129	46	85	12	33.2	9	24.9
Alexander	518	348	142	-	269	166	-	122	30	57.9	24	46.3
White	368	316	48	-	187	94	-	87	18	49.2	15	41.0
Nonwhite	152	32	94	-	107	72	-	35	12	78.9	9	59.2
Carro	301	214	64	-	151	83	-	98	20	66.4	11	36.5
White	202	195	7	-	112	44	-	68	9	44.6	9	44.6
Nonwhite	99	19	59	-	77	49	-	30	11	111.1	2	20.2
Balance of county	217	134	76	-	97	73	-	24	10	46.1	13	59.9
White	164	121	41	-	89	50	-	19	9	54.9	6	36.6
Nonwhite	53	15	35	-	28	23	-	5	1	18.9	7	132.1
Band	315	277	29	-	145	94	-	46	11	35.1	6	19.2
Boone	382	378	4	-	206	89	1	105	12	31.4	9	23.6
Brown	141	107	29	-	107	77	-	29	2	14.2	-	0
Bureau	824	811	13	-	435	209	4	215	26	31.6	9	10.9
Calhoun	160	73	87	-	73	57	-	16	5	31.3	4	25.0
Carroll	419	394	25	-	223	134	4	85	14	33.4	7	16.7
Cass	355	324	29	-	175	73	7	89	12	33.8	8	25.4
Champaign	2,410	2,394	26	-	743	364	2	369	58	24.1	32	13.3
Champaign	885	861	4	-	268	129	-	135	18	20.8	10	11.6
Urbana	851	829	2	-	185	71	-	92	19	30.1	4	6.3
Balance of county	514	894	20	-	310	184	2	142	21	23.0	18	19.7
Christian	875	847	22	-	359	180	-	191	18	20.6	13	14.9
Clark	382	289	86	-	201	145	-	51	14	36.6	3	7.9
Clay	388	238	147	-	171	120	-	51	15	36.7	5	12.8
Clinton	510	473	35	-	231	132	7	94	13	25.5	12	23.5
Centralia (part)	6	4	2	-	11	9	-	2	1	(?)	1	(?)
Balance of county	504	469	33	-	220	123	7	82	12	23.8	11	21.8
Colas	1,020	925	95	-	451	247	20	169	30	29.4	30	29.4
Mattoon	507	477	28	-	194	93	20	77	17	33.5	19	37.5
Balance of county	513	448	65	-	257	154	-	92	13	25.3	11	21.4
Cook	101,069	97,486	3,420	97	46,265	22,624	2,192	23,238	2,747	27.2	1,918	19.0
Chicago	83,795	80,413	3,237	90	40,285	19,265	679	20,197	2,315	27.6	1,635	19.5
White	71,455	69,939	1,389	82	34,378	17,211	657	16,975	1,844	25.8	1,308	18.3
Nonwhite	12,340	10,474	1,848	8	5,310	2,054	22	3,222	471	38.2	327	26.5
Beryon	1,044	1,039	5	-	420	237	-	183	29	27.8	16	15.3
Cicero	1,404	1,391	11	1	608	354	-	249	36	25.6	16	11.4
Elgin (part)	12	12	-	-	5	2	-	3	-	(?)	-	(?)
Evanston	1,373	1,368	5	-	678	291	26	362	34	24.8	20	14.6
Maywood	704	696	8	-	251	121	24	105	16	22.7	14	19.9
Oak Park	1,291	1,286	4	-	709	415	-	293	30	23.2	21	16.3
Blue Island	503	502	1	-	205	92	-	112	13	25.8	14	27.8
Brookfield	283	277	5	-	111	59	15	37	9	31.8	2	7.1
Calumet City	356	354	1	1	109	67	-	41	10	27.3	7	19.1
Chicago Heights	688	658	30	-	209	85	-	121	9	13.1	10	14.5
Elmwood Park	357	354	3	-	93	49	-	42	7	19.6	11	30.8
Forest Park	369	369	-	-	202	91	41	70	12	32.5	7	19.0
Harvey	682	660	2	-	170	74	-	93	23	34.7	14	21.1
La Grange	341	339	2	-	115	56	-	59	10	29.3	7	20.5
Melrose Park	506	502	4	-	113	55	-	58	13	25.7	8	15.8
Park Ridge	252	249	3	-	139	75	-	61	9	35.7	5	19.8
Wilmette	310	309	1	-	161	73	-	83	9	29.0	6	19.4
Winnetka	203	202	1	-	95	51	-	41	9	44.3	1	4.8
Balance of county	6,606	6,496	97	5	3,589	1,114	1,407	1,038	154	23.3	104	15.7
Crawford	452	357	94	-	207	136	1	69	17	37.6	9	19.9
Cumberland	244	180	64	-	111	60	-	30	6	24.6	3	12.3
De Kalb	953	948	7	-	450	224	6	214	22	23.1	20	21.0
De Witt	378	358	20	-	212	99	3	110	12	31.7	4	10.6
Douglas	353	323	32	-	177	80	-	94	19	53.5	3	8.5
Du Page	2,875	2,853	22	-	1,055	558	17	470	77	26.8	47	16.3
Elmhurst	402	400	2	-	147	67	-	80	12	29.9	6	14.9
Balance of county	2,473	2,453	20	-	908	491	17	390	65	26.3	41	16.6
Edgar	521	497	23	-	271	180	-	90	15	28.8	9	17.3
Edwards	196	124	72	-	105	72	-	31	4	20.4	6	30.6
Effingham	582	524	57	-	200	120	-	80	12	20.8	9	15.5
Fayette	541	451	104	-	280	196	15	61	19	35.1	12	22.2
Ford	398	380	18	-	158	97	-	55	9	22.6	3	7.5

See footnotes on p. 95.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician in hos- pital	Physician not in hospital	Midwife								
ILLINOIS—Continued												
Franklin	1,060	717	339	-	502	358	-	140	29	27.4	15	14.2
West Frankfort	265	240	24	-	139	99	-	39	5	18.9	4	15.1
Balance of county	795	477	315	-	363	259	-	101	24	30.2	11	13.8
Fulton	965	915	49	-	459	248	-	197	28	29.0	17	17.6
Canon	284	292	2	-	126	47	-	75	10	35.2	8	28.2
Balance of county	681	633	46	-	333	201	1	122	18	28.4	9	13.2
Gallatin	279	200	76	-	99	69	-	29	8	29.7	6	21.5
Greene	434	370	64	-	218	147	-	69	13	30.0	9	20.7
Grundy	475	459	14	-	203	115	-	86	14	29.5	3	6.3
Hamilton	274	222	52	-	139	94	-	31	7	25.5	3	10.9
Hancock	561	512	47	-	327	205	1	118	10	17.8	15	26.7
Hardin	212	126	79	-	83	54	-	28	3	14.2	11	51.9
Henderson	195	171	21	-	91	42	-	49	4	20.7	4	20.7
Henry	1,030	1,021	9	-	491	222	15	250	21	20.4	25	24.3
Kewanee	393	396	7	-	184	70	-	114	6	15.3	14	35.6
Balance of county	637	635	2	-	307	152	15	135	15	23.5	11	17.3
Iroquois	736	695	41	-	334	226	2	105	20	27.2	11	14.9
Jackson	905	815	86	-	406	261	-	156	37	40.9	21	23.2
Jasper	254	195	57	-	148	99	-	49	11	43.3	4	15.7
Jefferson	903	811	289	-	353	273	-	78	24	26.6	19	21.0
Mount Vernon	502	390	111	-	173	120	-	50	10	19.9	9	17.9
Balance of county	401	221	178	-	160	153	-	26	14	54.9	10	24.9
Jersey	357	260	96	-	148	98	-	52	7	19.6	9	25.2
Jo Daviess	509	410	99	-	248	155	-	91	15	29.5	11	21.6
Johnson	222	85	136	-	123	111	-	12	9	40.5	7	31.5
Kane	3,353	3,341	12	-	1,991	622	464	793	62	24.5	66	19.7
Aurora	1,453	1,449	4	-	595	250	3	342	32	22.0	32	22.0
Elgin (part)	620	619	1	-	797	145	-	214	18	(?)	12	(?)
Elgin (total)	632	631	1	-	802	147	-	428	18	21.6	12	14.4
Balance of county	1,080	1,073	7	-	499	227	33	237	32	29.6	22	20.4
Kankakee	1,537	1,429	104	3	1,477	303	960	196	56	36.4	33	21.5
Kankakee	706	666	42	-	271	142	2	118	25	35.3	14	19.8
Balance of county	829	763	62	3	1,206	161	958	78	31	37.4	19	22.9
Kendall	266	262	4	-	113	60	-	53	8	30.1	4	15.0
Knob	1,264	1,250	14	-	577	270	15	288	35	27.7	20	15.8
Galesburg	777	774	3	-	359	152	3	200	24	30.9	12	15.4
Balance of county	487	476	11	-	218	118	12	78	11	22.6	8	16.4
Lake	3,779	3,706	34	1	1,295	469	138	666	94	24.9	65	17.2
Waukegan	1,039	1,031	6	1	289	103	-	194	21	20.2	13	12.5
Highland Park	325	325	-	-	136	65	8	58	4	12.3	5	15.4
Balance of county	2,415	2,350	28	-	870	301	130	424	69	28.6	47	19.5
La Salle	2,316	2,289	25	-	1,127	535	25	560	65	28.1	44	19.0
La Salle	251	249	2	-	144	40	-	104	7	27.9	3	12.0
Ottawa	422	421	1	-	136	97	8	91	15	35.5	6	14.2
Streator	473	468	7	-	209	94	-	110	22	46.5	15	31.7
Balance of county	1,170	1,153	15	-	578	304	17	255	21	17.9	20	17.1
Lawrence	413	243	165	1	216	165	3	45	8	19.4	3	7.5
Lee	739	721	17	-	461	180	169	121	27	36.5	11	14.9
Dixon	297	285	1	-	140	79	-	61	6	20.2	5	16.8
Balance of county	442	426	16	-	321	111	169	60	21	47.6	6	13.6
Livingston	801	780	20	1	384	210	21	152	21	26.2	18	22.5
Logan	523	504	18	-	457	126	131	197	28	55.5	9	17.2
Lincoln	231	231	-	-	261	61	89	111	19	82.3	6	26.0
Balance of county	292	273	18	-	196	85	42	66	9	30.8	3	10.3
MacDonough	637	594	43	-	355	192	1	159	22	34.5	19	29.8
McHenry	1,180	1,164	15	-	516	299	7	207	35	29.7	9	7.6
McLean	1,833	1,799	31	1	812	331	2	476	45	24.5	19	10.4
Bloomington	862	856	5	-	450	159	-	290	27	31.3	11	12.8
Balance of county	971	943	26	1	362	172	2	186	18	18.5	8	8.2
Macon	2,403	2,372	31	-	937	402	22	511	63	26.2	43	17.9
Decatur	1,711	1,699	13	-	723	292	-	429	53	31.0	32	18.7
Balance of county	692	674	18	-	214	110	22	82	10	14.5	11	15.9
Macoupin	911	841	68	-	551	282	12	249	35	39.4	23	25.2
Madison	4,373	4,050	311	2	1,897	746	324	813	159	36.4	79	18.1
Alton	899	813	80	-	347	138	1	206	30	33.4	14	15.6
Granite City	750	744	5	1	260	107	-	152	35	46.7	12	16.0
Balance of county	2,724	2,493	226	1	1,290	501	323	465	94	34.5	53	19.5
Marion	1,039	974	62	-	548	350	-	187	31	29.8	29	27.9
Centralia (part)	323	306	17	-	244	152	-	96	13	(?)	16	(?)
Centralia (total)	329	310	19	-	255	161	-	90	14	42.6	17	51.7
Balance of county	716	668	45	-	304	196	-	99	18	25.1	13	18.2
Marshall	299	274	25	-	141	90	-	48	10	33.4	4	13.4
Mason	341	296	51	-	183	114	-	68	11	32.3	5	14.7
Massac	282	141	124	1	168	144	-	45	11	39.0	5	17.7
White	282	137	113	-	159	120	-	39	8	30.5	5	19.1
Nonwhite	20	4	11	1	30	24	-	6	3	190.0	-	0
Menard	210	174	36	-	123	66	-	51	9	42.8	5	23.8
Mercer	406	397	21	-	184	97	2	83	7	17.2	3	7.4
Monroe	244	229	15	-	126	85	4	38	5	20.5	2	8.2
Montgomery	654	606	46	-	404	224	-	173	17	26.0	14	21.4
Morgan	648	590	53	-	736	175	380	176	25	38.6	19	29.3
Jacksonville	335	354	1	-	590	100	379	107	10	29.3	14	41.8
Balance of county	313	256	52	-	146	75	1	69	15	47.9	5	16.0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

25

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
ILLINOIS—Continued												
Moultrie	318	275	43	-	128	60	21	46	7	22.0	3	9.4
Ogle	763	714	48	-	308	172	3	128	17	22.3	11	14.4
Peoria	4,132	4,044	82	1	1,975	771	432	741	94	22.7	75	18.2
Peoria	2,668	2,637	29	1	1,181	547	27	582	68	23.7	65	22.7
Balance of county	1,264	1,207	53	-	794	224	405	159	26	20.6	10	7.9
Perry	488	407	73	4	289	188	1	76	20	41.0	10	20.5
Piatt	324	315	8	-	145	81	-	64	10	30.9	3	9.3
Pike	482	451	50	-	288	156	-	126	18	37.3	4	8.3
Popo	134	65	65	-	87	69	-	16	9	67.2	4	29.9
Pulaski	292	132	121	9	173	122	-	51	19	65.1	14	47.9
	190	128	59	-	96	62	-	34	9	47.4	5	26.3
	102	4	62	9	77	60	-	17	10	98.0	9	86.2
Putnam	105	101	3	-	58	54	1	25	2	19.0	2	19.0
Randolph	833	523	103	-	564	214	39	91	20	31.6	10	15.6
Richland	376	337	39	-	192	99	-	88	11	29.3	9	23.9
Rock Island	3,128	3,105	20	-	1,488	530	282	670	111	35.5	48	15.3
Rock Island	892	888	4	-	396	162	-	233	26	29.1	23	25.6
Balance of county	1,185	1,176	7	-	501	223	2	275	46	36.8	15	12.7
East Moline	311	309	1	-	362	49	271	62	19	61.1	6	19.3
Balance of county	740	732	8	-	208	96	9	100	20	27.0	4	5.4
St. Clair	4,747	4,470	266	8	2,017	1,029	12	972	156	32.9	126	26.5
	3,902	3,842	51	8	1,683	819	12	848	118	30.2	80	20.5
	845	628	215	-	334	210	-	124	38	48.0	46	54.4
	901	898	2	-	368	178	12	176	24	28.8	20	22.2
Belleville	2,079	1,900	173	5	966	498	-	474	80	38.5	72	34.6
East St. Louis	1,354	1,340	9	5	697	320	-	375	52	38.4	29	21.4
	725	590	164	-	269	168	-	101	28	38.6	43	39.3
Balance of county	1,767	1,672	91	3	685	363	-	322	52	29.4	34	19.2
Saline	682	557	123	-	410	301	-	109	34	49.9	9	15.2
Harrisburg	249	229	-	-	134	102	-	32	9	36.1	4	16.1
Balance of county	433	328	103	-	276	199	-	77	25	37.7	5	11.5
Sangamon	2,963	2,881	73	3	1,363	456	15	888	114	38.5	80	20.2
Springfield	2,269	2,194	12	2	1,023	231	8	792	95	43.0	41	16.8
Balance of county	734	637	61	1	340	165	7	164	19	25.2	19	25.2
Schuyler	212	192	20	-	147	86	-	61	9	42.5	1	4.7
Scott	170	144	25	-	84	60	-	34	8	47.1	1	5.9
Shelby	570	458	111	7	255	154	5	93	25	40.4	6	10.5
Stark	217	209	8	-	104	47	-	55	8	36.9	1	4.6
Stephenson	962	944	18	-	475	212	8	250	33	34.3	17	17.7
Freeport	561	556	5	-	304	128	6	169	22	39.2	13	23.2
Balance of county	401	368	13	-	171	84	2	81	11	27.4	4	10.0
Tazewell	1,758	1,722	35	-	539	275	-	279	54	30.7	36	20.5
Pekin	538	536	2	-	204	91	-	113	22	40.9	14	26.0
Balance of county	1,220	1,186	33	-	335	184	-	166	32	26.2	22	18.0
Union	455	380	70	-	506	125	317	64	21	46.2	13	28.6
Vermilion	2,024	1,937	84	-	1,148	505	184	485	78	36.1	23	11.4
Danville	985	949	36	-	545	241	-	301	45	45.7	7	7.1
Balance of county	1,039	988	48	-	603	284	154	184	28	26.9	16	15.4
Wabash	368	258	109	-	156	96	-	29	12	32.6	6	16.3
Warren	498	486	12	-	244	108	2	134	16	32.1	4	8.0
Washington	282	209	53	-	154	117	-	34	6	22.9	7	26.7
Wayne	523	266	249	-	209	164	1	40	11	21.0	10	19.1
White	502	286	231	-	245	180	1	49	22	43.8	5	10.0
Whiteside	1,186	1,080	106	-	514	281	17	200	33	27.8	26	21.9
Sterling	341	322	17	-	161	72	2	80	10	29.3	8	23.5
Balance of county	847	758	89	-	353	209	15	120	23	27.2	18	21.3
Will	2,906	2,855	52	-	1,251	607	46	595	93	32.0	90	17.2
Joliet	1,822	1,812	10	-	699	279	2	418	54	29.6	33	18.1
Balance of county	1,086	1,043	42	-	552	328	44	177	39	35.9	17	15.7
Williamson	1,046	733	306	1	526	360	-	164	42	40.2	26	24.9
Winneshago	3,763	3,693	64	1	1,397	587	27	775	110	29.2	62	16.5
Rockford	2,295	2,275	18	1	878	413	1	599	69	30.1	45	19.6
Balance of county	1,467	1,418	46	-	418	174	26	216	41	27.9	17	11.6
Woodford	467	430	37	-	216	139	1	76	12	25.7	13	27.8
INDIANA												
	96,559	86,802	8,881	56	40,567	23,776	2,137	14,149	2,949	30.6	1,667	17.3
	92,354	84,129	7,772	53	38,439	22,646	2,027	13,266	2,739	29.7	1,536	16.6
	4,005	2,673	1,109	3	2,128	1,130	110	883	210	52.4	131	32.7
Adams	693	583	99	-	226	134	3	87	22	32.2	5	7.3
Allen	4,745	4,594	142	1	1,685	787	116	775	129	27.2	106	22.3
Fort Wayne	3,657	3,623	32	-	1,334	623	55	652	105	28.7	84	23.0
Balance of county	1,088	971	110	1	551	164	61	123	24	22.1	22	20.2
Bartholomew	910	866	40	-	544	200	4	127	25	27.5	13	14.3
Columbus	477	471	6	-	138	77	1	54	9	10.9	4	8.4
Balance of county	433	395	34	-	206	123	3	73	16	37.0	9	20.8
Benton	314	269	44	-	112	69	-	42	12	38.2	2	6.4
Blackford	370	351	19	-	185	100	1	63	19	51.4	11	29.7
Boone	528	502	25	-	284	187	3	88	12	22.7	7	13.3
Brown	118	71	23	3	58	45	-	10	2	16.9	4	33.9
Carroll	337	301	33	-	163	107	2	40	8	25.7	4	11.9
Cass	894	871	23	-	611	231	178	196	21	25.5	18	20.1
Logansport	532	527	5	-	280	125	9	140	12	22.6	10	18.8
Balance of county	362	344	18	-	331	106	169	56	9	24.9	8	22.1

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
INDIANA—Continued												
Clark	1,311	1,122	182	1	392	237	2	147	37	28.2	14	10.7
Jeffersonville	493	478	15	-	175	90	2	76	12	24.3	8	16.2
	457	446	11	-	157	79	2	73	12	26.3	7	15.3
	36	32	4	-	16	11	-	5	-	0	1	27.8
Balance of county	518	544	167	1	219	147	-	69	25	30.6	6	7.3
Clay	501	483	36	-	280	205	5	70	15	29.9	5	10.0
Clinton	719	704	15	-	357	222	24	103	19	26.4	18	25.0
Frankfort	401	400	1	-	191	115	17	58	10	24.9	15	37.4
Balance of county	318	304	14	-	166	107	7	48	9	28.3	3	9.4
Crawford	235	77	151	-	103	86	-	17	7	29.8	6	25.5
Deviens	616	513	84	1	299	193	1	103	21	34.1	11	17.9
Dearborn	620	535	84	-	264	196	3	65	15	24.2	8	12.9
Decatur	482	435	46	-	258	159	34	85	22	45.6	6	12.4
De Kalb	612	596	16	-	266	186	7	71	14	22.9	8	13.1
Delaware	2,359	2,310	47	-	798	415	30	351	74	31.4	50	21.2
Muncie	1,734	1,707	26	-	561	276	2	281	51	29.4	34	19.6
Balance of county	625	603	21	-	237	139	28	70	23	36.8	16	26.6
Dubois	596	589	203	-	228	179	5	41	16	26.8	12	20.1
Elkhart	2,203	2,115	88	-	776	512	17	241	56	25.4	29	13.2
Elkhart	970	882	8	-	362	234	-	127	26	26.8	13	13.4
Goshen	352	349	3	-	152	79	3	48	6	17.0	5	14.2
Balance of county	681	604	77	-	262	199	14	66	24	27.2	11	12.5
Fayette	566	552	16	-	230	133	1	94	24	44.0	11	19.4
Connersville	392	387	5	-	168	90	1	75	19	48.5	9	23.0
Balance of county	176	165	11	-	62	43	-	19	6	34.1	2	11.4
Floyd	1,109	972	133	-	473	302	15	156	39	35.2	9	6.1
New Albany	663	780	81	-	349	232	-	115	32	37.1	3	3.5
Balance of county	246	192	52	-	124	70	13	41	7	28.5	6	24.4
Fountain	353	324	28	-	203	135	2	64	7	19.8	6	22.7
Franklin	354	274	77	-	168	91	13	47	14	39.5	9	25.4
Fulton	352	327	24	-	191	117	5	66	12	34.1	4	11.4
Gibson	587	550	136	-	328	220	19	80	22	32.0	15	21.6
Grant	1,587	1,483	101	-	756	432	105	312	47	29.6	34	21.4
Marion	904	846	56	-	377	233	3	137	26	28.8	18	19.9
Balance of county	683	637	45	-	379	199	102	75	21	30.7	16	23.4
Greene	768	702	66	-	303	230	-	71	15	19.5	6	7.8
Hamilton	668	648	18	-	293	189	3	94	19	28.4	7	10.5
Hancock	458	382	76	-	206	143	5	48	14	30.6	6	13.1
Harrison	442	152	283	4	186	165	-	23	17	38.5	13	29.4
Hendricks	474	436	38	-	245	193	3	46	11	23.2	3	6.3
Henry	1,190	1,140	50	-	490	261	41	183	42	35.3	23	19.3
New Castle	633	615	18	-	199	112	-	84	26	41.1	15	23.7
Balance of county	557	525	32	-	292	149	41	99	16	28.7	9	14.4
Howard	1,475	1,391	82	-	566	378	6	175	55	37.3	24	16.3
Kokomo	1,105	1,053	50	-	415	274	-	134	40	36.2	19	17.2
Balance of county	370	336	32	-	151	104	6	41	15	40.5	5	13.5
Huntington	728	677	50	-	358	248	23	77	18	26.1	11	15.1
Huntington	400	380	20	-	195	105	-	43	7	17.5	6	15.0
Balance of county	328	297	30	-	202	144	23	34	12	36.6	5	15.2
Jackson	803	662	141	-	302	216	3	79	30	37.4	6	7.5
Jasper	443	390	52	-	157	91	-	65	11	24.8	5	11.3
Jay	600	565	33	-	272	183	4	85	13	21.7	7	11.7
Jefferson	508	400	102	-	376	174	165	36	15	29.5	10	19.7
Jennings	289	160	128	-	162	122	17	23	10	34.6	3	10.4
Johnson	634	474	154	2	333	172	62	71	19	30.0	13	20.5
Knox	559	680	75	-	460	281	3	175	22	22.9	15	15.6
Vincennes	464	458	5	-	201	115	-	86	10	21.6	7	15.1
Balance of county	495	422	70	-	259	168	3	89	12	24.2	8	16.2
Kosciusko	736	713	22	-	349	219	17	106	19	28.8	11	14.9
Lagrange	395	288	103	-	163	108	-	53	12	30.4	3	7.6
Lake	9,275	8,628	351	31	3,031	1,394	95	1,541	284	30.6	186	20.1
Gary	3,714	3,467	209	4	1,231	516	-	708	128	34.5	79	21.3
	2,837	2,803	18	3	860	331	-	526	96	33.8	43	15.2
	877	664	191	1	371	187	-	182	32	36.5	36	41.0
East Chicago	1,404	1,290	73	23	519	228	-	291	47	33.5	31	22.1
	1,137	1,076	24	22	429	186	-	243	36	31.7	20	17.6
	267	214	49	1	90	42	-	48	11	41.2	11	41.2
Hammond	2,071	2,032	28	4	695	327	39	318	68	32.8	36	17.4
Whiting	535	527	6	-	73	49	-	24	4	7.5	14	26.2
Balance of county	1,551	1,512	35	-	523	282	56	200	37	23.9	26	16.8
La Porte	1,625	1,768	54	-	721	356	33	330	56	30.7	30	16.4
Michigan City	641	621	20	-	283	136	26	121	22	34.3	16	25.0
La Porte	546	537	8	-	234	99	1	132	14	25.6	8	14.7
Balance of county	638	610	26	-	204	121	6	77	20	31.3	6	9.4
Lawrence	935	735	192	1	345	238	1	104	28	29.9	14	15.0
Bedford	356	333	23	-	141	89	-	52	13	36.5	3	8.4
Balance of county	579	402	169	1	204	149	1	52	15	25.9	11	19.0
Madison	2,703	2,637	63	1	1,011	596	16	393	87	32.2	46	17.0
Anderson	1,517	1,478	39	-	511	274	-	234	50	33.0	25	16.5
Elwood	327	323	4	-	140	90	-	50	8	24.5	4	12.2
Balance of county	659	636	20	1	360	232	16	109	29	33.8	17	19.8

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

27

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See heading on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician in hos- pital	Physician not in hospital	Midwife								
INDIANA—Continued												
Marion	14,057	12,652	1,076	3	5,859	3,306	301	2,169	467	33.2	273	19.4
White	12,520	11,791	586	2	4,946	2,828	258	1,778	368	29.4	226	18.1
Nonwhite	1,537	861	490	1	913	478	43	391	99	64.4	47	30.6
Indianapolis	11,972	10,695	955	3	5,028	2,835	187	1,938	419	35.0	237	19.8
White	10,456	9,842	475	2	4,163	2,370	185	1,563	321	30.7	190	18.2
Nonwhite	1,516	853	480	1	865	465	24	375	98	64.6	47	31.0
Balance of county	2,085	1,857	121	-	831	471	114	251	48	25.0	36	17.3
Marshall	688	672	13	-	329	216	2	89	18	26.2	8	11.6
Martin	278	165	110	-	91	63	-	26	10	36.0	4	14.4
Miami	700	645	50	-	310	154	9	135	29	41.4	10	14.3
Perru	373	362	10	-	147	59	-	84	14	37.5	5	18.4
Balance of county	327	283	40	-	163	95	9	51	15	45.9	5	15.3
Monroe	1,114	970	133	5	353	218	13	100	25	22.4	18	16.2
Bloomington	670	650	39	-	189	100	12	75	14	20.9	13	19.4
Balance of county	444	340	94	5	144	118	1	25	11	24.8	5	11.3
Montgomery	667	629	37	-	343	220	5	104	18	27.0	4	6.0
Crawfordsville	317	293	24	-	147	85	-	58	10	31.5	-	0
Balance of county	350	336	13	-	196	135	5	46	8	22.9	4	11.4
Morgan	531	459	72	-	248	169	2	76	15	28.2	12	22.6
Newton	202	172	29	-	108	67	2	37	10	49.5	10	48.5
Noble	621	590	41	-	293	187	20	85	22	35.4	9	14.5
Ohio	97	69	28	-	53	35	-	17	6	61.9	3	30.9
Orange	424	229	195	-	199	183	5	39	11	25.9	13	30.7
Owen	222	188	34	-	140	121	3	15	5	22.5	2	9.0
Parke	353	252	79	-	195	136	4	53	9	27.0	3	9.0
Perry	410	220	198	2	186	152	1	31	20	48.8	12	29.3
Pike	263	189	74	-	180	133	6	40	7	39.0	4	15.2
Porter	752	731	19	-	344	193	8	140	23	30.6	13	17.3
Posey	490	266	212	-	227	154	3	65	9	18.8	6	12.5
Pulaski	315	237	76	-	149	84	1	63	16	50.8	2	6.3
Putnam	420	398	21	-	222	148	8	62	16	38.1	8	19.0
Randolph	655	618	15	-	338	221	12	104	15	25.6	13	20.5
Ripley	466	402	63	-	218	151	2	65	12	25.8	7	15.0
Rush	482	462	19	-	263	178	4	68	14	29.0	5	10.4
St. Joseph	5,016	4,957	56	-	1,648	999	35	690	105	20.9	75	15.0
South Bend	3,194	3,165	29	-	1,051	561	-	480	59	18.5	46	14.4
Michewaukuk	875	873	2	-	260	143	1	133	24	27.4	14	16.0
Balance of county	947	919	25	-	317	195	34	77	22	25.2	15	15.8
Scott	352	247	104	-	103	81	2	20	15	42.6	8	22.7
Shelby	673	643	28	-	368	287	1	95	24	35.7	11	16.3
Shelbyville	314	304	9	-	161	109	-	51	13	41.4	5	15.9
Balance of county	359	339	19	-	227	178	1	44	11	30.6	6	16.7
Spencer	350	162	185	-	187	140	1	37	4	11.4	12	34.5
Starks	340	206	134	-	159	108	3	47	16	47.1	7	20.6
Steuben	438	411	25	-	186	131	11	42	8	18.3	6	13.7
Sullivan	480	427	52	-	324	245	3	76	14	29.2	7	14.6
Switzerland	137	74	65	-	92	79	1	12	5	36.5	2	14.6
Tippecanoe	1,810	1,784	23	-	696	276	84	332	45	24.9	32	17.7
Lafayette	960	952	7	-	474	170	45	258	26	27.1	20	20.8
Balance of county	850	832	16	-	222	106	39	74	19	22.4	12	14.1
Tipton	397	359	38	-	145	105	6	36	11	27.7	1	2.5
Union	139	120	19	-	83	56	2	24	6	43.2	-	0
Vanderburgh	3,888	3,324	557	1	1,704	847	200	629	133	34.2	66	17.0
Evansville	3,283	2,861	418	1	1,311	687	37	560	101	30.8	56	17.1
Balance of county	605	463	139	-	393	160	163	69	32	52.9	10	16.5
Vermillion	409	355	54	-	201	109	-	93	10	24.4	4	9.8
Vigo	2,439	2,149	274	-	1,509	787	40	479	87	35.7	42	17.2
Terre Haute	1,785	1,640	139	-	924	544	4	373	59	32.5	30	16.8
Balance of county	654	509	135	-	385	243	36	106	29	44.3	12	18.3
Wabash	701	683	17	-	295	173	12	106	16	22.8	12	17.1
Warren	175	159	16	-	83	55	2	26	-	0	2	11.4
Warrick	497	328	159	-	217	156	1	57	19	38.2	7	14.1
Washington	437	201	232	-	200	160	5	34	19	45.5	10	22.9
Wayne	1,709	1,652	54	-	964	451	211	298	89	52.1	34	19.9
Richmond	1,072	1,047	24	-	420	220	4	136	55	149.4	25	25.3
Balance of county	637	605	30	-	544	171	207	162	36	36.5	9	14.1
Wells	464	444	17	-	216	118	3	94	12	25.9	8	17.2
White	433	359	74	-	199	131	5	59	12	27.7	7	16.2
Whitley	447	428	18	-	197	119	8	61	9	20.1	6	13.4
IOWA	63,959	60,189	3,595	18	26,484	13,774	1,509	10,840	1,817	28.5	998	15.6
White	63,382	59,751	3,564	13	26,201	13,659	1,484	10,502	1,788	28.2	983	15.5
Nonwhite	476	438	31	5	283	115	25	138	29	60.9	15	31.5
Adair	251	177	73	-	139	91	5	33	6	23.9	3	12.0
Adams	216	185	31	-	89	62	-	25	4	18.5	6	27.8
Allamakee	404	378	26	-	151	108	4	38	6	14.9	8	19.8
Appanoose	402	379	27	-	288	167	11	108	18	44.8	3	7.5
Audubon	289	237	52	-	92	59	1	22	3	10.4	5	17.3
Benton	525	481	44	-	227	138	7	77	7	13.3	10	19.0
Black Hawk	2,716	2,684	31	1	893	419	50	409	97	32.0	38	14.0
Waterloo	1,688	1,677	10	1	494	262	-	228	57	33.8	22	13.0
Balance of county	1,028	1,007	21	-	389	157	50	181	30	29.2	16	15.6

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND PLACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio	
		Physician in hospital	Physician not in hospital	Midwife									
IOWA—Continued													
Boone	634	621	13	-	367	152	96	118	20	31.5	5	7.9	
Boone	321	320	1	-	197	78	25	84	15	40.5	3	9.3	
Balance of county	313	301	12	-	180	74	71	34	7	22.4	2	6.4	
Bremer	424	374	50	-	106	103	4	77	15	35.4	9	21.2	
Buchanan	507	470	28	2	530	133	128	67	20	39.4	10	19.7	
Buena Vista	506	496	10	-	157	99	-	57	15	29.6	5	9.9	
Butler	432	398	43	1	157	109	2	44	11	25.5	4	9.3	
Calhoun	403	390	12	-	150	92	2	53	7	17.4	9	22.3	
Carroll	665	639	24	-	204	116	1	76	18	27.1	8	12.1	
Cass	499	450	48	1	204	93	5	105	9	18.0	8	16.0	
Cedar	366	340	26	-	151	107	4	36	8	21.9	3	6.2	
Cerro Gordo	1,169	1,149	21	-	448	199	18	212	36	30.8	28	24.0	
Mason City	747	736	11	-	293	116	15	153	24	32.1	14	16.7	
Balance of county	422	412	10	-	155	83	3	59	12	28.4	14	33.2	
Cherokee	408	398	10	-	334	111	156	59	13	31.9	8	19.6	
Chickasaw	341	332	9	-	146	80	-	65	11	32.3	6	17.6	
Clarke	212	203	9	-	100	54	-	45	6	28.3	5	23.6	
Clay	467	456	9	-	153	77	1	73	19	40.7	10	21.4	
Clayton	529	419	109	-	257	179	10	62	14	26.5	13	24.6	
Clinton	1,199	1,174	25	-	550	308	11	225	31	25.9	18	15.0	
Clinton	744	738	5	-	355	171	1	181	20	26.9	8	10.8	
Balance of county	455	436	18	-	195	137	10	44	11	24.2	10	22.0	
Crawford	511	467	43	-	157	101	1	51	12	33.5	8	15.7	
Dallas	552	510	41	-	270	149	13	101	17	30.8	9	16.3	
Davis	204	154	49	1	98	73	2	23	5	24.5	3	14.7	
Decatur	288	278	10	-	134	69	6	56	14	48.6	6	20.8	
Delaware	450	413	37	-	162	88	4	67	10	22.2	7	15.6	
Des Moines	990	961	9	-	515	158	14	339	28	28.3	25	25.3	
Durkington	755	753	2	-	420	115	1	300	22	29.1	20	26.5	
Balance of county	235	228	7	-	95	43	13	39	6	25.5	5	21.3	
Dickinson	304	277	26	-	111	67	3	36	11	36.2	6	19.7	
Dubuque	1,769	1,710	59	-	763	350	49	362	50	28.3	29	15.8	
Dubuque	1,182	1,170	12	-	565	266	45	274	35	29.6	20	16.9	
Balance of county	587	540	47	-	179	84	4	68	15	25.6	8	13.6	
Emmet	368	360	7	-	114	57	-	53	6	16.3	2	5.4	
Fayette	646	602	43	1	298	168	24	104	20	31.0	16	24.8	
Floyd	498	484	14	-	199	120	3	71	16	32.1	8	16.1	
Franklin	362	353	6	-	138	69	-	64	7	19.3	5	13.8	
Fremont	305	292	13	-	152	73	4	72	19	62.3	11	38.1	
Greene	377	367	10	-	149	91	-	56	6	15.9	4	10.6	
Grundy	294	277	17	-	128	91	-	37	4	13.6	4	13.6	
Outright	356	296	60	-	163	105	5	46	15	42.1	2	5.6	
Hamilton	470	455	15	-	152	90	-	57	11	23.4	7	14.9	
Hancock	371	371	40	-	114	69	-	41	10	27.0	4	10.8	
Hardin	539	525	14	-	220	145	2	72	14	26.0	7	13.0	
Harrison	477	332	143	-	216	152	-	61	13	27.3	10	21.0	
Henry	408	394	14	-	250	110	143	86	9	22.1	3	7.4	
Howard	320	301	19	-	129	79	3	45	10	31.3	6	18.8	
Humboldt	296	270	26	-	110	72	2	35	11	37.2	6	20.3	
Ida	257	237	20	-	106	67	-	39	9	35.0	1	3.9	
Iowa	397	337	60	-	172	118	7	45	7	17.6	6	15.1	
Jackson	434	405	29	-	198	121	2	58	12	27.6	10	23.0	
Jasper	683	637	46	-	281	115	6	156	29	42.5	12	17.6	
Newton	270	264	6	-	117	38	-	75	14	51.9	4	14.8	
Balance of county	413	373	40	-	164	77	6	81	15	36.3	8	19.4	
Jefferson	377	365	10	-	178	107	3	67	8	21.2	5	13.3	
Johnson	1,148	1,121	26	1	403	190	13	198	40	34.8	17	14.8	
Iowa City	739	737	1	1	241	99	3	137	26	35.2	10	13.5	
Balance of county	409	384	25	-	162	91	10	59	14	34.2	7	17.1	
Jones	475	463	12	-	172	92	13	60	13	27.4	11	23.2	
Keokuk	408	333	75	-	174	116	1	55	14	34.3	7	17.2	
Kossuth	721	646	72	-	187	125	1	54	28	36.1	12	16.6	
Lee	1,101	1,082	18	-	502	222	18	257	29	28.3	23	20.9	
Fort Madison	363	353	9	-	155	79	7	65	9	22.0	9	24.8	
Keokuk	458	456	2	-	234	86	-	147	18	34.9	9	19.7	
Balance of county	280	273	7	-	113	57	11	45	5	17.8	5	17.9	
Linn	2,600	2,555	43	-	1,018	474	472	71	27.8	28	10.8	28	10.8
Cedar Rapids	1,931	1,921	9	-	690	296	12	363	54	28.0	21	10.9	
Balance of county	669	634	34	-	328	178	35	109	17	25.4	7	10.5	
Louisa	234	203	30	-	131	81	3	44	10	42.7	2	8.5	
Lucas	252	225	26	-	168	112	5	50	8	31.7	9	35.7	
Lyon	338	338	47	-	106	56	-	50	11	28.6	1	2.6	
Madison	265	216	49	-	151	98	3	43	7	26.4	2	7.5	
Mahaska	570	550	20	-	300	161	12	119	17	29.8	11	19.3	
Oshtemo	239	234	5	-	172	83	-	82	12	50.2	5	20.9	
Balance of county	331	316	15	-	128	78	12	37	5	15.1	6	18.1	
Marion	804	560	43	-	320	147	68	99	13	21.5	7	11.6	
Marshall	900	884	16	-	388	154	44	189	23	25.6	24	26.7	
Marshalltown	529	525	4	-	235	85	-	150	16	30.2	19	35.9	
Balance of county	371	359	12	-	153	69	44	39	7	18.9	5	13.5	

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
IOWA—Continued												
Mills	295	249	46	—	155	65	51	35	6	20.3	1	3.4
Mitchell	349	336	12	—	133	89	1	35	6	17.2	7	20.1
Monona	410	316	92	2	125	68	—	56	10	24.4	5	12.2
Monroe	271	202	68	—	187	119	9	40	12	44.3	6	22.1
Montgomery	333	330	3	—	136	89	3	42	7	21.0	3	9.0
Muscatine	761	751	8	1	389	211	9	168	23	50.2	15	19.7
Muscatine	471	468	1	1	276	137	6	133	16	34.0	10	21.2
Balance of county	290	283	7	—	112	74	3	35	7	24.1	5	17.2
O'Brien	447	388	59	—	176	105	1	57	7	15.7	5	11.2
Oscola	268	253	14	1	86	53	—	33	9	33.6	2	7.5
Page	551	537	14	—	365	124	134	103	17	30.9	5	9.1
Palo Alto	413	369	43	—	136	90	—	39	14	35.9	2	4.8
Plymouth	590	566	24	—	207	105	11	81	22	37.3	13	22.0
Pocahontas	380	330	49	—	119	77	1	36	8	21.1	4	10.5
Folk	5,439	5,295	140	1	2,143	884	42	1,131	159	29.2	80	14.7
Des Moines	4,704	4,604	99	1	1,869	729	14	1,054	133	28.3	67	14.2
Balance of county	735	691	44	—	274	155	28	77	26	35.4	13	17.7
Pottawattamie	1,810	1,757	53	—	696	315	2	365	42	23.2	14	7.7
Council Bluffs	1,199	1,171	28	—	505	183	—	310	30	25.0	9	7.5
Balance of county	611	586	25	—	191	132	2	58	12	19.6	5	8.2
Poweshiek	472	446	25	—	205	108	12	80	10	21.2	9	19.1
Ringgold	212	176	34	—	98	80	—	18	7	33.0	3	14.2
Secor	434	418	15	—	159	85	—	51	5	11.5	13	30.0
Scott	2,531	2,514	17	—	1,033	473	40	506	81	32.0	46	18.2
Davenport	1,692	1,687	5	—	832	366	19	436	62	32.8	32	16.9
Balance of county	639	627	12	—	201	107	21	70	19	29.7	14	21.9
Shelby	391	291	110	—	125	90	6	29	9	23.0	4	10.2
Stout	705	632	72	—	172	116	—	42	13	18.4	13	18.4
Story	1,278	1,260	15	—	313	151	17	144	34	26.6	9	7.0
Ames	784	784	—	—	122	47	—	74	18	23.0	5	6.4
Balance of county	494	476	15	—	191	104	17	70	16	32.4	4	8.1
Tama	501	460	35	5	214	135	10	60	19	37.9	9	18.0
Taylor	246	188	58	—	146	99	19	27	3	12.2	5	20.3
Union	350	333	17	—	173	104	2	62	13	37.1	3	8.6
Van Buren	244	187	57	—	125	81	3	38	6	24.6	6	24.6
Wepello	1,152	1,091	59	—	508	285	16	182	27	23.4	12	10.4
Ottumwa	881	855	25	—	357	194	—	145	23	26.1	11	12.5
Balance of county	271	236	34	—	151	91	16	37	4	14.8	1	3.7
Warren	394	326	68	—	173	118	—	52	9	22.8	7	17.8
Washington	481	443	38	—	208	119	10	75	18	37.4	10	20.8
Wayne	240	199	41	—	143	101	—	41	15	62.3	4	16.7
Webster	1,109	1,071	37	—	446	202	17	227	32	26.3	24	21.6
Fort Dodge	681	675	6	—	308	121	6	179	20	29.4	19	27.9
Balance of county	428	396	31	—	140	81	11	48	12	28.0	5	11.7
Winnebago	316	295	21	—	116	77	5	34	8	25.3	3	9.5
Wimshiek	489	473	16	—	240	133	16	90	24	49.1	3	6.1
Woodbury	2,724	2,612	107	—	1,036	493	22	493	74	27.2	44	16.2
Sioux City	2,219	2,181	35	—	848	371	15	438	58	26.1	35	15.8
Balance of county	505	431	72	—	188	122	7	55	16	31.7	9	17.8
Worth	242	218	24	—	112	67	7	38	7	28.9	4	16.5
Wright	502	482	19	—	162	106	3	48	12	23.9	8	15.9
KANSAS												
	44,535	41,308	3,097	7	18,700	9,668	1,078	7,746	1,251	28.1	706	15.9
White	42,821	40,043	2,677	4	17,672	9,121	998	7,359	1,189	27.3	646	15.1
Nonwhite	1,714	1,265	420	3	1,028	547	90	398	62	47.8	60	35.0
Allen	412	378	34	—	257	185	2	61	19	48.1	3	7.3
Anderson	232	218	14	—	127	70	24	20	2	8.8	1	4.3
Atchison	457	422	13	—	271	148	11	112	21	48.1	5	11.4
Atchison	291	287	2	—	180	89	3	88	18	61.9	4	13.7
Atchison	269	267	1	—	155	70	3	82	16	59.5	3	11.2
Atchison	22	20	1	—	25	19	—	6	2	90.9	1	45.5
Balance of county	146	135	11	—	91	59	8	24	3	20.5	1	6.8
Barber	228	205	21	—	75	38	—	37	12	52.6	2	8.8
Barton	790	760	9	—	230	99	3	129	22	37.8	12	15.2
Bourbon	492	462	28	—	254	115	11	126	19	38.5	5	10.2
Fort Scott	275	268	7	—	186	70	10	108	14	50.9	3	10.9
Balance of county	217	194	21	—	68	45	1	21	5	23.0	2	9.2
Brown	341	317	23	—	193	114	10	67	12	35.2	5	14.7
Butler	675	653	21	—	284	139	—	144	27	40.0	20	29.6
El Dorado	280	279	1	—	157	53	—	104	15	53.6	6	21.4
Balance of county	395	374	20	—	127	66	—	40	12	30.4	14	35.4
Chase	100	89	10	—	36	25	—	11	—	0	2	20.0
Chautauqua	136	97	39	—	61	31	2	23	3	22.1	2	14.7
Cherokee	637	494	136	1	285	166	12	86	16	25.1	10	15.7
Cheyenne	135	132	3	—	47	22	—	25	5	37.0	5	37.0
Clark	84	78	4	—	35	22	—	13	4	47.6	1	11.9
Clay	242	235	7	—	169	120	—	48	11	45.5	3	12.4
Cloud	402	378	23	—	231	118	13	98	15	37.3	8	19.9
Coffey	218	122	96	—	115	86	—	28	8	36.7	4	18.3
Comanche	103	93	10	—	36	19	—	17	4	38.8	1	9.7
Cowley	808	789	19	—	422	197	59	165	18	22.3	7	8.7
Arkansas City	321	314	7	—	149	84	—	64	11	34.3	2	6.2
Balance of county	487	475	12	—	273	113	59	101	7	14.4	5	10.3

See footnotes on p. 33.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
KANSAS—Continued												
Crawford	909	786	114	-	508	296	9	200	19	20.9	15	16.5
Pittsburg	492	450	37	-	180	144	-	34	6	12.2	9	18.3
Balance of county	417	336	77	-	328	152	9	166	13	31.2	6	14.4
Decatur	144	143	1	-	62	34	-	28	3	20.8	3	20.8
Dickinson	466	445	21	-	268	153	15	99	13	27.9	8	17.2
Doniphan	236	123	111	-	105	72	-	33	6	25.4	4	16.9
Douglas	714	692	21	1	302	167	-	127	13	18.2	12	16.8
Lawrence	507	503	4	-	211	106	-	97	11	21.7	9	17.8
Balance of county	207	189	17	1	91	61	-	30	2	9.7	3	14.5
Edwards	156	145	11	-	76	44	-	32	7	44.9	-	0
Elk	127	114	13	-	63	41	2	19	4	31.5	1	7.9
Ellis	518	510	8	-	123	46	-	77	17	32.8	7	13.5
Ellsworth	193	182	11	-	107	60	6	41	3	15.5	7	36.3
Finney	379	370	7	-	98	36	-	60	7	18.5	5	13.2
Ford	464	454	10	-	220	75	35	109	17	36.6	12	25.9
Franklin	427	395	32	-	251	129	7	109	13	30.4	6	14.1
Ottawa	253	239	14	-	168	72	4	89	6	23.7	3	11.9
Balance of county	174	156	18	-	83	57	3	20	7	40.2	3	17.2
Geary	390	390	-	-	136	52	-	82	6	15.4	6	15.4
Gove	123	114	9	-	30	15	-	15	4	32.5	2	16.3
Graham	121	91	30	-	33	23	-	10	-	0	1	8.3
Grant	89	88	1	-	22	11	-	11	4	44.9	-	0
Gray	131	115	16	-	26	14	-	12	2	15.3	1	7.6
Greeley	51	47	4	-	13	8	-	3	2	39.2	1	19.6
Greenwood	330	304	25	-	148	81	1	62	12	36.4	6	18.2
Hamilton	94	92	2	-	37	13	-	24	5	53.2	1	10.6
Harper	231	226	3	-	93	40	-	52	6	26.0	5	21.6
Harvey	548	542	4	-	220	64	2	150	26	47.4	7	12.8
Newton	326	325	1	-	138	33	2	100	13	39.9	5	15.3
Balance of county	222	217	3	-	82	31	-	50	13	58.6	2	9.0
Haskell	88	85	3	-	18	12	-	6	1	11.4	-	0
Hodgeman	62	61	1	-	24	13	-	11	2	32.3	-	0
Jackson	240	234	5	1	149	106	2	35	2	8.3	2	8.3
Jefferson	217	158	57	1	126	97	-	27	3	13.8	2	9.2
Jewell	195	173	22	-	111	81	1	28	4	20.5	2	10.3
Johnson	1,409	1,350	57	-	329	226	7	91	26	18.5	17	12.1
Kearny	74	74	-	-	28	17	-	11	3	40.5	1	13.5
Kingman	223	215	8	-	87	44	-	41	1	4.5	3	13.5
Kiowa	93	77	16	-	34	15	-	19	5	53.8	-	0
Labette	694	559	131	-	398	192	50	154	18	25.9	15	21.6
Parsons	388	344	24	-	184	86	46	51	12	32.6	5	13.6
Balance of county	326	215	107	-	214	106	4	103	6	16.4	10	30.7
Lane	79	73	5	-	17	6	-	11	3	36.0	1	12.7
Leavenworth	843	817	21	2	455	160	25	267	28	33.2	15	17.8
White	770	746	20	2	384	134	19	229	23	29.9	14	18.2
Nonwhite	73	71	1	-	71	26	7	38	5	68.5	1	13.7
Leavenworth	545	539	4	1	288	109	6	172	20	36.7	13	23.9
White	476	472	3	1	236	86	6	143	15	31.5	12	25.2
Nonwhite	69	67	1	-	52	23	-	29	5	72.5	1	14.5
Balance of county	298	278	17	1	167	51	20	89	8	26.8	2	6.7
Lincoln	137	106	29	-	73	58	2	13	1	7.3	3	21.9
Lim	201	95	105	-	136	97	5	33	7	34.8	1	5.0
Logan	99	96	13	-	21	13	-	8	2	20.2	-	0
Lyon	589	576	12	-	282	121	1	160	16	27.2	15	25.5
Emporia	400	399	1	-	216	77	-	139	13	32.5	10	25.0
Balance of county	189	177	11	-	66	44	1	21	3	15.9	5	26.5
McPherson	576	572	4	-	179	99	4	74	8	13.9	7	12.2
Marion	402	377	25	-	182	93	5	82	7	17.4	7	17.4
Marshall	384	350	30	-	199	140	3	51	14	36.5	10	26.0
Meade	146	127	19	-	39	23	-	15	4	27.4	2	13.7
Miami	360	295	65	-	331	118	152	55	11	30.6	5	13.9
Mitchell	263	257	6	-	139	96	2	50	4	15.2	1	3.8
Montgomery	1,207	1,085	140	-	542	336	4	190	26	21.5	29	24.0
Coffeyville	469	404	63	-	184	107	-	57	11	23.5	12	25.6
White	420	388	31	-	140	86	-	54	7	16.7	6	14.3
Nonwhite	49	16	32	-	24	21	-	3	4	81.6	6	122.4
Independence	302	292	9	-	167	72	-	88	8	26.5	7	23.2
White	265	263	2	-	150	65	-	78	5	18.9	6	22.6
Nonwhite	37	30	7	-	17	7	-	10	3	81.1	1	27.0
Balance of county	436	368	68	-	211	157	4	45	7	16.1	10	22.9
Morris	185	184	21	-	86	61	-	20	5	27.0	5	27.0
Morton	69	64	5	-	15	7	-	8	3	43.5	-	0
Musasha	300	270	29	-	142	74	-	66	13	43.3	6	20.0
Neosho	470	368	102	-	236	154	2	77	12	25.5	8	17.0
Chanute	282	232	30	-	137	79	-	55	4	15.3	4	15.3
Balance of county	208	136	72	-	101	75	2	22	8	36.5	4	19.2
Ness	152	148	4	-	52	35	-	17	5	32.9	3	19.7
Norton	200	191	9	-	98	45	-	53	3	15.0	5	25.0
Osage	240	171	67	-	149	109	6	31	8	33.3	3	12.5
Osborne	174	158	36	-	81	67	-	13	4	23.0	2	11.5

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

31

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
KANSAS—Continued												
Ottawa	134	100	33	—	83	62	1	18	2	14.9	3	22.4
Pawnee	231	230	1	—	198	28	125	44	3	15.0	3	13.0
Phillips	166	91	74	—	88	68	3	17	4	24.1	2	12.0
Pottawatomie	256	246	8	—	148	87	1	60	13	50.8	7	27.3
Pratt	296	292	4	—	112	63	—	49	7	25.6	5	10.1
Rawlins	140	138	2	—	42	28	—	13	4	28.6	—	0
Reno	1,253	1,225	27	—	461	209	2	239	31	24.7	12	9.6
Hutchinson	683	676	7	—	336	122	1	212	25	28.3	11	12.5
Balance of county	370	349	20	—	125	87	1	27	6	16.2	1	2.7
Republic	235	214	20	—	106	75	—	33	2	8.5	4	17.0
Rice	397	366	11	—	131	64	2	63	6	15.1	9	22.7
Riley	757	733	1	1	169	75	8	85	19	25.6	8	10.9
Manhattan	595	594	—	1	120	47	2	70	15	25.2	7	11.8
Balance of county	142	141	1	—	49	28	6	13	4	28.2	1	7.0
Rooks	248	212	36	—	64	38	—	25	5	20.2	3	12.1
Rush	160	167	13	—	60	27	—	33	8	44.4	2	11.1
Russell	305	296	9	—	84	44	—	39	9	29.5	5	16.4
Saline	885	866	19	—	317	147	—	170	37	41.9	11	12.4
Saline	734	719	15	—	268	112	—	156	29	39.5	8	10.9
Balance of county	151	147	4	—	49	35	—	14	8	53.0	3	19.9
Scott	154	126	27	—	27	16	—	11	7	45.5	2	13.0
Sedgewick	5,668	5,522	127	—	1,638	653	48	909	157	27.7	88	15.5
Wichita	5,093	5,002	92	—	1,856	518	44	770	143	28.1	78	15.3
Balance of county	575	520	45	—	292	135	4	139	14	24.3	10	17.4
Seward	280	274	6	—	62	27	—	35	9	32.1	5	17.9
Shawnee	2,416	2,261	143	—	1,229	533	309	361	77	31.9	63	26.1
Topeka	2,169	2,052	106	—	824	436	25	357	70	32.3	58	26.8
Balance of county	248	209	37	—	405	97	284	24	7	28.2	5	20.2
Sheridan	93	89	4	—	34	20	—	12	6	64.5	1	10.8
Sherman	206	204	2	—	54	22	—	32	3	14.6	5	24.3
Smith	199	160	26	—	109	82	—	24	4	21.3	4	21.3
Stafford	210	210	—	—	83	31	—	52	6	28.6	5	23.8
Stanton	48	46	2	—	11	7	—	4	—	0	—	0
Stevens	91	78	13	—	25	11	—	14	1	11.0	2	22.0
Sumner	517	497	19	—	253	139	5	106	16	30.9	14	27.1
Thomas	209	205	4	—	59	23	—	36	4	19.1	7	33.5
Trego	110	106	4	—	34	22	—	12	1	9.1	3	27.3
Wabaunsee	155	122	30	—	79	59	—	19	5	32.3	—	0
Wallace	70	66	4	—	11	6	—	5	2	23.6	—	0
Washington	285	253	30	—	114	84	2	28	9	23.1	2	7.0
Wichita	50	42	7	—	12	8	—	4	—	0	—	0
Wilson	309	237	71	—	183	125	7	51	14	45.3	1	3.2
Woodson	123	77	42	—	76	59	—	17	7	56.9	—	0
Wyandotte	4,206	3,926	267	—	1,715	616	69	824	118	28.1	56	13.3
White	3,490	3,339	72	—	1,365	623	51	665	93	26.7	40	11.5
Nonwhite	726	527	195	—	350	193	18	139	25	34.4	16	22.0
Kansas City	3,788	3,528	255	—	1,502	708	4	784	107	28.2	50	13.2
White	3,089	3,022	64	—	1,183	526	4	647	83	26.9	36	11.7
Nonwhite	699	506	191	—	319	182	—	137	24	34.3	14	20.0
Balance of county	418	398	12	—	113	108	65	40	11	26.3	6	14.4
KENTUCKY	79,987	44,385	29,837	5,408	28,371	19,525	861	7,827	2,971	37.1	1,694	21.2
White	75,931	42,559	27,746	5,274	24,930	17,128	659	6,993	2,762	36.4	1,532	20.2
Nonwhite	4,056	1,826	2,091	132	3,441	2,397	202	834	209	51.5	162	39.9
Adair	455	74	355	21	154	136	—	18	17	37.4	12	26.4
Allen	362	160	197	4	159	134	—	25	17	47.0	8	22.1
Anderson	207	92	112	—	80	70	—	20	7	33.8	3	14.5
Ballard	194	121	73	—	99	83	—	16	10	51.5	3	15.5
Barron	701	437	244	20	287	225	—	62	24	34.2	18	25.7
Bath	253	101	146	6	118	103	—	15	13	51.4	2	7.9
Bell	1,380	653	589	132	405	278	—	126	90	58.0	38	27.5
Middleborough	349	289	53	6	134	72	—	62	15	43.1	18	51.7
Balance of county	1,032	364	536	126	271	206	—	64	65	63.0	20	19.4
Boone	322	212	108	2	144	110	—	32	9	26.0	5	9.3
Bourbon	429	292	136	—	222	149	—	72	17	39.6	15	35.0
White	362	270	111	—	160	101	—	57	16	41.9	13	34.0
Nonwhite	47	22	25	—	62	47	—	15	1	21.3	2	42.6
Boyd	1,380	1,254	118	22	372	228	—	144	43	31.2	17	12.3
Ashland	951	857	70	3	257	152	—	105	29	31.1	12	12.9
Balance of county	449	377	48	19	115	76	—	39	14	31.2	5	11.1
Boyle	400	309	91	—	243	140	55	48	10	25.0	6	15.0
White	377	300	—	—	197	104	54	39	7	18.6	6	15.9
Nonwhite	23	9	14	—	46	36	—	9	3	130.4	—	0
Bracken	178	95	85	—	119	87	1	30	20	112.4	3	16.9
Breathitt	541	39	186	313	101	87	—	13	11	20.3	11	10.3
Breckinridge	433	48	377	7	182	154	—	24	27	62.4	6	23.9
Bullitt	259	92	161	5	96	76	—	20	10	38.8	5	19.4
Butler	320	175	77	7	126	111	—	15	9	28.1	6	18.8
Caldwell	328	69	157	3	183	135	—	16	8	24.4	4	12.2
White	311	171	137	3	131	116	—	14	7	22.5	5	9.6
Nonwhite	17	5	14	—	21	19	—	2	1	59.8	1	58.8
Calloway	464	321	143	—	170	120	—	50	20	43.1	5	10.8

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
KENTUCKY—Continued												
Campbell	1,904	1,603	101	-	860	531	3	323	66	34.7	40	21.0
Newport	899	842	57	-	416	251	-	162	42	46.7	21	23.4
Fort Thomas	179	174	5	-	108	75	-	35	4	22.3	2	11.2
Balance of county	826	787	39	-	336	205	3	128	20	24.2	17	20.6
Carrville	152	81	71	-	52	39	-	13	4	26.3	2	13.2
Carroll	220	88	132	-	96	78	-	18	7	31.8	8	36.4
Carter	763	216	382	160	158	122	-	36	28	36.7	30	39.3
Casey	578	119	382	63	146	132	-	14	25	43.3	7	12.1
Christian	772	422	287	62	654	368	196	86	36	46.6	16	20.7
White	572	384	173	14	456	233	150	73	23	40.2	9	15.7
Nonwhite	200	38	114	48	198	135	46	13	13	65.0	7	35.0
Hopkinsville	511	199	101	11	206	170	-	35	12	38.6	7	22.5
White	221	180	38	3	122	93	-	29	10	45.2	5	22.6
Nonwhite	90	19	63	8	84	77	-	6	2	22.2	2	22.2
Balance of county	461	223	186	51	448	198	186	51	24	52.1	9	19.5
White	351	204	135	11	334	140	150	44	13	37.0	4	11.4
Nonwhite	110	19	51	40	114	58	46	7	11	100.0	5	45.5
Clark	470	269	179	2	232	157	-	75	19	40.4	11	23.4
White	429	284	143	2	180	118	-	62	16	37.3	11	25.6
Nonwhite	41	5	36	-	52	39	-	13	3	73.2	-	0
Clay	898	510	92	254	126	102	-	21	32	36.0	21	23.6
Clinton	342	125	188	29	84	44	-	20	8	23.4	4	11.7
Crittenden	266	138	128	-	117	86	-	30	15	56.4	8	30.1
Cumberland	263	91	107	57	85	75	-	10	11	41.8	-	0
Davless	1,697	1,161	525	9	807	385	-	205	58	34.2	36	21.2
Owensboro	1,006	766	219	-	406	243	-	152	33	32.8	21	20.9
Balance of county	681	375	306	9	201	142	-	53	25	36.2	15	21.7
Edmonson	255	50	170	34	74	70	-	4	7	27.5	3	11.8
Elliott	199	30	122	45	38	33	-	4	4	20.1	2	10.1
Estill	455	114	239	98	123	99	-	16	13	28.6	9	19.8
Fayette	2,270	2,002	267	-	1,177	545	263	363	64	28.2	33	14.5
White	1,940	1,791	149	-	849	332	218	273	53	27.3	22	11.3
Nonwhite	330	211	118	-	328	193	45	90	11	33.3	11	33.3
Lexington	1,434	1,238	195	-	860	393	193	269	58	26.5	27	18.8
White	1,140	1,052	88	-	585	232	154	194	29	25.4	18	15.8
Nonwhite	294	186	107	-	275	161	39	75	9	30.6	9	30.6
Balance of county	836	764	72	-	317	152	70	94	26	31.1	6	7.2
White	800	739	61	-	264	120	64	79	24	30.0	4	5.0
Nonwhite	36	25	11	-	53	32	6	15	2	58.6	2	58.6
Fleming	342	118	214	10	153	137	-	16	14	40.9	4	11.7
Floyd	1,884	656	938	268	365	247	-	117	67	35.6	30	15.9
Franklin	630	583	47	-	247	157	7	79	28	44.4	11	17.5
Frankfurt	348	323	25	-	145	84	7	52	16	46.0	10	28.7
White	319	302	17	-	112	65	5	40	15	47.0	9	28.2
Nonwhite	29	21	8	-	33	19	2	12	1	34.5	1	34.5
Balance of county	282	280	22	-	102	73	-	27	12	42.6	1	3.5
Fulton	430	259	138	33	148	100	-	48	28	65.1	9	20.9
White	367	245	98	24	117	73	-	44	23	62.7	7	19.1
Nonwhite	63	14	40	9	31	27	-	4	5	79.4	2	31.7
Gallatin	89	25	63	-	57	44	-	13	8	89.9	3	33.7
Garrard	233	133	95	5	103	78	-	25	12	51.5	7	30.0
White	212	133	74	5	87	63	-	24	11	51.9	4	18.9
Nonwhite	21	-	21	-	16	15	-	1	1	47.6	3	142.9
Grant	236	73	163	-	132	96	-	33	3	38.1	7	29.7
Graves	707	535	170	2	302	233	-	63	20	28.3	21	29.7
Grayson	400	48	303	49	174	153	-	21	19	47.5	16	40.0
Green	278	36	232	8	105	92	-	13	12	43.2	8	28.8
Greensburg	746	347	338	55	184	139	-	45	28	37.5	23	30.8
Hancock	166	72	94	-	53	44	-	15	4	24.1	4	24.1
Hardin	825	312	506	6	302	215	-	87	40	48.5	17	20.6
Harlan	2,361	761	1,543	47	525	380	-	145	92	39.0	57	24.1
White	2,206	683	1,468	45	458	338	-	120	87	39.4	51	23.1
Nonwhite	155	78	75	2	67	42	-	25	5	32.3	6	38.7
Harrison	315	277	38	-	168	109	4	54	10	31.7	7	22.2
Hart	411	69	339	3	133	109	-	23	17	41.4	6	34.6
Henderson	727	506	220	-	352	240	-	112	23	31.6	37	50.9
White	651	495	155	-	284	181	-	103	20	30.7	27	41.5
Nonwhite	76	11	65	-	68	59	-	9	3	39.5	10	131.6
Henderson	402	320	82	-	208	137	-	71	11	27.4	27	67.2
White	348	311	37	-	158	96	-	62	8	23.0	17	48.9
Nonwhite	54	9	45	-	50	41	-	9	3	55.6	10	185.2
Balance of county	325	186	138	-	144	103	-	41	12	36.9	10	30.8
White	303	184	118	-	126	85	-	41	12	39.6	10	33.0
Nonwhite	22	2	20	-	18	18	-	-	-	0	-	0
Henry	289	169	119	1	147	119	-	28	12	41.5	6	20.8
Hickman	183	89	94	-	90	65	-	22	9	49.2	4	21.9
White	162	87	75	-	81	57	-	21	6	37.0	2	12.3
Nonwhite	21	2	19	-	9	8	-	1	3	142.8	2	95.2
Hopkins	850	535	404	10	429	331	-	95	47	49.5	28	29.5
White	869	523	335	10	361	271	-	87	40	46.0	23	28.5
Nonwhite	81	12	69	-	68	60	-	8	7	86.4	5	61.7
Jackson	430	165	171	90	82	68	-	12	15	34.9	14	32.6

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

33

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
KENTUCKY—Continued												
Jefferson	12,667	11,418	1,244	3	5,216	2,868	305	2,023	460	36.3	224	17.7
White	11,369	10,443	922	3	4,139	2,290	199	1,629	410	36.1	184	16.2
Nonwhite	1,298	975	322	-	1,077	578	104	394	50	38.5	40	30.8
Louisville	10,898	9,966	928	2	4,310	2,475	7	1,810	396	36.3	191	17.5
White	9,675	9,041	631	2	3,402	1,940	7	1,438	347	35.9	155	16.0
Nonwhite	1,223	925	297	-	908	535	-	372	49	40.1	36	29.4
Balance of county	1,769	1,452	316	1	906	393	296	213	64	36.2	33	18.7
Jessamine	267	151	115	1	124	101	-	23	9	33.7	5	18.7
White	245	143	102	-	102	79	-	23	9	36.7	4	16.3
Nonwhite	22	8	13	1	22	22	-	-	0	0	1	45.5
Johnson	756	509	136	98	197	136	-	61	27	36.7	13	17.7
Kenton	2,670	2,523	146	1	1,080	621	9	449	81	30.3	56	21.0
Covington	1,820	1,753	66	1	765	410	9	345	64	35.2	41	22.5
Balance of county	850	770	80	-	315	211	-	104	17	20.0	15	17.6
Knott	629	73	343	211	82	68	-	14	8	12.7	12	19.1
Knox	986	212	598	170	252	213	-	39	47	47.7	23	23.3
Larue	261	79	176	5	106	99	-	7	9	34.5	5	19.2
Laurel	817	280	434	100	189	162	-	20	27	33.0	17	20.8
Lawrence	436	227	129	73	147	107	-	40	25	57.3	13	29.8
Lee	213	67	71	74	66	54	-	12	6	29.2	3	14.1
Leatic	539	212	42	178	82	57	-	25	15	27.8	10	18.6
Letcher	1,549	284	1,080	181	278	208	-	70	64	41.3	41	26.5
Lewis	434	58	288	90	160	125	-	35	21	48.4	7	16.1
Lincoln	580	192	347	40	200	175	-	25	26	44.8	12	20.7
Livingston	166	73	88	5	94	61	-	13	8	48.2	2	12.0
Logan	552	232	317	2	286	225	-	40	35	65.4	14	25.4
White	485	212	270	2	235	183	-	31	28	57.7	12	24.7
Nonwhite	67	20	47	-	51	42	-	9	7	104.5	2	29.9
Lyon	139	40	94	4	92	76	6	10	3	21.7	2	14.5
White	133	40	90	3	86	71	5	10	3	22.6	2	15.0
Nonwhite	5	-	4	1	6	5	1	-	0	0	-	0
McCracken	1,199	891	305	3	577	388	-	189	52	43.4	23	19.2
White	1,084	871	212	1	458	291	-	187	42	38.7	19	17.5
Nonwhite	115	20	93	2	119	97	-	22	10	87.0	4	34.8
Paducah	853	673	178	2	440	287	-	153	42	49.2	17	19.9
White	753	654	98	1	329	198	-	131	33	43.8	13	17.3
Nonwhite	100	19	80	1	111	89	-	22	9	90.0	4	40.0
Balance of county	346	218	127	1	137	101	-	36	10	28.9	6	17.3
McCreary	575	143	292	140	89	67	-	22	16	27.8	20	34.8
McLean	258	98	148	7	110	85	-	27	9	34.9	5	19.4
Madison	780	624	139	16	291	182	-	109	29	37.2	15	19.2
White	736	596	123	16	238	140	-	98	26	35.3	14	19.0
Nonwhite	44	28	16	-	53	42	-	11	3	68.2	1	22.7
Magoffin	412	18	300	89	85	56	-	9	14	34.0	4	9.7
Marion	575	299	261	14	172	126	-	46	17	29.6	12	20.9
Marshall	296	145	151	-	106	92	-	14	7	23.6	6	20.3
Martin	368	59	194	114	71	63	-	8	17	46.2	13	35.3
Mason	500	353	145	2	230	167	-	63	19	38.0	12	24.0
White	461	347	112	2	194	135	-	59	17	36.9	10	21.7
Nonwhite	39	6	33	-	36	32	-	4	2	51.3	2	51.3
Meads	245	80	165	-	64	50	-	14	7	28.6	5	20.4
Menifee	193	105	61	27	50	33	-	17	8	41.5	2	10.4
Mercer	362	318	44	-	171	132	-	39	12	33.1	6	16.6
Metcalf	239	46	185	6	104	89	-	16	6	25.1	5	20.9
Monroe	395	37	354	23	113	99	-	13	11	27.8	13	32.9
Montgomery	404	229	164	11	157	112	-	44	12	29.7	17	42.1
White	372	223	138	11	127	86	-	40	12	32.3	14	37.6
Nonwhite	32	6	26	-	30	26	-	4	-	0	3	93.8
Morgan	418	87	244	87	104	80	-	11	12	28.7	11	26.3
Muhlenberg	904	441	432	30	301	221	-	78	33	36.5	32	35.4
Nelson	612	151	461	-	198	150	6	41	23	37.6	16	26.1
Nicholas	158	105	53	-	115	84	-	29	13	82.3	2	12.7
Ohio	551	171	344	13	207	176	-	28	13	24.5	12	22.6
Oldham	186	153	32	-	98	56	-	35	5	26.9	5	26.9
White	175	133	21	-	86	47	-	35	5	28.6	4	22.9
Nonwhite	11	-	11	-	12	9	3	-	0	0	1	90.9
Owen	182	86	96	-	114	95	-	19	5	27.5	4	22.0
Owsley	208	49	36	117	36	31	-	5	4	19.2	8	38.5
Pendleton	210	80	130	-	124	97	-	27	2	9.5	8	38.1
Perry	1,701	352	1,051	263	342	199	-	141	46	27.0	30	17.6
Pike	2,765	1,205	1,007	545	577	391	1	184	114	41.2	59	21.3
Powell	228	43	157	25	68	53	-	15	11	46.2	5	21.9
Pulaski	1,142	441	577	123	335	272	-	63	35	30.6	20	17.5
Robertson	77	26	51	-	34	27	-	7	5	64.9	3	39.0
Rockcastle	476	147	201	125	93	71	-	19	10	21.0	11	23.1
Rowan	389	73	243	72	90	73	-	17	13	33.4	10	25.7
Russell	302	106	183	11	103	91	-	12	13	43.0	7	23.2
Scott	342	275	66	1	171	118	-	53	14	40.9	4	11.7
White	315	269	45	1	141	92	-	49	14	44.4	3	9.5
Nonwhite	27	6	21	-	30	26	-	4	0	0	1	37.0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
KENTUCKY—Continued												
Shelby-----	458	372	85	1	169	125	-	64	20	43.7	5	10.9
White-----	405	331	73	1	153	94	-	59	16	39.5	3	7.4
Nonwhite--	53	41	12	-	36	31	-	5	4	75.5	2	37.7
Simpeon-----	276	189	79	6	114	84	-	29	8	29.0	5	18.1
White-----	230	175	54	-	88	62	-	25	6	26.1	4	17.4
Nonwhite--	46	14	25	6	26	22	-	4	2	43.5	1	21.7
Spencer-----	178	42	136	-	49	36	-	13	5	23.1	2	11.2
Taylor-----	353	106	245	4	126	111	-	15	19	52.9	2	5.6
Todd-----	284	97	175	12	159	127	-	31	10	35.2	8	28.2
White-----	251	93	147	11	115	92	-	23	9	35.9	7	27.9
Nonwhite--	33	4	28	1	44	35	-	8	1	30.3	1	30.3
Trigg-----	232	125	92	14	106	92	-	12	6	25.9	9	38.8
White-----	213	125	82	5	83	72	-	10	6	28.2	8	37.6
Nonwhite--	19	-	10	9	23	20	-	2	-	0	1	52.6
Trimble-----	122	58	65	1	50	34	-	16	5	41.0	1	8.2
Union-----	398	175	223	-	152	122	-	30	5	12.6	8	20.1
White-----	369	173	186	-	134	106	-	28	4	10.8	6	16.3
Nonwhite--	29	2	27	-	18	16	-	2	1	34.5	2	69.0
Warren-----	1,112	771	325	16	409	311	-	97	48	43.2	15	13.5
White-----	1,040	768	257	15	332	240	-	91	43	41.3	13	12.5
Nonwhite--	72	3	68	1	77	71	-	6	5	69.4	2	27.9
Bowling Green-----	570	466	104	-	200	147	-	53	25	43.9	10	17.5
White-----	551	466	65	-	145	93	-	52	21	39.5	8	15.1
Nonwhite--	59	-	39	-	55	54	-	1	4	102.6	2	51.3
Balance of county-----	542	305	221	16	209	164	-	44	23	42.4	5	9.2
Washington-----	341	177	158	5	112	87	-	25	16	46.9	10	29.5
Wayne-----	515	35	400	80	98	85	-	13	12	23.3	19	36.9
Webster-----	326	112	213	1	174	147	-	27	15	46.0	10	30.7
White-----	294	110	183	1	147	125	-	22	12	40.8	9	30.6
Nonwhite--	32	2	30	-	27	22	-	5	3	93.8	1	31.3
Whitley-----	874	257	547	67	229	186	-	41	43	49.2	9	10.3
Wolfe-----	234	29	126	77	68	62	-	5	12	51.3	6	25.6
Woodford-----	275	251	24	-	101	60	-	41	6	21.8	7	25.5
White-----	250	231	19	-	79	45	-	33	6	24.0	4	16.0
Nonwhite--	25	20	5	-	25	15	-	8	-	0	3	120.0
LOUISIANA-----	74,630	55,991	6,735	11,960	23,395	13,483	783	8,800	2,773	37.2	2,001	26.9
White-----	47,102	41,151	4,493	1,443	13,673	7,197	526	5,667	1,384	29.4	846	18.0
Nonwhite--	27,528	14,740	2,242	10,517	9,722	6,286	257	3,133	1,389	50.5	1,155	42.0
Acadia-----	1,502	1,080	148	272	393	280	-	110	67	44.6	36	24.0
White-----	1,160	935	123	101	289	198	-	88	45	38.8	26	22.4
Nonwhite--	342	145	25	171	104	82	-	22	22	64.3	10	29.2
Allen-----	547	435	68	42	170	111	-	56	28	51.2	22	40.2
White-----	400	351	48	-	109	70	-	36	13	32.5	14	35.0
Nonwhite--	147	84	20	42	61	41	-	20	15	102.0	8	54.4
Ascension-----	727	422	173	131	204	154	-	50	21	28.9	25	34.4
White-----	463	314	159	10	111	82	-	29	8	17.3	12	25.9
Nonwhite--	264	108	34	121	93	72	-	21	13	49.2	13	49.2
Assumption-----	521	236	141	144	160	121	-	38	23	44.1	10	19.2
White-----	269	162	44	43	85	63	-	21	7	26.0	5	11.2
Nonwhite--	252	54	97	101	75	58	-	17	16	63.5	7	27.8
Avoyelles-----	1,054	634	136	284	296	196	-	94	25	23.7	22	20.9
White-----	739	546	121	71	187	114	-	88	16	21.7	10	13.6
Nonwhite--	516	89	15	213	109	82	-	26	9	28.5	12	39.0
Beauregard-----	527	355	134	38	144	88	-	53	31	58.0	14	26.6
White-----	451	346	102	3	116	68	-	45	26	57.6	12	26.6
Nonwhite--	76	9	32	35	28	20	-	8	5	65.8	2	26.3
Bienville-----	495	229	112	155	190	144	-	45	27	54.5	9	18.2
White-----	224	160	58	6	67	63	-	23	8	35.7	3	13.4
Nonwhite--	271	69	54	149	103	81	-	22	19	70.1	6	22.1
Bossier-----	1,085	856	27	202	227	129	-	97	42	36.7	18	16.6
White-----	642	622	18	2	80	39	-	40	14	21.8	5	7.9
Nonwhite--	443	234	9	200	147	90	-	57	28	63.2	13	29.3
Caddo-----	4,709	4,326	57	323	1,534	735	1	758	197	41.8	123	26.1
White-----	2,615	2,579	31	4	781	331	1	413	88	33.7	40	15.3
Nonwhite--	2,094	1,747	26	319	753	404	-	345	109	52.1	83	39.6
Shreveport-----	3,555	3,428	39	87	1,154	497	1	631	148	41.6	93	26.2
White-----	2,168	2,146	21	1	650	256	1	371	75	34.6	36	16.6
Nonwhite--	1,387	1,282	18	86	504	241	-	260	73	52.6	57	41.1
Balance of parish-----	1,194	898	13	236	380	238	-	127	49	42.5	30	26.0
White-----	447	433	10	3	131	75	-	42	13	29.1	4	6.9
Nonwhite--	707	465	8	233	249	163	-	85	36	50.9	26	36.8
Calcasieu-----	2,374	1,807	187	280	605	359	-	198	79	33.3	52	21.9
White-----	1,824	1,661	129	34	409	223	-	144	49	26.9	23	12.6
Nonwhite--	550	246	58	246	196	136	-	54	30	54.5	29	52.7
Lake Charles-----	1,158	834	39	165	336	206	-	112	42	36.9	30	26.4
White-----	790	778	7	5	209	116	-	78	22	27.8	11	13.9
Nonwhite--	348	156	32	160	127	90	-	34	20	57.5	19	54.6
Balance of parish-----	1,236	973	148	115	269	153	-	86	37	29.9	22	17.8
White-----	1,034	863	122	29	200	107	-	68	27	26.1	12	11.6
Nonwhite--	202	90	26	86	69	46	-	20	10	49.5	10	49.5
Caldwell-----	320	216	48	56	89	64	-	25	9	28.1	6	18.8
White-----	236	184	45	7	62	41	-	21	4	16.9	4	16.9
Nonwhite--	84	32	3	49	27	23	-	4	5	59.5	2	23.8

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

35

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS			DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS			
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
LOUISIANA—Continued												
Cameron-----	158	74	62	2	37	29	-	7	9	65.2	3	21.7
Catahoula-----	548	203	34	111	102	59	-	34	10	28.7	5	14.4
White-----	213	175	20	20	47	21	-	20	6	26.2	2	14.1
Nonwhite-----	135	80	14	91	55	37	-	14	4	29.6	3	14.3
Claiborne-----	594	282	31	261	202	150	-	52	16	26.9	21	35.4
White-----	235	216	15	4	86	57	-	25	2	8.5	4	17.0
Nonwhite-----	359	66	16	277	120	93	-	27	14	39.0	17	47.4
Concordia-----	421	205	8	207	141	104	-	37	16	38.0	14	35.3
White-----	167	155	6	6	36	19	-	18	2	12.0	4	24.0
Nonwhite-----	254	50	2	201	105	85	-	19	14	55.1	10	39.4
De Soto-----	607	403	34	369	240	159	-	69	33	40.9	36	44.6
White-----	285	254	26	3	99	61	-	31	10	35.1	11	38.6
Nonwhite-----	522	149	8	365	141	98	-	37	23	44.1	25	47.9
East Baton Rouge-----	4,073	3,281	89	702	1,010	593	1	418	118	29.0	107	26.3
White-----	2,675	2,622	41	11	533	250	1	282	54	20.2	41	15.3
Nonwhite-----	1,398	659	48	691	477	343	-	134	64	45.8	66	47.2
Baton Rouge-----	1,427	1,257	18	152	397	222	-	175	43	30.1	54	37.8
White-----	873	869	2	2	203	89	-	114	23	26.3	23	26.3
Nonwhite-----	554	388	16	150	194	133	-	61	20	36.1	31	58.0
Balance of parish-----	2,646	2,024	71	550	613	371	1	241	75	28.3	53	20.0
White-----	1,802	1,753	39	9	330	161	1	169	31	17.2	18	10.0
Nonwhite-----	844	271	32	541	283	210	-	73	44	53.1	35	41.5
East Carroll-----	504	94	146	263	143	115	-	28	14	27.8	18	35.7
White-----	194	86	93	5	32	21	-	11	2	10.9	3	16.3
Nonwhite-----	320	8	53	258	111	94	-	17	12	37.5	15	46.9
East Feliciana-----	430	165	33	231	529	114	369	46	16	37.2	13	30.2
White-----	111	100	9	2	262	24	214	24	2	18.0	5	45.0
Nonwhite-----	319	65	24	229	267	90	155	22	14	43.8	8	25.1
Evangeline-----	740	477	87	176	221	143	-	70	29	39.2	6	8.1
White-----	508	424	68	16	175	116	-	52	15	29.5	6	11.8
Nonwhite-----	232	53	19	160	46	27	-	18	14	60.3	-	0
Franklin-----	897	446	140	301	198	127	-	62	30	35.8	17	19.2
White-----	534	398	103	33	102	51	-	45	12	22.5	12	22.5
Nonwhite-----	353	48	37	268	96	76	-	17	18	51.0	5	14.2
Grant-----	370	301	37	32	120	68	-	55	14	37.8	8	21.6
White-----	271	235	35	3	86	45	-	41	6	22.1	4	14.8
Nonwhite-----	99	66	4	29	34	20	-	14	8	60.8	4	40.4
Iberia-----	1,179	723	289	166	361	277	-	84	46	39.0	29	24.6
White-----	738	585	142	11	197	141	-	56	20	27.1	12	15.3
Nonwhite-----	441	138	147	155	164	136	-	28	26	59.0	17	58.5
New Iberia-----	506	395	71	42	169	125	-	44	19	37.5	17	33.6
White-----	358	328	30	-	98	65	-	33	9	25.1	9	25.1
Nonwhite-----	148	65	41	42	71	60	-	11	10	67.6	8	54.1
Balance of parish-----	673	330	218	124	192	152	-	40	27	40.1	12	17.8
White-----	390	257	112	11	99	76	-	23	11	28.9	3	7.9
Nonwhite-----	283	73	106	113	93	76	-	17	16	54.8	9	30.7
Iberville-----	787	439	60	288	290	211	-	78	40	50.8	22	28.0
White-----	371	331	19	21	108	65	-	42	18	48.5	3	8.1
Nonwhite-----	416	106	41	267	182	146	-	36	22	52.9	19	45.7
Jackson-----	492	371	25	96	132	89	-	42	20	40.7	24	43.8
White-----	310	289	20	1	84	54	-	29	11	35.5	12	38.7
Nonwhite-----	182	82	5	95	48	35	-	13	9	49.5	12	65.9
Jefferson-----	2,559	2,366	141	52	542	306	-	221	59	25.1	37	14.5
White-----	2,083	1,916	120	47	405	219	-	168	44	21.1	22	10.8
Nonwhite-----	476	450	21	5	139	86	-	53	15	31.5	15	31.5
Crotina-----	368	347	15	4	94	58	-	39	8	21.9	8	21.9
White-----	243	230	9	-	62	38	-	26	4	16.5	4	16.5
Nonwhite-----	125	117	6	-	32	20	-	12	4	32.5	4	32.5
Balance of parish-----	2,195	2,019	126	48	448	249	-	163	51	25.3	29	13.2
White-----	1,840	1,686	111	43	341	183	-	142	40	21.7	16	9.6
Nonwhite-----	353	333	15	5	107	66	-	41	11	31.2	13	31.2
Jefferson Davis-----	788	468	163	135	202	132	-	49	31	39.4	17	21.6
White-----	569	406	130	33	151	94	-	37	23	40.4	11	19.3
Nonwhite-----	217	62	33	102	51	38	-	12	8	36.9	6	27.6
Lafayette-----	1,501	1,056	228	217	405	256	-	148	67	44.6	33	22.0
White-----	830	702	176	52	252	160	-	91	32	34.4	11	11.8
Nonwhite-----	571	354	52	165	153	96	-	57	35	61.3	22	38.5
Lafayette-----	846	649	101	96	251	155	-	95	41	46.5	14	16.5
White-----	564	467	80	17	154	95	-	58	19	33.7	5	8.9
Nonwhite-----	282	182	21	79	97	60	-	37	22	78.0	9	31.9
Balance of parish-----	655	407	127	121	154	101	-	53	26	39.7	19	25.0
White-----	366	235	95	35	98	65	-	35	13	35.5	8	16.4
Nonwhite-----	289	172	31	86	56	36	-	20	13	45.0	13	45.0
Lafourche-----	1,297	899	144	253	289	171	-	108	49	37.8	37	28.5
White-----	1,125	829	136	159	220	123	-	87	40	35.6	23	20.4
Nonwhite-----	172	70	8	94	69	48	-	21	9	52.3	14	31.4
La Salle-----	334	271	42	21	111	59	-	43	8	24.0	4	12.0
White-----	300	265	30	5	85	48	-	31	6	26.7	4	13.3
Nonwhite-----	34	6	12	16	26	13	-	12	-	0	-	0

See footnotes on p. 33.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
LOUISIANA—Continued												
Lincoln-----	675	433	68	173	191	119	-	65	28	41.5	13	19.3
White-----	351	314	36	1	103	55	-	43	12	34.2	4	11.4
Nonwhite--	324	119	32	172	88	64	-	22	16	49.4	9	27.8
Livingston-----	581	309	216	56	142	94	1	45	12	20.7	12	20.7
White-----	499	277	210	12	111	75	1	33	9	18.0	11	22.0
Nonwhite--	82	32	6	44	31	19	-	12	3	36.6	1	12.2
Madison-----	503	173	30	300	179	127	-	52	23	45.7	25	49.7
White-----	146	125	13	8	46	26	-	20	7	47.9	5	34.2
Nonwhite--	357	48	17	292	133	101	-	32	16	44.8	20	56.0
Morehouse-----	866	477	166	223	269	174	-	95	31	35.7	33	38.0
White-----	433	390	37	5	97	45	-	52	12	27.7	9	20.8
Nonwhite--	433	87	129	218	172	129	-	43	19	45.7	24	55.2
Matchitoches-----	1,183	583	124	476	330	227	-	103	58	49.0	40	33.8
White-----	608	473	79	56	149	86	-	63	22	36.2	12	19.7
Nonwhite--	575	110	45	420	181	141	-	40	36	62.6	28	48.7
Orleans, coextensive with New Orleans-----	15,502	15,071	230	189	6,154	2,970	210	2,941	542	35.0	409	26.4
White-----	9,865	9,723	59	60	4,127	1,902	197	1,997	319	32.3	183	18.6
Nonwhite--	5,637	5,348	171	109	2,027	1,068	13	944	223	39.6	226	40.1
Ouachita-----	1,985	1,588	123	173	627	335	7	282	68	36.1	80	42.4
White-----	1,204	1,131	61	12	358	169	3	183	31	25.7	26	21.6
Nonwhite--	681	457	62	161	269	166	4	99	37	54.3	54	79.3
Monroe-----	987	830	59	78	365	189	3	169	37	38.3	46	47.6
White-----	589	579	9	1	205	84	3	115	14	23.8	10	17.0
Nonwhite--	378	251	50	77	162	105	3	54	23	60.8	36	95.2
Balance of parish-----	918	758	64	95	262	146	1	113	31	33.8	34	37.0
White-----	615	552	52	11	155	85	-	68	17	27.6	16	26.0
Nonwhite--	303	206	12	84	107	61	1	45	14	48.2	18	59.4
Plaquemine-----	449	327	37	85	120	85	-	34	17	37.9	5	11.1
White-----	264	243	15	6	66	42	-	24	10	37.9	2	7.6
Nonwhite--	185	84	22	79	54	43	-	10	7	37.8	3	16.2
Pointe Coupee-----	685	285	151	259	201	156	-	36	31	45.3	22	32.1
White-----	287	226	55	6	77	52	-	20	10	34.8	2	7.0
Nonwhite--	398	69	76	253	124	104	-	16	21	52.6	20	50.3
Rapides-----	2,533	2,224	69	238	948	376	177	394	79	31.2	58	22.9
White-----	1,704	1,612	46	43	533	166	102	244	37	21.7	24	14.1
Nonwhite--	829	612	21	195	415	190	75	150	42	50.7	34	41.0
Alexandria-----	1,087	1,006	24	57	334	152	-	182	33	30.4	15	13.8
White-----	663	657	5	1	164	98	-	106	12	18.1	3	4.5
Nonwhite--	424	349	19	56	170	94	-	76	21	49.5	12	28.3
Balance of parish-----	1,446	1,218	45	181	614	224	177	212	46	31.8	43	29.7
White-----	1,041	955	43	42	369	128	102	136	25	24.0	21	20.2
Nonwhite--	405	263	2	139	245	96	75	74	21	51.9	22	34.3
Red River-----	311	159	48	104	122	86	-	33	16	51.4	14	45.0
White-----	145	109	32	4	62	38	-	22	4	27.6	3	20.7
Nonwhite--	166	50	16	100	60	48	-	11	12	72.3	11	66.3
Richland-----	927	437	228	262	234	161	-	71	31	37.5	27	32.6
White-----	495	332	159	4	96	63	-	32	9	18.2	13	26.3
Nonwhite--	332	105	69	158	138	98	-	39	22	66.3	14	42.2
Sabine-----	551	362	66	103	143	91	-	50	20	36.3	17	30.9
White-----	429	347	58	24	109	66	-	41	14	32.6	14	32.6
Nonwhite--	122	35	8	79	34	25	-	9	6	49.2	3	24.6
St. Bernard-----	263	258	2	2	66	36	-	29	9	34.2	4	15.2
White-----	205	200	2	2	47	27	-	19	4	19.5	2	9.9
Nonwhite--	58	58	-	-	19	9	-	10	5	66.2	2	34.5
St. Charles-----	357	309	5	42	92	61	-	31	13	36.4	6	16.9
White-----	213	206	4	3	49	29	-	20	9	42.3	2	9.4
Nonwhite--	144	103	1	39	43	32	-	11	4	27.8	4	27.8
St. Helena-----	193	106	17	70	75	46	-	29	9	46.6	5	25.9
White-----	88	71	8	9	41	23	-	18	4	45.5	1	11.4
Nonwhite--	105	35	9	61	34	23	-	11	5	47.6	4	38.1
St. James-----	522	172	203	147	158	121	-	37	33	63.2	13	24.9
White-----	240	102	158	-	67	46	-	21	12	50.0	2	8.3
Nonwhite--	282	70	65	147	91	75	-	16	21	74.5	11	39.0
St. John the Baptist-----	442	262	85	85	121	86	-	35	15	33.9	14	31.7
White-----	191	104	63	4	49	37	-	12	5	26.2	5	26.2
Nonwhite--	251	158	12	81	72	49	-	23	10	39.8	9	35.9
St. Landry-----	2,425	1,203	310	912	605	421	1	177	113	46.6	80	33.0
White-----	1,161	653	207	301	280	177	1	97	31	26.7	24	20.7
Nonwhite--	1,264	550	103	611	325	244	-	80	82	64.9	56	44.3
St. Martin-----	827	533	105	198	216	165	-	51	44	53.2	15	18.1
White-----	466	367	72	27	103	73	-	30	15	32.2	6	12.9
Nonwhite--	361	166	33	161	113	92	-	21	29	90.3	9	24.9
St. Mary-----	1,146	548	284	313	525	292	-	98	41	35.8	52	45.4
White-----	703	496	153	64	161	107	-	54	21	29.9	20	28.4
Nonwhite--	443	62	131	249	164	120	-	44	20	45.1	32	72.2
St. Tammany-----	693	465	97	131	241	146	1	91	18	26.0	20	28.9
White-----	443	345	78	20	157	91	1	63	10	22.6	10	22.6
Nonwhite--	250	120	19	111	84	55	-	28	8	32.0	10	40.0
Tangipahoa-----	1,488	1,027	216	245	466	294	-	166	53	35.6	47	31.6
White-----	870	735	201	34	268	161	-	101	27	27.8	23	23.7
Nonwhite--	519	292	15	211	178	113	-	65	26	50.1	24	46.2

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
LOUISIANA—Continued												
Tensas	321	115	17	189	135	104	-	31	9	28.0	11	34.3
White	122	108	7	7	22	17	-	5	-	0	3	24.6
Nonwhite	199	7	10	182	113	87	-	26	9	45.2	8	40.2
Terrebonne	1,473	1,216	88	168	307	202	-	104	58	39.4	37	25.1
White	1,101	957	75	69	195	123	-	71	44	40.0	21	19.1
Nonwhite	372	259	13	99	112	79	-	33	14	37.6	16	43.0
Union	478	270	88	120	145	98	-	44	20	41.8	11	23.0
White	297	235	55	6	97	67	-	27	9	30.3	3	10.1
Nonwhite	181	35	33	114	48	31	-	17	11	60.8	8	44.2
Vermilion	1,019	839	80	89	265	168	-	96	37	36.3	19	18.6
White	866	747	68	51	216	135	-	80	27	32.3	11	12.7
Nonwhite	151	92	11	48	49	33	-	16	9	59.6	8	53.0
Vernon	592	444	61	87	190	98	-	89	28	47.3	18	30.4
White	513	428	58	27	146	72	-	71	22	42.9	16	31.2
Nonwhite	79	16	3	60	44	26	-	18	6	75.9	2	25.3
Washington	1,206	869	159	178	301	163	-	128	49	40.7	44	36.5
White	775	571	95	9	157	81	-	66	19	24.5	23	29.7
Nonwhite	430	198	63	169	144	82	-	59	30	69.8	21	48.8
Bogalusa	565	466	45	54	158	80	-	74	25	44.2	18	31.9
White	365	348	17	-	74	53	-	39	11	50.1	10	27.4
Nonwhite	200	118	28	54	84	47	-	35	14	70.0	8	40.0
Balance of parish	640	403	113	124	143	83	-	51	24	37.5	26	40.6
White	410	323	78	9	83	48	-	27	8	19.5	13	31.7
Nonwhite	230	80	35	115	60	35	-	24	16	69.6	13	56.5
Webster	1,027	783	60	183	294	185	-	102	43	41.9	18	17.5
White	632	607	24	-	143	85	-	54	14	22.2	8	12.7
Nonwhite	395	176	36	183	151	100	-	48	29	73.4	10	25.3
West Baton Rouge	298	166	32	98	123	96	-	26	20	67.1	11	36.9
White	143	130	12	1	40	27	-	12	6	42.0	1	7.0
Nonwhite	155	36	20	97	83	69	-	14	14	90.3	10	64.5
West Carroll	586	283	193	110	110	74	-	23	13	22.2	13	22.2
White	476	275	174	27	80	49	-	18	10	21.0	7	14.7
Nonwhite	110	8	19	83	30	25	-	5	3	27.3	6	54.5
West Feliciana	215	45	27	143	92	70	15	7	10	46.5	14	65.1
White	24	18	5	1	13	4	5	4	-	0	-	0
Nonwhite	191	27	22	142	79	66	10	3	10	52.4	14	73.3
Winn	398	301	17	80	121	83	-	36	6	20.1	6	13.1
White	281	266	9	6	85	56	-	27	7	24.9	4	14.2
Nonwhite	117	35	6	74	36	27	-	9	1	8.5	2	17.1
MAINE	23,873	21,337	2,463	5	9,959	5,866	425	3,381	853	35.7	396	16.7
White	23,836	21,301	2,462	5	9,927	5,845	425	3,370	850	35.7	396	16.7
Nonwhite	37	36	1	-	32	21	-	11	3	81.1	-	0
Androscoggin	2,229	2,064	165	-	868	441	57	344	75	33.6	41	18.4
Lewiston	1,031	975	56	-	391	171	37	174	41	39.8	22	21.3
Auburn	482	489	13	-	202	84	19	93	15	31.1	8	16.6
Balance of county	716	620	98	-	275	186	1	77	19	26.5	11	15.4
Aroostook	2,794	1,902	875	2	796	508	-	288	143	51.2	55	19.7
Cumberland	4,342	1,784	98	-	1,784	929	37	752	145	33.4	52	12.0
Portland	2,006	1,987	18	-	879	407	12	433	70	34.8	24	12.0
South Portland	555	554	1	-	166	85	3	67	14	25.2	4	7.2
Westbrook	250	246	2	-	119	73	-	40	17	68.0	2	6.0
Balance of county	1,531	1,484	67	-	620	364	22	212	44	28.7	22	14.4
Franklin	557	479	76	1	207	139	1	55	21	37.7	9	16.2
Hancock	775	693	77	-	413	287	-	116	23	29.7	12	15.5
Kennebec	2,149	2,074	70	-	1,040	517	158	335	64	29.8	26	12.1
Augusta	422	418	3	-	300	110	131	53	11	26.1	6	14.2
Waterville	485	473	12	-	188	95	1	66	19	39.2	5	10.3
Balance of county	1,242	1,183	59	-	572	312	26	216	34	27.4	15	12.1
Knox	696	614	79	-	373	265	20	94	25	35.9	17	24.4
Lincoln	411	371	38	-	238	150	1	80	12	29.2	6	14.8
Oxford	1,140	1,076	60	-	444	280	1	146	35	30.7	20	17.5
Penobscot	2,947	2,632	305	-	1,263	716	143	382	104	35.3	49	16.6
Bangor	825	797	28	-	477	195	141	133	22	26.7	16	19.4
Balance of county	2,122	1,835	277	-	786	520	2	249	82	38.6	33	15.6
Piscataquis	512	464	48	-	214	135	-	62	22	43.0	14	27.3
Sagadahoc	610	578	31	-	243	136	1	94	13	21.3	9	14.8
Bath	262	250	12	-	130	70	1	50	5	19.1	2	7.6
Balance of county	348	328	19	-	113	66	-	44	8	23.0	7	20.1
Somerset	1,058	950	103	2	467	318	1	144	40	37.8	19	18.0
Waldo	538	398	135	-	277	191	-	81	15	27.9	14	26.0
Washington	746	495	240	-	385	265	1	107	35	46.9	10	13.4
York	2,369	2,296	73	-	946	588	4	311	81	34.2	45	19.0
Biddeford	508	492	16	-	170	98	1	67	20	39.4	9	17.7
Balance of county	1,861	1,804	57	-	776	490	3	244	61	32.8	36	19.3
MARYLAND	56,687	46,425	7,940	2,372	22,480	13,019	998	8,157	1,794	31.6	1,364	24.1
White	46,177	40,585	5,052	516	17,906	10,326	889	6,397	1,284	27.8	906	19.6
Nonwhite	10,510	5,830	2,808	1,856	4,574	2,693	109	1,760	510	48.5	458	43.6
Allegany	2,564	2,369	189	3	981	537	26	416	108	42.1	65	25.4
Cumberland	1,121	1,072	49	-	476	245	23	207	44	39.3	37	33.0
Balance of county	1,443	1,297	140	3	505	292	3	209	64	44.4	28	19.4

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MARYLAND—Continued												
Anne Arundel	2,360	1,782	372	205	890	462	150	263	82	34.7	54	22.9
White	1,842	1,572	228	40	626	346	72	205	55	29.9	33	17.9
Nonwhite	518	210	144	165	254	116	78	58	27	52.1	21	40.5
Annapolis	412	332	32	46	175	111	1	62	6	38.8	11	26.7
White	259	247	4	6	110	62	1	46	1	25.2	7	27.0
Nonwhite	153	85	28	40	65	49	—	16	5	65.4	4	26.1
Balance of county	1,948	1,450	340	157	705	351	149	201	66	33.9	43	22.1
White	1,583	1,325	224	34	516	284	71	159	49	31.0	26	15.4
Nonwhite	365	125	116	123	189	67	78	42	17	46.6	17	46.6
Baltimore	6,535	5,411	1,104	17	1,953	1,081	251	615	185	23.7	112	17.1
District 12 ⁵	689	484	199	5	181	101	—	79	26	37.7	15	21.9
District 13 ⁵	158	120	35	1	111	72	1	37	10	64.1	2	12.9
Balance of county	5,690	4,807	870	11	1,661	918	250	499	119	20.9	95	16.7
White	5,402	4,627	767	6	1,551	851	229	457	102	18.9	87	16.1
Nonwhite	288	180	103	5	110	67	1	42	17	59.0	8	27.8
Baltimore (city)	24,364	20,491	3,214	658	10,721	6,060	213	4,320	793	32.5	637	26.1
White	19,160	16,512	1,496	170	8,087	4,591	202	3,189	520	28.6	363	20.0
Nonwhite	6,196	3,979	1,728	488	2,634	1,469	11	1,131	273	44.1	274	44.2
Calvert	365	223	57	85	139	98	—	40	10	27.4	24	65.8
White	156	121	28	7	82	51	—	30	5	32.1	5	32.1
Nonwhite	209	102	29	78	57	47	—	10	5	23.9	19	90.9
Caroline	409	246	63	80	234	179	—	51	25	61.1	18	44.0
White	308	234	54	20	182	139	—	39	13	42.2	14	45.5
Nonwhite	101	12	29	60	52	40	—	12	12	118.8	4	39.6
Carroll	978	700	273	2	673	334	185	142	28	28.6	23	23.5
Cecil	784	655	127	1	566	193	57	111	31	39.5	21	26.8
Charles	712	380	36	294	178	106	—	72	31	43.5	21	29.5
White	413	356	22	35	90	51	—	39	12	29.1	8	19.4
Nonwhite	299	24	14	259	88	55	—	33	19	63.5	13	43.5
Dorchester	624	470	54	100	410	278	46	84	30	48.1	22	35.3
White	423	387	24	12	288	178	46	62	13	30.7	10	23.6
Nonwhite	201	83	30	88	122	100	—	22	17	84.6	12	59.7
Cambridge	297	226	16	55	188	117	17	52	18	60.6	7	23.6
White	196	165	9	4	129	71	17	39	6	30.3	3	15.2
Nonwhite	99	41	7	51	59	46	—	13	12	121.2	4	40.4
Balance of county	327	244	38	45	222	161	29	32	12	36.7	15	45.9
White	225	202	15	8	159	107	29	23	7	31.1	7	31.1
Nonwhite	102	42	23	37	63	54	—	9	5	49.0	8	78.4
Frederick	1,497	1,136	353	4	690	395	16	205	35	23.4	28	18.7
White	495	453	42	—	204	107	8	59	10	20.2	13	26.3
Nonwhite	429	403	26	—	182	98	8	48	8	18.6	13	30.3
Nonwhite	66	50	16	—	22	9	—	11	2	30.3	—	0
Balance of county	1,002	683	311	4	486	288	8	146	25	25.0	15	15.0
Garrett	581	277	200	101	204	168	10	26	17	29.3	10	17.2
Harford	1,405	1,179	221	2	436	278	10	143	42	29.9	17	12.1
White	1,259	1,079	177	—	372	239	10	118	34	27.0	14	11.1
Nonwhite	146	100	44	2	64	39	—	25	8	54.8	3	20.5
Howard	553	380	168	4	193	121	—	70	26	47.0	12	21.7
White	463	348	112	3	158	93	—	63	23	49.7	8	17.3
Nonwhite	90	32	56	1	35	28	—	7	3	33.3	4	44.4
Kent	342	229	81	32	167	134	2	47	11	32.2	4	11.7
White	251	214	35	4	130	95	—	31	4	15.9	3	12.0
Nonwhite	91	15	46	28	57	39	2	16	7	76.2	1	11.0
Montgomery	3,385	3,146	194	39	953	518	2	420	97	28.7	70	20.7
White	3,086	2,950	121	13	949	462	2	372	79	25.6	63	20.4
Nonwhite	299	196	75	26	104	56	—	48	18	60.2	7	23.4
Prince Georges	3,912	3,602	161	139	989	521	11	453	94	24.0	84	21.5
White	3,351	3,242	72	27	785	410	11	360	64	19.1	60	17.9
Nonwhite	561	360	89	112	204	111	—	93	30	53.5	24	42.8
Queen Annes	256	134	91	30	160	129	6	22	6	23.4	10	39.1
White	180	117	61	2	105	81	5	15	5	27.8	5	27.8
Nonwhite	76	17	30	29	55	47	—	7	1	13.2	5	65.8
St. Marys	671	436	102	132	173	113	—	60	26	38.7	15	22.4
White	469	418	46	25	107	66	—	41	17	34.8	9	18.4
Nonwhite	182	18	56	107	66	47	—	19	9	49.5	6	33.0
Somerset	478	310	58	109	249	195	—	53	12	25.1	24	50.2
White	290	264	22	3	154	116	—	37	6	20.7	9	31.0
Nonwhite	189	46	36	106	95	79	—	16	6	31.9	15	79.8
Talbot	434	297	41	96	233	169	1	60	21	48.4	13	30.0
White	300	215	21	4	146	108	1	35	8	26.7	6	20.0
Nonwhite	134	22	20	92	87	61	—	25	13	97.0	7	52.2
Washington	2,009	1,573	426	9	763	445	27	277	66	32.9	44	21.9
Eagerstown	1,021	950	91	—	426	218	—	190	37	36.2	19	18.6
Balance of county	988	643	335	9	337	227	15	87	29	29.4	25	25.3
Wicomico	905	715	109	80	461	295	5	154	32	35.4	24	26.5
White	709	629	57	22	344	215	5	118	19	26.0	12	16.9
Nonwhite	196	86	52	58	117	80	—	36	13	66.3	12	61.2
Salisbury	414	366	22	25	196	107	5	82	10	24.2	17	41.1
White	351	337	7	6	154	81	5	65	6	17.1	7	19.9
Nonwhite	63	29	15	19	44	26	—	17	4	63.5	10	159.7
Balance of county	481	349	87	55	263	166	—	72	22	44.8	7	14.3
White	358	292	50	16	190	134	—	53	13	36.3	5	14.0
Nonwhite	133	57	37	39	73	54	—	19	9	67.7	2	15.0
Worcester	564	284	126	152	254	201	—	53	16	28.4	12	21.3
White	363	257	98	7	153	122	—	31	7	19.3	7	19.3
Nonwhite	201	27	28	145	101	79	—	22	9	44.8	5	24.9

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MASSACHUSETTS	107,791	105,450	2,308	3	51,754	25,334	4,113	21,244	3,027	26.1	2,074	19.2
White	105,848	103,621	2,195	-	50,820	25,025	4,032	20,707	2,935	27.7	2,012	19.0
Nonwhite	1,943	1,829	111	3	934	309	81	537	92	47.3	62	31.9
Barnstable	1,012	962	48	-	482	289	6	172	22	21.7	23	22.7
Berkshire	3,295	3,232	63	-	1,432	860	8	513	79	24.0	63	19.1
Pittsfield	1,362	1,353	9	-	564	275	2	273	30	22.0	29	21.3
Adams (town)	341	336	5	-	157	112	2	36	9	26.4	-	0
North Adams	536	515	21	-	259	167	2	58	8	14.9	18	35.6
Balance of county	1,056	1,029	28	-	452	286	2	151	32	30.3	16	15.2
Bristol	8,704	8,208	495	-	4,515	2,472	557	1,444	227	26.1	189	22.9
Fall River	2,833	2,611	222	-	1,482	751	221	503	86	30.4	71	25.1
New Bedford	2,501	2,348	153	-	1,294	784	67	437	64	25.8	60	24.0
Taunton	858	838	19	-	608	318	230	133	19	22.1	22	25.6
Attleboro	593	573	19	-	313	148	3	161	16	27.4	11	16.9
Fairhaven (town)	244	231	13	-	119	80	2	27	9	36.9	4	16.4
North Attleborough (town)	246	240	6	-	103	86	1	14	7	28.5	4	16.3
Balance of county	1,439	1,367	72	-	405	266	13	169	26	18.1	27	16.8
Dukes	127	126	1	-	95	49	-	44	3	23.6	2	15.7
Essex	12,055	11,815	238	-	6,102	3,132	453	2,351	321	26.6	218	18.1
Beverly	690	688	2	-	311	168	9	124	19	27.5	14	20.3
Beverly Hills	1,089	1,047	41	-	615	259	51	299	36	33.1	12	11.0
Lawrence	1,984	1,951	33	-	1,955	511	25	415	67	35.6	41	21.8
Lynn	2,478	2,428	49	-	1,156	618	5	481	62	25.0	27	10.9
Salem	997	976	21	-	485	264	3	211	19	19.1	22	22.1
Amesbury (town)	250	254	4	-	121	63	14	45	5	19.4	7	27.1
Andover (town)	246	242	4	-	92	66	1	24	6	24.4	7	26.5
Danvers (town)	272	267	5	-	381	72	277	26	4	14.7	5	16.4
Gloucester	629	609	20	-	293	159	10	110	12	19.1	13	20.7
Marblehead (town)	295	294	1	-	137	71	-	64	7	23.7	5	16.9
Methuen (town)	589	577	11	-	212	144	19	41	9	15.3	5	8.5
Newburyport	321	312	9	-	207	74	3	126	19	59.2	14	43.6
Peabody	515	511	4	-	233	110	1	116	17	33.0	9	17.5
Saugus (town)	400	397	3	-	146	100	-	38	7	17.5	7	17.5
Swampscott (town)	220	219	1	-	118	89	-	25	4	18.2	3	15.6
Balance of county	1,174	1,143	30	-	636	364	35	208	28	23.9	27	25.0
Franklin	1,278	1,237	41	-	591	330	2	238	36	28.2	11	8.6
Greenfield (town)	438	435	3	-	201	90	-	109	20	45.7	4	9.1
Balance of county	840	802	38	-	390	240	2	129	16	19.0	7	8.3
Hampden	8,717	8,614	102	-	5,731	1,915	190	1,579	264	30.3	151	17.3
Springfield	4,151	4,112	38	-	1,783	910	75	771	127	30.6	75	17.6
Chicopee	1,141	1,118	23	-	560	203	32	125	30	26.3	20	17.5
Holyoke	1,546	1,356	19	-	678	288	33	353	54	40.1	22	16.3
Westfield	530	525	5	-	251	125	5	120	15	28.3	12	22.6
West Springfield (town)	154	143	11	-	114	85	-	29	3	19.5	3	19.5
Balance of county	1,395	1,380	15	-	545	304	47	183	35	25.1	21	15.1
Hampshire	1,919	1,785	34	-	1,074	395	307	357	49	26.9	37	20.3
Easthampton (town)	287	284	3	-	98	63	-	33	7	26.2	5	16.7
Northampton	572	563	9	-	595	119	299	175	12	21.0	14	24.5
Balance of county	980	958	22	-	383	213	8	151	30	30.6	18	18.4
Middlesex	24,749	24,299	437	-	10,704	5,490	671	4,273	624	25.2	461	19.4
Cambridge	3,240	3,201	39	-	1,540	187	701	111	111	34.3	63	19.4
Lowell	2,383	2,320	63	-	1,213	841	52	595	55	23.1	58	24.3
Somerville	2,519	2,475	44	-	1,046	546	62	428	77	30.6	50	19.8
Arlington (town)	854	773	80	-	399	253	-	139	23	27.6	18	21.6
Bolton (town)	513	506	5	-	196	136	6	53	12	23.4	7	13.6
Everett	1,184	1,174	10	-	362	211	2	126	27	22.8	17	14.4
Malden	1,487	1,475	12	-	617	312	12	266	35	22.2	26	17.5
Medford	1,507	1,494	12	-	598	352	1	225	37	24.6	28	18.6
Melrose	660	651	9	-	289	153	1	124	13	19.7	15	22.7
Newton	1,635	1,620	11	-	757	414	5	315	26	15.9	25	15.3
Waltham	1,197	1,182	15	-	452	202	35	210	28	23.4	24	20.1
Watertown (town)	788	765	3	-	243	162	9	71	24	31.3	13	16.9
Frammingham (town)	620	609	10	-	302	143	8	131	16	25.8	15	24.2
Lexington (town)	287	287	20	-	310	72	206	21	4	13.9	5	17.4
Marlborough	383	356	6	-	182	100	-	78	7	19.3	5	13.8
Natick (town)	441	441	-	-	170	97	1	59	8	18.1	6	13.6
Reading (town)	323	314	8	-	123	80	-	33	10	31.0	2	6.2
Stonham (town)	315	309	6	-	123	68	3	45	9	28.6	4	12.7
Wakefield (town)	506	491	15	-	150	100	4	39	9	17.8	8	15.8
Winchester (town)	306	303	2	-	132	83	-	46	6	19.8	8	19.6
Woburn	543	524	19	-	206	128	1	72	16	29.5	11	20.3
Balance of county	3,118	3,049	68	-	1,303	693	76	499	73	23.4	75	24.1
Nantucket	74	73	1	-	42	21	1	20	1	13.5	-	0
Norfolk	8,023	7,909	114	-	3,964	1,999	402	1,540	208	25.9	156	19.7
Brookline (town)	893	886	7	-	626	30	211	17	17	19.0	12	13.4
Quincy	2,084	2,046	38	-	775	363	17	365	54	25.9	42	20.2
Braintree (town)	502	494	8	-	197	121	-	72	18	35.9	10	19.9
Dedham (town)	361	355	6	-	134	102	3	29	6	16.6	8	22.2
Milton (town)	378	377	1	-	180	127	1	47	8	21.2	4	10.6
Needham (town)	335	334	1	-	134	81	-	47	7	20.9	9	26.9
Norwood (town)	378	376	2	-	209	62	2	143	10	26.6	9	23.9
Wellesley (town)	340	338	2	-	122	67	-	53	14	41.2	4	11.8
Weymouth (town)	804	795	9	-	307	166	1	122	24	29.9	14	17.4
Balance of county	1,950	1,908	42	-	1,180	544	348	251	50	25.6	46	23.6

See footnotes on p. 95.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MASSACHUSETTS—Continued												
Plymouth-----	4,324	4,185	139	-	2,167	1,320	78	675	152	30.5	63	14.6
Brockton-----	1,422	1,386	35	-	784	440	8	276	43	30.2	22	15.5
Plymouth (town)-----	333	321	12	-	180	112	-	64	10	30.0	8	24.0
Balance of county-----	2,569	2,476	92	-	1,203	768	70	335	79	30.8	33	12.8
Suffolk-----	20,848	20,488	351	3	10,916	4,295	657	5,854	730	35.0	414	19.9
Boston-----	18,460	18,178	273	3	9,954	3,825	560	5,461	671	36.3	373	20.2
White-----	17,414	17,174	234	-	8,482	3,731	541	5,124	620	35.6	341	19.6
Nonwhite-----	1,046	1,004	39	3	452	94	19	357	51	48.8	32	30.6
Chelsea-----	980	929	64	-	490	197	96	194	22	22.5	12	12.1
Revere-----	895	872	13	-	514	175	-	103	21	23.7	18	20.3
Winthrop (town)-----	515	516	1	-	178	96	1	76	16	31.1	11	21.4
Worcester-----	12,766	12,518	242	-	6,039	2,779	781	2,401	351	25.9	254	19.9
Worcester-----	4,591	4,548	42	-	2,475	946	324	1,180	129	28.1	91	19.8
Fitchburg-----	1,416	1,402	14	-	439	214	1	215	23	16.2	25	17.7
Athol (town)-----	281	265	16	-	106	65	4	37	11	39.1	3	10.7
Clinton (town)-----	308	306	2	-	159	100	1	57	6	19.5	4	13.0
Gardner-----	393	376	17	-	289	92	92	102	12	30.5	7	17.8
Leominster-----	651	649	2	-	231	138	5	85	21	32.3	21	32.3
Milford (town)-----	321	319	2	-	158	74	3	72	5	15.6	5	15.6
Northbridge (town)-----	241	238	2	-	95	57	3	32	8	33.2	7	29.0
Southbridge (town)-----	467	461	5	-	152	96	-	56	9	19.3	9	19.3
Webster (town)-----	337	332	5	-	122	74	1	46	9	26.7	2	5.9
Balance of county-----	3,760	3,623	135	-	1,815	925	347	511	98	26.1	80	21.3
MICHIGAN-----												
	161,085	153,512	7,262	116	57,137	28,126	4,446	23,736	5,080	31.5	3,361	21.0
White-----	150,523	144,269	6,045	86	53,396	26,949	3,999	21,631	4,573	30.4	2,954	19.6
Nonwhite-----	10,562	9,243	1,217	50	3,741	1,177	447	2,105	507	49.0	427	40.4
Alcona-----	156	109	47	-	47	32	-	13	3	19.2	5	32.1
Alger-----	317	289	22	4	39	30	11	30	7	34.7	5	15.8
Allegan-----	1,154	1,086	67	-	481	318	12	138	28	24.3	26	22.5
Alpena-----	669	636	21	-	240	123	4	113	30	45.5	15	22.8
Alpena-----	416	410	6	-	177	81	3	93	21	50.5	10	24.0
Balance of county-----	243	226	15	-	63	42	1	20	9	37.0	5	20.6
Antrim-----	261	153	103	1	116	78	2	35	9	34.5	10	39.3
Areacac-----	242	203	38	1	101	69	-	33	9	37.2	3	12.4
Baraga-----	203	120	80	1	110	80	-	30	13	64.0	3	14.8
Barry-----	624	607	15	-	263	172	5	81	17	27.2	6	9.6
Bay-----	2,474	2,289	184	-	814	451	46	312	78	31.5	55	22.2
Bay City-----	1,728	1,689	39	-	581	295	32	249	56	32.4	39	22.6
Balance of county-----	746	600	145	-	233	156	14	63	22	29.5	16	21.4
Benzie-----	217	182	34	-	96	60	4	25	11	50.7	6	27.6
Berrien-----	3,086	2,874	205	1	1,117	576	25	495	107	34.7	43	13.9
Benton Harbor-----	854	839	14	-	339	111	1	143	29	34.0	10	11.7
Miles-----	369	361	6	-	133	56	-	76	12	32.6	3	8.2
Balance of county-----	1,864	1,674	185	1	725	409	24	278	66	35.4	30	16.1
Branch-----	667	632	35	-	363	197	38	126	14	21.0	5	7.5
Calhoun-----	3,049	3,009	38	-	1,241	553	144	516	86	28.2	58	19.0
Battle Creek-----	1,502	1,489	13	-	597	257	4	315	54	36.0	35	23.3
Balance of county-----	1,546	1,520	25	-	644	296	140	201	32	20.7	23	14.9
Cass-----	598	555	42	1	310	190	2	117	22	36.8	16	26.8
Charlevoix-----	395	344	47	3	176	109	1	59	13	32.9	12	30.4
Cheboygan-----	407	322	85	-	154	94	3	52	11	27.0	7	17.2
Chippewa-----	926	791	21	5	264	121	5	138	27	32.7	20	24.2
Sault Ste. Marie-----	509	505	3	1	160	63	2	95	20	39.3	15	29.5
Balance of county-----	317	286	18	4	104	58	3	43	7	22.1	5	15.8
Clare-----	291	255	55	-	110	67	-	43	10	34.4	5	17.2
Clinton-----	783	720	62	1	308	200	4	88	27	34.5	12	15.3
Crawford-----	95	92	3	-	59	23	-	36	15	157.9	4	42.1
Delta-----	878	828	39	2	396	212	10	171	38	41.0	26	29.6
Kalamazoo-----	412	398	11	-	204	103	-	101	15	38.4	5	12.1
Balance of county-----	466	430	28	2	192	109	10	70	21	45.1	21	45.1
Dickinson-----	631	610	18	2	243	154	-	72	23	36.5	18	29.5
Iron Mountain-----	360	350	10	-	101	67	-	28	8	22.2	11	30.6
Balance of county-----	271	260	8	2	142	87	-	44	15	55.4	7	25.8
Eaton-----	935	907	25	1	405	255	9	128	25	26.7	18	17.1
Emmet-----	485	470	13	1	165	86	-	69	15	30.9	10	20.6
Genesee-----	7,347	7,126	201	19	2,046	990	-	1,033	237	32.3	161	21.9
Flint-----	4,566	4,480	67	18	1,390	616	-	757	142	31.1	125	27.4
Balance of county-----	2,781	2,646	134	1	656	374	-	276	95	34.2	36	12.9
Gladwin-----	269	197	67	1	95	77	-	18	6	22.3	4	14.9
Gogebic-----	632	603	22	1	292	127	-	164	12	19.0	9	14.2
Ironwood-----	247	242	5	-	96	60	-	36	4	16.2	1	4.0
Balance of county-----	385	361	17	1	196	67	-	128	8	20.8	8	20.8
Grand Traverse-----	734	697	37	-	529	134	274	120	26	35.4	8	10.9
Traverse City-----	406	402	4	-	145	67	2	75	15	36.9	5	12.3
Balance of county-----	328	295	33	-	384	67	272	45	11	33.5	3	9.1
Gratiot-----	971	972	97	-	396	258	25	113	39	40.2	18	18.5
Hillsdale-----	601	601	28	-	368	202	3	160	22	27.5	15	18.7
Houghton-----	987	916	62	4	556	287	35	233	37	37.5	22	22.3
Huron-----	916	817	96	-	336	218	4	109	29	31.7	12	13.1
Ingham-----	4,661	4,610	49	-	1,364	665	-	635	159	34.1	69	14.8
Lansing-----	2,340	2,331	9	-	655	378	-	447	86	36.8	58	24.8
Balance of county-----	2,321	2,279	39	-	509	297	-	188	73	31.5	11	4.7
Ionia-----	985	880	103	-	435	256	52	120	24	24.4	22	22.3
Iosco-----	257	160	91	2	96	64	-	30	6	31.1	5	19.5
Iron-----	414	403	10	-	196	105	6	69	8	14.5	8	19.3
Isabella-----	774	700	71	-	261	173	9	79	22	26.4	14	18.1

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

41

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MICHIGAN—Continued												
Jackson	2,782	2,742	38	-	1,138	544	71	522	112	40.3	57	20.5
Jackson	1,749	1,738	9	-	718	322	2	394	75	42.9	42	24.0
Balance of county	1,033	1,004	29	-	420	222	69	128	37	35.8	15	14.5
Kalamazoo	5,133	5,090	37	2	1,365	540	339	477	74	25.6	51	18.3
Kalamazoo	2,216	2,201	11	2	977	285	327	351	46	20.8	39	17.6
Balance of county	917	899	26	-	408	255	12	126	28	30.5	12	13.1
Kalamazoo	110	71	38	-	35	24	-	10	2	18.2	5	45.5
Kent	7,459	7,168	290	-	2,814	1,510	309	937	180	24.1	133	17.8
Grand Rapids	4,973	4,891	82	-	1,823	981	99	700	133	26.7	100	20.1
Balance of county	2,486	2,297	198	-	991	529	210	237	47	18.9	33	13.3
Keeweenaw	48	47	1	-	30	23	-	7	1	20.8	2	41.7
Lake	101	74	27	-	62	46	-	15	2	19.8	1	9.9
White	86	68	18	-	44	28	-	14	2	23.3	1	11.6
Nonwhite	15	6	9	-	18	17	-	1	-	0	-	0
Lapeer	761	604	157	-	373	208	68	93	35	46.0	17	22.3
Leelanaw	209	192	16	-	76	46	3	25	7	33.5	4	19.1
Lanave	1,754	1,640	113	-	688	419	20	204	57	32.5	34	19.4
Adrian	568	536	29	-	173	99	5	77	18	31.8	8	14.1
Balance of county	1,188	1,104	84	-	495	330	15	127	39	32.8	26	21.9
Livingston	560	525	35	-	303	196	7	92	17	30.4	16	28.6
Luce	182	177	2	1	183	35	116	32	10	54.9	9	49.5
Mackinac	220	160	57	1	92	67	-	24	7	31.8	3	13.6
Macomb	4,444	4,222	220	1	1,084	589	66	408	125	28.1	80	18.0
Mount Clemens	654	625	29	-	246	99	-	144	34	52.0	9	13.8
St. Clair Shores	455	439	15	-	77	50	-	26	9	19.8	10	22.0
Balance of county	3,335	3,158	176	1	761	420	66	238	82	24.6	61	18.3
Menistee	428	389	38	1	127	82	-	45	12	28.0	12	28.0
Marquette	1,182	1,152	26	-	485	238	11	235	33	27.9	25	21.2
Marquette	441	438	3	-	163	85	1	97	8	18.1	13	29.5
Balance of county	741	714	23	-	322	173	10	138	25	33.7	12	16.2
Mason	507	486	20	-	246	144	-	101	18	35.5	4	7.9
Macosta	491	447	43	-	237	135	12	75	19	38.7	15	30.5
Manistee	670	653	14	1	245	108	1	121	23	34.3	12	17.9
Manistee	311	310	1	-	146	54	-	81	13	41.8	5	16.1
Balance of county	359	343	13	1	99	54	1	40	10	27.9	7	19.5
Midland	1,151	1,085	62	1	206	137	2	64	28	24.3	19	16.5
Midland	586	567	19	-	79	44	-	35	11	18.8	10	17.1
Balance of county	565	498	63	1	127	93	2	29	17	30.1	9	15.9
Missaukee	188	117	88	1	51	41	-	9	2	10.6	7	37.2
Monroe	1,302	1,832	69	-	635	354	29	249	65	34.2	33	17.4
Monroe	816	803	13	-	243	103	10	130	33	40.4	17	20.8
Balance of county	1,088	1,029	56	-	392	251	19	119	32	29.5	16	14.7
Montcalm	799	723	74	-	367	253	6	105	25	31.3	23	28.8
Montcalm	118	86	32	-	29	21	-	6	3	25.4	3	25.4
Muskegon	3,774	3,661	108	-	1,102	582	13	524	124	32.9	74	19.6
Muskegon	1,813	1,888	24	-	613	278	5	327	61	31.9	38	19.9
Muskegon Heights	626	612	13	-	142	82	-	60	15	25.6	23	36.7
Balance of county	1,235	1,161	71	-	347	202	8	157	47	38.1	13	10.5
Newaygo	510	399	110	1	234	162	1	69	11	21.6	13	25.5
Oakland	9,820	9,474	338	1	2,536	1,143	214	1,146	302	30.8	209	21.3
Pontiac	2,315	2,250	62	-	830	257	212	359	79	34.1	54	23.3
Royal Oak	1,166	1,157	9	-	228	112	-	113	25	21.4	24	20.6
Birmingham	377	377	-	-	91	43	-	47	10	26.5	4	10.6
Ferndale	981	970	11	-	181	79	-	100	38	38.7	23	23.4
Balance of county	4,981	4,720	256	1	1,206	652	2	528	150	30.1	104	20.9
Oceana	428	400	28	-	177	91	10	75	19	44.4	3	7.0
Ogemaw	249	225	23	-	100	65	3	32	15	60.2	3	12.0
Ontonagon	264	211	50	1	135	70	-	65	8	30.3	8	30.3
Osceola	391	341	50	-	164	114	4	44	11	28.1	7	17.9
Oscoda	84	82	2	-	23	10	-	13	2	23.8	-	0
Oshtemo	155	123	30	2	69	37	-	31	2	12.9	1	6.5
Ottawa	1,982	1,875	106	-	597	362	7	214	54	27.2	39	19.7
Holland	567	562	4	-	168	87	-	73	15	26.5	12	21.2
Balance of county	1,415	1,313	102	-	429	275	7	141	39	27.6	27	19.1
Presque Isle	320	246	74	-	106	61	1	42	11	34.4	7	21.9
Roscommon	139	114	24	1	52	31	-	20	8	57.6	2	14.4
Saginaw	4,244	4,055	175	3	1,491	778	10	696	151	35.6	68	16.0
Saginaw	2,642	2,587	47	3	992	492	4	492	96	36.3	45	17.0
Balance of county	1,602	1,468	128	-	499	286	6	204	55	34.3	23	14.4
St. Clair	2,257	2,101	154	-	987	636	21	316	79	35.0	58	25.7
Port Huron	1,011	966	44	-	469	290	-	172	37	36.6	26	25.7
Balance of county	1,246	1,135	110	-	518	346	21	144	42	33.7	32	25.7
St. Joseph	886	841	25	-	425	254	14	150	31	35.8	19	21.9
Sanilac	742	637	105	-	354	245	1	92	38	51.2	21	26.3
Schoolcraft	282	247	14	-	93	75	-	16	9	34.4	4	15.3
Shiawassee	1,264	1,226	37	-	473	290	23	146	38	30.1	18	14.2
Owosso	484	467	17	-	184	111	-	70	18	37.2	7	14.5
Balance of county	780	759	20	-	289	179	23	76	20	25.6	11	14.1
Tuscola	900	792	106	1	469	249	71	133	33	36.7	17	18.9
Van Buren	937	896	40	-	493	305	2	182	34	35.3	27	28.8
Washtenaw	3,599	3,515	76	3	1,282	490	336	445	97	27.0	50	13.9
Ann Arbor	1,118	1,108	9	1	396	174	-	218	35	31.3	14	12.5
Ypsilanti	827	810	13	1	189	78	-	111	34	41.1	9	10.9
White	729	723	4	-	152	84	-	88	24	32.9	5	8.9
Nonwhite	98	87	9	1	37	14	-	23	10	102.0	4	40.8
Balance of county	1,654	1,597	54	1	697	238	336	116	28	18.9	27	16.3

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MICHIGAN—Continued												
Wayne	58,981	57,103	1,791	41	19,979	8,365	1,914	9,505	1,865	31.6	1,398	23.7
Detroit	45,066	43,789	1,240	9	14,921	6,680	183	7,792	1,428	31.7	1,091	24.2
White	38,027	37,410	606	2	12,599	5,997	183	6,282	1,110	29.2	790	20.8
Nonwhite	7,039	6,379	632	7	2,222	663	-	1,530	318	45.2	301	42.8
Dearborn	2,578	2,558	19	1	479	284	-	213	52	20.2	59	22.9
Eastland	1,202	1,147	55	-	413	186	-	247	52	43.3	24	20.0
Highland Park	1,044	1,033	11	-	535	200	5	329	43	41.2	25	23.9
Wyandotte	1,246	1,229	15	-	315	145	-	168	30	24.1	27	21.7
Ecorse	551	476	74	-	111	53	-	57	18	32.7	9	16.3
White	403	375	28	-	82	44	-	37	8	19.9	6	14.9
Nonwhite	148	101	46	-	29	9	-	20	10	67.6	3	20.3
Grosse Pointe Park	133	130	3	-	73	53	-	19	2	15.0	3	22.6
Lincoln Park	702	689	13	-	100	55	-	45	20	28.5	16	22.8
River Rouge	642	582	59	-	140	64	-	75	28	43.6	22	34.3
White	473	458	14	-	101	54	-	46	18	38.1	10	21.1
Nonwhite	169	124	44	-	39	10	-	29	10	59.2	12	71.0
Balance of county	5,817	5,470	303	31	2,992	685	1,726	560	192	33.0	122	21.0
Westford	539	489	47	2	219	134	3	61	14	26.0	17	31.6
MINNESOTA	75,577	72,964	2,481	77	27,781	12,479	1,864	13,148	2,185	28.6	1,298	17.2
White	74,911	72,348	2,449	73	27,421	12,349	1,837	12,946	2,104	29.1	1,275	17.0
Nonwhite	666	616	32	4	360	130	27	202	61	91.6	23	34.5
Aitkin	343	318	22	-	125	76	-	47	12	35.0	3	8.7
Anoka	771	739	28	3	308	115	105	86	23	29.8	11	14.3
Becker	698	652	26	4	227	93	-	151	35	50.9	15	21.8
Beltrami	776	595	65	10	204	87	3	109	19	24.5	19	24.5
Benton	469	447	18	4	99	51	-	43	11	23.5	5	10.7
St. Cloud (part)	80	77	3	-	16	11	-	7	4	(?)	-	(?)
Balance of county	389	370	15	4	81	40	1	36	7	18.0	5	12.9
Big Stone	277	262	15	-	80	43	-	36	8	28.9	3	10.8
Blue Earth	1,011	991	20	-	373	200	1	170	39	38.6	15	14.8
Mankato	515	510	5	-	219	98	1	118	28	54.4	7	13.6
Balance of county	496	481	15	-	154	102	-	52	11	22.2	8	16.1
Brown	734	706	28	-	261	103	-	158	23	31.5	8	10.9
Carlton	606	587	16	3	359	130	114	115	17	29.1	13	21.5
Carver	431	421	10	-	139	70	-	66	10	23.2	6	13.9
Cass	491	421	65	2	206	101	-	105	21	42.8	7	14.3
Chippewa	455	448	6	-	159	70	-	86	12	28.4	5	11.0
Chicago	299	292	7	-	163	90	13	60	13	43.5	9	30.1
Clay	750	713	35	-	212	110	-	101	20	26.7	14	19.7
Clearwater	278	271	6	1	94	44	-	50	12	43.2	3	10.8
Cook	78	72	5	-	27	13	-	14	2	25.6	1	12.8
White	77	71	5	-	24	10	-	14	2	26.0	1	13.0
Nonwhite	1	1	-	-	3	3	-	-	0	0	-	0
Cottonwood	449	435	14	-	131	61	-	68	11	24.5	5	11.1
Crow Wing	915	872	40	2	315	153	18	143	24	26.2	14	15.3
Deerhead	601	590	11	-	172	58	19	96	12	29.9	7	17.5
Balance of county	514	482	29	2	143	95	-	47	12	23.3	7	13.6
Dakota	1,156	1,136	19	1	348	180	49	149	32	19.0	30	36.0
Balance of county	374	370	3	1	96	45	-	51	6	16.0	13	34.8
Dodge	782	765	16	-	252	105	49	98	16	20.5	17	21.7
Douglas	510	474	36	-	102	79	3	18	2	6.5	7	22.6
Douglas	551	530	20	1	208	107	7	68	14	23.4	9	16.3
Faribault	529	478	51	-	179	134	-	44	12	22.7	7	13.2
Fillmore	579	529	49	-	265	186	5	69	21	36.5	5	8.6
Freeborn	988	941	46	-	249	125	7	114	25	25.3	8	8.1
Albert Lea	458	446	12	-	147	56	7	83	18	39.3	5	10.9
Balance of county	530	495	34	-	102	69	-	31	7	13.2	3	5.7
Goodhue	772	744	28	-	345	164	1	180	23	29.8	8	10.4
Grant	236	219	19	-	88	55	-	33	5	21.0	2	8.4
Hennepin	16,494	16,349	128	16	6,110	2,553	190	3,321	424	25.7	269	16.3
Minneapolis	13,491	13,380	98	13	5,283	2,159	162	2,925	349	25.9	225	16.7
Balance of county	3,003	2,969	30	3	627	394	28	396	75	25.0	44	14.7
Houston	362	352	10	-	136	71	-	65	12	33.1	2	5.5
Hubbard	299	291	7	-	107	49	3	42	17	56.6	5	16.7
Isanti	221	197	24	-	154	82	37	33	2	9.0	4	18.1
Itasca	946	922	23	1	299	120	12	167	29	30.7	19	20.1
Jackson	407	391	16	-	109	61	-	44	8	19.7	6	14.7
Kanabec	240	229	11	-	95	45	-	46	9	37.5	3	12.5
Kandiyohi	604	669	14	1	295	105	65	124	16	23.4	8	11.7
Kittacon	255	240	13	-	99	47	-	52	12	47.1	4	15.7
Koochiching	460	434	24	-	206	87	-	112	14	30.4	12	26.1
Lac qui Parle	362	359	3	-	142	64	-	70	8	22.1	4	11.0
Lake	159	154	4	-	94	48	-	42	3	19.0	4	25.3
Lake of the Woods	118	92	23	2	50	25	-	15	2	16.9	3	25.4
Le Sueur	416	392	24	-	194	114	-	48	12	28.8	3	7.2
Lincoln	282	278	4	-	81	48	-	43	6	21.3	3	10.6
Lyon	654	634	20	-	178	102	1	74	17	26.0	11	16.8
McLeod	574	556	16	-	199	107	-	82	20	34.8	8	13.9
Mahonien	206	197	8	-	58	18	-	40	13	65.1	3	14.6
White	182	173	8	-	53	16	-	37	12	65.9	3	16.5
Nonwhite	24	24	-	-	5	2	-	3	1	41.7	-	0
Marshall	398	370	28	-	132	66	-	66	14	35.2	8	20.1
Martin	657	638	19	-	185	118	-	67	13	19.8	12	18.3
Meeker	452	432	20	-	188	103	-	94	14	31.0	13	28.8
Mille Lacs	411	396	13	-	165	78	1	67	16	38.9	10	24.3
Morrison	729	715	12	1	227	108	9	110	24	32.8	15	20.6

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

43

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MINNESOTA—Continued												
Mower	1,162	1,071	90	-	311	154	11	145	34	29.5	24	20.7
Austin	704	698	15	-	187	65	11	110	30	42.6	14	19.9
Balance of county	458	373	75	-	124	89	-	35	4	8.7	10	21.8
Murray	393	370	22	-	99	57	-	42	9	22.9	9	22.9
Nicollet	351	346	5	-	426	64	290	63	15	42.7	7	19.9
Nobles	609	602	7	-	133	100	-	92	25	41.1	8	13.1
Norman	297	296	1	-	117	72	-	45	2	6.7	6	20.2
Olmsted	1,258	1,192	75	-	605	159	250	201	28	22.1	22	17.4
Rochester	619	612	7	-	494	90	230	159	17	20.8	17	20.8
Balance of county	449	580	68	-	119	69	-	42	11	24.5	5	11.1
Otter Tail	1,204	1,156	44	2	641	248	197	197	36	29.9	29	24.1
Fergus Falls	308	308	-	-	545	59	197	61	18	58.4	7	22.7
Balance of county	896	850	44	2	298	189	-	106	18	20.1	22	24.6
Pennington	328	316	10	1	139	57	-	62	19	57.9	12	36.6
Pine	447	391	55	1	180	101	1	77	13	29.1	7	15.7
Pipestone	399	394	5	-	110	51	-	57	15	37.6	9	22.6
Polk	918	892	22	-	337	147	5	162	32	34.9	14	15.3
Pope	312	308	4	-	122	64	-	57	8	25.6	7	22.4
Ramsey	9,556	9,434	98	21	3,324	1,213	195	1,897	268	28.0	179	18.7
St. Paul	8,722	8,626	75	18	3,075	1,121	175	1,750	241	27.6	164	18.8
Balance of county	834	808	23	3	249	92	20	137	27	32.4	15	18.0
Red Lake	202	196	6	-	41	22	-	19	1	5.0	3	14.9
Redwood	545	501	44	-	166	102	12	52	10	18.3	8	14.7
Renville	559	487	72	-	206	137	-	65	16	29.8	8	14.3
Rice	784	741	43	-	394	145	112	124	27	34.4	6	7.7
Faribault	315	300	15	-	225	66	102	57	14	44.4	3	9.5
Balance of county	469	441	28	-	159	79	10	79	13	27.7	3	6.4
Rock	312	303	9	-	90	57	-	33	9	28.8	7	22.4
Roseau	398	353	45	-	133	71	-	62	15	57.7	14	35.2
St. Louis	5,027	4,943	81	-	2,051	778	65	1,181	144	28.6	81	18.1
Duluth	2,615	2,600	14	-	1,136	376	64	692	99	34.0	45	16.4
Ebbing	452	451	1	-	133	46	-	87	11	24.3	9	19.9
Virginia	510	508	2	-	122	37	-	85	10	32.3	8	25.8
Balance of county	1,650	1,584	64	-	658	319	1	317	34	20.6	31	18.8
Scott	390	367	23	-	130	86	7	56	8	20.5	7	17.9
Sherburne	276	265	11	-	85	41	7	32	5	16.1	2	7.2
St. Cloud (part)	37	36	1	-	14	1	6	7	-	(7)	-	(7)
Balance of county	239	229	10	-	71	40	1	25	5	20.9	2	8.4
Sibley	387	358	29	-	143	94	-	49	9	23.3	4	10.3
Stearns	1,986	1,844	140	-	563	240	36	285	70	35.2	31	15.6
St. Cloud (part)	727	719	8	-	241	61	9	171	39	(7)	-	(7)
St. Cloud (total)	844	832	12	-	273	73	15	185	43	50.9	7	8.5
Balance of county	1,259	1,125	132	-	322	179	27	114	31	24.6	24	19.1
Steele	482	472	10	-	181	107	-	73	14	29.0	15	31.1
Stevens	311	291	19	-	113	62	-	48	15	46.2	5	16.1
Swift	425	409	16	-	147	88	-	57	16	42.4	9	21.2
Todd	715	642	73	-	201	129	-	72	22	30.8	12	16.8
Traverse	209	203	5	-	86	28	-	29	7	33.5	6	26.7
Wabasha	442	408	34	-	177	87	3	86	14	31.7	11	24.9
Wadena	371	325	46	-	128	74	-	54	12	32.3	4	10.8
Waseca	361	354	7	-	140	82	-	57	12	33.2	2	5.5
Washington	750	722	28	-	301	155	7	127	19	25.3	14	18.7
Watsonwan	345	339	6	-	117	59	37	21	12	34.8	8	23.2
Wilkin	277	266	11	-	84	51	-	33	14	30.5	4	14.4
Winona	950	912	38	-	395	224	-	151	15	15.8	17	17.9
Winona	585	569	17	-	249	134	-	109	12	20.5	10	17.1
Balance of county	365	344	21	-	136	90	-	42	3	8.2	7	19.2
Wright	674	609	65	-	267	171	4	79	19	26.7	7	10.4
Yellow Medicine	426	402	24	-	181	91	-	59	14	32.9	9	21.1
MISSISSIPPI	66,450	27,812	12,963	25,675	20,212	14,389	536	5,087	2,449	36.8	1,979	29.8
White	32,643	24,028	6,817	1,799	9,448	5,758	282	3,298	1,032	31.6	581	17.8
Nonwhite	33,807	3,784	6,146	25,877	10,764	8,633	254	1,789	1,416	41.9	1,398	41.4
Adams	884	580	14	290	332	206	-	123	44	49.8	29	32.8
White	401	394	-	7	120	54	-	63	16	39.9	3	7.5
Nonwhite	483	186	14	283	212	152	-	60	28	58.0	26	53.8
Balance of county	662	507	9	146	245	147	-	95	36	54.4	20	30.2
White	371	370	-	1	97	42	-	52	16	43.1	3	8.1
Nonwhite	291	137	9	145	148	105	-	43	20	68.7	17	58.4
Balance of county	222	73	5	144	87	59	-	28	8	36.0	9	40.5
White	30	24	-	6	23	12	-	11	-	0	-	0
Nonwhite	192	49	5	139	64	47	-	17	8	41.7	9	46.9
Alcorn	841	451	244	146	251	200	4	46	32	39.0	21	25.0
White	727	437	213	77	196	152	4	39	23	31.6	15	20.6
Nonwhite	114	14	31	69	55	48	-	7	9	78.9	6	52.6
Amite	639	182	99	358	158	119	-	39	20	31.3	22	34.4
White	223	156	52	15	67	45	-	22	6	26.9	6	26.9
Nonwhite	416	26	47	343	91	74	-	17	14	33.7	16	38.5
Attala	849	362	217	270	264	183	2	76	49	57.7	24	28.3
White	420	308	92	20	141	88	-	50	22	52.4	7	16.7
Nonwhite	429	54	125	250	123	95	2	26	27	62.9	17	39.6
Benton	274	82	49	143	70	59	-	9	3	10.9	6	21.9
White	130	78	36	16	42	31	-	8	2	15.4	2	15.4
Nonwhite	144	4	13	127	28	27	-	1	1	6.9	4	27.8
Bolivar	2,061	500	353	1,208	698	540	1	140	79	37.8	62	39.8
White	558	358	136	64	154	101	-	52	16	29.7	9	16.1
Nonwhite	1,503	142	217	1,144	534	439	1	88	62	41.3	73	48.6

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MISSISSIPPI—Continued												
Calhoun-----	570	246	243	81	146	110	-	25	19	33.3	11	19.3
White-----	417	234	156	27	112	82	-	18	16	36.4	7	16.8
Nonwhite--	153	12	87	54	34	28	-	5	3	19.6	4	26.1
Carroll-----	504	118	102	284	151	124	-	26	11	21.8	15	29.8
White-----	178	105	52	21	84	42	-	21	5	26.1	1	5.6
Nonwhite--	326	13	50	263	67	82	-	5	6	18.4	14	42.9
Chickasaw-----	589	174	224	191	181	141	-	38	21	35.7	7	11.9
White-----	296	159	120	17	88	82	-	26	8	27.0	4	13.5
Nonwhite--	293	15	104	174	93	79	-	12	13	44.4	3	10.2
Choctaw-----	328	92	135	101	100	81	-	17	8	24.4	14	42.7
White-----	208	90	109	9	71	55	-	14	7	33.7	6	28.9
Nonwhite--	120	2	26	92	29	26	-	3	1	8.3	8	66.7
Clatborne-----	342	68	34	240	146	117	-	28	5	14.6	13	36.0
White-----	73	48	20	5	42	26	-	16	3	41.1	4	54.8
Nonwhite--	269	20	14	235	104	91	-	12	2	7.4	9	33.5
Clarke-----	600	220	117	263	177	129	-	48	16	26.7	21	35.0
White-----	298	197	75	26	101	65	-	36	5	16.8	6	20.1
Nonwhite--	302	23	42	237	76	64	-	12	11	36.4	15	49.7
Clay-----	582	191	71	320	202	163	-	38	31	53.3	12	20.6
White-----	212	171	26	15	82	53	-	29	11	51.9	4	18.9
Nonwhite--	370	20	45	305	120	110	-	9	20	54.1	8	21.6
Coahoma-----	1,367	312	321	734	489	383	1	89	39	27.8	51	37.3
White-----	349	283	49	17	97	51	-	45	6	17.2	5	14.3
Nonwhite--	1,018	29	272	717	392	342	1	44	32	31.4	46	45.2
Clarksdale-----	405	218	109	79	153	106	-	45	12	29.6	14	34.6
White-----	208	204	2	2	62	31	-	30	4	19.2	1	4.8
Nonwhite--	197	14	106	77	91	75	-	15	8	47.6	13	86.0
Balance of county-----	962	94	213	655	336	267	1	44	26	27.0	37	38.5
White-----	141	79	47	15	35	20	-	15	2	14.2	4	28.4
Nonwhite--	821	15	166	640	301	267	1	29	24	23.2	33	40.2
Copiah-----	983	210	407	566	294	237	1	56	30	30.5	22	22.4
White-----	587	191	181	15	122	92	1	29	8	20.7	4	10.3
Nonwhite--	396	19	226	351	172	145	-	27	22	36.9	18	30.2
Covington-----	492	194	126	172	135	102	-	33	18	32.5	3	6.1
White-----	235	159	00	46	04	06	-	28	6	20.5	1	3.4
Nonwhite--	199	35	38	126	51	46	-	5	10	50.3	2	10.1
De Soto-----	778	231	117	430	223	189	-	32	21	27.0	31	39.8
White-----	214	156	43	15	63	40	-	22	7	32.7	5	23.4
Nonwhite--	564	75	74	415	160	149	-	10	14	24.8	26	46.1
Forrest-----	1,463	971	261	231	363	226	-	136	51	34.9	30	20.5
White-----	961	900	67	14	212	113	-	96	31	31.6	21	21.4
Nonwhite--	482	71	194	217	151	113	-	38	20	41.5	9	18.7
Hattiesburg-----	1,000	677	159	164	263	141	-	121	44	44.0	23	23.0
White-----	639	619	16	3	155	66	-	96	27	42.3	15	23.5
Nonwhite--	362	58	143	161	108	75	-	33	17	47.0	8	22.1
Balance of county-----	463	294	102	67	100	85	-	15	7	15.1	7	15.1
White-----	343	281	51	11	57	47	-	10	4	11.7	6	17.8
Nonwhite--	120	13	51	56	43	38	-	5	3	25.0	1	8.3
Franklin-----	293	134	26	133	106	79	-	24	4	13.7	17	58.0
White-----	151	119	22	10	52	37	-	13	1	6.6	4	26.5
Nonwhite--	142	15	4	123	54	42	-	11	3	21.1	13	91.5
George-----	327	141	149	38	76	53	-	21	13	39.8	4	12.2
White-----	296	140	132	14	60	39	-	19	10	35.0	4	14.0
Nonwhite--	41	1	16	24	16	14	-	2	3	73.2	-	0
Greene-----	303	73	140	90	64	48	-	16	8	26.4	5	16.5
White-----	234	71	123	40	47	33	-	14	6	25.6	2	8.5
Nonwhite--	69	2	17	50	17	15	-	2	2	29.0	3	43.5
Greensboro-----	582	204	67	311	185	148	-	36	29	49.8	20	34.4
White-----	251	195	37	21	78	56	-	21	4	15.9	1	4.0
Nonwhite--	331	11	30	290	107	92	-	15	25	75.5	19	57.4
Hancock-----	311	205	17	89	126	97	-	26	6	19.3	2	6.4
White-----	255	203	13	39	100	71	-	26	5	19.6	1	3.9
Nonwhite--	56	2	4	50	26	26	-	1	1	17.9	1	17.9
Harrison-----	1,790	1,442	101	247	652	339	45	285	94	52.5	53	29.6
White-----	1,434	1,327	62	45	496	233	45	216	70	48.8	35	24.4
Nonwhite--	356	115	39	202	156	106	-	49	24	67.4	18	50.6
Biloxi-----	735	647	18	70	206	92	1	111	46	62.6	17	23.1
White-----	629	613	4	12	162	58	1	102	36	57.2	10	15.9
Nonwhite--	106	34	14	58	44	34	-	9	10	84.3	7	66.0
Gulfport-----	568	494	15	71	245	108	41	95	34	89.9	22	38.7
White-----	444	431	9	4	188	81	41	65	27	60.8	18	40.5
Nonwhite--	124	53	4	67	57	27	-	30	7	56.5	4	32.3
Balance of county-----	487	311	70	106	201	139	3	59	14	28.7	14	28.7
White-----	361	283	49	29	146	94	3	49	7	19.4	7	19.4
Nonwhite--	126	28	21	77	55	45	-	10	7	55.6	7	58.6
Hinds-----	3,821	2,172	339	1,310	1,128	695	12	409	169	44.2	126	33.0
White-----	1,927	1,638	71	18	527	256	9	258	80	41.5	31	16.1
Nonwhite--	1,894	334	268	1,292	601	439	3	151	89	47.0	95	50.1
Jackson-----	2,366	1,700	196	470	769	423	8	330	132	55.8	86	36.3
White-----	1,453	1,432	12	9	421	184	8	227	76	52.3	25	17.2
Nonwhite--	913	268	184	461	348	238	-	103	56	61.3	61	66.8
Balance of county-----	1,455	472	143	840	359	272	4	79	37	25.4	40	27.5
White-----	474	406	59	9	106	72	1	31	4	8.4	6	12.7
Nonwhite--	981	66	84	831	253	200	3	48	33	33.6	34	34.7

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MISSISSIPPI—Continued												
Holmes	1,124	203	144	777	398	334	—	64	46	40.9	38	33.8
White	227	176	36	13	105	70	—	35	5	22.0	6	26.4
Nonwhite	897	25	108	764	293	264	—	29	41	45.7	32	35.7
Humphreys	789	97	126	566	206	173	1	22	18	22.8	26	33.0
White	197	72	94	31	58	45	—	13	6	30.5	7	35.5
Nonwhite	592	25	32	535	148	128	1	19	12	20.3	19	32.1
Issaquena	130	33	2	95	55	44	—	11	7	55.8	5	58.5
White	28	22	2	4	12	9	—	3	2	71.4	—	0
Nonwhite	102	11	—	91	43	35	—	8	5	49.0	5	49.0
Itawamba	523	202	278	43	105	85	—	20	15	28.7	9	17.2
Jackson	1,072	846	56	170	245	149	—	93	28	26.1	32	29.9
White	855	801	33	21	162	100	—	61	21	24.8	20	23.4
Nonwhite	217	45	23	149	83	49	—	12	7	52.3	12	55.3
Jasper	607	226	172	209	139	103	—	35	13	21.4	26	42.8
White	238	170	54	14	84	59	—	25	5	21.0	5	21.0
Nonwhite	369	56	118	195	75	64	—	10	8	21.7	21	56.9
Jefferson	322	52	24	246	145	113	—	32	17	52.8	23	71.4
White	63	35	19	9	23	18	—	5	1	15.9	1	15.9
Nonwhite	259	17	5	237	122	95	—	27	16	61.8	22	64.9
Jefferson Davis	507	69	214	224	155	121	—	33	22	43.4	19	37.5
White	179	57	93	29	85	45	—	20	9	50.3	5	27.9
Nonwhite	328	12	121	195	90	76	—	13	13	39.6	14	42.7
Jones	1,755	1,401	98	236	403	254	3	133	55	31.3	46	26.2
White	1,278	1,194	63	21	258	158	3	95	30	23.5	24	18.8
Nonwhite	477	207	35	235	145	96	—	38	25	52.4	22	46.1
Laurel	839	683	19	137	227	129	—	87	36	42.9	25	29.8
White	543	533	2	8	125	69	—	58	17	31.3	11	20.3
Nonwhite	296	150	17	129	102	60	—	31	19	64.2	14	47.3
Balance of county	916	718	79	119	176	126	3	48	19	20.7	21	22.9
White	735	661	61	13	133	89	3	39	13	17.7	13	17.7
Nonwhite	181	57	18	106	43	36	—	7	6	33.1	8	44.2
Kemper	544	106	167	271	154	131	—	23	21	38.6	15	27.6
White	157	83	65	9	66	51	—	15	5	31.8	—	0
Nonwhite	387	23	102	262	88	80	—	8	16	41.3	15	38.8
Lafayette	605	255	80	270	174	133	1	39	21	34.7	23	38.0
White	330	245	56	29	101	73	—	27	7	21.2	5	15.2
Nonwhite	275	10	24	241	73	60	1	12	14	50.9	18	65.5
Lamar	461	216	167	78	77	55	—	22	7	15.2	12	26.0
White	378	212	141	25	57	38	—	19	7	18.5	7	18.5
Nonwhite	83	4	26	53	20	17	—	3	—	0	5	60.2
Lauderdale	1,854	1,287	110	457	676	353	54	263	85	44.8	55	29.7
White	1,104	1,039	52	13	406	162	33	169	44	39.9	20	18.1
Nonwhite	750	248	58	444	270	191	1	74	39	52.0	35	46.7
Meridian	1,300	1,044	35	221	513	239	52	69	69	53.1	38	29.2
White	661	649	9	3	315	107	52	154	40	46.5	16	18.6
Nonwhite	439	195	26	218	188	132	—	63	29	66.1	22	50.1
Balance of county	554	243	75	236	163	114	2	46	14	25.3	17	30.7
White	243	190	43	10	91	55	1	35	4	16.5	4	16.5
Nonwhite	311	53	32	226	72	59	1	11	10	32.2	13	41.8
Lawrence	399	158	92	149	106	76	—	30	11	27.6	6	15.0
White	214	133	63	18	59	47	—	12	4	18.7	1	4.7
Nonwhite	185	25	29	131	47	29	—	18	7	37.8	5	27.0
Leake	738	190	297	251	163	130	—	31	22	29.8	17	23.0
White	371	164	172	35	103	80	—	21	5	15.5	4	10.8
Nonwhite	367	26	125	216	60	50	—	10	17	46.3	13	35.4
Lee	1,067	594	405	68	306	221	—	85	36	33.7	34	31.9
White	749	570	171	8	192	133	—	59	21	28.0	20	26.7
Nonwhite	318	24	234	60	114	88	—	26	15	47.2	14	44.0
Leflore	1,663	372	180	1,111	497	395	—	101	66	39.7	55	33.1
White	401	332	57	12	128	78	—	50	10	24.9	4	10.0
Nonwhite	1,262	40	123	1,089	369	317	—	51	56	44.4	51	40.4
Greenwood	461	275	19	167	126	126	—	73	22	45.7	21	43.7
White	257	249	5	3	79	43	—	36	7	27.2	4	15.6
Nonwhite	224	26	14	184	120	83	—	37	15	67.0	17	75.9
Balance of county	1,182	97	161	924	298	269	—	29	44	37.2	34	28.8
White	144	83	52	9	49	35	—	14	3	20.8	—	0
Nonwhite	1,038	14	109	915	249	234	—	14	41	39.5	34	32.8
Lincoln	859	577	105	177	300	188	—	111	39	45.4	22	25.6
White	549	505	33	11	186	101	—	84	20	36.4	6	10.9
Nonwhite	310	72	72	166	114	87	—	27	19	61.3	16	51.6
Lowndes	1,100	433	191	476	358	263	—	94	34	30.9	25	22.7
White	521	421	65	15	164	98	—	66	16	30.7	7	13.4
Nonwhite	579	12	106	461	194	165	—	28	18	31.1	18	31.1
Columbus	610	367	90	163	207	124	—	82	27	44.3	10	16.4
White	393	357	32	4	106	51	—	55	15	38.2	2	5.1
Nonwhite	217	10	48	159	101	73	—	27	12	55.3	8	36.9
Balance of county	490	66	111	313	151	139	—	12	7	14.3	15	30.6
White	128	64	53	11	58	47	—	11	1	7.8	5	39.1
Nonwhite	362	2	58	302	93	92	—	1	6	16.6	10	27.6
Madison	1,143	258	121	764	375	289	—	81	45	39.4	42	36.7
White	229	195	21	13	90	50	—	35	5	21.8	4	17.5
Nonwhite	914	63	100	751	285	239	—	46	40	43.8	38	41.6

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MISSISSIPPI—Continued												
Marion	792	397	123	272	172	129	-	42	51	59.1	17	21.5
	479	362	99	18	99	66	-	32	15	31.3	3	6.3
	313	35	24	254	73	63	-	10	16	51.1	14	44.7
Marshall	902	166	143	593	229	174	1	39	25	27.7	28	31.0
	182	132	41	19	64	39	-	21	5	26.0	3	15.6
	710	34	102	574	165	135	1	18	20	28.2	25	35.2
Monroe	1,109	468	290	331	351	254	-	68	45	40.6	25	22.5
	635	413	153	89	196	122	-	54	26	40.9	12	18.9
	474	75	137	262	155	132	-	15	19	40.1	13	27.4
Montgomery	432	162	54	216	143	117	1	25	12	27.8	12	27.8
	210	157	37	16	81	62	1	18	3	14.3	2	9.5
	222	5	17	200	62	55	-	7	9	40.5	10	45.0
Neahoba	816	475	194	147	167	124	-	59	24	29.4	21	25.7
	577	417	134	26	130	88	-	39	12	20.8	11	19.1
	239	59	60	121	57	36	-	20	12	50.2	10	41.8
Newton	684	458	107	119	211	145	-	65	29	42.4	27	39.5
	431	374	50	7	114	76	-	37	15	34.8	9	20.9
	253	84	57	112	97	69	-	28	14	55.3	18	71.1
Nombee	720	127	50	543	221	184	1	34	40	55.6	25	34.7
	135	97	25	11	54	34	-	18	6	45.1	-	0
	587	30	25	532	167	150	1	16	34	57.9	25	42.6
Oktibbeha	717	245	178	294	193	156	-	34	28	39.1	16	22.3
	309	165	110	16	76	56	-	19	9	29.1	5	16.2
	408	62	68	278	117	100	-	15	18	46.6	11	27.0
Panola	913	297	204	412	293	250	-	38	31	34.0	20	21.9
	340	212	99	29	117	85	-	28	13	38.2	6	17.6
	573	65	105	383	176	165	-	11	18	31.4	14	24.4
Pearl River	666	391	244	31	144	88	-	56	23	34.5	10	15.0
	539	353	180	6	101	53	-	48	19	35.3	7	13.0
	127	38	64	25	43	35	-	8	4	31.5	3	23.6
Perry	346	128	98	120	79	58	-	21	5	14.5	10	28.9
	264	119	91	54	50	35	-	15	4	15.2	8	30.3
	82	9	7	66	29	23	-	6	1	12.2	2	24.4
Pike	1,089	555	241	293	334	236	1	95	40	36.7	42	38.6
	541	457	72	12	169	100	1	67	18	33.3	9	16.6
	548	98	169	261	165	136	-	28	22	40.1	33	60.2
Pontotoc	558	281	172	105	188	153	-	34	12	21.5	14	25.1
	445	275	129	43	127	99	-	29	5	11.2	7	15.7
	113	8	43	62	61	55	-	5	7	61.9	7	61.9
Prentiss	597	362	176	59	167	116	-	49	20	35.5	9	15.1
	524	342	146	36	142	96	-	44	19	36.3	7	15.4
	73	20	30	23	25	20	-	5	1	15.7	2	27.4
Quitman	945	214	255	376	233	199	-	44	33	39.1	27	32.0
	327	142	151	34	64	46	-	18	12	36.7	11	33.6
	519	72	104	342	169	143	-	26	21	40.5	16	30.9
Rankin	802	373	93	346	603	442	-	68	27	33.7	17	21.2
	361	288	43	32	260	55	161	43	12	35.2	4	11.1
	441	87	40	314	343	87	231	25	15	34.0	13	29.5
Scott	706	265	177	264	160	131	-	29	23	32.6	25	35.4
	342	259	88	15	61	59	-	22	5	14.6	13	39.0
	364	26	89	249	79	72	-	7	18	49.5	12	33.0
Sharkey	424	94	45	285	107	85	-	22	17	40.1	11	25.9
	110	79	23	8	19	10	-	9	4	36.4	2	18.2
	314	15	22	277	88	75	-	13	13	41.4	9	28.7
Simpson	641	372	125	144	157	106	-	48	21	32.8	20	31.2
	388	297	67	24	89	56	-	30	11	28.4	9	23.2
	253	75	58	120	68	50	-	18	10	39.5	11	45.5
Smith	490	226	195	69	120	96	-	22	13	26.5	13	28.5
	371	212	146	13	108	87	-	19	10	27.0	10	27.0
	119	14	49	56	12	9	-	3	3	25.2	3	25.2
Stone	176	110	45	21	54	41	-	13	3	17.0	5	28.4
	136	103	25	3	37	26	-	11	3	22.1	3	22.1
	40	2	20	18	17	15	-	2	-	0	2	50.0
Sunflower	1,893	344	647	902	467	361	6	99	70	37.0	70	37.0
	528	287	198	43	109	61	2	46	14	26.5	9	17.0
	1,365	57	449	859	358	300	4	53	56	41.0	61	44.7
Tallahatchie	1,006	192	307	507	258	197	1	59	34	33.8	20	19.9
	329	180	134	14	68	54	1	33	14	42.7	8	24.4
	678	12	173	493	170	143	-	26	20	29.5	12	17.7
Tate	603	113	188	302	165	138	-	26	17	28.2	22	36.5
	207	104	94	9	68	48	-	20	4	19.3	5	24.2
	396	9	94	293	97	90	-	6	13	32.8	17	42.9
Tippah	524	280	186	58	138	104	-	31	14	26.7	11	21.0
	398	263	127	8	109	80	-	27	11	27.6	5	12.6
	126	17	59	50	30	24	-	4	3	25.8	6	47.6
Tishomingo	452	104	333	15	99	76	-	22	11	24.3	11	24.3
Tunica	695	52	95	548	247	220	-	24	28	40.3	20	28.8
	106	44	43	19	38	28	-	9	4	37.7	3	28.3
	589	8	52	529	209	192	-	15	24	40.7	17	28.9
Union	603	454	58	96	195	106	-	88	35	57.6	11	18.1
	491	423	47	21	154	80	-	73	31	63.1	8	16.3
	117	31	11	75	41	26	-	15	4	34.2	3	25.6

See footnotes on p. 95.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MISSISSIPPI—Continued												
Walthall	528	344	31	153	134	31	—	55	26	49.2	13	24.6
White	237	220	9	8	63	32	—	31	12	50.6	1	4.2
Nonwhite	291	124	22	145	71	49	—	22	14	48.1	12	41.2
Warren	1,142	739	27	376	493	300	1	192	57	49.9	34	29.8
White	578	569	2	7	203	96	—	117	25	45.3	7	12.1
Nonwhite	564	170	25	369	290	214	1	75	32	56.7	27	47.9
Vicksburg	901	640	21	240	393	224	—	169	49	53.3	18	20.0
White	519	513	1	5	174	68	—	106	23	44.3	4	7.7
Nonwhite	382	127	20	235	219	156	—	63	25	65.4	14	36.6
Balance of county	241	99	6	136	100	76	1	23	9	37.3	16	66.4
White	59	56	1	2	29	18	—	11	2	33.9	3	50.8
Nonwhite	182	43	5	134	71	58	1	12	7	38.5	13	71.4
Washington	2,017	620	245	1,152	766	571	6	183	77	38.2	64	51.7
White	630	524	65	41	158	94	1	72	22	34.9	9	14.3
Nonwhite	1,387	96	180	1,111	608	487	5	111	55	39.7	55	39.7
Greenville	795	436	88	271	546	427	1	114	34	42.8	24	30.2
White	374	370	2	2	104	48	—	59	16	42.8	7	18.7
Nonwhite	421	66	86	269	242	181	1	56	18	42.8	17	40.4
Balance of county	1,222	184	157	881	420	344	5	69	45	35.2	40	32.7
White	256	154	63	39	54	38	1	6	6	25.4	2	7.8
Nonwhite	966	30	94	842	366	306	4	55	37	38.3	38	39.3
Wayne	567	296	80	191	145	111	—	29	20	35.3	18	51.7
White	313	247	45	21	85	54	—	26	9	28.8	6	19.2
Nonwhite	254	49	35	170	62	57	—	3	11	43.3	12	47.2
Webster	327	102	162	63	155	100	—	35	12	36.7	10	30.6
White	221	97	105	18	107	76	—	31	8	36.2	5	22.6
Nonwhite	106	5	56	45	28	24	—	4	4	37.7	5	47.2
Wilkinson	520	112	66	342	168	120	—	48	30	37.7	22	42.3
White	124	92	23	9	48	30	—	16	5	40.3	3	24.2
Nonwhite	396	20	43	333	122	90	—	32	25	63.1	19	48.0
Winston	722	311	123	288	213	156	—	57	32	33	22	30.5
White	358	298	45	15	120	84	—	36	15	41.8	8	16.8
Nonwhite	364	13	78	273	93	72	—	21	23	63.2	16	44.0
Yalobusha	490	149	91	240	155	132	—	22	17	35.4	19	37.5
White	224	136	46	42	76	64	—	11	6	26.8	3	13.4
Nonwhite	256	13	45	198	79	68	—	11	11	43.0	15	56.6
Yazoo	1,106	284	124	698	343	256	1	85	39	34.4	48	43.4
White	369	246	77	45	122	71	—	51	7	19.0	10	27.2
Nonwhite	739	38	47	653	221	185	1	34	31	42.0	38	51.5
MISSOURI												
	80,060	72,713	15,780	983	44,572	24,479	2,275	17,231	2,929	32.5	1,889	21.0
White	83,140	67,479	14,656	522	40,242	22,563	2,106	14,992	2,507	30.2	74	18.9
Nonwhite	-6,920	5,234	1,124	461	4,330	1,916	169	2,239	422	61.0	315	45.5
Adair	480	371	108	—	230	123	—	99	15	31.3	8	16.7
Kirksville	520	267	53	—	161	73	—	83	10	31.3	4	12.5
Balance of county	160	104	55	—	69	50	—	16	5	31.3	4	25.0
Andrew	194	151	42	—	125	85	—	40	5	25.8	2	10.3
Atchison	278	243	35	—	122	76	1	44	13	46.8	7	25.2
White	567	492	75	—	256	144	2	108	13	22.9	8	14.1
Nonwhite	541	396	149	4	243	164	—	74	20	37.0	8	14.8
Barry	243	221	22	—	133	103	2	24	5	20.1	7	28.1
Barton	305	228	80	—	225	166	—	57	11	36.1	9	29.5
Bates	191	147	41	2	108	86	—	18	8	41.9	8	41.9
Benton	214	91	112	—	109	89	—	19	8	37.4	2	9.3
Bollinger	928	795	131	1	400	250	5	132	27	29.1	18	19.4
Boone	593	537	55	—	224	122	—	94	19	32.0	11	18.5
Columbia	542	521	21	—	192	97	—	87	14	25.8	6	11.1
White	51	16	34	—	32	25	—	7	5	98.0	5	98.0
Nonwhite	335	258	76	1	176	128	5	38	8	23.9	7	20.9
Balance of county	1,934	1,708	225	1	1,391	633	290	439	63	42.9	38	20.2
Buchanan	1,597	1,428	168	1	1,238	526	289	396	85	40.7	33	20.7
St. Joseph	337	240	57	—	153	107	1	43	18	53.4	6	17.8
Butler	991	563	340	56	365	242	5	115	48	49.4	20	20.2
Poplar Bluff	402	313	76	11	174	92	—	82	28	69.7	9	22.4
Balance of county	589	250	264	45	189	150	5	33	21	35.7	11	18.7
Caldwell	182	120	62	—	140	115	2	21	4	22.0	4	22.0
Callaway	445	328	92	1	500	150	273	76	14	31.5	8	18.0
White	403	328	74	1	437	136	232	68	10	24.8	6	14.9
Nonwhite	42	24	18	—	63	14	41	8	4	95.2	2	47.6
Camden	197	76	118	—	72	55	—	16	4	20.3	5	25.4
Cape Girardeau	884	790	91	3	364	223	2	133	22	24.9	21	23.8
Cape Girardeau	498	473	22	3	217	123	—	90	16	32.1	12	24.1
Balance of county	386	317	69	—	147	100	2	43	6	18.5	9	23.3
Carroll	298	237	59	1	197	145	—	46	8	26.8	5	16.8
Carter	127	75	40	6	47	36	—	11	5	39.4	2	15.7
Cass	360	250	109	—	221	147	4	69	12	33.3	5	13.9
Cedar	211	115	96	—	139	105	—	27	3	14.2	4	19.0
Chariton	316	171	143	2	168	133	—	33	6	25.3	9	28.5
Christian	290	181	108	1	125	101	1	20	11	37.9	6	20.7
Clark	186	154	42	—	94	51	3	40	4	20.4	1	5.1
Clay	935	849	86	—	396	248	22	126	25	26.7	16	17.1
Clinton	229	139	90	—	170	124	1	38	6	26.2	7	30.6
Cole	734	633	100	—	293	184	25	63	11	15.0	9	12.3
Jefferson City	525	483	41	—	211	119	25	67	6	11.4	4	7.6
Balance of county	209	150	59	—	82	66	—	16	5	23.9	5	23.9

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MISSOURI—Continued												
Cooper.....	341	297	44	-	213	136	4	72	8	23.5	10	29.3
White.....	322	287	35	-	195	117	4	63	8	24.8	9	28.0
Nonwhite.....	19	10	9	-	28	19	-	9	-	0	1	52.6
Crewford.....	270	105	157	-	111	85	-	25	7	25.9	7	25.9
Dade.....	144	99	45	-	120	90	1	13	9	62.5	4	27.8
Dallas.....	221	73	148	-	110	89	-	21	3	13.6	1	4.5
Davies.....	198	74	122	-	151	119	4	23	12	60.6	8	40.4
De Kalb.....	140	66	74	-	91	71	-	20	5	35.7	2	14.3
Dent.....	283	165	68	33	117	99	-	16	9	51.8	1	3.5
Douglas.....	319	89	209	8	112	94	-	18	13	40.8	7	21.9
Dunklin.....	1,193	418	745	19	349	253	6	88	53	44.4	22	16.4
Franklin.....	778	610	164	2	396	239	2	148	22	28.3	19	24.4
Gasconade.....	256	184	72	-	129	87	-	40	5	19.5	8	31.3
Genry.....	215	108	107	-	142	109	4	29	7	32.6	9	41.9
Greene.....	2,591	2,451	135	-	1,125	642	39	423	80	30.9	56	21.6
Springfield.....	1,749	1,710	38	-	895	456	18	333	57	32.6	35	20.0
Balance of county.....	842	741	97	-	230	206	21	90	23	27.3	21	24.9
Grundy.....	273	256	17	-	198	160	2	56	7	25.6	8	29.3
Harrison.....	277	172	105	-	169	124	4	59	8	29.9	12	43.3
Henry.....	418	370	43	1	279	181	2	88	11	28.3	4	9.6
Hickory.....	108	59	47	1	53	41	-	12	6	58.6	2	18.5
Holt.....	167	104	81	1	135	94	7	33	6	32.1	2	10.7
Howard.....	242	194	48	-	127	87	2	55	4	16.5	2	8.3
White.....	221	193	28	-	103	50	1	51	2	9.0	1	4.5
Nonwhite.....	21	1	20	-	24	17	1	4	2	95.2	1	47.6
Howell.....	579	247	292	14	240	189	6	45	28	44.9	14	24.2
Iron.....	254	137	81	21	117	75	12	29	16	63.0	7	27.6
Jackson.....	12,563	12,092	457	-	6,090	2,715	201	3,090	450	35.9	220	17.5
Kansas City.....	10,365	9,988	364	-	5,322	2,322	133	2,787	389	37.5	191	16.4
White.....	9,207	9,033	166	-	4,596	1,895	133	2,308	333	36.2	141	15.3
Nonwhite.....	1,158	955	199	-	816	327	-	489	56	49.4	50	43.2
Independence.....	627	620	7	-	251	98	5	146	19	30.3	11	17.5
Balance of county.....	1,571	1,464	86	-	517	297	65	147	42	26.7	18	11.5
Jasper.....	2,038	1,924	113	1	1,115	617	7	463	62	30.4	39	19.1
Joplin (part).....	1,021	998	23	-	587	274	1	300	29	(?)	21	(?)
Joplin (total).....	1,025	1,002	23	-	590	276	1	301	29	26.3	21	20.5
Carthage.....	294	291	3	-	167	96	3	60	11	37.4	7	23.8
Balance of county.....	723	635	87	1	361	247	3	103	22	30.4	11	15.2
Jefferson.....	796	465	326	3	300	219	-	74	15	18.6	20	25.1
Johnson.....	368	307	59	-	242	175	10	58	10	27.2	9	24.5
Knorr.....	155	111	43	-	114	68	-	24	7	45.2	4	25.8
Laclede.....	496	400	88	1	222	141	-	79	15	30.2	13	26.2
Lafayette.....	496	350	146	-	320	241	5	70	13	28.2	12	24.2
Lawrence.....	513	384	128	-	275	177	5	91	23	44.8	10	19.5
Leavo.....	208	130	78	-	154	114	5	33	4	19.2	1	4.8
Lincoln.....	247	153	93	1	138	102	1	34	5	20.2	8	32.4
Linn.....	595	285	110	-	234	156	4	81	15	38.0	3	7.6
Livingston.....	393	327	65	-	218	162	4	49	17	43.3	8	20.4
McDonald.....	335	217	116	1	113	93	-	19	4	11.9	8	23.9
Macon.....	354	226	107	1	237	181	1	52	6	18.0	3	9.0
Madison.....	273	107	160	-	111	92	-	18	8	29.3	6	22.0
Marion.....	151	34	117	-	64	52	-	11	2	13.2	1	6.6
Hannibal.....	683	652	31	-	407	207	14	182	13	19.0	14	20.5
Balance of county.....	496	464	12	-	277	138	-	136	8	16.1	9	18.1
Marion.....	187	169	19	-	130	89	14	46	5	26.7	5	26.7
Miller.....	125	94	31	-	89	70	-	14	7	56.0	2	16.0
Mississippi.....	319	110	209	-	151	120	4	25	11	34.5	3	9.4
White.....	724	204	413	101	224	178	-	45	26	35.9	22	30.4
Nonwhite.....	581	202	367	10	149	112	-	36	16	27.5	7	12.0
Moniteau.....	143	2	46	91	75	66	-	9	10	69.9	15	104.9
Balance of county.....	256	183	93	-	145	109	-	35	13	50.6	6	23.4
Monroe.....	200	143	57	-	164	121	6	34	8	40.0	5	25.0
Montgomery.....	213	127	86	-	138	109	-	27	2	9.4	4	18.8
Morgan.....	210	72	131	3	114	87	-	26	6	28.6	2	9.5
New Madrid.....	1,140	423	568	133	314	242	-	68	52	45.6	35	28.9
White.....	969	421	518	17	241	185	-	51	42	45.3	30	31.0
Nonwhite.....	171	2	50	116	73	57	-	15	10	59.5	3	17.5
Joplin (part).....	639	503	134	2	277	168	-	104	27	42.3	16	25.0
Balance of county.....	4	4	-	-	3	2	-	1	-	(?)	-	(?)
Nodaway.....	635	499	134	2	274	186	-	103	27	42.5	16	25.2
Oregon.....	532	466	64	-	307	186	6	133	14	26.3	9	16.9
Balance of county.....	234	59	151	10	97	87	-	10	8	34.2	6	34.2
Osage.....	271	189	78	-	110	82	1	27	2	7.4	3	11.1
Ozark.....	227	157	47	9	87	75	-	12	5	22.0	1	4.4
Pemiscot.....	1,306	401	642	137	359	282	3	71	55	42.1	38	29.1
White.....	1,055	398	572	22	246	182	2	59	35	33.2	31	29.4
Nonwhite.....	251	3	70	115	113	100	1	12	20	79.7	7	27.9
Perry.....	356	171	181	4	118	80	-	37	8	22.5	3	8.4
Pettis.....	670	583	87	-	444	285	1	154	33	49.3	13	19.4
Sedalia.....	453	396	57	-	315	185	-	126	22	48.6	10	22.1
Balance of county.....	217	187	30	-	129	100	1	28	11	50.7	3	13.8
Phelps.....	557	349	202	2	212	133	34	39	11	19.7	10	18.0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

49

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MISSOURI—Continued												
Pike	349	275	66	8	238	135	1	98	12	34.4	10	28.7
White	328	263	59	7	213	115	1	94	11	33.4	10	30.4
Nonwhite	20	12	7	1	25	21	-	4	1	50.0	-	0
Platte	265	242	23	-	124	93	-	31	11	41.5	1	3.8
Polk	317	179	138	-	189	145	-	42	12	37.9	3	9.5
Pulaski	313	169	144	-	104	70	-	24	8	25.6	7	22.4
Putnam	179	139	40	-	138	98	2	36	8	44.7	4	22.3
Ralls	159	125	34	-	101	59	2	39	3	18.9	1	6.3
Remondolph	503	372	130	1	318	211	1	101	16	31.8	6	11.9
Moberly	297	239	58	-	183	109	-	72	10	33.7	5	15.8
Balance of county	206	133	72	1	135	102	1	29	6	29.1	1	4.9
Ray	315	175	140	-	210	166	4	39	9	28.6	5	15.9
Reynolds	200	59	114	14	63	49	-	13	2	10.0	8	40.0
Ripley	280	137	125	9	104	78	-	26	12	43.9	5	17.8
St. Charles	657	568	88	1	283	167	19	96	25	36.1	11	16.7
St. Charles	327	308	18	1	133	74	4	55	17	35.0	7	21.4
Balance of county	330	260	70	-	150	93	15	41	8	24.2	4	12.1
St. Clair	215	152	63	-	128	92	2	32	8	37.2	4	23.3
St. Francois	907	594	283	25	453	258	126	75	28	30.9	18	19.8
St. Louis	8,508	8,180	269	44	3,114	1,276	168	1,623	194	22.8	167	19.6
University City	759	739	-	-	250	125	7	115	14	18.9	14	18.9
Clayton	346	342	3	-	298	61	-	235	13	37.6	3	8.7
Kirkwood	419	408	9	-	171	87	12	72	7	16.7	8	19.1
Maplewood	302	301	-	1	127	67	-	58	10	33.1	4	13.2
Richmond Heights	364	358	6	-	115	37	-	75	10	27.5	7	19.2
Webster Groves	463	458	5	-	140	93	1	41	11	23.8	10	21.6
Balance of county	5,875	5,573	246	43	2,013	806	145	1,027	129	22.0	121	20.6
St. Louis (city)	20,510	19,846	512	145	11,068	4,468	649	5,879	718	35.0	504	24.6
White	16,713	16,249	358	120	8,988	3,820	569	4,527	477	28.5	317	19.0
Nonwhite	3,797	3,597	174	25	2,080	648	80	1,352	241	63.5	187	49.2
Ste. Genevieve	262	30	167	3	105	72	2	29	8	30.5	-	0
Saline	557	416	120	-	368	232	46	88	23	42.8	13	24.2
Schuyler	116	75	41	-	72	42	-	25	1	8.6	1	8.6
Scotland	149	100	41	-	84	60	-	24	2	13.4	1	6.7
Scott	944	595	189	56	250	182	2	66	20	23.7	19	22.5
Shannon	221	67	128	14	96	63	-	11	8	36.2	4	18.1
Shelby	173	116	57	-	151	100	4	33	5	28.9	6	34.7
Stoddard	878	310	543	21	240	201	3	35	27	30.8	18	20.5
Stone	242	60	152	6	106	90	-	15	11	45.5	8	33.1
Sullivan	255	155	99	-	171	133	1	33	9	35.3	1	3.9
Taney	205	80	107	1	78	67	-	11	6	29.3	2	9.8
Texas	438	125	279	14	185	151	2	29	15	34.2	9	20.5
Vernon	420	378	40	-	463	204	185	69	18	42.9	5	11.9
Warren	138	104	34	-	79	48	3	27	3	21.7	7	50.7
Washington	418	101	269	27	141	115	-	26	17	40.7	13	31.1
Wayne	269	130	124	2	94	64	-	30	6	22.3	8	29.7
Webster	348	217	125	4	167	124	2	40	4	11.5	6	17.2
Worth	109	65	44	-	91	75	-	16	2	18.3	1	9.2
Wright	374	126	236	4	153	118	7	27	10	26.7	12	32.1
MISSOURI	15,086	14,712	280	45	5,760	2,255	212	3,221	484	32.1	238	15.8
MONTANA												
White	14,389	14,116	249	12	5,454	2,117	205	3,061	405	28.1	220	15.3
Nonwhite	698	596	31	33	306	138	7	160	79	113.2	18	25.8
Beaverhead	144	137	7	-	72	30	4	37	6	41.7	5	34.7
Big Horn	318	287	10	10	94	39	-	55	21	66.0	7	22.0
White	202	198	3	-	59	27	-	32	4	19.8	6	29.7
Nonwhite	116	91	7	10	35	12	-	23	17	146.6	1	8.6
Blaine	256	240	9	1	92	34	-	58	18	70.3	3	11.7
White	181	174	6	1	59	26	-	33	6	33.1	-	0
Nonwhite	75	66	3	-	33	8	-	25	12	160.0	3	40.0
Broadwater	80	79	1	-	37	12	-	24	6	75.0	3	37.5
Carbon	237	219	18	-	85	51	-	34	3	12.7	6	21.1
Carter	87	65	2	-	17	11	-	6	1	11.5	1	11.5
Cascade	1,295	1,289	4	2	493	136	-	357	27	20.8	15	11.6
Great Falls	1,096	1,091	3	2	440	114	-	326	23	21.0	13	11.9
Balance of county	199	198	1	-	53	22	-	31	4	20.1	2	10.1
Chouteau	166	165	1	-	44	16	-	28	5	30.1	2	12.0
Custer	315	313	2	-	123	37	11	77	3	9.5	1	3.2
Dawson	110	109	1	-	33	13	-	20	9	61.8	5	45.5
Deer Lodge	266	262	3	1	83	27	-	56	7	26.3	5	18.8
Anaconda	338	338	-	-	308	53	139	115	8	23.7	3	8.9
Balance of county	313	313	-	-	137	45	-	92	6	19.2	3	9.6
Fallon	25	25	-	-	171	8	139	24	2	60.0	-	0
Fergus	91	80	-	-	30	10	-	20	6	65.9	2	22.0
Flathead	361	358	3	-	130	48	-	82	7	19.4	5	13.9
Gallatin	781	766	14	-	298	145	1	138	21	26.9	9	11.5
Glacier	615	606	9	-	190	76	-	113	16	26.0	8	13.0
Golden Valley	83	83	-	-	27	6	-	21	3	36.1	1	12.0
Granite	290	272	13	4	105	51	-	54	17	58.6	4	13.8
Hill	156	149	7	-	45	22	-	23	3	19.2	2	12.8
Nonwhite	134	123	6	4	60	29	-	31	14	104.5	2	14.9
Jefferson	38	36	2	-	9	6	-	3	-	0	1	26.3
Kootenai	70	65	4	1	23	14	-	8	-	0	1	14.3
Lake	407	395	7	3	134	41	-	92	25	61.4	7	17.2
Park	74	70	4	-	54	32	3	19	1	13.5	-	0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
MONTANA—Continued												
Judith Basin	78	78	-	-	22	10	-	11	2	25.6	-	0
Lake	349	344	4	1	134	72	-	60	7	20.1	5	14.3
	301	288	2	1	115	65	-	48	6	19.9	3	10.0
	48	46	2	-	19	7	-	12	1	20.8	2	41.7
Lewis and Clark	632	622	10	-	325	85	6	232	24	38.0	13	20.6
Helena	503	499	4	-	239	70	-	167	19	37.8	10	19.9
Balance of county	129	123	6	-	86	15	6	65	5	38.3	3	25.3
Liberty	60	60	-	-	13	8	-	5	2	33.3	-	0
Lincoln	220	209	11	-	84	39	-	42	6	27.3	3	13.6
McCone	92	91	-	1	11	4	-	7	1	10.9	1	10.9
Madison	123	114	9	-	62	41	-	14	1	8.1	2	16.3
Meagher	46	42	4	-	18	8	1	9	1	21.7	-	0
Mineral	46	46	-	-	15	3	-	1	1	21.7	-	0
Missoula	870	861	8	-	277	92	-	181	23	26.4	7	8.0
Missoula	699	697	2	-	244	69	-	171	18	25.8	6	8.6
Balance of county	171	164	6	-	33	23	-	10	5	29.2	1	5.8
Musselshell	122	118	6	-	61	28	14	19	5	41.0	3	24.6
Park	298	297	1	-	136	56	1	29	6	20.1	5	16.8
Petroleum	23	23	-	-	1	-	-	1	1	43.5	1	43.5
Phillips	153	147	4	-	58	25	-	32	3	19.6	2	13.1
Pondera	183	179	1	2	55	18	-	37	5	27.3	3	16.4
Powder River	74	72	2	-	14	6	-	7	2	27.0	2	27.0
Powell	150	150	-	-	67	29	3	35	7	46.7	4	26.7
Prairie	66	66	-	-	27	13	-	14	3	44.1	2	29.4
Ravalli	316	314	1	-	121	57	-	60	10	31.6	6	19.0
Richland	323	320	2	1	70	31	-	31	8	24.8	3	9.3
Roosevelt	291	281	2	3	106	44	-	54	10	34.4	6	20.6
	214	212	1	-	68	23	-	37	4	18.7	2	9.3
	77	69	1	3	38	21	-	17	6	77.9	4	51.9
Rosebud	217	186	6	12	90	46	-	44	19	87.6	5	23.0
	152	145	4	3	55	22	-	33	8	52.6	3	19.7
	65	41	2	9	35	24	-	11	11	169.2	2	30.8
Sandera	160	151	6	-	59	35	-	19	6	37.5	5	31.3
Sheridan	178	176	2	-	41	18	-	23	3	16.9	8	33.7
Silver Bow	1,064	1,054	10	-	633	250	-	382	47	44.2	36	33.8
Balance of county	1,020	1,011	9	-	520	193	-	326	45	44.1	34	33.3
Stillwater	44	43	1	-	113	57	-	56	2	45.5	2	45.5
	139	132	7	-	56	26	-	32	4	28.8	6	43.2
Sweet Grass	89	76	13	-	34	22	-	12	1	11.2	3	33.7
Teton	200	193	7	-	37	22	-	15	1	5.0	1	5.0
Toole	161	158	2	1	58	31	-	27	1	6.2	2	12.4
Treasure	43	36	7	-	12	3	-	9	-	0	-	0
Valley	318	313	3	1	79	33	-	44	6	18.9	4	12.6
Wheatland	83	69	13	1	33	21	-	12	2	24.1	-	0
Wibaux	42	40	2	-	11	3	-	8	1	25.8	1	23.8
Yellowstone	1,433	1,430	23	-	455	188	29	233	55	37.9	8	5.5
Billings	1,061	1,056	5	-	366	143	8	211	40	37.7	4	3.8
Balance of county	392	374	18	-	89	45	20	22	15	38.3	4	10.2
Yellowstone National Park (part)	-	-	-	-	1	-	-	1	-	(?)	-	(?)
NEBRASKA												
	32,132	30,028	2,098	1	12,871	6,699	525	5,402	894	27.8	536	16.7
	31,513	29,466	2,042	1	12,577	6,571	513	5,248	870	27.6	518	16.5
	619	562	56	-	294	128	12	154	24	38.8	19	30.7
Adams	611	793	17	-	364	144	141	78	10	12.3	11	13.6
Hastings	648	640	8	-	165	99	1	64	9	13.9	7	10.8
Balance of county	163	153	9	-	199	45	140	14	1	6.1	4	24.5
Antelope	299	253	46	-	109	61	-	25	8	30.1	3	10.0
Arthur	19	18	1	-	3	1	-	2	-	0	-	0
Banner	19	19	1	-	3	-	-	3	1	52.6	1	52.6
Blaine	26	16	10	-	10	5	-	5	-	0	1	38.5
Boone	258	227	31	-	110	81	7	17	8	31.0	5	19.4
Box Butte	290	285	5	-	112	37	-	74	14	48.3	9	31.0
Boyd	131	111	20	-	49	29	-	19	9	68.7	3	22.9
Brown	139	136	3	-	51	21	-	26	5	36.0	1	7.2
Buffalo	603	580	23	-	260	138	3	116	9	14.9	6	10.0
Burt	290	266	24	-	119	74	-	44	13	44.8	1	3.4
Butler	260	255	5	-	118	64	2	49	6	23.1	4	15.4
Cass	330	299	31	-	158	96	14	43	5	15.2	7	21.2
Cedar	353	270	83	-	130	77	-	47	7	19.8	4	11.3
Chase	150	139	11	-	38	24	-	15	3	20.0	7	46.7
Cherry	222	210	12	-	89	37	-	31	3	13.5	3	13.5
Cheyenne	360	351	9	-	82	24	-	58	8	22.2	3	8.3
Clay	204	195	19	-	108	73	-	23	2	9.8	4	19.6
Colfax	195	185	10	-	88	50	-	35	3	15.4	4	20.5
Cuming	312	295	17	-	114	57	2	54	11	35.3	9	28.8
Custer	434	322	112	-	200	121	6	65	13	30.0	10	23.0
Dakota	251	245	5	-	93	54	-	36	3	12.0	2	8.0
Dawes	254	241	13	-	61	35	-	39	5	19.7	4	15.7
Dawson	563	534	29	-	166	88	-	73	15	26.6	8	14.2
Deuel	87	82	5	-	19	9	-	10	3	34.5	-	0
Dixon	265	179	85	1	88	55	-	29	5	18.9	3	11.3
Dodge	612	601	11	-	268	137	12	115	18	29.4	8	9.8
Freemont	347	346	1	-	164	73	12	78	11	31.7	5	8.6
Balance of county	265	255	10	-	104	64	-	39	7	26.4	5	11.3

See footnotes on p. 95.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

51

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NEBRASKA—Continued												
Douglas	6,898	6,759	139	-	2,828	1,245	98	1,458	191	27.7	152	22.0
Omaha	6,642	6,509	133	-	2,707	1,198	61	1,421	186	28.0	144	21.7
White	6,226	6,129	97	-	2,514	1,114	61	1,312	172	27.6	132	21.2
Nonwhite	416	380	36	-	193	84	-	109	14	33.7	12	28.6
Balance of county	258	250	8	-	121	47	37	37	5	19.5	8	31.3
Dundy	120	115	5	-	27	10	-	17	5	41.7	-	0
Fillmore	185	184	11	-	95	56	-	35	4	20.5	-	0
Franklin	143	103	40	-	77	55	-	21	7	49.0	3	21.0
Frontier	125	82	43	-	51	45	-	6	2	16.0	4	32.0
Furnas	226	216	10	-	119	71	2	42	7	31.0	2	8.8
Gage	611	594	17	-	326	147	37	142	17	27.8	9	14.7
Beatrice	295	295	1	-	147	50	6	91	12	40.5	2	6.8
Balance of county	315	299	16	-	179	97	31	51	5	15.9	7	22.2
Garden	86	86	-	-	36	9	-	26	5	58.1	5	34.9
Garfield	89	75	14	-	35	28	-	6	5	56.2	2	22.5
Gosper	57	56	1	-	18	9	-	9	2	35.1	1	17.5
Grant	33	23	10	-	10	8	-	2	-	0	1	30.3
Greely	151	121	30	-	45	30	-	14	3	19.9	5	33.1
Hall	862	765	77	-	339	146	20	169	39	45.2	11	12.8
Grand Island	661	627	34	-	270	105	20	142	30	45.4	10	15.1
Balance of county	201	158	43	-	69	41	-	27	9	44.8	1	5.0
Hamilton	205	197	8	-	105	57	-	43	3	14.6	4	19.5
Harlan	164	144	20	-	53	36	1	13	5	30.5	1	6.1
Hayes	39	29	10	-	21	16	-	5	1	25.6	1	25.6
Hitchcock	137	123	14	-	44	25	-	19	1	7.5	4	29.2
Holt	394	271	123	-	155	99	-	51	11	27.9	7	17.8
Hooker	19	13	6	-	10	7	-	3	1	52.6	1	52.6
Howard	161	156	6	-	61	31	-	29	5	31.1	4	24.8
Jefferson	330	315	15	-	153	87	1	65	8	24.2	5	15.2
Johnson	158	145	15	-	86	58	-	26	2	12.7	1	6.3
Kearney	123	122	1	-	68	37	12	18	6	49.8	2	16.3
Keith	208	177	31	-	55	29	-	24	4	19.2	1	4.9
Keya Paha	46	43	3	-	12	4	-	8	-	0	-	0
Kimball	108	82	16	-	32	16	-	16	2	16.5	2	16.5
Knock	340	227	113	-	128	89	-	38	9	26.5	7	20.6
Lancaster	2,757	2,725	34	-	1,121	524	75	510	68	24.7	38	13.8
Lincoln	2,426	2,400	26	-	932	454	7	461	57	23.5	34	14.0
Balance of county	331	325	8	-	189	70	68	49	11	33.2	4	12.1
Lincoln	656	585	70	-	216	98	-	116	31	47.3	14	21.3
North Platte	426	378	47	-	158	65	-	72	21	49.3	10	25.5
Balance of county	250	207	23	-	78	33	-	44	10	43.5	4	17.4
Logan	32	26	6	-	17	11	-	6	-	0	-	0
Loup	25	19	6	-	8	8	-	-	-	0	-	0
McPherson	16	15	1	-	1	-	-	-	-	0	-	0
Madison	590	574	16	-	289	131	70	86	14	23.7	8	13.6
Norfolk	298	294	4	-	119	69	-	50	7	23.5	5	16.8
Balance of county	292	280	12	-	170	62	70	36	7	24.0	3	10.3
Merrick	194	177	17	-	75	48	-	20	6	30.9	6	30.9
Morrill	199	147	52	-	65	41	-	22	8	40.2	5	25.1
Nance	156	140	16	-	70	49	-	20	-	0	2	12.8
Nemaha	263	254	9	-	124	71	1	50	8	34.2	1	3.8
Nuckolls	281	273	7	-	103	59	-	44	9	32.0	8	28.5
Otoe	418	406	12	-	186	108	3	73	13	31.1	9	21.5
Pawnee	146	144	2	-	81	46	-	34	-	0	3	20.5
Perkins	154	128	6	-	33	20	-	12	8	59.7	-	0
Phelps	230	225	5	-	96	63	-	30	7	30.4	2	8.7
Pierce	233	205	28	-	61	41	-	19	1	4.3	2	8.6
Platte	532	479	53	-	151	74	-	77	14	26.3	9	16.9
Polk	171	169	2	-	99	61	-	36	5	29.2	-	0
Red Willow	350	334	16	-	110	89	-	41	9	25.7	6	17.1
Richardson	366	361	25	-	187	100	-	81	13	33.7	6	15.5
Rock	72	70	2	-	33	20	-	13	1	13.9	1	13.9
Saline	268	242	26	-	169	104	8	59	6	22.4	3	11.2
Sarpy	323	314	9	-	85	49	-	36	14	43.3	5	15.5
Saunder	366	355	11	-	173	94	1	75	10	27.3	3	8.2
Scotts Bluff	1,065	1,023	42	-	280	122	-	158	40	37.6	17	16.0
Scottsbluff	401	392	9	-	127	48	-	79	13	32.4	4	10.0
Balance of county	664	631	53	-	153	74	-	79	27	40.7	13	19.6
Seward	287	252	15	-	129	85	-	42	15	56.2	1	3.7
Sheridan	265	259	6	-	95	40	-	57	14	52.8	2	7.5
Sherman	144	133	11	-	54	34	-	6	5	34.7	6	41.7
Sioux	36	35	1	-	17	11	-	6	2	55.6	-	0
Stanton	141	123	18	-	52	38	-	13	5	35.5	4	28.4
Thayer	247	202	45	-	105	73	-	25	6	24.3	6	24.3
Thomas	37	26	11	-	16	11	-	4	1	27.0	-	0
Thurston	248	225	24	-	100	54	-	44	9	36.3	3	12.1
White	174	155	19	-	70	36	-	32	7	40.2	1	5.7
Nonwhite	74	68	6	-	30	18	-	12	2	27.0	2	27.0
Valley	162	142	20	-	76	45	-	30	4	24.7	3	18.5
Washington	243	243	-	-	111	62	4	44	3	12.3	2	8.2
Wayne	213	204	9	-	60	36	-	22	3	14.1	1	4.7
Webster	142	105	37	-	82	64	-	11	2	14.1	4	28.2
Wheeler	32	26	6	-	9	6	-	3	2	62.5	-	0
York	324	321	3	-	137	66	6	64	4	12.3	6	18.5

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NEVADA-----	4,941	5,953	72	1	1,625	696	43	856	134	33.2	85	20.5
White-----	3,809	5,749	59	-	1,508	635	41	807	123	32.3	73	19.2
Nonwhite--	232	204	13	1	115	61	2	51	11	47.4	10	45.1
Churchill-----	149	148	1	-	91	38	-	50	4	26.8	2	13.4
Clark-----	1,252	1,233	18	-	359	139	-	214	45	35.9	23	18.4
Douglas-----	46	42	1	-	35	24	-	10	2	43.5	2	43.5
White-----	41	40	1	-	18	13	-	4	1	24.4	-	0
Nonwhite--	5	2	-	-	17	11	-	6	1	200.0	2	400.0
Elko-----	257	249	7	1	110	54	8	47	7	27.2	4	15.6
White-----	219	214	5	-	100	48	7	44	6	27.4	4	18.3
Nonwhite--	38	35	2	1	10	6	1	3	1	26.3	-	0
Esmeralda-----	6	6	-	-	17	10	5	2	-	0	-	0
Eureka-----	30	28	2	-	9	7	-	2	-	0	3	100.0
Humboldt-----	106	100	-	-	47	21	-	26	4	37.7	-	0
Lander-----	40	39	1	-	25	10	-	15	4	100.0	3	75.0
White-----	39	38	1	-	23	8	-	15	4	102.6	3	76.9
Nonwhite--	1	1	-	-	2	2	-	-	-	0	-	0
Lincoln-----	102	97	5	-	35	17	-	18	5	29.4	4	39.2
Lyon-----	87	79	8	-	47	28	-	18	3	34.5	2	25.0
Mineral-----	156	156	-	-	47	16	-	31	10	64.1	3	19.2
White-----	136	136	-	-	42	15	-	27	10	73.5	2	14.7
Nonwhite--	20	20	-	-	5	1	-	4	-	0	1	50.0
Nye-----	67	62	3	-	40	21	-	19	-	0	1	14.9
White-----	57	54	3	-	35	18	-	17	-	0	1	17.5
Nonwhite--	10	8	-	-	5	3	-	2	-	0	-	0
Ormsby-----	90	85	5	-	34	13	4	16	1	11.1	4	44.4
Pershing-----	74	73	1	-	51	25	-	26	2	27.0	2	27.0
Storey-----	20	19	-	-	11	7	-	4	2	100.0	-	0
Washoe-----	1,254	1,243	9	-	556	214	26	305	41	32.7	24	19.1
Heno-----	940	935	5	-	455	163	11	289	28	29.8	17	18.1
Balance of county	314	308	4	-	101	51	15	54	13	41.4	7	22.3
White Pine	305	294	11	-	109	52	-	57	6	19.7	6	19.7
NEW HAMPSHIRE-----	13,267	12,989	277	-	6,194	3,080	542	2,427	399	30.1	275	20.7
White-----	13,256	12,979	276	-	6,190	3,059	542	2,425	398	30.0	275	20.7
Nonwhite--	11	10	1	-	4	1	-	2	1	90.0	-	0
Belknap-----	705	698	7	-	307	145	17	132	13	18.4	13	18.4
Iscoia-----	372	372	-	-	172	88	17	60	11	29.6	7	18.8
Balance of county	333	326	7	-	135	77	-	52	2	6.0	6	18.0
Carroll-----	580	575	5	-	207	79	2	79	9	23.7	7	18.4
Cheshire-----	1,054	1,018	36	-	420	225	15	153	27	25.6	19	18.0
Keene-----	422	420	2	-	185	84	1	89	14	33.2	7	16.6
Balance of county	632	598	34	-	235	139	14	64	13	20.6	12	19.0
Cook-----	910	875	35	-	395	193	1	191	29	31.9	15	16.5
Berlin-----	415	413	2	-	174	69	-	99	11	26.5	7	16.9
Balance of county	495	462	33	-	221	124	1	92	18	36.4	8	16.2
Grafton-----	1,199	1,147	52	-	507	280	-	218	30	28.0	33	27.5
Hillsborough-----	3,994	3,938	55	-	1,759	949	89	775	125	31.3	80	20.0
Manchester	2,155	2,123	32	-	920	459	13	433	73	33.9	44	20.4
Naum-----	901	894	6	-	402	185	14	192	32	35.5	16	17.8
Balance of county	958	921	17	-	437	205	62	150	20	21.3	20	21.3
Merrimack-----	1,441	1,420	21	-	1,010	363	327	301	50	34.7	28	19.4
Concord-----	628	624	4	-	627	148	320	154	23	36.6	13	20.7
Balance of county	813	796	17	-	383	215	7	147	27	33.2	15	18.5
Rockingham-----	1,727	1,695	32	-	774	421	61	281	64	37.1	45	24.9
Portsmouth-----	539	534	5	-	189	93	12	80	13	24.1	8	14.8
Balance of county	1,188	1,161	27	-	585	328	49	201	51	42.8	35	29.5
Strafford-----	1,214	1,190	24	-	533	324	12	175	31	25.5	26	21.4
Dover-----	397	396	1	-	194	102	10	74	13	32.7	13	32.7
Rochester-----	281	273	8	-	141	85	-	49	4	28.5	3	10.7
Balance of county	536	521	15	-	198	137	2	52	10	18.7	10	18.7
Sullivan-----	643	633	10	-	282	141	18	122	21	52.7	11	17.1
Claremont (town)	291	298	3	-	126	69	-	57	13	44.7	8	27.5
Balance of county	352	345	7	-	156	72	18	65	8	22.7	3	8.5
NEW JERSEY-----	106,242	102,199	3,501	499	46,181	24,196	3,094	20,579	2,965	27.9	2,261	21.3
White-----	98,153	95,028	2,643	451	44,619	22,710	2,835	18,781	2,580	26.3	1,974	20.1
Nonwhite--	8,089	7,171	858	48	5,562	1,486	259	1,798	385	47.6	287	35.5
Atlantic-----	2,775	2,542	213	16	1,795	1,036	89	657	109	39.3	57	20.5
White-----	2,306	2,117	175	13	1,442	814	65	551	86	37.3	43	18.6
Nonwhite--	469	425	40	3	353	222	23	106	23	49.0	14	29.9
Atlantic City-----	1,331	1,280	58	9	958	534	1	417	49	36.8	33	24.8
White-----	956	930	15	8	698	364	-	330	37	38.7	25	24.1
Nonwhite--	375	350	23	1	260	170	1	87	12	32.0	10	26.7
Pleasantville-----	300	282	47	1	173	114	-	57	11	36.7	7	23.3
White-----	253	206	46	1	136	85	-	51	5	19.8	4	15.8
Nonwhite--	47	46	1	-	37	31	-	6	6	127.7	3	63.8
Balance of county	1,144	1,010	128	6	664	368	88	183	49	42.8	17	14.9
Bergen-----	10,486	10,385	90	10	4,016	2,261	131	1,959	224	21.4	205	19.5
Garfield-----	649	645	1	3	183	130	-	53	7	10.8	10	15.4
Hackensack-----	598	591	7	-	307	129	2	174	21	35.1	15	25.1
White-----	535	528	7	-	274	115	2	155	15	28.0	13	24.3
Nonwhite--	63	63	-	-	33	14	-	19	6	95.2	2	31.7
Teaneck (twp.) ²	543	540	2	-	249	132	16	99	4	7.4	11	20.3
Bergenfield-----	266	261	5	-	100	58	-	41	9	33.8	11	41.4
Cliffside Park-----	392	379	3	-	140	79	-	61	18	47.1	8	20.9
Englewood-----	469	468	1	-	186	94	-	99	10	21.3	11	25.5
White-----	370	369	1	-	162	83	-	76	6	16.2	9	24.3
Nonwhite--	99	99	-	-	34	11	-	23	4	40.4	2	20.2

See footnotes on p. 95.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

53

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NEW JERSEY—Continued												
Bergen—Continued												
Lodi	374	373	1	-	96	60	1	35	8	21.4	8	18.0
Lyndhurst (twp.) ⁵	417	414	3	-	165	92	-	70	11	26.4	8	19.2
Ridgefield Park	278	275	3	-	92	71	-	21	5	21.6	5	18.0
Ridgewood	275	269	4	-	158	104	8	44	7	25.6	-	0
Rutherford	516	514	1	1	156	102	-	54	7	22.2	5	15.8
Balance of county	5,921	5,856	59	6	2,176	1,250	104	819	116	19.5	115	19.4
Burlington	2,652	2,403	277	1	1,161	644	107	394	84	31.3	60	22.4
Burlington	522	283	39	-	118	89	-	43	12	37.3	13	40.4
White	287	266	21	-	100	56	-	39	10	34.8	10	34.8
Nonwhite	235	17	18	-	18	15	-	4	2	57.1	3	65.7
Balance of county	2,360	2,120	238	1	1,043	579	107	351	72	30.5	47	19.9
Camden	6,970	6,351	529	78	3,025	1,661	84	1,263	215	30.8	176	25.3
Camden	3,208	2,869	265	69	1,352	745	1	602	111	34.6	77	24.0
White	2,793	2,512	149	68	1,139	641	1	495	83	30.4	54	19.8
Nonwhite	475	357	116	1	213	104	-	107	28	58.9	23	48.4
Collingswood	350	347	3	-	150	107	4	37	4	11.4	5	14.3
Gloveseter City	385	350	34	-	157	82	-	74	13	33.8	15	39.0
Pennsauken (twp.) ⁵	300	277	22	-	149	92	-	56	13	43.3	8	26.7
Balance of county	2,727	2,508	205	9	1,217	635	79	494	74	27.1	71	26.0
Cape May	719	647	71	-	493	309	50	122	28	38.9	13	18.1
Cumberland	2,027	1,824	200	2	1,052	560	108	378	56	27.6	39	19.2
Bridgeton	529	476	53	-	230	130	-	100	15	28.4	8	15.1
White	451	408	23	-	199	114	-	85	10	23.2	5	11.6
Nonwhite	98	68	30	-	31	16	-	15	5	51.0	3	30.6
Millville	327	322	4	1	210	126	-	83	6	18.3	5	15.3
Balance of county	1,171	1,026	143	1	612	304	108	195	35	29.9	26	22.2
Essex	20,135	19,731	317	82	9,431	4,300	505	4,547	587	29.2	457	22.7
Newark	10,544	10,235	241	67	4,801	2,018	148	2,680	354	33.6	264	25.0
White	8,600	8,421	118	61	4,134	1,782	142	2,161	250	29.1	198	23.0
Nonwhite	1,944	1,814	123	6	767	236	6	519	104	53.5	66	34.0
Belleville	720	705	9	6	254	159	4	91	15	20.8	12	16.7
Bloomfield	1,051	1,025	4	2	405	234	2	169	24	23.3	25	24.2
East Orange	1,709	1,695	10	3	744	427	-	311	41	24.0	32	18.7
Irvington	1,257	1,253	1	1	534	278	7	248	25	19.9	23	18.3
Montclair	931	919	11	-	501	280	5	211	27	29.0	21	22.6
White	739	736	2	-	412	243	4	160	19	25.7	14	18.9
Nonwhite	192	183	9	-	89	37	1	51	8	41.7	7	36.5
Orange	976	952	23	1	458	194	6	258	26	26.6	22	22.5
White	806	796	9	1	388	174	6	208	21	26.1	20	24.8
Nonwhite	170	156	14	-	70	20	-	50	5	29.4	2	11.8
West Orange	632	629	3	-	225	132	-	90	15	23.7	15	20.6
Maplewood (twp.) ⁵	376	375	1	-	222	124	13	84	7	18.6	10	26.6
Millburn (twp.) ⁵	184	183	1	-	95	52	-	42	5	25.8	6	30.9
Nutley	587	581	4	2	198	116	-	82	18	30.7	12	20.4
South Orange	254	252	1	-	146	82	-	63	5	19.7	1	3.9
Balance of county	924	915	8	-	747	204	321	219	25	27.1	16	17.3
Gloveseter	2,071	1,816	254	-	921	565	24	325	75	36.2	32	15.5
Rudson	15,043	14,816	185	40	7,011	3,121	289	3,594	392	25.4	331	22.0
Jersey City	7,275	7,166	103	6	3,366	1,376	22	1,968	205	28.2	156	21.4
White	6,685	6,589	89	6	3,177	1,323	21	1,832	181	27.1	141	21.1
Nonwhite	592	578	14	-	189	53	-	136	24	40.5	15	25.3
Bayonne	1,865	1,836	20	9	662	338	-	323	41	22.0	39	20.9
Hoboken	1,136	1,122	10	4	597	241	-	356	33	29.0	29	25.5
Keasay	989	984	3	1	370	218	-	152	17	17.2	17	17.2
North Bergen (twp.) ⁵	851	835	9	6	371	198	2	171	16	18.8	15	17.6
Union City	1,125	1,109	14	2	573	322	-	250	27	24.0	29	25.8
West New York	832	822	3	6	323	180	-	142	16	19.2	18	21.6
Harrison	343	328	11	4	142	83	-	59	11	32.1	9	26.2
Weehawken (twp.) ⁵	288	283	5	-	172	92	-	80	10	37.3	5	18.7
Balance of county	360	351	7	2	435	73	266	94	6	16.7	14	38.9
Hamterdon	882	786	115	1	454	302	3	131	27	30.6	20	22.7
Mercer	5,114	4,938	170	5	2,581	1,081	357	1,134	168	32.9	129	25.2
Trenton	2,927	2,819	104	4	1,580	632	291	667	103	35.2	68	25.2
Balance of county	2,187	2,119	66	1	991	449	66	467	65	29.7	61	27.9
Middlesex	5,992	5,787	141	89	2,156	1,161	9	945	170	28.4	126	21.0
New Brunswick	982	966	14	2	388	187	-	200	28	28.5	20	20.4
Perth Amboy	974	924	32	18	389	185	-	203	30	30.8	20	20.5
Woodbridge (twp.) ⁵	785	742	15	25	249	141	3	105	16	20.4	13	16.6
Cartaret	305	268	12	25	93	55	-	38	10	32.8	9	29.5
South River	280	273	4	3	77	49	-	28	2	7.1	5	17.9
Balance of county	2,666	2,584	64	16	960	544	6	409	84	31.5	59	22.1
Monmouth	4,821	4,715	106	-	2,540	1,234	357	922	122	25.3	116	24.1
Asbury Park	365	353	12	-	229	106	-	121	18	49.3	15	41.1
White	251	245	6	-	162	80	-	81	8	31.9	7	27.9
Nonwhite	114	108	6	-	67	26	-	40	10	87.7	8	70.2
Long Branch	660	657	3	-	212	102	-	108	10	15.2	12	18.2
Neptune (twp.) ⁵	227	210	17	-	221	109	16	94	9	39.6	2	8.8
White	179	170	9	-	199	101	16	80	8	44.7	2	11.2
Nonwhite	48	40	8	-	22	8	-	14	1	20.8	-	0
Red Bank	339	335	4	-	153	91	-	57	5	14.7	7	20.6
White	296	294	2	-	129	74	-	51	3	10.1	4	13.5
Nonwhite	43	41	2	-	24	17	-	6	2	46.5	3	69.8
Balance of county	3,230	3,160	70	-	1,725	826	341	542	80	24.8	80	24.8

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NEW JERSEY—Continued												
Morris	3,477	3,372	101	4	2,002	617	625	553	97	27.9	60	17.3
Dover	318	303	14	1	180	64	-	85	21	66.0	4	12.6
Morristown	410	408	2	-	209	117	-	90	8	18.5	8	19.5
Balance of county	2,749	2,661	85	3	1,643	636	625	378	68	24.7	48	17.5
Ocean	1,251	1,161	69	1	593	323	1	245	45	34.9	29	23.6
Passaic	7,247	7,090	151	11	3,253	1,688	126	1,412	189	26.1	134	18.5
Paterson	3,115	3,040	69	5	1,595	796	36	760	71	22.8	64	20.5
Clifton	1,368	1,360	7	1	396	233	-	151	33	24.1	22	16.1
Passaic	1,253	1,232	15	5	611	305	3	302	48	38.3	23	18.4
Hawthorne	275	270	5	-	102	75	-	27	8	29.1	2	7.3
Balance of county	1,236	1,178	56	-	539	279	87	172	29	23.5	23	13.6
Salem	1,213	1,136	77	-	501	306	15	173	52	42.9	19	15.7
White	1,051	994	57	-	413	244	14	150	43	40.9	13	12.4
Nonwhite	162	142	20	-	88	62	1	23	9	55.6	6	37.0
Somerset	2,211	2,131	58	21	971	413	194	361	60	27.1	46	20.8
North Plainfield	287	283	4	-	121	76	-	45	7	24.4	4	13.9
Balance of county	1,924	1,848	54	21	850	337	194	316	53	27.5	42	21.8
Sussex	870	801	69	-	344	231	2	110	19	21.8	15	17.2
Union	9,062	8,717	205	139	3,276	1,767	1	1,500	222	24.5	185	20.4
Elizabeth	2,735	2,548	68	117	1,194	619	-	573	72	26.3	66	24.1
Plainfield	1,051	1,027	24	-	454	197	-	256	25	23.8	26	24.7
White	897	887	10	-	400	171	-	228	20	22.3	17	19.0
Nonwhite	154	140	14	-	54	26	-	28	5	32.5	9	58.4
Cranford (twp.) ⁵	440	431	7	2	136	81	-	54	10	22.7	0	10.2
Hillside (twp.) ⁵	463	454	8	1	133	80	-	53	8	17.3	7	15.1
Linden	736	706	20	10	154	78	-	76	18	24.5	7	9.5
Rahway	535	514	18	3	197	97	-	98	21	39.3	8	15.0
Roselle	436	422	13	1	121	72	1	48	14	32.1	8	18.3
White	369	363	5	1	107	66	1	40	12	32.5	6	16.3
Nonwhite	67	59	8	-	14	6	-	8	2	29.9	2	29.9
Summit	395	394	1	-	181	105	-	75	8	20.3	4	10.1
Union (twp.) ⁵	665	664	1	-	220	139	-	81	17	24.8	19	27.7
Westfield	411	401	9	1	162	110	-	51	8	19.5	6	14.6
Balance of county	1,175	1,136	36	3	324	189	-	135	21	17.9	26	22.1
Warren	1,214	1,110	103	-	625	396	16	208	36	29.7	12	9.9
Phillipsburg	467	441	26	-	208	114	-	93	18	38.5	7	15.0
Balance of county	747	669	77	-	417	282	16	115	18	24.1	5	6.7
NEW MEXICO												
	20,322	12,966	3,980	2,535	5,471	3,108	74	2,087	1,379	67.9	448	22.0
White	18,815	11,987	3,907	2,402	4,888	2,855	73	1,774	1,172	62.3	411	21.8
Nonwhite	1,507	989	73	133	583	253	1	313	207	137.4	37	24.6
Bernalillo	3,442	2,541	624	203	905	505	-	349	213	61.9	61	17.7
Albuquerque	1,411	1,207	156	39	436	220	-	194	83	58.8	25	17.7
Balance of county	2,031	1,334	468	164	467	285	-	155	130	64.0	36	17.7
Catron	87	46	23	6	14	14	-	10	1	11.5	3	34.5
Chaves	1,101	966	68	59	242	116	-	126	56	50.9	30	27.2
Roswell	751	675	12	40	163	74	-	89	39	53.4	23	31.5
Balance of county	370	291	56	19	79	42	-	37	17	45.9	7	18.9
Colfax	518	443	32	26	200	102	-	98	39	75.3	20	38.6
Curry	752	712	5	34	165	79	-	80	31	41.2	13	17.3
Clovis	547	512	4	31	130	56	-	68	28	51.2	12	21.9
Balance of county	205	200	1	3	35	23	-	12	3	14.6	1	4.9
De Baca	101	83	4	11	42	22	-	19	17	168.3	1	9.9
Dona Ana	1,415	537	740	89	289	183	-	106	77	54.4	24	17.0
Eddy	1,199	965	169	43	268	133	-	131	79	65.9	23	19.2
Grant	703	581	89	27	195	111	-	83	37	52.2	12	18.9
Guadalupe	252	64	104	71	67	46	-	20	19	75.4	7	27.8
Harding	76	29	35	11	27	18	-	8	5	65.8	2	26.3
Hidalgo	142	97	29	14	52	37	-	13	6	42.3	5	35.2
Lea	711	696	14	-	152	77	-	65	33	46.4	11	15.5
Hobbs	412	409	5	-	94	51	-	41	25	60.7	8	19.4
Balance of county	299	287	11	-	58	26	-	24	8	26.8	3	10.0
Lincoln	235	106	74	50	63	31	-	32	12	51.1	10	42.6
Luna	230	152	75	3	64	43	-	16	3	13.0	4	17.4
McKinley	954	689	43	89	320	115	-	194	97	101.7	29	30.4
White	402	305	32	46	106	48	-	57	23	57.2	12	29.9
Nonwhite	552	384	11	43	215	67	-	137	74	134.1	17	30.8
Mora	364	72	129	124	91	64	-	27	32	87.9	7	19.2
Otero	418	204	172	18	129	94	-	34	40	95.7	8	19.1
Quay	440	377	18	43	122	65	-	53	27	61.4	8	18.2
Rio Arriba	916	339	314	188	240	168	-	57	79	86.2	12	13.1
Roosevelt	423	406	17	-	104	78	-	10	10	23.6	4	9.5
Sandoval	519	180	122	139	156	112	-	20	56	107.9	11	21.2
White	385	153	122	87	103	72	-	9	36	93.5	11	0
Nonwhite	134	27	-	52	53	40	-	11	20	149.3	-	0
San Juan	477	411	41	2	175	68	-	99	57	119.5	12	25.2
White	302	257	41	-	69	37	-	24	7	23.2	5	18.6
Nonwhite	175	154	-	2	106	31	-	75	50	285.7	7	40.0
San Miguel	1,092	465	76	495	382	170	74	136	99	90.7	33	30.2
Santa Fe	1,210	685	187	307	305	185	-	106	89	73.6	18	14.9
Balance of county	855	521	106	216	223	126	-	89	72	84.2	11	12.8
Sierra	355	164	81	91	82	59	-	17	17	47.9	7	18.7
Balance of county	150	99	40	8	64	43	-	21	7	46.7	5	33.5

See footnotes on p. 53.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NEW MEXICO—Continued												
Socorro	338	99	194	35	117	82	-	29	26	76.9	18	55.3
Taos	668	392	60	200	148	90	-	56	50	74.9	18	26.9
Torrance	317	92	145	62	69	45	-	22	19	59.9	12	37.9
Union	208	115	64	22	73	46	-	26	11	52.9	9	45.3
Valencia	858	343	271	156	219	165	-	40	52	60.6	18	21.0
	722	281	269	149	179	156	-	29	43	59.6	16	22.2
	136	62	2	7	40	29	-	11	9	66.2	2	14.7
		White										
		Nonwhite										
NEW YORK												
	323,250	315,008	7,582	404	157,734	71,514	12,662	72,035	9,123	28.2	7,683	23.8
		White										
		Nonwhite										
Albany	5,417	5,247	148	21	2,868	1,492	195	1,113	166	30.6	79	14.6
Albany	3,295	3,190	88	17	1,709	818	63	793	111	35.7	40	12.1
Cohoes	549	535	15	1	278	165	1	103	18	32.8	16	29.1
Watervliet	408	394	14	-	199	132	-	64	11	27.0	4	8.8
Balance of county	1,164	1,130	31	3	662	377	131	151	26	22.3	19	16.3
Allegheny	1,151	1,123	28	-	460	254	14	191	36	31.3	22	19.1
Broom	4,882	4,814	68	-	2,003	752	306	929	140	28.7	87	17.8
Binghamton	2,146	2,133	13	-	1,154	368	279	499	55	25.6	37	17.2
Endicott	615	614	1	-	208	72	-	132	33	53.7	13	21.1
Johnson City	595	594	1	-	178	57	1	120	10	18.8	10	16.8
Balance of county	1,526	1,473	53	-	463	255	26	178	42	27.5	27	17.7
Cattaraugus	1,992	1,916	71	2	885	445	14	412	66	33.1	37	18.6
Olean	824	820	4	-	250	88	-	161	17	72.2	14	22.4
Balance of county	1,368	1,296	67	2	633	357	14	251	49	35.8	23	16.9
Cayuga	1,658	1,627	29	-	836	371	25	408	54	32.6	38	22.9
Auburn	917	911	6	-	449	161	5	270	27	29.4	14	15.3
Balance of county	741	716	23	-	389	210	20	138	27	36.4	24	32.4
Chautauque	3,132	3,066	62	-	1,522	929	39	644	93	29.7	54	17.2
Jamestown	1,074	1,066	8	-	504	252	1	249	28	26.1	18	16.9
Dunkirk	450	446	4	-	229	114	1	112	14	31.1	8	17.9
Balance of county	1,608	1,554	50	-	789	462	37	284	51	31.7	28	17.4
Cheung	2,383	2,370	13	-	950	414	24	468	97	40.7	33	15.9
Elmira	1,435	1,433	2	-	659	273	8	375	66	46.0	17	11.8
Balance of county	948	937	11	-	271	141	16	113	31	32.7	16	16.9
Cheung	1,031	988	41	-	482	255	36	180	33	32.0	14	13.6
Clinton	1,446	1,268	174	2	573	314	43	205	61	42.2	17	11.8
Plattsburgh	531	521	10	-	182	94	1	95	18	33.9	8	15.1
Balance of county	915	747	164	2	391	230	42	112	43	47.0	9	9.8
Columbia	868	837	31	-	543	306	28	193	16	18.4	23	26.5
Hudson	250	242	8	-	180	68	18	93	5	20.0	6	24.0
Balance of county	618	595	23	-	363	238	40	100	11	17.8	17	27.5
Cortland	949	915	27	5	445	250	6	176	30	31.6	28	29.5
Cortland	447	441	4	2	241	110	2	119	20	44.7	13	29.1
Balance of county	502	474	23	3	204	140	4	57	10	19.9	16	39.9
Delaware	1,075	937	134	-	519	290	31	186	41	36.1	23	23.3
Dutchess	2,518	2,444	61	11	2,229	734	906	569	81	32.2	49	19.5
Poughkeepsie	1,014	985	21	7	535	280	14	234	41	40.4	19	18.7
Bacon	301	296	5	-	203	88	57	55	8	26.6	10	33.2
Balance of county	1,203	1,162	35	4	1,490	566	635	279	32	26.6	20	16.6
Erie	20,545	19,874	613	43	9,516	4,533	796	4,116	576	26.0	433	21.1
Buffalo	13,726	13,393	299	36	6,762	3,213	317	3,180	389	26.3	305	22.2
	12,928	12,633	261	28	6,446	3,113	308	2,973	360	27.8	279	21.6
		White										
		Nonwhite										
Kenmore	396	392	4	-	187	100	10	55	10	25.3	10	25.3
Lockport	762	715	42	5	283	104	3	156	28	36.7	12	15.7
Rensselaer	388	362	4	-	213	90	-	122	19	49.0	9	23.2
Balance of county	5,273	4,992	275	2	2,111	1,026	466	603	130	24.7	97	16.4
Essex	896	790	106	-	437	268	12	145	30	33.5	19	21.2
Franklin	1,184	844	338	-	555	330	8	206	50	42.2	37	31.3
Fulton	1,211	1,190	21	-	623	344	12	256	26	21.5	20	16.5
Gloversville	568	560	8	-	324	167	8	134	11	19.4	10	17.6
Johnstown	265	260	5	-	169	99	2	59	6	22.6	5	18.9
Balance of county	378	370	8	-	130	78	2	43	9	23.8	5	13.2
Genesee	1,192	1,166	25	-	501	249	23	225	37	31.0	18	15.1
Batavia	501	496	5	-	214	97	-	117	12	24.0	2	4.0
Balance of county	691	670	20	-	287	152	23	109	25	36.2	16	23.2
Greene	596	575	21	-	377	226	12	135	25	41.9	9	15.1
Hamilton	109	99	10	-	58	39	-	16	4	36.7	3	27.5
Herkimer	1,492	1,450	39	-	689	372	11	291	44	29.5	24	16.1
Little Falls	214	212	2	-	106	46	-	59	5	14.0	3	14.0
Balance of county	1,278	1,238	37	-	583	326	11	232	41	32.1	21	16.4
Jefferson	2,249	2,092	157	-	1,047	567	13	446	70	31.1	30	13.3
Watertown	971	949	23	-	469	219	3	239	32	33.0	11	11.3
Balance of county	1,278	1,144	134	-	579	348	10	207	38	29.7	19	14.9
Lewis	620	531	84	1	273	170	9	88	18	29.0	9	14.5
Livingston	833	804	27	-	533	251	107	155	26	31.2	12	14.4
Madison	1,169	1,110	58	-	545	342	19	174	44	37.6	18	15.4
Oneida	310	301	9	-	147	71	3	71	18	58.1	5	16.1
Balance of county	559	509	49	-	398	271	16	103	28	30.3	13	15.1
Monroe	11,213	11,083	111	2	5,360	2,305	774	2,161	297	26.5	154	19.3
Rochester	7,994	7,907	71	2	3,885	1,630	363	1,906	221	27.8	154	19.3
Irondequoit (town)	686	661	5	-	216	132	-	78	17	25.1	12	18.0
Balance of county	2,553	2,515	35	-	1,259	543	411	278	59	23.1	47	18.4

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NEW YORK—Continued												
Montgomery	1,363	1,336	25	2	721	405	6	298	56	41.1	23	16.9
Amsterdam	727	724	2	1	424	221	3	193	37	50.9	11	15.1
Balance of county	636	612	23	1	297	162	3	105	19	29.9	12	16.9
Nassau	12,315	12,117	194	-	4,321	2,483	59	1,715	272	22.1	203	16.5
Floral Park	320	317	3	-	151	103	-	47	11	34.4	6	16.8
Freeport	575	566	9	-	227	164	-	59	13	22.6	7	12.2
Garden City	224	224	-	-	120	80	-	39	6	22.3	2	6.9
Glen Cove	371	355	16	-	153	59	-	73	8	21.6	2	5.4
Hempstead	752	750	2	-	600	392	6	192	53	70.5	16	21.5
Lynbrook	440	439	1	-	165	112	-	49	12	27.5	4	9.1
Mineola	253	262	1	-	89	56	1	50	2	7.6	8	30.4
Rockville Centre	365	363	2	-	197	132	11	50	6	16.4	10	27.4
Valley Stream	561	559	2	-	149	98	1	49	12	21.4	13	25.2
Balance of county	8,444	8,293	157	-	2,491	1,305	40	1,107	150	17.8	135	16.0
New York City ¹⁰	167,085	164,082	2,593	202	81,402	34,567	4,329	42,099	4,474	26.8	4,731	26.3
White	149,058	146,060	1,942	160	74,360	32,744	4,049	37,159	3,686	24.7	3,731	25.0
Nonwhite	18,027	17,022	641	122	7,042	1,813	281	4,940	788	43.7	1,000	55.5
Niagara	4,764	4,710	53	-	1,786	781	105	875	159	35.4	84	17.6
Niagara Falls	2,469	2,444	24	-	784	279	-	501	100	40.5	48	19.4
Lockport	614	610	4	-	341	168	23	138	14	22.8	9	14.7
North Tonawanda	612	607	5	-	190	97	-	91	18	29.4	8	13.1
Balance of county	1,089	1,049	20	-	471	237	82	145	27	25.3	19	17.8
Oneida	5,325	5,143	180	1	2,996	1,167	659	1,121	166	31.2	110	20.7
Utica	2,472	2,432	39	1	1,447	537	293	606	99	36.0	52	21.0
Rome	1,148	1,132	16	-	456	139	61	225	21	18.3	22	19.2
Balance of county	1,705	1,579	126	-	1,085	492	265	290	56	32.6	36	21.1
Onondaga	7,780	7,642	126	2	3,598	1,915	202	1,400	282	36.2	140	18.0
Syracuse	4,678	4,624	49	-	2,497	1,306	55	1,076	195	40.0	83	17.0
Balance of county	2,902	2,818	77	2	1,091	609	147	324	87	30.0	57	19.6
Ontario	1,490	1,464	25	-	739	365	53	313	39	26.2	23	15.4
Caneva	501	493	8	-	227	113	3	109	13	25.9	6	12.0
Balance of county	989	971	17	-	512	282	50	204	26	26.3	17	17.2
Orange	3,313	3,121	191	-	1,855	897	324	629	98	26.6	63	19.0
Newburgh	836	794	42	-	417	191	30	194	25	29.9	19	22.7
Middletown	458	449	9	-	458	117	241	97	8	17.5	19	41.5
Balance of county	2,019	1,878	140	-	979	579	53	338	55	27.2	25	12.4
Orleans	721	702	19	-	367	215	1	139	16	22.2	9	12.5
Oswego	1,987	1,777	208	1	893	587	20	262	72	36.2	36	18.1
Fulton	415	406	9	-	140	92	-	45	18	43.4	7	16.9
Oswego	597	588	9	-	287	190	-	93	21	35.2	5	8.4
Balance of county	975	783	190	1	466	305	20	124	33	33.8	24	24.6
Otsego	1,222	1,162	59	-	631	344	33	230	33	27.0	22	16.0
Oneonta	332	331	1	-	189	86	-	96	14	42.2	7	21.1
Balance of county	890	831	58	-	442	258	33	134	19	21.3	15	16.9
Futuna	375	361	14	-	227	132	1	78	9	24.0	6	21.3
Rensselaer	3,087	2,989	90	8	1,714	881	120	663	94	30.5	66	21.4
Troy	1,826	1,806	15	5	1,095	497	119	452	52	28.5	42	23.0
Rensselaer	278	267	9	2	123	69	-	53	15	54.0	4	14.4
Balance of county	593	916	66	1	506	325	1	158	27	27.5	20	20.3
Rockland	1,614	1,783	29	1	1,128	370	431	317	35	19.3	26	14.3
St. Lawrence	2,689	2,489	197	1	1,241	619	187	406	108	40.2	68	25.3
Musena	454	442	12	-	130	67	-	61	17	37.4	6	13.2
Ogdensburg	374	373	1	-	318	62	156	95	19	50.8	11	29.4
Balance of county	1,861	1,674	184	1	793	480	31	250	72	36.7	51	27.4
Saratoga	1,738	1,668	71	-	904	546	25	295	50	28.8	40	23.0
Saratoga Springs	347	340	7	-	224	130	-	98	9	25.9	7	20.2
Balance of county	1,392	1,326	64	-	680	416	25	207	41	29.5	33	23.7
Schenectady	3,082	3,041	34	6	1,331	668	116	505	90	29.2	73	23.7
Schenectady	2,175	2,146	22	5	928	492	18	381	68	31.3	58	26.7
Balance of county	907	895	12	1	403	166	98	114	22	24.3	15	16.5
Schoharie	535	411	122	-	248	157	1	94	17	31.8	15	26.0
Schuyler	345	334	10	-	170	95	-	74	12	34.8	8	25.2
Seneca	659	644	14	-	563	160	246	148	16	24.3	11	16.7
Steuben	2,438	2,313	119	-	1,168	573	14	550	81	33.2	50	20.5
Corning	523	519	4	-	222	99	-	123	15	28.7	10	18.1
Hornell	430	428	2	-	191	81	-	108	9	20.9	10	23.3
Balance of county	1,495	1,366	113	-	755	393	14	319	57	36.4	30	20.2
Suffolk	4,959	4,800	154	4	4,107	1,384	1,612	966	130	26.2	92	18.6
Sullivan	892	799	81	1	524	318	11	192	26	29.5	19	21.5
Tioga	845	795	48	-	379	199	9	166	36	42.6	8	9.5
Tompkins	1,442	1,412	30	-	516	251	21	237	42	29.1	21	14.6
Ithaca	695	680	5	-	242	106	2	132	17	24.8	14	20.4
Balance of county	757	732	25	-	274	145	19	105	25	33.0	7	9.2
Ulster	1,777	1,730	44	1	1,117	582	12	513	52	29.3	30	16.9
Kingston	661	653	7	-	441	204	4	230	22	33.3	11	16.6
Balance of county	1,116	1,077	37	1	676	378	8	283	30	26.9	19	17.0
Warren	1,036	961	75	-	508	295	5	195	45	43.4	21	20.3
Glens Falls	560	551	9	-	266	140	3	115	21	37.5	12	21.4
Balance of county	476	410	66	-	242	155	2	90	24	50.4	9	18.9
Washington	1,182	1,072	109	1	580	334	22	207	37	31.3	23	19.5
Wayne	1,161	1,113	47	1	713	379	57	264	39	35.6	25	21.5

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

57

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio	
		Physician in hospital	Physician not in hospital	Midwife									
NEW YORK—Continued													
Westchester	12,923	12,812	101	5	5,870	2,585	299	2,914	348	26.9	262	20.3	
Yonkers	3,202	3,172	29	-	1,335	614	25	732	91	28.4	58	18.1	
Mount Vernon	1,612	1,591	17	3	626	286	12	318	46	28.5	30	18.6	
New Rochelle	1,240	1,228	11	-	674	267	11	384	28	22.6	19	15.3	
	White	1,070	1,066	3	-	593	238	11	334	18	18.8	15	14.0
	Nonwhite	170	162	8	-	81	29	-	50	10	58.8	4	23.5
White Plains	935	930	4	-	438	207	-	225	31	33.2	23	24.6	
Mamaroneck	282	281	1	-	124	74	-	48	6	21.5	2	7.1	
Ossining	311	310	1	-	185	70	34	73	9	29.9	7	22.5	
	White	283	282	1	-	158	67	18	6	21.2	3	10.6	
	Nonwhite	28	28	-	-	27	3	16	3	107.1	4	142.9	
Peekskill	395	398	7	-	186	107	-	85	14	35.4	10	25.3	
Port Chester	828	824	4	-	219	82	-	137	19	30.3	17	27.1	
Scarsdale	273	273	-	-	102	50	-	51	5	18.3	5	18.3	
Balance of county	4,045	4,015	27	2	1,921	829	217	861	99	24.6	61	22.5	
Wyoming	706	690	24	-	365	224	14	126	20	28.3	13	18.4	
Yates	398	389	9	-	262	158	5	67	18	45.2	9	22.6	
NORTH CAROLINA	112,677	74,075	24,962	13,637	30,187	19,081	981	9,892	3,938	34.9	2,762	24.5	
	White	79,582	63,571	13,981	1,902	20,104	12,265	502	7,153	2,456	30.9	1,437	18.1
	Nonwhite	33,285	10,504	11,001	11,735	10,083	6,616	479	2,739	1,482	44.5	1,325	39.8
Alamance	1,948	1,491	444	13	421	312	6	98	51	26.2	40	20.5	
	White	1,548	1,366	181	1	322	240	8	72	33	21.3	26	18.8
	Nonwhite	400	125	263	12	99	72	-	26	18	45.0	14	35.0
Burlington	694	587	107	-	151	108	-	42	21	30.3	14	20.2	
Balance of county	1,254	904	337	13	270	204	6	56	30	23.9	26	20.7	
	White	938	794	143	1	198	151	6	38	18	19.2	13	13.9
	Nonwhite	316	110	194	12	72	53	-	18	12	58.0	13	41.1
Alexander	415	236	176	3	116	83	-	33	18	43.4	10	24.1	
Allegheny	189	71	116	2	64	49	-	11	5	28.5	2	10.6	
Anson	630	266	210	334	251	101	4	55	30	38.1	28	31.8	
	White	377	237	98	22	123	81	-	31	11	28.2	7	18.6
	Nonwhite	458	29	112	312	128	100	4	24	19	41.9	19	41.9
Ashe	648	418	187	70	145	99	1	45	22	34.0	6	9.3	
Avery	445	399	4	41	88	53	-	34	16	36.0	7	15.7	
Beaufort	1,101	742	131	227	332	249	-	62	46	41.8	32	29.1	
	White	726	639	71	16	196	136	-	28	38.6	9	12.4	
	Nonwhite	375	103	60	211	136	-	33	18	48.0	25	61.3	
Bertie	786	360	291	208	172	101	1	23	30	38.2	22	28.0	
	White	248	201	46	1	89	71	1	16	3	12.1	5	20.2
	Nonwhite	538	159	89	290	119	-	17	27	50.2	17	31.6	
Bladen	959	249	464	246	205	154	-	50	34	35.5	24	25.0	
	White	532	218	291	25	122	85	-	37	20	37.5	11	20.7
	Nonwhite	427	33	173	221	83	69	-	13	14	32.8	15	30.4
Brunswick	572	323	9	240	122	77	3	42	18	31.5	14	24.5	
	White	312	262	6	44	60	34	1	25	10	32.1	6	19.2
	Nonwhite	260	61	3	196	62	43	2	17	8	30.8	8	30.8
Buncombe	3,135	2,708	288	135	1,058	584	12	463	94	30.0	64	20.4	
	White	2,800	2,533	237	29	869	446	12	396	80	28.6	51	18.2
	Nonwhite	333	175	51	106	189	118	-	67	14	42.0	15	39.0
Asheville	1,412	1,256	49	108	580	308	3	239	43	30.5	34	24.1	
	White	1,124	1,103	14	7	401	199	3	193	31	27.6	21	18.7
	Nonwhite	288	153	35	99	159	109	-	46	12	41.7	15	45.1
Balance of county	1,721	1,452	239	29	498	256	9	224	51	29.8	30	17.4	
Burke	1,254	1,122	42	43	355	113	110	126	28	22.3	34	27.1	
Cabarrus	1,891	1,691	145	54	386	198	-	148	50	26.4	64	35.8	
	White	1,584	1,500	81	3	281	148	-	123	42	26.5	41	25.9
	Nonwhite	307	191	64	51	75	50	-	25	8	26.1	23	74.9
Concord	577	546	23	8	110	58	-	51	13	22.5	14	24.3	
	White	487	481	6	-	66	40	-	45	13	26.7	2	4.1
	Nonwhite	90	65	17	8	24	18	-	6	-	0	12	133.3
Balance of county	1,314	1,145	122	46	246	140	-	97	37	28.2	50	38.1	
	White	1,097	1,019	75	3	195	108	-	78	29	26.4	39	35.6
	Nonwhite	217	126	47	43	51	32	-	19	8	36.9	11	50.7
Caldwell	1,409	1,079	300	30	283	195	-	82	51	36.2	33	23.4	
Camden	118	38	37	43	35	22	-	13	3	25.4	-	0	
	White	59	33	24	2	20	11	-	9	2	33.9	0	0
	Nonwhite	59	5	13	41	15	11	-	4	1	16.9	-	0
Carteret	649	511	66	71	170	113	-	56	18	27.8	6	9.3	
	White	538	488	39	12	143	95	-	47	17	31.6	4	7.4
	Nonwhite	110	23	27	60	27	18	-	9	1	9.1	2	18.2
Caswell	537	184	237	115	151	121	3	25	19	35.4	12	22.3	
	White	242	145	90	7	64	46	2	15	7	28.9	2	8.3
	Nonwhite	295	39	147	108	87	75	1	10	12	40.7	10	35.9
Catawba	1,881	1,754	39	-97	397	245	1	150	58	30.7	38	20.1	
	White	1,712	1,652	30	28	358	214	1	142	55	32.1	35	20.4
	Nonwhite	179	102	9	68	39	31	-	8	5	16.8	3	16.8
Hickory	569	569	4	18	135	75	-	61	24	40.7	13	22.1	
	White	533	528	3	2	118	60	-	57	23	43.2	13	24.4
	Nonwhite	56	41	1	14	17	13	-	4	1	17.9	-	0
Balance of county	1,302	1,185	35	81	262	172	1	89	34	26.1	25	19.2	
Chatham	640	298	258	84	197	137	1	59	26	40.6	13	20.3	
	White	365	272	85	8	135	90	1	44	14	38.4	7	19.2
	Nonwhite	275	26	173	76	62	47	-	12	43.6	6	21.8	

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NORTH CAROLINA—Continued												
Cherokee	571	375	42	146	97	49	-	37	19	33.3	18	26.3
Chowan	352	80	212	60	101	80	-	19	9	25.6	12	34.1
	White	166	72	92	2	60	-	14	4	24.1	3	18.1
	Nonwhite	186	8	120	58	41	-	5	5	26.9	9	48.4
Clay	163	51	81	30	35	26	-	9	5	30.7	1	6.1
Cleveland	1,912	1,511	393	206	428	251	3	172	67	35.0	41	21.4
	White	1,416	1,159	249	29	545	-	137	52	36.7	21	14.8
	Nonwhite	496	173	145	177	81	-	35	15	30.2	20	40.3
Shelby	446	422	9	15	123	65	-	58	13	29.1	13	29.1
	White	347	342	4	15	27	-	43	9	25.9	7	20.2
	Nonwhite	99	80	4	4	15	-	15	4	40.4	6	60.6
Balance of county	1,466	899	394	191	303	186	3	114	54	36.8	29	19.1
	White	1,069	796	243	29	249	-	94	43	40.2	14	13.1
	Nonwhite	397	93	141	162	54	-	20	11	27.7	14	35.3
Columbus	1,631	929	227	472	416	283	5	127	79	46.4	45	27.6
	White	1,046	786	150	109	233	-	83	45	43.0	20	19.1
	Nonwhite	585	142	77	363	183	5	44	34	58.1	25	42.7
Crawson	1,229	825	69	336	351	245	7	99	43	35.0	44	35.9
	White	743	691	42	10	162	-	59	23	31.0	15	20.2
	Nonwhite	486	134	26	326	189	2	40	20	41.2	29	59.7
New Bern	496	363	5	128	168	120	-	48	13	26.2	17	34.3
	White	317	313	3	1	67	-	25	3	9.5	2	6.3
	Nonwhite	179	50	2	127	101	-	23	10	55.9	15	83.8
Balance of county	753	462	63	208	183	125	7	51	30	40.9	27	36.9
	White	426	378	39	9	95	-	54	20	46.9	13	30.5
	Nonwhite	307	84	24	199	88	2	17	10	32.6	14	45.6
Cumberland	2,269	1,479	307	503	592	348	4	234	96	41.9	45	19.7
	White	1,607	1,268	198	41	376	-	168	64	42.5	27	17.9
	Nonwhite	782	211	109	462	216	4	66	32	40.9	18	32.0
Fayetteville	1,026	774	59	195	287	137	4	142	46	44.7	26	25.3
	White	696	665	25	6	174	-	101	33	47.4	14	20.1
	Nonwhite	332	109	34	189	113	4	41	13	39.2	12	36.1
Balance of county	1,261	705	248	308	305	211	-	92	50	39.7	19	15.1
	White	811	603	173	35	202	-	87	31	38.2	13	16.0
	Nonwhite	450	102	75	273	103	-	25	19	42.2	6	13.3
Currituck	121	43	41	37	62	50	-	12	-	0	5	41.3
	White	78	40	34	4	44	-	10	-	0	2	25.6
	Nonwhite	43	3	7	33	18	-	2	-	0	3	69.8
Dare	103	40	56	6	45	31	-	12	3	29.1	4	38.8
Davidson	1,578	1,348	217	12	394	267	4	117	49	31.1	25	15.8
	White	1,450	1,286	161	3	335	-	108	42	29.0	21	14.5
	Nonwhite	128	63	56	9	59	-	9	7	54.7	4	51.3
Lexington	414	398	26	-	93	56	-	37	10	24.2	3	7.2
	White	367	366	1	-	71	-	33	10	27.2	-	0
	Nonwhite	47	22	25	1	22	-	4	-	0	3	63.8
Thomasville	274	257	8	9	83	58	1	24	11	40.1	3	10.9
	White	238	236	2	1	62	-	20	8	33.5	3	12.6
	Nonwhite	35	21	6	8	21	-	4	3	65.7	-	0
Balance of county	890	704	183	3	218	153	3	56	28	31.5	19	21.3
Davie	372	180	186	5	109	89	-	19	10	26.9	7	16.8
	White	320	169	150	-	95	-	16	8	25.0	6	18.8
	Nonwhite	52	11	36	5	13	-	3	2	38.5	1	19.2
Duplin	1,228	810	816	102	308	242	-	66	49	39.9	34	27.7
	White	695	274	410	11	196	-	44	28	40.3	14	20.1
	Nonwhite	533	36	406	91	112	-	22	21	39.4	20	37.5
Durham	2,624	2,486	61	77	728	385	23	317	94	35.8	66	32.8
	White	1,714	1,689	21	4	454	-	187	52	30.3	30	17.5
	Nonwhite	910	797	40	73	294	-	130	42	46.2	36	31.6
Durham	1,962	1,897	16	49	539	294	-	253	72	36.7	62	31.6
	White	1,232	1,228	4	-	302	-	149	36	29.2	17	13.8
	Nonwhite	730	669	12	49	237	-	104	36	49.3	45	61.6
Balance of county	682	589	45	28	189	101	23	64	22	33.2	24	36.3
	White	482	461	17	4	132	-	38	16	33.2	13	27.0
	Nonwhite	180	128	28	24	57	-	26	6	33.3	11	61.1
Edgecombe	1,583	676	525	382	407	294	6	101	42	26.5	42	26.5
	White	830	543	82	5	177	-	62	12	19.0	12	19.0
	Nonwhite	953	133	443	377	230	4	39	30	31.5	30	31.5
Rocky Mount (part)	294	205	86	3	111	75	-	36	9	(7)	4	(7)
	White	178	177	1	-	50	-	24	3	(7)	8	(7)
	Nonwhite	116	28	85	3	61	-	12	6	(7)	4	(7)
Balance of county	1,289	471	439	379	281	219	6	85	33	25.6	30	23.3
	White	452	366	81	5	127	-	36	9	19.9	8	17.7
	Nonwhite	837	105	358	374	169	4	27	24	28.7	22	26.3
Forsyth	3,788	3,484	289	13	1,141	668	83	485	158	41.7	90	23.8
	White	2,641	2,531	105	4	647	-	232	69	26.1	33	12.5
	Nonwhite	1,147	953	184	9	494	-	253	89	77.6	57	49.7
Winston-Salem	2,320	2,146	164	8	783	372	13	393	124	53.4	73	31.5
	White	1,314	1,301	6	4	569	-	158	42	32.0	22	16.7
	Nonwhite	1,006	845	156	4	424	-	235	82	81.5	51	50.7
Balance of county	1,469	1,338	125	5	358	196	70	92	34	23.2	17	11.6
	White	1,327	1,230	97	-	288	-	48	27	20.3	11	8.3
	Nonwhite	141	108	28	5	70	-	18	7	48.6	6	42.6
Franklin	811	415	210	186	222	171	5	44	33	40.7	17	21.0
	White	401	305	92	4	123	-	25	11	27.4	3	7.5
	Nonwhite	410	110	118	182	99	-	19	22	53.7	14	34.1

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NORTH CAROLINA—Continued												
Gaston	2,900	2,279	524	96	645	409	3	232	109	37.2	75	25.9
White	2,542	2,112	423	7	542	333	3	205	95	37.4	58	22.8
Nonwhite	358	167	101	89	103	75	-	27	13	36.3	17	47.5
Gastonia	670	630	24	16	218	103	-	115	35	52.2	23	34.3
White	554	537	17	-	180	78	-	102	31	56.0	17	30.7
Nonwhite	116	93	7	16	38	25	-	13	4	34.5	6	51.7
Balance of county	2,230	1,649	500	80	427	305	3	117	73	32.7	52	23.3
White	1,988	1,575	406	7	362	255	3	103	64	33.2	41	20.6
Nonwhite	242	74	94	73	65	50	-	14	9	37.2	11	45.5
Gates	242	80	91	70	93	75	-	18	10	41.3	10	41.3
White	82	80	20	2	43	29	-	14	2	24.4	1	12.2
Nonwhite	160	20	71	68	50	46	-	4	8	50.0	9	56.3
Graham	216	50	129	33	36	24	-	9	10	46.3	6	27.8
Granville	805	418	341	45	293	213	10	68	24	29.8	20	24.8
White	345	282	80	1	134	88	8	36	8	23.3	5	14.6
Nonwhite	462	136	261	44	159	125	2	32	16	34.6	15	32.5
Greene	559	131	376	51	98	65	-	22	12	21.5	14	26.0
White	248	120	127	-	39	25	-	15	4	16.1	8	32.3
Nonwhite	311	11	249	51	49	40	-	9	8	25.7	6	19.3
Guilford	4,813	4,376	391	43	1,275	725	24	521	140	29.1	81	16.8
White	3,899	3,700	194	2	929	527	17	379	98	26.1	43	11.0
Nonwhite	914	676	197	41	347	198	7	142	42	46.0	38	41.6
Greensboro	1,926	1,894	29	3	538	258	4	274	61	31.7	34	17.7
White	1,469	1,435	14	-	348	159	4	185	35	23.0	13	8.8
Nonwhite	457	459	15	3	190	99	-	89	26	56.9	21	46.0
High Point	1,142	1,037	94	11	325	191	-	133	34	29.8	21	18.4
White	928	916	12	-	248	140	-	107	25	26.9	12	12.9
Nonwhite	214	121	82	11	77	51	-	26	9	42.1	9	42.1
Balance of county	1,745	1,445	268	29	412	276	20	114	45	25.8	26	14.9
White	1,502	1,329	168	2	332	228	13	89	38	25.3	18	12.0
Nonwhite	243	116	100	27	80	48	7	25	7	29.8	8	32.9
Halifax	1,778	649	277	652	474	315	1	154	78	41.1	61	34.3
White	808	519	80	7	205	119	-	84	18	29.7	13	21.5
Nonwhite	1,172	130	197	645	269	196	1	70	55	46.9	48	41.0
Harnett	1,421	907	363	151	347	238	5	100	33	23.2	28	19.7
White	895	779	260	11	230	147	2	80	11	11.1	16	16.1
Nonwhite	426	128	153	140	117	91	3	20	22	51.6	12	28.2
Haywood	1,122	1,038	73	11	230	149	1	80	36	32.1	14	12.5
Henderson	774	691	75	7	239	155	-	103	27	34.9	11	14.2
Hertford	520	160	296	64	158	120	-	36	21	40.4	12	23.1
White	162	92	69	1	75	57	-	17	7	43.2	4	24.7
Nonwhite	358	68	227	63	83	63	-	19	14	39.1	8	22.3
Hoke	458	73	198	187	156	105	-	51	26	56.8	24	52.4
White	150	59	89	2	58	39	-	19	2	13.3	3	20.0
Nonwhite	308	14	109	185	98	66	-	32	24	77.9	21	66.2
Hyde	158	63	14	78	85	42	-	12	2	12.7	2	12.7
White	74	59	5	7	36	27	-	6	1	13.5	-	0
Nonwhite	84	4	9	71	49	15	-	4	1	11.9	2	23.8
Iredell	1,541	1,205	247	89	396	237	4	155	44	28.6	45	29.2
White	1,246	1,074	166	6	303	189	4	130	32	25.7	29	23.3
Nonwhite	295	131	81	82	93	68	-	25	12	40.7	16	54.2
Statesville	463	367	51	45	137	78	-	59	14	30.2	12	25.9
White	370	330	39	1	96	47	-	49	12	32.4	7	18.9
Nonwhite	93	37	12	44	41	31	-	10	2	21.5	5	53.8
Balance of county	1,078	838	196	43	259	159	4	98	30	27.8	33	30.6
White	876	744	127	5	207	122	4	81	20	22.8	22	25.1
Nonwhite	202	94	69	38	52	37	-	15	10	49.5	11	54.5
Jackson	518	240	196	76	152	116	1	34	17	32.8	17	32.8
Johnston	1,923	940	794	189	411	288	2	121	58	30.2	52	27.0
White	1,466	894	551	21	296	199	1	96	41	28.0	36	24.6
Nonwhite	457	46	243	168	115	89	1	25	17	37.2	16	35.0
Jones	316	155	64	96	75	51	-	24	12	36.0	20	63.3
White	170	132	29	8	44	28	-	16	8	47.1	5	29.4
Nonwhite	146	23	35	88	31	23	-	8	4	27.4	15	102.7
Lee	709	604	43	62	168	91	7	76	25	35.3	15	21.2
White	513	487	22	4	123	64	-	58	18	35.1	7	13.6
Nonwhite	196	117	21	58	45	27	-	18	7	35.7	8	40.8
Lenoir	1,346	810	222	313	447	277	25	144	61	45.3	35	26.0
White	768	713	41	13	262	153	25	104	41	53.4	12	15.6
Nonwhite	578	97	181	300	185	144	-	40	20	34.6	23	39.8
Kinston	519	347	45	127	212	156	-	70	23	44.3	14	27.0
White	311	304	5	2	115	62	-	53	18	57.9	7	22.5
Nonwhite	208	43	40	125	97	74	-	23	5	24.0	7	33.7
Balance of county	827	463	177	186	235	141	25	68	38	45.9	21	25.4
White	457	408	36	11	147	71	25	51	23	50.3	5	10.9
Nonwhite	370	54	141	175	88	70	-	17	15	40.5	16	43.2
Lincoln	723	554	117	51	162	98	1	61	21	29.0	11	15.2
White	613	537	71	4	130	70	1	16	16	26.1	7	11.4
Nonwhite	110	17	46	47	32	28	-	4	5	45.5	4	36.4
McDowell	692	511	159	19	128	90	-	38	13	18.8	2	2.9
Macon	484	184	218	59	107	85	-	21	14	30.2	8	17.2
Madison	531	228	197	94	173	140	-	33	24	45.2	10	18.8
Martin	926	175	525	226	204	154	-	46	31	33.5	20	21.6
White	411	154	252	5	112	79	-	32	15	36.5	5	12.2
Nonwhite	515	21	273	221	92	75	-	14	16	51.1	15	29.1

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NORTH CAROLINA—Continued												
Mecklenburg-----	5,134	4,637	104	110	1,441	750	11	673	198	38.6	122	23.8
White-----	3,780	3,716	63	1	919	428	6	478	124	32.8	64	16.9
Nonwhite--	1,354	1,121	121	109	522	322	5	195	74	54.7	58	42.8
Charlotte-----	3,199	3,088	53	55	1,017	506	-	509	134	41.9	89	27.8
White-----	2,231	2,222	9	-	611	250	-	359	79	35.4	45	20.2
Nonwhite--	968	866	44	55	406	256	-	150	55	56.8	44	45.5
Balance of county-----	1,935	1,749	131	55	424	244	11	164	64	33.1	33	17.1
White-----	1,549	1,494	54	1	308	178	6	119	45	29.1	19	12.3
Nonwhite--	386	255	77	54	116	66	5	45	19	49.2	14	36.3
Mitchell-----	464	230	175	53	89	79	-	10	5	10.8	9	19.4
Montgomery-----	499	315	119	65	131	91	-	33	25	50.1	8	16.0
White-----	387	311	74	2	92	64	-	21	15	38.8	7	18.1
Nonwhite--	112	4	45	63	39	27	-	12	10	89.3	1	8.9
Moore-----	861	669	123	68	243	152	5	82	23	26.7	23	26.7
White-----	653	568	75	12	163	94	5	57	15	23.0	15	23.0
Nonwhite--	208	103	48	56	83	58	-	25	8	38.5	8	38.5
Wash-----	1,888	850	755	302	494	307	8	177	71	37.6	45	23.8
White-----	1,016	785	213	19	261	152	3	105	26	25.6	15	14.8
Nonwhite--	872	67	522	283	233	155	5	72	45	51.6	30	34.4
Rocky Mount (part)-----	448	356	98	14	185	90	-	94	20	(7)	16	(7)
White-----	314	312	2	-	100	45	-	54	7	(7)	5	(7)
Nonwhite--	134	24	96	14	85	45	-	40	13	(7)	11	(7)
Rocky Mount (total)-----	742	541	194	17	286	165	-	130	29	39.1	28	37.7
White-----	492	489	3	-	150	71	-	78	10	20.3	9	18.3
Nonwhite--	250	52	181	17	146	94	-	52	19	76.0	19	76.0
Balance of county-----	1,440	514	637	288	309	217	8	83	51	35.4	29	20.1
White-----	702	471	211	19	161	107	3	51	19	27.1	10	14.2
Nonwhite--	738	43	426	269	148	110	5	32	32	43.4	19	25.7
New Hanover-----	1,850	1,687	24	109	653	301	7	345	97	53.0	53	29.0
White-----	1,219	1,214	4	1	361	197	4	190	46	37.7	17	13.9
Nonwhite--	611	483	20	108	272	114	3	155	51	83.5	36	58.9
Wilmington-----	1,366	1,252	21	93	526	241	1	284	76	55.6	45	32.9
White-----	876	873	2	1	289	147	1	151	33	37.7	13	14.8
Nonwhite--	490	379	19	92	227	94	-	133	43	87.8	32	65.3
Balance of county-----	484	445	3	16	127	60	6	61	21	45.3	8	17.2
White-----	343	341	2	-	82	40	3	39	13	37.9	4	11.7
Nonwhite--	121	104	1	16	45	20	3	22	8	66.1	4	33.1
Northampton-----	818	202	278	338	203	164	-	39	29	36.5	21	25.7
White-----	226	149	66	10	69	55	-	14	4	17.7	4	17.7
Nonwhite--	592	53	210	328	134	109	-	25	25	42.2	17	28.7
Onslow-----	829	581	145	100	181	117	1	70	40	48.3	24	29.0
White-----	620	493	113	11	138	76	1	58	30	48.4	11	17.7
Nonwhite--	209	88	32	89	53	41	-	12	10	47.8	13	62.2
Orange-----	929	643	136	48	199	137	1	60	19	22.9	10	12.1
White-----	572	504	66	2	130	79	-	50	15	22.7	7	12.2
Nonwhite--	256	139	70	46	69	58	1	10	6	23.4	3	11.7
Pamlico-----	293	53	176	64	71	59	-	12	12	41.0	9	30.7
White-----	174	47	126	1	44	38	-	6	3	17.2	4	23.0
Nonwhite--	119	6	50	63	27	21	-	6	9	75.6	5	42.0
Pasquotank-----	666	399	92	175	203	137	-	66	30	45.0	15	22.5
White-----	410	372	35	3	122	70	-	52	19	46.3	6	14.6
Nonwhite--	256	27	57	172	81	67	-	14	11	43.0	9	35.2
Elizabeth City-----	383	282	19	82	137	84	-	53	20	52.2	10	26.1
White-----	287	263	4	-	90	49	-	42	14	52.4	5	18.7
Nonwhite--	116	19	15	82	47	36	-	11	6	51.7	5	43.1
Balance of county-----	283	117	73	83	66	53	-	13	10	35.3	5	17.7
White-----	143	109	31	3	32	22	-	10	5	35.0	1	7.0
Nonwhite--	140	8	42	90	34	31	-	3	5	35.7	4	28.6
Pender-----	499	155	122	222	158	103	-	54	20	40.1	11	22.0
White-----	236	120	96	20	79	49	-	29	9	38.1	1	4.2
Nonwhite--	263	35	26	202	79	54	-	25	11	41.8	10	58.0
Perquimans-----	242	58	75	109	97	78	1	18	11	45.5	11	45.5
White-----	108	57	49	2	44	33	1	10	3	27.8	-	0
Nonwhite--	134	1	26	107	53	45	-	8	8	59.7	11	82.1
Person-----	814	413	342	57	179	118	-	59	30	38.9	29	35.6
White-----	480	362	114	4	118	70	-	47	17	35.4	9	18.8
Nonwhite--	334	51	228	53	61	48	-	12	13	38.9	20	59.9
Pitt-----	1,899	912	692	294	454	329	1	112	75	39.5	72	37.9
White-----	935	692	236	6	228	150	-	68	30	32.1	23	24.8
Nonwhite--	964	220	456	288	226	179	1	44	45	46.7	49	50.8
Greenville-----	374	273	36	65	132	81	-	47	14	37.4	14	37.4
White-----	217	209	8	-	69	39	-	26	6	27.6	2	9.2
Nonwhite--	157	64	28	65	64	43	-	21	8	51.0	12	76.4
Balance of county-----	1,525	639	656	229	322	248	1	65	61	40.0	58	38.0
White-----	718	483	228	6	160	112	-	42	24	33.4	21	29.2
Nonwhite--	807	156	428	223	162	136	1	23	37	45.8	37	45.8
Polk-----	324	203	106	13	84	69	-	25	9	27.8	10	30.9
White-----	280	181	91	6	85	61	-	24	8	27.6	8	27.6
Nonwhite--	34	12	15	7	9	8	-	1	1	29.4	2	58.8
Randolph-----	1,339	1,141	160	38	301	189	4	104	39	29.1	22	16.4
Richmond-----	1,165	642	307	214	348	255	4	86	45	38.6	32	27.5
White-----	810	594	199	17	236	164	4	65	34	42.0	15	18.5
Nonwhite--	355	48	108	197	112	91	-	21	11	31.0	17	47.9

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NORTH CAROLINA—Continued												
Robeson	2,932	1,132	1,201	598	631	449	10	166	89	30.4	85	28.3
White	1,120	794	897	29	281	181	5	95	25	22.3	23	20.5
Nonwhite	1,812	338	904	569	350	268	5	73	64	35.3	60	33.1
Rockingham	1,714	1,228	431	54	468	300	2	161	60	35.0	48	28.0
White	1,326	1,046	267	13	358	222	1	130	51	38.5	33	24.9
Nonwhite	388	182	164	41	110	78	1	31	9	23.2	15	38.7
Reidsville	310	259	45	6	112	69	-	43	12	38.7	15	48.4
White	197	189	2	6	58	28	-	30	10	50.8	6	30.5
Nonwhite	113	70	43	-	54	41	-	13	2	17.7	9	79.6
Balance of county	1,404	989	386	48	334	231	2	118	48	34.2	33	23.5
White	1,129	857	285	7	298	194	1	100	41	38.3	27	23.9
Nonwhite	275	112	121	41	56	37	1	18	7	25.5	6	21.8
Rowan	1,752	1,390	288	63	552	334	12	203	61	34.8	35	20.0
White	1,462	1,261	198	3	415	236	9	168	48	32.8	27	18.5
Nonwhite	290	129	100	60	137	98	3	35	13	44.8	8	27.6
Salisbury	478	428	39	11	216	113	-	101	25	52.3	21	43.9
White	391	380	11	-	147	65	-	80	19	48.6	16	40.9
Nonwhite	87	48	28	11	69	48	-	21	6	69.0	5	57.5
Balance of county	1,274	962	259	52	336	221	12	102	36	28.5	14	11.0
White	1,071	881	187	3	269	171	9	88	29	27.1	11	10.3
Nonwhite	203	81	72	49	68	50	3	14	7	34.5	3	14.8
Rutherford	1,311	604	637	70	297	218	1	77	43	32.8	31	23.6
White	1,136	577	537	22	250	182	1	67	37	32.6	23	20.2
Nonwhite	175	27	100	48	47	36	-	10	6	34.3	8	45.7
Sampson	1,559	487	749	321	398	319	2	75	51	32.7	50	32.1
White	945	462	447	35	246	199	2	44	24	25.4	28	29.6
Nonwhite	614	25	302	286	152	120	-	31	27	44.0	22	35.8
Scotland	822	295	216	359	162	162	-	51	46	56.0	22	26.8
White	367	253	102	12	101	85	-	35	19	51.8	5	13.6
Nonwhite	455	42	63	347	115	67	-	16	27	59.3	17	37.4
Stanly	1,020	878	134	6	268	169	3	95	42	41.2	17	16.7
White	918	819	94	3	238	144	3	90	38	41.4	11	12.0
Nonwhite	102	59	40	3	30	25	-	5	4	39.2	6	58.8
Stokes	610	293	299	18	151	120	-	29	13	21.3	16	26.2
White	538	261	273	4	135	104	-	29	12	22.5	12	22.3
Nonwhite	72	32	26	14	16	16	-	1	1	13.9	4	55.6
Surry	1,485	938	496	44	352	250	2	97	49	33.0	34	22.9
White	355	111	185	54	68	52	-	16	6	16.9	13	36.6
Nonwhite	274	40	181	51	51	43	-	8	4	14.6	13	47.4
Nonwhite	81	71	4	3	17	9	-	8	2	24.7	-	0
Transylvania	511	298	204	5	78	59	-	18	8	15.7	3	5.9
White	162	106	12	44	56	36	-	20	5	30.9	6	37.0
Nonwhite	86	77	8	1	39	24	-	15	4	46.5	5	58.1
Tyrrell	76	29	4	43	17	12	-	5	1	13.2	1	13.2
Union	1,206	779	326	101	354	227	11	111	39	32.5	21	17.4
White	901	746	141	14	279	169	11	94	28	31.1	14	15.5
Nonwhite	305	33	185	87	75	58	-	17	11	36.1	7	25.0
Vance	887	558	103	218	319	180	5	134	44	49.6	24	27.1
White	469	442	23	4	156	79	5	72	20	42.6	8	17.1
Nonwhite	418	116	80	214	163	101	-	62	24	57.4	16	38.3
Wake	3,515	2,579	676	260	1,113	517	158	435	112	31.9	85	24.2
White	2,323	2,002	310	11	701	291	128	281	71	30.6	39	16.8
Nonwhite	1,192	577	366	249	412	226	30	154	41	34.4	46	38.6
White	1,514	1,441	20	53	658	215	157	285	47	31.0	32	21.1
Nonwhite	1,091	1,065	4	2	427	115	128	183	34	31.2	22	20.2
White	423	356	16	51	231	100	29	102	13	30.7	10	23.6
Nonwhite	668	709	16	1	196	115	-	81	21	32.5	12	26.5
Balance of county	2,001	1,139	656	207	455	302	1	150	65	32.5	53	26.5
White	1,232	917	306	9	274	176	-	98	37	30.0	17	13.8
Nonwhite	769	222	350	198	181	126	1	52	28	56.4	36	46.8
Warren	735	184	75	476	249	205	-	42	30	40.8	28	38.1
White	198	157	25	14	78	63	-	15	6	30.6	5	25.5
Nonwhite	538	27	50	462	170	142	-	27	24	44.5	23	42.7
Washington	347	122	96	129	122	101	-	18	11	31.7	18	51.9
White	199	115	76	8	68	52	-	14	5	25.1	6	30.2
Nonwhite	148	7	20	121	54	49	-	4	6	40.5	12	31.1
Watauga	537	463	38	35	116	70	-	45	22	41.0	8	14.9
Wayne	1,787	750	843	174	836	330	365	136	57	32.3	32	18.1
White	1,039	636	394	9	246	154	3	65	22	21.2	16	15.4
Nonwhite	728	114	449	165	580	176	362	51	35	48.1	16	22.0
White	539	340	148	51	203	121	1	79	19	35.3	13	24.1
Nonwhite	285	270	15	1	93	45	1	45	7	24.5	4	14.0
Balance of county	253	70	133	50	110	76	-	34	12	47.4	9	33.6
White	1,228	410	635	123	633	209	364	57	38	30.9	19	15.5
Nonwhite	753	366	379	8	153	109	2	40	13	19.9	12	15.9
White	475	44	316	115	480	100	362	17	23	48.4	7	14.7
Nonwhite	1,317	828	323	163	333	263	2	65	54	41.0	23	17.5
Wilson	1,707	827	616	263	513	326	6	178	77	45.1	66	38.7
White	868	677	186	5	253	147	3	102	29	33.4	29	33.4
Nonwhite	839	150	430	258	260	179	3	76	48	57.2	37	44.1
White	628	380	102	145	245	140	1	101	34	54.1	31	49.4
Nonwhite	316	298	18	-	95	46	-	48	5	15.8	10	31.6
Balance of county	312	82	84	145	150	94	1	53	29	92.9	21	87.3
White	1,079	447	514	118	268	186	5	77	43	39.9	35	32.4
Nonwhite	552	379	168	5	158	101	3	54	24	43.5	19	34.4
White	527	68	346	113	110	85	2	23	19	36.1	16	30.4
Nonwhite	580	472	77	11	138	93	-	44	14	25.0	11	19.6
Yadkin	450	239	90	120	97	79	-	17	12	26.7	9	20.0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
NORTH DAKOTA-----	17,064	15,863	1,073	33	5,252	2,310	236	2,653	523	30.6	296	17.3
White-----	16,719	15,550	1,066	29	5,121	2,254	237	2,579	498	29.8	283	16.9
Nonwhite-----	345	310	7	4	131	56	1	74	25	72.5	13	37.7
Adams-----	121	109	12	-	30	22	-	8	3	24.8	2	16.5
Barnes-----	468	453	15	1	160	64	4	112	22	47.0	4	8.5
Benson-----	280	271	5	-	82	63	-	19	8	28.6	9	32.1
White-----	230	225	4	-	65	53	-	12	3	15.0	6	54.6
Nonwhite-----	50	46	1	-	17	10	-	7	5	100.0	1	20.0
Billings-----	48	48	2	-	13	6	-	7	2	41.7	3	62.5
Bottineau-----	348	306	41	-	108	43	-	65	13	37.4	11	31.6
Bowman-----	94	85	7	1	29	18	-	11	2	21.3	2	21.3
Burke-----	170	163	6	-	47	20	-	27	4	23.5	3	17.6
Burleigh-----	691	683	6	-	177	40	6	131	18	26.0	14	20.3
Bismarck-----	523	510	4	-	144	31	5	108	14	26.8	10	19.1
Balance of county-----	168	165	2	-	33	9	1	23	4	23.8	4	23.8
Cass-----	1,516	1,500	16	-	490	202	5	275	57	37.6	22	14.5
Fargo-----	1,068	1,060	8	-	356	138	1	212	46	43.1	17	15.9
Balance of county-----	448	440	8	-	134	64	4	63	11	24.6	5	11.2
Cavalier-----	354	332	16	1	94	53	3	38	7	19.8	2	5.6
Dickey-----	220	186	54	-	81	45	-	36	12	54.5	6	27.3
Divide-----	175	174	1	-	62	22	17	23	6	34.3	1	5.7
Dunn-----	243	210	25	1	52	25	-	27	3	12.3	1	4.1
Eddy-----	162	159	3	-	41	15	-	26	2	12.3	1	6.2
Emmons-----	330	157	171	1	73	42	-	31	20	60.6	8	24.2
Foster-----	149	139	11	-	42	18	-	24	5	35.6	2	13.4
Golden Valley-----	106	104	4	-	40	16	-	24	2	18.5	-	0
Grand Forks-----	1,114	1,103	10	-	385	150	24	231	35	31.4	16	14.4
Grand Forks-----	795	791	4	-	251	70	-	181	29	36.5	11	13.8
Balance of county-----	319	312	6	-	134	60	24	50	6	18.9	5	15.7
Grant-----	220	190	26	-	60	32	-	27	10	45.5	3	13.6
Griggs-----	156	147	9	-	36	24	-	12	2	12.8	2	12.8
Hettinger-----	259	171	67	-	42	18	-	24	6	25.1	2	8.4
Kidder-----	159	143	13	2	35	16	-	19	2	12.6	3	18.9
La Moure-----	276	229	46	-	72	47	2	22	9	32.6	5	18.1
Logan-----	179	116	39	11	43	26	-	17	6	44.7	3	16.8
McHenry-----	354	343	8	2	94	50	-	34	11	31.1	9	25.4
McIntosh-----	210	116	90	1	60	35	-	24	7	33.3	5	23.9
McKenzie-----	177	160	15	-	54	30	-	24	4	22.6	3	16.9
McLean-----	423	381	54	-	106	50	-	55	10	23.6	10	23.6
Mercer-----	235	223	2	3	57	32	-	25	11	46.8	7	29.8
Morton-----	534	487	43	2	147	77	-	67	15	28.1	8	15.0
Mountrail-----	258	221	37	-	66	38	-	25	2	7.6	6	23.3
Nelson-----	197	192	5	-	82	30	3	49	8	40.6	5	25.4
Oliver-----	77	73	2	-	16	8	-	8	2	26.0	3	39.0
Pembina-----	350	314	33	-	118	87	-	31	11	31.4	4	11.4
Pierce-----	264	255	3	-	87	21	-	64	2	7.6	4	15.2
Ransom-----	432	421	11	-	151	58	1	89	15	34.7	8	18.5
Ransom-----	222	196	26	-	80	55	1	21	6	36.0	3	13.5
Beaville-----	154	146	7	1	30	10	-	20	3	18.5	2	13.0
Richland-----	529	517	11	-	164	70	-	93	18	30.2	12	22.7
Rolette-----	392	377	8	1	113	38	-	75	17	43.4	5	12.8
White-----	228	219	7	-	68	19	-	49	6	26.3	2	8.8
Nonwhite-----	164	158	1	1	45	19	-	26	11	67.1	3	18.3
Bargent-----	201	193	6	-	75	48	-	27	6	29.9	7	34.8
Sheridan-----	159	129	30	-	23	15	-	8	4	25.2	3	18.9
Sioux-----	108	98	3	5	47	21	-	26	3	27.8	3	27.8
White-----	70	66	1	2	18	10	-	8	2	28.6	1	14.3
Nonwhite-----	38	30	2	3	29	11	-	18	1	26.3	2	52.6
Slope-----	66	63	2	-	18	8	-	10	1	15.2	-	0
Stark-----	489	470	17	-	133	49	-	76	19	38.9	8	16.4
Steele-----	110	107	2	-	38	21	-	16	1	9.1	3	27.3
Stutsman-----	654	623	28	-	314	112	146	112	24	36.7	12	18.3
Towner-----	177	166	11	-	54	37	-	17	2	11.3	3	16.9
Trail-----	274	260	14	-	93	56	-	34	5	18.2	7	25.5
Walsh-----	495	483	12	-	198	94	25	69	13	26.3	10	20.2
Ward-----	932	925	7	-	306	108	-	197	27	29.0	9	9.7
Minot-----	605	601	4	-	218	76	-	141	17	28.1	8	13.2
Balance of county-----	327	324	3	-	88	32	-	56	10	30.6	1	3.1
Wells-----	309	294	14	-	90	47	-	43	4	12.9	5	16.2
Williams-----	462	454	8	-	134	55	1	78	14	30.3	7	15.2
OHIO-----	197,311	183,210	13,621	48	82,254	44,972	4,503	31,466	5,817	29.5	3,893	20.2
White-----	185,100	172,626	12,075	41	76,430	42,211	4,156	28,764	5,298	28.6	3,539	19.1
Nonwhite-----	12,211	10,584	1,546	7	5,824	2,761	347	2,702	519	42.5	454	37.2
Adams-----	525	133	394	-	259	209	-	44	26	49.5	18	30.5
Allen-----	2,347	2,256	102	-	949	484	48	401	81	34.5	42	17.9
Lima-----	1,499	1,448	44	-	580	272	-	303	61	40.7	27	18.0
Balance of county-----	849	789	58	-	369	212	48	98	20	23.6	15	17.7
Ashland-----	791	784	7	-	323	199	5	104	25	31.6	17	21.5
Ashland-----	365	364	1	-	159	81	-	67	13	35.6	6	16.4
Balance of county-----	426	420	6	-	164	117	5	37	12	28.2	11	25.8
Ashtabula-----	1,809	1,739	70	-	926	550	57	310	54	29.9	38	21.0
Ashtabula-----	692	670	22	-	292	156	2	134	26	37.6	11	15.9
Balance of county-----	1,117	1,069	48	-	634	394	55	176	28	25.1	27	24.2
Athens-----	914	609	303	-	583	358	106	105	40	43.8	27	29.5
Auglaize-----	711	647	64	-	346	232	6	91	19	26.7	18	26.7

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
OHIO—Continued												
Belmont	2,102	1,884	203	-	1,018	599	21	362	72	34.5	54	16.2
Bellaire	321	317	4	-	191	105	-	81	13	40.5	7	21.8
Martins Ferry	320	316	4	-	172	76	-	84	14	43.8	3	9.4
Balance of county	1,461	1,261	195	-	655	418	21	197	45	30.8	24	16.4
Brown	490	249	236	-	264	220	-	39	14	26.6	14	26.6
Butler	5,886	5,786	125	-	1,519	660	17	629	133	34.2	85	24.5
Hamilton	1,700	1,645	52	-	647	280	2	361	52	37.1	39	22.9
Middletown	1,102	1,086	16	-	351	179	-	169	38	34.5	24	21.8
Balance of county	1,083	1,025	57	-	321	201	15	99	32	29.5	32	29.5
Carroll	419	289	130	-	182	158	15	29	6	14.3	5	11.9
Champaign	727	664	62	-	331	214	1	113	22	30.3	13	17.9
Clarks	2,953	2,644	206	-	1,269	685	103	462	89	31.2	51	17.8
Springfield	2,195	2,054	138	-	994	532	49	394	70	31.9	32	14.6
White	2,010	1,888	119	-	678	465	49	345	64	31.8	27	13.4
Nonwhite	185	166	19	-	116	67	-	49	6	32.4	5	27.0
Balance of county	658	590	68	-	275	151	54	68	19	28.9	19	28.9
Clermont	924	602	314	-	398	307	4	78	26	28.1	22	23.8
Clinton	597	352	244	-	322	237	7	76	27	45.2	12	20.1
Columbiana	2,457	2,127	321	-	1,122	692	21	367	72	29.3	60	24.4
East Liverpool	584	608	74	-	359	194	-	151	21	30.7	23	33.6
Salon	327	322	4	-	168	90	1	72	6	18.3	6	18.3
Balance of county	1,446	1,197	243	-	595	406	20	144	45	31.1	31	21.4
Coshocton	724	674	50	-	399	273	16	99	19	26.2	11	15.2
Coshocton	285	275	10	-	181	113	5	57	10	35.1	2	7.0
Balance of county	439	399	40	-	218	160	11	42	9	20.5	9	20.5
Crawford	1,009	964	45	-	442	245	-	190	34	33.7	21	20.8
Cuyahoga	33,940	32,959	981	5	15,668	6,999	492	6,012	901	26.5	691	20.4
Cleveland	24,677	23,782	910	3	10,290	4,891	384	4,789	891	28.0	562	22.8
White	20,968	20,643	314	3	8,807	4,361	337	3,995	548	26.1	450	21.5
Nonwhite	5,709	5,109	596	-	1,483	630	47	804	143	38.6	112	30.2
Cleveland Heights	1,013	1,009	4	-	461	314	7	133	17	16.8	8	7.9
East Cleveland	1,007	1,001	6	-	445	206	3	232	31	30.8	25	24.8
Lakewood	1,581	1,571	10	-	652	424	9	215	37	23.4	18	11.4
Euclid	939	934	5	-	239	138	1	75	29	30.9	12	12.8
Garfield Heights	412	411	1	-	148	88	2	58	15	36.4	5	12.1
Parma	498	494	4	-	129	81	11	37	9	18.1	7	14.1
Shaker Heights	485	482	2	-	202	139	-	62	11	22.7	5	10.3
Balance of county	3,328	3,305	19	2	1,102	618	75	401	61	18.3	49	14.7
Darke	993	898	92	-	490	338	18	123	30	30.2	20	20.1
Defiance	676	646	30	-	279	187	10	80	24	35.5	18	26.6
Delaware	694	618	65	-	355	211	18	122	18	26.3	8	11.7
Erie	1,260	1,245	14	1	618	257	70	289	48	38.1	25	19.8
Sandusky	768	763	4	1	364	159	1	222	33	45.0	16	20.8
Balance of county	492	482	10	-	254	118	69	67	15	30.5	9	18.3
Fairfield	1,323	1,140	178	1	542	355	24	157	34	25.7	23	17.4
Lancaster	696	638	55	-	255	163	-	91	19	27.3	11	15.8
Balance of county	627	502	123	1	297	192	24	66	15	23.9	12	19.1
Fayette	565	271	292	-	296	197	5	76	16	28.3	13	23.0
Franklin	12,339	11,720	594	-	5,024	2,644	367	1,995	330	26.7	253	20.5
White	10,999	10,593	396	-	4,385	2,283	305	1,690	290	26.4	203	18.5
Nonwhite	1,340	1,127	198	-	639	361	62	215	40	29.9	50	37.3
Columbus	9,514	9,088	393	-	4,117	2,090	295	1,638	258	27.1	212	22.3
White	8,317	8,069	230	-	3,533	1,755	244	1,443	222	26.7	165	19.8
Nonwhite	1,197	1,019	163	-	582	335	51	195	36	30.1	47	39.3
Balance of county	2,625	2,632	191	-	907	554	72	267	72	25.5	41	14.5
Fulton	654	623	31	-	294	195	3	85	15	22.9	12	18.3
Gallia	553	368	151	2	391	181	139	71	28	50.6	9	16.3
Geauga	625	544	79	2	212	152	16	35	17	27.2	12	19.2
Greene	1,495	1,233	248	2	474	313	9	125	54	36.4	32	21.5
Xenia	350	276	75	1	156	111	-	41	17	48.6	8	22.9
White	292	254	37	1	118	81	-	33	8	27.4	6	20.5
Nonwhite	58	22	36	-	38	30	-	8	9	155.2	2	54.5
Balance of county	1,135	957	175	1	318	202	8	84	37	32.8	24	21.1
Guernsey	850	709	140	-	688	329	186	154	36	42.4	14	16.5
Cambridge	396	350	36	-	233	137	21	71	14	36.3	6	15.5
Balance of county	464	359	104	-	455	192	175	83	22	47.4	8	17.2
Hamilton	17,460	16,846	565	1	8,350	4,074	664	3,550	427	24.5	376	21.5
White	15,450	15,003	413	1	7,215	3,594	580	2,991	369	23.9	288	18.6
Nonwhite	2,010	1,843	150	-	1,135	490	84	559	58	28.9	88	43.8
Cincinnati	12,301	11,922	338	1	6,547	3,056	463	2,979	309	25.1	278	22.6
White	10,539	10,272	242	1	5,654	2,645	417	2,444	254	24.1	201	19.1
Nonwhite	1,762	1,650	96	-	993	411	46	535	55	31.2	77	43.7
Norwood	926	914	11	-	300	205	-	93	16	17.3	18	19.4
Balance of county	4,235	4,010	214	-	1,503	813	201	478	102	24.1	80	18.9
Hancock	1,087	1,046	40	-	523	326	29	166	27	24.8	17	15.6
Findlay	600	588	11	-	267	178	2	105	13	21.7	12	20.0
Fostoria (part)	64	64	-	-	24	11	-	13	1	(7)	2	(7)
Balance of county	423	394	29	-	212	137	27	46	13	30.7	3	7.1
Hardin	762	708	74	-	407	203	43	159	26	33.2	12	15.3
Harrison	414	334	79	-	234	160	6	43	15	36.2	6	14.5
Henry	543	489	52	-	162	8	6	62	6	11.0	11	20.3
Highland	638	426	206	-	321	222	8	88	16	25.1	10	15.7
Hocking	498	355	136	1	232	163	4	30	25	50.2	12	24.1
Holmes	532	392	135	-	175	94	4	75	18	33.8	6	11.3

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.-BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in Institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
OHIO—Continued												
Huron	962	920	42	-	497	326	21	146	43	44.7	21	21.6
Jackson	708	258	439	5	316	243	1	43	25	35.3	13	18.4
Jefferson	2,340	2,154	171	1	942	505	22	406	95	40.6	57	24.4
Staubenville	953	925	28	-	436	189	2	282	45	47.2	14	14.7
Balance of county	1,367	1,239	143	1	506	336	20	144	50	36.0	43	31.0
Knox	907	885	21	-	394	216	16	157	20	22.1	9	9.9
Mount Vernon	364	360	4	-	164	81	4	78	6	16.5	6	16.5
Balance of county	543	525	17	-	230	135	12	79	14	25.8	3	5.5
Lake	1,753	1,726	26	-	547	318	19	200	53	30.2	40	22.8
Painesville	475	472	3	-	172	75	1	94	12	25.3	11	23.2
Balance of county	1,278	1,254	23	-	375	243	18	106	41	32.1	29	22.7
Lawrence	1,267	1,144	110	1	445	271	1	173	46	37.9	31	24.5
Ironton	426	421	5	-	196	116	-	82	20	46.9	8	18.8
Balance of county	841	723	105	1	247	155	1	91	28	33.3	23	27.3
Licking	1,659	1,572	66	-	760	428	13	303	51	30.7	34	20.5
Newark	933	907	26	-	428	223	-	196	25	26.8	19	20.4
Balance of county	726	665	59	-	332	206	13	107	26	35.8	15	20.7
Logan	612	759	53	-	375	264	9	97	20	24.6	12	14.8
Lorain	3,612	3,575	35	-	1,357	796	43	510	110	30.5	72	19.9
Elyria	825	820	5	-	319	171	10	136	30	36.4	17	20.6
Lorain	1,421	1,410	10	-	507	274	-	239	41	28.9	28	18.3
Balance of county	1,366	1,345	20	-	531	343	33	145	39	28.6	29	21.2
Lucas	9,601	9,364	221	1	4,388	1,933	373	2,034	271	28.2	205	21.4
Toledo	8,364	8,216	133	-	3,931	1,623	366	1,699	230	27.5	179	21.4
White	7,737	7,617	109	-	3,648	1,532	351	1,722	192	24.8	161	20.8
Nonwhite	827	601	24	-	283	91	15	38	38	60.6	18	28.7
Balance of county	1,237	1,146	88	1	457	310	7	135	41	33.1	26	21.0
Madison	539	503	233	-	244	157	18	65	17	31.5	12	22.3
Mahoning	6,153	6,026	108	3	2,515	1,229	51	1,222	202	32.8	117	19.0
Youngstown (part)	4,558	4,469	60	1	1,904	871	10	1,013	145	(?)	89	(?)
White	4,144	4,121	16	1	1,668	760	10	868	115	(?)	65	(?)
Nonwhite	414	368	44	-	236	111	-	125	30	(?)	24	(?)
Youngstown (total)	4,570	4,501	60	1	1,908	871	10	1,017	145	31.7	89	19.5
White	4,156	4,133	16	1	1,672	760	10	892	115	27.7	65	15.6
Nonwhite	414	368	44	-	236	111	-	125	30	72.5	24	58.0
Campbell	306	299	5	1	77	52	-	25	6	26.1	4	13.1
White	264	262	1	1	55	38	-	17	4	15.2	3	11.4
Nonwhite	42	37	4	-	22	14	-	8	4	95.2	1	23.8
Struthers	272	286	2	-	85	51	-	34	13	47.8	5	18.4
Balance of county	1,017	972	41	1	449	255	41	150	36	35.4	19	18.7
Marion	1,398	1,338	60	-	544	331	11	194	42	30.0	26	18.6
Marion	1,036	1,005	31	-	367	212	-	148	30	29.0	18	17.4
Balance of county	362	333	29	-	177	119	11	46	12	33.1	8	22.1
Medina	956	953	3	-	402	235	13	148	18	18.8	17	17.8
Meigs	503	234	264	-	279	226	1	39	17	33.8	12	23.9
Mercer	775	754	20	-	291	152	8	126	30	38.7	4	5.2
Miami	1,607	1,583	44	-	706	430	19	248	44	27.4	27	16.8
Piqua	475	470	5	-	241	132	-	109	14	29.5	7	14.7
Balance of county	1,132	1,093	39	-	465	298	19	139	30	25.5	20	17.7
Monroe	340	144	191	-	194	160	4	30	7	20.6	4	11.8
Montgomery	10,848	10,595	252	-	3,691	1,810	230	1,571	298	27.5	210	19.4
Dayton	9,121	8,981	129	-	2,796	1,303	145	1,285	248	27.2	175	19.2
White	8,282	8,172	89	-	2,460	1,136	131	1,131	213	25.8	151	18.3
Nonwhite	859	819	40	-	336	167	14	154	35	40.7	24	27.9
Balance of county	1,727	1,604	123	-	895	507	86	266	50	29.0	35	20.3
Morgan	247	153	93	-	169	121	-	46	8	32.4	5	20.2
Morrow	364	341	22	1	213	158	3	49	12	33.0	7	19.2
Muskingum	1,956	1,879	73	1	856	466	7	332	60	30.7	47	24.0
Zanesville	1,227	1,189	35	-	523	257	5	236	39	31.8	30	24.4
Balance of county	729	690	38	1	333	229	2	96	21	26.8	17	23.3
Noble	239	189	51	-	131	98	-	33	10	41.8	7	29.3
Ottawa	685	641	43	-	303	175	9	118	19	27.7	13	19.0
Paulding	364	340	23	-	151	83	2	66	14	38.5	5	13.7
Perry	542	368	170	-	315	234	22	54	23	42.4	8	14.8
Pickaway	619	459	160	-	342	216	68	55	19	30.7	30	48.5
Pike	360	83	264	5	185	137	-	26	19	52.8	10	27.8
Portage	1,642	1,603	37	-	564	336	11	213	50	30.5	27	16.4
Preble	600	508	90	-	310	209	19	79	23	36.3	15	25.0
Putnam	639	515	123	-	267	193	7	65	18	25.0	6	9.4
Richland	2,327	2,254	72	-	846	436	18	373	87	37.4	63	21.5
Manchester	1,299	1,278	21	-	450	223	-	220	45	34.6	33	25.4
Balance of county	1,028	976	51	-	396	213	18	153	42	40.9	17	16.5
Ross	1,334	791	527	1	615	365	102	145	55	41.2	32	24.0
Chillicothe	597	486	97	-	259	171	-	86	24	40.8	22	37.5
Balance of county	747	305	430	1	356	194	102	59	31	41.5	10	13.4
Sandusky	1,155	1,093	59	1	485	272	13	195	27	23.4	18	15.6
Freemont	457	454	3	-	147	94	-	52	9	19.7	12	26.3
Balance of county	698	639	56	1	338	178	13	143	18	25.8	6	8.6
Scioto	2,140	1,695	433	5	858	533	3	266	89	41.6	58	27.1
Portsmouth	1,014	951	63	-	489	268	1	175	39	38.5	27	26.6
Balance of county	1,126	744	370	5	369	265	2	91	50	44.4	31	27.5

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
OHIO—Continued												
Seneca	1,375	1,309	65	-	608	362	49	191	44	32.0	24	17.5
Fostoria (part)	329	322	6	-	113	66	1	46	8	(7)	2	(7)
Fostoria (total)	392	386	6	-	137	77	1	59	9	23.0	4	10.2
Tiffin	497	484	13	-	231	136	17	74	21	42.3	8	16.1
Balance of county	550	503	46	-	264	160	31	71	15	27.3	14	25.5
Shelby	756	711	45	-	290	157	13	107	20	26.5	17	22.5
Stark	7,080	6,974	199	-	2,870	1,396	308	1,149	227	32.1	146	20.6
Canton	3,509	3,455	51	-	1,246	596	9	640	106	30.2	94	23.9
Massillon	871	859	12	-	365	167	13	181	27	31.0	18	20.7
Alliance	715	711	4	-	321	195	-	133	21	29.4	12	16.8
Balance of county	1,985	1,849	132	-	958	448	286	195	73	36.8	32	16.1
Summit	11,935	11,663	233	5	3,494	1,628	202	1,600	337	29.2	227	19.0
Akron	8,437	8,332	147	3	2,423	1,090	46	1,272	232	27.5	159	18.6
White	7,802	7,699	92	3	2,223	1,005	45	1,148	204	26.1	151	16.8
Nonwhite	635	633	55	-	200	75	1	124	28	40.3	27	33.8
Barberton	950	946	29	2	265	142	16	106	36	36.4	17	17.2
Cuyahoga Falls	759	754	5	-	185	105	12	59	15	19.8	11	14.5
Balance of county	1,667	1,631	52	-	621	301	139	161	54	32.0	41	24.3
Trumbull	3,770	3,659	106	-	1,267	648	27	537	115	30.5	84	22.3
Youngstown (part)	12	12	-	-	4	-	-	4	-	(7)	-	(7)
White	12	12	-	-	4	-	-	-	-	(7)	-	(7)
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Warren	1,351	1,328	20	-	496	193	3	267	47	34.8	36	25.6
Hills	462	452	10	-	152	90	-	58	16	34.6	8	17.3
Balance of county	1,945	1,867	76	-	625	365	24	208	52	26.7	40	20.6
Tuscarawas	1,728	1,565	155	-	828	511	34	264	61	35.3	28	16.2
New Philadelphia	324	313	11	-	143	98	1	34	8	24.7	4	12.3
Balance of county	1,404	1,252	144	-	685	413	33	230	53	37.7	24	17.1
Union	476	384	91	-	239	172	12	52	13	27.3	9	19.3
Van Wert	644	590	53	1	319	198	9	114	22	34.2	10	15.5
Vinton	302	50	242	2	122	85	9	25	9	29.8	5	15.5
Warren	1,021	845	169	-	390	251	29	98	33	32.3	13	12.7
Washington	1,092	902	189	-	483	334	6	152	23	21.1	16	14.7
Marietta	398	376	22	-	206	128	6	78	6	15.1	3	7.5
Balance of county	694	526	167	-	277	196	6	74	17	24.5	13	19.7
Wayne	1,554	1,397	145	-	565	341	50	163	33	21.2	19	12.2
Wooster	357	355	2	-	151	74	-	71	10	28.0	2	5.6
Balance of county	1,197	1,042	145	-	414	267	50	92	23	19.2	17	14.2
Williams	682	567	91	-	298	224	8	59	18	26.4	19	27.9
Wood	1,329	1,207	121	-	558	374	14	157	41	30.9	28	21.1
Wyandot	431	348	85	-	231	166	15	47	9	20.9	10	25.2
OKLAHOMA												
	55,684	45,248	9,831	1,077	19,327	11,472	687	6,900	1,733	32.3	1,078	20.1
White	48,025	40,106	7,445	222	16,998	9,945	609	6,196	1,429	29.8	908	18.9
Nonwhite	5,659	3,142	1,386	855	2,329	1,527	78	714	304	53.7	170	30.0
Adair	378	234	98	23	152	128	-	24	10	26.5	6	15.9
White	265	159	82	14	94	81	-	15	5	18.9	4	15.1
Nonwhite	113	75	18	9	58	47	-	11	5	44.2	2	17.7
Alfalfa	257	253	2	2	121	60	-	53	10	36.9	1	3.9
Atoka	316	140	159	10	114	96	-	17	12	38.0	10	31.6
Beaver	166	152	14	-	72	44	-	27	4	24.1	3	18.1
Beckham	395	390	13	2	192	91	-	100	21	35.2	12	30.4
Blaine	418	334	79	1	164	97	-	66	22	52.6	6	14.4
White	385	289	64	1	124	70	-	53	13	36.6	8	16.9
Nonwhite	63	45	15	-	40	27	-	13	9	142.9	-	0
Bryan	769	480	282	3	288	189	-	99	25	32.5	16	20.8
Durant	290	236	48	1	129	78	-	51	15	44.8	8	27.6
Balance of county	479	242	234	2	159	111	-	48	12	25.1	8	16.7
Caddo	1,022	732	253	28	275	165	1	107	34	35.3	20	19.6
White	838	605	220	4	226	137	1	86	27	32.2	14	16.7
Nonwhite	184	126	33	24	49	28	-	21	7	38.0	6	32.6
Canadian	588	529	57	-	216	150	-	65	19	30.6	8	13.6
El Reno	307	282	23	-	140	93	-	46	13	42.3	6	19.5
Balance of county	281	247	34	-	76	57	-	19	5	17.8	2	7.1
Carter	853	601	240	6	338	236	7	92	22	25.8	23	27.0
White	745	581	162	1	295	203	7	83	17	22.8	19	25.5
Nonwhite	108	20	78	5	43	33	-	9	5	46.3	4	37.0
Ardmore	457	374	77	3	202	139	5	58	11	24.1	12	26.3
White	392	359	33	-	170	113	5	52	9	23.0	8	25.0
Nonwhite	65	15	44	3	32	25	-	6	2	30.8	3	46.2
Balance of county	396	227	163	3	136	98	2	34	11	27.8	11	27.8
Cherokee	503	386	135	24	165	108	-	57	15	29.8	12	23.9
White	388	240	130	12	127	83	-	44	7	18.0	8	20.6
Nonwhite	115	96	5	12	38	25	-	13	8	69.6	4	34.8
Choctaw	511	261	136	97	203	152	-	50	14	27.4	5	9.8
White	368	231	122	12	152	109	-	42	9	24.5	2	5.4
Nonwhite	143	30	14	85	51	43	-	8	5	35.0	3	21.0
Cimarron	117	94	23	-	31	18	-	13	2	17.1	3	25.6
Cleveland	873	810	59	2	400	123	196	79	23	26.3	11	12.6
Norman	668	654	14	-	179	68	51	58	16	24.0	7	10.5
Balance of county	205	156	45	2	221	55	145	21	7	34.1	4	19.5
Coal	174	87	85	2	73	54	-	18	4	23.0	4	23.0
Comanche	1,155	949	178	24	361	225	-	156	46	39.8	26	22.5
Lawton	795	693	76	22	241	151	-	90	32	40.3	20	25.2
Balance of county	360	256	100	2	120	74	-	46	14	38.9	6	16.7
Cotton	284	189	94	1	102	76	-	24	4	24.6	7	24.6
Craig	348	318	22	3	334	111	150	69	20	57.5	5	14.4

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
OKLAHOMA—Continued												
Creek	1,103	806	231	50	399	270	-	124	55	49.9	33	29.9
White	945	755	180	4	332	217	-	110	39	41.4	24	25.5
Nonwhite	160	51	12	46	67	53	-	14	16	100.0	9	56.3
Sapulpa	380	342	12	25	158	76	-	62	25	65.6	13	34.2
White	319	313	5	-	116	61	-	55	16	50.3	9	28.3
Nonwhite	62	29	7	25	22	15	-	7	9	145.2	4	64.5
Balance of county	723	464	219	27	261	194	-	62	30	41.5	20	27.7
White	625	442	175	4	216	156	-	55	23	36.8	15	24.0
Nonwhite	98	22	44	23	45	38	-	7	7	71.4	5	51.0
Custer	518	499	28	1	187	85	-	98	17	32.8	9	17.4
Delaware	304	179	94	12	120	94	-	26	11	36.2	7	23.0
White	240	143	87	6	102	84	-	18	6	25.0	5	20.8
Nonwhite	64	36	7	6	18	10	-	8	5	78.1	2	31.3
Dewey	203	140	55	3	104	79	-	22	8	39.4	2	8.9
Ellis	168	161	6	-	68	44	-	24	4	23.8	2	11.9
Garfield	1,118	1,079	33	4	510	219	55	228	47	42.0	16	14.3
Enid	848	826	18	2	393	154	25	197	34	40.1	14	16.5
Balance of county	270	253	15	2	127	65	30	31	13	48.1	2	7.4
Garvin	718	642	72	2	217	128	13	70	27	37.6	15	20.9
Grady	825	618	194	10	352	226	-	124	28	33.9	18	21.8
Chickasha	401	331	61	9	208	117	-	91	19	47.4	9	22.4
White	368	324	44	-	175	88	-	87	14	38.0	7	19.0
Nonwhite	33	7	17	9	33	29	-	4	5	151.5	2	60.6
Balance of county	424	287	133	1	144	109	-	33	9	21.2	9	21.2
Grant	228	217	11	-	110	68	1	38	9	39.5	8	35.1
Greer	275	241	32	1	112	74	-	31	7	25.5	5	18.2
Harmon	200	145	53	-	61	41	-	17	5	25.0	4	20.0
Harper	125	94	31	-	62	49	-	13	6	48.0	4	32.0
Haskell	307	53	243	6	110	88	-	22	11	35.6	3	9.8
Hughes	560	395	147	13	193	117	-	54	20	35.7	11	19.6
White	487	358	126	1	163	98	-	44	14	28.7	10	20.5
Nonwhite	73	37	21	12	30	19	-	10	6	82.2	1	13.7
Jackson	485	440	41	3	167	138	-	28	11	22.7	13	26.8
Jefferson	283	199	80	3	85	49	-	36	7	24.7	6	21.2
Johnston	265	164	93	1	83	66	-	17	7	26.4	9	34.0
Key	1,245	1,196	40	-	445	221	1	200	41	32.9	18	14.5
Ponca City	505	502	3	-	166	87	-	97	15	29.7	8	15.8
Balance of county	740	694	45	-	279	154	1	103	26	35.1	10	13.5
Kingfisher	271	223	41	5	121	76	-	43	10	36.9	5	18.5
White	244	217	26	-	101	62	-	37	7	28.7	4	16.4
Nonwhite	27	6	15	5	20	14	-	6	3	111.1	1	37.0
Kiowa	469	427	62	-	168	101	1	59	13	26.6	8	16.4
Lattimer	245	77	155	3	92	59	-	33	7	28.6	2	8.2
LeFlore	879	315	532	19	297	225	-	70	30	34.1	24	27.3
Lincoln	492	354	142	12	234	179	-	52	14	28.5	11	22.4
Logan	531	375	108	45	270	156	13	98	20	37.7	10	18.8
White	424	346	72	4	211	109	13	86	13	30.7	8	16.9
Nonwhite	107	29	36	41	59	47	-	12	7	65.4	2	18.7
Guthrie	255	224	24	5	146	61	13	72	5	19.6	6	23.6
White	211	204	6	-	123	45	13	65	4	19.0	5	23.7
Nonwhite	44	20	18	5	23	16	-	7	1	22.7	1	22.7
Balance of county	276	151	84	40	124	95	-	26	15	54.3	4	14.5
White	215	142	66	4	86	64	-	21	9	42.3	3	14.1
Nonwhite	63	9	18	36	36	31	-	5	6	98.3	1	15.9
Love	192	72	114	2	59	46	-	13	5	26.0	5	26.0
McClain	341	252	103	1	102	70	-	32	6	17.6	3	8.8
McCurtain	894	287	489	68	291	216	-	73	37	41.4	21	23.5
White	695	248	412	15	210	147	-	61	27	39.8	15	21.6
Nonwhite	199	39	77	53	81	69	-	12	10	50.3	6	30.2
McIntosh	499	246	160	60	166	127	2	37	23	46.1	13	28.1
White	362	217	124	8	103	76	2	25	11	30.4	9	24.9
Nonwhite	137	29	36	52	63	51	-	12	12	87.6	4	29.2
Major	243	214	28	2	71	52	-	17	7	29.8	4	16.5
Marshall	223	152	69	-	80	56	-	23	5	22.4	8	35.9
Mayes	485	392	81	8	176	130	-	39	21	43.3	13	26.8
Murray	219	175	48	-	130	94	-	34	6	27.4	6	27.4
Muskogee	1,558	1,145	267	117	734	388	70	274	54	34.7	41	26.3
White	1,224	1,033	177	4	457	242	1	212	40	32.7	30	24.5
Nonwhite	334	112	90	113	277	146	69	62	14	41.9	11	32.9
Muskogee	939	823	44	60	454	236	1	215	32	34.1	19	20.2
White	745	729	14	-	322	141	-	179	22	29.5	12	16.1
Nonwhite	194	94	30	60	132	95	1	36	10	51.5	7	36.1
Balance of county	619	322	223	57	260	152	69	99	22	35.5	22	35.5
White	479	304	163	4	135	101	1	33	18	37.6	18	37.6
Nonwhite	140	18	60	53	145	51	68	26	4	28.6	4	28.6
Noble	293	218	75	-	111	72	-	36	7	23.9	2	6.8
Nowata	272	164	96	9	111	87	-	24	6	22.1	5	18.4
White	241	156	83	1	89	67	-	22	6	24.9	4	16.6
Nonwhite	31	8	13	8	22	20	-	2	-	0	1	32.3
Oklfuskee	450	267	155	18	167	129	-	34	21	46.7	12	26.7
White	325	214	109	-	104	77	-	24	14	43.1	9	27.7
Nonwhite	125	53	46	18	63	52	-	10	7	56.0	3	24.0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

67

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
OKLAHOMA—Continued												
Oklahoma	7,850	7,625	183	22	2,308	1,164	50	1,075	242	30.8	157	20.0
Oklahoma City	6,547	6,403	127	5	1,906	927	17	930	203	31.0	131	20.0
White	5,053	5,776	65	4	1,680	823	17	811	170	29.0	108	18.5
Nonwhite	694	627	64	1	226	104	-	119	33	47.6	23	33.1
Balance of county	1,303	1,222	56	17	402	237	13	145	39	29.9	26	20.0
Okmulgee	1,103	905	197	77	427	273	-	154	45	40.8	25	22.7
White	859	745	108	1	320	197	-	123	26	30.3	21	24.4
Nonwhite	244	60	89	76	107	76	-	31	19	77.9	4	18.4
Okmulgee	434	365	34	32	185	103	-	82	19	43.8	5	11.5
White	343	339	4	-	156	73	-	65	12	35.0	4	11.7
Nonwhite	91	26	30	32	47	30	-	17	7	76.9	1	11.0
Balance of county	669	440	163	45	242	170	-	72	26	38.9	20	29.9
White	516	406	104	1	182	124	-	58	14	37.1	17	32.9
Nonwhite	153	34	59	44	60	46	-	14	12	78.4	3	19.6
Osage	694	591	100	3	245	146	29	68	16	23.1	11	15.9
Ottawa	957	751	198	3	337	212	-	122	25	26.1	21	21.9
Pawnee	307	264	40	1	136	86	-	49	4	13.0	7	22.8
Payne	1,130	1,070	53	5	311	182	-	119	43	39.1	23	20.4
Stillwater	627	624	3	-	103	52	-	49	17	27.1	10	15.9
Balance of county	505	446	50	5	208	130	-	70	26	51.7	13	25.8
Pittsburg	1,031	749	232	19	362	246	15	123	21	20.4	18	17.5
White	921	698	191	11	337	212	9	116	21	22.6	15	16.3
Nonwhite	110	51	41	8	45	34	4	7	-	0	3	27.3
McAlester	426	379	25	4	167	98	7	62	9	21.1	6	14.1
White	369	348	14	3	146	85	5	56	9	24.4	4	10.8
Nonwhite	57	31	21	1	21	13	-	6	-	0	2	35.1
Balance of county	605	370	197	15	215	148	6	61	12	19.8	12	19.8
White	552	350	177	8	191	127	4	60	12	21.7	11	19.9
Nonwhite	53	20	20	7	24	21	2	1	-	0	1	18.9
Pontotoc	840	705	130	1	291	177	-	113	17	20.2	15	17.9
Ada	480	443	46	-	190	106	-	83	11	22.4	9	18.4
Balance of county	350	262	84	1	101	71	-	30	6	17.1	6	17.1
Pottawatomie	1,057	947	93	14	375	220	-	153	31	29.3	16	15.1
Shawnee	632	610	9	12	260	142	-	118	16	25.3	10	15.8
Balance of county	425	337	84	2	115	78	-	35	15	35.3	6	14.1
Pushmataha	285	109	156	12	93	59	-	34	8	26.1	9	31.6
Roger Mills	174	160	13	-	49	37	-	12	1	5.7	2	11.5
Rogers	442	344	94	2	196	120	-	76	14	31.7	13	29.4
Seminole	933	787	78	48	330	203	-	125	34	36.4	23	24.7
White	765	697	59	5	269	157	-	111	25	32.7	20	26.1
Nonwhite	169	90	19	43	61	46	-	14	9	53.6	3	17.9
Seminole	294	287	5	-	98	47	-	50	12	40.8	6	20.4
Nowata	193	167	11	11	69	49	-	20	6	31.1	3	15.5
White	155	151	4	-	50	34	-	16	3	19.4	2	12.9
Nonwhite	39	16	7	11	19	15	-	4	3	78.9	1	26.3
Balance of county	446	333	62	37	163	107	-	55	16	38.9	14	31.4
White	335	276	52	5	126	80	-	46	11	32.8	12	35.8
Nonwhite	111	57	10	32	37	27	-	9	5	45.0	2	18.0
Sequoyah	514	162	294	27	166	119	-	45	22	42.8	16	31.1
White	452	135	285	12	138	101	-	35	17	37.6	14	31.0
Nonwhite	62	27	9	15	28	18	-	10	5	60.6	2	39.3
Stephens	792	753	34	1	234	137	-	96	23	31.6	9	11.4
Texas	339	282	57	-	91	53	-	37	7	20.6	4	11.8
Tillman	471	390	57	19	193	130	-	63	20	42.5	9	19.1
White	403	372	29	-	159	104	-	55	14	34.7	4	9.9
Nonwhite	68	18	28	19	34	26	-	8	6	68.2	5	73.5
Tulsa	5,849	5,429	325	77	1,821	926	15	861	176	30.1	94	15.1
White	5,336	5,058	260	11	1,624	814	15	777	152	29.5	77	14.4
Nonwhite	513	371	65	66	197	112	-	84	24	46.8	17	33.1
Tulsa	4,594	4,414	111	57	1,492	693	3	777	136	29.6	69	15.0
White	4,146	4,070	68	5	1,319	600	3	698	116	28.0	55	13.3
Nonwhite	448	344	45	52	173	93	-	79	20	44.6	14	31.3
Balance of county	1,255	1,015	214	20	329	233	12	84	40	31.9	25	19.9
Wagoner	456	127	290	37	112	88	-	24	6	13.2	11	24.1
White	343	120	213	6	78	58	-	20	5	14.6	9	26.2
Nonwhite	113	7	67	31	34	30	-	4	1	8.8	2	17.7
Washington	739	699	39	-	280	168	3	106	22	29.8	18	24.4
Bartlesville	482	475	7	-	192	105	1	86	13	27.0	9	18.7
Balance of county	257	224	32	-	88	63	2	20	9	35.0	9	35.0
Washita	379	354	23	1	123	83	-	40	4	10.6	11	29.0
Woods	370	364	6	-	158	64	-	58	11	28.7	8	21.6
Woodward	339	331	7	-	303	137	67	78	17	50.1	4	11.8
OREGON	36,294	35,816	362	4	13,501	6,141	895	6,138	695	24.7	562	15.5
White	35,740	35,298	355	2	13,255	6,041	865	6,013	660	24.1	543	15.2
Nonwhite	554	530	7	2	246	100	20	125	35	63.2	19	34.3
Baker	403	398	14	-	180	91	4	85	9	22.3	9	22.3
Benton	821	810	9	-	204	94	1	105	17	20.7	17	20.7
Clackamas	1,666	1,846	21	-	638	345	23	251	45	23.9	26	13.8
Clatsop	637	631	5	1	304	126	-	172	16	19.1	16	19.1
Astoria	328	328	-	-	181	55	-	121	5	15.2	7	21.5
Balance of county	509	503	5	1	123	71	-	51	11	21.6	9	17.7
Columbia	552	524	25	-	164	106	-	55	17	30.8	10	18.1
Cook	970	963	5	-	327	132	16	162	32	33.0	11	11.3
Crook	209	207	2	-	39	24	-	14	4	19.1	2	9.6

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
OREGON—Continued												
Curry	92	86	3	-	40	28	-	12	1	10.9	2	21.7
Deschutes	544	542	1	-	163	62	8	91	13	23.9	8	14.7
Bend	320	319	-	-	111	36	8	65	10	31.3	5	15.6
Balance of county	224	223	1	-	52	26	-	26	3	13.4	3	13.4
Douglas	1,074	1,040	25	-	378	181	65	120	30	27.9	24	22.3
Gilliam	64	64	-	-	24	14	-	10	3	46.9	1	15.6
Grant	166	163	3	-	58	39	-	20	3	18.1	4	24.1
Harney	146	146	-	-	45	22	-	23	7	47.9	1	6.8
Hood River	329	329	-	-	123	56	2	65	12	36.5	6	18.2
Jackson	1,351	1,345	5	-	538	280	7	237	39	28.9	25	18.5
Medford	555	555	-	-	228	85	3	136	18	32.4	8	14.4
Balance of county	796	790	5	-	310	195	4	101	21	26.4	17	21.4
Jefferson	98	98	-	-	25	13	-	12	6	61.2	2	20.4
White	69	68	-	-	11	8	-	3	2	29.0	-	0
Nonwhite	29	25	-	-	14	5	-	9	4	137.9	2	69.0
Josephine	541	519	21	-	221	107	-	109	15	27.7	11	20.3
Klamath	1,235	1,277	9	1	307	145	10	152	34	26.3	17	13.1
Klamath Falls	785	781	1	-	205	76	2	125	20	25.5	12	15.3
Balance of county	510	496	8	1	102	67	8	27	14	27.5	5	9.8
Lake	211	210	1	-	57	25	-	32	7	33.2	-	0
Lane	2,848	2,781	63	-	818	458	10	358	76	26.7	42	14.7
Eugene	1,040	1,037	3	-	408	147	10	240	28	26.9	11	10.6
Balance of county	1,608	1,744	60	-	410	291	-	116	48	26.5	31	17.1
Linn	465	451	10	-	174	95	-	78	13	28.0	8	17.2
Linn	1,335	1,316	13	-	436	204	14	196	36	27.0	20	15.0
Malheur	680	674	4	-	145	69	-	75	9	13.2	10	14.7
Marion	2,262	2,218	31	-	1,199	415	588	371	58	25.6	21	9.3
Salem	1,028	1,023	2	-	752	192	525	230	25	24.3	6	5.8
Balance of county	1,234	1,195	29	-	437	223	63	141	33	26.7	15	12.2
Morrow	110	89	18	-	45	33	-	12	-	0	1	9.1
Multnomah	11,773	11,724	34	-	4,918	2,115	181	2,449	268	22.8	177	15.0
Portland	10,013	10,013	24	-	4,178	1,814	57	2,211	207	20.6	164	16.3
Balance of county	1,730	1,711	10	-	740	301	124	238	61	35.3	13	7.5
Polk	678	669	8	1	203	131	-	71	22	32.4	12	17.7
Sherman	46	46	-	-	11	6	-	5	2	45.5	-	0
Tillamook	475	467	7	-	135	59	-	76	15	31.6	12	25.3
Umatilla	914	907	5	-	411	137	115	199	15	16.4	18	19.7
Union	468	466	1	-	186	60	1	123	12	25.6	10	21.4
Wallowa	178	177	1	-	56	31	-	25	4	22.5	2	11.2
Wasco	337	331	1	1	159	58	26	75	6	17.8	5	14.8
Washington	1,224	1,210	11	-	392	211	11	161	26	21.2	23	18.8
Wheeler	70	67	2	-	18	5	-	13	1	14.5	-	0
Yamhill	846	838	4	-	368	186	3	172	22	26.0	9	10.8
PENNSYLVANIA	248,515	224,115	24,225	95	110,459	59,210	6,875	43,626	7,741	31.1	5,027	20.2
White	233,437	210,912	22,384	73	103,025	56,671	6,426	39,221	6,884	29.5	4,569	19.6
Nonwhite	15,076	13,201	1,641	22	7,434	2,539	449	4,405	857	56.8	459	30.4
Adams	1,089	886	202	-	394	293	11	89	32	29.4	11	10.1
Allegheny	55,146	53,644	1,470	21	15,485	8,011	1,008	6,383	980	27.9	780	21.3
Pittsburgh	18,895	18,187	500	3	7,982	4,109	170	3,662	504	27.0	436	23.3
White	16,859	16,484	389	3	7,061	3,675	163	3,162	432	25.6	385	22.8
Nonwhite	1,834	1,723	111	-	921	433	7	480	72	39.3	51	27.8
McKeesport	1,610	1,488	120	2	589	318	-	271	60	37.3	33	20.5
Wilkesburg	596	581	5	-	374	197	13	157	19	31.9	12	20.1
Bellevue	239	236	2	-	134	66	-	45	3	12.6	2	8.4
Braddock	446	424	21	-	202	89	-	112	22	49.3	12	26.9
White	391	375	15	-	169	75	-	94	17	43.5	11	28.1
Nonwhite	55	49	6	-	33	14	-	18	5	80.9	1	18.2
Carnegie	463	437	26	-	142	75	-	65	9	19.4	8	17.3
Clairton	492	439	48	2	137	88	-	49	11	22.4	8	16.3
White	416	390	24	2	104	70	-	32	5	12.0	4	9.6
Nonwhite	76	49	24	-	33	16	-	17	6	78.9	4	52.6
Coraopolis	355	348	7	-	95	43	1	51	5	14.1	7	19.7
Dormont	97	97	-	-	133	66	-	47	7	72.2	1	10.3
Duquesne	519	486	24	9	180	118	-	65	12	23.1	13	25.0
Harrison (twp.) ⁵	276	269	6	-	96	41	-	55	7	25.4	4	14.5
Homestead	320	327	3	-	133	56	-	76	6	18.2	6	18.2
White	303	300	3	-	109	49	-	59	6	19.8	5	16.5
Nonwhite	27	27	-	-	24	-	-	17	-	0	1	37.0
McKees Rocks	656	635	21	-	233	125	-	107	15	22.9	8	12.2
Mount Lebanon (twp.) ⁵	129	128	1	-	141	90	14	36	2	15.5	1	7.8
Mumfoll	241	238	3	-	136	73	-	62	5	20.7	2	8.3
North Braddock	378	361	16	-	116	72	-	44	5	13.2	14	37.0
Shaler (twp.) ⁵	222	209	13	-	53	23	-	30	14	63.1	4	18.0
Stowe (twp.) ⁵	24	24	-	-	4	3	-	1	-	0	-	0
Swissvale	320	312	8	-	139	65	6	48	9	28.1	7	21.9
Balance of county	9,060	8,406	646	5	4,476	2,240	804	1,405	265	29.2	172	18.0
White	8,822	8,212	604	5	4,251	2,179	705	1,340	255	28.9	160	18.1
Nonwhite	238	196	42	-	225	61	99	65	10	42.0	12	50.4
Armstrong	2,191	1,578	612	-	785	547	21	216	62	28.3	56	25.6
Beaver	4,344	4,008	327	8	1,539	886	66	583	151	34.8	102	23.5
Aliquippa	730	609	114	7	210	125	-	85	30	41.1	21	28.8
White	602	558	44	-	168	96	-	72	21	34.9	17	28.2
Nonwhite	126	51	70	7	42	29	-	13	9	70.3	4	31.3
Ambridge	573	562	11	-	156	86	-	68	12	20.9	13	22.7

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

69

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS			DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS			
	Total ¹	Attended by—			Total ²	Not in insti- tution	In resi- dent insti- tution	In non- resident insti- tution	Number	Rate	Number	Ratio
		Physician in hos- pital	Physician not in hospital	Midwife								
PENNSYLVANIA—Continued												
Beaver—Continued												
Beaver Falls	545	515	32	-	206	110	-	94	17	31.2	7	12.8
Ellwood City (part)	24	22	2	-	7	7	-	-	-	(?)	-	(?)
Balance of county	2,472	2,502	169	1	960	556	66	356	92	37.2	61	24.7
Bedford	1,022	625	393	-	431	321	10	100	32	31.3	27	28.4
Berks	5,337	4,661	675	-	2,806	1,528	239	1,036	51	24.5	112	21.0
Reading	2,379	2,264	115	-	1,308	716	8	591	43	18.1	46	20.2
Balance of county	2,958	2,397	560	-	1,498	812	231	455	88	29.7	64	21.6
Blair	3,695	3,235	455	-	1,612	969	87	548	123	35.3	65	25.0
Altoona	2,127	1,978	146	-	926	560	-	361	76	35.7	48	22.6
Balance of county	1,568	1,257	309	-	686	409	87	187	47	30.0	37	25.6
Bradford	1,587	1,284	103	-	654	397	21	222	57	43.1	26	18.7
Bucks	3,001	2,878	122	-	1,241	779	42	409	72	24.0	47	15.7
Bristol	474	468	6	-	146	88	-	55	9	19.0	7	14.8
Balance of county	2,527	2,410	116	-	1,095	691	42	354	63	24.9	40	15.8
Butler	2,376	2,027	348	-	902	561	43	282	65	27.4	41	17.3
Butler	667	635	32	-	239	147	-	88	15	22.5	8	12.0
Balance of county	1,709	1,392	316	-	664	414	43	194	50	29.3	33	19.3
Cambria	5,707	4,560	1,006	2	1,943	1,016	106	816	176	32.8	145	27.0
Johnstown	2,056	1,959	97	-	793	378	-	413	72	35.0	66	32.1
Balance of county	3,314	2,401	909	2	1,150	638	106	403	104	31.4	79	25.8
Cameron	223	214	9	-	82	60	-	22	9	40.4	6	26.9
Carbon	1,519	981	338	-	648	363	66	199	44	35.4	27	20.5
Centre	1,464	1,325	138	-	546	326	40	180	50	34.2	33	22.5
Chester	3,581	3,506	275	-	1,621	781	195	633	121	33.8	51	14.2
Costantville	445	407	38	-	130	74	-	56	15	35.7	6	13.5
White	376	353	23	-	104	67	-	37	10	26.6	4	10.6
Nonwhite	69	54	15	-	26	7	-	19	5	72.5	2	29.0
Phoenixville	304	292	12	-	133	76	-	54	13	42.8	5	16.4
West Chester	582	377	5	-	255	100	11	123	25	65.4	5	13.1
White	311	309	2	-	190	80	11	99	16	51.4	1	3.2
Nonwhite	71	68	3	-	45	20	-	24	9	126.8	4	56.3
Balance of county	2,450	2,230	220	-	1,123	531	184	400	68	27.8	35	14.3
Clarion	975	469	506	-	393	308	7	78	38	39.0	23	23.6
Clearfield	2,231	1,819	408	2	876	499	47	329	54	24.2	46	20.6
Da Bois	336	351	5	-	145	79	-	66	7	20.8	6	17.9
Balance of county	1,895	1,468	403	2	731	420	47	263	47	24.8	40	21.1
Clinton	1,085	1,054	31	-	419	223	-	192	42	38.7	25	25.0
Lock Haven	378	374	4	-	169	76	-	91	15	39.7	14	37.0
Balance of county	707	680	27	-	250	147	-	101	27	38.2	11	15.6
Columbia	1,335	1,239	96	-	552	334	1	215	56	27.0	18	13.5
Bornvick	382	374	8	-	155	79	-	75	9	25.6	9	23.6
Balance of county	953	865	88	-	397	255	1	140	27	28.3	9	9.4
Crawford	2,019	1,941	78	-	908	492	53	360	61	30.2	32	15.8
Meadville	554	552	2	-	252	118	2	132	23	41.5	9	16.2
Balance of county	1,465	1,389	76	-	656	374	51	228	39	25.9	23	15.7
Cumberland	2,227	1,938	289	-	874	552	28	281	52	25.3	40	18.0
Carlisle	401	382	19	-	192	123	1	67	14	34.9	5	12.5
Balance of county	1,826	1,556	270	-	682	439	27	214	38	20.8	35	19.2
Dauphin	4,572	4,013	558	1	2,277	1,290	335	653	122	26.7	116	25.4
Harrisburg	2,220	2,087	133	-	1,110	670	13	420	71	32.0	67	30.2
Steelton	340	309	30	-	119	82	-	37	5	14.7	6	17.6
White	273	259	14	-	89	58	-	30	3	11.0	1	3.7
Nonwhite	67	50	16	-	31	24	-	7	2	29.9	5	74.6
Balance of county	2,012	1,617	393	1	1,048	528	322	196	46	22.9	43	21.4
Delaware	9,083	8,876	203	2	3,457	1,895	196	1,292	246	27.1	173	19.0
Chester	2,125	2,017	103	2	717	366	1	343	77	36.2	59	27.3
White	1,687	1,647	39	1	517	264	1	246	37	21.9	41	24.3
Nonwhite	438	370	66	1	200	102	-	97	40	91.3	17	58.8
Haverford (tpw.) ⁵	277	275	2	-	158	117	-	40	7	25.3	9	32.5
Upper Darby (tpw.) ⁵	1,498	1,489	8	-	590	346	8	211	39	26.0	17	11.3
Darby	394	378	6	-	118	49	12	54	14	36.5	9	20.8
White	346	342	4	-	100	42	12	43	12	34.7	6	17.3
Nonwhite	38	36	2	-	18	7	-	11	2	52.8	2	52.6
Lansdowne	339	336	3	-	142	93	-	44	8	23.8	8	23.6
Balance of county	4,460	4,301	79	-	1,742	924	175	600	101	22.8	73	16.4
Elk	883	863	20	-	319	183	13	125	28	31.7	11	12.5
Erie	5,683	5,470	210	-	2,125	1,201	112	781	173	30.4	90	15.8
Erie	3,852	3,778	72	-	1,400	786	35	559	114	29.5	63	16.4
Balance of county	1,831	1,692	138	-	725	415	77	222	59	32.2	27	14.7
Fayette	4,730	3,507	1,217	4	1,901	1,247	57	596	187	39.5	154	32.6
Connellsville	365	298	67	-	198	119	-	79	20	54.8	12	32.9
Uniontown	726	675	51	-	304	189	-	115	20	27.5	19	28.2
Balance of county	3,639	2,534	1,099	4	1,399	959	57	402	147	40.4	123	33.8
Forest	142	104	39	-	35	24	1	7	2	14.1	2	14.1
Franklin	1,901	1,688	213	-	815	510	39	261	41	21.6	41	21.6
Chambersburg	437	432	5	-	210	129	2	79	9	20.6	8	18.3
Weynesboro	251	236	15	-	124	81	2	39	7	27.9	4	15.9
Balance of county	1,215	1,020	193	-	461	300	35	143	25	20.6	29	23.9
Fulton	289	115	154	-	107	85	-	21	11	40.9	5	18.6
Greene	1,181	880	301	-	439	270	16	152	63	53.3	28	23.7
Huntingdon	1,094	670	423	1	431	296	13	119	22	20.1	22	20.1

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
PENNSYLVANIA—Continued												
Indiana	2,039	1,531	507	1	769	470	33	265	71	34.8	60	29.4
Indiana	319	309	10	-	116	70	-	45	7	21.9	9	28.2
Balance of county	1,720	1,222	497	1	653	400	33	220	64	37.2	51	29.7
Jefferson	1,333	1,160	173	-	570	378	16	175	46	34.5	12	9.0
Juniata	406	210	195	-	134	100	-	33	8	19.7	9	22.2
Lackawanna	5,573	5,276	278	14	3,161	1,704	294	1,154	168	30.1	124	22.3
Scranton	2,831	2,719	107	5	1,523	868	7	642	72	25.4	69	24.0
Carbondale	386	378	17	-	203	120	-	83	15	37.9	11	27.8
Dickson City	174	167	6	-	79	51	-	28	4	23.0	1	5.7
Dunmore	359	349	10	-	243	127	40	76	15	41.8	4	11.1
Old Forge	215	188	24	3	85	60	-	25	3	14.0	6	37.2
Balance of county	1,588	1,475	113	6	1,028	478	247	300	59	36.9	32	20.0
Lancaster	5,768	4,526	1,239	1	2,339	1,321	238	762	157	27.2	103	17.9
Lancaster	1,694	1,598	85	1	761	368	3	380	61	36.0	33	19.5
Columbia	335	319	16	-	142	87	-	44	10	29.9	3	9.0
Balance of county	3,739	2,609	1,128	-	1,436	856	235	338	86	23.0	67	17.9
Lawrence	2,573	2,478	88	7	1,038	581	30	410	65	25.3	51	19.8
New Castle	1,310	1,278	26	6	586	321	3	259	35	26.7	31	23.7
Ellwood City (part)	312	308	4	-	102	60	-	42	6	(?)	4	(?)
Ellwood City (total)	336	330	6	-	109	67	-	42	6	17.9	4	11.9
Balance of county	951	892	58	1	350	210	27	109	24	25.2	16	16.8
Lebanon	2,084	1,772	311	1	812	494	35	281	59	28.3	43	20.8
Lebanon	911	848	62	1	394	232	6	154	26	26.5	16	18.8
Balance of county	1,173	924	249	-	418	262	29	127	33	26.1	25	21.3
Lehigh	4,511	4,010	498	-	2,067	977	203	882	167	37.0	89	19.7
Allentown	2,468	2,297	171	-	1,233	510	150	570	102	41.3	47	19.0
Bethlehem (part)	424	420	2	-	139	58	-	81	19	(?)	7	(?)
Balance of county	1,619	1,293	325	-	695	409	53	231	46	26.4	35	21.6
Luzerne	8,765	6,232	530	2	4,240	2,657	58	1,523	312	35.6	178	20.3
Hazleton	861	845	16	-	373	221	13	139	40	46.5	19	22.1
Wilkes-Barre	2,016	1,909	106	-	1,026	617	2	406	68	33.7	40	19.8
Enonver (tpv.) ⁵	101	95	6	-	25	19	-	6	1	9.9	1	9.9
Kingston	475	470	5	-	226	143	-	83	20	42.1	5	10.5
Monticocco	440	427	13	-	237	132	-	105	14	31.8	8	18.2
Pittston	497	469	28	-	221	155	-	65	16	32.2	8	16.1
Plains (tpv.) ⁵	237	224	13	-	87	52	-	35	5	21.1	6	25.3
Plymouth	354	334	20	-	179	115	-	64	12	33.9	9	25.4
Balance of county	3,784	3,459	323	2	1,866	1,203	43	620	136	35.9	62	21.7
Lycoming	2,566	2,376	190	-	1,132	647	39	444	82	32.0	48	18.7
Williamsport	1,313	1,250	63	-	601	305	5	291	54	41.1	30	22.8
Balance of county	1,253	1,126	127	-	531	342	34	153	28	22.3	18	14.4
McKean	1,536	1,489	47	-	593	328	14	249	55	35.8	35	22.8
Bradford	560	553	2	-	223	97	-	125	29	50.0	13	23.2
Balance of county	976	936	45	-	370	231	14	124	27	27.7	22	22.5
Mercer	2,691	2,728	162	1	1,104	615	63	424	65	29.4	48	18.6
Sharon	619	609	10	-	274	130	5	139	23	28.1	11	13.4
Farrell	341	328	13	-	111	50	-	61	12	35.2	7	20.5
White	288	277	11	-	95	42	-	53	9	31.3	5	17.4
Nonwhite	53	51	2	-	16	8	-	8	3	56.6	2	37.7
Balance of county	1,731	1,591	139	1	719	435	58	224	50	28.9	30	17.3
Mifflin	1,139	910	229	-	460	284	7	167	53	44.2	24	20.0
Lewistown	469	437	32	-	188	114	-	73	18	38.4	10	21.3
Balance of county	730	473	257	-	272	170	7	94	35	47.9	14	19.2
Monroe	753	640	113	-	369	236	9	119	24	31.9	8	10.6
Montgomery	7,635	7,558	275	-	3,456	1,833	440	1,154	194	24.8	105	13.4
Lower Merion (tpv.) ⁵	856	851	5	-	378	201	1	173	12	14.0	6	7.0
Norristown	964	942	21	-	778	241	343	192	50	51.9	15	15.6
Abington (tpv.) ⁵	360	357	2	-	182	109	10	61	6	16.7	8	22.2
Cheltenham (tpv.) ⁵	343	339	4	-	188	115	9	61	5	14.6	2	5.8
Conshohocken	405	373	32	-	143	81	-	61	13	32.1	6	14.8
Pottstown	612	598	14	-	259	136	1	119	22	35.9	8	15.1
Balance of county	4,295	4,098	197	-	1,528	950	76	467	86	20.0	60	14.0
Montour	318	255	63	-	301	89	162	48	9	28.3	8	25.2
Northampton	4,322	3,958	364	-	1,833	972	70	779	132	30.5	73	16.9
Bethlehem (part)	1,241	1,218	23	-	485	205	-	277	44	(?)	14	(?)
Bethlehem (total)	1,669	1,639	25	-	624	263	-	359	63	37.8	21	12.6
Easton	1,123	1,076	47	-	502	259	9	231	25	22.3	19	16.9
Balance of county	1,958	1,664	294	-	848	508	61	270	63	32.2	40	20.4
Northumberland	2,898	2,448	444	1	1,338	908	36	392	112	36.7	53	18.3
Mount Carmel	295	260	35	-	171	120	-	51	20	67.8	8	27.1
Shenandoah	810	713	97	-	268	194	-	73	18	22.2	7	8.6
Sunbury	428	398	30	-	211	125	1	85	19	44.4	6	14.0
Balance of county	1,362	1,077	282	1	688	469	35	183	55	40.4	32	23.5
Perry	611	417	194	-	269	207	1	61	24	39.3	15	21.3
Philadelphia, coextensive with Philadelphia (city)	47,915	46,151	1,734	17	24,128	8,735	1,267	12,862	1,640	34.2	949	19.8
White	38,827	38,028	781	10	19,943	8,734	1,109	9,865	1,113	28.7	698	16.0
Nonwhite	9,088	8,123	953	7	4,185	1,001	158	2,997	527	58.0	251	27.6
Pike	166	145	21	-	118	90	-	27	6	36.1	7	42.2
Potter	450	402	48	-	221	128	12	81	16	35.6	13	28.9
Schuylkill	4,616	3,935	676	-	2,406	1,478	144	786	164	35.5	85	18.4
Mahanoy City	284	237	47	-	150	105	-	45	6	21.1	3	10.6
Pottsville	599	576	23	-	309	169	-	140	35	58.4	10	16.7
Shenandoah	329	300	29	-	210	150	-	60	16	46.6	7	21.3
Tamaqua	270	244	26	-	145	77	-	68	5	18.5	6	22.2
Balance of county	3,134	2,578	554	-	1,592	975	144	473	102	32.5	59	18.6

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
PENNSYLVANIA—Continued												
Snyder	517	359	158	-	248	164	27	56	13	25.1	5	9.7
Somerset	2,045	1,474	567	2	800	532	47	221	62	30.3	45	22.0
Sullivan	182	142	40	-	81	62	1	18	4	22.0	4	22.0
Susquehanna	816	626	190	-	347	241	9	94	15	18.4	12	14.7
Tioga	895	730	163	-	428	287	13	127	24	26.9	26	29.1
Union	520	430	90	-	237	189	7	38	15	25.0	14	26.9
Venango	1,599	1,485	116	-	774	426	80	264	42	26.3	31	19.4
Oil City	558	543	15	-	251	158	-	112	16	29.7	8	14.3
Balance of county	1,041	940	101	-	523	288	60	152	26	25.0	23	22.1
Warren	958	886	72	-	722	297	231	184	27	28.2	22	23.0
Warren	395	390	5	-	214	119	9	22.8	5	22.8	5	12.7
Balance of county	563	496	67	-	508	178	231	18	18	32.0	17	30.2
Washington	5,109	4,375	730	2	1,962	1,190	95	672	170	33.3	95	18.8
Washington	887	886	50	-	378	214	13	151	43	48.5	12	13.5
Canonsburg	304	290	14	-	95	56	-	37	7	23.0	11	36.2
Charleroi	294	292	2	-	102	65	-	30	9	30.6	7	23.8
Donora	324	317	7	-	100	62	-	38	10	30.9	6	18.5
Balance of county	3,500	2,640	657	2	1,289	795	62	408	101	30.6	59	17.9
Wayne	559	468	90	-	380	247	40	87	19	34.0	15	26.8
Westmoreland	7,799	6,910	880	4	2,869	1,619	236	1,004	252	32.3	179	23.0
Arnold	252	249	2	-	62	30	-	24	9	35.7	5	19.8
Greensburg	604	573	30	1	199	100	4	94	21	34.8	13	21.5
Jeanette	437	419	38	-	135	85	-	51	15	32.8	8	19.7
Latrobe	327	320	7	-	137	72	-	64	13	39.8	8	24.5
Monacaon	445	405	40	1	168	100	-	67	25	56.1	15	33.6
New Kensington	734	721	13	-	258	111	-	127	26	35.4	15	20.4
Vandergrift	270	224	46	-	74	47	-	27	6	22.2	5	18.5
Balance of county	4,709	3,989	704	2	1,855	1,068	232	550	137	29.1	109	23.1
Wyoming	399	263	134	-	177	135	-	41	11	27.6	4	10.0
York	5,039	3,702	1,336	1	1,948	1,314	45	565	157	31.2	92	18.3
York	1,962	1,610	352	-	770	489	-	285	64	32.6	33	16.8
Hanover	482	437	45	-	184	118	-	66	20	41.5	4	8.3
Balance of county	2,595	1,655	939	1	994	707	45	234	73	28.1	55	21.2
RHODE ISLAND												
	18,536	18,104	375	15	8,368	4,439	564	3,210	322	28.2	305	16.5
White	18,144	17,729	362	15	8,193	4,371	551	3,116	501	27.6	302	16.6
Nonwhite	392	375	13	-	175	68	13	94	21	55.6	3	7.7
Bristol	685	659	21	5	287	183	6	86	15	21.9	16	23.4
Bristol (town)	290	271	16	3	136	87	6	36	7	24.1	9	31.0
Balance of county	395	388	5	2	151	96	-	50	8	20.3	7	17.7
Kent	1,866	1,824	41	-	693	449	-	223	50	26.8	24	12.9
Warwick	959	949	10	-	390	244	-	125	23	24.0	12	12.5
West Warwick (town)	500	484	15	-	190	113	-	66	21	48.0	7	14.0
Balance of county	407	391	16	-	133	92	-	52	6	14.7	5	12.3
Newport	1,594	1,575	15	-	581	265	3	297	42	26.3	16	10.0
Newport	954	948	4	-	330	157	3	211	26	27.3	11	11.5
Balance of county	640	627	11	-	201	108	-	86	16	25.0	5	7.8
Providence	15,208	12,873	2,900	10	6,406	3,350	548	2,451	375	28.4	229	17.3
Providence	6,000	5,893	79	4	2,852	1,488	83	1,158	170	28.3	106	17.7
Central Falls	635	591	43	-	206	133	-	69	14	22.0	8	12.5
Cranton	980	970	4	3	876	246	379	22	22.4	17	17.3	
East Providence (town)	734	725	7	1	352	219	1	123	21	28.6	13	17.7
Fawcuket	1,823	1,749	73	-	878	502	41	329	44	24.1	30	16.5
Woonsookpt	1,340	1,304	36	-	504	294	3	207	50	37.3	27	20.1
Cumberland (town)	262	252	10	-	106	62	-	43	12	45.8	3	11.5
Johnston (town)	290	285	2	2	90	63	-	27	5	17.2	2	6.9
Lincoln (town)	219	211	7	-	101	71	-	30	8	36.5	4	18.3
North Providence (town)	294	288	5	-	115	67	-	48	8	27.2	9	30.6
Balance of county	631	605	24	-	346	185	41	114	21	33.3	10	15.8
Washington	1,183	1,173	8	-	401	212	7	173	40	33.8	20	16.9
Westerly (town)	327	324	3	-	124	64	-	54	10	30.6	5	15.3
Balance of county	856	849	5	-	277	143	7	119	30	35.0	15	17.5
SOUTH CAROLINA												
	59,470	31,226	11,320	16,626	17,230	11,160	590	5,420	2,382	39.5	1,911	32.1
White	54,076	27,236	6,128	697	8,927	5,099	256	3,517	1,112	32.6	705	20.7
Nonwhite	25,394	3,990	5,192	16,131	8,303	6,061	324	1,903	1,240	48.8	1,206	47.5
Abbeville	389	118	152	119	174	121	-	53	20	51.4	8	20.6
Abbeville	209	107	95	7	100	63	-	37	14	67.0	3	14.4
Nonwhite	180	11	57	112	74	50	-	26	6	33.3	5	27.8
Aiken	1,360	721	374	264	415	301	-	113	38	27.9	50	36.8
Aiken	888	640	233	14	231	152	-	78	23	25.9	22	24.8
Nonwhite	472	81	141	250	184	149	-	35	15	31.8	28	59.3
Allendale	390	57	53	280	105	94	-	11	12	30.8	19	48.7
Allendale	93	56	34	3	26	19	-	7	2	21.5	-	0
Nonwhite	297	1	19	277	79	75	-	4	10	33.7	19	64.0
Anderson	2,448	1,634	622	191	664	430	2	231	84	34.3	71	29.0
Anderson	1,943	1,545	378	20	461	276	1	183	55	28.3	51	26.2
Nonwhite	505	89	244	171	203	154	1	48	29	57.4	20	39.5
Anderson	858	741	93	23	253	137	-	116	34	39.6	19	22.1
Anderson	727	690	35	2	178	84	-	94	27	37.1	16	22.0
Nonwhite	131	51	58	21	75	53	-	22	7	53.4	3	22.9
Balance of county	1,590	893	529	188	411	293	2	115	50	31.4	52	32.7
Anderson	1,216	855	343	18	283	192	1	89	28	23.0	35	28.8
Nonwhite	374	38	186	150	128	101	1	26	22	58.8	17	45.5

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
SOUTH CAROLINA—Continued												
Bamberg-----	429	61	94	254	160	131	-	28	14	32.6	28	65.3
White-----	158	77	73	8	61	44	-	16	6	38.0	6	38.0
Nonwhite---	271	4	21	246	99	87	-	12	8	28.5	22	61.2
Barnwell-----	490	57	111	322	189	142	-	27	20	40.8	23	46.9
White-----	132	55	68	9	64	49	-	15	4	30.3	6	45.5
Nonwhite---	358	2	43	313	105	93	-	12	16	44.7	17	47.5
Beaufort-----	770	283	43	442	240	193	-	47	25	32.5	14	18.2
White-----	271	254	10	7	45	28	-	17	7	25.8	-	0
Nonwhite---	499	29	33	435	195	165	-	30	18	36.1	14	28.1
Berkeley-----	833	239	43	648	225	175	-	50	30	32.2	45	48.2
White-----	283	214	37	32	79	56	-	23	5	17.7	7	24.7
Nonwhite---	550	25	6	616	146	119	-	27	25	36.5	38	58.6
Calhoun-----	448	77	26	345	158	133	-	25	17	37.9	22	49.1
White-----	94	69	10	15	42	29	-	13	-	0	2	21.3
Nonwhite---	354	8	16	330	116	104	-	12	17	48.0	20	56.5
Charleston-----	5,279	3,371	799	1,109	1,459	936	2	649	173	32.8	241	45.7
White-----	2,716	2,632	59	25	684	314	1	347	67	24.7	72	26.5
Nonwhite---	2,563	739	740	1,083	795	492	1	302	106	41.4	169	65.9
Charleston--	2,401	1,550	716	135	793	406	2	382	64	26.7	99	41.2
White-----	1,270	1,242	27	1	388	178	1	239	27	21.3	29	22.8
Nonwhite---	1,131	308	689	134	404	230	1	173	37	32.7	70	61.9
Balance of county--	2,878	1,821	83	973	666	398	-	287	109	37.9	142	49.3
White-----	1,446	1,390	32	24	275	136	-	138	40	27.7	43	29.7
Nonwhite---	1,432	431	51	949	391	262	-	149	69	48.2	99	69.1
Cherokee-----	922	607	243	72	231	131	2	98	31	33.6	19	20.6
White-----	682	500	174	8	170	95	2	73	18	26.4	12	17.6
Nonwhite---	240	107	69	64	61	36	-	25	13	54.2	7	29.2
Chester-----	562	421	156	285	259	191	1	66	30	34.8	26	30.2
White-----	469	401	61	6	127	80	1	46	14	29.9	9	19.2
Nonwhite---	394	20	95	279	131	111	-	20	16	40.6	17	45.1
Chesterfield--	1,095	287	678	129	244	200	1	43	47	42.9	43	39.3
White-----	640	274	346	17	125	91	1	33	19	29.7	23	35.9
Nonwhite---	455	13	330	112	119	109	-	10	28	61.5	20	44.0
Clarendon-----	988	163	127	696	250	220	-	38	50	50.6	36	36.4
White-----	257	151	87	19	86	87	-	18	7	27.2	8	31.1
Nonwhite---	731	12	40	677	202	182	-	20	43	58.6	28	38.5
Colleton-----	749	332	80	357	262	196	-	60	17	22.7	29	38.7
White-----	328	293	17	16	121	90	-	37	4	12.3	7	21.5
Nonwhite---	423	39	43	341	141	118	-	23	13	30.7	22	52.0
Darlington-----	1,531	587	465	478	433	305	-	124	67	43.8	55	35.9
White-----	776	524	244	8	208	124	-	80	30	38.7	21	27.1
Nonwhite---	755	63	221	470	225	181	-	44	37	49.0	34	45.0
Dillon-----	967	575	97	295	239	159	-	78	51	52.7	20	29.7
White-----	490	427	49	14	94	55	-	38	14	28.6	3	6.1
Nonwhite---	477	148	48	281	145	104	-	40	37	77.6	17	35.6
Dorchester-----	631	226	113	292	215	158	-	56	29	46.0	15	23.8
White-----	295	203	74	18	99	60	-	38	11	37.3	4	13.8
Nonwhite---	336	23	39	274	116	96	-	18	18	53.6	11	32.7
Edgefield-----	460	100	253	106	124	101	-	23	10	21.7	16	34.8
White-----	148	87	59	2	61	44	-	17	2	13.5	2	13.5
Nonwhite---	312	13	194	104	63	57	-	6	8	25.6	14	44.9
Fairfield-----	694	182	179	331	173	142	-	29	22	31.7	23	33.1
White-----	236	148	85	2	69	49	-	19	9	38.1	3	12.7
Nonwhite---	458	34	94	329	104	93	-	10	13	28.4	20	43.7
Florence-----	2,488	1,070	581	856	675	432	-	217	122	49.0	106	42.6
White-----	1,377	981	367	29	318	185	-	135	59	42.8	50	21.8
Nonwhite---	1,111	89	194	827	357	267	-	82	63	56.7	76	68.4
Florence-----	722	501	28	192	273	147	-	111	47	65.1	34	47.1
White-----	477	464	12	1	124	51	-	63	24	50.3	8	16.8
Nonwhite---	245	37	16	191	149	96	-	48	23	93.9	26	106.1
Balance of county--	1,768	569	533	664	432	285	-	106	75	42.5	72	40.8
White-----	900	517	355	28	194	114	-	72	35	38.9	22	24.4
Nonwhite---	868	52	178	636	208	171	-	34	40	46.2	50	57.7
Georgetown-----	947	217	212	512	236	192	5	48	35	37.0	18	19.0
White-----	416	211	180	23	94	63	-	30	13	31.3	1	2.4
Nonwhite---	531	6	32	499	142	119	5	18	22	41.4	17	32.0
Greenville-----	4,385	3,583	521	280	1,323	731	9	581	176	40.1	111	25.3
White-----	3,530	3,186	331	13	937	507	4	425	117	33.3	73	20.7
Nonwhite---	855	397	190	267	386	224	5	156	59	69.0	38	44.4
Greenville-----	1,721	1,560	18	143	515	221	-	292	81	47.1	44	25.6
White-----	1,263	1,262	6	1	296	110	-	185	41	32.3	26	20.5
Nonwhite---	452	298	12	142	219	111	-	107	40	89.5	18	39.8
Balance of county--	2,664	2,023	503	137	808	510	9	293	95	35.7	67	25.2
White-----	2,261	1,924	325	12	641	397	4	240	76	33.6	47	20.8
Nonwhite---	403	99	178	125	167	113	5	49	19	47.1	20	49.6
Greenwood-----	1,021	772	91	158	313	223	-	90	22	21.5	26	25.5
White-----	710	658	47	5	185	133	-	52	13	18.3	17	23.9
Nonwhite---	311	114	44	153	128	90	-	38	9	28.9	9	28.9
Greenwood-----	444	395	18	31	128	79	-	49	15	33.8	9	20.3
White-----	352	342	10	-	85	50	-	35	10	28.4	6	17.0
Nonwhite---	92	53	8	31	43	29	-	14	5	54.3	3	32.6
Balance of county--	577	377	73	127	185	144	-	41	7	12.1	17	29.5
White-----	358	316	37	5	100	83	-	17	3	8.4	11	30.7
Nonwhite---	219	61	36	122	85	61	-	24	4	18.3	6	27.4

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

73

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-residential institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
SOUTH CAROLINA—Continued												
Hampton	520	99	120	301	171	146	-	23	20	38.5	23	44.2
White	147	94	45	10	78	63	-	14	5	34.0	6	40.8
Nonwhite	373	5	77	291	93	83	-	9	15	40.2	17	45.6
Horry	1,921	1,303	275	343	409	235	-	173	94	48.9	59	30.7
White	1,381	1,171	179	31	284	152	-	131	66	47.8	30	21.7
Nonwhite	540	132	96	312	125	83	-	42	28	51.9	29	53.7
Jasper	284	129	17	158	93	78	-	15	11	38.7	10	35.2
White	93	87	5	1	29	22	-	7	3	32.3	6	64.5
Nonwhite	191	42	12	137	64	56	-	8	8	41.9	4	20.9
Kershaw	904	362	137	403	283	196	-	87	43	47.6	29	32.1
White	439	323	93	22	122	64	-	58	12	27.3	6	13.7
Nonwhite	465	39	44	361	161	132	-	29	31	66.7	23	49.5
Lancaster	986	728	93	165	204	139	-	64	33	35.5	26	26.4
White	718	660	47	11	124	69	-	54	20	27.9	18	25.1
Nonwhite	268	68	46	154	80	70	-	10	13	46.5	8	29.9
Laurens	875	398	194	282	375	251	5	119	41	48.9	18	20.6
White	533	380	141	12	213	120	4	89	18	33.8	14	26.3
Nonwhite	342	18	53	270	162	131	1	30	23	67.3	4	11.7
Lee	724	121	118	484	189	132	-	36	24	33.1	29	40.1
White	175	109	61	5	64	44	-	19	1	5.7	4	22.9
Nonwhite	549	12	57	479	105	88	-	17	23	41.9	25	45.5
Lexington	1,227	845	358	224	358	253	-	98	63	51.3	25	20.4
White	904	617	258	29	243	157	-	79	42	46.5	12	13.3
Nonwhite	323	28	100	185	115	96	-	19	21	65.0	13	40.2
McCormick	357	12	291	54	111	101	-	10	16	44.8	4	11.2
White	114	1	103	10	42	35	-	7	3	26.3	-	0
Nonwhite	243	1	188	54	69	66	-	3	13	53.5	4	16.5
Marion	1,044	629	240	175	259	180	-	52	51	48.9	37	35.4
White	489	437	27	5	95	42	-	17	17	36.2	11	23.5
Nonwhite	575	192	213	170	164	138	-	43	34	59.1	26	45.2
Marlboro	1,019	411	339	268	307	237	-	69	47	46.1	23	22.6
White	488	336	154	18	129	97	-	31	16	32.6	7	14.3
Nonwhite	531	75	205	250	178	140	-	38	31	58.4	16	30.1
Newberry	814	505	47	262	248	159	-	88	35	43.0	18	22.1
White	504	482	18	4	145	74	-	70	23	45.6	10	19.8
Nonwhite	310	23	29	258	103	85	-	18	12	38.7	8	25.8
Oconee	1,085	767	185	130	293	211	-	82	47	43.4	25	23.1
White	979	735	146	97	234	176	-	58	40	40.9	22	22.5
Nonwhite	104	32	39	33	59	35	-	24	7	67.3	3	28.6
Orangeburg	2,115	580	171	1,350	640	442	-	198	121	57.3	88	41.6
White	680	514	100	48	225	123	-	102	25	37.9	11	16.7
Nonwhite	1,435	76	71	1,304	415	319	-	96	96	66.1	77	53.0
Orangeburg	394	251	23	119	134	63	-	71	25	63.5	13	33.0
White	229	218	9	2	61	23	-	38	10	43.7	7	30.6
Nonwhite	165	33	14	117	73	40	-	33	15	90.9	6	36.4
Balance of county	1,719	339	148	1,231	506	379	-	127	96	55.8	75	43.6
White	431	298	91	44	164	100	-	84	15	34.8	4	9.3
Nonwhite	1,288	43	57	1,187	342	279	-	63	81	62.9	71	55.1
Pickens	1,051	445	555	50	253	178	-	73	27	25.7	20	19.0
White	934	439	482	12	211	142	-	67	25	26.8	14	15.0
Nonwhite	117	8	73	38	42	36	-	6	2	17.1	6	51.3
Richland	3,543	2,681	214	647	1,582	523	548	509	166	46.9	138	39.0
White	2,273	2,178	73	22	780	248	238	292	63	36.5	46	20.2
Nonwhite	1,270	503	141	625	802	275	310	217	83	63.4	92	72.4
Columbia	2,436	2,073	107	256	1,010	369	249	391	131	53.8	84	38.6
White	1,723	1,680	31	12	654	190	229	294	71	41.2	35	20.3
Nonwhite	713	393	76	244	356	179	20	157	60	84.2	49	82.7
Balance of county	1,107	608	107	391	572	154	299	118	35	31.6	44	39.7
White	550	498	42	10	126	58	9	58	12	21.8	11	20.0
Nonwhite	557	110	65	381	446	96	290	60	23	41.3	33	59.2
Saluda	367	93	178	96	104	87	-	17	14	38.1	10	27.2
White	189	88	95	6	49	40	-	9	3	15.9	3	15.9
Nonwhite	178	5	83	90	55	47	-	8	11	61.8	7	39.3
Spartanburg	3,863	2,587	1,104	172	1,084	639	3	412	150	38.8	94	24.3
White	2,983	2,375	604	4	726	399	2	325	103	34.5	52	17.4
Nonwhite	880	212	500	168	328	240	1	87	47	53.4	42	47.7
Spartanburg	1,242	1,029	160	53	362	203	-	159	49	39.5	40	32.2
White	905	885	19	1	204	99	-	105	29	32.0	16	17.7
Nonwhite	337	144	141	52	158	104	-	54	20	59.3	24	71.2
Balance of county	2,621	1,558	944	119	692	436	3	253	101	36.5	54	20.6
White	2,078	1,490	585	3	522	300	2	220	74	35.6	36	17.3
Nonwhite	543	68	359	116	170	136	1	33	27	49.7	18	33.1
Sumter	1,856	847	55	894	473	316	-	156	54	29.1	49	26.4
White	782	746	15	17	145	72	-	72	17	21.7	11	14.1
Nonwhite	1,074	101	40	877	328	244	-	84	37	34.5	38	35.4
Sumter	629	523	8	98	152	73	-	78	17	27.0	13	20.7
White	494	481	3	-	81	37	-	43	11	22.7	6	12.4
Nonwhite	145	42	5	98	71	36	-	35	6	41.4	7	48.3
Balance of county	1,227	324	47	796	321	243	-	78	37	30.2	36	29.3
White	298	285	12	17	64	35	-	29	6	20.1	5	16.8
Nonwhite	929	59	35	779	257	208	-	49	31	33.4	31	33.4
Union	672	374	147	151	249	193	-	56	27	40.2	25	37.2
White	457	364	91	2	160	111	-	49	20	43.8	9	19.7
Nonwhite	215	10	56	149	89	82	-	7	7	32.6	16	74.4

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.-BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
SOUTH CAROLINA—Continued												
Williamsburg-----	1,598	336	208	1,042	569	500	-	69	73	46.0	50	31.5
White-----	474	285	170	17	112	79	-	33	22	46.4	8	16.9
Nonwhite---	1,114	51	39	1,028	257	221	-	36	51	45.8	42	37.7
York-----	1,993	1,404	201	377	473	285	2	186	53	26.7	47	23.7
White-----	1,242	1,112	123	6	280	156	2	122	55	29.2	23	19.5
Nonwhite---	741	292	79	371	193	129	-	64	18	24.3	24	32.4
Rock Hill-----	600	573	12	15	156	71	-	85	9	15.0	11	18.3
White-----	468	465	2	-	105	47	-	58	7	15.0	8	17.1
Nonwhite---	132	107	10	15	51	24	-	27	2	15.2	3	22.7
Balance of county-----	1,363	931	189	362	517	314	2	101	44	31.8	36	26.0
White-----	774	645	121	6	175	109	2	64	29	36.2	15	19.4
Nonwhite---	609	185	68	356	142	105	-	37	16	26.3	21	34.5
SOUTH DAKOTA-----												
	16,539	14,791	1,587	60	5,730	2,763	313	2,562	511	30.9	253	15.3
White-----	15,854	14,253	1,537	38	5,421	2,597	309	2,423	453	28.8	234	14.8
Nonwhite---	685	528	50	24	309	166	4	139	58	64.7	19	27.7
Armstrong-----	2	2	-	-	-	-	-	-	-	0	-	0
White-----	2	2	-	-	-	-	-	-	-	0	-	0
Nonwhite---	-	-	-	-	-	-	-	-	-	0	-	0
Aurora-----	151	107	24	-	44	24	-	20	1	7.6	5	36.2
Beadle-----	522	284	238	-	180	90	-	74	11	21.1	6	11.5
Huron-----	338	170	168	-	129	63	-	54	6	17.9	3	8.9
Balance of county-----	184	114	70	-	51	27	-	20	5	27.2	3	16.3
Bennett-----	89	73	13	-	27	15	-	12	2	22.5	2	22.5
White-----	74	64	10	-	18	7	-	11	-	0	1	13.5
Nonwhite---	15	9	3	-	9	8	-	1	2	133.3	1	66.7
Bon Homme-----	206	169	35	1	69	47	-	20	4	19.4	1	4.9
Brookings-----	493	483	10	-	129	57	3	69	6	16.2	4	8.1
Brown-----	856	944	12	-	260	100	16	142	33	36.6	11	12.9
Aberdeen-----	578	576	2	-	173	62	11	96	22	36.1	8	15.8
Balance of county-----	279	269	10	-	87	38	5	44	11	39.6	3	10.8
Brul-----	139	123	16	-	54	19	-	33	2	14.4	1	7.2
Buffalo-----	39	32	3	1	17	8	-	8	1	25.6	2	31.3
White-----	18	17	1	-	6	3	-	2	-	0	-	0
Nonwhite---	21	15	2	1	11	5	-	6	1	47.6	2	95.2
Butte-----	189	188	11	-	75	38	-	37	7	35.2	7	35.2
Campbell-----	114	106	8	-	25	14	-	11	5	43.9	1	8.9
Charles Mix-----	309	298	11	-	113	61	1	51	10	32.4	5	16.2
White-----	266	259	9	-	98	53	1	44	6	22.4	4	14.9
Nonwhite---	41	39	2	-	15	8	-	7	4	97.6	1	24.4
Clark-----	204	168	35	-	69	51	-	17	4	19.6	4	19.6
Clay-----	277	268	9	-	80	49	-	31	4	14.4	4	14.4
Codington-----	535	527	8	-	186	75	-	110	14	26.2	4	7.5
Watertown-----	359	355	4	-	140	61	-	79	12	33.4	2	5.6
Balance of county-----	176	172	4	-	46	14	-	31	2	11.4	2	11.4
Corson-----	169	138	23	7	37	19	-	18	5	29.6	5	29.6
White-----	135	110	21	3	18	12	-	6	2	14.8	4	29.6
Nonwhite---	34	28	2	4	19	7	-	12	3	68.2	1	29.4
Custer-----	127	115	11	-	52	25	-	27	2	15.7	4	31.5
Davison-----	423	421	2	-	223	77	9	129	24	56.7	3	7.1
Mitchell-----	320	319	1	-	196	64	9	115	23	71.9	-	0
Balance of county-----	103	102	1	-	27	13	-	14	1	9.7	3	29.1
Day-----	275	249	20	-	118	74	-	43	15	54.5	10	36.4
Deuel-----	188	168	20	-	66	42	-	23	1	5.3	5	26.6
Devev-----	161	150	6	4	43	21	-	22	13	80.7	2	12.4
White-----	104	102	1	1	16	5	-	11	3	26.9	1	9.6
Nonwhite---	57	48	5	3	27	16	-	11	10	175.4	1	17.5
Douglas-----	174	152	22	-	33	21	-	11	2	11.5	3	17.2
Edmunds-----	175	85	87	3	53	22	-	27	10	57.1	3	17.1
Fall River-----	266	265	1	-	99	37	3	57	13	45.5	3	10.5
Faulk-----	132	126	6	-	38	20	-	18	5	37.9	2	15.2
Grant-----	269	256	35	-	77	48	-	29	6	22.3	-	0
Gregory-----	249	229	19	-	93	41	-	52	12	48.2	5	20.1
Haskell-----	95	91	4	-	24	16	-	7	2	21.1	-	0
Hawlin-----	175	167	7	-	67	38	10	19	-	0	-	0
Hend-----	164	148	16	-	57	28	-	28	5	30.5	2	12.2
Hanson-----	115	93	13	9	31	16	-	15	2	17.4	1	8.7
Harding-----	57	52	5	-	14	11	-	3	-	0	-	0
Hughes-----	215	211	4	-	70	28	-	41	6	27.9	5	23.3
Hutchinson-----	295	249	41	1	96	63	-	30	4	13.6	4	13.6
Hyde-----	63	51	12	-	25	17	-	8	1	15.9	1	15.9
Jackson-----	44	43	1	-	26	10	-	15	4	90.9	2	45.5
Jerauld-----	112	89	23	-	33	17	-	15	-	0	-	0
Jones-----	66	66	-	-	18	9	-	9	4	60.6	3	45.5
Kingsbury-----	243	183	60	-	89	51	3	31	10	41.2	3	12.3
Lake-----	297	291	15	-	108	57	-	51	12	40.4	7	23.6
Lawrence-----	448	428	18	1	157	82	5	69	10	22.3	6	13.4
Lincoln-----	276	237	39	-	117	56	7	54	9	32.6	8	29.0
Lyman-----	125	107	10	2	45	19	-	26	2	16.0	2	16.0
McCook-----	223	174	48	-	86	54	-	31	6	26.9	3	13.5
McPherson-----	194	154	36	3	54	20	6	29	10	51.5	-	0
Marshall-----	261	246	12	-	64	39	-	25	9	34.5	2	7.7
Meade-----	211	199	9	2	99	48	25	19	1	4.7	3	14.2
Mellette-----	100	72	5	4	47	29	-	15	7	70.0	1	10.0
White-----	55	53	-	1	25	12	-	10	3	54.5	1	18.2
Nonwhite---	45	19	5	3	22	17	-	5	4	85.9	-	0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
SOUTH DAKOTA—Continued												
Miner	162	128	34	-	52	35	-	18	2	12.5	2	12.5
Minnehaha	1,833	1,752	80	-	568	204	19	341	68	37.1	31	16.9
Sioux Falls	1,596	1,581	15	-	448	137	17	290	55	39.4	21	15.0
Balance of county	457	371	85	-	120	67	2	51	15	28.7	10	22.9
Moody	216	89	126	-	70	50	-	17	1	4.6	8	9.5
Pennington	797	769	26	2	209	95	8	105	22	27.6	18	22.6
Rapid City	625	613	11	1	152	59	6	85	21	33.6	11	17.6
Balance of county	172	156	15	1	57	36	2	18	1	5.8	7	40.7
Ferkins	187	158	28	1	29	13	-	15	4	21.4	4	21.4
Fotker	121	84	37	-	41	22	-	19	2	16.5	1	8.5
Roberts	380	306	67	6	136	80	-	50	13	34.2	5	15.2
Sanborn	117	107	10	0	54	21	-	30	2	17.1	2	17.1
Shannon	172	152	5	1	68	31	-	37	12	69.8	6	34.9
White	27	27	-	-	5	3	-	2	-	0	2	74.1
Nonwhite	145	125	5	1	63	28	-	35	12	82.8	4	27.6
Spink	266	232	30	3	157	82	27	47	7	26.9	6	22.6
Stanley	57	55	-	1	18	5	-	11	2	35.1	2	35.1
Sully	67	64	3	-	18	9	-	9	2	29.9	-	0
Todd	130	104	5	6	43	30	-	13	8	61.5	2	15.4
White	40	39	1	-	6	4	-	2	-	0	-	0
Nonwhite	90	65	4	6	37	26	-	11	8	88.9	2	22.2
Tripp	255	243	5	1	76	45	-	31	10	39.2	5	19.6
Turner	247	226	21	-	117	76	-	41	3	12.1	2	8.1
Union	515	303	12	-	82	44	-	37	5	15.9	3	9.5
Walworth	178	167	9	-	69	48	-	21	10	56.2	2	11.2
Washabaugh	36	30	2	-	9	6	-	3	2	55.6	-	0
White	12	12	-	-	2	2	-	-	-	0	-	0
Nonwhite	24	18	2	-	7	4	-	3	2	83.5	-	0
Washington	11	7	-	-	6	4	-	2	-	0	-	0
White	-	-	-	-	1	-	-	-	-	0	-	0
Nonwhite	11	7	-	-	5	4	-	1	-	0	-	0
Yankton	392	376	13	3	293	43	171	79	15	38.3	3	7.7
Ziebach	78	61	12	1	29	21	-	8	3	39.5	2	25.6
White	48	45	3	-	11	7	-	4	1	20.8	2	41.7
Nonwhite	30	16	9	1	18	14	-	4	2	66.7	-	0
TENNESSEE	85,619	57,155	23,091	4,978	28,591	16,472	1,138	8,619	3,144	36.5	1,981	21.7
White	72,951	51,296	18,991	2,358	21,998	14,224	799	6,644	2,472	33.9	1,403	19.2
Nonwhite	12,658	5,859	4,100	2,620	6,593	4,248	339	1,975	672	49.2	478	35.0
Anderson	2,063	1,395	611	57	298	181	-	112	63	30.5	44	21.3
Bodford	583	456	136	8	238	170	-	68	25	42.9	11	18.9
White	510	430	75	4	193	134	-	59	23	45.1	9	17.6
Nonwhite	73	6	63	4	45	36	-	9	2	27.4	2	27.4
Benton	291	172	76	43	102	95	-	7	11	37.8	1	3.4
Bledsoe	277	63	184	28	84	74	-	2	10	36.1	9	32.5
Blount	1,626	1,217	381	28	342	229	1	80	46	29.3	40	24.6
Bradley	947	612	263	71	282	214	2	65	44	46.5	15	18.8
Cleveland	485	347	107	31	146	101	-	44	21	43.3	9	18.6
White	443	340	95	8	124	81	-	42	17	39.4	8	18.1
Nonwhite	42	7	12	23	22	20	-	2	4	95.2	1	23.8
Balance of county	452	265	166	40	136	113	2	21	23	49.8	6	15.0
Campbell	1,077	448	606	21	270	202	-	55	44	40.9	24	22.3
Canon	211	177	22	12	92	72	1	18	10	47.4	2	9.5
Carroll	676	288	379	9	244	214	1	28	21	31.1	14	20.7
White	603	265	316	2	202	174	1	27	16	26.5	12	19.9
Nonwhite	73	3	63	7	42	40	-	1	5	68.5	2	27.4
Carter	1,249	945	237	67	288	200	1	86	50	40.0	25	20.0
Chestnut	223	101	117	4	76	66	-	10	5	22.4	3	15.5
Chester	293	89	186	17	64	51	-	13	5	17.1	4	15.7
White	253	89	162	3	56	44	-	12	3	11.9	3	11.9
Nonwhite	40	1	24	14	8	7	-	1	2	50.0	1	25.0
Clatsborne	695	306	355	33	156	111	-	35	17	24.5	10	14.4
Clay	236	22	118	53	52	48	-	4	6	25.4	4	16.9
Cocks	658	156	447	55	209	174	-	35	38	57.8	25	38.0
Coffee	589	419	141	26	205	164	4	27	22	37.4	6	10.2
Crockett	455	137	305	13	148	125	1	21	8	17.6	12	26.4
White	332	135	195	2	114	95	-	19	6	18.1	9	27.1
Nonwhite	123	2	110	11	34	30	1	2	2	16.3	3	24.4
Cumberland	584	174	284	126	111	87	-	24	14	24.8	10	17.7
Davidson	7,461	6,903	539	17	3,162	1,592	379	1,159	261	35.0	144	19.3
White	6,009	5,757	258	12	2,197	1,086	270	805	165	30.5	85	14.3
Nonwhite	1,452	1,166	281	5	965	496	109	354	78	53.7	58	39.9
Nashville	6,183	5,817	360	6	2,217	1,150	39	969	212	34.3	125	30.2
White	4,868	4,735	128	5	1,444	709	34	666	142	29.2	70	14.4
Nonwhite	1,315	1,082	232	1	773	441	5	323	70	53.2	55	41.8
Balance of county	1,278	1,086	179	11	945	432	340	170	49	38.3	19	14.9
White	1,141	1,002	139	7	753	377	236	139	41	35.9	16	14.0
Nonwhite	137	84	49	4	192	55	104	31	8	59.4	3	21.9
Decatur	270	86	174	10	87	71	-	16	9	33.3	2	7.4
De Kalb	267	175	81	11	109	84	-	25	4	15.0	5	16.7
Dickson	488	242	235	9	188	146	1	35	20	41.0	6	12.3
Dyer	899	416	431	41	310	242	-	64	32	36.0	21	25.6
White	788	405	353	9	239	182	-	53	27	35.2	17	22.1
Nonwhite	121	11	78	32	71	60	-	11	5	41.3	4	33.1
Dyersburg	277	179	73	25	146	106	-	39	14	50.5	4	14.4
White	209	171	33	5	92	61	-	30	10	47.8	1	4.8
Nonwhite	68	8	40	20	54	45	-	9	4	58.8	3	44.1
Balance of county	612	237	358	16	184	136	-	25	18	29.4	17	27.8

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
TENNESSEE—Continued												
Fayette	867	128	149	610	210	179	1	50	29	32.7	20	22.5
White	200	117	59	14	60	44	-	16	4	20.0	7	35.0
Nonwhite	667	11	90	596	150	135	1	14	25	36.4	13	19.9
Fentress	516	205	117	113	61	61	-	16	7	13.6	4	7.9
Franklin	562	432	113	36	251	200	-	48	21	36.1	13	20.6
White	542	425	92	24	207	157	-	47	19	35.1	12	22.1
Nonwhite	40	7	21	12	44	43	-	1	2	50.0	-	0
Gibson	1,186	740	413	33	470	376	1	90	47	39.6	25	21.1
White	955	609	264	2	347	274	1	69	36	37.7	16	16.8
Nonwhite	231	51	149	31	123	102	-	21	11	47.6	9	39.0
Gilco	666	392	213	61	279	208	-	70	27	40.5	17	25.5
White	505	372	119	15	201	144	5	49	16	31.7	11	21.0
Nonwhite	161	20	95	46	78	64	2	11	11	68.3	6	37.5
Grainger	236	99	165	31	89	70	-	15	6	27.0	10	33.8
Greene	1,092	799	229	53	356	222	-	134	43	39.7	25	23.1
Grundy	441	243	161	35	90	71	-	14	15	34.0	6	13.6
Hamblen	644	500	111	33	203	118	-	73	39	59.0	16	24.8
Hamilton	5,795	4,728	868	159	2,069	1,062	50	912	279	48.0	127	21.9
White	4,674	3,977	629	58	1,419	734	33	621	214	45.8	86	18.8
Nonwhite	1,121	751	239	100	650	328	25	291	64	57.1	39	34.8
Chattanooga	4,308	3,767	407	103	1,610	792	14	778	212	49.2	91	21.1
White	3,247	3,034	195	17	1,013	464	14	495	151	46.5	53	18.3
Nonwhite	1,061	733	212	86	597	309	-	283	61	57.5	38	35.6
Balance of county	1,487	961	461	55	459	270	44	134	66	44.4	36	24.2
Hancock	265	60	78	42	58	48	-	3	3	11.4	2	7.6
Hardeman	594	134	280	168	384	144	207	88	21	35.4	5	8.4
White	332	129	194	9	267	82	158	27	10	30.1	1	3.0
Nonwhite	262	5	86	159	117	62	49	6	11	42.0	4	15.3
Hardin	475	125	299	47	145	129	-	15	13	27.5	13	27.5
Hawkins	805	441	313	49	204	140	1	62	18	22.4	28	34.9
Haywood	777	163	210	383	237	178	-	53	31	39.9	16	20.6
White	249	147	99	3	70	42	-	27	3	12.0	4	16.1
Nonwhite	528	36	111	380	167	136	-	26	28	53.0	12	22.7
Henderson	490	223	254	13	146	126	-	20	11	22.4	6	16.3
Henry	544	277	254	13	246	193	1	52	16	29.4	9	16.5
White	467	274	189	4	186	140	1	45	12	25.7	6	17.1
Nonwhite	77	3	65	9	60	53	-	7	4	51.9	1	13.0
Hickman	342	172	140	27	99	88	-	11	10	29.2	8	23.4
Houston	162	42	109	11	75	68	-	7	13	80.2	3	18.5
Humphreys	306	97	205	4	99	80	-	18	9	29.4	8	26.1
Jackson	313	44	225	42	104	92	-	11	9	25.6	9	28.8
Jefferson	493	256	229	7	180	141	-	34	15	30.4	12	24.3
Johnson	373	210	125	38	82	68	-	13	12	32.2	7	18.8
Knox	5,660	4,563	1,045	52	2,049	1,068	203	755	190	33.6	144	25.4
White	5,144	4,253	844	47	1,709	875	178	634	163	31.7	109	21.2
Nonwhite	516	310	201	5	340	193	25	121	27	52.3	35	67.8
Knoxville	3,719	3,233	473	13	1,273	701	3	553	120	32.3	95	25.5
White	3,239	2,935	293	11	985	525	3	442	94	29.0	63	19.5
Nonwhite	480	298	180	2	289	176	-	111	26	54.2	32	66.7
Balance of county	1,941	1,330	572	39	776	367	200	202	70	36.1	49	25.2
Lake	365	82	175	111	98	98	-	12	23	63.0	4	11.0
White	278	82	175	21	75	65	-	11	16	57.6	4	14.4
Nonwhite	87	60	27	56	35	35	-	1	7	80.5	-	0
Lauderdale	655	220	328	107	259	204	-	54	28	42.7	17	28.0
White	447	214	222	11	144	104	-	40	16	35.8	12	26.8
Nonwhite	208	6	106	96	114	100	-	14	12	57.7	5	24.0
Lawrence	939	594	325	19	221	168	-	53	17	18.1	18	19.2
Lewis	192	124	65	3	49	42	-	6	6	31.3	-	0
Lincoln	713	510	193	9	266	179	-	87	38	53.3	17	23.8
White	620	467	150	3	235	155	-	80	33	53.2	8	12.9
Nonwhite	93	43	43	9	31	24	-	7	5	53.8	9	96.8
Loudon	739	466	259	13	142	102	-	39	19	25.7	12	16.2
McMinn	952	704	148	20	252	175	-	74	29	30.5	10	10.5
McMurry	590	260	280	43	169	141	-	24	20	33.9	10	16.9
Meacon	311	120	168	23	133	114	-	18	14	45.0	7	22.5
Madison	1,511	867	294	350	565	423	-	142	37	24.5	35	23.2
White	934	621	104	9	336	227	-	109	26	27.8	15	16.1
Nonwhite	577	66	190	321	229	196	-	33	11	19.1	20	34.7
Jackson	792	575	108	109	359	251	-	108	21	26.5	21	26.5
White	536	520	15	3	333	256	-	62	15	23.0	7	13.1
Nonwhite	256	65	93	109	143	117	-	26	6	23.4	14	54.7
Balance of county	719	312	186	221	206	172	-	34	16	22.3	14	19.5
White	398	301	89	9	120	93	-	27	11	27.6	8	20.1
Nonwhite	321	11	97	213	86	79	-	7	5	15.6	6	18.7
Marion	647	131	500	10	182	134	-	47	30	46.4	14	21.6
Marshall	448	368	69	11	185	113	-	72	11	24.6	13	29.0
White	404	345	52	7	161	97	-	64	10	24.8	10	24.8
Nonwhite	44	23	17	4	24	16	-	8	1	22.7	3	68.2
Maury	1,103	636	392	74	389	308	2	78	33	29.9	24	21.8
White	867	619	227	20	264	196	-	67	21	24.2	20	23.1
Nonwhite	236	17	165	54	125	112	2	11	12	50.8	4	16.9
Columbia	361	294	70	17	136	103	-	32	13	34.1	7	16.4
White	309	289	20	-	79	52	-	26	8	25.9	6	19.4
Nonwhite	72	5	50	17	57	51	-	6	5	69.4	1	13.9
Balance of county	722	342	322	57	253	205	2	46	20	27.7	17	23.5
White	558	330	207	20	185	144	-	41	13	23.3	14	25.1
Nonwhite	164	12	115	37	68	61	2	5	7	42.7	3	18.3

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

77

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
TENNESSEE—Continued												
Meigs	188	98	45	40	35	29	-	6	1	5.3	4	21.3
Monroe	798	375	341	81	190	135	-	53	23	28.8	19	22.6
Montgomery	906	510	308	86	342	286	2	72	44	48.6	23	25.4
	693	495	188	9	222	158	2	61	34	49.1	12	17.3
	213	15	120	77	120	108	-	11	10	46.9	11	51.6
Clarksville	379	248	91	39	167	125	-	41	22	58.0	6	15.8
	290	238	45	5	93	61	-	31	19	85.5	4	13.8
	89	9	46	34	74	64	-	10	3	33.7	2	22.5
Balance of county	527	262	217	47	175	141	2	31	22	41.7	17	32.3
	403	256	143	4	129	97	2	30	15	37.2	8	19.9
	124	6	74	43	48	44	-	1	7	36.5	9	72.6
Moore	79	46	32	-	43	35	-	8	3	38.5	-	0
Morgan	427	130	252	45	74	65	1	8	9	21.1	12	28.1
Obion	593	345	240	9	295	218	5	70	20	33.7	17	28.7
	539	342	194	2	242	174	4	64	15	27.9	15	27.9
	55	3	46	6	51	44	1	6	5	90.9	2	36.4
Overton	469	136	268	62	86	67	-	7	11	23.6	6	17.1
Perry	195	77	104	4	44	37	-	3	2	10.8	7	37.8
Pickett	126	66	54	6	40	32	-	6	2	15.9	1	7.9
Polk	426	262	154	10	108	95	-	12	25	58.7	8	18.8
Putnam	768	440	256	70	207	154	-	53	28	36.5	17	22.1
Rhea	483	231	180	56	115	85	-	30	14	29.0	14	29.0
Roane	958	715	177	43	262	170	-	92	35	37.3	24	25.6
Robertson	691	405	273	13	240	182	3	55	23	33.3	24	34.7
	566	386	178	2	196	146	3	47	21	37.1	18	31.8
	125	19	95	11	44	36	-	8	2	16.0	6	48.0
Rutherford	929	763	140	25	403	243	61	95	44	47.4	20	21.5
	794	701	84	6	307	179	43	81	33	41.6	15	18.9
	135	62	56	17	96	64	18	14	11	81.5	5	37.0
Scott	535	285	149	101	135	110	1	23	20	37.4	16	29.9
Sequatchie	161	20	129	12	38	35	-	3	5	31.1	4	24.8
Sevier	704	476	135	47	178	130	1	46	30	42.6	16	22.7
Shelby	11,189	9,171	677	259	4,184	2,021	176	1,925	427	38.2	261	23.3
	6,536	6,338	132	6	2,119	954	74	1,061	199	30.4	95	14.2
	4,653	2,833	545	235	2,035	1,067	102	864	228	49.0	168	56.1
Memphis	8,498	7,196	480	44	3,280	1,613	18	1,631	330	38.8	205	24.1
	5,078	4,998	41	1	1,717	774	18	899	155	30.5	73	14.4
	3,420	2,198	439	43	1,573	839	-	732	175	51.2	132	38.6
Balance of county	2,691	1,975	197	215	864	408	158	294	97	36.0	55	20.8
	1,458	1,340	91	5	402	180	56	162	44	30.2	20	15.7
	1,233	635	106	210	462	228	102	132	53	43.0	36	29.2
Smith	351	154	195	2	122	105	-	15	11	31.3	3	8.5
Stewart	269	93	166	10	82	69	-	12	8	29.7	2	7.4
Sullivan	2,796	2,140	586	68	588	398	2	186	97	34.7	57	20.4
Bristol ¹¹	521	439	70	11	151	94	-	55	19	36.5	10	19.2
Kingsport	898	825	72	3	124	73	-	51	30	33.4	26	29.0
Balance of county	1,377	878	444	54	313	231	2	80	48	34.9	21	15.3
Sumner	849	563	233	53	332	257	3	67	39	45.9	23	27.1
	764	557	155	52	280	213	3	59	36	47.1	21	27.5
	85	6	78	1	52	44	-	8	3	35.3	2	23.5
Tipton	883	201	483	179	233	173	-	58	40	45.3	14	15.9
	534	173	350	9	128	88	-	39	19	35.6	10	18.7
	349	28	143	170	105	85	-	19	21	80.2	4	11.5
Trousdale	149	69	78	2	48	36	-	11	5	33.6	2	13.4
	116	51	63	2	34	26	-	8	3	25.9	2	17.2
	33	18	15	-	14	10	-	3	2	80.6	-	0
Unicoi	511	384	96	31	124	81	-	43	19	37.2	13	25.4
Union	189	63	104	22	57	42	-	15	10	52.9	7	37.0
Van Buren	131	64	54	13	22	19	-	3	1	7.6	5	36.2
Warren	598	445	140	11	204	151	3	42	27	45.2	16	26.8
Washington	1,526	1,120	391	15	476	306	1	168	60	39.3	28	18.3
Johnson City	717	611	103	3	232	120	-	112	35	46.0	13	18.1
	686	585	71	2	194	92	-	102	31	46.4	12	18.0
	49	16	32	1	38	28	-	10	2	40.8	1	20.4
Balance of county	809	509	288	12	244	186	1	56	27	33.4	15	18.5
Wayne	337	208	155	34	103	80	-	15	13	32.7	5	12.6
Weakley	662	474	187	1	291	221	3	67	26	39.3	16	24.2
White	509	286	209	13	151	124	-	27	26	51.1	11	21.6
Williamson	603	464	122	16	258	171	4	79	26	43.1	11	18.2
	483	443	29	10	191	118	3	66	19	39.3	6	12.4
	120	21	93	6	67	53	1	13	7	58.3	5	41.7
Wilson	662	542	104	11	269	201	-	65	17	25.7	22	33.2
	562	519	39	4	224	162	-	59	10	17.8	17	30.2
	100	23	65	7	45	39	-	6	7	70.0	5	50.0
TEXAS	198,662	149,486	26,765	20,632	62,662	39,164	1,568	22,820	6,161	41.1	4,563	23.0
	175,183	137,842	22,024	13,867	51,980	30,826	1,285	19,490	6,837	39.0	3,513	20.1
	23,479	11,644	4,741	6,765	10,682	7,338	273	3,030	1,324	56.4	1,050	44.7
Anderson	719	461	124	132	355	262	-	93	34	47.3	12	16.7
	510	454	54	2	219	137	-	82	23	45.1	9	17.6
	209	7	70	130	136	125	-	11	11	52.6	3	14.4
Palestine	255	193	38	23	184	130	-	54	16	62.7	7	27.5
	191	189	2	-	107	61	-	46	11	37.6	6	31.4
	64	4	36	23	77	69	-	8	5	78.1	1	15.6
Balance of county	464	268	86	109	171	132	-	39	18	38.8	5	10.8
	319	265	52	2	112	76	-	36	12	37.6	3	9.4
	145	3	34	107	59	56	-	3	6	41.4	2	13.8

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio	
		Physician in hospital	Physician not in hospital	Midwife									
TEXAS—Continued													
Andrews-----	96	94	2	-	10	14	-	4	4	41.7	1	10.4	
Angelina-----	1,011	863	119	26	297	190	-	106	34	33.6	22	21.8	
		White-----	779	61	3	254	146	-	87	25	28.9	16	18.5
		Nonwhite-----	147	84	38	23	63	-	19	9	61.2	6	40.8
Araucarias-----	87	83	34	-	49	53	-	14	3	34.5	-	0	
Archer-----	155	154	1	-	39	24	-	14	3	19.4	4	25.8	
Armstrong-----	40	39	1	-	20	13	-	7	3	75.0	1	25.0	
Atascosa-----	628	226	268	119	175	140	-	33	33	52.5	15	23.9	
Austin-----	289	137	86	62	169	132	-	37	10	34.6	8	27.7	
		White-----	198	126	68	4	122	-	52	5	25.3	3	15.2
		Nonwhite-----	91	11	18	58	47	-	5	5	54.9	5	54.9
Bailey-----	184	178	6	1	40	21	-	19	7	58.0	3	16.3	
Bandera-----	100	92	5	2	39	23	-	11	3	30.0	3	30.0	
Bastrop-----	539	300	87	149	222	175	-	46	27	50.1	12	22.3	
		White-----	347	264	56	26	135	-	39	17	49.0	8	23.1
		Nonwhite-----	192	36	31	123	87	-	9	10	52.1	4	20.8
Baylor-----	160	158	4	-	59	29	1	29	5	31.3	1	6.3	
Bee-----	515	268	118	125	168	114	-	54	33	64.1	13	25.2	
Bell-----	1,522	1,185	281	51	443	258	-	183	56	56.9	29	19.1	
		White-----	1,550	1,141	200	8	398	-	178	51	37.9	26	19.3
		Nonwhite-----	172	44	81	43	55	-	8	5	29.1	3	17.4
Temple-----	620	473	109	36	188	98	-	90	25	40.3	11	17.7	
		White-----	504	458	41	4	154	-	86	23	45.6	9	17.9
		Nonwhite-----	116	15	68	32	34	-	4	2	17.2	2	17.2
Balance of county-----	902	712	172	15	255	160	-	93	31	54.4	16	20.0	
Bexar-----	14,429	10,112	1,094	3,143	4,549	2,331	236	1,736	623	43.2	365	25.3	
San Antonio-----	13,269	9,281	970	2,951	3,760	2,113	14	1,595	556	42.7	342	25.8	
		White-----	12,540	8,811	736	2,929	3,459	1,901	14	1,469	536	320	25.5
		Nonwhite-----	729	470	234	22	321	-	106	30	41.2	22	30.2
Balance of county-----	1,160	831	124	192	589	218	222	141	57	49.1	23	19.8	
Blanco-----	89	78	7	3	48	36	-	12	2	22.5	1	11.2	
Borden-----	1	1	-	-	3	3	-	-	1	1,000.0	-	0	
Bosque-----	289	269	18	1	127	98	-	29	5	17.3	8	27.7	
Bowie-----	1,547	1,019	245	276	489	363	1	122	47	30.4	33	21.3	
		White-----	1,190	978	179	30	313	-	104	28	23.5	23	19.3
		Nonwhite-----	357	41	66	245	175	1	19	19	53.2	10	28.0
Texarkana ¹² -----	617	505	31	79	243	161	-	62	25	40.5	18	29.2	
		White-----	492	478	10	3	167	-	55	13	26.4	12	24.4
		Nonwhite-----	125	27	21	76	76	-	7	12	96.0	6	48.0
Balance of county-----	930	514	214	197	245	162	1	60	22	25.7	15	16.1	
		White-----	698	500	189	27	146	-	49	15	21.5	11	15.8
		Nonwhite-----	232	14	45	170	99	1	11	7	50.2	4	17.2
Brazoria-----	1,224	1,115	37	68	291	159	12	119	36	29.4	23	18.8	
		White-----	1,065	1,065	23	6	223	-	105	31	28.6	18	14.7
		Nonwhite-----	159	60	14	62	68	2	13	5	36.0	7	50.4
Brazos-----	1,111	807	49	244	288	200	-	89	39	35.1	33	29.7	
		White-----	837	752	27	55	175	-	72	20	23.9	18	21.5
		Nonwhite-----	274	55	22	189	113	-	16	19	69.3	15	54.7
Bryan-----	632	449	32	146	192	123	-	69	24	58.0	19	30.1	
		White-----	472	413	19	37	124	-	57	14	29.7	9	19.1
		Nonwhite-----	160	36	13	109	68	-	12	10	62.5	10	62.5
Balance of county-----	479	358	17	98	96	77	-	19	15	31.3	14	29.2	
		White-----	365	339	9	18	51	-	15	6	16.4	9	24.7
		Nonwhite-----	114	19	9	80	45	-	4	9	79.9	5	43.9
Browster-----	243	89	124	18	67	56	-	11	14	57.6	6	24.7	
Briscoe-----	74	68	6	-	12	7	-	5	1	13.5	1	13.5	
Brooks-----	295	197	41	37	76	57	-	18	18	61.0	4	13.6	
Brown-----	774	736	31	6	275	156	-	115	19	24.5	23	29.7	
Brownwood-----	577	544	27	6	189	98	-	90	17	29.5	21	36.4	
Balance of county-----	197	192	4	-	86	58	-	25	2	10.2	2	10.2	
Burleson-----	303	127	60	112	153	129	-	23	11	36.3	11	36.3	
		White-----	195	118	46	29	83	-	19	3	15.4	5	25.6
		Nonwhite-----	108	9	14	83	70	-	4	8	74.1	6	55.6
Burnet-----	220	176	31	8	83	69	-	14	6	27.3	1	4.5	
Caldwell-----	585	289	203	65	226	179	-	46	32	54.7	14	23.9	
		White-----	506	266	176	36	188	-	41	26	51.4	10	19.8
		Nonwhite-----	79	23	27	29	40	-	5	6	75.9	4	50.6
Calhoun-----	195	74	106	11	48	38	-	10	6	30.8	9	46.2	
Callahan-----	165	137	27	1	91	63	-	27	2	12.1	1	6.1	
Comson-----	4,750	1,470	1,142	2,050	1,121	892	2	224	368	77.1	128	26.9	
Brownsville-----	1,200	492	100	598	340	266	2	70	107	89.2	43	35.8	
Harlingen-----	606	432	151	41	200	126	-	74	66	108.9	26	42.9	
Balance of county-----	2,944	546	911	1,410	581	500	-	80	193	65.6	59	20.0	
Camp-----	249	167	27	55	84	73	-	11	3	12.0	7	28.1	
		White-----	155	141	13	1	54	-	9	1	6.5	4	25.8
		Nonwhite-----	94	26	14	54	30	-	3	2	21.3	3	31.9
Carson-----	170	163	7	-	33	22	-	11	6	35.3	1	5.9	
Cass-----	746	441	130	159	212	159	-	52	19	25.6	19	25.5	
		White-----	477	390	69	5	148	-	41	13	27.3	10	21.0
		Nonwhite-----	269	61	49	154	84	-	11	6	22.3	9	33.5
Castro-----	115	113	2	-	19	14	-	5	3	26.1	2	17.4	
Chambers-----	172	139	12	19	54	33	-	16	5	29.1	5	29.1	
		White-----	130	124	4	1	39	-	15	3	23.1	2	15.4
		Nonwhite-----	42	15	8	16	15	-	2	47.6	3	71.4	

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
TEXAS—Continued												
Cherokee	927	618	204	97	479	224	165	86	21	22.7	19	19.4
White	717	596	150	-	292	140	82	66	15	20.9	11	15.3
Nonwhite	210	32	74	97	187	84	83	20	6	29.6	7	33.3
Childress	289	286	3	-	107	81	-	26	8	27.7	2	6.9
Clay	205	163	42	-	69	45	-	24	3	14.6	3	14.6
Cochran	149	131	15	3	24	19	-	3	4	26.8	1	6.7
Coke	68	55	11	-	19	9	-	1	1	15.2	-	0
Coleman	365	323	33	1	168	111	1	55	12	32.9	7	19.2
Collin	1,015	783	209	20	396	287	1	105	33	32.5	24	23.6
Collingsworth	220	214	6	-	55	33	-	22	6	27.3	5	22.7
Colorado	422	275	40	103	163	120	-	43	23	54.5	6	14.2
White	294	239	24	19	105	71	-	34	7	24.6	2	7.0
Nonwhite	128	36	16	84	58	49	-	9	16	115.9	4	29.0
Comal	465	284	129	39	150	99	-	50	21	45.2	10	21.5
Comanche	329	318	11	-	139	102	-	37	7	21.3	5	15.2
Concho	139	94	35	6	34	21	-	13	7	50.4	2	14.4
Cooke	501	455	38	5	208	118	-	90	26	51.9	5	10.0
Coryell	322	311	9	2	159	115	-	43	7	21.7	6	18.6
Cottle	196	169	26	1	63	33	-	30	7	35.7	2	10.2
Crane	103	102	1	-	18	9	-	9	2	19.4	-	0
Crockett	100	44	50	6	20	13	-	7	4	40.0	-	0
Crosby	211	156	54	1	50	36	-	14	8	37.9	6	28.4
Culberson	41	14	27	-	16	13	-	3	3	73.2	1	24.4
Dallas	181	158	22	-	56	40	-	16	10	55.2	4	22.1
Dallas	14,206	12,496	634	52	4,227	2,377	6	1,828	416	29.3	268	18.9
White	12,301	11,934	303	44	3,343	1,884	6	1,440	329	26.7	208	16.9
Nonwhite	1,905	1,562	331	8	884	493	-	388	87	45.7	60	31.5
Dallas	10,136	9,686	403	30	3,216	1,796	4	1,405	287	28.3	208	20.5
White	8,665	8,494	128	28	2,500	1,399	4	1,089	226	26.1	158	18.2
Nonwhite	1,471	1,192	275	2	716	397	-	316	61	41.6	50	34.0
Highland Park	113	113	-	-	100	57	-	41	5	44.2	2	17.7
White	108	108	-	-	87	50	-	35	5	46.3	1	9.3
Nonwhite	5	5	-	-	13	7	-	6	-	0	1	200.0
University Park	374	373	1	-	111	67	-	44	6	16.0	3	8.0
Balance of county	3,583	3,324	230	22	800	457	2	338	118	32.9	55	15.4
White	3,158	2,963	174	16	647	369	2	273	92	29.1	46	14.6
Nonwhite	425	361	56	6	153	88	-	65	26	61.2	9	21.2
Dawson	570	434	88	44	159	98	-	60	43	75.4	5	8.8
Deaf Smith	214	179	34	1	57	46	-	11	7	32.7	4	18.7
Delta	193	151	39	4	81	63	-	16	3	15.5	8	41.5
Denton	751	623	126	2	322	192	-	126	23	30.6	15	20.0
Denton	372	345	25	2	149	78	-	70	14	37.6	7	18.8
White	350	328	22	-	131	69	-	61	11	31.4	7	20.0
Nonwhite	22	17	3	2	18	9	-	9	3	136.4	-	0
Balance of county	379	278	101	-	173	114	-	56	9	23.7	8	21.1
Do Witt	570	320	140	69	294	191	2	89	32	58.1	12	21.1
White	505	307	125	40	222	135	2	83	26	51.5	8	15.8
Nonwhite	65	13	15	29	62	56	-	6	6	92.5	4	61.5
Dickens	199	148	47	4	89	34	-	25	6	30.2	9	45.2
Dimmit	394	85	219	84	86	73	-	13	31	78.7	12	30.5
Donley	130	104	19	7	61	47	-	14	4	30.8	4	30.8
Duval	502	188	198	91	115	100	-	15	24	47.8	11	21.9
Eastland	652	622	28	2	270	176	-	93	19	29.1	9	13.8
Ector	892	794	94	3	168	80	-	86	34	38.1	17	19.1
Edwards	66	27	25	14	17	9	-	8	2	30.3	2	30.3
Ellis	1,036	744	230	58	435	320	-	111	54	52.1	27	26.1
White	788	696	85	4	314	217	3	94	39	49.3	14	17.8
Nonwhite	248	48	145	54	121	103	-	17	15	60.5	13	52.4
El Paso	5,981	4,933	363	627	1,399	712	1	679	272	45.5	140	23.4
El Paso	4,554	3,874	167	483	1,113	538	-	572	201	44.1	108	23.3
Balance of county	1,427	1,059	196	144	286	174	1	107	71	49.8	34	23.8
Ertath	445	421	24	-	155	106	-	49	12	27.0	5	11.2
Falls	604	338	101	148	279	184	1	98	21	34.8	15	24.8
White	411	384	48	30	175	80	1	80	13	31.6	8	19.5
Nonwhite	193	14	53	118	104	96	-	8	8	41.5	7	36.3
Fannin	722	539	166	16	344	250	-	88	29	40.2	25	34.6
White	661	534	125	2	305	215	-	85	22	33.3	23	34.8
Nonwhite	61	5	41	14	38	34	-	3	7	114.8	2	32.8
Fayette	488	341	87	60	315	230	1	79	29	58.2	15	30.1
White	370	302	55	6	242	165	-	72	15	40.5	9	24.3
Nonwhite	128	39	32	54	73	64	-	7	14	109.4	6	46.9
Fisher	252	239	11	-	73	35	-	36	11	43.7	4	15.9
Floyd	214	186	28	-	78	61	-	14	13	60.7	5	23.4
Foard	110	95	13	1	49	43	-	6	3	27.3	2	16.2
Fort Bend	653	384	155	105	233	187	1	75	41	62.8	23	35.2
White	503	336	123	35	160	94	1	65	30	59.6	15	29.8
Nonwhite	150	48	32	70	73	63	-	10	11	73.3	8	53.3
Franklin	104	56	43	5	62	53	-	6	8	76.9	1	9.6
Freestone	341	203	58	76	178	145	-	29	9	26.4	17	49.9
White	205	181	22	2	108	77	-	28	4	19.5	4	19.5
Nonwhite	136	22	36	74	70	68	-	1	5	36.8	13	95.6
Frio	425	94	176	145	123	111	-	12	32	75.3	9	21.2
Geines	271	255	16	-	51	36	-	5	7	25.8	3	11.1

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
TEXAS—Continued												
Galveston-----	2,993	2,862	126	2	1,370	820	23	522	94	31.4	48	16.0
White-----	2,374	2,274	97	-	1,074	661	23	385	63	26.5	28	11.9
Nonwhite-----	619	588	29	2	296	159	-	137	31	50.1	20	32.3
Galveston-----	2,027	1,934	90	-	807	375	15	415	71	35.0	34	16.9
White-----	1,524	1,450	71	-	586	274	15	295	45	29.5	17	11.2
Nonwhite-----	503	484	19	-	221	101	-	120	26	51.7	17	35.8
Balance of county-----	966	928	36	2	563	445	8	107	23	23.8	14	14.5
White-----	850	824	26	-	489	387	8	90	18	21.2	11	12.9
Nonwhite-----	116	104	10	2	75	58	-	17	5	43.1	3	25.9
Garza-----	198	91	96	10	47	37	-	10	11	55.6	4	20.2
Gillespie-----	237	232	4	1	96	61	-	34	6	25.3	2	8.4
Glasscock-----	8	8	-	-	3	2	-	1	-	0	-	0
Goliad-----	150	45	92	16	67	55	-	12	6	40.0	12	60.0
White-----	138	44	72	15	57	46	-	11	4	29.0	12	87.0
Nonwhite-----	12	1	10	1	10	9	-	1	2	166.7	-	0
Gonzales-----	566	252	261	43	242	200	-	39	35	61.9	12	21.2
White-----	474	228	224	15	195	157	-	35	28	59.1	9	19.0
Nonwhite-----	92	24	37	28	47	43	-	4	7	76.1	3	32.6
Gray-----	699	654	45	-	169	75	-	93	26	37.2	10	14.3
Pampa-----	546	516	30	-	126	49	-	76	21	38.5	9	16.5
Balance of county-----	153	138	15	-	43	26	-	17	5	32.7	1	6.5
Grayson-----	1,627	1,456	147	19	715	416	1	293	45	27.7	48	29.5
Denison-----	574	542	20	11	248	159	-	108	17	29.6	15	26.1
White-----	501	496	5	-	198	101	-	97	15	29.9	9	18.0
Nonwhite-----	73	46	15	11	50	38	-	11	2	27.4	6	82.2
Sherman-----	498	465	26	6	207	107	-	100	10	20.1	18	36.1
White-----	450	449	1	-	173	83	-	90	8	17.9	16	35.6
Nonwhite-----	48	16	25	6	34	24	-	10	2	41.7	2	41.7
Balance of county-----	555	451	101	2	260	170	1	85	18	32.4	15	27.0
Gregg-----	1,702	1,540	41	111	507	299	-	203	65	38.2	51	30.0
White-----	1,330	1,305	22	1	343	174	-	164	47	35.3	20	15.0
Nonwhite-----	372	235	19	110	164	125	-	39	18	48.4	31	83.3
Longview-----	647	596	13	34	194	100	-	93	27	41.7	23	35.5
White-----	521	515	6	-	130	58	-	71	20	38.4	10	19.2
Nonwhite-----	126	81	7	34	64	42	-	22	7	55.6	13	103.2
Balance of county-----	1,055	944	26	77	313	199	-	110	38	36.0	28	26.5
White-----	809	790	16	1	213	116	-	93	27	33.4	10	12.4
Nonwhite-----	246	154	12	76	100	83	-	17	11	44.7	18	73.2
Grimes-----	357	234	30	89	158	127	-	30	14	39.2	11	30.9
White-----	206	164	11	9	82	58	-	23	8	38.8	4	19.4
Nonwhite-----	151	50	19	80	76	69	-	7	6	39.7	7	46.4
Guadalupe-----	643	289	298	55	242	169	-	52	40	62.2	13	20.2
White-----	551	277	217	47	186	136	-	47	35	63.5	12	21.8
Nonwhite-----	92	12	71	8	56	51	-	5	5	54.3	1	10.9
Hale-----	697	622	72	2	155	67	-	67	17	24.4	18	23.0
Hall-----	303	267	23	12	98	43	-	55	19	62.7	8	19.8
Hamilton-----	217	199	16	-	92	57	-	34	4	18.4	5	23.0
Hansford-----	95	65	10	-	28	15	-	10	1	10.5	2	21.1
Hardenberg-----	247	235	9	3	82	44	-	38	8	32.4	9	36.4
Hardin-----	493	240	242	6	162	112	-	49	29	56.9	10	20.3
White-----	416	235	179	2	132	88	-	43	25	60.1	6	14.4
Nonwhite-----	77	5	63	4	30	24	-	6	4	51.9	4	51.9
Harris-----	18,818	17,856	470	566	5,713	2,654	26	2,994	714	37.7	439	23.2
White-----	15,466	14,927	365	176	4,222	1,972	25	2,194	477	30.8	300	19.4
Nonwhite-----	3,432	2,929	105	390	1,491	682	1	800	237	69.1	139	40.2
Houston-----	15,378	14,584	331	435	4,896	2,215	15	2,637	583	37.9	352	22.9
White-----	12,423	12,004	256	149	3,572	1,625	15	1,909	394	30.9	237	19.1
Nonwhite-----	2,955	2,580	75	286	1,324	590	-	728	199	67.3	115	38.9
Balance of county-----	3,540	3,262	139	131	817	439	11	357	131	37.0	86	24.3
White-----	3,063	2,923	109	27	650	347	10	285	93	30.4	63	20.6
Nonwhite-----	477	339	30	104	167	92	1	72	38	79.7	23	46.2
Harrison-----	1,221	629	76	505	468	349	-	119	51	41.9	36	29.5
White-----	968	531	22	14	192	114	-	78	15	26.4	9	15.8
Nonwhite-----	253	98	54	491	276	235	-	41	36	55.1	27	41.3
Marshall-----	588	418	40	122	235	157	-	79	18	30.6	16	27.2
White-----	366	355	8	2	112	60	-	52	10	27.3	6	16.4
Nonwhite-----	222	63	32	120	124	97	-	27	8	36.0	10	45.0
Balance of county-----	633	211	36	383	232	192	-	40	33	52.1	20	31.6
White-----	202	176	14	12	80	54	-	26	5	24.8	3	14.9
Nonwhite-----	431	35	22	371	152	138	-	14	28	65.0	17	39.4
Hartley-----	81	72	8	-	21	4	-	17	4	49.4	2	24.7
Haskell-----	307	295	5	7	85	46	-	39	16	58.6	6	19.5
Hays-----	492	269	157	44	163	125	-	36	28	56.9	9	18.3
Hemphill-----	91	85	6	-	41	26	-	15	5	54.9	3	33.0
Henderson-----	555	372	123	56	191	147	1	43	17	30.6	6	10.8
White-----	451	369	81	-	156	114	1	13	13	28.8	3	6.7
Nonwhite-----	104	3	42	56	35	33	-	2	4	36.5	3	28.8
Hidalgo-----	6,335	1,611	2,257	2,235	1,446	1,135	-	294	473	74.7	164	25.9
McAllen-----	879	336	220	309	199	130	-	66	49	55.7	19	21.6
Balance of county-----	5,456	1,275	2,037	1,926	1,247	1,005	-	228	424	77.7	145	26.6
White-----	688	432	207	46	331	240	-	90	29	42.2	12	17.4
Nonwhite-----	557	425	130	1	280	197	-	82	16	32.3	9	16.2
Hill-----	131	7	77	45	51	43	-	8	11	84.0	5	22.9
Nonwhite-----	454	422	24	7	111	63	-	45	27	59.5	10	22.0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS				
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio		
		Physician in hospital	Physician not in hospital	Midwife										
TEXAS—Continued														
Hood	119	99	19	-	51	39	-	12	5	42.0	2	16.8		
Hopkins	557	499	45	12	274	198	-	68	21	37.7	14	25.1		
		White	24	1	249	176	-	65	17	35.0	8	16.5		
		Nonwhite	38	11	25	22	-	3	4	56.3	6	84.5		
Houston	541	259	194	87	220	193	-	27	12	22.2	20	37.0		
		White	228	105	3	116	96	-	20	7	20.7	11	32.5	
		Nonwhite	203	31	79	84	104	7	5	24.6	9	44.3		
Howard	683	608	39	29	195	73	39	83	22	32.2	6	8.8		
Big Spring	550	492	31	25	125	61	1	63	16	29.1	6	10.9		
Balance of county	133	116	8	4	70	12	38	20	6	45.1	-	0		
Hudspeth	167	57	91	12	27	18	-	9	5	29.9	3	18.0		
Hunt	1,015	751	246	17	433	312	1	117	39	36.4	28	27.6		
		White	676	177	2	359	252	1	104	23	26.9	18	21.0	
		Nonwhite	159	75	69	15	74	60	13	100.6	10	62.9		
Greenville	424	337	77	9	161	123	-	58	19	44.8	19	44.8		
		White	343	294	47	1	136	86	8	25.3	11	32.1		
		Nonwhite	81	43	30	8	45	37	8	113.8	8	98.8		
Balance of county	591	414	169	8	252	189	1	59	20	33.8	9	15.2		
		White	513	382	130	1	233	166	1	54	15	29.2	7	13.6
		Nonwhite	78	32	39	7	29	23	5	64.1	2	25.6		
Hutchinson	915	905	10	-	162	54	-	108	29	30.6	13	14.2		
Borger	670	661	9	-	117	36	-	81	22	32.8	12	17.9		
Balance of county	245	244	1	-	45	18	-	27	6	24.5	1	4.1		
Irion	54	34	18	-	15	9	-	6	4	74.1	-	0		
Jack	164	154	10	-	57	41	-	16	3	18.3	2	12.2		
Jackson	331	137	163	27	82	68	-	14	10	30.2	4	12.1		
		White	280	128	134	14	62	49	13	7	25.0	3	10.7	
		Nonwhite	51	9	29	13	20	19	1	3	58.8	1	19.6	
Jasper	484	218	204	58	175	148	-	25	12	24.8	16	33.1		
		White	354	187	163	4	125	105	8	22.6	10	28.2		
		Nonwhite	130	31	41	54	50	43	4	30.8	6	46.2		
Jeff Davis	77	12	58	4	19	19	-	6	6	77.9	5	64.9		
Jefferson	5,186	4,513	319	312	1,388	774	1	601	174	33.6	151	29.1		
		White	3,999	3,807	169	17	964	509	1	443	108	27.0	83	20.8
		Nonwhite	1,188	705	150	295	424	265	66	55.6	68	57.2		
Beaumont	2,308	2,079	92	134	677	360	-	313	90	39.0	82	35.5		
		White	1,694	1,666	26	-	420	202	214	42	24.8	45	26.6	
		Nonwhite	614	413	66	134	257	158	99	49	78.2	37	60.3	
Fort Arthur	1,807	1,668	89	22	432	225	-	203	59	32.7	47	26.0		
		White	1,467	1,415	49	-	313	152	158	44	30.0	24	15.4	
		Nonwhite	340	253	40	22	119	73	45	15	44.1	23	67.6	
Balance of county	1,071	766	139	156	279	189	1	85	25	23.3	22	20.5		
		White	837	725	94	17	231	155	1	71	22	26.3	14	16.7
		Nonwhite	234	40	44	139	48	34	14	3	12.8	8	34.2	
Jim Hogg	190	46	79	57	45	37	-	8	7	36.8	10	52.6		
Jim Wells	863	492	257	91	172	117	-	55	38	44.0	26	30.1		
Johnson	722	596	119	7	332	290	-	99	33	45.7	12	16.6		
		Cleburne	350	296	46	7	156	113	42	10	28.6	6	17.1	
Balance of county	372	300	72	-	176	117	-	57	23	61.8	6	16.1		
Jones	538	451	77	9	174	106	-	68	24	44.5	9	16.7		
Karnes	574	213	271	55	136	104	-	30	24	41.8	21	36.6		
Kaufman	735	456	203	74	498	203	198	92	25	34.0	29	39.5		
		White	513	409	98	6	390	145	75	15	29.2	11	21.4	
		Nonwhite	222	47	105	68	108	58	17	10	45.0	18	61.1	
Terrell	203	151	36	16	307	66	197	41	9	44.3	9	44.3		
		White	136	130	4	2	245	43	170	32	7	51.5	4	29.4
		Nonwhite	67	21	32	14	62	23	9	2	29.9	5	74.6	
Balance of county	532	305	167	58	191	137	1	51	16	30.1	20	37.6		
		White	377	279	94	4	145	102	8	21.2	7	12.6		
		Nonwhite	155	26	73	54	46	35	8	51.6	13	63.9		
Kendall	137	103	21	12	65	47	-	18	10	73.0	2	14.6		
Kenedy	11	7	1	2	2	2	-	-	-	0	-	0		
Kent	41	32	9	-	13	9	-	4	2	48.8	2	48.8		
Kerr	351	247	92	10	164	65	-	79	17	48.4	5	14.2		
Kimble	118	45	68	-	33	27	-	6	3	25.4	4	33.9		
King	9	7	1	1	2	2	-	2	2	222.2	1	111.1		
Kimney	71	31	15	24	19	15	-	4	4	56.3	4	56.3		
Kleberg	654	448	137	61	141	89	-	52	33	50.5	15	22.9		
Knox	280	229	18	12	55	34	-	21	5	19.2	5	19.2		
Lamar	1,147	728	336	79	437	303	-	133	46	40.1	26	22.7		
		White	838	711	120	10	343	227	115	33	35.2	15	16.0	
		Nonwhite	209	17	120	69	94	76	18	13	62.2	11	52.6	
Paris	615	446	17	249	160	114	-	88	20	32.5	16	26.0		
		White	504	435	68	1	190	114	75	12	23.8	9	17.9	
		Nonwhite	111	11	94	16	59	46	13	8	72.1	7	63.1	
Balance of county	532	282	184	62	188	143	-	45	26	46.9	10	18.8		
		White	434	276	149	9	153	113	40	21	48.4	6	13.8	
		Nonwhite	98	6	36	53	35	30	5	51.0	4	40.8		
Lamb	495	465	15	8	117	46	-	71	28	56.6	14	28.3		
Lampasas	252	215	34	2	118	80	-	38	11	43.7	5	19.8		
La Salle	267	76	121	58	66	59	-	7	30	112.4	12	44.9		
Lavaca	537	415	75	40	242	156	4	73	22	41.0	10	18.6		
		White	466	407	51	5	206	123	4	30.0	9	19.3		
		Nonwhite	71	8	24	35	36	33	8	112.7	1	14.1		

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
TEXAS—Continued												
Lee	203	102	49	50	101	73	-	26	5	24.6	6	29.6
White	146	96	36	12	64	42	-	20	2	13.7	4	27.4
Nonwhite	57	6	12	38	37	31	-	6	3	52.6	2	35.1
Leon	326	110	75	130	124	99	-	24	6	18.4	7	21.5
White	167	101	59	6	71	49	-	21	4	24.0	6	35.9
Nonwhite	159	9	16	124	53	50	-	3	2	12.6	1	6.3
Liberty	711	599	50	71	243	187	-	104	26	36.8	25	35.2
White	589	531	31	6	177	83	-	93	20	35.1	18	31.6
Nonwhite	142	57	19	65	66	54	-	11	6	42.3	7	49.3
Limestone	512	274	136	96	230	166	2	62	19	37.1	20	39.1
White	346	256	77	9	139	85	2	51	7	20.2	9	26.0
Nonwhite	166	18	59	87	92	81	-	11	12	72.3	11	66.3
Lipscomb	122	117	5	-	63	44	-	19	6	49.2	2	16.4
Live Oak	195	89	80	14	63	51	-	12	11	56.4	9	46.2
Llano	111	98	10	1	71	63	-	7	2	18.0	2	18.0
Loving	10	9	1	-	-	-	-	-	-	0	-	0
Lubbock	2,374	1,946	386	37	554	305	-	246	108	45.5	40	16.8
Lubbock	1,570	1,321	231	15	423	227	-	194	75	47.8	31	19.7
Balance of county	604	625	155	22	131	78	-	52	33	41.0	9	11.2
Lynn	285	228	31	25	80	55	-	25	19	66.7	3	10.5
McCulloch	317	277	29	4	120	71	-	48	15	47.3	11	34.7
McLennan	2,989	2,471	294	208	1,163	690	84	387	84	26.1	72	24.1
White	2,391	2,169	168	34	868	492	82	313	52	21.8	45	18.9
Nonwhite	608	302	126	174	295	198	22	74	32	52.6	27	44.4
Waco	2,041	1,841	113	75	688	394	-	294	57	27.9	46	22.5
White	1,617	1,565	35	9	493	261	-	232	36	22.3	24	14.8
Nonwhite	424	278	78	66	195	133	-	62	21	49.5	22	51.9
Balance of county	948	630	181	133	475	296	84	93	27	28.5	26	27.4
White	784	604	133	25	375	231	62	81	16	20.9	21	27.5
Nonwhite	184	26	48	108	100	65	22	12	11	59.8	5	27.2
McKellen	23	14	7	1	10	9	-	1	1	43.5	1	43.5
Madison	210	114	35	61	58	52	-	6	7	33.3	4	19.0
White	135	104	27	4	38	32	-	6	1	7.4	3	22.2
Nonwhite	75	10	8	57	20	20	-	6	6	60.0	1	13.3
Marion	253	84	102	64	106	90	-	14	10	39.5	9	35.6
White	112	64	45	2	43	35	-	7	3	26.8	2	17.9
Nonwhite	141	20	57	62	63	55	-	7	7	49.6	7	49.6
Martin	107	79	5	2	26	18	-	7	5	46.7	3	28.0
Mason	123	87	35	1	46	40	-	6	4	32.5	5	40.7
Matagorda	559	359	134	62	178	105	-	67	41	73.3	18	32.2
White	423	337	82	3	128	70	-	52	28	66.2	7	16.5
Nonwhite	136	21	52	59	50	35	-	15	13	95.6	11	80.9
Maverick	467	84	124	240	115	91	-	23	29	62.1	6	12.8
Medina	616	350	119	140	148	109	-	38	23	37.3	15	24.4
Menard	121	43	70	8	39	30	-	9	-	0	2	16.5
Midland	540	480	39	10	123	63	-	60	26	48.1	8	14.8
Milam	503	300	118	80	231	186	-	45	16	31.8	11	21.9
White	373	281	79	12	162	126	-	36	9	24.1	9	24.1
Nonwhite	130	19	39	68	69	60	-	9	7	53.8	2	15.4
Mills	124	118	6	-	66	44	-	20	4	32.3	2	16.1
Mitchell	344	298	27	13	108	83	-	45	15	43.6	2	5.8
Montague	391	317	74	-	167	110	-	57	10	25.6	4	10.2
Montgomery	828	452	99	72	232	146	-	85	31	49.4	16	25.5
White	485	404	87	12	151	79	-	71	22	45.4	6	12.4
Nonwhite	143	48	32	60	81	67	-	14	9	62.9	10	69.9
Moore	323	276	44	-	40	25	-	15	9	27.9	10	31.0
Morris	210	102	70	33	78	68	-	10	4	19.0	6	28.6
White	139	93	44	1	46	39	-	7	1	7.2	2	14.4
Nonwhite	71	9	26	32	32	29	-	3	3	42.3	4	56.3
Motley	114	104	9	1	25	16	-	9	2	17.5	1	8.8
Nacogdoches	819	560	177	78	279	182	-	87	28	34.2	20	24.4
White	577	502	89	6	192	117	-	75	22	39.1	8	13.9
Nonwhite	242	58	108	72	87	75	-	12	6	24.8	12	49.6
Navarro	947	712	146	81	372	256	-	116	34	35.9	29	30.6
White	717	634	80	3	274	171	-	103	20	27.9	16	22.3
Nonwhite	230	78	66	78	98	85	-	13	14	60.9	13	56.5
Corsicana	462	407	39	16	181	109	-	72	23	49.8	15	32.5
White	365	352	12	1	132	68	-	64	16	43.8	9	24.7
Nonwhite	97	55	27	15	49	41	-	8	7	72.2	6	61.9
Balance of county	485	305	107	65	191	147	-	44	11	22.7	14	28.9
White	352	282	68	2	142	103	-	39	4	11.4	7	19.9
Nonwhite	133	23	39	63	49	44	-	5	7	52.6	7	52.6
Newton	289	100	109	79	79	65	-	14	12	41.5	20	69.2
White	170	94	72	3	41	32	-	9	6	35.3	7	41.2
Nonwhite	119	6	36	76	38	33	-	5	6	50.4	13	109.2
Nolan	518	508	10	-	128	69	-	57	11	21.2	5	9.6
Sweetwater	358	351	8	-	99	53	-	45	9	25.1	4	11.1
Balance of county	160	157	2	-	29	16	-	12	2	12.5	1	5.3
Nueces	5,369	3,692	615	1,008	1,031	575	1	449	249	46.4	138	25.7
Corpus Christi	3,874	3,053	210	600	762	396	1	361	174	44.9	87	22.5
Balance of county	1,495	639	405	408	269	179	-	88	75	50.2	51	34.1
Ochiltree	159	155	4	-	38	17	-	21	7	44.0	4	25.2
Oldham	55	51	4	-	10	2	-	8	2	36.4	2	36.4

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS			DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS			
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
TEXAS—Continued												
Orange	1,259	1,128	24	107	237	116	-	119	44	34.9	23	18.3
White	1,101	1,072	20	9	193	90	-	101	35	30.0	16	14.5
Nonwhite	158	56	4	98	44	26	-	18	11	69.6	7	44.3
Palo Pinto	472	459	15	-	203	77	-	16	16	33.9	9	16.9
White	390	391	81	103	151	119	-	31	9	23.1	9	23.1
Nonwhite	284	183	66	4	71	50	-	20	6	22.7	4	15.2
Parker	448	413	33	-	179	105	-	11	3	23.8	5	11.2
White	448	413	33	-	179	105	-	11	3	23.8	5	11.2
Nonwhite	148	141	7	-	31	23	-	7	3	20.3	-	0
Pecos	307	132	133	35	69	43	-	24	15	48.9	1	3.5
Polk	469	322	70	67	150	120	-	30	17	36.2	10	21.3
White	331	283	40	6	96	74	-	22	13	39.3	2	6.0
Nonwhite	138	39	30	61	54	46	-	8	4	29.0	8	58.0
Potter	1,807	1,855	49	-	561	207	-	349	86	45.1	45	23.6
Amarillo (part)	1,828	1,778	49	-	541	199	-	337	83	(?)	45	(?)
Amarillo (total)	1,870	1,818	49	-	547	199	-	343	85	45.5	48	24.6
Balance of county	79	78	-	-	20	8	-	12	3	38.0	-	0
Presidio	256	25	141	84	60	55	-	5	11	43.0	4	15.6
White	256	25	141	84	60	55	-	5	11	43.0	4	15.6
Nonwhite	90	52	36	2	36	28	-	9	2	22.2	1	11.1
Randall	177	173	3	1	49	23	-	28	8	45.2	3	16.9
White	42	42	-	-	5	-	-	6	2	(?)	1	1
Balance of county	135	131	3	1	43	23	-	20	6	44.4	2	14.8
Reagan	62	48	14	-	6	3	-	3	1	16.1	2	32.3
Real	59	36	14	7	9	6	-	3	-	0	-	0
Red River	580	355	126	97	230	175	-	52	16	27.6	19	32.8
White	443	346	85	9	172	122	-	47	13	29.3	12	27.1
Nonwhite	137	9	40	88	58	53	-	5	3	21.9	7	51.1
Reeves	350	146	181	7	92	65	-	23	5	65.7	10	28.6
White	252	196	36	17	60	30	-	30	11	43.7	6	23.8
Nonwhite	225	178	34	11	47	28	-	24	9	40.0	6	26.7
Balance of county	27	18	2	6	13	7	-	6	2	74.1	-	0
Roberts	23	22	1	-	15	9	-	7	2	87.0	-	0
Robertson	541	212	100	223	222	193	-	27	26	49.1	16	29.6
White	287	195	58	31	105	63	-	20	10	34.8	8	27.9
Nonwhite	254	17	42	192	117	110	-	7	16	63.0	8	31.5
Rockwall	141	85	49	4	55	33	-	15	5	35.5	5	35.5
White	109	84	24	-	47	32	-	14	4	36.7	4	36.7
Nonwhite	32	2	25	4	8	6	-	3	1	31.3	1	31.3
Romels	434	327	100	6	138	89	-	49	18	41.5	9	20.7
Rusk	917	534	240	137	319	219	1	98	15	16.4	21	22.8
White	632	491	137	3	232	152	1	78	9	14.2	9	14.2
Nonwhite	285	43	103	134	87	67	-	20	6	21.1	12	42.1
Sabine	210	62	108	18	88	77	-	11	8	38.1	8	38.1
White	170	67	100	1	69	56	-	11	7	41.2	5	29.4
Nonwhite	40	15	8	17	19	19	-	1	1	25.0	3	75.0
San Augustine	234	110	55	67	85	70	-	13	7	29.9	9	38.5
White	140	89	47	4	55	44	-	10	1	7.1	4	28.6
Nonwhite	94	21	8	63	30	26	-	3	6	63.8	5	55.2
San Jacinto	148	72	39	36	73	57	-	16	6	40.5	3	20.3
White	72	53	19	-	30	23	-	7	4	55.6	-	0
Nonwhite	76	19	20	36	43	34	-	9	2	26.3	3	39.5
San Patricio	1,237	515	547	145	339	233	-	104	111	89.7	27	21.8
San Saba	248	164	78	4	76	61	-	15	7	28.2	2	8.1
Schleicher	80	40	22	5	22	16	-	6	2	25.0	1	12.5
Scurry	237	212	4	4	60	37	-	22	-	0	6	25.3
Shackelford	111	91	20	-	39	34	-	5	3	27.0	1	9.0
Shelby	620	456	121	43	226	190	-	34	18	29.0	14	22.6
White	503	430	72	1	176	142	-	32	16	31.8	8	15.9
Nonwhite	117	26	49	42	50	48	-	2	2	17.1	6	51.3
Sherman	49	49	-	-	9	6	-	3	1	20.4	-	0
Smith	1,851	1,304	164	379	599	433	-	164	51	27.6	42	22.7
White	1,254	1,173	74	7	363	253	-	128	30	25.9	17	13.6
Nonwhite	597	131	90	372	236	180	-	36	21	35.2	25	41.9
Tyler	967	798	39	130	298	200	-	96	25	25.9	15	15.5
White	731	714	15	2	185	118	-	75	14	19.2	6	8.2
Nonwhite	236	84	24	128	113	82	-	21	11	46.6	9	38.1
Balance of county	884	508	125	249	301	233	-	68	26	29.4	27	30.5
White	523	459	59	5	188	135	-	55	16	30.6	11	21.0
Nonwhite	361	47	86	244	113	98	-	15	10	27.7	16	44.3
Somervell	48	44	4	-	39	31	-	8	4	83.3	1	20.8
Starr	507	22	336	76	107	103	-	4	18	35.5	4	7.9
Stephens	202	193	7	-	82	46	-	36	8	39.6	8	39.6
Sterling	34	28	5	1	11	4	-	7	2	58.8	1	29.4
Stovall	71	66	5	-	15	12	-	3	1	14.1	3	42.3
Sutton	106	28	67	1	17	15	-	2	1	9.4	2	18.9
Swisher	220	215	5	-	44	22	-	20	3	13.6	3	13.6
Tarrant	9,513	9,311	171	26	2,870	1,293	51	1,313	277	32.5	178	20.9
White	7,634	7,480	145	5	2,251	1,090	50	1,098	228	29.9	129	16.9
Nonwhite	879	831	26	21	419	203	1	215	49	55.7	49	55.7
Fort Worth	7,236	7,116	95	22	2,276	1,049	16	1,200	237	32.8	160	22.1
White	6,427	6,342	79	4	1,877	856	18	994	191	29.7	111	17.3
Nonwhite	809	774	16	18	399	193	-	206	46	56.9	49	60.6
Balance of county	1,277	1,195	76	4	394	244	35	113	40	31.3	18	14.1

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See footnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
TEXAS—Continued												
Taylor	1,529	1,472	51	5	469	222	62	185	36	23.5	26	17.0
Abilene	1,208	1,169	34	5	309	150	—	159	29	24.0	22	18.2
Balance of county	321	303	17	—	160	72	62	26	7	21.8	4	12.5
Terrell	75	18	52	5	12	2	—	10	1	13.3	—	0
Terry	356	272	76	4	74	41	—	33	16	44.9	4	11.2
Throckmorton	71	65	4	1	20	16	—	4	—	0	3	42.3
Titus	418	314	77	25	153	110	—	40	20	47.8	7	16.7
	542	298	44	—	128	89	—	36	14	40.9	5	14.6
	76	16	33	25	25	21	—	4	6	78.9	2	26.3
Tom Green	1,365	1,160	54	129	456	207	4	241	57	41.9	21	15.4
San Angelo	1,259	1,044	47	127	377	176	—	199	55	44.4	20	16.1
Balance of county	126	116	7	2	79	31	4	42	2	15.9	1	7.9
Travis	3,870	3,449	209	202	1,480	531	367	589	211	54.5	70	18.1
	3,300	2,943	179	170	1,185	428	257	477	164	49.7	47	14.2
	570	506	30	32	325	103	110	112	47	62.5	23	40.4
Austin	3,310	3,035	146	122	1,328	444	356	525	179	54.1	52	15.7
	2,871	2,628	122	114	1,047	367	246	451	143	49.8	39	13.2
Balance of county	439	407	24	8	279	77	110	92	36	82.0	14	31.9
	560	414	55	80	164	87	11	66	32	57.1	18	32.1
	429	315	57	58	118	61	11	46	21	49.0	9	21.0
	131	99	6	24	46	26	—	20	11	84.0	9	68.7
Trinity	255	109	95	49	106	88	—	20	13	51.0	3	11.8
	189	103	81	5	68	53	—	15	7	37.0	1	5.3
	66	6	12	44	40	35	—	5	6	90.9	2	30.3
Tyler	264	122	106	30	94	72	—	21	9	34.1	4	15.2
	207	118	75	14	65	48	—	17	6	29.0	3	14.5
	57	4	31	15	29	24	—	4	3	52.6	1	17.5
Upshur	480	362	21	76	170	151	—	19	15	31.3	12	25.0
	335	326	7	2	122	106	—	16	11	32.8	4	11.9
	145	56	14	74	48	45	—	3	4	27.6	8	55.2
Upton	133	125	8	—	16	13	—	3	2	15.0	—	0
Uvalde	528	205	257	56	149	110	—	37	23	43.6	12	22.7
Val Verde	594	184	357	46	180	128	—	52	44	74.1	19	32.0
Del Rio	580	177	354	45	171	122	—	49	42	72.4	19	32.8
Balance of county	14	7	3	3	9	6	—	3	2	142.9	—	0
Van Zandt	479	292	175	11	214	174	—	39	15	31.3	10	20.9
Victoria	825	525	145	142	270	159	—	111	44	53.3	22	26.7
	748	494	122	121	223	122	—	101	38	50.8	19	25.4
	77	31	23	21	47	37	—	10	6	77.9	3	39.0
Victoria	590	392	91	102	172	89	—	83	33	56.9	13	22.4
	526	360	74	89	145	66	—	77	29	53.2	11	20.9
	54	22	17	13	27	27	—	6	5	92.6	2	37.0
Balance of county	245	143	54	40	96	70	—	26	11	44.9	9	34.7
	222	134	48	32	76	54	—	24	10	45.0	8	36.0
	23	9	6	8	20	16	—	4	1	43.5	1	43.5
Walker	413	344	9	55	173	109	37	27	9	21.8	3	7.3
	266	263	—	2	90	52	20	18	7	26.3	2	7.5
	147	81	—	53	83	57	17	9	2	13.6	1	6.8
Waller	216	104	41	69	92	71	—	21	6	27.8	7	32.4
	115	82	25	7	43	31	—	12	1	8.7	2	17.4
	101	22	16	62	49	40	—	9	5	49.5	5	49.5
Ward	400	324	70	4	80	37	—	42	16	40.0	9	22.5
Washington	467	268	73	125	230	167	—	45	18	38.5	10	21.4
	270	247	18	5	146	112	—	34	8	29.6	5	11.1
	187	21	55	120	84	75	—	9	10	50.8	7	35.5
Webb	1,986	914	440	600	480	324	—	153	93	47.8	61	30.7
Laredo	1,916	687	423	578	459	312	—	144	95	48.5	58	30.3
Balance of county	70	27	17	22	21	12	—	9	2	28.6	3	42.9
Wharton	942	707	139	74	330	191	—	139	42	44.6	25	26.5
	753	617	96	29	230	121	—	109	31	41.2	16	21.2
	189	80	43	45	100	70	—	30	11	58.2	9	47.6
Wheeler	280	273	7	—	105	42	—	61	16	57.1	10	35.7
Wichita	2,061	2,020	34	4	744	267	219	253	60	29.1	36	17.5
Wichita Falls	1,551	1,517	27	4	398	199	1	194	46	29.7	31	20.0
Balance of county	510	503	7	—	346	68	218	59	14	27.5	5	9.8
Wilbarger	522	515	6	2	149	85	—	66	24	46.0	7	13.4
Willacy	870	298	104	444	179	134	—	41	61	70.1	32	36.8
Willamson	999	739	198	56	340	226	2	111	50	50.1	32	32.0
	809	625	163	17	250	160	2	95	31	38.3	17	21.0
	190	114	35	39	82	66	—	16	19	100.0	15	78.9
Wilson	386	305	137	36	161	127	—	33	14	36.3	10	25.9
Winkler	266	260	6	—	51	22	—	29	7	26.3	4	15.0
Wise	349	328	20	—	133	96	—	37	8	22.9	6	17.2
Wood	544	368	167	9	181	141	—	30	14	25.7	11	20.2
	473	348	125	—	164	125	—	29	13	27.5	9	19.0
	71	20	42	9	17	16	—	1	1	14.1	2	28.2
Yoakum	87	86	1	—	10	4	—	4	2	33.0	3	34.5
Young	447	428	19	—	158	104	—	53	11	24.6	6	13.4
Zapata	126	18	89	18	27	23	—	4	9	71.4	4	31.7
Zavala	412	145	116	143	121	87	—	34	36	87.4	12	29.1
UTAH	21,724	21,211	484	9	4,996	2,611	151	2,181	545	25.1	303	13.9
	21,461	20,959	477	9	4,872	2,597	128	2,115	531	24.7	296	13.8
	263	252	7	—	124	54	3	66	14	53.2	7	28.9
Beaver	173	143	30	—	33	28	—	5	2	11.6	5	26.6
Box Elder	662	660	2	—	140	75	—	64	15	22.7	9	13.6

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

85

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
UTAH—Continued												
Cache	1,116	1,085	30	-	256	158	-	73	15	13.4	16	14.3
Logan	606	604	1	-	110	70	-	38	6	9.9	7	11.6
Balance of county	510	481	29	-	126	88	-	35	9	17.6	9	17.6
Carbon	792	786	6	-	187	92	1	94	28	35.4	13	16.4
Daggett	11	11	-	-	-	-	-	-	-	0	-	0
Davis	1,074	1,052	21	-	165	97	-	67	20	18.6	12	11.2
Duchesne	267	261	6	-	65	37	-	28	10	37.5	3	11.2
Emery	136	114	20	1	43	33	-	10	2	14.7	1	7.4
Garfield	183	175	4	1	29	17	-	9	5	27.3	4	21.9
Grand	57	56	1	-	14	5	-	9	3	52.6	-	0
Iron	315	315	2	-	69	37	-	32	11	34.9	4	12.7
Juab	172	168	4	-	51	35	-	15	4	23.3	2	11.6
Kane	74	74	-	-	17	14	-	1	2	27.0	1	13.5
Millard	315	239	73	-	71	52	-	19	7	22.4	7	22.4
Morgan	69	69	-	-	20	15	-	4	-	0	3	43.5
Plute	56	49	7	-	18	12	-	3	2	35.7	-	0
Rich	49	44	3	-	8	5	-	3	-	0	2	41.7
Salt Lake	8,302	8,200	96	2	1,950	899	3	1,009	203	24.5	114	13.7
Salt Lake City	5,822	5,768	50	2	1,576	684	3	855	165	28.3	75	12.9
Balance of county	2,480	2,432	46	-	374	215	-	154	36	15.3	39	15.7
San Juan	110	91	16	-	28	15	-	10	6	54.5	4	36.4
White	104	87	16	-	15	10	-	4	4	38.5	4	38.5
Nonwhite	6	4	-	-	11	5	-	2	2	333.3	-	0
Sampete	398	342	56	-	133	114	-	17	9	22.6	8	20.1
Sevier	389	380	9	-	112	71	-	14	14	36.0	4	10.3
Summit	212	204	8	-	66	35	-	31	12	56.6	4	18.9
Tooele	516	508	6	-	98	58	-	31	13	25.2	5	9.7
Uintah	355	344	9	1	73	39	-	34	10	28.2	7	19.7
White	347	337	9	1	61	31	-	30	9	28.9	7	20.2
Nonwhite	8	7	-	-	12	8	-	4	1	125.0	-	0
Utah	2,498	2,452	43	-	618	300	109	205	58	23.2	28	11.2
Provo	788	778	9	-	238	96	78	63	15	19.0	8	10.2
Balance of county	1,708	1,673	34	-	380	204	31	142	43	25.2	20	11.7
Wasatch	178	177	1	-	41	26	-	13	6	33.7	2	11.2
Washington	342	322	18	-	80	53	4	21	11	32.2	4	11.7
Wayne	77	71	2	4	16	9	-	6	5	64.9	-	0
Weber	2,831	2,820	11	-	619	278	14	327	72	25.4	41	14.5
Ogden	1,950	1,939	11	-	498	210	1	287	59	30.3	22	11.3
Balance of county	881	881	-	-	121	68	13	40	13	14.8	19	21.6
VERMONT	9,708	8,770	938	1	4,378	2,472	225	1,628	303	31.2	175	18.0
White	9,703	8,766	934	1	4,371	2,468	225	1,625	303	31.2	175	18.0
Nonwhite	5	4	1	-	7	4	-	3	-	0	-	0
Addison	482	415	67	-	196	120	-	75	13	27.0	7	14.5
Bennington	574	512	61	-	296	155	1	126	16	27.9	8	13.9
Caledonia	645	555	90	-	314	185	3	112	24	34.2	14	21.7
Chittenden	1,678	1,632	43	-	520	283	4	236	51	30.4	34	20.3
Burlington	871	858	13	-	297	136	4	154	26	29.9	17	19.5
Balance of county	804	774	30	-	223	119	-	104	25	31.1	17	21.1
Essex	178	140	35	1	94	67	-	26	9	51.1	1	5.7
Franklin	624	613	211	-	314	200	9	103	26	31.6	11	13.3
Grand Isle	80	66	14	-	45	36	-	9	-	0	1	12.5
Lamoille	269	265	23	-	136	93	-	43	12	41.7	4	13.9
Orange	423	400	23	-	198	129	-	69	11	26.0	8	16.9
Orleans	613	490	123	-	246	170	4	85	27	44.0	6	9.8
Rutland	1,125	1,033	92	-	577	343	3	222	29	25.8	24	21.3
Rutland	444	435	9	-	235	124	1	107	13	29.3	7	15.8
Balance of county	681	598	83	-	342	219	2	115	16	23.5	17	25.0
Washington	1,013	992	21	-	569	237	118	214	31	30.6	27	26.7
Barre	297	294	3	-	142	80	-	62	13	43.8	6	20.2
Balance of county	716	698	18	-	427	157	118	152	18	25.1	21	29.3
Windham	694	645	48	-	405	200	60	117	13	18.7	10	14.4
Windsor	1,096	1,012	84	-	468	272	3	187	41	37.4	20	18.2
VIRGINIA ¹³	85,740	58,163	16,991	10,243	29,193	17,847	1,508	9,537	3,142	36.6	2,237	26.1
White	65,636	51,361	12,282	1,739	20,285	11,981	976	7,050	2,101	32.0	1,351	20.6
Nonwhite	20,104	6,802	4,709	8,504	8,908	5,866	532	2,487	1,041	51.8	886	44.1
Accomack	724	352	163	208	411	346	3	59	39	53.9	28	38.7
White	427	312	108	7	255	211	1	40	11	25.8	10	23.4
Nonwhite	297	40	55	199	156	135	2	19	28	94.3	18	80.6
Albemarle	569	514	29	26	278	172	-	99	17	29.9	20	35.1
White	436	410	19	7	201	119	-	77	11	25.2	15	34.4
Nonwhite	133	104	10	19	75	53	-	22	6	45.1	5	37.8
Alleghany	626	384	220	17	189	117	-	49	23	36.7	16	25.6
Amelia	217	45	77	95	100	87	-	13	10	46.1	5	23.0
White	85	39	45	5	37	29	-	8	2	24.1	1	12.0
Nonwhite	134	7	32	95	63	58	-	5	8	59.7	4	29.9
Amherst	466	304	107	50	209	124	59	26	14	30.0	11	23.6
White	309	244	55	9	167	89	59	19	12	38.8	4	12.9
Nonwhite	157	60	52	41	42	35	-	7	2	12.7	7	44.6
Appomattox	175	93	51	29	86	70	-	18	7	40.0	4	22.9
White	117	85	34	-	61	48	-	13	3	25.6	3	25.6
Nonwhite	58	10	17	29	27	22	-	5	4	69.0	1	17.2
Arlington ¹⁴	4,129	4,085	36	5	612	314	-	293	98	23.7	71	17.2
Augusta	1,291	997	276	16	413	258	38	116	43	33.3	24	18.6
Bath	154	119	19	13	51	41	-	10	3	19.5	3	19.5
White	140	108	18	11	48	37	-	9	3	21.4	3	21.4
Nonwhite	14	11	1	2	5	4	-	1	-	0	-	0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)				DEATHS UNDER 1 YEAR		STILLBIRTHS	
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
VIRGINIA ^{1,3} —Continued												
Bedford	657	406	195	55	304	183	36	83	23	35.0	14	21.3
White	501	368	113	20	243	134	35	72	16	31.9	8	16.0
Nonwhite	156	38	82	35	61	49	1	11	7	44.9	6	38.5
Bland	157	71	94	-	43	36	-	7	5	31.8	3	19.1
Botetourt	375	205	161	9	132	92	-	35	11	29.3	12	32.0
White	326	183	140	3	117	81	-	31	8	24.5	9	27.6
Nonwhite	49	22	21	6	15	11	-	4	3	61.2	3	61.2
Brunswick	579	170	142	266	178	152	-	26	23	39.7	18	31.1
White	216	150	53	15	67	54	-	13	8	36.7	3	13.8
Nonwhite	363	20	89	251	111	98	-	13	15	41.6	15	41.6
Buchanan	1,274	236	788	233	227	164	-	63	58	45.5	37	29.0
Buckingham	545	115	75	135	111	95	-	16	11	32.1	11	32.1
White	151	83	42	26	50	40	-	10	2	13.2	4	26.5
Nonwhite	192	32	31	129	61	55	-	6	9	46.9	7	36.5
Campbell	784	345	157	80	203	139	-	61	15	19.1	18	23.0
White	579	480	96	11	156	90	-	43	9	15.5	10	17.3
Nonwhite	205	65	61	69	67	49	-	18	6	29.3	8	39.0
Caroline	344	99	163	81	148	81	-	24	21	61.0	6	23.3
White	137	79	52	6	72	56	-	16	6	43.8	1	7.3
Nonwhite	207	20	131	55	76	68	-	8	15	72.5	7	33.8
Carroll	692	217	441	33	175	143	1	8	20	26.9	17	24.6
Charles City	146	23	20	101	55	43	-	12	9	61.6	4	27.4
White	28	14	11	3	9	4	-	5	1	35.7	-	0
Nonwhite	118	9	9	98	46	39	-	7	8	67.8	4	33.9
Charlotte	387	149	98	138	125	85	-	39	16	41.3	13	33.6
White	217	137	64	16	69	43	-	25	8	36.3	3	13.8
Nonwhite	170	12	34	122	56	42	-	14	8	47.1	10	58.8
Chesterfield	672	700	42	128	288	184	-	97	33	37.8	12	13.8
White	689	665	16	8	210	131	-	72	16	23.2	10	14.5
Nonwhite	183	35	26	120	78	53	-	25	17	92.9	2	10.9
Clarke	196	128	66	2	68	60	-	27	13	68.3	3	15.3
White	151	103	48	-	64	39	-	24	9	53.0	-	6.6
Nonwhite	45	25	18	2	24	21	-	3	5	111.1	2	44.4
Craig	83	30	50	3	29	22	-	6	2	24.1	2	24.1
Culpeper	319	149	148	22	128	99	-	29	11	34.5	10	31.3
White	203	127	70	6	98	75	-	23	7	34.5	9	44.3
Nonwhite	116	22	78	16	30	24	-	6	4	34.5	1	3.6
Cumberland	187	63	25	98	95	77	-	18	6	32.1	6	26.7
White	62	46	11	4	40	30	-	10	1	16.1	1	16.1
Nonwhite	125	17	14	94	55	47	-	8	5	40.0	4	32.0
Dickenson	772	314	362	87	161	119	-	42	38	49.2	19	24.6
Dimwiddle	411	140	72	198	507	99	371	37	22	53.5	13	31.6
White	160	115	36	8	63	41	-	32	7	43.8	2	12.5
Nonwhite	251	25	36	190	444	58	371	15	15	59.8	11	43.8
Elizabeth City	980	895	24	61	315	161	-	154	27	27.6	26	26.5
White	796	780	14	2	199	94	-	105	17	21.4	15	18.8
Nonwhite	184	115	10	59	116	67	-	49	10	54.3	11	59.8
Essex	181	71	64	46	81	62	-	19	6	33.1	6	33.1
White	90	64	21	5	38	30	-	8	3	33.3	3	33.3
Nonwhite	91	7	43	41	43	32	-	11	3	33.0	3	33.0
Fairfax	1,945	1,764	131	49	429	248	4	168	45	23.1	43	22.1
White	1,767	1,650	105	11	356	199	2	146	36	20.4	32	18.1
Nonwhite	178	114	26	38	73	49	2	22	9	50.6	11	61.8
Fauquier	523	345	110	64	207	149	-	56	22	42.1	19	36.3
White	369	278	73	16	141	102	-	37	17	46.1	9	24.4
Nonwhite	154	67	37	48	66	47	-	19	5	32.5	10	64.9
Floyd	252	131	95	20	90	73	-	16	11	43.7	6	23.8
Fluvanna	165	69	63	33	69	54	-	13	3	18.2	4	24.2
White	98	58	35	5	37	29	-	7	2	20.4	-	0
Nonwhite	67	11	28	28	32	26	-	6	1	14.9	4	59.7
Franklin	656	306	253	91	198	145	-	50	14	21.3	16	24.4
White	544	287	216	37	161	120	-	40	8	14.7	11	20.2
Nonwhite	112	19	37	54	37	25	-	10	6	53.6	5	44.6
Frederick	404	370	25	9	164	94	-	69	24	59.4	10	24.8
Giles	625	373	234	14	159	101	-	58	34	54.4	15	24.0
Gloucester	224	124	88	12	108	89	-	20	9	40.2	4	17.9
White	142	116	23	3	59	45	-	16	3	21.1	1	7.0
Nonwhite	82	8	65	9	50	46	-	4	6	73.2	3	36.6
Goochland	198	87	40	99	95	67	10	17	3	15.3	11	56.1
White	74	42	25	7	42	30	3	8	1	13.5	4	84.1
Nonwhite	122	15	15	92	53	37	7	9	2	16.4	7	57.4
Grayson	599	250	311	15	218	154	-	48	26	43.4	14	23.4
Greene	130	95	31	3	64	46	-	17	8	61.5	2	15.4
White	117	89	26	2	58	41	-	16	7	59.8	2	17.1
Nonwhite	13	7	5	1	6	5	-	1	1	76.9	-	0
Greensville	513	175	178	159	128	100	-	28	18	31.2	15	29.2
White	170	153	5	12	40	26	-	14	3	17.6	3	17.6
Nonwhite	343	22	173	147	88	74	-	14	15	37.9	12	35.0
Halifax	1,117	417	394	301	369	261	-	107	44	39.4	37	33.1
White	529	353	166	9	187	117	-	68	14	26.5	14	26.5
Nonwhite	586	64	228	292	182	144	-	38	30	61.0	23	39.1
Hanover	482	253	153	76	181	145	-	36	19	39.4	14	29.0
White	306	223	75	6	125	100	-	25	13	42.5	5	16.3
Nonwhite	176	30	78	66	56	45	-	11	6	34.1	9	51.1

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

87

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
VIRGINIA ^{1,2} —Continued												
Henrico	1,031	906	58	65	261	194	-	62	21	20.4	23	22.3
White	880	857	37	5	216	146	-	65	15	17.0	21	23.9
Nonwhite	151	69	22	58	65	48	-	17	6	39.7	2	13.2
Henry	914	417	577	115	195	139	-	45	24	26.3	20	21.9
White	597	333	245	14	122	82	-	29	13	20.1	15	25.1
Nonwhite	317	84	131	101	73	57	-	16	12	37.9	5	15.8
Highland	99	25	71	3	41	33	-	6	6	60.6	1	10.1
Isle of Wight	343	117	48	176	167	124	-	43	18	52.5	8	23.3
White	135	97	25	13	74	50	-	24	3	22.2	2	14.8
Nonwhite	208	20	24	163	93	74	-	19	15	72.1	6	28.8
James City	172	111	4	57	42	30	-	12	13	75.6	4	23.3
White	77	73	3	1	19	14	-	5	4	51.9	2	26.0
Nonwhite	95	39	1	56	23	16	-	7	9	94.7	2	31.1
King and Queen	172	53	72	47	60	47	-	12	4	23.3	4	23.3
White	73	43	28	2	21	13	-	7	-	0	2	27.4
Nonwhite	99	10	44	45	39	34	-	5	4	40.4	2	20.2
King George	143	75	44	22	43	37	-	6	5	35.0	4	28.0
White	90	70	18	2	28	24	-	4	-	0	1	11.1
Nonwhite	53	5	26	20	15	13	-	2	5	94.3	3	56.6
King William	193	89	75	29	104	81	-	22	5	25.9	6	41.5
White	95	73	21	1	57	41	-	15	3	31.6	4	42.1
Nonwhite	98	16	54	28	47	40	-	7	2	20.4	4	40.8
Lancaster	207	53	136	16	108	89	-	19	10	48.3	9	43.5
White	110	52	57	1	60	48	-	12	3	27.3	2	18.2
Nonwhite	97	3	79	15	48	41	-	7	7	72.2	7	72.2
Lee	1,118	227	725	154	266	211	-	55	60	53.7	19	17.0
Loudoun	553	392	150	9	240	169	-	68	22	39.8	18	32.5
White	431	331	95	3	193	130	-	60	17	39.4	14	32.5
Nonwhite	122	61	55	6	47	39	-	8	5	41.0	4	32.8
Louisa	300	215	23	61	139	110	-	28	12	40.0	10	33.3
White	155	135	10	10	84	67	-	16	4	25.8	2	12.9
Nonwhite	145	80	13	51	55	43	-	12	8	55.2	8	55.2
Lunenburg	342	121	124	96	145	122	-	22	19	55.8	6	17.5
White	162	95	60	6	77	62	-	14	11	67.9	2	12.3
Nonwhite	180	26	64	90	68	60	-	8	8	44.4	4	22.2
Madison	155	119	35	2	84	66	-	18	2	12.8	3	19.2
White	119	99	18	2	62	48	-	14	2	16.8	2	18.8
Nonwhite	37	20	17	-	22	18	-	4	-	0	1	27.0
Mathews	116	74	42	-	96	83	-	13	11	94.8	4	34.5
White	79	68	11	-	69	58	-	11	3	38.0	2	25.3
Nonwhite	37	6	31	-	27	25	-	2	8	216.2	2	54.1
Mecklenburg	985	323	245	408	300	245	-	55	39	39.7	26	26.4
White	424	265	137	22	152	122	-	30	15	35.4	3	7.1
Nonwhite	559	64	108	386	148	123	-	25	24	42.8	23	41.1
Middlesex	130	72	15	43	76	62	-	14	7	53.8	2	15.4
White	59	56	2	1	34	27	-	7	1	16.9	1	16.9
Nonwhite	71	16	13	42	42	35	-	7	6	84.5	1	14.1
Montgomery	046	746	04	14	247	152	-	96	33	39.0	11	13.0
White	597	173	108	313	242	191	-	51	37	62.0	18	30.2
Nonwhite	182	136	38	7	70	51	-	19	5	27.5	5	27.5
Nelson	415	37	70	306	172	140	-	32	32	77.1	13	31.3
White	357	231	41	81	141	114	-	25	12	33.6	12	33.6
Nonwhite	252	186	34	29	102	83	-	17	5	19.8	7	27.8
Nonwhite	105	45	7	52	39	31	-	8	7	66.7	5	47.6
New Kent	88	49	15	24	40	28	-	11	2	22.7	2	22.7
White	32	28	3	1	18	9	-	9	-	0	1	31.3
Nonwhite	56	21	12	23	22	20	-	2	2	35.7	1	17.9
Norfolk	3,357	2,740	190	426	533	307	-	214	92	27.4	65	19.4
White	2,756	2,638	93	24	345	164	-	170	66	23.9	39	14.2
Nonwhite	601	102	97	402	189	143	-	44	26	43.3	26	43.3
Northampton	457	177	34	246	234	174	-	60	18	39.4	17	37.2
White	165	137	14	14	90	66	-	32	4	24.2	5	30.3
Nonwhite	292	40	20	232	136	108	-	28	14	47.9	12	41.1
Northumberland	169	35	89	45	86	74	-	12	7	41.4	5	29.6
White	96	32	64	-	46	37	-	9	-	0	-	0
Nonwhite	73	3	25	45	40	37	-	3	7	95.9	5	68.5
Nottoway	380	144	95	141	192	136	-	56	23	60.5	16	42.1
White	183	119	55	9	90	74	-	16	10	54.6	2	10.9
Nonwhite	197	25	40	132	102	62	-	40	13	66.0	14	71.1
Orange	328	269	42	17	137	92	-	41	10	30.5	4	12.2
White	240	222	18	-	94	57	-	34	6	25.0	3	12.5
Nonwhite	88	47	24	17	43	35	-	7	4	45.5	1	11.4
Pago	450	239	189	19	152	103	2	45	13	28.9	9	20.0
Patrick	463	157	253	43	114	96	-	18	11	23.8	11	23.8
Pittsylvania	1,882	1,070	392	419	515	333	19	155	76	40.4	61	32.4
White	1,218	955	239	24	309	170	9	124	38	31.2	25	18.9
Nonwhite	664	115	153	395	204	163	10	31	38	57.2	38	57.2
Powhatan	129	56	19	53	61	48	-	12	5	38.8	4	31.0
White	64	49	12	3	35	29	-	5	3	46.9	1	15.6
Nonwhite	65	7	7	50	26	19	-	7	2	30.8	3	46.2
Prince Edward	379	224	41	113	149	116	-	33	15	39.6	9	23.7
White	203	177	16	10	71	49	-	22	8	39.4	6	29.6
Nonwhite	176	47	25	103	78	67	-	11	7	39.8	3	17.0
Prince George	341	198	26	115	93	67	1	20	12	35.2	9	26.4
White	209	189	15	5	42	26	-	15	6	28.7	5	23.9
Nonwhite	132	9	11	110	51	45	1	5	6	45.5	4	30.3

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2.)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In residential institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
VIRGINIA ¹³ —Continued												
Prince William	672	516	117	39	148	108	2	37	17	25.3	14	20.9
White	619	497	96	26	120	88	2	30	13	21.0	8	12.9
Nonwhite	53	19	21	13	28	21	-	7	4	75.5	6	113.2
Princess Anne	816	539	94	180	377	164	-	212	22	27.0	18	19.6
White	562	492	66	3	199	91	-	107	16	28.5	5	8.9
Nonwhite	254	47	28	177	178	73	-	105	6	23.6	11	43.3
Pulaski	828	695	78	50	204	133	1	68	22	26.6	14	16.9
Rappahannock	165	95	66	4	63	47	-	14	6	36.4	5	30.3
White	137	78	56	3	49	36	-	11	4	29.2	5	36.5
Nonwhite	28	17	10	1	14	11	-	3	2	71.4	-	0
Richmond	153	20	103	30	52	37	-	15	7	45.8	5	32.7
White	76	17	53	6	31	21	-	10	4	52.6	1	13.2
Nonwhite	77	3	50	24	21	16	-	5	3	39.0	4	51.9
Roanoke	1,324	1,240	59	21	486	208	144	138	51	36.5	23	17.4
Rockbridge	566	358	167	29	222	185	-	37	27	47.7	20	35.3
White	502	340	122	28	190	139	-	51	23	45.8	18	35.9
Nonwhite	64	18	45	1	32	26	-	6	4	62.5	2	31.5
Rockingham	991	776	211	3	310	200	1	100	30	39.3	31	31.5
Russell	808	302	436	60	188	131	1	53	32	39.6	15	18.6
Scott	700	398	150	127	199	156	-	43	22	31.4	21	30.0
Shenandoah	553	459	79	15	243	173	-	68	19	34.4	10	18.1
Smyth	886	400	447	34	305	159	67	77	31	34.9	25	25.9
Southampton	785	263	101	415	261	195	-	65	34	43.4	30	38.5
White	244	204	25	15	99	69	-	29	4	16.4	6	24.6
Nonwhite	539	59	76	400	163	127	-	35	30	55.7	24	44.5
Spotsylvania	288	200	34	53	112	81	-	31	8	27.6	9	31.3
White	208	171	26	10	71	48	-	23	5	24.0	7	33.7
Nonwhite	80	29	8	43	41	33	-	8	3	57.5	2	25.0
Stafford	253	193	28	30	93	67	-	26	10	39.5	6	23.7
White	196	171	19	8	72	52	-	20	5	25.3	3	15.2
Nonwhite	55	22	9	22	21	15	-	6	5	90.9	3	54.5
Surry	157	36	10	108	63	56	-	4	4	25.5	4	25.5
White	36	26	6	2	25	22	-	-	-	0	1	27.8
Nonwhite	121	12	2	106	38	34	-	4	4	33.1	3	24.8
Sussex	368	105	45	219	125	96	-	29	14	38.0	16	48.9
White	100	65	10	5	46	29	-	17	3	30.0	4	40.0
Nonwhite	268	18	35	214	79	67	-	12	11	41.0	12	52.2
Tazewell	1,544	696	833	10	366	226	-	137	61	39.5	38	24.6
Warren	415	353	46	16	111	68	-	41	20	46.2	8	19.3
Warwick	985	812	40	133	145	95	-	49	32	32.5	28	26.4
White	632	628	3	1	86	53	-	32	15	23.7	14	22.2
Nonwhite	353	184	37	132	59	42	-	17	17	48.2	14	59.7
Washington	1,106	514	508	74	330	232	2	95	45	38.9	17	15.4
Westmoreland	247	54	122	70	104	69	-	15	20	81.0	7	28.3
White	125	50	67	8	62	50	-	12	7	56.0	1	8.0
Nonwhite	122	4	55	62	42	39	-	3	13	106.6	6	49.2
Wise	1,780	654	1,034	68	469	335	3	128	92	51.7	47	26.4
Wythe	667	335	329	3	218	151	-	49	25	39.0	16	24.0
York	267	207	6	54	79	53	-	26	10	37.5	5	16.7
White	196	180	4	2	37	18	-	19	7	37.6	4	21.5
Nonwhite	61	27	2	52	42	35	-	7	3	37.0	1	12.3
Independent Cities ¹⁵												
Alexandria	2,134	2,073	22	38	439	190	-	246	46	21.6	46	21.6
White	1,927	1,907	12	7	356	150	-	203	36	16.7	34	17.6
Nonwhite	207	166	10	31	83	40	-	43	10	46.3	12	58.0
Bristol ¹⁶	450	378	71	1	150	87	-	61	26	57.8	9	20.0
White	424	364	59	1	132	75	-	55	24	56.6	9	21.2
Nonwhite	26	14	12	-	18	12	-	6	2	76.9	-	0
Buena Vista	135	69	56	9	53	46	-	7	9	66.7	-	0
Charlottesville	757	736	21	3	232	132	-	95	20	26.4	15	19.8
White	619	611	8	-	169	96	-	68	12	19.4	9	14.5
Nonwhite	138	121	13	3	63	36	-	27	8	58.0	6	43.5
Clifton Forge	167	144	23	-	61	32	-	28	5	29.9	4	24.0
White	129	121	8	-	52	27	-	25	4	31.0	3	23.3
Nonwhite	38	23	15	-	9	5	-	3	1	26.3	1	26.3
Danville	928	763	22	141	406	218	-	188	40	43.2	42	45.4
White	691	673	6	2	228	99	-	129	22	32.3	17	25.0
Nonwhite	245	90	16	139	178	119	-	59	18	73.5	25	102.0
Fredericksburg	817	281	9	26	109	72	-	37	9	28.4	13	41.0
White	263	259	3	-	82	53	-	29	6	22.3	6	22.9
Nonwhite	54	22	.6	25	27	19	-	8	3	55.6	7	129.6
Hampton	403	386	3	14	124	59	-	66	10	24.8	11	27.3
White	324	322	2	-	76	34	-	42	7	21.6	8	24.7
Nonwhite	79	64	1	14	48	24	-	24	3	38.0	3	36.0
Harrisonburg	250	244	6	-	100	36	-	61	20	80.0	10	40.0
Hopewell	266	220	25	21	94	57	-	35	15	56.4	4	15.0
White	236	215	20	1	70	39	-	29	10	42.4	4	16.9
Nonwhite	30	5	5	20	24	18	-	6	5	166.7	-	0
Lynchburg	1,310	1,266	39	5	483	263	7	191	38	29.0	30	22.9
White	1,030	1,027	3	-	308	170	5	131	23	22.3	23	22.3
Nonwhite	280	239	36	5	155	93	2	60	15	53.6	7	25.0
Martinsville	443	323	108	11	114	65	-	39	17	38.4	8	16.1
White	330	284	46	-	69	31	-	27	8	24.2	7	21.2
Nonwhite	113	39	62	11	45	34	-	11	9	79.6	1	8.8

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
VIRGINIA¹³—Continued												
Independent Cities¹⁴—Continued												
Newport News	1,443	1,322	22	97	561	229	-	329	55	38.1	44	30.5
White	950	929	1	-	268	108	-	177	25	26.9	22	25.7
Nonwhite	513	393	21	97	273	121	-	152	30	58.5	22	42.9
Norfolk	4,442	3,581	605	454	1,999	899	1	993	168	37.8	147	33.1
White	3,000	2,878	108	17	1,133	494	1	631	106	35.3	52	17.3
Nonwhite	1,442	506	497	437	766	404	-	362	62	45.0	95	65.9
Petersburg	958	553	44	361	445	310	14	118	40	41.8	35	36.5
White	850	509	6	35	236	143	8	82	18	32.7	17	30.9
Nonwhite	408	44	38	326	209	167	6	36	22	53.9	18	44.1
Portsmouth	1,565	927	619	506	619	330	-	282	68	45.5	57	36.4
White	803	795	5	3	299	130	-	168	24	29.9	16	19.9
Nonwhite	762	132	124	503	320	200	-	116	44	57.7	41	53.8
Richmond	225	225	2	-	74	41	-	31	11	48.9	7	31.1
White	5,771	5,411	297	71	2,570	1,352	179	1,011	181	31.4	175	30.5
Nonwhite	3,988	3,926	53	5	1,661	863	95	681	107	26.9	92	23.1
Roanoke	1,786	1,488	234	66	909	489	86	330	74	41.4	83	46.5
White	1,861	1,892	95	-	737	375	15	334	82	41.4	57	28.8
Nonwhite	1,584	1,548	36	-	560	297	11	254	59	37.2	42	26.5
South Norfolk	397	334	60	-	177	88	4	80	25	57.9	15	37.8
White	245	170	36	39	68	38	-	15	12	49.0	5	20.4
Nonwhite	133	167	23	3	20	38	-	10	5	25.9	4	20.7
Stamton	52	3	13	35	3	17	-	3	7	134.6	1	19.2
White	330	269	29	3	455	108	299	46	14	46.7	8	26.7
Nonwhite	268	258	13	-	424	83	-	40	11	41.0	6	22.4
Suffolk	32	10	16	3	31	25	-	6	3	93.8	2	62.5
White	319	216	47	56	154	91	-	62	15	47.0	7	21.9
Nonwhite	188	172	15	1	64	45	-	37	10	53.2	3	18.0
Williamsburg	131	44	32	55	70	46	-	25	5	38.2	4	30.5
White	93	82	1	10	260	17	228	14	2	21.5	1	10.8
Nonwhite	66	65	1	-	248	12	-	12	1	15.2	1	15.2
Winchester	27	17	-	10	12	9	-	2	1	37.0	-	0
White	400	390	5	4	190	94	-	95	25	62.5	7	17.5
WASHINGTON												
White	58,481	57,744	671	14	21,979	8,823	1,257	11,294	1,643	28.1	916	15.7
Nonwhite	1,636	1,581	36	9	564	202	31	348	69	42.2	36	22.0
Adams	124	121	3	-	50	22	-	26	6	48.4	-	0
Asotin	220	214	6	-	106	54	-	30	4	18.2	4	18.2
Benton	899	891	7	-	151	71	1	54	21	23.4	11	12.2
Chelan	1,243	1,204	39	-	352	140	-	190	38	30.6	20	16.1
Wenatchee	444	443	1	-	182	43	-	117	14	31.5	8	18.0
Balance of county	799	761	38	-	190	87	-	73	24	30.9	12	15.9
Clallam	680	654	23	1	251	99	9	151	26	39.2	12	17.6
Clark	2,351	2,339	11	-	718	274	6	419	69	29.3	39	16.6
Vancouver	891	889	2	-	430	101	5	324	32	35.9	19	20.2
Balance of county	1,460	1,450	9	-	286	173	1	95	37	25.3	21	14.4
Columbia	130	130	-	-	47	21	1	25	3	23.1	3	23.1
Cowlitz	1,417	1,413	4	-	401	183	-	212	41	29.9	19	13.4
Longview	639	639	-	-	188	92	-	134	20	31.3	8	12.5
Balance of county	778	774	4	-	213	131	-	78	21	27.0	11	14.1
Douglas	162	157	4	-	46	29	-	15	5	18.5	2	12.3
Ferry	80	78	2	-	30	17	-	12	-	0	4	50.0
White	65	63	2	-	23	11	-	11	-	0	3	46.2
Nonwhite	15	15	-	-	7	6	-	1	-	0	1	66.7
Franklin	345	344	1	-	100	39	-	59	10	29.0	3	8.7
Garfield	75	64	11	-	29	15	-	14	4	53.3	2	26.7
Grant	476	465	11	-	116	55	-	46	16	33.6	7	14.7
Grays Harbor	1,438	1,425	10	2	617	243	19	332	49	34.1	19	13.2
Aberdeen	585	583	2	-	344	96	-	238	15	25.6	7	12.0
Hoquiam	292	292	-	-	89	48	16	17	9	30.8	4	13.7
Balance of county	561	550	8	2	185	99	3	77	25	44.8	8	14.3
Island	185	182	3	-	93	59	8	18	4	21.6	6	32.4
Jefferson	248	245	3	-	95	38	1	56	5	20.2	7	28.2
King	18,239	18,129	98	3	6,815	2,878	122	3,739	474	26.0	312	17.1
Seattle	14,462	14,443	32	1	5,339	2,069	88	3,145	357	24.7	241	16.6
White	15,783	15,749	30	1	5,109	2,000	89	2,984	345	25.0	226	16.4
Nonwhite	699	695	2	-	230	69	-	161	12	17.2	15	21.5
Balance of county	3,757	3,686	66	2	1,476	809	34	594	117	31.1	71	13.9
Kitsap	2,489	2,472	12	-	602	237	38	321	78	31.3	41	16.5
Bremerton	1,284	1,283	-	-	285	72	-	208	34	26.5	16	12.5
Balance of county	1,205	1,189	12	-	317	165	38	113	44	36.5	25	20.7
Kittitas	576	570	6	-	175	62	-	111	13	22.6	7	12.2
Klickitat	275	270	3	-	94	42	-	52	11	40.0	8	29.1
Levis	1,062	1,049	13	-	465	194	39	202	35	33.0	13	12.2
Lincoln	252	229	22	-	134	61	-	71	15	59.5	5	11.9
Mason	379	375	3	-	115	51	-	64	8	21.1	5	13.2
Okanogan	799	771	28	-	202	96	2	104	16	20.0	11	13.6
Pacific	356	328	28	-	152	61	-	88	13	36.5	7	19.7
Pond Oreille	180	172	8	-	68	28	-	40	8	44.4	3	16.7
Pierce	5,989	5,940	38	-	2,674	889	434	1,244	165	27.6	87	14.5
Tacoma	3,899	3,880	10	-	1,641	553	10	996	94	24.1	56	14.9
Balance of county	2,090	2,060	26	-	1,033	336	424	248	71	34.0	29	13.9
San Juan	66	52	14	-	34	22	-	11	4	60.6	1	15.2
Skagit	1,030	1,056	11	1	673	176	274	218	30	27.8	8	7.4
Skamania	94	94	-	-	40	15	-	23	1	10.6	1	10.6
Snohomish	2,605	2,541	69	1	1,110	509	4	572	72	27.6	39	15.0
Everett	1,083	1,073	7	-	516	173	2	333	39	36.0	18	16.6
Balance of county	1,522	1,468	52	1	594	336	2	239	33	21.7	21	13.8

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
WASHINGTON—Continued												
Spokane	5,203	5,175	26	-	2,418	865	253	1,213	160	30.8	78	15.0
Spokane	4,048	4,032	13	-	1,779	665	15	1,022	131	32.4	60	14.8
Balance of county	1,155	1,141	13	-	640	199	236	191	29	25.1	18	15.6
Stevens	420	416	3	1	198	74	1	121	7	16.7	10	23.8
Thurston	1,088	1,060	36	1	375	175	-	192	30	27.3	9	6.2
Olympia	410	404	5	1	236	84	-	147	17	41.5	9	19.5
Balance of county	688	656	31	-	139	91	-	45	13	18.9	1	1.5
Wahkiakum	95	95	-	-	31	17	-	15	2	21.5	1	10.8
Walla Walla	887	884	3	-	389	128	19	217	16	18.0	16	18.0
Walla Walla	600	598	2	-	294	91	12	188	12	20.0	11	16.3
Balance of county	287	286	1	-	75	37	7	29	4	15.9	5	17.4
Whitman	1,698	1,687	10	1	728	291	15	395	44	25.9	36	21.2
Bellingham	919	917	2	-	425	142	15	245	26	28.3	17	18.5
Balance of county	779	770	8	1	303	149	-	152	18	25.1	19	24.4
Whitman	781	768	13	-	252	106	-	144	30	38.4	3	3.8
Yakima	3,787	3,679	101	3	1,079	493	11	500	112	29.6	58	15.6
Yakima	1,525	1,522	1	-	447	165	-	245	28	21.2	19	14.4
Balance of county	2,262	2,157	100	3	632	310	11	255	84	34.1	40	16.2
WEST VIRGINIA	55,065	52,574	21,193	1,072	17,218	10,927	545	5,704	2,091	58.0	1,362	24.7
White	52,467	51,738	19,470	1,025	15,843	9,927	508	5,271	1,956	37.3	1,262	24.1
Nonwhite	2,618	836	1,723	47	1,375	900	37	433	135	51.6	100	38.2
Barbour	550	220	506	2	182	114	4	64	20	37.7	13	24.5
Berkeley	827	804	21	2	305	161	-	144	28	33.9	16	19.3
Martinsburg	496	479	17	-	184	92	-	102	20	41.2	12	24.7
Balance of county	341	325	14	2	111	69	-	42	8	23.5	4	11.7
Boone	994	551	432	8	212	160	-	51	50	50.3	29	29.2
Braxton	508	295	178	31	145	120	-	19	12	23.6	15	29.5
Brooke	564	512	52	-	236	136	10	89	21	37.2	22	39.0
Cabell	2,941	2,714	219	6	1,120	555	106	452	134	45.6	55	16.7
Huntington (part)	2,331	2,271	58	-	932	433	98	397	105	(7)	45	(7)
Huntington (total)	2,424	2,362	60	-	955	447	98	406	107	44.1	46	19.0
Balance of county	610	443	161	6	188	122	8	55	29	47.5	10	16.4
Calhoun	302	74	210	15	61	52	-	9	11	36.4	9	29.6
Clay	471	150	266	52	115	99	-	16	21	44.0	11	25.1
Doddridge	201	65	133	2	91	72	-	19	5	24.9	4	19.9
Fayette	2,379	634	1,684	58	638	409	15	212	94	35.3	48	20.2
White	2,106	590	1,460	53	492	332	1	157	76	36.1	42	19.9
Nonwhite	273	44	224	5	146	77	14	55	8	29.3	6	22.0
Gilmer	232	81	148	2	71	63	-	8	6	25.9	8	34.5
Grant	232	164	22	44	69	52	-	17	12	51.7	9	38.8
Greenbrier	1,084	364	700	18	318	214	-	96	37	34.1	27	24.9
Hampshire	538	132	200	6	131	110	-	21	13	38.5	6	17.8
Hancock	984	858	106	-	259	141	-	112	32	33.2	18	18.7
Hart	275	129	139	7	78	60	-	16	7	25.5	4	14.5
Harrison	2,270	1,665	576	8	740	804	3	231	57	25.1	51	22.5
Clarksburg	985	804	76	1	334	206	-	127	19	21.5	20	22.7
Balance of county	1,387	861	498	7	406	398	3	104	38	27.4	31	22.4
Jackson	544	149	183	9	151	121	-	29	12	34.9	9	26.2
Jefferson	462	361	63	13	219	162	-	56	21	45.5	9	19.5
White	390	336	50	4	172	127	-	44	16	41.0	9	23.1
Nonwhite	72	45	13	9	47	35	-	12	5	69.4	-	0
Kanawha	6,020	5,423	1,324	65	1,697	1,018	5	633	247	36.2	162	26.7
Charleston	2,256	2,128	128	-	721	377	1	327	91	40.3	47	20.8
White	2,103	2,013	90	-	600	309	1	283	65	40.4	41	19.5
Nonwhite	153	115	38	-	113	68	-	44	6	39.2	6	29.2
South Charleston	425	407	18	-	78	41	-	28	18	42.4	6	14.1
Balance of county	4,139	2,888	1,178	65	890	601	4	278	138	33.3	129	31.2
Lewis	475	366	105	1	431	155	222	53	19	40.0	12	25.3
Lincoln	624	186	376	48	156	116	-	39	24	36.5	13	20.8
Logan	2,457	691	1,705	55	585	390	-	192	136	55.4	93	37.9
White	2,276	672	1,545	54	497	311	-	183	128	56.2	88	37.8
Nonwhite	181	19	160	1	88	79	-	9	8	44.2	7	38.7
McDowell	2,977	717	2,197	49	753	441	-	312	130	43.7	100	35.6
White	2,366	642	1,685	46	509	286	-	223	102	43.1	67	28.3
Nonwhite	611	75	512	3	244	155	-	89	28	45.8	33	51.0
Marion	1,815	1,350	464	-	658	458	4	193	65	35.8	43	23.7
Fairmont	696	631	65	-	261	166	-	74	13	18.7	17	24.4
Balance of county	1,119	719	399	-	397	272	4	119	52	46.5	26	23.2
Marshall	871	771	99	1	350	169	14	147	24	27.6	20	23.0
Moundsville	377	368	9	-	128	68	2	58	9	23.9	12	31.8
Balance of county	484	403	90	1	222	121	12	89	15	30.4	8	16.2
Mason	582	251	317	11	247	192	18	36	24	41.2	13	22.3
Mercer	2,028	1,161	828	16	627	405	4	216	81	39.9	45	22.2
White	1,839	1,121	701	14	529	336	3	188	74	40.2	41	22.5
Nonwhite	189	60	127	2	98	69	1	28	7	37.0	4	21.2
Bluefield ¹⁷	607	492	112	2	226	127	-	101	24	39.5	8	13.2
White	502	448	53	-	174	87	-	87	20	39.8	8	15.9
Nonwhite	105	44	59	2	54	40	-	14	4	36.1	-	0
Balance of county	1,421	689	716	14	399	276	4	115	57	40.1	37	26.0
Mineral	698	491	196	20	233	162	-	71	33	47.3	12	17.2
Mingo	1,479	436	945	93	303	185	-	119	50	35.8	40	27.0
Monongalia	1,527	1,298	195	10	493	308	8	176	54	35.4	9	12.8
Morgantown	703	688	13	2	212	125	-	86	19	27.0	16	19.4
Balance of county	824	610	182	8	281	183	9	90	35	42.5	8	25.0
Monroe	320	99	217	2	132	75	23	25	14	43.8	8	25.0
Morgan	229	131	83	10	104	73	-	30	6	34.9	8	34.9

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
WEST VIRGINIA—Continued												
Nicholas	817	441	351	23	167	130	-	37	19	23.3	25	30.6
Ohio	1,908	1,680	27	-	878	381	25	462	61	32.0	42	22.0
Wheeling	1,579	1,559	19	-	752	332	-	411	49	31.0	29	18.4
Balance of county	329	321	8	-	126	49	23	51	12	36.5	13	39.5
Pendleton	237	74	159	2	75	64	-	10	11	46.4	9	39.0
Pleasants	156	82	74	-	62	52	-	10	5	32.1	4	25.6
Pocahontas	266	156	109	-	102	61	-	41	8	30.1	11	41.4
Preston	757	379	312	55	297	218	1	72	33	43.6	16	21.1
Ratons	491	187	273	19	164	126	-	35	21	42.9	21	42.8
Raleigh	2,812	1,004	1,745	57	656	395	-	239	94	33.4	60	21.3
White	2,504	957	1,505	36	517	316	-	199	82	32.7	54	21.6
Nonwhite	308	47	240	21	119	79	-	40	12	39.0	6	18.5
Beckley	455	330	121	4	143	72	-	70	15	33.0	3	8.6
White	395	323	71	1	107	54	-	52	14	35.4	3	7.6
Nonwhite	60	7	50	3	36	18	-	18	1	16.7	-	0
Balance of county	2,357	674	1,624	53	493	323	-	169	79	33.5	57	24.2
White	2,109	654	1,434	35	410	262	-	147	69	32.2	51	24.2
Nonwhite	248	40	190	18	83	61	-	22	11	44.4	6	24.2
Randolph	900	563	309	18	257	169	7	78	54	37.8	14	15.6
Ritchie	311	185	121	3	136	99	-	36	13	41.8	6	19.3
Roane	463	195	212	52	213	111	64	37	11	23.9	14	30.2
Summers	431	159	321	6	186	127	-	58	31	63.1	21	42.0
Taylor	479	294	164	12	220	137	1	80	26	54.3	4	8.4
Tucker	265	148	84	28	115	90	-	24	12	45.6	5	19.0
Tyler	247	125	119	-	98	75	-	23	1	40.0	5	20.2
Upshur	545	352	178	9	165	129	-	36	18	33.0	17	31.2
Wayne	920	477	397	28	264	189	-	75	30	32.6	24	26.1
Huntington (part)	93	91	2	-	23	14	-	9	2	(?)	1	(?)
Balance of county	827	386	395	28	241	175	-	64	28	33.9	23	27.8
Webster	550	233	271	33	118	80	-	38	29	52.7	12	21.8
Wetzel	606	350	249	3	182	123	2	56	21	34.7	14	23.1
Wirt	114	66	36	6	50	31	-	15	7	61.4	4	35.1
Wood	1,834	1,691	132	7	697	376	5	309	75	40.9	51	16.9
Parkersburg	1,025	965	40	-	431	208	2	217	50	48.8	21	20.5
Balance of county	809	706	92	7	266	168	3	92	25	30.9	10	12.4
Wyoming	1,092	171	872	47	225	133	-	38	39	35.7	28	23.8
WISCONSIN												
	84,059	80,273	3,580	42	33,219	15,925	1,836	15,131	2,476	29.5	1,443	17.2
White	83,106	79,437	3,479	35	32,830	15,820	1,812	14,018	2,409	29.0	1,409	17.0
Nonwhite	953	836	101	7	389	105	24	259	67	70.3	34	35.7
Adams	171	148	18	-	73	35	-	38	5	23.2	3	17.5
Ashland	533	488	35	-	251	116	3	101	14	26.3	11	20.6
Ashland	269	285	4	-	129	62	3	58	6	20.8	10	34.6
Balance of county	244	204	31	-	102	54	-	43	8	32.8	1	4.1
White	218	187	29	-	88	50	-	33	7	32.1	1	4.6
Nonwhite	26	17	2	-	14	4	-	10	1	99.5	-	0
Barron	927	897	26	-	323	178	4	140	23	24.8	17	18.3
Bayfield	336	326	8	2	139	59	-	78	6	17.9	10	29.8
Brown	2,614	2,541	67	1	885	393	47	450	83	31.8	44	16.8
Green Bay	1,443	1,429	11	-	524	226	6	298	46	31.9	25	17.3
Balance of county	1,171	1,112	56	1	361	157	41	162	37	31.6	19	16.2
Buffalo	378	369	9	-	136	69	-	67	7	18.5	11	29.1
Burnett	240	201	39	-	129	62	-	67	7	29.2	5	20.8
Calumet	416	384	31	-	155	111	-	45	13	31.3	12	28.8
Chippewa	1,228	1,116	107	1	394	171	-	59	161	35.0	19	15.5
Chippewa Falls	336	335	1	-	126	45	6	77	14	41.7	4	11.9
Balance of county	892	781	106	1	269	128	52	64	29	32.5	15	16.8
Clark	878	699	175	2	317	203	26	87	18	20.5	16	17.1
Columbia	800	758	41	-	412	197	27	184	31	38.8	9	11.3
Crawford	532	472	60	-	172	87	-	63	16	30.1	7	13.2
Dane	4,088	4,041	47	-	1,415	659	165	572	99	24.2	52	12.7
Madison	2,545	2,537	8	-	883	328	7	343	58	22.9	32	12.6
Balance of county	1,543	1,504	39	-	730	335	156	229	41	26.6	20	13.0
Dodge	1,355	1,301	53	-	549	293	39	220	43	31.7	17	12.5
Beaver Dam	295	294	1	-	135	49	-	87	15	50.6	5	16.9
Watertown (part)	57	56	1	-	24	22	-	2	2	(?)	-	(?)
Balance of county	1,003	951	51	-	389	212	39	151	26	25.9	12	12.0
Door	536	467	69	-	210	98	-	110	18	33.6	8	14.9
Douglas	1,203	1,187	13	-	562	175	29	356	42	34.9	27	22.4
Superior	934	930	3	-	416	151	-	285	30	32.1	19	20.3
Balance of county	269	257	10	-	144	44	29	71	12	44.6	8	29.7
Dunn	734	683	66	-	256	153	15	84	10	13.6	14	19.1
Eau Claire	1,463	1,449	9	-	482	177	23	282	34	23.2	21	14.4
Eau Claire	955	953	2	-	324	112	-	212	25	26.2	12	12.6
Balance of county	508	496	6	-	158	65	23	70	9	17.7	9	17.7
Florence	67	59	8	-	36	19	-	13	1	14.9	1	14.9
Fond du Lac	1,630	1,557	73	-	745	374	39	331	49	30.1	24	14.7
Fond du Lac	735	732	3	-	360	167	15	198	21	28.6	17	23.1
Balance of county	895	825	70	-	385	207	24	133	28	31.3	7	7.8
Forest	295	236	56	-	108	64	-	44	16	54.2	7	23.7
Grant	1,112	954	156	-	438	260	24	149	31	27.9	15	13.5
Green	573	562	11	-	290	153	29	98	17	29.7	10	17.5
Green Lake	327	308	19	-	167	97	1	69	15	45.9	5	15.3
Iron	459	435	24	-	242	119	11	112	15	32.7	6	13.1
Iron	214	198	14	-	94	51	1	42	8	37.4	3	14.0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS			DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS			
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
WISCONSIN—Continued												
Jackson	404	386	18	-	170	98	2	69	6	14.9	4	9.9
Jefferson	910	880	27	-	484	264	56	163	23	25.3	12	13.2
Watertown (part)	198	196	2	-	131	71	13	46	3	(7)	2	(7)
Watertown (total)	255	252	3	-	155	95	13	48	5	19.6	2	7.8
Balance of county	712	684	28	-	353	193	43	117	20	28.1	10	14.0
Juneau	410	309	96	-	222	143	8	69	9	22.0	3	7.3
Kenosha	1,774	1,766	7	-	839	267	11	360	49	27.6	38	21.4
Kenosha	1,428	1,427	1	-	486	199	5	282	36	25.2	27	18.9
Balance of county	346	339	6	-	153	68	6	78	13	37.6	11	31.8
Kewaunee	442	367	75	-	164	113	-	51	15	35.9	9	20.4
La Crosse	1,727	1,702	25	-	645	253	48	344	52	30.1	32	18.5
La Crosse	1,239	1,232	7	-	458	178	6	276	34	27.4	21	16.9
Balance of county	488	470	18	-	187	77	42	68	18	36.9	11	22.5
Lafayette	426	400	26	-	173	97	-	75	16	37.6	8	18.8
Langlade	606	585	19	-	234	137	-	97	22	36.3	12	19.8
Lincoln	570	557	9	-	230	86	22	119	20	35.1	10	17.5
Manitowoc	1,713	1,671	41	-	611	283	27	301	41	23.9	32	18.7
Manitowoc	733	721	11	-	268	116	22	130	17	23.2	9	12.3
Two Rivers	299	286	3	-	97	30	-	67	11	36.1	6	20.8
Balance of county	691	664	27	-	246	137	5	104	13	18.8	17	24.6
Marathon	2,071	1,914	149	-	618	277	36	303	65	31.4	25	12.1
Wausau	993	890	2	-	304	97	36	172	28	31.7	11	12.5
Balance of county	1,198	1,034	147	-	314	180	-	132	37	31.1	14	11.8
Marinette	932	884	44	-	400	166	20	191	34	36.5	8	8.6
Marinette	396	393	3	-	177	68	-	103	15	37.9	2	5.1
Balance of county	536	491	41	-	223	98	20	88	19	35.4	6	11.2
Marquette	175	144	29	-	93	66	6	19	3	17.1	1	5.7
Milwaukee	19,903	19,418	445	13	8,221	3,322	421	4,382	561	28.2	375	18.8
Milwaukee	14,939	14,571	337	9	6,376	2,593	127	3,599	412	27.6	280	18.7
Hauvatosha	566	558	7	-	286	143	15	124	22	38.9	8	14.1
West Allis	1,000	984	15	-	284	122	2	152	30	30.0	19	19.0
Cudahy	325	318	7	-	96	46	-	50	7	21.5	6	18.5
Shorewood	287	287	-	-	125	62	-	63	10	34.8	5	17.4
South Milwaukee	355	358	7	-	107	57	-	50	15	41.1	6	16.4
Balance of county	2,421	2,342	72	4	947	309	277	344	65	26.8	51	21.1
Monroe	862	777	81	-	311	178	17	115	34	39.4	12	24.4
Oconto	632	575	56	-	255	155	3	95	18	28.5	21	19.0
Ozaukee	552	535	15	-	145	56	-	87	16	29.0	5	9.1
Outagamie	2,317	2,213	97	2	694	408	13	269	61	26.3	41	17.7
Appleton	7,034	1,025	6	-	341	208	1	129	27	26.1	22	21.3
Balance of county	1,283	1,188	89	2	353	201	12	140	34	26.5	19	14.8
Ozaukee	605	596	9	-	201	113	-	87	11	18.2	8	13.2
Pepin	182	160	2	-	79	35	-	44	9	49.5	2	11.0
Pierce	557	507	46	-	224	128	1	90	12	21.5	13	23.3
Folk	618	569	46	1	267	175	-	87	21	34.0	10	16.2
Portage	886	827	53	-	297	135	2	160	29	32.7	9	10.2
Stevens Point	429	419	9	-	136	46	2	88	13	30.3	7	16.3
Balance of county	457	408	44	-	161	89	-	72	16	35.0	2	4.4
Price	401	361	39	-	159	111	-	44	6	15.0	6	22.4
Recine	2,703	2,630	13	-	1,071	488	90	492	81	33.7	40	14.8
Recine	1,995	1,891	4	-	764	349	14	400	57	28.6	29	14.5
Balance of county	708	699	9	-	307	139	76	92	34	48.0	11	15.5
Richland	496	441	54	-	167	87	12	67	13	26.2	5	10.1
Rock	2,292	2,261	30	-	910	443	33	422	76	33.2	48	20.9
Deloit	645	638	6	-	297	139	-	155	21	24.9	29	34.3
Janesville	635	629	6	-	267	131	-	132	30	47.2	5	7.9
Balance of county	612	594	18	-	346	173	53	135	25	30.8	14	17.2
Rusk	481	461	14	1	150	72	-	78	15	31.2	5	10.4
St. Croix	635	608	25	-	301	181	16	101	26	40.9	16	25.2
Sauk	1,087	1,080	24	-	564	211	24	124	19	17.5	14	12.9
Sawyer	258	173	64	15	95	65	-	30	6	25.3	7	27.1
White	208	129	58	15	87	63	-	24	3	14.4	6	28.8
Nonwhite	50	44	6	-	8	2	-	6	3	60.0	1	20.0
Shavano	836	768	65	1	371	195	23	153	36	43.1	15	17.9
Sheboygan	1,863	1,839	23	-	807	337	38	431	57	30.6	28	14.0
Sheboygan	1,020	1,016	4	-	451	147	5	298	38	37.3	13	12.7
Balance of county	843	823	19	-	356	190	33	133	19	22.5	15	15.4
Taylor	833	424	107	-	274	106	-	58	18	33.8	14	26.3
Trempealeau	590	574	14	-	273	161	3	107	26	44.1	15	25.4
Vernon	680	605	74	-	248	145	16	116	30	44.1	10	14.7
Vilas	220	194	25	1	95	54	-	33	10	45.5	4	18.2
White	189	172	16	1	89	51	-	30	9	47.6	3	15.9
Nonwhite	31	22	9	-	6	3	-	3	1	32.3	1	32.3
Walworth	919	889	29	-	484	260	28	189	28	30.5	18	19.6
Wauburn	309	252	55	1	139	84	-	44	6	19.4	10	32.4
Washington	763	726	37	-	322	173	16	129	32	41.9	10	13.1
Waukesha	1,897	1,830	57	-	792	431	94	263	50	26.5	26	13.8
Waukesha	654	649	5	-	220	117	3	96	20	30.6	6	9.2
Balance of county	1,233	1,181	52	-	572	314	81	167	30	24.3	20	16.2
Waupaca	790	751	39	-	441	218	69	152	27	34.2	17	21.5
Waushara	266	224	42	-	141	67	4	49	7	26.5	6	22.6

See footnotes on p. 53.

GENERAL TABLES—BIRTHS, DEATHS, AND STILLBIRTHS

93

TABLE 1.—BIRTHS BY PERSON IN ATTENDANCE, DEATHS IN INSTITUTIONS, DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES, AND STILLBIRTHS AND STILLBIRTH RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(See headnote on p. 2)

AREA AND RACE	BIRTHS				DEATHS (ALL AGES)			DEATHS UNDER 1 YEAR		STILLBIRTHS		
	Total ¹	Attended by—			Total ²	Not in institution	In resident institution	In non-resident institution	Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife								
WISCONSIN—Continued												
Winnebago	2,230	2,211	16	-	953	479	135	338	80	35.9	44	19.7
Oshkosh	1,029	1,025	3	-	439	244	27	168	37	36.0	21	20.4
Menasha	339	336	2	-	109	63	-	45	18	53.1	7	20.6
Neenah	343	343	-	-	115	66	-	49	7	20.4	6	17.5
Balance of county	519	507	11	-	290	106	108	76	18	34.7	10	19.3
Wood	1,437	1,351	83	1	406	228	16	162	26	18.1	21	14.6
Marshfield	397	381	16	-	134	63	11	60	5	12.6	5	12.6
Wisconsin Rapids	370	363	6	1	97	62	-	35	8	21.6	4	10.8
Balance of county	870	807	61	-	175	103	5	67	13	19.4	12	17.9
WYOMING												
	7,320	6,940	334	2	2,349	1,010	112	1,213	249	34.0	144	19.7
White	7,156	6,804	337	1	2,279	964	111	1,170	241	33.7	142	19.8
Nonwhite	164	136	17	1	70	26	1	43	8	46.6	2	12.2
Albany	501	498	3	-	121	49	-	72	17	33.9	6	12.0
Laramie	444	443	1	-	97	33	-	64	12	27.0	6	13.5
Balance of county	57	55	2	-	24	16	-	8	5	87.7	-	0
Big Horn	358	351	7	-	108	65	-	42	15	41.9	8	22.3
Campbell	127	127	-	-	41	19	-	21	3	23.6	2	15.7
Carbon	367	348	19	-	130	58	3	69	12	32.7	10	27.2
Converse	139	136	2	-	66	23	-	43	5	36.0	-	0
Crook	117	111	5	-	38	19	6	11	3	25.6	-	0
Fremont	497	434	54	-	161	87	5	65	12	24.1	9	18.1
White	390	347	43	-	130	72	5	49	6	15.4	8	20.5
Nonwhite	107	87	11	-	31	15	-	16	6	58.1	1	9.3
Goshen	309	288	21	-	92	56	-	35	17	53.0	8	25.9
Hot Springs	152	152	-	-	63	24	-	37	9	58.2	4	26.3
Johnson	110	108	2	-	53	30	-	23	5	45.5	4	36.4
Laramie	1,139	1,084	52	1	282	110	-	172	43	37.8	19	15.8
Cheyenne	997	953	31	1	233	85	-	148	34	34.1	15	15.0
Balance of county	142	121	21	-	49	25	-	24	9	63.4	3	21.1
Lincoln	294	292	2	-	82	44	-	38	9	30.6	4	13.6
Natrona	735	728	3	1	239	87	-	147	14	19.1	18	24.6
Casper	644	641	3	-	212	72	-	137	11	17.1	15	23.3
Balance of county	89	87	-	1	27	15	-	10	3	33.7	3	33.7
Niobrara	136	136	-	-	44	10	4	30	5	36.8	5	36.8
Park	442	425	17	-	119	63	-	56	15	33.9	4	9.0
Platte	219	185	33	-	91	28	-	63	13	59.4	3	13.7
Sheridan	485	490	4	-	222	85	30	127	13	26.8	8	16.5
Sheridan	341	340	1	-	160	45	-	115	11	32.3	6	17.6
Balance of county	144	140	3	-	62	20	30	12	2	13.9	2	13.9
Sublette	52	49	3	-	25	17	-	8	2	38.5	1	19.2
Sweetwater	585	547	39	-	164	64	-	100	19	32.4	16	27.3
Teton	85	84	1	-	18	11	-	7	2	23.5	1	11.8
Winta	175	106	69	-	106	34	62	10	5	28.6	7	40.0
Waubakee	159	138	16	-	51	27	-	24	11	69.2	6	37.7
Weston	125	121	4	-	30	18	-	12	0	0	2	15.0
Yellowstone National Park (part)	13	12	1	-	3	2	-	1	-	(?)	-	(?)
Yellowstone National Park (total)	13	12	1	-	4	2	-	2	-	0	-	0

¹Births attended by other and not specified persons are not shown separately but are included in total births. For the United States in 1947, these births were 28,029.
²Deaths occurring in institutions of unknown type are not shown separately but are included in total deaths. For the United States in 1947, these deaths were 18,560.
³Includes a small number of births classified as attended by "Other and not specified" in Georgia and Mississippi.
⁴Includes data for Texarkana, Ark., only.
⁵Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
⁶Includes births attended by "Other and not specified," which totaled 322 in 1946.
⁷Rate not computed for part of an area.
⁸Figures for District 1511, Center Hill, are included in those for Atlanta.
⁹Includes births attended by "Other and not specified," which totaled 157 in 1946.
¹⁰Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
¹¹Includes data for Bristol, Tenn., only.
¹²Includes data for Texarkana, Tex., only.
¹³Cities of Virginia are independent, each having the same status as a county. See list of independent cities following counties of the State.
¹⁴Classified as urban under a special rule in the 1940 census.
¹⁵Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.
¹⁶Includes data for Bristol, Va., only.
¹⁷Includes data for Bluefield, W. Va., only.

NOTES:
 Infant mortality rates and stillbirth ratios are shown for all counties and cities for which resident births were reported. Caution should be exercised in the interpretation of those computed from small numbers since they are subject to relatively large sampling variation. (See section on Qualifying Factors—Mortality and Mortality Data in Introduction of Part I.)

Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figure for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood city, Pa., under Lawrence County; Postoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—LIVE BIRTHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1947

(By place of residence)

AREA	Total births	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES-----	3,699,940	1,899,876	1,800,064	1,684,618	1,590,002	205,928	201,029	5,871	5,658	1,093	1,077	1,533	1,518	933	802
Alabama-----	89,116	45,035	43,081	29,786	28,218	15,251	14,852	13	10	1	-	-	1	2	-
Arizona-----	19,153	9,764	9,389	8,638	8,290	292	295	790	765	22	22	9	10	13	7
Arkansas-----	49,953	24,955	24,028	19,534	18,519	5,407	5,495	5	7	5	6	3	1	1	-
California-----	245,889	128,133	119,751	117,940	111,648	5,846	5,814	349	303	583	564	839	855	581	567
Colorado-----	32,874	16,905	15,969	16,535	15,677	225	178	31	20	4	4	107	89	3	1
Connecticut-----	45,581	23,581	22,030	22,831	21,371	710	651	1	1	2	3	2	1	5	3
Delaware-----	7,717	3,883	3,834	3,357	3,267	555	557	3	2	1	-	2	2	7	6
District of Columbia-----	21,686	11,044	10,642	7,199	6,817	3,817	3,785	1	-	20	21	1	7	6	12
Florida-----	59,607	30,779	29,028	23,011	21,461	7,747	7,543	13	14	5	5	2	2	1	3
Georgia-----	94,944	49,805	46,139	32,562	30,332	18,232	15,900	6	1	5	5	-	-	-	1
Idaho-----	16,265	8,441	7,824	8,334	7,721	10	10	54	56	7	5	33	29	3	3
Illinois-----	196,007	100,874	95,133	92,837	87,480	7,713	7,442	9	10	37	31	158	151	20	19
Indiana-----	96,359	49,241	47,118	47,218	45,136	2,012	1,977	3	-	6	4	1	-	1	1
Iowa-----	63,858	32,734	31,124	32,480	30,902	232	196	17	19	3	4	1	2	1	1
Kansas-----	44,535	23,025	21,509	22,152	20,669	815	795	54	41	2	2	1	-	2	2
Kentucky-----	79,987	41,456	38,531	39,379	36,552	2,073	1,979	1	1	3	2	-	-	-	-
Louisiana-----	74,630	38,236	36,394	24,287	22,815	13,887	13,528	45	37	6	2	2	3	9	9
Maine-----	23,973	12,441	11,633	12,222	11,614	7	4	10	14	1	1	-	-	-	-
Maryland-----	56,687	29,034	27,653	23,690	22,487	5,325	5,154	2	-	10	4	3	7	4	1
Massachusetts-----	107,791	55,588	52,203	54,581	51,267	966	867	4	11	30	30	2	4	5	4
Michigan-----	161,085	82,550	78,535	77,227	73,296	5,222	5,125	63	64	18	19	17	23	3	8
Minnesota-----	75,577	39,902	36,875	36,574	35,537	100	105	207	199	2	6	13	22	6	6
Mississippi-----	66,459	34,056	32,394	16,984	15,709	17,053	16,626	52	42	16	17	-	-	1	-
Missouri-----	90,060	46,308	43,751	42,814	40,326	3,476	3,414	10	5	5	3	3	1	1	2
Montana-----	15,066	7,821	7,265	7,474	6,914	5	12	337	328	2	6	2	2	1	3
Nebraska-----	32,132	16,462	15,670	16,136	15,377	236	209	79	71	2	1	9	11	-	1
Nevada-----	4,041	2,054	1,987	1,941	1,868	38	39	70	70	1	3	4	7	-	-
New Hampshire-----	13,267	6,739	6,508	6,754	6,502	3	6	1	-	1	-	-	-	-	-
New Jersey-----	106,242	54,975	51,367	50,804	47,349	4,025	3,974	3	4	16	18	21	17	6	5
New Mexico-----	20,322	10,581	9,741	9,789	9,026	119	94	664	614	3	2	2	2	4	3
New York-----	323,250	166,195	157,055	155,067	146,299	10,626	10,390	122	141	129	165	35	39	18	22
North Carolina-----	112,877	57,546	55,331	40,817	38,775	16,090	15,962	654	594	3	-	-	-	2	-
North Dakota-----	17,064	8,791	8,273	8,627	8,092	-	1	160	180	3	-	1	-	-	-
Ohio-----	197,311	101,208	96,023	95,171	89,929	6,063	6,043	6	4	10	12	32	32	6	3
Oklahoma-----	53,684	27,446	26,236	24,640	23,385	1,755	1,827	1,040	1,021	4	-	1	1	6	4
Oregon-----	36,294	18,624	17,670	18,346	17,394	135	143	77	72	14	18	28	28	24	14
Pennsylvania-----	248,513	127,627	120,886	119,927	113,510	7,664	7,346	6	1	21	19	4	4	5	6
Rhode Island-----	18,538	9,515	9,021	9,316	8,828	190	184	2	2	4	7	-	-	-	-
South Carolina-----	59,470	30,473	28,997	17,496	16,560	12,955	12,404	16	12	3	-	-	1	3	-
South Dakota-----	18,539	8,541	7,996	8,213	7,639	4	2	322	355	-	1	-	-	-	1
Tennessee-----	86,619	44,626	41,993	37,720	35,241	6,905	6,747	1	3	2	1	-	-	1	1
Texas-----	198,662	101,869	96,793	89,961	85,202	11,841	11,543	15	17	25	19	3	7	4	5
Utah-----	21,724	11,243	10,481	11,098	10,363	37	29	23	21	4	4	80	62	1	2
Vermont-----	9,708	4,970	4,738	4,967	4,736	3	2	-	-	-	-	-	-	-	-
Virginia-----	83,740	43,856	41,792	33,799	31,837	10,150	9,936	-	3	7	2	1	1	1	3
Washington-----	58,481	29,819	28,662	28,976	27,869	360	354	273	254	36	37	103	80	71	68
West Virginia-----	53,085	26,329	26,756	27,006	25,461	1,323	1,292	-	3	-	-	-	-	-	-
Wisconsin-----	84,059	43,196	40,661	42,712	40,394	258	265	215	190	4	2	6	6	3	4
Wyoming-----	7,320	3,720	3,600	3,635	3,521	12	14	62	56	5	2	4	6	2	1

GENERAL TABLES—LIVE BIRTHS

95

TABLE 3.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1947

(By place of residence)

AREA, SEX, AND RACE	Total Births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	3,699,940	340,460	301,932	325,740	292,375	303,461	301,913	318,340	319,681	310,145	308,540	298,366	289,987
Male	1,899,876	175,409	154,286	166,794	150,179	156,120	154,793	164,178	164,512	159,578	157,890	147,680	148,457
Female	1,800,064	165,051	147,646	158,946	142,196	147,341	147,120	154,162	155,169	150,567	150,650	140,686	140,530
White	3,274,620	301,172	267,574	289,170	260,394	270,630	268,441	281,883	282,008	273,431	272,884	253,883	253,180
Male	1,684,618	155,542	136,913	148,406	133,941	139,596	137,948	145,605	145,344	140,989	139,780	130,522	130,232
Female	1,590,002	145,630	130,661	140,764	126,443	131,034	130,593	136,278	136,664	132,542	133,104	123,361	122,928
Nonwhite	425,320	39,288	34,358	36,570	31,991	32,831	33,472	36,457	37,673	36,714	35,656	34,483	35,827
Male	215,258	19,867	17,373	18,388	16,239	16,524	16,945	18,573	19,168	18,689	18,120	17,158	18,225
Female	210,062	19,421	16,985	18,182	15,753	16,307	16,527	17,884	18,505	18,025	17,546	17,325	17,602
ALABAMA	88,116	8,419	7,210	7,716	6,554	6,767	6,900	7,706	7,670	7,555	7,372	7,180	7,067
Male	45,035	4,316	3,652	3,928	3,333	3,482	3,496	3,930	3,940	3,838	3,787	3,685	3,648
Female	43,081	4,103	3,558	3,788	3,221	3,285	3,404	3,776	3,730	3,717	3,585	3,495	3,419
White	59,006	5,526	4,787	5,036	4,278	4,491	4,657	5,097	5,036	4,976	4,918	4,710	4,514
Male	29,788	2,849	2,403	2,577	2,197	2,363	2,346	2,608	2,646	2,597	2,553	2,430	2,311
Female	29,218	2,677	2,384	2,459	2,081	2,128	2,291	2,491	2,390	2,469	2,365	2,280	2,203
Nonwhite	30,110	2,893	2,423	2,680	2,276	2,276	2,263	2,609	2,634	2,579	2,454	2,470	2,553
Male	15,247	1,467	1,249	1,351	1,136	1,119	1,150	1,324	1,294	1,331	1,234	1,255	1,337
Female	14,863	1,426	1,174	1,329	1,140	1,157	1,113	1,285	1,340	1,248	1,220	1,215	1,216
ARIZONA	19,158	1,833	1,630	1,629	1,427	1,426	1,434	1,601	1,734	1,600	1,614	1,602	1,623
Male	9,764	928	801	840	724	741	747	822	869	826	811	836	819
Female	9,389	905	829	789	703	685	687	779	865	774	803	766	804
White	16,928	1,618	1,425	1,433	1,235	1,253	1,244	1,400	1,550	1,464	1,431	1,420	1,455
Male	8,638	814	703	747	616	649	652	722	786	746	721	744	732
Female	8,290	804	722	686	619	604	592	678	778	698	710	676	723
Nonwhite	2,225	215	205	196	192	173	190	201	184	136	183	182	168
Male	1,126	114	98	93	108	92	95	100	97	60	90	92	87
Female	1,099	101	107	103	84	81	95	101	87	76	93	90	81
ARKANSAS	48,983	4,904	4,134	4,382	3,518	3,591	3,998	4,574	4,463	4,295	4,077	3,848	3,429
Male	24,955	2,519	2,069	2,191	1,789	1,840	2,144	2,232	2,221	2,147	2,113	1,928	1,792
Female	24,028	2,385	2,065	2,191	1,729	1,751	1,854	2,342	2,242	2,148	1,964	1,920	1,637
White	38,053	3,813	3,210	3,311	2,681	2,774	3,074	3,375	3,467	3,355	3,245	3,065	2,683
Male	19,534	1,992	1,630	1,652	1,345	1,425	1,653	1,748	1,737	1,690	1,690	1,574	1,418
Female	18,519	1,821	1,580	1,659	1,336	1,349	1,421	1,627	1,730	1,675	1,555	1,491	1,265
Nonwhite	10,930	1,091	924	1,041	837	817	924	999	996	940	832	783	746
Male	5,421	537	439	539	414	415	491	464	464	467	423	354	374
Female	5,509	554	485	502	423	402	433	535	532	473	409	429	372
CALIFORNIA	245,689	21,891	19,369	21,177	19,715	20,483	19,957	21,522	21,491	21,161	20,417	19,252	19,456
Male	126,138	11,259	9,675	10,760	10,094	10,429	10,247	11,210	11,078	10,898	10,375	9,926	9,987
Female	119,751	10,632	9,494	10,417	9,619	10,054	9,710	10,312	10,413	10,263	10,042	9,326	9,469
White	229,588	20,578	18,131	19,781	18,479	19,137	18,577	20,064	20,042	19,718	19,039	17,900	18,042
Male	117,840	10,622	9,289	10,076	9,486	9,783	9,571	10,449	10,305	10,159	9,661	9,269	9,252
Female	111,648	9,956	8,843	9,705	8,993	9,354	9,006	9,615	9,737	9,559	9,378	8,631	9,790
Nonwhite	16,301	1,313	1,238	1,396	1,234	1,346	1,380	1,458	1,443	1,443	1,378	1,352	1,414
Male	8,198	637	587	684	626	646	676	761	773	740	694	657	735
Female	8,103	676	651	712	608	700	604	697	678	703	684	695	679
COLORADO	32,874	2,964	2,892	2,800	2,637	2,898	2,733	2,898	2,824	2,745	2,678	2,575	2,532
Male	16,805	1,558	1,351	1,411	1,337	1,513	1,383	1,476	1,478	1,413	1,406	1,302	1,276
Female	15,869	1,406	1,541	1,389	1,300	1,385	1,350	1,422	1,345	1,330	1,272	1,273	1,256
White	32,212	2,906	2,851	2,741	2,659	2,847	2,679	2,836	2,771	2,693	2,637	2,515	2,477
Male	16,535	1,526	1,322	1,376	1,293	1,485	1,351	1,445	1,446	1,383	1,387	1,274	1,247
Female	15,677	1,380	1,529	1,365	1,266	1,362	1,328	1,391	1,325	1,310	1,250	1,241	1,230
Nonwhite	662	58	41	59	78	51	54	62	53	50	41	60	55
Male	370	32	29	35	44	28	32	31	33	30	19	28	28
Female	292	26	12	24	34	23	22	31	20	20	22	32	26
CONNECTICUT	45,581	4,162	3,694	4,244	3,745	4,057	3,799	3,861	3,836	3,729	3,709	3,365	3,382
Male	23,551	2,091	1,948	2,145	1,938	2,078	1,964	2,007	2,010	1,976	1,904	1,734	1,756
Female	22,030	2,071	1,746	2,099	1,807	1,979	1,834	1,854	1,826	1,752	1,805	1,631	1,626
White	44,202	4,033	3,572	4,128	3,848	3,950	3,685	3,754	3,722	3,611	3,587	3,240	3,282
Male	22,831	2,029	1,874	2,078	1,890	2,023	1,900	1,980	1,951	1,923	1,845	1,663	1,701
Female	21,371	2,004	1,698	2,050	1,958	1,927	1,785	1,804	1,771	1,688	1,742	1,577	1,581
Nonwhite	1,379	129	122	116	97	107	133	107	114	117	112	125	100
Male	720	62	70	67	48	55	64	57	59	53	59	71	55
Female	659	67	52	49	49	52	69	50	55	64	53	54	45
DELAWARE	7,717	708	605	716	600	649	626	651	665	597	641	618	641
Male	3,863	393	299	370	310	306	313	342	352	282	300	302	314
Female	3,854	315	306	346	290	343	313	309	313	315	341	316	327
White	6,604	621	516	609	513	559	542	564	561	498	543	523	550
Male	3,327	343	287	313	262	284	268	301	304	240	245	269	271
Female	3,267	278	229	296	251	275	274	263	257	258	298	254	279
Nonwhite	1,113	87	89	107	82	90	84	87	104	99	98	95	81
Male	546	50	42	57	48	42	45	41	49	42	55	53	43
Female	567	37	47	50	34	48	39	46	55	57	43	62	40
DISTRICT OF COLUMBIA	21,686	2,010	1,738	1,892	1,745	1,731	1,703	1,804	1,892	1,841	1,811	1,747	1,772
Male	11,044	1,041	884	970	894	884	872	885	988	953	914	856	911
Female	10,642	969	854	922	851	847	831	909	904	888	897	891	861
White	14,016	1,316	1,146	1,200	1,182	1,168	1,090	1,143	1,202	1,166	1,202	1,126	1,075
Male	7,199	671	587	609	607	596	580	561	646	609	605	559	569
Female	6,817	645	559	591	575	572	510	582	556	557	597	567	506
Nonwhite	7,670	694	592	692	563	563	613	651	690	675	609	621	697
Male	3,845	370	277	361	287	298	292	334	342	346	309	297	342
Female	3,825	324	315	331	276								

VITAL STATISTICS OF THE UNITED STATES

TABLE 3.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	94,944	8,890	7,800	8,145	7,179	7,541	7,548	7,995	8,344	8,219	8,014	7,586	7,633
Male	48,805	4,581	3,988	4,190	3,705	3,947	3,819	4,075	4,276	4,312	4,110	3,894	3,928
Female	46,139	4,309	3,812	3,955	3,474	3,594	3,729	3,920	4,068	3,907	3,904	3,692	3,705
White	62,894	5,875	5,118	5,339	4,714	5,017	5,012	5,338	5,550	5,551	5,283	5,063	5,023
Male	32,562	3,042	2,603	2,753	2,452	2,667	2,534	2,763	2,949	2,938	2,712	2,556	2,576
Female	30,332	2,833	2,515	2,586	2,262	2,350	2,478	2,575	2,711	2,613	2,571	2,407	2,447
Nonwhite	32,050	3,005	2,682	2,806	2,465	2,523	2,536	2,657	2,784	2,668	2,731	2,523	2,610
Male	16,243	1,513	1,385	1,437	1,253	1,283	1,285	1,312	1,427	1,374	1,398	1,352	1,352
Female	15,807	1,492	1,297	1,369	1,212	1,240	1,251	1,345	1,357	1,294	1,333	1,171	1,258
IDAHO	16,265	1,393	1,325	1,439	1,409	1,414	1,355	1,405	1,356	1,274	1,326	1,275	1,294
Male	8,441	744	695	742	718	741	677	708	710	643	722	669	672
Female	7,824	649	630	697	691	673	678	697	646	631	604	606	622
White	16,055	1,377	1,314	1,413	1,401	1,392	1,336	1,393	1,332	1,263	1,309	1,247	1,278
Male	8,334	735	691	732	714	726	668	704	697	636	711	655	685
Female	7,721	642	623	681	687	666	668	689	635	627	598	592	613
Nonwhite	210	16	11	26	8	22	19	12	24	11	17	28	16
Male	107	9	4	10	4	15	9	4	13	7	11	14	7
Female	103	7	7	16	4	7	10	8	11	4	6	14	9
ILLINOIS	196,007	17,957	15,767	17,295	15,154	16,164	16,430	17,035	16,977	16,342	16,329	15,361	15,196
Male	100,874	9,280	7,876	8,812	7,823	8,359	8,397	8,862	8,798	8,457	8,397	7,882	7,882
Female	95,133	8,677	7,891	8,483	7,331	7,805	8,033	8,173	8,179	7,885	7,932	7,479	7,359
White	180,417	16,605	14,622	15,936	13,945	14,959	15,148	15,655	15,609	14,989	14,993	14,051	13,845
Male	92,937	8,603	7,384	8,151	7,220	7,717	7,773	8,157	8,107	7,751	7,689	7,244	7,141
Female	87,480	8,002	7,238	7,845	6,725	7,242	7,375	7,498	7,502	7,238	7,304	6,807	6,704
Nonwhite	15,590	1,352	1,145	1,359	1,209	1,205	1,282	1,380	1,368	1,353	1,330	1,310	1,351
Male	7,937	677	592	661	603	642	624	705	691	706	702	638	696
Female	7,653	675	553	698	606	563	658	675	677	647	628	672	655
INDIANA	96,359	9,005	7,821	8,386	7,396	7,699	7,884	8,374	8,429	8,161	7,904	7,527	7,571
Male	49,241	4,701	3,870	4,262	3,829	4,121	3,967	4,253	4,309	4,219	3,997	3,830	3,883
Female	47,118	4,304	3,951	4,124	3,567	3,578	3,917	4,121	4,120	3,942	3,907	3,697	3,688
White	92,354	8,669	7,539	8,048	7,091	7,559	7,547	8,043	8,069	7,789	7,579	7,210	7,211
Male	47,218	4,538	3,745	4,096	3,653	3,958	3,805	4,082	4,028	3,826	3,662	3,696	3,696
Female	45,136	4,131	3,794	3,952	3,438	3,601	3,742	3,961	3,942	3,763	3,753	3,548	3,513
Nonwhite	4,005	336	282	340	305	340	337	331	360	372	325	317	360
Male	2,023	163	125	166	176	163	162	171	162	191	171	168	185
Female	1,982	173	157	174	129	177	175	160	178	181	154	149	175
IOWA	63,859	5,952	5,304	5,646	4,999	5,253	5,027	5,512	5,597	5,261	5,425	5,041	4,661
Male	32,734	3,005	2,678	2,934	2,507	2,709	2,548	2,760	2,930	2,719	2,787	2,604	2,533
Female	31,124	2,927	2,626	2,712	2,492	2,544	2,479	2,732	2,667	2,542	2,638	2,437	2,328
White	63,382	5,899	5,259	5,592	4,965	5,221	4,990	5,459	5,569	5,215	5,384	5,000	4,831
Male	32,480	2,989	2,646	2,904	2,491	2,697	2,522	2,751	2,912	2,691	2,772	2,586	2,519
Female	30,902	2,910	2,613	2,688	2,474	2,524	2,468	2,708	2,657	2,522	2,612	2,414	2,312
Nonwhite	476	33	45	54	34	32	37	53	28	48	41	41	30
Male	234	16	32	30	16	12	26	29	18	28	15	18	14
Female	222	17	13	24	18	20	11	24	10	20	26	23	16
KANSAS	44,535	4,290	3,709	3,722	3,300	3,338	3,621	3,972	3,905	3,750	3,845	3,565	3,513
Male	23,026	2,209	1,889	1,934	1,734	1,726	1,815	2,072	2,058	1,934	2,002	1,801	1,832
Female	21,509	2,081	1,820	1,788	1,566	1,612	1,806	1,900	1,847	1,816	1,843	1,764	1,686
White	42,821	4,110	3,576	3,572	3,172	3,210	3,480	3,831	3,741	3,597	3,719	3,411	3,397
Male	22,152	2,124	1,821	1,861	1,670	1,666	1,740	1,994	1,959	1,861	1,944	1,726	1,788
Female	20,669	1,986	1,755	1,716	1,502	1,544	1,740	1,837	1,782	1,736	1,775	1,685	1,611
Nonwhite	1,714	180	133	145	128	128	141	141	164	153	126	154	121
Male	874	85	68	73	64	60	75	78	99	73	59	75	66
Female	840	95	65	72	64	68	66	63	65	80	68	79	55
KENTUCKY	79,987	7,653	6,764	7,266	6,254	6,421	6,802	6,630	6,881	6,776	6,589	6,140	6,012
Male	41,456	4,019	3,505	3,682	3,230	3,337	3,404	3,489	3,548	3,523	3,405	3,228	3,128
Female	38,531	3,634	3,259	3,604	3,024	3,084	3,398	3,141	3,333	3,253	3,183	2,912	2,886
White	75,931	7,296	6,420	6,910	5,941	6,079	6,243	6,312	6,550	6,448	6,249	5,822	5,631
Male	39,379	3,846	3,322	3,480	3,037	3,167	3,223	3,308	3,372	3,336	3,224	3,057	2,957
Female	36,552	3,450	3,098	3,430	2,904	2,912	3,020	3,004	3,178	3,112	3,025	2,765	2,704
Nonwhite	4,056	357	344	356	313	342	359	318	331	328	339	318	351
Male	2,077	173	183	182	143	170	161	161	176	167	181	171	169
Female	1,979	184	161	174	170	172	178	157	155	141	158	147	182
LOUISIANA	74,630	7,260	6,195	6,054	5,036	4,605	5,474	6,536	6,862	6,657	6,784	6,509	6,658
Male	38,296	3,743	3,123	3,032	2,577	2,374	2,837	3,305	3,587	3,510	3,440	3,264	3,424
Female	36,394	3,517	3,072	3,022	2,459	2,231	2,637	3,231	3,275	3,147	3,344	3,225	3,234
White	47,102	4,656	3,880	3,805	3,091	2,815	3,422	4,061	4,313	4,256	4,385	4,182	4,236
Male	24,287	2,437	1,963	1,905	1,580	1,472	1,790	2,052	2,277	2,229	2,221	2,142	2,219
Female	22,815	2,219	1,917	1,900	1,511	1,343	1,632	2,009	2,036	2,027	2,164	2,040	2,017
Nonwhite	27,528	2,604	2,315	2,249	1,945	1,790	2,052	2,475	2,549	2,401	2,399	2,327	2,422
Male	13,949	1,306	1,160	1,127	997	902	1,047	1,253	1,310	1,281	1,219	1,142	1,205
Female	13,579	1,298	1,155	1,122	948	888	1,005	1,222	1,239	1,120	1,181	1,185	1,217
MAINE	23,873	2,161	1,948	2,182	2,019	2,109	1,986	2,069	2,051	1,866	1,874	1,872	1,754
Male	12,240	1,095	1,010	1,154	1,000	1,077	1,014	1,057	1,047	977	966	949	894
Female	11,633	1,066	938	1,028	1,019	1,032	974	1,012	1,004	889	908	923	860
White	23,836	2,160	1,948	2,180	2,014	2,109	1,966	2,065	2,040	1,864	1,873	1,869	1,749
Male	12,222	1,095	1,010	1,153	998	1,077	1,013	1,056	1,041	976	966	947	890
Female	11,614	1,065	938	1,027	1,016	1,032	953	1,009	999	889	907	921	859
Nonwhite	37	1	-	2	5	-	2	4	11	2	1	4	5
Male	19	-	-	1	2	-	1	1	6	1	-	2	4
Female	19	1	-	1	3	-	1	3	5	1	1	2	1
MARYLAND	56,687	5,236	4,782	5,031	4								

GENERAL TABLES—LIVE BIRTHS

TABLE 3.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	107,791	9,626	8,858	9,758	9,285	9,512	9,237	9,346	8,871	8,655	8,571	8,159	7,915
Male	55,588	5,012	4,662	4,994	4,783	4,834	4,774	4,908	4,510	4,412	4,412	4,173	4,114
Female	52,203	4,614	4,196	4,762	4,502	4,678	4,463	4,438	4,361	4,243	4,159	3,986	3,801
White	105,848	9,427	8,737	9,593	9,120	9,364	9,075	9,169	8,718	8,508	8,397	8,003	7,741
Male	54,591	4,905	4,603	4,923	4,697	4,748	4,684	4,822	4,428	4,327	4,326	4,086	4,052
Female	51,257	4,522	4,134	4,670	4,423	4,616	4,389	4,347	4,288	4,181	4,071	3,917	3,709
Nonwhite	1,943	199	121	163	165	149	164	177	155	147	174	156	174
Male	1,007	107	59	71	86	86	90	86	82	85	86	87	82
Female	936	92	62	92	79	62	74	91	73	62	88	69	92
MICHIGAN	161,085	14,207	12,832	14,458	13,178	13,985	13,692	13,801	13,831	13,083	13,344	12,323	12,421
Male	82,550	7,322	6,634	7,419	6,785	7,012	7,093	7,063	6,696	6,639	6,639	6,239	6,335
Female	78,535	6,885	6,198	7,039	6,393	6,973	6,599	6,738	6,387	6,444	6,705	6,084	6,086
White	150,523	13,275	12,009	13,508	12,399	13,063	12,861	12,936	12,899	12,185	12,420	11,449	11,529
Male	77,227	6,823	6,215	6,877	6,378	6,588	6,677	6,633	6,577	6,253	6,362	5,869	5,875
Female	73,296	6,452	5,794	6,631	6,021	6,475	6,184	6,303	6,312	5,932	6,058	5,580	5,654
Nonwhite	10,562	932	823	950	779	872	831	865	942	898	924	874	892
Male	5,323	489	419	442	407	424	416	430	476	443	477	430	460
Female	5,239	443	404	498	372	448	415	435	466	455	447	444	432
MINNESOTA	75,577	6,714	6,102	6,677	6,134	6,391	6,378	6,652	6,460	6,342	6,247	5,796	5,684
Male	38,902	3,477	3,141	3,435	3,185	3,325	3,237	3,410	3,366	3,228	3,254	2,978	2,866
Female	36,675	3,237	2,961	3,242	2,949	3,066	3,141	3,242	3,094	3,114	2,993	2,818	2,818
White	74,911	6,633	6,045	6,587	6,073	6,343	6,324	6,605	6,415	6,293	6,208	5,740	5,647
Male	38,574	3,433	3,111	3,391	3,147	3,307	3,203	3,387	3,243	3,206	3,240	2,948	2,852
Female	36,337	3,200	2,934	3,196	2,926	3,036	3,115	3,218	3,172	3,087	2,966	2,792	2,795
Nonwhite	666	81	57	90	61	48	54	47	45	49	41	56	37
Male	329	44	30	44	36	18	28	23	23	22	14	30	14
Female	338	37	27	46	25	30	26	24	22	27	27	26	23
MISSISSIPPI	66,450	6,495	5,598	5,828	4,832	4,696	5,122	5,829	5,325	5,779	5,583	5,280	5,523
Male	34,056	3,339	2,842	2,951	2,462	2,405	2,648	3,027	3,018	3,015	2,858	2,643	2,849
Female	32,394	3,156	2,756	2,877	2,370	2,291	2,474	2,802	2,307	2,764	2,725	2,637	2,675
White	52,643	3,130	2,798	2,774	2,340	2,280	2,483	2,918	2,890	2,865	2,868	2,645	2,674
Male	16,954	1,600	1,420	1,453	1,210	1,174	1,302	1,543	1,503	1,503	1,503	1,366	1,366
Female	15,709	1,530	1,378	1,341	1,130	1,106	1,181	1,375	1,387	1,362	1,365	1,287	1,289
Nonwhite	33,807	3,365	2,802	3,054	2,492	2,418	2,639	2,911	3,035	2,914	2,695	2,637	2,849
Male	17,122	1,739	1,422	1,518	1,252	1,231	1,346	1,484	1,515	1,512	1,355	1,285	1,463
Female	16,685	1,626	1,380	1,536	1,240	1,185	1,313	1,427	1,520	1,402	1,340	1,350	1,386
MISSOURI	90,060	8,496	7,615	7,828	6,503	6,979	7,372	8,082	8,047	7,512	7,748	6,910	7,168
Male	46,308	4,358	3,934	3,940	3,360	3,613	3,759	4,213	4,143	3,805	3,924	3,584	3,678
Female	43,751	4,140	3,681	3,888	3,143	3,366	3,613	3,869	3,904	3,707	3,824	3,326	3,490
White	85,140	7,844	7,015	7,075	6,011	6,407	6,833	7,486	7,427	6,947	7,168	6,336	6,593
Male	42,814	4,026	3,616	3,642	3,107	3,348	3,602	3,917	3,822	3,517	3,625	3,305	3,387
Female	40,326	3,818	3,399	3,433	2,904	3,059	3,231	3,569	3,605	3,430	3,543	3,031	3,206
Nonwhite	6,920	652	600	553	492	572	539	596	620	565	582	574	575
Male	3,495	330	318	298	253	265	257	296	321	288	299	279	281
Female	3,425	322	282	255	239	307	282	300	299	277	285	295	284
MONTANA	15,086	1,298	1,235	1,351	1,277	1,309	1,244	1,359	1,238	1,252	1,244	1,125	1,174
Male	7,821	690	620	672	692	638	638	714	662	661	629	599	585
Female	7,265	608	615	679	605	671	606	645	576	591	615	526	589
White	14,388	1,233	1,168	1,276	1,227	1,252	1,197	1,281	1,183	1,188	1,193	1,076	1,114
Male	7,474	630	592	649	647	661	614	685	639	630	607	573	558
Female	6,914	603	576	627	580	591	583	596	545	558	586	503	556
Nonwhite	698	65	67	75	50	57	47	58	55	64	51	49	60
Male	347	30	38	40	25	31	24	29	24	31	22	26	27
Female	351	35	29	35	25	26	23	29	31	33	29	23	33
NEBRASKA	32,132	2,933	2,666	2,799	2,541	2,559	2,543	2,788	2,802	2,684	2,751	2,527	2,539
Male	16,462	1,503	1,330	1,423	1,304	1,344	1,278	1,448	1,428	1,358	1,457	1,284	1,305
Female	15,670	1,430	1,336	1,376	1,237	1,215	1,265	1,340	1,374	1,326	1,294	1,243	1,234
White	31,513	2,892	2,621	2,762	2,495	2,500	2,506	2,729	2,732	2,627	2,701	2,490	2,469
Male	16,136	1,486	1,315	1,405	1,278	1,309	1,259	1,417	1,385	1,325	1,429	1,262	1,270
Female	15,377	1,406	1,306	1,357	1,217	1,191	1,247	1,312	1,347	1,304	1,272	1,228	1,199
Nonwhite	614	41	45	37	46	59	37	59	70	57	50	47	71
Male	326	17	17	18	26	35	19	31	45	35	28	22	35
Female	288	24	28	19	20	24	18	28	27	22	22	25	36
NEVADA	4,041	388	308	364	339	352	312	338	315	340	347	318	320
Male	2,054	210	155	170	179	178	165	174	162	155	178	161	167
Female	1,987	178	153	194	160	174	147	164	153	165	169	157	153
White	3,809	364	294	350	320	329	296	320	300	322	325	293	297
Male	1,941	197	147	164	172	168	157	166	154	144	166	148	158
Female	1,868	167	147	186	148	160	139	154	146	178	159	145	139
Nonwhite	232	24	14	14	19	24	16	18	15	18	22	25	23
Male	113	13	8	6	7	10	8	8	8	11	12	13	9
Female	119	11	6	8	12	14	8	10	7	10	10	12	14
NEW HAMPSHIRE	15,267	1,142	1,071	1,178	1,135	1,134	1,176	1,230	1,096	1,052	1,072	1,017	964
Male	6,759	592	544	599	587	537	588	637	586	555	529	535	480
Female	6,508	550	527	579	548	597	588	593	510	497	543	482	484
White	13,256	1,142	1,071	1,176	1,132	1,133	1,174	1,229	1,095	1,052	1,072	1,017	983
Male	6,754	592	544	597	585	537	588	637	585	555	529	535	480
Female	6,502	550	527	579	547	596	586	592	510	497	543	482	483
Nonwhite	11	-	-	2	3	1	2	1	-	-	-	-	1
Male	5	-	-	2	1	-	-	-	1	-	-	-	-
Female	6	-	-	-	1	1	2	1	-	-	-	-	1
NEW JERSEY	106,242	9,713	8,745	9,627	8,907	9,132	8,898	9,013	8,813	8,661	8,562	8,057	8,114
Male	54,875	5,038	4,416	4,979	4,599	4,828	4,677	4,740	4,504	4,409	4,331	4,021	4,210
Female	51,367	4,675	4,329	4,648	4,308	4,303	4,221	4,273	4,309	4,252</			

VITAL STATISTICS OF THE UNITED STATES

TABLE 3.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, SEX, AND RACE		Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	Male	20,522	1,643	1,693	1,812	1,589	1,698	1,610	1,664	1,759	1,660	1,698	1,599	1,698
	Female	10,561	979	834	950	827	930	805	854	931	981	870	807	913
	Female	9,741	864	859	862	772	788	805	810	827	779	828	732	775
White	Male	18,815	1,704	1,547	1,676	1,479	1,560	1,485	1,555	1,581	1,555	1,606	1,497	1,562
	Female	9,789	919	764	880	757	858	742	792	857	820	861	762	837
	Female	9,026	785	763	796	722	702	743	761	754	735	785	735	725
Nonwhite	Male	1,507	139	146	136	120	139	125	111	187	105	82	102	126
	Female	792	60	70	70	70	72	63	62	94	61	49	45	76
	Female	715	79	76	66	50	66	62	49	73	44	43	57	50
NEW YORK	Male	323,250	29,249	26,370	29,501	27,445	29,444	27,090	27,196	26,685	25,975	26,021	24,961	24,747
	Female	166,195	15,149	15,434	15,131	14,099	14,666	13,968	14,136	13,649	13,379	13,257	12,634	12,774
	Female	157,055	14,100	12,956	14,370	13,345	13,758	13,222	13,080	13,006	12,584	12,764	11,927	11,973
White	Male	301,366	27,358	24,690	27,760	25,728	26,649	25,334	25,327	24,753	24,093	24,176	22,655	22,864
	Female	155,067	14,169	12,584	14,255	13,211	13,797	12,995	13,144	12,690	12,417	12,325	11,669	11,801
	Female	146,299	13,189	12,086	13,505	12,517	12,851	12,339	12,185	12,063	11,676	11,851	10,986	11,083
Nonwhite	Male	21,884	1,891	1,680	1,741	1,715	1,796	1,776	1,869	1,902	1,880	1,845	1,936	1,883
	Female	11,128	980	840	876	897	899	875	992	959	962	932	965	973
	Female	10,756	911	840	865	829	907	903	877	943	918	913	945	910
NORTH CAROLINA	Male	112,877	10,533	9,199	9,864	9,097	9,373	9,110	9,245	9,843	9,557	9,560	8,629	8,666
	Female	57,546	5,357	4,604	4,861	4,601	4,754	4,695	4,689	5,062	4,861	4,910	4,327	4,603
	Female	55,351	5,176	4,514	4,861	4,496	4,619	4,435	4,556	4,781	4,676	4,650	4,302	4,265
White	Male	79,582	7,543	6,467	6,972	6,427	6,599	6,465	6,528	6,944	6,706	6,703	6,124	6,114
	Female	40,817	5,881	5,318	5,530	5,268	5,351	5,356	5,351	5,613	5,481	5,467	5,060	5,181
	Female	38,778	5,662	5,149	5,442	5,159	5,268	5,109	5,197	5,351	5,225	5,236	3,054	2,933
Nonwhite	Male	33,288	2,990	2,731	2,892	2,670	2,774	2,645	2,717	2,899	2,851	2,657	2,505	2,754
	Female	16,729	1,476	1,366	1,453	1,333	1,423	1,359	1,358	1,449	1,400	1,443	1,267	1,422
	Female	16,556	1,514	1,365	1,439	1,337	1,351	1,306	1,359	1,450	1,451	1,414	1,236	1,332
NORTH DAKOTA	Male	17,064	1,445	1,303	1,485	1,365	1,480	1,418	1,547	1,469	1,404	1,491	1,362	1,307
	Female	8,791	759	676	750	707	710	754	792	764	735	760	718	676
	Female	8,273	686	627	735	686	770	684	765	705	689	721	644	631
White	Male	16,719	1,407	1,267	1,454	1,333	1,456	1,396	1,513	1,440	1,378	1,456	1,337	1,284
	Female	8,627	742	660	734	693	701	744	768	752	721	747	704	661
	Female	8,092	665	607	720	640	755	651	744	688	657	709	633	623
Nonwhite	Male	545	38	36	31	30	24	23	35	29	26	25	25	23
	Female	164	17	15	15	14	9	10	12	14	12	13	14	15
	Female	161	21	20	15	16	15	13	21	17	12	12	11	8
OHIO	Male	197,311	17,835	15,975	17,447	15,805	16,642	16,521	16,957	16,886	16,218	16,496	15,080	15,249
	Female	101,288	9,261	8,266	9,009	8,114	8,727	8,404	8,729	8,583	8,275	8,355	7,789	7,900
	Female	96,023	8,574	7,709	8,436	7,691	8,115	8,117	8,226	8,303	7,943	8,141	7,315	7,449
White	Male	185,100	16,771	15,024	16,454	14,879	15,842	15,506	15,906	15,747	15,154	15,471	14,109	14,237
	Female	95,171	8,717	7,765	8,542	7,639	8,203	7,910	8,188	8,005	7,748	7,875	7,286	7,292
	Female	89,929	8,094	7,239	7,912	7,241	7,639	7,596	7,716	7,742	7,406	7,596	6,621	6,945
Nonwhite	Male	12,211	1,064	931	993	926	1,000	1,015	1,051	1,051	1,139	1,064	1,025	971
	Female	6,117	544	501	467	476	524	484	541	578	527	480	477	508
	Female	6,094	520	450	526	450	476	521	510	561	537	545	494	504
OKLAHOMA	Male	53,684	5,247	4,597	4,598	3,767	3,864	4,217	4,753	4,783	4,630	4,542	4,396	4,280
	Female	27,446	2,616	2,369	2,336	1,947	1,990	2,113	2,447	2,487	2,393	2,297	2,253	2,209
	Female	26,239	2,631	2,238	2,263	1,874	1,874	2,104	2,306	2,306	2,237	2,245	2,143	2,071
White	Male	48,025	4,657	4,086	4,061	3,363	3,437	3,787	4,280	4,299	4,167	4,094	3,927	3,856
	Female	24,640	2,327	2,103	2,066	1,762	1,767	1,896	2,212	2,206	2,105	2,089	2,028	1,989
	Female	23,365	2,340	1,985	1,995	1,601	1,670	1,891	2,068	2,072	2,002	2,005	1,899	1,857
Nonwhite	Male	5,659	580	509	537	404	427	430	473	495	448	469	424	424
	Female	2,906	299	256	269	185	223	217	235	261	228	208	225	210
	Female	2,853	291	253	268	219	204	213	238	234	235	240	244	214
OREGON	Male	36,294	3,242	2,950	3,162	2,946	3,197	3,031	3,197	3,079	3,073	2,962	2,660	2,785
	Female	18,624	1,644	1,564	1,606	1,514	1,635	1,562	1,649	1,532	1,621	1,488	1,380	1,430
	Female	17,670	1,598	1,386	1,556	1,432	1,562	1,479	1,549	1,547	1,452	1,474	1,270	1,365
White	Male	35,740	3,178	2,902	3,139	2,901	3,145	2,989	3,147	3,021	3,025	2,921	2,620	2,752
	Female	18,346	1,612	1,544	1,594	1,432	1,611	1,527	1,618	1,489	1,601	1,467	1,369	1,412
	Female	17,394	1,566	1,358	1,545	1,409	1,534	1,462	1,529	1,522	1,424	1,454	1,251	1,340
Nonwhite	Male	554	64	48	23	45	52	42	50	48	41	40	45	
	Female	278	32	20	12	22	24	25	33	33	20	21	18	
	Female	276	32	28	11	23	28	17	20	25	28	20	19	25
PENNSYLVANIA	Male	248,513	22,693	20,282	22,453	20,418	21,610	20,891	21,054	21,014	20,329	20,286	18,696	18,767
	Female	127,627	11,597	10,532	11,589	10,551	11,072	10,797	10,801	10,858	10,325	10,407	9,523	9,576
	Female	120,966	11,096	9,750	10,865	9,867	10,539	10,094	10,253	10,156	10,004	9,879	9,173	9,211
White	Male	253,457	21,363	19,219	21,233	19,251	20,461	19,680	19,758	19,659	18,999	18,936	17,402	17,476
	Female	119,927	10,916	9,951	10,969	9,963	10,504	10,180	10,121	10,158	9,665	9,706	8,870	8,936
	Female	113,510	10,447	9,268	10,274	9,288	9,957	9,500	9,637	9,501	9,336	9,230	8,532	8,540
Nonwhite	Male	15,076	1,330	1,063	1,220	1,167	1,149	1,211	1,296	1,355	1,330	1,350	1,294	1,311
	Female	7,700	681	581	629	568	568	617	680	700	662	701	640	640
	Female	7,376	649	482	591	579	591	594	616	655	668	649	641	671
RHODE ISLAND	Male	18,536	1,796	1,474	1,740	1,564	1,557	1,500	1,589	1,511	1,560	1,434	1,389	1,422
	Female	9,515	916	772	915	790	814	760	826	749	815	738	728	728
	Female	9,021	880	702	825	774	743	740	763	762	745	696	697	694
White	Male	18,144	1,760	1,440	1,702	1,536	1,530	1,461	1,556	1,473	1,516	1,409	1,365	1,394
	Female	9,316	902	751	895	776	800	741	812	726	795	727	680	713
	Female	8,828	856	689	809	762	730	720	744	747	721	682	685	681
Nonwhite	Male	392	36	34	30	26	27	39	33	38	44	25	24	
	Female	199												

GENERAL TABLES—LIVE BIRTHS

99

TABLE 3.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	16,539	1,445	1,286	1,414	1,274	1,396	1,314	1,534	1,448	1,342	1,436	1,320	1,330
Male	8,541	732	631	739	665	743	665	802	755	722	719	675	695
Female	7,998	713	655	675	609	653	651	732	693	620	717	645	635
White	15,854	1,377	1,240	1,358	1,229	1,342	1,268	1,460	1,393	1,290	1,371	1,251	1,275
Male	8,215	698	612	712	644	720	658	766	732	690	687	645	671
Female	7,639	679	628	646	585	622	610	694	661	600	684	606	604
Nonwhite	685	68	46	56	45	54	46	74	55	52	65	69	55
Male	326	34	19	27	21	25	25	36	23	32	30	30	24
Female	359	34	27	29	24	29	21	38	32	20	35	39	31
TENNESSEE	86,619	8,366	7,188	7,648	6,620	6,942	6,959	7,651	7,394	7,215	7,101	6,829	6,746
Male	44,626	4,276	3,645	3,921	3,444	3,592	3,546	3,997	3,836	3,766	3,649	3,506	3,428
Female	41,993	4,090	3,523	3,727	3,176	3,350	3,413	3,654	3,558	3,449	3,452	3,323	3,318
White	72,961	7,101	6,028	6,424	5,609	5,927	5,849	6,399	6,217	6,045	6,004	5,709	5,649
Male	37,720	3,660	3,081	3,291	2,926	3,055	2,990	3,358	3,203	3,109	3,054	2,954	2,872
Female	35,241	3,441	2,947	3,133	2,683	2,872	2,859	3,041	2,996	2,936	2,895	2,755	2,777
Nonwhite	13,658	1,265	1,140	1,224	1,011	1,015	1,110	1,232	1,177	1,170	1,097	1,120	1,097
Male	6,906	616	564	630	519	537	566	639	605	583	540	552	556
Female	6,752	649	576	594	493	478	544	593	572	587	557	568	541
TEXAS	199,862	18,645	16,049	16,003	13,527	13,556	14,718	17,218	18,542	18,154	18,218	17,089	16,965
Male	101,889	9,635	8,099	8,259	6,857	6,903	7,630	8,798	9,571	9,337	9,375	8,768	8,669
Female	98,793	9,010	7,951	7,745	6,670	6,653	7,088	8,420	8,971	8,817	8,843	8,321	8,294
White	175,183	16,467	14,171	14,175	12,037	11,963	12,991	15,054	16,318	15,935	16,138	15,081	14,853
Male	89,981	8,526	7,167	7,315	6,091	6,143	7,609	9,455	10,210	10,299	10,299	9,743	9,587
Female	85,202	7,941	7,004	6,860	5,946	5,820	6,235	7,365	7,663	7,725	7,839	7,338	7,266
Nonwhite	23,479	2,178	1,878	1,828	1,490	1,573	1,727	2,164	2,224	2,219	2,080	2,008	2,110
Male	11,680	1,109	951	943	746	760	874	1,099	1,116	1,127	1,076	1,025	1,082
Female	11,591	1,069	927	885	744	813	853	1,065	1,108	1,092	1,004	983	1,028
UTAH	21,724	1,951	1,792	1,902	1,771	1,895	1,821	1,970	1,843	1,784	1,758	1,644	1,593
Male	11,243	992	940	1,018	956	962	945	1,004	943	951	892	833	829
Female	10,481	959	854	884	815	933	876	966	900	833	866	811	764
White	21,461	1,923	1,756	1,886	1,789	1,878	1,807	1,945	1,823	1,769	1,742	1,617	1,566
Male	11,098	968	828	1,011	929	951	932	990	933	898	879	823	816
Female	10,363	955	828	875	860	927	875	955	890	871	863	794	750
Nonwhite	263	28	36	16	12	17	14	26	20	26	16	27	27
Male	145	14	20	7	7	11	13	14	10	13	10	13	13
Female	118	14	16	9	5	6	1	11	10	12	3	17	14
VERMONT	9,708	856	788	858	828	884	800	856	871	804	771	742	692
Male	4,970	425	395	465	427	454	419	411	456	393	402	364	352
Female	4,738	431	393	391	401	430	381	425	415	411	369	378	333
White	9,703	856	787	856	828	884	800	856	871	804	770	739	692
Male	4,967	425	395	465	427	454	419	411	456	393	401	362	359
Female	4,736	431	392	391	401	430	381	425	415	411	369	377	333
Nonwhite	5	-	1	-	-	-	-	-	-	-	1	3	-
Male	3	-	-	-	-	-	-	-	-	-	1	2	-
Female	2	-	1	-	-	-	-	-	-	-	-	1	-
VIRGINIA	85,740	7,812	7,109	7,892	6,961	7,176	7,029	7,213	7,325	7,091	7,055	6,809	6,488
Male	43,958	3,962	3,573	4,012	3,526	3,609	3,635	3,792	3,830	3,647	3,563	3,381	3,280
Female	41,782	3,850	3,536	3,880	3,435	3,567	3,394	3,421	3,495	3,444	3,492	3,200	3,148
White	65,636	6,030	5,468	6,040	5,383	5,508	5,422	5,515	5,626	5,408	5,358	4,990	4,888
Male	33,799	3,073	2,771	3,127	2,724	2,819	2,830	2,882	2,922	2,814	2,698	2,596	2,533
Female	31,837	2,957	2,697	2,913	2,659	2,689	2,592	2,633	2,704	2,594	2,660	2,394	2,355
Nonwhite	20,104	1,782	1,641	1,852	1,578	1,668	1,607	1,698	1,699	1,683	1,697	1,619	1,590
Male	10,159	889	802	865	802	870	805	900	908	833	865	813	787
Female	9,945	893	839	987	776	798	802	798	791	850	832	806	793
WASHINGTON	59,461	5,224	4,750	5,337	4,865	5,036	4,852	5,115	5,100	4,687	4,716	4,184	4,515
Male	29,819	2,694	2,423	2,663	2,558	2,564	2,438	2,585	2,637	2,406	2,381	2,139	2,311
Female	29,662	2,530	2,327	2,654	2,407	2,472	2,414	2,530	2,463	2,281	2,335	2,045	2,204
White	58,845	5,081	4,625	5,201	4,830	4,903	4,716	4,969	4,955	4,564	4,595	4,040	4,374
Male	29,876	2,622	2,361	2,616	2,468	2,496	2,375	2,507	2,516	2,316	2,366	2,066	2,229
Female	27,869	2,459	2,264	2,585	2,342	2,407	2,343	2,462	2,381	2,229	2,269	1,974	2,145
Nonwhite	1,636	143	125	136	155	133	134	146	143	131	131	144	141
Male	843	72	62	67	70	68	63	78	73	71	64	73	82
Female	793	71	63	69	65	65	71	68	72	52	67	71	59
WEST VIRGINIA	55,085	5,321	4,488	5,013	4,481	4,735	4,462	4,674	4,664	4,602	4,486	4,131	4,028
Male	28,329	2,741	2,344	2,559	2,309	2,428	2,302	2,416	2,406	2,411	2,303	2,044	2,066
Female	26,756	2,580	2,144	2,454	2,172	2,307	2,160	2,258	2,258	2,191	2,183	2,087	1,962
White	52,467	5,056	4,280	4,799	4,284	4,534	4,264	4,458	4,427	4,367	4,266	3,924	3,808
Male	27,006	2,606	2,236	2,459	2,207	2,327	2,198	2,312	2,275	2,301	2,192	1,955	1,968
Female	25,461	2,450	2,044	2,340	2,077	2,207	2,076	2,146	2,152	2,066	2,074	1,969	1,840
Nonwhite	2,618	265	208	214	197	201	198	216	237	235	220	207	220
Male	1,323	135	108	100	102	101	114	104	131	110	111	109	98
Female	1,295	130	100	114	95	100	84	112	106	125	109	98	122
WISCONSIN	84,059	7,248	6,854	7,681	6,972	7,154	7,240	7,395	7,040	6,990	6,876	6,292	6,327
Male	43,198	3,921	3,436	3,973	3,601	3,734	3,667	3,820	3,614	3,559	3,571	3,222	3,130
Female	40,861	3,427	3,418	3,708	3,371	3,420	3,573	3,575	3,426	3,431	3,305	3,070	3,137
White	83,106	7,165	6,789	7,596	6,883	7,064	7,164	7,289	6,961	6,933	6,789	6,280	6,243
Male	42,712	3,784	3,402	3,927	3,553	3,688	3,626	3,777	3,576	3,515	3,514	3,201	3,149
Female	40,394	3,381	3,387	3,669	3,330	3,376	3,538	3,512	3,385	3,418	3,275	3,029	3,094
Nonwhite	953	83	65	85	89	80	76	96	79	57	67	62	84
Male	496	37	34	46	46	41	41	53	38	24	57	21	41
Female	467	46	31	39	41	44	35	43	41	33	30	41	43
WYOMING	7,320	648	563	617	611	640	605	651	640	697	650	559	539
Male	3,720	345	289	329	303	326	292	351	320	325	325	264	275
Female	3,600	303											

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
UNITED STATES-----	3,699,940	4,454	425,845	1,216,464	1,040,393	616,337	305,101	77,470	5,338	199	6,350
White, mother native-----	3,155,447	1,534	329,481	1,046,097	915,293	539,266	252,970	61,890	3,942	130	4,844
White, mother foreign-----	117,495	14	4,499	30,633	33,109	22,751	19,270	6,556	505	14	144
White, mother's nativity not stated-----	1,678	4	195	401	287	203	123	43	5	-	417
Negro-----	406,957	2,859	89,283	133,585	86,697	51,189	31,167	8,448	808	45	2,976
Other-----	18,363	43	2,387	5,748	4,997	2,928	1,571	533	79	9	69
Urban-----	2,215,106	2,049	219,039	735,235	659,705	383,154	172,764	38,000	2,104	85	2,971
White, mother native-----	1,895,359	631	187,500	632,063	582,452	336,952	142,890	29,537	1,484	57	1,793
White, mother foreign-----	90,262	8	2,966	22,381	25,914	19,190	15,351	5,002	348	12	90
White, mother's nativity not stated-----	779	3	70	172	126	88	56	16	3	-	245
Negro-----	221,701	1,401	47,888	78,299	48,961	26,756	13,985	3,313	252	13	833
Other-----	7,005	6	615	2,320	2,252	1,168	482	132	17	3	10
Places of 100,000 or more-----	1,045,045	1,015	92,307	338,072	320,772	189,432	83,923	17,644	885	40	955
White, mother native-----	856,236	225	63,215	276,713	274,629	161,632	65,994	12,718	584	22	534
White, mother foreign-----	52,535	3	1,389	11,825	15,155	11,245	9,683	2,979	203	6	47
White, mother's nativity not stated-----	337	1	18	53	42	30	17	7	1	-	168
Negro-----	151,746	782	27,445	48,065	29,532	15,785	7,939	1,860	112	10	199
Other-----	4,191	4	242	1,396	1,414	740	291	80	15	2	7
Places of 25,000 to 100,000-----	453,539	346	45,263	153,056	134,930	76,798	34,408	7,728	426	12	572
White, mother native-----	397,540	130	35,944	135,002	121,378	68,887	29,254	6,258	314	7	366
White, mother foreign-----	16,507	-	595	4,376	4,715	3,177	2,653	915	56	3	17
White, mother's nativity not stated-----	163	1	15	46	29	25	17	1	-	-	29
Negro-----	39,415	215	8,603	13,328	8,531	4,573	2,416	533	55	2	159
Other-----	914	-	106	304	277	136	68	21	1	-	1
Places of 10,000 to 25,000-----	319,411	284	33,605	108,866	93,208	52,991	24,155	5,450	325	17	510
White, mother native-----	284,261	110	27,569	97,546	84,752	49,150	21,082	4,475	258	16	303
White, mother foreign-----	9,933	2	382	2,881	2,954	1,784	1,415	536	33	1	5
White, mother's nativity not stated-----	96	-	11	20	21	13	3	6	2	-	15
Negro-----	24,335	171	5,542	8,191	5,285	2,923	1,601	424	32	-	186
Other-----	726	1	101	229	216	121	49	9	-	-	1
Places of 2,500 to 10,000-----	397,111	404	47,884	135,241	110,795	63,933	30,278	7,178	488	16	934
White, mother native-----	357,322	166	40,772	122,802	101,683	58,283	26,560	6,086	358	12	590
White, mother foreign-----	11,227	3	600	3,289	3,080	1,984	1,600	572	56	2	21
White, mother's nativity not stated-----	183	1	28	53	34	20	14	2	-	-	33
Negro-----	27,205	233	8,300	8,895	5,833	3,475	2,030	496	53	1	269
Other-----	1,174	1	166	382	345	171	74	22	1	1	1
Rural-----	1,484,834	2,405	206,806	481,229	380,678	233,183	132,337	39,470	3,234	113	5,379
White, mother native-----	1,260,088	903	181,981	414,054	332,841	202,314	110,080	32,353	2,458	73	3,051
White, mother foreign-----	27,235	6	1,533	8,252	7,195	4,561	3,919	1,554	157	2	54
White, mother's nativity not stated-----	899	1	125	229	151	115	67	27	2	-	172
Negro-----	185,266	1,458	41,396	65,286	37,736	24,433	17,182	5,136	586	32	2,043
Other-----	11,358	37	1,772	3,428	2,745	1,760	1,089	401	61	6	59
ALABAMA-----	88,116	291	16,396	28,347	20,253	12,547	7,400	2,124	194	12	552
White, mother native-----	57,609	67	9,409	19,054	14,167	8,487	4,683	1,370	112	3	257
White, mother foreign-----	363	-	52	191	98	22	16	3	1	-	5
White, mother's nativity not stated-----	34	-	5	8	8	4	3	1	-	-	5
Negro-----	30,085	224	6,944	9,087	5,976	4,028	2,695	749	81	9	280
Other-----	27	-	6	7	4	6	3	1	-	-	-
Urban-----	31,108	94	5,409	10,806	7,789	4,391	2,023	443	32	1	108
White, mother native-----	20,207	18	2,847	7,226	5,528	3,012	1,247	272	15	-	42
White, mother foreign-----	216	-	13	113	58	16	24	2	-	-	-
White, mother's nativity not stated-----	7	-	2	3	-	1	-	-	-	-	1
Negro-----	10,674	76	2,547	3,463	2,213	1,361	762	169	17	1	85
Other-----	4	-	-	3	-	1	-	-	-	-	-
Places of 100,000 or more-----	8,029	27	1,337	2,777	2,078	1,171	509	111	5	1	12
White, mother native-----	4,632	1	549	1,656	1,388	709	270	53	2	-	4
White, mother foreign-----	57	-	4	27	15	7	4	-	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	-
Negro-----	3,337	26	784	1,093	675	454	235	58	3	1	9
Other-----	1	-	-	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000-----	9,524	20	1,588	3,343	2,496	1,312	610	114	12	-	41
White, mother native-----	6,272	3	836	2,266	1,735	937	383	72	6	-	14
White, mother foreign-----	85	-	-	37	26	7	8	2	-	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	3,164	17	745	1,037	705	368	219	40	6	-	27
Other-----	2	-	-	2	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	5,044	20	949	1,734	1,198	693	340	82	5	-	23
White, mother native-----	3,171	5	485	1,144	829	447	197	54	3	-	7
White, mother foreign-----	23	-	3	14	3	1	2	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	1,850	15	461	576	366	245	141	28	2	-	16
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	8,512	27	1,537	2,954	2,037	1,215	564	136	10	-	32
White, mother native-----	6,132	9	977	2,160	1,556	919	397	93	4	-	17
White, mother foreign-----	51	-	1	35	14	1	-	-	-	-	-
White, mother's nativity not stated-----	5	-	2	2	-	-	-	-	-	-	1
Negro-----	2,323	18	557	757	467	294	167	43	6	-	14
Other-----	1	-	-	-	-	1	-	-	-	-	-
Rural-----	57,008	197	10,987	17,539	12,454	8,156	5,377	1,681	162	11	444
White, mother native-----	37,402	49	6,562	11,828	8,639	5,475	3,436	1,098	97	3	215
White, mother foreign-----	147	-	19	78	40	6	2	1	1	-	-
White, mother's nativity not stated-----	27	-	3	5	8	3	3	1	-	-	4
Negro-----	19,409	148	4,397	5,624	3,763	2,667	1,933	560	64	8	225
Other-----	23	-	6	4	4	5	3	1	-	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
ARIZONA-----	19,153	22	2,666	6,501	5,019	2,831	1,589	438	47	3	35
White, mother native-----	15,715	11	2,221	5,537	4,214	2,265	1,145	286	25	-	11
White, mother foreign-----	1,200	-	50	261	312	242	232	70	10	1	2
White, mother's nativity not stated-----	15	-	2	1	4	3	-	-	-	-	3
Negro-----	587	5	134	186	128	74	43	16	-	-	1
Other-----	1,639	6	261	496	361	247	169	66	12	2	18
Urban-----	10,790	10	1,411	3,735	2,911	1,621	869	211	12	1	9
White, mother native-----	9,403	5	1,256	3,342	2,576	1,367	683	158	10	-	6
White, mother foreign-----	747	-	30	192	193	150	143	35	2	1	1
White, mother's nativity not stated-----	3	-	-	-	1	1	-	-	-	-	1
Negro-----	431	4	99	133	92	61	30	11	-	-	1
Other-----	206	1	26	68	49	42	13	7	-	-	-
Places of 25,000 to 100,000-----	7,249	7	878	2,489	2,005	1,117	592	151	5	-	5
White, mother native-----	6,375	4	770	2,242	1,799	960	476	117	5	-	3
White, mother foreign-----	390	-	11	94	100	86	79	20	-	-	-
White, mother's nativity not stated-----	3	-	-	-	1	1	-	-	-	-	1
Negro-----	370	3	87	115	77	52	25	10	-	-	1
Other-----	111	-	10	39	29	18	4	-	-	-	-
Places of 2,500 to 10,000-----	3,541	3	533	1,246	906	504	277	60	7	1	4
White, mother native-----	3,028	1	486	1,100	778	407	207	41	5	-	3
White, mother foreign-----	357	-	19	98	93	64	64	15	2	1	1
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	61	1	12	18	15	9	5	1	-	-	-
Other-----	95	1	16	30	20	24	1	3	-	-	-
Rural-----	8,365	12	1,257	2,766	2,108	1,210	720	227	35	2	26
White, mother native-----	6,312	6	965	2,195	1,638	898	462	128	15	-	5
White, mother foreign-----	453	-	20	89	119	92	89	35	6	-	1
White, mother's nativity not stated-----	10	-	2	1	3	2	-	-	-	-	2
Negro-----	156	1	35	53	36	13	13	5	-	-	-
Other-----	1,432	5	235	428	312	205	156	59	12	2	18
ARKANSAS-----	49,993	149	9,351	15,667	11,084	6,838	4,142	1,277	92	4	379
White, mother native-----	37,997	32	6,675	12,411	8,913	5,285	3,016	963	63	3	236
White, mother foreign-----	236	-	24	105	65	19	14	6	1	-	2
White, mother's nativity not stated-----	220	-	28	67	41	31	23	5	1	-	24
Negro-----	10,902	116	2,618	3,075	2,058	1,488	1,088	303	27	1	117
Other-----	28	1	5	9	7	5	1	-	-	-	-
Urban-----	15,432	36	2,627	5,294	3,907	2,183	1,346	237	14	-	78
White, mother native-----	12,337	6	1,902	4,357	3,258	1,770	809	179	8	-	48
White, mother foreign-----	99	-	7	42	30	10	6	3	-	-	1
White, mother's nativity not stated-----	32	-	1	12	5	4	2	-	1	-	7
Negro-----	2,952	30	715	879	611	407	228	55	5	-	22
Other-----	12	-	2	4	3	2	1	-	-	-	-
Places of 25,000 to 100,000-----	3,806	6	573	1,274	1,054	575	264	49	3	-	8
White, mother native-----	3,041	4	382	1,029	900	470	216	34	1	-	5
White, mother foreign-----	38	-	2	15	10	5	1	1	-	-	1
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	729	2	189	230	144	100	47	14	2	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	4,305	12	724	1,462	1,097	630	270	66	2	-	22
White, mother native-----	3,408	1	511	1,217	907	505	204	52	-	-	13
White, mother foreign-----	27	-	1	13	9	1	1	2	-	-	-
White, mother's nativity not stated-----	5	-	-	2	1	-	-	-	1	-	1
Negro-----	858	11	211	247	178	126	64	12	1	-	8
Other-----	7	-	1	3	2	-	1	-	-	-	-
Places of 2,500 to 10,000-----	7,321	18	1,330	2,538	1,756	988	512	122	9	-	46
White, mother native-----	5,888	1	1,009	2,111	1,451	797	389	93	7	-	30
White, mother foreign-----	37	-	4	14	11	4	4	-	-	-	-
White, mother's nativity not stated-----	26	-	1	10	4	4	2	-	-	-	5
Negro-----	1,365	17	315	402	288	181	117	29	2	-	13
Other-----	5	-	1	1	1	2	-	-	-	-	-
Rural-----	33,551	113	6,724	10,373	7,177	4,645	3,096	1,040	78	4	301
White, mother native-----	25,260	26	4,775	8,054	5,655	3,515	2,207	784	55	3	188
White, mother foreign-----	137	-	17	63	35	9	8	3	1	-	1
White, mother's nativity not stated-----	188	-	27	53	36	27	21	5	-	-	17
Negro-----	7,950	86	1,904	2,196	1,447	1,091	860	248	22	1	95
Other-----	16	1	3	5	4	3	-	-	-	-	-
CALIFORNIA-----	245,889	144	27,447	85,201	71,733	39,593	17,615	3,822	204	4	66
White, mother native-----	215,396	90	24,394	75,815	65,254	34,344	14,410	2,922	124	1	44
White, mother foreign-----	14,163	2	506	3,434	4,096	3,078	2,269	716	58	1	3
White, mother's nativity not stated-----	29	-	2	9	5	3	1	2	-	-	7
Negro-----	11,660	46	2,102	4,504	2,829	1,405	606	152	7	-	7
Other-----	4,641	6	443	1,441	1,549	763	327	90	15	2	5
Urban-----	181,326	103	18,389	62,875	54,366	29,772	12,908	2,737	127	2	37
White, mother native-----	157,092	61	15,979	55,215	47,621	25,633	10,448	2,036	75	-	24
White, mother foreign-----	10,862	1	367	2,647	3,214	2,372	1,706	518	35	-	2
White, mother's nativity not stated-----	17	-	2	3	2	1	-	2	-	-	7
Negro-----	10,278	39	1,809	4,033	2,514	1,230	523	122	6	-	2
Other-----	3,087	2	232	977	1,035	536	231	59	11	2	2
Places of 100,000 or more-----	92,945	62	8,727	31,764	28,324	15,789	6,762	1,415	71	1	20
White, mother native-----	77,498	32	7,146	26,755	24,068	13,132	5,271	1,029	36	-	9
White, mother foreign-----	6,193	1	193	1,487	1,660	1,414	950	267	20	-	1
White, mother's nativity not stated-----	12	-	-	2	1	1	-	1	-	-	7
Negro-----	7,232	28	1,281	2,892	1,729	868	378	79	5	-	2
Other-----	1,980	1	107	638	666	364	163	39	10	1	1

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
		CALIFORNIA—Continued									
Places of 25,000 to 100,000	33,740	18	3,273	11,701	10,229	5,554	2,429	513	19	-	4
White, mother native	30,032	13	2,896	10,566	9,160	4,935	2,042	402	14	-	4
White, mother foreign	1,694	-	61	392	516	361	284	76	4	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1,588	5	270	608	413	190	75	27	-	-	-
Other	425	-	46	134	140	68	29	6	1	-	-
Places of 10,000 to 25,000	25,877	15	2,940	9,207	7,858	3,975	1,713	352	12	-	5
White, mother native	23,201	9	2,658	8,339	6,804	3,551	1,453	274	10	-	5
White, mother foreign	1,225	-	42	351	350	232	168	59	2	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,120	5	203	420	290	135	53	14	-	-	-
Other	331	1	37	97	114	57	19	5	-	-	1
Places of 2,500 to 10,000	26,774	8	3,449	10,203	8,175	4,444	2,004	457	25	1	8
White, mother native	26,361	7	3,278	9,555	7,489	3,995	1,882	351	15	-	8
White, mother foreign	1,750	-	71	417	468	365	284	116	9	-	-
White, mother's nativity not stated	4	-	2	-	1	-	-	1	-	-	-
Negro	316	1	55	123	82	37	17	2	1	-	-
Other	341	-	42	108	115	47	21	7	-	1	-
Rural	64,553	41	9,058	22,326	17,347	9,821	4,707	1,145	77	2	29
White, mother native	58,304	29	8,415	20,598	15,633	8,711	3,962	866	49	1	20
White, mother foreign	3,301	1	139	767	662	706	563	199	23	1	1
White, mother's nativity not stated	12	-	-	6	3	2	1	-	-	-	-
Negro	1,382	7	293	471	315	175	85	30	1	-	5
Other	1,554	4	211	464	514	227	96	31	4	-	3
COLORADO											
White, mother native	31,452	16	3,793	11,047	9,680	4,688	2,353	621	43	4	7
White, mother foreign	726	-	30	215	180	129	125	45	2	-	-
White, mother's nativity not stated	34	-	2	8	3	2	2	-	-	-	17
Negro	403	3	74	155	82	50	28	11	-	-	-
Other	259	-	14	79	110	36	19	1	-	-	-
Urban	21,164	16	2,430	7,500	6,033	3,276	1,489	362	22	1	15
White, mother native	20,156	13	2,337	7,158	5,762	3,115	1,387	357	22	1	4
White, mother foreign	465	-	19	150	120	95	64	17	-	-	-
White, mother's nativity not stated	23	-	-	6	3	1	2	-	-	-	11
Negro	382	3	72	146	79	46	28	8	-	-	-
Other	136	-	2	40	69	19	8	-	-	-	-
Places of 100,000 or more	10,521	5	1,109	3,685	3,124	1,699	715	164	8	1	11
White, mother native	9,845	3	1,039	3,446	2,945	1,596	653	152	8	1	2
White, mother foreign	242	-	10	81	62	52	32	5	-	-	-
White, mother's nativity not stated	15	-	-	3	1	1	1	-	-	-	9
Negro	305	2	59	119	62	34	22	7	-	-	-
Other	114	-	1	36	54	16	7	-	-	-	-
Places of 25,000 to 100,000	3,390	4	420	1,201	937	518	240	67	3	-	-
White, mother native	3,258	3	408	1,159	900	497	226	64	3	-	-
White, mother foreign	68	-	3	23	19	12	9	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	59	1	11	19	14	8	5	1	-	-	-
Other	5	-	-	-	4	1	-	-	-	-	-
Places of 10,000 to 25,000	2,690	3	299	1,001	790	377	176	36	5	-	1
White, mother native	2,625	3	295	981	772	367	167	35	5	-	-
White, mother foreign	52	-	3	15	14	8	9	3	-	-	-
White, mother's nativity not stated	3	-	-	1	1	-	-	-	-	-	1
Negro	6	-	1	2	2	1	-	-	-	-	-
Other	4	-	-	2	1	-	-	-	-	-	-
Places of 2,500 to 10,000	4,563	4	602	1,613	1,182	682	358	113	6	-	3
White, mother native	4,428	4	597	1,572	1,145	655	341	106	6	-	2
White, mother foreign	103	-	3	31	25	23	14	7	-	-	-
White, mother's nativity not stated	5	-	-	2	1	-	-	-	-	-	1
Negro	12	-	1	6	1	3	1	-	-	-	-
Other	15	-	1	2	10	1	1	-	-	-	-
Rural	11,710	3	1,483	4,004	3,022	1,629	1,056	296	23	3	9
White, mother native	11,296	3	1,456	3,889	2,918	1,775	966	264	21	3	3
White, mother foreign	261	-	11	65	60	34	61	28	2	-	-
White, mother's nativity not stated	11	-	2	2	-	1	-	-	-	-	6
Negro	21	-	2	9	3	4	-	3	-	-	-
Other	121	-	12	39	41	17	11	1	-	-	-
CONNECTICUT											
White, mother native	41,790	6	1,790	11,895	14,434	9,917	3,897	728	18	1	25
White, mother foreign	2,781	-	75	675	784	593	467	169	14	1	3
White, mother's nativity not stated	13	-	-	2	4	4	3	-	-	-	-
Negro	1,361	7	245	534	325	152	71	24	1	-	2
Other	16	-	-	5	6	4	-	2	-	-	1
Urban	31,408	11	1,481	9,118	10,815	6,617	2,743	578	19	2	24
White, mother native	29,132	5	1,203	8,151	9,940	6,057	2,335	433	8	1	19
White, mother foreign	2,005	-	50	477	567	436	340	122	10	1	2
White, mother's nativity not stated	9	-	-	2	1	4	2	-	-	-	-
Negro	1,247	6	228	485	302	136	66	21	1	-	2
Other	15	-	-	3	5	4	-	2	-	-	1
Places of 100,000 or more	12,343	9	649	3,537	4,295	2,587	1,040	214	4	-	8
White, mother native	10,757	4	467	3,059	3,875	2,336	847	160	3	-	6
White, mother foreign	791	-	24	178	229	164	155	42	1	-	-
White, mother's nativity not stated	3	-	-	1	1	-	1	-	-	-	-
Negro	791	5	158	301	189	87	37	12	-	-	2
Other	1	-	-	-	1	-	-	-	-	-	-

GENERAL TABLES—LIVE BIRTHS

103

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
CONNECTICUT—Continued											
Places of 25,000 to 100,000	12,226	1	463	3,448	4,191	2,710	1,121	249	9	1	13
White, mother native	11,013	-	415	3,097	3,875	2,466	971	176	3	-	10
White, mother foreign	850	-	12	208	253	203	127	65	5	1	2
White, mother's nativity not stated	5	-	-	-	4	1	4	-	-	-	-
Negro	344	1	56	146	79	33	22	6	1	-	1
Other	14	-	-	3	4	4	-	-	-	-	-
Places of 10,000 to 25,000	5,055	1	248	1,530	1,751	990	443	85	5	1	1
White, mother native	4,689	1	226	1,428	1,641	927	392	70	2	1	1
White, mother foreign	266	-	10	70	79	47	45	12	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	100	-	12	32	31	16	6	3	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,784	-	101	603	578	330	139	50	1	-	2
White, mother native	1,673	-	95	567	549	308	125	27	-	-	2
White, mother foreign	98	-	4	29	26	22	13	3	1	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	12	-	2	6	3	-	1	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	14,173	2	629	3,993	4,738	3,053	1,395	348	14	-	7
White, mother native	13,276	1	587	3,744	4,494	2,880	1,262	292	10	-	6
White, mother foreign	778	-	26	198	217	157	127	47	4	-	1
White, mother's nativity not stated	4	-	-	-	3	-	1	-	-	-	-
Negro	114	1	17	49	23	16	5	3	-	-	-
Other	3	-	-	2	1	-	-	-	-	-	-
DELAWARE	7,717	14	900	2,385	2,298	1,567	619	131	9	-	4
White, mother native	6,466	2	592	2,020	2,014	1,216	517	98	6	-	1
White, mother foreign	136	-	4	38	43	23	20	6	1	-	1
White, mother's nativity not stated	2	-	1	-	-	1	-	-	-	-	-
Negro	1,092	12	295	324	227	124	80	26	2	-	2
Other	21	-	8	3	4	3	2	1	-	-	-
Urban	4,040	6	388	1,281	1,228	747	325	59	6	-	2
White, mother native	3,427	1	246	1,092	1,102	670	269	43	3	-	1
White, mother foreign	98	-	2	29	33	13	14	5	1	-	1
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	511	5	140	160	81	63	40	10	2	-	-
Other	3	-	-	-	2	-	-	1	-	-	-
Places of 100,000 or more	3,143	5	275	963	974	595	266	40	5	-	-
White, mother native	2,655	-	170	835	871	531	217	28	3	-	-
White, mother foreign	81	-	2	21	27	12	13	5	1	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	403	5	103	127	74	51	36	6	1	-	-
Other	3	-	-	-	2	-	-	1	-	-	-
Places of 2,500 to 10,000	897	1	113	298	254	152	57	19	1	-	2
White, mother native	772	1	76	257	231	139	52	15	-	-	1
White, mother foreign	17	-	-	8	6	1	1	-	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	108	-	37	33	17	12	4	4	1	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	3,677	8	512	1,104	1,060	620	296	72	3	-	2
White, mother native	3,039	1	346	928	912	546	248	55	3	-	-
White, mother foreign	39	-	2	9	10	10	6	1	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	581	7	155	164	136	61	40	16	-	-	2
Other	18	-	8	3	2	3	2	-	-	-	-
DISTRICT OF COLUMBIA	21,686	49	2,380	7,365	6,258	3,596	1,518	315	16	1	188
White, mother native	13,129	4	930	4,429	4,172	2,399	957	201	7	1	29
White, mother foreign	751	-	25	225	217	172	87	24	-	-	1
White, mother's nativity not stated	136	-	2	9	5	3	1	-	-	-	116
Negro	7,602	45	1,418	2,636	1,843	1,006	466	87	9	-	42
Other	88	-	5	16	21	16	8	-	-	-	-
FLORIDA	59,807	177	9,442	19,702	15,122	9,188	4,737	1,121	74	12	232
White, mother native	43,186	51	5,734	14,534	11,520	7,003	3,328	753	35	5	123
White, mother foreign	1,242	-	56	440	347	201	148	47	1	-	2
White, mother's nativity not stated	44	-	6	23	5	3	4	1	-	-	2
Negro	15,290	126	3,589	4,647	3,236	1,977	1,249	316	38	7	105
Other	45	-	7	8	14	4	8	4	-	-	-
Urban	34,232	96	4,919	11,610	9,058	5,387	2,523	638	38	6	119
White, mother native	24,595	22	2,870	8,534	6,925	4,085	1,739	350	14	3	53
White, mother foreign	898	-	44	287	252	155	101	36	1	-	2
White, mother's nativity not stated	15	-	2	5	2	2	2	-	-	-	2
Negro	8,774	74	2,000	2,767	1,872	1,145	677	151	23	3	62
Other	22	-	3	7	5	2	4	1	-	-	-
Places of 100,000 or more	14,844	38	1,967	5,130	3,984	2,347	1,115	189	14	4	58
White, mother native	10,786	10	1,198	3,829	3,036	1,781	780	124	4	1	23
White, mother foreign	478	-	17	157	135	93	53	20	1	-	2
White, mother's nativity not stated	8	-	1	2	1	1	-	-	-	-	1
Negro	3,562	26	749	1,137	810	472	260	44	9	3	32
Other	12	-	2	5	2	-	2	1	-	-	-
Places of 25,000 to 100,000	5,560	12	763	1,856	1,509	920	410	84	1	-	5
White, mother native	4,116	1	440	1,379	1,199	740	291	62	1	-	3
White, mother foreign	150	-	15	39	42	28	18	8	-	-	-
White, mother's nativity not stated	5	-	1	1	1	1	1	-	-	-	-
Negro	1,286	11	306	436	267	150	100	14	-	-	2
Other	3	-	1	1	-	1	-	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
FLORIDA—Continued											
Places of 10,000 to 25,000-----	5,919	13	901	1,996	1,562	890	416	108	8	1	24
White, mother native-----	4,181	3	507	1,440	1,195	675	280	70	4	1	8
White, mother foreign-----	124	-	6	46	36	14	17	5	-	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	1	-	-	-	-
Negro-----	1,610	10	389	508	330	205	118	33	4	-	16
Other-----	2	-	-	1	1	-	-	-	-	-	-
Places of 2,500 to 10,000-----	7,969	35	1,288	2,628	2,001	1,230	582	157	15	1	32
White, mother native-----	5,510	8	725	1,886	1,495	889	388	94	5	1	19
White, mother foreign-----	156	-	6	55	39	20	13	3	-	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	-	-	-	-	1
Negro-----	2,316	27	557	686	465	320	179	60	10	-	12
Other-----	5	-	-	-	2	1	2	-	-	-	-
Rural-----	25,515	81	4,523	8,092	6,066	3,801	2,214	583	36	6	113
White, mother native-----	18,593	29	2,914	6,080	4,595	2,920	1,589	405	21	2	70
White, mother foreign-----	354	-	12	143	95	46	47	11	-	-	-
White, mother's nativity not stated-----	29	-	4	18	3	1	2	1	-	-	-
Negro-----	6,516	52	1,589	1,980	1,364	832	572	165	15	4	45
Other-----	23	-	4	1	9	2	4	3	-	-	-
GEORGIA											
-----	94,944	333	16,440	30,218	22,516	13,192	7,582	1,814	150	10	2,589
White, mother native-----	62,401	60	9,207	20,474	16,029	9,111	4,944	1,252	82	1	1,241
White, mother foreign-----	386	-	27	175	104	47	26	7	-	-	-
White, mother's nativity not stated-----	107	-	-	5	4	1	1	-	-	-	92
Negro-----	32,032	273	7,201	9,558	6,372	4,052	2,810	654	67	9	1,256
Other-----	18	-	1	6	7	1	1	1	-	-	-
Urban-----	37,447	125	6,354	12,757	9,542	5,149	2,436	490	33	4	559
White, mother native-----	25,501	13	3,506	8,904	7,122	3,717	1,661	315	16	1	246
White, mother foreign-----	224	-	12	97	63	29	18	5	-	-	-
White, mother's nativity not stated-----	18	-	-	1	2	1	-	-	-	-	14
Negro-----	11,690	112	2,855	3,750	2,349	1,401	756	169	17	3	298
Other-----	14	-	1	5	6	-	1	1	-	-	-
Places of 100,000 or more-----	9,165	40	1,541	3,157	2,342	1,312	619	131	7	1	15
White, mother native-----	5,991	1	753	2,103	1,700	919	425	82	3	-	5
White, mother foreign-----	72	-	3	29	16	13	9	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	3,101	39	784	1,025	626	380	165	47	4	1	10
Other-----	1	-	1	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000-----	11,092	34	1,944	3,942	2,892	1,383	723	127	6	1	60
White, mother native-----	7,287	3	1,023	2,704	2,078	989	447	79	-	-	14
White, mother foreign-----	73	-	5	32	20	8	7	1	-	-	-
White, mother's nativity not stated-----	2	-	-	-	1	-	-	-	-	-	1
Negro-----	3,722	31	916	1,203	790	416	268	46	6	1	45
Other-----	8	-	-	3	3	-	1	1	-	-	-
Places of 10,000 to 25,000-----	7,346	20	1,207	2,491	1,874	1,055	454	103	7	-	135
White, mother native-----	5,201	3	714	1,764	1,449	806	326	67	6	-	66
White, mother foreign-----	44	-	2	18	15	5	2	2	-	-	-
White, mother's nativity not stated-----	4	-	-	-	-	1	-	-	-	-	3
Negro-----	2,085	17	491	708	409	243	126	34	1	-	66
Other-----	2	-	-	1	1	-	-	-	-	-	-
Places of 2,500 to 10,000-----	9,844	31	1,662	3,167	2,434	1,418	640	129	13	2	348
White, mother native-----	7,022	6	1,016	2,333	1,895	1,053	463	87	7	1	161
White, mother foreign-----	35	-	2	18	12	3	-	-	-	-	-
White, mother's nativity not stated-----	12	-	-	1	1	-	-	-	-	-	10
Negro-----	2,772	25	644	814	524	362	177	42	6	1	177
Other-----	3	-	-	1	2	-	-	-	-	-	-
Rural-----	57,497	208	10,066	17,461	12,974	8,044	5,146	1,424	117	6	2,031
White, mother native-----	36,900	47	5,701	11,570	8,907	5,394	3,283	937	66	-	995
White, mother foreign-----	162	-	15	78	41	18	8	2	-	-	-
White, mother's nativity not stated-----	89	-	4	4	2	-	1	-	-	-	78
Negro-----	20,342	161	4,366	5,808	4,023	2,631	1,854	485	50	6	958
Other-----	4	-	-	1	1	1	-	-	1	-	-
IDAHO											
-----	16,265	9	2,139	5,813	4,326	2,373	1,218	350	25	2	30
White, mother native-----	15,739	9	2,087	5,645	4,160	2,300	1,177	311	22	2	26
White, mother foreign-----	310	-	19	102	111	41	24	11	2	-	-
White, mother's nativity not stated-----	6	-	-	2	-	1	1	-	-	-	2
Negro-----	20	-	8	6	2	-	2	1	-	-	1
Other-----	190	-	25	59	53	31	14	7	1	-	1
Urban-----	7,174	3	954	2,659	1,912	1,028	486	117	5	1	9
White, mother native-----	6,958	3	928	2,582	1,848	1,000	473	112	5	1	6
White, mother foreign-----	144	-	12	50	52	27	9	4	-	-	-
White, mother's nativity not stated-----	4	-	-	1	-	-	1	-	-	-	2
Negro-----	18	-	7	6	1	-	2	1	-	-	1
Other-----	30	-	7	20	11	11	1	-	-	-	-
Places of 25,000 to 100,000-----	1,248	1	143	407	359	216	96	24	-	-	1
White, mother native-----	1,214	1	140	393	350	213	94	23	-	-	-
White, mother foreign-----	25	-	2	11	7	2	2	1	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	2	-	1	1	-	-	-	-	-	-	-
Other-----	4	-	-	2	1	1	-	-	-	-	-
Places of 10,000 to 25,000-----	3,129	2	409	1,210	829	427	194	53	2	-	3
White, mother native-----	3,031	2	400	1,175	802	410	189	50	2	-	1
White, mother foreign-----	80	-	2	20	25	10	3	2	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	15	-	5	5	1	-	-	-	-	-	1
Other-----	22	-	2	10	3	7	-	1	-	-	1

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
IDAHO—Continued											
Places of 2,500 to 10,000—	2,799	-	402	1,042	725	395	198	40	3	1	5
White, mother native—	2,715	-	398	1,014	696	377	190	39	3	1	5
White, mother foreign—	59	-	8	19	22	5	4	1	-	-	-
White, mother's nativity not stated—	2	-	1	1	-	-	-	-	-	-	-
Negro—	1	-	1	-	-	-	-	-	-	-	-
Other—	24	-	5	8	7	3	1	-	-	-	-
Rural—	9,081	6	1,185	3,154	2,414	1,345	732	213	20	1	21
White, mother native—	9,781	6	1,159	3,063	2,312	1,300	704	199	17	1	20
White, mother foreign—	166	-	7	52	59	24	15	7	2	-	-
White, mother's nativity not stated—	2	-	1	1	-	1	-	-	-	-	-
Negro—	2	-	1	-	1	-	-	-	-	-	-
Other—	140	-	18	38	42	20	13	7	1	-	1
ILLINOIS											
	196,007	101	16,988	63,508	58,308	35,833	16,277	3,729	206	4	43
White, mother native—	174,294	35	13,555	56,183	54,055	32,826	14,327	3,106	171	3	33
White, mother foreign—	6,084	-	182	1,559	1,743	1,157	1,026	366	30	1	-
White, mother's nativity not stated—	39	-	7	8	11	3	3	1	-	-	6
Negro—	15,155	66	3,246	5,613	3,317	1,768	903	253	5	-	4
Other—	435	-	8	145	182	79	18	3	-	-	-
Urban—	150,411	84	12,149	48,229	46,481	28,262	12,425	2,622	128	1	30
White, mother native—	129,902	20	8,991	41,289	41,536	25,419	10,597	2,040	98	-	22
White, mother foreign—	5,481	-	148	1,533	1,076	967	364	27	1	-	-
White, mother's nativity not stated—	28	-	4	5	8	3	3	-	-	-	5
Negro—	14,570	64	3,099	5,457	3,192	1,686	850	216	3	-	3
Other—	430	-	7	145	180	78	18	2	-	-	-
Places of 100,000 or more—	86,663	60	6,273	27,070	27,429	17,099	7,205	1,459	80	1	7
White, mother native—	70,179	7	3,648	21,410	23,490	14,823	5,765	997	42	-	6
White, mother foreign—	3,997	-	89	886	1,134	827	749	295	16	1	-
White, mother's nativity not stated—	5	-	-	-	3	-	2	-	-	-	-
Negro—	12,084	53	2,531	4,639	2,642	1,378	673	165	2	-	1
Other—	398	-	4	135	170	71	16	2	-	-	-
Places of 25,000 to 100,000—	26,861	9	2,329	8,684	8,110	4,806	2,207	478	27	-	11
White, mother native—	24,591	2	1,937	6,143	7,585	4,493	1,994	413	18	-	8
White, mother foreign—	616	-	18	175	168	119	96	32	8	-	-
White, mother's nativity not stated—	10	-	2	1	2	2	-	-	-	-	3
Negro—	1,627	7	370	557	350	191	116	33	1	-	2
Other—	17	-	2	8	5	1	1	-	-	-	-
Places of 10,000 to 25,000—	15,111	9	1,401	5,040	4,593	2,569	1,224	251	20	-	4
White, mother native—	14,188	7	1,268	4,758	4,547	2,444	1,126	226	18	-	4
White, mother foreign—	379	-	12	112	118	56	61	18	2	-	-
White, mother's nativity not stated—	4	-	1	2	-	-	1	-	-	-	-
Negro—	521	2	120	166	124	67	35	7	-	-	-
Other—	9	-	-	2	4	2	1	-	-	-	-
Places of 2,500 to 10,000—	21,776	6	2,146	7,235	6,349	3,788	1,789	434	21	-	8
White, mother native—	20,954	4	2,037	6,973	6,124	3,659	1,702	404	20	-	6
White, mother foreign—	469	-	29	160	145	74	61	19	1	-	-
White, mother's nativity not stated—	9	-	1	2	3	1	-	-	-	-	2
Negro—	339	2	78	95	76	50	26	11	-	-	-
Other—	6	-	1	-	1	4	-	-	-	-	-
Rural—	45,596	17	4,049	15,279	12,827	7,571	3,852	1,107	78	3	13
White, mother native—	44,392	15	4,064	14,894	12,519	7,407	3,740	1,066	73	3	11
White, mother foreign—	603	-	34	226	178	81	59	22	3	-	-
White, mother's nativity not stated—	11	-	3	3	3	-	-	1	-	-	1
Negro—	585	2	147	156	125	82	53	17	2	-	1
Other—	5	-	1	-	2	1	1	1	-	-	-
INDIANA											
	96,359	51	11,764	34,325	26,694	14,367	6,939	1,905	126	2	186
White, mother native—	91,137	28	10,791	32,495	25,470	13,720	6,553	1,786	120	2	172
White, mother foreign—	1,204	-	74	453	546	179	119	44	2	-	5
White, mother's nativity not stated—	13	-	-	3	1	5	1	2	-	-	1
Negro—	3,989	23	895	1,392	868	460	286	73	4	-	8
Other—	16	-	4	2	7	3	-	-	-	-	-
Urban—	59,082	39	7,293	21,535	16,709	8,567	3,863	906	47	2	101
White, mother native—	54,898	16	6,373	19,859	15,603	7,969	3,523	806	42	2	90
White, mother foreign—	898	-	47	322	255	151	87	33	1	-	3
White, mother's nativity not stated—	9	-	-	1	-	4	1	2	-	-	1
Negro—	3,880	23	871	1,352	845	441	252	85	4	-	7
Other—	12	-	2	2	6	2	-	-	-	-	-
Places of 100,000 or more—	22,537	22	2,672	7,870	6,454	3,574	1,584	363	8	-	10
White, mother native—	19,395	3	2,027	6,781	5,740	3,192	1,333	297	7	-	5
White, mother foreign—	405	-	15	130	118	71	51	19	-	-	1
White, mother's nativity not stated—	4	-	-	1	-	2	-	1	-	-	-
Negro—	2,739	13	629	957	595	308	180	46	1	-	4
Other—	4	-	1	1	1	1	-	-	-	-	-
Places of 25,000 to 100,000—	19,184	10	2,395	7,150	5,492	2,640	1,186	267	24	-	50
White, mother native—	17,914	7	2,128	6,707	5,170	2,469	1,104	263	20	-	46
White, mother foreign—	298	-	13	109	85	52	27	10	1	-	1
White, mother's nativity not stated—	2	-	-	-	-	-	-	1	-	-	1
Negro—	964	5	213	333	223	119	55	13	5	-	2
Other—	6	-	1	1	4	-	-	-	-	-	-
Places of 10,000 to 25,000—	7,582	3	970	2,881	2,101	1,004	493	108	8	2	12
White, mother native—	7,404	2	945	2,803	2,055	982	484	102	8	2	11
White, mother foreign—	95	-	7	44	25	15	2	2	-	-	-
White, mother's nativity not stated—	2	-	-	-	-	1	1	-	-	-	-
Negro—	80	1	16	34	11	5	6	4	-	-	1
Other—	1	-	-	-	-	1	-	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
INDIANA—Continued											
Places of 2,500 to 10,000-----	9,759	4	1,296	3,634	2,672	1,349	620	148	7	-	29
White, mother native-----	9,579	4	1,273	3,567	2,628	1,326	602	144	7	-	26
White, mother foreign-----	111	-	12	39	27	13	7	2	-	-	1
White, mother's nativity not stated-----	7	-	-	-	-	1	-	-	-	-	-
Negro-----	77	-	11	28	18	9	11	2	-	-	-
Other-----	1	-	-	-	1	-	-	-	-	-	-
Rural-----	37,297	12	4,471	12,797	9,985	5,900	3,076	999	79	-	85
White, mother native-----	36,855	12	4,418	12,537	9,967	5,751	3,030	980	78	-	82
White, mother foreign-----	305	-	27	111	95	28	32	11	1	-	2
White, mother's nativity not stated-----	4	-	-	2	1	1	-	-	-	-	-
Negro-----	129	-	24	40	25	19	24	8	-	-	1
Other-----	4	-	2	-	1	1	-	-	-	-	-
IOWA-----	63,858	24	6,150	22,002	18,267	10,672	5,173	1,362	96	-	72
White, mother native-----	62,455	25	6,013	21,477	17,935	10,479	5,045	1,326	89	-	69
White, mother foreign-----	913	-	58	335	247	132	94	41	5	-	1
White, mother's nativity not stated-----	14	-	5	5	1	5	2	-	-	-	-
Negro-----	428	1	75	165	97	48	28	13	5	-	2
Other-----	48	-	5	22	7	10	4	2	-	-	-
Urban-----	31,252	9	3,250	11,226	8,924	5,067	2,177	529	37	-	33
White, mother native-----	30,279	9	3,144	10,946	8,675	4,945	2,101	496	32	-	31
White, mother foreign-----	529	-	32	208	149	69	50	19	2	-	-
White, mother's nativity not stated-----	7	-	1	4	-	1	-	-	-	-	-
Negro-----	408	-	71	157	94	46	25	12	3	-	2
Other-----	29	-	2	11	6	6	2	2	-	-	-
Places of 100,000 or more-----	4,704	1	475	1,709	1,322	775	354	80	5	-	3
White, mother native-----	4,422	1	439	1,608	1,243	745	310	71	3	-	2
White, mother foreign-----	78	-	4	29	25	9	10	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	197	-	32	68	54	20	14	6	2	-	1
Other-----	6	-	-	4	-	1	-	1	-	-	-
Places of 25,000 to 100,000-----	13,258	2	1,374	4,704	3,798	2,161	937	235	18	-	9
White, mother native-----	12,852	2	1,332	4,542	3,705	2,112	910	224	16	-	9
White, mother foreign-----	224	-	13	88	66	26	19	9	2	-	-
White, mother's nativity not stated-----	3	-	-	2	-	1	-	-	-	-	-
Negro-----	143	-	28	66	22	20	6	1	-	-	-
Other-----	16	-	1	5	5	2	1	1	-	-	-
Places of 10,000 to 25,000-----	4,855	2	489	1,814	1,444	705	331	59	5	-	6
White, mother native-----	4,705	2	475	1,750	1,405	686	323	52	4	-	6
White, mother foreign-----	106	-	5	46	30	18	6	3	-	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	41	-	8	16	8	2	2	4	1	-	-
Other-----	4	-	1	1	1	1	-	-	-	-	-
Places of 2,500 to 10,000-----	8,455	4	912	2,999	2,380	1,426	575	155	9	-	15
White, mother native-----	8,302	4	898	2,946	2,322	1,402	558	149	9	-	14
White, mother foreign-----	120	-	10	44	28	18	15	5	-	-	-
White, mother's nativity not stated-----	3	-	1	1	-	-	1	-	-	-	-
Negro-----	27	-	3	7	10	4	1	1	-	-	1
Other-----	3	-	-	1	-	2	-	-	-	-	-
Rural-----	32,606	15	2,900	10,776	9,363	5,605	2,996	853	59	-	39
White, mother native-----	32,176	14	2,869	10,631	9,280	5,534	2,944	830	56	-	38
White, mother foreign-----	384	-	26	127	98	63	44	22	3	-	1
White, mother's nativity not stated-----	7	-	2	1	1	2	1	-	-	-	-
Negro-----	30	1	2	6	3	2	5	1	-	-	-
Other-----	19	-	1	11	1	4	2	-	-	-	-
KANSAS-----	44,535	17	5,081	15,371	12,513	7,037	3,332	929	70	5	182
White, mother native-----	42,235	9	4,673	14,603	12,008	6,728	3,144	847	55	2	166
White, mother foreign-----	582	-	28	223	137	82	37	9	-	-	4
White, mother's nativity not stated-----	4	-	1	-	1	-	1	-	-	-	1
Negro-----	1,610	8	366	510	340	208	115	45	6	1	11
Other-----	104	-	13	35	27	19	10	-	-	-	-
Urban-----	24,433	14	3,078	8,954	6,874	3,550	1,514	349	29	3	88
White, mother native-----	22,573	7	2,719	8,327	6,463	3,308	1,366	286	19	2	74
White, mother foreign-----	357	-	17	133	84	50	42	23	5	-	3
White, mother's nativity not stated-----	1	-	-	-	1	-	-	-	-	-	-
Negro-----	1,463	7	355	471	313	181	101	38	5	1	11
Other-----	59	-	7	23	13	11	5	-	-	-	-
Places of 100,000 or more-----	8,081	8	1,082	3,157	2,626	1,307	548	120	13	1	19
White, mother native-----	7,889	2	880	2,817	2,416	1,187	475	90	7	-	15
White, mother foreign-----	115	-	5	41	26	16	15	8	3	-	1
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	864	6	197	291	181	102	58	22	3	1	3
Other-----	13	-	-	8	3	2	-	-	-	-	-
Places of 25,000 to 100,000-----	3,051	2	359	1,134	844	438	204	50	3	-	17
White, mother native-----	2,807	1	320	1,049	793	402	186	41	2	-	13
White, mother foreign-----	66	-	3	28	11	11	8	5	1	-	1
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	160	1	34	53	36	22	7	4	-	-	3
Other-----	16	-	2	8	4	3	3	-	-	-	-
Places of 10,000 to 25,000-----	8,420	2	839	3,457	1,730	908	379	81	4	1	20
White, mother native-----	5,974	2	743	2,513	1,633	853	345	67	2	1	15
White, mother foreign-----	84	-	3	34	22	10	9	6	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	-
Negro-----	541	-	68	102	70	42	24	8	2	-	5
Other-----	20	-	4	8	4	3	1	-	-	-	-

GENERAL TABLES—LIVE BIRTHS

107

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
KANSAS—Continued											
Places of 2,500 to 10,000	6,101	2	799	2,206	1,674	897	383	98	9	1	32
White, mother native	5,903	2	776	2,148	1,621	866	360	90	8	1	31
White, mother foreign	92	-	6	32	25	13	10	4	1	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	98	-	16	25	26	15	12	4	-	-	-
Other	8	-	1	1	2	3	1	-	-	-	-
Rural	20,082	3	2,005	6,417	5,639	3,487	1,818	580	41	-	94
White, mother native	19,662	2	1,954	6,276	5,545	3,420	1,778	559	36	-	92
White, mother foreign	225	-	11	90	53	32	20	14	4	-	1
White, mother's nativity not stated	3	-	-	-	-	-	-	-	-	-	1
Negro	147	1	31	39	27	27	14	7	1	-	-
Other	45	-	6	12	14	8	5	-	-	-	-
KENTUCKY											
	79,987	124	13,171	26,481	18,974	11,629	7,019	2,325	209	12	33
White, mother native	75,426	83	12,140	24,939	18,006	11,084	6,714	2,217	186	11	26
White, mother foreign	482	-	53	242	116	50	11	10	-	-	-
White, mother's nativity not stated	23	-	4	3	7	-	-	2	-	-	5
Negro	4,051	31	973	1,305	844	494	282	96	13	1	2
Other	5	-	1	2	1	1	-	-	-	-	-
Urban	27,244	39	4,088	9,717	7,080	3,974	1,900	489	32	1	14
White, mother native	24,350	19	3,349	8,719	6,451	3,644	1,724	403	28	-	12
White, mother foreign	278	-	20	140	75	30	5	9	-	-	-
White, mother's nativity not stated	4	-	-	1	1	-	1	-	-	-	1
Negro	2,609	20	658	856	555	500	170	47	3	1	1
Other	2	-	1	-	-	-	-	-	-	-	-
Places of 100,000 or more	10,898	13	1,500	3,872	2,897	1,648	777	173	12	1	5
White, mother native	9,553	3	1,181	3,422	2,589	1,495	697	151	11	-	4
White, mother foreign	122	-	7	52	45	10	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,222	10	312	397	265	143	76	18	1	1	1
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000	6,943	10	999	2,508	1,813	1,014	458	129	10	-	2
White, mother native	6,310	7	849	2,281	1,681	945	425	112	9	-	2
White, mother foreign	74	-	6	44	11	9	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	557	3	144	183	121	60	32	13	1	-	-
Other	1	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,158	2	355	789	527	292	159	33	1	-	1
White, mother native	1,835	2	288	695	471	266	140	29	1	-	1
White, mother foreign	23	-	2	9	9	2	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	242	-	65	85	47	24	17	4	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	7,245	14	1,174	2,548	1,843	1,020	507	124	9	-	6
White, mother native	6,594	7	1,032	2,321	1,710	938	462	111	8	-	5
White, mother foreign	60	-	5	35	10	9	-	1	-	-	-
White, mother's nativity not stated	3	-	-	1	1	-	-	-	-	-	1
Negro	598	7	137	191	122	73	45	12	1	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	52,743	85	9,143	16,774	11,894	7,655	5,119	1,866	177	11	19
White, mother native	51,076	74	8,791	16,220	11,555	7,440	4,990	1,814	167	11	14
White, mother foreign	203	-	33	102	41	20	6	1	-	-	-
White, mother's nativity not stated	19	-	4	2	6	-	1	2	-	-	4
Negro	1,442	11	315	449	291	194	122	49	10	-	1
Other	3	-	-	1	1	1	-	-	-	-	-
LOUISIANA											
	74,630	155	12,279	24,922	18,513	10,704	6,082	1,659	127	4	185
White, mother native	48,622	22	6,454	15,940	12,364	7,044	3,653	993	60	3	89
White, mother foreign	470	1	18	218	139	58	33	-	-	-	-
White, mother's nativity not stated	10	-	-	4	3	-	-	-	-	-	2
Negro	27,415	131	5,797	8,725	5,974	3,584	2,381	661	67	1	94
Other	113	-	10	35	33	18	15	-	-	-	-
Urban	35,855	66	5,319	12,768	9,419	5,093	2,528	560	41	3	60
White, mother native	23,230	10	2,682	8,318	6,587	3,554	1,655	368	24	2	33
White, mother foreign	313	1	9	135	100	40	25	3	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-
Negro	12,279	54	2,625	4,304	2,723	1,495	845	188	17	1	27
Other	32	-	3	12	9	4	3	1	-	-	-
Places of 100,000 or more	15,502	25	2,025	5,854	4,186	2,299	1,115	271	14	3	10
White, mother native	9,670	4	883	3,424	2,870	1,583	721	169	8	2	4
White, mother foreign	195	1	7	78	60	29	18				

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
LOUISIANA—Continued											
Places of 2,500 to 10,000	9,896	22	1,685	5,397	2,467	1,385	720	166	9	-	27
White, mother native	7,016	5	1,041	2,466	1,848	1,008	461	123	5	-	19
White, mother foreign	50	-	2	24	17	3	3	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,823	17	639	964	621	372	236	42	4	-	8
Other	7	-	1	3	1	2	-	-	-	-	-
Rural	30,775	89	6,960	12,156	9,094	5,611	3,554	1,099	86	1	125
White, mother native	23,392	12	3,772	7,625	5,777	3,490	1,998	625	36	1	56
White, mother foreign	157	-	9	85	39	18	8	-	-	-	-
White, mother's nativity not stated	9	-	-	4	3	-	-	-	-	-	2
Negro	15,136	77	5,172	4,421	3,251	2,089	1,536	473	50	-	67
Other	81	-	7	23	24	14	12	1	-	-	-
MAINE											
White, mother native	22,242	15	2,069	7,982	6,109	3,226	1,587	420	26	1	7
White, mother foreign	1,593	1	104	428	466	298	213	74	5	-	4
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	11	-	3	5	1	1	1	-	-	-	-
Other	26	-	4	9	10	1	1	-	-	-	1
Urban	9,356	6	929	5,362	2,784	1,438	689	158	6	-	4
White, mother native	8,561	5	873	3,151	2,520	1,501	578	125	5	-	3
White, mother foreign	773	1	52	201	238	136	110	33	1	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	2	4	1	-	-	-	-	-	-
Other	15	-	2	6	5	1	1	-	-	-	-
C											
Places of 25,000 to 100,000	3,862	2	359	1,377	1,136	613	305	67	2	-	1
White, mother native	3,567	2	544	1,300	1,044	561	258	55	2	-	1
White, mother foreign	287	-	13	72	91	52	47	12	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	2	4	1	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,964	1	246	1,040	943	452	220	57	3	-	2
White, mother native	2,751	1	238	968	860	411	181	47	3	-	2
White, mother foreign	231	-	8	52	81	41	39	10	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	-	-	-	-	-	-	-	-
Other	2	-	-	-	2	-	-	-	-	-	-
Places of 2,500 to 10,000	2,530	3	324	945	695	373	164	34	1	-	1
White, mother native	2,263	2	291	863	616	329	139	23	-	-	-
White, mother foreign	255	1	31	77	66	43	24	11	1	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	12	-	2	5	3	1	1	-	-	-	-
Rural	14,517	10	2,051	5,063	3,822	2,088	1,113	336	25	1	6
White, mother native	13,681	10	1,996	4,931	3,589	1,925	1,009	295	21	1	4
White, mother foreign	820	-	52	227	228	162	103	41	4	-	3
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	4	-	1	1	-	1	1	-	-	-	-
Other	11	-	2	3	5	-	-	-	-	-	1
MARYLAND											
White, mother native	44,954	26	4,549	14,896	15,512	7,512	3,555	780	43	1	68
White, mother foreign	1,173	-	42	409	354	195	126	41	2	-	4
White, mother's nativity not stated	70	-	3	20	22	10	3	3	-	-	9
Negro	10,479	104	2,506	3,441	2,243	1,227	697	223	13	1	24
Other	31	-	2	8	12	7	1	1	-	-	-
Urban	32,082	76	4,037	10,957	9,249	4,952	2,205	521	22	1	62
White, mother native	24,276	17	2,309	8,287	7,507	4,029	1,699	369	14	1	44
White, mother foreign	698	-	29	224	211	122	84	24	1	-	3
White, mother's nativity not stated	26	-	1	11	8	3	-	1	-	-	2
Negro	7,059	59	1,698	2,428	1,513	794	421	126	7	-	13
Other	23	-	-	7	10	4	1	1	-	-	-
Places of 100,000 or more	24,364	62	3,133	8,355	6,986	3,744	1,622	399	14	1	48
White, mother native	17,619	11	1,620	6,041	5,506	2,937	1,183	277	8	1	35
White, mother foreign	538	-	24	168	158	94	72	16	1	-	3
White, mother's nativity not stated	11	-	1	5	2	2	-	1	-	-	-
Negro	6,174	51	1,488	2,134	1,311	707	366	102	5	-	16
Other	22	-	-	7	9	4	1	1	-	-	-
Places of 25,000 to 100,000	2,142	2	261	906	591	304	151	30	3	-	2
White, mother native	2,050	1	248	775	553	294	148	27	3	-	1
White, mother foreign	29	-	3	15	7	2	-	2	-	-	-
White, mother's nativity not stated	10	-	-	6	3	-	-	-	-	-	1
Negro	53	1	10	12	18	8	3	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,463	7	327	794	726	393	176	38	3	-	7
White, mother native	1,809	5	191	574	567	310	137	21	1	-	5
White, mother foreign	50	-	1	15	17	12	3	2	-	-	-
White, mother's nativity not stated	3	-	-	-	2	1	-	-	-	-	-
Negro	601	4	135	205	140	60	38	15	2	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Places 2,500 to 10,000	3,113	5	316	1,000	956	521	254	54	2	-	5
White, mother native	2,798	2	250	897	861	488	231	44	2	-	3
White, mother foreign	61	-	1	26	29	14	9	2	-	-	-
White, mother's nativity not stated	2	-	-	-	1	-	-	-	-	-	1
Negro	231	3	65	77	44	19	14	8	-	-	1
Other	1	-	-	-	1	-	-	-	-	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
MARYLAND—Continued											
Rural.....	24,605	56	3,085	7,807	6,894	3,999	2,177	527	36	1	43
White, mother native.....	20,659	11	2,240	6,599	6,005	3,485	1,856	411	29	-	24
White, mother foreign.....	475	-	13	185	143	73	42	17	1	-	1
White, mother's nativity not stated.....	44	-	2	9	14	7	3	2	-	-	7
Negro, mother's nativity not stated.....	3,420	45	808	1,015	750	455	276	87	6	1	11
Other.....	8	-	-	1	2	5	-	-	-	-	-
MASSACHUSETTS											
.....	107,791	12	5,328	31,481	35,115	22,217	10,842	2,537	129	6	124
White, mother native.....	98,477	9	4,891	29,290	32,535	20,494	9,156	1,902	89	4	107
White, mother foreign.....	7,351	-	166	1,471	2,026	1,492	1,549	602	36	1	6
White, mother's nativity not stated.....	20	-	1	6	5	3	3	1	-	-	1
Negro, mother's nativity not stated.....	1,853	3	266	675	520	217	129	31	4	-	8
Other.....	90	-	4	39	29	11	5	1	-	1	-
Urban											
.....	96,119	9	4,599	27,982	31,452	19,939	9,648	2,259	116	5	110
White, mother native.....	87,526	8	4,191	25,956	29,067	18,358	8,097	1,676	77	3	95
White, mother foreign.....	6,748	-	154	1,348	1,866	1,363	1,421	553	35	-	7
White, mother's nativity not stated.....	19	-	1	6	4	3	3	1	-	-	1
Negro, mother's nativity not stated.....	1,745	3	250	639	488	204	122	28	4	-	7
Other.....	81	-	3	33	27	11	5	1	-	1	-
Places of 100,000 or more											
.....	40,678	7	2,027	11,672	13,315	8,273	4,140	944	52	4	46
White, mother native.....	36,011	4	1,741	10,727	12,034	7,479	3,516	642	27	2	39
White, mother foreign.....	3,098	-	62	559	650	610	716	275	23	1	2
White, mother's nativity not stated.....	8	-	1	1	2	3	-	1	-	-	-
Negro, mother's nativity not stated.....	1,497	3	221	560	406	172	103	25	2	-	5
Other.....	64	-	2	25	21	9	5	1	-	1	-
Places of 25,000 to 100,000											
.....	29,317	2	1,242	8,476	9,715	6,224	2,871	716	34	-	37
White, mother native.....	27,023	2	1,172	7,976	9,063	5,756	2,438	556	29	-	31
White, mother foreign.....	2,120	-	51	445	596	441	418	160	4	-	5
White, mother's nativity not stated.....	9	-	-	4	2	-	3	-	-	-	-
Negro, mother's nativity not stated.....	149	-	18	44	48	25	12	-	1	-	1
Other.....	18	-	1	7	6	2	-	-	-	-	-
Places of 10,000 to 25,000											
.....	18,302	-	876	5,251	5,947	3,686	1,659	450	22	1	21
White, mother native.....	17,102	-	841	4,998	5,599	3,650	1,625	353	16	1	19
White, mother foreign.....	1,145	-	28	245	330	252	209	95	6	-	6
White, mother's nativity not stated.....	1	-	-	-	-	-	-	-	-	-	1
Negro, mother's nativity not stated.....	54	-	7	18	18	4	4	2	-	-	1
Other.....	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000											
.....	7,822	-	454	2,373	2,477	1,556	789	149	8	-	6
White, mother native.....	7,390	-	437	2,255	2,371	1,473	718	125	5	-	6
White, mother foreign.....	395	-	13	99	90	80	78	23	2	-	-
White, mother's nativity not stated.....	1	-	-	1	-	-	-	-	-	-	-
Negro, mother's nativity not stated.....	45	-	4	17	15	3	3	1	1	-	-
Other.....	1	-	-	1	-	-	-	-	-	-	-
Rural											
.....	11,672	3	729	3,499	3,663	2,278	1,194	278	13	1	14
White, mother native.....	10,951	3	700	3,334	3,468	2,136	1,059	226	12	1	12
White, mother foreign.....	603	-	12	123	160	129	128	49	1	-	1
White, mother's nativity not stated.....	1	-	-	-	1	-	-	-	-	-	-
Negro, mother's nativity not stated.....	108	-	16	36	32	13	7	3	-	-	1
Other.....	9	-	1	6	2	-	-	-	-	-	-
MICHIGAN											
.....	161,085	91	15,594	55,954	47,793	26,296	12,009	3,073	181	1	93
White, mother native.....	143,176	47	13,244	50,197	43,050	23,609	10,294	2,509	153	1	73
White, mother foreign.....	7,523	-	243	1,845	2,220	1,451	1,130	412	16	-	4
White, mother's nativity not stated.....	24	-	8	4	3	4	4	-	-	-	1
Negro, mother's nativity not stated.....	10,347	44	2,073	3,839	2,449	1,205	567	146	9	-	15
Other.....	215	-	26	69	71	28	14	6	1	-	-
Urban											
.....	109,822	73	10,320	38,174	33,261	18,145	7,846	1,852	108	1	42
White, mother native.....	93,957	30	8,130	33,026	29,071	15,768	6,414	1,405	84	1	28
White, mother foreign.....	5,674	-	184	1,421	1,629	1,213	903	309	15	-	-
White, mother's nativity not stated.....	12	-	2	2	3	2	2	-	-	-	1
Negro, mother's nativity not stated.....	9,868	43	1,994	3,687	2,319	1,145	522	137	8	-	13
Other.....	111	-	10	58	39	17	5	1	-	-	-
Places of 100,000 or more											
.....	54,605	46	4,852	18,751	16,714	9,365	3,917	894	51	-	15
White, mother native.....	43,387	12	3,265	15,009	13,631	7,695	2,949	588	35	-	5
White, mother foreign.....	5,663	-	97	865	1,117	805	570	201	8	-	-
White, mother's nativity not stated.....	2	-	-	-	1	-	-	-	-	-	-
Negro, mother's nativity not stated.....	7,487	34	1,486	2,853	1,738	857	396	107	7	-	9
Other.....	66	-	4	24	27	8	2	-	1	-	-
Places of 25,000 to 100,000											
.....	25,770	11	2,530	9,128	7,793	4,116	1,742	419	20	-	11
White, mother native.....	23,658	8	2,270	8,493	7,195	3,785	1,527	352	19	-	9
White, mother foreign.....	1,081	-	45	255	367	197	163	53	1	-	-
White, mother's nativity not stated.....	2	-	-	-	-	1	1	-	-	-	-
Negro, mother's nativity not stated.....	1,006	3	212	374	224	127	50	14	-	-	2
Other.....	23	-	3	6	7	6	1	-	-	-	-
Places of 10,000 to 25,000											
.....	13,291	12	1,364	4,768	3,951	2,013	931	235	12	-	5
White, mother native.....	11,750	6	1,137	4,271	3,543	1,806	806	207	9	-	5
White, mother foreign.....	519	-	19	152	163	93	69	21	2	-	-
White, mother's nativity not stated.....	5	-	2	1	2	-	-	-	-	-	-
Negro, mother's nativity not stated.....	970	6	206	342	242	112	55	6	1	-	-
Other.....	7	-	-	2	1	2	1	1	-	-	-
Places of 2,500 to 10,000											
.....	16,156	4	1,574	5,527	4,603	2,651	1,254	304	25	1	11
White, mother native.....	15,122	4	1,458	5,253	4,502	2,482	1,132	260	21	1	9
White, mother foreign.....	611	-	23	149	182	118	101	34	4	-	-
White, mother's nativity not stated.....	3	-	-	1	-	1	-	-	-	-	-
Negro, mother's nativity not stated.....	405	-	90	118	115	49	21	10	-	-	2
Other.....	15	-	3	6	4	1	1	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
MICHIGAN—Continued											
Rural.....	51,263	18	5,274	17,780	14,532	8,151	4,163	1,221	73	-	51
White, mother native.....	49,219	17	5,114	17,171	13,979	7,840	3,680	1,104	69	-	45
White, mother foreign.....	1,449	-	59	424	391	238	227	103	3	-	4
White, mother's nativity not stated.....	12	-	e	2	-	2	2	-	-	-	-
Negro.....	479	1	79	152	130	60	45	9	1	-	2
Other.....	104	-	16	31	32	11	9	5	-	-	-
MINNESOTA											
.....	75,577	25	5,325	23,672	22,444	14,480	7,373	2,044	127	5	92
White, mother native.....	73,317	20	5,175	23,013	21,794	14,095	7,105	1,931	114	5	67
White, mother foreign.....	1,569	-	53	419	472	293	221	95	13	-	3
White, mother's nativity not stated.....	25	-	-	3	5	4	1	2	-	-	10
Negro.....	205	3	36	78	53	20	11	4	-	-	-
Other.....	461	2	61	159	120	68	37	12	-	-	2
Urban											
.....	41,212	10	2,731	13,231	12,725	7,871	3,644	909	56	3	32
White, mother native.....	39,986	7	2,653	12,879	12,344	7,636	3,489	859	51	3	28
White, mother foreign.....	954	-	34	240	301	196	150	47	5	-	1
White, mother's nativity not stated.....	7	-	-	2	1	2	-	-	-	-	2
Negro.....	196	3	54	76	51	19	11	4	-	-	-
Other.....	95	-	10	34	28	18	4	-	-	-	1
Places of 100,000 or more											
.....	24,828	7	1,824	8,064	7,758	4,789	2,152	483	30	2	19
White, mother native.....	23,911	4	1,469	7,819	7,475	4,621	2,035	443	28	2	15
White, mother foreign.....	644	-	18	141	206	134	104	36	2	-	1
White, mother's nativity not stated.....	4	-	-	1	-	1	-	-	-	-	2
Negro.....	194	3	31	75	51	19	11	4	-	-	-
Other.....	75	-	6	28	24	14	2	-	-	-	1
Places of 25,000 to 100,000											
.....	619	1	51	224	301	171	60	9	1	-	1
White, mother native.....	793	1	48	219	293	166	55	9	1	-	1
White, mother foreign.....	25	-	3	4	8	5	5	-	-	-	-
White, mother's nativity not stated.....	1	-	-	1	-	-	-	-	-	-	-
Negro.....	-	-	-	-	-	-	-	-	-	-	-
Other.....	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000											
.....	5,266	1	379	1,746	1,540	956	470	160	8	-	6
White, mother native.....	5,162	1	372	1,718	1,509	933	462	153	8	-	6
White, mother foreign.....	97	-	4	28	30	20	8	7	-	-	-
White, mother's nativity not stated.....	2	-	-	-	1	1	-	-	-	-	-
Negro.....	2	-	2	-	-	-	-	-	-	-	-
Other.....	3	-	1	-	-	2	-	-	-	-	-
Places of 2,500 to 10,000											
.....	10,299	1	777	3,197	3,126	1,955	962	257	17	1	6
White, mother native.....	10,092	1	764	3,123	3,067	1,916	947	253	14	1	6
White, mother foreign.....	188	-	9	67	55	37	13	4	3	-	-
White, mother's nativity not stated.....	-	-	-	-	-	-	-	-	-	-	-
Negro.....	2	-	1	1	-	-	-	-	-	-	-
Other.....	17	-	3	6	4	2	2	-	-	-	-
Rural											
.....	34,365	15	2,594	10,441	9,719	6,609	3,729	1,135	71	2	50
White, mother native.....	33,359	13	2,522	10,134	9,450	6,459	3,604	1,073	63	2	39
White, mother foreign.....	615	-	19	179	171	97	91	48	8	-	2
White, mother's nativity not stated.....	18	-	-	1	4	2	1	2	-	-	8
Negro.....	7	-	2	2	2	1	-	-	-	-	-
Other.....	360	2	51	125	92	50	33	12	-	-	1
MISSISSIPPI											
.....	66,450	380	13,316	20,920	14,615	9,171	5,919	1,699	136	6	278
White, mother native.....	32,419	41	5,250	10,797	7,864	4,813	2,719	778	48	2	87
White, mother foreign.....	217	-	18	109	53	26	8	2	-	-	1
White, mother's nativity not stated.....	7	-	2	1	-	-	-	1	-	-	3
Negro.....	33,679	347	8,020	9,972	6,658	4,315	3,173	916	87	4	187
Other.....	128	2	26	41	20	17	19	2	1	-	-
Urban											
.....	17,295	61	2,625	5,984	4,344	2,452	1,300	255	7	2	65
White, mother native.....	10,850	5	1,407	3,819	3,000	1,644	794	149	5	2	25
White, mother foreign.....	118	-	7	55	34	15	5	1	-	-	1
White, mother's nativity not stated.....	3	-	1	-	-	-	-	-	-	-	2
Negro.....	6,303	56	1,407	2,102	1,308	789	498	105	2	-	37
Other.....	21	-	3	8	2	5	3	-	-	-	-
Places of 25,000 to 100,000											
.....	3,686	12	587	1,264	986	531	259	40	-	1	6
White, mother native.....	2,284	1	270	776	664	378	170	22	-	1	2
White, mother foreign.....	29	-	2	11	11	3	2	-	-	-	-
White, mother's nativity not stated.....	1	-	-	-	-	-	-	-	-	-	-
Negro.....	1,352	11	315	477	291	150	87	16	-	-	3
Other.....	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000											
.....	6,996	21	1,128	2,444	1,771	955	531	105	1	1	39
White, mother native.....	4,321	-	551	1,558	1,206	618	312	59	1	1	15
White, mother foreign.....	54	-	1	26	15	8	3	1	-	-	-
White, mother's nativity not stated.....	1	-	-	-	-	-	-	-	-	-	1
Negro.....	2,604	21	575	854	548	304	214	45	-	-	23
Other.....	16	-	1	6	2	5	2	-	-	-	-
Places of 2,500 to 10,000											
.....	6,633	28	1,110	2,278	1,607	966	510	110	6	-	20
White, mother native.....	4,245	4	586	1,495	1,130	648	312	68	4	-	8
White, mother foreign.....	35	-	4	18	8	4	-	-	-	-	1
White, mother's nativity not stated.....	1	-	1	-	-	-	-	-	-	-	-
Negro.....	2,347	24	517	771	469	314	197	42	2	-	11
Other.....	5	-	2	2	-	-	1	-	-	-	-
Rural											
.....	49,155	329	10,491	14,956	10,271	6,719	4,619	1,444	129	4	213
White, mother native.....	21,569	36	5,843	6,978	4,894	3,169	1,925	629	43	-	62
White, mother foreign.....	99	-	11	54	19	11	3	1	-	-	-
White, mother's nativity not stated.....	4	-	1	1	-	-	-	1	-	-	1
Negro.....	27,376	291	6,613	7,870	5,350	3,527	2,675	911	65	4	150
Other.....	107	2	23	33	18	12	16	2	1	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
MISSOURI	90,060	119	12,078	50,323	25,768	14,065	7,445	2,003	155	3	101
White, mother native	82,037	56	10,351	27,624	22,075	13,023	6,858	1,851	141	3	97
White, mother foreign	1,098	-	65	435	278	146	120	41	3	-	-
White, mother's nativity not stated	15	-	2	4	4	3	-	-	-	-	2
Negro	6,990	63	1,654	2,248	1,405	989	487	131	11	-	2
Other	30	-	6	12	8	4	-	-	-	-	-
Urban	51,851	70	6,509	18,021	14,294	8,114	3,913	854	43	-	33
White, mother native	45,135	26	5,065	15,751	12,870	7,262	3,423	731	34	-	31
White, mother foreign	627	-	44	512	217	116	104	32	2	-	-
White, mother's nativity not stated	6	-	-	3	1	1	-	-	-	-	1
Negro	5,801	44	1,394	1,945	1,202	731	386	91	7	-	1
Other	24	-	6	10	4	4	-	-	-	-	-
Places of 100,000 or more	30,875	46	3,731	10,767	8,623	4,863	2,304	509	29	-	4
White, mother native	25,347	11	2,527	8,880	7,434	4,147	1,916	410	19	-	3
White, mother foreign	572	-	28	198	155	88	74	27	2	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-
Negro	4,932	35	1,170	1,680	1,030	624	314	72	7	-	-
Other	23	-	4	9	4	-	-	-	-	-	-
Places of 25,000 to 100,000	5,110	4	636	1,634	1,376	789	370	83	5	-	14
White, mother native	4,927	4	608	1,768	1,333	762	355	78	5	-	14
White, mother foreign	77	-	5	33	15	9	11	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	106	-	23	33	28	17	4	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	6,726	8	820	2,243	1,905	1,079	560	103	3	-	5
White, mother native	6,297	5	725	2,102	1,809	1,025	530	93	3	-	4
White, mother foreign	87	-	5	38	22	10	12	-	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	340	3	89	102	73	44	18	10	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	9,140	12	1,322	3,177	2,390	1,384	679	159	7	-	10
White, mother native	8,622	6	1,204	3,001	2,294	1,328	622	150	7	-	10
White, mother foreign	91	-	6	43	25	9	7	1	-	-	-
White, mother's nativity not stated	3	-	-	2	-	1	-	-	-	-	-
Negro	423	6	112	130	71	46	50	8	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Rural	38,209	49	5,569	12,302	9,474	5,951	3,532	1,149	112	3	68
White, mother native	36,844	30	5,266	11,873	9,205	5,761	3,415	1,100	107	3	66
White, mother foreign	261	-	21	123	61	30	16	9	1	-	-
White, mother's nativity not stated	9	-	2	1	3	2	-	-	-	-	1
Negro	1,089	19	260	303	203	158	101	40	4	-	1
Other	6	-	-	2	4	-	-	-	-	-	-
MONTANA	15,086	1	1,591	5,062	4,436	2,490	1,169	304	25	-	9
White, mother native	13,822	-	1,443	4,670	4,132	2,289	1,013	253	17	-	5
White, mother foreign	565	-	20	183	135	101	93	28	4	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	17	-	5	7	3	2	-	-	-	-	-
Other	681	1	123	202	166	98	62	23	4	-	2
Urban	7,583	-	725	2,620	2,355	1,229	534	126	10	-	4
White, mother native	7,225	-	701	2,496	2,243	1,170	495	109	8	-	3
White, mother foreign	286	-	6	98	74	53	37	15	2	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	11	-	3	3	3	2	-	-	-	-	-
Other	61	-	15	23	15	4	2	2	-	-	-
Places of 25,000 to 100,000	2,116	-	190	718	665	342	157	41	2	-	1
White, mother native	2,005	-	161	680	655	320	148	36	2	-	1
White, mother foreign	91	-	3	29	24	22	8	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	5	-	1	2	2	-	-	-	-	-	-
Other	17	-	5	7	4	-	1	-	-	-	-
Places of 10,000 to 25,000	2,576	-	238	840	823	440	191	38	4	-	2
White, mother native	2,478	-	229	809	803	427	173	34	3	-	1
White, mother foreign	74	-	1	23	17	10	17	4	1	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	5	-	2	1	-	2	-	-	-	-	-
Other	18	-	6	7	3	1	1	-	-	-	-
Places of 2,500 to 10,000	2,891	-	297	1,062	847	447	186	47	4	-	1
White, mother native	2,743	-	291	1,007	805	423	174	39	3	-	1
White, mother foreign	121	-	2	46	33	21	12	6	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	26	-	4	9	8	3	-	2	-	-	-
Rural	7,503	1	866	2,442	2,101	1,261	634	178	15	-	5
White, mother native	6,597	-	742	2,174	1,889	1,119	518	144	9	-	2
White, mother foreign	279	-	14	85	61	48	56	13	2	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	6	-	2	4	-	-	-	-	-	-	-
Other	620	1	108	179	151	94	60	21	4	-	2
NEBRASKA	32,132	17	3,104	11,110	9,249	5,261	2,617	698	49	1	26
White, mother native	30,983	15	2,951	10,724	8,957	5,097	2,513	659	46	1	22
White, mother foreign	513	-	28	156	141	88	64	32	3	-	1
White, mother's nativity not stated	17	-	5	4	4	1	-	-	-	-	3
Negro	445	4	96	170	106	43	21	5	-	-	-
Other	174	-	24	56	41	32	19	2	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
NEBRASKA—Continued											
Urban	15,697	8	1,573	5,701	4,607	2,390	1,119	275	15	-	9
White, mother native	14,896	4	1,453	5,417	4,401	2,285	1,058	256	14	-	8
White, mother foreign	313	-	15	96	93	56	38	14	1	-	-
White, mother's nativity not stated	5	-	2	2	-	-	-	-	-	-	1
Negro	440	4	96	167	106	42	20	5	-	-	-
Other	43	-	7	19	7	7	3	-	-	-	-
Places of 100,000 or more	6,642	5	594	2,357	2,021	1,054	512	114	4	-	1
White, mother native	6,074	1	497	2,149	1,880	966	472	105	3	-	1
White, mother foreign	150	-	6	49	45	24	20	5	1	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	396	4	90	148	92	38	20	4	-	-	-
Other	20	-	1	9	4	6	-	-	-	-	-
Places of 25,000 to 100,000	2,426	-	193	895	779	354	155	49	-	-	1
White, mother native	2,343	-	166	866	753	346	147	44	-	-	1
White, mother foreign	49	-	4	9	16	8	8	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	28	-	3	15	9	-	-	1	-	-	-
Other	6	-	-	5	1	-	-	-	-	-	-
Places of 10,000 to 25,000	3,077	3	359	1,173	835	447	204	46	6	-	4
White, mother native	2,996	3	351	1,151	811	432	195	44	6	-	3
White, mother foreign	58	-	1	17	19	13	6	2	-	-	-
White, mother's nativity not stated	2	-	1	-	-	-	-	-	-	-	1
Negro	12	-	2	4	4	2	-	-	-	-	-
Other	9	-	4	1	1	-	3	-	-	-	-
Places of 2,500 to 10,000	3,552	-	427	1,276	972	555	248	66	5	-	3
White, mother native	3,403	-	419	1,251	957	541	244	63	5	-	3
White, mother foreign	56	-	4	21	13	11	4	3	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	4	-	1	-	1	2	-	-	-	-	-
Other	8	-	2	4	1	1	-	-	-	-	-
Rural	15,435	9	1,531	5,409	4,642	2,871	1,498	423	34	1	17
White, mother native	14,087	9	1,498	5,307	4,556	2,812	1,455	403	32	1	14
White, mother foreign	200	-	13	60	48	32	26	18	2	-	1
White, mother's nativity not stated	12	-	3	2	4	1	-	-	-	-	2
Negro	5	-	-	3	-	1	1	-	-	-	-
Other	131	-	17	37	34	25	16	2	-	-	-
NEVADA											
	4,041	1	434	1,353	1,162	695	319	65	5	-	7
White, mother native	3,846	1	395	1,229	1,065	625	269	55	4	-	3
White, mother foreign	161	-	7	52	42	31	23	6	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1
Negro	77	-	13	28	18	8	10	-	-	-	-
Other	155	-	19	43	37	31	17	4	1	-	3
Urban	2,029	-	194	694	616	339	153	31	2	-	-
White, mother native	1,885	-	176	640	571	312	126	28	2	-	-
White, mother foreign	84	-	3	25	21	15	17	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	61	-	11	22	14	6	8	-	-	-	-
Other	29	-	4	7	10	6	2	-	-	-	-
Places of 10,000 to 25,000	940	-	59	332	304	158	72	13	2	-	-
White, mother native	874	-	56	309	284	146	64	13	2	-	-
White, mother foreign	44	-	-	16	12	8	6	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	1	1	4	-	1	-	-	-	-
Other	15	-	2	4	4	4	1	-	-	-	-
Places of 2,500 to 10,000	1,089	-	135	362	312	181	81	18	-	-	-
White, mother native	981	-	120	331	287	166	62	15	-	-	-
White, mother foreign	40	-	3	7	9	7	11	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	54	-	10	21	10	6	7	-	-	-	-
Other	14	-	2	3	6	2	1	-	-	-	-
Rural	2,012	1	240	659	546	356	186	34	3	-	7
White, mother native	1,791	1	219	589	494	313	143	27	2	-	3
White, mother foreign	77	-	4	27	21	16	6	3	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1
Negro	16	-	2	6	4	2	2	-	-	-	-
Other	126	-	15	36	27	25	15	4	1	-	3
NEW HAMPSHIRE											
	13,267	5	1,177	4,479	3,920	2,347	1,056	259	17	1	6
White, mother native	12,468	5	1,152	4,245	3,687	2,202	949	210	15	-	3
White, mother foreign	794	-	21	230	231	144	107	48	2	1	-
White, mother's nativity not stated	4	-	1	-	-	-	-	-	-	-	3
Negro	9	-	3	3	1	1	-	1	-	-	-
Other	2	-	-	1	1	-	-	-	-	-	-
Urban	7,324	4	582	2,479	2,141	1,368	601	140	6	1	2
White, mother native	6,840	4	567	2,346	2,002	1,272	533	110	5	-	1
White, mother foreign	476	-	13	130	139	95	68	29	1	1	-
White, mother's nativity not stated	2	-	1	-	-	-	-	-	-	-	1
Negro	5	-	1	2	-	1	-	1	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000	3,664	2	234	1,175	1,157	702	324	84	4	1	1
White, mother native	3,429	2	230	1,112	1,081	657	278	64	4	-	1
White, mother foreign	251	-	3	60	76	45	46	20	-	1	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	1	2	-	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
NEW HAMPSHIRE—Continued											
Places of 10,000 to 25,000	2,717	2	250	979	742	500	201	40	2	-	1
White, mother native	2,525	2	241	918	692	455	185	31	1	-	-
White, mother foreign	190	-	8	61	50	44	18	8	1	-	-
White, mother's nativity not stated	2	-	1	-	-	-	-	-	-	-	-
Negro	2	-	-	-	-	1	-	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	923	-	98	325	242	166	76	16	-	-	-
White, mother native	888	-	96	316	229	160	72	15	-	-	-
White, mother foreign	35	-	2	9	13	6	4	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	5,943	1	595	2,000	1,779	979	455	119	11	-	4
White, mother native	5,628	1	585	1,899	1,685	930	416	100	10	-	2
White, mother foreign	308	-	8	100	92	49	39	19	1	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	2
Negro	4	-	2	1	1	-	-	-	-	-	-
Other	1	-	-	-	-	-	-	-	-	-	-
NEW JERSEY											
	106,242	64	6,190	31,396	35,377	21,792	9,396	1,871	112	4	50
White, mother native	92,495	16	4,509	26,978	31,775	19,731	7,918	1,455	78	2	35
White, mother foreign	5,624	-	142	1,350	1,743	1,110	946	304	25	-	4
White, mother's nativity not stated	34	-	3	5	12	7	2	-	-	-	5
Negro	7,999	48	1,532	3,041	1,818	925	509	108	11	1	6
Other	90	-	4	22	29	19	11	4	-	-	-
Urban	84,936	48	4,620	24,835	28,636	17,720	7,505	1,445	85	3	39
White, mother native	73,293	12	3,198	21,050	25,586	15,977	6,279	1,107	55	2	27
White, mother foreign	4,716	-	119	1,112	1,463	949	796	252	22	-	3
White, mother's nativity not stated	26	-	-	3	11	5	2	-	-	-	5
Negro	6,852	36	1,299	2,658	1,560	780	422	84	9	1	4
Other	49	-	4	12	16	9	6	2	-	-	-
Places of 100,000 or more	29,804	30	1,974	9,218	9,772	5,817	2,458	488	29	2	16
White, mother native	24,560	7	1,170	7,361	8,457	5,057	1,919	361	17	1	10
White, mother foreign	1,629	-	51	380	470	342	297	78	20	-	1
White, mother's nativity not stated	8	-	-	-	4	2	1	-	-	-	1
Negro	3,784	23	780	1,473	835	411	238	47	2	1	4
Other	23	-	3	4	6	5	3	2	-	-	-
Places of 25,000 to 100,000	23,587	7	997	6,670	8,179	5,165	2,151	379	25	1	13
White, mother native	20,539	2	733	5,708	7,346	4,657	1,793	274	16	1	9
White, mother foreign	1,524	-	30	346	471	322	260	88	6	-	1
White, mother's nativity not stated	4	-	-	-	-	1	-	-	-	-	3
Negro	1,506	5	233	610	357	184	97	17	3	-	-
Other	14	-	1	6	5	1	1	-	-	-	-
Places of 10,000 to 25,000	15,344	5	817	4,368	5,165	3,280	1,398	289	17	-	6
White, mother native	13,529	1	609	3,816	4,647	3,005	1,208	227	13	-	5
White, mother foreign	815	-	16	196	275	152	129	46	2	-	1
White, mother's nativity not stated	9	-	-	3	5	2	-	-	-	-	1
Negro	985	4	192	352	239	120	60	16	2	-	-
Other	6	-	-	1	3	1	1	-	-	-	-
Places of 2,500 to 10,000	16,201	6	832	4,579	5,520	3,458	1,498	289	14	-	5
White, mother native	14,965	2	696	4,165	5,136	3,258	1,339	245	9	-	5
White, mother foreign	748	-	22	190	249	133	110	40	4	-	-
White, mother's nativity not stated	5	-	-	-	4	-	1	-	-	-	-
Negro	577	4	124	225	129	65	27	4	1	-	-
Other	6	-	-	1	2	2	1	-	-	-	-
Rural	21,306	16	1,570	6,561	6,741	4,072	1,881	426	27	1	11
White, mother native	19,202	4	1,311	5,928	6,189	3,754	1,639	349	21	-	8
White, mother foreign	908	-	25	239	280	161	150	52	3	-	1
White, mother's nativity not stated	8	-	3	2	1	2	-	-	-	-	-
Negro	1,147	12	233	383	259	145	87	24	3	-	2
Other	41	-	-	10	13	10	5	2	-	1	-
NEW MEXICO											
	20,322	14	2,980	6,672	4,831	3,024	1,981	630	65	4	41
White, mother native	18,328	9	2,700	6,120	4,484	2,698	1,726	526	43	1	23
White, mother foreign	474	-	28	126	107	85	91	33	4	-	-
White, mother's nativity not stated	13	-	2	2	4	-	1	1	-	-	3
Negro	213	1	52	85	41	27	20	4	-	-	3
Other	1,294	4	178	359	295	216	143	66	18	3	12
Urban	8,189	4	1,224	2,847	2,068	1,163	707	165	15	-	6
White, mother native	7,748	3	1,167	2,704	1,955	1,100	652	150	14	-	3
White, mother foreign	196	-	11	62	47	32	32	11	1	-	-
White, mother's nativity not stated	4	-	-	-	-	-	-	-	-	-	2
Negro	143	1	35	43	28	17	13	4	-	-	1
Other	108	-	11	38	34	14	10	-	-	-	2
Places of 25,000 to 100,000	1,411	-	153	493	366	230	139	26	3	-	2
White, mother native	1,340	-	145	469	354	218	129	23	3	-	-
White, mother foreign	30	-	2	11	5	6	6	-	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	2
Negro	6	-	1	2	-	-	-	3	-	-	-
Other	33	-	5	12	7	6	5	-	-	-	-
Places of 10,000 to 25,000	2,345	2	408	927	625	329	200	50	2	-	2
White, mother native	2,410	1	398	897	589	310	185	47	2	-	1
White, mother foreign	36	-	1	15	9	4	7	2	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	61	1	19	23	18	11	7	1	-	-	1
Other	17	-	-	4	8	4	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
NEW MEXICO—Continued											
Places of 2,500 to 10,000	4,243	2	663	1,427	1,075	604	369	89	10	-	4
White, mother native	3,998	2	634	1,349	1,012	572	338	60	9	-	2
White, mother foreign	130	-	8	38	33	22	19	9	1	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	56	-	15	19	10	6	6	-	-	-	1
Other	58	-	6	22	19	4	6	-	-	-	1
Rural	12,123	10	1,736	3,825	2,865	1,861	1,274	465	50	4	35
White, mother native	10,580	6	1,533	3,416	2,529	1,596	1,074	376	29	1	20
White, mother foreign	278	-	17	64	60	53	59	22	3	-	-
White, mother's nativity not stated	9	-	2	2	2	-	1	1	-	-	1
Negro	70	-	17	22	13	10	7	-	-	-	1
Other	1,186	4	167	321	261	202	133	66	18	3	11
NEW YORK											
	323,250	117	19,286	94,272	104,628	67,048	30,892	6,432	337	12	256
White, mother native	276,248	31	15,000	80,601	82,236	59,859	24,331	4,598	221	10	182
White, mother foreign	25,054	-	579	5,173	7,067	5,518	5,082	1,530	100	1	24
White, mother's nativity not stated	64	1	1	16	13	6	4	1	1	-	21
Negro	21,216	84	3,626	8,251	5,124	2,559	1,241	291	12	1	27
Other	668	1	50	231	188	127	54	12	3	-	2
Urban	263,641	105	14,540	75,777	86,636	65,764	28,247	5,073	249	10	240
White, mother native	220,155	22	10,498	63,099	75,206	48,172	19,395	3,433	150	9	171
White, mother foreign	22,331	-	499	4,444	6,306	5,022	4,600	1,354	84	1	21
White, mother's nativity not stated	50	1	1	11	10	2	3	1	1	-	20
Negro	20,809	82	3,509	8,056	4,965	2,478	1,206	275	11	-	27
Other	496	-	33	167	149	90	43	10	3	-	1
Places of 100,000 or more	202,653	91	10,493	56,592	67,338	43,872	19,974	3,667	188	10	228
White, mother native	164,144	15	6,876	45,386	57,303	37,113	14,747	2,435	100	9	180
White, mother foreign	19,019	-	382	3,580	5,336	4,402	4,067	1,176	74	1	21
White, mother's nativity not stated	41	-	-	9	8	2	2	-	1	-	19
Negro	18,969	76	3,209	7,463	4,551	2,267	1,119	247	10	-	27
Other	460	-	26	154	140	88	39	9	3	-	1
Places of 25,000 to 100,000	21,186	3	1,440	6,834	6,742	4,026	1,745	377	17	-	2
White, mother native	19,097	-	1,229	6,166	6,167	3,713	1,503	306	11	-	2
White, mother foreign	1,225	-	48	355	355	211	189	62	5	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	848	3	180	308	217	101	50	6	1	-	-
Other	15	-	3	5	3	1	2	1	-	-	-
Places of 10,000 to 25,000	21,780	5	1,454	6,842	6,826	4,308	1,880	457	23	-	5
White, mother native	20,092	3	1,298	6,379	6,330	4,014	1,675	368	20	-	5
White, mother foreign	1,175	-	41	291	349	235	181	75	3	-	-
White, mother's nativity not stated	5	-	1	2	1	-	-	1	-	-	-
Negro	502	2	94	168	142	59	24	13	-	-	-
Other	6	-	2	2	4	-	-	-	-	-	-
Places of 2,500 to 10,000	16,022	6	1,173	5,509	5,730	3,558	1,648	372	21	-	5
White, mother native	16,822	4	1,095	5,168	5,406	3,332	1,470	324	19	-	4
White, mother foreign	912	-	28	238	266	174	163	41	2	-	-
White, mother's nativity not stated	3	1	-	-	1	-	-	-	-	-	1
Negro	270	1	48	97	55	51	13	7	-	-	-
Other	15	-	4	6	2	1	2	-	-	-	-
Rural	59,609	12	4,716	18,495	17,992	11,284	5,645	1,359	86	2	16
White, mother native	58,093	9	4,502	17,502	17,030	10,566	5,136	1,185	71	1	11
White, mother foreign	2,723	-	80	729	761	496	462	176	16	-	3
White, mother's nativity not stated	14	-	-	5	3	4	1	-	-	-	1
Negro	607	2	117	195	159	81	35	16	1	1	-
Other	172	1	17	64	39	37	11	2	-	-	1
NORTH CAROLINA											
	112,977	207	18,877	57,537	27,369	16,319	9,197	2,754	245	7	285
White, mother native	79,097	70	11,511	26,707	20,132	11,954	6,462	1,959	159	6	137
White, mother foreign	470	-	43	223	147	36	19	6	-	-	8
White, mother's nativity not stated	17	-	3	3	1	3	-	3	-	-	4
Negro	32,052	213	7,065	10,218	6,836	4,146	2,596	735	83	1	139
Other	1,233	4	235	566	253	160	120	49	3	-	3
Urban	32,636	79	5,177	11,412	8,615	4,671	2,168	483	33	-	58
White, mother native	23,633	20	3,010	8,361	6,620	3,579	1,632	369	21	-	21
White, mother foreign	228	-	20	96	77	19	11	4	-	-	1
White, mother's nativity not stated	6	-	-	1	1	2	-	-	-	-	2
Negro	8,809	59	2,144	2,943	1,915	1,067	525	110	12	-	34
Other	20	-	3	11	2	4	-	-	-	-	-
Places of 100,000 or more	3,199	11	498	1,055	885	503	201	55	-	-	1
White, mother native	2,198	7	272	718	635	380	142	44	-	-	-
White, mother foreign	33	-	2	10	14	2	4	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	967	4	213	327	236	121	55	10	-	-	1
Other	1	-	1	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	12,584	20	1,898	4,388	3,278	1,740	883	158	12	-	19
White, mother native	8,429	1	975	3,018	2,424	1,280	628	114	6	-	3
White, mother foreign	94	-	5	41	34	9	3	2	-	-	-
White, mother's nativity not stated	3	-	-	1	-	1	-	-	-	-	1
Negro	3,854	18	908	1,326	820	468	252	40	6	-	15
Other	4	-	-	2	-	2	-	-	-	-	-
Places of 10,000 to 25,000	8,882	24	1,487	3,143	2,304	1,241	507	144	10	-	22
White, mother native	6,453	5	860	2,347	1,786	952	380	108	5	-	10
White, mother foreign	51	-	8	23	16	4	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	2,374	19	619	771	502	283	127	36	5	-	12
Other	3	-	-	2	-	1	-	-	-	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years*	45 to 49 years	50 years and over	Not stated
NORTH CAROLINA—Continued											
Places of 2,500 to 10,000-----	8,231	24	1,514	2,825	2,148	1,187	577	128	11	-	16
White, mother native-----	6,553	7	903	2,279	1,775	987	482	103	10	-	8
White, mother foreign-----	50	-	5	22	13	4	4	1	-	-	1
White, mother's nativity not stated-----	2	-	-	-	1	-	-	-	-	-	1
Negro-----	1,614	17	404	519	357	195	91	24	1	-	6
Other-----	12	-	2	7	2	1	-	-	-	-	-
Rural-----	80,181	208	13,700	26,125	18,754	11,648	7,029	2,271	212	7	227
White, mother native-----	55,464	50	8,501	18,546	13,512	8,375	4,830	1,590	138	6	116
White, mother foreign-----	250	-	23	127	70	17	8	4	-	-	1
White, mother's nativity not stated-----	11	-	3	2	-	1	-	3	-	-	2
Negro-----	23,243	154	4,941	7,275	4,921	3,079	2,071	625	71	1	105
Other-----	1,213	4	232	375	251	176	120	49	3	-	3
NORTH DAKOTA											
White, mother native-----	16,286	2	1,364	5,205	4,444	3,033	1,660	503	36	2	36
White, mother foreign-----	429	-	16	114	108	68	65	49	11	-	-
White, mother's nativity not stated-----	4	-	-	1	1	2	-	-	-	-	-
Negro-----	1	-	-	-	-	-	-	-	-	-	-
Other-----	344	1	52	95	83	59	33	15	3	-	3
Urban-----	4,725	-	388	1,611	1,330	869	417	92	7	1	10
White, mother native-----	4,583	-	381	1,564	1,289	847	403	83	5	1	10
White, mother foreign-----	123	-	4	40	36	21	11	9	2	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	1	-	-	-	-	-	-	-	-	-	-
Other-----	18	-	3	7	5	1	2	-	-	-	-
Places of 25,000 to 100,000-----	1,068	-	73	360	316	201	92	25	1	-	-
White, mother native-----	1,042	-	71	353	311	195	89	23	-	-	-
White, mother foreign-----	24	-	2	6	4	6	3	2	1	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	2	-	-	1	1	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	1,923	-	168	677	518	350	168	35	1	1	5
White, mother native-----	1,858	-	165	655	499	341	159	30	1	1	5
White, mother foreign-----	56	-	-	16	19	9	7	5	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	9	-	2	5	-	-	2	-	-	-	-
Places of 2,500 to 10,000-----	1,734	-	147	574	495	318	157	32	5	-	5
White, mother native-----	1,693	-	144	555	479	311	155	30	4	-	5
White, mother foreign-----	43	-	2	18	13	6	1	2	1	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	7	-	1	1	4	1	1	-	-	-	-
Other-----	1	-	1	-	-	-	-	-	-	-	-
Rural-----	12,339	3	1,044	3,805	3,306	2,293	1,340	475	43	1	29
White, mother native-----	11,703	2	993	3,642	3,155	2,186	1,257	420	31	1	25
White, mother foreign-----	306	-	12	74	72	47	52	40	9	-	-
White, mother's nativity not stated-----	4	-	-	1	1	2	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	326	1	49	88	78	59	31	15	3	-	3
OHIO											
White, mother native-----	180,950	54	18,814	61,568	54,204	31,253	13,641	3,345	171	4	96
White, mother foreign-----	4,122	-	184	1,186	704	207	636	17	17	-	2
White, mother's nativity not stated-----	28	1	3	6	4	1	6	1	-	-	6
Negro-----	12,106	53	2,513	4,495	2,635	1,465	735	188	9	1	10
Other-----	105	-	5	34	36	21	6	2	-	-	1
Urban-----	138,410	78	12,954	47,487	41,755	23,555	10,146	2,272	96	4	62
White, mother native-----	123,627	27	10,446	42,307	38,269	21,590	8,914	1,947	76	3	48
White, mother foreign-----	3,348	-	131	927	978	585	549	164	12	-	2
White, mother's nativity not stated-----	17	1	1	4	2	1	4	1	-	-	3
Negro-----	11,321	50	2,372	4,215	2,471	1,360	674	158	8	1	8
Other-----	97	-	4	30	36	19	5	2	-	-	1
Places of 100,000 or more-----	80,553	54	7,525	27,774	24,438	13,640	5,777	1,253	52	1	39
White, mother native-----	68,922	12	5,477	23,619	21,765	12,115	4,848	1,017	38	-	31
White, mother foreign-----	2,167	-	69	575	640	401	369	103	9	-	1
White, mother's nativity not stated-----	8	1	1	2	-	-	2	-	-	-	2
Negro-----	9,369	41	1,975	3,549	2,001	1,107	555	151	5	1	4
Other-----	87	-	3	29	32	17	3	2	-	-	1
Places of 25,000 to 100,000-----	21,952	11	2,207	7,551	6,527	3,699	1,551	385	15	2	4
White, mother native-----	20,398	6	1,955	7,053	6,129	3,478	1,407	344	12	2	2
White, mother foreign-----	513	-	25	149	151	81	77	29	1	-	2
White, mother's nativity not stated-----	4	-	-	2	1	-	-	-	-	-	1
Negro-----	1,043	5	227	347	245	139	66	12	2	-	1
Other-----	4	-	-	-	1	2	1	-	-	-	-
Places of 10,000 to 25,000-----	16,384	8	1,467	5,601	4,936	2,860	1,220	272	12	1	7
White, mother native-----	15,583	6	1,358	5,349	4,708	2,748	1,134	242	12	1	5
White, mother foreign-----	338	-	13	99	97	50	56	22	-	-	1
White, mother's nativity not stated-----	2	-	-	-	1	-	-	1	-	-	-
Negro-----	478	2	95	153	129	62	29	7	-	-	1
Other-----	3	-	1	-	1	-	1	-	-	-	-
Places of 2,500 to 10,000-----	19,521	5	1,755	6,561	5,855	3,356	1,598	362	17	-	12
White, mother native-----	18,754	3	1,656	6,285	5,667	3,249	1,525	344	14	-	10
White, mother foreign-----	330	-	24	104	90	53	47	10	2	-	-
White, mother's nativity not stated-----	3	-	-	-	-	1	2	-	-	-	-
Negro-----	431	2	75	170	96	53	24	8	1	-	2
Other-----	3	-	-	1	2	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
OHIO—Continued											
Rural	56,901	30	6,565	19,603	16,310	9,689	4,378	1,471	101	1	53
White, mother native	57,323	27	6,368	19,061	15,958	9,663	4,727	1,398	95	1	48
White, mother foreign	774	-	53	259	206	119	87	43	5	-	3
White, mother's nativity not stated	11	-	2	2	2	-	2	-	-	-	-
Negro	785	3	141	277	165	105	61	30	1	-	2
Other	8	-	1	4	-	2	1	-	-	-	-
OKLAHOMA	53,684	57	9,081	16,902	12,914	7,232	4,120	1,226	89	-	63
White, mother native	47,662	18	7,769	16,996	11,696	6,401	3,600	1,059	76	-	47
White, mother foreign	346	-	35	159	96	22	25	8	-	-	1
White, mother's nativity not stated	17	-	4	1	2	2	4	2	1	-	1
Negro	3,582	34	909	1,066	685	479	292	97	9	-	13
Other	2,077	5	364	680	457	328	199	60	3	-	1
Urban	29,289	33	4,541	10,580	7,139	3,709	1,797	443	30	-	17
White, mother native	25,262	7	3,850	9,571	6,485	3,536	1,562	393	27	-	11
White, mother foreign	242	-	20	108	69	19	6	-	-	-	1
White, mother's nativity not stated	4	-	1	-	-	1	2	-	-	-	-
Negro	2,189	26	576	686	433	272	153	34	3	-	5
Other	593	-	94	215	152	81	41	10	-	-	-
Places of 100,000 or more	11,141	11	1,612	4,180	2,905	1,545	686	176	11	-	5
White, mother native	9,862	3	1,340	3,749	2,627	1,388	608	155	10	-	2
White, mother foreign	107	-	6	50	35	10	5	-	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,030	6	248	337	217	130	72	15	1	-	2
Other	112	-	16	44	26	17	6	1	-	-	-
Places of 25,000 to 100,000	1,787	2	237	628	480	228	117	34	1	-	-
White, mother native	1,533	-	241	546	422	195	100	28	1	-	-
White, mother foreign	15	-	1	10	3	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	205	2	50	62	43	29	13	6	-	-	-
Other	34	-	5	10	12	3	4	-	-	-	-
Places of 10,000 to 25,000	7,636	7	1,249	2,927	1,897	979	465	94	11	-	7
White, mother native	6,879	-	1,064	2,676	1,740	883	417	64	10	-	5
White, mother foreign	61	-	6	26	17	5	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	545	7	145	174	104	69	35	8	1	-	2
Other	151	-	32	51	36	22	8	2	-	-	-
Places of 2,500 to 10,000	7,725	13	1,333	2,645	1,857	957	519	139	7	-	5
White, mother native	6,968	4	1,205	2,600	1,696	870	457	128	6	-	4
White, mother foreign	49	-	5	22	14	3	4	1	-	-	-
White, mother's nativity not stated	4	-	1	-	-	1	2	-	-	-	-
Negro	408	9	133	113	69	44	33	5	1	-	1
Other	296	-	59	110	78	39	23	7	-	-	-
Rural	25,395	24	4,540	8,322	5,775	3,523	2,323	783	59	-	46
White, mother native	22,400	11	3,919	7,425	5,211	3,065	2,018	666	49	-	36
White, mother foreign	104	-	15	51	27	3	6	2	-	-	-
White, mother's nativity not stated	13	-	3	1	2	1	2	1	-	-	1
Negro	1,394	6	333	380	250	207	159	63	6	-	8
Other	1,484	5	270	465	285	247	158	50	3	-	1
OREGON	56,294	14	4,195	12,637	10,279	5,805	2,670	622	41	2	29
White, mother native	34,612	13	4,067	12,107	9,769	5,498	2,515	576	38	1	20
White, mother foreign	1,121	-	45	328	376	219	114	37	1	-	-
White, mother's nativity not stated	7	-	2	1	2	2	-	-	-	-	-
Negro	276	-	43	106	70	41	14	3	-	-	1
Other	276	1	36	95	62	45	27	6	2	-	-
Urban	19,077	4	1,982	6,656	5,639	3,187	1,354	290	11	2	13
White, mother native	15,138	4	1,861	6,397	5,345	3,018	1,276	261	11	1	12
White, mother foreign	661	-	26	179	232	131	66	26	-	-	-
White, mother's nativity not stated	3	-	1	-	1	1	-	-	-	-	-
Negro	141	-	26	50	34	25	4	1	-	-	1
Other	86	-	8	30	26	12	8	2	-	-	-
Places of 100,000 or more	10,043	1	827	3,357	3,055	1,429	802	163	6	1	2
White, mother native	9,451	1	788	3,179	2,866	1,716	748	145	6	-	2
White, mother foreign	401	-	8	109	143	79	46	15	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	130	-	26	46	30	23	4	1	-	-	-
Other	61	-	5	23	16	11	4	2	-	-	-
Places of 25,000 to 100,000	1,029	1	111	350	318	152	74	20	2	-	-
White, mother native	996	1	107	343	311	143	71	18	2	-	-
White, mother foreign	29	-	4	6	7	8	2	2	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	-	1	-	-	1	-	-	-	-
Places of 10,000 to 25,000	3,026	1	363	1,082	882	466	190	39	1	-	2
White, mother native	2,834	1	358	1,054	850	453	181	34	1	-	2
White, mother foreign	87	-	5	27	30	12	8	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	-	1	2	1	-	-	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-
Places of 2,500 to 10,000	4,980	1	621	1,667	1,383	740	288	68	2	1	9
White, mother native	4,805	1	608	1,621	1,318	706	276	64	2	1	8
White, mother foreign	144	-	9	37	52	32	10	4	-	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	7	-	-	3	2	1	-	-	-	-	1
Other	22	-	3	6	10	1	2	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
RHODE ISLAND—Continued											
Rural	2,244	-	129	714	740	431	172	48	6	-	4
White, mother native	2,111	-	124	684	699	405	152	41	6	-	3
White, mother foreign	109	-	4	23	33	25	19	6	-	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	21	-	1	6	7	5	1	-	-	-	7
Other	2	-	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA											
	59,470	189	10,417	20,063	14,444	7,990	4,702	1,151	108	4	402
White, mother native	33,750	42	4,797	11,627	8,948	4,815	2,595	657	48	1	120
White, mother foreign	256	-	19	129	69	20	14	5	-	-	-
White, mother's nativity not stated	70	-	12	26	13	11	3	1	1	-	3
Negro	25,559	146	5,585	8,265	5,406	3,041	2,088	488	59	3	278
Other	35	1	4	16	8	3	2	-	-	-	1
Urban	17,606	36	2,780	6,235	4,738	2,428	1,123	209	10	2	65
White, mother native	12,302	4	1,564	4,881	3,826	1,840	816	145	5	1	20
White, mother foreign	133	-	8	65	39	10	7	4	-	-	-
White, mother's nativity not stated	15	-	3	7	2	3	-	-	-	-	-
Negro	5,153	32	1,184	1,780	1,171	575	300	60	5	1	45
Other	3	-	1	2	-	-	-	-	-	-	-
Places of 25,000 to 100,000	7,800	20	1,201	2,761	2,150	1,097	457	89	2	2	21
White, mother native	5,085	1	570	1,615	1,526	791	315	61	1	1	6
White, mother foreign	74	-	5	37	18	6	7	1	-	-	-
White, mother's nativity not stated	8	-	2	4	1	-	-	-	-	-	-
Negro	2,631	19	623	906	605	299	135	27	1	1	15
Other	2	-	1	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,647	4	528	1,313	1,017	493	232	42	1	-	17
White, mother native	2,707	-	340	963	795	399	179	25	1	-	5
White, mother foreign	27	-	1	14	10	2	-	-	-	-	-
White, mother's nativity not stated	3	-	1	2	-	-	-	-	-	-	-
Negro	910	4	186	334	212	92	53	17	-	-	12
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,159	12	1,031	2,161	1,571	838	434	78	7	-	27
White, mother native	4,510	3	654	1,605	1,205	650	322	59	3	-	9
White, mother foreign	32	-	2	14	11	2	-	3	-	-	-
White, mother's nativity not stated	4	-	-	1	1	2	-	-	-	-	-
Negro	1,612	9	375	540	354	184	112	16	4	-	18
Other	1	-	-	1	-	-	-	-	-	-	-
Rural	41,864	153	7,657	15,629	9,706	5,562	3,579	942	98	2	337
White, mother native	21,448	38	3,233	7,246	5,422	3,075	1,779	512	43	-	100
White, mother foreign	123	-	11	64	30	10	7	1	-	-	-
White, mother's nativity not stated	55	-	9	19	11	8	3	1	1	-	3
Negro	20,206	114	4,401	6,485	4,235	2,466	1,788	428	54	2	233
Other	32	1	3	14	8	3	2	-	-	-	1
SOUTH DAKOTA											
	16,539	7	1,487	5,404	4,733	2,870	1,542	453	22	-	41
White, mother native	15,598	7	1,372	5,104	4,486	2,718	1,453	409	19	-	30
White, mother foreign	242	-	11	88	65	38	24	12	1	-	3
White, mother's nativity not stated	14	-	-	4	3	2	1	1	-	-	3
Negro	6	-	-	3	2	1	-	-	-	-	-
Other	679	-	84	205	177	111	64	31	2	-	5
Urban	5,411	2	486	1,933	1,594	863	417	106	4	-	6
White, mother native	5,275	2	474	1,884	1,556	839	408	103	3	-	6
White, mother foreign	74	-	1	26	22	18	4	2	1	-	-
White, mother's nativity not stated	4	-	-	1	2	-	1	-	-	-	-
Negro	3	-	-	1	2	-	-	-	-	-	-
Other	55	-	11	21	12	6	4	1	-	-	-
Places of 25,000 to 100,000	1,396	1	102	477	436	249	103	24	2	-	2
White, mother native	1,380	1	101	469	432	246	103	24	2	-	2
White, mother foreign	12	-	-	7	2	3	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	1	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,220	-	188	824	650	332	182	41	1	-	2
White, mother native	2,177	-	188	807	636	325	178	40	1	-	2
White, mother foreign	30	-	-	11	9	6	3	1	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	-	-	-	-	4	-	-	-	-	-	-
Other	12	-	-	6	4	1	-	-	-	-	-
Places of 2,500 to 10,000	1,795	1	196	632	508	282	132	41	1	-	2
White, mother native	1,719	1	185	608	486	266	127	39	-	-	2
White, mother foreign	32	-	1	8	11	9	1	1	1	-	-
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	42	-	10	15	8	5	3	1	-	-	-
Rural	11,128	5	981	3,471	3,139	2,007	1,125	347	18	-	55
White, mother native	10,323	5	898	3,220	2,930	1,879	1,045	306	16	-	24
White, mother foreign	168	-	10	62	43	20	10	10	-	-	3
White, mother's nativity not stated	10	-	-	3	1	2	-	1	-	-	3
Negro	3	-	-	2	-	1	-	-	-	-	-
Other	624	-	73	184	185	105	60	30	2	-	5
TENNESSEE											
	86,619	231	14,939	28,711	20,535	12,586	7,182	2,186	164	3	72
White, mother native	72,548	87	11,524	24,346	17,695	10,739	6,074	1,887	134	3	59
White, mother foreign	404	-	27	220	97	33	24	3	-	-	-
White, mother's nativity not stated	9	-	1	3	-	3	1	-	-	-	1
Negro	13,650	144	3,386	4,139	2,741	1,619	1,083	296	30	-	12
Other	8	-	1	3	2	2	-	-	-	-	-

GENERAL TABLES—LIVE BIRTHS

119

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
TENNESSEE—Continued											
Urban	34,716	104	5,827	12,283	8,751	4,895	2,274	554	29	1	18
White, mother native	26,632	23	3,835	9,660	7,067	3,870	1,722	422	19	1	13
White, mother foreign	253	-	10	135	66	24	16	2	-	-	-
White, mother's nativity not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	7,828	81	1,980	2,467	1,618	1,001	536	130	10	-	5
Other	1	-	1	-	-	-	-	-	-	-	-
Places of 100,000 or more	22,708	73	3,895	7,951	5,741	3,228	1,477	346	12	-	5
White, mother native	16,271	14	2,251	5,914	4,584	2,403	1,042	252	7	-	4
White, mother foreign	160	-	6	78	41	23	12	-	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	6,275	59	1,636	1,939	1,316	802	423	94	5	-	1
Other	1	-	1	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	717	1	103	246	199	96	57	13	1	-	1
White, mother native	680	-	92	229	188	88	50	12	-	-	1
White, mother foreign	8	-	-	5	3	-	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	49	1	11	12	8	8	7	1	1	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,735	10	599	1,368	935	514	241	55	6	-	5
White, mother native	3,125	5	455	1,154	817	437	208	42	4	-	5
White, mother foreign	28	-	1	17	7	1	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	580	7	143	197	111	76	31	13	2	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	7,558	20	1,230	2,718	1,876	1,057	499	140	10	1	7
White, mother native	6,576	6	1,037	2,363	1,678	942	422	116	8	1	3
White, mother foreign	57	-	3	35	15	-	2	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	924	14	190	319	163	115	75	22	2	-	4
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	51,903	127	9,112	16,449	11,784	7,701	4,906	1,632	135	2	64
White, mother native	45,916	64	7,689	14,686	10,628	6,869	4,352	1,465	115	2	46
White, mother foreign	151	-	17	85	31	9	8	1	-	-	-
White, mother's nativity not stated	7	-	-	2	-	3	1	-	-	-	-
Negro	5,822	63	1,406	1,672	1,123	818	547	166	20	-	7
Other	7	-	-	3	2	-	-	-	-	-	-
TEXAS											
	198,662	338	31,323	68,532	49,434	28,624	15,577	4,125	331	21	457
White, mother native	165,346	181	24,921	58,442	42,557	25,815	11,924	2,954	210	14	326
White, mother foreign	9,573	8	759	2,522	2,182	1,672	1,712	609	65	4	40
White, mother's nativity not stated	264	-	48	79	46	47	25	6	1	-	12
Negro	23,384	148	5,588	7,450	4,622	2,975	1,912	554	55	3	77
Other	95	1	7	39	27	15	4	2	-	-	-
Urban	123,581	185	19,040	44,255	31,689	17,304	9,627	2,062	152	11	256
White, mother native	104,035	97	15,284	38,112	27,572	14,627	6,658	1,461	90	8	196
White, mother foreign	5,720	3	348	1,457	1,585	1,054	1,040	370	37	3	23
White, mother's nativity not stated	156	-	27	43	31	24	17	4	1	-	9
Negro	13,551	85	3,376	4,615	2,679	1,688	930	225	24	-	28
Other	69	-	5	28	22	11	2	1	-	-	-
Places of 100,000 or more	46,019	58	6,702	16,581	12,449	6,464	3,011	664	42	1	50
White, mother native	38,467	22	5,169	14,051	10,821	5,521	2,541	480	22	1	39
White, mother foreign	1,542	-	63	383	416	265	292	105	11	-	7
White, mother's nativity not stated	46	-	9	8	11	10	6	1	-	-	1
Negro	5,927	33	1,458	2,122	1,186	664	372	78	9	-	3
Other	37	-	3	17	13	4	-	-	-	-	-
Places of 25,000 to 100,000	30,242	41	4,364	11,014	7,700	4,272	2,019	507	36	2	87
White, mother native	25,292	29	3,671	9,505	6,625	3,547	1,491	337	19	1	67
White, mother foreign	1,732	-	87	435	411	349	321	114	10	1	4
White, mother's nativity not stated	49	-	6	14	9	7	7	-	-	-	5
Negro	3,154	12	799	1,054	851	366	199	55	7	-	11
Other	16	-	1	6	4	3	1	-	-	-	-
Places of 10,000 to 25,000	13,891	29	2,145	4,972	3,462	1,952	1,034	247	26	4	22
White, mother native	11,641	12	1,718	4,249	2,993	1,638	819	176	19	3	15
White, mother foreign	750	1	50	216	188	143	108	38	4	1	1
White, mother's nativity not stated	17	-	3	2	2	2	2	3	1	-	2
Negro	1,480	15	371	505	278	169	105	30	2	-	4
Other	3	-	1	1	1	-	-	-	-	-	-
Places of 2,500 to 10,000	35,429	60	5,631	11,888	8,078	4,616	2,563	644	48	4	97
White, mother native	28,685	34	4,726	10,308	7,133	3,921					

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.-LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947-Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
UNITED STATES--Continued											
Urban-----	12,781	2	1,384	4,528	3,601	1,985	978	255	14	1	25
White, mother native-----	12,304	2	1,357	4,399	3,445	1,906	923	236	14	1	21
White, mother foreign-----	323	-	15	87	93	63	46	18	-	-	1
White, mother's nativity not stated-----	4	-	-	3	-	1	-	-	-	-	-
Negro-----	41	-	9	12	12	3	5	-	-	-	1
Other-----	109	-	3	27	51	22	4	1	-	-	-
Places of 100,000 or more-----	5,822	-	540	2,006	1,751	964	438	112	4	-	7
White, mother native-----	5,555	-	528	1,932	1,658	921	406	100	4	-	6
White, mother foreign-----	183	-	9	49	57	28	29	11	-	-	-
White, mother's nativity not stated-----	2	-	-	2	-	-	-	-	-	-	-
Negro-----	20	-	2	8	8	1	1	-	-	-	1
Other-----	62	-	1	15	28	14	2	1	-	-	-
Places of 25,000 to 100,000-----	1,850	2	237	703	528	284	140	53	2	-	1
White, mother native-----	1,852	2	229	682	500	268	129	49	2	-	1
White, mother foreign-----	39	-	1	9	9	10	6	4	-	-	-
White, mother's nativity not stated-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	20	-	6	4	4	2	4	-	-	-	-
Other-----	28	-	1	7	15	4	1	-	-	-	-
Places of 10,000 to 25,000-----	1,394	-	133	549	404	208	79	22	-	-	-
White, mother native-----	1,352	-	131	534	392	198	76	21	-	-	-
White, mother foreign-----	40	-	2	14	11	9	3	1	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	-
Negro-----	1	-	-	-	-	-	-	-	-	-	-
Other-----	1	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000-----	3,615	-	474	1,271	918	539	321	68	9	1	15
White, mother native-----	3,535	-	468	1,251	895	519	312	66	9	1	14
White, mother foreign-----	61	-	3	15	16	16	8	2	-	-	1
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	1	-	1	-	-	-	-	-	-	-	-
Other-----	16	-	1	5	7	4	1	-	-	-	-
Rural-----	8,943	-	1,029	3,044	2,349	1,376	805	260	30	1	49
White, mother native-----	8,663	-	1,003	2,966	2,287	1,329	774	249	29	1	46
White, mother foreign-----	156	-	10	40	42	29	25	10	-	-	2
White, mother's nativity not stated-----	9	-	2	3	3	-	-	-	-	-	1
Negro-----	25	-	5	5	11	1	1	1	1	-	-
Other-----	38	-	9	30	26	17	5	1	-	-	-
VERMONT-----	9,709	8	1,093	3,282	2,727	1,546	818	215	17	-	2
White, mother native-----	9,021	8	1,059	3,115	2,516	1,410	718	179	15	-	1
White, mother foreign-----	675	-	32	165	204	136	99	36	2	-	1
White, mother's nativity not stated-----	7	-	2	1	3	-	1	-	-	-	-
Negro-----	5	-	-	1	4	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Urban-----	3,709	2	367	1,287	1,081	587	312	77	5	-	1
White, mother native-----	3,462	2	357	1,196	1,021	535	276	70	4	-	1
White, mother foreign-----	240	-	10	70	65	52	35	7	1	-	-
White, mother's nativity not stated-----	3	-	-	-	2	-	1	-	-	-	-
Negro-----	4	-	-	1	3	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000-----	871	-	86	317	232	141	80	11	2	-	-
White, mother native-----	812	-	86	297	219	131	68	9	2	-	-
White, mother foreign-----	57	-	2	20	11	10	12	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	2	-	-	-	2	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	741	2	67	208	235	140	73	14	1	-	1
White, mother native-----	700	2	64	195	225	129	71	12	1	-	1
White, mother foreign-----	39	-	3	13	9	11	1	2	-	-	-
White, mother's nativity not stated-----	2	-	-	-	1	-	1	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	2,097	-	212	742	624	306	159	52	2	-	-
White, mother native-----	1,950	-	207	704	577	275	137	49	1	-	-
White, mother foreign-----	144	-	5	37	45	31	22	3	1	-	-
White, mother's nativity not stated-----	1	-	-	-	1	-	-	-	-	-	-
Negro-----	2	-	-	1	1	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Rural-----	5,999	6	726	2,015	1,636	959	506	138	12	-	1
White, mother native-----	5,559	6	702	1,919	1,495	875	442	109	11	-	-
White, mother foreign-----	435	-	22	95	139	84	64	29	1	-	1
White, mother's nativity not stated-----	4	-	2	1	1	-	-	-	-	-	-
Negro-----	1	-	-	-	1	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA-----	85,740	221	12,350	28,663	22,180	13,070	6,916	1,933	186	4	237
White, mother native-----	64,679	52	7,945	21,658	17,532	10,384	5,374	1,492	110	3	129
White, mother foreign-----	935	-	43	398	281	138	59	13	1	-	2
White, mother's nativity not stated-----	22	-	5	3	3	3	3	-	-	-	5
Negro-----	20,086	169	4,356	6,597	4,358	2,542	1,480	427	55	1	101
Other-----	18	-	1	7	6	3	-	1	-	-	-
Urban-----	33,323	71	4,062	11,363	9,393	5,438	2,410	463	25	-	78
White, mother native-----	25,251	14	2,433	6,535	7,543	4,411	1,897	370	15	-	33
White, mother foreign-----	552	-	16	211	184	83	38	7	1	-	2
White, mother's nativity not stated-----	16	-	3	2	1	2	3	-	-	-	5
Negro-----	7,491	57	1,609	2,610	1,660	931	472	105	9	-	38
Other-----	13	-	1	5	5	1	-	1	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
WEST VIRGINIA—Continued											
Places of 25,000 to 100,000-----	8,167	5	1,138	2,976	2,170	1,209	512	133	8	-	16
White, mother native-----	7,712	1	1,072	2,809	2,061	1,159	476	113	7	-	14
White, mother foreign-----	118	-	5	47	30	15	14	7	-	-	-
White, mother's nativity not stated-----	9	-	2	2	2	2	-	-	-	-	1
Negro-----	327	4	58	118	77	33	22	13	1	-	1
Other-----	1	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	3,749	-	471	1,418	987	540	248	67	4	1	13
White, mother native-----	3,486	-	421	1,324	824	514	227	62	3	1	10
White, mother foreign-----	38	-	-	17	14	3	2	2	-	-	-
White, mother's nativity not stated-----	2	-	1	-	-	-	-	1	-	-	-
Negro-----	225	-	49	77	49	23	19	2	1	-	3
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	5,408	5	816	2,012	1,366	765	335	92	6	-	9
White, mother native-----	5,108	4	780	1,901	1,301	732	314	84	6	-	6
White, mother foreign-----	54	-	6	24	13	6	1	3	-	-	1
White, mother's nativity not stated-----	5	-	1	1	1	1	-	-	-	-	1
Negro-----	239	1	49	86	51	26	20	5	-	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
Rural-----	37,763	44	6,319	12,787	8,601	5,356	3,263	1,139	117	5	132
White, mother native-----	35,599	31	5,923	12,040	8,139	5,075	3,086	1,078	111	5	111
White, mother foreign-----	287	-	19	137	69	20	11	10	-	-	1
White, mother's nativity not stated-----	69	-	6	19	10	11	11	2	-	-	10
Negro-----	1,828	13	371	591	381	250	155	49	6	-	10
Other-----	2	-	-	-	2	-	-	-	-	-	-
WISCONSIN-----											
White, mother native-----	81,350	17	5,734	26,468	24,728	15,082	7,175	1,869	128	2	167
White, mother foreign-----	1,746	-	49	514	525	285	278	104	9	-	2
White, mother's nativity not stated-----	10	1	-	2	3	2	-	1	-	-	1
Negro-----	523	2	110	211	107	65	24	2	-	-	2
Other-----	430	3	57	137	100	65	44	19	1	-	4
Urban-----	47,075	9	2,314	15,527	14,822	8,807	3,936	924	58	-	78
White, mother native-----	45,334	6	2,763	14,961	14,356	8,541	3,721	858	54	-	74
White, mother foreign-----	1,171	-	33	538	351	194	188	62	4	-	1
White, mother's nativity not stated-----	4	-	-	1	-	1	-	1	-	-	1
Negro-----	512	2	108	208	104	63	24	1	-	-	2
Other-----	54	1	10	19	11	8	3	2	-	-	-
Places of 100,000 or more-----	14,939	3	805	4,962	4,842	2,774	1,261	257	18	-	17
White, mother native-----	14,004	1	709	4,649	4,607	2,623	1,155	228	16	-	16
White, mother foreign-----	480	-	9	129	140	90	83	27	2	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	1	-	-	-
Negro-----	435	1	87	175	90	58	22	1	-	-	1
Other-----	19	1	9	9	8	3	1	-	-	-	-
Places of 25,000 to 100,000-----	17,651	4	1,144	5,815	5,554	3,276	1,456	347	22	-	33
White, mother native-----	17,138	3	1,098	5,652	5,418	3,212	1,379	325	20	-	31
White, mother foreign-----	414	-	17	124	119	56	75	20	2	-	1
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	75	1	21	32	13	5	2	-	-	-	1
Other-----	24	-	8	7	4	3	-	2	-	-	-
Places of 10,000 to 25,000-----	6,737	2	390	2,186	2,110	1,318	567	143	7	-	14
White, mother native-----	6,603	2	365	2,147	2,063	1,295	553	137	7	-	14
White, mother foreign-----	125	-	3	39	44	22	12	6	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	1	-	-	-	-	-
Negro-----	1	-	-	-	1	-	-	-	-	-	-
Other-----	7	-	2	1	2	-	2	-	-	-	-
Places of 2,500 to 10,000-----	7,749	-	575	2,564	2,316	1,439	652	177	11	-	14
White, mother native-----	7,589	-	571	2,513	2,268	1,411	634	166	11	-	13
White, mother foreign-----	152	-	4	47	48	26	18	9	-	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	-	-	-	-	1
Negro-----	1	-	-	-	-	-	-	-	-	-	-
Other-----	4	-	-	2	-	2	-	-	-	-	-
Rural-----	36,984	14	5,036	11,805	10,641	6,652	3,585	1,071	80	2	98
White, mother native-----	36,016	11	2,971	11,507	10,572	6,521	3,454	1,011	74	2	93
White, mother foreign-----	575	-	16	176	174	71	90	42	5	-	1
White, mother's nativity not stated-----	6	1	-	1	3	1	-	-	-	-	-
Negro-----	11	-	2	3	3	2	-	1	-	-	-
Other-----	376	2	47	118	89	57	41	17	1	-	4
WYOMING-----											
White, mother native-----	6,990	3	907	2,459	1,909	1,090	469	139	12	1	3
White, mother foreign-----	159	-	5	58	45	27	18	6	-	-	-
White, mother's nativity not stated-----	7	-	1	3	1	-	-	-	-	-	2
Negro-----	26	-	5	7	8	2	3	1	-	-	-
Other-----	138	-	23	39	34	22	14	5	1	-	-
Urban-----	3,625	2	439	1,275	1,013	588	242	59	5	-	2
White, mother native-----	3,495	2	428	1,227	977	568	233	54	5	-	1
White, mother foreign-----	87	-	3	36	21	15	8	4	-	-	-
White, mother's nativity not stated-----	2	-	1	-	-	-	-	-	-	-	1
Negro-----	19	-	4	6	8	-	-	1	-	-	-
Other-----	22	-	3	6	7	5	1	-	-	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
WYOMING—Continued											
Places of 10,000 to 25,000-----	2,426	2	277	883	686	381	155	39	1	-	2
White, mother native-----	2,342	2	270	857	659	368	148	36	1	-	1
White, mother foreign-----	54	-	1	19	16	9	6	3	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	15	-	4	4	7	-	-	-	-	-	-
Other-----	14	-	2	3	4	4	1	-	-	-	-
Places of 2,500 to 10,000-----	1,199	-	162	392	327	207	87	20	4	-	-
White, mother native-----	1,153	-	158	370	318	200	85	18	4	-	-
White, mother foreign-----	33	-	2	17	5	6	2	1	-	-	-
White, mother's nativity not stated-----	1	-	1	-	-	-	-	-	-	-	-
Negro-----	4	-	-	2	1	-	-	1	-	-	-
Other-----	8	-	1	3	3	1	-	-	-	-	-
Rural-----	3,695	1	502	1,291	984	551	262	92	8	1	3
White, mother native-----	3,485	1	479	1,232	932	520	236	85	7	1	2
White, mother foreign-----	72	-	2	22	24	12	10	2	-	-	-
White, mother's nativity not stated-----	5	-	-	3	1	-	-	-	-	-	1
Negro-----	7	-	1	1	-	2	3	-	-	-	-
Other-----	116	-	20	33	27	17	13	5	1	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 5.—LIVE BIRTHS BY SEX, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, AND BY AGE OF MOTHER, UNITED STATES, 1947

(By place of residence)

AREA AND SEX OF CHILD (AGE OF MOTHER FOR U. S. ONLY)	Total births	WHITE									Negro	Other races	
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign			Father's nativity not stated
UNITED STATES	3,699,940	3,274,620	3,009,454	94,364	51,629	81,089	35,561	845	914	47	717	406,957	18,363
Male	1,899,876	1,684,618	1,549,621	48,354	26,427	41,555	18,366	429	466	24	376	205,928	9,530
Female	1,800,064	1,590,002	1,460,833	46,010	25,202	39,534	17,195	416	448	23	341	201,029	9,033
10 to 14 years	2,291	832	506	6	312	1	6	-	-	-	1	1,442	17
Female	2,163	720	410	6	294	2	2	3	-	-	3	1,417	26
15 to 19 years	218,385	172,125	159,724	1,760	9,243	1,802	443	51	58	1	43	45,001	1,237
Female	207,482	162,050	149,292	1,589	8,875	1,758	393	52	59	-	34	44,282	1,150
20 to 24 years	625,878	554,816	519,167	10,079	9,685	13,148	2,360	147	148	2	62	87,927	2,935
Female	590,786	522,315	488,437	9,536	9,195	12,512	2,325	121	126	1	62	85,658	2,813
25 to 29 years	534,150	487,768	452,936	15,638	4,101	13,122	5,730	90	98	6	47	43,849	2,533
Female	506,233	460,921	427,740	15,069	5,809	12,496	5,569	112	92	6	30	42,848	2,464
30 to 34 years	316,307	289,917	262,619	12,757	1,760	7,399	4,217	67	65	4	29	25,357	1,455
Female	300,030	273,303	249,117	12,254	1,759	7,029	3,991	48	76	5	24	25,252	1,475
35 to 39 years	156,380	139,938	121,076	7,920	935	4,735	5,150	50	43	9	20	15,628	794
Female	148,741	132,425	114,598	7,540	901	4,483	4,610	62	37	3	11	15,539	777
40 to 44 years	39,599	35,073	29,288	2,028	286	1,259	2,190	22	6	-	12	4,254	272
Female	37,871	33,416	28,172	1,841	275	1,170	1,921	14	12	4	9	4,194	261
45 to 49 years	2,775	2,513	1,892	114	27	68	209	2	1	-	-	421	41
Female	2,583	2,139	1,777	116	16	72	152	2	3	-	-	387	37
50 years and over	86	61	49	4	1	3	4	-	-	-	-	21	4
Female	112	83	73	3	-	2	5	-	-	-	-	24	5
Not stated	4,287	2,775	2,364	46	77	58	37	-	47	2	162	1,448	44
Female	4,083	2,630	2,217	58	82	40	27	2	43	3	160	1,428	25
Alabama	88,116	58,006	56,646	166	797	346	17	-	19	-	15	30,083	27
Male	45,035	29,788	29,112	83	398	170	7	-	10	-	8	15,231	16
Female	43,081	28,218	27,534	83	399	176	10	-	9	-	7	14,852	11
Arizona	19,153	16,928	14,530	960	225	736	451	11	9	-	4	567	1,639
Male	9,764	8,538	7,411	494	126	364	231	4	5	-	3	292	834
Female	9,389	8,390	7,119	466	99	374	220	7	4	-	1	295	804
Arkansas	48,983	38,053	36,824	89	684	206	27	3	187	2	51	10,902	28
Male	24,855	19,534	18,891	46	364	107	17	2	79	1	27	5,407	14
Female	24,028	18,519	17,933	43	320	99	10	1	89	1	24	5,495	14
California	245,899	229,598	201,310	11,994	2,092	9,115	4,984	64	18	4	7	11,660	4,641
Male	126,138	117,340	103,480	6,155	1,051	4,655	2,568	35	13	1	4	5,846	2,352
Female	119,761	111,648	97,830	5,839	1,041	4,460	2,418	29	5	3	3	5,814	2,289
Colorado	32,874	32,212	30,212	711	523	200	3	25	1	-	8	603	259
Male	16,905	16,535	15,661	341	272	269	94	2	10	1	5	225	145
Female	15,969	15,677	14,661	370	257	264	106	1	15	-	3	178	114
Connecticut	45,561	44,202	38,342	2,392	674	2,004	757	20	7	2	4	1,361	18
Male	23,551	22,851	19,842	1,223	348	1,014	392	6	5	1	2	710	10
Female	22,030	21,371	18,500	1,169	326	990	365	14	4	1	2	651	8
Delaware	7,717	6,604	6,198	115	155	107	26	1	1	-	1	1,092	21
Male	5,683	5,337	5,146	54	74	52	11	-	-	-	-	535	11
Female	5,834	5,267	5,052	61	79	55	17	1	1	-	1	557	10
District of Columbia	21,686	14,016	12,323	400	406	489	252	10	6	-	130	7,602	68
Male	11,044	7,199	6,531	215	201	249	124	5	4	-	70	3,817	28
Female	10,642	6,817	5,992	185	205	240	128	5	2	-	60	3,785	40
Florida	59,607	44,472	41,583	762	841	981	249	12	24	1	19	15,290	45
Male	30,779	23,011	21,508	378	435	526	130	8	13	1	12	7,747	21
Female	29,028	21,461	20,075	384	406	455	119	4	11	-	7	7,543	24
Georgia	94,944	62,894	61,488	151	765	344	42	-	10	1	96	32,032	18
Male	49,905	32,562	31,851	88	371	183	17	-	4	-	48	16,232	11
Female	46,139	30,332	29,634	63	394	161	25	-	6	1	48	15,800	7
Idaho	16,265	16,055	15,348	245	146	285	24	1	5	-	1	20	190
Male	8,441	8,334	7,973	123	84	142	9	-	5	-	-	10	97
Female	7,824	7,721	7,375	122	62	143	15	1	2	-	1	10	93
Illinois	196,007	180,417	165,596	5,727	2,971	4,293	1,747	44	6	-	33	15,155	435
Male	100,874	92,874	85,352	2,878	1,546	2,208	905	29	4	-	15	7,713	224
Female	95,133	87,480	80,244	2,849	1,425	2,085	842	15	2	-	18	7,442	211
Indiana	96,359	92,354	89,435	816	886	984	218	2	8	-	5	3,989	16
Male	49,241	47,218	45,769	400	445	491	107	-	4	-	2	2,012	11
Female	47,118	45,136	43,666	416	441	493	111	2	4	-	3	1,977	5
Iowa	63,858	63,382	60,562	686	1,207	810	99	4	12	-	2	428	48
Male	32,734	32,480	31,063	321	611	421	54	2	7	-	1	232	22
Female	31,124	30,902	29,499	365	596	389	45	2	5	-	1	196	26
Kansas	44,535	42,821	41,414	333	488	450	131	1	1	-	3	1,610	104
Male	23,028	22,152	21,433	168	255	229	64	-	1	-	2	815	59
Female	21,509	20,669	19,981	165	233	221	67	1	-	-	1	795	45
Kentucky	79,987	75,951	74,526	156	744	480	21	1	12	1	10	4,051	5
Male	41,456	39,379	38,642	82	390	248	13	1	7	-	6	2,073	4
Female	38,531	36,572	35,884	74	354	232	8	-	5	1	4	1,978	1
Louisiana	74,630	47,102	45,830	224	588	413	56	1	6	-	4	27,415	113
Male	38,236	24,287	23,655	116	277	198	34	1	3	-	1	13,987	68
Female	36,394	22,815	22,175	108	291	215	22	-	3	-	3	13,528	51
Maine	23,873	23,836	20,505	1,057	680	1,180	361	32	-	-	1	11	261
Male	12,240	12,222	10,800	525	346	651	182	18	-	-	-	7	11
Female	11,633	11,614	10,005	532	334	529	179	14	-	-	1	4	15
Maryland	56,687	46,177	43,685	764	505	959	207	7	30	-	40	10,479	31
Male	29,034	23,630	22,387	412	254	493	104	4	17	-	19	5,325	19
Female	27,653	22,487	21,278	352	251	466	103	3	13	-	21	5,154	12
Massachusetts	107,791	105,848	90,744	5,730	2,003	5,376	1,895	80	8	5	7	1,853	90
Male	55,588	54,581	46,694	2,935	1,077	2,812	1,009	45	5	1	3	966	41
Female	52,203	51,267	44,050	2,795	926	2,564	886	35	3	4	4	887	49
Michigan	181,085	150,523	134,288	6,736	2,152	5,399	1,885	39	7	1	16	10,347	215
Male	82,550	77,227	69,033	3,453	1,056	2,698	951	22	4	1	9	5,322	101
Female	78,535	73,296	65,255	3,283	1,096	2,701	934	17	3	-	7	5,125	114

GENERAL TABLES—LIVE BIRTHS

TABLE 5.—LIVE BIRTHS BY SEX, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, AND BY AGE OF MOTHER, UNITED STATES, 1947—Continued

(By place of residence)

AREA AND SEX OF CHILD	Total births	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
Minnesota	75,577	74,911	70,135	1,559	1,624	1,328	222	19	14	1	10	205	461
Male	38,902	38,574	36,103	791	847	697	114	10	5	—	7	100	228
Female	36,675	36,337	34,032	767	777	631	108	9	9	1	3	105	233
Mississippi	66,450	32,643	32,004	76	359	201	16	—	2	—	5	33,679	128
Male	34,056	16,954	16,612	36	173	99	10	—	2	—	2	17,053	69
Female	32,394	15,709	15,392	40	166	102	6	—	—	—	3	16,626	59
Missouri	90,060	85,140	79,964	716	1,357	918	166	4	10	—	5	6,890	30
Male	46,509	42,614	41,196	365	672	462	88	2	6	—	3	3,476	19
Female	43,751	40,526	38,768	351	685	456	78	2	4	—	2	3,414	11
Montana	15,066	14,388	13,203	486	133	483	79	3	—	—	1	17	661
Male	7,821	7,474	6,896	240	70	219	46	2	—	—	1	5	542
Female	7,265	6,914	6,307	246	63	264	33	1	—	—	—	12	339
Nebraska	32,132	31,513	30,086	410	497	417	96	—	13	—	4	445	174
Male	16,462	16,156	15,424	202	251	220	53	—	5	—	1	236	90
Female	15,670	15,377	14,662	208	246	197	43	—	8	—	3	209	84
Nevada	4,041	3,809	3,471	118	57	132	28	1	1	—	1	77	155
Male	2,054	1,941	1,767	60	26	72	15	1	—	—	—	38	75
Female	1,987	1,868	1,704	58	31	60	13	—	1	—	1	39	80
New Hampshire	13,267	13,256	11,577	544	347	619	159	6	1	—	3	9	2
Male	6,759	6,754	5,989	279	160	322	83	1	—	—	1	3	2
Female	6,508	6,502	5,589	265	167	297	76	5	1	—	2	6	—
New Jersey	106,242	98,153	86,775	4,789	931	4,048	1,556	19	23	5	6	7,999	90
Male	54,875	50,804	44,922	2,490	482	2,098	787	7	11	3	4	4,025	46
Female	51,367	47,349	41,853	2,299	449	1,951	769	12	12	2	2	3,974	44
New Mexico	20,322	18,815	17,206	486	656	317	149	8	5	—	8	213	1,294
Male	10,591	9,789	8,977	245	315	169	75	5	1	—	2	119	673
Female	9,741	9,026	8,229	241	321	148	74	3	4	—	6	94	621
New York	323,250	301,366	281,864	19,823	4,561	14,547	10,355	152	40	4	20	21,216	668
Male	166,198	155,067	129,595	10,209	2,325	7,434	5,404	73	17	1	9	10,826	320
Female	157,052	146,299	122,269	9,614	2,236	7,113	4,951	79	23	3	11	10,390	348
North Carolina	112,877	79,592	77,436	177	1,404	444	33	1	8	—	9	32,052	1,253
Male	57,546	40,617	39,773	76	704	241	14	—	4	—	5	16,090	639
Female	55,331	38,775	37,663	101	700	203	19	1	4	—	4	15,962	594
North Dakota	17,064	16,719	15,494	466	328	370	56	3	4	—	—	1	344
Male	8,791	8,627	7,982	244	170	193	34	2	2	—	—	—	164
Female	8,273	8,092	7,512	222	158	177	22	1	2	—	—	1	180
Ohio	197,511	185,100	174,185	3,695	3,070	3,256	845	21	15	—	15	12,106	105
Male	101,288	95,171	89,541	1,908	1,567	1,632	437	11	7	—	10	6,063	54
Female	96,023	89,929	84,644	1,789	1,503	1,564	408	10	8	—	5	6,043	51
Oklahoma	53,684	48,025	46,877	158	629	328	16	2	10	—	7	3,582	2,077
Male	27,446	24,640	24,087	69	317	144	10	2	7	—	4	1,758	1,051
Female	26,238	23,385	22,790	87	312	184	6	—	3	—	3	1,827	1,026
Oregon	36,294	35,740	33,405	911	296	981	135	5	6	—	1	278	276
Male	18,624	18,546	17,160	443	163	504	70	2	4	—	—	135	143
Female	17,670	17,194	16,245	468	133	477	65	3	2	—	1	143	133
Pennsylvania	248,513	233,437	218,182	5,711	3,076	4,887	1,519	19	23	1	19	15,010	66
Male	127,627	119,927	112,037	2,941	1,586	2,503	788	7	15	—	10	7,664	36
Female	120,886	113,510	106,085	2,770	1,490	2,384	731	12	8	1	9	7,346	30
Rhode Island	18,536	18,144	15,630	953	393	897	254	12	4	—	1	374	18
Male	9,515	9,316	7,985	516	230	454	124	4	3	—	—	190	9
Female	9,021	8,828	7,645	437	163	443	130	8	1	—	1	184	9
South Carolina	59,470	34,076	32,822	84	844	235	17	4	42	—	28	25,359	35
Male	30,473	17,436	16,868	45	421	114	7	1	25	—	15	12,955	22
Female	28,997	16,640	15,954	39	423	121	10	3	17	—	13	12,404	13
South Dakota	15,539	15,854	15,006	214	293	215	27	—	9	1	4	6	679
Male	8,541	8,215	7,800	118	168	112	13	—	2	—	2	4	322
Female	7,998	7,639	7,206	96	130	103	14	—	7	1	2	2	357
Tennessee	86,619	72,961	70,352	139	1,557	379	24	1	6	—	5	15,650	8
Male	44,626	37,720	36,645	69	783	201	16	—	4	—	2	6,905	3
Female	41,993	35,241	34,207	70	774	178	8	1	2	—	1	6,747	5
Texas	198,862	175,183	155,665	6,672	2,809	4,458	4,960	155	202	17	45	23,394	95
Male	101,869	89,981	79,856	3,528	1,484	2,290	2,608	72	103	13	27	11,841	47
Female	96,793	85,202	75,809	3,344	1,325	2,168	2,352	83	99	4	18	11,543	48
Utah	21,724	21,461	20,384	370	213	393	85	3	9	—	4	66	197
Male	11,243	11,098	10,529	199	111	208	43	2	4	—	2	37	108
Female	10,481	10,363	9,855	171	102	185	42	1	5	—	2	29	89
Vermont	9,708	9,703	8,273	482	266	449	222	4	5	—	2	5	—
Male	4,970	4,967	4,252	235	138	225	112	2	3	—	—	3	—
Female	4,738	4,736	4,021	247	128	224	110	2	2	—	2	2	—
Virginia	85,740	85,636	62,786	409	1,484	943	98	4	10	—	12	20,086	18
Male	43,958	33,799	32,338	206	773	428	39	3	6	—	6	10,150	9
Female	41,782	31,837	30,448	203	711	415	49	1	4	—	6	9,936	9
Washington	58,481	56,945	50,405	2,345	1,132	2,500	394	51	7	—	11	714	922
Male	29,619	28,976	25,632	1,225	567	1,272	186	27	3	—	4	360	485
Female	28,862	27,969	24,773	1,120	565	1,228	208	24	4	—	7	354	439
West Virginia	55,065	52,467	49,375	310	2,220	413	62	2	59	—	15	2,615	3
Male	28,329	27,006	25,409	155	1,151	215	32	1	28	—	17	1,323	—
Female	26,736	25,461	23,966	155	1,069	198	30	1	30	—	12	1,292	3
Wisconsin	84,089	83,106	78,173	1,699	1,478	1,441	296	9	5	—	5	523	430
Male	43,198	42,712	40,176	696	771	711	149	7	5	—	3	258	228
Female	40,861	40,394	37,997	903	707	730	149	2	—	—	2	265	202
Wyoming	7,320	7,156	6,773	151	66	127	31	1	3	—	4	28	138
Male	3,720	3,635	3,447	74	31	66	9	1	3	—	4	12	73
Female	3,600	3,521	3,326	77	35	61	22	—	—	—	—	14	65

VITAL STATISTICS OF THE UNITED STATES

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1947

(Birth order refers to number of children born alive to mother. Births occurring in Massachusetts are included in "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER																				Not stated
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20+	
TOTAL-----	3,699,940	1,467,638	945,230	483,153	244,332	137,303	84,164	55,264	37,142	25,941	17,673	11,503	7,194	4,278	2,415	1,352	661	369	174	63	109	173,942
10 to 14 years--	4,454	4,033	346	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
15 to 19 years--	425,845	334,797	68,535	12,244	2,001	329	123	5	-	-	-	-	-	-	-	-	-	-	-	-	-	7,811
20 to 24 years--	1,216,464	637,248	335,590	123,135	44,999	16,047	5,186	1,609	525	179	79	66	1	-	-	-	-	-	-	-	-	51,601
25 to 29 years--	1,040,393	323,645	318,386	168,490	83,958	46,756	25,124	12,555	5,466	2,241	854	335	125	59	22	12	13	-	-	-	-	52,342
30 to 34 years--	616,337	119,180	158,286	118,325	67,685	41,283	29,015	19,678	13,196	7,909	4,274	2,116	892	441	173	77	37	20	21	9	5	34,215
35 to 39 years--	305,101	40,418	54,531	51,030	36,595	25,428	19,411	15,549	12,667	10,611	7,939	5,273	3,113	1,760	916	444	209	109	47	27	37	18,989
40 to 44 years--	77,470	6,393	8,089	8,768	8,046	6,754	5,711	5,129	4,810	4,519	4,070	3,303	2,588	1,716	1,090	658	335	184	68	35	52	3,152
45 to 49 years--	5,338	253	255	341	379	395	351	320	346	293	306	254	332	279	203	152	80	55	17	10	12	375
50 and over--	198	24	24	18	14	9	19	11	8	14	7	7	3	2	2	2	2	1	-	-	-	20
Not stated-----	8,350	1,643	1,188	797	455	322	224	159	124	85	55	49	36	20	9	7	5	1	1	2	1	3,167
Male-----	1,899,876	755,966	484,975	247,438	124,988	70,399	42,988	28,226	16,969	13,048	8,969	5,633	3,656	2,163	1,231	709	356	170	83	44	52	89,614
10 to 14 years--	2,291	2,077	173	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
15 to 19 years--	219,363	171,833	35,090	6,197	1,033	166	56	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3,996
20 to 24 years--	625,678	328,562	172,075	63,126	22,977	8,296	2,623	839	263	85	41	31	1	-	-	-	-	-	-	-	-	26,759
25 to 29 years--	534,150	166,966	163,696	86,109	42,733	23,926	12,796	6,414	2,793	1,086	421	165	71	30	12	7	5	-	-	-	-	26,920
30 to 34 years--	316,307	61,528	81,115	60,600	34,705	21,140	14,440	10,178	6,758	4,028	2,172	1,104	508	212	87	34	16	9	12	3	3	17,655
35 to 39 years--	156,360	20,722	27,993	26,289	19,955	13,065	9,643	7,834	6,453	5,321	4,016	2,636	1,565	888	476	230	99	55	26	14	16	9,765
40 to 44 years--	39,599	3,309	4,067	4,509	4,155	3,436	2,913	2,611	2,440	2,286	2,087	1,687	1,311	885	547	350	180	63	35	21	25	2,643
45 to 49 years--	2,775	137	134	186	198	199	177	169	184	200	208	180	176	136	101	83	54	22	10	5	6	201
50 and over--	86	10	13	7	4	1	11	6	3	5	3	3	5	1	1	2	2	-	-	-	-	8
Not stated-----	4,267	823	589	404	228	171	129	73	74	37	21	27	19	11	7	3	1	1	1	1	1	1,637
Female-----	1,900,064	711,672	460,255	235,715	119,344	66,904	41,176	27,038	18,174	12,893	8,704	5,670	3,538	2,115	1,184	643	325	199	91	39	57	84,328
10 to 14 years--	2,163	1,966	173	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
15 to 19 years--	207,482	162,964	35,445	6,047	968	183	67	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3,825
20 to 24 years--	590,786	308,686	163,515	60,009	22,022	7,751	2,563	789	262	94	38	35	-	-	-	-	-	-	-	-	-	25,042
25 to 29 years--	506,233	156,679	154,680	82,361	41,225	22,630	12,328	6,141	2,673	1,155	435	170	54	29	10	5	6	-	-	-	-	25,422
30 to 34 years--	300,030	57,852	77,171	57,725	33,180	20,143	13,575	9,700	6,438	3,881	2,102	1,012	484	229	86	43	21	11	9	6	2	16,560
35 to 39 years--	148,741	19,898	26,538	24,741	17,640	12,362	9,568	7,835	6,214	5,280	3,922	2,637	1,548	872	440	214	111	53	21	13	21	9,284
40 to 44 years--	37,871	3,085	4,002	4,259	3,991	3,298	2,798	2,518	2,370	2,233	1,983	1,616	1,277	831	543	308	155	101	53	14	27	2,509
45 to 49 years--	2,563	118	121	145	161	197	174	201	162	183	186	174	156	143	102	69	26	33	7	5	6	174
50 and over--	112	18	11	11	10	8	8	5	5	9	4	4	2	2	1	-	-	-	-	-	-	12
Not stated-----	4,083	820	589	393	227	151	95	86	50	48	34	22	17	9	2	4	4	-	-	-	-	1,530
White-----	3,274,620	1,340,504	859,545	427,427	205,910	109,463	63,634	39,990	26,039	17,797	11,840	7,492	4,491	2,675	1,477	797	361	192	88	41	53	154,804
10 to 14 years--	1,552	1,474	56	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
15 to 19 years--	334,175	275,446	45,434	5,970	687	89	51	4	-	-	-	-	-	-	-	-	-	-	-	-	-	6,434
20 to 24 years--	1,077,131	594,057	297,881	97,469	30,296	8,955	2,348	578	163	54	32	30	1	-	-	-	-	-	-	-	-	45,287
25 to 29 years--	946,689	309,397	302,770	153,911	70,763	35,425	16,780	7,398	2,852	1,014	545	122	45	19	6	1	4	-	-	-	-	47,872
30 to 34 years--	562,220	113,934	152,245	112,309	61,923	35,309	22,311	14,476	8,877	4,854	2,413	1,093	466	205	61	22	15	1	6	5	4	31,485
35 to 39 years--	272,363	38,545	52,223	48,524	33,999	22,716	16,574	12,830	9,750	7,771	5,452	3,386	1,839	1,037	499	239	93	54	25	11	20	16,991
40 to 44 years--	68,489	6,116	7,751	8,351	7,571	6,235	5,136	4,490	4,060	3,740	3,245	2,548	1,689	1,194	760	339	196	97	51	19	24	4,569
45 to 49 years--	4,452	234	243	315	350	345	315	331	289	322	323	284	234	208	139	93	52	38	6	8	5	318
50 and over--	144	23	20	15	9	6	12	9	5	10	4	4	2	2	1	-	-	-	-	-	-	178
Not stated-----	5,405	1,278	917	580	306	183	127	66	63	32	26	23	14	11	2	4	-	-	-	-	-	1,772
Male-----	1,684,618	691,547	441,487	219,148	105,588	56,376	32,611	20,563	13,303	8,951	6,096	3,821	2,282	1,363	780	427	208	84	48	21	25	79,899
10 to 14 years--	832	797	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
15 to 19 years--	172,125	141,892	23,436	3,017	358	49	25	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3,547
20 to 24 years--	554,816	294,057	152,963	50,047	15,563	4,681	1,163	320	87	21	15	7	1	-	-	-	-	-	-	-	-	23,366
25 to 29 years--	497,768	159,728	155,632	78,762	36,104	18,267	8,566	3,804	1,454	497	179	58	23	7	3	-	-	-	-	-	-	24,622
30 to 34 years--	298,917	58,870	78,030	57,537	31,672	18,276	11,523	7,509	4,580	2,438	1,247	580	233	103	35	16	6	1	4	1	2	18,716
35 to 39 years--	139,938	19,777	26,843	25,026	17,634	11,649	8,449	6,448	4,850	3,920	2,811	1,703	921	534	268	127	50	22	15	6	6	8,779
40 to 44 years--	35,073	3,166	3,910	4,293	3,916	3,192	2,630	2,280	2,057	1,893	1,684	1,312	973	611	381	231	113	46	24	10	15	2,356
45 to 49 years--	2,313	129	125	179	192	176	153	147	152	169	171	146	130	101	70	53	36	14	5	4	2	169
50 and over--	61	9	10	6	3	1	8	4	2	3	1	1	1	1	1	-	-	-	-	-	-	9
Not stated-----	2,775	637	457	281	156	95	74	40	41	12	8	14	8	7	2	-	-	-	-	-	-	942
Female-----	1,590,002	648,857	418,058	206,279	100,322	53,097	31,023	19,427	12,736	8,846	5,744	3,671	2,199	1,312	717	370	153	108	40	20	28	74,905
10 to 14 years--	720	677	35	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
15 to 19 years--	162,050	133,554	21,998	2,953	329	40	26	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3,147
20 to 24 years--	522,315	287,515	144,918	47,422	14,733	4,274	1,165	258	76	33	17	23	-	-	-	-	-	-	-	-	-	21,981
25 to 29 years--	460,921	149,669	147,078	75,149	34,659	17,133	8,194	3,582	1,399	517	164	64	22	11	3	1	2	-	-	-	-	25,290

GENERAL TABLES—LIVE BIRTHS

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1947—Continued

(See headnote on p. 126)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER																				Not stated
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20+	
White—Continued																						
Native white—Con.																						
Female	1,532,045	626,709	403,576	201,401	96,996	51,194	29,929	18,674	12,170	8,415	5,456	3,461	2,067	1,198	650	338	131	99	34	16	27	69,704
10 to 14 years	710	667	35	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
15 to 19 years	159,754	131,759	21,628	2,920	323	39	26	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3,057
20 to 24 years	507,168	278,541	141,051	46,616	14,510	4,206	1,245	250	73	33	17	20	-	-	-	-	-	-	-	-	-	20,906
25 to 29 years	444,618	142,872	142,086	73,303	33,958	16,796	8,044	3,498	1,366	505	160	60	21	11	2	1	2	-	-	-	-	21,933
30 to 34 years	262,130	52,594	71,083	52,728	29,334	16,715	10,498	6,778	4,166	2,326	1,125	492	219	95	2	5	6	-	2	4	2	14,137
35 to 39 years	123,039	17,546	25,531	21,797	15,292	10,407	7,710	5,890	4,539	3,653	2,517	1,598	856	454	206	99	34	28	8	4	13	7,057
40 to 44 years	30,286	2,681	3,422	3,645	3,280	2,796	2,314	2,037	1,893	1,731	1,474	1,152	867	531	358	191	74	49	23	7	9	1,782
45 to 49 years	1,909	90	99	116	151	150	142	171	121	142	143	131	98	102	62	38	15	22	1	1	3	111
50 and over	76	13	9	7	6	5	3	4	3	7	3	2	1	2	1	-	-	-	-	-	-	10
Not stated	2,355	546	432	267	142	81	47	43	19	18	17	6	5	3	-	4	-	-	-	-	-	725
Foreign-born white																						
10 to 14 years	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,499	3,489	726	74	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	191
20 to 24 years	30,833	18,762	7,761	1,516	419	126	43	18	5	-	-	-	-	-	-	-	-	-	-	-	-	1,980
25 to 29 years	33,109	15,890	10,101	3,720	1,425	663	325	168	68	27	10	6	2	-	-	-	-	-	-	-	-	2,701
30 to 34 years	22,751	5,408	6,362	4,214	1,935	991	604	403	303	156	87	49	24	11	9	5	4	-	-	-	-	2,186
35 to 39 years	19,270	2,861	5,850	3,503	2,246	1,330	846	612	466	392	259	183	124	97	45	23	19	10	6	1	2	2,416
40 to 44 years	6,556	605	831	877	759	552	394	338	263	222	213	185	116	97	55	48	25	8	7	6	4	971
45 to 49 years	505	31	36	41	37	44	40	29	36	30	26	16	17	10	15	7	3	2	2	1	1	81
50 and over	14	2	1	2	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	3
Not stated	144	49	28	14	4	3	5	4	5	2	1	2	1	1	-	-	-	-	-	-	-	26
Male																						
10 to 14 years	60,350	23,142	15,129	7,176	3,553	1,655	1,185	615	591	410	316	239	153	105	60	51	29	12	9	4	6	5,511
15 to 19 years	2,296	1,774	371	46	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	104
20 to 24 years	15,675	9,659	3,951	736	204	63	23	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1,027
25 to 29 years	16,942	7,130	5,155	1,906	754	312	180	88	36	16	6	4	1	-	-	-	-	-	-	-	-	1,594
30 to 34 years	11,583	2,785	3,245	2,165	1,026	481	322	220	158	68	44	28	10	4	4	1	-	-	-	-	-	1,130
35 to 39 years	9,335	1,441	1,977	1,809	1,179	674	435	321	230	196	140	96	64	49	21	11	9	6	4	1	1	1,272
40 to 44 years	3,451	339	413	455	358	289	203	157	143	109	108	102	67	46	27	31	16	6	3	4	4	523
45 to 49 years	279	16	17	21	20	25	20	17	20	19	17	9	11	5	5	2	2	2	1	1	1	44
50 and over	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Not stated	75	21	19	8	2	1	2	1	4	1	1	-	-	-	-	-	-	-	-	-	-	14
Female																						
10 to 14 years	57,145	21,979	14,548	6,785	3,280	1,656	1,073	738	555	420	280	208	131	111	65	52	22	8	6	4	1	5,044
15 to 19 years	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	2,203	1,725	355	28	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
25 to 29 years	14,958	9,104	3,610	780	215	63	20	7	3	-	-	-	-	-	-	-	-	-	-	-	-	953
30 to 34 years	16,167	6,760	4,966	1,814	691	351	145	80	32	11	4	4	1	-	-	-	-	-	-	-	-	1,307
35 to 39 years	11,068	2,653	3,117	2,029	909	510	282	183	147	88	43	21	14	7	5	1	3	-	-	-	-	1,056
40 to 44 years	9,335	1,420	1,853	1,694	1,067	656	411	291	236	196	119	87	60	46	24	12	9	4	2	1	1	1,144
45 to 49 years	3,105	266	418	412	373	253	191	161	120	113	105	83	49	51	29	17	9	2	4	2	1	448
50 and over	225	15	19	20	17	19	20	12	16	11	9	7	6	5	7	2	1	2	1	1	-	37
Not stated	69	27	9	6	2	2	3	5	1	1	-	2	1	-	-	-	-	-	-	-	-	12
Nativity not stated																						
10 to 14 years	1,678	571	289	188	104	67	50	32	18	22	14	6	2	4	2	-	-	-	-	-	-	306
15 to 19 years	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	185	151	30	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
25 to 29 years	401	153	119	61	17	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	40
30 to 34 years	287	71	63	55	29	20	13	6	2	2	2	2	1	-	-	-	-	-	-	-	-	24
35 to 39 years	203	31	30	26	27	20	21	10	6	5	2	1	-	-	-	-	-	-	-	-	-	24
40 to 44 years	123	9	5	20	15	8	8	7	7	8	6	2	1	2	-1	-	-	-	-	-	-	24
45 to 49 years	43	4	2	1	2	6	2	3	1	6	4	2	1	1	1	1	1	-	-	-	-	6
50 and over	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Not stated	417	149	39	15	13	5	4	2	2	1	1	1	1	1	-	-	-	-	-	-	-	185
Male																						
10 to 14 years	866	301	154	95	58	30	29	17	7	11	6	4	1	1	-	-	-	-	-	-	-	151
15 to 19 years	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	102	81	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
25 to 29 years	212	83	62	35	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
30 to 34 years	151	34	37	23	19	9	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	14
35 to 39 years	98	14	15	11	13	12	13	4	2	1	2	1	-	-	-	-	-	-	-	-	-	10
40 to 44 years	72	7	4	13	9	4	4	6	2	6	1	2	-	-	-	-	-	-	-	-	-	13
45 to 49 years	18	1	1	-	-	2	1	1	1	3	2	1	1	1	-	-	-	-	-	-	-	3
50 and over	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	211	80	20	9	7	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	92
Female																						
10 to 14 years	812	270	134	93	46	37	21	15	11	11	9	2	1	3	2	-	-	-	-	-	-	157
15 to 19 years	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	93	70	15	5	-	-	-	-	-</													

VITAL STATISTICS OF THE UNITED STATES

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1947—Continued

(See headnote on p. 126)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER																			Not stated	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19		20+
Nonwhite—Continued																						
Male	215,258	64,419	43,488	28,290	19,400	14,023	10,377	7,665	5,665	4,097	2,973	2,012	1,364	800	471	282	148	86	35	23	27	9,715
10 to 14 years	1,459	1,280	152	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
15 to 19 years	46,238	29,941	11,654	3,180	675	117	31	1	-	-	-	-	-	-	-	-	-	-	-	-	-	639
20 to 24 years	70,662	22,020	19,112	13,079	7,414	3,615	1,440	519	176	64	26	24	-	-	-	-	-	-	-	-	-	3,375
25 to 29 years	46,332	7,238	6,004	7,347	6,629	5,659	4,230	2,610	1,539	589	242	107	48	23	9	7	3	-	-	-	-	2,298
30 to 34 years	27,390	2,658	3,085	3,063	3,035	2,864	2,917	2,669	2,198	1,592	925	524	275	109	52	18	10	8	8	2	1	1,379
35 to 39 years	16,422	945	1,150	1,263	1,321	1,416	1,394	1,486	1,503	1,401	1,205	933	644	354	208	103	48	33	11	8	10	966
40 to 44 years	4,526	142	177	216	239	254	283	321	383	393	423	375	338	274	166	119	67	37	11	11	10	287
45 to 49 years	462	8	9	17	16	22	24	22	32	31	37	34	48	35	31	30	18	8	5	1	4	32
50 and over	25	1	3	1	1	-	3	2	1	2	2	2	2	1	-	2	1	-	-	-	-	1
Not stated	1,492	186	142	123	72	76	55	35	35	25	13	13	11	4	5	3	1	-	-	-	-	695
Female	210,062	62,715	42,197	27,436	19,022	13,817	10,153	7,611	5,438	4,047	2,960	1,999	1,359	805	467	275	172	91	51	19	29	9,425
10 to 14 years	1,443	1,279	138	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
15 to 19 years	45,432	29,410	11,447	3,094	639	123	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	678
20 to 24 years	68,471	21,171	16,597	12,587	7,289	3,477	1,398	511	186	61	21	12	-	-	-	-	-	-	-	-	-	3,161
25 to 29 years	45,312	7,010	7,612	7,232	6,566	5,672	4,134	2,559	1,275	638	269	106	32	18	7	4	6	-	-	-	-	2,172
30 to 34 years	26,727	2,568	2,956	2,953	2,923	2,910	2,787	2,735	2,121	1,463	934	499	251	127	60	37	12	11	7	2	-	1,353
35 to 39 years	16,316	926	1,153	1,243	1,275	1,296	1,443	1,433	1,434	1,359	1,281	952	631	369	209	103	68	21	11	8	7	1,012
40 to 44 years	4,455	135	161	201	236	245	292	318	367	386	402	390	361	248	156	100	72	50	26	5	19	296
45 to 49 years	424	11	3	6	13	28	12	17	25	30	36	36	52	36	33	29	10	8	6	3	5	25
50 and over	29	4	1	2	4	3	4	-	2	2	1	1	1	-	-	-	-	-	-	-	-	2
Not stated	1,453	179	129	114	77	63	42	40	28	26	16	13	11	5	2	-	-	-	-	-	-	700
Negro	406,957	121,174	81,798	53,331	36,766	26,612	19,660	14,601	10,626	7,815	5,607	3,868	2,614	1,556	907	536	314	171	86	42	56	18,815
10 to 14 years	2,959	2,518	290	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
15 to 19 years	89,283	57,522	22,679	6,177	1,303	238	71	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1,292
20 to 24 years	133,565	40,665	36,067	24,806	14,298	6,926	2,805	1,021	360	125	46	36	-	-	-	-	-	-	-	-	-	6,410
25 to 29 years	86,697	15,092	14,423	13,699	12,553	10,818	8,093	5,036	2,541	1,209	506	207	78	40	16	11	9	-	-	-	-	4,396
30 to 34 years	51,169	4,946	5,576	5,618	5,565	5,434	5,364	5,112	4,152	2,942	1,814	1,007	518	251	110	54	22	19	15	4	-	2,685
35 to 39 years	31,167	1,769	2,165	2,364	2,448	2,562	2,669	2,725	2,707	2,571	1,820	1,242	704	410	201	115	53	22	16	7	17	1,972
40 to 44 years	8,448	261	323	369	445	457	522	599	692	721	774	707	661	501	307	210	137	84	37	18	28	577
45 to 49 years	809	17	11	24	24	39	36	36	46	54	65	63	91	70	57	27	25	14	11	4	7	57
50 and over	45	5	3	3	4	3	6	2	3	2	2	2	2	1	-	2	1	-	-	-	-	1
Not stated	2,676	339	261	228	143	136	94	69	58	52	29	26	22	9	7	3	5	-	-	-	-	1,387
Male	205,928	61,347	41,484	27,083	18,578	13,430	9,931	7,331	5,418	3,926	2,768	1,936	1,322	775	454	271	145	63	35	23	27	9,561
10 to 14 years	1,442	1,263	152	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
15 to 19 years	45,001	28,988	11,435	3,132	669	117	30	1	-	-	-	-	-	-	-	-	-	-	-	-	-	629
20 to 24 years	67,927	20,727	18,262	12,647	7,217	3,530	1,480	515	174	64	26	24	-	-	-	-	-	-	-	-	-	3,311
25 to 29 years	43,849	6,659	7,396	6,895	6,304	5,403	4,084	2,551	1,297	579	258	102	46	22	9	7	3	-	-	-	-	2,554
30 to 34 years	25,937	2,802	2,841	2,862	2,841	2,716	2,746	2,526	2,114	1,535	907	516	272	106	50	17	10	8	8	2	1	1,357
35 to 39 years	15,628	896	1,085	1,207	1,236	1,345	1,304	1,388	1,428	1,331	1,144	902	628	345	203	100	48	33	11	8	10	977
40 to 44 years	4,254	134	167	204	223	227	257	303	349	364	402	349	321	263	158	114	66	35	11	11	10	286
45 to 49 years	421	8	9	16	15	18	24	19	24	28	36	29	42	34	27	28	18	7	5	1	4	32
50 and over	21	1	2	1	1	-	3	2	1	2	1	2	1	-	2	1	-	-	-	-	-	1
Not stated	1,448	169	136	118	72	74	53	29	32	24	15	13	11	4	5	3	1	-	-	-	-	689
Female	201,029	59,927	40,314	26,248	18,190	13,182	9,729	7,270	5,208	3,887	2,859	1,932	1,292	781	453	267	169	98	51	19	29	9,254
10 to 14 years	1,417	1,255	138	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
15 to 19 years	44,262	29,534	11,244	3,045	634	121	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	663
20 to 24 years	65,659	17,805	12,159	7,061	3,396	1,375	506	166	61	20	12	-	-	-	-	-	-	-	-	-	-	3,099
25 to 29 years	42,648	6,433	7,027	6,804	6,229	5,415	4,009	2,485	1,244	630	268	105	32	18	7	4	6	-	-	-	-	2,132
30 to 34 years	25,252	2,444	2,735	2,756	2,724	2,718	2,618	2,586	2,038	1,407	907	481	246	125	60	37	12	11	7	2	-	1,328
35 to 39 years	15,539	893	1,080	1,177	1,212	1,217	1,365	1,340	1,347	1,376	1,227	918	614	359	205	101	67	20	11	8	7	995
40 to 44 years	4,194	127	156	185	222	230	265	296	343	357	372	358	340	238	149	98	71	49	28	5	16	291
45 to 49 years	387	9	3	8	9	21	12	17	22	26	29	34	49	36	30	29	9	7	8	3	3	25
50 and over	24	4	1	2	3	3	3	-	2	2	-	1	-	-	-	-	-	-	-	-	-	1
Not stated	1,428	170	125	110	76	81	41	40	26	28	16	13	11	5	2	-	-	-	-	-	-	698
Other races	18,363	5,960	3,887	2,395	1,654	1,228	870	673	477	331	226	143	89	47	31	17	6	6	-	-	-	323
10 to 14 years	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years	2,367	1,829	422	97	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
20 to 24 years	5,748	2,506	1,642	860	405	166																

GENERAL TABLES—LIVE BIRTHS

129

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947

(By place of residence. Birth order refers to number of children born alive to mother. Births to white mothers whose nativity is not stated are not shown separately, but are included in "Total births," and in "White." "Negro" is shown separately only in those States where the total number of births so classified was 100 or more. "Other races" may be obtained in these States by subtracting "Negro" from "Nonwhite".)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ALABAMA												
Total births	88,116	28,009	20,272	11,677	7,329	4,942	3,532	2,624	1,948	1,456	2,738	3,583
10 to 14 years	291	231	58	-	-	-	-	-	-	-	-	2
15 to 19 years	16,396	11,002	3,992	1,002	197	35	10	5	-	-	-	163
20 to 24 years	29,347	10,771	8,247	4,269	2,156	879	354	123	35	17	16	1,480
25 to 29 years	20,253	3,908	5,002	3,538	2,532	1,863	1,182	697	343	179	120	889
30 to 34 years	12,547	1,427	2,076	1,899	1,520	1,272	1,119	976	727	474	552	515
35 to 39 years	7,400	509	736	764	712	680	668	651	640	544	1,186	330
40 to 44 years	2,124	80	75	127	163	171	164	159	167	211	727	100
45 to 49 years	194	4	3	8	7	9	7	12	14	14	106	10
50 years and over	12	3	-	-	1	1	2	1	-	2	2	-
Not stated	552	94	95	80	41	32	26	20	22	15	29	100
White	58,008	21,454	14,285	7,710	4,398	2,680	1,714	1,239	887	592	1,002	2,055
10 to 14 years	67	62	5	-	-	-	-	-	-	-	-	-
15 to 19 years	9,446	7,321	1,699	300	51	5	2	4	-	-	-	86
20 to 24 years	19,253	8,962	5,811	2,427	898	254	82	17	4	3	5	890
25 to 29 years	14,273	3,425	4,247	2,691	1,635	959	453	211	89	29	17	516
30 to 34 years	8,515	1,245	1,777	1,541	1,120	844	620	498	309	140	119	300
35 to 39 years	4,702	425	630	597	543	486	418	361	368	258	447	169
40 to 44 years	1,374	52	60	105	131	133	103	111	105	145	355	54
45 to 49 years	113	4	2	5	6	6	5	8	8	11	52	5
50 years and over	3	1	-	-	-	1	-	8	-	1	-	-
Not stated	262	57	54	45	24	15	10	8	4	5	7	35
Native white	57,609	21,257	14,160	7,696	4,375	2,673	1,709	1,239	886	592	1,000	2,033
10 to 14 years	67	62	5	-	-	-	-	-	-	-	-	-
15 to 19 years	9,409	7,294	1,690	300	51	3	2	4	-	-	-	85
20 to 24 years	19,054	8,750	5,745	2,421	896	253	81	17	4	3	5	879
25 to 29 years	14,167	3,377	4,211	2,695	1,630	958	452	212	89	29	17	509
30 to 34 years	8,487	1,239	1,770	1,538	1,116	840	619	498	309	140	119	299
35 to 39 years	4,683	422	626	590	541	466	416	360	368	258	447	169
40 to 44 years	1,370	52	59	105	131	132	123	111	105	145	353	54
45 to 49 years	112	4	2	6	6	6	5	8	7	11	52	5
50 years and over	3	1	-	-	-	-	1	-	-	1	-	-
Not stated	257	56	52	45	24	15	10	8	4	5	7	33
Foreign-born white	363	189	116	20	8	5	3	-	1	-	1	20
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	32	23	9	-	-	-	-	-	-	-	-	1
20 to 24 years	191	109	82	5	2	1	1	-	-	-	-	11
25 to 29 years	98	48	34	5	3	1	-	-	-	-	-	7
30 to 34 years	22	6	3	3	3	2	-	-	-	-	-	1
35 to 39 years	16	3	4	7	-	-	2	-	-	-	-	-
40 to 44 years	3	-	1	-	-	1	-	-	-	-	1	-
45 to 49 years	1	-	-	-	-	-	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	30,110	6,555	5,987	3,967	2,941	2,262	1,818	1,365	1,061	864	1,736	1,534
10 to 14 years	224	169	53	-	-	-	-	-	-	-	-	2
15 to 19 years	6,859	3,681	2,283	702	186	32	8	1	-	-	-	77
20 to 24 years	9,094	1,909	2,436	1,842	1,258	625	272	108	31	14	11	590
25 to 29 years	5,880	483	755	847	897	904	729	485	254	150	103	373
30 to 34 years	4,054	182	299	348	400	428	499	478	418	334	433	215
35 to 39 years	2,898	84	106	167	169	214	260	280	272	286	739	161
40 to 44 years	750	8	15	22	32	38	41	48	62	66	372	46
45 to 49 years	81	-	1	2	1	3	2	4	6	3	54	5
50 years and over	9	2	-	-	1	1	1	1	-	1	2	-
Not stated	280	37	39	37	17	17	16	12	18	10	22	65
Negro	30,083	6,547	5,984	3,966	2,939	2,259	1,814	1,364	1,059	864	1,735	1,532
10 to 14 years	224	169	53	-	-	-	-	-	-	-	-	2
15 to 19 years	6,944	3,677	2,283	701	166	32	8	1	-	-	-	76
20 to 24 years	9,087	1,905	2,433	1,842	1,258	625	272	108	31	14	11	590
25 to 29 years	5,976	483	755	847	896	903	728	485	254	150	103	372
30 to 34 years	4,028	182	299	348								

GENERAL TABLES—LIVE BIRTHS

131

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 128)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ARKANSAS—Continued												
Nonwhite	10,930	2,365	1,786	1,341	1,028	816	686	472	399	312	790	935
10 to 14 years.....	117	97	19	-	-	-	-	-	-	-	-	2
15 to 19 years.....	2,624	1,440	762	246	78	10	8	-	-	-	-	80
20 to 24 years.....	3,084	566	658	651	437	254	120	33	15	6	5	359
25 to 29 years.....	2,085	148	210	262	270	304	270	173	111	54	40	228
30 to 34 years.....	1,503	69	95	101	173	145	168	164	159	114	191	124
35 to 39 years.....	1,089	28	40	52	57	85	96	80	90	102	366	93
40 to 44 years.....	305	3	8	6	4	12	17	14	23	32	161	26
45 to 49 years.....	27	-	-	-	1	2	2	2	-	1	18	1
50 years and over.....	1	-	-	-	-	-	-	-	-	-	1	-
Not stated.....	117	17	15	23	9	4	5	6	4	3	8	24
Negro	10,902	2,351	1,782	1,336	1,027	814	686	472	399	312	790	935
10 to 14 years.....	116	86	18	-	-	-	-	-	-	-	-	2
15 to 19 years.....	2,619	1,436	761	246	78	10	8	-	-	-	-	80
20 to 24 years.....	3,075	560	658	649	437	254	120	33	15	6	5	359
25 to 29 years.....	2,058	143	209	259	269	304	270	173	111	54	40	228
30 to 34 years.....	1,498	68	94	101	173	145	168	164	159	114	191	123
35 to 39 years.....	1,089	28	39	52	57	85	96	80	90	102	366	93
40 to 44 years.....	305	3	8	6	4	12	17	14	20	32	161	26
45 to 49 years.....	27	-	-	-	1	2	2	2	-	1	18	1
50 years and over.....	1	-	-	-	-	-	-	-	-	-	1	-
Not stated.....	117	17	15	23	8	4	5	6	4	3	8	24
CALIFORNIA												
Total births	245,989	105,825	74,182	54,272	14,162	6,637	3,567	2,114	1,385	878	1,624	1,232
10 to 14 years.....	144	141	3	-	-	-	-	-	-	-	-	-
15 to 19 years.....	27,447	22,278	4,367	631	76	9	2	-	-	-	-	84
20 to 24 years.....	85,201	45,732	26,698	8,651	2,577	795	239	59	13	3	1	452
25 to 29 years.....	71,733	24,235	25,679	12,399	4,823	2,267	1,144	502	227	77	43	347
30 to 34 years.....	39,593	9,471	12,470	8,378	4,038	2,017	1,162	744	514	292	307	200
35 to 39 years.....	17,615	3,397	4,264	3,599	2,142	1,211	787	608	460	352	704	101
40 to 44 years.....	3,882	549	668	619	478	322	215	193	172	127	506	34
45 to 49 years.....	204	14	20	15	24	14	16	7	9	24	59	2
50 years and over.....	4	-	1	-	-	-	-	-	-	1	2	-
Not stated.....	66	20	12	10	4	1	2	1	-	2	2	12
White	229,566	99,914	69,939	51,842	12,738	5,748	3,062	1,776	1,165	755	1,441	1,188
10 to 14 years.....	92	81	1	-	-	-	-	-	-	-	-	-
15 to 19 years.....	24,902	20,483	3,773	509	52	3	-	-	-	-	-	82
20 to 24 years.....	79,256	43,273	24,666	7,684	2,134	612	180	49	11	2	1	434
25 to 29 years.....	67,335	23,113	24,488	11,583	4,323	1,915	948	394	181	62	35	335
30 to 34 years.....	37,425	9,126	12,005	7,999	3,734	1,787	1,020	615	430	246	269	194
35 to 39 years.....	16,680	3,264	4,126	3,464	2,020	1,122	709	536	399	316	626	98
40 to 44 years.....	3,640	535	651	590	451	300	190	176	157	107	432	34
45 to 49 years.....	182	14	19	14	22	8	16	7	19	55	2	-
50 years and over.....	2	-	-	-	-	-	-	-	-	1	2	-
Not stated.....	54	17	10	9	2	1	1	1	2	2	2	9
Native white	215,396	94,740	66,191	29,905	11,814	5,186	2,701	1,471	901	566	821	1,100
10 to 14 years.....	90	89	1	-	-	-	-	-	-	-	-	-
15 to 19 years.....	24,394	20,080	3,685	494	52	3	-	-	-	-	-	80
20 to 24 years.....	75,813	41,233	23,903	7,420	2,033	584	166	47	8	2	-	415
25 to 29 years.....	63,254	21,517	23,146	10,863	4,094	1,790	855	349	158	52	28	312
30 to 34 years.....	34,344	8,425	11,163	7,430	3,448	1,598	896	505	326	199	185	179
35 to 39 years.....	14,410	2,905	3,696	3,072	1,738	960	618	430	290	217	351	83
40 to 44 years.....	2,322	465	573	506	350	253	152	155	114	62	226	26
45 to 49 years.....	124	9	15	11	17	7	15	4	5	12	29	2
50 years and over.....	1	-	-	-	-	-	-	-	-	1	2	-
Not stated.....	44	15	9	9	2	1	1	1	-	1	2	3
Foreign-born white	14,163	5,167	3,743	1,934	922	562	358	305	204	199	618	81
10 to 14 years.....	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years.....	506	402	89	14	-	-	-	-	-	-	-	2
20 to 24 years.....	3,434	2,035	960	272	101	29	15	2	3	-	1	19
25 to 29 years.....	4,096	1,596	1,341	600	237	125	90	45	23	10	7	22
30 to 34 years.....	3,078	700	841									

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947-Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
COLORADO												
Total births-----	32,674	13,639	8,871	4,543	2,234	1,155	728	543	342	243	509	67
10 to 14 years-----	19	19	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	3,913	3,212	590	88	17	3	-	-	-	-	-	3
20 to 24 years-----	11,504	6,206	3,484	1,216	392	116	42	15	4	-	-	25
25 to 29 years-----	9,055	2,833	1,663	840	394	205	118	44	20	9	19	19
30 to 34 years-----	5,105	945	1,345	1,054	585	391	269	199	127	85	31	14
35 to 39 years-----	2,527	350	449	435	315	199	165	146	117	98	250	4
40 to 44 years-----	678	62	81	79	82	47	37	65	49	36	140	2
45 to 49 years-----	45	4	6	2	1	3	8	2	1	4	14	-
50 years and over-----	4	-	-	1	1	-	1	-	-	-	1	-
Not stated-----	24	8	7	5	1	2	1	-	-	-	-	-
White-----	32,212	13,389	8,709	4,444	2,175	1,129	709	527	334	235	497	86
10 to 14 years-----	16	16	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	3,825	3,142	576	85	16	3	-	-	-	-	-	3
20 to 24 years-----	11,270	6,106	3,406	1,175	380	116	40	15	4	-	4	24
25 to 29 years-----	8,863	2,772	1,627	814	382	201	117	43	20	9	19	19
30 to 34 years-----	5,019	934	1,331	1,037	589	383	261	192	125	82	91	14
35 to 39 years-----	2,490	345	444	433	309	193	162	139	114	95	242	4
40 to 44 years-----	666	62	80	79	82	47	35	62	47	34	136	2
45 to 49 years-----	45	4	6	2	1	3	8	2	1	4	14	-
50 years and over-----	4	-	-	1	1	-	1	-	-	-	1	-
Not stated-----	24	8	7	5	1	2	1	-	-	-	-	-
Native white-----	31,452	13,090	8,541	4,386	2,124	1,099	694	499	313	213	438	66
10 to 14 years-----	16	16	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	3,793	3,116	568	85	16	3	-	-	-	-	-	3
20 to 24 years-----	11,047	5,960	3,344	1,170	375	115	37	14	4	-	4	24
25 to 29 years-----	8,680	2,688	1,607	801	373	199	112	43	20	8	19	19
30 to 34 years-----	4,888	909	1,302	1,016	563	377	253	186	119	72	90	14
35 to 39 years-----	2,353	333	434	424	290	185	154	128	104	86	211	4
40 to 44 years-----	621	61	78	76	79	41	33	57	42	32	120	2
45 to 49 years-----	43	4	6	2	1	3	7	2	1	3	14	-
50 years and over-----	4	-	-	1	1	-	1	-	-	-	1	-
Not stated-----	7	1	2	2	1	1	-	-	-	-	-	-
Foreign-born white-----	726	286	155	55	49	29	24	27	21	22	58	-
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	30	22	8	-	-	-	-	-	-	-	-	-
20 to 24 years-----	215	144	56	5	5	1	3	1	-	-	-	-
25 to 29 years-----	180	84	50	17	13	8	2	5	-	-	-	-
30 to 34 years-----	129	24	29	21	9	6	8	6	6	10	10	-
35 to 39 years-----	125	11	10	9	19	8	8	10	10	9	31	-
40 to 44 years-----	45	1	2	3	3	6	2	5	2	2	16	-
45 to 49 years-----	2	-	-	-	-	-	1	-	-	1	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	662	250	162	99	61	26	19	16	8	8	12	1
10 to 14 years-----	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	88	70	14	3	1	-	-	-	-	-	-	-
20 to 24 years-----	234	100	78	41	12	-	2	-	-	-	-	1
25 to 29 years-----	192	61	51	36	26	12	4	1	1	-	-	-
30 to 34 years-----	86	11	14	17	16	8	7	2	3	3	8	-
35 to 39 years-----	47	5	4	2	6	6	3	7	3	3	8	-
40 to 44 years-----	12	-	1	-	-	-	2	1	2	2	4	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Negro-----	403	147	100	60	37	13	16	13	5	5	7	-
10 to 14 years-----	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	74	59	12	2	1	-	-	-	-	-	-	-
20 to 24 years-----	155	51	59	34	9	-	2	-	-	-	-	-
25 to 29 years-----	82	20	20	16	16	5	3	1	1	-	-	-
30 to 34 years-----	50	9	7	7	4	6	7	1	2	-	-	-
35 to 39 years-----	28	5	2	1	4	3	4	1	1	1	3	-
40 to 44 years-----	11	-	-	-	-	2	1	2	2	2	4	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT												
Total births-----	45,581	20,394	13,526	6,337	2,486	1,054	513	272	154	99	156	590
10 to 14 years-----	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	2,110	1,841	217	21	6	-	1	-	-	-	-	24
20 to 24 years-----	13,111	8,638	3,235	908	169	49	14	4	1	-	-	174
25 to 29 years-----	15,853	6,504	5,506	2,193	715	263	94	46	10	5	6	211
30 to 34 years-----	9,670	2,476	3,253	2,167	994	383	175	88	56	28	35	117
35 to 39 years-----	4,158	771	1,138	974	557	250	160	88	56	36	60	50
40 to 44 years-----	920	136	162	168	115	106	67	48	29	27	49	13
45 to 49 years-----	33	1	4	6	6	2	2	2	2	3	4	1
50 years and over-----	2	-	2	-	-	-	-	-	-	-	-	-
Not stated-----	31	14	9	-	4	2	-	-	-	-	2	-
White-----	44,202	19,825	13,212	6,129	2,381	992	477	245	135	84	138	584
10 to 14 years-----	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,865	1,650	174	12	4	-	1	-	-	-	-	24
20 to 24 years-----	12,572	8,405	3,082	718	146	36	12	3	-	-	-	170
25 to 29 years-----	15,222	6,411	5,431	2,120	692	240	81	36	6	1	5	209
30 to 34 years-----	9,514	2,448	3,220	2,140	878	369	163	78	48	22	31	117
35 to 39 years-----	4,067	760	1,130	967	547	240	155	81	50	34	53	50
40 to 44 years-----	894	132	160	166	114	104	63	45	29	25	43	13
45 to 49 years-----	32	1	4	6	6	2	2	2	2	2	4	1
50 years and over-----	2	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	28	12	9	-	4	1	-	-	-	-	2	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947-Continued

(See headnote on p. 128)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
DELAWARE-Continued												
Nonwhite-----	1,113	327	235	160	95	80	52	38	31	23	48	24
10 to 14 years-----	12	11	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	303	195	76	21	6	1	-	-	-	-	-	4
20 to 24 years-----	327	77	95	76	52	25	7	5	-	-	-	10
25 to 29 years-----	251	25	41	37	39	29	21	16	12	4	4	9
30 to 34 years-----	127	10	16	18	14	17	9	10	12	9	10	2
35 to 39 years-----	82	9	6	8	2	6	13	4	5	5	22	2
40 to 44 years-----	27	2	-	-	2	2	1	2	2	4	11	1
45 to 49 years-----	2	-	-	-	-	-	1	-	-	-	1	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	-	-	-	-	-	-	1	-	1	-	-
Negro-----	1,092	320	233	157	95	78	51	38	31	22	44	23
10 to 14 years-----	12	11	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	295	189	75	20	6	1	-	-	-	-	-	4
20 to 24 years-----	324	76	95	75	52	25	7	5	-	-	-	9
25 to 29 years-----	227	23	40	36	39	28	20	16	12	4	4	5
30 to 34 years-----	124	10	16	18	14	16	9	10	12	9	8	2
35 to 39 years-----	80	9	6	8	2	6	13	4	5	5	20	2
40 to 44 years-----	26	2	-	-	2	2	1	2	2	3	11	1
45 to 49 years-----	2	-	-	-	-	-	1	-	-	-	1	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	-	-	-	-	-	-	1	-	1	-	-
DISTRICT OF COLUMBIA												
Total births-----	21,686	10,908	5,657	2,437	1,112	579	291	189	113	83	104	213
10 to 14 years-----	49	48	-	-	-	-	-	-	-	-	-	1
15 to 19 years-----	2,380	1,917	381	61	11	1	-	-	-	-	-	9
20 to 24 years-----	7,365	4,341	1,891	642	258	99	28	8	4	1	2	91
25 to 29 years-----	6,258	2,833	1,681	774	341	216	81	51	24	9	7	41
30 to 34 years-----	3,596	1,208	1,032	614	286	150	99	77	47	29	21	33
35 to 39 years-----	1,518	380	387	277	186	82	66	45	25	30	44	16
40 to 44 years-----	315	62	59	53	43	26	14	7	13	11	25	2
45 to 49 years-----	16	2	1	5	-	1	1	1	-	1	4	-
50 years and over-----	1	-	-	1	-	-	-	-	-	-	-	-
Not stated-----	188	117	25	10	7	4	2	-	-	2	1	20
White-----	14,016	7,532	3,930	1,506	566	191	81	44	25	11	18	112
10 to 14 years-----	4	3	-	-	-	-	-	-	-	-	-	1
15 to 19 years-----	957	836	109	10	-	-	-	-	-	-	-	2
20 to 24 years-----	4,663	3,116	1,151	265	66	12	1	-	1	-	-	51
25 to 29 years-----	4,394	2,198	1,447	500	154	51	12	7	2	1	1	21
30 to 34 years-----	2,574	931	846	464	192	65	28	18	11	1	2	16
35 to 39 years-----	1,044	287	310	216	117	41	35	14	8	5	6	5
40 to 44 years-----	226	56	50	44	33	19	5	4	3	4	8	-
45 to 49 years-----	7	2	-	2	-	1	-	1	-	-	1	-
50 years and over-----	1	-	-	1	-	-	-	-	-	-	-	-
Not stated-----	146	103	17	4	4	2	-	-	-	-	-	16
Native white-----	13,129	7,013	3,723	1,427	526	180	80	40	23	10	18	89
10 to 14 years-----	4	3	-	-	-	-	-	-	-	-	-	1
15 to 19 years-----	930	815	104	9	-	-	-	-	-	-	-	2
20 to 24 years-----	4,429	2,947	1,097	259	65	12	1	-	1	-	-	47
25 to 29 years-----	4,172	2,066	1,385	482	148	49	12	7	2	1	1	19
30 to 34 years-----	2,393	854	797	435	178	63	28	16	10	1	2	15
35 to 39 years-----	957	260	288	202	103	36	34	12	7	5	6	4
40 to 44 years-----	201	54	42	38	29	17	5	4	3	3	8	-
45 to 49 years-----	7	2	-	2	-	1	-	1	-	-	1	-
50 years and over-----	1	1	-	1	-	-	-	-	-	-	-	-
Not stated-----	29	12	10	1	3	2	-	-	-	-	-	1
Foreign-born white-----	-	421	195	73	39	10	1	4	2	1	-	5
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	25	19	5	1	-	-	-	-	-	-	-	-
20 to 24 years-----	225	166	50	6	1	-	-	-	-	-	-	2
25 to 29 years-----	217	131	61	16	6	2	-	-	-	-	-	1
30 to 34 years-----	172	75	49	28	14	2	-	2	1	-	-	1
35 to 39 years-----	87	27	22	14	14	5	1	2	1	-	-	1
40 to 44 years-----	24	2	8	8	4	1	-	-	-	1	-	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	7,670	3,376	1,727	931	546	388	210	145	89	72	86	101
10 to 14 years-----	45	45	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,423	1,081	272	51	11	1	-	-	-	-	-	7
20 to 24 years-----	2,702	1,225	740	377	192	87	27	8	3	1	2	40
25 to 29 years-----	1,864	635	434	274	187	165	69	44	22	8	6	20
30 to 34 years-----	1,022	277	186	150	94	85	71	59	36	28	19	17
35 to 39 years-----	474	93	77	61	49	41	31	31	17	25	36	11
40 to 44 years-----	89	6	9	8	10	7	9	3	10	7	17	2
45 to 49 years-----	9	-	1	3	-	-	1	-	-	1	3	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	42	14	8	6	3	2	2	-	-	2	1	4
Negro-----	7,602	3,344	1,704	928	543	385	209	143	87	72	86	101
10 to 14 years-----	45	45	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,418	1,077	271	51	11	1	-	-	-	-	-	7
20 to 24 years-----	2,686	1,213	737	377	191	87	27	6	3	1	2	40
25 to 29 years-----	1,843	628	422	274	187	163	69	44	22	8	6	20
30 to 34 years-----	1,006	272	180	148	94	84	70	58	36	28	19	17
35 to 39 years-----	468	90	76	60	47	41	31	30	17	25	38	11
40 to 44 years-----	87	5	9	9	10	7	9	3	9	7	17	2
45 to 49 years-----	9	-	1	3	-	-	1	-	-	1	3	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	42	14	8	6	3	2	2	-	-	2	1	4

GENERAL TABLES—LIVE BIRTHS

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
FLORIDA												
Total births-----	59,607	22,927	15,920	8,217	4,363	2,641	1,664	1,141	794	595	970	575
10 to 14 years-----	177	153	18	3	-	-	-	-	-	-	-	3
15 to 19 years-----	9,442	6,879	1,971	434	80	16	7	-	-	-	-	55
20 to 24 years-----	19,702	9,074	6,037	2,593	1,104	453	173	51	19	4	11	195
25 to 29 years-----	15,122	4,238	4,609	2,585	1,468	959	535	323	163	69	45	150
30 to 34 years-----	9,188	1,736	2,305	1,718	1,027	750	551	399	265	182	202	95
35 to 39 years-----	4,737	664	821	759	554	393	310	265	264	242	412	55
40 to 44 years-----	1,121	105	117	120	90	72	99	51	70	65	262	10
45 to 49 years-----	74	3	4	3	9	2	7	3	4	5	34	-
50 years and over-----	12	3	2	1	-	3	2	-	-	1	-	-
Not stated-----	232	70	39	31	31	13	2	3	9	7	4	18
White-----	44,472	18,679	12,719	6,071	2,781	1,496	926	569	369	266	345	351
10 to 14 years-----	51	45	3	2	-	-	-	-	-	-	-	1
15 to 19 years-----	5,846	4,589	982	134	16	2	2	-	-	-	-	21
20 to 24 years-----	15,047	7,864	4,757	1,622	501	150	40	7	1	-	4	121
25 to 29 years-----	11,872	3,813	4,053	2,055	960	498	204	126	48	11	7	97
30 to 34 years-----	7,207	1,532	2,070	1,484	805	518	319	195	117	62	63	63
35 to 39 years-----	3,480	600	728	648	412	265	180	170	143	133	165	31
40 to 44 years-----	801	96	111	103	68	58	77	66	43	53	116	5
45 to 49 years-----	36	2	3	2	7	-	3	2	2	4	11	-
50 years and over-----	5	1	2	1	-	1	-	-	-	-	-	-
Not stated-----	127	37	30	20	12	4	1	3	5	3	-	12
Native white-----	43,186	18,049	12,548	5,920	2,716	1,473	812	561	363	262	341	341
10 to 14 years-----	51	45	3	2	-	-	-	-	-	-	-	1
15 to 19 years-----	5,784	4,538	972	134	16	2	2	-	-	-	-	20
20 to 24 years-----	14,584	7,569	4,608	1,595	497	149	39	7	1	-	4	115
25 to 29 years-----	11,520	3,647	3,935	2,004	949	496	201	126	48	11	6	97
30 to 34 years-----	7,005	1,466	2,001	1,450	784	510	317	193	116	62	42	62
35 to 39 years-----	3,328	561	693	615	388	258	175	168	146	130	163	31
40 to 44 years-----	753	85	102	98	63	53	74	62	46	52	115	5
45 to 49 years-----	35	2	2	2	7	-	3	2	2	4	11	-
50 years and over-----	5	1	2	1	-	1	-	-	-	-	-	-
Not stated-----	123	37	30	19	12	4	1	3	4	3	-	10
Foreign-born white-----	1,242	617	365	141	61	21	12	8	6	2	3	6
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years-----	56	46	9	-	-	-	-	-	-	-	-	5
20 to 24 years-----	440	289	125	20	1	-	-	-	-	-	-	-
25 to 29 years-----	347	164	117	49	11	2	3	-	-	-	-	1
30 to 34 years-----	201	66	69	34	20	7	2	2	1	1	-	-
35 to 39 years-----	149	39	35	32	24	4	4	2	2	2	-	-
40 to 44 years-----	47	13	9	5	5	3	3	4	2	1	-	-
45 to 49 years-----	1	-	1	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	-	1	-	-	-	-	-	1	-	-	-
Nonwhite-----	15,335	4,248	3,201	2,146	1,562	1,145	658	572	425	329	625	224
10 to 14 years-----	126	108	15	1	-	-	-	-	-	-	-	2
15 to 19 years-----	5,596	2,190	989	300	64	14	5	-	-	-	-	34
20 to 24 years-----	4,685	1,210	1,500	961	603	303	133	44	18	4	7	72
25 to 29 years-----	5,290	425	556	510	508	461	329	197	115	53	38	55
30 to 34 years-----	1,981	206	233	254	222	212	212	204	149	120	160	30
35 to 39 years-----	1,257	64	93	111	142	128	130	95	116	109	247	22
40 to 44 years-----	320	9	6	17	22	14	22	25	22	32	146	5
45 to 49 years-----	58	1	1	1	2	2	4	1	2	1	23	-
50 years and over-----	7	2	-	-	-	2	2	-	1	1	-	6
Not stated-----	105	33	8	11	19	9	1	6	4	4	-	6
Megro-----	15,290	4,238	3,193	2,140	1,576	1,142	654	570	424	328	624	221
10 to 14 years-----	126	108	15	1	-	-	-	-	-	-	-	2
15 to 19 years-----	5,589	2,185	988	299	64	14	5	-	-	-	-	34
20 to 24 years-----	4,647	1,206	1,298	960	602	303	133	44	18	4	7	72
25 to 29 years-----	3,236	424	553	507	506	459	328	197	115	58	38	51
30 to 34 years-----	1,977	206	232	254	220	211	212	204	148	120	160	30
35 to 39 years-----	1,249	64	92	111	141	128	129	93	115	109	246	21
40 to 44 years-----	316	9	6	16	22	14	20	25	22	31	146	5
45 to 49 years-----	38	1	1	1	2	2	4	1	2	1	23	-
50 years and over-----	7	2	-	-	-	2	2	-	-	1	-	-
Not stated-----	105	33	8	11	19	9	1	6	4	4	-	6
GEORGIA												
Total births-----	94,944	32,822	20,702	11,643	6,907	4,709	3,294	2,441	1,649	1,219	2,403	7,155
10 to 14 years-----	333	289	36	-	-	-	-	-	-	-	-	9
15 to 19 years-----	16,440	12,013	3,187	716	126	35	8	-	-	-	-	357
20 to 24 years-----	30,218	12,527	8,328	4,238	1,961	877	507	148	53	30	12	1,687
25 to 29 years-----	22,516	5,273	5,660	3,630	2,477	1,802	1,187	682	268	152	142	1,235
30 to 34 years-----	13,192	1,929	2,426	2,011	1,471	1,199	1,014	827	611	402	496	806
35 to 39 years-----	7,582	655	907	836	710	634	610	642	534	467	1,078	509
40 to 44 years-----	1,914	81	123	119	139	139	146	152	153	171	581	104
45 to 49 years-----	150	4	1	11	6	12	9	5	12	14	70	8
50 years and over-----	10	-	-	-	1	1	2	-	-	1	5	-
Not stated-----	2,589	52	34	32	16	12	11	15	12	4	19	2,362
White-----	62,894	24,735	15,352	7,818	4,110	2,497	1,562	1,062	701	496	761	3,800
10 to 14 years-----	60	57	2	-	-	-	-	-	-	-	-	1
15 to 19 years-----	9,236	7,507	1,372	197	18	4	1	-	-	-	-	139
20 to 24 years-----	20,654	10,199	6,049	2,393	925	237	80	25	4	5	3	854
25 to 29 years-----	16,137	4,616	4,863	2,756	1,537	909	437	183	59	17	19	761
30 to 34 years-----	9,159	1,684	2,150	1,670	1,066	757	564	380	221	132	75	460
35 to 39 years-----	4,971	570	790	704	540	471	380	374	295	226	345	276
40 to 44 years-----	1,259	75	106	103	115	105	110	89	109	107	288	54
45 to 49 years-----	82	3	1	7	3	8	7	4	10	9	26	4
50 years and over-----	1	-	-	-	-	1	-	-	-	-	-	-
Not stated-----	1,333	24	19	8	8	5	3	7	3	-	5	1,251

GENERAL TABLES—LIVE BIRTHS

137

**TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER—
EACH STATE, 1947—Continued**

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
IDAHO—Continued												
Nonwhite	210	71	37	40	18	10	7	6	11	4	4	2
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	35	25	4	4	-	-	-	-	-	-	-	-
20 to 24 years	64	33	13	10	5	2	-	-	-	-	-	1
25 to 29 years	55	9	12	18	9	1	2	1	1	1	-	1
30 to 34 years	31	3	5	5	2	4	3	2	5	2	-	-
35 to 39 years	16	1	2	2	1	2	1	1	2	1	3	-
40 to 44 years	8	-	-	-	1	1	1	2	3	-	-	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	1	-	-	-	-	-	-	-	-
ILLINOIS												
Total births	196,007	86,751	56,083	26,853	12,170	5,887	3,160	1,876	1,166	741	1,117	103
10 to 14 years	101	89	2	-	-	4	-	-	-	-	-	5
15 to 19 years	16,998	14,312	2,315	323	58	-	1	-	-	-	-	28
20 to 24 years	63,508	38,742	17,378	5,119	1,601	465	121	24	9	-	-	33
25 to 29 years	58,308	22,014	20,692	9,473	3,665	1,769	863	379	149	50	21	15
30 to 34 years	33,833	8,389	11,217	7,966	3,835	1,901	1,089	666	374	217	164	13
35 to 39 years	16,277	2,746	3,892	3,424	2,292	1,323	815	553	416	304	439	6
40 to 44 years	3,729	413	554	623	513	384	257	235	205	157	382	-
45 to 49 years	206	15	20	25	24	20	14	17	10	12	49	-
50 years and over	4	-	-	-	-	-	2	2	-	-	-	-
Not stated	43	21	15	-	2	1	-	1	-	-	-	3
White	180,417	80,824	52,367	24,728	10,645	5,014	2,639	1,499	918	593	900	100
10 to 14 years	35	34	1	-	-	-	-	-	-	-	-	5
15 to 19 years	13,744	12,007	1,644	173	14	-	1	-	-	-	-	28
20 to 24 years	57,750	36,411	15,702	4,126	1,137	280	54	8	2	1	1	32
25 to 29 years	55,809	21,215	19,872	8,835	3,393	1,438	634	254	92	31	13	15
30 to 34 years	33,986	8,074	10,919	7,662	3,591	1,879	955	520	288	160	122	12
35 to 39 years	15,356	2,648	3,767	3,309	2,190	1,234	739	479	339	250	389	5
40 to 44 years	3,493	400	529	598	494	364	242	211	183	139	328	-
45 to 49 years	201	15	20	25	24	19	14	15	10	12	47	-
50 years and over	4	-	-	-	-	-	-	2	2	-	-	-
Not stated	39	20	13	-	2	-	-	1	-	-	-	3
Native white	174,294	78,120	50,625	23,931	10,469	4,826	2,539	1,428	868	558	831	99
10 to 14 years	35	34	1	-	-	-	-	-	-	-	-	5
15 to 19 years	13,555	11,841	1,525	171	14	-	1	-	-	-	-	28
20 to 24 years	56,183	35,293	15,316	4,078	1,125	277	54	8	2	1	1	32
25 to 29 years	54,055	20,338	19,285	8,844	3,323	1,419	626	251	88	50	15	15
30 to 34 years	32,626	7,763	10,520	7,402	3,506	1,632	930	509	292	155	112	11
35 to 39 years	14,327	2,473	3,493	3,100	2,035	1,149	704	445	317	238	362	5
40 to 44 years	3,106	352	459	516	438	331	212	200	169	123	301	-
45 to 49 years	171	11	15	20	20	18	12	14	8	11	42	-
50 years and over	3	-	-	-	-	-	-	1	2	-	-	-
Not stated	33	15	13	-	2	-	-	-	-	-	-	3
Foreign-born white	6,084	2,681	1,737	793	375	186	100	60	48	35	69	-
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	182	160	21	1	-	-	-	-	-	-	-	-
20 to 24 years	1,559	1,112	384	48	12	3	-	-	-	-	-	-
25 to 29 years	1,743	871	585	190	63	18	8	2	4	1	-	-
30 to 34 years	1,157	311	398	259	85	47	25	11	6	5	10	-
35 to 39 years	1,026	175	274	208	155	84	35	34	22	12	27	-
40 to 44 years	386	48	69	82	56	35	30	11	14	16	27	-
45 to 49 years	30	4	5	5	4	1	2	1	2	1	5	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	15,590	5,927	3,716	2,225	1,325	873	521	387	248	148	217	3
10 to 14 years	66	65	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,254	2,305	771	150	24	4	-	-	-	-	-	-
20 to 24 years	5,753	2,331	1,674	993	464	205	67	16	7	-	1	-
25 to 29 years	3,499	799	820	638	472	331	229	125	57	19	6	1
30 to 34 years	1,847	315	298	304	244	222	154	146	85	57	42	-
35 to 39 years	921	98	125	115	102	89	76	74	77	54	110	1
40 to 44 years	236	13	25	25								

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
INDIANA—Continued												
White-----	92,354	58,871	25,034	12,453	6,225	3,587	1,976	1,203	785	519	963	938
10 to 14 years-----	28	27	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	10,965	9,137	1,516	153	19	2	2	-	-	-	-	36
20 to 24 years-----	32,931	18,121	9,890	3,172	1,003	314	80	13	4	-	1	343
25 to 29 years-----	25,919	7,694	8,521	4,696	2,314	1,160	571	256	79	33	17	258
30 to 34 years-----	13,904	2,608	3,898	2,923	1,746	1,040	677	447	274	135	151	168
35 to 39 years-----	6,673	863	1,189	1,233	925	632	472	343	280	236	414	86
40 to 44 years-----	1,832	158	181	203	196	191	157	134	104	339	37	86
45 to 49 years-----	122	5	5	5	3	16	9	6	14	11	41	6
50 years and over-----	2	-	1	1	-	-	-	-	-	-	-	-
Not stated-----	178	60	45	27	18	12	8	4	-	-	-	4
Native white-----	91,137	58,271	24,704	12,329	6,177	3,361	1,963	1,179	774	514	941	924
10 to 14 years-----	28	27	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	10,791	9,078	1,501	153	19	2	2	-	-	-	-	36
20 to 24 years-----	32,485	17,831	9,762	3,151	1,001	314	80	13	4	-	1	339
25 to 29 years-----	25,470	7,728	8,595	4,660	2,303	1,176	570	254	79	33	17	255
30 to 34 years-----	13,720	2,551	3,646	2,923	1,733	1,030	673	442	272	135	148	165
35 to 39 years-----	6,553	842	1,172	1,210	906	624	467	336	274	234	403	85
40 to 44 years-----	1,786	151	178	199	191	189	155	124	101	331	36	86
45 to 49 years-----	120	5	5	5	3	15	8	6	14	11	41	6
50 years and over-----	2	-	1	1	-	-	-	-	-	-	-	-
Not stated-----	172	58	44	26	18	11	8	4	-	-	-	3
Foreign-born white-----	1,204	597	329	123	48	26	13	22	11	5	21	9
10 to 14 years-----	74	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	74	59	15	-	-	-	-	-	-	-	-	-
20 to 24 years-----	433	209	118	21	2	-	-	-	-	-	-	3
25 to 29 years-----	348	166	126	35	11	4	1	2	-	-	-	3
30 to 34 years-----	179	55	49	38	11	10	4	4	2	-	3	2
35 to 39 years-----	119	21	17	23	19	8	5	7	6	2	10	1
40 to 44 years-----	44	5	3	4	5	2	2	9	3	3	8	-
45 to 49 years-----	2	-	-	-	-	1	1	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	5	2	1	1	-	1	-	-	-	-	-	-
Nonwhite-----	4,005	1,439	879	533	323	239	155	110	97	55	125	60
10 to 14 years-----	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	899	642	202	44	5	1	-	-	-	-	-	5
20 to 24 years-----	1,394	534	420	229	111	59	12	2	-	2	-	25
25 to 29 years-----	875	164	175	147	124	105	66	45	17	14	6	12
30 to 34 years-----	463	56	58	73	57	47	40	36	14	25	10	10
35 to 39 years-----	286	14	20	35	21	20	25	19	28	16	64	4
40 to 44 years-----	73	4	3	4	4	6	4	4	6	8	26	4
45 to 49 years-----	4	-	-	-	-	-	-	-	-	-	4	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	8	2	1	1	1	1	1	-	-	1	-	-
Negro-----	3,989	1,431	873	533	321	239	155	110	87	55	125	60
10 to 14 years-----	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	895	640	200	44	5	1	-	-	-	-	-	5
20 to 24 years-----	1,392	532	420	229	111	59	12	2	-	2	-	25
25 to 29 years-----	868	161	172	147	123	105	66	45	17	14	6	12
30 to 34 years-----	480	55	57	73	56	47	40	36	14	25	10	10
35 to 39 years-----	286	14	20	35	21	20	25	19	28	16	64	4
40 to 44 years-----	73	4	3	4	4	6	4	4	6	8	26	4
45 to 49 years-----	4	-	-	-	-	-	-	-	-	-	4	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	8	2	1	1	1	1	1	-	-	1	-	-
IOWA												
Total births-----	63,858	26,263	17,208	9,332	4,773	2,524	1,382	823	521	324	501	207
10 to 14 years-----	24	23	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	6,150	5,359	689	80	6	-	-	-	-	-	-	16
20 to 24 years-----	22,002	12,579	6,475	2,129	555	141	32	6	1	1	-	83
25 to 29 years-----	18,287	5,565	6,203	3,534	1,629	789	327	113	41	17	5	64
30 to 34 years-----	10,672	1,956	2,739	2,407	1,540	901	490	301	171	80	67	20
35 to 39 years-----	5,173	637	933	983	823	535	402	281	208	156	206	19
40 to 44 years-----	1,362	112	143	171	205	148	120	113	93	77	197	3
45 to 49 years-----	96	3	2	6	12	9	11	8	7	12	25	1
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	72	29	23	12	3	1	-	1	-	1	1	1
White-----	63,382	26,102	17,102	9,267	4,730	2,502	1,364	808	510	318	483	206
10 to 14 years-----	23	22	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	5,074	5,303	672	78	6	-	-	-	-	-	-	15
20 to 24 years-----	21,817	12,507	6,422	2,090	544	136	29	4	1	1	-	83
25 to 29 years-----	18,183	5,542	6,178	3,515	1,611	783	322	111	37	15	5	64
30 to 34 years-----	10,614	1,949	2,733	2,400	1,530	895	493	293	167	80	64	20
35 to 39 years-----	5,141	636	929	986	820	531	400	279	205	134	202	19
40 to 44 years-----	1,367	112	142	170	204	147	119	112	83	77	188	3
45 to 49 years-----	93	3	2	6	12	9	11	8	7	11	23	1
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	70	28	23	12	3	1	-	1	-	-	1	1
Native white-----	62,455	25,664	16,842	9,174	4,676	2,475	1,347	798	499	310	467	203
10 to 14 years-----	23	22	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	6,013	5,256	659	77	6	-	-	-	-	-	-	15
20 to 24 years-----	21,477	12,274	6,336	2,082	543	136	29	3	1	1	-	82
25 to 29 years-----	17,835	5,420	6,084	3,492	1,602	779	321	110	37	15	5	62
30 to 34 years-----	10,479	1,916	2,697	2,374	1,511	884	479	290	167	78	63	20
35 to 39 years-----	5,045	626	914	964	802	526	393	276	199	131	195	19
40 to 44 years-----	1,326	112	136	168	197	142	114	110	89	74	181	3
45 to 49 years-----	88	3	2	5	12	7	11	8	6	11	22	1
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	69	27	23	12	3	1	-	1	-	-	1	1

GENERAL TABLES—LIVE BIRTHS

139

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER—
EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
IOWA—Continued												
White—Continued												
Foreign-born white	913	434	255	79	54	27	17	10	10	8	16	3
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	59	46	11	1	-	-	-	-	-	-	-	-
20 to 24 years	359	231	95	6	1	-	-	1	-	-	-	1
25 to 29 years	247	114	94	22	9	4	1	1	-	-	-	2
30 to 34 years	132	32	34	26	19	11	4	3	-	2	1	-
35 to 39 years	94	10	15	21	18	5	7	3	5	3	7	-
40 to 44 years	41	-	6	2	7	5	5	2	4	3	7	-
45 to 49 years	5	-	-	1	-	2	-	-	1	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	476	181	106	75	43	22	18	15	11	6	18	1
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	76	56	17	2	-	-	-	-	-	-	-	1
20 to 24 years	185	72	53	39	11	5	3	2	-	-	-	-
25 to 29 years	104	23	25	19	18	6	5	2	4	2	-	-
30 to 34 years	59	7	6	7	10	6	7	8	4	-	3	-
35 to 39 years	32	1	4	7	3	4	2	2	3	2	4	-
40 to 44 years	15	-	1	1	1	1	1	1	-	-	9	-
45 to 49 years	3	-	-	-	-	-	-	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	-	-	-	-	-	1	-	-	-
Negro												
10 to 14 years	428	147	92	67	39	20	17	12	10	6	17	1
15 to 19 years	1	1	-	-	-	-	-	-	-	-	-	-
20 to 24 years	73	53	17	2	-	-	-	-	-	-	-	1
25 to 29 years	163	65	44	35	10	4	3	2	-	-	-	-
30 to 34 years	97	19	23	18	18	6	5	2	4	2	-	-
35 to 39 years	49	7	4	5	8	6	6	6	3	-	3	-
40 to 44 years	28	1	3	6	3	3	2	1	3	2	4	-
45 to 49 years	13	-	1	1	-	1	1	1	-	-	8	-
50 years and over	3	-	-	-	-	-	-	-	-	1	2	-
Not stated	2	1	-	-	-	-	-	-	-	1	-	-
KANSAS												
Total births	44,535	18,323	12,290	6,141	2,932	1,484	870	582	345	229	408	931
10 to 14 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5,081	4,214	711	100	9	1	-	-	-	-	-	46
20 to 24 years	15,371	8,310	4,641	1,486	426	115	33	6	3	-	1	350
25 to 29 years	12,513	3,853	4,285	2,275	1,022	477	209	103	28	17	4	260
30 to 34 years	7,037	1,352	1,895	1,534	899	476	305	183	118	66	52	147
35 to 39 years	3,332	430	637	612	449	304	239	186	117	96	184	88
40 to 44 years	929	76	92	85	109	98	72	77	89	44	165	32
45 to 49 years	70	3	2	7	8	6	7	7	7	4	18	1
50 years and over	3	-	1	-	-	-	-	-	-	1	-	1
Not stated	182	68	46	32	10	7	5	-	3	1	4	6
White												
42,621	17,710	11,937	5,916	2,784	1,378	811	533	319	203	363	887	
10 to 14 years	9	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,702	3,935	644	78	6	1	-	-	-	-	-	40
20 to 24 years	14,626	8,111	4,490	1,398	372	96	27	5	2	-	1	334
25 to 29 years	12,146	3,782	4,177	2,218	971	436	186	89	24	13	3	247
30 to 34 years	6,610	1,320	1,894	1,506	861	448	284	176	107	57	43	144
35 to 39 years	3,207	414	628	598	434	267	255	184	111	89	144	84
40 to 44 years	684	73	92	90	105	97	67	72	66	39	153	30
45 to 49 years	64	3	2	6	6	6	7	6	4	4	16	1
50 years and over	2	-	-	-	-	-	-	-	-	1	-	1
Not stated	171	65	40	32	9	7	5	-	3	1	3	6
Native white												
42,235	17,452	11,804	5,663	2,738	1,361	797	520	309	195	324	872	
10 to 14 years	9	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,673	3,908	641	78	6	1	-	-	-	-	-	39
20 to 24 years	14,603	7,975	4,427	1,373	367	96	27	5	2	-	1	330
25 to 29 years	12,008	3,711	4,138	2,202	967	433	184	89	24	13	3	244
30 to 34 years	6,728	1,303	1,845	1,496	853	442	277	174	103	55	37	143
35 to 39 years	3,144	409	625	591	427	279	233	178	109	84	128	81
40 to 44 years	847	71	86	86	103	97	65	68	63	38	142	28
45 to 49 years	55	3	2	6	6	6	6	6	5	3	11	1
50 years and over	2	-	-	-	-	-	-	-	-	1	-	1
Not stated	166	63	40	31	9	7	5	-	3	1	2	5
Foreign-born white												
582	256	133	53	26	16	14	13	10	8	39	14	
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	28	24	3	-	-	-	-	-	-	-	-	1
20 to 24 years	223	136	63	15	5	-	-	-	-	-	-	4
25 to 29 years	137	70	39	16	4	3	2	-	-	-	-	3
30 to 34 years	82	17	19	10	8	6	7	2	4	2	6	3
35 to 39 years	62	5	3	7	7	7	2	6	2	4	16	3
40 to 44 years	37	2	6	4	2	2	2	4	3	1	11	2
45 to 49 years	9	-	-	-	-	-	1	1	1	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	-	1	-	-	-	-	-	-	1	-
Nonwhite												
1,714	613	353	225	163	106	59	49	26	26	45	44	
10 to 14 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	379	281	67	22	3	-	-	-	-	-	-	6
20 to 24 years	545	199	151	99	54	19	8	1	1	-	-	16
25 to 29 years	367	71	88	57	51	41	23	14	4	4	1	13
30 to 34 years	227	32	31	29	38	28	21	17	11	9	9	5
35 to 39 years	123	16	9	14	15	17	4	12	6	8	20	4
40 to 44 years	6	3	-	5	4	1	5	3	3	5	12	2
45 to 49 years	6	-	-	1	2	-	-	-	1	-	2	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	11	3	6	-	1	-	-	-	-	-	1	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
KANSAS—Continued												
Nonwhite—Continued												
Negro	1,810	578	330	211	160	97	53	47	23	26	44	41
10 to 14 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	366	269	67	22	3	-	-	-	-	-	-	5
20 to 24 years	510	183	143	92	52	19	6	1	1	-	-	14
25 to 29 years	340	66	80	51	48	37	22	14	4	4	1	13
30 to 34 years	208	31	24	27	37	25	16	17	10	9	9	3
35 to 39 years	115	15	9	13	13	16	4	10	4	8	19	4
40 to 44 years	45	3	-	5	4	1	5	5	3	5	12	2
45 to 49 years	6	-	-	1	2	-	-	-	1	-	2	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	11	3	8	-	1	-	-	-	-	-	1	-
KENTUCKY												
Total births	79,987	34,535	15,871	9,159	5,901	4,213	3,021	2,244	1,567	1,178	2,179	39
10 to 14 years	184	119	5	-	-	-	-	-	-	-	-	-
15 to 19 years	13,171	11,222	1,628	258	41	9	10	-	-	-	-	3
20 to 24 years	26,431	14,599	6,335	3,042	1,269	451	119	39	16	6	6	19
25 to 29 years	18,974	5,670	4,532	3,218	2,350	1,603	929	429	152	47	39	6
30 to 34 years	11,629	2,037	1,922	1,760	1,424	1,324	1,111	895	566	309	278	6
35 to 39 years	7,019	754	705	740	735	652	665	664	624	533	944	4
40 to 44 years	2,325	125	127	130	147	154	180	204	197	261	805	-
45 to 49 years	209	6	3	7	10	18	9	11	11	22	112	-
50 years and over	12	2	1	1	-	-	-	2	1	-	3	-
Not stated	33	11	13	5	4	-	1	-	-	-	-	1
White												
Total births	75,931	32,854	15,098	8,672	5,672	3,955	2,874	2,111	1,489	1,120	2,049	37
10 to 14 years	93	91	2	-	-	-	-	-	-	-	-	-
15 to 19 years	12,197	10,474	1,449	220	34	8	10	-	-	-	-	2
20 to 24 years	25,184	14,015	6,505	2,826	1,159	409	106	31	13	5	6	19
25 to 29 years	18,129	5,459	4,391	3,082	2,231	1,485	669	393	139	40	34	6
30 to 34 years	11,134	1,957	1,864	1,688	1,374	1,263	1,067	849	529	282	255	6
35 to 39 years	6,727	722	674	722	712	625	639	630	605	520	877	4
40 to 44 years	2,229	117	117	124	138	146	174	157	195	255	770	-
45 to 49 years	196	6	3	7	10	17	9	9	11	20	104	-
50 years and over	11	2	1	-	-	-	-	2	1	-	3	-
Not stated	31	11	12	3	4	-	1	-	-	-	-	-
Native white												
Total births	75,426	32,532	14,967	8,645	5,665	3,949	2,871	2,109	1,488	1,118	2,046	36
10 to 14 years	93	91	2	-	-	-	-	-	-	-	-	-
15 to 19 years	12,140	10,426	1,440	220	34	8	10	-	-	-	-	2
20 to 24 years	24,939	13,839	6,523	2,820	1,168	409	106	31	13	5	6	19
25 to 29 years	18,006	5,368	4,355	3,073	2,227	1,494	668	393	139	40	33	6
30 to 34 years	11,084	1,935	1,848	1,682	1,373	1,261	1,067	848	520	282	255	5
35 to 39 years	6,714	720	672	717	712	624	637	629	605	519	877	4
40 to 44 years	2,217	115	114	123	138	144	173	197	193	252	768	-
45 to 49 years	196	6	3	7	10	17	9	9	11	20	104	-
50 years and over	11	2	1	-	-	-	-	2	1	-	3	-
Not stated	26	10	9	3	3	-	1	-	-	-	-	-
Foreign-born white												
Total births	482	313	128	25	4	5	2	2	1	1	2	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	53	45	8	-	-	-	-	-	-	-	-	-
20 to 24 years	242	173	62	6	1	-	-	-	-	-	-	-
25 to 29 years	116	70	35	8	2	-	-	-	-	-	1	-
30 to 34 years	50	22	16	8	1	2	1	1	1	-	-	1
35 to 39 years	11	2	2	4	-	1	1	1	-	-	-	-
40 to 44 years	10	1	3	1	-	2	1	-	-	1	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite												
Total births	4,056	1,681	773	487	308	258	147	133	78	58	130	2
10 to 14 years	31	28	3	-	-	-	-	-	-	-	-	-
15 to 19 years	974	748	179	39	7	1	-	-	-	-	-	1
20 to 24 years	1,307	574	350	216	100	42	13	8	3	1	-	-
25 to 29 years	845	211	141	136	119	116	59	36	13	7	5	-
30 to 34 years	495	90	59	72	50	61	44	46	37	27	20	-
35 to 39 years	292	32	31	18	24	27	25	34	21	13	67	-
40 to 44 years	96	8	10	6	9	8	6	7	4	8	30	-
45 to 49 years	13	-	-	-	-	-	-	-	-	-	8	-
50 years and over	1	-	-	1	-	-	-	2	-	2	8	-
Not stated	2	-	1	-	-	-	-	-	-	-	-	1
Negro												
Total births	4,051	1,679	771	486	309	258	147	133	78	58	130	2
10 to 14 years	31	28	3	-	-	-	-	-	-	-	-	-
15 to 19 years	973	748	178	38	7	1	-	-	-	-	-	1
20 to 24 years	1,305	572	350	216	100	42	13	8	3	1	-	-
25 to 29 years	844	211	141	135	119	118	59	36	13	7	5	-
30 to 34 years	494	80	57	72	50	61	44	46	37	27	20	-
35 to 39 years	292	32	31	18	24	27	25	34	21	13	67	-
40 to 44 years	96	8	10	6	9	8	6	7	4	8	30	-
45 to 49 years	13	-	-	-	-	-	-	-	-	-	8	-
50 years and over	1	-	-	1	-	-	-	-	-	-	8	-
Not stated	2	-	1	-	-	-	-	-	-	-	-	1
LOUISIANA												
Total births	74,630	26,626	17,700	10,458	6,257	4,151	2,826	1,983	1,429	954	1,817	429
10 to 14 years	155	148	7	-	-	-	-	-	-	-	-	-
15 to 19 years	12,279	9,312	2,356	487	31	19	5	-	-	-	-	9
20 to 24 years	24,922	11,047	7,299	3,587	1,634	715	222	84	29	10	8	227
25 to 29 years	18,513	4,017	4,999	3,430	2,236	1,615	1,045	574	244	119	84	90
30 to 34 years	10,704	1,403	2,081	1,936	1,422	1,050	839	684	552	317	349	51
35 to 39 years	6,082	555	807	773	642	598	555	499	439	384	601	29
40 to 44 years	1,559	86	109	152	151	120	137	127	154	115	503	5
45 to 49 years	127	5	4	6	8	10	9	10	5	7	63	-
50 years and over	4	-	2	2	-	-	-	-	-	-	-	-
Not stated	185	53	26	25	13	14	14	5	6	2	9	18

GENERAL TABLES—LIVE BIRTHS

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
LOUISIANA—Continued												
White-----	47,102	18,975	12,389	6,683	3,457	2,031	1,172	736	469	324	536	320
10 to 14 years-----	24	24	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	6,472	5,447	895	108	15	3	-	-	-	-	-	-
20 to 24 years-----	16,162	8,476	4,895	1,764	565	212	43	10	1	-	-	174
25 to 29 years-----	12,506	5,330	4,109	2,465	1,251	696	339	141	53	18	14	70
30 to 34 years-----	7,102	1,152	1,739	1,558	1,016	619	378	262	178	88	71	41
35 to 39 years-----	3,686	444	644	607	473	401	306	236	175	152	228	20
40 to 44 years-----	996	66	90	119	115	89	96	80	78	60	200	3
45 to 49 years-----	60	4	3	5	3	6	6	6	2	4	21	-
50 years and over-----	3	-	-	1	-	-	-	-	-	-	-	-
Not stated-----	91	32	12	16	9	5	4	1	1	1	2	8
Native white-----	46,622	18,724	12,245	6,608	3,455	2,027	1,169	733	469	324	535	315
10 to 14 years-----	22	22	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	6,454	5,431	893	108	15	3	-	-	-	-	-	-
20 to 24 years-----	15,940	8,337	4,850	1,751	584	212	43	10	2	1	-	170
25 to 29 years-----	12,564	5,265	4,055	2,471	1,247	695	337	140	53	18	14	69
30 to 34 years-----	7,044	1,133	1,727	1,538	1,011	618	377	262	178	88	71	41
35 to 39 years-----	3,653	436	634	600	471	399	306	234	175	152	227	19
40 to 44 years-----	995	65	89	118	115	89	96	80	78	60	200	3
45 to 49 years-----	60	4	3	5	3	6	6	6	2	4	21	-
50 years and over-----	3	-	-	1	-	-	-	-	-	-	-	-
Not stated-----	89	31	12	16	9	5	4	1	1	1	2	7
Foreign-born white-----	470	249	142	53	12	3	1	5	-	-	-	6
10 to 14 years-----	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	18	16	-	-	-	-	-	-	-	-	-	-
20 to 24 years-----	218	139	63	11	1	-	-	-	-	-	-	4
25 to 29 years-----	139	65	54	14	4	-	-	1	-	-	-	1
30 to 34 years-----	58	19	12	20	5	1	1	-	-	-	-	-
35 to 39 years-----	33	8	10	7	2	2	-	2	-	-	1	-
40 to 44 years-----	3	1	1	-	-	-	-	-	-	-	-	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	27,528	7,651	5,311	3,795	2,790	2,120	1,654	1,247	940	630	1,281	109
10 to 14 years-----	131	124	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	5,807	3,865	1,461	379	76	16	5	-	-	-	-	-
20 to 24 years-----	8,760	2,571	2,404	1,823	1,109	503	179	74	27	9	8	53
25 to 29 years-----	6,007	687	890	1,005	995	919	705	433	191	101	70	20
30 to 34 years-----	3,802	251	352	378	406	441	461	422	374	229	278	10
35 to 39 years-----	2,396	111	163	166	169	197	249	263	264	232	573	9
40 to 44 years-----	863	20	19	33	36	31	41	47	76	55	303	2
45 to 49 years-----	67	1	1	1	5	4	3	4	3	3	42	-
50 years and over-----	1	-	-	1	-	-	-	-	-	-	-	-
Not stated-----	94	21	14	9	4	9	10	4	5	1	7	10
Negro-----	27,415	7,620	5,296	3,779	2,787	2,106	1,649	1,242	935	626	1,277	109
10 to 14 years-----	131	124	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	5,797	3,862	1,456	378	75	16	5	-	-	-	-	-
20 to 24 years-----	8,725	2,562	2,397	1,817	1,101	499	178	74	27	9	8	53
25 to 29 years-----	5,974	681	888	1,000	976	914	705	429	190	101	70	20
30 to 34 years-----	3,584	251	351	375	403	436	461	421	372	227	277	10
35 to 39 years-----	2,381	108	162	166	168	197	246	263	264	232	570	9
40 to 44 years-----	861	20	19	32	35	31	41	47	76	55	303	2
45 to 49 years-----	67	1	1	1	5	4	3	4	3	3	42	-
50 years and over-----	1	-	-	1	-	-	-	-	-	-	-	-
Not stated-----	94	21	14	9	4	9	10	4	5	1	7	10
MAINE												
Total births-----	23,873	9,721	6,098	3,376	1,612	1,020	592	343	267	191	376	77
10 to 14 years-----	18	16	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	2,980	2,458	446	59	8	1	-	-	-	-	-	-
20 to 24 years-----	8,425	4,502	2,429	953	359	117	34	8	5	-	-	18
25 to 29 years-----	6,588	1,883	1,895	1,256	664	391	200	85	56	23	10	23
30 to 34 years-----	3,526	590	864	758	476	272	191	118	93	61	85	18
35 to 39 years-----	1,802	218	309	286	241	187	135	101	87	71	162	5
40 to 44 years-----	494	47	48									

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MAINE—Continued												
White—Continued												
Foreign-born white-----	1,593	590	372	209	141	91	57	42	28	16	42	5
10 to 14 years-----	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	104	86	18	-	-	-	-	-	-	-	-	-
20 to 24 years-----	429	247	134	51	12	3	-	-	-	-	-	1
25 to 29 years-----	466	167	125	79	41	28	17	5	2	-	1	1
30 to 34 years-----	299	48	64	64	48	20	19	14	7	5	6	3
35 to 39 years-----	213	32	25	25	29	30	16	17	12	6	20	-
40 to 44 years-----	74	6	5	9	10	10	4	6	7	5	12	-
45 to 49 years-----	5	-	1	-	1	-	-	-	-	-	3	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	4	3	-	-	-	-	1	-	-	-	-	-
Nonwhite-----	37	16	8	4	4	-	3	1	-	-	1	-
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	7	6	1	-	-	-	-	-	-	-	-	-
20 to 24 years-----	14	10	3	1	-	-	-	-	-	-	-	-
25 to 29 years-----	11	-	3	2	4	-	2	-	-	-	-	-
30 to 34 years-----	2	-	-	1	-	-	-	1	-	-	-	-
35 to 39 years-----	2	-	-	-	-	-	1	-	-	-	1	-
40 to 44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-	-	-	-
MARYLAND												
Total births-----	56,687	23,113	15,564	7,836	3,769	2,128	1,277	867	596	394	697	446
10 to 14 years-----	132	120	10	-	-	-	-	-	-	-	-	2
15 to 19 years-----	7,102	5,470	1,287	257	41	5	2	-	-	-	-	40
20 to 24 years-----	18,764	9,848	5,422	2,081	791	314	120	34	10	3	5	156
25 to 29 years-----	16,143	5,172	5,192	2,731	1,288	753	420	251	159	50	29	113
30 to 34 years-----	8,951	1,728	2,580	1,802	992	595	390	304	210	129	153	68
35 to 39 years-----	4,362	626	927	820	516	360	267	211	167	157	511	40
40 to 44 years-----	1,048	112	118	147	150	83	76	64	65	71	172	10
45 to 49 years-----	58	2	4	3	4	6	1	5	5	3	22	5
50 years and over-----	2	-	-	-	-	-	-	-	-	-	2	-
Not stated-----	105	35	24	15	7	7	1	-	-	1	3	12
White-----	46,177	19,827	13,271	6,337	2,786	1,440	796	515	320	225	342	318
10 to 14 years-----	29	26	2	-	-	-	-	-	-	-	-	-
15 to 19 years-----	4,594	3,646	635	80	9	2	-	-	-	-	-	22
20 to 24 years-----	15,315	8,042	4,400	1,383	399	130	40	7	4	-	2	108
25 to 29 years-----	13,688	4,806	4,806	2,329	977	476	223	103	57	14	12	86
30 to 34 years-----	7,717	1,598	2,430	1,645	826	456	271	195	111	70	65	52
35 to 39 years-----	3,684	560	865	755	452	300	198	152	104	86	159	33
40 to 44 years-----	824	99	110	132	113	67	63	55	40	53	85	7
45 to 49 years-----	45	2	3	2	4	5	1	3	4	2	16	3
50 years and over-----	1	-	-	-	-	-	-	-	-	-	1	-
Not stated-----	81	29	20	13	6	4	-	-	-	2	2	7
Native white-----	44,934	19,247	12,880	6,188	2,727	1,418	784	512	316	222	338	302
10 to 14 years-----	26	26	2	-	-	-	-	-	-	-	-	-
15 to 19 years-----	4,648	3,809	627	80	9	2	-	-	-	-	-	22
20 to 24 years-----	14,898	8,584	4,283	1,359	395	130	40	7	4	-	2	102
25 to 29 years-----	13,512	4,617	4,679	2,289	967	472	222	101	57	14	12	83
30 to 34 years-----	7,512	1,540	2,357	1,603	812	445	266	194	110	70	64	51
35 to 39 years-----	3,555	551	829	722	437	295	193	152	105	85	156	30
40 to 44 years-----	780	94	103	123	98	68	62	55	39	51	84	7
45 to 49 years-----	43	2	3	2	3	5	1	3	4	2	15	3
50 years and over-----	1	-	-	-	-	-	-	-	-	-	1	-
Not stated-----	68	24	17	11	6	4	-	-	-	2	4	4
Foreign-born white-----	1,173	558	379	135	52	18	11	1	3	2	4	10
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	42	35	7	-	-	-	-	-	-	-	-	-
20 to 24 years-----	409	248	133	22	1	-	-	-	-	-	-	5
25 to 29 years-----	354	184	123	34	8	3	1	-	-	-	-	1
30 to 34 years-----	185	55	72	38	13	9	4	1	1	1	1	1
35 to 39 years-----	126	28	36	32	14	5	5	-	1	1	1	3
40 to 44 years-----	41	5	7	9	15	1	1	1	1	1	1	-
45 to 49 years-----	2	-	-	-	1	-	-	-	-	-	1	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	4	3	1	-	-	-	-	-	-	-	-	-
Nonwhite-----	10,510	3,286	2,295	1,499	985	688	461	352	276	169	355	128
10 to 14 years-----	104	94	8	-	-	-	-	-	-	-	-	2
15 to 19 years-----	2,508	1,624	652	177	32	3	2	-	-	-	-	18
20 to 24 years-----	3,449	1,006	1,022	678	392	164	80	27	6	3	3	48
25 to 29 years-----	2,255	367	386	402	311	282	197	148	82	36	17	27
30 to 34 years-----	1,254	130	150	189	186	139	119	109	99	59	88	16
35 to 39 years-----	698	46	62	85	64	60	69	59	63	51	152	7
40 to 44 years-----	224	13	8	15	17	13	9	25	16	87	3	3
45 to 49 years-----	13	-	1	1	-	-	-	1	1	1	6	2
50 years and over-----	1	-	-	-	-	-	-	-	-	-	1	-
Not stated-----	24	6	4	2	1	3	1	-	-	1	1	5
Negro-----	10,479	3,278	2,285	1,491	979	686	461	351	276	169	355	128
10 to 14 years-----	104	94	8	-	-	-	-	-	-	-	-	2
15 to 19 years-----	2,506	1,624	651	176	32	3	2	-	-	-	-	18
20 to 24 years-----	3,441	1,002	1,019	677	392	184	80	27	6	3	3	48
25 to 29 years-----	2,243	363	383	398	310	282	197	148	82	36	17	27
30 to 34 years-----	1,227	130	149	157	164	138	119	108	99	59	88	16
35 to 39 years-----	697	46	62	85	64	59	69	59	63	51	152	7
40 to 44 years-----	223	13	8	15	16	13	9	25	18	87	3	3
45 to 49 years-----	13	-	1	1	-	-	-	1	1	1	6	2
50 years and over-----	1	-	-	-	-	-	-	-	-	-	1	-
Not stated-----	24	6	4	2	1	3	1	-	-	1	1	5

GENERAL TABLES—LIVE BIRTHS

143

**TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER:
EACH STATE, 1947—Continued**

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MASSACHUSETTS²												
Total births-----	107,791	799	442	154	73	27	7	9	8	1	2	106,269
10 to 14 years-----	12	-	-	-	-	-	-	-	-	-	-	12
15 to 19 years-----	5,328	89	6	-	-	-	-	-	-	-	-	5,233
20 to 24 years-----	31,481	367	120	28	4	2	-	-	-	-	-	30,960
25 to 29 years-----	35,115	235	197	57	25	5	3	1	1	-	1	34,592
30 to 34 years-----	22,217	77	90	47	24	8	1	1	4	-	-	21,865
35 to 39 years-----	10,842	27	28	18	18	10	1	6	2	1	1	10,732
40 to 44 years-----	2,537	4	2	2	4	2	2	1	1	-	-	2,519
45 to 49 years-----	129	-	-	-	-	-	-	-	-	-	-	129
50 years and over-----	6	-	-	-	-	-	-	-	-	-	-	6
Not stated-----	124	-	1	2	-	-	-	-	-	-	-	121
White-----	105,848	792	438	154	73	27	7	9	7	1	2	104,358
10 to 14 years-----	9	-	-	-	-	-	-	-	-	-	-	9
15 to 19 years-----	5,058	85	6	-	-	-	-	-	-	-	-	4,967
20 to 24 years-----	30,767	365	119	28	4	2	-	-	-	-	-	30,249
25 to 29 years-----	34,566	234	195	57	23	5	3	1	1	-	1	34,046
30 to 34 years-----	21,989	77	89	47	24	8	1	1	4	-	-	21,733
35 to 39 years-----	10,708	27	26	18	18	10	1	6	1	1	1	10,599
40 to 44 years-----	2,505	4	2	2	4	2	2	1	1	-	-	2,487
45 to 49 years-----	125	-	-	-	-	-	-	-	-	-	-	125
50 years and over-----	5	-	-	-	-	-	-	-	-	-	-	5
Not stated-----	116	-	1	2	-	-	-	-	-	-	-	113
Native white-----	98,477	763	414	138	70	25	6	8	7	1	2	97,043
10 to 14 years-----	9	-	-	-	-	-	-	-	-	-	-	9
15 to 19 years-----	4,891	83	6	-	-	-	-	-	-	-	-	4,802
20 to 24 years-----	28,290	355	114	28	4	2	-	-	-	-	-	28,789
25 to 29 years-----	32,535	223	183	52	22	5	3	1	1	-	1	32,044
30 to 34 years-----	20,494	75	84	41	24	8	1	1	4	-	-	20,236
35 to 39 years-----	9,156	25	25	15	16	8	-	6	1	1	1	9,058
40 to 44 years-----	1,902	2	1	2	4	2	2	-	1	-	-	1,888
45 to 49 years-----	89	-	-	-	-	-	-	-	-	-	-	89
50 years and over-----	4	-	-	-	-	-	-	-	-	-	-	4
Not stated-----	107	-	1	2	-	-	-	-	-	-	-	104
Foreign-born white-----	7,351	29	24	16	3	2	1	1	-	-	-	7,275
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	166	2	-	-	-	-	-	-	-	-	-	164
20 to 24 years-----	1,471	10	5	2	-	-	-	-	-	-	-	1,454
25 to 29 years-----	2,026	11	12	5	1	-	-	-	-	-	-	1,997
30 to 34 years-----	1,482	2	5	6	-	-	-	-	-	-	-	1,479
35 to 39 years-----	1,549	2	1	3	2	2	1	-	-	-	-	1,538
40 to 44 years-----	602	2	1	-	-	-	-	1	-	-	-	598
45 to 49 years-----	36	-	-	-	-	-	-	-	-	-	-	36
50 years and over-----	1	-	-	-	-	-	-	-	-	-	-	1
Not stated-----	8	-	-	-	-	-	-	-	-	-	-	8
Nonwhite-----	1,943	7	4	-	-	-	-	1	-	-	-	1,931
10 to 14 years-----	3	-	-	-	-	-	-	-	-	-	-	3
15 to 19 years-----	270	4	-	-	-	-	-	-	-	-	-	266
20 to 24 years-----	714	2	1	-	-	-	-	-	-	-	-	711
25 to 29 years-----	549	1	2	-	-	-	-	-	-	-	-	546
30 to 34 years-----	228	-	1	-	-	-	-	-	-	-	-	227
35 to 39 years-----	134	-	-	-	-	-	-	-	1	-	-	133
40 to 44 years-----	32	-	-	-	-	-	-	-	-	-	-	32
45 to 49 years-----	4	-	-	-	-	-	-	-	-	-	-	4
50 years and over-----	1	-	-	-	-	-	-	-	-	-	-	1
Not stated-----	8	-	-	-	-	-	-	-	-	-	-	8
Negro-----	1,853	7	4	-	-	-	-	1	-	-	-	1,841
10 to 14 years-----	3	-	-	-	-	-	-	-	-	-	-	3
15 to 19 years-----	266	4	-	-	-	-	-	-	-	-	-	262
20 to 24 years-----	675	2	1	-	-	-	-	-	-	-	-	672
25 to 29 years-----	520	1	2	-	-	-	-	-	-	-	-	517
30 to 34 years-----	217	-	1	-	-	-	-	-	-	-	-	216
35 to 39 years-----	129	-	-	-	-	-	-	-	1	-	-	128
40 to 44 years-----	31	-	-	-	-	-	-	-	-	-	-	31
45 to 49 years-----	4	-	-	-	-	-	-	-	-	-	-	4
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	8	-	-	-	-	-	-	-	-	-	-	8

GENERAL TABLES—LIVE BIRTHS

145

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER—EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MINNESOTA—Continued												
Nonwhite	666	216	146	77	61	42	37	24	23	18	20	2
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	97	75	20	1	1	-	-	-	-	-	-	-
20 to 24 years	237	93	74	41	16	7	3	1	-	-	-	2
25 to 29 years	173	28	32	25	30	22	23	8	3	1	1	-
30 to 34 years	88	9	14	8	11	8	6	10	5	10	2	-
35 to 39 years	48	4	6	1	3	3	5	2	8	5	9	-
40 to 44 years	16	2	-	-	-	-	-	2	2	2	8	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	1	-	-	-	1	-	-	-	-
Negro	205	88	48	28	11	9	7	3	7	2	2	-
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	36	29	7	-	-	-	-	-	-	-	-	-
20 to 24 years	78	36	24	12	3	2	1	-	-	-	-	-
25 to 29 years	53	13	11	12	7	5	5	1	1	-	-	-
30 to 34 years	20	4	4	3	1	3	-	1	4	-	-	-
35 to 39 years	11	1	2	1	-	1	1	-	2	2	1	-
40 to 44 years	4	2	-	-	-	-	-	1	-	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI												
Total births	66,450	20,614	13,563	8,349	5,571	4,008	3,073	2,324	1,784	1,255	2,762	3,147
10 to 14 years	390	309	67	-	-	-	-	-	-	-	-	14
15 to 19 years	13,316	8,857	3,043	909	216	36	7	-	-	-	-	248
20 to 24 years	20,920	7,510	5,514	3,318	1,755	947	393	150	52	16	14	1,251
25 to 29 years	14,615	2,594	3,066	2,285	1,891	1,465	1,157	809	631	442	151	756
30 to 34 years	9,171	903	1,294	1,180	1,044	923	839	808	631	442	624	485
35 to 39 years	5,919	324	460	533	525	515	515	513	566	495	1,216	267
40 to 44 years	1,699	48	64	91	112	103	136	110	149	129	681	76
45 to 49 years	136	2	4	3	7	2	4	7	7	7	84	9
50 years and over	6	-	1	-	-	-	-	1	-	-	-	3
Not stated	278	67	50	29	21	17	22	7	6	7	12	40
White	32,643	15,096	7,861	4,183	2,363	1,437	989	635	464	297	486	852
10 to 14 years	41	37	4	-	-	-	-	-	-	-	-	-
15 to 19 years	5,270	4,368	749	90	12	1	1	-	-	-	-	49
20 to 24 years	10,307	5,514	3,229	1,266	422	135	44	6	2	2	1	299
25 to 29 years	7,937	2,121	2,394	1,470	947	492	240	101	35	7	7	223
30 to 34 years	4,639	733	1,059	894	672	459	331	247	153	69	59	163
35 to 39 years	2,727	250	360	385	330	285	271	217	205	145	208	71
40 to 44 years	781	39	44	67	73	64	93	58	65	66	185	25
45 to 49 years	46	1	4	-	2	-	2	4	4	4	25	2
50 years and over	2	-	-	-	-	-	-	-	-	-	-	2
Not stated	91	33	18	11	5	3	7	2	2	2	1	9
Native White	32,419	12,971	7,798	4,189	2,380	1,435	987	633	464	294	485	823
10 to 14 years	41	37	4	-	-	-	-	-	-	-	-	-
15 to 19 years	5,250	4,353	745	90	12	1	1	-	-	-	-	46
20 to 24 years	10,797	5,443	3,201	1,260	420	133	44	6	2	2	1	285
25 to 29 years	7,884	2,093	2,372	1,469	946	492	240	101	35	7	7	222
30 to 34 years	4,615	725	1,050	889	672	459	331	246	153	67	59	162
35 to 39 years	2,719	248	360	385	330	284	270	217	205	144	207	71
40 to 44 years	778	39	44	67	73	63	92	57	65	68	185	25
45 to 49 years	46	1	4	-	2	-	2	4	4	4	25	2
50 years and over	2	-	-	-	-	-	-	-	-	-	-	2
Not stated	87	32	18	11	5	3	7	2	2	2	1	6
Foreign-born White	217	123	63	13	3	1	2	2	-	3	1	6
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	13	4	-	-	-	-	-	-	-	-	1
20 to 24 years	109	71	28	5	2	-	-	-	-	-	-	3
25 to 29 years	53	26	22	1	1	-	-	-	-	-	-	1
30 to 34 years	26	8	9	5	-	-	-	1	-	2	-	1
35 to 39 years	8	2	-	2	-	1	-	-	-	1	-	-
40 to 44 years	2	-	-	-	-	-	1	1	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	1	1	-	-								

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947-Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MISSOURI												
Total births-----	90,060	38,260	23,589	11,926	5,940	3,515	2,077	1,376	936	679	1,099	863
10 to 14 years-----	119	115	2	-	-	-	-	-	-	-	-	2
15 to 19 years-----	12,078	9,932	1,792	269	35	6	1	-	-	-	-	44
20 to 24 years-----	30,323	16,544	8,749	3,148	1,118	356	108	23	8	-	-	269
25 to 29 years-----	23,768	7,690	7,631	4,136	2,007	1,175	543	255	111	43	21	166
30 to 34 years-----	14,065	2,838	3,800	2,792	1,641	1,030	714	460	325	184	166	95
35 to 39 years-----	7,445	967	1,365	1,348	895	726	536	436	337	281	469	66
40 to 44 years-----	2,003	144	207	213	223	209	155	159	142	156	364	11
45 to 49 years-----	155	7	4	10	12	6	17	15	13	14	56	1
50 years and over-----	3	-	1	-	-	-	-	-	-	-	2	-
Not stated-----	101	33	18	11	9	7	3	9	-	1	1	9
White-----	83,140	35,670	22,077	10,974	5,328	3,083	1,778	1,175	774	560	871	630
10 to 14 years-----	56	53	1	-	-	-	-	-	-	-	-	2
15 to 19 years-----	10,418	8,796	1,380	180	18	3	1	-	-	-	-	40
20 to 24 years-----	29,063	15,753	8,089	2,715	897	260	74	12	3	-	-	260
25 to 29 years-----	22,355	7,422	7,371	3,882	1,783	1,010	426	183	80	31	9	158
30 to 34 years-----	13,172	2,738	3,681	2,677	1,541	927	619	406	255	141	98	89
35 to 39 years-----	6,958	932	1,332	1,293	857	670	495	399	297	249	373	61
40 to 44 years-----	1,872	138	200	206	212	201	145	151	127	144	338	10
45 to 49 years-----	144	7	4	10	11	5	15	15	12	14	50	1
50 years and over-----	3	-	1	-	-	-	-	-	-	-	2	-
Not stated-----	99	31	18	11	9	7	3	9	-	1	1	9
Native white-----	82,037	35,303	21,764	10,856	5,279	3,063	1,770	1,168	770	577	863	624
10 to 14 years-----	56	53	1	-	-	-	-	-	-	-	-	2
15 to 19 years-----	10,351	8,745	1,366	178	18	3	1	-	-	-	-	40
20 to 24 years-----	27,824	15,457	7,965	2,701	894	259	74	12	3	-	-	259
25 to 29 years-----	22,073	7,271	7,281	3,855	1,775	1,007	426	182	80	31	9	158
30 to 34 years-----	13,023	2,688	3,633	2,653	1,524	923	618	405	255	141	96	87
35 to 39 years-----	6,838	915	1,307	1,254	838	663	489	398	295	246	370	61
40 to 44 years-----	1,831	136	189	198	210	196	144	148	125	142	335	10
45 to 49 years-----	141	7	3	9	11	5	15	14	12	14	50	1
50 years and over-----	5	-	1	-	-	-	-	-	-	-	2	-
Not stated-----	97	31	18	10	9	7	3	9	-	1	1	8
Foreign-born white-----	1,088	560	312	116	46	19	8	7	4	3	8	5
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	65	49	14	2	-	-	-	-	-	-	-	-
20 to 24 years-----	435	293	123	14	3	1	-	-	-	-	-	1
25 to 29 years-----	278	149	90	27	7	2	-	1	-	-	-	2
30 to 34 years-----	146	50	46	23	15	4	1	1	-	-	2	4
35 to 39 years-----	120	17	25	39	19	7	6	1	2	1	3	-
40 to 44 years-----	41	2	11	10	2	5	1	3	2	2	3	-
45 to 49 years-----	3	-	1	1	-	-	-	1	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	6,920	2,390	1,512	952	612	432	299	201	162	99	228	33
10 to 14 years-----	63	62	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,660	1,136	412	88	17	3	-	-	-	-	-	4
20 to 24 years-----	2,260	791	660	433	221	96	34	11	5	-	-	9
25 to 29 years-----	1,413	258	260	254	224	185	117	72	31	12	12	8
30 to 34 years-----	893	100	119	115	100	103	95	74	70	43	68	6
35 to 39 years-----	487	35	53	55	38	56	41	36	40	32	96	5
40 to 44 years-----	151	6	7	7	11	8	10	8	15	12	46	1
45 to 49 years-----	11	-	-	-	1	1	2	-	1	-	6	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	-	-	-	-	-	-	-	-	-
Negro-----	6,890	2,379	1,504	947	611	431	297	200	161	99	228	33
10 to 14 years-----	63	62	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,654	1,132	410	88	17	3	-	-	-	-	-	4
20 to 24 years-----	2,248	785	655	432	221	96	34	11	5	-	-	9
25 to 29 years-----	1,405	257	260	251	223	164	115	72	31	12	12	8
30 to 34 years-----	899	100	118	114	100	103	95	73	69	43	68	6
35 to 39 years-----	487	35	53	55	38	56	41	36	40	32	96	5
40 to 44 years-----	151	6	7	7	11	8	10	8	15	12	46	1
45 to 49 years-----	11	-	-	-	1	1	2	-	1	-	6	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	-	-	-	-	-	-	-	-	-
MONTANA												
Total births-----	15,086	5,820	4,065	2,425	1,213	647	327	184	131	92	150	12
10 to 14 years-----	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,591	1,357	199	32	1	-	1	-	-	-	-	1
20 to 24 years-----	5,062	2,620	1,650	549	169	59	10	1	-	-	2	2
25 to 29 years-----	4,456	1,242	1,421	965	457	206	77	38	14	5	4	7
30 to 34 years-----	2,490	434	585	600	354	231	129	71	25	25	25	2
35 to 39 years-----	1,168	138	200	247	169	103	65	54	55	38	59	-
40 to 44 years-----	304	25	27	29	38	44	25	19	26	21	50	-
45 to 49 years-----	25	-	2	1	4	4	-	1	-	3	10	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	9	3	1	2	1	-	-	-	2	-	-	-
White-----	14,388	5,624	3,969	2,348	1,141	579	287	146	95	76	114	9
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,463	1,256	180	26	-	-	1	-	-	-	-	-
20 to 24 years-----	4,853	2,548	1,580	515	149	48	9	1	-	-	1	2
25 to 29 years-----	4,267	1,222	1,404	857	422	168	64	27	8	5	4	6
30 to 34 years-----	2,390	432	577	596	344	218	108	51	24	19	20	1
35 to 39 years-----	1,108	138	199	243	164	99	81	50	38	30	44	-
40 to 44 years-----	281	25	26	29	38	42	24	19	22	19	37	-
45 to 49 years-----	21	-	2	1	3	4	-	-	-	3	8	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	7	3	1	1	1	-	-	-	1	-	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW HAMPSHIRE—Continued												
White—Continued												
Native white	12,468	5,157	3,178	1,774	866	427	234	135	89	53	91	464
10 to 14 years	5	4	-	-	-	-	-	-	-	-	-	1
15 to 19 years	1,152	976	113	11	1	-	-	-	-	-	-	51
20 to 24 years	4,245	2,406	1,126	397	125	25	16	2	1	-	-	147
25 to 29 years	3,687	1,164	1,152	665	319	136	68	26	15	7	-	135
30 to 34 years	2,202	433	613	460	254	151	86	44	28	13	28	91
35 to 39 years	949	152	155	200	136	89	51	41	32	22	40	31
40 to 44 years	210	17	18	40	29	24	13	20	10	11	20	8
45 to 49 years	15	3	-	1	2	2	-	2	3	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	2	1	-	-	-	-	-	-	-	-	-
Foreign-born white	784	326	196	94	48	33	24	11	9	6	10	27
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	21	19	1	-	-	-	-	-	-	-	-	7
20 to 24 years	230	149	65	4	3	-	-	1	-	-	-	9
25 to 29 years	231	101	66	26	19	9	2	2	1	-	-	4
30 to 34 years	144	39	39	33	10	11	4	2	4	4	5	4
35 to 39 years	107	16	21	23	11	7	4	4	4	2	5	1
40 to 44 years	48	3	4	8	5	7	8	4	1	2	5	1
45 to 49 years	2	-	-	-	-	-	-	-	-	-	-	1
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	11	6	3	-	-	-	-	-	1	-	-	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3	2	1	-	-	-	-	-	-	-	-	-
20 to 24 years	4	3	1	-	-	-	-	-	-	-	-	-
25 to 29 years	2	1	1	-	-	-	-	-	-	-	-	-
30 to 34 years	1	-	-	-	-	-	-	-	-	-	-	1
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	1	-	-	-	-	-	-	1	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY												
Total births	106,242	47,734	50,647	13,618	5,449	2,415	1,289	700	439	261	446	3,264
10 to 14 years	64	61	2	-	-	-	-	-	-	-	-	1
15 to 19 years	6,190	5,186	789	124	15	3	1	-	-	-	-	73
20 to 24 years	31,396	20,233	7,391	1,938	605	161	62	11	9	2	3	961
25 to 29 years	35,377	14,572	12,286	4,626	1,546	688	290	140	74	24	20	1,111
30 to 34 years	21,792	5,671	7,359	4,501	1,859	769	413	229	138	79	91	694
35 to 39 years	9,386	1,745	2,464	3,048	1,153	590	377	241	151	98	173	336
40 to 44 years	1,871	236	334	548	251	190	112	74	60	52	141	73
45 to 49 years	112	13	11	16	15	13	9	4	7	6	17	1
50 years and over	4	1	1	-	-	-	2	-	-	-	-	-
Not stated	50	16	12	7	5	1	3	1	-	-	1	4
White	98,153	44,700	29,892	12,555	4,791	2,009	978	507	303	182	294	2,942
10 to 14 years	18	16	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,654	4,085	479	50	1	-	1	-	-	-	-	39
20 to 24 years	28,333	18,381	6,573	1,467	359	77	19	7	2	1	3	844
25 to 29 years	33,530	14,138	11,879	4,319	1,323	514	183	81	38	8	10	1,037
30 to 34 years	20,848	5,529	7,197	4,359	1,759	681	332	169	90	52	49	643
35 to 39 years	8,868	1,690	2,420	2,002	1,091	539	332	179	116	77	111	309
40 to 44 years	1,759	233	331	307	241	184	102	67	50	40	108	66
45 to 49 years	101	12	11	14	15	13	7	4	7	4	13	1
50 years and over	2	1	1	-	-	-	-	-	-	-	-	-
Not stated	44	15	12	7	3	1	2	-	-	-	1	3
Native white	92,495	42,224	27,286	11,827	4,479	1,848	895	456	276	161	267	2,774
10 to 14 years	16	16	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,509	3,956	465	48	1	-	1	-	-	-	-	38
20 to 24 years	26,978	18,016	6,266	1,456	353	77	16	7	2	1	3	801
25 to 29 years	31,775	13,269	11,285	4,138	1,280	503	178	81	38	8	10	985
30 to 34 years	19,731	5,216	6,821	4,107	1,665	644	318	162	88	51	48	611
35 to 39 years	7,918	1,516	2,153	1,803	966	476	293	152	104	65	105	282
40 to 44 years	1,455	210	274	280	190	140	84	51	42	33	89	54
45 to 49 years	76	11	11	11	12	7	4	3	4	3	10	-
50 years and over	2	1	1	-	-	-	-	-	-	-	-	-
Not stated	35	13	10	4	2	1	1	-	-	-	1	3
Foreign-born white	5,624	2,465	1,597	722	310	160	82	51	25	21	27	164
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	142	126	13	2	-	-	-	-	-	-	-	1
20 to 24 years	1,350	963	307	30	6	-	3	-	-	-	-	41
25 to 29 years	1,743	864	588	180	43	11	5	-	-	-	-	52
30 to 34 years	1,110	313	363	251	93	36	14	7	2	1	30	
35 to 39 years	946	174	267	198	122	63	39	27	12	12	5	27
40 to 44 years	304	23	57	57	43	44	18	16	8	7	19	12
45 to 49 years	25	1	-	3	3	6	3	1	3	1	3	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	2	1	-	-	-	-	-	-	-	-
Nonwhite	8,089	3,034	1,755	1,063	658	406	291	193	136	79	152	322
10 to 14 years	49	45	2	-	-	-	-	-	-	-	-	1
15 to 19 years	1,536	1,101	310	74	14	3	-	-	-	-	-	34
20 to 24 years	3,063	1,262	818	471	246	84	43	4	7	1	-	137
25 to 29 years	1,847	434	407	307	225	174	107	59	36	18	10	74
30 to 34 years	944	142	171	142	101	89	81	60	48	27	43	41
35 to 39 years	520	55	44	56	62	51	45	62	35	21	62	27
40 to 44 years	112	3	3	11	10	6	10	7	10	12	33	7
45 to 49 years	11	1	-	2	-	-	2	-	-	2	4	-
50 years and over	2	-	-	-	-	-	2	-	-	-	-	-
Not stated	6	1	-	2	-	-	1	-	-	-	-	1

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW JERSEY—Continued												
Nonwhite—Continued												
Negro	7,999	3,000	1,736	1,049	650	402	289	188	135	79	152	319
10 to 14 years	48	45	2	-	-	-	-	-	-	-	-	1
15 to 19 years	1,532	1,097	510	74	14	-	-	-	-	-	-	34
20 to 24 years	3,041	1,239	811	468	248	84	4	7	1	-	-	157
25 to 29 years	1,618	422	401	300	221	173	107	59	36	16	10	73
30 to 34 years	925	137	167	138	98	88	81	58	47	27	43	40
35 to 39 years	509	55	42	58	60	48	44	59	35	21	62	27
40 to 44 years	108	3	3	10	8	6	10	7	10	12	33	6
45 to 49 years	11	1	-	2	-	-	2	-	-	2	4	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	6	1	-	-	2	-	1	1	-	-	-	1
NEW MEXICO												
Total births	20,322	6,936	4,430	2,649	1,674	1,247	806	727	523	365	793	72
10 to 14 years	14	14	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,960	2,267	576	100	14	-	1	-	-	-	-	2
20 to 24 years	6,672	3,025	2,006	991	397	160	49	17	4	2	2	19
25 to 29 years	4,931	1,088	1,187	916	649	477	284	161	84	38	18	19
30 to 34 years	3,024	352	440	431	369	371	333	282	186	117	125	16
35 to 39 years	1,981	150	189	172	201	189	178	216	186	153	339	8
40 to 44 years	630	24	24	31	38	46	47	47	49	51	270	3
45 to 49 years	65	4	2	1	-	2	3	2	10	4	37	-
50 years and over	4	-	-	-	1	-	-	-	1	-	2	-
Not stated	41	12	6	7	5	2	1	2	3	-	-	3
White	18,815	6,535	4,184	2,448	1,518	1,122	786	634	465	332	716	65
10 to 14 years	9	9	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,730	2,083	532	94	12	-	1	-	-	-	-	2
20 to 24 years	6,248	2,872	1,889	900	357	143	45	17	4	2	2	17
25 to 29 years	4,595	1,048	1,123	853	584	425	267	146	77	36	17	19
30 to 34 years	2,781	339	430	405	333	338	284	247	168	107	116	14
35 to 39 years	1,618	145	180	165	191	174	159	183	167	139	307	7
40 to 44 years	560	22	24	26	36	40	37	37	42	45	245	3
45 to 49 years	47	3	2	1	-	1	3	2	5	3	27	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	26	7	4	2	5	1	-	2	2	-	-	3
Native white	18,328	6,408	4,088	2,402	1,491	1,094	769	607	445	310	661	54
10 to 14 years	9	9	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,700	2,070	522	93	12	-	1	-	-	-	-	2
20 to 24 years	6,120	2,807	1,845	890	356	138	43	17	4	2	2	16
25 to 29 years	4,484	1,021	1,099	833	569	418	259	141	74	36	17	19
30 to 34 years	2,696	330	424	394	325	330	275	237	162	100	108	11
35 to 39 years	1,726	141	168	163	189	168	152	171	160	130	280	4
40 to 44 years	526	22	24	26	35	38	36	37	38	41	227	2
45 to 49 years	43	2	2	1	-	1	3	2	5	1	26	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	23	6	4	2	5	1	-	2	2	-	-	1
Foreign-born white	474	121	95	46	26	28	27	27	20	22	55	7
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	28	18	9	1	-	-	-	-	-	-	-	-
20 to 24 years	126	63	44	10	1	5	2	-	-	-	-	1
25 to 29 years	107	26	24	20	14	7	8	5	3	-	-	-
30 to 34 years	85	9	8	11	8	8	9	10	6	7	8	3
35 to 39 years	91	4	12	2	2	6	7	12	7	9	27	3
40 to 44 years	33	-	-	2	1	2	1	-	4	4	19	-
45 to 49 years	4	1	-	-	-	-	-	-	-	2	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,507	401	246	201	156	125	110	93	58	33	77	7
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	250	178	44	6	2	-	-	-	-	-	-	-
20 to 24 years	424	153	117	91	40	17	4	-	-	-	-	2
25 to 29 years	336	40	64	63	65	52	27	15	7	2	1	-
30 to 34 years	243	13	10	26	36	33	49	35	18	10	9	4
35 to 39 years	163	4	9	7	10	15	19	33	19	14	32	1
40 to 44 years	70	2	-	3	2	6	10	10	7	6	24	-
45 to 49 years	18	1	-	-	-	1	-	-	5	1	10	-
50 years and over	3	-	-	-	1	-	-	-	1	-	1	-
Not stated	15	5	2	5	-	1	1	-	1	-	-	-
Negro	213	66	36	34	25	22	6	9	3	2	6	4
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	52	33	16	2	1	-	-	-	-	-	-	-
20 to 24 years	65	23	11	13	13	5	-	-	-	-	-	-
25 to 29 years	41	5	6	9	7	9	3	2	-	-	-	-
30 to 34 years	27	3	1	4	3	4	3	4	1	1	-	3
35 to 39 years	20	-	2	4	-	2	-	3	2	1	5	1
40 to 44 years	4	-	-	1	1	-	-	-	-	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	-	1	-	1	-	-	-	-	-	-
NEW YORK												
Total births	323,250	148,313	96,182	41,982	17,573	8,334	4,141	2,543	1,491	907	1,413	571
10 to 14 years	117	116	1	-	-	-	-	-	-	-	-	-
15 to 19 years	19,266	16,397	2,465	329	40	4	2	-	-	-	-	19
20 to 24 years	94,272	61,603	23,679	6,280	1,827	531	144	39	10	-	2	157
25 to 29 years	104,628	44,937	36,896	13,586	4,997	2,274	943	498	218	71	41	179
30 to 34 years	67,048	17,975	23,396	13,796	5,790	2,695	1,381	789	523	285	289	119
35 to 39 years	30,892	6,199	8,409	6,722	3,951	2,159	1,232	695	486	388	591	61
40 to 44 years	6,432	950	1,225	1,194	813	619	413	301	233	146	429	9
45 to 49 years	337	34	37	42	41	41	24	20	22	16	59	1
50 years and over	12	6	2	2	1	-	-	-	-	-	1	-
Not stated	256	97	72	31	13	11	2	1	1	1	1	26

GENERAL TABLES—LIVE BIRTHS

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER—EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW YORK—Continued												
White	301,866	189,056	90,478	39,116	15,988	7,560	3,604	2,022	1,252	770	1,200	520
10 to 14 years	32	—	—	—	—	—	—	—	—	—	—	—
15 to 19 years	15,580	15,705	1,659	176	20	2	2	—	—	—	—	18
20 to 24 years	85,790	57,624	21,088	5,148	1,539	359	89	22	9	—	2	131
25 to 29 years	99,316	43,287	35,463	12,664	4,457	1,901	760	374	161	55	27	187
30 to 34 years	64,362	17,366	22,814	13,367	5,447	2,459	1,203	697	424	239	232	115
35 to 39 years	29,597	5,994	8,167	6,523	3,790	2,029	1,136	655	453	332	498	57
40 to 44 years	6,129	926	1,182	1,164	885	583	388	276	204	128	365	8
45 to 49 years	322	51	37	42	40	38	24	19	20	16	54	1
50 years and over	11	6	2	2	—	—	—	—	—	—	1	—
Not stated	227	87	65	27	10	9	2	1	1	1	1	23
Native white	276,248	128,060	85,035	35,692	14,454	6,626	3,225	1,805	1,125	690	1,071	465
10 to 14 years	31	—	—	—	—	—	—	—	—	—	—	—
15 to 19 years	15,000	13,205	1,598	171	18	1	2	—	—	—	—	17
20 to 24 years	80,601	53,848	19,895	4,384	1,308	356	86	18	9	—	2	125
25 to 29 years	92,238	39,587	33,070	11,987	4,253	1,842	735	368	157	53	27	157
30 to 34 years	59,338	15,657	20,813	12,261	5,059	2,305	1,150	653	400	232	227	104
35 to 39 years	24,531	4,937	6,725	5,387	3,151	1,679	959	545	378	292	457	43
40 to 44 years	4,598	702	868	872	628	432	298	208	168	102	312	8
45 to 49 years	221	18	28	28	30	27	14	14	12	11	44	1
50 years and over	10	5	2	2	—	—	—	—	—	—	1	—
Not stated	182	74	58	22	8	6	1	1	1	1	1	10
Foreign-born white	25,618	10,975	7,427	3,418	1,530	731	378	216	127	80	129	43
10 to 14 years	—	—	—	—	—	—	—	—	—	—	—	—
15 to 19 years	579	500	70	5	2	1	—	—	—	—	—	1
20 to 24 years	5,173	3,765	1,199	162	31	3	3	4	—	—	—	6
25 to 29 years	7,067	3,695	2,387	675	204	59	25	6	4	2	—	10
30 to 34 years	5,518	1,708	2,000	1,105	388	156	72	43	24	6	5	11
35 to 39 years	5,062	1,057	1,441	1,160	638	349	177	90	55	40	41	14
40 to 44 years	1,530	224	314	292	257	150	90	68	36	26	73	—
45 to 49 years	100	15	11	15	10	10	5	8	5	5	10	—
50 years and over	1	1	—	—	—	—	—	—	—	—	—	—
Not stated	24	10	5	4	—	2	1	—	—	1	—	1
Momwhite	21,884	9,257	5,704	2,868	1,585	974	537	321	239	137	213	51
10 to 14 years	85	84	1	—	—	—	—	—	—	—	—	—
15 to 19 years	3,676	2,694	806	153	20	2	—	—	—	—	—	1
20 to 24 years	8,482	3,979	2,590	1,134	488	192	55	17	1	—	—	26
25 to 29 years	5,312	1,650	1,433	922	540	373	183	114	55	18	14	12
30 to 34 years	2,686	609	582	429	343	236	178	102	99	47	57	4
35 to 39 years	1,295	204	242	194	161	130	96	62	53	58	93	4
40 to 44 years	303	24	43	30	28	36	25	25	29	18	44	1
45 to 49 years	15	3	—	—	1	3	—	1	2	—	5	—
50 years and over	1	—	—	—	1	—	—	—	—	—	—	—
Not stated	29	10	7	4	3	2	—	—	—	—	—	3
Negro	21,216	8,974	5,542	2,789	1,532	929	520	310	231	132	207	50
10 to 14 years	84	85	1	—	—	—	—	—	—	—	—	—
15 to 19 years	3,626	2,651	799	155	20	2	—	—	—	—	—	1
20 to 24 years	8,251	3,841	2,529	1,118	473	187	53	17	1	—	—	26
25 to 29 years	5,124	1,579	1,381	899	523	355	180	115	53	16	14	11
30 to 34 years	2,559	587	551	405	325	223	169	97	96	47	55	4
35 to 39 years	1,241	198	231	183	153	128	93	58	51	32	30	4
40 to 44 years	281	23	43	28	28	31	25	24	28	17	43	1
45 to 49 years	12	3	—	—	—	1	—	1	2	—	5	—
50 years and over	1	—	—	—	1	—	—	—	—	—	—	—
Not stated	27	9	7	3	3	2	—	—	—	—	—	3
NORTH CAROLINA												
Total births	112,877	40,382	25,623	14,732	8,909	6,091	4,304	3,053	2,176	1,584	2,966	3,057
10 to 14 years	287	249	30	2	—	—	—	—	—	—	—	6
15 to 19 years	18,877	13,875	3,756	861	150	34	5	—	—	—	—	196
20 to 24 years	37,537	16,417	10,572	5,544	2,485	1,011	402	114	37	15	11	1,131
25 to 29 years	27,369	6,492	6,901	4,660	3,247	2,385	1,466	794	375	144	93	834
30 to 34 years	16,319	2,364	3,026	2,575	1,922	1,616	1,371	1,159	813	504	514	455
35 to 39 years	9,197	775	1,123	1,060	895	627	621	747	694	629	1,343	283
40 to 44 years	2,764	143	169	196	177	199	208	215	230	251	874	92
45 to 49 years	245	4	4	5	9	12	14	16	22	30	116	13
50 years and over	7	—	—	—	2	—	1	—	1	2	1	—
Not stated	265	63	42	29	24	29	16	8	4	9	14	47
White	79,592	31,897	19,486	10,420	5,723	3,586	2,418	1,569	1,091	744	1,247	1,449
10 to 14 years	70	66	4	—	—	—	—	—	—	—	—	—
15 to 19 years	11,557	9,388	1,801	252	57	7	2	—	—	—	—	70
20 to 24 years	26,933	15,738	7,883	3,224	1,151	536	100	14	3	1	4	501
25 to 29 years	20,280	5,723	5,985	3,647	2,157	1,300	682	282	95	26	13	422
30 to 34 years	11,993	2,102	2,687	2,185	1,496	1,113	854	609	379	185	142	242
35 to 39 years	6,481	697	1,000	918	727	614	600	476	423	328	550	146
40 to 44 years	1,970	130	151	177	154	162	161	173	175	176	467	44
45 to 49 years	159	3	4	5	8	8	10	12	15	23	67	4
50 years and over	6	—	—	—	1	—	1	—	1	2	1	—
Not stated	143	42	23	12	12	18	8	4	—	3	3	18
Native white	79,097	31,624	19,328	10,381	5,711	3,552	2,416	1,567	1,088	741	1,245	1,443
10 to 14 years	70	66	4	—	—	—	—	—	—	—	—	—
15 to 19 years	11,511	9,351	1,794	250	37	7	2	—	—	—	—	70
20 to 24 years	26,707	15,597	7,792	3,213	1,148	536	100	14	3	1	4	499
25 to 29 years	20,132	5,666	5,892	3,632	2,134	1,300	682	282	95	26	12	421
30 to 34 years	11,954	2,087	2,677	2,180	1,493	1,110	852	608	378	185	142	242
35 to 39 years	6,462	693	994	915	725	612	600	476	422	327	550	148
40 to 44 years	1,959	130	149	174	153	161	161	172	175	174	466	44
45 to 49 years	159	3	4	5	8	8	10	12	15	23	67	4
50 years and over	6	—	—	—	1	—	1	—	1	2	1	—
Not stated	137	41	22	12	12	18	8	3	—	3	3	15

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH^a ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NORTH CAROLINA—Continued												
White—Continued												
Foreign-born white	478	259	157	37	10	6	2	-	1	2	1	3
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	43	34	7	2	-	-	-	-	-	-	-	-
20 to 24 years	233	139	71	10	1	-	-	-	-	-	-	2
25 to 29 years	147	67	61	14	3	-	-	-	-	-	1	1
30 to 34 years	36	14	9	5	3	3	2	-	-	-	-	-
35 to 39 years	19	4	6	3	2	2	-	-	1	1	-	-
40 to 44 years	8	-	2	3	1	1	-	-	-	1	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	33,285	8,495	6,137	4,312	3,186	2,533	1,886	1,484	1,085	840	1,719	1,606
10 to 14 years	217	183	28	2	-	-	-	-	-	-	-	6
15 to 19 years	7,320	4,487	1,955	609	113	27	3	-	-	-	-	126
20 to 24 years	10,804	2,681	2,709	2,120	1,332	675	302	100	54	14	7	630
25 to 29 years	7,089	769	948	1,013	1,110	1,063	784	512	280	118	80	412
30 to 34 years	4,326	262	339	390	426	503	517	551	434	319	372	213
35 to 39 years	2,716	78	123	142	169	213	221	271	271	301	783	135
40 to 44 years	784	13	18	19	23	37	47	42	55	75	407	48
45 to 49 years	86	1	-	-	1	4	4	4	7	7	49	8
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	142	21	19	17	12	11	8	4	4	6	11	29
Negro	32,052	8,199	5,956	4,152	3,057	2,437	1,801	1,408	1,042	806	1,626	1,556
10 to 14 years	213	179	26	2	-	-	-	-	-	-	-	6
15 to 19 years	7,085	4,319	1,915	592	110	26	3	-	-	-	-	120
20 to 24 years	10,218	2,581	2,617	2,039	1,270	656	296	99	34	14	7	606
25 to 29 years	6,836	751	909	974	1,073	1,023	755	489	269	116	76	402
30 to 34 years	4,146	257	333	381	404	484	484	518	418	301	359	207
35 to 39 years	2,596	78	120	138	165	199	207	256	258	289	754	132
40 to 44 years	735	12	18	19	22	34	45	39	52	73	373	48
45 to 49 years	83	1	-	-	1	4	4	4	7	7	46	9
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	139	21	19	17	11	11	7	4	4	6	11	28
NORTH DAKOTA												
Total births	17,064	6,177	4,162	2,614	1,502	926	526	375	233	169	322	58
10 to 14 years	3	2	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,432	1,239	176	14	1	1	-	-	-	-	-	1
20 to 24 years	5,416	2,981	1,584	601	163	50	9	2	1	-	-	25
25 to 29 years	4,636	1,296	1,404	962	506	270	105	45	22	8	3	15
30 to 34 years	3,162	472	687	865	504	353	215	129	69	41	36	11
35 to 39 years	1,757	152	243	309	264	202	136	145	91	76	133	4
40 to 44 years	567	22	57	54	57	64	53	50	44	37	128	1
45 to 49 years	50	1	-	4	5	2	4	3	5	5	21	-
50 years and over	2	1	-	-	-	-	-	-	-	-	1	-
Not stated	39	11	10	5	2	4	4	1	1	-	-	1
White	16,719	6,098	4,110	2,573	1,459	894	496	354	219	158	302	56
10 to 14 years	2	1	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,380	1,197	168	12	1	1	-	-	-	-	-	1
20 to 24 years	5,321	2,954	1,553	585	147	46	8	2	1	-	-	28
25 to 29 years	4,553	1,290	1,395	945	486	256	96	40	19	6	5	15
30 to 34 years	3,103	469	685	660	498	322	205	120	63	36	34	9
35 to 39 years	1,725	152	242	306	263	200	129	138	89	74	124	4
40 to 44 years	562	22	56	54	57	64	51	50	42	34	121	1
45 to 49 years	47	1	-	4	5	2	4	3	5	4	19	-
50 years and over	2	1	-	-	-	-	-	-	-	-	1	-
Not stated	36	11	10	5	2	3	3	1	-	-	-	1
Native white	16,286	5,953	4,017	2,520	1,426	863	478	341	211	150	272	55
10 to 14 years	2	1	1	-	-	-	-	-	-	-	-	1
15 to 19 years	1,364	1,182	167	12	1	1	-	-	-	-	-	-
20 to 24 years	5,206	2,890	1,518	581	145	46	8	2	1	-	-	25
25 to 29 years	4,444	1,252	1,367	926	477	247	92	38	19	8	3	15
30 to 34 years	3,033	458	687	645	485	315	202	118	62	38	34	9
35 to 39 years	1,660	146	234	296	257	193	123	133	81	69	119	3
40 to 44 years	503	21	53	52	55	57	46	47	36	32	101	1
45 to 49 years	36	1	-	3	4	1	4	2	4	3	14	-
50 years and over	2	1	-	-	-	-	-	-	-	-	1	-
Not stated	36	11	10	5	2	3	3	1	-	-	-	1
Foreign-born white	429	145	92	51	33	31	17	13	8	8	30	1
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16	15	1	-	-	-	-	-	-	-	-	-
20 to 24 years	114	74	35	3	2	-	-	-	-	-	-	-
25 to 29 years	108	38	27	19	9	9	4	2	-	-	-	-
30 to 34 years	68	11	18	14	13	7	2	2	1	-	-	-
35 to 39 years	63	6	8	12	6	7	6	5	2	5	5	1
40 to 44 years	49	1	3	2	2	7	5	3	4	2	20	-
45 to 49 years	11	-	-	1	1	1	1	1	1	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	345	79	52	41	43	32	30	21	14	11	20	2
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	52	42	8	2	-	-	-	-	-	-	-	-
20 to 24 years	95	27	31	16	16	4	1	-	-	-	-	-
25 to 29 years	83	6	9	17	20	14	9	5	6	3	2	2
30 to 34 years	59	3	2	5	6	11	10	9	6	3	9	-
35 to 39 years	34	-	1	1	1	2	7	7	2	4	7	-
40 to 44 years	15	-	1	-	-	-	2	2	3	3	7	-
45 to 49 years	3	-	-	-	-	-	-	-	1	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	-	-	-	1	1	-	1	-	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OHIO												
Total births	197,511	86,247	54,008	27,012	12,858	6,697	3,725	2,301	1,438	866	1,526	535
10 to 14 years	108	105	2	-	-	-	-	-	-	-	-	1
15 to 19 years	19,519	16,424	2,684	347	33	7	-	-	-	-	-	24
20 to 24 years	67,090	39,654	18,709	5,967	1,786	553	162	36	5	3	2	213
25 to 29 years	58,066	20,350	19,449	9,845	4,397	2,113	1,051	448	198	68	25	142
30 to 34 years	33,444	7,041	9,533	7,321	4,087	2,197	1,305	854	488	277	253	88
35 to 39 years	15,024	2,292	3,131	2,963	2,066	1,396	906	683	508	407	637	35
40 to 44 years	3,743	338	465	528	469	403	302	259	224	196	543	16
45 to 49 years	197	10	11	17	14	23	17	17	12	14	62	-
50 years and over	5	-	1	1	-	-	1	-	-	1	1	-
Not stated	115	33	23	23	6	5	2	3	3	-	3	14
White												
Total births	185,100	81,530	51,143	25,324	11,857	6,057	3,268	1,993	1,260	841	1,326	501
10 to 14 years	55	54	-	-	-	-	-	-	-	-	-	1
15 to 19 years	17,001	14,573	2,135	247	20	3	-	-	-	-	-	23
20 to 24 years	62,560	37,734	17,389	5,199	1,459	430	124	22	4	1	1	197
25 to 29 years	55,394	19,764	18,789	9,376	4,018	1,867	840	368	153	59	20	133
30 to 34 years	31,958	6,832	9,294	7,079	3,890	2,021	1,170	730	415	238	203	86
35 to 39 years	14,283	2,210	3,040	2,868	1,997	1,317	833	618	461	354	552	33
40 to 44 years	3,553	326	452	515	458	394	282	234	214	175	489	16
45 to 49 years	188	9	11	17	14	21	17	17	10	14	58	-
50 years and over	4	-	1	1	-	-	1	-	-	1	-	-
Not stated	104	28	22	22	5	4	2	3	3	-	3	12
Native white												
Total births	180,950	79,607	49,361	24,825	11,617	5,945	3,210	1,851	1,234	825	1,287	490
10 to 14 years	54	53	-	-	-	-	-	-	-	-	-	1
15 to 19 years	16,814	14,417	2,105	246	20	3	-	-	-	-	-	23
20 to 24 years	61,368	36,894	17,084	5,170	1,456	428	123	21	4	1	1	196
25 to 29 years	54,204	19,176	18,368	9,366	3,981	1,852	834	366	151	58	20	132
30 to 34 years	31,253	6,841	9,064	6,928	3,807	2,003	1,158	722	408	237	199	85
35 to 39 years	15,641	2,082	2,893	2,700	1,914	1,261	607	602	452	348	540	32
40 to 44 years	3,345	307	417	476	423	375	270	221	206	165	470	15
45 to 49 years	171	9	8	16	12	19	16	15	9	13	54	-
50 years and over	4	-	1	1	-	-	1	-	-	1	-	-
Not stated	96	28	21	22	4	4	2	3	3	-	3	6
Foreign-born white												
Total births	4,122	1,912	1,180	497	239	111	56	42	24	17	39	5
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	184	153	30	1	-	-	-	-	-	-	-	-
20 to 24 years	1,186	847	303	29	2	2	1	1	-	-	-	1
25 to 29 years	1,186	586	431	110	35	14	6	2	1	-	-	1
30 to 34 years	704	190	230	151	83	18	8	6	1	4	1	1
35 to 39 years	636	118	147	166	83	58	24	16	8	5	12	1
40 to 44 years	207	18	35	39	33	19	12	13	8	10	19	1
45 to 49 years	17	-	3	1	2	2	1	2	1	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	1	-	-	-	-	-	-	-
Nonwhite												
Total births	12,211	4,717	2,865	1,688	1,001	640	457	308	176	125	200	32
10 to 14 years	53	51	2	-	-	-	-	-	-	-	-	-
15 to 19 years	2,518	1,851	549	100	13	4	-	-	-	-	-	1
20 to 24 years	4,530	1,920	1,320	768	327	123	38	14	1	2	1	16
25 to 29 years	2,672	586	650	469	351	246	181	80	45	10	5	9
30 to 34 years	1,486	209	239	242	187	176	135	124	73	39	50	2
35 to 39 years	741	82	91	95	69	79	73	65	47	53	85	2
40 to 44 years	180	12	13	13	13	9	20	25	10	21	54	-
45 to 49 years	9	1	-	-	-	2	-	2	-	-	4	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	11	5	1	1	1	1	-	-	-	-	1	2
Negro												
Total births	12,106	4,665	2,834	1,677	999	636	454	308	178	124	199	52
10 to 14 years	53	51	2	-	-	-	-	-	-	-	-	-
15 to 19 years	2,513	1,847	548	100	13	4	-	-	-	-	-	1
20 to 24 years	4,496	1,896	1,313	765	327	123	38	14	1	2	1	16
25 to 29 years	2,636	570	638	464	380	245	180	80	45	10	5	9
30 to 34 years	1,465	203	229	240	196	174	135	124	73	39	50	2
35 to 39 years	735	81	90	94	69	78						

GENERAL TABLES—LIVE BIRTHS

155

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OREGON—Continued												
Nonwhite	554	188	123	98	59	30	21	17	8	6	16	8
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	81	65	14	2	-	-	-	-	-	-	-	-
20 to 24 years	201	91	53	45	9	6	2	1	-	-	-	4
25 to 29 years	132	38	28	25	15	14	6	5	-	1	-	2
30 to 34 years	66	9	14	18	11	8	3	7	4	2	3	1
35 to 39 years	41	4	5	8	4	2	1	4	2	3	5	1
40 to 44 years	9	-	1	-	-	-	1	-	2	-	5	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	1	-
Negro	278	97	61	50	25	10	12	8	2	2	6	5
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	43	36	6	1	-	-	-	-	-	-	-	-
20 to 24 years	106	44	29	21	6	1	2	-	-	-	-	3
25 to 29 years	70	11	17	17	10	6	3	4	-	1	-	1
30 to 34 years	41	5	6	8	7	2	6	3	1	1	1	1
35 to 39 years	14	1	3	3	2	1	1	1	-	-	2	-
40 to 44 years	3	-	-	-	-	-	-	-	1	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA												
Total births	248,513	112,935	65,773	32,562	15,569	8,247	4,811	2,920	1,913	1,323	2,291	164
10 to 14 years	181	172	9	-	-	-	-	-	-	-	-	-
15 to 19 years	20,784	17,683	2,719	345	39	6	9	-	-	-	-	4
20 to 24 years	81,401	51,395	20,691	6,469	1,895	617	1,099	68	27	7	5	48
25 to 29 years	75,884	29,201	24,845	11,910	5,222	2,519	1,216	541	254	97	53	56
30 to 34 years	44,707	10,643	12,782	9,382	5,025	2,777	1,662	1,042	639	381	371	33
35 to 39 years	20,280	5,282	4,125	3,609	2,788	1,854	1,295	922	715	530	967	13
40 to 44 years	4,798	515	567	594	574	459	408	317	277	288	792	7
45 to 49 years	339	24	33	28	22	30	29	21	24	24	100	-
50 years and over	13	2	3	4	-	-	2	-	-	1	1	-
Not stated	116	48	29	21	5	5	2	1	-	-	2	3
White	233,437	107,040	62,249	30,457	14,329	7,465	4,330	2,573	1,686	1,143	2,013	147
10 to 14 years	70	66	4	-	-	-	-	-	-	-	-	-
15 to 19 years	17,652	15,359	2,049	211	24	2	4	-	-	-	-	3
20 to 24 years	75,972	49,130	19,060	5,574	1,516	448	124	46	21	5	5	43
25 to 29 years	72,471	28,418	24,069	11,260	4,716	2,195	1,033	421	194	74	40	51
30 to 34 years	42,894	10,322	12,429	9,093	4,812	2,607	1,512	918	555	311	305	30
35 to 39 years	19,404	3,100	4,023	3,696	2,685	1,743	1,240	860	640	472	854	11
40 to 44 years	4,539	497	554	572	551	439	386	299	255	265	715	6
45 to 49 years	317	21	31	26	21	28	28	21	21	20	91	-
50 years and over	13	2	3	4	-	-	2	-	-	1	1	-
Not stated	105	45	27	19	4	3	1	1	-	-	2	3
Native white	228,969	104,039	60,556	29,644	13,927	7,282	4,194	2,504	1,643	1,111	1,936	133
10 to 14 years	69	65	4	-	-	-	-	-	-	-	-	-
15 to 19 years	17,401	15,147	2,012	210	24	2	4	-	-	-	-	-
20 to 24 years	74,100	47,789	18,616	5,501	1,509	445	124	45	20	5	5	41
25 to 29 years	70,711	27,516	23,482	11,076	4,664	2,173	1,027	421	193	74	39	46
30 to 34 years	41,734	9,980	12,059	8,838	4,693	2,568	1,485	905	551	309	303	29
35 to 39 years	18,399	3,011	3,818	3,451	2,521	1,664	1,179	630	625	458	825	9
40 to 44 years	4,189	463	513	523	492	405	351	274	236	249	677	6
45 to 49 years	280	20	28	25	20	22	22	24	18	17	84	-
50 years and over	11	1	3	3	-	-	2	-	-	1	1	-
Not stated	85	37	21	17	4	3	1	-	-	-	2	-
Foreign-born white	6,425	2,982	1,681	808	399	183	135	69	43	37	77	11
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	249	210	37	1	-	-	-	-	-	-	-	1
20 to 24 years	1,862	1,336	441	71	7	3	1	1	-	-	-	2
25 to 29 years	1,750	898	593	194	51	22	5	-	1	-	1	5
30 to 34 years	1,157	330	370	255	118	39	27	9	4	2	2	1
35 to 39 years	1,014	169	205	244	184	79	61	30	15	16	29	2
40 to 44 years	349	34	41	49	58	34	35	25	19	16	38	-
45 to 4												

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
RHODE ISLAND												
Total births	18,536	7,978	5,183	2,413	1,077	521	245	139	73	54	101	752
10 to 14 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	950	789	106	11	1	-	-	-	-	-	-	43
20 to 24 years	5,687	3,534	1,439	337	99	21	1	1	-	-	-	255
25 to 29 years	6,021	2,394	2,020	864	282	154	60	22	7	4	7	227
30 to 34 years	3,728	895	1,177	767	398	178	80	41	26	14	23	137
35 to 39 years	1,697	305	379	361	233	147	65	45	23	24	42	73
40 to 44 years	406	47	57	70	70	39	36	23	15	11	24	16
45 to 49 years	25	1	1	2	3	2	3	7	-	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	15	8	4	1	1	-	-	-	-	-	-	1
White												
Total births	18,144	7,934	5,095	2,360	1,044	501	236	123	67	46	88	750
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	866	740	93	10	-	-	-	-	-	-	-	43
20 to 24 years	5,527	3,462	1,387	317	89	18	-	-	-	-	-	254
25 to 29 years	5,926	2,374	2,006	840	266	128	54	19	6	1	6	226
30 to 34 years	3,689	694	1,170	781	364	172	78	37	26	11	19	137
35 to 39 years	1,671	305	377	361	231	143	65	38	20	22	36	73
40 to 44 years	402	46	57	68	70	38	36	23	15	11	22	18
45 to 49 years	24	1	1	2	3	2	3	6	-	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	15	8	4	1	1	-	-	-	-	-	-	1
Native white												
Total births	16,976	7,385	4,802	2,205	956	452	210	106	60	35	72	693
10 to 14 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	860	719	89	10	-	-	-	-	-	-	-	42
20 to 24 years	5,263	3,289	1,324	306	88	18	-	-	-	-	-	238
25 to 29 years	5,600	2,215	1,906	804	255	120	53	18	5	1	6	217
30 to 34 years	3,452	638	1,089	712	358	159	71	35	26	9	17	128
35 to 39 years	1,443	274	327	313	196	127	54	30	16	18	32	56
40 to 44 years	323	37	53	58	55	26	30	18	13	6	15	12
45 to 49 years	18	1	1	4	3	2	2	5	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	13	8	3	1	1	-	-	-	-	-	-	1
Foreign-born white												
Total births	1,163	448	291	154	88	49	26	17	7	11	16	56
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	26	21	4	-	-	-	-	-	-	-	-	1
20 to 24 years	263	172	63	11	1	-	-	-	-	-	-	16
25 to 29 years	324	159	99	35	11	0	1	1	1	-	-	9
30 to 34 years	236	56	71	49	26	13	7	2	2	2	2	8
35 to 39 years	228	31	50	46	35	16	11	8	4	4	4	17
40 to 44 years	79	9	4	10	15	12	6	5	2	5	7	4
45 to 49 years	6	-	-	1	-	-	1	1	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
Nonwhite												
Total births	382	144	88	53	33	20	9	16	6	8	13	2
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	64	49	13	1	1	-	-	-	-	-	-	-
20 to 24 years	160	72	52	20	10	3	1	1	-	-	-	1
25 to 29 years	95	20	14	24	16	6	6	3	1	3	1	1
30 to 34 years	39	1	7	6	4	6	2	4	2	5	4	-
35 to 39 years	26	-	2	-	2	4	7	3	2	2	6	-
40 to 44 years	6	1	-	2	-	1	-	-	-	-	2	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro												
Total births	374	136	84	51	33	18	8	15	6	7	12	2
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	62	47	13	1	1	-	-	-	-	-	-	-
20 to 24 years	157	71	51	19	10	3	1	1	-	-	-	1
25 to 29 years	89	17	13	23	16	6	5	3	1	3	1	1
30 to 34 years	38	1	7	6	4	6	2	4	2	2	4	-
35 to 39 years	22	-	-	2	2	3	-	6	3	2	6	-
40 to 44 years	4	1	-	2	-	-	-	-	-	-	1	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA												
Total births	59,470	18,687	13,055	7,929	5,284	3,454	2,612	1,951	1,350	1,046	1,661	2,239
10 to 14 years	189	165	22	-	-	-	-	-	-	-	-	2
15 to 19 years	10,417	7,046	2,432	668	141	21	10	-	-	-	-	89
20 to 24 years	20,063	7,230	5,437	3,239	1,798	811	355	136	49	15	10	984
25 to 29 years	14,444	2,789	3,233	2,339	1,910	1,395	1,025	616	298	149	115	575
30 to 34 years	7,990	999	1,319	1,115	900	730	713	665	479	364	422	283
35 to 39 years	4,702	324	463	455	428	392	409	412	394	392	835	200
40 to 44 years	1,151	66	88	55	62	71	77	102	112	109	395	44
45 to 49 years	108	2	2	3	3	4	4	4	7	10	63	6
50 years and over	4	1	1	-	1	-	-	-	-	-	1	-
Not stated	402	75	78	55	41	50	19	16	11	9	22	46
White												
Total births	34,076	12,867	8,696	4,673	2,599	1,550	1,009	678	427	343	481	754
10 to 14 years	42	37	4	-	-	-	-	-	-	-	-	1
15 to 19 years	4,828	3,718	889	170	19	1	2	-	-	-	-	29
20 to 24 years	11,782	5,550	3,505	1,549	616	205	52	10	3	-	-	292
25 to 29 years	9,030	2,340	2,667	1,628	997	597	340	166	46	21	8	220
30 to 34 years	4,946	860	1,138	908	612	440	337	225	141	101	72	112
35 to 39 years	2,612	280	400	356	296	255	217	207	162	149	221	69
40 to 44 years	863	49	59	43	49	48	54	65	67	65	147	18
45 to 49 years	49	2	2	1	3	1	2	3	3	4	26	2
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	123	31	31	18	7	3	5	2	5	3	7	11

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p.129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
SOUTH DAKOTA—Continued												
Nonwhite-----	685	212	100	64	66	68	48	28	22	20	30	27
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	84	70	8	4	-	1	-	-	-	-	-	1
20 to 24 years-----	208	100	53	20	11	10	1	-	-	-	-	13
25 to 29 years-----	179	32	27	33	28	35	12	5	-	1	-	6
30 to 34 years-----	112	5	10	4	20	16	23	16	6	4	5	1
35 to 39 years-----	64	1	1	2	6	5	9	6	11	9	9	5
40 to 44 years-----	31	1	1	1	1	1	2	1	3	6	14	-
45 to 49 years-----	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	5	3	-	-	-	1	-	-	-	-	-	1
TENNESSEE												
Total births-----	86,619	34,114	20,082	10,814	6,723	4,437	3,104	2,151	1,491	1,169	1,910	624
10 to 14 years-----	231	226	5	-	-	-	-	-	-	-	-	-
15 to 19 years-----	14,939	11,911	2,509	403	59	11	4	-	-	-	-	42
20 to 24 years-----	28,711	13,886	8,448	3,745	1,668	528	156	41	11	4	1	223
25 to 29 years-----	20,535	5,346	5,541	3,680	2,487	1,650	990	444	537	65	41	136
30 to 34 years-----	12,596	1,919	2,554	2,003	1,592	1,324	1,115	847	537	327	263	115
35 to 39 years-----	7,182	697	886	643	742	740	647	612	568	536	837	72
40 to 44 years-----	2,186	107	124	127	168	174	184	199	204	213	669	17
45 to 49 years-----	164	5	5	4	1	4	6	6	12	22	96	3
50 years and over-----	3	-	-	1	-	-	-	-	1	1	-	-
Not stated-----	72	17	8	8	6	6	2	2	5	1	3	54
White-----	72,981	28,820	17,391	8,020	5,376	3,565	2,381	1,761	1,142	682	1,396	517
10 to 14 years-----	87	86	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	11,552	9,551	1,732	218	20	3	1	-	-	-	-	27
20 to 24 years-----	24,569	12,576	7,292	2,950	1,126	333	77	21	4	3	1	186
25 to 29 years-----	17,732	4,827	5,106	3,176	2,041	1,306	698	265	84	32	19	118
30 to 34 years-----	10,775	1,740	2,338	1,791	1,389	1,122	893	657	391	204	152	98
35 to 39 years-----	6,099	626	801	764	645	636	541	528	466	432	589	59
40 to 44 years-----	1,690	97	110	110	149	155	164	173	180	194	544	14
45 to 49 years-----	134	4	4	4	1	4	5	5	9	15	60	3
50 years and over-----	3	-	-	1	-	-	-	-	1	1	-	-
Not stated-----	60	13	7	6	5	6	2	2	5	1	1	12
Native white-----	72,548	29,374	17,265	8,996	5,364	3,565	2,380	1,671	1,141	682	1,396	514
10 to 14 years-----	87	86	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	11,524	9,531	1,728	216	20	3	1	-	-	-	-	27
20 to 24 years-----	24,346	12,428	7,223	2,947	1,123	333	77	21	4	3	1	166
25 to 29 years-----	17,695	4,872	5,069	3,174	2,040	1,306	697	285	84	32	19	117
30 to 34 years-----	10,739	1,723	2,331	1,784	1,385	1,122	893	657	391	204	152	97
35 to 39 years-----	6,074	620	794	756	642	636	541	528	467	432	589	59
40 to 44 years-----	1,867	97	110	108	148	155	164	173	180	194	544	14
45 to 49 years-----	134	4	4	4	1	4	5	5	9	15	60	3
50 years and over-----	3	-	-	1	-	-	-	-	1	1	-	-
Not stated-----	59	13	7	6	5	6	2	2	5	1	1	11
Foreign-born white-----	404	245	126	22	8	-	1	-	1	-	-	1
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	27	19	6	2	-	-	-	-	-	-	-	-
20 to 24 years-----	220	148	69	2	1	-	-	-	-	-	-	-
25 to 29 years-----	97	55	37	2	1	-	1	-	-	-	-	1
30 to 34 years-----	33	17	7	6	3	-	-	-	-	-	-	-
35 to 39 years-----	24	6	7	8	2	-	-	-	-	-	-	-
40 to 44 years-----	3	-	-	2	1	-	-	-	-	-	-	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite-----	13,658	4,494	2,691	1,794	1,347	672	723	480	349	287	514	107
10 to 14 years-----	144	140	4	-	-	-	-	-	-	-	-	-
15 to 19 years-----	3,387	2,380	777	185	39	8	3	-	-	-	-	15
20 to 24 years-----	4,142	1,310	1,156	795	542	195	79	20	7	1	-	37
25 to 29 years-----	2,743	419	435	504	446	344	292	159	69	33	22	20
30 to 34 years-----	1,821	179	216	212	203	202	222	190	146	123	111	17
35 to 39 years-----	1,083	71	87	79	97	104	106	84	100	104	238	13
40 to 44 years-----	296	10	14	17	19	19	20	26	24	19	125	3
45 to 49 years-----	30	1	1	-	-	-	1	1	3	7	16	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	12	4	1	2	1	-	-	-	-	-	2	2
Negro-----	13,650	4,489	2,691	1,793	1,347	670	723	480	349	287	514	107
10 to 14 years-----	144	140	4	-	-	-	-	-	-	-	-	-
15 to 19 years-----	3,388	2,359	777	185	39	8	3	-	-	-	-	15
20 to 24 years-----	4,139	1,308	1,156	794	542	195	79	20	7	1	-	37
25 to 29 years-----	2,741	418	435	504	446	343	292	159	69	33	22	20
30 to 34 years-----	1,819	178	216	212	203	201	222	190	146	123	111	17
35 to 39 years-----	1,083	71	87	79	97	104	106	84	100	104	238	13
40 to 44 years-----	296	10	14	17	19	19	20	26	24	19	125	3
45 to 49 years-----	30	1	1	-	-	-	1	1	3	7	16	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	12	4	1	2	1	-	-	-	-	-	2	2
TEXAS												
Total births-----	198,662	76,558	48,262	23,582	11,692	6,276	3,772	2,324	1,368	911	1,065	22,852
10 to 14 years-----	358	318	11	-	-	-	-	-	-	-	-	9
15 to 19 years-----	31,323	24,824	5,269	817	105	18	8	-	-	-	-	283
20 to 24 years-----	68,532	31,906	20,204	7,625	2,876	849	178	47	10	2	4	5,031
25 to 29 years-----	49,434	12,635	13,981	8,109	4,255	2,273	1,189	475	161	50	12	6,094
30 to 34 years-----	28,524	4,614	6,313	4,714	2,823	1,759	1,262	865	480	236	175	5,285
35 to 39 years-----	15,577	1,662	2,070	1,940	1,473	1,075	878	710	526	426	493	4,322
40 to 44 years-----	4,125	277	300	296	315	259	227	199	169	161	330	1,572
45 to 49 years-----	351	19	7	20	23	12	11	15	10	42	157	9
50 years and over-----	21	3	-	1	1	-	3	1	1	2	9	-
Not stated-----	457	100	108	60	29	20	15	16	4	6	7	92

GENERAL TABLES—LIVE BIRTHS

159

**TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER:
EACH STATE, 1947—Continued**

(See headnote on p. 123)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
TEXAS—Continued												
White-----	175,185	68,972	45,780	20,955	10,001	5,198	3,070	1,807	1,062	674	789	18,877
10 to 14 years-----	189	180	6	-	-	-	-	-	-	-	-	3
15 to 19 years-----	25,728	20,781	4,065	595	75	14	5	-	-	-	-	193
20 to 24 years-----	61,043	29,558	18,139	6,377	2,099	636	123	39	7	2	4	4,059
25 to 29 years-----	44,785	12,166	13,259	7,405	3,648	1,827	929	355	109	31	6	5,071
30 to 34 years-----	25,534	4,352	6,010	4,416	2,511	1,498	1,017	648	562	159	120	4,441
35 to 39 years-----	13,661	1,569	1,943	1,819	1,345	957	765	581	426	332	354	3,573
40 to 44 years-----	3,569	259	278	270	282	236	210	164	144	141	288	1,317
45 to 49 years-----	276	18	6	18	15	17	9	7	11	6	32	137
50 years and over-----	18	3	-	1	1	-	3	-	-	-	1	9
Not stated-----	380	87	95	52	25	15	11	15	3	3	4	74
Native white-----	165,346	66,513	42,174	19,909	9,342	4,708	2,700	1,546	875	552	588	16,581
10 to 14 years-----	181	172	6	-	-	-	-	-	-	-	-	3
15 to 19 years-----	24,921	20,198	3,885	569	71	15	5	-	-	-	-	180
20 to 24 years-----	58,442	28,456	17,430	6,074	1,985	574	116	34	7	2	5	3,761
25 to 29 years-----	42,557	11,665	12,814	7,106	3,423	1,680	836	307	98	25	2	4,605
30 to 34 years-----	25,815	4,180	5,821	4,218	2,348	1,365	906	572	306	127	100	3,862
35 to 39 years-----	11,924	1,494	1,868	1,703	1,221	840	636	484	335	255	264	2,824
40 to 44 years-----	2,954	245	260	253	254	209	182	134	119	115	195	988
45 to 49 years-----	210	16	5	16	15	14	8	6	8	5	23	94
50 years and over-----	14	3	-	1	1	-	2	-	-	-	1	7
Not stated-----	328	76	85	49	24	13	9	9	3	1	1	59
Foreign-born white-----	9,573	2,373	1,549	925	649	479	361	257	186	141	197	2,456
10 to 14 years-----	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	759	548	170	24	4	1	-	-	-	-	-	12
20 to 24 years-----	2,522	1,075	685	287	113	60	7	5	-	-	-	289
25 to 29 years-----	2,182	488	413	292	222	144	91	47	11	6	4	464
30 to 34 years-----	1,872	157	181	190	160	129	105	75	55	31	19	570
35 to 39 years-----	1,712	74	74	112	122	115	126	96	89	77	89	738
40 to 44 years-----	609	14	17	16	27	27	28	30	25	26	72	527
45 to 49 years-----	65	2	1	2	-	3	1	1	3	1	9	42
50 years and over-----	4	-	-	-	-	-	1	-	-	-	1	2
Not stated-----	40	7	8	2	1	-	2	3	3	-	2	12
Nonwhite-----	23,479	7,586	4,462	2,629	1,691	1,078	702	517	306	237	276	5,975
10 to 14 years-----	149	130	5	-	-	-	-	-	-	-	-	6
15 to 19 years-----	5,585	4,043	1,203	222	30	4	3	-	-	-	-	90
20 to 24 years-----	7,499	2,349	2,065	1,248	577	213	55	8	3	-	-	972
25 to 29 years-----	4,649	659	743	704	607	446	260	120	52	19	6	1,023
30 to 34 years-----	2,990	262	305	298	312	281	245	217	118	77	55	842
35 to 39 years-----	1,916	94	127	121	128	118	115	129	102	94	139	749
40 to 44 years-----	556	18	22	26	33	23	17	35	25	40	62	255
45 to 49 years-----	55	1	1	2	-	6	3	4	4	4	10	20
50 years and over-----	3	-	-	-	-	-	-	1	1	-	-	-
Not stated-----	77	13	13	8	4	7	4	3	1	3	3	18
Negro-----	23,384	7,522	4,465	2,617	1,682	1,070	698	515	306	237	276	5,966
10 to 14 years-----	148	138	5	-	-	-	-	-	-	-	-	5
15 to 19 years-----	5,588	4,038	1,201	222	30	4	3	-	-	-	-	90
20 to 24 years-----	7,450	2,328	2,058	1,242	575	213	55	8	3	-	-	968
25 to 29 years-----	4,622	653	737	699	604	441	260	120	52	19	6	1,021
30 to 34 years-----	2,975	261	301	297	308	259	242	217	118	77	55	840
35 to 39 years-----	1,912	93	127	121	128	117	114	128	102	94	139	749
40 to 44 years-----	554	17	22	26	33	23	17	34	25	40	62	255
45 to 49 years-----	55	1	1	2	-	6	3	4	4	4	10	20
50 years and over-----	3	-	-	-	-	-	-	1	1	-	-	-
Not stated-----	77	13	13	8	4	7	4	3	1	3	3	18
DELAWARE												
Total births-----	21,724	8,005	5,511	3,584	2,058	1,033	588	291	178	89	161	225
10 to 14 years-----	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	2,413	2,086	273	24	1	-	-	-	-	-	-	29
20 to 24 years-----	7,572	4,039	2,358	799	229	57	13	2	1	-	-	74
25 to 29 years-----	5,950	1,344	1,938	1,462	695	266	118	39	20	7	2	61
30 to 34 years-----	3,571	366	704	865	584	348	192					

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B--LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947--Continued

(See headnote on p. 129)

AGE, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
UTAH--Continued												
White--Continued												
Foreign-born white-----	491	159	125	73	44	33	16	11	3	3	8	7
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	25	20	4	1	-	-	-	-	-	-	-	-
20 to 24 years-----	127	71	41	11	2	1	-	-	-	-	-	1
25 to 29 years-----	135	41	45	23	15	4	3	1	1	1	-	1
30 to 34 years-----	92	15	26	19	12	10	3	1	-	1	-	5
35 to 39 years-----	71	5	9	14	11	14	9	5	1	1	2	-
40 to 44 years-----	28	4	-	5	3	4	1	4	1	-	6	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	2	-	-	1	-	-	-	-	-	-	-
Nonwhite-----	263	90	56	45	30	12	8	5	3	2	4	8
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	26	19	4	3	-	-	-	-	-	-	-	-
20 to 24 years-----	74	33	20	8	8	-	-	-	1	-	-	4
25 to 29 years-----	100	31	26	20	13	5	2	-	-	-	-	3
30 to 34 years-----	43	6	3	13	6	6	4	3	1	-	-	1
35 to 39 years-----	15	-	2	1	3	1	2	2	-	1	3	-
40 to 44 years-----	3	1	-	-	-	-	-	-	-	1	1	-
45 to 49 years-----	1	-	-	-	-	-	-	-	1	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-	-	-	-
VERMONT												
Total births-----	9,708	3,895	2,426	1,354	774	474	252	179	86	80	114	74
10 to 14 years-----	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,093	901	149	28	4	-	-	-	-	-	-	11
20 to 24 years-----	3,282	1,784	925	345	149	45	13	2	-	-	-	19
25 to 29 years-----	2,727	790	867	492	267	160	81	38	8	4	1	19
30 to 34 years-----	1,546	283	352	311	202	149	78	73	34	32	18	14
35 to 39 years-----	818	110	102	157	128	94	66	44	29	27	53	8
40 to 44 years-----	215	18	30	19	24	23	13	19	14	13	39	3
45 to 49 years-----	17	1	-	1	-	3	1	3	1	4	3	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	-	1	1	-	-	-	-	-	-	-	-
White-----	9,703	3,893	2,425	1,354	773	473	252	179	86	80	114	74
10 to 14 years-----	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,093	901	149	28	4	-	-	-	-	-	-	11
20 to 24 years-----	3,281	1,783	925	345	149	45	13	2	-	-	-	19
25 to 29 years-----	2,723	789	866	492	266	159	81	38	8	4	1	19
30 to 34 years-----	1,546	283	352	311	202	149	78	73	34	32	18	14
35 to 39 years-----	818	110	102	157	128	94	66	44	29	27	53	8
40 to 44 years-----	215	18	30	19	24	23	13	19	14	13	39	3
45 to 49 years-----	17	1	-	1	-	3	1	3	1	4	3	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	-	1	1	-	-	-	-	-	-	-	-
Native white-----	9,021	3,653	2,264	1,260	716	435	226	160	75	68	93	71
10 to 14 years-----	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,059	874	143	27	4	-	-	-	-	-	-	11
20 to 24 years-----	3,115	1,683	882	326	147	45	12	2	-	-	-	18
25 to 29 years-----	2,516	720	802	459	248	147	75	34	7	4	1	19
30 to 34 years-----	1,410	250	324	292	184	137	69	67	30	29	15	13
35 to 39 years-----	718	101	87	140	110	84	59	39	24	21	46	7
40 to 44 years-----	179	16	25	15	23	19	10	17	13	10	28	5
45 to 49 years-----	15	1	-	1	-	3	1	1	1	4	3	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-	-	-	-
Foreign-born white-----	675	238	159	93	56	38	25	19	11	12	21	3
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	32	25	6	1	-	-	-	-	-	-	-	-
20 to 24 years-----	165	100	42	19	2	-	1	-	-	-	-	1
25 to 29 years-----	204	69	83	32	18	12	5	4	1	-	-	-
30 to 34 years-----	138	33	28	19	18	12	9	6	4	3	3	1
35 to 39 years-----	99	9	15	17	17	10	7	5	5	6	7	1
40 to 44 years-----	38	2	5	4	1	4	3	2	1	3	11	-
45 to 49 years-----	2	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	-	1	-	-	-	-	-	-	-	-
Nonwhite-----	5	2	1	-	1	1	-	-	-	-	-	-
10 to 14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years-----	1	1	-	-	-	-	-	-	-	-	-	-
25 to 29 years-----	4	1	1	-	1	1	-	-	-	-	-	-
30 to 34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35 to 39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA												
Total births-----	85,740	33,171	21,511	11,307	6,241	4,088	2,743	1,911	1,399	1,041	1,877	451
10 to 14 years-----	221	196	24	-	-	-	-	-	-	-	-	1
15 to 19 years-----	12,350	9,369	2,334	500	101	7	7	-	-	-	-	32
20 to 24 years-----	29,663	13,789	8,322	3,653	1,652	709	229	84	25	10	8	182
25 to 29 years-----	22,180	6,277	6,402	3,746	2,195	1,571	956	522	243	99	86	113
30 to 34 years-----	13,070	2,452	3,075	2,198	1,427	1,039	880	700	537	364	538	60
35 to 39 years-----	6,816	877	1,132	893	706	585	519	440	417	397	804	56
40 to 44 years-----	1,933	139	168	172	138	141	133	151	150	180	566	7
45 to 49 years-----	166	7	8	6	4	6	9	8	13	9	95	1
50 years and over-----	4	-	-	-	-	-	-	-	-	-	-	2
Not stated-----	237	64	46	39	18	20	10	6	6	2	8	18

GENERAL TABLES—LIVE BIRTHS

161

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
VIRGINIA—Continued												
White	65,636	27,324	17,389	6,486	4,320	2,547	1,635	1,152	842	620	1,011	310
10 to 14 years	52	45	7	-	-	-	-	-	-	-	-	-
15 to 19 years	7,995	6,546	1,204	194	28	4	1	-	-	-	-	16
20 to 24 years	22,059	11,887	6,450	2,345	879	284	85	25	3	2	4	115
25 to 29 years	17,816	8,668	5,677	2,997	1,566	936	481	244	112	42	15	80
30 to 34 years	10,525	2,209	2,827	1,925	1,125	744	584	439	317	191	117	47
35 to 39 years	5,436	797	1,036	858	586	449	386	317	275	260	445	27
40 to 44 years	1,505	124	154	122	118	106	106	118	119	118	369	4
45 to 49 years	111	4	6	5	3	-	7	6	11	6	56	1
50 years and over	3	1	-	-	-	-	-	-	-	-	1	1
Not stated	136	43	28	18	11	6	5	3	5	1	8	11
Native white	84,679	26,830	17,064	8,407	4,292	2,539	1,628	1,151	840	619	1,007	302
10 to 14 years	52	45	7	-	-	-	-	-	-	-	-	-
15 to 19 years	7,945	6,508	1,194	194	28	4	1	-	-	-	-	16
20 to 24 years	21,658	11,639	6,324	2,327	874	283	85	25	3	2	4	112
25 to 29 years	17,532	8,525	5,586	2,984	1,561	936	481	244	112	42	15	86
30 to 34 years	10,384	2,186	2,771	1,898	1,114	743	582	439	316	191	117	47
35 to 39 years	5,374	780	1,017	848	582	444	384	317	275	259	442	26
40 to 44 years	1,492	123	152	123	119	117	104	117	118	118	367	4
45 to 49 years	110	4	6	5	3	-	6	6	11	6	56	1
50 years and over	3	1	-	-	-	-	-	-	-	-	1	1
Not stated	129	39	27	18	11	6	5	3	5	1	5	9
Foreign-born white	935	494	321	77	27	7	7	1	2	1	3	5
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	43	33	10	-	-	-	-	-	-	-	-	-
20 to 24 years	398	245	126	18	5	1	-	-	-	-	-	3
25 to 29 years	281	143	109	22	5	-	-	-	-	-	-	2
30 to 34 years	139	43	56	26	10	-	2	-	1	-	-	-
35 to 39 years	59	17	18	10	4	5	2	-	1	2	-	-
40 to 44 years	13	1	2	1	3	1	2	1	1	-	1	-
45 to 49 years	1	-	-	-	-	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	2	-	-	-	-	-	-	-	-	-	-
Nonwhite	20,104	5,847	4,122	2,821	1,921	1,541	1,108	759	557	421	866	141
10 to 14 years	189	151	17	-	-	-	-	-	-	-	-	1
15 to 19 years	4,357	2,823	1,130	306	73	3	6	-	-	-	-	16
20 to 24 years	6,604	1,902	1,872	1,308	773	425	154	59	22	8	4	67
25 to 29 years	4,364	809	725	759	629	635	475	278	131	57	41	25
30 to 34 years	2,545	243	248	273	302	295	261	220	173	173	221	13
35 to 39 years	1,480	80	96	138	120	146	133	123	142	137	359	9
40 to 44 years	428	15	14	18	16	23	27	35	39	42	198	3
45 to 49 years	55	3	2	1	1	-	2	2	2	3	39	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	101	21	18	21	7	14	5	3	1	1	3	7
Negro	20,086	5,838	4,119	2,819	1,920	1,539	1,107	759	557	421	866	141
10 to 14 years	169	151	17	-	-	-	-	-	-	-	-	1
15 to 19 years	4,356	2,822	1,130	306	73	3	6	-	-	-	-	16
20 to 24 years	6,597	1,900	1,871	1,306	772	424	164	59	22	8	4	67
25 to 29 years	4,358	606	724	759	629	634	474	278	131	57	41	25
30 to 34 years	2,542	241	247	273	302	295	261	220	173	173	221	15
35 to 39 years	1,480	80	96	135	120	146	133	123	142	137	359	9
40 to 44 years	427	14	14	18	16	23	27	35	39	42	198	3
45 to 49 years	55	3	2	1	1	-	2	2	2	3	39	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	101	21	18	21	7	14	5	3	1	1	3	7
WASHINGTON												
Total births	58,481	23,161	17,437	9,091	5,901	1,712	880	485	279	184	223	1,127
10 to 14 years	27	26	-	-	-	-	-	-	-	-	-	1
15 to 19 years	6,306	5,211	938	102	4	1	1	-	-	-	-	49
20 to 24 years	20,160	10,307	6,588	2,041	550	165	42	4	4	1	-	458
25 to 29 years	16,954	4,996	6,059	3,393	1,373	540	209	91	44	11	5	333
30 to 34 years	9,600	1,916	2,753	2,394	1,183	543	291	177	90	53	33	167
35 to 39 years	4,355	685	934	989	639	360	250	161	90	75	87	

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B-LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: EACH STATE, 1947-Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WASHINGTON-Continued												
White-Continued												
Foreign-born white	2,945	1,132	915	455	197	77	48	24	16	9	18	54
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	124	102	19	3	-	-	-	-	-	-	-	-
20 to 24 years	775	474	227	49	9	-	1	8	5	3	1	15
25 to 29 years	971	515	571	158	58	24	8	5	3	1	-	28
30 to 34 years	641	161	169	152	74	28	18	7	3	3	2	4
35 to 39 years	316	64	90	69	42	15	11	7	6	2	8	4
40 to 44 years	108	14	19	22	13	10	10	5	3	3	8	1
45 to 49 years	4	1	-	1	1	-	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	-	1	-	-	-	-	-	-	-	2
Nonwhite	1,636	565	408	230	153	87	54	32	32	24	32	19
10 to 14 years	6	5	-	-	-	-	-	-	-	-	-	1
15 to 19 years	264	201	50	11	1	-	-	-	-	-	-	1
20 to 24 years	590	229	194	91	51	23	6	-	-	-	-	7
25 to 29 years	440	94	123	84	61	33	18	11	10	2	-	4
30 to 34 years	208	26	42	35	29	16	22	13	11	4	8	2
35 to 39 years	91	10	6	7	10	12	4	6	9	12	12	3
40 to 44 years	28	1	2	2	-	2	4	1	2	6	8	-
45 to 49 years	5	-	-	-	1	-	-	-	-	-	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	1
Not stated	4	-	1	-	-	1	-	1	-	-	-	-
Negro	714	241	195	115	73	36	13	12	10	6	5	8
10 to 14 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	113	78	28	6	1	-	-	-	-	-	-	-
20 to 24 years	279	105	84	50	25	10	2	-	-	-	-	3
25 to 29 years	195	38	56	42	29	16	3	5	5	1	-	1
30 to 34 years	85	12	24	12	13	8	7	4	2	1	1	1
35 to 39 years	31	5	3	4	6	2	-	2	3	3	1	2
40 to 44 years	7	1	-	1	-	-	1	1	-	1	2	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
WEST VIRGINIA												
Total births	55,085	21,032	11,779	6,533	4,104	2,809	1,943	1,532	1,099	822	1,524	1,908
10 to 14 years	54	52	2	-	-	-	-	-	-	-	-	-
15 to 19 years	8,744	7,081	1,364	186	34	5	3	-	-	-	-	61
20 to 24 years	19,195	9,168	5,209	2,405	1,008	389	115	34	17	6	-	842
25 to 29 years	13,124	3,146	3,264	2,222	1,617	1,121	634	386	154	50	36	496
30 to 34 years	7,870	1,118	1,375	1,158	810	809	700	574	428	262	251	285
35 to 39 years	4,358	350	453	453	408	388	343	406	371	352	639	155
40 to 44 years	1,431	59	72	77	105	84	96	115	119	132	516	56
45 to 49 years	135	4	3	4	6	7	5	14	8	7	75	2
50 years and over	6	-	1	-	2	2	-	-	-	-	-	-
Not stated	170	54	36	18	15	4	5	3	2	5	7	21
White	52,467	20,202	11,325	6,222	3,874	2,643	1,806	1,424	1,009	761	1,399	1,802
10 to 14 years	36	34	2	-	-	-	-	-	-	-	-	-
15 to 19 years	8,216	6,682	1,274	171	31	3	3	-	-	-	-	52
20 to 24 years	18,321	8,867	4,992	2,248	916	398	95	27	15	6	-	797
25 to 29 years	12,564	3,083	3,165	2,139	1,524	1,052	581	345	138	46	35	456
30 to 34 years	7,538	1,089	1,337	1,134	887	764	664	535	393	237	225	273
35 to 39 years	4,142	337	448	433	393	371	362	390	342	333	586	147
40 to 44 years	1,362	58	70	76	102	82	91	110	112	129	478	54
45 to 49 years	127	4	3	4	6	7	4	14	7	7	69	2
50 years and over	6	-	1	-	1	2	2	-	-	-	-	-
Not stated	155	48	33	17	14	4	3	2	3	6	-	21
Native white	51,905	19,950	11,166	6,173	3,850	2,633	1,796	1,418	1,006	757	1,389	1,767
10 to 14 years	36	34	2	-	-	-	-	-	-	-	-	-
15 to 19 years	8,176	6,654	1,264	170	31	3	3	-	-	-	-	51
20 to 24 years	18,074	8,729	4,916	2,232	913	356	95	27	15	6	-	785
25 to 29 years	12,425	3,023	3,123	2,122	1,515	1,049	580	345	138	46	35	449
30 to 34 years	7,480	1,075	1,317	1,125	894	763	660	534	392	237	224	269
35 to 39 years	4,103	332	441	429	397	370	360	367	341	331	582	143
40 to 44 years	1,337	54	67	74	101	79	89	108	112	127	474	52
45 to 49 years	127	4	3	4	6	7	4	14	7	7	69	2
50 years and over	8	-	1	-	1	2	2	-	-	-	-	-
Not stated	141	45	32	17	12	4	3	3	1	3	5	16
Foreign-born white	477	234	147	36	17	7	5	3	-	3	5	20
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	30	22	8	-	-	-	-	-	-	-	-	-
20 to 24 years	225	133	70	9	3	-	-	-	-	-	-	10
25 to 29 years	126	57	40	14	6	3	1	-	-	-	-	5
30 to 34 years	44	14	18	8	2	-	-	-	-	-	-	2
35 to 39 years	28	4	7	3	5	1	2	1	-	2	2	1
40 to 44 years	22	3	3	2	1	3	2	2	-	1	3	2
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	2,618	830	454	311	230	166	137	108	90	61	125	106
10 to 14 years	18	18	-	-	-	-	-	-	-	-	-	-
15 to 19 years	528	399	90	25	3	2	-	-	-	-	-	9
20 to 24 years	672	301	217	137	92	31	20	7	2	-	-	45
25 to 29 years	560	63	99	83	93	89	53	41	16	12	1	30
30 to 34 years	332	29	38	24	23	45	36	39	35	25	26	12
35 to 39 years	216	13	5	20	15	17	21	16	29	19	53	8
40 to 44 years	69	1	2	1	3	2	5	5	7	3	38	2
45 to 49 years	8	-	-	-	-	-	1	-	1	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	15	6	3	1	1	-	1	-	-	2	1	-

GENERAL TABLES—LIVE BIRTHS

165

TABLE 7.—LIVE BIRTHS BY RACE, SINGLE YEAR OF AGE OF MOTHER, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1947.

(Birth order refers to number of children born alive to mother. Births occurring in Massachusetts are included in "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information)

RACE, AGE OF MOTHER, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER													
		1st	2d	3d	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th and over	Not stated
TOTAL -----	3,689,940	1,467,639	945,230	483,153	244,332	137,303	84,164	55,264	37,142	25,941	17,673	11,503	7,184	9,461	173,942
Under 15 years-----	4,454	4,033	346	5	-	-	-	-	-	-	-	-	-	-	70
15 years-----	12,433	11,199	991	57	10	-	-	-	-	-	-	-	-	-	186
16 years-----	34,473	30,335	3,328	327	35	4	4	-	-	-	-	-	-	-	442
17 years-----	75,922	62,256	9,228	1,173	144	21	17	-	-	-	-	-	-	-	1,083
18 years-----	125,090	99,010	20,040	3,234	497	61	29	1	-	-	-	-	-	-	2,198
19 years-----	179,927	132,007	34,948	7,453	1,317	223	75	4	-	-	-	-	-	-	3,902
20 years-----	217,181	141,170	50,007	13,588	3,228	778	187	62	22	8	7	8	-	-	8,116
21 years-----	239,101	139,118	62,089	19,808	5,642	1,414	335	83	54	17	12	9	-	-	9,550
22 years-----	251,957	132,217	70,576	25,784	8,772	2,714	780	212	85	31	15	14	-	-	10,809
23 years-----	260,568	121,189	77,149	31,191	12,373	4,863	1,493	420	146	40	17	6	-	-	11,681
24 years-----	248,677	105,554	75,789	32,764	14,984	6,478	2,441	831	260	85	28	29	1	-	11,665
25 years-----	242,017	91,178	74,673	34,611	16,316	8,161	3,502	1,225	424	184	48	35	11	2	11,457
26 years-----	231,703	77,962	72,065	35,846	17,399	9,359	4,657	1,988	737	284	99	51	12	15	11,280
27 years-----	209,040	62,246	64,604	34,589	17,414	9,857	5,374	2,612	1,105	404	145	60	23	23	10,597
28 years-----	185,754	50,067	56,464	31,989	16,513	9,703	5,705	3,159	1,482	570	258	87	36	37	9,897
29 years-----	171,869	42,192	50,580	31,246	16,317	9,656	5,896	3,591	1,718	859	309	132	43	29	9,311
30 years-----	155,274	34,670	43,615	29,132	15,730	9,159	6,168	4,022	2,261	1,128	554	219	89	91	8,436
31 years-----	131,778	27,404	35,867	25,785	14,058	8,267	5,241	3,694	2,217	1,208	554	253	109	71	7,113
32 years-----	124,713	23,411	31,437	24,198	14,077	8,564	5,877	4,151	2,783	1,668	842	419	174	131	6,980
33 years-----	108,698	18,635	25,920	21,187	12,587	7,939	5,499	4,093	2,851	1,803	1,060	551	239	187	6,147
34 years-----	95,674	15,060	21,447	18,063	11,455	7,534	5,230	3,818	3,084	2,101	1,264	674	382	303	5,539
35 years-----	82,580	12,525	16,961	14,997	10,175	6,452	4,789	3,632	2,822	2,200	1,366	814	420	431	4,956
36 years-----	71,954	9,978	13,600	12,675	8,647	5,934	4,455	3,508	2,859	2,311	1,571	1,041	528	547	4,400
37 years-----	60,464	7,764	10,386	10,044	7,349	5,215	3,868	3,217	2,629	2,164	1,674	1,059	615	706	3,774
38 years-----	50,325	5,888	7,946	7,699	5,857	4,396	3,491	2,850	2,344	2,067	1,693	1,194	763	895	3,244
39 years-----	39,788	4,265	5,638	5,615	4,567	3,531	2,808	2,342	2,013	1,869	1,614	1,165	787	971	2,615
40 years-----	29,294	2,847	3,548	3,753	3,328	2,638	2,084	1,856	1,659	1,591	1,014	749	991	1,963	1,963
41 years-----	18,671	1,614	2,196	2,180	2,124	1,727	1,403	1,219	1,149	1,049	902	763	540	829	1,176
42 years-----	15,023	1,108	1,340	1,578	1,366	1,277	1,109	1,068	985	917	920	720	631	974	1,032
43 years-----	9,123	567	706	889	798	705	780	616	633	600	594	489	364	625	607
44 years-----	5,159	257	293	368	430	368	405	370	396	362	359	317	304	539	374
45 years-----	2,770	140	148	182	231	221	189	188	184	189	205	185	163	369	178
46 years-----	1,433	55	63	89	99	105	97	102	101	103	102	88	94	232	102
47 years-----	746	36	25	49	34	44	45	54	41	59	57	58	50	137	58
48 years-----	259	10	16	12	8	13	12	18	15	19	25	19	19	48	25
49 years-----	130	12	3	10	8	12	8	8	5	11	7	8	6	22	12
50 years-----	43	2	3	1	3	2	5	3	2	4	4	4	4	8	2
51 years-----	23	3	3	1	2	1	2	1	2	1	2	2	2	2	1
52 years-----	25	4	5	2	3	2	2	1	1	2	1	1	1	2	3
53 years-----	14	2	4	-	2	-	1	1	1	1	-	-	-	-	2
54 years and over-----	93	17	11	14	4	4	9	6	3	9	2	1	1	1	12
Not stated-----	8,350	1,643	1,188	797	455	322	224	159	124	85	55	49	36	46	3,167
White ¹ -----	3,274,620	1,340,504	859,545	427,427	205,910	109,465	63,634	39,980	26,039	17,797	11,840	7,492	4,491	5,694	154,804
Under 15 years-----	1,552	1,474	56	2	-	-	-	-	-	-	-	-	-	-	20
15 years-----	6,347	5,997	261	8	5	-	-	-	-	-	-	-	-	-	86
16 years-----	22,271	20,674	1,246	65	11	2	4	-	-	-	-	-	-	-	269
17 years-----	54,740	48,555	4,907	361	40	4	9	-	-	-	-	-	-	-	844
18 years-----	99,538	83,160	13,016	1,401	115	20	14	1	-	-	-	-	-	-	1,811
19 years-----	151,279	117,060	26,014	4,115	516	63	24	3	-	-	-	-	-	-	3,484
20 years-----	186,842	128,712	40,787	8,752	1,512	257	61	15	7	2	6	6	-	-	6,725
21 years-----	209,308	128,877	53,595	14,515	3,286	644	111	28	10	6	6	5	-	-	8,228
22 years-----	223,408	123,855	62,658	20,156	5,602	1,326	261	60	22	10	6	4	-	-	9,426
23 years-----	233,238	114,347	70,417	25,851	8,675	2,660	667	152	51	11	8	6	-	-	10,597
24 years-----	224,337	98,266	70,424	28,185	11,221	4,068	1,220	323	75	25	10	9	1	-	10,494
25 years-----	220,293	87,061	70,417	30,874	13,452	5,661	1,980	601	167	50	15	9	1	-	10,405
26 years-----	211,280	74,550	68,417	32,379	14,316	6,799	2,968	1,038	328	106	30	10	7	1	10,291
27 years-----	190,387	59,472	61,418	31,672	14,710	7,506	3,533	1,528	559	185	59	19	10	7	9,702
28 years-----	169,085	47,864	53,949	29,666	14,222	7,550	3,939	1,870	780	248	94	28	11	11	8,853
29 years-----	157,644	40,450	48,569	29,513	14,423	7,909	4,340	2,349	1,018	425	145	56	16	10	8,621
30 years-----	141,635	33,177	41,951	27,394	14,025	7,624	4,647	2,694	1,355	600	247	92	32	32	7,765
31 years-----	121,627	26,317	34,596	24,515	12,899	7,135	4,221	2,673	1,442	699	303	128	43	25	6,651
32 years-----	113,442	22,352	30,184	22,984	12,849	7,370	4,641	2,997	1,867	990	479	193	82	47	6,417
33 years-----	98,895	17,784	24,916	20,174	11,598	6,938	4,498	3,066	1,972	1,191	624	304	117	75	5,618
34 years-----	86,621	14,304	20,599	17,242	10,598	6,442	4,304	3,026	2,241	1,594	762	376	192	140	5,032
35 years-----	74,369	11,911	16,280	14,513	9,362	5,702	4,029	2,871	2,108	1,536	875	478	212	209	4,465
36 years-----	64,380	9,523	13,004	12,028	8,021	5,206	3,753	2,811	2,152	1,631	1,023	642	309	301	3,976
37 years-----	53,958	7,416	9,940	9,553	6,845	4,664	3,326	2,591	2,023	1,603	1,155	696	359	392	3,395
38 years-----	44,536	5,627	7,604	7,510	5,481	3,958	3,039	2,371	1,810	1,551	1,219	773	460	482	2,851
39 years-----	35,120	4,068	5,400	5,320	4,270	3,186	2,427	1,966	1,637	1,450	1,180	799	498	593	2,306
40 years-----	25,902	2,715	3,401	3,591	3,125	2,419	1,823	1,597	1,344	1,278	993	729	512	637	1,748
41 years-----	15,877	1,545	2,106	2,062	2,017	1,617	1,274	1,077	985	870	708	593	399	552	1,053
42 years-----	13,202	1,070	1,294	1,487	1,288	1,173	1,009	928	834	781	762	556	46		

GENERAL TABLES—LIVE BIRTHS

167

TABLE 7.—LIVE BIRTHS BY RACE, SINGLE YEAR OF AGE OF MOTHER, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1947—Continued

(Birth order refers to number of children born alive to mother. Births occurring in Massachusetts are included in "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information)

RACE, AGE OF MOTHER, AND NATIVITY OF WHITE MOTHER	Total births	BIRTH ORDER														
		1st	2d	3d	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th and over	Not stated	
Nonwhite-----	425,320	127,134	85,685	55,726	38,422	27,840	20,530	15,274	11,103	8,144	5,833	4,011	2,703	3,777	19,139	
Under 15 years-----	2,802	2,558	290	3	-	-	-	-	-	-	-	-	-	-	-	50
15 years-----	5,086	5,192	740	49	5	-	-	-	-	-	-	-	-	-	-	100
16 years-----	12,202	9,661	2,092	262	22	2	-	-	-	-	-	-	-	-	-	175
17 years-----	19,182	13,701	4,321	792	104	17	8	-	-	-	-	-	-	-	-	239
18 years-----	25,552	15,850	7,024	1,833	382	61	15	-	-	-	-	-	-	-	-	387
19 years-----	28,648	14,847	8,934	3,338	801	160	49	1	-	-	-	-	-	-	-	418
20 years-----	30,339	12,458	9,220	4,856	1,716	521	126	47	15	6	1	2	-	-	-	1,391
21 years-----	28,793	10,241	8,504	5,293	2,356	770	224	55	24	11	6	4	-	-	-	1,305
22 years-----	28,529	8,362	7,918	5,628	5,170	1,388	449	152	41	21	9	8	-	-	-	1,383
23 years-----	27,132	6,842	6,732	5,340	5,698	2,003	826	268	95	29	13	2	-	-	-	1,284
24 years-----	24,540	5,288	5,335	4,569	5,763	2,410	1,215	508	187	58	18	20	-	-	-	1,171
25 years-----	21,724	4,117	4,256	3,937	3,284	2,520	1,522	624	257	104	33	26	10	2	-	1,052
26 years-----	20,423	3,412	3,648	3,467	3,042	2,580	1,689	950	409	149	69	21	5	14	-	989
27 years-----	18,653	2,774	3,186	2,909	2,704	2,351	1,841	1,084	546	219	84	31	13	16	-	895
28 years-----	16,669	2,203	2,515	2,333	2,291	2,153	1,766	1,269	702	322	161	59	25	26	-	844
29 years-----	14,225	1,742	2,011	1,933	1,894	1,747	1,546	1,242	700	434	164	76	27	19	-	690
30 years-----	13,639	1,493	1,664	1,738	1,705	1,535	1,521	1,328	906	528	307	127	57	59	-	671
31 years-----	10,151	1,087	1,271	1,210	1,137	1,152	1,020	1,021	775	509	251	125	65	46	-	482
32 years-----	11,271	1,059	1,253	1,214	1,228	1,194	1,236	1,154	916	689	363	226	92	84	-	565
33 years-----	9,803	851	1,004	1,013	989	1,001	1,001	1,007	879	612	436	247	122	112	-	529
34 years-----	9,253	756	849	841	897	892	926	892	843	717	502	298	190	163	-	497
35 years-----	8,191	614	681	684	793	750	760	761	714	664	511	336	208	222	-	495
36 years-----	7,574	455	596	647	626	628	702	697	707	690	548	399	219	246	-	424
37 years-----	6,506	348	446	491	504	551	542	626	606	561	519	363	256	314	-	379
38 years-----	5,789	261	342	389	376	438	452	479	534	516	474	421	393	411	-	395
39 years-----	4,678	195	239	295	297	345	381	356	376	419	434	366	289	378	-	309
40 years-----	3,392	132	147	162	205	217	241	259	315	313	312	285	237	354	-	215
41 years-----	1,994	69	90	98	107	110	129	142	154	179	194	170	152	277	-	123
42 years-----	1,821	38	56	91	78	104	100	142	149	136	158	164	166	321	-	116
43 years-----	1,093	29	34	48	49	48	70	59	88	96	105	79	73	244	-	71
44 years-----	661	9	11	18	38	20	35	37	44	55	56	57	71	174	-	56
45 years-----	392	4	7	8	11	22	19	24	23	29	31	30	50	116	-	18
46 years-----	230	6	2	6	6	12	8	4	17	12	21	17	25	75	-	19
47 years-----	165	4	1	5	9	13	4	6	11	13	10	19	17	40	-	13
48 years-----	84	3	2	4	1	2	5	3	3	3	4	6	1	19	-	4
49 years-----	35	2	-	2	2	1	-	2	3	3	4	3	-	10	-	3
50 years-----	19	1	1	-	2	-	3	1	-	-	2	3	2	4	-	-
51 years-----	6	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1
52 years-----	8	1	-	1	2	1	-	-	-	-	-	-	-	2	-	1
53 years-----	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
54 years and over--	18	3	2	2	-	2	4	-	2	2	1	-	-	-	-	-
Not stated-----	2,945	365	271	237	149	139	97	73	61	53	29	26	22	28	-	1,395

VITAL STATISTICS OF THE UNITED STATES

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, AND BY AGE OF MOTHER, UNITED STATES, 1947

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES-----	3,689,940	61	64,462	788,574	1,094,549	796,669	480,191	224,103	88,967	30,657	17,598	114,109
10 to 14 years-----	4,454	16	878	825	232	67	29	11	10	8	8	2,372
15 to 19 years-----	425,845	24	51,869	236,804	75,497	14,605	4,370	1,328	596	227	169	42,339
20 to 24 years-----	1,216,464	3	11,032	495,535	497,954	127,725	34,159	10,723	3,796	1,371	870	35,298
25 to 29 years-----	1,040,383	4	497	51,859	464,189	356,960	105,667	26,338	9,787	3,235	1,570	15,709
30 to 34 years-----	616,337	3	65	3,973	51,859	199,908	62,634	18,571	6,366	3,655	7,975	3,655
35 to 39 years-----	305,101	10	26	565	5,244	31,207	126,215	89,373	31,969	10,002	5,942	4,630
40 to 44 years-----	77,470	1	3	70	434	1,885	9,089	30,776	21,789	8,051	4,056	1,316
45 to 49 years-----	5,338	-	2	14	26	62	186	615	2,283	1,292	742	106
50 years and over-----	198	-	-	7	19	17	16	24	16	47	43	7
Not stated-----	8,350	-	93	906	1,095	613	550	281	140	58	55	4,357
Male-----	1,899,876	34	33,221	405,537	562,254	409,520	246,554	114,736	45,484	15,692	8,823	58,011
10 to 14 years-----	2,291	9	440	443	120	35	19	6	5	1	6	1,207
15 to 19 years-----	218,363	11	26,786	121,589	37,754	7,542	2,252	676	306	116	101	21,230
20 to 24 years-----	625,678	3	5,625	234,234	255,950	65,929	17,453	5,446	1,892	699	422	18,036
25 to 29 years-----	534,150	2	269	26,465	239,335	184,406	54,291	14,584	5,012	1,600	1,077	8,110
30 to 34 years-----	316,307	2	34	2,009	26,632	134,114	102,661	32,065	9,616	3,300	1,829	4,045
35 to 39 years-----	156,360	7	54	294	2,857	16,149	64,852	45,730	16,324	5,107	2,884	2,341
40 to 44 years-----	39,599	-	2	36	235	923	4,642	15,753	11,075	4,123	2,093	617
45 to 49 years-----	2,775	-	1	5	14	31	82	319	1,183	695	372	75
50 years and over-----	86	-	-	4	7	4	7	11	8	29	15	2
Not stated-----	4,267	-	50	459	550	387	285	146	73	33	24	2,260
Female-----	1,800,064	27	31,241	383,037	532,295	387,149	233,637	109,367	43,473	14,965	8,775	56,098
10 to 14 years-----	2,163	7	438	390	112	32	10	5	5	7	2	1,185
15 to 19 years-----	207,492	13	25,062	115,215	35,743	7,061	2,118	652	290	111	89	21,109
20 to 24 years-----	590,786	-	5,407	239,299	242,004	61,796	16,706	5,277	1,904	683	448	17,262
25 to 29 years-----	506,233	2	229	25,394	225,854	174,554	51,376	13,754	4,775	1,635	1,061	7,589
30 to 34 years-----	300,030	1	29	1,964	25,227	127,216	97,247	30,569	8,955	3,066	1,826	3,930
35 to 39 years-----	148,741	3	11	269	2,597	15,058	61,363	43,643	15,645	4,895	2,859	2,289
40 to 44 years-----	37,871	1	1	34	199	962	4,447	15,023	10,714	3,828	1,963	599
45 to 49 years-----	2,563	-	1	9	12	31	94	296	1,110	597	370	43
50 years and over-----	112	-	-	4	12	13	11	13	8	18	28	5
Not stated-----	4,063	-	43	449	545	426	265	135	67	25	31	2,097
White-----	3,274,620	29	49,315	691,969	1,000,729	733,751	432,350	199,257	78,260	25,327	13,832	53,822
10 to 14 years-----	1,552	1	316	435	142	39	16	4	7	2	2	588
15 to 19 years-----	334,175	12	38,847	197,573	63,082	12,403	3,452	1,032	441	168	147	17,018
20 to 24 years-----	1,077,131	2	9,699	441,414	451,208	114,193	28,675	8,783	2,867	1,052	656	18,632
25 to 29 years-----	948,689	3	428	47,807	431,602	331,416	85,315	23,929	7,695	2,490	1,644	6,350
30 to 34 years-----	562,220	2	48	5,576	48,687	244,145	182,816	55,564	15,501	5,129	2,872	3,680
35 to 39 years-----	272,363	8	20	511	4,725	29,100	115,071	80,451	27,472	8,327	4,534	2,144
40 to 44 years-----	68,489	-	2	60	395	1,721	8,394	27,746	19,228	6,991	3,289	655
45 to 49 years-----	4,452	-	2	9	19	55	158	526	1,925	1,098	616	46
50 years and over-----	144	-	-	3	15	12	15	18	14	39	27	1
Not stated-----	5,405	-	53	601	856	649	418	204	90	31	35	2,468
Male-----	1,684,618	15	25,466	356,494	514,827	377,605	222,314	101,713	38,629	13,049	6,909	27,599
10 to 14 years-----	832	-	168	251	74	23	13	1	3	-	1	298
15 to 19 years-----	172,125	5	20,110	101,765	32,475	6,378	1,797	539	222	84	76	8,674
20 to 24 years-----	554,816	2	4,887	227,695	232,202	59,068	14,641	4,455	1,466	529	321	9,550
25 to 29 years-----	487,768	2	231	24,385	221,950	170,431	48,049	12,345	3,960	1,255	824	4,356
30 to 34 years-----	288,917	1	27	1,809	25,083	125,460	93,967	28,480	8,034	2,662	1,440	1,954
35 to 39 years-----	139,958	5	12	256	2,392	15,065	59,289	41,274	14,065	4,291	2,217	1,092
40 to 44 years-----	35,073	-	1	32	215	837	4,270	14,234	9,828	3,603	1,694	359
45 to 49 years-----	2,313	-	1	3	9	28	77	272	997	566	310	30
50 years and over-----	61	-	-	2	5	3	5	8	7	22	8	1
Not stated-----	2,775	-	29	296	422	310	226	105	47	17	18	1,305
Female-----	1,590,002	13	23,649	335,496	485,902	356,128	210,016	96,544	36,851	12,278	6,923	26,223
10 to 14 years-----	720	1	148	184	68	16	3	4	4	2	1	290
15 to 19 years-----	162,050	7	18,737	95,806	30,607	6,025	1,685	493	219	84	71	8,344
20 to 24 years-----	522,315	-	4,712	213,719	219,006	55,125	14,034	4,328	1,421	523	345	9,102
25 to 29 years-----	460,921	1	197	23,422	209,652	160,985	45,266	11,584	3,735	1,235	820	4,024
30 to 34 years-----	273,303	1	21	1,767	23,604	116,685	88,849	27,084	7,467	2,467	1,432	1,926
35 to 39 years-----	132,425	3	8	255	2,333	14,035	55,802	39,177	13,407	4,036	2,317	1,052
40 to 44 years-----	33,416	-	1	28	178	884	4,124	13,512	9,400	3,388	1,595	306
45 to 49 years-----	2,139	-	1	6	10	25	81	254	928	512	306	16
50 years and over-----	83	-	-	1	10	9	10	10	7	17	19	-
Not stated-----	2,630	-	24	305	434	339	192	99	43	14	17	1,163
Nonwhite-----	425,320	33	15,147	96,585	93,820	62,938	47,861	25,846	13,707	5,330	3,766	60,287
10 to 14 years-----	2,902	15	562	389	90	28	13	7	5	6	6	1,784
15 to 19 years-----	81,670	12	13,021	39,231	10,415	2,200	918	296	155	59	42	25,321
20 to 24 years-----	139,333	1	1,433	52,119	46,746	13,532	5,484	1,940	909	519	204	18,646
25 to 29 years-----	91,694	1	69	4,052	32,587	27,544	12,352	4,409	2,092	745	494	7,549
30 to 34 years-----	54,117	1	15	397	3,172	17,185	17,092	7,070	3,070	1,237	783	4,095
35 to 39 years-----	32,739	2	6	72	519	2,107	11,144	8,922	4,497	1,675	1,308	2,495
40 to 44 years-----	8,981	1	1	10	41	164	695	3,030	2,381	1,060	767	651
45 to 49 years-----	896	-	-	5	7	9	28	69	368	194	126	60
50 years and over-----	54	-	-	4	4	5	3	2	8	15	6	6
Not stated-----	2,945	-	40	307	239	164	132	77	50	27	20	1,889
Male-----	215,258	19	7,755	49,043	47,427	31,917	24,240	13,023	6,965	2,643	1,914	30,412
10 to 14 years-----	1,459	9	272	192	46	12	6	5	2	1	5	909
15 to 19 years-----	48,238	6	6,676	19,824	5,279	1,184	455	137	84	32	25	12,556
20 to 24 years-----	70,862	1	738	26,538	23,748	6,661	2,812	991	426	159	101	8,488
25 to 29 years-----	46,382	-	37	2,080	16,365	13,975	6,242	2,239	1,052	345	253	3,774
30 to 34 years-----	27,390	1	7	200	1,549	6,654	6,684	3,585	1,582	639	389	2,091
35 to 39 years-----	16,422	2	3	38	265	1,084	5,583	4,456	2,259	816	667	1,249
40 to 44 years-----	4,526	-	1	4	20	86	372	1,519	1,247	520	389	358

GENERAL TABLES—LIVE BIRTHS

169

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, AND BY AGE OF MOTHER, UNITED STATES, 1947—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES—Continued												
Nonwhite—Continued	210,062	14	7,392	47,542	46,393	51,021	23,621	12,923	6,842	2,697	1,852	29,875
Female	1,443	6	290	198	44	16	7	2	1	5	1	875
10 to 14 years	45,432	6	6,345	19,407	5,136	1,036	463	159	71	27	17	12,765
15 to 19 years	68,471	1	695	25,580	22,998	6,671	2,672	949	463	160	103	8,160
20 to 24 years	45,312	1	32	1,972	16,202	13,569	6,110	2,170	1,040	400	241	3,575
25 to 29 years	26,727	1	8	197	1,625	8,531	8,393	3,485	1,468	599	394	2,004
30 to 34 years	16,316	1	3	54	254	1,023	5,561	4,466	859	641	1,237	283
35 to 39 years	4,455	1	—	6	21	76	323	1,511	1,314	540	368	27
40 to 44 years	424	—	—	3	2	6	13	42	182	85	64	9
45 to 49 years	29	—	—	3	2	4	1	3	1	1	9	5
50 years and over	1,453	—	19	144	111	87	73	36	24	11	14	934
Not stated												
ALABAMA	88,116	3	2,249	20,510	22,084	15,642	10,778	5,404	2,549	986	710	7,202
Male	45,035	1	1,162	10,563	11,362	8,022	5,434	2,754	1,246	505	362	3,604
Female	43,081	2	1,087	9,947	10,722	7,620	5,344	2,650	1,302	481	348	3,598
White	58,006	1	1,394	14,312	16,550	11,477	7,249	3,589	1,476	547	367	1,045
Male	29,788	1	715	7,376	8,564	5,859	3,633	1,631	709	285	184	530
Female	28,218	1	679	6,936	7,986	5,618	3,616	1,757	767	262	183	515
Nonwhite	30,110	2	855	6,198	5,534	4,165	3,529	1,616	1,072	439	343	6,157
Male	15,247	1	467	3,185	2,798	2,063	1,601	923	537	220	179	3,074
Female	14,863	1	388	3,013	2,736	2,102	1,728	893	535	219	165	3,083
ARIZONA	19,153	1	413	4,469	5,465	3,822	2,490	1,224	572	210	160	327
Male	9,764	—	211	2,289	2,728	2,018	1,251	620	301	108	82	176
Female	9,389	1	202	2,200	2,737	1,804	1,239	604	271	102	78	151
White	16,928	—	338	3,994	4,896	3,436	2,180	1,051	463	169	123	178
Male	8,638	—	177	2,024	2,481	1,810	1,109	539	246	86	67	97
Female	8,290	—	161	1,970	2,415	1,626	1,072	513	215	81	56	81
Nonwhite	2,225	1	75	475	469	396	310	173	109	41	37	149
Male	1,126	—	34	245	247	208	143	82	53	20	15	79
Female	1,099	1	41	230	222	178	167	91	56	21	22	70
ARKANSAS	46,983	—	1,284	11,740	12,602	8,663	6,101	3,467	1,527	703	561	2,335
Male	24,955	—	685	5,906	6,448	4,476	3,113	1,759	771	360	272	1,164
Female	24,028	—	599	5,834	6,153	4,187	2,988	1,708	756	343	289	1,171
White	38,053	—	841	9,498	10,646	7,135	4,763	2,598	1,057	474	348	693
Male	19,534	—	458	4,625	5,465	3,711	2,440	1,314	548	250	166	359
Female	18,519	—	383	4,873	5,181	3,424	2,323	1,284	511	224	182	334
Nonwhite	10,930	—	443	2,242	1,956	1,528	1,338	869	470	229	213	1,642
Male	5,421	—	227	1,081	984	765	673	445	225	110	106	805
Female	5,509	—	216	1,161	972	763	665	424	245	119	107	837
CALIFORNIA	245,889	3	4,327	56,079	77,750	53,880	30,047	13,833	5,194	1,626	770	1,770
Male	126,136	3	2,545	26,771	40,017	27,534	15,378	7,085	2,669	864	368	884
Female	119,751	—	2,382	27,308	37,733	26,346	14,669	6,748	2,525	762	382	886
White	229,588	2	4,411	52,302	73,193	50,650	27,895	12,717	4,703	1,474	686	1,555
Male	117,940	2	2,261	26,845	37,726	25,939	14,294	6,528	2,427	778	348	772
Female	111,648	—	2,130	25,457	35,467	24,711	13,601	6,189	2,276	696	338	783
Nonwhite	16,301	1	516	3,777	4,557	3,240	2,152	1,116	491	152	84	215
Male	8,196	1	264	1,926	2,291	1,595	1,084	557	242	86	40	112
Female	8,105	—	252	1,851	2,266	1,645	1,068	559	249	66	44	103
COLORADO	32,974	1	651	7,848	10,211	6,733	3,973	1,860	804	335	184	294
Male	16,905	1	319	3,992	5,269	3,513	2,009	980	416	172	89	145
Female	15,969	—	312	3,856	4,942	3,220	1,964	880	388	163	95	149
White	32,212	1	608	7,698	10,017	6,604	3,895	1,820	784	320	180	285
Male	16,535	1	308	3,905	5,159	3,443	1,964	959	406	163	87	140
Female	15,677	—	300	3,793	4,858	3,161	1,931	861	378	157	93	145
Nonwhite	662	—	23	150	194	129	78	40	20	15	4	9
Male	370	—	11	87	110	70	45	21	10	9	2	5
Female	292	—	12	63	84	59	33	19	10	6	2	4
CONNECTICUT	45,581	1	252	7,167	14,766	12,061	6,535	2,642	852	286	110	909
Male	23,551	1	140	3,769	7,539	6,245	3,335	1,409	428	144	60	461
Female	22,030	—	112	3,398	7,207	5,816	3,200	1,233	424	142	50	448
White	44,202	1	219	6,784	14,399	11,872	6,418	2,573	816	275	133	741
Male	22,831	1	127	3,580	7,346	6,150	3,277	1,371	406	139	56	378
Female	21,371	—	92	3,204	7,053	5,722	3,141	1,202	410	137	47	363
Nonwhite	1,379	—	33	383	367	189	117	69	36	10	7	166
Male	720	—	13	189	215	95	58	38	22	5	4	85
Female	659	—	20	194	154	94	59	31	14	5	3	85
DELAWARE	7,717	—	122	1,510	2,260	1,694	984	453	146	56	29	483
Male	3,883	—	60	752	1,140	873	498	215	69	23	11	242
Female	3,834	—	62	758	1,120	821	486	218	77	33	18	241
White	6,604	—	91	1,319	2,059	1,557	858	384	119	42	21	154
Male	3,337	—	47	672	1,040	800	436	189	54	18	8	73
Female	3,267	—	44	647	1,019	757	422	195	65	24	13	81
Nonwhite	1,113	—	31	191	201	137	126	49	27	14	8	329
Male	546	—	13	80	100	73	62	26	15	5	3	169
Female	567	—	18	111	101	64	64	23	12	9	5	160

VITAL STATISTICS OF THE UNITED STATES

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, AND BY AGE OF MOTHER, UNITED STATES, 1947—Continued

(By place of residence)

AREA, RACE, AND SEX	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
DISTRICT OF COLUMBIA-----	21,686	1	361	4,166	6,222	4,509	2,547	1,087	405	134	64	2,189
Male----	11,044	1	183	2,070	3,176	2,504	1,340	549	216	63	25	1,107
Female--	10,642	-	168	2,096	3,046	2,205	1,207	538	190	71	39	1,082
White-----	14,016	1	177	2,572	4,463	3,380	1,792	750	242	83	32	524
Male----	7,199	1	94	1,292	2,302	1,722	936	393	128	41	14	278
Female--	6,817	-	83	1,280	2,161	1,658	856	357	114	42	18	248
Nonwhite-----	7,670	-	184	1,594	1,759	1,129	755	337	164	51	32	1,665
Male----	3,945	-	99	778	874	582	404	156	88	22	11	831
Female--	3,925	-	85	816	885	547	351	181	76	29	21	834
FLORIDA-----	59,907	2	1,168	12,587	16,256	11,626	7,441	3,839	1,769	640	450	4,029
Male----	30,779	1	610	6,465	8,368	5,967	3,867	2,006	871	335	223	2,066
Female--	29,028	1	558	6,122	7,888	5,659	3,574	1,833	898	305	227	1,963
White-----	44,472	1	732	9,891	13,246	9,457	5,752	2,787	1,185	423	286	912
Male----	23,011	-	394	5,042	6,844	4,887	3,004	1,437	577	233	139	464
Female--	21,461	1	348	4,849	6,402	4,570	2,748	1,350	608	190	147	448
Nonwhite-----	15,335	1	436	2,696	3,010	2,169	1,689	1,052	584	217	164	3,117
Male----	7,768	1	226	1,423	1,524	1,080	863	569	294	102	84	1,602
Female--	7,567	-	210	1,473	1,486	1,089	826	483	290	115	80	1,515
GEORGIA-----	94,944	7	2,783	21,439	24,746	17,236	11,519	5,293	2,434	896	697	7,895
Male----	48,805	7	1,455	11,221	12,627	8,751	6,010	2,665	1,227	456	344	4,022
Female--	46,139	-	1,328	10,218	12,119	8,485	5,509	2,608	1,207	439	353	3,873
White-----	62,894	2	1,417	14,451	18,276	12,890	7,860	3,524	1,487	567	389	3,031
Male----	32,562	2	744	7,584	9,399	6,583	4,114	1,804	787	293	198	1,054
Female--	30,332	-	673	6,867	8,877	6,307	3,746	1,720	700	274	191	977
Nonwhite-----	32,050	5	1,366	6,988	6,470	4,346	3,659	1,769	947	328	308	5,864
Male----	18,243	5	711	3,637	3,228	2,168	1,896	881	440	163	146	2,968
Female--	15,807	-	655	3,351	3,242	2,178	1,763	888	507	165	162	2,896
IDAHO-----	16,265	-	285	3,801	5,010	3,468	2,000	919	392	136	84	170
Male----	8,441	-	160	1,953	2,625	1,801	1,033	477	189	65	43	95
Female--	7,824	-	125	1,848	2,385	1,667	967	442	203	71	41	75
White-----	16,055	-	282	3,764	4,959	3,419	1,976	907	383	132	76	157
Male----	8,334	-	160	1,935	2,599	1,772	1,019	471	166	65	40	87
Female--	7,721	-	122	1,829	2,360	1,647	957	436	197	67	36	70
Nonwhite-----	210	-	3	37	51	49	24	12	9	4	8	13
Male----	107	-	-	18	26	29	14	6	3	-	3	8
Female--	103	-	3	19	25	20	10	6	6	4	5	5
ILLINOIS-----	196,007	-	2,389	38,294	59,678	45,937	26,327	11,753	4,146	1,365	570	5,549
Male----	100,874	-	1,228	19,708	30,751	23,606	13,581	6,019	2,176	647	283	2,875
Female--	95,133	-	1,161	18,586	28,927	22,331	12,746	5,734	1,970	718	287	2,673
White-----	160,417	-	1,965	34,627	56,037	43,577	24,787	10,925	3,763	1,212	513	3,011
Male----	82,937	-	1,031	17,621	28,904	22,564	12,605	5,604	1,975	578	260	1,577
Female--	87,480	-	934	16,806	27,133	21,013	11,984	5,321	1,788	634	253	1,434
Nonwhite-----	15,590	-	424	3,667	3,641	2,360	1,540	828	383	153	57	2,537
Male----	7,937	-	197	1,887	1,847	1,222	778	415	201	69	23	1,298
Female--	7,653	-	227	1,780	1,794	1,138	762	413	182	84	34	1,239
INDIANA-----	96,359	-	2,048	24,315	29,577	19,623	11,175	5,343	1,984	726	362	1,206
Male----	49,241	-	1,048	12,464	15,055	10,054	5,699	2,756	1,008	384	165	628
Female--	47,118	-	1,000	11,851	14,522	9,569	5,476	2,587	976	362	197	578
White-----	92,354	-	1,845	23,127	28,602	19,028	10,762	5,103	1,863	666	334	1,024
Male----	47,218	-	939	11,852	14,579	9,739	5,500	2,639	951	329	156	534
Female--	45,136	-	906	11,275	14,023	9,289	5,262	2,464	912	337	178	490
Nonwhite-----	4,005	-	203	1,188	975	595	413	240	121	60	28	182
Male----	2,023	-	109	612	476	315	199	117	57	35	9	94
Female--	1,982	-	94	576	499	280	214	123	64	25	19	88
IOWA-----	63,869	-	941	14,274	19,821	13,858	7,901	3,721	1,400	452	212	1,278
Male----	32,734	-	487	7,317	10,265	7,022	3,981	1,919	724	256	112	651
Female--	31,134	-	454	6,957	9,556	6,836	3,920	1,802	676	196	100	627
White-----	63,382	-	930	14,167	19,687	13,795	7,856	3,700	1,378	443	207	1,219
Male----	32,480	-	482	7,263	10,195	6,995	3,956	1,906	713	251	110	609
Female--	30,902	-	448	6,904	9,492	6,800	3,900	1,794	665	192	97	610
Nonwhite-----	476	-	11	107	134	63	45	21	22	9	5	59
Male----	254	-	5	54	70	25	15	11	5	2	2	42
Female--	222	-	6	53	64	36	20	8	11	4	3	17
KANSAS-----	44,535	-	811	10,638	13,784	9,240	5,315	2,499	1,020	327	190	711
Male----	23,026	-	428	5,502	7,128	4,788	2,794	1,268	515	163	74	366
Female--	21,509	-	383	5,136	6,656	4,452	2,521	1,231	505	164	116	345
White-----	42,921	-	724	10,182	13,360	8,983	5,134	2,395	937	292	179	635
Male----	22,152	-	381	5,251	6,938	4,661	2,687	1,212	475	147	67	333
Female--	20,669	-	343	4,931	6,422	4,322	2,447	1,183	462	145	112	302
Nonwhite-----	1,714	-	87	456	424	257	181	104	83	35	11	76
Male----	874	-	47	251	127	107	56	40	16	7	3	33
Female--	840	-	40	205	234	130	74	48	43	19	4	43
KENTUCKY-----	79,967	3	2,058	19,632	22,119	15,202	10,150	5,643	2,506	991	834	849
Male----	41,456	1	1,072	10,193	11,471	7,848	5,337	2,881	1,297	514	419	423
Female--	38,511	2	986	9,439	10,648	7,354	4,813	2,762	1,209	477	415	426

GENERAL TABLES—LIVE BIRTHS

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, AND BY AGE OF MOTHER, UNITED STATES, 1947—Continued

(By place of residence)

AREA, RACE, AND SEX	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY—Continued												
White	75,931	1	1,812	18,561	21,151	14,572	9,715	5,362	2,337	927	799	694
Male	39,379	-	947	9,647	10,960	7,527	5,101	2,742	1,221	490	398	346
Female	36,552	1	865	8,914	10,191	7,045	4,614	2,620	1,116	437	401	348
Nonwhite	4,056	2	248	1,071	968	630	435	281	169	64	35	155
Male	2,077	1	125	546	511	321	236	159	76	24	21	77
Female	1,979	1	121	525	457	309	199	142	93	40	14	78
LOUISIANA												
White	74,630	1	1,615	16,837	20,147	13,737	9,572	4,699	2,155	731	505	4,631
Male	38,236	1	798	8,686	10,281	7,101	4,922	2,403	1,111	365	272	2,298
Female	36,394	-	819	8,151	9,866	6,636	4,650	2,296	1,044	366	233	2,343
Nonwhite	47,102	-	797	10,865	14,227	9,730	6,231	2,885	1,130	366	229	632
Male	24,287	-	381	5,642	7,284	5,076	3,190	1,498	595	198	129	314
Female	22,815	-	416	5,223	6,943	4,654	3,041	1,387	535	178	110	318
Nonwhite	27,528	1	818	5,972	5,920	4,007	3,341	1,804	1,025	365	276	3,999
Male	13,949	1	415	3,054	2,997	2,025	1,732	905	516	177	153	1,974
Female	13,579	-	403	2,918	2,923	1,982	1,609	899	509	188	123	2,025
MAINE												
White	23,873	1	471	5,779	7,292	4,828	2,720	1,285	518	167	115	689
Male	12,240	1	243	3,010	3,758	2,440	1,366	688	251	85	50	348
Female	11,633	-	228	2,769	3,534	2,388	1,354	605	267	82	65	341
Nonwhite	25,856	1	471	5,770	7,281	4,820	2,719	1,292	516	167	115	684
Male	12,222	1	243	3,005	3,754	2,436	1,365	688	251	85	50	346
Female	11,614	-	228	2,767	3,527	2,384	1,354	604	265	82	65	338
Nonwhite	37	-	-	9	11	8	1	2	-	-	-	5
Male	18	-	-	7	4	4	-	-	-	-	-	2
Female	19	-	-	2	7	4	-	1	2	-	-	3
MARYLAND												
White	56,687	4	1,498	12,728	17,342	12,213	7,045	3,240	1,185	379	211	884
Male	29,034	2	784	6,508	8,825	6,377	3,567	1,666	594	186	98	417
Female	27,653	2	714	6,220	8,517	5,836	3,478	1,574	601	193	113	417
Nonwhite	46,177	-	702	9,796	14,746	10,610	5,849	2,618	932	283	150	491
Male	23,690	-	379	4,982	7,570	5,532	2,969	1,342	455	157	71	256
Female	22,487	-	323	4,814	7,176	5,078	2,881	1,276	479	146	79	235
Nonwhite	10,510	4	796	2,932	2,586	1,603	1,194	622	263	96	61	343
Male	5,344	2	405	1,528	1,245	845	619	324	141	49	27	161
Female	5,166	2	391	1,406	1,341	758	575	298	122	47	34	182
MASSACHUSETTS												
White	107,791	1	682	18,517	24,357	26,603	15,436	6,559	2,276	649	277	2,434
Male	55,568	-	349	9,585	17,880	13,557	7,867	3,442	1,178	325	159	1,306
Female	52,203	1	333	8,932	16,477	13,046	7,569	3,117	1,098	324	138	1,128
Nonwhite	105,848	1	646	18,063	33,778	28,307	15,273	6,459	2,229	620	258	2,214
Male	54,581	-	326	9,335	17,546	13,393	7,794	3,397	1,157	313	126	1,234
Female	51,267	1	320	8,728	16,232	14,914	7,479	3,062	1,072	307	132	1,020
Nonwhite	1,943	-	36	454	579	296	163	100	47	29	19	220
Male	1,007	-	23	230	314	164	73	45	21	12	13	112
Female	936	-	13	224	265	132	90	55	26	17	6	108
MICHIGAN												
White	161,085	1	2,716	36,201	49,776	38,587	19,788	9,218	3,657	1,130	456	2,555
Male	82,550	-	1,360	18,699	25,458	18,319	10,110	4,626	1,906	580	214	1,278
Female	78,535	1	1,356	17,502	24,318	17,268	9,678	4,592	1,751	550	242	1,277
Nonwhite	150,523	1	2,268	33,266	46,976	33,841	18,668	8,615	3,352	1,028	420	2,098
Male	77,227	-	1,149	17,209	24,041	17,442	9,536	4,354	1,749	530	189	1,038
Female	73,296	1	1,119	16,057	22,935	16,399	9,132	4,261	1,603	498	221	1,050
Nonwhite	10,562	-	446	2,935	2,800	1,745	1,120	603	305	102	36	467
Male	5,323	-	211	1,490	1,417	877	574	292	157	50	15	240
Female	5,239	-	237	1,445	1,383	869	546	311	148	52	21	227
MINNESOTA												
White	75,577	3	635	13,127	22,500	18,165	10,858	5,262	2,151	738	305	1,833
Male	38,902	1	319	6,738	11,678	9,279	5,561	2,724	1,110	392	160	940
Female	36,675	2	316	6,389	10,822	8,886	5,297	2,538	1,041	346	145	893
Nonwhite	74,911	3	626	13,007	22,359	18,043	10,792	5,223	2,132	729	299	1,698
Male	38,574	1	314	6,676	11,614	9,221	5,519	2,701	1,100	389	158	881
Female	36,337	2	312	6,331	10,745	8,822	5,273	2,522	1,032	340	141	817
Nonwhite	666	-	9	120	141	122	66	39	19	9	6	135
Male	328	-	5	62	64	56	42	23	10	3	2	59
Female	338	-	4	58	77	64	24	16	9	6	4	76
MISSISSIPPI												
White	66,450	2	1,880	14,888	15,683	11,027	8,357	4,574	2,224	868	702	6,235
Male	34,056	1	958	7,663	8,000	5,731	4,268	2,293	1,136	466	384	3,176
Female	32,394	1	922	7,225	7,683	5,296	4,089	2,281	1,088	402	318	3,059
Nonwhite	32,643	-	629	7,857	9,375	6,462	4,313	2,156	874	329	214	436
Male	16,984	-	329	4,138	4,795	3,398	2,251	1,089	450	173	112	211
Female	15,709	-	300	3,719	4,578	3,064	2,062	1,067	426	156	102	225
Nonwhite	33,807	2	1,261	7,031	6,310	4,585	4,044	2,418	1,350	539	498	5,799
Male	17,122	1	629	3,525	3,205	2,333	2,017	1,204	688	293	252	2,965
Female	16,685	1	632	3,506	3,105	2,252	2,027	1,214	652	246	236	2,834
MISSOURI												
White	90,060	-	1,715	20,652	26,019	18,363	11,472	5,487	2,331	788	498	2,735
Male	46,309	-	896	10,801	13,341	9,482	5,875	2,745	1,175	403	249	1,542
Female	43,751	-	819	9,851	12,678	8,881	5,597	2,742	1,156	385	249	1,193
Nonwhite	83,140	-	1,495	19,082	24,670	17,385	10,757	5,080	2,114	686	441	1,450
Male	42,814	-	772	9,964	12,661	8,979	5,529	2,533	1,074	360	223	719
Female	40,326	-	723	9,118	12,009	8,406	5,228	2,547	1,040	326	218	731
Nonwhite	6,920	-	220	1,570	1,349	978	715	427	217	102	57	1,285
Male	3,495	-	124	697	680	503	346	212	101	43	26	625
Female	3,425	-	96	733	669	475	369	215	116	59	31	662

VITAL STATISTICS OF THE UNITED STATES

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, AND BY AGE OF MOTHER, UNITED STATES, 1947—Continued

(By place of residence)

AREA, RACE, AND SEX	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MONTEANA	15,086	1	182	2,937	4,676	3,404	2,140	802	398	178	91	177
Male	7,821	-	108	1,541	2,372	1,794	1,097	463	214	92	49	91
Female	7,265	1	74	1,396	2,304	1,610	1,043	439	184	86	42	86
White	14,398	-	163	2,792	4,495	3,287	2,051	845	369	163	81	142
Male	7,474	-	93	1,467	2,292	1,751	1,050	455	200	85	44	77
Female	6,914	-	70	1,325	2,203	1,536	1,001	410	169	78	37	65
Nonwhite	638	1	19	145	181	117	89	57	29	15	10	35
Male	347	-	15	74	80	65	47	28	14	7	5	14
Female	351	1	4	71	101	54	42	29	15	8	5	21
NEBRASKA	32,132	-	478	7,164	9,914	6,867	4,076	1,935	766	256	135	541
Male	15,462	-	249	3,669	5,058	3,542	2,106	993	395	123	68	259
Female	15,870	-	229	3,515	4,856	3,325	1,970	942	371	113	67	282
White	31,513	-	456	7,029	9,759	6,770	4,024	1,885	746	223	133	478
Male	16,136	-	239	3,584	4,981	3,492	2,078	973	383	115	68	223
Female	15,377	-	217	3,445	4,778	3,278	1,946	922	363	108	65	255
Nonwhite	619	-	22	155	155	97	52	40	20	13	2	63
Male	326	-	10	85	77	50	28	20	12	8	-	36
Female	293	-	12	70	78	47	24	20	8	5	2	27
NEVADA	4,041	-	57	778	1,142	931	586	271	132	49	26	69
Male	2,054	-	24	385	588	472	301	146	68	26	11	35
Female	1,987	-	33	393	554	459	285	125	64	23	15	36
White	3,809	-	52	742	1,061	860	562	256	117	43	23	55
Male	1,941	-	23	369	560	446	290	137	59	22	9	26
Female	1,868	-	29	373	521	434	272	119	58	21	14	27
Nonwhite	232	-	5	36	61	51	24	15	6	3	3	16
Male	113	-	1	16	28	26	11	9	4	2	2	7
Female	119	-	4	20	33	25	13	6	2	1	1	9
NEW HAMPSHIRE	13,267	-	163	2,838	4,221	2,969	1,633	686	265	78	46	348
Male	6,759	-	81	1,484	2,089	1,524	836	359	132	46	29	179
Female	6,506	-	82	1,354	2,132	1,465	797	327	133	32	17	169
White	13,256	-	163	2,837	4,216	2,969	1,630	686	265	78	46	347
Male	6,754	-	81	1,484	2,087	1,524	833	359	132	46	29	179
Female	6,502	-	82	1,353	2,129	1,464	797	327	133	32	17	168
Nonwhite	11	-	1	1	5	1	3	-	-	-	-	1
Male	5	-	-	-	2	-	3	-	-	-	-	-
Female	6	-	1	1	3	1	-	-	-	-	-	1
NEW JERSEY	106,242	1	858	17,270	33,666	27,520	15,734	6,431	2,127	643	200	1,610
Male	54,875	-	438	8,958	17,470	14,187	8,171	3,310	1,093	347	91	830
Female	51,367	1	400	8,332	16,398	13,333	7,563	3,121	1,034	296	109	780
White	98,153	1	573	15,074	31,126	26,280	14,961	5,989	1,910	561	172	904
Male	50,804	-	305	7,833	16,393	13,572	7,780	3,079	990	308	83	482
Female	47,349	1	268	7,241	15,335	12,708	7,181	2,911	920	253	89	422
Nonwhite	8,089	-	265	2,196	2,440	1,240	773	442	217	82	28	706
Male	4,071	-	133	1,105	1,077	615	391	232	103	39	8	368
Female	4,018	-	132	1,091	1,063	625	382	210	114	43	20	338
NEW MEXICO	20,322	-	429	4,501	5,391	3,769	2,587	1,498	779	305	216	847
Male	10,581	-	206	2,367	2,820	1,945	1,352	782	406	161	119	423
Female	9,741	-	223	2,134	2,571	1,824	1,235	716	373	144	97	424
White	18,615	-	392	4,246	5,108	3,522	2,397	1,354	700	266	187	643
Male	9,769	-	184	2,234	2,852	1,819	1,259	712	363	147	104	315
Female	9,026	-	209	2,012	2,458	1,703	1,138	642	337	119	83	328
Nonwhite	1,507	-	37	255	283	247	190	144	79	39	29	204
Male	792	-	22	133	169	126	93	70	43	14	15	108
Female	715	-	15	122	115	121	97	74	36	25	14	96
NEW YORK	323,250	2	2,631	50,531	96,858	82,129	50,731	22,403	7,466	2,247	823	7,429
Male	166,195	2	1,325	25,955	49,760	42,252	26,296	11,471	3,782	1,132	421	3,799
Female	157,055	-	1,306	24,576	47,098	39,877	24,435	10,932	3,684	1,115	402	3,630
White	301,386	1	2,004	45,203	91,296	78,777	48,514	21,192	6,907	2,069	735	4,668
Male	155,087	1	1,014	23,219	46,967	40,560	25,161	10,833	3,499	1,048	375	2,390
Female	146,299	-	990	21,984	44,329	38,217	23,353	10,359	3,408	1,021	360	2,278
Nonwhite	21,864	1	627	5,328	5,562	3,352	2,217	1,211	559	178	88	2,761
Male	11,128	1	311	2,736	2,793	1,692	1,135	658	283	84	46	1,409
Female	10,736	-	316	2,592	2,769	1,660	1,082	573	276	94	42	1,352
NORTH CAROLINA	112,877	3	3,309	27,778	30,965	20,733	13,695	6,513	2,944	1,133	814	4,970
Male	57,546	2	1,721	14,145	15,945	10,617	6,877	3,315	1,473	541	432	2,478
Female	55,331	1	1,588	13,633	15,040	10,116	6,818	3,198	1,471	592	382	2,492
White	79,582	-	1,737	19,749	23,244	15,645	9,778	4,613	1,979	724	530	1,593
Male	40,817	-	918	10,132	12,017	8,062	4,933	2,367	995	352	270	771
Female	38,775	-	819	9,617	11,227	7,583	4,845	2,246	984	372	260	822
Nonwhite	33,295	3	1,572	8,029	7,741	5,088	3,917	1,900	965	409	284	3,377
Male	16,729	2	803	4,013	3,928	2,555	1,944	948	478	189	162	1,707
Female	16,566	1	769	4,016	3,813	2,533	1,973	952	487	220	122	1,670
NORTH DAKOTA	17,064	-	152	2,681	4,909	4,017	2,593	1,318	587	208	94	405
Male	8,791	-	74	1,437	2,458	2,146	1,331	658	312	118	50	207
Female	8,273	-	78	1,444	2,351	1,871	1,262	660	275	90	44	198

GENERAL TABLES—LIVE BIRTHS

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, AND BY AGE OF MOTHER, UNITED STATES, 1947—Continued

(By place of residence)

AREA, RACE, AND SEX	Total births	AGE OF FATHER										Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	
NORTH DAKOTA—Continued												
White	16,719	-	147	2,835	4,723	3,958	2,546	1,290	574	197	91	358
Male	8,627	-	72	1,422	2,415	2,115	1,309	641	306	114	48	185
Female	8,092	-	75	1,413	2,308	1,843	1,237	649	268	83	43	173
Nonwhite	345	-	5	46	86	59	47	28	13	11	3	47
Male	164	-	2	15	43	31	22	17	6	4	2	22
Female	181	-	3	31	43	28	25	11	7	7	1	25
OHIO												
White	197,511	-	3,096	43,997	60,958	43,621	24,425	10,827	3,840	1,576	655	4,516
Male	101,286	-	1,546	22,576	31,323	22,512	12,407	5,657	1,954	680	338	2,293
Female	96,023	-	1,548	21,421	29,635	21,109	12,018	5,170	1,886	696	317	2,223
White	185,100	-	2,679	40,803	57,907	41,816	23,185	10,216	3,482	1,248	596	3,168
Male	95,171	-	1,338	20,979	29,796	21,588	11,784	5,340	1,792	622	303	1,629
Female	89,929	-	1,341	19,824	28,111	20,228	11,401	4,876	1,690	626	293	1,539
Nonwhite	12,211	-	417	3,194	3,051	1,805	1,240	611	359	128	59	1,348
Male	6,117	-	210	1,597	1,527	924	623	317	162	58	35	684
Female	6,094	-	207	1,597	1,524	881	617	294	196	70	24	664
OKLAHOMA												
White	53,684	1	1,363	14,002	15,480	9,718	6,149	3,253	1,548	578	389	1,403
Male	27,446	-	664	7,255	7,838	4,939	3,144	1,701	693	300	192	720
Female	26,238	1	699	6,747	7,642	4,779	3,005	1,552	655	278	197	683
White	48,025	-	1,135	12,782	14,253	8,921	5,513	2,850	1,143	473	310	645
Male	24,640	-	580	6,649	7,214	4,553	2,829	1,510	583	249	158	335
Female	23,385	-	575	6,133	7,039	4,368	2,684	1,340	560	224	152	310
Nonwhite	5,659	1	228	1,220	1,227	797	636	403	205	105	79	788
Male	2,806	-	104	608	624	386	315	191	110	51	34	365
Female	2,853	1	124	614	603	411	321	212	95	54	45	373
OREGON												
White	36,294	-	593	8,282	11,436	8,057	4,526	1,953	776	268	136	267
Male	18,624	-	310	4,255	5,881	4,140	2,313	997	392	135	65	136
Female	17,670	-	283	4,027	5,555	3,917	2,213	956	384	133	71	131
White	35,740	-	579	8,188	11,302	7,854	4,448	1,913	755	258	132	251
Male	18,345	-	302	4,194	5,808	4,093	2,276	976	390	128	61	128
Female	17,394	-	277	3,974	5,494	3,841	2,172	937	375	130	71	123
Nonwhite	554	-	14	114	134	123	78	40	21	10	4	16
Male	278	-	8	61	73	47	37	21	12	7	4	8
Female	276	-	6	53	61	76	41	19	9	3	-	8
PENNSYLVANIA												
White	248,513	8	3,432	50,956	77,955	58,169	32,668	13,993	5,067	1,643	722	3,900
Male	127,627	4	1,792	26,177	40,038	29,874	16,841	7,119	2,621	833	355	1,973
Female	120,886	4	1,640	24,779	37,917	28,295	15,827	6,874	2,446	810	367	1,927
White	233,437	5	2,837	46,877	74,166	55,893	31,121	13,104	4,638	1,472	659	2,675
Male	119,827	2	1,483	24,085	38,092	28,275	16,094	6,663	2,410	750	320	1,363
Female	113,510	3	1,354	22,792	36,074	27,608	15,037	6,441	2,228	722	339	1,312
Nonwhite	15,076	3	585	4,079	3,789	2,286	1,547	889	429	171	63	1,226
Male	7,700	2	309	2,082	1,946	1,199	757	456	211	83	35	610
Female	7,376	1	286	1,987	1,843	1,087	790	433	218	88	28	615
RHODE ISLAND												
White	18,536	-	154	3,383	5,971	4,457	2,519	1,104	333	109	33	473
Male	9,515	-	71	1,733	3,053	2,277	1,280	584	188	54	11	264
Female	9,021	-	83	1,650	2,918	2,180	1,239	520	145	55	22	209
White	18,144	-	145	3,288	5,885	4,405	2,485	1,090	323	104	26	415
Male	9,316	-	68	1,878	3,015	2,244	1,260	575	184	52	7	235
Female	8,828	-	77	1,592	2,870	2,161	1,225	515	139	52	19	178
Nonwhite	392	-	9	115	86	52	34	14	10	5	7	60
Male	199	-	3	57	38	33	20	9	4	2	4	29
Female	193	-	6	58	48	19	14	5	6	3	3	31
SOUTH CAROLINA												
White	59,470	-	1,277	13,872	16,126	10,428	6,634	3,173	1,421	513	436	5,390
Male	30,473	-	655	7,082	8,245	5,437	3,543	1,570	744	251	234	2,712
Female	28,997	-	622	6,790	7,881	4,991	3,291	1,603	677	262	202	2,678
White	34,076	-	634	8,198	10,479	6,808	3,989	1,869	745	271	223	820
Male	17,496	-	355	4,146	5,349	3,581	2,087	920	396	128	119	415
Female	16,580	-	339	4,052	5,130	3,227	1,882	949	349	143	104	405
Nonwhite	25,394	-	583	5,674	5,647	3,620	2,865	1,304	676	242	213	4,570
Male	12,977	-	300	2,936	2,886	1,856	1,486	650	348	123	115	2,297
Female	12,417	-	283	2,738	2,761	1,764	1,409	654	328	119	98	2,273
SOUTH DAKOTA												
White	16,539	-	157	3,124	4,978	3,686	2,201	1,204	529	184	81	395
Male	8,541	-	90	1,565	2,569	1,803	1,163	631	269	95	35	221
Female	7,998	-	67	1,559	2,409	1,783	1,038	573	260	89	46	174
White	15,854	-	153	3,033	4,820	3,553	2,111	1,151	497	176	72	288
Male	8,215	-	88	1,529	2,493	1,832	1,125	607	255	91	31	164
Female	7,639	-	65	1,504	2,327	1,721	986	544	242	65	41	124
Nonwhite	665	-	4	91	159	133	90	53	32	8	9	107
Male	326	-	2	36	76	71	38	24	14	4	4	57
Female	359	-	2	55	82	62	52	29	18	4	5	50
TENNESSEE												
White	86,619	2	2,357	20,562	23,105	16,099	10,574	5,454	2,463	915	758	4,330
Male	44,626	-	1,250	10,524	11,957	8,319	5,475	2,789	1,249	470	395	2,198
Female	41,993	2	1,107	10,038	11,148	7,780	5,099	2,665	1,214	445	363	2,132
White	72,961	-	1,799	17,793	20,472	14,239	9,037	4,638	2,002	739	631	1,611
Male	37,720	-	949	9,127	10,654	7,393	4,686	2,374	1,016	394	329	808
Female	35,241	-	850	8,666	9,818	6,846	4,351	2,264	986	355	302	803
Nonwhite	13,658	2	558	2,769	2,633	1,860	1,537	816	461	176	127	2,719
Male	6,906	-	301	1,397	1,303	926	789	415	233	86	66	1,390
Female	6,752	2	257	1,372	1,330	934	748	401	228	90	61	1,329

VITAL STATISTICS OF THE UNITED STATES

TABLE 8.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, AND BY AGE OF MOTHER, UNITED STATES, 1947—Continued

(By place of residence)

AREA, RACE, AND SEX	Total births	AGE OF FATHER											Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over		
TEXAS	196,662	2	4,693	47,124	55,800	38,159	25,093	12,443	5,464	1,912	1,297	6,485	
Male	101,869	1	2,527	24,269	26,636	19,388	12,938	6,563	2,799	990	635	3,323	
Female	96,793	1	2,366	22,855	27,164	18,771	12,155	6,080	2,665	922	652	3,162	
White	175,183	2	3,940	41,794	51,076	34,802	22,461	10,894	4,607	1,577	1,043	2,967	
Male	89,981	1	2,039	21,565	26,247	17,670	11,602	5,594	2,372	811	515	1,565	
Female	85,202	1	1,901	20,229	24,829	17,132	10,879	5,300	2,235	766	528	1,402	
Nonwhite	23,479	-	953	5,330	4,724	3,357	2,612	1,549	857	335	244	3,518	
Male	11,888	-	498	2,704	2,389	1,719	1,356	769	427	179	120	1,758	
Female	11,591	-	465	2,626	2,335	1,639	1,276	780	430	156	124	1,760	
UTAH	21,724	-	424	5,290	6,817	4,496	2,613	1,207	448	159	64	206	
Male	11,243	-	217	2,766	3,555	2,276	1,327	632	239	89	28	114	
Female	10,481	-	207	2,524	3,262	2,220	1,286	575	209	70	36	92	
White	21,461	-	419	5,257	6,726	4,435	2,582	1,185	443	156	61	197	
Male	11,096	-	213	2,746	3,504	2,247	1,309	621	236	87	26	107	
Female	10,363	-	206	2,509	3,222	2,188	1,273	564	207	69	35	90	
Nonwhite	263	-	5	33	91	61	31	22	5	3	3	9	
Male	145	-	4	16	51	29	18	11	3	2	2	7	
Female	118	-	1	15	40	32	13	11	2	1	1	2	
VERMONT	9,708	-	149	2,106	2,971	2,024	1,268	597	258	75	47	243	
Male	4,970	-	83	1,078	1,501	1,045	633	310	133	39	22	127	
Female	4,738	-	66	1,028	1,470	979	635	277	125	37	25	116	
White	9,703	-	149	2,105	2,970	2,022	1,268	597	237	75	47	243	
Male	4,967	-	83	1,077	1,501	1,044	633	310	132	38	22	127	
Female	4,736	-	66	1,028	1,469	978	635	277	105	37	25	116	
Nonwhite	5	-	-	1	1	2	-	-	1	-	-	-	
Male	3	-	-	1	1	1	-	-	1	-	-	-	
Female	2	-	-	-	1	1	-	-	-	-	-	-	
VIRGINIA	85,740	3	1,691	18,720	24,212	16,955	10,636	5,059	2,144	772	538	5,010	
Male	43,959	1	852	9,607	12,477	8,618	5,366	2,517	1,112	400	250	2,559	
Female	41,782	2	839	9,113	11,735	8,337	5,270	2,542	1,032	372	288	2,452	
White	65,636	-	1,065	14,398	19,715	13,957	8,423	3,958	1,552	536	369	1,663	
Male	33,799	-	524	7,500	10,175	7,266	4,281	1,961	803	279	162	848	
Female	31,837	-	541	6,898	9,540	6,691	4,142	1,997	749	257	207	815	
Nonwhite	20,104	3	626	4,322	4,497	2,998	2,213	1,101	592	236	169	3,347	
Male	10,159	1	328	2,107	2,302	1,552	1,085	556	309	121	80	1,710	
Female	9,945	2	298	2,215	2,195	1,446	1,128	545	283	115	81	1,637	
WASHINGTON	58,461	2	908	12,955	18,237	12,864	7,171	3,123	1,276	373	191	1,361	
Male	29,819	1	492	6,582	9,267	6,621	3,627	1,591	657	193	99	669	
Female	28,662	1	416	6,373	8,970	6,243	3,544	1,532	619	180	92	692	
White	56,845	2	866	12,648	17,638	12,530	6,945	3,007	1,231	360	178	1,220	
Male	28,976	1	477	6,426	9,058	6,435	3,520	1,539	633	183	94	610	
Female	27,869	1	409	6,222	8,780	6,085	3,425	1,468	599	177	84	610	
Nonwhite	1,636	-	22	307	399	334	228	116	45	13	13	161	
Male	843	-	15	156	203	186	107	52	24	10	5	79	
Female	793	-	7	151	190	148	119	64	21	3	8	82	
WEST VIRGINIA	55,085	-	1,007	13,088	14,956	10,327	6,649	3,518	1,701	660	460	2,719	
Male	28,329	-	506	6,670	7,750	5,292	3,433	1,834	856	346	238	1,404	
Female	26,756	-	501	6,418	7,206	5,035	3,216	1,684	845	314	222	1,315	
White	52,467	-	975	12,615	14,431	9,950	6,368	3,307	1,563	595	425	2,356	
Male	27,006	-	489	6,434	7,460	5,103	3,301	1,734	779	307	221	1,158	
Female	25,461	-	486	6,181	6,971	4,847	3,067	1,573	784	288	204	1,080	
Nonwhite	2,618	-	32	473	525	377	281	211	139	65	35	481	
Male	1,323	-	17	236	270	189	132	100	77	39	17	246	
Female	1,295	-	15	237	285	188	149	111	61	26	18	235	
WISCONSIN	84,059	1	642	15,557	25,981	19,948	11,642	5,509	2,065	654	285	1,795	
Male	43,198	1	348	8,021	13,305	10,274	6,004	2,762	1,046	355	140	942	
Female	40,861	-	294	7,536	12,676	9,674	5,638	2,747	1,019	299	125	853	
White	83,106	1	621	15,353	25,787	19,789	11,537	5,436	2,031	645	259	1,637	
Male	42,712	1	340	7,903	13,209	10,198	5,954	2,730	1,027	349	137	864	
Female	40,394	-	281	7,450	12,578	9,601	5,583	2,706	1,004	296	122	773	
Nonwhite	953	-	21	204	194	149	105	73	34	9	6	158	
Male	486	-	8	118	96	76	50	32	19	6	3	78	
Female	467	-	13	86	98	73	55	41	15	3	3	80	
WYOMING	7,320	-	136	1,660	2,235	1,575	919	447	183	71	35	59	
Male	3,720	-	62	861	1,118	818	477	213	83	36	18	34	
Female	3,600	-	74	799	1,117	757	442	234	100	35	17	25	
White	7,156	-	132	1,635	2,201	1,540	900	430	172	63	34	49	
Male	3,635	-	61	847	1,102	801	466	204	79	31	18	27	
Female	3,521	-	71	788	1,099	739	434	226	94	32	16	22	
Nonwhite	164	-	4	25	34	35	19	17	11	8	1	10	
Male	85	-	1	14	16	17	11	9	5	5	-	7	
Female	79	-	3	11	18	18	8	8	6	3	1	3	

GENERAL TABLES—LIVE BIRTHS

175

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—				AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital	Physician not in hospital	Midwife	Other and not specified			Physician in hospital	Physician not in hospital	Midwife	Other and not specified
UNITED STATES	3,699,940	3,136,930	375,407	1,176,188	11,445	CALIFORNIA	245,689	240,269	4,498	443	679
White	3,274,620	2,925,374	300,198	41,584	7,484	White	229,588	224,968	3,670	390	559
Nonwhite	425,320	211,556	75,209	134,594	3,961	Nonwhite	16,301	15,300	828	53	120
Urban	2,215,106	2,078,204	95,630	39,448	3,824	Urban	181,336	178,143	2,444	362	387
White	1,986,400	1,909,632	61,987	12,630	2,151	White	167,971	165,499	1,837	324	311
Nonwhite	228,706	168,572	31,643	26,818	1,673	Nonwhite	13,365	12,644	607	38	76
Places of 100,000 or more	1,045,045	1,004,899	30,558	7,475	2,113	Places of 100,000 or more	92,945	91,531	1,008	211	197
White	909,108	887,519	16,296	4,450	853	White	85,703	82,711	653	186	155
Nonwhite	135,937	117,380	14,272	3,025	1,260	Nonwhite	9,242	8,820	355	25	44
Places of 25,000 to 100,000	453,538	429,468	14,755	8,778	538	Places of 25,000 to 100,000	33,740	33,237	349	89	66
White	414,210	402,064	9,273	2,456	407	White	31,727	31,510	293	81	45
Nonwhite	39,328	27,404	5,482	6,322	131	Nonwhite	2,013	1,927	56	7	23
Places of 10,000 to 25,000	319,411	296,027	13,867	9,180	337	Places of 10,000 to 25,000	25,877	25,245	547	44	45
White	294,350	285,418	8,778	1,933	221	White	24,426	23,972	374	42	39
Nonwhite	25,061	12,609	5,089	7,247	116	Nonwhite	1,451	1,271	173	2	5
Places of 2,500 to 10,000	397,111	347,810	34,480	14,015	836	Places of 2,500 to 10,000	28,774	28,132	542	19	61
White	368,752	336,631	27,650	3,781	670	White	28,115	27,506	517	15	77
Nonwhite	28,379	11,179	6,800	10,234	166	Nonwhite	659	626	25	4	4
Rural	1,484,834	1,059,726	281,777	136,710	7,621	Rural	64,553	62,126	2,054	81	292
White	1,286,220	1,015,742	238,211	28,954	5,353	White	61,617	59,470	1,933	66	248
Nonwhite	196,614	42,984	43,566	107,776	2,268	Nonwhite	2,936	2,656	121	15	44
ALABAMA	88,116	47,817	21,387	18,725	187	COLORADO	32,874	29,779	2,832	171	92
White	88,006	40,706	15,367	1,623	110	White	32,212	29,174	2,779	169	90
Nonwhite	30,110	7,111	6,020	16,902	77	Nonwhite	662	605	53	2	2
Urban	31,108	23,660	3,954	3,467	27	Urban	21,164	19,889	1,170	71	34
White	20,430	18,808	1,495	120	7	White	20,644	19,411	1,123	70	34
Nonwhite	10,678	4,852	2,459	3,347	20	Nonwhite	520	478	43	1	1
Places of 100,000 or more	8,028	6,881	1,133	9	5	Places of 100,000 or more	10,521	10,108	372	34	7
White	4,690	4,561	125	2	2	White	10,102	9,718	344	33	7
Nonwhite	3,338	2,320	1,008	7	3	Nonwhite	419	390	29	1	1
Places of 25,000 to 100,000	9,524	7,132	713	1,688	11	Places of 25,000 to 100,000	3,390	3,126	249	9	6
White	6,358	5,953	368	32	5	White	3,326	3,068	243	9	6
Nonwhite	3,166	1,179	345	1,656	6	Nonwhite	64	58	6	1	1
Places of 10,000 to 25,000	5,044	3,724	706	609	5	Places of 10,000 to 25,000	2,680	2,493	188	3	6
White	3,194	3,020	149	25	5	White	10	9	1	1	1
Nonwhite	1,850	704	557	584	5	Nonwhite	5	4	1	1	1
Places of 2,500 to 10,000	8,512	5,923	1,402	1,181	6	Places of 2,500 to 10,000	4,563	4,162	361	25	15
White	6,188	5,274	853	61	6	White	4,536	4,141	353	25	15
Nonwhite	2,324	649	549	1,120	6	Nonwhite	27	21	6	1	1
Rural	57,008	24,157	17,433	15,258	160	Rural	11,710	9,890	1,662	100	58
White	37,576	21,698	15,872	1,703	103	White	11,569	9,763	1,650	99	56
Nonwhite	19,432	2,259	3,561	13,555	57	Nonwhite	142	127	12	1	2
ARIZONA	19,153	16,973	1,130	554	496	CONNECTICUT	45,581	45,249	326	2	4
White	16,928	15,360	948	470	150	White	44,202	43,892	305	1	4
Nonwhite	2,225	1,613	182	84	346	Nonwhite	1,379	1,357	21	1	1
Urban	10,790	9,616	581	298	95	Urban	31,408	31,251	154	2	1
White	10,153	9,289	521	259	84	White	30,146	30,007	137	1	1
Nonwhite	637	527	60	39	11	Nonwhite	1,262	1,244	17	1	1
Places of 25,000 to 100,000	7,249	6,613	422	146	69	Places of 100,000 or more	12,343	12,279	63	1	1
White	6,768	6,226	369	113	60	White	11,551	11,497	53	1	1
Nonwhite	481	387	53	33	6	Nonwhite	792	782	10	1	1
Places of 10,000 to 25,000	3,541	3,203	159	152	27	Places of 25,000 to 100,000	12,226	12,175	49	1	1
White	3,395	3,063	152	146	24	White	11,868	11,822	45	1	1
Nonwhite	156	140	7	6	3	Nonwhite	358	353	4	1	1
Rural	8,363	7,157	549	256	401	Places of 10,000 to 25,000	5,055	5,029	26	1	1
White	6,775	6,071	427	211	66	White	4,955	4,932	23	1	1
Nonwhite	1,588	1,086	122	45	335	Nonwhite	100	97	3	1	1
ARKANSAS	46,983	28,121	13,069	7,520	273	Places of 2,500 to 10,000	1,784	1,768	16	1	1
White	39,053	26,394	10,742	798	119	White	1,772	1,756	16	1	1
Nonwhite	10,930	1,727	2,327	6,722	154	Nonwhite	12	12	1	1	1
Urban	15,432	12,321	1,832	1,256	23	Rural	14,173	13,998	172	1	3
White	12,468	11,212	1,191	59	6	White	14,056	13,885	168	1	3
Nonwhite	2,964	1,109	641	1,197	17	Nonwhite	117	113	4	1	1
Places of 25,000 to 100,000	3,806	3,602	155	44	4	DELAWARE	7,717	6,940	353	387	37
White	3,077	2,985	74	7	1	White	6,604	6,290	251	55	8
Nonwhite	729	607	82	37	3	Nonwhite	1,113	650	102	332	29
Places of 10,000 to 25,000	4,305	3,527	361	417	1	Urban	4,040	3,886	59	91	4
White	3,440	3,250	169	21	1	White	3,526	3,472	40	13	1
Nonwhite	865	277	192	396	1	Nonwhite	514	414	19	78	3
Places of 2,500 to 10,000	7,321	5,192	1,315	795	19	Places of 100,000 or more	3,143	3,081	30	31	1
White	5,951	4,967	948	31	5	White	2,737	2,711	19	7	1
Nonwhite	1,370	225	367	764	14	Nonwhite	406	370	11	24	1
Rural	33,551	15,800	11,237	6,264	250	Places of 2,500 to 10,000	897	805	29	80	3
White	25,585	15,182	9,551	739	113	White	789	761	21	6	1
Nonwhite	7,966	618	1,686	5,525	137	Nonwhite	108	44	8	54	2
DISTRICT OF COLUMBIA	21,686	20,985	690	6	3	Rural	5,677	3,054	294	286	33
White	14,016	13,926	88	1	2	White	3,078	2,818	211	42	7
Nonwhite	7,670	7,059	602	6	1	Nonwhite	599	236	83	254	26

¹Includes a small number of births classified as attended by "Other and not specified" in Georgia and Mississippi.

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—				AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital	Physician not in hospital	Midwife	Other and not specified			Physician in hospital	Physician not in hospital	Midwife	Other and not specified
FLORIDA-----	59,807	45,175	5,749	8,708	175	INDIANA-----	96,359	66,802	8,881	56	620
White-----	44,472	39,826	3,602	966	76	White-----	92,354	64,129	7,772	53	400
Nonwhite---	15,335	5,349	2,147	7,742	97	Nonwhite---	4,005	2,673	1,109	3	220
Urban-----	34,292	28,748	1,758	3,701	65	Urban-----	59,062	55,537	3,071	36	418
White-----	25,496	24,661	600	193	22	White-----	55,190	52,927	2,023	33	207
Nonwhite---	8,796	4,067	1,158	3,508	63	Nonwhite---	3,872	2,610	1,048	3	211
Places of 100,000 or more---	14,844	13,441	298	1,048	57	Places of 100,000 or more---	22,537	20,950	1,225	7	355
White-----	11,270	11,085	111	62	12	White-----	19,794	19,110	528	5	151
Nonwhite---	3,574	2,356	187	988	45	Nonwhite---	2,743	1,840	697	2	204
Places of 25,000 to 100,000---	5,560	4,703	382	471	4	Places of 25,000 to 100,000---	19,184	18,142	970	28	44
White-----	4,271	4,197	66	5	1	White-----	18,214	17,501	648	27	38
Nonwhite---	1,289	506	314	468	3	Nonwhite---	970	641	322	1	6
Places of 10,000 to 25,000---	5,919	4,808	258	845	8	Places of 10,000 to 25,000---	7,582	7,374	201	-	7
White-----	4,307	4,178	57	57	5	White-----	7,501	7,300	194	-	-
Nonwhite---	1,612	630	201	778	3	Nonwhite---	81	74	7	-	-
Places of 2,500 to 10,000---	7,989	5,796	820	1,337	16	Places of 2,500 to 10,000---	9,759	9,071	675	1	12
White-----	5,648	5,221	384	59	4	White-----	9,681	9,016	653	1	11
Nonwhite---	2,321	575	456	1,278	12	Nonwhite---	78	55	22	-	1
Rural-----	25,515	16,427	3,991	5,007	90	Rural-----	37,297	31,265	5,810	20	202
White-----	18,976	15,145	3,002	773	56	White-----	37,164	31,202	5,749	20	193
Nonwhite---	6,539	1,282	989	4,234	34	Nonwhite---	133	63	61	-	9
GEORGIA-----	94,944	61,174	13,225	20,545	-----	IOWA-----	63,658	60,189	3,585	18	56
White-----	62,094	52,522	8,555	1,617	-----	White-----	63,382	59,781	3,564	13	54
Nonwhite---	32,050	8,652	4,670	18,728	-----	Nonwhite---	476	438	31	5	2
Urban-----	37,447	31,055	2,654	3,758	-----	Urban-----	31,252	30,673	556	5	18
White-----	25,743	24,527	1,039	177	-----	White-----	30,815	30,262	530	5	18
Nonwhite---	11,704	6,528	1,595	3,581	-----	Nonwhite---	437	411	26	-	-
Places of 100,000 or more---	9,165	8,017	270	78	-----	Places of 100,000 or more---	4,704	4,604	96	1	3
White-----	6,063	5,964	94	5	-----	White-----	4,501	4,411	86	1	3
Nonwhite---	3,102	2,053	176	73	-----	Nonwhite---	203	193	10	-	-
Places of 25,000 to 100,000---	11,092	9,826	663	603	-----	Places of 25,000 to 100,000---	13,238	13,089	142	1	6
White-----	7,362	7,245	92	25	-----	White-----	13,079	12,939	134	1	6
Nonwhite---	3,730	2,581	571	578	-----	Nonwhite---	159	151	8	-	-
Places of 10,000 to 25,000---	7,346	5,522	523	1,301	-----	Places of 10,000 to 25,000---	4,855	4,815	35	2	2
White-----	5,249	5,031	150	68	-----	White-----	4,810	4,774	32	2	2
Nonwhite---	2,097	481	373	1,233	-----	Nonwhite---	45	42	3	-	-
Places of 2,500 to 10,000---	9,844	6,890	1,178	1,776	-----	Places of 2,500 to 10,000---	8,455	8,164	293	1	7
White-----	7,069	6,287	703	79	-----	White-----	8,425	8,159	278	1	7
Nonwhite---	2,775	603	475	1,697	-----	Nonwhite---	30	25	5	-	-
Rural-----	57,497	30,119	10,591	16,787	-----	Rural-----	32,606	29,516	3,039	13	58
White-----	37,151	27,995	7,516	1,640	-----	White-----	32,567	29,489	3,034	6	56
Nonwhite---	20,346	2,124	3,075	15,147	-----	Nonwhite---	38	27	5	5	2
IDAHO-----	16,265	15,869	345	8	43	KANSAS-----	44,535	41,308	3,097	7	123
White-----	16,055	15,681	333	5	36	White-----	42,821	40,043	2,677	4	97
Nonwhite---	210	188	12	3	7	Nonwhite---	1,714	1,265	420	3	26
Urban-----	7,174	7,091	77	2	4	Urban-----	24,453	23,474	935	3	41
White-----	7,106	7,025	76	2	3	White-----	22,931	22,317	584	2	28
Nonwhite---	68	66	1	-	1	Nonwhite---	1,522	1,157	351	1	13
Places of 25,000 to 100,000---	1,246	1,242	2	-	2	Places of 100,000 or more---	8,881	8,530	337	-	14
White-----	1,240	1,236	2	-	2	White-----	8,004	7,897	100	-	7
Nonwhite---	6	6	-	-	-	Nonwhite---	677	633	237	-	7
Places of 10,000 to 25,000---	3,129	3,116	24	1	1	Places of 25,000 to 100,000---	3,051	2,928	113	-	10
White-----	3,092	3,079	11	1	1	White-----	2,873	2,792	74	-	7
Nonwhite---	37	37	-	-	-	Nonwhite---	178	136	39	-	3
Places of 2,500 to 10,000---	2,799	2,753	64	1	1	Places of 10,000 to 25,000---	6,420	6,109	219	2	10
White-----	2,774	2,710	63	1	-	White-----	6,059	5,889	162	1	7
Nonwhite---	25	23	1	-	1	Nonwhite---	361	300	57	1	3
Rural-----	8,091	8,778	288	6	39	Places of 2,500 to 10,000---	6,101	5,827	266	1	7
White-----	8,949	8,656	257	3	33	White-----	5,995	5,739	248	1	7
Nonwhite---	142	122	11	3	6	Nonwhite---	106	88	18	-	-
ILLINOIS-----	198,007	185,167	10,333	134	373	Rural-----	20,092	17,834	2,162	4	82
White-----	180,417	172,203	7,810	109	285	White-----	19,890	17,726	2,093	2	69
Nonwhite---	15,590	12,964	2,523	25	78	Nonwhite---	192	106	69	2	13
Urban-----	150,411	144,842	5,285	111	173	KENTUCKY-----	79,987	44,385	29,837	5,406	359
White-----	135,411	132,190	2,990	98	133	White-----	75,931	42,559	27,746	5,274	352
Nonwhite---	15,000	12,652	2,295	13	40	Nonwhite---	4,056	1,826	2,091	132	7
Places of 100,000 or more---	86,663	83,250	3,266	91	56	Urban-----	27,244	23,084	4,077	75	8
White-----	74,181	72,647	1,406	82	46	White-----	24,633	21,603	2,973	51	6
Nonwhite---	12,482	10,603	1,860	9	10	Nonwhite---	2,611	1,481	1,104	24	2
Places of 25,000 to 100,000---	26,861	26,424	410	10	17	Places of 100,000 or more---	10,899	9,966	928	2	2
White-----	25,217	25,031	166	8	12	White-----	9,675	9,041	631	2	1
Nonwhite---	1,644	1,393	244	2	5	Nonwhite---	1,223	925	297	-	1
Places of 10,000 to 25,000---	15,111	14,657	422	2	30	Places of 25,000 to 100,000---	6,943	6,149	785	6	3
White-----	14,581	14,284	286	2	9	White-----	6,385	5,842	536	5	2
Nonwhite---	530	373	136	-	21	Nonwhite---	558	307	249	1	1
Places of 2,500 to 10,000---	21,776	20,511	1,187	8	70	Places of 10,000 to 25,000---	2,158	1,771	370	17	-
White-----	21,432	20,228	1,132	6	66	White-----	1,916	1,702	206	8	-
Nonwhite---	344	283	55	2	4	Nonwhite---	242	68	164	9	-
Rural-----	45,596	40,325	5,048	23	200	Places of 2,500 to 10,000---	7,245	5,198	1,984	50	3
White-----	45,006	40,013	4,820	11	162	White-----	6,657	5,018	1,600	36	3
Nonwhite---	590	312	228	12	38	Nonwhite---	588	180	384	14	-

²Includes births attended by "Other and not specified," which totaled 322 in 1946.

GENERAL TABLES—LIVE BIRTHS

177

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—				AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital.	Physician not in hospital.	Midwife	Other and not specified			Physician in hospital.	Physician not in hospital.	Midwife	Other and not specified
KENTUCKY—Continued						MASSACHUSETTS—Con.					
Rural	52,745	21,301	25,760	5,331	351	Urban—Continued					
White	51,298	20,958	24,773	5,223	346	Places of 10,000 to 25,000	16,302	17,971	325	-	6
Nonwhite	1,445	345	987	108	5	White	16,249	17,926	316	-	6
LOUISIANA						Nonwhite	54	45	9	-	-
Rural	74,630	55,891	6,735	11,980	44	Places of 2,500 to 10,000	7,822	7,621	196	-	5
White	47,102	41,151	4,493	1,443	15	White	7,776	7,590	191	-	5
Nonwhite	27,528	14,740	2,242	10,517	29	Nonwhite	46	41	5	-	-
Urban	35,855	32,213	1,217	2,410	15	Rural	11,672	11,274	396	-	2
White	23,544	22,634	625	202	3	White	11,553	11,176	377	-	2
Nonwhite	12,311	9,579	592	2,129	12	Nonwhite	117	98	19	-	-
Places of 100,000 or more	15,502	15,071	230	189	12	MICHIGAN					
White	9,865	9,723	59	80	3	Total	161,085	153,512	7,262	116	185
Nonwhite	5,637	5,348	171	109	9	White	150,523	144,269	6,045	86	143
Places of 25,000 to 100,000	7,036	6,521	140	374	1	Nonwhite	10,562	9,243	1,217	50	52
White	4,293	4,251	37	5	-	Urban	109,822	107,035	2,662	55	72
Nonwhite	2,743	2,270	103	369	1	White	99,843	96,124	1,669	14	36
Places of 10,000 to 25,000	3,421	2,789	271	361	-	Nonwhite	9,979	6,909	993	41	36
White	2,320	2,151	143	26	-	Places of 100,000 or more	54,605	53,150	1,399	27	29
Nonwhite	1,101	638	128	335	-	White	47,052	46,328	724	3	7
Places of 2,500 to 10,000	9,896	7,832	576	1,466	2	Nonwhite	7,553	6,822	665	24	22
White	7,066	6,509	386	171	-	Places of 25,000 to 100,000	25,770	25,371	376	7	16
Nonwhite	2,830	1,323	190	1,315	2	White	24,741	24,427	297	4	13
Rural	38,775	23,678	5,518	9,550	29	Nonwhite	1,029	944	79	3	3
White	23,558	18,517	3,856	1,161	12	Places of 10,000 to 25,000	13,291	12,900	374	2	15
Nonwhite	15,217	5,161	1,650	6,389	17	White	12,314	12,050	253	1	10
MAINE						Nonwhite	977	850	121	1	5
Rural	23,673	21,337	2,463	5	68	Places of 2,500 to 10,000	16,156	15,612	513	19	12
White	23,636	21,301	2,462	5	68	White	15,736	15,319	405	6	6
Nonwhite	37	36	1	-	-	Nonwhite	420	293	108	13	6
Urban	9,356	9,052	295	-	9	Rural	51,263	46,479	4,600	61	123
White	9,334	9,030	295	-	9	White	50,680	46,145	4,378	52	107
Nonwhite	22	22	-	-	-	Nonwhite	583	334	224	9	16
Places of 25,000 to 100,000	3,662	3,759	102	-	1	MINNESOTA					
White	3,654	3,751	102	-	1	Total	75,577	72,964	2,481	77	55
Nonwhite	8	-	-	-	-	White	74,811	72,348	2,449	73	41
Places of 10,000 to 25,000	2,964	2,902	59	-	3	Nonwhite	666	616	32	4	14
White	2,962	2,900	59	-	3	Urban	41,212	40,695	465	44	8
Nonwhite	2	2	-	-	-	White	40,819	40,817	450	44	8
Places of 2,500 to 10,000	2,530	2,391	134	-	5	Nonwhite	293	270	15	-	-
White	2,518	2,379	134	-	5	Places of 100,000 or more	24,828	24,606	187	31	4
Nonwhite	12	12	-	-	-	White	24,558	24,351	173	31	4
Rural	14,517	12,285	2,168	5	59	Nonwhite	268	255	14	-	-
White	14,502	12,271	2,167	5	59	Places of 25,000 to 100,000	818	812	7	-	-
Nonwhite	15	14	1	-	-	White	819	812	7	-	-
MARYLAND						Nonwhite	-	-	-	-	-
Rural	56,667	46,425	7,840	2,372	50	Places of 10,000 to 25,000	5,266	5,171	93	1	1
White	46,177	40,595	5,032	516	34	White	5,261	5,166	93	1	1
Nonwhite	10,510	5,830	2,808	1,856	16	Nonwhite	5	-	-	-	-
Urban	32,092	27,276	3,931	863	12	Places of 2,500 to 10,000	10,299	10,106	178	12	3
White	25,000	22,835	1,967	189	9	White	10,280	10,088	177	12	3
Nonwhite	7,092	4,441	1,964	674	3	Nonwhite	19	18	1	-	-
Places of 100,000 or more	24,364	20,491	3,214	658	1	Rural	34,365	32,269	2,016	33	47
White	18,168	16,512	1,486	170	-	White	33,992	31,931	1,999	29	33
Nonwhite	6,196	3,979	1,728	488	1	Nonwhite	373	338	17	4	14
Places of 25,000 to 100,000	2,142	2,002	140	-	-	MISSISSIPPI					
White	2,089	1,985	134	-	-	Total	66,450	27,812	12,963	25,675	-
Nonwhite	53	47	6	-	-	White	32,643	24,028	6,817	1,798	-
Places of 10,000 to 25,000	2,463	1,981	346	132	4	Nonwhite	33,807	3,784	6,146	23,877	-
White	1,862	1,673	168	18	3	Urban	17,295	12,031	1,629	3,635	-
Nonwhite	601	308	178	114	1	White	10,871	10,443	385	143	-
Places of 2,500 to 10,000	3,113	2,802	251	73	7	Nonwhite	6,324	1,588	1,244	3,492	-
White	2,881	2,695	179	1	6	Places of 25,000 to 100,000	3,666	2,744	231	691	-
Nonwhite	232	107	52	72	1	White	2,314	2,281	21	12	-
Rural	24,605	19,149	3,909	1,509	38	Nonwhite	1,352	453	210	679	-
White	21,177	17,780	3,065	327	25	Places of 10,000 to 25,000	6,996	4,934	534	1,529	-
Nonwhite	3,428	1,369	844	1,182	13	White	4,376	4,259	73	44	-
MASSACHUSETTS						Nonwhite	2,620	675	461	1,484	-
Total	107,791	105,450	2,306	3	32	Places of 2,500 to 10,000	6,633	4,353	864	1,416	-
White	105,848	103,621	2,195	-	32	White	4,281	3,903	291	87	-
Nonwhite	1,943	1,829	111	3	-	Nonwhite	2,352	450	573	1,329	-
Urban	96,119	94,176	1,910	3	30	Rural	49,155	15,781	11,334	22,040	-
White	94,293	92,445	1,618	30	30	White	21,672	13,585	6,432	1,655	-
Nonwhite	1,826	1,731	92	3	-	Nonwhite	27,483	2,196	4,902	20,385	-
Places of 100,000 or more	40,678	39,793	874	3	8	MISSOURI					
White	39,117	38,308	801	8	8	Total	90,060	72,713	15,760	963	584
Nonwhite	1,561	1,485	73	3	-	White	83,140	67,479	14,656	522	483
Places of 25,000 to 100,000	29,317	28,791	515	-	11	Nonwhite	6,920	5,234	1,124	461	101
White	29,152	28,631	510	-	11						
Nonwhite	165	160	5	-	-						

*Includes births attended by "Other and not specified," which totaled 157 in 1946.

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—				AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital	Physician not in hospital	Midwife	Other and not specified			Physician in hospital	Physician not in hospital	Midwife	Other and not specified
MISSOURI—Continued						NEW HAMPSHIRE—Con.					
Urban	51,851	48,184	3,310	283	64	Urban	7,324	7,245	78	-	1
White	46,026	43,223	2,605	187	31	White	7,318	7,238	78	-	1
Nonwhite	5,825	4,961	705	126	33	Nonwhite	6	6	-	-	-
Places of 100,000 or more	30,875	29,834	876	145	20	Places of 25,000 to 100,000	3,684	3,641	42	-	1
White	25,920	25,282	504	120	14	White	3,680	3,637	42	-	1
Nonwhite	4,955	4,552	372	25	6	Nonwhite	4	4	-	-	-
Places of 25,000 to 100,000	5,110	4,879	229	1	1	Places of 10,000 to 25,000	2,717	2,696	21	-	-
White	5,004	4,801	201	1	1	White	2,715	2,694	21	-	-
Nonwhite	106	78	28	-	-	Nonwhite	2	2	-	-	-
Places of 10,000 to 25,000	6,726	6,279	425	16	6	Places of 2,500 to 10,000	923	908	15	-	-
White	6,366	6,064	317	2	3	White	923	908	15	-	-
Nonwhite	340	215	108	14	3	Nonwhite	-	-	-	-	-
Places of 2,500 to 10,000	9,140	7,192	1,780	131	37	Rural	5,943	5,744	199	-	-
White	8,716	7,076	1,583	44	13	White	5,938	5,740	198	-	-
Nonwhite	424	116	197	87	24	Nonwhite	5	4	1	-	-
Rural	38,209	24,529	12,470	690	520	NEW JERSEY					
White	37,114	24,256	12,051	355	452	Urban	106,242	102,199	3,501	499	43
Nonwhite	1,095	273	419	335	68	White	96,153	95,028	2,643	451	31
MONTANA						Nonwhite	8,089	7,171	858	46	12
Urban	15,086	14,712	280	45	49	Places of 100,000 or more	84,956	82,359	2,095	462	30
White	14,368	14,116	249	12	11	White	78,035	76,077	1,509	424	25
Nonwhite	698	596	31	33	38	Nonwhite	6,901	6,282	576	39	5
Places of 25,000 to 100,000	7,583	7,522	57	2	2	Places of 25,000 to 100,000	29,604	26,677	949	268	10
White	7,511	7,455	54	1	1	White	25,997	25,219	533	237	8
Nonwhite	72	67	3	1	1	Nonwhite	3,607	3,458	316	31	2
Places of 10,000 to 25,000	2,116	2,102	12	2	-	Places of 10,000 to 25,000	23,587	23,195	275	104	13
White	2,094	2,081	12	1	-	White	22,067	21,764	191	100	12
Nonwhite	22	21	-	-	-	Nonwhite	1,520	1,431	84	4	1
Places of 2,500 to 10,000	2,576	2,565	11	-	-	Places of 2,500 to 10,000	15,344	14,859	426	56	3
White	2,553	2,542	11	-	-	White	14,353	13,969	327	55	2
Nonwhite	23	23	-	-	-	Nonwhite	991	890	99	1	1
Rural	2,691	2,955	34	-	2	Rural	16,201	15,628	535	34	4
White	2,664	2,932	31	-	1	White	15,618	15,125	458	32	3
Nonwhite	27	23	3	-	1	Nonwhite	583	503	77	2	1
NEBRASKA						Places of 2,500 to 10,000	21,308	19,840	1,416	37	13
Urban	32,132	30,028	2,098	1	5	White	20,118	18,951	1,154	27	6
White	31,513	29,466	2,042	1	4	Nonwhite	1,188	889	282	10	7
Nonwhite	619	562	56	-	1	NEW MEXICO					
Places of 100,000 or more	15,697	15,316	380	-	1	Urban	20,322	12,986	3,980	2,535	821
White	15,214	14,675	338	-	1	White	18,815	11,987	3,907	2,402	519
Nonwhite	483	441	42	-	-	Nonwhite	1,507	999	73	133	302
Places of 25,000 to 100,000	6,642	6,509	133	-	-	Places of 25,000 to 100,000	8,199	6,322	1,084	703	90
White	6,226	6,129	97	-	-	White	7,948	6,110	1,054	697	87
Nonwhite	416	380	36	-	-	Nonwhite	251	212	30	6	3
Places of 10,000 to 25,000	2,426	2,400	26	-	-	Places of 10,000 to 25,000	1,411	1,207	156	39	9
White	2,392	2,369	23	-	-	White	1,372	1,170	156	39	7
Nonwhite	34	31	3	-	-	Nonwhite	39	37	-	-	2
Places of 2,500 to 10,000	3,077	2,972	104	-	1	Places of 2,500 to 10,000	2,545	2,117	125	287	16
White	3,056	2,953	102	-	1	White	2,447	2,026	120	285	16
Nonwhite	21	19	2	-	-	Nonwhite	98	91	5	2	-
Rural	3,552	3,435	117	-	-	Places of 2,500 to 10,000	4,243	2,996	803	377	65
White	3,540	3,424	116	-	-	White	4,129	2,914	778	373	64
Nonwhite	12	11	1	-	-	Nonwhite	114	84	25	4	1
NEVADA						Rural	13,123	6,664	2,896	1,932	731
Urban	4,041	3,953	72	1	15	White	10,867	5,877	2,853	1,705	432
White	3,809	3,749	59	-	1	Nonwhite	1,256	787	43	127	239
Nonwhite	232	204	13	1	14	NEW YORK					
Places of 10,000 to 25,000	2,029	2,010	18	1	-	Urban	323,250	315,008	7,582	404	256
White	1,939	1,926	13	-	-	White	301,356	294,197	6,702	287	200
Nonwhite	90	84	5	1	-	Nonwhite	21,884	20,811	880	137	56
Places of 2,500 to 10,000	940	935	5	-	-	Places of 100,000 or more	263,641	258,872	4,204	376	189
White	918	914	4	-	-	White	242,536	238,750	3,428	240	138
Nonwhite	22	21	1	-	-	Nonwhite	21,105	20,142	776	156	51
Rural	1,089	1,075	13	1	-	Places of 25,000 to 100,000	202,653	199,000	3,146	338	169
White	1,021	1,012	9	-	-	White	183,204	180,416	2,463	207	118
Nonwhite	68	63	4	1	-	Nonwhite	19,449	18,584	683	131	51
NEW HAMPSHIRE						Places of 10,000 to 25,000	21,196	20,927	233	21	5
Urban	13,267	12,989	277	-	1	White	20,323	20,099	201	18	5
White	13,256	12,979	276	-	1	Nonwhite	863	828	32	3	-
Nonwhite	11	10	1	-	-	Places of 2,500 to 10,000	21,780	21,474	294	10	2
Places of 100,000 or more	2,012	1,943	54	-	15	White	21,272	21,012	249	10	2
White	1,870	1,823	46	-	1	Nonwhite	508	462	46	-	-
Nonwhite	142	120	8	-	14	Places of 2,500 to 10,000	18,022	17,471	531	7	13
Places of 25,000 to 100,000	1,870	1,823	46	-	1	White	17,737	17,203	516	5	13
White	1,823	1,776	47	-	1	Nonwhite	285	268	15	2	-
Nonwhite	47	47	-	-	-	Rural	59,609	56,136	3,378	28	67
Places of 10,000 to 25,000	1,823	1,776	47	-	1	White	58,430	55,467	3,274	27	62
White	1,776	1,729	47	-	1	Nonwhite	779	669	104	1	5
Nonwhite	47	47	-	-	-						

GENERAL TABLES—LIVE BIRTHS

179

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—				AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital	Physician not in hospital	Midwife	Other and not specified			Physician in hospital	Physician not in hospital	Midwife	Other and not specified
NORTH CAROLINA	112,877	74,075	24,982	13,637	183	OREGON	36,294	35,816	362	4	112
White	79,592	63,571	13,981	1,802	138	White	35,740	35,286	355	2	97
Nonwhite	33,285	10,504	11,001	11,735	45	Nonwhite	554	530	7	2	15
Urban	32,696	28,390	2,489	1,807	10	Urban	19,077	19,005	56	-	16
White	23,867	22,948	856	60	3	White	18,880	18,780	54	-	16
Nonwhite	8,829	5,442	1,633	1,747	7	Nonwhite	227	225	2	-	-
Places of 100,000 or more	3,199	3,088	53	55	3	Places of 100,000 or more	10,043	10,013	24	-	6
White	2,231	2,222	9	-	-	White	9,852	9,824	22	-	6
Nonwhite	968	866	44	55	3	Nonwhite	191	189	2	-	-
Places of 25,000 to 100,000	12,384	11,464	577	340	5	Places of 25,000 to 100,000	1,028	1,023	2	-	3
White	8,526	8,450	61	14	1	White	1,026	1,021	2	-	3
Nonwhite	3,858	3,014	516	328	2	Nonwhite	2	2	-	-	-
Places of 10,000 to 25,000	8,882	7,212	750	919	1	Places of 10,000 to 25,000	3,026	3,020	4	-	2
White	6,505	6,283	202	20	-	White	3,021	3,015	4	-	2
Nonwhite	2,377	929	548	899	1	Nonwhite	5	5	-	-	-
Places of 2,500 to 10,000	8,231	6,626	1,109	493	3	Places of 2,500 to 10,000	4,980	4,949	26	-	5
White	6,605	5,993	584	26	2	White	4,951	4,920	26	-	5
Nonwhite	1,626	633	525	467	1	Nonwhite	29	29	-	-	-
Rural	80,181	45,665	22,493	11,830	173	Rural	17,217	16,811	306	4	96
White	58,725	40,623	13,125	1,842	135	White	16,880	16,506	301	2	81
Nonwhite	24,456	5,062	9,368	9,988	38	Nonwhite	327	305	5	2	15
NORTH DAKOTA	17,064	15,860	1,073	33	98	PENNSYLVANIA	249,513	224,113	24,225	95	80
White	16,719	15,550	1,066	29	74	White	233,437	210,912	22,394	73	68
Nonwhite	345	310	7	4	24	Nonwhite	15,076	13,201	1,841	22	12
Urban	4,725	4,693	41	-	1	Urban	169,332	161,133	8,073	72	54
White	4,706	4,665	40	-	1	White	155,278	149,653	6,551	61	43
Nonwhite	19	18	1	-	-	Nonwhite	14,054	12,480	1,542	21	11
Places of 25,000 to 100,000	1,068	1,060	8	-	-	Places of 100,000 or more	75,670	73,099	2,528	25	18
White	1,066	1,058	8	-	-	White	64,566	63,063	1,452	18	15
Nonwhite	2	2	-	-	-	Nonwhite	11,104	10,016	1,076	7	5
Places of 10,000 to 25,000	1,923	1,910	12	-	1	Places of 25,000 to 100,000	32,088	30,380	1,779	19	10
White	1,814	1,802	11	-	1	White	30,674	29,128	1,528	9	9
Nonwhite	9	8	1	-	-	Nonwhite	1,414	1,152	251	10	1
Places of 2,500 to 10,000	1,734	1,713	21	-	-	Places of 10,000 to 25,000	29,260	27,858	1,374	16	12
White	1,726	1,705	21	-	-	White	26,238	26,890	1,239	13	8
Nonwhite	8	8	-	-	-	Nonwhite	1,021	878	136	3	4
Rural	12,339	11,177	1,032	33	97	Places of 2,500 to 10,000	32,314	29,896	2,392	12	14
White	12,013	10,885	1,026	29	73	White	31,799	29,462	2,313	11	13
Nonwhite	326	292	6	4	24	Nonwhite	515	434	79	1	1
OHIO	197,311	183,210	13,621	48	432	Rural	79,181	62,990	16,152	23	26
White	185,100	172,626	12,075	41	358	White	78,159	62,259	15,853	22	25
Nonwhite	12,211	10,584	1,546	7	74	Nonwhite	1,022	721	299	1	1
Urban	138,410	133,673	4,825	16	196	RHODE ISLAND	18,536	18,104	375	15	42
White	126,992	123,621	3,224	13	134	White	18,144	17,729	362	15	38
Nonwhite	11,418	10,052	1,301	3	62	Nonwhite	392	375	13	-	4
Places of 100,000 or more	80,553	78,259	2,161	8	125	Urban	16,292	15,909	332	15	36
White	71,097	69,872	1,138	8	79	White	15,923	15,556	319	15	33
Nonwhite	9,456	8,387	1,023	-	46	Nonwhite	369	353	13	-	3
Places of 25,000 to 100,000	21,932	21,400	532	-	20	Places of 100,000 or more	5,000	5,893	79	4	24
White	20,905	20,450	438	-	17	White	5,748	5,694	69	4	21
Nonwhite	1,047	950	94	-	3	Nonwhite	252	239	10	-	3
Places of 10,000 to 25,000	16,384	15,813	536	5	30	Places of 25,000 to 100,000	7,425	7,236	177	4	8
White	15,903	15,429	454	3	17	White	7,326	7,140	174	4	8
Nonwhite	481	384	82	2	13	Nonwhite	99	96	3	-	-
Places of 2,500 to 10,000	19,521	18,201	1,296	3	21	Places of 10,000 to 25,000	2,182	2,115	58	5	4
White	19,087	17,870	1,194	2	21	White	2,167	2,100	58	5	4
Nonwhite	434	331	102	1	-	Nonwhite	15	15	-	-	-
Rural	58,901	49,537	9,096	32	236	Places of 2,500 to 10,000	685	665	18	2	-
White	58,108	49,005	8,851	28	224	White	682	662	18	2	-
Nonwhite	793	532	245	4	12	Nonwhite	3	3	-	-	-
OKLAHOMA	55,684	43,248	8,831	1,077	523	Rural	2,244	2,195	43	-	6
White	48,025	40,106	7,445	222	252	White	2,221	2,173	43	-	5
Nonwhite	5,659	3,142	1,386	855	276	Nonwhite	23	22	-	-	1
Urban	28,289	25,939	1,672	354	124	SOUTH CAROLINA	59,470	51,226	11,320	16,628	96
White	25,508	24,133	1,293	30	82	White	34,076	27,236	6,128	697	15
Nonwhite	2,781	1,806	579	324	72	Nonwhite	25,394	3,990	5,192	16,131	81
Places of 100,000 or more	11,141	10,817	239	62	24	Urban	17,806	13,481	2,242	1,874	9
White	9,999	9,846	129	9	15	White	12,450	11,621	782	45	2
Nonwhite	1,142	971	109	53	9	Nonwhite	5,158	1,860	1,460	1,829	7
Places of 25,000 to 100,000	1,787	1,649	62	62	14	Places of 25,000 to 100,000	7,800	6,212	1,001	587	-
White	1,548	1,515	27	2	4	White	5,167	5,069	83	15	-
Nonwhite	239	134	35	60	10	Nonwhite	2,633	1,143	918	572	-
Places of 10,000 to 25,000	7,636	6,990	490	122	34	Places of 10,000 to 25,000	3,647	2,364	182	478	3
White	6,940	6,670	252	6	12	White	2,737	2,661	71	5	-
Nonwhite	696	320	238	116	22	Nonwhite	910	323	111	473	3
Places of 2,500 to 10,000	7,725	6,493	1,082	108	52	Places of 2,500 to 10,000	6,159	4,285	1,069	809	6
White	7,021	6,102	885	13	21	White	4,546	3,391	628	25	2
Nonwhite	704	391	197	95	31	Nonwhite	1,613	394	431	784	4
Rural	25,395	17,309	6,959	723	404	Rural	41,664	17,745	9,078	14,954	97
White	22,517	15,973	6,152	192	200	White	21,626	15,615	5,346	652	13
Nonwhite	2,878	1,336	807	531	204	Nonwhite	20,238	2,130	3,732	14,302	74

GENERAL TABLES—LIVE BIRTHS

TABLE 9.—LIVE BIRTHS BY RACE AND PERSON IN ATTENDANCE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued
(By place of residence)

AREA AND RACE	Total births	BIRTHS ATTENDED BY—				AREA AND RACE	Total births	BIRTHS ATTENDED BY—			
		Physician in hospital	Physician not in hospital	Midwife	Other and not specified			Physician in hospital	Physician not in hospital	Midwife	Other and not specified
WEST VIRGINIA—Con.						WISCONSIN—Con.					
Urban—Continued						Urban—Continued					
Places of 25,000 to 100,000—	8,167	7,838	325	1	3	Places of 10,000 to 25,000—	6,737	6,649	84	1	3
White—	7,839	7,566	268	1	3	White—	6,729	6,641	84	1	3
Nonwhite—	328	272	56	—	—	Nonwhite—	8	8	—	—	—
Places of 10,000 to 25,000—	3,745	3,385	345	8	1	Places of 2,500 to 10,000—	7,748	7,537	204	—	7
White—	3,326	3,303	219	3	1	White—	7,743	7,532	204	—	7
Nonwhite—	223	82	126	5	—	Nonwhite—	5	5	—	—	—
Places of 2,500 to 10,000—	5,406	4,070	1,312	21	3	Rural—	36,984	33,959	2,671	32	122
White—	5,167	3,973	1,174	17	3	White—	36,597	33,631	2,626	26	114
Nonwhite—	239	97	138	4	—	Nonwhite—	387	328	45	6	8
Rural—	37,763	17,271	19,211	1,042	239	WYOMING—	7,320	6,940	354	2	24
White—	35,935	16,896	17,808	1,004	227	White—	7,156	6,804	337	1	14
Nonwhite—	1,828	375	1,403	38	12	Nonwhite—	164	136	17	1	10
WISCONSIN—	84,059	80,273	3,580	42	164	Urban—	3,625	3,479	138	1	7
White—	83,106	79,437	3,479	35	155	White—	3,584	3,443	133	1	7
Nonwhite—	953	836	101	7	9	Nonwhite—	41	36	5	—	—
Urban—	47,075	46,314	709	10	42	Places of 10,000 to 25,000—	2,426	2,387	56	1	2
White—	46,509	45,806	653	9	41	White—	2,397	2,358	35	1	2
Nonwhite—	566	508	56	1	1	Nonwhite—	29	28	1	—	—
Places of 100,000 or more—	14,939	14,571	337	9	22	Places of 2,500 to 10,000—	1,199	1,092	102	—	5
White—	14,485	14,173	283	8	21	White—	1,167	1,084	98	—	5
Nonwhite—	454	398	54	1	1	Nonwhite—	12	8	4	—	—
Places of 25,000 to 100,000—	17,651	17,357	84	—	10	Rural—	3,695	3,461	216	1	17
White—	17,552	17,460	82	—	10	White—	3,572	3,361	204	—	7
Nonwhite—	99	97	2	—	—	Nonwhite—	123	100	12	1	10

VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1947

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other		Total	White	Negro	Other		Total	White	Negro	Other
CASES OF TWINS					CASES OF TWINS—Con.					CASES OF TWINS—Con.				
UNITED STATES	39,304	33,752	5,561	191	CONNECTICUT					ILLINOIS—Con.				
Both living	36,501	31,576	4,749	176	2 males	160	155	5	-	2 females	708	645	59	3
1 living	1,785	1,394	394	7	Both living	155	150	5	-	Both living	659	600	56	3
Both stillborn	1,018	792	218	8	1 living	2	2	-	-	1 living	28	26	2	-
2 males	13,695	11,877	1,760	56	Both stillborn	3	3	-	-	Both stillborn	21	20	1	-
Both living	12,562	10,968	1,542	52	1 male, 1 female	120	127	3	-	INDIANA				
1 living	650	512	136	2	Both living	127	124	3	-	2 males	320	302	18	-
Both stillborn	481	397	82	2	1 living—Male	2	2	-	-	Both living	291	276	15	-
1 male, 1 female	12,621	10,699	1,854	69	Female	1	1	-	-	1 living	20	17	3	-
Both living	11,927	10,212	1,650	65	2 females	167	161	6	-	Both stillborn	9	9	-	-
1 living—Male	218	157	60	1	1 living	3	3	-	-	1 male, 1 female	322	304	18	-
Female	291	211	79	1	Both stillborn	4	4	-	-	Both living	305	289	17	-
Both stillborn	185	118	65	2	DELAWARE					1 living—Male	10	10	-	-
2 females	12,990	11,177	1,747	66	2 males	25	22	3	-	Female	2	2	-	-
Both living	12,012	10,396	1,557	59	Both living	23	20	3	-	2 females	364	348	18	-
1 living	626	504	119	3	1 living	1	1	-	-	Both living	326	313	13	-
Both stillborn	352	277	71	4	Both stillborn	1	1	-	-	1 living	30	27	3	-
ALABAMA					1 male, 1 female	13	10	3	-	Both stillborn	8	6	2	-
2 males	293	170	123	-	Both living	12	10	2	-	IOWA				
Both living	269	162	107	-	1 living—Female	1	-	1	-	2 males	227	225	2	-
1 living	23	7	16	-	2 females	25	20	2	1	Both living	209	207	2	-
Both stillborn	1	1	-	-	Both living	21	18	2	1	1 living	11	11	-	-
1 male, 1 female	310	182	128	-	1 living	1	1	-	-	Both stillborn	7	7	-	-
Both living	277	168	109	-	Both stillborn	1	1	-	-	1 male, 1 female	232	230	2	-
1 living—Male	21	8	13	-	DISTRICT OF COLUMBIA					Both living	225	223	2	-
Female	12	6	6	-	2 males	63	57	26	-	1 living—Male	4	4	-	-
2 females	328	189	139	-	Both living	77	64	23	-	Female	2	2	-	-
Both living	296	175	123	-	1 living	5	2	3	-	Both stillborn	1	1	-	-
1 living	28	13	15	-	Both stillborn	1	1	-	-	2 females	229	226	1	-
Both stillborn	2	1	1	-	1 male, 1 female	80	48	31	1	Both living	211	210	1	-
ARIZONA					Both living	77	46	30	1	1 living	14	14	-	-
2 males	74	67	3	4	1 living—Male	1	-	1	-	Both stillborn	4	4	-	-
Both living	64	58	3	3	Both stillborn	2	2	-	-	KANSAS				
1 living	7	6	-	1	2 females	76	43	32	1	2 males	169	159	9	-
Both stillborn	5	3	-	-	Both living	76	43	32	1	Both living	159	151	8	-
1 male, 1 female	61	46	3	10	FLORIDA					1 living	7	6	1	-
Both living	57	45	2	10	2 males	247	175	72	-	Both stillborn	2	2	-	-
1 living—Male	1	-	1	-	Both living	213	156	57	-	1 male, 1 female	152	139	13	-
Female	2	2	-	-	1 living	30	17	13	-	Both living	146	133	13	-
Both stillborn	1	1	-	-	Both stillborn	4	2	2	-	1 living—Male	2	2	-	-
2 females	57	47	7	3	1 male, 1 female	200	132	68	-	Female	3	3	-	-
Both living	55	46	6	3	Both living	167	125	62	-	Both stillborn	1	1	-	-
1 living	2	1	1	-	1 living—Male	6	5	1	-	2 females	153	145	8	-
Both stillborn					Female	4	2	2	-	Both living	146	139	7	-
ARKANSAS					Both stillborn	3	-	3	-	1 living	6	5	1	-
2 males	219	164	55	-	2 females	217	147	70	-	Both stillborn	1	1	-	-
Both living	196	147	49	-	Both living	199	139	60	-	KENTUCKY				
1 living	15	9	6	-	1 living	13	5	8	-	2 males	234	216	18	-
Both stillborn	8	8	-	-	Both stillborn	5	3	2	-	Both living	214	196	18	-
1 male, 1 female	222	158	64	-	GEORGIA					1 living	8	8	-	-
Both living	213	156	57	-	2 males	256	164	91	1	Both stillborn	12	12	-	-
1 living—Male	3	1	2	-	Both living	227	147	79	1	1 male, 1 female	245	228	17	-
Female	1	1	-	-	1 living	14	10	4	-	Both living	221	205	16	-
Both stillborn	5	1	4	-	Both stillborn	4	2	2	-	1 living—Male	8	8	-	-
2 females	190	130	60	-	1 male, 1 female	252	140	112	-	Female	11	10	1	-
Both living	174	122	52	-	Both living	221	128	93	-	Both stillborn	5	5	-	-
1 living	14	7	7	-	1 living—Male	9	3	6	-	2 females	217	203	14	-
Both stillborn	2	1	1	-	Female	17	8	9	-	Both living	191	179	12	-
CALIFORNIA					Both stillborn	5	1	4	-	1 living	17	16	1	-
2 males	917	839	59	19	2 females	235	133	102	-	Both stillborn	9	8	1	-
Both living	866	811	56	19	Both living	208	121	85	-	LOUISIANA				
1 living	18	17	1	-	1 living	19	8	11	-	2 males	286	161	125	-
Both stillborn	15	11	2	-	Both stillborn	10	4	6	-	Both living	262	153	109	-
1 male, 1 female	767	697	59	11	IDAHO					1 living	14	4	10	-
Both living	755	666	57	10	2 males	59	59	1	-	Both stillborn	10	4	6	-
1 living—Male	7	4	2	1	Both living	57	56	1	-	1 male, 1 female	237	124	113	-
Female	3	3	-	-	1 living	1	1	-	-	Both living	223	119	104	-
Both stillborn	2	2	-	-	Both stillborn	1	1	-	-	1 living—Male	3	3	-	-
2 females	617	753	52	12	1 male, 1 female	61	61	-	-	Female	7	2	5	-
Both living	789	727	51	11	Both living	58	58	-	-	Both stillborn	4	-	4	-
1 living	13	13	-	-	1 living—Male	1	1	-	-	2 females	244	136	107	1
Both stillborn	15	13	1	1	Female	1	1	-	-	Both living	223	123	99	1
COLORADO					Both stillborn	1	1	-	-	1 living	10	7	3	-
2 males	337	157	-	-	2 females	56	54	-	2	Both stillborn	11	6	5	-
Both living	150	130	-	-	Both living	53	52	-	1	MAINE				
1 living	4	4	-	-	1 living	1	1	-	-	2 males	83	83	-	-
Both stillborn	3	3	-	-	Both stillborn	2	1	-	-	Both living	79	79	-	-
1 male, 1 female	111	110	1	-	ILLINOIS					1 living	3	3	-	-
Both living	105	104	1	-	2 males	706	653	52	1	Both stillborn	1	1	-	-
1 living—Male	2	2	-	-	Both living	656	606	49	1	1 male, 1 female	94	84	-	-
Female	1	1	-	-	1 living	85	33	2	-	Both living	77	77	-	-
Both stillborn	3	3	-	-	Both stillborn	15	14	1	-	1 living—Male	2	2	-	-
2 females	104	102	1	1	1 male, 1 female	632	551	79	2	Female	5	5	-	-
Both living	97	95	1	1	Both living	591	521	68	-	Both stillborn	77	77	-	-
1 living	5	5	-	-	1 living—Male	16	11	5	-	Both living	71	71	-	-
Both stillborn	2	2	-	-	Female	20	15	5	-	1 living	5	5	-	-
					Both stillborn	5	4	1	-	Both stillborn	1	1	-	-

¹Excludes 514 cases in which only one mate was reported, and 31 cases in which sex of stillborn mates was undetermined.

GENERAL TABLES-PLURAL BIRTHS

TABLE 10.-CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				
	Total	White	Negro	Other		Total	White	Negro	Other		Total	White	Negro	Other	
CASES OF TWINS—Con.															
MARYLAND				MONTANA—Con.				NORTH CAROLINA							
2 males	239	168	51	-	1 male, 1 female	74	69	-	5	2 males	415	285	130	2	
Both living	211	174	37	-	Both living	73	68	-	5	Both living	396	264	121	1	
1 living	15	7	8	-	1 living—Female	1	1	-	-	1 living	15	9	6	1	
Both stillborn	13	7	6	-	2 females	55	54	-	1	Both stillborn	14	10	3	-	
1 male, 1 female	186	139	46	-	Both living	52	51	-	1	1 male, 1 female	419	274	137	8	
Both living	175	132	43	-	1 living	2	2	-	-	Both living	398	265	125	8	
1 living—Male	2	2	-	-	Both stillborn	1	1	-	-	1 living—Male	4	4	-	-	
Female	4	2	2	-	NEBRASKA				Female	5	2	3	-		
Both stillborn	5	2	3	-	2 males	114	111	2	1	Both stillborn	12	7	5	-	
2 females	198	155	43	-	Both living	110	108	1	1	2 females	424	279	141	4	
Both living	178	142	36	-	1 living	3	2	1	-	Both living	390	260	128	2	
1 living	10	6	4	-	Both stillborn	1	1	-	-	1 living	15	11	3	1	
Both stillborn	10	7	3	-	1 male, 1 female	135	133	1	1	Both stillborn	19	8	10	1	
MASSACHUSETTS				NEVADA				NORTH DAKOTA							
2 males	383	373	10	-	2 males	22	21	1	-	2 males	84	84	-	-	
Both living	354	345	9	-	Both living	19	18	1	-	Both living	80	80	-	-	
1 living	13	13	-	-	1 living—Male	1	1	-	-	1 living	3	3	-	-	
Both stillborn	16	15	1	-	Female	1	1	-	-	Both stillborn	1	1	-	-	
1 male, 1 female	348	340	8	-	2 females	117	113	2	2	1 male, 1 female	65	65	-	-	
Both living	331	323	8	-	Both living	107	104	2	1	Both living	65	65	-	-	
1 living—Male	3	3	-	-	1 living	9	8	-	1	Both living—Female	2	2	-	-	
Female	4	4	-	-	Both stillborn	1	1	-	-	2 females	65	61	-	2	
Both stillborn	10	10	-	-	NEW HAMPSHIRE				Both living	58	58	-	2		
2 females	359	352	6	1	2 males	7	7	-	-	1 living	3	3	-	-	
Both living	337	331	5	1	Both living	4	4	-	-	Both stillborn	2	2	-	-	
1 living	15	15	-	-	1 living	1	1	-	-	2 females	662	608	53	-	
Both stillborn	7	6	1	-	Both stillborn	2	2	-	-	Both living	612	562	50	-	
MICHIGAN				NEW JERSEY				OKLAHOMA							
2 males	540	493	47	-	1 male, 1 female	7	7	-	-	2 males	198	171	16	11	
Both living	509	469	40	-	Both living	4	4	-	-	Both living	185	158	15	10	
1 living	16	12	4	-	1 living—Male	1	1	-	-	1 living	7	5	1	-	
Both stillborn	15	12	3	-	Female	1	1	-	-	Both stillborn	8	8	-	-	
1 male, 1 female	520	468	52	-	2 females	5	5	-	-	1 male, 1 female	201	170	26	5	
Both living	504	457	47	-	Both living	4	4	-	-	Both living	185	163	28	4	
1 living—Male	3	2	1	-	1 living	4	4	-	-	1 living—Male	3	3	-	-	
Female	8	6	2	-	Both stillborn	1	1	-	-	Female	2	2	-	-	
Both stillborn	5	3	2	-	NEW MEXICO				Both stillborn	3	2	-	1		
2 females	549	506	43	-	2 males	417	382	35	-	2 females	185	159	18	9	
Both living	528	488	40	-	Both living	376	344	32	-	Both living	180	154	17	-	
1 living	12	10	2	-	1 living	22	21	1	-	1 living	2	2	-	-	
Both stillborn	9	8	1	-	Both stillborn	19	17	2	-	Both stillborn	3	2	1	-	
MINNESOTA				NEW YORK				OREGON							
2 males	293	289	2	2	1 male, 1 female	351	314	37	-	2 males	117	114	3	-	
Both living	270	266	2	2	Both living	323	293	30	-	Both living	113	110	3	-	
1 living	15	15	-	-	1 living—Male	9	8	1	-	1 living	1	1	-	-	
Both stillborn	8	8	-	-	Female	15	10	5	-	Both stillborn	3	3	-	-	
1 male, 1 female	268	261	4	3	Both stillborn	1	1	-	-	1 male, 1 female	115	114	-	1	
Both living	279	272	4	3	2 females	419	381	38	-	Both living	114	113	-	1	
1 living—Male	4	4	-	-	Both living	361	350	11	-	1 living—Male	1	1	-	-	
Female	4	4	-	-	1 living	25	20	5	-	Both stillborn	1	1	-	-	
Both stillborn	1	1	-	-	Both stillborn	13	11	2	-	2 females	104	104	-	-	
2 females	247	245	1	1	PENNSYLVANIA				Both living	99	99	-	-		
Both living	232	230	1	1	2 males	67	65	3	2	1 living	2	2	-	-	
1 living	12	12	-	-	Both living	62	62	3	2	Both stillborn	3	3	-	-	
Both stillborn	3	3	-	-	Both stillborn	5	3	-	-	RHODE ISLAND					
MISSISSIPPI				PENNSYLVANIA											
2 males	264	113	151	-	2 males	923	865	57	1	2 males	66	65	1	-	
Both living	254	106	128	-	Both living	828	776	51	1	Both living	64	63	1	-	
1 living	19	4	15	-	1 living	51	47	4	-	1 living	1	1	-	-	
Both stillborn	11	3	8	-	Both stillborn	44	42	2	-	Both stillborn	1	1	-	-	
1 male, 1 female	247	98	154	-	1 male, 1 female	849	766	82	1	2 females	875	815	61	-	
Both living	215	89	124	-	Both living	808	732	75	1	Both living	779	721	58	-	
1 living—Male	10	3	7	-	1 living—Male	6	7	1	-	1 living	60	57	3	-	
Female	14	1	13	-	Both stillborn	1	1	-	-	Both stillborn	37	37	-	-	
Both stillborn	10	-	10	-	RHODE ISLAND				Both stillborn	1	1	-	-		
2 females	245	101	144	-	2 males	1,271	1,164	106	1	2 males	66	65	1	-	
Both living	222	94	128	-	Both living	1,143	1,050	92	1	Both living	64	63	1	-	
1 living	15	5	10	-	1 living	64	55	9	-	1 living	1	1	-	-	
Both stillborn	8	2	6	-	Both stillborn	64	59	5	-	Both stillborn	1	1	-	-	
MISSOURI				RHODE ISLAND											
2 males	337	310	27	-	1 male, 1 female	1,112	1,020	91	1	2 males	66	65	1	-	
Both living	299	277	22	-	Both living	1,054	967	86	1	Both living	64	63	1	-	
1 living	22	21	1	-	1 living—Male	15	14	1	-	1 living	1	1	-	-	
Both stillborn	16	12	4	-	Female	27	27	-	-	Both stillborn	1	1	-	-	
1 male, 1 female	294	261	33	-	Both stillborn	16	12	4	-	2 males	66	65	1	-	
Both living	276	247	29	-	2 females	1,249	1,161	86	2	Both living	64	63	1	-	
1 living—Male	7	6	1	-	Both living	1,153	1,078	75	2	1 living	1	1	-	-	
Female	8	6	2	-	1 living	52	46	6	-	Both stillborn	1	1	-	-	
Both stillborn	3	2	1	-	Both stillborn	44	39	5	-						

GENERAL TABLES-PLURAL BIRTHS

TABLE 10.-CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other		Total	White	Negro	Other		Total	White	Negro	Other
CASES OF TRIPLETS—Con.					CASES OF TRIPLETS—Con.					CASES OF TRIPLETS—Con.				
INDIANA					MISSISSIPPI					NORTH CAROLINA—Con.				
3 males	3	3	-	-	3 males	2	-	2	-	1 male, 2 females	4	2	2	-
All living	2	2	-	-	All living	2	-	2	-	All living	4	2	2	-
2 living	1	1	-	-	2 males, 1 female	6	2	4	-	3 females	1	-	1	-
1 male, 2 females	3	3	-	-	All living	3	2	1	-	All living	1	-	1	-
All living	2	2	-	-	2 living--2 males	1	-	1	-	All living	1	-	1	-
1 living--Male	1	1	-	-	2 living; 1 male,	1	-	1	-	NORTH DAKOTA				
3 females	2	2	-	-	1 female	1	-	1	-	1 male, 2 females	1	1	-	-
All living	2	2	-	-	1 living--Male	1	-	1	-	All living	1	1	-	-
IOWA					IOWA					OHIO				
2 males, 1 female	1	1	-	-	1 male, 2 females	1	1	-	-	3 females	2	2	-	-
All living	1	1	-	-	All living	1	1	-	-	All living	2	2	-	-
3 females	1	1	-	-	3 females	1	-	1	-	All living	2	2	-	-
All living	1	1	-	-	All living	1	-	1	-	MISSOURI				
KANSAS					KANSAS					3 males				
1 male, 2 females	2	2	-	-	All living	3	3	-	-	All living	2	2	-	-
All living	2	2	-	-	All stillborn	1	1	-	-	2 living	1	1	-	-
3 females	1	1	-	-	2 males, 1 female	4	4	-	-	2 males, 1 female	7	7	-	-
All living	1	1	-	-	All living	3	3	-	-	All living	5	5	-	-
KENTUCKY					KENTUCKY					2 living--2 males				
3 males	1	1	-	-	2 living; 1 male,	1	1	-	-	1 living--Female	1	1	-	-
1 living	1	1	-	-	1 female	1	1	-	-	1 male, 2 females	5	4	1	-
1 male, 2 females	2	2	-	-	1 male, 2 females	2	2	-	-	All living	5	4	1	-
2 living; 1 male,	2	2	-	-	All living	1	1	-	-	3 females	4	3	1	-
1 female	2	2	-	-	All stillborn	1	1	-	-	All living	4	3	1	-
3 females	3	2	1	-	3 females	6	4	2	-	OKLAHOMA				
All living	2	1	1	-	All living	5	3	2	-	3 males	1	1	-	-
2 living	1	1	-	-	2 living	1	1	-	-	All living	1	1	-	-
LOUISIANA					LOUISIANA					2 males, 1 female				
3 males	4	-	4	-	3 females	1	1	-	-	All living	1	1	-	-
All living	4	-	4	-	2 living	1	1	-	-	3 females	1	1	-	-
2 males, 1 female	2	2	-	-	2 living	1	1	-	-	All living	1	1	-	-
All living	2	2	-	-	MONTANA					OREGON				
1 male, 2 females	2	-	2	-	3 males	1	1	-	-	1 male, 2 females	1	1	-	-
All living	2	-	2	-	2 living	1	1	-	-	All living	1	1	-	-
3 females	2	2	-	-	3 females	1	1	-	-	PENNSYLVANIA				
All living	2	2	-	-	2 living	1	1	-	-	3 males	4	4	-	-
MAINE					MAINE					All living				
3 males	3	3	-	-	1 living	1	1	-	-	All living	3	3	-	-
All living	2	2	-	-	NEBRASKA					2 living				
All stillborn	1	1	-	-	2 males, 1 female	1	1	-	-	2 living	1	1	-	-
3 females	1	1	-	-	All living	1	1	-	-	1 male, 2 females	2	2	-	-
All living	1	1	-	-	1 male, 2 females	1	1	-	-	All living	2	2	-	-
MARYLAND					MARYLAND					All living				
3 males	1	-	1	-	2 living; 1 male,	1	1	-	-	3 females	2	2	-	-
All living	1	-	1	-	1 female	1	1	-	-	All living	2	2	-	-
3 females	4	4	-	-	3 females	1	1	-	-	All living	2	2	-	-
All living	3	3	-	-	1 living	1	1	-	-	RHODE ISLAND				
All stillborn	1	1	-	-	NEVADA					1 male, 2 females				
MASSACHUSETTS					NEVADA					2 living--2 females				
3 males	2	2	-	-	2 males, 1 female	1	1	-	-	1 male, 2 females	7	6	1	-
All living	2	2	-	-	All living	1	1	-	-	All living	7	6	1	-
2 males, 1 female	2	2	-	-	3 females	4	4	-	-	3 females	8	7	1	-
All living	2	2	-	-	1 living	1	1	-	-	All living	6	5	1	-
1 male, 2 females	2	2	-	-	NEW HAMPSHIRE					All living				
All living	2	2	-	-	2 males, 1 female	1	1	-	-	2 living	1	1	-	-
3 females	2	2	-	-	All living	1	1	-	-	1 living	1	1	-	-
All living	2	2	-	-	NEW JERSEY					All living				
MICHIGAN					NEW JERSEY					1 male, 2 females				
3 males	4	4	-	-	3 males	3	3	-	-	2 living--2 females	1	1	-	-
All living	3	3	-	-	All living	3	3	-	-	SOUTH CAROLINA				
1 living	1	1	-	-	2 males, 1 female	1	1	-	-	3 males	2	1	1	-
2 males, 1 female	2	1	1	-	All living	1	1	-	-	All living	2	1	1	-
All living	2	1	1	-	1 male, 2 females	1	1	-	-	All living	1	1	-	-
1 male, 2 females	6	6	-	-	All living	1	1	-	-	1 male, 2 females	2	1	1	-
All living	5	5	-	-	3 females	4	4	-	-	All living	2	1	1	-
1 living--Male	1	1	-	-	All living	3	3	-	-	All living	2	1	1	-
3 females	2	2	-	-	1 living	1	1	-	-	3 females	3	1	2	-
All living	2	2	-	-	NEW MEXICO					All living				
MINNESOTA					NEW MEXICO					1 living				
3 males	2	2	-	-	2 males, 1 female	2	2	-	-	2 males, 1 female	1	1	-	-
All living	1	1	-	-	All living	2	2	-	-	All living	1	1	-	-
2 living	1	1	-	-	1 male, 2 females	1	1	-	-	2 living	1	-	1	-
2 males, 1 female	4	4	-	-	All living	1	1	-	-	1 living	1	-	1	-
All living	3	3	-	-	NEW YORK					All living				
1 living--Female	1	1	-	-	3 males	10	8	2	-	2 males, 1 female	1	1	-	-
1 male, 2 females	1	-	1	-	All living	9	8	1	-	All living	1	1	-	-
All living	1	-	1	-	All stillborn	1	-	1	-	All living	1	1	-	-
5 females	1	1	-	-	2 males, 1 female	12	9	3	-	3 males	1	1	-	-
All living	1	1	-	-	All living	10	9	1	-	All living	1	1	-	-
MISSISSIPPI					MISSISSIPPI					2 males, 1 female				
3 males	2	-	2	-	1 living--Female	1	-	1	-	All living	1	1	-	-
All living	2	-	2	-	All stillborn	1	-	1	-	1 male, 2 females	1	1	-	-
2 living	1	-	1	-	1 male, 2 females	7	6	1	-	All living	1	1	-	-
1 male, 2 females	1	-	1	-	All living	6	5	1	-	3 females	6	5	1	-
All living	1	-	1	-	2 living--2 females	1	1	-	-	All living	4	4	-	-
3 females	6	6	-	-	3 females	6	6	-	-	2 living	2	1	1	-
All living	5	5	-	-	All living	5	5	-	-	All living	2	1	1	-
All stillborn	1	1	-	-	All stillborn	1	1	-	-	TEXAS				
NORTH CAROLINA					NORTH CAROLINA					3 males				
3 males	2	2	-	-	3 males	2	2	-	-	All living	1	-	1	-
All living	2	2	-	-	All living	2	2	-	-	All living	1	-	1	-
2 males, 1 female	2	1	1	-	2 males, 1 female	2	1	1	-	2 males, 1 female	2	2	-	-
All living	2	1	1	-	All living	2	1	1	-	All living	2	2	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS				AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other		Total	White	Negro	Other		Total	White	Negro	Other
CASES OF TRIPLETS—Con.					CASES OF TRIPLETS —Con.					CASES OF QUADRUPLETS				
TEXAS—Con.					WEST VIRGINIA					UNITED STATES ³				
1 male, 2 females-----	6	4	2	-	3 males-----	4	4	-	-	All living-----	4	4	-	-
All living-----	4	3	1	-	All living-----	3	3	-	-	3 males, 1 female-----	1	1	-	-
All stillborn-----	2	1	1	-	1 living-----	1	1	-	-	All living-----	1	1	-	-
3 females-----	7	5	2	-	2 males, 1 female-----	2	2	-	-	2 males, 2 females-----	1	1	-	-
All living-----	6	4	2	-	All living-----	2	2	-	-	All living-----	1	1	-	-
2 living-----	1	1	-	-	1 male, 2 females-----	1	1	-	-	1 male, 3 females-----	1	1	-	-
VIRGINIA					All stillborn-----	1	1	-	-	All living-----	1	1	-	-
3 males-----	2	1	1	-	3 females-----	2	2	-	-	4 females-----	1	1	-	-
All living-----	2	1	1	-	All living-----	2	2	-	-	All living-----	1	1	-	-
2 males, 1 female-----	5	3	2	-	WISCONSIN					MONTANA				
All living-----	4	3	1	-	3 males-----	3	3	-	-	1 male, 3 females-----	1	1	-	-
All stillborn-----	1	-	1	-	All living-----	3	3	-	-	All living-----	1	1	-	-
1 male, 2 females-----	4	3	1	-	2 males, 1 female-----	1	1	-	-	NEW YORK				
All living-----	4	3	1	-	All living-----	1	1	-	-	3 males, 1 female-----	1	1	-	-
3 females-----	1	-	1	-	1 male, 2 females-----	2	2	-	-	All living-----	1	1	-	-
All living-----	1	-	1	-	All living-----	2	2	-	-	2 males, 2 females-----	1	1	-	-
WASHINGTON					3 females-----	1	1	-	-	All living-----	1	1	-	-
3 males-----	3	2	1	-	All living-----	1	1	-	-	TEXAS				
All living-----	3	2	1	-	WYOMING					4 females-----				
1 male, 2 females-----	1	1	-	-	1 male, 2 females-----	1	1	-	-	All living-----	1	1	-	-
1 living—Female--	1	1	-	-	All stillborn-----	1	1	-	-					

³Excludes 1 case in which only 1 male was reported.

GENERAL TABLES—STILLBIRTHS

TABLE 11.—STILLBIRTHS BY SEX, RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES, 1947

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA, SEX, RACE, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER									Not stated
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	
BOTH SEXES	77,917	135	8,412	20,018	18,666	14,129	9,870	3,591	407	15	2,874
White, mother native	57,780	32	5,285	15,004	14,684	11,006	7,207	2,633	287	7	1,655
White, mother foreign	2,526	-	70	427	482	507	649	286	34	4	67
White, mother's nativity not stated	766	1	61	132	120	85	87	18	2	-	280
Negro	16,415	102	2,975	4,366	3,291	2,438	1,880	621	82	4	658
Other	430	-	43	89	89	93	67	33	2	-	14
Urban	46,569	67	4,351	12,194	11,937	8,947	5,661	1,854	159	11	1,508
White, mother native	34,713	12	2,632	9,135	9,494	6,982	4,183	1,315	103	5	849
White, mother foreign	1,973	-	41	319	379	418	520	224	27	4	41
White, mother's nativity not stated	424	-	19	59	57	40	23	9	-	-	218
Negro	9,341	55	1,648	2,654	1,975	1,390	924	280	28	2	397
Other	121	-	11	28	34	27	11	6	1	-	5
Places of 100,000 or more	23,016	32	1,875	5,897	6,132	4,622	2,901	959	79	4	616
White, mother native	16,378	6	1,016	4,117	4,720	3,581	2,069	567	49	2	249
White, mother foreign	1,160	-	19	173	232	249	322	132	21	1	21
White, mother's nativity not stated	239	-	6	17	21	14	6	4	-	-	171
Negro	5,172	26	629	1,569	1,143	764	506	151	9	1	174
Other	67	-	3	21	16	14	8	4	-	-	1
Places of 25,000 to 100,000	9,243	10	920	2,461	2,364	1,702	1,073	358	33	3	319
White, mother native	6,973	2	559	1,808	1,883	1,331	798	271	19	1	200
White, mother foreign	345	-	8	59	71	74	87	33	3	2	8
White, mother's nativity not stated	85	-	4	16	16	16	8	3	-	-	22
Negro	1,824	8	348	475	369	276	179	49	11	-	89
Other	16	-	1	2	5	5	1	2	-	-	-
Places of 10,000 to 25,000	6,272	12	680	1,678	1,565	1,104	740	262	17	1	213
White, mother native	4,895	2	457	1,325	1,305	882	573	201	11	-	137
White, mother foreign	206	-	5	34	37	42	55	28	2	1	2
White, mother's nativity not stated	50	-	6	13	11	4	7	-	-	-	9
Negro	1,114	10	209	306	210	173	105	33	3	-	65
Other	9	-	3	-	2	3	-	-	1	-	-
Places of 2,500 to 10,000	8,038	13	876	2,158	1,876	1,419	947	356	30	3	360
White, mother native	6,466	2	598	1,784	1,566	1,188	743	276	24	2	263
White, mother foreign	262	-	9	53	39	53	66	31	1	-	10
White, mother's nativity not stated	50	-	3	12	9	6	2	2	-	-	16
Negro	1,231	11	262	304	231	167	134	47	5	1	69
Other	29	-	4	5	11	5	2	-	-	-	2
Rural	31,348	68	4,061	7,824	6,729	5,282	4,209	1,737	240	4	1,166
White, mother native	23,070	20	2,633	5,869	5,150	4,024	3,024	1,318	184	2	806
White, mother foreign	553	-	29	108	103	89	129	62	7	-	26
White, mother's nativity not stated	342	1	42	74	63	45	44	9	2	-	62
Negro	7,074	47	1,325	1,712	1,318	1,058	956	341	54	2	261
Other	309	-	32	61	55	66	56	27	1	-	11
MALE	41,802	67	4,595	10,783	10,057	7,488	5,369	1,879	217	8	1,458
White, mother native	31,120	17	2,874	8,110	7,696	5,845	3,931	1,391	147	6	905
White, mother foreign	1,295	-	39	214	257	249	335	141	20	1	39
White, mother's nativity not stated	415	1	39	67	61	47	44	8	1	-	147
Negro	8,859	49	1,626	2,343	1,799	1,298	1,027	327	48	1	341
Other	213	-	17	49	44	49	32	12	1	-	9
Urban	24,630	34	2,368	6,434	6,288	4,679	3,032	925	77	5	788
White, mother native	16,378	6	1,427	4,834	5,002	3,700	2,240	672	44	4	448
White, mother foreign	995	-	24	159	199	204	265	109	15	1	19
White, mother's nativity not stated	228	-	11	29	29	21	16	4	-	-	116
Negro	4,968	28	901	1,397	1,039	739	506	137	17	-	203
Other	65	-	5	15	19	16	5	3	1	-	1
Places of 100,000 or more	11,925	19	997	3,129	3,161	2,349	1,514	408	39	2	307
White, mother native	8,484	3	525	2,193	2,444	1,826	1,077	268	20	2	126
White, mother foreign	572	-	12	88	119	119	152	61	11	-	10
White, mother's nativity not stated	120	-	5	8	7	6	4	1	-	-	89
Negro	2,719	16	454	829	583	393	278	76	8	-	82
Other	30	-	1	11	8	5	3	2	-	-	-
Places of 25,000 to 100,000	4,949	4	489	1,304	1,239	935	593	169	17	1	178
White, mother native	3,712	-	301	1,014	979	716	438	147	9	-	108
White, mother foreign	183	-	4	31	34	38	53	16	2	1	4
White, mother's nativity not stated	53	-	2	8	10	10	7	2	-	-	14
Negro	982	4	182	250	214	166	95	23	6	-	52
Other	9	-	-	1	2	5	-	1	-	-	-
Places of 10,000 to 25,000	3,375	7	381	901	835	593	410	137	6	-	106
White, mother native	2,632	2	256	702	698	482	316	107	2	-	67
White, mother foreign	105	-	2	18	21	18	29	15	2	-	-
White, mother's nativity not stated	31	-	3	8	8	3	3	-	-	-	6
Negro	600	5	119	173	108	87	62	15	-	-	33
Other	7	-	1	-	-	3	-	-	1	-	-
Places of 2,500 to 10,000	4,361	4	501	1,100	1,053	802	515	191	16	2	197
White, mother native	3,550	1	345	925	881	676	409	150	13	2	148
White, mother foreign	135	-	6	22	25	29	31	17	-	-	5
White, mother's nativity not stated	22	-	1	5	4	2	2	1	-	-	7
Negro	655	3	146	145	136	92	71	23	3	-	36
Other	19	-	3	3	7	3	2	-	-	-	1
Rural	17,272	33	2,227	4,349	3,769	2,809	2,337	954	140	3	651
White, mother native	12,742	11	1,447	3,276	2,894	2,145	1,691	713	103	2	454
White, mother foreign	500	-	15	55	58	45	70	32	5	-	20
White, mother's nativity not stated	169	1	28	38	32	26	4	4	1	-	31
Negro	3,893	21	725	946	760	560	521	190	31	1	138
Other	148	-	12	34	25	33	27	9	-	-	8

VITAL STATISTICS OF THE UNITED STATES

TABLE 11.—STILLBIRTHS BY SEX, RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES, 1947—Continued,

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA, SEX, RACE, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
FEMALE -----	34,597	66	3,696	8,885	8,286	6,372	4,319	1,626	176	6	1,163
White, mother native-----	25,758	15	2,329	6,683	6,559	4,970	3,159	1,190	130	1	722
White, mother foreign-----	1,128	-	28	204	209	235	282	128	13	2	27
White, mother's nativity not stated-----	309	-	21	63	55	33	22	6	1	-	108
Negro-----	7,185	51	1,293	1,897	1,420	1,094	623	262	31	3	301
Other-----	207	-	25	38	45	40	33	20	1	-	5
Urban-----	20,803	32	1,910	5,478	5,365	3,939	2,489	845	74	5	666
White, mother native-----	15,609	6	1,171	4,136	4,293	3,115	1,851	606	54	1	376
White, mother foreign-----	681	-	14	152	165	192	225	99	11	2	21
White, mother's nativity not stated-----	184	-	8	27	24	15	6	2	-	-	82
Negro-----	4,089	26	712	1,151	869	609	401	136	9	2	185
Other-----	50	-	5	12	15	9	6	2	-	-	2
Places of 100,000 or more-----	10,119	13	827	2,533	2,716	2,061	1,259	401	33	1	275
White, mother native-----	7,280	3	473	1,798	1,798	1,601	907	273	24	-	113
White, mother foreign-----	503	-	4	78	100	110	135	59	9	-	11
White, mother's nativity not stated-----	91	-	1	8	11	5	1	1	-	-	64
Negro-----	2,214	10	348	650	499	339	215	69	-	1	86
Other-----	31	-	1	9	8	6	5	1	-	-	1
Places of 25,000 to 100,000-----	4,227	6	428	1,134	1,113	755	476	162	16	2	135
White, mother native-----	3,220	2	256	883	897	605	357	119	10	1	90
White, mother foreign-----	155	-	4	27	35	35	33	16	1	1	3
White, mother's nativity not stated-----	28	-	2	7	6	6	1	-	-	-	6
Negro-----	817	4	185	216	172	109	84	26	5	-	36
Other-----	7	-	1	1	5	-	1	-	-	-	-
Places of 10,000 to 25,000-----	2,855	5	289	767	725	509	324	121	11	1	103
White, mother native-----	2,233	-	195	616	603	399	253	91	9	-	67
White, mother foreign-----	98	-	3	16	16	23	25	12	-	1	2
White, mother's nativity not stated-----	19	-	3	5	3	1	4	-	-	-	3
Negro-----	503	5	86	130	103	86	42	18	2	-	31
Other-----	2	-	2	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	5,602	8	366	1,044	811	614	430	161	14	1	153
White, mother native-----	2,676	1	247	849	695	510	334	123	11	-	106
White, mother foreign-----	125	-	3	31	14	24	34	13	1	-	5
White, mother's nativity not stated-----	26	-	2	7	4	3	-	-	-	-	9
Negro-----	565	7	113	185	94	75	62	24	2	1	32
Other-----	10	-	1	2	4	2	-	-	-	-	1
Rural-----	13,794	34	1,786	3,407	2,923	2,433	1,830	781	102	1	497
White, mother native-----	10,149	9	1,156	2,547	2,266	1,855	1,306	594	76	-	346
White, mother foreign-----	247	-	14	52	44	43	57	29	2	-	6
White, mother's nativity not stated-----	145	-	13	36	31	18	16	4	1	-	26
Negro-----	3,036	25	581	746	552	485	422	146	22	1	116
Other-----	157	-	20	26	30	32	27	18	1	-	3
NOT STATED -----	1,418	2	121	350	321	269	182	86	14	1	72
White, mother native-----	902	-	62	211	229	191	117	52	10	-	30
White, mother foreign-----	103	-	3	9	16	23	32	17	1	-	1
White, mother's nativity not stated-----	42	-	1	2	4	5	1	4	-	-	25
Negro-----	361	2	54	126	72	46	30	12	3	-	15
Other-----	10	-	1	2	-	4	2	-	-	-	-
Urban-----	1,136	1	73	282	294	229	140	64	8	1	54
White, mother native-----	723	-	34	165	199	167	92	37	5	-	24
White, mother foreign-----	97	-	3	8	15	22	30	16	1	1	1
White, mother's nativity not stated-----	34	-	2	4	4	4	1	3	-	-	20
Negro-----	276	1	35	106	66	33	17	7	2	-	9
Other-----	6	-	1	1	-	3	-	1	-	-	-
Places of 100,000 or more-----	972	-	51	235	255	212	128	49	7	1	34
White, mother native-----	614	-	20	156	178	154	85	26	5	-	10
White, mother foreign-----	85	-	3	7	13	20	27	13	1	1	-
White, mother's nativity not stated-----	28	-	-	1	3	3	1	2	-	-	19
Negro-----	239	-	27	90	61	32	15	7	1	-	6
Other-----	6	-	1	1	-	3	-	1	-	-	-
Places of 25,000 to 100,000-----	67	-	3	23	12	12	4	7	-	-	6
White, mother native-----	41	-	2	12	7	10	3	5	-	-	2
White, mother foreign-----	7	-	-	1	2	1	1	1	-	-	1
White, mother's nativity not stated-----	4	-	-	1	-	-	-	1	-	-	2
Negro-----	15	-	1	9	3	1	-	-	-	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	42	-	10	10	5	2	6	4	1	-	4
White, mother native-----	28	-	6	7	4	1	4	3	-	-	3
White, mother foreign-----	3	-	-	-	-	1	1	1	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	11	-	4	3	1	-	1	-	1	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	55	1	9	14	12	3	2	4	-	-	10
White, mother native-----	40	-	6	10	10	2	-	3	-	-	9
White, mother foreign-----	2	-	-	-	-	-	1	1	-	-	-
White, mother's nativity not stated-----	2	-	-	-	1	1	-	-	-	-	-
Negro-----	11	1	3	4	1	-	1	-	-	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
Rural-----	282	1	48	86	37	40	42	22	6	-	18
White, mother native-----	179	-	28	46	30	24	25	15	5	-	6
White, mother foreign-----	6	-	-	1	1	1	2	1	-	-	6
White, mother's nativity not stated-----	8	-	1	-	-	1	-	1	-	-	5
Negro-----	85	1	19	20	6	13	13	5	1	-	7
Other-----	4	-	-	1	-	1	2	-	-	-	-

GENERAL TABLES—STILLBIRTHS

TABLE 12.—STILLBIRTHS BY SEX OF CHILD, AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND BIRTH ORDER: UNITED STATES, 1947

(Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Birth order refers to number of children born to mother, including children born dead. Stillbirths occurring in Massachusetts are included in "Total" and "Not stated" classifications only; they are not given by birth order because this State does not require the reporting of such information)

SEX OF CHILD, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total stillbirths	BIRTH ORDER																				Not stated
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20+	
TOTAL	77,917	26,961	15,802	8,790	5,531	3,654	2,523	1,833	1,473	1,080	828	642	435	325	191	145	59	34	22	13	21	9,557
Male	41,802	14,621	7,363	4,678	2,947	1,860	1,377	1,004	789	615	450	358	239	168	97	71	37	16	15	9	13	5,082
Female	34,597	11,955	6,192	3,959	2,480	1,626	1,120	807	666	452	361	276	187	151	92	75	21	17	9	5	8	4,160
Sex not stated	1,418	385	247	176	104	68	26	22	19	15	17	8	9	4	2	1	1	1	1	1	1	315
10 to 14 years	135	116	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	8,412	6,512	1,493	390	92	29	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	105
20 to 24 years	20,018	9,459	4,475	2,162	1,050	465	194	98	30	15	10	1	4	1	1	1	1	1	1	1	1	2,087
25 to 29 years	18,666	5,049	3,611	2,604	1,594	1,061	688	406	251	138	85	40	13	8	4	3	1	1	1	1	2	2,167
30 to 34 years	14,129	3,101	2,400	2,084	1,436	1,040	744	539	432	298	184	130	63	38	24	9	3	1	1	1	1	1,621
35 to 39 years	9,870	1,492	1,167	1,149	1,009	724	586	546	496	394	342	253	190	131	68	39	20	13	2	3	8	1,208
40 to 44 years	5,531	302	265	320	267	268	259	199	257	192	178	185	140	123	87	58	27	16	13	6	9	460
45 to 49 years	407	15	19	19	24	22	25	29	30	28	35	28	21	21	24	14	6	3	4	3	1	36
50 years and over	15	1	2	1	2	1	1	1	-	-	-	-	1	1	-	1	1	-	-	-	-	1
Not stated	2,674	514	165	99	56	44	29	22	17	15	14	5	3	1	4	1	1	1	1	1	1	1,692
White	61,072	22,341	11,322	7,075	4,248	2,664	1,718	1,185	935	621	464	367	229	184	94	67	25	19	11	5	8	7,492
Male	32,830	12,064	6,073	3,764	2,254	1,432	946	659	514	354	262	198	118	87	52	35	14	10	5	3	7	3,999
Female	27,195	9,972	5,061	3,174	1,954	1,188	754	508	410	259	192	165	104	95	40	32	10	9	6	2	1	3,279
Sex not stated	1,047	305	188	137	80	44	18	16	11	8	10	4	7	2	2	-	1	-	-	-	-	214
10 to 14 years	33	32	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5,396	4,512	809	151	29	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	89
20 to 24 years	15,563	8,078	3,533	1,480	597	211	79	30	7	3	4	1	-	-	-	-	-	-	-	-	-	1,540
25 to 29 years	15,266	5,244	3,364	2,193	1,231	704	384	219	101	44	18	14	2	5	1	1	1	1	1	1	1	1,760
30 to 34 years	11,538	2,791	2,198	1,820	1,214	836	541	331	251	147	70	55	19	6	8	2	-	-	-	-	-	1,318
35 to 39 years	7,923	1,336	1,034	1,057	871	618	454	397	350	246	202	140	89	68	27	20	9	7	1	1	3	983
40 to 44 years	2,937	275	244	285	245	236	219	166	182	146	156	132	89	69	40	35	12	11	5	3	3	376
45 to 49 years	323	13	18	16	23	20	19	23	26	24	29	22	16	14	17	9	2	1	3	1	1	26
50 years and over	11	1	2	-	2	1	-	-	-	2	-	-	1	1	-	1	-	-	-	-	-	-
Not stated	2,002	259	129	75	38	35	20	16	8	9	5	3	3	1	1	-	1	-	1	-	-	1,400
Native white	57,780	21,484	10,888	6,738	4,070	2,547	1,625	1,116	885	590	444	344	210	169	83	60	21	16	7	5	7	6,473
Male	31,120	11,634	5,847	3,591	2,143	1,376	899	623	484	335	255	186	108	79	43	30	12	7	3	3	6	3,461
Female	25,758	9,576	4,871	3,035	1,858	1,155	714	479	389	239	184	154	98	88	38	30	8	9	4	2	1	2,851
Sex not stated	902	284	170	114	69	36	12	14	10	6	10	4	7	2	2	-	1	-	-	-	-	161
10 to 14 years	32	31	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5,265	4,211	788	146	26	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	89
20 to 24 years	15,004	7,850	3,424	1,439	591	206	79	29	7	3	4	1	-	-	-	-	-	-	-	-	-	1,371
25 to 29 years	14,684	5,018	3,275	1,221	1,210	693	375	216	100	41	18	14	2	5	1	1	1	1	1	1	1	1,594
30 to 34 years	11,006	2,661	2,080	1,741	1,153	809	523	319	240	145	69	51	18	6	8	2	-	-	-	-	-	1,180
35 to 39 years	7,207	1,225	954	951	810	575	416	364	333	227	190	130	88	59	23	17	8	5	1	1	3	828
40 to 44 years	2,633	241	223	256	222	211	196	153	174	136	130	127	82	87	34	32	10	10	4	3	3	299
45 to 49 years	287	13	16	14	21	20	17	19	22	18	28	18	15	12	16	8	2	1	2	1	1	23
50 years and over	7	1	2	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
Not stated	1,655	243	125	70	36	31	17	15	7	9	5	3	3	-	1	-	1	-	-	-	-	1,089
Foreign-born white	2,526	743	404	308	167	106	89	64	50	37	20	20	18	13	10	6	4	3	4	-	-	489
Male	1,295	374	209	155	84	49	46	34	28	18	12	10	10	6	8	4	2	3	2	-	-	240
Female	1,128	351	177	132	73	50	37	28	21	17	8	10	8	7	2	2	2	2	-	-	-	201
Sex not stated	103	18	10	21	10	7	6	2	1	2	-	-	-	-	-	-	-	-	-	-	-	18
10 to 14 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	70	50	14	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	427	212	101	39	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
25 to 29 years	482	214	83	64	19	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	79
30 to 34 years	507	123	106	75	59	26	18	11	11	1	1	3	1	-	-	-	-	-	-	-	-	73
35 to 39 years	649	107	77	100	57	40	37	31	17	18	12	8	11	9	3	2	1	2	1	1	1	117
40 to 44 years	285	32	19	27	20	22	23	15	17	10	6	5	8	2	6	3	2	1	1	1	1	71
45 to 49 years	34	-	2	2	2	1	4	4	4	5	1	4	-	2	1	1	-	-	-	-	-	3
50 years and over	4	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	67	5	2	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
Nativity not stated	766	104	30	29	11	11	4	3	2	4	-	3	1	2	1	1	-	-	-	-	-	560
Male	415	58	17	18	7	7	1	2	2	1	-	2	-	2	1	1	-	-	-	-	-	298
Female	309	45	13	9	3	3	3	1	-	3	-	1	1	-	-	-	-	-	-	-	-	227
Sex not stated	42	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
10 to 14 years	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	61	51	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	132	16	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	105
25 to 29 years	120	12	6	8	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
30 to 34 years	85	7	4	4	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	65
35 to 39 years	67	4	3	6	4	3	1	2	-	1	-	2	-	1	1	1	-	-	-	-	-	38
40 to 44 years	18	2	2	2	1	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	6
45 to 49 years	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	280	11	2	3	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	259
Nonwhite	16,845	4,620	2,480	1,715	1,283	990	805	650	538	459	364	275	208	139	87	78	34	15	11	8	13	2,065
Male	9,072	2,557	1,290	911	715	528	431	345	274	261												

GENERAL TABLES—STILLBIRTHS

TABLE 13.—STILLBIRTHS BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total stillbirths	URBAN				Rural	
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000		Places of 2,500 to 10,000
UNITED STATES	77,917	46,569	23,016	9,243	6,272	8,038	31,349
White	61,072	37,107	17,777	7,405	5,149	6,778	23,965
Nonwhite	16,845	9,462	5,239	1,840	1,123	1,260	7,383
Alabama	2,455	901	242	291	143	225	1,554
White	1,219	431	101	140	68	122	788
Nonwhite	1,236	470	141	151	75	103	766
Arizona	377	213	...	148	...	65	164
White	310	191	...	130	...	61	119
Nonwhite	67	22	...	18	...	4	45
Arkansas	872	272	...	62	88	122	600
White	573	175	...	37	57	81	398
Nonwhite	299	97	...	25	31	41	202
California	4,054	2,989	1,603	552	380	464	1,055
White	3,629	2,629	1,350	484	352	442	1,001
Nonwhite	425	371	253	68	28	22	54
Colorado	654	380	204	49	38	89	254
White	611	365	190	47	38	86	248
Nonwhite	23	17	14	2	-	1	6
Connecticut	680	472	200	160	71	21	208
White	647	445	186	170	68	21	202
Nonwhite	33	27	14	10	3	-	6
Delaware	149	77	61	16	72
White	105	56	45	11	49
Nonwhite	44	21	16	5	23
District of Columbia	470	470	470
White	203	203	203
Nonwhite	267	267	267
Florida	1,649	948	371	154	190	235	701
White	691	504	203	84	90	127	387
Nonwhite	758	444	168	70	100	106	314
Georgia	2,455	1,097	269	335	199	294	1,358
White	1,194	529	133	139	91	167	665
Nonwhite	1,261	568	136	197	108	127	693
Idaho	267	108	...	18	42	49	159
White	262	107	...	18	42	47	155
Nonwhite	5	1	...	-	-	1	4
Illinois	3,669	2,894	1,700	487	319	368	775
White	3,212	2,462	1,369	411	306	376	750
Nonwhite	457	432	331	76	13	12	25
Indiana	1,667	1,062	446	340	131	145	605
White	1,536	939	357	309	129	144	597
Nonwhite	131	123	89	31	2	1	8
Iowa	998	478	67	192	93	126	520
White	963	464	61	186	91	126	519
Nonwhite	15	14	6	6	2	-	1
Kansas	706	408	128	69	107	104	299
White	646	354	101	61	91	101	292
Nonwhite	60	54	27	8	16	3	6
Kentucky	1,694	571	191	139	74	167	1,123
White	1,532	467	155	115	57	140	1,065
Nonwhite	162	104	36	24	17	27	58
Louisiana	2,001	961	409	208	87	277	1,020
White	846	415	183	72	39	121	431
Nonwhite	1,155	566	226	136	48	156	589
Maine	398	140	...	62	36	42	258
White	398	140	...	62	36	42	258
Nonwhite	-	-	...	-	-	-	-
Maryland	1,364	803	637	56	65	45	561
White	806	494	363	54	40	37	412
Nonwhite	458	309	274	2	25	8	149
Massachusetts	2,074	1,629	839	513	347	130	245
White	2,012	1,770	796	508	347	129	242
Nonwhite	62	59	53	5	-	1	3
Michigan	3,381	2,435	1,316	549	260	310	946
White	2,954	2,029	1,001	513	218	297	925
Nonwhite	427	406	315	36	42	13	21
Minnesota	1,298	721	432	17	90	162	577
White	1,275	710	423	17	89	161	565
Nonwhite	23	11	9	-	1	1	12
Mississippi	1,979	532	...	124	194	214	1,447
White	581	201	...	41	75	85	380
Nonwhite	1,398	331	...	83	119	129	1,067
Missouri	1,889	1,097	695	103	121	178	792
White	1,574	816	458	97	103	158	758
Nonwhite	315	281	237	6	18	20	34

VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—STILLBIRTHS BY RACE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND RACE	Total stillbirths	URBAN				Rural	
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000		Places of 2,500 to 10,000
Montana-----	238	108	...	47	23	39	129
White-----	220	108	...	46	23	39	112
Nonwhite--	18	1	...	1	-	-	17
Nebraska-----	538	292	144	34	41	65	256
White-----	519	266	132	31	41	62	253
Nonwhite--	19	16	12	* 3	-	1	3
Nevada-----	63	41	17	24	42
White-----	73	37	17	20	36
Nonwhite--	10	4	-	4	6
New Hampshire-----	275	153	...	73	53	27	122
White-----	275	153	...	73	53	27	122
Nonwhite--	-	-	...	-	-	-	-
New Jersey-----	2,261	1,834	695	468	300	351	427
White-----	1,974	1,592	567	435	265	325	392
Nonwhite--	287	242	128	53	35	26	45
New Mexico-----	448	181	...	25	54	102	267
White-----	411	173	...	25	50	98	238
Nonwhite--	37	8	...	-	4	4	29
New York-----	7,635	6,573	5,423	399	414	537	1,110
White-----	6,551	5,475	4,365	373	368	529	1,076
Nonwhite--	1,152	1,098	1,058	26	26	8	34
North Carolina-----	2,762	896	89	329	256	212	1,876
White-----	1,437	428	45	129	128	126	1,009
Nonwhite--	1,325	458	44	200	128	86	867
North Dakota-----	298	73	...	17	29	27	223
White-----	283	72	...	17	29	26	211
Nonwhite--	13	1	...	-	-	1	12
Ohio-----	3,993	2,819	1,737	429	284	369	1,174
White-----	3,539	2,402	1,396	369	263	354	1,137
Nonwhite--	454	417	341	40	21	15	37
Oklahoma-----	1,078	546	200	33	147	166	532
White-----	906	454	163	23	120	148	454
Nonwhite--	170	92	37	10	27	18	76
Oregon-----	562	311	164	6	43	98	251
White-----	543	304	158	6	43	97	239
Nonwhite--	19	7	6	-	-	1	12
Pennsylvania-----	5,027	3,391	1,564	666	545	616	1,636
White-----	4,568	2,974	1,255	614	502	605	1,594
Nonwhite--	459	417	309	52	45	11	42
Rhode Island-----	305	273	106	118	39	10	32
White-----	302	270	104	118	38	10	32
Nonwhite--	3	3	2	-	1	-	-
South Carolina-----	1,911	546	...	277	99	170	1,365
White-----	705	247	...	106	51	90	468
Nonwhite--	1,206	299	...	171	48	80	907
South Dakota-----	253	67	...	21	24	22	196
White-----	234	67	...	21	24	22	167
Nonwhite--	19	-	...	-	-	-	19
Tennessee-----	1,881	775	516	13	93	163	1,106
White-----	1,403	453	259	12	60	122	950
Nonwhite--	478	322	257	1	23	41	156
Texas-----	4,563	2,800	1,062	677	376	765	1,683
White-----	3,513	2,238	826	511	298	613	1,275
Nonwhite--	1,050	642	236	166	88	152	408
Utah-----	303	164	75	22	15	52	139
White-----	296	161	72	22	15	52	135
Nonwhite--	7	3	3	-	-	-	4
Vermont-----	175	68	...	17	13	38	107
White-----	175	68	...	17	13	38	107
Nonwhite--	-	-	...	-	-	-	-
Virginia-----	2,237	919	322	392	58	157	1,318
White-----	1,351	546	144	233	35	134	805
Nonwhite--	886	373	178	149	23	23	513
Washington-----	916	554	359	54	80	61	362
White-----	880	530	339	55	79	59	350
Nonwhite--	36	24	20	1	1	2	12
West Virginia-----	1,362	372	...	163	67	142	880
White-----	1,262	353	...	154	63	136	908
Nonwhite--	100	19	...	9	4	6	81
Wisconsin-----	1,443	795	290	305	95	115	648
White-----	1,409	775	264	301	95	115	634
Nonwhite--	34	20	16	4	-	-	14
Wyoming-----	144	69	42	27	75
White-----	142	68	41	27	74
Nonwhite--	2	1	1	-	1

GENERAL TABLES—STILLBIRTHS

193

TABLE 14.—STILLBIRTHS BY AGE OF MOTHER AND RACE: UNITED STATES AND EACH STATE, 1947

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND RACE	Total stillbirths	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
UNITED STATES	77,917	135	8,412	20,018	18,666	14,129	9,870	3,591	407	15	2,874
White	61,072	33	5,396	15,563	15,286	11,598	7,923	2,957	323	11	2,002
Nonwhite	16,845	102	3,016	4,455	3,380	2,531	1,947	654	84	4	672
Alabama	2,455	10	415	645	496	344	303	97	15	-	130
White	1,219	2	173	338	250	159	146	51	5	-	95
Nonwhite	1,236	8	242	307	246	185	157	46	10	-	35
Arizona	377	-	51	99	89	63	44	15	1	-	15
White	310	-	41	85	79	50	34	13	-	-	10
Nonwhite	67	-	10	16	10	13	10	2	1	-	5
Arkansas	872	4	151	215	160	143	104	49	2	-	45
White	573	-	87	139	114	92	70	30	1	-	40
Nonwhite	299	4	64	76	46	51	34	18	1	-	5
California	4,054	4	394	1,132	1,041	746	524	159	16	2	36
White	3,629	1	335	1,002	947	671	490	145	15	2	31
Nonwhite	425	3	59	130	94	75	44	14	1	-	5
Colorado	654	-	49	179	164	110	93	30	3	-	6
White	611	-	46	176	158	107	87	28	3	-	6
Nonwhite	25	-	3	3	6	3	6	2	-	-	-
Connecticut	680	-	31	145	192	160	112	25	1	-	14
White	647	-	27	137	185	155	104	24	1	-	14
Nonwhite	33	-	4	8	7	5	8	1	-	-	-
Delaware	149	-	17	41	33	32	16	9	-	-	1
White	105	-	9	30	19	28	12	6	-	-	1
Nonwhite	44	-	8	11	14	4	4	3	-	-	-
District of Columbia	470	-	63	131	119	63	55	12	-	-	7
White	203	-	17	48	62	41	26	4	-	-	5
Nonwhite	267	-	46	83	57	42	29	8	-	-	2
Florida	1,649	10	225	412	397	302	210	54	5	-	34
White	891	1	76	239	245	167	111	35	4	-	15
Nonwhite	758	9	149	173	154	135	99	19	1	-	19
Georgia	2,455	6	436	637	487	422	281	95	11	-	82
White	1,194	1	179	310	260	207	131	48	6	-	52
Nonwhite	1,261	5	257	327	227	215	150	45	5	-	30
Idaho	267	-	36	71	54	33	32	10	2	-	29
White	262	-	36	70	53	33	30	10	2	-	28
Nonwhite	5	-	-	1	1	-	2	-	-	-	1
Illinois	3,669	1	281	950	1,031	742	480	147	12	-	45
White	3,212	-	209	780	924	675	432	134	11	-	37
Nonwhite	457	1	72	140	107	67	48	13	1	-	8
Indiana	1,667	1	187	468	370	298	190	75	12	-	66
White	1,536	1	168	426	350	276	175	67	10	-	63
Nonwhite	131	-	19	42	20	22	15	8	2	-	3
Iowa	998	-	90	267	242	190	126	60	7	-	26
White	983	-	86	265	238	179	123	60	7	-	25
Nonwhite	15	-	4	2	4	1	3	-	-	-	1
Kansas	706	1	71	179	161	117	91	35	6	-	45
White	646	1	58	157	153	112	87	34	5	-	39
Nonwhite	60	-	13	22	8	5	4	1	1	-	6
Kentucky	1,694	4	229	477	372	269	218	100	22	-	3
White	1,532	2	197	442	358	237	197	94	22	-	3
Nonwhite	162	2	32	35	34	32	21	6	-	-	-
Louisiana	2,001	5	309	508	593	342	261	103	16	2	62
White	946	1	94	215	180	167	110	36	5	-	38
Nonwhite	1,155	4	215	293	213	175	151	67	11	2	24
Maine	398	-	38	111	97	75	39	30	4	1	3
White	399	-	38	111	97	75	39	30	4	1	3
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Maryland	1,364	5	174	355	321	239	156	36	6	-	72
White	906	-	86	234	224	168	110	29	4	-	51
Nonwhite	458	5	88	121	97	71	46	7	2	-	21
Massachusetts	2,074	-	65	479	599	440	333	113	5	-	20
White	2,012	-	78	456	597	429	327	110	5	-	20
Nonwhite	62	-	7	23	12	11	6	3	-	-	-
Michigan	3,381	-	280	900	657	647	414	166	18	2	97
White	2,954	-	228	804	740	585	371	148	16	2	60
Nonwhite	427	-	52	96	117	62	43	18	2	-	37
Minnesota	1,298	-	84	319	339	268	185	82	9	1	1
White	1,275	-	80	316	335	264	180	79	9	1	1
Nonwhite	23	-	4	3	4	4	5	3	-	-	-
Mississippi	1,979	12	371	511	400	316	244	93	14	-	18
White	591	1	83	162	128	101	63	29	5	-	9
Nonwhite	1,398	11	288	349	272	215	181	64	9	-	9
Missouri	1,869	4	240	466	432	341	261	97	9	-	39
White	1,574	2	176	373	375	296	222	84	9	-	37
Nonwhite	315	2	64	93	57	45	39	13	-	-	2

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—STILLBIRTHS BY AGE OF MOTHER AND RACE: UNITED STATES AND EACH STATE, 1947—Continued
(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND RACE	Total stillbirths	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 years and over	Not stated
Montana	258	-	21	66	57	47	32	10	-	-	3
White	220	-	20	67	53	42	28	7	-	-	3
Nonwhite	18	-	1	1	4	5	4	3	-	-	-
Nebraska	538	-	48	149	143	95	56	26	6	-	13
White	519	-	45	144	139	93	54	26	6	-	12
Nonwhite	19	-	3	5	4	2	4	-	-	-	1
Nevada	63	-	7	22	27	14	9	3	-	-	1
White	73	-	6	19	25	12	7	3	-	-	1
Nonwhite	10	-	1	3	2	2	2	-	-	-	-
New Hampshire	275	-	20	81	71	63	34	3	1	-	2
White	275	-	20	81	71	63	34	3	1	-	2
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
New Jersey	2,261	3	113	547	655	491	307	86	12	-	47
White	1,974	1	70	459	591	442	282	76	11	-	42
Nonwhite	287	2	43	88	64	49	25	10	1	-	5
New Mexico	448	3	62	119	88	77	67	25	5	-	2
White	411	3	52	111	83	68	65	23	5	-	1
Nonwhite	37	-	10	8	5	9	2	2	-	-	1
New York	7,683	6	460	1,788	2,091	1,715	1,112	362	37	1	131
White	6,551	2	299	1,385	1,823	1,555	1,019	335	35	1	97
Nonwhite	1,132	4	161	383	268	160	93	27	2	-	34
North Carolina	2,762	14	435	722	628	427	348	129	16	-	45
White	1,437	2	183	374	338	239	193	77	10	-	21
Nonwhite	1,325	12	252	348	290	188	155	52	6	-	22
North Dakota	296	-	23	69	68	55	40	23	6	-	12
White	283	-	21	68	63	52	39	22	6	-	12
Nonwhite	13	-	2	1	5	3	1	1	-	-	-
Ohio	3,983	3	358	1,096	1,035	742	479	169	20	-	91
White	3,539	-	290	950	938	672	429	156	18	-	86
Nonwhite	454	3	66	146	97	70	50	13	2	-	5
Oklahoma	1,078	3	145	259	208	133	113	61	7	1	148
White	908	1	120	224	180	113	95	49	7	1	118
Nonwhite	170	2	25	35	28	20	18	12	-	-	30
Oregon	562	-	59	136	187	108	57	25	-	-	20
White	543	-	59	131	150	103	55	25	-	-	20
Nonwhite	19	-	-	5	7	5	2	-	-	-	-
Pennsylvania	5,027	3	404	1,383	1,337	999	621	244	27	1	8
White	4,568	1	312	1,243	1,238	934	583	228	23	1	5
Nonwhite	459	2	92	140	99	65	38	16	4	-	3
Rhode Island	305	-	11	77	96	61	38	17	1	-	4
White	302	-	11	76	95	61	37	17	1	-	4
Nonwhite	3	-	-	1	1	-	1	-	-	-	-
South Carolina	1,911	8	271	453	360	269	228	76	6	2	238
White	705	2	76	152	137	112	73	37	2	-	114
Nonwhite	1,206	6	195	301	223	157	155	39	4	2	124
South Dakota	253	-	30	65	53	44	40	17	-	-	4
White	234	-	30	63	47	39	36	15	-	-	4
Nonwhite	19	-	-	2	6	5	4	2	-	-	-
Tennessee	1,881	6	293	533	401	295	218	95	9	-	31
White	1,403	3	194	404	300	239	154	75	8	-	26
Nonwhite	478	3	99	129	101	56	64	20	1	-	5
Texas	4,563	11	625	1,190	911	678	497	201	13	1	439
White	3,513	2	425	914	736	538	395	152	9	1	341
Nonwhite	1,050	9	200	275	173	140	102	49	4	-	98
Utah	303	-	26	67	83	46	45	20	2	-	14
White	296	-	26	65	81	45	43	20	2	-	14
Nonwhite	7	-	-	2	2	1	2	-	-	-	-
Vermont	175	-	9	41	51	38	21	13	2	-	-
White	175	-	9	41	51	38	21	13	2	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,237	7	272	545	430	331	275	97	19	-	261
White	1,351	2	134	357	272	202	175	58	7	-	143
Nonwhite	886	5	139	188	158	129	99	39	12	-	118
Washington	916	-	92	217	240	167	119	36	4	-	21
White	880	-	89	206	231	164	112	35	4	-	19
Nonwhite	36	-	3	11	9	3	7	1	-	-	2
West Virginia	1,362	1	207	319	246	172	128	52	10	-	227
White	1,262	1	188	301	225	158	116	46	9	-	216
Nonwhite	100	-	19	18	21	14	12	4	1	-	11
Wisconsin	1,443	-	97	380	344	310	187	102	7	1	15
White	1,409	-	93	369	339	300	185	100	7	1	15
Nonwhite	34	-	4	11	5	10	2	2	-	-	-
Wyoming	144	-	17	35	40	23	15	10	1	-	3
White	142	-	17	35	39	23	15	9	1	-	3
Nonwhite	2	-	-	-	1	-	-	1	-	-	-

GENERAL TABLES—STILLBIRTHS

TABLE 15.—STILLBIRTHS BY BIRTH ORDER AND RACE: UNITED STATES AND EACH STATE, 1947

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Birth order refers to number of children ever born to mother, including children born dead. Stillbirths occurring in Massachusetts are included in "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of such information.)

AREA AND RACE	Total stillbirths	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
UNITED STATES	77,917	26,961	15,802	8,790	5,531	3,654	2,523	1,833	1,473	1,090	2,713	9,557
Alabama	2,455	752	362	256	189	139	101	84	82	55	139	316
White	1,219	443	209	124	71	59	42	25	30	19	36	156
Nonwhite	1,236	304	153	132	98	80	59	59	52	36	103	160
Arizona	377	104	38	59	54	24	13	10	7	11	12	15
White	310	89	79	50	26	19	7	9	6	8	6	11
Nonwhite	67	15	9	9	8	5	6	1	1	3	6	4
Arkansas	872	280	106	70	48	37	36	27	34	15	66	153
White	573	201	83	48	30	22	21	15	22	5	25	101
Nonwhite	299	79	23	22	18	15	15	12	12	10	41	52
California	4,054	1,571	934	584	334	176	94	65	60	37	89	112
White	3,629	1,414	854	525	285	148	84	53	52	33	79	102
Nonwhite	425	157	80	59	49	28	10	10	8	4	10	10
Colorado	634	254	122	80	51	29	22	16	16	10	25	9
White	611	246	118	79	48	26	20	16	15	8	24	9
Nonwhite	23	8	4	1	3	1	2	-	1	2	1	-
Connecticut	680	280	160	89	55	29	15	8	7	3	11	23
White	647	269	158	87	50	26	13	7	6	3	7	23
Nonwhite	33	11	4	2	5	3	2	1	1	-	4	-
Delaware	149	51	30	19	10	9	6	-	1	1	7	15
White	105	42	23	14	5	4	4	-	1	-	2	10
Nonwhite	44	9	7	5	5	5	2	-	-	1	5	5
District of Columbia	470	191	106	46	29	16	14	10	9	7	6	36
White	203	85	56	18	10	3	1	2	1	-	-	27
Nonwhite	267	106	50	28	19	13	13	8	8	7	6	9
Florida	1,649	582	320	197	124	77	64	61	56	43	94	41
White	891	362	200	113	63	32	29	25	17	8	23	19
Nonwhite	758	220	120	84	61	45	35	36	39	35	61	22
Georgia	2,455	689	384	233	169	129	101	86	67	55	146	396
White	1,194	405	212	120	74	55	38	23	22	12	39	194
Nonwhite	1,261	284	172	113	95	74	63	63	45	43	107	202
Idaho	267	76	50	36	26	11	5	6	9	-	5	43
White	262	76	49	34	26	11	5	6	9	-	5	41
Nonwhite	5	-	1	2	-	-	-	-	-	-	-	2
Illinois	3,669	1,647	730	499	259	178	99	64	42	27	71	53
White	3,212	1,471	650	444	216	147	86	49	35	22	51	42
Nonwhite	457	176	80	55	43	31	13	16	7	5	20	11
Indiana	1,667	529	335	186	161	76	49	37	23	18	64	189
White	1,536	497	310	168	149	68	43	34	20	15	52	160
Nonwhite	131	32	25	18	12	8	6	3	3	3	12	9
Iowa	998	378	197	116	86	60	50	27	14	12	17	41
White	983	373	193	115	85	60	50	24	13	12	17	41
Nonwhite	15	5	4	1	1	-	-	3	1	-	-	-
Kansas	706	260	132	82	45	32	16	20	8	10	19	82
White	646	239	121	79	38	28	16	17	8	9	16	75
Nonwhite	60	21	11	3	7	4	-	3	-	1	3	7
Kentucky	1,694	615	283	168	133	106	84	63	61	39	121	22
White	1,532	555	257	157	118	98	75	56	51	32	113	22
Nonwhite	162	60	26	11	15	8	11	7	10	6	8	-
Louisiana	2,001	574	293	227	161	97	94	70	76	45	137	227
White	846	282	129	94	69	31	36	28	23	11	32	117
Nonwhite	1,155	292	164	133	102	66	58	48	53	34	105	110
Maine	398	152	77	52	51	28	12	7	8	9	18	4
White	398	152	77	52	51	28	12	7	8	9	18	4
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	1,364	414	172	122	66	50	25	20	12	14	32	437
White	906	276	122	82	35	29	12	10	4	5	13	318
Nonwhite	458	138	50	40	31	21	13	10	8	9	19	119
Massachusetts ¹	2,074	18	9	3	1	4	1	-	-	-	1	2,037
White	2,012	18	9	3	1	4	1	-	-	-	1	1,975
Nonwhite	62	-	-	-	-	-	-	-	-	-	-	62
Michigan	3,381	1,199	650	377	269	177	108	61	51	36	78	375
White	2,954	1,071	575	335	243	155	88	50	35	25	58	316
Nonwhite	427	128	75	42	26	22	20	11	13	11	20	59
Minnesota	1,298	528	273	177	97	74	44	28	17	20	34	6
White	1,275	524	270	174	95	74	41	27	16	19	29	6
Nonwhite	23	4	3	3	2	-	3	1	1	1	5	-
Mississippi	1,979	532	287	191	154	121	99	75	78	62	236	144
White	581	216	113	60	50	32	19	13	17	7	27	27
Nonwhite	1,398	316	174	131	104	89	80	62	61	55	209	117
Missouri	1,888	718	333	263	151	100	52	44	36	32	61	99
White	1,874	625	274	213	121	83	41	32	30	19	49	87
Nonwhite	115	93	59	50	30	17	11	12	6	13	12	12

¹Massachusetts does not require the reporting of birth order. Birth order data for Massachusetts are for stillbirths to residents of the State occurring in other States.

GENERAL TABLES—STILLBIRTHS

TABLE 16.—STILLBIRTHS BY RACE AND PERSON IN ATTENDANCE: UNITED STATES AND EACH STATE, 1947

(By place of residence. Includes only stillbirths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND RACE	Total stillbirths	STILLBIRTHS ATTENDED BY—				AREA AND RACE	Total stillbirths	STILLBIRTHS ATTENDED BY—			
		Physician in hospital	Physician not in hospital	Midwife	Other and not specified			Physician in hospital	Physician not in hospital	Midwife	Other and not specified
UNITED STATES—	77,917	61,197	10,885	3,375	2,462	Montana—	238	217	20	1	—
White—	61,072	52,326	7,222	511	1,013	White—	220	203	17	—	—
Nonwhite—	16,845	8,871	3,663	2,664	1,449	Nonwhite—	18	14	3	1	—
Alabama—	2,455	1,277	588	485	105	Nebraska—	538	494	41	—	3
White—	1,219	654	312	24	29	White—	519	478	39	—	3
Nonwhite—	1,236	423	276	461	76	Nonwhite—	19	16	2	—	—
Arizona—	377	322	43	5	7	Nevada—	83	81	2	—	—
White—	310	270	34	5	1	White—	73	73	—	—	—
Nonwhite—	67	52	9	—	6	Nonwhite—	10	8	2	—	—
Arkansas—	872	485	229	139	9	New Hampshire—	275	265	9	—	1
White—	573	405	157	6	4	White—	275	265	9	—	1
Nonwhite—	299	89	72	133	5	Nonwhite—	—	—	—	—	—
California—	4,054	3,784	195	—	75	New Jersey—	2,261	2,050	177	—	34
White—	3,629	3,403	169	—	57	White—	1,974	1,818	127	—	29
Nonwhite—	425	381	26	—	18	Nonwhite—	287	232	50	—	5
Colorado—	654	540	84	2	8	New Mexico—	448	294	111	18	35
White—	611	519	82	2	8	White—	411	252	109	18	33
Nonwhite—	23	21	2	—	—	Nonwhite—	37	32	3	—	2
Connecticut—	380	645	33	—	2	New York—	7,685	6,966	639	—	79
White—	347	615	30	—	2	White—	6,551	6,054	464	—	53
Nonwhite—	33	30	3	—	—	Nonwhite—	1,132	932	174	—	26
Delaware—	149	119	15	10	5	North Carolina—	2,762	1,764	644	198	156
White—	105	97	6	1	1	White—	1,437	1,169	229	17	22
Nonwhite—	44	22	9	9	4	Nonwhite—	1,325	595	415	181	134
District of Columbia—	470	432	32	—	6	North Dakota—	236	264	31	—	1
White—	203	185	7	—	1	White—	285	251	31	—	—
Nonwhite—	267	237	25	—	5	Nonwhite—	13	—	—	—	—
Florida—	1,649	1,069	242	331	7	Ohio—	3,995	3,479	423	1	90
White—	891	774	99	15	3	White—	3,539	3,135	334	1	69
Nonwhite—	758	295	143	316	4	Nonwhite—	454	344	89	—	21
Georgia—	2,455	1,304	334	385	432	Oklahoma—	1,078	803	225	21	29
White—	1,194	687	147	24	136	White—	908	709	176	4	19
Nonwhite—	1,261	417	187	361	296	Nonwhite—	170	94	49	17	10
Idaho—	267	246	14	—	5	Oregon—	562	544	14	3	1
White—	262	245	13	—	3	White—	543	529	12	2	—
Nonwhite—	5	2	1	—	2	Nonwhite—	19	15	2	1	1
Illinois—	3,669	3,290	265	1	113	Pennsylvania—	5,027	4,368	628	2	9
White—	3,212	2,943	181	1	87	White—	4,568	4,000	559	2	7
Nonwhite—	457	347	84	—	26	Nonwhite—	459	368	69	—	2
Indiana—	1,667	1,436	199	—	30	Rhode Island—	305	266	16	—	3
White—	1,536	1,344	173	—	19	White—	302	263	16	—	3
Nonwhite—	131	94	26	—	11	Nonwhite—	3	3	—	—	—
Iowa—	998	922	64	—	12	South Carolina—	1,911	894	494	494	39
White—	983	908	63	—	12	White—	705	552	142	8	3
Nonwhite—	15	14	1	—	—	Nonwhite—	1,206	342	342	486	36
Kansas—	706	620	73	—	13	South Dakota—	253	227	23	—	3
White—	646	584	52	—	10	White—	234	211	21	—	2
Nonwhite—	60	36	21	—	3	Nonwhite—	19	16	2	—	1
Kentucky—	1,694	940	668	69	17	Tennessee—	1,881	1,270	403	19	189
White—	1,532	872	578	66	16	White—	1,403	991	302	9	101
Nonwhite—	162	68	90	3	1	Nonwhite—	478	279	101	10	88
Louisiana—	2,001	1,420	279	261	41	Texas—	4,563	3,144	905	437	77
White—	846	732	90	9	15	White—	3,513	2,569	645	244	55
Nonwhite—	1,155	688	189	252	26	Nonwhite—	1,050	575	260	193	22
Maine—	398	354	42	—	2	Utah—	303	283	20	—	—
White—	398	354	42	—	2	White—	296	276	20	—	—
Nonwhite—	—	—	—	—	—	Nonwhite—	7	7	—	—	—
Maryland—	1,364	998	303	37	26	Vermont—	175	160	15	—	—
White—	906	756	126	3	21	White—	175	160	15	—	—
Nonwhite—	458	242	177	34	5	Nonwhite—	—	—	—	—	—
Massachusetts—	2,074	1,559	105	—	—	Virginia—	2,237	1,425	556	205	51
White—	2,018	1,913	99	—	—	White—	1,351	1,043	257	25	26
Nonwhite—	62	56	6	—	—	Nonwhite—	886	382	299	180	25
Michigan—	3,361	3,079	298	2	2	Washington—	916	883	29	1	3
White—	2,954	2,739	212	1	2	White—	680	650	26	1	3
Nonwhite—	427	340	86	1	—	Nonwhite—	36	33	3	—	—
Minnesota—	1,298	1,218	75	1	4	West Virginia—	1,362	658	479	9	16
White—	1,275	1,196	74	1	4	White—	1,262	608	429	3	16
Nonwhite—	23	22	1	—	—	Nonwhite—	100	50	50	—	—
Mississippi—	1,979	791	354	226	608	Wisconsin—	1,443	1,313	76	—	54
White—	581	437	97	9	38	White—	1,409	1,265	72	—	52
Nonwhite—	1,398	354	257	217	570	Nonwhite—	34	28	4	—	2
Missouri—	1,889	1,451	368	12	58	Wyoming—	144	130	12	—	2
White—	1,574	1,209	319	4	42	White—	142	129	11	—	2
Nonwhite—	315	242	49	8	16	Nonwhite—	2	1	1	—	—

VITAL STATISTICS OF THE UNITED STATES

TABLE 17.—DEATHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1947

(By place of residence. Exclusive of stillbirths and deaths among armed forces overseas)

AREA	Total deaths	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,445,370	818,234	627,136	726,104	548,789	87,760	76,021	2,386	1,941	977	146	683	186	324	53
Alabama	26,347	14,714	11,633	8,990	6,411	5,821	5,222	2	-	-	-	-	-	1	-
Arizona	6,032	3,798	2,234	3,205	1,902	186	97	407	330	12	2	3	2	4	1
Arkansas	15,085	8,788	6,507	6,492	4,343	2,289	1,964	2	-	4	-	1	-	-	-
California	96,697	56,876	40,021	35,541	36,133	1,917	1,527	202	131	366	99	403	107	227	24
Colorado	12,613	7,528	5,087	7,370	4,959	115	106	11	9	3	-	27	13	-	-
Connecticut	19,153	10,525	6,628	10,256	8,387	255	239	1	-	10	-	3	-	-	2
Delaware	3,345	1,947	1,498	1,535	1,257	310	238	1	-	-	-	-	-	1	3
District of Columbia	8,254	4,443	3,811	2,843	2,430	1,584	1,389	-	-	11	2	3	-	2	-
Florida	24,283	14,378	9,904	10,571	6,892	3,793	3,003	6	8	4	1	4	-	1	-
Georgia	28,946	16,265	12,681	10,083	7,087	6,177	5,583	1	-	2	1	-	-	2	-
Idaho	4,780	3,069	1,711	3,009	1,680	13	4	29	14	6	-	12	3	-	-
Illinois	93,686	53,565	40,121	49,543	36,749	3,912	3,346	6	9	58	1	43	15	3	1
Indiana	40,567	22,703	17,864	21,554	16,885	1,143	978	2	1	4	-	-	-	-	-
Iowa	26,484	14,809	11,875	14,656	11,545	145	122	7	8	1	-	-	-	-	-
Kansas	18,700	10,683	8,017	10,140	7,532	523	475	18	9	1	-	1	-	1	-
Kentucky	26,371	15,943	12,428	14,109	10,821	1,829	1,606	2	1	2	-	1	-	-	-
Louisiana	23,395	13,171	10,224	8,040	5,633	5,113	4,586	8	4	8	-	-	1	2	-
Maine	9,959	5,600	4,359	5,573	4,354	37	1	8	4	1	-	-	-	1	-
Maryland	22,480	12,488	9,992	9,978	7,929	2,501	2,063	2	-	7	1	-	-	-	-
Massachusetts	51,754	27,569	24,165	27,079	23,741	454	434	6	5	49	5	1	-	-	-
Michigan	57,137	32,847	24,290	30,817	22,579	1,960	1,669	48	39	16	1	4	2	2	-
Minnesota	27,761	16,031	11,750	15,920	11,601	106	76	87	73	8	-	3	-	7	-
Mississippi	20,212	11,208	9,004	5,562	3,886	5,630	5,103	12	14	4	1	-	-	-	-
Missouri	44,572	25,040	22,643	22,643	17,599	2,368	1,929	4	2	4	1	-	1	1	-
Montana	5,760	3,692	2,068	3,534	1,920	13	4	131	143	8	1	6	-	-	-
Nebraska	12,871	7,449	5,422	7,294	5,283	117	108	30	30	1	-	1	1	6	-
Nevada	1,623	1,126	497	1,083	445	16	14	41	38	4	-	2	-	-	-
New Hampshire	6,194	3,356	2,838	3,354	2,836	2	-	-	-	-	-	-	-	-	-
New Jersey	48,181	26,390	21,791	24,496	20,123	1,868	1,665	1	-	13	2	10	-	8	1
New Mexico	5,471	3,268	2,183	2,966	1,922	49	32	268	228	1	-	4	1	-	-
New York	157,754	86,875	70,861	82,074	66,722	4,475	4,077	56	30	210	16	27	5	31	11
North Carolina	30,187	17,028	13,159	11,670	8,434	5,239	4,663	118	62	1	-	-	-	-	-
North Dakota	5,252	3,220	2,032	3,145	1,976	3	-	71	56	-	-	1	-	-	-
Ohio	92,234	48,968	36,671	42,759	33,661	3,211	2,573	7	4	15	2	6	1	3	-
Oklahoma	19,327	11,567	7,960	10,136	6,882	897	807	331	290	3	1	-	-	-	-
Oregon	13,501	8,194	5,507	8,023	5,232	61	40	61	29	29	2	19	3	1	1
Pennsylvania	110,459	60,995	49,466	56,888	46,137	4,075	3,327	2	-	26	2	1	-	1	-
Rhode Island	8,358	4,450	3,918	4,344	3,849	101	68	3	1	2	-	-	-	-	-
South Carolina	17,250	9,524	7,705	8,161	5,746	4,340	3,957	2	3	-	-	-	-	1	-
South Dakota	5,730	3,448	2,282	3,295	2,126	6	4	147	152	-	-	-	-	-	-
Tennessee	28,591	15,935	12,656	12,455	9,543	3,479	3,113	-	-	1	-	-	-	-	-
Texas	62,662	36,418	26,244	30,629	21,352	5,768	4,885	6	2	12	1	3	4	1	-
Utah	4,996	2,986	2,010	2,997	1,975	28	12	19	14	7	-	33	9	2	-
Vermont	4,378	2,424	1,954	2,418	1,953	5	1	-	-	1	-	-	-	-	-
Virginia	29,183	16,656	12,537	11,911	8,374	4,737	4,158	3	3	2	-	1	-	2	2
Washington	17,979	13,293	8,686	12,927	8,469	158	85	105	106	33	4	50	18	20	5
West Virginia	17,218	10,060	7,158	9,246	6,597	809	560	4	1	1	-	-	-	-	-
Wisconsin	33,219	18,643	14,378	18,625	14,205	123	97	69	74	5	-	1	-	-	-
Wyoming	2,349	1,531	818	1,485	794	19	9	19	14	1	-	7	-	-	1

GENERAL TABLES—TOTAL DEATHS

199

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH UNITED STATES AND EACH STATE, 1947

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,445,370	131,559	118,285	139,489	125,103	118,976	113,232	112,199	114,118	105,721	116,289	118,522	131,877
Male	619,234	75,411	66,845	78,434	70,029	67,558	64,421	65,791	64,812	60,531	66,042	67,525	74,837
Female	827,136	56,148	51,442	61,055	55,074	51,418	48,811	48,408	49,306	45,190	50,247	50,997	57,040
White	1,274,895	116,341	104,088	122,724	110,570	105,162	99,863	98,826	100,947	92,999	102,786	104,523	116,064
Male	726,104	85,347	59,151	69,411	62,304	60,085	57,240	56,499	57,713	53,512	58,731	59,908	66,203
Female	548,789	30,994	44,937	53,313	48,266	45,077	42,623	42,327	43,234	39,487	44,055	44,615	49,861
Nonwhite	170,477	15,218	14,197	16,765	14,533	13,814	13,369	13,373	13,171	12,722	13,503	13,999	15,813
Male	92,130	8,064	7,692	9,023	7,725	7,473	7,181	7,292	7,099	7,019	7,311	7,617	8,654
Female	78,347	7,154	6,505	7,742	6,808	6,341	6,188	6,081	6,072	5,703	6,192	6,382	7,179
ALABAMA	26,547	2,343	2,288	2,603	2,224	2,165	2,090	1,933	2,096	1,913	2,030	2,196	2,466
Male	14,714	1,274	1,325	1,449	1,177	1,209	1,157	1,075	1,213	1,061	1,180	1,235	1,389
Female	11,833	1,069	963	1,154	1,047	956	933	858	883	852	850	961	1,077
White	15,301	1,344	1,316	1,495	1,332	1,281	1,217	1,096	1,242	1,132	1,187	1,286	1,401
Male	8,890	753	796	847	727	723	715	630	750	654	699	704	807
Female	6,411	591	520	649	605	558	502	466	492	478	495	582	594
Nonwhite	11,046	999	972	1,108	992	914	873	837	854	781	843	908	1,065
Male	5,824	511	539	602	450	431	442	445	463	407	451	451	582
Female	5,222	488	433	506	442	433	431	392	391	374	392	457	483
ARIZONA	6,052	601	494	539	497	504	508	449	446	421	459	536	579
Male	3,798	385	308	329	305	296	307	266	298	260	301	347	375
Female	2,254	216	185	209	192	208	201	183	148	161	158	189	204
White	5,008	487	426	448	404	405	414	358	363	348	382	450	503
Male	3,206	325	267	278	255	237	259	232	260	221	254	290	328
Female	1,802	162	159	170	149	168	155	126	123	127	128	160	175
Nonwhite	1,024	114	68	90	93	99	94	91	83	73	77	86	76
Male	592	60	42	51	50	59	49	54	38	39	47	57	47
Female	432	54	26	39	43	40	46	37	25	34	30	29	29
ARKANSAS	15,095	1,443	1,292	1,551	1,349	1,228	1,226	1,216	1,295	1,091	1,141	1,151	1,112
Male	8,788	844	770	895	781	727	713	698	741	625	685	670	654
Female	6,307	599	522	656	568	501	513	523	554	466	456	481	458
White	10,835	1,042	919	1,115	984	879	885	855	960	767	818	821	810
Male	6,492	619	555	652	583	550	514	495	560	472	517	493	483
Female	4,343	424	364	463	381	329	371	360	400	295	301	328	327
Nonwhite	4,260	401	373	436	365	349	341	361	335	324	323	330	302
Male	2,296	226	215	233	198	177	199	198	181	153	169	177	171
Female	1,964	175	158	203	167	172	142	163	154	171	155	153	131
CALIFORNIA	96,637	9,265	7,788	8,289	7,686	7,790	7,425	7,796	7,535	7,456	7,890	8,414	9,365
Male	56,676	5,565	4,890	4,990	4,505	4,562	4,332	4,629	4,438	4,337	4,844	4,948	5,471
Female	40,021	3,698	2,898	3,299	3,181	3,228	3,093	3,167	3,097	3,119	3,046	3,466	3,894
White	81,674	8,811	7,393	7,829	7,263	7,375	7,010	7,375	7,145	7,056	7,503	8,017	8,910
Male	53,541	5,082	4,514	4,609	4,250	4,309	4,077	4,342	4,199	4,091	4,403	4,688	5,177
Female	28,133	3,729	2,879	3,220	3,012	3,064	2,933	3,033	2,946	2,965	3,100	3,329	3,733
Nonwhite	14,963	1,454	1,395	1,460	1,423	1,415	1,415	1,421	1,390	1,400	1,387	1,397	1,475
Male	5,023	452	395	440	424	427	415	421	390	400	387	397	475
Female	9,940	1,002	1,000	1,020	1,000	988	999	1,000	1,000	1,000	1,000	1,000	1,000
COLORADO	12,613	1,167	1,150	1,193	1,044	1,048	988	967	950	956	996	1,062	1,112
Male	7,526	684	687	731	628	634	606	580	582	561	583	641	639
Female	5,087	483	463	462	416	414	382	387	368	375	413	421	473
White	12,329	1,135	1,120	1,161	1,021	1,027	964	945	925	919	971	1,048	1,083
Male	7,370	689	670	713	615	627	596	564	557	551	570	632	626
Female	4,959	446	450	448	406	400	368	381	368	368	401	416	467
Nonwhite	384	32	30	32	23	21	24	22	25	17	25	14	19
Male	156	15	17	18	13	13	10	16	15	10	13	9	13
Female	128	17	13	14	10	8	14	6	10	7	12	5	6
CONNECTICUT	19,153	1,702	1,646	1,705	1,670	1,649	1,517	1,515	1,471	1,416	1,518	1,611	1,833
Male	10,525	926	824	933	928	904	866	835	609	775	818	887	1,022
Female	8,628	776	722	772	742	745	651	680	662	645	700	724	811
White	18,843	1,654	1,511	1,625	1,606	1,463	1,476	1,425	1,376	1,461	1,563	1,789	1,899
Male	10,256	904	809	909	905	879	851	812	779	749	801	858	1,000
Female	8,587	750	702	715	700	584	622	614	646	627	690	705	789
Nonwhite	510	48	35	51	45	43	34	39	46	40	37	48	44
Male	269	22	15	24	23	25	15	23	30	24	17	29	22
Female	241	26	20	27	22	18	19	16	16	16	20	19	22
DELAWARE	3,345	350	285	305	304	255	268	262	242	249	254	260	341
Male	1,647	174	144	180	167	147	146	153	138	136	131	150	181
Female	1,498	176	141	125	137	108	122	109	104	113	123	110	160
White	2,792	290	207	252	259	207	227	222	208	206	216	210	269
Male	1,535	144	119	147	141	120	121	129	116	113	111	121	153
Female	1,257	146	88	105	117	87	106	93	92	93	105	89	136
Nonwhite	553	60	48	53	46	48	41	40	34	43	38	50	52
Male	312	30	25	35	26	27	25	24	22	23	20	29	28
Female	241	30	23	20	20	21	16	16	12	20	19	21	24
DISTRICT OF COLUMBIA	8,254	786	687	789	697	718	647	636	596	608	674	699	747
Male	4,443	425	389	413	347	402	350	334	303	342	357	376	405
Female	3,811	361	298	376	350	316	297	302	293	266	317	323	342
White	5,255												

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA-----	28,946	2,383	2,452	2,869	2,484	2,417	2,283	2,199	2,226	2,153	2,337	2,432	2,711
Male-----	16,265	1,292	1,402	1,588	1,534	1,361	1,268	1,291	1,245	1,216	1,322	1,375	1,569
Female--	12,681	1,091	1,050	1,281	1,150	1,056	1,015	908	981	937	1,015	1,057	1,142
White-----	17,170	1,395	1,423	1,717	1,497	1,454	1,363	1,333	1,370	1,242	1,373	1,434	1,569
Male-----	10,083	796	841	980	824	852	809	812	802	753	824	852	959
Female--	7,087	599	582	737	673	582	574	521	568	509	549	582	611
Nonwhite-----	11,776	988	1,029	1,152	987	963	904	866	856	911	964	998	1,142
Male-----	6,162	496	521	608	510	509	459	479	443	485	498	523	611
Female--	5,594	492	468	544	477	474	441	387	413	426	466	475	531
IDAHO-----	4,780	443	371	439	372	418	368	414	375	372	398	417	394
Male-----	3,069	283	234	290	244	265	231	266	239	237	256	261	244
Female--	1,711	160	137	148	128	153	137	148	137	135	142	136	150
White-----	4,699	435	365	434	369	407	360	405	371	366	392	407	398
Male-----	3,009	278	230	298	242	257	224	232	235	232	252	273	239
Female--	1,690	157	135	145	127	150	136	147	136	134	140	134	149
Nonwhite-----	81	8	6	4	3	11	8	9	4	6	6	10	6
Male-----	60	5	4	1	2	8	7	8	3	5	4	8	5
Female--	21	3	2	3	1	3	1	1	1	1	2	2	1
ILLINOIS-----	93,686	8,362	7,563	9,844	7,973	7,717	7,236	7,093	8,284	6,509	7,418	7,541	8,146
Male-----	53,565	4,655	4,241	5,672	4,495	4,440	4,149	4,050	4,760	3,806	4,283	4,388	4,846
Female--	40,121	3,707	3,322	4,172	3,478	3,277	3,087	3,043	3,524	2,703	3,135	3,153	3,300
White-----	86,292	7,710	6,952	9,096	7,396	7,130	6,665	6,528	7,646	5,944	6,801	6,947	7,467
Male-----	49,543	4,316	3,911	5,257	4,181	4,108	3,834	3,747	4,426	3,477	3,927	4,066	4,233
Female--	36,749	3,394	3,041	3,839	3,215	3,022	2,831	2,781	3,220	2,467	2,874	2,881	3,194
Nonwhite-----	7,394	652	611	758	577	587	571	565	638	565	617	594	659
Male-----	4,022	339	330	435	314	332	315	303	334	329	336	332	353
Female--	3,372	313	281	323	263	255	256	262	304	236	281	272	306
INDIANA-----	40,367	3,459	3,342	4,245	3,489	3,553	3,141	3,158	3,320	2,928	3,207	3,252	3,693
Male-----	22,703	1,899	1,839	2,367	1,941	1,869	1,792	1,717	1,891	1,678	1,805	1,824	2,082
Female--	17,664	1,560	1,504	1,878	1,548	1,684	1,349	1,421	1,429	1,250	1,402	1,428	1,611
White-----	39,439	3,290	3,155	4,030	3,311	3,163	2,974	2,965	3,169	2,802	3,038	3,070	3,472
Male-----	21,554	1,605	1,743	2,247	1,841	1,771	1,702	1,625	1,807	1,603	1,712	1,735	1,962
Female--	16,985	1,495	1,412	1,783	1,470	1,392	1,272	1,339	1,362	1,199	1,326	1,335	1,510
Nonwhite-----	2,128	169	187	215	178	180	167	173	151	126	169	182	221
Male-----	1,149	94	95	120	100	98	90	91	84	75	93	89	120
Female--	979	75	92	95	78	82	77	82	67	51	76	93	101
IOWA-----	26,484	2,410	2,020	2,568	2,350	2,236	2,229	2,081	2,317	1,810	2,038	2,146	2,279
Male-----	14,809	1,313	1,129	1,438	1,273	1,300	1,260	1,159	1,254	1,027	1,103	1,210	1,323
Female--	11,675	1,097	891	1,130	1,077	936	949	922	1,063	783	935	936	956
White-----	26,201	2,369	1,997	2,542	2,329	2,209	2,202	2,053	2,298	1,795	2,011	2,126	2,255
Male-----	14,656	1,305	1,115	1,425	1,262	1,238	1,264	1,149	1,239	1,015	1,098	1,197	1,309
Female--	11,545	1,064	882	1,117	1,067	921	938	909	1,049	780	923	929	946
Nonwhite-----	283	21	23	26	21	27	27	23	29	15	27	20	24
Male-----	153	8	14	13	11	12	12	10	15	12	15	13	14
Female--	130	13	9	13	10	15	11	13	14	3	12	7	10
KANSAS-----	18,700	1,713	1,556	1,942	1,467	1,478	1,410	1,548	1,543	1,283	1,490	1,568	1,702
Male-----	10,663	978	901	1,112	805	821	793	888	871	751	877	894	994
Female--	8,017	735	655	830	662	657	617	662	672	532	613	674	708
White-----	17,672	1,620	1,467	1,844	1,373	1,385	1,348	1,445	1,470	1,216	1,408	1,476	1,620
Male-----	10,140	933	852	1,055	766	772	764	828	827	719	832	846	947
Female--	7,532	687	615	789	607	613	584	617	643	498	576	630	673
Nonwhite-----	1,028	93	89	98	94	93	62	103	73	67	82	92	82
Male-----	543	45	49	57	39	49	29	58	44	33	45	49	47
Female--	485	48	40	41	55	44	33	45	29	34	37	44	35
KENTUCKY-----	29,371	2,471	2,379	3,101	2,463	2,212	2,233	2,135	2,217	2,048	2,212	2,227	2,673
Male-----	15,943	1,351	1,334	1,693	1,328	1,269	1,287	1,225	1,227	1,210	1,280	1,251	1,489
Female--	12,428	1,120	1,045	1,408	1,135	944	946	910	990	838	932	976	1,184
White-----	24,930	2,169	2,098	2,750	2,185	1,939	1,953	1,899	1,954	1,809	1,931	1,938	2,307
Male-----	14,109	1,203	1,170	1,500	1,176	1,130	1,137	1,093	1,092	1,070	1,131	1,090	1,317
Female--	10,821	966	928	1,250	1,009	809	816	806	862	739	800	846	990
Nonwhite-----	3,441	302	281	351	278	273	260	236	263	239	281	291	366
Male-----	1,834	146	164	193	152	138	150	132	135	140	149	161	172
Female--	1,607	154	117	158	126	135	130	104	128	99	132	130	194
LOUISIANA-----	23,395	2,064	2,016	2,159	1,879	1,836	1,853	1,982	1,895	1,726	1,992	1,899	2,194
Male-----	13,171	1,154	1,125	1,188	1,083	1,007	1,065	1,065	1,051	994	1,086	1,085	1,269
Female--	10,224	910	891	971	796	829	788	917	844	732	906	814	926
White-----	13,673	1,193	1,179	1,239	1,111	1,095	1,095	1,140	1,128	995	1,107	1,092	1,301
Male-----	8,040	709	694	707	688	625	637	647	602	672	632	632	775
Female--	5,633	484	485	532	423	470	443	503	479	393	435	460	526
Nonwhite-----	9,722	871	837	920	768	741	758	842	769	731	795	807	923
Male-----	5,131	445	431	481	395	382	413	428	404	392	414	433	493
Female--	4,591	426	406	439	373	359	345	414	365	339	371	354	400
MAINE-----	9,959	859	773	859	856	907	830	754	786	773	832	768	862
Male-----	5,600	539	427	490	476	517	473	419	430	434	469	439	467
Female--	4,359	420	346	369	380	390	357	335	356	339	343	329	395
White-----	9,827	954	771	857	854	906	827	750	763	771	831	763	960
Male-----	5,573	534	425	488	474	516	472	416	428	432	488	434	466
Female--	4,354	420	346	369	380	390	355	334	335	339	343	329	394
Nonwhite-----	32	5	2	2	2	1	3	4	3	2	1	5	2
Male-----	27	5	2	2	2	1	3	2	2	1	1	5	1
Female--	5	-	-	-	-	-	2	1	1	-	-	-	1
MARYLAND-----	22,480	2,066	1,926	2,160	1,934	1,886	1,699	1,694	1,737	1,588	1,783	1,806	2,071
Male-----	12,488	1,155	1,097	1,195	1,047	1,063	950	925	961	888	995	1,077	1,134
Female--	9,992	911	829	965	887	823	749	769	776	699	788	829	937
White-----	17,906	1,652	1,532	1,737	1,524	1,492	1,327	1,336	1,383	1,271	1,465	1,527	1,660
Male-----	9,978	923	875	952	819								

GENERAL TABLES—TOTAL DEATHS

201

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	51,754	4,967	4,211	4,678	4,630	4,341	4,161	3,874	4,064	3,763	4,226	4,143	4,896
Male	27,589	2,589	2,277	2,474	2,444	2,354	2,284	2,087	2,166	2,053	2,193	2,159	2,529
Female	24,165	2,378	1,934	2,204	2,186	1,987	1,877	1,787	1,898	1,710	2,033	1,984	2,367
White	50,820	4,882	4,124	4,592	4,563	4,252	4,090	3,805	3,997	3,692	4,155	4,069	4,601
Male	27,079	2,542	2,229	2,431	2,412	2,302	2,249	2,046	2,131	1,999	2,151	2,114	2,473
Female	23,741	2,340	1,895	2,161	2,151	1,950	1,841	1,759	1,866	1,693	2,002	1,955	2,128
Nonwhite	934	85	87	86	67	89	71	69	67	71	70	74	95
Male	510	47	48	43	32	52	35	41	35	34	42	45	56
Female	424	38	39	43	35	37	36	28	32	37	28	29	39
MICHIGAN	57,137	5,030	4,470	5,477	5,100	4,770	4,724	4,376	4,581	4,144	4,688	4,702	5,075
Male	32,847	2,690	2,539	3,151	2,902	2,743	2,766	2,526	2,627	2,441	2,650	2,739	2,893
Female	24,290	2,340	1,931	2,326	2,198	2,027	1,958	1,850	1,954	1,703	2,038	1,963	2,182
White	53,396	4,729	4,199	5,106	4,758	4,465	4,434	4,045	4,271	3,874	4,372	4,407	4,736
Male	30,817	2,721	2,392	2,922	2,719	2,567	2,617	2,339	2,467	2,294	2,494	2,595	2,708
Female	22,579	2,008	1,807	2,184	2,039	1,898	1,817	1,706	1,804	1,599	1,878	1,812	2,028
Nonwhite	3,741	301	271	342	343	305	290	331	310	316	316	339	339
Male	2,050	169	147	209	185	176	149	147	160	165	156	144	185
Female	1,711	132	124	162	159	129	141	184	150	150	160	151	154
MINNESOTA	27,781	2,558	2,154	2,539	2,556	2,337	2,236	2,196	2,248	2,093	2,269	2,215	2,378
Male	16,031	1,512	1,265	1,416	1,454	1,352	1,298	1,257	1,273	1,225	1,290	1,286	1,381
Female	11,750	1,046	889	1,123	1,104	985	938	939	975	868	979	927	997
White	27,421	2,517	2,130	2,512	2,532	2,309	2,205	2,166	2,213	2,068	2,241	2,181	2,347
Male	15,920	1,409	1,273	1,396	1,440	1,334	1,283	1,236	1,254	1,208	1,273	1,286	1,366
Female	11,601	1,028	857	1,116	1,092	975	922	930	959	860	968	913	981
Nonwhite	360	41	24	27	26	28	31	30	35	25	28	34	31
Male	211	23	12	20	14	18	15	21	19	17	17	20	15
Female	149	18	12	7	12	10	16	9	16	8	11	14	16
MISSISSIPPI	20,212	1,662	1,732	1,938	1,859	1,649	1,622	1,625	1,576	1,573	1,538	1,643	1,795
Male	11,209	1,020	953	1,018	908	934	903	890	899	892	877	935	989
Female	9,004	642	779	920	751	715	719	745	677	681	661	708	806
White	9,448	826	773	893	773	766	754	775	754	767	730	780	857
Male	5,562	477	455	507	442	485	442	454	459	477	432	458	494
Female	3,886	349	318	386	331	301	292	321	295	290	298	322	363
Nonwhite	10,764	1,036	959	1,045	886	883	868	850	822	806	808	863	939
Male	5,846	543	498	511	466	449	461	446	440	435	445	477	495
Female	5,118	493	461	534	420	434	427	404	382	391	363	386	443
MISSOURI	44,572	4,156	3,746	4,935	3,693	3,661	3,241	3,383	3,896	3,069	3,435	3,627	3,830
Male	25,040	2,330	2,104	2,760	2,077	2,069	1,829	1,892	2,174	1,759	1,892	1,966	2,168
Female	19,532	1,826	1,642	2,175	1,616	1,592	1,412	1,491	1,722	1,310	1,543	1,561	1,662
White	40,242	3,784	3,411	4,464	3,364	3,278	2,806	3,054	3,500	2,748	3,119	3,181	3,433
Male	22,643	2,122	1,932	2,513	1,897	1,867	1,647	1,726	1,946	1,576	1,712	1,759	1,946
Female	17,599	1,662	1,479	1,951	1,467	1,411	1,259	1,328	1,554	1,172	1,407	1,422	1,487
Nonwhite	4,330	372	335	471	329	385	335	329	396	321	316	346	397
Male	2,397	208	172	247	180	222	192	166	180	185	180	207	222
Female	1,933	164	163	224	149	161	153	163	168	136	136	139	175
MONTANA	5,760	494	467	572	487	485	479	470	487	432	449	451	507
Male	3,692	320	294	314	311	312	304	308	295	294	294	294	307
Female	2,068	174	173	188	176	173	175	162	172	163	155	157	200
White	5,454	464	440	542	458	471	455	450	436	402	434	428	474
Male	3,534	303	280	367	298	304	289	286	279	254	292	283	290
Female	1,920	161	160	175	160	167	166	164	158	148	142	145	184
Nonwhite	306	30	27	30	29	14	24	20	31	30	15	23	33
Male	158	17	14	17	13	8	15	12	17	15	8	11	17
Female	148	13	13	13	16	6	9	8	14	15	13	12	16
NEBRASKA	12,871	1,162	1,018	1,291	1,039	1,064	1,012	1,018	1,105	970	1,039	1,041	1,112
Male	7,449	641	594	720	622	650	585	587	624	568	594	601	663
Female	5,422	521	424	571	417	414	427	431	481	402	445	440	449
White	12,577	1,140	994	1,245	1,013	1,036	994	991	1,088	946	1,027	1,013	1,090
Male	7,294	628	581	694	608	637	578	573	618	554	565	590	650
Female	5,283	512	413	551	407	399	416	418	470	392	442	423	440
Nonwhite	284	22	24	46	26	28	18	27	17	24	12	28	22
Male	155	13	13	26	16	13	7	14	6	14	9	11	13
Female	139	9	11	20	10	15	11	13	11	10	3	17	9
NEVADA	1,623	178	124	134	129	124	129	140	120	129	124	123	170
Male	1,126	118	81	94	90	85	94	100	78	100	99	89	109
Female	497	60	43	40	39	39	44	40	42	29	26	34	61
White	1,508	167	122	124	122	114	118	134	112	120	116	113	146
Male	1,063	112	80	88	87	78	80	97	75	94	92	84	96
Female	445	55	42	36	35	36	38	37	37	26	24	29	50
Nonwhite	115	11	2	10	7	10	10	6	8	9	8	10	24
Male	63	6	1	6	3	7	4	3	3	6	6	5	15
Female	52	5	1	4	4	3	6	3	5	3	2	5	11
NEW HAMPSHIRE	6,194	541	475	541	529	463	499	505	478	502	538	523	580
Male	3,356	295	241	280	289	262	276	271	262	279	301	273	307
Female	2,838	246	234	261	240	221	223	234	196	223	237	250	273
White	6,190	541	474	540	528	463	499	505	478	502	537	523	580
Male	3,354	295	240	280	288	262	276	271	262	279	301	273	307
Female	2,836	246	234	260	240	221	223	234	196	223	236	250	273
Nonwhite	4	-	1	1	1	-	-	-	-	-	-	-	-
Male	2	-	1	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	1	-	-	-	-	-	-	-	-	-
NEW JERSEY	48,181	4,535	4,002	4,488	4,094	3,936	3,715	3,663	3,540	3,594	3,977	3,974	4,667
Male	26,390	2,434	2,179	2,400	2,208	2,219	2,074	2,024	1,970	1,994	2,161	2,168	2,559
Female	21,791	2,101	1,823	2,088	1,886	1,717	1,639	1,639	1,570	1,600	1,816	1,806	2,108
White	44,619	4,230	3,722	4,131	3,754	3,656	3,431	3,372	3,269	3,363	3,697	3,681	4,315
Male	24,496	2,269	2,044	2,215	2,020	2,059	1,926	1,875	1,823	1,867	2,029	2,003	2,369
Female	20,123	1,961	1,678	1,916	1,734	1,597	1,505	1,497	1,446	1,486	1,669		

VITAL STATISTICS OF THE UNITED STATES

TABLE 18.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	5,471	561	443	526	444	422	380	414	413	441	445	487	518
Male	3,288	329	248	331	257	256	204	247	255	274	284	298	316
Female	2,183	233	195	195	187	166	176	167	158	167	161	179	199
White	4,888	496	409	458	377	395	346	365	372	393	402	423	462
Male	2,966	296	230	296	222	237	189	212	236	262	257	257	285
Female	1,922	200	179	162	155	148	157	153	137	146	140	166	179
Nonwhite	585	65	34	66	67	37	34	49	41	48	45	44	53
Male	322	32	18	35	35	19	15	20	27	22	22	31	33
Female	261	33	16	31	32	18	19	21	21	21	21	13	20
NEW YORK	157,734	14,353	12,845	14,294	13,879	13,356	12,628	12,162	12,023	11,431	15,188	15,056	14,529
Male	86,873	7,789	7,140	7,803	7,600	7,297	6,947	6,741	6,680	6,297	7,319	7,296	7,964
Female	70,861	6,564	5,705	6,491	6,279	6,059	5,681	5,421	5,343	5,134	7,869	7,760	6,565
White	148,796	13,504	12,157	13,490	13,156	12,610	11,892	11,437	11,362	10,745	12,449	12,305	13,689
Male	82,074	7,356	6,774	7,397	7,210	6,890	6,546	6,358	6,337	5,896	6,922	6,905	7,533
Female	66,722	6,148	5,383	6,093	5,946	5,720	5,346	5,079	5,025	4,849	5,527	5,400	6,156
Nonwhite	6,938	849	688	794	723	746	736	725	661	686	739	751	841
Male	4,799	433	366	408	390	407	401	403	343	401	397	391	461
Female	4,139	416	322	386	333	339	335	322	318	285	342	360	379
NORTH CAROLINA	30,187	2,591	2,504	3,102	2,664	2,413	2,308	2,295	2,292	2,219	2,555	2,408	2,837
Male	17,028	1,434	1,399	1,759	1,447	1,373	1,314	1,348	1,315	1,271	1,461	1,363	1,545
Female	13,159	1,157	1,106	1,343	1,217	1,040	994	947	977	947	1,094	1,045	1,292
White	20,104	1,711	1,629	2,108	1,743	1,612	1,533	1,551	1,523	1,493	1,785	1,574	1,873
Male	11,670	980	931	1,225	971	935	898	836	897	889	1,040	937	1,041
Female	8,434	731	697	883	772	677	635	615	626	604	715	637	832
Nonwhite	10,083	880	876	994	921	801	775	744	769	725	800	834	964
Male	5,358	454	467	534	476	438	426	412	418	382	421	426	504
Female	4,725	426	409	460	445	363	349	332	351	343	379	408	460
NORTH DAKOTA	5,252	470	393	504	468	397	431	459	406	417	452	448	407
Male	3,220	295	240	295	277	242	248	294	254	289	289	275	244
Female	2,032	175	153	211	191	155	183	165	152	148	163	173	163
White	5,121	446	380	494	452	388	397	424	408	453	443	434	404
Male	3,145	282	231	289	268	238	244	291	249	265	284	265	239
Female	1,976	166	149	205	184	150	180	162	148	143	159	169	161
Nonwhite	131	22	13	10	16	9	7	6	9	9	14	7	14
Male	75	13	9	4	9	4	4	3	5	5	10	5	5
Female	56	9	4	6	7	5	3	3	4	4	4	2	2
OHIO	82,254	7,323	6,745	8,238	7,145	6,801	6,507	6,155	6,392	5,975	6,635	6,645	7,883
Male	45,983	4,048	3,801	4,583	3,949	3,778	3,652	3,448	3,583	3,333	3,747	3,748	4,313
Female	36,271	3,275	2,944	3,655	3,196	3,023	2,855	2,707	2,809	2,642	2,888	2,897	3,570
White	76,430	6,843	6,280	7,699	6,625	6,315	6,066	5,715	5,913	5,498	6,167	6,167	7,142
Male	42,759	3,791	3,558	4,283	3,672	3,490	3,198	3,198	3,314	3,074	3,471	3,494	3,995
Female	33,671	3,052	2,722	3,416	2,953	2,825	2,847	2,517	2,599	2,424	2,696	2,673	3,147
Nonwhite	5,824	480	465	539	520	486	441	440	478	478	468	478	551
Male	3,244	257	263	300	277	288	233	250	269	259	276	254	318
Female	2,580	223	202	239	243	198	208	190	209	219	192	224	233
OKLAHOMA	19,327	1,781	1,597	1,975	1,670	1,512	1,567	1,531	1,514	1,420	1,465	1,647	1,640
Male	11,387	1,042	923	1,145	998	899	931	912	844	851	858	1,003	979
Female	7,940	749	672	830	672	613	636	619	670	569	607	644	661
White	16,998	1,559	1,396	1,723	1,484	1,329	1,365	1,351	1,351	1,240	1,281	1,462	1,459
Male	10,136	921	829	897	789	789	830	804	763	749	758	893	879
Female	6,862	638	567	699	587	540	535	547	588	491	523	569	580
Nonwhite	2,329	232	201	250	186	183	204	180	163	160	184	185	181
Male	1,231	121	96	121	91	100	101	108	81	102	100	110	100
Female	1,098	111	105	129	95	83	103	72	82	78	84	75	81
OREGON	13,501	1,299	1,078	1,175	1,208	1,109	1,097	1,110	1,075	1,025	1,102	1,060	1,163
Male	8,194	777	647	699	753	670	674	663	654	653	674	654	696
Female	5,307	522	431	476	455	439	423	447	421	372	428	406	467
White	13,255	1,278	1,052	1,157	1,186	1,089	1,082	1,077	1,057	1,006	1,081	1,048	1,142
Male	8,023	761	630	684	739	657	662	640	642	639	663	625	681
Female	5,232	517	422	473	447	432	420	437	415	367	418	423	461
Nonwhite	246	21	26	18	22	20	15	33	18	19	21	12	21
Male	171	16	17	15	14	13	12	23	12	14	11	9	15
Female	75	5	9	3	8	7	3	10	6	5	10	3	6
PENNSYLVANIA	110,459	9,987	9,074	10,640	10,004	9,184	8,209	8,426	8,342	7,849	9,082	9,280	10,402
Male	60,993	5,511	4,923	5,943	5,391	5,058	4,598	4,706	4,651	4,362	4,977	5,098	5,785
Female	49,466	4,476	4,151	4,697	4,613	4,126	3,611	3,720	3,691	3,487	4,105	4,182	4,617
White	103,025	9,381	8,488	9,919	9,377	8,564	7,616	7,824	7,760	7,289	8,460	8,655	9,682
Male	56,688	5,172	4,605	5,523	5,032	4,717	4,278	4,376	4,323	4,064	4,627	4,765	5,406
Female	46,337	4,209	3,883	4,396	4,345	3,847	3,338	3,448	3,437	3,225	3,833	3,890	4,276
Nonwhite	7,434	606	586	721	627	600	593	602	582	550	622	625	720
Male	4,105	339	318	420	359	321	320	330	328	298	350	333	389
Female	3,329	267	268	301	268	279	273	272	254	252	272	292	331
RHODE ISLAND	8,368	842	683	754	740	705	638	650	617	639	669	710	701
Male	4,450	422	367	404	396	363	333	350	334	351	375	382	393
Female	3,918	420	316	350	344	342	305	300	283	308	314	328	308
White	8,193	827	666	738	726	695	625	628	604	624	674	693	693
Male	4,544	409	355	395	369	359	325	337	329	323	368	369	367
Female	3,649	418	311	343	358	336	300	291	275	301	306	324	306
Nonwhite	178	15	17	16	14	10	13	22	13	15	15	17	8
Male	106	13	12	9	8	4	8	13	5	8	7	13	6
Female	69	2	5	7	6	6	5	9	8	7	8	4	2
SOUTH CAROLINA	17,250	1,516	1,498	1,802	1,588	1,441	1,365	1,330	1,213	1,314	1,327	1,368	1,468
Male	9,524	844	844	987	866	835	727	728	673	719	716	792	784
Female	7,706	662	654	815	722	606	638	602	540	596	611	576	684
White	9,927	784	799	911	809	737	736	679	644	696	690	715	727
Male	5,161	473	476	527	452	460	400	405	374	394	396	423	401
Female	3,746	311	323	384	357	277	336	274	270	302	294		

GENERAL TABLES-TOTAL DEATHS

TABLE 18.-DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1947-Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA, SEX, AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	5,730	496	466	562	506	464	464	462	495	466	459	425	465
Male	3,443	280	267	347	297	282	281	287	299	288	289	256	296
Female	2,282	216	199	215	209	212	183	175	196	168	171	169	169
White	5,421	472	441	521	474	437	440	435	468	444	434	411	444
Male	3,295	283	285	321	283	242	270	273	284	291	279	251	284
Female	2,126	209	186	200	191	185	170	162	184	153	156	160	160
Nonwhite	309	24	25	41	32	27	24	27	27	22	25	14	21
Male	153	17	12	26	14	10	11	14	15	7	10	5	12
Female	156	7	13	15	18	17	13	13	12	15	15	9	9
TENNESSEE	28,591	2,511	2,530	2,754	2,585	2,384	2,242	2,222	2,216	2,056	2,266	2,270	2,575
Male	15,935	1,343	1,416	1,501	1,423	1,345	1,292	1,236	1,253	1,144	1,300	1,262	1,420
Female	12,656	1,168	1,114	1,253	1,162	1,019	950	986	963	912	966	1,008	1,155
White	21,998	1,895	1,964	2,090	1,994	1,864	1,725	1,690	1,705	1,574	1,795	1,740	1,962
Male	12,455	1,019	1,117	1,155	1,127	1,076	996	959	999	875	1,035	961	1,116
Female	9,543	876	847	935	867	788	729	731	706	699	760	759	848
Nonwhite	6,593	616	566	664	591	500	517	532	511	482	471	530	613
Male	3,490	324	299	346	296	269	296	277	254	269	265	291	304
Female	3,113	292	267	318	295	231	221	255	257	213	206	249	309
TEXAS	62,662	5,746	5,067	6,149	5,579	4,857	4,960	5,128	5,049	4,697	4,664	4,961	5,905
Male	35,418	3,254	2,982	3,497	3,332	2,819	2,859	2,985	2,907	2,777	2,739	2,842	3,425
Female	26,244	2,492	2,085	2,652	2,247	2,038	2,101	2,143	2,142	1,920	1,925	2,119	2,380
White	51,980	4,789	4,178	5,098	4,674	4,078	4,099	4,289	4,227	3,857	3,787	4,107	4,817
Male	30,628	2,497	2,340	2,940	2,657	2,395	2,398	2,520	2,474	2,284	2,250	2,403	2,853
Female	21,352	2,032	1,838	2,158	1,817	1,683	1,701	1,749	1,753	1,573	1,537	1,704	1,964
Nonwhite	10,682	957	889	1,051	905	779	861	859	822	840	877	854	998
Male	5,790	497	465	557	475	424	461	465	453	495	499	439	572
Female	4,892	460	404	494	430	355	400	394	369	347	378	415	416
UTAH	4,956	491	411	465	441	416	417	395	561	390	441	377	403
Male	2,866	282	260	275	247	234	259	240	208	239	278	225	239
Female	2,010	199	151	190	194	182	158	153	153	151	163	152	164
White	4,672	467	406	451	430	408	407	382	353	377	426	368	397
Male	2,697	274	257	266	238	231	250	231	205	229	218	218	235
Female	1,975	193	149	185	192	177	157	151	150	148	161	150	162
Nonwhite	124	14	5	14	11	8	10	14	8	13	15	9	6
Male	89	8	3	9	9	3	9	9	5	10	13	7	4
Female	35	6	2	5	2	5	1	5	3	3	2	2	2
VERMONT	4,378	420	294	393	395	395	350	345	316	326	364	390	410
Male	2,424	220	163	213	215	219	203	198	186	184	192	194	235
Female	1,954	200	131	170	180	166	157	147	130	142	172	186	175
White	4,371	420	294	393	392	395	350	344	315	325	364	390	409
Male	2,418	220	163	213	212	219	203	198	185	183	192	196	234
Female	1,953	200	131	170	180	166	157	146	130	142	172	184	175
Nonwhite	7	-	-	-	3	-	-	1	1	1	-	-	1
Male	6	-	-	-	3	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	1	1	-	-	-	-
VIRGINIA	29,193	2,734	2,351	2,789	2,640	2,390	2,227	2,223	2,150	2,145	2,345	2,409	2,761
Male	16,656	1,495	1,289	1,529	1,473	1,369	1,276	1,282	1,306	1,270	1,351	1,397	1,620
Female	12,537	1,239	1,063	1,259	1,167	1,021	951	941	864	876	994	1,012	1,161
White	20,285	1,892	1,617	1,927	1,820	1,663	1,553	1,567	1,513	1,522	1,627	1,670	1,914
Male	11,911	1,059	910	1,070	1,046	996	928	930	940	913	986	1,006	1,127
Female	8,374	833	707	857	774	667	625	637	573	609	641	664	787
Nonwhite	8,908	842	734	861	820	727	674	656	647	623	718	739	867
Male	4,745	436	378	459	427	373	348	352	365	357	365	391	493
Female	4,163	406	356	402	393	354	326	304	281	266	353	348	374
WASHINGTON	21,979	2,074	1,752	1,982	1,813	1,849	1,659	1,794	1,688	1,741	1,627	1,612	1,968
Male	13,293	1,294	1,086	1,183	1,077	1,115	986	1,064	1,038	1,117	1,124	1,124	1,208
Female	8,686	780	666	799	736	736	673	730	665	705	710	688	760
White	21,395	2,017	1,706	1,920	1,775	1,802	1,617	1,746	1,638	1,690	1,773	1,766	1,959
Male	12,927	1,252	1,039	1,139	1,053	1,084	961	1,035	931	1,009	1,090	1,099	1,175
Female	8,468	765	667	781	720	718	656	711	647	681	681	667	784
Nonwhite	584	57	46	62	40	47	42	48	50	51	46	46	49
Male	366	42	27	44	24	29	25	29	32	29	27	25	33
Female	218	15	19	18	16	18	17	19	18	22	19	21	16
WEST VIRGINIA	17,218	1,561	1,395	1,818	1,532	1,404	1,301	1,297	1,260	1,175	1,418	1,489	1,568
Male	10,060	887	831	1,052	865	849	754	757	746	707	817	884	911
Female	7,158	674	564	766	647	555	567	540	514	468	601	605	657
White	15,843	1,458	1,284	1,659	1,404	1,293	1,188	1,202	1,156	1,086	1,306	1,373	1,434
Male	9,246	827	759	954	812	781	671	702	688	656	758	806	852
Female	6,597	631	525	705	592	512	517	500	468	430	548	567	602
Nonwhite	1,375	103	111	159	129	111	113	95	104	89	112	116	134
Male	814	60	72	98	73	69	63	55	58	51	59	78	79
Female	561	43	39	61	55	43	50	40	46	38	53	38	55
WISCONSIN	33,219	3,080	2,675	3,269	2,952	2,759	2,723	2,670	2,664	2,370	2,546	2,620	2,911
Male	18,343	1,677	1,466	1,835	1,695	1,563	1,559	1,512	1,513	1,385	1,459	1,492	1,677
Female	14,376	1,403	1,209	1,434	1,257	1,176	1,164	1,158	1,151	975	1,087	1,128	1,234
White	32,830	3,052	2,647	3,228	2,916	2,695	2,686	2,640	2,636	2,345	2,520	2,592	2,873
Male	18,625	1,656	1,451	1,816	1,671	1,539	1,536	1,495	1,500	1,360	1,444	1,475	1,662
Female	14,205	1,396	1,196	1,412	1,245	1,156	1,150	1,145	1,136	968	1,076	1,117	1,211
Nonwhite	389	28	28	41	36	44	37	30	28	25	26	28	38
Male	218	21	15	19	24	24	23	17	13	15	15	17	15
Female	171	7	13	22	12	20	14	13	15	10	11	11	23
WYOMING	2,349	199	167	223	197	215	186	184	216	185	202	181	194
Male	1,531	125	109	135	116	133	130	128	146	135	129	121	124
Female	818	74	58	88	81	82	56	56	70	50	73	60	70
White	2,279	193	162	216	195	210	184	178	207	176	197	176	196
Male	1,485	122	106	132	115	131	129	124	139	125	128	116	119
Female	794	71	56	84	80	79	55	54	69	50	69	60	67
Nonwhite	70	6	5	7	2	5	2	6	9</				

VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas.)

AREA AND RACE	Total deaths	URBAN				Rural	
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000		Places of 2,500 to 10,000
UNITED STATES	1,445,570	915,008	454,431	190,550	123,073	154,954	532,362
	White-----	611,351	396,584	162,597	111,590	140,596	463,542
	Nonwhite--	101,657	57,847	17,953	11,483	14,364	68,820
Alabama	26,547	10,455	2,943	3,331	1,741	2,540	15,892
	White-----	15,501	1,449	1,950	941	1,595	9,368
	Nonwhite--	11,046	4,520	1,394	800	945	6,526
Arizona	6,032	3,011	...	2,059	...	952	3,021
	White-----	5,008	2,774	1,884	...	890	2,234
	Nonwhite--	1,024	237	175	...	62	787
Arkansas	15,095	6,255	...	2,034	1,635	2,596	8,940
	White-----	10,635	4,490	1,475	1,158	1,857	6,345
	Nonwhite--	4,260	1,765	559	477	729	2,495
California	96,697	70,640	41,328	12,905	7,221	9,168	26,057
	White-----	91,674	58,970	38,525	12,360	6,998	24,804
	Nonwhite--	5,023	3,770	2,801	545	223	1,253
Colorado	12,613	8,316	4,218	1,345	921	1,832	4,297
	White-----	12,329	8,081	4,036	1,311	915	4,248
	Nonwhite--	284	235	182	34	6	49
Connecticut	19,153	13,224	5,339	5,251	2,009	625	5,929
	White-----	18,843	12,788	5,048	5,140	1,891	5,855
	Nonwhite--	510	436	291	111	28	74
Delaware	3,345	1,747	1,378	369	1,598
	White-----	2,792	1,482	1,148	...	304	1,340
	Nonwhite--	553	295	230	...	65	258
District of Columbia	8,254	8,254	8,254
	White-----	5,253	5,253
	Nonwhite--	3,001	3,001
Florida	24,263	15,355	6,051	3,105	2,484	5,715	8,928
	White-----	17,463	11,121	4,375	2,447	1,732	6,342
	Nonwhite--	6,820	4,234	1,676	658	752	2,586
Georgia	28,946	13,210	5,779	3,683	2,256	3,292	15,736
	White-----	17,170	7,600	2,182	1,333	1,963	9,570
	Nonwhite--	11,776	5,610	1,597	1,761	925	6,166
Idaho	4,790	2,362	...	333	1,054	975	2,418
	White-----	4,699	2,333	...	330	1,034	2,366
	Nonwhite--	81	29	...	3	20	52
Illinois	95,686	70,052	41,466	12,293	6,955	9,338	23,634
	White-----	86,292	63,418	36,107	11,555	6,644	9,112
	Nonwhite--	7,394	6,634	5,359	738	311	760
Indiana	40,567	23,259	9,644	7,471	2,869	4,275	17,308
	White-----	38,439	21,543	7,288	7,002	2,623	17,096
	Nonwhite--	2,128	1,916	1,356	469	45	212
Iowa	26,494	14,113	1,869	5,379	2,045	4,620	12,371
	White-----	26,201	13,867	1,759	5,305	2,020	12,334
	Nonwhite--	293	246	110	76	35	37
Kansas	18,700	9,610	2,858	1,160	2,913	2,679	8,690
	White-----	17,672	9,017	2,480	1,062	2,674	8,655
	Nonwhite--	1,028	793	378	99	239	235
Kentucky	28,371	11,525	4,310	3,144	1,001	3,070	16,846
	White-----	24,930	9,284	3,402	2,606	757	15,646
	Nonwhite--	3,441	2,241	908	538	244	1,200
Louisiana	23,395	12,545	6,154	2,250	1,008	3,133	10,850
	White-----	13,673	7,789	4,127	1,220	597	1,945
	Nonwhite--	9,722	4,756	2,027	1,030	411	1,289
Maine	9,959	4,116	...	1,747	1,255	1,114	5,643
	White-----	9,927	4,102	...	1,741	1,253	5,625
	Nonwhite--	32	14	...	6	6	18
Maryland	22,490	13,649	10,721	901	1,057	970	8,831
	White-----	17,908	10,612	8,097	852	615	7,294
	Nonwhite--	4,574	3,037	2,634	48	242	1,537
Massachusetts	51,754	45,878	20,767	13,068	8,797	3,246	5,676
	White-----	50,620	45,039	20,094	12,973	8,748	5,761
	Nonwhite--	934	839	673	95	49	95
Michigan	57,137	35,964	18,034	8,998	3,781	5,151	21,173
	White-----	53,396	32,922	15,650	8,642	3,559	20,474
	Nonwhite--	3,741	3,042	2,384	356	222	699
Minnesota	27,781	16,392	9,495	484	2,166	4,246	11,369
	White-----	27,421	16,176	9,315	481	2,157	11,245
	Nonwhite--	360	216	181	3	9	144
Mississippi	20,212	6,273	...	1,262	2,484	2,507	13,939
	White-----	9,448	3,369	...	736	1,252	6,079
	Nonwhite--	10,764	2,904	...	546	1,232	7,860
Missouri	44,572	26,953	16,390	2,663	3,164	4,516	17,619
	White-----	40,242	23,299	13,494	2,761	2,675	16,943
	Nonwhite--	4,330	3,654	2,896	122	289	676

GENERAL TABLES—TOTAL DEATHS

205

TABLE 19.—DEATHS BY RACE; URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

AREA AND RACE	Total deaths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
Montana	5,760	3,045	...	980	986	1,099	2,715
White	5,454	3,012	...	948	975	1,091	2,442
Nonwhite	306	33	...	12	15	8	273
Nebraska	12,871	6,344	2,707	932	1,130	1,575	6,527
White	12,577	6,118	2,514	919	1,122	1,565	6,459
Nonwhite	294	226	193	15	8	12	68
Nevada	1,623	881	455	426	742
White	1,508	859	445	394	669
Nonwhite	115	42	10	32	75
New Hampshire	6,194	3,602	...	1,949	1,161	472	2,592
White	6,190	3,600	...	1,946	1,160	472	2,590
Nonwhite	4	2	...	1	1	-	2
New Jersey	48,181	57,315	13,996	10,191	6,343	6,783	10,866
White	44,819	54,414	12,533	9,493	5,929	6,459	10,205
Nonwhite	3,562	2,901	1,465	698	414	324	661
New Mexico	5,471	2,231	...	438	610	1,183	3,240
White	4,888	2,144	...	420	580	1,144	2,744
Nonwhite	583	87	...	18	30	39	496
New York	157,754	127,591	99,097	10,042	10,172	8,290	30,145
White	146,796	119,308	91,497	9,704	9,952	8,155	29,498
Nonwhite	8,958	6,283	7,590	338	220	135	655
North Carolina	30,187	10,449	1,017	4,225	2,762	2,445	19,738
White	20,104	6,613	611	2,534	1,740	1,728	13,491
Nonwhite	10,083	3,836	406	1,691	1,022	717	6,247
North Dakota	5,252	1,631	...	356	613	662	3,621
White	5,121	1,624	...	355	610	659	3,497
Nonwhite	131	7	...	1	3	3	124
Ohio	82,254	57,090	33,258	8,780	6,669	8,363	25,164
White	76,430	51,935	29,074	8,267	6,454	8,140	24,455
Nonwhite	5,824	5,155	4,184	493	235	243	669
Oklahoma	19,327	10,486	3,398	837	2,813	3,439	8,841
White	16,998	9,312	2,999	689	2,504	3,120	7,686
Nonwhite	2,329	1,174	399	148	309	318	1,155
Oregon	13,501	8,608	4,179	752	1,183	2,545	4,693
White	13,255	8,473	4,076	748	1,120	2,529	4,782
Nonwhite	246	135	102	4	15	16	111
Pennsylvania	110,459	76,108	56,342	14,135	12,113	13,518	34,351
White	103,025	69,470	51,169	15,420	11,563	13,298	33,555
Nonwhite	7,434	6,638	5,173	715	550	220	796
Rhode Island	8,368	7,598	2,932	3,576	652	320	780
White	8,193	7,425	2,728	3,523	647	327	766
Nonwhite	175	163	104	53	5	1	12
South Carolina	17,230	5,828	...	2,690	1,096	2,052	11,402
White	8,927	3,372	...	1,543	654	1,195	5,555
Nonwhite	8,303	2,456	...	1,137	442	857	5,847
South Dakota	5,730	2,057	...	449	790	619	3,675
White	5,421	2,021	...	444	779	798	3,400
Nonwhite	309	56	...	4	11	21	275
Tennessee	29,581	12,530	8,390	232	1,229	2,679	16,061
White	21,998	8,299	5,159	194	957	2,069	13,699
Nonwhite	6,593	4,231	3,231	39	272	590	2,362
Texas	62,662	39,596	14,149	8,616	4,864	10,968	24,066
White	51,980	31,849	11,398	7,175	4,012	9,274	20,151
Nonwhite	10,682	6,747	2,750	1,441	852	1,694	3,935
Utah	4,996	3,258	1,576	499	348	636	1,738
White	4,872	3,187	1,544	475	345	623	1,685
Nonwhite	124	71	32	23	3	13	53
Vermont	4,378	1,758	...	297	377	1,084	2,620
White	4,371	1,753	...	296	376	1,081	2,618
Nonwhite	7	5	...	1	1	3	2
Virginia	29,193	12,363	4,469	4,262	1,254	2,358	16,890
White	20,285	8,530	2,794	2,619	996	1,921	11,755
Nonwhite	8,908	3,833	1,675	1,463	259	437	5,075
Washington	21,979	13,964	8,758	1,386	2,027	1,793	8,015
White	21,395	13,603	8,462	1,372	2,006	1,763	7,792
Nonwhite	584	361	296	14	21	30	223
West Virginia	17,218	6,495	...	3,193	1,244	2,048	10,733
White	15,643	5,915	...	2,941	1,115	1,859	9,928
Nonwhite	1,575	570	...	252	129	189	605
Wisconsin	33,219	18,698	6,376	6,439	2,494	3,589	14,521
White	32,630	18,483	6,217	6,397	2,489	3,580	14,347
Nonwhite	389	215	159	42	5	9	174
Wyoming	2,349	1,144	702	442	1,205
White	2,279	1,118	686	432	1,161
Nonwhite	70	26	16	10	44

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—All causes	1,445,370	151,559	118,285	139,489	125,103	118,976	113,232	112,199	114,118	105,721	116,289	118,522	131,877
Typhoid and paratyphoid fever-----1,2	325	12	25	14	80	26	32	30	52	37	33	27	17
Cerebrospinal (meningococcus) meningitis-----6	917	92	95	97	110	62	69	80	55	31	56	65	65
Scarlet fever-----8	107	18	16	19	9	9	6	1	5	4	9	2	2
Whooping cough-----9	1,954	132	143	176	186	207	195	169	167	138	107	151	183
Diphtheria-----10	799	100	72	82	44	44	31	35	34	51	79	119	108
Tuberculosis (all forms)-----13-22	48,064	4,148	4,019	4,736	4,476	4,381	3,947	3,931	3,676	3,525	3,735	3,541	3,749
Tuberculosis of respiratory system, etc.*-----13	44,482	3,866	3,745	4,399	4,115	4,044	3,636	3,632	3,558	3,235	3,458	3,293	3,481
Tuberculosis (other forms)-----14-22	3,602	292	274	337	361	337	311	299	318	290	277	248	268
Dysentery-----27	969	54	45	59	40	75	107	109	95	80	84	59	54
Malaria-----28	214	8	7	6	16	21	31	30	28	27	21	11	8
Syphilis-----30	12,671	1,182	1,075	1,261	1,124	1,052	948	1,005	999	861	990	1,051	1,125
Measles-----35	472	63	54	73	60	77	50	16	14	9	7	19	30
Poliomyelitis, poliomyelitis (acute)-----36	580	42	22	17	17	16	20	49	81	112	105	70	29
Cancer and other malignant tumors-----45-55	189,811	16,113	14,557	16,297	15,365	15,692	15,533	15,985	15,875	15,303	16,476	16,004	16,433
Cancer of the digestive organs and peritoneum-----46	85,121	7,085	6,307	7,159	6,833	7,055	6,823	7,122	6,969	6,686	7,103	6,994	7,016
Cancer of female genital organs-----48,49	23,286	2,017	1,843	1,951	1,871	1,976	1,911	1,996	1,969	1,835	2,052	1,886	1,979
Cancer of the breast-----50	18,030	1,540	1,359	1,495	1,465	1,489	1,459	1,478	1,465	1,427	1,652	1,469	1,632
Cancer (other sites)-----45,47,51-55	65,374	5,491	5,048	5,582	5,194	5,362	5,340	5,369	5,472	5,356	5,689	5,665	5,906
Acute rheumatic fever-----58	1,024	91	87	125	102	84	72	81	70	66	57	74	105
Diabetes mellitus-----61	37,515	3,420	3,051	3,716	3,291	3,044	2,806	2,903	2,946	2,712	3,120	3,075	3,532
Exophthalmic goiter-----63b	2,243	210	189	251	206	193	192	198	159	143	169	140	195
Pellagra (except alcoholic)-----69	728	53	72	80	71	79	59	65	56	57	49	49	58
Alcoholism (ethylism)-----77	2,249	207	184	182	187	187	187	149	189	183	168	186	240
Intracranial lesions of vascular origin-----85	131,039	11,920	10,925	12,394	11,586	10,747	10,201	9,919	10,402	9,306	10,493	11,121	12,225
Diseases of the heart-----90-95	480,580	42,392	38,447	45,592	40,180	37,981	35,883	34,425	34,361	32,199	36,858	36,534	43,948
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	27,256	2,236	1,944	2,424	2,122	2,017	1,884	1,769	1,962	1,660	1,950	1,953	2,157
Diseases of coronary arteries and angina pectoris-----94	154,131	13,597	12,919	14,195	12,794	12,736	12,329	12,022	11,581	11,385	12,482	13,185	14,918
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	282,582	26,549	23,584	28,965	25,264	23,228	21,670	20,634	21,018	19,165	22,446	23,186	26,873
Arteriosclerosis and high blood pressure*-----97,102	27,228	2,698	2,299	2,695	2,348	2,090	2,011	2,056	2,231	1,895	2,128	2,228	2,541
Pneumonia (all forms) and influenza-----107-109,35	61,936	7,707	6,199	9,653	7,249	4,032	3,153	2,782	3,061	2,620	3,941	4,418	6,741
Bronchopneumonia-----107	28,087	3,028	2,828	3,663	2,784	1,896	1,599	1,446	1,631	1,497	2,112	2,115	3,103
Lobar pneumonia-----108	20,272	2,506	2,083	3,138	2,177	1,324	1,064	927	996	902	1,314	1,504	2,337
Pneumonia (unspecified)-----109	5,813	798	631	791	575	356	297	289	278	287	267	463	653
Influenza-----35	7,664	820	657	2,261	1,715	456	173	122	125	143	228	316	648
Ulcer of stomach or duodenum-----117	8,611	783	849	781	695	668	656	693	654	645	744	805	840
Diarrhea, enteritis, etc.*-----119,120	8,069	705	683	744	636	682	708	706	662	723	664	581	577
Appendicitis-----121	4,786	372	340	396	400	399	395	456	534	421	400	358	315
Hernia and intestinal obstruction-----122	10,764	905	845	968	939	906	833	901	961	679	990	861	861
Cirrhosis of the liver-----124	14,940	1,245	1,083	1,358	1,289	1,190	1,160	1,197	1,146	1,208	1,538	1,502	1,424
Biliary calculi, etc.*-----126,127	6,308	538	483	558	480	534	528	557	595	513	526	475	521
Nephritis-----130-132	80,282	7,630	6,884	8,118	7,169	6,688	6,423	6,084	5,900	5,570	6,207	6,511	7,106
Diseases of the prostate-----137	7,099	571	557	642	600	627	586	574	543	552	651	607	582
Diseases of pregnancy, etc.*-----140-150	4,978	463	407	419	416	428	436	455	449	442	399	344	320
Puerperal septicemia-----140,142a,145a,147	1,591	145	136	141	150	152	159	150	149	139	123	102	105
Puerperal toxemia-----141a,c,144,148	1,340	124	123	104	123	116	120	121	104	113	114	81	87
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	1,548	140	112	129	122	159	121	148	155	142	127	122	91
Other puerperal causes-----141d,e,f,145b,150	499	54	34	45	43	41	46	34	41	48	35	39	39
Congenital malformations-----157	20,318	1,990	1,862	1,860	1,559	1,680	1,590	1,649	1,677	1,623	1,676	1,637	1,722
Diseases peculiar to first year of life-----158-181	65,308	5,735	5,068	6,856	5,380	5,570	5,399	5,530	5,850	5,328	5,590	5,155	5,209
Premature birth-----159	41,053	3,583	3,111	3,494	3,365	3,580	3,428	3,494	3,652	3,399	3,587	3,248	3,312
Other diseases peculiar to first year of life-----158,160,161	24,255	2,152	1,957	2,162	2,015	1,990	1,971	2,036	2,198	1,929	2,003	1,907	1,897
Suicide-----183,184	16,538	1,284	1,120	1,417	1,451	1,555	1,428	1,510	1,426	1,350	1,574	1,282	1,341
Homicide-----185-188	6,555	657	571	675	654	730	708	813	802	757	730	681	777
Accidental deaths-----169-185	99,579	8,065	7,416	7,760	8,017	8,330	8,381	8,705	9,519	8,028	8,059	8,245	9,054
Motor-vehicle accidents-----170	32,697	2,475	2,173	2,313	2,357	2,646	2,512	2,796	3,118	3,007	3,060	3,082	3,148
Other accidents-----169,171-185	66,882	5,590	5,243	5,447	5,660	5,684	5,869	5,909	6,401	5,021	4,999	5,153	5,906
Senility, ill-defined and unknown causes-----182,199,200	27,556	2,741	2,463	2,912	2,244	2,026	2,036	1,966	2,168	1,923	2,047	2,298	2,732
All other causes-----	80,458	7,225	6,445	7,524	6,679	6,446	6,381	6,580	6,209	6,804	6,613	7,090	7,090
ALABAMA-----All causes	26,347	2,343	2,288	2,603	2,224	2,165	2,090	1,933	2,096	1,913	2,030	2,196	2,466
Typhoid and paratyphoid fever-----1,2	7	-	1	-	-	-	-	2	3	1	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	27	1	4	4	-	3	6	2	1	1	1	1	3
Scarlet fever-----8	2	-	1	-	-	-	-	1	-	-	-	-	-
Whooping cough-----9	118	9	9	19	8	19	16	6	7	5	7	6	7
Diphtheria-----10	30	3	3	2	2	2	-	1	1	3	5	3	6
Tuberculosis (all forms)-----13-22	1,147	105	108	116	101	110	91	82	93	79	95	74	93
Tuberculosis of respiratory system, etc.*-----13	1,055	97	96	111	92	102	85	80	83	72	86	66	85
Tuberculosis (other forms)-----14-22	92	8	12	5	9	8	6	2	10	7	9	8	8
Dysentery-----27	30	3	2	3	3	1	6	3	4	-	2	3	-
Malaria-----28	19	-	-	-	1	1	3	5	1	2	1	1	2
Syphilis-----30	315	36	30	25	29	23	33	19	23	18	21	23	35
Measles-----35	27	2	1	4	7	4	7	-	1	-	1	-	-
Poliomyelitis, poliomyelitis (acute)-----36	8	1	-	1	1	1	1	-	1	1	-	-	1
Cancer and other malignant tumors-----45-55	2,369	205	206	217	202	188	214	208	207	173	185	196	178
Cancer of the digestive organs and peritoneum-----46	899	80	78	92	83	73	77	77	82	59	71	65	62
Cancer of female genital organs-----48,49	453	44	42	33	36	31	48	46	42	32	34	36	29
Cancer of the breast-----50	177	13	19	20	17	17	13	15	11	6	15	17	14
Cancer (other sites)-----45,47,51-55	840	68	67	72	66	67	76	70	72	76	65	69	73
Acute rheumatic fever-----58	32	2	4	4	1	4	4	3	-	2	2	4	2
Diabetes mellitus-----61	365	31	42	32	31	33	19	25	30	25	35	24	36
Exophthalmic goiter-----63b	26	1	2	2	3	3	2	6	2	3			

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

207

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total Deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA—Continued													
Pneumonia (all forms) and influenza-----107-109,33	1,502	178	182	245	167	85	67	64	62	67	84	108	195
Bronchopneumonia-----107	578	66	68	82	44	31	30	31	29	36	46	42	75
Lobar pneumonia-----108	543	61	63	79	59	32	29	22	22	24	26	40	86
Pneumonia (unspecified)-----109	80	6	13	11	5	4	4	5	6	-	3	11	12
Influenza-----33	301	45	38	73	59	18	4	6	5	7	9	15	22
Ulcer of stomach or duodenum-----117	128	11	6	18	12	12	12	7	9	11	3	14	14
Diarrhea, enteritis, etc.*-----119,120	170	14	19	22	5	13	10	19	25	10	13	10	10
Appendicitis-----121	108	7	12	14	8	9	9	11	10	13	7	4	5
Hernia and intestinal obstruction-----122	205	16	15	21	22	16	17	12	18	22	17	12	15
Cirrhosis of the liver-----124	155	20	10	9	17	15	12	10	9	16	16	12	9
Biliary calculi, etc.*-----126,127	67	2	10	5	5	7	5	6	5	7	3	3	9
Nephritis-----130-132	1,935	163	164	209	185	134	169	151	132	152	141	198	187
Diseases of the prostate-----137	123	8	10	13	11	11	11	11	5	10	17	7	9
Diseases of pregnancy, etc.*-----140-150	231	21	17	18	24	20	21	24	16	22	19	17	12
Puerperal septicemia-----140,142a,145A,147	55	6	7	5	4	4	3	3	8	4	6	4	1
Puerperal toxemia-----141a,c,144,148	80	6	7	5	10	10	8	8	1	9	6	4	6
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	64	6	-	5	7	4	6	12	6	6	3	5	4
Other puerperal causes-----141d,e,f,145B,150	32	3	3	3	3	2	4	1	1	3	4	4	1
Congenital malformations-----157	340	28	28	30	30	22	30	19	35	24	31	33	30
Diseases peculiar to first year of life-----158-161	1,650	148	113	121	139	149	146	123	141	141	126	144	159
Premature birth-----159	1,063	89	67	75	92	105	83	66	89	100	83	98	106
Other diseases peculiar to first year of life-----158,160,161	587	59	46	46	47	44	63	57	52	41	43	46	53
Suicide-----163,164	203	21	21	13	15	13	15	15	16	15	22	20	17
Homicide-----165-168	465	38	27	25	36	43	36	42	50	40	48	43	37
Accidental deaths-----169-195	1,967	155	165	167	156	174	139	143	162	171	151	178	186
Motor-vehicle accidents-----170	725	50	50	46	60	57	47	53	64	75	68	85	70
Other accidents-----169,171-195	1,242	105	115	121	96	117	92	90	118	96	83	93	116
Senility, ill-defined and unknown causes-----162,199,200	1,905	181	210	219	157	135	146	118	138	127	135	140	199
All other causes-----	1,568	139	126	141	132	141	140	118	127	125	129	133	117
ARIZONA-----All causes													
	6,032	601	494	538	497	504	508	449	446	421	459	536	579
Typhoid and paratyphoid fever-----1,2	5	1	1	-	1	1	-	-	-	-	-	1	-
Cerebrospinal (meningococcus) meningitis-----6	6	-	2	-	1	1	-	-	-	-	-	1	-
Scarlet fever-----8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough-----9	21	-	1	-	1	2	5	1	2	1	3	3	2
Diphtheria-----10	7	-	-	1	1	2	-	-	1	-	1	-	1
Tuberculosis (all forms)-----13-22	644	66	57	56	72	71	58	41	51	49	30	44	49
Tuberculosis of respiratory system, etc.*-----13	595	62	52	51	67	66	53	37	49	47	26	40	45
Tuberculosis (other forms)-----14-22	49	4	5	5	5	5	5	4	2	2	4	4	4
Dysentery-----27	20	2	-	-	-	4	1	4	1	1	3	3	1
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	64	6	4	3	6	3	5	4	4	5	8	9	7
Measles-----35	18	9	5	1	1	2	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----34	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors-----45-55	521	45	38	50	38	35	50	32	43	37	43	54	56
Cancer of the digestive organs and peritoneum-----46	215	18	18	19	17	14	23	12	21	12	18	19	24
Cancer of female genital organs-----48,49	66	4	6	5	4	6	3	8	5	5	6	6	8
Cancer of the breast-----50	49	6	2	5	2	-	9	1	1	7	3	4	9
Cancer (other sites)-----45,47,51-55	191	17	12	21	15	15	15	11	16	13	16	25	15
Acute rheumatic fever-----58	2	-	-	1	-	-	-	-	-	-	-	-	-
Diabetes mellitus-----61	67	9	4	8	4	7	6	5	2	3	3	10	6
Exophthalmic goiter-----63b	4	-	1	1	-	1	-	-	1	-	-	-	-
Pellagra (except alcoholic)-----69	2	-	-	-	-	1	-	-	-	-	1	-	-
Alcoholism (ethylism)-----77	22	1	3	1	1	-	1	6	1	3	1	3	1
Intracranial lesions of vascular origin-----83	346	35	29	28	27	28	35	30	22	24	25	34	31
Diseases of the heart-----90-95	1,313	131	120	132	109	90	108	84	76	105	134	134	134
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	99	4	10	12	9	9	9	4	4	9	6	10	13
Diseases of coronary arteries and angina pectoris-----94	451	38	38	44	35	28	37	40	37	27	42	48	47
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	763	89	72	76	65	53	62	50	49	40	57	76	74
Arteriosclerosis and high blood pressure*-----97,102	79	6											

VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1939 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		1,443	1,292	1,551	1,349	1,228	1,228	1,216	1,295	1,091	1,141	1,151	1,112
ARKANSAS—All causes													
Typhoid and paratyphoid fever.....1,2	9	-	-	1	-	1	4	2	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	11	1	1	1	3	1	-	1	1	-	1	-	1
Scarlet fever.....8	2	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	55	1	4	5	4	8	2	4	10	7	3	4	3
Diphtheria.....10	19	2	2	1	1	2	-	-	2	3	2	3	1
Tuberculosis (all forms).....13-22	802	64	76	92	74	78	70	65	72	53	76	40	42
Tuberculosis of respiratory system, etc.*.....13	764	57	71	90	72	74	63	65	70	52	71	39	40
Tuberculosis (other forms).....14-22	38	7	5	2	2	4	7	-	2	1	5	1	2
Dysentery.....27	19	2	1	2	1	1	2	1	-	1	4	4	-
Malaria.....28	29	1	-	-	1	4	3	6	5	7	2	-	-
Syphilis.....30	198	15	16	16	21	19	19	19	18	12	16	12	15
Measles.....35	7	1	1	-	-	1	2	-	1	-	-	1	-
Poliomyelitis, poliomyelitis (acute).....36	4	-	-	1	1	1	-	-	-	-	-	-	1
Cancer and other malignant tumors.....45-55	1,638	139	153	143	130	125	142	161	132	144	119	136	112
Cancer of the digestive organs and peritoneum.....46	629	56	59	54	53	43	57	64	49	50	42	52	50
Cancer of female genital organs.....48,49	285	15	28	26	20	20	20	30	33	29	21	26	17
Cancer of the breast.....50	123	12	9	15	9	15	9	9	15	9	9	4	8
Cancer (other sites).....45,47,51-55	599	56	57	49	48	47	56	58	35	56	47	54	37
Acute rheumatic fever.....58	16	1	1	1	2	1	-	1	2	3	2	2	-
Diabetes mellitus.....61	214	16	14	29	16	18	11	18	22	13	21	15	22
Exophthalmic goiter.....63b	12	3	1	2	1	-	2	1	-	2	-	-	-
Pellagra (except alcoholic).....69	35	3	1	7	1	6	2	6	2	-	4	1	2
Alcoholism (ethylish).....77	10	-	1	1	1	2	1	-	-	2	1	1	-
Intracranial lesions of vascular origin.....83	1,470	140	114	156	140	119	118	118	127	109	109	119	101
Diseases of the heart.....90-95	3,735	340	344	415	356	316	297	283	265	264	288	296	271
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	211	18	26	25	18	18	18	20	20	10	9	14	14
Diseases of coronary arteries and angina pectoris.....94	1,208	103	113	121	98	92	93	88	86	82	113	112	99
Diseases of heart (other forms).....80b,91,92a,d,e,93a,b,d,e,95a,c	2,316	219	205	268	220	206	186	175	177	172	160	170	158
Arteriosclerosis and high blood pressure*.....97,102	237	24	18	27	22	16	21	25	24	13	17	10	20
Pneumonia (all forms) and influenza.....107-109,33	1,004	152	102	194	137	58	50	44	41	27	51	55	93
Bronchopneumonia.....107	367	53	33	47	47	24	16	20	25	19	19	23	42
Lobar pneumonia.....108	339	55	39	61	41	19	20	15	12	7	25	16	29
Pneumonia (unspecified).....109	88	10	11	15	9	3	6	6	2	-	5	12	9
Influenza.....33	210	34	19	71	40	12	8	3	2	2	2	4	13
Ulcer of stomach or duodenum.....117	51	5	3	2	6	1	6	3	5	5	3	6	6
Diarrhea, enteritis, etc.*.....119,120	85	13	4	8	7	6	3	12	8	9	6	6	3
Appendicitis.....121	69	4	4	4	7	6	6	9	8	4	9	2	6
Hernia and intestinal obstruction.....122	128	7	5	10	13	9	13	10	17	16	10	11	7
Cirrhosis of the liver.....124	107	13	8	12	11	11	11	7	8	5	5	11	5
Biliary calculi, etc.*.....125,127	57	4	3	5	3	4	3	5	7	7	6	5	5
Nephritis.....130-132	1,000	105	86	91	90	89	79	74	96	85	81	82	62
Diseases of the prostate.....137	76	8	8	5	5	2	5	8	6	7	8	11	3
Diseases of pregnancy, etc.*.....140-150	90	6	8	6	4	10	10	9	7	11	7	5	7
Puerperal septicaemia.....140,142a,145a,147	24	4	1	2	-	2	4	2	3	3	2	-	1
Puerperal toxemia.....141a,c,144,148	32	-	4	-	1	6	2	4	2	3	3	3	4
Hemorrhage, trauma or shock*.....141b,142b,143,146,149	27	2	3	3	1	1	3	3	2	3	2	2	2
Other puerperal causes.....141d,e,f,145b,150	7	-	-	1	2	1	1	-	-	2	-	-	-
Congenital malformations.....157	175	8	13	15	18	12	11	16	20	18	15	21	8
Diseases peculiar to first year of life.....158-161	701	66	44	55	67	57	60	66	71	58	49	63	45
Premature birth.....158	427	41	21	29	46	41	36	46	39	37	26	34	31
Other diseases peculiar to first year of life.....159,160,161	274	25	23	26	21	16	24	20	32	21	23	29	14
Suicide.....163,164	120	13	11	7	7	12	6	17	12	11	9	5	10
Homicide.....165-168	149	16	9	11	16	10	15	11	10	14	14	12	11
Accidental deaths.....169-195	1,132	90	100	70	80	62	136	97	112	98	80	82	115
Motor-vehicle accidents.....170	316	14	26	28	20	29	21	32	27	31	30	20	38
Other accidents.....169,171-195	816	76	74	42	60	53	115	65	85	57	50	62	77
Senility, ill-defined and unknown causes.....162,199,200	689	86	65	69	57	50	44	58	66	48	43	46	56
All other causes.....	943	94	71	88	66	89	72	61	98	64	79	92	79
CALIFORNIA—All causes													
Typhoid and paratyphoid fever.....1,2	18	-	1	-	3	-	3	1	1	3	3	1	2
Cerebrospinal (meningococcus) meningitis.....6	63	8	9	5	3	7	6	2	4	5	2	7	7
Scarlet fever.....8	2	-	1	-	-	-	-	-	-	-	-	-	1
Whooping cough.....9	56	5	4	3	6	6	6	6	7	1	3	1	1
Diphtheria.....10	52	12	3	4	4	4	2	5	3	6	4	2	3
Tuberculosis (all forms).....13-22	3,455	270	336	336	320	299	262	265	292	245	267	257	306
Tuberculosis of respiratory system, etc.*.....13	3,175	249	317	310	289	271	236	235	273	227	245	243	280
Tuberculosis (other forms).....14-22	280	21	19	26	31	28	26	30	19	16	22	14	26
Dysentery.....27	32	4	1	2	2	2	5	-	1	3	3	4	5
Malaria.....28	4	-	-	-	1	-	-	1	-	1	1	-	-
Syphilis.....30	948	102	82	97	61	75	61	66	74	80	76	108	108
Measles.....35	10	-	-	-	-	2	-	2	-	1	1	1	3
Poliomyelitis, poliomyelitis (acute).....36	54	6	3	4	2	5	4	5	8	3	8	3	3
Cancer and other malignant tumors.....45-55	13,574	1,183	985	1,153	1,060	1,126	1,086	1,171	1,101	1,107	1,231	1,168	1,203
Cancer of the digestive organs and peritoneum.....46	5,893	504	403	476	459	485	462	476	475	455	508	519	471
Cancer of female genital organs.....48,49	1,686	143	130	147	135	147	124	164	132	131	149	134	150
Cancer of the breast.....50	1,401	117	105	134	109	112	111	124	106	125	117	107	135
Cancer (other sites).....45,47,51-55	4,794	419	347	396	358	382	369	407	388	396	457	408	447
Acute rheumatic fever.....58	25	-	2	-	2	2	3	1	3	1	4	3	4
Diabetes mellitus.....61	2,017	205	160	144	158	164	139	170	156	166	169	176	211
Exophthalmic goiter.....63b	103	10	14	9	8	8	9	5	9	6	3	9	13
Pellagra (except alcoholic).....69	19	-	3	1	-	3	1	3	1	2	-	5	-
Alcoholism (ethylish).....77	130	17	19	14	16	10	21	11	15	18	22	9	18
Intracranial lesions of vascular origin.....83	7,631	741	588	632	642	608	596	618	579	573	622	700	732
Diseases of the heart.....90-95	32,400	3,197	2,758	2,833	2,590	2,628	2,335	2,514	2,414	2,381	2,528	2,605	3,322
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	1,679	155	131	156	138	149	137	131	139	120	128	140	155
Diseases of coronary arteries and angina pectoris.....94	11,608	1,100	1,037	1,015	926	940	846	910	860	852	916	1,035	1,171
Diseases of heart (other forms).....80b,91,92a,d,e,93a,b,d,e,95a,c	19,113	1,942	1,580	1,662	1,526	1,537	1,352	1,473	1,415	1,409	1,441	1,730	1,986
Arteriosclerosis and high blood pressure*.....97,102	2,178	257	194	189	155	162	152	151	142	163	166	214	253

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947-Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA-Continued													
Pneumonia (all forms) and influenza-----107-109,33	3,617	513	345	345	284	238	223	245	206	208	228	282	490
Bronchopneumonia-----107	2,306	334	217	211	185	138	150	155	141	150	141	178	308
Lobar pneumonia-----108	1,087	148	110	113	76	78	61	77	60	54	77	103	130
Pneumonia (unspecified)-----109	96	12	9	10	12	14	9	8	2	2	5	6	7
Influenza-----33	128	19	9	11	11	8	3	5	3	2	5	5	47
Ulcer of stomach or duodenum-----117	804	75	53	67	67	52	60	73	65	58	69	79	86
Diarrhea, enteritis, etc.*-----119,120	630	54	78	50	46	40	47	47	37	42	67	72	50
Appendicitis-----121	258	24	18	23	21	17	22	21	28	24	23	16	16
Hernia and intestinal obstruction-----122	879	59	55	67	56	57	59	45	48	34	62	61	55
Cirrhosis of the liver-----124	1,809	142	123	137	152	144	153	134	143	168	162	174	177
Biliary calculi, etc.*-----126,127	381	35	30	33	19	31	42	31	43	32	27	25	33
Nephritis-----130-132	3,857	408	329	393	320	349	261	290	264	291	290	325	337
Diseases of the prostate-----137	493	37	42	34	40	37	41	40	42	37	49	47	47
Diseases of pregnancy, etc.*-----140-150	235	14	21	14	25	20	21	14	25	27	24	19	11
Puerperal septicemia-----140,142a,145A,147	75	6	9	5	7	4	2	4	10	9	7	9	3
Puerperal toxemia-----141a,c,144,148	55	2	6	3	8	5	5	4	4	4	5	5	4
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	86	6	6	3	9	9	12	6	9	8	11	4	3
Other puerperal causes-----141d,e,f,145B,150	19	-	-	3	1	2	2	-	2	6	1	1	1
Congenital malformations-----157	1,298	148	94	107	102	102	97	115	122	101	117	100	90
Diseases peculiar to first year of life-----158-161	4,199	343	310	364	352	351	350	365	374	363	342	327	358
Premature birth-----159	2,516	224	176	211	210	227	194	217	230	217	203	204	203
Other diseases peculiar to first year of life-----158,160,161	1,683	119	134	153	142	124	156	148	144	146	139	123	155
Suicide-----163,164	1,863	139	122	136	142	133	149	135	158	145	139	133	132
Homicide-----165-168	580	48	46	49	42	55	52	65	43	50	39	41	50
Accidental deaths-----169-195	7,547	665	504	561	553	621	655	691	675	640	645	642	697
Motor-vehicle accidents-----170	3,451	294	223	253	246	279	288	311	321	299	321	312	304
Other accidents-----169,171-195	4,096	369	281	308	307	342	367	380	354	341	324	330	393
Senility, ill-defined and unknown causes-----162,199,200	517	51	43	58	35	31	58	44	37	43	38	30	49
All other causes-----	5,301	493	412	435	397	403	443	433	423	408	449	493	512
COLORADO-----All causes													
	12,613	1,167	1,150	1,193	1,044	1,048	988	967	950	936	996	1,062	1,112
Typhoid and paratyphoid fever-----1,2	2	-	-	-	-	-	-	-	-	1	1	-	-
Cerebrospinal (meningococcus) meningitis-----6	9	-	-	-	-	1	1	1	1	-	-	2	-
Scarlet fever-----8	1	-	-	-	-	-	-	-	-	1	-	-	-
Whooping cough-----9	27	1	1	2	1	2	1	4	5	2	4	2	2
Diphtheria-----10	20	2	5	1	-	1	-	1	-	2	1	5	2
Tuberculosis (all forms)-----13-22	375	29	33	40	26	33	32	33	26	25	36	32	30
Tuberculosis of respiratory system, etc.*-----13	341	27	32	37	22	29	31	28	23	23	33	28	28
Tuberculosis (other forms)-----14-22	34	2	1	3	4	4	1	5	3	2	3	4	2
Dysentery-----11	11	-	-	-	-	-	1	3	1	1	3	1	1
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	113	12	3	11	15	6	6	14	8	10	10	9	9
Measles-----35	7	1	-	-	-	1	1	2	1	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	6	1	-	-	-	-	-	2	3	-	-	-	-
Cancer and other malignant tumors-----45-55	1,614	141	124	138	134	129	123	128	124	127	145	151	150
Cancer of the digestive organs and peritoneum-----46	704	65	52	63	73	57	51	55	53	59	67	63	56
Cancer of female genital organs-----48,49	204	22	14	21	13	24	12	17	11	10	14	22	24
Cancer of the breast-----50	143	9	15	9	8	8	14	15	17	9	18	8	13
Cancer (other sites)-----45,47,51-55	563	45	43	55	40	40	46	41	43	49	46	58	57
Acute rheumatic fever-----58	17	1	-	3	-	3	3	1	-	1	2	1	2
Diabetes mellitus-----61	214	27	11	24	17	15	24	15	13	13	14	23	16
Exophthalmic goiter-----63b	25	2	1	1	5	-	1	2	3	2	4	2	2
Felagra (except alcoholic)-----69	1	-	-	-	1	-	-	-	-	-	-	-	-
Alcoholism (ethylism)-----77	28	2	1	1	1	3	3	2	4	4	1	3	3
Intracranial lesions of vascular origin-----83	1,084	114	87	100	101	88	68	82	98	83	85	86	92
Diseases of the heart-----90a,92b,c,93c,95b	3,466	320	342	312	313	304	282	258	222	257	251	282	323
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	249	23	27	16	15	24	20	24	18	15	13	25	29
Diseases of coronary arteries and angina pectoris-----94	1,323	121	125	115	126	125	102	98	87	106	92	109	117
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,894	176	180	181	172	155	160	136	117	136	146	148	177
Arteriosclerosis and high blood pressure-----97,102	206	16	22	20	13	21	15	19	11	12	17	23	18
Pneumonia (all forms) and influenza-----107-109,33	830	121	110	140	68	52	49	29	41	46	44	57	74
Bronchopneumonia-----107	418	67	46	57	34	20	25	15	26	26	32	34	36
Lobar pneumonia-----108	254	37	41	41	25	15	15	10	8	12	8	16	25
Pneumonia (unspecified)-----109	71	6	10	10	3	8	8	2	6	7	1	4	6
Influenza (unspecified)-----33	87	11	13	32	6	8	1	1	1	1	3	3	7
Ulcer of stomach or duodenum-----117	115	12	11	8	5	8	5	6	8	9	12	15	16
Diarrhea, enteritis, etc.*-----119,120	79	5	6	3	4	6	7	5	8	7	8	10	10
Appendicitis-----121	54	6	4	5	2	6	3	7	6	5	5	4	1
Hernia and intestinal obstruction-----122	125	10	10	12	12	14	6	6	12	12	11	11	9
Cirrhosis of the liver-----124	113	7	9	14	9	13	8	9	7	9	4	12	12
Biliary calculi, etc.*-----126,127	84	6	5	10	4	10	6	8	4	3	8	13	7
Nephritis-----130-132	780	65	76	65	56	42	70	62	48	61	59	62	64
Diseases of the prostate-----137	74	6	7	5	5	8	3	7	7	7	9	4	6
Diseases of pregnancy, etc.*-----140-150	42	-	6	1	6	-	4	6	2	2	5	6	4
Puerperal septicemia-----140,142a,145A,147	9	-	1	-	1	-	-	3	1	-	1	2	-
Puerperal toxemia-----141a,c,144,148	12	-	-	-	3	-	1	1	-	1	2	1	3
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	2	-	5	1	2	-	2	2	1	1	2	3	1
Other puerperal causes-----141d,e,f,145B,150	1	-	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations-----157	191	13	15	22	16	18	15	22	13	16	10	14	17
Diseases peculiar to first year of life-----158-161	657	50	58	64	59	54	47	60	63	49	62	48	44
Premature birth-----159	421	32	41	44	40	34	28	38	47	29	34	30	24
Other diseases peculiar to first year of life-----158,160,161	236	18	17	20	19	20	19	22	16	20	28	18	20
Suicide-----163,164	199	13	15	14	11	23	16	11	21	13	15	17	20
Homicide-----165-168	53	7	3	6	3	1	5	6	4	6	3	6	3
Accidental deaths-----169-195	1,016	74	82	66	67	106	97	95	94	73	94	84	84
Motor-vehicle accidents-----170	360	25	25	22	16	42	33	37	35	26	34	32	33
Other accidents-----169,171-195	656	49	57	44	51	64	64	58	59	47	60	52	51
Senility, ill-defined and unknown causes-----162,199,200	192	26	22	20	16	19	18	9	18	6	17	10	12
All other causes-----	843	76	81	85	75	61	65	63	65	72	58	64	78

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT—All causes	19,153	1,702	1,546	1,705	1,670	1,649	1,517	1,515	1,471	1,416	1,516	1,611	1,633
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	-	-	-	-	1
Cerebrospinal (meningococcus) meningitis—6	10	1	-	1	2	-	-	1	2	1	1	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	4	-	-	1	-	-	-	1	-	1	-	1	-
Diphtheria—10	1	-	-	-	-	-	-	-	-	1	-	-	-
Tuberculosis (all forms)—13-22	504	32	41	61	48	50	34	36	39	36	41	36	50
Tuberculosis of respiratory system, etc.*—13	461	27	36	58	43	44	33	32	35	33	38	35	47
Tuberculosis (other forms)—14-22	43	5	5	3	5	6	1	4	4	3	3	1	3
Dysentery—27	2	-	-	-	-	-	1	-	-	-	-	1	-
Malaria—28	-	-	-	-	-	-	1	-	-	-	-	-	-
Syphilis—30	119	15	11	11	13	11	7	11	6	9	6	8	11
Measles—35	5	1	-	-	-	3	-	-	-	1	-	-	-
Poliomyelitis, poliomyelitis (acute)—56	7	-	-	1	-	1	-	1	-	5	-	1	-
Cancer and other malignant tumors—45-55	3,105	273	225	263	245	259	225	263	276	254	260	267	276
Cancer of the digestive organs and peritoneum—46	1,451	121	100	130	126	127	113	120	125	111	123	124	131
Cancer of female genital organs—46,49	310	22	24	29	15	35	21	27	31	26	26	32	22
Cancer of the breast—50	319	20	19	24	27	21	28	17	35	29	39	26	34
Cancer (other sites)—45,47,51-55	1,025	110	82	100	77	75	65	99	95	88	72	85	89
Acute rheumatic fever—58	5	-	-	-	1	-	-	-	-	-	2	1	1
Diabetes mellitus—61	648	56	59	53	56	52	58	51	44	42	46	62	67
Exophthalmic goiter—63b	18	2	2	1	5	1	3	-	1	1	-	1	1
Pellagra (except alcoholic)—69	2	-	1	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	55	8	2	5	9	5	4	4	5	4	1	4	4
Intracranial lesions of vascular origin—83	1,608	176	145	138	142	128	115	113	117	108	139	133	154
Diseases of the heart—90-95	7,045	585	581	616	651	613	569	564	492	502	566	577	727
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	340	32	24	37	41	20	25	27	29	19	30	23	33
Diseases of coronary arteries and angina pectoris—94	2,333	186	188	194	182	204	200	210	173	168	191	194	241
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	4,372	365	369	387	428	389	344	327	290	315	345	360	453
Arteriosclerosis and high blood pressure*—97,102	347	44	39	32	22	29	19	24	31	22	28	32	25
Pneumonia (all forms) and influenza—107-109,33	521	74	46	50	60	41	28	18	31	29	36	44	64
Bronchopneumonia—107	243	33	25	19	23	21	12	10	11	16	23	25	25
Lobar pneumonia—108	214	29	16	26	30	17	9	6	15	8	9	15	34
Pneumonia (unspecified)—109	51	9	5	4	4	2	4	2	5	4	4	3	5
Influenza—33	13	3	-	1	3	1	3	-	-	1	-	-	-
Ulcer of stomach or duodenum—117	139	10	10	11	12	13	13	9	9	10	13	12	17
Diarrhea, enteritis, etc.*—119,120	63	4	5	6	6	6	8	5	5	2	8	4	2
Appendicitis—121	46	5	5	1	3	5	2	3	9	5	1	3	4
Hernia and intestinal obstruction—122	117	12	11	13	11	13	6	8	8	5	5	14	11
Cirrhosis of the liver—124	252	18	16	28	22	17	23	16	22	26	16	21	27
Biliary calculi, etc.*—126,127	92	6	7	9	8	6	11	9	7	6	6	8	9
Nephritis—130-132	865	84	67	68	67	74	80	74	68	68	77	76	62
Diseases of the prostate—137	77	6	5	6	5	6	9	11	9	3	7	4	6
Diseases of pregnancy, etc.*—140-150	31	2	2	5	2	3	9	-	1	3	2	1	1
Puerperal septicemia—140,142a,145a,147	11	1	-	3	-	2	2	-	1	-	2	-	-
Puerperal toxemia—141a,c,144,148	9	1	1	1	-	4	-	-	-	1	-	1	-
Hemorrhage, trauma or shock—141b,142b,143,146,149	7	-	1	1	1	1	1	-	-	2	-	-	-
Other puerperal causes—141d,e,f,145b,150	4	-	-	-	1	-	2	-	-	-	-	-	1
Congenital malformations—157	299	25	20	27	21	18	24	27	33	25	26	22	31
Diseases peculiar to first year of life—158-161	696	65	51	63	66	76	65	58	49	57	39	58	49
Premature birth—158	428	50	29	40	35	41	39	36	28	32	28	40	30
Other diseases peculiar to first year of life—159,160,161	268	15	22	23	31	35	26	22	21	25	11	18	19
Suicide—163,164	285	14	17	26	18	25	23	31	25	33	20	25	28
Homicide—165-168	38	1	1	-	2	7	3	3	10	1	2	5	3
Accidental deaths—169-195	1,039	77	62	63	62	102	86	76	90	81	80	103	97
Motor-vehicle accidents—170	254	19	18	24	20	28	18	18	21	20	20	28	22
Other accidents—169,171-195	785	58	64	59	62	76	68	58	69	61	60	75	75
Senility, ill-defined and unknown causes—162,199,200	125	15	8	13	6	14	6	9	9	8	13	10	14
All other causes—	922	91	87	90	63	72	66	69	73	69	75	77	90
DELAWARE—All causes	3,345	350	255	305	304	255	268	262	242	249	254	280	341
Typhoid and paratyphoid fever—1,2	4	-	1	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	1	-	1	-	-	-	-	1	-	-	2	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	4	1	-	-	1	1	1	-	-	-	-	-	-
Diphtheria—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	132	11	11	10	7	9	15	15	11	11	12	9	10
Tuberculosis of respiratory system, etc.*—13	116	11	10	8	7	8	12	14	9	10	11	7	9
Tuberculosis (other forms)—14-22	16	-	1	2	-	1	3	2	2	1	1	2	1
Dysentery—27	2	1	-	-	-	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	35	4	2	1	4	2	3	4	2	4	3	3	3
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—56	2	-	-	-	-	-	-	1	1	-	-	-	-
Cancer and other malignant tumors—45-55	402	43	21	38	36	24	44	33	42	33	29	23	36
Cancer of the digestive organs and peritoneum—46	167	16	8	14	11	10	19	19	15	16	10	13	16
Cancer of female genital organs—46,49	62	7	6	6	4	2	6	3	8	2	6	4	6
Cancer of the breast—50	42	6	-	5	6	2	2	4	4	2	3	2	6
Cancer (other sites)—45,47,51-55	131	14	7	13	15	10	15	7	15	13	10	4	8
Acute rheumatic fever—58	3	1	-	-	-	-	-	-	-	-	1	1	1
Diabetes mellitus—61	81	9	3	13	7	9	4	5	4	9	6	3	9
Exophthalmic goiter—63b	5	1	-	2	-	-	-	-	-	1	-	-	-
Pellagra (except alcoholic)—69	7	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	7	2	-	1	1	-	1	-	-	1	-	-	1
Intracranial lesions of vascular origin—83	251	30	21	18	30	19	17	27	12	17	16	16	28
Diseases of the heart—90-95	1,129	123	90	105	100	86	89	70	90	83	85	96	112
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	47	5	2	4	5	3	3	3	3	2	8	4	5
Diseases of coronary arteries and angina pectoris—94	348	31	25	32	27	27	35	20	33	22	26	35	35
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	749	87	63	69	68	56	51	47	54	59	51	57	72
Arteriosclerosis and high blood pressure*—97,102	74	9	5	13	7	4	4	5	4	3	5	5	10

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947-Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE-Continued													
Pneumonia (all forms) and influenza-----107-109,33	117	17	13	14	13	4	4	4	7	4	8	9	20
Bronchopneumonia-----107	51	6	9	3	6	3	3	1	5	1	5	1	8
Lobar pneumonia-----108	44	7	2	6	3	1	1	1	2	-	3	6	12
Pneumonia (unspecified)-----109	16	4	2	2	1	-	-	2	-	3	-	2	-
Influenza-----33	6	-	-	3	3	-	-	-	-	-	-	-	-
Ulcer of stomach or duodenum-----117	26	2	4	1	1	3	2	2	2	-	3	4	2
Diarrhea, enteritis, etc.*-----119,120	8	1	-	1	-	-	-	-	-	2	-	3	1
Appendicitis-----121	5	-	-	-	2	-	2	-	-	-	-	1	1
Hernia and intestinal obstruction-----122	19	1	-	1	1	2	3	2	2	-	2	2	2
Cirrhosis of the liver-----124	29	7	1	2	2	3	3	4	-	3	2	1	3
Biliary calculi, etc.*-----126,127	17	1	3	2	2	1	1	-	3	-	-	1	3
Nephritis-----130-132	290	29	30	30	26	29	17	22	16	10	19	32	30
Diseases of the prostate-----137	12	2	-	2	1	-	4	1	-	2	-	-	-
Diseases of pregnancy, etc.*-----140-150	6	1	-	1	-	-	1	-	-	1	1	-	1
Puerperal septicemia-----140,142a,145A,147	4	-	-	-	-	-	1	-	-	1	1	-	1
Puerperal toxemia-----141a,c,144,148	1	-	-	1	-	-	-	-	-	-	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,145,146,149	1	1	-	-	-	-	-	-	-	-	-	-	-
Other puerperal causes-----141d,e,f,145B,150	1	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations-----157	42	2	3	5	4	3	3	3	2	2	3	4	8
Diseases peculiar to first year of life-----158-161	144	8	6	14	13	13	20	15	10	14	10	5	16
Premature birth-----159	97	1	4	9	8	8	14	12	10	12	7	4	8
Other diseases peculiar to first year of life-----158,160,161	47	7	2	5	5	5	6	3	-	2	3	1	8
Suicide-----163,164	53	4	5	5	3	8	2	6	3	5	1	6	5
Homicide-----165-168	14	4	1	-	2	2	1	1	-	-	-	1	2
Accidental deaths-----169-195	229	15	19	9	19	19	13	31	24	26	18	18	20
Motor-vehicle accidents-----170	85	5	6	2	9	3	3	7	8	10	5	4	6
Other accidents-----169,171-195	164	10	12	7	11	15	10	24	16	16	15	14	14
Senility, ill-defined and unknown causes-----162,199,200	30	1	3	3	5	2	3	1	-	4	3	3	2
All other causes-----	172	20	13	14	16	12	12	10	7	14	25	11	18
DISTRICT OF COLUMBIA-----All causes	8,254	756	667	789	697	718	647	636	596	608	674	699	747
Typhoid and paratyphoid fever-----1,2	1	-	-	-	-	-	-	-	-	-	-	-	1
Cerebrospinal (meningococcus) meningitis-----6	1	-	1	-	-	-	-	-	-	-	1	-	-
Scarlet fever (meningococcus)-----8	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	3	-	-	-	1	1	-	-	-	-	-	-	1
Diphtheria-----10	1	-	-	-	-	-	-	-	-	-	-	-	1
Tuberculosis (all forms)-----15-22	497	39	41	51	35	50	48	47	32	43	54	42	35
Tuberculosis of respiratory system, etc.*-----15	455	38	39	49	33	45	42	40	30	38	32	37	32
Tuberculosis (other forms)-----14-22	42	1	2	2	2	5	6	7	2	5	2	5	3
Dysentery-----27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria-----28	2	-	1	-	-	1	-	-	-	-	-	-	-
Syphilis-----30	135	11	12	14	6	6	14	9	14	11	11	14	13
Measles-----35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----34	3	-	-	-	-	-	-	-	-	1	1	1	-
Cancer and other malignant tumors-----45-55	1,167	98	101	87	104	107	96	80	94	99	94	96	101
Cancer of the digestive organs and peritoneum-----46	477	39	41	36	47	37	42	29	42	41	45	42	38
Cancer of female genital organs-----48,49	157	17	16	10	14	13	15	14	14	10	11	10	13
Cancer of the breast-----50	116	10	14	11	14	9	6	9	9	7	10	6	11
Cancer (other sites)-----45,47,51-55	417	32	30	30	29	48	33	38	29	41	30	38	39
Acute rheumatic fever-----58	5	1	-	2	-	-	-	-	-	-	2	-	-
Diabetes mellitus-----61	213	18	15	19	17	11	15	16	20	14	22	19	26
Exophthalmic goiter-----63b	2	-	1	-	-	-	-	-	-	-	-	-	1
Pellagra (except alcoholic)-----69	1	-	1	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)-----77	19	-	1	3	2	-	3	3	3	1	3	-	-
Intracranial lesions of vascular origin-----85	595	53	49	62	33	47	43	50	56	39	53	53	55
Diseases of the heart-----90-95	2,380	220	206	235	217	193	170	176	154	170	207	205	229
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	108	10	12	10	12	11	6	10	5	6	9	9	8
Diseases of coronary arteries and angina pectoris-----94	649	62	53	49	56	54	47	58	46	52	54	49	70
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	1,623	148	141	176	149	128	117	108	103	112	144	146	151
Arteriosclerosis and high blood pressure*-----97,102	148	17	11	14	15	10	15	11	6	12	14	19	9
Pneumonia (all forms) and influenza-----107-109,33	294	35	30	40	24	18	20	13	17	17	23	17	40
Bronchopneumonia-----107	149	22	15	19	15	12	8	5	10	7	9	6	22
Lobar pneumonia-----108	118	9	11	17	7	5	11	8	4	9	13	10	14
Pneumonia (unspecified)-----109	24	3	3	5	2	1	1	-	3	1	1	1	3
Influenza-----33	1	1	-	-	-	-	-	-	-	-	-	-	1
Ulcer of stomach or duodenum-----117	50	1	5	4	3	7	5	3	6	1	5	6	4
Diarrhea, enteritis, etc.*-----119,120	50	9	8	8	8	5	2	1	3	1	1	1	2
Appendicitis-----121	25	2	4	4	2	1	4	-	1	-	2	4	1
Hernia and intestinal obstruction-----122	62	3	6	5	4	9	7	8	6	4	3	3	4
Cirrhosis of the liver-----124	135	13	7	17	13	13	11	8	7	10	11	14	11
Biliary calculi, etc.*-----126,127	35	4	4	2	2	4	1	1	2	2	2	6	6
Nephritis-----130-132	695	69	63	67	59	69	54	59	45	36	56	53	57
Diseases of the prostate-----137	37	-	2	5	-	3	-	4	4	5	4	6	2
Diseases of pregnancy, etc.*-----140-150	23	4	-	2	1	1	1	4	1	5	3	1	-
Puerperal septicemia-----140,142a,145A,147	10	1	-	1	1	-	-	1	1	4	1	-	-
Puerperal toxemia-----141a,c,144,148	5	1	-	1	-	-	-	1	1	1	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,145,146,149	6	1	-	-	-	1	1	-	-	-	1	1	-
Other puerperal causes-----141d,e,f,145B,150	2	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations-----157	90	9	7	3	6	11	5	6	11	6	5	15	6
Diseases peculiar to first year of life-----158-161	450	52	37	45	45	34	40	29	45	38	27	30	30
Premature birth-----159	275	35	19	29	25	20	19	19	29	23	20	19	19
Other diseases peculiar to first year of life-----158,160,161	175	17	19	14	20	14	21	10	16	15	7	11	11
Suicide-----163,164	111	6	5	13	15	9	12	8	4	11	7	13	8
Homicide-----165-168	74	8	4	5	7	6	9	5	6	9	8	8	4
Accidental deaths-----169-195	453	46	51	31	35	49	41	40	27	35	31	38	49
Motor-vehicle accidents-----170	103	4	8	6	9	14	8	11	5	9	5	11	13
Other accidents-----169,171-195	350	42	23	25	26	35	33	29	22	26	26	27	36
Senility, ill-defined and unknown causes-----162,199,200	19	3	2	-	2	4	1	2	-	2	-	1	2
All other causes-----	476	34	32	54	43	50	51	42	36	37	41	37	39

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1939 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA -----All causes	24,285	2,066	2,020	2,349	1,997	1,906	1,797	1,887	2,000	1,892	1,955	2,082	2,512
Typhoid and paratyphoid fever-----1,2	8	-	2	2	1	-	1	-	-	-	1	1	-
Cerebrospinal (meningococcus) meningitis-----6	20	2	2	-	4	1	4	2	-	2	2	-	1
Scarlet fever-----9	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	32	-	3	1	3	3	3	3	5	2	1	3	5
Diphtheria-----10	17	-	-	1	1	1	-	2	1	4	2	1	4
Tuberculosis (all forms)-----13-22	793	73	63	89	67	64	50	62	73	65	70	56	61
Tuberculosis of respiratory system, etc.*-----13	753	71	61	86	65	62	48	55	67	61	65	54	58
Tuberculosis (other forms)-----14-22	40	2	2	3	2	2	2	7	6	4	5	2	3
Dysentery-----27	15	-	1	-	-	1	3	-	1	5	1	1	1
Malaria-----28	8	1	-	1	-	1	-	1	-	2	-	1	1
Syphilis-----30	263	29	20	30	15	22	26	16	23	25	16	21	20
Measles-----35	3	-	-	-	1	2	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	7	2	-	1	-	-	1	-	-	-	1	1	1
Cancer and other malignant tumors-----45-55	2,703	252	195	235	218	207	213	225	232	230	235	228	233
Cancer of the digestive organs and peritoneum-----46	1,002	80	84	95	81	87	83	76	91	71	82	82	90
Cancer of female genital organs-----48,49	362	44	23	36	23	29	27	26	35	41	39	34	26
Cancer of the breast-----50	222	25	15	19	16	19	26	17	18	19	23	10	14
Cancer (other sites)-----45,47,51-55	1,097	103	73	86	96	72	77	106	88	99	92	102	103
Acute rheumatic fever-----58	17	1	-	-	3	3	2	-	1	2	2	-	3
Diabetes mellitus-----61	456	37	39	48	47	46	37	26	44	32	29	28	42
Exophthalmic goiter-----63b	22	2	1	2	1	1	-	1	1	3	3	5	1
Pellagra (except alcoholic)-----69	14	-	5	-	2	2	-	-	-	-	1	1	2
Alcoholism (ethylism)-----77	39	6	4	2	5	1	4	2	3	5	3	3	3
Intracranial lesions of vascular origin-----83	2,493	207	229	243	188	186	189	212	193	199	183	240	225
Diseases of the heart-----90-95	6,481	548	559	628	540	518	459	451	514	510	558	570	626
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	295	27	23	32	21	29	23	18	20	21	26	26	29
Diseases of coronary arteries and angina pectoris-----94	2,530	198	199	246	216	195	177	200	207	214	225	223	230
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	3,656	323	337	350	303	294	259	233	287	275	307	321	367
Arteriosclerosis and high blood pressure*-----97,102	346	28	37	36	27	26	24	21	28	29	23	28	39
Pneumonia (all forms) and influenza-----107-109,33	989	102	96	141	106	67	54	46	68	61	57	73	118
Bronchopneumonia-----107	395	41	30	47	31	27	17	17	29	30	29	34	53
Lobar pneumonia-----108	313	35	29	41	35	18	21	17	23	24	20	18	32
Pneumonia (unspecified)-----109	128	15	16	17	9	10	9	8	12	5	6	8	13
Influenza-----33	163	11	21	36	31	12	7	4	2	2	13	20	20
Ulcer of stomach or duodenum-----117	148	17	11	14	11	13	11	12	7	12	12	11	17
Diarrhea, enteritis, etc.*-----119,120	134	12	14	14	8	14	11	11	13	8	7	10	14
Appendicitis-----121	109	11	14	8	11	4	10	12	11	8	10	8	2
Hernia and intestinal obstruction-----122	235	27	15	23	17	22	15	24	22	18	14	21	17
Cirrhosis of the liver-----124	289	20	18	23	23	23	22	26	22	16	20	23	22
Biliary calculi, etc.*-----126,127	62	4	6	9	5	3	4	3	4	6	9	8	1
Nephritis-----130-132	1,591	143	141	180	126	145	110	116	125	96	117	139	148
Diseases of the prostate-----137	131	9	6	14	8	8	15	15	9	7	15	10	15
Diseases of pregnancy, etc.*-----140-150	133	9	8	11	10	14	11	12	10	10	12	15	11
Puerperal septicemia-----140,142a,145a,147	51	5	3	4	7	6	6	6	2	4	2	3	3
Puerperal toxemia-----141a,c,144,148	34	3	3	3	1	2	2	4	4	3	4	3	2
Hemorrhage, trauma or shock*-----141b,142b,143,146,148	17	-	1	1	1	5	3	2	1	3	5	6	3
Other puerperal causes-----141d,e,f,145B,150	1	1	1	3	1	1	-	3	-	1	1	3	3
Congenital malformations-----157	337	38	22	33	21	25	25	27	28	28	32	29	29
Diseases peculiar to first year of life-----158-161	1,321	93	92	95	118	87	109	109	132	116	122	126	123
Premature birth-----159	859	54	58	63	82	49	70	72	101	73	80	83	74
Other diseases peculiar to first year of life-----158,160,161	482	39	34	32	36	38	39	36	31	43	42	43	49
Suicide-----163,164	289	17	24	23	21	28	25	29	29	15	22	32	34
Homicide-----165-169	387	32	21	50	29	24	27	28	32	45	30	21	48
Accidental deaths-----169-195	1,957	155	164	163	171	161	183	197	162	145	152	141	183
Motor-vehicle accidents-----170	722	56	47	55	53	72	48	72	60	55	58	69	77
Other accidents-----169,171-195	1,235	99	117	108	118	89	115	125	102	90	94	72	106
Senility, ill-defined and unknown causes-----182,189,200	926	75	89	106	85	51	53	76	74	75	65	90	108
All other causes-----	1,850	134	120	142	125	131	117	116	133	109	123	136	157
GEORGIA -----All causes	28,946	2,383	2,452	2,869	2,484	2,417	2,283	2,199	2,226	2,153	2,337	2,432	2,711
Typhoid and paratyphoid fever-----1,2	9	-	-	-	1	-	-	-	-	2	3	1	-
Cerebrospinal (meningococcus) meningitis-----6	20	3	-	3	3	2	2	3	-	1	1	-	1
Scarlet fever-----8	1	-	-	-	-	-	-	-	-	1	-	-	-
Whooping cough-----9	95	6	8	9	5	10	12	8	11	11	6	3	6
Diphtheria-----10	43	1	4	6	-	-	1	-	2	4	3	14	8
Tuberculosis (all forms)-----13-22	1,054	102	80	80	108	82	87	78	83	70	98	102	88
Tuberculosis of respiratory system, etc.*-----13	966	96	75	74	92	76	77	78	78	63	91	90	75
Tuberculosis (other forms)-----14-22	88	6	5	6	14	6	8	1	5	7	7	12	11
Dysentery-----27	20	2	-	-	2	3	2	1	-	2	2	4	2
Malaria-----28	12	-	-	-	2	1	2	4	2	1	-	-	-
Syphilis-----30	336	31	31	33	23	40	27	23	23	21	22	30	32
Measles-----35	16	3	2	1	4	5	-	-	-	-	-	-	1
Poliomyelitis, poliomyelitis (acute)-----36	3	-	-	-	-	-	-	-	1	-	1	-	1
Cancer and other malignant tumors-----45-55	2,707	205	189	232	218	243	237	224	215	227	234	242	241
Cancer of the digestive organs and peritoneum-----46	974	83	66	88	67	89	77	73	78	88	82	69	94
Cancer of female genital organs-----48,49	462	43	37	40	44	44	46	35	32	47	40	42	32
Cancer of the breast-----50	233	18	17	17	19	21	20	12	20	25	28	22	14
Cancer (other sites)-----45,47,51-55	1,018	61	69	87	86	89	94	104	85	67	64	69	101
Acute rheumatic fever-----58	31	1	4	4	1	3	-	3	1	3	4	3	4
Diabetes mellitus-----61	449	44	31	41	38	31	35	35	37	30	41	36	50
Exophthalmic goiter-----63b	30	3	1	-	4	2	5	1	2	1	1	6	4
Pellagra (except alcoholic)-----69	100	6	11	10	11	6	15	6	7	7	7	5	8
Alcoholism (ethylism)-----77	59	5	6	3	2	3	8	4	6	5	5	3	9
Intracranial lesions of vascular origin-----83	3,320	262	281	326	265	296	239	225	236	257	309	292	330
Diseases of the heart-----90-95	6,795	548	554	682	563	537	560	517	539	503	549	569	672
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	338	31	18	49	34	27	22	25	19	24	26	29	34
Diseases of coronary arteries and angina pectoris-----94	2,183	169	192	184	172	171	196	165	191	155	178	187	224
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,272	349	344	449	357	339	342	327	329	324	345	353	414
Arteriosclerosis and high blood pressure*-----97,102	415	37	37	45	35	28	23	37	31	33	41	36	42

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947-Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA-Continued													
Pneumonia (all forms) and influenza-----107-109,33	1,645	166	208	272	216	110	76	53	56	64	95	136	195
Bronchopneumonia-----107	567	62	68	71	64	33	30	25	27	25	31	65	67
Lobar pneumonia-----108	520	46	70	81	64	41	26	15	18	24	36	39	60
Pneumonia (unspecified)-----109	212	29	32	31	17	7	8	11	8	7	16	12	34
Influenza-----33	346	29	38	89	72	29	12	4	3	8	10	20	32
Ulcer of stomach or duodenum-----117	166	13	15	18	7	15	14	21	17	15	4	9	18
Diarrhea, enteritis, etc.*-----119,120	171	13	11	20	5	14	16	18	15	20	16	12	11
Appendicitis-----121	125	7	10	7	4	11	11	12	15	13	12	9	14
Hernia and intestinal obstruction-----122	236	25	16	11	35	22	13	24	17	22	16	19	14
Cirrhosis of the liver-----124	211	20	19	21	17	23	13	14	13	17	18	21	15
Biliary calculi, etc.*-----126,127	70	6	5	5	3	3	9	7	8	3	6	4	11
Nephritis-----130-132	2,539	191	238	261	246	203	215	194	171	181	194	220	227
Diseases of the prostate-----137	145	12	11	15	17	12	10	11	15	15	9	10	10
Diseases of pregnancy, etc.*-----140-150	241	13	18	14	30	17	24	26	30	20	18	15	16
Puerperal septicaemia-----140,142a,145A,147	77	6	7	2	8	3	8	9	9	8	4	6	7
Puerperal toxemia-----141a,c,144,148	85	-	5	9	9	6	13	12	8	7	6	5	5
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	57	4	5	3	8	5	2	4	10	3	7	3	3
Other puerperal causes-----141d,e,f,145B,150	22	3	1	-	5	3	1	1	3	2	1	1	1
Congenital malformations-----157	362	50	28	37	25	34	31	29	34	27	31	21	34
Diseases peculiar to first year of life-----158-161	1,650	144	100	147	121	161	135	141	160	150	141	128	122
Premature birth-----159	1,018	89	65	92	74	99	92	94	96	91	78	76	82
Other diseases peculiar to first year of life-----158,160,161	632	55	35	65	47	62	43	47	64	59	63	52	40
Suicide-----165,164	240	12	16	21	22	22	22	19	21	19	20	21	25
Homicide-----165-168	504	27	41	50	47	53	45	54	35	54	32	35	33
Accidental deaths-----169-195	2,146	165	204	188	168	191	173	175	200	181	171	163	198
Motor-vehicle accidents-----170	797	59	67	66	61	74	64	65	87	76	68	59	64
Other accidents-----169,171-195	1,349	108	137	122	105	117	109	120	113	75	105	104	134
Senility, ill-defined and unknown causes-----162,199,200	1,165	106	116	132	96	98	85	79	75	79	91	108	110
All other causes-----	1,817	173	156	177	144	143	140	152	148	135	133	154	162
IDAHO-----All causes													
	4,780	443	371	458	372	418	368	414	375	372	398	417	394
Typhoid and paratyphoid fever-----1,2	1	-	1	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (meningococcus)-----8	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	4	1	1	-	-	1	-	-	-	-	-	-	1
-----10	4	1	1	1	-	-	-	1	-	-	-	-	-
(11 forms)-----13-22	71	3	7	9	7	8	10	3	5	5	5	5	4
Respiratory system, etc.*-----13	59	3	7	8	5	6	10	3	2	4	4	4	3
Tuberculosis (other forms)-----14-22	12	-	-	1	2	2	-	-	3	1	1	1	1
Dysentery-----27	3	-	-	1	-	-	-	-	-	-	-	-	2
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	20	1	1	2	1	4	-	3	2	1	1	2	2
Measles-----35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	17	-	1	-	-	-	-	2	1	1	-	9	3
Cancer and other malignant tumors-----45-55	567	64	38	48	42	55	50	43	41	45	53	46	42
Cancer of the digestive organs and peritoneum-----46	233	27	19	23	15	26	23	18	18	14	16	17	17
Cancer of female genital organs-----48,49	61	5	5	3	7	2	4	4	3	8	9	5	8
Cancer of the breast-----50	53	10	1	2	3	3	5	2	8	5	5	7	2
Cancer (other sites)-----45,47,51-55	220	22	13	20	17	24	18	12	18	23	17	17	17
Acute rheumatic fever-----58	4	1	1	-	-	-	-	1	-	-	-	-	1
Diabetes mellitus-----61	103	9	8	9	8	13	2	9	10	12	7	11	5
Exophthalmic goiter-----63b	8	-	-	1	4	-	-	-	1	-	1	-	1
Pellagra (except alcoholic)-----69	12	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylish)-----77	12	-	2	-	-	2	-	1	3	1	1	1	-
Intracranial lesions of vascular origin-----83	410	43	38	34	29	39	31	27	36	32	23	36	42
Diseases of the heart-----90-95	1,355	122	118	120	113	120	105	105	96	109	112	112	123
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	90	9	6	7	10	9	7	11	7	5	6	4	9
Diseases of coronary arteries and angina pectoris-----94	498	44	46	50	39	47	41	34	39	42	35	45	45
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	767	69	66	63	64	74	52	53	55	65	64	73	69
Arteriosclerosis and high blood pressure*-----97,102	73	8	7	6	9	7	2	6	8	4	6	5	5
Pneumonia (all forms) and influenza-----107-109,33	194	27	28	24	20	12	6	11	10	6	12	18	20
Bronchopneumonia-----107	63	13	11	5	8	2	2	3	6	2	3	5	3
Lobar pneumonia-----108	51	7	7	7	5	2	3	3	1	3	5	8	8
Pneumonia (unspecified)-----109	51	6	6	5	5	5	2	4	-	3	5	4	6
Influenza-----33	29	1	4	7	2	3	2	1	1	-	1	4	3
Ulcer of stomach or duodenum-----117	31	1	4	3	4	2	5	2	-	-	3	3	4
Diarrhea, enteritis, etc.*-----119,120	22	4	1	-	1	3	5	2	1	1	3	1	2
Appendicitis-----121	24	1	1	4	1	-	-	5	4	3	1	2	2
Hernia and intestinal obstruction-----122	38	3	4	1	7	6	4	3	1	2	2	4	1
Cirrhosis of the liver-----124	20	-	2	1	3	1	3	-	5	2	2	1	-
Biliary calculi, etc.*-----126,127	25	1	1	7	2	1	2	2	3	1	2	-	3
Nephritis-----130-132	23	27	22	33	25	22	21	36	20	16	28	38	25
Diseases of the prostate-----137	515	-	-	3	1	3	4	1	1	-	1	8	1
Diseases of pregnancy, etc.*-----140-150	16	2	2	-	2	1	2	1	2	1	-	-	3
Puerperal septicaemia-----140,142a,145A,147	1	1	-	-	-	-	-	-	-	-	-	-	-
Puerperal toxemia-----141a,c,144,148	6	-	-	-	1	1	-	1	2	1	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	6	1	1	-	1	-	2	-	-	-	-	-	1
Other puerperal causes-----141d,e,f,145B,150	3	-	1	-	-	-	-	-	-	-	-	-	2
Congenital malformations-----157	83	6	4	9	4	6	4	11	6	9	9	8	7
Diseases peculiar to first year of life-----158-161	269	24	14	26	22	28	27	25	25	27	28	24	18
Premature birth-----159	167	17	10	15	13	19	17	20	15	17	17	12	15
Other diseases peculiar to first year of life-----158,160,161	102	7	4	11	9	9	10	5	10	10	12	12	3
Suicide-----165,164	74	7	5	9	4	11	4	5	4	7	5	4	9
Homicide-----165-168	17	3	1	1	1	2	-	3	1	2	2	-	1
Accidental deaths-----169-195	511	34	27	39	34	41	50	59	56	51	46	42	33
Motor-vehicle accidents-----170	187	10	11	18	13	16	18	17	16	24	18	12	14
Other accidents-----169,171-195	324	24	16	20	21	25	32	42	40	27	29	30	19
Senility, ill-defined and unknown causes-----162,199,200	152	18	9	22	9	8	8	18	15	4	12	12	17
All other causes-----	294	30	22	26	19	22	25	28	20	28	32	25	17

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS -----all causes	93,686	8,362	7,563	8,844	7,973	7,717	7,236	7,093	8,284	6,509	7,418	7,541	8,146
Typhoid and paratyphoid fever-----1,2	11	-	-	-	-	4	2	1	2	1	-	1	-
Cerebrospinal (meningococcus) meningitis-----6	48	4	6	11	5	4	3	2	3	-	2	3	5
Scarlet fever-----8	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough-----9	45	4	10	4	4	2	6	3	3	3	2	1	3
Diphtheria-----10	11	1	1	2	2	2	-	-	-	-	2	1	-
Tuberculosis (all forms)-----13-22	2,842	239	196	305	290	251	230	217	272	214	191	223	224
Tuberculosis of respiratory system, etc.*-----15	2,628	223	182	277	254	231	222	202	244	196	179	210	206
Tuberculosis (other forms)-----14-22	214	16	14	28	26	20	8	15	28	16	12	13	18
Dysentery-----27	23	1	1	3	1	1	1	1	2	2	3	3	4
Malaria-----28	6	1	1	-	-	-	-	1	1	-	1	-	1
Syphilis-----30	676	49	60	69	67	52	45	59	73	50	52	52	48
Measles-----35	8	3	1	-	-	-	-	-	1	1	-	-	2
Poliomyelitis, poliomyelitis (acute)-----36	29	3	-	-	1	-	1	1	4	11	4	2	2
Cancer and other malignant tumors-----45-55	13,536	1,128	1,050	1,198	1,098	1,153	1,108	1,163	1,141	1,038	1,165	1,111	1,186
Cancer of the digestive organs and peritoneum-----46	6,171	514	464	540	499	511	516	532	510	477	537	537	534
Cancer of female genital organs-----48,49	1,604	137	126	129	122	133	158	131	139	118	143	117	151
Cancer of the breast-----50	1,275	118	98	128	96	122	79	106	112	95	115	95	111
Cancer (other sites)-----45,47,51-55	4,486	359	362	403	391	387	355	392	390	345	370	362	390
Acute rheumatic fever-----58	50	4	2	4	2	4	4	8	1	2	1	7	11
Diabetes mellitus-----61	2,792	244	234	297	239	223	209	200	242	187	269	205	244
Exophthalmic goiter-----63b	179	14	16	21	19	12	16	15	13	11	12	10	20
Pellagra (except alcoholic)-----69	4	-	-	-	-	1	1	-	1	1	-	-	-
Alcoholism (ethylism)-----77	75	9	5	3	6	12	3	3	14	3	6	6	6
Intracranial lesions of vascular origin-----83	7,557	679	648	781	841	813	546	589	676	495	580	629	682
Diseases of the heart-----90-95	34,549	3,135	2,862	3,802	2,939	2,881	2,693	2,444	2,986	2,277	2,695	2,786	3,051
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	1,632	159	121	192	147	150	133	114	149	109	114	133	131
Diseases of coronary arteries and angina pectoris-----94	8,622	730	711	848	887	702	699	683	728	651	695	737	751
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	24,275	2,246	2,030	2,762	2,105	2,029	1,861	1,647	2,109	1,517	1,884	1,916	2,169
Arteriosclerosis and high blood pressure*-----97,102	1,503	151	128	167	138	108	118	103	151	81	141	100	119
Pneumonia (all forms) and influenza-----107-109,33	3,326	349	339	620	328	220	216	153	196	158	223	230	312
Bronchopneumonia-----107	1,759	203	164	239	142	122	125	99	135	87	125	129	169
Lobar pneumonia-----108	1,243	115	129	270	129	83	83	48	51	45	82	85	125
Pneumonia (unspecified)-----109	77	8	8	13	7	4	3	4	9	2	6	6	5
Influenza-----33	247	23	18	98	50	11	7	2	1	4	8	12	13
Ulcer of stomach or duodenum-----117	620	59	35	50	62	46	53	36	48	43	61	56	71
Diarrhea, enteritis, etc.*-----119,120	293	31	32	28	32	23	22	19	22	25	16	16	17
Appendicitis-----121	315	22	16	27	29	23	28	28	42	25	25	25	21
Hernia and intestinal obstruction-----122	723	65	52	64	58	55	57	63	76	61	55	68	49
Cirrhosis of the liver-----124	1,158	93	78	112	111	67	87	96	95	91	105	102	99
Biliary calculi, etc.*-----126,127	501	43	40	36	29	44	28	40	57	42	52	39	51
Nephritis-----130-132	5,290	510	453	550	487	427	393	412	417	374	369	445	453
Diseases of the prostate-----137	592	59	45	46	47	59	60	53	41	42	48	37	55
Diseases of pregnancy, etc.*-----140-150	204	24	17	18	16	15	20	22	8	17	15	19	13
Puerperal septicemia-----140,142a,145a,147	71	8	7	10	5	5	5	9	4	5	5	4	4
Puerperal toxemia-----141a,c,144,148	50	7	5	4	4	4	4	3	2	6	6	3	2
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	66	7	5	2	6	6	7	9	2	5	3	9	5
Other puerperal causes-----141d,e,f,145b,150	17	2	-	2	1	-	4	1	-	1	1	3	2
Congenital malformations-----157	1,246	133	103	111	105	93	103	97	109	110	95	89	98
Disease peculiar to first year of life-----158-161	3,280	301	253	297	290	296	262	248	333	249	261	239	251
Premature birth-----159	1,991	178	146	166	172	168	158	147	203	151	168	138	156
Other diseases peculiar to first year of life-----156,160,161	1,289	123	107	111	118	108	104	101	130	98	93	101	95
Suicides-----163,164	949	76	60	66	78	90	62	91	84	89	74	65	65
Homicides-----165-168	408	36	29	31	27	36	32	34	40	32	49	36	26
Accidental deaths-----169-195	5,957	474	409	612	447	464	434	509	663	452	470	513	510
Motor-vehicle accidents-----170	1,982	149	128	161	150	145	124	179	186	163	197	206	196
Other accidents-----169,171-195	3,975	325	285	451	297	319	310	330	477	289	273	307	314
Senility, ill-defined and unknown causes-----162,199,200	464	31	33	42	37	22	37	27	39	35	27	41	93
All other causes-----	4,435	387	352	447	347	394	350	350	421	315	346	372	354
INDIANA -----all causes	40,567	3,459	3,342	4,245	3,489	3,353	3,141	3,138	3,320	2,928	3,207	3,252	3,693
Typhoid and paratyphoid fever-----1,2	2	1	1	-	-	-	-	1	3	2	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	8	3	1	5	1	2	1	-	-	-	2	3	3
Scarlet fever-----8	7	2	1	1	1	-	1	-	-	-	1	-	-
Whooping cough-----9	53	6	2	3	5	5	4	7	5	3	5	5	3
Diphtheria-----10	18	4	3	2	-	1	1	-	-	-	2	4	1
Tuberculosis (all forms)-----13-22	1,083	89	98	122	83	88	88	93	100	80	94	64	86
Tuberculosis of respiratory system, etc.*-----13	972	82	92	107	75	85	77	84	86	73	81	55	75
Tuberculosis (other forms)-----14-22	111	7	6	15	8	3	9	9	14	7	13	9	11
Dysentery-----27	14	-	2	4	-	-	-	3	3	-	1	-	1
Malaria-----28	1	-	-	-	-	-	-	1	-	-	-	-	-
Syphilis-----30	390	26	30	46	36	39	32	31	36	24	32	34	25
Measles-----35	8	-	-	2	-	3	1	2	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	15	1	-	-	1	-	-	3	2	3	3	1	1
Cancer and other malignant tumors-----45-55	5,031	409	377	429	425	420	399	427	415	419	417	453	441
Cancer of the digestive organs and peritoneum-----46	2,267	187	147	201	196	200	165	205	177	186	181	195	206
Cancer of female genital organs-----48,49	583	57	38	52	47	50	45	44	54	41	46	61	48
Cancer of the breast-----50	471	30	57	42	43	39	41	39	33	35	33	41	39
Cancer (other sites)-----45,47,51-55	1,710	135	135	134	139	131	128	139	151	157	157	156	149
Acute rheumatic fever-----58	25	4	1	2	4	2	1	3	-	-	4	-	4
Diabetes mellitus-----61	1,018	79	95	109	89	80	78	85	78	84	78	88	82
Exophthalmic goiter-----63b	68	10	7	10	6	7	8	8	4	2	8	9	9
Pellagra (except alcoholic)-----69	6	-	-	2	1	1	-	1	-	1	-	-	-
Alcoholism (ethylism)-----77	54	4	5	7	3	7	4	4	4	6	2	1	7
Intracranial lesions of vascular origin-----83	4,268	353	335	393	397	396	325	321	349	285	320	377	417
Diseases of the heart-----90-95	12,539	1,099	1,062	1,366	1,071	1,024	1,009	937	957	820	1,002	1,024	1,177
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	698	54	76	73	55	64	54	52	54	48	45	57	65
Diseases of coronary arteries and angina pectoris-----94	4,775	395	387	493	392	403	404	349	364	332	403	399	454
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	7,067	650	599	800	626	557	551	536	539	440	553	559	650
Arteriosclerosis and high blood pressure*-----97,102	1,114	105	95	124	98	104	80	80	82	64	74	89	99

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947-Continued
(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA--Continued													
Pneumonia (all forms) and influenza-----107-109,33	1,680	178	186	393	191	95	75	64	73	86	100	100	179
Bronchopneumonia-----107	651	69	80	126	56	44	36	32	31	28	41	39	69
Lobar pneumonia-----108	519	64	59	105	44	34	23	22	21	34	36	57	26
Pneumonia (unspecified)-----109	210	28	28	24	22	7	10	8	12	9	17	19	26
Influenza-----33	320	17	19	140	69	10	6	2	8	8	6	6	27
Ulcer of stomach or duodenum-----117	204	17	20	18	12	14	13	17	19	16	21	22	15
Diarrhea, enteritis, etc.*-----119,120	197	12	24	21	19	9	14	14	24	20	16	10	15
Appendicitis-----121	124	6	9	10	13	9	11	14	14	11	11	8	8
Hernia and intestinal obstruction-----122	266	21	18	21	21	27	22	29	29	18	19	18	25
Cirrhosis of the liver-----124	373	38	31	39	24	27	27	25	37	33	32	36	34
Biliary calculi, etc.*-----126,127	191	21	16	28	9	14	18	14	17	5	14	20	15
Nephritis-----130-132	3,014	262	253	294	284	261	253	219	260	215	222	227	264
Diseases of the prostate-----137	161	14	18	12	13	13	14	15	10	15	22	10	7
Diseases of pregnancy, etc.*-----140-150	105	10	5	8	6	11	7	12	12	11	1	11	11
Puerperal septicemia-----140,142a,145A,147	41	4	3	3	3	5	5	5	3	5	1	1	3
Puerperal toxemia-----141a,c,144,148	27	3	1	2	1	5	1	1	5	3	-	2	3
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	28	3	-	1	2	1	1	4	3	1	-	8	4
Other puerperal causes-----141d,e,f,145B,150	9	-	1	2	-	-	-	2	1	2	-	-	1
Congenital malformations-----157	554	49	58	55	55	47	30	39	37	36	49	45	54
Diseases peculiar to first year of life-----158-161	1,661	156	117	123	110	144	143	159	147	154	139	126	144
Premature birth-----159	1,076	97	78	73	70	88	101	112	96	103	84	80	94
Other diseases peculiar to first year of life-----158,160,161	585	59	39	50	40	56	42	47	51	51	54	46	50
Suicide-----163,164	483	37	30	42	50	48	34	45	46	44	37	34	36
Homicide-----165-168	144	16	8	17	11	6	7	13	14	17	11	7	17
Accidental deaths-----169-195	2,984	235	241	268	219	250	232	246	307	233	245	227	279
Motor-vehicle accidents-----170	1,123	83	94	89	73	95	81	101	101	102	101	96	108
Other accidents-----169,171-195	1,861	152	147	180	146	155	151	147	206	131	144	131	171
Semility, ill-defined and unknown causes-----162,199,200	381	29	36	39	40	28	23	31	34	26	27	30	38
All other causes-----	2,285	163	177	230	193	172	193	176	212	197	197	179	196
IOWA-----All causes													
	26,184	2,410	2,020	2,868	2,360	2,236	2,229	2,081	2,317	1,610	2,038	2,146	2,279
Typhoid and paratyphoid fever-----1,2	1	-	-	-	-	-	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis-----1,6	15	1	2	1	4	-	-	1	1	-	2	3	-
Scarlet fever-----1,8	4	1	-	1	2	-	-	-	-	-	-	-	-
Whooping cough-----9	34	1	-	4	1	6	8	3	3	1	2	1	4
Diphtheria-----10	5	-	-	1	-	-	1	-	-	-	1	1	-
Tuberculosis (all forms)-----13-22	307	27	20	34	28	26	43	21	21	20	32	13	22
Tuberculosis of respiratory system, etc.*-----13	287	26	19	31	25	25	39	20	19	19	30	12	22
Tuberculosis (other forms)-----14-22	20	1	1	3	3	1	4	1	2	1	2	1	-
Dysentery-----27	9	-	-	1	3	1	-	-	1	-	2	-	1
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	168	15	14	14	24	16	10	8	24	9	11	8	15
Measles-----35	4	1	-	-	1	2	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	8	-	1	-	-	-	-	-	2	3	-	-	2
Cancer and other malignant tumors-----45-55	3,790	344	280	324	290	317	345	345	345	271	326	288	315
Cancer of the digestive organs and peritoneum-----46	1,674	146	117	139	119	145	155	164	155	151	140	124	136
Cancer of female genital organs-----48,49	413	42	32	29	36	30	35	36	58	23	44	36	32
Cancer of the breast-----50	393	31	32	46	29	32	37	32	27	26	29	33	39
Cancer (other sites)-----45,47,51-55	1,310	123	99	111	106	110	118	113	125	91	113	85	106
Acute rheumatic fever-----59	11	2	-	1	3	4	-	-	-	-	-	-	1
Diabetes mellitus-----61	679	56	43	79	64	58	55	59	49	48	53	69	46
Exophthalmic goiter-----62b	70	6	7	11	6	10	6	5	6	4	5	2	2
Pellagra (except alcoholic)-----69	1	-	-	-	-	-	-	-	-	-	-	-	1
Alcoholism (ethyilism)-----77	24	4	1	3	1	2	2	2	1	1	2	3	2
Intracranial lesions of vascular origin-----83	3,074	249	253	282	283	274	255	241	275	210	241	251	260
Diseases of the heart-----90-95	8,612	786	669	887	771	750	731	663	663	571	626	730	785
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	469	30	38	51	53	41	26	46	40	23	40	45	36
Diseases of coronary arteries and angina pectoris-----94	3,572	323	295	339	314	316	330	257	252	280	247	303	316
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	4,571	433	336	497	404	393	375	360	371	268	339	382	413
Arteriosclerosis and high blood pressure*-----97,102	561	52	33	49	44	39	40	52	72	34	36	44	86
Pneumonia (all forms) and influenza-----107-109,33	997	132	95	161	132	69	49	34	63	33	61	77	91
Bronchopneumonia-----107	529	52	45	83	41	35	23	12	38	16	30	44	42
Lobar pneumonia-----108	341	55	37	48	36	17	17	11	24	12	19	28	37
Pneumonia (unspecified)-----109	56	10	5	6	6	3	2	8	1	5	7	-	3
Influenza-----33	171	15	10	54	49	14	7	3	-	-	5	5	9
Ulcer of stomach or duodenum-----117	147	11	10	16	13	10	14	10	11	15	13	14	14
Diarrhea, enteritis, etc.*-----119,120	123	12	10	10	15	16	15	4	7	1	14	9	10
Appendicitis-----121	104	9	5	6	9	9	10	7	11	14	8	12	4
Hernia and intestinal obstruction-----122	199	24	16	17	20	20	16	18	13	14	10	23	8
Cirrhosis of the liver-----124	153	13	13	15	11	20	10	16	16	3	12	9	15
Biliary calculi, etc.*-----126,127	157	12	10	12	16	12	10	16	27	13	10	9	8
Nephritis-----130-132	1,317	133	101	149	125	99	113	92	111	84	95	97	118
Diseases of the prostate-----137	204	15	22	16	19	11	16	21	13	12	19	17	21
Diseases of pregnancy, etc.*-----140-150	59	8	4	5	9	1	5	1	9	9	2	4	2
Puerperal septicemia-----140,142a,145A,147	20	1	1	1	4	-	1	-	4	5	-	3	-
Puerperal toxemia-----141a,c,144,148	12	2	1	4	1	-	1	-	2	-	-	-	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	24	5	2	-	3	1	3	1	3	2	2	1	1
Other puerperal causes-----141d,e,f,145B,150	3	-	-	-	1	-	-	-	-	2	-	-	-
Congenital malformations-----157	372	39	27	27	38	36	34	28	37	22	28	23	34
Diseases peculiar to first year of life-----158-161	1,092	83	61	109	73	105	90	91	118	75	82	90	95
Premature birth-----159	669	51	50	66	48	70	55	59	69	39	50	57	55
Other diseases peculiar to first year of life-----158,160,161	424	32	31	43	25	35	35	33	49	36	32	33	40
Suicide-----163,164	376	23	22	26	42	40	33	45	21	34	34	31	25
Homicide-----165-168	48	3	3	4	2	7	5	3	5	5	3	3	5
Accidental deaths-----169-195	1,996	167	137	139	130	147	122	143	230	140	160	177	168
Motor-vehicle accidents-----170	866	49	37	31	36	43	39	33	68	56	47	71	56
Other accidents-----169,171-195	1,350	118	100	104	94	104	123	110	162	84	113	106	112
Semility, ill-defined and unknown causes-----162,199,200	329	28	30	36	27	26	23	19	34	27	23	31	25
All other causes-----	1,534	154	111	132	142	103	130	128	129	140	123	108	134

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1939 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS -----All causes	18,700	1,715	1,556	1,942	1,467	1,478	1,410	1,548	1,543	1,283	1,490	1,568	1,702
Typhoid and paratyphoid fever-----1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	13	1	1	2	2	1	1	1	1	1	1	1	1
Scarlet fever-----8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	19	3	-	2	-	3	2	6	-	-	-	1	2
Diphtheria-----10	4	2	-	-	-	-	-	-	-	-	-	1	1
Tuberculosis (all forms)-----13-22	322	27	26	41	31	31	25	28	23	19	21	26	23
Tuberculosis of respiratory system, etc.*-----13	296	25	24	39	28	28	24	28	19	17	20	24	22
Tuberculosis (other forms)-----14-22	24	2	2	2	3	3	1	1	4	2	1	2	1
Dysentery-----27	4	-	-	-	-	1	-	1	1	-	1	-	-
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	146	9	15	16	6	12	14	14	14	6	8	19	13
Measles-----35	1	1	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	9	1	-	-	-	-	-	-	2	1	3	1	1
Cancer and other malignant tumors-----45-55	2,405	192	203	225	186	184	190	218	196	160	228	208	193
Cancer of the digestive organs and peritoneum-----45	1,013	87	80	97	82	84	85	93	92	60	91	86	76
Cancer of female genital organs-----48,49	314	20	28	31	28	28	25	28	21	26	28	22	28
Cancer of the breast-----50	246	19	14	23	25	18	19	22	15	18	21	29	20
Cancer (other sites)-----45,47,51-55	832	66	81	68	53	56	61	74	70	75	89	71	69
Acute rheumatic fever-----58	12	2	1	2	-	1	-	1	1	-	-	1	3
Diabetes mellitus-----61	481	45	30	53	39	46	29	39	33	41	39	47	43
Exophthalmic goiter-----63b	31	4	3	3	1	2	2	5	1	2	4	1	3
Pellagra (except alcoholic)-----69	6	-	-	1	-	-	-	2	1	-	1	1	-
Alcoholism (ethylism)-----77	10	2	1	-	-	1	1	-	-	-	1	3	1
Intracranial lesions of vascular origin-----85	2,119	192	169	208	151	159	167	176	197	144	172	175	209
Diseases of the heart-----90-95	5,819	545	478	638	464	453	446	452	444	387	444	480	588
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	268	27	23	33	21	16	15	16	20	18	18	30	19
Diseases of coronary arteries and angina pectoris-----94	2,402	215	197	237	185	195	194	211	175	157	191	199	256
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	3,149	303	258	368	258	242	247	211	255	210	235	251	313
Arteriosclerosis and high blood pressure*-----97,102	413	40	41	30	36	35	33	26	45	22	28	37	39
Pneumonia (all forms) and influenza-----107-109,53	735	103	70	164	71	37	19	30	35	28	46	54	78
Bronchopneumonia-----107	317	57	25	44	28	13	12	13	13	13	24	31	39
Lobar pneumonia-----108	198	23	22	37	15	8	6	11	11	8	16	15	26
Pneumonia (unspecified)-----109	57	7	9	13	9	4	1	3	2	1	1	3	4
Influenza-----53	163	16	14	70	19	12	-	3	4	6	5	5	9
Ulcer of stomach or duodenum-----117	105	9	13	12	7	7	7	6	6	4	6	13	11
Diarrhea, enteritis, etc.*-----119,120	75	5	7	11	7	14	5	5	5	4	4	4	3
Appendicitis-----121	81	6	3	12	6	6	5	7	9	11	2	8	4
Hernia and intestinal obstruction-----122	169	13	11	15	17	6	15	13	20	16	13	16	12
Cirrhosis of the liver-----124	122	17	9	16	8	13	7	12	5	6	9	8	12
Biliary calculi, etc.*-----126,127	104	9	8	8	8	6	6	12	7	9	14	7	10
Nephritis-----130-132	1,245	132	108	110	90	96	103	99	106	99	95	109	105
Diseases of the prostate-----137	131	11	10	11	6	11	10	7	14	11	15	18	7
Diseases of pregnancy, etc.*-----140-150	46	6	2	5	4	6	1	5	1	1	5	6	4
Puerperal septicaemia-----140,142a,145A,147	14	1	-	1	-	1	-	2	-	1	2	4	2
Puerperal toxemia-----141a,c,144,146	12	-	1	-	1	1	1	3	-	-	2	2	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	11	2	-	4	2	1	-	-	-	-	1	-	1
Other puerperal causes-----141d,e,f,145B,150	9	3	1	-	1	3	-	-	1	-	-	-	-
Congenital malformations-----157	242	17	22	18	23	25	21	26	23	16	16	16	15
Diseases peculiar to first year of life-----158-161	688	60	71	58	59	53	64	65	48	51	52	55	54
Premature birth-----159	415	35	42	38	35	35	43	34	25	40	33	23	34
Other diseases peculiar to first year of life-----158,160,161	273	25	29	20	24	18	21	31	23	11	19	32	20
Suicide-----163,164	214	18	17	28	18	21	19	15	20	11	10	19	18
Homicide-----165-168	67	2	4	8	8	6	5	12	4	5	6	2	3
Accidental deaths-----169-195	1,379	114	104	114	111	102	113	133	134	116	118	103	115
Motor-vehicle accidents-----170	430	28	32	26	24	26	30	43	52	38	40	43	46
Other accidents-----169,171-195	949	86	72	88	87	74	83	90	82	80	78	60	69
Senility, ill-defined and unknown causes-----182,199,200	271	26	32	27	17	15	13	24	29	14	22	28	24
All other causes-----	1,212	89	97	108	92	118	88	113	113	75	102	98	110
KENTUCKY -----All causes	28,371	2,471	2,379	3,101	2,463	2,212	2,233	2,135	2,217	2,048	2,212	2,227	2,673
Typhoid and paratyphoid fever-----1,2	16	-	3	1	1	2	2	3	2	1	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	28	3	2	2	3	4	4	3	2	1	3	-	1
Scarlet fever-----8	9	1	2	2	2	2	-	-	-	-	-	-	-
Whooping cough-----9	91	14	6	11	7	6	10	6	5	5	4	6	7
Diphtheria-----10	47	8	9	9	1	1	2	-	1	3	7	3	3
Tuberculosis (all forms)-----13-22	1,472	122	128	159	156	146	122	104	107	86	101	103	138
Tuberculosis of respiratory system, etc.*-----13	1,346	115	117	151	144	134	110	92	97	77	91	92	126
Tuberculosis (other forms)-----14-22	126	7	11	8	12	12	12	10	9	10	11	11	12
Dysentery-----27	40	3	3	1	3	-	4	9	8	1	1	5	2
Malaria-----28	5	-	-	-	-	-	2	-	1	1	-	1	-
Syphilis-----30	191	16	15	23	24	20	11	12	17	5	17	15	16
Measles-----35	5	-	-	-	1	-	1	-	2	-	-	1	-
Poliomyelitis, poliomyelitis (acute)-----36	10	-	-	-	-	1	-	1	1	1	1	2	2
Cancer and other malignant tumors-----45-55	2,963	253	230	260	248	239	257	236	274	228	232	246	260
Cancer of the digestive organs and peritoneum-----46	1,308	110	108	122	106	101	112	107	110	102	107	109	114
Cancer of female genital organs-----48,49	414	44	33	30	37	30	43	35	42	31	28	30	31
Cancer of the breast-----50	234	21	9	21	27	14	18	15	26	18	18	20	27
Cancer (other sites)-----45,47,51-55	1,007	78	80	87	78	94	94	79	96	77	79	87	88
Acute rheumatic fever-----58	30	1	1	4	7	2	2	1	2	3	2	4	1
Diabetes mellitus-----61	495	36	52	58	41	31	43	36	42	36	34	43	45
Exophthalmic goiter-----63b	46	7	3	5	2	5	3	4	6	5	1	1	4
Pellagra (except alcoholic)-----69	23	1	2	4	2	1	1	1	3	1	1	2	4
Alcoholism (ethylism)-----77	31	3	3	3	2	2	2	4	5	1	3	2	3
Intracranial lesions of vascular origin-----85	2,860	237	245	283	229	205	225	206	214	220	234	264	296
Diseases of the heart-----90-95	7,668	635	646	888	670	632	599	596	511	517	611	600	763
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	432	46	35	59	29	35	27	25	26	31	35	40	41
Diseases of coronary arteries and angina pectoris-----94	2,213	191	184	222	176	186	197	197	151	167	169	166	238
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	5,023	398	427	607	465	408	396	394	334	319	407	394	484
Arteriosclerosis and high blood pressure*-----97,102	622	60	36	60	53	43	45	52	69	47	48	52	57

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

217

Table 20.—DEATHS FROM SELECTED CAUSES, BY MONTH UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY—Continued													
Pneumonia (all forms) and influenza-----107-109,33	1,813	199	192	391	239	84	69	60	78	75	102	113	211
Bronchopneumonia-----107	711	77	86	104	72	33	35	27	47	32	50	46	102
Lobar pneumonia-----108	462	49	48	107	57	25	22	13	19	16	28	29	47
Pneumonia (unspecified)-----109	282	43	32	42	26	12	6	15	9	22	12	28	35
Influenza-----33	358	30	26	138	84	14	6	5	3	3	12	10	27
Ulcer of stomach or duodenum-----117	135	10	12	10	11	11	14	11	13	10	11	9	15
Diarrhea, enteritis, etc.*-----119,120	248	27	24	20	6	18	16	18	25	34	28	17	15
Appendicitis-----121	102	9	9	18	10	3	4	7	9	10	9	9	5
Hernia and intestinal obstruction-----122	163	10	8	19	10	13	14	12	29	19	10	8	12
Cirrhosis of the liver-----124	177	10	21	18	13	17	14	12	16	14	17	13	12
Biliary calculi, etc.*-----126,127	108	9	13	7	7	11	8	9	12	14	8	5	7
Nephritis-----130-132	1,692	135	157	175	159	127	143	129	133	107	129	151	159
Diseases of the prostate-----137	127	8	7	12	11	12	14	8	8	9	16	10	12
Diseases of pregnancy, etc.*-----140-150	140	15	11	12	15	14	15	7	11	11	8	9	12
Puerperal septicemia-----140,142a,145a,147	40	3	1	4	4	4	6	2	2	5	2	2	4
Puerperal toxemia-----141a,c,144,148	41	7	4	1	5	2	9	1	3	2	3	-	4
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	49	4	4	6	5	8	-	5	3	4	3	7	2
Other puerperal causes-----141d,e,f,145b,150	10	1	2	1	1	-	-	1	2	-	-	-	2
Congenital malformations-----157	405	44	32	34	24	23	36	41	41	30	29	32	37
Diseases peculiar to first year of life-----158-161	1,493	145	126	129	115	118	115	131	121	129	122	119	125
Premature birth-----159	919	97	70	75	69	72	66	83	76	86	70	69	84
Other diseases peculiar to first year of life-----158,160,161	574	48	56	53	46	46	47	48	45	42	52	50	41
Suicide-----163,164	263	30	12	18	21	31	31	21	19	15	23	24	18
Homicide-----165-168	292	21	12	18	18	24	32	27	28	29	31	22	30
Accidental deaths-----169-195	2,235	163	152	199	147	199	197	189	222	206	180	183	196
Motor-vehicle accidents-----170	719	43	35	43	40	67	63	86	84	87	84	54	71
Other accidents-----169,171-195	1,516	120	117	156	107	132	134	121	138	119	116	129	127
Senility, ill-defined and unknown causes-----162,199,200	672	72	65	80	56	41	43	45	56	51	49	54	60
All other causes-----	1,666	164	140	172	150	123	132	130	127	122	135	119	152
LOUISIANA-----All causes													
	23,395	2,064	2,016	2,159	1,879	1,636	1,853	1,982	1,895	1,728	1,892	1,899	2,194
Typhoid and paratyphoid fever-----1,2	24	-	2	-	3	1	-	3	7	-	3	5	-
Cerebrospinal (meningococcus) meningitis-----6	18	1	2	3	4	1	-	1	1	2	1	1	1
Scarlet fever-----8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	58	5	8	2	9	6	6	6	3	7	4	6	6
Diphtheria-----10	22	4	2	1	-	3	-	-	-	1	1	6	4
Tuberculosis (all forms)-----13-22	986	94	81	88	101	106	84	74	70	67	69	74	80
Tuberculosis of respiratory system, etc.*-----13	927	88	78	82	95	101	78	65	65	61	68	73	75
Tuberculosis (other forms)-----14-22	59	6	3	4	8	5	6	9	5	6	1	1	5
Dysentery-----27	17	2	2	-	2	1	1	2	-	2	3	1	1
Malaria-----28	10	1	-	-	-	1	2	2	-	2	1	1	-
Syphilis-----30	408	37	31	33	27	26	35	43	39	30	29	34	44
Measles-----35	10	1	3	-	1	2	1	1	-	-	-	-	1
Poliomyelitis, poliomyelitis (acute)-----36	7	-	1	-	1	-	-	-	2	2	1	-	-
Cancer and other malignant tumors-----45-55	2,733	219	237	227	211	227	218	234	230	226	260	212	232
Cancer of the digestive organs and peritoneum-----46	1,064	80	85	90	72	81	88	100	96	100	117	76	88
Cancer of female genital organs-----48,49	401	34	39	29	31	34	36	28	30	25	43	41	31
Cancer of the breast-----50	197	17	14	21	17	14	14	19	18	16	24	8	15
Cancer (other sites)-----45,47,51-55	1,071	88	99	97	81	98	79	87	86	85	76	87	98
Acute rheumatic fever-----58	21	1	2	-	4	-	1	2	4	1	1	1	4
Diabetes mellitus-----61	440	41	26	41	35	40	30	36	33	35	38	37	47
Exophthalmic goiter-----63b	27	-	-	1	6	2	2	1	3	4	4	1	3
Pellagra (except alcoholic)-----69	12	-	-	1	2	2	2	3	-	-	1	1	-
Alcoholism (ethylish)-----77	28	2	2	2	1	1	2	-	5	1	4	1	7
Intra-cranial lesions of vascular origin-----83	1,975	179	176	184	163	161	133	155	173	124	150	189	189
Diseases of the heart-----90-95	6,817	632	601	669	552	524	547	593	491	480	516	547	665
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	302	41	21	24	25	20	21	22	18	28	32	26	24
Diseases of coronary arteries and angina pectoris-----94	1,750	137	146	177	155	145	137	146	114	143	137	140	171
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	4,765	454	434	468	372	359							

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1939 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE -----All causes	9,959	959	773	859	856	907	830	754	786	773	832	768	862
Typhoid and paratyphoid fever-----1,2	1	-	-	-	-	-	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis-----8	8	-	-	2	-	3	2	-	-	-	-	-	1
Scarlet fever-----8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	12	1	2	1	1	1	1	1	-	2	-	-	2
Diphtheria-----10	4	1	-	-	-	-	-	1	-	-	-	1	1
Tuberculosis (all forms)-----13-22	193	20	18	14	24	13	19	23	15	12	12	11	12
Tuberculosis of respiratory system, etc.*-----15	174	18	17	14	21	13	19	19	10	9	12	11	11
Tuberculosis (other forms)-----14-22	19	2	1	-	3	-	-	4	5	3	-	-	1
Dysentery-----27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	55	6	4	8	7	5	4	5	1	5	3	2	5
Measles-----35	14	4	-	5	2	1	-	-	-	1	-	1	-
Poliomyelitis, poliomyelitis (acute)-----36	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors-----45-55	1,420	132	109	137	102	124	102	106	116	124	132	134	102
Cancer of the digestive organs and peritoneum-----46	686	59	58	58	56	62	52	54	56	61	61	67	45
Cancer of female genital organs-----48,49	184	16	11	20	4	18	10	20	10	21	22	16	16
Cancer of the breast-----50	116	10	10	7	12	8	9	8	11	9	13	11	8
Cancer (other sites)-----45,47,51-55	432	48	30	52	30	36	31	24	39	33	36	40	33
Acute rheumatic fever-----56	10	-	1	2	2	1	1	-	2	-	-	-	1
Diabetes mellitus-----61	223	23	15	17	26	16	18	17	16	14	22	19	20
Exophthalmic goiter-----63b	8	2	-	-	1	-	-	-	-	1	1	-	-
Pellagra (except alcoholic)-----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)-----77	26	3	1	3	3	1	3	-	2	2	3	2	3
Intracranial lesions of vascular origin-----83	1,043	120	76	100	81	101	86	57	90	75	85	74	98
Diseases of the heart-----90-95	3,201	281	253	274	293	296	281	241	259	216	272	243	302
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	170	20	15	13	17	9	12	11	19	9	19	12	14
Diseases of coronary arteries and angina pectoris-----94	1,271	105	97	112	106	117	122	106	98	93	109	94	112
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	1,760	156	141	149	170	160	147	124	142	114	144	137	176
Arteriosclerosis and high blood pressure*-----97,102	296	31	26	28	24	24	18	29	14	27	21	27	27
Pneumonia (all forms) and influenza-----107-109,33	373	53	37	27	48	50	23	13	12	13	30	24	43
Bronchopneumonia-----107	212	29	22	17	26	30	12	6	6	9	18	12	25
Lobar pneumonia-----108	113	18	11	7	10	17	9	2	4	9	6	15	15
Pneumonia (unspecified)-----109	21	3	2	1	6	1	2	1	-	2	3	-	-
Influenza-----33	27	3	2	2	6	2	2	3	-	1	3	3	3
Ulcer of stomach or duodenum-----117	85	2	6	6	3	3	6	4	3	7	4	4	7
Diarrhea, enteritis, etc.*-----119,120	71	7	3	6	4	9	6	10	7	7	7	2	3
Appendicitis-----121	24	2	1	-	3	3	-	2	1	3	1	3	5
Hernia and intestinal obstruction-----122	51	1	2	3	9	9	6	2	3	5	2	2	5
Cirrhosis of the liver-----124	75	5	3	6	6	4	4	2	5	3	1	5	4
Biliary calculi, etc.*-----126,127	41	6	4	3	1	5	2	2	4	6	4	4	4
Nephritis-----130-132	527	52	36	50	44	48	43	45	36	46	43	42	42
Diseases of the prostate-----137	38	3	5	2	1	10	2	4	2	-	3	3	3
Diseases of pregnancy, etc.*-----140-150	37	2	3	1	4	3	3	4	3	7	3	1	3
Puerperal septicemia-----140,142a,145A,147	15	1	1	1	-	1	1	2	2	2	1	1	2
Puerperal toxemia-----141a,c,144,148	6	-	1	-	1	-	1	1	-	-	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	14	1	1	-	2	2	1	1	1	4	-	-	1
Other puerperal causes-----141d,e,f,145B,150	2	-	-	-	1	-	-	-	-	1	-	-	-
Congenital malformations-----157	184	21	17	16	15	18	12	13	19	19	12	7	10
Diseases peculiar to first year of life-----158-161	439	48	38	31	38	41	40	31	37	36	31	36	32
Premature birth-----159	250	22	19	16	26	24	26	18	25	20	15	23	18
Other diseases peculiar to first year of life-----158,160,161	189	26	19	15	12	17	14	13	14	16	16	13	14
Suicide-----163,164	146	9	6	5	12	16	8	13	16	17	18	12	12
Homicide-----165-168	11	1	3	-	1	1	1	-	2	-	1	-	-
Accidental deaths-----169-195	666	47	35	51	41	56	70	65	68	57	63	61	52
Motor-vehicle accidents-----170	176	9	7	11	13	12	20	14	17	14	22	22	15
Other accidents-----169,171-195	490	38	28	40	28	44	50	51	51	43	41	39	37
Senility, ill-defined and unknown causes-----162,199,200	149	19	13	14	14	13	6	11	10	12	15	10	12
All other causes-----	560	57	55	45	46	42	56	47	42	51	45	31	45
MARYLAND -----All causes	22,460	2,066	1,926	2,180	1,954	1,886	1,689	1,694	1,737	1,568	1,793	1,906	2,071
Typhoid and paratyphoid fever-----1,2	4	-	-	-	-	-	1	1	1	-	-	1	-
Cerebrospinal (meningococcus) meningitis-----6	20	2	3	2	6	1	-	-	3	-	2	1	-
Scarlet fever-----8	1	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough-----9	31	3	1	2	-	3	1	3	3	1	2	10	2
Diphtheria-----10	16	2	-	2	3	1	3	-	-	-	2	1	2
Tuberculosis (all forms)-----13-22	1,172	101	100	96	110	99	98	101	113	91	83	85	95
Tuberculosis of respiratory system, etc.*-----13	1,108	97	92	91	107	89	96	95	102	90	77	81	91
Tuberculosis (other forms)-----14-22	64	4	8	5	3	9	2	6	11	1	6	4	5
Dysentery-----27	4	1	2	-	1	-	-	-	-	-	-	-	-
Malaria-----28	1	-	-	1	-	-	-	-	-	-	-	-	-
Syphilis-----30	287	21	28	28	26	25	26	15	22	31	16	24	25
Measles-----35	4	1	-	2	-	1	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	14	2	-	1	-	-	-	1	3	3	2	1	1
Cancer and other malignant tumors-----45-55	2,911	254	206	240	261	220	257	226	232	246	264	262	243
Cancer of the digestive organs and peritoneum-----46	1,216	100	98	109	112	105	106	88	95	99	96	101	107
Cancer of female genital organs-----48,49	375	28	26	32	35	30	31	36	30	33	34	34	26
Cancer of the breast-----50	262	25	22	15	26	14	24	22	21	28	24	28	15
Cancer (other sites)-----45,47,51-55	1,058	101	60	84	88	71	96	80	86	86	110	101	85
Acute rheumatic fever-----56	15	1	1	1	3	-	2	2	1	1	1	-	2
Diabetes mellitus-----61	621	51	56	64	44	47	38	44	49	41	59	63	65
Exophthalmic goiter-----63b	45	2	4	5	5	4	2	6	2	2	4	7	7
Pellagra (except alcoholic)-----69	2	-	-	-	-	1	-	-	-	1	-	-	-
Alcoholism (ethylism)-----77	46	5	4	3	4	6	3	1	2	5	3	5	5
Intracranial lesions of vascular origin-----83	1,771	164	152	176	146	167	142	131	124	130	141	140	158
Diseases of the heart-----90-95	7,457	682	637	766	636	643	535	534	560	494	605	650	736
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	336	44	27	42	27	21	21	23	21	23	20	37	30
Diseases of coronary arteries and angina pectoris-----94	2,136	174	199	215	173	176	162	160	143	152	192	184	206
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,995	464	411	509	435	446	352	351	396	309	393	429	500
Arteriosclerosis and high blood pressure*-----97,102	562	39	29	36	43	35	22	17	22	22	27	25	32

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND—Continued													
Pneumonia (all forms) and influenza-----107-109,33	827	100	97	121	96	39	36	40	38	35	63	80	80
Bronchopneumonia-----107	392	51	34	55	39	20	17	17	19	20	29	38	43
Lobar pneumonia-----108	324	40	46	47	33	16	18	16	13	8	27	33	27
Pneumonia (unspecified)-----109	62	5	5	8	5	1	2	5	5	3	4	5	4
Influenza-----33	59	4	12	11	19	2	1	2	1	4	3	4	6
Ulcer of stomach or duodenum-----117	107	8	11	11	5	6	10	10	9	9	5	10	13
Diarrhea, enteritis, etc.*-----119,120	95	7	22	9	8	15	6	2	5	7	8	4	2
Appendicitis-----121	55	7	4	4	5	3	5	5	3	3	4	4	8
Hernia and intestinal obstruction-----122	131	9	9	10	7	10	8	9	19	14	7	17	12
Cirrhosis of the liver-----124	205	20	16	18	16	7	15	20	19	20	17	18	19
Biliary calculi, etc.*-----126,127	82	6	7	10	5	5	14	2	7	7	5	5	9
Nephritis-----130-132	1,739	181	158	157	160	158	131	129	118	106	130	143	168
Diseases of the prostate-----137	83	9	9	11	8	2	6	5	3	4	6	12	6
Diseases of pregnancy, etc.*-----140-150	59	5	3	8	2	8	5	7	6	5	4	3	3
Puerperal septicemia-----140,142a,145A,147	21	3	2	1	1	3	1	4	2	2	-	3	-
Puerperal toxemia-----141a,c,144,148	10	1	-	1	-	2	1	1	1	2	-	-	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	21	1	1	5	1	2	2	2	2	1	4	-	-
Other puerperal causes-----141d,e,f,145B,150	7	-	-	2	-	1	1	-	1	-	-	-	2
Congenital malformations-----157	306	33	33	20	19	30	17	19	31	23	33	24	24
Diseases peculiar to first year of life-----158-161	1,025	86	93	120	86	76	77	79	86	71	85	86	80
Premature birth-----158	599	48	48	67	44	51	46	50	48	40	54	49	44
Other diseases peculiar to first year of life-----159,160,161	426	38	45	53	42	25	31	29	38	31	31	37	36
Suicide-----163,164	270	26	22	29	23	26	24	25	16	20	18	23	18
Homicide-----165-168	166	12	9	15	18	15	14	30	16	9	7	6	15
Accidental deaths-----169-195	1,362	112	112	101	100	128	112	144	117	109	93	110	124
Motor-vehicle accidents-----170	403	25	39	24	33	28	27	39	38	33	36	41	41
Other accidents-----169,171-195	959	86	73	77	67	100	85	105	81	76	57	69	83
Senility, ill-defined and unknown causes-----162,199,200	69	3	8	10	5	5	4	3	2	9	8	3	9
All other causes-----	1,115	111	90	98	84	100	83	83	105	79	69	86	107
MASSACHUSETTS—All causes													
	51,754	4,967	4,211	4,678	4,630	4,541	4,161	3,874	4,064	3,763	4,226	4,143	4,696
Typhoid and paratyphoid fever-----1,2	4	1	-	-	-	1	-	1	-	-	-	1	-
Cerebrospinal (meningococcus) meningitis-----6	16	1	5	2	3	1	-	-	-	-	-	1	3
Scarlet fever-----8	4	2	-	-	1	1	-	-	-	-	-	-	-
Whooping cough-----9	16	2	2	1	-	1	-	4	-	1	1	1	-
Diphtheria-----10	13	1	1	2	1	1	1	1	3	-	-	1	-
Tuberculosis (all forms)-----13-22	1,596	144	123	154	162	160	143	134	135	100	116	109	106
Tuberculosis of respiratory system, etc.*-----13	1,481	134	120	142	153	149	132	126	128	68	109	103	97
Tuberculosis (other forms)-----14-22	105	10	3	12	9	11	11	8	7	12	7	6	9
Dysentery-----27	22	1	1	4	1	2	2	-	1	5	3	-	2
Malaria-----28	2	-	-	-	-	1	1	-	-	-	-	-	-
Syphilis-----30	294	34	22	25	29	28	26	12	23	15	21	22	29
Measles-----35	12	3	1	1	2	3	2	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----34	9	1	1	-	-	-	-	-	1	2	3	1	-
Cancer and other malignant tumors-----45-55	8,034	676	611	690	674	682	651	664	690	645	691	647	723
Cancer of the digestive organs and peritoneum-----46	3,762	338	302	315	342	334	298	323	316	298	297	276	323
Cancer of female genital organs-----48,49	863	62	56	63	77	73	68	80	73	68	81	71	81
Cancer of the breast-----50	840	62	63	62	54	63	72	64	68	62	77	80	93
Cancer (other sites)-----45,47,51-55	2,569	194	190	240	201	212	213	187	233	217	236	220	226
Acute rheumatic fever-----58	18	1	-	3	1	3	2	2	-	2	2	2	-
Diabetes mellitus-----61	1,620	162	113	151	140	140	126	122	121	125	129	133	156
Exophthalmic goiter-----63b	33	1	2	3	2	5	6	2	2	2	2	2	4
Pellagra (except alcoholic)-----69	3	1	-	-	-	-	-	-	-	-	-	-	1
Alcoholism (ethylishm)-----77	126	11	19	10	19	9	7	11	11	8	9	9	13
Intracranial lesions of vascular origin-----83	4,607	439	374	389	414	394	387	336	402	348	361	362	401
Diseases of the heart-----90-95	19,638	1,934	1,663	1,738	1,802	1,644	1,589	1,356	1,470	1,422	1,587	1,593	1,840
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	946	84	77	92	94	78	84	53	70	68	80	71	83
Diseases of coronary arteries and angina pectoris-----94	6,368	626	550	527	554	537	530	464	481	471	491	520	617
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	12,324	1,224	1,036	1,119									

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN -----All causes	57,137	5,030	4,470	5,477	5,100	4,770	4,724	4,376	4,581	4,144	4,688	4,702	5,075
Typhoid and paratyphoid fever-----1,2	7	-	-	-	-	1	2	1	1	-	1	1	-
Cerebrospinal (meningococcus) meningitis-----6	33	4	6	3	6	-	-	8	2	1	1	1	-
Scarlet fever-----8	6	1	-	2	1	-	-	-	-	-	1	-	1
Whooping cough-----9	61	5	2	9	10	6	8	3	6	5	5	2	2
Diphtheria-----10	22	6	1	3	3	2	2	1	1	-	1	2	-
Tuberculosis (all forms)-----13-22	1,675	149	142	161	143	149	147	143	132	129	136	126	119
Tuberculosis of respiratory system, etc.*-----13	1,518	129	133	145	131	138	124	127	118	116	125	118	114
Tuberculosis (other forms)-----14-22	157	20	9	16	12	11	23	16	14	12	11	8	5
Dysentery-----27	11	-	1	-	1	2	1	1	3	-	-	1	1
Malaria-----28	2	-	-	-	-	-	-	-	-	-	2	-	-
Syphilis-----30	500	54	37	50	56	52	33	35	38	24	42	40	39
Measles-----35	5	-	-	-	-	-	1	-	-	-	1	1	2
Poliomyelitis, poliоencephalitis (acute)-----36	30	1	1	-	-	-	1	2	5	11	6	3	-
Cancer and other malignant tumors-----45-55	7,854	677	561	644	659	692	645	666	693	587	673	702	655
Cancer of the digestive organs and peritoneum-----46	3,418	299	228	267	307	307	268	306	288	270	284	292	282
Cancer of female genital organs-----48,49	962	83	80	81	79	94	76	77	96	62	76	83	75
Cancer of the breast-----50	716	52	56	70	60	54	51	66	70	45	76	60	56
Cancer (other sites)-----45,47,51-55	2,758	243	197	226	213	237	220	217	239	210	237	267	242
Acute rheumatic fever-----58	30	3	5	4	1	4	2	2	2	2	2	1	2
Diabetes mellitus-----61	1,616	141	143	175	169	126	138	105	96	135	127	118	142
Exophthalmic goiter-----63b	126	8	8	14	13	10	13	15	7	9	11	13	5
Pellagra (except alcoholic)-----69	4	-	-	-	-	1	-	-	-	2	-	1	-
Alcoholism (ethylishm)-----77	50	7	1	5	3	3	4	5	2	4	7	4	5
Intracranial lesions of vascular origin-----83	5,412	485	410	509	490	469	474	374	397	395	458	459	532
Diseases of the heart-----90-95	18,897	1,697	1,496	1,864	1,705	1,486	1,494	1,382	1,406	1,245	1,534	1,500	1,688
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	965	86	81	81	100	81	73	78	83	84	73	82	82
Diseases of coronary arteries and angina pectoris-----94	7,000	654	553	683	607	558	568	523	491	513	595	617	640
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	10,542	955	862	1,100	988	857	850	786	839	668	855	805	966
Arteriosclerosis and high blood pressure*-97,102	1,124	104	84	108	85	85	96	68	102	67	96	99	110
Pneumonia (all forms) and influenza-----107-109,33	2,244	250	199	355	276	150	125	103	109	89	156	177	255
Bronchopneumonia-----107	1,002	134	86	133	112	76	64	60	44	36	64	84	109
Lobar pneumonia-----108	790	72	82	127	90	48	42	28	45	34	55	62	95
Pneumonia (unspecified)-----109	299	54	25	49	32	17	16	9	18	12	26	24	37
Influenza-----33	163	10	6	46	42	9	5	6	2	7	11	7	14
Ulcer of stomach or duodenum-----117	317	31	22	31	21	23	24	24	33	30	34	23	21
Diarrhea, enteritis, etc.*-----119,120	272	16	19	35	17	22	26	20	27	26	19	10	36
Appendicitis-----121	204	16	17	17	23	14	27	19	25	17	8	10	11
Hernia and intestinal obstruction-----122	435	29	33	35	37	30	41	36	34	47	35	37	39
Cirrhosis of the liver-----124	697	53	56	59	64	57	51	51	63	56	55	54	68
Biliary calculi, etc.*-----126,127	259	22	22	23	25	32	19	26	20	22	18	12	18
Nephritis-----130-132	2,596	227	209	244	229	200	219	209	219	191	205	219	225
Diseases of the prostate-----137	253	34	18	21	19	31	19	15	20	20	15	25	16
Diseases of pregnancy, etc.*-----140-150	173	20	26	14	11	12	5	19	13	15	10	14	14
Puerperal septicemia-----140,142a,145A,147	56	10	8	5	-	4	-	6	5	9	3	2	2
Puerperal toxemia-----141a,c,144,148	46	6	7	6	4	2	1	4	1	2	2	6	5
Hemorrhage, trauma or shock*-141b,142b,143,146,149	58	3	9	2	4	6	4	6	7	2	5	4	6
Other puerperal causes-----141d,e,f,145B,150	13	1	2	1	5	-	-	1	-	2	-	2	1
Congenital malformations-----157	1,032	79	88	94	84	101	88	79	90	79	80	81	89
Diseases peculiar to first year of life-----158-161	2,878	245	233	261	258	226	233	236	235	217	235	241	241
Premature birth-----159	1,959	168	155	174	185	174	150	148	148	166	159	167	165
Other diseases peculiar to first year of life-----158,160,161	919	77	78	87	73	64	76	85	69	58	66	76	76
Suicide-----163,164	624	48	39	60	46	60	75	47	48	51	66	42	42
Homicide-----165-168	231	18	18	11	20	26	17	23	21	16	23	15	23
Accidental deaths-----169-195	3,917	295	275	280	309	309	350	354	426	308	331	336	332
Motor-vehicle accidents-----170	1,556	96	101	97	121	137	125	141	156	138	148	155	141
Other accidents-----169,171-195	2,361	199	174	183	188	172	227	213	270	170	183	181	191
Senility, ill-defined and unknown causes-----182,198,200	708	49	45	80	49	59	73	52	60	60	56	59	67
All other causes-----	3,222	276	253	308	267	288	268	235	242	267	288	280	274
MINNESOTA -----All causes	27,761	2,558	2,154	2,539	2,558	2,337	2,236	2,196	2,248	2,093	2,289	2,215	2,378
Typhoid and paratyphoid fever-----1,2	1	-	-	-	-	-	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	16	2	3	1	3	1	1	1	2	-	-	2	-
Scarlet fever-----8	3	-	-	2	-	-	-	-	-	-	-	-	-
Whooping cough-----9	31	2	1	-	1	1	4	2	4	5	3	1	7
Diphtheria-----10	22	4	1	1	1	2	-	3	1	2	1	2	4
Tuberculosis (all forms)-----13-22	579	45	41	57	45	62	45	44	53	56	48	39	44
Tuberculosis of respiratory system, etc.*-----13	516	42	35	51	41	57	40	45	51	40	39	39	36
Tuberculosis (other forms)-----14-22	63	3	6	6	4	5	5	4	8	5	8	1	6
Dysentery-----27	3	-	1	-	-	-	-	1	1	-	-	-	-
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	165	10	13	11	15	16	16	7	19	12	16	9	21
Measles-----35	19	5	-	1	2	3	2	-	2	1	-	2	1
Poliomyelitis, poliоencephalitis (acute)-----36	19	3	1	1	1	1	-	1	6	3	1	-	-
Cancer and other malignant tumors-----45-55	4,026	349	304	316	359	342	380	309	306	353	360	354	354
Cancer of the digestive organs and peritoneum-----46	1,925	187	144	153	186	168	138	157	128	179	171	173	161
Cancer of female genital organs-----48,49	399	23	31	29	38	42	38	24	38	30	37	36	35
Cancer of the breast-----50	367	34	22	30	29	36	32	27	31	24	38	33	31
Cancer (other sites)-----45,47,51-55	1,335	105	107	104	126	96	114	101	108	120	114	112	127
Acute rheumatic fever-----58	15	2	2	-	1	-	2	1	2	1	2	1	3
Diabetes mellitus-----61	790	75	58	82	71	68	61	57	65	66	69	59	60
Exophthalmic goiter-----63b	44	4	7	6	5	1	5	4	1	2	1	2	6
Pellagra (except alcoholic)-----69	1	-	-	-	-	-	-	-	-	-	-	1	-
Alcoholism (ethylishm)-----77	58	-	3	1	5	7	3	2	1	6	2	6	2
Intracranial lesions of vascular origin-----83	2,837	280	208	272	282	249	245	239	207	207	238	235	244
Diseases of the heart-----90-95	8,836	623	722	839	884	716	700	692	645	619	710	718	819
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	486	45	36	44	48	42	34	37	38	32	51	35	43
Diseases of coronary arteries and angina pectoris-----94	4,006	365	326	356	379	347	308	302	284	301	319	333	386
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	4,344	413	360	439	407	327	358	353	322	286	340	350	389
Arteriosclerosis and high blood pressure*-97,102	789	69	54	81	80	58	62	83	70	58	45	69	60

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA—Continued													
Pneumonia (all forms) and influenza-----107-109,33	1,289	151	105	166	182	102	84	65	85	64	92	88	107
Bronchopneumonia-----107	758	88	58	75	89	61	59	59	56	42	55	56	62
Lobar pneumonia-----108	317	35	30	53	42	19	20	16	19	14	21	23	25
Pneumonia (unspecified)-----109	111	15	6	15	10	10	4	6	6	7	12	5	13
Influenza-----33	123	13	11	23	41	12	2	-	4	*1	4	5	7
Ulcer of stomach or duodenum-----117	167	19	15	20	9	10	19	19	11	8	10	12	15
Diarrhea, enteritis, etc.*-----119,120	92	13	7	6	13	12	8	8	5	3	5	8	4
Appendicitis-----121	81	9	7	10	9	6	6	4	5	3	9	3	7
Hernia and intestinal obstruction-----122	212	19	17	17	13	16	18	18	23	23	21	17	10
Cirrhosis of the liver-----124	226	12	15	21	16	22	26	15	16	17	27	23	16
Biliary calculi, etc.*-----126,127	175	12	12	16	17	16	15	15	16	15	15	16	12
Nephritis-----130-132	874	78	73	78	74	74	68	77	70	59	64	71	91
Diseases of the prostate-----137	156	12	14	9	18	12	12	15	7	8	17	16	16
Diseases of pregnancy, etc.*-----140-150	46	5	6	5	3	3	6	1	6	3	4	3	1
Puerperal septicemia-----140,142a,145A,147	16	2	1	3	2	1	1	1	1	2	2	-	-
Puerperal toxemia-----141a,c,144,148	9	-	3	-	1	-	1	-	1	1	1	1	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	16	2	2	2	-	-	3	1	4	-	-	2	-
Other puerperal causes-----141d,e,f,145B,150	5	1	-	-	-	1	1	-	-	-	1	-	1
Congenital malformations-----157	461	47	33	45	44	38	35	37	32	37	35	43	35
Diseases peculiar to first year of life-----158-161	1,278	112	106	105	97	111	109	106	122	99	105	92	112
Premature birth-----159	602	70	70	73	52	71	67	62	80	60	69	57	71
Other diseases peculiar to first year of life-----158,160,161	476	42	36	32	45	40	42	46	42	39	36	35	41
Suicide-----163,164	323	23	21	25	36	39	31	29	21	26	30	20	22
Homicide-----165-168	34	-	1	2	2	2	3	3	6	5	2	3	5
Accidental deaths-----169-195	2,008	169	139	169	149	168	184	175	215	175	174	147	144
Motor-vehicle accidents-----170	619	48	41	49	59	48	47	45	70	74	75	41	46
Other accidents-----169,171-195	1,389	121	98	120	110	120	137	132	145	101	101	106	98
Senility, ill-defined and unknown causes-----162,199,200	340	36	26	26	31	30	24	23	28	24	27	31	34
All other causes-----	1,688	168	138	148	140	149	124	144	162	131	136	123	123
MISSISSIPPI—All causes													
	20,212	1,662	1,732	1,930	1,659	1,649	1,622	1,625	1,576	1,573	1,530	1,643	1,795
Typhoid and paratyphoid fever-----1,2	8	-	1	1	-	1	1	1	1	-	2	-	1
Cerebrospinal (meningococcus) meningitis-----6	15	2	-	1	1	3	-	-	-	1	3	2	1
Scarlet fever-----8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	85	7	7	7	6	17	5	10	7	6	2	6	5
Diphtheria-----10	14	-	2	1	-	-	1	-	-	3	1	5	1
Tuberculosis (all forms)-----13-22	729	58	59	63	69	76	59	63	58	65	56	61	42
Tuberculosis of respiratory system, etc.*-----13	682	56	49	58	67	72	54	58	53	63	56	56	40
Tuberculosis (other forms)-----14-22	47	2	10	5	2	4	5	5	5	2	-	5	2
Dysentery-----27	29	2	-	3	1	4	4	1	-	5	3	4	2
Malaria-----28	20	-	2	-	1	-	4	1	5	4	3	2	-
Syphilis-----30	211	27	20	16	15	15	15	19	18	13	21	13	19
Measles-----35	9	1	-	3	-	2	2	1	-	-	-	-	-
Poliomyelitis, polioccephalitis (acute)-----34	5	1	-	-	1	-	1	-	-	-	2	-	-
Cancer and other malignant tumors-----45-55	1,813	160	149	161	134	149	133	162	135	146	152	165	167
Cancer of the digestive organs and peritoneum-----46	631	52	58	53	50	53	55	74	58	60	51	61	59
Cancer of female genital organs-----48,49	341	41	26	36	22	32	24	29	25	27	25	23	31
Cancer of the breast-----50	148	10	14	13	13	17	6	13	8	9	13	16	16
Cancer (other sites)-----45,47,51-55	643	57	51	59	49	47	48	46	47	50	65	65	61
Acute rheumatic fever-----58	31	2	5	1	-	2	1	3	5	4	1	5	4
Diabetes mellitus-----61	318	18	30	30	29	26	19	25	25	32	26	27	31
Exophthalmic goiter-----63b	17	-	2	2	1	2	1	2	4	-	2	-	1
Pellagra (except alcoholic)-----69	30	2	4	5	1	1	2	4	3	2	3	1	2
Alcoholism (ethylism)-----77	19	-	2	1	1	-	1	-	4	2	3	4	1
Intracranial lesions of vascular origin-----83	1,967	193	159	198	173	149	169	180	131	142	167	163	173
Diseases of the heart-----90-95	4,275	376	347	390	373	350	354	339	341	333	342	349	392
Chronic rheumatic disease of the heart-----90a,92b,c,93c,95b	352	32	27	32	32	31	29	29	31	27	28	26	30
Diseases of coronary arteries and angina pectoris-----94	1,108	102	87	98	87	89	87	71	95	94	100	90	108
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	2,815	242	233	260	254	230	239	240	215	212	214	232	244
Arteriosclerosis and high blood pressure*-----97,102	263	26	34	21	20	12	21	25	25	19	18	23	19
Pneumonia (all forms) and influenza-----107-109,33	1,023	125	120	183	118	84	48	30	42	50	54	70	119
Bronchopneumonia-----107	321	35	41	39	27	22	15	14	20	19	22	24	43
Lobar pneumonia-----108	338	43	37	65	55	15	22	13	17	17	21	26	35
Pneumonia (unspecified)-----109	103	14	6	16	12	10	6	2	5	5	6	6	16
Influenza-----33	261	33	36	63	46	17	5	1	4	9	6	14	27
Ulcer of stomach or duodenum-----117	80	9	9	10	4	6	8	8	4	6	4	5	7
Diarrhea, enteritis, etc.*-----119,120	110	16	12	10	7	8	7	13	8	7	9	6	7
Appendicitis-----121	67	5	4	8	5	4	7	8	7	8	6	2	5
Hernia and intestinal obstruction-----122	157	19	18	11	17	18	8	13	8	15	11	7	12
Cirrhosis of the liver-----124	121	5	10	9	9	14	10	14	5	8	11	13	13
Biliary calculi, etc.*-----126,127	49	2	2	6	-	6	8	4	4	7	5	1	4
Nephritis-----130-132	1,686	142	134	164	198	132	155	140	136	123	132	143	157
Diseases of the prostate-----137	93	12	5	11	6	7	9	7	8	6	7	6	5
Diseases of pregnancy, etc.*-----140-150	173	14	22	20	13	15	11	10	11	13	23	10	11
Puerperal septicemia-----140,142a,145A,147	38	2	8	4	3	3	2	2	2	3	2	2	2
Puerperal toxemia-----141a,c,144,148	64	5	5	7	9	3	6	4	3	3	10	4	5
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	50	5	9	4	-	5	2	4	5	5	4	4	3
Other puerperal causes-----141d,e,f,145B,150	21	2	-	5	1	4	1	-	1	-	6	-	1
Congenital malformations-----157	219	17	20	23	17	20	18	20	23	15	12	17	17
Diseases peculiar to first year of life-----158-161	1,066	82	90	83	73	100	106	84	107	102	92	79	78
Premature birth-----159	646	53	50	45	40	62	74	49	59	64	46	51	53
Other diseases peculiar to first year of life-----158,160,161	420	29	40	38	33	38	32	35	48	38	36	28	25
Suicide-----163,164	110	11	7	8	14	8	7	15	12	3	10	6	9
Homicide-----165-168	310	21	22	27	23	27	24	26	24	25	26	26	39
Accidental deaths-----169-195	1,509	106	138	107	98	130	127	144	136	133	109	138	135
Motor-vehicle accidents-----170	478	27	33	31	33	51	28	51	45	57	36	49	37
Other accidents-----169,171-195	1,031	79	105	76	65	79	99	93	90	78	73	79	98
Senility, ill-defined and unknown causes-----162,199,200	2,470	308	203	248	200	183	176	186	188	189	161	201	247
All other causes-----	1,111	93	93	106	101	98	100	97	96	85	69	94	79

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI—All causes	44,572	4,156	3,746	4,935	3,693	3,661	3,241	3,583	3,696	3,069	3,435	3,527	3,830
Typhoid and paratyphoid fever—1,2	15	-	1	1	-	1	-	1	3	5	2	2	-
Cerebrospinal (meningococcus) meningitis—6	15	-	2	2	4	1	-	1	1	-	1	2	1
Scarlet fever—8	2	-	1	-	-	-	-	-	-	-	-	1	-
Whooping cough—9	67	2	6	5	10	8	10	3	8	1	4	9	1
Diphtheria—10	17	1	2	4	-	5	-	-	-	-	1	2	2
Tuberculosis (all forms)—13-22	1,291	107	118	132	124	97	99	120	109	105	114	89	89
Tuberculosis of respiratory system, etc.*—13	1,212	97	111	124	120	91	85	111	102	98	109	85	81
Tuberculosis (other forms)—14-22	79	10	7	8	4	6	5	9	7	7	5	4	7
Dysentery—27	16	-	1	2	2	1	-	1	-	2	2	4	1
Malaria—28	6	-	-	-	1	1	-	3	1	2	-	-	-
Syphilis—30	414	46	26	43	38	36	23	35	39	32	36	31	29
Measles—35	5	-	1	-	1	1	1	1	-	-	-	-	-
Polioencephalitis, polioencephalitis (acute)—36	18	-	2	1	1	-	-	6	2	1	4	-	1
Cancer and other malignant tumors—45-55	5,778	460	455	547	460	463	479	466	501	423	498	492	514
Cancer of the digestive organs and peritoneum—46	2,520	194	196	232	202	195	226	209	225	182	209	214	236
Cancer of female genital organs—48,49	694	63	56	83	60	53	59	62	58	49	63	47	52
Cancer of the breast—50	597	39	44	60	42	51	43	53	53	49	67	44	42
Cancer (other sites)—45,47,51-55	1,997	164	159	192	156	164	151	162	163	144	159	187	194
Acute rheumatic fever—58	35	2	1	4	4	3	4	4	4	1	2	4	2
Diabetes mellitus—61	953	84	81	131	83	65	60	73	70	75	60	82	78
Exophthalmic goiter—63b	71	6	6	9	6	4	8	6	3	4	6	7	6
Pellagra (except alcoholic)—69	9	1	-	2	2	1	1	2	-	-	-	-	-
Alcoholism (ethylism)—77	42	1	4	5	4	6	4	3	5	5	4	3	2
Intracranial lesions of vascular origin—83	4,438	424	361	420	363	393	295	327	420	299	332	386	428
Diseases of the heart—90-95	14,390	1,333	1,256	1,640	1,189	1,169	1,049	1,025	1,219	994	1,113	1,131	1,283
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	672	74	70	110	73	79	72	66	59	53	71	76	69
Diseases of coronary arteries and angina pectoris—94	4,678	416	429	460	390	396	333	392	363	328	371	358	442
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	8,840	843	757	1,070	725	694	644	567	797	605	671	697	772
Arteriosclerosis and high blood pressure*—97,102	714	72	59	77	63	50	49	61	67	41	44	59	53
Pneumonia (all forms) and influenza—107-109,33	2,395	317	255	572	233	139	105	109	129	74	119	146	195
Bronchopneumonia—107	993	136	95	161	61	64	52	64	66	42	53	74	75
Lobar pneumonia—108	969	135	114	228	83	54	43	40	51	29	49	56	68
Pneumonia (unspecified)—109	105	16	17	9	6	7	6	3	7	1	9	6	18
Influenza—33	336	30	29	154	63	14	4	2	5	3	8	10	14
Ulcer of stomach or duodenum—117	244	21	19	25	16	23	22	26	13	14	19	20	26
Diarrhea, enteritis, etc.*—119,120	262	43	34	31	26	22	12	16	19	14	16	12	17
Appendicitis—121	152	12	19	9	11	16	3	10	22	17	20	4	9
Hernia and intestinal obstruction—122	331	24	22	39	36	36	27	24	25	27	24	18	29
Cirrhosis of the liver—124	455	56	30	36	38	34	42	36	34	45	44	39	41
Biliary calculi, etc.*—126,127	212	18	18	18	18	21	12	21	17	16	22	18	13
Nephritis—130-132	3,071	309	261	332	265	351	252	254	261	192	196	232	267
Diseases of the prostate—137	246	24	14	30	20	21	14	17	21	16	24	25	20
Diseases of pregnancy, etc.*—140-150	129	10	10	16	4	15	7	13	14	11	12	11	6
Puerperal septicemia—140,142a,145A,147	40	4	3	4	2	4	3	3	4	5	1	3	4
Puerperal toxemia—141a,c,144,148	39	3	4	5	2	6	3	2	2	4	5	2	1
Hemorrhage, trauma or shock*—141b,142b,145,146,149	41	3	3	6	-	4	-	6	7	2	5	4	1
Other puerperal causes—141d,e,f,145B,150	9	-	-	1	-	1	1	2	1	-	1	2	-
Congenital malformations—157	526	53	43	55	38	52	41	32	34	41	53	38	46
Diseases peculiar to first year of life—156-161	1,564	158	106	139	137	121	110	125	172	113	151	113	119
Premature birth—159	991	94	65	81	91	83	75	76	113	71	95	71	74
Other diseases peculiar to first year of life—156,160,161	573	64	41	58	46	38	35	47	59	42	56	42	45
Suicide—163,164	460	40	39	54	44	50	28	43	33	33	47	29	42
Homicide—165-169	229	18	17	22	13	24	15	24	14	18	14	32	18
Accidental deaths—169-195	2,900	232	215	225	215	279	239	230	344	231	213	249	229
Motor-vehicle accidents—170	616	52	47	55	44	61	65	72	79	71	60	94	76
Other accidents—169,171-195	2,084	180	168	170	171	198	174	158	265	160	153	154	153
Senility, ill-defined and unknown causes—162,193,200	646	65	59	63	49	44	51	52	60	32	51	56	67
All other causes—	2,450	228	203	244	176	218	192	193	214	197	187	182	196
MONTANA—All causes	5,760	494	457	572	487	465	479	470	467	432	449	451	507
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	-	1	-	-	1	-
Cerebrospinal (meningococcus) meningitis—6	3	-	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	6	-	2	-	-	-	1	-	1	1	1	-	-
Diphtheria—10	2	-	-	-	-	-	-	-	1	-	-	1	-
Tuberculosis (all forms)—13-22	152	13	20	19	10	10	13	8	19	14	7	6	14
Tuberculosis of respiratory system, etc.*—13	130	12	15	16	8	9	10	7	15	14	6	5	13
Tuberculosis (other forms)—14-22	22	1	5	2	2	1	3	1	4	-	1	1	1
Dysentery—27	1	-	-	-	-	-	1	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	47	5	2	9	4	3	5	5	1	-	6	2	5
Measles—35	13	-	-	-	-	-	2	-	-	-	1	2	8
Polioencephalitis, polioencephalitis (acute)—36	4	-	-	-	-	-	-	-	1	-	2	-	-
Cancer and other malignant tumors—45-55	712	65	54	55	56	49	58	73	74	55	60	56	54
Cancer of the digestive organs and peritoneum—46	335	29	29	33	23	25	26	37	33	30	28	19	26
Cancer of female genital organs—48,49	85	6	6	5	8	5	10	5	10	8	6	11	5
Cancer of the breast—50	45	3	3	4	5	1	4	3	4	3	4	5	5
Cancer (other sites)—45,47,51-55	247	26	17	14	23	16	21	27	26	13	23	22	18
Acute rheumatic fever—58	5	-	1	1	-	1	-	1	-	-	-	-	-
Diabetes mellitus—61	130	16	11	17	10	12	3	10	7	12	10	11	11
Exophthalmic goiter—63b	8	1	1	-	-	-	1	1	1	1	-	1	1
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	19	1	3	-	1	1	2	5	-	3	2	1	1
Intracranial lesions of vascular origin—83	495	44	42	59	48	42	39	36	36	35	31	36	43
Diseases of the heart—90-95	1,690	140	127	182	137	140	140	132	125	117	154	135	161
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	122	15	5	13	6	10	8	13	4	5	14	13	16
Diseases of coronary arteries and angina pectoris—94	683	52	43	63	61	66	57	49	54	53	63	56	66
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	885	73	79	106	70	64	75	70	67	59	77	66	79
Arteriosclerosis and high blood pressure*—97,102	123	10	14	10	12	10	10	9	9	15	4	10	10

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1939 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA—Continued													
Pneumonia (all forms) and influenza-----107-109,33	256	35	22	44	35	17	12	9	9	18	10	21	27
Bronchopneumonia-----107	94	14	8	10	10	6	6	5	6	9	4	7	9
Lobar pneumonia-----108	72	11	6	12	8	7	2	1	1	4	2	6	10
Pneumonia (unspecified)-----109	57	7	5	12	6	2	2	1	2	5	3	7	5
Influenza-----35	33	3	3	10	9	2	1	-	-	-	1	1	3
Ulcer of stomach or duodenum-----117	37	3	4	1	1	5	4	4	4	2	3	5	1
Diarrhea, enteritis, etc.*-----119,120	27	2	3	1	1	-	4	5	2	2	3	2	2
Appendicitis-----121	22	-	-	-	3	3	-	1	4	7	2	-	1
Hernia and intestinal obstruction-----122	57	3	3	5	4	7	7	4	3	5	5	5	6
Cirrhosis of the liver-----124	49	1	2	4	6	4	5	9	-	7	5	4	2
Biliary calculi, etc.*-----126,127	41	3	2	5	5	8	1	3	2	2	2	4	4
Nephritis-----130-132	266	20	23	18	23	26	22	15	17	20	27	23	32
Diseases of the prostate-----137	31	5	2	2	5	2	1	3	3	2	2	1	3
Diseases of pregnancy, etc.*-----140-150	16	2	2	2	-	4	2	1	1	-	1	-	1
Puerperal septicemia-----140,142a,145a,147	6	-	1	-	-	-	1	1	1	-	1	-	1
Puerperal toxemia-----141a,c,144,148	3	-	-	1	-	2	-	-	-	-	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	5	1	1	1	-	2	-	-	-	-	-	-	-
Other puerperal causes-----141d,e,f,145b,150	2	1	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations-----157	70	7	9	7	4	4	9	5	2	4	8	6	6
Diseases peculiar to first year of life-----158-161	278	24	32	23	20	25	21	21	25	17	23	26	20
Premature birth-----159	174	13	21	16	14	15	15	10	20	12	13	17	8
Other diseases peculiar to first year of life-----158,160,161	104	11	11	7	6	11	6	11	5	5	10	9	12
Suicide-----163,164	96	4	8	17	9	6	9	14	5	7	7	5	6
Homicide-----165-168	14	-	1	1	2	2	2	1	-	2	2	2	1
Accidental deaths-----169-195	537	37	45	37	51	53	53	47	57	43	35	34	45
Motor-vehicle accidents-----170	157	4	7	13	21	8	14	10	17	21	13	15	16
Other accidents-----169,171-195	380	33	38	24	30	45	39	37	40	22	22	21	29
Senility, ill-defined and unknown causes-----162,199,200	193	15	12	20	15	21	14	13	17	14	15	21	16
All other causes-----	359	38	20	34	25	31	38	30	34	33	23	27	26
MONTANA—All causes	12,871	1,162	1,018	1,291	1,039	1,064	1,012	1,018	1,105	970	1,038	1,041	1,112
NEBRASKA													
Typhoid and paratyphoid fever-----1,2	2	-	1	-	-	1	2	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	1	-	1	-	-	-	-	1	-	-	-	-	-
Scarlet fever-----8	3	-	1	1	-	-	-	-	-	-	-	-	-
Whooping cough-----9	15	-	-	1	-	-	4	-	1	1	-	1	6
Diphtheria-----10	3	1	-	-	1	-	1	-	-	-	-	-	-
Tuberculosis (all forms)-----13-22	199	26	11	17	18	16	17	15	16	17	17	12	17
Tuberculosis of respiratory system, etc.*-----13	187	26	9	16	18	13	17	14	15	16	15	11	17
Tuberculosis (other forms)-----14-22	12	-	2	1	-	3	-	1	1	1	2	1	-
Dysentery-----27	5	-	-	1	-	2	-	1	-	1	-	-	-
Malaria-----28	2	-	-	-	-	-	-	2	-	-	-	-	-
Syphilis-----30	61	0	4	7	7	7	9	5	13	5	6	5	5
Measles-----35	1	1	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliоencephalitis (acute)-----34	18	1	-	2	-	-	-	4	2	3	5	-	1
Cancer and other malignant tumors-----45-55	1,812	157	137	158	146	156	158	157	157	135	168	135	150
Cancer of the digestive organs and peritoneum-----46	871	90	69	73	71	75	70	72	71	71	82	64	63
Cancer of female genital organs-----48,49	165	13	10	15	13	18	13	21	21	13	19	14	15
Cancer of the breast-----50	179	14	7	17	10	12	20	14	16	11	17	21	20
Cancer (other sites)-----45,47,51-55	577	40	51	53	52	51	55	50	49	40	50	34	52
Acute rheumatic fever-----58	8	1	1	3	1	-	1	-	1	-	-	-	-
Diabetes mellitus-----61	325	23	27	39	28	28	23	30	22	25	27	25	27
Exophthalmic goiter-----63b	18	1	-	4	1	2	1	1	2	3	1	1	1
Pellagra (except alcoholic)-----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethyliam)-----77	20	3	-	-	-	-	-	3	3	-	1	4	1
Intracranial lesions of vascular origin-----83	1,333	118	97	127	108	89	110	115	134	131	105	91	108
Diseases of the heart-----90-95	3,905	367	339	398	317	355	293	283	290	278	297	342	347
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	203	21	14	23	17	16	16	15	14	12	17	20	20
Diseases of coronary arteries and angina pectoris-----94	1,528	124	135	139	121	136	120	105	116	124	122	154	132
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,174	222	189	236	179	201	157	162	159	140	163	171	195
Arteriosclerosis and high blood pressure*-97,102	251	26	23	29	19	14	13	19	33	16	16	19	24
Pneumonia (all forms) and influenza-----107-109,33	534	73	42	104	64	19	30	22	27	28	30	45	50
Bronchopneumonia-----107	217	25	21	31	15	9	16	11	16	10	15	22	26
Lobar pneumonia-----108	135	24	11	21	15	6	4	4	7	11	9	10	14
Pneumonia (unspecified)-----109	79	14	5	16	10	1	6	4	2	4	4	5	5
Influenza-----35	105	10	5	36	24	3	4	3	-	5	3	5	5
Ulcer of stomach or duodenum-----117	73	3	3	14	5	6	5	5	7	4	7	8	6
Diarrhea, enteritis, etc.*-----119,120	57	4	4	3	8	4	7	5	4	4	3	8	3
Appendicitis-----121	54	4	2	3	6	7	1	9	7	4	4	4	3
Hernia and intestinal obstruction-----122	141	11	10	12	11	8	15	11	14	11	19	10	9
Cirrhosis of the liver-----124	122	16	6	7	12	14	14	9	9	12	6	7	10
Biliary calculi, etc.*-----126,127	69	3	8	9	7	4	5	4	5	4	6	6	6
Nephritis-----130-132	738	69	60	87	46	65	57	59	63	52	51	65	66
Diseases of the prostate-----137	81	4	8	8	6	5	5	4	8	6	9	8	8
Diseases of pregnancy, etc.*-----140-150	35	2	1	5	3	1	3	5	5	3	1	2	4
Puerperal septicemia-----140,142a,145a,147	14	1	1	1	1	-	1	1	4	1	1	1	2
Puerperal toxemia-----141a,c,144,148	9	1	1	1	1	1	1	1	-	-	-	-	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	11	-	-	3	1	-	-	3	1	1	-	1	1
Other puerperal causes-----141d,e,f,145b,150	1	-	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations-----157	197	20	12	19	16	18	13	22	15	10	16	20	16
Diseases peculiar to first year of life-----158-161	509	41	41	30	31	49	42	41	52	45	45	45	52
Premature birth-----159	335	26	31	17	17	31	34	28	24	33	34	27	33
Other diseases peculiar to first year of life-----158,160,161	174	15	10	13	14	18	8	14	17	19	11	16	19
Suicide-----163,164	171	14	11	18	17	14	20	15	16	15	14	9	8
Homicide-----165-168	28	4	2	-	1	-	1	8	3	3	3	1	2
Accidental deaths-----169-195	1,005	71	88	89	69	91	91	90	107	82	85	83	81
Motor-vehicle accidents-----170	331	25	14	32	22	30	21	24	38	33	39	23	30
Other accidents-----169,171-195	674	46	52	57	47	61	70	66	69	49	46	60	51
Senility, ill-defined and unknown causes-----162,199,200	257	25	37	28	13	19	15	18	25	9	25	25	17
All other causes-----	785	64	65	69	72	68	56	54	73	56	70	65	83

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA—All causes	1,823	178	184	134	129	124	120	140	120	129	124	123	170
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	1	-	-	-	-	-	-	-	-	-	-	-	1
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	44	9	4	2	3	2	3	5	4	2	2	6	3
Tuberculosis of respiratory system, etc.*—13	36	7	3	1	3	1	3	5	3	2	2	5	3
Tuberculosis (other forms)—14-22	6	1	1	1	-	1	-	-	1	-	-	1	-
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—50	19	2	2	-	1	2	2	-	5	1	-	2	2
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	2	-	-	-	-	-	-	1	-	-	-	1	-
Cancer and other malignant tumors—45-55	182	18	14	8	13	13	12	14	16	12	14	13	15
Cancer of the digestive organs and peritoneum—46	70	6	7	3	4	7	5	7	7	5	6	4	7
Cancer of female genital organs—48,49	15	3	1	-	2	2	-	-	-	-	1	3	1
Cancer of the breast—50	9	3	-	-	-	-	1	2	2	-	-	1	-
Cancer (other sites)—45,47,51-55	66	4	6	5	7	4	6	5	7	7	5	5	7
Acute rheumatic fever—58	2	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus—61	25	2	2	3	1	1	1	1	2	3	3	1	5
Exophthalmic goiter—63b	1	-	-	-	-	-	-	-	1	-	-	-	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)—77	11	4	-	-	-	-	-	-	1	2	1	1	2
Intracranial lesions of vascular origin—83	126	12	13	13	17	6	13	6	7	9	11	11	10
Diseases of the heart—90-95	481	58	41	47	35	39	35	49	26	30	33	36	53
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	22	2	1	3	5	1	1	3	1	2	2	1	-
Diseases of coronary arteries and angina pectoris—94	194	24	18	15	11	16	12	22	16	13	11	16	20
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	265	32	22	29	19	22	22	23	9	15	20	19	33
Arteriosclerosis and high blood pressure*—97,102	17	1	1	3	-	-	2	1	3	3	1	1	1
Pneumonia (all forms) and influenza—107-109,53	66	11	6	7	3	5	5	2	1	5	9	2	10
Exocholesteremia—107	29	6	4	3	2	2	2	-	-	2	2	2	4
Lobar pneumonia—108	25	3	2	3	3	3	2	1	1	2	4	-	4
Pneumonia (unspecified)—109	9	2	-	-	1	-	1	1	-	1	2	-	1
Influenza—53	3	-	-	1	-	-	-	-	-	-	1	-	1
Ulcer of stomach or duodenum—117	20	2	1	1	3	2	-	3	1	3	3	-	1
Diarrhea, enteritis, etc.*—119,120	1	-	-	-	-	-	-	-	-	1	-	-	-
Appendicitis—121	7	1	1	-	-	-	-	1	2	1	1	-	-
Hernia and intestinal obstruction—122	14	1	1	-	2	-	-	2	1	2	1	3	1
Cirrhosis of the liver—124	31	2	4	1	2	5	2	1	3	4	2	2	3
Biliary calculus, etc.*—126,127	8	1	-	-	-	1	-	3	-	1	1	-	1
Nephritis—130-132	67	2	7	7	9	7	2	8	7	6	4	4	4
Diseases of the prostate—137	5	-	1	1	-	-	-	-	1	-	1	-	1
Diseases of pregnancy, etc.*—140-150	5	1	-	-	1	-	-	-	1	-	1	-	-
Puerperal septicemia—140,142a,145a,147	1	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal toxemia—141a,c,144,149	4	-	-	-	1	-	-	-	1	-	1	-	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	1	1	-	-	-	-	-	-	-	-	-	-	-
Other puerperal causes—141d,e,f,145b,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations—157	29	3	2	4	3	1	6	-	-	2	4	-	4
Diseases peculiar to first year of life—158-161	74	10	3	5	9	10	6	4	7	6	6	3	5
Premature birth—159	53	9	3	4	6	8	5	3	6	4	1	1	3
Other diseases peculiar to first year of life—158,160,161	21	1	-	1	3	2	1	1	1	2	5	2	2
Suicide—163,164	56	6	-	5	6	3	3	9	4	7	-	7	6
Homicide—165-168	16	2	1	1	1	-	-	3	-	-	2	2	2
Accidental deaths—169-195	195	14	9	14	9	15	20	18	19	19	17	15	26
Motor-vehicle accidents—170	64	5	3	6	2	4	3	6	3	10	5	8	9
Other accidents—169,171-195	131	9	6	8	7	11	17	12	16	9	12	7	17
Semility, ill-defined and unknown causes—182,198,200	54	5	3	6	4	6	6	5	3	2	4	6	4
All other causes—	82	12	6	6	7	6	8	5	5	8	4	5	8
NEW HAMPSHIRE—All causes	6,194	541	475	541	529	483	499	505	478	502	538	523	580
Typhoid and paratyphoid fever—1,2	1	-	-	-	-	-	-	1	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	3	-	-	1	1	-	-	-	1	-	-	-	-
Scarlet fever—8	1	-	-	-	-	-	-	1	-	-	-	-	-
Whooping cough—9	3	-	-	-	-	-	1	-	1	-	-	-	1
Diphtheria—10	1	-	-	-	-	-	-	1	-	-	-	-	-
Tuberculosis (all forms)—13-22	83	6	11	4	9	7	5	6	10	3	5	7	10
Tuberculosis of respiratory system, etc.*—13	76	5	10	3	8	6	5	5	10	3	5	7	9
Tuberculosis (other forms)—14-22	7	1	1	1	1	1	-	-	-	-	-	-	1
Dysentery—27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—28	2	-	-	1	-	-	-	-	-	1	-	-	-
Syphilis—50	28	1	4	3	2	3	-	2	3	-	2	4	4
Measles—35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	1	1	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors—45-55	801	77	68	69	66	69	70	93	71	71	82	78	88
Cancer of the digestive organs and peritoneum—46	428	38	35	40	32	33	34	47	29	35	31	37	37
Cancer of female genital organs—48,49	114	10	7	9	11	11	8	14	9	4	12	10	9
Cancer of the breast—50	69	6	6	6	6	8	6	2	4	3	8	4	8
Cancer (other sites)—45,47,51-55	290	23	18	14	17	16	22	30	29	29	31	27	34
Acute rheumatic fever—58	2	-	-	-	1	-	-	-	-	-	1	-	-
Diabetes mellitus—61	22	20	19	22	22	19	21	19	20	16	15	16	13
Exophthalmic goiter—63b	4	-	1	-	-	-	-	-	-	-	1	1	1
Pellagra (except alcoholic)—69	1	-	-	-	-	-	-	-	-	-	1	-	-
Alcoholism (ethylism)—77	8	1	1	1	-	1	-	1	1	1	-	-	1
Intracranial lesions of vascular origin—83	587	64	42	58	58	39	47	39	43	49	49	48	51
Diseases of the heart—90-95	2,207	168	169	202	201	173	172	170	170	166	170	191	215
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	99	9	9	10	11	3	9	6	10	5	8	8	12
Diseases of coronary arteries and angina pectoris—94	762	54	55	72	71	65	64	63	70	54	63	63	88
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	1,348	125	105	120	119	108	100	101	97	111	108	120	135
Arteriosclerosis and high blood pressure*—97,102	132	17	9	13	14	17	14	17	11	16	24	22	16

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

225

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE—Continued													
Pneumonia (all forms) and influenza-----107-109,33	239	32	21	21	27	22	14	11	12	16	24	18	21
Bronchopneumonia-----107	120	15	10	9	4	10	11	5	5	9	14	16	12
Lobar pneumonia-----108	72	12	4	10	10	5	3	2	5	7	7	1	6
Pneumonia (unspecified)-----109	24	2	2	1	4	5	3	2	2	1	1	1	3
Influenza-----33	23	5	5	1	9	2	-	1	-	-	-	-	-
Ulcer of stomach or duodenum-----117	40	4	-	3	4	3	2	3	1	3	8	3	6
Diarrhea, enteritis, etc.*-----119,120	35	2	1	2	3	1	7	10	1	2	3	3	-
Appendicitis-----121	12	2	-	1	-	2	-	-	1	3	-	1	2
Hernia and intestinal obstruction-----122	48	1	2	5	5	3	4	5	3	6	4	5	5
Cirrhosis of the liver-----124	46	4	5	3	2	4	3	4	3	4	6	3	5
Biliary calculi, etc.*-----126,127	23	4	3	1	1	1	2	2	-	3	2	1	3
Hepatitis-----130-132	305	32	25	25	30	23	18	25	15	36	36	13	27
Diseases of the prostate-----137	14	-	3	1	2	1	-	1	1	2	-	-	2
Diseases of pregnancy, etc.*-----140-150	14	-	2	-	1	-	2	1	-	4	1	1	-
Puerperal septicemia-----140,142a,145a,147	3	-	-	-	-	-	-	1	-	1	1	-	-
Puerperal toxemia-----141a,c,144,148	3	-	1	-	-	-	-	-	-	2	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	5	-	1	2	1	-	-	-	-	1	-	-	-
Other puerperal causes-----141d,e,f,145b,150	3	-	-	-	-	-	2	-	-	-	-	1	-
Congenital malformations-----157	98	9	12	12	10	9	8	8	2	5	10	5	6
Diseases peculiar to first year of life-----158-161	226	17	14	18	16	15	19	19	22	20	22	20	25
Premature birth-----159	143	11	9	11	11	13	12	15	10	12	11	12	16
Other diseases peculiar to first year of life-----158,160,161	83	6	5	7	5	2	7	3	12	8	11	8	9
Suicide-----163,164	76	5	4	5	7	6	8	5	5	6	7	11	5
Homicide-----165-168	3	1	-	-	-	-	-	-	-	2	-	-	-
Accidental deaths-----169-195	392	21	25	31	25	28	53	34	48	24	39	36	29
Motor-vehicle accidents-----170	105	5	2	7	9	5	16	10	13	7	11	11	9
Other accidents-----169,171-195	287	16	23	24	16	23	37	24	35	17	27	25	20
Senility, ill-defined and unknown causes-----162,199,200	54	4	4	4	4	4	6	5	3	2	3	5	10
All other causes-----	324	28	30	33	18	32	22	24	29	21	24	31	32
NEW JERSEY-----All causes	48,181	4,535	4,002	4,486	4,094	3,935	3,713	3,663	3,540	3,594	3,977	3,974	4,667
Typhoid and paratyphoid fever-----1,2	7	-	1	1	-	1	1	-	1	-	-	1	1
Cerebrospinal (meningococcus) meningitis-----6	32	4	6	2	1	5	1	5	1	-	-	3	4
Scarlet fever-----8	3	1	-	-	-	-	-	-	-	-	-	2	-
Whooping cough-----9	24	1	2	2	3	2	1	5	2	1	2	2	1
Diphtheria-----10	15	1	2	1	-	3	2	-	-	-	-	3	3
Tuberculosis (all forms)-----13-22	1,555	130	138	149	163	143	121	130	127	106	139	99	110
Tuberculosis of respiratory system, etc.*-----13	1,489	123	130	140	158	132	115	122	119	92	131	91	106
Tuberculosis (other forms)-----14-22	96	7	8	9	5	11	6	8	6	14	8	8	4
Dysentery-----27	6	-	1	1	2	1	-	-	-	-	1	-	-
Malaria-----28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis-----30	327	26	39	28	29	22	22	27	21	21	26	35	31
Measles-----35	4	-	-	1	1	1	-	-	-	-	-	1	-
Poliomyelitis, poliоencephalitis (acute)-----36	10	1	-	-	-	-	-	1	2	-	2	3	1
Cancer and other malignant tumors-----45-55	7,601	662	593	641	599	599	655	647	609	650	641	695	691
Cancer of the digestive organs and peritoneum-----46	3,630	326	277	301	275	266	325	318	304	316	299	297	306
Cancer of female genital organs-----48,49	760	59	57	58	77	41	66	60	57	89	67	62	67
Cancer of the breast-----50	735	73	57	63	50	67	58	63	55	63	59	66	61
Cancer (other sites)-----45,47,51-55	2,476	204	192	219	196	205	206	206	193	202	216	200	237
Acute rheumatic fever-----59	34	3	5	6	-	2	1	7	2	3	-	4	1
Diabetes mellitus-----61	1,582	162	133	139	144	130	115	126	101	110	123	130	169
Exophthalmic goiter-----63b	63	4	5	8	5	7	4	2	4	6	7	3	8
Pellagra (except alcoholic)-----69	2	-	1	-	-	-	-	-	-	1	-	-	-
Alcoholism (ethyilism)-----77	67	6	1	7	7	8	4	1	8	1	4	9	11
Intracranial lesions of vascular origin-----83	4,064	369	357	370	339	309	317	315	315	270	354	399	412
Diseases of the heart-----90-95	17,233	1,636	1,427	1,609	1,452	1,443	1,324	1,267	1,187	1,239	1,405	1,493	1,752
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	824	75	59	79	74	87	76	58	59	46	70	48	93
Diseases of coronary arteries and angina pectoris-----94	5,519	471	469	488	450	445	446	434	380	424	443	497	572
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	10,890	1,090	899	1,042	928	911	802	775	748	769	892	946	1,087
Arteriosclerosis and high blood pressure*-----97,102	1,052	111	108	94	117								

VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1939 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO—All causes	5,471	561	445	526	444	422	380	414	413	441	445	467	515
Typhoid and paratyphoid fever—1,2	2	-	-	-	-	-	-	-	-	-	-	-	2
Cerebrospinal (meningococcus) meningitis—5	2	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever—8	2	-	-	1	1	-	-	-	-	-	-	-	-
Whooping cough—9	35	1	1	2	7	4	1	2	6	4	-	4	3
Diphtheria—10	8	-	1	-	1	-	-	-	-	-	-	-	3
Tuberculosis (all forms)—13-22	330	30	32	35	40	33	26	26	20	20	13	31	24
Tuberculosis of respiratory system, etc.*—13	289	26	29	30	34	31	22	26	16	16	11	22	24
Tuberculosis (other forms)—14-22	41	4	3	5	6	2	4	-	2	4	2	9	-
Dysentery—27	25	1	-	-	-	1	1	3	5	7	6	1	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	56	4	1	12	5	5	4	6	5	2	1	5	6
Measles—35	23	3	4	5	3	3	3	1	-	-	-	-	1
Poliomyelitis, poliomyelitis (acute)—36	4	1	-	-	-	-	-	-	-	2	1	-	-
Cancer and other malignant tumors—45-55	426	32	28	39	30	36	39	34	41	31	45	36	36
Cancer of the digestive organs and peritoneum—46	206	14	17	25	13	17	14	18	20	13	21	15	19
Cancer of female genital organs—48,49	61	4	5	5	3	5	8	4	9	2	6	3	7
Cancer of the breast—50	22	2	-	1	3	-	3	2	1	3	3	4	-
Cancer (other sites)—45,47,51-55	137	12	8	8	11	14	13	10	11	13	15	14	10
Acute rheumatic fever—58	7	-	1	-	-	-	-	-	1	2	2	-	1
Diabetes mellitus—61	45	2	3	4	5	1	3	4	1	3	5	9	5
Exophthalmic goiter—63b	6	-	-	-	1	-	1	1	1	-	-	2	-
Pellagra (except alcoholic)—69	7	1	1	2	-	1	-	-	1	-	-	1	-
Alcoholism (ethylish)—77	16	2	1	2	1	1	1	1	1	-	1	3	3
Intracranial lesions of vascular origin—83	288	34	25	25	30	18	20	18	23	20	23	25	27
Diseases of the heart—90-95	896	75	92	92	68	79	82	89	86	62	78	72	81
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	85	4	14	10	4	7	6	7	3	3	7	9	6
Diseases of coronary arteries and angina pectoris—94	337	28	33	33	30	27	23	18	30	27	33	21	34
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	474	43	45	49	34	45	35	44	33	27	39	42	41
Arteriosclerosis and high blood pressure*—97,102	44	4	4	4	4	4	1	2	5	4	6	1	8
Pneumonia (all forms) and influenza—107-109,33	430	77	44	52	39	28	21	30	14	25	17	39	45
Bronchopneumonia—107	160	39	21	21	15	8	9	11	6	15	8	14	13
Lobar pneumonia—108	134	19	13	16	14	10	6	12	5	6	4	13	16
Pneumonia (unspecified)—109	61	7	5	2	3	5	2	4	3	2	4	11	13
Influenza—33	55	12	5	13	7	5	4	3	-	2	1	-	3
Ulcer of stomach or duodenum—117	20	1	3	1	2	-	1	1	4	3	-	2	2
Diarrhea, enteritis, etc.*—119,120	195	11	9	-	9	6	10	20	21	42	34	15	18
Appendicitis—121	34	1	3	4	3	2	3	1	7	2	1	2	5
Hernia and intestinal obstruction—122	46	1	2	4	4	3	4	-	4	3	10	5	6
Cirrhosis of the liver—124	35	2	2	2	2	2	3	5	4	1	4	2	6
Biliary calculi, etc.*—126,127	34	3	2	4	3	5	2	4	4	5	1	1	-
Nephritis—130-132	227	22	21	25	19	12	22	15	21	16	15	20	20
Diseases of the prostate—137	24	1	-	2	1	4	-	1	4	5	-	3	3
Diseases of pregnancy, etc.*—140-150	42	1	1	5	3	3	3	4	7	4	6	2	3
Puerperal septicemia—140,142a,145A,147	14	-	1	1	1	1	1	2	4	-	1	1	1
Puerperal toxemia—141a,c,144,148	6	-	-	1	-	1	-	1	1	1	1	1	1
Hemorrhage, trauma or shock*—141b,142b,143,146,149	18	1	-	3	2	1	2	1	2	1	3	1	1
Other puerperal causes—141d,e,f,145B,150	4	-	-	-	-	-	-	-	1	2	1	-	-
Congenital malformations—157	101	7	9	9	5	11	9	9	7	10	9	11	6
Diseases peculiar to first year of life—158-161	514	47	36	56	39	29	39	38	40	48	52	47	44
Premature birth—158	335	31	24	36	25	22	24	23	24	35	34	29	28
Other diseases peculiar to first year of life—158,160,161	179	16	12	20	13	7	15	15	16	13	18	18	16
Suicide—163,164	43	3	3	4	3	6	2	5	4	2	4	3	4
Homicide—165-168	47	2	5	4	6	4	3	4	2	6	3	2	6
Accidental deaths—169-195	493	57	39	32	32	52	33	33	36	37	39	43	60
Motor-vehicle accidents—170	193	19	11	9	14	23	12	5	13	15	17	23	33
Other accidents—169,171-195	300	38	29	24	18	29	21	28	23	22	22	20	27
Senility, ill-defined and unknown causes—162,199,200	666	108	44	71	51	43	39	51	35	54	51	57	62
All other causes—	298	27	26	29	29	26	25	25	23	21	18	21	28
NEW YORK—All causes	157,734	14,353	12,845	14,284	13,879	13,356	12,628	12,182	12,023	11,431	13,198	13,056	14,529
Typhoid and paratyphoid fever—1,2	9	-	1	1	-	1	3	4	1	-	1	-	1
Cerebrospinal (meningococcus) meningitis—6	69	8	9	3	9	6	11	4	2	-	7	-	6
Scarlet fever—8	5	2	1	-	-	1	-	1	-	-	-	-	-
Whooping cough—9	44	7	2	3	7	2	4	4	2	5	2	4	2
Diphtheria—10	24	4	2	4	2	-	1	3	2	-	2	3	1
Tuberculosis (all forms)—13-22	5,286	471	411	490	487	490	445	433	399	415	441	416	418
Tuberculosis of respiratory system, etc.*—13	4,972	447	391	454	446	450	419	413	362	361	412	400	397
Tuberculosis (other forms)—14-22	314	24	20	26	41	30	26	20	27	34	29	16	21
Dysentery—27	24	2	1	3	1	2	2	4	2	4	-	2	1
Malaria—28	3	-	1	-	1	-	-	-	-	-	-	1	-
Syphilis—30	1,322	142	126	116	122	98	106	95	90	80	102	108	137
Measles—35	5	1	1	2	1	-	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	42	-	-	-	-	2	3	2	1	14	11	7	2
Cancer and other malignant tumors—45-55	24,771	2,072	1,940	2,058	1,949	2,092	2,045	2,069	2,103	1,995	2,251	2,060	2,157
Cancer of the digestive organs and peritoneum—46	11,064	923	856	944	868	939	922	924	866	692	982	911	937
Cancer of female genital organs—48,49	2,588	212	199	198	217	227	210	213	225	214	245	210	218
Cancer of the breast—50	2,604	225	183	213	193	227	285	216	226	201	245	204	244
Cancer (other sites)—45,47,51-55	6,515	712	702	703	671	699	688	714	686	688	779	735	758
Acute rheumatic fever—58	104	14	6	15	11	7	13	5	9	11	3	2	8
Diabetes mellitus—61	5,993	543	499	552	501	529	472	471	445	391	512	477	601
Exophthalmic goiter—63b	255	30	19	22	22	32	17	30	16	14	20	10	23
Pellagra (except alcoholic)—69	9	-	-	-	2	2	1	-	-	-	-	1	2
Alcoholism (ethylish)—77	287	26	20	30	26	30	28	15	23	21	18	22	28
Intracranial lesions of vascular origin—83	10,525	946	903	1,040	911	878	777	747	790	731	856	958	988
Diseases of the heart—90-95	60,807	5,986	5,032	5,579	5,552	5,106	4,941	4,527	4,356	4,204	5,023	5,042	5,849
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	2,859	268	234	281	256	230	234	199	202	227	235	232	252
Diseases of coronary arteries and angina pectoris—94	17,649	1,551	1,364	1,463	1,426	1,440	1,481	1,421	1,373	1,271	1,425	1,576	1,758
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	40,399	3,676	3,434	3,635	3,770	3,428	3,226	2,907	2,781	2,706	3,363	3,234	3,639
Arteriosclerosis and high blood pressure*—97,102	3,004	303	261	293	255	237	234	222	234	224	236	235	270

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947-Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK-Continued													
Pneumonia (all forms) and influenza-----107-109,33	5,466	648	476	644	623	433	329	307	309	291	350	415	641
Bronchopneumonia-----107	2,704	333	234	310	280	220	170	151	159	162	177	201	308
Lobar pneumonia-----108	2,409	287	213	269	275	187	145	147	136	115	150	190	295
Pneumonia (unspecified)-----109	154	17	13	17	11	14	10	6	13	9	14	15	15
Influenza-----33	199	31	16	28	57	12	4	3	2	5	9	9	23
Ulcer of stomach or duodenum-----117	1,139	93	89	108	101	96	67	83	88	83	118	98	105
Diarrhea, enteritis, etc.*-----119,120	555	61	55	42	39	61	44	37	37	46	39	39	35
Appendicitis-----121	491	36	31	38	39	40	40	56	57	46	46	38	24
Hernia and intestinal obstruction-----122	1,234	99	83	130	104	112	74	97	115	86	98	113	103
Cirrhosis of the liver-----124	2,141	171	154	195	194	174	141	177	171	163	198	175	228
Biliary calculi, etc.*-----126,127	778	64	61	63	62	62	65	72	57	71	68	65	58
Nephritis-----130-132	6,058	629	527	594	530	524	503	423	405	428	470	457	538
Diseases of the prostate-----137	732	45	56	66	65	54	69	59	60	43	72	60	63
Diseases of pregnancy, etc.*-----140-150	325	38	23	22	30	54	23	39	31	20	33	18	19
Puerperal septicemia-----140,142a,145a,147	121	9	11	6	15	11	10	12	11	6	12	10	6
Puerperal toxemia-----141a,c,144,148	61	5	3	2	4	5	5	6	5	2	5	1	4
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	122	14	5	10	4	14	7	16	14	9	15	6	6
Other puerperal causes-----141d,e,f,145b,150	31	5	4	2	3	4	1	3	1	3	1	1	3
Congenital malformations-----157	2,059	192	178	205	149	171	160	181	162	156	172	178	157
Diseases peculiar to first year of life-----158-161	5,376	470	445	482	446	451	458	455	434	420	454	440	421
Premature birth-----159	5,366	297	282	289	287	285	271	297	266	273	285	283	291
Other diseases peculiar to first year of life-----158,160,161	2,010	173	163	193	159	166	187	158	168	147	169	157	130
Suicide-----163,164	1,758	123	117	137	171	176	164	158	155	146	148	124	131
Homicide-----165-168	457	37	32	47	41	39	29	35	54	35	41	31	36
Accidental deaths-----169-195	8,519	728	635	601	671	761	708	738	798	670	738	747	724
Motor-vehicle accidents-----170	2,094	173	135	115	165	150	158	168	214	179	227	233	193
Other accidents-----169,171-195	6,425	555	500	486	506	611	550	572	584	491	511	524	531
Senility, ill-defined and unknown causes-----182,199,200	606	56	57	37	47	35	43	50	48	51	57	48	77
All other causes-----	7,433	593	591	694	698	628	608	563	555	555	608	655	695
NORTH CAROLINA-----All causes													
Typhoid and paratyphoid fever-----1,2	7	1	-	-	-	-	1	3	2	-	-	2	-
Cerebrospinal (meningococcus) meningitis-----6	31	3	2	4	5	2	1	3	2	1	3	2	3
Scarlet fever-----8	2	-	-	1	1	1	-	-	-	-	-	-	-
Whooping cough-----9	54	3	4	3	8	3	6	6	5	4	2	8	2
Diphtheria-----10	32	3	1	4	3	-	-	-	4	4	3	8	2
Tuberculosis (all forms)-----13-22	1,128	86	75	111	104	120	89	112	92	86	99	71	85
Tuberculosis of respiratory system, etc.*-----13	1,047	79	70	104	95	113	82	105	88	80	89	66	76
Tuberculosis (other forms)-----14-22	81	7	5	7	9	7	7	7	4	6	10	5	7
Dysentery-----27	18	1	2	2	-	3	-	1	1	1	2	1	3
Malaria-----28	2	-	-	-	-	-	-	1	-	1	-	-	-
Syphilis-----30	266	26	31	29	24	20	20	15	16	19	25	22	19
Measles-----35	25	1	2	11	4	5	2	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----35	21	-	-	1	-	-	-	-	2	5	5	5	3
Cancer and other malignant tumors-----45-55	2,766	211	218	226	224	213	222	240	219	246	249	246	252
Cancer of the digestive organs and peritoneum-----46	1,053	77	85	84	83	85	98	101	82	92	85	100	92
Cancer of female genital organs-----48,49	466	35	34	37	41	26	38	42	44	37	46	39	47
Cancer of the breast-----50	282	18	19	31	25	24	26	23	16	27	27	18	25
Cancer (other sites)-----45,47,51-55	965	81	79	74	75	60	70	74	75	90	91	89	87
Acute rheumatic fever-----59	36	3	4	4	7	2	-	2	4	2	1	2	5
Diabetes mellitus-----61	575	34	46	57	56	43	48	49	38	36	46	56	70
Exophthalmic goiter-----63b	35	7	3	4	1	3	3	2	3	2	2	1	4
Pellagra (except alcoholic)-----69	57	8	3	4	7	5	7	3	3	2	4	2	3
Alcoholism (ethylism)-----77	94	10	12	8	4	10	5	8	3	11	6	11	6
Intracranial lesions of vascular origin-----83	3,389	253	299	340	307	266	265	246	240	249	273	287	344
Diseases of the heart-----90-95	7,492	647	606	787	642	634	549	551	555	534	609	647	731
Chronic rheumatic disease of the heart-----90a,92b,c,93c,95b	435	47	25	46	37	35	27	39	30	35	35	38	39
Diseases of coronary arteries and angina pectoris-----94	2,469	199	214	244	174	217	179	193	169	190	221	215	234
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	4,588	401	367	495	431	382	343	319	336	309	353	394	458
Arteriosclerosis and high blood pressure*-----97,102	371	37	40	41	30	19	26	30	24	28	38	24	33
Pneumonia (all forms) and influenza-----107-109,33	1,581	167	155	296	205	98	76	56	70	55	98	107	166
Bronchopneumonia-----107	640	58	55	99	72	38	32	29	36	32	55	36	58
Lobar pneumonia-----108	508	73	61	96	47	32	28	19	14	21	21	46	92
Pneumonia (unspecified)-----109	161	14	18	20	20	9	10	7	9	7	8	13	26
Influenza-----33	272	22	21	61	66	19	6	3	6	2	14	12	20
Ulcer of stomach or duodenum-----117	119	11	16	8	7	7	8	8	8	8	14	13	11
Diarrhea, enteritis, etc.*-----119,120	216	15	19	28	22	12	25	17	16	21	22	10	9
Appendicitis-----121	96	4	4	8	10	12	8	9	12	10	6	7	6
Hernia and intestinal obstruction-----122	169	17	14	13	14	10	15	12	13	13	25	10	13
Cirrhosis of the liver-----124	168	19	6	14	15	7	14	18	10	13	15	15	22
Biliary calculi, etc.*-----126,127	78	5	4	9	5	7	7	7	8	5	9	7	5
Nephritis-----130-132	2,577	240	197	278	241	246	188	210	192	165	231	175	224
Diseases of the prostate-----137	111	11	7	15	8	14	3	10	6	7	10	6	11
Diseases of pregnancy, etc.*-----140-150	192	19	19	22	15	12	20	14	17	16	15	14	9
Puerperal septicemia-----140,142a,145a,147	53	3	6	5	5	4	4	4	3	5	3	3	3
Puerperal toxemia-----141a,c,144,148	66	12	7	5	1	6	11	4	7	1	6	4	2
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	59	3	5	7	7	1	3	5	5	9	4	6	4
Other puerperal causes-----141d,e,f,145b,150	14	1	1	2	2	-	2	1	1	3	-	1	-
Congenital malformations-----157	498	38	43	48	31	35	41	40	39	44	55	39	45
Diseases peculiar to first year of life-----158-161	2,159	205	190	193	191	146	176	169	205	161	189	174	140
Premature birth-----159	1,364	117	131	131	115	92	116	117	131	96	128	108	82
Other diseases peculiar to first year of life-----158,160,161	795	88	59	62	76	54	60	72	74	65	61	66	58
Suicide-----163,164	316	22	22	34	28	30	33	26	29	22	36	15	19
Homicide-----165-168	418	37	21	40	24	43	41	25	43	36	37	38	53
Accidental deaths-----169-195	2,303	204	194	165	166	162	187	176	217	201	187	171	253
Motor-vehicle accidents-----170	879	95	58	63	73	55	47	74	66	86	89	79	94
Other accidents-----169,171-195	1,424	109	136	102	113	107	140	102	151	115	98	92	159
Senility, ill-defined and unknown causes-----182,199,200	982	85	81	113	86	79	70	72	73	56	82	69	91
All other causes-----	1,843	158	164	176	150	145	148	136	132	153	157	143	161

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSES OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA—All causes	5,252	470	393	504	468	397	431	459	406	417	452	448	407
Typhoid and paratyphoid fever—1,2	3	-	-	-	-	-	-	1	-	2	-	-	-
Cerebrospinal (meningococcus) meningitis—6	6	-	-	1	1	2	1	-	-	-	-	-	1
Scarlet fever—6	1	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough—9	7	-	-	-	-	-	-	3	1	2	1	-	-
Diphtheria—10	5	-	-	-	-	-	1	1	-	-	1	1	1
Tuberculosis (all forms)—13-22	88	9	10	6	12	11	7	7	5	3	11	3	4
Tuberculosis of respiratory system, etc.*—13	77	7	10	5	9	10	5	6	5	3	11	2	4
Tuberculosis (other forms)—14-22	11	2	-	1	3	1	2	1	-	-	-	-	-
Dysentery—27	3	-	-	-	-	-	1	-	-	1	-	-	-
Malaria—28	1	-	-	-	-	-	-	-	-	-	1	-	-
Syphilis—30	16	1	-	2	3	1	-	1	4	-	-	2	2
Measles—35	2	-	-	-	-	-	-	-	-	-	-	1	1
Poliomyelitis, poliomyelitis (acute)—36	5	-	-	-	1	1	-	-	2	-	1	-	-
Cancer and other malignant tumors—45-55	630	48	46	59	47	49	62	53	42	57	58	58	51
Cancer of the digestive organs and peritoneum—46	322	24	21	36	23	24	31	29	18	26	29	36	25
Cancer of female genital organs—48,49	50	5	4	3	5	4	4	5	3	6	4	4	3
Cancer of the breast—50	50	9	-	3	2	4	7	4	5	3	2	9	2
Cancer (other sites)—45,47,51-55	208	10	21	17	17	17	20	15	16	22	23	9	21
Acute rheumatic fever—58	5	-	-	3	1	-	-	-	-	-	-	-	1
Diabetes mellitus—61	147	11	11	15	13	14	12	13	13	9	14	9	13
Exophthalmic goiter—63b	2	-	1	-	-	-	-	-	-	-	-	-	-
Pellagra (except alcoholic)—69	13	1	1	4	-	-	-	1	2	2	-	1	-
Alcoholism (strylium)—77	518	38	39	80	48	29	36	40	45	30	55	49	47
Intracranial lesions of vascular origin—83	518	38	39	80	48	29	36	40	45	30	55	49	47
Diseases of the heart—90-95	1,548	120	119	149	139	132	120	142	108	133	128	129	129
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	69	5	6	4	5	5	4	6	7	8	5	11	3
Diseases of coronary arteries and angina pectoris—94	594	38	58	64	47	47	46	57	42	49	57	46	43
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	865	77	55	81	87	80	70	79	59	76	66	72	85
Arteriosclerosis and high blood pressure*—97,102	108	11	7	9	14	5	11	7	7	6	7	11	13
Pneumonia (all forms) and influenza—107-109,33	233	30	25	35	42	11	11	10	10	11	11	21	16
Bronchopneumonia—107	89	14	9	11	12	4	4	5	3	5	4	10	8
Lobar pneumonia—108	73	5	9	11	12	2	5	2	4	5	5	8	5
Pneumonia (unspecified)—109	31	6	4	3	6	2	1	3	2	1	1	1	1
Influenza—33	40	5	3	10	12	3	1	1	1	-	1	2	2
Ulcer of stomach or duodenum—117	33	4	3	3	2	4	3	3	4	-	2	2	3
Diarrhea, enteritis, etc.*—119,120	30	6	4	2	1	3	2	4	-	5	-	3	-
Appendicitis—121	22	1	4	2	1	4	3	4	1	1	4	2	1
Hernia and intestinal obstruction—122	41	5	8	3	2	3	2	2	1	4	1	4	6
Cirrhosis of the liver—124	26	2	3	2	2	3	4	1	3	-	2	3	4
Biliary calculi, etc.*—126,127	37	2	3	2	2	2	4	5	7	1	2	2	4
Nephritis—130-132	223	20	21	21	17	17	20	15	18	10	25	22	17
Diseases of the prostate—137	35	9	3	7	2	4	6	3	4	5	4	3	5
Diseases of pregnancy, etc.*—140-150	19	2	1	1	2	1	1	6	-	2	-	3	-
Puerperal septicemia—140,142a,145A,147	5	-	-	-	1	-	1	2	-	-	-	1	-
Puerperal toxemia—141a,c,144,148	8	2	-	1	-	1	-	2	-	1	-	1	-
Hemorrhage, trauma or shock*—141b,142b,143,146,149	4	-	1	-	1	-	-	2	-	-	-	-	-
Other puerperal causes—141d,e,f,145B,150	2	-	-	-	-	-	-	-	-	1	-	1	-
Congenital malformations—157	113	11	10	11	9	3	6	8	6	7	19	13	10
Diseases peculiar to first year of life—158-161	280	33	12	17	19	27	30	23	27	30	21	22	17
Premature birth—159	185	20	8	10	15	18	25	15	19	18	13	12	10
Other diseases peculiar to first year of life—158,160,161	97	13	4	7	4	9	5	10	8	12	6	10	7
Suicide—163,164	64	7	3	7	6	3	6	2	6	3	5	5	11
Homicide—166-168	2	-	-	-	-	-	-	-	-	-	-	2	-
Accidental deaths—169-195	449	43	20	26	33	45	43	54	41	46	34	41	23
Motor-vehicle accidents—170	139	10	8	7	7	11	19	14	15	19	13	9	7
Other accidents—169,171-195	310	33	12	19	26	34	24	40	26	27	21	32	16
Senility, ill-defined and unknown causes—162,199,200	154	17	10	18	12	10	18	14	17	9	9	14	9
All other causes—	368	39	33	39	36	13	23	30	36	35	37	22	22
OHIO—All causes	82,254	7,323	6,745	8,238	7,145	6,801	6,507	6,155	6,392	5,975	6,635	6,648	7,693
Typhoid and paratyphoid fever—1,2	9	3	-	-	3	1	-	-	2	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	72	9	6	5	8	6	6	7	1	1	7	9	7
Scarlet fever—8	11	2	4	1	-	-	-	2	-	-	-	2	-
Whooping cough—9	87	7	3	12	8	13	6	4	7	9	6	3	9
Diphtheria—10	30	8	2	1	2	1	1	-	3	1	1	7	3
Tuberculosis (all forms)—13-22	2,377	207	219	227	209	228	202	183	185	184	167	175	191
Tuberculosis of respiratory system, etc.*—13	2,160	192	191	195	197	205	184	172	170	163	157	161	173
Tuberculosis (other forms)—14-22	217	15	28	32	12	23	18	11	15	21	10	14	18
Dysentery—27	19	2	1	2	1	2	2	4	1	-	-	4	-
Malaria—28	2	-	-	-	-	-	1	-	-	-	-	-	1
Syphilis—30	786	71	59	88	70	62	51	62	49	67	57	64	66
Measles—35	37	1	6	5	4	3	2	2	2	-	2	1	3
Poliomyelitis, poliomyelitis (acute)—36	41	1	1	-	-	-	2	3	6	15	9	10	-
Cancer and other malignant tumors—45-55	10,991	909	855	931	922	939	944	857	920	917	927	916	964
Cancer of the digestive organs and peritoneum—46	4,766	382	372	395	408	401	395	386	394	394	419	427	413
Cancer of female genital organs—48,49	1,404	108	132	122	116	124	128	109	110	117	124	97	117
Cancer of the breast—50	1,035	89	80	88	80	103	97	81	80	94	83	66	94
Cancer (other sites)—45,47,51-55	3,768	330	271	318	311	324	281	336	312	301	326	330	330
Acute rheumatic fever—58	58	5	10	8	5	5	1	2	7	3	1	6	2
Diabetes mellitus—61	2,331	249	190	227	185	192	144	166	202	162	196	199	220
Exophthalmic goiter—63b	222	23	20	28	20	19	18	20	12	11	18	11	23
Pellagra (except alcoholic)—69	6	-	1	-	-	-	1	-	1	1	2	-	-
Alcoholism (strylium)—77	106	5	8	10	12	11	8	3	9	7	8	9	16
Intracranial lesions of vascular origin—83	9,485	724	739	865	766	676	677	624	677	568	701	650	818
Diseases of the heart—90-95	26,213	2,345	2,204	2,785	2,273	2,185	2,067	1,901	1,915	1,789	2,109	2,153	2,517
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	1,579	163	119	154	127	138	144	112	122	103	117	131	149
Diseases of coronary arteries and angina pectoris—94	9,491	849	819	923	810	843	763	702	670	681	738	767	826
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	15,143	1,333	1,266	1,678	1,336	1,204	1,160	1,087	1,123	1,005	1,254	1,255	1,442
Arteriosclerosis and high blood pressure*—97,102	1,743	184	154	190	153	149	137	118	137	121	129	142	149

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO—Continued													
Pneumonia (all forms) and influenza-----107-109,33	3,486	387	305	644	475	221	150	150	178	144	224	249	379
Bronchopneumonia-----107	1,664	194	150	266	192	98	81	81	105	74	115	126	182
Lobar pneumonia-----108	1,041	112	105	169	121	71	51	53	48	43	79	89	120
Pneumonia (unspecified)-----109	254	38	21	42	27	20	7	8	12	20	17	17	25
Influenza-----33	527	43	29	167	135	32	11	8	13	7	15	17	52
Ulcer of stomach or duodenum-----117	401	43	25	38	31	27	31	40	38	24	32	32	40
Diarrhea, enteritis, etc.*-----119,120	268	28	11	24	23	25	26	18	23	19	25	20	30
Appendicitis-----121	242	10	19	14	21	28	25	23	22	25	17	19	20
Hernia and intestinal obstruction-----122	603	54	48	49	49	58	45	53	41	40	55	43	62
Cirrhosis of the liver-----124	874	59	73	82	87	79	63	85	57	68	71	67	85
Biliary calculi, etc.*-----126,127	379	38	26	29	33	35	29	31	41	32	28	25	31
Nephritis-----130-132	4,623	438	389	475	424	345	403	327	326	334	354	374	435
Diseases of the prostate-----137	424	39	36	42	38	38	34	24	34	35	40	31	33
Diseases of pregnancy, etc.*-----140-150	237	26	21	18	17	21	26	19	31	17	18	11	12
Puerperal septicemia-----140,142a,145a,147	91	11	9	9	4	7	16	9	8	3	8	3	4
Puerperal toxemia-----141a,c,144,148	47	5	3	5	7	5	4	1	5	4	4	2	2
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	69	8	6	4	5	5	4	7	12	7	5	5	3
Other puerperal causes-----141d,e,f,145b,150	30	2	3	-	1	4	2	2	6	3	3	1	3
Congenital malformations-----157	1,154	120	82	101	82	105	88	94	82	95	100	89	106
Diseases peculiar to first year of life-----158-161	3,404	290	263	275	277	303	280	313	296	264	291	253	299
Premature birth-----159	2,116	179	189	162	174	182	177	182	178	169	190	156	188
Other diseases peculiar to first year of life-----158,160,161	1,288	111	94	113	103	111	103	131	118	95	101	97	111
Suicide-----163,164	991	78	59	89	87	99	94	79	92	73	82	80	79
Homicide-----165-168	374	31	17	25	30	29	34	22	51	29	35	33	38
Accidental deaths-----169-195	5,551	448	399	419	386	446	488	461	505	511	465	488	537
Motor-vehicle accidents-----170	1,864	148	133	130	113	133	142	151	148	169	188	192	197
Other accidents-----169,171-195	3,687	300	266	289	273	313	346	310	357	322	277	294	340
Senility, ill-defined and unknown causes-----162,199,200	1,085	110	111	119	77	77	73	76	79	61	79	91	112
All other causes-----	4,535	369	370	440	387	375	370	384	360	329	380	356	416
OKLAHOMA—All causes													
	19,327	1,791	1,597	1,973	1,670	1,512	1,567	1,531	1,514	1,420	1,465	1,647	1,640
Typhoid and paratyphoid fever-----1,2	8	1	-	-	1	-	-	-	2	3	-	1	-
Cerebrospinal (meningococcus) meningitis-----5	12	3	2	3	-	1	-	1	-	-	-	1	1
Scarlet fever-----8	43	1	-	4	5	4	8	7	1	4	4	4	1
Whooping cough-----9	15	2	3	-	1	-	-	1	-	-	-	4	5
Diphtheria-----10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)-----13-22	701	75	60	82	68	67	67	51	43	42	49	49	48
Tuberculosis of respiratory system, etc.*-----13	656	73	54	80	62	62	64	47	40	39	46	44	45
Tuberculosis (other forms)-----14-22	45	2	6	2	6	5	3	4	3	3	3	5	3
Dysentery-----27	19	1	3	1	-	1	3	3	3	-	3	2	-
Malaria-----28	1	-	-	-	-	-	-	-	1	-	-	-	-
Syphilis-----30	179	17	12	19	24	11	18	19	16	7	17	11	8
Measles-----35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliоencephalitis (acute)-----36	2	1	1	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors-----45-55	2,387	198	198	219	183	199	188	180	205	184	199	239	196
Cancer of the digestive organs and peritoneum-----46	960	85	73	86	82	87	72	78	86	79	69	104	80
Cancer of female genital organs-----48,49	353	27	46	54	24	29	27	23	32	24	32	22	33
Cancer of the breast-----50	200	20	14	18	14	14	16	11	14	18	22	23	25
Cancer (other sites)-----45,47,51-55	854	66	65	81	63	69	73	63	76	67	60	91	60
Acute rheumatic fever-----59	9	1	1	1	1	-	-	-	-	-	3	-	-
Diabetes mellitus-----61	568	29	31	43	28	29	31	31	27	26	22	37	38
Exophthalmic goiter-----63b	82	3	1	3	3	3	3	4	2	1	7	3	1
Pellagra (except alcoholic)-----69	27	3	5	2	4	2	2	4	2	2	3	1	-
Alcoholism (ethylysm)-----77	21	3	1	-	5	-	3	2	1	1	1	4	2
Intracranial lesions of vascular origin-----83	2,025	188	164	185	161	142	183	182	152	163	144	170	191
Diseases of the heart-----90-95	5,005	501	410	511	387	392	418	393	399	363	382	418	441
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	219	24	11	31	24	15	24	12	12	13	16	16	21
Diseases of coronary arteries and angina pectoris-----94	2,056	191	176	182	144	162	165	157	164	158	164	195	197
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	2,730	286	223	298	219	215	228	224	215	192	202	207	225
Arteriosclerosis and high blood pressure*-----97,102	353	22	29	45	30	30	29	28	28	31	21	29	31
Pneumonia (all forms) and influenza-----107-109,33	981	157	113	185	145	54	41	29	37	45	52	56	67
Bronchopneumonia-----107	208	40	44	41	30	18	9	15	18	20	20	18	21
Lobar pneumonia-----108	226	42	24	43	30	11	10	7	11	12	12	12	17
Pneumonia (unspecified)-----109	264	44	33	36	31	16	15	8	11	13	18	20	19
Influenza-----33	193	23	12	65	54	9	7	1	3	1	2	6	10
Ulcer of stomach or duodenum-----117	108	12	8	13	11	8	8	11	5	6	10	6	10
Diarrhea, enteritis, etc.*-----119,120	95	4	9	6	5	9	8	7	11	4	12	11	9
Appendicitis-----121	91	7	7	11	3	9	9	7	11	4	7	8	8
Hernia and intestinal obstruction-----122	149	13	12	15	11	15	7	18	20	7	9	10	14
Cirrhosis of the liver-----124	114	11	8	14	9	11	10	11	8	3	9	11	9
Biliary calculi, etc.*-----126,127	104	7	6	7	4	8	8	12	14	7	10	14	7
Nephritis-----130-132	1,027	85	77	111	87	76	85	77	82	83	91	94	79
Diseases of the prostate-----137	113	11	11	8	10	11	7	6	11	7	8	15	8
Diseases of pregnancy, etc.*-----140-150	89	6	11	9	7	10	11	7	10	5	4	6	3
Puerperal septicemia-----140,142a,145a,147	38	2	1	5	3	5	2	2	5	2	2	3	1
Puerperal toxemia-----141a,c,144,148	21	3	1	2	1	3	4	2	2	1	1	1	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	20	-	4	1	-	3	4	-	3	1	1	1	2
Other puerperal causes-----141d,e,f,145b,150	10	-	-	2	2	1	2	1	-	-	1	-	-
Congenital malformations-----157	304	29	30	31	25	25	19	17	23	23	25	25	32
Diseases peculiar to first year of life-----158-161	898	70	79	69	66	81	84	91	75	83	77	57	66
Premature birth-----159	609	46	50	45	46	58	57	65	45	62	51	40	44
Other diseases peculiar to first year of life-----158,160,161	289	24	29	24	20	23	27	26	30	21	26	17	22
Suicide-----163,164	144	12	11	9	9	16	13	12	12	6	16	5	5
Homicide-----165-168	143	10	22	9	9	7	12	11	8	12	16	11	16
Accidental deaths-----169-195	1,608	104	112	121	209	125	108	157	146	113	114	145	154
Motor-vehicle accidents-----170	533	28	34	45	29	39	38	51	50	50	43	63	63
Other accidents-----169,171-195	1,075	76	78	76	180	86	70	106	96	63	71	82	91
Senility, ill-defined and unknown causes-----162,199,200	810	80	54	88	64	63	75	53	77	71	48	67	70
All other causes-----	1,341	124	108	151	97	109	98	98	92	108	114	122	120

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1939 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON -----All causes	13,501	1,289	1,078	1,175	1,208	1,209	1,097	1,110	1,075	1,025	1,102	1,060	1,153
Typhoid and paratyphoid fever-----1,2	5	-	2	-	-	-	-	-	-	1	1	1	-
Cerebrospinal (meningococcus) meningitis-----6	11	2	1	-	2	-	-	-	-	-	1	-	2
Scarlet fever-----8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	4	-	-	1	-	1	1	-	-	-	-	1	-
Diphtheria-----10	3	-	-	1	-	-	-	2	-	-	-	-	-
Tuberculosis (all forms)-----13-22	314	32	31	41	29	28	19	31	20	16	16	27	21
Tuberculosis of respiratory system, etc.*-----13	284	31	28	38	23	26	16	28	18	17	15	25	19
Tuberculosis (other forms)-----14-22	30	1	3	3	6	3	3	3	2	1	1	2	2
Dysentery-----27	3	1	-	-	-	1	1	-	-	-	-	-	-
Malaria-----28	-	-	-	-	-	-	-	-	7	8	8	7	6
Syphilis-----30	106	15	11	10	8	8	10	8	1	-	-	-	-
Measles-----35	3	-	1	-	-	-	-	-	1	2	2	2	1
Poliomyelitis, poliomyelitis (acute)-----36	8	1	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors-----45-55	1,676	146	148	159	173	155	146	147	192	154	166	156	134
Cancer of the digestive organs and peritoneum-----46	860	77	78	75	87	70	57	68	85	80	80	68	55
Cancer of female genital organs-----49,49	202	12	12	18	9	20	24	12	31	12	17	25	11
Cancer of the breast-----50	186	7	12	13	16	17	14	15	20	19	18	17	18
Cancer (other sites)-----45,47,51-55	628	50	46	53	62	48	51	52	56	63	51	46	50
Acute rheumatic fever-----59	5	1	-	1	2	-	-	-	-	-	-	-	-
Diabetes mellitus-----61	275	27	19	21	15	18	20	30	19	20	31	30	25
Exophthalmic goiter-----63b	17	1	2	4	4	2	1	1	-	1	1	-	-
Pellagra (except alcoholic)-----69	1	-	-	-	-	-	-	1	-	-	-	-	-
Alcoholism (strylium)-----77	37	4	3	2	1	3	3	5	1	3	4	1	7
Intracranial lesions of vascular origin-----83	1,226	135	95	92	113	108	100	99	100	81	99	103	101
Diseases of the heart-----90-95	4,034	353	322	352	357	332	333	340	303	303	343	310	396
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	249	17	15	18	26	21	22	17	15	20	30	20	28
Diseases of coronary arteries and angina pectoris-----94	1,772	154	158	138	154	159	159	148	138	131	141	136	154
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,013	182	149	196	177	152	152	176	150	152	172	152	204
Arteriosclerosis and high blood pressure*-----97,102	318	36	27	29	32	28	33	25	18	18	20	26	26
Pneumonia (all forms) and influenza-----107-109,33	462	71	56	54	43	40	35	24	26	36	19	24	54
Bronchopneumonia-----107	319	35	39	30	29	25	26	18	20	27	16	18	36
Lobar pneumonia-----108	100	25	9	12	6	6	8	3	1	8	2	6	14
Pneumonia (unspecified)-----109	34	7	4	7	3	4	1	4	1	1	1	1	3
Influenza-----33	29	4	4	5	5	5	-	2	1	-	-	-	3
Ulcer of stomach or duodenum-----117	85	10	6	4	10	9	3	6	5	8	7	9	8
Diarrhea, enteritis, etc.*-----119,120	47	5	3	3	4	5	5	8	2	3	4	2	3
Appendicitis-----121	32	3	2	3	1	2	2	3	3	4	4	4	1
Hernia and intestinal obstruction-----122	85	8	9	8	10	4	6	6	6	7	9	5	7
Cirrhosis of the liver-----124	93	12	7	8	6	7	12	7	4	5	9	7	9
Biliary calculi, etc.*-----126,127	61	6	8	4	6	3	9	3	5	3	3	5	6
Nephritis-----130-132	884	94	71	80	85	67	71	79	65	71	50	71	60
Diseases of the prostate-----137	84	7	6	4	5	7	4	2	3	5	6	10	5
Diseases of pregnancy, etc.*-----140-150	32	2	3	3	3	4	4	1	1	2	5	3	1
Puerperal septicemia-----140,142a,145A,147	14	1	3	2	2	2	-	-	1	-	1	1	1
Puerperal toxemia-----141a,c,144,148	9	1	-	1	1	-	1	-	1	1	3	1	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	8	-	-	-	-	2	1	-	1	1	1	1	-
Other puerperal causes-----141d,c,f,145B,150	1	-	-	-	-	-	1	-	-	-	-	-	-
Congenital malformations-----157	206	25	14	12	20	11	15	18	17	17	16	21	20
Diseases peculiar to first year of life-----158-161	496	47	36	46	43	45	42	44	36	34	49	43	31
Premature birth-----159	286	30	20	26	28	25	24	27	19	20	28	26	19
Other diseases peculiar to first year of life-----158,160,161	200	17	16	18	15	20	18	17	17	14	21	15	12
Suicide-----163,164	218	10	19	15	21	24	23	20	17	13	25	16	15
Homicide-----165-168	39	3	4	2	3	2	4	3	1	4	2	5	5
Accidental deaths-----169-195	1,306	116	82	112	114	103	115	111	131	120	105	65	112
Motor-vehicle accidents-----170	436	45	24	40	32	24	49	35	45	38	38	24	46
Other accidents-----169,171-195	870	71	58	72	82	79	67	78	86	82	67	61	67
Semility, ill-defined and unknown causes-----162,189,200	327	42	29	32	25	35	20	20	24	15	21	31	35
All other causes-----	799	84	61	72	72	58	60	63	67	69	76	55	62
PENNSYLVANIA -----All causes	110,459	9,987	9,074	10,640	10,004	9,164	8,209	8,426	8,342	7,849	8,082	9,280	10,402
Typhoid and paratyphoid fever-----1,2	20	1	-	1	1	-	-	4	3	2	4	2	2
Cerebrospinal (meningococcus) meningitis-----6	51	8	3	4	6	6	1	7	2	2	5	5	2
Scarlet fever-----8	10	1	1	3	-	1	2	1	-	-	-	1	-
Whooping cough-----9	100	6	11	10	8	5	8	13	7	5	8	11	8
Diphtheria-----10	34	3	4	4	6	1	2	1	3	1	2	2	5
Tuberculosis (all forms)-----13-22	3,467	300	266	333	299	316	290	311	273	273	270	273	263
Tuberculosis of respiratory system, etc.*-----13	3,204	284	250	312	275	290	267	286	249	249	250	255	237
Tuberculosis (other forms)-----14-22	263	16	16	21	24	26	23	25	24	24	20	18	26
Dysentery-----27	16	2	1	2	-	-	2	1	4	1	1	1	1
Malaria-----28	9	1	-	-	1	1	2	-	-	-	2	2	-
Syphilis-----30	852	71	59	100	74	76	67	77	56	51	66	76	79
Measles-----35	42	8	4	7	4	6	6	2	1	-	1	2	1
Poliomyelitis, poliomyelitis (acute)-----36	30	3	2	-	-	-	-	3	7	6	6	3	-
Cancer and other malignant tumors-----45-55	14,881	1,297	1,121	1,239	1,219	1,265	1,200	1,242	1,197	1,189	1,302	1,283	1,327
Cancer of the digestive organs and peritoneum-----46	6,899	611	521	598	583	587	560	588	571	554	592	583	561
Cancer of female genital organs-----49,49	1,800	172	133	136	139	184	139	149	144	141	155	139	169
Cancer of the breast-----50	1,444	111	119	123	137	103	86	134	98	109	131	141	140
Cancer (other sites)-----45,47,51-55	4,738	403	346	392	360	391	403	371	384	385	424	420	457
Acute rheumatic fever-----58	85	9	6	11	12	12	5	4	7	3	5	2	9
Diabetes mellitus-----61	3,590	301	299	377	335	274	281	281	293	245	313	278	313
Exophthalmic goiter-----63b	188	19	13	20	17	19	17	23	13	12	12	4	19
Pellagra (except alcoholic)-----69	6	1	1	-	-	2	-	-	-	-	-	-	1
Alcoholism (strylium)-----77	113	12	7	9	4	7	12	6	8	10	7	17	16
Intracranial lesions of vascular origin-----83	9,655	880	890	901	909	797	686	712	732	660	763	824	901
Diseases of the heart-----90-95	38,310	3,453	3,282	3,844	3,485	3,100	2,770	2,793	2,701	2,578	3,132	3,320	3,852
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	1,931	177	183	175	165	159	144	140	141	139	184	152	172
Diseases of coronary arteries and angina pectoris-----94	12,545	1,109	1,101	1,198	995	1,014	894	976	913	904	1,028	1,130	1,265
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	23,834	2,167	1,998	2,473	2,325	1,927	1,732	1,677	1,647	1,535	1,920	2,038	2,395
Arteriosclerosis and high blood pressure*-----97,102	2,361	199	189	226	208	208	169	169	180	182	220	166	245

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

231

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA—Continued													
Pneumonia (all forms) and influenza-----107-109,33	4,384	518	390	604	600	320	183	164	210	198	547	327	533
Bronchopneumonia-----107	1,799	213	158	227	215	144	77	77	97	104	163	150	194
Lobar pneumonia-----108	1,633	186	147	213	210	114	76	59	79	67	124	140	218
Pneumonia (unspecified)-----109	482	62	47	65	52	26	25	25	9	10	40	33	70
Influenza-----33	480	57	38	99	123	36	10	3	9	10	20	24	51
Ulcer of stomach or duodenum-----117	596	63	43	52	46	47	38	39	53	52	47	63	53
Diarrhea, enteritis, etc.*-----119,120	552	47	51	55	61	55	51	45	47	45	33	38	24
Appendicitis-----121	337	37	27	29	30	26	22	22	34	24	29	32	25
Hernia and intestinal obstruction-----122	864	66	74	66	84	66	61	69	88	67	84	65	72
Cirrhosis of the liver-----124	1,091	95	63	115	90	73	78	80	101	91	94	103	110
Biliary calculi, etc.*-----126,127	495	43	31	46	43	37	55	49	45	31	52	27	40
Nephritis-----130-132	6,646	613	582	706	647	591	496	464	444	407	533	555	586
Diseases of the prostate-----137	460	35	40	42	48	35	32	33	31	48	45	42	29
Diseases of pregnancy, etc.*-----140-150	315	31	23	32	28	24	23	31	38	25	13	27	18
Puerperal septicemia-----140,142a,145A,147	100	9	7	9	11	9	8	14	12	5	4	8	4
Puerperal toxemia-----141a,c,144,148	62	3	8	8	12	7	4	6	5	3	1	2	3
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	104	12	4	12	3	5	10	6	16	11	6	9	8
Other puerperal causes-----141d,e,f,145B,150	47	7	4	3	2	3	1	5	3	6	2	8	3
Congenital malformations-----157	1,417	140	106	111	108	123	114	112	102	132	121	130	118
Diseases peculiar to first year of life-----158-161	4,409	411	348	407	397	398	376	381	351	340	333	335	328
Premature birth-----159	2,768	263	216	245	237	261	235	236	241	228	196	220	190
Other diseases peculiar to first year of life-----158,160,161	1,641	148	132	162	160	137	141	115	140	113	137	115	136
Suicide-----163,164	1,203	101	81	92	113	106	90	114	99	102	95	92	118
Homicide-----165-168	308	19	21	29	34	21	19	28	33	35	22	19	30
Accidental deaths-----169-195	6,415	557	470	502	473	547	522	596	591	474	521	554	609
Motor-vehicle accidents-----170	1,814	167	117	121	136	148	141	169	151	139	178	165	182
Other accidents-----169,171-195	4,601	390	353	381	337	399	381	427	440	335	343	389	426
Senility, ill-defined and unknown causes-----162,199,200	998	96	78	104	82	91	70	68	77	60	100	78	94
All other causes-----	8,137	538	487	559	532	608	459	491	483	513	494	501	572
RHODE ISLAND-----All causes													
	8,388	642	663	754	740	705	638	650	617	639	689	710	701
Typhoid and paratyphoid fever-----1,2	3	-	1	-	-	-	-	-	1	-	1	-	-
Cerebrospinal (meningococcus) meningitis-----6	4	1	-	1	-	-	-	1	1	-	-	-	-
Scarlet fever-----8	4	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	4	-	1	-	-	-	-	-	1	-	-	-	-
Diphtheria-----10	5	-	1	1	-	-	1	-	-	-	2	-	-
Tuberculosis (all forms)-----13-22	233	17	13	23	21	23	18	20	29	18	14	24	13
Tuberculosis of respiratory system, etc.*-----13	216	15	10	22	21	20	17	19	25	17	14	23	13
Tuberculosis (other forms)-----14-22	17	2	3	1	-	3	-	1	4	1	-	1	-
Dysentery-----27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	45	6	2	4	6	1	-	4	3	7	4	5	3
Measles-----35	6	-	2	1	1	1	-	1	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	5	-	1	-	-	-	-	2	1	1	-	-	-
Cancer and other malignant tumors-----45-55	1,241	112	83	99	110	105	96	96	124	105	89	107	104
Cancer of the digestive organs and peritoneum-----46	584	52	39	47	57	52	43	47	61	48	43	47	48
Cancer of female genital organs-----48,49	115	12	12	3	10	8	13	14	8	7	4	14	10
Cancer of the breast-----50	114	10	4	10	12	8	7	10	12	13	8	9	11
Cancer (other sites)-----45,47,51-55	428	38	38	39	31	37	33	27	43	37	34	37	35
Acute rheumatic fever-----58	1	-	1	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus-----61	269	34	21	25	31	17	17	29	22	25	21	21	26
Exophthalmic goiter-----63b	8	1	-	-	1	2	-	-	-	1	-	3	-
Pellagra (except alcoholic)-----69	1	1	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylinism)-----77	5	-	1	2	1	-	-	-	-	1	-	-	-
Intracranial lesions of vascular origin-----83	683	67	63	48	62	67	47	52	41	47	59	60	71
Diseases of the heart-----80-85	5,151	332	268	290	277	257	257	237	216	234	264	243	276
Chronic rheumatic diseases of the heart-----80a,82b,c,83c,85b	151	11	9	14	12	13	6	13	11	6	18	12	6
Diseases of coronary arteries and angina pectoris-----84	979	89	76	93	85	75	94	64	75	58	92	64	93
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	2,041	232	183	183	180	169	157	140	130	168	154	167	177
Arteriosclerosis and high blood pressure*-----97,102	143	10	15	17	14	9	8	9	8	6	10	21	16
Pneumonia (all forms) and influenza-----107-109,33	269	52	28	19	34	23	19	8	17	15	21	13	22
Bronchopneumonia-----107	152	29	19	12	22	10	11	4	8	4	12	7	14
Lobar pneumonia-----108	104	18	8	6	11	10	8	4	9	7	9	6	8
Pneumonia (unspecified)-----109	1	-	-	-	-	1	-	-	-	-	-	-	-
Influenza-----33	12	5	1	1	1	2	-	-	2	-	-	-	-
Ulcer of stomach or duodenum-----117	54	9	5	2	7	9	3	4	2	1	1	9	2
Diarrhea, enteritis, etc.*-----119,120	32	4	2	3	3	2	1	6	4	1	2	2	2
Appendicitis-----121	25	-	1	6	2	4	4	1	3	2	1	1	-
Hernia and intestinal obstruction-----122	74	6	6	3	4	7	6	7	1	6	12	8	8
Cirrhosis of the liver-----124	102	10	3	10	12	6	5	10	6	12	13	8	7
Biliary calculi, etc.*-----126,127	50	4	5	8	4	7	4	5	3	4	2	1	3
Nephritis-----130-132	517	42	38	53	50	56	39	29	36	32	46	52	44
Diseases of the prostate-----137	48	3	4	6	2	5	6	4	2	6	2	6	2
Diseases of pregnancy, etc.*-----140-150	17	1	3	1	1	1	2	1	3	-	2	-	2
Puerperal septicemia-----140,142a,145A,147	6	-	1	1	-	-	-	1	-	-	2	-	1
Puerperal toxemia-----141a,c,144,148	4	-	1	-	-	-	1	-	1	-	-	-	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	6	1	-	-	1	1	1	-	2	-	-	-	-
Other puerperal causes-----141d,e,f,145B,150	1	-	1	-	-	-	-	-	-	-	-	-	-
Congenital malformations-----157	131	19	10	9	7	16	8	9	9	12	12	13	7
Diseases peculiar to first year of life-----158-161	300	29	20	33	27	21	31	21	21	21	21	25	30
Premature birth-----159	185	17	15	20	15	13	23	16	9	17	14	11	15
Other diseases peculiar to first year of life-----158,160,161	115	12	5	13	12	8	8	5	12	4	7	14	15
Suicide-----163,164	71	9	4	4	4	4	5	6	5	12	7	6	5
Homicide-----165-168	11	-	1	2	1	-	-	2	4	1	-	-	-
Accidental deaths-----169-195	400	29	34	35	23	28	44	41	31	41	36	42	26
Motor-vehicle accidents-----170	103	9	7	8	4	3	11	13	5	10	13	10	10
Other accidents-----169,171-195	305	20	27	27	19	23	33	28	26	31	23	32	16
Senility, ill-defined and unknown causes-----162,199,200	27	3	1	5	2	1	2	2	2	3	3	-	3
All other causes-----	405	41	35	45	33	35	15	43	23	24	44	39	28

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA—All causes	17,230	1,516	1,498	1,802	1,588	1,441	1,565	1,530	1,213	1,314	1,327	1,568	1,468
Typhoid and paratyphoid fever—1,2	15	-	1	-	1	5	3	-	4	-	1	-	-
Cerebrospinal (meningococcus) meningitis—6	12	-	1	1	2	1	3	-	1	-	-	-	1
Scarlet fever—8	1	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	57	1	2	3	6	3	5	2	4	5	4	5	16
Diphtheria—10	33	1	4	1	-	-	1	-	1	7	4	5	7
Tuberculosis (all forms)—13-22	557	45	48	59	61	42	48	43	39	35	50	46	43
Tuberculosis of respiratory system, etc.*—13	507	39	46	56	52	40	40	39	35	30	47	42	41
Tuberculosis (other forms)—14-22	50	6	2	3	9	2	8	4	4	3	3	4	2
Dysentery—27	16	1	-	3	2	3	3	-	-	1	3	-	-
Malaria—28	19	1	-	1	2	4	3	2	2	-	1	-	2
Syphilis—30	251	22	18	32	20	25	15	25	13	20	20	26	17
Measles—35	19	2	6	3	1	4	3	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	4	-	-	-	-	-	-	-	1	-	1	2	-
Cancer and other malignant tumors—45-55	1,409	158	114	124	98	126	105	126	115	133	114	108	110
Cancer of the digestive organs and peritoneum—46	526	40	55	45	33	48	35	41	49	56	47	43	35
Cancer of female genital organs—48,49	283	31	16	24	25	20	18	25	23	22	21	24	34
Cancer of the breast—50	120	13	8	9	9	9	15	10	5	15	11	9	7
Cancer (other sites)—45,47,51-55	480	52	35	46	31	49	37	50	39	40	35	32	34
Acute rheumatic fever—58	27	2	-	1	6	2	2	3	2	3	1	2	3
Diabetes mellitus—61	348	25	30	39	37	36	30	18	20	31	21	27	34
Exophthalmic goiter—63b	16	1	1	3	2	1	2	1	-	1	1	2	1
Pellagra (except alcoholic)—69	40	3	3	4	2	5	4	4	2	1	2	5	5
Alcoholism (ethylish)—77	22	2	-	-	1	4	4	-	-	2	3	3	3
Intracranial lesions of vascular origin—83	1,819	177	143	173	143	157	157	153	148	111	158	158	141
Diseases of the heart—90-95	4,151	357	340	432	402	358	349	310	263	322	305	349	364
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	280	19	29	30	31	17	27	27	19	15	20	12	34
Diseases of coronary arteries and angina pectoris—94	1,412	141	114	144	126	124	124	104	85	117	95	116	122
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	2,459	197	197	258	245	217	198	179	159	190	190	221	208
Arteriosclerosis and high blood pressure*—97,102	353	41	24	36	31	25	21	20	25	34	33	35	28
Pneumonia (all forms) and influenza—107-109,33	1,061	124	131	197	133	49	45	35	39	56	49	62	121
Bronchopneumonia—107	408	42	59	87	45	16	21	11	18	27	19	28	55
Lobar pneumonia—108	386	42	42	58	32	13	16	18	16	24	19	37	43
Pneumonia (unspecified)—109	82	14	12	15	9	4	5	3	3	2	5	6	4
Influenza—33	205	26	18	59	47	10	3	3	-	3	6	11	19
Ulcer of stomach or duodenum—117	83	6	8	10	11	5	6	3	5	8	6	9	6
Diarrhea, enteritis, etc.*—119,120	125	14	7	16	9	8	14	14	5	18	7	6	7
Appendicitis—121	57	6	2	3	5	6	9	9	2	1	6	3	5
Hernia and intestinal obstruction—122	89	6	11	6	10	4	3	12	14	4	7	7	5
Cirrhosis of the liver—124	76	5	5	12	11	5	5	6	2	9	6	4	6
Biliary calculi, etc.*—126,127	20	1	2	-	4	1	5	1	-	2	2	2	-
Nephritis—130-132	1,409	126	133	147	129	129	127	115	92	85	109	98	120
Diseases of the prostate—137	57	7	5	4	3	5	5	9	3	4	4	1	7
Diseases of pregnancy, etc.*—140-150	155	13	10	11	14	18	18	13	13	18	14	8	6
Puerperal septicemia—140,142a,145a,147	42	4	1	6	3	3	5	2	5	4	4	3	2
Puerperal toxemia—141a,c,144,146	50	6	4	1	1	7	6	6	2	5	5	3	4
Hemorrhage, trauma or shock*—141b,142b,143,146,149	51	2	3	4	9	7	1	3	5	8	5	2	2
Other puerperal causes—141d,e,f,145b,150	12	1	2	-	1	1	3	2	1	1	-	-	-
Congenital malformations—157	244	20	18	19	26	17	20	17	24	23	24	24	19
Diseases peculiar to first year of life—158-161	1,089	87	104	109	93	94	95	88	90	95	88	69	67
Premature birth—158	704	59	65	78	58	57	69	55	51	61	54	58	60
Other diseases peculiar to first year of life—158,160,161	385	28	39	31	35	37	27	33	39	34	34	21	27
Suicide—163,164	121	4	9	13	12	10	9	10	11	7	10	13	14
Homicide—165-168	285	24	19	20	29	25	19	28	31	24	19	27	20
Accidental deaths—169-195	1,532	103	137	118	115	112	99	129	109	104	95	104	106
Motor-vehicle accidents—170	529	46	50	39	36	46	30	52	54	51	33	54	58
Other accidents—169,171-195	603	57	87	80	79	66	69	77	55	53	62	50	68
Semility, ill-defined and unknown causes—162,199,200	665	64	81	97	66	72	54	60	67	71	65	76	92
All other causes—162,199,200	993	87	81	102	102	81	76	76	73	80	92	71	72
SOUTH DAKOTA—All causes	5,730	496	466	562	508	464	464	462	495	466	459	425	465
Typhoid and paratyphoid fever—1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	1	-	-	-	1	-	-	-	-
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	12	-	-	-	1	-	5	1	-	1	-	1	3
Diphtheria—10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)—13-22	167	12	14	17	19	20	12	14	19	14	11	3	12
Tuberculosis of respiratory system, etc.*—13	145	10	12	16	13	17	11	12	18	14	10	3	9
Tuberculosis (other forms)—14-22	22	2	2	1	6	3	1	2	1	-	1	-	3
Dysentery—27	1	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	34	1	2	6	2	5	2	4	2	4	5	-	1
Measles—35	2	-	-	-	-	-	2	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)—36	2	1	1	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors—45-55	769	54	68	73	59	71	75	82	62	69	49	69	58
Cancer of the digestive organs and peritoneum—46	340	23	28	35	30	31	32	31	30	24	26	27	21
Cancer of female genital organs—48,49	74	6	3	9	6	8	5	6	6	9	2	4	10
Cancer of the breast—50	64	8	8	4	8	5	7	7	2	8	-	4	3
Cancer (other sites)—45,47,51-55	291	17	29	25	15	27	31	18	24	28	19	34	24
Acute rheumatic fever—58	7	-	2	1	-	1	-	-	-	2	-	1	-
Diabetes mellitus—61	144	19	13	17	8	4	11	9	16	14	15	10	7
Exophthalmic goiter—63b	7	1	2	2	-	-	1	-	-	-	-	1	-
Pellagra (except alcoholic)—69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylish)—77	10	2	-	-	4	-	-	-	-	-	-	1	1
Intracranial lesions of vascular origin—83	547	37	46	62	61	41	43	44	45	45	43	36	44
Diseases of the heart—90-95	1,674	144	118	160	150	138	125	146	129	139	132	124	169
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	82	6	4	8	4	5	9	7	5	9	10	6	9
Diseases of coronary arteries and angina pectoris—94	666	49	44	60	59	47	49	64	55	53	58	56	73
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	928	89	70	92	89	86	67	75	69	77	64	62	87
Arteriosclerosis and high blood pressure*—97,102	135	15	16	9	11	12	10	11	14	11	11	9	10

*Refer to International List for complete title, table IX, Part I.

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947-Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1939 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA--Continued													
Pneumonia (all forms) and influenza-----107-109,33	239	27	30	35	35	12	18	9	12	9	16	20	15
Bronchopneumonia-----107	95	14	12	12	7	3	9	6	6	3	5	11	5
Lobar pneumonia-----109	78	7	10	14	10	4	6	1	4	4	6	3	6
Pneumonia (unspecified)-----109	35	3	5	3	7	3	3	1	2	2	2	5	1
Influenza-----33	35	3	3	6	11	2	2	1	1	2	3	1	3
Ulcer of stomach or duodenum-----117	23	2	1	5	2	3	2	2	1	1	2	1	1
Diarrhea, enteritis, etc.*-----119,120	28	5	4	1	1	1	2	4	3	1	2	2	2
Appendicitis-----121	31	1	3	3	2	3	2	5	5	3	5	1	1
Hernia and intestinal obstruction-----122	54	3	5	5	4	3	2	7	7	4	6	7	1
Cirrhosis of the liver-----124	45	7	5	6	3	3	3	5	4	2	4	3	2
Biliary calculi, etc.*-----126,127	30	3	2	2	2	5	1	3	3	1	4	1	4
Nephritis-----130-132	275	26	34	34	21	27	28	22	19	23	21	16	17
Diseases of the prostate-----137	40	3	6	5	4	1	2	5	1	7	3	3	3
Diseases of pregnancy, etc.*-----140-150	17	-	-	2	2	4	-	2	1	5	-	1	2
Puerperal septicemia-----140,142a,145A,147	8	-	-	1	-	4	-	1	1	1	-	-	-
Puerperal toxemia-----141a,c,144,148	4	-	-	-	-	-	-	1	-	1	-	1	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	4	-	-	-	2	-	-	-	-	-	-	-	1
Other puerperal causes-----141d,e,f,145B,150	1	-	-	1	-	-	-	-	-	-	-	-	-
Congenital malformations-----157	100	15	7	5	8	8	10	13	5	3	9	7	10
Diseases peculiar to first year of life-----159-161	270	31	18	21	19	19	25	25	21	19	24	26	22
Premature birth-----159	181	21	14	11	11	13	17	18	15	15	15	16	15
Other diseases peculiar to first year of life-----159,160,161	89	10	4	10	8	6	8	7	6	4	9	10	7
Suicide-----165,164	55	8	4	4	7	2	4	6	7	3	6	1	3
Homicide-----165-168	6	-	-	-	1	2	-	-	1	-	-	-	2
Accidental deaths-----169-195	477	53	29	34	38	41	37	34	57	39	55	44	36
Motor-vehicle accidents-----170	164	13	9	15	10	12	8	11	19	13	24	21	10
Other accidents-----169,171-195	313	20	21	19	28	29	29	23	38	26	31	23	26
Senility, ill-defined and unknown causes-----162,199,200	179	16	14	22	12	13	13	11	18	15	16	15	16
All other causes-----	349	31	35	31	29	24	30	24	45	31	20	26	23
TENNESSEE-----All causes	29,591	2,511	2,530	2,754	2,585	2,364	2,242	2,222	2,216	2,058	2,266	2,270	2,575
Typhoid and paratyphoid fever-----1,2	13	-	-	-	1	-	1	1	2	4	2	-	2
Cerebrospinal (meningococcus) meningitis-----6	28	2	4	3	2	2	2	5	3	1	1	-	2
Scarlet fever-----8	1	-	-	-	-	-	-	-	-	1	-	-	-
Whooping cough-----9	74	3	7	9	11	11	2	5	3	3	7	7	6
Diphtheria-----10	35	3	4	5	-	-	-	1	3	3	4	7	9
Tuberculosis (all forms)-----13-22	1,544	140	130	149	142	147	119	129	111	95	125	117	140
Tuberculosis of respiratory system, etc.*-----13	1,450	131	126	134	132	135	108	118	102	88	111	110	135
Tuberculosis (other forms)-----14-22	114	9	4	15	10	12	11	11	9	7	14	7	5
Dysentery-----27	30	2	1	1	3	-	3	6	5	5	-	-	1
Malaria-----28	8	-	-	-	1	-	3	2	-	1	-	-	-
Syphilis-----30	257	31	34	20	21	20	25	21	24	14	16	14	19
Mesles-----35	16	2	-	3	6	1	1	-	-	1	-	2	-
Poliomyelitis, poliomyelitis (acute)-----36	10	-	-	-	-	-	1	-	-	1	4	4	-
Cancer and other malignant tumors-----45-55	2,948	250	232	235	243	278	232	252	234	249	244	252	247
Cancer of the digestive organs and peritoneum-----46	1,139	94	85	88	90	124	97	97	93	88	92	97	86
Cancer of female genital organs-----48-49	462	42	37	37	41	30	32	45	32	42	42	45	37
Cancer of the breast-----50	272	20	24	18	26	26	18	22	22	18	27	26	25
Cancer (other sites)-----45,47,51-55	1,075	94	88	92	86	98	85	88	87	101	83	84	89
Acute rheumatic fever-----58	39	4	2	9	1	1	3	3	1	2	3	4	5
Diabetes mellitus-----61	466	45	43	35	45	34	28	41	40	33	45	32	47
Exophthalmic goiter-----63	47	5	4	7	4	4	2	5	5	3	5	3	3
Pellagra (except alcoholic)-----69	59	3	8	8	9	6	4	6	5	2	1	3	4
Alcoholism (ethyliem)-----77	31	2	8	5	4	2	-	1	1	3	1	3	3
Intracranial lesions of vascular origin-----83	2,984	257	256	286	282	245	241	208	253	211	229	252	264
Diseases of the heart-----90-95	7,064	592	607	684	620	573	561	579	515	497	584	608	644
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	480	43	34	55	44	45	35	49	26	36	38	49	28
Diseases of coronary arteries and angina pectoris-----94	2,294	174	205	206	196	171	167	200	151	159	205	219	223
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	4,280	375	370	425	380	357	339	350	302	302	341	340	395
Arteriosclerosis and high blood pressure-----97,102	562	29	28	38	41	35	32	26	27	17	29	19	41
Pneumonia (all forms) and influenza-----107-109,33	1,642	195	195	278	233	101	69	46	84	59	100	109	173
Bronchopneumonia-----107	555	73	85	95	67	48	28	20	48	28	43	44	76
Lobar pneumonia-----108	539	68	61	80	57	30	28	20	24	18	44	41	68
Pneumonia (unspecified)-----109	98	15	14	12	12	8	3	1	4	6	5	8	10
Influenza-----33	350	39	35	91	97	15	10	5	8	7	8	16	19
Ulcer of stomach or duodenum-----117	149	12	16	6	18	13	9	16	8	10	18	13	10
Diarrhea, enteritis, etc.*-----119,120	196	27	13	22	21	9	16	13	17	29	19	5	4
Appendicitis-----121	106	9	10	9	6	10	9	7	10	5	10	11	11
Hernia and intestinal obstruction-----122	185	10	19	17	20	22	16	21	13	13	9	13	12
Cirrhosis of the liver-----124	174	15	19	13	7	19	12	15	11	13	23	14	13
Biliary calculi, etc.*-----126,127	80	10	8	5	5	3	6	6	4	6	10	10	7
Nephritis-----130-132	1,654	136	143	155	146	151	141	123	128	123	134	127	147
Diseases of the prostate-----137	167	10	17	8	17	17	17	18	7	15	16	9	16
Diseases of pregnancy, etc.*-----140-150	150	20	8	12	14	10	14	13	13	18	14	6	8
Puerperal septicemia-----140,142a,145A,147	45	6	4	2	5	5	7	2	2	4	3	1	4
Puerperal toxemia-----141a,c,144,148	50	7	2	5	3	2	2	6	5	9	5	2	2
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	40	4	2	4	4	2	4	3	4	4	5	3	1
Other puerperal causes-----141d,e,f,145B,150	15	3	-	1	2	1	1	2	2	1	1	-	1
Congenital malformations-----157	402	35	43	35	34	31	25	31	42	36	26	24	40
Diseases peculiar to first year of life-----159-161	1,591	130	138	142	147	126	143	138	149	116	127	106	129
Premature birth-----159	1,007	84	86	81	95	74	88	88	104	71	80	67	79
Other diseases peculiar to first year of life-----159,160,161	584	46	52	51	52	52	55	50	45	45	47	39	50
Suicide-----165,164	246	17	15	16	25	24	27	24	24	16	15	22	25
Homicide-----165-168	374	26	34	26	28	27	31	38	38	28	29	28	41
Accidental deaths-----169-195	1,910	146	181	143	159	174	159	185	153	153	142	160	155
Motor-vehicle accidents-----170	686	48	64	44	60	53	59	71	51	61	60	60	55
Other accidents-----169,171-195	1,224	98	117	99	99	121	100	114	102	92	82	100	100
Senility, ill-defined and unknown causes-----162,199,200	1,919	180	180	202	157	125	161	119	151	146	132	165	201
All other causes-----	1,631	151	127	158	135	140	132	125	135	120	145	117	146

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		TEXAS-----All causes	62,662	5,746	5,067	6,149	5,579	4,857	4,960	5,128	5,049	4,697	4,664
Typhoid and paratyphoid fever-----1,2	32	1	1	3	2	1	5	6	4	4	1	3	1
Cerebrospinal (meningococcus) meningitis-----6	35	3	2	4	3	2	2	3	3	4	3	1	5
Scarlet fever-----8	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough-----9	199	13	22	16	24	23	18	15	18	7	7	15	20
Diphtheria-----10	76	10	4	8	3	6	5	4	2	2	12	10	10
Tuberculosis (all forms)-----13-22	2,791	233	250	276	263	233	231	231	237	220	200	191	226
Tuberculosis of respiratory system, etc.*-----13	2,629	229	240	264	241	217	212	216	224	201	189	182	215
Tuberculosis (other forms)-----14-22	162	5	10	12	22	16	19	15	13	19	11	9	11
Dysentery-----27	286	17	14	9	16	27	42	52	34	24	22	9	20
Malaria-----28	32	2	2	2	3	4	6	2	3	3	4	1	-
Syphilis-----30	625	53	80	64	57	55	37	62	46	43	46	56	46
Measles-----35	16	2	2	2	-	3	3	1	1	-	1	-	1
Poliomyelitis, poliomyelitis (acute)-----36	32	4	2	2	3	2	1	5	3	5	4	-	1
Cancer and other malignant tumors-----45-55	6,823	572	526	643	549	564	557	614	554	556	590	533	565
Cancer of the digestive organs and peritoneum-----46	2,565	210	184	253	211	219	203	243	196	213	219	206	208
Cancer of female genital organs-----48,49	913	88	85	81	77	71	79	86	74	68	78	56	62
Cancer of the breast-----50	522	41	50	48	40	38	57	42	38	36	51	36	45
Cancer (other sites)-----45,47,51-55	2,823	233	209	251	221	236	218	243	246	239	242	235	250
Acute rheumatic fever-----58	36	5	3	2	4	4	1	3	2	2	2	3	5
Diabetes mellitus-----61	1,092	114	91	101	91	72	84	89	77	74	96	91	113
Exophthalmic goiter-----63b	44	2	5	5	4	3	4	2	9	1	4	3	2
Pellagra (except alcoholic)-----69	122	13	12	13	8	15	10	8	15	7	8	3	10
Alcoholism (ethylism)-----77	77	7	5	3	5	3	7	9	9	9	5	8	7
Intracranial lesions of vascular origin-----83	5,324	517	476	475	429	419	427	415	421	405	399	444	497
Diseases of the heart-----90-95	15,603	1,471	1,299	1,670	1,292	1,217	1,199	1,204	1,196	1,107	1,115	1,299	1,565
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	471	46	45	59	31	36	40	31	31	31	42	39	39
Diseases of coronary arteries and angina pectoris-----94	6,531	587	532	661	541	516	518	494	499	476	487	559	661
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	8,601	836	721	951	710	665	631	677	656	600	586	701	865
Arteriosclerosis and high blood pressure*-----97,102	857	84	66	98	70	54	55	78	72	72	60	66	82
Pneumonia (all forms) and influenza-----107-109,33	3,194	437	347	583	318	183	189	184	154	150	158	225	326
Bronchopneumonia-----107	1,019	138	123	143	78	75	63	60	63	64	49	63	100
Lobar pneumonia-----108	661	107	75	107	59	40	24	34	38	27	33	57	80
Pneumonia (unspecified)-----109	908	128	94	118	71	50	61	48	42	48	63	86	98
Influenza-----33	586	84	55	215	110	18	11	11	11	11	13	19	48
Ulcer of stomach or duodenum-----117	254	26	14	20	19	24	23	22	15	17	17	34	23
Diarrhea, enteritis, etc.*-----119,120	1,097	65	51	50	56	104	127	120	119	115	83	105	102
Appendicitis-----121	213	11	9	15	19	17	23	25	29	18	20	10	17
Hernia and intestinal obstruction-----122	461	43	37	46	41	32	37	37	35	44	39	37	53
Cirrhosis of the liver-----124	503	36	32	49	43	39	51	44	34	37	54	34	50
Biliary calculi, etc.*-----126,127	211	26	11	13	19	19	20	29	25	13	4	13	20
Nephritis-----130-132	3,188	323	261	348	260	262	237	276	239	219	254	269	241
Diseases of the prostate-----137	309	17	24	24	27	28	26	27	31	30	30	22	23
Diseases of pregnancy, etc.*-----140-150	306	27	25	19	23	18	29	31	28	31	31	18	26
Puerperal septicemia-----140,142a,145A,147	105	9	8	6	9	6	13	9	7	12	13	3	10
Puerperal toxemia-----141a,c,144,148	93	9	9	4	7	2	7	12	13	9	7	7	7
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	76	6	5	6	6	10	5	8	5	9	7	5	4
Other puerperal causes-----141d,e,f,145B,150	32	3	3	3	1	-	-	2	3	1	4	3	5
Congenital malformations-----157	872	88	54	89	61	66	63	76	79	76	67	64	89
Diseases peculiar to first year of life-----158-161	3,871	324	280	283	299	325	318	335	360	334	357	316	321
Premature birth-----158	2,511	200	174	183	186	219	209	210	238	218	242	210	222
Other diseases peculiar to first year of life-----158,160,161	1,360	124	106	100	112	106	109	125	142	116	115	106	99
Suicide-----163,164	614	54	47	54	55	53	52	52	43	61	47	37	59
Homicide-----165-168	784	58	47	37	31	37	68	87	77	73	71	58	80
Accidental deaths-----169-195	5,645	406	411	409	886	419	455	454	468	410	362	389	554
Motor-vehicle accidents-----170	1,982	112	134	154	169	154	176	176	216	178	146	169	216
Other accidents-----169,171-195	3,653	296	277	255	717	251	301	278	272	232	216	220	338
Somnolity, ill-defined and unknown causes-----162,199,200	2,774	279	239	288	232	186	203	213	241	179	210	252	252
All other causes-----	4,263	401	337	406	355	319	364	344	337	345	261	341	413
UTAH-----All causes	4,996	491	411	465	441	416	417	393	361	390	441	377	403
Typhoid and paratyphoid fever-----1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	4	-	-	1	-	-	-	1	-	-	1	-	1
Scarlet fever-----8	2	-	-	-	-	-	-	-	1	-	-	-	-
Whooping cough-----9	1	-	-	1	-	-	-	-	-	-	-	-	-
Diphtheria-----10	11	2	1	-	-	-	1	-	-	1	-	3	1
Tuberculosis (all forms)-----13-22	80	10	4	17	7	9	5	3	5	2	8	5	5
Tuberculosis of respiratory system, etc.*-----13	76	10	4	16	6	8	5	2	5	2	8	5	5
Tuberculosis (other forms)-----14-22	4	-	-	1	1	1	-	1	-	-	-	-	-
Dysentery-----27	4	-	1	-	-	-	1	-	2	-	-	-	-
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	22	2	-	-	3	2	2	3	2	2	1	2	3
Measles-----35	1	-	-	-	1	-	-	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----36	4	-	-	1	-	-	1	-	-	-	2	-	-
Cancer and other malignant tumors-----45-55	545	44	49	50	49	44	47	46	36	54	42	42	42
Cancer of the digestive organs and peritoneum-----46	245	26	20	21	23	18	22	19	24	18	21	21	15
Cancer of female genital organs-----48,49	70	4	4	12	4	9	3	8	3	6	5	5	7
Cancer of the breast-----50	54	4	2	5	8	6	7	-	5	5	3	5	4
Cancer (other sites)-----45,47,51-55	176	10	23	12	14	11	19	16	9	19	16	11	16
Acute rheumatic fever-----58	7	2	-	-	1	-	1	3	-	-	-	-	-
Diabetes mellitus-----61	97	10	6	13	6	11	8	7	7	6	6	6	11
Exophthalmic goiter-----63b	14	2	-	3	1	2	-	1	2	2	-	1	-
Pellagra (except alcoholic)-----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)-----77	8	-	-	1	-	2	2	1	-	2	-	-	-
Intracranial lesions of vascular origin-----83	360	40	52	30	39	32	31	27	25	27	21	24	32
Diseases of the heart-----90-95	1,554	147	133	159	123	126	116	104	122	121	140	118	143
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	147	14	10	16	12	14	14	7	9	8	15	8	20
Diseases of coronary arteries and angina pectoris-----94	580	44	51	59	41	49	46	43	46	54	53	49	46
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	627	69	72	84	70	66	56	54	67	59	72	61	77
Arteriosclerosis and high blood pressure*-----97,102	86	7	3	8	8	9	9	6	8	7	6	9	6

*Refer to International list for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

TABLE 20.-DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947-Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE--Continued													
Pneumonia (all forms) and influenza-----107-109,33	189	24	27	25	21	14	13	11	6	7	15	13	13
Bronchopneumonia-----107	87	15	16	7	9	5	5	5	2	3	9	5	6
Lobar pneumonia-----108	63	7	7	4	5	7	6	5	4	4	4	6	4
Pneumonia (unspecified)-----109	15	1	2	4	1	1	2	-	-	-	1	1	1
Influenza-----33	26	1	2	10	6	1	-	1	-	-	1	2	2
Ulcer of stomach or duodenum-----117	51	2	2	8	3	2	3	3	3	8	4	6	7
Diarrhea, enteritis, etc.*-----119,120	33	2	1	-	2	1	4	5	3	5	4	3	3
Appendicitis-----121	26	1	2	1	4	4	3	2	1	1	2	3	1
Hernia and intestinal obstruction-----122	47	1	4	3	6	9	2	7	3	2	4	2	4
Cirrhosis of the liver-----124	43	3	3	3	1	2	4	6	4	3	4	5	5
Biliary calculi, etc.*-----126,127	35	3	1	3	3	4	5	5	1	2	4	1	3
Nephritis-----130-132	259	26	32	25	30	20	28	15	14	17	20	15	17
Diseases of the prostate-----137	26	1	3	3	-	4	5	-	2	4	1	3	-
Diseases of pregnancy, etc.*-----140-150	17	1	2	-	1	1	1	5	-	1	3	-	2
Puerperal septicemia-----140,142a,145a,147	9	1	-	-	-	1	1	2	-	1	3	-	1
Puerperal toxemia-----141a,c,144,148	1	-	-	-	-	-	-	1	-	-	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	4	-	1	-	-	-	-	2	-	-	-	-	1
Other puerperal causes-----141d,e,f,145b,150	3	-	1	-	1	-	1	-	-	-	-	-	-
Congenital malformations-----157	112	13	14	15	7	9	13	6	9	3	6	8	8
Diseases peculiar to first year of life-----158-161	331	49	24	21	27	15	18	28	28	30	41	23	26
Premature birth-----159	207	31	14	14	17	9	12	17	15	20	25	15	18
Other diseases peculiar to first year of life-----158,160,161	124	18	10	7	10	6	6	12	13	10	16	8	8
Suicide-----163,164	50	3	5	2	6	6	5	5	4	3	4	3	4
Homicide-----165-168	12	-	1	2	-	-	1	3	2	-	2	-	1
Accidental deaths-----169-195	471	43	16	36	44	35	48	35	44	44	51	37	38
Motor-vehicle accidents-----170	177	11	7	16	15	12	16	9	16	21	20	17	17
Other accidents-----169,171-195	294	32	9	20	29	23	32	26	28	23	31	20	21
Senility, ill-defined and unknown causes-----162,199,200	154	12	15	10	23	18	10	18	7	9	16	9	7
All other causes-----	340	31	30	22	25	33	30	33	20	26	33	35	20
VERMONT-----All causes	4,378	420	284	383	385	385	360	345	316	326	354	380	410
Typhoid and paratyphoid fever-----1,2	1	-	-	-	-	1	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis-----6	1	-	-	-	-	-	-	-	-	-	1	-	-
Scarlet fever-----8	2	1	1	-	-	-	-	-	-	-	-	-	-
Whooping cough-----9	5	-	-	-	1	-	-	-	-	1	-	-	3
Diphtheria-----10	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (all forms)-----15-22	119	7	9	16	13	9	12	9	7	5	12	12	8
Tuberculosis of respiratory system, etc.*-----15	114	7	9	15	13	9	12	9	6	4	11	11	8
Tuberculosis (other forms)-----14-22	5	-	-	1	-	-	-	-	1	1	1	1	-
Dysentery-----27	1	-	-	-	-	-	-	-	-	1	-	-	-
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	12	2	1	-	-	1	-	-	3	-	-	2	3
Messles-----35	7	1	1	1	2	1	1	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute)-----34	1	-	-	-	-	-	-	-	-	-	-	1	-
Cancer and other malignant tumors-----45-55	574	50	32	56	49	61	39	38	38	38	62	55	56
Cancer of the digestive organs and peritoneum-----46	285	24	12	25	24	32	14	21	15	14	23	21	30
Cancer of female genital organs-----48,49	75	7	4	8	5	5	5	5	3	7	9	10	7
Cancer of the breast-----50	58	6	4	3	6	6	4	3	5	5	8	3	6
Cancer (other sites)-----45,47,51-55	185	13	12	20	14	18	16	9	15	12	22	21	13
Acute rheumatic fever-----58	1	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus-----61	114	14	10	12	10	7	12	7	7	8	7	9	11
Exophthalmic goiter-----63b	4	-	1	1	-	-	-	-	-	-	2	-	-
Pellagra (except alcoholic)-----69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylish)-----77	6	-	-	-	1	1	-	1	-	1	-	-	2
Intracranial lesions of vascular origin-----85	435	51	32	44	32	43	32	27	34	36	29	38	37
Diseases of the heart-----90-95	1,504	152	98	139	142	120	131	121	106	110	112	121	152
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	86	10	7	6	7	8	6	6	4	8	8	4	12
Diseases of coronary arteries and angina pectoris-----94	495	51	28	37	47	34	36	44	41	44	41	37	55
Diseases of heart (other forms)-----90b,91,92a,d,e,93a,b,d,e,95a,c	923	91	63	96	88	78	89	71	61	58	63	60	85
Arteriosclerosis and high blood pressure*-----97,102	112	9	7	11	14	12	14	7	10	7	5	9	7
Pneumonia (all forms) and influenza-----107-109,33	182	27	17	18	27	13	10	9	3	23	17	19	19
Bronchopneumonia-----107	77	13	7	5	9	4	4	6	1	10	7	11	11
Lobar pneumonia-----108	67	9	7	9	7	7	3	3	1	2	9	5	5
Pneumonia (unspecified)-----109	17	1	3	-	2	1	1	-	-	1	3	3	2
Influenza-----33	21	4	2	2	9	1	-	-	-	1	3	2	1
Ulcer of stomach or duodenum-----117	31	2	3	2	2	2	3	1	2	2	8	2	2
Diarrhea, enteritis, etc.*-----119,120	20	2	-	1	1	4	3	3	1	1	-	2	2
Appendicitis-----121	14	1	-	1	-	3	1	2	1	-	-	-	3
Hernia and intestinal obstruction-----122	43	3	5	1	5	4	3	4	4	2	4	5	4
Cirrhosis of the liver-----124	37	3	3	1	2	1	7	4	4	4	4	5	3
Biliary calculi, etc.*-----126,127	20	1	-	3	3	3	2	3	-	2	-	-	3
Nephritis-----130-132	192	13	12	18	13	15	17	20	17	16	22	18	15
Diseases of the prostate-----137	39	4	1	5	4	3	6	2	2	3	2	2	5
Diseases of pregnancy, etc.*-----140-150	12	3	-	-	-	-	-	2	1	3	3	-	-
Puerperal septicemia-----140,142a,145a,147	4	-	-	-	-	-	-	1	1	2	-	-	-
Puerperal toxemia-----141a,c,144,148	3	2	-	-	-	-	-	-	-	-	1	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	4	-	-	-	-	-	-	1	-	1	2	-	-
Other puerperal causes-----141d,e,f,145b,150	1	1	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations-----157	67	11	4	1	5	9	5	8	5	6	2	7	4
Diseases peculiar to first year of life-----158-161	153	12	12	9	12	19	6	15	13	12	17	11	15
Premature birth-----159	100	9	10	7	6	13	3	11	9	7	11	5	9
Other diseases peculiar to first year of life-----158,160,161	53	3	2	2	6	6	3	4	4	5	6	6	6
Suicide-----163,164	50	3	-	4	6	2	4	2	4	6	6	5	8
Homicide-----165-160	4	-	-	-	-	-	-	1	-	2	-	1	-
Accidental deaths-----169-195	315	24	27	19	19	25	29	27	29	27	23	31	26
Motor-vehicle accidents-----170	69	4	11	3	5	5	3	4	7	8	6	10	3
Other accidents-----169,171-195	246	20	16	15	14	20	26	33	22	19	17	21	23
Senility, ill-defined and unknown causes-----162,199,200	46	4	2	6	7	4	3	3	1	6	5	1	4
All other causes-----	233	20	16	17	24	24	20	20	24	25	16	25	20

*Refer to International List for complete title, table IX, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA—All causes	29,193	2,734	2,351	2,788	2,640	2,390	2,227	2,225	2,160	2,145	2,345	2,408	2,781
Typhoid and paratyphoid fever—1,2	11	1	1	1	-	-	2	2	2	-	3	-	1
Cerebrospinal (meningococcus) meningitis—8	33	1	3	2	5	3	2	3	3	-	1	1	9
Scarlet fever—8	3	-	-	1	-	-	2	-	-	-	-	-	-
Whooping cough—9	60	4	4	8	6	6	3	5	7	4	4	5	4
Diphtheria—10	23	3	3	2	-	-	-	1	-	1	5	3	5
Tuberculosis (all forms)—13-22	1,244	98	100	133	109	101	98	108	101	84	99	113	100
Tuberculosis of respiratory system, etc.*—13	1,159	90	91	126	99	95	93	98	95	83	93	102	94
Tuberculosis (other forms)—14-22	85	8	9	7	10	6	5	10	6	1	6	11	6
Dysentery—27	25	-	1	4	-	5	4	3	2	3	3	-	-
Malaria—28	1	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis—30	349	21	30	41	22	23	28	31	25	32	32	29	35
Measles—35	31	-	4	11	5	5	-	1	-	1	-	2	2
Poliomyelitis, poliomyelitis (acute)—36	13	-	-	-	1	1	-	-	-	3	5	3	-
Cancer and other malignant tumors—45-55	2,978	266	251	251	244	233	222	247	265	261	247	249	262
Cancer of the digestive organs and peritoneum—46	1,155	99	95	94	89	93	87	106	95	97	91	100	107
Cancer of female genital organs—48,49	360	38	23	36	34	33	29	28	32	28	35	33	31
Cancer of the breast—50	310	33	26	33	28	21	15	21	23	33	25	20	32
Cancer (other sites)—45,47,51-55	1,133	96	67	68	93	86	91	90	115	103	96	96	92
Acute rheumatic fever—59	45	3	6	9	2	5	3	2	2	2	3	4	4
Diabetes mellitus—61	598	55	47	61	54	56	44	35	43	41	61	54	47
Exophthalmic goiter—63b	42	5	4	6	3	3	1	2	5	3	2	3	5
Pellagra (except alcoholic)—69	24	3	4	-	6	2	2	1	1	1	1	1	1
Alcoholism (ethylinism)—77	95	13	8	12	2	9	6	9	5	2	5	6	18
Intracranial lesions of vascular origin—83	3,101	287	285	282	305	285	241	234	216	199	257	269	315
Diseases of the heart—90-95	8,096	778	650	758	769	696	646	586	582	571	639	664	787
Chronic rheumatic diseases of the heart—90a,92b,c,93c,95b	439	46	35	38	48	36	31	27	25	35	30	39	49
Diseases of coronary arteries and angina pectoris—94	2,504	238	202	212	231	235	219	202	211	177	185	231	241
Diseases of heart (other forms)—90b,91,92a,d,e,93a,b,d,e,95a,c	5,073	494	413	508	490	425	396	357	316	359	424	394	497
Arteriosclerosis and high blood pressure*—97,102	523	47	48	47	56	37	31	38	42	38	46	40	53
Pneumonia (all forms) and influenza—107-109,33	1,328	180	126	183	214	76	70	58	42	57	60	99	163
Bronchopneumonia—107	549	61	54	74	52	28	38	27	23	30	31	45	66
Lobar pneumonia—108	329	46	32	40	53	18	18	16	13	15	14	19	45
Pneumonia (unspecified)—109	235	29	27	35	28	13	13	11	5	8	8	28	31
Influenza—33	214	24	13	34	81	17	1	4	7	7	7	7	21
Ulcer of stomach or duodenum—117	143	8	9	15	10	11	16	9	12	15	12	14	12
Diarrhea, enteritis, etc.*—119,120	204	12	15	23	21	13	20	22	13	22	17	14	12
Appendicitis—121	91	12	3	8	11	6	8	8	8	7	7	7	6
Hernia and intestinal obstruction—122	161	15	22	13	10	8	11	12	13	11	15	9	16
Cirrhosis of the liver—124	194	21	22	12	11	9	13	12	10	18	16	22	18
Biliary calculi, etc.*—126,127	106	11	6	6	4	5	7	4	13	11	12	12	13
Hepatitis—130-132	2,130	207	179	201	221	182	160	154	147	140	163	165	211
Diseases of the prostate—137	136	6	10	12	11	21	11	10	7	16	11	9	14
Diseases of pregnancy, etc.*—140-150	144	21	10	14	6	16	11	12	10	10	13	10	10
Puerperal septicemia—140,142a,145a,147	38	5	2	4	2	4	3	5	4	3	3	1	2
Puerperal toxemia—141a,c,144,146	39	3	3	2	2	5	5	1	5	4	3	2	4
Hemorrhage, trauma or shock*—141b,142b,143,146,149	50	9	5	7	1	6	2	3	3	2	2	7	3
Other puerperal causes—141d,e,f,145b,150	17	4	-	1	1	1	1	2	-	1	2	3	1
Congenital malformations—157	429	47	41	38	32	39	34	38	34	37	22	26	41
Diseases peculiar to first year of life—158-161	1,768	147	127	167	141	142	123	153	158	157	147	154	132
Premature birth—158	1,110	97	67	115	86	102	81	105	95	97	90	97	78
Other diseases peculiar to first year of life—159,160,161	658	50	60	72	55	40	42	48	63	60	57	57	54
Suicide—163,164	337	29	23	38	27	28	28	37	28	26	20	21	32
Homicide—165-168	261	20	15	20	13	24	20	27	15	28	28	27	23
Accidental deaths—169-195	2,108	168	166	172	131	168	185	169	203	162	190	175	199
Motor-vehicle accidents—170	676	58	37	64	51	50	51	54	59	64	71	56	61
Other accidents—169,171-195	1,432	130	129	108	80	118	134	115	144	98	119	119	138
Senility, ill-defined and unknown causes—162,199,200	643	58	72	86	62	57	49	44	35	50	49	49	74
All other causes—161,162,163,164,165,166,167,168,169,170,171,172,173,174,175,176,177,178,179,180,181,182,183,184,185,186,187,188,189,190,191,192,193,194,195,196,197,198,199,200,201,202,203,204,205,206,207,208,209,210,211,212,213,214,215,216,217,218,219,220,221,222,223,224,225,226,227,228,229,230,231,232,233,234,235,236,237,238,239,240,241,242,243,244,245,246,247,248,249,250,251,252,253,254,255,256,257,258,259,260,261,262,263,264,265,266,267,268,269,270,271,272,273,274,275,276,277,278,279,280,281,282,283,284,285,286,287,288,289,290,291,292,293,294,295,296,297,298,299,300,301,302,303,304,305,306,307,308,309,310,311,312,313,314,315,316,317,318,319,320,321,322,323,324,325,326,327,328,329,330,331,332,333,334,335,336,337,338,339,340,341,342,343,344,345,346,347,348,349,350,351,352,353,354,355,356,357,358,359,360,361,362,363,364,365,366,367,368,369,370,371,372,373,374,375,376,377,378,379,380,381,382,383,384,385,386,387,388,389,390,391,392,393,394,395,396,397,398,399,400,401,402,403,404,405,406,407,408,409,410,411,412,413,414,415,416,417,418,419,420,421,422,423,424,425,426,427,428,429,430,431,432,433,434,435,436,437,438,439,440,441,442,443,444,445,446,447,448,449,450,451,452,453,454,455,456,457,458,459,460,461,462,463,464,465,466,467,468,469,470,471,472,473,474,475,476,477,478,479,480,481,482,483,484,485,486,487,488,489,490,491,492,493,494,495,496,497,498,499,500,501,502,503,504,505,506,507,508,509,510,511,512,513,514,515,516,517,518,519,520,521,522,523,524,525,526,527,528,529,530,531,532,533,534,535,536,537,538,539,540,541,542,543,544,545,546,547,548,549,550,551,552,553,554,555,556,557,558,559,560,561,562,563,564,565,566,567,568,569,570,571,572,573,574,575,576,577,578,579,580,581,582,583,584,585,586,587,588,589,590,591,592,593,594,595,596,597,598,599,600,601,602,603,604,605,606,607,608,609,610,611,612,613,614,615,616,617,618,619,620,621,622,623,624,625,626,627,628,629,630,631,632,633,634,635,636,637,638,639,640,641,642,643,644,645,646,647,648,649,650,651,652,653,654,655,656,657,658,659,660,661,662,663,664,665,666,667,668,669,670,671,672,673,674,675,676,677,678,679,680,681,682,683,684,685,686,687,688,689,690,691,692,693,694,695,696,697,698,699,700,701,702,703,704,705,706,707,708,709,710,711,712,713,714,715,716,717,718,719,720,721,722,723,724,725,726,727,728,729,730,731,732,733,734,735,736,737,738,739,740,741,742,743,744,745,746,747,748,749,750,751,752,753,754,755,756,757,758,759,760,761,762,763,764,765,766,767,768,769,770,771,772,773,774,775,776,777,778,779,780,781,782,783,784,785,786,787,788,789,790,791,792,793,794,795,796,797,798,799,800,801,802,803,804,805,806,807,808,809,810,811,812,813,814,815,816,817,818,819,820,821,822,823,824,825,826,827,828,829,830,831,832,833,834,835,836,837,838,839,840,841,842,843,844,845,846,847,848,849,850,851,852,853,854,855,856,857,858,859,860,861,862,863,864,865,866,867,868,869,870,871,872,873,874,875,876,877,878,879,880,881,882,883,884,885,886,887,888,889,890,891,892,893,894,895,896,897,898,899,900,901,902,903,904,905,906,907,908,909,910,911,912,913,914,915,916,917,918,919,920,921,922,923,924,925,926,927,928,929,930,931,932,933,934,935,936,937,938,939,940,941,942,943,944,945,946,947,948,949,950,951,952,953,954,955,956,957,958,959,960,961,962,963,964,965,966,967,968,969,970,971,972,973,974,975,976,977,978,979,980,981,982,983,984,985,986,987,988,989,990,991,992,993,994,995,996,997,998,999,1000	1,693	169	126	129	126	137	126	142	139	130	153	147	157
WASHINGTON—All causes	21,979	2,074	1,752	1,982	1,613	1,649	1,659	1,794	1,668	1,741	1,827	1,812	1,988
Typhoid and paratyphoid fever—1,2	4	1	1	-	1	1	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis—6	16	1	2	3	1	1	1	1	2	-	-	-	3
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	7	1	1	1	-	-	-	1	-	1	-	-	2
Diphtheria—10	11	1	-	1	-	1	-	1	2	2	1	-	2
Tuberculosis (all forms)—13-22	592	56	46	58	47	55	41	50	43	52	52	41	53
Tuberculosis of respiratory system, etc.*—13	532	51	45	54	40	46	35	45	42	46	44	3	

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

237

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON—Continued													
Pneumonia (all forms) and influenza-----107-109,33	833	126	83	109	88	52	39	48	45	58	49	53	84
Bronchopneumonia-----107	471	85	42	61	55	31	20	28	25	29	31	34	50
Lobar pneumonia-----108	249	39	30	34	19	16	15	12	16	22	14	9	23
Pneumonia (unspecified)-----109	61	12	7	3	5	3	3	6	2	4	4	6	8
Influenza-----33	52	10	4	11	11	2	2	2	2	3	-	4	3
Ulcer of stomach or duodenum-----117	170	19	10	15	14	13	12	16	13	9	10	18	21
Diarrhea, enteritis, etc.*-----119,120	58	3	4	14	6	4	3	3	4	2	5	4	6
Appendicitis-----121	53	9	3	3	5	3	6	7	1	3	5	2	2
Hernia and intestinal obstruction-----122	156	21	10	20	15	12	12	10	12	13	9	9	13
Cirrhosis of the liver-----124	204	20	15	25	20	13	18	22	9	15	23	17	17
Biliary calculi, etc.*-----126,127	88	5	10	11	10	13	3	4	4	7	5	10	8
Nephritis-----130-132	998	94	76	76	106	102	71	64	65	90	77	87	90
Diseases of the prostate-----137	94	9	5	12	10	3	6	5	9	6	8	14	7
Diseases of pregnancy, etc.*-----140-150	65	1	6	3	8	7	8	5	7	5	4	5	4
Puerperal septicemia-----140,142a,145A,147	15	-	2	1	2	-	1	1	2	1	2	2	1
Puerperal toxemia-----141a,c,144,148	20	-	2	-	5	3	3	1	2	-	2	1	1
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	23	1	2	2	1	3	4	2	3	2	-	2	1
Other puerperal causes-----141d,e,f,145B,150	5	-	-	-	-	1	-	1	-	-	-	-	1
Congenital malformations-----157	337	38	19	31	30	23	31	31	29	23	20	32	30
Diseases peculiar to first year of life-----158-161	987	72	37	86	89	95	80	85	87	85	64	85	84
Premature birth-----159	576	42	62	53	48	58	50	46	30	34	37	52	44
Other diseases peculiar to first year of life-----158,160,161	411	30	35	33	41	37	30	39	37	31	27	31	40
Suicide-----163,164	368	25	29	31	33	31	25	37	41	34	22	27	30
Homicide-----165-168	75	4	5	5	4	3	8	5	11	7	7	5	11
Accidental deaths-----169-195	1,806	172	122	132	131	188	145	141	155	150	187	137	186
Motor-vehicle accidents-----170	557	51	31	31	46	57	43	35	40	52	58	51	62
Other accidents-----169,171-195	1,249	121	91	101	85	131	102	106	115	98	109	86	104
Senility, ill-defined and unknown causes-----162,199,200	402	36	34	31	29	35	54	29	23	24	31	42	54
All other causes-----	1,269	115	103	90	98	109	102	105	100	107	109	114	109
WEST VIRGINIA-----All causes	17,218	1,561	1,395	1,818	1,532	1,404	1,301	1,297	1,260	1,175	1,418	1,489	1,568
Typhoid and paratyphoid fever-----1,2	8	-	-	1	4	1	-	-	1	-	1	1	1
Cerebrospinal (meningococcus) meningitis-----6	24	1	-	4	4	4	3	3	1	1	-	1	2
Scarlet fever-----8	8	2	2	-	-	1	-	-	1	1	-	1	-
Whooping cough-----9	44	3	-	5	3	3	2	4	1	-	-	2	18
Diphtheria-----10	9	-	-	-	2	-	1	1	-	-	1	2	2
Tuberculosis (all forms)-----13-22	683	69	57	67	59	69	52	60	48	48	53	57	45
Tuberculosis of respiratory system, etc.*-----13	618	58	55	59	55	60	49	56	42	43	47	50	44
Tuberculosis (other forms)-----14-22	65	10	2	8	4	9	3	4	6	5	6	7	1
Dysentery-----27	11	-	-	2	-	-	1	1	5	-	1	-	1
Malaria-----28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis-----30	197	13	20	23	24	17	12	18	15	8	16	16	16
Measles-----35	19	2	5	1	3	3	2	-	1	-	-	-	2
Poliomyelitis, poliоencephalitis (acute)-----36	7	1	-	-	-	-	-	-	3	2	1	-	-
Cancer and other malignant tumors-----45-55	1,866	136	142	168	141	156	146	147	168	152	163	187	160
Cancer of the digestive organs and peritoneum-----46	832	56	65	85	64	73	69	51	75	64	74	81	75
Cancer of female genital organs-----48,49	298	18	22	26	15	24	23	30	28	33	28	23	18
Cancer of the breast-----50	116	11	12	10	10	8	10	8	10	6	11	8	12
Cancer (other sites)-----45,47,51-55	630	51	42	47	52	51	45	58	55	49	60	75	55
Acute rheumatic fever-----58	17	1	3	2	-	-	2	1	1	-	2	2	3
Diabetes mellitus-----61	397	31	24	44	37	32	30	33	24	33	36	35	38
Exophthalmic goiter-----63b	54	3	5	3	2	4	2	5	2	2	2	5	1
Pellagra (except alcoholic)-----69	3	-	-	1	-	-	1	-	-	-	1	-	-
Alcoholism (ethylism)-----77	34	4	6	1	5	-	1	7	4	5	1	3	1
Intracranial lesions of vascular origin-----83	1,563	161	128	134	131	131	130	123	111	97	136	136	145
Diseases of the heart-----90-95	4,437	400	385	498	411	354	332	321	297	291	377	364	427
Chronic rheumatic diseases of the heart-----90a,92b,c,93c,95b	258	23	26	28	31	20	21	15	16	11	25	14	28
Diseases of coronary arteries and angina pectoris-----94	1,428	120	130	141	116	129	127	102	98	96	126	116	127
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	2,751	257	209	329	264	205	184	204	183	184	226	234	

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1933 revision.)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		33,219	3,080	2,675	3,269	2,952	2,739	2,723	2,670	2,664	2,370	2,546	2,620
WISCONSIN—All causes													
Typhoid and paratyphoid fever.....1,2	3	-	-	-	-	-	-	-	1	1	-	-	1
Cerebrospinal (meningococcus) meningitis.....6	18	2	1	1	-	3	2	1	3	1	-	3	1
Scarlet fever.....8	3	-	-	1	-	-	-	1	-	-	-	1	-
Whooping cough.....9	34	2	3	3	3	6	3	2	3	3	2	2	2
Diphtheria.....10	10	1	-	2	3	-	-	1	-	-	-	-	3
Tuberculosis (all forms).....13-22	585	52	55	48	62	54	58	49	46	44	33	35	49
Tuberculosis of respiratory system, etc.*.....13	539	44	51	46	58	51	53	46	43	39	31	31	46
Tuberculosis (other forms).....14-22	46	8	4	2	4	3	5	3	3	5	2	4	3
Dysentery.....27	4	-	-	-	-	-	1	1	-	1	-	-	-
Malaria.....28	1	-	-	-	1	-	-	-	-	-	-	-	-
Syphilis.....30	157	13	16	11	12	16	11	15	8	13	18	11	15
Measles.....35	8	2	1	-	-	3	2	-	-	-	-	-	-
Poliomyelitis, poliomyelitis (acute).....36	10	1	1	-	2	-	-	-	2	-	2	-	-
Cancer and other malignant tumors.....45-55	4,859	410	335	444	410	441	403	451	373	369	420	367	436
Cancer of the digestive organs and peritoneum.....46	2,446	189	164	217	219	231	199	225	190	196	223	169	224
Cancer of female genital organs.....48,49	484	46	44	53	37	34	36	45	35	40	37	39	38
Cancer of the breast.....50	475	47	20	45	45	41	37	40	40	29	48	37	46
Cancer (other sites).....45,47,51-55	1,454	128	107	129	109	135	131	141	108	104	112	122	128
Acute rheumatic fever.....58	14	1	1	1	1	-	2	2	2	1	-	2	1
Diabetes mellitus.....61	977	79	76	102	113	84	75	80	67	68	65	72	96
Exophthalmic goiter.....63b	97	8	10	9	8	10	14	6	8	5	10	4	5
Pellagra (except alcoholic).....69	3	-	-	-	1	-	-	-	-	-	-	1	1
Alcoholism (ethylism).....77	34	5	2	1	3	1	6	2	2	3	3	1	5
Intracranial lesions of vascular origin.....83	3,316	300	281	304	276	282	275	250	264	251	252	272	309
Diseases of the heart.....90-95	11,154	1,078	914	1,150	1,040	873	893	847	850	737	865	885	1,002
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	598	54	55	50	53	48	49	45	51	41	44	54	54
Diseases of coronary arteries and angina pectoris.....94	3,546	313	280	316	302	281	282	285	270	275	298	320	324
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	6,990	711	579	784	685	544	582	517	529	421	523	511	624
Arteriosclerosis and high blood pressure*.....97,102	579	51	56	71	43	45	56	46	52	40	37	39	43
Pneumonia (all forms) and influenza.....107-109,33	1,245	171	135	229	162	90	69	50	56	43	73	66	101
Bronchopneumonia.....107	603	94	74	87	64	42	37	24	32	27	44	32	46
Lobar pneumonia.....108	407	57	40	81	48	28	22	16	18	14	18	26	39
Pneumonia (unspecified).....109	67	7	9	9	10	3	7	4	1	-	6	6	5
Influenza.....33	168	13	12	52	40	17	3	6	5	2	5	2	11
Ulcer of stomach or duodenum.....117	205	18	19	14	18	16	17	19	14	18	17	22	15
Diarrhea, enteritis, etc.*.....119,120	120	4	12	10	13	9	16	11	9	11	8	4	13
Appendicitis.....121	108	9	6	12	4	9	6	7	9	15	11	11	9
Hernia and intestinal obstruction.....122	294	25	21	29	21	21	27	26	28	27	20	30	21
Cirrhosis of the liver.....124	289	19	26	18	23	20	25	24	21	28	23	30	32
Biliary calculi, etc.*.....126,127	233	17	22	19	14	20	25	22	22	21	21	17	13
Nephritis.....130-132	1,627	166	144	152	154	116	123	121	126	118	118	129	159
Diseases of the prostate.....137	226	18	14	33	22	22	9	20	18	19	18	20	13
Diseases of pregnancy, etc.*.....140-150	89	10	9	13	8	5	11	7	5	4	5	6	6
Puerperal septicemia.....140,142a,145A,147	30	2	1	7	3	2	3	1	1	1	2	4	3
Puerperal toxemia.....141a,c,144,146	32	3	5	4	2	2	5	4	2	1	-	-	-
Hemorrhage, trauma or shock*.....141b,142b,143,146,149	24	4	3	2	2	1	3	2	-	1	2	1	3
Other puerperal causes.....141d,e,f,145B,150	3	1	-	-	1	-	-	-	-	-	-	1	-
Congenital malformations.....157	475	40	41	49	36	34	32	40	43	42	40	42	36
Diseases peculiar to first year of life.....158-161	1,482	118	117	135	114	116	117	129	162	122	122	107	123
Premature birth.....159	943	65	70	66	67	67	74	62	114	77	77	77	87
Other diseases peculiar to first year of life.....158,160,161	539	53	47	49	47	49	43	47	48	45	45	30	36
Suicide.....163,164	468	34	26	44	38	42	43	47	45	32	46	39	34
Homicide.....165-168	44	4	5	3	4	2	5	5	2	3	4	6	1
Accidental deaths.....169-195	2,274	195	138	177	165	205	216	227	232	175	165	188	191
Motor-vehicle accidents.....170	790	59	37	53	54	81	71	69	90	66	66	64	60
Other accidents.....169,171-195	1,484	136	101	124	111	124	145	158	142	109	99	104	131
Senility, ill-defined and unknown causes.....182,199,200	411	46	38	38	37	41	27	22	46	26	24	39	27
All other causes.....	1,783	179	150	146	143	152	154	140	146	130	126	167	150
WYOMING—All causes													
Typhoid and paratyphoid fever.....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	2	-	-	1	-	-	-	1	-	-	-	-	-
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough.....9	3	-	-	1	-	1	-	-	-	-	-	-	-
Diphtheria.....10	3	2	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis (all forms).....13-22	34	1	2	4	3	2	3	3	3	3	5	2	3
Tuberculosis of respiratory system, etc.*.....13	29	1	1	3	3	2	2	3	2	3	4	2	3
Tuberculosis (other forms).....14-22	5	-	1	1	-	-	1	-	1	-	1	-	-
Dysentery.....27	3	-	-	-	-	-	2	-	-	-	1	-	-
Malaria.....29	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	18	1	3	1	2	1	3	-	-	2	2	1	2
Measles.....35	1	-	-	-	-	-	-	-	-	-	-	-	1
Poliomyelitis, poliomyelitis (acute).....36	2	-	1	-	-	-	1	-	-	-	-	-	-
Cancer and other malignant tumors.....45-55	222	19	20	24	18	24	13	14	20	16	19	15	20
Cancer of the digestive organs and peritoneum.....46	97	5	11	6	6	12	8	7	10	8	6	6	6
Cancer of female genital organs.....48,49	25	5	1	2	2	1	1	-	3	1	6	2	1
Cancer of the breast.....50	14	-	3	2	1	2	-	2	3	4	5	5	12
Cancer (other sites).....45,47,51-55	66	9	5	12	9	9	4	5	7	4	6	6	6
Acute rheumatic fever.....58	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus.....61	48	2	2	5	4	4	6	2	5	4	3	5	6
Exophthalmic goiter.....63b	2	-	-	-	-	-	-	-	-	-	-	-	-
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	9	-	1	-	2	1	2	1	-	-	-	2	-
Intracranial lesions of vascular origin.....83	202	17	21	17	20	16	16	15	18	13	17	19	13
Diseases of the heart.....90-95	729	59	55	75	60	59	57	55	71	60	69	52	57
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	41	6	3	4	4	6	1	2	4	1	4	5	1
Diseases of coronary arteries and angina pectoris.....94	261	19	27	27	23	18	23	24	27	21	26	17	29
Diseases of heart (other forms)-90b,91,92a,d,e,93a,b,d,e,95a,c	407	34	25	44	33	35	33	29	40	38	39	30	27
Arteriosclerosis and high blood pressure*.....97,102	27	2	1	-	5	2	2	1	-	2	3	3	4

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

239

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are International List numbers, 1938 revision)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING—Continued													
Pneumonia (all forms) and influenza-----107-109,33	99	11	3	23	6	11	6	1	6	7	4	8	13
Bronchopneumonia-----107	31	4	3	7	1	1	2	-	1	3	2	4	3
Lobar pneumonia-----108	38	5	-	8	2	4	3	1	4	3	2	2	4
Pneumonia (unspecified)-----109	16	-	-	2	2	3	-	-	1	1	-	1	6
Influenza-----33	14	2	-	6	1	3	1	-	-	-	-	1	-
Ulcer of stomach or duodenum-----117	11	1	3	-	1	-	-	2	-	-	3	1	-
Diarrhea, enteritis, etc.*-----119,120	11	1	-	-	2	1	2	1	1	-	-	2	1
Appendicitis-----121	17	1	1	1	1	2	1	2	-	4	1	1	2
Hernia and intestinal obstruction-----122	20	4	3	3	1	1	-	1	1	3	-	1	2
Cirrhosis of the liver-----124	21	2	2	-	1	1	2	2	5	-	1	2	3
Biliary calculi, etc.*-----126,127	15	2	-	1	2	-	-	2	1	2	2	2	1
Nephritis-----130-132	132	14	7	17	9	14	10	7	8	8	18	5	15
Diseases of the prostate-----137	12	1	2	2	1	3	-	-	1	-	1	-	1
Diseases of pregnancy, etc.*-----140-150	6	2	-	-	-	1	-	-	1	-	-	-	2
Puerperal septicemia-----140,142a,145A,147	2	-	-	-	-	-	-	-	1	-	-	-	1
Puerperal toxemia-----141a,c,144,148	1	1	-	-	-	-	-	-	-	-	-	-	-
Hemorrhage, trauma or shock*-----141b,142b,143,146,149	2	1	-	-	-	-	-	-	-	-	-	-	1
Other puerperal causes-----141d,e,f,145B,150	1	-	-	-	-	1	-	-	-	-	-	-	-
Congenital malformations-----157	39	5	2	5	1	6	4	4	5	2	1	-	4
Diseases peculiar to first year of life-----158-161	141	12	9	14	18	20	3	17	10	5	8	13	12
Premature birth-----159	79	4	3	6	8	13	3	13	4	4	5	6	10
Other diseases peculiar to first year of life-----158,160,161	62	8	6	8	8	7	2	4	6	1	3	7	2
Suicide-----163,164	39	5	1	4	6	2	1	5	3	3	3	3	3
Homicide-----165-168	13	2	2	1	-	-	1	1	1	1	3	-	1
Accidental death-----169-195	291	16	15	13	18	24	38	35	40	36	19	22	15
Motor-vehicle accidents-----170	98	4	4	6	4	5	15	7	19	18	9	5	2
Other accidents-----169,171-195	193	12	11	7	14	19	23	28	21	18	10	17	13
Senility, ill-defined and unknown causes-----162,196,200	41	2	5	3	4	4	4	2	3	3	4	4	3
All other causes-----	156	13	6	8	14	15	7	10	13	8	15	17	10

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
	UNITED STATES										
	ALL CAUSES-----	1,445,370	119,173	7,357	4,328	3,275	2,651	136,782	8,463	7,272	13,997
	White-----M--	726,104	57,180	3,149	2,011	1,557	1,250	65,147	4,242	3,634	6,872
	F--	548,789	41,367	2,668	1,487	1,150	946	47,618	2,766	2,128	3,867
	Nonwhite-----M--	92,130	11,442	814	445	306	240	13,245	769	832	1,686
	F--	78,347	9,184	726	385	262	215	10,772	647	678	1,572
1,2	Typhoid and paratyphoid fever-----	325	19	3	1	3	2	28	15	24	26
	White-----M--	186	8	2	1	1	-	12	4	5	11
	F--	94	5	-	-	1	1	7	6	5	6
	Nonwhite-----M--	50	3	-	-	1	1	5	2	5	4
	F--	45	3	1	-	-	-	4	3	9	5
6	Cerebrospinal (meningococcus) meningitis-----	917	281	108	62	33	27	511	62	37	51
	White-----M--	441	140	47	33	16	15	251	27	14	22
	F--	345	108	45	20	13	12	198	25	16	19
	Nonwhite-----M--	85	23	10	3	3	-	39	7	4	8
	F--	50	10	6	1	1	-	23	5	3	2
8	Scarlet fever-----	107	8	6	3	8	5	30	25	18	14
	White-----M--	59	4	4	1	6	5	20	9	11	8
	F--	39	3	1	2	2	-	8	15	4	5
	Nonwhite-----M--	3	-	-	-	-	-	-	-	3	-
	F--	6	1	1	-	-	-	2	1	-	1
9	Whooping cough-----	1,954	1,481	278	98	37	17	1,911	31	6	3
	White-----M--	645	509	74	25	9	7	624	13	3	2
	F--	684	511	107	43	6	4	671	8	2	1
	Nonwhite-----M--	295	222	41	13	10	2	288	5	-	-
	F--	334	239	56	17	12	4	328	5	1	-
10	Diphtheria-----	799	58	107	109	88	88	450	189	56	15
	White-----M--	355	29	49	46	40	30	194	88	22	7
	F--	320	10	37	43	39	43	172	79	28	6
	Nonwhite-----M--	57	8	11	10	5	6	40	9	2	1
	F--	69	11	10	10	4	9	44	13	4	1
13-22	Tuberculosis (all forms)-----	49,064	370	316	185	133	95	1,099	226	373	1,720
	White-----M--	23,167	156	101	63	49	28	377	57	63	296
	F--	11,616	127	106	50	44	20	347	65	87	468
	Nonwhite-----M--	7,418	56	52	34	25	31	202	50	85	341
	F--	5,663	51	57	34	15	16	173	54	138	615
13	Tuberculosis of respiratory system, etc.*-----	44,462	146	111	61	50	37	405	93	257	1,527
	White-----M--	21,671	59	40	15	15	5	134	21	35	249
	F--	10,653	51	29	21	14	6	121	24	58	420
	Nonwhite-----M--	6,687	21	23	13	13	18	88	19	58	297
	F--	5,271	15	19	12	8	8	62	29	106	561
14-22	Tuberculosis (other forms)-----	3,602	224	205	124	83	58	694	133	116	193
	White-----M--	1,296	77	61	40	34	23	243	36	28	47
	F--	983	76	77	29	20	14	226	41	29	48
	Nonwhite-----M--	731	35	29	25	12	13	114	31	27	44
	F--	592	36	38	22	7	8	111	25	32	54
27	Dysentery-----	869	423	60	19	15	6	513	11	6	9
	White-----M--	399	201	19	11	8	3	242	6	2	5
	F--	292	150	22	7	3	1	193	3	2	2
	Nonwhite-----M--	105	44	6	-	3	-	53	1	1	1
	F--	73	28	3	1	2	2	35	1	1	1
28	Malaria-----	214	9	6	3	3	2	23	8	3	6
	White-----M--	87	4	2	-	1	1	8	3	-	-
	F--	35	2	-	1	1	1	5	2	1	2
	Nonwhite-----M--	43	2	3	1	1	-	7	1	-	2
	F--	51	1	1	1	-	-	3	2	2	2
30	Syphilis-----	12,671	517	17	4	6	1	545	10	26	55
	White-----M--	6,172	84	3	1	2	1	91	5	6	16
	F--	1,995	84	5	2	1	-	92	2	8	16
	Nonwhite-----M--	3,082	197	6	-	2	-	205	1	6	7
	F--	1,422	152	3	1	1	-	157	4	6	16
35	Measles-----	472	116	89	45	35	23	308	76	25	10
	White-----M--	176	50	28	16	13	5	112	32	8	3
	F--	199	37	41	18	12	11	119	37	12	6
	Nonwhite-----M--	44	12	9	7	8	4	40	3	1	-
	F--	53	17	11	4	2	3	37	4	4	1
36	Poliomyelitis, poliomyelitis (acute)-----	580	29	25	19	14	13	98	107	77	83
	White-----M--	317	16	9	7	7	4	43	69	38	42
	F--	218	6	7	11	5	6	35	33	30	36
	Nonwhite-----M--	25	2	3	-	2	2	9	2	5	3
	F--	22	5	4	1	-	1	11	3	4	2
45-55	Cancer and other malignant tumors-----	189,811	108	128	164	151	129	680	398	335	462
	White-----M--	87,321	52	59	94	76	69	350	223	179	246
	F--	88,455	44	57	56	65	42	262	151	123	162
	Nonwhite-----M--	6,271	6	5	7	8	6	32	14	11	25
	F--	7,764	6	7	7	4	12	36	10	22	29
46	Cancer of the digestive organs and peritoneum-----	85,121	19	12	11	13	18	73	35	34	59
	White-----M--	42,240	10	6	6	9	13	44	26	27	40
	F--	35,173	7	5	4	4	3	23	6	5	12
	Nonwhite-----M--	5,289	2	-	-	-	-	3	2	1	3
	F--	2,419	-	1	1	-	1	5	1	1	4

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947

(and of deaths among armed forces overseas)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
20,929	22,576	26,144	35,142	47,400	65,375	91,254	114,724	137,555	157,329	169,909	161,228	121,583	74,131	25,622	5,716	1,235	1,004	
9,940	9,971	11,429	15,807	22,827	32,596	48,576	64,062	77,083	84,665	87,530	80,094	56,775	32,499	9,934	1,904	240	477	
5,514	6,656	8,265	11,004	14,368	19,681	27,203	35,673	45,941	58,481	70,734	72,780	59,328	38,788	14,225	3,116	419	216	
2,809	3,006	3,247	4,217	5,392	6,941	8,758	8,438	7,942	7,824	6,614	4,685	2,860	1,451	681	327	200	187	
2,669	2,943	3,205	4,114	5,392	6,941	8,758	8,438	7,942	7,824	6,614	4,685	2,860	1,451	681	327	200	187	
25	80	22	28	25	20	16	19	20	21	7	9	-	-	-	-	-	-	1,2
7	7	10	10	15	9	8	9	10	9	6	4	-	-	-	-	-	-	
8	11	2	11	5	1	2	8	7	10	1	4	-	-	-	-	-	-	
5	-	7	5	3	6	3	1	2	1	-	1	-	-	-	-	-	-	
5	2	3	2	2	4	3	1	1	1	-	-	-	-	-	-	-	-	
22	18	24	22	23	24	19	28	24	23	16	6	2	2	1	-	-	2	6
9	10	13	15	10	15	8	14	13	9	6	1	1	2	-	-	-	1	
7	4	8	3	8	5	7	9	9	11	9	5	-	1	-	-	-	-	
2	4	2	3	2	2	1	4	2	2	-	-	-	-	-	-	-	-	1
4	-	1	1	3	2	3	1	1	1	1	-	-	-	-	-	-	-	
4	4	2	1	-	4	2	2	1	-	-	-	-	-	-	-	-	-	8
1	2	1	1	-	4	1	1	-	-	-	-	-	-	-	-	-	-	
3	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	9
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	6	3	8	11	9	12	7	8	9	5	4	-	-	-	-	-	-	10
2	-	1	7	6	4	7	4	4	4	1	2	-	-	-	-	-	-	
2	6	-	-	4	2	4	2	4	5	4	2	-	-	-	-	-	-	
2	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
1	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	
3,612	3,896	3,801	4,049	4,285	4,302	4,563	4,280	3,719	3,294	2,292	1,556	680	242	54	10	2	29	15-22
717	988	1,208	1,605	2,147	2,497	2,817	2,897	2,594	2,114	1,417	859	355	113	24	5	1	10	
1,078	1,221	1,200	1,132	894	716	686	670	662	761	635	555	269	108	22	4	-	8	
723	697	713	768	818	743	788	537	349	279	161	105	34	14	6	-	-	7	
1,094	990	682	544	406	346	262	176	114	120	79	41	14	7	2	1	1	4	
3,347	3,669	3,569	3,824	4,037	4,069	4,344	4,079	3,529	3,125	2,157	1,475	634	228	54	10	2	28	13
671	819	1,141	1,530	2,071	2,396	2,722	2,806	2,492	2,024	1,344	825	344	107	24	5	1	10	
1,026	1,167	1,143	1,070	840	672	650	609	611	729	599	513	246	101	22	4	-	8	
645	643	654	714	758	690	735	497	321	267	144	100	30	14	6	-	-	6	
1,005	940	631	510	368	311	236	167	105	105	70	37	14	6	2	1	1	4	
285	227	232	225	228	235	219	201	190	169	135	81	46	14	-	-	-	1	14-22
46	69	65	75	76	101	95	81	102	90	73	34	19	6	-	-	-	-	
52	54	57	62	54	44	46	61	51	52	36	40	23	7	-	-	-	-	
78	54	59	54	60	53	52	40	29	12	17	3	4	-	-	-	-	1	
89	50	51	34	38	35	26	9	9	15	9	4	-	1	-	-	-	-	
9	11	15	22	14	27	28	27	30	33	17	42	19	24	7	2	2	1	27
3	3	6	10	5	7	16	14	11	17	5	20	10	10	3	1	1	1	
3	3	6	4	4	7	6	8	11	6	7	15	8	11	2	1	-	-	
1	4	2	3	3	9	2	2	5	2	2	5	-	3	-	-	-	-	
1	1	1	5	2	4	3	3	3	3	3	2	1	2	-	-	1	-	
9	7	11	16	15	21	10	23	14	11	18	8	10	1	-	-	-	-	28
3	6	3	12	5	5	4	6	8	6	9	3	3	-	-	-	-	-	
1	1	2	2	2	4	3	2	-	-	4	2	3	-	-	-	-	-	
1	-	4	2	5	5	7	2	5	3	2	2	1	1	-	-	-	-	
126	178	319	708	1,031	1,380	1,672	1,758	1,707	1,464	834	529	209	95	12	4	1	2	30
18	27	62	205	382	547	801	974	1,077	926	538	315	131	43	5	2	1	8	
26	25	59	122	144	166	191	245	260	230	166	124	89	35	5	-	-	-	
33	54	115	248	343	458	517	408	268	230	100	58	14	9	-	2	-	6	
49	72	85	133	162	189	163	131	102	78	30	32	5	8	2	-	-	-	
16	7	4	6	1	2	2	1	2	3	2	2	1	1	1	-	-	-	35
6	2	-	-	1	2	-	-	1	3	2	2	-	-	-	-	-	-	
7	3	3	3	-	-	-	-	1	2	-	-	1	1	1	-	-	-	
3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
54	55	39	29	10	12	6	4	1	2	-	1	1	-	1	-	-	-	36
34	27	22	19	5	11	3	3	-	-	-	-	-	-	-	-	-	-	
19	27	17	9	2	1	3	1	-	2	-	1	1	-	1	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
788	1,329	2,473	4,541	7,648	11,669	17,306	21,860	25,589	27,177	25,939	21,167	12,841	5,872	1,392	228	41	76	45-55
408	542	729	1,295	2,316	3,900	6,690	10,000	12,641	15,601	13,137	10,900	6,358	2,706	579	78	10	28	
279	611	1,353	2,535	4,245	6,235	8,412	9,896	11,123	11,766	11,633	9,537	6,123	2,984	761	129	16	29	
51	45	82	181	316	545	928	901	911	854	648	390	189	93	28	4	6	7	
53	131	309	520	771	989	1,068	973	914	756	521	340	171	89	24	17	9	12	
167	303	599	1,201	2,162	3,821	6,343	9,015	11,699	13,445	13,231	10,972	6,501	2,779	544	91	13	35	46
95	144	242	514	922	1,740	3,068	4,717	6,317	7,382	6,948	5,548	3,093	1,154	190	30	4	15	
42	121	264	503	927	1,517	2,438	3,475	4,536	5,320	5,743	5,075	3,237	1,528	330	53	4	14	
18	17	32	69	151	298	522	505	497	464	325	206	86	48	15	2	2	3	
12	21	60	95	162	266	315	318	349	299	215	143	85	49	9	6	3	3	

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
UNITED STATES—Continued											
Cancer and other malignant tumors—Continued											
48,49	Cancer of female genital organs-----	23,286	-	1	1	4	-	6	4	9	32
	White-----F--	20,329	-	1	1	4	-	6	4	9	25
	Nonwhite-----F--	2,957	-	-	-	-	-	-	-	-	7
50	Cancer of breast-----	18,030	-	-	-	1	1	2	-	-	4
	White-----M--	192	-	-	-	-	-	-	-	-	-
	F--	16,678	-	-	-	1	1	2	-	-	3
	Nonwhite-----M--	21	-	-	-	-	-	-	-	-	-
	F--	1,139	-	-	-	-	-	-	-	-	1
45,47, 51-55	Cancer (other sites)-----	65,374	89	115	152	135	110	599	359	292	367
	White-----M--	44,689	42	55	66	67	56	306	197	152	206
	F--	16,275	37	51	52	54	38	231	141	109	122
	Nonwhite-----M--	2,961	4	5	7	8	5	29	12	10	22
	F--	1,249	6	6	6	4	11	33	9	21	17
58	Acute rheumatic fever-----	1,024	9	5	7	17	21	59	153	172	94
	White-----M--	393	1	2	2	7	9	21	50	66	43
	F--	359	4	2	5	4	8	23	51	55	31
	Nonwhite-----M--	113	3	-	-	3	2	6	23	22	9
	F--	159	1	1	-	3	2	7	29	29	11
61	Diabetes mellitus-----	37,515	28	22	14	15	12	91	60	115	174
	White-----M--	13,058	12	12	6	5	3	36	18	34	62
	F--	21,791	15	9	4	7	6	41	34	59	69
	Nonwhite-----M--	871	-	1	2	1	1	5	5	8	13
	F--	1,815	3	-	2	2	-	7	3	14	10
63b	Exophthalmic goiter-----	2,243	-	-	-	-	-	-	-	6	10
	White-----M--	320	-	-	-	-	-	-	-	1	-
	F--	1,716	-	-	-	-	-	-	-	3	4
	Nonwhite-----M--	30	-	-	-	-	-	-	-	-	2
	F--	177	-	-	-	-	-	-	-	2	4
69	Pellagra (except alcoholic)-----	728	-	5	-	-	-	3	-	-	3
	White-----M--	165	-	2	-	-	-	2	-	-	1
	F--	365	-	-	-	-	-	-	-	-	1
	Nonwhite-----M--	56	-	-	-	-	-	-	-	-	-
	F--	142	-	1	-	-	-	1	-	-	1
77	Alcoholism (ethylism)-----	2,249	1	-	-	1	-	2	2	1	12
	White-----M--	1,665	1	-	-	1	-	2	1	-	3
	F--	294	-	-	-	-	-	-	-	-	2
	Nonwhite-----M--	239	-	-	-	-	-	-	-	1	5
	F--	61	-	-	-	-	-	-	1	-	2
83	Intracranial lesions of vascular origin-----	131,039	182	53	53	28	19	335	99	71	125
	White-----M--	56,246	95	27	25	10	9	164	43	22	59
	F--	58,457	60	19	23	14	8	124	40	27	40
	Nonwhite-----M--	7,615	15	4	2	2	-	23	9	6	11
	F--	8,721	14	3	3	2	2	24	7	14	15
90-95	Diseases of the heart-----	460,580	161	95	56	41	47	398	339	555	857
	White-----M--	252,864	81	36	27	19	17	180	120	217	378
	F--	169,866	53	49	21	16	15	145	119	213	304
	Nonwhite-----M--	20,182	16	8	4	5	6	39	43	55	75
	F--	17,688	11	9	4	1	9	34	57	70	100
90a, 91, 92b, c, 93a, 95b	Chronic rheumatic diseases of the heart-----	23,867	1	5	13	15	16	50	198	360	492
	White-----M--	10,779	1	1	3	6	5	16	70	136	225
	F--	10,494	-	2	8	4	4	18	61	158	179
	Nonwhite-----M--	1,231	-	1	1	4	1	7	28	38	39
	F--	1,373	-	1	1	1	6	9	39	48	49
94	Diseases of coronary arteries and angina pectoris-----	154,131	31	7	1	-	2	41	7	15	68
	White-----M--	104,900	16	3	-	-	1	20	5	7	25
	F--	41,017	3	1	-	-	1	15	2	7	27
	Nonwhite-----M--	4,394	2	-	-	-	-	2	1	-	7
	F--	2,920	3	1	-	-	-	4	1	1	9
90b, 91, 92a, d, e, 93a, b, d, e, 95a, c	Diseases of the heart (other forms)-----	282,582	129	61	42	26	29	307	134	160	297
	White-----M--	137,185	64	32	24	13	11	144	47	74	129
	F--	117,465	43	36	12	12	10	112	56	48	99
	Nonwhite-----M--	14,557	14	7	3	1	5	30	14	17	29
	F--	13,375	8	7	3	-	3	21	17	21	42
97,102	Arteriosclerosis and high blood pressure*-----	27,226	-	-	-	-	-	-	1	1	4
	White-----M--	12,890	-	-	-	-	-	-	-	-	-
	F--	12,163	-	-	-	-	-	-	-	1	3
	Nonwhite-----M--	1,156	-	-	-	-	-	-	-	-	1
	F--	1,029	-	-	-	-	-	-	1	-	-
107-109, 33	Pneumonia (all forms) and influenza-----	61,836	15,198	1,537	607	350	247	15,939	599	398	504
	White-----M--	29,115	5,593	607	225	148	100	6,671	260	149	198
	F--	22,076	4,268	535	215	107	100	5,223	211	144	159
	Nonwhite-----M--	5,805	1,782	203	88	49	28	2,150	65	47	66
	F--	4,840	1,555	194	81	46	19	1,895	63	59	81
107	Bronchopneumonia-----	28,067	7,999	846	325	173	138	9,481	267	160	159
	White-----M--	13,187	3,467	333	106	73	55	4,034	116	64	65
	F--	10,721	2,584	285	126	51	59	3,115	96	57	65
	Nonwhite-----M--	2,245	1,069	106	50	25	16	1,266	26	19	13
	F--	1,934	879	112	43	24	8	1,066	29	20	16

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

243

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
94	275	680	1,198	1,910	2,542	2,938	3,098	2,939	2,665	2,145	1,476	812	549	37	17	4	8	48,49
77	196	520	830	1,533	2,136	2,521	2,745	2,834	2,421	1,997	1,370	769	534	44	13	1	4	
17	79	180	288	377	408	417	353	305	242	149	106	43	15	3	4	3	4	
16	85	353	746	1,296	1,790	2,168	2,232	2,211	2,046	1,913	1,489	975	519	145	22	9	9	50
-	-	2	5	8	5	13	22	28	35	27	24	16	7	1	1	-	-	
13	74	298	651	1,149	1,621	1,989	2,054	2,068	1,907	1,619	1,429	936	497	138	17	7	6	
-	-	-	1	2	5	2	5	5	1	1	1	1	1	1	1	-	-	
3	11	53	92	138	162	161	154	110	103	66	35	22	14	5	4	2	3	
511	666	942	1,396	2,280	3,516	5,857	7,515	8,740	9,023	8,650	7,230	4,553	2,225	616	98	15	24	45,47
310	398	485	778	1,386	2,155	3,817	5,261	6,296	6,404	6,162	5,328	3,248	1,545	388	47	6	13	51-55
147	220	271	451	636	961	1,464	1,712	1,885	2,118	2,074	1,663	1,181	625	209	46	4	5	
33	28	50	102	164	245	401	394	408	389	322	183	102	44	12	2	4	4	
21	20	36	65	94	155	175	148	150	112	92	56	21	11	7	3	1	2	
74	69	60	65	71	32	35	24	27	23	26	14	17	7	2	-	-	-	58
23	22	24	26	33	11	15	10	10	8	9	8	4	2	-	-	-	-	
26	53	23	25	27	9	13	6	8	9	8	4	6	2	-	-	-	-	
10	4	5	4	7	7	1	3	1	4	2	2	1	-	-	-	-	-	
15	10	8	10	4	5	6	5	8	2	7	2	1	-	-	-	-	-	
220	289	310	428	682	1,205	2,335	4,081	5,603	6,589	6,536	5,018	2,618	956	172	18	5	10	61
71	122	145	175	269	424	785	1,380	1,832	2,247	2,183	1,786	1,016	377	62	8	1	5	
119	117	111	158	249	529	1,182	2,292	3,388	4,128	4,128	3,089	1,546	551	101	8	1	1	
10	16	14	38	43	57	98	122	136	109	91	59	28	10	3	2	1	2	
20	34	40	59	121	195	270	287	247	233	136	84	27	18	6	2	2	2	
29	34	46	78	136	178	240	318	335	343	249	159	57	18	5	1	-	1	63b
3	1	8	15	19	36	49	56	48	58	27	12	4	2	1	-	-	-	
21	27	29	38	86	122	155	236	284	286	216	145	55	16	4	-	-	-	
2	2	2	1	3	1	6	3	6	2	-	-	-	-	-	-	-	-	
3	4	7	24	28	19	30	23	17	7	6	2	-	-	-	1	-	-	
5	1	13	11	22	25	42	60	63	116	115	121	74	43	6	2	1	-	69
-	-	1	1	2	3	3	10	16	26	32	27	25	15	1	-	-	-	
1	-	6	6	4	6	15	23	26	64	64	85	37	22	5	-	-	-	
1	-	-	1	6	2	5	10	8	9	6	3	1	2	-	2	-	-	
3	1	6	3	10	14	19	17	13	17	13	6	11	4	2	1	-	-	
34	65	176	272	335	338	291	249	201	135	75	40	11	2	-	-	-	6	77
13	31	109	194	284	347	210	201	174	121	70	37	9	2	-	-	-	7	
3	10	31	56	48	50	52	24	15	7	3	2	1	-	-	-	-	-	
15	14	29	30	42	37	24	20	12	6	1	1	1	-	-	-	-	1	
3	10	7	12	11	4	5	4	-	1	1	-	-	-	-	-	-	-	
215	391	612	1,290	2,423	4,651	7,463	10,241	13,467	17,654	21,466	21,758	16,078	9,160	2,809	531	128	94	85
98	154	225	437	766	1,513	2,699	4,273	6,084	8,034	10,017	9,812	6,789	3,812	1,019	174	21	31	
75	121	153	406	833	1,690	2,781	3,811	5,153	7,449	9,704	10,605	8,458	5,002	1,604	285	40	17	
15	59	78	176	344	621	964	1,034	1,045	1,034	838	654	380	158	78	31	18	27	
25	57	116	271	490	827	1,019	1,123	1,185	1,137	907	669	430	188	108	41	49	19	
1,161	1,786	3,124	6,080	10,985	18,937	30,267	41,179	52,191	61,930	69,328	66,730	50,867	30,876	10,288	2,121	362	250	90-95
458	768	1,435	3,240	6,368	11,508	19,311	26,649	32,370	36,098	37,330	35,898	25,979	15,342	5,919	710	75	123	
436	621	960	1,538	2,340	4,056	6,473	9,904	14,921	21,089	27,927	30,018	24,974	16,882	5,873	1,207	147	48	
116	184	304	578	1,032	1,785	2,456	2,592	2,598	2,598	2,289	1,570	999	484	217	94	48	38	
151	215	425	695	1,045	1,590	2,027	2,033	2,104	2,155	1,782	1,254	915	498	279	110	32	38	
538	805	981	1,322	1,605	1,910	2,087	2,152	2,076	2,184	2,150	2,136	1,526	907	287	58	12	11	80a, 82b, c, 83a, 85b
232	363	401	576	742	833	971	1,021	1,030	1,045	936	923	647	375	92	22	5	3	
227	339	459	597	675	625	665	670	629	607	569	1,034	789	461	167	29	5	2	
28	36	56	64	92	109	114	146	108	107	107	66	41	21	15	5	2	2	
49	67	66	85	95	123	137	115	109	125	78	73	51	30	13	2	2	4	
172	326	328	2,410	5,050	8,359	14,203	18,774	21,936	23,385	22,229	17,617	10,697	5,279	1,475	266	36	78	94
73	165	269	1,736	3,865	6,901	11,075	14,429	16,136	15,860	15,906	10,569	5,960	2,730	653	90	11	48	
52	80	153	343	646	1,228	2,077	3,344	4,865	6,680	7,681	6,854	4,462	2,448	761	142	11	19	
26	44	85	167	298	494	632	630	597	509	400	260	128	58	25	8	7	4	
22	37	101	144	240	316	399	371	348	336	242	130	107	53	26	18	7	4	
453	655	1,215	2,318	4,330	8,088	13,977	20,252	28,179	36,361	44,949	46,777	39,642	24,650	8,526	1,797	314	161	80b, 81, 92a, d, e, 93a, b, d, e, 95a, c
153	239	445	908	1,960	3,754	7,265	11,199	15,494	19,123	22,428	22,356	17,353	10,247	3,164	580	64	72	
157	202	349	598	1,019	2,003	3,531	5,890	9,227	13,502	19,277	22,130	19,703	13,623	4,945	1,036	131	28	
63	104	163	348	642	1,180	1,690	1,816	1,901	1,972	1,782	1,244	830	405	177	61	39	30	
80	111	258	464	709	1,151	1,491	1,547	1,647	1,694	1,462	1,047	757	415	240	90	60	31	
17	26	52	85	177	246	428	741	1,287	2,127	3,759	5,237	5,672	4,658	2,089	525	82	15	97,102
9	8	15	21	64	89	169	338	598	1,040	1,908	2,650	2,780	2,182	825	169	10	9	
6	8	11	23	57	74	123	227	441	800	1,538	2,284	2,706	2,334	1,177	307	39	4	
1	4	6	15	30	32	74	107	134	148	185	177	102	70	49	18	13	-	
1	6	20	26	52	52	62	76	114	139	132	126	84	72	38	32	20	2	
606	704	911	1,175	1,592	2,042	2,627	3,178	3,821	4,487	5,320	6,073	5,436	4,169	1,668	470	94	45	107-109, 33
214	266	355	495	725	1,019	1,385	1,809	2,187	2,394	2,767	2,985	2,533	1,848	679	160	20	17	
188	207	265	294	386	430	546	723	1,047	1,481	2,071	2,702	2,617	2,178	907	250	38	12	
79	104	135	193	278	357	409	398	348	339	286	220	157	79	42	27	16	10	
125	127	156	193	203	236	287	246	259	253	196	166	129	64	40	33	23	6	
131	210	286	344	469	650	903	1,034	1,399	1,688	2,223	2,743	2,643	2,151	908	258	37	17	107
61	80	125	147	228	335	428	596	796	919	1,162	1,330	1,212	962	370	95	7	5	
74	70	84	107	135	171	215	285	428	594	885	1,227	1,342	1,127	506	139	16	6	
19	24	37	52	88	88	89	110	86	103	99	68	50	23	15	11	6	4	
37	36	40	53	54	56	71	65	81	72	77	58	39	1					

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
UNITED STATES—Continued											
Pneumonia (all forms) and influenza—Continued											
106	Lobar pneumonia-----	20,272	2,239	325	132	80	51	2,827	177	124	191
	White-----M--	10,169	930	136	54	34	20	1,174	72	46	70
	F--	6,395	727	103	38	21	20	909	66	42	50
	Nonwhite-----M--	2,135	291	46	23	12	6	378	19	15	29
	F--	1,573	291	40	17	13	5	366	20	21	42
109	Pneumonia (unspecified)-----	5,813	1,895	193	64	47	28	2,227	66	44	70
	White-----M--	2,712	780	77	30	23	13	923	29	15	28
	F--	1,982	628	73	21	14	10	745	20	16	21
	Nonwhite-----M--	612	262	22	5	6	3	298	10	6	12
	F--	507	225	21	8	4	2	260	7	7	9
33	Influenza-----	7,664	1,065	173	86	50	30	1,404	89	70	84
	White-----M--	3,047	416	61	33	18	12	540	45	23	35
	F--	2,978	329	62	30	21	11	453	29	29	23
	Nonwhite-----M--	613	180	29	10	6	3	208	10	7	12
	F--	626	180	21	13	5	4	203	7	11	14
117	Ulcer of stomach or duodenum-----	8,611	36	1	3	3	2	45	4	8	23
	White-----M--	6,504	16	-	1	-	1	18	1	5	11
	F--	1,376	10	-	2	2	1	15	3	4	8
	Nonwhite-----M--	544	4	1	-	1	-	6	-	-	3
	F--	187	6	-	-	-	-	6	-	1	1
119,120	Diarrhea, enteritis, etc.*-----	8,069	5,590	458	99	48	34	6,227	65	22	50
	White-----M--	3,633	2,631	199	39	19	14	2,902	28	9	26
	F--	2,935	1,981	169	35	16	12	2,115	28	8	20
	Nonwhite-----M--	795	610	50	14	5	2	691	5	4	2
	F--	706	468	38	11	8	6	531	4	1	2
121	Appendicitis-----	4,786	29	47	76	87	70	309	215	205	229
	White-----M--	2,512	17	31	35	53	36	172	96	105	97
	F--	1,632	8	11	35	27	27	108	83	69	87
	Nonwhite-----M--	362	2	3	2	4	4	15	20	16	27
	F--	260	2	2	4	3	3	14	16	15	16
122	Hernia, intestinal obstruction-----	10,764	559	76	49	28	25	737	74	50	85
	White-----M--	4,809	306	32	23	18	16	394	41	28	40
	F--	4,585	169	18	16	3	5	211	20	11	20
	Nonwhite-----M--	679	64	18	5	5	3	85	8	7	14
	F--	695	31	8	5	2	1	47	5	4	11
124	Cirrhosis of the liver-----	14,940	33	15	7	10	4	69	16	26	29
	White-----M--	9,186	14	3	4	1	25	11	11	12	11
	F--	4,803	11	7	3	5	1	27	4	10	16
	Nonwhite-----M--	561	5	1	-	1	1	8	1	-	2
	F--	390	3	4	1	-	1	9	-	4	-
126,127	Biliary calculi, etc.*-----	6,308	10	2	1	-	1	14	1	1	2
	White-----M--	2,115	7	2	-	-	-	9	-	1	2
	F--	3,973	2	-	1	-	1	4	1	-	-
	Nonwhite-----M--	70	1	-	-	-	-	1	-	-	-
	F--	152	-	-	-	-	-	-	-	-	-
130-132	Nephritis-----	80,268	100	71	75	60	52	358	200	210	370
	White-----M--	36,298	48	27	40	38	23	176	93	86	160
	F--	30,938	28	22	22	20	20	104	76	95	152
	Nonwhite-----M--	6,686	11	11	6	5	5	38	19	19	28
	F--	6,366	13	11	7	5	4	40	12	10	30
137	Diseases of the prostate-----	7,092	-	-	-	-	-	-	-	-	1
	White-----M--	6,332	-	-	-	-	-	-	-	-	1
	Nonwhite-----M--	710	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*-----	4,978	-	-	-	-	-	-	-	21	486
	White-----F--	3,555	-	-	-	-	-	-	-	6	283
	Nonwhite-----F--	1,423	-	-	-	-	-	-	-	15	205
140,142a, 145a,147	Puerperal septicemia-----	1,591	-	-	-	-	-	-	-	5	136
	White-----F--	1,156	-	-	-	-	-	-	-	-	73
	Nonwhite-----F--	435	-	-	-	-	-	-	-	5	63
141a,c, 144,148	Puerperal toxemia-----	1,340	-	-	-	-	-	-	-	11	217
	White-----F--	904	-	-	-	-	-	-	-	4	127
	Nonwhite-----F--	436	-	-	-	-	-	-	-	7	90
141b,142b, 143,146, 149	Hemorrhage, trauma or shock*-----	1,548	-	-	-	-	-	-	-	3	84
	White-----F--	1,154	-	-	-	-	-	-	-	2	55
	Nonwhite-----F--	394	-	-	-	-	-	-	-	1	29
141d,e,f, 145b,150	Other puerperal causes-----	499	-	-	-	-	-	-	-	2	51
	White-----F--	341	-	-	-	-	-	-	-	-	28
	Nonwhite-----F--	158	-	-	-	-	-	-	-	2	23
157	Congenital malformations-----	20,315	17,076	729	315	203	140	18,463	343	189	209
	White-----M--	10,259	8,691	328	143	90	52	9,304	180	95	126
	F--	8,494	7,140	330	132	95	77	7,774	126	72	58
	Nonwhite-----M--	899	723	40	26	10	2	801	18	12	9
	F--	663	522	31	14	8	9	594	19	9	16

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years
UNITED STATES—Continued											
158-161	Diseases peculiar to first year-----	65,308	65,308	65,308
	White-----M--	32,916	32,916	32,916
	F--	22,640	22,640	22,640
	Nonwhite-----M--	5,471	5,471	5,471
	F--	4,281	4,281	4,281
159	Premature birth-----	41,053	41,053	41,053
	White-----M--	20,206	20,206	20,206
	F--	14,566	14,566	14,566
	Nonwhite-----M--	3,398	3,398	3,398
	F--	2,883	2,883	2,883
159,160, 161	Other diseases peculiar to first year-----	24,255	24,255	24,255
	White-----M--	12,710	12,710	12,710
	F--	8,074	8,074	8,074
	Nonwhite-----M--	2,073	2,073	2,073
	F--	1,399	1,399	1,399
163,164	Suicide-----	16,539	-	-	-	-	-	-	5	55	328
	White-----M--	12,076	-	-	-	-	-	-	4	43	202
	F--	5,953	-	-	-	-	-	-	1	6	98
	Nonwhite-----M--	484	-	-	-	-	-	-	-	5	18
	F--	125	-	-	-	-	-	-	-	1	15
165-168	Homicide-----	8,555	174	12	16	24	11	237	52	70	434
	White-----M--	5,012	81	7	3	13	10	114	19	22	104
	F--	941	74	10	8	1	97	16	17	46	46
	Nonwhite-----M--	3,685	14	1	1	3	19	11	25	214	214
	F--	907	5	-	2	-	7	6	6	70	70
169-195	Accidental deaths-----	99,579	3,557	1,546	1,208	1,010	999	8,219	3,252	2,817	5,753
	White-----M--	61,107	1,605	743	646	505	473	3,970	1,896	1,826	3,895
	F--	27,751	1,189	530	361	329	274	2,663	868	543	1,098
	Nonwhite-----M--	7,811	394	157	112	84	84	831	305	349	619
	F--	2,910	371	116	89	92	67	735	183	99	121
170	Motor-vehicle accidents-----	32,697	172	297	310	364	359	1,502	1,371	904	3,018
	White-----M--	22,959	94	144	165	198	206	807	817	591	2,071
	F--	6,751	63	129	123	127	116	557	406	231	718
	Nonwhite-----M--	2,596	8	14	13	22	26	83	102	58	177
	F--	591	7	11	9	17	11	55	46	24	52
169,171- 195	Other accidents-----	66,882	3,385	1,249	898	646	539	6,717	1,891	1,913	2,715
	White-----M--	38,148	1,509	599	481	307	267	3,183	1,079	1,235	1,824
	F--	21,000	1,126	402	239	202	158	2,126	462	312	380
	Nonwhite-----M--	5,415	386	143	99	62	58	748	203	291	442
	F--	2,319	364	105	80	75	56	680	137	75	69
162,199, 200	Senility, ill-defined and unknown causes-----	27,556	4,085	230	106	56	49	4,536	111	84	136
	White-----M--	10,827	1,131	73	26	16	18	1,266	38	26	41
	F--	8,101	883	63	26	12	14	998	18	20	24
	Nonwhite-----M--	4,651	1,160	42	31	19	11	1,283	31	16	28
	F--	3,977	921	52	23	7	6	1,009	24	22	43
	All other causes-----	80,458	5,608	1,328	922	768	611	9,237	1,714	1,209	1,643
	White-----M--	38,513	2,706	621	471	381	300	4,479	808	538	754
	F--	31,849	1,847	483	323	303	233	3,189	683	447	600
	Nonwhite-----M--	5,173	602	129	71	41	39	681	130	115	148
	F--	4,923	453	96	57	43	39	688	112	108	141

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Not stated	Int. List No.
...	158-161
...	159
...	158,160, 161
...	165,164
719	856	1,208	1,460	1,613	1,733	1,780	1,775	1,571	1,282	884	663	335	118	34	3	-	16	165,164
468	618	777	921	1,116	1,231	1,293	1,397	1,245	989	707	560	294	102	26	2	-	11	165,164
185	268	358	386	430	457	448	334	294	264	164	92	37	15	8	-	-	3	165,164
45	52	52	56	57	36	35	38	31	27	13	11	4	1	-	1	-	2	165,164
21	18	21	17	10	9	4	6	1	2	-	-	-	-	-	-	-	-	165,164
1,187	1,569	1,174	1,104	858	657	473	343	221	179	84	55	21	8	3	1	-	25	165-169
312	390	356	352	340	249	213	187	135	114	46	37	15	5	1	-	-	13	165-169
89	94	112	104	85	94	55	37	28	28	15	8	5	4	2	1	-	4	165-169
619	700	565	534	350	261	181	98	47	33	20	8	1	1	-	-	-	8	165-169
167	185	141	114	83	53	24	21	11	4	3	2	-	-	-	-	-	-	165-169
7,433	5,851	5,119	5,163	5,022	4,904	5,046	5,269	5,294	5,474	5,995	6,175	6,055	4,368	1,741	375	60	214	169-195
5,638	4,201	3,731	3,625	3,568	3,493	3,553	3,725	3,685	3,473	3,229	3,942	3,593	1,475	546	90	19	137	169-195
935	766	681	789	733	737	847	1,003	1,143	1,598	2,417	3,120	3,510	2,797	1,151	251	25	46	169-195
679	623	561	581	617	544	499	412	347	283	229	143	85	46	14	10	5	29	169-195
181	161	146	158	104	130	147	129	119	120	120	70	77	50	30	16	12	2	169-195
4,233	2,724	2,175	2,034	1,842	1,782	1,907	1,873	1,906	1,816	1,516	1,112	665	230	48	9	1	29	170
3,299	2,046	1,608	1,387	1,276	1,206	1,291	1,308	1,356	1,305	1,086	794	478	172	36	6	-	19	170
574	385	332	399	336	363	401	405	391	338	275	158	51	9	-	-	-	4	170
283	230	191	207	202	172	176	129	115	108	78	58	22	6	2	2	1	6	170
67	53	44	41	28	41	39	26	30	14	14	7	7	1	1	1	-	-	170
3,200	3,127	2,944	3,129	3,180	3,122	3,139	3,396	3,388	3,658	4,479	5,063	5,390	4,138	1,693	366	59	185	169,171- 195
2,339	2,255	2,123	2,238	2,292	2,287	2,262	2,417	2,329	2,168	2,143	2,048	1,905	1,303	510	92	18	118	169,171- 195
361	371	349	400	397	374	446	593	738	1,207	2,079	2,847	3,352	2,746	1,142	251	25	42	169,171- 195
386	383	370	374	415	372	323	283	232	177	151	105	63	40	12	8	4	23	169,171- 195
114	108	102	117	76	89	108	103	89	106	106	63	70	49	29	15	12	2	169,171- 195
218	258	327	507	646	877	1,111	1,236	1,584	1,968	2,254	2,685	3,140	3,010	1,632	664	262	92	162,199, 200
66	66	108	189	255	348	489	570	775	896	981	1,168	1,290	1,282	678	200	45	40	162,199, 200
41	64	74	73	114	132	157	211	273	413	599	943	1,256	1,381	893	319	66	22	162,199, 200
44	52	66	114	149	221	287	260	320	379	398	325	295	164	116	75	58	20	162,199, 200
67	74	79	121	128	178	208	195	216	280	276	249	299	175	145	70	113	10	162,199, 200
2,027	2,428	2,898	3,475	4,223	4,841	5,728	6,391	6,899	7,156	6,900	5,945	4,081	2,494	877	214	48	32	162,199, 200
793	900	1,101	1,291	1,706	2,048	2,788	3,376	3,643	3,912	3,685	3,032	1,904	1,115	333	79	13	14	162,199, 200
764	977	1,184	1,423	1,664	1,897	2,111	2,316	2,479	2,716	2,817	2,648	2,008	1,305	505	109	21	6	162,199, 200
228	237	250	304	379	424	452	411	306	322	249	172	84	38	20	13	5	5	162,199, 200
242	312	363	457	474	472	377	299	271	206	149	85	85	36	19	13	9	7	162,199, 200

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA																											
	ALL CAUSES-----	26,347	3,501	216	135	82	77	249	236	459	641	690	752	938	1,113	1,372	1,792	2,036	2,217	2,460	2,456	2,152	1,496	872	396	107	58	72
	White-----M--	8,890	1,023	61	38	29	31	74	88	161	198	216	203	238	336	440	510	675	802	967	932	877	556	325	106	21	1	14
	White-----F--	8,411	778	46	31	29	18	60	53	76	97	127	136	158	191	199	275	387	471	651	794	723	550	366	149	38	2	6
	Nonwhite--M--	5,824	846	53	37	13	16	56	51	120	180	166	179	257	260	378	556	543	498	458	391	313	187	95	59	20	25	27
	Nonwhite--F--	5,222	654	56	29	11	12	59	44	112	168	161	234	285	306	355	451	431	446	384	321	259	223	86	72	28	30	25
1,2	Typhoid and paratyphoid fever--	7	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	27	11	3	1	1	-	3	2	3	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	8	2	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	4	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	2	1	-	1	-	2	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
8	Scarlet fever-----	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	118	86	23	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	18	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	40	32	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	42	25	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	30	2	7	4	8	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	1	4	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	1	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,147	9	9	3	4	2	9	12	59	124	127	98	113	115	82	78	64	75	64	42	35	17	4	1	-	-	1
	White-----M--	513	1	-	2	1	1	2	1	2	10	19	20	31	32	26	23	38	27	19	17	5	2	-	-	-	-	-
	White-----F--	195	4	3	1	1	-	3	2	5	15	12	15	12	19	10	8	13	21	19	10	10	1	-	-	-	-	1
	Nonwhite--M--	334	3	3	1	-	1	6	19	41	41	29	33	35	32	37	17	17	10	2	5	1	1	1	1	-	-	-
	Nonwhite--F--	305	1	3	-	2	-	4	3	33	58	55	34	37	28	12	5	19	7	6	2	3	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*-----	1,055	2	3	-	3	2	5	11	55	113	119	88	110	104	79	73	60	69	62	41	34	17	4	1	-	-	1
	White-----M--	296	1	-	-	1	2	1	1	9	18	19	19	31	29	27	26	27	35	26	19	17	5	2	-	-	-	-
	White-----F--	176	-	1	-	1	-	2	5	14	9	14	11	19	10	9	8	11	21	19	10	10	1	1	1	-	-	1
	Nonwhite--M--	299	1	1	-	1	-	6	17	36	39	24	31	31	31	33	15	15	10	4	4	1	1	1	1	-	-	-
	Nonwhite--F--	284	-	1	-	2	-	3	2	32	54	53	31	37	25	11	5	10	7	5	2	3	1	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	92	7	6	3	1	-	4	1	4	11	8	10	3	11	3	5	4	7	2	1	1	-	-	-	-	-	-
	White-----M--	17	-	-	2	1	-	-	-	1	1	1	1	-	3	1	-	2	3	1	-	-	-	-	-	-	-	-
	White-----F--	19	4	2	1	-	-	3	-	1	3	1	1	-	1	-	-	1	2	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	2	2	-	-	-	2	5	2	5	2	4	1	4	2	4	2	2	-	1	1	-	-	-	-	-	-
	Nonwhite--F--	21	1	2	-	-	-	1	1	1	4	2	3	-	4	1	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery-----	30	9	-	-	-	-	1	-	-	1	1	4	2	-	-	1	3	1	2	1	3	-	1	-	-	-	-
	White-----M--	10	3	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White-----F--	8	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	10	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-
	Nonwhite--F--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	Malaria-----	19	2	-	-	-	-	1	-	-	1	-	-	1	1	4	1	3	1	1	1	-	2	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--F--	9	1	-	-	-	-	1	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-
30	Syphilis-----	315	27	1	-	-	-	2	1	3	4	11	13	27	28	37	48	40	23	20	18	6	2	3	-	1	-	-
	White-----M--	68	-	-	-	-	-	1	-	-	-	-	1	3	5	6	12	5	14	8	1	-	1	-	1	-	-	-
	White-----F--																											

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
ALABAMA—Con.																													
45-55	Cancer and other malignant tumors	2,369	1	1	6	4	1	9	6	13	13	29	54	102	171	193	248	248	307	285	265	218	107	62	14	3	1	8	
	White—M	777	1	1	1	1	5	5	6	4	4	9	4	9	4	7	49	48	62	73	103	112	103	44	26	4	—	3	
	F	920	1	2	3	—	3	2	4	6	12	19	43	50	74	81	113	114	119	118	79	44	24	8	1	—	—	—	
	Nonwhite—M	245	—	—	2	—	—	—	1	1	3	3	13	15	22	42	24	37	33	14	16	11	7	—	—	—	—	1	
	F	427	—	—	1	—	1	1	2	2	5	28	39	57	49	63	38	47	30	21	20	8	5	2	—	—	—	4	
46	Cancer of the digestive organs and peritoneum	899	—	—	2	—	1	—	1	2	4	11	13	22	39	60	96	87	126	128	115	110	47	25	5	3	—	2	
	White—M	342	—	—	—	—	—	—	—	2	—	3	—	3	18	18	27	31	49	50	52	18	14	1	—	—	—	1	
	F	320	—	—	1	—	—	—	1	—	3	6	7	8	19	25	30	47	47	52	39	20	8	3	1	—	—	—	
	Nonwhite—M	112	—	—	—	—	—	—	—	—	—	2	1	5	5	10	25	12	11	18	8	5	1	—	—	—	—	—	
	F	125	—	—	1	—	1	—	—	—	1	3	6	7	8	13	19	14	19	13	3	7	4	2	1	2	—	1	
48,49	Cancer of female genital organs	453	—	—	—	—	—	—	—	2	2	7	23	41	52	56	51	51	59	42	31	19	10	5	—	—	1	2	
	White—F	257	—	—	—	—	—	—	—	1	1	5	8	18	19	30	26	36	37	33	22	11	7	3	—	—	—	—	—
	Nonwhite—F	196	—	—	—	—	—	—	—	1	1	2	15	23	33	26	25	15	22	9	7	3	2	—	—	—	—	1	2
50	Cancer of breast	177	—	—	—	—	—	—	—	—	—	1	8	15	22	14	24	27	18	16	15	4	7	4	1	—	—	—	1
	White—M	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	126	—	—	—	—	—	—	—	—	—	1	3	12	12	10	15	21	15	11	12	4	7	3	—	—	—	—	—
	Nonwhite—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	45	—	—	—	—	—	—	—	—	—	—	5	3	9	3	9	5	3	3	3	—	—	—	—	—	—	—	—
45,47, 51-55	Cancer (other sites)	840	1	1	4	4	—	9	5	9	7	10	10	24	58	63	77	83	104	91	104	86	43	28	8	—	—	—	3
	White—M	431	—	1	1	1	—	5	3	4	4	6	4	4	30	30	35	41	60	51	60	43	26	12	3	—	—	—	2
	F	217	1	—	1	3	—	5	1	3	2	3	2	2	11	15	15	26	15	28	32	25	10	10	5	—	—	—	—
	Nonwhite—M	131	—	—	2	—	—	—	1	1	1	1	2	2	6	10	11	17	12	15	6	6	5	1	—	—	—	—	1
	F	61	—	—	—	—	—	1	1	1	—	—	2	6	7	7	10	4	3	5	6	1	—	—	—	—	—	—	—
58	Acute rheumatic fever	32	1	—	—	1	1	7	7	3	1	1	2	1	—	1	1	1	—	—	1	—	3	—	—	—	—	—	—
	White—M	5	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	F	9	1	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Nonwhite—M	7	—	—	—	—	—	1	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	—	3	3	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus	365	1	—	1	—	1	2	8	4	4	3	6	7	13	23	54	41	38	60	54	40	16	8	—	—	—	—	1
	White—M	102	—	—	—	—	—	1	1	1	1	1	1	2	3	4	5	6	12	21	17	17	7	4	—	—	—	—	—
	F	157	1	—	—	—	—	5	2	2	2	2	2	2	3	3	7	7	16	15	27	28	17	2	1	—	—	—	—
	Nonwhite—M	40	—	—	—	—	—	2	1	1	—	—	1	1	—	—	—	—	4	4	5	4	2	2	—	—	—	—	—
	F	86	—	—	—	—	—	3	—	—	1	—	2	2	7	13	13	14	7	10	4	4	3	—	—	—	—	—	—
65b	Exophthalmic goiter	26	—	—	—	—	—	—	—	2	—	1	1	3	5	4	—	6	3	1	—	—	—	—	—	—	—	—	—
	White—M	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	13	—	—	—	—	—	—	—	1	—	—	1	3	2	3	—	2	1	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)	85	—	—	—	—	—	—	—	—	—	—	—	1	3	3	7	10	8	10	17	12	9	5	—	—	—	—	—
	White—M	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	3	3	7	2	—	—	—	—	—
	F	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
77	Alcoholism (ethylym)	32	—	—	—	—	—	—	—	—	—	1	8	7	7	1	2	4	1	—	—	1	—	—	—	—	—	—	—
	White—M	22	—	—	—	—	—	—	—	—	—	1	5	4	6	—	2	3	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M	7	—	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
83	Intracranial lesions of vascular origin	2,651	5	2	—	—	2	1	3	4	11	16	43	65	130	221	305	353	394	358	358	225	111	36	8	6	—	—	14
	White—M	740	2	2	—	—	—	—	—	2	6	3	5	8	23	39	67	95	131	118	133	79	29	7	1	—	—	—	—
	F	696	2	2	—	—	—	—	—	1	2	3	5	10	19	38	57	59	119	153	102	80	45	16	5	—	—	—	—
	Nonwhite—M	551	—	—	—	—	—	—	—	1	1	4	4	14	16	37	32	96	64	43	54	20	18	2	—	—	—	—	—
	F	664	1	—	—	—	—	—	2	2	2	6	18	31	51	67	89	115	80	64	49	46	18	11	2	—			

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
ALABAMA—Con.																												
140-150	Diseases of pregnancy, etc.*	251	-	-	-	-	-	-	1	34	45	43	51	40	15	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	98	-	-	-	-	-	-	-	8	15	24	26	18	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	153	-	-	-	-	-	-	1	26	30	19	25	22	8	2	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicaemia	55	-	-	-	-	-	-	1	6	14	11	11	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	25	-	-	-	-	-	-	-	1	4	8	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	30	-	-	-	-	-	-	1	5	10	3	3	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, 144, 148	Puerperal toxemia	80	-	-	-	-	-	-	-	12	16	17	13	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	36	-	-	-	-	-	-	-	4	6	6	8	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	44	-	-	-	-	-	-	-	8	10	11	5	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*	64	-	-	-	-	-	-	-	7	8	13	20	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	32	-	-	-	-	-	-	-	3	4	8	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	32	-	-	-	-	-	-	-	4	4	5	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, 143b, 150	Other puerperal causes	32	-	-	-	-	-	-	-	9	7	2	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	27	-	-	-	-	-	-	-	9	6	-	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	340	285	10	5	2	3	12	3	7	4	3	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	139	121	3	2	1	1	1	-	2	2	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	121	102	2	-	1	1	7	1	2	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	46	35	4	2	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	54	27	1	1	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,650	1,650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	602	602	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	418	418	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	345	345	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	285	285	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,063	1,063	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	576	576	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	290	290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	199	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159, 160, 161	Other diseases peculiar to first year	587	587	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide	203	-	-	-	-	-	-	-	8	16	15	26	19	20	29	15	19	10	14	6	4	2	-	-	-	-	-
	White—M	143	-	-	-	-	-	-	-	3	11	7	19	13	13	24	8	14	6	13	6	4	2	-	-	-	-	
	Nonwhite—M	35	-	-	-	-	-	-	-	4	2	6	1	4	5	3	5	2	3	-	-	-	-	-	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	1	2	2	4	2	2	1	2	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	465	1	-	-	1	-	1	3	28	84	94	69	58	54	33	19	11	6	7	-	1	2	-	-	-	-	3
	White—M	123	1	-	-	-	-	1	2	14	17	16	17	15	17	5	6	4	6	-	-	-	-	-	-	-	-	
	Nonwhite—M	18	-	-	-	-	-	-	-	2	1	3	1	3	1	1	1	1	-	-	-	-	-	-	-	-	-	
	White—F	267	-	-	-	1	-	1	1	20	53	52	41	34	30	11	13	4	2	1	1	1	1	1	1	1	1	
	Nonwhite—F	80	-	-	-	-	-	-	-	6	15	14	9	6	6	4	-	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths	1,977	76	37	18	32	78	84	174	194	164	135	122	94	102	97	89	72	79	63	69	68	41	23	8	2	7	
	White—M	974	22	13	12	9	17	28	44	95	117	100	75	66	49	59	46	47	37	39	21	18	14	11	1	2	2	
	Nonwhite—M	351	15	12	10	7	10	19	15	28	10	19	8	11	8	4	9	8	5	14	14	21	8	5	1	1	1	
	White—F	472	22	8	8	4	14	17	49	49	41	40	39	29	36	30	25	16	15	7	12	4	3	1	1	1	3	
	Nonwhite—F	170	17	6	7	3	1	17	8	6	10	4	12	7	8	3	12	9	6	8	7	5	3	3	1	2	3	
170	Motor-vehicle accidents	725	5	7	7	6	10	36	28	88	118	76	55	52	33	40	40	32	24	28	19	14	6	1	2	1	1	
	White—M	444	3	1	3	4	7	14	15	54	78	53	38	30	19	21	23	21	18	16	14	5	4	1	1	-	1	
	Nonwhite—M	85	2	4	3	1	3	13	5	14	10	6	3	6	3	2	3	5	3	4	4	1	-	-	-	-	-	
	White—F	162	-	2	1	-	-	7	5	15	26	17	12	13	9	16	13	5	2	8	4	4	1	1	1	-	-	
	Nonwhite—F	24	-	-	-	-	-	2	1	3	4	-	2	3	2	1	1	1	-	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents	1,242	71	32	30	12	22	42	58	88	76	88	60	70	61	62	57	57	48	51	44	55	62	40	21	7	2	6
	White—M	530	19	12	9	4	10	14	29	39	39	47	37	36	30	38	23	26	19	23	21	16	14	13	10	1	-	
	Nonwhite—M	256	13	8	7	6	7	6	10	12	8	13	5	5	5	2	6	3	10	13	14	27	40	21	8	5	2	
	White—F	310	22	6	7	-	4																					

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1-2	3-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100 and over	Not stated			
	ARIZONA																												
	ALL CAUSES-----	6,052	975	100	53	41	18	71	59	94	160	171	164	235	251	305	365	441	504	490	501	398	266	200	75	16	12	9	
	White-----M--	3,206	376	29	15	12	6	24	34	36	76	73	83	119	139	174	241	305	285	314	312	232	163	100	30	7	5	8	
	White-----F--	1,802	296	22	16	7	5	17	9	19	41	55	62	69	68	92	109	91	162	135	148	135	107	81	42	9	6	1	
	Nonwhite--M--	592	172	32	10	10	4	20	8	27	25	25	17	20	23	21	25	27	32	24	28	19	9	15	1	1	1	-	
	Nonwhite--F--	452	130	17	12	12	5	10	8	12	20	18	22	27	21	18	21	17	17	13	12	7	4	-	2	-	-	-	
1,2	Typhoid and paratyphoid fever																												
	White-----M--	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	White-----F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cerebrospinal (meningococcus) meningitis																												
	White-----M--	6	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	White-----F--	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Scarlet fever																												
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	Whooping cough																												
	White-----M--	21	16	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	8	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	Diphtheria																												
	White-----M--	7	1	-	1	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	5	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13-22	Tuberculosis (all forms)																												
	White-----M--	644	20	13	6	7	3	15	7	29	43	62	54	47	56	62	55	44	41	40	17	10	4	3	1	-	-	1	
	White-----F--	318	4	2	1	-	-	1	1	9	18	25	26	32	41	42	34	24	33	11	6	4	2	1	-	-	1	1	
	Nonwhite--M--	123	5	1	1	1	-	5	12	21	15	13	11	12	9	3	8	3	2	2	-	1	-	-	-	-	-	-	
	Nonwhite--F--	114	7	7	4	2	10	2	15	9	11	5	4	6	5	4	4	6	2	5	2	-	-	-	-	-	-	-	
	Nonwhite--F--	89	4	3	2	2	1	5	4	8	13	12	9	4	7	4	-	3	3	2	1	2	-	-	-	-	-	-	
13	Tuberculosis of respiratory system, etc.*																												
	White-----M--	595	6	7	4	5	2	10	4	28	41	60	54	45	55	62	53	44	41	39	16	10	4	3	1	-	-	1	
	White-----F--	308	1	1	-	-	-	1	-	9	17	25	26	31	41	41	34	24	32	11	6	4	2	1	-	-	1	1	
	Nonwhite--M--	114	1	1	-	1	-	-	5	10	21	15	12	10	12	9	3	8	3	2	2	-	1	-	-	-	-	-	
	Nonwhite--F--	94	1	5	3	4	1	6	1	15	9	10	5	3	7	5	3	4	6	2	2	2	-	-	-	-	-	-	
	Nonwhite--F--	79	3	-	1	-	1	4	2	8	13	12	9	4	7	4	-	3	3	2	1	2	-	-	-	-	-	-	
14-22	Tuberculosis (other forms)																												
	White-----M--	49	14	6	4	2	1	5	3	1	2	2	-	2	3	-	2	-	-	1	1	-	-	-	-	-	-	-	
	White-----F--	10	3	1	1	-	-	-	1	-	1	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite--M--	9	4	-	1	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	20	6	2	1	-	1	4	1	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite--F--	10	1	3	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	Dysentery																												
	White-----M--	20	12	2	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	
	White-----F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	8	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
	Nonwhite--F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
28	Malaria																												
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	Syphilis																												
	White-----M--	64	9	-	-	-	-	1	2	1	-	-	2	5	4	9	8	6	5	6	2	2	2	-	-	-	-	-	
	White-----F--	35	-	-	-	-	-	-	1	-	-	-	1	3	3														

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,
(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
97, 102	ARIZONA—Con. Arteriosclerosis and high blood pressure* White—M F Nonwhite—M F	79 43 29 5 2	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	
107-109, 33	Pneumonia (all forms) and influenza White—M F Nonwhite—M F	372 156 105 65 46	136 47 30 33 26	17 3 4 9 1	9 - 4 2 3	6 1 1 1 3	1 - 1 - -	5 - 1 - -	3 - 1 - -	1 - 2 - 1	6 1 4 1 -	5 2 2 1 -	9 6 1 1 -	9 6 2 1 -	8 7 4 1 -	10 5 4 1 -	19 16 10 3 -	16 10 5 2 -	15 10 5 2 -	10 5 3 1 -	21 12 7 2 -	17 7 7 1 -	17 5 9 1 -	17 6 9 1 -	8 2 9 6 -	1 - 9 - -	1 - 6 - -	4 - 2 - -	2 - 2 - -
107	Bronchopneumonia White—M F Nonwhite—M F	222 91 57 47 27	105 39 20 29 17	13 3 2 7 1	7 - 5 2 2	4 - 1 1 3	1 - 1 - -	1 - 1 - -	1 - 1 - -	2 - 2 - -	3 2 1 - -	4 2 1 - -	2 2 1 - -	2 2 - - -	5 3 - - -	7 6 2 - -	8 5 2 - -	7 5 1 - -	7 5 1 - -	5 3 1 - -	9 5 3 - -	8 4 3 - -	8 4 5 - -	5 1 4 - -	1 - 5 - -	1 - 4 - -	2 - 1 - -	1 - 1 - -	
108	Lobar pneumonia White—M F Nonwhite—M F	83 39 29 8 8	11 4 2 2 3	1 - 1 - -	1 - 1 - -	- - - - -	2 - 1 - -	1 - 1 - -	- - 1 - -	- - 1 - -	- - 1 - -	- - 1 - -	3 2 - - -	6 3 2 - -	4 3 2 - -	5 2 1 - -	8 7 1 - -	5 3 1 - -	7 3 2 - -	5 3 1 - -	3 2 1 - -	6 5 3 - -	5 4 3 - -	4 3 1 - -	3 1 2 - -	- - - - -	- - - - -		
109	Pneumonia (unspecified) White—M F Nonwhite—M F	40 14 7 10 9	15 2 5 2 4	2 - - - -	1 - - - -	1 - - - -	- - - - -	2 - - - -	- - - - -	1 - - - -	1 - - - -	1 - - - -	2 - - - -	- - - - -	1 - - - -	- - - - -	2 - - - -	2 - - - -	2 - - - -	2 - - - -	3 - - - -	1 - - - -	- - - - -	2 - - - -	- - - - -	- - - - -	1 - - - -		
33	Influenza White—M F Nonwhite—M F	27 13 12 - 2	7 2 3 - 2	1 - 1 - -	- - - - -	1 - - - -	- - - - -	1 - - - -	- - - - -	1 - - - -	1 - - - -	- - - - -	- - - - -	1 - - - -	1 - - - -	- - - - -	1 - - - -	2 - - - -	- - - - -	- - - - -	1 - - - -	2 - - - -	1 - - - -	5 - - - -	- - - - -	- - - - -	2 - - - -		
117	Ulcer of stomach or duodenum White—M F Nonwhite—M F	26 18 4 3 1	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 - - - -	- - - - -	- - - - -	- - - - -	2 - - - -	1 - - - -	3 - 1 - -	2 - 1 - -	7 4 2 - -	2 2 1 - -	4 3 1 - -	3 2 1 - -	4 3 2 - -	- - - - -	1 - - - -	- - - - -	- - - - -	- - - - -		
119, 120	Diarrhea, enteritis, etc.* White—M F Nonwhite—M F	208 80 87 45 36	173 51 59 35 28	14 3 2 7 2	3 1 - - -	3 1 - - -	1 - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 - - - -	- - - - -	2 - - - -	2 - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	3 - - - -	1 - - - -	- - - - -	1 - - - -
121	Appendicitis White—M F Nonwhite—M F	20 8 6 6 -	1 1 - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	2 - - - -	1 - - - -	1 - - - -	1 - - - -	1 - - - -	2 - - - -	3 - - - -	- - - - -	3 - - - -	- - - - -	1 - - - -	2 - - - -	1 - - - -	1 - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -		
122	Hernia, intestinal obstruction White—M F Nonwhite—M F	48 21 23 1 3	6 2 3 - 1	2 1 - - -	- - - - -	- - - - -	1 - - - -	1 - - - -	- - - - -	1 - - - -	- - - - -	- - - - -	- - - - -	4 2 - - -	2 1 - - -	- - - - -	4 3 1 - -	4 2 1 - -	5 2 3 - -	5 1 4 - -	4 1 3 - -	7 3 4 - -	- - - - -	1 - - - -	1 - - - -	- - - - -	- - - - -		
124	Cirrhosis of the liver White—M F Nonwhite—M F	64 40 19 3 2	- - - - -	- - - - -	- - - - -	- - - - -	1 - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 - - - -	- - - - -	2 - - - -	7 6 2 - -	8 6 2 - -	5 3 1 - -	7 6 1 - -	8 5 1 - -	7 4 2 - -	8 3 1 - -	5 3 2 - -	2 1 1 - -	3 - - - -	- - - - -	- - - - -	- - - - -		
126, 127	Biliary calculi, etc.* White—M F Nonwhite—M F	19 7 12 -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	1 - - -	- - - -	- - - -	- - - -	- - - -	- - - -	2 - - -	1 - - -	1 - - -	5 - - -	2 - - -	1 - - -	4 - - -	1 - - -	2 - - -	1 - - -	- - - -	- - - -	- - - -	1 - - -	
130-132	Nephritis White—M F Nonwhite—M F	245 138 84 13 10	- - - - -	2 1 - - -	- - - - -	2 2 - - -	- - - - -	3 3 - - -	3 3 - - -	1 - - - -	2 - - - -	2 - - - -	3 - - - -	8 5 - - -	8 5 - - -	17 7 - - -	19 10 - - -	12 5 - - -	28 18 - - -	24 15 - - -	32 20 - - -	29 18 - - -	23 11 - - -	19 8 - - -	7 4 - - -	- - - - -	- - - - -	1 - - - -	
137	Diseases of the prostate White—M Nonwhite—M	22 21 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	2 - -	4 - -	4 - -	3 - -	5 - -	2 - -	1 - -	- - -	- - -		

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	ARIZONA—Con. Diseases of pregnancy, etc.* White—F Nonwhite—F	35 21 14	-	-	-	-	-	-	-	2	8	5	7	6	7	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicaemia White—F Nonwhite—F	7 4 3	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, 144, 146	Puerperal toxemia White—F Nonwhite—F	10 7 3	-	-	-	-	-	-	-	2	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock* White—F Nonwhite—F	12 8 4	-	-	-	-	-	-	-	-	4	-	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, 145b, 150	Other puerperal causes White—F Nonwhite—F	6 2 4	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations White—M F Nonwhite—M F	100 59 27 3 4	85 52 27 3 1	3 2 2 3 1	2 1 1 3 -	2 1 1 3 -	-	-	-	-	1	1	-	4	-	-	-	-	-	-	2	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year White—M F Nonwhite—M F	377 178 122 45 32	377 178 122 45 32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth White—M F Nonwhite—M F	219 112 73 23 11	219 112 73 23 11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year White—M F Nonwhite—M F	158 66 49 22 21	158 66 49 22 21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide White—M F Nonwhite—M F	76 54 17 3 2	-	-	-	-	-	-	2	-	4	5	4	11	4	12	13	5	5	4	3	2	1	-	1	-	-	-
165-166	Homicide White—M F Nonwhite—M F	35 17 5 9 6	-	-	-	-	-	-	-	-	3	8	4	12	1	2	2	2	1	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths White—M F Nonwhite—M F	600 398 121 61 20	25 12 8 3 2	22 6 8 2 1	13 2 4 2 1	6 2 1 1 1	5 4 1 1 1	21 12 8 2 1	21 17 28 6 1	42 28 47 8 1	64 47 51 6 6	43 31 23 6 6	35 23 23 4 5	32 23 20 6 3	29 20 21 3 6	32 21 27 1 3	31 27 28 3 2	34 22 20 4 4	29 22 20 6 3	29 20 13 6 1	20 13 16 6 1	30 16 13 9 1	16 7 6 7 1	15 6 7 1 2	1 1 1 1 1	4 2 1 1 1	-	1
170	Motor-vehicle accidents White—M F Nonwhite—M F	236 160 46 23 7	2 1 2 1 -	6 3 2 1 -	5 2 1 1 -	4 2 1 1 -	3 2 1 1 -	8 2 6 2 -	10 10 6 7 -	20 12 6 3 1	34 23 7 3 1	19 13 3 3 1	13 8 2 2 -	12 8 1 2 -	8 15 1 2 -	19 12 1 2 -	12 12 2 2 -	16 9 3 2 -	12 9 3 2 -	13 9 1 1 -	6 5 1 1 -	7 7 1 2 -	4 3 1 1 -	3 1 2 1 -	-	-	-	-
169, 171-195	Other accidents White—M F Nonwhite—M F	364 238 75 38 13	23 11 8 2 2	16 9 6 1 -	8 4 2 1 -	2 2 1 1 -	2 10 2 1 -	13 7 1 4 1	11 16 1 1 1	22 7 1 5 -	30 24 1 3 -	24 18 3 3 -	22 15 2 2 -	20 15 2 2 -	17 8 3 2 -	13 15 1 2 -	19 14 1 2 -	18 13 1 2 -	17 13 1 3 -	16 11 4 1 -	14 8 5 1 -	23 11 13 1 -	12 5 8 1 -	12 4 5 2 -	1 1 1 1 -	4 2 1 1 -	-	1
182, 199, 200	Senility, ill-defined and un-known causes White—M F Nonwhite—M F	228 79 34 55 58	52 9 8 21 14	8 1 1 1 5	5 1 1 1 2	3 1 1 1 1	2 - 1 4 2	4 - - 1 2	2 - - 1 2	1 - - 1 1	1 - - 3 1	4 - - 3 3	5 - - 1 3	4 - - 1 3	6 - - 1 2	8 - - 2 1	11 - - 1 3	8 - - 2 4	12 - - 1 3	15 - - 5 1	24 - - 4 4	17 - - 3 2	10 - - 2 4	15 - - 1 2	5 - - 1 -	4 - - 2 -	1 - - 1 -	1 - - 1 -
	All other causes White—M F Nonwhite—M F	417 221 142 29 25	49 12 17 15 7	11 2 4 3 2	8 5 1 1 1	4 4 2 3 3	10 5 3 1 1	8 5 3 2 1	7 1 3 5 1	16 10 4 9 1	14 9 4 11 1	20 13 9 11 2	35 25 17 17 2	25 15 11 3 2	26 13 4 3 2	26 15 12 1 -	30 17 12 5 -	25 20 8 1 -	37 28 17 8 -	23 17 20 5 -	29 20 7 7 -	15 9 6 1 -	15 11 4 2 -	4 2 1 1 -	1 1 2 1 -	1 1 1 1 -	-	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age Group																	100 and over	Not stated						
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
ARKANSAS—Con.																												
45-55	Cancer and other malignant tumors	1,636	3	1	5	4	1	1	7	4	12	15	31	78	103	114	154	176	201	236	198	157	85	41	10	3	-	-
	White—M—	642	2	-	2	1	1	4	3	6	5	6	20	21	28	55	66	77	103	100	74	44	18	5	1	-	-	-
	F—	680	1	1	3	2	1	3	1	4	7	16	43	57	58	64	66	94	85	69	57	32	19	5	2	-	-	-
	Nonwhite—M—	135	-	-	2	-	-	-	-	2	1	1	5	5	7	13	14	22	27	14	17	4	1	-	-	-	-	-
	F—	179	-	-	-	-	-	-	-	-	-	1	8	10	20	21	22	30	18	21	15	3	2	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum—	629	1	-	-	-	-	2	1	3	4	4	19	18	39	64	69	87	107	86	73	32	14	6	1	-	-	-
	White—M—	275	1	-	-	-	-	1	1	2	2	2	6	6	13	29	29	37	48	39	36	16	4	2	-	-	-	-
	F—	259	-	-	-	-	-	1	-	2	2	1	6	7	18	19	24	35	38	36	25	11	7	4	1	-	-	-
	Nonwhite—M—	74	-	-	-	-	-	-	-	1	-	1	2	3	5	10	7	8	16	8	10	3	2	-	-	-	-	-
	F—	43	-	-	-	-	-	-	-	-	-	1	2	2	2	7	9	7	5	3	2	2	-	-	-	-	-	-
46,49	Cancer of female genital organs—	285	-	-	1	-	-	1	-	1	1	18	23	41	34	33	29	25	34	20	15	6	3	-	-	-	-	-
	White—F—	196	-	-	1	-	-	1	-	1	1	13	16	29	23	23	17	17	23	11	11	6	3	-	-	-	-	-
	Nonwhite—F—	89	-	-	-	-	-	-	-	-	-	5	7	12	11	10	12	8	11	9	4	-	-	-	-	-	-	-
50	Cancer of breast—	123	-	-	-	-	-	-	-	1	4	12	10	13	15	19	11	8	6	6	14	7	3	-	-	-	-	-
	White—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	F—	100	-	-	-	-	-	-	-	1	2	11	6	9	13	14	11	7	5	10	6	3	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	21	-	-	-	-	-	-	-	2	1	2	1	2	4	2	4	-	1	1	3	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)—	599	2	1	5	3	1	1	4	3	8	7	5	24	34	29	42	59	78	87	88	55	38	21	4	2	-	-
	White—M—	367	1	-	2	-	1	3	2	4	5	4	12	15	15	27	36	40	55	61	37	28	15	3	1	-	-	-
	F—	145	1	1	3	1	1	1	3	1	1	1	8	13	9	9	11	21	17	11	9	6	1	1	1	-	-	-
	Nonwhite—M—	61	-	-	2	-	-	-	-	1	1	1	3	2	2	3	7	14	11	6	7	1	-	-	-	-	-	-
	F—	26	-	-	-	-	-	-	-	-	-	-	1	4	3	5	3	3	2	4	-	-	-	-	-	-	-	-
58	Acute rheumatic fever—	16	1	-	1	-	-	1	1	2	2	-	-	1	-	-	-	1	2	2	1	1	-	-	-	-	-	-
	White—M—	4	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus—	214	-	-	1	-	-	3	3	3	3	1	6	9	9	10	22	29	31	33	32	15	3	1	-	-	-	-
	White—M—	79	-	-	1	-	-	2	2	2	1	4	2	1	4	5	10	11	9	14	10	1	-	-	-	-	-	-
	F—	90	-	-	-	-	-	-	-	-	1	1	2	4	3	9	13	15	20	14	4	2	1	-	-	-	-	-
	Nonwhite—M—	14	-	-	-	-	-	1	1	1	-	-	1	1	1	2	2	2	1	3	-	-	-	-	-	-	-	-
	F—	31	-	-	-	-	-	1	1	1	-	1	4	4	2	6	4	3	5	1	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter—	12	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	3	1	-	-	-	-	-	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	35	-	-	-	-	-	-	-	-	-	-	1	1	2	3	5	1	5	3	7	3	3	-	-	1	-	-
	White—M—	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-
	F—	12	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	5	1	-	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	16	-	-	-	-	-	-	-	-	-	-	-	1	3	3	-	2	-	2	-	1	3	-	-	1	-	-
77	Alcoholism (other)—	10	-	-	-	-	-	-	-	1	3	-	1	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-
	White—M—	9	-	-	-	-	-	-	-	1	3	-	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	1,470	2	-	1	1	-	1	-	2	10	7	17	31	60	105	111	165	228	257	229	130	78	22	7	3	1	-
	White—M—	556	-	-	1	-	-	1	-	1	-	5	4	3	10	12	26	33	67	89	98	104	59	32	9	2	-	
	F—	440	1	-	1	-	-	-	-	1	1	1	3	4	10	22	25	39	66	66	68	48	33	9	4	-	-	
	Nonwhite—M—	200	-	-	-	-	-	-	-	2	2	4	3	14	30	22	29	34	34	21	7	5	1	1	1	1	-	
	F—	266	1	-	-	-	-	-	-	1	1	2	2	7	14	24	27	33	30	39	39	16	8	3	-	2	1	
90-95	Diseases of the heart—	3,735	-	-	2	1	1	7	8	12	17	23	33	69	85	146	262	365	431	519	584	542	310	190	83	17	8	
	White—M—	1,685	-	-	1	-	2	3	2	3	8	8	25	42	71	148	211	257	284	286	280	150	85	37	1	1		
	F—	995	-	-	-	1	1	2	1	3	6	5	9	20	16	23	39	40	90	116	184	186	113	89	31	9		
	Nonwhite—M—	486	-	-	-	-	2	3	4	5	4	8	9	26	49	74	59	76	68	47	29	8	7	6	2	2		
	F—	569	-	-	1	-	3	2	4	4	5	12	16	18	26	46	40	45	36	29	18	8</						

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
ARKANSAS—Con.																												
140-150	Diseases of pregnancy, etc.*	90	-	-	-	-	-	1	15	12	17	18	21	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	45	-	-	-	-	-	-	6	7	8	11	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	45	-	-	-	-	-	1	9	5	9	7	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicemia	24	-	-	-	-	-	1	1	3	6	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	14	-	-	-	-	-	-	-	1	4	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	10	-	-	-	-	-	1	1	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	32	-	-	-	-	-	-	11	4	8	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	13	-	-	-	-	-	-	6	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	19	-	-	-	-	-	-	5	2	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*	27	-	-	-	-	-	-	2	3	4	5	11	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	15	-	-	-	-	-	-	2	2	3	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	12	-	-	-	-	-	-	2	1	1	2	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes	7	-	-	-	-	-	-	1	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	3	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	4	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	175	141	6	9	2	1	3	6	-	2	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M--	93	77	2	2	2	-	2	4	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—F--	57	47	4	2	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	17	12	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	6	5	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	701	701	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	339	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	427	427	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159, 160, 161	Other diseases peculiar to first year	274	274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide	120	-	-	-	-	-	-	2	9	6	11	18	12	12	13	11	10	10	4	-	1	-	1	-	-	-	-
	White—M--	84	-	-	-	-	-	-	1	5	3	7	14	8	9	8	10	9	6	3	-	8	1	-	-	-	-	
	White—F--	23	-	-	-	-	-	-	1	3	2	3	3	2	1	3	-	1	2	1	-	1	-	-	-	-	-	
	Nonwhite—M--	12	-	-	-	-	-	-	-	-	1	1	2	1	2	2	1	2	2	-	-	-	-	-	-	-	-	
	Nonwhite—F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-166	Homicide	149	1	-	-	-	-	-	4	27	15	26	19	12	15	8	10	7	2	-	3	-	-	-	-	-	-	
	White—M--	39	-	-	-	-	-	-	-	11	3	5	-	1	6	1	3	5	2	-	2	-	-	-	-	-	-	
	White—F--	6	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M--	61	1	-	-	-	-	-	4	12	11	16	14	7	5	4	5	1	1	-	1	-	-	-	-	-	-	
	Nonwhite—F--	21	-	-	-	-	-	-	-	4	1	4	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths	1,132	48	30	22	19	15	43	66	84	101	81	53	67	57	46	57	52	47	51	53	56	34	38	11	1	-	
	White—M--	611	14	16	9	7	6	21	34	34	65	56	37	46	35	29	35	29	29	29	20	24	15	14	7	1	-	
	White—F--	280	13	4	3	6	4	8	12	24	16	11	6	6	6	4	6	6	13	24	31	17	20	4	-	-	-	
	Nonwhite—M--	191	4	3	6	4	3	10	15	24	13	13	10	11	9	9	12	13	11	7	8	1	1	4	-	-		
	Nonwhite—F--	70	11	7	4	2	2	4	5	7	7	5	4	5	3	3	6	2	1	2	1	-	-	-	-	-		
170	Motor-vehicle accidents	316	5	4	4	3	4	12	14	38	51	27	20	23	13	15	18	13	13	20	7	8	3	1	-	-		
	White—M--	212	3	4	2	1	2	7	8	17	36	23	16	18	9	10	12	8	7	15	6	5	2	1	-	-		
	White—F--	61	1	-	-	2	2	5	15	9	2	1	2	2	2	3	2	3	4	3	1	2	1	-	-	-		
	Nonwhite—M--	37	-	-	2	-	3	6	4	2	4	2	4	2	2	2	3	2	2	2	-	1	-	-	-	-		
	Nonwhite—F--	6	1	-	-	-	-	1	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
169, 171-185	Other accidents	816	43	26	18	16	11	31	52	46	50	54	33	44	44	31	39	39	34	31	46	48	31	37	11	1	-	
	White—M--	399	11	12	7	6	4	14	26	17	29	33	21	26	26	18	23	21	22	14	14	19	13	13	7	1		
	White—F--	199	18	4	3	4	2	6	7	9	7	9	6	4	6	3	2	5	2	10	23	29	16	20	4	-		
	Nonwhite—M--	154	4	3	4	4	3	7	15	18	9	11	6	9	7	7	9	11	9	5	8	-	1	4	-	-		
	Nonwhite—F--	64	10	7	4	2	2	4	4	2	5	1	-															

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
CALIFORNIA—Con.																												
45-55	Cancer and other malignant tumors	15,574	14	13	9	12	8	35	22	20	48	94	163	323	543	815	1,242	1,570	1,797	1,939	1,843	1,532	964	452	94	17	5	-
	White—M—	6,410	7	7	3	5	5	19	17	8	22	42	49	98	196	292	555	777	916	1,031	909	755	446	210	35	4	3	-
	F—	6,608	4	5	6	7	3	14	4	11	22	46	101	202	307	466	634	717	797	836	886	742	498	227	58	13	2	-
	Nonwhite—M—	320	2	-	-	-	-	1	-	-	3	3	5	6	19	29	29	46	56	44	32	21	13	11	-	-	-	-
	F—	256	1	1	-	-	-	1	1	1	1	3	9	17	21	28	24	30	28	28	16	14	7	4	1	-	-	-
46	Cancer of the digestive organs and peritoneum—	5,693	5	1	2	2	2	3	3	1	12	19	40	77	160	269	436	601	764	902	987	778	467	216	40	8	1	-
	White—M—	3,004	1	1	1	2	1	3	3	-	6	9	18	33	78	141	245	351	441	515	461	370	224	95	12	3	1	-
	F—	2,420	2	-	1	-	1	-	-	1	4	10	18	36	73	111	164	212	274	338	401	398	230	124	27	5	-	-
	Nonwhite—M—	184	-	-	-	-	-	-	-	-	2	-	2	5	6	12	18	28	37	32	15	12	8	7	-	-	-	-
	F—	85	-	-	-	-	-	-	-	-	-	-	1	3	5	4	9	10	12	17	10	6	5	2	1	-	-	-
48,49	Cancer of female genital organs—	1,886	-	-	-	-	-	1	-	1	6	13	37	61	110	190	211	229	218	196	170	118	67	30	7	2	-	-
	White—M—	1,608	-	-	-	-	-	1	-	1	5	10	36	71	99	176	206	216	209	189	168	116	67	29	7	2	-	-
	F—	78	-	-	-	-	-	-	-	-	1	3	1	10	11	14	5	12	9	7	2	2	-	1	-	-	-	-
50	Cancer of breast—	1,401	-	-	-	-	-	-	-	-	1	8	27	60	87	113	160	172	190	149	166	128	93	32	12	1	2	-
	White—M—	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	2	1	2	1	1	-	-	-	-
	F—	1,358	-	-	-	-	-	-	-	-	1	8	24	69	84	109	155	166	182	145	165	125	92	30	12	1	2	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	3	1	3	4	5	4	2	2	1	-	-	1	-	-	-	-
	F—	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)—	4,794	11	12	7	10	6	31	19	18	29	54	59	105	186	244	355	589	625	692	620	508	337	174	35	6	2	-
	White—M—	3,391	6	6	2	3	4	15	14	8	16	35	29	65	118	151	230	424	469	514	447	383	221	126	23	1	2	-
	F—	1,222	2	5	5	7	2	13	4	9	12	18	23	36	51	70	109	125	132	164	154	113	109	44	12	5	-	-
	Nonwhite—M—	156	2	-	-	-	-	1	-	1	3	3	1	15	17	11	18	19	12	17	9	5	4	-	-	-	-	-
	F—	45	1	1	-	-	-	1	1	1	-	-	4	3	4	6	5	4	5	2	2	3	2	-	-	-	-	-
58	Acute rheumatic fever—	25	-	-	-	1	-	3	2	2	3	1	2	1	2	1	2	2	1	1	-	1	-	-	-	-	-	-
	White—M—	12	-	-	-	-	-	3	1	1	-	-	1	1	1	1	1	2	2	-	-	1	-	-	-	-	-	-
	F—	9	-	-	-	1	-	1	1	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus—	2,017	1	2	-	-	1	1	4	6	10	24	14	17	35	65	122	208	291	357	380	265	141	60	13	-	-	-
	White—M—	840	1	-	-	-	1	1	2	4	13	9	5	18	31	53	90	130	149	146	99	55	27	9	-	-	-	-
	F—	1,074	-	2	-	-	1	1	3	4	6	7	4	8	14	27	58	97	147	198	220	158	85	35	4	-	-	-
	Nonwhite—M—	41	-	-	-	-	-	-	-	-	1	1	-	3	2	1	1	1	8	5	6	2	1	-	-	-	-	-
	F—	62	-	-	-	-	-	-	-	-	3	1	1	1	6	10	14	6	8	8	8	3	1	-	-	-	-	-
63b	Exophthalmic goiter—	103	-	-	-	-	-	-	-	1	2	1	2	3	7	7	9	14	12	20	11	10	4	-	1	-	-	-
	White—M—	15	-	-	-	-	-	-	-	-	-	-	1	1	3	1	4	1	3	-	1	1	-	-	-	-	-	-
	F—	82	-	-	-	-	-	-	-	1	1	1	2	1	6	3	7	9	9	17	11	9	4	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	19	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	3	5	5	1	-	-	-	-	-
	White—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-
	F—	13	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	3	4	4	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)—	190	-	-	-	-	-	-	-	-	5	9	23	30	35	22	18	19	11	9	7	-	-	-	-	-	-	2
	White—M—	147	-	-	-	-	-	-	-	-	3	6	15	21	28	15	14	17	11	9	6	-	-	-	-	-	-	2
	F—	34	-	-	-	-	-	-	-	-	2	3	7	6	4	7	3	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	1	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	7,631	14	4	-	-	3	9	1	4	16	22	25	56	93	224	366	537	746	1,031	1,291	1,309	1,014	622	189	26	6	4
	White—M—	3,437	5	2	-	-	1	5	-	1	12	12	12	29	37	104	173	275	361	477	615	550	399	289	62	13	2	3
	F—	3,887	7	2	-	-	2	4	-	3	2	6	11	21	48	97	186	217	319	509	641	691	602	382	121	12	2	-
	Nonwhite—M—	165	1	-	-	-	-	1	-	2	2	-	4	4	6	10	27	27	29	21	15	7	5	2	-	-	1	
	F—	144	1	-	-	-	-	-	-	-	-	-	2	2	4	17	20	19	17	14	13	6	6	5	1	2	-	-
90-95	Diseases of the heart—	32,400	8	4	2	1	1	10	21	50	40	101	178	381	739	1,351	2,080	2,939	3,808	4,448	4,768	4,679	3,640	2,219	725	172	28	9
	White—M—	19,265	4	2	1	-	2	11	20	20	50	105	243	525	990	1,564	2,129	2,596	2,810	2,766	2,436	1,695	945	281	58	8	4	5
	F—	12,099	2	2	-	1	-																					

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated		
97, 102	CALIFORNIA—Con. Arteriosclerosis and high blood pressure* White—M— White—F— Nonwhite—M— Nonwhite—F—	2,178 1,005 1,117 44 12	-	-	-	-	-	-	-	-	-	-	-	4	6	17	21	47	95	165	306	472	429	375	180	49	15	1		
107-109, 33	Pneumonia (all forms) and influenza— White—M— White—F— Nonwhite—M— Nonwhite—F—	5,617 2,043 1,536 151 87	693 354 260 41 38	67 54 24 5 4	31 20 10 1 -	20 12 6 -	6 3 3 -	29 20 8 1	18 7 9 2	26 14 11 -	25 10 15 -	27 15 8 -	58 27 43 1	73 35 36 9	143 86 93 18	144 95 33 11	138 95 33 7	207 147 60 16	244 173 78 9	257 169 107 6	262 166 143 6	348 195 170 9	341 165 150 2	282 130 66 2	113 46 20 1	41 18 2 -	4 1 2 -	-		
107	Bronchopneumonia— White—M— White—F— Nonwhite—M— Nonwhite—F—	2,306 1,275 804 72 55	528 279 184 30 25	44 14 18 2 2	21 10 7 -	15 10 5 -	6 3 6 -	19 12 6 -	11 3 6 -	16 7 8 -	10 5 8 -	9 13 8 -	23 15 8 -	30 13 11 -	58 32 17 -	69 42 21 -	85 42 10 -	105 78 36 -	130 93 55 -	153 100 77 -	181 133 84 -	224 155 116 -	243 122 120 -	220 99 52 -	88 36 16 -	35 17 1 -	3 1 1 -	-		
108	Lobar pneumonia— White—M— White—F— Nonwhite—M— Nonwhite—F—	1,087 644 345 69 29	122 55 49 7 12	13 4 6 1 2	8 5 2 -	5 2 1 -	4 3 1 -	4 3 1 -	6 3 2 -	12 7 6 -	14 3 5 -	17 10 6 -	31 20 17 -	40 28 16 -	75 47 14 -	69 47 13 -	84 46 12 -	90 61 20 -	95 78 21 -	99 73 27 -	89 58 42 -	89 52 27 -	100 58 42 -	79 36 24 -	15 25 9 -	4 5 4 -	-	-		
109	Pneumonia (unspecified)— White—M— White—F— Nonwhite—M— Nonwhite—F—	96 59 26 9 2	24 10 8 4 1	7 4 1 2 -	-	-	-	3 2 1 -	2 1 1 -	3 1 1 -	2 1 -	3 2 -	1 1 -	3 2 -	9 7 -	2 2 -	6 5 -	6 5 -	8 7 -	1 1 -	4 3 -	7 3 -	2 1 -	1 1 -	2 1 -	-	-	-	-	
33	Influenza— White—M— White—F— Nonwhite—M— Nonwhite—F—	128 65 61 1 1	19 10 9 -	3 2 1 -	2 1 -	-	2 2 -	1 1 -	1 1 -	1 1 -	1 1 -	3 2 -	-	-	1 2 -	4 2 -	3 2 -	6 3 -	13 10 -	4 5 -	8 7 -	17 10 -	17 6 -	11 6 -	8 4 -	2 1 -	-	-	-	
117	Ulcer of stomach or duodenum— White—M— White—F— Nonwhite—M— Nonwhite—F—	804 645 127 26 6	2 2 -	1 1 -	-	-	2 -	-	-	-	4 3 -	6 3 -	15 10 -	19 16 -	50 37 -	64 52 -	92 77 -	106 96 -	118 99 -	108 91 -	98 76 -	56 40 -	36 28 -	20 10 -	5 3 -	1 1 -	-	-	1 1 -	-
119, 120	Diarrhea, enteritis, etc.— White—M— White—F— Nonwhite—M— Nonwhite—F—	650 310 253 35 32	497 252 186 33 26	30 9 18 3 3	1 -	1 -	6 2 1 -	1 -	1 -	5 2 3 -	2 8 2 -	2 5 3 -	3 3 3 -	3 3 -	8 4 -	9 4 -	4 2 -	12 7 -	12 5 -	12 6 -	10 7 -	4 3 -	2 2 -	2 2 -	2 2 -	-	-	-	-	
121	Appendicitis— White—M— White—F— Nonwhite—M— Nonwhite—F—	258 140 100 10 8	1 1 -	2 2 -	3 2 -	2 6 -	8 5 -	9 5 -	9 4 -	11 7 -	12 5 -	9 4 -	8 3 -	12 6 -	15 11 -	20 13 -	22 11 -	23 11 -	24 17 -	29 17 -	19 8 -	8 3 -	6 3 -	5 3 -	1 1 -	-	-	-	-	-
122	Hernia, intestinal obstruction— White—M— White—F— Nonwhite—M— Nonwhite—F—	679 315 327 17 20	27 18 9 -	8 5 1 -	4 1 1 -	2 1 2 -	4 2 2 -	4 1 2 -	4 1 -	3 1 -	5 2 -	7 2 -	18 6 -	16 3 -	27 9 -	35 12 -	37 12 -	60 33 -	78 45 -	85 38 -	84 44 -	72 35 -	60 24 -	24 8 -	11 7 -	4 1 -	1 -	-	-	-
124	Cirrhosis of the liver— White—M— White—F— Nonwhite—M— Nonwhite—F—	1,809 1,112 614 48 35	7 4 -	2 1 -	2 -	1 -	1 -	1 -	1 -	1 -	6 2 -	16 7 -	45 24 -	138 87 -	188 106 -	239 153 -	251 166 -	232 154 -	218 152 -	173 115 -	126 71 -	96 59 -	42 16 -	21 12 -	2 1 -	-	-	-	-	-
126, 127	Biliary calculi, etc.— White—M— White—F— Nonwhite—M— Nonwhite—F—	381 140 232 7 2	1 1 -	-	-	-	-	-	-	4 3 -	7 7 -	7 8 -	11 8 -	14 5 -	28 13 -	28 14 -	42 21 -	53 21 -	61 26 -	51 23 -	41 10 -	33 9 -	15 8 -	2 1 -	1 1 -	-	-	-	-	-
130-132	Nephritis— White—M— White—F— Nonwhite—M— Nonwhite—F—	3,857 1,904 1,722 152 99	3 1 2 -	3 2 1 -	4 3 1 -	6 4 1 -	5 3 1 -	10 5 4 -	12 7 8 -	18 7 9 -	20 15 9 -	49 25 13 -	71 38 25 -	76 35 30 -	113 52 43 -	173 82 69 -	293 153 162 -	299 162 115 -	386 221 189 -	456 237 189 -	523 266 238 -	508 231 280 -	412 178 138 -	285 143 68 -	112 42 2 -	16 6 2 -	3 1 1 -	1 -	-	
137	Diseases of the prostate— White—M— White—F— Nonwhite—M— Nonwhite—F—	493 479 14	-	-	-	-	-	-	-	-	-	-	-	-	-	2 4 -	4 13 -	14 34 -	34 84 -	64 102 -	84 111 -	111 84 -	60 58 -	13 13 -	5 5 -	-	-	-	-	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	CALIFORNIA—Con. Diseases of pregnancy, etc.—White—F— Nonwhite—F—	235 189 56	- - -	- - -	- - -	- - -	- - -	- - -	- - -	23 19 4	51 45 6	67 57 10	43 35 8	35 30 3	15 11 4	3 2 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
140, 142a, 145a, 147	Puerperal septicaemia—White—F— Nonwhite—F—	75 64 11	- - -	- - -	- - -	- - -	- - -	- - -	- - -	6 4 2	19 18 1	25 22 3	10 8 2	8 7 2	7 5 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
141a, 144, 148	Puerperal toxemia—White—F— Nonwhite—F—	55 43 12	- - -	- - -	- - -	- - -	- - -	- - -	- - -	6 5 1	14 10 4	15 11 4	8 5 3	8 5 3	3 3 3	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—White—F— Nonwhite—F—	86 75 11	- - -	- - -	- - -	- - -	- - -	- - -	- - -	6 6 1	14 14 1	21 18 3	22 19 3	17 15 2	5 3 2	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
141d, 145b, 150	Other puerperal causes—White—F— Nonwhite—F—	19 17 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	5 4 1	4 3 1	6 6 1	3 3 1	- - -	- - -	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
157	Congenital malformations—White—M— F— Nonwhite—M— F—	1,296 671 557 46 22	1,008 539 428 35 16	47 20 26 1 1	30 15 14 1 1	12 5 7 1 1	12 6 11 1 1	21 9 6 1 1	16 8 6 1 1	18 9 8 1 1	8 7 1 3 1	22 9 1 3 1	15 10 5 2 1	14 6 5 2 1	14 5 6 2 1	11 7 4 2 1	12 5 7 3 1	9 5 3 1 1	2 2 2 3 1	5 2 3 2 1	4 2 2 3 1	4 1 2 3 1	2 1 1 1 1	- - -	- - -	- - -	- - -	- - -
158-161	Diseases peculiar to first year—White—M— F— Nonwhite—M— F—	4,199 2,279 1,553 217 150	4,199 2,279 1,553 217 150	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
159	Premature birth—White—M— F— Nonwhite—M— F—	2,516 1,319 952 137 108	2,516 1,319 952 137 108	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
159, 160, 161	Other diseases peculiar to first year—White—M— F— Nonwhite—M— F—	1,683 960 601 80 42	1,683 960 601 80 42	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
163, 164	Suicide—White—M— F— Nonwhite—M— F—	1,683 1,188 415 61 19	1,683 1,188 415 61 19	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
165-168	Homicide—White—M— F— Nonwhite—M— F—	560 289 105 148 39	11 6 4 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	3 3 3 2 3	7 7 2 2 3	21 11 6 2 3	56 26 9 15 6	82 35 10 32 13	84 28 16 28 8	82 24 16 28 2	60 36 6 17 1	57 24 15 16 2	25 14 2 5 1	32 26 2 3 1	17 15 1 1 1	21 15 1 1 1	10 5 3 1 2	5 3 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	5 3 1 1 1	
169-195	Accidental deaths—White—M— F— Nonwhite—M— F—	7,547 5,041 2,033 333 80	258 140 94 33 11	101 49 47 27 3	78 49 27 25 2	68 42 25 24 4	85 35 24 5 2	200 151 36 10 2	152 105 36 16 7	467 342 102 73 33	579 394 73 64 27	499 334 78 63 8	443 326 78 79 4	461 326 99 83 5	469 355 102 80 22	482 329 80 65 17	430 312 80 65 4	422 312 80 65 4	435 272 106 113 19	400 272 106 113 19	565 215 177 131 6	379 194 177 131 6	390 173 169 121 5	258 84 169 121 5	106 34 71 14 2	21 7 14 2 1	6 3 2 1 1	13 12 1 1 1
170	Motor-vehicle accidents—White—M— F— Nonwhite—M— F—	3,451 2,440 819 157 35	19 10 9 1 1	31 13 17 1 1	26 12 14 1 1	38 26 10 5 2	35 13 19 5 2	101 59 40 10 3	62 41 18 7 1	288 224 77 60 22	412 323 224 176 115	292 224 176 115 8	237 176 115 8 4	241 156 86 64 2	230 156 86 64 2	228 156 86 64 2	200 140 50 36 2	224 160 49 36 1	233 168 41 28 9	192 144 37 26 6	154 106 37 26 8	110 81 26 19 3	74 54 19 3 1	18 15 7 1 1	8 7 1 1 1	- - -	- - -	2 2 1 1 1
169, 171-195	Other accidents—White—M— F— Nonwhite—M— F—	4,096 2,601 1,274 176 45	239 130 85 13 11	70 36 30 2 2	52 37 13 1 2	32 16 15 5 2	99 22 5 6 2	90 72 19 7 2	179 147 25 17 1	167 133 13 15 4	207 170 19 32 3	206 158 19 32 2	220 170 32 17 2	239 180 43 30 1	254 189 43 30 1	230 189 43 30 1	198 152 36 26 1	202 141 36 26 1	208 129 27 19 7	211 109 27 19 4	269 113 96 61 3	516 119 151 96 5	240 83 151 96 5	98 27 71 14 2	21 7 14 2 1	6 3 2 1 1	11 10 1 1 1	
192, 199, 200	Senility, ill-defined and unknown causes—White—M— F— Nonwhite—M— F—	517 280 209 21 7	22 11 6 4 1	4 2 2 1 1	1 1 1 1 1	1 1 1 1 1	6 2 3 1 1	2 2 2 1 1	4 4 2 1 1	7 6 2 1 1	8 6 2 1 1	12 8 5 3 1	13 8 6 4 1	15 8 6 4 1	15 8 6 4 1	12 9 2 1 1	12 9 2 1 1	17 13 5 2 1	26 18 11 8 2	32 19 11 8 2	54 22 23 13 5	79 57 38 21 3	83 39 44 22 1	46 21 12 8 1	22 9 12 8 1	1 1 1 1 1	7 6 1 1 1	
	All other causes—White—M— F— Nonwhite—M— F—	5,301 2,761 2,211 176 153	329 172 128 17 12	66 29 34 2 1	62 34 25 1 1	52 30 20 1 1	44 24 19 6 1	100 56 35 1 3	56 46 32 3 7	90 46 32 3 10	90 46 32 3 7	141 53 31 9 11	203 164 111 150 12	249 164 111 150 12	284 164 111 150 12	317 230 149 179 10	405 252 149 179 10	456 300 162 193 13	484 300 162 193 13	511 254 168 142 14	476 211 190 74 10	385 211 190 74 10	277 150 142 88 1	162 74 88 29 1	49 18 29 8 1	11 5 8 3 1	3 1 1 1 1	

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,
(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	COLORADO																												
	ALL CAUSES-----	12,613	1,234	76	51	40	25	85	71	143	181	184	224	256	335	459	616	821	1,071	1,331	1,462	1,523	1,225	799	272	52	12	7	
	White---M--	7,370	715	44	29	26	16	56	43	86	111	110	127	143	216	287	373	532	699	839	845	865	638	399	129	25	4	4	
	White---F--	4,959	485	29	21	14	9	29	27	56	63	64	93	105	159	156	219	270	360	462	586	610	571	396	137	27	8	3	
	Nonwhite-M--	156	24	1	-	-	-	-	-	-	5	4	3	5	9	5	10	9	11	21	18	19	7	2	3	-	-	-	
	Nonwhite-F--	128	10	2	1	-	-	1	1	2	6	1	3	9	11	14	10	11	10	13	9	9	2	2	3	-	-	-	
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis	9	5	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---M--	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---F--	4	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	27	19	4	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	8	5	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	18	13	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	20	2	-	5	2	2	4	1	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White---M--	9	1	-	2	1	1	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	11	1	-	3	1	1	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	375	1	2	1	1	1	2	1	10	19	24	29	28	36	36	44	36	24	39	16	14	7	4	-	-	-	-	-
	White---M--	256	2	1	1	1	1	1	1	2	6	6	17	14	25	27	37	30	22	32	13	10	5	3	-	-	-	-	-
	White---F--	96	1	-	-	-	-	1	-	7	9	12	10	11	7	11	6	5	1	5	3	4	2	1	-	-	-	-	-
	Nonwhite-M--	16	-	-	-	-	-	-	-	3	2	2	1	3	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	7	-	-	-	-	-	-	-	1	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	341	-	1	-	-	-	-	-	8	16	18	28	26	35	36	40	31	23	39	15	14	7	4	-	-	-	-	-
	White---M--	236	-	1	-	-	-	-	-	1	4	4	16	14	25	25	34	28	22	32	12	10	5	3	-	-	-	-	-
	White---F--	87	-	-	-	-	-	-	-	6	9	9	10	11	7	11	5	3	1	5	3	4	2	1	-	-	-	-	-
	Nonwhite-M--	12	-	-	-	-	-	-	-	2	2	2	2	1	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	6	-	-	-	-	-	-	-	1	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	54	1	1	1	1	1	2	1	2	3	6	1	-	1	2	4	5	1	-	1	-	-	-	-	-	-	-	-
	White---M--	20	-	1	1	1	1	1	1	1	2	2	1	-	2	3	2	2	-	-	1	-	-	-	-	-	-	-	-
	White---F--	9	1	-	-	-	-	-	-	1	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-
	White---M--	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White---F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	113	-	-	-	-	-	1	-	-	1	1	2	2	6	5	15	15	19	29	8	5	1	2	1	-	-	-	
	White---M--	91	-	-	-	-	-	1	-	-	1	1	2	2	5	4	12	12	17	26	4	3	1	1	1	-	-		
	White---F--	12	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	1	3	1	1	1	1	1	-	-		
	Nonwhite-M--																												

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age Group																	100 and over	Not stated				
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89
COLORADO—Con.																										
45-55	Cancer and other malignant tumors	1,614	1	1	4	1	4	3	7	11	15	32	52	77	120	169	230	232	235	204	128	70	16	2	-	1
	White—M—	784	1	1	3	1	3	1	2	2	5	11	15	25	50	81	118	119	125	117	58	40	6	-	1	
	White—F—	788	-	-	1	1	1	-	2	2	6	16	36	48	65	83	111	110	104	81	30	10	2	-	-	
	Nonwhite—M—	17	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	2	4	1	-	-	-	-	-	
	Nonwhite—F—	15	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	1	2	4	1	-	-	-	-	
46	Cancer of the digestive organs and peritoneum	704	-	-	1	-	-	-	-	2	6	12	11	25	43	70	97	116	120	104	65	27	4	1	-	-
	White—M—	392	-	-	1	-	-	-	-	2	4	6	7	9	24	35	61	69	69	62	30	11	2	-	-	
	White—F—	300	-	-	-	-	-	-	-	-	2	6	4	15	16	35	36	45	47	41	34	16	2	1	-	
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	1	-	-	-	-	-	
	Nonwhite—F—	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	
48,49	Cancer of female genital organs	204	-	-	-	-	-	-	-	3	2	4	6	14	16	28	28	37	22	15	12	11	5	1	-	-
	White—F—	200	-	-	-	-	-	-	-	3	2	4	6	14	15	26	27	37	22	15	12	11	5	1	-	
	Nonwhite—F—	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	
50	Cancer of breast	143	-	-	-	-	-	-	1	-	1	1	14	16	14	14	16	16	22	12	9	3	3	-	-	
	White—M—	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	135	-	-	-	-	-	-	1	-	1	13	16	13	13	16	15	15	22	9	9	3	3	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
	Nonwhite—F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	
45,47, 51-55	Cancer (other sites)	563	1	1	3	1	4	-	2	4	6	4	13	13	20	35	56	80	78	78	43	35	8	1	-	1
	White—M—	399	1	1	2	1	3	-	2	4	3	2	9	9	16	25	46	57	50	55	28	29	4	-	1	
	White—F—	153	-	-	1	1	1	-	1	2	3	2	3	5	2	10	9	22	20	18	14	8	4	1	-	
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	2	-	-	-	-	-	-	
	Nonwhite—F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	
58	Acute rheumatic fever	17	-	-	1	-	4	2	2	1	2	2	-	2	-	-	-	-	-	1	-	-	-	-	-	
	White—M—	8	-	-	1	-	2	1	1	1	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	
	White—F—	9	-	-	-	-	2	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus	214	-	-	-	1	1	1	1	2	4	3	1	4	5	10	14	28	36	38	35	18	9	2	1	-
	White—M—	103	-	-	-	-	1	1	1	2	3	1	2	3	6	6	14	17	14	18	17	7	5	2	1	
	White—F—	105	-	-	-	-	1	1	1	1	2	2	2	2	3	8	14	17	23	17	11	3	1	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	-	-	-	
63b	Exophthalmic goiter	25	-	-	-	-	-	-	-	-	-	-	3	3	2	7	2	2	1	4	-	1	-	-	-	
	White—M—	5	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-	
	White—F—	20	-	-	-	-	-	-	-	-	-	-	3	2	5	2	2	2	1	4	-	1	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	White—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Alcoholism (ethylin)	26	-	-	1	-	-	-	1	-	2	2	3	4	6	2	1	5	-	-	1	-	-	-	-	
	White—M—	19	-	-	1	-	-	-	-	-	2	2	2	3	3	2	-	5	-	-	1	-	-	-	-	
	White—F—	7	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin	1,084	1	-	2	-	2	-	1	1	-	5	3	20	26	35	60	97	153	190	186	166	101	27	4	4
	White—M—	551	1	-	1	-	2	-	1	1	-	2	2	9	10	13	36	55	88	102	103	80	39	15	1	2
	White—F—	507	-	-	1	-	2	-	-	-	-	2	1	10	13	19	24	39	62	68	83	64	22	3	2	
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	
	Nonwhite—F—	12	-	-	-	-	-	-	-	-	1	-	3	-	2	-	2	-	-	-	1	-	-	-	-	
90-95	Diseases of the heart	5,466	-	-	2	1	3	9	9	9	15	25	30	79	109	185	252	340	458	556	584	445	260	74	17	3
	White—M—	2,188	-	-	1	1	2	4	3	6	9	13	14	49	84	133	183	256	310	342	355	242	129	42	8	
	White—F—	1,218	-	-	1	-	1	5	6	3	5	12	15	25	24	44	65	79	145	205	217	198	129	31	9	
	Nonwhite—M—	35	-	-	-	-	-	-	-	-	1	-	-	1	-	2	4	4	4	6	9	1	2	1	-	
	Nonwhite—F—	27	-	-	-	-	-	-	-	-	1	4	1	4	1	6	2	1	2	5	3	2	-	-	-	
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart	249	-	-	-	1	2	7	6	5	11	11	10	14	19	24	25	17	22	21	23	20	6	4	1	
	White—M—	127	-	-	-	1	1	4	2	4	8	6	3	7	11	13	10	10	11	10	14	8	2	2	-	
	White—F—	117	-	-	-	1	3	4	4	1	2	5	7	5	8	9	15	7	11	11	9	12	4	2	1	
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	
94	Diseases of coronary arteries and angina pectoris	1,323	-	-	-	-	-	1	1	2	-	2	13	35	6											

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Dist. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age																	100 and over	Not stated							
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	
97, 102	COLORADO—Con.																												
	Arteriosclerosis and high blood pressure*	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—M—	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F—	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
107-109, 35	Pneumonia (all forms) and influenza	630	207	14	9	4	3	7	5	4	3	6	4	10	14	15	31	40	50	53	64	85	86	74	33	5	3	1	
White—M—	453	107	7	2	2	1	5	3	2	1	2	2	4	7	9	13	15	27	27	32	39	47	44	42	14	2	1	1	
White—F—	346	92	4	6	2	2	2	2	2	2	3	2	2	5	2	16	11	20	17	20	30	38	41	32	18	3	2	-	
Nonwhite—M—	16	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nonwhite—F—	13	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
107	Bronchopneumonia	418	124	7	6	1	2	2	3	1	1	1	2	3	4	5	8	13	25	19	28	38	55	45	21	4	1	-	
	White—M—	218	83	3	1	1	2	2	3	1	1	1	2	1	2	1	4	3	7	13	14	16	23	26	21	12	1	-	
	White—F—	187	58	1	1	1	2	2	3	1	1	1	1	2	1	3	5	5	11	5	9	11	16	20	12	9	3	1	
	Nonwhite—M—	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	254	37	1	-	-	-	2	-	2	2	3	2	5	6	9	15	23	19	28	29	27	20	16	5	-	2	1	
	White—M—	148	15	-	-	-	-	1	-	1	1	1	1	4	4	8	8	17	11	17	18	17	11	12	1	-	1	1	
	White—F—	94	21	1	-	-	-	1	-	1	1	3	1	4	2	1	7	5	6	7	10	10	8	4	4	-	-	-	
	Nonwhite—M—	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	71	25	3	1	-	1	3	1	1	-	1	-	1	2	1	5	3	1	2	3	4	4	4	2	1	-	-	
	White—M—	47	20	2	1	-	1	2	1	1	-	-	-	1	1	1	3	3	3	2	3	3	1	4	4	1	-	-	
	White—F—	21	4	1	-	-	1	1	1	-	-	-	-	1	-	-	2	-	1	2	-	3	3	3	2	1	-	-	
	Nonwhite—M—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Influenza	87	21	3	2	3	-	-	1	-	-	1	-	1	2	-	3	1	5	4	4	13	9	9	5	-	-		
	White—M—	39	9	2	2	2	-	-	1	-	-	1	-	2	-	1	2	3	3	3	4	8	5	1	1	-	-		
	White—F—	44	9	1	2	1	-	-	1	-	-	1	-	2	-	1	2	1	2	1	3	4	6	4	3	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F—	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117	Ulcer of stomach or duodenum	115	1	-	-	-	-	-	1	2	1	3	3	5	9	9	13	15	16	12	13	10	2	2	-	-	-		
	White—M—	89	1	-	-	-	-	-	1	1	1	2	2	3	7	7	11	11	14	11	9	6	2	2	-	-	-		
	White—F—	25	-	-	-	-	-	-	-	-	1	1	1	2	2	2	2	3	2	1	4	4	-	-	-	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
119, 120	Diarrhea, enteritis, etc.*	79	53	4	1	-	-	-	1	-	1	3	2	2	1	-	2	2	-	-	1	2	3	1	-	-	-		
	White—M—	50	35	3	-	-	-	-	1	-	1	2	2	1	-	2	2	-	-	-	1	1	1	1	-	-			
	White—F—	28	17	1	1	-	-	-	-	-	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
121	Appendicitis	54	1	-	-	1	2	1	2	3	3	2	5	1	1	2	5	6	6	5	2	6	-	-	-	-	-		
	White—M—	30	1	-	-	1	1	1	1	1	1	2	5	1	2	2	5	1	2	3	1	5	-	-	-	-			
	White—F—	23	-	-	-	2	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
122	Hernia, intestinal obstruction	125	10	-	1	-	-	1	1	1	-	4	3	7	6	9	9	10	14	14	15	9	6	3	1	-	1		
	White—M—	68	10	-	1	-	-	1	1	1	-	1	2	3	1	5	6	5	7	6	10	4	2	2	1	-			
	White—F—	53	-	-	-	-	-	1	-	-	-	3	1	3	5	3	3	5	7	6	5	4	2	1	-	-			
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
124	Cirrhosis of the liver	113	-	-	-	-	-	-	-	-	-	4	5	8	8	18	14	9	18	7	13	6	3	-	-	-			
	White—M—	85	-	-	-	-	-	-	-	-	-	1	3	3	4	10	8	8	11	4	6	8	1	-	-				
	White—F—	45	-	-	-	-	-	-	-	-	-	3	2	5	4	8	5	1	6	2	7	1	2	-	-				
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
126, 127	Biliary calculi, etc.*	84	-	-	-	-	-	-	-	1	1	2	5	3	4	8	13	9	10	12	11	4	1	-	-	-			
	White—M—	32	-	-	-	-	-	-	-	1	-	2	2	1	4	5	1	4	5	4	5	2	2	-	-				
	White—F—	52	-	-	-	-	-	-	-	-	1	-	3	2	4	3	12	5	5	8	6	2	1	-	-				
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
130-132	Nephritis	730	-	1	-	1	-	2	6	4	4	6	11	15	33	21	43	57	82	108	120	109	60	37	6	-			
	White—M—	362	-	-	-	-	-	2	4	2	1	2	4	4	19	7	27	35	56	67	56	25	15	3	-				

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. list No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under-1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
COLORADO—Con.																												
140-150	Diseases of pregnancy, etc.—	42	-	-	-	-	-	-	-	4	10	6	9	12	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	41	-	-	-	-	-	-	-	4	9	6	9	12	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicemia—	9	-	-	-	-	-	-	-	1	1	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	9	-	-	-	-	-	-	-	1	1	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a, c, 144, 148	Puerperal toxemia—	12	-	-	-	-	-	-	-	3	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	12	-	-	-	-	-	-	-	3	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—	20	-	-	-	-	-	-	-	-	6	2	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	19	-	-	-	-	-	-	-	-	5	2	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
141d, e, f, 145B, 150	Other puerperal causes—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations—	191	164	6	2	1	1	6	1	2	3	-	1	2	-	1	1	-	-	-	2	-	-	-	-	-	-	
	White—M—	123	106	2	1	1	5	1	1	3	-	-	1	1	-	1	1	-	-	-	2	-	-	-	-	-	-	
	F—	64	54	4	1	1	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year—	657	657	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	395	395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth—	421	421	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	243	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158, 160, 161	Other diseases peculiar to first year—	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163, 164	Suicide—	169	-	-	-	-	-	-	2	5	10	15	22	25	24	18	18	15	13	9	7	2	4	-	-	-	-	
	White—M—	147	-	-	-	-	-	-	1	4	6	13	15	20	21	14	15	11	10	5	6	2	4	-	-	-	-	
	F—	42	-	-	-	-	-	-	1	1	4	2	7	5	3	4	3	4	3	4	1	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-168	Homicide—	53	3	-	-	-	-	-	4	3	8	6	7	7	4	2	1	2	2	1	2	1	-	-	-	-	-	
	White—M—	35	1	-	-	-	-	-	2	2	7	4	4	5	4	2	1	1	1	1	1	1	-	-	-	-	-	
	F—	13	1	-	-	-	-	-	2	1	1	1	3	1	1	1	1	1	1	1	1	1	-	-	-	-	-	
	Nonwhite—M—	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths—	1,016	27	26	20	11	5	31	31	60	83	64	41	46	52	56	41	42	58	51	62	60	71	71	22	3	1	
	White—M—	685	12	15	13	7	5	21	26	49	72	53	33	39	35	29	30	32	48	40	35	24	26	29	9	2	1	
	F—	316	10	11	7	4	1	10	9	11	10	9	8	7	16	7	10	9	10	11	27	35	44	42	11	1	1	
	Nonwhite—M—	11	5	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
170	Motor-vehicle accidents—	360	5	6	4	4	1	13	12	29	50	26	23	22	23	15	20	19	19	22	20	15	6	2	4	-	-	
	White—M—	260	2	3	2	2	1	5	9	20	43	20	19	16	15	9	15	14	17	17	10	3	3	2	1	-	-	
	F—	93	2	3	2	2	-	8	3	9	6	5	4	6	9	6	4	2	5	3	4	4	3	2	2	-	-	
	Nonwhite—M—	5	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	F—	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents—	656	22	20	16	7	4	18	19	31	33	39	18	24	29	21	21	23	39	29	42	45	65	69	18	3	1	
	White—M—	425	10	12	11	5	4	16	17	29	29	33	14	23	20	20	15	18	31	23	16	14	23	29	8	2	1	
	F—	223	8	8	5	2	2	2	2	4	4	4	1	8	1	8	6	5	8	6	24	31	41	40	9	1	1	
	Nonwhite—M—	6	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
182, 199, 200	Senility, ill-defined and unknown causes—	192	8	-	-	-	-	-	1	1	-	-	2	1	3	3	3	3	8	11	14	26	35	26	2	1	1	
	White—M—	111	7	-	-	-	-</																					

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
			1																										
DELAWARE—Con.																													
97, 102	Arteriosclerosis and high blood pressure*	74	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	4	7	12	22	15	6	-	1	-	
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	12	11	3	-	-	-	
	White—F	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	9	9	15	3	-	-	-	
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
107-109, 33	Pneumonia (all forms) and influenza	117	28	2	-	1	-	1	1	2	4	3	-	3	6	6	5	6	9	7	7	10	7	5	4	-	-	-	
White—M	45	11	-	-	1	-	-	1	1	2	1	-	-	1	3	1	4	5	4	4	4	4	1	1	1	-	-	-	
White—F	45	9	1	-	-	-	-	-	-	-	2	1	-	-	1	3	1	1	2	2	2	6	5	4	3	-	-	-	
Nonwhite—M	14	2	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	-	2	2	-	-	1	-	-	-	-	-	
Nonwhite—F	13	6	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
107	Bronchopneumonia	51	23	1	-	-	-	1	1	2	-	-	-	-	2	2	2	2	1	-	3	4	5	1	1	-	-	-	
	White—M	16	9	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	-	-	1	1	-	-	-	-	-	-	
	White—F	24	8	-	-	-	-	1	-	2	-	-	-	-	1	1	-	-	1	-	2	3	4	1	1	-	-	-	
	Nonwhite—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nonwhite—F	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
109	Lobar pneumonia	44	5	1	-	-	-	-	1	-	1	-	2	3	3	3	3	1	6	5	3	6	2	2	2	-	-	-	
	White—M	16	-	-	-	-	-	-	1	-	-	-	1	1	2	2	2	1	3	2	2	3	1	2	2	-	-	-	
	White—F	18	1	1	-	-	-	-	-	-	1	-	-	-	-	2	2	1	1	4	2	3	1	2	2	-	-	-	
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	
Nonwhite—F	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
109	Pneumonia (unspecified)	16	2	-	-	-	-	-	-	2	2	-	-	1	1	1	-	2	1	1	1	-	-	1	1	-	-	-	
	White—M	7	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	
Nonwhite—F	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	Influenza	6	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	
	White—M	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	
	White—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117	Ulcer of stomach or duodenum	26	-	-	-	-	-	-	-	-	-	1	-	-	2	5	2	2	6	3	2	3	-	-	-	-	-	-	
	White—M	19	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	5	2	2	2	-	-	-	-	-	-	
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	
Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
119, 120	Diarrhea, enteritis, etc.*	8	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	
	White—M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	White—F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121	Appendicitis	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	White—F	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
122	Hernia, intestinal obstruction	19	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	3	1	3	-	1	1	2	-	-	-	-	
	White—M	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	2	-	-	-		
	White—F	12	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	1	3	-	1	1	1	-	-	-	-		
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
124	Cirrhosis of the liver	29	-	-	1	-	-	-	-	-	-	-	2	-	4	3	4	4	1	2	4	3	1	1	-	-	-		
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	3	-	2	3	-	-	1	-	-			
	White—F	11	-	-	1	-	-	-	-	-	-	-	2	-	1	-	2	1	1	-	1	1	3	-	-	-			
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-			
Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
126, 127	Biliary calculi, etc.*	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	1	3	-	2	2	-	-	-			
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-			
	White—F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	-	1	2	-	-	-			
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-				
130-132	Nephritis	290	-	-	-	-	-	1	1	2	4	5	4	7	13	12	25	38	40	49	43	33	11	2	-	-			
	White—M	117	-	-	-	-	-	1	1	2	2	2	2	2	5	5	9	18	9	22	20	16	5	-	-				
	White—F	128	-	-	-	-	-	-	1	2	3	1	2	3	3	3	8	14	26	21	21	16	6						

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
45-55	DISTRICT OF COLUMBIA—Con.																												
	Cancer and other malignant tumors	1,167	-	-	1	1	1	1	2	1	6	5	22	42	48	86	111	156	161	165	145	115	77	17	6	-	-	-	
	White—M—	398	-	-	1	1	1	2	1	3	1	8	9	5	20	34	50	61	64	61	51	48	31	8	3	-	-	-	
	F—	453	-	-	-	-	-	-	-	-	1	1	6	16	24	34	46	63	42	64	59	52	34	8	3	-	-	-	
	Nonwhite—M—	150	-	-	-	1	-	-	-	-	1	1	4	5	12	13	23	26	21	17	10	9	1	-	-	-	-	-	
	F—	166	-	-	-	-	1	-	-	-	2	2	6	12	14	20	18	19	29	19	18	3	3	-	-	-	-	-	
46	Cancer of the digestive organs and peritoneum—	477	-	-	-	-	-	-	-	-	1	-	6	15	13	31	44	66	65	75	75	54	23	5	4	-	-	-	
	White—M—	166	-	-	-	-	-	-	-	-	1	-	3	3	-	7	16	21	26	29	22	24	11	2	1	-	-	-	
	F—	162	-	-	-	-	-	-	-	-	-	-	2	5	7	10	22	14	22	35	26	8	2	1	-	-	-	-	
	Nonwhite—M—	84	-	-	-	-	-	-	-	-	-	-	1	5	4	8	10	13	14	13	10	2	2	1	-	-	-	-	
	F—	65	-	-	-	-	-	-	-	-	-	-	-	2	2	9	8	10	11	11	8	2	2	-	-	-	-	-	
48,49	Cancer of female genital organs—	157	-	-	-	-	-	-	-	1	2	9	12	13	8	9	19	20	23	19	17	5	8	1	-	-	-	-	
	White—M—	103	-	-	-	-	-	-	-	1	3	5	3	5	8	8	15	18	11	14	9	4	8	1	-	-	-	-	
	F—	54	-	-	-	-	-	-	-	1	1	6	7	7	7	1	3	2	12	5	8	1	-	-	-	-	-	-	
50	Cancer of breast—	116	-	-	-	-	-	-	-	-	-	-	1	3	9	14	18	14	9	17	8	11	7	5	5	-	-		
	White—M—	96	-	-	-	-	-	-	-	-	-	-	1	2	7	9	14	12	6	15	8	11	6	5	-	-	-		
	F—	20	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	2	3	2	-	-	1	-	-	-	-	-	
45,47, 51-55	Cancer (other sites)—	417	-	-	1	1	1	1	2	1	4	3	6	12	13	32	31	56	64	54	45	43	39	6	2	-	-	-	
	White—M—	232	-	-	1	1	1	2	1	2	1	3	6	12	5	13	18	29	38	32	29	24	20	6	2	-	-	-	
	F—	92	-	-	-	-	1	-	-	-	1	4	4	4	10	7	11	11	13	7	11	12	-	-	-	-	-	-	
	Nonwhite—M—	86	-	-	-	1	-	-	-	1	1	2	-	1	4	3	11	12	8	7	8	7	-	-	-	-	-	-	
	F—	27	-	-	-	1	-	-	-	1	1	-	2	3	5	3	5	3	1	2	-	-	-	-	-	-	-	-	
59	Acute rheumatic fever—	5	-	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	2	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus—	213	1	-	-	-	-	-	1	1	3	2	4	7	7	19	23	33	33	27	29	14	5	4	-	-	-	-	
	White—M—	76	1	-	-	-	-	-	1	1	1	1	2	2	3	4	14	14	13	6	7	3	2	2	-	-	-	-	
	F—	81	-	-	-	-	-	-	1	2	-	1	2	-	1	2	3	13	10	11	17	6	3	2	-	-	-	-	
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	1	1	2	-	1	2	3	3	4	2	5	3	1	1	-	-	-	-	
	F—	33	-	-	-	-	-	-	-	-	-	-	-	1	4	4	5	2	8	5	2	2	-	-	-	-	-	-	
65b	Exophthalmic goiter—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Alcoholism (ethylism)—	19	-	-	-	-	-	-	-	-	-	1	1	2	6	5	3	-	-	-	1	-	-	-	-	-	-	-	
	White—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	1	-	-	-	-	-	-	-	
	F—	9	-	-	-	-	-	-	-	-	-	-	1	-	2	4	2	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
85	Intracranial lesions of vascular origin—	535	-	-	-	-	-	-	-	1	5	9	15	22	34	53	57	66	83	86	79	47	28	9	-	-	-	-	
	White—M—	174	-	-	-	-	-	-	-	1	2	2	7	2	9	12	16	26	28	29	19	11	9	1	-	-	-	-	
	F—	212	-	-	-	-	-	-	-	-	2	4	7	14	24	33	33	43	33	43	29	15	7	7	-	-	-	-	
	Nonwhite—M—	84	-	-	-	-	-	-	-	3	5	6	9	11	12	5	14	6	14	14	3	4	3	1	-	-	-	-	
	F—	125	-	-	-	-	-	-	-	4	1	10	8	16	14	21	13	18	14	14	14	3	1	1	-	-	-	-	
90-95	Diseases of the heart—	2,380	1	1	-	1	2	3	3	9	12	21	55	97	163	222	259	269	260	357	274	206	113	42	15	4	1	1	
	White—M—	911	-	-	-	-	-	-	-	4	4	18	38	69	109	122	118	115	99	62	27	6	2	-	-	-	-	-	
	F—	705	-	-	-	-	1	2	-	2	4	8	9	22	32	50	54	67	124	113	101	75	29	9	1	-	-	-	
	Nonwhite—M—	393	1	1	-	1	1	1	-	6	4	5	18	24	46	43	53	50	41	54	20	16	2	1	2	1	-	-	
	F—	373	-	-	-	-	1	1	1	3	2	8	11	16	24	38	34	47	57	42	42	27	9	6	2	2	-	-	
90a, 92b, 93c, 95b	Chronic rheumatic diseases of the heart—	109	-	-	-	-	2	3	2	2	3	2	8	11	5	13	8	15	15	11	4	6	-	-	-	-	-	-	
	White—M—	35	-	-	-	-	-	-	1	-	2	2	3	3	5	7	2	7	6	2	1	1	-						

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97, 102	DISTRICT OF COLUMBIA—Con. Arteriosclerosis and high blood pressure* White—M— F— Nonwhite—M— F—	148 36 62 19 31	-	-	-	-	-	-	-	-	-	1	1	4	1	4	4	9	9	12	23	30	24	14	10	2	1	-
107-109, 33	Pneumonia (all forms) and influenza White—M— F— Nonwhite—M— F—	294 104 74 68 48	46	2	1	-	-	2	-	2	6	1	7	7	19	17	20	23	16	15	31	33	24	14	6	2	-	-
107	Bronchopneumonia White—M— F— Nonwhite—M— F—	149 46 46 33 22	41	2	1	-	-	2	-	-	1	-	1	4	3	4	8	7	6	6	18	15	17	7	5	1	-	-
108	Lobar pneumonia White—M— F— Nonwhite—M— F—	118 42 22 31 23	2	-	-	-	-	-	2	2	1	6	3	15	15	10	14	9	6	9	13	5	6	-	-	-	-	-
108	Pneumonia (unspecified) White—M— F— Nonwhite—M— F—	24 13 6 3 2	-	-	-	-	-	-	-	3	-	-	-	1	-	2	2	1	1	4	5	2	1	1	1	1	-	-
33	Influenza White—M— F— Nonwhite—M— F—	3 1 - 1 1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum White—M— F— Nonwhite—M— F—	50 27 5 12 6	-	-	-	-	-	-	-	-	-	2	5	3	9	7	7	5	4	5	3	-	1	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.* White—M— F— Nonwhite—M— F—	50 13 6 18 13	40	4	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-
121	Appendicitis White—M— F— Nonwhite—M— F—	25 9 9 5 2	-	-	-	-	-	-	1	2	1	-	3	1	3	2	2	1	1	3	3	1	1	1	-	-	-	-
122	Hernia, intestinal obstruction White—M— F— Nonwhite—M— F—	62 13 11 18 20	5	-	-	-	-	-	2	2	2	3	2	2	6	4	6	6	6	6	7	7	4	-	-	-	-	-
124	Cirrhosis of the liver White—M— F— Nonwhite—M— F—	136 76 39 15 5	-	-	-	-	-	-	-	-	8	12	13	21	20	15	19	14	9	3	2	2	-	-	-	-	-	-
126, 127	Biliary calculi, etc.* White—M— F— Nonwhite—M— F—	35 12 18 1 4	-	-	-	-	-	-	-	1	-	-	1	1	1	1	5	8	4	4	7	3	1	1	-	-	-	-
130-132	Nephritis White—M— F— Nonwhite—M— F—	695 227 226 116 127	-	1	-	1	-	2	1	2	6	17	27	50	52	65	49	73	57	78	91	67	45	7	3	1	-	-
137	Diseases of the prostate White—M— Nonwhite—M—	37 28 11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	6	12	4	5	3	3	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued
and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
140-150	DISTRICT OF COLUMBIA—Con. Diseases of pregnancy, etc.* White—F Nonwhite—F	23 13 10	-	-	-	-	-	-	-	-	6	7	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicaemia White—F Nonwhite—F	10 4 6	-	-	-	-	-	-	-	-	2	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a, c, 144, 148	Puerperal toxemia White—F Nonwhite—F	5 3 2	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock* White—F Nonwhite—F	6 4 2	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141d, e, f, 145B, 150	Other puerperal causes White—F Nonwhite—F	2 2 -	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations White—M F Nonwhite—M F	90 25 31 23 11	77 22 28 17 9	3 1 2 -	1 -	-	-	1 -	1 -	-	-	3 1	1 1	1 -	1 -	-	-	1 -	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year White—M F Nonwhite—M F	450 146 114 107 83	450 146 114 107 83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth White—M F Nonwhite—M F	275 88 65 70 54	275 88 65 70 54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158, 160, 161	Other diseases peculiar to first year White—M F Nonwhite—M F	175 60 49 37 29	175 60 49 37 29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163, 164	Suicide White—M F Nonwhite—M F	111 71 23 12 5	-	-	-	-	-	-	-	2 1 1 1	8 4 6 1	13 6 10 6	14 5 10 1	9 5 4 3	10 4 5 1	6 5 1 2	13 11 2 1	12 8 2 2	7 6 1 1	9 6 1 2	4 2 1 1	2 2 -	2 1 1 -	2 1 1 -	2 1 1 -	2 1 1 -	2 1 1 -	2 1 1 -	-
165-168	Homicide White—M F Nonwhite—M F	74 5 7 50 12	2 1 -	-	-	-	-	-	1	13 1 2 1	13 1 2 1	8 1 1 9	16 1 1 12	13 1 1 7	6 1 1 4	5 1 1 3	2 1 1 1	2 1 1 1	4 1 1 2	1 1 1 1	1 1 1 1	-	-	-	-	-	-	-	-
169-195	Accidental deaths White—M F Nonwhite—M F	453 166 118 119 50	33 5 10 7 11	4 2 2 1 1	2 1 1 1 1	3 1 1 1 1	5 1 1 1 1	12 1 1 6 4	10 1 1 5 -	6 1 1 3 -	33 20 2 7 4	29 11 2 10 3	24 9 8 13 2	31 8 5 14 4	34 12 5 16 1	28 13 4 8 3	29 15 5 8 1	18 9 2 4 4	25 12 4 5 4	18 10 8 3 -	22 9 9 4 1	39 13 8 23 3	20 7 5 11 16	19 3 7 8 1	9 1 1 8 1	2 -	-	-	
170	Motor-vehicle accidents White—M F Nonwhite—M F	103 46 17 24 16	-	1 1 1 1	1 1 1 1	1 1 1 1	5 1 1 2	1 1 1 1	2 1 1 1	15 7 2 3 3	11 3 3 2 2	7 3 2 4 3	7 3 2 4 2	5 2 2 1 2	11 5 2 3 2	8 5 2 2 1	5 5 1 2 1	6 4 1 2 2	5 4 1 1 2	5 4 1 1 1	5 4 1 1 1	4 4 1 1 1	3 4 1 1 1	4 2 1 1 1	3 1 1 1 1	1 1 1 1 1	-		
169, 171-195	Other accidents White—M F Nonwhite—M F	350 120 101 95 34	33 5 10 7 11	3 2 1 1 1	3 1 1 1 1	2 1 1 1 1	7 1 1 4 5	9 4 1 5 2	4 2 2 2 2	18 13 8 8 1	18 6 2 8 9	17 6 4 10 15	24 10 3 6 6	28 8 3 2 6	17 10 3 2 6	21 8 4 4 1	15 7 1 2 3	19 8 1 5 2	13 6 4 7 3	19 6 4 7 4	35 8 23 10 3	17 5 10 16 2	18 2 16 8 1	9 5 1 8 1	2 -	-	-	-	
182, 198, 200	Senility, ill-defined and unknown causes White—M F Nonwhite—M F	19 5 10 82 88	-	-	-	-	-	-	-	-	-	-	-	2 1 1 1 1	1 1 1 1 1	-	-	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	2 1 1 1 1	3 1 2 2 1	4 1 2 2 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	-	
	All other causes White—M F Nonwhite—M F	476 167 139 82 88	24 9 6 8 3	4 1 1 1 2	5 3 3 1 2	8 3 3 1 2	2 4 1 1 3	9 4 1 1 3	4 1 1 1 2	4 1 1 1 1	12 3 2 7 4	21 5 2 5 8	22 6 2 5 7	25 8 8 6 9	30 9 8 4 15	41 8 10 8 8	40 16 7 11 6	53 21 16 10 6	40 14 14 13 4	37 14 14 11 1	35 19 10 11 3	26 13 9 9 2	25 3 1 1 1	5 3 1 2 -	3 1 1 1 -	1 1 1 1 -	-		

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATHS, RACE, AND SEX	Total deaths	Under 1	Age																100 and over	Not stated							
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64			65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
	FLORIDA																											
	ALL CAUSES-----	24,283	2,285	148	92	77	57	144	152	293	471	568	685	828	1,094	1,456	1,777	1,955	2,181	2,297	2,480	2,235	1,575	935	331	78	26	43
	White-----M-	10,571	888	44	43	31	20	49	57	120	181	178	185	256	367	509	700	917	1,089	1,154	1,287	1,113	785	427	125	24	7	18
	White-----F-	6,892	644	38	24	22	14	40	26	43	75	109	142	169	191	283	360	413	532	743	874	877	630	438	161	38	5	3
	Nonwhite--M-	5,808	397	36	11	12	12	33	43	69	117	160	190	223	292	372	427	363	297	221	195	151	97	31	24	10	8	17
	Nonwhite--F-	5,012	356	32	14	12	11	22	26	61	98	141	168	180	244	292	290	262	264	179	124	94	65	39	21	6	6	5
1,2	Typhoid and para-typhoid fever--	8	-	-	-	-	-	1	2	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	5	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis--	20	5	2	2	-	-	3	4	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	8	3	1	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	6	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--	32	25	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-	7	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	7	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	17	1	3	4	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	8	1	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-	5	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	793	7	3	1	1	-	-	2	22	60	81	72	76	94	70	70	56	56	54	36	18	9	2	-	-	-	-
	White-----M-	268	2	-	-	-	-	-	2	4	9	13	21	26	28	29	29	29	39	27	21	11	7	1	-	-	-	-
	White-----F-	115	3	1	-	1	-	-	1	7	11	9	10	8	7	11	7	5	15	12	5	1	1	-	-	-	-	-
	Nonwhite--M-	242	1	1	-	-	-	1	5	23	16	32	33	43	23	23	15	7	10	3	2	1	-	-	-	-	-	-
	Nonwhite--F-	167	2	1	-	-	-	1	14	26	43	18	14	17	12	7	5	5	2	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*-----	753	5	1	-	1	-	-	18	54	77	71	75	92	69	65	55	55	52	33	18	9	2	-	-	-	-	-
	White-----M-	259	1	-	-	-	-	-	4	8	13	20	25	28	28	28	29	39	27	19	11	7	1	-	-	-	-	-
	White-----F-	107	3	-	-	1	-	-	1	6	10	9	10	7	7	9	7	5	14	11	5	1	1	-	-	-	-	-
	Nonwhite--M-	231	-	-	-	-	-	4	20	17	32	31	43	25	22	15	7	10	3	2	1	-	-	-	-	-	-	-
	Nonwhite--F-	156	1	1	-	-	-	-	13	24	42	17	14	17	11	6	4	5	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	40	2	2	1	-	-	2	4	6	4	1	3	2	1	5	1	1	2	3	-	-	-	-	-	-	-	-
	White-----M-	10	1	-	-	-	-	2	1	-	1	-	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-
	White-----F-	8	-	1	-	-	-	-	1	1	-	-	1	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M-	11	-	1	1	-	-	1	1	3	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	11	1	-	-	-	-	1	1	2	1	1	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery-----	15	2	-	1	1	-	-	-	-	1	-	-	2	1	1	2	-	1	1	1	1	-	-	-	-	-	-
	White-----M-	7	-	-	1	1	-	-	-	-	1	-	-	1	1	1	-	1	1	1	1	-	-	-	-	-	-	-
	White-----F-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	4	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
26	Malaria-----	8	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	1	2	1	-	-	-	-	-	-	-
	White-----M-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
30	Syphilis-----	263	6	-	-	-	-	1	-	2	5	14	24	24	34	44	36	22	18	22	6	3	1	-	-	-	-	-
	White-----M-	70	-	-	-	-	-	-	-	-	-	2	3	4	3	14	11	9	8	11	3	1	-	-	-	-	-	-
	White-----F-	22	-	-	-	-	-	-	-	-	1	2	3	4	1	2	1	5	3	5	1	1	1	-	-	-	-	-
	Nonwhite--M-	119	2	-	-	-	-	-	-	1	7	13	15	22	22	15	8	8	4	8	2							

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
FLORIDA—Con.																												
140-150	Diseases of pregnancy, etc.—F--	133	-	-	-	-	-	-	-	15	21	30	27	27	13	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	56	-	-	-	-	-	-	-	4	8	15	16	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	77	-	-	-	-	-	-	-	11	13	15	11	18	9	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicaemia—F--	51	-	-	-	-	-	-	-	3	9	11	14	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	19	-	-	-	-	-	-	-	1	3	5	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	32	-	-	-	-	-	-	-	2	6	6	6	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia—F--	34	-	-	-	-	-	-	-	8	6	11	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	13	-	-	-	-	-	-	-	2	2	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	21	-	-	-	-	-	-	-	6	4	6	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 148	Hemorrhage, trauma or shock—F--	31	-	-	-	-	-	-	-	2	3	5	8	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	16	-	-	-	-	-	-	-	1	1	4	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	15	-	-	-	-	-	-	-	1	2	1	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, 145B, 150	Other puerperal causes—F--	17	-	-	-	-	-	-	-	2	3	3	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	6	-	-	-	-	-	-	-	2	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	9	-	-	-	-	-	-	-	2	1	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M--	337	286	14	6	4	-	5	5	5	3	4	1	1	2	2	3	1	1	-	-	-	-	-	-	-	-	-
	White—M--	161	159	4	3	1	-	4	4	1	1	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	119	99	6	1	3	-	1	2	1	2	1	1	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	White—F--	28	22	2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	29	26	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M--	1,321	1,321	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	551	551	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	400	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—M--	859	859	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	366	366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	265	265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year—M--	462	462	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	185	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165, 168	Suicide—M--	299	-	-	-	-	-	1	5	13	19	28	31	40	51	36	26	25	18	11	10	2	1	1	-	-	1	
	White—M--	212	-	-	-	-	-	5	9	11	16	23	27	23	23	19	21	21	16	10	8	2	1	-	-	-	-	
	Nonwhite—M--	76	-	-	-	-	-	1	4	7	9	8	12	7	16	4	4	4	1	1	1	-	-	-	-	-	-	
	White—F--	9	-	-	-	-	-	1	-	1	2	1	2	1	1	1	1	1	1	1	1	-	-	-	-	-	-	
	Nonwhite—F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-168	Homicide—M--	367	2	-	-	-	1	2	12	60	75	58	50	45	31	13	9	3	1	3	2	1	-	-	-	-	1	
	White—M--	56	2	-	-	-	1	2	12	5	9	11	16	23	27	23	19	21	21	16	10	8	2	1	-	-	-	
	Nonwhite—M--	19	-	-	-	-	-	1	3	3	3	1	1	5	2	1	1	1	1	1	3	2	1	-	-	-	-	
	White—F--	224	-	-	-	-	-	1	4	34	56	54	51	31	16	9	6	1	-	-	-	-	-	-	-	-	-	
	Nonwhite—F--	66	-	-	-	-	-	6	11	11	14	8	6	8	1	1	1	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths—M--	1,957	61	42	24	24	18	59	68	155	186	179	144	154	115	122	87	82	62	84	90	78	68	41	19	6	2	7
	White—M--	1,013	21	19	15	11	9	23	31	88	122	113	74	69	53	71	49	38	33	45	50	31	28	12	3	1	-	4
	Nonwhite—M--	397	13	8	5	5	3	10	9	15	23	15	18	10	17	15	11	16	9	26	33	37	36	25	16	4	1	3
	White—F--	412	10	10	1	2	5	15	20	43	33	42	36	37	39	32	21	19	18	10	5	6	3	2	-	-	-	3
	Nonwhite—F--	145	17	4	3	6	2	11	8	9	8	9	16	9	6	4	6	9	2	3	2	4	1	2	-	-	-	1
170	Motor-vehicle accidents—M--	722	5	13	4	12	6	22	19	70	91	78	66	42	55	55	41	33	30	43	25	20	9	1	1	-	-	1
	White—M--	427	3	7	2	6	2	11	10	46	62	52	35	22	20	32	20	14	18	26	19	14	5	1	-	-	-	-
	Nonwhite—M--	130	1	5	2	4	1	4	2	10	15	8	10	8	5	9	8	9	4	10	6	5	3	-	-	-	-	-
	White—F--	126	1	1	-	-	2	2	4	9	13	15	10	9	13	9	7	8	7	-	-	-	1	-	-	-	-	-
	Nonwhite—F--	39	-	-	-	2	1	5	3	5	1	2	8	2	1	4	3	-	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents—M--	1,235	56	29	20	12	12	37	49	85	95	101	78	92	80	67	46	49	32	41	65	58	59	40	18	6	2	6
	White—M--	596	18	12	13	5	7	12	21	42	60	61	39	47	33	39	29	24	15	19	31	17	23	11	3	1	-	4
	Nonwhite—M--	257	12	4	3	1	1	6	7	5	8	7	6	11	12	6	3	7	5	16								

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																				100 and over	Not stated					
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79			80 to 84	85 to 89	90 to 94	95 to 99	
GEORGIA																													
	ALL CAUSES-----	20,946	3,251	235	128	105	71	260	242	453	668	901	963	1,142	1,332	1,664	2,219	2,407	2,507	2,660	2,708	2,276	1,522	899	547	79	63	56	
	White---M--	10,083	1,030	67	39	39	26	80	70	126	192	241	238	307	391	466	700	857	894	1,098	1,180	933	558	319	101	13	6	12	
	White---F--	7,087	751	53	32	24	18	66	52	72	95	126	137	197	196	241	303	437	544	775	905	881	591	418	148	29	6	9	
	Nonwhite-M--	6,182	802	62	32	26	13	68	73	125	199	213	227	308	388	480	654	636	474	389	352	273	198	74	53	22	21	20	
	Nonwhite-F--	5,594	668	53	25	16	14	46	47	130	160	221	261	330	357	477	562	477	495	399	270	209	175	78	45	15	30	15	
1,2	Typhoid and paratyphoid fever																												
	White---M--	9	1	-	-	-	-	1	1	2	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	White---F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cerebrospinal meningitis																												
	White---M--	20	5	1	1	2	-	1	2	1	-	1	1	-	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	White---F--	6	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	5	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	6	1	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever																												
	White---M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough																												
	White---M--	85	70	14	5	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	13	9	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	24	16	4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	24	15	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	34	30	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria																												
	White---M--	43	5	13	6	3	7	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	21	4	5	3	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	14	-	4	3	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	4	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)																												
	White---M--	1,054	10	9	4	2	2	2	18	55	104	101	115	121	110	79	62	75	48	44	37	19	10	6	1	-	-	-	1
	White---F--	292	5	3	2	1	1	2	4	9	11	12	26	26	22	35	32	34	22	19	11	3	1	1	1	-	-	-	-
	Nonwhite-M--	119	1	-	-	1	-	1	1	9	10	13	8	11	10	9	11	5	8	7	5	6	4	4	-	-	-	-	-
	Nonwhite-F--	325	1	4	1	1	-	5	12	32	34	39	46	47	30	27	24	6	7	2	2	1	1	-	-	-	-	-	
	Nonwhite-F--	328	3	1	1	-	1	10	36	54	46	52	42	26	17	12	8	3	7	4	1	1	-	-	-	-	-	-	1
13	Tuberculosis of respiratory system, etc.*																												
	White---M--	966	2	6	1	-	1	13	53	93	98	107	114	106	74	76	70	45	39	34	18	10	5	1	-	-	-	-	1
	White---F--	264	1	3	1	-	1	4	8	11	12	25	25	22	34	32	32	19	19	10	3	1	1	1	-	-	-	-	-
	Nonwhite-M--	112	1	-	-	-	-	1	1	9	10	12	7	11	9	8	9	6	7	7	5	6	4	4	-	-	-	-	-
	Nonwhite-F--	235	-	3	-	-	-	4	12	28	33	35	41	45	26	25	21	6	5	2	2	1	1	-	-	-	-	-	
	Nonwhite-F--	237	-	-	-	-	-	7	36	48	44	48	41	25	17	9	8	6	6	3	1	1	-	-	-	-	-	-	1
14-22	Tuberculosis (other forms)																												
	White---M--	96	9	2	3	2	2	1	5	2	11	3	8	7	4	5	6	5	3	6	3	1	-	1	-	-	-	-	-
	White---F--	18	4	-	1	1	1	-	1	-	1	-	-	-	1	-	1	-	2	3	-	1	-	1	-	-	-	-	-
	Nonwhite-M--	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	32	1	1	1	1	-	1	-	4	1	3	6	2	4	2	3	-	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	31	3	1	1	-	-	1	3	2	6	2	4	1	1	-	3	-	1	1	1	-	-	-	-	-	-	-	-
27	Dysentery																												
	White---M--	20	6	-	-	-	-	1	1	-	-	-	1	1	1	-	1	1	-	2	1	1	2	1	-	-	-	-	1
	White---F--	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	8	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1
	Nonwhite-F--	4	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
28	Malaria																												
	White---M--	12	-	-	-	1	-	2	-	-	1	1	-																

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not	
			der 1				to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	and over	stat- ed		
GEORGIA—Con.																													
45-55	Cancer and other malignant tumors	2,707	2	4	1	3	6	7	8	6	19	38	65	120	169	199	303	354	327	339	294	233	139	63	18	2	2	7	
	White—M	915	2	1	2	2	5	4	4	4	9	8	12	24	32	49	83	109	101	140	127	104	66	27	3	1	1	-	
	F	1,050	-	-	1	2	-	3	-	-	2	21	25	52	62	73	90	126	137	132	122	96	58	32	11	2	-	3	
	Nonwhite—M	269	1	1	-	-	2	-	-	-	1	3	1	4	11	19	27	51	43	34	25	13	7	1	2	-	-	1	
	F	473	1	1	-	-	2	-	1	1	5	8	26	33	55	50	79	56	55	42	23	18	8	3	2	-	-	3	
46	Cancer of the digestive organs and peritoneum	974	-	-	1	-	2	3	1	2	5	3	18	27	38	58	110	117	130	126	137	101	61	28	6	-	1	1	
	White—M	378	-	-	1	-	1	3	1	2	4	1	8	7	13	20	30	46	47	52	63	43	23	12	-	-	-	-	
	F	350	-	-	-	-	1	-	-	-	-	1	6	7	14	23	35	44	49	55	43	32	14	5	-	-	-	-	
	Nonwhite—M	121	-	-	-	-	-	-	-	-	-	-	2	5	8	8	30	21	18	11	6	6	4	-	-	-	-	-	
	F	145	-	-	-	-	-	-	-	-	1	1	5	9	10	16	27	15	21	14	11	9	2	2	1	-	-	-	1
48,49	Cancer of female genital organs	482	-	-	-	-	-	-	1	-	2	11	25	48	58	46	58	65	59	48	25	19	9	6	-	1	-	1	
	White—F	282	-	-	-	-	-	-	1	-	5	10	32	27	29	25	36	40	31	18	14	6	6	-	-	1	-	1	
	Nonwhite—F	200	-	-	-	-	-	-	-	-	2	6	15	16	31	17	33	29	19	17	7	5	3	-	-	-	-	-	
50	Cancer of breast	253	-	-	-	-	-	-	-	-	4	14	11	16	18	28	28	32	25	19	19	11	1	2	-	1	1	1	
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
	F	169	-	-	-	-	-	-	-	-	3	8	5	11	13	21	20	22	22	17	15	9	1	2	-	-	-	-	
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	
	F	59	-	-	-	-	-	-	-	-	1	6	6	5	8	7	4	9	3	2	4	2	4	2	-	-	-	-	
45,47, 51-55	Cancer (other sites)	1,018	2	4	-	3	4	4	6	4	12	20	10	34	56	74	107	124	106	140	113	94	58	28	10	1	-	4	
	White—M	535	-	2	-	2	1	2	3	2	5	7	4	17	19	29	53	61	54	68	64	61	43	15	3	-	-	-	
	F	269	-	-	-	1	1	2	-	2	2	12	4	9	17	17	21	35	31	30	32	26	11	4	1	-	-	2	
	Nonwhite—M	145	1	1	-	-	2	-	1	1	3	1	2	6	11	19	21	20	15	14	14	7	3	1	2	-	-	1	
	F	69	1	1	-	-	2	-	1	1	2	-	-	2	9	9	12	8	6	6	3	-	1	1	1	-	-	1	
59	Acute rheumatic fever	31	1	-	-	2	-	9	4	2	1	2	-	1	1	1	-	1	2	1	2	-	1	-	-	-	-	-	
	White—M	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	7	-	-	-	2	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	13	1	-	-	1	-	3	1	-	1	1	-	-	1	1	-	-	-	1	2	-	1	-	-	-	-	-	
	F	8	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus	449	-	-	1	-	1	2	5	6	10	15	10	9	14	29	40	47	69	58	59	41	26	5	-	1	-	1	
	White—M	141	-	-	-	-	1	2	1	3	3	6	-	5	6	10	15	21	21	19	15	11	3	-	-	-	-	1	
	F	172	-	-	-	-	1	3	4	3	4	6	1	7	6	15	30	28	33	24	9	2	-	-	1	-	-	1	
	Nonwhite—M	46	-	-	-	-	1	1	1	1	3	2	2	3	3	8	9	8	3	1	4	1	4	-	-	-	-	-	
	F	90	-	-	1	-	1	-	-	3	5	2	6	5	13	15	9	15	8	4	1	2	-	-	-	-	-	-	
63b	Exophthalmic goiter	50	-	-	-	-	-	1	-	1	1	-	3	4	4	3	3	3	5	2	-	-	-	-	-	-	-	-	
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	
	F	9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	4	1	-	-	-	-	-	-	-	
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	16	-	-	-	-	-	1	-	1	1	-	1	3	4	2	2	1	-	-	-	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)	100	-	-	-	-	-	-	-	2	-	2	2	3	5	4	7	8	13	23	16	7	6	1	1	-	-	-	
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	4	1	2	1	2	1	-	-	-	
	F	52	-	-	-	-	-	-	-	1	-	1	1	1	1	1	2	4	8	13	14	1	4	1	1	-	-	-	
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	1	-	-	-	-	-	1	-	-	
	F	26	-	-	-	-	-	-	-	1	-	1	1	2	3	2	3	4	3	5	2	-	4	-	-	-	-	-	
77'	Alcoholism (ethylism)	59	-	-	-	-	-	-	2	2	4	8	11	9	13	3	2	3	1	-	-	-	-	-	-	-	-	1	
	White—M	31	-	-	-	-	-	-	-	2	4	6	5	7	2	2	2	2	1	-	-	-	-	-	-	-	-	-	
	F	8	-	-	-	-	-	-	-	-	-	2	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	14	-	-	-	-	-	-	2	1	1	1	2	2	3	1	-	-	1	-	-	-	-	-	-	-	-	1	
	F	6	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin	3,520	3	1	1	-	1	2	-	5	18	31	87	132	221	302	403	413	421	467	388	234	104	46	13	8	14	14	
	White—M	937	2	1	-	-	-	4	2	2	3	2	4	14	24	31	62	108	143	192	134	71	26	13	3	-	4		
	F	619	-	-	-	-	1	1	-	-	3	4	12	16	29	42	62	85	121	139	147	78	54	18	5	1	3		
	Nonwhite—M	733	-	-	-	-	1	1	-	2	2	7	11	25	34	67	99	122	99	78	63	40	11	8	2	2	6		
	F	831	1	-	1	-	-	-	1	-	6	12	36	58	94	99	122	122	82	75	50	45	13	7	3	5	1		
90-95	Diseases of the heart	6,793	10	3	1	2	1	13	24	18	41	49	86	178	275	448	679	717	806	947	870	749	463	277	90	18	15	7	
	White—M	2,879	2	-	-	-	-	4	2	9	12	17	50	108	172	272	325	403	434	589	356	195	109	29	1	1	1		
	F	1,832	7	2	-	1	-	4	6	5	10	6	17	20	23	57	72	90	135	267	287	279	182	125	44	9	3		

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,
(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
87, 102	GEORGIA—Con.																												
	Arteriosclerosis and high blood pressure*	415	-	-	-	-	-	-	-	-	1	1	2	5	5	10	21	31	26	52	70	77	58	37	14	5	1	1	
	White—M	142	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	9	11	22	31	26	18	16	-	-	-	-	-
	F	122	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	3	8	21	27	25	16	7	3	-	-	-
	Nonwhite—M	71	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	9	5	6	11	12	9	2	8	-	-	-	-
F	80	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	8	9	16	7	12	3	3	1	1	1	1	1	
107-109, 33	Pneumonia (all forms) and influenza	1,645	432	55	18	15	7	34	27	30	30	33	37	36	61	71	81	94	84	91	107	94	95	73	32	4	4	2	
	White—M	410	101	13	4	4	2	8	8	2	3	7	6	8	13	6	9	24	24	39	39	30	26	18	16	-	-	-	1
	F	370	71	12	2	3	2	9	6	4	4	3	7	3	5	8	4	15	19	22	37	35	46	37	15	1	-	-	-
	Nonwhite—M	457	141	15	4	6	2	9	6	10	11	14	8	9	23	31	35	33	19	18	17	18	12	7	2	2	3	-	-
	F	408	119	13	8	2	1	6	5	14	12	9	16	16	20	26	33	22	22	12	14	11	11	7	4	1	1	1	1
107	Bronchopneumonia	567	226	23	6	10	4	8	9	4	11	12	6	7	15	15	9	17	21	34	36	22	29	29	11	-	-	2	
	White—M	164	53	8	1	3	2	2	3	-	2	3	-	1	4	2	4	6	7	17	12	8	11	11	3	-	-	1	
	F	137	42	5	2	2	2	3	1	-	2	1	1	1	1	2	2	4	4	7	17	11	12	14	5	-	-	-	
	Nonwhite—M	141	73	4	2	4	-	3	1	2	2	2	1	2	4	7	3	6	6	6	5	5	2	4	2	1	-	-	-
	F	125	58	6	1	1	-	3	2	3	5	6	4	3	6	4	2	3	4	4	2	1	2	2	2	-	-	-	1
108	Lobar pneumonia	520	60	19	7	2	2	16	10	16	9	12	19	17	23	29	33	34	56	32	41	41	30	20	8	-	-	2	
	White—M	124	12	4	2	-	2	4	-	1	3	4	5	4	5	4	1	2	10	12	16	11	10	5	3	-	-	-	
	F	106	8	4	-	1	-	5	2	2	1	2	-	2	-	5	2	4	9	8	10	12	13	11	4	-	-	-	
	Nonwhite—M	156	17	7	1	-	1	6	3	7	5	6	6	4	11	14	16	10	10	7	8	10	3	2	1	-	-	-	-
	F	134	23	4	4	1	1	3	1	9	2	2	7	8	6	9	13	10	9	5	7	3	4	2	-	-	-	-	-
109	Pneumonia (unspecified)	212	86	5	2	1	-	4	1	3	3	7	3	3	6	9	13	14	10	7	7	5	10	7	5	-	-	1	
	White—M	46	17	-	1	-	-	1	-	-	-	1	1	1	1	2	2	2	4	3	3	3	1	2	1	-	-	-	
	F	45	11	2	-	-	-	-	-	-	-	1	2	1	1	1	1	-	3	1	2	1	6	4	3	-	-	-	
	Nonwhite—M	64	34	2	-	1	-	2	-	1	1	4	-	-	1	3	6	6	1	1	1	-	-	-	-	-	-	-	
	F	57	24	1	1	-	-	1	1	1	2	1	-	1	2	4	5	4	2	2	2	1	-	1	1	-	-	-	
33	Influenza	346	60	6	3	2	1	6	7	5	7	2	9	9	17	18	26	29	17	18	23	26	26	17	8	4	-	-	
	White—M	76	19	1	-	1	-	3	1	2	-	-	1	1	3	2	1	6	5	7	9	3	4	4	4	-	-	-	
	F	62	10	1	-	-	-	1	3	1	1	-	2	1	1	-	2	6	3	6	8	11	13	8	3	1	-	-	
	Nonwhite—M	96	17	2	1	1	1	1	2	1	3	2	1	3	7	7	10	12	2	4	4	6	4	3	2	-	-	-	
	F	92	14	2	2	-	-	1	1	1	3	-	5	4	6	9	13	5	7	1	3	6	5	2	1	1	-	-	
117	Ulcer of stomach or duodenum	166	-	-	-	-	-	1	2	4	2	10	8	14	19	19	24	24	10	15	6	5	2	1	-	-	-	-	
	White—M	88	-	-	-	-	-	1	1	2	1	7	2	7	11	7	14	14	6	8	5	2	1	-	-	-	-	-	
	F	25	-	-	-	-	-	-	-	1	-	-	-	3	-	1	4	4	-	5	-	-	-	-	-	-	-	-	
	Nonwhite—M	41	-	-	-	-	-	-	1	-	3	6	4	7	7	7	5	3	2	2	-	-	-	-	-	-	-	-	
	F	14	-	-	-	-	-	-	-	2	-	-	-	-	1	4	1	3	2	-	1	-	-	-	-	-	-	-	
119, 120	Diarrhea, enteritis, etc.*	171	102	16	5	3	1	2	1	2	-	2	1	6	6	-	6	2	2	4	5	1	1	1	2	-	-	-	
	White—M	40	28	4	-	-	1	-	-	-	-	-	1	-	1	-	2	1	1	-	-	1	-	-	-	-	-	-	
	F	43	20	3	4	1	1	1	1	-	-	1	-	3	-	-	1	-	-	2	3	-	-	1	1	-	-	-	
	Nonwhite—M	45	30	5	-	1	-	1	-	-	-	-	-	-	3	-	-	2	1	-	1	-	-	-	-	-	-	-	
	F	43	24	4	1	1	-	-	-	1	-	1	-	3	2	-	1	-	1	1	1	1	-	1	-	1	-	-	
121	Appendicitis	125	-	-	3	-	2	8	6	3	5	7	9	15	6	13	12	9	9	4	4	3	-	-	-	-	-	-	
	White—M	38	-	-	2	-	1	2	1	1	1	2	2	2	4	-	6	5	3	2	2	2	2	2	3	-	-	-	
	F	30	-	-	1	-	3	2	2	1	-	1	2	-	1	1	3	3	4	1	2	3	-	-	-	-	-	-	
	Nonwhite—M	28	-	-	-	-	1	2	-	1	3	4	4	1	2	3	1	2	3	1	2	1	-	-	-	-	-	-	
	F	29	-	-	-	-	1	3	-	2	2	1	1	7	4	4	1	2	1	-	-	-	-	-	-	-	-	-	
122	Hernia, intestinal obstruction	236	11	1	1	-	-	2	1	3	4	10	6	13	18	19	16	18	26	19	30	20	9	5	3	-	-	1	
	White—M	55	3	-	-	-	-	2	1	-	-	2	1	2	1	4	4	1	12	7	5	2	2	3	2	-	-	1	
	F	69	3	-	-	-	-	-	-	-	-	2	1	3	4	2	2	2	6	6	18	13	4	2	1	-	-	-	
	Nonwhite—M	60	2	1	1	-	-	-	3	1	2	1	1	8	7	7	10	4	2	5	3	2	-	-	-	-	-	-	
	F	52	3	-	-	-	-	-	-	3	4	3	7	5	6	3	5	4	4	4	2	2	1	-	-	-	-	-	
124	Cirrhosis of the liver	211	1	1	-	1	-	1	1	-	1	3	5	10	14	24	39	27	28	13	17	14	5	2	3	-	-	1	
	White—M	116	-	-	-	-	-	-	-	-	1	2	1	4	8	12	22	16	22	6	9	9	1	1	1	-	-	1	
	F	44	-	-	-	1	-	-	-	-	-	-	2	3	2	3	4	5	4	3	7	5	3	1	1	-	-		
	Nonwhite—M	28	1	-	-	-	-	1	-	-	-	1	1	3	6	7	4	1	2	-	-	-	1	-	-	-	-	-	
	F	23	-	1	-	-	-	-	1	-	-	1	1	2	1	3	6	2	1	2	1	-	-	-	1	-	-	-	
126, 127	Biliary calculi, etc.*	70	-	-	-	-	-	-	-	-	-	-	5	7	6	4	12	6	8	7	5	5	5	-	-	-	-		
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	3	1	1	5	1	3	4	-	2	3	-	-				

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
GEORGIA—Con.																												
140-150	Diseases of pregnancy, etc.*	241	-	-	-	-	-	-	3	45	40	46	50	55	20	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—F--	107	-	-	-	-	-	-	1	13	17	24	20	22	8	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	134	-	-	-	-	-	-	2	32	23	22	30	33	12	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	77	-	-	-	-	-	-	-	12	18	16	16	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	32	-	-	-	-	-	-	-	1	8	9	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	45	-	-	-	-	-	-	-	11	10	7	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 146	Puerperal toxemia	85	-	-	-	-	-	-	2	20	15	19	13	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F--	40	-	-	-	-	-	-	-	7	5	8	7	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	45	-	-	-	-	-	-	2	13	9	11	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*	57	-	-	-	-	-	-	1	8	4	10	14	8	12	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	25	-	-	-	-	-	-	1	4	2	6	2	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	32	-	-	-	-	-	-	4	4	2	4	12	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes	22	-	-	-	-	-	-	-	5	5	1	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	10	-	-	-	-	-	-	-	1	2	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	12	-	-	-	-	-	-	-	4	3	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	362	300	17	6	10	2	5	1	4	4	7	2	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	White—M--	139	113	6	2	7	1	2	-	2	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F--	136	117	7	2	2	-	1	-	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	51	41	3	2	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	36	29	1	-	-	-	1	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,650	1,650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	615	615	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	419	419	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	351	351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	285	285	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,018	1,018	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	394	394	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	262	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159, 160, 161	Other diseases peculiar to first year	632	632	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	231	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165, 164	Suicide	240	-	-	-	-	-	-	2	7	15	27	23	36	30	19	22	14	16	11	13	3	1	1	-	-	-	-
	White—M--	166	-	-	-	-	-	1	-	10	16	16	22	23	13	14	13	13	8	12	3	1	1	-	-	-	-	-
	White—F--	51	-	-	-	-	-	-	-	5	3	6	6	11	3	6	6	2	2	2	1	-	-	-	-	-	-	-
	Nonwhite—M--	18	-	-	-	-	-	1	1	1	4	1	3	2	1	2	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	5	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
165-166	Homicide	504	6	-	-	-	1	1	5	27	77	112	76	89	40	27	24	15	10	9	5	-	-	-	-	-	-	-
	White—M--	109	2	-	-	-	1	-	3	10	24	14	14	8	5	7	8	5	5	6	2	-	-	-	-	-	-	-
	White—F--	22	2	-	-	-	-	1	1	2	5	2	2	2	1	-	2	2	2	2	-	-	-	-	-	-	-	-
	Nonwhite—M--	300	2	-	-	-	-	4	19	49	66	48	44	28	19	11	5	2	2	-	3	-	-	-	-	-	-	
	Nonwhite—F--	73	-	-	-	-	1	-	4	16	17	12	9	4	2	6	-	1	1	-	-	-	-	-	-	-	-	
169-195	Accidental deaths	2,146	123	33	38	27	19	90	75	168	195	185	151	141	117	109	101	97	71	82	98	88	67	43	21	2	5	1
	White—M--	1,042	36	9	11	14	6	31	34	94	103	121	99	79	59	61	43	52	34	44	49	40	20	7	6	1	-	-
	White—F--	380	24	6	12	3	3	23	18	17	21	15	11	14	7	5	11	14	14	20	28	36	36	29	11	1	1	1
	Nonwhite—M--	511	32	7	8	6	5	22	21	54	60	34	32	35	47	29	36	26	14	11	16	6	3	4	2	-	-	-
	Nonwhite—F--	213	31	11	7	4	5	14	2	13	11	15	9	13	5	13	11	5	9	7	5	6	8	3	2	1	3	-
170	Motor-vehicle accidents	797	8	4	9	10	10	44	27	78	106	91	78	61	50	33	49	36	32	29	17	15	11	5	-	-	-	1
	White—M--	490	3	3	1	4	6	16	16	46	66	66	57	36	23	23	23	21	21	21	13	10	5	-	-	-	-	1
	White—F--	117	3	-	6	2	-	14	4	11	11	9	8	9	4	3	7	9	4	4	1	4	2	1	-	-	-	1
	Nonwhite—M--	152	-	1	-	4	4	9	7	14	21	12	7	13	22	4	14	5	6	3	3	1	-	-	-	-	-	-
	Nonwhite—F--	40	-	-	2	-	-	5	-	7	8	4	5	3	1	5	1	1	1	1	-	4	-	-	-	-	-	-
169, 171-195	Other accidents	1,349	117	29	29	17	9	46	48	90	89	94	76	80	67	75	52	61	39	53	81	73	56	40	21	2	5	-
	White—M--	562	35	8	10	10	-	15	18	38	37	55	42	45	35	38	20	31	13	23	36	30	15	7	6	1	-	-
	White—F--	263	21	6	6	1	3	9	14	6	10	6	3															

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1																									
	IDARD																											
	ALL CAUSES-----	4,780	478	35	11	20	18	63	47	77	83	82	99	111	110	175	203	350	412	482	555	570	409	277	82	25	-	7
	White---M--	3,009	272	15	7	13	14	36	27	49	58	53	67	66	76	109	125	245	283	320	349	353	246	152	50	15	-	7
	White---F--	1,690	190	19	4	7	4	24	18	26	22	28	29	40	31	61	74	104	125	152	196	216	159	122	30	10	-	-
	Nonwhite-M--	80	11	2	-	-	2	2	2	1	2	1	2	3	-	4	2	-	3	9	9	1	3	1	2	-	-	
	Nonwhite-F--	21	5	1	-	-	1	-	1	1	1	-	1	-	1	2	1	1	1	1	1	-	1	2	-	-	-	
1,2	Typhoid and paratyphoid fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever---	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria---	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White---M--	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)---	71	2	-	-	-	3	-	2	7	3	4	5	2	8	7	9	6	8	-	-	2	2	1	-	-	-	-
	White---M--	43	2	-	-	-	1	-	1	2	1	2	4	2	5	5	7	4	8	-	-	1	1	1	-	-	-	-
	White---F--	21	-	-	-	-	-	-	2	3	2	1	1	1	2	2	2	1	2	-	-	1	1	-	-	-	-	-
	Nonwhite-M--	4	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
13	Tuberculosis of respiratory system, etc.---	59	-	-	-	-	1	-	1	7	3	4	3	2	5	7	9	6	8	-	-	1	2	-	-	-	-	
	White---M--	38	-	-	-	-	1	-	1	2	1	2	2	2	4	5	7	4	6	-	-	1	1	1	-	-	-	
	White---F--	17	-	-	-	-	-	-	1	3	2	1	1	1	2	2	2	1	2	-	-	-	1	1	-	-	-	
	Nonwhite-M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14-22	Tuberculosis (other forms)---	12	2	-	-	-	2	-	1	-	-	-	-	2	-	3	-	-	-	-	-	1	-	1	-	-	-	
	White---M--	5	2	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
	White---F--	4	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
	Nonwhite-M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
27	Dysentery---	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---M--	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	Malaria---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	Syphilis---	20	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	2	6	1	-	1	1	-	-	-	
	White---M--	16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	6	1	-	1	1	-	-		
	White---F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-		
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
35	Measles---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---M--	-	-	-</																								

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1																									
97, 102	TDARO—Continued																											
	Arteriosclerosis and high blood pressure*	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	4	10	17	19	15	3	-	-	-
	White—M	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	11	14	9	3	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	5	4	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	194	42	5	-	3	1	6	3	2	3	4	2	7	5	9	4	5	9	18	12	18	19	12	5	-	-	1
White—M	127	21	4	-	2	1	3	2	2	2	2	2	1	5	3	9	2	5	8	15	6	12	11	6	4	-	-	1
F	56	15	-	-	1	-	1	1	1	1	2	1	1	2	2	-	-	-	1	3	5	6	7	6	1	-	-	-
Nonwhite—M	7	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
F	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	65	17	3	-	2	1	3	2	-	1	-	1	1	1	-	1	1	1	6	3	6	5	6	2	-	-	-
White—M	40	8	2	-	2	1	2	1	1	-	1	-	1	1	-	-	1	1	1	5	2	4	4	4	2	-	-	-
F	19	7	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	4	-	-	-	-
Nonwhite—M	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	51	6	1	-	-	-	1	-	1	1	3	-	2	1	6	1	3	4	7	6	3	3	1	-	-	-	1
White—M	35	3	1	-	-	-	-	1	-	1	2	-	1	1	1	6	1	3	3	5	2	2	1	1	-	-	-	1
F	14	2	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	1	2	3	1	2	-	-	-	-	-
Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	51	15	-	-	1	-	2	-	-	1	1	-	-	3	3	1	1	2	3	2	4	5	5	2	-	-	-
White—M	34	9	-	-	-	-	-	-	-	-	1	-	-	2	3	1	1	1	2	3	1	4	2	3	2	-	-	-
F	14	4	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	1	1	4	3	3	2	-	-	-
Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	29	4	1	-	-	-	1	1	-	-	-	1	4	-	-	1	-	2	2	1	5	5	-	1	-	-	-
White—M	18	1	1	-	-	-	-	1	1	-	-	-	1	3	-	-	-	-	2	2	1	2	4	-	1	-	-	
F	9	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	3	1	-	-	-	-	-
Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	31	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	6	3	2	3	1	1	-	-	-
White—M	29	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	6	6	3	2	3	1	1	-	-	-	
F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	22	13	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	1	-	-	2	-	-	1	-	-	-
White—M	11	6	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
F	6	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121	Appendicitis	24	1	3	-	-	-	2	3	1	-	2	1	1	-	2	-	2	2	3	1	-	-	-	-	-	-	
White—M	18	1	1	-	-	-	-	2	3	1	-	1	1	1	-	1	-	1	2	2	1	-	-	-	-	-		
F	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
122	Hernia, intestinal obstruction	39	5	-	-	-	-	1	-	-	1	3	1	1	1	2	3	2	2	2	4	3	5	2	-	-	-	
White—M	19	1	-	-	-	-	-	1	-	-	1	1	1	1	1	1	1	1	2	1	2	3	4	2	-	-		
F	18	4	-	-	-	-	-	-	-	-	2	1	1	1	1	3	1	1	1	1	1	1	1	2	-	-		
Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124	Cirrhosis of the liver	20	-	1	-	-	-	-	-	-	-	1	-	-	-	1	3	3	1	2	1	4	2	1	-	-	-	
White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	1	1	1	-	-	-		
F	12	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	3	1	1	-	-		
Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
126, 127	Biliary calculi, etc.*	25	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	6	3	4	3	4	-	2	-	-		
White—M	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	2	1	1	2	-	-	-			
F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	2	2	-	2	-			
Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
130-132	Nephritis	315	-	-	-	-	-	2	1	5	3	3	5	8	12	13	25	30	35	44	58	33	26	6	2	-	1	
White—M	198	-	-	-	-	-	-	2	1	4	3	3	5	6	7	9	12	12	22	24	27	21	18	3				

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	ILLINOIS																												
	ALL CAUSES-----	93,686	5,672	387	229	132	106	398	385	736	1,051	1,179	1,401	2,151	2,921	4,429	6,541	8,363	9,916	10,499	11,016	11,036	8,338	4,893	1,588	303	42	7	
	White-----M-	49,543	2,928	204	127	74	46	214	195	411	515	501	674	1,024	1,501	2,417	3,700	4,971	5,836	5,905	5,902	5,546	3,968	2,166	609	100	8	5	
	White-----F-	36,749	2,098	136	71	44	46	132	107	191	314	400	440	728	893	1,319	2,084	2,862	3,410	3,842	4,652	5,145	4,178	2,620	931	186	21	1	
	Nonwhite--M-	4,022	348	26	17	7	7	30	26	65	98	133	156	210	285	378	450	439	374	353	269	202	96	56	21	9	7	1	
	Nonwhite--F-	3,572	302	21	14	7	7	19	27	69	126	145	129	189	262	315	307	311	296	299	194	145	96	51	27	8	6	-	
1,2	Typhoid and paratyphoid fever	11	-	-	-	-	-	1	1	2	1	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	
	White-----M-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
	White-----F-	7	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	
	Nonwhite--M-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cerebrospinal (meningococcus) meningitis	48	13	3	4	2	1	3	2	-	-	2	2	1	1	2	2	3	4	1	2	-	-	-	-	-	-	-	-
	White-----M-	27	7	1	1	2	-	1	1	-	-	1	1	1	1	1	2	3	4	1	1	-	-	-	-	-	-	-	-
	White-----F-	10	5	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	5	-	1	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	6	1	-	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	45	35	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	19	16	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-	22	16	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	-	2	-	1	2	1	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M-	6	-	-	1	-	1	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	2,842	12	15	7	5	3	6	22	101	183	238	219	256	214	307	277	264	257	184	134	87	38	7	6	3	-	-	
	White-----M-	1,416	7	7	2	2	1	1	3	19	22	49	72	102	113	178	192	187	152	118	87	50	16	4	2	-	-	-	
	White-----F-	640	5	4	1	2	-	3	3	23	55	78	66	77	44	58	44	25	38	44	32	34	20	4	2	-	-	-	
	Nonwhite--M-	438	-	2	2	-	2	1	3	23	34	43	47	46	29	70	45	37	22	17	13	1	1	1	1	-	-	-	
	Nonwhite--F-	348	-	2	2	1	-	1	13	36	72	69	34	31	23	21	14	10	10	5	2	2	1	1	-	-	-	-	
13	Tuberculosis of respiratory system, etc.*	2,628	4	5	3	2	1	4	14	87	166	225	202	243	197	286	264	255	242	176	125	79	35	7	6	3	-	-	
	White-----M-	1,346	2	3	1	2	-	1	1	15	21	44	69	99	115	169	168	187	180	117	81	48	16	4	3	-	-	-	
	White-----F-	598	2	1	1	-	-	2	3	19	52	76	62	75	40	36	42	23	35	39	30	29	17	2	2	-	-	-	
	Nonwhite--M-	395	-	1	-	-	1	1	20	29	41	41	41	45	25	63	42	35	19	15	13	1	1	1	1	-	-	-	
	Nonwhite--F-	299	-	-	1	-	-	1	9	33	64	64	30	24	17	18	12	10	8	5	1	1	1	-	-	-	-	-	
14-22	Tuberculosis (other forms)	214	8	10	4	3	2	2	8	14	17	13	17	13	17	21	13	9	15	8	9	8	3	-	-	-	-	-	
	White-----M-	70	5	4	1	-	1	1	2	4	5	3	5	3	3	9	8	5	7	1	6	2	3	-	-	-	-	-	
	White-----F-	52	3	3	-	2	-	1	1	4	3	2	2	2	4	7	2	2	3	3	2	5	3	-	-	-	-	-	
	Nonwhite--M-	45	-	1	2	-	1	1	2	3	5	3	4	1	4	7	4	2	2	2	2	-	-	-	-	-	-	-	
	Nonwhite--F-	49	-	2	1	1	-	4	3	8	4	4	4	7	6	3	2	-	2	-	1	1	-	-	-	-	-	-	
27	Dysentery	23	7	3	3	-	1	-	-	-	-	-	-	-	1	1	2	1	1	-	1	1	1	-	-	-	-	-	
	White-----M-	11	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	White-----F-	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
	Nonwhite--M-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	Malaria	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	
	White-----M-	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-	
	White-----F-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	Syphilis	676	8	1	-	-	-	1	4	5	2	12	30	49	74	104	109	107	77	45	27	17	4	-	-	-	-		
	White-----M-	385	2	-	-																								

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
ILLINOIS—Continued																												
45-55	Cancer and other malignant tumors	13,336	6	9	12	9	5	26	24	29	51	87	158	283	506	817	1,298	1,685	1,972	1,881	1,767	1,514	876	414	92	13	2	-
	White—M—	6,550	5	7	8	4	15	13	15	25	34	53	85	156	296	530	824	1,057	995	958	816	419	193	37	5	-	-	
	White—F—	6,222	1	2	3	4	10	10	13	21	42	61	158	281	434	761	833	944	844	795	755	655	444	207	54	8	1	-
	Nonwhite—M—	358	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	406	-	-	1	1	-	-	-	-	2	8	19	33	50	52	55	57	38	49	21	14	5	3	-	-	-	-
46	Cancer of the digestive organs and peritoneum	6,171	-	1	2	-	1	2	2	1	7	20	45	89	140	282	480	705	864	1,007	908	791	474	207	34	8	1	-
	White—M—	3,328	-	-	2	-	-	2	2	1	3	6	19	41	67	144	247	384	565	571	521	418	222	85	15	3	-	-
	White—F—	2,511	-	1	-	-	1	-	-	-	4	7	18	37	57	103	186	352	365	361	349	248	116	19	5	-	-	-
	Nonwhite—M—	197	-	-	-	-	-	-	-	-	-	1	3	3	7	19	34	32	35	24	16	17	3	5	-	-	-	-
	Nonwhite—F—	135	-	-	-	-	-	-	-	-	-	4	5	8	9	16	13	16	14	27	10	7	3	3	-	-	-	-
48,49	Cancer of female genital organs	1,604	-	-	-	-	-	-	-	1	10	14	36	73	126	174	202	249	212	184	154	93	63	25	6	2	-	-
	White—F—	1,463	-	-	-	-	-	-	-	1	9	13	27	58	105	152	187	227	200	173	126	90	62	25	6	2	-	-
	Nonwhite—F—	141	-	-	-	-	-	-	-	1	1	1	9	15	21	22	15	22	12	11	8	3	1	-	-	-	-	-
50	Cancer of breast	1,275	-	-	-	-	-	-	-	-	6	21	49	87	127	171	168	172	126	132	109	62	35	12	1	-	-	-
	White—M—	16	-	-	-	-	-	-	-	-	-	-	5	19	46	75	120	158	182	122	106	58	33	11	-	-	-	-
	White—F—	1,201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	1	2	5	12	6	13	7	7	3	1	-	-	-	-	-	-
	Nonwhite—F—	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	4,486	6	8	10	9	4	24	22	27	34	47	56	72	153	254	445	563	624	564	593	521	277	149	40	3	1	-
	White—M—	3,206	5	7	8	4	13	11	14	22	28	34	44	54	89	151	303	427	469	425	434	397	194	110	21	2	-	-
	White—F—	1,047	1	1	3	4	4	10	10	12	8	17	17	14	59	102	113	130	115	140	110	78	33	18	1	-	-	-
	Nonwhite—M—	161	-	-	-	-	-	-	-	-	1	3	2	4	12	16	28	11	20	18	17	12	5	6	1	-	-	-
	Nonwhite—F—	72	-	-	1	1	-	-	-	-	1	2	3	7	8	8	12	12	5	8	2	-	-	-	-	-	-	-
58	Acute rheumatic fever	50	1	-	-	-	1	8	9	2	6	3	6	2	5	4	1	1	-	-	-	-	-	-	-	-	-	-
	White—M—	21	-	-	-	-	-	3	4	1	2	1	2	2	3	2	2	3	2	1	-	-	-	-	-	-	-	-
	White—F—	14	-	-	-	-	1	2	2	1	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	7	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	8	-	-	-	-	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,782	1	3	1	1	3	9	10	16	23	18	27	43	70	198	324	438	501	464	375	200	54	5	2	-	-	-
	White—M—	967	1	2	-	-	2	8	9	14	13	8	19	35	77	105	136	160	148	127	86	26	2	3	2	-	-	-
	White—F—	1,704	1	1	1	1	9	13	15	13	6	17	19	29	109	203	279	316	308	242	113	28	3	2	-	-	-	-
	Nonwhite—M—	37	-	-	-	-	-	-	-	-	-	-	1	1	1	2	8	8	7	5	3	1	-	-	-	-	-	-
	Nonwhite—F—	74	-	-	-	-	-	2	3	1	1	3	-	1	4	5	10	8	15	18	3	3	-	-	-	-	-	-
65b	Exophthalmic goiter	179	-	-	-	-	-	-	-	-	4	1	4	6	12	18	25	29	25	23	14	7	3	-	-	-	-	-
	White—M—	32	-	-	-	-	-	-	-	-	-	-	2	3	5	2	1	8	7	3	2	1	-	-	-	-	-	-
	White—F—	141	-	-	-	-	-	-	-	-	4	1	1	5	5	10	15	15	22	22	20	13	7	3	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	White—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (strychnine)	75	-	-	-	-	-	-	-	1	-	1	2	8	13	13	12	6	10	4	3	2	-	-	-	-	-	-
	White—M—	61	-	-	-	-	-	-	-	1	-	-	2	4	6	10	11	6	10	4	3	2	-	-	-	-	-	-
	White—F—	9	-	-	-	-	-	-	-	-	-	-	-	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	7,557	13	7	7	5	1	6	6	4	13	17	30	72	111	254	405	576	830	1,044	1,203	1,294	961	509	160	28	3	1
	White—M—	3,376	6	2	2	1	1	2	2	3	6	6	13	23	44	101	171	262	384	505	572	571	423	212	53	10	-	-
	White—F—	3,630	5	5	5	2	2	3	3	1	7	9	11	29	35	98	161	239	367	462	579	681	515	293	104	17	2	1
	Nonwhite—M—	286	1	-	-	-	-	-	-	-	-	-	3	1	9	16	20	34	38	38	21	22	9	2	-	-	-	-
	Nonwhite—F—	295	1	-	-	-	-	-	-	-	-	-	5	11	16	35	39	39	39	40	39	31	20	14	2	1	1	-
90-95	Diseases of the heart	34,549	11	6	2	2	4	15	20	45	65	110	205	451	774	1,497	2,421	3,281	3,992	4,447	4,806	5,059	3,983	2,588	799	165	19	3
	White—M—	19,170	7	5	1	1	7	10	27	21	48	100	230	459	925	1,588	2,181	2,555	2,668	2,632	2,528	1,851	1,014	306	54	2	2	-
	White—F—	15,085	3	1	1	1																						

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
ILLINOIS—Continued																												
97, 102	Arteriosclerosis and high blood pressure*—M—	1,503	-	-	-	-	-	-	-	-	1	-	1	1	8	5	22	48	72	128	217	292	347	252	96	10	2	1
	White—M—	799	-	-	-	-	-	-	-	-	1	-	1	1	2	1	13	27	33	61	130	162	209	115	37	4	1	1
	F—	637	-	-	-	-	-	-	-	-	-	-	-	-	3	2	7	18	30	50	81	120	130	132	58	6	-	-
	Nonwhite—M—	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	9	4	9	5	2	-	-	-	
	F—	29	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	5	8	2	1	3	3	1	-	1	
107-109, 33	Pneumonia (all forms) and influenza—M—	3,326	547	83	30	13	11	29	17	17	23	28	57	61	113	158	226	229	254	282	281	311	276	173	66	18	3	-
	White—M—	1,829	270	41	12	8	4	11	7	7	15	14	27	48	54	96	130	162	170	185	168	153	130	84	28	6	1	-
	F—	1,118	179	30	13	5	6	12	8	6	5	9	15	23	33	30	54	44	55	78	95	145	139	84	37	12	1	-
	Nonwhite—M—	218	44	6	3	-	-	2	-	2	2	2	8	5	21	19	30	17	19	13	13	5	3	4	1	-	1	-
	F—	161	54	6	2	-	1	4	2	2	1	3	9	5	5	13	12	6	10	6	7	8	4	1	-	-	-	
107	Bronchopneumonia—M—	1,789	436	62	21	11	4	18	6	7	8	8	22	35	38	50	84	96	110	132	137	132	147	102	36	7	-	-
	White—M—	904	204	32	11	7	1	7	3	2	2	3	9	22	17	33	44	62	66	86	77	98	64	50	12	2	-	-
	F—	663	145	21	7	4	2	7	2	4	3	5	5	10	15	9	31	24	35	38	52	69	78	49	23	5	-	-
	Nonwhite—M—	94	39	4	3	-	-	1	-	1	2	-	4	4	8	3	3	7	7	6	2	1	2	3	1	-	-	
	F—	98	48	5	-	-	1	3	1	-	1	-	4	3	1	5	6	3	2	2	6	4	3	-	-	-	-	
108	Lobar pneumonia—M—	1,243	376	10	7	1	4	6	7	5	10	19	27	40	65	100	127	123	126	115	96	69	41	20	7	1	-	
	White—M—	754	70	5	1	-	2	1	4	2	9	10	15	24	32	56	76	95	93	89	70	53	48	20	12	3	-	
	F—	327	24	4	4	1	2	3	2	1	4	6	9	15	21	21	17	19	30	33	37	41	19	8	4	-		
	Nonwhite—M—	112	5	1	-	-	1	-	1	-	2	2	5	14	16	26	9	10	4	11	2	1	2	1	-	1	-	
	F—	50	5	-	2	-	-	1	1	-	-	3	4	2	4	7	4	2	3	1	4	1	1	1	-	-		
109	Pneumonia (unspecified)—M—	77	22	5	1	-	1	1	-	2	3	-	4	1	2	1	4	3	5	4	6	4	3	5	-	-		
	White—M—	47	17	1	-	-	1	-	-	1	2	-	2	-	2	1	4	1	5	1	4	2	2	1	-	-		
	F—	27	5	3	1	-	-	-	-	1	1	-	2	1	-	-	-	-	2	2	2	2	1	4	-	-		
	Nonwhite—M—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
33	Influenza—M—	247	19	6	1	1	2	4	4	3	2	1	4	5	8	7	11	7	12	20	23	29	37	25	10	4	2	
	White—M—	124	13	3	-	1	-	3	-	2	2	1	1	2	3	6	8	4	6	9	15	10	18	13	4	1	1	
	F—	101	5	2	1	-	2	1	4	-	-	-	2	3	3	-	2	1	1	8	8	17	19	12	6	3		
	Nonwhite—M—	11	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	3	-	2	-	-	-	-		
	F—	11	1	1	-	-	-	-	1	-	-	-	1	-	-	1	2	1	3	-	-	-	-	-	-	-		
117	Ulcer of stomach or duodenum—M—	620	7	-	-	-	1	-	-	1	4	7	10	26	28	68	77	85	70	96	78	42	20	10	1	1	-	
	White—M—	471	2	-	-	-	1	-	-	-	2	5	6	17	18	55	80	70	58	73	59	24	13	6	1	1		
	F—	108	2	-	-	-	-	-	1	-	2	2	2	6	5	6	12	8	11	11	14	17	7	4	-	-		
	Nonwhite—M—	30	1	-	-	-	-	-	-	-	1	-	2	2	4	3	4	7	1	1	3	1	-	-	-	-		
	F—	11	1	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	1	2	-	-	-	-	-		
119, 120	Diarrhea, enteritis, etc.*—M—	263	161	21	5	2	3	2	1	4	4	3	5	4	9	5	6	7	12	7	4	4	7	2	3	2		
	White—M—	146	90	9	4	-	2	-	2	3	-	2	3	1	6	3	5	6	5	2	3	2	-	1	1	-		
	F—	104	47	10	-	-	2	-	1	1	4	1	2	3	2	1	3	1	6	5	1	2	7	1	2	2		
	Nonwhite—M—	19	15	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F—	14	9	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-		
121	Appendicitis—M—	315	3	3	7	3	3	13	10	18	15	10	7	12	14	21	26	33	36	36	18	11	8	6	2	-		
	White—M—	192	2	3	5	2	3	8	2	9	9	4	5	9	8	11	23	19	22	23	14	5	4	2	-	-		
	F—	103	1	-	1	-	4	6	7	5	3	2	2	4	8	2	12	13	13	4	5	4	4	2	-	-		
	Nonwhite—M—	11	-	-	-	-	1	2	2	2	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-		
	F—	9	-	-	1	-	-	-	-	1	2	-	1	-	1	-	-	2	-	-	-	1	-	-	-	-		
122	Hernia, intestinal obstruction—M—	723	36	7	-	-	1	2	-	5	6	15	8	21	29	38	49	66	78	95	80	80	62	28	6	-		
	White—M—	335	24	3	-	-	1	-	3	2	5	4	7	8	13	19	25	43	43	40	50	25	15	4	-	1		
	F—	336	10	2	-	-	1	-	1	3	8	2	10	18	19	24	35	51	48	39	37	35	12	2	-	-		
	Nonwhite—M—	23	1	1	-	-	1	-	-	1	2	1	1	2	3	1	2	3	1	2	2	1	2	1	-	-		
	F—	29	1	1	-	-	-	-	1	-	-	-	1	4	2	4	3	5	3	2	-	-	-	-	-	-		
124	Cirrhosis of the liver—M—	1,158	6	1	1	-	1	1	2	-	1	14	24	48	96	116	161	183	188	124	96	74	30	15	4	2		
	White—M—	777	2	-	-	-	1	-	-	-	1	6	17	25	64	79	102	136	118	83	66	48	16	9	3	1		
	F—	327	3	1	1	-	-	2	-	-	1	6	6	19	21	33	50	34	38	39	28	23	14	7	1	1		
	Nonwhite—M—	26	-	-	-	-	1	-	-	-	-	-	-	3	2	2	4	7	2	2	1	2	-	-	-			
	F—	26	1	-	-	-	-	-	-	-	-	1	1	9	2	5	6	-	-	-	1	-	-	-	-	-		
126, 127	Biliary calculi, etc.*—M—	501	-	1	1	-	-	1	-	1	1	6	8	10	16	21	43	66	91	74	68	39	28	17	7	-		
	White—M—	158	-	1	-	-	-	-	-	1	1	4	3	5	6	14	16	30	27	24	13	7	6	-	-			
	F—	335	-	-	1	-	-	1	-	1	5	3	7	13	14	29	49	60	46	44	24	20	11	7	-			
	Nonwhite—M—	-	-	-																								

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-																		100 and over	Not stated							
			der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	
INDIANA—Con.																													
45-55	Cancer and other malignant tumors	5,051	1	3	6	6	6	8	11	9	15	29	54	100	195	245	434	511	685	714	732	642	395	182	40	7	1	3	
	White—M	2,517	1	3	4	1	2	4	4	5	4	10	15	30	72	92	166	216	324	355	374	321	202	91	14	5	1	2	
	F	2,511	-	-	2	4	3	4	7	4	10	18	35	63	110	150	255	261	528	345	338	312	187	99	26	1	1	1	
	Nonwhite—M	95	-	-	-	1	-	-	-	-	-	-	1	1	4	8	16	18	15	12	15	4	2	-	-	-	-	-	
	F	108	-	-	-	-	1	-	-	-	1	1	3	6	9	16	17	16	18	4	7	5	2	1	-	1	-	-	
46	Cancer of the digestive organs and peritoneum	2,267	-	-	-	-	-	1	1	2	3	8	9	26	54	64	156	197	328	351	414	350	201	83	17	-	-	2	
	White—M	1,156	-	-	-	-	-	1	1	2	1	4	4	11	29	39	73	99	169	191	220	179	92	35	5	-	-	1	
	F	1,036	-	-	-	-	-	-	-	1	4	5	14	18	22	73	85	143	151	185	167	107	48	12	-	-	-	1	
	Nonwhite—M	45	-	-	-	-	-	-	-	-	-	-	-	4	2	8	7	8	6	6	7	2	1	-	-	-	-	-	
	F	30	-	-	-	-	-	-	-	-	1	-	-	1	3	1	2	6	8	3	2	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	583	-	-	-	-	-	-	-	2	3	5	23	28	53	49	68	81	77	75	49	48	13	7	2	-	-	-	
	White—F	551	-	-	-	-	-	-	-	2	3	4	22	24	50	42	63	78	74	74	46	47	15	7	2	-	-	-	
	Nonwhite—F	32	-	-	-	-	-	-	-	-	-	1	4	3	7	5	3	3	3	1	3	-	-	-	-	-	-	-	-
50	Cancer of breast	471	-	-	-	-	-	-	-	-	1	4	5	15	33	44	53	55	58	67	50	40	30	11	3	1	1	-	
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-
	F	442	-	-	-	-	-	-	-	1	4	4	14	31	39	48	50	53	68	49	40	29	10	3	-	1	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	1	1	2	5	5	5	2	-	-	1	1	-	1	-	1	-	-	-
45,47, 51-55	Cancer (other sites)	1,710	1	3	6	6	6	7	10	5	8	12	17	31	55	88	157	178	220	221	219	204	149	81	18	6	-	1	
	White—M	1,157	1	3	4	1	2	3	3	3	3	6	11	19	43	53	93	117	152	165	154	142	110	56	9	5	-	1	
	F	482	-	-	2	4	3	4	7	2	5	6	4	11	11	27	51	48	58	52	58	39	23	9	1	-	-	-	
	Nonwhite—M	50	-	-	-	1	-	-	-	-	-	-	1	1	-	6	8	11	5	6	6	2	1	-	-	-	-	-	
	F	21	-	-	-	-	1	-	-	-	-	-	-	-	1	3	5	2	5	-	1	2	-	-	-	-	-	-	
59	Acute rheumatic fever	25	-	-	-	-	1	5	7	2	1	-	4	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	
	White—M	15	-	-	-	-	1	2	5	1	1	-	2	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	
	F	8	-	-	-	-	2	2	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus	1,018	1	1	-	-	-	1	1	6	3	6	7	11	13	40	63	121	152	200	165	119	84	20	3	1	-	-	
	White—M	378	-	1	-	-	-	-	2	1	3	2	6	5	15	17	52	42	80	61	43	35	9	3	1	-	-		
	F	598	1	-	-	-	1	1	3	1	3	2	4	7	18	39	65	104	112	104	74	48	10	-	-	-	-		
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-	-	
	F	35	-	-	-	-	-	-	1	1	1	1	6	6	6	3	4	5	5	2	1	1	1	-	-	-	-	-	
63b	Exophthalmic goiter	68	-	-	-	-	-	-	-	-	-	-	-	3	4	6	12	14	12	14	10	9	2	2	-	-	-	-	
	White—M	11	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	3	-	1	-	-	-	-	-	-	
	F	73	-	-	-	-	-	-	-	-	-	-	2	2	5	9	13	10	14	6	9	1	2	-	-	-	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Alcoholism (ethylin)	54	-	-	-	-	1	-	1	-	3	1	5	14	5	6	9	4	4	1	-	1	-	-	-	-	-	-	
	White—M	39	-	-	-	-	1	-	-	-	2	-	3	12	3	4	7	3	3	1	-	-	-	-	-	-	-	-	
	F	5	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin	4,268	4	1	2	-	-	6	3	2	5	11	25	63	112	187	318	405	508	749	828	578	349	95	12	2	-	-	
	White—M	1,958	2	1	-	-	-	3	1	1	4	6	12	25	37	74	158	192	240	339	416	249	159	34	3	1	-		
	F	2,081	2	1	1	-	-	3	1	1	3	-	3	12	30	46	87	134	181	239	382	589	321	196	59	9	1		
	Nonwhite—M	109	-	-	-	-	-	-	1	-	1	1	5	13	16	14	15	18	14	13	14	9	4	1	1	-	-		
	F	110	-	-	-	-	-	-	-	1	-	1	-	3	16	10	12	17	14	14	14	4	3	1	-	-	-		
90-95	Diseases of the heart	12,538	4	3	2	1	3	8	12	24	32	36	69	143	246	445	731	1,005	1,331	1,568	1,890	2,072	1,568	976	310	42	8	12	
	White—M	7,231	3	1	1	1	4	6	12	17	20	33	92	148	290	514	687	865	952	1,069	1,123	784	450	130	19	1	8		
	F	4,815	1	1	1	-	2	3	6	11	13	26	37	67	120	185	256	398	556	768	918	746	505	174	22	6	2		
	Nonwhite—M	278	-	-	-	-	1	-	-	3	2	2	4	15	18	36	37	32	31	37	19	27	12	2	-	-			

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Age																	100 and over	Not stated								
			Under 1	1-2	3-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74			75-79	80-84	85-89	90-94	95-99			
97, 102	INDIANA—Con.																												
	Arteriosclerosis and high blood pressure*	1,114									1	1	3		5	4	7	21	37	67	155	211	236	235	104	21	3	1	
	White—M—	547									1	1	2		3	4	4	6	23	38	82	101	115	116	39	11		1	
	White—F—	530													1			2	13	14	24	65	105	118	115	61	9	2	
107-109, 33	Pneumonia (all forms) and influenza	1,680	326	38	13	9	6	12	13	15	17	21	24	23	47	42	62	72	98	127	159	192	144	144	66	9		3	
	White—M—	853	168	16	6	4	2	5	5	7	5	12	11	8	25	22	30	40	52	76	88	95	67	70	32	5		2	
	White—F—	675	134	19	6	4	3	6	8	6	5	6	6	9	7	9	20	19	31	46	59	90	71	73	34	4		1	
	Nonwhite—M—	81	10	2				1	1	1	1	1	3	4	9	6	7	8	9	2	7	4	4	1					
107	Bronchopneumonia	631	199	23	7	5	2	4	3	2	5	8	7	10	11	14	17	25	34	49	58	58	48	32	5		2		
	White—M—	315	107	11	3	3	1	1	1	2	1	1	2	4	1	2	7	5	11	14	20	31	25	24	17	1		1	
	White—F—	265	77	10	4	1	1	3	1		2	3	4	3	3	5	3	7	14	24	25	32	24	15	2				
	Nonwhite—M—	24	5	1							1	1	2	1	2	4	2	3	3	7	14	24	25	32	24	15	2		
108	Lobar pneumonia	519	46	4	1	2		3	2	8	6	6	8	8	20	18	34	41	49	50	56	69	33	43	9	3		1	
	White—M—	281	22	2				1	1	3	3	4	5	3	8	8	20	30	31	39	30	31	22	4	2				
	White—F—	178	21	1	1	1		2	1	4	1	1	1	2	3	1	10	12	14	16	12	38	12	20	5	1			
	Nonwhite—M—	36	2	1						1	1	2	6	6	1	1	6	4	1	3	1	3	1						
109	Pneumonia (unspecified)	210	52	4	1	1	1	2	3		4	4	2	5	11	6	2	6	8	13	17	27	15	17	6	1			
	White—M—	106	23	1	1		1	1	1		1	2	1	3	10	4	1	4	3	9	11	13	6	6	5	1			
	White—F—	93	24	3		1	1	1	3		1	2	1	2	1	3	1	2	4	4	6	14	8	11	1				
	Nonwhite—M—	7	3								1		1						1				1						
33	Influenza	320	29	7	4	1	3	3	5	5	2	6	6	3	8	5	12	8	14	30	37	39	38	36	19	2			
	White—M—	151	16	2	2		1	2	2	3		4	1	1	5	3	4	5	8	16	18	21	15	19	6	1			
	White—F—	139	12	5	1	1	1	3	3	2	1	1	2	1	1	2	4	2	6	12	17	15	19	18	13	1			
	Nonwhite—M—	14									1	1	1	1					1	1	1	2	3						
117	Ulcer of stomach or duodenum	204						2		1		2	4	10	10	14	22	27	43	25	17	11	10	5	1				
	White—M—	160										1	4	6	10	10	13	20	22	37	21	12	8	3	5	1			
	White—F—	35						2		1			1	1	1	3	2	4	6	2	4	5	7						
	Nonwhite—M—	7										1		1		1				2		2							
119, 120	Diarrhea, enteritis, etc.*	197	128	7	2	1		3		1		1			2		1	4	7	5	5	6	7	6		1	1		
	White—M—	103	69	6	1	1		1							1			3	3	2	2	4	3	5	2				
	White—F—	85	55	1	1			2		1		1			1			1	4	2	5	3	2	2			1		
	Nonwhite—M—	4	1																1	1									
121	Appendicitis	124	1	4	2	3	1	5	6	6	3	7	6	4	7	7	8	10	13	10	9	5	5	1	1				
	White—M—	75	1	2	1	3		1	6	3	1	4	1	2	5	5	5	8	9	6	6	1	4	1					
	White—F—	45		2	1		1	4	3	3	1	2	5	1	2	2	2	2	4	4	3	4	1		1				
	Nonwhite—M—	1										1																	
122	Hernia, intestinal obstruction	266	18	1	1			5			3	1	4	6	6	10	25	12	30	29	28	44	21	15	4	1			
	White—M—	137	12		1			2			1	1	3	5	1	6	11	4	12	14	19	21	11	10	3				
	White—F—	115	5	1				2			1		1	2	6	4	10	7	15	15	8	21	10	5	1	1			
	Nonwhite—M—	4																			1	1							
124	Cirrhosis of the liver	373						2	2	2	1	7	12	22	33	43	64	38	43	42	35	18	9						
	White—M—	248							2	1	3	6	12	26	38	48	27	36	28	18	9	4							
	White—F—	110						2	2			2	4	10	7	15	13	10	7	10	15	8	5						
	Nonwhite—M—	6														1				2	2	1							
126, 127	Biliary calculi, etc.*	191									5	3	3	11	13	14	25	26	33	26	14	9	8	1					
	White—M—	53									2	1	1	4	2	2	3	6	13	12	3	2	2						
	White—F—	138									3	2	2	7	9	12	21	19	20	14	10	7	6	1					
	Nonwhite—M—	2													2														
130-132	Nephritis	5,014	1		2		2	6	8	13	14	28	24	32	57	74	143	171	228	329	470	532	450	318	88	22	1	1	
	White—M—	1,850			2		1	3	3	5	6	11	7	9	16	38	69	98	124	183	239	276	223	158	40	12	1		
	White—F—	1,327						3	5	6	6	5	11	14	16	31	26	58	61	91	133	209	232	155	45	9			
	Nonwhite—M—	69								1		2	1	2	4	1	5	7	6	5	14	10	5	4					
137	Diseases of the prostate	161															1		3	6	16	29	42	36	20	4	1		
	White—M—	155															1		2	8	14	28	36	20	3	1			
	White—F—	6																											
	Nonwhite—M—	8															1		1	1	2	1							

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
INDIANA—Con.																												
140-150	Diseases of pregnancy, etc.—F--	105	-	-	-	-	-	-	1	10	23	25	21	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	93	-	-	-	-	-	-	1	8	26	23	16	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	12	-	-	-	-	-	-	-	2	3	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia—F--	41	-	-	-	-	-	-	-	2	11	15	4	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	40	-	-	-	-	-	-	-	2	11	14	4	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 149	Puerperal toxemia—F--	27	-	-	-	-	-	-	1	5	10	1	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	22	-	-	-	-	-	-	1	4	8	1	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	5	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—F--	28	-	-	-	-	-	-	-	2	5	5	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	24	-	-	-	-	-	-	-	2	5	5	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes—F--	9	-	-	-	-	-	-	-	1	3	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	7	-	-	-	-	-	-	-	2	3	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M--	554	481	19	2	4	1	8	2	5	7	6	3	1	1	1	1	-	-	-	1	1	-	-	-	-	-	-
	White—M--	307	272	7	1	1	1	5	2	3	3	3	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M--	255	209	10	1	3	-	3	-	2	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White—F--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M--	1,861	1,861	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	911	911	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	611	611	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—M--	1,076	1,076	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	582	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	387	387	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159, 160, 161	Other diseases peculiar to first year—M--	585	585	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M--	329	329	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M--	224	224	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide—M--	483	-	-	-	-	-	-	1	7	23	31	31	39	39	37	59	53	38	52	33	25	12	4	1	-	-	
	White—M--	355	-	-	-	-	-	-	1	3	16	24	21	31	26	27	33	42	31	39	25	19	12	4	1	-	-	
	Nonwhite—M--	120	-	-	-	-	-	-	-	3	6	6	9	8	12	10	25	10	7	13	8	5	-	-	-	-	-	
	White—F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F--	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—M--	144	3	-	-	-	-	1	1	3	28	21	19	17	9	17	9	5	4	2	2	1	1	-	-	-	1	
	White—M--	47	1	-	-	-	-	1	1	10	5	6	7	2	3	4	2	2	3	1	1	1	1	-	-	-	-	
	Nonwhite—M--	33	2	-	-	-	-	1	-	5	8	2	5	1	1	4	1	2	1	1	-	-	-	-	-	-	-	
	White—F--	55	-	-	-	-	-	-	-	2	11	7	9	5	6	4	4	1	1	1	-	-	-	-	-	-	-	
	Nonwhite—F--	9	-	-	-	-	-	-	-	1	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths—M--	2,984	88	35	30	27	23	71	58	160	233	190	121	133	134	135	151	157	157	187	202	229	252	174	62	14	1	
	White—M--	1,892	45	21	19	15	11	51	42	105	188	119	100	101	103	98	110	111	111	122	111	110	99	71	28	2	1	
	Nonwhite—M--	962	35	12	10	10	11	15	14	48	37	26	17	23	23	27	29	40	37	53	84	115	147	103	54	12	-	
	White—F--	86	3	1	-	-	-	3	1	6	4	3	5	8	9	10	8	3	8	5	5	3	2	-	-	-	-	
	Nonwhite—F--	44	5	1	1	1	1	2	1	1	4	2	1	4	-	1	2	3	3	4	2	1	4	-	-	-	-	
170	Motor-vehicle accidents—M--	1,123	9	8	7	10	14	30	26	116	138	85	68	62	65	64	71	66	61	75	59	45	31	11	2	-	-	
	White—M--	827	5	5	3	7	8	25	14	75	109	72	53	44	48	47	55	40	46	58	41	35	27	8	2	-	-	
	Nonwhite—M--	256	4	3	4	3	6	4	12	40	24	10	14	15	15	10	21	14	9	17	9	4	3	-	-	-		
	White—F--	8	-	-	-	-	-	-	-	1	3	2	1	2	2	2	5	5	1	5	1	1	-	-	-	-	-	
	Nonwhite—F--	8	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	3	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents—M--	1,861	79	27	23	17	9	41	32	44	95	65	53	71	69	71	80	91	98	112	143	184	221	163	60	14	1	
	White—M--	1,065	40	16	16	8	3	26	28	30	79	47	37	57	55	51	55	66	68	84	70	75	72	63	28	2	1	
	Nonwhite—M--	706	31	9	6	7	5	11	2	8	13	16	3	8	8	12	19	19	25	44	67	106	143	100	34	12	-	
	White—F--	54	3	1	-	-	-	2																				

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	IOWA																												
	ALL CAUSES-----	25,494	1,617	90	77	37	43	114	106	179	231	293	288	405	522	854	1,171	1,658	2,207	2,828	3,416	3,792	5,162	2,193	777	186	22	11	
	White-----M--	14,656	1,030	42	44	18	30	60	68	115	160	183	166	227	300	490	743	1,011	1,362	1,611	1,892	2,026	1,647	995	349	78	6	4	
	White-----F--	11,545	759	47	33	19	11	55	38	61	67	105	115	171	211	350	405	617	819	1,177	1,490	1,750	1,505	1,194	425	106	14	4	
	Nonwhite--M--	153	15	-	-	-	1	-	-	2	3	3	5	4	6	9	14	16	17	23	19	7	3	4	1	1	1	1	
	Nonwhite--F--	130	14	1	-	-	2	-	-	1	1	2	3	3	5	5	9	14	16	17	23	19	7	4	1	1	1	1	
1,2	Typhoid and paratyphoid fever--																												
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis--																												
	White-----M--	15	3	1	4	1	2	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	1	1	1	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	2	-	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--																												
	White-----M--	4	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--																												
	White-----M--	34	27	2	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	10	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----																												
	White-----M--	5	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)--																												
	White-----M--	307	2	-	1	2	-	1	1	11	6	19	20	23	21	20	27	31	40	29	23	17	6	6	-	1	-	-	
	White-----F--	180	2	-	-	-	-	1	-	5	3	10	7	10	13	11	23	20	26	16	17	10	4	1	-	-	-	-	
	Nonwhite--M--	115	-	-	1	2	-	1	1	5	3	7	12	11	5	8	4	11	14	12	6	6	2	5	-	1	-		
	Nonwhite--F--	9	-	-	-	-	-	-	-	1	-	2	-	1	3	1	-	-	-	1	-	1	-	-	-	-	-	-	
	Nonwhite--F--	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	Tuberculosis of respiratory system, etc.*--																												
	White-----M--	287	-	-	1	-	-	1	1	9	6	19	20	21	20	20	25	30	37	28	22	16	5	5	-	1	-		
	White-----F--	171	-	-	-	-	-	1	-	5	3	10	7	10	12	11	21	19	25	16	16	9	4	1	1	-	-		
	Nonwhite--M--	105	-	-	1	-	-	1	3	3	7	12	10	5	8	8	4	11	12	11	6	6	1	4	-	-	-		
	Nonwhite--F--	8	-	-	-	-	-	-	-	-	2	-	1	1	3	1	-	-	-	1	-	1	-	-	-	-	-		
	Nonwhite--F--	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14-22	Tuberculosis (other forms)--																												
	White-----M--	20	2	-	-	2	-	-	-	2	-	-	-	2	1	-	2	1	3	1	1	1	1	1	1	-	-		
	White-----F--	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	1	1	-	-	-			
	Nonwhite--M--	10	-	-	-	2	-	-	-	2	-	-	-	1	-	-	-	-	2	1	-	-	1	1	-	-			
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
27	Dysentery-----																												
	White-----M--	9	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-			
	White-----F--	8	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-			
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
28	Malaria-----																												
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
30	Syphilis-----																												
	White-----M--	168	1	-	-	-	-	-	2	1	2	2	8	7	14	16	29	29	25	17	9	4	2	-	-	-			
	White-----F--	118	-	-	-	-	-	1	-	2	1	6	6	8	9	17	22	19	18	8	2	1	1	-	-				

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
97, 102	IOWA—Con. Arteriosclerosis and high blood pressure* White—M— F— Nonwhite—M— F—	561 292 263 4 2	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	8	13	34	67	105	127	121	61	15	2	1
107-109, 33	Pneumonia (all forms) and influenza— White—M— F— Nonwhite—M— F—	997 533 458 3 6	118 63 53 1 1	14 6 8 - -	11 6 5 - -	3 2 1 - -	6 4 1 - -	10 5 5 - -	2 2 1 - -	5 3 3 - -	4 3 2 - -	4 2 1 - -	4 3 3 - -	8 4 5 - -	15 10 10 - -	16 10 6 - -	31 20 11 - -	39 23 13 - -	50 31 17 - -	58 36 22 - -	99 59 40 - -	143 77 66 - -	159 71 57 - -	115 57 57 - -	53 26 27 - -	19 8 11 - -	6 2 4 - -	1
107	Bronchopneumonia— White—M— F— Nonwhite—M— F—	429 212 215 1 1	73 56 56 1 1	11 5 6 - -	6 3 3 - -	2 1 1 - -	3 2 1 - -	6 3 3 - -	-	4 1 3 - -	-	1 1 3 - -	4 1 3 - -	3 2 1 - -	5 3 1 - -	5 3 2 - -	10 6 4 - -	12 8 4 - -	18 7 5 - -	28 20 10 - -	62 31 31 - -	67 27 39 - -	57 16 29 - -	33 15 18 - -	7 2 5 - -	2	-	
108	Lobar pneumonia— White—M— F— Nonwhite—M— F—	341 193 144 2 2	22 13 8 - -	-	1 - - - -	-	-	-	1 - - - -	2 - - - -	2 - - - -	2 - - - -	4 2 1 - -	5 2 3 - -	8 5 3 - -	8 5 3 - -	15 9 6 - -	19 10 5 - -	24 16 9 - -	28 19 9 - -	47 26 21 - -	53 28 25 - -	49 16 17 - -	33 16 17 - -	10 6 4 - -	5 2 1 - -	2	1
109	Pneumonia (unspecified)— White—M— F— Nonwhite—M— F—	56 35 20 - -	13 6 7 - -	-	1 - - - -	-	-	-	-	-	-	-	1 - - - -	1 - - - -	1 - - - -	1 - - - -	3 - - - -	2 - - - -	6 - - - -	9 - - - -	2 - - - -	7 - - - -	4 - - - -	3 - - - -	-	-		
33	Influenza— White—M— F— Nonwhite—M— F—	171 93 78 - -	10 8 2 - -	3 1 2 - -	3 1 2 - -	1 1 1 - -	3 2 1 - -	2 - - - -	-	1 - - - -	1 - - - -	-	-	-	3 - - - -	2 - - - -	5 - - - -	5 - - - -	12 - - - -	6 - - - -	15 - - - -	26 - - - -	36 - - - -	21 - - - -	7 - - - -	7 - - - -	2	
117	Ulcer of stomach or duodenum— White—M— F— Nonwhite—M— F—	147 115 30 - -	-	-	-	-	-	-	-	-	1 - - - -	3 - - - -	3 - - - -	3 - - - -	3 - - - -	9 - - - -	14 - - - -	28 - - - -	12 - - - -	25 - - - -	15 - - - -	14 - - - -	13 - - - -	4 - - - -	-	-		
119, 120	Diarrhea, enteritis, etc.* White—M— F— Nonwhite—M— F—	123 61 61 - -	84 47 37 - -	2 - - - -	1 - - - -	2 - - - -	1 - - - -	-	1 - - - -	1 - - - -	-	-	1 - - - -	1 - - - -	2 - - - -	-	-	3 - - - -	5 - - - -	12 - - - -	6 - - - -	15 - - - -	26 - - - -	36 - - - -	21 - - - -	7 - - - -	7 - - - -	2
121	Appendicitis— White—M— F— Nonwhite—M— F—	104 67 35 - -	-	2 - - - -	3 - - - -	3 - - - -	3 - - - -	4 - - - -	2 - - - -	1 - - - -	6 - - - -	3 - - - -	4 - - - -	4 - - - -	13 - - - -	8 - - - -	7 - - - -	8 - - - -	6 - - - -	6 - - - -	9 - - - -	5 - - - -	4 - - - -	1 - - - -	-	-		
122	Hernia, intestinal obstruction— White—M— F— Nonwhite—M— F—	199 106 93 - -	10 6 4 - -	-	2 - - - -	1 - - - -	-	-	2 - - - -	1 - - - -	-	-	4 - - - -	2 - - - -	9 - - - -	9 - - - -	12 - - - -	9 - - - -	16 - - - -	24 - - - -	17 - - - -	24 - - - -	23 - - - -	19 - - - -	9 - - - -	6 - - - -	-	
124	Cirrhosis of the liver— White—M— F— Nonwhite—M— F—	153 95 56 - -	-	-	1 - - - -	1 - - - -	-	-	-	-	1 - - - -	1 - - - -	1 - - - -	9 - - - -	8 - - - -	11 - - - -	23 - - - -	12 - - - -	14 - - - -	21 - - - -	22 - - - -	12 - - - -	9 - - - -	6 - - - -	-	-		
126, 127	Biliary calculi, etc.* White—M— F— Nonwhite—M— F—	157 53 104 - -	1 - - - -	-	-	-	1 - - - -	-	-	-	-	-	1 - - - -	4 - - - -	2 - - - -	8 - - - -	12 - - - -	10 - - - -	25 - - - -	24 - - - -	23 - - - -	19 - - - -	16 - - - -	7 - - - -	2 - - - -	-	-	
130-132	Nephritis— White—M— F— Nonwhite—M— F—	1,517 727 570 - -	1 - - - -	1 - - - -	-	-	1 - - - -	2 - - - -	5 - - - -	3 - - - -	8 - - - -	10 - - - -	11 - - - -	17 - - - -	17 - - - -	38 - - - -	71 - - - -	74 - - - -	112 - - - -	140 - - - -	172 - - - -	221 - - - -	195 - - - -	151 - - - -	58 - - - -	11 - - - -	-	
137	Diseases of the prostate— White—M— Nonwhite—M—	204 202 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6 - -	13 - -	18 - -	29 - -	42 - -	51 - -	33 - -	9 - -	3 - -	-	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

303

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99		
IOWA—Con.																												
140-150	Diseases of pregnancy, etc.*	59	-	-	-	-	-	-	-	6	11	12	13	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	58	-	-	-	-	-	-	-	6	11	12	13	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicemia	20	-	-	-	-	-	-	-	1	4	6	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	1	4	6	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	12	-	-	-	-	-	-	-	2	3	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	-	-	-	-	-	-	-	2	3	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock*	24	-	-	-	-	-	-	-	2	2	4	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	-	2	2	4	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145b, 150	Other puerperal causes	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	372	325	10	5	3	2	2	3	1	5	4	1	1	-	1	3	-	1	1	2	1	1	-	-	-	-	-
	White—M	204	181	3	1	1	1	2	2	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	165	141	7	4	3	1	1	3	-	-	3	-	1	-	1	3	-	-	-	2	1	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,052	1,092	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	629	629	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	446	446	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	668	668	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	362	362	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	295	295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year	424	424	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	257	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide	376	-	-	-	-	-	-	2	4	8	22	12	29	33	48	44	41	44	35	18	18	13	2	3	-	-	
	White—M	286	-	-	-	-	-	-	2	2	7	13	9	22	25	37	38	28	36	25	15	12	11	2	2	-	-	
	White—F	88	-	-	-	-	-	-	-	2	1	8	3	7	8	11	6	13	8	10	3	6	2	1	1	-	-	
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-169	Homicide	48	3	-	-	2	-	2	1	4	4	2	5	5	6	3	6	3	1	1	-	-	-	-	-	-	-	
	White—M	30	2	-	-	-	-	1	1	2	2	2	3	4	3	6	2	2	1	1	-	-	-	-	-	-	-	
	White—F	15	1	-	-	2	-	1	-	2	1	-	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths	1,896	59	26	23	7	11	46	52	98	119	95	82	63	49	65	68	89	94	101	145	164	198	167	59	14	-	2
	White—M	1,160	31	15	15	4	9	26	44	73	88	77	65	46	40	50	58	65	73	66	83	89	89	41	18	5	-	-
	White—F	722	26	11	8	3	2	20	8	23	19	18	16	16	9	15	9	22	20	25	62	95	109	126	41	9	-	-
	Nonwhite—M	10	1	-	-	-	-	-	-	2	1	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	568	5	8	8	4	4	17	9	53	70	57	43	32	18	31	25	36	39	36	30	24	14	5	-	-	-	-
	White—M	421	5	4	3	2	3	12	7	34	56	43	32	23	13	24	18	27	32	25	23	17	12	5	-	-	-	-
	White—F	141	-	2	3	2	1	5	2	19	13	14	11	9	5	7	6	8	7	11	7	7	2	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,330	54	20	17	3	7	29	43	45	49	38	39	31	34	34	43	53	55	65	115	140	184	162	59	13	-	1
	White—M	739	26	11	12	2	6	14	37	39	42	34	35	25	27	26	40	39	41	41	60	52	77	36	18	4	-	-
	White—F	581	26	9	5	1	1	15	6	4	8	4	5	7	4	8	3	14	13	24	55	88	107	126</				

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
KANSAS—Con.																												
45-55	Cancer and other malignant tumors	2,405	1	2	-	-	2	2	4	5	7	15	34	48	90	121	177	236	282	357	378	515	208	98	35	6	1	1
	White—M	1,180	1	-	-	-	2	2	4	7	15	34	48	90	121	177	236	282	357	378	515	208	98	35	6	1	1	
	White—F	1,173	-	2	-	-	-	2	1	-	10	24	31	54	75	105	124	157	156	159	140	79	49	21	3	-	1	
	Nonwhite—M	56	-	-	-	-	-	-	-	-	-	-	1	2	2	4	7	10	11	7	5	1	1	-	-	-	-	
	Nonwhite—F	56	-	-	-	-	-	-	-	-	-	-	-	2	2	3	8	4	10	7	6	3	-	-	-	-	1	
46	Cancer of the digestive organs and peritoneum	1,013	-	1	-	-	-	1	-	1	2	10	11	18	31	70	95	124	156	161	153	105	37	12	3	-	-	1
	White—M	523	-	-	-	-	-	1	1	1	1	4	3	13	15	28	46	62	79	109	80	60	15	5	1	-	-	1
	White—F	440	-	1	-	-	-	-	-	-	1	6	7	5	14	38	45	54	66	67	67	39	21	6	2	-	-	1
	Nonwhite—M	30	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	6	5	3	4	3	1	1	1	-	-	-
	Nonwhite—F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	6	3	2	-	-	-	-	-	-
48,49	Cancer of female genital organs	514	-	-	-	-	-	-	-	-	6	12	10	23	56	37	29	39	57	57	54	31	11	4	4	-	1	-
	White—M	293	-	-	-	-	-	-	-	-	6	11	10	23	51	34	26	38	54	53	28	11	4	4	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	-	-	1	-	-	5	5	3	1	3	1	3	-	-	-	-	-	-	1
	Nonwhite—F	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	246	-	-	-	-	-	-	-	-	2	9	19	23	18	33	30	31	35	35	22	14	8	2	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	White—F	235	-	-	-	-	-	-	-	-	2	7	17	23	16	32	29	30	31	31	22	14	8	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1	1	1	2	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	832	1	1	-	-	2	1	4	4	6	7	10	18	30	31	52	79	88	113	128	109	78	49	17	3	-	-
	White—M	595	1	-	-	-	2	1	3	3	6	4	5	10	20	20	37	51	68	81	95	84	61	33	8	2	-	-
	White—F	205	-	1	-	-	-	2	1	-	3	5	7	9	7	15	21	16	28	28	25	15	16	9	1	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	-	-	1	1	2	-	5	4	6	4	1	2	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-
58	Acute rheumatic fever	12	-	-	-	-	-	2	2	-	-	-	1	-	-	-	3	-	1	-	1	-	-	1	1	-	-	-
	White—M	8	-	-	-	-	-	1	2	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
	White—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	481	1	1	1	1	1	3	1	6	7	3	7	5	16	19	57	57	61	86	60	48	16	3	1	-	-	-
	White—M	196	1	1	1	-	-	2	1	2	4	2	3	3	6	4	17	18	38	38	28	22	5	1	-	-	-	-
	White—F	260	-	-	-	1	1	1	-	4	2	1	4	2	9	12	17	37	36	43	51	25	11	2	1	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	3	1	-	-	-	-	-	-	-
	Nonwhite—F	17	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	-	-	7	2	-	1	-	-	-	-	-
65b	Exophthalmic goiter	31	-	-	-	-	-	-	-	1	-	2	-	3	3	5	3	3	3	3	3	3	1	1	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	3	3	3	1	1	-	-	-	-	-	-
	White—F	26	-	-	-	-	-	-	-	1	-	1	-	3	2	3	3	3	3	3	2	3	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-
	White—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylien)	10	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	2	1	1	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	1	1	1	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intra-cranial lesions of vascular origin	2,119	2	-	-	-	1	-	2	2	5	4	11	22	55	58	117	161	254	365	423	341	216	66	10	4	-	-
	White—M	1,046	1	-	-	-	-	1	1	3	1	2	7	23	21	54	82	150	189	218	166	104	21	7	3	-	-	-
	White—F	958	-	-	-	-	-	1	2	1	3	7	9	26	27	49	64	90	159	194	164	108	42	3	3	-	-	-
	Nonwhite—M	59	-	-	-	-	-	-	-	1	-	-	-	3	2	6	9	4	8	11	5	7	1	1	-	-	-	-
	Nonwhite—F	56	-	-	-	-	-	-	-	-	-	-	2	3	4	5	11	6	6	6	6	4	3	2	-	-	-	
90-95	Diseases of the heart	5,819	2	2	2	1	1	5	8	7	13	25	54	111	153	247	411	592	730	860	1,001	840	534	189	44	4	3	
	White—M	3,473	1	1	1	1	4	4	4	10	13	32	79	107	181	289	413	484	512	573	414	280	88	19	1	1		
	White—F	2,093	-	-	-	-	1	4	3	2	10	15	25	28	45	96	150	212	317	396	406	264	97	18	1	1		
	Nonwhite—M	155	-	-	-	-	-	-	-	-	1	5	11	9	9	20	19	19	25	11	4	1	2	1	2	1		
	Nonwhite—F	118	-	1	-	-	-	-	-																			

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

307

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
KANSAS—Con.																												
140-150	Diseases of pregnancy, etc.*	46	-	-	-	-	-	-	1	4	9	13	11	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	39	-	-	-	-	-	-	1	5	8	12	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	14	-	-	-	-	-	-	1	1	5	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	1	1	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	12	-	-	-	-	-	-	-	2	4	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	2	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock	11	-	-	-	-	-	-	-	-	-	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	-	-	-	-	-	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141A, 145B, 150	Other puerperal causes	9	-	-	-	-	-	-	-	1	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	1	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	242	194	8	4	2	2	8	3	5	5	2	1	2	1	2	2	-	-	1	-	-	-	-	-	-	-	-
	White—M	145	116	6	3	2	2	5	3	5	4	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	92	73	1	1	2	3	3	2	1	1	1	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	688	688	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	382	382	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	415	415	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	235	235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide	214	-	-	-	-	-	2	7	11	14	17	13	8	25	24	14	20	18	16	18	5	2	-	-	-	-	
	White—M	185	-	-	-	-	-	5	9	12	11	6	5	19	20	13	15	14	13	15	4	2	-	-	-	-		
	White—F	46	-	-	-	-	-	2	1	2	5	7	3	5	4	1	5	4	3	3	1	-	-	-	-	-		
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
165-168	Homicide	67	3	-	1	-	-	4	6	10	9	6	6	4	4	4	4	3	1	1	2	-	2	1	-	-		
	White—M	32	1	-	-	-	-	3	4	6	1	2	2	2	2	2	1	2	1	1	2	-	1	1	-	-		
	White—F	9	-	-	1	-	-	-	-	1	1	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	17	-	-	-	-	-	1	2	2	2	3	1	1	2	2	1	1	-	-	-	-	-	-	-	-		
	Nonwhite—F	9	1	-	-	-	-	-	-	1	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
169-195	Accidental deaths	1,379	42	30	14	15	11	48	41	79	118	86	96	56	56	48	39	67	60	59	71	114	120	104	36	10	1	
	White—M	869	24	13	8	8	7	31	26	62	98	69	47	43	38	23	47	46	42	37	50	57	36	12	2	-	-	
	White—F	448	15	16	5	6	4	17	11	16	11	16	3	12	10	5	12	15	10	14	30	59	65	66	24	7	1	
	Nonwhite—M	42	2	-	1	-	-	3	1	7	1	4	2	2	3	2	4	3	2	3	1	3	-	1	-	-		
	Nonwhite—F	20	1	1	-	1	-	-	-	2	-	2	1	1	-	-	1	1	1	1	3	-	-	1	-	-		
170	Motor-vehicle accidents	430	4	8	6	7	2	19	12	39	65	39	21	22	31	19	15	23	23	19	17	16	18	4	-	-		
	White—M	309	2	2	2	4	1	10	8	28	57	28	18	16	21	14	8	16	17	16	11	13	16	1	-	-		
	White—F	109	2	6	4	3	1	9	4	11	5	11	3	7	7	4	6	7	5	2	4	3	2	3	-	-		
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-		
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
169, 171-195	Other accidents	949	38	22	8	8	9	29	29	40	53	47	35	33	25	27	24	44	37	40	54	98	102	100	36	10	1	
	White—M	560	22	11	6	4	6	21	18	34	41	41	29	27	22	24	15	31	29	26	26	37	41	35	12	2		
	White—F	339	13	10	1	3	3	8	7	5	6	5	-	5	3	1	6	8	5	12	26	56	61	63	24	7		
	Nonwhite—M	33	2	-	1	-	-	3	1	5	1	4	-	-	2	1	4	2	2	1	2	-	-	1	-			
	Nonwhite—F	17	1	1	-	1	-	1	-	1	-	-	2	1	-	-	1	1	1	3	-	-	1	-	-			
162, 199, 200	Senility, ill-defined and unknown causes	271	14																									

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY																											
	ALL CAUSES-----	29,371	2,971	226	115	73	64	223	177	389	558	594	500	729	933	1,134	1,482	1,795	2,249	2,843	3,213	3,227	2,536	1,592	517	111	38	2
	White---M---	14,109	1,582	118	58	35	29	121	107	216	305	318	290	348	450	533	734	894	1,127	1,454	1,620	1,590	1,218	707	213	33	11	1
	White---F---	10,821	1,180	92	51	35	30	85	58	121	178	179	204	241	280	347	430	554	799	1,050	1,277	1,365	1,136	766	264	57	12	-
	Nonwhite-M---	1,834	103	7	4	-	2	12	8	23	35	47	52	58	104	137	175	202	173	194	172	131	97	65	18	7	7	1
	Nonwhite-F---	1,607	106	9	2	3	4	5	4	29	40	50	44	82	89	117	143	145	150	145	144	121	87	44	22	14	8	-
1,2	Typhoid and paratyphoid fever---	16	1	-	-	-	-	-	1	3	-	2	1	-	2	-	2	1	-	3	-	-	-	-	-	-	-	-
	White---M---	9	1	-	-	-	-	-	1	1	-	1	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-
	White---F---	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite-M---	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F---	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis---	28	7	1	3	1	2	2	1	2	-	2	1	-	-	2	-	1	1	2	-	-	-	-	-	-	-	-
	White---M---	12	3	1	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---F---	13	4	-	1	-	1	1	1	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite-M---	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever---	9	-	1	1	-	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M---	4	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F---	5	-	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	91	67	15	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M---	30	24	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F---	44	28	9	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M---	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F---	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria---	47	3	5	6	7	6	15	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White---M---	23	1	4	2	3	3	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F---	23	1	1	4	4	3	7	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)---	1,472	13	15	6	3	1	13	12	56	115	123	118	126	123	115	115	113	98	118	68	68	35	14	4	-	-	-
	White---M---	866	8	7	3	1	1	5	2	13	33	42	50	67	60	58	67	67	55	55	26	25	14	4	1	-	-	-
	White---F---	548	4	7	2	-	-	4	5	20	57	54	50	41	41	28	25	25	33	33	33	40	16	9	3	-	-	-
	Nonwhite-M---	145	1	-	-	-	2	2	9	5	12	10	10	16	21	17	16	6	6	7	5	2	4	-	-	-	-	-
	Nonwhite-F---	115	-	1	1	2	-	3	14	20	15	8	8	6	8	9	5	4	5	5	2	1	1	1	-	-	-	-
15	Tuberculosis of respiratory system, etc.---	1,546	5	6	4	-	-	6	7	47	110	116	110	119	120	105	110	104	80	109	61	65	34	14	4	-	-	
	White---M---	615	3	4	2	-	-	2	12	31	41	44	64	59	52	65	62	51	54	25	24	14	4	1	-	-	-	
	White---F---	504	2	2	2	-	-	2	3	16	55	46	46	40	41	28	22	23	31	44	31	38	16	9	3	-	-	
	Nonwhite-M---	129	-	-	-	-	-	1	1	6	5	12	10	9	15	19	15	14	6	6	4	2	3	-	-	-		
	Nonwhite-F---	100	-	-	-	-	-	1	3	11	18	15	8	6	6	8	5	2	5	5	1	1	1	1	-	-		
14-22	Tuberculosis (other forms)---	126	8	9	2	3	1	7	5	9	5	7	8	7	3	10	5	9	8	9	7	3	1	-	-	-	-	
	White---M---	53	5	3	1	1	3	2	1	2	1	6	3	2	6	2	2	5	4	4	1	3	1	-	-	-	-	
	White---F---	42	2	5	-	-	2	2	4	2	6	2	1	-	1	1	2	2	2	7	2	2	-	-	-	-		
	Nonwhite-M---	16	1	-	-	-	1	1	1	-	-	-	-	1	1	3	2	2	1	1	1	1	1	-	-	-		
	Nonwhite-F---	15	-	1	1	2	-	1	3	1	-	-	2	-	1	-	-	2	-	-	1	-	-	-	-	-		
27	Dysentery---	40	22	2	2	-	-	2	-	-	-	-	1	-	-	1	-	-	4	1	1	-	1	3	-	-		
	White---M---	21	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	2	-	-		
	White---F---	15	8	1	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-		
	Nonwhite-M---	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
	Nonwhite-F---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
29	Malaria---	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	-		
	White---M---	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-		
	White---F---	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-		
	Nonwhite-M---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
	Nonwhite-F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
50	Syphilis---	191	10	1	1	-	-	1	-	-	4	4	10	9	17	17	24	25	23	20	11	9	2	3	-	-		
	White---M---	90	2	-	-	-	-	1	-	-	2	2	4	4	10	5	14	12	12	13	5	6	2	-	-			
	White---F---	42	4	1	1	-	-	-	-	4	1	3	1	2	4	4	3	2	5	3	3	3	2	-	-			
	Nonwhite-M---	36	2	-	-	-	-	-	-	-	-	-	3	2	4	5	4	9	5	2								

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
KENTUCKY—Con.																												
45-55	Cancer and other malignant tumors	2,853	3	3	3	5	4	1	9	4	23	20	44	73	137	178	247	309	358	441	373	339	250	130	23	5	1	-
	White—M—	1,275	2	2	2	2	2	1	5	3	13	9	15	11	42	63	85	120	149	197	182	184	109	55	11	1	-	-
	White—F—	1,410	1	1	1	3	1	-	4	-	5	9	22	55	71	99	110	150	173	207	176	142	110	67	12	3	-	-
	Nonwhite—M—	119	-	-	-	-	-	-	-	1	3	-	1	2	11	7	23	16	17	9	4	4	3	-	-	1	-	-
	Nonwhite—F—	158	-	-	-	-	1	-	-	-	2	2	6	7	13	19	19	23	19	20	6	9	7	5	-	1	-	-
46	Cancer of the digestive organs and peritoneum—	1,308	1	1	-	1	1	1	-	-	7	4	10	15	53	62	91	125	184	212	166	180	111	52	7	3	1	-
	White—M—	611	1	1	-	1	1	1	-	-	6	3	3	5	22	34	40	60	90	103	85	96	40	16	3	-	-	-
	White—F—	594	-	-	-	-	-	-	-	1	1	6	7	18	21	34	52	76	91	96	82	68	55	4	4	2	1	-
	Nonwhite—M—	55	-	-	-	-	-	-	-	-	-	-	1	1	7	3	11	8	8	4	1	2	1	-	-	-	-	-
	Nonwhite—F—	48	-	-	-	-	-	-	-	-	-	-	1	2	6	4	6	5	10	10	1	1	1	-	-	-	-	-
48,49	Cancer of female genital organs—	414	-	-	-	-	-	-	-	-	1	5	12	23	36	53	48	56	41	50	36	26	15	12	-	-	-	-
	White—F—	351	-	-	-	-	-	-	-	-	1	3	9	20	32	42	38	49	37	46	34	21	12	8	-	-	-	-
	Nonwhite—F—	63	-	-	-	-	-	-	-	-	1	2	3	3	4	11	10	7	4	4	2	5	3	4	-	-	-	-
50	Cancer of breast—	234	-	-	-	-	-	-	-	-	2	5	8	20	15	21	30	30	34	28	17	11	11	11	2	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	2	4	7	17	13	20	28	28	25	17	9	10	2	-	-	-
	White—F—	211	-	-	-	-	-	-	-	-	-	-	2	4	7	17	13	20	28	28	31	28	17	9	10	2	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	5	1	3	3	-	-	2	1	-	-	-
	Nonwhite—F—	23	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	5	1	3	3	-	-	2	1	-	-	-
45,47, 51-55	Cancer (other sites)—	1,007	2	2	3	4	3	9	4	15	9	17	27	28	28	48	87	98	103	145	123	116	93	55	14	2	-	-
	White—M—	664	1	1	2	1	1	5	3	7	6	12	6	20	22	29	55	60	59	94	97	86	69	39	6	1	-	-
	White—F—	254	1	1	1	3	1	4	-	4	3	3	19	4	13	18	24	31	39	21	22	22	14	6	1	-	-	-
	Nonwhite—M—	64	-	-	-	-	-	-	-	1	3	-	1	1	4	4	12	8	9	5	3	3	2	2	-	-	-	-
	Nonwhite—F—	25	-	-	-	-	1	-	-	-	1	-	1	1	-	2	2	6	4	3	-	3	1	-	-	-	-	-
58	Acute rheumatic fever—	30	-	2	-	-	1	7	6	2	1	-	-	2	1	-	2	1	1	2	1	-	1	1	-	-	-	-
	White—M—	16	-	-	-	-	2	2	5	2	-	-	-	1	1	-	2	2	2	1	-	-	-	-	-	-	-	-
	White—F—	9	-	2	-	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus—	485	1	1	-	-	2	2	12	4	6	2	9	10	9	24	49	65	104	66	73	40	12	5	-	1	-	-
	White—M—	168	1	1	-	-	1	1	5	2	3	1	4	4	3	12	18	11	39	31	28	20	2	1	-	-	-	-
	White—F—	264	-	-	-	-	1	1	7	2	3	1	4	2	5	9	26	45	55	32	42	18	9	2	1	-	-	-
	Nonwhite—M—	17	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	2	1	2	1	-	-	-	-	-
	Nonwhite—F—	26	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	5	8	8	2	1	-	-	-	-	-	-
65b	Exophthalmic goiter—	46	-	-	-	-	-	-	-	-	2	5	4	7	6	2	1	8	3	4	2	1	-	1	-	-	-	-
	White—M—	6	-	-	-	-	-	-	-	-	2	2	2	1	1	2	2	2	2	2	1	-	-	-	-	-	-	-
	White—F—	38	-	-	-	-	-	-	-	-	2	3	2	6	6	2	1	6	3	4	2	2	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Pellagra (except alcoholic)—	23	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	5	4	3	3	1	-	-	-	-
	White—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
	White—F—	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	4	2	2	3	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)—	31	-	-	-	-	-	-	-	2	-	4	4	4	5	3	5	5	5	-	-	2	1	-	-	-	-	-
	White—M—	24	-	-	-	-	-	-	-	2	-	2	4	4	4	1	3	3	5	-	-	2	1	-	-	-	-	-
	White—F—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	2,860	6	3	1	-	-	3	4	9	9	11	29	54	101	161	194	270	388	484	483	364	208	52	13	3	-	-
	White—M—	1,307	2	2	1	-	-	2	2	3	1	4	11	17	34	56	89	112	198	245	247	168	87	20	5	1	-	-
	White—F—	1,108	3	1	-	-	-	1	1	4	6	4	11	17	31	59	57	100	138	178	182	164	109	27	5	-	-	-
	Nonwhite—M—	202	-	-	-	-	-	-	-	1	-	1	6	2	1	20	24	27	28	29	17	14	6	1	2	-	-	-
	Nonwhite—F—	243	1	-	-	-	-	1	2	1	3	6	12	15	26	24	31	33	32	27	18	4	4	1	2	-	-	-
90-95	Diseases of the heart—	7,668	12	3	4	4	7	12	30	36	48	49	106	192	282	420	600	824	967	1,254	1,205	877	524	168	38	12	-	-
	White—M—	3,904	8	2	3	1	2	3	7	17	11	20	20	45	103	151	225	324	443	529	647	588	428	248	63	13	4	-
	White—F—	2,813	4	1	1	3	1	4	5	8	11	25	10	27	46	79	99	160	235	327	494	517	589	240	84	15	2	-
	Nonwhite—M—	485	-	-	-	-	-	1	2	1	9	14	21															

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1 to 2	3 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
97, 102	KENTUCKY—Con. Arteriosclerosis and high blood pressure* White—M— F— Nonwhite—M— F—	622 292 238 60 32	-	-	-	-	-	-	1	-	1	1	1	1	6	17	28	53	90	128	133	120	36	5	1	-	
107-109, 33	Pneumonia (all forms) and influenza White—M— F— Nonwhite—M— F—	1,613 828 750 131 104	429 224 165 15 25	61 29 25 2 5	24 8 14 1 -	10 5 6 1 -	7 13 6 2 -	21 6 5 1 -	11 6 8 1 2	12 5 4 1 5	21 7 9 1 5	29 7 10 7 3	30 17 6 4 3	53 21 11 14 7	63 24 15 17 7	64 23 25 11 7	81 42 48 11 3	118 52 28 14 4	171 61 75 8 7	184 67 106 6 5	147 72 67 7 4	153 74 71 5 5	56 24 30 1 2	17 6 10 - 1	5 2 2 - 1	-	
107	Bronchopneumonia White—M— F— Nonwhite—M— F—	711 354 294 36 47	229 117 86 10 16	35 16 15 1 3	15 3 11 1 -	3 2 1 1 -	4 5 3 1 -	8 3 2 1 -	6 5 2 1 4	10 2 1 - 5	8 3 4 1 3	9 5 2 1 -	5 2 1 - -	16 9 5 1 3	17 7 6 2 2	21 10 11 2 2	25 12 10 2 -	31 18 24 2 1	54 26 34 4 2	64 26 34 3 1	46 22 22 2 2	67 33 30 1 3	18 9 10 - 1	9 4 9 - 1	2 1 4 - 1	-	
108	Lobar pneumonia White—M— F— Nonwhite—M— F—	462 202 175 54 31	68 31 33 2 2	6 5 2 - 2	3 3 1 - -	3 2 3 - -	6 1 3 - -	1 2 1 - -	4 3 2 - -	2 1 2 - -	7 4 3 - 3	8 1 1 - 1	10 6 4 - 5	13 6 2 - 3	21 10 7 - 2	24 5 9 - 5	28 16 17 - 1	46 20 17 - 8	51 27 32 - 1	51 14 20 - 4	35 20 12 - 1	27 14 13 - -	13 4 4 - 2	4 1 3 - -	2 1 2 - -	-	
109	Pneumonia (un-specified) White—M— F— Nonwhite—M— F—	282 147 110 17 8	92 55 30 3 4	9 6 2 - -	3 1 1 - -	1 5 1 - -	6 5 1 - -	-	-	3	4	4	3	4	8	8	9	15	24	33	22	19	7	1	1	-	
33	Influenza White—M— F— Nonwhite—M— F—	358 145 171 24 18	40 21 16 1 3	6 2 5 - -	3 1 3 - -	2 1 2 - -	1 2 2 - -	4 1 2 - 1	5 6 2 - -	6 2 2 - 2	5 2 2 - 1	7 1 5 - 1	8 5 2 - 2	7 5 1 - 1	13 2 3 - 2	11 2 5 - 2	21 10 6 - 2	26 18 11 - 2	42 18 21 - 2	38 16 22 - -	46 21 24 - 1	40 14 10 - -	18 3 10 - -	3 1 3 - -	-	-	
117	Ulcer of stomach or duodenum White—M— F— Nonwhite—M— F—	135 96 25 7 5	-	-	-	-	1	1	2	4	3	9	4	13	14	14	16	13	19	7	6	5	3	-	-	-	
119, 120	Diarrhea, enteritis, etc.* White—M— F— Nonwhite—M— F—	248 129 104 8 7	175 101 68 2 4	16 6 9 1 -	6 4 2 - -	1 - 2 - 1	4 2 1 - -	1 - 1 - -	1 2 1 - -	1 1 1 - -	3 1 2 - 1	3 2 2 - -	2 - 1 - 1	5 - 3 - -	3 2 2 - -	2 1 1 - -	2 - - - -	2 - 2 - -	8 1 6 - 1	2 2 2 - -	6 2 2 - -	7 4 3 - -	-	-	-	-	
121	Appendicitis White—M— F— Nonwhite—M— F—	102 51 36 11 4	1	-	-	5	7	7	6	4	6	2	5	8	8	3	4	8	8	4	4	3	1	-	-	-	
122	Hernia, intestinal obstruction White—M— F— Nonwhite—M— F—	163 80 57 14 12	12 7 3 2 12	-	1	1	-	6	2	5	5	2	1	7	11	12	9	11	19	16	10	8	2	-	-	-	
124	Cirrhosis of the liver White—M— F— Nonwhite—M— F—	177 115 47 11 4	-	-	-	-	1	1	1	3	1	6	12	14	21	22	17	26	25	17	8	2	-	-	-		
126, 127	Biliary calculi, etc.* White—M— F— Nonwhite—M— F—	108 39 63 1 5	-	-	-	-	-	-	-	1	1	4	4	7	9	9	22	17	12	12	6	2	2	-	-		
130-132	Nephritis White—M— F— Nonwhite—M— F—	1,682 812 582 152 136	5 3 1 1 -	5 1 3 1 -	1 1 1 - -	2 2 1 - -	2 6 2 - -	9 3 3 - 1	7 6 4 - 1	10 5 3 - 1	10 4 5 - 2	18 10 11 - 7	32 14 15 - 10	47 12 15 - 14	57 19 16 - 15	76 35 20 - 15	94 58 24 - 15	139 68 39 - 10	203 108 81 - 15	241 110 86 - 21	307 172 102 - 11	251 129 98 - 12	113 55 50 - 2	45 23 20 - -	5 1 4 - -	2 1 2 - -	-
137	Diseases of the prostate White—M— Nonwhite—M—	127 108 19	-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	12	28	51	26	17	2	-	-		

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																											Not stated
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over			
KENTUCKY—Con.																														
140-150	Diseases of pregnancy, etc.*	140	-	-	-	-	-	-	-	19	29	19	29	26	17	2	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	123	-	-	-	-	-	-	-	17	26	16	27	21	14	2	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	17	-	-	-	-	-	-	-	2	3	3	1	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
140, 142a, 145a, 147	Puerperal septicemia	40	-	-	-	-	-	-	-	5	8	10	5	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	33	-	-	-	-	-	-	-	4	6	9	5	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	7	-	-	-	-	-	-	-	1	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
141a, c, 144, 148	Puerperal toxemia	41	-	-	-	-	-	-	-	4	11	4	5	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	36	-	-	-	-	-	-	-	3	11	3	5	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	5	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
141b, 143, 146, 149	Hemorrhage, trauma or shock*	49	-	-	-	-	-	-	-	7	9	5	15	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	46	-	-	-	-	-	-	-	7	9	4	14	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
141d, 145b, 150	Other puerperal causes	10	-	-	-	-	-	-	-	3	1	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	8	-	-	-	-	-	-	-	3	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
157	Congenital malformations	403	381	15	2	2	-	6	2	5	1	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
	White—M	228	204	6	2	1	-	5	1	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	160	144	7	-	1	-	1	1	-	-	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	8	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
158-161	Diseases peculiar to first year	1,493	1,493	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—M	807	807	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	589	589	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
159	Premature birth	919	919	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—M	481	481	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	390	390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
159, 160, 161	Other diseases peculiar to first year	574	574	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—M	326	326	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
163, 164	Suicide	263	-	-	-	-	-	-	-	8	17	25	21	17	30	22	15	24	24	20	18	13	7	3	1	-	-	-		
	White—M	204	-	-	-	-	-	-	-	5	13	17	14	15	20	18	13	19	19	16	12	12	5	3	1	-	-	-		
	White—F	51	-	-	-	-	-	-	-	3	4	6	7	2	7	4	2	5	4	2	4	1	-	-	-	-	-	-		
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-		
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
165-168	Homicide	292	2	-	-	-	-	-	-	14	32	62	31	35	31	20	30	7	10	7	4	1	6	-	-	-	-	-		
	White—M	166	-	-	-	-	-	-	-	8	17	33	19	18	25	11	16	3	6	4	2	4	-	-	-	-	-	-		
	White—F	32	1	-	-	-	-	-	-	3	3	6	3	4	2	1	2	2	2	1	1	2	-	-	-	-	-	-		
	Nonwhite—M	79	1	-	-	-	-	-	-	3	12	16	8	9	2	7	13	2	2	3	1	1	-	-	-	-	-	-		
	Nonwhite—F	15	-	-	-	-	-	-	-	-	7	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
169-195	Accidental deaths	2,235	103	42	24	22	21	91	65	152	192	161	151	129	96	108	104	81	89	98	101	128	140	97	30	6	1	1		
	White—M	1,470	50	31	15	13	11	49	47	125	161	129	121	103	72	79	74	51	60	64	53	61	53	34	11	2	-	1		
	White—F	588	47	10	5	8	9	34	13	21	21	22	19	13	12	15	17	14	23	25	40	60	61	59	18	3	1	-		
	Nonwhite—M	131	4	1	3	-	1	5	5	4	8	8	10	7	10	13	13	12	4	8	4	6	3	1	-	1	-	-		
	Nonwhite—F	46	2	-	1	1	-	3	-	2	2	2	1	6	2	3	-	4	2	1	4	1	3	3	1	2	-	-		
170	Motor-vehicle accidents	719	5	3	8	7	3	41	18	84	116	75	60	36	32	35	40	28	26	28	31	17	11	8	1	-	-	1		
	White—M	541	3	3	6	4	4	24	12	69	93	55	47	30	25	24	29	17	19	20	24	16	6	7	1	-	-	1		
	White—F	141	1	-	1	3	4	14	5	15	17	16	9	5	8	6	11	7	6	6	1	3	1	-	-	-	-	-		
	Nonwhite—M	32	1	-	1	-	-	3	1	-	6	3	1	1	4	-	-	4	1	3	1	-	-	-	-	-	-	-		
	Nonwhite—F	5	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
169, 171, 195	Other accidents	1,516	98	39	16	15	13	50	47	88	78	86	91	93	64	73	64	53	63	70	70	111	129	88	28	8	1	-		
	White—M	929	47	28	9	9	7	25	35	56	68	74	74	73	47	55	45	34	41	44	29	45	45	27	10	2	-	-		
	White—F	447	46	10	4	5	5	20	8	8	4	6	10	8	6	7	6	7	7	17	19	34	59	78	58	18	3	1	-	
	Nonwhite—M	99	3	1	2	-	1	2	4	4	2	5	7	6	9	9	13	8	3	6	3	6	3	1	-	1	-	-		
	Nonwhite—F	41	2	-	1	1	-	3	-	2	1	2	1	6	2	2	-	4	2	1	4	1	3	3	1	2	-	-		
162, 199, 200	Senility, ill-defined and unknown causes	672	112	5	1	-	-	2	2	1	2	7	2	7	12	12	13	14	22	42	64	60	115	91	53	20	12	1		
	White—M	288	57	2	-	-	-	2	1	-	2	4	2	6	5	4	7	9	14	23	29	18	48	37	21	3	4	-		
	White—F	306	46	3	1	-	-	1	1	-	1	-	-	-	6	4	5	3	6	16	25	36	56	44	31	15	4	-		
	Nonwhite—M	39	6	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	3	6	-	7	6	1	1	1	2	1		
	Nonwhite—F	20	3	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	2	-	4	4	4	-	-	1	2	-	
	All other causes	1,686	132	32	23	17	5	34	28	30	56	43	51	59	80	86	110	125	118	141	142</									

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	LOUISIANA																												
	ALL CAUSES-----	23,395	2,773	205	125	82	72	194	188	335	468	479	511	762	965	1,238	1,666	1,935	2,084	2,480	2,233	1,996	1,207	631	318	123	72	23	
	White---M--	8,040	907	40	34	22	25	54	57	111	139	159	154	246	312	411	590	777	807	958	835	738	381	280	85	22	6	8	
	White---F--	5,633	577	41	26	21	19	47	34	65	73	86	96	122	178	217	284	330	446	600	668	709	459	362	125	36	7	1	
	Nonwhite-M--	5,131	900	70	33	22	17	48	60	95	126	119	131	183	228	291	423	442	458	503	416	303	168	90	49	28	16	12	
	Nonwhite-F--	4,591	589	54	32	27	11	45	37	64	130	113	126	209	247	319	389	386	373	439	314	246	199	99	59	37	43	2	
1,2	Typhoid and paratyphoid fever	24	1	-	-	1	-	2	1	3	3	2	4	1	-	2	1	-	1	-	2	-	-	-	-	-	-	-	
	White---M--	5	-	-	-	-	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F--	5	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
	Nonwhite-M--	8	-	-	-	1	-	-	-	2	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	6	1	-	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cerebrospinal (meningococcus) meningitis	18	8	3	-	-	-	2	1	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
	White---M--	6	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F--	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M--	6	3	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	Whooping cough	68	52	9	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---M--	15	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F--	11	10	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M--	24	20	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	18	9	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	Diphtheria	22	2	4	4	3	2	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	White---M--	6	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F--	6	-	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M--	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	7	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13-22	Tuberculosis (all forms)	986	7	5	2	1	2	1	8	27	100	68	95	93	87	85	109	98	65	69	28	24	9	2	-	-	-	-	2
	White---M--	328	-	-	-	-	-	-	1	1	10	11	14	19	35	31	53	45	40	39	11	12	5	-	-	-	-	-	
	White---F--	103	-	2	-	-	-	-	5	5	10	15	11	5	9	4	9	7	7	5	8	-	1	-	-	-	-	-	
	Nonwhite-M--	289	3	2	1	-	2	1	3	7	29	19	27	29	24	25	38	32	14	15	8	4	3	1	-	-	-	-	
	Nonwhite-F--	266	4	1	1	-	-	4	14	56	29	39	34	23	20	20	14	10	4	8	4	-	1	-	-	-	-	-	
13	Tuberculosis of respiratory system, etc.	327	5	2	-	-	2	-	6	25	90	66	93	89	82	81	105	93	64	67	25	23	6	2	-	-	-	2	
	White---M--	320	-	-	-	-	-	-	1	1	10	11	14	18	35	30	52	44	40	39	9	12	4	-	-	-	-	-	
	White---F--	97	-	1	-	-	-	-	2	4	5	10	15	10	5	8	8	4	9	6	7	5	7	-	1	-	-		
	Nonwhite-M--	265	2	-	-	-	2	-	6	26	16	26	28	24	25	35	30	14	14	7	4	4	1	1	-	-	-	2	
	Nonwhite-F--	245	3	1	-	-	-	3	14	49	29	38	32	18	18	18	14	10	4	7	4	-	1	-	-	-	-	-	
14-22	Tuberculosis (other forms)	59	2	3	2	1	-	1	2	2	10	3	2	5	5	4	4	3	1	2	3	1	3	-	-	-	-	-	
	White---M--	8	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	-	2	-	1	-	-	-	-	-	
	White---F--	6	-	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	
	Nonwhite-M--	24	1	2	1	-	-	1	1	1	3	3	1	1	-	-	3	2	-	1	1	-	2	-	-	-	-	-	
	Nonwhite-F--	21	1	-	1	-	-	-	1	-	7	-	1	2	5	2	-	-	-	1	-	-	-	-	-	-	-	-	
27	Dysentery	17	4	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	1	1	2	2	-	-	-	-	-	
	White---M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	
	White---F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	
	Nonwhite-M--	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite-F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
28	Malaria	10	2	1	-	-	-	1	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	1	-	-	-	
	White---M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	Nonwhite-M--	5	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
30	Syphilis	408	45	4	-	-	-	2	1	1	3	3	7	36	36	52	50	50	47	38	11	15	2	4	-	1	-	-	
	White---M--	83	2	1	-	-	-	1	-	-	-	-	1	8	6	7	9	11	7	16	6	7	-	1	-	-	-	-	
	White---F--	22	3	1	-	-	-	1	-	-	-	-	3	1	3	-	3	5	-	1	1	-	-	-					

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Net stat-ed	
45-55	LOUISIANA—Con. Cancer and other malignant tumors	2,753	1	3	2	3	3	8	7	9	14	28	48	81	143	208	300	359	561	371	315	242	121	74	14	6	1	1	
	White—M—	1,003	2	2	2	1	3	4	3	4	10	10	10	18	32	53	75	135	142	166	156	117	47	38	2	—	—	—	
	White—F—	856	—	—	—	1	2	1	3	5	7	17	34	50	67	90	106	105	94	99	74	47	27	6	1	—	—	—	
	Nonwhite—M—	415	1	—	—	—	1	2	1	2	2	4	5	9	19	36	62	53	60	58	50	26	12	6	4	1	1	—	
	Nonwhite—F—	479	1	—	—	—	1	1	1	1	3	7	16	30	42	52	73	65	54	53	30	25	15	3	2	4	—	—	
46	Cancer of the digestive organs and peritoneum—	1,054	—	1	—	—	—	1	3	3	5	11	11	24	39	66	104	123	153	173	153	101	57	31	4	2	—	—	—
	White—M—	403	—	1	—	—	—	—	2	2	2	4	2	5	11	19	26	37	58	87	59	49	19	20	—	—	—	—	—
	White—F—	231	—	—	—	—	—	—	—	—	—	—	—	9	9	14	22	38	43	34	51	33	24	7	2	1	—	—	—
	Nonwhite—M—	220	—	—	—	—	—	1	1	—	1	3	4	5	10	21	34	29	33	28	30	11	5	2	2	2	—	—	—
	Nonwhite—F—	150	—	—	—	—	—	—	—	1	2	4	1	5	8	12	22	19	19	24	13	8	9	2	—	—	—	—	—
48,49	Cancer of female genital organs—	401	—	—	—	—	—	—	—	—	—	9	18	25	40	50	59	48	53	47	21	20	6	1	—	2	—	—	—
	White—F—	213	—	—	—	—	—	—	—	—	—	7	5	8	19	27	33	21	33	29	14	11	5	1	—	—	—	—	—
	Nonwhite—F—	188	—	—	—	—	—	—	—	—	2	13	17	17	21	23	26	27	20	16	7	9	3	—	—	—	—	—	—
50	Cancer of breast—	197	—	—	—	—	—	—	—	—	1	—	3	14	24	17	34	33	20	12	18	9	4	5	2	1	—	—	—
	White—M—	134	—	—	—	—	—	—	—	—	1	—	3	8	16	11	21	21	12	10	15	5	4	5	2	1	—	—	—
	White—F—	61	—	—	—	—	—	—	—	—	—	—	—	6	8	6	13	12	6	2	3	4	—	—	—	—	—	—	—
	Nonwhite—M—	197	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
45,47, 51-55	Cancer (other sites)—	1,071	1	2	2	3	3	7	4	6	8	8	16	28	41	75	103	155	135	139	123	112	52	37	8	1	1	1	1
	White—M—	598	1	2	2	1	3	2	1	2	6	6	13	21	34	49	98	82	79	68	77	68	28	18	2	—	—	—	—
	White—F—	198	—	—	—	—	—	—	—	—	—	—	—	5	9	6	15	14	26	17	21	19	25	14	14	2	—	—	—
	Nonwhite—M—	195	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
58	Acute rheumatic fever—	21	—	1	—	—	—	1	2	5	3	1	1	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
61	Diabetes mellitus—	440	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M—	105	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F—	205	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	38	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
63b	Exophthalmic goiter—	27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F—	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)—	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
77	Alcoholism (ethylian)—	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—M—	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
83	Intracranial lesions of vascular origin—	1,975	4	4	3	3	2	6	2	4	4	11	15	27	77	121	157	199	234	303	281	221	149	102	26	14	6	1	1
	White—M—	546	1	—	1	1	2	—	—	—	—	3	2	7	12	24	26	46	66	99	105	63	40	37	6	1	1	—	—
	White—F—	506	1	1	1	—	—	—	—	—	—	1	3	3	4	17	32	36	26	54	67	74	52	46	10	2	1	—	—
	Nonwhite—M—	418	2	—	—	—	—	—	—	—	—	3	2	7	4	23	20	44	51	54	71	53	45	18	7	5	5	—	—
	Nonwhite—F—	505	—	3	1	1	—	—	—																				

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,
(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated			
97, 102	LOUISIANA—Con.																											
	Arteriosclerosis and high blood pressure*	286	-	-	-	-	-	-	2	1	6	6	6	6	16	25	35	31	53	37	28	21	7	6	-			
	White—M	86	-	-	-	-	-	-	-	-	1	1	2	2	1	5	9	11	24	9	11	3	2	1	-			
	White—F	87	-	-	-	-	-	-	-	-	-	1	3	1	2	4	7	9	17	18	12	5	1	1	-			
	Nonwhite—M	59	-	-	-	-	-	-	-	1	1	1	3	2	5	10	8	8	6	7	-	5	1	1	-			
Nonwhite—F	54	-	-	-	-	-	-	-	1	1	3	-	1	2	4	3	9	8	6	3	5	3	1	4	-			
107-109, 33	Pneumonia (all forms) and influenza	1,200	410	53	23	14	10	13	15	11	22	13	18	23	39	42	30	50	48	61	73	81	59	39	20	10	4	
	White—M	311	82	5	3	2	4	4	2	1	9	2	6	8	6	11	7	18	21	26	23	29	23	9	9	1	-	
	White—F	251	70	11	4	3	3	4	3	4	1	1	3	3	6	2	8	4	16	24	30	21	18	6	6	6	-	
	Nonwhite—M	330	139	18	8	7	3	2	4	3	3	4	7	8	11	12	8	14	12	16	19	9	12	8	1	-	2	
	Nonwhite—F	308	119	19	8	2	-	3	6	3	6	6	4	4	18	13	13	12	11	23	7	13	3	8	4	3	2	
107	Bronchopneumonia	601	265	34	14	10	4	6	8	4	9	6	3	8	14	15	11	19	17	24	34	32	28	18	12	5	1	
	White—M	182	56	3	-	1	1	1	1	1	3	1	2	3	1	7	2	7	8	7	15	13	10	4	6	2	-	
	White—F	130	43	7	2	2	2	2	1	2	3	1	-	2	-	1	1	2	2	8	10	14	6	2	3	3	-	
	Nonwhite—M	166	91	11	7	5	1	1	3	1	2	2	1	1	4	5	4	5	2	3	6	1	4	4	1	-	1	
	Nonwhite—F	153	75	13	5	2	-	2	3	1	1	2	-	2	9	2	4	5	5	5	6	3	4	-	4	3	2	
108	Lobar pneumonia	298	57	7	3	2	5	2	4	5	8	7	6	8	14	13	8	16	19	38	25	20	15	11	4	1	1	
	White—M	92	13	1	2	1	3	2	1	1	3	1	2	2	3	3	6	11	13	4	6	6	5	1	1	-	-	
	White—F	84	15	3	-	1	1	1	1	2	2	1	-	1	2	-	1	1	6	8	6	5	8	2	2	1	-	
	Nonwhite—M	80	20	2	-	1	-	1	1	1	2	2	4	3	6	2	6	5	9	10	1	3	2	-	-	-	-	
	Nonwhite—F	63	11	1	1	-	-	-	1	4	4	2	1	6	4	3	3	2	10	3	5	1	-	-	-	-	1	
109	Pneumonia (unspecified)	124	42	5	3	1	1	3	1	2	3	-	3	6	6	2	6	5	9	6	9	6	1	1	-	-		
	White—M	34	5	-	1	-	-	-	-	2	-	2	2	1	1	3	2	4	1	3	3	1	-	-	-	-		
	White—F	25	8	1	1	-	1	-	-	-	-	-	1	4	-	1	1	1	2	3	1	-	1	-	-	-		
	Nonwhite—M	34	13	1	-	1	1	-	-	1	1	-	1	1	1	1	3	2	2	2	3	1	-	-	-	-		
	Nonwhite—F	31	16	3	1	-	-	1	1	1	-	-	-	1	1	-	-	2	1	1	1	-	-	-	-	-		
33	Influenza	176	46	7	3	1	-	2	2	-	2	-	6	4	4	8	9	9	7	10	8	20	10	9	3	4	2	
	White—M	53	8	1	-	-	-	-	-	1	-	-	1	-	1	2	-	2	3	5	5	4	5	1	1	1	-	
	White—F	52	6	-	1	-	1	-	-	-	-	-	-	1	1	2	1	1	4	7	1	2	2	1	2	-	-	
	Nonwhite—M	50	15	4	1	1	-	1	-	-	-	3	2	2	1	1	2	2	1	5	4	2	2	-	-	1	-	
	Nonwhite—F	61	17	2	1	-	-	2	-	1	-	2	1	2	6	6	3	4	5	-	3	1	2	1	1	1	1	
117	Ulcer of stomach or duodenum	113	-	1	-	-	-	-	2	-	-	5	7	7	13	18	11	10	21	9	4	2	2	-	-	1		
	White—M	64	-	-	-	-	-	-	1	-	4	5	5	7	13	15	5	5	9	6	2	1	1	-	-	-		
	White—F	10	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	2	2	1	1	-	-	-	-		
	Nonwhite—M	29	-	1	-	-	-	-	1	-	-	2	1	6	2	5	4	6	1	1	-	-	-	-	-	1		
	Nonwhite—F	10	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	5	-	-	-	-	-	-	-	-	-	
119, 120	Dysentery, enteritis, etc.*	150	88	10	3	-	1	1	1	-	3	3	1	2	1	3	1	-	1	2	3	3	1	-	2	-	-	
	White—M	38	29	1	-	-	1	-	-	-	1	2	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	
	White—F	22	11	2	-	-	-	-	-	1	2	1	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-	
	Nonwhite—M	36	27	4	1	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite—F	34	21	3	2	-	1	-	-	-	2	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	
121	Appendicitis	71	2	1	-	1	3	8	5	2	4	3	5	5	4	1	3	4	7	8	2	1	1	-	-	1		
	White—M	31	1	1	-	1	2	4	1	2	1	1	2	2	2	2	4	1	1	1	-	1	-	-	-	1		
	White—F	18	1	-	-	1	2	2	1	2	1	1	1	-	-	2	1	4	1	1	-	-	-	-	-	-		
	Nonwhite—M	18	-	-	-	4	2	-	-	-	2	3	1	1	1	1	1	2	2	-	-	-	-	-	-	-		
	Nonwhite—F	4	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
122	Hernia, intestinal obstruction	183	17	-	2	1	-	2	2	4	2	6	3	8	9	6	17	20	15	26	14	11	6	6	6	-		
	White—M	60	3	-	1	1	-	1	1	-	1	2	1	1	1	4	7	6	8	9	5	3	1	5	-	-		
	White—F	49	3	-	-	-	-	1	1	-	1	2	3	3	3	1	4	10	4	4	4	2	3	3	-	-		
	Nonwhite—M	35	5	-	-	-	1	1	1	-	2	1	-	1	-	3	9	5	5	4	-	1	1	1	-	-		
	Nonwhite—F	41	3	-	1	-	-	-	1	2	3	4	4	2	7	5	2	4	1	2	-	1	1	-	-	-		
124	Cirrhosis of the liver	195	8	-	-	1	-	-	1	-	-	1	5	14	18	26	28	24	27	19	9	6	3	-	-	-		
	White—M	103	3	-	-	-	-	1	-	-	-	2	3	7	13	11	16	15	14	9	4	1	-	-	-	-		
	White—F	51	2	-	1	-	-	-	-	-	-	2	2	4	5	10	7	5	6	4	3	1	1	-	-	-		
	Nonwhite—M	25	2	-	-	-	-	-	-	-	-	-	3	-	3	4	4	4	4	4	-	1	-	-	-	-		
	Nonwhite—F	16	1	-	-	-	-	-	-	1	1	-	-	2	2	1	-	3	2	2	1	-	-	-	-	-		
126, 127	Biliary calculi, etc.*	45	1	-	-	-	-	-	-	-	1	-	1	-	3	5	7	12	4	6	3	2	-	-	-	-		
	White—M	19	1	-	-	-	-	-	-	-	-	-	-	1	3	4	5	2	3	-	-	-	-	-	-	-		
	White—F	20	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	7	1	2	3	2	-	-	-	-		
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-		
130-132	Nephritis	1,517	2	4	8	-	4	6	8	10	20	25	39	59	59	71	108	134	154	216	188	199	130	80	33	11	9	1
	White—M	418	1	2	3	-	1	3	1	1	6	8	10	8	17	30	37	44	59	45	70	34	30	7	1	1	-	
	White—F	387	-	-	2	-	2	1	4	2	3	5	7	14	17	15	22	31	38	50	69	49	25	9	2	-	-	
	Nonwhite—M	352	-	-	1	-	-	1	2	2	5	7	7	14	14	23	37	40	51	57	36	25	11	9	6	2	1	
	Nonwhite—F	360	1	2	2	-	-	1	1	5	6	5	15	25	25	38	38	39	49	36	24	22	14	8	2	6	-	
157	Diseases of the prostate	98	-	-	-	-	-	-	-	-	-	-	-	3	5	10	19	22	19	9	7	2	2	-	-	-		
	White—M	51	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	13	11	4	4	2	2	-	-	-		
	Nonwhite—M	47	-	-	-	-	-	-	-	-	-	-	-	3	3	6	10	9	8	5	3	-	-	-	-	-		

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
LOUISIANA—Con.																												
140-150	Diseases of pregnancy, etc.—F	141	-	-	-	-	-	-	-	20	20	31	29	23	14	4	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	85	-	-	-	-	-	-	-	9	8	14	11	9	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	78	-	-	-	-	-	-	-	11	12	17	18	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicemia—F	39	-	-	-	-	-	-	-	6	5	9	12	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	-	-	-	-	-	-	-	2	2	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	24	-	-	-	-	-	-	-	4	3	5	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, 144, 148	Puerperal toxemia—F	46	-	-	-	-	-	-	-	12	8	11	5	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	-	-	-	-	-	-	-	5	5	4	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	27	-	-	-	-	-	-	-	7	3	7	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—F	45	-	-	-	-	-	-	-	1	5	8	9	9	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	24	-	-	-	-	-	-	-	1	1	5	4	5	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	19	-	-	-	-	-	-	-	-	4	3	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, 145b, 150	Other puerperal causes—F	13	-	-	-	-	-	-	-	1	2	3	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	-	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M	377	308	14	9	2	4	6	4	6	3	5	3	5	4	1	-	2	1	-	-	-	-	-	-	-	-	-
	White—M	185	126	6	2	-	2	2	2	2	2	1	1	3	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	108	79	6	5	-	1	1	1	3	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	75	66	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	46	37	1	1	1	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M	1,521	1,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	476	476	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	404	404	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	299	299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	299	299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—M	912	912	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	286	286	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	218	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year—M	609	609	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide—M	209	-	-	-	-	-	-	-	6	12	18	27	22	19	27	13	20	18	11	7	6	5	-	-	-	-	-
	White—M	143	-	-	-	-	-	-	-	4	3	11	20	14	16	18	10	14	15	7	4	4	3	-	-	-	-	-
	Nonwhite—M	45	-	-	-	-	-	-	-	2	6	4	6	4	1	6	2	4	2	4	2	2	-	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	-	3	3	1	3	2	3	1	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—M	266	2	-	-	-	-	2	2	27	46	49	25	36	19	17	11	8	5	4	2	1	-	-	-	-	-	-
	White—M	57	-	-	-	-	-	-	-	1	5	10	6	9	7	6	3	1	2	1	1	-	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	151	1	-	-	-	-	1	1	17	32	29	15	20	11	10	4	4	3	2	1	1	-	-	-	-	-	-
	Nonwhite—F	89	1	-	-	-	-	1	1	7	6	9	4	7	1	1	1	1	1	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths—M	1,851	78	51	33	35	21	71	71	134	136	129	73	114	90	78	92	79	61	78	77	53	38	39	14	5	-	3
	White—M	772	18	11	11	6	2	11	18	27	79	88	83	40	66	55	45	46	28	27	27	18	11	9	7	1	1	2
	Nonwhite—M	281	16	8	5	11	7	19	8	11	9	14	9	10	7	6	7	14	8	17	21	20	22	22	7	3	-	-
	White—F	424	22	23	10	4	4	21	27	38	31	24	20	33	25	21	31	14	18	21	15	15	3	3	-	-	-	-
	Nonwhite—F	174	22	9	7	14	2	13	9	6	8	8	4	5	5	6	9	5	7	13	14	-	2	5	-	-	-	-
170	Motor-vehicle accidents—M	500	4	4	5	7	10	27	16	52	68	52	27	46	35	21	35	22	20	22	14	9	3	1	-	-	-	-
	White—M	283	3	1	3	6	7	9	35	50	33	15	21	18	14	18	12	9	10	10	6	2	1	-	-	-	-	-
	Nonwhite—M	72	-	2	1	2	2	9	4	8	6	3	6	4	-	5	4	3	4	4	1	-	-	-	-	-	-	-
	White—F	115	-	1	1	1	2	9	2	5	10	10	7	16	12	4	12	6	4	7	3	3	1	-	-	-	-	-
	Nonwhite—F	30	1	-	1	4	-	2	1	4	2	1	2	3	1	3	-	-	4	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents—M	1,251	74	47	28	28	11	44	55	82	68	77	46	68	55	55	57	57	41	56	63	44	35	38	14	5	-	3
	White—M	489	15	10	8	6	2	11	18	44	38	50	25	45	35	29	27	34	19	17	17	12	9	8	7	1	1	2
	Nonwhite—M	209	16	6	4	9	5	10	4	3	6	6	4	3	6	2	10	5	13	20	20	22	22	7	3	-	-	

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947--Continued
and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
MAINE--Con.																													
45-55	Cancer and other malignant tumors	1,480	1	-	-	-	-	2	1	2	5	9	9	26	37	74	111	143	151	210	219	211	142	50	18	1	-	-	
	White--M--	672	1	-	-	-	-	2	1	2	3	4	3	7	15	27	45	66	68	108	113	116	68	18	7	1	-	-	
	White--F--	744	-	-	-	-	-	2	1	2	5	6	6	19	22	47	66	76	83	102	105	95	74	32	9	-	-	-	
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	698	-	-	-	-	-	-	-	1	1	3	3	7	10	30	45	68	71	113	110	114	74	27	11	-	-	-	
	White--M--	332	-	-	-	-	-	-	1	1	2	2	2	5	8	12	26	38	35	66	54	62	30	8	4	-	-	-	
	White--F--	334	-	-	-	-	-	-	-	-	1	1	1	2	4	18	19	30	36	47	55	51	44	19	7	-	-	-	
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46,49	Cancer of female genital organs	184	-	-	-	-	-	-	-	1	2	3	10	9	16	20	20	26	26	23	26	16	10	2	-	-	-	-	
	White--M--	183	-	-	-	-	-	-	-	1	2	3	10	9	16	20	19	26	26	23	26	16	10	2	-	-	-	-	
	White--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	116	-	-	-	-	-	-	-	-	1	1	5	6	9	13	12	12	17	10	12	9	7	2	-	-	-	-	
	White--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	White--F--	115	-	-	-	-	-	-	-	-	1	1	5	6	9	13	12	11	17	10	12	9	7	2	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45,47, 51-55	Cancer (other sites)	452	1	-	-	-	-	2	1	1	3	3	2	4	12	19	33	43	42	57	73	69	49	14	5	1	-	-	
	White--M--	519	1	-	-	-	-	1	2	1	2	2	1	2	9	15	19	28	32	42	59	54	38	10	5	1	-	-	
	White--F--	112	-	-	-	-	-	2	1	1	1	1	1	2	3	4	14	15	10	15	14	14	11	4	-	-	-	-	
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
59	Acute rheumatic fever	10	-	-	-	-	-	1	3	1	1	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-		
	White--M--	5	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-		
	White--F--	5	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
61	Diabetes mellitus	225	-	-	-	-	-	1	-	-	2	1	1	3	7	12	15	32	47	39	36	17	8	1	1	-	-		
	White--M--	85	-	-	-	-	-	1	-	-	1	1	2	2	2	6	3	11	19	13	12	7	8	1	1	-	-		
	White--F--	137	-	-	-	-	-	-	-	2	1	1	1	1	5	6	12	21	27	26	24	10	-	-	-	-	-		
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
63b	Exophthalmic goiter	8	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	1	1	1	1	-	-	-			
	White--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-			
	White--F--	6	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	-			
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
77	Alcoholism (strygism)	26	-	-	-	-	-	-	-	-	-	-	-	4	2	5	-	7	5	3	1	1	-	-	-	-			
	White--M--	25	-	-	-	-	-	-	-	-	-	-	-	3	2	3	-	7	5	3	1	1	-	-	-	-			
	White--F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
85	Intracranial lesions of vascular origin	1,043	1	-	-	-	-	-	1	1	1	3	2	11	19	46	48	91	133	187	200	168	87	28	6	-			
	White--M--	498	1	-	-	-	-	-	1	1	1	3	2	11	19	46	48	91	133	187	200	168	87	28	6	-			
	White--F--	541	-	-	-	-	-	-	-	-	1	3	1	6	16	25	25	42	72	96	99	87	48	17	3	-			
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-			
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
90-95	Diseases of the heart	3,201	1	1	1	-	1	3	2	1	3	4	16	25	59	95	158	220	303	436	487	558	411	289	109	16	4		
	White--M--	1,885	1	1	1	-	3	1	1	1	3	4	10	15	43	68	121	153	212	279	272	299	197	143	53	6			
	White--F--	1,308	-	-	-	-	1	1	2	-	-	6	10	15	24	36	65	91	156	214	258	214	146	56	10	3			
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	1	-	-	-	-	-			
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
90a, 92b, 95c, 95b	Chronic rheumatic diseases of the heart	170	-	-	-	-	-	1	1	1	3	2	6	8	10	13	11	10	20	19	12	27	16	6	4	-			
	White--M--	94	-	-	-	-	-	1	1	1	1	2	4	5	5	6	6	4	14	11	6	12	10	3	2	-			
	White--F--	75	-	-	-	-	-	-	-	2	2	3	5	6	5	6	5	6	6	8	6	15	6	3	2	-			

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND																											
	ALL CAUSES-----	22,480	1,784	118	65	55	43	115	88	246	352	368	485	616	877	1,185	1,583	1,880	2,160	2,366	2,537	2,254	1,817	1,035	357	63	14	9
	White---M--	9,978	747	39	21	21	21	52	31	94	115	114	180	239	363	519	766	960	1,054	1,150	1,175	1,034	740	392	132	14	1	4
	F--	7,928	537	30	25	16	14	25	22	53	63	94	114	156	208	289	364	533	728	841	1,044	1,056	942	560	191	36	7	-
	Nonwhite-M--	2,510	300	26	11	12	3	20	16	51	82	80	98	130	167	222	261	213	222	208	163	88	65	43	18	9	-	2
	F--	2,064	210	21	8	6	5	18	19	48	92	80	93	91	139	155	192	174	156	167	155	96	70	40	16	4	6	3
1,2	Typhoid and paratyphoid fever--	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis--	20	10	3	-	-	1	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	14	8	2	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--	31	21	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	12	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	16	1	2	-	-	1	6	1	1	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	White---M--	5	1	2	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	1	4	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,172	11	11	9	4	2	7	13	56	107	99	122	93	106	100	123	96	70	67	42	24	18	1	-	-	-	1
	White---M--	408	1	2	2	-	1	-	-	6	7	12	25	35	41	46	56	53	43	31	21	15	8	1	-	-	-	1
	F--	203	2	3	2	2	1	1	2	3	20	24	27	17	15	9	11	7	12	14	15	7	9	-	-	-	-	-
	Nonwhite-M--	312	4	5	3	2	-	1	2	15	25	24	32	30	33	36	49	21	12	16	2	1	1	-	-	-	-	-
	F--	254	4	3	2	-	1	4	9	32	55	39	40	13	17	9	7	5	3	6	4	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*--	1,108	8	5	2	2	4	10	53	100	96	120	92	100	95	119	85	66	66	41	23	17	1	-	-	-	-	1
	White---M--	390	1	-	-	-	-	5	7	12	22	35	40	44	55	52	42	31	21	15	8	1	-	-	-	-	1	
	F--	188	1	-	1	-	1	1	3	19	23	27	17	14	7	11	7	12	14	15	6	8	-	-	-	-	-	
	Nonwhite-M--	296	4	2	2	-	1	1	15	24	23	32	29	31	35	47	21	9	16	2	1	1	-	-	-	-	-	
	F--	234	2	3	1	-	1	2	8	30	50	38	39	15	15	6	5	5	3	5	3	1	-	-	-	-	-	
14-22	Tuberculosis (other forms)---	64	3	6	7	2	-	3	3	7	3	2	1	6	5	4	1	1	4	1	1	1	-	-	-	-	-	-
	White---M--	13	-	2	2	-	1	-	1	-	-	1	-	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-
	F--	15	1	3	1	2	-	1	-	1	1	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	
	Nonwhite-M--	16	-	1	3	-	-	-	1	1	1	-	1	1	2	1	2	3	3	-	-	-	-	-	-	-	-	
	F--	20	2	-	1	-	-	2	1	2	5	1	1	-	2	-	1	-	-	1	1	-	-	-	-	-	-	
27	Dysentery-----	4	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	Malaria-----	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	Syphilis-----	287	15	1	-	-	-	-	3	3	5	5	18	32	34	44	38	39	39	28	17	2	3	-	-	-	-	
	White---M--	109	2	-	-	-	-	-	-	1	-	1	9	8	7	12	20	24	14	10	-	2	-	-	-	-	-	
	F--	41	4	-	-	-	-	3	-	-	1	2	5	5	6	2	5	6	1	1	-	-	-	-	-	-	-	
	Nonwhite-M--	100	7	-	-	-	-	-	2	3	4	5	12	16	19	11	7	8	4	1	1							

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age groups																	100 and over	Not stated						
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
MARYLAND—Con.																												
45-55	Cancer and other malignant tumors	2,911	5	4	1	6	1	5	3	13	9	22	49	84	125	200	261	365	372	372	360	301	210	99	31	2	1	-
	White—M	1,211	1	1	2	1	3	1	7	5	6	12	22	36	51	103	145	171	190	171	141	95	53	13	-	-	-	-
	F	1,290	4	3	1	2	-	1	1	4	3	9	27	39	58	97	96	169	152	147	162	139	109	50	16	1	-	-
	Nonwhite—M	197	-	-	-	-	-	-	-	-	-	1	2	9	10	16	31	31	32	19	27	8	5	2	1	1	-	-
F	213	-	-	-	-	-	1	1	2	1	6	8	14	21	36	51	20	17	16	17	13	3	4	1	-	-	-	-
46	Cancer of the digestive organs and peritoneum	1,216	1	-	-	-	-	1	-	1	2	5	13	25	31	71	94	133	162	166	182	157	108	50	12	1	1	-
	White—M	516	1	-	-	-	-	-	-	1	1	1	3	9	12	22	39	56	73	84	92	65	46	17	5	-	-	-
	F	507	-	-	-	-	-	-	-	1	1	2	6	7	8	25	30	51	60	66	75	81	57	30	7	-	-	-
	Nonwhite—M	112	-	-	-	-	-	-	-	-	-	1	2	5	5	11	14	17	22	8	17	3	2	1	1	-	-	-
F	81	-	-	-	-	-	1	-	-	-	1	2	4	6	15	11	9	7	8	9	8	1	1	1	-	-	-	-
48,49	Cancer of female genital organs	375	-	-	-	-	-	1	1	-	-	7	18	17	35	51	38	54	45	31	30	20	19	5	3	-	-	-
	White—M	305	-	-	-	-	-	1	1	-	-	3	13	10	25	36	29	50	42	29	25	19	17	4	2	-	-	-
	F	70	-	-	-	-	-	-	-	1	-	4	5	7	10	15	9	4	3	2	5	1	2	1	1	-	-	-
	Nonwhite—M	262	-	-	-	-	-	-	-	-	-	1	5	12	22	28	27	34	29	24	25	18	25	9	3	-	-	-
F	226	-	-	-	-	-	-	-	-	-	1	4	10	18	23	22	27	25	22	23	16	24	8	3	7	-	-	-
Nonwhite—M	35	-	-	-	-	-	-	-	-	-	-	1	2	4	5	4	6	4	2	2	2	-	1	-	-	-	-	-
F	35	-	-	-	-	-	-	-	-	-	-	1	2	4	5	4	6	4	2	2	2	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,059	4	4	1	6	1	4	2	11	7	9	13	30	37	50	102	144	136	151	145	92	58	25	13	1	-	-
	White—M	692	-	1	-	2	1	3	1	7	4	5	9	13	24	29	63	88	98	106	92	76	46	16	6	-	-	-
	F	252	4	3	1	2	-	1	-	5	2	3	4	12	7	13	15	41	25	30	39	23	11	8	4	1	-	-
	Nonwhite—M	85	-	-	-	-	-	-	-	-	-	-	-	4	5	8	17	14	10	11	10	5	1	-	1	-	-	-
F	29	-	-	-	-	-	1	1	1	1	1	-	1	1	3	7	1	3	4	2	2	-	1	-	-	-	-	-
59	Acute rheumatic fever	15	-	-	-	-	-	1	5	-	-	2	1	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	621	-	-	-	1	-	-	1	4	2	8	11	16	20	55	84	93	87	106	76	37	16	3	-	1	-	-
	White—M	176	-	-	-	-	-	-	-	-	-	-	3	2	4	15	27	15	26	33	21	13	6	2	-	-	-	-
	F	367	-	-	-	-	-	-	-	2	1	3	3	4	12	24	44	64	58	68	51	25	8	1	-	1	-	-
	Nonwhite—M	27	-	-	-	-	-	-	1	-	-	-	3	2	1	5	3	5	1	3	1	-	1	-	-	-	-	-
F	51	-	-	-	1	-	-	-	2	-	-	2	3	1	3	11	10	9	2	2	3	1	1	-	-	-	-	-
63b	Exophthalmic goiter	45	-	-	-	-	-	-	-	-	-	2	1	2	2	1	8	3	6	8	9	3	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	5	1	7	8	3	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	46	-	-	-	-	-	-	-	-	-	5	3	11	7	6	4	6	1	1	1	1	-	-	-	-	-	-
	White—M	33	-	-	-	-	-	-	-	-	-	4	2	8	5	5	3	5	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	-	-	1	-	-	-	-	-	-	-	-
F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	1,771	2	1	-	1	1	5	3	1	4	4	7	17	52	80	109	139	194	242	288	264	209	105	57	6	-	1
	White—M	694	2	1	-	-	-	-	1	2	2	2	4	14	27	36	51	80	102	114	111	93	36	13	1	-	-	
	F	742	-	-	-	1	2	2	-	-	-	1	2	6	18	22	29	39	69	99	139	125	103	62	19	4	-	
	Nonwhite—M	149	-	-	-	1	-	3	-	-	-	1	4	7	12	19	22	20	15	21	10	6	3	4	-	-	-	
F	186	-	-	-	-	1	-	1	-	1	1	-	3	13	19	24	27	25	26	14	18	7	4	1	1	-	1	
90-95	Diseases of the heart	7,467	-	4	-	1	-	2	7	11	20	25	54	92	203	369	528	697	862	987	1,073	1,001	815	508	165	33	8	2
	White—M	3,702	-	-	-	-	-	4	3	9	7	26	50	101	213	316	426	461	501	540	457	324	187	59	7	1	1	
	F	2,681	-	2	-	-	-	7	6	10	7	17	37	66	91	149	270	329	419	462	416	281	91	18	3	-	-	
	Nonwhite—M	559	-	1	-	1	-	1	-	5	4	9	15	28	49	56	65	77	86	57	36	35	22	6	5	-	-	
F	525	-	1	-	-	-	2	2	1	-	4	12	10	37	41	65	57	54	71	57	36	39	18	10	3	4	1	
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart	336	-	-	-	1	-	2	3	7	9	9	11	17	26	32	34	32	29	34	22	25	25	12	5	-	1	
	White—M	136	-	-	-	-	-	1	2	5	2	3	7	8	12	16	14	14	15	10	12	10	5	-	-	-	-	
	F	141	-	-	-	-	-	-	4	3	5	5	7	11	12	13	12	14	10	11	10	7	4	-	-	1	-	
	Nonwhite—M	22	-	-	-	1	-	1	-	1	1	1	1	3	6	2	1	1	2	1	2	1	-	-	-	-	-	-
F	37	-	-	-	-	2	1	1	-	1	2	3	4	2	3	5	2	3	3	1	2	4	-	-	-	-	-	
94	Diseases of coronary arteries and angina pectoris	2,136	-	1	-	-	-	1	-	2	6	18	40	82	175	205	270	320	286	273	212	135	76	22	1	-	1	
	White—M	1,456	-	-	-	-	-	1	-	1	-	13	31	65	139	171	211	222	201	168	125	70	34	7	1	-	1	
	F	513	-	-	-	-	-	-	-	-	2	1	3	7	14	21	39	74	79	86	61	58	36	12	-	-	-	
	Nonwhite—M	103	-	-	-	-	-	-	-	1	3	2	5	5	16	5	5	12	18	11	11	6	4	3	1	-	-	
F	64	-	1	-</																								

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																										100 and over	Not stated	
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99					
97, 102	MARYLAND—Gen.																														
	Arteriosclerosis and high blood pressure ^a	352	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	12	22	38	47	62	74	55	50	4	-	-			
	White—M	151	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	12	22	38	47	62	74	55	50	4	-	-		
	Female	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
107-109, 53	Pneumonia (all forms) and influenza	827	193	19	8	7	2	9	4	5	5	10	14	22	26	30	42	57	47	77	61	64	65	43	12	5	-	-			
	White—M	312	62	7	2	4	1	3	1	1	2	2	4	5	5	5	14	15	27	19	36	31	27	25	17	4	1	-			
	Female	260	57	3	3	1	-	1	2	1	2	2	3	3	2	3	10	9	16	22	22	31	38	21	5	3	-	-			
	Nonwhite—M	138	43	5	1	1	-	1	-	2	-	2	3	3	8	11	7	12	12	10	10	1	3	1	1	1	-	-	-		
107	Bronchopneumonia	382	127	15	4	4	-	6	2	3	1	1	7	6	6	9	12	12	22	30	25	28	30	24	4	4	-	-			
	White—M	146	38	5	1	2	-	3	-	-	-	1	4	1	2	3	5	7	12	16	13	11	10	10	1	1	-	-			
	Female	127	38	5	2	-	-	2	1	-	-	-	2	2	1	2	4	1	6	7	7	14	19	13	1	2	-	-			
	Nonwhite—M	56	30	4	-	1	-	-	-	2	-	-	1	1	1	1	2	3	3	3	3	-	-	-	-	-	-	-	-		
108	Lobar pneumonia	324	40	3	4	1	1	2	1	2	3	7	6	12	17	17	25	35	19	35	27	25	26	9	6	1	-	-			
	White—M	115	15	1	1	1	-	1	-	1	2	3	-	1	3	9	6	16	5	14	12	10	9	3	3	-	-	-			
	Female	99	12	-	1	-	-	1	-	1	3	-	-	1	1	1	6	7	8	11	12	12	14	5	2	1	-	-			
	Nonwhite—M	61	6	1	1	-	-	-	-	-	1	2	5	6	3	9	7	6	6	6	6	3	3	1	1	1	-	-	-		
109	Pneumonia (unspecified)	52	13	1	-	1	1	1	1	-	-	2	-	2	1	1	1	5	2	5	2	6	3	4	-	-	-	-			
	White—M	29	4	1	-	1	1	1	-	-	-	-	-	1	1	1	1	3	1	3	2	4	2	3	-	-	-	-			
	Female	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M	8	3	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-			
33	Influenza	69	13	-	-	1	-	-	-	1	-	-	1	2	2	5	4	5	4	7	7	5	6	6	2	-	-	-			
	White—M	22	5	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	3	4	2	2	1	-	-	-			
	Female	25	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	4	3	3	4	2	2	-	-	-			
	Nonwhite—M	13	4	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-			
117	Ulcer of stomach or duodenum	107	-	-	-	-	-	-	-	-	-	1	4	4	12	12	17	15	14	7	8	4	6	2	-	-	1	-			
	White—M	74	-	-	-	-	-	-	-	-	-	1	4	4	2	7	5	13	13	12	5	4	3	2	-	-	1	-			
	Female	16	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	-	-	1	2	3	3	-	-	-	-	-			
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	-	-	1	2	7	1	2	1	-	-	1	1	-	-	-	-	-			
119, 120	Diarrhea, enteritis, etc. ^a	95	69	3	-	-	1	-	2	-	2	5	2	-	3	1	-	1	4	-	1	2	1	-	-	-	-				
	White—M	40	30	1	-	-	1	-	-	-	2	2	-	-	2	1	-	-	1	1	-	1	1	-	-	-	-	-			
	Female	33	22	2	-	-	-	-	1	-	2	1	1	-	1	-	-	-	1	1	-	1	1	-	-	-	-	-			
	Nonwhite—M	11	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-			
121	Appendicitis	55	-	-	1	2	1	2	3	3	2	-	3	4	6	3	3	6	3	5	5	2	-	1	-	-	-	-			
	White—M	24	-	-	1	1	-	1	3	-	-	-	1	1	4	2	2	2	1	3	2	-	-	-	-	-	-	-			
	Female	21	-	-	-	1	1	-	-	-	2	-	-	-	2	1	1	4	1	2	3	2	-	1	-	-	-	-			
	Nonwhite—M	6	-	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
122	Hernia, intestinal obstruction	131	5	3	1	-	1	-	1	2	1	-	1	5	6	10	8	7	18	16	14	13	9	7	3	-	-	-			
	White—M	54	1	1	1	-	1	-	1	1	-	-	-	-	-	2	4	3	6	7	7	7	3	2	-	-	-	-			
	Female	54	3	-	-	-	-	-	1	-	-	-	1	2	1	5	1	3	11	9	6	6	1	3	1	-	-	-			
	Nonwhite—M	11	-	1	-	-	-	-	-	1	-	-	-	1	4	2	1	-	1	-	-	-	-	-	-	-	-	-			
124	Cirrhosis of the liver	205	-	-	-	-	-	-	-	5	1	8	19	25	18	32	24	12	19	16	16	10	-	-	-	-	-	-			
	White—M	114	-	-	-	-	-	-	-	2	-	1	11	17	11	18	17	5	10	10	9	3	-	-	-	-	-	-			
	Female	63	-	-	-	-	-	-	-	2	1	3	5	6	2	9	5	7	9	4	5	6	-	-	-	-	-	-			
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	3	2	2	2	4	1	-	1	2	2	1	-	-	-	-	-	-			
126, 127	Biliary calculi, etc. ^a	82	-	-	-	-	-	-	-	-	-	-	-	4	5	5	14	12	11	11	10	6	4	-	-	-	-				
	White—M	26	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	4	5	2	3	1	1	-	-	-	-	-			
	Female	47	-	-	-	-	-	-	-	-	-	-	-	3	3	2	6	7	6	7	7	5	-	-	-	-	-				
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
130-132	Nephritis	1,739	2	2	1	1	1	3	5	6	11	9	17	38	42	81	119	153	188	209	251	235	205	121	33	5	1	-			
	White—M	709	2	2	1	1	1	1	3	3	2	4	12	9	25	49	57	86	87	102	111	84	50	17	1	-	-				
	Female	598	-	-	1	-	-	-	3	3	3	1	5	8	15	13	20	43	41	73	95	97	106	57	13	3	-	-			
	Nonwhite—M	215	-	-	-	-	-	3	1	-	2	3	5	8	8	26	24	25	32	25	23	16	6	7	2	1	-	-			
137	Diseases of the prostate	83	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	13	11	22	16	6	5	1	1	-	-				
	White—M	68	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	9	9	18	15	6	5	1	-	-	-				
	Female	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	4	1	-	-	-	-	-				

^aRefer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued
(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	MARYLAND—Con. Diseases of pregnancy, etc.* White—F Nonwhite—F	59 32 27	-	-	-	-	-	-	-	4	9	19	13	8	3	-	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145a, 147	Puerperal septicaemia White—F Nonwhite—F	21 11 10	-	-	-	-	-	-	-	2	3	7	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
141a, c, 144, 148	Puerperal toxemia White—F Nonwhite—F	10 5 5	-	-	-	-	-	-	-	1	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock* White—F Nonwhite—F	21 10 11	-	-	-	-	-	-	-	2	3	7	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
141d, e, f, 145b, 150	Other puerperal causes White—F Nonwhite—F	7 6 1	-	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations White—M F Nonwhite—M F	306 151 103 26 26	251 128 82 20 21	12 5 3 2 2	9 2 4 3 1	6 2 3 1 1	3 2 3 1 1	4 3 1 1 1	1 1 1 1 1	2 2 1 1 1	4 2 1 1 1	3 2 1 1 1	-	1	-	1	2	2	3	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year White—M F Nonwhite—M F	1,025 424 312 176 113	1,025 424 312 176 113
159	Premature birth White—M F Nonwhite—M F	589 239 188 105 58	589 239 188 105 58
159, 160, 161	Other diseases peculiar to first year White—M F Nonwhite—M F	436 186 124 71 55	436 186 124 71 55
163, 164	Suicide White—M F Nonwhite—M F	270 188 71 11	-	-	-	-	1	1	3	12	10	17	19	27	31	38	28	24	21	15	16	7	5	-	-	-	-	
165-168	Homicide White—M F Nonwhite—M F	166 25 15 102 24	3	1	-	-	1	1	14	29	35	21	23	20	13	6	2	4	2	-	1	-	-	-	-	-	-	
169-195	Accidental deaths White—M F Nonwhite—M F	1,362 728 353 219 62	70	19	10	11	20	42	32	81	93	85	74	85	74	74	78	58	69	66	84	73	75	53	30	2	2	4
170	Motor-vehicle accidents White—M F Nonwhite—M F	403 250 65 72 16	-	3	3	5	11	19	7	44	49	35	25	23	24	20	27	21	25	19	19	14	5	3	1	-	1	
169, 171-195	Other accidents White—M F Nonwhite—M F	959 478 288 147 46	70	16	7	6	9	23	25	37	44	48	49	62	50	54	51	57	44	47	65	59	70	50	29	2	2	3
162, 169, 200	Senility, ill-defined and unknown causes White—M F Nonwhite—M F	88 28 25 8 7	8	3	-	-	1	1	-	-	-	2	1	1	2	3	5	2	3	6	4	5	10	8	2	2	-	
	All other causes White—M F Nonwhite—M F	1,115 481 384 153 117	98	21	22	12	8	21	11	23	27	31	55	52	77	74	94	84	87	88	81	68	49	19	9	3	1	

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS																											
	ALL CAUSES-----	51,754	3,027	144	78	92	82	200	150	289	441	522	646	935	1,322	2,138	3,071	4,163	5,193	6,077	7,136	6,602	5,056	3,062	1,045	254	29	40
	White---M--	27,079	1,672	77	49	53	50	124	92	157	244	275	363	543	793	1,256	1,836	2,604	3,066	3,282	3,644	3,112	2,141	1,229	317	78	9	14
	White---F--	23,741	1,263	61	26	39	30	73	55	99	170	212	262	358	494	823	1,159	1,485	2,020	2,704	3,398	3,412	2,868	1,807	723	156	19	25
	Nonwhite-M--	510	52	5	3	-	2	2	1	7	15	15	11	15	18	35	48	41	61	44	56	43	22	12	3	-	-	1
	Nonwhite-F--	424	40	1	1	-	-	1	2	6	14	20	10	19	17	24	28	33	46	47	38	35	25	14	2	-	1	-
1,2	Typhoid and paratyphoid fever	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White---M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	16	2	2	2	1	1	1	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White---M--	8	1	2	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	7	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White---M--	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	16	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	13	-	-	3	-	1	1	-	1	-	-	-	-	1	1	2	-	2	-	1	-	-	-	-	-	-	-
	White---M--	7	-	-	2	-	1	1	-	1	-	-	-	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-
	White---F--	5	-	-	-	-	1	1	-	1	-	-	-	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-
	Nonwhite-M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)	1,586	4	4	2	3	2	2	7	35	78	115	110	157	158	163	160	161	139	112	95	48	27	5	1	-	-	1
	White---M--	1,041	2	2	2	2	-	1	2	8	27	45	62	80	108	123	119	148	104	89	69	29	15	3	1	-	-	1
	White---F--	466	2	2	2	1	1	1	5	20	38	58	45	60	45	34	34	29	31	21	23	16	10	2	2	-	-	1
	Nonwhite-M--	51	-	-	-	-	1	-	-	4	4	3	3	3	5	4	7	4	3	2	3	2	2	-	-	-	-	-
	Nonwhite-F--	28	-	-	-	-	-	-	-	3	7	9	2	3	2	2	1	1	-	-	-	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,481	2	1	1	-	2	-	5	30	70	111	101	151	151	157	154	171	130	106	84	42	26	4	1	-	-	1
	White---M--	999	2	-	1	-	-	2	8	26	44	59	78	106	120	115	143	100	86	65	28	14	3	3	1	-	-	1
	White---F--	416	-	1	-	-	1	-	3	17	36	55	39	47	41	31	32	24	26	18	19	12	10	1	1	-	-	-
	Nonwhite-M--	44	-	-	-	-	1	-	-	2	3	3	2	4	4	4	7	4	2	2	2	2	2	-	-	-	-	-
	Nonwhite-F--	22	-	-	-	-	-	-	-	3	5	9	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	105	2	3	1	3	-	2	2	5	6	4	9	6	7	6	6	10	8	6	11	5	1	1	-	-	-	-
	White---M--	42	-	2	1	2	-	1	-	1	1	3	2	2	2	3	4	5	4	3	5	4	4	4	-	-	-	-
	White---F--	50	2	1	-	1	-	1	2	3	2	3	4	3	4	3	2	4	3	3	4	4	4	1	1	-	-	1
	Nonwhite-M--	7	-	-	-	-	-	-	-	2	2	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-F--	6	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
27	Dysentery	22	2	1	1	1	-	3	1	-	1	-	-	-	-	-	1	2	1	-	1	2	-	4	1	-	-	-
	White---M--	10	-	-	1	1	-	2	1	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	1	-	-	-
	White---F--	11	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-	3	-	-	-	-
	Nonwhite-M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	284	1	-	-	-	-	-	-	2	2	1	11	10	20	39	44	47	44	25	23	8	7	-	-	-	-	-
	White---M--	188	1	-	-	-	-	-	-	1	1	5	6	12	23	33	36	36	27	14	13	5	2	-	-	-	-	-
	White---F--	71	-	-	-	-	-	-	-	1	1	5	1	7	2	7	8	8	12	11	9	3	4</					

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
MASSACHUSETTS—Continued																													
45-55	Cancer and other malignant tumors	8,034	4	4	3	5	5	9	12	19	21	39	62	136	231	433	661	944	1,103	1,204	1,254	997	625	292	49	11	2	9	
	White—M—	5,809	2	2	2	2	4	7	7	12	15	18	20	38	82	162	288	443	577	596	611	478	300	115	18	6	1	3	
	White—F—	4,116	2	2	1	3	1	2	5	6	4	20	41	93	145	264	365	387	508	594	630	506	519	175	31	5	1	6	
	Nonwhite—M—	55	-	-	-	-	-	-	-	1	1	-	1	1	4	5	4	8	12	6	9	6	3	-	-	-	-	-	
	Nonwhite—F—	54	-	-	-	-	-	-	-	1	1	1	1	4	4	2	4	6	6	8	4	7	5	2	-	-	-	-	
46	Cancer of the digestive organs and peritoneum—	3,762	-	-	-	2	-	-	1	3	2	7	18	37	75	159	255	378	514	630	656	522	325	147	22	3	-	7	
	White—M—	1,924	-	-	-	-	-	-	1	2	2	4	7	17	36	85	136	234	297	320	325	240	145	61	9	1	-	3	
	White—F—	1,793	-	-	-	2	-	-	1	1	3	11	18	39	70	116	138	208	304	323	277	178	85	14	2	-	-	4	
	Nonwhite—M—	32	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	8	9	3	7	4	1	-	-	-	-	-	
	Nonwhite—F—	13	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	3	1	1	1	1	-	-	-	-	-	
48,49	Cancer of female genital organs—	863	-	-	-	-	-	-	2	2	2	5	13	33	43	89	114	99	126	102	89	81	35	23	4	1	-	-	
	White—M—	853	-	-	-	-	-	-	2	2	2	5	13	33	42	88	111	99	126	101	88	33	23	4	1	-	-	-	
	White—F—	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	1	1	2	-	-	-	-	-	-	
	Nonwhite—F—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	
50	Cancer of breast—	840	-	-	-	-	-	-	-	-	6	15	32	42	79	92	92	106	90	108	88	54	44	7	5	1	2	2	
	White—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	2	2	4	1	1	-	-	-	
	White—F—	818	-	-	-	-	-	-	-	-	6	14	31	40	77	82	77	104	87	105	85	54	44	7	2	1	2	2	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	14	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	3	2	2	2	1	-	-	-	-	-	-	
45,47, 51-55	Cancer (other sites)—	2,569	4	4	3	3	5	9	9	14	17	21	16	34	71	108	210	285	357	382	401	306	211	78	16	4	1	-	
	White—M—	1,677	2	2	2	2	4	7	6	10	13	14	13	21	46	76	152	207	275	285	256	186	54	10	4	1	-	-	
	White—F—	682	2	2	1	1	1	2	3	5	2	6	3	11	24	29	56	73	70	102	114	64	54	23	6	-	-	-	
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	4	4	3	2	2	2	-	-	-	-	-	
	Nonwhite—F—	17	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	1	3	2	-	4	-	-	-	-	-	-	
59	Acute rheumatic fever—	16	-	-	-	-	-	4	-	1	1	2	2	2	2	1	1	1	-	-	1	-	-	-	-	-	-	-	
	White—M—	5	-	-	-	-	-	1	-	1	1	2	2	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	
	White—F—	13	-	-	-	-	-	3	-	1	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus—	1,620	1	-	1	-	-	-	-	3	5	6	7	13	17	17	42	80	172	221	283	323	236	128	49	13	-	1	2
	White—M—	539	1	-	-	-	-	-	-	1	3	3	4	5	11	20	25	61	69	88	97	64	39	20	4	-	1	2	
	White—F—	1,055	-	-	-	-	-	-	-	2	4	3	4	9	12	4	22	52	110	144	191	222	151	87	29	9	-	-	
	Nonwhite—M—	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	
	Nonwhite—F—	22	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	8	3	3	1	1	-	-	-	-	-	
65b	Exophthalmic goiter—	33	-	-	-	-	-	-	-	-	-	-	1	5	2	2	5	4	7	1	3	1	-	-	2	-	-	-	
	White—M—	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	1	-	-	-	-	-	-	-	
	White—F—	24	-	-	-	-	-	-	-	-	-	-	1	4	-	1	4	3	6	1	1	1	1	-	2	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	White—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Alcoholism (ethylin)—	136	-	-	-	-	-	-	-	-	-	-	10	18	20	22	21	20	11	10	4	2	-	-	-	-	-	-	
	White—M—	105	-	-	-	-	-	-	-	-	-	-	7	15	15	16	13	17	8	8	4	2	-	-	-	-	-	-	
	White—F—	29	-	-	-	-	-	-	-	-	-	-	3	1	5	7	7	3	3	2	-	-	-	-	-	-	-	-	
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin—	4,607	10	2	1	-	-	4	2	4	5	11	14	22	50	122	213	348	450	621	762	846	621	553	121	22	2	1	
	White—M—	1,994	5	2	1	-	-	2	2	3	3	6	7	9	23	54	86	160	240	301	349	338	234	126	37	4	1	1	
	White—F—	2,532	5	2	1	-	-	2	2	1	2	4	7	13	25	62	117	181	197	311	402	498	579	223	84	18	1	-	
	Nonwhite—M—	40	-	-	-	-	-	-	-	-	1	-	-	-	2	3	5	5	3	4	4	7	4	2	-	-	-	-	
	Nonwhite—F—	41	-	-	-	-	-	-	-	-	-	-	-	-	3	5	2	10	5	7	5	4	2	-	-	-	-		
90-95	Diseases of the heart—	19,638	3	2	3	-	1	9	7	27	32	67	91	203	324	683	1,112	1,602	2,116	2,539	3,189	3,007	2,421	1,493	501	117	15	14	
	White—M—	10,753	1	1	2	-	5	3	17	18	41	56	145	219	482	792	1,131	1,371	1,500	1,705	1,453	1,029	583	149	42	4	4		
	White—F—	8,628	2	1	1	-	1	4	9	13	23	32																	

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
MASSACHUSETTS--																												
Continued																												
140-150	Diseases of pregnancy, etc.*	93	-	-	-	-	-	-	-	1	21	22	22	17	8	2	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	89	-	-	-	-	-	-	-	1	20	20	22	17	8	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicemia	31	-	-	-	-	-	-	-	-	8	7	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	30	-	-	-	-	-	-	-	-	7	7	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a, c, 144, 148	Puerperal toxemia	18	-	-	-	-	-	-	-	-	4	4	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	18	-	-	-	-	-	-	-	-	4	4	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock*	28	-	-	-	-	-	-	-	-	6	9	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	27	-	-	-	-	-	-	-	-	6	8	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141d, 145B, 150	Other puerperal causes	16	-	-	-	-	-	-	-	1	3	2	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	14	-	-	-	-	-	-	-	1	3	1	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations	722	611	26	7	10	5	13	7	4	9	1	5	1	3	4	5	5	2	1	2	-	-	-	-	-	1	
	White--M--	364	322	10	4	2	1	6	4	2	4	2	2	1	1	1	2	2	1	-	-	-	-	-	-	-	-	
	White--F--	351	285	15	3	8	4	7	3	1	4	1	3	1	2	3	3	3	2	1	1	-	-	-	-	-	1	
	Nonwhite--M--	5	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year	1,703	1,703	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M--	951	951	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	697	697	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth	1,097	1,097	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M--	610	610	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	445	445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158, 160, 161	Other diseases peculiar to first year	606	606	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--M--	341	341	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163, 164	Suicide	501	-	-	-	-	-	-	7	15	33	51	42	47	59	44	65	59	37	34	18	4	5	-	-	1		
	White--M--	358	-	-	-	-	-	-	3	10	24	25	35	36	33	24	51	43	27	22	17	4	4	-	-	-		
	White--F--	134	-	-	-	-	-	-	4	5	8	6	7	10	23	19	13	16	9	11	1	1	1	-	-	1		
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-		
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
165-168	Homicide	74	5	1	-	-	-	2	3	5	4	8	6	10	5	4	6	6	4	3	-	1	-	-	-	-		
	White--M--	42	2	1	-	-	-	1	2	1	3	5	3	5	2	3	2	6	4	3	-	-	-	-	-	-		
	White--F--	19	2	-	-	-	-	2	2	1	1	1	1	2	2	1	4	-	-	-	-	-	-	-	-	-		
	Nonwhite--M--	7	1	-	-	-	-	-	2	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	6	-	-	-	-	-	-	1	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
169-195	Accidental deaths	2,817	75	26	21	33	29	92	45	83	131	91	92	89	122	128	145	145	160	224	266	241	276	200	79	20	1	3
	White--M--	1,663	43	14	15	23	20	71	34	64	103	73	69	74	101	99	103	108	112	136	151	95	87	58	23	6	-	1
	White--F--	1,101	29	11	5	10	8	19	9	19	22	14	20	13	19	28	39	34	40	85	133	143	187	141	56	14	1	2
	Nonwhite--M--	39	1	1	-	-	1	1	1	1	2	4	3	1	2	1	3	3	5	2	2	1	1	1	-	-	-	
	Nonwhite--F--	14	2	-	1	-	-	1	1	-	-	-	-	1	-	-	-	3	1	1	2	1	1	-	-	-	-	
170	Motor-vehicle accidents	591	2	1	6	17	14	36	5	38	61	39	33	25	24	24	37	33	42	56	47	30	14	6	-	1	-	
	White--M--	450	-	4	12	10	26	5	28	49	35	26	22	20	19	25	23	31	43	37	19	11	5	-	1	-		
	White--F--	130	2	1	2	3	3	10	-	10	12	2	5	3	4	5	11	10	8	13	10	3	1	-	-	-		
	Nonwhite--M--	10	-	-	-	1	-	-	-	1	2	2	-	-	-	-	-	1	2	-	-	1	-	-	-	-		
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
169, 171-195	Other accidents	2,226	73	25	15	16	15	56	40	45	70	52	59	64	98	104	108	112	118	168	219	211	262	194	79	19	1	3
	White--M--	1,213	43	14	11	11	10	45	29	36	55	39	43	52	61	60	78	85	81	93	94	76	76	53	23	5	-	1
	White--F--	971	27	10	3	5	5	9	9	10	12	15	10	15	23	28	24	32	72	123	133	184	140	56	14	1	2	
	Nonwhite--M--	29	1	1	-	-	-	1	1	-	5	2	1	1	2	1	2	3	2	2	1	1	1	1	-	-	-	
	Nonwhite--F--	13	2	-	1	-	-	1	1	-	-	-	-	1	-	-	-	2	1	1	2	1	1	-	-	-		
182, 1																												

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
MICHIGAN—Con.																												
45-55	Cancer and other malignant tumors	7,854	4	6	7	7	5	26	13	24	37	70	98	168	354	464	725	982	1,090	1,115	1,009	860	557	223	43	10	-	1
	White—M—	3,832	1	1	5	5	2	12	7	10	20	30	35	65	109	165	256	353	583	599	504	468	275	111	20	3	-	1
	White—F—	3,622	3	4	2	2	1	12	5	12	14	36	57	86	182	253	356	443	454	485	478	375	254	110	22	6	-	-
	Nonwhite—M—	164	-	-	-	-	2	-	1	-	1	3	2	5	7	17	25	26	33	16	14	7	4	1	-	1	-	-
	Nonwhite—F—	198	-	1	-	-	-	-	1	1	3	1	4	12	26	29	28	28	20	15	15	10	4	1	1	-	-	-
46	Cancer of the digestive organs and peritoneum—	3,418	-	-	-	1	-	-	2	2	6	15	21	47	101	165	251	367	510	549	536	448	262	96	14	4	-	1
	White—M—	1,867	-	-	-	-	-	1	2	4	10	13	25	45	79	116	173	225	295	325	276	135	41	6	2	-	-	1
	White—F—	1,410	-	-	-	1	-	-	-	2	5	8	16	44	67	93	143	194	215	249	188	125	53	8	1	-	-	-
	Nonwhite—M—	79	-	-	-	-	-	-	-	-	-	-	-	3	3	5	7	11	16	8	4	3	3	1	-	1	-	-
	Nonwhite—F—	62	-	-	-	-	-	-	1	-	-	-	-	3	9	7	9	8	5	3	8	7	1	1	-	-	-	-
48,49	Cancer of female genital organs—	962	-	-	-	-	-	-	1	7	16	24	40	89	103	121	150	109	102	81	55	41	15	7	1	-	-	-
	White—F—	882	-	-	-	-	-	-	1	6	15	21	35	76	89	110	136	102	96	79	53	40	15	7	1	-	-	-
	Nonwhite—F—	80	-	-	-	-	-	-	-	1	1	3	5	13	14	11	14	7	6	2	2	1	-	-	-	-	-	-
50	Cancer of breast—	716	-	-	-	-	-	-	-	1	6	16	21	51	64	92	96	90	80	54	70	42	26	7	-	-	-	-
	White—M—	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	1	-	-	-	-	-	-	-
	White—F—	686	-	-	-	-	-	-	-	1	6	15	19	46	60	87	94	86	77	51	70	42	26	6	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	24	-	-	-	-	-	-	-	-	-	-	1	2	4	4	5	2	4	1	2	-	-	-	1	-	-	-
45,47, 51-55	Cancer (other sites)—	2,758	4	6	7	6	5	26	11	21	23	33	37	60	93	132	261	349	381	382	338	287	192	86	15	5	-	-
	White—M—	1,960	1	1	5	5	2	12	6	8	16	20	22	40	63	88	180	260	288	272	228	142	70	14	1	-	-	-
	White—F—	684	3	4	2	1	1	12	5	11	5	10	13	16	26	37	66	70	72	99	99	64	47	16	1	4	-	-
	Nonwhite—M—	84	-	-	-	-	2	-	1	-	3	2	2	4	5	10	15	17	8	10	4	1	-	-	-	-	-	-
	Nonwhite—F—	30	-	1	-	-	-	-	1	2	-	-	2	-	4	5	4	4	4	3	1	1	2	-	-	-	-	-
58	Acute rheumatic fever—	30	-	-	1	-	1	6	7	1	1	1	2	3	3	1	-	-	2	-	-	-	-	1	-	-	-	-
	White—M—	15	-	-	1	-	2	3	1	1	1	1	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	White—F—	12	-	-	-	-	1	3	3	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,616	2	1	-	2	4	6	9	14	9	10	16	34	56	112	133	242	276	266	219	104	33	7	1	-	-	-
	White—M—	885	-	1	-	2	3	2	3	3	4	5	10	14	22	46	59	78	97	85	82	58	13	4	-	-	-	-
	White—F—	962	2	-	-	-	1	4	4	4	4	4	5	16	18	54	123	159	171	167	132	66	20	3	1	-	-	-
	Nonwhite—M—	24	-	-	-	-	-	-	-	2	-	-	-	2	5	-	3	4	4	3	1	-	-	-	-	-	-	-
	Nonwhite—F—	45	-	-	-	-	-	-	-	-	1	1	1	1	2	11	10	9	1	4	1	4	-	-	-	-	-	-
65b	Exophthalmic goiter—	126	-	-	-	-	-	-	-	-	3	2	2	3	2	9	22	21	15	20	15	12	2	-	-	-	-	-
	White—M—	25	-	-	-	-	-	-	-	-	-	-	1	1	1	1	10	1	4	5	2	1	-	-	-	-	-	-
	White—F—	91	-	-	-	-	-	-	-	-	2	2	1	1	8	8	20	11	14	11	11	11	2	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	9	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
	White—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	White—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)—	50	-	-	-	-	-	-	-	-	1	8	8	8	3	4	8	5	4	3	3	3	-	-	-	-	-	-
	White—M—	41	-	-	-	-	-	-	-	-	-	6	6	6	3	3	7	4	4	2	3	3	-	-	-	-	-	-
	White—F—	5	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	5,412	7	2	4	1	1	2	1	6	7	14	39	43	92	205	303	446	537	679	922	883	687	410	96	22	2	1
	White—M—	2,516	4	1	2	1	1	2	2	3	5	18	17	32	70	132	214	284	315	478	416	300	187	37	10	-	-	-
	White—F—	2,620	2	1	2	-	-	1	4	3	8	14	16	40	104	151	184	245	334	423	444	390	214	57	11	2	-	-
	Nonwhite—M—	127	1	-	-	-	-	-	-	1	1	4	5	11	21	28	15	14	10	12	2	4	-	-	-	-	-	-
	Nonwhite—F—	149	-	-	-	-	-	-	-	-	1	6	6	15	20	15	22	15	16	11	11	5	5	2	1	-	-	-
90-95	Diseases of the heart—	18,507	4	4	2	2	1	12	20	29	51	70	137	255	456	829	1,312	1,619	2,149	2,408	2,561	2,656	2,068	1,225	367	59	7	4
	White—M—	10,925	2	2	1	-	6	7	12	20	32	67	154	304	549	930	1,269	1,429	1,492	1,438	1,450	1,020	576	141	20	2	4	-
	White—F—	6,713	2	2	-	2	5	9	14	25	28	47	64	95	187	259	426	614	612	1,066	1							

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN--Con.																											
140-150	Diseases of pregnancy, etc.-----	173	-	-	-	-	-	-	-	12	33	39	45	37	9	4	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	140	-	-	-	-	-	-	-	10	25	31	35	28	8	3	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	33	-	-	-	-	-	-	-	2	8	8	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicaemia-----	56	-	-	-	-	-	-	-	6	10	10	17	9	3	1	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	45	-	-	-	-	-	-	-	5	6	9	12	9	3	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	11	-	-	-	-	-	-	-	1	4	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a, c, 144, 148	Puerperal toxemia-----	46	-	-	-	-	-	-	-	4	10	8	12	6	3	1	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	37	-	-	-	-	-	-	-	3	8	6	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	9	-	-	-	-	-	-	-	1	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock-----	58	-	-	-	-	-	-	-	2	10	15	15	12	2	2	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	47	-	-	-	-	-	-	-	2	8	11	12	11	2	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	11	-	-	-	-	-	-	-	-	2	4	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
141d, e, f, 145B, 150	Other puerperal causes-----	13	-	-	-	-	-	-	-	-	3	6	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White--F--	11	-	-	-	-	-	-	-	-	3	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations-----	1,032	991	41	13	7	7	16	9	6	6	2	7	5	4	5	2	3	1	1	2	2	-	-	-	-	-	
	White--M--	510	437	16	8	3	3	10	5	5	5	1	4	3	2	2	1	2	1	1	1	1	-	-	-	-	-	
	White--F--	460	401	23	5	4	3	5	4	1	3	1	1	2	1	2	1	1	1	1	1	1	-	-	-	-	-	
	Nonwhite--M--	41	33	2	-	-	-	1	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	21	20	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year-----	2,878	2,878	
	White--M--	1,499	1,499	
	White--F--	1,082	1,082	
	Nonwhite--M--	150	150	
	Nonwhite--F--	147	147	
159	Premature birth-----	1,959	1,959	
	White--M--	985	985	
	White--F--	777	777	
	Nonwhite--M--	97	97	
	Nonwhite--F--	102	102	
158, 160, 161	Other diseases peculiar to first year-----	919	919	
	White--M--	516	516	
	White--F--	305	305	
	Nonwhite--M--	53	53	
	Nonwhite--F--	45	45	
163, 164	Suicide-----	624	-	-	-	-	1	2	11	24	39	49	53	56	59	70	78	52	58	31	22	10	6	1	-	-	2	
	White--M--	476	-	-	-	-	1	2	8	16	25	33	40	41	45	52	63	43	48	26	17	9	4	1	-	-	2	
	White--F--	133	-	-	-	-	-	-	2	4	12	14	11	13	14	16	14	9	9	5	5	1	2	-	-	-	-	
	Nonwhite--M--	10	-	-	-	-	-	-	2	2	1	1	2	-	1	2	-	1	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	5	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-169	Homicide-----	251	6	-	2	1	1	1	4	11	27	31	39	19	19	23	18	11	12	3	3	-	-	-	-	-	-	
	White--M--	85	3	-	1	1	1	1	1	4	10	13	4	5	8	11	8	8	9	3	2	-	-	-	-	-	-	
	White--F--	30	3	-	2	-	-	2	2	1	3	5	2	-	6	2	-	2	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	83	-	-	-	-	-	1	4	13	12	17	12	13	4	4	1	1	1	-	-	-	-	-	-	-	-	
	Nonwhite--F--	53	-	-	-	-	-	-	4	9	6	4	1	1	5	1	2	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths-----	3,817	154	70	58	40	38	152	120	228	306	225	169	174	178	176	192	238	194	211	238	257	250	157	75	12	-	
	White--M--	2,519	97	42	34	21	20	99	81	168	241	179	132	134	127	133	128	168	138	131	143	127	94	54	23	3	-	
	White--F--	1,214	41	25	22	16	18	47	31	51	49	34	24	29	37	27	47	59	52	70	92	129	153	101	50	8	-	
	Nonwhite--M--	131	5	1	1	-	-	4	6	7	13	10	9	9	13	14	13	10	2	8	1	1	2	1	1	1	-	
	Nonwhite--F--	53	11	2	1	3	-	2	2	2	3	2	4	2	1	2	4	1	2	2	-	-	1	1	2	1	-	
170	Motor-vehicle accidents-----	1,536	6	24	18	17	17	72	45	140	200	128	84	88	78	79	97	112	82	70	89	60	37	14	3	-	-	
	White--M--	1,113	4	15	10	7	7	48	29	94	159	98	66	70	58	55	63	74	57	52	69	39	28	10	3	-	-	
	White--F--	393	2	9	8	9	10	20	15	42	32	22	13	17	16	18	28	32	23	14	20	21	9	3	-	-	-	
	Nonwhite--M--	49	-	-	-	-	-	2	1	3	8	6	3	1	4	4	5	5	1	4	-	-	-	-	-	-	-	
	Nonwhite--F--	12	-	-	-	-	-	2	1	1	1	1	2	-	2	1	1	1	1	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents-----	2,361	148	48	40	23	21	80	75	86	106	99	85	86	102	97	95	126	112	141	149	197	213	143	72	12	-	
	White--M--	1,408	93	27	24	14	13	51	52	72	82	81	66	64	71	78	65	94	81	79	74	88	66	44	20	3	-	
	White--F--	831	39	16	14	7	8	27	16	9	17	12	11	12	21	9	19	27	29	56	72	108	144	98	50	8	-	
	Nonwhite--M--																											

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			1	2	3	4	to 5	to 10	to 15	to 20	to 25	to 30	to 35	to 40	to 45	to 50	to 55	to 60	to 65	to 70	to 75	to 80	to 85	to 90	to 95	and over		
	MINNESOTA																											
	ALL CAUSES-----	27,781	2,165	110	82	53	51	182	144	193	326	255	362	465	649	933	1,395	1,926	2,588	2,951	3,493	5,545	3,097	1,992	663	130	20	1
	White---M--	15,820	1,225	56	45	29	25	116	81	135	204	147	218	255	376	546	825	1,206	1,656	1,769	2,043	1,927	1,624	973	298	56	3	1
	White---F--	11,601	879	47	34	22	24	69	60	55	108	100	132	187	260	376	539	697	922	1,149	1,418	1,586	1,460	1,009	361	71	16	-
	Nonwhite-M--	211	31	1	3	1	1	5	2	3	7	6	5	11	5	8	17	15	24	26	16	6	10	5	2	1	-	-
	Nonwhite-F--	149	30	6	-	1	1	2	1	-	7	2	7	2	8	3	14	8	7	7	16	16	3	5	1	2	1	-
1,2	Typhoid and paratyphoid fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis---	16	7	1	2	-	1	-	1	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	White---M--	9	4	-	2	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever---	3	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	31	25	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	15	11	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	16	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	22	1	1	1	-	3	8	2	1	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-
	White---M--	11	1	-	1	-	2	3	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White---F--	11	-	1	-	-	1	5	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)---	579	3	1	2	-	1	3	4	12	26	28	41	49	56	40	46	60	55	49	45	33	14	9	2	-	1	-
	White---M--	354	2	-	2	-	-	1	2	3	5	11	17	22	35	20	26	51	35	27	34	22	10	7	2	-	-	-
	White---F--	210	1	1	-	-	-	2	8	14	15	22	22	19	18	17	6	19	8	18	9	11	4	2	-	-	-	-
	Nonwhite-M--	23	-	-	-	-	1	2	-	1	3	2	-	5	-	2	1	1	1	3	1	-	-	-	-	-	-	-
	Nonwhite-F--	12	-	-	-	-	-	-	-	4	-	2	-	2	-	2	-	-	-	-	1	-	-	-	-	-	1	-
13	Tuberculosis of respiratory system, etc.*---	516	2	-	-	-	-	2	1	9	23	28	36	43	51	35	40	57	46	45	42	32	12	9	2	-	1	-
	White---M--	297	1	-	-	-	-	-	1	3	11	14	20	32	18	23	49	30	24	32	22	6	7	2	-	-	-	-
	White---F--	190	1	-	-	-	-	1	7	14	15	20	20	17	15	15	7	15	18	9	10	4	2	-	-	-	-	-
	Nonwhite-M--	19	-	-	-	-	2	-	1	3	2	-	3	-	2	1	1	1	3	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	10	-	-	-	-	-	-	-	3	-	2	-	2	-	1	-	-	-	-	1	-	-	-	-	-	1	-
14-22	Tuberculosis (other forms)---	63	1	1	2	-	1	1	3	3	3	-	5	6	5	5	6	3	9	3	3	1	2	-	-	-	-	-
	White---M--	37	1	-	2	-	-	1	2	2	2	-	3	2	3	2	3	2	5	3	2	-	2	-	-	-	-	-
	White---F--	20	-	1	-	-	-	1	1	-	-	-	2	2	2	2	3	2	4	-	-	1	-	-	-	-	-	-
	Nonwhite-M--	4	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White---M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
	White---F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	165	2	-	-	-	-	-	-	1	1	2	2	9	4	21	16	24	25	22	20	9	6	1	-	-	-	-
	White---M--	104	-	-	-	-	-	-	-	1	1	2	2	1	2	11	18	18	12	19	13	4	3	1	-	-	-	-
	White---F--	44	1	-	-	-	-	-	-	-	1	-	1	7	2	4	5	7	7	2	4	5	1	-	-	-	-	

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	Age groups																100 sm. over	Not stated						
			1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64			65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94
MINNESOTA—Continued																											
45-55	Cancer and other malignant tumors	4,026	4	4	4	-	3	6	4	8	14	15	39	75	117	219	303	390	514	550	561	550	360	215	31	5	-
	White—M—	2,080	2	2	3	-	3	1	2	6	6	7	12	26	34	75	136	181	266	324	341	310	198	115	15	2	-
	White—F—	1,915	2	2	1	-	5	2	-	-	8	8	24	49	61	142	164	193	242	225	236	245	167	100	16	3	-
46	Cancer of the digestive organs and peritoneum—	1,925	1	-	-	-	1	-	1	-	-	4	7	29	29	64	119	159	260	285	319	298	205	121	18	4	-
	White—M—	1,104	-	-	-	-	1	-	-	-	-	2	4	14	16	34	65	95	155	181	198	166	111	56	5	1	-
	White—F—	807	1	-	-	-	-	-	1	-	1	2	3	15	13	30	52	62	102	103	119	130	92	65	13	3	-
48,49	Cancer of female genital organs—	399	-	-	-	-	-	-	-	-	4	1	12	16	27	56	42	50	51	39	27	45	23	5	1	-	-
	White—M—	395	-	-	-	-	-	-	-	-	4	1	12	16	25	55	42	49	51	39	27	45	23	5	1	-	
	White—F—	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
50	Cancer of breast—	367	-	-	-	-	-	-	-	-	1	-	4	9	30	37	40	50	51	37	39	26	24	18	1	-	-
	White—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	362	-	-	-	-	-	-	-	-	1	-	4	9	30	37	40	49	51	36	38	26	23	17	1	-	-
45,47, 51-55	Cancer (other sites)—	1,335	3	4	4	-	2	6	5	8	8	10	15	21	31	62	102	151	182	189	196	189	116	71	11	1	-
	White—M—	972	2	2	3	-	1	2	2	3	3	5	8	12	16	41	71	96	111	142	144	144	87	59	10	1	-
	White—F—	351	1	2	1	-	5	1	-	2	5	5	9	13	20	30	33	39	47	52	44	29	13	1	-	-	-
58	Acute rheumatic fever—	15	-	-	-	-	4	3	2	-	-	-	2	-	2	1	1	2	-	-	-	-	-	-	-	-	-
	White—M—	9	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus—	790	-	-	2	-	3	2	5	5	5	12	7	9	29	27	55	116	121	153	114	88	29	8	2	-	-
	White—M—	321	-	-	2	-	2	2	1	2	2	7	5	4	17	9	18	46	44	58	49	42	12	2	1	-	
	White—F—	462	-	-	-	-	3	2	3	4	3	5	2	4	12	17	35	69	76	94	64	46	16	6	1	-	
63b	Exophthalmic goiter—	44	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	5	5	15	3	4	3	1	-	-	-
	White—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	39	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	5	4	12	3	3	3	1	-	-	-
69	Pellagra (except alcoholic)—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylian)—	38	-	-	-	-	-	-	-	-	-	-	3	1	4	7	3	3	5	5	5	-	2	-	-	-	-
	White—M—	36	-	-	-	-	-	-	-	-	-	-	3	1	3	6	3	3	5	5	5	-	2	-	-	-	
	White—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	2,937	5	1	2	-	1	2	4	8	7	9	15	32	70	130	186	265	353	500	519	451	288	76	12	1	-
	White—M—	1,467	2	-	-	-	1	2	4	5	3	5	9	15	42	54	91	155	195	251	261	237	124	38	5	-	-
	White—F—	1,445	3	1	1	-	2	-	3	4	4	6	16	27	72	127	195	255	242	257	240	164	38	7	1	-	-
90-95	Diseases of the heart—	8,836	2	-	2	-	1	7	9	3	22	20	44	64	166	249	474	706	965	1,144	1,373	1,416	1,162	715	242	48	3
	White—M—	5,341	-	-	-	-	1	5	3	3	12	10	26	40	116	177	335	504	674	719	847	768	609	366	108	17	1
	White—F—	3,404	2	-	1	-	1	6	-	-	10	10	17	21	45	71	130	197	280	408	513	655	551	343	132	29	2
90a, 92b, c, 93e, 95b	Chronic rheumatic diseases of the heart—	486	-	-	-	-	4	9	1	5	9	13	12	22	31	36	40	47	54	61	56	52	24	8	2	-	-
	White—M—	231	-	-	-	-	4	3	1	2	4	6	4	12	13	13	26	25	34	26	25	20	13	-	-	-	
	White—F—	251	-	-	-	-	6	-	3	5	7	8	9	18	22	22	13	22	30	35	30	32	11	8	2	-	
94	Diseases of coronary arteries and angina pectoris—	4,006	-	-	-	-	-	-	1	6	3	15	29	79	153	257	433	545	588	636	571	386	218	75	11	-	-
	White—M—	2,761	-	-	-	-	-	-	1	4	1	10	24	63	124	206	355	410	407	425	362	219	125	41	4	-	
	White—F—	1,219	-	-	-	-	-	-	-	2	2	5	5	14	29	49	97	129	177	206	206	167	92	34	5	-	
90a, 91, 92a, d, e, 93a, b, d, e, 95a, c	Diseases of the heart (other forms)—	4,544	2	-	2	-	1	3	1	11	8	16	23	65	65	181	235	373	502	676	789	724	473	158	35	3	
	White—M—	2,349	-	-	-	-	1	1	1	6	5	10	12	41	40	116	143	239	278	396	381	370	228	67	13	2	
	White—F—	1,934	2	-	1	-	1	-	5	3	5	8	22	44	24	59	87	129	211	272	398	352	240	90	22	1	

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age																	100 and over	Not stated						
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
MINNESOTA—Continued																												
140-150	Diseases of pregnancy, etc.	46	-	-	-	-	-	-	-	-	-	1	10	11	2	15	7	-	-	-	-	-	-	-	-			
	White—F	45	-	-	-	-	-	-	-	-	-	1	9	11	2	15	7	-	-	-	-	-	-	-	-			
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
140, 142a, 145A, 147	Puerperal septicemia	16	-	-	-	-	-	-	-	-	-	1	5	4	-	4	2	-	-	-	-	-	-	-	-			
	White—F	16	-	-	-	-	-	-	-	-	-	1	5	4	-	4	2	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
141a, c, 144, 148	Puerperal toxemia	9	-	-	-	-	-	-	-	-	-	3	2	-	2	2	-	-	-	-	-	-	-	-	-			
	White—F	8	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock	16	-	-	-	-	-	-	-	-	-	2	3	1	7	3	-	-	-	-	-	-	-	-	-			
	White—F	16	-	-	-	-	-	-	-	-	-	2	3	1	7	3	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
141d, e, f, 145B, 150	Other puerperal causes	5	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-			
	White—F	5	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
157	Congenital malformations	461	377	17	5	4	1	12	5	4	3	4	7	2	3	4	2	3	2	3	1	-	-	-	-			
	White—M	230	188	8	4	-	-	7	3	4	2	1	4	2	2	3	2	1	1	1	-	-	-	-	-			
	White—F	227	188	9	1	4	1	5	2	2	2	3	5	-	1	1	2	1	1	1	-	-	-	-	-			
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
158-161	Diseases peculiar to first year	1,278	1,278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—M	780	780	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F	478	478	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
159	Premature birth	802	802	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—M	488	488	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F	302	302	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
158, 160, 161	Other diseases peculiar to first year	476	476	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—M	294	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
163, 164	Suicide	323	-	-	-	-	-	-	3	14	8	12	25	30	36	40	43	41	27	16	16	12	-	-	-			
	White—M	265	-	-	-	-	-	-	2	11	6	6	16	25	29	29	35	39	25	13	15	12	-	-	-			
	White—F	57	-	-	-	-	-	-	1	2	2	4	7	5	7	11	8	2	4	3	1	-	-	-	-			
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
165-168	Homicide	34	4	-	1	-	-	-	1	-	6	3	2	2	2	5	2	2	3	-	2	-	-	-	-			
	White—M	19	1	-	-	-	-	-	-	3	2	1	1	1	2	1	2	2	1	2	1	-	-	-	-			
	White—F	10	3	-	1	-	-	-	1	-	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-			
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
169-195	Accidental deaths	2,008	60	32	23	17	23	81	55	106	137	85	102	82	64	69	83	99	131	100	132	156	181	141	57	11	2	1
	White—M	1,342	30	19	15	11	11	56	37	83	115	73	85	71	56	56	60	73	91	70	91	87	70	47	18	5	-	1
	White—F	630	25	11	8	5	12	23	14	22	19	10	13	9	8	11	17	23	31	26	41	69	91	93	39	6	2	-
	Nonwhite—M	27	3	-	-	1	-	2	1	2	1	1	2	2	2	5	3	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	2	2	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
170	Motor-vehicle accidents	619	3	8	9	5	11	38	16	60	81	42	51	31	23	25	23	40	47	26	34	25	12	6	2	1	-	-
	White—M	480	1	3	7	2	4	29	15	43	66	36	42	27	18	19	15	32	38	23	28	20	7	4	-	1	-	-
	White—F	129	2	3	2	2	7	9	1	16	14	5	8	3	5	5	7	8	9	3	6	5	2	2	2	-	-	-
	Nonwhite—M	6	-	-	-	1	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
168, 171-195	Other accidents	1,389	57	24	14	12	12	43	37	46	58	43	51	51	41	44	60	59	84	74	98	131	149	135	55	10	2	1
	White—M	882	29	16	8	9	7	27	22	40	49	37	43	44	38	37	45	41	61	50	63	67	63	43	18	4	-	1
	White—F	501	23	8	6	3	5	16	13	6	5	5	5	6	3	6	10	15	22	23	35	64	86	91	37	6	2	-
	Nonwhite—M	21	3	-	-	-	-	2	-	1	1	2	1	-	1	5	3	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite—F	5	2	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes	340	15	2	1	1	-	2	1	-	1	2	1	-	4	4	8	6	10	19	26	34	55	76	56	12	4	-
	White—M	185	5	1	-	-	-	1	1	-	1	2	-	-	1	4	7	2	7	14	10	18	23	35	27	6	-	-
	White—F	166	7	-	1	1	-	-	-	-	-	-	1	-	3	2	1	4	3	5	15							

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
MISSISSIPPI—Continued																													
45-55	Cancer and other malignant tumors	1,813	2	2	3	3	3	4	6	8	17	23	46	74	103	133	168	188	209	233	224	167	95	57	15	6	1	3	
	White—M—	800	1	1	1	1	1	3	3	4	5	3	8	11	20	31	38	42	55	85	75	61	30	19	3	—	—	—	
	White—F—	568	—	—	1	1	1	—	—	1	7	5	11	20	30	40	47	57	64	84	69	58	32	26	10	3	—	1	
	Nonwhite—M—	297	1	1	1	1	—	—	—	3	4	2	5	9	13	13	32	39	35	40	48	29	16	4	1	—	—	—	
	Nonwhite—F—	448	1	—	—	1	1	1	3	—	1	13	22	34	40	49	51	50	55	44	32	19	17	6	1	3	1	1	
46	Cancer of the digestive organs and peritoneum—	661	1	1	—	—	—	—	2	3	4	6	11	24	24	36	61	72	86	105	105	74	35	21	4	2	1	3	
	White—M—	202	1	1	—	—	—	—	2	2	2	1	4	5	4	10	15	16	22	41	36	25	11	6	—	—	—	—	
	White—F—	194	—	—	—	—	—	—	—	1	1	1	2	7	7	16	14	26	27	32	28	11	6	—	—	—	—	—	
	Nonwhite—M—	152	—	—	—	—	—	—	—	1	1	1	1	5	6	6	17	26	19	23	15	5	2	2	1	—	—	—	
	Nonwhite—F—	133	—	—	—	—	—	—	—	—	—	3	4	7	7	13	15	16	19	14	13	6	10	5	1	—	—	—	
48,49	Cancer of female genital organs—	341	—	—	1	—	—	—	—	3	9	13	24	32	40	30	46	36	36	42	28	22	7	7	2	1	—	—	
	White—F—	154	—	—	1	—	—	—	—	2	2	2	7	10	16	10	25	12	24	18	12	5	6	2	2	—	—	—	
	Nonwhite—F—	187	—	—	—	—	—	—	—	1	7	11	17	17	22	24	21	24	24	18	8	10	2	1	1	—	—	—	
50	Cancer of breast—	148	—	—	—	—	—	—	—	—	—	1	6	6	14	16	21	17	15	26	11	4	—	3	—	—	—	—	
	White—M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F—	85	—	—	—	—	—	—	—	—	—	—	4	1	7	7	11	13	10	16	5	3	—	2	1	—	—	—	
	Nonwhite—M—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—F—	61	—	—	—	—	—	—	—	—	—	1	2	5	7	9	9	4	5	8	5	1	3	2	—	—	—	—	
45,47, 51-55	Cancer (other sites)—	643	1	1	2	3	3	4	4	5	10	7	16	20	33	41	56	53	72	80	82	67	49	26	6	3	—	—	
	White—M—	298	—	—	1	1	—	3	1	2	3	2	4	6	16	21	25	26	33	44	39	36	13	13	3	—	—	—	
	White—F—	135	—	—	—	1	—	—	—	1	4	2	3	5	6	10	8	5	16	15	14	15	14	11	3	1	—	—	
	Nonwhite—M—	143	—	1	1	—	—	—	—	2	3	1	4	4	7	7	14	13	16	17	23	14	13	2	—	—	—	—	
	Nonwhite—F—	67	1	—	—	1	1	1	3	—	—	2	5	5	4	3	9	9	7	4	6	2	2	—	—	—	—	—	
59	Acute rheumatic fever—	31	—	—	—	1	1	5	5	3	7	2	—	—	1	2	—	—	—	1	—	2	—	1	—	—	—	—	
	White—M—	4	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—M—	10	—	—	—	—	—	3	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—F—	15	—	—	—	1	—	1	2	—	4	—	—	—	—	1	2	—	—	—	2	—	—	—	—	—	—	—	
61	Diabetes mellitus—	318	—	—	—	—	1	2	2	3	5	6	4	11	16	15	23	32	41	45	55	29	16	7	3	—	—	—	
	White—M—	80	—	—	—	—	—	—	—	1	2	1	2	1	4	—	7	6	12	16	11	6	10	10	3	—	—	—	
	White—F—	114	—	—	—	—	1	1	1	2	2	2	1	3	5	3	3	12	9	18	30	16	4	2	—	—	—	—	
	Nonwhite—M—	40	—	—	—	—	—	1	1	2	2	1	1	1	2	2	2	2	7	4	4	5	2	1	—	—	—	—	
	Nonwhite—F—	84	—	—	—	—	—	—	—	2	—	—	1	6	5	10	11	12	13	7	10	2	—	—	—	—	—	—	
65b	Exophthalmic goiter—	17	—	—	—	—	—	—	—	2	1	1	2	1	1	1	2	3	3	—	—	—	—	—	—	—	—	—	—
	White—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F—	6	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	9	—	—	—	—	—	—	—	2	1	—	—	1	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—
69	Pellagra (except alcoholic)—	30	—	—	—	—	—	—	—	—	—	—	1	1	2	2	3	5	5	2	4	1	3	2	1	—	—	—	—
	White—M—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	1	—	—	—	—	—
	Nonwhite—M—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	11	—	—	—	—	—	—	—	—	—	—	—	1	1	1	2	2	—	—	1	—	1	—	—	—	—	—	—
77	Alcoholism (other)—	19	—	—	—	—	—	—	—	2	3	—	2	3	3	1	3	2	2	—	—	—	—	—	—	—	—	—	—
	White—M—	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White—F—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	6	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—F—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
83	Intracranial lesions of vascular origin—	1,967	2	—	1	1	—	1	3	1	5	15	15	32	62	89	160	196	213	292	284	258	163	82	39	18	7	7	
	White—M—	478	1	—	—	—	—	1	—	—	2	2	1	5	10	10	24	37	55	70	93	76	49	29	14	—	—	—	
	White—F—	440	—	—	1	—	—	—	—	—	1	3	2	5	6	15	29	38	34	58	70	61	59	28	8	2	—	—	
	Nonwhite—M—	455	1	—	—	—	—	—	—	—	1	5	3	7	17	23	47	51	52	74	58	49	37	14	6	5	3	2	
	Nonwhite—F—	594	—	—	—	—	—	3	1	1	5	9	17	29	41	60	70	72	90	63	53	39	11	11	11	4	4	3	
90-95	Diseases of the heart—	4,275	2	4	1	—	1	6																					

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated		
140-150	MISSISSIPPI— Continued Diseases of pregnancy, etc.* White—F-- Nonwhite—F--	173 48 125	-	-	-	-	-	-	3	19	30	41	33	33	12	2	-	-	-	-	-	-	-	-	-	-	-	-		
140, 142a, 145a, 147	Puerperal septicaemia White—F-- Nonwhite—F--	38 11 27	-	-	-	-	-	-	-	4	6	12	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
141a, c, 144, 148	Puerperal toxemia White—F-- Nonwhite—F--	64 16 48	-	-	-	-	-	-	2	13	13	16	9	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock* White—F-- Nonwhite—F--	50 15 35	-	-	-	-	-	-	1	1	7	11	11	13	5	1	-	-	-	-	-	-	-	-	-	-	-	-		
141d, e, f, 145b, 150	Other puerperal causes White—F-- Nonwhite—F--	21 6 15	-	-	-	-	-	-	-	1	4	2	5	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
157	Congenital malformations White—M-- F-- Nonwhite—M-- F--	219 95 62 39 25	191 79 56 33 25	5 2 2 1 -	6 3 1 1 -	1 2 1 1 -	4 3 1 1 -	6 3 2 1 -	6 3 2 1 -	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year White—M-- F-- Nonwhite—M-- F--	1,066 370 257 240 199	1,066 370 257 240 199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
159	Premature birth White—M-- F-- Nonwhite—M-- F--	646 200 177 138 131	646 200 177 138 131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
158, 160, 161	Other diseases peculiar to first year White—M-- F-- Nonwhite—M-- F--	420 170 80 102 68	420 170 80 102 68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
163, 164	Suicide White—M-- F-- Nonwhite—M-- F--	110 79 17 14	-	-	-	-	-	-	-	2	6	6	10	11	8	12	13	9	10	10	5	7	-	-	-	-	-	1		
165-168	Homicide White—M-- F-- Nonwhite—M-- F--	310 53 11 207 39	2	-	1	-	-	-	2	29	64	46	44	35	26	20	13	10	5	5	5	1	-	-	-	-	-	2		
169-195	Accidental deaths White—M-- F-- Nonwhite—M-- F--	1,809 552 237 506 204	70 8 12 26 24	41 9 11 15 6	30 3 7 10 8	36 5 6 13 9	27 8 7 8 11	70 19 14 25 12	66 17 9 32 8	124 45 14 54 5	147 85 14 42 8	118 52 7 48 11	95 47 8 24 16	90 47 6 28 9	76 35 6 30 5	80 29 7 33 11	51 19 5 20 7	69 25 6 24 14	42 20 8 12 2	53 19 11 14 9	47 17 11 15 4	63 23 11 12 9	51 15 11 9 7	53 15 13 4 3	19 3 13 1 2	4 - 2 1 1	1 - - 1 -	6 1 - 5 -		
170	Motor-vehicle accidents White—M-- F-- Nonwhite—M-- F--	478 239 67 132 40	4 2 2 - -	6 2 4 - -	6 3 3 1 -	11 2 4 3 -	8 9 3 4 -	22 6 3 6 -	19 10 5 9 -	47 28 10 16 -	71 48 6 15 -	45 25 2 15 -	40 21 2 7 -	35 22 2 8 -	23 11 2 10 -	32 13 3 12 -	20 7 4 7 -	21 8 2 5 -	14 3 3 8 -	19 9 1 8 -	11 5 1 4 -	13 8 1 5 -	6 2 1 2 -	2 - - 1 -	-	-	1	2		
169, 171-195	Other accidents White—M-- F-- Nonwhite—M-- F--	1,031 323 170 374 164	66 6 10 26 24	35 7 7 15 6	24 3 4 9 8	25 6 2 10 7	19 3 2 4 10	46 10 11 19 5	47 11 4 27 8	77 19 7 45 6	76 35 8 26 7	73 27 5 33 8	55 26 4 17 20	58 25 3 20 20	53 16 4 30 5	48 12 4 13 7	31 12 1 19 5	48 14 4 24 11	28 10 5 10 8	34 12 4 10 3	56 12 10 11 3	50 15 10 18 6	45 11 10 21 7	31 15 11 15 3	19 3 15 2 2	4 - - 1 -	-	4		
162, 198, 200	Senility, ill-defined and unknown causes White—M-- F-- Nonwhite—M-- F--	2,470 512 182 1,060 816	531 33 25 261 212	25 2 4 7 10	11 1 1 5 5	8 - - 4 3	5 - - 3 2	16 5 - 4 6	9 3 - 3 3	19 1 - 14 10	31 1 2 14 14	28 1 1 9 16	26 2 2 16 8	55 1 2 18 31	60 4 3 26 21	94 10 5 37 41	96 15 3 56 43	125 26 6 47 46	161 18 10 116 53	216 26 5 89 69	228 37 11 107 73	215 26 29 69 60	190 27 25 43 69	141 30 29 45 39	91 14 15 27 35	45 3 5 19 18	42 1 2 11 28	4 - - 3 1		
	All other causes White—M-- F-- Nonwhite—M-- F--	1,111 306 251 303 249	105 30 16 34 25	28 8 5 4 11	16 6 3 6 5	9 2 2 4 3	11 9 5 3 9	31 5 6 4 9	32 6 5 9 14	37 7 6 15 11	39 5 6 19 9	41 7 6 13 15	43 13 12 16 18	67 15 12 14 23	62 13 16 16 19	73 14 15 16 27	68 13 11 22 17	70 21 16 22 11	64 23 15 89 46	99 38 25 107 69	64 23 15 107 60	69 27 14 89 60	58 14 8 69 39	22 8 3 4 2	11 5 3 2 1	6 3 2 2 2	3 3 - - -	3 1 - - 1		

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI																											
	ALL CAUSES-----	44,572	2,929	159	99	76	57	212	200	374	491	473	611	834	1,306	1,777	2,492	3,199	4,007	4,848	5,708	5,934	4,620	2,958	1,025	216	42	25
	White---M---	22,843	1,514	68	46	33	24	118	116	179	247	217	259	374	630	888	1,271	1,684	2,272	2,672	2,965	2,944	2,244	1,351	437	67	11	12
	White---F---	17,599	993	86	41	33	24	72	62	123	142	159	209	269	419	502	777	1,090	1,544	1,800	2,399	2,825	2,226	1,521	546	131	17	9
	Nonwhite---M---	2,397	247	12	8	5	7	14	13	26	50	62	70	91	132	197	259	258	235	213	207	143	84	37	18	5	4	3
	Nonwhite---F---	1,935	175	13	4	5	2	8	9	46	52	55	73	100	125	190	186	156	163	137	122	66	49	28	13	10	1	1
1,2	Typhoid and para-typhoid fever---	16	1	-	-	-	-	2	1	1	3	-	1	2	2	-	-	-	2	1	-	-	-	-	-	-	-	-
	White---M---	9	-	-	-	-	-	1	1	1	1	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	White---F---	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite---M---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F---	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis---	15	5	-	3	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-
	White---M---	9	2	-	2	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White---F---	6	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite---M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever---	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---M---	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	67	46	15	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M---	28	22	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F---	28	17	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M---	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F---	6	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	17	1	3	2	2	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M---	5	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F---	9	1	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M---	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F---	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)---	1,291	6	6	4	3	3	1	6	45	63	65	95	90	135	117	116	137	106	84	84	52	33	13	2	1	-	-
	White---M---	649	2	2	2	-	1	-	1	8	18	18	31	40	62	75	74	88	77	53	49	25	17	5	1	1	-	-
	White---F---	322	4	4	1	2	1	-	1	7	26	20	32	20	31	18	15	27	19	23	29	19	14	7	1	1	-	-
	Nonwhite---M---	161	-	-	-	1	1	1	2	6	17	17	15	27	17	17	20	17	7	4	4	4	4	4	1	-	-	-
	Nonwhite---F---	139	2	2	1	-	-	2	24	22	10	15	15	15	7	7	7	5	5	4	2	1	2	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	1,212	5	2	1	2	1	-	5	40	74	62	91	65	129	111	112	131	102	79	81	52	31	13	2	1	-	-
	White---M---	618	2	1	-	-	-	1	6	18	17	29	38	60	71	72	85	74	50	48	25	15	5	1	1	-	-	-
	White---F---	296	3	-	1	2	-	1	6	22	19	30	18	28	17	15	24	19	21	28	19	14	7	1	1	-	-	-
	Nonwhite---M---	172	-	-	-	-	1	2	6	14	17	17	15	26	16	20	17	6	4	3	7	4	1	-	-	-	-	-
	Nonwhite---F---	126	-	1	-	-	-	1	22	20	9	15	14	15	7	5	5	3	3	4	2	1	2	-	-	-	-	-
14-22	Tuberculosis (other forms)---	79	3	6	3	1	2	1	1	5	9	3	4	5	6	6	4	6	4	5	3	-	2	-	-	-	-	-
	White---M---	31	1	1	2	-	1	-	2	-	1	2	2	2	2	4	2	3	3	3	1	-	2	-	-	-	-	-
	White---F---	26	1	4	-	-	1	-	1	4	1	2	2	3	1	-	3	-	2	-	2	-	-	-	-	-	-	-
	Nonwhite---M---	9	-	-	-	1	-	1	-	3	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite---F---	13	2	1	1	-	-	1	2	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	18	6	1	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	White---M---	5	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	White---F---	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M---	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	6	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-
	White---M---	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	White---F---	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite---M---	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
30	Syphilis-----	414	10	-	1	-	-	1	1	3	5	3	5	25	38	41	51	65	53	58	25	17	10	3	1	-	-	-
	White---M---	201	3	-	1	-	-	-	-	-	-	-	3	9	15	18	24	36	34	32	13	7	4	2	-	-	-	-
	White---F---	93	1	-	-	-	-	-	1	2	2	2	6															

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																												100 and over	Not stated
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99						
MISSOURI—Con.																																
45-55	Cancer and other malignant tumors	5,778	2	2	1	1	2	11	9	16	17	20	61	120	210	326	486	608	739	815	871	748	429	219	58	6	1	-				
	White—M—	2,576	1	2	1	2	7	5	10	11	9	16	32	55	112	182	244	261	319	354	422	375	202	91	30	1	-					
	F—	2,762	1	1	1	1	3	4	4	5	10	34	62	123	172	251	328	319	354	409	345	217	119	25	4	1	-					
	Nonwhite—M—	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	F—	232	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
46	Cancer of the digestive organs and peritoneum—	2,520	1	-	-	-	3	3	1	3	7	17	27	54	109	161	243	327	407	426	390	214	107	20	-	-	-					
	White—M—	1,228	1	-	-	-	3	1	1	3	4	5	12	25	53	78	113	161	213	223	192	96	37	8	-	-	-					
	F—	1,101	-	-	-	-	2	-	-	-	-	-	3	6	24	40	61	95	138	166	186	113	65	10	-	-	-					
	Nonwhite—M—	116	-	-	-	-	-	-	-	-	-	-	-	1	5	2	7	10	20	21	23	12	2	4	1	-	-					
	F—	74	-	-	-	-	-	-	-	-	-	-	3	4	3	9	12	15	7	7	5	4	3	1	-	-	-					
48,49	Cancer of female genital organs—	694	-	-	-	-	-	-	-	-	1	4	10	32	57	66	91	92	88	71	85	53	23	8	2	1	-					
	White—F—	603	-	-	-	-	-	-	-	-	1	4	7	23	43	57	74	84	81	68	80	50	21	7	2	1	-					
	Nonwhite—F—	81	-	-	-	-	-	-	-	-	-	-	-	3	9	14	9	17	8	7	3	5	3	2	1	-	-					
50	Cancer of breast—	587	-	-	-	-	-	-	-	-	2	11	24	44	57	76	67	60	67	64	47	40	23	2	3	-	-					
	White—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F—	559	-	-	-	-	-	-	-	-	1	9	18	38	52	72	61	54	60	63	45	40	22	1	2	-	-					
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F—	42	-	-	-	-	-	-	-	-	1	2	5	5	5	3	6	5	1	1	1	-	-	1	1	-	-					
45,47, 51-55	Cancer (other sites)—	1,987	1	2	1	1	2	8	6	15	13	7	23	37	55	94	158	206	264	270	296	258	152	81	34	2	1					
	White—M—	1,341	1	2	1	2	4	4	9	8	5	11	20	29	59	105	151	200	191	199	182	106	53	22	1	-	-					
	F—	519	1	1	1	1	3	2	4	4	2	10	14	18	23	44	58	46	62	80	64	43	25	12	1	1						
	Nonwhite—M—	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F—	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
58	Acute rheumatic fever—	35	-	-	1	-	1	2	4	5	1	4	1	2	3	-	2	-	1	1	4	3	-	-	-	-	-					
	White—M—	11	-	-	-	-	1	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F—	19	-	-	1	-	1	3	4	1	2	-	1	1	-	-	-	-	-	1	3	-	-	-	-	-	-					
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F—	4	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-					
61	Diabetes mellitus—	953	-	-	-	-	-	3	8	7	9	7	9	12	27	58	102	117	165	166	125	95	37	6	2	-	-					
	White—M—	336	-	-	-	-	2	2	4	4	3	3	6	11	17	33	38	60	59	40	31	20	1	2	-	-	-					
	F—	550	-	-	-	-	1	6	2	5	2	2	5	11	27	56	74	95	101	80	62	16	5	-	-	-	-					
	Nonwhite—M—	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F—	38	-	-	-	-	-	-	-	-	1	-	2	1	1	1	5	8	5	3	5	2	1	-	-	-	-					
65b	Exophthalmic goiter—	71	-	-	-	-	-	-	-	1	-	-	-	2	4	4	7	6	17	15	5	4	3	1	1	-	1					
	White—M—	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	2	-	-	-	-	-					
	F—	61	-	-	-	-	-	-	-	-	-	-	-	-	4	3	6	4	17	15	4	2	3	1	1	-	1					
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
69	Pellagra (except alcoholic)—	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	3	2	-	-	-	-					
	White—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-					
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-					
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
77	Alcoholism (ethylism)—	42	-	-	-	-	-	-	1	-	-	3	4	8	3	6	4	7	1	3	1	1	-	-	-	-	-					
	White—M—	31	-	-	-	-	-	-	-	-	-	2	7	3	5	3	6	1	2	1	1	1	-	-	-	-	-					
	F—	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-					
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
85	Intracranial lesions of vesicular origin—	4,438	5	-	-	-	2	3	3	8	10	13	26	70	126	191	303	422	570	747	828	589	385	100	29	5	4					
	White—M—	2,076	3	-	-	-	2	1	1	5	5	4	11	32	51	76	123	219	301	370	403	260	160	39	7	2	1					
	F—	1,985	1	-	-	-	1	1	1	2	-	2	9	26	37	74	131	166	224	325	375	332	219	55	19	2	2					
	Nonwhite—M—	184	-	-	-	-	-	-	-	-	-	2	1	3	18	18	29	20	19	33	23	10	2	3	1	-	1					
	F—	195	1	-	-	-	1	1	1	4	2	12	10	34	69	57	55	63	59	44	26	24	13	6	4	-						
90a, 92b, 93c, 95b	Diseases of the heart—	14,390	7	-	1	1	9	20	21	28	31	67	149	309	474	786	1,106	1,426	1,813	2,260	2,342	1,878	1,148	421	78	12	6					
	White—M—	7,754	4	-	1	-	5	10	12	12	15	30	78	178	263	482	679	882	1,079	1,205	1,172	907	517	166	24	1	4					
	F—	5,510	2	-	1	-	3	8	6	7	14	22	49	68	91	171	294	393	609	923	1,075	909	596	217	47	5	2					
	Nonwhite—M—	583	-	-	-	-	1	1	2	2	2	3	12	29	51	66	78	88	67	73	53	36	11	5	1	2	-					
	F—	543	1	-	-	-	1	1	4	2	12	10	34	69	57	55	63	59	44	26	24	13	6	4	-	-						
90a, 92b, 93c, 95b	Chronic rheumatic diseases of the heart—	872	-	-	1	1	3	9	9	12	15	20	25	42	43	68	73	70	89	102	108	99	55	22	6	-	-					
	White—M—	430	-	-	1	-	1	4	6	7	9	6	12	22	22	35	34	39	42	49	54	50	27	8	2	-	-					
	F—	367	-	-	1	-	1	4	1	5	4	12	12	13	15	22	35	24	39	46	47	44	25	13	4	-	-					
	Nonwhite—M—	34	-	-	-	-	1	1	1	-	1	1	2	2	2	4	2	4	4	6	2	3	2	1	-	-	-					
	F—	41	-	-	-	-	1	1	1	-	1	2	1	5	4	7	2	3	4	1	5	2	1	-	-	-	-					
94	Diseases of coronary arteries and angina pectoris—	4,678	3	-	-	-	1	-	-	3	7	23	56	129	218	348	524	611	701	750	611	408	206	66	9	3	1					
	White—M—	3,087	-	-	-	-	1	-	-	1	1	14	40	94	159	259	389	457	477	474	353	229	102	34	3	-	-					
	F—	1,372	2	-	-	-	-	-	-	-	1	6	4	13	19	25	62	109	122	20												

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																				100 and over	Not stated							
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79			80 to 84	85 to 89	90 to 94	95 to 99			
97, 102	MISSOURI--Con.																														
	Arteriosclerosis and high blood pressure*	714	-	-	-	-	-	-	-	1	-	2	1	4	9	14	21	27	37	100	132	163	134	51	15	3	-				
	White--M	376	-	-	-	-	-	-	-	1	-	1	-	1	6	5	9	14	19	57	73	86	77	23	2	2	-				
	Nonwhite--M	292	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	7	9	14	36	54	70	26	12	1	-				
107-109, 35	Pneumonia (all forms) and influenza	2,393	337	35	14	14	8	14	12	12	20	19	27	42	56	71	99	119	166	190	234	275	298	217	86	19	7	4			
	White--M	1,126	150	14	4	6	4	4	3	5	5	5	7	8	19	26	36	48	70	85	97	107	127	156	102	36	6	3	-		
	Nonwhite--M	835	121	11	5	2	3	9	6	3	4	4	8	13	11	14	14	12	27	55	71	110	135	128	112	46	11	2	2		
	Nonwhite--F	199	39	3	4	2	1	1	1	2	2	3	3	4	6	6	14	27	19	18	15	6	9	1	2	1	1	1	1		
107	Bronchopneumonia	963	235	19	10	10	2	8	4	4	4	8	9	11	12	24	27	28	51	65	90	111	107	97	38	9	1	1			
	White--M	451	112	9	3	5	1	2	1	2	2	3	4	5	8	5	10	14	15	27	29	40	49	51	43	18	2	-	-		
	Nonwhite--M	380	72	5	3	1	1	5	3	2	1	2	5	1	3	5	3	10	18	24	40	55	53	53	18	6	-	-	-		
	Nonwhite--F	85	30	2	3	-	-	1	-	-	-	2	1	-	1	5	7	3	4	9	8	3	2	-	-	1	1	1	1		
108	Lobar pneumonia	969	65	7	1	-	3	4	4	6	12	7	15	22	34	37	59	74	91	86	100	96	137	69	31	5	2	2	2		
	White--M	484	24	4	-	-	2	2	2	3	2	2	4	6	8	17	21	28	47	50	47	47	80	34	12	4	1	1	1	1	
	Nonwhite--M	336	28	2	-	-	2	2	1	-	3	4	6	6	6	7	6	10	27	28	47	46	49	35	16	1	1	1	1	1	
	Nonwhite--F	93	6	1	1	-	1	-	2	-	1	3	4	5	8	17	14	13	3	4	2	2	5	1	-	-	-	-	-	-	
109	Pneumonia (unspecified)	105	23	4	1	3	2	-	2	-	2	1	-	7	3	5	3	4	6	9	5	9	6	4	1	-	2	1	1		
	White--M	44	8	1	1	2	-	-	-	-	1	-	-	3	2	3	2	3	2	4	1	5	3	1	1	-	1	-	-	-	
	Nonwhite--M	51	14	3	-	1	-	-	2	-	-	-	-	3	1	1	-	1	4	5	4	4	4	3	-	-	-	-	-	-	
	Nonwhite--F	6	1	-	-	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	356	16	3	2	1	1	2	2	2	2	3	3	2	7	5	10	13	18	30	39	59	46	47	16	5	2	-	-		
	White--M	147	6	-	-	1	1	2	2	-	-	1	1	1	2	2	4	5	9	15	19	27	22	24	5	-	1	-	-	-	
	Nonwhite--M	159	7	1	2	-	-	2	1	1	2	2	2	1	2	1	3	6	6	14	19	30	22	23	10	4	-	-	-	-	
	Nonwhite--F	16	2	-	-	-	-	-	-	-	1	-	-	1	-	1	2	1	1	1	1	1	2	2	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	244	-	-	-	-	-	-	-	1	2	9	8	14	19	20	26	43	33	35	17	8	8	1	-	-	-	-	-	-	
	White--M	184	-	-	-	-	-	-	-	-	1	6	7	9	13	16	21	35	26	28	10	6	6	1	-	-	-	-	-	-	-
	Nonwhite--M	38	-	-	-	-	-	-	-	-	1	2	1	2	1	2	3	7	5	6	6	2	1	1	-	-	-	-	-	-	-
	Nonwhite--F	17	-	-	-	-	-	-	-	-	1	2	1	1	1	1	1	1	1	2	1	1	1	1	-	-	-	-	-	-	-
119, 120	Diarrhoea, enteritis, etc.*	262	198	3	2	-	2	1	2	2	2	5	1	3	3	5	5	2	4	4	6	3	3	4	2	-	-	-	-	-	
	White--M	130	100	2	2	-	2	1	2	-	1	1	2	1	2	2	1	2	2	4	4	4	2	1	1	-	-	-	-	-	-
	Nonwhite--M	82	58	1	-	-	-	-	-	1	1	3	-	1	3	2	3	2	2	2	2	2	2	1	1	-	-	-	-	-	-
	Nonwhite--F	31	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	152	1	-	-	3	1	8	6	9	2	4	15	9	11	8	11	6	18	13	15	5	6	1	1	-	-	-	-	-	-
	White--M	83	1	-	-	2	1	5	4	3	1	2	7	4	6	2	5	5	10	8	7	4	4	1	1	-	-	-	-	-	-
	Nonwhite--M	56	-	-	-	1	2	2	2	4	1	2	8	3	5	4	1	6	3	8	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite--F	9	-	-	-	-	1	1	-	-	-	-	1	1	-	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	351	17	-	1	1	2	2	1	1	7	4	7	7	18	13	17	22	30	40	45	42	29	18	6	1	-	-	-	-	-
	White--M	153	13	-	1	1	1	2	-	1	4	1	2	1	3	6	7	13	15	12	21	11	9	4	1	-	-	-	-	-	-
	Nonwhite--M	147	3	-	-	-	1	-	-	3	1	3	4	13	4	6	6	12	26	20	19	15	8	2	-	-	-	-	-	-	-
	Nonwhite--F	11	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	1	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	455	-	-	-	-	-	1	-	1	2	4	11	18	29	36	47	51	57	73	38	39	35	11	2	-	-	-	-	-	-
	White--M	271	-	-	-	-	-	1	1	1	1	5	8	18	20	34	32	42	45	23	19	13	7	1	-	-	-	-	-	-	-
	Nonwhite--M	149	-	-	-	-	-	-	-	-	1	2	4	8	8	11	8	10	14	24	15	18	21	4	1	-	-	-	-	-	-
	Nonwhite--F	19	-	-	-	-	-	-	-	-	-	1	-	-	1	2	5	6	1	2	1	1	1	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	212	-	-	-	-	-	-	-	-	-	-	1	2	5	8	27	21	34	31	25	30	15	10	3	-	-	-	-	-	-
	White--M	75	-	-	-	-	-	-	-	-	-	-	1	1	3	10	4	7	14	14	12	4	4	4	1	-	-	-	-	-	-
	Nonwhite--M	132	-	-	-	-	-	-	-	-	-	-	-	1	4	4	16	17	26	16	11	18	11	6	2	-	-	-	-	-	-
	Nonwhite--F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	5,071	4	4	3	-	1	3	7	13	18	12	20	36	70	104	131	175	254	353	461	534	459	284	97	23	4	1	1	1	
	White--M	1,522	2	2	1	-	-	2	5	4	7	3	9	17	32	40	45	77	140	169	234	285	249	148	41	10	1	1	1	1	1
	Nonwhite--M	1,226	1	1	1	-	1	1	4	7	10	8	8	8	11	35	48	66	75	139	192	223	196	122	51	13	1	-	-	-	-
	Nonwhite--F	175	-	1	1	-	-	-	-	-	1	1	3	3	10	16	23	17	16	25	25	23	13	11	9	2	-	-	-	-	-
137	Diseases of the prostate	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	15	34	48	69	44	16	10	-	-	-	-	-	-
	White--M	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	13	31	45	64	43	16	10	-	-	-	-	-	-
	Nonwhite--M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	3	5	1	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

343

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
MISSOURI—Con.																												
140-150	Diseases of pregnancy, etc.—F	129	-	-	-	-	-	-	1	17	27	21	32	22	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	109	-	-	-	-	-	-	1	14	21	21	27	17	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	20	-	-	-	-	-	-	-	3	6	-	5	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia—F	40	-	-	-	-	-	-	-	7	9	6	5	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	35	-	-	-	-	-	-	-	6	7	6	4	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, 144, 148	Puerperal toxemia—F	39	-	-	-	-	-	-	1	7	11	4	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	31	-	-	-	-	-	-	1	6	9	4	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	1	2	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—F	41	-	-	-	-	-	-	-	3	6	9	14	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	36	-	-	-	-	-	-	-	2	4	9	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, 145B, 150	Other puerperal causes—F	9	-	-	-	-	-	-	-	-	1	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	-	-	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M	526	462	4	6	4	4	9	4	4	3	6	5	-	4	-	2	3	9	1	-	-	-	-	-	-	-	-
	White—M	313	281	3	4	2	1	5	2	1	1	1	3	-	3	-	1	2	3	-	-	-	-	-	-	-	-	-
	F	189	158	1	2	2	3	3	2	3	2	5	2	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	12	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M	1,564	1,564	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	804	804	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	527	527	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—M	991	991	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	478	478	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	346	346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year—M	573	573	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	328	328	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	181	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide—M	480	-	-	-	-	-	-	1	6	16	24	20	36	39	60	59	49	46	35	37	29	17	4	1	1	-	-
	White—M	358	-	-	-	-	-	-	1	3	10	14	12	25	30	48	41	40	39	25	27	25	15	4	1	1	-	
	F	107	-	-	-	-	-	-	-	3	5	7	8	11	9	13	15	9	5	9	9	3	2	-	-	-	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—M	229	8	1	1	3	-	2	4	11	20	29	27	20	20	34	17	11	2	9	6	2	-	1	1	-	-	-
	White—M	82	5	1	1	1	-	2	2	5	9	9	9	2	6	12	10	7	1	6	3	2	-	1	1	-	-	
	F	33	3	-	1	2	-	2	1	2	1	-	1	5	7	3	1	1	1	1	1	-	1	1	-	-	-	
	Nonwhite—M	92	-	-	-	-	-	-	6	10	15	15	16	7	12	4	2	3	-	2	3	-	-	-	-	-	-	
	F	22	-	-	-	-	-	-	1	2	5	4	3	1	2	3	-	1	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths—M	2,900	81	38	24	14	14	82	64	143	163	142	113	118	117	133	141	136	181	168	233	211	245	208	70	13	3	5
	White—M	1,727	33	14	13	6	5	52	63	101	144	102	84	87	60	96	88	86	117	111	136	101	111	69	21	4	-	4
	F	918	32	21	9	8	5	20	15	32	27	24	21	15	15	16	33	30	46	60	104	125	134	47	9	2	-	1
	Nonwhite—M	180	11	2	1	-	4	5	6	6	10	10	6	12	20	15	15	16	13	8	11	2	3	1	2	-	-	
	F	75	5	1	1	-	-	5	-	4	2	6	2	4	2	6	5	5	3	3	6	4	6	4	-	-	1	-
170	Motor-vehicle accidents—M	816	2	7	4	3	5	35	26	72	110	56	57	36	44	39	48	37	61	58	45	35	28	5	3	-	2	
	White—M	575	1	2	1	2	3	25	17	50	92	37	43	26	30	25	27	24	34	47	33	29	17	5	3	-	2	
	F	176	1	4	3	1	2	10	9	17	13	13	8	6	6	3	5	4	6	6	4	2	2	-	-	-	-	
	Nonwhite—M	55	-	1	-	-	-	-	-	3	4	4	6	3	5	1	1	1	2	2	3	1	-	-	-	-	-	
	F	10	-	-	-	-	-	-	-	2	1	2	2	1	-	-	-	-	1	2	-	-	-	-	-	-	-	
169, 171, 195	Other accidents—M	2,094	79	31	20	11	9	47	58	71	73	86	56	82	73	94	93	99	120	110	188	176	219	203	67	13	3	3
	White—M	1,158	32	12	12	4	2	27	46	51	52	63	41	61	50	71	61	61	85	64	103	72	94	64	18	4	-	2
	F	742	31	17	6	7	3	10	5	15	14	11	13	9	6	9	15	21	27	39	72	100	116	134	47	9	2	
	Nonwhite—M	125	11	1	1	-	4	5	6	3</																		

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.-DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	MONTANA																												
	ALL CAUSES-----	5,780	484	44	25	28	8	54	47	66	90	73	96	127	159	194	268	450	670	868	683	630	462	306	104	21	1	2	
	White-----M--	3,534	256	21	12	11	3	35	26	32	49	43	53	73	100	130	176	313	451	435	428	390	262	171	54	9	1	-	
	White-----F--	1,920	149	6	3	12	4	8	15	21	31	22	34	44	55	56	79	130	203	221	243	220	183	124	46	11	-	2	
	Nonwhite--M--	158	36	11	5	3	-	5	2	4	4	-	3	3	5	7	5	13	7	7	13	10	8	3	1	-	-	-	
	Nonwhite--F--	148	43	6	5	2	1	6	4	9	6	8	6	7	3	3	6	2	3	5	5	7	7	3	1	-	-	-	
1,2	Typhoid and paratyphoid fever--																												
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis--																												
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--																												
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--																												
	White-----M--	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria--																												
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)--																												
	White-----M--	152	5	3	2	2	-	3	4	10	11	3	6	15	8	12	13	15	15	15	7	3	1	1	-	-	-	-	
	White-----F--	79	1	-	-	-	-	2	-	2	1	3	1	6	5	10	8	12	11	11	5	-	1	1	-	-	-	-	
	Nonwhite--M--	22	2	-	-	-	-	-	-	1	2	-	-	3	2	1	2	2	1	4	2	2	-	-	-	-	-	-	
	Nonwhite--F--	19	2	2	1	2	-	1	-	2	2	-	-	2	2	2	1	1	1	-	-	1	-	-	-	-	-	-	
	Total	32	2	1	1	-	-	2	2	6	4	2	5	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
13	Tuberculosis of respiratory system, etc.*--																												
	White-----M--	130	1	1	1	-	-	1	3	8	11	2	6	14	7	12	13	14	11	15	7	1	1	1	-	-	-	-	
	White-----F--	74	-	-	-	-	-	2	-	2	1	3	1	6	4	10	8	12	9	11	5	-	1	1	-	-	-	-	
	Nonwhite--M--	20	1	-	-	-	-	-	1	2	-	-	3	2	1	2	2	2	1	4	2	-	-	-	-	-	-	-	
	Nonwhite--F--	10	1	1	-	-	-	-	1	2	-	-	1	-	-	2	2	1	-	1	-	1	-	-	-	-	-	-	
	Total	26	-	-	1	-	-	1	2	6	4	1	5	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
14-22	Tuberculosis (other forms)--																												
	White-----M--	22	4	2	1	2	-	2	1	2	-	1	-	1	1	-	-	1	2	-	-	2	-	-	-	-	-	-	
	White-----F--	5	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
	Nonwhite--F--	9	1	1	1	2	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	Total	6	2	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	Dysentery--																												
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	Malaria--																												
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	Syphilis--																												
	White-----M--	47	5	1	-	-	-	-	-	-	-	-	-	-	2	7	5	5	9	4	6	1	2	-	-	-	-	-	
	White-----F--	38	1	-	-	-	-	-	-	-	-	-	-	-	2	5	4	4	9	3	5	-	2	-	-	-			

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
MONTANA-Continued																													
45-55	Cancer and other malignant tumors	712	-	1	1	1	-	1	2	1	2	4	7	10	26	39	45	61	102	131	95	63	42	30	7	-	1	-	
	White-M	388	-	1	1	-	-	1	1	-	1	2	5	1	8	14	17	49	56	77	53	57	26	16	3	-	1	-	
	White-F	513	-	-	-	1	-	1	1	1	1	1	4	8	18	25	27	31	43	52	41	25	16	14	4	-	-	-	
	Nonwhite-M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	
	Nonwhite-F	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	
46	Cancer of the digestive organs and peritoneum	335	-	-	-	-	-	-	-	-	-	-	2	2	6	13	12	42	40	74	46	54	25	16	3	-	-	-	
	White-M	208	-	-	-	-	-	-	-	-	-	-	1	1	1	5	7	32	23	46	26	39	15	10	2	-	-	-	
	White-F	121	-	-	-	-	-	-	-	-	-	-	1	1	5	9	5	9	14	27	20	14	10	6	1	-	-	-	
	Nonwhite-M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	
	Nonwhite-F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
48,49	Cancer of female genital organs	65	-	-	-	-	-	-	-	1	-	1	-	-	3	7	8	12	10	14	10	12	3	1	2	1	-	-	
	White-F	61	-	-	-	-	-	-	-	1	-	-	-	-	2	7	8	11	10	14	9	12	3	1	2	1	-	-	
	Nonwhite-F	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast	45	-	-	-	1	-	-	-	-	-	-	3	3	1	5	8	5	5	4	3	1	3	1	2	1	-	-	
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-F	45	-	-	-	1	-	-	-	-	-	-	3	3	1	5	8	5	5	4	3	1	3	1	2	1	-	-	
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45,47, 51-55	Cancer (other sites)	247	-	1	1	-	-	1	2	-	2	3	2	2	12	13	13	24	43	43	34	25	13	11	1	1	-	-	
	White-M	180	-	1	1	-	-	1	1	-	1	2	2	2	7	9	10	17	33	31	27	18	11	6	1	1	-	-	
	White-F	66	-	-	-	-	-	1	1	-	1	1	1	1	5	4	3	7	10	12	6	2	2	5	1	-	-		
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Nonwhite-F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
58	Acute rheumatic fever	5	-	-	-	-	1	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-M	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-F	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus	130	-	1	-	-	-	1	1	-	1	-	3	2	3	3	5	11	22	20	27	17	9	4	2	1	-	-	
	White-M	64	-	1	-	-	-	1	1	-	1	-	1	2	2	2	2	7	9	8	13	8	3	3	2	1	-		
	White-F	65	-	-	-	-	-	1	1	-	-	-	2	1	1	1	2	4	13	12	14	8	6	2	2	1	-		
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
63b	Exophthalmic goiter	8	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	3	2	-	1	-	-	-	-	-	-	
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-F	7	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	2	-	1	-	-	-	-	-	-	
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Alcoholism (ethylica)	19	-	-	-	-	-	-	-	-	1	1	1	1	2	5	2	1	3	2	1	-	-	-	-	-	-	-	
	White-M	15	-	-	-	-	-	-	-	-	-	1	1	1	1	5	1	1	3	2	1	-	-	-	-	-	-	-	
	White-F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin	495	-	-	-	-	-	2	-	-	3	2	-	3	2	10	16	30	57	66	97	90	70	39	6	2	-	-	
	White-M	281	-	-	-	-	-	1	-	-	1	1	-	2	1	6	10	12	34	41	60	53	38	16	5	-	-		
	White-F	206	-	-	-	-	-	1	-	-	2	1	-	1	1	4	6	17	22	24	36	36	32	20	1	2	-		
	Nonwhite-M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-		
	Nonwhite-F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
90-95	Diseases of the heart	1,690	3	-	-	-	-	4	2	6	5	9	16	19	39	44	80	160	236	230	255	254	185	100	37	8	-		
	White-M	1,128	1	-	-	-	-	2	1	5	2	3	11	13	28	33	65	114	178	169	163	155	109	61	20	3	-		
	White-F	524	2	-	-	-	-	1	1	1	3	3	5	5	11	8	13	43	54	66	87	96	69	36	17	3	-		
	Nonwhite-M	24	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	4	4	2	3	4	2	-	-			
	Nonwhite-F	14	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	1	3	-	3	1	-	-	-		
90a, 92b, 93e, 95b	Chronic rheumatic diseases of the heart	122	-	-	-	-	-	3	2	2	3	3	2	6	7	6	5	14	11	16	10	13	9	6	4	-	-		
	White-M	75	-	-	-	-	-	1	1	1	1	1	2	4	3	3	5	10	6	9	9	9	5	4	2	-			
	White-F	44	-	-	-	-	-	1	1																				

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1																									
97, 102	MONTANA--Continued																											
	Arteriosclerosis and high blood pressure*	123	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	8	11	19	21	21	25	13	2	-	
	White--M--	78	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	8	12	12	16	6	1	-	-	
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
107-109, 35	Pneumonia (all forms) and influenza	256	60	12	4	1	3	4	2	1	2	2	1	4	3	7	5	8	15	24	16	25	25	22	9	2	1	
	White--M--	142	24	5	-	-	2	3	1	-	1	1	1	2	2	5	2	8	12	18	9	15	12	14	5	2	1	
	Nonwhite--M--	66	12	3	1	-	-	-	1	1	1	1	-	1	1	1	2	-	1	6	6	6	10	7	1	-	-	
	Nonwhite--F--	22	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	
107	Bronchopneumonia	94	32	7	3	-	-	2	-	-	-	1	-	-	3	3	1	3	2	7	4	6	8	4	4	-	-	
	White--M--	53	15	3	-	-	-	1	-	-	-	-	-	-	2	2	1	3	2	4	3	5	4	6	2	-	-	
	Nonwhite--M--	25	8	1	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	3	1	1	4	2	1	-	-	
	Nonwhite--F--	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	Lobar pneumonia	72	8	2	-	1	1	1	1	1	-	-	1	2	-	1	4	2	6	6	6	12	6	7	3	-	1	
	White--M--	38	4	1	-	-	1	1	-	-	-	-	1	2	-	-	1	2	5	4	4	7	2	3	1	-	1	
	Nonwhite--M--	22	2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	2	1	2	2	3	2	3	2	-	-	
	Nonwhite--F--	5	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	
109	Pneumonia (unspecified)	57	16	1	1	-	2	1	1	-	2	-	-	1	-	1	-	2	4	7	4	3	7	2	1	1	-	
	White--M--	32	4	-	-	-	2	1	1	-	1	-	-	-	1	-	-	2	4	5	1	2	5	1	1	1	-	
	Nonwhite--M--	8	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	2	1	1	-	-	-	
	Nonwhite--F--	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
33	Influenza	35	4	2	-	-	-	-	-	-	-	1	-	1	-	2	-	1	1	4	2	4	4	5	1	1	-	
	White--M--	19	1	1	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	3	1	1	1	4	1	1	-	
	Nonwhite--M--	11	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	3	1	-	-	-	
	Nonwhite--F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
117	Ulcer of stomach or duodenum	37	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	7	6	2	5	3	1	-	1	1	-	
	White--M--	23	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	5	4	1	4	1	-	-	1	1	-	
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	1	1	1	1	1	1	1	-	
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
119, 120	Diarrhea, enteritis, etc.*	27	17	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	1	-	-	
	White--M--	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
	Nonwhite--M--	9	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
	Nonwhite--F--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121	Appendicitis	22	-	-	1	-	-	2	1	3	2	-	1	2	1	1	1	2	1	2	-	-	1	1	-	-	-	
	White--M--	12	-	-	-	-	-	1	1	2	2	-	1	2	1	1	1	1	1	1	-	-	1	1	-	-	-	
	Nonwhite--M--	9	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
122	Hernia, intestinal obstruction	57	2	4	-	-	-	1	1	1	1	-	3	2	-	6	3	8	4	4	7	6	5	1	2	-	-	
	White--M--	29	1	2	-	-	-	1	1	-	-	-	1	1	-	4	2	5	2	4	4	3	4	1	1	-	-	
	Nonwhite--M--	22	1	-	-	-	-	-	1	1	-	-	-	-	1	2	1	3	2	2	3	3	1	-	-	-	-	
	Nonwhite--F--	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
124	Cirrhosis of the liver	49	-	-	-	-	-	-	-	-	-	-	4	1	2	5	6	9	10	3	2	2	-	-	-	-	-	
	White--M--	26	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	5	7	3	1	2	-	-	-	-	-	
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	3	1	2	2	4	4	3	-	-	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
126, 127	Biliary calculi, etc.*	41	-	-	-	-	-	-	-	-	-	-	1	3	1	1	3	2	10	5	5	4	4	2	-	-	-	
	White--M--	20	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	6	1	2	1	3	1	-	-	-	-	
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	4	3	2	1	1	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
130-132	Nephritis	266	-	-	1	1	1	2	5	1	2	3	5	8	13	15	18	30	30	46	35	28	20	4	-	-	-	
	White--M--	154	-	-	-	1	1	3	1	3	1	2	4	6	6	4	13	15	19	32	19	14	11	3	-	-	-	
	Nonwhite--M--	105	-	-	1	1	1	2	1	1	1	1	1	2	7	11	5	14	10	14	11	14	7	1	-	-	-	
	Nonwhite--F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	
137	Diseases of the prostate	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	6	5	8	7	-	-	-		
	White--M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	6	5	8	7	-	-	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

347

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age Group																										100 and over	Not stated
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99				
MONTANA—Continued																														
140-150	Diseases of pregnancy, etc.*	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
140, 142a, 145A, 147	Puerperal septicemia	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
141a, 144, 148	Puerperal toxemia	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
141d, 145B, 150	Other puerperal causes	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
157	Congenital malformations	70	58	5	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—M	59	52	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	29	25	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
158-161	Diseases peculiar to first year	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—M	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
159	Premature birth	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—M	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
158, 160, 161	Other diseases peculiar to first year	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—M	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
165, 164	Suicide	96	-	-	-	-	-	-	-	1	5	6	5	6	9	4	12	12	14	11	9	1	-	1	-	-	-	-		
	White—M	77	-	-	-	-	-	-	-	-	5	5	2	5	6	4	11	11	9	10	7	1	-	1	-	-	-	-		
	Nonwhite—M	16	-	-	-	-	-	-	-	1	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
165-168	Homicide	14	-	-	-	-	-	-	-	1	3	-	-	3	1	4	-	-	2	-	-	-	-	-	-	-	-	-		
	White—M	8	-	-	-	-	-	-	-	-	2	-	-	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
169-195	Accidental deaths	537	14	7	8	11	2	22	20	27	38	27	31	26	24	28	22	40	42	32	31	32	25	19	6	3	-	-		
	White—M	392	6	6	7	6	1	17	15	18	29	24	24	21	21	24	18	37	33	23	16	22	13	6	4	1	-	-		
	Nonwhite—M	118	6	1	1	5	1	2	4	6	6	3	4	4	1	1	3	3	7	9	14	9	12	13	2	1	-	-		
	F	19	2	-	-	-	-	2	1	1	2	-	2	1	2	1	1	-	1	-	1	1	-	-	-	-	-	-		
170	Motor-vehicle accidents	157	3	-	1	1	-	9	9	12	25	11	8	9	7	5	7	9	8	13	9	4	2	5	2	-	-	-		
	White—M	115	2	-	1	1	-	6	8	7	19	9	7	6	6	5	5	7	5	10	4	4	2	5	2	-	-	-		
	Nonwhite—M	34	1	-	-	-	-	1	5	4	2	1	3	1	3	1	2	2	3	3	4	1	2	-	-	-	-	-		
	F	6	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-		
169, 171-195	Other accidents	380	11	7	7	10	2	13	11	15	13	16	23	17	17	23	15	31	34	19	22	26	20	17	6	5	-	-		
	White—M	277	4	6	6	5	1	11	7	11	10	15	17	15	15	19	13	30	29	13	12	20	8	6	4	1	-	-		
	Nonwhite—M	84	5	1	1	5	1	2	3	1	2	1	3	1	1	1	1	4	4	6	10	8	12	11	2	1	-	-		
	F	13	2	-	-	-	-	1	1	1	1	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
182, 199, 200	Sanility, ill-defined and unknown causes	193	16	1	1	-	-	1	2	2	2	-	2	2	4	4	4	12	19	23	18	20	19	24	13	3	-	1		
	White—M	116	2	-	-	-	-	1	-	-	-	-	2	2	4	4	4	11	15	15	14	14	8	12	7	1	-	-		
	Nonwhite—M	51	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	4	7	3	3	8	11	4	2	-	1		
	F	13	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	1	-	-		
All other causes	White—M	212	11	1	3	4	-	5	3	3	4	2	6	8	10	9	4	15	20	25	16	14	11	6	-	-	-			
	Nonwhite—M	152	3	-	-	3	-	2	3	4	2	6	8	10	9	4	3	14	16	14	11	6	-	-	-	-	-			
	F	9	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
	F	6	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	MERRASSIA																												
	ALL CAUSES-----	12,871	894	67	27	23	19	74	61	113	168	133	178	228	315	404	641	874	1,152	1,367	1,603	1,696	1,390	983	363	82	6	12	
	White---M--	7,294	502	32	18	15	9	48	43	71	112	75	118	132	204	223	385	530	707	809	905	912	743	485	166	42	4	6	
	White---F--	5,283	368	30	9	8	8	23	13	36	43	48	55	79	97	185	235	314	404	530	666	771	644	493	196	40	2	5	
	Nonwhite-M--	155	10	1	-	-	2	4	4	2	6	5	3	5	7	9	7	17	25	20	19	8	2	3	1	-	-	-	
	Nonwhite-F--	139	14	4	-	-	2	1	1	2	9	4	2	12	7	7	14	13	16	8	15	5	1	2	-	-	-	-	
1,2	Typhoid and paratyphoid fever---																												
	White---M--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis---																												
	White---M--	6	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever---																												
	White---M--	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---																												
	White---M--	15	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----																												
	White---M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White---F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)---																												
	White---M--	199	-	1	-	1	-	1	1	2	13	10	15	19	24	11	23	12	24	17	8	6	9	1	-	-	-	-	1
	White---F--	115	-	-	-	-	-	-	-	4	3	8	7	7	16	8	19	6	18	11	7	4	2	1	-	-	-	-	1
	Nonwhite-M--	56	-	1	-	1	-	1	-	1	3	6	4	6	1	3	5	5	4	4	1	1	6	-	-	-	-	-	-
	Nonwhite-F--	15	-	-	-	-	-	1	-	-	-	2	2	1	2	1	1	1	2	-	-	1	1	-	-	-	-	-	-
	Nonwhite-F--	13	-	-	-	-	-	-	1	6	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---																												
	White---M--	187	-	-	-	1	-	1	2	11	10	13	17	24	11	22	12	23	17	7	6	8	1	-	-	-	-	-	1
	White---F--	111	-	-	-	-	-	-	2	3	7	7	16	8	16	6	18	6	16	11	6	4	2	1	-	-	-	-	1
	Nonwhite-M--	50	-	-	-	1	-	1	3	6	4	6	6	1	2	2	5	4	4	4	1	1	5	-	-	-	-	-	-
	Nonwhite-F--	13	-	-	-	-	-	1	-	-	1	1	1	1	2	1	1	1	1	2	-	1	1	-	-	-	-	-	-
	Nonwhite-F--	13	-	-	-	-	-	1	6	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)---																												
	White---M--	12	-	1	-	-	-	1	-	2	-	2	2	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	White---F--	4	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite-M--	6	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----																												
	White---M--	5	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	White---F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----																												
	White---M--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----																												
	White---M--	61	-	-	-	-	-	-	-	1	-	1	4	8	6	5	7	19	9	7	10	3	1	-	-	-	-	-	

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSES OF DEATH, RACE, AND SEX	Total Deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated		
97, 102	NEBRASKA—Con. Arteriosclerosis and high blood pressure* White—M F Nonwhite—M F	251 125 121 3 2	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	4	5	18	32	46	49	56	26	7	1	-		
107-109, 33	Pneumonia (all forms) and influenza White—M F Nonwhite—M F	534 290 216 19 9	74 38 30 4 2	11 6 4 1 -	2 2 -	4 4 -	2 1 -	9 6 2 1 -	4 2 1 1 -	4 5 1 -	2 2 1 -	4 3 1 -	5 3 1 -	4 3 1 -	6 4 2 -	11 6 1 -	12 10 1 -	24 18 4 2	37 28 17 2	40 25 17 -	64 27 32 4	44 21 23 -	61 30 35 -	72 36 51 1	24 11 14 -	13 7 6 -	-	1		
107	Bronchopneumonia White—M F Nonwhite—M F	217 114 90 10 3	42 21 17 4 -	2 2 -	2 1 -	1 1 -	1 1 -	2 1 -	1 1 -	1 1 -	2 1 -	2 1 -	1 1 -	2 1 -	2 1 -	3 3 -	1 1 -	3 1 -	14 9 4	17 8 9	25 12 9	25 11 12	24 14 10	33 18 15	10 4 6	5 3 2	-	-	-	
108	Lobar pneumonia White—M F Nonwhite—M F	135 80 44 9 3	10 5 4 1 -	3 2 -	-	-	-	2 1 -	1 1 -	1 1 -	2 1 -	2 1 -	1 1 -	1 1 -	1 1 -	5 3 -	7 7 -	12 10 1	12 9 1	15 9 4	19 8 10	9 5 4	14 6 8	15 8 7	3 1 1	3 2 1	-	-	-	
109	Pneumonia (unspecified) White—M F Nonwhite—M F	79 44 33 1 1	19 9 9 1 -	4 2 -	-	2 1 -	1 1 -	2 1 -	2 1 -	1 1 -	1 1 -	-	-	1 1 -	-	2 1 -	1 1 -	3 2 -	4 2 -	8 3 -	5 3 -	4 2 -	4 1 -	6 3 -	5 2 -	4 2 -	1 1 -	-	-	-
33	Influenza White—M F Nonwhite—M F	103 52 49 - 2	3 3 -	2 2 -	-	1 1 -	-	3 3 -	-	1 1 -	-	2 1 -	1 1 -	1 1 -	1 1 -	2 2 -	1 1 -	5 5 -	3 2 -	5 3 -	16 5 11	9 4 4	17 7 10	19 8 9	7 2 5	4 2 2	-	-	1	
117	Ulcer of stomach or duodenum White—M F Nonwhite—M F	73 58 13 2 -	1 1 -	-	-	-	-	-	-	-	-	-	1 1 -	4 4 -	1 1 -	11 10 -	8 7 -	8 8 -	8 5 -	11 6 -	6 4 -	7 5 -	6 1 -	-	-	-	-	-	-	
119, 120	Diarrhea, enteritis, etc.* White—M F Nonwhite—M F	57 24 30 - 3	30 13 14 -	4 1 3 -	-	-	-	1 1 -	-	-	1 1 -	2 2 -	2 2 -	-	2 2 -	-	-	-	2 2 -	1 1 -	1 1 -	3 3 -	4 1 4	2 1 1	2 1 1	-	-	-	-	
121	Appendicitis White—M F Nonwhite—M F	54 37 16 1 -	1 1 -	1 -	-	-	-	3 1 -	-	2 1 -	1 1 -	1 1 -	3 1 -	2 1 -	6 4 -	2 2 -	6 4 -	10 7 3	3 5 1	3 3 -	3 3 -	3 1 -	1 1 -	-	-	-	-	-	-	
122	Hernia, intestinal obstruction White—M F Nonwhite—M F	141 74 63 1 -	4 3 1 -	2 1 -	-	-	-	2 1 -	1 1 -	1 1 -	1 1 -	1 1 -	4 2 -	5 2 -	1 1 -	8 3 -	6 3 -	14 7 7	17 11 6	25 15 9	15 7 6	14 7 7	14 7 7	6 2 4	2 1 1	-	-	-	-	
124	Cirrhosis of the liver White—M F Nonwhite—M F	122 74 47 1 -	2 1 1 -	-	-	-	-	-	-	-	-	-	2 3 -	4 4 -	7 7 -	13 12 -	14 10 -	18 14 -	14 10 -	12 5 -	12 6 -	7 4 -	15 7 8	3 1 2	-	1	-	-		
126, 127	Biliary calculi, etc.* White—M F Nonwhite—M F	69 22 46 - 1	-	-	-	-	-	-	-	-	-	-	1 1 -	-	3 2 -	5 2 -	7 3 -	11 5 -	9 2 -	9 5 -	11 3 -	8 3 -	3 1 -	2 1 -	-	-	-	-	-	
130-132	Nephritis White—M F Nonwhite—M F	738 435 312 6 5	1 1 -	1 -	-	-	-	1 1 -	1 1 -	6 4 -	7 3 -	7 4 -	4 4 -	6 5 -	16 9 -	29 11 -	29 15 -	39 18 -	53 28 -	87 48 -	108 58 -	138 76 -	94 57 -	81 51 -	27 20 -	5 3 -	1 1 -	-	-	
137	Diseases of the prostate White—M Nonwhite—M	81 79 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4 3 -	11 11 -	15 15 -	25 24 -	11 8 -	8 4 -	3 3 -	-	-	-		

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued*

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NEBRASKA—Con.																												
140-150	Diseases of pregnancy, etc.,*—	35	-	-	-	-	-	-	-	4	9	6	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	34	-	-	-	-	-	-	-	3	9	6	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicemia—	14	-	-	-	-	-	-	-	1	1	3	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	14	-	-	-	-	-	-	-	1	1	3	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, 144, 148	Puerperal toxemia—	9	-	-	-	-	-	-	-	1	5	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	9	-	-	-	-	-	-	-	1	5	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock—	11	-	-	-	-	-	-	-	2	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	10	-	-	-	-	-	-	-	1	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, 145b, 150	Other puerperal causes—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—	197	172	12	4	-	1	3	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	108	93	6	2	-	1	1	-	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	84	76	5	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—	509	509	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	291	291	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	208	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—	335	335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year—	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide—	171	-	-	-	-	-	-	-	2	8	6	9	20	14	13	29	18	13	17	8	7	3	3	1	-	-	
	White—M—	148	-	-	-	-	-	-	-	2	7	5	7	16	12	10	23	17	12	15	8	7	3	3	1	-		
	F—	22	-	-	-	-	-	-	-	-	1	2	4	2	3	6	1	1	2	-	-	-	-	-	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—	28	-	-	-	-	1	-	1	1	5	2	4	4	1	-	3	4	1	-	1	-	-	-	-	-	-	
	White—M—	17	-	-	-	-	1	-	1	1	1	2	3	3	1	-	3	1	1	-	1	-	-	-	-	-		
	F—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M—	6	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
169-195	Accidental deaths—	1,005	32	21	7	10	9	25	37	60	81	47	47	39	50	35	44	60	46	41	71	70	81	60	24	5	2	
	White—M—	695	19	14	5	5	4	18	28	49	69	35	39	32	44	34	30	50	36	27	42	35	38	29	9	1	2	
	F—	296	12	7	2	5	5	7	8	10	12	9	7	7	6	1	12	9	8	14	27	35	45	31	15	4	-	
	Nonwhite—M—	8	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	
	F—	6	1	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	
170	Motor-vehicle accidents—	331	1	3	2	3	4	7	10	28	43	25	29	11	23	13	20	27	21	17	16	14	10	1	2	-	1	
	White—M—	244	1	1	1	1	1	4	7	22	36	20	25	7	19	12	11	21	21	12	10	8	6	1	2	-	-	
	F—	85	-	2	2	2	3	3	2	6	7	5	4	4	1	1	8	5	4	5	6	4	1	1	2	-	1	
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
169, 171-195	Other accidents—	674	31	18	5	7	5	18	27	32	38	22	18	28	27	22	24	33	25	24	55	56	71	59	22	5	2	
	White—M—	451	18	13	5	4	3	14	21	27	33	15	14	25	25	22	19	29	20	15	32	27	32	28	7	1		
	F—	213	12	5	-	3	2	4	6	4	5	4	3	3	2	4	4	4	4	9	21	29	39	31	15	4		
	Nonwhite—M—	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
	F—	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-		
162, 199, 200	Senility, ill-defined and unknown causes—	257	6	-	-	-	-	-	1	-	1	-	1	1	1	3	3	2	15									

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1																									
NEVADA--Con.																												
97, 102	Arteriosclerosis and high blood pressure*	17	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	2	1	4	4	-	1	-	
	White--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	2	-	-		
	White--F--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	3	2	-	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
107-109, 33	Pneumonia (all forms) and influenza	66	14	2	-	-	-	1	-	1	1	1	-	1	6	3	3	3	3	3	9	5	5	2	3	-		
	White--M--	34	5	1	-	-	-	-	-	-	-	1	-	-	5	3	2	2	3	2	4	4	2	3	-	-		
	White--F--	21	5	-	-	-	-	1	-	1	-	-	-	1	1	1	1	1	-	1	2	2	3	2	3	-		
	Nonwhite--M--	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-		
	Nonwhite--F--	5	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
107	Bronchopneumonia	29	8	-	-	-	-	-	-	1	1	-	-	-	2	2	-	1	-	2	3	2	4	1	2	-		
	White--M--	14	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	2	2	1	2	-		
	White--F--	11	2	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	1	2	2	1	2	-		
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
108	Lobar pneumonia	25	4	-	-	-	-	-	-	-	-	1	-	1	4	1	1	2	2	-	4	2	1	-	1	-		
	White--M--	14	1	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	2	-	1	1	-	-	1	-		
	White--F--	7	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	1	-	-	1	-		
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
109	Pneumonia (unspecified)	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-		
	White--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-		
	White--F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
	Nonwhite--F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	Influenza	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
	White--M--	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
117	Ulcer of stomach or duodenum	20	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	5	1	3	-	1	-	-	-		
	White--M--	16	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	4	1	3	-	-	-	-	-		
	White--F--	3	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-		
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
119, 120	Diarrhea, enteritis, etc.*	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White--F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
121	Appendicitis	7	-	-	-	-	-	1	-	-	-	2	-	-	-	-	2	-	-	-	-	1	1	-	-	-		
	White--M--	5	-	-	-	-	-	1	-	-	-	2	-	-	-	-	2	-	-	-	-	1	1	-	-	-		
	White--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
122	Hernia, intestinal obstruction	14	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	5	1	1	1	-	-	1		
	White--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	-	-	-	1		
	White--F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-		
	Nonwhite--F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124	Cirrhosis of the liver	31	-	-	-	-	-	-	-	-	-	-	3	4	3	5	2	6	1	3	2	1	1	-	-	-		
	White--M--	17	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	4	1	1	1	1	-	-	-	-		
	White--F--	13	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	2	2	2	2	-	-	-	-	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
126, 127	Biliary calculi, etc.*	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	1	1	-	-		
	White--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-		
	White--F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
130-132	Nephritis	67	-	-	-	-	-	-	-	2	-	2	1	-	-	2	4	4	6	15	12	6	9	4	1	1		
	White--M--	44	-	-	-	-	-	-	-	-	-	2	1	-	-	4	4	3	5	10	10	5	5	1	1			
	White--F--	17	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	1	3	3	3	3	3	3	3			
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-			
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-				

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated		
NEVADA—Con.																														
140-150	Diseases of pregnancy, etc.*	5										2	2																	
	White—F--	4										1	2																	
	Nonwhite—F--	1										1																		
140, 142a, 145A, 147	Puerperal septicemia																													
	White—F--																													
	Nonwhite—F--																													
141a, c, 144, 146	Puerperal toxemia	4										2	1																	
	White—F--	3										1	1																	
	Nonwhite—F--	1										1																		
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock*	1											1																	
	White—F--	1											1																	
	Nonwhite—F--																													
141d, e, f, 145b, 150	Other puerperal causes																													
	White—F--																													
	Nonwhite—F--																													
157	Congenital malformations	29	25	1	1						2																			
	White—M--	12	11								1																			
	White—F--	13	12		1																									
	Nonwhite—M--	1		1																										
	Nonwhite—F--	3	2								1																			
158-161	Diseases peculiar to first year	74	74																											
	White—M--	42	42																											
	White—F--	31	31																											
	Nonwhite—M--																													
	Nonwhite—F--	1	1																											
159	Premature birth	53	53																											
	White—M--	28	28																											
	White—F--	24	24																											
	Nonwhite—M--																													
	Nonwhite—F--	1	1																											
158, 160, 161	Other diseases peculiar to first year	21	21																											
	White—M--	14	14																											
	White—F--	7	7																											
	Nonwhite—M--																													
	Nonwhite—F--																													
163, 164	Suicides	56									1	2	3	3	7	12	9	6	3	4		1	2	2					1	
	White—M--	49									1	1	2	3	7	8	7	6	3	4		1	2	2					1	
	White—F--	7										1	1		3	2														
	Nonwhite—M--	1																												
	Nonwhite—F--																													
165-168	Homicide	16		1								2	3	1	1	2	3												1	
	White—M--	10										1	2	1	1	2	2													
	White—F--	4		1									1				1													
	Nonwhite—M--	2										1																		
	Nonwhite—F--																													
169-195	Accidental deaths	195	7	2	6	2	2	5	3	9	10	15	20	19	14	12	18	9	9	8	8	7	3	3	3	6	1		6	
	White—M--	137	4	1	2	2	1	4	1	6	7	12	16	13	11	10	14	5	8	3	5	3	3	4	4	1		4		
	White—F--	37	2		3			1	2	1	2	2	3	5	1	1	2	2		3	2		3	2						
	Nonwhite—M--	12					1		2	1	2	1	1	1	1	1	1	1		2										
	Nonwhite—F--	9	1	1	1					1					2		1			1										
170	Motor-vehicle accidents	64			1	1		1	2	4	1	12	5	11	5	4	3	2	6	3	3									
	White—M--	49				1		1	3	3	1	11	4	7	4	3	2	6	3	3										
	White—F--	11			1				2	1		1	1	3		1		2	2	2										
	Nonwhite—M--	4												1																
	Nonwhite—F--	1													1															
169, 171, 195	Other accidents	131	7	2	5	1	2	4	1	5	9	3	15	8	9	8	15	6	3	5	4	3	3	6	1			6		
	White—M--	89	4	1	2	1	1	3	1	3	6	1	12	6	7	6	11	3	2	3	2	2	3	4	2			4		
	White—F--	26	2		2			1		2	2	2	2	2	1	1	2	1	1	1	2		3	3	2					
	Nonwhite—M--	8					1			2			1																	
	Nonwhite—F--	8	1	1	1					1					1				1											
162, 199, 200	Senility, ill-defined and unknown causes	54	2	1							1		2	1	1	4	3	1	4	7	7	5	8	3	2	1		1		
	White—M--	35	1	1									1	1	3	1	1	3	4	7	4	5	1	1	1		1			
	White—F--	13	1								1		2		1	1	1		3		4	1	1	1						
	Nonwhite—M--	4																												
	Nonwhite—F--	2																					1	1						
	All other causes	82	10	3	1					1	2	3	4	3	4	4	6	4	5	10	12	5	3	3	1		1			
	White—M--	53	3	1							3	2	2	2	3	3	6	2												

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
97, 102	Arteriosclerosis and high blood pressure*	192	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	6	12	16	33	44	52	17	8	1	-
	White—M—	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	10	18	26	26	9	3	-	
	White—F—	90	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	6	6	15	18	26	8	5	1	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 35	Pneumonia (all forms) and influenza	239	37	9	-	-	-	1	-	1	4	-	2	4	3	10	8	10	12	22	17	29	31	28	9	2	-	-
	White—M—	140	21	4	-	-	-	1	-	1	4	-	1	3	3	8	7	4	8	14	9	17	15	17	4	2	-	-
	White—F—	99	16	5	-	-	-	1	-	-	-	-	1	1	-	2	1	6	4	8	8	12	18	11	5	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	120	19	5	-	-	-	-	-	1	-	-	1	1	-	4	1	2	3	7	8	21	21	18	6	2	-	-
	White—M—	61	10	2	-	-	-	-	-	1	-	-	1	1	-	3	-	2	2	4	4	10	9	11	2	2	-	-
	White—F—	58	9	3	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	5	4	11	12	7	4	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	72	7	2	-	-	-	1	-	1	1	-	1	1	3	5	6	6	4	9	7	6	5	5	2	-	-	-
	White—M—	52	6	1	-	-	-	1	-	1	1	-	1	1	3	5	6	2	3	7	4	5	3	3	1	-	-	-
	White—F—	20	1	2	-	-	-	1	-	-	-	-	-	-	-	4	1	4	1	2	3	1	2	2	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	24	7	-	-	-	-	-	-	1	-	-	-	2	-	-	-	2	2	3	1	-	2	3	1	-	-	-
	White—M—	14	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	2	1	1	-	2	3	1	-	-	-
	White—F—	10	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	2	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Influenza	25	4	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	3	3	1	2	3	2	-	-	-	-
	White—M—	15	1	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	3	2	1	2	1	1	-	-	-	-
	White—F—	10	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	2	2	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	40	-	-	-	-	-	-	-	-	-	1	-	-	2	3	8	8	6	4	3	7	-	-	-	-	-	-
	White—M—	39	-	-	-	-	-	-	-	-	-	1	-	-	2	3	8	7	6	4	2	7	-	-	-	-	-	-
	White—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	35	24	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	-	2	2	-	-	1	-	-
	White—M—	19	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	1	-	-
	White—F—	16	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	12	-	1	-	1	-	-	1	-	-	-	-	-	1	1	-	1	1	2	1	2	-	-	-	-	-	-
	White—M—	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	White—F—	8	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	2	-	2	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	49	1	-	-	-	-	-	-	-	-	-	1	4	1	3	2	3	5	9	5	6	4	4	-	-	-	-
	White—M—	31	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	4	8	3	3	3	3	3	-	-	-	-
	White—F—	17	1	-	-	-	-	-	-	-	-	-	3	1	1	1	1	1	1	1	2	3	1	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	46	-	-	-	-	-	1	-	-	-	-	1	1	4	7	7	4	5	3	3	2	7	1	-	-	-	-
	White—M—	35	-	-	-	-	-	-	-	-	-	-	1	1	3	5	6	3	5	1	1	2	6	1	-	-	-	
	White—F—	11	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	1	-	2	2	-	1	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	25	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	3	3	2	6	1	1	2	-	-	-	-
	White—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	2	1	-	-	-	-	-	-
	White—F—	15	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	3	2	4	-	1	2	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	306	-	1																								

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
140-150	Diseases of pregnancy, etc.—	14	-	-	-	-	-	-	-	2	2	4	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	14	-	-	-	-	-	-	-	2	2	4	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicemia—	3	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	3	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a, c, 144, 148	Puerperal toxemia—	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—	5	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	5	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141d, e, f, 145B, 150	Other puerperal causes—	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations—	96	76	5	3	-	-	3	-	3	-	1	1	-	-	2	1	-	-	-	-	-	1	-	-	-	-	
	White—M—	45	37	2	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	51	39	3	3	-	-	1	-	-	-	1	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year—	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth—	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159, 160, 161	Other diseases peculiar to first year—	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163, 164	Suicide—	76	-	-	-	-	-	-	-	3	1	4	6	6	7	7	6	12	7	7	3	4	2	1	-	-	-	
	White—M—	66	-	-	-	-	-	-	-	1	1	2	6	6	7	5	4	11	7	7	2	4	2	1	-	-		
	White—F—	10	-	-	-	-	-	-	-	2	-	2	-	-	-	2	2	1	-	-	1	-	-	-	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
165-168	Homicide—	5	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White—F—	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
169-195	Accidental deaths—	392	12	3	6	4	5	16	10	22	30	20	22	7	14	10	21	14	12	28	28	30	34	32	9	2	-	
	White—M—	255	7	2	4	3	3	12	6	21	28	18	19	6	11	10	18	12	7	21	18	12	11	7	1	-	1	
	White—F—	137	5	1	2	1	2	4	4	1	5	2	3	1	3	-	3	2	5	7	10	18	25	25	8	2	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
170	Motor-vehicle accidents—	105	-	2	2	3	2	5	4	11	14	11	7	5	4	4	11	2	2	2	7	2	1	4	-	-	-	
	White—M—	82	-	1	1	2	1	3	2	11	12	9	7	4	3	4	9	1	1	1	2	6	1	1	1	-	-	
	White—F—	23	-	1	1	1	1	2	2	-	2	2	1	1	1	-	2	1	1	-	1	1	1	3	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
169, 171-195	Other accidents—	287	12	1	4	1	3	11	6	11	16	9	15	2	10	6	10	12	10	26	21	28	33	28	9	2	-	
	White—M—	173	7	1	3	1	2	9	4	10	13	9	12	2	8	6	9	11	6	19	12	11	10	6	1	-	1	
	White—F—	114	5	-	1	-	1	2	2	1	3	-	3	-	2	-	1	1	4	7	9	17	23	22	8	2	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
162, 199, 200	Senility, ill-defined and unknown causes—	54	-	-	-	-	-	-	-	1	-	-	-	1	-	3	4	1	5	2	5	9	4	7	9	1	2	
	White—M—	33	-	-	-	-	-	-	-	1	-	-	-	1	-	2	4	1	4	1	4	5	4	3	3	-		

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated
			der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	
	NEW JERSEY																											
	ALL CAUSES-----	48,181	2,965	172	112	82	71	191	155	244	475	567	720	1,040	1,592	2,294	3,499	4,592	5,146	5,803	6,076	5,364	3,936	2,212	711	124	16	2
	White---M--	24,496	1,497	76	63	38	36	103	73	121	205	229	297	519	791	1,243	1,951	2,703	2,919	3,196	3,061	2,509	1,718	861	250	33	2	2
	F--	20,123	1,083	69	34	33	22	62	50	74	156	225	280	374	551	736	1,203	1,556	1,942	2,312	2,744	2,704	1,718	861	435	81	7	-
	Nonwhite---M--	1,894	220	11	7	10	8	15	17	24	49	70	63	64	133	176	211	176	148	166	135	70	64	32	17	3	5	-
	F--	1,668	165	16	3	1	5	11	13	25	65	63	80	83	117	139	134	157	137	129	136	81	52	31	9	7	2	-
1,2	Typhoid and paratyphoid fever---	7	-	-	-	-	-	1	1	1	1	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	White---M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis---	32	8	4	1	1	1	2	1	1	3	1	1	3	1	1	-	-	-	2	-	1	-	-	-	-	-	-
	White---M--	9	2	1	-	-	-	2	1	-	1	1	1	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	19	4	3	1	-	1	2	1	1	2	1	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite---M--	4	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever---	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White---M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	24	20	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	15	1	1	2	3	-	5	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White---M--	9	1	1	1	2	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)---	1,555	6	8	3	2	3	4	8	29	108	131	120	110	146	147	141	157	131	133	65	57	27	14	4	1	-	-
	White---M--	807	2	3	2	1	1	-	7	21	27	36	48	76	83	98	119	92	86	44	32	19	7	1	-	-	-	-
	F--	358	1	2	-	-	1	1	3	32	46	58	36	27	21	18	22	28	34	12	21	6	6	3	-	-	-	-
	Nonwhite---M--	204	1	2	-	1	1	2	4	15	23	18	14	28	31	25	11	7	10	7	2	1	1	-	-	-	-	-
	F--	186	2	1	1	-	1	2	5	15	40	35	28	12	13	12	-	5	4	3	2	2	1	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*---	1,459	1	4	1	-	-	6	27	99	125	112	105	137	139	155	149	126	129	64	56	25	14	4	1	-	-	
	White---M--	777	-	2	-	-	-	8	20	27	33	47	75	80	94	115	90	85	44	32	19	7	1	-	-	-	-	
	F--	330	-	-	-	-	-	1	3	31	43	55	34	24	20	18	19	25	32	12	20	4	6	3	-	-	-	
	Nonwhite---M--	163	1	1	-	-	-	2	4	12	21	17	12	25	28	23	10	7	10	7	2	1	1	-	-	-	-	
	F--	169	-	1	1	-	-	3	14	36	34	27	12	13	11	-	5	4	2	1	2	1	1	-	-	-	-	
14-22	Tuberculosis (other forms)---	96	5	4	2	2	3	4	2	2	9	6	8	5	9	8	6	8	5	4	1	1	2	-	-	-	-	-
	White---M--	30	2	1	2	1	1	-	1	1	-	3	1	3	3	4	4	2	1	-	-	-	-	-	-	-	-	-
	F--	28	1	2	-	-	1	-	-	1	3	2	3	2	3	2	3	3	2	-	1	2	-	-	-	-	-	-
	Nonwhite---M--	21	-	1	-	1	1	1	-	3	2	1	2	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	F--	17	2	-	-	-	1	2	2	1	4	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
27	Dysentery-----	6	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White---M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	327	18	-	-	-	-	-	-	3	3	9	11	30	31	43	54	51	41	14	15	3	1	-	-	-	-	-
	White---M--	165	1	-	-	-	-	-	-	-	1	3	3	12	12	19	34	34	25	7	10	3	1					

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	NEW JERSEY-Cont.																											
	Cancer and other malignant tumors	7,601	4	7	9	5	5	14	5	8	23	36	59	160	307	437	748	996	1,114	1,139	1,060	776	460	181	35	5	-	1
	White-M	3,722	2	3	8	1	2	5	2	5	15	22	57	99	188	316	506	597	627	533	405	222	73	19	2	-	-	1
	F	5,497	2	3	1	2	3	8	1	3	8	19	41	88	181	215	379	451	460	461	483	352	233	105	15	3	-	-
	Nonwhite-M	169	-	-	-	-	-	1	1	1	2	-	2	3	7	14	26	32	24	24	23	7	1	1	1	-	-	-
	F	215	-	1	-	-	-	-	1	-	-	2	4	12	21	20	27	27	33	26	21	12	4	2	-	-	-	-
46	Cancer of the digestive organs and peritoneum	3,630	1	-	1	-	1	3	-	-	5	9	25	61	104	171	289	471	525	609	588	436	249	85	13	3	-	1
	White-M	1,919	1	-	1	-	1	2	-	-	3	3	13	32	44	97	148	253	354	281	216	116	32	6	2	-	-	1
	F	1,530	-	-	-	-	-	1	-	-	1	6	11	24	50	60	115	187	194	232	260	208	130	50	7	1	-	-
	Nonwhite-M	91	-	-	-	-	-	-	-	-	1	-	2	3	8	17	21	11	10	12	3	1	1	1	1	-	-	-
	F	82	-	-	-	-	-	-	-	-	-	-	3	7	6	9	10	17	13	5	8	2	2	-	-	-	-	-
48,49	Cancer of female genital organs	760	-	-	-	-	-	1	1	2	3	12	30	62	70	111	96	101	90	93	40	30	13	2	1	-	-	-
	White-M	692	-	-	-	-	-	1	1	2	2	10	25	54	62	100	95	92	83	84	37	50	13	2	1	-	-	-
	F	68	-	-	-	-	-	-	-	-	1	2	5	8	8	11	5	9	7	9	3	-	-	-	-	-	-	-
50	Cancer of breast	735	-	-	-	-	-	-	-	2	1	10	28	60	71	106	98	87	78	77	53	34	27	3	-	-	-	-
	White-M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	2	-	-	-	-
	F	688	-	-	-	-	-	-	-	2	1	8	26	55	67	99	90	83	72	75	49	31	27	3	-	-	-	-
	Nonwhite-M	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	2	2	5	4	6	8	4	5	1	1	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,476	3	7	8	3	4	11	4	7	14	23	22	41	81	125	242	329	401	361	322	247	147	56	17	1	-	-
	White-M	1,793	1	3	7	1	1	3	2	5	10	12	9	25	54	91	167	253	284	270	241	186	104	41	13	-	-	-
	F	579	2	3	1	2	3	7	2	3	10	12	15	22	26	65	61	61	61	64	57	42	15	3	1	-	-	-
	Nonwhite-M	78	-	-	-	-	-	1	1	1	-	1	1	4	6	9	11	13	14	11	4	-	-	-	-	-	-	-
	F	26	-	1	-	-	-	1	-	-	-	1	-	2	1	2	1	4	3	3	6	-	1	-	-	-	-	-
58	Acute rheumatic fever	34	-	-	1	-	1	4	4	5	1	2	2	4	2	3	2	-	1	1	1	-	-	-	-	-	-	-
	White-M	11	-	-	-	-	-	1	1	3	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	-	1	-	-	2	2	2	1	1	1	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,592	2	-	-	2	3	2	3	7	6	13	21	25	39	110	191	242	282	295	195	105	36	3	-	-	-	-
	White-M	504	-	-	-	-	-	1	1	2	3	3	7	9	11	18	35	58	78	94	89	51	10	1	-	-	-	-
	F	998	2	-	-	1	1	1	1	3	3	4	9	11	17	63	117	153	178	194	139	73	26	2	-	-	-	-
	Nonwhite-M	28	-	-	-	-	-	-	-	-	-	1	2	2	-	3	3	3	6	5	-	-	-	-	-	-	-	-
	F	52	-	-	-	-	-	1	-	1	-	1	1	1	4	9	13	8	4	7	2	-	-	-	-	-	-	-
65b	Exophthalmic goiter	63	-	-	-	-	-	-	-	-	-	1	1	4	4	10	7	7	7	10	6	6	-	-	-	-	-	-
	White-M	12	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1	2	1	1	-	-	-	-	-	-	-	-
	F	48	-	-	-	-	-	-	-	-	-	1	1	2	3	7	5	5	4	10	4	6	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylien)	67	-	-	-	-	-	-	-	-	3	8	11	12	8	10	5	8	2	-	-	-	-	-	-	-	-	-
	White-M	46	-	-	-	-	-	-	-	-	1	4	9	8	7	5	4	7	1	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	3	1	2	1	3	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M	8	-	-	-	-	-	-	-	-	1	1	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,084	3	2	3	1	1	1	1	2	3	12	19	38	82	152	262	394	442	581	665	635	446	247	61	12	1	-
	White-M	1,699	2	1	2	-	1	1	1	1	-	3	11	15	26	48	120	176	205	265	273	287	161	60	31	4	-	-
	F	2,139	1	1	2	1	-	-	-	2	5	16	40	81	121	175	214	283	359	359	256	161	47	8	1	-	-	-
	Nonwhite-M	109	-	1	-	-	-	-	1	1	2	1	3	5	11	12	17	9	16	12	10	5	3	-	-	-	-	-
	F	157	-	-	-	-	1	-	-	-	2	2	4	11	14	9	26	14	17	20	7	4	3	3	-	-	-	-
90-95	Diseases of the heart	17,233	2	2	-	1	1	7	11	30	56	65	121	235	426	764	1,249	1,739	2,018	2,360	2,617	2,357	1,782	1,019	325	58	7	1
	White-M	9,465	2	1	-	1	3	2	16	15	29	55	136	267	468	840	1,149	1,238	1,370	1,426	1,096	777	427	109	15	1	1	1
	F	6,896	-	1	-	-	1	1	9	11	18	24	51	73	104	188	266	299	359	406	359	256	161	47	8	1	-	-
	Nonwhite-M																											

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
97, 102	NEW JERSEY—Con. Arteriosclerosis and high blood pressure* White—M— F— Nonwhite—M— F—	1,052 439 564 21 28	-	-	-	-	-	-	-	-	-	-	1	1	15	11	12	23	43	90	139	215	243	167	80	9	3	-	
107-109, 33	Pneumonia (all forms) and influenza— White—M— F— Nonwhite—M— F—	1,559 780 580 128 73	281 141 94 26 20	35 15 13 3 4	14 6 4 3 1	11 3 4 4 1	5 1 2 2 -	13 7 5 4 -	12 6 4 2 -	12 7 5 1 -	20 10 6 3 -	20 7 8 2 -	21 10 8 2 -	23 11 6 3 -	51 24 14 10 -	79 34 18 20 -	85 44 24 10 -	102 68 20 11 -	121 76 51 9 -	131 66 33 4 -	149 77 60 5 -	147 72 58 6 -	116 61 51 2 -	81 27 54 -	26 10 16 -	5 2 3 -	1 -	-	
107	Bronchopneumonia— White—M— F— Nonwhite—M— F—	733 363 291 55 29	176 86 57 20 13	25 12 9 2 3	10 4 3 1 1	4 1 2 -	3 1 2 -	9 4 4 -	4 1 2 -	5 2 3 -	5 2 2 -	8 4 3 -	5 4 1 -	20 10 7 -	26 12 5 -	25 9 11 -	41 24 9 -	43 26 13 -	50 27 22 -	67 36 28 -	76 37 37 -	55 31 25 -	56 18 38 -	19 9 10 -	3 2 1 -	1 -	-		
108	Lobar pneumonia— White—M— F— Nonwhite—M— F—	638 326 221 54 37	65 38 19 3 6	6 2 2 1 1	1 1 1 -	4 1 2 -	2 1 1 -	1 1 1 -	5 4 1 -	12 5 4 -	14 6 3 -	11 5 3 -	12 6 4 -	25 12 8 -	42 19 12 -	50 28 12 -	51 37 14 -	65 44 34 -	72 37 27 -	61 29 27 -	59 28 28 -	49 25 21 -	17 5 6 -	7 1 2 -	2 -	-	-		
109	Pneumonia (unspecified)— White—M— F— Nonwhite—M— F—	112 58 38 11 5	52 14 13 3 2	2 1 1 -	1 1 1 -	2 -	2 -	1 -	1 -	2 -	1 -	2 -	1 -	4 -	3 -	6 -	5 -	7 -	8 -	7 -	12 -	5 -	6 -	5 -	-	-	-	-	-
33	Influenza— White—M— F— Nonwhite—M— F—	71 33 30 6 2	9 3 5 -	2 1 2 -	2 1 1 -	1 -	1 -	1 -	2 -	1 -	2 -	1 -	1 -	2 -	3 -	5 -	5 -	3 -	5 -	2 -	9 -	7 -	6 -	3 -	-	-	-	-	-
117	Ulcer of stomach or duodenum— White—M— F— Nonwhite—M— F—	349 293 38 18 -	-	-	-	-	-	-	-	1 1	2 1	4 2	8 19	20 13	20 32	37 38	46 5	51 5	40 2	49 46	39 31	14 10	12 9	7 3	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.— White—M— F— Nonwhite—M— F—	160 74 69 8 9	94 41 39 7 8	10 4 6 -	1 1 1 -	2 1 1 -	-	1 -	-	1 -	3 2	3 2	4 2	4 3	3 2	2 1	5 1	4 2	11 5	5 2	1 1	1 1	2 1	2 1	2 1	-	-	-	-
121	Appendicitis— White—M— F— Nonwhite—M— F—	183 103 63 10 7	1 -	1 -	3 -	-	3 -	6 -	5 -	7 -	9 -	8 -	7 -	11 -	10 -	13 -	13 -	12 -	18 -	19 -	14 -	15 -	3 -	5 -	-	-	-	-	-
122	Hernia, intestinal obstruction— White—M— F— Nonwhite—M— F—	355 154 182 15 24	9 3 4 2 -	1 -	2 -	2 -	4 -	1 -	1 -	1 -	3 -	6 -	10 -	13 -	11 -	37 -	27 -	44 -	54 -	43 -	47 -	25 -	11 -	2 -	1 -	-	-	-	-
124	Cirrhosis of the liver— White—M— F— Nonwhite—M— F—	612 384 207 11 10	-	1 1	1 -	-	-	1 -	3 -	1 -	4 -	16 -	27 -	55 -	67 -	68 -	92 -	84 -	67 -	60 -	39 -	14 -	9 -	2 -	1 -	-	-	-	
126, 127	Biliary calculi, etc.— White—M— F— Nonwhite—M— F—	189 61 123 - 5	1 -	-	-	-	-	-	-	1 -	3 -	1 -	6 -	15 -	25 -	45 -	51 -	68 -	84 -	21 -	15 -	13 -	5 -	6 -	4 -	2 -	-	-	-
130-132	Nephritis— White—M— F— Nonwhite—M— F—	2,659 1,177 1,179 135 168	2 2	1 -	1 -	-	2 -	5 -	5 -	7 -	17 -	22 -	35 -	51 -	82 -	107 -	181 -	221 -	251 -	315 -	391 -	388 -	306 -	195 -	63 -	11 -	-	-	
137	Diseases of the prostate— White—M— Nonwhite—M—	190 177 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 1	10 8	21 18	27 25	38 30	32 31	34 22	22 4	-	-	-	-	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

363

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Un-der 1	Age																	100 and over	Not stated			
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84
NEW JERSEY—Con.																									
140-150	Diseases of pregnancy, etc.—	107									6	17	30	28	22	3	1								
	White—F—	94									2	15	28	26	20	2	1								
	Nonwhite—F—	13									4	2	2	2	2	1									
140, 142a, 145a, 147	Puerperal septicaemia—	39									2	9	8	11	8	1									
	White—F—	33									1	9	7	9	7										
	Nonwhite—F—	6									1	1	1	2	1	1									
141a, c, 144, 148	Puerperal toxemia—	21									2	3	7	5	3		1								
	White—F—	17									2	3	6	5	2		1								
	Nonwhite—F—	4									2	1	1	1	1										
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock—	37									1	2	13	9	11	1									
	White—F—	35									1	1	13	9	11	1									
	Nonwhite—F—	2									1	1	1	1	1										
141d, e, f, 145b, 150	Other puerperal causes—	10									1	3	2	3		1									
	White—F—	9									1	2	2	3		1									
	Nonwhite—F—	1									1	1	1	1											
157	Congenital malformations—	591	485	20	14	6	7	8	8	2	5	6	3	3	10	3	5	3	2		1				
	White—M—	295	229	10	10	1	2	8	1	1	3	6	3	3	4	2	3	2							
	F—	274	230	9	3	4	5	5	1	1	2	6	3	3	5	1	2	3		1					
	Nonwhite—M—	19	16		1	1		1	1						1										
	F—	13	10	1	1			1																	
158-161	Diseases peculiar to first year—	1,786	1,786																						
	White—M—	940	940																						
	F—	611	611																						
	Nonwhite—M—	135	135																						
	F—	100	100																						
159	Premature birth—	1,137	1,137																						
	White—M—	579	579																						
	F—	384	384																						
	Nonwhite—M—	101	101																						
	F—	73	73																						
158, 160, 161	Other diseases peculiar to first year—	649	649																						
	White—M—	361	361																						
	F—	227	227																						
	Nonwhite—M—	34	34																						
	F—	27	27																						
163, 164	Suicide—	527							3	1	13	26	44	36	38	59	62	61	40	35	31	13	2	2	
	White—M—	372							1	1	6	14	23	23	26	40	47	51	24	29	24	13	2	2	
	F—	142									5	12	20	10	11	18	14	10	15	14	6				
	Nonwhite—M—	10							1		1		2	2	1	1	1		2		1				
	F—	3									1		1	1											
165-168	Homicide—	141	9			2	2	3	3	6	11	20	18	13	13	7	13	8	5	5	1	2			
	White—M—	59	4			1	2	2	3	1	3	3	6	5	8	3	5	5	1	1	4	1	2		
	F—	28	5							1	2	5	2	2	3	2	2	1	1						
	Nonwhite—M—	44				1		1		4	4	10	8	4	2	2	2	1	1						
	F—	10								2	2	2	2	2											
169-195	Accidental deaths—	2,397	90	34	51	21	15	60	54	79	117	88	84	108	105	124	154	163	152	162	168	208	200	114	
	White—M—	1,414	45	14	18	8	10	42	38	50	65	63	59	75	80	98	106	112	105	119	85	95	69	32	
	F—	774	28	11	6	12	2	9	8	21	19	10	9	16	14	15	28	40	37	56	79	113	129	81	
	Nonwhite—M—	144	10	3	4		3	6	5	7	12	11	11	11	9	9	12	11	8	5	3	1	2	1	
	F—	85	9	6	3	1		3	3	1	2	4	5	6	2	2	8		4	2	3	1			
170	Motor-vehicle accidents—	664	3	6	8	11	6	24	17	37	68	49	29	46	35	36	50	51	49	53	37	31	15	2	
	White—M—	496	2	1	7	3	4	17	11	23	52	43	24	31	27	31	41	31	35	39	27	23	11	2	
	F—	139	1	2		8	1	5	6	14	11	4	4	6	5	4	6	16	11	13	9	8	4		
	Nonwhite—M—	31		1	1		1	2			4			6	3	1	3	4	3	1	1	1			
	F—	9		2						1	2	1	3												
169, 171-195	Other accidents—	1,733	87	28	23	10	9	36	37	42	49	39	55	62	70	88	104	112	103	129	151	177	185	112	
	White—M—	928	43	13	11	5	6	25	27	27	33	30	36	44	53	67	65	81	68	80	58	70	58	30	
	F—	636	25	9	6	4	1	4	2	7	7	6	5	10	9	11	22	24	26	43	70	105	125	81	
	Nonwhite—M—	113	10	2	3		2	4	5	7	8	11	11	5	6	8	9	7	5	4	2	1	2	1	
	F—	56	9	4	3	1		3	3	1	1	2	4	3	2	2	8		4	2	3	1			
182, 199, 200	Senility, ill-defined and unknown causes—	208	13	2	2				1		1	2	4	3	4	5	4	4	10	10	12	24	36	36	
	White—M—	80	9	2					1		1	2	4	1	2	1	2	3	3	5	7	6	10	9	
	F—	105	1	1								2	3	1	1	1	1	1	5	2	5	11	24	26	
	Nonwhite—M—	14	2												2	2	1	1		1	1	2	1	1	
	F—	9	1		1															1		2	1	1	
	All other causes—	2,466	127	39	23	25	25	44	27	37	71	83	76	105	132	166	223	231	241	257	251	145	96	58	
	White—M—	1,236	65	20	12	17	16	22	12	18	29	31	22	49	55	70	114	139	142	115	77	41	19	8	
	F—	1,042	46	17	11	7	7	19	10	13	30	40	39	44	59	73	96	81	90	85	105	63	54	39	
	Nonwhite—M—	82	6	1		1	2	4	4	7	5	6	2	7	5	8	4	5	6	6	6	1			
	F—	106	10	1				1	1	2	5	7	10	8	11	18	25	27	24	26	21	11	6	4	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
45-55	NEW MEXICO-Cont.																											
	Cancer and other malignant tumors	426	-	-	-	1	1	1	-	1	4	10	7	13	20	28	34	48	52	52	63	48	28	15	1	-	-	1
	White-M--	206	-	-	-	-	-	-	-	1	2	5	2	4	4	7	17	19	29	28	35	27	16	8	1	-	-	-
	F--	198	-	-	-	1	1	-	-	-	1	5	4	7	14	19	16	27	20	19	26	20	12	5	-	-	-	1
	Nonwhite-M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	2	1	2	1	1	-	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum--	206	-	-	-	-	-	-	-	-	3	2	3	6	11	15	21	24	30	40	28	13	8	1	-	-	-	1
	White-M--	119	-	-	-	-	-	-	-	-	1	1	2	2	3	10	12	18	17	27	14	6	5	1	-	-	-	1
	F--	79	-	-	-	-	-	-	-	-	2	1	2	1	4	7	5	8	5	11	12	13	7	3	-	-	-	1
	Nonwhite-M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs--	61	-	-	-	-	-	-	-	-	-	1	2	6	4	7	8	11	7	4	8	1	1	1	-	-	-	-
	White-F--	57	-	-	-	-	-	-	-	-	-	1	2	4	3	7	7	11	7	4	8	1	1	1	-	-	-	-
	Nonwhite-F--	4	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast--	22	-	-	-	-	-	-	-	-	1	2	1	4	2	1	4	2	1	2	1	2	1	1	-	-	-	-
	White-M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	1	2	1	3	1	1	3	2	-	-	1	2	1	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	137	-	-	-	1	1	1	-	1	4	5	1	3	6	8	10	12	19	17	14	17	13	4	-	-	-	-
	White-M--	86	-	-	-	-	-	1	-	1	2	4	1	2	2	4	7	6	11	11	8	13	10	3	-	-	-	-
	F--	44	-	-	-	1	1	-	-	1	1	1	1	4	4	3	5	5	6	4	4	4	3	1	-	-	-	-
	Nonwhite-M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
59	Acute rheumatic fever--	7	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	1	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	45	-	-	-	1	-	2	-	2	1	1	-	-	3	2	2	2	8	9	7	1	4	2	-	-	-	-
	White-M--	23	-	-	-	-	-	1	-	1	1	1	-	-	2	2	2	3	3	3	4	1	3	1	-	-	-	-
	F--	21	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	5	6	3	3	1	1	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	1	-	-	-	-	-	-
	White-M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-	-
	White-M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-
	Nonwhite-M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)--	16	-	-	-	-	-	-	1	3	-	1	1	3	1	3	-	-	1	1	1	-	-	-	-	-	-	-
	White-M--	10	-	-	-	-	-	-	-	1	-	-	1	1	2	1	3	-	-	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M--	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin--	288	1	1	-	-	-	-	-	-	4	5	3	10	13	20	15	32	29	55	42	54	18	5	3	-	-	-
	White-M--	143	1	1	-	-	-	-	-	-	2	1	1	2	6	10	7	18	12	30	28	16	7	1	-	-	-	
	F--	133	-	-	-	-	-	-	-	-	1	3	2	5	7	10	6	11	16	25	13	17	11	4	2	-	-	
	Nonwhite-M--	8	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	2	1	-	-	1	-	-	-	-	-	
	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	
90-95	Diseases of the heart	896	1	1	-	1	1	4	5	4	9	9	9	18	33	39	79	89	90	103	119	126	75	57	15	5	4	
	White-M--	562	1	1	-	1	1	3	1	1	5	5	3	12	23	22	52	62	69	67	61	77	52	27	8	4	3	
	F--	298	-	-	-	-	-	1	4	3	3	3	4	6	7	14	25	23	20	31	55	43	21	28	6	1	-	
	Nonwhite-M--	21	-	-	-	-	-	-	-	1	-	-	-	2	1	2	2	2	1	4	1	4	2	2	-	-	-	
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	
90a, 92b, 93c, 95b	Chronic rheumatic diseases of the heart	85	-	-	-	1	1	3	4	2	2	5	3	3	7	8	9	4	8	10	2	6	5	2	-	-	-	
	White-M--	36	-	-	-</																							

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																	100 and over	Not stated						
			Under 1	1-2	3-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74			75-79	80-84	85-89	90-94	95-99	
97, 102	NEW MEXICO—Con.																										
	Arteriosclerosis and high blood pressure*	44	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	10	3	9	5	7	4	1	-
	White—M—	28	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	5	3	5	4	5	2	1	-	
	Nonwhite—M—	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	4	1	2	2	1	-	
107-109, 55	Pneumonia (all forms) and influenza	430	215	28	10	7	3	8	2	3	4	6	3	5	13	8	15	7	9	19	22	25	10	4	1	-	
	White—M—	211	96	12	2	1	3	4	-	2	2	4	1	3	6	5	11	5	8	9	14	13	7	2	1	-	
	Nonwhite—M—	156	60	12	2	4	-	2	2	2	1	2	1	1	2	4	2	4	1	1	7	12	3	2	-	-	
	Nonwhite—F—	35	24	2	1	-	-	-	1	1	-	-	-	1	-	2	1	-	1	1	1	-	-	-	-	-	
107	Bronchopneumonia	180	112	9	8	4	2	2	-	-	-	1	1	1	4	3	2	1	1	5	7	6	7	2	1	-	
	White—M—	76	44	2	2	-	2	1	-	-	-	1	-	-	1	2	2	1	1	4	5	1	5	1	1	-	
	Nonwhite—M—	64	43	4	1	2	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	5	2	1	-	-	
	Nonwhite—F—	20	14	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	
108	Lobar pneumonia	134	55	11	2	-	1	2	1	2	-	-	1	1	3	4	3	5	4	8	10	6	14	3	-	-	
	White—M—	67	23	6	-	-	1	1	1	-	-	-	-	-	2	1	3	4	2	5	4	4	7	2	-	-	
	Nonwhite—M—	55	25	3	1	-	-	1	1	1	-	-	1	1	1	2	1	1	1	6	2	7	1	-	-	-	
	Nonwhite—F—	9	5	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	
109	Pneumonia (unspecified)	61	32	5	-	2	-	2	1	-	-	1	2	2	-	-	3	1	1	2	1	3	1	-	-	-	
	White—M—	34	18	2	-	1	-	2	-	-	-	1	1	2	-	-	1	1	2	1	1	1	1	-	-	-	
	Nonwhite—M—	19	8	3	-	1	-	-	1	-	-	1	1	-	-	-	1	-	-	1	1	2	-	-	-	-	
	Nonwhite—F—	5	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
53	Influenza	55	16	3	-	1	-	2	-	-	1	2	1	2	1	2	1	7	-	1	2	6	4	-	2	-	
	White—M—	34	11	-	-	-	-	-	-	-	2	1	2	1	2	1	5	-	1	-	4	4	-	-	1	-	
	Nonwhite—M—	18	4	2	-	1	-	1	-	1	-	1	1	1	-	-	-	-	-	2	2	2	-	-	-	-	
	Nonwhite—F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117	Ulcer of stomach or duodenum	20	-	-	-	-	-	-	-	-	-	1	-	-	1	2	5	1	4	1	2	2	-	1	-	-	
	White—M—	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	4	1	2	1	-	1	-	-	
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
119, 120	Diarrhea, enteritis, etc.*	195	173	8	5	-	-	1	1	-	-	-	-	-	1	-	-	2	1	-	1	1	1	-	-	-	
	White—M—	99	91	4	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite—M—	56	49	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	
	Nonwhite—F—	25	22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
121	Appendicitis	34	-	-	-	-	3	2	2	2	4	1	3	4	2	2	2	3	1	3	-	-	-	-	-	-	
	White—M—	19	-	-	-	-	2	2	1	-	3	1	3	1	2	2	3	1	-	2	-	-	-	-	-	-	
	Nonwhite—M—	14	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
122	Hernia, intestinal obstruction	46	5	-	1	2	1	-	-	2	-	2	3	3	1	3	3	2	6	3	5	3	-	1	-	-	
	White—M—	20	1	-	2	1	-	-	-	-	-	2	2	1	2	1	3	2	3	3	2	3	1	-	-	-	
	Nonwhite—M—	23	4	-	-	-	-	-	-	2	-	2	1	2	1	3	3	1	3	3	3	2	-	-	-	-	
	Nonwhite—F—	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
124	Cirrhosis of the liver	35	-	-	-	-	-	-	-	-	-	-	2	2	1	3	4	3	8	4	3	2	1	1	-	-	
	White—M—	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	5	2	1	1	1	-	-	-	
	Nonwhite—M—	17	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	1	3	2	2	2	1	1	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
126, 127	Biliary calculi, etc.*	34	-	-	-	-	-	-	-	-	-	-	1	4	3	6	3	4	2	5	4	2	-	-	-	-	
	White—M—	11	-	-	-	-	-	-	-	-	-	-	-	2	1	5	1	1	1	1	1	1	-	-	-	-	
	Nonwhite—M—	21	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	3	1	4	3	2	-	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
130-132	Nephritis	227	3	1	2	-	1	2	2	3	6	3	3	4	6	11	18	14	12	30	26	24	36	14	2	4	-
	White—M—	142	2	-	-	-	1	1	2	1	2	2	1	1	5	6	11	7	10	18	13	59	17	11	2	1	-
	Nonwhite—M—	76	-	-	1	-	1	1	-	4	-	2	3	1	5	6	7	1	12	13	4	9	3	-	3	-	-
	Nonwhite—F—	4	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
137	Diseases of the prostate	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	5	5	3	1	-	-
	White—M—	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	5	5	3	1	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																											
140-150	Diseases of pregnancy, etc.—	42	-	-	-	-	-	-	-	-	2	10	7	8	12	3	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	33	-	-	-	-	-	-	-	-	2	6	7	7	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	9	-	-	-	-	-	-	-	-	-	4	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia—	14	-	-	-	-	-	-	-	1	2	2	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	12	-	-	-	-	-	-	-	1	1	2	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia—	6	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	5	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock—	18	-	-	-	-	-	-	-	1	5	3	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	12	-	-	-	-	-	-	-	1	2	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	6	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes—	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—	101	92	4	2	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	52	48	2	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	40	37	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—	514	514	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	286	286	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—	335	335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year—	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide—	45	-	-	-	-	-	-	1	1	5	6	1	5	1	5	5	4	2	1	3	-	1	1	-	-	-	1
	White—M—	34	-	-	-	-	-	-	1	1	2	4	1	3	1	4	5	4	2	1	3	-	1	1	-	-	-	1
	F—	7	-	-	-	-	-	-	-	-	2	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—	47	3	-	-	-	-	-	-	1	4	7	5	8	2	2	7	2	-	4	1	-	-	-	-	-	-	-
	White—M—	32	-	-	-	-	-	-	-	1	3	6	4	5	2	2	6	2	-	3	-	-	-	-	-	-	-	-
	F—	12	3	-	-	-	-	-	-	1	-	1	1	2	-	2	1	2	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths—	495	26	18	9	5	6	25	29	36	55	44	27	25	20	23	30	17	17	18	25	8	12	10	7	1	1	-
	White—M—	356	15	13	6	2	4	17	19	27	42	31	23	18	14	19	27	15	12	14	18	4	8	6	4	-	-	-
	F—	87	8	4	1	3	1	5	7	7	5	7	1	4	4	4	1	1	4	3	5	3	2	4	3	-	-	-
	Nonwhite—M—	40	3	1	2	-	1	2	1	2	8	5	3	2	2	-	-	-	1	1	1	1	2	1	1	-	-	-
	F—	10	2	1	-	-	1	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents—	193	4	5	4	-	2	8	12	21	25	24	7	12	11	9	13	8	9	9	7	-	2	1	-	-	-	-
	White—M—	141	2	3	3	-	2	6	7	16	20	17	6	8	10	6	11	8	6	6	4	-	-	-	-	-	-	-
	F—	38	1	1	1	-	1	5	4	2	6	-	3	1	3	1	3	1	3	2	3	-	1	-	-	-	-	-
	Nonwhite—M—	11	-	-	-	-	-	-	-	1	3	1	1	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-
	F—	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents—	300	22	14	5	5	4	17	17	15	28	20	20	13	9	14	17	9	8	9	18	8	10	9	7	1	1	-
	White—M—	215	11	10	3	2	2	11	12	11	22	14	17	10	4	13	16	7	6	8	14	4	8	6	4	-	-	-
	F—	49	7	3	-	3	1	4	2	3	1	1	1	1	3	1	-	1	1	1	3	3	2	3	3	-	-	-
	Nonwhite—M—	28	5	1	2	-	1	2	-	5	4	2	1	2	-	-	1	1	1	1	1	-	1	1	-	-	-	-
	F—	7	1	-	-																							

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																	100 and over	Not stated							
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64			65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
97, 102	NEW YORK—Con. Arteriosclerosis and high blood pressure*—M— White—M— F— Nonwhite—M— F—	3,004 1,400 1,498 48 57	-	-	-	-	-	-	1	-	2	-	5	3	12	25	37	71	142	221	429	586	674	480	244	96	5	1
107-109, 33	Pneumonia (all forms) and influenza—M— White—M— F— Nonwhite—M— F—	5,466 2,332 2,074 274 186	851	90	46	12	12	31	18	42	52	54	82	135	189	230	337	385	429	477	521	553	472	315	96	36	1	-
107	Bronchopneumonia—M— White—M— F— Nonwhite—M— F—	2,704 1,360 1,101 139 104	650	64	29	7	9	16	10	18	25	22	31	40	68	71	102	128	171	199	228	283	265	173	71	23	1	-
108	Lobar pneumonia—M— White—M— F— Nonwhite—M— F—	2,409 1,379 823 131 76	132	19	9	3	2	12	4	21	21	26	46	60	113	141	216	233	237	248	265	239	183	115	23	11	-	-
109	Pneumonia (unspecified)—M— White—M— F— Nonwhite—M— F—	154 95 53 3 3	46	1	3	1	-	1	-	-	2	1	4	3	4	12	11	11	7	11	10	10	8	6	-	-	-	-
33	Influenza—M— White—M— F— Nonwhite—M— F—	199 98 97 1 3	21	6	5	1	1	2	4	3	4	3	1	4	4	6	8	13	14	19	18	21	16	21	2	2	-	-
117	Ulcer of stomach or duodenum—M— White—M— F— Nonwhite—M— F—	1,139 903 194 34 8	5	-	-	-	-	-	-	3	3	10	18	36	72	103	127	149	201	147	137	86	27	13	1	-	-	1
119, 120	Diarrhea, enteritis, etc.*—M— White—M— F— Nonwhite—M— F—	535 268 209 30 28	351	24	2	5	1	3	-	6	11	15	7	13	11	14	12	11	12	10	7	9	6	4	1	-	-	-
121	Appendicitis—M— White—M— F— Nonwhite—M— F—	491 263 194 19 15	1	7	12	11	9	16	19	22	10	22	22	20	26	35	44	48	54	55	37	23	11	7	-	-	-	-
122	Hernia, intestinal obstruction—M— White—M— F— Nonwhite—M— F—	1,214 563 577 34 40	30	4	3	4	2	5	5	7	10	15	13	25	42	65	89	125	136	161	143	132	112	55	10	1	-	-
124	Cirrhosis of the liver—M— White—M— F— Nonwhite—M— F—	2,141 1,311 740 48 42	-	2	-	2	-	2	3	3	6	20	43	116	197	249	308	311	261	235	176	124	56	20	5	-	-	2
126, 127	Biliary calculi, etc.*—M— White—M— F— Nonwhite—M— F—	778 289 479 3 7	-	-	-	-	-	-	-	-	3	9	9	18	30	47	76	101	126	128	102	74	34	16	3	2	-	-
130-132	Nephritis—M— White—M— F— Nonwhite—M— F—	6,039 2,983 2,762 167 206	5	2	6	9	5	18	16	38	55	74	102	130	206	297	424	513	594	681	827	808	676	397	117	22	4	4
137	Diseases of the prostate—M— White—M— F— Nonwhite—M— F—	712 689 23	-	-	-	-	-	-	-	-	-	-	-	-	5	10	45	77	101	159	145	109	47	12	2	-	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NORTH CAROLINA-Continued																												
45-55	Cancer and other malignant tumors	2,766	3	1	5	1	4	6	10	23	18	44	69	119	165	247	286	255	545	397	542	227	115	63	29	2	3	1
	White-M	956	1	1	1	1	3	5	11	7	12	15	54	57	59	78	80	125	148	142	104	58	26	9	-	-	-	-
	F	1,119	2	-	2	-	2	2	3	5	10	32	42	77	104	116	121	126	148	139	98	41	26	18	2	1	-	-
	Nonwhite-M	269	-	-	-	-	1	1	2	3	2	6	3	10	7	25	41	23	39	48	28	17	9	5	-	-	-	-
	F	420	-	1	-	-	-	1	1	6	4	16	19	35	42	61	51	55	43	33	8	7	6	2	-	-	-	-
46	Cancer of the digestive organs and peritoneum	1,053	1	1	-	-	2	2	2	2	2	6	13	35	40	73	94	89	162	186	145	101	50	29	15	1	2	1
	White-M	421	-	-	-	-	1	2	2	1	2	2	4	16	16	22	29	35	65	78	63	45	22	11	5	1	-	-
	F	368	1	-	-	-	1	-	-	-	-	6	9	14	20	27	35	46	68	66	56	43	20	13	9	-	-	-
	Nonwhite-M	137	-	-	-	-	-	-	-	-	-	2	1	5	3	15	25	13	21	25	12	10	5	2	-	-	-	-
	F	127	-	1	-	-	-	-	-	1	-	1	2	5	7	14	15	8	30	17	14	2	3	1	-	-	-	-
46,49	Cancer of female genital organs	486	-	-	-	-	-	-	2	2	16	19	27	52	78	57	58	48	32	48	19	8	4	2	-	-	-	-
	White-F	308	-	-	-	-	-	-	1	1	3	10	13	29	48	39	42	32	29	37	13	6	2	1	-	-	-	-
	Nonwhite-F	158	-	-	-	-	-	-	1	1	13	9	14	23	24	18	16	16	3	11	6	2	2	1	-	-	-	-
50	Cancer of breast	292	-	-	-	-	-	-	1	2	7	22	30	39	45	27	27	35	23	25	21	17	3	1	1	-	-	-
	White-M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	198	-	-	-	-	-	-	1	1	3	15	20	25	33	23	23	25	19	15	17	3	2	-	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	79	-	-	-	-	-	-	-	-	1	4	9	10	13	12	3	4	15	5	-	-	2	-	-	-	-	-
45,47 51-55	Cancer (other sites)	985	2	-	3	-	4	8	19	13	20	30	35	41	63	90	81	108	134	128	90	51	28	11	1	1	-	-
	White-M	534	1	-	1	-	3	5	10	5	10	11	16	21	37	49	44	60	70	78	58	35	15	4	1	1	-	-
	F	245	1	-	2	-	2	2	2	3	5	13	7	14	11	17	23	25	32	31	25	12	8	7	1	1	-	-
	Nonwhite-M	130	-	-	-	-	-	2	3	2	4	2	5	4	9	16	10	18	24	16	7	4	3	3	-	-	-	-
	F	58	-	-	-	-	-	1	4	3	1	4	5	2	6	8	4	5	8	3	-	-	2	-	-	-	-	-
58	Acute rheumatic fever	36	1	-	-	2	-	7	6	3	4	4	3	1	2	-	1	-	-	1	-	1	-	-	-	-	-	-
	White-M	8	-	-	-	-	-	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	1	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	10	1	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	575	1	-	1	-	3	1	9	5	10	9	14	23	28	28	52	60	88	83	74	67	36	7	4	-	-	-
	White-M	199	1	-	-	-	-	1	2	2	5	3	5	7	9	12	21	28	27	30	30	14	2	2	-	-	-	-
	F	222	-	-	-	-	-	2	2	2	2	2	2	4	3	16	18	37	43	33	29	20	4	3	-	-	-	-
	Nonwhite-M	54	-	-	-	-	-	-	3	1	1	1	4	4	5	5	6	7	5	6	4	4	1	1	-	-	-	-
	F	100	-	-	1	-	-	1	2	-	2	3	3	8	11	19	15	16	8	5	4	1	1	-	-	-	-	-
65b	Exophthalmic goiter	35	-	-	-	-	-	-	-	-	-	1	-	3	4	-	5	4	8	8	1	-	1	-	-	-	-	-
	White-M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	7	-	-	-	-	-	-	-
	Nonwhite-M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	3	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	57	-	1	-	-	-	-	-	2	-	2	1	3	2	3	1	6	10	10	8	8	1	1	1	-	-	-
	White-M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	3	-	-	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3	6	8	4	5	1	-	-	-	-
	Nonwhite-M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	1	-	-	-	-	-	1	-	1	-	-	-	3	-	-	1	1	-	1	-	-	1	-	-	-
77	Alcoholism (ethylica)	94	-	-	-	-	-	1	-	4	11	9	12	12	17	10	9	4	4	1	-	-	-	-	-	-	-	-
	White-M	63	-	-	-	-	-	-	-	2	6	7	8	9	9	8	6	3	3	4	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	2	2	3	3	2	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite-M	25	-	-	-	-	-	1	-	2	3	2	2	3	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,369	2	2	2	1	4	4	2	9	16	25	64	113	195	264	334	401	522	500	425	242	172	52	7	7	4	-
	White-M	1,148	2	1	1	1	1	-	-	-	5	6	9	26	48	73	110	139	192	207	164	77	66	18	1	1	-	-
	F	1,058	-	1	-	-	-	1	1	3	-	10	16	28	40	54	98	93	149	167	186	113	82	21	4	-	-	-
	Nonwhite-M	584	-	-	1	-	-	1	2	1	4	3	16	30	54	62	62	90	90	70	38	26	7	4	1	-	-	
	F	599	-	-	-	-	2	2	-	5	7	6	23	29	53	75	74	79	91	56	37	26	17	9	1	6	-	-
90-95	Diseases of the heart	7,492	5	3	2	-	1	13	30	41	42	64	113	164	279	449	613	706	892	1,033	1,121	864	531	335	133	29	22	7
	White-M	5,402	1	1	2	-	1	4	6	10	11	16	35	60	115	208	302	367	442	503	518	392	222	128	42	8	4	4
	F	2,126	1	-	-	-	3	7	13	4	18	22	21	38	50	87	125	214	293	394	361	251	165	62	16	1	2	1
	Nonwhite-M	992	2	2	-	-	-	3	7	9	10	17	21	42	68	91	106	115	126	108	115	68	43					

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NORTH CAROLINA—Continued																												
140-150	Diseases of pregnancy, etc.—M	192	-	-	-	-	-	-	2	18	45	45	40	29	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	90	-	-	-	-	-	-	-	9	17	21	23	12	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	102	-	-	-	-	-	-	2	9	28	24	17	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicemia—M	53	-	-	-	-	-	-	2	5	15	14	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	23	-	-	-	-	-	-	3	5	7	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	30	-	-	-	-	-	-	2	2	10	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia—M	66	-	-	-	-	-	-	11	15	14	12	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	31	-	-	-	-	-	-	5	8	6	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	35	-	-	-	-	-	-	6	7	8	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—M	59	-	-	-	-	-	-	-	14	13	12	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	27	-	-	-	-	-	-	-	3	6	6	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	32	-	-	-	-	-	-	-	11	7	6	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145b, 150	Other puerperal causes—M	14	-	-	-	-	-	-	2	1	4	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	1	1	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M	498	412	14	11	3	8	11	5	8	6	5	5	6	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	220	187	5	4	-	4	4	2	4	2	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	186	155	7	4	2	2	4	2	2	2	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	55	44	2	2	-	1	1	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	37	26	-	1	1	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M	2,159	2,159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	834	834	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	611	611	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	393	393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	321	321	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—M	1,364	1,364	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	514	514	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	398	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	212	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159, 160, 161	Other diseases peculiar to first year—M	795	795	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	320	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide—M	316	-	-	-	-	-	-	-	8	19	28	38	40	42	37	51	20	22	22	4	3	2	2	-	-	-	-
	White—M	245	-	-	-	-	-	-	-	5	16	18	30	25	30	32	23	17	19	19	4	3	2	2	-	-	-	-
	Nonwhite—M	44	-	-	-	-	-	-	-	1	3	4	4	12	7	2	4	2	2	3	-	-	-	-	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	2	3	3	2	3	2	4	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide—M	418	3	1	1	-	5	2	24	74	72	55	57	41	30	19	12	8	7	2	3	1	-	-	-	-	-	1
	White—M	112	1	-	-	-	5	2	18	12	14	14	15	10	7	7	7	3	4	-	-	-	-	-	-	-	-	-
	Nonwhite—M	37	1	-	-	-	1	1	2	2	5	6	5	4	5	1	1	1	1	1	1	1	-	-	-	-	-	-
	White—F	235	1	-	-	-	2	2	13	47	48	30	35	19	14	10	4	5	3	1	1	-	-	-	-	-	-	1
	Nonwhite—F	34	1	-	-	-	2	2	7	7	5	3	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths—M	2,303	174	53	25	27	27	95	91	197	239	190	169	149	120	96	92	76	77	101	74	73	74	43	28	6	3	2
	White—M	1,192	55	16	11	7	10	45	45	107	160	118	110	90	79	55	58	45	37	47	35	27	19	11	11	6	1	2
	Nonwhite—M	437	42	15	2	8	5	26	10	28	21	14	11	15	7	13	6	8	11	31	24	38	46	28	19	6	2	1
	White—F	498	43	13	6	7	5	14	14	34	51	47	37	38	30	23	21	22	15	7	5	8	1	1	1	-	-	1
	Nonwhite—F	176	34	9	6	5	7	10	4	11	11	9	11	6	4	7	7	9	9	8	3	3	1	3	2	-	-	-
170	Motor-vehicle accidents—M	879	3	7	6	5	13	42	33	100	142	99	78	72	53	45	53	36	21	33	16	12	8	1	-	-	-	1
	White—M	562	2	3	5	-	9	20	22	61	107	69	53	41	35	26	34	24	9	17	9	8	7	1	-	-	-	-
	Nonwhite—M	109	-	2	1	3	1	16	6	16	11	7	5	8	2	8	5	2	1	10	2	2	1	-	-	-	-	1
	White—F	176	-	1	-	2	2	4	4	18	21	21	18	23	15	9	9	10	7	6	4	1	1	-	-	-	-	-
	Nonwhite—F	32	1	1	-	1	2	1	5	3	2	2	-	1	2	5	-	4	-	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents—M	1,424	171	46	19	22	14	53	58	87	97	81	81	77	67	53	39	40	56	68	58	61	66	42	28	6	3	1
	White—M	630	53	13	6	7	1	25	21	46	53	49	57	49	44	29	24	21	28	30	26	19	12	10	6	-	-	-
	Nonwhite—M	328	42	13	1	5	4	10	4	12	10	7	6	7</														

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
NORTH DAKOTA—Con.																												
140-150	Diseases of pregnancy, etc.—F—	19	-	-	-	-	-	-	-	1	4	5	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	18	-	-	-	-	-	-	-	1	4	5	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicaemia—F—	5	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	5	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a, 144, 149	Puerperal toxemia—F—	8	-	-	-	-	-	-	-	1	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	7	-	-	-	-	-	-	-	1	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—F—	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a, 145B, 150	Other puerperal causes—F—	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations—M—	113	86	4	1	-	1	4	1	1	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	White—M—	63	53	2	-	-	1	1	1	1	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	F—	46	41	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year—M—	280	280	
	White—M—	164	164	
	F—	108	108	
	Nonwhite—M—	7	7	
	F—	1	1	
159	Premature birth—M—	183	183	
	White—M—	102	102	
	F—	75	75	
	Nonwhite—M—	5	5	
	F—	1	1	
158, 160, 161	Other diseases peculiar to first year—M—	97	97	
	White—M—	62	62	
	F—	33	33	
	Nonwhite—M—	2	2	
	F—	-	-	
163, 164	Suicide—M—	64	-	-	-	-	-	-	2	2	3	3	10	6	6	8	8	6	6	1	1	1	1	-	-	-	-	
	White—M—	51	-	-	-	-	-	2	2	2	2	3	7	4	6	5	7	4	5	1	1	1	1	-	-	-		
	F—	13	-	-	-	-	-	-	-	-	-	1	3	2	-	3	1	2	1	-	-	-	-	-	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
165-166	Homicide—M—	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	White—M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
169-195	Accidental deaths—M—	449	16	11	8	8	3	17	11	33	28	31	30	25	14	21	16	26	31	23	23	20	29	16	6	2		
	White—M—	321	9	6	5	5	1	13	10	26	20	24	25	22	13	19	14	18	23	16	16	15	11	3	5	1		
	F—	113	4	5	3	3	2	4	1	7	6	3	4	1	1	1	1	7	8	7	7	5	18	13	1	1		
	Nonwhite—M—	10	2	-	-	-	-	-	-	2	-	4	1	2	-	1	-	1	-	-	-	-	-	-	-	-		
	F—	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
170	Motor-vehicle accidents—M—	138	-	3	-	2	2	5	5	22	16	13	14	9	7	5	4	13	9	6	4	-	-	-	-	-		
	White—M—	106	-	1	-	1	1	3	4	17	13	10	12	8	6	4	3	10	6	4	3	-	-	-	-	-		
	F—	32	-	2	-	1	1	2	1	5	3	3	2	1	1	1	1	3	3	2	1	-	-	-	-	-		
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
169, 171-195	Other accidents—M—	310	16	8	8	6	1	12	6	11	12	18	16	16	7	16	12	13	22	17	19	20	29	16	6	2		
	White—M—	215	9	5	5	4	-	10	6	9	7	14	13	14	7	15	11	8	17	12	15	15	11	3	5	1		
	F—	81	4	3	3	2	1	2	-	2	3	-	2	1	-	-	-	4	5	5	6	5	18	13	1	1		
	Nonwhite—M—	9	2	-	-	-	-	-	-	-	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F—	5	1	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
162, 199, 200	Semility, ill-defined and unknown causes—M—	154	7	1	-	-	1	2	-	-	2	-	-	-	1	3	1	4	7	6	11	21	31	29	22	3		
	White—M—	84	3	-	-	-	1	1	-	-	2	-	-	-	1	2	1	2	5	5	7	10	16	14	12	1		
	F—	56	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	1	1	8	11	13				

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	OHIO																												
	ALL CAUSES-----	82,254	5,817	329	164	169	132	435	343	667	1,037	1,090	1,310	1,815	2,455	3,415	4,997	6,471	7,831	9,017	10,055	9,995	7,875	4,858	1,612	517	42	28	
	White-----M--	42,739	5,088	162	79	93	74	255	204	367	550	504	609	871	1,256	1,758	2,749	3,814	4,537	4,981	5,245	4,984	3,664	2,091	660	115	9	20	
	White-----F--	33,691	2,210	132	67	85	48	142	110	210	297	381	454	632	826	1,081	1,639	2,085	2,820	3,585	4,593	4,696	4,027	2,673	906	188	19	5	
	Nonwhite-----M--	3,244	298	19	10	9	5	26	15	41	98	108	121	157	196	326	369	347	273	259	235	159	103	41	20	6	3	1	
	Nonwhite-----F--	2,580	221	16	8	2	5	12	14	49	92	97	126	155	177	250	240	215	201	193	172	184	81	55	26	8	11	2	
1,2	Typhoid and paratyphoid fever--	9	2	-	-	-	-	-	1	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis-----	72	25	10	4	5	1	3	-	3	-	2	1	2	3	2	1	2	2	4	-	-	1	1	-	-	-	-	-
	White-----M--	55	14	6	4	1	1	1	-	2	-	1	1	1	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-
	White-----F--	32	11	3	-	3	1	2	-	1	-	-	-	1	1	1	1	2	2	2	2	-	-	-	-	-	-	-	-
	Nonwhite-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	11	1	-	-	1	-	4	-	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	2	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	87	66	12	4	1	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	54	25	4	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	47	37	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F--	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	30	-	3	4	6	4	6	2	1	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	1	-	2	1	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	19	-	2	4	4	3	2	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	2,377	19	17	8	6	7	17	13	76	167	183	201	201	209	214	224	232	207	153	110	71	33	9	-	-	-	-	-
	White-----M--	1,167	9	7	2	3	3	7	2	8	46	47	70	87	100	125	124	151	144	104	70	39	15	4	-	-	-	-	-
	White-----F--	570	9	8	4	1	2	6	2	22	50	70	62	55	38	21	39	38	34	32	27	28	17	4	-	-	-	-	-
	Nonwhite-----M--	376	-	-	1	1	4	4	4	16	24	31	27	36	44	47	38	27	13	12	2	-	-	1	-	-	-	-	-
	Nonwhite-----F--	264	1	2	1	1	1	-	5	30	47	35	42	23	27	21	14	5	2	4	1	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*--	2,160	8	5	2	4	2	4	10	64	156	170	184	182	193	203	213	213	194	140	104	70	30	9	-	-	-	-	-
	White-----M--	1,080	4	1	1	2	1	1	2	6	41	42	68	77	98	120	119	142	138	95	65	39	14	4	-	-	-	-	-
	White-----F--	513	3	3	1	1	-	2	1	18	49	69	59	50	34	19	36	33	31	30	27	28	15	4	-	-	-	-	-
	Nonwhite-----M--	333	-	-	-	-	-	1	3	12	23	25	23	33	39	45	46	33	23	13	11	2	-	1	-	-	-	-	-
	Nonwhite-----F--	254	1	1	-	1	1	-	4	28	43	34	34	22	22	19	12	5	2	2	1	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)-----	217	11	12	6	2	5	13	3	12	11	13	17	19	16	11	11	19	13	13	6	1	3	-	-	-	-	-	-
	White-----M--	87	5	6	1	1	2	6	-	2	5	5	2	10	2	5	5	9	6	9	5	-	1	-	-	-	-	-	-
	White-----F--	57	6	5	3	-	2	4	1	4	1	1	3	5	4	2	3	5	3	2	-	1	2	-	-	-	-	-	-
	Nonwhite-----M--	43	-	-	1	1	1	3	1	4	1	6	4	3	5	2	1	5	4	-	1	-	-	-	-	-	-	-	-
	Nonwhite-----F--	30	-	1	1	-	-	-	1	2	4	1	8	1	5	2	2	-	-	2	-	-	-	-	-	-	-	-	-
27	Dysentery-----	19	2	-	-	-	-	1	-	2	-	-	1	-	-	-	2	1	2	2	1	-	2	1	-	-	-	-	-
	White-----M--	10	1	-	-	-	-	1	-	2	-	-	1	-	-	1	1	1	1	-	-	-	2	2	-	-	-	-	-
	White-----F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-
	Nonwhite-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis-----	786																											

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
OHIO—Continued																												
45-55	Cancer and other malignant tumors	10,991	4	5	4	3	9	24	19	22	43	71	130	234	433	602	855	1,280	1,456	1,593	1,574	1,286	804	376	74	9	-	1
	White—M—	5,067	2	3	2	3	6	16	6	12	24	27	43	69	124	213	363	591	721	822	766	674	379	162	35	3	-	1
	F—	5,350	1	2	2	-	2	7	12	10	14	36	72	158	270	322	516	610	659	710	750	562	411	201	37	6	-	-
	Nonwhite—M—	292	-	-	-	-	1	1	-	3	3	1	9	16	31	43	53	36	29	32	19	9	4	1	-	-	-	-
	F—	282	-	-	-	-	1	-	-	2	5	14	18	23	36	55	26	40	32	28	11	5	9	1	-	-	-	-
46	Cancer of the digestive organs and peritoneum	4,786	1	-	1	-	2	2	1	3	10	18	27	59	102	201	358	556	631	764	771	666	402	178	52	1	-	1
	White—M—	2,445	-	-	1	-	2	2	1	3	2	10	10	30	43	99	163	288	341	447	409	346	168	66	12	1	-	-
	F—	2,087	-	-	-	-	-	-	-	4	7	14	24	45	77	156	209	257	309	337	305	228	105	20	-	-	-	-
	Nonwhite—M—	158	1	-	-	-	-	-	-	3	1	1	2	2	9	17	26	31	18	13	11	4	3	-	-	-	-	-
	F—	86	-	-	-	-	-	-	-	1	-	2	2	5	8	13	8	15	10	12	4	2	4	-	-	-	-	-
48,49	Cancer of female genital organs	1,404	-	-	-	-	-	-	1	2	3	15	42	64	133	133	167	166	189	165	146	83	51	20	4	1	-	-
	White—F—	1,294	-	-	-	-	-	-	1	2	2	12	35	55	121	118	156	175	174	153	140	78	49	19	3	1	-	-
	Nonwhite—F—	110	-	-	-	-	-	-	-	-	1	3	7	9	12	15	11	11	14	12	6	5	2	1	1	-	-	-
50	Cancer of breast sites	1,085	-	-	-	-	-	-	-	1	1	2	12	41	63	79	116	118	126	108	147	101	71	41	5	3	-	-
	White—M—	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	3	1	2	-	-	-	-	-
	F—	973	-	-	-	-	-	-	-	1	1	2	8	35	60	70	109	113	120	101	143	97	68	36	5	3	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	49	-	-	-	-	-	-	-	-	-	4	6	3	9	5	5	4	6	2	1	1	3	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,766	3	5	3	3	7	22	17	16	29	36	49	71	135	189	314	440	511	536	510	418	280	137	33	4	-	-
	White—M—	2,610	2	3	1	3	4	14	5	9	22	17	33	39	61	114	198	303	379	374	355	325	210	94	25	2	-	-
	F—	966	1	2	2	2	7	11	7	7	15	15	24	44	57	95	113	108	147	150	82	85	41	9	2	-	-	-
	Nonwhite—M—	155	-	-	-	-	1	1	-	-	-	-	7	7	14	17	22	17	11	19	8	5	1	1	-	-	-	-
	F—	57	-	-	-	-	1	-	-	-	-	2	1	1	3	4	4	2	7	4	6	1	-	-	-	-	-	-
58	Acute rheumatic fever	55	-	-	-	-	1	12	9	5	4	4	2	6	2	4	2	1	-	-	1	1	-	-	1	-	-	-
	White—M—	25	-	-	-	-	1	4	4	3	-	2	1	4	-	1	2	-	-	-	-	-	-	-	1	-	-	-
	F—	22	-	-	-	-	5	5	2	2	2	2	2	2	2	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	6	-	-	-	-	3	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,331	2	2	1	-	2	1	5	12	10	19	29	43	79	148	268	365	392	379	333	164	67	10	-	-	-	-
	White—M—	826	1	1	1	-	2	4	4	5	9	13	19	32	45	102	114	150	139	120	80	25	4	-	-	-	-	-
	F—	1,398	1	2	1	-	2	1	7	4	10	11	16	33	87	146	235	253	234	205	104	42	5	-	-	-	-	-
	Nonwhite—M—	29	-	-	-	-	-	-	-	1	1	1	4	4	1	4	7	7	7	2	2	2	-	-	-	-	-	-
	F—	77	-	-	-	-	-	-	-	1	-	-	4	4	13	16	13	9	5	5	6	-	-	1	-	-	-	-
65b	Exophthalmic goiter	222	-	-	-	-	-	-	-	2	2	3	4	7	13	22	37	34	38	36	14	7	3	-	-	-	-	-
	White—M—	33	-	-	-	-	-	-	-	-	-	-	1	1	4	5	11	3	2	4	1	-	1	-	-	-	-	-
	F—	179	-	-	-	-	-	-	-	2	2	2	2	2	6	8	16	24	27	36	32	13	7	2	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	6	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	-	-	-	-
	White—M—	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (other)	106	-	-	-	-	-	-	-	3	1	6	14	19	11	18	16	8	7	2	-	-	-	-	-	-	-	1
	White—M—	78	-	-	-	-	-	-	-	2	1	4	10	15	9	14	8	7	5	2	-	-	-	-	-	-	-	1
	F—	15	-	-	-	-	-	-	-	1	-	2	-	3	1	3	3	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	8,485	7	2	1	3	1	4	3	5	4	15	25	65	131	242	418	558	753	1,072	1,464	1,577	1,245	681	201	26	9	3
	White—M—	5,856	3	1	1	1	2	1	3	2	6	8	25	57	90	167	271	378	518	702	893	541	277	78	10	1	1	3
	F—	4,127	2	1	1	2	1	2	2	2	6	10	26	47	107	185	197	327	465	698	830	671	393	115	14	2	-	-
	Nonwhite—M—	243	-	-	-	-	-	-	-	2	2	2	4	11	19	26	40	23	30	19	20	7	6	1	2	-	-	-
	F—	279	1	-	-	-	-	-	-	1	5	8	16	26	38	30	25	37	33	35	35	13	4	4	1	2	-	-
90-95	Disease of the heart	26,215	6	3	3	2	20	29	45	57	105	150	343	585	1,002	1,680	2,231	2,945	3,489	3,818	3,963	3,130	1,889	618	115	16	11	
	White—M—	14,745	1	-	1	2	8	21	22	28	50	75	201	335	620	1,112	1,523	1,905	2,043	2,089	2,026	1,506	829	237	39	4	8	
	F—	10,035	2	1	2	-	9	8	20	25	40	47	88	120														

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age																	100 and over	Not stated																
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64			65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99									
97, 102	OHIO—Continued Arteriosclerosis and high blood pressure* White—M— F— Nonwhite—M— F—	1,743 870 823 17 33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	8	11	9	33	63	104	238	337	382	348	164	56	2	-	1	
107-109, 33	Pneumonia (all forms) and influenza White—M— F— Nonwhite—M— F—	3,488 1,789 1,392 187 138	589	67	24	17	8	29	18	14	21	30	54	66	73	92	144	190	253	291	356	389	363	259	98	28	5	-	-	-	-	-	-	-	-	-	
107	Bronchopneumonia White—M— F— Nonwhite—M— F—	1,664 802 704 89 69	383	38	13	7	4	13	8	5	7	8	17	17	21	26	52	70	98	122	165	179	194	138	55	19	5	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia White—M— F— Nonwhite—M— F—	1,041 574 357 66 44	103	13	2	4	3	8	4	5	9	16	24	32	37	44	64	74	102	102	116	125	81	49	20	5	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified) White—M— F— Nonwhite—M— F—	254 136 101 10 7	68	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza White—M— F— Nonwhite—M— F—	527 257 230 22 18	45	8	5	5	1	6	2	3	5	5	7	8	11	16	16	29	36	52	57	63	70	58	19	3	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum White—M— F— Nonwhite—M— F—	401 299 90 15 9	3	-	-	1	-	-	-	-	1	1	6	8	21	19	35	43	55	56	56	42	32	10	10	2	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.* White—M— F— Nonwhite—M— F—	268 144 100 14 10	149	26	5	1	-	2	3	1	5	4	7	5	4	2	5	4	3	9	4	6	11	6	5	1	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis White—M— F— Nonwhite—M— F—	242 140 81 10 11	1	2	4	9	4	8	10	8	12	9	13	20	13	16	28	22	17	16	13	3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction White—M— F— Nonwhite—M— F—	603 271 284 28 19	30	4	2	1	-	5	2	4	3	9	9	14	17	17	36	52	62	81	85	76	55	24	14	1	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver White—M— F— Nonwhite—M— F—	874 564 259 30 21	2	1	-	-	1	-	-	3	-	8	15	34	61	93	98	123	104	120	84	65	39	17	5	1	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.* White—M— F— Nonwhite—M— F—	379 113 259 5 2	1	-	-	-	-	-	-	-	2	1	2	10	9	24	36	65	50	48	54	40	25	7	5	-	-	-	-	-	-	-	-	-	-	-	
150-152	Nephritis White—M— F— Nonwhite—M— F—	4,625 2,285 2,002 176 190	5	1	1	2	1	6	8	18	28	36	50	85	102	195	251	310	446	517	744	633	368	125	25	5	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate White—M— Nonwhite—M—	424 415 11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age Group																										Net stat- ed
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over		
OHIO-Continued																													
140-	Diseases of pregnancy, etc.-	257	-	-	-	-	-	-	-	-	14	55	55	60	56	16	1	-	-	-	-	-	-	-	-	-	-	-	
150	White--F--	213	-	-	-	-	-	-	-	-	12	47	52	56	31	14	1	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	24	-	-	-	-	-	-	-	-	2	8	3	4	5	2	-	-	-	-	-	-	-	-	-	-	-		
140,	Puerperal	81	-	-	-	-	-	-	-	-	5	27	20	27	15	1	-	-	-	-	-	-	-	-	-	-	-		
142a,	Septicemia-----	81	-	-	-	-	-	-	-	-	2	22	19	26	12	1	-	-	-	-	-	-	-	-	-	-	-		
145A,	White--F--	81	-	-	-	-	-	-	-	-	1	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
147	Nonwhite--F--	10	-	-	-	-	-	-	-	-	1	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
141a,	Puerperal	47	-	-	-	-	-	-	-	-	6	8	12	8	7	6	-	-	-	-	-	-	-	-	-	-	-		
c,	Toxemia-----	44	-	-	-	-	-	-	-	-	6	7	12	8	6	5	-	-	-	-	-	-	-	-	-	-	-		
144,	White--F--	44	-	-	-	-	-	-	-	-	6	7	12	8	6	5	-	-	-	-	-	-	-	-	-	-	-		
148	Nonwhite--F--	3	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
141b,	Hemorrhage,	69	-	-	-	-	-	-	-	-	5	8	18	22	9	6	1	-	-	-	-	-	-	-	-	-	-		
142b,	Trauma or	60	-	-	-	-	-	-	-	-	4	7	17	19	7	5	1	-	-	-	-	-	-	-	-	-	-		
145,	Shock-----	9	-	-	-	-	-	-	-	-	1	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-		
146,	White--F--	69	-	-	-	-	-	-	-	-	4	7	17	19	7	5	1	-	-	-	-	-	-	-	-	-	-		
149	Nonwhite--F--	9	-	-	-	-	-	-	-	-	1	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-		
141d,	Other puerperal	50	-	-	-	-	-	-	-	-	12	8	3	7	3	-	-	-	-	-	-	-	-	-	-	-	-		
e,f,	causes-----	28	-	-	-	-	-	-	-	-	11	8	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-		
145B,	White--F--	28	-	-	-	-	-	-	-	-	11	8	3	6	3	-	-	-	-	-	-	-	-	-	-	-	-		
150	Nonwhite--F--	2	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
157	Congenital malformations--	1,154	990	41	9	12	12	21	13	11	5	11	4	8	11	5	4	3	2	1	1	-	-	-	-	-	-		
	White--M--	583	493	19	5	5	6	13	6	9	1	7	3	2	6	3	2	2	1	-	-	-	-	-	-	-	-		
	F--	506	440	20	2	5	4	8	6	2	3	3	1	3	4	1	1	1	1	1	1	-	-	-	-	-	-		
	Nonwhite--M--	54	25	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F--	31	22	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
159-	Diseases peculiar	3,404	5,404		
161	to first year--	1,878	1,878		
	White--M--	1,212	1,212		
	F--	181	181		
	Nonwhite--M--	133	133		
	F--	105	105		
159	Premature birth--	2,116	2,116		
	White--M--	1,165	1,165		
	F--	749	749		
	Nonwhite--M--	105	105		
	F--	97	97		
159,	Other diseases	1,288	1,288		
161	peculiar to first year--	713	713		
	White--M--	463	463		
	F--	76	76		
	Nonwhite--M--	36	36		
	F--	223	223		
163,	Suicide-----	19	19		
164	White--M--	5	5		
	F--	223	223		
	Nonwhite--M--	19	19		
	F--	5	5		
165-	Homicide-----	374	12	1	2	2	3	2	4	14	44	58	44	45	29	32	27	19	10	14	6	4	1	-	-	-			
168	White--M--	151	9	1	1	1	2	2	3	7	15	15	12	13	10	13	17	9	8	9	4	2	-	-	-	-			
	F--	32	3	1	1	1	1	1	1	3	4	6	7	6	4	3	2	4	1	1	1	1	-	-	-	-			
	Nonwhite--M--	138	1	1	1	1	1	1	1	2	25	24	20	21	9	13	8	6	2	3	1	1	-	-	-	-			
	F--	37	1	1	1	1	1	1	1	2	2	13	5	5	6	3	-	-	-	-	-	-	-	-	-	-			
189-	Accidental deaths	5,551	179	62	46	53	44	151	131	285	406	276	243	251	289	249	261	294	297	350	391	390	414	340	118	24	3	5	
195	White--M--	5,430	87	37	26	32	23	107	96	191	320	202	188	175	198	198	191	220	218	224	217	179	151	100	45	6	2	4	
	F--	1,795	71	19	15	20	13	33	26	74	48	48	30	58	61	39	47	61	66	114	165	203	257	235	72	18	1	1	
	Nonwhite--M--	253	12	4	5	1	2	10	7	16	26	20	28	12	23	19	17	11	12	11	6	6	3	3	1	-	-	1	
	F--	73	2	2	1	1	1	2	4	12	5	1	6	7	3	6	2	1	1	1	3	2	3	2	1	-	-	-	
170	Motor-vehicle accidents--	1,864	7	10	8	21	20	55	48	157	260	146	102	106	120	96	109	110	113	119	106	72	51	24	3	-	-	1	
	White--M--	1,334	4	5	4	13	12	39	35	104	208	107	73	76	80	68	73	79	86	87	81	47	33	17	3	-	-	1	
	F--	418	3	4	3	8	7	11	11	46	28	29	18	26	31	21	29	26	22	28	24	22	16	6	-	-	-	-	
	Nonwhite--M--	98	1	1	1	1	1	6	1	4	19	10	10	3	7	7	7	5	5	4	1	4	2	1	-	-	-	-	
	F--	14	1	1	1	1	1	1	1	3	5	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
169,	Other accidents--	3,687	171	52	39	32	24	96	83	128	145	130	141	145	169	153	152	184	184	231	285	318	363	316	115	24	3	4	
171-	White--M--	2,096	83	32	22	19	16	69	61	87	112	85	113	99	118	120	118	141	132	137	136	132	119	93	42	6	2	3	
195	F--	1,377	68	15	12	12	6	22	15	28	20	20	12	32	30	18	18	35	44	86	141	182	241	229	72	18	1	-	
	Nonwhite--M--	155	12	3	4	1	2	4	6	12	7	10	16	9	16	12	10	6	7	7	5	2	1	2	-	-	-	1	
	F--	59	8	2	1	1	1	1	1	1	7	5	-	5	5	3	6	2	1	1	3	2	3	2	1	-			

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
OKLAHOMA—Con.																												
45-55	Cancer and other malignant tumors	2,387	1	3	4	2	2	4	7	5	17	18	36	66	111	140	211	237	282	341	308	299	164	93	29	5	2	-
	White—M—	1,081	1	2	3	2	2	5	6	5	10	8	10	20	28	45	81	100	134	148	154	165	85	51	15	3	-	
	F—	1,100	-	1	1	-	-	-	1	-	5	10	21	38	66	80	106	107	123	168	130	118	72	39	11	2	1	
	Nonwhite—M—	78	-	-	-	-	-	1	-	-	-	-	-	-	2	4	8	12	6	10	17	8	3	1	1	1	-	
	F—	180	-	-	-	-	-	-	-	-	2	-	5	8	15	11	16	18	17	15	7	8	4	2	2	-	-	
46	Cancer of the digestive organs and peritoneum—	960	-	1	-	-	-	-	-	-	1	4	4	11	29	44	66	93	115	156	165	149	87	42	9	3	1	-
	White—M—	462	-	1	-	-	-	-	-	-	1	3	-	5	10	21	34	49	56	77	82	73	41	24	4	2	-	
	F—	416	-	-	-	-	-	-	-	-	1	3	6	15	16	24	29	48	70	72	70	42	16	5	1	-	-	
	Nonwhite—M—	48	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	11	4	6	10	4	2	1	1	1	-	
	F—	54	-	-	-	-	-	-	-	-	-	-	1	-	2	4	4	5	7	3	1	2	2	1	2	-	-	
48,49	Cancer of female genital organs—	353	-	-	-	-	-	-	-	-	1	6	10	21	33	35	46	47	42	48	24	25	11	4	2	-	-	-
	White—F—	293	-	-	-	-	-	-	-	1	6	7	16	25	33	36	38	37	39	21	19	9	4	2	-	-	-	
	Nonwhite—F—	60	-	-	-	-	-	-	-	-	-	-	3	5	8	2	10	9	5	5	4	2	-	-	-	-	-	
50	Cancer of breast—	200	-	-	-	-	-	-	-	-	1	1	1	10	19	24	27	24	22	34	14	10	4	8	-	1	-	-
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	182	-	-	-	-	-	-	-	-	1	1	1	10	16	22	26	22	19	31	12	9	4	8	-	1	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	17	-	-	-	-	-	-	-	1	-	-	-	-	3	2	1	2	3	2	2	1	-	-	-	-	-	
45,47, 51-55	Cancer (other sites)—	854	1	2	4	2	2	4	7	5	14	7	21	24	30	37	72	73	105	103	105	117	62	38	18	1	1	-
	White—M—	598	1	1	3	2	2	3	6	5	9	5	10	15	18	24	47	52	78	70	72	92	44	27	11	1	-	
	F—	209	-	1	1	-	-	1	-	-	4	2	10	6	10	19	20	18	19	28	25	20	17	11	6	-	1	
	Nonwhite—M—	28	-	-	-	-	-	1	-	-	-	-	-	-	-	1	4	1	4	4	7	4	1	-	-	-		
	F—	19	-	-	-	-	-	-	-	1	-	-	1	3	2	3	1	2	2	1	1	1	-	1	-	-	-	
58	Acute rheumatic fever—	9	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	-	-	3	-	-	-	
	White—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	
	F—	4	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
	F—	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus—	368	-	-	1	-	1	-	2	3	3	4	1	5	7	13	12	30	39	75	76	58	25	10	2	-	1	
	White—M—	147	-	-	-	-	-	1	1	1	1	1	2	3	4	5	5	13	37	31	29	10	4	2	-	-		
	F—	180	-	-	1	-	1	-	1	2	2	2	-	2	3	6	7	16	20	30	44	26	12	6	-	-		
	Nonwhite—M—	15	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	3	3	-	2	-	-	-	-		
	F—	26	-	-	-	-	-	-	-	-	1	-	1	3	3	1	5	1	5	1	3	1	-	-	-	-	1	
65b	Exophthalmic goiter—	32	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	5	2	4	3	5	2	1	-	-	-	
	White—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-		
	F—	22	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	3	1	4	2	4	1	-	-	-		
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
69	Pellagra (except alcoholic)—	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	6	5	2	4	2	1	-	-	
	White—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	6	1	2	2	1	-	-		
	F—	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	6	3	1	2	1	-	-		
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-		
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-		
77	Alcoholism (ethylin)—	21	-	-	-	-	1	-	-	-	-	3	1	2	3	4	1	2	1	2	1	-	-	-	-	-	-	
	White—M—	13	-	-	-	-	-	-	-	-	-	1	-	3	3	1	1	1	2	1	2	1	-	-	-	-		
	F—	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-		
	F—	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
83	Intracranial lesions of vascular origin—	2,025	3	1	1	-	3	-	1	9	6	7	13	21	61	80	132	173	291	353	389	274	146	48	13	-	-	
	White—M—	1,031	2	-	1	-	3	-	6	2	4	3	5	5	24	27	61	94	152	194	204	142	82	19	6	-		
	F—	778	-	-	-	-	-	-	1	3	3	2	7	5	25	23	49	59	108	138	153	116	55	25	7	-		
	Nonwhite—M—	106	1	1	-	-	-	-	-	-	1	2	5	5	12	10	3	18	11	14	12	5	1	-	-			
	F—	111	-	-	-	-	-	-	-	-	1	-	1	6	7	18	12	14	13	10	16	4	4	3	-	-		
90-95	Diseases of the heart—	5,005	2	1	2	1	3	10	10	13	15	24	59	107	192	280	368	532	707	785	812	573	344	127	29	2	8	
	White—M—	2,991	1	1	1	-	4	4	5	5	15	35	65	141	201	263	360	438	458	468	307	173	57	13	-	5		
	F—	1,586	-	-	1	1	3	5	3	5	9	6	16	29	27	46	65	125	196	283	307	232	151	62	13	1		
	Nonwhite—M—	255	1	-	-	-	1	2	2	1	1	4	9	9	20	20	30	50	43	26	21	8	3	2	-			
	F—	173	-	-	-	-	-	1	1	-	2	4	4	15	13	16	17	23	21	21	13	12	6	1	2			
90a, 92b, 93c, 95b	Chronic rheumatic diseases of the heart—	219	-	-	-	-	1	6	4	4	6	5	8	10	17	17	18	11	20	27	36	20	7	2	-	-		
	White—M—	103	-	-	-	-	2	2	2	2	5	2	3	5	6	4	7	4	7	10								

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
OKLAHOMA—Con.																												
140-150	Diseases of pregnancy, etc.*	89	-	-	-	-	-	-	-	5	24	18	16	23	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	66	-	-	-	-	-	-	-	4	19	12	13	16	1	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	23	-	-	-	-	-	-	-	1	5	4	3	7	2	1	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicemia	38	-	-	-	-	-	-	-	2	11	7	7	11	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	33	-	-	-	-	-	-	-	2	9	7	5	10	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	5	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a, 144, 148	Puerperal toxemia	21	-	-	-	-	-	-	-	2	3	4	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
	White—F	12	-	-	-	-	-	-	-	1	3	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	9	-	-	-	-	-	-	-	1	-	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*	20	-	-	-	-	-	-	-	1	6	3	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	15	-	-	-	-	-	-	-	1	4	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	5	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
141d, 145B, 150	Other puerperal causes	10	-	-	-	-	-	-	-	-	4	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	White—F	6	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	4	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations	304	266	11	2	5	3	5	2	1	2	1	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	
	White—M	132	116	6	1	2	2	1	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	White—F	147	127	5	1	2	3	2	1	-	2	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
	Nonwhite—M	12	11	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	13	12	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year	898	898	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	465	465	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	326	326	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth	609	609	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	307	307	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	237	237	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158, 160, 161	Other diseases peculiar to first year	289	289	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163, 164	Suicide	144	-	-	-	-	-	-	1	1	9	9	9	8	19	19	14	13	13	9	7	8	2	2	1	-	-	
	White—M	109	-	-	-	-	-	-	1	1	4	6	8	8	9	18	10	9	11	7	6	6	2	2	1	-		
	White—F	33	-	-	-	-	-	-	-	-	5	3	1	-	8	1	4	4	2	2	1	2	-	-	-	-		
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
165-168	Homicide	143	1	-	1	-	-	-	1	6	31	16	15	23	17	4	12	7	5	3	1	1	1	-	-	-		
	White—M	67	1	-	-	-	-	-	1	2	11	10	8	10	9	-	5	5	1	1	1	1	1	-	-			
	White—F	12	-	-	1	-	-	-	-	-	5	-	1	-	2	-	2	-	-	-	-	-	-	-	-			
	Nonwhite—M	53	-	-	-	-	-	-	3	10	5	6	15	4	2	7	1	1	2	-	-	-	-	-	-			
	Nonwhite—F	11	-	-	-	-	-	-	1	5	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-			
169-195	Accidental deaths	1,608	64	36	27	21	19	64	69	129	121	90	91	104	82	67	69	63	72	64	68	94	89	67	28	9		
	White—M	999	31	14	17	12	9	31	40	84	83	65	72	85	56	45	54	48	50	47	40	35	39	25	9	2		
	White—F	456	22	19	8	8	7	26	13	29	21	16	14	10	15	15	8	10	14	14	24	54	47	41	18	6		
	Nonwhite—M	114	7	1	2	1	1	7	8	14	12	8	4	5	12	5	6	4	6	1	4	3	2	1	-			
	Nonwhite—F	39	4	2	-	-	-	2	-	2	5	1	1	6	1	4	1	1	2	2	-	2	1	1	1			
170	Motor-vehicle accidents	533	5	8	4	9	3	17	22	68	66	38	39	43	33	27	33	21	25	26	21	14	7	3	-			
	White—M	383	3	3	1	5	1	10	16	48	44	30	29	36	28	18	26	17	15	19	16	8	6	3	-			
	White—F	111	2	5	3	4	-	7	5	15	13	8	8	4	2	7	4	4	4	7	3	6	-	-				
	Nonwhite—M	28	-	-	-	-	1	-	1	3	7	-	1	1	3	2	2	-	4	-	2	-	-	-				
	Nonwhite—F	11	-	-	-	-	-	-	1	2	-	-	1	2	-	-	1	-	-	-	-	-	-	-				
169, 171-195	Other accidents	1,075	59	28	23	12	16	47	47	60	55	52	52	61	49	40	36	42	47	38	47	80	82	64	28			
	White—M	616	28	11	16	7	8	21	32	36	39	35	43	47	28	25	28	31	35	28	24	27	33	22	9			
	White—F	345	20	14	5	4	7	19	8	13	8	8	8	6	11	8	4	6	10	7	21	48	47	41	18			
	Nonwhite—M	86	7	1	2	1	-	7	7	11	5	8	3	4	9	3	4	4	2	1	2	3	1	-				
	Nonwhite—F	28	4	2	-	-	1	-	-	3	1	-	-	4	1	4	-	1	-	2	-	2	1	1				
182, 199, 200	Senility, ill-defined and unknown causes	810	57	4	2	-	-	-	2	4	9	2	4	9	14	16	23	28	36	53	80	116	120	129	64			
	White—M	402	18	4	-	-	-	-	1	-	4	1	2	4	9	7	12	20										

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated			
	OREGON																														
	ALL CAUSES-----	13,501	895	53	39	20	23	78	70	126	193	209	245	305	401	524	755	1,047	1,342	1,471	1,618	1,586	1,336	816	279	58	11	21			
	White---M---	8,023	500	28	24	14	10	43	52	88	130	132	132	179	256	337	469	689	876	928	957	987	709	400	137	25	7	14			
	White---F---	5,232	360	18	15	5	11	32	15	34	52	64	100	111	129	176	275	342	447	528	649	665	615	405	140	53	4	7			
	Nonwhite---M---	171	25	4	-	1	2	3	1	3	8	10	6	9	9	7	9	13	15	15	9	10	6	5	1	-	-	-			
	Nonwhite---F---	75	10	3	-	-	-	2	1	3	3	7	6	6	4	4	2	3	4	2	3	4	8	5	1	-	-	-			
1,2	Typhoid and paratyphoid fever---																														
	White---M---	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
	White---F---	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite---M---	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Cerebrospinal (meningococcus) meningitis-----																														
	White---M---	11	3	2	2	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White---F---	9	2	1	2	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite---M---	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8	Scarlet fever-----																														
	White---M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite---M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	Whooping cough---																														
	White---M---	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F---	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite---M---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	Diphtheria-----																														
	White---M---	3	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White---F---	3	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite---M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13-22	Tuberculosis (all forms)-----																														
	White---M---	314	4	2	-	1	1	2	6	19	21	25	22	27	29	27	29	33	26	17	11	9	2	1	-	-	-	-	-		
	White---F---	201	-	-	-	1	1	2	4	9	8	7	14	20	22	16	24	27	20	12	7	5	1	1	-	-	-	-			
	Nonwhite---M---	80	3	1	-	-	-	2	7	5	16	4	4	4	4	11	3	4	5	5	3	3	1	-	-	-	-	-			
	Nonwhite---F---	23	1	-	-	1	-	-	3	6	1	2	1	1	1	2	2	2	2	-	1	1	1	1	-	-	-	-			
	Nonwhite---F---	10	-	1	-	-	-	-	-	-	2	1	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-			
13	Tuberculosis of respiratory system, etc.---																														
	White---M---	284	-	1	-	1	1	2	4	17	19	24	20	25	25	26	27	32	24	18	9	8	2	1	-	-	-	-			
	White---F---	184	-	-	-	1	-	2	4	7	6	6	13	19	20	15	23	26	19	12	5	4	1	1	-	-	-				
	Nonwhite---M---	71	-	-	-	-	-	7	5	16	4	3	3	11	3	4	5	4	5	3	3	3	1	-	-	-					
	Nonwhite---F---	21	-	-	-	1	-	3	6	1	2	1	1	1	1	2	1	2	-	1	1	1	1	1	-	-					
	Nonwhite---F---	9	-	1	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-					
14-22	Tuberculosis (other forms)---																														
	White---M---	30	4	1	-	-	1	-	2	2	2	1	2	2	2	3	1	2	1	2	1	2	1	-	-	-	-				
	White---F---	17	-	-	-	-	1	-	2	2	2	1	1	1	1	2	1	1	1	1	1	2	1	-	-	-					
	Nonwhite---M---	9	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-					
	Nonwhite---F---	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-					
	Nonwhite---F---	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-					
27	Dysentery-----																														
	White---M---	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
	White---F---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite---M---	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
28	Malaria-----																														
	White---M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite---M---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite---F---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30	Syphilis-----																														
	White---M---	106	6	-	-	-	-	-	-	-	2	1	1	-	5	8	13	14	22	19	9	5	1	1	-	-	-				
	White---F---																														

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age																	100 and over	Not stated					
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94
OREGON—Con.																											
97, 102	Arteriosclerosis and high blood pressure*	318	-	-	-	-	-	-	-	-	-	1	-	-	1	4	3	14	20	47	65	77	51	24	9	-	2
	White—M—	181	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	11	13	26	40	45	21	14	4	-	2
	F—	135	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	7	21	25	32	28	10	5	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	492	73	5	4	-	1	4	-	5	5	5	10	6	9	6	18	21	30	42	45	62	70	37	20	1	1
	White—M—	297	36	1	3	-	1	-	-	2	4	5	5	7	6	4	13	17	22	25	28	44	40	21	12	1	1
	F—	175	33	4	1	-	-	3	-	3	1	-	5	1	3	2	5	4	8	15	16	16	27	15	6	1	-
	Nonwhite—M—	10	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
107	Bronchopneumonia	319	48	5	2	-	1	2	-	2	3	1	5	3	4	3	10	8	16	25	34	51	52	27	16	1	-
	White—M—	194	26	1	1	-	1	-	-	2	2	1	3	3	3	1	7	6	11	15	21	37	31	14	10	-	-
	F—	115	18	4	1	-	2	-	-	2	1	-	2	-	1	2	3	2	5	8	13	14	18	12	6	1	-
	Nonwhite—M—	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
108	Lobar pneumonia	100	14	-	1	-	-	1	-	-	2	2	4	4	3	3	6	-	7	10	9	9	13	2	1	-	-
	White—M—	67	6	-	1	-	-	-	-	-	2	2	2	3	1	3	5	8	7	5	6	7	7	2	-	-	-
	F—	33	8	-	-	-	-	1	-	-	-	-	2	1	2	1	1	-	1	5	3	2	6	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Pneumonia (unspecified)	34	9	-	1	-	-	1	-	2	-	1	1	-	1	-	-	1	4	3	-	-	4	3	2	1	-
	White—M—	18	4	-	1	-	-	-	-	2	-	1	-	-	1	-	-	-	2	3	-	-	1	2	1	-	-
	F—	14	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	3	1	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	Influenza	28	2	-	-	-	-	-	-	1	-	1	-	1	1	-	2	3	5	4	2	2	1	5	1	-	-
	White—M—	17	-	-	-	-	-	-	-	-	1	-	1	1	-	1	3	2	2	1	-	1	3	1	-	-	-
	F—	11	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	1	2	-	2	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	85	-	-	-	-	1	-	-	-	-	3	3	7	6	4	6	15	15	8	10	6	1	-	-	-	-
	White—M—	65	-	-	-	-	-	-	-	-	-	2	2	3	3	4	4	13	12	5	9	5	1	-	-	-	-
	F—	19	-	-	-	-	1	-	-	-	-	1	2	1	2	3	2	2	3	3	1	1	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119, 120	Diarrhea, enteritis, etc.*	47	25	2	-	-	1	2	-	-	-	1	2	1	2	-	-	3	2	3	1	1	1	1	-	-	-
	White—M—	19	9	1	-	-	-	-	-	-	-	2	2	1	1	-	-	1	1	1	1	1	1	1	-	-	-
	F—	22	12	-	-	-	1	1	-	-	1	1	1	1	1	-	-	2	1	2	-	-	-	-	-	-	-
	Nonwhite—M—	5	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	32	-	-	1	-	4	1	-	-	-	4	1	1	3	1	2	7	-	1	5	1	-	-	-	-	-
	White—M—	22	-	-	-	-	1	1	-	-	-	1	1	1	2	1	2	5	-	1	5	1	-	-	-	-	-
	F—	9	-	-	1	-	3	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Bernia, intestinal obstruction	85	4	1	-	1	-	1	1	3	-	1	1	3	2	7	7	5	5	12	12	9	7	2	1	-	-
	White—M—	46	2	-	-	1	-	1	1	3	-	-	1	3	2	2	4	4	4	9	6	3	5	2	1	-	-
	F—	36	2	-	-	-	-	1	1	3	-	-	-	3	2	4	4	1	1	3	6	3	2	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	93	1	-	-	-	-	-	-	-	1	2	6	10	11	15	13	10	4	7	9	2	1	-	-	-	1
	White—M—	58	-	-	-	-	-	-	-	-	-	1	6	5	9	10	9	7	1	4	4	1	-	-	-	-	1
	F—	35	1	-	-	-	-	-	-	-	1	1	5	2	3	4	3	3	3	5	1	1	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126, 127	Biliary calculi, etc.*	61	-	-	-	-	-	-	-	-	-	-	1	3	2	6	10	5	9	6	9	4	4	2	-	-	-
	White—M—	18	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	-	3	1	2	1	2	-	-	-	
	F—	42	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	5	6	5	7	3	2	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
130-132	Nephritis	884	-	-	-	1	2	-	7	11	3	12	15	18	26	56	47	82	96	120	140	126	83	31	5	1	2
	White—M—	471	-	-	-	-	1	-	4	5	2	2	7	7	13	33	25	54									

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
OREGON—Con.																												
140-150	Diseases of pregnancy, etc.*	32									2	6	7	8	10													
	White—F	31								2	6	7	8	10														
	Nonwhite—F	1																										
140, 142a, 145A, 147	Puerperal septicemia	14										3	4	7														
	White—F	13										3	4	7														
	Nonwhite—F	1																										
141a, c, 144, 148	Puerperal toxemia	9								1	4	2	1		1													
	White—F	9								1	4	2	1		1													
	Nonwhite—F																											
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock*	8									2	2	1	3														
	White—F	8									2	2	1	3														
	Nonwhite—F																											
143d, e, f, 145B, 150	Other puerperal causes	1								1																		
	White—F	1								1																		
	Nonwhite—F																											
157	Congenital malformations	206	166	10	3	1	2	2	4	3	2	4	1	2	2		1	1	2									
	White—M	118	96	6	1	1	1	4	4	2	2	1	1	1	1		1	1	2									
	F	84	67	3	3		2	2	1	1		3	1	1	1													
	Nonwhite—M	3	3																									
	F	1		1																								
158-161	Diseases peculiar to first year	496	496																									
	White—M	282	282																									
	F	196	196																									
	Nonwhite—M	11	11																									
	F	7	7																									
169	Premature birth	296	296																									
	White—M	165	165																									
	F	123	123																									
	Nonwhite—M	5	5																									
	F	3	3																									
159, 160, 161	Other diseases peculiar to first year	200	200																									
	White—M	117	117																									
	F	73	73																									
	Nonwhite—M	6	6																									
	F	4	4																									
163, 164	Suicide	218							1	3	8	15	13	21	18	16	26	21	32	17	13	4	5	5				
	White—M	167							1	1	7	9	9	10	15	9	20	19	26	15	13	4	5	4				
	F	47							1	1	6	3	10	3	7	6	2	5	2	5	2							
	Nonwhite—M	4							1				1	1					1									
	F																											
165-169	Homicide	38	2		1				1		2	2	9	3	7	3	2	2	2			1						1
	White—M	24	2								1	1	7	2	5	2	2	1	1			1						1
	F	9			1						1	1			2		1	1										
	Nonwhite—M	3							1				1	1														
	F	2																										
169-195	Accidental deaths	1,506	47	25	19	9	12	39	36	80	105	85	71	77	78	71	79	81	67	69	70	44	63	49	21	6	1	
	White—M	853	25	13	15	7	5	29	28	64	90	75	56	61	68	56	65	80	49	57	48	25	27	21	7	1	1	
	F	319	21	9	4	2	6	9	7	15	10	7	14	13	10	11	12	20	17	12	22	17	36	28	13	5	1	
	Nonwhite—M	24		3			1			2	2	2	1	3	1	4									1			
	F	10	1						1	1	3	1					1		1									
170	Motor-vehicle accidents	436	2	4	3	5	2	15	12	52	46	30	27	27	25	23	26	25	27	30	22	14	12	5	2			
	White—M	311	1	3	2	5		10	8	37	38	25	17	18	18	16	19	16	16	23	18	9	7	3	2			
	F	105	1	1	1		1	5	3	12	5	3	9	8	6	5	8	10	7	4	4	5	2					
	Nonwhite—M	13					1			2	1	2	1	1		2						1						
	F	7						1	1	2					1			1										
169, 171-185	Other accidents	670	45	21	16	4	10	23	24	28	59	55	44	50	53	48	53	58	40	39	48	30	51	44	19	6	1	
	White—M	642	24	10	13	2	5	19	20	27	52	50	39	43	48	46	44	33	34	30	18	20	18	5	1	1	2	
	F	214	20	8	3	2	5	4	4	1	5	4	5	5	4	6	7	12	7	5	18	13	31	26	15	5	1	
	Nonwhite—M	11		3							1	1			2	1	2					1			1			
	F	3	1								1	1																
182, 199, 200	Senility, ill-defined and unknown causes	327	8										1	3	6	7	11	12	10	24	27	52	54	67	30	10	1	
	White—M	185	6											1	3	6	8	8	8	17	13	33	28	33	14	4	1	
	F	138	2										1	2	3	1	3	4	2	6	14	18	26	32	16	6	2	
	Nonwhite—M	2																										
	F	2																										
	All other causes	799	47	5	5	4	2	13	12	14	13	21	35	34	21	43	58	68	75	80	83	60	54	36	12	2	2	
	White—M	447	30	6	3	1	2	4	9	7	4	9	17	16	8	25	35	42	46	50	52	33	27	14	6	2		
	F	341	14	2	3		1	8	3	7	7	12	17	18	13	18	23	26	27	30	30	27	26	22	6	2		
	Nonwhite—M	7	2																									
	F	4	1										1						1		1							

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated		
	PENNSYLVANIA																													
	ALL CAUSES-----	110,459	7,741	414	241	190	144	561	441	797	1,249	1,400	1,722	2,369	3,448	4,857	7,249	9,289	11,391	13,027	14,161	12,723	9,463	5,360	1,800	572	40	9		
	White-----M--	56,888	3,982	186	123	91	86	304	256	426	664	676	801	1,181	1,728	2,556	4,013	5,254	6,460	7,048	7,325	6,388	4,327	2,251	666	104	6	6		
	White-----F--	46,137	2,902	182	98	86	49	201	129	248	374	507	655	832	1,207	1,627	2,431	3,357	4,252	5,329	6,345	6,019	4,938	2,895	1,092	253	27	2		
	Nonwhite--M--	4,105	486	26	10	10	5	30	30	48	110	98	133	161	287	386	481	392	395	361	285	187	109	54	18	3	2	2		
	Nonwhite--F--	3,329	371	20	10	3	4	26	26	75	101	119	133	195	227	288	324	286	284	289	208	149	89	60	24	12	5	1		
1,2	Typhoid and paratyphoid fever-----	20	-	-	-	-	-	1	2	2	1	1	1	1	2	2	4	1	-	1	-	-	-	-	-	-	-	-	-	
	White-----M--	12	-	-	-	-	-	1	1	2	1	1	-	-	2	2	3	-	-	1	-	-	-	-	-	-	-	-	-	
	White-----F--	6	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cerebrospinal meningitis (meningococcus)-----	51	16	7	4	1	1	6	3	-	-	-	1	1	3	1	-	1	3	-	2	1	-	-	-	-	-	-	-	
	White-----M--	30	10	4	2	-	1	3	1	-	-	-	-	1	3	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	White-----F--	21	6	3	2	1	-	3	2	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	10	-	1	-	-	1	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M--	5	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	100	66	20	5	3	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	37	28	7	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	44	28	8	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	7	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	34	-	3	1	1	3	16	5	-	-	1	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	White-----M--	15	-	2	-	-	1	8	2	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----F--	17	-	1	1	1	1	7	3	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	3,467	24	18	6	6	6	15	28	114	251	281	264	283	310	317	379	329	293	229	159	101	34	17	3	-	-	-	-	
	White-----M--	1,849	10	10	1	1	4	2	6	20	54	85	96	119	153	207	249	246	223	168	109	56	21	8	1	-	-	-	-	
	White-----F--	787	6	2	1	5	4	2	36	89	108	87	79	71	39	46	57	36	48	33	35	12	7	2	-	-	-	-	-	
	Nonwhite--M--	501	3	2	1	-	1	5	10	21	52	38	50	43	62	51	67	36	26	9	15	7	-	2	-	-	-	-	-	
	Nonwhite--F--	330	5	4	3	-	1	4	10	37	56	50	31	42	24	20	17	10	6	4	2	3	1	-	-	-	-	-	-	
13	Tuberculosis of respiratory system, etc.*-----	3,204	10	6	2	1	1	5	17	107	228	261	244	267	293	288	361	315	276	220	146	93	31	17	3	-	-	-	-	
	White-----M--	1,754	5	4	-	-	1	3	20	49	78	90	115	144	201	245	241	216	161	103	49	20	8	1	-	-	-	-	-	
	White-----F--	732	3	-	1	1	-	2	36	85	103	80	74	69	36	45	32	34	46	30	34	10	7	2	-	-	-	-	-	
	Nonwhite--M--	439	1	2	-	-	-	5	19	44	35	47	39	57	46	58	35	21	9	12	7	-	2	-	-	-	-	-		
	Nonwhite--F--	279	1	2	1	-	1	2	7	32	50	45	27	38	23	15	13	7	5	4	1	3	1	-	-	-	-	-		
14-22	Tuberculosis (other forms)-----	263	14	10	4	5	5	10	11	7	23	20	16	17	19	18	14	17	9	13	8	3	-	-	-	-	-	-	-	
	White-----M--	95	5	6	1	1	4	1	3	-	5	7	6	4	9	6	4	5	7	7	6	7	1	-	-	-	-	-	-	
	White-----F--	55	3	2	-	4	-	2	-	-	4	5	7	5	2	3	1	5	4	2	3	1	2	-	-	-	-	-		
	Nonwhite--M--	62	2	-	1	-	1	5	5	2	8	3	3	4	5	5	9	1	5	-	3	-	-	-	-	-	-	-		
	Nonwhite--F--	51	4	2	2	-	-	2	3	5	6	5	4	3	1	5	4	3	1	-	1	-	-	-	-	-	-	-		
27	Dysentery-----	16	4	-	-	1	-	-	-	-	1	-	-	3	-	1	-	-	1	1	-	2	2	-	-	-	-	-		
	White-----M--	8	2	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	1	-	-	-	-			
	White-----F--	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-			
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite--F--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-			
28	Malaria-----	9	-	-	-	-	-	-	-	-	-	3	-	2	2	-	-	1	-	-	1	-	-	-	-	-	-			
	White-----M--	8	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-	1	-	-	1	-	-	-	-	-				
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-				
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
30	Syphilis-----	852	50	1	1	1	-	1	3	3	8	10	36	68	124	115	112	118	99											

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
PENNSYLVANIA—Continued																													
45-55	Cancer and other malignant tumors	14,861	5	6	13	10	7	26	22	42	57	87	184	313	580	867	1,332	1,752	2,143	2,250	2,067	1,644	989	361	108	13	1	2	
	White—M—	6,796	2	2	6	6	7	18	15	23	29	38	54	91	177	296	534	808	1,036	1,140	1,044	792	465	164	44	4	—	1	
	White—F—	7,536	2	4	5	3	—	9	7	14	25	44	116	190	335	469	674	844	1,016	1,020	967	616	513	192	62	9	1	—	
	Nonwhite—M—	364	1	—	1	1	—	—	—	1	1	1	4	9	22	51	68	41	53	54	28	20	4	3	1	—	—	—	
	Nonwhite—F—	385	—	—	1	—	—	—	—	4	2	4	10	23	46	51	56	59	39	36	28	16	7	2	1	—	—	1	
46	Cancer of the digestive organs and peritoneum—	6,899	2	2	—	1	1	—	1	9	16	25	45	80	195	311	517	760	1,033	1,171	1,115	874	502	196	42	3	—	—	
	White—M—	3,407	—	—	—	1	1	—	1	4	8	12	18	37	69	140	248	401	524	620	597	414	223	83	15	1	—	—	
	White—F—	3,156	1	2	—	—	—	—	—	4	7	10	23	37	100	128	216	306	469	502	442	271	109	26	2	—	—	—	
	Nonwhite—M—	203	1	—	—	—	—	—	—	1	1	1	4	13	28	39	25	29	35	14	10	1	2	1	—	—	—	—	
	Nonwhite—F—	133	—	—	—	—	—	—	—	1	—	—	3	2	13	15	14	28	12	16	12	8	7	2	—	—	—	—	
48,49	Cancer of female genital organs—	1,600	—	—	—	—	—	—	1	5	10	15	27	87	130	175	221	252	234	230	173	115	66	23	5	1	—	—	
	White—F—	1,654	—	—	—	—	—	—	1	5	8	13	27	73	108	156	196	236	224	214	164	113	66	23	5	1	—	—	
	Nonwhite—F—	146	—	—	—	—	—	—	—	2	2	2	7	14	22	19	25	16	10	16	9	2	—	—	—	—	—	—	
50	Cancer of breast—	1,444	—	—	—	—	—	—	—	1	10	33	58	93	122	166	198	161	175	146	130	78	30	19	3	1	—	—	
	White—M—	17	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	3	1	6	2	1	—	—	—	—	—	—	
	White—F—	1,376	—	—	—	—	—	—	—	1	9	33	52	87	112	155	186	177	167	141	128	78	29	19	3	1	—	—	
	Nonwhite—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—F—	50	—	—	—	—	—	—	—	—	—	1	—	6	5	9	9	3	2	3	3	—	—	—	—	—	—	—	
45,47, 51-55	Cancer (other sites)—	4,738	3	4	13	9	8	25	21	28	30	39	49	86	162	259	428	542	695	674	633	525	343	112	42	6	—	2	
	White—M—	3,372	2	2	6	5	8	18	14	19	21	25	36	54	107	185	288	404	511	514	455	377	242	80	29	3	—	1	
	White—F—	1,180	1	2	5	3	7	7	7	9	12	10	26	40	73	107	116	147	137	160	135	98	31	12	3	—	—	—	
	Nonwhite—M—	160	—	—	1	1	—	—	—	1	—	—	3	5	9	23	28	16	24	21	14	3	1	—	—	—	—	1	
	Nonwhite—F—	56	—	—	1	—	—	—	—	—	—	—	1	6	8	8	8	8	13	2	4	3	—	—	—	—	—	—	
59	Acute rheumatic fever—	85	—	—	1	1	2	12	19	9	6	7	8	3	5	—	3	3	1	3	—	1	—	1	—	—	—	—	
	White—M—	42	—	—	—	1	2	3	8	5	3	4	6	2	2	—	1	1	1	1	—	—	—	—	—	—	—	—	
	White—F—	33	—	—	—	—	—	7	6	3	3	2	2	1	3	—	2	1	—	2	—	—	—	—	—	—	—	—	
	Nonwhite—M—	6	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—F—	4	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
61	Diabetes mellitus—	3,590	1	3	—	2	—	4	6	7	14	13	23	28	66	100	264	409	584	669	632	468	211	83	11	1	—	—	
	White—M—	1,027	1	—	—	1	—	3	1	2	6	2	6	10	19	28	69	94	175	186	183	138	78	24	1	—	—	—	
	White—F—	2,412	—	2	—	1	—	1	4	5	8	7	13	17	31	65	174	289	384	456	455	323	130	57	10	1	—	—	
	Nonwhite—M—	44	—	—	—	—	—	—	—	—	—	—	1	—	3	—	6	11	7	4	5	1	3	2	—	—	—		
	Nonwhite—F—	107	—	—	—	—	—	—	1	—	—	3	4	2	15	7	15	16	13	9	6	—	—	—	—	—	—	—	
63b	Exophthalmic goiter—	186	—	—	—	—	—	—	—	1	2	1	3	3	9	11	18	34	34	31	25	12	3	1	—	—	—	—	
	White—M—	22	—	—	—	—	—	—	—	1	1	1	2	3	3	3	3	5	5	3	—	—	—	—	—	—	—	—	—
	White—F—	160	—	—	—	—	—	—	—	1	1	1	2	3	6	8	15	29	29	27	25	11	3	1	—	—	—	—	
	Nonwhite—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—F—	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	
69	Pellagra (except alcoholic)—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	1	—	—	—	—	—	
	White—M—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	White—F—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—F—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
77	Alcoholism (ethylian)—	113	1	—	—	—	—	—	—	—	6	9	17	9	18	9	18	9	18	9	10	1	7	—	2	—	—	—	
	White—M—	94	1	—	—	—	—	—	—	—	2	5	14	4	13	7	14	6	9	1	6	—	—	—	—	—	—	—	
	White—F—	14	—	—	—	—	—	—	—	—	—	—	1	1	3	1	2	1	1	2	1	—	—	—	—	—	—	—	
	Nonwhite—M—	8	—	—	—	—	—	—	—	—	2	2	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
	Nonwhite—F—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
83	Intracranial lesions of vascular origin—	9,655	10	1	5	3	2	6	3	15	14	20	40	93	181	282	551	751	1,010	1,391	1,703	1,582	1,148	609	198	43	3	1	
	White—M—	4,219	7	1	4	1	1	—	3	6	8	8	19	40	66	98	220	327	463	627	719	474	250	62	14	—	—	—	
	White—F—	4,833	1	—	1	2	1	6	—	6	5	11	10	40	83	135	253	357	443	661	948	811	652	345	133	26	2	1	
	Nonwhite—M—	278	2	—	—	—	—	—	—	—	1	—	3	4	19	21	40	29	50	43	25	26	10	3	2	—	—	—	
	Nonwhite—F—	325	—	—	—	—</																							

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated	
			der 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over		
97, 102	PENNSYLVANIA—Continued																												
	Arteriosclerosis and high blood pressure*	2,361									1		6	4	13	16	23	58	102	195	324	469	532	425	146	43	4		
	White—M—	1,189										1		3	3	6	11	36	60	98	182	271	254	192	80	11			
	F—	1,090												3	1	7	9	11	16	37	85	126	182	228	83	29	3		
	Nonwhite—M—	44													3	1	1			3	7	9	11	4	2	1	1		
F—	38												2				5		2	3	7	5	2	5	2	2	1		
107-109, 33	Pneumonia (all forms) and influenza	4,394	853	109	32	26	18	27	22	32	38	45	54	83	89	167	241	261	327	312	450	454	376	252	100	23	3		
	White—M—	2,315	443	41	12	14	8	12	9	14	13	21	23	51	47	96	147	166	215	193	250	223	177	96	38	6			
	F—	1,702	322	67	11	9	14	8	11	20	12	19	9	27	30	58	65	89	104	180	221	189	151	61	15	1			
	Nonwhite—M—	206	45	4	1	1			1	3	1	5	5	11	7	27	23	18	13	12	11	5	6	5					
	F—	171	43	7			1	1	4	4	4	7	7	12	8	14	13	12	10	3	9	5	4		1	1	1		
107	Bronchopneumonia	1,799	495	61	13	14	12	14	8	12	9	16	14	24	37	75	77	103	114	159	166	165	121	47	10	1			
	White—M—	921	252	21	3	6	6	4	4	5	1	7	7	15	19	42	51	72	71	91	92	73	45	15	2				
	F—	730	179	33	9	5	5	9	2	3	7	7	5	3	5	7	24	19	23	35	61	68	87	74	31	8	1		
	Nonwhite—M—	82	29	2	1	1				2		1	1	2	2	8	4	5	4	6	4	4	4	4					
	F—	66	25	5			1	1	2	2	1	1	1	4	2	3	3	2	4	2	3	2	1						
108	Lobar pneumonia	1,633	166	24	13	7	4	8	6	8	17	18	25	37	46	107	125	134	168	131	205	173	124	59	19	6	1		
	White—M—	895	84	9	6	3	1	5	2	2	6	8	9	20	23	62	79	60	108	83	118	91	65	21	9	1			
	F—	563	66	12	7	4	3	3	2	3	7	3	8	4	15	17	25	34	47	41	78	78	56	37	10	3			
	Nonwhite—M—	85	7	2					1	1	1	3	3	8	5	18	14	10	14	7	6	5	1	1	1				
	F—	80	9	1					1	2	3	4	5	5	5	10	7	10	6	1	4	3	2			1	1		
108	Pneumonia (unspecified)	482	144	17	2	4	1	1	4	9	3	7	11	10	11	9	20	26	26	38	38	35	30	25	9	1	1		
	White—M—	265	76	7		3		1	3	5	2	4	6	7	6	6	11	19	17	22	20	16	19	9	5	1			
	F—	184	53	9	2	1			4	1	2	3	1	5	3	4	6	9	16	16	19	10	15	4					
	Nonwhite—M—	15	7											1									1						
	F—	18	8	1					1			1	2				3				1								
33	Influenza	480	59	7	4	1	1	4	4	3	9	4	4	12	6	14	23	24	30	29	48	60	57	47	25	6			
	White—M—	234	31	4	3		1	2	2	4	2	2	2	9	3	9	15	16	18	17	21	24	20	21	9	2			
	F—	225	24	3	1	1		2	4	1	5		3	1	2	3	5	6	10	12	25	36	36	25	16	4			
	Nonwhite—M—	14	2											1		3	2				1								
	F—	7	1										1		1						1								
117	Ulcer of stomach or duodenum	596	3		1				1	1	4	7	6	32	32	54	74	100	97	70	57	34	13	7	2	1			
	White—M—	480	1						1	1	3	6	5	25	24	48	65	87	85	55	42	23	9	3					
	F—	92	1		1				1		1	1		6	4	8	9	6	14	14	10	4	4	4	2	1			
	Nonwhite—M—	22	1								1		1	2	2		4	6	6	2	1								
	F—	2															1			1									
119, 120	Diarrhea, enteritis, etc.*	552	412	25	3	3	2	4		4	1	5	7	8	8	6	2	4	13	12	13	9	8	2	1				
	White—M—	256	196	13	1	1		3		2	1	2	4	6	3				9	3	6	2	4						
	F—	210	143	10	2	2	1			2	1	3	4	4	2	1			3	9	3	6	4	2	1				
	Nonwhite—M—	48	41	2								1							1		2	1							
	F—	38	32									1				1			1										
121	Appendicitis	337	1	5	6	5	3	9	11	9	12	10	25	14	17	22	26	35	34	29	27	25	7	3	2				
	White—M—	174		3	4	1	2	6	9	3	7	7	10	9	7	9	15	16	17	13	18	12	3	2	1				
	F—	147		2	2	4	1	1	2	5	4	3	11	5	9	11	10	18	17	14	9	13	4	1	1				
	Nonwhite—M—	8	1					1		1			2		2						1								
	F—	7						1		1			1		1														
122	Hernia, intestinal obstruction	864	32	8	6	3		4	1	5	8	9	15	27	35	40	67	82	90	116	114	105	50	30	6	9	2		
	White—M—	385	18	3	2	1		3		2	1	4	5	10	11	14	22	32	49	59	54	53	20	15	1	6			
	F—	420	8	4	4	1		1	2	2	4	8	11	20	22	36	40	57	57	56	52	29	15	5	3	2			
	Nonwhite—M—	30	2	1		1					3	1	1	1	3	3	8	3	2	2	2	2	1						
	F—	29	4							1			1	6	3	3	6	2	1		2								
124	Cirrhosis of the liver	1,091	1					1		2	1	7	27	38	80	107	135	154	152	124	122	71	49	14	5	1			
	White—M—	660								1		2	12	17	45	69	86	110	105	81	68	40	18	3	2	1			
	F—	395	1							1		4	11	20	27	32	44	41	44	40	53	31	31	11	3				
	Nonwhite—M—	25										1	2		5	4	4	2	3	3	1								
	F—	11									1		2	1	3	2	1	1											
126, 127	Biliary calculi, etc.*	499	1					1		2	4	11	12	20	31	53	60	74	81	61	40	35	9	4					
	White—M—	150						1			1	3	1	6	12	11	27	29	21	16	12	4							
	F—	332								2	7	10	12	22	3														

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	PENNSYLVANIA-Continued Diseases of pregnancy, etc.* White-F-- Nonwhite-F--	515 269 44	- - -	- - -	- - -	- - -	- - -	- - -	- - -	17 11 6	52 45 7	82 75 9	77 51 12	57 21 6	24 21 3	3 2 1	- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
140, 142a, 145a, 147	Puerperal septicaemia White-F-- Nonwhite-F--	100 61 19	- - -	- - -	- - -	- - -	- - -	- - -	- - -	6 3 3	17 13 4	31 27 4	18 14 4	16 14 2	11 9 2	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
141a, 144, 148	Puerperal toxemia White-F-- Nonwhite-F--	62 52 10	- - -	- - -	- - -	- - -	- - -	- - -	- - -	4 2 2	15 15 -	14 11 -	15 11 -	11 11 -	2 2 -	- - -	- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock White-F-- Nonwhite-F--	104 93 11	- - -	- - -	- - -	- - -	- - -	- - -	- - -	4 3 1	14 12 2	25 23 2	25 24 1	26 23 3	6 7 1	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
141d, 143b, 150	Other puerperal causes White-F-- Nonwhite-F--	47 45 4	- - -	- - -	- - -	- - -	- - -	- - -	- - -	3 3 1	6 5 -	12 12 -	19 16 3	4 4 -	3 3 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
157	Congenital malformations White-M-- F-- Nonwhite-M-- F--	1,417 827 590 51 44	1,218 627 590 43 31	39 18 18 2 1	19 9 8 2 1	16 6 8 -	5 2 3 -	30 17 9 -	6 5 1 -	16 8 4 -	12 7 6 -	11 7 3 -	5 2 1 -	6 2 2 -	11 5 6 -	8 2 5 -	4 2 3 -	3 2 1 -	3 1 2 -	1 1 1 -	1 -	- -	- -	- -	- -	- -	- -	- -
158-161	Diseases peculiar to first year White-M-- F-- Nonwhite-M-- F--	4,409 2,303 1,609 291 206	4,409 2,303 1,609 291 206	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
159	Premature birth White-M-- F-- Nonwhite-M-- F--	2,768 1,407 1,015 203 143	2,768 1,407 1,015 203 143	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
156, 160, 161	Other diseases peculiar to first year White-M-- F-- Nonwhite-M-- F--	1,641 896 594 88 63	1,641 896 594 88 63	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
163, 164	Suicide White-M-- F-- Nonwhite-M-- F--	1,208 883 288 25 7	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	6 4 4 1 1	27 18 7 1 2	46 36 6 2 3	62 41 17 3 1	85 65 34 6 2	100 67 31 5 -	93 88 21 1 -	132 98 41 5 -	136 101 33 1 -	119 98 20 1 -	103 78 23 2 -	69 58 11 7 -	47 40 7 3 -	30 27 3 -	12 12 4 -	4 4 -	- -	- -	- -
165-168	Homicide White-M-- F-- Nonwhite-M-- F--	308 107 63 106 32	14 9 4 1 -	1 - 1 -	- - -	- - -	1 - 1 -	1 - 1 -	11 4 1 15 2	30 6 5 14 3	34 10 7 40 5	42 12 6 18 6	50 15 3 20 10	26 11 3 11 2	24 7 3 5 2	25 8 5 9 2	15 7 2 3 1	9 5 2 1 -	14 12 2 -	7 5 2 -	1 1 -	- -	2 -	- -	1 1 -	- -	- -	
169-195	Accidental deaths White-M-- F-- Nonwhite-M-- F--	6,415 4,187 1,882 257 89	174 79 72 10 13	53 28 19 3 -	72 46 21 2 -	52 23 14 1 3	47 32 14 13 -	207 124 65 6 -	164 126 26 8 -	253 197 49 14 5	406 346 40 14 11	513 251 40 14 3	278 218 45 20 6	286 218 42 37 6	309 242 42 24 24	298 229 42 25 4	342 260 44 28 10	418 321 77 17 5	436 314 95 22 4	468 316 135 18 4	501 263 219 18 3	500 243 249 5 3	429 174 252 2 2	273 101 169 2 1	108 31 76 -	26 5 21 -	2 2 -	- -
170	Motor-vehicle accidents White-M-- F-- Nonwhite-M-- F--	1,814 1,337 356 52 19	4 2 1 1 -	12 8 3 1 -	21 12 8 1 -	17 7 9 1 -	20 15 5 5 -	105 66 33 1 2	41 33 5 1 2	138 104 31 2 4	213 186 23 1 4	137 112 119 11 2	112 86 23 3 2	91 70 18 2 1	104 85 12 7 2	75 55 15 3 3	86 69 13 3 3	113 89 20 3 1	121 85 35 4 4	149 111 35 3 3	104 70 25 17 6	88 42 9 2 1	51 10 1 -	10 8 2 -	1 1 -	1 1 -	- -	
169, 171-195	Other accidents White-M-- F-- Nonwhite-M-- F--	4,601 2,800 1,526 205 70	170 77 71 9 13	41 20 16 4 1	51 34 13 3 1	35 17 15 1 3	27 17 9 1 4	102 58 32 6 2	123 93 21 7 2	115 95 18 13 2	193 161 17 2 1	176 139 29 7 1	166 132 24 11 3	195 148 20 18 5	205 183 25 17 4	225 174 27 31 2	256 191 57 20 9	305 229 31 14 2	315 229 65 18 3	319 205 100 10 4	397 229 194 10 3	412 190 232 4 3	378 173 244 1 1	263 93 167 2 1	107 30 76 -	25 4 21 -	2 -	- -
162, 199, 200	Senility, ill-defined and unknown causes White-M-- F-- Nonwhite-M-- F--	998 542 389 83 34	39 15 15 3 3	4 1 2 1 1	4 1 1 1 -	1 2 1 1 -	3 3 1 1 -	3 2 1 1 -	2 1 1 1 -	1 1 1 1 -	10 8 1 1 -	5 2 5 1 -	9 6 5 1 -	14 8 5 1 -	29 16 17 8 4	44 29 17 2 1	70 48 17 1 4	62 38 17 12 1	86 59 17 6 4	86 59 17 6 4	87 49 33 3 2	98 47 61 3 3	134 69 81 1 1	116 47 64 1 3	65 25 38 1 1	24 7 17 -	2 1 1 -	1 -
	All other causes White-M-- F-- Nonwhite-M-- F--	6,137 3,292 2,436 224 195	401 220 143 19 19	86 45 34 4 3	55 33 18 2 2	48 17 12 2 1	34 19 12 2 6	119 68 44 2 6	75 39 32 2 12	114 58 44 6 11	130 89 49 7 14	182 111 80 10 10	195 121 111 11 10	264 146 163 23 27	359 177 152 28 23	380 273 177 18 18	480 337 171 24 5	610 371 220 14 5	605 361 210 16 9	508 279 210 11 6	473 253 206 10 2	276 138 185 1 2	151 70 78 -	40 13 25 -	9 2 6 -	2 1 1 -	- -	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued
and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age Group																	100 and over	Not stated						
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
RHODE ISLAND—Con.																												
45-55	Cancer and other malignant tumors	1,241	-	1	2	1	1	2	2	3	3	8	6	25	42	81	94	151	160	195	176	173	80	31	5	1	-	-
	White—M—	601	-	2	1	1	2	2	3	1	5	6	1	6	15	26	36	69	81	114	95	94	42	7	1	1	-	-
	F—	626	-	1	-	1	-	-	-	2	3	5	5	19	27	55	54	82	75	77	82	76	37	25	4	-	-	
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-	
	F—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	
46	Cancer of the digestive organs and peritoneum—	584	-	-	-	-	-	-	1	1	4	2	9	13	34	39	67	71	109	100	87	54	12	1	-	-	-	
	White—M—	306	-	-	-	-	-	-	1	2	1	3	6	13	20	33	39	69	51	48	18	3	-	-	-	-	-	
	F—	270	-	-	-	-	-	-	1	-	2	1	6	7	21	18	34	30	39	49	37	16	8	1	-	-	-	
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	
48,49	Cancer of female genital organs—	115	-	-	-	-	-	-	-	1	-	2	3	7	17	17	22	15	11	8	6	6	2	-	-	-	-	
	White—F—	114	-	-	-	-	-	-	1	-	2	3	7	17	17	22	12	11	8	6	6	2	-	-	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
50	Cancer of breast—	114	-	-	-	-	-	-	-	-	-	6	5	13	10	11	17	11	8	16	9	6	2	-	-	-	-	
	White—M—	112	-	-	-	-	-	-	-	-	-	6	5	13	9	11	17	11	8	15	9	6	2	-	-	-	-	
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45,47, 51-55	Cancer (other sites)—	428	-	1	2	1	1	2	2	2	1	4	2	7	17	17	26	51	59	62	60	64	31	11	2	1	-	-
	White—M—	295	-	2	1	-	-	2	2	2	1	3	2	3	9	13	18	36	42	46	46	24	4	1	1	-	-	
	F—	130	-	1	-	1	-	2	1	1	2	4	4	8	4	10	15	16	16	17	18	6	7	1	-	-	-	
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
58	Acute rheumatic fever—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus—	289	-	-	-	-	1	1	1	1	2	2	1	5	3	6	37	41	65	49	50	20	3	2	-	-	-	
	White—M—	81	-	-	-	-	1	1	1	-	1	1	1	1	1	3	13	9	12	15	19	7	-	-	-	-		
	F—	204	-	-	-	-	-	1	-	1	1	2	1	4	2	3	24	31	51	36	30	13	3	2	-	-		
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-		
63b	Exophthalmic goiter—	8	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	-	-	-	1	-	-	-	-	-	
	White—M—	8	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	-	-	-	1	-	-	-	-		
	F—	8	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	-	-	-	1	-	-	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
69	Pellagra (except alcoholic)—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
77	Alcoholism (ethylic)—	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-		
	White—M—	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
83	Intracranial lesions of vascular origin—	683	-	-	2	-	1	-	-	-	3	2	1	18	28	40	54	65	82	137	109	93	34	13	1	-	-	
	White—M—	325	-	-	2	-	1	-	-	-	3	1	1	7	17	18	20	31	42	67	61	35	13	5	1	-		
	F—	346	-	-	-	-	-	-	-	-	1	1	1	10	9	21	32	37	69	48	58	21	8	-	-	-		
	Nonwhite—M—	10	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	1	-	-	-	-	-	-		
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-		
90-95	Diseases of the heart—	3,151	-	-	-	-	1	3	5	10	8	15	25	69	111	181	259	358	462	516	472	347	242	72	12	2	1	
	White—M—	1,727	-	-	-	-	1	1	4	5	3	6	18	59	82	133	177	222	249	270	220	163	93	18	3	-		
	F—	1,578	-	-	-	-	1	1	5	5	9	7	10	26	47	77	109	201	243	246	181	146	53	9	1	1		
	Nonwhite—M—	30	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	8	3	3	3	2	1	-	-	-		
	F—	16	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	4	-	3	3	1	-	-	-	-		
90a, 92b, 93c, 95b	Chronic rheumatic diseases of the heart—	131	-	-	-	-	1	1	5	4	5	5	8	13	9	15	14	12	12	14	5	6	2	-	-	-		
	White—M—	57	-	-	-	-	1	1	2	1	1	1	3	4	5	4	7	7	6	4	3	2	-	-	-	-		
	F—	70	-	-	-	-	1	1	3	3	4	4	8	5	7	6	4	6	10	2	4	2	-	-	-	-		
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-		
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
94	Diseases of coronary arteries and angina pectoris—	979	-	-	-	-	-	2	4	1	6	13	35	68	99	115	143	168	148	89	45	29	7	1	-	-		

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	RHODE ISLAND—Con. Diseases of pregnancy, etc.—F—	17	-	-	-	-	-	-	-	2	3	5	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	13	-	-	-	-	-	-	-	1	1	5	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicaemia—F—	6	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, 144, 148	Puerperal toxemia—F—	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	4	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 145, 146, 149	Hemorrhage, trauma or shock—F—	6	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	5	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, 145b, 150	Other puerperal causes—F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M—	131	116	4	3	-	-	1	1	1	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M—	58	50	2	2	-	-	1	1	1	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F—	67	63	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M—	300	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—M—	185	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year—M—	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide—M—	71	-	-	-	-	-	-	-	-	4	4	3	2	12	5	13	9	8	5	1	5	-	-	-	-	-	-
	White—M—	40	-	-	-	-	-	-	-	-	3	2	2	1	9	3	10	3	2	2	2	1	3	-	-	-	-	
	F—	30	-	-	-	-	-	-	-	-	1	2	1	1	3	2	3	6	6	3	1	1	-	-	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-168	Homicide—M—	11	-	-	-	-	-	-	2	2	1	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-	1	
	White—M—	4	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	F—	6	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths—M—	408	18	3	4	4	3	12	8	17	15	13	16	9	12	23	28	15	23	28	45	43	33	30	6	-	-	
	White—M—	247	5	1	3	4	1	10	6	14	13	11	10	7	11	16	23	11	13	19	24	18	14	13	6	-	-	
	F—	155	13	2	1	-	1	2	1	3	2	2	6	2	1	7	3	4	10	8	20	25	19	17	6	-	-	
	Nonwhite—M—	6	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
170	Motor-vehicle accidents—M—	103	-	1	2	2	2	6	4	4	10	4	9	2	2	6	9	2	7	8	10	7	3	3	-	-		
	White—M—	70	-	1	2	2	2	5	3	2	8	3	6	2	1	4	6	2	5	5	7	3	3	2	-	-		
	F—	30	-	1	1	1	1	1	1	2	2	1	3	-	1	2	2	2	2	2	3	4	1	1	-	-		
	Nonwhite—M—	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
169, 171, 195	Other accidents—M—	305	18	2	2	2	1	6	4	13	5	9	7	7	10	17	19	13	16	20	35	36	30	27	6	-		
	White—M—	177	5	1	2	2	1	5	3	12	5	8	4	5	10	12	17	9	8	14	17	15	11	11	6	-		
	F—	128	13	1	-	-	-	1	-	1	-	1	3	2	-	5	2	-	6	6	17	21	19	16	6	-		
	Nonwhite—M—	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-		
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
182, 198, 200	Sensility, ill-defined and unknown causes—M—	27	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6	2	-	4	5	2	2	3		
	White—M—	15	1	-	-	-	-	-	-	-	1	-																

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA																											
	ALL CAUSES-----	17,230	2,362	173	84	75	57	174	186	330	490	525	532	706	783	1,069	1,390	1,463	1,666	1,558	1,326	1,060	635	440	162	59	33	4
	White-----M--	5,181	649	39	20	20	14	47	42	79	125	123	124	183	185	269	395	438	512	592	538	401	210	149	48	10	-	2
	White-----F--	5,746	464	31	15	14	14	32	34	52	55	58	76	99	123	168	198	232	311	401	423	435	246	169	69	16	3	-
	Nonwhite--M--	4,543	678	50	29	17	17	49	53	102	176	189	166	220	233	337	429	420	362	303	195	139	87	49	17	18	8	1
	Nonwhite--F--	3,960	562	53	20	24	12	46	57	97	138	156	166	224	242	295	388	373	381	260	170	85	92	53	28	15	22	1
2, 2	Typhoid and paratyphoid fever--	15	2	-	-	-	-	2	2	1	1	-	1	1	-	1	1	-	2	1	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis--	12	2	-	-	-	-	1	1	2	2	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	1	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--	57	42	11	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
	White-----M--	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	25	18	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria--	33	1	8	6	6	7	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	-	3	1	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	-	1	2	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)--	557	2	3	2	1	1	2	9	36	79	76	56	51	43	44	48	33	29	26	5	6	4	-	1	-	-	-
	White-----M--	119	-	-	-	-	-	-	2	2	2	10	11	11	10	18	15	9	13	11	2	3	2	-	-	-	-	-
	White-----F--	53	-	1	-	-	-	1	3	6	8	6	6	6	4	3	3	2	5	7	3	2	1	-	-	-	-	
	Nonwhite--M--	204	-	1	1	-	-	2	9	35	27	24	18	22	14	21	15	7	6	7	1	1	1	-	1	-	-	
	Nonwhite--F--	171	2	1	1	1	1	7	23	36	31	15	14	7	9	9	7	4	2	-	-	-	-	-	-	-	-	
13	Tuberculosis of respiratory system, etc.--	507	-	1	-	1	1	7	33	73	72	50	49	39	36	46	32	28	24	24	5	5	4	-	1	-	-	
	White-----M--	109	-	-	-	-	-	-	2	2	9	10	11	9	15	15	9	12	9	2	2	2	2	-	-	-	-	
	White-----F--	61	-	-	-	-	-	-	3	6	8	6	8	4	3	3	2	5	7	3	2	1	1	-	-	-	-	
	Nonwhite--M--	178	-	1	-	-	-	2	6	31	24	19	17	19	10	19	14	7	6	-	1	1	1	-	1	-	-	
	Nonwhite--F--	159	-	-	-	1	1	5	22	34	31	15	13	7	8	9	7	4	2	-	-	-	-	-	-	-	-	
14-22	Tuberculosis (other forms)--	50	2	2	2	-	-	2	2	3	6	4	6	2	4	8	2	1	1	2	-	1	-	-	-	-	-	
	White-----M--	10	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	1	2	-	1	-	-	-	-	-	
	White-----F--	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	26	-	-	1	-	-	-	2	4	3	5	1	3	4	2	1	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	12	2	1	1	-	-	1	2	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
27	Dysentery--	16	4	-	1	-	-	1	1	2	-	-	-	1	-	1	2	-	1	2	-	-	-	-	-	-	-	
	White-----M--	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	7	2	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	
	Nonwhite--F--	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
28	Malaria-----	19	-	1	2	-	-	-	-	1	-	-	3	1	1	2	3	2	-	3	-	-	-	-	-	-	-	
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	9	-	1	1	-	-	-	-	1	-	-	1	1	1	2	-	-	-	1	-	-	-	-	-	-	-	
30	Syphilis-----	251	23	1	-	-	-	-	3	9	12	13	32	18	42	24	29	22	12	4	4	1	1	-	1	-	-	
	White-----M--	36	2	-	-	-	-	-	-	-	-	2	1	1	6	5	6	4	5	1	2	1	-	-	-	-	-	
	White-----F--	7	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	1	1	1	-	-	-	-	-	-	
	Nonwhite--M--	131	13	1	-	-	-	-	3	4	6	8	3	20	9	25	12	16	10	6	2	1						

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
SOUTH CAROLINA—Con.																												
45-55	Cancer and other malignant tumors	1,409	1	4	1	2	7	7	9	17	12	35	61	89	157	178	208	163	155	141	107	51	20	4	5	1	-	-
	White—M	411	-	2	1	1	4	2	4	4	3	3	9	19	17	39	55	60	57	67	43	20	4	5	1	-	-	-
	F	501	-	1	-	-	1	3	-	3	4	11	24	34	58	60	65	46	55	49	24	7	9	1	-	-	-	-
	Nonwhite—M	196	-	-	1	1	1	1	1	4	2	6	7	7	18	32	41	29	24	7	9	4	1	-	-	-	-	-
	F	301	1	1	-	-	1	1	4	6	3	15	21	29	46	45	51	28	19	18	8	3	1	-	-	-	-	-
46	Cancer of the digestive organs and peritoneum	526	-	-	-	-	-	-	1	7	4	6	16	16	38	61	80	75	65	73	51	25	8	-	-	-	-	-
	White—M	169	-	-	-	-	-	-	1	1	1	1	4	6	5	22	26	31	29	33	16	12	2	-	-	-	-	-
	F	145	-	-	-	-	-	-	2	2	-	1	3	3	7	14	17	15	17	27	25	10	4	-	-	-	-	-
	Nonwhite—M	96	-	-	-	-	-	-	-	-	2	-	5	1	13	14	23	15	13	2	6	1	1	-	-	-	-	-
	F	96	-	-	-	-	-	-	1	4	4	4	6	6	13	11	14	14	6	11	4	2	1	-	-	-	-	-
46,49	Cancer of female genital organs	283	-	-	-	-	-	-	1	-	2	12	21	33	50	49	44	20	25	15	7	4	-	-	-	-	-	-
	White—M	163	-	-	-	-	-	-	-	-	1	5	12	18	29	29	23	13	17	12	6	3	-	-	-	-	-	-
	F	115	-	-	-	-	-	-	1	1	7	9	15	21	20	21	21	8	3	3	1	1	1	-	-	-	-	-
50	Cancer of breast	120	-	-	-	-	-	-	2	1	5	8	13	19	11	16	14	9	6	6	4	5	1	-	-	-	-	-
	White—M	75	-	-	-	-	-	-	-	-	2	4	7	12	6	12	9	6	4	4	4	5	1	-	-	-	-	-
	F	44	-	-	-	-	-	-	2	1	3	4	6	7	5	4	5	3	2	2	2	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	480	1	4	1	2	7	7	7	8	5	12	16	27	30	55	68	54	56	47	43	18	7	4	1	-	-	-
	White—M	222	-	2	-	1	4	2	4	3	2	2	5	13	12	17	27	29	28	34	27	6	2	-	-	-	-	-
	F	113	-	1	-	-	1	3	4	1	3	3	5	6	8	11	11	10	15	6	12	7	5	4	1	-	-	-
	Nonwhite—M	99	-	-	1	1	1	1	1	4	-	6	2	6	5	18	18	13	11	5	3	3	-	-	-	-	-	-
	F	46	1	1	-	-	1	1	2	-	-	1	4	2	5	9	12	2	2	2	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	27	-	-	-	-	1	6	9	1	1	3	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	2	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	-	-	-	-	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	2	4	1	1	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	548	1	-	-	1	-	3	1	6	9	7	15	11	24	33	46	58	51	43	25	10	5	1	-	-	-	-
	White—M	79	1	-	-	-	-	-	1	1	1	1	1	1	1	2	4	14	14	14	11	6	1	2	1	-	-	-
	F	154	-	-	-	1	-	1	1	2	2	3	4	2	5	14	23	25	15	8	3	-	-	-	-	-	-	-
	Nonwhite—M	39	-	-	-	-	-	1	-	3	3	3	1	3	7	4	7	4	4	4	1	1	1	-	-	-	-	-
	F	96	-	-	-	-	1	-	3	4	6	7	5	11	17	14	14	8	3	3	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	16	-	-	-	-	-	-	-	-	-	-	1	1	3	2	4	3	1	1	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	40	-	-	-	-	-	-	1	-	-	-	1	-	2	2	2	3	5	10	5	5	3	1	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	4	4	1	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	1	-	-	1	-	2	2	1	1	1	1	3	1	2	-	-	-	-	-	-
77	Alcoholism (ethylin)	22	-	-	-	-	-	-	1	2	3	1	5	1	5	3	3	2	1	1	-	-	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,819	3	-	-	1	1	4	3	11	16	43	90	135	207	214	241	249	214	189	95	65	16	10	6	1	-	-
	White—M	445	-	-	-	-	1	1	1	1	5	4	8	20	29	40	57	76	79	80	30	29	3	2	-	-	-	-
	F	440	-	-	-	1	-	1	-	2	1	6	10	20	25	38	44	65	75	86	31	22	10	2	1	-	-	-
	Nonwhite—M	468	2	-	-	-	1	2	1	3	9	7	22	37	49	104	114	112	107	86	41	21	14	5	2	-	-	-
	F	466	1	-	-	1	-	2	1	1	5	8	19	39	47	67	67	73	54	32	19	15	9	1	1	3	1	-
90-95	Diseases of the heart	4,151	2	4	2	-	1	7	22	20	28	34	75	125	170	306	437	472	537	587	499	376	215	162	56	14	8	2
	White—M	1,578	2	1	-	-	2	4	4	5	8	17	40	48	101	157	185	217	251	217	161	74	56	24	2	-	-	-
	F	939	-	-	-	-	1	3	5	6	4	13	11	16	28	44	62	99	155	152	151	91	74	18	6	-	-	-
	Nonwhite—M	819	-	2	-	-	1	4	3	9	7	22	37	49	104	114	112	107	86	69	41	21	14	5	2	-	-	-
	F	815	2	1	-	-	4	11	8	8	15	23	37	57	73	122	113	114	85	51	23	29	18	9	4	8	-	-
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart	280	-	1	-	-	1	4	12	10	14	11	11	9	15	20	27	31	24	30	18	19	10	11	-	2	-	-
	White—M	89	-	-	-	-	1																					

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
140-150	SOUTH CAROLINA—Con. Diseases of pregnancy, etc.—White—F— Nonwhite—F—	155 50 105	- -	- -	- -	- -	- -	- -	1 1	26 19	26 17	26 16	34 25	28 23	13 4	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
140, 142a, 145a, 147	Puerperal septicaemia—White—F— Nonwhite—F—	42 15 27	- -	- -	- -	- -	- -	- -	- -	5 1	7 3	10 3	5 1	9 3	4 3	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
141a, c, 144, 148	Puerperal toxemia—White—F— Nonwhite—F—	90 16 34	- -	- -	- -	- -	- -	- -	1 1	13 8	8 5	2 2	11 5	5 5	7 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—White—F— Nonwhite—F—	51 14 37	- -	- -	- -	- -	- -	- -	- -	6 2	7 3	10 5	15 2	12 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
141d, e, f, 145b, 150	Other puerperal causes—White—F— Nonwhite—F—	12 5 7	- -	- -	- -	- -	- -	- -	- -	1 1	4 2	1 -	3 1	2 -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
157	Congenital malformations—White—M— F— Nonwhite—M— F—	244 85 78 37 27	201 73 78 30 20	15 4 7 1 3	6 2 2 1 1	3 2 1 1 1	1 1 1 1 1	4 1 1 1 1	1 1 2 1 1	4 1 2 1 2	1 1 1 1 1	3 1 1 1 1	1 1 1 1 1	2 1 1 1 1	1 1 1 1 1	1 1 1 1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
158-161	Diseases peculiar to first year—White—M— F— Nonwhite—M— F—	1,089 399 262 237 191	1,089 399 262 237 191	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
159	Premature birth—White—M— F— Nonwhite—M— F—	704 244 183 149 128	704 244 183 149 128	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
158, 160, 161	Other diseases peculiar to first year—White—M— F— Nonwhite—M— F—	385 155 79 89 63	385 155 79 89 63	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
163, 164	Suicide—White—M— F— Nonwhite—M— F—	121 89 19 12 2	- -	- -	- -	- -	- -	- -	- -	2 2	7 5	11 11	9 4	25 15	13 8	7 5	13 11	11 11	9 7	2 1	3 3	4 4	3 2	- -	- -	- -	- -	- -	
165-168	Homicide—White—M— F— Nonwhite—M— F—	285 58 11 177 41	3 2 1 -	- -	- -	- -	- -	2 1	2 1	25 12	43 12	71 2	44 12	28 2	24 7	14 5	9 3	7 2	4 2	3 3	4 1	- -	- -	1 1	- -	- -	- -	1 1	
169-195	Accidental deaths—White—M— F— Nonwhite—M— F—	1,332 569 208 387 168	70 14 16 21 19	31 10 8 6 8	24 7 4 5 6	29 10 2 6 6	22 18 14 15 8	62 26 11 23 15	68 56 11 36 8	111 89 13 48 6	157 95 4 33 11	112 55 4 45 8	95 47 10 33 5	71 40 3 19 5	76 34 6 24 12	62 21 9 27 5	60 29 7 17 7	52 23 3 19 7	52 23 10 12 7	48 24 15 9 3	32 8 17 7 2	30 8 17 5 6	26 6 10 4 6	19 9 10 4 -	16 8 8 3 3	6 1 1 1 1	1 1 1 1 1	- -	
170	Motor-vehicle accidents—White—M— F— Nonwhite—M— F—	529 287 54 150 38	7 4 1 2 1	10 4 1 2 1	5 1 1 3 2	5 2 1 4 1	10 11 7 4 5	26 8 7 4 1	21 31 7 4 1	52 31 4 24 1	87 55 3 21 4	61 35 3 11 6	45 25 5 11 3	33 17 2 8 1	45 21 4 11 8	19 11 2 5 1	27 12 3 9 3	24 12 2 5 1	20 13 1 9 1	17 14 1 5 1	8 3 2 4 1	4 4 1 4 1	2 - - -	- -	- -	1 1	- -		
169, 171-195	Other accidents—White—M— F— Nonwhite—M— F—	805 282 154 237 130	63 10 15 17 21	21 6 4 5 6	19 6 3 3 7	24 8 4 5 11	12 3 1 7 7	36 7 1 4 11	47 18 25 20 7	59 34 9 24 5	70 22 5 24 7	51 20 1 24 6	50 22 5 19 4	38 23 1 22 8	31 13 2 12 4	43 10 7 10 4	33 17 4 10 6	28 11 1 9 7	32 10 1 7 10	31 10 9 7 9	24 5 14 17 3	26 4 3 5 2	24 6 10 3 5	19 9 10 3 3	16 4 8 1 1	5 4 3 3 3	1 1 1 1 1	- -	
162, 199, 200	Semi-fatal, ill-defined and unknown causes—White—M— F— Nonwhite—M— F—	865 113 72 345 335	323 23 22 155 123	15 2 1 1 7	2 1 1 2 1	4 1 1 1 5	1 1 1 1 2	8 1 1 8 2	7 1 1 1 3	7 1 1 1 6	13 2 1 4 9	18 2 1 3 12	11 1 1 2 7	30 1 1 1 14	32 1 1 2 17	38 6 1 8 4	31 1 2 7 4	28 9 3 24 14	32 8 3 18 20	31 8 3 16 23	24 10 10 14 11	26 5 5 6 7	24 4 10 10 8	19 6 10 3 5	16 4 8 3 3	5 4 3 4 4	1 1 1 1 1	- -	
	All other causes—White—M— F— Nonwhite—M— F—	993 275 230 269 219	122 23 23 40 36	30 12 2 11 5	12 2 1 8 3	9 2 2 3 2	11 12 4 9 2	28 12 4 4 6	24 5 4 9 6	43 5 9 11 8	48 6 11 14 17	72 13 8 15 26	46 9 8 11 23	75 15 11 19 19	57 16 11 19 21	73 19 11 20 14	69 17 15 20 12	63 25 15 8 15	51 20 14 4 13	50 28 14 9 4	34 13 13 12 6	35 19 12 5 3	21 4 14 1 1	12 4 5 3 2	4 2 4 1 1	2 1 1 1 1	- -		

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1																									
97, 102	SOUTH DAKOTA--																											
	Continued																											
	Arteriosclerosis and high blood pressure*	135	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	6	8	18	15	26	35	18	4	-	-
	White--M--	78	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	10	7	19	19	12	1	-	-
F--	56	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	4	8	8	7	16	6	3	-	-	
Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza--	236	54	3	1	-	-	1	2	2	1	4	2	3	5	4	8	6	12	11	21	31	23	21	17	5	-	1
	White--M--	125	27	1	-	-	-	1	2	1	1	3	2	3	5	2	6	5	7	7	11	16	13	9	7	2	-	1
	F--	91	13	-	1	-	-	1	1	1	-	1	2	1	2	2	2	1	5	3	10	12	8	12	10	2	-	1
	Nonwhite--M--	11	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
F--	11	5	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	
107	Bronchopneumonia--	93	28	2	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	5	12	7	8	8	12	2	-	1
	White--M--	49	16	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	4	5	7	4	4	1	5	2	-
	F--	36	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	7	-	3	7	7	-	-	1
	Nonwhite--M--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
108	Lobar pneumonia--	75	8	1	1	-	-	1	1	1	4	2	1	2	2	3	3	5	5	6	13	6	6	6	3	1	-	-
	White--M--	42	3	-	-	-	-	1	1	1	3	1	1	1	1	2	3	3	4	2	4	6	5	2	2	1	-	-
	F--	29	3	-	1	-	-	1	-	-	1	2	-	1	1	1	3	3	1	3	2	2	1	4	2	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
109	Pneumonia (unspecified)--	35	16	-	-	-	-	1	-	-	-	-	-	1	2	-	1	1	2	-	2	2	3	4	-	-	-	
	White--M--	17	6	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	2	-	2	1	1	3	-	-	-	
	F--	11	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	Influenza--	35	2	-	-	-	-	1	1	-	-	-	-	1	-	-	2	1	3	1	1	9	6	3	2	2	-	
	White--M--	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	4	3	3	1	-	-	
	F--	15	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	-	1	5	2	1	1	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-		
117	Ulcer of stomach or duodenum--	23	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	4	4	3	-	-	2	-	-	-	
	White--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	3	3	3	-	2	-	-	-		
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
119, 120	Diarrhea, enteritis, etc.*	28	21	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-		
	White--M--	14	11	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-		
	F--	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-		
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
F--	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
121	Appendicitis--	31	-	-	3	-	1	4	1	1	1	1	2	2	2	2	2	1	6	2	-	1	1	-	-	-		
	White--M--	24	-	-	3	-	1	4	1	1	1	1	1	1	1	2	1	1	6	1	-	1	-	-	-	-		
	F--	7	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
122	Hernia, intestinal obstruction--	54	4	-	1	-	1	1	1	1	4	-	-	-	1	4	4	3	5	3	6	8	4	3	1	-		
	White--M--	25	-	1	-	1	1	1	-	-	1	-	-	-	1	2	1	1	3	1	4	4	1	2	1	-		
	F--	26	4	-	-	1	1	1	-	1	3	-	-	-	3	2	1	2	2	2	2	4	3	1	-			
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
F--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-				
124	Cirrhosis of the liver--	45	-	-	-	-	-	-	1	1	-	1	1	3	3	3	3	5	6	6	6	5	2	2	-	-		
	White--M--	33	-	-	-	-	-	-	-	1	-	1	1	1	1	3	3	5	5	5	3	4	1	2	-	-		
	F--	12	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	1	1	3	1	1	-	-			
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
126, 127	Biliary calculi, etc.*	30	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	4	5	3	6	5	2	2	1	-		
	White--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	2	2	-	-	-			
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	3	2	1	1	-			
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-			
F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-				
130-132	Nephritis--	275	-	-	1	-	-	1	2	3	4	3	3	2	10	11	13	16	28	43	51	46	25	12	1	-		
	White--M--	162	-	-	1	-	-	1	1	1	3	3	2	2	4	8	8	12										

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	SOUTH DAKOTA—Continued																											
	Diseases of pregnancy, etc.—	17									7	3	3	1	3													
	White—F—	13									7	2	3	1	3													
	Nonwhite—F—	4										1																
140, 142a, 145a, 147	Puerperal septicemia—	8									3	1	2		2													
	White—F—	7									3	1	2		2													
	Nonwhite—F—	1													1													
141a, 144, 148	Puerperal toxemia—	4									2	1	1															
	White—F—	3									2	1	1															
	Nonwhite—F—	1																										
141b, 142b, 145, 148	Hemorrhage, trauma or shock—	4									1	1		1	1													
	White—F—	2									1	1		1	1													
	Nonwhite—F—	2																										
141d, 145b, 150	Other puerperal causes—	1									1																	
	White—F—	1									1																	
	Nonwhite—F—																											
157	Congenital malformations—	100	90	1	1	1		1	1	1	2	1			1													
	White—M—	55	48	1	1	1		1	1	1	1	1																
	F—	44	41		1						1				1													
	Nonwhite—M—																											
	F—	1	1																									
158-161	Diseases peculiar to first year—	270	270																									
	White—M—	149	149																									
	F—	106	106																									
	Nonwhite—M—	7	7																									
	F—	8	8																									
159	Premature birth—	181	181																									
	White—M—	96	96																									
	F—	76	76																									
	Nonwhite—M—	5	5																									
	F—	4	4																									
159, 160, 161	Other diseases peculiar to first year—	89	89																									
	White—M—	53	53																									
	F—	30	30																									
	Nonwhite—M—	2	2																									
	F—	4	4																									
163, 164	Suicide—	55							1		6	2	4	8	5	1	6	6	6	3	1	3	2	1				
	White—M—	44							1		3	2	7	7	4	1	5	5	6	3	1	3	2	1				
	F—	9											4	1	1	1	1	1										
	Nonwhite—M—	2									2																	
	F—																											
165-168	Homicide—	6	1										1	1	1	1				1								
	White—M—	3	1										1							1								
	F—	2																										
	Nonwhite—M—	1																										
	F—																											
169-195	Accidental deaths	477	15	12	6	7	2	12	14	37	39	41	22	17	21	19	16	30	19	25	26	26	31	27	8	1	2	
	White—M—	318	9	9	5	5	2	8	7	28	32	33	17	13	17	10	13	25	16	17	15	12	11	10	4			
	F—	154	6	3	1	1		3	7	6	3	3	2	3	2	7	2	5	3	6	11	16	19	17	4	1	1	
	Nonwhite—M—	19								3	2	3	3	1	2	2	1											
	F—	6								2	2																	
170	Motor-vehicle accidents—	164	1	3	3	3	2	6	5	20	23	17	13	6	10	10	6	7	3	8	5	9	1	3				
	White—M—	125	1	2	2	2	4	1	17	21	15	10	3	9	4	6	8	5	3	6	4	6	1	3				
	F—	34	1	2	1	1		2	4	2	2	1	1	3	1	5	2			2	1	3						
	Nonwhite—M—	4								1			2															
	F—	1									1																	
169, 171-195	Other accidents—	315	14	9	3	4		6	9	17	16	24	9	11	11	9	10	25	16	17	21	19	30	24	8	1	2	
	White—M—	193	9	8	3	3		4	6	11	11	18	7	10	8	6	7	20	13	11	11	11	10	7	4			
	F—	100	5	1				1	3	4	1	2	1	1	2	1	2	3	3	6	10	13	19	17	4	1	1	
	Nonwhite—M—	15								2	2	3	1	1	2	1	2											
	F—	5								2	1																	
182, 199, 200	Senility, ill-defined and unknown causes—	179	19	2		2		1		3	1	3	1	2	2	1	6	5	4	12	15	26	23	28	17	8	1	
	White—M—	67	1							1				1	1	1	1	3	3	2	5	11	11	18	7	2		
	F—	54	2											1			4	1	1	2	5	9	10	5	10	3	1	
	Nonwhite—M—	22	7	1		1		1		1					1		1	1		4	2	3						
	F—	36	8	1		1				1	1	3	1							4	3	4	2	3				
	All other causes—	349	24	10	2	4	3	6	4	5	8	12	9	8	16	14	19	28	33	42	23	26	23	20	9	1	1	
	White—M—																											

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	ARKANSAS—Con.																												
45-55	Cancer and other malignant tumors	2,948	2	1	5	2	-	8	8	11	12	41	54	110	146	214	300	334	340	421	367	294	169	82	19	3	3	2	
	White—M	1,109	1	1	3	2	-	5	4	2	2	16	14	33	38	50	88	123	126	165	161	147	73	34	12	1	1	1	
	White—F	1,350	2	1	2	-	-	3	3	7	9	15	30	48	76	109	142	139	146	182	170	119	86	35	5	1	1	1	
	Nonwhite—M	212	-	-	-	-	-	1	1	1	2	10	10	11	11	16	28	36	31	36	18	12	5	2	1	-	-	-	
	Nonwhite—F	297	-	-	-	-	-	-	-	1	1	2	10	16	21	39	42	37	37	38	18	16	5	1	1	1	-	-	
46	Cancer of the digestive organs and peritoneum	1,139	1	-	-	1	-	1	1	1	3	6	10	22	46	68	93	118	148	162	164	143	83	41	4	2	-	1	
	White—M	463	-	-	-	1	-	1	1	1	2	4	2	9	19	21	35	53	59	82	72	66	41	14	1	-	-	-	
	White—F	474	1	-	-	-	-	-	-	-	2	6	8	19	25	30	39	61	70	90	63	40	26	2	2	1	1	1	
	Nonwhite—M	104	-	-	-	-	-	-	-	-	1	-	4	4	2	12	16	15	20	9	7	1	1	1	1	1	-	-	
	Nonwhite—F	78	-	-	-	-	-	-	-	-	-	2	1	6	10	12	10	14	10	3	7	1	1	1	1	1	-	-	
48, 49	Cancer of female genital organs	462	-	-	-	-	-	1	-	3	2	16	18	38	41	56	65	50	50	46	37	21	15	4	1	-	-	-	
	White—F	338	-	-	-	-	-	1	-	2	2	9	12	25	34	40	47	37	38	35	29	14	12	3	1	-	-	-	
	Nonwhite—F	124	-	-	-	-	-	-	-	1	2	8	6	11	7	16	18	13	12	11	8	7	3	1	-	-	-	-	
50	Cancer of breast	272	-	-	-	-	-	-	-	-	-	1	8	10	22	34	35	34	27	46	29	15	7	3	1	-	-	-	
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	221	-	-	-	-	-	-	-	-	-	1	6	7	15	28	30	28	20	36	26	14	6	3	1	-	-	-	
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	47	-	-	-	-	-	-	-	-	-	2	3	6	6	5	6	6	6	10	3	-	-	-	-	-	-	-	-
45, 47, 51-55	Cancer (other sites)	1,075	1	1	5	1	-	6	7	7	7	18	19	42	37	56	107	132	115	147	137	115	64	54	13	1	3	1	
	White—M	625	-	1	3	1	-	4	3	1	7	12	12	24	19	29	53	70	68	83	89	80	32	20	11	1	1	1	
	White—F	297	1	-	2	-	-	2	3	5	-	4	6	8	7	16	35	34	27	41	35	28	28	13	2	-	-	-	
	Nonwhite—M	105	-	-	-	-	-	1	1	-	-	-	7	7	9	4	12	20	15	16	9	5	3	1	-	-	-	-	
	Nonwhite—F	48	-	-	-	-	-	-	-	-	2	-	-	3	2	7	7	8	5	7	4	2	1	-	-	-	-	-	
58	Acute rheumatic fever	36	-	-	-	-	-	8	5	2	3	4	-	2	3	1	-	1	2	3	-	2	2	-	-	-	-	-	
	White—M	14	-	-	-	-	-	3	2	2	-	1	-	1	2	-	-	-	-	1	1	1	-	-	-	-	-	-	
	White—F	8	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite—M	6	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite—F	10	-	-	-	-	-	2	3	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	
61	Diabetes mellitus	466	1	-	-	-	-	1	9	4	3	6	6	9	14	19	24	46	66	81	70	70	23	11	4	-	-	-	
	White—M	174	-	-	-	-	-	1	1	1	2	2	3	3	7	7	11	21	21	31	22	29	10	4	1	-	-	-	
	White—F	212	1	-	-	-	-	1	5	3	3	3	3	3	6	5	13	31	31	42	43	35	13	4	1	-	-	-	
	Nonwhite—M	28	-	-	-	-	-	1	1	-	1	1	1	1	1	1	2	2	7	7	4	4	1	1	1	1	1	1	
	Nonwhite—F	57	-	-	-	-	-	2	2	1	2	1	2	2	6	4	6	10	6	8	4	2	-	1	2	-	-	-	
63b	Exophthalmic goiter	47	-	-	-	-	-	-	-	-	1	-	1	3	7	3	5	7	7	5	4	3	-	-	-	-	-	-	
	White—M	6	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	
	White—F	33	-	-	-	-	-	-	-	-	-	-	-	1	5	2	3	4	6	5	4	3	-	-	-	-	-	-	
	Nonwhite—M	8	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)	59	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	4	2	13	13	13	3	4	2	-	-	-	
	White—M	14	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4	6	3	-	-	-	-	-	-	
	White—F	41	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	2	8	6	10	3	4	1	-	-	-	
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
77	Alcoholism (obstinate)	31	-	-	-	-	-	-	-	2	1	2	6	5	4	4	5	1	-	-	-	1	-	-	-	-	-	-	
	White—M	22	-	-	-	-	-	-	-	1	1	1	2	2	3	3	5	1	-	-	-	1	-	-	-	-	-	-	
	White—F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	6	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin	2,984	5	1	-	-	-	3	2	10	11	23	36	65	118	184	236	312	460	509	493	294	163	45	14	8	2	2	
	White—M	1,179	2	-	-	-	-	1	1	7	6	4	14	19	41	56	72	118	192	224	219	114	71	12	6	-	-	-	
	White—F	1,133	2	1	-	-	-	1	1	2	1	9	6	22	28	58	78	108	178	192	190	147	77	26	5	1	-	-	
	Nonwhite—M	311	-	-	-	-	-	1	-	-	1	6	6	13	20	32	38	40	42	46	35	16	7	3	2	1	-	-	
	Nonwhite—F	361	1	-	-	-	-	1	-	1	3	4	10	12	29	38	48	46	48	47	39	15	8	4	1	6	-	-	
90-95	Diseases of the heart	7,064	4	4	4	1	1	16	16	21	31	38	70	127	191	314	461	643	788	1,027	1,071	1,015	637	420	134	23	5	2	
	White—M	3,437	1	2	-	-	1	8	5	8	10	15	29	63	85	148	232	343	407	525	522	497	280	192	57	5	1	1	
	White—F	2,251	2	2	4	-	-	7	8	7	14	7	22	19	41	51	66	114	166	327	399	408	285						

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,
(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated			
97, 102	TENNESSEE—Con. Arteriosclerosis and high blood pressure* White—M— F— Nonwhite—M— F—	362 165 120 39 38	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 - - - -	- - - - -	- - - - -	- - - - -	2 1 1 - 2	4 1 1 - 1	7 9 5 2 3	16 9 5 1 6	13 3 5 3 6	22 10 15 7 4	45 18 22 6 5	55 25 22 7 2	72 42 17 20 3	49 25 17 3 4	52 24 20 3 5	20 8 11 - 1	3 9 2 - -	1 - - - -	- - - - -		
107-109, 33	Pneumonia (all forms) and influenza White—M— F— Nonwhite—M— F—	1,642 611 589 253 189	336 130 118 49 39	46 17 20 7 2	19 6 6 2 4	11 1 2 3 1	8 2 3 1 1	11 6 3 2 2	9 2 3 6 2	14 3 3 6 2	18 8 3 4 2	29 9 8 7 10	19 7 3 4 7	27 5 9 12 6	37 8 10 17 12	61 24 8 11 13	56 15 13 9 16	60 22 21 25 17	91 35 37 21 17	109 55 73 31 21	162 85 91 17 10	203 82 54 31 7	137 63 60 13 7	116 51 54 15 2	40 18 16 4 2	13 2 8 2 1	10 1 4 2 3	- - - - -
107	Bronchopneumonia White—M— F— Nonwhite—M— F—	655 245 247 95 70	204 85 67 33 21	24 4 14 4 2	7 2 3 - 2	3 - 2 3 1	5 - 1 1 1	4 2 - 1 2	6 - 2 3 -	4 - 2 2 1	7 - 1 3 4	11 3 2 2 1	7 4 - 2 -	8 5 2 3 4	9 4 2 8 5	14 5 2 3 6	20 6 5 6 5	19 7 9 5 6	27 7 26 4 6	27 21 31 5 6	55 38 26 3 4	73 38 21 21 1	45 20 21 3 1	46 18 26 2 -	23 8 12 2 1	4 1 2 1 -	3 1 2 1 -	- - - - -
108	Loobar pneumonia White—M— F— Nonwhite—M— F—	539 204 174 97 64	52 19 14 5 7	12 7 4 1 1	3 1 - 1 1	5 1 - - -	4 3 - - -	2 1 1 1 -	5 2 2 1 1	7 2 2 3 4	13 4 2 2 5	9 2 3 2 5	12 4 5 7 8	17 7 3 8 4	22 5 3 6 7	22 6 3 8 5	26 13 17 11 4	39 19 29 7 7	41 19 35 11 13	76 35 26 35 13	78 20 19 7 7	49 9 16 2 2	27 6 2 1 -	9 8 2 1 -	5 6 4 1 -	3 - - - -	- - - - -	
109	Pneumonia (un-specified) White—M— F— Nonwhite—M— F—	96 47 34 8 9	27 11 10 2 4	5 3 2 - -	1 1 1 - -	3 - 1 - -	1 - - - -	- - - - -	1 - - - -	1 - - - -	- - - - -	- - - - -	2 2 2 - -	4 5 1 1 -	7 1 1 - -	2 1 1 - -	1 3 2 - -	4 2 3 - -	5 1 2 - -	7 3 3 - -	11 7 3 - 1	8 5 2 - -	1 1 1 - -	- - - - -	1 - - - -	- - - - -		
33	Influenza White—M— F— Nonwhite—M— F—	350 115 134 55 46	53 18 19 9 7	5 3 2 2 1	8 2 1 1 -	- 1 - - -	1 1 - - -	3 1 - - -	5 - 2 - -	4 2 1 - -	4 2 1 - -	3 2 1 - -	5 7 2 3 4	7 4 2 5 3	18 7 3 5 6	12 2 3 2 6	14 6 5 7 2	20 5 15 9 8	37 8 26 1 2	26 15 15 1 3	45 15 24 3 3	32 15 11 4 2	35 17 16 1 1	7 4 2 1 -	4 1 2 1 -	5 - 2 - -	- - - - -	
117	Ulcer of stomach or duodenum White—M— F— Nonwhite—M— F—	149 94 19 24 12	- - - - -	- - - - -	1 - - - -	- - - - -	- - - - -	- - - - -	1 - - - -	4 2 - - -	7 6 - - -	4 1 - - -	7 3 2 4 3	12 9 2 4 3	14 6 1 4 3	17 10 5 2 2	16 11 3 2 2	22 15 3 2 2	20 15 3 2 1	7 4 2 2 1	9 5 2 - -	6 4 2 - -	2 2 - - -	- - - - -	- - - - -	- - - - -		
119, 120	Diarrhea, enteritis, etc.* White—M— F— Nonwhite—M— F—	196 72 69 23 32	131 55 35 20 23	13 5 4 2 2	3 2 1 - -	1 1 1 - -	1 - 1 - -	1 1 1 - -	1 - 1 - -	1 - 1 - -	4 - 2 - -	4 1 1 - -	2 - 2 - -	3 - 2 - -	5 1 - - -	1 1 1 - -	2 1 3 - -	3 1 1 - -	3 2 3 - -	6 2 1 - -	3 2 1 - -	8 2 6 - -	4 1 4 - -	1 1 1 - -	- - - - -	- - - - -		
121	Appendicitis White—M— F— Nonwhite—M— F—	106 51 27 13 15	1 1 - - -	- - - - -	1 3 1 - -	4 1 1 - -	2 2 1 - -	6 7 2 - -	10 7 2 - -	4 3 1 - -	5 2 3 - -	5 1 3 - -	7 4 1 - -	6 4 1 - -	8 3 2 - -	9 3 2 - -	6 5 4 - -	6 3 3 - -	8 3 3 - -	6 3 4 - -	6 3 3 - -	1 2 3 - -	2 1 4 - -	1 1 1 - -	- - - - -	- - - - -		
122	Hernia, intestinal obstruction White—M— F— Nonwhite—M— F—	185 71 67 22 25	14 9 2 - 3	1 - 1 - -	2 - 1 - -	- 1 - - -	2 1 - - -	- 1 - - -	2 1 - - -	2 3 1 - -	7 4 8 2 2	16 - 3 3 2	8 5 6 3 5	14 3 3 2 3	10 5 2 2 5	11 4 5 2 3	14 5 6 1 3	15 7 11 1 1	27 10 8 3 3	18 9 11 1 1	13 5 6 - -	5 3 2 - -	2 2 1 - -	- - - - -	- - - - -	- - - - -		
124	Cirrhosis of the liver White—M— F— Nonwhite—M— F—	174 114 33 13 14	- - - - -	- - - - -	- - - - -	- - - - -	1 1 - - -	- - - - -	1 2 - - -	3 2 - - -	5 8 5 - -	13 17 3 - -	21 9 3 - -	15 9 1 - -	9 4 1 - -	19 11 4 - -	28 20 7 - -	23 14 4 - -	14 9 7 - -	15 11 4 - -	7 5 2 - -	2 1 1 - -	- - - - -	- - - - -	- - - - -			
126, 127	Biliary calculi, etc.* White—M— F— Nonwhite—M— F—	80 20 55 3 2	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -		
130-132	Nephritis White—M— F— Nonwhite—M— F—	1,654 626 494 271 263	2 - - - -	1 - 1 - -	2 - - - -	- - - - -	1 1 - - -	7 2 3 2 6	8 2 6 5 1	18 6 3 2 6	9 8 5 9 1	29 8 11 6 6	35 14 15 10 10	53 9 17 5 14	85 24 17 17 27	107 29 35 31 30	137 53 31 21 28	135 48 48 43 25	198 76 64 40 29	242 108 89 50 30	258 105 77 30 34	174 73 44 15 11	100 55 38 11 7	38 12 18 4 2	12 4 4 2 2	2 - - - -	2 - - - -	- - - - -
137	Diseases of the prostate White—M— Nonwhite—M—	167 157 30	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 1	2 1 1	5 4 4	8 3 4	7 3 3	13 7 11	7 4 9	13 9 4	5 1 4	1 1 3	1 1 1	1 1 1	- - -	- - -	- - -	- - -

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
TENNESSEE—Con.																												
140-150	Diseases of pregnancy, etc.—F—	150	-	-	-	-	-	-	1	20	37	39	21	25	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	106	-	-	-	-	-	-	-	15	29	24	15	19	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	44	-	-	-	-	-	-	1	5	8	15	6	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicaemia—F—	45	-	-	-	-	-	-	-	5	8	16	8	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	32	-	-	-	-	-	-	-	3	8	11	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	13	-	-	-	-	-	-	-	2	-	5	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia—F—	50	-	-	-	-	-	-	-	11	17	8	3	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	34	-	-	-	-	-	-	-	8	11	6	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	16	-	-	-	-	-	-	-	3	6	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—F—	40	-	-	-	-	-	-	-	4	8	12	8	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	32	-	-	-	-	-	-	-	4	8	7	7	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	8	-	-	-	-	-	-	-	-	-	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes—F—	15	-	-	-	-	-	-	1	-	4	5	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F—	8	-	-	-	-	-	-	-	-	2	2	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	7	-	-	-	-	-	-	1	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—M—	402	349	13	4	4	2	6	2	7	3	1	3	2	1	3	2	-	1	-	-	-	-	-	-	-	-	-
	White—M—	210	189	4	1	1	-	4	2	2	1	-	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F—	144	121	6	2	2	2	1	-	4	2	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	30	22	2	1	1	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F—	18	16	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—M—	1,591	1,591	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	780	780	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	520	520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—M—	1,007	1,007	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	479	479	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	327	327	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159, 160, 161	Other diseases peculiar to first year—M—	584	584	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	301	301	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide—M—	246	-	-	-	-	-	-	-	7	17	27	20	23	24	24	22	26	15	21	6	8	4	2	-	-	-	-
	White—M—	179	-	-	-	-	-	-	-	4	12	17	13	17	20	15	15	19	11	17	5	8	4	2	-	-	-	-
	F—	52	-	-	-	-	-	-	-	2	4	9	7	1	4	7	5	5	4	3	1	-	-	-	-	-	-	-
	Nonwhite—M—	13	-	-	-	-	-	-	-	1	1	1	-	5	-	2	2	2	-	1	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide—M—	374	2	-	-	-	-	1	17	51	72	57	53	43	26	10	17	10	8	1	4	1	-	-	-	-	-	1
	White—M—	159	-	-	-	-	-	1	5	11	26	19	17	21	11	5	7	6	5	-	3	1	-	-	-	-	-	1
	F—	17	1	-	-	-	-	-	-	2	2	2	2	1	3	1	2	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	178	1	-	-	-	-	-	8	31	35	32	25	16	12	4	7	3	3	-	1	-	-	-	-	-	-	-
	F—	40	-	-	-	-	-	-	4	7	9	4	9	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths—M—	1,910	84	27	24	30	18	58	59	142	180	141	105	107	104	83	84	93	76	90	115	115	78	64	28	5	1	1
	White—M—	1,094	34	17	10	11	6	35	34	97	146	106	79	72	70	45	59	50	41	40	51	41	25	16	6	2	1	1
	F—	489	25	7	9	11	5	12	10	28	15	22	14	13	10	12	9	15	19	29	44	85	46	44	21	3	-	-
	Nonwhite—M—	227	14	2	4	3	2	7	13	11	16	8	8	16	25	20	11	22	12	13	9	7	5	1	-	-	-	-
	F—	101	11	1	1	5	3	4	2	6	3	5	4	6	1	6	6	6	4	8	11	2	2	3	1	-	-	-
170	Motor-vehicle accidents—M—	686	2	2	8	5	5	27	33	74	107	66	49	48	30	36	36	31	31	29	36	18	7	5	1	-	-	-
	White—M—	476	2	1	4	2	1	18	19	56	80	51	39	32	21	20	25	17	15	16	23	16	4	3	1	-	-	-
	F—	120	-	1	3	2	3	4	9	16	10	10	6	8	4	6	4	7	9	7	7	1	2	1	-	-	-	-
	Nonwhite—M—	74	-	-	1	1	-	4	5	1	6	3	6	5	8	6	5	7	6	4	1	1	1	1	1	-	-	-
	F—	16	-	-	-	-	1	1	-	1	1	2	1	2	-	2	-	2	-	-	2	-	-	-	-	-	-	-
169, 171-195	Other accidents—M—	1,224	82	25	16	25	11	31	26	68	73	75	56	59	74	47	49	62	45	61	79	97	71	59	27	5	1	1
	White—M—	618	32	16	6	9	5	17	15	41	56	55	40	40	48	25	33	35	26	24	28	25	21	13	5	2	1	1
	F—	568	25	6	6	9	2	8	1	12	5	12	8	5	6	6	5	8	10	22	37	64	44	43				

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100 and over	Not stated
			1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99			
	TEXAS																											
	ALL CAUSES-----	62,662	8,161	596	339	214	159	513	423	1,005	1,506	1,421	1,519	1,955	2,435	3,088	3,845	4,440	4,986	5,941	6,236	5,719	3,935	2,684	1,015	295	79	159
	White-----M--	30,628	3,907	257	144	100	77	246	208	481	735	679	658	875	1,098	1,409	1,866	2,349	2,723	3,110	3,141	2,842	1,914	1,191	404	108	22	94
	White-----F--	21,352	2,930	261	132	87	55	182	124	321	459	401	476	549	680	824	922	1,185	1,458	1,897	2,311	2,297	1,709	1,340	527	154	27	44
	Nonwhite--M--	5,790	716	45	33	13	15	48	56	114	160	181	205	257	335	436	594	502	438	502	449	337	162	91	39	13	9	20
	Nonwhite--F--	4,892	609	33	30	14	12	37	35	89	132	160	180	272	320	419	461	404	367	432	335	243	150	62	45	20	21	11
1,2	Typhoid and paratyphoid fever--																											
	White-----M--	32	1	-	-	1	-	2	2	3	3	1	1	3	5	2	3	2	-	3	-	-	-	-	-	-	-	-
	White-----F--	13	-	-	-	1	-	1	-	2	1	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	1	-	1	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	-	-	-	-	-	1	1	-	1	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis--																											
	White-----M--	35	9	4	2	-	-	3	2	3	-	-	1	-	-	2	1	2	1	2	2	1	-	-	-	-	-	-
	White-----F--	14	3	2	2	-	-	1	1	3	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	6	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-
	Nonwhite--F--	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--																											
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--																											
	White-----M--	199	158	23	7	2	1	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	72	58	6	3	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	67	50	11	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	27	23	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	33	27	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria--																											
	White-----M--	76	13	13	15	13	8	10	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	33	6	6	7	6	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	3	4	3	6	2	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	2	3	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----																											
	White-----M--	2,791	37	26	19	9	9	11	28	182	300	252	254	252	214	221	207	231	151	160	108	87	29	17	5	1	-	5
	White-----F--	1,343	22	10	8	6	7	6	15	52	80	80	83	100	107	128	132	146	99	114	68	50	17	6	3	1	-	2
	Nonwhite--M--	288	13	15	6	3	2	4	15	63	141	118	120	89	63	56	42	54	31	34	23	26	12	10	2	-	-	2
	Nonwhite--F--	210	1	1	2	-	-	3	18	41	28	17	24	14	16	10	12	8	2	5	4	-	1	-	-	-	-	1
13	Tuberculosis of respiratory system, etc.*--																											
	White-----M--	2,629	17	11	6	1	2	5	20	158	291	239	250	241	309	211	200	217	150	155	104	85	29	17	5	1	-	5
	White-----F--	1,276	12	6	2	1	1	3	4	51	89	75	85	97	106	124	129	140	99	109	67	49	17	6	3	1	-	2
	Nonwhite--M--	313	5	5	2	1	1	1	13	61	139	114	118	65	61	55	39	50	31	34	27	26	12	10	2	-	-	1
	Nonwhite--F--	241	-	-	1	-	-	1	9	25	23	33	36	28	15	22	16	12	10	5	5	6	-	-	-	-	-	-
	Nonwhite--F--	199	-	-	1	-	-	2	17	40	27	16	23	14	17	10	11	8	2	5	4	-	1	-	-	-	-	1
14-22	Tuberculosis (other forms)-----																											
	White-----M--	162	20	15	13	8	7	6	6	4	9	13	4	11	5	10	7	14	1	5	2	2	-	-	-	-	-	-
	White-----F--	67	10	4	6	6	3	3	3	1	1	1	1	1	1	1	1	3	6	5	1	1	1	1	1	1	1	1
	Nonwhite--M--	56	6	10	4	3	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	Nonwhite--F--	28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Nonwhite--F--	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Dysentery--																											
	White-----M--	286	202	21	6	6	1	2	-	-	2	-	1	3	8	1	4	6	5	5	7	3	5	-	-	-	-	-
	White-----F--	141	103	9	3	3	1	1	-	-	1	-	1	2	5	1	2	2	2	2	2	5	3	3	1	1	1	1
	Nonwhite--M--	116	85	11	2	2	1	1	-	-	-	-	1	2	5	1	2	2	2	2	2	2	2	2	2	2	2	2
	Nonwhite--F--	19	10	1	1	1	-	-	-	-	-	-	-	3	-	-	-	1	1	1	1	2	1	1	1	1	1	1
	Nonwhite--F--	10	4	-																								

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age groups																	100 and over	Not stated						
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
TEXAS-Cont.																												
45-55	Cancer and other malignant tumors	6,823	5	7	7	7	5	20	11	33	40	56	114	250	541	949	701	767	802	936	869	675	373	192	55	14	2	7
	White-M	2,922	2	1	4	3	3	10	7	15	23	20	29	60	91	155	279	327	361	440	436	350	194	90	24	6	-	2
	F	5,024	3	4	-	3	1	10	2	14	12	28	64	125	189	277	290	321	344	405	360	274	172	90	25	7	-	4
	Nonwhite-M	396	-	-	-	-	-	1	3	4	2	6	13	16	37	62	57	51	58	41	22	9	6	5	-	-	-	1
	F	461	-	-	3	1	1	-	1	1	1	6	15	32	45	80	70	62	48	33	32	29	13	6	1	1	-	-
46	Cancer of the digestive organs and peritoneum	2,565	-	-	-	-	1	2	2	2	8	15	25	53	80	153	225	308	315	425	378	167	71	22	5	-	-	3
	White-M	1,226	-	-	-	-	1	1	2	1	6	4	10	19	28	60	118	144	166	204	195	151	73	32	6	4	-	1
	F	1,004	-	-	-	-	1	1	1	1	6	1	13	23	35	51	57	108	112	164	147	131	65	34	13	1	-	1
	Nonwhite-M	190	-	-	-	-	-	-	-	1	2	1	1	5	8	19	34	33	22	29	19	8	3	2	3	-	-	1
	F	145	-	-	-	-	-	-	-	-	1	1	6	9	23	23	15	15	8	17	17	6	3	3	-	-	-	-
48,49	Cancer of female genital organs	913	-	-	-	-	-	-	-	3	3	14	21	65	90	128	129	106	98	102	66	51	20	13	3	1	1	1
	White-F	733	-	-	-	-	-	-	-	3	2	11	13	50	68	99	99	81	80	89	63	45	15	11	3	-	-	1
	Nonwhite-F	180	-	-	-	-	-	-	-	-	1	3	9	15	22	29	30	25	15	3	6	5	2	-	-	-	-	-
50	Cancer of breast	522	-	-	-	-	-	-	-	-	-	-	-	2	20	30	60	78	66	59	57	47	49	23	14	1	1	1
	White-M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	462	-	-	-	-	-	-	-	-	-	-	-	1	18	24	53	67	54	53	44	46	22	12	15	1	1	1
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	56	-	-	-	-	-	-	-	-	-	1	1	6	7	11	12	5	3	3	3	1	2	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,823	5	7	7	7	4	18	9	28	29	27	48	82	111	190	261	294	354	362	378	284	177	94	29	7	1	2
	White-M	1,692	2	1	4	3	2	9	5	14	17	16	18	41	63	95	161	182	193	236	241	199	111	58	16	2	-	1
	F	825	3	4	-	3	1	9	2	10	9	10	20	28	33	60	80	79	100	88	104	76	60	32	8	5	-	1
	Nonwhite-M	206	-	-	-	-	-	1	3	3	-	5	8	9	18	28	24	29	29	22	14	6	4	2	-	-	-	-
	F	100	-	-	3	1	1	-	1	1	-	1	5	5	7	17	12	9	9	9	5	-	-	-	-	-	-	-
58	Acute rheumatic fever	36	1	-	1	1	-	4	6	5	4	3	1	2	-	1	1	-	-	2	1	1	-	-	-	-	-	-
	White-M	11	-	-	-	-	-	2	2	1	2	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	6	-	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	3	1	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	1,092	5	1	2	1	-	4	10	13	8	18	14	14	29	55	57	127	149	171	184	123	69	35	2	-	-	1
	White-M	436	-	1	1	-	-	1	3	3	1	9	3	8	11	18	23	53	60	66	73	53	35	12	2	-	-	-
	F	511	3	-	1	1	-	2	4	8	5	7	3	6	18	23	48	70	86	102	64	32	21	-	-	-	-	-
	Nonwhite-M	48	-	-	-	-	-	2	2	1	2	1	2	1	4	1	10	8	7	4	2	1	1	1	-	-	-	1
	F	97	2	-	-	-	-	1	1	1	2	3	1	11	15	10	16	11	12	5	4	1	1	-	-	-	-	-
65b	Exophthalmic goiter	44	-	-	-	-	-	2	1	1	2	2	2	5	5	2	4	7	6	4	4	1	-	-	-	-	-	-
	White-M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F	28	-	-	-	-	-	1	1	1	1	1	2	2	3	2	4	4	3	3	3	-	-	-	-	-	-	-
	Nonwhite-M	6	-	-	-	-	-	1	1	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	1	1	1	1	-	-	-	-	-	-
69	Pellagra (except alcoholic)	122	-	1	-	-	-	-	-	1	-	1	2	1	3	5	8	13	10	12	14	27	12	10	2	-	-	-
	White-M	33	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	6	3	6	4	5	1	-	-	-
	F	59	-	-	-	-	-	-	-	1	-	-	-	-	-	-	5	4	4	3	9	19	7	5	1	-	-	-
	Nonwhite-M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	1	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	1	1	-	3	4	2	4	2	3	2	1	1	-	-	-	-	-
77	Alcoholism (ethylien)	77	-	-	-	-	-	-	-	1	4	1	5	13	16	12	7	5	7	4	4	-	-	-	-	-	-	-
	White-M	51	-	-	-	-	-	-	-	1	1	1	4	8	10	6	7	4	5	4	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	1	1	1	2	5	4	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite-M	12	-	-	-	-	-	-	-	1	2	-	-	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	5,324	14	1	3	1	1	6	4	7	13	21	29	58	152	257	342	468	587	738	851	750	534	359	116	24	4	5
	White-M	2,165	6	1	-	-	1	4	2	2	6	9	12	16	35	77	92	190	255	319	366	340	223	154	49	7	1	1
	F	2,050	6	-	3	1	-	1	2	4	4	4	9	14	57	85	110	150	205	248	320	334	261	189	54	10	3	2
	Nonwhite-M	486	-	-	-	-	-	1	-	1	-	-	5	9	18	38	65	61	73	82	40	25	10	5	3	-	-	2
	F	623	2	-	-	-	-	-	-	-	3	3	3	19	44	77	75	67	66	98	85	36	25	5	9	4	2	2
90-95	Diseases of the heart	15,803	16	8	2	2	5	13	20	40	63	78	135	255	507	805	1,193	1,436	1,756	2,216	2,501	2,112	1,583	891	292	76	13	18
	White-M	8,839	10	4	1	-	4	8	14	19	27	54	126	283	449	698	910	1,121	1,312	1,232	1,116	685	412	117	26	3	8	
	F	4,764	3	4	1	1	4	6	6	17	28	38	59	85	145	177	256	415	611	83								

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,
(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 to 100 and over	Not stated	
	UFAH																											
	ALL CAUSES-----	4,996	545	34	23	20	15	56	54	85	86	90	92	124	153	198	266	320	408	507	558	552	457	262	79	17	1	4
	White-----M----	2,897	326	17	15	9	7	40	30	57	48	60	56	72	94	121	161	200	259	304	320	283	240	134	41	1	-	2
	White-----F----	1,975	205	15	7	11	6	14	23	25	31	23	33	50	58	60	98	113	139	187	225	263	211	127	37	13	1	-
	Nonwhite-M----	89	9	1	1	-	1	-	1	3	5	7	1	1	-	3	2	6	9	11	12	5	5	1	1	2	-	2
	Nonwhite-F----	35	5	1	-	-	1	2	-	2	-	-	2	1	1	4	5	1	1	5	1	1	1	-	-	1	-	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M----	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F----	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Scarlet fever	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M----	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	1	-	-	2	3	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M----	7	-	-	-	-	1	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F----	3	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	80	1	1	-	1	1	1	1	3	4	3	5	4	5	10	8	9	7	7	5	6	3	-	-	-	-	-
	White-----M----	55	-	-	-	-	-	-	-	-	2	1	2	4	5	7	8	8	6	6	4	2	1	-	-	-	-	-
	White-----F----	13	-	1	-	-	-	-	-	1	1	2	1	1	1	3	-	-	-	-	1	2	1	-	-	-	-	-
	Nonwhite-M----	11	1	-	-	1	1	1	-	2	2	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	Nonwhite-F----	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.	76	1	-	-	1	1	1	1	3	3	3	5	4	5	10	7	9	7	7	5	4	3	-	-	-	-	-
	White-----M----	54	-	-	-	-	-	-	-	-	2	1	1	4	4	5	7	8	6	6	5	4	1	-	-	-	-	-
	White-----F----	11	-	-	-	-	-	-	1	1	1	2	1	1	1	3	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite-M----	10	1	-	-	1	1	1	-	2	1	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-
	Nonwhite-F----	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	4	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White-----M----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F----	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M----	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M----	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	22	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	6	4	2	-	-	-	-	-	-	-	-
	White-----M----	15	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	3	3	1	-	-	-	-	-	-	-	-
	White-----F----	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite-M----	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite-F----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M----	1	-	1																								

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UFAH—Con.																											
45-55	Cancer and other malignant tumors	946	-	-	1	1	-	3	2	1	6	5	12	16	33	39	55	64	94	77	60	53	12	4	1	-	-	
	White—M—	265	-	-	1	-	-	3	-	-	3	5	1	4	3	10	9	25	36	52	43	31	31	7	-	-	-	
	White—F—	273	-	-	-	1	-	-	2	1	3	1	4	6	13	21	30	29	27	40	35	29	22	5	1	-	-	
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	
	Nonwhite—F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	
46	Cancer of the digestive organs and peritoneum—	245	-	-	-	-	-	-	-	1	-	-	3	1	12	11	22	32	48	42	31	35	4	2	1	-	-	
	White—M—	142	-	-	-	-	-	-	-	1	-	-	1	1	7	1	14	23	28	27	15	21	3	2	1	-	-	
	White—F—	99	-	-	-	-	-	-	-	-	-	-	2	-	4	10	7	8	20	14	16	14	1	2	1	-	-	
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
48,49	Cancer of female genital organs—	70	-	-	-	-	-	-	1	-	1	-	4	3	7	5	8	9	9	8	6	6	1	2	-	-	-	
	White—F—	69	-	-	-	-	-	-	1	-	1	-	4	3	7	5	8	9	9	7	6	6	1	2	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
50	Cancer of breast—	54	-	-	-	-	-	-	-	-	-	-	-	3	5	7	6	8	4	11	5	2	3	-	-	-	-	
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	White—F—	53	-	-	-	-	-	-	-	-	-	-	3	5	7	6	8	4	10	5	2	3	-	-	-	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
45,47, 51-55	Cancer (other sites)—	176	-	-	1	1	-	3	1	1	4	6	1	3	3	9	14	16	19	27	24	21	14	6	2	-	-	
	White—M—	122	-	-	1	-	-	3	1	1	4	5	1	3	3	8	8	11	13	23	18	16	10	4	1	-	-	
	White—F—	52	-	-	1	-	-	1	1	1	2	1	-	-	1	5	8	5	6	3	8	5	4	2	1	-	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
59	Acute rheumatic fever—	7	-	-	-	1	-	1	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	4	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	3	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus—	97	-	-	-	-	1	1	1	1	2	2	3	1	-	2	12	15	20	15	8	12	2	2	-	-	-	
	White—M—	41	-	-	-	-	1	1	1	1	2	2	1	1	-	1	2	10	6	4	2	6	1	-	-	-		
	White—F—	54	-	-	-	-	-	-	-	-	-	1	2	1	-	1	10	4	12	11	5	8	1	-	-	-		
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
65b	Exophthalmic goiter—	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	2	3	1	-	-	-	-	-	
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	White—F—	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	2	2	1	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Alcoholism (other)—	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	-	-	-	-	-	-	-	-	
	White—M—	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	2	-	-	-	-	-	-	-	-	
	White—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin—	360	-	-	-	-	-	-	1	1	1	1	3	11	5	14	28	41	28	54	77	65	21	8	1	-	-	
	White—M—	174	-	-	-	-	-	1	1	1	1	1	3	11	5	1	7	15	21	16	27	33	10	1	-	-		
	White—F—	178	-	-	-	-	-	1	1	1	1	2	5	4	6	13	19	12	25	42	29	11	7	1	-	-		
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	-		
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-		
90-95	Diseases of the heart—	1,554	-	-	1	-	-	2	8	6	9	8	19	24	50	61	107	106	153	222	244	233	171	98	28	2	1	
	White—M—	921	-	-	1	-	-	1	3	5	3	4	8	9	33	43	71	76	108	139	141	114	88	55	17	-	1	
	White—F—	612	-	-	-	-	-	1	5	1	6	4	11	15	17	18	34	28	43	76	100	117	80	43	11	1	1	
	Nonwhite—M—	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	3	2	-	-	-	-	-	
	Nonwhite—F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart—	147	-	-	1	-	-	2	7	5	7	4	9	14	9	17	10	7	8	14	11	12	8	2	-	-		
	White—M—	66	-	-	1	-	-	1	2	4	2	2	4	2	4	6	5	4	4	6	7	8	3	2	-	-		
	White—F—	77	-	-	-	-	-	1	5	1	5	2	5	12	5	11	4	4	3	6	4	4	5	-	-	-		
	Nonwhite—M—	3</																										

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	UTAH—Con.																												
140-150	Diseases of pregnancy, etc.*	17	-	-	-	-	-	-	-	-	2	5	3	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	17	-	-	-	-	-	-	-	-	2	5	3	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145a, 147	Puerperal septicemia	9	-	-	-	-	-	-	-	-	3	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	9	-	-	-	-	-	-	-	-	3	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141a, c, 144, 148	Puerperal toxemia	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, c, f, 148b, 150	Other puerperal causes	3	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—F	3	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	112	97	4	2	1	-	2	1	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	
	White—M	67	58	2	2	1	-	2	1	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
	F	43	37	2	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year	351	351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth	207	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
156, 160, 161	Other diseases peculiar to first year	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White—M	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163, 164	Suicide	50	-	-	-	-	-	-	-	3	7	4	3	5	5	5	5	3	3	5	1	-	-	1	-	-	-	-	
	White—M	39	-	-	-	-	-	-	-	1	2	4	3	5	3	4	5	3	2	5	1	-	-	1	-	-	-	-	
	F	9	-	-	-	-	-	-	-	2	4	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-168	Homicide	12	1	-	-	-	-	-	-	-	2	2	2	1	-	1	-	-	2	-	-	1	-	-	-	-	-	-	
	White—M	5	1	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M	5	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
169-195	Accidental deaths	471	8	11	12	8	6	19	24	30	35	29	28	29	20	32	21	24	23	17	20	19	17	12	4	1	2		
	White—M	340	5	5	7	2	4	16	15	37	31	21	27	22	19	28	14	21	16	11	14	9	6	7	2	-	1		
	F	121	3	6	4	6	2	3	9	12	4	5	1	6	1	3	6	3	7	5	6	10	11	5	2	-	1		
	Nonwhite—M	8	-	-	1	-	-	-	-	1	-	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-		
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
170	Motor-vehicle accidents	177	1	-	4	4	1	12	8	26	20	9	7	13	8	13	14	9	8	6	7	-	5	1	-	-	1		
	White—M	132	-	2	2	1	9	5	19	16	8	7	9	7	10	11	7	7	5	5	5	-	2	1	-	-	1		
	F	45	1	-	2	2	-	3	3	7	4	1	-	4	1	2	2	2	3	1	2	-	3	-	-	-	1		
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
169, 171-195	Other accidents	294	7	11	8	4	5	7	16	24	15	20	16	21	12	19	7	15	15	11	13	19	12	11	4	1	1		
	White—M	208	5	5	5	-	3	7	10	18	15	13	20	13	12	18	3	14	11	6	9	9	4	6	2	-	1		
	F	78	2	6	2	4	2	-	6	5	-	4	1	2	-	1	4	1	4	4	4	10	9	5	2	-	1		
	Nonwhite—M	7	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
162, 199, 200	Senility, ill-defined and unknown causes	154	5	1	1	-	-	1</																					

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	VERMONT																												
	ALL CAUSES-----	4,378	303	18	7	6	10	29	16	34	47	58	61	76	109	117	201	263	363	457	580	617	539	291	119	32	4	21	
	White-----M--	2,418	179	11	6	4	6	17	13	18	26	34	39	50	69	78	133	162	209	287	305	354	233	128	48	9	-	18	
	White-----F--	1,958	124	7	1	2	2	12	3	16	21	24	21	26	40	39	68	100	153	167	275	282	308	163	71	23	4	3	
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
1,2	Typhoid and paratyphoid fever																												
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Cerebrospinal (meningococcus) meningitis																												
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Scarlet fever																												
	White-----M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	Whooping cough																												
	White-----M--	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	Diphtheria																												
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13-22	Tuberculosis (all forms)																												
	White-----M--	119	-	-	-	-	2	-	1	4	8	4	5	19	9	10	11	13	11	10	10	1	1	-	-	-	-	-	
	White-----F--	87	-	-	-	-	-	1	-	4	4	2	5	14	9	9	9	10	9	8	8	1	1	-	-	-	-	-	
	Nonwhite--M--	32	-	-	-	-	2	-	-	4	4	2	-	5	-	1	2	3	2	4	2	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	Tuberculosis of respiratory system, etc.*																												
	White-----M--	114	-	-	-	-	-	-	1	4	6	4	5	19	9	9	11	13	11	8	10	1	1	-	-	-	-	-	
	White-----F--	86	-	-	-	-	-	-	1	4	4	2	5	14	9	8	9	10	9	6	8	1	1	-	-	-	-	-	
	Nonwhite--M--	28	-	-	-	-	-	-	-	4	4	2	-	5	-	1	2	3	2	2	2	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14-22	Tuberculosis (other forms)																												
	White-----M--	5	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	Dysentery																												
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	Malaria																												
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30	Syphilis																												
	White-----M--	12	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	3	3	-	1	-	-	-	-	-	
	White-----F--	10	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	3	3	-	1	-	-	-	-	-	
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35	Measles																												
	White-----M--	7	2	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	White-----F--	6	2	1	-	1	1	-	-	-	-	-																	

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age Group																	100 and over	Not stated						
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99
VERMONT—Con.																												
140-150	Diseases of pregnancy, etc.*	12	-	-	-	-	-	-	-	2	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-			
	White—F	12	-	-	-	-	-	-	-	2	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
140, 142a, 145a, 147	Puerperal septicemia	4	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
	White—F	4	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
141a, c, 144, 148	Puerperal toxemia	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-			
	White—F	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
141d, e, f, 145b, 150	Other puerperal causes	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
157	Congenital malformations	67	58	1	1	1	1	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
	White—M	36	32	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F	31	26	1	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
158-161	Diseases peculiar to first year	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—M	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
159	Premature birth	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—M	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
159, 160, 161	Other diseases peculiar to first year	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—M	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
163, 164	Suicide	50	-	-	-	-	-	-	-	2	2	3	4	4	5	4	2	3	5	4	7	5	-	-	-			
	White—M	39	-	-	-	-	-	-	-	2	2	2	3	3	4	3	2	3	3	4	4	4	-	-	-			
	White—F	11	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	3	1	-	-	-	-			
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
165-168	Homicide	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
	White—M	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
169-195	Accidental deaths	315	8	6	3	2	5	16	10	16	20	16	21	15	14	9	13	11	14	10	13	24	25	18	9	3	-	14
	White—M	212	5	3	2	1	5	14	8	10	17	15	18	12	12	8	8	8	10	5	6	11	9	10	3	-	-	12
	White—F	103	3	3	1	1	-	4	2	6	3	1	3	3	2	1	5	3	4	5	7	13	16	6	6	3	-	2
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	69	-	-	1	2	-	4	4	7	9	6	7	6	4	2	1	2	6	1	4	1	1	1	1	-	-	-
	White—M	50	-	-	1	1	-	3	2	4	8	6	5	5	3	2	-	1	5	1	1	1	1	1	1	-	-	-
	White—F	19	-	-	1	1	-	1	2	3	1	-	2	1	1	-	1	1	1	-	3	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	246	8	6	2	-	5	14	6	9	11	10	14	9	10	7	12	9	8	9	9	23	24	15	9	3	-	14
	White—M	162	5	3	2	-	5	11	6	8	9	9	13	7	9	6	8	7	5	4	5	10	8	9	3	-	-	12
	White—F	84	3	3	-	-	3	-	3	2	1	1	2	1	1	1	4	2	3	5	4	13	16	6	6	3	-	2
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes	46	6	-	-	2	-	-	-	-	-	-	-	-	1	1	2	-	1	4	4	4	6	5	5	1	2	2
	White—M	22	2	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	1	2	3	3	1	1	1	-	-	1
	White—F	24	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	3	4	2	3	1	1	
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	253	15	4	2	-	2	2	4	6	6	5	10	9	9	10	18	16	20	18	33	33	19	13	6	2	-	-
	White—M	151	9	2	2	-	1	1	1	3	3	3	5	3	3	3	13	8	10	9	19	19	7	6	4	2	-	-
	White—F	122	6	2	-	-	1	1	3	3	3	2	7	6	7	5	10	8	10	9	14	14	12	7	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	VIRGINIA																												
	ALL CAUSES-----	29,193	3,142	187	103	76	67	221	184	366	606	666	749	938	1,108	1,480	1,869	2,204	2,636	3,063	3,070	2,818	1,851	1,144	459	152	58	39	
	White---M--	11,911	1,225	70	44	27	29	73	61	150	261	256	281	352	409	541	706	898	1,101	1,336	1,546	1,273	797	469	147	45	7	8	
	White---F--	8,374	876	51	22	15	19	77	52	75	105	126	143	179	234	298	343	462	636	902	1,014	1,123	783	536	227	69	2	5	
	Nonwhite---M--	4,745	598	38	19	25	11	37	28	68	111	132	189	244	243	341	451	450	473	419	361	220	130	70	51	23	10	13	
	Nonwhite---F--	4,183	453	28	18	9	8	34	43	73	129	152	136	163	222	280	369	394	426	406	329	200	121	70	33	15	19	13	
1,2	Typhoid and paratyphoid fever---	11	1	-	-	-	1	1	1	1	2	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White---M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White---F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	3	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F--	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis-----	33	7	11	3	1	1	1	-	4	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	White---M--	12	2	3	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	14	2	6	1	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F--	5	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever---	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White---M--	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough---	60	45	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	16	12	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	15	12	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F--	19	13	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria-----	23	-	5	3	4	3	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---M--	10	-	4	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White---F--	9	-	1	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M--	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,244	10	3	4	7	3	10	11	50	120	112	102	120	103	125	100	84	82	72	58	46	11	6	2	-	-	1	
	White---M--	401	2	1	1	-	2	-	4	11	18	24	41	39	51	42	40	39	34	34	24	19	7	2	-	-	-		
	White---F--	262	2	1	-	-	2	-	6	20	31	23	18	29	16	10	14	15	17	26	22	2	5	1	-	-	-		
	Nonwhite---M--	302	4	1	2	5	2	3	3	12	28	17	34	42	20	34	28	21	21	11	4	7	2	2	1	-	-		
	Nonwhite---F--	279	2	-	1	-	1	3	8	28	61	46	21	19	15	22	20	9	7	10	4	-	-	1	-	-	-		
13	Tuberculosis of respiratory system, etc.---	1,159	4	-	1	2	2	11	45	117	105	97	110	98	122	94	81	77	70	56	48	10	6	2	-	-	1		
	White---M--	586	1	-	-	-	-	-	4	10	16	24	39	38	51	41	40	37	34	24	19	6	2	2	-	-			
	White---F--	246	1	-	-	-	-	5	20	31	22	16	29	18	9	13	12	17	25	22	2	3	1	1	-	-			
	Nonwhite---M--	267	1	-	2	1	1	3	11	28	14	30	37	19	32	25	20	21	9	3	7	2	2	1	-	-			
	Nonwhite---F--	260	1	-	1	-	1	8	25	58	42	21	16	12	21	19	8	7	10	4	-	-	1	-	-	-			
14-22	Tuberculosis (other forms)---	85	6	3	3	5	1	8	-	5	3	9	5	10	5	3	6	3	5	2	2	-	1	-	-	-	-		
	White---M--	15	1	1	1	-	-	2	-	1	2	-	2	1	-	1	-	-	2	-	-	-	1	-	-	-	-		
	White---F--	16	1	1	-	2	-	2	-	1	-	-	1	2	-	1	-	1	3	-	-	1	-	-	-	-			
	Nonwhite---M--	35	3	1	2	3	1	2	-	1	3	4	5	1	2	3	1	1	2	1	-	-	-	-	-	-			
	Nonwhite---F--	18	1	-	-	-	-	2	-	3	2	4	-	1	3	1	1	1	-	-	-	-	-	-	-	-			
27	Dysentery-----	25	9	4	-	-	-	-	-	1	-	-	2	1	1	1	2	1	2	1	-	-	1	-	-	-			
	White---M--	10	3	-	-	-	-	-	-	1	-	-	2	1	1	-	1	1	1	-	-	1	-	-	-	-			
	White---F--	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-				
	Nonwhite---M--	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-				
	Nonwhite---F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-				
28	Malaria-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-				
	White---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	White---F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	Nonwhite---M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	Nonwhite---F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-				
50	Syphilis-----	349	28	-	-	-	-	1	1	2	5	6	19	28	41	42	52	42	33	21	17	3	2	3	1	-			
	White---M--	97	1	-	-	-	-	-	1	1	1	1	3	4	9	10	12	16	16	11	9	1	1	1	-				
	White---F--	15	5	-	-	-	-	1	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	3	-				
	Nonwhite---M--	167	10	-	-	-</																							

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

425

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
VIRGINIA—Con.																												
45-55	Cancer and other malignant tumors	2,978	2	5	2	5	4	10	12	8	21	40	52	102	139	198	268	334	349	433	403	513	172	73	23	5	1	4
	White—M—	1,144	-	3	-	3	1	5	3	2	10	15	18	34	47	55	77	111	126	175	182	157	75	36	7	1	-	1
	White—F—	1,193	1	2	1	1	2	3	2	1	7	14	16	46	56	91	98	133	125	169	170	126	83	83	12	1	-	1
	Nonwhite—M—	267	-	-	1	-	-	-	-	2	3	3	6	5	12	19	42	40	31	48	27	14	4	3	3	1	-	1
	Nonwhite—F—	374	1	-	-	1	1	2	5	2	2	8	12	17	24	33	51	50	67	41	24	16	10	1	1	2	1	2
46	Cancer of the digestive organs and peritoneum—	1,155	-	-	-	-	1	1	1	2	6	8	10	19	26	65	97	128	139	201	192	150	74	25	9	-	-	1
	White—M—	473	-	-	-	-	1	1	1	1	2	4	2	11	11	25	34	52	46	66	67	69	26	10	3	-	-	1
	White—F—	437	-	-	-	-	-	-	-	-	2	3	2	6	3	15	28	39	55	72	82	71	42	14	3	-	-	1
	Nonwhite—M—	133	-	-	-	-	-	-	-	1	1	1	2	-	8	9	23	24	15	21	13	8	3	1	3	-	-	-
	Nonwhite—F—	112	-	-	-	-	-	-	-	-	1	-	4	2	4	16	12	13	23	22	10	2	3	-	-	-	-	-
48,49	Cancer of female genital organs—	380	-	-	-	-	-	-	-	-	-	10	9	22	33	40	55	51	47	39	28	19	12	9	4	-	-	2
	White—F—	262	-	-	-	-	-	-	-	-	-	4	6	12	23	32	33	37	24	30	24	15	10	9	3	-	-	2
	Nonwhite—F—	118	-	-	-	-	-	-	-	-	6	3	10	10	6	8	22	14	23	9	4	2	2	-	1	-	-	-
50	Cancer of breast—	310	-	-	-	-	1	-	-	1	-	4	5	20	24	25	31	51	39	38	26	21	17	3	2	1	1	-
	White—M—	8	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	2	-	-	-	-	-	-
	White—F—	237	-	-	-	-	1	-	-	-	-	3	16	16	24	23	35	28	33	21	16	14	2	2	2	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	63	-	-	-	-	-	-	-	1	-	1	2	3	5	1	7	15	9	5	5	3	3	1	-	1	1	-
45,47, 51-55	Cancer (other sites)—	1,133	2	5	2	6	2	9	11	5	15	18	28	41	56	68	85	104	124	155	157	123	69	36	9	4	-	1
	White—M—	663	-	3	-	3	4	2	1	8	11	18	22	34	30	42	58	79	89	95	86	49	26	4	1	-	-	-
	White—F—	257	1	2	1	1	3	4	2	1	5	4	5	12	14	20	14	22	18	34	43	24	17	6	4	1	-	-
	Nonwhite—M—	132	-	-	1	-	-	2	2	1	2	4	5	3	10	19	16	15	27	14	6	1	2	-	1	-	1	-
	Nonwhite—F—	61	1	-	-	1	1	2	5	1	1	1	3	2	5	8	10	8	12	5	5	7	2	-	-	1	-	-
59	Acute rheumatic fever—	45	-	-	-	2	1	11	2	3	4	1	3	5	3	3	3	1	-	2	1	1	1	-	-	-	-	-
	White—M—	9	-	-	-	1	1	1	2	1	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—F—	9	-	-	-	-	-	3	-	-	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	7	-	-	-	-	-	1	-	2	-	4	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	20	-	-	1	-	-	5	2	-	4	1	1	1	1	1	1	-	-	1	1	1	-	-	-	-	-	-
61	Diabetes mellitus—	598	-	-	1	-	-	1	1	5	3	7	7	15	22	25	54	67	96	104	77	62	30	19	1	-	-	1
	White—M—	171	-	-	-	-	-	1	1	3	1	5	5	5	4	3	9	12	31	22	25	26	12	7	-	-	-	
	White—F—	251	-	-	1	-	-	-	-	2	-	-	1	2	3	9	12	28	46	50	38	31	15	12	1	-	-	-
	Nonwhite—M—	50	-	-	-	-	-	-	-	1	1	-	6	3	4	6	4	4	4	10	5	3	2	-	-	-	-	1
	Nonwhite—F—	128	-	-	-	-	-	1	-	1	1	1	1	2	12	9	27	23	15	22	9	2	1	-	-	-	-	-
65b	Exophthalmic goiter—	42	-	-	-	-	-	-	-	-	2	1	1	2	3	5	3	3	8	9	2	2	-	1	-	-	-	-
	White—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	White—F—	24	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	7	6	2	2	-	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F—	12	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	3	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	24	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	3	3	4	2	1	5	2	-	-	-	-
	White—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-
	White—F—	16	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	3	1	2	1	1	4	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)—	95	-	-	-	-	-	-	-	2	4	12	16	17	19	8	10	4	2	1	-	-	-	-	-	-	-	-
	White—M—	69	-	-	-	-	-	-	-	2	2	10	14	9	15	3	8	4	-	-	-	-	-	-	-	-	-	-
	White—F—	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	23	-	-	-	-	-	-	-	2	2	2	2	7	3	3	2	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin—	3,101	5	1	-	1	-	6	2	3	3	20	27	48	76	155	237	318	403	414	453	439	267	146	58	11	4	5
	White—M—	1,023	2	-	-	-	-	2	-	2	6	7	12	10	33	66	90	119	144	183	181	101	43	17	6	-	-	1
	White—F—	945	2	-	-	1	-	5	1	1	6	5	8	10	30	27	69	90	127	144	193	117	81	23	3	-	-	1
	Nonwhite—M—	543	1	1	-	-	1	1	-	4	9	15	23	44	72	70	90	71	57	35	26	10	8	1	2	2	2	2
	Nonwhite—F—	590	-	-	-	-	-	-	-	2	4	6	13	33	49	72	89	104	72	69	30	23	12	8	1	2	1	1
90-95	Diseases of the heart—	8,098	6	-	-	1	2	12	15	18	22	60	79	139	234	394	584	733	920	1,145	1,211	1,098	744	434	175	57	10	5
	White—M—	3,701	2	-	-	1	-	2	5	5	6	19	33	49	98	156	276	373	463	583	590	331	167	52	17	2	1	-
	White—F—	2,308	1	-	-	-	5	7	6	4	11	14	27	36	61	82	97	202	287	389	434	316	212	88	27	2	-	-
	Nonwhite—M—																											

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
VIRGINIA—Con.																												
140-150	Diseases of pregnancy, etc.*	144	-	-	-	-	-	-	2	14	31	30	31	22	13	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	68	-	-	-	-	-	-	-	7	15	13	14	11	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	76	-	-	-	-	-	-	2	7	16	17	17	11	6	-	-	-	-	-	-	-	-	-	-	-	-	1
140, 142a, 145a, 147	Puerperal septicemia	38	-	-	-	-	-	-	-	6	8	12	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	18	-	-	-	-	-	-	-	4	2	4	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	20	-	-	-	-	-	-	-	2	6	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	39	-	-	-	-	-	-	2	6	10	3	6	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	19	-	-	-	-	-	-	3	5	1	4	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	20	-	-	-	-	-	-	2	3	5	2	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock*	50	-	-	-	-	-	-	2	6	10	14	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White—F	22	-	-	-	-	-	-	-	4	4	6	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite—F	28	-	-	-	-	-	-	2	2	6	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
141d, e, f, 145b, 150	Other puerperal causes	17	-	-	-	-	-	-	-	7	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	9	-	-	-	-	-	-	-	4	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	429	364	19	7	3	2	2	4	7	4	6	3	3	2	-	4	1	-	-	-	-	-	-	-	-	-	-
	White—M	187	149	12	3	2	2	2	4	1	6	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	163	147	2	3	1	-	2	1	2	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	49	42	3	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	30	28	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	1,768	1,768	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	755	755	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	478	478	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	298	298	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	237	237	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	1,110	1,110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	472	472	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	296	296	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158, 160, 161	Other diseases peculiar to first year	658	658	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	283	283	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide	537	-	-	-	-	-	-	1	11	25	23	39	34	33	31	34	25	36	19	10	11	5	-	-	-	-	-
	White—M	236	-	-	-	-	-	-	-	17	18	13	22	25	24	22	24	22	25	15	7	8	3	-	-	-	-	-
	White—F	75	-	-	-	-	-	-	1	4	6	14	9	6	7	6	3	3	3	3	2	1	1	-	-	-	-	-
	Nonwhite—M	21	-	-	-	-	-	-	1	2	2	3	3	3	2	2	2	3	1	1	-	-	-	-	-	-	-	-
	Nonwhite—F	6	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	261	1	-	1	2	-	2	1	10	35	46	38	40	33	14	13	9	7	5	1	1	-	-	-	-	-	-
	White—M	73	-	-	-	-	-	-	2	6	17	8	12	9	4	5	2	2	3	3	1	1	-	-	-	-	-	-
	White—F	20	1	-	-	-	-	1	-	3	3	1	3	1	4	3	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	134	-	1	-	-	-	1	5	20	23	22	26	15	5	4	5	3	3	1	1	-	-	-	-	-	-	-
	Nonwhite—F	34	-	-	-	-	-	-	3	6	5	5	1	5	2	3	1	2	1	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,108	109	34	26	21	21	81	55	153	221	159	147	137	117	111	100	76	90	103	90	84	66	55	29	13	6	6
	White—M	1,142	44	15	11	6	9	29	29	88	164	111	94	78	73	78	50	39	48	48	32	22	21	21	6	4	1	3
	White—F	442	32	6	5	3	4	21	10	30	21	14	13	14	16	10	24	14	9	24	33	40	41	30	20	6	2	1
	Nonwhite—M	391	19	8	5	10	4	17	9	29	30	28	36	40	24	20	22	17	24	19	19	2	2	2	2	2	2	1
	Nonwhite—F	133	14	5	5	2	4	14	5	6	6	6	4	5	4	3	4	6	9	12	6	3	3	2	1	1	3	-
170	Motor-vehicle accidents	676	4	2	5	6	5	25	13	84	119	72	52	43	34	40	38	30	29	28	24	16	7	2	-	-	-	-
	White—M	412	2	2	3	2	3	11	6	49	90	54	28	28	17	21	19	17	17	14	10	14	4	1	-	-	-	-
	White—F	105	2	-	1	1	2	6	2	17	11	3	6	4	9	7	10	7	2	4	6	1	3	1	-	-	-	-
	Nonwhite—M	141	-	-	-	-	-	5	2	17	17	14	16	10	8	11	7	6	8	9	8	1	-	-	-	-	-	-
	Nonwhite—F	18	-	-	1	1	-	3	3	1	1	1	1	1	1	1	1	2	1	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	1,432	105	32	21	15	16	56	40	69	102	87	95	94	83	71	64	46	61	75	66	68	59	53	29	13	6	6
	White—M	730	42	13	8	4	6	18	23	39	74	57	66	50	56	57	31	22	31	34	22	25	18	20	6	4	1	3
	White—F	337	30	6	4	2	2	15	8	13	10	11	7	10	7	3	14	7	7	20	27	39						

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,
(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total Deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON																											
	ALL CAUSES-----	21,979	1,643	84	54	46	42	127	111	209	259	307	385	475	660	827	1,183	1,687	2,170	2,522	2,753	2,586	2,092	1,254	402	84	9	8
	White-----M--	12,927	932	48	34	25	23	72	68	141	154	174	197	270	390	505	786	1,119	1,408	1,558	1,617	1,433	1,116	623	192	35	2	5
	White-----F--	9,468	642	26	16	18	14	49	36	48	84	106	154	172	240	292	365	533	718	921	1,080	1,129	957	613	202	45	5	1
	Nonwhite--M--	366	37	5	2	3	2	3	4	9	15	14	24	23	22	20	23	22	30	31	33	20	8	8	4	2	1	1
	Nonwhite--F--	218	32	5	2	-	3	3	1	11	6	13	10	10	8	10	9	13	14	12	23	4	11	10	4	2	1	1
1,2	Typhoid and paratyphoid fever	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	-	-	-	-	-	-	-	-	1	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal meningitis	16	3	3	-	-	1	-	-	3	1	-	-	1	-	-	-	3	-	1	-	-	-	-	-	-	-	-
	White-----M--	9	1	1	-	-	1	-	-	2	1	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	White-----F--	7	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	-	1	-	2	2	2	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	6	-	-	1	-	1	1	1	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----F--	5	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	592	4	5	2	1	4	5	4	22	19	50	59	47	46	45	55	60	61	40	32	17	8	5	-	1	-	-
	White-----M--	352	3	2	1	-	1	1	2	5	4	19	18	25	24	34	41	51	52	29	23	12	5	5	-	-	-	-
	White-----F--	145	1	-	-	1	1	2	2	5	7	18	23	12	15	6	9	7	7	9	8	4	3	4	-	1	-	-
	Nonwhite--M--	60	-	2	1	-	1	1	-	4	5	6	10	5	6	5	5	2	2	1	1	1	1	1	-	-	-	-
	Nonwhite--F--	35	-	1	-	-	1	1	-	8	3	7	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.	532	1	1	1	1	2	4	1	16	16	47	57	43	43	42	53	58	54	34	30	16	7	4	-	1	-	-
	White-----M--	324	1	-	-	-	1	1	1	4	4	17	17	22	23	32	40	50	48	25	22	12	5	-	-	-	-	-
	White-----F--	124	-	-	-	1	1	-	-	4	6	17	23	12	14	5	8	6	4	7	7	3	2	3	-	1	-	-
	Nonwhite--M--	56	-	1	1	-	1	1	-	3	4	6	10	5	5	5	5	2	2	2	1	1	1	1	-	-	-	-
	Nonwhite--F--	28	-	-	-	-	1	1	-	5	2	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	60	3	4	1	-	2	1	3	6	3	3	2	4	5	3	2	2	7	6	2	1	1	1	-	-	-	-
	White-----M--	28	2	2	1	-	1	1	1	1	1	2	1	3	1	2	1	1	1	4	4	1	1	1	-	-	-	-
	White-----F--	21	1	-	-	-	1	1	2	1	1	1	-	-	1	1	1	1	3	2	1	1	1	1	-	-	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	-	1	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	178	1	-	-	-	-	-	-	1	-	1	1	5	9	7	17	25	35	35	18	9	12	1	1	-	-	-
	White-----M--	123	-	-	-	-	-	-	-	1	-	1	1	1	7	5	10	16	28	25	16	5	6	1	-	-	-	
	White-----F--	40	1	-	-	-	-	-	-	-	-	-	3	2	2	4	8	8	5	4	2	4	6	1	-	-	-	
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	2	4	2	-	-	-	-			

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
45-55	WASHINGTON--Con. Cancer and other malignant tumors	3,002		1	3	6	2	2	6	8	15	21	43	65	108	148	237	323	438	436	419	348	230	101	28	5			
	White--M--	1,498		1	4	2	2	4	3	6	7	9	18	20	28	45	106	151	237	231	241	188	132	48	13	2			
	F--	1,444		1	2	2	2	2	5	2	8	12	25	42	78	95	124	166	190	195	172	160	85	51	14	5			
	Nonwhite--M--	31												2	3	3	3	2	7	7	3	1	1	1					
	F--	29												2	5	4	4	4	4	5	1	1	1						
46	Cancer of the digestive organs and peritoneum--	1,282								1	2	4	12	17	28	36	72	134	185	219	219	167	124	45	14	3			
	White--M--	711								1	1	3	9	9	16	42	70	106	130	135	67	71	16	6					
	F--	533								1	1	3	7	7	17	16	25	61	71	82	80	60	51	28	7	3			
	Nonwhite--M--	27												1	2	3	3	1	6	6	2	1	1	1					
	F--	11													1	2	2	2	2	1	2	1							
48,49	Cancer of female genital organs--	349																											
	White--F--	341									4	3	8	17	25	31	34	46	46	44	41	30	15	4	1				
	Nonwhite--F--	8														3	1	2	1	1	1	1							
50	Cancer of breast--	520										2	7	17	25	39	45	59	42	56	23	22	12	9	2				
	White--M--	3																											
	F--	310										2	7	15	25	38	43	59	40	56	22	22	11	8	2				
	Nonwhite--M--																												
	F--	7												2		1	1		1										
45,47, 51-55	Cancer (other sites)--	1,051		1	3	6	2	2	6	8	7	9	12	16	14	30	42	86	104	165	137	156	130	79	43	11	2		
	White--M--	784		1	4	2	2	4	3	5	6	6	9	11	19	29	63	81	130	101	106	101	60	32	7	2			
	F--	260		1	2	2	2	2	5	2	3	6	7	3	11	13	23	22	33	34	29	29	18	11	4				
	Nonwhite--M--	4																	1	1	1	1							
	F--	3																	1	1			1						
58	Acute rheumatic fever--	14				1		2	2	3			1		2	1	1		1										
	White--M--	8						2	1	2					1	1			1										
	F--	6				1		1	1	1			1		1	1			1										
	Nonwhite--M--																												
	F--																												
61	Diabetes mellitus	476		1				3	2	2	2	6	7	6	7	10	19	33	59	76	94	81	46	17	5				
	White--M--	185		1				2	1	1	1	3	3	4	2	7	9	18	23	27	34	24	19	6	1				
	F--	282						3			1	3	3	2	5	3	10	14	55	48	58	56	26	11	4				
	Nonwhite--M--	3								1																			
	F--	6											1						1		2								
65b	Exophthalmic goiter--	37													1	2	9	5	5	6	6	1	2						
	White--M--	7													1	1	3	3	1	1	1								
	F--	29													1	1	6	3	4	5	6	1	2						
	Nonwhite--M--																												
	F--	1																											
69	Pellagra (except alcoholic)--	1																											
	White--M--	1																											
	F--	1																											
	Nonwhite--M--																												
	F--																												
77	Alcoholism (ethylism)--	55											2	4	8	5	6	9	6	8	6	1							
	White--M--	47											2	2	5	5	5	8	6	8	5								
	F--	5													2	1	1	1	1	1	1								
	Nonwhite--M--	2													1														
	F--	1													1														
83	Intracranial lesions of vascular origin--	2,102	5			1	1		2	2	4	5	8	17	60	88	154	205	296	371	378	301	148	46	6	2	1		
	White--M--	1,084	4			1	1		2	2	2	4	8	25	53	78	111	152	187	195	158	78	20	4	1				
	F--	992	1								3	2	4	8	31	33	76	91	140	178	184	71	28	2	1				
	Nonwhite--M--	13									1	1			1	1		1	2	4		2							
	F--	13													3	1		2	2	2	1	1							
90-95	Diseases of the heart--	7,122	2	1		1	2	7	5	19	15	39	74	142	237	387	616	784	1,005	1,136	1,057	864	524	163	25	3	2		
	White--M--	4,481	2			1	3	3	9	8	22	52	107	177	300	468	557	689	692	608	459	246	76	12	2				
	F--	2,523	1				4	1	8	7	16	18	33	52	83	136	218	304	422	449	401	273	83	12	2				
	Nonwhite--M--	74				1	1		1		1	3	2	7	4	6	6	9	16	10	1	2	2	1	1				
	F--	34				1	1		1			1		1		3	3	3	8			3	3	2					
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart--	378				1	1	4	3	11	8	17	18	21	21	27	41	40	40	39	40	30	10	6					
	White--M--	207					2	2	5	4	11	10	11	9	15	22	26	24	23	22	16	4	1						
	F--	163					2	1	6	4	6	6	9	12	17	14	15	16	16	14	6	5							
	Nonwhite--M--	3				1							1	1					1										
	F--	5				1	1											2											
94	Diseases of coronary arteries and angina pectoris--																												

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1																									
97, 102	WASHINGTON--Con. Arteriosclerosis and high blood pressure* White--M-- F-- Nonwhite--M-- F--	587 209 175 1 2	-	-	-	-	-	-	-	-	-	-	-	-	2 2	1 1	9 8	8 5	22 16	25 14	59 33	71 39	83 44	75 34	25 10	7 5	-	-
107-109, 33	Pneumonia (all forms) and influenza White--M-- F-- Nonwhite--M-- F--	833 491 506 23 13	127 74 58 7 8	9 5 3 1 -	5 5 - - -	2 1 - - -	3 2 1 - -	8 2 8 - -	6 3 3 - -	2 1 - - 1	3 2 - - -	13 4 8 - -	8 6 2 - -	10 3 6 - 1	23 14 8 - -	22 16 6 - -	22 16 4 - -	45 31 13 - -	48 35 9 - 1	68 47 21 - -	82 51 27 - 1	106 62 43 - -	108 48 59 - -	78 45 32 - 1	28 15 13 - -	6 3 2 - -	-	
107	Bronchopneumonia White--M-- F-- Nonwhite--M-- F--	471 271 182 12 6	91 55 29 5 4	6 3 - - -	3 3 - - -	-	2 1 - - -	3 1 - - -	2 2 - - -	-	2 2 - - -	5 2 - - -	4 2 - - -	3 1 - - -	6 4 - - -	9 5 - - -	6 5 - - -	14 10 - - -	25 16 - - -	17 15 - - -	23 16 - - -	32 28 - - -	32 22 - - -	27 12 - - -	17 11 - - -	3 2 - - -	1 1 - - -	-
108	Lobar pneumonia-- White--M-- F-- Nonwhite--M-- F--	249 158 79 6 6	15 7 5 - 3	1 1 - - -	-	-	3 1 - - -	2 1 - - -	2 1 - - -	1 1 - - -	4 1 - - -	1 1 - - -	5 2 - - -	15 9 - - -	9 8 - - -	14 10 - - -	25 16 - - -	17 15 - - -	23 16 - - -	32 28 - - -	32 22 - - -	27 12 - - -	17 11 - - -	3 2 - - -	1 1 - - -	-		
109	Pneumonia (un-specified)-- White--M-- F-- Nonwhite--M-- F--	61 40 17 3 1	17 11 3 2 1	1 1 - - -	-	-	1 1 - - -	1 1 - - -	-	-	-	-	-	-	1 1 - - -	4 4 - - -	1 2 - - -	3 2 - - -	2 2 - - -	8 6 - - -	1 1 - - -	5 2 - - -	5 3 - - -	5 2 - - -	5 3 - - -	-	-	
33	Influenza-- White--M-- F-- Nonwhite--M-- F--	52 22 28 2 -	4 3 1 - -	1 - - - -	1 1 - - -	2 - - - -	-	1 1 - - -	1 1 - - -	-	-	-	2 1 - - -	1 1 - - -	2 1 - - -	1 1 - - -	1 1 - - -	3 3 - - -	5 2 - - -	1 1 - - -	6 3 - - -	4 2 - - -	6 5 - - -	9 3 - - -	1 1 - - -	-	-	
117	Ulcer of stomach or duodenum-- White--M-- F-- Nonwhite--M-- F--	170 144 20 5 1	-	-	-	-	-	-	-	1 1 - - -	1 1 - - -	1 1 - - -	1 1 - - -	3 2 - - -	5 5 - - -	7 11 - - -	12 19 - - -	20 16 - - -	20 16 - - -	34 28 - - -	25 21 - - -	15 12 - - -	15 12 - - -	9 9 - - -	5 5 - - -	1 1 - - -	-	
119, 120	Diarrhea, enteritis, etc.* White--M-- F-- Nonwhite--M-- F--	58 26 29 2 1	37 16 18 2 1	2 - - - -	-	1 - - - -	1 - - - -	-	-	1 1 - - -	5 2 - - -	2 - - - -	-	-	1 - - - -	-	1 1 - - -	1 - - - -	1 1 - - -	1 1 - - -	1 - - - -	-	3 2 - - -	-	-	-		
121	Appendicitis-- White--M-- F-- Nonwhite--M-- F--	53 31 21 - 1	-	-	-	-	-	2 1 - - -	1 1 - - -	2 1 - - -	2 1 - - -	3 1 - - -	-	4 2 - - -	1 1 - - -	3 4 - - -	4 5 - - -	5 4 - - -	6 4 - - -	5 3 - - -	5 2 - - -	7 4 - - -	7 2 - - -	-	-	-	-	
122	Hernia, intestinal obstruction-- White--M-- F-- Nonwhite--M-- F--	156 85 68 3 2	5 3 1 - -	1 - - - -	-	-	1 - - - -	1 - - - -	-	2 - - - -	3 2 - - -	1 - - - -	4 1 - - -	6 4 - - -	9 2 - - -	11 10 - - -	14 10 - - -	10 7 - - -	22 11 - - -	17 10 - - -	17 10 - - -	20 11 - - -	8 6 - - -	3 2 - - -	1 1 - - -	-		
124	Cirrhosis of the liver-- White--M-- F-- Nonwhite--M-- F--	204 121 79 3 1	-	-	1 - - - -	-	-	1 - - - -	1 - - - -	-	-	3 - - - -	3 1 - - -	6 3 - - -	11 8 - - -	18 11 - - -	25 16 - - -	30 21 - - -	28 20 - - -	30 13 - - -	21 11 - - -	10 4 - - -	9 6 - - -	5 4 - - -	1 1 - - -	-	-	
126, 127	Biliary calculi, etc.* White--M-- F-- Nonwhite--M-- F--	88 45 44 1 -	-	-	-	-	-	-	-	1 - - - -	1 - - - -	2 - - - -	2 - - - -	2 - - - -	2 - - - -	6 2 - - -	9 4 - - -	7 3 - - -	16 9 - - -	17 9 - - -	12 7 - - -	6 5 - - -	3 2 - - -	2 1 - - -	-	-		
130-132	Nephritis-- White--M-- F-- Nonwhite--M-- F--	998 549 433 8 8	-	-	1 - - - -	1 - - - -	9 4 - - -	1 4 - - -	9 4 - - -	9 2 - - -	5 3 - - -	4 6 - - -	12 6 - - -	18 12 - - -	30 14 - - -	22 10 - - -	62 40 - - -	68 43 - - -	99 56 - - -	125 67 - - -	143 85 - - -	147 76 - - -	131 74 - - -	62 37 - - -	22 13 - - -	7 2 - - -	-	
137	Diseases of the prostate-- White--M-- Nonwhite--M--	94 93 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 2 -	6 6 -	6 6 -	24 24 -	26 25 -	21 20 -	7 5 -	3 3 -	-	-	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
140-150	WASHINGTON—Con. Diseases of pregnancy, etc.* White—F Nonwhite—F	83 61 2	-	-	-	-	-	-	-	4	15	16	11	7	8	2	-	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicemia White—F Nonwhite—F	15 15 -	-	-	-	-	-	-	-	-	5	4	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
141a, 144, 148	Puerperal toxemia White—F Nonwhite—F	20 20 -	-	-	-	-	-	-	-	3	7	1	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
142b, 143, 146, 149	Hemorrhage, trauma or shock* White—F Nonwhite—F	23 21 2	-	-	-	-	-	-	-	1	3	8	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
141d, 145b, 150	Other puerperal causes White—F Nonwhite—F	5 5 -	-	-	-	-	-	-	-	-	-	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations White—M F Nonwhite—M F	337 196 133 4 4	288 170 115 1 2	7 3 2 1 1	6 3 3 - -	6 5 3 - -	3 2 1 - -	2 2 1 - -	3 3 1 - -	3 2 1 - -	3 2 1 - -	2 1 1 - -	5 4 1 - -	2 1 1 - -	1 1 1 - -	2 1 2 - -	-	-	1	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year White—M F Nonwhite—M F	987 558 394 21 14	987 558 394 21 14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth White—M F Nonwhite—M F	576 318 238 11 9	576 318 238 11 9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158, 160, 161	Other diseases peculiar to first year White—M F Nonwhite—M F	411 240 156 10 5	411 240 156 10 5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163, 164	Suicide White—M F Nonwhite—M F	365 281 75 6 3	-	-	-	-	-	2	9	14	12	35	27	43	39	32	32	41	31	26	22	11	7	2	2	-	-		
165-168	Homicide White—M F Nonwhite—M F	75 56 22 14 3	2	1	-	1	-	3	-	1	6	9	5	14	10	3	6	3	2	1	4	1	2	1	-	-	-	-	
169-195	Accidental deaths White—M F Nonwhite—M F	1,806 1,294 446 51 15	73 42 27 4 -	35 20 13 - 2	25 15 7 1 2	17 11 4 - -	12 8 3 - -	52 40 11 - -	44 36 5 - -	108 85 20 6 1	121 95 20 6 2	104 93 20 1 2	86 68 12 4 4	108 88 16 6 4	105 88 15 1 1	92 78 15 1 1	92 78 11 3 -	111 87 21 3 -	103 81 21 2 1	106 77 27 2 -	107 64 38 2 3	93 45 44 4 -	103 48 55 5 -	68 30 35 2 1	26 13 13 6 1	9 2 6 1 -	2 1 1 -	4 4 -	
170	Motor-vehicle accidents White—M F Nonwhite—M F	557 420 114 19 4	-	6	7	6	5	14	12	59	71	43	31	34	28	34	41	33	28	34	20	10	6	1	-	-	-	-	
169, 171-195	Other accidents White—M F Nonwhite—M F	1,249 874 352 32 11	73 42 27 4 -	29 16 12 1 1	18 11 4 1 2	11 6 4 1 -	7 3 3 1 -	38 29 8 1 -	32 26 5 1 -	49 41 7 1 -	50 29 9 2 -	61 53 6 4 -	55 42 5 3 -	74 66 5 6 -	71 61 4 1 -	64 60 3 4 -	58 54 4 2 -	70 58 10 1 -	76 53 24 1 -	73 39 30 1 -	75 31 39 3 -	93 41 52 1 -	62 25 34 2 -	25 12 13 6 -	9 2 6 1 -	2 1 1 -	4 4 -		
182, 198, 200	Senility, ill-defined and unknown causes White—M F Nonwhite—M F	402 238 147 9 8	12 6 5 1 -	-	2	-	-	1	-	-	-	2	3	6	3	9	15	21	45	40	39	52	51	59	26	15	1	-	
	All other causes White—M F Nonwhite—M F	1,269 708 527 18 18	87 50 32 - 5	16 11 3 - 1	9 5 4 - -	8 5 4 - -	11 10 5 - -	28 12 18 - -	24 14 11 - -	21 12 5 - -	20 12 7 - -	33 13 18 - -	54 18 32 - -	49 18 29 - -	67 42 24 - -	76 37 39 - -	56 30 25 - -	90 59 29 - -	121 76 44 - -	115 69 42 - -	111 65 45 - -	118 69 48 - -	71 37 33 - -	60 20 22 - -	2 1 6 - -	1 1 2 - -	1 1 -		

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Age Group																												Not stated
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over				
45-55	WEST VIRGINIA—Continued																														
	Cancer and other malignant tumors	1,866	1	-	3	3	-	5	9	6	5	19	31	58	104	124	183	181	217	228	273	215	126	56	13	1	-	5			
	White—M—	837	-	-	3	-	-	5	6	3	5	10	6	14	35	59	66	77	103	104	138	117	65	31	9	-	-	3			
	White—F—	912	1	-	3	-	-	2	3	3	1	8	21	38	62	77	97	82	90	115	125	94	60	25	3	1	-	1			
Nonwhite—M—	52	-	-	-	-	-	-	-	-	-	1	-	-	2	3	4	9	11	8	3	6	3	1	-	-	-	-	1			
Nonwhite—F—	65	-	-	-	-	-	-	-	-	-	-	1	2	4	4	11	11	16	6	4	1	-	-	-	-	-	-	1			
46	Cancer of the digestive organs and peritoneum—	632	-	-	-	-	-	1	1	4	1	3	7	16	36	43	51	77	111	117	142	127	67	25	1	-	2				
	White—M—	422	-	-	-	-	1	1	3	1	2	3	5	13	22	29	36	58	62	68	71	34	11	1	-	-	2				
	White—F—	359	-	-	-	-	-	-	-	-	-	1	4	9	20	18	16	35	39	52	66	54	32	14	-	-	-	2			
	Nonwhite—M—	29	-	-	-	-	-	-	-	-	1	-	-	1	2	2	5	4	3	2	2	2	1	-	-	-	-	-			
Nonwhite—F—	22	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	11	1	6	2	-	-	-	-	-	-				
48, 49	Cancer of female genital organs—	268	-	-	-	1	-	-	-	-	1	4	13	23	31	39	49	29	25	25	21	17	7	3	-	-	-	-			
	White—M—	261	-	-	-	1	-	-	-	-	1	3	12	21	29	37	43	26	20	22	20	16	7	3	-	-	-	-			
	White—F—	27	-	-	-	-	-	-	-	-	-	1	1	2	2	2	6	3	5	3	1	1	-	-	-	-	-	-			
	Nonwhite—F—	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
50	Cancer of breast—	116	-	-	-	-	-	-	-	-	-	-	3	4	8	14	17	12	9	16	12	8	7	4	1	-	-	1			
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F—	107	-	-	-	-	-	-	-	-	-	-	3	4	7	13	16	10	9	14	11	8	7	4	1	-	-	-			
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Nonwhite—F—	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	2	1	-	-	-	-	-	-	1			
45, 47, 51-55	Cancer (other sites)—	630	1	-	3	2	-	4	8	2	3	12	8	15	29	28	66	63	72	70	98	63	45	24	11	1	-	2			
	White—M—	415	-	-	3	-	-	2	5	-	3	8	5	9	22	17	37	41	45	42	70	46	31	20	8	-	-	1			
	White—F—	185	1	-	2	-	-	2	3	2	-	4	2	4	6	9	22	13	22	27	28	16	14	4	2	1	-	1			
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	7	5	1	-	-	-	-	-	-	-	-			
Nonwhite—F—	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-			
58	Acute rheumatic fever—	17	-	-	-	-	-	2	6	2	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—M—	9	-	-	-	-	-	1	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F—	5	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Nonwhite—F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
61	Diabetes mellitus—	397	-	-	1	2	-	1	2	5	6	5	4	4	10	9	25	41	65	56	77	40	30	12	1	-	-	1			
	White—M—	133	-	-	-	2	-	1	1	1	1	2	2	-	-	2	7	13	16	24	32	14	11	4	-	-	1				
	White—F—	235	-	-	1	-	-	1	-	4	5	3	1	3	8	5	15	24	43	28	42	26	16	7	1	-	-	1			
	Nonwhite—M—	15	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	4	3	2	2	1	-	-	-	-	-			
Nonwhite—F—	14	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	3	2	1	1	-	-	-	-	-	-	-				
63b	Exophthalmic goiter—	34	-	-	-	-	-	-	-	-	1	1	1	1	1	3	2	5	7	3	3	4	2	-	-	-	-	-			
	White—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	White—F—	32	-	-	-	-	-	-	-	-	-	1	1	1	1	3	2	4	7	3	3	4	2	-	-	-	-	-			
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Nonwhite—F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
69	Pellagra (except alcoholic)—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-			
	White—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-			
	White—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
77	Alcoholism (ethylian)—	34	-	-	-	-	-	-	-	-	1	3	4	7	5	2	4	7	-	-	1	-	-	-	-	-	-	-			
	White—M—	30	-	-	-	-	-	-	-	-	1	3	4	7	5	-	3	6	-	-	1	-	-	-	-	-	-	-			
	White—F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-			
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Nonwhite—F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
83	Intracranial lesions of vascular origin—	1,563	3	1	-	-	-	2	-	-	1	4	6	11	21	31	50	70	123	159	203	256	245	208	107	47	5	3	7		
	White—M—	796	-	1	-	-	-	1	-	-	1	3	2	4	10	11	15	35	60	96	101	147	130	98	52	21	3	-	5		
	White—F—	648	1	-	-	-	-	1	-	-	1	3	5	7	16	28	25	40	53	81	102	102	103	52	24	2	1	1			
	Nonwhite—M—	63	1	-	-	-	-	-	-	-	-	1	3	3	3	6	14	7	12	5	6	7	5	2	1	-	-	-			
Nonwhite—F—	36	1	-	-	-	-	-	-	-	-	-	2	3	1	4	4	9	3	9	2	7	5	2	2	-	-	1				
90-95	Diseases of the heart—	4,437	3	2	1	-	1	6	11	15	17	27	28	65	97	209	281	375	456	602	694	662	488	274	81	16	2	24			
	White—M—	2,537	1	2	1	-	1	3	5	5	10	10	19	41	59	136	202	214	291	344	400	367	252	123	32	8	1	10			
	White—F—	1,561	1	-	-	-	2	5	7	6	13	7	16	27	35	55	105	131	213	256	267	217	144	42	7	-	5				
	Nonwhite—M—	204	1	-	-	-	-	-	1	-	-	-	-	3	4	20	16	36	20	30	28	19	12	4	2	-	1	6			
Nonwhite—F—	135	-	-	-	-	1	1	2	1	3	2	5	7	18	8	20	14	15	10	9	7	3	5	1	-	-	3				
90a, 92b, c, 93c, 95b	Chronic rheumatic diseases of the heart—	258	-	-	-	-	-	5	8	8	12	12	8	13	18	15	13	12	22	27	32	24	19	7	3	-	-	2			
	White—M—	139	-	-	-	-	-	2	5	3	8	6	6	6	9	11	8	6	13	10	16	14	11	4	-	-	-	-			
	White—F—	101	-	-	-	-	-	2	2	4	3	6	2	7	6	1	4	3	7	17	14	10	7	3	2	-	-	1			
	Nonwhite—M—	9	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	2	1	-	2	-	-	1	-	-	-	-			
Nonwhite—F—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1			
94	Diseases of coronary arteries and angina pectoris—	1,428	-	-	-	-	-	-	-	-	1	1	5	7	28	46	93	141	168	201	203	215	165	89	46	11	-	7			
	White—M—	1,004	-	-	-	-	-	-	-	-	1	1	2	5	18	35	75	118	122	155	135	141									

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

435

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
140-150	Diseases of pregnancy, etc.—White—F	88	-	-	-	-	-	-	-	10	18	17	23	8	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	79	-	-	-	-	-	-	-	9	15	15	22	7	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	-	-	-	-	-	-	-	1	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicaemia—White—F	23	-	-	-	-	-	-	-	2	6	2	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	20	-	-	-	-	-	-	-	2	5	1	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, 144, 145	Puerperal toxemia—White—F	24	-	-	-	-	-	-	-	5	4	5	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	21	-	-	-	-	-	-	-	5	3	5	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock—White—F	35	-	-	-	-	-	-	-	2	5	8	11	2	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	33	-	-	-	-	-	-	-	1	5	7	11	2	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
143a, 145b, 150	Other puerperal causes—White—F	6	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations—White—M	313	270	10	5	2	4	6	1	-	3	2	2	2	1	-	3	1	-	-	-	-	-	-	-	-	-	1
	White—M	165	143	4	2	1	1	2	1	-	1	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	1
	White—F	132	115	4	2	1	3	3	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year—White—M	1,094	1,094	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	610	610	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	418	418	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth—White—M	746	746	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	416	416	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	292	292	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159, 160, 161	Other diseases peculiar to first year—White—M	348	348	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide—White—M	198	-	-	-	-	-	-	2	9	17	21	13	11	20	13	20	14	17	14	16	7	2	1	-	-	-	1
	White—M	144	-	-	-	-	-	-	2	4	9	14	9	8	17	7	13	11	15	10	6	2	1	-	-	-	-	1
	White—F	49	-	-	-	-	-	-	-	4	8	7	5	2	3	5	7	3	2	3	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-169	Homicide—White—M	131	1	2	-	1	-	1	1	5	14	22	19	16	20	5	11	1	1	3	1	4	-	1	-	-	-	2
	White—M	62	-	2	-	1	-	-	3	7	8	7	9	11	1	1	5	1	-	2	-	3	-	1	-	-	-	1
	White—F	26	1	-	-	-	-	1	1	1	5	4	2	1	3	1	1	-	1	1	-	-	-	1	-	-	-	1
	Nonwhite—M	57	-	-	-	-	-	-	-	1	2	10	7	5	6	1	3	-	-	-	1	-	-	-	-	-	-	1
	Nonwhite—F	6	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths—White—M	1,494	65	22	16	22	18	54	55	71	143	110	117	107	93	75	75	72	69	57	65	63	46	52	16	5	-	4
	White—M	1,047	33	10	10	13	10	31	40	58	120	91	101	89	77	44	59	49	58	41	37	29	18	23	2	2	-	2
	White—F	359	28	9	7	6	8	17	13	9	14	12	6	10	8	17	10	14	8	13	25	33	28	27	14	2	-	1
	Nonwhite—M	82	3	2	1	1	-	2	1	3	6	7	9	8	7	13	5	8	1	1	2	1	-	-	-	-	-	1
	Nonwhite—F	26	1	1	-	2	-	4	1	1	3	-	1	-	1	1	1	1	2	2	1	-	-	2	-	-	-	-
170	Motor-vehicle accidents—White—M	408	1	2	5	8	7	25	19	34	66	29	36	26	19	19	22	21	25	15	12	9	2	2	-	1	-	3
	White—M	317	1	1	3	6	5	15	14	27	53	24	31	24	15	10	15	15	22	14	8	8	1	2	-	1	-	2
	White—F	67	-	1	2	2	2	7	4	8	10	4	2	2	1	6	6	5	2	1	2	1	1	1	-	-	-	-
	Nonwhite—M	15	-	-	-	-	-	1	-	1	1	1	2	-	3	3	1	1	-	-	1	-	-	-	-	-	-	1
	Nonwhite—F	9	-	-	-	-	-	2	1	1	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents—White—M	1,086	64	20	13	14	11	29	36	37	77	81	81	81	74	56	53	51	44	42	53	54	44	50	16	4	-	1
	White—M	730	32	9	7	7	5	16	26	31	67	67	70	65	62	34	44	34	36	27	29	21	17	21	2	1	-	-
	White—F	272	28	8	5	4	6	10	9	3	4	8	4	8	7	11	4	9	6	12								

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,
(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated	
	WISCONSIN																												
	ALL CAUSES-----	33,219	2,476	145	66	53	45	163	133	272	359	331	413	589	798	1,238	1,845	2,451	3,196	3,572	4,073	4,298	3,542	2,229	765	152	14	1	
	White-----M--	18,625	1,481	74	40	34	24	97	80	175	239	202	226	323	464	723	1,082	1,503	1,947	2,073	2,246	2,294	1,858	1,059	335	60	5	1	
	White-----F--	14,205	948	67	25	18	21	64	51	87	108	114	166	246	317	498	733	918	1,219	1,471	1,809	1,977	1,661	1,162	427	90	8	-	
	Nonwhite--M--	218	33	3	-	-	-	-	-	7	6	7	8	8	11	10	20	21	20	18	10	16	13	4	2	1	-	-	
	Nonwhite--F--	171	34	1	1	1	-	2	2	3	6	6	13	12	6	7	10	9	10	10	8	11	10	4	1	1	-	-	
1,2	Typhoid and paratyphoid fever--	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis--	18	7	2	-	2	-	-	-	2	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	5	1	-	2	-	-	-	1	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever--	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough--	34	26	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	12	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria--	10	1	-	1	-	2	1	1	-	1	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)--	585	2	1	1	-	3	6	18	22	37	33	50	46	59	61	65	65	55	58	38	18	8	4	-	-	-	-	-
	White-----M--	363	1	-	-	-	1	4	11	14	15	25	34	39	46	46	46	42	41	26	8	7	3	-	-	-	-	-	
	White-----F--	184	1	1	1	-	1	4	10	8	18	13	21	11	20	11	15	13	13	11	10	1	1	-	-	-	-	-	
	Nonwhite--M--	16	-	-	-	-	-	-	3	-	1	1	2	-	-	2	3	-	3	1	-	-	-	-	-	-	-	-	
	Nonwhite--F--	22	-	-	-	-	2	1	1	3	4	4	2	1	-	2	2	1	-	1	-	-	-	-	-	-	-	-	
13	Tuberculosis of respiratory system, etc.--	539	2	-	1	-	1	2	15	22	35	30	46	42	55	57	61	61	51	54	37	18	7	3	-	-	-	-	
	White-----M--	364	1	-	-	-	-	1	3	11	13	14	21	32	37	42	45	42	39	25	8	7	3	-	-	-	-		
	White-----F--	162	1	-	1	-	1	1	9	8	17	12	21	9	18	11	12	9	11	11	10	-	-	-	-	-	-		
	Nonwhite--M--	15	-	-	-	-	-	2	-	1	1	2	1	2	2	3	3	-	3	1	-	-	-	-	-	-			
	Nonwhite--F--	18	-	-	-	-	-	1	3	4	3	2	1	-	-	2	2	1	-	1	-	-	-	-	-	-			
14-22	Tuberculosis (other forms)--	46	-	1	-	-	2	4	3	-	2	3	4	4	4	4	4	4	4	4	1	-	1	1	-	-	-	-	
	White-----M--	19	-	-	-	-	-	1	1	-	1	1	4	2	2	4	1	-	2	2	1	-	-	-	-	-			
	White-----F--	22	-	1	-	-	-	3	1	-	1	1	2	2	2	3	4	3	4	2	-	1	1	-	-	-			
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Nonwhite--F--	4	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
27	Dysentery--	4	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
	White-----M--	4	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	Malaria--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	White-----F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
30	Syphilis--	157	1	-	-	-	-	-	-	-	1	-	3	12	16	22	23	33	19	17	7	6	2	-	1	-			
	White-----M--	105	-	-	-	-	-	-	-	-	-	1	1	6	8	13	18	25	16	10	3	1	2	-	1	-			
	White-----F--	47	-	-	-	-	-	-	-	-	1	-	5	8	8	7	4	9	3	7	1	-	-	-	1	-			
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-							

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
WISCONSIN—Con.																												
45-55	Cancer and other malignant tumors	4,859	2	6	4	2	2	10	5	16	15	27	57	94	146	245	392	506	664	702	707	625	386	204	36	6	-	-
	White—M—	2,434	1	-	3	-	1	5	3	9	9	17	17	29	48	83	168	245	351	379	358	354	230	98	14	3	-	-
	F—	2,392	1	5	1	2	1	5	2	8	6	9	38	64	97	158	219	256	309	319	358	268	158	105	22	2	-	-
	Nonwhite—M—	17	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	3	3	2	-	-	-	-	-	-	-
	F—	16	-	1	-	-	-	-	-	-	-	-	2	1	1	3	1	-	1	1	1	1	1	1	-	1	-	-
46	Cancer of the digestive organs and peritoneum—	2,446	-	-	-	-	-	1	-	2	4	5	12	32	40	76	165	244	342	389	402	369	229	116	16	2	-	-
	White—M—	1,379	-	-	-	-	-	-	-	2	4	2	4	14	20	34	91	144	211	230	215	215	134	55	5	1	-	-
	F—	1,055	-	-	-	-	-	1	-	-	-	3	8	17	20	41	71	98	130	156	189	153	95	60	11	-	-	-
	Nonwhite—M—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs—	484	-	-	-	1	-	-	-	-	2	2	17	23	36	42	57	63	67	53	47	38	20	15	1	-	-	-
	White—F—	478	-	-	-	1	-	-	-	-	2	2	17	23	35	40	57	63	66	53	47	37	19	15	1	-	-	-
	Nonwhite—F—	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-
50	Cancer of breast—	475	-	-	-	-	-	-	-	-	1	10	14	30	54	59	50	68	58	57	42	21	10	3	1	-	-	-
	White—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	-	-	-	-	-
	F—	462	-	-	-	-	-	-	-	-	1	8	14	30	53	59	50	65	56	52	40	21	10	3	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)—	1,454	2	6	4	1	2	9	5	14	9	19	18	25	40	73	112	149	189	202	201	176	116	63	16	3	-	-
	White—M—	1,047	1	-	3	-	1	5	3	6	5	15	13	15	28	48	77	101	139	148	151	157	96	43	9	2	-	-
	F—	398	1	5	1	1	1	4	2	8	4	3	5	10	12	24	33	47	48	54	50	38	20	7	1	-	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-
	F—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	Acute rheumatic fever—	14	1	-	-	-	1	4	2	1	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
	White—M—	8	1	-	-	-	1	3	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	6	-	-	-	-	1	2	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus—	977	1	1	-	-	1	2	3	3	5	9	11	17	18	52	110	156	166	168	147	63	32	7	-	-	-	-
	White—M—	362	-	-	-	-	1	1	2	2	3	5	7	6	7	21	34	49	64	60	53	30	15	1	-	-	-	-
	F—	608	1	-	-	-	1	3	1	3	2	3	3	10	11	31	74	106	101	108	94	33	17	6	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter—	97	-	-	-	-	-	-	-	1	2	-	1	4	12	10	16	11	19	10	8	3	-	-	-	-	-	-
	White—M—	14	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	3	1	-	-	-	-	-	-	-	-	-
	F—	85	-	-	-	-	-	-	-	1	2	-	1	2	9	9	14	9	16	9	8	3	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylin)—	34	-	-	-	-	-	-	-	-	2	5	5	5	4	7	6	1	2	2	-	-	-	-	-	-	-	-
	White—M—	30	-	-	-	-	-	-	-	-	2	4	4	4	6	5	1	2	2	-	-	-	-	-	-	-	-	
	F—	4	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
83	Intracranial lesions of vascular origin—	3,316	5	-	-	3	-	1	4	3	6	10	18	45	95	171	235	311	408	526	600	494	294	73	13	1	-	
	White—M—	1,598	3	-	-	2	-	1	3	2	6	3	12	15	40	62	117	180	200	265	287	230	134	29	6	1	-	
	F—	1,694	2	-	-	1	-	-	1	1	7	6	23	48	53	106	116	126	205	260	307	262	159	44	7	-		
	Nonwhite—M—	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	3	1	2	-	-	-	-		
	F—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	3	1	1	-	-	-		
90-95	Diseases of the heart—	11,134	3	3	1	-	8	9	12	10	21	41	89	163	339	561	823	1,186	1,383	1,654	1,858	1,558	957	337	66	4	-	
	White—M—	6,544	3	1	-	-	3	4	8	6	13	25	64	146	261	409	597	794	848	953	1,008	799	438	140	24	-		
	F—	4,502	-	2	1	-	-	5	2	4	8	16	23	34	74	162	216	377	526	704	839	745	517	196	42	4		
	Nonwhite—M—	52	-	-	-	-	-	-	-	-	-	-	-	2	3	7	10	5	4	5	5	2	1	-	-			
	F—	36	-	-	-	-	-	-	2	-	-	-	2	1	1	3	5	5	4	3	6	7	-	-	-			
90a, 92b, 93c, 95b	Chronic rheumatic diseases of the heart—	898	-	1	1	-	6	6	5																			

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
140-150	WISCONSIN—Con. Diseases of pregnancy, etc.— White—F— Nonwhite—F—	89 85 4	-	-	-	-	-	-	-	3	21	16	19	16	10	2	-	-	-	-	-	-	-	-	-	-	-	
140, 142a, 145A, 147	Puerperal septicemia— White—F— Nonwhite—F—	30 29 1	-	-	-	-	-	-	-	1	7	5	5	6	5	1	-	-	-	-	-	-	-	-	-	-	-	
141a, c, 144, 148	Puerperal toxemia— White—F— Nonwhite—F—	32 29 3	-	-	-	-	-	-	-	2	8	7	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock— White—F— Nonwhite—F—	24 24 -	-	-	-	-	-	-	-	5	4	5	5	5	5	-	-	-	-	-	-	-	-	-	-	-	-	
141d, 145B, 150	Other puerperal causes— White—F— Nonwhite—F—	3 3 -	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
157	Congenital malformations— White—M— F— Nonwhite—M— F—	475 253 214 5 3	388 208 175 3 2	29 12 16 1 1	10 3 6 1 -	5 4 1 -	1 1 4 -	4 4 2 -	7 5 2 -	4 3 4 -	6 2 4 -	5 2 3 -	-	6 2 4 -	3 3 -	-	4 2 2 -	1 1 -	-	1 -	-	-	-	-	-	-	-	
158-161	Diseases peculiar to first year— White—M— F— Nonwhite—M— F—	1,482 901 541 20 20	1,482 901 541 20 20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
159	Premature birth— White—M— F— Nonwhite—M— F—	943 582 338 12 11	943 582 338 12 11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
158, 160, 161	Other diseases peculiar to first year— White—M— F— Nonwhite—M— F—	539 319 203 8 9	539 319 203 8 9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
163, 164	Suicide— White—M— F— Nonwhite—M— F—	468 363 101 4 -	-	-	-	-	-	-	2	7	20	16	35	29	50	40	57	64	61	28	24	20	11	2	2	-	-	
165-168	Homicide— White—M— F— Nonwhite—M— F—	44 20 15 5 4	3 1 2 -	-	-	-	1	-	2	6	5	3	2	2	4	6	2	7	1	1	1	-	-	-	-	-	-	
169-195	Accidental deaths— White—M— F— Nonwhite—M— F—	2,274 1,520 726 20 8	76 91 35 1 -	36 18 17 -	19 10 9 -	16 10 6 -	18 9 8 -	63 38 25 -	60 49 11 -	129 103 25 -	164 144 18 -	111 93 16 -	102 82 16 -	86 68 17 -	85 70 11 -	106 87 17 -	101 84 16 -	119 98 16 -	122 97 24 -	144 96 47 -	170 101 68 -	166 78 88 -	186 49 114 -	131 18 81 -	52 18 34 -	11 4 7 -	2 2 -	1 1 -
170	Motor-vehicle accidents— White—M— F— Nonwhite—M— F—	790 597 178 11 4	4 2 2 -	9 3 6 -	6 3 3 -	9 6 3 -	7 5 2 -	27 18 9 -	18 12 6 -	73 55 18 -	103 81 11 -	60 43 9 -	56 28 9 -	39 25 4 -	29 29 11 -	42 29 2 -	50 40 9 -	51 37 11 -	53 44 8 -	52 31 21 -	48 36 11 -	31 21 10 -	15 6 5 -	7 1 1 -	1 1 -	-	1 1 -	
169, 171-195	Other accidents— White—M— F— Nonwhite—M— F—	1,484 923 548 9 4	72 39 33 -	27 15 11 -	13 7 6 -	7 3 3 -	11 5 6 -	36 20 16 -	42 37 9 -	56 48 7 -	61 53 7 -	51 45 7 -	46 39 7 -	48 40 8 -	54 45 7 -	64 58 6 -	64 44 5 -	69 61 5 -	92 65 26 -	122 85 57 -	135 57 76 -	171 60 108 -	124 43 80 -	51 17 34 -	11 4 7 -	2 2 -	-	-
162, 199, 200	Senility, ill-defined and unknown causes— White—M— F— Nonwhite—M— F—	411 227 184 -	8 4 2 -	2 1 -	-	-	1	1	-	1	1	2	2	3	1	7	11	8	15	21	26	55	68	84	61	13	2	-
	All other causes— White—M— F— Nonwhite—M— F—	1,783 929 850 11 13	104 61 40 2 1	27 15 12 -	16 15 1 -	16 13 3 -	15 7 8 -	36 20 16 -	18 5 12 -	35 18 17 -	45 15 24 -	38 15 21 -	53 23 27 -	76 26 49 -	79 32 45 -	113 45 66 -	115 55 60 -	144 74 69 -	155 93 65 -	141 101 47 -	166 83 55 -	134 75 68 -	83 41 57 -	28 10 38 -	4 10 17 -	-	-	

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of stillbirths)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	Age groups																	100 and over	Not stated					
				1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69			70 to 74	75 to 79	80 to 84	85 to 89	90 to 94
97, 102	WYOMING—Con.																										
	Arteriosclerosis and high blood pressure*	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	10	3	2	-	-	
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	7	1	2	-	-	
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	3	2	-	-	-	
107-109, 33	Pneumonia (all forms) and influenza	99	29	1	1	-	-	1	2	2	1	1	1	2	2	9	5	10	6	6	8	5	2	3	-	-	
	White—M	63	15	1	1	-	-	1	1	1	1	1	1	2	2	7	4	8	4	4	6	4	2	3	-	-	
	Nonwhite—M	30	12	-	-	-	-	1	1	1	1	1	1	1	1	2	1	2	2	2	4	1	-	-	-	-	
	Female	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
107	Bronchopneumonia	31	17	1	-	-	-	1	-	-	-	-	1	2	-	2	1	1	-	3	-	-	-	-	-	-	
	White—M	17	7	1	-	-	-	1	-	-	-	-	1	1	-	2	1	1	-	1	-	-	-	-	-	-	
	Nonwhite—M	10	6	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	
	Female	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	Lobar pneumonia	38	4	-	-	-	-	1	2	1	1	-	-	2	6	3	7	3	3	2	4	1	-	1	-	-	
	White—M	26	3	-	-	-	-	1	1	1	1	-	-	1	4	2	5	3	2	2	1	-	1	-	-		
	Nonwhite—M	10	1	-	-	-	-	1	1	1	-	-	-	1	2	1	2	3	2	1	-	-	-	-	-		
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
109	Pneumonia (unspecified)	16	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	1	-	1	-	-		
	White—M	10	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	1	-	-		
	Nonwhite—M	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-		
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	Influenza	14	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	3	-	3	3	-	1	-	-		
	White—M	10	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	3	2	-	1	-	-		
	Nonwhite—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-		
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
117	Ulcer of stomach or duodenum	11	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1	1	1	1	1	-	-	-	-		
	White—M	10	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	1	1	1	-	-	-	-		
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
119, 120	Diarrhea, enteritis, etc.*	11	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-		
	White—M	9	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
121	Appendicitis	17	-	-	-	-	1	2	1	-	-	2	1	3	1	2	1	-	2	-	1	-	-	-	-		
	White—M	10	-	-	-	-	1	1	-	-	1	1	1	1	1	2	1	-	1	-	1	-	1	-	-		
	Nonwhite—M	7	-	-	-	-	1	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
122	Hernia, intestinal obstruction	20	1	-	1	-	1	-	2	1	-	3	-	-	1	1	2	2	1	1	3	-	1	-	-		
	White—M	11	1	-	1	-	1	-	1	-	-	1	-	3	-	1	1	2	1	1	1	-	1	-	-		
	Nonwhite—M	9	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-		
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124	Cirrhosis of the liver	21	-	-	-	-	-	1	-	2	-	2	-	1	2	2	2	3	2	3	1	-	-	-	-		
	White—M	14	-	-	-	-	-	1	-	2	-	1	-	1	2	2	1	3	2	2	1	-	-	-	-		
	Nonwhite—M	7	-	-	-	-	-	-	2	1	-	1	-	1	-	1	1	-	1	1	-	-	-	-	-		
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
126, 127	Biliary calculi, etc.*	15	-	-	-	-	-	-	-	1	1	1	2	2	-	3	1	1	-	2	1	-	-	-	-		
	White—M	4	-	-	-	-	-	-	1	1	1	1	1	1	-	-	1	1	-	1	1	-	-	-	-		
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	-	-	-	-	-	-	-	-		
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
130-132	Nephritis	132	-	-	-	1	1	-	2	2	7	3	4	2	9	18	11	25	24	12	6	3	-	-	-		
	White—M	74	-	-	-	1	1	-	1	1	5	1	2	2	6	12	8	12	13	7	5	3	-	-	-		
	Nonwhite—M	55	-	-	-	1	-	-	1	1	1	2	2	2	3	6	3	12	10	5	3	3	-	-	-		
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137	Diseases of the prostate	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	-	4	-	-	-	-		
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	4	-	-	-	-		
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
			1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	
	WYOMING-Con.																											
140-150	Diseases of pregnancy, etc.	6	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	5	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma or shock	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	39	32	2	2	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M	13	10	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	25	22	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159, 160, 161	Other diseases peculiar to first year	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-M	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-F	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163, 164	Suicide	59	-	-	-	-	-	-	-	1	2	1	4	7	2	1	2	2	4	8	2	2	-	-	-	-	-	-
	White-M	35	-	-	-	-	-	-	-	1	1	1	4	6	2	1	2	2	3	8	2	2	-	-	-	-	-	
	White-F	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	Nonwhite-M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
165-166	Homicide	13	-	-	-	-	-	-	-	1	-	1	2	1	3	1	2	-	-	-	1	-	-	-	-	-	-	-
	White-M	9	-	-	-	-	-	-	-	1	-	1	1	1	1	1	2	-	-	-	1	-	-	-	-	-	-	-
	White-F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-M	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	291	7	9	7	3	-	9	13	12	28	20	22	26	14	14	13	19	17	17	12	8	16	4	1	-	-	
	White-M	218	6	6	3	3	-	6	9	10	23	17	18	17	11	12	15	16	12	14	7	16	9	1	-	-		
	White-F	68	1	3	2	-	-	2	3	2	4	3	3	9	3	2	-	2	4	2	5	8	7	3	1	-		
	Nonwhite-M	6	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-		
	Nonwhite-F	3	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
170	Motor-vehicle accidents	98	1	-	2	1	-	3	1	6	15	4	11	14	2	2	4	10	11	7	1	1	2	-	-	-		
	White-M	76	1	-	1	1	-	1	1	6	12	4	10	8	2	1	4	7	8	6	1	-	2	-	-	-		
	White-F	18	-	-	-	-	-	-	-	-	2	-	1	6	-	-	1	2	3	1	-	1	-	-	-	-		
	Nonwhite-M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-		
	Nonwhite-F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
169, 171-195	Other accidents	193	6	9	5	2	-	6	12	6	13	16	11	12	12	9	9	9	6	10	11	7	14	4	1	-		
	White-M	140	5	6	2	2	-	5	8	4	11	13	8	9	9	11	9	9	4	8	6	11	7	1	-	-		
	White-F	49	1	3	1	1	-	1	3	2	2	3	2	3	3	1	-	-	1	2	5	4	7	3	1	-		
	Nonwhite-M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite-F	3	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
162, 199, 200	Senility, ill-defined and unknown causes</																											

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	1,445,370	725,104	548,789	92,130	78,347	26,347	8,890	6,411	5,824	5,222
	I.—Infectious and parasitic diseases-----	60,155	37,854	20,633	12,467	9,201	2,161	566	371	656	569
1	Typhoid fever-----	262	112	82	46	42	7	4	2	-	1
2	Paratyphoid fever-----	45	24	12	4	3	-	-	-	-	-
3	Flagella-----	1	1	-	-	-	-	-	-	-	-
4	Cholera-----	5	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	58	35	16	6	3	-	-	-	-	1
6	Cerebrospinal (meningococcus) meningitis-----	917	441	343	85	50	27	6	4	7	10
7	Anthrax (infection by Bacillus anthracis)-----	5	2	-	1	-	-	1	1	-	-
8	Scarlet fever-----	107	59	39	3	6	-	-	-	-	-
9	Whooping cough-----	1,854	645	684	295	354	116	18	18	40	42
10	Diphtheria (infection by C. diphtheriae)-----	799	353	320	57	69	30	13	10	2	5
11	Erysipelas-----	62	36	37	5	4	2	-	2	-	6
12	Tetanus-----	511	197	108	14	82	23	1	3	15	-
13-22	Tuberculosis (all forms)-----	49,064	23,167	11,619	7,419	5,863	1,147	313	195	354	305
13	Tuberculosis of respiratory system, etc.*-----	44,462	21,671	10,653	6,687	5,271	1,055	296	176	299	284
14	Tuberculosis of meninges, etc.*-----	977	327	277	205	170	23	4	2	7	3
15	Tuberculosis of intestines and peritoneum-----	478	134	127	104	113	16	3	2	5	6
16	Tuberculosis of vertebral column-----	433	171	122	81	59	15	2	2	6	4
17	Tuberculosis of bones and joints, etc.*-----	155	76	31	29	17	3	1	-	1	1
18	Tuberculosis of skin, etc.*-----	18	6	3	3	2	1	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*-----	75	28	7	7	13	1	1	-	1	-
20	Tuberculosis of genito-urinary system-----	358	132	115	30	20	5	-	1	3	1
21	Tuberculosis of other organs-----	35	14	25	14	10	2	1	-	1	-
22	Disseminated tuberculosis-----	1,017	318	232	260	187	25	5	3	11	6
23	Leprosy-----	16	5	5	4	1	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	520	235	185	42	98	14	4	4	3	3
25	Gonococcus infection-----	108	12	24	14	56	11	-	1	3	7
26	Other diseases due to bacteria (except dysentery)-----	58	27	8	15	8	-	-	-	-	-
27	Dysentery-----	869	399	292	105	73	30	10	8	10	2
28	Malaria-----	214	87	53	43	51	19	3	1	6	9
29	Other diseases due to parasitic protozoa, etc.*-----	37	18	14	4	1	-	-	-	-	-
30	Syphilis (all forms)-----	12,671	6,172	1,995	3,062	1,422	315	68	14	147	96
30a	Locomotor ataxia (tabes dorsalis)-----	453	326	69	42	16	7	3	-	3	1
30b	General paralysis of insane-----	3,537	1,785	563	899	280	44	20	3	17	4
30d	Aneurysm of aorta-----	3,465	2,039	512	704	240	60	20	7	24	9
30f	Congenital syphilis-----	605	109	112	210	174	29	-	1	19	9
30c,e,g	Syphilis (other forms)-----	4,611	1,933	739	1,227	712	175	25	3	84	63
31	Relapsing fever-----	1	-	1	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	415	211	150	33	21	7	2	2	2	1
33	Influenza-----	7,694	3,047	2,978	813	826	301	73	84	72	72
34	Smallpox-----	5	2	2	1	-	-	-	-	-	-
35	Measles-----	472	176	199	44	53	27	6	9	6	6
36	Poliomyelitis and polioencephalitis (acute)-----	590	317	218	23	22	8	3	2	-	3
37	Acute infectious encephalitis (lethargic)-----	830	346	244	27	13	13	7	4	1	1
38	Other diseases due to filtrable viruses-----	144	80	40	18	8	5	2	-	2	1
39	Typhus fever and typhus-like diseases*-----	224	123	62	21	18	16	10	4	-	2
40	Ankylostomiasis-----	9	6	1	1	-	-	-	-	-	-
41	Hydatid disease-----	15	10	5	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	51	15	10	7	1	1	1	-	-	-
43	Mycoses-----	331	170	113	33	15	6	3	1	-	2
44	Other infectious and parasitic diseases-----	2,300	1,330	785	98	89	28	18	2	5	3
	II.—Cancer and other tumors-----	195,594	89,239	91,447	6,485	8,424	2,501	807	967	255	472
45-55	Cancer and other malignant tumors-----	189,811	87,321	88,455	6,271	7,764	2,369	777	920	245	427
45	Cancer of buccal cavity and pharynx-----	5,583	4,207	1,046	232	96	84	40	35	6	3
45a	Cancer of lip-----	599	536	52	6	2	9	8	1	-	-
45b	Cancer of tongue-----	1,361	1,036	245	66	14	12	2	8	1	1
45c	Cancer of mouth-----	782	559	158	41	24	12	6	4	2	-
45d	Cancer of jaw bone-----	896	620	223	56	17	26	10	13	2	1
45e	Cancer of unspecified parts of buccal cavity-----	99	66	27	4	1	-	-	-	-	-
45f	Cancer of pharynx-----	1,849	1,390	343	77	38	25	14	9	1	1
46	Cancer of digestive organs and peritoneum-----	85,121	42,240	35,173	3,269	2,419	899	342	320	112	125
46a	Cancer of esophagus-----	3,489	2,360	721	319	69	21	12	7	-	2
46b	Cancer of stomach-----	25,967	14,815	8,605	1,480	867	319	127	91	66	35
46c	Cancer of duodenum-----	352	174	161	7	10	2	1	1	-	-
46d	Cancer of rectum and anus-----	10,428	5,619	4,232	274	303	73	22	33	6	12
46e	Cancer of intestines, etc.*-----	22,555	9,820	11,703	494	538	220	74	96	19	31
46f	Cancer of liver and biliary passages-----	10,572	4,237	5,639	339	357	151	52	60	12	27
46g	Cancer of pancreas-----	7,597	4,183	2,946	262	196	93	49	25	7	12
46h	Cancer of mesentery and peritoneum-----	1,319	855	576	54	34	11	2	5	-	4
46m	Cancer of other and unspecified sites-----	852	357	390	60	45	9	3	2	2	2
47	Cancer of respiratory system-----	17,319	12,947	3,365	791	216	181	98	43	30	10
47a	Cancer of larynx-----	1,872	1,564	202	87	19	16	10	1	4	1
47b,c	Cancer of trachea and bronchus-----	5,166	4,147	673	292	54	52	29	11	11	1
47d	Cancer of lung-----	9,571	6,772	2,279	387	154	106	54	31	15	8
47e	Cancer of pleura-----	151	94	52	3	2	1	1	-	-	-
47f	Cancer of other respiratory organs-----	559	370	160	22	7	4	4	-	-	-
48	Cancer of uterus-----	17,455	...	14,816	...	2,639	394	...	205	...	189
48a	Cancer of cervix-----	7,878	...	6,733	...	1,245	175	...	95	...	80
48b	Cancer of other and unspecified sites of uterus-----	9,477	...	8,083	...	1,394	219	...	110	...	109
49	Cancer of other female genital organs-----	5,831	...	5,513	...	318	59	...	52	...	7
49a,b	Cancer of ovary, fallopian tube, and parametrium-----	5,059	...	4,803	...	256	49	...	45	...	4
49c-e	Cancer of other female genital organs-----	772	...	710	...	62	10	...	7	...	3
50	Cancer of breast-----	18,030	192	16,878	21	1,139	177	4	126	2	45
51	Cancer of male genital organs-----	12,013	11,069	...	944	...	170	112	...	58	...
51b	Cancer of prostate-----	11,050	947	...	152	100	...	52	...
51a,c-e	Cancer of other male genital organs-----	963	866	...	97	...	18	12	...	6	...
52	Cancer of urinary organs-----	9,334	5,776	3,054	284	220	31	45	31	6	9
52a	Cancer of kidney-----	3,208	1,858	1,198	78	74	29	12	13	1	3
52b	Cancer of bladder-----	6,015	3,969	1,802	200	144	62	33	18	5	6
52c	Cancer of other and unspecified sites-----	111	49	54	6	2	-	-	-	-	-

Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

445

UNITED STATES AND EACH STATE, 1947

and of deaths among armed forces overseas)

Total deaths	ARIZONA					ARKANSAS					CALIFORNIA					COLORADO				Int. List No.	
	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
6,032	3,206	1,602	592	432	15,095	6,492	4,543	2,296	1,964	96,697	53,541	38,133	5,155	1,898	12,613	7,570	4,889	156	128		
846	402	175	182	117	1,440	530	318	310	282	5,157	5,078	1,337	506	236	701	448	214	25	14		
4	1	1	1	1	8	3	3	2	-	17	9	6	1	1	2	2	-	-	-	1	
1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
6	-	5	1	-	11	7	3	1	-	63	40	20	2	1	1	5	4	-	-	5	
1	1	-	-	-	2	-	-	1	-	2	-	-	-	-	1	-	-	-	-	6	
21	8	8	2	3	55	10	12	15	18	56	28	18	4	6	27	8	16	-	1	7	
7	3	1	1	2	19	11	4	1	3	52	35	13	2	2	20	11	-	-	-	8	
3	1	-	-	-	1	4	5	8	-	10	5	3	-	-	1	2	-	-	-	9	
644	318	123	114	89	802	299	187	158	160	3,455	2,054	992	359	171	375	256	96	16	7	13-22	
595	308	114	94	79	764	286	178	148	154	3,175	1,913	795	331	146	341	236	87	12	6	13	
26	4	1	11	10	13	4	5	4	3	78	33	34	4	7	9	6	1	1	1	14	
1	1	-	-	-	5	4	-	1	28	10	9	5	5	4	5	2	2	1	1	15	
2	1	-	-	-	3	3	2	2	26	13	9	3	3	1	4	2	2	2	1	16	
2	1	-	-	-	-	-	-	-	1	4	7	1	-	-	1	-	-	-	-	-	17
3	-	2	-	-	1	1	-	-	1	5	1	1	-	-	1	-	-	-	-	-	18
1	-	-	-	-	2	1	-	-	-	35	18	13	3	1	5	3	2	-	-	-	19
14	2	6	6	-	9	4	2	2	1	90	34	33	12	11	8	5	1	2	-	-	20
2	2	-	-	-	9	2	2	1	4	25	17	8	-	-	6	4	3	-	-	-	21
-	-	-	-	-	9	7	1	-	1	8	3	4	-	-	-	-	-	-	-	-	22
20	2	5	8	5	19	9	4	4	6	32	20	10	1	1	11	7	4	-	-	-	23
-	-	-	-	-	29	13	1	7	8	4	3	1	-	-	-	-	-	-	-	-	24
-	-	-	-	-	2	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-	25
64	35	10	14	5	198	68	18	77	35	948	620	174	110	44	113	91	12	9	1	30	
1	1	-	-	-	5	4	-	-	1	48	40	4	3	1	3	3	-	-	-	30a	
9	7	-	2	-	67	26	5	28	8	202	130	38	28	6	26	24	1	1	-	30b	
24	18	2	2	4	36	19	3	14	-	338	233	51	39	15	51	37	6	8	-	30d	
20	9	6	6	2	16	2	4	6	4	25	7	9	3	6	2	1	1	1	-	30f	
10	2	2	2	3	74	17	6	29	22	335	210	72	37	16	31	26	4	-	1	30c,e,g	
4	2	2	-	-	5	1	2	-	-	24	8	15	3	-	4	2	2	-	-	31	
27	13	12	-	2	210	70	60	37	43	128	65	61	1	1	87	39	44	-	4	33	
18	2	3	6	7	7	2	3	2	-	10	6	3	1	7	5	2	2	-	-	34	
5	1	3	-	1	4	2	1	1	1	54	32	19	1	2	6	2	4	-	-	35	
2	1	1	1	1	3	3	-	1	-	44	25	15	4	4	3	1	1	-	-	36	
-	-	-	-	-	3	2	1	-	-	6	4	1	-	1	3	2	-	-	-	37	
9	6	-	3	-	3	2	-	-	-	1	-	-	-	4	4	4	-	-	-	38	
7	6	-	-	3	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	39	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	40	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	41	
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	42	
9	6	-	3	-	3	2	-	1	-	44	17	14	11	2	4	1	3	-	-	43	
7	6	-	-	1	18	13	5	-	-	162	101	55	5	1	13	7	6	-	-	44	
544	266	241	21	16	1,691	660	699	139	193	13,969	6,835	6,834	328	261	1,676	821	823	17	15		
521	258	228	21	14	1,636	642	690	135	179	13,574	6,410	6,608	320	236	1,614	794	788	17	15	45-55	
14	10	3	-	1	60	42	9	6	3	362	302	65	13	2	44	33	11	-	-	45	
2	2	-	-	-	5	5	-	-	-	42	36	6	-	-	3	3	-	-	-	45a	
2	2	-	-	-	6	2	2	2	-	110	88	17	4	1	9	7	2	-	-	45b	
4	2	-	-	-	7	4	1	1	1	59	44	13	2	-	5	4	1	-	-	45c	
1	1	-	-	-	17	12	3	1	1	38	27	9	1	1	8	4	4	-	-	45d	
1	1	-	-	-	-	-	-	-	-	10	8	1	1	-	-	-	-	-	-	45e	
5	3	1	1	2	25	19	3	2	1	123	99	19	5	-	19	15	4	-	-	45f	
215	122	79	12	2	629	273	239	74	43	5,693	3,004	2,420	184	85	704	392	300	8	4	46	
6	2	3	1	-	18	6	6	6	-	215	165	40	10	-	22	17	4	1	-	46a	
83	53	24	5	1	237	117	72	35	13	1,903	1,085	591	91	36	246	154	85	4	3	46b	
1	1	-	-	-	1	-	1	-	-	23	9	13	-	1	6	5	1	-	-	46c	
21	14	7	-	-	51	16	22	5	8	758	398	325	22	13	70	38	32	-	-	46d	
50	21	24	4	1	148	57	71	12	8	1,440	625	767	16	14	183	80	100	3	-	46e	
30	14	16	-	-	109	39	48	11	11	690	271	386	18	15	91	42	49	-	-	46f	
22	16	5	1	-	51	32	16	1	2	592	363	209	14	6	67	47	19	-	1	46g	
2	1	-	-	-	8	4	2	2	-	105	57	41	7	-	12	6	6	-	-	46h	
2	1	-	1	-	6	2	1	2	1	67	33	28	6	-	7	3	4	-	-	46i	
61	46	9	5	1	99	69	24	4	2	1,348	1,018	266	51	13	129	89	35	3	2	47	
4	3	1	-	-	15	14	1	-	-	115	105	7	3	-	12	11	1	-	-	47a	
26	21	-	4	1	16	15	1	-	-	572	442	96	25	9	39	29	9	1	-	47b,c	
31	22	8	1	-	63	36	21	4	2	597	425	149	20	4	74	49	23	2	-	47d	
-	-	-	-	-	3	2	1	-	-	10	8	1	1	-	1	-	1	-	-	47e	
-	-	-	-	-	2	2	-	-	-	54	38	14	2	-	3	1	1	-	-	47f	
53	48	-	-	5	254	166	-	88	1,174	1,113	1,113	-	-	61	155	-	152	-	-	48	
20	18	-	-	2	116	84	-	32	610	569	569	-	-	41	81	-	79	-	-	48a	
33	30	-	-	3	158	82	-	56	564	544	544	-	-	20	74	-	73	-	-	48b	
13	11	-	-	2	31	30	-	1	512	495	495	-	-	17	49	-	48	-	-	49	
10	8	-	-	2	27	26	-	1	461	445	445	-	-	16	40						

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	UNITED STATES				ALABAMA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	3,474	2,042	1,333	47	52	75	36	33	4	2
54	Cancer of central nervous system*	3,436	1,988	1,298	83	67	67	39	22	2	4
	Cancer of other and unspecified organs	14,215	6,860	6,177	580	598	172	61	53	25	33
55	Nonmalignant tumors and tumors of unspecified nature	5,783	1,917	2,992	214	660	132	30	47	10	45
56,57	Nonmalignant tumors (including dermoid cysts)	3,349	728	2,014	75	532	81	12	51	2	36
56a-c	Nonmalignant tumors of female genital organs	1,811	...	1,345	...	466	51	...	19	...	5
56d	Nonmalignant tumors of central nervous system*	887	409	408	39	31	20	8	9	...	5
56e	Nonmalignant tumors of other and unspecified organs	651	519	261	36	35	10	4	3	2	1
57	Tumors of unspecified nature	2,434	1,189	978	139	128	51	18	16	8	9
57a-c	Tumors, female genital organs (nature unspecified)	64	...	51	...	13	5	...	2	...	3
57d	Tumors, central nervous system* (nature unspecified)	1,591	612	618	85	76	36	15	10	7	4
57e	Tumors, other organs (nature unspecified)	779	377	509	54	39	10	3	4	1	2
	III.—Rheumatism, diseases of nutrition, etc.*	46,397	15,798	26,669	1,312	2,588	590	146	216	78	180
58	Acute rheumatic fever	1,024	393	358	113	158	32	5	9	7	11
58a	Acute rheumatic pericarditis	38	20	10	5	3	-	-	-	-	-
58b	Acute rheumatic endocarditis	298	119	118	22	39	9	1	-	4	4
58c	Acute rheumatic myocarditis	117	43	43	13	18	2	-	1	-	1
58d	Other acute rheumatic heart diseases	194	80	53	28	33	6	-	2	2	2
58e,f	Other forms of acute rheumatic fever, etc.*	377	131	135	45	66	15	4	6	1	4
59	Chronic rheumatism, other rheumatic diseases	1,641	627	1,058	68	88	32	11	7	6	8
60	Gout	6	3	2	1	-	-	-	-	-	-
61	Diabetes mellitus	37,515	13,058	21,791	871	1,815	365	102	137	40	86
62	Diseases of pituitary gland	161	51	94	7	9	2	1	-	-	-
63	Diseases of thyroid and parathyroid glands	2,795	448	2,087	40	220	36	3	14	2	17
63a	Simple goiter	146	24	95	4	23	4	1	-	-	3
63b	Exophthalmic goiter	2,243	320	1,716	30	177	26	2	9	2	13
63c-e	Other diseases of thyroid and parathyroid glands	406	104	276	6	20	6	-	5	-	1
64	Diseases of thymus gland	1,092	562	397	68	65	21	3	6	6	6
65	Diseases of adrenal glands*	480	197	250	21	12	5	-	3	2	-
66	Other general diseases	500	203	211	39	47	9	1	3	2	3
67	Scurvy	22	10	5	3	4	-	-	-	-	-
68	Beriberi	49	26	16	3	4	-	-	-	-	-
69	Pellagra (except alcoholic)	728	165	365	56	142	85	19	38	13	17
70	Rickets	53	25	10	10	8	1	-	1	-	-
71	Other avitaminoses	121	50	44	12	15	2	1	-	-	1
	IV.—Diseases of the blood and blood-forming organs	11,349	5,818	4,779	422	350	192	81	63	27	21
72	Hemorrhagic conditions	575	263	251	38	23	20	8	6	5	1
73	Anemias (except aplenic anemia)	2,750	1,191	1,275	139	145	44	16	13	9	6
73a	Fernicious anemia	1,598	684	818	49	47	17	6	5	4	2
73b-d	Other anemias (except splenic)	1,152	507	457	90	98	27	10	8	5	4
74	Leukemias and aleukemias	7,293	4,058	2,918	204	133	113	49	40	13	11
74a	Leukemias	6,954	3,857	2,769	198	150	107	45	38	13	11
74b	Aleukemias	339	181	149	6	3	6	4	2	-	-
75	Diseases of spleen	453	211	198	27	17	10	5	3	-	2
76	Other diseases of blood and blood-forming organs	278	115	137	14	12	5	3	1	-	1
	V.—Chronic poisoning and intoxication	2,351	1,735	507	245	64	37	25	2	7	3
77	Alcoholism (ethylism)	2,249	1,665	584	259	61	32	22	1	7	2
78	Lead poisoning	32	24	2	5	1	1	-	-	-	1
79	Chronic poisoning by other mineral substances*	70	46	21	1	2	4	3	1	-	-
	VI.—Diseases of the nervous system, etc.*	145,970	63,531	64,071	8,765	9,603	2,999	863	794	635	707
80	Encephalitis (non-epidemic)	1,162	611	391	85	75	30	15	8	3	4
81	Meningitis (not due to meningococcus)	2,009	949	580	279	201	43	16	11	10	6
82	Diseases of spinal cord (see exceptions)*	2,619	1,406	997	127	89	27	11	5	4	7
83	Intracranial lesions of vascular origin	131,039	56,246	58,457	7,615	8,721	2,651	749	696	551	664
83a	Cerebral hemorrhage or effusion*	111,729	47,161	49,945	6,824	7,995	2,496	663	653	524	636
83b,c	Cerebral embolism, thrombosis, and softening	16,221	7,780	7,392	530	519	103	45	35	11	12
83d	Hemiplegia, other paralysis, etc.*	5,093	1,305	1,220	261	307	52	12	8	16	16
84	Mental diseases and deficiency (see exception)*	1,569	562	670	169	168	89	19	39	28	5
85	Epilepsy	2,247	1,098	750	255	154	61	18	6	27	10
86	Convulsions (under 5 years)	304	125	90	47	44	16	3	4	4	5
87	Other diseases of nervous system	4,296	2,160	1,675	152	109	64	30	20	9	5
88	Diseases of organs of vision	52	23	23	3	3	1	-	-	-	-
89	Diseases of ear and mastoid process	673	363	238	33	39	17	10	5	1	1
	VII.—Diseases of the circulatory system	494,113	269,125	184,324	21,655	19,009	6,417	2,506	1,592	1,219	1,100
90-95	Diseases of the heart (all forms)	480,580	252,864	169,886	20,187	17,668	6,026	2,369	1,492	1,144	1,021
90	Pericarditis (except acute rheumatic)	521	261	141	88	51	15	9	1	5	-
90a	Chronic rheumatic pericarditis	22	11	10	1	-	1	-	-	-	-
90b	Other pericarditis	499	250	131	87	51	14	9	-	5	-
91	Acute endocarditis (except rheumatic)	1,202	567	369	133	133	21	5	5	6	5
91a,b	Bacterial, acute, and subacute endocarditis	1,106	527	345	118	116	20	4	5	6	5
91c	Endocarditis (unspecified, under 45 years)	86	40	24	15	17	1	-	-	-	-
92	Chronic affections of valves and endocardium	31,969	14,785	13,157	2,049	2,007	765	209	162	211	183
92a	Diseases of aortic valve, etc.*	5,021	1,526	911	342	242	104	29	16	33	26
92b	Diseases of mitral valve, etc.*	13,371	5,930	5,762	792	887	271	86	63	62	60
92c	Chronic rheumatic endocarditis, etc.*	2,088	1,078	867	71	82	18	6	4	3	5
92d	Other chronic endocarditis, etc.*	11,935	5,526	5,016	726	667	366	95	70	113	90
92e	Endocarditis (unspecified, 45 years and over)	1,543	695	601	118	129	5	3	1	-	2
93	Diseases of the myocardium	238,608	114,988	102,194	10,923	10,493	2,932	978	829	582	563
93a	Acute myocarditis (except rheumatic)	3,278	1,504	1,177	293	304	111	34	21	28	28
93b	Myocarditis (unspecified, under 45 years)	340	174	97	62	57	6	2	-	3	1
93c	Chronic rheumatic myocarditis, etc.*	1,293	592	603	47	51	21	4	11	4	2
93d	Other chronic myocarditis, etc.*	218,111	104,948	94,534	9,449	9,180	2,683	902	782	496	503
93e	Other myocarditis (unspecified)	15,586	7,850	5,783	1,072	901	111	36	15	31	29
94	Diseases of coronary arteries, angina pectoris	154,131	104,900	41,917	4,394	2,920	1,747	946	377	237	187
94a	Diseases of coronary arteries	150,806	102,751	41,027	4,242	2,786	1,855	883	363	231	178
94b	Angina pectoris	3,325	2,149	890	152	134	92	65	14	6	9

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

447

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	ARIZONA				Total deaths	ARKANSAS				Total deaths	CALIFORNIA				Total deaths	COLORADO				Int. List No.		
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite				
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female			
21	13	7	1	-	61	36	22	1	2	237	132	102	2	1	28	17	11	-	-	53		
4	3	1	-	-	27	16	11	-	-	303	172	118	7	6	26	17	9	-	-	54		
41	20	20	-	1	161	73	58	13	17	974	483	446	31	14	133	69	62	2	-	55		
23	8	13	-	-	55	18	19	4	14	384	125	226	8	25	62	27	35	-	-	56,57		
13	3	8	-	-	28	7	11	2	8	279	70	181	5	23	21	4	17	-	-	58		
8	...	7	...	1	18	...	9	...	8	127	...	108	...	19	10	...	10	58a-c		
2	2	1	-	-	9	6	2	1	-	91	41	45	5	2	6	2	4	-	-	58d		
1	1	1	-	-	1	1	1	1	-	61	29	28	2	2	5	2	3	-	-	58e		
10	5	5	-	-	27	11	8	2	6	105	55	45	5	2	41	23	18	-	-	57		
-	...	3	...	-	1	...	1	...	-	2	...	2	...	-	-	...	-	57a-c		
5	3	2	-	-	17	8	6	1	2	70	39	28	5	-	31	19	12	-	-	57d		
5	2	3	-	-	9	3	1	1	4	33	16	15	-	2	10	4	6	-	-	57e		
91	35	47	2	7	349	120	138	27	64	2,484	1,002	1,361	58	73	323	147	168	2	6			
2	1	1	-	-	16	4	5	3	4	25	12	9	3	1	17	8	9	-	-	58		
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	58a	
-	-	-	-	-	2	-	2	-	-	6	4	2	-	-	4	2	2	-	-	-	58b	
-	-	-	-	-	1	-	1	-	-	3	1	1	1	-	1	1	-	-	-	-	58c	
-	-	-	-	-	4	2	-	1	1	9	5	3	1	1	3	2	1	-	-	-	58d	
1	1	-	-	-	9	2	2	2	3	7	2	3	1	1	8	2	6	-	-	-	58e,f	
6	1	3	1	1	34	14	14	3	3	89	25	62	1	-	20	6	12	1	1	-	59	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	
67	30	33	1	3	214	79	90	14	31	2,017	840	1,074	41	62	214	103	105	1	5	-	61	
-	-	-	-	-	1	-	1	-	-	13	5	7	-	-	-	-	-	-	-	-	62	
6	1	4	-	-	17	1	6	1	9	152	25	118	4	5	32	6	26	-	-	-	63	
-	-	-	-	-	1	-	-	-	-	12	1	8	1	2	3	-	3	-	-	-	63a	
4	-	3	-	-	12	1	4	1	6	103	15	82	3	3	25	5	20	-	-	-	63b	
2	1	1	-	-	4	-	-	-	2	37	9	23	-	-	4	1	3	-	-	-	63c-e	
3	1	2	-	-	11	6	3	1	1	106	53	46	6	1	23	13	10	-	-	-	64	
2	1	1	-	-	6	1	2	3	-	49	22	22	2	3	8	6	2	-	-	-	65	
3	1	2	-	-	11	8	3	-	-	15	7	8	-	-	6	3	3	-	-	-	66	
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	67	
2	-	1	-	-	35	5	12	2	16	19	3	13	-	-	1	1	-	-	-	-	68	
-	-	-	-	-	1	1	-	-	-	6	4	2	-	-	1	1	1	-	-	-	69	
-	-	-	-	-	1	1	-	-	-	6	-	-	-	-	1	1	1	-	-	-	70	
36	19	12	1	4	107	59	38	6	4	801	441	332	18	12	98	49	46	1	2	-	71	
6	1	2	1	2	5	1	4	-	-	39	17	19	-	2	5	1	4	-	-	-	72	
7	5	1	-	-	32	12	15	4	1	136	59	74	-	3	22	8	13	-	-	-	73	
3	2	-	-	-	13	4	7	2	2	76	31	45	-	-	9	3	6	-	-	-	73a	
4	3	1	-	-	19	8	8	2	1	60	28	29	-	3	13	5	7	-	-	-	73b-d	
21	12	8	-	-	61	41	16	2	2	582	345	220	10	7	64	36	26	1	1	-	74	
19	10	8	-	-	60	41	15	2	2	553	332	204	10	7	60	34	24	1	1	-	74a	
2	2	-	-	-	1	-	1	-	-	29	13	16	-	-	4	2	2	-	-	-	74b	
2	1	1	-	-	6	3	2	-	1	31	13	13	5	-	5	4	1	-	-	-	75	
-	-	-	-	-	3	2	1	-	-	14	7	6	1	-	2	-	2	-	-	-	76	
22	15	3	3	1	11	10	-	1	-	203	154	39	8	2	28	19	7	2	-	-	77	
22	15	3	3	1	10	9	-	1	-	190	147	34	8	1	28	19	7	2	-	-	78	
-	-	-	-	-	-	1	-	-	-	3	3	-	-	-	-	-	-	-	-	-	79	
-	-	-	-	-	10	1	-	-	-	10	4	5	-	-	1	-	-	-	-	-	-	
410	204	166	20	20	1,656	632	489	243	292	8,404	3,842	4,212	189	161	1,219	639	562	5	13	-		
5	3	1	-	1	17	8	5	2	2	56	28	22	5	1	11	8	3	-	-	-	80	
15	8	3	1	3	25	9	8	5	3	93	50	31	7	5	17	12	5	-	-	-	81	
9	4	5	-	-	28	10	9	8	1	165	100	77	4	2	19	12	7	-	-	-	82	
346	174	144	14	14	1,470	556	440	208	266	7,631	3,437	3,887	163	144	1,084	561	507	4	12	-	83	
297	151	120	13	13	1,308	485	383	192	248	5,954	2,651	3,061	125	117	937	490	443	4	10	-	83a	
41	19	21	1	-	75	38	28	7	2	1,572	736	774	36	26	121	67	53	-	-	-	83b,c	
8	4	3	-	1	87	33	29	9	16	105	50	52	2	1	26	14	11	-	-	-	83d	
6	3	2	1	-	34	7	8	7	12	53	25	24	2	2	12	3	9	-	-	-	84	
10	5	4	1	-	30	15	4	6	5	114	70	38	3	3	26	16	10	-	-	-	85	
3	1	1	1	1	6	2	3	1	-	-	-	-	-	-	4	2	2	-	-	-	86	
10	4	6	-	-	37	21	9	5	2	239	115	118	4	1	42	22	18	1	1	-	87	
-	-	-	-	-	1	-	1	-	-	5	3	2	-	-	1	1	-	-	-	-	88	
6	3	-	2	1	8	4	2	1	1	31	14	13	1	3	3	2	1	-	-	-	89	
1,418	899	425	66	28	4,017	1,990	1,081	539	407	35,204	20,660	15,411	692	441	3,740	2,350	1,324	36	30	-		
1,313	839	390	59	25	3,735	1,885	995	486	369	32,400	19,265	12,069	631	405	3,466	2,188	1,216	35	27	-	90-95	
2	2	-	-	-	10	3	2	5	-	35	21	11	-	-	3	10	7	-	-	-	90	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	90a
2	2	-	-	-	10	3	2	5	-	34	21	10	-	-	3	10	7	-	-	-	90b	
7	4	2	-	-	30	4	6	7	13	76	41	30	4	1	10	5	4	-	-	-	91	
7	4	2	-	-	28	4	5	6	13	74	40	29	4	1	10	5	4	-	-	-	91a,b	
-	-	-	-	-	2	-	1	1	-	2	1	1	-	-	-	-	-	-	-	-	-	91c
87	43	35	5	4	391	164	120	59	48	1,844	940	829	36	37	296	153	138	3	2	-	92	
2	1	1	-	-	40	16	9	11	4	228	144	69	14	1	33	19	12	1	1	-	92a	
42	19	21	1	1	160	75	58	15	12	913	433	442	14	24	138	70	66	1	1	-	92b	
11	6	4	-	-	10	5	3	-	2	205	122	75	3	5	26	13	13	-	-	-	92c	
29	14	9	4	2	172	65	45	33	29	452	218	221	7	6	91	47	43	1	-	-	92d	
3	3	-	-	-	9	3	5	-	-	46	23	22	-	-	8	4	4	-	-	-	92e	
627	380	205	34	8	1,459	638	467	182	152	17,520	9,464	7,421	372	263	1,538	861	641	19	17	-	93	
8	6	2	-	-	50	27	10	5	8	118	80	43	6	7	21	16	5	-	-	-	93a	
2	2	-	-	-	2	-	-	1	1	18	10	6	-	2	2	-	2	-	-	-	93b	
5	4	1	-	-	7	4	-	2	1	86	49	44	1	2	15	5	9	-	-	-	93c	
546	321	187	30	8	1,274	572	413	187	132	16,886	9,000	7,094	352	250	1,319	729	559	18	13	-	93d	
66	49	13	4	-	128	55	44	17	10	584	345											

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	UNITED STATES				ALABAMA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued											
Diseases of the heart (all forms)—Continued											
95	Other diseases of heart	34,150	17,393	12,099	2,615	2,064	546	222	118	123	63
95a	Functional diseases of heart, etc.*	1,047	507	471	38	31	20	10	6	3	1
95b	Other diseases of heart (rheumatic)	7,085	3,168	3,242	320	353	67	18	24	11	14
95c	Other diseases of heart (not rheumatic)	26,020	13,708	8,375	2,257	1,680	459	194	88	109	86
96	Aneurysm (except of heart and aorta)	2,237	1,385	633	118	101	22	13	5	2	2
97	Arteriosclerosis (except coronary or renal atherosclerosis)	25,317	12,162	11,415	958	782	234	93	60	44	37
98	Gangrene	380	179	116	53	52	10	1	3	1	5
99	Other diseases of arteriosclerosis	2,040	1,059	841	75	65	25	10	7	4	4
100	Diseases of veins	1,379	645	622	54	58	16	9	4	3	—
101	Diseases of lymphatic system	56	18	25	6	7	3	—	1	1	1
102	High blood pressure (idiopathic)	1,911	718	748	196	247	73	10	19	19	25
103	Other diseases of circulatory system	213	95	58	51	29	8	1	1	1	5
VIII.—Diseases of the respiratory system											
104	Diseases of nasal fossae, accessory sinuses	454	181	163	64	46	17	2	3	5	7
105	Diseases of larynx	290	172	86	15	19	8	3	1	2	2
106	Bronchitis	3,467	1,903	1,268	161	135	59	23	24	7	5
107	Bronchopneumonia (including capillary bronchitis)	28,087	13,187	10,723	2,245	1,924	578	170	160	129	119
108	Lobar pneumonia	20,272	10,189	8,395	2,135	1,573	543	151	129	146	117
109	Pneumonia (unspecified)	5,813	2,712	1,992	612	507	80	17	21	22	20
109a	Atypical or virus pneumonia	1,039	554	375	60	50	18	6	5	3	3
109b	Pneumonia (all other, unspecified)	4,774	2,158	1,607	552	457	62	11	15	19	17
110	Pleurisy (not tuberculous)	1,172	644	550	110	68	20	7	2	8	3
111	Hemorrhagic infarction, thrombosis, edema*	4,202	1,869	1,903	251	199	64	28	23	6	7
112	Asthma	2,712	1,462	963	155	134	50	15	7	13	15
113	Pulmonary emphysema	328	253	49	21	5	3	—	—	—	—
114	Other diseases of respiratory system (except tuberculosis)	1,974	1,359	403	159	53	25	7	7	9	2
114a,b	Silicosis, other forms of pneumoconiosis	612	590	3	19	—	24	6	7	9	2
114c-e	Other diseases of respiratory system (except tuberculosis)	1,362	769	400	140	53	—	—	—	—	—
IX.—Diseases of the digestive system											
115	Diseases of buccal cavity and adnexa, etc.*	1,360	557	517	135	151	37	8	7	11	11
116	Diseases of esophagus	245	132	84	16	13	3	1	1	1	—
117	Ulcer of stomach or duodenum	8,611	6,504	1,376	544	137	129	72	17	35	5
117a	Ulcer of stomach	5,333	3,901	874	401	157	87	44	14	25	4
117b	Ulcer of duodenum	3,278	2,603	502	143	30	42	28	3	10	1
118	Other diseases of stomach (except cancer)	1,342	801	341	197	203	38	8	5	8	17
119	Diarrhea, enteritis, etc.* (under 2 years)	6,046	2,830	2,050	660	506	109	29	33	26	21
120	Diarrhea, enteritis, etc.* (2 years and over)	2,023	803	895	135	200	61	21	15	10	15
121	Appendicitis	4,796	2,512	1,632	362	280	109	44	17	23	25
122	Hernia and intestinal obstruction	10,764	4,809	4,583	679	693	205	69	40	51	46
122a	Hernia	4,492	2,357	1,744	247	144	59	26	7	18	8
122b	Intestinal obstruction	6,272	2,452	2,839	432	549	146	42	33	33	36
123	Other diseases of intestines	1,876	970	718	103	85	30	6	11	4	9
124	Cirrhosis of liver	14,940	9,186	4,803	561	390	155	72	38	31	14
124a	Cirrhosis of liver with mention of alcoholism	2,228	1,543	563	81	41	15	11	1	2	1
124b	Cirrhosis of liver without mention of alcoholism	12,712	7,643	4,240	480	349	140	61	37	29	13
125	Other diseases of liver	1,845	822	749	149	125	27	9	10	4	4
126	Biliary calculus	3,863	1,227	2,551	18	67	41	13	24	—	3
127	Other diseases of gallbladder, biliary ducts	2,445	966	1,422	52	85	26	10	10	3	4
128	Diseases of pancreas (except diabetes mellitus)	1,039	522	437	47	33	14	6	3	3	2
129	Peritonitis (cause not stated)	870	360	352	58	100	16	8	3	3	4
X.—Diseases of the genito-urinary system											
130	Acute nephritis	2,114	874	621	316	303	63	14	11	22	16
131	Chronic nephritis	74,296	33,655	29,082	5,894	5,665	1,831	583	406	463	379
131a	Arteriosclerotic kidney	56,691	25,402	22,726	4,308	4,255	1,279	401	280	316	282
131b	Other chronic nephritis	17,605	8,253	6,356	1,586	1,410	552	182	126	147	97
132	Nephritis unspecified (10 years and over)	3,678	1,769	1,235	476	398	41	15	7	10	9
133	Other diseases of kidneys, ureters, etc.*	3,089	1,436	1,193	259	195	63	17	20	19	7
134	Calculi of urinary passages	1,399	844	465	53	36	23	12	5	4	2
135	Diseases of urinary bladder	605	296	206	89	14	20	9	3	6	2
136	Diseases of urethra (except calculus)	328	183	31	110	4	7	—	1	5	1
137	Diseases of prostate	7,092	6,392	...	710	...	123	71	...	52	...
137a	Hypertrophy of prostate	6,089	5,516	...	573	...	104	82	...	42	...
137b	Other diseases of prostate	1,003	876	...	137	...	19	9	...	10	...
138	Diseases of other male genital organs (not venereal)	27	17	...	10	...	1	—	...	1	...
139	Diseases of female genital organs	1,137	...	837	...	300	29	...	17	...	12
139a	Diseases of ovaries, fallopian tubes, and parametria	640	...	403	...	237	21	...	11	...	10
139b	Diseases of uterus	475	...	417	...	58	7	...	5	...	2
139c	Diseases of other female genital organs*	22	...	17	...	5	1	...	1	...	—
XI.—Diseases of pregnancy, childbirth, and the puerperium											
140	Abortion with mention of infection	372	...	238	...	134	17	...	5	...	12
141	Abortion without mention of infection	213	...	147	...	66	9	...	5	...	4
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	59	...	41	...	18	4	...	3	...	1
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	73	...	47	...	26	4	...	2	...	2
141d-f	Other abortions (nonseptic)*	81	...	59	...	22	1	...	—	...	1
142	Ectopic gestation	300	...	200	...	100	13	...	6	...	7
142a	Ectopic gestation, with mention of infection	51	...	33	...	19	5	...	3	...	2
142b	Ectopic gestation, without mention of infection	249	...	167	...	82	8	...	3	...	5
143	Hemorrhage of pregnancy (death before delivery)	82	...	41	...	21	4	...	1	...	3
144	Toxemias of pregnancy (death before delivery)	497	...	321	...	176	25	...	10	...	15
145	Other diseases of pregnancy (death before delivery)*	255	...	187	...	68	12	...	3	...	9
145a	With mention of infection	182	...	130	...	52	5	...	3	...	2
145b	Without mention of infection	73	...	57	...	36	7	...	—	...	7
146	Hemorrhage of childbirth and puerperium	788	...	602	...	186	35	...	19	...	16
147	Infection during childbirth and puerperium	1,006	...	755	...	251	28	...	14	...	14
148	Puerperal toxemias (excluding death before delivery)	794	...	542	...	242	51	...	23	...	26
149	Other accidents and specified conditions of childbirth	376	...	297	...	79	13	...	7	...	8
150	Other and unspecified conditions of childbirth and puerperium	325	...	225	...	100	24	...	5	...	19

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

449

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Total deaths	ARIZONA				Total deaths	ARKANSAS				Total deaths	CALIFORNIA				Total deaths	COLORADO				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
138	80	43	8	8	637	298	148	112	79	1,517	707	549	41	20	289	177	107	3	2	95
6	3	2	1	-	15	6	4	-	2	40	16	24	-	-	9	7	2	-	-	95a
41	20	17	1	3	34	14	12	3	5	464	220	223	16	5	70	39	29	1	1	95b
92	57	24	6	5	588	278	132	106	72	815	471	302	25	15	210	131	76	2	1	95c
11	9	2	-	-	6	4	-	2	-	390	260	103	12	15	16	12	4	-	-	96
77	42	28	5	2	192	72	65	37	20	2,127	985	1,097	43	12	193	110	81	1	1	97
1	-	-	-	1	7	-	6	1	-	17	10	6	-	1	4	3	1	-	-	98
6	6	-	-	-	18	12	3	-	3	104	53	45	2	4	26	17	9	-	-	99
6	2	4	-	-	9	2	4	1	2	104	60	38	2	4	20	12	6	-	2	100
2	1	1	-	-	-	-	-	-	-	4	1	2	1	-	-	-	-	-	-	101
2	-	-	2	-	5	11	9	12	13	51	20	30	1	-	13	7	6	-	-	102
471	226	128	69	48	953	364	298	163	128	4,393	2,503	1,602	188	100	928	527	364	24	13	103
6	2	1	2	1	13	2	6	3	2	14	6	7	1	-	6	4	2	-	-	104
2	1	-	-	1	3	1	1	-	1	19	12	6	-	1	5	4	1	-	-	105
57	25	10	1	1	45	18	14	7	6	223	137	86	4	2	44	28	14	2	-	106
222	91	57	47	27	367	131	114	86	56	2,306	1,275	904	72	55	418	218	187	8	3	107
83	39	29	8	8	339	136	100	60	43	1,067	644	345	69	29	254	149	94	8	6	108
40	14	7	10	9	88	33	27	15	13	96	59	26	9	2	71	47	21	2	1	109
8	4	2	1	1	22	12	8	2	2	26	16	8	2	2	18	10	4	1	1	109a
32	10	5	9	8	67	21	19	15	11	70	43	18	7	2	55	37	17	1	-	109b
7	3	4	-	-	3	2	1	-	4	89	56	23	8	2	12	9	2	1	-	110
13	6	7	-	-	47	18	18	7	4	255	120	119	10	6	58	31	23	1	3	111
39	27	11	-	-	25	12	8	2	3	170	108	56	5	1	27	14	13	-	-	112
6	6	-	-	-	2	2	-	-	-	39	32	4	2	1	5	1	1	1	1	113
17	13	2	1	1	21	9	9	3	-	89	52	26	8	3	30	22	6	1	1	114
7	7	-	-	-	-	-	-	-	-	19	19	3	-	-	17	16	6	-	1	114a,b
10	6	2	1	1	21	9	9	3	-	70	33	26	8	3	13	6	6	-	1	114c-e
437	185	146	63	43	620	260	175	106	79	5,161	2,962	1,812	158	128	664	378	273	8	5	
10	2	5	2	1	16	7	5	3	1	78	36	27	2	8	14	6	8	-	-	115
2	-	-	-	-	3	2	-	-	1	28	15	10	-	1	4	1	3	-	-	116
26	18	4	3	1	51	31	6	9	5	804	645	127	26	6	115	89	25	-	1	117
17	12	2	3	-	38	21	4	8	5	455	354	80	16	5	56	40	15	-	1	117a
9	6	2	-	1	13	10	2	1	-	349	291	47	10	1	59	49	10	-	-	117b
9	5	3	1	-	46	13	7	17	11	48	27	21	-	-	8	6	2	-	-	118
187	54	61	42	30	55	17	13	12	13	527	261	204	33	29	57	38	18	-	1	119
21	6	6	3	6	30	8	10	4	8	103	49	49	2	3	22	12	10	-	-	120
20	8	6	6	-	69	31	17	10	11	258	140	100	10	8	54	30	23	1	-	121
48	21	23	1	3	128	42	46	22	18	678	315	327	17	20	125	69	53	4	-	122
13	6	6	1	1	36	9	14	10	3	274	150	115	6	3	46	24	22	-	-	122a
35	15	17	1	2	92	33	32	12	15	405	165	212	11	17	79	44	31	4	-	122b
9	8	1	-	-	15	7	3	4	1	147	78	61	5	3	19	10	9	-	-	123
64	40	19	3	2	107	73	18	14	2	1,809	1,112	614	48	35	113	65	45	1	2	124
2	2	-	-	-	5	4	-	1	-	551	380	164	18	9	8	5	3	-	-	124a
62	38	19	3	2	102	69	19	13	2	1,258	752	450	30	26	105	60	42	1	2	124b
11	8	2	1	-	20	8	6	5	1	162	65	85	7	5	26	11	14	1	-	125
7	3	4	-	-	29	7	20	1	1	257	87	166	4	-	47	18	29	-	-	126
12	4	8	-	-	28	7	16	1	4	124	53	66	3	2	37	14	23	-	-	127
5	5	-	-	-	3	2	-	-	1	107	61	43	1	2	9	3	5	-	1	128
8	3	4	1	-	18	5	8	4	1	37	18	12	1	6	14	7	6	1	-	129
292	167	98	16	11	1,173	460	312	235	166	4,796	2,597	1,920	163	116	876	494	365	4	13	
11	6	3	1	1	59	19	15	18	6	69	31	29	2	7	18	11	6	-	1	130
224	127	78	12	7	878	342	241	162	133	3,622	1,819	1,647	128	90	680	344	326	1	9	131
148	79	57	7	5	563	226	151	101	85	2,848	1,408	1,287	91	64	525	259	259	1	6	131a
76	48	21	5	2	315	116	90	61	46	854	413	360	35	26	155	85	67	-	3	131b
10	5	3	-	2	64	20	22	11	11	106	54	46	4	2	32	27	3	-	2	132
4	3	4	1	-	45	16	15	8	6	236	112	103	14	7	37	24	12	1	-	133
3	2	1	1	-	10	2	6	2	-	102	67	33	1	1	15	13	2	-	-	134
2	1	1	1	-	17	7	3	7	-	29	22	7	-	-	6	3	3	-	-	135
22	21	...	1	...	5	1	-	-	-	15	13	1	1	-	-	-	-	-	-	136
13	13	76	33	...	25	...	493	479	...	14	...	74	72	...	2	...	137
9	8	...	1	...	46	33	...	13	...	459	446	...	13	...	58	57	...	1	...	137a
9	30	20	...	10	...	34	33	...	1	...	16	15	...	1	...	137b
9	-	-	...	-	...	1	...	1	-	-	-	-	-	138
6	20	...	10	...	10	65	...	54	...	9	14	...	13	...	1	139
3	...	5	...	1	13	...	4	...	9	39	...	31	...	8	11	...	10	...	1	139a
-	...	3	...	-	8	...	6	...	-	24	...	25	...	1	3	...	3	...	-	139b
-	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	139c
35	...	21	...	14	90	...	45	...	45	235	...	199	...	36	42	...	41	...	1	
1	...	1	...	-	8	...	5	...	3	20	...	17	...	3	2	...	2	...	-	140
1	...	-	...	1	4	...	2	...	2	11	...	10	...	1	2	...	2	...	-	141
1	...	-	...	1	1	...	1	...	-	5	...	5	...	-	-	...	-	...	-	141a,c
1	...	-	...	1	3	...	1	...	2	1	...	1	...	2	...	2	-	141b

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	UNITED STATES				ALABAMA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue-----	954	348	438	71	97	20	5	3	6	6
151	Carbuncle and furuncle-----	49	25	15	6	5	4	2	1	-	1
152	Phlegmon and acute abscess-----	134	62	42	18	12	2	-	1	-	1
153	Other diseases of skin and cellular tissue-----	771	265	381	47	80	14	3	1	6	4
	XIII.—Diseases of the bones, etc.*-----	726	331	307	50	36	19	7	2	7	3
154	Osteomyelitis and periostitis-----	190	94	55	26	15	13	3	1	6	3
155	Other diseases of bones (except tuberculosis)-----	206	80	113	7	6	-	-	-	-	-
156	Diseases of joints, other organs or movement-----	330	157	139	17	17	6	4	1	1	-
157	XIV.—Congenital malformations-----	20,315	10,259	8,494	899	663	340	139	121	46	34
157a-d	Congenital malformations of central nervous system-----	5,992	2,639	2,986	210	157	80	28	31	12	9
157e,f	Congenital malformations of cardiovascular system-----	9,620	5,042	5,816	405	357	169	77	57	19	16
157g,h,m	Other congenital malformations-----	4,703	2,578	1,692	284	149	91	34	33	15	9
	XV.—Diseases peculiar to the first year of life-----	65,308	32,916	22,840	5,471	4,261	1,650	602	418	345	285
158	Congenital debility (cause not stated)-----	1,718	726	469	282	241	59	10	7	25	17
159	Premature birth (cause not stated)-----	41,063	20,206	14,566	3,398	2,863	1,063	376	290	199	198
160	Injury at birth-----	13,075	7,088	4,375	979	635	341	148	79	78	37
161	Other diseases peculiar to first year of life-----	9,462	4,896	3,230	812	524	187	66	43	43	53
162	XVI.—Senility-----	9,706	3,772	4,444	708	762	323	87	94	62	80
	XVII.—Violent or accidental deaths-----	124,825	76,236	32,546	12,100	3,943	2,637	1,240	401	762	234
163,164	Suicide-----	16,338	12,076	3,855	494	125	205	143	36	21	4
165	Suicide by poisoning-----	3,690	2,016	1,564	62	48	30	17	11	1	1
164	Suicide by other means-----	12,648	10,060	2,289	422	77	173	126	24	20	3
165-168	Homicide ¹ -----	8,555	3,012	941	3,695	907	465	123	15	267	60
166	Homicide by firearms-----	4,922	1,776	522	2,180	444	289	88	10	157	34
167	Homicide by cutting or piercing instruments-----	1,961	412	112	1,159	298	121	16	1	84	20
168	Homicide by other means-----	1,652	824	307	356	165	55	19	4	26	6
169-195	Accidental deaths-----	99,579	61,107	27,751	7,811	2,910	1,967	974	351	472	170
169	Railway accidents (except collisions with motor vehicles)-----	2,665	2,039	196	382	46	71	33	3	28	7
170	Motor-vehicle accidents-----	32,697	22,959	6,761	2,396	591	725	444	95	162	24
170a	Collisions between automobiles and trains-----	1,736	1,214	404	97	21	15	13	2	-	-
170b	Collisions between automobiles and streetcars-----	102	71	22	9	-	4	3	-	1	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	30,074	20,992	6,246	2,268	569	685	408	93	160	24
170d	Motorcycle accidents (exc. collisions with automobiles)-----	785	692	79	22	2	21	20	-	1	-
171	Streetcar and other road-transport accidents-----	597	405	114	65	13	14	6	1	7	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	422	283	91	39	9	7	3	1	3	-
171b	Other and unspecified road-transport accidents-----	175	122	23	28	4	7	3	-	4	-
172	Water-transport accidents-----	1,244	1,012	97	121	14	51	34	5	11	1
173	Air-transport accidents-----	2,013	1,767	232	14	-	18	16	2	-	-
174	Accidents in mines and quarries-----	1,509	1,392	11	104	2	50	32	-	18	-
175	Agricultural and forestry accidents-----	2,287	1,972	96	211	8	49	31	2	15	1
175a-c	Agricultural accidents-----	1,658	1,594	94	162	8	37	23	1	12	1
175d,e	Forestry accidents-----	429	378	2	49	-	12	8	1	3	-
176	Other accidents involving machinery-----	1,208	1,017	36	152	3	28	17	-	10	1
177	Food poisoning-----	318	130	81	56	51	13	3	2	7	1
178	Accidental absorption of poisonous gas-----	1,939	1,218	574	106	40	11	3	1	7	-
179	Acute accidental poisoning by solids or liquids-----	1,504	725	509	172	98	37	19	4	5	9
180	Conflagration-----	3,315	1,572	821	523	399	73	17	16	17	21
181	Accidental burns (except conflagration)-----	4,685	2,057	1,590	520	518	172	48	53	26	45
182	Accidental mechanical suffocation-----	1,930	948	574	218	190	36	11	4	13	6
183	Accidental drowning-----	5,737	4,122	721	788	106	99	34	14	44	7
184	Accidental injury by firearms-----	2,386	1,617	217	451	101	90	39	5	38	6
185	Accidental injury by cutting or piercing instruments-----	285	125	64	63	33	11	3	1	5	2
186	Accidental injury by fall or crushing-----	24,397	10,699	12,661	659	388	253	99	114	17	23
186a	Accidental injury by fall-----	23,961	10,347	12,622	608	384	244	93	114	15	22
186b	Accidental injury by crushing-----	436	342	39	51	4	9	6	-	2	1
187	Cataclysm, etc.*-----	393	198	156	24	15	3	-	-	2	-
188	Injury by animals (except in agriculture and forestry)-----	113	82	20	9	2	3	2	-	-	1
189	Hunger or thirst-----	26	14	9	2	1	1	1	-	-	-
190	Excessive cold-----	270	166	34	53	17	5	2	1	2	-
191	Excessive heat-----	540	375	85	57	23	8	2	1	5	-
192	Lightning-----	338	220	52	48	18	21	9	5	4	3
193	Accidents due to electric currents (except lightning)-----	867	759	46	57	5	23	19	2	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	64	41	16	6	1	3	2	-	1	-
195	Other accidents-----	6,255	3,486	1,988	554	227	99	48	18	26	7
195a	Sequelae of preventive immunization, etc.*-----	16	9	6	-	1	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention-----	44	18	13	9	4	-	-	-	-	-
195d	Obstruction, suffocation, etc.*-----	1,206	645	404	67	70	10	4	2	2	2
195c,e	Other and unspecified accidents-----	4,989	2,814	1,585	458	152	89	44	16	24	5
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	153	41	1	110	1	2	-	-	2	-
	XVIII.—Ill-defined and unknown causes-----	17,850	7,058	3,657	3,943	3,195	1,562	296	188	577	521
199	Sudden death-----	1,149	581	205	219	144	80	35	12	21	22
200	Ill-defined and unknown causes-----	16,701	6,474	3,452	3,724	3,051	1,492	261	176	556	499
200a	Ill-defined causes-----	7,511	3,708	1,689	1,196	958	513	113	59	189	152
200b,c	Unknown or unspecified causes-----	9,190	2,766	1,768	2,528	2,113	979	148	117	367	347

*Refer to International List for complete title, table IX, Part I.

¹Includes figures for infanticide (165).

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO				Int. List No.	
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male		Female
11	1	6	3	1	9	6	2	-	1	45	18	22	-	5	12	7	5	-	-	
1	-	-	1	-	2	1	1	-	-	3	-	2	-	1	-	-	-	-	-	151
1	-	-	1	-	2	1	1	-	-	6	4	1	-	1	1	-	1	-	-	152
9	1	6	1	1	7	5	1	-	1	36	14	19	-	3	11	7	4	-	-	153
5	2	3	-	-	4	4	1	1	2	37	16	19	1	1	6	4	2	-	-	
-	2	-	-	-	4	3	1	-	-	13	7	5	-	1	2	1	1	-	-	154
4	2	2	-	-	2	2	-	1	1	12	3	9	-	-	1	1	-	-	-	155
1	-	1	-	-	2	1	-	1	1	12	6	5	1	-	3	2	1	-	-	156
100	59	34	3	4	175	93	57	17	6	1,296	671	557	46	22	191	123	64	3	1	157
28	10	14	1	3	34	16	13	3	-	331	158	160	10	3	39	23	16	-	-	157a-d
49	34	14	1	-	101	57	31	7	6	668	349	283	21	15	102	64	35	2	1	157e,f
23	15	8	1	1	40	18	13	7	2	297	164	114	15	4	50	36	13	1	-	157g,h,m
377	178	122	45	32	701	339	240	58	64	4,199	2,279	1,553	217	150	657	385	261	9	2	
23	4	2	9	8	44	16	12	4	10	50	31	14	3	2	12	8	4	-	-	158
219	112	73	23	11	427	221	149	32	25	2,516	1,219	952	137	108	421	243	173	3	2	159
55	27	19	6	3	137	66	44	12	15	1,005	579	354	50	22	119	74	42	3	-	160
80	35	26	7	10	93	34	35	10	14	628	350	233	27	18	105	60	42	3	-	161
41	24	13	-	4	217	84	68	26	39	283	125	149	6	3	125	63	56	2	4	162
711	469	141	73	28	1,407	735	291	289	92	9,797	6,503	2,614	543	137	1,280	868	371	16	5	
76	54	17	3	2	120	84	23	12	1	1,665	1,168	415	61	19	189	147	42	-	-	163,164
22	12	9	-	1	15	7	6	2	-	510	285	214	8	3	41	29	12	-	-	163
54	42	8	3	1	105	77	17	10	1	1,153	883	201	53	16	148	118	30	-	-	164
35	17	3	9	6	149	39	8	81	21	580	289	105	148	38	53	35	13	4	1	165-168
17	9	2	5	1	106	32	4	56	14	276	132	49	73	22	28	15	11	2	-	166
15	8	-	3	4	25	-	2	19	4	132	52	13	58	9	11	9	1	1	-	167
3	-	1	1	1	18	7	2	6	3	172	105	43	17	7	14	11	1	1	1	168
600	388	121	81	20	1,132	611	260	191	70	7,547	5,041	2,093	333	80	1,016	685	316	11	4	169-195
28	20	8	8	2	27	19	3	5	-	146	117	12	16	1	28	27	1	-	-	169
236	160	46	23	7	316	212	61	37	6	3,451	2,440	819	157	35	360	260	93	5	2	170
5	1	4	-	-	20	13	4	3	-	183	133	37	10	3	32	26	6	-	-	170a
-	-	-	-	-	-	-	-	-	-	16	10	5	1	-	-	-	-	-	-	170b
230	158	42	23	7	292	195	57	34	6	3,163	2,220	767	144	32	322	229	86	5	2	170c
1	1	-	-	-	4	4	-	-	-	89	77	10	2	-	6	5	1	-	-	170d
4	2	1	1	-	2	2	-	-	-	46	30	13	2	1	4	2	2	-	-	171
2	2	-	-	-	-	-	-	-	-	40	27	10	2	1	3	1	2	-	-	171a
-	-	1	1	-	-	-	-	-	-	6	3	3	-	-	1	1	-	-	-	171b
-	-	-	-	-	10	7	-	3	-	92	82	6	4	-	4	4	-	-	-	172
30	30	-	-	-	13	13	-	-	-	233	209	24	-	-	21	19	2	-	-	173
14	13	-	-	-	5	3	-	2	-	14	14	-	-	-	22	21	-	1	-	174
21	19	-	1	-	30	23	2	5	-	108	98	2	9	-	25	24	1	-	-	175
16	16	-	-	-	23	17	2	4	-	67	60	2	5	-	25	24	1	-	-	175a-c
5	3	-	-	-	7	6	1	1	-	42	38	-	4	-	-	-	-	-	-	175d,e
3	3	-	-	-	27	20	3	7	-	82	82	-	-	-	6	6	-	-	-	176
4	2	2	-	-	4	4	3	3	3	12	9	2	1	-	3	-	3	-	-	177
8	7	1	-	-	2	2	-	-	-	90	66	18	4	2	19	16	3	-	-	178
10	6	4	-	-	25	13	8	2	2	171	88	72	9	2	13	6	7	-	-	179
24	15	5	3	1	35	16	19	25	25	193	130	42	15	6	17	10	7	-	-	180
30	11	12	5	2	66	30	28	12	16	235	133	86	9	7	29	17	12	-	-	181
9	6	3	2	1	19	5	6	2	5	131	76	39	8	8	13	9	3	1	-	182
31	22	6	2	1	62	45	4	30	3	381	289	51	27	4	65	57	8	-	-	183
19	13	-	-	4	48	31	4	12	1	110	91	11	7	1	33	32	1	-	-	184
2	1	-	-	-	3	1	1	1	-	12	6	3	3	-	-	-	-	-	-	185
70	31	31	6	1	146	65	69	11	1	1,553	756	758	31	7	283	129	151	1	2	186
66	28	31	2	2	132	54	68	9	1	1,516	724	758	29	7	273	120	150	1	2	186a
4	3	-	-	-	14	11	1	2	-	37	32	3	2	-	10	9	1	-	-	186b
-	1	-	-	-	45	17	14	11	3	1	-	-	1	-	1	1	-	-	-	187
1	1	-	-	-	2	2	-	-	-	5	5	-	-	-	2	2	-	-	-	188
3	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	189
17	11	1	1	-	3	1	-	2	-	3	3	-	-	-	8	4	4	-	-	190
4	3	3	2	1	22	14	5	2	1	23	14	5	3	1	-	-	-	-	-	191
7	4	-	-	-	8	6	2	3	-	2	2	-	-	-	9	6	3	-	-	192
1	1	2	-	-	19	15	2	2	-	49	46	3	-	-	5	6	-	-	-	193
24	16	4	3	1	68	43	26	13	4	400	243	126	26	5	44	28	13	3	-	194
-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-	-	-	-	-	195
-	-	-	-	-	6	3	2	1	-	99	54	43	3	-	13	7	4	2	-	195a
22	15	4	2	1	79	40	24	11	4	258	189	82	22	5	31	21	9	1	-	195b,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	6	1	-	5	-	7	5	1	1	-	2	1	-	1	-	197
185	55	21	55	54	471	146	91	136	98	234	155	60	15	4	67	48	13	2	4	198
2	-	1	1	-	33	10	5	9	2	2	1	1	-	-	1	1	-	-	-	199
183	55	20	54	54	439	136	86	127	89	232	154	59	15	4	66	47	13	2	4	200
78	48	17	9	2	154	57	40	35	22	56	37	14	4	1	34	26	8	-	-	200a
107	7	3	45	52	284	79	46	92	67	176	117	45	11	3	32	21	5			

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	CONNECTICUT				DELAWARE					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	19,153	10,256	8,387	269	241	3,345	1,535	1,257	312	241
	I.—Infectious and parasitic diseases-----	725	462	185	50	30	191	97	44	26	24
1	Typhoid fever-----	1	1	-	-	-	1	-	-	-	1
2	Paratyphoid fever-----	-	-	-	-	-	-	-	-	-	-
3	Flague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	10	5	3	2	-	4	4	-	-	-
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	-	-	-	-	-	-	-	-	-	-
9	Whooping cough-----	4	1	2	-	1	4	-	3	1	-
10	Diphtheria (infection by C. diphtheriae)-----	1	-	1	-	-	-	-	-	-	-
11	Erysipelas-----	-	-	-	-	-	-	-	-	-	-
12	Tetanus-----	2	2	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	504	342	107	37	18	132	65	31	19	19
13	Tuberculosis of respiratory system, etc.*-----	461	318	95	33	15	116	59	28	15	15
14	Tuberculosis of meninges, etc.*-----	3	2	-	-	-	3	-	1	1	1
15	Tuberculosis of intestines and peritoneum-----	7	6	1	-	-	3	1	-	-	2
16	Tuberculosis of vertebral column-----	5	2	3	-	-	1	1	-	-	-
17	Tuberculosis of bones and joints, etc.*-----	3	3	-	-	-	1	-	-	1	-
18	Tuberculosis of skin, etc.*-----	1	1	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*-----	2	-	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system-----	6	3	3	-	-	1	-	1	-	-
21	Tuberculosis of other organs-----	2	2	-	-	-	-	-	-	-	-
22	Disseminated tuberculosis-----	16	5	5	3	3	7	3	1	2	1
23	Leprosy-----	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nongonorrheal)-----	10	4	5	-	1	1	-	-	-	1
25	Gonococcus infection-----	1	-	-	-	1	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)-----	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	2	1	1	-	-	2	1	-	1	-
28	Malaria-----	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*-----	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)-----	119	71	29	11	8	35	21	6	5	3
30a	Locomotor ataxia (tabes dorsalis)-----	4	4	-	-	-	-	-	-	-	-
30b	General paralysis of insane-----	20	12	4	4	-	11	8	2	-	1
30c	Aneurysm of aorta-----	47	29	11	5	4	11	8	1	1	1
30f	Congenital syphilis-----	3	1	2	-	-	3	2	-	1	-
30c,e,g	Syphilis (other forms)-----	45	25	12	4	4	10	3	3	3	1
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	6	4	2	-	-	1	-	1	-	-
33	Influenza-----	13	5	8	-	-	6	4	2	-	-
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-
35	Measles-----	5	-	5	-	-	-	-	-	-	-
36	Poliomyelitis and polioencephalitis (acute)-----	7	3	4	-	-	2	2	-	-	-
37	Acute infectious encephalitis (lethargic)-----	12	10	2	-	-	-	-	-	-	-
38	Other diseases due to filtrable viruses-----	-	-	-	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases*-----	-	-	-	-	-	-	-	-	-	-
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease-----	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	1	-	1	-	-	-	-	-	-	-
43	Mycoses-----	4	-	3	-	1	1	1	-	-	-
44	Other infectious and parasitic diseases-----	23	15	10	-	-	2	1	1	-	-
	II.—Cancer and other tumors-----	3,212	1,627	1,527	21	37	417	182	191	20	24
45-55	Cancer and other malignant tumors-----	3,105	1,586	1,465	20	34	402	173	186	20	23
45	Cancer of buccal cavity and pharynx-----	96	85	13	-	-	9	6	1	2	-
45a	Cancer of lip-----	7	7	-	-	-	-	-	-	-	-
45b	Cancer of tongue-----	21	17	4	-	-	2	1	-	1	-
45c	Cancer of mouth-----	12	9	3	-	-	3	2	-	1	-
45d	Cancer of jaw bone-----	11	9	2	-	-	-	-	-	-	-
45e	Cancer of unspecified parts of buccal cavity-----	3	2	1	-	-	-	-	-	-	-
45f	Cancer of pharynx-----	42	39	3	-	-	4	3	1	-	-
46	Cancer of digestive organs and peritoneum-----	1,451	805	626	15	9	167	87	69	7	5
46a	Cancer of esophagus-----	90	77	11	2	-	5	3	1	1	-
46b	Cancer of stomach-----	422	265	150	3	6	50	35	13	2	-
46c	Cancer of duodenum-----	4	1	3	-	-	-	-	-	-	-
46d	Cancer of rectum and anus-----	220	132	87	-	1	21	10	7	2	2
46e	Cancer of intestines, etc.*-----	409	187	217	5	-	50	19	30	-	1
46f	Cancer of liver and biliary passages-----	128	51	76	1	-	18	8	10	-	-
46g	Cancer of pancreas-----	144	75	65	2	2	18	9	6	2	1
46h	Cancer of mesentery and peritoneum-----	20	12	8	-	-	2	2	-	-	-
46m	Cancer of other and unspecified sites-----	14	5	9	-	-	3	1	1	-	1
47	Cancer of respiratory system-----	309	257	48	2	-	46	32	10	4	-
47a	Cancer of larynx-----	28	24	3	-	1	3	5	-	-	-
47b,c	Cancer of trachea and bronchus-----	66	55	9	1	1	21	17	2	2	-
47d	Cancer of lung-----	204	169	34	1	-	20	10	8	2	-
47e	Cancer of pleura-----	1	1	-	-	-	-	-	-	-	-
47f	Cancer of other respiratory organs-----	10	8	2	-	-	2	2	-	-	-
48	Cancer of uterus-----	205	...	196	...	9	41	...	31	...	10
48a	Cancer of cervix-----	90	...	85	...	5	22	...	14	...	8
48b	Cancer of other and unspecified sites of uterus-----	115	...	111	...	4	19	...	17	...	2
49	Cancer of other female genital organs-----	105	...	100	...	5	21	...	19	...	2
49a,b	Cancer of ovary, fallopian tube, and parametrium-----	94	...	90	...	4	20	...	19	...	1
49c-e	Cancer of other female genital organs-----	11	...	10	...	1	1	...	-	...	1
50	Cancer of breast-----	319	1	313	-	5	42	1	38	-	3
51	Cancer of male genital organs-----	166	164	...	2	...	20	16	...	4	...
51b	Cancer of prostate-----	151	149	...	2	...	18	14	...	4	...
51a,c-e	Cancer of other male genital organs-----	15	15	...	-	...	2	2	...	-	...
52	Cancer of urinary organs-----	179	127	49	1	2	20	12	8	-	-
52a	Cancer of kidney-----	62	39	20	1	2	8	4	4	-	-
52b	Cancer of bladder-----	114	87	27	-	-	11	7	4	-	-
52c	Cancer of other and unspecified sites-----	3	1	2	-	-	1	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Total deaths	DISTRICT OF COLUMBIA				Total deaths	FLORIDA				Total deaths	GEORGIA				Total deaths	IDAHO				Int. List No.			
	White		Nonwhite			Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite				
	Male	Female	Male	Female			Male	Female	Male			Female	Male	Female			Male	Female	Male		Female	Male	Female
8,254	2,843	2,410	1,600	1,401	24,285	10,571	6,892	3,808	3,012	28,946	10,065	7,087	6,182	5,594	4,780	3,009	1,690	60	21				
681	163	85	272	191	1,454	452	226	470	306	2,101	538	289	684	590	172	111	52	5	4				
1	-	-	-	-	6	1	-	3	2	8	1	3	2	2	1	1	-	-	-	1			
1	-	-	-	1	2	1	1	-	-	1	-	-	-	1	-	-	-	-	-	2			
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3			
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4			
2	1	-	1	-	20	8	4	6	2	20	6	5	6	3	1	-	1	-	-	5			
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6			
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7			
3	-	-	2	1	32	10	7	6	7	95	13	24	24	34	4	3	1	-	-	8			
1	-	-	-	1	17	8	5	3	1	43	21	14	4	4	4	-	-	-	-	9			
1	-	-	-	-	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	10			
3	-	-	2	1	44	5	1	23	15	19	6	1	5	7	1	1	-	-	-	11			
497	113	37	201	146	795	269	115	242	167	1,054	292	119	325	328	71	43	21	4	3	12			
455	108	53	182	132	753	259	107	231	156	966	264	112	293	297	59	38	17	2	2	13			
16	1	2	7	6	6	-	2	2	2	12	2	1	5	4	4	2	1	1	1	14			
2	-	-	-	2	6	-	1	3	2	13	-	1	6	6	2	-	2	-	-	15			
4	1	-	2	1	7	2	1	2	2	7	2	1	1	3	3	2	-	1	-	16			
1	-	-	-	-	1	1	-	-	-	6	-	-	2	4	1	-	-	-	-	17			
2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	18			
3	1	-	1	1	5	2	2	-	1	7	3	2	2	-	-	-	-	-	-	19			
15	2	-	9	4	13	5	2	3	3	42	11	2	16	13	2	1	1	-	-	20			
1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	21			
1	1	-	-	-	13	2	5	2	4	13	2	3	2	6	1	1	-	-	-	22			
1	-	-	-	1	1	1	1	-	-	5	-	1	1	3	1	1	-	-	-	23			
2	-	-	-	-	15	7	1	4	3	20	5	3	8	4	3	3	-	-	-	24			
1	-	1	-	1	8	1	1	3	3	12	7	1	1	3	-	-	-	-	-	25			
1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26			
185	30	8	63	34	263	70	22	119	52	336	69	8	193	76	20	16	4	-	-	27			
2	1	-	-	1	6	3	1	2	-	4	4	-	-	-	-	-	-	-	-	28			
22	7	1	10	4	67	7	6	43	11	110	20	1	67	22	1	1	-	-	-	29			
49	14	5	20	10	88	41	9	32	6	85	22	3	47	13	3	2	1	-	-	30a			
5	-	-	2	3	5	-	-	1	4	13	2	1	4	6	-	-	-	-	-	30b			
57	8	2	31	16	97	19	6	41	31	124	21	3	65	35	16	13	3	-	-	30c, e, s			
1	1	-	-	-	4	1	1	2	-	15	6	3	4	2	1	1	-	-	-	31			
3	1	-	1	1	163	36	40	45	42	346	76	82	96	92	29	18	9	1	1	32			
1	-	-	-	-	3	2	1	-	-	16	6	4	3	3	-	-	-	-	-	33			
3	3	-	-	-	7	4	1	2	-	3	1	-	2	-	17	8	9	-	-	34			
4	1	3	-	-	13	5	7	-	1	4	2	-	2	-	3	1	2	-	-	35			
2	1	1	-	-	3	2	2	2	1	6	1	2	1	2	-	-	-	-	-	36			
1	-	-	-	-	4	3	1	-	-	3	-	-	-	-	-	-	-	-	-	37			
1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	38			
1	-	-	-	-	3	1	1	-	-	4	3	1	-	-	3	1	2	-	-	39			
20	10	5	1	4	29	11	8	5	4	36	10	9	7	10	8	5	3	-	-	40			
1,215	411	467	155	182	2,807	1,195	1,131	195	286	2,818	942	1,084	282	510	581	300	278	2	1	41			
1,167	398	453	150	166	2,703	1,170	1,080	186	267	2,707	915	1,050	269	473	587	296	288	2	1	45-55			
34	24	4	5	1	98	67	17	9	5	117	66	38	11	2	18	10	6	-	-	45			
2	1	-	1	-	10	6	1	2	1	12	9	2	1	-	3	3	-	-	-	45a			
14	11	2	1	-	21	15	3	2	1	21	12	6	3	-	3	2	1	-	-	45b			
3	2	-	-	-	15	10	4	1	-	17	5	11	1	-	2	2	-	-	-	45c			
2	2	-	1	-	10	6	2	2	2	18	7	8	2	1	4	1	3	-	-	45d			
1	-	-	-	-	8	-	7	1	-	4	2	2	-	-	-	-	-	-	-	45e			
13	8	2	2	1	34	30	-	3	1	45	31	9	4	1	4	2	2	-	-	45f			
477	166	162	84	65	1,002	485	360	87	70	974	378	350	121	145	233	156	94	2	1	46			
33	13	7	12	1	40	26	8	6	-	43	14	13	4	5	3	2	-	-	-	46a			
109	32	24	33	20	288	149	73	43	23	301	115	68	56	62	97	69	26	1	1	46b			
2	-	1	1	-	5	3	1	1	-	2	1	-	-	1	-	-	-	-	-	46c			
66	36	16	7	7	118	54	46	3	15	90	41	31	5	15	25	14	11	-	-	46d			
150	45	71	14	20	281	110	138	17	16	282	103	105	28	30	54	23	30	1	-	46e			
43	10	20	6	7	141	69	51	11	10	137	40	61	10	26	24	12	12	-	-	46f			
55	23	18	7	7	102	63	32	4	3	110	51	44	9	6	23	14	9	-	-	46g			
10	5	3	2	2	9	5	2	2	2	21	11	8	2	-	2	1	1	-	-	46h			
9	2	2	2	3	18	6	9	2	1	8	2	2	5	1	3	-	3	-	-	46m			
135	79	26	25	3	296	211	51	27	7	202	125	48	17	12	43	30	13	-	-	47			
21	13	2	4	2	49	40	6	3	-	24	16	4	4	-	2	1	1	-	-	47a			
66	47	8	11	-	81	60	10	10	1	62	49	9	5	1	14	12	2	-	-	47b, c			
42	18	15	8	1	158	108	30	14	6	107	53	34	10	10	26	16	10	-	-	47d			
4	-	-	-	-	2	1	1	-	-	2	2	-	-	-	-	-	-	-	-	47e			
4	1	1	2	-	6	2	4	-	-	7	5	1	-	-	1	1	-	-	-	47f			
118	...	73	...	45	315	...	216	...	99	402	...	221	...	161	39	...	39	48			
59	...	35	...	24	136	...	96	...	40	204	...	109	...	95	14	...	14	48a			
59	...	38	...	21	179	...	120	...	59	198	...	112	...	86	25	...	25	48b			
39	...	30	...	9	67	...	56	...	11	80	...	61	...	19	22	...	22	49			
31	...	23	...	8	58	...	50	...	8	58	...	44	...	14	18	...	18	49a, b			
8	...	7	...	1	9	...	6	...	3	22	...	17	...	5	4	...	4	...					

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	CONNECTICUT				DELAWARE					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	40	19	21	-	-	8	5	3	-	-
54	Cancer of central nervous system	28	19	8	-	1	6	4	1	-	1
55	Cancer of other and unspecified organs	207	113	81	2	1	22	10	7	3	2
56, 57	Nonmalignant tumors and tumors of unspecified nature	107	41	62	1	3	15	9	5	-	1
56	Nonmalignant tumors (including dermoid cysts)	43	15	29	1	3	9	4	4	-	1
56a-c	Nonmalignant tumors of female genital organs	20	...	17	...	3	3	...	3	...	-
56d	Nonmalignant tumors of central nervous system*	13	7	11	-	-	2	1	1	-	-
56e	Nonmalignant tumors of other and unspecified organs	10	8	1	1	-	4	3	-	-	1
57	Tumors of unspecified nature	59	26	33	-	-	6	5	1	-	-
57a-7	Tumors, female genital organs (nature unspecified)	1	...	1	...	-	-
57d	Tumors, central nervous system* (nature unspecified)	36	15	21	-	-	6	5	1	-	-
57e	Tumors, other organs (nature unspecified)	22	11	11	-	-	-	-	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	728	239	471	5	13	101	32	60	3	6
58	Acute rheumatic fever	5	3	2	-	-	3	1	1	-	1
58a	Acute rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	2	2	-	-	-	1	-	1	-	-
58c	Acute rheumatic myocarditis	-	-	-	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	1	-	1	-	-	1	-	-	-	1
58e, f	Other forms of acute rheumatic fever, etc.*	2	1	1	-	-	1	1	-	-	-
59	Chronic rheumatism, other rheumatic diseases	20	5	15	-	-	4	-	3	1	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	648	209	424	4	11	81	26	49	2	4
62	Diseases of pituitary gland	2	1	1	-	-	1	-	1	-	-
63	Diseases of thyroid and parathyroid glands	29	5	24	-	-	8	2	6	-	-
63a	Simple goiter	2	-	2	-	-	1	-	1	-	-
63b	Exophthalmic goiter	18	3	15	-	-	5	-	5	-	-
63c-e	Other diseases of thyroid and parathyroid glands	9	2	7	-	-	2	2	-	-	-
64	Diseases of thymus gland	6	5	-	-	1	2	2	-	-	-
65	Diseases of adrenal glands*	3	2	1	-	-	2	-	-	-	-
66	Other general diseases	11	5	4	1	1	2	1	-	-	1
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	2	-	-	-	-	-	-	-	-
70	Rickets	1	1	-	-	-	-	-	-	-	-
71	Other avitaminoses	1	1	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	134	69	63	-	2	26	8	14	3	1
72	Hemorrhagic conditions	9	5	4	-	-	1	-	1	-	-
73	Anemias (except splenic anemia)	15	5	9	-	1	7	1	5	1	-
73a	Pernicious anemia	10	4	6	-	-	3	-	3	-	-
73b-d	Other anemias (except splenic)	5	1	3	-	1	4	1	2	1	-
74	Leukemias and aleukemias	103	56	46	-	1	16	7	8	1	-
74a	Leukemias	100	53	46	-	1	15	7	7	1	-
74b	Aleukemias	3	3	-	-	-	1	-	1	-	-
75	Diseases of spleen	4	1	3	-	-	1	-	-	1	-
76	Other diseases of blood and blood-forming organs	3	2	1	-	-	1	-	-	-	1
	V.—Chronic poisoning and intoxication	56	48	6	1	1	7	5	-	2	-
77	Alcoholism (ethyism)	55	47	6	1	1	7	5	-	2	-
78	Lead poisoning	1	1	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,781	835	916	13	17	280	108	111	35	28
80	Encephalitis (nonepidemic)	12	8	4	-	-	1	1	-	-	-
81	Meningitis (not due to meningococcus)	30	18	12	-	-	4	1	1	2	-
82	Diseases of spinal cord (see exceptions)*	27	19	8	-	-	10	7	2	1	-
83	Intracranial lesions of vascular origin	1,608	739	841	13	15	251	95	101	27	26
83a	Cerebral hemorrhage or effusion*	1,295	593	675	13	14	210	74	96	25	25
83b, c	Cerebral embolism, thrombosis, and softening	289	135	155	-	1	39	21	14	1	3
83d	Hemiplegia, other paralysis, etc.*	24	11	13	-	-	2	-	1	1	-
84	Mental diseases and deficiency (see exception)*	16	5	10	-	1	1	1	-	-	-
85	Epilepsy	17	14	3	-	-	5	1	1	3	-
86	Convulsions (under 5 years)	5	1	4	-	-	-	-	-	-	-
87	Other diseases of nervous system	63	31	32	-	-	8	2	6	-	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	3	-	2	-	1	-	-	-	-	-
	VII.—Diseases of the circulatory system	7,470	4,149	3,160	65	76	1,216	589	445	97	85
90-95	Diseases of the heart (all forms)	7,045	3,944	2,967	63	71	1,129	556	401	92	80
90	Pericarditis (except acute rheumatic)	4	1	3	-	-	2	-	1	1	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	4	1	3	-	-	2	-	1	1	-
91	Acute endocarditis (except rheumatic)	11	5	6	-	-	3	1	1	-	1
91a, b	Bacterial, acute, and subacute endocarditis	10	5	5	-	-	3	1	1	-	1
91c	Endocarditis (unspecified, under 45 years)	1	-	1	-	-	-	1	-	-	1
92	Chronic affections of valves and endocardium	325	160	161	1	3	79	28	26	14	11
92a	Diseases of aortic valve, etc.*	30	21	6	1	2	10	5	2	2	1
92b	Diseases of mitral valve, etc.*	158	67	90	-	1	19	8	8	2	1
92c	Chronic rheumatic endocarditis, etc.*	37	21	16	-	-	1	1	-	-	-
92d	Other chronic endocarditis, etc.*	95	49	46	-	-	47	13	15	10	9
92e	Endocarditis (unspecified, 45 years and over)	5	2	3	-	-	2	1	1	-	-
93	Diseases of the myocardium	4,041	2,040	1,908	43	50	643	268	260	56	58
93a	Acute myocarditis (except rheumatic)	32	18	14	-	-	21	7	5	3	6
93b	Myocarditis (unspecified, under 45 years)	6	2	3	1	-	-	-	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	20	7	12	1	-	4	3	-	1	-
93d	Other chronic myocarditis, etc.*	3,861	1,930	1,845	40	48	573	234	248	46	47
93e	Other myocarditis (unspecified)	122	85	36	1	2	45	24	9	6	6
94	Diseases of coronary arteries, angina pectoris	2,333	1,561	746	15	11	348	229	98	16	5
94a	Diseases of coronary arteries	2,325	1,557	742	15	11	343	227	97	16	3
94b	Angina pectoris	8	4	4	-	-	5	2	1	-	2

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.		
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite				
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female
12	7	4	1	-	78	45	28	3	2	83	43	32	4	4	18	14	4	-	-	53		
22	11	6	3	2	56	14	20	-	2	57	28	24	3	2	14	11	3	-	-	54		
100	50	36	17	17	251	91	121	21	18	259	100	95	31	32	62	38	24	-	-	55		
48	13	14	5	-	104	25	51	9	19	111	27	54	13	57	14	4	10	-	-	56,57		
20	4	4	1	-	87	5	32	2	18	62	6	22	5	31	11	2	9	-	-	56a-c		
12	...	2	...	10	41	...	23	...	18	43	...	16	...	27	6	...	6	56d		
4	2	1	1	-	8	2	5	1	-	9	4	2	-	3	4	2	2	-	-	56e		
4	2	1	1	-	8	3	4	1	-	10	2	4	3	1	1	-	1	-	-	57		
28	9	10	4	5	47	20	19	7	1	49	21	12	10	6	3	2	1	-	-	57a-c		
1	...	10	...	1	1	...	1	...	-	-	...	-	...	-	-	...	1	1	-	57d		
20	5	10	1	4	16	14	11	7	3	24	11	4	6	3	1	1	-	-	-	57e		
7	4	-	3	-	16	6	7	3	-	24	11	4	6	3	1	1	-	-	-	57e		
244	83	92	29	40	584	199	264	33	88	739	194	289	89	168	143	60	80	2	1	-		
5	1	1	2	1	17	4	7	1	5	31	3	7	13	8	4	2	2	-	-	58		
1	1	-	-	-	8	2	3	-	1	6	-	3	3	-	2	1	1	-	-	58a		
1	-	-	-	-	1	1	-	-	1	2	-	-	-	-	1	1	-	-	-	58b		
2	-	1	1	-	5	2	1	-	2	5	2	-	3	-	1	1	-	-	-	58c		
1	-	-	-	-	5	2	3	1	1	16	1	3	5	7	1	1	-	-	-	58d		
11	2	4	1	4	25	5	12	4	4	55	13	26	7	9	15	6	7	-	-	58e,f		
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59	
213	76	81	23	33	456	169	207	19	61	449	141	172	48	90	103	43	57	2	1	61		
1	-	-	-	-	1	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	62	
2	1	1	-	-	37	6	20	2	9	36	4	13	1	19	9	2	7	-	-	63		
-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	63a	
2	1	1	-	-	22	3	12	-	7	30	4	9	1	16	8	2	6	-	-	63b		
-	-	-	-	-	14	3	9	1	2	5	-	4	1	1	1	4	-	-	-	-	63c-e	
2	1	1	-	-	16	6	8	-	2	24	9	5	5	5	3	1	2	-	-	-	64	
5	1	3	-	-	3	1	2	-	-	8	4	1	2	1	1	1	3	-	-	-	65	
2	-	-	1	1	8	1	2	3	2	16	3	8	-	5	3	-	3	-	-	-	66	
-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	67	
-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	68	
1	-	-	1	-	14	5	6	2	1	100	11	52	11	26	1	-	-	-	-	-	69	
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	70	
1	1	-	-	-	4	1	-	-	3	14	3	4	3	1	4	-	-	-	-	-	71	
60	33	20	6	1	157	84	49	12	12	173	77	55	23	18	32	22	10	-	-	-	72	
1	-	1	-	-	6	4	2	-	-	10	3	2	5	-	4	3	1	-	-	-	73	
9	5	2	1	1	36	15	11	5	6	43	11	14	6	12	9	6	3	-	-	-	73a	
2	1	1	-	-	16	5	6	2	3	16	4	6	1	5	7	4	3	-	-	-	73b-d	
7	4	1	1	1	20	10	5	3	2	27	7	8	5	7	2	2	-	-	-	-	74	
45	26	15	4	4	101	59	31	6	5	108	56	36	11	5	17	11	6	-	-	-	74a	
42	26	13	3	-	96	56	29	6	5	105	54	36	10	5	13	9	4	-	-	-	74b	
3	2	2	1	-	5	3	2	-	-	3	2	-	1	-	4	2	2	-	-	-	75	
4	2	1	1	-	6	4	-	-	2	9	6	2	1	-	4	-	-	-	-	-	76	
1	-	1	-	-	8	2	5	1	-	3	1	1	-	1	2	2	-	-	-	-	76	
19	6	9	4	-	38	17	5	12	4	63	34	8	15	6	12	11	1	-	-	-	77	
19	6	9	4	-	38	17	5	12	4	59	31	8	14	6	12	11	1	-	-	-	78	
-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	79	
674	206	228	99	141	2,745	999	883	411	452	3,656	1,043	891	618	904	467	284	177	3	3	-	80	
9	5	1	2	1	21	10	7	2	2	26	12	2	5	7	10	9	1	-	-	-	81	
14	3	3	5	5	51	15	8	14	14	58	17	10	13	18	8	8	-	-	-	-	82	
15	6	3	3	3	41	18	10	7	6	47	19	13	4	11	9	6	3	-	-	-	83	
595	174	212	84	125	2,493	910	807	362	414	3,320	937	619	735	831	410	244	161	3	2	-	83a	
449	127	162	65	95	2,132	760	671	329	372	2,987	839	720	669	759	385	219	142	2	2	-	83b	
136	42	49	17	28	296	130	122	21	23	204	65	72	31	36	38	23	14	1	-	-	83c	
10	5	1	2	2	65	20	14	12	19	129	33	27	33	36	7	2	5	-	-	-	83d	
4	1	3	-	-	17	2	9	2	4	45	8	7	16	14	1	1	-	-	-	-	84	
4	-	-	1	3	38	15	11	10	2	70	20	13	23	14	12	7	4	-	-	-	85	
-	-	-	-	-	10	4	1	3	2	24	6	2	13	3	4	1	3	-	-	-	86	
28	15	5	4	4	67	22	28	10	7	51	17	20	9	5	11	8	3	-	-	-	87	
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	88
5	2	1	2	-	6	2	2	1	1	14	7	5	1	1	1	-	-	-	-	-	89	
2,567	960	776	421	410	6,934	3,650	1,987	729	588	7,334	3,073	1,789	1,303	1,169	1,453	978	464	9	2	-	90-95	
2,380	911	703	393	373	6,401	3,461	1,821	668	531	6,793	2,879	1,632	1,215	1,067	1,355	913	432	8	2	-	90	
5	-	-	3	2	7	2	3	-	-	22	5	4	8	5	-	-	-	-	-	-	90a	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	90b
5	-	-	2	2	7	2	3	-	2	21	4	4	8	5	-	-	-	-	-	-	91	
8	2	2	3	2	21	7	7	4	3	32	7	1	9	15	5	4	1	-	-	-	91a,b	
7	2	2	1	2	18	7	7	4	-	25	5	1	7	12	4	3	1	-	-	-	91c	
1	-	-	1	-	3	-	-	-	-	7	2	-	2	3	1	1	-	-	-	-	92	
121	31	51	16	21	476	169	157	82	68	521	157	104	145	115	103	63	38	2	-	-	92a	
20	5	5	5	5	50	18	10	13	9	83	29	11	26	17	4	3	1	-	-	-	92b	
59	18	26	8	7	183	61	60	32	30	227	61	47	61	58	48	26	21	1	-	-	92c	
8	2	5	1	1	20	13	6	-	-	16	4	4	6	2	7	5	2	-	-	-	92d	
30	6	13	4	7	169	58	61	31	19	152	52	35	39	26	38	26	11	1	-	-	92e	
4	-	2	1	1	54	19	20	6	9	45	11	7	13	12	6	3	3	-	-	-	93	
1,495	426	464	302	303	2,742	1,270	860	328	284	3,068	1,089	828	604	547	606	364	249	2	1	-	93a	
10	5	3	1	1	79	14	11	27	27	92	26	13	26	27	5	3	2	-	-	-	93b	
5	1	-	1	-	25	4	7	-	-	6	-	2	1	3	16	9	7	-	-	-	93c	
1,199	342	400	219	238	2,214	1,080	731	218	205	2,447	902	666	444	415	511	293	217	1	-	-	93d	
280	78	59	79	64	412	188	110	72	42	508	160	126	125	97	74	49	23	1	1	-	93e	
649	419	160	43	27	2,530	1,672	591	147	120	2,183	1,281	509	207	186	498	405	90	2	1	-	94	
644	415	153	43	27	2,452	1,625	576	141	110	2,085	1,225	486	200	172	484							

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	CONNECTICUT				DELAWARE					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued											
Diseases of the heart (all forms)—Continued											
95	Other diseases of heart.....	331	177	145	4	7	54	30	15	5	4
95a	Functional diseases of heart, etc.*.....	3	2	1	-	-	-	-	-	-	-
95b	Other diseases of heart (rheumatic).....	125	59	61	3	2	23	15	8	1	1
95c	Other diseases of heart (not rheumatic).....	205	116	81	1	5	31	17	7	4	3
96	Aneurysm (except of heart and aorta).....	26	15	12	-	1	10	4	3	1	2
97	Arteriosclerosis (except coronary or renal sclerosis).....	354	157	172	2	3	72	28	41	3	2
98	Gangrene.....	1	1	-	-	-	-	-	-	-	-
99	Other diseases of arteries.....	17	9	-	-	-	1	1	-	-	-
100	Diseases of veins.....	29	16	12	-	1	2	1	-	1	-
101	Diseases of lymphatic system.....	13	6	-	-	-	2	1	-	-	1
102	High blood pressure (idiopathic).....	3	1	2	-	-	-	-	-	-	-
103	Other diseases of circulatory system.....	676	375	274	15	12	141	56	53	18	14
VIII.—Diseases of the respiratory system.....											
104	Diseases of nasal fossae, accessory sinuses.....	2	2	-	-	-	-	-	-	-	-
105	Diseases of larynx.....	4	4	-	-	-	-	-	-	-	-
106	Bronchitis.....	46	29	16	1	-	13	7	5	-	1
107	Bronchopneumonia (including capillary bronchitis).....	243	117	121	2	3	51	18	24	3	6
108	Lobar pneumonia.....	214	128	73	7	6	44	16	18	5	5
109	Pneumonia (unspecified).....	51	30	19	1	1	16	7	1	6	2
109A	Atypical or virus pneumonia.....	8	5	3	-	-	3	2	-	1	-
109B	Pneumonia (all other, unspecified).....	43	25	16	1	1	13	5	1	5	2
110	Pleurisy (not tuberculous).....	10	3	7	-	-	3	3	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*.....	58	29	27	2	-	4	2	2	-	-
112	Asthma.....	21	14	6	-	1	5	1	2	2	-
113	Pulmonary emphysema.....	5	4	-	1	-	2	1	1	-	-
114	Other diseases of respiratory system (except tuberculosis).....	22	15	5	1	1	3	1	-	2	-
114a,b	Silicosis, other forms of pneumoconiosis.....	5	5	-	-	-	-	-	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis).....	17	10	5	1	1	3	1	-	2	-
IX.—Diseases of the digestive system.....											
115	Diseases of buccal cavity and adnexa, etc.*.....	7	5	4	-	-	3	1	-	-	2
116	Diseases of esophagus.....	2	2	-	-	-	1	1	-	-	-
117	Ulcer of stomach or duodenum.....	139	110	29	1	-	26	19	1	5	1
117a	Ulcer of stomach.....	72	60	11	1	-	15	11	1	3	-
117b	Ulcer of duodenum.....	67	50	17	-	-	11	8	-	2	1
118	Other diseases of stomach (except cancer).....	5	3	2	-	-	-	-	-	-	-
119	Diarrhea, enteritis, etc.* (under 2 years).....	59	26	8	2	3	4	3	-	1	-
120	Diarrhea, enteritis, etc.* (2 years and over).....	24	13	11	-	-	4	1	2	1	-
121	Appendicitis.....	46	24	21	1	-	5	1	3	1	-
122	Hernia and intestinal obstruction.....	117	50	63	1	3	19	6	12	2	1
122a	Hernia.....	64	29	33	1	1	11	3	8	-	-
122b	Intestinal obstruction.....	53	21	30	-	2	8	3	4	-	1
123	Other diseases of intestines.....	51	31	20	-	-	6	5	1	-	-
124	Cirrhosis of liver.....	252	155	95	1	1	29	16	11	1	1
124a	Cirrhosis of liver with mention of alcoholism.....	34	24	10	-	-	2	1	1	-	-
124b	Cirrhosis of liver without mention of alcoholism.....	218	131	85	1	1	27	15	10	1	1
125	Other diseases of liver.....	28	17	10	-	1	6	2	2	1	1
126	Biliary calculi.....	62	15	46	-	1	15	4	9	-	1
127	Other diseases of gallbladder, biliary ducts.....	30	12	18	-	-	4	1	3	-	-
128	Diseases of pancreas (except diabetes mellitus).....	15	9	6	-	-	4	2	-	2	-
129	Peritonitis (cause not stated).....	17	9	7	-	1	1	-	-	-	1
X.—Diseases of the genito-urinary system.....											
130	Acute nephritis.....	12	4	7	-	-	3	1	1	-	1
131	Chronic nephritis.....	830	427	375	17	11	282	114	126	26	16
131a	Arteriosclerotic kidney.....	668	354	309	13	9	239	96	108	19	14
131b	Other chronic nephritis.....	145	73	66	4	2	43	18	18	7	2
132	Nephritis unspecified (10 years and over).....	23	14	9	-	-	5	2	1	2	-
133	Other diseases of kidneys, ureters, etc.*.....	33	15	17	-	1	7	2	2	1	2
134	Calculi of urinary passages.....	15	10	5	-	-	4	4	-	-	-
135	Diseases of urinary bladder.....	6	3	2	1	-	1	1	-	-	-
136	Diseases of urethra (except calculus).....	1	1	-	-	-	-	-	-	-	-
137	Diseases of prostate.....	77	74	...	3	...	12	11	...	1	...
137a	Hypertrophy of prostate.....	77	74	...	3	...	11	11
137b	Other diseases of prostate.....	-	-	...	-	...	1	-	...	1	...
138	Diseases of other male genital organs (not venereal).....	7	-	...	3	...	3	...	-
139	Diseases of female genital organs.....	1	-	...	2	...	2	...	-
139a	Diseases of ovaries, fallopian tubes, and parametria.....	1	-	...	1	...	1	...	-
139b	Diseases of uterus.....	6	-	...	1	...	1	...	-
139c	Diseases of other female genital organs*.....	-	-
XI.—Diseases of pregnancy, childbirth, and the puerperium.....											
140	Abortion with mention of infection.....	4	...	3	...	1	1	...	1	...	-
141	Abortion without mention of infection.....	1	1	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*.....	-	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*.....	-	-	-	...	-	...	-
141d-f	Other abortions (nonseptic)*.....	1	1	-	...	-	...	-
142	Ectopic gestation.....	2	...	1	...	1	-	...	-	...	-
142a	Ectopic gestation, with mention of infection.....	1	...	1	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection.....	1	...	-	...	1	-	...	-	...	-
143	Hemorrhage of pregnancy (death before delivery).....	1	-	-	...	-	...	-
144	Toxemia of pregnancy (death before delivery).....	5	...	5	...	-	-	...	-	...	-
145	Other diseases of pregnancy (death before delivery)*.....	1	...	1	...	-	1	...	-	...	1
145A	With mention of infection.....	-	-	1	...	-	...	1
145B	Without mention of infection.....	1	...	1	...	-	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium.....	5	...	4	...	1	-	...	-	...	-
147	Infection during childbirth and puerperium.....	6	...	6	...	-	2	...	2	...	-
148	Puerperal toxemia (excluding death before delivery).....	4	...	4	...	-	1	...	1	...	-
149	Other accidents and specified conditions of childbirth.....	1	...	1	...	-	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium.....	2	...	2	...	-	-	...	-	...	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

457

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	DISTRICT OF COLUMBIA				Total deaths	FLORIDA				Total deaths	GEORGIA				Total deaths	IDAHO				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
102	35	26	25	18	705	341	203	107	54	967	340	186	242	199	143	87	54	2	-	95
3	-	2	1	-	12	7	4	-	1	30	12	14	3	1	4	1	3	-	-	95a
56	14	10	6	6	80	34	32	8	6	89	27	24	17	20	19	4	15	-	-	95b
16	19	14	18	12	613	300	167	99	47	849	301	148	222	178	120	82	36	2	-	95c
127	6	2	5	3	36	22	4	6	4	42	21	9	6	6	4	2	2	-	-	96
1	31	59	14	23	299	127	131	29	12	351	121	106	54	70	61	42	18	1	-	97
10	1	-	-	-	12	3	2	3	4	15	1	3	4	7	-	-	-	-	-	98
12	2	5	3	3	32	15	10	5	2	27	8	9	4	6	13	11	2	-	-	99
4	4	4	4	-	16	7	4	4	1	32	18	12	-	2	7	4	3	-	-	100
21	-	-	-	-	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	101
-	5	3	5	8	47	10	14	10	13	64	21	16	17	10	12	5	7	-	-	102
-	-	-	-	-	9	5	1	3	-	8	2	2	3	1	1	1	1	-	-	103
378	129	102	89	58	1,123	421	281	240	181	1,615	446	388	410	371	219	147	63	6	3	-
2	1	-	-	1	14	5	4	4	1	27	3	5	11	8	2	1	1	-	-	104
1	-	1	-	-	6	3	1	1	1	11	2	8	8	13	10	-	1	-	-	105
15	3	4	3	22	70	34	22	8	6	75	27	27	8	13	10	9	1	-	-	106
149	48	46	33	22	365	150	106	68	61	567	164	137	141	125	65	40	19	4	-	107
119	42	22	31	23	513	96	51	94	72	520	124	106	156	134	51	35	14	1	1	108
24	15	6	5	2	129	39	35	37	17	212	46	45	64	57	51	54	14	1	2	109
2	1	1	-	2	18	9	7	1	1	48	16	14	9	9	4	4	-	-	-	109a
22	12	5	3	2	110	30	28	36	16	164	30	31	55	48	47	30	14	1	2	109b
14	6	4	3	1	24	10	10	1	3	27	9	3	7	8	3	2	1	-	-	110
21	6	8	3	3	92	37	28	13	14	95	34	29	10	10	17	14	3	-	-	111
16	3	7	3	4	59	24	20	10	5	65	27	19	10	9	18	9	8	-	-	112
4	3	-	1	1	6	6	-	-	-	5	2	2	-	1	1	-	-	-	-	113
14	4	-	9	1	26	17	4	4	1	25	8	7	3	5	5	5	-	-	-	114
1	-	-	1	1	2	2	-	-	-	4	2	-	2	1	1	1	-	-	-	114a,b
13	4	-	8	1	24	15	4	4	1	19	6	7	1	5	2	2	-	-	-	114c-e
408	167	102	78	59	1,167	464	342	204	157	1,223	426	301	261	235	188	113	71	3	1	-
5	2	2	-	1	29	6	10	5	8	47	13	5	15	14	7	3	4	-	-	115
1	-	1	-	-	7	5	1	-	1	6	4	-	1	1	2	2	-	-	-	116
50	27	6	12	6	148	85	21	27	15	166	98	23	41	14	31	29	2	-	-	117
27	15	3	4	5	110	60	12	24	14	107	53	13	29	12	18	17	1	-	-	117a
23	12	2	8	1	38	25	9	3	1	59	35	10	12	2	13	12	1	-	-	117b
2	1	1	1	-	68	13	7	25	23	67	14	12	18	23	6	5	1	-	-	118
44	12	2	17	13	95	35	28	15	17	118	32	23	35	28	13	6	4	2	1	119
6	1	4	1	-	39	9	17	6	7	53	8	20	10	15	9	5	4	-	-	120
25	9	9	5	2	109	33	30	25	21	125	38	30	28	29	24	18	6	-	-	121
62	13	11	18	20	235	79	80	42	34	236	55	69	60	52	38	19	18	1	-	122
23	4	3	9	7	71	34	16	17	4	69	25	16	20	8	15	9	5	1	-	122a
39	9	6	9	13	164	45	64	25	30	167	30	53	40	44	23	10	13	-	-	122b
10	3	5	2	-	37	12	14	7	4	40	11	11	10	8	3	2	1	-	-	123
135	76	39	15	5	258	140	69	56	13	211	116	44	28	23	20	8	12	-	-	124
17	8	7	2	-	16	11	4	1	-	46	29	8	7	2	-	-	-	-	-	124a
118	68	32	13	5	242	129	65	35	13	165	87	36	21	21	20	8	12	-	-	124b
17	4	5	3	5	46	18	18	7	3	42	13	11	6	12	5	2	3	-	-	125
25	9	14	-	2	28	7	20	-	1	26	9	15	-	2	17	5	12	-	-	126
10	3	4	1	2	34	10	19	4	1	44	14	25	1	4	8	2	2	-	-	127
12	7	-	3	2	12	7	3	2	-	12	5	5	1	1	3	6	1	-	-	128
2	1	-	-	1	22	5	5	3	9	30	6	8	7	9	2	1	1	-	-	129
782	265	239	135	143	1,896	757	470	367	302	2,855	928	708	647	574	364	229	128	6	1	-
5	-	1	2	1	95	28	13	26	28	128	25	16	42	45	7	5	2	-	-	130
865	225	218	108	114	1,378	545	371	251	215	2,315	764	623	463	465	288	179	102	6	1	131
828	214	207	102	103	1,074	431	297	187	159	1,667	562	474	320	311	206	128	71	6	1	131a
39	11	11	6	11	304	112	74	84	54	846	202	149	143	152	82	51	31	-	-	131b
25	2	6	6	11	118	39	23	27	29	96	22	13	39	24	18	14	4	-	-	132
26	6	10	6	4	54	15	23	9	7	71	15	22	18	16	6	3	3	-	-	133
7	4	2	1	-	40	19	16	2	3	35	15	14	3	1	3	2	3	-	-	134
3	1	1	1	1	29	10	6	13	-	11	-	-	-	-	1	-	-	-	-	135
37	28	-	11	-	131	96	-	35	-	145	65	-	-	-	23	23	-	-	-	136
51	23	-	3	-	99	79	-	20	-	110	65	-	-	-	19	19	-	-	-	137
6	3	-	3	-	32	17	-	15	-	35	20	-	-	-	4	4	-	-	-	137a
1	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	137b
13	-	2	-	11	33	-	12	-	21	39	-	16	-	23	11	-	11	-	-	138
11	-	2	-	9	29	-	12	-	16	28	-	10	-	19	4	-	7	-	-	139a
2	-	-	-	2	4	-	-	-	4	11	-	6	-	5	7	-	-	-	-	139b
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	139c
23	-	13	-	10	133	-	56	-	77	241	-	107	-	134	16	-	-	-	-	-
3	-	3	-	-	11	-	5	-	6	16	-	4	-	12	1	-	1	-	-	140
2	-	2	-	-	8	-	6	-	2	10	-	5	-	5	1	-	1	-	-	141
-	-	-	-	-	2	-	2	-	-	5	-	2	-	3	-	-	-	-	-	141a,c
-	-	-	-	-	3	-	2	-	1	3	-	1	-	2	1	-	1	-	-	141b
2	-	2	-	-	3	-	2	-	1	2	-	2	-	-	-	-	-	-	-	141d-f
2	-	2	-	-	4	-	2	-	2	7	-	2	-	5	2	-	2	-	-	142
-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	142a
2	-	2	-	-	2	-	1	-	1	6	-	2	-	4	2	-	2	-	-	142b
4	-	2	-	2	12	-	4	-	8	39	-	18	-	21	2	-	2	-	-	143
1	-	-	-	1	6	-	2	-	4	14	-	5	-	9	2	-	2	-	-	144
1	-	-	-	1	5	-	2	-	3	8	-	4	-	4	-	-	-	-	-	145a
3	-	-	-	1	1	-	-	-	1	6	-	1	-	5	2	-	2	-	-	145b
6	-	2	-	1	17	-	9	-	8	30	-	16	-	14	-	-	-	-	-	146
1	-	1	-	5	33	-	11	-	22	52	-	24	-	28	-	-	-	-	-	147
1	-	1	-	20	-	-	7	-	13	41	-	20	-	21	4	-	4	-	-	148
1	-	-	-	1	8	-	3	-	5	13	-	6	-	7	3	-				

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	CONNECTICUT				DELAWARE					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the skin and cellular tissue-----	12	5	7	-	-	3	1	2	-	-
151	Carbuncle and furuncle-----	-	-	-	-	-	1	1	-	-	-
152	Phlegmon and acute abscess-----	1	1	-	-	-	1	-	1	-	-
153	Other diseases of skin and cellular tissue-----	11	4	7	-	-	1	-	1	-	-
	XIII.—Diseases of the bones, etc.*-----	8	5	3	-	-	3	1	1	1	-
154	Osteomyelitis and periostitis-----	1	-	1	-	-	1	-	-	1	-
155	Other diseases of bones (except tuberculosis)-----	2	2	-	-	-	1	1	-	-	-
156	Diseases of joints, other organs of movement-----	5	3	2	-	-	1	-	1	-	-
157	XIV.—Congenital malformations-----	299	150	139	6	4	42	24	13	1	4
157a-d	Congenital malformations of central nervous system-----	116	52	63	-	1	11	6	4	-	1
157e,f	Congenital malformations of cardiovascular system-----	127	65	56	4	2	19	11	6	-	2
157g,h,m	Other congenital malformations-----	56	33	20	2	1	12	7	3	1	1
	XV.—Diseases peculiar to the first year of life-----	896	381	278	22	15	144	80	55	17	12
158	Congenital debility (cause not stated)-----	5	1	4	-	-	1	-	1	-	-
159	Premature birth (cause not stated)-----	428	227	182	8	11	97	34	44	13	6
160	Injury at birth-----	163	102	51	9	1	24	15	5	1	3
161	Other diseases peculiar to first year of life-----	100	51	41	5	3	22	11	5	3	3
162	XVI.—Senility-----	47	21	26	-	-	8	4	4	-	-
	XVII.—Violent or accidental deaths-----	1,362	815	503	36	8	296	156	79	46	15
163,164	Suicide-----	285	200	79	5	1	53	32	15	4	2
163	Suicide by poisoning-----	95	52	41	2	-	17	5	9	1	2
164	Suicide by other means-----	190	148	38	3	1	36	27	6	3	-
165-168	Homicide ¹ -----	39	15	12	10	1	14	3	3	6	2
166	Homicide by firearms-----	10	1	5	3	1	3	-	-	2	1
167	Homicide by cutting or piercing instruments-----	9	1	2	6	-	5	1	-	3	1
168	Homicide by other means-----	19	13	5	1	-	6	2	3	1	-
169-195	Accidental deaths-----	1,039	600	412	21	6	229	121	81	36	11
169	Railway accidents (except collisions with motor vehicles)-----	20	18	2	-	-	4	3	-	1	-
170	Motor-vehicle accidents-----	254	187	59	6	2	85	42	14	6	3
170a	Collisions between automobiles and trains-----	8	8	-	-	-	-	-	-	-	-
170b	Collisions between automobiles and streetcars-----	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	240	176	57	5	2	63	41	14	5	3
170d	Motorcycle accidents (exc. collisions with automobiles)-----	6	3	2	1	-	2	1	-	1	-
171	Streetcar and other road-transport accidents-----	5	4	1	-	-	1	-	1	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	3	3	-	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents-----	2	1	1	-	-	1	-	1	-	-
172	Water-transport accidents-----	11	6	3	2	-	1	-	-	1	-
173	Air-transport accidents-----	19	15	4	-	-	7	6	-	1	-
174	Accidents in mines and quarries-----	2	2	-	-	-	-	-	-	-	-
175	Agricultural and forestry accidents-----	8	8	-	-	-	1	1	-	-	-
175a-c	Agricultural accidents-----	8	8	-	-	-	1	1	-	-	-
175d,e	Forestry accidents-----	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery-----	9	9	-	-	-	-	-	-	-	-
177	Food poisoning-----	2	2	-	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas-----	33	18	14	1	-	8	6	1	1	-
179	Acute accidental poisoning by solids or liquids-----	11	5	6	-	-	4	1	-	2	1
180	Conflagration-----	21	11	9	1	-	9	4	2	3	-
181	Accidental burns (except conflagration)-----	36	23	11	1	1	15	7	4	1	3
182	Accidental mechanical suffocation-----	22	12	8	-	2	4	-	1	2	1
183	Accidental drowning-----	58	47	6	5	-	21	15	-	8	-
184	Accidental injury by firearms-----	6	6	-	-	-	3	1	1	1	-
185	Accidental injury by cutting or piercing instruments-----	2	2	-	-	-	2	1	-	1	-
186	Accidental injury by fall or crushing-----	397	156	239	1	1	64	24	34	4	2
186a	Accidental injury by fall-----	395	156	237	1	1	63	24	34	3	2
186b	Accidental injury by crushing-----	2	-	2	-	-	1	-	-	1	-
187	Cataclysm, etc.*-----	2	1	-	1	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)-----	2	-	-	-	-	1	1	-	-	-
189	Hunger or thirst-----	2	2	-	-	-	-	-	-	-	-
190	Excessive cold-----	1	1	-	-	-	2	-	-	2	-
191	Excessive heat-----	3	2	1	-	-	1	1	-	-	-
192	Lightning-----	-	-	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)-----	5	5	-	-	-	3	3	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	-	-	-	-	-	-	-	-	-	-
195	Other accidents-----	110	58	49	3	-	13	5	3	4	1
195a	Sequelae of preventive immunization, etc.*-----	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention-----	-	-	-	-	-	1	-	-	-	1
195d	Obstruction, suffocation, etc.*-----	14	8	5	1	-	1	1	-	-	-
195e,c	Other and unspecified accidents-----	98	50	44	2	-	11	4	3	4	-
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	-	-	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes-----	78	48	24	6	-	22	16	3	3	-
199	Sudden death-----	23	16	6	1	-	1	1	-	-	-
200	Ill-defined and unknown causes-----	55	32	18	5	-	21	15	3	3	-
200a	Ill-defined causes-----	47	30	14	3	-	17	12	3	2	-
200b,c	Unknown or unspecified causes-----	8	2	4	2	-	4	3	-	1	-

*Refer to International List for complete title, table IX, Part I.
¹Includes figures for infanticide (165).

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Total deaths	DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	Male	
4	1	3	-	-	20	3	8	2	7	31	7	7	10	7	2	2	-	-	-	-	-
-	-	-	-	-	4	-	1	1	2	3	1	1	1	-	1	1	-	-	-	-	151
1	-	1	-	-	4	1	1	-	2	10	3	5	4	6	-	-	-	-	-	-	152
3	1	2	-	-	12	2	6	1	3	18	3	5	4	6	-	-	-	-	-	-	153
3	1	1	-	1	12	3	6	1	2	14	6	4	4	-	5	1	4	-	-	-	-
-	-	-	-	-	4	2	1	1	-	4	2	-	2	-	2	-	2	-	-	-	154
-	-	-	-	-	4	-	3	-	-	3	1	1	1	-	-	-	-	-	-	-	155
3	1	1	-	1	4	1	2	-	1	7	3	3	1	-	3	1	2	-	-	-	156
90	25	31	23	11	337	161	119	28	29	362	139	136	51	36	83	46	36	1	-	-	157
22	5	9	7	1	100	45	44	3	8	88	31	37	14	6	18	8	10	-	-	-	157a-d
41	8	19	7	7	141	68	49	10	14	179	69	75	17	18	42	24	17	1	-	-	157e,f
27	12	3	9	3	96	48	26	15	7	95	39	24	20	12	23	14	9	-	-	-	157g,h,m
450	146	114	107	83	1,321	551	400	197	173	1,650	615	419	351	265	289	159	124	4	2	-	-
16	2	4	6	4	54	13	8	23	10	98	13	13	39	33	6	4	1	1	1	-	158
275	96	65	70	54	839	366	265	109	119	1,018	384	262	203	169	187	100	83	3	1	-	159
85	40	31	13	11	215	95	74	26	20	337	144	93	59	41	62	37	24	-	-	-	160
54	18	14	18	14	193	77	53	39	24	197	74	51	50	22	34	18	16	-	-	-	161
19	1	7	-	2	253	111	74	46	32	231	57	61	56	55	88	49	37	1	1	-	162
639	242	149	182	67	2,629	1,284	482	650	213	2,806	1,321	453	841	291	802	452	132	16	2	-	-
111	71	23	12	5	299	212	76	9	2	240	166	51	19	5	74	58	13	3	-	-	163,164
30	17	8	2	3	86	46	40	-	-	40	13	22	4	1	10	6	4	-	-	-	163
81	54	15	10	2	213	168	36	9	2	200	153	29	14	4	64	52	9	3	-	-	164
74	5	7	50	12	367	58	19	224	66	504	109	22	300	73	17	10	4	2	1	-	165-168
31	4	4	18	5	215	38	7	134	36	314	85	14	179	36	13	7	3	2	1	-	166
25	-	-	20	5	118	9	4	80	24	137	8	2	103	24	1	1	-	-	-	-	167
18	1	3	12	2	36	12	8	10	6	53	16	6	18	13	3	2	1	-	-	-	168
453	166	119	119	50	1,857	1,013	397	442	145	2,146	1,042	380	511	213	511	384	115	11	1	-	169-195
4	1	-	3	-	44	18	3	20	3	61	31	3	23	4	9	7	-	2	-	-	169
103	46	17	24	16	722	427	130	126	39	797	480	117	152	49	187	146	37	4	-	-	170
4	1	-	1	2	22	12	8	2	-	30	21	7	1	1	8	7	1	-	-	-	170a
96	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	170b
2	42	17	23	14	665	389	114	123	39	745	443	106	150	46	170	130	36	4	-	-	170c
7	2	-	1	3	35	26	8	1	-	21	15	4	1	1	9	9	-	-	-	-	170d
5	-	1	3	1	1	3	1	2	-	12	6	-	5	1	-	-	-	-	-	-	171
13	2	-	-	-	5	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	171a
13	15	-	-	-	40	27	4	9	-	11	5	-	5	1	-	5	1	-	-	-	171b
13	10	1	2	-	86	82	4	-	-	44	44	-	-	-	23	18	5	-	-	-	172
-	-	-	-	-	7	4	1	2	-	5	4	-	1	-	12	12	-	-	-	-	173
-	1	-	-	-	25	13	-	11	1	66	38	1	26	1	38	35	3	-	-	-	174
-	1	-	-	-	23	12	-	10	1	80	29	1	19	1	25	22	3	-	-	-	175
-	1	-	-	-	2	1	-	1	-	16	9	-	7	-	13	13	-	-	-	-	175a-c
-	2	-	-	-	21	11	1	9	-	35	18	-	17	-	8	8	-	-	-	-	175d,e
-	2	-	-	-	9	4	1	2	2	19	4	2	7	5	2	2	2	-	-	-	176
-	8	-	-	-	26	10	12	4	2	19	11	3	3	2	3	3	-	-	-	-	177
28	2	2	21	5	48	12	10	17	9	43	17	5	12	9	3	2	1	-	-	-	178
9	1	-	4	2	36	16	8	6	6	82	19	20	23	20	15	8	8	1	-	-	179
19	4	3	9	3	101	33	18	22	28	157	39	32	48	39	17	10	7	2	-	-	180
26	5	7	5	9	30	9	8	5	8	70	21	13	18	18	11	9	9	-	-	-	181
34	14	4	14	2	202	108	16	70	8	91	45	9	32	5	41	29	11	5	1	-	182
6	2	-	4	-	90	35	6	39	9	119	59	5	41	14	27	21	5	1	-	-	183
1	-	-	1	-	15	5	1	6	3	12	2	1	4	5	-	-	-	-	-	-	184
149	52	72	18	7	208	85	80	21	12	322	113	148	38	23	67	37	30	-	-	-	185
148	51	72	18	7	197	78	88	19	12	317	113	148	35	23	63	33	30	-	-	-	186
1	1	-	-	-	11	7	2	2	-	5	-	-	5	-	4	4	-	-	-	-	186a
-	-	-	-	-	6	5	1	-	-	-	-	-	-	-	3	2	1	-	-	-	186b
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	2	2	1	-	-	-	187
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	188
-	-	-	-	-	1	1	-	-	-	6	1	-	3	2	1	1	-	-	-	-	189
-	-	-	-	-	1	-	-	1	-	10	3	-	4	3	1	1	-	-	-	-	190
-	-	-	-	-	13	9	2	2	-	15	9	2	3	1	1	1	-	-	-	-	191
-	-	-	-	-	31	25	-	6	-	16	11	-	4	1	3	3	-	-	-	-	192
-	-	-	-	-	3	3	-	-	-	4	3	-	1	-	-	-	-	-	-	-	193
24	8	7	4	5	182	67	68	32	15	108	43	13	38	13	31	24	4	3	-	-	194
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	195a
-	-	-	-	-	1	-	-	1	-	2	1	-	-	1	-	-	-	-	-	-	195b
-	-	-	-	-	20	14	2	1	3	19	12	3	3	1	8	6	2	-	-	-	195c
7	6	5	3	3	161	53	66	30	12	86	29	10	36	11	23	18	2	3	-	-	195d,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	6	1	-	5	-	16	4	-	12	-	-	-	-	-	-	-	197
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
9	4	3	-	2	663	220	109	211	123	934	237	101	336	261	64	45	17	2	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	ILLINOIS				INDIANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	93,686	48,543	36,749	4,022	3,372	40,567	21,554	16,685	1,149	979
	I.—Infectious and parasitic diseases-----	4,201	2,167	1,003	586	455	2,101	1,119	699	177	106
1	Typhoid fever-----	10	2	7	1	-	7	3	4	-	-
2	Paratyphoid fever-----	1	1	-	-	-	1	1	-	-	-
3	Plague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	7	5	1	1	4	3	1	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	48	27	10	5	6	21	9	9	-	3
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	1	1	-	-	-	7	3	4	-	-
9	Whooping cough-----	45	19	22	3	1	53	23	22	2	6
10	Diphtheria (infection by C. diphtheriae)-----	11	6	2	2	1	18	7	9	-	2
11	Erysipelas-----	5	2	3	-	-	2	2	-	-	-
12	Tetanus-----	8	6	2	-	-	12	8	3	-	1
13-22	Tuberculosis (all forms)-----	2,842	1,416	640	438	348	1,083	558	347	115	63
13	Tuberculosis of respiratory system, etc.*-----	2,628	1,346	588	395	299	972	508	309	102	55
14	Tuberculosis of meninges, etc.*-----	48	12	10	10	16	30	12	15	3	-
15	Tuberculosis of intestines and peritoneum-----	29	5	8	6	10	10	4	4	1	1
16	Tuberculosis of vertebral column-----	38	17	11	4	6	14	7	5	1	1
17	Tuberculosis of bones and joints, etc.*-----	9	5	2	1	-	7	5	1	-	1
18	Tuberculosis of skin, etc.*-----	1	-	-	1	-	1	-	1	-	-
19	Tuberculosis of lymphatic system, etc.*-----	2	2	-	-	-	2	1	-	-	1
20	Tuberculosis of genito-urinary system-----	25	11	5	4	3	16	12	2	1	1
21	Tuberculosis of other organs-----	10	4	4	2	-	-	-	-	-	-
22	Disseminated tuberculosis-----	55	14	12	15	14	31	9	10	7	5
23	Leprosy-----	1	-	-	1	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	26	15	10	-	-	14	7	6	1	-
25	Gonococcus infection-----	4	1	-	-	3	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)-----	1	-	-	1	-	-	-	-	-	-
27	Dysentery-----	23	11	8	3	1	14	10	4	-	-
28	Malaria-----	6	5	1	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa, etc.*-----	3	-	2	-	1	3	1	2	-	-
30	Syphilis (all forms)-----	676	385	115	122	54	380	245	91	41	13
30a	Locomotor ataxia (tabes dorsalis)-----	30	22	5	3	-	20	17	2	1	-
30b	General paralysis of insane-----	261	147	46	48	20	165	104	38	23	2
30c	Aneurysm of aorta-----	165	105	28	23	7	84	52	20	9	3
30d	Congenital syphilis-----	12	4	4	3	1	15	5	5	2	3
30e, f, g	Syphilis (other forms)-----	210	107	32	45	26	106	67	28	6	5
31	Relapsing fever-----	1	-	1	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	13	7	3	2	1	17	8	9	-	-
33	Influenza-----	247	124	101	11	11	320	151	139	14	16
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-
35	Measles-----	6	5	3	-	-	8	4	4	-	-
36	Poliomyelitis and polioencephalitis (acute)-----	29	15	13	1	-	15	10	5	-	-
37	Acute infectious encephalitis (lethargic)-----	25	14	10	-	1	25	14	10	-	1
38	Other diseases due to filtrable viruses-----	5	5	-	-	-	3	2	-	1	-
39	Typhus fever and typhus-like diseases*-----	4	3	1	-	-	6	2	4	-	-
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease-----	1	1	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	-	-	-	-	-	-	-	-	-	-
43	Mycoses-----	16	10	4	1	1	9	6	2	1	-
44	Other infectious and parasitic diseases-----	134	81	44	4	5	68	41	24	2	1
	II.—Cancer and other tumors-----	13,861	6,642	6,409	367	443	5,196	2,361	2,604	96	115
45-55	Cancer and other malignant tumors-----	13,536	6,550	6,222	358	406	5,031	2,317	2,511	95	108
45	Cancer of buccal cavity and pharynx-----	404	330	52	16	6	127	102	22	2	1
45a	Cancer of lip-----	40	37	3	-	-	12	12	-	-	-
45b	Cancer of tongue-----	89	70	12	5	2	28	20	8	-	-
45c	Cancer of mouth-----	57	44	9	3	1	13	9	4	-	-
45d	Cancer of jaw bone-----	70	55	12	3	-	23	18	5	-	-
45e	Cancer of unspecified parts of buccal cavity-----	7	4	1	1	1	2	2	-	-	-
45f	Cancer of pharynx-----	141	120	15	4	2	49	41	5	2	1
46	Cancer of digestive organs and peritoneum-----	6,171	3,328	2,511	197	135	2,287	1,156	1,036	45	30
46a	Cancer of esophagus-----	354	268	46	35	5	73	54	14	4	1
46b	Cancer of stomach-----	1,885	1,147	624	68	46	662	384	244	24	10
46c	Cancer of duodenum-----	27	16	11	-	-	15	9	6	-	-
46d	Cancer of rectum and anus-----	792	442	304	28	18	238	130	101	4	3
46e	Cancer of intestines, etc.*-----	1,711	809	838	25	39	651	293	341	8	9
46f	Cancer of liver and biliary passages-----	708	296	395	18	9	372	154	215	2	3
46g	Cancer of pancreas-----	555	288	232	20	15	202	106	91	1	4
46h	Cancer of mesentery and peritoneum-----	99	49	45	3	2	30	16	12	2	-
46i	Cancer of other and unspecified sites-----	41	24	16	-	-	24	10	14	-	-
47	Cancer of respiratory system-----	1,274	966	248	44	16	426	307	104	13	4
47a	Cancer of larynx-----	153	129	18	7	1	48	39	5	4	-
47b, c	Cancer of trachea and bronchus-----	403	334	47	20	2	90	68	17	4	1
47d	Cancer of lung-----	669	467	174	16	12	274	190	78	4	2
47e	Cancer of pleura-----	11	7	4	-	-	1	1	-	-	-
47f	Cancer of other respiratory organs-----	33	29	7	1	1	15	9	4	1	1
48	Cancer of uterus-----	1,190	...	1,068	...	122	454	...	425	...	29
48a	Cancer of cervix-----	428	...	385	...	63	194	...	178	...	16
48b	Cancer of other and unspecified sites of uterus-----	762	...	705	...	59	260	...	247	...	13
49	Cancer of other female genital organs-----	414	...	385	...	19	129	...	126	...	3
49a, b	Cancer of ovary, fallopian tube, and parametrium-----	359	...	342	...	17	108	...	105	...	3
49c- e	Cancer of other female genital organs-----	55	...	53	...	2	21	...	21	...	-
50	Cancer of breast-----	1,275	16	1,201	-	58	471	4	442	-	25
51	Cancer of male genital organs-----	796	751	...	45	...	359	342	...	17	...
51a	Cancer of prostate-----	723	690	...	43	...	323	306	...	17	...
51a, c- e	Cancer of other male genital organs-----	73	71	...	2	...	36	36	...	-	...
52	Cancer of urinary organs-----	723	450	239	19	15	211	135	69	4	3
52a	Cancer of kidney-----	233	131	89	4	9	74	49	24	1	-
52b	Cancer of bladder-----	480	317	143	15	5	136	65	45	3	3
52c	Cancer of other and unspecified sites-----	10	2	7	-	1	1	1	-	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

IOWA					KANSAS					KENTUCKY					LOUISIANA				Int. List No.	
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male		Female
28,484	14,656	11,545	153	130	18,700	10,140	7,532	543	485	28,371	14,109	10,821	1,834	1,607	23,395	8,040	5,633	5,131	4,591	
823	496	294	18	15	751	362	267	58	44	2,367	1,069	914	230	174	1,872	522	221	639	490	
1	1	-	-	-	-	-	-	-	-	14	8	4	1	1	23	5	5	7	6	
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
15	7	8	-	-	13	9	4	-	-	28	12	13	3	18	6	6	6	6	6	
-	-	-	-	-	-	-	-	-	-	9	4	5	-	-	-	-	-	-	-	
4	2	2	-	-	-	-	-	-	-	9	4	5	-	-	-	-	-	-	-	
34	16	14	2	2	19	11	7	1	1	91	30	44	7	10	68	15	11	24	18	
5	2	3	-	-	4	1	1	1	1	47	23	23	-	1	22	6	6	3	7	
1	1	-	-	-	-	-	-	-	-	6	2	6	-	-	1	1	-	-	-	
7	5	2	-	-	8	4	3	1	1	13	8	4	-	1	18	2	1	10	5	
307	180	115	9	3	322	170	105	27	20	1,472	888	545	145	115	986	328	103	209	266	
287	171	105	8	3	298	154	99	26	19	1,546	615	504	129	100	927	320	97	265	245	
4	2	2	-	-	8	6	2	-	-	38	17	16	2	3	15	4	1	4	4	
1	1	-	-	-	3	2	1	-	-	23	11	5	6	1	6	-	1	2	3	
2	2	-	-	-	5	4	-	1	-	14	6	3	2	3	8	1	1	4	2	
2	1	1	-	-	1	-	-	-	-	8	4	2	1	1	4	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
2	2	-	-	-	2	-	-	-	-	2	-	-	-	3	-	-	-	-	-	
3	1	2	-	-	2	1	1	-	-	13	6	4	1	2	2	2	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
6	2	3	1	-	5	3	1	-	1	27	9	9	4	5	21	1	2	11	7	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	3	3	3	1	
4	2	2	-	-	8	5	3	-	-	10	5	4	-	1	8	3	1	2	2	
1	1	-	-	-	2	2	-	-	2	1	-	1	-	2	-	-	-	2	2	
9	8	1	-	-	4	2	2	-	-	40	21	15	3	1	17	4	5	5	3	
-	-	-	-	-	-	-	-	-	-	5	2	2	1	-	10	1	2	5	2	
1	1	-	-	-	2	2	-	-	-	3	1	2	-	-	3	2	-	1	-	
168	118	57	7	6	146	75	32	21	18	191	90	42	36	23	408	63	22	201	102	
13	10	3	-	-	5	5	-	-	-	10	4	4	2	-	4	2	-	1	1	
51	33	12	5	1	47	24	11	9	3	61	30	12	11	8	97	23	9	47	18	
43	34	7	2	2	45	24	9	6	6	36	26	3	4	3	80	28	3	30	19	
3	2	1	-	-	6	-	3	1	2	12	2	6	2	2	52	3	5	27	17	
58	39	14	2	3	43	22	9	5	7	72	28	17	17	10	175	27	5	86	47	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	9	5	-	-	7	1	5	1	-	4	3	1	-	9	4	4	2	1	2	
171	93	76	-	2	163	75	80	5	3	358	145	171	24	18	176	33	32	50	61	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	2	2	-	-	1	1	-	-	-	5	2	2	-	1	10	3	3	2	2	
8	5	3	-	-	9	5	4	-	-	10	5	4	1	-	7	3	1	3	-	
12	8	3	-	-	7	-	7	-	-	18	8	7	3	-	9	5	1	3	-	
1	1	-	-	-	-	-	-	-	-	3	1	2	-	-	1	-	-	-	-	
2	-	2	-	-	-	-	-	-	-	7	6	1	-	-	6	5	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	1	-	-	5	3	2	-	-	8	5	2	1	-	7	-	-	3	2	
51	33	18	-	-	31	18	12	1	-	35	20	10	4	1	34	8	12	9	5	
3,884	1,903	1,980	18	13	2,479	1,151	1,209	57	62	3,057	1,302	1,459	122	174	2,831	1,026	867	428	510	
3,790	1,877	1,884	18	11	2,405	1,120	1,173	56	56	2,983	1,275	1,410	119	159	2,733	1,003	836	415	479	
108	87	21	-	-	62	48	11	2	1	93	69	18	3	3	95	68	10	13	4	
26	25	1	-	-	18	18	-	-	-	10	8	1	1	-	9	9	-	-	-	
20	16	4	-	-	8	4	3	-	1	18	13	2	2	1	16	13	3	2	-	
10	9	1	-	-	6	5	1	-	-	10	7	3	-	-	16	7	2	5	-	
18	14	4	-	-	14	9	5	-	-	18	12	4	-	2	16	11	2	2	1	
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	
34	23	11	-	-	14	10	2	2	-	37	29	8	-	-	35	27	3	4	1	
1,674	907	754	10	3	1,013	523	440	30	20	1,308	611	594	55	48	1,064	403	291	220	150	
58	41	16	-	-	21	15	4	2	-	29	18	9	2	-	42	23	5	10	4	
521	352	164	4	1	314	194	102	13	5	408	207	166	24	11	446	175	92	116	63	
4	2	2	-	-	6	4	2	-	-	6	2	3	-	1	2	1	1	-	-	
193	104	86	2	1	105	42	56	5	2	121	61	49	4	7	106	36	35	18	17	
467	205	281	1	1	277	124	142	5	6	382	166	189	10	17	210	68	84	26	32	
237	93	141	2	1	156	72	77	1	6	216	93	113	5	5	142	51	47	28	18	
160	86	63	1	-	112	62	45	4	1	116	50	52	8	6	77	36	19	14	8	
22	9	13	-	-	17	7	10	-	-	17	9	7	1	-	17	8	1	5	3	
11	5	8	-	-	5	3	-	-	-	13	5	6	1	1	22	5	7	3	7	
253	179	71	3	-	199	146	43	8	2	211	134	51	21	5	302	197	38	55	12	
24	21	5	-	-	19	16	2	1	-	27	21	3	3	-	36	21	4	10	1	
73	61	10	2	-	58	50	6	2	-	57	39	10	7	1	107	80	7	19	1	
147	62	54	1	-	114	75	33	4	2	123	72	37	10	4	152	92	25	25	10	
1	1	-	-	-	2	2	-	-	-	1	-	1	-	-	2	1	1	-	-	
8	4	-	-	-	6	3	2	1	-	3	2	-	1	-	5	3	1	1	-	
286	...	281	...	5	246	...	228	...	18	356	...	295	...	61	334	...	169	...	165	
115	...	110	...	5	113	...	109	...	4	149	...	123	...	28	182	...	95	...	87	
171	...	171	133	...	119	...	14	207	...	172	...	35	152	...	74	...	78	
127	...	126	...	1	69	...	65	...	3	58	...	56	...</							

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	ILLINOIS				INDIANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	214	127	81	5	3	114	65	47	1	1
54	Cancer of central nervous system*	284	147	106	7	4	56	30	24	1	1
55	Cancer of other and unspecified organs	811	435	321	27	28	415	176	216	12	11
56,57	Nonmalignant tumors and tumors of unspecified nature	325	92	187	9	37	165	64	93	1	7
56	Nonmalignant tumors (including dermoid cysts)	249	54	158	5	32	62	14	40	1	7
56a-c	Nonmalignant tumors of female genital organs	135	...	105	...	30	37	...	30	...	7
56d	Nonmalignant tumors of central nervous system*	76	37	34	4	1	11	7	3	1	-
56e	Nonmalignant tumors of other and unspecified organs	38	17	19	1	1	14	7	7	-	-
57	Tumors of unspecified nature	76	38	29	4	5	103	50	53	-	-
57a-c	Tumors, female genital organs (nature unspecified)	2	1	1	...	1	...	-
57d	Tumors, central nervous system* (nature unspecified)	49	27	18	1	3	71	39	33	-	-
57e	Tumors, other organs (nature unspecified)	25	11	10	3	1	31	12	19	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	3,292	1,140	2,007	52	93	1,243	445	746	11	41
58	Acute rheumatic fever	50	21	14	7	9	25	15	8	-	2
58a	Acute rheumatic pericarditis	1	-	-	-	1	-	-	-	-	-
58b	Acute rheumatic endocarditis	20	11	4	2	3	5	5	-	-	-
58c	Acute rheumatic myocarditis	3	1	1	-	1	4	1	2	-	1
58d	Other acute rheumatic heart diseases	12	5	2	3	2	6	3	2	-	1
58e,f	Other forms of acute rheumatic fever, etc.*	14	4	7	2	1	10	6	4	-	-
59	Chronic rheumatism, other rheumatic diseases	90	35	55	-	-	46	11	35	1	1
60	Gout	1	-	-	-	-	1	1	-	-	-
61	Diabetes mellitus	2,782	967	1,704	37	74	1,018	378	598	9	55
62	Diseases of pituitary gland	3	1	2	-	-	2	-	2	-	-
63	Diseases of thyroid and parathyroid glands	214	42	165	1	6	101	15	82	-	4
63a	Simple goiter	9	1	7	-	1	2	1	1	-	-
63b	Exophthalmic goiter	179	32	141	1	5	88	11	73	-	4
63c-e	Other diseases of thyroid and parathyroid glands	26	9	17	-	-	11	3	8	-	-
64	Diseases of thymus gland	77	41	28	5	3	17	8	7	1	1
65	Diseases of adrenal glands*	42	18	22	1	1	12	4	8	-	-
66	Other general diseases	24	13	11	-	-	12	6	6	-	-
67	Scurvy	1	-	-	-	-	1	-	-	-	-
68	Beriberi	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	2	2	-	-	6	4	2	-	-
70	Rickets	2	-	-	1	1	-	-	-	-	-
71	Other avitaminoses	1	-	1	-	-	2	2	-	-	-
	IV.—Diseases of the blood and blood-forming organs	793	415	341	26	11	387	229	146	5	7
72	Hemorrhagic conditions	36	14	21	1	-	21	5	14	1	1
73	Anemias (except splenic anemia)	204	82	111	5	6	117	74	39	2	2
73a	Fernicious anemia	140	54	81	2	3	81	47	32	-	2
73b-d	Other anemias (except splenic)	64	28	30	3	3	36	27	7	2	-
74	Leukemias and aleukemias	510	300	188	17	5	228	141	83	2	2
74a	Leukemias	493	287	184	17	5	214	130	80	2	2
74b	Aleukemias	17	13	4	-	-	14	11	3	-	-
75	Diseases of spleen	22	9	11	3	-	10	6	3	-	1
76	Other diseases of blood and blood-forming organs	21	11	10	-	-	11	3	7	-	1
	V.—Chronic poisoning and intoxication	80	65	10	2	3	56	40	6	7	3
77	Alcoholism (ethylism)	75	61	9	2	3	54	38	9	7	3
78	Lead poisoning	1	1	-	-	-	1	1	-	-	-
79	Chronic poisoning by other mineral substances*	4	3	1	-	-	1	-	1	-	-
	VI.—Diseases of the nervous system, etc.*	8,361	3,798	3,941	295	327	4,730	2,186	2,303	123	118
80	Encephalitis (nonepidemic)	62	39	20	1	2	58	28	26	3	1
81	Meningitis (not due to meningococcus)	119	57	39	13	10	53	23	20	4	6
82	Diseases of spinal cord (see exceptions)*	143	76	59	6	2	87	44	40	3	-
83	Intracranial lesions of vascular origin	7,537	3,376	3,630	256	295	4,268	1,959	2,091	109	110
83a	Cerebral hemorrhage or effusion*	6,358	2,795	3,106	205	252	3,941	1,729	1,909	101	102
83b,c	Cerebral embolism, thrombosis, and softening	1,006	487	433	48	38	333	185	142	3	3
83d	Hemiplegia, other paralysis, etc.*	193	94	91	3	5	94	44	40	5	5
84	Mental diseases and deficiency (see exception)*	56	24	22	5	5	62	29	32	1	-
85	Epilepsy	105	61	32	7	5	44	24	17	2	1
86	Convulsions (under 5 years)	5	1	2	-	2	6	4	2	-	-
87	Other diseases of nervous system	273	141	123	6	3	123	60	62	1	-
88	Diseases of organs of vision	4	-	3	1	-	2	1	1	-	-
89	Diseases of ear and mastoid process	37	23	11	-	3	27	15	12	-	-
	VII.—Diseases of the circulatory system	36,433	20,189	13,807	1,328	1,109	13,786	7,859	5,394	303	230
90-95	Diseases of the heart (all forms)	34,549	19,170	13,055	1,276	1,060	12,538	7,231	4,615	270	214
90	Pericarditis (except acute rheumatic)	25	17	7	-	-	16	14	2	-	-
90a	Chronic rheumatic pericarditis	1	1	-	-	-	-	-	-	-	-
90b	Other pericarditis	24	16	7	-	1	16	14	2	-	-
91	Acute endocarditis (except rheumatic)	75	39	25	6	5	38	19	15	3	1
91a,b	Bacterial, acute, and subacute endocarditis	73	38	25	6	4	37	18	15	3	1
91c	Endocarditis (unspecified, under 45 years)	2	1	-	-	1	1	1	-	-	-
92	Chronic affections of valves and endocardium	1,972	994	892	50	46	941	457	431	25	28
92a	Diseases of aortic valve, etc.*	134	80	49	3	2	56	36	17	2	1
92b	Diseases of mitral valve, etc.*	965	469	443	27	26	412	193	195	8	16
92c	Chronic rheumatic endocarditis, etc.*	120	62	56	2	-	51	27	24	-	-
92d	Other chronic endocarditis, etc.*	653	322	298	16	17	375	182	173	11	9
92e	Endocarditis (unspecified, 45 years and over)	100	51	46	2	1	47	19	22	4	2
93	Diseases of the myocardium	21,072	10,716	8,000	840	716	5,711	2,974	2,565	143	129
93a	Acute myocarditis (except rheumatic)	260	134	116	5	5	118	49	62	2	5
93b	Myocarditis (unspecified, under 45 years)	18	7	9	1	1	13	8	3	1	1
93c	Chronic rheumatic myocarditis, etc.*	105	45	57	2	1	42	23	18	-	1
93d	Other chronic myocarditis, etc.*	19,690	9,992	8,212	806	680	5,037	2,523	2,276	130	108
93e	Other myocarditis (unspecified)	999	538	406	26	29	501	271	206	10	14
94	Diseases of coronary arteries, angina pectoris	8,622	5,979	2,396	141	106	4,775	3,299	1,347	89	42
94a	Diseases of coronary arteries	8,445	5,885	2,340	135	105	4,637	3,209	1,299	89	41
94b	Angina pectoris	177	114	56	6	1	138	89	48	-	1

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Total deaths	IOWA				Total deaths	KANSAS				Total deaths	KENTUCKY				Total deaths	LOUISIANA				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
67	36	29	-	-	55	37	18	-	-	124	68	51	2	3	48	31	11	2	4	53
67	42	25	-	-	37	22	14	1	-	47	28	20	1	-	39	18	16	4	1	54
296	155	137	2	2	185	95	81	4	3	237	114	69	14	10	279	106	95	38	40	55
94	26	66	-	-	74	51	36	1	6	94	27	49	3	15	98	23	31	13	31	56,57
64	8	54	-	-	42	12	25	1	4	65	8	39	2	14	47	7	17	3	20	56
46	...	44	-	-	24	...	20	-	4	44	...	31	-	13	26	17	56a-c
12	3	9	-	-	9	6	2	1	-	6	3	3	-	1	3	5	5	-	3	56d
6	5	1	-	-	9	6	3	-	2	15	5	5	2	1	13	4	3	10	3	56e
30	18	12	-	-	32	19	11	-	2	31	19	10	1	1	51	16	14	10	11	57
-	-	-	4	...	3	-	1	1	...	1	-	2	57a-c
25	14	9	-	-	17	13	3	-	1	17	14	2	1	1	37	13	11	5	6	57d
7	4	3	-	-	11	6	5	-	-	13	5	7	-	1	12	3	2	5	5	57e
856	347	501	2	6	613	242	357	14	20	693	251	384	26	32	592	141	250	60	141	
11	5	6	-	-	12	8	3	1	-	30	16	9	3	2	21	5	4	5	7	58
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	1	-	58a
1	-	1	-	-	1	1	-	-	-	9	6	1	2	-	3	2	-	-	-	58b
2	-	2	-	-	1	1	-	-	-	4	3	1	-	-	-	-	-	-	-	58c
3	2	1	-	-	6	5	-	1	-	2	-	2	-	7	1	1	2	3	3	58d
4	2	2	-	-	4	1	3	-	-	14	6	5	1	2	10	2	3	1	4	58e, f
53	15	38	-	-	35	9	25	-	1	50	17	29	3	1	22	7	9	3	3	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
679	302	369	2	6	481	196	260	8	17	495	188	264	17	26	440	105	205	39	82	61
2	-	2	-	-	2	1	1	-	-	3	1	2	-	-	3	-	2	1	-	62
78	9	69	-	-	41	6	34	1	-	52	6	42	-	2	40	4	17	1	18	63
4	1	3	-	-	4	1	3	-	-	2	1	1	-	3	-	-	-	-	2	63a
70	8	62	-	-	31	4	26	1	-	46	6	38	-	2	27	1	13	1	12	63b
4	-	4	-	-	6	1	5	-	-	4	1	3	-	-	10	3	3	-	4	63c-o
18	9	9	-	-	22	11	6	4	1	9	4	3	1	1	18	5	7	-	6	64
6	4	2	-	-	8	6	3	-	-	6	3	3	-	-	4	-	3	1	-	65
5	2	3	-	-	3	-	3	-	-	16	8	8	-	-	22	9	2	5	-	66
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	67
1	1	-	-	-	1	1	-	-	-	3	1	2	-	-	2	2	-	-	-	68
1	-	1	-	-	3	3	2	-	1	23	5	18	-	-	12	1	1	2	3	69
1	-	1	-	-	1	1	-	-	-	-	-	-	-	3	-	-	-	-	-	70
1	-	1	-	-	1	1	1	-	-	5	-	4	1	-	3	3	-	-	2	71
258	135	122	-	1	183	101	76	5	1	224	135	80	7	2	163	69	47	30	17	
14	4	10	-	-	7	5	2	-	-	11	5	5	1	-	14	8	3	2	2	72
75	28	47	-	-	66	37	28	2	1	91	49	36	4	2	26	7	2	9	8	73
55	22	33	-	-	45	22	21	2	-	60	33	22	3	2	7	2	2	2	1	73a
20	6	14	-	-	21	15	5	-	1	31	16	14	1	-	19	5	-	7	7	73b-d
157	95	61	-	1	98	54	43	1	-	113	74	37	2	-	106	47	39	13	7	74
149	91	57	-	1	92	52	40	-	-	109	70	37	2	-	96	43	35	13	5	74a
8	4	4	-	-	6	2	3	1	-	4	4	-	-	-	10	4	4	-	2	74b
5	4	1	-	-	10	5	3	2	-	7	5	2	-	-	14	7	2	4	1	75
7	4	3	-	-	2	-	2	-	-	2	2	-	-	3	-	1	2	-	-	76
24	22	-	1	1	10	8	1	1	-	34	26	3	3	2	28	15	1	11	1	
24	22	-	1	1	10	8	1	1	-	31	24	2	3	2	28	15	1	11	1	77
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	79
3,407	1,659	1,715	15	18	2,386	1,193	1,069	60	64	3,181	1,458	1,242	217	264	2,227	623	564	495	545	
22	11	10	1	-	16	10	7	-	-	17	18	2	-	-	31	8	7	13	3	80
23	11	12	-	-	27	14	10	-	1	82	50	23	2	7	60	14	7	24	15	81
75	40	33	1	1	57	23	13	-	3	13	1	7	2	3	43	19	15	8	1	82
3,074	1,483	1,561	13	17	2,119	1,046	959	59	56	2,660	1,307	1,108	202	243	1,975	546	506	418	505	83
2,702	1,293	1,386	9	14	1,909	936	864	57	52	2,518	1,145	990	178	217	1,779	478	434	399	478	83a
334	169	159	4	3	192	102	85	2	3	167	85	65	11	8	130	44	58	19	9	83b, c
38	22	16	-	-	18	8	18	-	1	175	79	65	13	18	66	24	14	10	18	83d
35	18	17	-	-	38	14	22	-	2	50	9	36	1	4	30	9	8	6	7	84
47	26	21	-	-	49	28	21	-	-	57	27	22	5	3	30	6	12	9	3	85
6	3	3	-	-	1	-	1	-	-	10	6	2	1	1	4	1	-	1	2	86
114	61	53	-	-	86	53	31	1	1	50	29	16	2	3	39	15	6	12	6	87
1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	88
10	5	5	-	-	10	4	6	-	-	21	12	9	-	-	15	5	3	4	3	89
8,290	5,465	3,734	55	36	6,326	3,734	2,307	148	127	8,401	4,252	3,096	551	502	7,179	2,691	1,834	1,353	1,301	
8,612	5,105	3,423	51	33	5,819	3,473	2,095	135	118	7,668	3,904	2,813	485	466	6,817	2,573	1,728	1,284	1,232	90-95
6	3	3	-	-	18	7	7	1	3	20	12	4	2	2	11	2	4	3	2	90
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
5	3	2	-	-	18	7	7	1	3	20	12	4	2	2	11	2	4	3	2	90b
21	12	9	-	-	14	6	5	-	3	29	17	7	3	2	30	7	3	11	9	91
17	10	7	-	-	14	8	5	-	3	21	12	6	1	2	29	7	2	11	9	91a, b
4	2	2	-	-	-	-	-	-	-	8	5	1	2	-	1	-	-	-	-	91c
686	355	322	5	4	535	285	226	12	14	810	372	311	57	70	639	127	124	145	143	92
66	35	28	2	1	40	25	14	-	1	72	38	24	7	3	80	20	12	24	24	92a
304	159	139	3	3	200	102	84	9	5	259	108	93	23							

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	ILLINOIS				INDIANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
85	Other diseases of heart	2,783	1,435	915	239	194	1,057	569	455	19	14
95a	Functional diseases of heart, etc.*	45	24	19	1	1	41	24	18	1	-
95b	Other diseases of heart (rheumatic)	461	203	210	18	30	191	89	99	2	1
95c	Other diseases of heart (not rheumatic)	2,277	1,208	686	220	163	825	456	340	16	13
96	Aneurysm (except of heart and aorta)	145	88	41	9	7	30	19	10	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)	1,441	774	610	34	23	1,056	518	504	21	13
98	Gangrene	18	13	4	-	1	17	13	3	-	1
99	Other diseases of arteries	122	70	48	3	1	56	32	23	1	-
100	Diseases of veins	89	44	40	2	3	26	14	11	1	-
101	Diseases of lymphatic system	4	2	2	-	-	1	-	1	-	-
102	High blood pressure (idiopathic)	62	25	27	4	6	58	29	26	1	2
103	Other diseases of circulatory system	3	3	-	-	-	4	3	1	-	-
	VIII.—Diseases of the respiratory system	3,764	2,116	1,255	229	164	1,771	925	702	77	67
104	Diseases of nasal fossae, accessory sinuses	22	8	13	1	-	11	7	3	1	-
105	Diseases of larynx	7	2	5	-	-	4	1	2	-	1
106	Bronchitis	198	107	77	7	7	92	56	35	-	3
107	Bronchopneumonia (including capillary bronchitis)	1,759	904	663	94	98	631	315	265	24	27
108	Lobar pneumonia	1,243	754	327	112	50	519	261	178	36	24
109	Pneumonia (unspecified)	77	47	27	1	2	210	106	95	7	4
109a	Atypical or virus pneumonia	24	15	9	-	1	40	21	19	7	4
109b	Pneumonia (all other, unspecified)	53	32	19	1	1	170	85	74	7	4
110	Pleurisy (not tuberculous)	70	47	21	1	1	26	16	7	2	1
111	Hemorrhagic infarction, thrombosis, edema*	129	78	51	-	-	168	82	79	3	4
112	Asthma	152	95	50	3	4	69	33	32	1	3
113	Pulmonary emphysema	17	12	3	1	1	6	3	2	1	-
114	Other diseases of respiratory system (except tuberculosis)	90	64	16	9	1	35	25	8	2	-
114a,b	Silicosis, other forms of pneumoconiosis	13	13	-	-	-	9	9	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	77	51	16	9	1	26	16	8	2	-
	IX.—Diseases of the digestive system	4,000	2,293	1,469	123	115	1,585	892	621	28	44
115	Diseases of buccal cavity and adnexa, etc.*	59	38	18	-	3	36	18	18	-	-
116	Diseases of esophagus	13	6	5	1	1	5	4	1	-	-
117	Ulcer of stomach or duodenum	620	471	108	30	11	204	160	35	7	2
117a	Ulcer of stomach	364	271	68	15	10	119	87	26	5	1
117b	Ulcer of duodenum	256	200	40	15	1	85	73	9	2	1
118	Other diseases of stomach (except cancer)	38	26	9	2	1	32	16	12	1	3
119	Diarrhea, enteritis, etc.* (under 2 years)	182	99	57	17	9	135	75	56	1	3
120	Diarrhea, enteritis, etc.* (2 years and over)	101	47	47	2	5	62	28	27	3	4
121	Appendicitis	315	192	103	11	9	124	75	45	1	3
122	Hernia and intestinal obstruction	723	335	336	23	29	266	137	115	4	10
122a	Hernia	320	171	139	6	5	106	58	43	1	4
122b	Intestinal obstruction	403	164	198	17	24	160	79	72	3	6
123	Other diseases of intestines	86	50	32	1	3	48	22	22	2	2
124	Cirrhosis of liver	1,158	777	327	28	26	373	248	110	6	9
124a	Cirrhosis of liver with mention of alcoholism	215	164	34	9	8	35	26	7	1	1
124b	Cirrhosis of liver without mention of alcoholism	943	613	293	19	18	338	222	103	5	8
125	Other diseases of liver	105	50	44	4	7	50	30	14	1	5
126	Biliary calculi	328	93	232	-	3	115	31	83	1	-
127	Other diseases of gallbladder, biliary ducts	173	85	103	-	5	76	22	50	1	3
128	Diseases of pancreas (except diabetes mellitus)	64	34	28	1	1	35	15	20	-	-
129	Peritonitis (cause not stated)	35	10	20	3	2	24	11	13	-	-
	X.—Diseases of the genito-urinary system	6,299	3,358	2,470	247	244	3,357	1,754	1,417	88	88
130	Acute nephritis	60	43	27	6	4	68	34	27	2	5
131	Chronic nephritis	5,105	2,512	2,202	178	213	2,796	1,421	1,235	60	80
131a	Arteriosclerotic kidney	3,553	1,719	1,576	117	141	2,244	1,151	990	43	60
131b	Other chronic nephritis	1,552	793	626	61	72	552	270	245	17	20
132	Nephritis unspecified (10 years and over)	105	42	52	5	6	150	75	65	7	3
133	Other diseases of kidneys, ureters, etc.*	198	107	73	12	6	74	27	37	8	2
134	Calculi of urinary passages	97	59	33	3	2	39	25	10	3	1
135	Diseases of urinary bladder	35	11	21	3	-	14	9	5	-	-
136	Diseases of urethra (except calculus)	14	8	4	2	-	10	8	1	1	-
137	Diseases of prostate	592	554	...	38	...	161	155	...	6	...
137a	Hypertrophy of prostate	569	531	...	38	...	121	117	...	4	...
137b	Other diseases of prostate	23	23	...	-	...	40	38	...	2	...
138	Diseases of other male genital organs (not venereal)	2	2	...	-	...	1	-	...	1	...
139	Diseases of female genital organs	71	...	58	...	13	44	...	37	...	7
139a	Diseases of ovaries, fallopian tubes, and parametria	32	...	23	...	9	24	...	18	...	6
139b	Diseases of uterus	37	...	34	...	3	20	...	19	...	1
139c	Diseases of other female genital organs*	2	...	1	...	1	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	204	...	166	...	38	105	...	93	...	12
140	Abortion with mention of infection	12	...	7	...	5	10	...	10	...	-
141	Abortion without mention of infection	4	...	3	...	1	2	...	2	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	2	...	-	1	...	1	...	-
141d-f	Other abortions (nonseptic)*	2	...	1	...	1	1	...	1	...	-
142	Ectopic gestation	21	...	14	...	7	7	...	4	...	3
142a	Ectopic gestation, with mention of infection	2	...	1	...	1	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	19	...	13	...	6	7	...	4	...	3
143	Hemorrhage of pregnancy (death before delivery)	5	...	5	...	-	-	...	-	...	-
144	Toxemia of pregnancy (death before delivery)	17	...	11	...	6	8	...	5	...	3
145	Other diseases of pregnancy (death before delivery)*	6	...	6	...	2	8	...	6	...	-
145A	With mention of infection	4	...	4	...	-	5	...	5	...	-
145B	Without mention of infection	2	...	2	...	2	3	...	3	...	-
146	Hemorrhage of childbirth and puerperium	31	...	28	...	3	12	...	11	...	1
147	Infection during childbirth and puerperium	53	...	45	...	8	26	...	25	...	1
148	Puerperal toxemia (excluding death before delivery)	33	...	30	...	3	19	...	17	...	2
149	Other accidents and specified conditions of childbirth	9	...	8	...	1	8	...	8	...	-
150	Other and unspecified conditions of childbirth and puerperium	11	...	9	...	2	5	...	3	...	2

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	IOWA				Total deaths	KANSAS				Total deaths	KENTUCKY				Total deaths	LOUISIANA				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
621	357	262	1	1	393	218	153	12	10	998	527	346	77	48	487	161	104	126	98	95
20	11	9	-	-	22	9	12	-	1	24	10	12	1	14	6	4	3	1	1	95a
99	44	54	1	1	42	20	18	3	1	137	61	66	6	4	65	18	16	14	17	95b
502	302	199	1	-	329	189	123	9	9	837	456	268	70	43	408	137	84	109	78	95c
26	16	9	-	-	17	5	11	-	1	18	12	3	2	15	9	1	2	3	97	96
539	279	254	4	2	383	186	170	10	7	564	268	214	55	27	234	80	72	42	40	97
11	9	2	-	-	4	2	2	-	-	10	5	3	2	11	4	3	1	3	3	98
51	27	24	-	-	44	28	13	2	1	41	19	21	1	25	13	8	3	1	1	99
24	12	12	-	-	18	10	8	-	-	27	13	11	1	18	5	6	3	4	4	100
1	1	-	-	-	10	-	-	-	-	4	1	3	-	2	-	-	1	1	1	101
22	13	9	-	-	30	20	10	-	-	58	24	24	5	5	52	6	15	17	14	102
4	3	1	-	-	1	-	-	1	-	11	6	4	-	1	5	1	1	-	3	103
1,077	573	493	5	6	802	403	339	32	28	1,824	867	735	125	97	1,280	390	279	517	294	
5	3	2	-	-	12	6	6	-	-	14	4	5	1	-	4	1	1	-	3	104
4	2	2	-	-	2	1	1	-	-	11	5	9	-	1	5	2	1	1	1	105
58	32	24	1	1	44	24	19	1	-	88	41	43	1	3	55	32	8	6	9	106
429	212	215	1	1	317	156	140	12	9	711	334	294	36	47	601	152	130	166	153	107
341	193	144	2	2	198	101	72	13	12	462	202	175	54	31	299	92	64	80	63	108
56	35	20	-	-	57	37	11	3	6	282	147	110	17	8	124	34	25	34	31	109
20	12	8	-	-	22	14	5	-	3	21	10	10	1	9	7	1	1	1	1	109a
36	23	12	-	-	35	23	6	3	3	261	137	100	16	6	115	27	24	33	31	109b
16	10	5	-	-	21	14	5	2	-	23	13	9	1	27	9	9	5	4	5	110
94	38	55	-	-	93	27	54	1	1	114	53	50	7	4	94	36	28	16	16	111
51	34	17	-	-	37	18	19	-	-	73	39	31	-	3	33	12	9	5	7	112
4	3	-	1	-	4	1	3	-	-	5	2	2	1	5	4	-	-	1	1	113
19	11	6	-	-	27	18	9	-	-	41	27	7	7	33	17	6	3	3	7	114
2	2	8	-	-	1	1	9	-	-	5	5	-	-	-	-	-	-	-	-	114a,b
17	9	8	-	-	26	17	9	-	-	36	22	7	7	33	17	6	3	3	7	114c-e
1,021	577	435	4	5	754	404	317	15	18	1,106	595	401	63	47	876	359	208	173	136	
14	6	7	1	-	22	9	11	2	-	39	13	22	2	2	21	4	4	6	5	115
6	4	2	-	-	4	3	1	-	-	3	2	2	-	-	1	-	-	1	-	116
147	115	30	2	2	105	80	21	2	2	135	96	25	7	5	113	64	10	29	10	117
99	75	22	2	-	75	61	10	2	2	93	62	22	2	2	89	46	8	27	8	117a
48	40	8	-	-	30	19	11	-	-	42	36	3	2	1	24	18	2	2	2	117b
21	13	7	-	1	14	9	4	1	-	25	20	3	3	3	25	6	7	7	5	118
86	49	37	-	-	46	24	17	2	3	191	107	77	3	3	98	50	13	31	24	119
37	12	24	-	1	29	13	14	1	1	57	22	27	5	3	32	8	9	5	10	120
104	67	35	1	1	81	51	28	1	1	102	51	36	11	4	71	31	16	18	4	121
199	106	93	-	-	169	82	78	3	6	163	80	57	14	12	183	60	49	33	41	122
92	49	43	-	-	68	42	22	2	2	73	41	21	6	5	55	28	15	9	6	122a
107	57	50	-	-	101	40	56	1	4	90	39	36	8	7	128	34	34	25	35	122b
36	23	13	-	-	19	10	9	-	-	23	13	7	2	1	22	12	4	5	16	123
153	95	56	-	2	122	72	47	2	1	177	115	47	11	4	195	103	51	25	16	124
13	8	5	-	-	9	7	1	1	1	11	4	4	-	-	17	12	4	1	-	124a
140	87	51	-	2	113	65	46	1	1	166	108	43	11	4	178	91	47	24	16	124b
33	19	14	-	-	16	8	7	1	-	28	14	11	1	2	24	9	12	10	3	125
96	29	67	-	-	73	22	50	1	1	57	17	38	1	2	24	9	12	-	3	126
61	24	37	-	-	31	9	20	-	2	51	22	25	1	3	21	10	8	-	3	127
17	6	9	-	-	15	7	7	-	-	9	9	-	-	8	1	6	1	-	1	128
11	7	4	-	-	8	5	3	-	-	19	10	7	-	2	12	5	1	3	5	129
1,642	991	629	10	12	1,477	784	573	60	60	1,930	967	640	177	146	1,739	498	425	429	387	
31	16	14	-	1	27	10	14	1	2	80	40	25	7	8	57	14	13	13	17	130
1,223	670	534	8	11	1,179	584	487	48	50	1,426	695	490	135	106	1,348	365	358	310	315	131
925	513	434	8	10	829	395	365	32	37	996	486	342	98	70	1,034	283	277	224	250	131a
288	157	100	-	1	350	189	132	16	13	430	209	148	37	36	314	82	61	66	65	131b
63	41	22	-	-	39	19	8	7	5	176	77	67	10	22	112	39	16	29	28	132
46	26	20	-	-	42	17	22	-	3	55	29	19	4	4	69	19	19	17	14	133
31	21	10	-	-	28	17	11	-	-	21	9	11	-	1	17	5	7	4	1	134
15	7	8	-	-	9	5	3	1	-	10	6	3	1	9	4	-	3	-	-	135
7	7	-	-	-	4	4	-	-	-	5	4	-	-	1	4	-	1	-	-	136
204	202	-	-	-	151	128	-	3	-	127	108	-	19	-	98	51	-	47	-	137
184	182	-	2	-	106	103	-	3	-	88	74	-	14	-	85	46	-	39	-	137a
20	20	-	-	-	25	25	-	-	-	39	34	-	5	-	13	5	-	8	-	137b
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	138
21	21	-	-	-	18	18	-	-	-	30	-	26	-	5	24	-	12	-	12	139
10	10	-	-	-	8	8	-	-	-	17	-	12	-	5	14	-	5	-	9	139a
11	11	-	-	-	10	10	-	-	-	13	-	15	-	10	-	7	-	3	-	139b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	139c
59	-	58	-	1	46	-	39	-	7	140	-	123	-	17	141	-	83	-	78	
5	-	5	-	-	3	-	1	-	2	12	-	8	-	4	10	-	3	-	7	140
1	-	1	-	-	5	-	4	-	1	4	-	4	-	-	6	-	2	-	4	141
1	-	1	-	-	2	-	1	-	1	3	-	3	-	-	1	-</				

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	ILLINOIS				INDIANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue-----	47	18	24	1	4	25	10	13	1	1
151	Carbuncle and furuncle-----	2	1	-	1	-	3	2	1	-	-
152	Phlegmon and acute abscess-----	6	1	3	-	2	5	2	2	1	-
153	Other diseases of skin and cellular tissue-----	39	16	21	-	2	17	6	10	-	1
	XIII.—Diseases of the bones, etc.*-----	46	19	23	-	4	18	11	6	-	1
154	Osteomyelitis and periostitis-----	10	5	4	-	1	4	3	-	-	1
155	Other diseases of bones (except tuberculosis)-----	16	4	10	-	2	4	2	2	-	-
156	Diseases of joints, other organs of movement-----	20	10	9	-	1	10	6	4	-	-
157	XIV.—Congenital malformations-----	1,246	628	541	36	39	554	307	235	7	5
157a-d	Congenital malformations of central nervous system-----	384	167	192	12	13	165	83	81	1	-
157e,f	Congenital malformations of cardiovascular system-----	581	304	237	20	20	262	151	102	4	5
157g,h,m	Other congenital malformations-----	281	157	112	6	6	127	73	52	2	-
	XV.—Diseases peculiar to the first year of life-----	3,280	1,723	1,177	213	167	1,661	911	611	74	65
158	Congenital debility (cause not stated)-----	30	11	15	2	2	34	22	11	-	1
159	Premature birth (cause not stated)-----	1,991	1,025	733	126	107	1,076	582	367	55	52
160	Injury at birth-----	763	435	249	51	28	291	170	104	10	7
161	Other diseases peculiar to first year of life-----	496	252	180	34	30	260	137	109	9	5
162	XVI.—Semility-----	179	69	86	10	4	249	111	130	4	3
	XVII.—Violent or accidental deaths-----	7,315	4,742	1,938	471	164	3,611	2,294	1,115	146	56
163,164	Suicide-----	949	706	215	22	6	483	355	120	5	3
163	Suicide by poisoning-----	133	69	61	2	2	103	56	44	1	2
164	Suicide by other means-----	816	638	154	20	4	380	299	76	4	1
165-168	Homicide ¹ -----	408	148	41	177	42	144	47	33	55	9
166	Homicide by firearms-----	255	95	19	121	21	83	24	25	29	5
167	Homicide by cutting or piercing instruments-----	64	19	4	34	7	33	9	3	18	3
168	Homicide by other means-----	69	34	19	22	14	28	14	6	6	1
169-195	Accidental deaths-----	5,957	3,888	1,682	271	116	2,984	1,892	962	86	44
169	Railway accidents (except collisions with motor vehicles)-----	206	160	28	18	-	125	105	15	5	-
170	Motor-vehicle accidents-----	1,982	1,420	457	97	18	1,123	827	256	32	8
170a	Collisions between automobiles and trains-----	164	112	50	2	-	153	91	32	29	1
170b	Collisions between automobiles and streetcars-----	24	14	6	4	-	2	1	1	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	1,744	1,251	395	90	18	946	715	222	2	7
170d	Motorcycle accidents (exc. collisions with automobiles)-----	50	43	6	1	-	22	20	1	1	-
171	Streetcar and other road-transport accidents-----	81	57	19	4	1	2	2	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	75	51	19	4	1	-	-	-	-	-
171b	Other and unspecified road-transport accidents-----	6	6	-	-	-	2	2	-	-	-
172	Water-transport accidents-----	53	49	3	1	-	20	13	5	2	-
173	Air-transport accidents-----	42	39	3	-	-	49	42	7	-	-
174	Accidents in mines and quarries-----	222	219	1	2	-	42	42	-	-	-
175	Agricultural and forestry accidents-----	62	61	1	-	-	57	53	2	2	-
175a-c	Agricultural accidents-----	61	60	1	-	-	56	52	2	2	-
175d,e	Forestry accidents-----	1	1	-	-	-	1	1	-	-	-
176	Other accidents involving machinery-----	96	82	3	11	-	28	24	1	3	-
177	Food poisoning-----	1	-	-	-	1	8	3	3	-	2
178	Accidental absorption of poisonous gas-----	64	46	14	3	1	47	27	16	2	2
179	Acute accidental poisoning by solids or liquids-----	77	45	30	2	-	30	14	16	-	-
180	Conflagration-----	162	77	35	31	19	63	32	22	5	4
181	Accidental burns (except conflagration)-----	211	109	81	11	10	117	42	58	8	9
182	Accidental mechanical suffocation-----	89	42	28	9	10	38	25	12	-	1
183	Accidental drowning-----	293	235	33	21	4	117	97	11	6	3
184	Accidental injury by firearms-----	115	82	12	16	5	53	44	4	3	2
185	Accidental injury by cutting or piercing instruments-----	19	10	6	2	1	5	3	-	2	-
186	Accidental injury by fall or crushing-----	1,705	794	841	33	37	689	311	363	9	6
186a	Accidental injury by fall-----	1,687	780	839	32	36	665	291	361	7	6
186b	Accidental injury by crushing-----	18	14	2	1	1	24	20	2	2	-
187	Cataclysm, etc.*-----	3	2	-	1	-	1	1	-	-	-
188	Injury by animals (except in agriculture and forestry)-----	2	2	-	-	-	3	1	2	-	-
189	Hunger or thirst-----	-	-	-	-	-	1	1	-	-	-
190	Excessive cold-----	16	10	2	2	2	8	5	1	1	1
191	Excessive heat-----	102	86	14	1	1	13	11	1	-	1
192	Lightning-----	10	10	-	-	-	5	4	1	-	-
193	Accidents due to electric currents (except lightning)-----	41	38	2	1	-	25	23	2	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	1	1	-	-	-	2	1	1	-	-
195	Other accidents-----	268	182	65	16	6	313	139	163	6	5
195a	Sequelae of preventive immunization, etc.*-----	1	1	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention-----	-	-	-	-	-	1	-	-	1	-
195d	Obstruction, suffocation, etc.*-----	45	26	17	-	2	32	18	10	1	3
195c,e	Other and unspecified accidents-----	222	155	49	15	4	280	121	153	4	2
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	1	-	-	1	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes-----	285	181	72	24	8	133	80	44	2	7
199	Sudden death-----	8	7	1	-	-	9	7	2	-	-
200	Ill-defined and unknown causes-----	277	174	71	24	8	124	73	42	2	7
200a	Ill-defined causes-----	89	67	19	1	1	105	64	35	-	6
200b,c	Unknown or unspecified causes-----	189	107	52	23	7	19	9	7	2	1

*Refer to International List for complete title, table II, Part I.

¹Includes figures for infanticide (165).

GENERAL TABLES-DEATHS FROM EACH CAUSE

467

UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

Total deaths	IOWA				Total deaths	KANSAS				Total deaths	KENTUCKY				Total deaths	LOUISIANA				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22	9	13	-	-	7	2	5	-	-	20	8	11	-	1	18	5	3	3	7	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	151
1	1	-	-	-	-	-	-	-	-	3	2	1	-	-	3	2	-	-	1	152
21	8	13	-	-	7	2	5	-	-	17	8	10	-	1	15	3	3	2	7	153
8	3	5	-	-	13	5	6	-	2	15	4	7	2	2	8	4	1	2	1	
4	2	2	-	-	1	-	-	-	1	5	1	2	1	1	4	1	-	2	1	154
1	1	-	-	-	5	1	4	-	-	6	2	4	-	-	-	-	-	-	-	155
3	-	3	-	-	7	4	2	-	1	4	1	1	1	1	4	3	1	-	-	156
372	204	165	1	2	242	143	92	5	2	403	223	160	5	9	377	155	103	73	46	157
110	51	58	-	1	59	50	27	2	-	81	40	35	3	3	92	33	26	19	14	157a-d
186	110	74	1	1	130	83	45	2	-	219	132	83	-	4	207	65	62	35	24	157e, f
76	43	33	-	-	53	30	20	1	2	103	57	42	2	2	78	37	15	18	8	157g, h, i
1,092	629	446	9	8	688	382	275	17	14	1,493	807	589	50	47	1,521	476	342	404	299	
13	8	3	-	2	9	6	2	-	1	96	49	37	5	5	58	10	6	22	20	158
668	362	285	6	5	415	233	168	6	8	919	481	380	29	29	912	286	218	222	186	159
261	153	104	3	1	178	100	70	4	4	268	160	90	10	8	350	108	65	108	69	160
150	106	44	-	-	86	43	33	7	1	210	117	82	6	5	201	72	53	52	24	161
270	127	142	1	-	171	69	90	7	5	353	125	135	17	18	196	44	57	39	56	162
2,320	1,476	825	13	6	1,662	1,069	503	62	29	2,791	1,841	671	217	62	2,124	974	335	601	214	
376	286	89	1	1	214	165	46	3	-	263	204	51	7	1	209	143	45	20	1	163, 164
61	35	25	-	1	33	21	12	-	-	43	23	19	1	-	24	13	11	-	-	163
315	251	63	1	-	161	144	34	3	-	220	161	32	6	1	185	130	34	20	1	164
46	30	15	2	1	67	32	9	17	9	292	166	32	79	15	256	57	9	151	39	165-168
24	16	7	1	-	49	27	6	12	4	214	133	18	54	9	149	37	7	84	21	166
1	1	1	1	1	8	1	-	3	4	34	11	1	17	5	69	9	-	46	14	167
20	13	7	-	-	10	4	3	2	1	44	22	13	8	1	38	11	2	21	4	168
1,896	1,160	722	10	4	1,379	869	446	42	20	2,235	1,470	596	131	46	1,651	772	281	424	174	169-195
42	36	4	1	1	32	26	3	3	-	81	65	6	10	44	44	25	1	15	3	169
566	421	141	3	1	430	309	109	9	3	719	541	141	32	5	500	283	72	115	30	170
59	45	14	-	-	56	31	24	1	-	35	23	9	1	2	27	13	5	6	3	170a
5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	170b
490	360	126	3	1	368	273	84	8	3	655	491	130	31	3	460	261	65	108	26	170c
12	12	-	-	-	6	5	1	-	-	29	27	2	-	-	12	8	2	2	1	170d
5	5	-	-	-	4	3	1	-	-	10	7	3	-	-	9	6	-	2	1	171
2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	5	4	-	-	1	171a
3	3	-	-	-	4	3	1	-	-	6	5	-	-	-	2	2	-	-	1	171b
15	12	3	-	-	8	7	1	-	-	23	18	3	3	2	51	31	5	8	7	172
17	15	2	-	-	49	48	1	-	-	11	10	1	1	-	26	22	3	1	-	173
9	8	-	-	1	8	7	-	1	-	153	141	2	10	2	2	2	-	-	-	174
75	70	5	-	-	54	49	4	1	1	61	57	2	2	2	43	22	-	21	-	175
73	68	5	-	-	54	49	4	1	1	54	50	2	2	2	29	15	-	14	-	175a-c
2	2	-	-	-	-	-	-	-	-	7	7	-	-	-	14	7	-	7	-	175d, e
10	10	-	-	-	20	18	-	1	1	19	16	-	3	-	35	24	1	10	-	176
4	2	-	-	-	5	1	-	1	1	11	6	4	-	1	19	8	1	4	2	177
45	28	17	-	-	32	18	11	-	-	23	17	5	1	1	3	3	-	14	3	178
17	13	3	1	-	15	10	2	2	2	23	15	4	2	2	34	7	6	14	7	179
45	23	21	1	1	38	17	13	4	4	72	34	19	12	7	62	10	6	23	23	180
79	42	36	-	-	39	25	26	5	5	143	53	67	11	12	124	30	30	23	23	181
20	14	6	-	-	21	13	8	-	-	66	32	30	2	2	8	8	7	11	13	182
74	59	14	1	-	62	42	12	7	1	115	94	13	6	8	149	72	6	61	10	183
37	31	5	1	-	33	28	3	1	1	100	82	11	1	1	68	34	3	26	5	184
3	3	-	-	-	5	2	1	-	-	6	1	4	-	-	18	4	4	7	5	185
690	261	398	-	1	357	154	197	4	2	469	192	256	10	11	204	76	82	29	17	186
651	252	398	-	1	352	149	197	4	2	465	189	255	10	11	193	72	80	26	17	186a
9	9	-	-	-	5	3	-	-	-	4	3	1	-	-	9	4	-	3	-	186b
5	3	-	-	-	4	2	-	-	-	2	2	-	-	-	30	11	14	3	2	187
-	-	-	-	-	1	1	-	-	-	6	4	1	1	1	2	1	-	1	-	188
8	8	-	-	-	2	2	-	-	-	6	3	2	2	-	5	-	-	4	-	189
22	15	7	-	-	13	11	2	-	-	18	13	2	1	3	7	5	-	2	-	190
5	4	-	-	-	5	5	-	-	-	10	8	2	-	-	9	5	-	1	-	191
25	22	3	-	-	12	11	1	-	-	20	19	1	-	-	29	20	2	7	-	192
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	2	2	-	-	-	193
107	55	51	1	-	110	60	46	2	2	66	39	19	8	-	132	64	31	28	9	194
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	195
31	14	18	1	-	14	9	5	-	-	13	6	6	-	-	28	10	7	-	-	195a
75	41	34	-	-	96	51	41	2	2	53	33	13	7	-	102	53	23	19	7	195b, c
-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-	2	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
59	40	18	1	-	100	69	27	2	2	319	173	113	22	11	223	48	33	74	68	198
5	5	-	-	-	3	3	-	-	-	18	13	5	-	-	32	12	2	10	8	199
54	35	18	1	-	97	66	27	2	2	301	160	108	22	11	191	36	31	64	60	200
36	24	13	1	-	66	46	19	1	1	138	81	41	10	6	104	26	16	26	36	200a
16	11	5	-	-	31	20	8	1	2	163	79									

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MAINE				MARYLAND					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	9,959	5,573	4,354	27	5	22,480	9,978	7,928	2,510	2,064
	I.—Infectious and parasitic diseases-----	360	214	144	2	-	1,694	611	319	439	325
1	Typhoid fever-----	-	-	-	-	-	4	-	1	2	1
2	Paratyphoid fever-----	1	-	1	-	-	-	-	-	-	-
3	Plague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	1	1	-	-	-	1	-	1	-	-
6	Cerebrospinal (meningococcus) meningitis-----	8	4	4	-	-	20	14	3	2	1
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	-	-	-	-	-	1	1	-	-	-
9	Whooping cough-----	12	8	4	-	-	31	12	8	3	8
10	Diphtheria (infection by C. diphtheriae)-----	4	1	3	-	-	16	5	9	1	1
11	Erysipelas-----	-	-	-	-	-	-	-	-	-	-
12	Tetanus-----	2	1	1	-	-	7	3	1	2	1
13-22	Tuberculosis (all forms)-----	193	109	82	2	-	1,172	403	203	312	254
13	Tuberculosis of respiratory system, etc.*-----	174	101	72	1	-	1,109	390	196	296	234
14	Tuberculosis of meninges, etc.*-----	7	3	4	-	-	24	6	6	6	6
15	Tuberculosis of intestines and peritoneum-----	3	1	2	-	-	7	-	-	-	7
16	Tuberculosis of vertebral column-----	2	-	1	1	-	10	2	1	4	3
17	Tuberculosis of bones and joints, etc.*-----	-	-	-	-	-	5	1	1	1	2
18	Tuberculosis of skin, etc.*-----	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*-----	1	1	-	-	-	1	-	1	-	-
20	Tuberculosis of genito-urinary system-----	4	2	2	-	-	4	2	2	-	-
21	Tuberculosis of other organs-----	-	-	-	-	-	2	1	1	-	1
22	Disseminated tuberculosis-----	2	1	1	-	-	11	1	4	5	1
23	Leprosy-----	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	1	1	-	-	-	10	5	3	-	2
25	Gonococcus infection-----	-	-	-	-	-	3	-	-	-	3
26	Other diseases due to bacteria (except dysentery)-----	-	-	-	-	-	2	1	-	-	1
27	Dysentery-----	-	-	-	-	-	4	2	2	-	-
28	Malaria-----	-	-	-	-	-	1	-	-	-	1
29	Other diseases due to parasitic protozoa, etc.*-----	-	-	-	-	-	1	-	1	-	-
30	Syphilis (all forms)-----	55	36	19	-	-	287	109	41	100	37
30a	Locomotor ataxia (tabes dorsalis)-----	4	3	1	-	-	6	3	3	-	-
30b	General paralysis of insane-----	20	13	7	-	-	75	35	13	23	4
30c	Aneurysm of aorta-----	8	7	1	-	-	79	34	5	27	13
30d	Congenital syphilis-----	1	1	-	-	-	27	2	5	7	13
30e, e, g	Syphilis (other forms)-----	22	12	10	-	-	100	35	15	45	7
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	3	2	1	-	-	3	-	-	1	2
33	Influenza-----	27	17	10	-	-	69	22	25	15	9
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-
35	Measles-----	14	11	3	-	-	4	1	2	-	1
36	Poliomyelitis and polioencephalitis (acute)-----	-	-	-	-	-	14	6	6	1	1
37	Acute infectious encephalitis (lethargic)-----	8	5	3	-	-	3	2	1	-	-
38	Other diseases due to filtrable viruses-----	2	1	1	-	-	1	-	1	-	-
39	Typhus fever and typhus-like diseases*-----	-	-	-	-	-	11	7	3	-	1
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Ryadtid disease-----	1	1	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	2	-	2	-	-	1	-	1	-	-
43	Mycosae-----	-	-	-	-	-	2	1	1	-	-
44	Other infectious and parasitic diseases-----	26	16	10	-	-	26	17	6	2	1
	II.—Cancer and other tumors-----	1,461	687	770	3	1	2,956	1,241	1,329	206	220
45-55	Cancer and other malignant tumors-----	1,420	672	744	3	1	2,911	1,211	1,290	197	213
45	Cancer of buccal cavity and pharynx-----	46	35	11	-	-	61	60	14	4	3
45a	Cancer of lip-----	6	6	-	-	-	7	6	-	1	-
45b	Cancer of tongue-----	10	9	1	-	-	22	17	4	1	-
45c	Cancer of mouth-----	9	7	2	-	-	12	9	2	-	2
45d	Cancer of jaw bone-----	4	3	1	-	-	10	7	1	1	1
45e	Cancer of unspecified parts of buccal cavity-----	17	10	7	-	-	29	21	7	1	-
45f	Cancer of pharynx-----	17	10	7	-	-	29	21	7	1	-
46	Cancer of digestive organs and peritoneum-----	698	352	334	2	-	1,216	516	507	112	81
46a	Cancer of esophagus-----	18	12	6	-	-	53	34	10	6	3
46b	Cancer of stomach-----	197	117	79	1	-	366	166	126	47	27
46c	Cancer of duodenum-----	6	3	3	-	-	3	2	1	-	-
46d	Cancer of rectum and anus-----	97	50	47	-	-	155	63	70	13	9
46e	Cancer of intestines, etc.*-----	214	92	122	-	-	344	135	172	15	22
46f	Cancer of liver and biliary passages-----	79	38	41	-	-	148	69	63	13	13
46g	Cancer of pancreas-----	61	34	26	1	-	105	39	49	11	6
46h	Cancer of mesentery and peritoneum-----	8	4	4	-	-	17	8	7	1	1
46i	Cancer of other and unspecified sites-----	9	2	6	-	-	25	10	9	6	-
47	Cancer of respiratory system-----	91	69	22	-	-	328	227	58	36	7
47a	Cancer of larynx-----	15	10	5	-	-	29	26	3	-	-
47b, c	Cancer of trachea and bronchus-----	25	19	4	-	-	100	71	15	11	5
47c	Cancer of lung-----	51	37	14	-	-	182	118	39	23	2
47d	Cancer of pleura-----	3	2	1	-	-	2	1	1	-	-
47e	Cancer of other respiratory organs-----	3	1	2	-	-	15	11	3	1	-
48	Cancer of uterus-----	146	...	145	...	1	294	...	229	...	65
48a	Cancer of cervix-----	65	...	65	...	1	127	...	100	...	27
48b	Cancer of other and unspecified sites of uterus-----	81	...	80	...	1	167	...	129	...	38
49	Cancer of other female genital organs-----	38	...	38	...	-	81	...	76	...	5
49a, b	Cancer of ovary, fallopian tube, and parametrium-----	30	...	30	...	-	70	...	65	...	5
49c, e	Cancer of other female genital organs-----	8	...	8	...	-	11	...	11	...	-
50	Cancer of breast-----	116	1	115	-	-	262	3	226	-	33
51	Cancer of male genital organs-----	103	102	...	1	...	165	144	...	21	...
51b	Cancer of prostate-----	100	99	...	1	...	152	132	...	20	...
51a, c, e	Cancer of other male genital organs-----	3	3	...	-	...	13	12	...	1	...
52	Cancer of urinary organs-----	66	39	27	-	-	166	102	54	9	3
52a	Cancer of kidney-----	19	10	9	-	-	52	30	20	1	1
52b	Cancer of bladder-----	45	28	17	-	-	113	71	32	8	2
52c	Cancer of other and unspecified sites-----	2	1	1	-	-	3	1	2	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

469

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	MASSACHUSETTS				Total deaths	MICHIGAN				Total deaths	MINNESOTA				Total deaths	MISSISSIPPI				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
51,754	27,079	23,741	510	424	57,137	30,817	22,579	2,030	1,711	27,781	15,820	11,601	211	149	20,212	5,562	5,886	5,646	5,118	
2,156	1,376	668	74	39	2,686	1,423	892	351	220	1,081	625	410	35	21	1,483	284	212	524	463	
2	-	2	-	-	5	2	2	-	1	1	1	-	-	-	9	3	-	5	-	1
2	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	2	-	-	1	1	5
16	8	7	1	-	33	18	13	-	2	16	9	7	-	15	6	2	2	5	2	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
4	2	2	-	-	6	3	2	-	1	3	1	2	-	-	-	-	-	-	-	8
16	9	7	-	-	61	23	33	3	2	31	15	16	-	65	12	10	38	25	9	9
13	7	5	1	-	22	7	14	1	-	22	11	11	-	14	4	4	4	4	2	10
1	1	-	-	-	8	1	-	-	-	1	-	-	-	2	-	-	-	-	-	11
1	-	1	-	-	8	2	4	1	1	5	4	1	-	14	4	1	5	4	1	12
1,586	1,041	466	51	28	1,675	872	382	253	168	579	334	210	23	12	729	145	92	238	254	13-22
1,481	999	416	44	22	1,518	806	357	230	145	516	297	190	19	10	682	138	86	223	235	13
17	5	9	2	1	41	16	11	7	7	12	7	2	2	21	4	2	5	10	14	14
16	4	11	1	-	17	4	4	4	5	3	2	1	-	9	-	1	4	4	15	15
19	4	11	3	1	17	10	5	1	1	9	6	3	-	2	-	1	-	1	16	16
7	5	2	-	-	8	3	2	2	1	6	4	2	-	5	1	-	3	1	17	17
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
5	2	2	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	19
24	14	10	-	-	16	13	3	-	-	15	7	6	2	-	-	-	-	-	-	20
2	2	-	-	-	5	5	-	-	-	3	2	1	-	1	1	1	-	-	-	21
14	5	5	1	3	50	12	20	9	9	15	9	5	-	9	1	2	3	3	22	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
13	8	5	-	-	22	3	12	2	5	7	5	2	-	21	5	5	5	6	24	
-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	25
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
22	10	11	1	-	11	6	4	1	-	3	2	1	-	29	6	10	5	8	27	
2	2	-	-	-	2	2	-	-	-	-	-	-	-	20	4	3	6	5	28	
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	29
284	188	71	17	8	500	297	89	80	34	165	104	44	12	5	211	33	14	103	61	30
8	6	2	-	-	21	15	2	3	1	9	7	1	-	1	5	2	1	2	30a	
62	47	10	5	-	113	71	16	20	6	25	14	8	3	52	16	3	24	9	30b	
156	108	39	2	6	189	127	31	25	6	69	48	15	5	1	43	10	5	19	9	30c
3	2	1	-	-	12	3	1	4	4	4	1	1	1	1	15	-	-	10	5	30f
56	25	19	10	2	165	81	39	28	17	58	34	19	3	2	96	5	5	48	38	30c,e,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
17	5	10	1	1	16	11	5	-	-	4	3	1	-	5	2	2	1	-	32	
37	19	18	-	-	163	82	70	6	5	123	61	60	-	2	261	47	52	83	79	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
12	5	7	-	-	5	3	2	-	-	19	8	10	-	9	1	1	1	1	6	35
9	4	5	-	-	30	16	14	-	-	18	10	8	-	5	1	1	1	2	1	36
12	7	5	-	-	20	13	7	-	-	25	17	8	-	4	-	2	1	1	1	37
5	3	2	-	-	4	1	2	1	-	3	1	1	-	1	2	1	1	-	-	38
-	-	-	-	-	1	1	-	-	-	-	-	-	-	6	4	2	-	-	-	39
2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	40
1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	41
3	1	2	-	-	15	8	5	2	-	4	2	2	-	4	-	2	1	1	1	42
93	48	42	2	1	81	50	30	-	1	58	35	23	-	30	5	6	13	6	44	43
8,263	3,915	4,237	56	55	8,072	3,899	3,790	169	214	4,151	2,134	1,964	19	14	1,911	518	589	515	489	44
8,034	3,809	4,116	55	54	7,954	3,832	3,662	164	196	4,026	2,080	1,915	18	13	1,813	500	568	297	449	45-55
275	222	51	1	1	218	177	32	8	1	61	67	13	1	60	26	10	13	11	45	
23	22	1	-	-	20	19	1	-	-	17	17	-	-	5	6	-	-	-	-	45a
71	55	16	-	-	61	48	11	1	1	21	16	5	-	8	3	1	3	1	45b	
41	33	8	-	-	38	28	7	3	-	10	9	1	-	14	4	3	3	4	45c	
40	30	10	-	-	21	18	3	-	-	16	12	4	-	11	5	3	3	-	45d	
2	1	1	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	45e
98	81	15	1	1	75	62	9	4	-	17	13	3	1	22	9	3	4	6	45f	
5,762	1,924	1,793	32	13	3,418	1,867	1,410	79	62	1,925	1,104	807	9	6	681	202	194	152	133	46
188	141	45	2	-	125	87	30	7	1	73	55	16	2	22	8	2	8	4	46a	
1,042	601	423	15	3	1,120	710	351	30	29	766	497	267	1	1	243	71	49	79	44	46b
17	12	5	-	-	18	8	10	-	-	3	3	-	-	-	-	-	-	-	-	46c
553	308	239	5	1	436	241	178	9	10	197	127	67	1	2	56	15	14	10	17	46d
1,175	487	680	5	3	867	409	433	17	8	468	228	258	-	2	150	38	64	18	30	46e
380	161	225	2	2	431	168	253	5	5	206	83	121	1	1	131	35	45	25	28	46f
809	169	135	2	3	317	189	116	8	4	159	94	63	1	60	27	19	9	5	46g	
54	30	24	-	-	58	36	17	2	3	23	12	9	2	13	8	1	2	2	46h	
34	15	17	1	1	44	19	22	1	2	11	5	7	-	6	-	2	1	3	46m	
670	535	129	5	1	791	628	133	26	4	257	176	78	3	-	119	74	19	18	8	47
85	73	11	1	-	101	90	8	3	-	25	16	9	-	13	8	3	1	1	47a	
137	125	9	2	1	219	177	26	14	2	92	74	16	2	33	23	4	4	2	47b,c	
451	326	103	2	-	444	343	90	9	2	132	83	49	-	72	42	12	13	5	47d	
2	1	1	-	-	4	1	3	-	-	4</										

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MAINE				MARYLAND					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
II.—Cancer and other tumors—Continued											
Cancer and other malignant tumors—Continued											
53	Cancer of skin, etc.*	31	20	11	-	53	31	19	-	3	
54	Cancer of central nervous system*	11	6	5	-	56	30	22	3	1	
55	Cancer of other and unspecified organs	84	48	36	-	207	98	85	12	12	
55,57	Nonsmalignant tumors and tumors of unspecified nature	41	15	26	-	85	30	39	9	7	
56	Nonsmalignant tumors (including dermoid cysts)	20	6	14	-	43	11	24	2	6	
55a-c	Nonsmalignant tumors of female genital organs	11	...	11	...	23	...	19	...	4	
56d	Nonsmalignant tumors of central nervous system*	3	1	2	-	8	5	2	1	-	
56e	Nonsmalignant tumors of other and unspecified organs	6	5	1	-	12	6	3	1	2	
57	Tumors of unspecified nature	21	9	12	-	42	19	15	7	1	
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	1	...	1	...	-	
57d	Tumors, central nervous system* (nature unspecified)	16	6	10	-	30	15	8	6	1	
57e	Tumors, other organs (nature unspecified)	5	3	2	-	11	4	6	1	-	
III.—Rheumatism, diseases of nutrition, etc.*											
Total											
		283	114	168	1	746	206	437	36	67	
58	Acute rheumatic fever	10	5	5	-	15	5	3	2	5	
58a	Acute rheumatic pericarditis	2	2	-	-	-	-	-	-	-	
58b	Acute rheumatic endocarditis	3	-	3	-	5	1	2	1	1	
58c	Acute rheumatic myocarditis	2	2	-	-	2	1	-	-	1	
58d	Other acute rheumatic heart diseases	-	-	-	-	4	1	1	-	2	
58e,f	Other forms of acute rheumatic fever, etc.*	3	1	2	-	4	2	-	1	1	
59	Chronic rheumatism, other rheumatic diseases	17	5	12	-	22	7	13	1	1	
60	Gout	-	-	-	-	-	-	-	-	-	
61	Diabetes mellitus	223	85	137	1	621	176	367	27	51	
62	Diseases of pituitary gland	2	1	1	-	5	1	4	-	-	
63	Diseases of thyroid and parathyroid glands	10	4	6	-	53	7	38	1	7	
63a	Simple goiter	-	-	-	-	1	-	1	-	-	
63b	Exophthalmic goiter	8	2	6	-	45	6	31	1	7	
63c-c	Other diseases of thyroid and parathyroid glands	2	2	-	-	7	1	6	-	-	
64	Diseases of thymus gland	15	12	3	-	13	4	4	3	2	
65	Diseases of adrenal glands*	4	1	3	-	6	2	3	-	1	
66	Other general diseases	-	-	-	-	9	4	3	2	-	
67	Scurvy	-	-	-	-	-	-	-	-	-	
68	Beriberi	1	1	-	-	-	-	-	-	-	
69	Pellagra (except alcoholic)	-	-	-	-	2	-	2	-	-	
70	Hickets	-	-	-	-	-	-	-	-	-	
71	Other avitaminoses	1	-	1	-	-	-	-	-	-	
IV.—Diseases of the blood and blood-forming organs											
Total											
		78	37	41	-	156	63	52	11	10	
72	Hemorrhagic conditions	7	4	3	-	7	4	3	-	-	
73	Anemias (except aplenic anemia)	27	12	15	-	28	7	14	3	4	
73a	Pernicious anemia	19	8	11	-	14	3	9	2	-	
73b-d	Other anemias (except splenic)	8	4	4	-	14	4	5	1	4	
74	Leukemias and aleukemias	41	21	20	-	87	46	29	7	5	
74a	Leukemias	39	21	18	-	82	44	26	7	5	
74b	Aleukemias	2	-	2	-	5	2	3	-	-	
75	Diseases of spleen	3	-	3	-	11	5	4	1	1	
76	Other diseases of blood and blood-forming organs	-	-	-	-	3	1	2	-	-	
V.—Chronic poisoning and intoxication											
Total											
		26	25	1	-	48	34	3	10	1	
77	Alcoholism (ethyliam)	26	25	1	-	48	33	3	9	1	
78	Lead poisoning	-	-	-	-	2	1	-	1	-	
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	-	-	-	-	
VI.—Diseases of the nervous system, etc.*											
Total											
		1,151	560	587	3	1,876	791	801	176	208	
80	Encephalitis (nonepidemic)	3	1	2	-	7	3	2	1	1	
81	Meningitis (not due to meningococcus)	13	7	6	-	30	11	5	7	7	
82	Diseases of spinal cord (see exceptions)*	23	15	7	-	47	20	14	6	7	
83	Intracranial lesions of vascular origin	1,043	498	541	3	1,771	694	742	149	186	
83a	Cerebral hemorrhage or effusion*	905	421	481	2	1,519	579	645	132	163	
83b,c	Cerebral embolism, thrombosis, and softening	130	74	55	1	169	86	79	9	15	
83d	Hemiplegia, other paralysis, etc.*	8	3	5	-	63	29	18	8	8	
84	Mental diseases and deficiency (see exception)*	8	3	5	-	12	7	3	1	1	
85	Epilepsy	12	9	3	-	31	15	7	6	3	
86	Convulsions (under 5 years)	4	4	-	-	-	-	-	-	-	
87	Other diseases of nervous system	38	20	18	-	67	35	25	4	3	
88	Diseases of organs of vision	-	-	-	-	1	-	-	1	-	
89	Diseases of ear and mastoid process	7	2	5	-	10	6	3	1	-	
VII.—Diseases of the circulatory system											
Total											
		3,538	2,057	1,473	8	7,915	3,897	2,862	606	550	
90-95	Diseases of the heart (all forms)	3,201	1,885	1,308	8	7,467	3,702	2,681	559	525	
90	Pericarditis (except acute rheumatic)	-	-	-	-	8	3	2	1	2	
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	
90b	Other pericarditis	-	-	-	-	8	3	2	1	2	
91	Acute endocarditis (except rheumatic)	5	1	4	-	18	7	4	4	3	
91a,b	Bacterial, acute, and subacute endocarditis	5	1	4	-	16	7	4	3	2	
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	2	-	-	1	1	
92	Chronic affections of valves and endocardium	252	128	123	1	489	196	181	54	68	
92a	Diseases of aortic valve, etc.*	16	7	9	-	53	24	9	13	7	
92b	Diseases of mitral valve, etc.*	85	43	41	1	183	72	72	16	23	
92c	Chronic rheumatic endocarditis, etc.*	15	10	5	-	36	16	15	2	3	
92d	Other chronic endocarditis, etc.*	129	64	65	-	209	60	76	21	32	
92e	Endocarditis (unspecified, 45 years and over)	7	4	3	-	12	4	9	2	3	
93	Diseases of the myocardium	1,489	784	702	3	4,509	1,912	1,861	375	361	
93a	Acute myocarditis (except rheumatic)	21	14	7	-	62	20	13	15	14	
93b	Myocarditis (unspecified, under 45 years)	1	1	-	-	4	2	-	-	2	
93c	Chronic rheumatic myocarditis, etc.*	15	9	6	-	42	17	20	-	5	
93d	Other chronic myocarditis, etc.*	1,379	717	660	2	4,286	1,815	1,773	347	321	
93e	Other myocarditis (unspecified)	73	43	29	1	145	58	55	13	19	
94	Diseases of coronary arteries, angina pectoris	1,271	884	403	4	2,186	1,456	513	103	64	
94a	Diseases of coronary arteries	1,221	833	384	4	2,107	1,439	504	101	63	
94b	Angina pectoris	50	31	19	-	29	17	9	2	1	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	MASSACHUSETTS				Total deaths	MICHIGAN				Total deaths	MINNESOTA				Total deaths	MISSISSIPPI				Int. List No.			
	White		Nonwhite			Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite				
	Male	Female	Male	Female			Male	Female	Male			Female	Male	Female			Male	Female	Male		Female	Male	Female
95	63	32	-	-	104	60	42	-	2	82	32	30	-	-	51	31	15	3	2	53			
135	88	46	-	1	164	93	65	4	2	83	52	31	-	-	36	22	11	1	2	54			
570	284	271	4	11	617	301	287	13	16	289	154	131	3	1	187	47	57	28	34	55			
229	106	121	1	1	218	67	128	5	18	105	54	49	1	1	98	18	21	18	41	56.57			
102	28	74	1	1	133	25	92	2	14	74	30	42	1	1	45	5	12	1	27	56			
45	...	44	...	1	76	...	65	...	11	27	...	26	...	1	37	...	11	...	26	56a-c			
29	13	16	-	-	33	12	20	1	1	33	20	12	1	-	4	3	1	-	-	56d			
28	13	14	1	-	24	13	7	1	3	14	10	4	-	-	4	2	-	-	1	56e			
127	80	47	-	-	85	42	36	3	4	31	24	7	-	-	53	13	9	17	14	57			
3	...	3	...	-	6	...	6	...	-	-	2	2	57a-c			
78	49	29	-	-	56	27	24	2	5	21	15	6	-	-	40	12	7	13	8	57d			
46	31	15	-	-	23	15	1	1	1	10	9	1	-	-	11	1	2	4	4	57e			
1,905	602	1,172	5	26	2,023	735	1,187	37	64	932	362	562	2	6	461	111	147	71	132				
18	5	13	-	-	30	15	12	2	1	15	9	6	-	-	31	4	4	10	13	58			
1	1	-	-	-	10	6	4	-	-	5	4	1	-	-	10	-	-	3	2	58a			
3	-	3	-	-	10	6	4	-	-	5	4	1	-	-	10	-	-	3	2	58b			
1	-	1	-	-	2	1	2	-	1	2	1	1	-	-	1	-	-	-	1	58c			
1	-	1	-	-	4	1	2	-	2	3	1	1	-	-	1	-	-	-	1	58d			
12	4	8	-	-	13	8	5	-	-	4	2	2	-	-	19	4	1	7	7	58e,f			
51	17	33	1	-	75	31	43	-	-	40	15	25	-	-	30	10	7	6	7	59			
1,820	538	1,055	4	22	1,616	595	962	24	45	790	321	462	1	8	518	80	114	40	84	60			
10	5	5	-	-	9	5	7	-	-	1	1	1	-	-	2	-	-	-	-	61			
54	9	42	-	3	159	32	109	7	11	59	11	47	1	-	27	5	10	1	11	62			
5	-	5	-	-	11	5	5	-	-	2	2	1	-	-	3	1	1	-	-	63			
33	6	24	-	3	126	25	91	1	9	44	5	39	1	-	17	1	6	1	1	63a			
16	3	13	-	-	22	4	13	1	2	12	4	8	-	-	7	3	3	-	9	63b			
14	7	7	-	-	75	40	31	1	4	12	4	8	-	-	6	4	1	-	1	63c-e			
22	8	12	-	-	21	10	9	2	2	9	2	7	-	-	1	1	1	-	-	64			
5	4	1	-	-	18	9	7	1	2	6	1	5	-	-	1	1	2	4	3	65			
1	-	1	-	-	2	1	1	-	-	1	1	-	-	-	1	1	-	-	-	66			
4	3	1	-	-	2	2	2	-	-	1	1	-	-	-	1	1	-	-	-	67			
3	1	2	-	-	4	4	1	-	-	1	1	-	-	-	2	4	9	-	-	68			
-	-	-	-	-	5	4	1	-	-	1	1	-	-	-	3	1	-	-	2	69			
2	2	-	-	-	7	3	4	-	-	1	-	1	-	-	3	1	-	-	1	70			
372	192	176	3	1	500	265	210	13	12	303	161	140	2	-	122	40	46	19	17	71			
19	11	8	-	-	27	10	13	2	2	7	3	3	1	-	7	1	3	2	1	72			
80	28	52	-	-	141	71	62	5	3	71	37	34	-	-	42	10	13	8	11	73			
48	12	36	-	-	90	49	39	2	2	57	31	26	-	-	15	3	6	4	2	73a			
32	16	16	-	-	51	22	23	5	1	14	6	8	-	-	27	7	7	4	9	73b-d			
251	144	103	3	1	301	169	121	6	5	205	116	88	1	-	67	27	28	8	4	74			
237	139	94	3	1	292	159	112	6	5	200	111	86	1	-	65	25	28	8	4	74a			
14	5	9	-	-	19	10	9	-	-	5	5	-	-	-	2	2	-	-	-	74b			
13	6	7	-	-	20	9	10	-	-	17	5	12	-	-	4	1	2	-	1	75			
9	3	6	-	-	11	6	4	-	1	3	-	3	-	-	2	1	-	1	-	76			
139	106	30	2	-	52	43	5	4	-	39	37	2	-	-	20	12	2	6	-				
136	105	29	2	-	50	41	5	4	-	38	36	2	-	-	19	12	1	6	-	77			
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78			
1	1	-	-	-	2	2	-	-	-	1	1	-	-	-	1	-	1	-	-	79			
5,038	2,235	2,706	48	47	6,018	2,838	2,856	151	171	3,313	1,694	1,590	16	13	2,183	531	485	527	640				
16	9	7	-	-	55	29	19	3	4	19	16	3	-	-	17	5	6	2	4	80			
60	34	22	2	2	79	36	25	10	8	26	14	12	-	-	51	12	3	21	15	81			
92	51	37	2	2	131	62	44	3	2	64	40	24	-	-	20	5	6	4	5	82			
4,607	1,984	2,552	40	41	5,432	2,516	2,620	127	149	2,937	1,467	1,445	14	11	1,967	478	440	455	594	83			
3,650	1,552	2,039	26	33	4,583	2,091	2,252	105	135	2,486	1,258	1,211	10	9	1,833	431	411	428	563	83a			
830	430	478	14	8	727	381	314	19	13	399	193	201	10	9	1,033	451	411	428	563	83b,c			
27	12	15	-	-	102	44	54	3	1	50	16	32	1	1	63	17	12	19	15	83d			
54	18	14	1	1	32	19	12	-	1	33	22	11	-	-	33	5	8	14	6	84			
89	48	19	1	-	74	39	26	6	3	36	21	14	1	-	37	7	8	15	7	85			
3	1	2	-	-	9	5	5	-	-	4	3	-	-	-	7	2	1	3	1	86			
135	66	67	2	-	201	95	101	2	3	176	101	74	-	1	44	13	10	13	8	87			
1	1	-	-	-	2	2	-	-	-	2	1	1	-	-	2	1	1	-	-	88			
21	12	8	-	1	24	17	6	-	1	16	9	5	1	1	5	3	2	-	-	89			
20,885	11,316	9,295	136	136	19,860	11,612	7,325	502	421	9,745	5,790	3,659	59	38	4,607	1,687	960	1,005	955				
19,538	10,753	8,628	129	128	18,507	10,925	6,713	475	394	8,638	5,341	3,404	56	35	4,275	1,583	887	919	886	90-95			
15	8	7	-	-	22	9	12	-	1	6	3	3	-	-	14	2	2	7	3	90			
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a			
14	7	7	-	-	22	9	12	-	1	6	3	3	-	-	14	2	2	7	3	90b			
40	22	17	-	1	46	21	15	6	4	22	15	7	-	-	12	4	-	4	4	91			
39	21	16	-	1	42	19	14	5	4	22	15	7	-	-	12	4	-	4	4	91a,b			
2	1	1	-	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	91c			
1,028	476	539	5	8	1,459	795	568	47	29	744	376	360	5	3	570	149	98	165	158	92			
99	55	43	-	1	140	61	42	13	4	78	50	27	1	-	68	16	7	27	18	92a			
448	198	245	2	3	582</																		

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MAINE				MARYLAND					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued											
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart	164	108	76	-	297	126	120	22	27	
95a	Functional diseases of heart, etc.*	9	4	5	-	11	6	3	1	1	
95b	Other diseases of heart (rheumatic)	55	32	23	-	75	31	34	4	6	
95c	Other diseases of heart (not rheumatic)	120	72	48	-	211	91	83	17	20	
96	Aneurysm (except of heart and aorta)	12	8	4	-	28	14	11	2	1	
97	Arteriosclerosis (except coronary or renal sclerosis)	289	148	141	-	339	149	139	36	15	
98	Gangrene	2	1	1	-	9	4	1	1	3	
99	Other diseases of arteries	14	7	7	-	32	15	13	3	1	
100	Diseases of veins	13	4	9	-	20	8	7	3	2	
101	Diseases of lymphatic system	-	-	-	-	2	-	-	1	1	
102	High blood pressure (idiopathic)	7	4	3	-	13	2	8	1	2	
103	Other diseases of circulatory system	-	-	-	-	5	3	2	-	-	
VIII.—Diseases of the respiratory system											
	Diseases of nasal fossae, accessory sinuses	2	-	2	-	13	4	6	1	2	
104	Diseases of larynx	-	-	-	-	3	2	-	-	1	
105	Bronchitis	35	24	11	-	69	34	19	10	6	
106	Bronchopneumonia (including capillary bronchitis)	212	99	113	-	392	146	127	56	53	
107	Löber pneumonia	113	77	35	1	324	115	99	61	49	
108	Pneumonia (unspecified)	21	10	10	1	52	29	9	6	6	
109	Atypical or virus pneumonia	9	5	4	-	16	10	3	2	1	
109A	Pneumonia (all other, unspecified)	12	8	6	1	36	19	6	6	3	
109B	Pleurisy (not tuberculous)	6	3	3	-	20	9	5	5	5	
110	Hemorrhagic infarction, thrombosis, edema*	30	18	12	-	65	19	29	11	6	
111	Asthma	18	9	9	-	28	13	11	2	2	
112	Pulmonary emphysema	4	4	-	-	3	3	-	-	-	
113	Other diseases of respiratory system (except tuberculosis)	16	13	3	-	27	14	4	7	2	
114	Silicosis, other forms of pneumoconiosis	1	1	-	-	3	3	-	-	-	
114a,b	Other diseases of respiratory system (except tuberculosis)	15	12	3	-	24	11	4	7	2	
114c											
IX.—Diseases of the digestive system											
	Diseases of buccal cavity and adnexa, etc.*	12	5	7	-	19	6	4	4	5	
115	Diseases of esophagus	-	-	-	-	4	2	2	-	-	
116	Ulcer of stomach or duodenum	55	48	7	-	107	74	16	16	1	
117	Ulcer of stomach	50	28	2	-	69	48	7	13	-	
117a	Ulcer of duodenum	25	20	5	-	39	26	9	3	1	
117b											
118	Other diseases of stomach (except cancer)	9	7	2	-	10	4	3	1	2	
119	Diarrhea, enteritis, etc.* (under 2 years)	57	32	25	-	72	31	24	9	8	
120	Diarrhea, enteritis, etc.* (2 years and over)	14	8	6	-	23	9	9	2	3	
121	Appendicitis	24	17	7	-	55	24	21	6	4	
122	Hernia and intestinal obstruction	51	26	25	-	131	54	54	11	12	
122a	Hernia	21	12	9	-	58	26	27	3	2	
122b	Intestinal obstruction	30	14	16	-	73	28	27	8	10	
123	Other diseases of intestines	14	6	8	-	24	10	11	1	2	
124	Cirrhosis of liver	73	52	21	-	205	114	63	18	10	
124a	Cirrhosis of liver with mention of alcoholism	9	8	1	-	40	24	10	5	1	
124b	Cirrhosis of liver without mention of alcoholism	64	44	20	-	165	90	53	13	9	
125	Other diseases of liver	7	4	3	-	31	12	9	4	6	
126	Biliary calculi	19	5	14	-	44	13	24	2	5	
127	Other diseases of gallbladder, biliary ducts	22	11	11	-	38	13	23	1	1	
128	Diseases of pancreas (except diabetes mellitus)	3	2	1	-	24	14	7	2	1	
129	Peritonitis (cause not stated)	10	2	8	-	14	8	3	1	2	
X.—Diseases of the genito-urinary system											
	Acute nephritis	11	8	3	-	32	15	6	9	2	
130	Chronic nephritis	509	271	235	2	1,663	679	580	197	208	
131	Arteriosclerotic kidney	348	175	172	1	1,417	576	503	165	173	
131a	Other chronic nephritis	161	96	65	2	246	102	77	32	35	
131b	Nephritis unspecified (10 years and over)	7	3	4	-	44	16	12	9	7	
132	Other diseases of kidneys, ureters, etc.*	16	7	9	-	28	11	9	6	2	
133	Calculi of urinary passages	7	5	2	-	18	10	7	1	-	
134	Diseases of urinary bladder	2	2	-	-	4	3	1	-	-	
135	Diseases of urethra (except calculus)	-	-	-	-	3	1	-	2	-	
136	Diseases of prostate	38	38	83	69	...	15	...	
137	Hypertrophy of prostate	35	35	66	52	...	14	...	
137a	Other diseases of prostate	3	3	17	16	...	1	...	
137b	Diseases of other male genital organs (not venereal)	1	1	-	-	...	-	...	
138	Diseases of female genital organs	4	...	4	...	19	...	9	...	10	
139	Diseases of ovaries, fallopian tubes, and parametria	2	...	2	...	12	...	3	...	9	
139a	Diseases of uterus	2	...	2	...	6	...	5	...	1	
139b	Diseases of other female genital organs*	-	...	-	...	1	...	1	...	-	
139c											
XI.—Diseases of pregnancy, childbirth, and the puerperium											
	Abortion with mention of infection	3	...	3	...	10	...	4	...	6	
140	Abortion without mention of infection	2	...	2	...	3	...	2	...	1	
141	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	1	...	1	...	-	
141a,c	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	2	...	-	...	-	...	-	
141b	Other abortions (nonseptic)*	-	...	-	...	2	...	1	...	1	
141d-f											
142	Ectopic gestation	-	...	-	...	4	...	2	...	2	
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	...	-	...	-	
142b	Ectopic gestation, without mention of infection	-	...	-	...	4	...	2	...	2	
143	Hemorrhage of pregnancy (death before delivery)	1	...	1	...	3	...	1	...	2	
144	Toxemias of pregnancy (death before delivery)	3	...	1	...	2	...	1	...	2	
145	Other diseases of pregnancy (death before delivery)*	3	...	3	...	1	...	1	...	-	
145A	With mention of infection	3	...	3	...	-	...	-	...	-	
145B	Without mention of infection	-	...	-	...	-	...	1	...	-	
146	Hemorrhage of childbirth and puerperium	7	...	7	...	9	...	6	...	3	
147	Infection during childbirth and puerperium	9	...	9	...	11	...	7	...	4	
148	Puerperal toxemias (excluding death before delivery)	5	...	5	...	6	...	3	...	3	
149	Other accidents and specified conditions of childbirth	4	...	4	...	6	...	2	...	4	
150	Other and unspecified conditions of childbirth and puerperium	2	...	2	...	4	...	4	...	-	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

473

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	MASSACHUSETTS				Total deaths	MICHIGAN				Total deaths	MINNESOTA				Total deaths	MISSISSIPPI				Int. List No.	
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
1,426	810	591	14	11	1,271	694	509	34	34	735	433	285	12	5	549	177	86	149	137	95	
14	9	5	-	-	33	23	28	-	-	37	18	19	-	-	24	10	6	3	5	95a	
363	164	195	2	4	285	153	110	7	15	72	39	53	-	-	55	18	9	15	15	95b	
1,049	637	393	12	7	933	518	371	27	17	626	376	233	12	5	470	151	71	131	117	95c	
72	40	30	1	1	66	34	23	6	5	37	14	22	-	1	12	11	-	-	1	96	
992	427	542	7	6	1,048	549	469	16	14	720	371	347	2	-	198	58	49	56	35	97	
6	2	4	-	-	26	13	12	-	-	4	2	2	-	-	4	-	-	-	2	98	
76	38	34	1	1	86	42	40	1	1	47	27	19	-	1	20	11	4	2	3	99	
76	37	39	-	-	43	18	24	1	1	29	13	16	-	-	18	6	5	4	3	100	
5	1	4	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	101
31	16	14	-	1	78	31	38	2	5	69	20	46	-	1	65	15	9	17	24	102	
2	2	-	-	-	6	-	4	1	1	3	2	1	-	-	15	3	6	3	3	103	
2,286	1,231	993	35	27	2,659	1,470	925	149	115	1,474	866	568	21	19	933	243	206	260	224		
9	8	5	-	-	12	8	1	2	1	12	7	4	1	-	14	3	2	7	2	104	
13	12	1	-	-	10	5	5	-	-	5	2	2	-	1	4	1	1	1	1	105	
107	64	42	1	-	123	70	42	8	3	83	46	35	1	1	47	24	10	10	3	106	
1,191	610	546	19	16	1,002	557	356	46	43	738	415	307	9	7	321	71	62	90	88	107	
520	322	187	8	3	780	445	230	64	41	317	201	101	8	7	338	69	63	99	87	108	
98	47	49	1	1	299	156	122	11	10	111	66	42	2	1	103	26	20	33	24	109	
27	17	10	-	-	40	18	20	1	1	15	12	2	1	-	13	3	6	4	2	109a	
71	30	39	1	1	259	138	102	10	9	96	54	40	1	1	90	23	14	29	24	109b	
38	20	16	1	1	58	32	20	4	2	27	17	8	-	2	14	3	2	7	2	110	
135	57	75	1	2	179	75	87	7	10	121	61	60	-	-	43	8	15	12	8	111	
99	49	46	2	2	117	67	45	4	1	35	34	1	-	-	28	12	6	5	5	112	
6	5	-	1	-	12	11	-	1	-	7	6	1	-	-	1	-	-	1	1	113	
70	39	28	1	2	67	44	17	2	4	18	11	7	-	-	20	6	5	5	4	114	
6	6	-	-	-	12	12	-	-	-	2	2	-	-	-	-	-	-	-	-	-	114a, b
64	33	29	1	2	55	32	17	2	4	16	9	7	-	-	20	6	5	5	4	114c-e	
2,191	1,282	871	21	17	2,515	1,387	972	92	64	1,082	638	435	4	5	721	202	150	199	180		
25	9	16	-	-	44	20	20	3	1	20	9	11	-	-	36	5	4	14	15	115	
4	4	-	-	-	10	7	3	-	-	8	4	-	-	-	3	1	-	-	-	116	
360	235	62	3	-	317	247	51	14	5	187	137	29	-	1	80	47	8	16	9	117	
205	156	37	2	-	185	148	25	8	4	94	77	13	-	1	58	33	7	12	6	117a	
155	129	25	1	-	132	99	26	6	4	73	60	16	-	-	22	14	1	4	3	117b	
24	10	14	-	-	28	16	10	1	1	12	7	4	-	1	34	9	5	7	4	118	
164	91	63	5	5	199	95	77	20	7	65	42	22	-	1	69	9	13	25	22	119	
62	23	38	-	1	73	34	35	3	1	27	15	11	-	1	41	6	11	14	10	120	
142	91	49	1	1	204	110	85	5	4	81	49	29	2	2	67	13	13	25	16	121	
354	200	150	2	2	435	226	182	17	10	232	119	92	1	1	157	39	38	41	39	122	
174	115	57	1	1	173	99	68	7	2	96	59	36	-	-	33	12	5	4	5	122a	
180	85	93	1	1	262	127	117	10	8	116	60	56	-	-	124	27	33	30	34	122b	
71	33	36	1	1	90	55	33	2	-	35	18	17	-	-	19	7	3	3	6	123	
617	380	225	9	3	697	426	233	18	20	225	141	85	-	-	121	40	24	26	31	124	
131	92	34	4	1	33	24	8	-	1	31	23	8	-	-	4	3	1	1	1	124a	
496	289	191	5	2	664	402	225	18	19	195	116	77	-	-	117	37	23	26	31	124b	
65	27	34	-	2	77	38	28	6	7	28	16	12	-	-	26	7	6	4	1	125	
156	61	95	-	-	144	39	104	-	1	136	50	86	-	-	22	11	10	-	1	126	
77	24	53	-	-	115	40	73	-	2	37	14	23	-	-	27	4	12	5	1	127	
42	21	21	-	-	45	21	21	2	1	21	12	9	-	-	9	4	3	3	1	128	
30	13	15	-	2	37	13	19	1	4	7	5	1	-	1	11	4	2	2	3	129	
2,516	1,344	1,119	31	22	3,123	1,674	1,199	127	123	1,151	700	440	9	2	1,088	459	272	651	508		
40	24	15	1	-	75	39	25	6	3	20	7	13	-	-	70	10	8	29	23	130	
2,002	997	963	23	19	2,336	1,179	974	65	98	789	427	352	7	2	1,540	364	230	506	440	131	
1,608	761	795	19	13	1,729	862	723	65	79	603	323	272	6	2	1,048	256	167	333	292	131a	
394	216	168	4	6	607	317	251	20	19	185	104	80	1	-	492	108	63	173	148	131b	
59	32	24	2	1	185	104	67	9	5	66	43	23	-	-	76	20	13	25	18	132	
117	62	52	1	2	125	54	59	5	7	64	42	22	-	-	43	16	10	9	8	133	
54	31	23	-	-	56	30	21	2	3	28	17	11	-	-	13	5	3	4	1	134	
17	11	5	1	-	20	14	6	-	-	11	7	4	-	-	17	2	-	15	-	135	
3	3	-	-	-	19	8	2	9	-	3	2	-	-	-	13	3	1	9	-	136	
187	184	...	3	...	253	245	...	8	...	156	155	...	1	...	93	39	...	54	...	137	
157	155	...	2	...	186	181	...	5	...	141	140	...	1	...	78	31	...	47	...	173a	
90	29	...	1	...	87	64	...	3	...	15	15	15	8	...	7	...	137b	
-	-	...	-	...	2	1	...	1	...	-	-	-	-	...	-	...	138	
37	...	37	52	...	45	...	7	15	...	15	23	...	7	139	
10	...	10	30	...	23	...	7	7	...	7	15	...	3	139a	
26	...	26	22	...	22	...	-	5	...	5	8	...	4	139b	
1	...	1	-	...	-	...	-	3	...	3	-	...	-	139c	
93	...	89	...	4	173	...	140	...	33	46	...	46	...	1	173	...	48	...	125		
5	...	5	...	-	12	...	7	...	5	7	...	7	...	-	4	...	-	...	4	140	
6	...	6	...	-	10	...	8	...	2	1	...	1	...	-	6	...					

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MAINE				MARYLAND					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue-----	4	2	2	-	-	14	4	5	3	2
151	Carbuncle and furuncle-----	-	-	-	-	-	1	-	-	1	-
152	Phlegmon and acute abscess-----	1	1	-	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue-----	3	1	2	-	-	15	4	5	2	2
	XIII.—Diseases of the bones, etc.*-----	4	2	2	-	-	13	7	5	-	1
154	Osteomyelitis and periostitis-----	3	2	1	-	-	4	3	-	-	1
155	Other diseases of bones (except tuberculosis)-----	1	-	1	-	-	2	1	1	-	-
156	Diseases of joints, other organs of movement-----	-	-	-	-	-	7	3	4	-	-
157	XIV.—Congenital malformations-----	184	105	77	-	2	306	151	103	26	26
157a-d	Congenital malformations of central nervous system-----	57	26	31	-	-	87	40	34	8	5
157e,f	Congenital malformations of cardiovascular system-----	93	59	32	-	2	146	71	47	14	14
157g,h,m	Other congenital malformations-----	34	20	14	-	-	78	40	22	4	7
	XV.—Diseases peculiar to the first year of life-----	439	266	172	1	-	1,025	424	312	176	113
158	Congenital debility (cause not stated)-----	13	8	5	-	-	34	13	11	3	7
159	Premature birth (cause not stated)-----	250	141	108	1	-	599	238	188	105	59
160	Injury at birth-----	123	65	58	-	-	207	93	60	28	26
161	Other diseases peculiar to first year of life-----	53	32	21	-	-	195	80	53	40	22
162	XVI.—Sanility-----	88	30	58	-	-	25	10	10	2	3
	XVII.—Violent or accidental deaths-----	823	614	204	5	-	1,802	942	439	335	86
163,164	Suicide-----	146	116	29	1	-	270	198	71	11	-
163	Suicide by poisoning-----	22	17	5	-	-	91	48	43	-	-
164	Suicide by other means-----	124	99	24	1	-	179	140	28	11	-
165-168	Homicide ¹ -----	11	8	3	-	-	166	25	15	102	24
166	Homicide by firearms-----	5	2	3	-	-	94	13	9	58	14
167	Homicide by cutting or piercing instruments-----	-	-	-	-	-	41	1	-	33	7
168	Homicide by other means-----	6	6	-	-	-	31	11	6	11	3
169-185	Accidental deaths-----	666	490	172	4	-	1,362	728	353	219	62
169	Railway accidents (except collisions with motor vehicles)-----	20	20	-	-	-	34	23	1	10	-
170	Motor-vehicle accidents-----	178	153	23	-	-	405	250	85	72	16
170a	Collisions between automobiles and trains-----	7	7	-	-	-	9	6	2	1	-
170b	Collisions between automobiles and streetcars-----	-	-	-	-	-	2	2	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	166	143	23	-	-	382	233	63	70	16
170d	Motorcycle accidents (exc. collisions with automobiles)-----	3	3	-	-	-	10	9	-	1	-
171	Streetcar and other road-transport accidents-----	3	2	1	-	-	16	9	4	2	1
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	-	-	-	-	-	16	9	4	2	1
171b	Other and unspecified road-transport accidents-----	3	2	1	-	-	-	-	-	-	-
172	Water-transport accidents-----	40	32	7	1	-	128	14	1	3	-
173	Air-transport accidents-----	17	17	-	-	-	39	30	6	2	-
174	Accidents in mines and quarries-----	2	2	-	-	-	7	7	-	-	-
175	Agricultural and forestry accidents-----	29	29	-	-	-	18	12	1	5	-
175a-c	Agricultural accidents-----	22	22	-	-	-	17	12	1	4	-
175d,e	Forestry accidents-----	7	7	-	-	-	1	-	-	1	-
176	Other accidents involving machinery-----	12	12	-	-	-	18	11	1	6	-
177	Food poisoning-----	-	-	-	-	-	3	-	1	-	2
178	Accidental absorption of poisonous gas-----	7	5	2	-	-	31	17	14	-	-
179	Acute accidental poisoning by solids or liquids-----	7	4	3	-	-	20	9	6	3	2
180	Conflagration-----	36	24	10	2	-	40	14	6	10	10
181	Accidental burns (except conflagration)-----	17	9	8	-	-	78	35	15	19	10
182	Accidental mechanical suffocation-----	9	6	3	-	-	49	20	11	15	3
183	Accidental drowning-----	53	49	5	-	-	107	71	6	26	2
184	Accidental injury by firearms-----	9	9	-	-	-	16	7	2	6	1
185	Accidental injury by cutting or piercing instruments-----	-	-	-	-	-	2	2	-	-	-
186	Accidental injury by fall or crushing-----	173	71	101	1	-	362	142	190	21	9
186a	Accidental injury by fall-----	171	69	101	1	-	358	140	190	20	8
186b	Accidental injury by crushing-----	2	2	-	-	-	4	2	-	1	1
187	Cataclysm, etc.*-----	-	-	-	-	-	1	-	1	-	-
188	Injury by animals (except in agriculture and forestry)-----	-	-	-	-	-	2	1	-	1	-
189	Hunger or thirst-----	-	-	-	-	-	-	-	-	-	-
190	Excessive cold-----	6	6	-	-	-	5	2	-	2	1
191	Excessive heat-----	3	3	-	-	-	1	-	1	-	-
192	Lightning-----	1	1	-	-	-	4	3	1	-	-
193	Accidents due to electric currents (except lightning)-----	4	4	-	-	-	9	9	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	-	-	-	-	-	-	-	-	-	-
195	Other accidents-----	42	33	9	-	-	79	40	20	14	5
195a	Sequelae of preventive immunization, etc.*-----	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention-----	-	-	-	-	-	2	1	-	1	-
195d	Obstruction, suffocation, etc.*-----	22	16	6	-	-	31	12	11	4	4
195e,e	Other and unspecified accidents-----	20	17	3	-	-	46	27	9	9	1
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	-	-	-	-	-	4	1	-	3	-
	XVIII.—Ill-defined and unknown causes-----	61	43	18	-	-	44	19	15	6	4
199	Sudden death-----	19	11	8	-	-	2	-	-	2	-
200	Ill-defined and unknown causes-----	42	32	10	-	-	42	19	15	4	4
200a	Ill-defined causes-----	28	20	0	-	-	22	10	8	2	2
200b,c	Unknown or unspecified causes-----	14	12	2	-	-	20	9	7	2	2

*Refer to International List for complete title, table II, Part I.

¹Includes figures for infanticide (165).

GENERAL TABLES—DEATHS FROM EACH CAUSE

475

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
38	14	22	-	2	41	17	21	1	2	16	6	10	-	-	12	4	2	3	3	
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	151
2	1	1	-	-	10	5	5	-	-	2	1	1	-	-	1	1	-	-	-	152
36	13	21	-	2	30	12	15	1	2	14	5	9	-	-	10	2	2	3	3	153
27	12	12	1	2	25	10	12	2	1	14	6	8	-	-	8	2	1	4	1	
2	1	-	-	1	5	1	2	2	-	1	1	-	-	-	2	-	-	2	-	154
9	4	5	-	-	5	2	3	-	-	8	1	5	-	-	2	1	1	-	-	155
16	7	7	1	1	15	7	7	-	1	7	4	3	-	-	4	1	-	2	1	156
722	364	351	5	2	1,032	510	460	41	21	481	230	227	1	3	219	93	62	39	25	157
290	128	159	3	-	355	154	191	8	2	169	66	103	-	-	55	25	17	8	5	157a-d
297	157	137	1	2	457	239	178	25	15	203	110	89	1	5	112	49	34	18	11	157e,f
135	79	55	1	-	220	117	91	8	4	89	54	35	-	-	52	19	11	13	9	157g,h,m
1,703	951	697	32	23	2,979	1,499	1,082	150	147	1,278	780	478	11	9	1,066	370	257	240	199	
13	7	5	1	-	36	17	13	4	2	18	11	7	-	-	45	12	3	13	17	158
1,097	610	445	21	21	1,959	985	777	97	102	802	486	302	9	5	646	200	177	138	131	158
307	175	126	5	1	434	250	139	21	24	300	189	108	1	2	197	90	39	43	25	160
286	159	121	5	1	449	249	153	28	19	158	94	61	1	2	178	68	36	46	26	161
35	11	24	-	-	433	191	236	2	4	227	95	130	-	2	319	55	62	105	97	162
3,394	2,065	1,254	54	21	4,772	3,080	1,377	224	91	2,365	1,626	697	32	10	1,935	694	265	733	243	
501	359	134	8	1	624	476	133	10	5	323	265	57	1	-	110	79	17	14	-	163,164
179	104	71	3	1	97	64	32	-	1	85	36	19	-	-	10	4	5	1	-	163
322	254	63	5	-	527	412	101	10	4	288	229	38	1	-	100	75	12	15	-	164
74	42	19	7	6	231	65	30	83	33	54	19	10	4	1	310	53	11	207	39	165-168
21	8	5	4	4	98	32	15	42	9	12	8	3	1	-	200	42	9	128	21	166
13	9	2	1	1	68	13	6	34	15	3	1	1	1	-	73	4	-	60	9	167
40	25	12	2	1	65	40	9	7	9	19	10	6	2	1	57	7	2	19	9	168
2,817	1,663	1,101	39	14	3,917	2,519	1,214	131	53	2,008	1,342	690	27	9	1,509	562	237	506	204	169-195
43	40	3	-	-	73	55	11	5	2	39	33	5	1	-	41	17	1	21	2	169
591	450	130	10	1	1,556	1,113	393	48	12	619	480	129	6	4	478	239	67	132	40	170
4	4	-	-	-	104	84	20	-	-	36	26	10	-	-	21	10	3	8	-	170a
1	1	-	-	-	3	2	1	-	-	5	3	2	-	-	-	-	-	-	-	170b
571	432	128	10	1	1,432	1,014	358	48	12	570	443	117	6	4	447	219	64	124	40	170c
15	13	2	-	-	17	13	4	-	-	8	8	-	-	-	10	10	-	-	-	170d
23	18	7	-	-	9	5	4	-	-	8	7	1	-	-	2	1	-	-	-	171
14	8	6	-	-	7	4	3	-	-	3	4	1	-	-	1	1	-	-	-	171a
9	1	1	-	-	2	1	1	-	-	1	3	-	-	-	1	1	-	-	-	171b
45	38	4	3	-	44	40	3	1	-	51	44	3	2	2	10	7	1	2	2	172
34	30	4	-	-	71	62	9	-	-	34	31	3	-	-	22	21	5	1	-	173
7	4	-	3	-	25	22	2	1	-	11	11	-	-	-	6	6	-	-	-	174
14	13	-	-	-	60	58	1	1	-	91	79	12	-	-	57	23	1	31	2	175
12	11	-	1	-	48	46	1	1	-	91	79	12	-	-	42	16	1	23	2	175a-c
2	2	-	-	-	12	12	-	-	-	-	-	-	-	-	15	7	-	7	-	175d,e
27	26	-	1	-	42	33	4	5	2	21	21	-	-	-	24	16	1	1	-	176
3	3	-	-	-	8	5	1	2	2	2	2	2	-	-	19	2	2	10	5	177
98	58	37	1	2	50	62	24	2	2	36	27	19	-	-	6	4	1	1	-	178
56	23	32	-	1	35	13	21	1	-	25	10	15	-	-	26	4	6	11	5	179
47	27	16	1	3	93	42	37	10	4	60	33	27	-	-	77	10	5	32	30	180
103	60	39	3	1	191	111	65	8	7	62	30	31	1	1	149	16	26	5	8	181
43	29	13	-	1	82	48	22	5	7	39	22	13	3	2	28	5	8	10	182	
166	140	21	5	-	241	200	32	7	2	101	79	20	2	1	107	42	12	50	3	183
31	28	2	1	-	71	58	7	5	1	35	34	1	-	-	104	29	7	56	12	184
5	4	1	-	-	7	4	3	-	-	3	1	1	1	1	15	3	1	1	7	185
1,254	539	707	5	3	1,016	436	549	20	11	636	306	324	5	5	119	43	46	18	10	186
1,244	530	706	5	3	994	417	548	18	11	630	301	323	5	1	115	42	45	18	10	186a
10	9	1	-	-	22	19	1	2	-	6	5	2	-	-	19	5	10	1	3	187
1	-	-	-	-	2	2	-	-	-	1	1	-	-	-	1	-	-	-	-	188
2	2	-	-	-	4	4	-	-	-	1	1	-	-	-	1	-	-	-	-	189
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	190
4	4	-	-	-	5	3	1	1	1	16	13	1	2	1	5	1	-	3	1	191
3	2	-	1	-	13	11	2	-	-	18	12	5	-	-	4	2	-	8	8	192
17	14	3	-	-	9	6	3	-	-	4	2	-	2	-	21	3	4	6	6	193
1	1	-	-	-	29	28	1	-	-	7	7	-	-	-	16	9	-	7	-	194
197	111	81	3	2	141	98	30	9	4	81	54	25	1	1	151	54	41	41	15	195
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	196a
54	30	23	1	-	48	31	12	1	4	26	18	9	1	1	9	5	3	1	-	196b
143	81	58	2	2	92	66	18	8	3	54	37	16	1	-	141	49	39	39	15	196c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	6	-	197
92	63	23	5	1	275	164	88	15	8	113	70	36	1	6	2,151	257	120	355	819	198
10	5	4	1	-	31	18	12	1	-	5	4	1	-	-	120	33	6	49	36	199
82	58	19	4	1	244	146	76	14	8	108	66	35	1	6	2,031	224	114	910	783	200
69	47	17	4	1	176	106	61	6	3	76	53	22	-	1	3					

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MISSOURI				MONTANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	44,572	22,643	17,589	2,397	1,933	5,760	3,534	1,920	158	148
	I.—Infectious and parasitic diseases-----	2,357	1,156	693	293	210	276	151	53	32	40
1	Typhoid fever-----	14	9	3	-	2	1	1	-	-	-
2	Paratyphoid fever-----	2	-	1	1	-	1	-	-	-	-
3	Plague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	3	1	2	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	15	9	6	-	-	3	1	2	-	-
7	Anthrax (infection by Bacillus anthracis)-----	2	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	2	2	-	-	-	-	-	-	-	-
9	Whooping cough-----	67	28	28	3	8	6	3	3	-	-
10	Diphtheria (infection by C. diphtheriae)-----	17	5	9	2	1	2	2	-	-	-
11	Erysipelas-----	4	4	-	-	-	1	-	-	1	-
12	Tetanus-----	10	6	2	2	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	1,281	649	322	181	139	152	79	22	19	32
13	Tuberculosis of respiratory system, etc.*-----	1,212	618	296	172	126	130	74	20	10	26
14	Tuberculosis of meninges, etc.*-----	19	4	8	3	4	9	1	-	6	2
15	Tuberculosis of intestines and peritoneum-----	9	3	3	3	-	5	1	1	1	2
16	Tuberculosis of vertebral column-----	13	6	3	2	-	2	-	-	1	1
17	Tuberculosis of bones and joints, etc.*-----	5	1	3	-	1	-	-	-	-	-
18	Tuberculosis of skin, etc.*-----	1	1	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*-----	2	-	1	-	1	1	-	1	-	-
20	Tuberculosis of genito-urinary system-----	6	3	3	-	2	1	-	-	1	-
21	Tuberculosis of other organs-----	2	-	1	-	1	-	-	-	-	-
22	Disseminated tuberculosis-----	20	11	4	1	4	4	3	-	-	1
23	Leprosy-----	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	22	8	10	3	1	-	-	-	-	-
25	Gonococcus infection-----	5	1	3	1	-	1	1	-	-	-
26	Other diseases due to bacteria (except dysentery)-----	9	5	3	1	-	-	-	-	-	-
27	Dysentery-----	16	5	8	2	1	1	-	1	-	-
28	Malaria-----	8	3	3	1	1	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*-----	4	2	2	-	-	-	-	-	-	-
30	Syphilis (all forms)-----	414	201	93	61	39	47	35	5	4	3
30a	Locomotor ataxia (tabes dorsalis)-----	16	7	6	3	-	-	-	-	-	-
30b	General paralysis of insane-----	102	56	22	15	9	10	9	1	-	-
30d	Aneurysm of aorta-----	113	62	23	20	8	18	16	2	-	-
30f	Congenital syphilis-----	11	4	1	2	4	4	1	-	2	1
30c,e,g	Syphilis (other forms)-----	172	72	41	41	18	15	9	2	2	2
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	11	5	3	1	2	-	-	-	-	-
33	Influenza-----	336	147	158	16	15	53	19	11	3	-
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-
35	Measles-----	5	3	2	-	-	13	3	4	3	3
36	Poliomyelitis and polioencephalitis (acute)-----	18	10	8	-	-	4	1	1	-	2
37	Acute infectious encephalitis (lethargic)*-----	11	5	5	-	1	8	5	2	1	-
38	Other diseases due to filtrable viruses-----	2	2	-	-	-	1	-	-	1	-
39	Typhus fever and typhus-like diseases*-----	2	-	2	-	-	-	-	-	-	-
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease-----	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	1	-	1	-	-	-	-	-	-	-
43	Mycoses-----	11	6	4	1	-	-	-	-	-	-
44	Other infectious and parasitic diseases-----	57	40	15	2	-	3	1	2	-	-
	II.—Cancer and other tumors-----	5,934	2,623	2,847	213	251	738	396	331	5	6
45-55	Cancer and other malignant tumors-----	5,778	2,576	2,762	208	232	712	388	313	5	6
45	Cancer of buccal cavity and pharynx-----	192	146	38	7	1	18	12	6	-	-
45a	Cancer of lip-----	22	18	4	-	-	3	3	-	-	-
45b	Cancer of tongue-----	49	38	5	4	1	5	4	1	-	-
45c	Cancer of mouth-----	26	21	4	1	-	2	1	1	-	-
45d	Cancer of jaw bone-----	27	20	7	-	-	3	1	2	-	-
45e	Cancer of unspecified parts of buccal cavity-----	5	2	3	-	-	-	-	-	-	-
45f	Cancer of pharynx-----	63	47	14	2	-	5	3	2	-	-
46	Cancer of digestive organs and peritoneum-----	2,520	1,229	1,101	116	74	335	208	121	5	1
46a	Cancer of esophagus-----	86	62	8	13	3	2	2	-	-	-
46b	Cancer of stomach-----	756	404	280	52	20	144	98	44	2	-
46c	Cancer of duodenum-----	18	10	8	-	-	14	-	14	-	-
46d	Cancer of rectum and anus-----	269	155	93	10	11	20	20	-	-	-
46e	Cancer of intestines, etc.*-----	700	311	355	17	17	74	46	26	1	1
46f	Cancer of liver and biliary passages-----	442	182	240	8	12	47	25	21	1	-
46g	Cancer of pancreas-----	189	86	83	12	8	29	17	11	1	-
46h	Cancer of mesentery and peritoneum-----	30	12	17	1	-	4	-	4	-	-
46m	Cancer of other and unspecified sites-----	30	7	17	3	3	1	-	3	-	-
47	Cancer of respiratory system-----	513	366	114	24	9	67	58	9	-	-
47a	Cancer of larynx-----	60	52	5	-1	2	1	1	-	-	-
47b,c	Cancer of trachea and bronchus-----	146	108	24	11	3	34	33	1	-	-
47d	Cancer of lung-----	287	197	75	11	4	32	24	8	-	-
47e	Cancer of pleura-----	4	2	1	1	-	-	-	-	-	-
47f	Cancer of other respiratory organs-----	16	7	9	-	-	-	-	-	-	-
48	Cancer of uterus-----	534	-	455	-	79	57	-	53	-	4
48a	Cancer of cervix-----	244	-	195	-	49	25	-	22	-	3
48b	Cancer of other and unspecified sites of uterus-----	290	-	260	-	30	32	-	31	-	1
49	Cancer of other female genital organs-----	150	-	148	-	2	28	-	28	-	-
49a,b	Cancer of ovary, fallopian tube, and parametrium-----	138	-	136	-	2	27	-	27	-	-
49c-e	Cancer of other female genital organs-----	12	-	12	-	-	1	-	1	-	-
50	Cancer of breast-----	597	6	539	-	42	45	-	45	-	-
51	Cancer of male genital organs-----	409	376	-	33	-	45	45	-	-	-
51b	Cancer of prostate-----	392	354	-	28	-	40	40	-	-	-
51a,c-e	Cancer of other male genital organs-----	27	22	-	5	-	5	5	-	-	-
52	Cancer of urinary organs-----	275	164	96	11	4	29	19	10	-	-
52a	Cancer of kidney-----	97	50	43	4	-	15	10	5	-	-
52b	Cancer of bladder-----	175	112	52	7	4	12	8	4	-	-
52c	Cancer of other and unspecified sites-----	3	2	1	-	-	2	1	1	-	-

*Refer to International list for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Total deaths	NEBRASKA				Total deaths	NEVADA				Total deaths	NEW HAMPSHIRE				Total deaths	*NEW JERSEY				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,971	7,294	5,203	155	139	1,623	1,063	445	63	52	6,194	3,354	2,836	2	2	48,181	24,496	20,123	1,894	1,668	
484	279	164	20	21	71	46	14	4	7	166	101	65	-	-	2,224	1,151	556	305	232	
2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	5	1	2	1	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
6	5	3	-	-	1	-	-	-	-	3	1	3	-	-	32	9	19	4	-	6
3	2	1	-	-	-	-	-	-	-	1	-	-	-	-	3	-	2	-	-	7
15	7	7	-	1	-	-	-	-	-	3	3	3	-	-	24	4	16	1	3	8
3	1	2	-	-	-	-	-	-	-	1	1	-	-	-	15	9	6	-	-	9
6	6	-	-	-	-	-	-	-	-	6	-	-	-	-	2	1	1	-	-	10
189	115	56	15	13	44	29	7	3	5	83	52	31	-	-	1,555	807	358	204	186	11-22
187	111	50	13	13	38	28	5	1	4	76	50	26	-	-	1,459	777	530	183	169	13
5	2	3	-	-	3	-	-	-	-	1	1	1	-	-	16	6	5	3	2	14
1	-	-	1	-	-	-	-	-	-	2	1	1	-	-	18	3	6	4	5	15
1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	11	4	4	1	2	16
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	17
1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	1	1	1	-	18
1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	10	7	3	-	-	19
1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	1	-	-	20
3	2	-	1	-	2	1	1	-	-	1	-	-	-	-	2	1	1	-	-	21
6	5	1	-	-	-	-	-	-	-	4	1	3	-	-	35	8	7	12	8	22
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	10	6	4	-	-	23
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	24
5	3	1	1	-	-	-	-	-	-	2	2	-	-	-	6	3	-	2	1	25
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	26
81	55	19	3	4	19	13	3	1	2	28	20	8	-	-	327	165	51	31	30	27
2	1	1	-	-	2	1	1	-	-	1	1	1	-	-	5	4	1	-	-	28
31	21	7	2	1	5	4	1	1	-	10	4	8	-	-	87	42	11	28	6	29
23	17	6	-	-	4	1	1	-	-	9	9	-	-	-	88	54	14	19	1	30a
1	1	-	-	-	-	-	-	-	-	8	7	1	-	-	18	1	4	11	2	30b
24	15	5	1	3	12	8	1	1	2	8	7	1	-	-	129	64	21	23	21	30c, e, g
5	3	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	31
103	52	49	2	2	3	1	2	-	-	23	13	10	-	-	16	10	6	-	-	32
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71	33	30	6	2	33
18	11	6	1	1	2	1	1	-	-	1	1	-	-	-	1	1	3	1	-	34
6	3	3	-	-	-	-	-	-	-	2	2	-	-	-	4	4	1	-	-	35
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	10	8	2	-	-	36
1	1	1	-	-	-	-	-	-	-	2	2	-	-	-	26	17	9	-	-	37
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	4	3	-	-	38
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	39
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	40
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	41
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	42
20	9	10	1	-	2	2	-	-	-	12	7	5	-	-	96	42	37	3	4	43
1,852	867	853	13	19	166	101	58	4	3	925	451	473	-	1	7,785	3,782	3,606	177	230	44
1,812	854	850	13	15	162	99	56	4	3	901	442	458	-	1	7,601	3,722	3,497	169	213	45-55
57	42	13	2	-	9	7	2	-	-	23	19	4	-	-	208	166	31	6	3	45
8	6	2	-	-	1	1	-	-	-	3	3	1	-	-	15	14	1	-	-	45a
11	7	4	-	-	1	1	-	-	-	3	3	-	-	-	57	48	5	3	1	45b
10	7	2	1	-	1	1	-	-	-	3	2	1	-	-	24	18	6	-	-	45c
13	11	-	-	-	1	1	-	-	-	3	2	-	-	-	35	26	8	-	1	45d
2	1	-	1	-	-	-	-	-	-	2	1	-	-	-	2	2	-	-	-	45e
13	10	3	-	-	3	1	2	-	-	11	10	1	-	-	73	58	11	3	1	45f
871	434	424	9	4	70	53	18	1	2	428	222	206	-	-	3,630	1,919	1,530	91	82	46
32	23	7	2	-	2	2	-	-	-	7	5	2	-	-	182	136	31	10	5	46a
248	139	101	5	3	26	21	3	1	1	123	70	53	-	-	1,060	608	384	38	30	46b
5	3	2	-	-	1	1	1	-	-	3	3	-	-	-	8	3	4	1	-	46c
97	58	37	2	-	7	5	-	-	-	54	34	20	-	-	527	312	194	8	13	46d
261	112	149	-	-	19	14	5	-	-	147	65	82	-	-	1,075	494	562	15	14	46e
118	46	72	-	-	4	3	-	-	-	53	23	30	-	-	354	140	199	6	9	46f
88	39	49	-	1	10	9	1	-	-	35	21	14	-	-	330	196	117	10	7	46g
15	12	3	-	-	1	1	-	-	-	4	4	1	-	-	52	24	25	2	1	46h
8	2	4	-	-	-	-	-	-	-	2	2	-	-	-	42	16	22	1	3	46m
120	98	27	-	-	16	10	5	1	-	54	47	6	1	1	303	646	122	26	9	47
12	11	1	-	-	1	1	-	-	-	2	2	-	-	-	83	76	4	1	2	47a
34	28	6	-	-	3	3	-	-	-	12	12	-	-	-	240	202	28	9	1	47b, c
68	48	19	-	-	12	6	5	1	-	39	33	5	1	1	448	343	85	15	5	47d
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	6	6	-	-	-	47e
6	5	1	-	-	12	12	-	-	-	79	79	-	-	-	26	19	5	1	1	47f
138	132	132	6	6	12	12	-	-	-	79	79	-	-	-	525	469	-	-	56	48
58	54	4	4	5	5	5	-	-	-	34	34	-	-	-	213	186	-	-	27	48a
90	78	7	2	7	7	7	-	-	-	45	45	-	-	-	312	283	-	-	29	48b
47	46	1	1	3	3	3	-	-	-	35	35	-	-	-	235	223	-	-	12	49
40	39	1	1	1	1	1	-	-	-	30	30	-	-	-	207	197	-	-	10	49a, b
7	7	-	-	2	2	2	-	-	-	5	5	-	-	-	28	26	-	-		

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MISSOURI				MONTANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
II.—Cancer and other tumors—Continued											
Cancer and other malignant tumors—Continued											
53	Cancer of skin, etc.*	110	52	55	1	2	11	9	2	-	-
54	Cancer of central nervous system*	75	43	27	2	3	12	7	5	-	-
55	Cancer of other and unspecified organs	413	194	189	14	16	65	30	34	-	1
56,57	Nonmalignant tumors and tumors of unspecified nature	156	47	85	5	19	26	8	18	-	-
56	Nonmalignant tumors (including dermoid cysts)	86	15	54	2	15	14	3	11	-	-
56a-c	Nonmalignant tumors of female genital organs	51	...	38	...	13	9	...	9
56d	Nonmalignant tumors of central nervous system*	24	10	11	1	2	1	-	1	-	-
56e	Nonmalignant tumors of other and unspecified organs	11	5	5	1	-	4	3	1	-	-
57	Tumors of unspecified nature	70	32	31	3	4	12	5	7	-	-
57a-c	Tumors, female genital organs (nature unspecified)	2	...	2	1	...	1
57d	Tumors, central nervous system* (nature unspecified)	48	26	18	2	2	8	4	4	-	-
57e	Tumors, other organs (nature unspecified)	20	6	11	1	2	3	1	2	-	-
III.—Rheumatism, diseases of nutrition, etc.*											
		1,221	418	715	36	52	160	76	61	1	2
58	Acute rheumatic fever	35	11	19	1	4	5	2	2	1	-
58a	Acute rheumatic pericarditis	-	-	-	-	-	1	1	-	-	-
58b	Acute rheumatic endocarditis	12	6	4	-	2	2	-	2	-	-
58c	Acute rheumatic myocarditis	4	-	4	-	-	1	-	-	1	-
58d	Other acute rheumatic heart diseases	2	1	1	-	-	-	-	-	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	17	4	10	1	2	1	1	-	-	-
59	Chronic rheumatism, other rheumatic diseases	51	18	31	1	1	8	4	4	-	-
60	Gout	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	953	336	550	29	38	130	64	65	-	1
62	Diseases of pituitary gland	7	1	6	-	-	1	1	-	-	-
63	Diseases of thyroid and parathyroid glands	87	10	73	1	3	10	1	8	-	1
63a	Simple goiter	2	-	2	-	-	1	-	1	-	-
63b	Exophthalmic goiter	71	6	61	1	3	8	-	7	-	1
63c-e	Other diseases of thyroid and parathyroid glands	14	4	10	-	-	1	1	-	-	-
64	Diseases of thymus gland	36	19	12	2	3	1	1	-	-	-
65	Diseases of adrenal glands*	18	9	9	-	-	2	-	2	-	-
66	Other general diseases	16	7	6	1	2	1	1	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	1	-	1	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	9	3	5	1	-	-	-	-	-	-
70	Rickets	1	1	-	-	-	-	-	-	-	-
71	Other avitaminoses	6	2	3	-	1	1	1	-	-	-
IV.—Diseases of the blood and blood-forming organs											
		327	157	145	16	9	60	33	27	-	-
72	Hemorrhagic conditions	16	6	8	-	2	1	-	1	-	-
73	Anemias (except splenic anemia)	89	35	43	7	4	13	6	7	-	-
73a	Pernicious anemia	55	19	32	3	1	8	3	5	-	-
73b-d	Other anemias (except splenic)	34	16	11	4	3	5	3	2	-	-
74	Leukemias and aleukemias	198	108	84	6	2	42	25	17	-	-
74a	Leukemias	192	105	79	6	2	39	23	15	-	-
74b	Aleukemias	6	1	5	-	-	4	2	2	-	-
75	Diseases of spleen	16	6	6	3	1	1	1	-	-	-
76	Other diseases of blood and blood-forming organs	8	4	4	-	-	3	1	2	-	-
V.—Chronic poisoning and intoxication											
		43	32	4	6	1	19	15	1	2	1
77	Alcoholism (ethylishm)	42	31	4	6	1	19	15	1	2	1
78	Lead poisoning	1	1	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	-	-	-	-	-
VI.—Diseases of the nervous system, etc.*											
		4,875	2,307	2,147	207	212	578	332	235	7	4
80	Encephalitis (nonepidemic)	33	19	10	2	2	10	7	3	-	-
81	Meningitis (not due to meningococcus)	64	31	24	3	6	8	7	1	-	-
82	Diseases of spinal cord (see exceptions)*	98	58	34	3	3	13	9	4	-	-
83	Intracranial lesions of vascular origin	4,438	2,076	1,983	184	195	495	281	206	6	2
83a	Cerebral hemorrhage or effusion*	3,848	1,802	1,713	154	179	439	246	185	6	2
83b,c	Cerebral embolism, thrombosis, and softening	465	228	200	25	12	44	24	20	-	-
83d	Hemiplegia, other paralysis, etc.*	125	46	70	5	4	12	11	1	-	-
84	Mental diseases and deficiency (see exception)*	36	14	21	1	-	11	6	5	-	-
85	Epilepsy	46	19	17	6	4	9	6	2	-	1
86	Convulsions (under 5 years)	4	2	1	1	-	2	2	-	-	-
87	Other diseases of nervous system	145	83	53	7	2	28	14	14	-	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	9	5	4	-	-	2	-	-	1	1
VII.—Diseases of the circulatory system											
		15,275	8,221	5,868	616	570	1,833	1,215	577	26	15
90-95	Diseases of the heart (all forms)	14,380	7,754	5,510	583	543	1,690	1,128	524	24	14
90	Pericarditis (except acute rheumatic)	27	15	7	7	-	3	3	-	-	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	1	1	-	-	-
90b	Other pericarditis	27	15	7	7	-	2	2	-	-	-
91	Acute endocarditis (except rheumatic)	49	27	15	1	6	9	9	-	-	-
91a,b	Bacterial, acute, and subacute endocarditis	47	26	14	1	6	8	8	-	-	-
91c	Endocarditis (unspecified, under 45 years)	2	1	1	-	-	1	1	-	-	-
92	Chronic affections of valves and endocardium	1,419	690	610	53	66	154	99	50	4	1
92a	Diseases of aortic valve, etc.*	167	81	86	11	9	11	6	2	3	-
92b	Diseases of mitral valve, etc.*	630	316	261	26	27	78	51	25	1	1
92c	Chronic rheumatic endocarditis, etc.*	64	39	22	2	1	11	5	6	-	-
92d	Other chronic endocarditis, etc.*	485	228	228	11	27	45	28	17	-	-
92e	Endocarditis (unspecified, 45 years and over)	68	25	33	3	2	9	9	-	-	-
93	Diseases of the myocardium	7,327	3,427	3,205	351	347	607	350	245	3	9
93a	Acute myocarditis (except rheumatic)	127	62	45	5	15	21	14	7	-	-
93b	Myocarditis (unspecified, under 45 years)	9	4	3	1	1	-	-	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	38	15	20	1	2	4	3	1	-	-
93d	Other chronic myocarditis, etc.*	6,598	3,061	2,909	323	305	497	282	205	2	8
93e	Other myocarditis (unspecified)	588	285	228	21	24	85	51	32	1	1
94	Diseases of coronary arteries, angina pectoris	4,678	3,067	1,372	128	91	683	513	160	10	-
94a	Diseases of coronary arteries	4,541	2,994	1,332	126	89	667	500	157	10	-
94b	Angina pectoris	137	93	40	2	2	16	13	3	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

479

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Total deaths	NEBRASKA				Total deaths	NEVADA				Total deaths	NEW HAMPSHIRE				Total deaths	NEW JERSEY				Int. List No.	
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
27	19	7	-	1	1	-	1	-	-	11	5	6	-	-	82	45	36	-	1	53	
32	16	16	-	-	3	2	1	-	-	11	8	3	-	-	127	76	49	2	-	54	
119	60	57	2	-	15	6	8	1	-	58	30	28	-	-	485	257	201	16	11	55	
40	13	23	-	4	4	2	2	-	-	24	9	15	-	-	184	60	109	8	17	56,57	
31	7	21	-	3	1	-	1	-	-	10	2	8	-	-	125	25	78	5	17	56	
18	...	15	...	3	1	...	1	...	-	8	...	8	...	-	76	...	60	...	16	56a-c	
8	4	4	-	-	-	-	-	-	-	2	2	-	-	-	29	14	10	4	1	56d	
5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	20	11	8	1	1	56e	
9	6	2	-	1	3	2	1	-	-	14	7	7	-	-	69	35	31	3	-	57	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	57a-c	
8	5	2	-	1	2	1	1	-	-	9	5	4	-	-	37	18	17	2	-	57d	
1	1	-	-	-	1	1	-	-	-	5	2	3	-	-	30	17	12	1	-	57e	
398	171	222	1	4	34	13	17	3	1	249	111	158	-	-	1,854	592	1,139	35	68		
8	6	2	-	-	2	-	1	-	1	2	1	1	-	-	34	11	17	1	5	58	
1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	58a	
-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	14	5	6	1	2	58b	
2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	4	2	2	-	-	58c	
4	4	-	-	-	-	-	1	-	-	-	-	-	-	-	7	1	4	-	2	58d	
5	1	-	-	-	-	-	-	-	1	-	-	-	-	-	8	2	5	-	1	58e,f	
24	11	11	1	1	2	1	1	-	-	14	6	8	-	-	45	11	33	-	1	59	
323	137	184	-	2	25	10	13	2	-	222	99	125	-	-	1,582	504	998	28	52	60	
3	2	1	-	-	1	-	-	-	-	5	2	3	-	-	9	3	3	2	1	61	
22	3	18	-	1	1	-	-	1	-	5	2	3	-	-	76	14	59	-	3	62	
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	5	3	-	-	-	63	
18	2	15	-	1	1	-	-	1	-	4	2	2	-	-	65	12	48	-	3	63a	
3	3	3	-	-	-	-	-	-	-	3	3	-	-	-	10	2	8	-	-	63b	
9	8	1	-	-	2	1	1	-	-	1	1	-	-	-	40	24	11	3	2	63c-e	
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	19	8	11	-	-	64	
4	1	3	-	-	1	1	-	-	-	1	-	-	-	-	22	14	6	1	1	65	
1	1	-	-	-	-	-	-	-	-	2	-	2	-	-	1	1	-	-	-	66	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	67	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	68	
1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	2	1	-	-	1	69	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	70	
122	72	47	1	2	8	6	2	-	-	47	29	18	-	-	344	186	140	8	10	71	
4	2	2	-	-	1	1	-	-	-	2	2	-	-	-	18	6	10	-	2	72	
35	17	17	-	1	1	1	-	-	-	10	6	4	-	-	68	33	30	3	2	73	
22	11	11	-	-	-	-	-	-	-	6	4	2	-	-	35	20	14	-	1	73a	
13	6	6	-	1	1	1	-	-	-	4	2	2	-	-	33	13	16	3	1	73b-d	
74	50	23	1	-	6	4	2	-	-	33	21	12	-	-	225	130	85	4	6	74	
71	47	23	1	-	8	3	2	-	-	30	18	12	-	-	203	114	80	4	5	74a	
3	3	-	-	-	1	1	-	-	-	3	3	-	-	-	22	16	5	-	1	74b	
1	-	-	-	1	-	-	-	-	-	2	-	2	-	-	24	13	10	1	-	75	
8	3	5	-	-	-	-	-	-	-	-	-	-	-	-	9	4	5	-	-	76	
20	18	2	-	-	11	9	1	-	1	8	7	1	-	-	73	52	12	8	1		
20	18	2	-	-	11	9	1	-	1	8	7	1	-	-	67	46	12	8	1	77	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	78	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	79	
1,485	763	695	17	10	144	83	52	3	6	641	293	348	-	-	4,557	1,920	2,345	124	148		
16	9	5	-	2	3	2	1	-	-	3	1	2	-	-	35	18	14	2	1	80	
11	5	5	-	1	3	3	-	-	-	8	6	2	-	-	43	19	18	4	2	81	
25	16	9	-	-	3	2	1	-	-	10	7	3	-	-	88	46	39	2	1	82	
1,333	672	639	15	7	129	73	47	2	6	587	267	320	-	-	4,084	1,699	2,138	109	137	83	
1,117	562	535	15	5	115	64	44	2	5	496	229	267	-	-	3,330	1,367	1,749	83	121	83a	
187	94	92	-	1	10	6	2	-	-	85	33	50	-	-	665	305	331	15	14	83b,c	
29	16	12	-	1	3	1	1	-	1	8	5	3	-	-	89	27	59	1	2	83d	
8	5	3	-	-	2	-	1	1	1	1	-	1	-	-	47	18	24	2	3	84	
28	16	11	1	-	-	-	-	-	-	5	1	4	-	-	56	24	26	3	3	85	
4	2	2	-	-	-	-	-	-	-	2	1	1	-	-	5	2	2	1	-	86	
55	37	18	-	-	5	3	2	-	-	22	10	12	-	-	154	76	76	1	1	87	
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	88	
4	1	2	1	-	-	-	-	-	-	3	-	3	-	-	23	18	5	-	-	89	
4,232	2,548	1,598	45	41	502	364	116	15	7	2,431	1,332	1,099	-	-	18,508	10,032	7,540	508	428		
5,905	2,582	1,444	42	37	481	351	109	15	6	2,207	1,216	991	-	-	17,233	9,465	6,896	461	391	90-95	
4	3	-	-	1	1	-	-	-	-	1	-	1	-	-	20	13	1	2	4	90	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
4	3	-	-	1	1	-	1	-	-	1	-	1	-	-	20	13	1	2	4	90b	
18	12	6	-	-	-	-	1	-	-	7	2	5	-	-	33	17	9	5	2	91	
16	10	6	-	-	1	-	1	-	-	7	2	5	-	-	32	16	9	5	2	91a,b	
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	91c	
336	194	128	5	9	50	24	6	-	-	163	86	77	-	-	878	370	443	26	39	92	
26	16	8	-	2	7	6	1	-	-	19	14	5	-	-	78	36	26	10	4	92a	
150	89	56	-	5	10	9	1	-	-	57	29	28	-	-	315	138	147	5	25	92b	
17	6	10	-	1	5	5	-	-	-	9	4	5	-	-	90	34	51	3	2	92c	
125	74	47	1	3	8	4	4	-	-	66	34	32	-	-	341	139	133	5	4	92d	
18	9	7	2	-	-	-	-	-	-	12	5	7	-	-	54	21	26	3	4	92e	
1,585	864	695	14	12	202	133	57	9	3	1,080	528	554	-	-	9,735	4,744	4,470	273	248	93	
27	12	14	1	-	3	3	-	-	-	12	2	10	-	-	108	54	46	6	2	93a	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	8	6	2	-	-	93b	
13	5	8	-	-	2	1	-	1	-	3	-	3	-	-	44	24	19	1	-	93c	
1,351	784	595	12	10	173	111	54	3	3	1,020	505	515	-	-	8,803	4,033	4,018	235	217	93d	
193	112	78	1	2	24	18	3	5	-	45	19	26	-	-	1,072	627	385	31	29	93e	
1,828	1,064	439	14	11	194	158	33	2	1	762	499	263	-	-	5,519	3,797	1,534	126	62	94	
1,466	1,013	428	14	11	191	155	33	2	1	743	488	255	-	-	5,476	3,768	1,522	125	61	94a	
62	51	11	-	-	3	3	-	-	-	19	11	8	-	-	43	29	12	1	1	94b	

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MISSOURI				MONTANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued											
Diseases of the heart (all forms)—Continued											
95	Other diseases of heart—	887	510	301	43	33	234	154	69	7	4
95a	Functional diseases of heart, etc.*	47	25	21	-	1	12	4	8	-	-
95b	Other diseases of heart (rheumatic)	140	80	64	5	11	28	15	12	-	-
95c	Other diseases of heart (not rheumatic)	700	425	218	39	21	194	135	49	6	4
96	Aneurysm (except of heart and aorta)	57	37	15	5	-	2	2	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	855	350	270	20	15	111	66	42	2	1
98	Gangrene	13	8	4	1	-	1	1	-	-	-
99	Other diseases of arteries	61	32	26	2	1	10	9	1	-	-
100	Diseases of veins	36	12	19	1	4	5	1	4	-	-
101	Diseases of lymphatic system	3	1	2	-	-	1	1	-	-	-
102	High blood pressure (idiopathic)	59	26	22	4	7	12	7	5	-	-
103	Other diseases of circulatory system	1	1	-	-	-	1	-	1	-	-
VIII.—Diseases of the respiratory system											
Diseases of nasal fossae, accessory sinuses											
104	Diseases of nasal fossae, accessory sinuses	10	4	3	3	-	-	-	-	-	-
105	Diseases of larynx	3	1	2	-	-	1	-	-	1	-
106	Bronchitis	102	50	45	5	2	12	5	4	2	1
107	Bronchopneumonia (including capillary bronchitis)	983	451	390	63	59	94	53	25	7	9
108	Lobar pneumonia	969	484	336	93	56	72	38	22	5	7
109	Pneumonia (unspecified)	105	44	51	6	4	57	32	8	7	10
109a	Atypical or virus pneumonia	28	10	15	2	1	6	4	2	-	-
109b	Pneumonia (all other, unspecified)	77	34	36	4	3	51	28	6	7	10
110	Pleurisy (not tuberculous)	40	17	14	5	4	4	4	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	185	80	87	12	6	27	15	11	-	1
112	Asthma	66	30	29	4	3	14	8	6	-	-
113	Pulmonary emphysema	12	8	4	-	-	5	4	1	-	-
114	Other diseases of respiratory system (except tuberculosis)	61	44	8	9	-	20	19	1	-	-
114a,b	Silicosis, other forms of pneumoconiosis	7	4	-	3	-	15	15	-	-	-
114a-e	Other diseases of respiratory system (except tuberculosis)	54	40	8	6	-	5	4	1	-	-
IX.—Diseases of the digestive system											
Diseases of buccal cavity and adnexa, etc.*											
115	Diseases of buccal cavity and adnexa, etc.*	44	24	19	2	-	7	4	2	-	1
116	Diseases of esophagus	11	4	4	2	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	244	184	38	17	5	57	23	12	2	-
117a	Ulcer of stomach	151	111	26	11	3	20	13	6	1	-
117b	Ulcer of duodenum	93	73	12	6	2	17	10	6	1	-
118	Other diseases of stomach (except cancer)	45	29	10	4	2	4	3	1	-	-
119	Diarrhea, enteritis, etc.* (under 2 years)	201	102	59	27	13	20	5	4	6	5
120	Diarrhea, enteritis, etc.* (2 years and over)	61	28	23	4	6	7	2	4	-	1
121	Appendicitis	152	83	56	9	4	22	12	9	-	1
122	Hernia and intestinal obstruction	331	153	147	11	20	57	29	22	2	4
122a	Hernia	140	75	57	2	6	26	19	6	1	-
122b	Intestinal obstruction	191	78	90	9	14	31	10	16	1	4
123	Other diseases of intestines	55	26	22	4	3	7	4	3	-	-
124	Cirrhosis of liver	455	271	149	19	16	49	28	20	1	-
124a	Cirrhosis of liver with mention of alcoholism	37	26	11	-	-	7	4	3	-	-
124b	Cirrhosis of liver without mention of alcoholism	418	245	138	19	16	42	24	17	1	-
125	Other diseases of liver	53	22	24	4	3	11	6	5	-	-
126	Biliary calculi	109	33	73	-	3	28	13	14	-	1
127	Other diseases of gallbladder, biliary ducts	103	42	59	2	-	13	7	6	-	-
128	Disease of pancreas (except diabetes mellitus)	32	12	15	3	2	3	2	1	-	-
129	Peritonitis (cause not stated)	32	14	12	5	1	2	2	-	-	-
X.—Diseases of the genito-urinary system											
Acute nephritis											
130	Acute nephritis	69	31	26	6	8	16	11	5	-	-
Chronic nephritis											
131	Chronic nephritis	2,859	1,411	1,153	159	133	236	132	97	3	4
131a	Arteriosclerotic kidney	2,072	1,011	853	116	92	162	95	63	2	2
131b	Other chronic nephritis	787	405	300	43	41	74	37	34	1	2
132	Nephritis unspecified (10 years and over)	143	77	47	10	9	14	11	3	-	-
133	Other diseases of kidneys, ureters, etc.*	132	70	42	7	13	8	4	2	1	1
134	Calculi of urinary passages	43	28	12	3	-	2	2	-	-	-
135	Diseases of urinary bladder	23	13	8	2	-	3	2	-	1	-
136	Diseases of urethra (except calculus)	7	4	-	2	1	-	-	-	-	-
Diseases of prostate											
137	Diseases of prostate	246	227	...	19	...	31	31
137a	Hypertrophy of prostate	205	199	...	16	...	24	24
137b	Other diseases of prostate	41	38	...	3	...	7	7
Diseases of other male genital organs (not venereal)											
138	Diseases of other male genital organs (not venereal)	1	1
Diseases of female genital organs											
139	Diseases of female genital organs	25	...	22	...	3	2	...	2
139a	Diseases of ovaries, fallopian tubes, and parametria	13	...	10	...	3	1	...	1
139b	Diseases of uterus	11	...	11	...	-	1	...	1
139c	Diseases of other female genital organs*	1	...	1	...	-	-	...	-
XI.—Diseases of pregnancy, childbirth, and the puerperium											
Abortion with mention of infection											
140	Abortion with mention of infection	5	...	5	...	-	2	...	2
141	Abortion without mention of infection	3	...	2	...	1	1	...	1
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	-	...	1	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	1	...	1
141d-f	Other abortions (nonseptic)*	2	...	2	...	-	-	...	-
Ectopic gestation											
142	Ectopic gestation	10	...	8	...	2	1	...	1
142a	Ectopic gestation, with mention of infection	2	...	1	...	1	1	...	1
142b	Ectopic gestation, without mention of infection	8	...	7	...	1	-	...	-
Hemorrhage of pregnancy (death before delivery)											
143	Hemorrhage of pregnancy (death before delivery)	-	...	-	...	-	-	...	-
144	Toxemia of pregnancy (death before delivery)	10	...	8	...	2	1	...	1
145	Other diseases of pregnancy (death before delivery)*	4	...	4	...	-	1	...	1
145a	With mention of infection	4	...	4	...	-	1	...	1
145b	Without mention of infection	-	...	-	...	-	-	...	-
146	Hemorrhage of childbirth and puerperium	22	...	21	...	1	3	...	2	...	1
147	Infection during childbirth and puerperium	29	...	25	...	4	2	...	2
148	Puerperal toxemias (excluding death before delivery)	28	...	23	...	5	2	...	2
149	Other accidents and specified conditions of childbirth	11	...	8	...	3	1	...	1
150	Other and unspecified conditions of childbirth and puerperium	7	...	5	...	2	2	...	2

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

481

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Total deaths	NEBRASKA				Total deaths	NEVADA				Total deaths	NEW HAMPSHIRE				Total deaths	NEW JERSEY				Int. List No.	
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
434	245	176	9	4	53	36	11	4	2	194	105	91	-	-	1,048	524	459	49	36	95	
21	10	11	-	-	3	1	2	-	-	5	5	2	-	-	25	8	15	2	-	95a	
25	13	10	-	-	8	2	1	-	2	30	12	18	-	-	375	160	195	8	14	95b	
390	222	155	9	4	45	35	8	4	-	159	88	71	-	-	648	356	231	39	22	95c	
18	15	3	-	-	2	2	-	-	-	8	5	3	-	-	89	57	24	5	5	96	
236	113	121	1	1	14	9	4	-	1	169	99	80	-	-	996	419	537	18	22	97	
6	3	3	-	-	-	-	-	-	-	2	1	1	-	-	6	3	3	-	-	98	
30	16	12	-	2	-	-	-	-	-	15	5	8	-	-	74	38	54	-	2	99	
22	7	15	-	-	1	1	-	-	-	8	2	6	-	-	52	28	19	1	4	100	
15	12	-	2	1	3	-	3	-	-	3	3	-	-	-	56	20	27	5	6	101	
-	1	-	-	-	1	1	-	-	-	1	1	-	-	-	2	2	-	-	-	102	
603	325	249	21	8	84	46	26	7	5	280	163	117	-	-	1,891	974	695	133	89	103	
3	1	2	-	-	1	-	1	-	-	-	-	-	-	-	5	-	4	-	1	104	
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	4	3	1	-	-	105	
39	17	22	-	-	2	2	-	-	-	10	7	3	-	-	100	62	51	3	4	106	
217	114	90	10	3	29	14	11	1	3	120	61	59	-	-	739	363	291	55	29	107	
155	80	44	8	3	25	14	7	3	1	72	52	20	-	-	659	326	221	54	37	108	
79	44	33	1	1	9	5	1	2	1	24	14	10	-	-	112	58	58	11	5	109	
14	8	6	-	-	-	-	-	-	-	3	2	1	-	-	48	25	18	3	2	109a	
65	36	27	1	1	9	5	1	2	1	21	12	9	-	-	84	33	20	8	3	109b	
8	5	3	-	-	3	3	-	-	-	2	-	2	-	-	45	22	16	2	5	110	
70	30	39	1	-	7	2	5	-	-	29	12	17	-	-	113	50	54	5	4	111	
36	24	11	-	1	2	1	-	1	-	13	9	4	-	-	68	39	24	1	4	112	
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	11	8	3	-	-	113	
13	8	4	1	-	6	5	1	-	-	6	5	1	-	-	37	43	12	2	-	114	
1	-	-	1	-	3	3	-	-	-	-	-	-	-	-	13	12	1	-	-	114a,b	
12	8	4	-	-	3	2	1	-	-	6	5	1	-	-	44	31	11	2	-	114c-e	
589	331	244	6	8	94	56	31	3	4	239	153	86	-	-	2,100	1,194	768	71	67		
14	7	7	-	-	5	2	1	-	2	6	2	4	-	-	31	10	18	2	1	115	
3	2	1	-	-	1	1	-	-	-	3	2	1	-	-	8	4	2	1	-	116	
73	58	13	2	-	20	16	3	1	-	40	39	2	-	-	349	293	38	18	-	117	
39	30	8	1	-	9	8	1	1	-	21	20	1	-	-	206	171	23	12	-	117a	
34	28	5	1	-	11	8	2	1	-	19	18	1	-	-	145	122	15	6	-	117b	
9	5	4	-	-	1	1	-	-	-	4	2	2	-	-	21	13	7	-	1	118	
34	14	17	-	3	1	1	1	-	-	24	14	10	-	-	104	45	44	7	8	119	
25	10	13	-	-	7	5	2	-	-	11	5	6	-	-	36	29	25	1	1	120	
54	37	16	1	-	7	5	2	-	-	12	4	8	-	-	183	103	63	10	7	121	
141	74	63	1	3	14	7	4	-	1	49	31	17	-	-	355	154	162	15	24	122	
69	42	25	1	1	5	3	-	-	2	27	21	6	-	-	173	87	73	5	8	122a	
72	32	38	-	2	9	4	4	-	1	21	10	11	-	-	182	67	89	10	16	122b	
22	15	7	-	-	4	2	2	-	-	9	5	4	-	-	65	37	24	2	2	123	
122	74	47	1	-	31	17	13	-	1	46	35	11	-	-	612	394	207	11	10	124	
16	12	4	-	-	5	2	3	-	-	4	4	-	-	-	72	46	25	1	-	124a	
106	62	43	1	-	26	15	10	-	1	42	31	11	-	-	540	338	182	10	10	124b	
12	5	6	-	-	-	-	-	-	-	3	2	1	-	-	62	30	22	4	6	125	
42	11	31	-	-	3	2	1	-	-	12	4	8	-	-	138	45	90	-	3	126	
27	11	15	-	1	5	2	3	-	-	11	4	7	-	-	51	16	33	-	2	127	
8	5	3	-	-	2	1	1	-	-	6	3	3	-	-	33	13	20	-	-	128	
5	5	1	-	1	-	-	-	-	-	4	2	2	-	-	32	18	13	-	1	129	
869	516	338	9	6	77	52	19	4	2	357	175	160	1	1	3,055	1,453	1,264	156	182		
20	14	6	-	-	2	1	-	1	-	2	2	-	-	-	46	24	14	1	7	130	
677	374	292	6	5	59	39	15	3	2	291	147	142	1	1	2,525	1,113	1,130	128	154	131	
558	294	237	6	1	45	29	12	2	2	203	97	104	1	1	2,101	913	943	110	155	131a	
139	80	55	-	4	14	10	3	1	-	88	50	38	-	-	424	200	187	18	19	131b	
41	27	14	-	-	6	4	2	-	-	12	4	8	-	-	88	40	35	6	7	132	
19	10	7	1	1	3	3	-	-	-	9	5	4	-	-	107	54	49	3	1	133	
14	10	4	-	-	-	-	-	-	-	2	2	-	-	-	38	29	8	-	1	134	
5	2	3	-	-	-	-	-	-	-	2	-	2	-	-	25	11	10	3	1	135	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	8	5	-	2	1	136	
81	79	-	2	-	5	5	-	-	-	14	14	-	-	-	190	177	-	13	-	137	
70	68	-	2	-	4	4	-	-	-	12	12	-	-	-	178	166	-	12	-	137a	
11	11	-	-	-	1	1	-	-	-	2	2	-	-	-	12	11	-	1	-	137b	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	138
12	-	12	-	-	2	-	2	-	-	4	-	4	-	-	28	-	18	-	10	139	
6	-	6	-	-	2	-	2	-	-	2	-	2	-	-	17	-	9	-	8	139a	
8	-	6	-	-	-	-	-	-	-	2	-	2	-	-	11	-	9	-	2	139b	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	139c
35	-	34	-	1	5	-	4	-	1	14	-	14	-	-	107	-	94	-	13		
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	11	-	8	-	5	140	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	141	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	141a,c	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	141b	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	141d-f	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	9	-	9	-	-	142	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	142a	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	7	-	7	-	-	142b	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	143	
3	-	3	-	-	2	-	1	-	1	1	-	1	-	-	6	-	4	-	2	144	
2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	3	-	3	-	-	145	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	3	-	-	145A	
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	145B	
9	-	6	-	1	-	-	-	-	-	1	-	1	-	-	13	-	13	-	-	146	
6	-	9	-	-	-	-	-	-	-	2	-	2	-	-	23	-	20	-	3	147	
4	-	6	-	-	2	-	2	-	-	2	-	2	-	-	15	-	13	-	2	148	
1	-	4	-	-	1	-	1	-	-	3	-	3	-	-	15	-	13	-	2	149	
1	-	1	-	-	-	-	-	-	-	3	-	3	-	-	8	-	7	-	1	150	

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	MISSOURI				MONTANA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue-----	27	9	14	1	3	3	2	1	-	-
151	Carbuncle and furuncle-----	2	1	1	-	-	-	-	-	-	-
152	Phlegmon and acute abscess-----	5	3	2	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue-----	20	5	11	1	3	3	2	1	-	-
	XIII.—Diseases of the bones, etc.*-----	24	9	10	2	3	3	2	1	-	-
154	Osteomyelitis and periostitis-----	7	4	2	-	1	1	-	1	-	-
155	Other diseases of bones (except tuberculosis)-----	6	2	3	1	-	1	1	-	-	-
156	Diseases of joints, other organs of movement-----	11	3	5	1	2	1	1	-	-	-
157	XIV.—Congenital malformations-----	526	313	169	12	12	70	38	29	1	2
157a-d	Congenital malformations of central nervous system-----	119	67	49	1	2	12	6	6	-	-
157e,f	Congenital malformations of cardiovascular system-----	297	176	108	8	7	41	22	16	1	2
157g,h,m	Other congenital malformations-----	110	70	32	5	3	17	10	7	-	-
	XV.—Diseases peculiar to the first year of life-----	1,584	804	527	156	95	278	169	89	10	10
158	Congenital debility (cause not stated)-----	48	27	13	6	2	6	-	1	3	2
159	Premature birth (cause not stated)-----	981	478	346	94	73	174	108	55	4	7
160	Injury at birth-----	298	161	100	11	6	52	32	17	2	1
161	Other diseases peculiar to first year of life-----	227	118	68	27	14	46	29	16	1	-
162	XVI.—Senility-----	328	129	162	6	11	61	47	25	6	3
	XVII.—Violent or accidental deaths-----	3,612	2,167	1,058	230	97	647	477	139	23	8
163,164	Suicide-----	480	359	107	15	-	96	77	16	3	-
163	Suicide by poisoning-----	82	44	36	2	-	11	5	5	1	-
164	Suicide by other means-----	398	314	71	13	-	85	72	11	2	-
165-169	Homicide ¹ -----	229	82	33	92	22	14	8	5	1	-
166	Homicide by firearms-----	126	38	12	63	13	10	5	4	1	-
167	Homicide by cutting or piercing instruments-----	45	12	5	21	7	-	-	-	-	-
168	Homicide by other means-----	58	32	16	8	2	4	3	1	-	-
169-195	Accidental deaths-----	2,900	1,727	918	180	75	537	392	118	19	8
169	Railway accidents (except collisions with motor vehicles)-----	85	65	10	10	-	21	19	-	2	-
170	Motor-vehicle accidents-----	816	575	176	55	10	157	115	34	6	2
170a	Collisions between automobiles and trains-----	43	39	4	-	1	8	4	4	-	-
170b	Collisions between automobiles and streetcars-----	7	6	-	1	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	750	519	168	54	9	147	110	28	6	2
170d	Motorcycle accidents (exc. collisions with automobiles)-----	16	12	4	-	-	2	1	1	-	-
171	Streetcar and other road-transport accidents-----	15	10	4	-	1	-	-	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	11	8	3	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents-----	4	2	1	-	1	-	-	-	-	-
172	Water-transport accidents-----	16	13	-	3	-	3	3	-	-	-
173	Air-transport accidents-----	42	36	6	-	-	16	14	2	-	-
174	Accidents in mines and quarries-----	16	15	-	1	-	17	16	-	1	-
175	Agricultural and forestry accidents-----	71	66	2	3	-	42	39	2	1	-
175a-c	Agricultural accidents-----	70	65	2	3	-	35	32	2	1	-
175d,e	Forestry accidents-----	1	1	-	-	-	7	7	-	-	-
176	Other accidents involving machinery-----	27	20	2	5	-	3	3	-	-	-
177	Food poisoning-----	2	1	1	-	-	1	1	-	-	-
178	Accidental absorption of poisonous gas-----	28	18	5	2	3	17	13	3	1	-
179	Acute accidental poisoning by solids or liquids-----	32	19	12	-	1	6	2	2	2	-
180	Conflagration-----	85	41	30	7	7	16	5	7	1	3
181	Accidental burns (except conflagration)-----	184	88	66	15	15	25	17	7	1	1
182	Accidental mechanical suffocation-----	48	23	17	5	3	4	1	1	2	-
183	Accidental drowning-----	156	125	20	8	3	46	39	5	1	1
184	Accidental injury by firearms-----	63	50	3	8	2	19	17	2	-	-
185	Accidental injury by cutting or piercing instruments-----	6	3	-	2	1	-	-	-	-	-
186	Accidental injury by fall or crushing-----	817	330	442	25	20	101	54	45	2	-
186a	Accidental injury by fall-----	811	324	442	25	20	99	52	45	2	-
186b	Accidental injury by crushing-----	6	6	-	-	-	2	2	-	-	-
187	Cataclysm, etc.*-----	31	19	12	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)-----	2	-	2	-	-	1	1	-	-	-
189	Hunger or thirst-----	1	-	1	-	-	-	-	-	-	-
190	Excessive cold-----	9	6	2	1	-	7	7	-	-	-
191	Excessive heat-----	98	58	19	14	7	1	2	1	-	-
192	Lightning-----	13	11	2	-	-	2	2	-	-	-
193	Accidents due to electric currents (except lightning)-----	20	19	1	-	-	6	5	1	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	-	-	-	-	-	1	1	-	-	-
195	Other accidents-----	217	116	85	16	2	25	18	6	-	-
195a	Sequelae of preventive immunization, etc.*-----	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention-----	2	1	1	-	-	-	-	-	-	-
195d	Obstruction, suffocation, etc.*-----	20	8	9	3	-	3	1	2	-	-
195e,e	Other and unspecified accidents-----	195	107	73	13	2	22	17	4	-	-
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	3	-	-	3	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes-----	321	194	103	15	9	112	69	26	7	10
199	Sudden death-----	9	4	3	2	-	3	3	-	7	10
200	Ill-defined and unknown causes-----	312	190	100	13	9	109	66	26	7	3
200a	Ill-defined causes-----	149	91	51	4	3	79	56	18	2	3
200b,c	Unknown or unspecified causes-----	163	99	49	9	6	30	10	8	5	7

*Refer to International List for complete title, table IX, Part I.
¹Includes figures for infanticide (165).

GENERAL TABLES-DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

Total deaths	NEBRASKA				Total deaths	NEVADA				Total deaths	NEW HAMPSHIRE				Total deaths	NEW JERSEY				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7	2	5	-	-	-	-	-	-	-	5	3	2	-	-	36	14	21	1	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	151
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	152
4	-	4	-	-	-	-	-	-	-	5	3	2	-	-	30	12	17	1	-	153
8	6	2	-	-	2	2	-	-	-	5	1	4	-	-	27	16	9	2	-	
3	1	2	-	-	1	1	-	-	-	1	-	1	-	-	3	2	-	1	-	154
3	3	-	-	-	-	-	-	-	-	3	1	2	-	-	13	7	5	1	-	155
2	2	-	-	-	1	1	-	-	-	1	-	1	-	-	11	7	4	-	-	156
197	108	84	2	3	29	12	13	1	3	96	45	51	-	-	591	285	274	19	13	157
42	21	18	1	2	2	-	2	-	-	32	13	19	-	-	206	83	117	4	2	157a-d
113	60	51	1	1	19	8	9	1	1	50	25	25	-	-	254	128	113	5	6	157e,f
42	27	15	-	-	8	4	2	-	2	14	7	7	-	-	131	74	44	10	3	157g,h,m
509	291	208	4	6	74	42	31	-	1	226	135	90	1	-	1,786	940	611	135	100	
12	7	5	-	-	-	-	-	-	-	6	3	3	-	-	24	12	5	4	3	158
335	189	138	2	6	53	28	24	-	1	143	81	61	1	-	1,137	579	364	101	73	159
94	55	39	-	-	9	5	4	-	-	52	37	15	-	-	335	191	117	15	12	160
68	40	26	2	-	12	9	3	-	-	25	14	11	-	-	290	158	105	15	12	161
185	90	94	-	1	12	6	3	2	1	26	12	14	-	-	137	38	89	5	5	162
1,204	680	321	15	8	268	196	48	15	9	471	322	149	-	-	3,065	1,845	944	198	78	
171	148	22	1	-	56	48	7	1	-	76	66	10	-	-	527	372	142	10	3	163,164
19	16	3	-	-	10	8	2	-	-	12	9	3	-	-	176	88	82	3	3	165
162	132	19	1	-	46	40	5	1	-	64	57	7	-	-	351	284	60	7	-	164
28	17	3	6	2	16	10	4	2	-	3	1	2	-	-	141	59	28	44	10	165-168
13	6	2	3	2	13	9	3	1	-	1	-	1	-	-	53	20	12	16	5	166
6	3	3	3	-	2	1	1	1	-	-	-	-	-	-	30	10	3	16	1	167
9	8	1	-	-	1	-	1	-	-	2	1	1	-	-	58	29	13	12	4	168
1,005	695	296	8	6	195	137	37	12	9	392	255	137	-	-	2,397	1,414	774	144	65	163-195
25	20	3	1	1	14	13	-	1	1	4	4	-	-	-	61	46	4	10	1	169
331	244	85	5	1	64	48	11	4	1	105	82	23	-	-	664	496	138	31	9	170
38	30	8	-	-	-	-	-	-	-	4	3	1	-	-	12	9	3	-	-	170a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290	211	75	3	1	62	46	11	4	1	97	75	22	-	-	635	462	132	30	9	170c
3	3	-	-	-	2	2	-	-	-	4	4	-	-	-	19	15	3	1	-	170d
4	4	-	-	-	-	-	-	-	-	1	1	-	-	-	14	11	3	-	-	171
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	9	7	2	-	-	171a
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	5	4	1	-	-	171b
5	5	-	-	-	2	2	-	-	-	8	7	1	-	-	23	23	-	-	-	172
23	19	4	-	-	7	5	2	-	-	9	8	1	-	-	34	27	7	-	-	173
4	4	-	-	-	8	8	-	-	-	-	-	-	-	-	6	3	-	3	-	174
48	46	2	-	-	5	4	1	-	-	11	11	-	-	-	19	18	1	-	-	175
48	46	2	-	-	5	4	1	-	-	10	10	-	-	-	10	10	1	-	-	175a-c
15	12	1	-	-	2	2	-	-	-	1	1	-	-	-	3	2	-	-	-	175d,e
2	2	-	-	-	2	2	-	-	-	2	2	1	-	-	21	21	-	-	-	176
2	2	-	-	-	1	1	-	-	-	2	2	-	-	-	5	3	1	1	-	177
23	19	4	-	-	1	1	-	-	-	10	10	-	-	-	114	56	43	12	3	178
9	4	5	-	-	7	2	5	-	-	2	2	-	-	-	34	19	13	2	-	179
21	12	9	-	-	12	3	2	4	3	14	11	3	-	-	87	29	19	16	23	180
47	24	19	3	-	10	2	3	3	2	16	11	5	-	-	99	48	34	10	7	181
24	15	8	-	-	6	3	3	-	-	6	4	2	-	-	49	30	9	6	4	182
50	41	8	-	-	11	10	1	-	-	30	24	6	-	-	142	104	15	20	3	183
26	23	1	1	-	2	5	1	-	-	10	6	4	-	-	19	19	-	-	-	184
1	1	-	-	-	2	2	-	-	-	1	1	-	-	-	2	1	1	-	-	185
259	154	125	-	-	12	7	3	-	2	136	54	82	-	-	813	356	428	20	9	186
263	128	125	-	-	12	7	3	-	2	134	52	82	-	-	806	352	427	18	9	186a
6	6	-	-	-	-	-	-	-	-	2	2	-	-	-	7	4	1	2	-	186b
17	9	8	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	187
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	189
3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	7	5	1	-	1	190
6	6	-	-	-	1	1	-	-	-	1	1	-	-	-	5	3	2	-	-	191
4	4	-	-	-	-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	192
13	13	-	-	-	3	3	-	-	-	2	2	-	-	-	18	16	1	1	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	32	15	-	-	21	15	5	-	1	18	12	6	-	-	156	86	55	12	5	194
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	195
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	195a
6	4	2	-	-	6	4	1	-	1	8	6	2	-	-	36	20	9	5	2	195b
40	27	13	-	-	15	11	4	-	-	10	6	4	-	-	115	64	41	7	3	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	198
72	47	23	1	1	42	29	10	2	1	28	21	7	-	-	71	42	16	9	4	
5	4	1	-	-	1	1	-	-	-	5	5	-	-	-	6	4	1	-	-	199
67	43	22	-	-	41	26	10	2	1	23	16	7	-	-	55	38	15	9	4	200
49	31	16	1	1	30	23	5	1	1	20	14	6	-	-	49	26	11	8	4	200a
18	12	6	-	-	11	6	5	1	-	3	2	1	-	-	17	12	4	1	-	200b,c

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	NEW MEXICO				NEW YORK					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	5,471	2,966	1,922	322	261	157,734	82,074	66,722	4,799	4,139
	I.—Infectious and parasitic diseases-----	556	282	174	65	65	7,592	4,229	1,767	968	628
1	Typhoid fever-----	2	1	1	-	-	5	2	3	-	-
2	Paratyphoid fever-----	-	-	-	-	-	4	3	1	-	-
3	Plague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	-	-	-	-	-	2	1	1	-	-
6	Cerebrospinal (meningococcus) meningitis-----	2	1	1	-	-	69	27	33	4	5
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	1	1	-	-	-
8	Scarlet fever-----	2	2	-	-	-	5	3	2	-	-
9	Whooping cough-----	35	16	15	1	3	44	16	22	3	3
10	Diphtheria (infection by C. diphtheriae)-----	6	3	3	1	1	24	12	11	-	1
11	Erysipelas-----	-	-	-	-	-	7	3	4	-	-
12	Tetanus-----	1	1	-	-	-	8	6	2	-	-
13-22	Tuberculosis (all forms)-----	330	145	99	46	41	5,286	2,907	1,129	699	461
13	Tuberculosis of respiratory system, etc.*-----	299	131	89	36	33	4,972	2,668	1,049	632	423
14	Tuberculosis of meninges, etc.*-----	22	5	4	8	5	83	32	18	14	19
15	Tuberculosis of intestines and peritoneum-----	6	2	2	2	2	34	7	7	10	10
16	Tuberculosis of vertebral column-----	2	1	-	1	-	46	20	12	9	5
17	Tuberculosis of bones and joints, etc.*-----	-	-	-	-	-	3	2	1	-	-
18	Tuberculosis of skin, etc.*-----	-	-	-	-	-	3	1	2	-	-
19	Tuberculosis of lymphatic system, etc.*-----	1	1	-	-	-	10	3	4	1	2
20	Tuberculosis of genito-urinary system-----	2	1	1	-	-	38	20	12	4	2
21	Tuberculosis of other organs-----	1	1	-	-	-	16	5	7	3	1
22	Disseminated tuberculosis-----	7	4	1	1	1	81	29	17	16	19
23	Leprosy-----	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	2	2	-	-	-	17	10	6	-	1
25	Gonococcus infection-----	1	-	1	-	1	9	3	2	1	3
26	Other diseases due to bacteria (except dysentery)-----	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	25	11	9	4	1	24	16	6	2	-
28	Malaria-----	-	-	-	-	-	3	3	-	-	-
29	Other diseases due to parasitic protozoa, etc.*-----	-	-	-	-	-	1	-	-	1	-
30	Syphilis (all forms)-----	56	28	15	5	8	1,322	723	229	255	115
30a	Locomotor ataxia (tabes dorsalis)-----	3	2	1	-	-	45	32	11	1	1
30b	General paralysis of insane-----	4	2	1	1	-	412	243	69	77	23
30c	Aneurysm of aorta-----	6	4	2	-	-	335	191	55	70	19
30d	Congenital syphilis-----	12	1	3	2	2	27	4	5	9	9
30e, e, g	Syphilis (other forms)-----	31	19	8	2	6	505	253	69	98	63
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	1	-	-	-	1	49	29	17	2	1
33	Influenza-----	55	34	18	1	2	199	98	97	1	3
34	Smallpox-----	1	-	1	-	-	1	-	-	-	-
35	Measles-----	23	3	6	7	7	5	3	1	-	1
36	Poliomyelitis and polioencephalitis (acute)-----	4	2	2	-	-	42	20	19	2	1
37	Acute infectious encephalitis (lethargic)-----	1	-	1	-	-	33	46	35	2	-
38	Other diseases due to filtrable viruses-----	1	-	1	-	-	12	6	4	2	-
39	Typhus fever and typhus-like diseases*-----	1	1	-	-	-	3	2	1	-	-
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease-----	-	-	-	-	-	6	4	2	-	-
42	Other diseases caused by helminths-----	-	-	-	-	-	6	1	5	-	-
43	Mycoses-----	2	1	1	-	-	42	23	16	-	3
44	Other infectious and parasitic diseases-----	2	1	1	-	-	313	191	119	4	10
	II.—Cancer and other tumors-----	450	216	211	6	17	29,369	12,354	11,994	491	530
45-55	Cancer and other malignant tumors-----	426	206	198	6	16	24,771	12,147	11,656	476	492
45	Cancer of buccal cavity and pharynx-----	8	5	3	-	-	699	554	121	22	2
45a	Cancer of lip-----	1	-	-	-	-	57	51	5	1	-
45b	Cancer of tongue-----	3	1	2	-	-	240	195	36	9	-
45c	Cancer of mouth-----	1	1	-	-	-	87	65	16	4	2
45d	Cancer of jaw bone-----	2	1	1	-	-	91	68	23	2	-
45e	Cancer of unspecified parts of buccal cavity-----	-	-	-	-	-	8	7	1	-	-
45f	Cancer of pharynx-----	1	-	-	-	-	216	170	40	6	-
46	Cancer of digestive organs and peritoneum-----	206	119	79	2	6	11,064	5,828	4,821	258	159
46a	Cancer of esophagus-----	4	3	1	-	-	580	410	113	49	8
46b	Cancer of stomach-----	90	82	23	1	4	3,040	1,772	1,141	80	47
46c	Cancer of duodenum-----	3	2	1	-	-	39	23	14	1	1
46d	Cancer of rectum and anus-----	15	6	6	1	-	1,641	1,041	751	27	22
46e	Cancer of intestines, etc.*-----	37	17	20	-	-	3,139	1,400	1,659	39	41
46f	Cancer of liver and biliary passages-----	41	17	23	-	1	1,135	467	627	28	13
46g	Cancer of pancreas-----	16	12	3	-	1	990	567	380	24	19
46h	Cancer of mesentery and peritoneum-----	2	-	2	-	-	200	97	93	5	5
46i	Cancer of other and unspecified sites-----	-	-	-	-	-	100	49	43	5	3
47	Cancer of respiratory system-----	23	13	10	-	-	2,611	2,261	450	82	18
47a	Cancer of larynx-----	2	2	-	-	-	334	297	25	8	4
47b, c	Cancer of trachea and bronchus-----	5	-	3	-	-	830	697	97	32	4
47d	Cancer of lung-----	16	9	7	-	-	1,516	1,194	284	41	9
47e	Cancer of pleura-----	-	-	-	-	-	33	14	19	-	-
47f	Cancer of other respiratory organs-----	-	-	-	-	-	96	69	25	1	-
48	Cancer of uterus-----	50	-	47	-	3	1,694	-	1,556	-	138
48a	Cancer of cervix-----	18	-	17	-	1	992	-	894	-	98
48b	Cancer of other and unspecified sites of uterus-----	32	-	30	-	2	702	-	662	-	40
49	Cancer of other female genital organs-----	11	-	10	-	1	894	-	866	-	28
49a, b	Cancer of ovary, fallopian tube, and parametrium-----	9	-	9	-	9	769	-	766	-	22
49c-e	Cancer of other female genital organs-----	2	-	1	-	1	106	-	100	-	6
50	Cancer of breast-----	22	1	18	-	3	2,604	28	2,489	1	86
51	Cancer of male genital organs-----	32	30	-	2	-	1,302	1,254	-	48	-
51b	Cancer of prostate-----	28	26	-	2	-	1,181	1,140	-	41	-
51a, c-e	Cancer of other male genital organs-----	4	4	-	-	-	121	114	-	7	-
52	Cancer of urinary organs-----	18	11	6	-	1	1,359	896	418	25	20
52a	Cancer of kidney-----	8	4	3	-	1	461	275	173	6	7
52b	Cancer of bladder-----	10	7	3	-	-	888	615	241	19	13
52c	Cancer of other and unspecified sites-----	-	-	-	-	-	10	6	4	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

485

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	NORTH CAROLINA				Total deaths	NORTH DAKOTA				Total deaths	OHIO				Total deaths	OKLAHOMA				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30,187	11,670	8,434	5,358	4,725	5,282	3,145	1,976	75	56	82,284	42,739	33,691	3,244	2,580	19,327	10,136	6,862	1,231	1,098	
1,991	575	327	614	475	199	102	74	9	14	4,276	2,170	1,186	572	348	1,256	596	357	145	159	
7	2	3	2	-	1	-	1	-	-	8	5	3	-	-	7	4	1	1	1	1
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	2	1	1	-	-	-
31	14	4	8	5	6	3	3	-	-	72	35	32	4	1	12	5	2	3	2	2
2	2	-	-	-	1	1	1	-	-	11	6	5	-	-	-	-	-	-	-	-
54	12	9	15	18	7	1	2	1	3	87	34	47	2	4	43	14	19	4	6	9
32	8	8	7	9	5	3	2	-	-	30	10	19	-	-	16	9	1	1	1	10
1	-	-	1	1	1	-	1	-	-	2	2	1	-	-	1	1	-	-	-	11
18	5	4	5	4	4	-	-	-	-	22	11	8	3	3	10	3	3	2	2	12
1,128	310	150	361	307	88	43	29	7	9	2,377	1,167	570	376	264	701	330	184	87	100	13-22
1,047	293	142	328	284	77	39	24	6	8	2,160	1,080	513	353	234	656	316	171	75	94	13
21	4	1	8	7	4	2	-	-	-	59	21	19	11	8	11	3	5	2	2	14
15	-	-	1	1	-	-	-	-	-	30	11	7	5	7	10	3	1	4	2	15
8	2	1	3	2	1	1	-	-	-	31	12	10	6	5	4	2	2	2	1	16
3	1	1	1	-	-	-	-	-	-	8	8	1	-	-	3	-	-	-	-	17
3	1	1	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	18
3	2	1	1	-	-	-	-	-	-	18	14	3	1	1	3	1	-	-	-	19
1	1	-	-	-	-	-	-	-	-	8	6	-	-	1	1	1	-	-	-	20
27	6	4	13	4	5	-	5	-	-	60	15	16	18	11	13	5	4	3	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
17	5	5	4	-	2	1	1	-	-	24	19	3	1	1	12	4	3	1	4	23
7	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	24
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25
1	1	1	1	1	1	1	1	1	1	2	2	1	-	-	1	1	-	-	-	26
2	1	1	1	1	1	1	1	1	1	3	3	2	2	1	19	8	9	-	-	27
286	60	25	131	50	16	13	3	-	-	786	430	144	158	54	179	105	27	28	19	28
7	1	1	1	2	1	1	-	-	-	37	23	5	2	1	4	3	1	6	2	30a
56	14	3	33	3	3	2	1	-	-	215	117	42	44	12	51	33	10	6	2	30b
57	21	11	20	6	8	8	-	-	-	225	127	40	45	13	36	26	4	4	2	30c
30	2	1	17	10	1	1	-	-	-	20	6	6	4	4	11	5	1	4	1	30d
116	19	10	60	27	4	3	-	-	-	269	151	51	63	24	77	38	11	14	14	30e,e,g
-	6	1	1	-	-	-	-	-	-	24	13	9	2	2	2	1	1	-	-	31
272	86	73	53	80	40	18	20	1	1	527	237	230	22	18	193	73	84	15	21	32
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	33
25	6	13	3	3	2	1	1	-	-	31	14	17	-	-	-	-	-	-	-	34
21	13	4	2	2	11	3	5	-	-	47	28	19	-	1	2	2	4	1	-	35
2	1	1	1	1	1	3	5	-	-	31	15	15	-	1	5	4	1	1	-	36
4	2	1	1	-	-	-	-	-	-	10	9	1	-	-	3	1	1	1	-	37
23	1	10	5	1	-	-	-	-	-	2	2	-	-	-	4	1	1	-	-	38
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
1	1	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	40
6	2	1	1	-	-	-	-	-	-	15	12	3	1	2	6	2	3	1	-	41
43	24	11	5	3	7	6	1	-	-	133	82	48	1	2	33	23	11	-	-	42
2,900	989	1,162	280	469	653	367	260	3	3	11,306	5,178	5,528	300	300	2,475	1,114	1,144	79	138	43
2,766	958	1,119	269	420	630	356	268	3	3	10,991	5,067	5,350	292	282	2,387	1,081	1,100	76	130	45-55
102	51	33	9	13	13	11	2	-	-	329	231	59	15	4	105	85	18	-	-	45
10	6	4	-	-	7	5	2	-	-	38	34	3	1	-	15	14	1	-	-	45a
17	10	6	1	-	-	-	-	-	-	78	58	12	7	1	11	11	-	-	-	45b
15	6	4	2	3	-	-	-	-	-	40	31	7	1	1	17	14	2	-	-	45c
20	9	5	3	3	1	1	-	-	-	46	32	12	2	2	21	17	4	-	-	45d
2	1	1	-	-	1	1	-	-	-	10	8	1	-	-	2	2	-	-	-	45e
39	19	13	3	3	4	4	-	-	-	117	87	24	4	2	39	29	9	-	-	45f
1,053	421	368	137	127	322	193	126	3	3	4,786	2,445	2,097	158	86	980	492	416	43	54	46
54	23	15	12	4	3	1	2	-	-	198	133	42	18	5	22	15	5	4	4	46a
374	162	89	68	55	142	99	41	2	2	1,361	816	451	65	29	323	181	108	20	14	46b
4	2	2	-	-	-	-	-	-	-	20	8	11	-	1	8	5	1	2	2	46c
85	36	31	9	9	33	18	15	-	-	631	327	275	17	12	89	48	36	2	3	46d
231	82	101	22	26	74	38	35	1	1	1,333	596	693	26	18	244	102	126	9	7	46e
161	80	70	13	18	34	15	19	-	-	708	274	403	17	14	176	73	93	6	4	46f
106	44	43	8	11	29	17	12	-	-	420	242	164	9	5	97	50	40	4	3	46g
20	6	12	1	1	7	5	2	-	-	68	29	34	4	1	9	6	2	-	-	46h
18	6	5	4	3	-	-	-	-	-	47	20	24	2	1	12	4	5	1	1	46m
197	122	44	25	6	39	29	10	-	-	944	711	182	43	8	157	112	88	5	2	47
14	8	2	-	-	4	4	-	-	-	108	94	11	3	-	12	10	1	1	-	47a
35	22	7	3	3	5	5	-	-	-	293	228	48	19	-	28	24	4	2	-	47b,c
151	80	51	17	3	29	19	10	-	-	808	568	111	21	8	106	70	32	2	2	47d
1	1	-	-	-	-	-	-	-	-	23	20	3	-	-	-	-	-	-	-	47e
16	11	4	1	1	1	1	-	-	-	12	3	9	-	-	10	8	1	1	-	47f
397	...	252	...	145	34	...	33	...	1	1,054	...	982	...	92	302	...	245	...	56	48
164	...	111	...	53	14	...	13	...	1	462	...	415	...	47	102	...	84	...	18	48a
233	...	141	...	92	20	...	20	...	1	892	...									

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	NEW MEXICO				NEW YORK					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
II.—Cancer and other tumors—Continued											
Cancer and other malignant tumors—Continued											
53	Cancer of skin, etc.*	6	2	6	-	-	322	196	122	2	2
54	Cancer of central nervous system*	4	2	2	-	-	516	312	186	9	9
55	Cancer of other and unspecified organs	44	23	17	2	2	1,506	820	627	29	30
56,57	Nonmalignant tumors and tumors of unspecified nature	24	10	13	-	1	598	207	338	15	38
56	Nonmalignant tumors (including dermoid cysts)	11	1	10	-	-	359	89	228	8	34
56a-c	Nonmalignant tumors of female genital organs	6	...	8	...	-	160	...	133	...	27
56d	Nonmalignant tumors of central nervous system*	1	1	-	-	-	114	46	59	6	5
56e	Nonmalignant tumors of other and unspecified organs	2	-	2	-	-	85	43	36	2	4
57	Tumors of unspecified nature	13	9	3	-	1	239	116	110	7	4
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	-	5	...	5	...	-
57d	Tumors, central nervous system* (nature unspecified)	9	6	2	-	1	145	73	63	5	2
57e	Tumors, other organs (nature unspecified)	4	3	1	-	-	89	45	40	2	2
III.—Rheumatism, diseases of nutrition, etc.*											
59	Acute rheumatic fever	89	38	48	-	2	6,758	2,231	4,262	88	177
59a	Acute rheumatic pericarditis	7	1	6	-	-	104	55	41	-	8
59b	Acute rheumatic endocarditis	3	1	2	-	-	4	3	1	-	-
59c	Acute rheumatic myocarditis	1	-	1	-	-	21	9	12	-	-
59d	Other acute rheumatic heart diseases	1	-	-	-	-	25	14	8	-	3
59e,f	Other forms of acute rheumatic fever, etc.*	3	-	3	-	-	13	9	2	-	2
59	Chronic rheumatism, other rheumatic diseases	6	1	4	-	1	141	53	85	1	2
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	45	23	21	-	1	5,993	1,973	3,788	80	152
62	Diseases of pituitary gland	1	1	-	-	-	23	10	12	1	-
63	Diseases of thyroid and parathyroid glands	9	2	7	-	-	313	57	244	2	10
63a	Simple goiter	-	-	-	-	-	10	1	8	-	1
63b	Exophthalmic goiter	6	1	5	-	-	255	44	202	2	7
63c-e	Other diseases of thyroid and parathyroid glands	3	1	2	-	-	48	12	34	-	2
64	Diseases of thymus gland	11	6	5	-	-	81	42	35	2	2
65	Diseases of adrenal glands*	-	-	-	-	-	54	16	35	2	1
66	Other general diseases	-	-	-	-	-	25	8	16	-	1
67	Scurvy	-	-	-	-	-	1	1	-	-	-
68	Beriberi	1	1	-	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	7	3	4	-	-	6	5	2	-	1
70	Rickets	-	-	-	-	-	1	1	-	-	-
71	Other avitaminoses	1	-	1	-	-	13	9	4	-	-
IV.—Diseases of the blood and blood-forming organs											
72	Hemorrhagic conditions	1	-	1	-	-	38	20	18	-	-
73	Anemias (except splenic anemia)	6	5	3	-	-	206	79	119	7	1
73a	Pernicious anemia	7	4	3	-	-	121	45	75	2	1
73b-d	Other anemias (except splenic)	1	1	-	-	-	85	34	46	5	-
74	Leukemias and leukemias	24	16	6	-	-	885	442	414	13	16
74a	Leukemias	23	17	6	-	-	842	422	393	11	16
74b	Leukemias	1	1	-	-	-	43	20	21	2	-
75	Diseases of spleen	-	-	-	-	-	39	12	26	1	-
76	Other diseases of blood and blood-forming organs	-	-	-	-	-	20	8	10	-	2
V.—Chronic poisoning and intoxication											
77	Alcoholism (ethylism)	16	10	1	3	2	300	217	49	26	8
78	Lead poisoning	-	-	-	-	-	4	3	1	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	9	7	1	-	1
VI.—Diseases of the nervous system, etc.*											
80	Encephalitis (nonepidemic)	9	6	3	-	-	61	33	22	5	1
81	Meningitis (not due to meningococcus)	10	4	1	-	4	154	79	49	20	6
82	Diseases of spinal cord (see exceptions)*	5	1	5	-	-	287	151	114	7	5
83	Intracranial lesions of vascular origin	288	143	133	8	4	10,525	4,568	5,570	164	203
83a	Cerebral hemorrhage or effusion*	251	123	117	7	4	8,212	3,478	4,436	135	163
83b,c	Cerebral embolism, thrombosis, and softening	17	10	7	-	-	2,195	1,046	1,083	26	40
83d	Hemiplegia, other paralysis, etc.*	20	10	9	1	-	118	64	51	3	-
84	Mental diseases and deficiency (see exception)*	7	3	4	-	-	122	54	53	6	9
85	Epilepsy	3	5	4	-	-	209	104	97	10	8
86	Convulsions (under 5 years)	3	2	1	-	-	11	5	6	-	-
87	Other diseases of nervous system	5	3	2	-	-	457	222	218	7	10
88	Diseases of organs of vision	-	-	-	-	-	3	1	2	-	-
89	Diseases of ear and mastoid process	7	2	3	1	1	76	50	20	3	3
VII.—Diseases of the circulatory system											
90-95	Diseases of the heart (all forms)	896	582	298	21	15	60,907	33,303	25,251	1,140	1,213
90	Pericarditis (except acute rheumatic)	4	1	3	-	-	35	20	8	4	3
90a	Chronic rheumatic pericarditis	2	-	2	-	-	1	1	-	-	-
90b	Other pericarditis	2	1	1	-	-	34	19	8	4	3
91	Acute endocarditis (except rheumatic)	4	1	1	1	1	87	50	31	4	2
91a,b	Bacterial, acute, and subacute endocarditis	3	1	1	-	-	87	50	31	4	2
91c	Endocarditis (unspecified, under 45 years)	1	-	-	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	97	46	45	4	2	2,989	1,396	1,413	52	38
92a	Diseases of aortic valve, etc.*	6	2	4	-	-	213	128	75	9	1
92b	Diseases of mitral valve, etc.*	40	18	19	3	-	1,118	508	571	16	23
92c	Chronic rheumatic endocarditis, etc.*	7	2	5	-	-	286	128	146	6	6
92d	Other chronic endocarditis, etc.*	36	20	14	1	1	1,210	597	585	20	8
92e	Endocarditis (unspecified, 45 years and over)	8	4	3	-	1	72	35	36	1	-
93	Diseases of the myocardium	533	175	143	8	7	37,916	18,489	17,765	765	917
93a	Acute myocarditis (except rheumatic)	9	4	4	1	-	210	112	98	3	2
93b	Myocarditis (unspecified, under 45 years)	1	1	-	-	-	12	7	4	-	1
93c	Chronic rheumatic myocarditis, etc.*	5	3	2	-	-	156	65	80	7	4
93d	Other chronic myocarditis, etc.*	292	153	125	7	7	36,961	17,889	17,320	748	904
93e	Other myocarditis (unspecified)	26	14	12	-	-	577	296	268	7	6
94	Diseases of coronary arteries, angina pectoris	337	262	66	7	2	17,649	12,293	4,945	239	172
94a	Diseases of coronary arteries	321	248	64	7	2	17,547	12,216	4,921	239	171
94b	Angina pectoris	16	14	2	-	-	102	77	24	-	1

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

487

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Total deaths	NORTH CAROLINA				Total deaths	NORTH DAKOTA				Total deaths	OHIO				Total deaths	OKLAHOMA				Int. List No.	
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
78	42	35	-	3	14	12	2	-	-	171	114	57	-	-	82	50	31	-	1	53	
75	37	32	4	2	20	15	5	-	-	182	90	86	4	2	36	27	7	-	2	54	
239	114	74	21	30	41	26	15	-	-	893	420	422	32	19	188	96	81	2	9	55	
134	51	45	11	49	23	11	12	-	-	315	111	178	8	18	88	33	44	3	8	56,57	
83	13	26	5	39	14	3	11	-	-	201	51	132	3	15	36	7	22	1	6	56	
44	...	11	...	33	4	...	4	98	...	90	...	8	23	...	19	...	4	56a-c	
23	7	10	3	3	8	1	7	-	-	63	33	24	1	5	4	2	-	-	2	56d	
16	6	5	2	3	2	2	-	-	-	40	18	18	2	2	9	5	3	1	1	56e	
51	18	17	6	10	9	8	1	-	-	114	60	46	5	3	52	26	22	2	2	57	
3	...	2	...	1	-	...	-	3	...	3	...	-	1	...	1	...	-	57a-c	
35	14	8	5	8	7	7	-	-	-	71	41	28	-	2	34	17	15	1	1	57d	
13	4	7	1	1	2	1	1	-	-	40	19	15	5	1	17	9	6	1	1	57e	
618	254	327	88	149	174	73	97	-	4	2,884	987	1,759	44	94	514	189	263	22	40		
56	8	8	10	10	5	1	4	-	-	55	25	22	6	2	9	2	4	1	2	58	
5	1	-	2	2	2	1	1	-	-	4	2	1	1	1	-	-	-	-	2	58a	
2	1	-	2	2	2	1	2	-	-	21	9	12	1	1	2	-	-	-	2	58b	
7	3	1	7	1	1	1	1	-	-	9	3	3	1	3	2	2	2	1	-	58c	
22	3	7	6	6	6	2	5	-	-	13	9	3	3	1	6	2	2	1	-	58d	
47	12	26	6	3	7	2	5	-	-	120	34	61	3	2	38	13	23	1	1	58e,f	
...	59
575	199	222	54	100	147	60	83	-	4	2,331	826	1,399	29	77	368	147	180	15	26	61	
3	1	1	1	1	1	1	1	-	-	8	1	5	-	2	3	1	2	-	-	62	
47	6	24	2	15	6	2	4	-	-	256	43	202	1	10	57	7	24	1	5	63	
4	-	2	2	2	-	-	-	-	-	11	2	8	-	1	2	5	1	1	-	63a	
35	3	19	2	11	2	2	2	-	-	222	33	179	1	9	32	22	1	1	4	63b	
8	3	3	3	3	4	2	2	-	-	23	8	15	4	1	3	2	1	3	-	63c-e	
23	9	6	7	1	5	5	1	-	-	55	33	18	3	1	15	7	5	3	-	64	
2	8	4	3	3	2	2	1	-	-	31	10	20	1	3	3	-	-	-	-	65	
18	8	4	3	3	2	2	-	-	-	16	7	8	1	1	13	7	5	-	1	66	
2	1	-	1	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	67	
1	10	32	3	12	-	-	-	-	-	6	4	2	-	-	27	4	17	1	5	68	
57	-	2	2	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	69	
2	1	2	2	2	-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	70	
5	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	71	
230	97	84	23	26	62	39	21	2	-	670	332	312	14	12	182	87	74	10	11		
15	9	3	2	1	2	2	-	-	-	26	14	10	2	-	12	6	5	1	-	72	
59	20	12	12	15	19	12	6	1	-	184	79	97	4	4	41	17	15	2	7	73	
27	8	7	7	5	13	8	4	1	-	110	46	62	2	-	23	8	11	-	4	73a	
32	12	5	5	10	6	4	2	-	-	74	33	35	2	4	18	9	4	2	3	73b-d	
135	57	59	9	10	40	24	15	1	-	416	219	186	5	6	112	59	44	7	2	74	
131	55	57	9	10	38	23	14	1	-	405	214	180	5	6	111	59	44	6	2	74a	
4	2	2	-	-	2	1	1	-	-	11	5	6	-	-	1	-	-	1	-	74b	
11	7	4	-	-	1	1	-	-	-	27	11	13	1	2	11	5	5	-	1	75	
10	4	6	-	-	-	-	-	-	-	17	9	6	2	-	6	-	5	-	1	76	
102	70	3	28	4	13	12	1	-	-	116	84	18	8	6	23	15	4	3	1		
94	63	2	25	4	13	12	1	-	-	106	78	15	7	6	21	13	4	3	-	77	
8	7	1	-	-	-	-	-	-	-	8	4	-	1	-	2	2	-	-	-	78	
...	79	
3,773	1,273	1,143	661	696	594	323	268	3	-	9,335	4,273	4,481	280	301	2,287	1,180	884	119	124		
36	13	11	3	9	9	6	3	-	-	60	38	14	6	2	26	17	8	-	1	80	
47	15	6	17	9	8	2	5	1	-	95	47	33	9	6	34	18	13	3	-	81	
40	19	17	4	17	10	7	7	-	-	140	74	61	4	1	44	22	20	-	2	82	
3,369	1,148	1,058	564	599	516	276	239	1	-	3,485	3,836	4,127	243	279	2,025	1,031	778	105	111	83	
3,092	1,034	956	537	563	465	247	217	1	-	7,396	3,304	3,632	211	249	1,772	895	667	93	97	83a	
213	94	80	16	23	41	23	18	-	-	1,000	487	456	30	27	125	67	48	5	5	83b,c	
64	20	22	11	10	6	6	4	-	-	89	45	39	2	3	128	69	43	7	9	83d	
75	7	12	22	34	6	4	1	1	-	63	27	29	3	4	49	19	22	4	4	84	
108	27	17	33	31	11	5	6	-	-	169	83	72	11	3	40	21	13	4	2	85	
19	7	4	4	4	3	-	3	-	-	8	5	3	-	-	6	-	1	1	4	86	
66	27	18	14	7	23	19	4	-	-	273	136	127	4	6	53	27	25	1	-	87	
1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	88	
12	10	-	-	2	1	1	-	-	-	41	27	14	-	-	10	5	4	1	-	89	
7,969	3,584	2,276	1,083	1,048	1,679	1,083	569	17	10	28,338	15,816	11,008	821	693	5,449	3,222	1,767	268	192		
7,492	3,402	2,126	992	972	1,548	1,007	515	16	10	26,213	14,743	10,033	793	644	5,005	2,991	1,596	255	173	90-95	
5	2	-	1	2	3	2	1	-	-	21	11	6	4	-	5	2	-	3	-	90	
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	90a	
4	1	-	1	2	3	2	1	-	-	19	10	5	4	-	5	-	-	3	-	90b	
33	10	6	8	9	5	2	3	-	-	59	33	17	5	4	8	4	2	1	1	91	
30	9	6	7	8	4	2	2	-	-	53	31	14	5	3	7	4	2	-	1	91a,b	
3	1	-	1	1	1	-	1	-	-	8	2	3	-	1	1	-	-	-	-	91c	
592	213	154	105	120	116	59	51	3	3	2,064	945	955	75	89	344	158	139	21	26	92	
50	18	7	9	16	10	5	5	-	-	159	81	58	8	2	49	21	22	3	3	92a	
270	97	72	49	52	43	19	22	-	2	988	414	490	38	46	130	58	51	8	13	92b	
32	6	11	9	6	3	3	2	-	-	144	63	67	3	11	14	5	8	-	1	92c	
235	91	64	36	44	24	16	8	3	1	649	314	292	18	25	114	53	49	7	5	92d	
5	1	-	2	2	14	9	8	-	-	124	83	48	8	5	37	21	9	3	4	92e	
3,286	1,283	1,085	465	503	674	390	280	3	1	12,647	6,175	5,694	412	376	1,790	925	681	102	82	93	
62	18	17	14	13	15	10	5	-	-	193	90	81	12	10	53	29	16	4	4	93a	
9	3	1	3	2	1	1	-	-	-	10	4	3	2	1	5	5	-	-	-	93b	
27	10	13	2	2	5	-	5	-	-	88	43	39	2	1	11	6	5	-	-	93c	
2,995	1,142	985	416	480	584	339	242	3	-	11,477	5,548	5,212	370	347	1,415	737	531	84	63	93d	
195	80	49	30	36	40	23	23	-	-	362	490	349	26	17	306	148	129	14	15	93e	
2,469	1,462	621	218	168																	

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	NEW MEXICO				NEW YORK					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued											
Diseases of the heart (all forms)—Continued											
95	Other diseases of heart	121	77	40	1	3	2,321	1,075	1,089	76	81
95a	Functional diseases of heart, etc.*	4	4	-	-	-	37	15	21	-	-
95b	Other diseases of heart (rheumatic)	31	15	16	-	2	1,298	518	658	62	62
95c	Other diseases of heart (not rheumatic)	86	60	24	1	1	866	541	412	14	19
96	Aneurysm (except of heart and aorta)	-	-	-	-	-	342	226	94	10	12
97	Arteriosclerosis (except coronary or renal sclerosis)	41	25	15	1	-	2,924	1,368	1,461	44	50
98	Gangrene	2	2	-	-	-	8	4	4	-	-
99	Other diseases of arteries	6	3	2	1	-	189	100	85	3	1
100	Diseases of veins	5	3	2	-	-	140	66	69	-	4
101	Diseases of lymphatic system	-	-	-	-	-	3	1	1	1	-
102	High blood pressure (idiopathic)	3	1	2	-	-	80	51	37	5	7
103	Other diseases of circulatory system	-	-	-	-	-	5	3	2	-	-
VIII.—Diseases of the respiratory system											
104	Diseases of nasal fossae, accessory sinuses	11	5	4	2	-	30	14	14	1	1
105	Diseases of larynx	-	-	-	-	-	31	20	10	1	-
106	Bronchitis	19	13	5	1	-	308	184	111	10	3
107	Bronchopneumonia (including capillary bronchitis)	180	76	64	20	20	2,704	1,360	1,101	139	104
108	Lobar pneumonia	134	87	55	9	3	2,409	1,379	923	131	76
109	Pneumonia (unspecified)	81	34	19	5	3	154	95	53	3	3
109A	Atypical or virus pneumonia	2	-	-	1	1	44	30	14	-	-
109B	Pneumonia (all other, unspecified)	59	34	19	4	2	110	65	39	3	3
110	Pleurisy (not tuberculous)	3	3	-	-	-	127	80	37	5	5
111	Hemorrhagic infarction, thrombosis, edema*	8	5	3	-	-	182	82	89	5	6
112	Asthma	18	11	7	-	-	187	102	66	10	9
113	Pulmonary emphysema	-	-	-	-	-	43	37	5	1	-
114	Other diseases of respiratory system (except tuberculosis)	14	11	3	-	-	137	95	32	7	3
114a,b	Silicosis, other forms of pneumoconiosis	5	5	-	-	-	23	20	-	3	-
114c-e	Other diseases of respiratory system (except tuberculosis)	9	6	3	-	-	114	75	32	4	3
IX.—Diseases of the digestive system											
115	Diseases of buccal cavity and adnexa, etc.*	6	2	3	-	1	109	47	43	9	10
116	Diseases of esophagus	1	1	-	-	-	21	8	10	3	-
117	Ulcer of stomach or duodenum	20	17	3	-	-	1,139	903	194	34	8
117a	Ulcer of stomach	18	15	3	-	-	706	549	123	27	7
117b	Ulcer of duodenum	2	2	-	-	-	433	354	71	7	1
118	Other diseases of stomach (except cancer)	8	6	2	-	-	44	32	9	1	2
119	Diarrhea, enteritis, etc.* (under 2 years)	181	95	50	24	12	375	193	132	27	23
120	Diarrhea, enteritis, etc.* (2 years and over)	14	4	6	1	3	160	75	77	3	5
121	Appendicitis	34	19	14	-	1	491	263	194	19	15
122	Hernia and intestinal obstruction	46	20	23	2	1	1,214	563	577	34	40
122a	Hernia	13	8	4	1	-	639	326	283	16	12
122b	Intestinal obstruction	33	12	19	1	1	575	235	294	18	28
123	Other diseases of intestines	4	4	-	-	-	217	112	96	6	3
124	Cirrhosis of liver	35	16	17	1	1	2,141	1,311	740	48	42
124a	Cirrhosis of liver with mention of alcoholism	4	3	-	-	1	438	303	116	12	7
124b	Cirrhosis of liver without mention of alcoholism	31	13	17	1	-	1,703	1,008	624	36	35
125	Other diseases of liver	7	3	3	-	1	151	79	63	4	5
126	Biliary calculi	17	7	9	-	1	522	181	336	1	4
127	Other diseases of gallbladder, biliary ducts	17	4	12	1	-	256	106	143	2	3
128	Diseases of pancreas (except diabetes mellitus)	5	2	2	-	1	115	50	51	8	6
129	Peritonitis (cause not stated)	5	5	2	-	-	69	35	28	2	4
X.—Diseases of the genito-urinary system											
130	Acute nephritis	16	11	2	1	2	93	59	24	4	6
131	Chronic nephritis	187	114	68	3	2	5,830	2,761	2,692	181	196
131a	Arteriosclerotic kidney	117	68	46	1	2	4,592	2,125	2,159	146	162
131b	Other chronic nephritis	70	46	22	2	-	1,238	636	533	35	34
132	Nephritis unspecified (10 years and over)	24	17	6	-	1	115	63	46	2	4
133	Other diseases of kidneys, ureters, etc.*	9	3	6	-	-	318	162	129	16	12
134	Calculi of urinary passages	4	3	1	-	-	168	114	52	1	2
135	Diseases of urinary bladder	5	3	2	-	-	45	21	22	1	1
136	Diseases of urethra (except calculus)	1	-	1	-	-	29	22	2	5	-
137	Diseases of prostate	24	22	...	2	...	712	689	...	23	...
137a	Hypertrophy of prostate	20	18	...	2	...	664	641	...	23	...
137b	Other diseases of prostate	4	4	48	48
138	Diseases of other male genital organs (not venereal)	-	-	1	1
139	Diseases of female genital organs	7	...	6	...	1	95	...	73	...	22
139a	Diseases of ovaries, fallopian tubes, and parametria	3	...	2	...	1	50	...	35	...	15
139b	Diseases of uterus	3	...	3	...	-	41	...	34	...	7
139c	Diseases of other female genital organs*	1	...	1	...	-	4	...	4	...	-
XI.—Diseases of pregnancy, childbirth, and the puerperium											
140	Abortion with mention of infection	1	...	1	...	-	33	...	21	...	12
141	Abortion without mention of infection	4	...	4	...	-	20	...	13	...	7
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	1	...	-	4	...	4	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	8	...	3	...	5
141d-f	Other abortions (nonseptic)*	2	...	2	...	-	8	...	6	...	2
142	Ectopic gestation	2	...	2	...	-	27	...	21	...	6
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	8	...	8	...	-
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	19	...	13	...	6
143	Hemorrhage of pregnancy (death before delivery)	1	...	1	...	-	2	...	2	...	-
144	Toxemia of pregnancy (death before delivery)	1	...	1	...	-	16	...	11	...	5
145	Other diseases of pregnancy (death before delivery)*	4	...	4	...	-	18	...	14	...	4
145A	With mention of infection	3	...	3	...	-	13	...	11	...	2
145B	Without mention of infection	1	...	1	...	-	5	...	3	...	2
146	Hemorrhage of childbirth and puerperium	12	...	7	...	5	50	...	42	...	8
147	Infection during childbirth and puerperium	9	...	7	...	2	67	...	59	...	8
148	Puerperal toxemia (excluding death before delivery)	4	...	4	...	-	31	...	29	...	2
149	Other accidents and specified conditions of childbirth	3	...	2	...	1	43	...	41	...	2
150	Other and unspecified conditions of childbirth and puerperium	1	...	1	...	-	18	...	15	...	3

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

489

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	NORTH CAROLINA				Total deaths	NORTH DAKOTA				Total deaths	OHIO				Total deaths	OKLAHOMA				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,107	462	280	195	170	156	99	51	3	3	1,931	1,087	719	68	57	802	441	251	74	36	95
23	11	10	1	1	8	7	1	-	-	50	28	20	1	1	42	22	18	1	1	95a
105	34	43	14	14	16	12	4	-	-	360	186	154	10	10	64	34	25	2	2	95b
979	417	227	180	155	132	80	46	3	3	1,521	873	545	57	46	696	385	207	71	53	95c
27	14	5	4	4	3	1	2	-	-	124	78	32	6	8	20	11	9	-	-	96
331	108	107	69	47	82	53	39	-	-	1,665	845	798	14	28	290	157	118	6	9	97
10	4	3	1	2	2	-	1	1	1	25	15	8	1	1	11	4	5	1	1	98
37	12	10	10	5	14	11	3	-	-	123	57	62	3	1	54	18	14	2	-	99
23	10	9	2	2	3	2	1	-	-	96	43	47	1	5	18	9	8	1	-	100
2	-	-	-	2	1	1	-	-	-	2	1	1	-	2	1	1	1	-	-	101
40	11	16	4	9	16	8	8	-	-	58	25	25	3	5	63	28	25	3	7	102
7	3	-	1	3	-	-	-	-	-	12	9	2	-	1	6	3	1	-	2	103
1,638	514	442	376	306	265	155	100	4	6	3,783	1,959	1,472	201	151	1,048	485	388	90	87	
15	3	2	5	5	3	2	1	-	-	14	9	6	-	-	9	5	3	1	-	104
14	8	3	2	1	2	2	-	-	-	15	4	1	1	1	6	4	2	-	-	105
76	24	33	11	8	21	18	3	-	-	210	105	95	3	7	51	27	22	1	1	106
640	184	170	160	126	89	38	47	-	4	1,664	802	704	89	69	298	121	113	27	37	107
508	176	114	114	104	73	46	25	2	-	1,041	574	357	66	44	226	104	77	25	20	108
161	45	30	48	38	31	20	8	2	1	254	156	101	10	7	264	133	79	32	20	109
46	18	14	10	4	7	5	2	-	-	81	47	33	1	-	23	16	7	-	-	109a
115	27	16	38	34	24	15	6	2	1	173	89	68	9	7	241	117	72	32	20	109b
23	7	5	9	2	5	4	1	-	-	71	35	26	7	3	7	2	4	1	-	110
39	30	49	8	12	24	13	11	-	-	246	107	117	16	6	114	46	58	2	8	111
64	18	24	14	8	10	8	2	-	-	140	84	58	7	11	41	22	19	-	-	112
4	2	2	-	-	1	-	-	-	1	23	21	1	-	1	5	2	3	-	-	113
34	17	10	5	2	6	4	2	-	-	105	78	23	2	2	27	17	8	1	1	114
1	1	-	-	-	-	-	-	-	-	57	57	-	-	-	3	3	-	-	-	114a,b
53	16	10	5	2	6	4	2	-	-	48	21	23	2	2	24	14	8	1	1	114c-e
1,046	421	264	190	171	217	120	87	7	3	3,247	1,764	1,262	128	93	825	409	291	64	59	
52	18	16	8	10	3	-	3	-	-	78	36	34	3	5	40	22	14	4	-	115
4	2	-	1	1	1	-	1	-	-	11	5	6	-	-	5	3	1	1	1	116
119	65	15	29	10	33	28	5	-	-	401	289	80	13	9	106	77	21	8	2	117
80	46	13	23	8	25	20	5	-	-	255	183	56	10	6	76	53	14	7	1	117a
29	19	2	6	2	8	8	-	-	-	146	118	24	3	3	32	24	7	-	-	117b
35	15	6	6	8	5	4	1	-	-	38	23	9	3	3	51	20	16	1	7	117c
156	60	28	38	30	25	11	10	2	2	175	97	59	12	7	59	24	17	11	7	118
60	18	11	11	20	5	4	1	-	-	95	47	41	2	3	36	16	14	-	6	120
96	32	21	26	17	22	16	6	-	-	242	140	81	10	11	91	41	38	5	6	121
169	55	46	31	37	41	21	18	2	-	603	271	284	29	19	149	69	58	10	12	122
56	21	14	13	8	16	9	6	1	-	266	139	114	10	3	51	26	21	2	2	122a
113	34	32	18	29	25	12	12	-	-	337	132	170	19	16	98	43	37	8	10	122b
23	9	7	5	2	6	4	1	1	-	114	56	50	4	4	25	11	10	2	2	123
169	93	43	19	13	26	17	9	-	-	874	564	259	30	21	114	70	32	9	3	124
12	7	2	3	-	3	3	-	-	-	103	68	27	3	5	5	5	1	-	-	124a
156	86	41	16	13	23	14	9	-	-	771	496	252	27	16	108	65	31	9	3	124b
49	16	18	9	6	10	4	6	-	-	113	51	49	8	5	17	10	4	1	1	125
36	13	19	-	4	24	7	16	-	1	246	74	169	1	2	50	19	27	-	4	126
42	11	24	2	5	13	3	9	1	-	133	39	90	4	-	54	19	26	3	6	127
20	10	5	3	2	2	1	1	-	-	74	34	31	7	2	11	4	7	-	1	128
17	4	5	2	6	1	-	1	-	-	92	28	20	2	2	13	4	7	1	1	129
2,810	985	745	558	522	308	185	120	2	1	5,406	2,830	2,152	201	215	1,243	672	384	110	77	
91	26	13	20	32	5	2	3	-	-	77	40	29	4	4	45	21	13	3	8	130
2,370	800	662	459	449	198	92	104	1	1	4,405	2,139	1,932	163	172	811	409	278	74	50	131
1,377	634	540	342	361	142	64	78	-	-	3,481	1,661	1,564	121	135	560	271	215	47	27	131a
493	186	122	117	88	56	28	26	1	1	925	478	368	42	37	251	138	63	27	25	131b
116	42	29	29	16	20	14	5	1	-	140	78	41	9	14	171	92	49	18	12	132
44	13	17	10	4	12	9	3	-	-	186	96	70	9	11	44	21	20	1	2	133
33	15	11	5	2	9	8	1	-	-	67	40	22	-	5	32	21	10	-	1	134
14	5	5	1	3	6	3	3	-	-	34	21	10	3	-	3	2	-	1	-	135
7	2	-	-	-	2	2	-	-	-	16	13	1	2	-	6	5	-	1	-	136
111	82	...	29	...	55	55	424	413	...	11	...	113	101	...	12	...	137
93	67	...	26	...	38	38	380	369	...	11	...	89	79	...	10	...	137a
18	15	...	3	...	17	17	44	44	...	-	...	24	22	...	2	...	137b
-	-	...	-	...	-	-	-	-	...	-	...	-	-	...	-	...	138
24	...	8	...	16	1	...	1	56	...	47	...	9	18	...	14	...	4	139
18	...	3	...	15	1	...	1	21	...	13	...	8	11	...	8	...	3	139a
5	...	4	...	1	-	...	-	35	...	34	...	1	5	...	5	...	-	139b
1	...	1	...	-	-	...	-	-	...	-	...	-	2	...	1	...	1	139c
192	...	90	...	102	19	...	18	...	1	237	...	213	...	24	89	...	66	23
18	...	9	...	10	-	...	-	...	-	20	...	16	...	4	6	...	4	...	2	140
4	...	4	...	-	1	...	-	...	1	7	...	7	...	-	2	...	4	...	1	141
3	...	3	...																	

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the skin and cellular tissue-----	5	2	3	-	-	98	26	50	4	6
151	Carbuncle and furuncle-----	-	-	-	-	-	1	-	1	-	-
152	Phlegmon and acute abscess-----	1	-	1	-	-	6	5	1	-	-
153	Other diseases of skin and cellular tissue-----	4	2	2	-	-	81	23	46	4	6
	XIII.—Diseases of the bones, etc.*-----	1	1	-	-	-	81	45	29	4	3
154	Osteomyelitis and periostitis-----	1	1	-	-	-	21	11	7	2	1
155	Other diseases of bones (except tuberculosis)-----	-	-	-	-	-	29	14	13	1	1
156	Diseases of joints, other organs of movement-----	-	-	-	-	-	31	20	9	1	1
157	XIV.—Congenital malformations-----	101	52	40	4	5	2,059	1,058	906	56	39
157a-d	Congenital malformations of central nervous system-----	27	17	10	-	-	735	340	370	15	10
157e,f	Congenital malformations of cardiovascular system-----	43	21	19	1	2	864	443	369	28	24
157g,h,m	Other congenital malformations-----	31	14	11	3	3	460	275	167	13	5
	XV.—Diseases peculiar to the first year of life-----	514	286	186	25	17	5,376	2,804	1,985	329	260
158	Congenital debility (cause not stated)-----	31	11	11	4	5	40	28	9	2	-
159	Premature birth (cause not stated)-----	335	189	125	14	7	3,366	1,669	1,259	236	202
160	Injury at birth-----	89	52	32	2	3	1,207	674	448	50	35
161	Other diseases peculiar to first year of life-----	59	34	18	5	2	763	432	267	41	23
162	XVI.—Senility-----	51	27	26	5	3	155	53	98	3	1
	XVII.—Violent or accidental deaths-----	583	422	106	43	12	10,746	6,519	3,379	612	236
163,164	Suicide-----	43	34	7	1	1	1,758	1,173	522	46	17
163	Suicide by poisoning-----	6	3	2	-	1	593	298	273	13	9
164	Suicide by other means-----	37	31	5	1	-	1,165	875	249	33	8
165-168	Homicide ¹ -----	47	32	12	2	1	457	178	60	167	52
166	Homicide by firearms-----	21	14	5	2	-	174	77	22	63	12
167	Homicide by cutting or piercing instruments-----	12	11	1	-	-	161	34	15	85	29
168	Homicide by other means-----	14	7	6	-	1	122	67	25	19	11
169-195	Accidental deaths-----	493	356	87	40	10	8,519	5,164	2,797	391	167
169	Railway accidents (except collisions with motor vehicles)-----	15	9	2	4	-	144	125	14	5	-
170	Motor-vehicle accidents-----	193	141	36	11	5	2,094	1,531	460	78	25
170a	Collisions between automobiles and trains-----	9	4	5	-	-	55	40	15	-	-
170b	Collisions between automobiles and streetcars-----	-	-	-	-	-	1	1	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	183	136	33	11	3	2,003	1,459	442	77	26
170d	Motorcycle accidents (exc. collisions with automobiles)-----	1	1	-	-	-	35	31	3	1	-
171	Streetcar and other road-transport accidents-----	1	1	-	-	-	125	100	11	15	1
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	-	-	-	-	-	109	85	10	13	1
171b	Other and unspecified road-transport accidents-----	1	1	-	-	-	16	15	1	-	-
172	Water-transport accidents-----	2	2	-	-	-	115	102	5	8	-
173	Air-transport accidents-----	13	13	-	-	-	147	100	45	2	-
174	Accidents in mines and quarries-----	12	12	-	-	-	14	12	1	-	1
175	Agricultural and forestry accidents-----	23	20	-	2	1	88	84	3	1	-
175a-c	Agricultural accidents-----	20	17	-	2	1	79	75	3	1	-
175d,e	Forestry accidents-----	3	3	-	-	-	9	9	-	-	-
176	Other accidents involving machinery-----	6	6	-	-	-	78	66	3	9	-
177	Food poisoning-----	9	5	4	-	-	11	6	2	1	2
178	Accidental absorption of poisonous gas-----	12	10	2	-	-	366	217	129	16	4
179	Acute accidental poisoning by solids or liquids-----	7	4	2	1	-	108	52	45	5	6
180	Conflagration-----	15	9	5	1	-	198	102	51	20	25
181	Accidental burns (except conflagration)-----	22	14	5	-	3	303	147	124	18	14
182	Accidental mechanical suffocation-----	8	4	2	1	1	137	74	41	7	15
183	Accidental drowning-----	34	23	5	6	-	621	480	74	60	7
184	Accidental injury by firearms-----	21	18	2	3	-	64	51	7	5	1
185	Accidental injury by cutting or piercing instruments-----	1	1	-	-	-	18	13	2	3	-
186	Accidental injury by fall or crushing-----	41	25	13	3	-	3,050	1,388	1,554	84	44
186a	Accidental injury by fall-----	39	23	13	3	-	3,025	1,349	1,551	81	44
186b	Accidental injury by crushing-----	2	2	-	-	-	25	19	3	3	-
187	Cataclysm, etc.*-----	3	3	-	-	-	1	1	-	-	-
188	Injury by animals (except in agriculture and forestry)-----	2	1	-	1	-	3	2	1	-	-
189	Hunger or thirst-----	2	-	-	-	-	2	2	-	-	-
190	Excessive cold-----	4	2	-	2	-	9	4	4	-	1
191	Excessive heat-----	1	1	-	-	-	15	13	1	1	-
192	Lightning-----	3	3	-	-	-	14	10	4	-	-
193	Accidents due to electric currents (except lightning)-----	8	8	-	-	-	41	37	5	1	-
194	Poisoning by venomous animals (except in agriculture and forestry) ² -----	2	1	1	-	-	1	1	1	-	-
195	Other accidents-----	35	22	6	5	2	752	465	212	54	21
195a	Sequelae of preventive immunization, etc.*-----	-	-	-	-	-	2	2	-	-	-
195b	Other accidents due to medical or surgical intervention-----	-	-	-	-	-	3	2	1	-	-
195d	Obstruction, suffocation, etc.*-----	14	9	4	-	1	119	65	39	6	10
195e,e	Other and unspecified accidents-----	21	13	2	5	1	628	398	171	48	11
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	-	-	-	-	-	12	4	-	8	-
	XVIII.—Ill-defined and unknown causes-----	605	273	215	66	51	451	275	153	25	20
199	Sudden death-----	4	3	1	-	-	10	8	2	-	-
200	Ill-defined and unknown causes-----	601	270	214	66	51	441	265	151	25	20
200a	Ill-defined causes-----	217	125	67	17	10	197	120	51	15	11
200b,c	Unknown or unspecified causes-----	394	147	147	49	41	244	145	80	10	9

*Refer to International List for complete title, table IX, Part I.
²Includes figures for infanticide (165).

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total Deaths	NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.			
	White		Nonwhite			Total deaths	White		Nonwhite			Total deaths	White		Nonwhite			Total deaths	White			Nonwhite		
	Male	Female	Male	Female	Male		Female	Male	Female	Male	Female		Male	Female	Male	Female	Male		Female	Male		Female	Male	Female
25	7	7	3	6	2	1	1	-	-	48	18	26	-	4	20	10	6	4	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	5	2	-	1	-	151	-	-		
2	1	-	1	-	-	-	-	-	-	7	4	3	-	-	1	1	-	-	-	152	-	-		
21	6	7	2	6	2	1	1	-	-	38	13	21	-	4	16	7	6	3	-	153	-	-		
17	4	6	3	4	5	1	4	-	-	44	24	18	1	1	10	4	6	-	-	-	-	-		
4	1	1	2	-	1	-	1	-	-	10	5	3	1	1	-	-	-	-	-	154	-	-		
4	1	2	-	1	3	-	3	-	-	7	5	2	-	-	2	1	1	-	-	155	-	-		
9	2	3	1	3	1	1	-	-	-	27	14	13	-	-	8	3	5	-	-	156	-	-		
498	220	186	55	37	113	63	48	3	1	1,154	583	506	34	31	304	132	147	12	13	157	-	-		
118	47	55	11	6	47	24	21	2	-	321	143	165	8	5	56	26	28	2	-	157a-d	-	-		
254	116	93	26	19	45	23	20	1	1	576	297	243	15	21	169	74	81	5	9	157e	-	-		
126	57	38	18	13	21	16	5	-	-	257	143	98	11	5	79	32	38	5	4	157g,h,m	-	-		
2,189	834	611	393	321	260	164	108	7	1	3,404	1,878	1,212	181	133	898	465	328	62	45	-	-	-		
76	18	11	24	23	3	3	-	-	-	57	28	25	4	-	39	17	9	7	6	158	-	-		
1,364	514	398	240	212	183	102	75	5	1	2,116	1,165	749	105	97	609	307	257	38	27	159	-	-		
437	192	126	72	47	51	33	16	2	-	730	420	248	45	17	139	75	47	12	5	160	-	-		
282	110	76	57	39	43	26	17	-	-	501	265	190	27	19	111	68	35	5	7	161	-	-		
240	57	101	36	46	98	48	39	4	7	594	246	320	9	19	423	187	174	22	40	162	-	-		
3,059	1,553	518	772	216	515	373	126	11	5	6,921	4,326	2,069	411	115	1,896	1,176	501	169	50	-	-	-		
316	245	44	21	6	64	51	13	-	-	991	744	225	19	5	144	109	35	2	-	163,164	-	-		
38	20	17	-	1	6	2	4	-	-	144	82	57	3	2	29	18	11	-	-	165	-	-		
278	225	27	21	5	58	49	9	-	-	847	662	165	16	3	115	91	22	2	-	164	-	-		
418	112	37	235	34	2	1	-	1	-	374	151	51	135	37	143	67	12	55	11	165-169	-	-		
267	74	28	152	13	1	1	-	-	-	208	82	32	77	17	98	48	5	42	4	166	-	-		
85	15	3	58	9	1	1	-	1	-	81	13	4	49	15	21	7	2	8	4	167	-	-		
66	23	6	25	12	-	-	-	-	-	85	56	15	9	5	25	12	5	3	3	168	-	-		
2,303	1,192	437	498	176	449	321	113	10	5	5,551	3,430	1,795	253	73	1,608	999	456	114	39	169-195	-	-		
46	20	2	19	5	8	8	-	-	-	191	158	9	21	3	27	18	1	8	-	169	-	-		
879	562	109	176	32	139	106	32	1	-	1,864	1,334	418	98	14	533	383	111	28	11	170	-	-		
41	22	5	13	1	7	4	3	-	-	143	102	36	3	2	50	57	12	-	-	170a	-	-		
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	1	1	-	-	-	170b	-	-		
809	514	102	132	31	131	101	29	1	-	1,669	1,188	376	93	12	463	328	97	28	10	170c	-	-		
29	26	2	1	1	1	1	-	-	-	49	42	6	1	1	19	17	2	-	-	170d	-	-		
5	3	-	1	1	1	-	1	-	-	24	16	6	2	-	2	1	1	-	-	171	-	-		
-	-	-	-	-	1	-	1	-	-	17	11	4	2	-	1	-	1	-	-	171a	-	-		
8	3	-	1	1	1	-	-	-	-	7	5	2	-	-	1	1	-	-	-	171b	-	-		
43	31	2	10	-	1	1	-	-	-	75	56	12	6	1	9	8	1	-	-	172	-	-		
42	41	1	-	-	11	11	-	-	-	95	72	22	1	-	48	45	4	-	-	173	-	-		
4	2	-	2	-	1	1	-	-	-	52	50	-	2	-	17	16	-	1	-	174	-	-		
67	44	6	17	-	36	33	3	-	-	87	83	4	-	-	45	39	2	4	-	175	-	-		
50	34	6	10	-	36	33	3	-	-	85	81	4	-	-	45	39	2	4	-	175a-c	-	-		
17	10	-	7	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	175d,e	-	-		
27	21	2	4	2	2	2	-	-	-	69	62	2	5	-	22	20	-	2	-	176	-	-		
6	2	1	1	2	-	8	-	-	-	8	3	5	-	-	10	2	3	4	1	177	-	-		
20	9	6	3	2	9	7	1	1	-	114	82	27	4	1	23	17	4	2	-	178	-	-		
59	25	14	9	11	10	5	3	2	-	63	40	18	4	1	19	13	3	2	1	179	-	-		
93	19	7	38	29	12	3	1	2	-	155	82	48	17	8	38	13	11	10	4	180	-	-		
132	40	35	29	30	20	13	7	-	-	243	132	90	12	9	90	90	26	7	7	181	-	-		
109	35	29	27	18	8	6	-	1	1	91	52	26	7	6	29	15	7	4	3	182	-	-		
143	68	7	63	5	25	22	3	-	-	224	178	31	13	2	89	56	20	12	-	183	-	-		
86	41	9	30	6	15	13	1	1	-	95	66	12	15	2	56	41	5	8	2	184	-	-		
8	2	2	2	2	1	1	-	-	-	16	9	4	2	1	9	5	2	7	-	185	-	-		
336	116	176	27	17	103	53	49	1	1	1,600	681	883	22	14	281	102	166	7	6	186	-	-		
223	108	174	24	17	95	46	48	1	1	1,588	671	882	21	14	275	97	165	7	8	186a	-	-		
13	8	2	3	-	8	7	1	-	-	12	10	1	1	-	6	5	1	-	-	186b	-	-		
3	1	-	2	-	3	2	-	1	-	8	6	2	-	-	112	57	55	-	-	187	-	-		
6	3	2	1	-	-	3	-	-	-	6	3	3	-	-	2	2	-	-	-	188	-	-		
1	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	189	-	-		
10	4	-	6	-	5	3	1	1	-	19	15	2	4	-	2	1	1	1	-	190	-	-		
5	1	-	3	1	1	1	-	-	-	21	13	6	1	1	14	11	1	1	1	191	-	-		
15	7	2	6	4	4	3	-	1	-	18	12	5	1	-	9	5	2	2	-	192	-	-		
25	23	-	2	-	6	6	-	-	-	49	46	2	1	-	27	25	1	1	-	193	-	-		
3	3	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	194	-	-		
150	69	26	20	15	22	13	8	-	1	361	179	157	15	10	94	53	29	9	3	195	-	-		
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a	-	-		
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	195b	-	-		
38	20	9	5	5	8	4	4	-	-	74	33	31	5	5	16	9	4	2	1	195c	-	-		
91	48	18	15	10	14	9	4	1	1	286	145	126	10	5	77	44	25	6	2	196	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197	-	-		
22	4	-	18	-	-	-	-	-	-	5	1	-	4	-	1	1	-	-	-	198	-	-		
722	253	142	198	129	56	36	17	3	-	491	263	149	39	40	387	215	80	52	40	-	-	-		
79	40	19	15	5	16	11	5	-	-	33	23	7	2	1	20	14	3	1	2	199	-	-		
643	213	123	183	124	40	25	12	3	-	458	240	142	37	39	367	201	77	51	38	200	-	-		
332	116	67	94	55	32	23	9	-	-	373	198	112	33	30	228	140	51	19	18	200a	-	-		
311	97	56	89	69	8	2	3	3	-	85	42	30	4	9	159	61	26	32	20	200b,c	-	-		

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	OREGON				PENNSYLVANIA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	13,501	8,023	5,232	171	75	110,459	56,889	46,137	4,105	3,329
	I.—Infectious and parasitic diseases-----	542	361	141	30	10	5,475	2,848	1,451	752	444
1	Typhoid fever-----	3	2	1	-	-	17	9	6	1	1
2	Paratyphoid fever-----	2	-	2	-	-	3	3	-	-	-
3	Flague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	1	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	11	9	2	-	-	51	30	21	1	2
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	2	1	-	-	-
8	Scarlet fever-----	-	-	-	-	-	10	3	3	2	2
9	Whooping cough-----	4	3	1	-	-	100	57	44	11	8
10	Diphtheria (infection by C. diphtheriae)-----	3	3	-	-	-	34	15	17	-	2
11	Dysentery-----	1	1	-	-	-	10	3	7	-	-
12	Tetanus-----	2	2	-	-	-	20	9	8	3	-
13-22	Tuberculosis (all forms)-----	314	201	80	25	10	3,457	1,849	787	501	330
13	Tuberculosis of respiratory system, etc.*-----	284	184	71	21	8	3,204	1,754	732	439	279
14	Tuberculosis of meninges, etc.*-----	4	1	2	1	-	66	26	14	18	8
15	Tuberculosis of intestines and peritoneum-----	5	3	2	-	-	34	15	7	7	7
16	Tuberculosis of vertebral column-----	2	2	-	-	-	31	10	3	7	11
17	Tuberculosis of bones and joints, etc.*-----	2	-	-	-	-	15	9	3	3	-
18	Tuberculosis of skin, etc.*-----	2	2	-	-	-	6	2	4	-	-
19	Tuberculosis of lymphatic system, etc.*-----	2	2	-	-	-	6	2	4	-	-
20	Tuberculosis of genito-urinary system-----	6	4	1	-	1	21	11	6	1	3
21	Tuberculosis of other organs-----	3	2	-	-	1	9	2	2	2	3
22	Disseminated tuberculosis-----	8	5	4	1	-	61	22	16	24	19
23	Leprony-----	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)-----	7	4	3	-	-	88	19	17	1	1
25	Gonococcus infection-----	-	-	-	-	-	6	-	3	1	2
26	Other diseases due to bacteria (except dysentery)-----	-	-	-	-	-	-	-	-	-	-
27	Dysentery-----	3	1	2	-	-	16	8	4	-	4
28	Malaria-----	-	-	-	-	-	9	8	-	1	-
29	Other diseases due to parasitic protozoa, etc.*-----	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)-----	106	81	19	6	-	852	424	158	190	80
30a	Locomotor ataxia (tabes dorsalis)-----	3	3	-	-	-	51	37	7	4	3
30b	General paralysis of insane-----	21	15	5	1	-	273	149	55	53	16
30c	Aneurysm of aorta-----	48	41	5	2	-	175	100	26	37	12
30d	Congenital syphilis-----	6	3	2	1	-	36	8	8	17	7
30e, e, g	Syphilis (other forms)-----	28	19	7	2	-	315	150	64	79	42
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	9	6	3	-	-	33	21	11	-	-
33	Influenza-----	29	17	11	1	-	490	234	225	14	7
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-
35	Measles-----	3	1	2	-	-	42	15	27	-	-
36	Poliomyelitis and polioencephalitis (acute)-----	8	6	2	-	-	30	18	11	1	1
37	Acute infectious encephalitis (lethargic)-----	11	6	5	-	-	44	24	17	1	2
38	Other diseases due to filtrable viruses-----	1	1	-	-	-	11	6	5	-	-
39	Typhus fever and typhus-like diseases*-----	-	-	-	-	-	3	2	1	-	-
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Eyid disease-----	1	-	1	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	-	-	-	-	-	3	1	2	-	-
43	Mycoses-----	5	3	2	-	-	23	16	6	-	1
44	Other infectious and parasitic diseases-----	19	13	5	-	-	171	93	71	4	3
	II.—Cancer and other tumors-----	1,912	961	932	15	4	15,355	6,965	7,595	375	420
45-55	Cancer and other malignant tumors-----	1,878	949	909	14	4	14,681	6,796	7,336	364	365
45	Cancer of buccal cavity and pharynx-----	43	32	10	-	-	418	328	73	11	6
45a	Cancer of lip-----	4	4	-	-	-	33	27	-	-	-
45b	Cancer of tongue-----	11	6	4	1	-	114	93	16	5	-
45c	Cancer of mouth-----	5	5	-	-	-	59	48	9	1	1
45d	Cancer of jaw bone-----	10	8	2	-	-	83	67	14	2	-
45e	Cancer of unspecified parts of buccal cavity-----	1	1	-	-	-	2	2	-	-	-
45f	Cancer of pharynx-----	12	8	4	-	-	127	81	28	3	5
46	Cancer of digestive organs and peritoneum-----	860	468	383	9	-	6,899	3,407	3,156	203	133
46a	Cancer of esophagus-----	26	20	6	-	-	290	199	61	26	4
46b	Cancer of stomach-----	296	184	106	6	-	2,118	1,190	799	98	41
46c	Cancer of duodenum-----	3	2	1	-	-	30	11	18	-	1
46d	Cancer of rectum and anus-----	112	65	47	-	-	915	464	402	22	27
46e	Cancer of intestines, etc.*-----	223	95	127	1	-	1,978	847	1,075	26	50
46f	Cancer of liver and biliary passages-----	105	44	59	2	-	821	308	473	21	19
46g	Cancer of pancreas-----	74	48	26	-	-	555	305	231	15	6
46h	Cancer of mesentery and peritoneum-----	12	7	5	-	-	135	61	66	5	3
46i	Cancer of other and unspecified sites-----	9	3	6	-	-	57	22	31	2	2
47	Cancer of respiratory system-----	135	108	25	2	-	1,403	1,074	262	57	10
47a	Cancer of larynx-----	12	11	1	-	-	160	135	16	8	1
47b, c	Cancer of trachea and bronchus-----	65	54	10	1	-	416	339	49	26	2
47d	Cancer of lung-----	47	36	10	1	-	755	551	175	22	7
47e	Cancer of pleura-----	1	-	1	-	-	11	8	3	-	-
47f	Cancer of other respiratory organs-----	10	7	3	-	-	61	41	19	1	-
48	Cancer of uterus-----	132	...	131	...	1	1,379	...	1,253	...	126
48a	Cancer of cervix-----	66	...	65	...	1	575	...	514	...	61
48b	Cancer of other and unspecified sites of uterus-----	66	...	66	...	-	804	...	739	...	65
49	Cancer of other female genital organs-----	70	...	70	...	-	421	...	401	...	20
49a, b	Cancer of ovary, fallopian tube, and parametrium-----	64	...	64	...	-	351	...	335	...	16
49c- e	Cancer of other female genital organs-----	6	...	6	...	-	70	...	66	...	4
50	Cancer of breast-----	186	2	183	-	1	1,444	17	1,376	1	50
51	Cancer of male genital organs-----	150	150	850	42	...
51b	Cancer of prostate-----	141	141	785	38	...
51a, c- e	Cancer of other male genital organs-----	9	9	65	4	...
52	Cancer of urinary organs-----	86	60	26	-	-	735	459	247	19	10
52a	Cancer of kidney-----	25	12	13	-	-	223	137	81	3	2
52b	Cancer of bladder-----	60	47	13	-	-	499	317	160	14	8
52c	Cancer of other and unspecified sites-----	1	1	-	-	-	13	5	6	2	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
8,368	4,344	3,849	106	69	17,290	5,181	3,746	4,345	3,960	5,730	3,295	2,126	153	156	28,591	12,455	9,543	3,480	3,113		
555	220	112	17	6	1,275	252	155	465	405	281	131	58	42	50	2,549	978	923	415	333		
2	1	1	-	-	14	-	3	6	5	-	-	-	-	-	12	5	3	2	2	1	
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	2	2	-	-	-	-	
4	2	2	-	-	12	4	4	2	2	2	1	1	-	28	16	9	1	1	2	4	
-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-	7	
-	-	-	-	-	57	9	5	18	25	12	2	2	2	6	74	28	52	7	7	8	
4	1	4	-	-	33	5	15	7	6	-	-	-	-	35	14	16	1	4	10	9	
-	-	-	-	-	15	3	1	6	5	2	1	1	1	1	1	1	2	6	2	11	
233	150	66	12	5	557	119	63	204	171	167	70	23	34	40	1,544	575	537	251	201	15-22	
216	139	62	10	5	507	109	61	178	159	145	65	22	26	32	1,430	539	500	207	184	13	
4	2	1	1	-	7	-	-	4	2	10	-	-	-	4	15	13	8	8	4	14	
1	1	-	-	-	9	2	-	5	1	3	1	-	-	14	4	5	2	2	3	15	
3	2	1	1	-	11	1	-	6	3	5	1	-	-	7	2	1	1	1	1	16	
-	-	-	-	-	1	1	-	1	-	1	1	-	-	1	2	1	1	2	2	17	
-	-	-	-	-	1	1	-	-	-	2	2	-	-	1	10	4	5	-	1	19	
-	-	-	-	-	1	1	-	-	-	2	1	-	-	2	4	1	1	1	1	20	
6	5	1	-	-	20	3	1	10	6	4	1	-	-	35	9	10	8	8	8	21	
3	2	1	-	-	9	2	5	1	1	4	1	3	-	1	6	1	-	-	-	22	
-	-	-	-	-	8	-	-	-	-	-	-	-	-	7	5	-	-	-	-	23	
-	-	-	-	-	2	-	-	-	-	-	-	-	-	7	11	9	4	4	5	24	
-	-	-	-	-	16	4	1	7	4	1	1	1	-	30	11	9	4	6	6	25	
-	-	-	-	-	19	5	1	4	9	-	-	-	-	8	2	3	1	1	1	26	
45	29	10	5	1	251	36	7	131	77	34	25	4	4	1	257	98	27	90	42	27	
3	2	1	-	-	2	1	1	1	-	1	1	-	-	6	4	1	1	1	1	28	
13	7	3	2	1	82	15	1	45	23	11	8	1	2	80	35	10	26	8	8	29	
12	10	1	1	-	54	12	4	24	14	12	10	1	1	65	22	5	26	12	12	30a	
-	-	-	-	-	23	2	1	15	7	1	1	-	-	20	5	4	6	5	5	30b	
17	10	5	2	-	90	6	1	50	33	9	6	1	1	86	32	7	31	16	16	30c, e, 8	
4	3	1	-	-	4	1	1	1	1	1	-	-	-	14	4	4	2	2	2	31	
12	5	7	-	-	205	39	39	60	67	35	17	15	3	350	115	154	55	46	35	32	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	
6	3	3	-	-	19	5	3	5	8	2	2	-	-	16	4	8	2	2	2	34	
5	2	3	-	-	4	2	2	-	2	2	1	1	-	10	7	2	1	1	1	35	
5	4	1	-	-	2	2	-	-	-	3	1	2	-	24	13	9	1	1	1	36	
2	2	-	-	-	1	3	1	2	1	1	-	-	-	12	8	1	2	1	1	37	
-	-	-	-	-	7	5	1	2	1	-	-	-	-	14	7	6	-	-	-	38	
-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	39	
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	40	
1	-	-	-	-	4	1	1	2	1	-	-	-	-	3	-	2	1	1	-	41	
1	1	-	-	-	3	2	1	2	1	1	1	-	-	14	4	8	2	-	-	42	
22	11	11	-	-	26	11	3	6	6	16	9	6	1	58	43	10	2	5	5	43	
1,269	611	643	7	8	1,473	424	523	201	325	789	413	362	8	6	3,055	1,128	1,588	219	320	44	
1,241	601	626	7	7	1,409	411	501	196	301	769	403	352	8	6	2,948	1,109	1,530	212	297	45-55	
42	28	13	-	-	45	25	2	10	8	17	14	3	-	92	52	32	6	2	2	45	
6	5	-	-	-	1	1	-	-	-	1	-	-	-	15	14	1	-	-	-	45a	
14	9	5	-	-	8	6	1	1	4	4	4	-	-	11	4	5	2	-	-	45b	
7	4	3	-	-	8	4	-	1	3	4	4	-	-	21	8	9	4	-	-	45c	
4	2	2	-	-	11	6	1	3	1	2	2	-	-	22	11	11	-	-	-	45d	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	45e	
11	8	3	-	-	17	8	-	5	4	6	3	3	-	22	15	5	-	-	2	45f	
584	306	270	5	3	528	189	145	96	96	340	204	130	4	2	1,139	483	474	104	78	46	
21	14	6	1	-	33	10	5	13	5	8	6	2	-	43	18	16	5	4	4	46a	
157	86	68	2	1	217	69	45	52	53	139	91	44	2	2	378	161	119	51	27	46b	
2	-	1	-	-	1	-	-	-	-	-	-	-	-	4	3	1	-	-	-	46c	
94	58	36	-	-	43	17	14	4	8	41	26	15	-	103	35	54	4	10	4	46d	
188	91	85	1	1	111	40	47	12	12	76	42	33	1	245	93	124	11	17	17	46e	
43	19	24	-	-	73	33	17	9	14	38	17	21	-	195	72	95	14	14	14	46f	
58	26	32	-	-	33	14	11	6	2	32	18	14	-	130	62	48	14	6	6	46g	
12	6	6	-	-	8	4	4	-	-	4	3	1	-	19	10	7	2	-	-	46h	
9	6	2	-	-	7	2	2	1	2	2	1	-	1	22	9	10	3	-	-	46i	
108	98	19	1	-	84	47	19	13	5	64	43	19	2	214	132	54	16	10	47	47a	
8	6	2	-	-	6	4	4	-	1	4	4	-	-	26	15	9	3	1	1	47b	
29	27	1	1	-	24	14	4	4	2	13	12	1	-	63	44	7	8	4	4	47c	
64	51	13	-	-	53	29	14	8	2	44	26	18	2	118	69	38	7	7	7	47d	
6	3	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	47e	
1	1	-	-	-	1	-	-	-	-	2	1	-	-	6	-	-	-	-	-	47f	
79	78	-	-	-	252	149	-	-	103	48	46	-	-	394	277	-	-	107	48	48	
37	36	-	-	-	124	79	-	-	45	22	21	-	-	184	144	-	-	40	48a	49	
42	42	-	-	-	128	70	-	-	58	26	25	-	-	200	133	-	-	67	48b	50	
36	36	-	-	-	31	19	-	-	12	26	26	-	-	78	61	-	-	17	49	51	
31	31	-	-	-	28	17	-	-	11	24	24	-	-	66	51	-	-	15	49a, b	52	
5	5	-	-	-	3	2	-	-	1	2	2	-	-	12	10	-	-	2	48c-e	53	
11																					

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	OREGON				PENNSYLVANIA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
II.—Cancer and other tumors—Continued											
Cancer and other malignant tumors—Continued											
53	Cancer of skin, etc.*	26	19	7	-	-	224	139	81	2	2
54	Cancer of central nervous system*	35	21	13	1	-	184	120	59	3	2
55	Cancer of other and unspecified organs	153	89	61	1	2	924	444	428	26	26
56, 57	Nonmalignant tumors and tumors of unspecified nature	36	12	23	1	-	474	169	259	11	35
58	Nonmalignant tumors (including dermoid cysts)	21	7	15	1	-	278	66	179	3	30
56a-c	Nonmalignant tumors of female genital organs	8	...	8	...	-	148	...	120	...	28
56d	Nonmalignant tumors of central nervous system*	8	4	3	1	-	65	33	29	1	2
56e	Nonmalignant tumors of other and unspecified organs	5	3	2	-	-	65	33	30	2	2
57	Tumors of unspecified nature	15	5	10	-	-	196	103	80	8	5
57a-c	Tumors, female genital organs (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57d	Tumors, central nervous system* (nature unspecified)	8	1	7	-	-	129	66	55	5	5
57e	Tumors, other organs (nature unspecified)	7	4	3	-	-	66	37	24	3	2
III.—Rheumatism, diseases of nutrition, etc.*											
Acute rheumatic fever											
58	Acute rheumatic fever	5	3	2	-	-	85	42	33	6	4
58a	Acute rheumatic pericarditis	-	-	-	-	-	4	1	2	1	1
58b	Acute rheumatic endocarditis	4	3	1	-	-	27	11	12	3	3
58c	Acute rheumatic myocarditis	-	-	-	-	-	14	5	5	3	1
58d	Other acute rheumatic heart diseases	1	-	1	-	-	18	12	4	2	-
58e, f	Other forms of acute rheumatic fever, etc.*	-	-	-	-	-	22	13	9	-	-
59	Chronic rheumatism, other rheumatic diseases	25	12	13	-	-	127	49	75	-	3
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	275	116	152	3	4	5,590	1,027	2,412	44	107
62	Diseases of pituitary gland	1	-	1	-	-	13	3	10	-	-
63	Diseases of thyroid and parathyroid glands	26	5	20	-	1	225	26	181	1	9
63a	Simple goiter	1	-	1	-	-	14	2	11	-	1
63b	Exophthalmic goiter	17	3	15	-	1	190	22	160	1	5
63c	Other diseases of thyroid and parathyroid glands	8	2	6	-	-	23	4	16	-	3
64	Diseases of thymus gland	11	6	4	1	-	108	61	40	2	5
65	Diseases of adrenal glands*	4	-	4	-	-	35	14	18	1	2
66	Other general diseases	4	2	2	-	-	39	13	18	5	2
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	1	1	-	-	-	4	2	2	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	6	1	5	-	-
70	Rickets	-	-	-	-	-	8	5	3	2	1
71	Other avitaminoses	1	1	-	-	-	9	3	4	2	-
IV.—Diseases of the blood and blood-forming organs											
Hemorrhagic conditions											
72	Hemorrhagic conditions	2	1	1	-	-	52	26	25	1	2
73	Anemias (except splenic anemia)	35	19	16	-	-	198	95	99	2	2
73a	Pernicious anemia	17	9	8	-	-	106	45	63	-	-
73b-d	Other anemias (except splenic)	18	10	8	-	-	92	52	36	2	2
74	Leukemias and aleukemias	67	42	25	-	-	518	290	218	5	5
74a	Leukemias	64	41	23	-	-	493	278	205	5	5
74b	Aleukemias	3	1	2	-	-	25	12	13	-	-
75	Diseases of spleen	5	3	2	-	-	34	19	15	-	-
76	Other diseases of blood and blood-forming organs	2	2	-	-	-	22	9	12	-	1
V.—Chronic poisoning and intoxication											
Alcoholism (ethyllum)											
77	Alcoholism (ethyllum)	57	32	5	2	-	115	84	14	8	7
78	Lead poisoning	-	-	-	-	-	3	2	-	1	-
79	Chronic poisoning by other mineral substances*	1	-	-	-	-	2	-	2	-	-
VI.—Diseases of the nervous system, etc.*											
Encephalitis (nonepidemic)											
80	Encephalitis (nonepidemic)	9	7	2	-	-	92	54	33	3	2
81	Meningitis (not due to meningococcus)	11	8	3	-	-	142	77	37	19	9
82	Diseases of spinal cord (see exceptions)*	24	12	12	-	-	212	118	80	10	4
83	Intracranial lesions of vascular origin	1,826	597	617	8	4	9,655	4,219	4,833	278	325
83a	Cerebral hemorrhage or effusion*	1,069	522	537	7	2	7,988	3,444	4,040	227	277
83b, c	Cerebral embolism, thrombosis, and softening	124	64	58	-	2	1,437	670	685	40	42
83d	Hemiplegia, other paralysis, etc.*	34	11	22	1	-	230	105	108	11	6
84	Mental diseases and deficiency (see exception)*	17	2	14	1	-	87	39	48	1	1
85	Epilepsy	22	14	8	-	-	155	73	64	11	7
86	Convulsions (under 5 years)	2	2	-	-	-	21	8	9	2	2
87	Other diseases of nervous system	49	19	28	1	1	335	173	152	5	5
88	Diseases of organs of vision	-	-	-	-	-	1	1	-	-	-
89	Diseases of ear and mastoid process	7	7	-	-	-	50	22	25	2	1
VII.—Diseases of the circulatory system											
Diseases of the heart (all forms)											
90-95	Diseases of the heart (all forms)	4,428	2,824	1,561	30	13	41,145	22,553	16,547	1,123	922
90	Pericarditis (except acute rheumatic)	4,054	2,599	1,394	26	15	36,310	21,100	15,277	1,036	877
90a	Pericarditis (except acute rheumatic)	5	2	3	-	-	35	21	7	6	1
90b	Chronic rheumatic pericarditis	-	-	-	-	-	3	2	-	1	-
90c	Other pericarditis	5	2	3	-	-	32	19	7	5	1
91	Acute endocarditis (except rheumatic)	9	5	4	-	-	82	36	36	5	5
91a, b	Bacterial, acute, and subacute endocarditis	8	5	4	-	-	77	33	35	4	5
91c	Endocarditis (unspecified, under 45 years)	1	-	-	-	-	5	3	1	-	-
92	Chronic affections of valves and endocardium	301	165	133	1	2	2,475	1,196	1,140	72	67
92a	Diseases of aortic valve, etc.*	58	25	13	-	-	194	83	79	13	9
92b	Diseases of mitral valve, etc.*	123	66	61	1	1	910	415	446	20	28
92c	Chronic rheumatic endocarditis, etc.*	23	14	9	-	-	167	103	71	7	15
92d	Other chronic endocarditis, etc.*	99	53	45	-	1	1,076	532	504	25	15
92e	Endocarditis (unspecified, 45 years and over)	12	7	5	-	-	108	52	40	7	9
93	Diseases of the myocardium	1,586	898	688	15	5	20,335	10,134	9,566	643	592
93a	Acute myocarditis (except rheumatic)	13	7	6	-	-	861	194	143	15	9
93b	Myocarditis (unspecified, under 45 years)	2	1	1	-	-	25	10	12	1	2
93c	Chronic rheumatic myocarditis, etc.*	10	6	3	1	-	136	72	56	2	5
93d	Other chronic myocarditis, etc.*	1,449	814	618	13	4	19,090	9,156	8,798	583	543
93e	Other myocarditis (unspecified)	113	70	40	1	1	1,334	702	557	42	33
94	Diseases of coronary arteries, angina pectoris	1,772	1,314	443	9	6	12,545	8,521	3,616	255	183
94a	Diseases of coronary arteries	1,749	1,295	441	9	6	12,333	8,400	3,550	252	151
94b	Angina pectoris	23	21	2	-	-	192	121	66	3	2

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

495

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	RHODE ISLAND				Total deaths	SOUTH CAROLINA				Total deaths	SOUTH DAKOTA				Total deaths	TENNESSEE				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
18	8	9	-	-	41	18	17	5	1	9	4	5	-	-	83	45	34	3	1	53
19	13	6	-	-	29	15	5	6	2	13	9	4	-	-	71	42	20	7	2	54
109	50	58	1	-	158	43	52	23	20	104	59	43	1	1	273	118	107	25	23	55
28	10	17	-	1	64	13	22	5	24	20	10	10	-	-	107	19	58	7	23	56,57
25	7	17	-	1	46	7	19	-	20	7	2	5	-	-	73	10	40	4	19	56
12	...	11	...	1	31	...	11	...	20	5	...	5	40	...	25	...	15	56a-c
5	2	3	-	-	10	5	5	-	-	3	-	-	-	-	18	7	8	2	1	56d
8	5	3	-	-	5	2	3	-	-	2	2	5	-	-	15	3	7	2	3	56e
3	3	-	-	-	18	6	3	5	4	13	8	5	-	-	34	9	18	3	4	57
2	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	57a-c
1	1	-	-	-	13	4	2	4	3	9	5	4	-	-	24	7	12	2	3	57d
1	1	-	-	-	5	2	1	1	1	4	3	1	-	-	8	2	5	1	-	57e
321	90	226	1	4	494	102	179	67	146	179	66	108	4	1	697	238	338	34	87	
1	-	1	-	-	27	1	5	9	12	7	4	3	-	-	38	14	8	6	10	58
1	-	1	-	-	1	1	2	1	1	-	-	-	-	-	1	-	-	-	-	58a
-	-	-	-	-	3	1	1	1	2	1	1	1	-	-	10	3	4	1	2	58b
-	-	-	-	-	5	1	1	2	2	2	1	1	-	-	8	4	1	1	2	58c
-	-	-	-	-	14	1	2	5	7	4	3	3	-	-	14	6	2	1	2	58d
11	5	6	-	-	18	6	4	3	5	11	4	1	-	-	42	17	19	1	5	58e,f
289	81	204	1	3	348	78	134	39	98	144	51	88	4	1	466	174	212	23	57	59
1	-	1	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	59
11	-	11	-	-	19	2	11	-	6	8	2	6	-	-	1	6	37	-	-	61
1	-	1	-	-	1	1	1	-	1	1	1	1	-	-	51	-	-	-	-	62
6	-	8	-	-	15	1	9	-	6	7	2	5	-	-	12	6	33	-	-	63a
2	-	2	-	-	2	2	2	-	7	7	2	5	-	-	47	-	3	-	-	63b
2	-	1	-	1	20	3	5	13	7	4	2	2	-	-	9	1	6	-	-	63c-e
5	3	2	-	-	4	2	1	1	1	1	1	1	-	-	14	9	5	5	1	65
-	-	-	-	-	4	4	-	3	2	2	-	-	-	-	10	2	2	-	-	66
-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	67
1	1	-	-	-	40	5	17	3	15	1	1	-	-	-	59	14	41	2	2	68
-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	2	-	1	1	-	69
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	5	1	4	-	-	70
55	25	29	-	1	109	38	25	29	17	58	34	23	-	1	202	92	79	15	16	71
13	3	9	-	1	10	-	2	6	2	2	2	-	-	-	12	5	5	1	1	72
8	1	7	-	-	38	10	7	12	9	19	7	11	-	-	60	25	19	7	9	73
5	2	2	-	1	10	3	4	3	-	10	5	4	-	-	34	18	12	2	2	73a
38	21	17	-	1	28	7	3	9	9	9	2	7	-	-	26	7	7	5	7	73b-d
35	19	16	-	-	53	25	12	10	6	35	25	10	-	-	116	56	49	6	5	74
3	2	1	-	-	52	24	12	10	6	33	23	10	-	-	116	56	49	6	5	74a
4	1	3	-	-	1	1	-	-	-	2	2	-	-	-	8	3	4	-	-	74b
5	5	-	-	-	7	1	1	-	-	2	-	2	-	-	6	5	2	1	1	75
5	5	-	-	-	24	10	5	7	2	10	10	-	-	-	32	23	3	6	-	76
5	5	-	-	-	10	10	4	6	2	10	10	-	-	-	31	22	3	6	-	77
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	78
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	79
744	356	374	10	4	2,051	501	494	545	511	615	331	269	6	9	3,310	1,321	1,242	342	405	
2	-	2	-	-	22	6	5	8	3	7	3	4	-	-	22	9	8	1	4	80
10	4	6	-	-	47	9	9	23	7	8	4	3	-	-	51	21	11	10	9	81
6	6	-	-	-	59	12	6	8	3	7	6	3	-	-	43	18	19	3	3	82
683	325	346	10	2	1,819	445	440	468	466	547	299	240	4	4	2,984	1,179	1,133	311	351	83
512	226	275	9	2	1,565	376	365	414	410	456	244	205	4	3	2,720	1,073	1,053	232	332	83a
163	85	69	-	-	185	52	35	35	33	75	43	30	-	-	206	85	84	22	17	83b,c
8	6	2	-	-	69	17	10	19	23	18	12	5	-	-	59	23	16	7	12	83d
10	4	6	-	-	47	7	12	14	14	6	-	3	-	-	59	23	17	5	13	84
10	5	5	-	-	42	10	8	18	8	10	3	3	2	2	53	27	20	4	2	85
-	-	-	-	-	10	3	1	3	3	3	14	11	-	-	8	3	2	1	2	86
19	9	9	-	1	27	9	8	5	5	25	14	11	-	-	71	35	24	4	8	87
4	3	-	-	-	8	1	5	-	2	2	1	1	-	-	20	6	8	3	3	88
3,326	1,818	1,458	30	20	4,585	1,709	1,057	910	809	1,926	1,154	637	20	15	7,515	3,639	2,581	771	724	89
3,151	1,727	1,378	30	16	4,151	1,570	939	819	815	1,674	1,066	574	19	15	7,064	3,437	2,231	715	678	90-95
2	-	-	-	-	2	-	-	-	2	-	-	-	-	-	19	8	4	1	6	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90a
2	2	-	-	-	2	-	-	-	2	-	-	-	-	-	19	9	4	1	6	90b
11	9	2	-	-	22	6	5	7	4	5	2	2	-	-	26	13	3	4	6	91
10	8	2	-	-	18	5	5	6	2	4	1	2	-	-	19	9	1	3	5	91a,b
1	1	-	-	-	4	1	-	1	2	1	1	-	-	-	9	4	2	1	1	91c
159	77	78	2	2	417	96	78	116	127	120	62	55	1	4	695	269	221	100	106	92
19	11	8	-	-	49	9	6	18	16	4	3	1	-	-	74	25	15	15	19	92a
65	29	33	2	1	199	46	39	48	66	54	30	21	1	2	344	145	112	43	44	92b
11	5	6	-	-	11	2	4	2	3	4	2	1	-	-	31	7	10	8	6	92c
57	30	26	-	1	134	29	25	43	37	52	23	28	-	-	191	73	69	25	24	92d
7	2	5	-	-	24	10	4	5	5	6	4	2	-	-	55	19	15	9	13	92e
1,867	885	960	15	9	1,895	571	488	403	433	714	417	286	7	4	3,160	1,321	1,144	344	351	93
17	9	8	-	-	32	6	10	9	7	9	7	1	1	-	87	26	22	20	19	93a
1	1	-	-	-	19	3	4	7	5	-	-	-	-	-	16	4	5	4	3	93b
6	3	3	-	-	8	2	2	2	2	6	1	5	-	-	19	6	7	3	3	93c
1,771	828	921	13	9	1,614	496	425	334	359	606	354	243	5	4	2,579	1,106	951	260	262	93d
72	44	28	-	-	222	64	47	51	60	83	55	37	1	-	459	179	159	57	64	93e
979	694	269	12	4	1,412	778	295	194	144	668	487	161	5	3	2,294	1,438	621	145	90	94
974	689	269	12	4	1,277	708	270	188	129	650	466	156	5	3	2,182	1,360	596	142	84	94a
5	5	-	-	-	135	70	25	25	15	16	11	5	-	-	112	79	25	3	6	94b

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	OREGON				PENNSYLVANIA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart—	361	215	143	3	2,258	1,192	912	75	59	
95a	Functional diseases of heart, etc.*	16	8	7	1	72	35	34	2	1	
95b	Other diseases of heart (rheumatic)	87	47	39	1	636	335	307	51	23	
95c	Other diseases of heart (not rheumatic)	258	160	97	1	1,470	822	571	42	35	
96	Aneurysm (except of heart and aorta)	54	21	13	-	180	112	45	17	6	
97	Arteriosclerosis (except coronary or renal sclerosis)	297	171	124	2	2,251	1,142	1,036	41	32	
98	Gangrene	1	-	1	-	23	16	7	-	-	
99	Other diseases of arteries	27	15	12	-	160	84	74	2	-	
100	Diseases of veins	10	6	4	-	93	45	46	3	1	
101	Diseases of lymphatic system	1	-	1	-	5	2	3	-	-	
102	High blood pressure (idiopathic)	21	10	11	-	110	47	54	3	6	
103	Other diseases of circulatory system	3	2	1	-	13	7	5	1	-	
	VIII.—Diseases of the respiratory system	625	396	225	11	5,504	3,022	1,849	239	194	
104	Diseases of nasal fossae, accessory sinuses	6	3	2	1	28	16	12	-	-	
105	Diseases of larynx	5	3	1	-	17	14	1	-	2	
106	Bronchitis	22	13	9	-	274	175	84	7	8	
107	Bronchopneumonia (including capillary bronchitis)	319	194	115	8	1,799	921	730	82	66	
108	Lobar pneumonia	100	67	33	-	1,833	895	563	95	80	
109	Pneumonia (unspecified)	54	19	14	1	482	265	184	15	18	
109a	Atypical or virus pneumonia	6	4	2	-	99	54	40	3	2	
109b	Pneumonia (all other, unspecified)	28	15	12	1	383	211	144	12	16	
110	Pleurisy (not tuberculous)	14	13	1	-	87	58	24	1	4	
111	Hemorrhagic infection, thrombosis, edema*	52	25	26	1	298	135	133	19	11	
112	Asthma	42	25	17	-	250	158	85	5	4	
113	Pulmonary emphysema	8	8	-	-	20	15	2	3	-	
114	Other diseases of respiratory system (except tuberculosis)	23	16	7	-	416	370	35	12	1	
114a,b	Silicosis, other forms of pneumoconiosis	4	4	-	-	307	300	2	5	-	
114c-e	Other diseases of respiratory system (except tuberculosis)	19	12	7	-	109	70	31	7	1	
	IX.—Diseases of the digestive system	475	273	184	11	4,524	2,396	1,636	158	132	
115	Diseases of buccal cavity and adnexa, etc.*	10	7	2	1	84	39	30	5	10	
116	Diseases of esophagus	2	2	-	-	19	13	6	-	-	
117	Ulcer of stomach or duodenum	85	65	19	1	596	480	92	22	2	
117a	Ulcer of stomach	51	38	12	1	355	285	58	11	1	
117b	Ulcer of duodenum	34	27	7	-	241	195	34	11	1	
118	Other diseases of stomach (except cancer)	7	6	1	-	67	39	20	3	5	
119	Diarrhea, enteritis, etc.* (under 2 years)	27	10	12	4	457	209	153	43	32	
120	Diarrhea, enteritis, etc.* (2 years and over)	20	9	10	1	115	47	57	5	6	
121	Appendicitis	52	22	9	-	337	174	147	9	7	
122	Hernia and intestinal obstruction	85	46	36	2	964	365	420	30	29	
122a	Hernia	30	20	8	2	416	209	187	13	7	
122b	Intestinal obstruction	55	26	28	-	448	176	233	17	22	
123	Other diseases of intestines	17	10	6	-	138	81	52	2	3	
124	Cirrhosis of liver	93	58	33	1	1,091	660	395	25	11	
124a	Cirrhosis of liver with mention of alcoholism	19	14	5	-	66	49	13	3	1	
124b	Cirrhosis of liver without mention of alcoholism	74	44	28	1	1,025	611	382	22	10	
125	Other diseases of liver	15	6	9	-	118	49	59	3	7	
126	Biliary calculi	44	11	33	-	289	79	216	-	4	
127	Other diseases of gallbladder, biliary ducts	17	7	9	1	200	71	116	4	9	
128	Diseases of pancreas (except diabetes mellitus)	14	10	4	-	83	39	37	4	5	
129	Peritonitis (cause not stated)	5	4	1	-	76	31	38	3	4	
	X.—Diseases of the genito-urinary system	1,011	567	426	11	7,512	3,740	3,251	270	251	
130	Acute nephritis	17	9	7	-	141	68	55	8	10	
131	Chronic nephritis	840	453	372	9	6,215	2,894	2,914	199	208	
131a	Arteriosclerotic kidney	727	380	333	8	4,975	2,288	2,360	161	166	
131b	Other chronic nephritis	113	73	39	1	1,240	606	554	38	42	
132	Nephritis unspecified (10 years and over)	27	9	16	2	230	140	118	19	13	
133	Other diseases of kidneys, ureters, etc.*	50	18	12	-	175	85	70	14	6	
134	Calculi of urinary passages	15	11	3	-	40	20	32	1	2	
135	Diseases of urinary bladder	3	1	2	-	40	21	17	2	-	
136	Diseases of urethra (except calculus)	3	2	1	-	24	18	-	6	-	
137	Diseases of prostate	54	54	460	439	...	21	...	
137a	Hypertrophy of prostate	50	50	417	398	...	19	...	
137b	Other diseases of prostate	14	14	43	41	...	2	...	
138	Diseases of other male genital organs (not venereal)	-	-	5	5	...	-	...	
139	Diseases of female genital organs	12	...	12	...	57	...	45	...	12	
139a	Diseases of ovaries, fallopian tubes, and parametria	6	...	6	...	29	...	20	...	9	
139b	Diseases of uterus	6	...	6	...	28	...	25	...	3	
139c	Diseases of other female genital organs*	-	-	...	-	...	-	
	XI.—Diseases of pregnancy, childbirth, and the puerperium	52	...	31	...	313	...	269	...	44	
140	Abortion with mention of infection	3	...	3	...	23	...	16	...	7	
141	Abortion without mention of infection	2	...	2	...	16	...	11	...	5	
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	2	...	5	...	3	...	2	
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	3	...	2	...	1	
141d-f	Other abortions (nonseptic)*	-	...	-	...	8	...	6	...	2	
142	Ectopic gestation	-	...	-	...	14	...	7	...	7	
142a	Ectopic gestation, with mention of infection	-	...	-	...	3	...	-	...	3	
142b	Ectopic gestation, without mention of infection	-	...	-	...	11	...	7	...	4	
143	Hemorrhage of pregnancy (death before delivery)	1	...	1	...	5	...	5	
144	Toxemias of pregnancy (death before delivery)	3	...	3	...	18	...	15	...	3	
145	Other diseases of pregnancy (death before delivery)*	3	...	3	...	16	...	15	...	1	
145a	With mention of infection	3	...	3	...	8	...	8	...	-	
145b	Without mention of infection	-	...	-	...	8	...	7	...	1	
146	Hemorrhage of childbirth and puerperium	6	...	6	...	53	...	48	...	5	
147	Infection during childbirth and puerperium	8	...	7	...	66	...	57	...	9	
148	Puerperal toxemias (excluding death before delivery)	4	...	4	...	39	...	34	...	5	
149	Other accidents and specified conditions of childbirth	1	...	1	...	32	...	31	...	1	
150	Other and unspecified conditions of childbirth and puerperium	1	...	1	...	51	...	30	...	1	

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

497

UNITED STATES AND EACH STATE, 1947—Continued

and of deaths among armed forces overseas)

Total deaths	RHODE ISLAND				Total deaths	SOUTH CAROLINA				Total deaths	SOUTH DAKOTA				Total deaths	TENNESSEE				Int. List No.	
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
133	60	69	3	1	403	126	73	99	105	169	88	72	6	3	670	389	238	124	119	85	
3	-	3	-	-	8	6	2	1	-	13	8	5	-	-	39	19	14	2	4	85a	
49	20	28	-	-	62	19	17	9	17	18	4	12	2	-	86	42	31	8	7	85b	
81	40	38	2	1	332	101	54	89	98	138	76	55	4	3	745	328	193	115	108	85c	
7	4	3	-	-	17	10	1	3	3	5	3	-	-	-	19	11	6	1	1	86	
158	71	63	-	4	314	98	81	69	66	124	72	51	1	-	305	149	102	32	22	87	
3	2	1	-	-	8	1	-	-	6	-	-	-	-	-	8	1	2	4	1	88	
11	6	5	-	-	17	9	3	3	2	12	7	5	-	-	37	15	15	4	3	89	
9	2	7	-	-	16	3	6	3	4	1	-	1	-	-	13	8	4	1	-	100	
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
2	4	1	-	-	39	10	7	10	12	11	6	5	-	-	57	16	18	7	18	102	
5	2	-	-	-	3	-	-	2	1	1	-	1	-	-	12	2	3	4	3	103	
324	167	146	8	3	993	248	199	290	256	281	154	106	11	8	1,561	612	562	226	161		
2	1	-	1	-	11	1	-	5	5	2	1	1	-	-	15	7	7	1	-	104	
-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	5	-	-	-	-	-	105
26	14	12	-	-	33	13	9	4	7	18	8	10	-	-	83	42	29	7	5	106	
152	73	73	4	2	408	102	98	106	104	93	49	36	5	3	655	245	247	93	70	107	
104	60	41	2	1	366	78	65	117	106	75	42	29	1	3	539	204	174	97	64	108	
1	-	1	-	-	82	20	9	32	21	35	17	11	5	2	98	47	34	6	9	109	
-	-	-	-	-	17	5	4	5	3	7	5	2	-	-	26	15	10	-	1	109a	
1	-	1	-	-	65	15	5	27	18	28	12	9	5	2	72	32	24	6	8	109b	
8	3	4	1	-	10	4	1	5	8	4	3	1	-	-	15	7	5	2	7	110	
15	8	7	-	-	41	11	14	8	8	33	20	13	-	-	56	17	30	5	4	111	
8	5	3	-	-	25	12	3	5	5	16	10	6	-	-	60	21	26	9	4	112	
8	-	-	-	-	3	2	1	-	-	-	-	-	-	-	6	4	1	1	-	113	
8	3	5	-	-	9	2	-	7	-	5	4	1	-	-	29	13	9	3	4	114	
8	-	-	-	-	1	1	-	1	-	2	2	-	-	-	1	1	-	-	-	114a,b	
8	3	5	-	-	8	2	-	6	-	3	2	1	-	-	28	12	9	3	4	114c-e	
382	220	153	6	3	582	187	113	142	120	244	144	84	6	10	1,095	496	319	136	144		
5	1	3	1	-	29	5	6	10	8	7	4	3	-	-	39	13	15	4	9	115	
1	1	-	-	-	4	-	1	2	1	-	-	-	-	-	1	-	-	-	-	116	
54	47	6	1	-	63	46	11	18	9	23	19	3	1	-	149	94	16	24	12	117	
26	21	4	1	-	54	25	5	17	7	12	10	1	1	-	104	61	12	19	12	117a	
28	26	2	1	-	29	21	6	1	1	11	9	2	-	-	45	33	7	5	-	117b	
4	2	1	1	-	23	6	2	11	4	5	4	1	-	-	71	15	14	18	24	118	
21	13	8	-	-	79	17	9	29	25	21	11	5	1	4	144	59	39	22	25	119	
11	5	6	-	-	46	4	7	12	23	7	3	3	-	-	52	14	30	1	7	120	
25	14	10	-	1	57	15	13	15	14	31	24	7	-	-	106	61	27	13	15	121	
74	37	38	1	-	89	26	19	27	17	54	25	26	3	3	185	71	67	22	25	122	
45	25	19	1	-	89	11	5	9	4	22	11	8	-	-	66	32	17	11	6	122a	
29	12	17	-	-	60	15	14	18	13	32	14	16	-	-	119	39	50	11	19	122b	
11	7	3	-	-	18	9	1	4	4	10	9	1	1	-	26	16	5	3	4	123	
102	64	35	2	1	76	41	21	10	4	45	33	12	-	-	174	124	35	13	14	124	
14	11	2	1	-	6	4	1	1	1	3	3	-	-	-	30	24	4	2	2	124a	
98	55	35	1	1	70	37	20	9	4	42	30	12	-	-	144	90	29	13	12	124b	
14	7	7	-	-	19	6	8	4	1	9	4	2	-	-	38	13	5	9	3	125	
31	6	28	-	-	5	3	3	7	1	12	2	8	1	1	45	12	29	2	2	126	
19	9	10	-	-	15	3	7	1	-	18	6	10	1	1	35	8	26	1	1	127	
4	2	2	-	-	6	3	1	-	-	2	-	-	-	-	17	9	7	-	-	128	
6	3	3	-	-	13	1	5	-	7	2	-	1	-	-	23	8	9	3	4	129	
611	301	296	7	7	1,560	394	292	475	399	537	218	115	5	1	1,944	799	538	321	266		
10	1	9	-	-	40	7	7	18	8	7	4	2	1	-	55	21	14	11	9	130	
502	227	266	3	6	1,279	321	232	373	353	246	143	101	1	1	1,483	569	440	239	235	131	
423	188	217	3	5	1,063	257	203	310	293	171	98	72	1	-	1,056	424	307	156	169	131a	
79	29	49	-	1	216	64	29	63	60	75	45	29	1	1	427	145	133	83	86	131b	
5	3	1	1	-	90	22	22	26	20	22	15	6	1	-	116	36	40	21	19	132	
17	13	4	-	-	44	7	12	16	9	13	8	4	1	-	64	28	20	10	11	133	
14	9	5	-	-	18	9	8	-	1	6	6	4	-	-	15	4	8	3	3	134	
6	2	4	-	-	6	2	-	2	2	2	2	-	-	-	11	6	-	4	1	135	
-	-	-	-	-	9	2	-	7	-	-	1	-	-	-	9	3	4	2	-	136	
48	45	...	3	...	57	24	...	33	...	40	39	...	1	...	167	137	...	30	...	137	
42	39	...	3	...	44	21	...	23	...	30	29	145	117	...	28	...	137a	
6	6	...	-	...	13	3	...	10	...	10	10	22	20	...	2	...	137b	
1	1	...	-	...	-	-	...	-	...	-	-	1	-	...	1	...	138	
8	...	7	...	1	17	...	11	...	6	-	23	...	12	...	11	139	
2	...	1	...	1	11	...	5	...	6	-	15	...	6	...	10	139a	
6	...	6	...	-	6	...	6	...	-	-	7	...	6	...	1	139b	
17	...	13	...	4	155	...	30	...	106	17	...	13	...	4	150	...	106	...	44	139c	
2	...	1	...	1	10	...	2	...	8	-	12	...	9	...	3	140	
-	...	-	...	-	7	...	1	...	6	-	6	...	3	...	3	141	
-	...	-	...	-	2	...	1	...	1	-	1	...	-	...	1	141a,c	
-	...	-	...	-	3	...	3	...	3	-	4	...	3	...	1	141b	
2	...	-	...	-	2	...	-	...	2	-	1	...	-	...	1	141d-f	
2	...	1	...	1	11	...	4	...	7	2	...	2	6	...	5	...	1	142	
2	...	1	...	1	1	...	1	...	1	1	...	1	2	...	1	...	1	142a	
1	...	1	...	1	10	...	4	...	6	1	...	1	4	...	4	...	-	142b	
1	...	1	...	1	2	...	1	...	1	1	...	1	-	...	-	...	-	143	
1	...	1	...	1	9	...	4	...	5	5	...	3	17	...	10	...	7	144	
1	...	1	...	1	4	...	4	3	...	3	8	...	5	...	3	145	
2	...	4	...	4	...	4	4	2	...	2	6	...	4	...	2	145a	
2	1	...	1	2	...	1	...	1	145b	
3	...	3	...	2	23	...	7	...	16	2	...	1	3	...	19	...	4	146	
3	...	3	27	...	9	...	18	5	...	4	25	...	18	...	7	147	
2	...	2	39	...	11	...	28	4	...	3	32	...	24	...	8	148	
2	...	2	13	...	2	...	11	9	...	6	...	3	149	
1	...	1	10	...</															

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	OREGON				PENNSYLVANIA					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue-----	10	5	5	-	-	76	28	41	3	4
151	Carbuncle and furuncle-----	2	1	1	-	-	2	2	-	-	-
152	Phlegmon and acute abscess-----	-	-	-	-	-	12	6	5	1	-
153	Other diseases of skin and cellular tissue-----	8	4	4	-	-	62	20	36	2	4
	XIII.—Diseases of the bones, etc.*-----	7	3	4	-	-	54	28	21	5	-
154	Osteomyelitis and periostitis-----	1	1	-	-	-	15	10	3	2	-
155	Other diseases of bones (except tuberculosis)-----	1	-	1	-	-	9	4	4	1	-
156	Diseases of joints, other organs of movement-----	5	2	3	-	-	30	14	14	2	-
157	XIV.—Congenital malformations-----	206	118	84	3	1	1,417	724	598	51	44
157a-d	Congenital malformations of central nervous system-----	43	21	22	-	-	487	199	246	9	13
157e,f	Congenital malformations of cardiovascular system-----	111	63	44	3	1	619	337	237	23	22
157g,h,m	Other congenital malformations-----	52	34	18	-	-	331	188	115	19	9
	XV.—Diseases peculiar to the first year of life-----	496	282	196	11	7	4,409	2,303	1,609	291	206
158	Congenital debility (cause not stated)-----	6	6	2	-	-	126	75	32	10	9
159	Premature birth (cause not stated)-----	296	165	123	5	3	2,768	1,407	1,015	203	143
160	Injury at birth-----	87	48	35	3	1	843	448	322	44	29
161	Other diseases peculiar to first year of life-----	105	63	36	3	3	672	375	240	34	25
162	XVI.—Senility-----	184	86	96	-	2	360	189	201	9	11
	XVII.—Violent or accidental deaths-----	1,562	1,144	375	31	12	7,937	5,182	2,233	394	128
163,164	Suicide-----	218	167	47	4	-	1,205	883	286	25	7
163	Suicide by poisoning-----	39	23	16	-	-	277	157	112	4	4
164	Suicide by other means-----	179	144	31	4	-	926	726	176	21	3
165-168	Homicide ¹ -----	38	24	9	3	2	308	107	63	106	32
166	Homicide by firearms-----	23	15	6	1	1	143	48	36	47	14
167	Homicide by cutting or piercing instruments-----	2	-	-	1	1	69	14	3	44	8
168	Homicide by other means-----	13	9	3	1	-	96	47	24	15	10
169-195	Accidental deaths-----	1,306	953	319	24	10	6,415	4,187	1,862	257	89
169	Railway accidents (except collisions with motor vehicles)-----	16	13	1	2	-	232	201	32	17	2
170	Motor-vehicle accidents-----	436	311	105	13	7	1,814	1,397	356	52	19
170a	Collisions between automobiles and trains-----	10	8	2	-	-	37	30	6	1	-
170b	Collisions between automobiles and streetcars-----	-	-	-	-	-	18	15	2	1	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	411	290	101	13	7	1,712	1,299	345	49	19
170d	Motorcycle accidents (exc. collisions with automobiles)-----	15	13	2	-	-	49	45	3	1	-
171	Streetcar and other road-transport accidents-----	1	1	-	-	-	68	45	17	5	1
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	-	-	-	-	-	55	35	15	4	1
171b	Other and unspecified road-transport accidents-----	1	1	-	-	-	13	10	2	1	-
172	Water-transport accidents-----	38	35	3	-	-	32	27	2	2	1
173	Air-transport accidents-----	43	45	3	-	-	87	74	13	-	-
174	Accidents in mines and quarries-----	4	4	-	-	-	349	344	3	2	-
175	Agricultural and forestry accidents-----	137	137	-	-	-	97	86	7	4	-
175a-c	Agricultural accidents-----	29	28	-	-	-	92	61	7	4	-
175d,e	Forestry accidents-----	109	109	-	-	-	5	5	-	-	-
176	Other accidents involving machinery-----	25	25	-	-	-	90	79	4	9	-
177	Food poisoning-----	6	9	1	-	-	8	5	3	-	-
178	Accidental absorption of poisonous gas-----	12	7	2	1	-	190	116	54	12	8
179	Acute accidental poisoning by solids or liquids-----	13	7	6	-	-	90	46	28	12	4
180	Conflagration-----	51	11	19	2	-	157	63	53	12	9
181	Accidental burns (except conflagration)-----	40	26	13	1	-	264	165	87	22	10
182	Accidental mechanical suffocation-----	16	7	9	-	-	100	49	44	2	5
183	Accidental drowning-----	99	87	9	3	-	285	214	44	25	2
184	Accidental injury by firearms-----	25	23	2	-	-	87	74	5	7	1
185	Accidental injury by cutting or piercing instruments-----	2	2	-	-	-	9	4	5	-	-
186	Accidental injury by fall or crushing-----	258	134	122	1	1	2,069	949	1,086	40	14
186a	Accidental injury by fall-----	252	129	121	1	1	2,043	927	1,063	39	14
186b	Accidental injury by crushing-----	6	5	1	-	-	26	22	3	1	-
187	Cataclysm, etc.-----	1	1	-	-	-	4	4	-	-	-
188	Injury by animals (except in agriculture and forestry)-----	1	1	-	-	-	5	3	2	-	-
189	Rumor or threat-----	4	-	-	-	-	-	-	-	-	-
190	Excessive cold-----	2	2	-	-	-	12	8	3	1	-
191	Excessive heat-----	-	-	-	-	-	18	13	4	1	-
192	Lightning-----	1	1	-	-	-	13	12	-	1	-
193	Accidents due to electric currents (except lightning)-----	17	17	-	-	-	46	39	3	4	-
194	Poisoning by venemous animals (except in agriculture and forestry)*-----	1	1	-	-	-	-	-	-	-	-
195	Other accidents-----	76	48	25	1	2	309	201	67	28	13
195a	Sequelae of preventive immunization, etc.*-----	-	-	-	-	-	1	1	-	-	-
195b	Other accidents due to medical or surgical intervention-----	-	-	-	-	-	2	1	-	-	-
195d	Obstruction, suffocation, etc.*-----	35	21	10	1	1	60	31	19	6	4
195c,e	Other and unspecified accidents-----	43	27	15	-	1	246	166	48	22	6
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	-	-	-	-	-	11	5	-	6	-
	XVIII.—Ill-defined and unknown causes-----	143	99	42	2	-	638	403	168	44	23
199	Sudden death-----	14	11	3	-	-	9	7	1	1	-
200	Ill-defined and unknown causes-----	129	88	39	2	-	629	396	167	43	23
200a	Ill-defined causes-----	78	57	20	1	-	502	323	134	26	19
200b,c	Unknown or unspecified causes-----	51	31	19	1	-	127	73	33	17	4

*Refer to International List for complete title, table IX, Part I.
¹Includes figures for infanticide (165).

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

Total deaths	RHODE ISLAND				Total deaths	SOUTH CAROLINA				Total deaths	SOUTH DAKOTA				Total deaths	TENNESSEE				Int. List No.
	White		Nonwhite			White		Nonwhite			White		Nonwhite			White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4	2	2	-	-	15	3	5	5	2	2	1	1	-	-	23	10	5	4	4	
-	-	-	-	-	6	2	1	3	-	1	1	-	-	-	5	2	1	1	1	151
4	2	2	-	-	9	1	4	2	2	1	-	1	-	-	18	8	4	3	3	152
7	2	5	-	-	5	2	3	-	-	3	2	1	-	-	13	7	5	1	-	153
1	-	1	-	-	1	1	-	-	-	-	-	-	-	5	3	2	-	-	-	154
5	2	3	-	-	2	1	1	-	-	3	2	1	-	3	2	1	1	-	-	155
1	-	1	-	-	2	-	2	-	-	3	-	-	-	5	2	2	1	-	-	156
151	58	67	4	2	244	85	95	37	27	100	55	44	-	1	402	210	144	30	19	157
56	15	39	2	-	68	16	29	14	9	29	11	17	-	1	94	39	42	7	6	157a-d
45	23	14	1	2	101	59	40	11	12	33	21	12	-	-	193	111	67	8	7	157e,f
30	15	14	1	-	73	31	26	12	6	38	23	15	-	-	115	60	35	15	5	157g,h,m
300	163	122	9	6	1,089	393	262	237	191	270	149	106	7	8	1,591	780	520	164	127	
6	3	3	-	-	37	4	5	19	8	3	3	-	-	54	26	20	4	4	158	
135	94	80	6	5	704	244	183	149	128	181	96	76	5	4	1,007	479	327	108	93	159
70	46	20	3	1	198	81	41	37	29	33	32	19	1	1	329	175	107	30	17	160
39	20	19	-	-	150	60	33	32	25	33	18	11	1	3	201	100	66	22	13	161
16	6	10	-	-	80	19	13	18	30	87	42	37	2	6	345	105	140	50	50	162
490	291	191	7	1	1,751	714	237	588	212	539	366	145	22	6	2,533	1,413	557	420	143	
71	40	30	1	-	121	89	18	12	2	35	44	9	2	-	246	179	52	13	2	163,164
19	7	12	-	-	18	8	8	1	1	11	9	2	-	-	37	15	20	-	2	163
52	33	18	1	-	103	81	10	11	1	44	35	7	2	-	209	164	32	13	-	164
11	4	6	-	1	285	96	11	177	41	6	3	2	1	-	374	139	17	178	40	165-168
7	4	2	-	1	196	45	6	120	25	3	2	1	-	-	251	101	12	117	21	166
2	-	2	-	-	58	5	2	44	7	-	-	-	-	-	81	15	3	49	14	167
2	-	2	-	-	31	6	3	13	9	3	1	1	-	-	42	23	2	12	5	168
408	247	155	6	-	1,332	569	208	387	168	477	318	134	19	6	1,910	1,094	488	227	101	169-185
5	5	-	-	-	42	18	2	16	3	10	8	-	4	-	67	43	3	20	1	169
103	70	30	3	-	528	287	54	150	38	184	125	34	4	1	686	476	120	74	16	170
1	-	1	-	-	18	7	9	1	1	7	7	-	-	-	34	31	3	-	-	170a
96	64	29	3	-	504	274	45	148	37	154	115	34	4	1	635	431	115	73	16	170b
6	6	-	-	-	7	6	-	1	1	3	3	-	-	-	15	13	1	1	-	170c
4	2	2	-	-	6	2	-	4	-	-	-	-	-	-	6	3	1	2	-	170d
3	1	2	-	-	1	-	-	1	-	-	-	-	-	-	3	1	1	1	-	171
1	1	-	-	-	5	2	-	3	-	-	-	-	-	-	5	2	-	-	-	171a
9	9	-	-	-	40	24	3	13	-	4	4	-	-	-	34	30	1	3	-	171b
4	3	1	-	-	16	14	2	-	-	19	16	3	-	-	26	25	1	-	-	172
1	-	-	-	-	1	-	-	1	-	4	4	-	-	-	27	26	-	-	-	173
3	3	-	-	-	23	9	-	14	-	38	34	3	-	1	57	47	-	10	-	174
3	3	-	-	-	20	9	-	11	-	36	32	3	-	1	50	42	-	8	-	175
6	5	-	-	-	3	-	-	3	-	2	2	-	-	-	7	5	-	2	-	175a-c
17	12	5	-	-	19	10	-	9	-	4	4	-	-	-	21	17	-	4	-	175d,e
5	5	-	-	-	6	2	-	4	-	1	1	-	-	-	16	6	2	3	5	176
9	8	4	-	-	19	5	1	4	8	13	8	5	-	-	11	8	5	-	-	177
6	3	3	-	-	58	13	12	14	19	6	2	3	1	-	25	16	5	2	2	178
32	25	6	1	-	99	16	21	27	34	15	12	3	-	-	107	32	23	18	14	180
2	2	6	-	-	44	9	14	8	13	11	8	3	-	-	48	25	12	8	3	181
164	73	90	1	-	87	42	10	25	10	20	15	2	2	1	83	51	11	18	3	182
164	73	90	1	-	67	29	4	27	7	16	8	4	3	1	77	48	10	15	4	183
1	1	-	-	-	2	-	-	1	1	1	-	-	-	-	11	2	3	3	3	184
1	1	-	-	-	166	48	76	24	18	98	40	55	3	-	355	124	201	17	13	185
1	1	-	-	-	154	42	76	18	18	94	36	55	3	-	348	118	201	16	13	186
1	1	-	-	-	12	6	-	6	-	4	4	-	-	-	7	6	-	1	-	186a
1	1	-	-	-	1	1	-	-	-	2	-	2	-	-	9	2	1	1	5	187
1	1	-	-	-	3	1	-	1	1	1	-	-	-	-	6	5	1	-	-	188
1	1	-	-	-	2	1	-	1	1	1	-	-	-	-	1	1	-	-	-	189
1	1	-	-	-	2	1	-	1	1	2	1	-	-	-	6	5	1	-	-	190
1	1	-	-	-	2	-	-	2	-	2	2	-	-	-	5	1	1	2	1	191
3	3	-	-	-	15	3	3	5	4	3	3	-	-	-	15	12	2	1	-	192
27	18	8	-	-	15	10	-	5	-	8	8	-	-	-	22	17	1	3	1	193
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	5	4	1	-	-	194
9	5	4	-	-	64	23	5	28	8	32	13	17	1	1	97	42	41	8	6	195
17	13	4	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	195a
1	1	-	-	-	15	4	2	3	4	5	3	1	-	1	20	9	7	2	2	195b
1	1	-	-	-	49	18	3	25	3	27	10	16	1	-	76	32	34	6	4	195c,e
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
1	1	-	-	-	13	-	-	12	1	1	1	-	-	-	3	1	-	2	-	197
11	9	2	-	-	785	94	59	327	306	92	25	17	20	30	1,574	604	393	326	251	198
2	1	1	-	-	32	6	6	10	10	5	4	1	-	-	86	40	24	16	6	199
9	8	1	-	-	753	88	53	317	295	87	21	16	20	30	1,488	564	369	310	245	200
7	6	1	-	-	346	57	28	126	135	29	17	9	2	1	244	104	44	54	42	200a
2	2	-	-	-	407	31	25	191	160	58	4	7	16	29	1,244	460	325	286	203	200b,c

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	TEXAS				UTAH					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	62,662	30,628	21,352	5,790	4,892	4,996	2,897	1,975	89	55
	I.—Infectious and parasitic diseases-----	5,071	2,302	1,655	633	481	182	115	49	14	4
1	Typhoid fever-----	30	15	3	5	9	-	-	-	-	-
2	Paratyphoid fever-----	2	-	-	-	-	-	-	-	-	-
3	Flague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	7	5	1	-	1	2	1	1	-	-
6	Cerebrospinal (meningococcus) meningitis-----	35	14	17	4	-	4	2	2	-	-
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	1	1	-	-	-	2	2	-	-	-
9	Whooping cough-----	199	72	67	27	33	1	-	-	-	-
10	Diphtheria (infection by C. diphtheriae)-----	76	33	25	9	9	11	7	3	-	1
11	Erysipelas-----	1	-	-	-	-	-	-	-	-	-
12	Tetanus-----	118	51	32	17	18	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	2,791	1,343	969	269	210	80	55	13	11	1
13	Tuberculosis of respiratory system, etc.*-----	2,629	1,276	913	241	199	76	54	11	10	1
14	Tuberculosis of meninges, etc.*-----	58	27	19	9	4	1	-	-	-	-
15	Tuberculosis of intestines and peritoneum-----	27	7	18	1	3	-	-	-	-	-
16	Tuberculosis of vertebral column-----	8	3	3	1	1	3	1	1	1	-
17	Tuberculosis of bones and joints, etc.*-----	4	1	2	1	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*-----	2	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*-----	1	-	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system-----	6	3	-	2	1	-	-	-	-	-
21	Tuberculosis of other organs-----	2	-	1	1	-	-	-	-	-	-
22	Disseminated tuberculosis-----	55	26	14	12	1	-	-	-	-	-
23	Leprosy-----	1	-	1	-	-	-	-	-	-	-
24	Syphilitic and purulent infection (nonpuerperal)-----	45	15	16	7	5	3	-	2	1	-
25	Conococcus infection-----	2	1	-	-	1	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)-----	1	-	-	1	-	-	-	-	-	-
27	Dysentery-----	286	141	116	19	10	4	3	1	-	-
28	Malaria-----	32	11	11	4	6	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*-----	4	3	1	-	-	-	-	-	-	-
30	Syphilis (all forms)-----	625	255	74	199	98	22	15	4	2	1
30a	Locomotor ataxia (tabes dorsalis)-----	10	3	3	4	2	-	-	-	-	-
30b	General paralysis of insane-----	196	75	21	68	22	3	2	1	-	-
30d	Aneurysm of aorta-----	151	79	13	49	10	10	9	1	-	-
30f	Congenital syphilis-----	65	19	14	10	22	-	-	-	-	-
30c, e, g	Syphilis (other forms)-----	213	79	25	67	42	9	4	2	2	1
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	17	6	7	3	1	4	2	2	-	-
33	Influenza-----	586	217	250	55	64	26	15	10	-	1
34	Smallpox-----	1	1	-	-	-	-	-	-	-	-
35	Measles-----	16	5	8	1	2	1	1	-	-	-
36	Poliomyelitis and polioencephalitis (acute)-----	32	14	10	3	5	4	2	2	-	-
37	Acute infectious encephalitis (lethargic)-----	16	9	6	1	1	3	1	2	-	-
38	Other diseases due to filtrable viruses-----	10	5	3	1	1	-	-	-	-	-
39	Typhus fever and typhus-like diseases*-----	28	19	9	2	2	2	1	1	-	-
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease-----	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	1	1	-	-	-	-	-	-	-	-
43	Mycoses-----	18	11	5	2	-	2	-	2	-	-
44	Other infectious and parasitic diseases-----	90	56	25	4	5	11	8	3	-	-
	II.—Cancer and other tumors-----	7,109	3,029	3,139	409	532	571	276	288	4	3
45-55	Cancer and other malignant tumors-----	6,823	2,922	3,024	396	481	545	285	273	4	3
45	Cancer of buccal cavity and pharynx-----	222	145	55	18	4	3	3	-	-	-
45a	Cancer of lip-----	32	29	3	-	-	-	-	-	-	-
45b	Cancer of tongue-----	43	31	9	3	-	2	2	-	-	-
45c	Cancer of mouth-----	29	20	5	2	2	1	1	-	-	-
45d	Cancer of jaw bone-----	39	18	15	3	2	-	-	-	-	-
45e	Cancer of unspecified parts of buccal cavity-----	2	-	2	-	-	-	-	-	-	-
45f	Cancer of pharynx-----	78	47	21	10	-	-	-	-	-	-
46	Cancer of digestive organs and peritoneum-----	2,565	1,226	1,004	190	145	245	142	99	3	1
46a	Cancer of esophagus-----	112	52	39	18	3	7	4	2	1	-
46b	Cancer of stomach-----	851	430	282	85	54	108	75	32	1	-
46c	Cancer of duodenum-----	11	5	5	-	-	1	-	-	-	-
46d	Cancer of rectum and anus-----	191	94	71	11	15	19	13	6	-	-
46e	Cancer of intestines, etc.*-----	625	250	320	35	20	59	24	34	-	1
46f	Cancer of liver and biliary passages-----	459	204	197	23	34	17	8	9	-	-
46g	Cancer of pancreas-----	267	159	78	14	16	28	14	13	1	-
46h	Cancer of mesentery and peritoneum-----	36	18	18	-	-	2	1	1	-	-
46m	Cancer of other and unspecified sites-----	34	14	14	4	2	5	3	2	-	-
47	Cancer of respiratory system-----	669	448	159	45	16	32	26	6	-	-
47a	Cancer of larynx-----	62	45	11	6	-	-	-	-	-	-
47b, c	Cancer of trachea and bronchus-----	142	113	15	11	3	16	15	1	-	-
47d	Cancer of lung-----	140	280	124	25	11	14	10	4	-	-
47e	Cancer of pleura-----	5	1	3	-	1	-	-	-	-	-
47f	Cancer of other respiratory organs-----	19	9	6	3	1	2	1	1	-	-
48	Cancer of uterus-----	729	...	575	...	154	50	...	49	...	1
48a	Cancer of cervix-----	334	...	275	...	59	31	...	31	...	-
48b	Cancer of other and unspecified sites of uterus-----	395	...	300	...	95	19	...	18	...	1
49	Cancer of other female genital organs-----	184	...	158	...	26	20	...	20	...	-
49a, b	Cancer of ovary, fallopian tube, and parametrium-----	169	...	142	...	17	17	...	17	...	-
49c- e	Cancer of other female genital organs-----	25	...	16	...	9	3	...	3	...	-
50	Cancer of breast-----	522	4	462	-	56	54	1	53	-	-
51	Cancer of male genital organs-----	446	378	...	68	...	42
51b	Cancer of prostate-----	399	337	...	62	...	36
51a, c- e	Cancer of other male genital organs-----	47	41	...	6	...	6
52	Cancer of urinary organs-----	259	136	101	11	11	25	19	5	1	-
52a	Cancer of kidney-----	99	50	39	5	5	11	7	4	-	-
52b	Cancer of bladder-----	156	84	60	6	6	14	12	1	1	-
52c	Cancer of other and unspecified sites-----	4	2	2	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES-DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947-Continued

(and of deaths among armed forces overseas)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA				Int. List No.	
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male		Female
4,578	2,418	1,953	6	1	29,193	11,911	8,574	4,745	4,163	21,979	12,927	8,466	366	218	17,218	9,246	6,597	814	561	
180	129	51	-	-	2,135	689	427	571	448	952	573	260	77	42	1,252	584	498	108	62	
1	1	-	-	-	10	1	3	3	3	2	1	-	-	1	6	4	2	-	-	
1	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	-	2	-	-	3	3	-	-	-	-	-	-	-	-	8	6	2	-	-	
5	3	2	-	-	60	16	10	15	19	7	3	3	1	44	21	20	2	1		
1	1	-	-	-	23	10	9	3	1	11	6	5	-	9	5	4	-	-		
-	-	-	-	-	2	-	2	-	-	2	1	1	-	3	1	2	-	-		
-	-	-	-	-	15	3	1	6	5	2	2	-	-	1	1	-	-	-		
119	87	32	-	-	1,244	401	262	302	279	592	352	145	60	35	685	317	274	54		
114	86	28	-	-	1,159	388	246	267	260	532	324	124	56	28	618	284	254	47		
2	-	2	-	-	18	5	1	7	6	25	11	4	4	2	20	8	7	3		
-	-	-	-	-	16	1	3	8	4	7	2	2	3	3	9	5	4	2		
2	-	2	-	-	7	-	6	-	1	5	2	3	-	6	5	1	1	1		
-	-	-	-	-	3	-	-	-	2	2	2	-	-	4	3	1	1	-		
-	-	-	-	-	3	2	1	1	-	3	1	1	1	1	-	-	-	-		
-	-	-	-	-	6	3	2	1	-	10	5	5	-	3	1	1	1	-		
-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-		
1	1	-	-	-	30	4	3	16	7	7	4	2	-	1	22	10	9	2		
1	1	-	-	-	20	7	5	5	3	10	4	5	-	1	3	1	2	-		
-	-	-	-	-	9	-	2	-	6	6	-	-	-	-	-	-	-	-		
1	-	1	-	-	1	1	1	1	3	3	1	1	-	1	1	1	-	-		
-	-	-	-	-	25	10	7	5	3	3	1	1	-	1	11	4	6	-		
-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-		
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-		
12	10	2	-	-	349	97	15	167	70	178	123	40	12	3	197	92	42	45		
2	1	1	-	-	21	19	2	2	2	8	7	1	2	1	4	2	-	2		
4	4	4	-	-	122	34	4	65	19	41	29	9	2	1	65	35	17	10		
1	1	1	-	-	62	25	2	27	8	69	49	14	6	2	40	22	6	10		
5	4	1	-	-	30	1	6	10	13	2	1	1	-	9	4	1	2	2		
-	-	-	-	-	114	18	3	63	30	58	37	15	4	2	79	29	17	21		
-	-	-	-	-	9	4	4	-	1	9	7	1	-	1	9	5	3	1		
21	12	9	-	-	214	67	61	42	44	52	22	28	2	169	79	100	6	4		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7	6	1	-	-	31	14	15	2	-	13	10	3	-	19	9	10	-	-		
1	1	-	-	-	13	6	5	2	-	13	10	3	-	7	3	4	-	-		
1	-	1	-	-	19	9	4	5	1	11	4	7	-	2	2	2	-	-		
-	-	-	-	-	4	2	1	1	1	2	1	1	-	1	1	1	-	-		
-	-	-	-	-	10	5	1	4	-	-	-	-	-	2	2	2	-	-		
-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	1	-	-		
-	-	-	-	-	5	2	1	2	-	6	6	-	-	-	2	2	-	-		
7	6	1	-	-	31	17	6	1	8	33	20	11	2	29	21	8	-	-		
589	274	313	1	1	3,100	1,183	1,236	281	400	3,075	1,528	1,486	31	30	1,940	855	952	53	80	
574	268	304	1	1	2,978	1,144	1,193	267	374	3,002	1,488	1,444	31	29	1,866	837	912	52	65	
9	7	2	-	-	83	37	12	8	6	73	56	16	1	-	49	34	14	1		
1	1	-	-	-	5	5	-	-	-	10	10	-	-	2	2	-	-	-		
3	3	-	-	-	21	14	3	2	2	23	15	8	-	9	2	-	-	-		
3	1	2	-	-	11	8	1	1	1	7	5	1	1	6	4	2	-	-		
2	-	-	-	-	16	10	4	4	-	15	15	2	-	13	8	4	1	-		
2	-	-	-	-	2	1	1	1	-	13	12	1	-	1	1	-	-	-		
255	138	116	1	1	1,153	473	437	133	112	1,282	711	533	27	11	832	422	359	29		
9	5	4	-	-	44	19	14	8	3	27	16	9	2	-	20	13	2	5		
79	46	33	-	-	335	177	110	71	37	450	289	140	15	6	284	170	103	9		
1	1	-	-	-	4	2	-	-	1	6	3	-	-	6	3	2	-	-		
29	23	6	-	-	102	40	48	7	8	175	101	70	1	3	71	41	27	1		
75	38	36	1	-	310	109	139	24	38	299	134	162	2	1	165	82	99	1		
36	13	23	-	-	158	63	73	10	12	146	63	79	4	-	158	80	87	5		
21	9	12	-	-	108	50	36	10	10	144	88	53	2	1	89	37	28	7		
3	1	2	-	-	21	8	7	1	5	27	13	13	1	1	12	6	6	-		
42	35	7	-	-	15	15	9	-	9	4	4	4	-	16	10	5	1	-		
11	4	2	-	-	268	173	54	30	9	271	229	42	-	-	150	104	30	14		
24	20	4	-	-	65	49	9	5	2	109	100	9	-	-	34	25	4	4		
1	1	-	-	-	174	104	41	23	6	131	107	24	-	-	94	67	20	6		
55	...	55	12	10	2	-	-	4	2	2	-	1	1	1	-	-		
23	...	23	320	...	208	...	112	249	...	242	...	7	245	...	220	...		
32	...	32	122	...	84	...	38	127	...	124	...	3	113	...	104	...		
20	...	20	198	...	124	...	74	122	...	118	...	4	132	...	116	...		
16	...	16	60	...	54	...	6	100	...	99	...	1	43	...	41	...		
4	...	4	53	...	48	...	5	93	...	92	...	1	40	...	38	...		
59	...	58	7	...	6	...	1	7	...	7	...	3	...	5		
35	35	310	8	237	2	63	320	3	310	-	7	116	-	107	-		
33	33	225	170	...	55	...	191	190	...	1	...	115	112	...	3		
2	2	210	158	...	52	...	160	179	...	1	...	104	102	...	2		
3	3	15	12	...	3	...	11	11	1	11	10	...	1		
10	19	14	-	-	163	84	42	12	15	150	96	32	-	...	71	33	34	3		
23	12	3	-	-	58	32	18	4	5	58	37	21	-	...	17	6	11	-		
10	7	11	-	-	92	50	24	8	10	91	59	31	1	1	53	27	22	3		
-	-	-	-	-	2	2	-	-	-	1	1	-	-	1	1	1	-	-		

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	TEXAS				DEAR*					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
II.—Cancer and other tumors—Continued											
Cancer and other malignant tumors—Continued											
53	Cancer of skin, etc.*	207	136	64	5	2	15	7	8	-	-
54	Cancer of central nervous system*	122	67	42	4	9	16	9	7	-	-
55	Cancer of other and unspecified organs	899	382	404	55	58	43	16	26	-	1
56,57	Nonmalignant tumors and tumors of unspecified nature	286	107	115	13	51	26	11	15	-	-
56	Nonmalignant tumors (including dermoid cysts)	75	14	25	3	33	16	5	11	-	-
56a-c	Nonmalignant tumors of female genital organs	46	...	17	...	29	7	...	7	...	-
56d	Nonmalignant tumors of central nervous system*	17	8	5	2	2	6	3	3	-	-
56e	Nonmalignant tumors of other and unspecified organs	12	6	3	1	2	3	2	1	-	-
57	Tumors of unspecified nature	211	93	90	10	18	10	6	4	-	-
57a-c	Tumors, female genital organs (nature unspecified)	6	...	4	...	2	1	...	1	...	-
57d	Tumors, central nervous system* (nature unspecified)	139	65	62	4	8	6	4	2	-	-
57e	Tumors, other organs (nature unspecified)	66	28	24	6	8	3	2	1	-	-
III.—Rheumatism, diseases of nutrition, etc.*											
Acute rheumatic fever											
58	Acute rheumatic fever	36	11	10	6	9	7	4	3	-	-
58a	Acute rheumatic pericarditis	3	1	1	-	1	1	1	-	-	-
58b	Acute rheumatic endocarditis	5	1	1	1	2	2	-	2	-	-
58c	Acute rheumatic myocarditis	6	-	2	-	1	3	-	-	-	-
58d	Other acute rheumatic heart diseases	3	2	-	-	1	1	1	-	-	-
58e,f	Other forms of acute rheumatic fever, etc.*	19	7	6	4	2	3	2	1	-	-
59	Chronic rheumatism, other rheumatic diseases	91	35	45	3	8	6	2	2	2	2
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,092	436	511	48	97	97	41	54	-	2
62	Diseases of pituitary gland	4	1	2	-	1	1	-	1	-	-
63	Diseases of thyroid and parathyroid glands	63	11	36	6	10	17	1	15	1	-
63a	Simple goiter	5	3	1	-	1	1	-	-	1	-
63b	Exophthalmic goiter	44	5	26	6	7	14	1	13	-	-
63c-e	Other diseases of thyroid and parathyroid glands	14	3	9	-	2	2	1	2	-	-
64	Diseases of thymus gland	55	29	15	7	4	2	1	1	-	-
65	Diseases of adrenal glands*	17	7	9	1	-	1	1	-	-	-
66	Other general diseases	42	19	19	1	3	3	-	3	-	-
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	2	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	122	33	59	6	24	-	-	-	-	-
70	Rickets	5	2	3	-	-	-	-	-	-	-
71	Other avitaminoses	10	4	4	2	-	-	-	-	-	-
IV.—Diseases of the blood and blood-forming organs											
Hemorrhagic conditions											
72	Hemorrhagic conditions	29	17	8	3	1	8	3	5	-	-
73	Anemias (except splenic anemia)	122	41	55	14	12	10	5	5	-	-
73a	Pernicious anemia	56	20	25	5	6	6	1	5	-	-
73b-d	Other anemias (except splenic)	66	21	30	9	6	4	4	-	-	-
74	Leukemias and aleukemias	302	164	117	16	5	28	18	10	-	-
74a	Leukemias	293	160	112	16	5	25	16	9	-	-
74b	Aleukemias	9	4	5	-	-	3	2	1	-	-
75	Diseases of spleen	13	8	4	-	1	2	1	1	-	-
76	Other diseases of blood and blood-forming organs	22	7	10	3	2	-	-	-	-	-
V.—Chronic poisoning and intoxication											
77	Alcoholism (ethylism)	77	51	14	12	-	8	7	1	-	-
78	Lead poisoning	2	1	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	1	-	1	-	-
VI.—Diseases of the nervous system, etc.*											
Encephalitis (nonepidemic)											
80	Encephalitis (nonepidemic)	74	31	32	5	6	4	3	1	-	-
81	Meningitis (not due to meningococcus)	128	67	35	17	9	4	3	1	-	-
82	Diseases of spinal cord (see exceptions)*	106	50	42	9	5	10	8	2	-	-
83	Intracranial lesions of vascular origin	5,224	2,165	2,050	496	623	360	174	179	6	2
83a	Cerebral hemorrhage or effusion*	4,647	1,888	1,795	437	549	298	141	149	6	2
83b,c	Cerebral embolism, thrombosis, and softening	373	182	152	13	26	56	30	26	-	-
83d	Hemiplegia, other paralysis, etc.*	304	115	105	36	48	6	3	3	-	-
84	Mental diseases and deficiency (see exception)*	95	33	39	11	12	9	5	3	1	-
85	Epilepsy	119	64	35	12	8	5	5	-	-	-
86	Convulsions (under 5 years)	37	16	11	3	7	2	1	1	-	-
87	Other diseases of nervous system	140	79	48	8	5	26	18	8	-	-
88	Diseases of organs of vision	4	2	2	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	39	19	15	2	3	1	-	1	-	-
VII.—Diseases of the circulatory system											
Diseases of the heart (all forms)											
90-95	Diseases of the heart (all forms)	15,603	8,639	4,764	1,187	1,013	1,554	921	613	16	5
90	Pericarditis (except acute rheumatic)	20	8	6	3	3	3	-	3	-	-
90a	Chronic rheumatic pericarditis	1	1	-	-	-	3	-	3	-	-
90b	Other pericarditis	19	7	6	3	3	-	-	-	-	-
91	Acute endocarditis (except rheumatic)	66	25	20	8	13	2	2	-	-	-
91a,b	Bacterial, acute, and subacute endocarditis	56	21	16	8	11	2	2	-	-	-
91c	Endocarditis (unspecified, under 45 years)	10	4	4	-	2	-	-	-	-	-
92	Chronic affections of valves and endocardium	767	340	262	83	82	130	72	54	3	1
92a	Diseases of aortic valve, etc.*	89	44	24	11	10	7	5	2	-	-
92b	Diseases of mitral valve, etc.*	286	113	115	21	37	48	25	19	3	1
92c	Chronic rheumatic endocarditis, etc.*	26	16	7	1	2	24	13	11	-	-
92d	Other chronic endocarditis, etc.*	260	120	83	39	18	46	26	20	-	-
92e	Endocarditis (unspecified, 45 years and over)	106	47	33	11	15	5	3	2	-	-
93	Diseases of the myocardium	6,145	2,907	2,244	512	482	708	365	332	7	4
93a	Acute myocarditis (except rheumatic)	121	34	41	19	27	16	9	7	-	-
93b	Myocarditis (unspecified, under 45 years)	30	12	4	4	10	-	-	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	15	5	7	1	2	13	6	7	-	-
93d	Other chronic myocarditis, etc.*	4,830	2,344	1,846	376	362	632	326	296	7	3
93e	Other myocarditis (unspecified)	1,048	512	346	110	81	47	24	22	-	1
94	Diseases of coronary arteries, angina pectoris	6,531	4,340	1,597	332	282	580	422	154	4	-
94a	Diseases of coronary arteries	6,275	4,188	1,550	301	234	567	410	153	4	-
94b	Angina pectoris	258	152	47	31	28	13	12	1	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

UNITED STATES AND EACH STATE, 1947—Continued

(and of deaths among armed forces overseas)

VERMONT					VIRGINIA				WASHINGTON				WEST VIRGINIA				Int. List No.			
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite							
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female						
12	7	5	-	-	83	52	22	2	7	48	26	22	-	-	45	29	17	-	-	53
11	7	4	-	-	67	51	30	3	3	68	42	26	-	-	54	18	15	-	1	54
43	20	23	-	-	256	96	97	22	41	250	145	102	1	2	166	86	75	2	3	55
15	6	9	-	-	122	39	45	14	26	75	30	42	-	1	74	10	40	1	15	56,57
7	2	5	-	-	57	7	25	3	22	51	16	54	-	1	47	7	25	1	14	56
4	...	4	35	...	17	...	18	25	...	22	...	1	33	...	19	...	14	56a-c
...	14	6	4	3	1	20	11	9	-	-	8	5	3	-	-	56d
3	2	1	-	-	8	1	4	-	3	8	5	3	-	-	6	2	3	1	-	56e
8	4	4	-	-	65	32	18	11	4	22	14	8	-	-	27	11	15	-	1	57
1	...	1	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	57a-c
4	2	2	-	-	42	25	7	7	3	16	11	5	-	-	18	7	10	-	1	57d
3	2	1	-	-	23	7	11	4	1	6	3	3	-	-	8	4	4	-	-	57e
142	55	87	-	-	816	224	348	71	173	619	243	362	3	11	532	182	310	16	24	
1	-	1	-	-	45	9	9	7	20	14	8	6	-	-	17	9	5	-	3	58
-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	4	1	-	-	-	58a
-	-	-	-	-	11	2	4	1	4	5	3	2	-	-	4	2	2	-	-	58b
-	-	-	-	-	6	2	1	2	1	1	2	-	-	-	5	-	-	-	1	58c
-	-	-	-	-	8	1	4	3	6	4	2	2	-	-	6	3	3	-	-	58d
1	-	1	-	-	19	3	4	3	6	9	3	2	-	-	6	3	3	-	2	58e, f
15	5	8	-	-	51	11	28	6	6	27	15	15	-	1	30	15	13	-	2	59
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
114	45	69	-	-	598	171	251	50	128	476	185	282	3	6	397	133	235	15	14	61
1	-	1	-	-	2	-	1	-	1	3	-	3	-	-	2	1	1	-	-	62
7	3	4	-	-	49	8	28	1	14	47	9	37	-	1	44	2	41	-	1	63
-	-	-	-	-	3	-	1	-	2	5	1	4	-	-	5	-	5	-	-	63a
4	1	3	-	-	42	5	24	1	12	37	7	29	-	1	54	1	52	-	1	63b
3	2	1	-	-	4	1	3	-	-	5	1	4	-	-	5	1	4	-	-	63c-d
2	1	1	-	-	17	9	7	1	1	27	19	7	-	1	14	9	4	-	1	64
2	1	1	-	-	9	6	2	1	1	9	4	5	-	-	6	4	1	-	1	65
1	-	1	-	-	16	7	2	4	3	12	4	8	-	-	14	3	8	-	3	66
-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	1	1	-	-	-	67
-	-	-	-	-	24	5	16	1	2	1	-	-	-	-	1	3	2	-	-	68
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	3	-	1	-	-	69
-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	1	-	-	-	-	70
35	12	21	-	-	189	88	73	15	13	189	115	72	2	-	124	72	44	4	4	71
1	1	-	-	-	12	6	4	1	1	11	8	3	-	-	8	4	3	-	1	72
7	4	3	-	-	44	17	19	3	5	35	19	15	1	-	32	18	15	-	3	73
4	2	2	-	-	21	10	11	-	-	23	14	9	-	-	17	7	8	-	2	73a
3	2	1	-	-	23	7	8	3	5	12	5	6	1	-	15	9	5	-	1	73b-d
24	7	17	-	-	118	59	45	0	6	130	82	47	1	-	75	46	26	3	-	74
23	7	16	-	-	116	58	44	0	6	118	76	41	1	-	73	45	25	3	-	74a
1	-	1	-	-	2	1	1	-	-	12	6	6	-	-	2	1	1	-	-	74b
1	-	1	-	-	8	5	2	1	-	8	3	5	-	-	5	3	1	1	-	75
-	-	-	-	-	7	1	3	2	1	5	3	2	-	-	4	3	1	-	-	76
7	4	3	-	-	97	69	4	23	1	56	48	5	2	1	58	33	5	-	-	
8	3	3	-	-	95	69	3	25	1	55	47	5	2	1	54	30	4	-	-	77
1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	1	1	-	-	-	78
-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	3	2	1	-	-	79
489	236	253	-	-	3,417	1,151	1,022	612	632	2,326	1,202	1,094	13	17	1,751	899	720	68	64	
1	-	1	-	-	32	14	9	5	4	15	9	5	-	1	18	9	7	-	2	80
7	5	2	-	-	38	19	4	13	2	27	12	14	-	-	26	15	10	-	1	81
17	6	11	-	-	42	18	7	10	7	45	25	18	-	-	54	23	9	-	1	82
435	207	228	-	-	3,101	1,025	945	543	590	2,102	1,094	992	15	13	1,555	796	648	63	56	83
369	176	193	-	-	2,759	878	834	498	548	1,791	911	862	10	8	1,387	691	567	56	53	83a, c
62	29	34	-	-	211	90	74	27	20	268	154	106	3	5	122	79	36	5	2	83b
4	3	1	-	-	131	55	57	18	21	45	19	24	-	-	54	26	25	2	1	83c
-	-	-	-	-	47	15	15	11	8	21	7	14	-	-	16	6	8	-	1	84
6	3	3	-	-	61	24	13	14	10	29	18	10	-	-	26	14	9	-	1	85
-	-	-	-	-	10	3	1	3	3	2	2	-	-	-	3	2	1	-	-	86
21	13	8	-	-	64	29	21	10	4	78	38	40	-	-	49	26	22	-	1	87
1	1	-	-	-	3	-	1	-	-	6	5	1	-	-	1	1	-	-	-	88
1	1	-	-	-	19	8	6	3	2	3	2	-	-	1	15	7	6	-	1	89
1,636	932	700	4	-	8,736	3,932	2,482	1,247	1,055	7,635	4,775	2,747	77	36	4,769	2,720	1,685	216	148	
1,504	872	628	4	-	8,096	3,701	2,308	1,147	940	7,122	4,491	2,523	74	34	4,457	2,537	1,561	204	135	90-95
2	1	1	-	-	8	4	1	1	2	7	5	2	-	-	8	4	3	-	1	90
-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	1	1	-	-	90a
2	1	1	-	-	3	4	1	1	2	7	5	2	-	-	6	3	2	-	1	90b
3	2	1	-	-	29	3	8	15	5	24	14	8	2	-	11	9	2	-	-	91
3	2	1	-	-	25	3	7	12	3	23	14	7	2	-	9	8	1	-	-	91a, b
-	-	-	-	-	4	-	1	1	2	1	-	-	-	-	2	1	1	-	-	91c
149	72	77	-	-	745	246	210	151	139	589	365	217	4	3	370	199	140	17	14	92
13	8	5	-	-	84	26	12	28	18	50	38	10	1	1	32	15	10	3	4	92a
59	31	28	-	-	280	92	85	57	46	218	127	89	1	1	119	63	47	5	4	92b
2	2	-	-	-	36	21	9	2	4	46	26	20	-	-	20	16	2	1	1	92c
75	29	44	-	-	273	91	88	47	47	256	162	91	2	1	146	74	61	7	4	92d
2	2	-	-	-	73	16	16	17	24	19	12	7	-	-	53	31	20	1	1	92e
766	400	365	1	-	4,037	1,561	1,339	594	544	3,091	1,661	1,375	38	17	2,127	1,057	878	120	72	93
11	5	6	-	-	51	14	11	12	14	43	27	16	-	-	30	12	16	-	1	93a
1	-	1	-	-	19	6	1	8	4	3	-	3	-	-	7	3	3	-	1	93b
4	2	2	-	-	23	11	6	3	3	22	14	8	-	-	14	5	7	-	1	93c
727	394	342	1	-	3,429	1,339	1,172	457	461	2,780	1,480	1,249	35	16	1,612	882	764	106	60	93d
23	9	14	-	-	515	191	149	114	62	243	140	99	3	1	264	155	88	12	9	93e
495	340	152	3	-	2,584	1,582	582	266	154	2,957	2,178	747	25	7	1,423	1,004	347	49	28	94
462	318	141	3	-	2,485	1,514	569	255	148	2,902	2,139	733	23	7	1,379	973	332	48	26	94a
33	22	11	-	-	99	68	14	11	6	55	39	14	2	-	49	31	15	-		

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX.

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	TEXAS				UTAH					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
85	Other diseases of heart	2,074	1,019	635	249	171	131	60	69	2	-
85a	Functional diseases of heart, etc.*	87	40	40	4	3	1	-	1	-	-
85b	Other diseases of heart (rheumatic)	143	55	64	16	8	59	22	37	-	-
85c	Other diseases of heart (not rheumatic)	1,844	924	531	229	160	71	38	31	2	-
86	Aneurysm (except of heart and aorta)	38	24	9	2	3	6	-	-	-	-
87	Arteriosclerosis (except coronary or renal sclerosis)	670	325	262	36	27	78	44	34	-	-
88	Gangrene	27	7	10	5	5	1	1	-	-	-
89	Other diseases of arteries	112	50	43	6	11	15	11	4	-	-
100	Diseases of veins	44	15	21	5	5	12	5	7	-	-
101	Diseases of lymphatic system	5	1	1	-	1	-	-	-	-	-
102	High blood pressure (idiopathic)	187	66	63	30	26	8	3	5	-	-
103	Other diseases of circulatory system	28	8	8	9	3	-	-	-	-	-
	VIII.—Diseases of the respiratory system	3,494	1,564	1,317	321	292	213	127	72	11	3
104	Diseases of nasal fossae, accessory sinuses	27	13	9	2	3	1	-	-	1	-
105	Diseases of larynx	25	15	8	2	-	1	1	-	-	-
106	Bronchitis	186	99	74	8	5	9	7	1	-	1
107	Bronchopneumonia (including capillary bronchitis)	1,019	459	393	85	82	87	46	34	6	1
108	Lobar pneumonia	681	294	241	71	75	63	40	20	3	-
109	Pneumonia (unspecified)	908	381	345	91	91	13	6	6	-	1
109A	Atypical or virus pneumonia	55	27	23	1	4	3	2	1	-	-
109B	Pneumonia (all other, unspecified)	853	354	322	90	87	10	4	5	-	1
110	Pleurisy (not tuberculous)	51	22	15	*8	6	1	1	-	-	-
111	Hemorrhagic infarction, thrombosis, edema*	333	150	137	24	22	12	6	6	-	-
112	Asthma	162	82	61	12	7	10	6	3	1	-
113	Pulmonary emphysema	8	2	3	1	-	3	3	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	96	47	31	17	1	13	11	2	-	-
114a,b	Silicosis, other forms of pneumoconioses	6	5	1	-	-	9	9	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)	90	42	31	16	1	4	2	2	-	-
	IX.—Diseases of the digestive system	3,308	1,564	1,205	295	244	280	161	110	5	4
115	Diseases of buccal cavity and pharynx, etc.*	81	38	28	7	8	11	5	6	-	-
116	Diseases of esophagus	10	3	6	-	1	3	2	1	-	-
117	Ulcer of stomach or duodenum	254	168	30	37	19	61	40	10	1	-
117a	Ulcer of stomach	191	118	24	30	19	35	27	7	1	-
117b	Ulcer of duodenum	63	50	6	7	-	16	13	3	-	-
118	Other diseases of stomach (except cancer)	183	76	37	39	31	8	3	4	1	-
119	Diarrhea, enteritis, etc.* (under 2 years)	941	463	378	59	41	26	17	8	1	-
120	Diarrhea, enteritis, etc.* (2 years and over)	156	60	74	12	10	7	5	1	-	1
121	Appendicitis	213	107	60	25	21	26	17	8	-	1
122	Hernia and intestinal obstruction	461	163	195	50	53	47	21	25	-	1
122a	Hernia	123	52	49	15	7	11	7	4	-	-
122b	Intestinal obstruction	338	111	146	35	46	36	14	21	-	1
123	Other diseases of intestines	83	35	26	13	9	8	3	5	-	-
124	Cirrhosis of liver	508	298	156	28	21	43	31	12	-	-
124a	Cirrhosis of liver with mention of alcoholism	37	21	12	3	1	4	2	2	-	-
124b	Cirrhosis of liver without mention of alcoholism	466	277	144	25	20	39	29	10	-	-
125	Other diseases of liver	101	42	40	12	7	8	4	3	-	1
126	Biliary calculi	74	21	48	2	3	21	8	12	1	-
127	Other diseases of gallbladder, biliary ducts	137	48	78	5	6	14	2	12	-	-
128	Diseases of pancreas (except diabetes mellitus)	43	23	19	1	-	2	1	1	-	-
129	Peritonitis (cause not stated)	68	19	30	5	14	5	2	2	1	-
	X.—Diseases of the genito-urinary system	3,849	1,717	1,188	511	433	311	181	123	3	4
130	Acute nephritis	171	60	58	28	25	7	2	4	-	1
131	Chronic nephritis	2,503	1,101	839	278	285	242	134	103	2	3
131a	Arteriosclerotic kidney	1,752	759	621	179	193	157	88	67	1	1
131b	Other chronic nephritis	751	342	218	99	92	85	46	36	1	2
132	Nephritis unspecified (10 years and over)	514	200	156	88	70	10	6	4	-	-
133	Other diseases of kidneys, ureters, etc.*	162	63	59	23	17	16	7	8	1	-
134	Calculi of urinary passages	55	26	19	6	4	5	5	-	-	-
135	Diseases of urinary bladder	39	13	11	15	-	1	-	1	-	-
136	Diseases of urethra (except calculus)	19	10	2	7	-	1	1	-	-	-
137	Diseases of prostate	309	244	...	65	...	26
137a	Hypertrophy of prostate	196	157	...	39	...	22
137b	Other diseases of prostate	113	87	...	26	...	4
138	Diseases of other male genital organs (not venereal)	1	-	...	1	...	-
139	Diseases of female genital organs	76	...	44	...	32	3	...	3
139a	Diseases of ovaries, fallopian tubes, and parametria	88	...	22	...	16	3	...	3
139b	Diseases of uterus	36	...	21	...	15	-	...	-
139c	Diseases of other female genital organs*	2	...	1	...	1	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	308	...	227	...	79	17	...	17	...	-
140	Abortion with mention of infection	22	...	14	...	8	1	...	1	...	-
141	Abortion without mention of infection	11	...	6	...	5	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	1	...	4	...	1	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	5	...	2	...	3	1	...	1	...	-
141d-f	Other abortions (nonseptic)*	5	...	2	...	3	1	...	1	...	-
142	Ectopic gestation	15	...	10	...	5	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	1	...	-	...	1	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	14	...	10	...	4	-	...	-	...	-
143	Hemorrhage of pregnancy (death before delivery)	2	...	2	...	-	-	...	-	...	-
144	Toxemias of pregnancy (death before delivery)	70	...	52	...	18	-	...	-	...	-
145	Other diseases of pregnancy (death before delivery)*	17	...	10	...	7	3	...	3	...	-
145A	With mention of infection	12	...	7	...	5	3	...	3	...	-
145B	Without mention of infection	5	...	3	...	2	-	...	-	...	-
146	Hemorrhage of childbirth and puerperium	41	...	36	...	5	3	...	3	...	-
147	Infection during childbirth and puerperium	70	...	55	...	15	5	...	5	...	-
148	Puerperal toxemias (excluding death before delivery)	22	...	4	...	4	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	14	...	10	...	4	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	22	...	14	...	8	2	...	2	...	-

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(By place of residence. Exclusive of stillbirths)

Int. List No.	CAUSE OF DEATH	TEXAS				UTAH					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue-----	51	17	16	5	13	3	2	-	1	-
151	Carbuncle and furuncle-----	5	2	2	-	1	-	-	-	-	-
152	Phlegmon and acute abscess-----	6	1	-	2	3	1	1	-	-	-
153	Other diseases of skin and cellular tissue-----	40	14	14	3	9	2	1	-	1	-
	XIII.—Diseases of the bones, etc.*-----	22	8	11	2	1	3	2	-	-	1
154	Osteomyelitis and periostitis-----	5	4	1	-	-	2	1	-	-	1
155	Other diseases of bones (except tuberculosis)-----	9	2	6	1	-	-	-	-	-	-
156	Diseases of joints, other organs of movement-----	8	2	4	1	1	1	1	-	-	-
157	XIV.—Congenital malformations-----	872	454	367	38	33	112	67	43	1	1
157a-d	Congenital malformations of central nervous system-----	250	97	116	7	10	21	14	7	-	-
157e,f	Congenital malformations of cardiovascular system-----	422	211	175	20	16	61	36	23	1	1
157g,h,m	Other congenital malformations-----	200	126	76	11	7	30	17	13	-	-
	XV.—Diseases peculiar to the first year of life-----	3,871	1,915	1,550	532	274	531	203	122	5	1
158	Congenital debility (cause not stated)-----	252	109	89	15	19	2	2	-	-	-
159	Premature birth (cause not stated)-----	2,511	1,192	897	223	199	207	132	70	4	1
160	Injury at birth-----	608	339	187	50	32	77	44	32	1	-
161	Other diseases peculiar to first year of life-----	520	275	177	44	24	45	25	20	-	-
162	XVI.—Senility-----	1,091	410	479	109	95	78	40	37	-	1
	XVII.—Violent or accidental deaths-----	7,052	4,273	1,559	954	286	533	364	131	15	3
163,164	Suicide-----	614	437	145	21	11	50	39	9	2	-
163	Suicide by poisoning-----	107	51	49	3	4	9	6	3	-	-
164	Suicide by other means-----	507	386	96	18	7	41	33	6	2	-
165-168	Homicide ¹ -----	784	340	61	308	75	12	5	1	5	1
166	Homicide by firearms-----	492	224	41	187	40	7	1	1	4	1
167	Homicide by cutting or piercing instruments-----	204	61	13	103	27	2	1	-	1	-
168	Homicide by other means-----	98	55	7	18	8	3	3	-	-	-
169-195	Accidental deaths-----	5,645	3,496	1,353	596	200	471	340	121	8	2
169	Railway accidents (except collisions with motor vehicles)-----	145	114	5	22	4	11	11	-	-	-
170	Motor-vehicle accidents-----	1,992	1,362	414	170	46	177	132	43	1	1
170a	Collisions between automobiles and trains-----	101	66	25	8	2	11	9	2	-	-
170b	Collisions between automobiles and streetcars-----	3	2	1	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	1,847	1,257	385	161	44	162	120	40	1	1
170d	Motorcycle accidents (exc. collisions with automobiles)-----	41	37	3	1	-	4	3	1	-	-
171	Streetcar and other road-transport accidents-----	14	7	3	3	1	2	2	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	7	4	1	1	1	-	-	-	-	-
171b	Other and unspecified road-transport accidents-----	7	3	2	2	-	2	2	-	-	-
172	Water-transport accidents-----	21	18	-	3	-	1	1	-	-	-
173	Air-transport accidents-----	150	140	7	3	-	23	17	6	-	-
174	Accidents in mines and quarries-----	1	-	-	1	-	19	19	-	-	-
175	Agricultural and forestry accidents-----	43	36	3	4	-	15	13	2	-	-
175a-c	Agricultural accidents-----	39	33	3	3	-	15	13	2	-	-
175d,e	Forestry accidents-----	4	3	-	1	-	-	-	-	-	-
176	Other accidents involving machinery-----	93	79	6	7	1	6	6	-	-	-
177	Food poisoning-----	35	13	11	4	7	2	2	2	-	-
178	Accidental absorption of poisonous gas-----	49	25	16	8	2	9	4	5	-	-
179	Acute accidental poisoning by solids or liquids-----	85	36	32	12	5	8	2	4	2	-
180	Conflagration-----	588	391	90	85	24	7	5	2	-	-
181	Accidental burns (except conflagration)-----	406	180	118	55	53	13	7	5	1	-
182	Accidental mechanical suffocation-----	76	41	19	13	3	9	7	2	-	-
183	Accidental drowning-----	333	220	56	51	6	33	26	6	1	-
184	Accidental injury by firearms-----	201	127	26	44	4	18	16	2	-	-
185	Accidental injury by cutting or piercing instruments-----	19	7	5	5	2	3	3	-	-	-
186	Accidental injury by fall or crushing-----	692	297	342	40	13	81	45	36	-	-
186a	Accidental injury by fall-----	652	267	359	33	13	77	42	35	-	-
186b	Accidental injury by crushing-----	40	30	3	7	-	4	3	1	-	-
187	Cataclysm, etc.*-----	57	31	26	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)-----	18	15	1	2	-	1	1	-	-	-
189	Hunger or thirst-----	8	1	5	1	1	-	-	-	-	-
190	Excessive cold-----	9	4	1	4	-	-	-	-	-	-
191	Excessive heat-----	25	17	1	6	1	1	1	-	-	-
192	Lightning-----	19	13	2	3	1	2	2	-	-	-
193	Accidents due to electric currents (except lightning)-----	66	56	4	5	1	9	7	2	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)*-----	16	8	7	1	-	-	-	-	-	-
195	Other accidents-----	484	258	153	48	25	21	13	4	3	1
195a	Sequelae of preventive immunization, etc.*-----	-	-	-	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention-----	13	5	5	2	1	-	-	-	-	-
195c	Obstruction, suffocation, etc.*-----	45	18	15	8	4	4	1	3	-	-
195d,e	Other and unspecified accidents-----	426	235	133	38	20	17	12	1	3	1
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	9	-	-	9	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes-----	1,683	856	408	237	182	76	47	24	4	1
199	Sudden death-----	7	5	-	1	1	4	3	1	-	-
200	Ill-defined and unknown causes-----	1,676	851	408	236	181	72	44	23	4	1
200a	Ill-defined causes-----	1,247	632	280	173	142	62	40	20	2	-
200b,c	Unknown or unspecified causes-----	429	199	128	63	39	10	4	3	2	1

*Refer to International List for complete title, table II, Part I.
¹Includes figures for infanticide (165).

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN				WYOMING					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES-----	33,219	18,825	14,205	218	171	2,349	1,485	794	46	24
	I.—Infectious and parasitic diseases-----	1,128	690	386	26	26	96	59	30	6	1
1	Typhoid fever-----	2	1	1	-	-	-	-	-	-	-
2	Paratyphoid fever-----	1	1	-	-	-	-	-	-	-	-
3	Plague-----	-	-	-	-	-	-	-	-	-	-
4	Cholera-----	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)-----	4	1	3	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis-----	18	13	4	1	-	2	-	2	-	-
7	Anthrax (infection by Bacillus anthracis)-----	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever-----	3	2	1	-	-	-	-	-	-	-
9	Whooping cough-----	34	17	15	1	1	3	2	1	-	-
10	Diphtheria (infection by C. diphtheriae)-----	10	4	6	-	-	3	2	1	-	-
11	Erysipelas-----	3	2	1	-	-	1	-	1	-	-
12	Tetanus-----	7	5	2	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)-----	585	363	184	16	22	34	18	11	5	-
13	Tuberculosis of respiratory system, etc.*-----	539	344	162	15	18	29	15	9	5	-
14	Tuberculosis of meninges, etc.*-----	11	4	5	-	2	-	-	-	-	-
15	Tuberculosis of intestines and peritoneum-----	9	3	5	-	1	-	-	-	-	-
16	Tuberculosis of vertebral column-----	7	3	3	1	-	-	-	-	-	-
17	Tuberculosis of bones and joints, etc.*-----	2	1	1	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*-----	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*-----	-	-	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system-----	13	6	7	-	-	1	1	-	-	-
21	Tuberculosis of other organs-----	3	2	1	-	-	-	-	-	-	-
22	Disseminated tuberculosis-----	1	-	-	-	1	4	2	2	-	-
23	Leprosy-----	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nongeneral)-----	13	7	6	-	-	2	2	-	-	-
25	Gonococcus infection-----	-	-	-	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)-----	-	-	-	-	-	1	1	-	-	-
27	Dysentery-----	4	4	-	-	-	3	1	2	-	-
28	Malaria-----	1	1	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa, etc.*-----	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)-----	157	103	47	6	1	18	14	2	1	1
30a	Locomotor ataxia (tabes dorsalis)-----	8	6	2	-	-	1	-	-	1	-
30b	General paralysis of insane-----	43	24	16	3	-	4	3	1	-	-
30d	Aneurysm of aorta-----	46	34	10	1	1	8	7	1	-	-
30f	Congenital syphilis-----	2	-	1	1	-	-	-	-	-	-
30c,e,g	Syphilis (other forms)-----	58	39	19	1	-	5	4	-	-	1
31	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes-----	4	3	-	1	-	1	1	-	-	-
33	Influenza-----	168	98	67	1	2	14	10	4	-	-
34	Smallpox-----	-	-	-	-	-	-	-	-	-	-
35	Measles-----	8	2	6	-	-	1	1	-	-	-
36	Poliomyelitis and polioencephalitis (acute)-----	10	5	5	-	-	2	-	2	-	-
37	Acute infectious encephalitis (lethargic)-----	28	18	11	-	-	-	-	-	-	-
38	Other diseases due to filtrable viruses-----	3	2	1	-	-	1	1	-	-	-
39	Typhus fever and typhus-like diseases*-----	-	-	-	-	-	2	2	-	-	-
40	Ankylostomiasis-----	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease-----	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths-----	-	-	-	-	-	-	-	-	-	-
43	Mycoses-----	8	5	3	-	-	1	-	1	-	-
44	Other infectious and parasitic diseases-----	56	33	23	-	-	7	4	3	-	-
	II.—Cancer and other tumors-----	5,002	2,479	2,488	18	17	230	129	96	1	4
45-55	Cancer and other malignant tumors-----	4,859	2,434	2,392	17	16	222	123	95	1	3
45	Cancer of buccal cavity and pharynx-----	117	99	18	-	-	5	4	1	-	-
45a	Cancer of lip-----	19	17	2	-	-	1	1	-	-	-
45b	Cancer of tongue-----	26	20	6	-	-	1	1	-	-	-
45c	Cancer of mouth-----	23	19	4	-	-	3	2	1	-	-
45d	Cancer of jaw bone-----	14	13	1	-	-	-	-	-	-	-
45e	Cancer of unspecified parts of buccal cavity-----	-	-	-	-	-	-	-	-	-	-
45f	Cancer of pharynx-----	35	30	5	-	-	-	-	-	-	-
46	Cancer of digestive organs and peritoneum-----	2,446	1,379	1,053	10	4	97	58	36	1	2
46a	Cancer of esophagus-----	119	95	21	3	-	5	2	1	-	-
46b	Cancer of stomach-----	861	543	314	3	1	42	32	10	-	-
46c	Cancer of duodenum-----	7	2	5	-	-	1	1	-	-	-
46d	Cancer of rectum and anus-----	295	184	110	-	1	8	4	2	1	1
46e	Cancer of intestines, etc.*-----	645	307	335	2	1	19	5	13	-	1
46f	Cancer of liver and biliary passages-----	260	100	159	1	1	13	7	6	-	-
46g	Cancer of pancreas-----	200	115	85	-	-	10	6	4	-	-
46h	Cancer of mesentery and peritoneum-----	42	24	17	1	-	-	-	-	-	-
46m	Cancer of other and unspecified sites-----	17	9	8	-	-	1	1	-	-	-
47	Cancer of respiratory system-----	340	257	80	3	-	28	23	5	-	-
47a	Cancer of larynx-----	43	36	7	-	-	4	4	-	-	-
47b,c	Cancer of trachea and bronchus-----	98	81	15	2	-	8	5	3	-	-
47d	Cancer of lung-----	182	150	51	1	-	16	14	2	-	-
47e	Cancer of pleura-----	1	1	-	-	-	-	-	-	-	-
47f	Cancer of other respiratory organs-----	18	8	7	-	-	-	-	-	-	-
48	Cancer of uterus-----	333	...	328	...	5	18	...	17	...	1
48a	Cancer of cervix-----	152	...	150	...	2	13	...	12	...	1
48b	Cancer of other and unspecified sites of uterus-----	181	...	178	...	3	5	...	5	...	-
48	Cancer of other female genital organs-----	151	...	150	...	1	7	...	7	...	-
48a,b	Cancer of ovary, fallopian tube, and parametrium-----	133	...	133	...	6	6	...	6	...	-
48b-e	Cancer of other female genital organs-----	18	...	17	...	1	1	...	1	...	-
50	Cancer of breast-----	475	8	462	-	5	14	-	14	-	-
51	Cancer of male genital organs-----	295	293	...	2	...	15	15
51b	Cancer of prostate-----	265	265	...	1	...	13	13
51a,c-e	Cancer of other male genital organs-----	29	28	...	1	...	2
52	Cancer of urinary organs-----	267	174	92	-	1	11	7	4	-	-
52a	Cancer of kidney-----	89	47	40	-	1	6	5	1	-	-
52b	Cancer of bladder-----	177	125	51	-	-	5	2	3	-	-
52c	Cancer of other and unspecified sites-----	2	1	1	-	-	-	-	-	-	-

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

509

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN				WYOMING					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
	Cancer and other malignant tumors—Continued										
53	Cancer of skin, etc.*	67	56	31	-	-	-	-	-	-	-
54	Cancer of central nervous system*	86	47	39	1	4	2	2	-	-	-
55	Cancer of other and unspecified organs	282	141	140	1	23	14	9	1	-	-
56, 57	Nonmalignant tumors and tumors of unspecified nature	143	45	98	1	8	6	1	-	1	1
56a-c	Nonmalignant tumors (including dermoid cysts)	99	22	75	1	3	2	-	-	1	1
56d	Nonmalignant tumors of female genital organs	49	...	48	...	1
56e	Nonmalignant tumors of central nervous system*	33	14	19	-	1	1	-	-	-	-
56f	Nonmalignant tumors of other and unspecified organs	17	8	9	1	1	1	-	-	-	-
57	Tumors of unspecified nature	44	23	21	-	5	4	1	-	-	-
57a-c	Tumors, female genital organs (nature unspecified)	2	...	2	...	-
57d	Tumors, central nervous system* (nature unspecified)	30	15	15	-	5	4	1	-	-	-
57e	Tumors, other organs (nature unspecified)	12	8	4	-	-	-	-	-	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,192	434	748	1	9	23	37	2	-	-
58	Acute rheumatic fever	14	8	6	-	-	-	-	-	-	-
58a	Acute rheumatic pericarditis	1	1	-	-	-	-	-	-	-	-
58b	Acute rheumatic endocarditis	7	5	2	-	-	-	-	-	-	-
58c	Acute rheumatic myocarditis	1	1	-	-	-	-	-	-	-	-
58d	Other acute rheumatic heart diseases	5	1	4	-	-	-	-	-	-	-
58e, f	Other forms of acute rheumatic fever, etc.*	43	17	25	-	1	1	1	-	-	-
59	Chronic rheumatism, other rheumatic diseases	-	-	-	-	-	-	-	-	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	977	362	608	1	6	19	27	2	-	-
62	Diseases of pituitary gland	5	3	2	-	-	-	-	-	-	-
63	Diseases of thyroid and parathyroid glands	104	17	85	-	1	1	2	-	-	-
63a	Simple goiter	1	-	-	-	-	1	1	-	-	-
63b	Exophthalmic goiter	97	14	83	-	2	1	1	-	-	-
63c-e	Other diseases of thyroid and parathyroid glands	6	3	3	-	1	1	1	-	-	-
64	Diseases of thymus gland	24	14	10	-	6	2	4	-	-	-
65	Diseases of adrenal glands*	10	4	5	-	1	1	1	-	-	-
66	Other general diseases	9	5	4	-	2	-	2	-	-	-
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	2	1	-	-	-	-	-	-	-
70	Rickets	1	1	-	-	-	-	-	-	-	-
71	Other avitaminoses	1	1	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	287	158	135	2	2	8	6	-	-	-
72	Hemorrhagic conditions	9	5	4	-	1	-	1	-	-	-
73	Anemias (except splenic anemia)	74	35	38	-	1	2	2	-	-	-
73a	Pernicious anemia	55	25	29	-	1	-	1	-	-	-
73b-d	Other anemias (except splenic)	19	10	9	-	1	1	1	-	-	-
74	Leukemias and aleukemias	193	108	85	1	11	8	3	-	-	-
74a	Leukemias	185	107	76	1	11	8	3	-	-	-
74b	Aleukemias	8	1	7	-	-	-	-	-	-	-
75	Diseases of spleen	13	7	6	-	-	-	-	-	-	-
76	Other diseases of blood and blood-forming organs	8	3	4	1	-	-	1	-	-	-
	V.—Chronic poisoning and intoxication	34	30	4	-	9	7	2	-	-	-
77	Alcoholism (ethylishm)	34	30	4	-	9	7	2	-	-	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral substances*	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	3,686	1,798	1,853	19	10	129	94	1	1	1
80	Encephalitis (nonepidemic)	17	12	4	-	1	2	1	-	-	-
81	Meningitis (not due to meningococcus)	41	26	15	1	1	2	2	-	-	-
82	Diseases of spinal cord (see exceptions)*	82	51	31	-	3	1	2	-	-	-
83	Intracranial lesions of vascular origin	3,316	1,598	1,694	16	202	115	85	1	1	1
83a	Cerebral hemorrhage or effusion*	2,947	1,398	1,529	16	170	97	71	1	1	1
83b, c	Cerebral embolism, thrombosis, and softening	346	191	154	-	1	16	12	-	-	-
83d	Hemiplegia, other paralysis, etc.*	23	12	11	-	4	2	2	-	-	-
84	Mental diseases and deficiency (see exception)*	27	15	13	1	1	1	1	-	-	-
85	Epilepsy	44	24	20	-	3	2	1	-	-	-
86	Convulsions (under 5 years)	8	4	3	1	1	1	1	-	-	-
87	Other diseases of nervous system	132	60	72	-	9	5	4	-	-	-
88	Diseases of organs of vision	-	-	-	-	-	-	-	-	-	-
89	Diseases of ear and mastoid process	19	10	9	-	-	-	-	-	-	-
	VII.—Diseases of the circulatory system	11,889	6,960	4,833	56	40	514	233	17	3	3
90-95	Diseases of the heart (all forms)	11,134	6,544	4,502	52	36	493	215	17	3	3
90	Pericarditis (except acute rheumatic)	7	6	1	-	1	-	1	-	-	-
90a	Chronic rheumatic pericarditis	-	-	-	-	-	-	-	-	-	-
90b	Other pericarditis	7	6	1	-	1	-	1	-	-	-
91	Acute endocarditis (except rheumatic)	23	17	6	-	2	2	2	-	-	-
91a, b	Bacterial, acute, and subacute endocarditis	23	17	6	-	2	2	2	-	-	-
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-
92	Chronic affections of valves and endocardium	852	465	382	1	4	37	25	1	-	-
92a	Diseases of aortic valve, etc.*	62	37	23	-	2	4	1	-	-	-
92b	Diseases of mitral valve, etc.*	334	177	156	-	1	13	13	-	-	-
92c	Chronic rheumatic endocarditis, etc.*	80	50	29	-	3	2	1	-	-	-
92d	Other chronic endocarditis, etc.*	354	187	166	1	27	17	9	1	-	-
92e	Endocarditis (unspecified, 45 years and over)	22	14	8	-	2	1	1	-	-	-
93	Diseases of the myocardium	6,026	3,156	2,808	35	26	338	200	121	14	3
93a	Acute myocarditis (except rheumatic)	64	34	30	-	5	3	2	-	-	-
93b	Myocarditis (unspecified, under 45 years)	2	1	1	-	2	1	1	-	-	-
93c	Chronic rheumatic myocarditis, etc.*	49	25	23	1	2	-	1	-	1	1
93d	Other chronic myocarditis, etc.*	5,622	2,932	2,634	31	25	300	179	106	13	2
93e	Other myocarditis (unspecified)	289	161	121	3	1	29	17	1	1	1
94	Diseases of coronary arteries, angina pectoris	3,546	2,512	1,018	13	3	281	224	55	2	2
94a	Diseases of coronary arteries	3,513	2,485	1,002	13	3	275	220	54	1	1
94b	Angina pectoris	33	17	16	-	-	6	4	1	1	1

*Refer to International List for complete title, table IX, Part I.

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN				WYOMING					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of the heart (all forms)—Continued										
95	Other diseases of heart-----	680	586	286	3	3	44	30	14	-	-
95a	Functional diseases of heart, etc.*-----	29	16	13	-	-	3	2	1	-	-
95b	Other diseases of heart (rheumatic)-----	135	77	55	1	2	10	5	5	-	-
95c	Other diseases of heart (not rheumatic)-----	516	295	218	2	1	51	23	8	-	-
96	Aneurysm (except of heart and aorta)-----	67	38	27	-	2	3	3	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)-----	547	310	233	3	1	24	14	10	-	-
98	Gangrene-----	7	5	1	-	-	-	-	-	-	-
99	Other diseases of arteries-----	59	32	27	-	-	5	2	3	-	-
100	Diseases of veins-----	38	20	17	-	1	3	2	1	-	-
101	Diseases of lymphatic system-----	-	-	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)-----	32	9	23	-	-	3	-	3	-	-
103	Other diseases of circulatory system-----	5	2	3	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system-----	1,336	754	550	20	12	110	73	29	2	6
104	Diseases of nasal fossae, accessory sinuses-----	4	4	-	-	-	1	-	-	-	1
105	Diseases of larynx-----	4	3	2	-	-	1	1	-	-	-
106	Bronchitis-----	59	37	22	-	-	8	6	2	-	-
107	Bronchopneumonia (including capillary bronchitis)-----	603	332	261	3	7	31	17	10	-	4
108	Lobar pneumonia-----	407	252	156	15	4	38	26	10	1	1
109	Pneumonia (unspecified)-----	67	41	25	-	1	16	10	6	-	-
109a	Atypical or virus pneumonia-----	25	11	13	-	1	4	3	1	-	-
109b	Pneumonia (all other, unspecified)-----	42	30	12	-	-	12	7	5	-	-
110	Pleurisy (not tuberculous)-----	20	12	8	-	-	1	-	1	-	-
111	Hemorrhagic infarction, thrombosis, edema*-----	90	49	40	1	-	5	5	-	-	-
112	Asthma-----	52	24	28	-	-	4	4	-	-	-
113	Pulmonary emphysema-----	2	2	-	-	-	1	1	-	-	-
114	Other diseases of respiratory system (except tuberculosis)-----	27	18	8	1	-	4	3	-	1	-
114a,b	Silicosis, other forms of pneumoconiosis-----	4	4	-	-	-	2	2	-	-	-
114c-e	Other diseases of respiratory system (except tuberculosis)-----	23	14	8	1	-	2	1	-	1	-
	IX.—Diseases of the digestive system-----	1,416	855	546	7	8	110	68	40	1	1
115	Diseases of buccal cavity and adnexa, etc.*-----	31	15	15	-	1	1	1	-	-	-
116	Diseases of esophagus-----	9	4	5	-	-	2	-	-	-	-
117	Ulcer of stomach or duodenum-----	205	171	38	2	-	11	10	1	-	-
117a	Ulcer of stomach-----	131	107	22	2	-	6	6	-	-	-
117b	Ulcer of duodenum-----	74	64	10	-	-	5	4	1	-	-
118	Other diseases of stomach (except cancer)-----	19	13	6	-	-	5	4	-	-	1
119	Diarrhea, enteritis, etc.* (under 2 years)-----	82	46	32	1	3	9	7	2	-	-
120	Diarrhea, enteritis, etc.* (2 years and over)-----	39	16	22	2	-	2	2	-	-	-
121	Appendicitis-----	109	75	32	1	-	17	10	7	-	-
122	Hernia and intestinal obstruction-----	294	160	129	3	2	20	11	9	-	-
122a	Hernia-----	140	90	46	2	2	10	4	6	-	-
122b	Intestinal obstruction-----	154	70	63	1	-	10	7	3	-	-
123	Other diseases of intestines-----	37	20	16	-	1	5	3	2	-	-
124	Cirrhosis of liver-----	269	218	71	-	-	21	14	7	-	-
124a	Cirrhosis of liver with mention of alcoholism-----	32	31	1	-	-	3	2	1	-	-
124b	Cirrhosis of liver without mention of alcoholism-----	237	187	70	-	-	18	12	6	-	-
125	Other diseases of liver-----	40	19	21	-	-	1	1	-	-	-
126	Biliary calculi-----	178	56	121	-	1	9	2	7	-	-
127	Other diseases of gallbladder, biliary ducts-----	55	25	30	-	-	6	2	4	-	-
128	Diseases of pancreas (except diabetes mellitus)-----	14	8	6	-	-	-	-	-	-	-
129	Peritonitis (cause not stated)-----	17	9	8	-	-	3	1	1	1	-
	X.—Diseases of the genito-urinary system-----	1,955	1,170	763	14	8	153	89	60	3	1
130	Acute nephritis-----	35	21	11	1	-	3	1	1	1	-
131	Chronic nephritis-----	1,538	835	685	12	8	123	70	51	1	1
131a	Arteriosclerotic kidney-----	1,356	624	519	10	3	99	57	41	1	-
131b	Other chronic nephritis-----	182	209	166	2	5	24	13	10	-	1
132	Nephritis unspecified (10 years and over)-----	56	35	20	1	-	6	3	3	-	-
133	Other diseases of kidneys, ureters, etc.*-----	47	24	23	-	-	2	1	1	-	-
134	Calculi of urinary passages-----	28	19	9	-	-	4	2	2	-	-
135	Diseases of urinary bladder-----	11	8	3	-	-	1	1	-	-	-
136	Diseases of urethra (except calculus)-----	4	4	-	-	-	-	-	-	-	-
137	Diseases of prostate-----	226	226	-	-	-	12	11	-	1	-
137a	Hypertrophy of prostate-----	213	213	-	-	-	11	10	-	1	-
137b	Other diseases of prostate-----	13	13	-	-	-	1	1	-	-	-
138	Diseases of other male genital organs (not venereal)-----	-	-	-	-	-	-	-	-	-	-
139	Diseases of female genital organs-----	12	-	12	-	-	2	-	2	-	-
139a	Diseases of ovaries, Fallopian tubes, and parametria-----	7	-	7	-	-	2	-	2	-	-
139b	Diseases of uterus-----	5	-	5	-	-	-	-	-	-	-
139c	Diseases of other female genital organs*-----	-	-	-	-	-	-	-	-	-	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium-----	69	-	65	-	4	6	-	5	-	1
140	Abortion with mention of infection-----	8	-	8	-	-	-	-	-	-	-
141	Abortion without mention of infection-----	4	-	4	-	-	1	-	1	-	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*-----	1	-	1	-	-	-	-	-	-	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*-----	1	-	1	-	-	1	-	1	-	-
141d-f	Other abortions (nonseptic)*-----	2	-	2	-	-	-	-	-	-	-
142	Ectopic gestation-----	2	-	2	-	-	-	-	-	-	-
142a	Ectopic gestation, with mention of infection-----	-	-	-	-	-	-	-	-	-	-
142b	Ectopic gestation, without mention of infection-----	2	-	2	-	-	-	-	-	-	-
143	Hemorrhage of pregnancy (death before delivery)-----	1	-	1	-	-	-	-	-	-	-
144	Toxemia of pregnancy (death before delivery)-----	10	-	10	-	-	1	-	1	-	-
145	Other diseases of pregnancy (death before delivery)*-----	3	-	3	-	-	-	-	-	-	-
145A	With mention of infection-----	3	-	3	-	-	-	-	-	-	-
145B	Without mention of infection-----	-	-	-	-	-	-	-	-	-	-
146	Hemorrhage of childbirth and puerperium-----	12	-	12	-	-	1	-	1	-	-
147	Infection during childbirth and puerperium-----	19	-	19	-	1	2	-	2	-	-
148	Puerperal toxemias (excluding death before delivery)-----	21	-	19	-	3	-	-	-	-	-
149	Other accidents and specified conditions of childbirth-----	8	-	8	-	-	-	-	-	-	-
150	Other and unspecified conditions of childbirth and puerperium-----	1	-	1	-	-	1	-	-	-	1

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—DEATHS FROM EACH CAUSE

511

TABLE 22.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas)

Int. List No.	CAUSE OF DEATH	WISCONSIN				WYOMING					
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII.—Diseases of the skin and cellular tissue-----	17	7	9	1	-	3	1	1	1	-
151	Carbuncle and furuncle-----	3	3	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess-----	1	-	-	1	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue-----	13	4	9	-	-	3	1	1	1	-
	XIII.—Diseases of the bones, etc.*-----	24	6	18	-	-	-	-	-	-	-
154	Osteomyelitis and periostitis-----	8	5	5	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)-----	6	-	6	-	-	-	-	-	-	-
156	Diseases of joints, other organs of movement-----	10	3	7	-	-	-	-	-	-	-
157	XIV.—Congenital malformations-----	475	253	214	5	3	39	13	25	1	-
157a-d	Congenital malformations of central nervous system-----	195	75	116	1	1	8	3	5	-	-
157e,f	Congenital malformations of cardiovascular system-----	200	129	67	3	1	17	7	9	1	-
157g,h,m	Other congenital malformations-----	62	49	31	1	1	14	3	11	1	-
	XV.—Diseases peculiar to the first year of life-----	1,482	901	541	20	20	141	60	56	1	2
158	Congenital debility (cause not stated)-----	21	14	5	2	-	1	-	1	-	-
159	Premature birth (cause not stated)-----	943	562	358	12	11	79	49	30	-	-
160	Injury at birth-----	311	181	121	2	7	25	13	12	-	-
161	Other diseases peculiar to first year of life-----	207	124	77	4	2	36	18	15	1	2
162	XVI.—Senility-----	295	146	149	-	-	16	12	4	-	-
	XVII.—Violent or accidental deaths-----	2,786	1,903	842	29	12	343	260	70	9	4
163,164	Suicide-----	468	363	101	4	-	39	35	3	-	1
163	Suicide by poisoning-----	80	52	38	-	-	5	3	1	-	1
164	Suicide by other means-----	378	311	63	4	-	34	32	2	-	-
165-168	Homicide ¹ -----	44	20	15	5	4	13	9	1	3	-
166	Homicide by firearms-----	24	12	7	4	1	5	1	1	3	-
167	Homicide by cutting or piercing instruments-----	3	1	1	-	1	4	4	-	-	-
168	Homicide by other means-----	17	7	7	1	2	4	4	-	-	-
169-195	Accidental deaths-----	2,274	1,520	786	20	8	291	216	66	6	3
169	Railway accidents (except collisions with motor vehicles)-----	52	44	7	1	-	8	8	-	-	-
170	Motor-vehicle accidents-----	790	597	178	11	4	98	76	18	4	-
170a	Collisions between automobiles and trains-----	54	39	15	-	-	3	3	-	-	-
170b	Collisions between automobiles and streetcars-----	4	2	2	-	-	-	-	-	-	-
170c	Automobile accidents (exc. collisions with trains or streetcars)-----	716	541	160	11	4	91	69	18	4	-
170d	Motorcycle accidents (exc. collisions with automobiles)-----	16	15	1	-	-	4	4	-	-	-
171	Streetcar and other road-transport accidents-----	10	7	2	1	-	-	-	-	-	-
171a	Streetcar accidents (exc. collisions with trains or motor vehicles)-----	8	5	2	1	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents-----	2	2	-	-	-	-	-	-	-	-
172	Water-transport accidents-----	46	46	-	-	-	6	6	-	-	-
173	Air-transport accidents-----	31	27	4	-	-	14	13	1	-	-
174	Accidents in mines and quarries-----	3	3	-	-	-	8	8	-	-	-
175	Agricultural and forestry accidents-----	84	79	5	-	-	20	19	1	-	-
175a-c	Agricultural accidents-----	78	73	5	-	-	19	18	1	-	-
175d,e	Forestry accidents-----	6	6	-	-	-	1	1	-	-	-
176	Other accidents involving machinery-----	31	30	1	-	-	5	4	1	-	-
177	Food poisoning-----	1	1	-	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas-----	41	29	12	-	-	13	9	4	-	-
179	Acute accidental poisoning by solids or liquids-----	38	24	14	-	-	5	3	2	-	-
180	Conflagration-----	48	32	16	-	-	8	2	4	1	1
181	Accidental burns (except conflagration)-----	63	32	29	2	-	9	4	4	-	1
182	Accidental mechanical suffocation-----	42	28	14	-	-	6	5	1	-	-
183	Accidental drowning-----	116	98	17	1	-	19	14	3	1	1
184	Accidental injury by firearms-----	37	33	4	-	-	7	6	1	-	-
185	Accidental injury by cutting or piercing instruments-----	5	4	1	-	-	-	-	-	-	-
186	Accidental injury by fall or crushing-----	712	311	393	4	4	37	16	21	-	-
186a	Accidental injury by fall-----	705	304	393	4	4	37	16	21	-	-
186b	Accidental injury by crushing-----	7	7	-	-	-	-	-	-	-	-
187	Cataclysm, etc.*-----	-	-	-	-	-	1	-	1	-	-
188	Injury by animals (except in agriculture and forestry)-----	3	3	-	-	-	1	1	-	-	-
189	Hunger or thirst-----	-	-	-	-	-	-	-	-	-	-
190	Excessive cold-----	16	14	2	-	-	1	1	-	-	-
191	Excessive heat-----	11	11	-	-	-	-	-	-	-	-
192	Lightning-----	4	3	1	-	-	8	6	-	-	-
193	Accidents due to electric currents (except lightning)-----	20	19	1	-	-	-	-	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry) ¹ -----	1	1	-	-	-	1	1	-	-	-
195	Other accidents-----	69	44	25	-	-	16	14	4	-	-
195a	Sequelae of preventive immunization, etc.*-----	1	-	1	-	-	-	-	-	-	-
195b	Other accidents due to medical or surgical intervention-----	-	-	-	-	-	1	1	-	-	-
195d	Obstruction, suffocation, etc.*-----	29	14	15	-	-	2	2	-	-	-
195e,c	Other and unspecified accidents-----	39	30	9	-	-	15	11	4	-	-
196	Deaths of military personnel during operations of war-----	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war-----	-	-	-	-	-	-	-	-	-	-
198	Legal executions-----	-	-	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes-----	116	81	35	-	-	25	20	4	1	-
199	Sudden death-----	29	22	7	-	-	-	-	-	-	-
200	Ill-defined and unknown causes-----	87	59	28	-	-	25	20	4	1	-
200a	Ill-defined causes-----	64	45	19	-	-	17	13	4	-	-
200b,c	Unknown or unspecified causes-----	23	14	9	-	-	8	7	-	1	-

*Refer to International List for complete title, table IX, Part I.
¹Includes figures for infanticide (165).

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

1	AREA	Total deaths	Typoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
1	UNITED STATES-----	1,445,370	325	917	107	1,954	799	48,064	869	214	12,671	472	580	189,811	1,024	37,515
2	ALABAMA-----	26,347	7	27	2	118	30	1,147	30	19	315	27	8	2,569	32	365
3	Autauga-----	190	-	-	-	-	-	7	-	-	-	-	-	14	1	1
4	Baldwin-----	326	-	-	-	-	-	12	-	-	3	-	-	33	3	1
5	Barbour-----	280	-	-	-	-	-	5	-	-	1	-	2	25	-	2
6	Bibb-----	157	-	-	-	-	-	3	-	-	3	1	-	15	1	1
7	Blount-----	204	-	1	-	-	2	5	-	-	-	1	-	19	-	2
8	Bullock-----	179	-	-	-	1	-	8	-	-	-	-	-	11	-	1
9	Butler-----	291	-	-	-	4	1	6	1	-	1	-	-	32	-	5
10	Calhoun-----	541	-	-	-	4	1	17	-	-	2	-	-	61	-	8
11	Amiston-----	263	-	-	-	3	-	4	-	-	1	-	-	30	-	4
12	Balance of county-----	278	-	-	-	1	1	13	-	-	1	-	-	31	-	14
13	Chambers-----	559	-	1	-	-	-	11	3	-	4	-	-	20	1	5
14	Cherokee-----	118	-	-	-	1	-	5	-	-	-	-	-	11	-	3
15	Chilton-----	227	-	1	-	1	1	5	-	-	2	2	-	24	-	5
16	Choctaw-----	147	-	-	-	-	-	6	-	-	3	-	-	22	-	1
17	Clarke-----	257	-	-	-	1	-	8	-	2	3	-	-	23	-	2
18	Clay-----	130	-	-	-	2	-	2	-	-	1	-	-	24	-	3
19	Clayborne-----	103	1	-	-	2	-	-	-	-	1	-	-	10	-	-
20	Coffee-----	167	-	1	-	-	-	1	2	-	-	-	-	18	1	2
21	Colbert-----	354	-	1	-	1	1	20	-	-	1	-	-	30	-	7
22	Conecuh-----	204	-	-	-	2	1	2	-	-	2	-	-	19	-	3
23	Coosa-----	86	-	-	-	-	-	5	-	-	1	-	-	11	-	-
24	Covington-----	290	-	-	-	-	-	4	-	1	1	-	-	32	2	2
25	Crenshaw-----	161	-	-	-	-	-	5	1	-	2	-	-	6	-	5
26	Cullman-----	279	-	-	-	2	1	5	-	-	-	-	-	26	1	2
27	Dale-----	162	-	-	-	1	-	5	-	-	-	-	-	10	-	1
28	Dallas-----	672	-	-	-	2	-	30	1	5	7	-	-	33	1	3
29	Selma-----	280	-	-	-	-	-	15	2	4	4	-	-	18	-	3
30	Balance of county-----	392	-	-	-	2	-	15	1	3	3	-	-	15	1	-
31	De Kalb-----	292	2	1	-	-	-	15	-	-	3	2	-	34	-	1
32	Elmore-----	278	-	-	-	1	-	14	-	-	4	-	-	25	1	5
33	Escambia-----	299	-	1	-	3	1	5	-	-	9	1	-	24	-	8
34	Etowah-----	670	-	1	-	3	1	35	-	1	3	2	-	62	-	13
35	Gadsden-----	350	-	1	-	3	-	19	-	-	2	1	-	44	-	6
36	Balance of county-----	320	-	-	-	-	1	17	-	1	1	1	-	38	-	7
37	Fayette-----	154	-	-	-	-	-	7	-	-	-	-	-	10	-	3
38	Franklin-----	189	-	-	-	-	-	13	-	-	1	-	-	10	-	1
39	Geneva-----	201	-	1	-	-	-	-	-	-	-	-	1	12	-	5
40	Greene-----	190	-	-	-	1	-	3	-	1	3	3	-	18	-	2
41	Hale-----	245	-	-	-	1	-	8	-	-	5	-	-	15	-	6
42	Henry-----	157	-	-	-	1	1	5	2	-	3	-	-	9	-	2
43	Houston-----	392	-	-	-	-	-	7	-	-	3	-	-	37	1	5
44	Dothan-----	201	-	-	-	-	-	3	-	-	2	-	-	18	-	2
45	Balance of county-----	191	-	-	-	-	-	4	-	-	1	-	-	19	1	3
46	Jackson-----	290	-	-	-	1	-	16	-	-	3	1	-	29	-	3
47	Jefferson-----	4,318	1	1	-	14	2	227	2	1	54	5	1	506	5	75
48	Birmingham-----	2,843	1	1	-	7	1	139	-	-	36	1	-	288	3	48
49	Bessemer-----	294	-	-	-	3	-	11	1	-	3	-	-	34	-	4
50	Fairfield-----	119	-	-	-	-	-	6	-	-	1	-	-	12	2	3
51	Balance of county-----	1,662	-	-	-	4	1	71	1	1	14	4	1	172	2	20
52	Lamar-----	90	-	-	-	-	-	4	-	-	-	-	-	12	1	1
53	Lauderdale-----	427	-	-	-	1	-	21	-	-	-	-	-	44	-	4
54	Florence-----	211	-	-	-	1	-	12	-	-	-	-	-	24	-	2
55	Balance of county-----	216	-	-	-	-	-	9	-	-	-	-	-	20	-	2
56	Lawrence-----	169	-	-	-	2	-	7	-	-	-	-	-	18	-	3
57	Lee-----	331	-	1	-	2	1	10	-	-	6	1	-	33	-	4
58	Limestone-----	275	-	1	-	1	-	24	-	-	4	-	-	22	1	4
59	Lowndes-----	199	-	-	-	1	-	5	-	1	1	-	-	5	-	-
60	Macon-----	329	-	-	-	1	-	27	1	1	31	-	-	18	-	7
61	Madison-----	651	-	-	-	3	3	54	2	-	3	-	-	48	1	11
62	Montville-----	245	-	-	-	-	-	19	1	-	-	-	-	24	-	6
63	Balance of county-----	406	-	-	-	3	3	35	1	-	3	-	-	24	1	5
64	Marion-----	361	-	-	-	10	-	9	-	1	1	-	-	27	1	8
65	Marion-----	176	-	-	-	-	-	11	1	-	-	-	-	13	-	6
66	Marshall-----	354	-	-	-	-	-	13	-	-	-	-	-	34	1	3
67	Mobile-----	2,157	2	4	-	12	3	125	-	1	71	3	1	182	2	21
68	Balance of county-----	1,203	1	3	-	7	-	59	-	-	11	2	1	109	-	15
69	Monroe-----	954	-	-	-	5	3	66	-	1	60	1	-	73	2	6
70	Montgomery-----	220	-	-	-	5	-	7	-	-	-	-	-	15	-	4
71	Balance of county-----	1,271	-	2	-	-	-	81	3	1	7	-	1	121	1	22
72	Morgan-----	982	-	1	-	-	-	60	1	-	6	-	-	104	-	19
73	Balance of county-----	289	-	-	-	-	-	21	2	1	1	-	-	17	1	4
74	Decatur-----	420	-	-	-	4	1	25	-	-	2	-	-	53	-	7
75	Balance of county-----	192	-	-	-	-	-	10	-	-	-	-	-	26	-	6
76	Perry-----	211	-	-	-	4	1	15	-	-	2	-	-	27	-	1
77	Pickens-----	214	-	-	-	2	-	8	-	-	2	1	-	11	1	2
78	Pike-----	308	-	-	-	-	1	8	-	-	1	-	-	16	-	3
79	Balance of county-----	218	-	-	-	1	1	4	-	-	3	-	-	21	-	4
80	Randolph-----	374	-	1	-	2	-	11	-	1	2	-	-	14	1	4
81	Balance of county-----	189	-	-	-	-	-	9	-	1	-	-	-	22	-	4
82	Phenix City-----	175	-	-	-	2	-	2	-	-	2	-	-	13	-	3
83	Balance of county-----	204	-	-	-	-	-	9	-	1	-	-	-	9	-	1
84	St. Clair-----	234	-	-	1	-	1	11	-	-	-	1	-	24	-	4
85	Shelby-----	274	-	-	-	-	-	8	-	-	1	-	-	19	-	5
86	Sumter-----	483	-	-	-	4	-	11	-	-	2	2	-	28	-	2
87	Talladega-----	261	-	-	-	2	-	27	1	-	-	-	-	42	-	4
88	Tallapoosa-----	988	-	-	-	1	-	8	-	-	1	-	-	17	-	4
89	Tuscaloosa-----	533	-	-	-	2	-	60	9	-	36	-	1	69	-	18
90	Balance of county-----	455	-	-	-	1	-	31	9	-	28	-	-	36	-	9
91	Walker-----	472	-	1	-	-	-	29	-	-	8	-	1	33	-	9
92	Washington-----	116	-	-	-	4	3	18	1	-	5	-	-	62	2	5
93	Wilcox-----	310	-	-	-	1	-	-	-	-	-	-	-	4	-	1
94	Winston-----	112	-	1	1	-	-	10	-</							

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947

overseas. Numbers under causes of death are International List numbers, 1939 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	83	90-95	107-109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 189,200	
728	131,039	460,580	61,936	8,069	80,288	4,978	44,570	41,053	16,538	8,555	32,897	66,882	27,556	184,679
85	2,651	6,026	1,502	170	1,935	231	927	1,063	203	465	725	1,242	1,905	2,721
1	27	35	12	-	16	2	5	5	-	6	6	11	32	11
2	26	79	16	2	30	3	13	12	3	3	12	22	13	36
3	32	67	23	1	21	3	9	8	1	1	4	8	37	26
4	18	38	11	-	13	1	8	5	1	4	3	6	13	12
5	32	45	19	1	9	2	10	12	1	-	9	11	7	16
6	22	35	13	1	12	1	4	5	-	3	3	5	37	17
7	42	70	13	1	10	5	5	5	1	5	18	10	30	26
8	47	122	32	6	28	4	21	28	4	8	21	20	36	60
9	23	63	18	3	13	-	8	11	1	5	7	15	21	31
10	24	59	14	3	15	4	13	17	3	3	14	13	15	29
11	41	68	21	2	31	4	12	17	3	7	10	21	28	27
12	6	30	4	-	10	3	1	8	2	4	2	6	13	8
13	26	69	9	-	17	2	14	8	4	4	8	7	8	12
14	15	24	10	1	8	1	7	6	1	5	4	7	8	18
15	17	55	11	1	10	3	7	9	-	2	12	16	32	22
16	15	27	15	-	6	-	2	3	-	4	4	7	11	7
17	6	19	6	-	7	2	1	7	-	3	12	5	9	12
18	25	39	9	1	10	3	6	8	3	-	7	4	10	15
19	41	76	23	2	21	4	10	28	3	9	16	16	16	57
20	23	40	12	1	19	3	2	9	-	4	4	14	25	19
21	11	21	2	-	8	1	4	5	-	2	2	2	6	23
22	31	70	11	4	16	4	22	7	1	6	15	21	35	24
23	19	56	5	1	11	3	3	7	3	5	7	27	21	25
24	20	67	21	2	24	2	9	9	4	13	16	23	31	26
25	20	41	9	-	18	3	3	1	1	9	8	5	20	27
26	78	151	28	8	61	3	19	24	4	11	24	27	113	59
27	39	75	16	6	16	3	14	7	2	3	10	20	29	29
28	39	56	12	2	45	3	5	17	2	10	21	17	93	30
29	21	70	24	3	16	3	19	16	1	2	15	20	20	31
30	31	50	13	-	18	5	11	16	3	7	12	32	30	32
31	17	89	19	3	24	4	11	13	3	8	16	18	35	33
32	52	137	31	3	58	4	33	28	5	16	31	31	26	71
33	25	73	19	3	33	2	23	17	2	11	10	14	11	34
34	27	64	12	-	26	2	13	11	3	5	21	17	15	37
35	16	32	9	-	8	-	9	11	4	4	10	13	11	37
36	21	47	22	-	8	5	4	7	1	1	9	9	20	38
37	26	55	10	2	13	-	16	4	1	1	14	9	21	39
38	13	39	7	1	8	4	2	2	3	5	6	6	46	40
39	25	59	14	-	16	4	7	5	4	7	8	9	32	41
40	14	29	8	3	14	2	7	9	1	3	5	7	15	42
41	42	89	20	2	51	7	16	12	2	6	7	20	16	49
42	21	52	13	-	31	3	11	4	2	2	10	10	4	44
43	21	37	7	2	30	4	6	8	2	4	5	10	12	45
44	30	61	36	4	19	2	18	16	-	3	10	15	7	26
45	496	1,190	274	23	288	25	187	240	39	100	109	239	345	461
46	273	734	147	12	160	12	99	126	23	61	49	115	226	280
47	41	56	17	2	30	2	15	13	3	4	2	7	13	49
48	12	27	6	3	4	-	9	6	2	1	4	5	18	50
49	170	373	104	8	94	12	66	95	13	34	54	115	101	128
50	11	13	5	-	9	-	4	6	-	-	1	5	2	51
51	35	101	30	5	30	-	22	15	5	6	14	22	18	52
52	14	55	14	4	13	-	10	10	4	2	3	10	8	54
53	21	46	16	1	17	-	12	5	1	4	11	12	10	28
54	15	34	8	1	12	2	7	6	-	5	5	7	15	56
55	34	68	24	2	31	2	16	16	2	4	11	16	20	57
56	31	48	20	2	25	3	11	6	3	5	8	11	24	58
57	23	40	6	1	8	4	4	5	-	4	2	12	62	59
58	30	75	12	2	26	2	4	8	-	2	8	15	24	60
59	59	146	32	9	60	6	18	26	6	9	18	28	37	61
60	18	56	11	2	28	3	6	9	4	3	7	5	13	62
61	41	90	21	7	32	3	12	17	2	6	11	23	24	63
62	52	61	26	-	30	2	9	14	8	4	6	20	39	64
63	21	43	13	1	12	-	5	11	2	2	6	13	3	65
64	24	72	22	5	46	1	7	18	4	6	14	15	18	31
65	171	574	117	11	183	12	82	99	10	37	43	102	39	244
66	105	355	61	2	111	5	45	50	9	20	25	53	20	133
67	66	219	56	9	72	7	37	49	1	17	19	49	19	111
68	26	46	14	2	19	6	2	7	3	-	6	10	27	70
69	142	362	47	4	69	6	35	21	7	29	34	45	64	162
70	118	305	39	3	46	5	30	18	5	19	16	28	40	118
71	24	57	8	1	23	1	5	3	2	10	18	17	24	44
72	55	95	23	2	19	8	5	14	4	6	11	13	33	56
73	31	48	8	1	13	4	3	6	3	4	3	5	7	13
74	24	47	15	1	6	4	2	8	1	2	8	8	26	76
75	28	42	6	1	17	2	6	3	1	4	3	8	51	77
76	29	59	5	2	15	4	7	15	4	3	6	5	13	78
77	41	71	17	2	12	1	13	10	3	5	8	19	22	79
78	30	36	23	3	35	5	3	8	4	5	3	5	8	80
79	54	98	25	3	31	3	12	9	2	10	7	18	17	81
80	23	56	15	2	17	3	9	7	2	5	2	8	4	82
81	31	42	10	1	14	-	3	2	-	5	5	10	13	83
82	8	51	10	1	15	2	11	8	4	3	3	12	10	22
83	26	56	16	2	16	4	11	11	3	7	2	16	11	85
84	21	45	12	1	25	1	8	11	2	3	9	16	37	86
85	42	109	28	4	46	6	24	26	7	8	12	30	29	87
86	32	61	14	4	26	4	8	10	2	6	7	11	16	28
87	77	131	61	15	64	7	19	23	6	21	33	38	17	219
88	31	87	27	10	32	3	7	12	4	13	5	15	7	166
89	46	104	54	5	32	4	12	11	2	8	28	23	10	53
90	32	90	24	-	18	5	24	25	4	10	24	24	43	46
91	14	24	11	2	18	3	6	4	-	2	1	6	8	11
92	30	45	17	1	52	5	13	12	-	5	5	11	39	94
93	12	21	11	-	4	-	6	5	-	2	2	3	12	95

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND
(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
1 ARIZONA-----	6,032	5	6	1	21	7	644	20	-	64	18	-	521	2	67
2 Apache-----	234	-	1	-	3	-	63	4	-	5	6	-	6	-	-
3 Cochise-----	325	-	-	-	-	-	12	-	-	-	1	-	33	-	2
4 Coconino-----	213	-	1	-	1	-	37	-	-	2	2	-	11	1	1
5 Gila-----	202	-	-	-	1	1	15	1	-	1	-	-	17	-	2
6 Graham-----	102	-	1	-	-	-	5	-	-	-	-	-	11	-	-
7 Greenlee-----	70	-	-	-	-	-	4	-	-	-	-	-	10	-	-
8 Maricopa-----	2,543	1	3	-	8	-	267	3	-	34	4	-	248	-	30
9 Phoenix-----	1,418	1	1	-	1	-	127	1	-	14	1	-	158	-	17
10 Balance of county-----	1,125	-	2	-	7	-	140	2	-	20	3	-	90	-	13
11 Mohave-----	69	-	-	-	-	-	5	-	-	-	-	-	6	-	1
12 Navajo-----	249	1	-	-	1	2	36	1	-	2	3	-	16	-	1
13 Pima-----	1,091	-	-	1	5	2	139	7	-	8	1	-	98	-	18
14 Tucson-----	641	-	-	-	3	1	66	2	-	6	-	-	55	-	11
15 Balance of county-----	450	-	-	1	2	1	73	5	-	2	1	-	43	-	7
16 Pinal-----	525	1	-	-	2	2	29	3	-	3	1	-	15	-	2
17 Santa Cruz-----	84	-	-	-	-	-	3	-	-	2	-	-	6	-	1
18 Yavapai-----	316	-	-	-	-	-	22	-	-	5	-	-	23	-	4
19 Yuma-----	209	2	-	-	-	-	7	1	-	2	-	-	19	1	5
20 ARKANSAS-----	15,095	9	11	2	55	19	802	19	29	196	7	4	1,656	16	214
21 Arkansas-----	151	-	-	-	-	-	2	-	-	1	-	-	19	1	2
22 Ashley-----	213	-	-	-	3	1	9	-	1	2	-	-	14	-	6
23 Baxter-----	75	-	-	-	-	-	4	-	-	-	-	-	12	-	1
24 Benton-----	319	-	-	-	-	1	10	-	-	-	-	-	41	1	4
25 Boone-----	106	-	-	-	-	-	4	-	-	-	-	-	21	-	1
26 Bradley-----	119	-	-	-	-	-	6	1	1	3	-	-	13	-	-
27 Calhoun-----	52	-	-	-	1	-	1	-	-	-	-	-	6	-	1
28 Carroll-----	151	-	-	-	-	-	3	-	-	-	-	-	23	-	1
29 Chicot-----	201	-	-	-	1	-	12	2	-	6	-	-	19	-	1
30 Clark-----	182	-	-	-	-	-	15	-	1	2	-	-	24	-	1
31 Clay-----	174	-	-	-	-	-	11	-	-	3	-	-	20	-	5
32 Cleburne-----	85	-	-	-	-	-	2	-	-	-	-	-	16	-	4
33 Cleveland-----	70	-	1	-	1	-	2	-	-	2	-	-	12	-	1
34 Columbia-----	167	1	-	-	-	-	10	-	-	-	-	-	19	-	1
35 Conway-----	175	-	-	-	1	-	10	1	1	4	1	-	16	-	1
36 Craighead-----	358	-	-	-	2	1	13	-	-	3	-	-	36	-	2
37 Jonesboro-----	139	-	-	-	-	-	8	-	-	1	-	-	13	-	2
38 Balance of county-----	219	-	-	-	2	1	5	-	-	2	-	-	23	-	2
39 Crawford-----	172	-	-	-	-	-	8	-	-	2	-	-	17	-	5
40 Crittenden-----	411	-	-	-	3	1	23	-	3	2	1	1	35	-	6
41 Cross-----	164	1	1	-	1	-	10	-	-	2	-	-	13	-	1
42 Dallas-----	104	1	1	-	2	-	4	-	1	-	-	1	15	-	3
43 Desha-----	150	-	-	-	-	-	9	-	1	-	-	-	5	-	1
44 Drew-----	138	-	-	-	3	-	10	1	-	2	-	-	21	-	-
45 Faulkner-----	185	1	1	-	-	-	4	-	-	1	-	-	27	-	-
46 Franklin-----	80	-	-	-	1	-	1	-	-	-	-	-	6	-	5
47 Fulton-----	50	-	-	-	-	1	2	-	-	-	-	-	7	-	1
48 Garland-----	519	-	-	-	-	-	19	2	1	2	-	-	64	1	8
49 Hot Springs-----	427	-	-	-	-	-	15	2	1	2	-	-	55	-	7
50 Balance of county-----	92	-	-	-	-	-	4	-	-	-	-	-	9	1	1
51 Grant-----	61	-	-	-	-	-	3	-	1	1	-	-	7	-	1
52 Greene-----	184	-	-	-	-	-	9	-	-	1	-	-	26	-	3
53 Hempstead-----	233	-	-	-	-	-	7	1	2	-	-	-	34	1	2
54 Hot Spring-----	137	-	-	-	-	-	4	-	-	1	-	-	17	-	2
55 Howard-----	94	-	-	-	-	-	5	-	-	1	-	-	10	-	-
56 Independence-----	161	-	-	-	-	-	6	-	-	1	-	-	20	-	1
57 Izard-----	75	-	-	1	-	-	8	-	-	-	-	-	4	-	-
58 Jackson-----	225	-	-	-	1	-	5	-	-	-	-	-	20	-	4
59 Jefferson-----	657	-	-	-	3	-	23	-	2	7	-	-	62	-	6
60 Pine Bluff-----	377	-	-	-	-	-	11	-	1	2	-	-	46	-	4
61 Balance of county-----	280	-	-	-	3	-	12	-	1	5	-	-	16	-	2
62 Johnson-----	117	-	-	-	-	-	6	-	-	-	-	-	13	-	4
63 Lafayette-----	104	-	-	-	-	-	5	-	-	1	-	-	8	-	-
64 Lawrence-----	151	1	-	-	2	-	8	1	-	2	-	-	8	-	4
65 Lee-----	178	-	-	-	-	1	8	1	-	1	-	-	15	2	-
66 Lincoln-----	117	-	-	-	3	-	4	-	-	4	-	-	12	-	2
67 Little River-----	86	-	-	-	-	-	4	-	-	3	-	-	16	-	-
68 Logan-----	185	-	-	-	-	-	45	1	-	-	-	-	22	-	2
69 Lenoire-----	210	-	-	-	1	1	11	-	1	3	-	-	14	-	4
70 Madison-----	91	-	-	-	-	1	6	-	-	2	-	-	13	-	5
71 Marion-----	61	-	-	-	-	-	4	-	-	-	-	-	6	-	2
72 Miller-----	294	-	-	-	5	1	12	-	1	1	-	-	59	1	4
73 Texarkana ¹ -----	186	-	-	-	2	-	4	-	-	1	-	-	26	1	3
74 Balance of county-----	99	-	-	-	3	1	8	-	1	-	-	-	12	-	1
75 Mississippi-----	521	-	-	-	8	2	29	1	1	4	1	-	50	1	6
76 Hylleville-----	151	-	-	-	-	-	3	-	-	-	-	-	9	1	3
77 Balance of county-----	390	-	-	-	8	2	25	1	1	4	1	-	41	-	5
78 Monroe-----	149	-	1	-	-	1	9	-	1	1	-	1	14	-	1
79 Montgomery-----	48	-	-	-	-	-	4	-	-	-	-	-	8	-	-
80 Nevada-----	130	-	-	-	-	-	9	-	-	3	-	-	16	-	2
81 Newton-----	32	-	-	-	-	-	6	1	-	-	-	-	6	-	-
82 Oschita-----	246	-	-	-	-	-	15	-	-	-	-	-	26	1	3
83 Perry-----	25	-	-	-	1	-	1	-	1	-	-	-	2	-	1
84 Phillips-----	453	-	-	-	1	-	28	-	1	7	1	-	34	-	5
85 Pike-----	47	-	-	-	-	-	3	-	-	-	-	-	7	-	1
86 Polk-----	220	-	-	-	4	-	17	-	-	1	-	-	23	1	2
87 Pope-----	127	-	-	-	-	-	3	-	-	1	-	-	17	1	3
88 Prentiss-----	154	1	-	-	-	-	8	-	-	-	-	-	25	1	1
89 Prairie-----	85	-	-	-	-	-	2	-	-	-	-	-	10	-	-
90 Pulaski-----	2,295	2	1	1	2	-	121	4	3	67	1	-	235	-	33
91 Little Rock-----	1,651	1	-	1	1	-	69	2	2	73	-	-	156	-	29
92 North Little Rock-----	234	-	-	-	-	-	12	-	-	1	1	-	38	-	1
93 Balance of county-----	406	1	1	-	1	-	40	2	1	13	-	-	41	-	3

¹Includes data for Texarkana, Ark., only.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

515

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of in- testines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
2	346	1,313	372	208	245	35	258	219	75	35	236	364	225	721	1
-	3	17	35	11	1	4	7	4	1	3	4	18	19	19	2
-	29	60	24	12	16	3	14	11	2	3	7	24	2	50	3
-	7	19	16	21	4	1	15	12	2	3	15	12	13	17	4
-	10	47	15	8	11	1	10	5	2	3	6	14	7	25	5
1	8	20	7	2	4	1	5	6	1	9	9	9	3	9	6
-	2	16	10	-	3	-	6	4	1	-	2	3	2	7	7
1	153	627	149	52	100	8	87	87	35	15	104	148	55	324	8
-	92	374	69	33	56	1	42	45	24	10	61	81	15	195	9
1	61	253	80	20	44	7	45	42	11	5	43	67	40	129	10
-	8	13	2	1	4	-	2	2	2	-	6	7	2	10	11
-	7	20	26	23	9	4	16	21	1	1	11	16	13	18	12
-	58	229	56	50	46	8	51	38	10	2	30	47	41	145	13
-	35	145	32	38	28	5	43	30	9	1	15	32	13	71	14
-	23	84	24	12	18	3	8	8	1	1	15	15	28	75	15
-	13	55	16	7	17	1	19	11	6	2	23	29	37	51	16
-	8	21	5	5	1	2	6	4	1	1	-	5	5	12	17
-	33	97	7	2	19	-	9	4	7	1	8	18	22	35	18
-	9	52	8	16	10	2	11	10	5	1	11	14	5	16	19
35	1,470	5,735	1,004	85	1,000	90	449	427	120	149	315	616	668	1,690	20
-	18	44	6	-	10	3	6	2	1	1	-	12	9	14	21
-	20	38	14	-	20	2	7	7	2	8	-	16	20	22	22
-	3	27	3	1	2	1	5	4	-	-	1	1	1	9	23
1	36	104	17	-	13	1	8	4	1	2	18	11	46	24	24
-	12	26	6	-	11	-	-	3	1	1	4	6	4	7	25
-	10	41	6	-	6	-	1	1	1	3	1	5	6	14	26
-	5	17	3	-	2	2	2	2	-	-	-	5	-	7	27
-	22	41	13	1	7	3	3	6	-	1	5	3	8	14	26
-	21	46	4	2	14	2	6	5	6	6	4	1	31	19	29
1	18	45	6	2	7	1	4	1	4	-	4	10	15	23	50
-	11	37	23	1	15	1	4	6	3	-	9	7	5	13	31
-	10	23	6	-	9	-	-	1	-	1	2	4	3	13	32
-	10	8	6	-	1	1	4	1	1	-	2	2	7	8	35
-	17	40	16	1	12	1	4	1	1	-	4	6	8	24	34
-	10	58	8	-	15	2	2	9	1	1	4	4	10	22	35
-	38	106	26	2	19	1	11	11	5	2	16	19	8	35	36
-	19	45	5	1	5	1	4	5	3	1	6	5	1	14	37
-	19	61	21	1	14	-	7	6	2	10	14	14	7	21	38
-	17	38	9	2	7	-	7	5	3	1	4	15	5	27	39
1	46	95	27	4	29	3	12	7	2	7	11	22	41	39	40
-	24	32	12	-	12	2	10	7	2	4	2	10	9	10	41
-	10	23	7	-	7	1	7	1	-	-	2	7	5	13	42
1	11	40	11	1	17	3	5	2	2	2	7	9	10	20	43
-	12	44	8	1	7	1	1	1	3	1	3	1	7	13	44
2	20	48	12	2	3	-	9	10	3	1	8	6	8	19	45
-	8	19	5	-	7	-	5	2	1	-	4	4	4	4	46
-	1	7	-	-	7	-	-	-	-	-	1	6	2	6	47
3	38	160	25	-	49	3	17	20	9	6	16	23	4	49	48
3	35	132	18	-	40	3	14	16	6	3	11	19	3	40	49
-	3	28	7	-	9	-	3	4	1	3	5	4	1	9	50
-	5	11	4	1	5	-	3	2	1	-	5	4	1	6	51
1	16	53	14	1	16	1									

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND (By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuber-culosis (all forms)	Dysentery	Malaria	Syph-illia	Measles	Polio-myelitis, polio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	5	8	9	10	13-22	27	28	30	35	36	45-55	58	61
ARKANSAS—Continued															
1	Randolph	126	1	-	-	-	3	-	1	-	-	-	14	-	-
2	St. Francis	274	-	-	3	1	17	-	-	-	1	-	23	1	4
3	Saline	206	-	-	-	1	43	-	-	6	-	1	17	-	3
4	Scott	56	-	-	-	-	-	-	-	-	-	-	7	-	2
5	Searcy	61	-	-	-	-	-	-	-	-	-	-	7	-	2
6	Sebastian	489	-	1	-	1	22	-	-	5	-	-	65	-	10
7	Fort Smith	383	-	1	-	1	12	-	-	5	-	-	56	-	9
8	Balance of county	86	-	-	-	-	10	-	-	-	-	-	9	-	1
9	Sevier	89	-	-	-	-	6	2	1	2	-	-	13	-	4
10	Sharp	47	-	-	-	-	2	-	-	-	-	-	4	-	1
11	Stone	55	-	-	-	-	4	-	-	-	1	-	4	-	1
12	Union	517	-	-	1	-	22	-	3	4	-	-	5	-	1
13	El Dorado	142	-	-	1	-	7	-	1	3	-	-	33	-	4
14	Balance of county	175	-	-	-	-	15	-	-	-	-	-	15	-	2
15	Van Buren	57	-	-	-	-	2	-	2	1	-	-	20	-	2
16	Washington	346	-	1	-	1	9	-	-	3	-	-	6	2	5
17	White	277	-	-	-	2	17	-	-	-	-	-	41	1	6
18	Woodruff	123	-	1	-	1	11	-	-	3	-	-	24	-	2
19	Yell	53	-	1	-	-	3	-	-	-	-	-	6	-	2
20	CALIFORNIA	96,697	19	63	2	56	52	3,455	32	4	949	10	54	13,574	2,017
21	Alameda	6,990	1	1	-	-	2	255	2	1	60	3	4	1,010	1
22	Oakland	4,210	-	-	-	-	2	189	2	-	39	2	3	635	1
23	Alameda	522	1	-	-	-	-	16	-	1	3	-	64	-	8
24	Berkeley	905	-	-	-	-	21	-	-	-	10	-	1	156	26
25	Albany	87	-	-	-	-	2	-	-	-	-	-	15	-	1
26	San Leandro	201	-	-	-	-	4	-	-	1	-	-	38	-	6
27	Balance of county	1,055	-	1	-	-	73	-	-	7	1	-	104	-	19
28	Alpine	6	-	-	-	-	-	-	-	-	-	-	-	-	-
29	Amador	111	-	-	-	-	1	-	-	-	-	-	8	-	4
30	Butte	706	1	1	-	-	17	-	-	-	-	-	99	-	19
31	Calaveras	103	-	-	-	1	6	-	-	6	-	-	11	-	1
32	Colusa	131	-	-	-	-	5	-	-	-	-	-	15	-	1
33	Contra Costa	1,503	-	4	-	1	40	-	-	12	-	3	206	1	29
34	Richmond	533	-	2	-	-	17	-	-	6	-	1	63	-	5
35	Balance of county	970	-	2	-	-	23	-	-	6	-	2	143	-	24
36	Del Norte	75	-	-	-	-	2	-	-	2	1	-	7	-	2
37	El Dorado	140	-	-	-	-	2	-	-	1	1	-	16	-	8
38	Fresno	2,307	2	1	-	5	1	104	3	14	1	1	254	-	52
39	Fresno	1,333	-	1	-	2	1	74	-	8	1	1	185	-	34
40	Balance of county	974	2	-	-	3	1	30	-	6	-	-	109	-	18
41	Glenn	148	-	-	-	-	3	-	-	1	-	-	27	-	3
42	Humboldt	660	-	-	-	-	13	-	-	1	-	-	92	-	14
43	Eureka	359	-	-	-	-	9	-	-	1	-	-	55	-	7
44	Balance of county	301	-	-	-	-	4	-	-	1	-	-	37	-	7
45	Imperial	491	-	4	-	4	1	27	1	6	-	-	9	-	2
46	Imperial	99	-	1	-	1	6	-	-	-	-	-	7	-	7
47	El Centro	82	-	-	2	-	4	-	-	1	-	-	9	-	2
48	Balance of county	310	-	3	-	1	1	17	1	4	-	-	7	-	2
49	Inyo	88	-	-	1	1	1	17	1	5	-	-	21	-	3
50	Kern	1,530	-	4	-	1	1	4	-	2	-	-	7	-	3
51	Bakersfield	396	-	2	-	-	76	3	1	17	-	1	187	-	16
52	Balance of county	1,152	-	2	-	1	7	-	-	7	-	-	46	-	8
53	Kings	365	-	2	-	-	89	3	1	10	-	1	141	-	8
54	Lake	145	-	-	1	-	16	-	-	2	-	1	43	-	3
55	Lassen	122	-	-	-	-	6	-	-	-	-	-	18	-	4
56	Los Angeles	39,439	7	25	1	20	29	1,159	15	1	353	2	21	5,792	8
57	Long Beach	2,370	-	3	-	1	-	38	-	10	-	1	395	1	45
58	Los Angeles	21,137	4	14	1	11	22	744	8	1	204	1	12	3,190	4
59	Alhambra	495	-	-	-	-	-	9	-	1	-	-	80	-	9
60	Belvedere (twp.) ²	247	-	-	-	-	-	17	-	4	-	-	30	-	12
61	Beverly Hills	208	-	-	-	1	-	3	-	1	-	-	38	-	5
62	Burbank	451	-	1	-	-	-	5	-	-	-	-	77	-	7
63	Glendale	862	-	1	-	-	-	9	-	8	-	-	178	-	18
64	Huntington Park	281	-	1	-	-	-	1	-	1	-	-	47	-	4
65	Inglewood	401	-	1	-	-	-	3	-	1	1	-	61	-	8
66	Pasadena	1,529	-	-	-	-	28	-	-	11	-	2	246	1	34
67	Santa Monica	745	-	1	-	1	14	-	-	6	-	-	116	-	14
68	South Gate	277	-	-	1	-	6	-	-	1	-	-	43	-	4
69	Bell	128	-	-	-	-	3	-	-	-	-	-	20	-	1
70	Compton	270	-	-	1	-	8	-	-	1	-	-	38	-	5
71	Lynwood	147	-	1	-	-	2	-	-	2	-	-	27	-	2
72	Maywood	132	-	-	-	-	1	-	-	-	-	-	15	-	2
73	Mourovie	230	-	-	-	-	16	-	-	1	-	-	31	-	3
74	Pomona	332	-	-	-	-	4	-	-	1	-	1	40	-	12
75	Redondo Beach	201	-	-	-	-	3	-	-	-	-	-	51	-	3
76	San Gabriel	163	-	-	-	-	7	-	-	-	-	-	30	-	1
77	South Pasadena	215	-	-	-	-	-	-	-	2	-	-	58	-	4
78	Whittier	206	-	-	-	-	5	-	-	1	-	-	25	-	6
79	Balance of county	7,330	3	2	5	6	251	4	96	4	-	4	990	2	155
80	Madera	291	-	-	-	-	17	-	-	2	-	-	40	-	6
81	Marin	648	-	-	-	-	17	-	-	2	-	-	103	-	16
82	Mariposa	46	-	-	-	-	1	-	-	-	-	-	8	-	1
83	Mendocino	521	-	1	-	3	21	-	-	8	-	-	49	-	8
84	Merced	489	-	-	-	-	24	-	1	2	-	-	66	-	13
85	Merced	210	-	-	1	-	21	-	-	2	-	-	31	-	5
86	Balance of county	279	-	-	-	-	3	-	-	-	-	-	37	-	7
87	Modoc	95	-	-	1	-	4	-	-	-	-	-	7	-	2
88	Monoc	18	-	-	-	-	1	-	-	-	-	-	2	-	2
89	Monterey	853	-	2	-	1	26	-	-	1	-	1	119	-	9
90	Monterey	121	-	1	-	-	4	-	-	-	-	-	13	-	3
91	Salinas	161	-	-	1	-	1	-	-	2	-	-	22	-	2
92	Balance of county	571	-	1	-	-	21	-	-	3	-	1	84	-	4

²Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

517

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

* overnos. Numbers under causes of death are International List numbers, 1938 revision)

Follagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,33*	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	15	32	10	-	5	1	3	4	1	1	6	11	12	6	1
-	27	56	18	1	7	4	4	13	-	5	5	22	21	36	2
2	10	46	10	3	10	4	4	3	-	2	5	19	8	14	3
-	9	4	5	3	3	2	4	3	-	-	2	4	3	9	4
-	3	17	2	6	6	2	2	2	-	-	2	2	6	8	5
-	51	137	15	2	25	1	6	21	3	2	8	29	6	59	6
-	45	106	11	2	18	1	5	20	3	2	7	24	5	51	7
-	6	31	4	-	7	1	1	1	-	-	-	5	1	8	8
-	10	17	4	-	2	1	1	3	-	1	5	4	5	8	9
-	1	14	1	-	6	-	1	1	1	-	2	5	3	6	10
-	6	13	4	-	9	-	1	1	-	-	-	1	1	3	11
1	32	70	25	6	25	6	8	1	3	5	12	18	8	32	12
-	17	35	8	2	11	2	4	1	2	2	5	8	3	15	13
1	15	35	17	4	14	4	4	4	1	1	7	10	5	17	14
-	6	7	3	1	11	2	3	3	1	1	2	2	5	6	15
1	28	92	25	2	24	2	23	7	7	2	6	16	4	46	16
1	27	63	21	1	22	2	8	8	4	-	8	18	21	23	17
-	14	23	10	-	8	-	3	1	1	2	1	10	13	10	18
-	3	10	1	-	3	-	-	1	-	-	2	2	3	18	19
19	7,631	32,400	3,617	630	3,857	235	2,979	2,516	1,663	580	3,451	4,096	517	12,196	20
1	535	2,472	291	36	324	11	207	169	128	41	199	250	17	784	21
1	305	1,510	160	21	180	7	104	111	77	27	100	167	11	511	22
-	44	171	15	7	23	1	37	21	11	2	18	31	-	48	23
-	86	321	33	3	45	2	18	25	14	8	22	14	2	98	24
-	5	33	2	-	5	-	3	3	3	2	2	3	-	11	25
-	14	67	5	-	10	1	10	5	2	-	10	11	-	17	26
-	81	370	76	5	61	-	35	25	21	2	47	24	4	99	27
-	-	2	-	-	1	-	-	-	-	-	-	2	1	-	28
-	5	42	8	-	4	-	-	5	2	-	10	9	2	13	29
-	61	242	19	-	30	2	17	7	7	4	31	37	9	97	30
-	14	31	6	-	5	-	3	3	3	-	4	4	2	9	31
-	13	40	5	-	16	1	3	2	3	-	3	4	-	19	32
-	116	390	49	10	67	4	102	93	21	17	97	79	4	169	33
-	38	131	17	6	26	1	45	47	1	9	30	27	1	58	34
-	78	259	31	4	41	3	57	46	20	8	57	52	3	111	35
-	3	21	5	-	2	-	4	2	2	1	2	5	-	10	36
-	11	57	8	-	6	-	2	3	1	-	5	8	-	12	37
-	204	562	92	52	87	12	85	82	45	20	149	111	15	287	38
-	141	337	52	15	57	11	38	31	22	7	63	48	6	199	39
-	63	245	46	37	30	1	47	51	23	13	66	63	9	88	40
-	12	41	7	-	7	-	3	3	2	-	11	7	4	16	41
-	42	253	14	3	17	1	17	16	7	3	28	53	2	79	42
-	29	144	11	1	7	1	9	5	2	1	10	18	-	50	43
-	13	114	3	2	10	-	8	11	5	2	16	35	2	29	44
-	24	107	30	25	20	2	11	24	12	14	38	46	5	46	45
-	5	16	3	5	4	-	4	5	5	-	8	9	2	10	46
-	6	20	6	6	3	1	2	3	1	1	3	8	-	6	47
-	13	71	21	14	13	1	5	17	6	8	27	29	3	30	48
-	5	32	6	-	3	-	4	1	5	1	-	4	2	10	49
-	67	434	55	41	45	6	68	84	25	17	132	94	4	152	50
-	20	114	12	14	11	-	27	29	5	2	26	21	-	45	51
-	47	320	43	27	34	6	41	55	20	15	104	73	4	107	52
-	22	98	21	21	7	-	20	15	4	1	23	22	6	37	53
-	13	39	4	-	4	-	7	2	4	-	1	16	2	26	54
1	8	31	4	-	6	-	5	6	4	1	10	9	1	15	55
8	3,079	13,693	1,241	177	1,473	86	1,098	914	630	204	1,096	1,265	108	5,100	56
-	216	864	53	8	94	6	74	79	31	7	52	78	10	306	57
4	1,565	7,275	699	119	917	50	579	505	387	150	592	704	55	2,919	58
-	55	207	14	2	22	2	2	2	2	2	8	15	1	57	59
-	18	70	12	1	9	2	7	5	3	2	10	7	1	36	60
-	11	97	2	-	8	-	3	1	6	-	3	1	2	26	61
-	32	149	12	1	17	-	24	27	5	3	13	16	-	59	62
-	98	373	29	-	34	-	19	13	18	1	24	26	2	112	63
-	27	105	9	1	11	-	9	2	5	-	15	9	-	34	64
-	23	151	6	2	16	1	14	11	4	2	15	14	5	62	65
-	169	577	52	4	56	3	28	22	22	4	32	53	4	181	66
1	61	283	22	1	30	3	15	18	15	2	20	28	2	92	67
-	18	95	9	1	14	1	14	10	4	1	7	13	-	35	68
-	4	46	5	-	6	-	5	4	3	1	5	4	-	20	69
-	23	96	9	2	13	-	6	8	4	1	13	12	-	32	70
-	11	41	2	-	13	-	9	7	1	-	4	2	-	23	71
-	6	37	4	-	6	-	5	2	1	1	6	3	-	22	72
-	27	89	6	-	13	-	4	4	3	-	2	9	-	21	73
-	37	115	12	1	17	1	8	8	7	1	18	17	-	32	74
-	15	75	5	4	8	-	8	1	4	-	8	9	-	27	75
-	16	47	4	-	6	-	8	5	2	-	5	5	-	27	76
-	41	66	6	-	6	-	-	5	4	-	1	4	-	38	77
-	33	77	6	-	8	-	9	-	1	-	4	8	-	25	78
3	575	2,758	284	28	249	19	231	175	98	28	239	228	26	914	79
-	23	83	16	3	6	2	16	9	2	3	15	14	-	32	80
2	46	211	16	1	40	6	16	16	20	5	18	22	7	84	81
-	5	17	3	1	-	-	2	1	1	-	2	3	-	5	82
-	53	146	38	2	29	1	7	7	9	5	21	36	3	75	83
-	27	135	21	4	12	2	19	14	7	3	38	45	5	48	84
-	13	63	7	2	3	-	4	7	2	1	10	12	2	24	85
-	14	72	14	2	9	2	15	7	5	2	28	33	3	24	86
-	6	28	5	-	7	-	4	4	2	1	8	10	-	6	87
-	1	4	1	-	1	-	-	-	2	-	2	1	1	1	88
-	87	246	43	9	42	5	31	43	13	4	45	35	5	102	89
-	9	38	4	1	6	-	3	5	1	-	7	6	-	22	90
-	10	46	5	1	7	-	8	15	3	-	7	6	-	24	91
-	48	164	34	7	29	4	20	23	9	4	31	23	5	56	92

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	3	4	5	6	7	8	9	10	11	12	13	14	15
CALIFORNIA—Continued															
1 Yuba	848	-	-	-	-	-	40	-	-	33	-	-	97	-	28
2 Nevada	224	-	-	-	-	-	11	-	-	-	-	-	33	-	2
3 Orange	1,914	-	2	-	1	-	42	-	-	3	-	1	258	-	52
4 Santa Ana	497	-	-	-	-	-	15	-	-	-	-	-	62	-	13
5 Anaheim	148	-	-	-	-	-	3	-	-	1	-	-	25	-	3
6 Fullerton	126	-	-	-	-	-	2	-	-	-	-	-	16	-	2
7 Balance of county	1,143	-	2	-	1	-	24	-	-	2	-	1	157	-	34
8 Flacer	452	-	1	-	-	-	80	-	-	1	-	-	62	-	7
9 Plumas	134	-	-	-	-	-	2	-	-	1	-	-	22	-	2
10 Riverside	1,483	-	-	-	2	-	78	1	-	7	1	-	183	1	25
11 Riverside	574	-	-	-	-	-	12	-	-	2	-	-	86	-	9
12 Balance of county	909	-	-	-	2	-	66	1	-	5	1	-	97	-	16
13 Sacramento	2,516	-	4	-	1	-	129	-	-	13	-	4	310	-	51
14 Sacramento	1,779	-	3	-	-	-	112	-	-	8	-	2	227	-	43
15 Balance of county	737	-	-	-	1	-	17	-	-	5	-	2	85	-	8
16 San Benito	144	-	1	-	-	-	1	-	-	-	-	-	17	-	6
17 San Bernardino	2,828	-	-	-	1	1	135	2	-	53	-	-	316	2	46
18 San Bernardino	1,009	-	-	-	1	1	50	1	-	11	-	-	149	-	19
19 Ontario	158	-	-	-	-	-	4	-	-	-	-	-	28	-	1
20 Redlands	183	-	-	-	-	-	3	-	-	1	-	-	19	1	5
21 Balance of county	1,478	-	-	-	-	-	78	1	-	41	-	-	180	1	21
22 San Diego	4,202	-	2	-	2	-	115	-	-	30	-	6	612	-	76
23 San Diego	2,647	-	1	-	-	2	81	-	-	17	-	4	398	-	54
24 National City	189	-	-	-	-	-	9	-	-	-	-	-	29	-	2
25 Balance of county	1,586	-	1	-	-	-	25	-	-	13	-	2	185	-	20
26 San Francisco, coextensive with San Francisco (city)	9,183	3	5	1	-	6	382	-	-	83	-	4	1,456	3	191
27 San Joaquin	2,408	1	-	-	1	-	169	2	-	72	-	1	268	-	52
28 Stockton	746	-	-	-	-	-	21	-	-	10	-	-	95	-	11
29 Lodi	188	-	-	-	-	-	2	-	-	-	-	-	37	-	5
30 Balance of county	1,474	1	-	-	1	-	145	2	-	62	-	1	136	-	36
31 San Luis Obispo	460	1	-	-	-	-	18	-	-	7	-	1	58	-	9
32 San Mateo	1,340	1	-	-	-	-	55	-	-	18	-	1	216	-	26
33 Burlingame	102	-	-	-	-	-	1	-	-	-	-	-	21	-	2
34 Redwood City	118	-	-	-	-	-	1	-	-	4	-	-	12	-	2
35 San Mateo	374	1	-	-	-	-	8	-	-	2	-	1	85	-	6
36 Balance of county	746	-	-	-	-	-	45	-	-	12	-	-	98	-	16
37 Santa Barbara	869	-	-	-	2	-	27	-	-	6	-	-	123	2	16
38 Santa Barbara	472	-	-	-	-	-	11	-	-	3	-	-	76	1	8
39 Balance of county	397	-	-	-	2	-	16	-	-	3	-	-	47	1	8
40 Santa Clara	2,834	1	-	-	-	-	89	-	-	49	-	1	327	1	58
41 San Jose	853	-	-	-	-	-	10	-	-	3	-	-	101	-	15
42 Palo Alto	276	-	-	-	-	-	1	-	-	3	-	-	49	-	10
43 Balance of county	1,705	1	-	-	-	-	78	-	-	43	-	1	177	1	33
44 Santa Cruz	903	-	1	-	-	-	23	1	-	8	-	-	117	-	14
45 Santa Cruz	356	-	-	-	-	-	5	-	-	5	-	-	59	-	6
46 Balance of county	547	-	1	-	-	-	18	1	-	3	-	-	58	-	8
47 Shasta	312	-	-	-	-	-	5	-	-	-	1	-	40	1	8
48 Sierra	27	-	-	-	-	-	2	-	-	-	-	-	5	-	-
49 Siskiyou	291	-	-	-	2	-	-	-	-	2	-	-	27	1	4
50 Solano	751	-	-	-	-	-	25	-	-	3	-	1	90	-	17
51 Vallejo	337	-	-	-	-	-	17	-	-	2	-	-	32	-	11
52 Balance of county	414	-	-	-	-	-	8	-	-	1	-	1	58	-	6
53 Sonoma	1,093	-	-	-	2	1	25	3	-	9	-	-	149	-	13
54 Santa Rosa	230	-	-	-	-	-	2	-	-	2	-	-	36	-	3
55 Balance of county	863	-	-	-	2	1	23	3	-	7	-	-	113	-	10
56 Stanislaus	1,056	-	1	-	2	2	29	-	-	3	-	2	133	-	28
57 Modesto	436	-	1	-	1	1	19	-	-	1	-	-	65	-	16
58 Balance of county	620	-	-	-	1	1	10	-	-	2	-	2	68	-	12
59 Sutter	192	-	-	-	1	1	5	-	-	1	-	-	17	-	3
60 Tehama	222	-	-	-	-	-	4	-	-	1	-	-	19	1	4
61 Trinity	45	-	-	-	-	-	-	-	-	-	-	-	4	-	2
62 Tulare	1,101	-	1	-	2	-	43	-	-	9	-	-	125	-	19
63 Tullahoma	156	-	-	-	1	-	6	-	-	4	-	-	16	-	4
64 Ventura	1,017	-	-	-	3	-	44	-	-	23	1	-	128	1	17
65 San Buenaventura	141	-	-	-	-	-	-	-	-	1	-	-	33	-	3
66 Balance of county	876	-	-	-	3	-	44	-	-	27	1	-	95	1	14
67 Yolo	405	-	1	-	-	1	13	1	-	1	-	-	50	1	8
68 Yuba	276	-	1	-	1	-	8	-	-	5	-	-	34	1	2
69 COLORADO	12,613	2	9	1	27	20	375	11	-	115	7	6	1,614	17	214
70 Adams	230	-	-	-	-	2	17	-	-	5	-	-	24	-	3
71 Alamosa	79	-	-	-	-	-	3	-	-	-	1	1	8	-	-
72 Arapahoe	370	-	-	-	-	-	10	-	-	4	-	1	50	2	2
73 Archuleta	24	-	-	-	-	-	1	-	-	-	-	-	4	-	1
74 Bacon	51	-	-	-	-	-	1	-	-	-	-	-	5	-	-
75 Bent	86	-	-	-	1	-	7	-	-	4	-	-	3	-	-
76 Boulder	447	-	-	-	1	-	21	-	-	-	-	-	67	-	13
77 Boulder	183	-	-	-	-	-	15	-	-	-	-	-	21	-	5
78 Balance of county	264	-	-	-	1	-	8	-	-	-	-	-	46	-	6
79 Chaffee	98	-	-	-	-	-	-	-	-	-	-	-	10	-	5
80 Cheyenne	28	-	-	-	-	-	1	-	-	1	-	-	2	-	-
81 Clear Creek	42	-	-	-	-	-	2	-	-	2	-	-	7	-	-
82 Conejos	56	-	-	-	-	-	-	2	-	-	-	-	4	-	-
83 Costilla	43	-	-	-	-	-	-	-	-	1	-	-	6	-	-
84 Crowley	59	-	-	-	-	1	1	-	-	-	1	-	7	-	-
85 Custer	25	-	-	-	3	-	1	-	-	-	-	-	3	-	-
86 Delta	153	-	-	-	2	-	1	-	-	-	-	-	11	-	4
87 Denver, coextensive with Denver (city)	4,218	-	3	-	3	8	127	2	-	35	1	1	596	4	76
88 Dolores	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89 Douglas	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90 Eagle	30	-	-	-	-	-	-	-	-	-	-	-	5	-	-
91 Elbert	37	-	-	-	-	-	1	-	-	-	-	-	4	-	-

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperia	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Koml-oids	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
69	83	90-95	107-109, 33	119, 120	130-132	140-150	157, 158, 160, 161	159	163, 164	165-168	170	169, 171-195	162, 199, 200		
-	61	280	38	1	53	-	10	7	10	-	18	28	17	127	1
-	17	73	6	-	14	-	9	5	4	1	5	13	-	29	2
1	195	679	63	13	73	2	66	52	25	4	89	75	9	209	3
-	48	211	11	6	20	-	17	12	4	-	14	15	4	47	4
-	18	44	5	-	3	-	7	5	2	-	10	6	-	18	5
-	8	42	5	1	8	-	2	6	2	-	3	6	-	23	6
1	121	382	42	6	42	2	40	29	17	4	62	48	5	121	7
-	38	127	15	-	10	-	13	7	5	3	15	18	7	43	8
-	6	38	6	1	2	1	15	3	5	4	8	15	2	11	9
-	122	458	69	15	63	6	53	36	22	9	78	74	2	178	10
-	48	185	20	2	35	3	22	14	10	4	18	24	1	78	11
-	74	273	49	13	28	3	31	22	12	5	60	50	1	100	12
-	212	926	83	8	98	5	64	37	23	98	129	129	6	249	13
-	146	668	55	3	71	4	33	32	26	16	58	79	5	188	14
-	66	258	28	5	27	1	31	32	11	7	40	50	3	61	15
-	12	38	6	4	6	-	2	10	2	-	6	6	-	27	16
-	200	846	136	12	113	11	97	83	55	15	148	124	25	407	17
-	74	271	42	4	53	5	33	34	18	7	38	42	5	151	18
-	17	50	7	1	7	-	1	7	2	1	5	6	2	14	19
-	19	72	9	1	4	-	8	4	1	1	4	6	4	21	20
-	90	453	78	6	49	6	50	38	34	6	101	70	14	221	21
2	367	1,263	150	7	242	9	174	135	83	19	152	209	29	518	22
1	222	810	84	5	155	6	112	91	49	17	75	123	17	323	23
-	12	52	8	-	7	2	8	12	2	-	12	6	3	25	24
1	133	401	58	2	60	1	54	32	2	2	65	80	9	170	25
1	623	3,187	358	17	333	13	214	164	182	72	163	456	31	1,225	26
1	178	678	155	28	62	2	57	57	31	27	100	152	24	281	27
-	53	223	38	8	21	1	25	23	9	12	44	51	12	89	28
-	17	60	9	1	6	1	3	4	2	3	10	8	-	19	29
1	108	395	108	19	35	-	28	30	20	12	46	93	12	183	30
-	34	148	16	-	21	2	19	15	5	1	19	25	-	61	31
-	122	433	48	4	42	3	40	31	33	7	46	44	22	148	32
-	9	46	4	-	2	-	1	1	-	-	3	3	2	7	33
-	9	44	4	1	2	-	7	4	5	-	4	5	1	13	34
-	30	110	13	-	14	1	8	5	8	1	11	14	9	47	35
-	74	233	27	3	24	2	24	21	20	6	28	22	10	81	36
-	85	295	24	7	37	3	24	19	15	5	37	44	5	94	37
-	53	165	11	-	17	-	11	7	5	2	17	23	2	60	38
-	32	130	15	7	20	3	13	13	3	3	20	21	3	34	39
-	233	1,015	61	48	128	3	86	70	42	7	109	95	12	401	40
-	76	301	12	17	50	2	38	34	11	2	44	35	3	99	41
-	28	112	8	-	7	-	1	5	4	-	12	13	-	23	42
-	129	602	41	31	69	1	47	31	27	5	53	47	9	279	43
-	100	325	23	1	37	1	22	16	21	8	30	116	3	116	44
-	43	128	4	-	19	8	8	6	9	5	9	8	1	46	45
-	57	199	19	1	18	1	14	10	13	3	21	28	2	70	46
-	20	92	15	-	23	2	13	8	9	3	21	20	1	30	47
-	2	9	2	-	-	-	-	-	1	-	-	2	1	5	48
-	31	106	10	-	14	-	11	5	2	1	14	17	3	41	49
-	68	203	33	16	27	5	39	42	12	3	41	41	-	95	50
-	22	93	13	8	8	3	25	27	5	3	14	19	-	35	51
-	46	110	20	8	19	2	14	15	7	-	22	22	-	60	52
1	84	378	68	1	41	2	38	11	14	1	26	39	49	138	53
-	30	81	6	-	11	1	3	3	2	1	5	6	5	33	54
1	54	297	62	1	30	1	35	8	12	-	21	33	44	105	55
-	84	321	49	11	34	8	55	24	15	9	64	47	21	114	56
-	39	132	21	5	9	4	20	2	4	2	21	15	2	55	57
-	45	189	28	6	25	4	35	21	11	7	43	32	19	59	58
-	22	53	9	-	10	2	7	8	6	1	16	11	-	19	59
-	32	75	8	-	9	-	3	3	3	1	19	15	3	22	60
-	3	16	1	-	3	-	1	-	-	-	-	4	-	8	61
1	71	297	61	32	42	3	54	35	16	4	65	61	13	147	62
-	14	52	2	-	13	-	2	3	4	-	10	6	-	19	63
-	83	298	65	10	29	5	36	29	12	4	42	52	8	122	64
-	14	37	6	-	4	-	8	8	1	1	4	7	1	15	65
-	69	261	59	10	25	5	28	23	11	3	38	45	7	107	66
-	33	132	10	3	8	-	10	11	11	3	26	21	14	47	67
-	17	77	12	2	9	3	12	13	10	-	18	27	3	21	68
1	1,084	3,466	830	79	730	42	427	421	189	53	360	656	192	1,657	69
-	20	65	9	-	13	1	14	13	1	-	8	8	2	25	70
-	5	11	7	2	8	1	4	9	-	-	2	2	1	13	71
-	34	104	15	1	26	-	9	11	7	-	13	15	5	61	72
-	1	7	1	-	3	-	1	1	1	-	2	2	-	2	73
-	4	17	2	-	3	-	2	1	2	1	2	1	1	10	74
-	5	28	9	2	4	-	2	4	1	1	4	4	-	7	75
-	31	133	20	-	17	2	17	16	5	2	9	21	5	67	76
-	13	53	7	-	3	-	11	9	2	-	2	7	1	36	77
-	18	80	13	-	14	2	6	7	3	2	7	14	4	31	78
-	9	44	8	1	2	-	-	1	1	-	1	4	2	11	79
-	11	11	1	-	3	-	-	-	1	-	1	2	-	3	80
-	2	15	1	-	-	-	-	-	1	-	2	2	-	5	81
-	2	14	10	1	10	1	2	7	1	-	2	3	-	5	82
-	8	3	2	-	1	-	1	5	-	-	-	2	3	11	83
-	6	16	6	-	-	-	1	5	-	-	-	2	-	8	84
-	4	7	1	-	-	-	1	1	1	-	5	-	1	1	85
-	6	46	12	2	6	3	9	5	2	7	7	11	1	24	86
1	347	1,161	234	25	264	14	138	120	73	21	86	188	96	594	87
-	3	-	1	-	1	-	1	1	1	-	1	1	1	-	88
-	1	8	1	-	4	-	1	1	1	-	3	4	-	1	89
-	3	10	2	-	1	1	1	1	1	-	4	1	1	4	90
-	3	12	1	-	2	-	2	-	1	-	3	2	-	5	91

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
COLORADO—Continued																
1	El Paso	771	-	-	1	-	1	46	-	-	7	-	1	97	4	13
2	Colorado Springs	583	-	-	1	-	1	33	-	-	4	-	1	78	1	12
3	Balance of county	188	-	-	-	-	-	13	-	-	3	-	-	18	3	1
4	Fremont	251	1	-	-	-	-	4	-	-	1	-	-	35	-	3
5	Garfield	117	-	-	-	-	-	-	1	-	1	-	-	15	-	3
6	Gilpin	9	-	-	-	-	-	1	-	-	-	-	-	1	-	1
7	Grand	41	-	-	-	-	1	-	-	-	-	-	-	5	-	1
8	Gunnison	41	-	-	-	-	-	1	-	-	-	-	-	8	-	1
9	Hinsdale	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Huerfano	130	-	-	-	-	-	5	-	-	-	-	-	18	-	3
11	Jackson	10	-	-	-	-	-	-	1	-	-	-	-	1	-	-
12	Jefferson	360	-	-	-	-	-	23	-	-	3	-	-	39	1	3
13	Kiowa	19	-	-	-	-	-	-	-	-	-	-	-	4	-	-
14	Kit Carson	74	-	-	-	-	-	-	-	-	1	-	-	10	-	1
15	Lake	81	-	1	-	-	-	1	-	-	-	-	-	6	-	1
16	La Plata	155	-	-	-	3	-	7	-	-	-	1	-	19	1	1
17	Larimer	359	-	1	-	-	-	6	-	-	1	-	-	55	-	6
18	Fort Collins	116	-	-	-	-	-	3	-	-	-	-	-	17	-	1
19	Balance of county	243	-	1	-	-	-	3	-	-	-	-	-	38	-	5
20	Las Animas	291	1	-	-	-	-	12	-	-	4	3	-	43	-	5
21	Trinidad	151	-	-	-	-	-	9	-	-	-	3	-	26	-	1
22	Balance of county	140	1	-	-	-	-	4	-	-	4	-	-	17	-	4
23	Lincoln	52	-	-	-	-	-	-	-	-	-	-	-	8	-	2
24	Logan	177	-	-	-	-	-	-	-	-	1	-	-	50	1	4
25	Mesa	350	-	-	-	-	2	1	-	-	3	-	-	36	-	9
26	Grand Junction	198	-	-	-	-	-	1	-	-	2	-	-	19	-	6
27	Balance of county	152	-	-	-	-	2	-	-	-	1	-	-	17	-	3
28	Mineral	6	-	-	-	-	-	1	-	-	-	-	-	2	-	1
29	Moffat	24	-	-	-	-	-	1	-	-	-	-	-	4	-	-
30	Montezuma	82	-	1	-	-	-	2	-	-	-	-	-	15	-	-
31	Montrose	151	-	-	-	1	-	2	2	-	-	-	-	18	-	2
32	Morgan	165	-	-	3	1	2	2	-	-	1	-	-	21	-	5
33	Otero	274	-	-	-	1	-	8	1	-	1	-	-	27	-	1
34	Ouray	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1
35	Park	27	-	-	-	-	-	-	-	-	-	-	-	1	-	-
36	Phillips	55	-	-	-	-	-	1	-	-	-	-	-	9	-	4
37	Pitkin	25	-	-	-	-	-	-	-	-	-	-	-	4	-	-
38	Provers	131	-	1	-	-	1	1	-	-	2	-	-	19	-	2
39	Pueblo	1,071	1	1	2	2	2	30	-	-	29	-	-	114	3	10
40	Pueblo	762	-	1	-	1	2	15	-	-	18	-	-	87	3	9
41	Balance of county	309	-	-	1	-	-	15	-	-	11	-	-	27	-	1
42	Rio Blanco	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	Rio Grande	142	-	-	1	1	3	-	-	-	-	-	-	14	-	4
44	Routt	106	-	-	-	-	2	-	-	-	-	-	-	12	-	1
45	Saguache	47	-	-	-	-	1	2	-	-	-	-	-	5	-	-
46	San Juan	24	-	-	1	-	2	-	-	-	-	-	-	2	-	-
47	San Miguel	23	-	-	-	-	1	-	-	-	-	-	-	1	-	1
48	Sedgwick	42	-	-	-	-	-	1	-	-	1	-	-	6	-	-
49	Summit	12	-	-	-	-	-	-	-	-	-	-	-	5	-	-
50	Teller	30	-	-	-	-	-	-	-	-	1	-	-	4	-	-
51	Washington	46	-	1	-	-	2	-	-	-	-	-	-	4	-	1
52	Weld	553	-	-	3	-	-	15	-	-	2	-	-	66	-	18
53	Greeley	273	-	-	-	-	-	5	-	-	2	-	-	35	-	9
54	Balance of county	290	-	-	-	3	-	10	-	-	-	-	-	31	10	9
55	Yuma	107	-	-	-	-	-	-	-	-	1	-	2	15	-	2
56	CONNECTICUT	19,153	1	10	-	4	1	504	2	-	119	5	7	3,105	5	648
57	Fairfield	4,820	-	5	-	-	-	121	-	-	32	-	-	770	3	149
58	Bridgeport	1,664	-	2	-	-	-	36	-	-	7	2	-	297	2	43
59	Norwalk	475	-	1	-	-	-	10	-	-	1	-	-	90	-	16
60	Stamford	684	-	-	-	-	-	17	-	-	8	-	-	125	1	21
61	Danbury	353	-	1	-	-	-	4	-	-	1	-	-	59	-	22
62	Shelton	99	-	-	-	-	-	16	-	-	-	-	-	11	-	5
63	Stratford (town)	206	-	-	-	-	-	2	-	-	1	-	-	30	-	8
64	Balance of county	1,339	-	1	-	-	-	36	-	-	14	1	-	158	-	34
65	Hartford	4,622	1	1	-	2	-	147	-	-	29	-	2	777	1	161
66	Hartford	1,803	-	1	-	-	-	71	-	-	13	-	-	316	-	69
67	Bristol	281	-	-	-	-	-	9	-	-	-	-	-	45	-	12
68	New Britain	633	-	-	-	-	-	22	-	-	6	-	1	99	1	25
69	West Hartford (town)	322	-	-	-	-	-	4	-	-	2	-	-	60	-	8
70	East Hartford (town)	199	-	-	-	-	-	-	-	-	-	-	-	30	-	5
71	Balance of county	1,394	1	-	-	2	-	41	-	-	8	-	1	227	-	42
72	Litchfield	992	-	-	-	-	-	24	-	-	3	-	1	150	-	31
73	Torrington	257	-	-	-	-	-	7	-	-	1	-	-	49	-	5
74	Balance of county	735	-	-	-	-	-	17	-	-	2	-	1	101	-	26
75	Middlesex	873	-	-	-	-	1	35	1	-	7	-	-	130	-	29
76	Middletown	511	-	-	-	-	-	29	1	-	6	-	-	63	-	12
77	Balance of county	362	-	-	-	1	-	6	-	-	1	-	-	67	-	17
78	New Haven	5,215	-	3	-	1	-	118	1	-	31	1	2	906	-	199
79	New Haven	1,872	-	3	-	-	-	46	-	-	19	-	-	319	-	81
80	Meriden	430	-	-	-	-	-	16	-	-	-	-	-	78	-	11
81	Waterbury	1,053	-	-	-	-	-	26	-	-	5	-	-	176	-	47
82	West Haven (town)	291	-	-	-	1	-	2	-	-	1	-	-	43	-	14
83	Ansonia	164	-	-	-	-	-	3	-	-	-	-	-	28	-	2
84	Derby	115	-	-	-	-	-	1	1	-	1	-	-	18	-	7
85	Naugatuck	149	-	-	-	-	-	1	-	-	-	-	1	29	-	5
86	Wallingford	162	-	-	-	-	-	-	-	-	2	-	-	30	-	8
87	Balance of county	979	-	-	-	-	-	23	-	-	2	1	1	185	-	24
88	New London	1,638	-	-	-	-	-	50	-	-	14	1	2	219	1	44
89	New London	314	-	-	-	-	-	5	-	-	3	-	-	57	-	9
90	Norwich	396	-	-	-	-	-	22	-	-	1	-	-	66	-	13
91	Balance of county	928	-	-	-	-	-	23	-	-	10	1	2	96	1	22
92	Tolland	333	-	-	-	-	-	3	-	-	-	-	-	44	-	18
93	Windham	660	-	1	-	-	-	6	-	-	3	-	-	109	-	17
94	Willimantic	188	-	-	-	-	-	2	-	-	-	-	-	25	-	1
95	Balance of county	494	-	1	-	1	-	4	-	-	3	-	-	84	-	16

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1958 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	85	90-95	107-109, 33	119, 120	150-152	140-150	157, 158, 160, 161	159	163, 164	165-166	170	169, 171-195	162, 199, 200	
-	70	250	33	2	57	2	15	18	9	2	18	45	7	93
-	50	167	22	-	22	2	14	14	7	2	16	33	6	76
-	20	63	11	2	15	-	1	4	-	-	2	12	1	17
-	24	86	13	2	6	-	5	5	6	2	3	23	1	31
-	12	32	6	1	11	1	1	4	4	-	4	9	1	11
-	-	2	1	-	-	-	-	-	-	-	-	-	2	1
-	5	8	4	-	2	-	4	1	-	-	2	2	-	8
-	1	15	-	-	1	-	-	1	2	-	-	3	-	5
-	8	33	13	1	4	1	8	5	2	3	6	5	-	15
-	1	-	-	-	-	-	2	-	-	-	-	2	-	3
-	26	113	18	1	42	-	11	11	5	1	11	14	-	38
-	2	2	1	-	2	-	2	1	-	-	2	2	-	1
-	6	18	5	-	5	-	4	4	-	-	4	5	-	8
-	6	25	6	-	2	-	3	3	3	-	3	7	-	14
-	15	30	10	1	15	1	7	8	1	-	3	11	4	19
-	41	104	19	4	16	-	12	19	6	-	3	17	3	46
-	13	29	6	1	6	-	8	13	3	-	1	2	1	12
-	28	75	13	3	10	-	4	6	2	-	2	15	2	34
-	21	65	41	2	17	-	4	8	7	3	7	18	1	29
-	8	36	27	1	7	-	2	6	1	-	2	6	1	16
-	13	29	14	1	10	-	2	2	6	3	5	12	-	13
-	7	10	4	-	4	-	1	1	2	-	3	4	1	5
-	29	47	6	1	9	1	7	5	3	-	2	7	-	24
-	35	102	18	1	16	-	13	18	7	1	11	15	11	51
-	25	55	12	1	10	-	6	9	3	-	7	9	7	26
-	10	47	6	-	6	-	7	9	4	-	4	6	4	25
-	-	6	-	-	1	-	-	-	-	-	-	1	-	1
-	6	21	3	2	6	1	7	7	1	1	2	3	2	5
-	16	37	10	1	8	2	7	7	2	2	6	14	1	19
-	14	45	11	2	11	-	5	5	3	2	10	6	1	21
-	24	74	26	6	15	-	13	6	3	2	12	20	2	32
-	1	11	1	-	-	-	-	1	-	-	2	1	-	3
-	2	13	3	-	1	-	2	2	1	-	-	3	-	5
-	9	12	4	-	2	-	-	-	-	-	2	-	-	3
-	3	11	3	-	1	-	1	5	2	-	2	10	1	17
-	3	28	5	-	5	2	30	27	8	4	20	70	13	137
-	50	231	140	2	53	-	2	25	8	5	16	45	12	95
-	61	197	94	3	40	2	2	2	8	1	4	25	1	42
-	29	84	46	2	13	-	3	3	2	1	4	7	7	5
-	1	2	1	-	1	-	2	6	2	1	7	2	4	17
-	13	27	9	4	10	3	5	11	4	2	5	4	2	20
-	8	27	8	1	5	1	3	4	2	2	1	2	2	4
-	4	9	6	1	3	1	6	6	-	-	4	2	-	4
-	2	4	4	-	2	-	2	-	-	-	1	1	-	4
-	1	11	4	-	2	-	2	1	-	-	2	3	2	6
-	1	9	4	-	1	-	-	-	-	-	-	3	-	4
-	6	11	2	1	3	1	1	1	-	-	3	2	1	5
-	8	159	39	4	23	2	20	23	7	1	36	26	1	77
-	51	77	15	4	13	-	4	7	5	-	10	14	1	45
-	32	77	24	3	10	2	16	16	2	1	26	12	1	34
-	19	62	10	-	7	-	3	3	1	-	2	6	1	14
-	10	31	8	-	-	-	-	-	-	-	-	-	-	5
2	1,608	7,045	521	63	865	31	567	428	285	38	254	765	125	2,125
-	421	1,768	165	13	178	11	125	101	95	13	55	228	18	546
-	150	664	41	2	46	4	36	28	28	6	18	69	4	170
-	36	181	9	1	21	-	16	9	12	1	4	24	-	45
-	59	215	14	5	34	2	18	16	15	3	31	31	3	86
-	31	150	11	4	13	2	6	10	4	4	5	8	5	33
-	10	29	2	-	3	1	1	4	2	-	1	2	-	9
-	16	80	8	-	9	-	12	5	3	-	5	11	1	17
-	119	469	80	1	82	2	36	20	31	5	78	78	6	176
-	328	1,694	97	15	214	8	150	132	59	17	73	173	17	524
-	116	657	36	8	67	5	55	38	21	8	20	59	4	219
-	19	90	12	2	13	1	22	8	2	-	3	7	1	39
-	38	215	13	-	47	-	11	18	11	5	26	26	1	74
-	24	137	5	-	10	-	6	7	4	1	16	5	-	33
-	10	87	6	2	8	-	8	9	4	3	5	5	-	21
-	121	508	25	3	69	2	46	32	18	3	28	58	11	136
-	79	371	24	4	65	-	27	26	16	5	49	58	9	96
-	27	88	7	1	8	-	9	5	4	-	10	33	-	32
-	52	283	17	3	57	-	18	21	12	-	12	39	9	65
-	82	316	33	2	80	3	19	13	8	-	8	48	1	89
-	46	190	24	2	27	2	8	3	8	-	19	19	-	61
-	36	126	9	-	23	1	11	3	5	-	8	8	1	26
-	463	1,847	118	24	238	5	179	100	60	6	72	162	70	589
-	145	692	30	11	82	-	57	34	17	4	21	58	37	216
-	55	140	11	1	21	-	11	5	7	-	4	12	3	55
-	83	338	36	7	50	1	60	27	13	1	15	32	5	130
-	31	112	12	-	15	2	7	5	2	-	6	6	-	31
-	18	59	4	-	11	-	6	5	4	-	2	7	-	15
-	14	40	1	-	8	-	2	1	1	-	1	4	-	15
-	13	57	7	-	6	-	5	1	3	-	1	3	2	14
-	15	50	3	2	5	-	2	3	3	1	5	8	4	21
-	89	359	14	3	40	2	29	19	10	-	21	52	13	92
-	2	148	659	51	74	3	39	42	21	1	20	70	5	167
-	34	105	6	-	7	-	10	6	4	-	1	10	3	54
-	38	180	9	3	15	1	8	14	6	2	7	15	-	27
-	1	76	404	36	52	2	21	22	11	1	12	45	2	88
-	33	128	11	-	18	1	12	5	5	-	4	11	1	44
-	54	265	22	-	30	-	16	16	16	1	7	24	4	68
-	15	75	3	-	9	-	3	2	7	-	5	2	2	17
-	39	190	19	-	21	-	13	14	9	1	4	22	2	51

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	56	61
1	DELAWARE-----	3,545	1	4	-	4	-	132	2	-	35	-	2	402	3	81
2	Kent-----	541	-	1	-	2	-	10	1	-	2	-	1	52	-	10
3	New Castle-----	2,162	1	3	-	1	-	102	-	-	24	-	1	266	3	55
4	Wilmington-----	1,378	1	2	-	1	-	58	-	-	9	-	-	178	2	37
5	Balance of county-----	784	-	1	-	-	-	44	-	-	15	-	1	107	1	18
6	Sussex-----	642	-	-	-	1	-	20	1	-	9	-	-	64	-	16
7	DISTRICT OF COLUMBIA-----	8,254	1	2	1	3	1	497	-	2	135	-	3	1,167	5	213
8	FLORIDA-----	24,283	6	20	-	32	17	793	15	8	263	3	7	2,703	17	456
9	Alachua-----	468	-	-	-	-	-	16	-	-	5	-	-	34	-	12
10	Gainesville-----	201	-	-	-	-	-	8	-	-	1	-	-	12	-	4
11	Balance of county-----	267	-	-	-	-	-	8	-	-	4	-	-	22	-	8
12	Baker-----	47	-	-	-	-	-	3	-	1	-	-	-	3	-	2
13	Bay-----	262	-	-	-	-	-	3	-	1	2	-	-	32	1	2
14	Panama City-----	169	-	-	-	-	-	3	-	1	2	-	-	21	1	1
15	Balance of county-----	93	-	-	-	-	-	-	-	-	-	-	-	11	-	1
16	Bradford-----	114	-	-	-	-	-	-	-	-	-	-	-	9	-	2
17	Brevard-----	198	-	-	-	-	-	6	-	-	2	-	-	15	-	1
18	Broward-----	626	1	-	-	4	1	19	1	-	5	-	-	82	1	5
19	Fort Lauderdale-----	316	1	-	-	2	1	11	1	-	3	-	-	41	-	5
20	Balance of county-----	310	-	-	-	2	-	7	-	-	2	-	-	41	1	-
21	Calhoun-----	64	-	-	-	1	-	-	-	-	-	-	-	9	-	1
22	Charlotte-----	46	-	-	-	-	-	2	-	-	-	-	-	3	-	1
23	Citrus-----	48	-	-	-	-	-	3	-	-	-	-	-	1	-	-
24	Clay-----	110	-	-	-	-	-	1	1	-	-	-	-	3	-	-
25	Collier-----	38	-	-	-	-	-	3	-	-	-	-	-	1	-	1
26	Columbia-----	182	-	-	-	-	-	4	-	-	-	-	-	11	-	3
27	Dade-----	3,749	5	1	-	-	-	137	-	-	33	-	-	528	2	75
28	Miami-----	2,423	2	-	-	-	-	95	-	-	19	-	-	364	2	47
29	Miami Beach-----	314	-	-	-	-	-	6	-	-	3	-	-	47	-	9
30	Balance of county-----	1,012	3	1	-	-	-	36	-	-	11	-	-	117	-	19
31	De Soto-----	93	-	-	-	2	-	2	-	-	-	-	-	15	-	-
32	Dixie-----	33	-	-	-	-	-	2	-	-	-	-	-	1	-	-
33	Duval-----	2,545	-	3	-	3	3	114	2	1	23	-	1	256	3	45
34	Jacksonville-----	2,056	-	2	-	1	1	89	2	1	17	-	-	204	2	33
35	Balance of county-----	489	-	-	-	2	2	26	-	-	6	-	1	78	1	12
36	Escambia-----	651	-	2	-	4	1	35	-	-	11	2	-	52	-	12
37	Pensacola-----	500	-	-	-	1	-	25	-	-	9	-	-	47	-	7
38	Balance of county-----	351	-	2	-	3	1	11	-	-	2	2	-	29	-	5
39	Flagler-----	23	-	-	-	-	-	1	-	-	-	-	-	3	-	1
40	Franklin-----	52	-	-	-	-	-	1	-	-	1	-	-	4	-	-
41	Gadsden-----	700	-	1	-	-	-	52	3	1	80	-	-	44	1	8
42	Gilchrist-----	36	-	-	-	-	-	4	-	-	-	-	-	1	-	-
43	Gladys-----	20	-	-	-	-	-	1	-	-	-	-	-	2	-	-
44	Gulf-----	59	-	-	-	-	-	3	1	-	2	-	-	6	-	-
45	Hamilton-----	75	-	-	-	-	-	2	-	-	1	-	-	6	-	-
46	Hardee-----	96	-	-	-	-	-	2	-	-	1	-	-	6	1	-
47	Henry-----	54	-	-	-	-	-	1	-	-	-	-	-	9	-	2
48	Hernando-----	59	-	-	-	-	-	1	-	-	-	-	-	3	-	1
49	Highlands-----	123	-	-	-	1	-	3	-	-	-	-	-	10	-	1
50	Hillsborough-----	2,390	1	1	-	3	-	86	-	-	28	-	-	17	-	6
51	Polk-----	1,572	1	1	-	-	-	64	-	-	-	-	-	299	-	47
52	Balance of county-----	808	1	5	-	5	-	22	-	-	16	-	-	208	-	38
53	Holmes-----	128	-	-	-	-	-	10	-	-	-	-	-	91	-	9
54	Indian River-----	97	-	-	-	-	-	3	-	-	-	-	-	7	-	-
55	Jackson-----	299	-	-	-	1	-	10	1	1	1	-	-	8	-	2
56	Jefferson-----	114	-	-	-	1	2	3	-	-	-	-	-	29	-	2
57	Lafayette-----	30	-	-	-	-	-	5	-	1	-	-	-	5	-	3
58	Lake-----	365	-	1	-	1	-	1	-	-	2	1	-	-	-	2
59	Lee-----	228	-	-	-	-	-	4	-	-	-	-	-	52	1	10
60	Fort Myers-----	156	-	-	-	-	-	9	-	-	-	-	-	25	1	6
61	Balance of county-----	72	-	-	-	-	-	5	-	-	-	-	-	19	1	5
62	Leon-----	316	-	1	-	-	-	4	1	-	2	-	-	6	-	1
63	Tallahassee-----	156	-	-	-	-	-	7	-	-	-	-	-	17	-	5
64	Balance of county-----	160	-	-	-	-	-	3	1	-	2	-	-	10	-	2
65	Levy-----	100	-	1	-	-	-	4	-	-	2	-	-	4	-	3
66	Liberty-----	28	-	-	-	-	-	5	-	-	-	-	-	9	-	2
67	Madison-----	146	-	-	-	-	1	1	-	-	-	-	-	2	-	-
68	Manatee-----	333	-	-	-	-	-	1	2	-	-	-	-	14	-	8
69	Marion-----	378	-	1	-	2	-	6	2	-	3	-	-	36	1	4
70	Martin-----	73	-	-	-	1	-	8	-	1	-	-	-	26	-	9
71	Monroe-----	209	-	-	-	-	-	4	-	-	-	-	-	3	-	-
72	Key West-----	195	-	-	-	-	-	7	-	-	-	-	-	25	-	6
73	Balance of county-----	14	-	-	-	-	-	7	-	-	-	-	-	25	-	6
74	Nassau-----	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75	Ocala-----	156	-	-	-	-	-	4	1	-	-	-	-	10	-	2
76	Osceola-----	25	-	-	-	-	1	2	1	-	2	-	-	12	-	-
77	Orange-----	988	-	-	-	-	-	1	-	-	-	-	-	3	-	-
78	Orlando-----	598	-	1	-	-	-	57	1	-	1	-	2	122	-	25
79	Balance of county-----	390	-	-	-	-	-	30	1	-	1	-	1	77	-	17
80	Osuola-----	199	-	1	-	-	1	27	1	-	-	-	1	45	-	8
81	Palm Beach-----	1,005	-	-	-	-	-	5	-	-	-	-	-	28	-	4
82	West Palm Beach-----	452	-	1	-	-	-	29	-	-	13	-	-	108	-	18
83	Balance of county-----	553	-	-	-	-	-	9	-	-	9	-	-	54	-	12
84	Pasco-----	226	-	1	-	-	-	20	-	-	4	-	-	54	-	6
85	Pinellas-----	1,761	-	1	-	1	-	4	-	-	3	-	-	19	-	4
86	St. Petersburg-----	1,241	1	-	-	2	-	35	1	-	14	-	-	245	-	40
87	Clearwater-----	147	-	-	-	1	-	19	1	-	11	-	-	172	-	29
88	Balance of county-----	393	-	-	-	-	2	3	-	-	1	-	-	16	-	4
89	Folk-----	1,030	-	-	-	2	1	13	-	-	2	-	-	57	-	7
90	Lakeland-----	308	-	-	-	-	-	28	-	-	8	-	2	117	-	21
91	Balance of county-----	722	-	-	-	2	1	8	-	-	2	-	1	40	-	8
92	Putnam-----	222	-	2	-	2	1	20	-	-	6	-	1	77	-	13
93	St. Johns-----	246	-	-	-	-	-	5	-	-	1	-	-	21	-	7
94	St. Augustine-----	194	-	-	-	-	-	8	-	-	2	-	-	29	-	5
95	Balance of county-----	52	-	-	-	-	-	2	-	-	-	-	1	26	-	2

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

523

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intest- ines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	85	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	165,164	165-168	170	169, 1 171-195	162, 199,200	All other causes	
-	251	1,129	117	8	290	6	89	97	53	14	65	164	30	366	1
-	54	218	12	2	49	-	15	9	5	-	17	23	-	58	2
-	144	717	76	2	188	4	57	62	36	8	29	98	23	242	3
-	94	445	50	-	126	3	42	48	19	5	12	58	17	170	4
-	50	272	26	2	62	1	15	14	17	3	17	40	6	72	5
-	53	194	29	4	53	2	17	26	12	6	19	43	7	66	6
1	585	2,390	294	50	695	23	265	275	111	74	103	350	19	989	7
14	2,493	6,481	989	154	1,591	133	799	859	299	367	722	1,235	926	2,099	8
-	65	127	29	5	53	2	15	11	3	12	21	25	28	47	9
-	17	54	11	1	15	1	7	6	2	8	10	9	12	25	10
-	46	73	18	4	20	1	6	5	1	4	11	16	16	22	11
-	3	11	2	2	2	-	1	2	1	2	1	5	-	8	12
-	23	53	11	3	21	1	15	12	3	5	15	16	10	33	13
-	13	30	5	3	12	-	9	11	3	5	7	10	5	27	14
-	10	23	6	-	9	1	6	1	-	-	8	6	5	6	15
-	9	29	14	3	11	2	4	7	-	2	7	9	3	7	16
-	26	46	13	-	18	4	6	6	1	2	7	7	6	34	17
-	57	155	32	-	26	7	24	35	15	11	22	51	10	63	18
-	30	74	16	-	16	2	11	11	8	6	11	28	4	56	19
-	27	81	16	-	16	5	13	24	7	5	11	25	6	27	20
-	7	10	8	-	10	-	2	3	-	2	2	5	3	10	21
-	8	17	5	-	6	-	-	-	-	-	-	-	2	6	22
-	8	15	1	-	1	-	-	1	-	-	1	6	6	4	23
-	17	30	7	1	4	1	5	1	4	1	5	3	7	11	24
-	4	12	2	-	1	-	3	-	-	1	1	3	4	8	25
-	18	32	12	2	14	-	4	6	2	2	3	12	15	23	26
-	513	1,173	102	23	196	11	141	117	50	54	121	181	46	440	27
-	196	754	63	15	132	8	79	75	35	30	84	112	32	299	28
-	29	130	6	2	9	-	8	5	6	6	6	9	2	37	29
-	88	289	33	6	55	3	54	37	9	24	51	60	12	104	30
-	9	20	3	1	11	2	7	3	2	-	2	3	1	11	31
-	5	11	-	-	-	2	-	2	-	-	1	3	1	4	32
-	276	547	121	9	142	14	96	111	30	60	79	105	201	297	33
3	256	456	105	4	115	11	77	91	23	52	57	71	155	250	34
1	40	91	15	5	27	6	19	20	7	9	22	34	46	47	35
1	67	224	23	5	45	5	28	43	14	14	28	55	27	107	36
1	44	144	14	4	32	4	12	25	9	11	13	29	15	54	37
-	43	60	9	1	13	2	16	18	-	3	15	26	12	53	38
-	5	7	1	-	6	-	-	2	-	1	1	2	-	2	39
-	5	10	1	-	5	-	3	10	1	5	6	4	2	8	40
1	7	188	56	5	54	3	7	7	3	6	41	20	56	41	41
-	9	7	1	-	1	-	-	-	-	1	2	3	3	3	42
-	4	8	2	-	4	2	3	5	-	3	3	4	1	4	43
-	9	11	5	1	3	1	4	7	-	2	12	6	4	6	44
-	15	32	3	2	7	1	4	4	3	2	2	4	4	7	45
-	4	14	1	-	3	-	2	4	2	1	1	5	2	6	47
-	4	12	1	-	7	-	5	4	-	2	1	6	1	8	48
-	8	33	2	-	5	-	4	6	1	2	4	9	3	18	49
-	208	611	97	19	231	77	77	98	32	24	59	89	106	262	50
-	136	599	67	9	140	9	49	52	23	20	36	48	64	191	51
-	72	212	30	10	91	-	28	36	5	4	41	41	42	71	52
1	22	27	6	-	6	1	7	5	3	9	9	4	14	19	53
1	49	32	6	-	7	1	4	7	3	1	7	4	7	54	54
-	12	24	14	1	13	4	15	9	2	3	10	22	21	37	55
-	4	10	2	-	21	3	4	5	-	2	2	3	5	12	56
-	28	95	18	-	30	1	18	15	1	4	17	17	6	39	58
-	25	70	6	2	13	1	12	12	2	3	5	21	2	20	59
-	19	51	4	1	10	-	9	8	-	1	10	-	15	89	60
-	6	19	2	-	3	-	4	5	2	2	1	11	2	7	61
-	27	90	14	-	49	6	16	16	3	6	13	16	24	54	62
-	16	30	5	-	26	2	1	1	2	4	10	6	3	35	63
-	11	20	9	-	23	4	13	3	1	2	10	10	21	19	64
-	11	27	7	1	4	3	4	4	1	2	4	7	3	7	65
-	8	4	4	-	15	1	5	8	1	2	4	2	2	4	66
1	16	29	5	1	1	1	7	8	2	2	12	15	10	67	67
-	58	107	24	3	11	2	10	10	2	2	16	8	12	46	68
-	45	108	20	1	37	4	9	2	1	6	25	21	36	69	69
-	13	19	2	1	9	1	2	2	2	2	3	4	11	70	70
-	22	44	1	1	6	1	15	6	3	2	11	14	26	71	71
-	21	42	11	1	8	1	15	4	1	1	10	14	24	72	72
-	1	2	-	-	1	-	-	2	2	1	1	1	2	73	73
-	11	37	8	-	6	1	3	3	1	4	5	3	3	74	74
-	11	25	12	3	5	1	11	15	-	1	10	22	8	16	75
-	1	7	1	-	3	-	-	-	-	-	1	1	1	4	76
2	84	284	42	6	46	4	26	31	14	19	25	44	10	142	77
-	45	181	22	1	32	1	16	17	8	11	15	26	9	90	78
2	59	103	20	5	20	3	10	14	6	8	12	19	1	82	79
-	25	72	3	1	7	1	5	5	2	3	4	11	6	15	80
-	105	284	32	5	52	5	26	33	18	16	29	55	31	145	81
-	59	126	8	2	21	2	12	9	11	4	10	24	10	70	82
-	46	158	24	3	31	3	14	24	7	12	19	31	21	75	83
-	21	52	8	1	19	2	14	9	-	5	9	15	5	35	84
-	219	581	55	3	82	5	27	37	15	16	40	55	35	274	85
-	162	400	38	2	67	5	26	26	10	16	25	36	20	189	86
-	18	48	8	1	4	-	9	1	2	-	4	3	3	21	87
-	39	133	9	-	11	-	7	10	3	-	13	15	10	64	88
1	116	289	31	6	45	5	34	60	12	16	28	60	47	121	89
-	25	98	17	1	19	3	9	9	2	6	7	18	3	34	90
1	91	171	14	5	26	2	26	52	10	10	21	42	44	87	91
-	24	47	9	1	27	2	15	4	4	7	11	12	19	92	92
-	20	69	7	1	20	1	6	11	4	5	9	12	12	31	93
-	17	55	6	-	14	1	4	8	4	1	3	6	6	28	94
-	3	14	1	1	6	-	2	3	-	1	2	7	6	5	95

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	56	61	
FLORIDA—Continued																
1	St. Lucie	163	-	-	-	-	5	-	-	-	2	-	10	1	1	
2	Santa Rosa	125	-	-	-	-	-	-	-	-	-	-	14	-	2	
3	Sarasota	234	-	-	1	-	3	-	-	1	-	-	32	-	3	
4	Sarasota	175	-	-	-	-	1	-	-	1	-	-	23	-	3	
5	Balance of county	59	-	-	-	-	2	-	-	-	-	-	9	-	-	
6	Seminole	260	-	-	-	-	5	-	-	4	-	-	30	1	6	
7	Semford	121	-	-	-	-	2	-	-	1	-	-	13	-	3	
8	Balance of county	139	-	-	-	-	3	-	-	3	-	-	17	1	3	
9	Sumter	99	-	1	-	1	1	-	-	1	-	-	10	-	3	
10	Swannee	165	-	-	-	1	7	-	-	3	-	-	20	-	5	
11	Taylor	103	-	-	-	1	5	-	-	-	-	-	10	-	1	
12	Union	79	-	-	-	-	5	-	-	-	-	-	5	-	1	
13	Volusia	779	-	1	-	1	12	-	1	6	-	-	83	2	16	
14	Daytona Beach	346	-	1	-	1	7	-	-	1	-	-	27	-	5	
15	Balance of county	433	-	-	-	-	5	-	1	5	-	-	56	2	11	
16	Wakulla	30	-	-	-	-	-	-	1	-	-	-	5	-	-	
17	Walton	117	-	-	-	-	-	-	-	-	-	-	10	-	1	
18	Washington	122	-	-	-	1	1	-	-	-	-	-	9	-	1	
19	GEORGIA	28,946	9	20	1	95	43	1,054	20	12	356	16	3	2,707	31	449
20	Appling	69	-	-	-	-	-	-	-	-	-	-	3	-	1	
21	Atkinson	35	-	-	-	-	-	-	-	-	-	-	4	-	1	
22	Bacon	60	1	1	-	-	-	-	-	-	-	-	3	-	-	
23	Baker	35	-	-	2	-	3	-	-	-	-	-	5	-	-	
24	Baldwin	1,057	-	-	-	-	120	1	-	104	-	-	33	2	16	
25	Banks	37	-	-	-	-	-	-	-	-	-	-	4	-	-	
26	Barrow	94	-	-	-	1	2	-	-	-	-	-	11	-	-	
27	Barrow	188	1	-	1	-	6	-	-	1	-	-	16	-	2	
28	Ben Hill	138	-	-	1	2	1	-	-	1	-	-	13	-	2	
29	Berrien	95	-	-	-	-	-	-	-	1	-	-	5	-	3	
30	Bibb	1,032	-	3	-	7	3	44	-	18	1	-	97	-	16	
31	Macon	893	-	3	-	7	3	37	-	18	1	-	65	-	16	
32	Balance of county	139	-	-	-	-	-	-	-	-	-	-	12	-	-	
33	Blackley	76	-	-	1	-	1	-	1	-	-	-	6	-	2	
34	Branfley	51	-	-	-	-	1	-	-	-	-	-	3	-	1	
35	Brooks	193	-	-	-	1	3	-	-	2	-	-	20	-	6	
36	Bryan	48	-	-	-	-	-	-	-	-	-	-	6	-	1	
37	Bulloch	180	1	-	1	-	1	-	-	3	-	-	10	-	-	
38	Burke	196	-	-	1	-	9	1	-	5	-	-	13	2	3	
39	Butts	76	-	-	2	-	1	-	-	-	-	-	3	1	-	
40	Calhoun	78	-	-	-	-	4	-	1	-	-	-	6	-	-	
41	Camden	47	-	-	-	-	2	-	-	1	-	-	3	-	1	
42	Candler	59	-	-	-	-	1	-	-	1	-	-	4	-	-	
43	Carroll	292	-	-	1	1	1	-	-	1	-	-	31	-	8	
44	Catoosa	70	-	-	-	-	2	-	-	1	-	-	9	-	1	
45	Charlton	42	-	-	-	-	1	-	-	-	-	-	6	-	1	
46	Chatham	1,527	-	1	-	6	80	-	-	20	1	1	143	-	23	
47	Savannah	1,241	-	1	-	6	-	-	-	17	1	-	117	-	20	
48	Balance of county	286	-	-	-	-	23	-	-	3	-	-	26	-	3	
49	Chattoohocsee	51	-	-	-	1	1	-	-	-	-	-	7	-	1	
50	Chattooga	125	-	-	3	-	10	-	-	-	-	-	10	1	2	
51	Cherokee	163	-	-	-	1	7	-	-	-	1	-	20	-	-	
52	Clarke	284	-	-	-	1	5	-	-	1	-	1	26	-	10	
53	Athens	232	-	-	-	-	5	-	-	-	-	1	23	-	8	
54	Balance of county	52	-	-	-	1	-	-	-	1	-	-	3	-	2	
55	Clay	56	-	-	-	-	-	-	-	-	-	-	3	-	-	
56	Clayton	78	-	-	-	-	2	-	-	-	-	-	7	-	-	
57	Clinch	49	-	-	-	-	3	-	-	-	-	-	2	-	1	
58	Cobb	392	-	-	-	-	11	-	-	-	-	-	54	1	4	
59	Coffee	206	-	-	2	-	5	-	-	1	-	-	10	-	3	
60	Colquitt	252	-	-	1	1	7	-	-	1	-	-	23	-	2	
61	Moultrie	124	-	-	-	-	2	-	-	-	-	-	10	-	-	
62	Balance of county	128	-	-	1	1	5	-	-	1	-	-	13	-	2	
63	Columbia	71	-	-	-	-	1	-	-	2	-	-	4	1	-	
64	Cook	88	-	-	1	1	3	-	-	-	-	-	6	1	1	
65	Coveta	228	1	-	1	-	7	1	-	1	-	-	23	2	3	
66	Crawford	54	-	-	-	-	1	-	-	1	-	-	6	-	-	
67	Crisp	136	-	-	-	-	7	-	-	2	-	-	8	-	1	
68	Dade	50	-	-	-	-	1	-	-	-	-	-	2	1	-	
69	Dawson	25	-	-	-	-	1	-	-	-	-	-	1	-	-	
70	Decatur	221	-	-	-	1	3	-	-	2	-	-	24	-	3	
71	De Kalb	780	1	-	1	-	19	-	-	5	-	-	85	1	18	
72	Atlanta (part)	257	-	-	-	-	3	-	-	3	-	-	33	1	3	
73	Decatur	159	-	-	1	-	5	-	-	-	-	-	18	-	2	
74	Balance of county	364	1	-	-	-	11	-	-	2	-	-	34	-	13	
75	Dodge	108	-	-	-	-	2	-	2	-	-	-	6	-	-	
76	Dooly	136	-	-	1	-	2	1	-	1	-	-	10	-	3	
77	Dougherty	339	2	-	-	-	17	-	-	4	-	-	36	-	5	
78	Albany	273	2	-	-	-	15	-	-	4	-	-	27	-	4	
79	Balance of county	66	-	-	-	-	2	-	-	-	-	-	9	-	1	
80	Douglas	71	-	-	-	-	4	-	-	-	-	-	6	-	-	
81	Early	159	-	1	-	-	4	1	-	1	-	-	12	-	4	
82	Echols	18	-	-	-	-	1	-	-	-	-	-	3	-	-	
83	Effingham	86	-	-	-	-	3	-	-	-	-	-	8	-	4	
84	Elbert	171	-	2	-	1	6	1	-	2	-	-	17	-	2	
85	Emanuel	164	-	-	-	-	-	-	-	-	2	-	9	-	2	
86	Evans	49	-	-	1	2	1	-	-	-	-	-	2	-	1	
87	Fannin	102	-	1	1	-	3	-	-	-	-	-	11	-	-	
88	Fayette	69	-	-	1	-	-	-	1	-	-	-	5	-	-	
89	Floyd	507	-	-	1	2	54	1	-	5	1	-	52	-	11	
90	Rome	284	-	-	-	-	12	-	-	3	1	-	41	-	7	
91	Balance of county	223	-	-	1	2	42	1	-	2	-	-	11	-	4	
92	Forsyth	96	-	-	2	-	3	-	-	-	-	-	5	-	-	
93	Franklin	113	-	-	-	2	1	-	-	1	-	-	12	-	3	

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

525

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Fellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	85	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	24	30	3	1	16	2	9	10	2	3	9	11	10	14	1
1	20	24	6	3	12	1	5	9	1	1	6	4	4	11	2
-	59	60	5	2	9	-	9	4	5	2	5	16	12	27	3
-	50	49	4	2	3	-	6	2	4	2	3	15	8	21	4
-	9	11	1	-	6	-	3	2	1	-	2	3	4	6	5
-	26	78	2	2	21	1	13	10	1	5	7	17	1	28	6
-	12	32	6	1	12	1	4	6	4	3	4	7	-	13	7
-	14	41	9	-	9	-	9	4	1	2	3	10	1	15	8
-	6	25	5	7	7	1	1	1	1	6	3	7	5	14	9
-	13	63	4	-	6	2	11	5	5	2	1	8	14	15	10
-	18	13	5	1	12	1	1	4	-	1	2	6	9	12	11
-	10	24	3	1	4	-	2	1	1	3	1	4	1	13	12
-	90	243	23	2	78	3	16	17	14	6	24	36	11	94	13
-	47	117	9	1	39	-	7	9	6	-	11	17	2	40	14
-	43	126	15	1	39	3	9	8	6	3	13	19	9	54	15
-	4	8	2	-	4	-	4	1	-	-	-	-	2	3	16
-	12	12	13	1	28	-	3	3	2	3	3	5	12	13	17
-	12	30	4	1	7	2	4	3	2	2	2	8	13	20	18
100	3,320	6,795	1,645	171	2,538	241	994	1,018	240	504	797	1,349	1,165	3,274	19
-	13	12	10	-	6	1	-	3	1	1	2	6	4	6	20
-	7	10	4	-	1	-	-	2	-	-	1	1	2	1	21
-	7	19	2	-	5	2	-	3	1	-	2	3	5	3	22
-	6	5	2	-	5	-	-	2	1	1	1	1	1	1	23
-	93	223	63	4	51	2	7	10	6	4	10	31	6	271	24
-	2	11	4	-	8	-	2	-	-	1	1	4	-	4	25
2	11	32	2	-	10	-	2	1	1	2	3	6	1	7	26
2	21	30	10	4	21	2	10	13	4	4	9	12	6	16	27
-	17	27	10	-	7	2	4	13	2	2	3	6	4	21	28
-	10	31	6	3	7	2	3	4	-	-	2	6	2	10	29
1	92	233	56	5	105	10	25	39	9	20	21	36	69	121	30
1	78	200	50	5	93	9	17	31	7	18	17	29	59	109	31
1	14	35	6	-	12	1	8	7	2	2	4	7	11	12	32
1	14	18	6	1	6	-	1	1	1	1	1	2	4	8	33
-	7	6	4	-	7	2	2	1	1	1	1	1	1	9	34
-	19	56	9	-	28	4	8	6	1	3	5	11	8	23	35
-	7	12	-	-	-	-	3	3	2	2	1	5	1	5	36
-	16	55	13	-	14	4	4	4	4	12	9	9	1	32	37
1	22	49	15	-	15	3	6	6	2	7	5	9	6	16	38
-	7	14	8	-	16	1	1	2	-	6	3	2	2	7	39
-	10	19	4	-	8	2	2	3	-	4	1	3	7	4	40
-	6	10	2	-	1	-	2	2	-	1	4	8	2	4	41
-	11	16	5	-	3	1	3	3	-	2	2	6	1	3	42
2	28	75	15	3	24	5	18	16	4	2	5	8	16	29	43
-	6	21	3	-	2	1	5	2	-	2	3	1	4	7	44
1	1	7	-	-	5	-	1	1	-	-	3	2	7	6	45
6	198	394	72	7	126	15	41	63	14	35	41	77	7	156	46
5	159	315	59	3	103	13	32	52	10	26	65	85	8	141	47
1	39	79	13	4	23	2	9	11	4	9	8	12	1	15	48
1	3	4	-	-	2	-	1	6	-	2	6	11	1	4	49
1	11	29	6	2	12	3	8	4	-	5	3	1	7	7	50
1	18	42	13	-	12	-	10	3	1	1	5	9	7	13	51
1	24	62	16	4	57	-	7	10	3	4	7	12	3	30	52
1	18	49	14	3	49	-	7	9	1	3	7	10	1	24	53
1	6	13	2	1	8	-	-	1	2	1	1	2	2	6	54
2	7	7	5	2	3	1	2	4	1	1	3	5	8	3	55
-	9	23	7	1	3	-	3	5	-	2	4	6	2	6	56
-	1	14	1	1	5	1	1	1	-	3	3	2	6	8	57
6	44	86	24	-	33	4	18	18	3	3	20	29	7	27	58
1	22	45	20	5	11	2	9	10	4	5	6	12	17	16	59
-	28	65	12	1	26	2	17	9	4	5	10	8	8	24	60
-	12	32	7	-	11	2	11	4	2	4	3	5	5	15	61
-	16	31	5	1	15	1	6	5	2	1	5	5	3	9	62
-	17	16	3	-	2	-	3	2	-	2	2	1	10	8	63
3	12	22	2	-	3	3	5	1	1	2	2	4	9	9	64
1	30	40	12	-	30	1	5	6	3	3	10	12	10	28	65
1	3	15	6	-	1	1	3	1	1	1	3	3	4	5	66
1	11	41	5	-	9	-	5	5	3	3	2	9	9	15	67
-	5	15	1	1	9	1	2	1	-	-	3	1	5	4	68
-	1	1	-	-	6	1	2	2	-	-	-	-	3	3	69
1	25	39	17	2	13	-	11	9	5	5	8	15	14	30	70
2	62	219	28	4	69	4	29	25	6	7	16	38	28	91	71
-	26	84	7	1	31	-	7	7	4	-	3	10	5	29	72
-	24	44	4	2	16	1	5	4	1	1	3	5	8	15	73
2	32	91	17	1	22	3	17	14	3	6	10	23	15	47	74
-	11	32	10	-	5	3	3	4	1	1	4	10	5	10	75
-	16	35	11	1	13	1	7	5	2	-	4	4	4	16	76
2	41	60	12	1	37	-	10	15	1	3	12	10	9	42	77
2	34	71	9	1	24	-	8	11	1	1	11	9	5	34	78
-	7	9	3	-	13	-	2	4	-	-	1	1	4	8	79
-	8	22	7	-	3	1	1	1	-	-	3	6	4	4	80
-	8	44	8	1	21	3	2	4	1	5	6	9	6	17	81
-	-	4	1	-	1	-	1	-	-	-	1	1	2	4	82
-	15	21	5	1	5	2	5	5	-	-	2	4	5	4	83
-	13	27	13	1	26	2	3	7	-	2	5	9	10	22	84
1	21	30	7	-	13	6	6	4	4	3	12	10	12	22	85
1	7	7	4	-	3	-	1	1	1	1	4	4	2	2	86
1	17	24	15	1	3	-	1	3	1	-	5	6	5	6	87
2	10	14	5	-	5	-	1	2	2	1	1	4	9	6	88
1	50	104	24	1	50	1	23	23	8	11	24	15	45	69	89
-	32	61	11	1	27	-	12	12	1	4	7	18	6	27	90
1	18	43	13	-	23	1	10	11	1	4	4	6	7	18	91
6	6	19	6	-	17	-	8	8	-	-	6	4	8	7	92
-	17	23	8	-	20	1	3	3	-	-	2	7	1	9	93

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	56	61
GEORGIA—Continued															
1 Fulton	4,439	1	2	-	4	1	199	-	-	45	3	-	572	4	71
2 Atlanta (part) ³	3,522	1	2	-	4	1	176	-	-	43	3	-	480	1	61
3 Atlanta (total) ³	5,779	1	2	-	4	1	179	-	-	46	5	-	515	3	64
4 District 1511, Center Hill ³	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 East Point	100	-	-	-	-	-	2	-	-	-	-	-	6	-	1
6 Balance of county	817	-	-	-	-	-	21	-	-	2	-	-	86	1	9
7 Gilmer	64	-	-	-	-	-	4	-	-	-	-	-	5	-	-
8 Glascock	123	-	-	-	-	-	-	-	-	-	-	-	2	-	-
9 Glynn	264	-	-	-	-	-	-	-	-	-	-	-	18	-	7
10 Brunswick	169	-	-	-	1	-	10	-	-	5	-	-	12	-	6
11 Balance of county	375	-	-	-	1	-	6	-	-	4	-	-	6	-	1
12 Gordon	115	-	-	-	-	-	4	-	-	1	-	-	10	-	-
13 Grady	167	-	1	-	2	1	2	-	-	-	-	-	11	-	3
14 Greene	221	-	-	-	1	-	1	-	-	-	1	-	13	-	4
15 Gwinnett	221	-	-	-	-	-	2	2	-	-	-	-	26	1	2
16 Habersham	123	-	-	-	-	2	5	1	-	1	-	-	15	-	2
17 Hall	307	-	-	-	-	-	2	1	-	-	-	-	24	-	2
18 Gainesville	141	-	-	-	-	-	1	-	-	1	-	-	10	-	2
19 Balance of county	166	-	-	-	-	-	1	-	-	-	-	-	14	-	1
20 Hancock	115	-	-	-	-	-	5	-	-	-	-	-	9	-	4
21 Haralson	92	-	-	-	-	-	2	-	-	-	-	-	9	-	1
22 Harris	97	-	-	-	2	-	1	-	-	-	-	-	10	-	-
23 Hart	67	-	-	-	-	-	1	-	-	1	-	-	6	-	-
24 Heard	50	-	-	-	-	-	-	-	-	-	-	-	6	-	-
25 Henry	160	-	-	-	1	1	5	-	-	-	-	-	12	-	4
26 Houston	139	-	-	-	-	-	6	-	-	2	1	-	7	-	4
27 Irwin	86	-	-	-	3	-	2	-	-	3	-	-	9	-	3
28 Jackson	139	-	-	-	-	1	1	-	-	-	-	-	14	1	3
29 Jasper	86	-	-	-	1	-	-	-	-	-	-	-	9	-	1
30 Jeff Davis	75	-	-	-	-	-	-	-	-	-	-	-	3	-	1
31 Jefferson	134	-	-	-	-	-	2	-	-	3	-	-	13	1	5
32 Jenkins	101	-	-	-	1	-	2	-	-	-	-	-	8	-	-
33 Johnson	67	-	-	-	-	-	2	-	-	-	-	-	4	-	-
34 Jones	78	-	-	-	1	-	1	-	-	-	-	-	4	-	-
35 Lamar	91	-	-	-	1	-	1	-	-	1	-	-	8	-	2
36 Lanier	17	-	-	-	-	-	-	-	-	-	-	-	2	-	1
37 Laurens	350	-	-	-	2	-	8	-	1	5	1	-	19	-	6
38 Lee	83	-	-	-	-	-	1	-	-	-	-	-	7	-	-
39 Liberty	95	-	-	-	-	-	2	-	-	-	-	-	5	-	2
40 Lincoln	33	-	-	-	-	-	-	2	-	-	-	-	-	-	1
41 Long	27	-	-	-	-	-	-	-	-	-	-	-	3	-	-
42 Lowndes	285	-	-	-	1	2	5	-	1	3	-	-	30	-	3
43 Valdosta	186	-	-	-	1	2	3	-	-	2	-	-	25	-	1
44 Balance of county	99	-	-	-	-	-	2	-	1	1	-	-	5	-	2
45 Lumpkin	41	1	-	-	-	-	1	-	-	-	-	-	2	-	2
46 McDuffie	83	-	-	-	-	-	2	-	-	-	-	-	3	-	-
47 McIntosh	81	-	-	-	-	-	-	-	-	-	-	-	6	-	1
48 Macon	155	-	-	-	-	-	7	2	-	2	-	-	9	-	2
49 Madison	99	-	2	-	-	1	1	-	-	-	-	-	10	-	-
50 Marion	85	-	-	-	-	-	2	-	-	-	-	1	6	-	-
51 Meriwether	180	-	-	-	2	-	5	1	-	1	-	-	13	-	5
52 Miller	77	-	-	-	-	-	1	-	-	1	-	-	6	-	2
53 Mitchell	196	-	-	-	1	-	2	-	-	-	-	-	14	-	-
54 Monroe	91	-	-	-	-	-	6	-	-	1	-	-	9	-	4
55 Montgomery	59	-	-	-	1	-	-	-	-	-	-	-	6	-	1
56 Morgan	122	-	-	-	2	-	2	-	-	1	-	-	5	-	2
57 Murray	72	-	-	-	-	1	4	-	-	-	-	-	6	-	3
58 Muscogee	787	-	2	-	4	-	28	-	-	6	-	-	71	1	15
59 Columbus	627	-	-	-	3	-	20	-	-	6	-	-	59	1	15
60 Balance of county	160	-	-	-	1	-	8	-	-	-	-	-	12	-	-
61 Newton	169	-	1	-	-	1	5	-	-	1	-	-	14	-	5
62 Oconee	67	-	-	-	-	-	2	-	-	-	1	-	9	-	1
63 Oglethorpe	86	-	-	-	1	1	3	-	-	-	-	-	8	1	1
64 Paulding	83	-	-	-	1	1	1	-	-	-	-	-	11	1	1
65 Peach	97	-	-	-	-	-	6	-	-	-	-	-	7	-	3
66 Pickens	64	-	-	-	-	1	2	-	-	1	-	-	8	-	-
67 Pierce	117	-	-	-	1	1	1	-	-	-	-	-	5	1	6
68 Pike	73	-	-	-	-	-	-	-	-	-	-	-	7	-	-
69 Polk	225	-	-	-	2	-	6	-	-	2	-	-	30	-	6
70 Pulaski	68	-	-	-	-	-	1	-	-	-	-	-	4	-	1
71 Putnam	78	-	-	-	-	-	1	-	-	-	-	-	9	-	2
72 Quitman	31	-	1	-	-	-	1	-	-	-	-	-	1	-	-
73 Rabun	41	-	-	-	-	1	2	-	-	-	-	-	4	-	-
74 Randolph	160	-	1	-	-	1	5	1	-	1	-	-	15	1	1
75 Richmond	1,008	-	-	-	2	-	52	1	1	23	-	-	119	-	18
76 Augusta	838	-	-	-	-	-	48	-	-	20	-	-	105	-	16
77 Balance of county	170	-	-	-	2	-	4	1	1	3	-	-	16	-	2
78 Rockdale	73	-	-	-	-	-	3	-	-	-	-	-	13	-	1
79 Schley	41	-	-	-	1	-	-	-	-	1	-	-	1	-	2
80 Screven	126	-	-	-	2	-	4	-	-	1	-	-	7	-	3
81 Seminole	73	-	-	-	-	-	2	-	2	-	-	-	4	-	-
82 Spalding	279	-	-	-	1	-	10	-	-	-	-	-	25	1	2
83 Griffin	174	-	-	-	1	-	10	-	-	-	-	-	14	-	1
84 Balance of county	105	-	-	-	-	-	-	-	-	-	-	-	11	1	1
85 Stephens	70	-	-	-	-	-	2	-	-	-	-	-	6	-	-
86 Stewart	81	-	-	-	1	-	2	-	-	2	-	-	5	-	-
87 Sumter	273	-	-	-	2	-	9	-	-	2	1	-	32	-	3
88 Talbot	68	-	-	-	-	-	2	-	-	-	1	-	3	-	-
89 Taliaferro	38	1	-	-	-	-	3	-	-	-	-	-	3	-	-
90 Tattnall	115	-	-	-	-	-	2	-	-	5	-	-	4	-	1
91 Taylor	70	-	-	-	-	-	-	-	-	1	-	-	6	-	1
92 Telfair	114	-	-	-	1	-	-	-	-	3	-	-	6	-	1
93 Terrell	156	-	-	-	-	-	3	-	-	1	-	-	17	-	2

³Figures for District 1511, Center Hill, are included in those for Atlanta.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

527

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and viscera- tion of in- testines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,35	119,120	150-152	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
10	470	1,049	197	21	413	21	191	156	54	107	119	168	41	520	1
7	345	809	158	16	319	17	147	118	38	96	94	123	30	451	2
7	371	895	165	17	350	17	154	125	42	96	97	133	35	460	3
3	6	22	7	1	10	-	13	5	-	2	5	5	2	13	5
119	119	218	32	4	84	4	31	33	16	9	20	40	9	76	6
6	6	11	3	-	8	-	-	6	-	3	2	5	2	9	7
1	4	6	1	-	2	-	-	-	1	-	-	1	4	3	8
26	69	14	4	4	18	2	4	15	2	12	11	6	17	23	9
20	52	12	2	2	15	1	3	9	2	3	8	6	9	18	10
6	17	2	2	2	3	1	1	6	-	9	3	-	8	5	11
9	31	13	-	-	6	-	4	4	2	2	4	10	6	12	12
21	33	9	1	1	13	3	6	13	-	3	7	5	13	22	13
14	48	8	-	-	2	2	4	1	1	2	3	5	3	11	14
28	45	18	2	2	10	-	8	8	1	-	9	20	5	23	15
11	25	7	-	-	12	2	4	3	2	4	3	9	6	15	16
30	74	16	2	2	30	5	16	12	4	7	17	14	18	32	17
14	35	5	2	2	16	2	8	5	-	5	7	6	7	17	18
16	39	11	-	-	14	3	8	7	4	2	10	8	11	15	19
16	21	7	1	1	9	9	1	-	2	-	-	7	15	10	20
12	21	3	1	1	6	-	3	5	-	-	-	6	3	15	21
11	35	5	-	-	9	-	1	5	1	2	5	2	2	9	22
9	16	7	-	-	6	-	1	-	-	-	2	1	3	12	23
10	7	2	-	-	-	-	1	1	1	1	-	2	2	5	24
16	36	9	1	1	24	-	3	2	1	2	5	8	15	15	25
14	40	9	2	2	7	-	1	2	1	3	8	13	-	12	26
7	21	6	1	1	2	2	2	3	1	1	1	3	4	10	27
17	23	7	1	1	24	-	4	5	1	2	9	3	13	11	28
15	21	6	-	-	11	-	6	3	1	2	1	3	2	4	29
17	14	9	-	-	4	-	1	6	-	-	1	5	4	7	30
16	30	5	-	-	5	-	1	1	1	3	1	8	17	21	31
15	17	7	-	-	10	2	3	2	3	3	5	8	6	9	32
6	20	2	1	1	10	-	1	1	1	4	2	6	6	6	33
12	15	6	-	-	10	-	1	5	-	4	4	7	5	34	34
8	23	6	1	1	19	-	1	3	1	-	2	1	3	10	35
1	6	-	-	-	3	-	-	-	-	-	-	1	1	1	36
1	31	81	32	3	34	5	15	10	3	8	12	17	19	37	37
6	19	7	1	1	4	-	1	1	-	-	-	5	3	6	38
16	21	6	-	-	7	-	5	5	1	2	2	10	6	39	39
5	11	1	2	-	-	-	-	-	1	1	1	2	6	1	40
4	10	-	-	-	2	-	-	1	-	-	-	3	1	2	41
33	62	11	1	1	22	2	8	10	3	6	11	30	35	42	42
17	46	5	-	-	13	2	7	7	2	4	4	16	24	43	43
16	16	6	1	1	9	-	1	3	1	2	2	14	11	44	44
6	6	4	1	1	2	-	2	1	1	1	1	1	1	8	45
8	23	4	2	2	5	1	1	3	-	-	3	8	4	12	46
5	30	2	-	-	5	-	2	5	-	-	4	11	6	4	47
22	29	10	1	1	11	4	5	7	4	2	3	10	7	17	48
12	24	6	-	-	9	2	3	2	2	2	1	10	5	7	49
11	6	10	1	1	7	-	-	1	-	-	4	6	2	50	50
28	40	6	-	-	19	1	2	6	1	3	5	7	18	12	51
4	18	4	-	-	9	-	4	5	-	-	4	3	1	11	52
32	35	10	-	-	19	2	9	9	-	8	7	6	16	21	53
8	26	5	1	1	11	1	4	4	-	-	2	2	5	54	54
9	12	4	-	-	3	2	2	2	2	3	3	2	1	8	55
16	27	7	1	1	21	1	5	1	1	1	2	3	9	14	56
6	11	4	3	3	4	1	3	3	3	2	1	15	5	57	57
2	108	189	37	3	46	7	35	35	6	19	14	50	21	88	58
2	97	157	25	3	36	6	24	27	4	14	5	31	16	76	59
11	11	32	12	-	10	-	11	8	2	5	19	19	5	12	60
1	23	38	9	2	15	2	7	5	-	2	5	6	22	61	61
1	5	13	3	-	10	-	4	2	1	-	2	3	8	62	62
1	6	18	9	1	15	-	1	1	-	1	1	7	3	6	63
2	16	13	11	-	6	-	1	3	-	-	1	3	5	6	64
1	11	28	4	-	-	-	3	5	-	1	7	1	10	10	65
1	10	4	-	-	11	-	-	2	2	-	3	2	1	7	66
1	17	25	6	-	9	-	5	4	-	1	3	5	8	17	67
1	10	12	3	-	10	-	3	4	1	1	1	5	4	9	68
1	25	51	11	1	18	2	7	3	4	2	8	15	7	24	69
2	11	11	5	-	11	-	2	2	1	1	2	6	4	3	70
1	12	19	3	-	9	-	1	1	-	-	-	3	7	8	71
2	12	3	-	-	3	-	2	3	-	2	-	1	1	3	72
2	7	1	1	1	7	-	2	3	-	-	3	2	1	5	73
24	42	9	-	-	9	1	5	3	1	7	3	13	4	13	74
116	308	47	9	9	64	3	20	17	5	21	21	40	8	113	75
96	255	40	6	6	49	3	15	15	4	19	17	32	8	92	76
20	53	7	3	3	15	-	5	2	1	2	4	8	-	21	77
8	18	5	1	1	2	-	4	-	-	2	2	4	1	9	78
1	2	8	1	-	7	-	2	1	1	2	3	2	2	5	79
1	11	27	12	1	15	2	5	2	1	4	-	9	4	12	80
1	13	22	2	-	5	-	4	2	-	-	1	2	3	9	81
28	59	16	3	3	23	-	18	13	4	4	14	15	12	31	82
18	36	9	2	2	20	-	10	6	1	4	8	9	7	18	83
10	25	7	1	1	3	-	8	7	3	3	6	6	5	13	84
1	12	17	7	-	2	-	4	1	-	1	2	1	5	8	85
10	25	2	-	-	3	-	5	1	-	1	1	4	9	12	86
41	58	19	4	4	19	3	10	9	2	2	2	11	3	35	87
19	17	4	-	-	6	-	2	2	-	-	1	3	8	9	88
2	9	3	-	-	3	-	-	-	1	-	-	2	8	3	89
8	21	6	2	2	11	1	3	4	1	3	1	9	-	35	90
14	19	8	-	-	1	1	1	3	1	1	3	3	1	7	91
16	33	7	2	2	5	3	1	2	1	2	1	4	7	14	92
23	39	7	-	-	10	-	7	2	-	1	4	7	20	13	93

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
89	85	90-95	107-109, 33	119, 120	130-132	140-150	157, 158, 160, 161	159	163, 164	165-168	170	169, 171-185	162, 199, 200		
-	42	69	29	3	23	3	3	7	1	4	9	11	10	30	1
-	27	28	19	1	10	2	1	3	-	3	5	6	3	20	2
-	15	41	10	2	13	1	2	4	1	1	6	5	7	10	3
2	15	40	5	2	19	1	7	8	1	1	5	7	10	28	4
1	20	37	14	2	15	3	5	2	-	4	4	2	4	14	5
-	6	4	1	-	1	1	1	1	-	1	-	1	2	8	6
-	3	6	2	1	9	1	1	3	2	-	-	3	7	9	7
-	54	61	29	2	42	4	12	24	3	5	10	19	16	54	8
-	31	42	22	1	26	3	7	13	2	3	7	7	8	13	9
-	23	39	7	1	17	1	5	11	1	3	3	12	8	21	10
-	8	21	4	1	7	1	1	3	-	2	2	1	5	4	11
-	9	16	5	1	5	1	1	3	-	1	1	6	7	10	12
-	5	6	2	-	2	-	2	2	-	1	-	6	3	2	15
-	32	47	17	1	23	1	9	10	3	3	-	7	21	18	14
1	16	68	8	3	19	1	11	12	2	2	2	11	7	25	15
1	16	40	16	3	15	-	6	1	-	-	4	5	8	25	16
1	34	74	16	2	26	1	10	9	3	1	3	5	11	27	17
1	28	58	10	1	17	1	8	6	2	-	3	3	9	19	18
-	6	16	6	1	9	1	2	3	1	1	1	2	2	8	19
1	15	18	11	1	12	-	1	1	1	1	-	2	3	14	20
3	24	33	10	-	12	-	7	9	-	2	2	4	14	19	21
1	17	24	4	-	10	1	7	1	1	1	3	4	8	8	22
-	8	6	8	-	2	-	-	-	-	1	1	2	3	3	23
-	7	7	8	1	4	1	-	-	-	1	1	4	5	9	24
-	-	13	-	-	14	-	1	2	-	-	3	3	1	2	25
1	20	45	13	4	13	1	12	12	1	-	3	5	8	34	26
1	12	24	4	2	5	-	8	11	-	-	5	4	4	17	27
-	8	21	9	2	8	1	4	1	1	-	3	1	4	17	28
-	6	16	8	-	3	-	4	5	-	2	1	-	9	9	29
-	21	39	9	1	10	2	2	5	3	-	-	2	8	12	30
-	18	13	6	-	5	-	3	4	1	5	4	14	3	7	31
-	12	22	6	1	9	2	5	7	-	3	2	7	21	19	32
-	410	1,355	194	22	513	16	165	167	74	17	167	324	152	546	33
-	48	176	23	3	33	1	11	18	5	1	21	23	15	57	34
-	28	114	14	1	20	-	9	8	4	1	15	17	8	40	35
-	20	62	9	2	15	1	2	10	1	-	6	6	7	17	36
-	3	15	1	-	3	-	1	1	1	1	1	1	3	5	37
-	17	65	6	3	28	2	18	19	6	4	10	16	7	36	38
-	15	48	4	3	24	2	14	14	4	3	6	11	5	26	39
-	4	17	2	-	2	-	4	5	2	1	4	5	2	10	40
-	2	15	4	-	4	1	1	-	-	-	4	4	5	7	41
-	7	19	3	-	3	-	3	5	2	1	6	10	5	17	42
-	17	63	3	2	19	-	5	6	2	-	5	10	9	21	43
-	2	8	3	1	2	-	2	2	-	-	6	6	1	6	44
-	1	5	2	-	2	-	-	1	1	1	2	2	-	4	45
-	20	56	5	-	11	1	6	1	-	3	4	14	1	11	46
-	25	48	10	-	12	-	4	18	7	1	13	12	4	17	47
-	15	40	9	-	9	-	4	16	6	1	10	8	4	16	48
-	10	8	1	-	3	-	-	2	1	-	3	4	-	1	49
-	4	12	4	-	5	-	4	2	-	-	2	11	2	7	50
-	4	5	1	-	-	-	-	2	-	-	-	-	2	1	51
-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	41	136	27	-	28	1	25	22	4	1	25	32	10	47	53
-	18	69	8	-	16	-	8	9	3	-	9	16	6	17	54
-	23	67	19	-	10	1	15	13	1	1	16	16	4	30	55
-	1	3	1	-	-	-	3	1	1	-	-	2	-	1	56
-	7	29	7	-	2	-	6	6	1	-	6	-	2	12	57
-	8	22	6	-	17	-	-	4	2	-	-	16	2	18	59
-	3	6	2	-	-	-	-	2	2	-	-	-	4	1	60
-	1	16	-	-	2	-	1	1	2	-	4	2	1	5	61
-	17	17	2	-	8	-	3	2	2	-	7	1	5	7	62
-	4	20	1	-	6	-	4	4	2	2	-	4	6	7	63
-	5	14	4	2	5	-	2	2	-	-	2	1	4	11	64
-	5	16	2	1	8	-	5	5	2	-	4	3	1	10	65
-	12	21	5	-	6	-	2	2	2	-	8	7	4	13	66
-	1	29	2	-	6	-	1	1	1	-	2	7	1	6	67
-	6	20	3	-	1	-	7	6	5	-	5	7	2	8	68
-	28	82	6	-	7	1	12	2	3	1	4	14	29	69	69
-	22	53	3	-	5	1	6	1	1	-	3	9	3	21	70
-	6	29	3	-	2	-	6	2	2	-	5	5	8	7	71
-	18	33	12	1	12	1	4	4	2	-	1	11	3	18	72
-	8	24	4	-	7	-	-	1	1	2	-	4	2	3	73
-	2	8	1	-	3	-	2	2	-	-	4	-	-	3	74
-	2	9	3	-	3	1	1	2	-	-	3	6	1	3	75
-	3	24	3	1	3	1	3	2	-	-	7	2	2	5	76
-	27	39	1	-	2	2	7	2	2	-	2	6	1	11	77
-	21	65	12	2	10	2	3	5	4	-	13	17	9	16	78
-	6	41	6	1	7	2	1	1	3	-	11	8	4	12	79
-	1	24	6	-	3	-	2	2	1	-	2	9	5	4	80
-	6	11	1	-	4	1	3	1	-	-	2	3	-	3	81
-	10	20	6	-	6	-	4	3	1	-	-	-	6	16	83
-	14	51	1	1	3	-	3	2	1	-	4	7	1	1	84
-	8	8	2	1	8	2	9	7	8	-	6	18	12	31	85
-	26	95	13	3	27	1	17	13	6	-	14	21	6	35	87
-	9	40	6	-	8	1	6	3	3	-	5	9	4	17	88
-	17	55	7	3	19	-	11	10	3	-	9	12	2	18	89
-	1	7	1	2	-	-	5	-	-	1	1	4	3	4	90
-	8	22	-	-	14	1	4	2	1	-	3	7	3	11	91

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	59	61
1 ILLINOIS-----	95,686	11	48	1	45	11	2,842	23	6	676	8	29	13,536	50	2,782
2 Adams-----	860	-	-	-	1	-	8	-	-	7	-	1	99	2	28
3 Quincy-----	588	-	-	-	-	-	5	-	-	5	-	1	70	2	19
4 Balance of county-----	272	-	-	-	1	-	3	-	-	2	-	-	29	-	9
5 Alexander-----	288	-	-	-	1	1	20	-	-	1	-	-	41	-	3
6 Cairo-----	191	-	-	-	1	1	15	-	-	1	-	-	23	-	3
7 Balance of county-----	97	-	-	-	1	-	5	-	-	-	-	-	18	-	-
8 Bond-----	145	-	-	-	-	-	2	-	-	2	-	-	20	-	4
9 Boone-----	208	-	-	-	-	-	4	-	-	-	-	-	34	-	8
10 Brown-----	107	-	-	-	-	-	1	-	-	-	-	-	13	-	2
11 Bureau-----	435	-	-	-	-	-	5	-	-	1	-	-	67	-	15
12 Calhoun-----	73	-	-	-	-	-	1	-	-	-	-	-	5	-	1
13 Carroll-----	223	-	-	-	-	-	2	-	-	-	-	-	30	-	10
14 Cass-----	175	-	-	-	1	-	1	-	-	1	-	-	18	-	5
15 Champaign-----	743	-	-	-	-	-	12	-	-	3	-	1	122	-	18
16 Champaign-----	288	-	-	-	-	-	3	-	-	1	-	-	49	-	5
17 Urbana-----	165	-	-	-	-	-	2	-	-	1	-	-	29	-	2
18 Balance of county-----	310	-	-	-	-	-	7	-	-	1	-	1	44	-	11
19 Christian-----	359	5	-	-	1	-	1	-	-	2	-	-	52	-	11
20 Clark-----	201	-	-	-	-	-	2	-	-	-	-	-	21	-	4
21 Clay-----	171	1	-	-	-	-	4	-	-	-	-	-	22	-	6
22 Clinton-----	231	-	-	-	-	-	4	-	-	-	-	-	36	-	5
23 Centralia (part)-----	11	-	-	-	-	-	1	-	-	-	-	-	1	-	-
24 Balance of county-----	220	-	-	-	-	-	3	-	-	-	-	-	35	-	5
25 Coles-----	451	-	-	-	-	-	5	-	-	-	-	-	54	-	12
26 Mattoon-----	194	-	-	-	-	-	2	-	-	-	-	-	28	-	8
27 Balance of county-----	257	-	-	-	-	-	3	-	-	-	-	-	26	-	4
28 Cook-----	48,265	2	36	-	9	4	1,939	5	1	227	4	16	7,509	25	1,539
29 Chicago-----	40,285	2	33	-	9	3	1,638	4	1	164	3	15	6,268	22	1,279
30 Berwyn-----	420	-	-	-	-	-	5	-	-	1	-	-	98	-	14
31 Cicero-----	606	-	1	-	-	-	13	-	-	1	-	-	104	-	27
32 Elgin (part)-----	5	-	-	-	-	-	2	-	-	-	-	-	2	-	-
33 Evanston-----	679	-	-	-	-	-	8	-	-	4	-	-	115	1	23
34 Maywood-----	251	-	-	-	-	-	4	-	-	-	-	-	52	-	8
35 Oak Park-----	709	-	-	-	-	1	5	-	-	1	-	-	128	-	25
36 Blue Island-----	205	-	-	-	-	-	8	-	-	-	-	-	29	-	5
37 Brookfield-----	111	-	-	-	-	-	5	-	-	-	-	-	22	-	2
38 Calumet City-----	108	-	-	-	-	-	4	-	-	2	-	-	14	-	2
39 Chicago Heights-----	208	-	-	-	-	-	9	-	-	1	-	-	35	-	9
40 Elmwood Park-----	93	-	-	-	-	-	1	-	-	-	-	-	11	-	3
41 Forest Park-----	202	-	-	-	-	-	1	-	-	-	-	-	40	-	10
42 Harvey-----	170	1	-	-	-	-	8	-	-	-	-	-	21	-	6
43 La Grange-----	115	-	-	-	-	-	1	-	-	-	-	-	19	-	5
44 Melrose Park-----	113	-	-	-	-	-	1	-	-	1	-	-	11	-	5
45 Park Ridge-----	139	-	-	-	-	-	-	-	-	-	-	-	33	-	5
46 Wilmette-----	181	-	-	-	-	-	-	-	-	-	-	-	43	-	1
47 Winnetka-----	95	-	-	-	-	-	-	-	-	2	-	-	22	-	2
48 Balance of county-----	5,589	1	-	-	-	-	134	1	-	50	1	1	442	2	108
49 Crawford-----	207	-	-	-	-	-	4	1	-	1	-	-	28	-	9
50 Cumberland-----	111	-	-	-	-	-	3	-	-	2	-	-	15	-	1
51 De Kalb-----	450	-	-	-	-	-	5	-	-	-	-	-	80	-	10
52 De Witt-----	212	-	-	-	-	-	1	-	-	1	-	-	27	-	2
53 Douglas-----	177	-	-	-	-	-	2	-	-	3	-	-	18	-	5
54 Du Page-----	1,055	-	-	-	-	-	18	-	-	4	-	2	175	-	29
55 Elmhurst-----	147	-	-	-	-	-	4	-	-	1	-	-	25	-	5
56 Balance of county-----	908	-	-	-	-	-	14	-	-	3	-	2	150	-	24
57 Edgar-----	271	-	-	-	-	-	2	-	-	5	-	-	37	-	9
58 Edwards-----	103	-	-	-	-	-	2	-	-	1	-	-	10	-	4
59 Kellington-----	200	-	-	-	-	-	2	-	-	1	-	-	25	-	6
60 Fayette-----	280	1	-	-	-	-	13	-	-	1	-	-	34	-	6
61 Ford-----	158	-	-	-	-	-	-	-	-	-	1	-	21	-	5
62 Franklin-----	502	-	1	-	1	-	14	1	-	3	-	1	66	-	15
63 West Frankfort-----	139	-	-	-	-	-	4	-	-	-	-	-	14	-	3
64 Balance of county-----	363	-	1	-	1	-	10	1	-	3	-	1	52	-	12
65 Fulton-----	489	-	-	-	-	-	9	-	-	2	-	-	59	1	11
66 Canton-----	126	-	-	-	-	-	1	-	-	1	-	-	24	-	1
67 Balance of county-----	333	-	-	-	-	-	8	-	-	1	-	-	35	1	10
68 Gallatin-----	99	-	-	-	-	-	4	1	-	-	-	-	9	-	3
69 Greene-----	218	-	-	-	-	-	4	-	-	-	-	-	35	-	4
70 Grundy-----	203	-	-	-	-	-	2	-	-	-	-	-	21	-	7
71 Hamilton-----	139	-	-	-	1	-	2	1	-	-	-	-	19	1	1
72 Hancock-----	327	-	-	-	-	1	2	-	-	2	-	-	47	-	5
73 Hardin-----	63	-	-	-	-	-	8	-	-	-	-	-	6	-	2
74 Henderson-----	91	-	-	-	-	-	7	-	-	-	-	-	14	-	4
75 Henry-----	491	1	-	-	-	-	7	-	-	-	-	-	78	-	12
76 Kewanee-----	184	-	-	-	-	-	6	-	-	-	-	-	27	-	3
77 Balance of county-----	307	-	1	-	-	-	1	-	-	-	-	-	51	-	9
78 Iroquois-----	334	-	-	-	-	-	7	-	-	1	-	-	50	-	7
79 Jackson-----	406	-	-	-	-	-	6	-	-	3	-	-	57	-	10
80 Jasper-----	148	-	-	-	-	-	3	-	-	-	1	-	19	-	3
81 Jefferson-----	353	-	1	-	1	-	9	-	1	1	-	-	43	-	7
82 Mount Vernon-----	173	-	-	-	-	-	6	1	1	1	-	-	20	-	3
83 Balance of county-----	180	-	1	-	1	-	3	-	-	-	-	-	23	-	4
84 Jersey-----	148	-	-	-	-	-	1	-	-	-	-	-	16	-	-
85 Jo Daviess-----	249	-	-	-	-	-	2	-	-	1	-	-	42	-	9
86 Johnson-----	123	-	-	-	-	-	2	-	-	-	-	-	19	-	2
87 Kane-----	1,891	-	-	-	1	-	44	-	-	41	-	-	247	-	57
88 Aurora-----	595	-	-	-	-	-	10	-	-	-	-	-	90	-	23
89 Elgin (part)-----	797	-	-	-	1	-	23	-	-	38	-	-	91	-	15
90 Elgin (total)-----	802	-	-	-	1	-	23	-	-	38	-	-	93	-	15
91 Balance of county-----	499	-	-	-	-	-	11	-	-	3	-	-	66	-	19
92 Kankakee-----	1,477	-	-	-	2	-	111	2	-	69	-	1	115	-	36
93 Kankakee-----	271	-	-	-	2	-	3	-	-	1	-	1	42	-	11
94 Balance of county-----	1,206	-	-	-	-	-	108	2	-	68	-	-	73	-	25
95 Kendall-----	113	-	-	-	-	-	3	-	-	1	-	-	18	-	1
96 Knox-----	577	-	-	-	-	-	14	-	-	3	-	-	89	-	21
97 Galesburg-----	359	-	-	-	-	-	8	-	-	3	-	-	53	-	12
98 Balance of county-----	218	-	-	-	-	-	8	-	-	-	-	-	36	-	9

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
69	65	90-95	107-109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-169	170	169, 171-195	162, 199,200		
4	7,557	34,549	3,326	283	5,290	204	2,535	1,991	949	408	1,982	3,975	464	10,101	1
-	113	358	18	1	57	-	18	25	15	4	11	24	-	90	2
-	79	225	11	-	40	-	15	20	10	3	6	14	-	64	3
-	34	115	7	-	17	-	3	5	7	1	5	10	-	26	4
-	30	72	15	-	15	2	14	7	4	5	5	17	-	28	5
-	20	48	12	-	7	1	10	4	5	3	4	9	-	20	6
-	10	24	3	-	3	1	4	3	3	-	1	8	-	6	7
-	18	58	4	-	13	-	5	5	-	-	1	5	-	12	8
-	25	84	5	-	12	-	3	6	-	-	7	2	-	17	9
-	18	34	2	-	14	-	2	-	1	-	3	6	-	11	10
-	46	147	6	-	36	-	17	7	6	-	10	20	-	50	11
-	11	24	3	-	3	-	2	2	1	-	3	9	-	8	12
-	25	84	6	-	9	-	7	6	5	1	8	4	-	26	13
-	28	43	5	-	17	-	4	4	3	1	6	15	-	23	14
-	86	212	30	-	82	-	24	25	10	2	21	39	-	82	15
-	34	86	9	-	14	-	8	7	4	1	6	11	-	28	16
-	13	50	5	-	12	-	9	8	1	1	4	8	-	20	17
-	35	76	16	-	28	-	7	10	1	1	11	20	-	34	18
-	26	106	14	-	27	1	5	7	5	-	10	26	-	53	19
-	20	68	14	-	21	2	4	8	1	-	10	14	-	23	20
-	22	55	9	-	8	-	5	2	2	1	7	6	-	16	21
-	22	68	3	-	16	-	3	3	1	1	1	22	-	33	22
-	1	6	-	-	-	-	1	-	-	-	-	6	-	1	23
-	22	67	6	-	16	-	4	4	-	-	1	16	-	33	24
-	49	131	14	-	57	3	13	11	4	2	15	19	-	59	25
-	30	65	4	-	10	1	7	8	1	1	4	10	-	26	26
-	30	10	1	-	47	2	6	3	3	1	11	9	-	33	27
2	3,170	19,073	1,702	109	2,591	90	1,234	967	440	304	833	1,675	109	4,712	28
2	2,639	15,947	1,485	95	2,163	79	1,030	832	387	291	701	1,455	81	3,778	29
-	29	143	10	-	50	-	16	8	5	-	4	7	-	49	30
-	47	235	16	-	50	-	16	16	7	-	15	12	-	45	31
-	2	2	-	-	1	-	-	-	-	-	1	-	-	-	32
-	61	271	15	-	44	2	19	12	6	-	14	20	-	62	33
-	25	97	6	-	5	-	8	6	1	-	5	8	-	25	34
-	60	296	14	-	53	-	16	10	1	2	7	20	-	67	35
-	6	82	8	-	11	-	6	4	4	-	1	12	-	27	36
-	6	40	3	-	10	-	8	2	2	1	1	-	-	14	37
-	19	33	3	-	4	-	1	3	1	1	8	6	-	14	38
-	4	62	7	-	16	1	3	3	1	1	2	5	-	27	39
-	9	43	5	-	5	-	6	2	2	-	4	2	-	10	40
-	9	77	1	-	13	1	4	7	1	1	1	4	-	33	41
-	12	61	11	-	4	-	10	7	7	1	7	8	-	11	42
-	13	40	5	-	5	-	3	5	1	1	1	4	-	15	43
-	9	46	3	-	4	-	4	4	1	1	2	5	-	11	44
-	12	59	2	-	8	-	3	3	1	1	6	3	-	11	45
-	14	48	5	-	5	-	3	4	1	-	5	3	-	15	46
-	7	31	6	-	2	-	2	4	-	-	-	7	-	8	47
-	188	1,860	117	7	156	6	67	56	19	5	68	94	16	490	48
-	22	60	8	-	25	1	6	6	2	-	5	9	-	20	49
-	16	38	2	-	11	-	1	4	2	-	1	4	-	12	50
-	35	159	8	-	46	1	16	3	6	1	25	25	-	49	51
-	23	94	6	-	11	1	11	3	1	1	3	10	-	21	52
-	14	51	5	-	22	-	11	6	4	-	9	10	-	17	53
-	97	371	32	-	50	3	37	27	10	1	16	51	-	128	54
-	10	50	4	-	4	-	9	-	1	-	2	10	-	22	55
-	67	321	28	-	46	3	28	27	9	1	14	41	-	106	56
-	31	93	7	-	23	1	5	3	5	1	8	13	-	23	57
-	13	42	4	-	3	-	-	2	2	-	6	6	-	10	58
-	14	74	5	-	18	-	7	2	4	-	8	16	-	19	59
-	36	93	6	-	19	2	14	2	4	1	6	11	-	29	60
-	19	52	5	-	19	-	5	4	2	1	2	10	-	11	61
-	46	127	21	-	29	1	10	9	7	19	62	62	-	60	62
-	13	35	4	-	10	-	1	2	3	-	7	36	-	6	63
-	38	94	17	-	19	1	9	7	4	-	12	26	-	54	64
-	14	52	14	-	40	1	12	10	8	-	10	26	-	43	65
-	13	41	3	-	16	-	2	7	-	-	2	3	-	1	66
-	39	112	11	-	24	1	5	10	6	-	8	23	-	32	67
-	8	40	2	-	8	1	1	3	1	-	1	1	-	14	68
-	20	72	8	-	13	-	5	7	4	-	11	13	-	20	69
-	17	67	13	-	13	1	3	6	3	-	3	13	-	24	70
-	21	48	10	-	10	-	2	2	2	1	5	4	-	7	71
-	62	123	10	-	15	-	4	2	2	1	12	10	-	23	72
-	11	20	5	-	6	1	1	-	2	-	5	4	-	8	73
-	9	34	2	-	2	-	1	1	1	-	2	8	-	14	74
-	55	178	14	-	43	2	8	12	4	1	10	13	-	51	75
-	17	61	6	-	27	-	3	3	2	-	2	5	-	22	76
-	38	117	8	-	16	2	5	5	2	1	8	9	-	29	77
-	27	120	8	-	26	-	9	5	3	1	18	11	-	36	78
-	40	134	9	-	27	1	16	10	2	-	5	23	-	53	79
-	14	46	8	-	20	-	4	1	6	1	3	6	-	10	80
-	32	120	9	-	16	3	11	8	5	2	5	25	-	36	81
-	17	53	6	-	8	2	3	6	2	1	2	16	-	7	82
-	15	67	5	-	8	1	8	3	3	1	3	9	-	18	83
-	14	49	11	-	17	2	3	1	3	-	4	9	-	14	84
-	33	88	6	-	6	-	4	9	1	-	4	15	-	23	85
-	12	37	4	-	9	-	5	2	2	1	1	3	-	22	86
-	157	622	155	6	78	5	39	31	17	2	37	99	13	241	87
-	56	218	17	-	15	2	15	10	1	1	13	32	-	83	88
-	59	244	195	1	21	-	10	5	6	1	9	52	-	81	89
-	59	246	125	1	21	-	10	5	6	1	10	52	-	91	90
-	42	160	13	-	42	3	14	16	10	-	15	15	-	67	91
-	97	651	106	2	27	-	26	18	11	-	17	46	-	114	92
-	28	89	13	-	9	-	10	10	4	-	7	12	-	27	93
-	69	582	95	2	18	-	16	8	7	-	7	34	-	87	94
-	13	40	1	-	4	-	5	3	1	-	1	7	-	13	95
-	57	205	2	-	28	2	22	10	4	1	14	23	-	67	96
-	38	128	6	-	17	1	14	8	3	1	6	17	-	42	97
-	19	77	3	-	11	1	8	2	1	-	8	6	-	25	98

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningo-coccus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tubercu-losis (all forms)	Dysen-tery	Malaria	Syph-illis	Measles	Polio-myelitis, polio-encepha-litis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
ILLINOIS--Continued															
1 Lake	1,295	-	-	-	1	1	48	-	-	18	-	1	196	2	38
2 Waukegan	289	-	-	-	-	-	19	-	-	-	-	-	46	-	3
3 Highland Park	136	-	-	-	-	-	-	-	-	2	-	-	19	-	4
4 Balance of county	870	-	-	-	1	1	29	-	-	16	-	1	131	2	31
5 La Salle	1,127	-	-	-	2	-	24	-	-	2	-	1	164	1	44
6 La Salle	144	-	-	-	1	-	3	-	-	1	-	-	25	-	3
7 Ottawa	196	-	-	-	-	-	4	-	-	-	-	-	30	-	7
8 Streator	209	-	-	-	-	-	2	-	-	-	-	-	37	-	13
9 Balance of county	578	-	-	-	-	-	15	-	-	1	-	1	92	1	21
10 Lawrence	216	-	-	-	1	-	5	-	-	-	-	-	31	1	7
11 Lee	461	-	-	-	-	-	28	-	-	3	-	-	58	1	16
12 Dixon	140	-	-	-	-	-	1	-	-	1	-	-	21	-	4
13 Balance of county	341	-	-	-	-	-	27	-	-	2	-	-	37	1	12
14 Livingston	384	-	-	-	-	-	6	-	-	-	-	-	66	1	11
15 Logan	457	-	-	-	-	-	14	4	-	6	-	-	67	1	6
16 Lincoln	261	-	-	-	-	-	13	4	-	5	-	-	39	1	8
17 Balance of county	196	-	-	-	-	-	1	-	-	1	-	-	28	-	2
18 McDonough	355	-	-	-	-	-	5	-	-	-	-	-	51	-	12
19 McHenry	516	-	-	-	1	-	6	-	-	-	-	1	75	-	25
20 McLean	812	-	-	-	-	-	9	-	-	3	-	-	106	-	22
21 Bloomington	450	-	-	-	-	-	5	-	-	3	-	-	58	-	14
22 Balance of county	362	-	-	-	-	-	4	-	-	-	-	-	48	-	11
23 Macon	937	-	-	-	-	-	17	1	-	8	-	-	160	-	29
24 Decatur	723	-	-	-	-	-	14	-	-	7	-	-	131	-	21
25 Balance of county	214	-	-	-	-	-	3	1	-	1	-	-	29	-	8
26 Macoupin	551	-	-	-	2	-	5	-	-	6	-	-	80	-	17
27 Madison	1,987	1	-	-	3	-	41	-	-	33	-	-	228	-	54
28 Alton	347	-	-	-	-	-	6	-	-	1	-	-	50	-	9
29 Granite City	260	-	-	-	2	-	6	-	-	2	-	-	36	-	9
30 Balance of county	1,290	1	-	-	1	-	29	-	-	30	-	-	142	-	36
31 Marion	548	-	-	-	-	-	6	1	-	1	-	-	64	-	12
32 Centralia (part)	244	-	-	-	-	-	5	1	-	1	-	-	26	-	8
33 Centralia (total)	255	-	-	-	-	-	6	1	-	1	-	-	27	-	6
34 Balance of county	304	-	-	-	-	-	1	-	-	-	-	-	38	-	6
35 Marshall	141	-	-	-	-	-	1	-	-	-	-	-	23	-	4
36 Mason	183	-	-	-	-	-	3	-	-	-	-	1	27	-	5
37 Massac	169	-	-	-	-	-	11	-	-	-	-	-	24	-	1
38 Menard	123	-	-	-	-	-	-	-	-	1	-	-	14	-	3
39 Mercer	184	-	-	-	1	-	1	-	-	1	-	-	26	-	7
40 Monroe	126	-	-	-	-	-	1	-	-	-	-	-	17	1	4
41 Montgomery	404	-	-	-	-	-	6	-	-	3	2	-	49	-	8
42 Morgan	736	-	-	-	-	-	23	-	-	21	-	-	59	1	14
43 Jacksonville	590	-	-	-	-	-	22	-	-	20	-	-	39	1	10
44 Balance of county	146	-	-	-	-	-	1	-	-	1	-	-	20	-	4
45 Moultrie	128	-	-	-	-	-	1	-	-	1	-	-	19	-	5
46 Ogle	308	-	-	-	1	-	5	-	-	1	-	-	39	-	5
47 Peoria	1,975	-	-	-	1	-	45	1	-	27	-	-	255	-	49
48 Peoria	1,181	-	-	-	-	-	20	-	-	6	-	-	187	-	37
49 Balance of county	794	-	-	-	1	-	25	1	-	21	-	-	88	-	12
50 Perry	269	-	-	-	-	-	1	1	-	5	-	-	39	-	8
51 Platt	145	-	-	-	-	-	-	-	-	-	-	-	21	-	4
52 Pike	288	-	-	1	-	-	3	-	-	-	-	-	39	-	9
53 Pope	87	-	-	-	-	-	1	-	-	-	-	-	7	-	-
54 Pulaski	173	-	-	-	1	-	10	-	-	1	-	-	16	1	5
55 Putnam	58	-	-	-	-	-	-	-	-	-	-	-	4	-	3
56 Randolph	364	-	-	-	-	-	12	-	-	3	-	-	36	-	15
57 Richland	192	-	-	-	-	-	4	-	-	-	-	-	15	-	3
58 Rock Island	1,488	-	-	-	-	-	23	-	2	16	-	-	201	1	37
59 Moline	396	-	-	-	-	-	-	-	-	1	-	-	67	1	6
60 Rock Island	501	-	-	-	-	-	7	-	2	1	-	-	79	-	15
61 East Moline	392	-	-	-	-	-	14	-	-	13	-	-	27	-	12
62 Balance of county	209	-	-	-	-	-	2	-	-	1	-	-	28	-	4
63 St. Clair	2,017	-	-	-	-	1	54	-	1	16	-	-	247	3	59
64 Belleville	366	-	-	-	-	-	5	-	-	-	-	-	55	-	12
65 East St. Louis	968	-	-	-	-	1	25	-	1	10	-	-	93	2	25
66 Balance of county	688	-	-	-	-	-	24	-	-	6	-	-	99	1	22
67 Saline	410	-	1	-	1	-	10	-	-	-	-	-	58	-	9
68 Harrisburg	134	-	-	-	1	-	3	-	-	-	-	-	18	-	4
69 Balance of county	276	-	1	-	-	-	7	-	-	-	-	-	40	-	5
70 Sangamon	1,363	1	1	-	2	-	28	1	-	15	-	2	215	1	45
71 Springfield	1,025	-	-	-	2	-	10	1	-	13	-	1	168	-	34
72 Balance of county	340	1	-	-	-	-	16	-	-	2	-	1	47	1	11
73 Schuyler	147	-	-	-	-	-	-	-	-	-	-	-	12	-	2
74 Scott	84	-	-	-	-	-	4	-	-	-	-	-	11	-	2
75 Shelby	255	-	-	-	1	-	1	-	-	-	-	-	30	-	6
76 Stark	104	-	-	-	-	-	2	-	-	-	-	-	20	-	4
77 Stephenson	475	-	-	-	-	-	-	-	-	-	-	-	68	1	12
78 Freeport	304	-	-	-	-	-	-	-	-	-	-	-	41	1	11
79 Balance of county	171	-	-	-	-	-	-	-	-	-	-	-	27	-	1
80 Tazewell	559	-	1	-	3	-	8	1	-	3	-	-	79	-	13
81 Pekin	204	-	-	-	1	-	1	-	-	-	-	-	28	-	6
82 Balance of county	355	-	1	-	1	-	7	1	-	3	-	-	51	-	7
83 Union	506	-	-	-	1	-	24	-	1	25	-	-	32	-	9
84 Vermilion	1,148	-	1	-	1	-	31	-	-	24	-	-	140	2	25
85 Danville	545	-	1	-	-	-	15	-	-	2	-	-	81	1	13
86 Balance of county	608	-	-	-	1	-	16	-	-	22	-	-	59	1	12
87 Wabash	158	-	-	-	-	-	4	-	-	1	-	-	15	-	3
88 Warren	244	-	-	-	-	-	1	-	-	2	-	-	38	-	6
89 Washington	154	-	-	-	-	-	-	-	-	-	-	-	18	-	4
90 Wayne	209	-	-	-	-	-	9	-	-	1	-	-	29	1	5
91 White	243	-	-	-	1	-	5	-	-	-	-	-	34	-	7
92 Whiteside	514	-	-	-	-	-	8	-	-	2	-	-	77	-	10
93 Sterling	161	-	-	-	-	-	4	-	-	1	-	-	25	-	2
94 Balance of county	353	-	-	-	-	-	4	-	-	1	-	-	52	-	8
95 Will	1,251	-	1	-	-	-	27	-	-	5	-	-	177	1	44
96 Joliet	699	-	-	-	-	-	11	-	-	4	-	-	101	1	33
97 Balance of county	552	-	1	-	-	-	16	-	-	1	-	-	76	-	11

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

533

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intus- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	165,164	165-168	170	169, 171-195	162, 199,200		
-	109	445	51	4	62	1	40	35	17	3	42	45	12	147	1
-	21	100	6	-	18	1	8	10	4	1	13	8	5	26	2
-	12	57	4	2	8	-	2	2	4	-	1	4	1	14	3
-	73	288	21	2	36	-	30	23	9	2	28	33	6	107	4
-	88	410	24	4	59	6	37	18	12	-	29	50	1	131	5
-	10	51	5	-	4	1	6	-	4	-	2	2	-	21	6
-	10	85	3	2	8	1	4	7	2	-	5	11	-	17	7
-	13	68	8	-	13	1	13	7	1	-	5	5	-	23	8
-	55	206	8	2	34	3	14	4	5	-	17	27	-	70	9
-	29	83	8	1	10	-	2	4	2	-	6	11	-	13	10
-	21	138	21	2	26	3	27	6	4	-	10	27	-	88	11
-	11	54	3	-	8	-	3	2	2	-	5	10	-	16	12
-	10	94	16	2	18	3	24	4	4	-	5	17	-	72	13
-	41	125	6	2	26	2	10	9	2	-	8	20	-	46	14
-	27	127	35	3	41	1	30	7	7	-	5	15	-	60	15
-	11	60	24	1	24	1	18	3	3	3	3	8	-	34	16
-	16	67	11	2	17	-	12	4	2	-	1	5	-	26	17
-	58	119	7	-	14	-	14	4	4	-	5	19	-	39	18
-	53	175	11	1	31	1	14	12	8	-	14	23	-	64	19
-	76	319	14	-	40	2	20	20	7	2	24	35	12	98	20
-	42	176	8	-	20	1	12	8	5	1	10	19	-	59	21
-	34	143	6	-	20	1	8	12	2	-	14	16	-	38	22
-	83	327	23	2	45	1	32	20	13	5	23	41	-	98	23
-	58	245	19	2	38	1	25	18	10	5	18	28	-	76	24
-	24	92	4	-	7	-	7	2	3	-	5	13	-	23	25
-	50	201	22	-	27	2	15	9	8	-	10	25	-	72	26
-	189	618	58	9	90	7	56	26	6	-	48	102	-	249	27
-	41	115	4	3	23	-	13	10	4	-	7	12	-	43	28
-	18	85	6	3	13	1	11	15	3	1	11	11	-	28	29
-	130	418	46	3	54	6	40	31	19	4	32	79	12	177	30
-	57	150	19	-	17	1	10	10	8	1	13	108	-	64	31
-	21	62	7	-	11	-	5	2	2	1	1	70	-	21	32
-	21	63	7	-	11	-	6	4	4	1	1	1	-	81	33
-	36	88	12	-	6	1	8	8	4	1	12	35	-	43	34
-	16	45	5	-	9	-	5	4	-	-	3	6	-	19	35
-	20	68	7	-	10	-	3	7	-	-	9	5	-	12	36
-	24	74	7	1	4	2	5	1	3	-	6	6	-	16	38
-	14	41	9	3	5	-	3	2	2	-	6	5	-	17	39
-	19	63	3	-	12	-	4	3	3	-	11	6	-	16	40
-	14	38	4	1	13	-	3	4	2	-	2	17	-	48	41
-	55	131	14	4	28	-	6	7	8	-	16	42	-	124	42
-	73	279	23	2	25	-	14	10	4	-	12	42	-	106	43
-	58	230	20	1	18	-	7	3	3	-	5	38	-	18	44
-	15	49	3	1	7	-	7	7	7	-	7	4	-	15	45
-	22	40	7	-	3	-	2	2	2	-	4	7	-	46	46
-	31	104	7	2	16	-	9	4	4	-	3	21	-	200	47
-	148	689	82	3	146	6	40	37	20	11	50	98	-	137	48
-	31	412	50	-	89	6	30	28	14	8	35	49	-	143	49
-	57	257	32	3	57	-	10	9	6	3	15	47	-	39	50
-	16	96	12	-	13	-	4	7	7	-	5	17	-	19	51
-	24	36	6	-	8	1	3	5	3	-	8	5	-	23	52
-	39	105	12	-	12	1	9	5	4	1	15	15	-	33	53
-	11	28	2	3	9	-	2	1	1	-	2	2	-	9	54
-	16	49	14	1	13	4	4	11	1	1	4	11	-	54	55
-	2	28	-	1	3	1	3	-	-	-	2	2	-	1	56
-	33	115	10	2	30	2	2	12	-	-	14	16	-	55	57
-	32	68	6	1	12	1	2	6	1	-	1	10	-	27	58
-	125	515	83	3	53	2	42	6	11	2	27	98	-	191	59
-	35	158	25	1	13	-	14	5	2	1	8	22	-	56	60
-	37	173	9	1	19	-	16	23	2	1	8	38	-	69	61
-	28	141	45	1	9	-	12	5	5	-	3	22	-	44	62
-	35	63	4	-	12	2	12	7	2	-	16	16	-	23	63
-	194	672	78	17	120	8	69	39	31	18	47	93	-	228	64
-	35	129	7	2	23	-	13	8	5	1	11	11	-	44	65
-	103	320	44	7	65	7	36	14	12	13	17	50	-	106	66
-	56	223	27	8	32	1	20	17	14	-	19	32	-	75	67
-	35	128	28	-	31	-	14	8	-	-	14	24	-	47	68
-	8	49	5	-	15	-	4	1	-	-	6	6	-	17	69
-	27	79	23	-	16	-	10	7	-	-	11	18	-	30	70
-	135	416	44	8	95	6	38	44	12	2	31	55	-	151	71
-	106	308	37	8	73	2	27	39	3	2	18	40	-	119	72
-	29	108	7	1	22	4	11	5	5	-	15	15	-	33	73
-	18	59	3	-	8	-	4	1	1	-	6	6	-	25	74
-	5	25	3	1	5	-	5	1	1	1	4	8	-	5	75
-	20	100	6	3	20	-	9	9	4	2	5	17	-	22	76
-	5	35	4	2	6	1	5	2	2	-	5	5	-	12	77
-	60	174	7	2	58	1	20	9	6	-	4	21	-	51	78
-	37	111	3	1	28	-	13	5	5	-	1	12	-	34	79
-	23	63	4	1	10	1	7	4	1	-	3	9	-	17	80
-	61	177	18	1	48	-	26	13	3	-	23	24	-	56	81
-	32	67	7	1	17	-	10	1	1	-	5	7	-	14	82
-	29	110	11	-	31	-	19	3	2	-	18	17	-	42	83
-	35	158	11	3	10	2	6	12	1	1	9	23	-	142	84
-	93	411	44	4	88	2	32	18	16	2	22	54	-	136	85
-	49	191	44	4	37	-	17	9	7	1	26	28	-	65	86
-	44	220	26	-	51	2	15	9	9	1	13	28	-	71	87
-	15	55	3	-	6	-	4	3	2	-	8	5	-	13	88
-	17	100	6	-	15	1	8	5	-	-	7	13	-	25	89
-	13	62	3	1	8	-	1	3	2	-	1	13	-	20	90
-	26	80	8	-	6	2	4	6	3	1	3	5	-	20	91
-	19	85	9	-	14	-	7	8	4	-	10	17	-	21	92
-	63	180	9	1	21	2	18	14	6	-	12	25	-	64	93
-	21	53	2	-	4	-	5	5	4	-	6	7	-	21	94
-	42	127	7	-	17	2	13	9	2	-	6	18	-	43	95
-	92	432	10	1	95	1	35	38	8	3	37	63	-	135	96
-	52	240	33	9	44	-	20	21	4	2	33	33	-	69	97
-	40	192	10	1	51	1	14	17	4	1	17	30	-	66	98

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
ILLINOIS—Continued															
1. Williamson-----	526	-	-	-	1	1	14	-	-	3	-	-	60	1	14
2. Winnebago-----	1,397	-	4	-	2	2	53	1	-	8	-	-	198	-	45
3. Rockford-----	379	-	2	-	2	1	29	1	-	4	-	-	149	-	31
4. Balance of county-----	418	-	2	-	-	1	4	-	-	4	-	-	49	-	14
5. Woodford-----	216	-	-	-	-	-	1	1	-	-	-	-	20	-	5
6. INDIANA-----	40,567	8	21	7	53	18	1,063	14	1	380	9	15	5,031	25	1,018
7. Adams-----	226	-	-	-	-	-	6	-	-	-	1	-	31	-	6
8. Allen-----	1,685	-	-	-	2	1	59	-	-	15	3	-	224	2	43
9. Fort Wayne-----	1,334	-	-	-	2	1	42	-	-	11	2	-	194	2	37
10. Balance of county-----	351	-	-	-	-	-	17	-	-	2	1	-	40	-	6
11. Bartholomew-----	344	1	2	-	-	-	10	-	-	-	-	-	38	1	12
12. Columbus-----	138	-	-	-	-	-	2	-	-	-	-	-	15	-	8
13. Balance of county-----	806	1	-	-	-	-	8	-	-	-	-	-	23	1	6
14. Benton-----	112	-	-	-	-	-	3	-	-	-	-	-	20	-	2
15. Blackford-----	165	-	-	-	-	-	2	-	-	-	-	-	27	1	2
16. Boone-----	284	-	-	-	-	-	4	-	-	-	-	-	36	-	10
17. Brown-----	56	-	1	-	-	-	3	1	-	-	-	-	8	-	-
18. Carroll-----	163	-	-	-	-	-	5	-	-	-	-	-	20	-	4
19. Cass-----	611	-	-	-	-	-	25	-	-	29	-	-	49	-	16
20. Logansport-----	280	-	-	-	-	-	4	-	-	4	-	-	29	-	9
21. Balance of county-----	331	-	-	-	-	-	21	-	-	25	-	-	20	-	7
22. Clark-----	392	-	-	-	1	-	8	-	-	2	-	-	46	1	8
23. Jeffersonville-----	173	-	-	-	-	-	2	-	-	-	-	-	17	-	6
24. Balance of county-----	219	-	-	-	1	-	6	-	-	2	-	-	29	1	2
25. Clay-----	280	-	-	-	-	-	3	-	-	-	-	1	39	-	5
26. Clinton-----	367	-	-	-	-	-	2	1	-	1	-	-	35	-	10
27. Frankfort-----	191	-	-	-	-	-	2	-	-	1	-	-	23	-	6
28. Balance of county-----	168	-	-	-	-	-	-	1	-	-	-	-	12	-	4
29. Crawford-----	103	-	-	-	-	-	6	-	1	-	-	-	12	-	2
30. Daviess-----	299	-	-	-	-	-	4	-	-	3	-	-	33	-	13
31. Dearborn-----	264	-	-	-	1	-	5	-	-	-	-	-	36	-	5
32. Decatur-----	253	-	-	-	1	-	3	-	-	2	-	-	31	1	9
33. De Kalb-----	286	-	-	-	-	-	6	-	-	1	-	-	37	-	10
34. Delaware-----	799	-	-	-	3	-	26	-	-	14	-	-	78	-	20
35. Muncie-----	561	-	-	-	1	-	24	-	-	11	-	-	60	-	16
36. Balance of county-----	237	-	-	-	2	-	2	-	-	3	-	-	18	-	4
37. Dubois-----	223	-	-	-	-	1	4	-	-	-	-	-	24	-	6
38. Elkhart-----	776	-	-	-	1	-	6	-	-	8	-	-	115	-	34
39. Elkhart-----	362	-	-	-	-	-	6	-	-	3	-	-	53	-	19
40. Goshen-----	152	-	-	-	-	-	1	-	-	2	-	-	17	-	7
41. Balance of county-----	282	-	-	-	1	-	1	-	-	3	-	-	43	-	8
42. Fayette-----	230	-	-	-	1	-	9	-	-	3	-	-	27	-	3
43. Comersville-----	168	-	-	-	1	-	5	-	-	2	-	-	23	-	3
44. Balance of county-----	62	-	-	-	-	-	4	-	-	1	-	-	4	-	-
45. Floyd-----	473	1	-	-	-	1	22	1	-	5	-	-	48	-	9
46. New Albany-----	349	1	-	-	-	1	6	1	-	5	-	-	34	-	9
47. Balance of county-----	124	-	-	-	-	-	16	-	-	-	-	-	14	-	-
48. Fountain-----	303	-	-	-	-	-	1	-	-	-	-	-	29	-	8
49. Franklin-----	168	-	-	-	2	-	2	-	-	-	-	-	22	-	6
50. Fulton-----	191	-	-	-	-	-	1	-	-	-	-	-	18	-	4
51. Gibson-----	323	-	-	-	-	-	5	1	-	1	-	1	44	-	7
52. Grant-----	756	-	-	-	4	4	23	1	-	28	-	-	93	-	11
53. Marion-----	377	-	-	-	2	2	4	-	-	2	-	-	55	-	4
54. Balance of county-----	379	-	-	-	2	2	19	1	-	26	-	-	38	-	7
55. Greene-----	303	-	-	-	-	-	7	-	-	1	-	-	34	-	3
56. Hamilton-----	293	-	1	-	1	-	8	-	-	2	-	-	41	1	8
57. Hancock-----	202	-	-	-	-	-	1	-	-	-	-	-	23	-	4
58. Harrison-----	189	-	-	1	1	-	6	-	-	-	-	-	21	-	4
59. Hendricks-----	245	-	-	-	-	-	9	-	-	-	-	-	38	-	4
60. Henry-----	490	1	-	-	-	-	17	-	-	1	1	-	42	-	12
61. New Castle-----	198	1	-	-	-	-	5	-	-	1	-	-	16	-	4
62. Balance of county-----	292	-	-	-	-	-	12	-	-	-	1	-	26	-	8
63. Howard-----	566	-	-	-	-	-	12	-	-	3	-	-	73	1	11
64. Kokomo-----	415	-	-	-	-	-	10	-	-	2	-	-	57	1	7
65. Balance of county-----	151	-	-	-	-	-	2	-	-	1	-	-	16	-	4
66. Huntington-----	358	-	-	1	1	-	3	-	-	-	-	-	43	-	5
67. Huntington-----	156	-	-	1	-	-	2	-	-	-	-	-	19	-	1
68. Balance of county-----	202	-	-	-	1	-	1	-	-	-	-	-	24	-	4
69. Jackson-----	302	-	-	-	1	-	12	-	-	1	-	-	44	-	5
70. Jasper-----	157	-	-	-	-	-	-	-	-	-	-	-	21	-	7
71. Jay-----	272	-	-	-	-	-	1	-	-	-	-	-	33	-	9
72. Jefferson-----	376	-	1	-	-	-	9	-	-	13	-	-	38	-	4
73. Jennings-----	162	-	-	-	1	-	12	-	-	-	-	-	11	1	1
74. Johnson-----	513	-	-	-	-	-	9	-	-	-	-	-	34	-	11
75. Knox-----	460	-	1	-	-	-	14	-	-	2	-	-	67	1	14
76. Vincennes-----	201	-	1	-	-	-	5	-	-	2	-	-	26	-	7
77. Balance of county-----	259	-	-	-	-	-	9	-	-	-	-	-	41	1	7
78. Kosciusko-----	349	-	-	1	-	-	4	-	-	1	-	-	48	-	5
79. Lagrange-----	163	-	-	-	-	-	-	-	-	-	-	-	14	-	10
80. Lake-----	5,031	-	1	1	4	2	120	2	-	20	1	3	416	5	94
81. Gary-----	1,231	-	1	-	3	1	46	-	-	7	1	2	156	3	42
82. East Chicago-----	519	-	-	-	-	-	23	-	-	5	-	-	66	1	19
83. Hammond-----	685	-	-	-	1	-	17	-	-	6	-	1	95	1	17
84. Whiting-----	73	-	-	-	-	-	1	1	-	-	-	-	13	-	3
85. Balance of county-----	523	-	-	-	-	1	31	1	-	2	-	-	86	-	13
86. La Porte-----	721	-	-	-	-	-	8	-	-	5	1	-	81	1	28
87. Michigan City-----	283	-	-	-	-	-	3	-	-	2	-	-	31	-	10
88. La Porte-----	234	-	-	-	-	-	2	-	-	2	1	-	36	-	9
89. Balance of county-----	204	-	-	-	-	-	3	-	-	1	-	-	22	1	7
90. Lawrence-----	345	-	1	-	3	-	11	2	-	2	-	-	42	1	4
91. Bedford-----	141	-	-	-	1	-	1	2	-	-	-	-	14	-	1
92. Balance of county-----	204	-	1	-	2	-	10	-	-	2	-	-	28	1	3
93. Madison-----	1,011	1	-	-	1	-	30	-	-	7	-	-	107	-	27
94. Anderson-----	511	1	-	-	1	-	17	-	-	2	-	-	51	-	12
95. Elwood-----	140	-	-	-	-	-	8	-	-	-	-	-	23	-	5
96. Balance of county-----	360	-	-	-	-	-	5	-	-	5	-	-	33	-	10

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

535

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Fellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	189, 171-195	162, 199,200		
-	45	173	14	4	35	2	20	14	11	3	14	39	5	53	1
-	141	420	47	4	62	2	49	42	19	6	40	67	10	195	2
-	94	293	28	1	42	2	31	28	16	5	27	47	8	138	3
-	47	127	19	3	20	-	18	14	3	1	13	20	2	57	4
-	31	80	3	1	15	-	2	5	6	1	10	3	3	30	5
6	4,268	12,538	1,680	197	3,014	105	1,139	1,076	483	144	1,123	1,861	381	4,860	6
-	25	64	20	-	7	3	8	7	8	-	2	9	5	26	7
-	141	537	54	4	149	3	64	54	17	3	53	72	3	184	8
-	115	404	45	1	130	2	52	44	13	3	33	61	2	148	9
-	26	133	9	3	19	1	12	10	4	-	20	11	1	36	10
-	50	108	10	1	12	1	13	7	1	3	7	19	4	45	11
-	22	42	4	-	3	-	4	3	-	-	2	10	3	21	12
-	28	66	6	1	9	-	9	4	1	3	5	9	1	24	13
-	11	32	3	4	5	-	3	4	1	-	7	3	-	14	14
-	28	41	7	-	12	-	8	8	1	-	3	4	2	19	15
-	29	88	11	-	35	-	8	3	5	-	5	14	2	36	16
-	6	19	4	-	4	-	1	1	1	-	4	2	1	4	17
-	19	54	5	1	19	-	4	2	2	-	4	5	2	24	18
1	62	237	16	-	29	1	7	9	5	2	14	34	8	69	19
1	32	100	9	-	14	1	3	1	1	-	8	18	3	38	20
-	30	137	7	-	15	-	4	3	4	2	6	16	3	31	21
1	21	133	19	7	26	1	15	5	5	-	8	19	4	56	22
1	9	65	7	4	13	-	5	5	2	-	4	5	3	25	23
-	12	68	12	3	13	1	10	8	3	-	4	14	1	31	24
-	24	69	9	2	64	-	7	2	3	3	5	11	3	30	25
-	52	120	19	4	19	2	7	4	4	-	9	15	4	49	26
-	24	66	8	-	10	2	3	3	1	-	5	5	2	30	27
-	28	54	11	4	9	-	4	2	3	-	4	10	2	19	28
-	17	29	7	-	8	-	2	1	-	-	-	4	-	12	29
-	34	97	8	1	31	-	7	7	2	1	5	14	6	37	30
-	23	81	14	1	28	1	7	3	3	1	11	17	-	27	31
-	40	73	4	2	19	-	9	3	3	1	3	11	4	35	32
-	40	81	7	3	31	1	6	7	3	-	6	11	14	26	33
-	81	260	39	4	45	1	33	21	13	3	22	41	6	89	34
-	47	183	24	4	31	1	22	17	9	3	15	32	4	59	35
-	34	77	15	-	14	-	11	4	4	-	9	9	2	29	36
-	32	68	10	1	14	1	8	7	1	-	4	11	4	31	37
-	82	247	30	2	40	1	25	19	13	3	25	30	7	89	38
-	39	111	13	-	22	-	12	9	8	2	10	7	2	46	39
-	10	49	6	-	7	-	2	2	3	1	6	4	-	15	40
-	33	87	11	2	11	1	11	7	2	-	9	19	5	29	41
-	16	79	11	2	10	-	8	5	2	-	2	11	6	35	42
-	12	57	4	-	7	-	7	4	1	-	2	5	4	29	43
-	4	22	7	-	3	-	1	1	1	-	-	6	2	6	44
-	30	172	24	6	35	2	16	11	10	2	10	17	4	47	45
-	20	137	17	3	21	2	14	9	7	2	9	13	4	34	46
-	10	35	7	3	14	-	2	2	3	-	1	4	-	13	47
-	22	61	3	1	22	-	2	5	4	-	5	10	-	30	48
-	19	53	8	-	14	-	8	3	3	-	4	2	1	20	49
-	23	58	4	1	21	1	3	6	2	-	1	8	4	36	50
-	33	111	13	1	27	-	9	6	6	4	10	21	2	31	51
-	95	228	30	1	49	-	18	14	11	1	20	31	4	89	52
1	47	115	13	1	31	-	11	10	8	1	14	47	2	47	53
-	48	113	17	1	18	-	7	4	3	-	6	23	2	42	54
-	46	98	11	1	25	1	2	2	6	-	15	15	4	39	55
-	25	89	10	2	32	-	8	5	4	-	11	15	-	30	56
-	28	68	8	-	18	2	9	3	3	-	8	8	1	18	57
-	17	54	11	1	19	-	5	1	1	2	7	8	2	22	58
-	29	84	6	-	17	-	2	5	1	-	3	7	1	39	59
-	60	136	25	4	27	-	21	12	8	-	10	29	7	77	60
-	25	62	9	3	11	-	11	7	2	-	5	12	2	22	61
-	35	74	16	1	16	-	10	5	6	-	5	17	5	55	62
-	58	143	37	6	46	1	25	20	5	1	15	29	11	69	63
-	40	99	29	4	36	1	17	16	4	1	9	19	6	55	64
-	18	44	8	2	10	-	8	4	1	-	6	10	3	14	65
-	39	131	18	3	14	3	8	4	1	-	9	16	5	54	66
-	16	69	7	1	6	-	2	2	3	-	4	4	4	17	67
-	23	63	11	2	8	1	6	1	1	-	5	12	1	37	68
-	32	74	13	3	31	2	14	8	9	1	5	10	2	36	69
-	17	46	10	-	2	-	6	4	4	-	8	11	-	20	70
-	40	98	13	1	20	2	6	2	4	1	9	9	2	25	71
-	31	89	8	1	11	-	4	4	4	-	3	20	3	119	72
-	36	28	10	1	21	1	7	4	4	-	3	4	4	18	73
-	45	84	2	2	23	-	8	6	2	1	10	18	3	45	74
-	40	152	23	4	39	1	6	8	4	1	13	23	4	43	75
-	19	75	7	2	15	-	4	2	2	1	2	10	2	19	76
-	21	77	16	2	24	1	2	6	2	-	11	13	2	24	77
-	38	115	7	1	39	1	5	15	7	-	12	13	1	38	78
-	23	48	6	-	11	-	4	4	3	1	5	11	3	19	79
-	241	894	165	30	138	13	107	100	29	29	116	155	30	335	80
-	108	331	87	4	60	9	38	53	12	16	51	61	15	142	81
-	53	153	32	1	25	3	16	19	4	8	12	29	4	65	82
-	51	224	43	4	32	-	31	17	8	5	22	34	7	69	83
-	4	28	-	-	3	-	2	2	2	-	2	9	-	5	84
-	45	160	23	1	18	1	20	9	3	-	29	22	4	54	85
-	57	227	23	1	52	-	21	29	14	3	25	46	7	84	86
-	15	91	10	1	26	-	7	14	8	1	6	15	3	42	87
-	23	70	4	-	19	-	5	9	5	1	6	17	1	22	88
-	19	66	9	-	7	-	9	6	3	1	15	14	3	20	89
-	37	109	17	4	18	-	11	7	6	-	17	8	3	42	90
-	16	47	7	3	10	-	5	3	1	-	5	1	2	22	91
-	21	62	10	1	8	-	6	4	5	-	12	7	1	20	92
-	77	324	39	4	84	2	29	43	9	2	36	51	18	120	93
-	34	166	20	2	40	1	17	23	5	-	22	31	5	61	94
-	-	-	6	1	15	1	2	4	2	-	4	2	6	14	95

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-56	58	61
INDIANA—Continued															
1 Marion	5,859	2	5	1	6	4	221	-	-	76	-	3	728	2	135
2 Indianapolis	5,028	2	5	1	6	4	192	-	-	72	-	3	621	1	118
3 Balance of county	831	-	-	-	-	-	59	-	-	4	-	-	107	1	17
4 Marshall	329	-	-	-	-	-	5	-	-	3	-	-	30	-	14
5 Martin	91	-	-	-	-	-	1	-	-	-	-	-	8	-	3
6 Miami	310	-	-	-	-	-	4	-	-	6	-	-	40	-	9
7 Peru	147	-	-	-	-	-	1	-	-	2	-	-	24	-	6
8 Balance of county	163	-	-	-	-	-	3	-	-	4	-	-	16	-	3
9 Monroe	333	-	-	-	-	-	6	-	-	-	-	-	37	-	10
10 Bloomington	189	-	-	-	-	-	4	-	-	-	-	-	27	-	4
11 Balance of county	144	-	-	-	-	-	2	-	-	-	-	-	10	-	6
12 Montgomery	343	-	-	-	-	-	3	-	-	3	-	-	41	-	7
13 Crawfordville	147	-	-	-	-	-	1	-	-	1	-	-	14	-	4
14 Balance of county	196	-	-	-	-	-	2	-	-	2	-	-	27	-	3
15 Morgan	248	-	-	-	-	-	12	-	-	-	-	-	34	-	10
16 Newton	108	-	1	1	-	-	2	-	-	-	-	-	17	-	1
17 Noble	293	-	-	-	-	-	3	-	-	-	-	1	31	-	15
18 Ohio	53	-	-	-	-	-	2	-	-	1	-	-	3	-	-
19 Orange	199	-	-	-	-	-	5	-	-	-	-	-	23	-	4
20 Owen	140	-	-	-	-	-	11	-	-	-	-	-	23	-	2
21 Parke	195	1	-	-	1	-	7	-	-	-	-	-	20	1	3
22 Perry	186	-	-	-	1	-	2	-	-	-	-	-	26	1	2
23 Pike	180	-	-	-	1	-	2	-	-	3	-	-	24	-	5
24 Porter	344	1	1	-	-	-	5	-	-	2	-	-	42	-	7
25 Posey	227	-	-	-	-	-	7	-	-	3	-	-	41	-	5
26 Pulaski	149	-	-	-	-	-	3	-	-	-	-	-	18	-	4
27 Putnam	222	-	-	-	2	-	1	-	-	2	-	-	30	-	8
28 Randolph	338	-	-	-	-	-	8	-	-	2	-	-	34	1	8
29 Ripley	218	-	-	-	1	1	2	-	-	1	-	-	35	1	7
30 Rush	263	-	2	-	1	-	10	-	-	1	-	-	40	-	3
31 St. Joseph	1,649	-	-	-	3	-	36	1	-	12	1	-	258	-	43
32 South Bend	1,051	-	-	-	-	-	22	1	-	10	-	-	160	-	24
33 Mishawaka	280	-	-	-	-	-	4	-	-	1	1	-	45	-	9
34 Balance of county	317	-	-	-	3	-	10	-	-	1	-	-	35	-	10
35 Scott	103	-	-	-	-	-	9	1	-	-	-	-	12	-	1
36 Shelby	388	-	-	-	-	-	6	1	-	4	-	-	51	-	10
37 Shelbyville	161	-	-	-	-	-	2	1	-	3	-	-	20	-	4
38 Balance of county	227	-	-	-	-	-	4	-	-	1	-	-	31	-	6
39 Spencer	187	-	-	-	-	-	3	-	-	-	-	-	23	-	3
40 Starke	159	-	-	-	1	-	1	-	-	-	-	-	22	-	7
41 Steuben	186	-	-	-	-	-	3	-	-	4	-	-	31	-	8
42 Sullivan	324	-	-	-	-	-	4	1	-	-	-	-	40	-	6
43 Switzerland	92	-	-	-	1	-	3	-	-	-	-	-	13	-	1
44 Tippecanoe	686	-	-	-	-	-	7	-	-	3	-	-	94	-	19
45 Lafayette	474	-	-	-	-	-	5	-	-	1	3	-	51	-	11
46 Balance of county	282	-	-	-	-	-	2	-	-	2	1	-	33	-	8
47 Tipton	145	-	-	-	-	-	1	-	-	1	-	-	20	-	4
48 Union	85	-	-	-	-	-	1	-	-	-	-	-	3	-	1
49 Vanderburgh	1,704	-	4	1	3	3	65	-	-	30	-	-	212	1	35
50 Evansville	1,311	-	2	1	1	1	42	-	-	7	-	-	179	1	32
51 Balance of county	393	-	-	-	2	2	23	-	-	23	-	-	33	-	3
52 Vermillion	201	-	-	-	1	-	4	1	-	-	-	-	24	-	2
53 Vigo	1,309	-	-	-	-	-	25	-	-	8	-	-	167	-	36
54 Terre Haute	924	-	-	-	-	-	22	-	-	3	-	-	111	-	28
55 Balance of county	385	-	-	-	-	-	3	-	-	5	-	-	56	-	8
56 Wabash	295	-	-	-	-	-	4	-	-	2	-	1	38	1	12
57 Warren	83	-	-	-	-	-	-	-	-	1	-	-	10	-	2
58 Warrick	217	-	-	-	-	-	5	-	-	1	-	-	29	-	4
59 Washington	200	-	-	-	1	-	7	-	-	-	-	-	21	-	4
60 Wayne	954	-	-	-	3	-	25	-	-	1	-	-	95	-	14
61 Richmond	420	-	-	-	2	-	6	-	-	51	-	1	53	-	8
62 Balance of county	544	-	-	-	1	-	19	-	-	7	-	-	42	-	6
63 Wells	216	-	-	-	-	1	3	-	-	44	-	-	32	-	4
64 White	199	-	-	-	-	-	2	-	-	1	-	-	23	-	1
65 Whitley	197	-	-	-	-	-	2	-	-	-	-	-	19	-	6
66 IOWA	26,484	1	15	4	34	5	307	9	-	168	4	8	3,790	11	679
67 Adair	139	-	-	-	-	-	-	-	-	-	-	-	17	-	2
68 Adams	89	-	-	-	-	-	1	-	-	-	-	-	16	-	3
69 Allamakee	151	-	-	-	-	-	1	-	-	1	-	-	20	-	1
70 Appanoose	288	-	-	-	-	-	3	-	-	1	-	1	49	-	5
71 Audubon	82	-	-	-	-	-	-	-	-	-	-	-	9	-	1
72 Benton	227	-	-	-	-	-	1	-	-	-	-	-	46	1	7
73 Black Hawk	883	-	1	-	3	-	8	-	-	3	-	-	124	1	23
74 Waterloo	494	-	-	-	-	-	6	-	-	3	-	-	67	1	10
75 Balance of county	389	-	-	-	3	-	2	-	-	-	-	-	57	-	13
76 Boone	567	-	-	-	-	-	15	2	-	2	-	-	50	-	8
77 Boone	187	-	-	-	-	-	1	-	-	1	-	-	31	-	4
78 Balance of county	180	-	-	-	-	-	14	2	-	1	-	-	19	-	4
79 Bremer	186	-	-	-	1	-	2	-	-	-	-	-	35	-	8
80 Buchanan	330	-	-	-	-	-	7	-	-	7	-	-	29	-	7
81 Buena Vista	157	-	-	-	-	-	-	-	-	1	-	-	27	-	4
82 Butler	157	-	-	-	-	-	1	-	-	-	-	-	25	1	6
83 Calhoun	150	-	-	-	1	-	2	-	-	-	-	-	26	-	6
84 Carroll	204	-	-	-	-	-	-	-	-	1	-	-	31	-	9
85 Cass	204	-	-	-	-	-	-	-	-	2	-	-	33	-	5
86 Cedar	151	-	-	-	-	-	1	-	-	2	-	-	19	-	6
87 Cerro Gordo	448	-	-	-	2	-	1	-	-	2	-	-	70	1	9
88 Mason City	293	-	-	-	2	-	1	-	-	2	-	-	44	1	7
89 Balance of county	155	-	-	-	-	-	-	-	-	-	-	-	26	-	2
90 Cherokee	334	-	1	-	1	-	10	-	-	5	-	-	28	-	7
91 Chickasaw	146	-	-	-	-	-	-	-	-	1	-	-	21	-	3
92 Clarke	100	-	-	-	-	-	2	-	-	-	-	-	10	-	6
93 Clay	153	-	-	-	-	-	1	-	-	-	-	-	26	-	6
94 Clayton	257	-	-	-	-	-	6	-	-	-	-	-	40	-	7

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

537

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109, 33	119, 120	130-132	140-150	157, 158, 160, 161	159	165, 164	165-168	170	169, 171-195	162, 199, 200		
1	621	1,754	242	37	429	20	147	209	59	48	155	236	16	702	1
1	536	1,502	221	33	352	14	125	192	49	45	131	210	12	590	2
-	85	252	21	4	77	7	22	17	10	3	24	26	4	112	3
-	47	111	16	-	11	2	8	8	3	-	15	13	2	41	4
-	6	27	3	2	9	1	5	1	1	-	6	5	-	14	5
-	42	99	10	-	26	3	13	9	2	-	9	10	-	27	6
-	13	49	5	-	13	4	7	4	1	-	4	4	-	13	7
-	29	49	5	-	13	2	6	5	1	-	5	6	-	14	8
-	34	105	22	-	30	10	10	8	4	-	10	11	-	41	9
-	18	56	7	-	16	6	6	6	1	-	4	5	-	30	10
-	16	49	15	-	14	4	4	2	3	-	6	6	-	11	11
-	38	108	11	1	44	-	10	5	2	1	7	25	3	34	12
-	12	46	4	1	22	-	6	1	2	-	-	11	2	19	13
-	26	62	7	-	22	-	4	4	-	-	7	14	1	15	14
-	31	76	8	-	19	1	9	6	6	-	9	14	1	18	15
-	8	35	5	2	10	2	3	4	1	-	2	3	1	9	16
-	25	93	14	2	25	2	10	7	5	-	7	12	2	41	17
-	6	20	1	-	2	-	4	2	2	-	-	5	-	6	18
-	17	57	11	-	16	1	5	3	3	-	7	7	2	35	19
-	14	29	5	-	27	-	-	3	2	-	3	10	-	17	20
-	14	73	7	1	29	-	5	1	1	-	2	6	4	14	21
-	20	38	11	2	6	1	7	10	3	-	2	6	10	30	22
-	26	40	11	-	11	1	4	3	3	-	4	13	3	31	23
-	40	98	18	-	34	3	9	5	3	1	18	17	4	36	24
-	22	65	10	1	16	-	3	2	3	-	7	14	1	25	25
-	11	39	6	-	13	-	8	2	3	-	10	10	1	21	26
-	28	61	8	1	22	-	6	5	3	1	9	9	2	29	27
-	32	108	6	2	48	3	7	4	5	-	14	14	4	38	28
-	15	73	4	-	15	4	8	2	2	-	3	14	4	27	29
-	29	80	8	1	26	3	3	5	2	-	5	15	4	29	30
-	2	160	50	4	76	4	53	32	27	6	60	66	16	181	31
-	95	360	30	-	50	3	32	20	18	6	41	44	12	183	32
-	31	68	11	1	14	-	11	8	4	-	9	13	3	29	33
-	2	34	129	9	3	12	10	4	5	-	10	9	1	29	34
-	11	24	7	-	4	-	5	3	-	-	3	6	-	17	35
-	61	111	17	1	39	2	9	9	6	-	5	16	3	37	36
-	27	45	10	1	15	1	6	5	3	-	2	5	2	37	37
-	34	66	7	-	24	1	3	4	3	-	3	11	1	28	38
-	23	57	12	2	31	2	2	2	2	-	4	4	4	28	39
-	19	53	8	-	7	-	5	6	1	1	6	8	-	14	40
-	18	80	3	-	5	3	3	3	3	-	-	-	-	18	41
-	37	126	12	-	28	-	8	4	5	-	10	24	1	18	42
-	17	32	3	-	4	-	-	2	-	-	2	6	-	6	43
-	75	242	32	5	37	1	11	22	15	-	16	38	11	44	44
-	52	171	19	5	31	1	4	7	15	-	9	29	10	51	45
-	21	71	13	-	6	-	7	8	3	-	7	9	1	46	46
-	25	40	6	1	16	1	4	2	1	-	2	3	1	15	47
-	7	34	4	1	1	-	1	1	1	2	1	8	4	13	48
-	177	494	69	7	139	4	43	53	19	5	47	77	31	145	49
-	142	394	45	6	112	3	31	43	16	4	41	61	9	139	50
-	35	100	24	1	27	1	12	10	3	1	6	16	22	47	51
-	17	62	8	4	24	4	1	4	2	-	2	9	1	34	52
-	120	413	56	6	114	3	29	37	11	5	21	70	11	179	53
-	92	292	48	4	61	2	20	26	6	2	16	41	8	120	54
-	28	121	8	2	33	1	9	11	5	1	3	29	3	59	55
-	61	77	6	1	21	-	7	6	3	-	8	11	3	33	56
-	9	37	3	-	8	-	-	-	2	-	-	2	-	9	57
-	21	59	12	-	14	-	7	9	3	1	5	15	-	35	58
-	27	53	9	2	19	1	8	6	1	-	9	6	1	25	59
-	97	258	50	10	52	-	23	38	12	3	27	41	15	149	60
-	42	130	21	4	29	-	12	25	5	3	12	21	5	61	61
-	55	128	29	6	24	-	11	13	7	-	15	20	10	114	62
-	28	72	8	-	23	-	6	4	4	-	8	7	-	15	63
-	30	71	10	-	19	-	8	4	2	-	2	3	1	22	64
-	35	65	7	-	9	-	7	2	1	-	10	11	1	22	65
1	5,074	8,612	997	123	1,317	59	796	668	376	48	566	1,330	329	3,153	66
-	20	48	6	-	5	1	2	4	3	-	3	3	5	20	67
-	8	32	1	-	4	-	1	2	1	-	5	7	-	15	68
-	13	56	2	1	14	-	2	3	2	-	6	7	-	23	69
-	37	97	9	1	15	1	7	3	7	-	6	14	6	26	70
-	10	23	-	-	5	-	2	1	4	-	3	6	2	15	71
-	27	77	1	-	20	1	1	6	2	-	4	7	2	23	72
-	126	282	26	5	35	2	38	27	17	2	18	51	6	86	73
-	64	157	13	3	21	2	25	18	14	-	13	29	1	49	74
-	62	123	13	2	14	2	15	9	3	2	5	22	5	37	75
-	48	106	19	3	23	-	18	4	5	3	6	12	2	41	76
-	25	60	2	-	20	-	8	4	4	2	2	8	-	15	77
-	23	46	17	3	3	-	10	4	1	2	4	4	2	26	78
-	19	56	8	-	7	1	7	5	4	-	2	8	1	22	79
-	19	115	15	1	13	-	9	5	2	-	12	12	-	68	80
-	24	46	9	-	6	-	7	8	-	-	2	9	-	19	81
-	24	43	6	-	6	-	7	4	1	-	4	6	4	19	82
-	20	44	4	1	10	-	3	2	3	-	3	9	1	15	83
-	15	71	7	1	4	-	7	7	4	5	5	13	5	19	84
-	24	60	3	1	26	2	6	2	4	-	3	13	1	19	85
-	15	48	6	-	8	-	7	2	3	-	1	6	8	19	86
-	42	166	15	-	10	2	20	14	4	1	13	20	5	51	87
-	27	111	9	-	8	-	15	8	3	1	5	14	2	32	88
-	15	55	6	-	2	1	5	6	1	-	8	6	3	19	89
-	39	134	11	2	11	1	5	6	3	1	7	21	4	37	90
-	12	45	4	-	8	1	8	2	3	-	5	7	2	24	91
-	20	27	4	-	3	-	1	3	3	-	7	7	-	92	92
-	16	53	5	-	5	-	5	5	5	-	6	4	2	13	93
-	23	74	17	1	35	-	6	2	2	-	4	13	1	26	94

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-53	58	61
IOWA—Confirmed															
1 Clinton	580	-	2	1	2	-	3	-	-	5	-	1	94	-	14
2 Clinton	355	-	2	-	-	-	2	-	-	5	-	1	64	-	11
3 Balance of county	195	-	-	1	2	-	1	-	-	-	-	-	50	-	3
4 Crawford	157	-	-	-	-	-	-	-	-	-	-	-	26	-	3
5 Dallas	270	-	-	-	-	-	-	-	-	3	-	-	59	-	9
6 Davis	98	-	-	-	-	-	1	-	-	-	-	-	10	-	5
7 Decatur	134	-	-	-	1	-	1	-	-	-	-	-	16	-	3
8 Delaware	162	-	-	-	-	-	2	-	-	-	-	-	23	1	1
9 Des Moines	515	-	-	-	-	-	12	-	-	2	-	-	77	-	12
10 Burlington	420	-	-	-	-	-	11	-	-	1	-	-	62	-	11
11 Balance of county	95	-	-	-	-	-	1	-	-	1	-	-	15	-	1
12 Dickinson	111	-	-	-	1	-	-	-	-	-	-	-	19	-	4
13 Dubuque	763	-	-	-	-	-	6	-	-	3	-	-	101	-	19
14 Dubuque	565	-	-	-	-	-	8	-	-	2	-	-	84	-	15
15 Balance of county	178	-	-	-	-	-	-	-	-	1	-	-	17	-	4
16 Emmet	114	-	-	-	1	-	1	-	-	1	-	-	20	-	3
17 Fayette	296	-	-	-	-	-	2	-	-	1	-	-	46	-	4
18 Floyd	199	-	-	-	-	-	3	-	-	-	-	-	22	1	4
19 Franklin	156	-	-	-	-	-	2	-	1	-	-	-	14	-	2
20 Fremont	159	-	-	-	-	-	-	-	-	-	-	-	18	-	5
21 Greene	159	-	-	-	-	-	1	-	-	-	-	-	15	-	2
22 Grundy	128	-	-	-	-	-	-	-	-	-	-	-	26	1	1
23 Guthrie	163	-	-	-	-	-	-	-	-	-	-	-	23	-	3
24 Hamilton	152	-	1	-	-	-	-	-	-	2	-	-	17	-	5
25 Hancock	114	-	-	-	-	-	1	-	-	-	-	-	10	-	2
26 Harrison	220	-	1	-	-	-	1	-	-	-	-	-	33	-	9
27 Harrison	216	-	-	-	-	-	1	-	-	-	-	-	29	-	4
28 Henry	350	-	-	-	-	1	11	-	-	15	-	-	26	-	4
29 Howard	129	-	-	-	-	-	1	-	-	-	-	-	20	-	6
30 Humboldt	110	-	-	-	-	-	1	-	-	-	-	-	16	-	2
31 Ida	106	-	-	-	-	-	1	-	-	-	-	-	13	-	3
32 Iowa	172	-	-	-	-	-	1	-	-	-	-	-	27	-	3
33 Jackson	198	-	-	-	1	-	1	-	-	1	-	-	25	-	4
34 Jasper	261	-	-	-	-	-	1	-	-	3	-	-	35	-	6
35 Newton	117	-	-	-	-	-	-	-	-	2	-	-	14	-	4
36 Balance of county	164	-	-	-	-	-	-	-	-	1	-	-	21	-	2
37 Jefferson	178	-	-	-	1	-	2	-	-	1	-	-	18	-	2
38 Johnson	403	-	-	-	1	1	20	-	-	2	-	1	59	-	12
39 Iowa City	241	-	-	-	-	1	6	-	-	-	-	-	34	-	10
40 Balance of county	162	-	-	-	1	-	14	-	-	2	-	1	25	-	2
41 Jones	172	-	-	-	-	-	4	-	-	-	-	-	23	-	3
42 Keokuk	174	-	-	-	-	-	1	-	-	-	-	-	22	1	4
43 Kossuth	187	-	-	-	1	-	1	-	-	1	-	-	32	-	5
44 Lee	802	-	-	-	1	-	1	-	1	5	-	-	73	-	10
45 Fort Madison	155	-	-	-	-	-	1	-	1	-	-	-	23	-	7
46 Keokuk	234	-	-	-	-	-	1	-	1	-	-	-	15	-	2
47 Balance of county	113	-	-	-	-	-	2	-	-	4	-	-	37	-	1
48 Linn	1,018	-	1	2	-	-	11	-	-	10	-	-	153	-	21
49 Cedar Rapids	690	-	-	-	-	-	9	-	-	7	-	-	96	-	12
50 Balance of county	328	-	1	1	-	-	2	-	-	3	-	-	59	-	9
51 Louisa	131	-	-	-	-	-	-	-	-	1	-	-	18	-	1
52 Lucas	168	-	-	-	1	-	-	-	1	1	-	-	17	-	3
53 Lyon	106	-	-	-	-	-	-	-	-	-	-	-	9	-	2
54 Madison	151	-	-	-	-	1	2	-	-	-	-	-	31	-	5
55 Mahaska	300	-	-	-	-	-	2	-	-	-	-	-	38	-	4
56 Oskaloosa	172	-	-	-	-	-	1	-	-	1	-	-	18	-	1
57 Balance of county	128	-	-	-	-	-	1	-	-	-	-	-	20	-	3
58 Marion	320	-	-	1	1	-	6	-	2	20	1	-	56	-	8
59 Marshall	398	-	-	-	-	-	3	-	-	-	-	-	63	-	12
60 Marshalltown	235	-	-	-	1	-	3	-	-	3	-	-	36	-	9
61 Balance of county	153	-	-	-	-	-	2	-	-	-	-	-	27	-	3
62 Mills	155	-	-	-	-	-	10	-	-	-	-	-	15	-	2
63 Mitchell	133	-	1	-	-	-	4	-	-	-	-	-	18	-	4
64 Monona	125	-	-	-	-	-	-	-	-	-	-	-	11	-	8
65 Monroe	187	-	-	-	-	-	1	-	-	-	-	-	29	-	4
66 Montgomery	136	-	-	-	-	-	-	-	-	-	-	-	20	-	2
67 Muscatine	398	-	-	1	-	-	2	-	-	2	-	-	51	-	12
68 Muscatine	276	-	-	1	-	-	1	-	-	2	-	-	31	-	7
69 Balance of county	112	-	-	-	-	-	1	-	-	-	-	-	20	-	5
70 O'Brien	176	-	1	-	-	-	1	-	-	1	-	-	37	-	13
71 Osceola	86	-	-	-	1	-	-	-	-	1	-	-	9	-	4
72 Page	365	-	-	-	-	-	12	-	-	9	-	1	39	-	4
73 Palo Alto	136	-	-	-	1	-	2	-	-	-	-	-	21	-	4
74 Plymouth	207	-	-	-	-	-	1	-	-	-	-	-	29	-	8
75 Peshawar	119	-	-	-	-	-	-	-	-	-	-	-	17	-	6
76 Polk	2,143	-	2	-	1	1	32	-	-	19	-	-	322	1	50
77 Des Moines	1,869	-	2	-	1	1	32	-	-	18	2	-	261	1	43
78 Balance of county	274	-	-	-	-	-	-	-	-	1	-	-	41	-	7
79 Pottawattomie	696	-	1	-	-	-	9	-	1	3	-	1	102	-	18
80 Council Bluffs	505	-	1	-	-	-	9	-	1	2	-	1	73	-	12
81 Balance of county	191	-	-	-	-	-	-	-	-	-	-	-	29	-	6
82 Povehick	206	-	-	-	1	-	3	-	-	1	-	-	31	-	2
83 Ringgold	98	-	-	-	-	-	1	-	-	-	-	-	21	-	1
84 Sac	159	-	-	-	-	-	2	-	-	1	-	-	23	-	4
85 Scott	1,033	-	1	-	-	-	12	-	-	3	-	-	142	-	32
86 Davenport	932	-	1	-	-	-	11	-	-	3	-	-	118	-	26
87 Balance of county	201	-	-	-	-	-	1	-	-	-	-	-	24	-	6
88 Shelby	125	-	-	-	2	-	1	-	-	-	-	-	16	-	3
89 Sioux	172	-	-	-	-	-	2	-	-	-	-	-	30	-	7
90 Story	313	-	-	-	-	-	-	-	-	-	-	-	42	-	4
91 Ames	122	-	-	-	-	-	-	-	-	-	-	-	19	-	3
92 Balance of county	191	-	-	-	-	-	-	-	-	-	-	-	23	-	1
93 Tama	214	-	-	-	-	-	1	-	-	-	-	-	29	-	5
94 Taylor	146	-	-	-	-	-	2	-	-	1	-	-	20	-	3
95 Union	173	-	-	-	-	-	1	-	-	-	-	1	27	-	6
96 Van Buren	123	-	-	-	-	-	1	-	-	-	-	-	17	-	3

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

539

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intest- ines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes		
69	85	90-95	107- 109, 53	119, 120	130-132	140-150	157, 159, 160, 161	159	163, 164	165-168	170	169, 171-195	162, 199, 200			
-	67	191	25	1	22	-	13	10	10	-	2	31	7	49	1	
-	34	180	18	-	12	-	7	7	7	-	1	23	3	38	2	
-	35	71	7	1	10	-	6	3	3	-	1	8	4	11	3	
-	16	54	9	1	6	-	9	2	1	-	7	1	5	17	4	
1	27	92	6	2	13	1	5	10	4	-	8	22	25	5	5	
-	7	32	4	-	8	-	3	3	4	-	5	1	5	9	6	
-	15	38	6	3	12	-	2	7	-	-	1	7	1	19	7	
-	32	52	5	1	12	-	3	6	4	-	1	3	1	14	8	
-	89	130	13	2	52	3	18	6	9	-	6	35	6	63	9	
-	59	100	12	2	47	2	14	5	8	-	6	27	4	49	10	
-	10	30	1	-	5	1	4	1	1	-	-	8	2	14	11	
-	6	37	5	1	1	-	4	4	2	-	2	6	-	19	12	
-	90	245	24	7	42	4	19	18	14	-	13	48	22	88	13	
-	70	204	14	5	26	2	13	13	8	-	6	42	13	62	14	
-	20	41	10	2	16	2	6	5	6	-	7	6	9	26	15	
-	13	35	4	-	9	-	2	2	1	-	2	7	1	12	16	
-	32	80	11	1	34	-	9	8	2	-	8	14	8	40	17	
-	24	74	7	-	7	1	2	4	1	-	5	15	1	25	18	
-	16	53	5	-	6	-	5	2	2	-	2	6	-	14	19	
-	14	51	6	-	15	-	8	11	1	-	3	4	2	17	20	
-	20	55	4	-	5	-	3	3	1	-	5	7	3	21	21	
-	19	38	5	-	2	-	5	-	1	-	2	7	1	17	22	
-	18	59	10	-	6	-	8	5	2	-	4	7	5	17	23	
-	19	57	4	1	7	-	3	5	1	-	5	9	2	14	24	
-	11	41	2	-	5	-	3	5	1	-	2	6	2	15	25	
-	27	74	7	1	10	-	7	5	5	-	4	9	1	26	26	
-	28	70	7	1	6	1	7	5	10	3	4	11	1	31	27	
-	31	125	25	-	35	1	9	2	4	-	1	19	4	37	28	
-	10	44	4	-	10	-	6	3	1	-	1	1	1	17	29	
-	8	32	1	4	4	-	3	5	-	-	5	11	6	17	30	
-	12	32	2	1	4	-	4	2	5	-	-	6	4	17	31	
-	20	66	5	1	9	-	6	-	-	-	5	8	-	19	32	
-	23	73	6	1	21	-	7	2	3	-	8	9	-	14	33	
-	33	84	11	1	10	1	13	11	5	3	7	21	2	33	34	
-	10	35	5	-	3	-	6	6	1	-	8	7	2	15	35	
-	23	49	6	1	7	1	2	5	2	1	5	7	1	18	36	
-	31	64	11	2	5	1	7	3	4	1	5	7	1	20	37	
-	49	109	13	5	18	-	15	7	6	-	11	21	6	47	38	
-	37	61	7	2	14	-	13	4	4	-	7	12	4	30	39	
-	12	48	6	3	4	-	2	4	2	-	4	9	2	17	40	
-	22	70	2	1	1	3	6	3	1	-	5	11	2	15	41	
-	15	52	12	1	15	-	7	4	2	-	3	9	3	27	42	
-	25	49	3	5	8	1	10	13	3	-	10	12	2	11	43	
-	50	187	17	3	25	-	8	10	5	2	11	36	2	50	44	
-	12	63	6	-	8	-	2	2	2	-	2	9	1	13	45	
-	27	74	8	-	13	-	4	4	2	-	19	1	1	24	46	
-	39	50	3	1	4	-	1	1	1	-	2	8	-	13	47	
-	11	30	5	-	9	-	22	34	17	-	21	37	20	119	48	
-	152	337	28	10	29	1	17	30	12	1	14	25	5	79	49	
-	45	97	12	3	10	-	5	4	5	-	7	12	15	40	50	
-	15	35	10	2	10	-	1	2	1	-	2	10	3	18	51	
-	26	58	4	1	14	-	2	5	-	-	2	6	3	25	52	
-	17	39	6	-	4	-	3	4	3	-	4	3	-	9	53	
-	22	46	8	-	7	-	2	2	1	1	3	7	-	14	54	
-	42	106	16	-	10	-	7	8	4	-	2	13	3	43	55	
-	23	88	11	-	4	-	6	5	2	-	-	5	1	25	56	
-	19	38	5	-	6	-	1	1	2	-	2	8	2	18	57	
-	40	81	16	2	17	1	4	3	6	1	3	14	3	33	58	
-	55	118	12	-	19	-	8	9	6	-	6	19	8	44	59	
-	34	63	7	-	10	-	5	5	5	-	4	12	8	30	60	
-	21	55	5	-	8	-	3	4	1	-	2	7	-	14	61	
-	14	40	10	1	8	-	8	-	-	-	4	8	1	37	62	
-	15	54	8	1	4	-	3	1	3	-	5	4	2	9	63	
-	14	46	4	-	1	-	5	2	2	-	1	6	3	21	64	
-	31	63	3	-	7	-	6	4	-	-	2	9	9	17	65	
-	12	48	8	-	5	-	6	1	1	-	3	6	5	21	66	
-	41	144	24	-	20	1	9	7	4	1	8	23	3	35	67	
-	31	109	17	-	13	1	6	5	2	1	3	15	2	29	68	
-	10	35	7	-	7	-	3	2	2	-	5	8	1	6	69	
-	17	57	5	-	6	-	5	1	2	-	4	8	9	9	70	
-	9	25	1	-	5	-	9	3	1	3	3	3	2	11	71	
-	34	86	19	-	9	-	9	8	1	-	2	15	14	100	72	
-	20	37	8	1	9	-	7	4	2	-	3	3	-	14	73	
-	22	60	5	-	14	1	17	5	-	-	7	12	3	23	74	
-	16	29	8	-	7	-	3	4	3	-	5	5	1	15	75	
-	197	737	87	10	71	5	65	73	25	6	39	113	11	277	76	
-	177	638	79	8	64	4	55	62	16	6	32	99	10	238	77	
-	20	99	8	2	7	1	10	11	7	-	6	14	1	39	78	
-	89	229	30	4	44	2	24	15	7	3	7	35	7	65	79	
-	69	167	22	4	32	1	17	10	2	2	4	21	4	52	80	
-	21	62	8	-	12	1	7	5	5	1	3	14	3	13	81	
-	34	65	3	4	12	-	5	3	1	-	2	12	2	25	82	
-	14	34	2	1	2	-	5	3	3	-	1	3	2	6	83	
-	12	51	2	-	3	1	1	4	2	-	5	7	1	19	84	
-	101	562	49	5	34	1	33	36	29	6	23	46	11	107	85	
-	79	291	44	4	25	-	25	29	24	-	15	38	9	88	86	
-	22	71	5	1	9	1	11	7	5	1	8	8	2	19	87	
-	14	56	4	-	7	-	7	7	-	1	2	6	1	11	88	
-	22	51	3	-	3	-	5	3	2	-	3	6	5	26	89	
-	36	93	13	1	11	1	11	14	3	-	10	18	3	53	90	
-	9	33	9	1	3	-	9	6	1	-	8	8	1	18	91	
-	27	60	8	-	8	1	2	8	2	-	8	10	2	35	92	
-	25	66	6	1	11	2	10	4	3	-	2	18	3	25	93	
-	14	54	3	-	13	-	2	2	-	-	5	10	1	13	94	
-	25	52	5	-	6	-	6	7	5	-	5	9	2	18	95	
-	27	89	3	-	5	-	1	3	3	-	-	11	3	17	96	

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	29	30	35	36	45-55	58	61
IOWA—Continued															
1 Wapello	508	-	-	-	-	-	5	-	-	5	-	-	75	-	22
2 Ottumwa	357	-	-	-	-	-	1	-	-	1	-	-	49	-	18
3 Balance of county	151	-	-	-	-	-	4	-	-	4	-	-	26	-	4
4 Warren	173	-	-	-	3	-	2	-	-	1	-	-	20	-	5
5 Washington	206	-	-	-	-	-	1	-	-	-	-	-	21	-	3
6 Wayne	143	-	-	-	-	1	1	-	-	1	-	-	24	-	4
7 Webster	446	1	-	-	-	-	3	-	-	2	-	-	79	-	16
8 Fort Dodge	506	-	-	-	-	-	2	-	-	2	-	-	56	-	13
9 Balance of county	140	1	-	-	-	-	1	-	-	-	-	-	23	-	3
10 Winnebago	116	-	-	-	-	-	1	-	-	1	-	-	19	-	1
11 Wineshick	240	-	-	-	1	-	2	-	-	1	-	-	30	1	6
12 Woodbury	1,056	-	1	-	1	-	14	-	-	7	-	1	146	1	26
13 Sioux City	848	-	-	-	1	-	14	-	-	6	-	1	154	1	22
14 Balance of county	188	-	1	-	-	-	-	-	-	1	-	-	22	-	4
15 Worth	112	-	-	-	-	-	2	-	-	-	-	-	17	-	2
16 Wright	162	-	-	-	-	-	2	-	-	1	-	-	24	-	3
17 KANSAS	18,700	-	13	-	19	4	322	4	-	146	1	9	2,405	12	481
18 Allen	257	-	-	-	-	-	2	-	-	-	-	-	31	-	9
19 Anderson	127	-	-	-	-	-	5	-	-	-	-	-	17	-	5
20 Atchison	271	-	-	-	1	-	3	-	-	3	-	-	54	-	4
21 Atchison	180	-	-	-	-	-	3	-	-	2	-	-	19	-	4
22 Balance of county	91	-	-	-	1	-	-	-	-	1	-	-	15	-	4
23 Barber	75	-	-	-	-	-	-	-	-	-	-	-	10	-	1
24 Barton	230	-	-	-	-	-	3	-	-	-	-	-	38	1	14
25 Bourbon	254	-	-	-	-	-	4	-	-	1	-	-	43	-	3
26 Fort Scott	186	-	-	-	-	1	3	-	-	1	-	-	32	-	2
27 Balance of county	68	-	-	-	1	-	1	-	-	1	-	-	11	-	3
28 Brown	193	-	-	-	-	-	1	-	-	-	-	-	14	-	4
29 Butler	284	-	-	-	1	-	4	1	-	1	-	1	32	-	5
30 El Dorado	157	-	-	-	-	-	1	-	-	-	-	-	29	-	4
31 Balance of county	127	-	-	-	1	-	1	-	-	1	-	-	14	-	4
32 Chase	56	-	-	-	-	-	-	-	-	-	-	-	15	-	5
33 Chautauque	61	-	-	-	-	-	1	-	-	1	-	-	4	-	4
34 Cherokee	285	-	-	-	-	-	18	-	-	1	-	-	19	1	7
35 Cheyenne	47	-	-	-	-	-	1	-	-	-	-	-	7	-	2
36 Clark	35	-	-	-	-	-	1	-	-	-	-	-	2	-	-
37 Clay	169	-	-	-	-	-	1	-	-	1	-	-	18	-	5
38 Cloud	231	-	1	-	-	-	-	-	-	-	1	-	26	-	5
39 Coffey	115	-	-	-	-	-	2	-	-	-	-	-	19	-	2
40 Comanche	56	-	-	-	-	-	2	-	-	-	-	-	2	-	-
41 Cowley	422	-	1	-	-	-	19	-	-	2	-	-	52	-	15
42 Arkansas City	149	-	-	-	-	-	3	-	-	1	-	-	16	-	2
43 Balance of county	273	-	1	-	-	-	15	-	-	1	-	-	36	-	11
44 Crawford	508	-	-	-	-	-	4	1	-	3	-	-	70	-	8
45 Pittsburg	180	-	-	-	-	-	1	1	-	1	-	-	26	-	3
46 Balance of county	328	-	-	-	-	-	3	-	-	1	-	-	44	-	5
47 Decatur	62	-	-	-	-	-	-	-	-	-	-	-	14	-	1
48 Dickinson	269	-	-	-	-	-	4	-	-	1	-	-	30	-	7
49 Doniphan	105	-	-	-	-	-	-	-	-	1	-	-	16	-	3
50 Douglas	302	-	-	-	-	-	6	1	-	3	-	-	41	-	7
51 Lawrence	211	-	-	-	-	-	3	1	-	3	-	-	27	-	6
52 Balance of county	91	-	-	-	-	-	3	-	-	-	-	-	14	-	1
53 Edwards	76	-	-	-	-	-	1	-	-	1	-	-	12	-	2
54 Elk	63	-	-	-	-	-	-	-	-	-	-	-	11	-	1
55 Ellis	123	-	-	-	-	-	-	-	-	-	-	-	14	1	6
56 Ellsworth	107	-	1	-	-	-	1	-	-	-	-	-	11	-	4
57 Finney	98	-	-	-	1	-	2	-	-	-	-	-	16	-	3
58 Ford	220	-	-	-	-	-	3	-	-	2	-	-	31	-	7
59 Franklin	251	-	-	-	-	-	7	-	-	1	-	-	27	-	7
60 Ottawa	168	-	-	-	-	-	4	-	-	1	-	-	20	-	4
61 Balance of county	83	-	-	-	-	-	3	-	-	-	-	-	7	-	3
62 Geary	136	-	-	-	-	-	1	-	-	1	-	-	24	-	6
63 Gove	30	-	-	-	1	-	-	-	-	-	-	-	6	-	-
64 Graham	33	-	-	-	-	-	-	-	-	-	-	-	5	-	-
65 Grant	22	-	-	-	-	-	-	-	-	-	-	-	1	-	1
66 Gray	26	-	-	-	-	-	-	-	-	-	-	-	6	-	6
67 Greeley	13	-	-	-	-	-	-	-	-	-	-	1	1	-	1
68 Greenwood	148	-	1	-	-	-	-	-	-	-	-	1	23	-	2
69 Hamilton	37	-	1	-	1	-	1	-	-	-	-	-	2	-	2
70 Harper	93	-	-	-	-	-	1	-	-	-	-	-	9	-	4
71 Harvey	220	-	-	-	1	-	2	-	-	1	-	-	37	-	6
72 Newton	138	-	-	-	1	-	2	-	-	-	-	-	26	-	5
73 Balance of county	82	-	-	-	-	-	-	-	-	1	-	-	11	-	1
74 Haskell	18	-	-	-	-	-	1	-	-	-	-	-	-	-	-
75 Hodgson	24	-	-	-	-	-	2	-	-	-	-	-	2	-	-
76 Jackson	149	-	-	-	-	-	-	-	-	1	-	-	21	-	4
77 Jefferson	126	-	-	-	-	-	1	-	-	1	-	-	15	-	4
78 Jewell	111	-	-	-	-	-	-	-	-	-	-	-	11	-	5
79 Johnson	329	-	-	-	-	-	2	-	-	1	-	-	51	1	7
80 Kearny	28	-	-	-	-	-	1	-	-	-	-	-	5	-	-
81 Kingman	67	-	-	-	-	-	1	-	-	-	-	-	13	-	4
82 Kiowa	34	-	-	-	-	-	1	-	-	-	-	-	8	-	3
83 Labette	398	-	1	-	-	-	14	-	-	3	-	-	46	-	11
84 Parsons	184	-	-	-	-	-	12	-	-	1	-	-	20	-	5
85 Balance of county	214	-	1	-	-	-	2	-	-	2	-	-	26	-	6
86 Lane	17	-	-	-	1	-	-	-	-	-	-	-	-	-	-
87 Leavenworth	485	-	-	-	1	-	16	-	-	9	-	-	61	-	12
88 Leavenworth	298	-	-	-	1	-	5	-	-	2	-	-	43	-	8
89 Balance of county	167	-	-	-	-	-	11	-	-	7	-	-	18	-	4
90 Lincoln	73	-	-	-	-	-	-	-	-	-	-	-	12	-	4
91 Linn	136	-	-	-	-	-	1	-	-	-	-	-	19	1	4
92 Logan	21	-	-	-	-	-	-	-	-	-	-	-	4	-	-
93 Lyon	262	-	-	-	-	-	3	-	-	2	-	-	44	-	3
94 Emporia	216	-	-	-	-	-	2	-	-	2	-	-	39	-	3
95 Balance of county	66	-	-	-	-	-	1	-	-	-	-	-	5	-	-

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

541

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Follicular (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Hemi- side	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	80-95	107- 109, 33	119, 120	130-132	140-150	157, 158, 160, 161	159	163, 164	165-168	170	169, 171-195	162, 199, 200		
-	66	160	15	3	30	-	11	13	4	1	11	28	3	58	1
-	51	114	10	2	22	-	9	12	4	-	9	17	2	37	2
-	15	46	5	1	8	-	2	2	-	1	2	9	1	21	3
-	25	57	7	1	11	-	1	2	2	-	5	11	2	18	4
-	22	64	14	-	14	1	8	7	4	-	6	11	1	29	5
-	15	37	4	-	19	-	7	8	-	-	1	4	-	17	6
-	44	122	12	2	35	2	13	8	5	1	13	18	4	68	7
-	31	73	10	1	24	2	6	6	2	1	10	15	3	45	8
-	13	49	2	-	9	-	5	2	1	-	3	3	1	23	9
-	10	40	2	-	13	-	7	6	2	-	6	6	2	6	10
-	30	77	15	2	7	1	12	9	6	-	3	13	1	23	11
-	124	325	46	6	36	3	30	26	17	1	26	46	8	143	12
-	84	270	38	6	32	3	21	22	15	1	17	38	5	119	13
-	30	55	10	-	4	-	9	4	2	-	9	10	3	24	14
-	15	29	8	1	7	-	2	2	1	-	2	5	-	17	15
-	17	66	7	-	1	1	7	2	1	1	6	4	6	13	16
6	2,119	5,819	735	75	1,245	46	515	415	214	67	430	949	271	2,578	17
1	44	84	6	3	14	-	11	7	3	1	6	13	3	21	18
-	17	47	3	1	4	-	1	1	2	1	1	10	1	15	19
-	23	85	3	1	34	-	10	6	1	1	8	14	2	31	20
-	23	49	3	1	23	-	8	6	1	1	3	11	2	21	21
-	5	36	2	-	11	-	2	-	-	-	5	3	-	10	22
-	4	27	6	1	3	-	4	3	-	-	1	11	4	4	23
-	22	69	14	-	10	-	9	6	2	1	6	11	2	22	24
-	21	84	11	-	16	1	5	9	3	2	2	16	3	29	25
-	17	57	4	-	14	1	4	6	2	2	1	14	3	23	26
-	4	27	7	-	2	1	1	3	2	2	1	2	-	6	27
-	22	66	12	-	12	-	6	3	3	3	5	10	4	12	28
-	40	89	15	-	31	-	14	7	4	-	5	16	3	31	29
-	21	51	4	-	15	-	8	4	1	-	2	12	1	18	30
-	19	38	4	-	16	-	6	3	3	-	3	4	2	13	31
-	5	13	3	-	2	-	2	-	-	-	-	2	-	5	32
-	51	95	16	2	23	-	6	8	1	-	1	11	4	35	34
-	7	7	4	-	4	-	3	2	1	-	1	3	2	6	35
-	4	11	1	1	4	-	1	1	1	-	1	1	2	5	36
-	24	54	4	-	9	-	6	2	2	2	4	9	5	25	37
-	20	31	6	-	17	2	5	8	6	1	5	27	1	27	38
-	11	37	3	1	6	-	2	3	-	-	1	5	2	21	39
-	5	10	1	1	4	1	2	2	1	-	3	1	2	3	40
-	42	131	13	3	30	-	10	11	8	1	12	19	8	48	41
-	20	47	9	-	13	-	2	7	4	1	5	4	4	12	42
-	22	84	5	3	17	-	8	4	4	-	7	15	4	36	43
-	69	184	15	2	22	2	11	7	3	1	8	23	5	73	44
-	18	77	6	-	7	-	3	3	1	1	4	7	2	20	45
-	51	107	9	-	15	2	8	4	4	1	4	18	3	53	46
-	3	17	2	-	8	-	-	-	2	2	1	5	1	6	47
-	35	87	5	4	26	-	-	8	4	-	4	16	4	33	48
-	12	30	5	1	11	1	2	2	1	1	1	7	3	16	49
-	32	106	7	2	6	1	5	4	4	1	5	48	3	48	50
-	17	77	2	1	11	-	3	4	4	1	11	35	1	35	51
-	15	29	5	1	-	1	2	2	-	-	4	13	2	13	52
-	6	21	1	-	6	-	3	2	1	-	5	4	1	9	53
-	9	19	2	-	5	-	5	3	1	-	1	8	3	8	54
-	11	27	6	1	4	1	6	6	2	-	4	4	-	29	55
-	15	33	3	1	8	-	7	1	2	-	4	8	2	17	58
-	8	25	1	3	8	1	3	3	1	1	2	6	1	15	57
-	15	71	5	2	16	-	2	8	1	1	10	10	1	24	58
-	30	94	7	2	15	-	3	3	-	-	5	12	3	30	59
-	19	65	3	2	10	-	6	1	4	-	4	22	5	22	60
-	11	29	4	-	5	-	3	2	2	-	1	5	2	8	61
-	14	41	7	-	7	2	3	3	2	2	7	12	2	12	62
-	3	12	1	-	1	-	1	2	-	-	-	1	2	2	63
-	3	10	2	-	5	-	1	1	1	-	-	2	2	6	64
-	2	4	2	1	-	-	1	1	1	-	4	4	1	2	65
-	2	5	1	-	1	-	1	2	1	-	1	5	1	1	66
-	2	1	1	-	2	-	1	1	1	-	3	1	1	1	67
-	9	57	1	-	12	1	4	1	1	1	4	1	1	22	68
-	4	7	3	-	1	-	1	3	-	-	5	1	2	3	69
-	12	29	2	1	16	2	2	2	-	-	4	1	5	4	70
-	21	67	9	1	5	-	16	8	1	-	4	11	1	13	71
-	16	43	6	-	3	-	6	4	-	-	1	10	1	13	72
-	5	24	3	1	2	-	6	4	1	-	3	16	1	16	73
-	3	6	1	-	1	-	1	1	2	1	1	1	1	1	74
-	3	9	1	-	-	-	2	-	-	-	2	3	-	1	75
-	20	61	1	-	7	1	2	2	2	-	7	5	-	17	76
-	25	42	1	-	9	-	3	1	2	1	1	4	1	13	78
-	13	40	5	-	12	-	2	-	3	-	1	5	-	13	79
-	15	108	16	-	20	-	11	8	8	1	10	24	11	35	80
-	3	9	1	-	2	-	1	-	-	-	-	3	-	10	81
-	28	6	1	1	7	-	3	2	-	2	4	2	3	6	82
-	6	1	-	-	1	-	3	2	-	-	-	6	5	6	83
-	41	103	11	1	35	3	7	7	8	2	11	20	3	43	84
-	16	45	4	-	10	-	4	5	4	1	4	7	2	26	85
-	25	58	7	1	25	3	5	2	4	1	7	13	2	4	86
-	1	5	1	-	1	-	-	-	-	-	-	2	-	1	87
-	50	138	16	2	41	1	7	6	3	1	4	29	1	55	88
-	54	96	10	1	29	1	4	7	2	1	1	23	1	25	89
-	16	52	6	1	12	-	3	1	1	-	3	6	1	5	90
-	8	15	3	-	6	-	3	4	2	-	2	6	2	14	91
-	18	49	5	-	3	1	1	1	-	-	3	3	2	3	92
-	-	2	7	1	34	-	6	8	2	-	14	10	9	31	93
-	17	85	6	1	29	-	6	6	1	-	11	11	9	25	94
-	11	25	1	-	5	-	-	2	1	-	5	3	1	6	95

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, polio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	3	4	5	6	7	8	9	10	11	12	13-15	16	17
KANSAS—Continued															
1 McPherson	179	-	-	-	-	-	2	-	-	-	-	-	15	-	6
2 Marion	162	-	-	-	1	-	1	-	-	1	-	-	21	-	5
3 Marshall	199	-	-	-	1	-	-	-	-	-	-	-	28	-	5
4 Meade	39	-	1	-	-	-	-	-	-	-	-	-	5	-	3
5 Miami	351	-	-	-	-	-	10	-	-	21	-	-	24	-	6
6 Mitchell	139	-	-	-	-	-	3	-	-	-	-	-	12	-	7
7 Montgomery	542	-	-	-	1	-	7	-	-	6	-	-	74	1	6
8 Coffeyville	164	-	-	-	-	-	3	-	-	-	-	-	21	-	1
9 Independence	167	-	-	-	-	-	2	-	-	2	-	-	24	-	5
10 Balance of county	211	-	-	-	1	-	2	-	-	4	-	-	29	1	2
11 Morris	86	-	-	-	-	-	1	-	-	-	-	-	7	-	1
12 Morton	15	-	-	-	-	-	1	-	-	-	-	-	3	-	-
13 Nemaha	142	-	-	-	-	-	1	-	-	-	-	-	25	-	3
14 Neosho	238	-	1	-	-	-	7	1	-	1	-	2	27	-	4
15 Chanute	157	-	1	-	-	-	5	1	-	1	-	1	14	-	3
16 Balance of county	101	-	-	-	-	-	2	-	-	-	-	1	13	-	1
17 Ness	52	-	-	-	-	-	-	-	-	1	-	-	4	-	1
18 Norton	98	-	1	-	-	-	25	-	-	-	-	-	10	-	-
19 Osage	149	-	-	-	-	-	1	-	-	1	-	-	28	-	2
20 Osborne	81	-	-	-	-	1	2	-	-	1	-	-	15	-	2
21 Ottawa	68	-	-	-	-	-	1	-	-	-	-	-	13	-	3
22 Pawnee	198	-	-	-	-	-	8	-	-	11	-	1	10	-	2
23 Phillips	68	-	-	-	-	-	1	-	-	-	-	-	12	-	2
24 Pottawatomie	148	-	-	-	-	-	2	-	-	-	-	-	15	-	4
25 Pratt	112	-	-	-	1	-	1	-	-	-	-	-	16	-	8
26 Rawlins	42	-	-	-	-	-	1	-	-	1	-	-	2	-	-
27 Reno	461	-	-	-	-	-	5	-	-	-	-	-	67	1	13
28 Hutchinson	336	-	-	-	-	-	4	-	-	-	-	-	49	-	12
29 Balance of county	125	-	-	-	-	-	1	-	-	-	-	-	19	1	1
30 Republic	106	-	-	-	-	-	-	-	-	-	-	1	18	-	2
31 Rice	131	-	-	-	-	-	-	-	-	-	-	-	15	-	2
32 Riley	169	-	-	-	-	-	-	-	-	1	-	-	22	-	5
33 Manhattan	120	-	-	-	-	-	-	-	-	-	-	-	16	-	5
34 Balance of county	49	-	-	-	-	-	-	-	-	-	-	-	6	-	-
35 Rooks	64	-	-	-	-	-	-	-	-	-	-	-	6	-	3
36 Rush	60	-	-	-	1	-	1	-	-	-	-	-	10	-	1
37 Russell	84	-	-	-	-	-	1	-	-	1	-	-	7	-	4
38 Saline	317	-	-	-	1	-	5	-	-	-	-	-	36	-	12
39 Saline	256	-	-	-	1	-	4	-	-	1	-	-	33	-	12
40 Balance of county	49	-	-	-	-	-	1	-	-	-	-	-	3	-	-
41 Scott	27	-	-	-	-	-	-	-	-	-	-	-	2	-	1
42 Sedgwick	1,659	-	2	-	1	-	31	-	-	14	-	2	214	2	33
43 Wichita	1,358	-	2	-	1	-	21	-	-	10	-	2	182	2	26
44 Balance of county	282	-	-	-	-	-	10	-	-	4	-	-	32	-	7
45 Seward	62	-	-	-	-	-	-	-	-	-	-	-	13	-	2
46 Shawnee	1,229	-	-	-	1	-	21	-	-	26	-	-	150	-	29
47 Topoka	824	-	-	-	1	-	8	-	-	7	-	-	106	-	19
48 Balance of county	405	-	-	-	-	-	13	-	-	19	-	-	44	-	10
49 Sheridan	34	-	-	-	-	-	-	-	-	-	-	-	6	-	2
50 Sherman	54	-	1	-	-	-	-	-	-	-	-	-	11	-	-
51 Smith	109	-	-	-	-	-	1	-	-	1	-	-	10	-	-
52 Stafford	83	-	-	-	-	-	-	-	-	-	-	-	7	-	2
53 Stanton	11	-	-	-	-	-	-	-	-	-	-	-	2	-	-
54 Stevens	25	-	-	-	-	1	-	-	-	-	-	-	3	-	-
55 Sumner	253	-	-	-	1	-	3	-	-	-	-	1	39	1	5
56 Thomas	59	-	-	-	-	-	-	-	-	-	-	-	5	-	3
57 Trego	34	-	-	-	-	-	-	-	-	-	-	-	2	1	-
58 Wabaunsee	79	-	-	-	-	-	-	-	-	-	-	-	14	-	5
59 Wallace	11	-	-	-	-	-	-	-	-	-	-	-	2	-	2
60 Washington	114	-	-	-	-	-	-	-	-	-	-	-	24	-	3
61 Wichita	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-
62 Wilson	183	-	-	-	-	-	2	-	-	1	-	-	24	-	5
63 Woodson	76	-	-	-	-	-	-	-	-	-	-	-	7	-	-
64 Wyandotte	1,715	-	1	-	2	1	40	-	-	16	-	-	214	1	54
65 Kansas City	1,502	-	1	-	2	1	36	-	-	16	-	-	194	1	51
66 Balance of county	213	-	-	-	-	-	4	-	-	-	-	-	20	-	3
67 KENTUCKY	28,371	16	28	9	91	47	1,472	40	5	191	5	10	2,963	30	495
68 Adair	154	-	1	-	2	-	9	-	-	-	-	-	13	-	3
69 Allen	159	-	-	-	-	-	15	1	-	-	-	-	11	-	5
70 Anderson	90	1	-	-	1	-	3	-	-	-	-	-	7	-	-
71 Ballard	99	-	-	-	-	-	5	-	-	1	-	-	10	-	-
72 Barren	297	-	-	2	2	-	29	-	1	-	1	-	27	-	2
73 Bath	118	1	-	-	-	-	10	-	-	-	-	-	15	-	-
74 Bell	405	-	1	-	1	-	19	2	-	4	-	1	39	1	6
75 Middlesborough	134	-	-	-	-	-	5	-	-	3	-	-	16	-	4
76 Balance of county	271	-	1	-	1	-	14	2	-	1	-	1	23	1	4
77 Boone	144	-	-	-	-	1	4	-	-	-	-	-	22	1	4
78 Bourbon	222	-	-	-	-	-	8	-	-	-	-	-	26	-	2
79 Boyd	372	-	-	-	-	1	23	-	-	2	-	-	51	-	5
80 Ashland	257	-	-	-	-	1	14	-	-	2	-	-	39	-	1
81 Balance of county	115	-	-	-	-	-	9	-	-	-	-	-	12	-	4
82 Boyle	243	-	-	-	1	-	14	3	-	1	-	-	29	2	3
83 Bracken	119	-	-	-	-	-	2	1	-	1	-	-	13	-	2
84 Breathitt	101	-	-	-	1	1	5	-	-	-	-	-	9	-	2
85 Breckinridge	182	-	-	-	1	-	10	-	-	-	-	-	26	-	3
86 Bullitt	96	-	-	-	4	-	4	-	-	-	-	-	6	-	2
87 Butler	126	-	1	-	1	-	6	-	-	-	-	-	9	-	1
88 Caldwell	152	-	-	-	-	-	9	-	-	1	-	-	15	-	4
89 Calloway	170	-	-	-	1	-	6	-	-	-	-	-	19	-	5
90 Campbell	860	-	2	-	2	1	20	-	-	7	-	-	119	-	14
91 Newport	416	-	2	-	1	-	6	-	-	5	-	-	45	-	9
92 Fort Thomas	108	-	-	-	1	-	1	-	-	-	-	-	14	-	3
93 Balance of county	536	-	-	-	-	1	13	-	-	4	-	-	56	-	2
94 Carlisle	52	-	-	-	1	-	2	-	-	-	-	-	2	-	-
95 Carroll	96	-	-	-	-	-	3	-	-	-	-	-	15	-	2

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

543

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1958 revision.)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes		
68	85	90-95	107- 109, 33	119, 120	130-132	140-150	157, 158, 160, 161	159	163, 164	165-168	170	169, 171-195	162, 199, 200			
-	17	60	5	1	17	-	2	3	2	-	5	13	6	25	1	
-	20	74	8	2	12	1	1	2	1	-	4	9	1	18	2	
-	33	56	8	2	15	-	6	4	4	-	-	10	5	22	3	
-	2	6	6	1	1	-	-	-	-	-	2	3	2	5	4	
-	38	89	15	1	29	-	7	4	3	2	3	13	9	57	5	
-	17	50	2	-	14	-	3	-	-	-	6	22	6	22	6	
-	78	176	33	-	30	-	11	6	4	5	3	21	7	68	7	
-	27	40	15	-	11	-	7	1	2	3	2	4	4	24	8	
-	25	55	8	-	11	-	3	2	1	2	2	6	5	18	9	
-	26	61	10	-	8	-	1	3	1	2	2	11	3	26	10	
-	10	29	4	2	6	-	2	2	-	-	-	3	3	15	11	
-	-	1	-	-	1	-	1	2	-	-	2	-	-	4	12	
-	19	50	8	-	5	-	8	2	1	-	-	4	1	15	13	
-	30	73	10	1	9	-	5	5	4	2	1	11	6	38	14	
-	17	37	7	-	6	-	1	1	1	-	-	6	6	28	15	
-	13	36	3	1	3	-	4	4	3	1	1	5	-	10	16	
-	11	10	3	-	5	-	1	3	1	-	1	7	-	4	17	
-	10	23	4	-	4	-	-	-	-	7	-	6	-	14	18	
-	12	57	7	-	7	1	3	1	3	-	1	6	4	15	19	
-	11	15	3	1	11	-	1	3	1	1	1	3	3	12	20	
-	7	30	4	-	3	-	1	1	1	1	3	1	6	8	21	
-	21	59	6	-	9	-	2	2	2	1	4	7	1	54	22	
-	3	33	5	-	18	-	-	-	-	1	1	2	2	8	23	
-	11	40	6	-	20	-	5	4	1	-	-	6	1	27	24	
-	12	33	6	-	5	1	6	-	1	-	-	6	6	14	25	
-	3	14	4	-	3	-	3	-	-	-	1	2	2	9	26	
-	57	142	25	1	23	-	9	14	9	1	6	24	2	60	27	
-	27	104	18	1	20	-	8	10	7	-	5	18	1	43	28	
-	20	36	7	-	3	-	1	4	2	1	3	6	1	17	29	
-	12	37	4	-	5	-	1	1	3	-	3	2	6	11	30	
-	19	49	6	-	4	2	4	2	2	-	-	11	3	11	31	
-	26	41	4	1	11	-	13	4	-	1	4	9	6	22	32	
-	15	31	3	1	10	-	9	4	-	1	4	5	2	15	33	
-	11	10	1	-	1	-	4	2	-	-	1	4	4	7	34	
-	4	15	1	-	12	-	2	2	1	-	-	4	4	9	35	
-	15	17	1	-	-	1	2	3	1	-	2	3	-	4	36	
-	12	25	4	-	5	-	7	1	-	-	4	5	-	9	37	
1	41	95	8	-	12	-	13	14	2	-	8	17	10	41	38	
1	32	81	8	-	9	-	10	11	2	-	5	15	9	34	39	
1	9	14	4	-	3	-	3	3	-	-	3	2	1	7	40	
2	3	5	4	-	-	-	1	2	-	-	1	1	4	3	41	
1	149	470	92	6	105	5	65	47	31	10	48	78	21	210	42	
1	121	400	73	5	79	5	61	46	21	8	39	64	14	173	43	
1	28	70	19	1	26	-	4	1	10	2	9	14	7	37	44	
1	5	20	2	1	1	-	2	3	1	1	1	8	-	8	45	
1	203	321	60	3	76	4	29	27	11	3	16	55	23	171	46	
1	117	249	29	2	61	4	27	24	7	3	14	41	6	99	47	
-	86	72	31	1	15	-	4	3	4	-	2	14	17	72	48	
-	2	8	1	1	2	-	2	2	-	-	2	2	-	4	49	
-	4	11	-	1	3	-	1	1	1	-	4	6	1	6	50	
-	14	35	5	-	9	-	2	1	6	3	2	4	-	16	51	
-	15	27	3	-	6	-	3	3	1	-	2	2	2	12	52	
-	-	6	-	-	-	-	-	-	-	-	1	-	-	2	53	
-	1	8	-	1	1	-	1	1	1	-	3	4	-	2	54	
-	23	99	5	-	6	-	5	9	3	1	7	16	4	25	55	
-	8	25	5	-	1	-	-	-	1	-	1	6	-	4	56	
-	5	11	-	-	-	1	-	-	1	-	4	1	-	8	57	
-	9	29	1	-	-	-	1	1	-	-	2	4	4	9	58	
-	2	2	1	-	-	-	1	1	1	-	-	-	-	59		
-	12	30	8	1	3	-	5	1	-	-	4	6	1	16	60	
-	-	4	-	-	-	-	-	-	-	-	1	2	-	3	61	
-	29	54	3	-	7	-	9	5	1	-	3	8	-	33	62	
-	14	23	8	-	3	-	2	3	-	-	2	4	1	8	63	
-	172	558	88	11	125	8	47	37	13	9	43	84	12	199	64	
-	153	460	64	10	107	8	45	34	13	8	31	73	10	164	65	
-	19	98	4	1	18	-	2	3	-	1	12	11	2	15	66	
23	2,860	7,668	1,813	249	1,692	140	977	919	265	292	719	1,516	672	3,177	67	
-	14	53	7	1	8	-	8	3	-	1	1	3	6	21	68	
-	17	50	7	2	4	1	4	1	1	1	4	6	4	18	69	
-	14	20	11	-	5	-	5	1	4	1	2	1	1	13	70	
-	13	24	4	-	3	-	4	3	-	-	1	5	12	15	71	
-	25	86	17	-	17	-	10	7	3	3	9	12	2	32	72	
-	13	26	8	-	5	-	4	7	3	-	3	5	1	15	73	
1	29	68	33	6	34	-	18	21	2	11	5	32	34	36	74	
-	14	27	8	1	15	-	7	4	3	1	1	7	8	15	75	
1	15	41	25	5	21	-	11	17	2	8	4	25	26	22	76	
-	12	54	6	-	2	-	3	5	1	-	3	7	1	11	77	
-	27	63	14	4	24	3	8	6	1	2	3	9	6	16	78	
-	33	99	29	6	18	2	15	14	5	4	4	21	3	37	79	
-	27	73	18	5	9	-	10	9	5	2	2	15	2	25	80	
-	6	26	11	1	9	2	5	5	-	2	2	6	1	14	81	
-	28	53	22	7	15	1	4	4	2	1	7	9	9	33	82	
-	10	33	15	-	8	-	4	1	-	-	3	8	1	11	83	
-	8	25	6	1	2	-	5	2	1	3	3	12	9	8	84	
-	15	50	9	2	15	2	9	8	2	3	3	4	1	21	85	
-	9	24	5	1	7	-	4	1	1	1	6	8	2	11	86	
-	16	29	14	-	7	2	5	1	1	1	8	3	2	19	87	
-	15	46	5	1	9	1	4	4	1	2	4	6	8	20	88	
3	21	47	11	-	7	-	6	8	2	1	4	9	2	19	89	
1	78	333	37	5	35	4	25	21	4	2	13	43	5	69	90	
1	33	164	24	5	16	3	15	10	2	2	5	24	2	45	91	
-	5	50	2	-	4	-	2	1	-	-	3	6	1	11	92	
1	40	119	11	-	15	1	8	10	2	-	5	13	2	33	93	
-	7	23	3	-	1	-	-	2	-	-	-	1	2	8	94	
-	20	20	5	-	3	1	3	3	-	1	3	3	1	13	95	

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
KENTUCKY—Continued															
1 Carter	158	-	-	1	-	-	7	1	-	-	-	-	15	-	1
2 Casey	146	-	-	-	1	-	18	-	-	-	-	3	13	-	2
3 Christian	654	1	1	-	1	-	64	1	-	14	-	-	48	-	10
4 Hopkinsville	206	-	1	-	-	-	11	1	-	1	-	-	19	-	4
5 Balance of county	449	1	-	-	1	-	53	-	-	13	-	-	29	-	6
6 Clark	232	-	1	-	5	-	12	-	-	1	-	-	28	-	4
7 Clay	126	-	-	-	-	1	11	-	-	-	-	-	13	-	2
8 Clinton	64	1	-	-	-	-	6	-	-	-	-	-	5	1	3
9 Crittenden	117	-	-	-	1	-	7	-	-	1	-	-	6	-	2
10 Cumberland	95	-	-	-	1	-	8	-	-	-	-	-	10	-	1
11 Daviess	607	-	-	-	1	1	19	1	-	1	-	-	65	-	10
12 Owensboro	406	-	-	-	-	1	15	-	-	1	-	-	48	-	8
13 Balance of county	201	-	-	-	1	-	4	1	-	-	-	-	17	-	2
14 Edmonson	74	-	-	-	2	-	8	-	-	-	-	-	6	-	4
15 Elliott	38	-	-	-	-	-	3	-	-	-	-	-	4	-	-
16 Estill	123	1	-	-	-	1	8	-	-	-	-	-	14	-	-
17 Fayette	1,177	-	1	-	-	-	83	1	-	37	-	-	121	1	16
18 Lexington	860	-	1	-	-	-	64	1	-	27	-	-	98	-	12
19 Balance of county	317	-	-	-	1	-	19	-	-	10	-	-	33	1	4
20 Fleming	153	-	-	-	1	-	11	-	-	1	-	-	17	-	6
21 Floyd	385	-	1	-	9	2	33	1	-	1	1	-	16	1	6
22 Franklin	247	-	-	-	-	-	17	-	-	1	-	-	23	-	8
23 Frankfort	145	-	-	-	-	-	11	-	-	1	-	-	8	-	3
24 Balance of county	102	-	-	-	-	-	6	-	-	-	-	-	15	-	3
25 Fulton	148	-	-	-	1	-	4	-	2	-	-	-	17	-	1
26 Gallatin	57	-	-	-	-	-	7	-	-	-	-	-	8	-	2
27 Garrard	103	-	-	-	-	-	5	-	-	-	-	-	10	-	-
28 Grant	132	-	-	-	-	-	7	-	-	-	-	-	18	-	3
29 Graves	502	-	1	-	-	-	17	-	-	2	-	-	37	2	5
30 Grayson	174	-	-	-	1	1	7	-	-	-	-	-	26	-	2
31 Green	105	-	-	-	-	-	7	-	-	1	-	-	7	-	-
32 Gretna	184	2	-	-	1	2	11	-	-	-	-	-	13	2	6
33 Hancock	89	-	2	1	-	-	-	-	-	-	-	-	7	-	1
34 Harlan	302	-	1	5	3	3	14	-	1	1	1	1	27	-	2
35 Harrison	525	1	1	-	2	3	18	1	1	9	1	1	38	2	7
36 Harrison	168	-	-	-	-	-	1	-	-	1	-	-	23	-	5
37 Hart	133	1	-	-	-	-	11	-	-	-	-	-	19	-	4
38 Henderson	352	-	-	-	-	-	9	1	-	1	-	-	38	-	3
39 Henderson	206	-	-	-	-	-	6	-	-	1	-	-	23	-	3
40 Balance of county	144	-	-	-	-	-	3	1	-	-	-	-	15	-	-
41 Henry	147	-	1	-	-	-	3	-	-	2	-	-	17	1	3
42 Hickman	90	-	-	-	-	-	2	-	-	-	-	-	16	-	-
43 Hopkins	429	-	-	-	2	1	16	-	-	1	-	-	45	-	8
44 Jackson	82	-	-	-	-	-	4	1	-	1	-	-	7	-	1
45 Jefferson	5,216	1	7	-	13	3	287	1	-	54	-	1	601	2	108
46 Louisville	4,910	1	7	-	12	3	213	-	-	22	-	1	516	1	94
47 Balance of county	96	-	-	-	1	-	74	1	-	32	-	-	85	1	14
48 Jessamine	124	-	-	-	-	-	5	-	-	2	-	1	13	-	5
49 Johnson	197	1	-	-	-	1	12	-	-	-	-	-	13	-	4
50 Kenton	1,080	-	1	1	-	1	33	-	-	5	-	-	160	1	31
51 Covington	768	-	-	-	-	-	25	-	-	4	-	-	109	1	21
52 Balance of county	315	-	1	1	-	1	8	-	-	1	-	-	51	-	10
53 Knott	82	-	1	1	-	-	8	-	-	-	-	-	4	-	-
54 Knox	252	-	-	-	2	-	15	1	-	2	-	-	13	1	3
55 Laclede	106	-	-	-	1	-	10	-	-	-	-	-	11	-	3
56 Laurel	169	-	-	-	1	1	8	-	-	2	-	-	18	-	7
57 Lawrence	147	-	-	-	-	-	9	-	-	1	-	1	19	-	-
58 Lee	66	-	1	-	-	-	5	-	-	-	-	-	5	-	1
59 Leslie	82	-	-	-	-	1	2	-	-	1	-	1	3	1	1
60 Letcher	278	-	-	-	-	-	14	-	-	-	-	-	5	-	1
61 Lewis	160	-	-	-	-	-	8	1	-	2	-	-	23	1	4
62 Lincoln	200	-	-	-	2	-	9	-	-	-	-	-	21	-	2
63 Livingston	94	-	-	-	-	-	2	-	-	-	-	-	20	-	4
64 Logan	286	-	-	-	3	1	17	-	-	-	-	-	7	-	1
65 Lyon	92	-	-	-	-	-	1	1	-	-	-	-	32	1	1
66 McCracken	577	-	-	-	1	-	25	-	-	3	-	-	7	-	-
67 Paducah	440	-	-	-	1	-	20	-	-	2	-	-	56	-	11
68 Balance of county	137	-	-	-	-	-	5	-	-	1	-	-	45	-	10
69 McGrew	89	1	-	-	-	-	3	1	-	-	-	-	11	-	1
70 Meaden	110	-	-	-	-	-	4	1	-	-	-	-	8	-	-
71 Madison	291	-	-	-	-	-	11	-	-	1	-	-	11	-	1
72 Magoffin	65	-	-	2	-	-	1	-	-	-	-	-	28	-	3
73 Marion	172	-	-	-	-	-	6	-	-	-	-	-	1	-	-
74 Marshall	106	-	-	-	-	-	14	-	-	-	-	-	14	-	10
75 Martin	71	-	-	-	-	1	4	-	-	2	-	-	10	-	1
76 Mason	230	-	-	-	-	1	4	-	-	-	-	-	4	1	-
77 Meade	64	-	-	-	-	-	12	-	-	1	-	-	28	-	2
78 Menifee	50	-	-	-	-	-	3	-	-	-	-	-	3	1	-
79 Mercer	171	-	-	-	-	-	4	-	-	-	-	-	3	-	-
80 Metcalfe	104	-	-	-	-	-	6	-	-	-	-	-	20	-	5
81 Monroe	113	-	1	1	-	-	7	-	-	-	-	-	8	-	2
82 Montgomery	157	-	-	-	-	1	9	-	-	-	-	-	7	-	-
83 Morgan	104	-	-	-	1	2	11	-	-	2	-	-	18	-	4
84 Muhlenberg	301	-	-	-	-	-	4	-	1	-	-	-	11	-	1
85 Nelson	189	1	-	-	-	-	7	-	-	-	-	-	27	-	4
86 Nicholas	115	-	-	-	-	-	7	1	-	-	-	-	16	-	4
87 Ohio	207	1	-	-	-	-	2	-	-	2	-	-	9	-	3
88 Oldham	98	-	-	-	-	5	7	-	-	-	-	-	22	-	1
89 Owen	114	1	-	-	-	-	5	-	-	2	-	-	9	-	3
90 Owsley	36	-	-	-	-	-	8	-	-	-	-	-	15	-	2
91 Pendleton	124	-	-	-	-	-	2	-	-	-	-	-	3	-	-
92 Perry	342	-	-	-	-	1	10	-	-	2	-	-	20	-	5
93 Pike	577	1	-	-	-	-	26	2	-	2	-	-	31	1	3
94 Powell	68	-	-	-	4	2	28	7	-	3	-	-	30	1	11
95 Pulaski	355	-	-	-	-	1	3	-	-	-	-	-	10	-	-
96 Robertson	34	-	1	-	1	1	23	1	-	3	-	-	34	-	8
97 Rockcastle	93	-	-	-	-	-	1	-	-	1	-	-	4	-	3

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Semility, ill-defined, and unknown causes	All other causes
69	85	90-95	107-109, 53	119, 120	130-132	140-150	157, 158, 160, 161	159	163, 164	165-168	170	169, 171-195	162, 198, 200	
-	21	30	23	1	4	-	5	6	1	3	2	12	8	17
-	10	31	10	1	10	-	12	10	1	2	4	1	5	12
-	78	115	37	1	58	3	7	19	10	7	20	9	145	3
-	22	56	9	1	51	-	4	7	5	2	8	1	22	4
-	57	59	28	-	27	3	3	12	5	5	12	8	125	5
-	36	55	14	2	14	-	9	3	2	5	15	1	25	6
-	5	29	16	4	1	1	8	9	1	3	9	9	5	5
-	8	9	7	-	2	2	2	2	1	2	5	5	4	6
1	11	30	5	1	3	-	5	7	2	1	6	6	10	14
-	9	24	4	-	6	1	2	2	-	-	2	2	5	10
1	52	160	34	4	54	6	26	17	7	1	25	31	78	11
1	30	106	22	1	34	4	14	13	2	1	16	25	54	12
-	22	54	12	3	20	2	2	4	5	9	6	6	24	13
-	8	17	4	-	4	-	2	3	1	1	2	2	10	14
-	4	10	3	-	1	-	2	2	-	-	4	2	15	1
-	13	24	9	2	7	-	4	4	-	-	3	4	10	21
1	118	333	65	5	58	5	25	23	7	22	48	48	165	17
1	81	244	45	3	43	3	16	13	6	7	35	35	121	18
-	37	89	20	2	13	-	9	10	1	2	15	4	44	19
-	17	42	10	-	10	-	2	2	2	5	16	20	16	20
-	24	64	34	3	16	-	15	5	8	8	19	10	25	21
-	30	48	17	4	14	5	7	21	5	2	44	10	35	22
-	16	34	11	3	8	2	5	7	2	2	11	2	50	23
-	14	14	6	3	6	1	2	5	2	2	9	9	24	24
1	13	29	16	2	14	-	2	9	1	1	7	7	13	25
-	8	13	4	-	1	-	2	2	1	1	1	1	4	26
-	6	25	8	1	14	-	3	1	3	1	2	2	17	27
-	14	43	5	1	6	-	3	4	1	1	6	6	19	28
1	45	78	22	1	16	-	6	2	3	3	11	11	38	29
-	24	29	17	2	15	-	3	5	3	3	6	4	17	30
-	10	40	5	-	5	-	6	3	1	-	7	3	8	31
-	19	45	16	1	5	2	6	8	-	-	10	5	20	32
-	2	19	5	-	5	1	3	3	-	-	7	3	6	33
1	22	66	22	3	12	2	16	11	4	4	12	18	10	44
-	30	114	34	14	23	3	27	18	1	12	21	68	9	66
-	34	60	5	-	2	-	4	4	3	1	3	7	1	14
-	8	25	8	-	14	-	6	5	1	1	9	5	10	37
-	44	105	29	-	34	1	7	6	1	3	10	27	31	38
-	28	39	20	-	25	-	3	3	1	4	4	11	18	39
-	16	46	9	-	9	1	4	3	-	2	16	16	13	40
-	17	38	6	-	10	-	3	6	3	2	1	4	2	28
-	9	20	4	-	4	-	2	4	3	2	10	3	11	42
-	48	123	25	10	29	3	9	19	-	4	6	37	4	41
-	10	19	9	2	5	-	4	2	1	1	1	5	2	6
1	491	1,616	261	70	305	17	153	151	54	59	100	213	43	604
1	427	1,358	200	57	263	16	130	124	52	57	73	170	36	476
-	64	258	61	15	42	1	23	27	2	2	43	7	128	47
-	18	54	5	-	6	-	1	1	-	-	1	5	4	17
-	21	50	11	3	12	1	9	8	1	-	13	10	20	49
1	109	354	50	4	51	6	50	32	13	4	18	48	4	123
1	69	261	33	3	38	4	23	26	10	3	13	39	2	61
-	40	93	17	1	15	2	7	6	3	1	5	9	2	42
5	10	7	7	-	4	3	2	4	1	4	7	6	4	15
20	54	32	23	-	23	2	12	11	-	4	8	20	11	18
9	26	9	17	-	17	-	1	4	-	-	2	3	2	8
-	28	34	24	1	11	1	7	5	2	1	6	9	5	17
-	17	31	11	2	9	2	8	8	-	4	4	7	9	57
-	5	15	12	-	1	1	-	1	1	2	3	5	1	7
-	6	14	5	1	4	1	5	3	-	3	3	6	9	12
-	15	41	21	4	9	3	36	11	2	5	15	32	24	16
-	16	28	15	2	13	-	4	8	1	-	4	10	5	21
1	23	62	11	3	15	-	8	7	1	5	5	12	3	9
-	13	35	6	-	5	-	-	4	4	1	4	4	4	7
-	30	63	9	1	13	-	12	14	3	2	7	18	6	33
-	13	40	2	1	10	-	1	2	2	1	1	1	1	8
1	84	183	25	1	24	1	15	24	8	6	11	26	14	53
1	61	135	18	1	20	1	18	20	5	7	8	19	11	40
-	23	48	7	-	4	-	3	4	3	1	3	7	3	13
-	11	19	2	5	6	-	4	3	-	1	3	11	3	8
-	7	23	11	-	11	1	2	3	3	1	4	7	3	17
-	21	79	19	1	37	2	18	7	1	3	6	13	7	34
-	10	11	13	1	1	-	3	4	-	-	3	3	6	3
-	24	37	15	2	9	2	6	7	2	-	9	7	1	22
-	9	36	6	1	11	-	1	1	1	-	4	3	1	6
-	2	14	10	2	5	-	2	4	1	-	4	6	4	74
-	13	67	22	-	18	-	5	9	8	-	5	10	5	25
-	10	16	7	1	3	-	2	7	-	-	2	3	1	7
-	5	8	2	1	6	-	4	4	-	2	3	2	3	7
-	23	54	10	-	8	1	5	3	4	-	4	9	3	16
-	8	27	6	-	10	-	2	3	2	1	1	8	4	14
-	12	30	3	-	6	-	4	6	1	2	6	3	5	17
-	13	41	7	-	11	2	4	5	5	3	2	10	2	15
-	5	42	5	-	7	-	6	3	1	3	3	2	9	3
-	34	73	18	-	20	3	15	12	1	7	10	16	2	51
-	16	58	15	4	15	2	8	4	1	3	6	11	5	21
-	24	28	8	-	4	-	7	5	2	-	1	8	-	14
-	30	64	15	5	12	-	5	2	2	-	12	3	3	20
-	14	20	5	-	9	-	3	1	2	2	4	10	3	6
-	11	27	10	-	2	1	1	1	1	3	3	8	1	22
-	4	11	2	-	-	1	2	-	-	1	-	6	1	3
-	11	41	-	-	9	-	2	-	-	-	1	8	5	11
2	22	60	32	5	14	7	15	11	1	14	16	36	8	52
43	117	75	4	4	23	8	23	30	3	9	32	61	13	49
2	10	5	-	-	2	1	4	3	-	-	3	2	14	8
-	26	18	-	-	24	1	15	10	2	1	12	15	14	39
-	1	6	-	-	2	-	-	3	-	-	-	5	1	6
-	15	19	5	-	5	-	4	3	-	-	3	8	5	7

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
KENTUCKY—Continued															
1 Rowan	90	-	-	-	-	-	7	-	-	-	-	-	10	-	1
2 Russell	105	-	-	-	-	1	15	-	-	1	-	-	6	1	2
3 Scott	171	-	-	-	-	-	8	-	-	-	-	-	27	-	4
4 Shelby	189	-	-	-	1	-	9	1	-	-	-	-	16	-	1
5 Simpson	114	-	-	-	-	-	5	-	-	-	-	-	16	1	2
6 Spencer	49	-	-	-	2	-	1	-	-	-	-	-	5	-	-
7 Taylor	126	-	-	-	1	-	5	2	-	-	-	-	12	1	1
8 Todd	159	-	-	-	-	-	8	-	-	1	-	1	18	-	2
9 Trigg	106	-	-	-	-	-	8	1	-	1	-	-	9	-	2
10 Trimble	50	-	-	-	-	-	2	-	-	-	-	-	9	-	-
11 Union	152	-	-	-	-	-	4	-	-	-	-	-	24	-	2
12 Warren	409	-	1	-	2	-	12	1	-	-	-	-	40	1	8
13 Bowling Green	200	-	-	-	1	-	8	-	-	-	-	-	16	1	5
14 Balance of county	209	-	1	-	1	-	4	1	-	-	-	-	24	-	1
15 Washington	112	-	1	-	-	-	4	-	-	-	-	-	13	-	-
16 Wayne	98	-	-	-	-	-	6	-	-	1	-	-	2	-	2
17 Webster	174	-	-	-	-	-	2	-	-	-	-	-	16	-	4
18 Whitley	228	-	-	-	1	-	14	1	-	1	-	-	14	1	5
19 Wolfe	68	-	-	-	1	1	2	-	-	-	-	-	5	-	1
20 Woodford	101	-	1	-	1	-	2	-	-	-	-	-	15	-	1
21 LOUISIANA	23,395	24	18	-	68	22	996	17	10	409	10	7	2,755	21	440
22 Acadia	393	1	-	-	1	-	18	-	-	1	1	-	57	-	10
23 Allen	170	-	-	-	-	-	4	-	-	2	-	-	24	1	-
24 Ascension	204	-	-	-	1	-	4	-	-	-	-	-	28	-	6
25 Assumption	160	-	1	-	2	1	4	-	-	-	-	-	15	-	-
26 Avoyelles	296	-	-	-	3	-	10	-	-	-	-	-	57	-	6
27 Beauregard	144	-	-	-	1	-	4	1	-	-	-	-	12	-	2
28 Bienville	190	-	-	-	2	-	5	-	-	1	-	-	16	-	2
29 Bossier	227	-	-	-	2	-	7	1	-	-	-	-	25	-	1
30 Caddo	1,534	2	-	-	3	3	60	-	1	26	1	-	182	1	25
31 Shreveport	1,154	2	-	-	2	2	37	-	1	18	-	-	151	1	21
32 Balance of parish	390	-	-	-	1	1	23	-	1	8	-	-	31	-	2
33 Calcasieu	605	-	-	-	4	1	19	-	-	2	-	-	69	2	12
34 Lake Charles	336	-	1	-	2	-	9	-	-	1	-	-	38	-	6
35 Balance of parish	269	-	-	-	2	1	10	-	-	1	-	-	51	2	6
36 Caldwell	89	-	-	-	1	-	5	-	-	-	-	-	6	-	2
37 Cameron	37	-	-	-	-	-	1	-	-	-	-	-	2	-	-
38 Catahoula	102	-	-	-	-	-	3	-	1	1	-	-	11	1	2
39 Claiborne	202	-	-	-	3	-	11	1	-	3	-	-	15	2	2
40 Concordia	141	-	-	-	-	1	5	-	2	5	-	-	26	-	1
41 De Soto	240	-	-	-	-	-	3	-	-	8	-	-	20	-	2
42 East Baton Rouge	1,010	1	1	-	-	2	35	1	1	14	1	2	105	1	29
43 Baton Rouge	397	1	1	-	-	1	16	1	-	6	-	-	46	-	11
44 Balance of parish	613	-	-	-	-	1	19	-	1	8	1	2	59	1	17
45 East Carroll	143	1	-	-	1	1	5	-	-	3	-	-	15	-	2
46 East Feliciana	529	2	-	-	1	-	56	1	-	70	-	-	26	-	4
47 Evangeline	221	-	-	-	-	-	11	-	-	2	-	-	29	-	3
48 Franklin	198	-	-	-	4	-	10	-	-	5	-	-	20	-	5
49 Grant	120	-	-	-	1	-	3	-	-	1	-	-	14	-	3
50 Iberia	361	-	-	-	3	-	13	2	-	1	1	-	25	-	10
51 New Iberia	169	-	-	-	1	-	8	-	-	-	-	-	11	-	3
52 Balance of parish	192	-	-	-	2	-	5	2	-	1	1	-	12	-	7
53 Iberville	290	-	-	-	1	-	14	-	-	3	-	-	35	-	4
54 Jackson	132	-	1	-	-	-	1	-	-	2	-	-	15	-	5
55 Jefferson	542	-	-	-	1	1	22	-	-	9	1	-	78	1	16
56 Gretna	84	-	-	-	-	-	3	-	-	1	-	-	20	1	3
57 Balance of parish	448	-	-	-	1	1	19	-	-	6	1	-	58	-	13
58 Jefferson Davis	202	1	1	-	4	-	4	-	-	4	-	-	21	-	3
59 Lafayette	405	1	2	-	2	1	23	-	-	6	-	-	69	-	6
60 Lafayette	251	1	1	-	-	-	16	-	-	3	-	-	37	-	5
61 Balance of parish	154	-	1	-	2	1	7	-	-	3	-	-	32	-	1
62 Lafourche	289	-	-	-	2	-	9	-	-	2	-	-	35	-	5
63 La Salle	111	-	-	-	-	-	4	1	-	-	-	-	16	-	3
64 Lincoln	181	1	-	-	-	-	-	-	-	2	-	-	22	1	2
65 Livingston	142	-	-	-	-	-	5	-	-	2	-	-	13	-	3
66 Madison	179	-	-	-	1	1	8	-	-	1	-	-	21	-	3
67 Morehouse	269	1	-	-	-	-	7	1	-	2	-	1	33	-	4
68 Natchitoches	330	-	-	-	1	-	12	-	-	-	-	-	29	-	6
69 Orleans, coextensive with															
70 New Orleans	6,154	1	4	-	6	2	318	1	-	118	-	1	836	7	144
71 Ouachita	627	2	-	-	1	2	22	-	-	8	-	-	71	-	15
72 Monroe	365	1	2	-	-	-	11	-	-	5	-	-	45	-	9
73 Balance of parish	262	1	-	-	1	2	11	-	-	3	-	-	26	-	6
74 Plaquemines	120	-	-	-	-	-	2	-	-	1	-	-	12	-	2
75 Pointe Coupee	201	-	-	-	-	-	9	-	-	3	-	-	26	-	2
76 Rapides	948	2	-	-	2	2	57	-	-	34	1	-	79	-	18
77 Alexandria	334	1	-	-	1	-	5	-	-	3	-	-	37	-	11
78 Balance of parish	614	1	-	-	1	2	52	-	-	31	1	-	42	-	7
79 Red River	122	-	-	-	-	-	3	-	-	1	-	1	11	-	-
80 Richland	234	2	2	-	1	-	3	1	1	1	-	-	30	-	7
81 Sabine	143	-	-	-	1	-	3	-	-	3	-	-	18	-	2
82 St. Bernard	66	-	-	-	-	-	3	-	-	-	-	-	8	-	3
83 St. Charles	92	-	-	-	-	-	4	-	-	1	-	-	11	-	2
84 St. Helena	75	-	-	-	-	-	3	-	-	-	-	-	5	-	1
85 St. James	158	-	-	-	-	1	4	-	-	-	-	-	21	-	2
86 St. John the Baptist	121	-	-	-	-	-	4	-	-	2	-	-	15	1	5
87 St. Landry	605	3	-	-	1	-	27	-	3	7	-	1	62	1	7
88 St. Martin	216	-	-	-	4	-	11	1	-	2	-	-	24	-	5
89 St. Mary	325	-	-	-	1	-	9	-	-	6	-	-	43	-	5
90 St. Tammany	241	-	-	-	-	1	14	1	-	4	-	-	32	-	4
91 Tangipahoa	466	-	-	-	1	-	20	1	-	5	2	-	55	1	9
92 Tensas	155	-	-	-	-	1	3	-	-	3	-	-	14	-	1
93 Terrebonne	307	-	-	-	2	-	8	-	-	3	2	1	30	-	2
94 Union	145	2	-	-	-	-	3	1	-	1	-	-	23	-	2
95 Vermilion	285	-	2	-	-	-	13	-	-	2	-	-	38	-	8

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

547

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1939 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	85	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	8	24	7	1	3	1	7	2	-	1	4	4	4	6	1
-	16	18	5	-	3	1	6	6	-	1	2	6	1	12	2
-	25	49	10	1	4	2	5	5	1	2	3	5	-	19	3
-	52	48	10	5	7	-	5	4	-	-	7	9	6	26	4
-	14	24	6	-	14	-	4	1	-	1	2	2	6	18	5
-	8	14	2	1	4	-	2	2	-	-	3	3	2	2	6
-	21	26	1	1	18	-	6	7	3	2	2	2	6	9	7
-	19	48	8	-	11	-	4	3	3	-	6	4	5	18	6
1	13	25	4	-	9	4	2	3	2	3	4	7	2	6	9
-	-	18	-	2	3	1	1	2	4	1	1	2	-	4	10
-	26	42	11	-	6	4	1	2	1	1	1	10	1	16	11
-	29	125	29	1	41	1	22	13	10	6	7	21	9	35	12
-	14	68	17	-	15	1	10	7	2	3	3	12	4	16	13
-	14	57	13	1	26	-	12	6	9	3	7	9	5	17	14
-	6	37	10	-	3	-	7	4	-	-	7	3	3	14	15
-	4	36	6	-	4	1	5	3	-	1	3	6	9	9	16
-	20	64	7	-	14	2	4	7	2	-	2	9	4	16	17
1	21	54	26	2	7	1	13	13	-	2	6	14	12	19	18
-	5	15	8	-	2	1	6	4	-	-	-	4	5	8	19
-	13	31	5	-	9	-	3	2	1	-	6	4	-	9	20
12	1,975	6,917	1,200	130	1,517	141	986	912	209	256	500	1,151	419	2,406	21
-	39	115	25	3	19	7	24	19	2	1	8	8	16	58	22
-	11	51	11	-	8	2	10	6	-	4	7	8	6	15	23
-	13	69	6	-	9	1	6	7	1	2	4	13	13	22	24
-	13	54	7	-	6	-	5	10	-	3	5	9	3	20	25
1	20	92	19	-	16	2	9	7	2	5	5	13	4	43	26
-	5	43	6	1	10	3	12	12	-	2	2	8	5	13	27
-	27	33	11	1	24	3	8	5	2	4	5	10	15	16	28
-	27	36	13	-	23	1	11	16	1	3	15	16	4	19	29
1	139	398	64	5	149	6	61	83	16	25	31	58	14	181	30
1	102	312	42	3	106	4	48	70	12	17	24	39	7	134	31
1	37	86	22	2	43	2	15	15	4	8	7	19	7	47	32
1	32	157	28	5	60	2	35	22	7	13	19	38	12	65	33
-	16	106	12	2	29	1	18	13	6	7	11	24	1	33	34
-	16	51	16	3	31	1	17	9	1	6	8	14	11	32	35
-	12	17	7	1	7	-	3	3	2	1	5	6	2	7	36
-	4	10	5	-	-	-	1	3	1	-	-	4	-	6	37
-	20	25	5	7	7	1	3	2	-	-	4	6	-	10	38
1	15	61	12	3	11	1	1	1	-	5	2	7	12	20	39
-	13	31	7	4	13	-	3	4	-	3	2	8	8	16	40
-	29	81	17	7	7	2	8	8	5	-	9	19	2	20	41
1	114	241	48	5	61	6	50	47	15	17	20	50	13	130	42
-	41	84	15	2	30	3	23	15	6	9	11	24	2	51	43
1	73	157	33	3	31	5	27	32	9	8	9	26	11	79	44
-	14	53	6	1	7	-	5	3	2	4	4	6	6	6	45
-	24	211	35	8	23	3	6	6	1	2	3	15	-	32	46
-	12	50	13	-	11	3	11	5	6	1	9	13	10	32	47
-	29	42	21	-	9	2	6	8	-	2	2	14	6	13	48
-	10	36	5	1	3	1	6	3	1	-	1	11	1	18	49
-	26	97	24	6	21	3	14	8	7	2	13	22	15	50	50
-	15	51	6	4	12	1	12	1	2	7	6	6	2	29	51
-	11	46	18	2	9	2	5	7	5	1	6	16	13	21	52
-	30	80	16	3	18	2	14	14	1	2	5	17	2	31	53
1	8	23	7	2	8	2	7	7	-	5	3	7	20	12	54
-	34	165	22	2	27	-	22	25	6	8	17	29	2	57	55
-	5	33	3	1	3	-	5	2	1	-	1	3	1	8	56
-	29	132	19	1	24	-	17	23	5	-	16	26	1	48	57
-	15	59	12	2	14	2	5	10	1	1	6	14	5	19	58
-	26	86	33	3	16	2	21	15	4	4	4	16	11	52	59
-	15	60	20	1	10	2	16	7	3	1	4	7	6	37	60
-	11	26	13	2	8	-	5	5	-	4	4	6	5	15	61
-	22	80	15	2	25	3	20	15	1	1	5	9	2	34	62
-	6	34	3	2	4	1	5	2	-	10	10	2	11	65	63
-	22	55	5	3	16	2	14	7	4	4	5	7	3	21	64
-	7	41	11	-	6	1	6	2	4	4	6	7	7	19	65
-	19	39	3	-	10	1	5	5	2	4	6	11	8	19	66
-	1	25	11	-	19	2	9	5	3	2	5	18	19	14	67
-	30	86	25	4	13	3	20	23	2	4	10	17	3	28	67
2	500	2,067	253	24	365	14	216	204	47	60	87	249	15	593	69
-	54	183	22	2	57	2	30	25	6	9	18	29	2	65	70
-	32	113	13	2	33	1	12	16	5	4	9	12	2	38	71
-	22	70	9	-	24	1	18	8	1	5	9	17	7	27	72
-	10	33	7	1	4	1	7	5	1	1	8	14	4	7	73
-	20	65	5	-	7	2	9	13	2	1	4	10	4	7	74
1	93	256	42	1	84	5	29	38	9	12	9	42	3	21	74
-	39	86	10	-	39	2	11	17	3	4	3	19	2	41	76
1	54	170	32	1	45	3	18	21	6	6	6	23	22	67	77
-	15	18	10	1	9	2	5	3	1	4	1	9	16	17	78
1	18	36	5	-	5	-	7	10	4	4	6	9	2	14	79
-	5	28	4	-	2	-	8	8	2	2	2	3	5	21	80
-	7	25	1	-	8	-	2	3	-	-	1	3	3	8	81
-	3	15	6	-	12	1	2	4	1	2	3	4	1	13	82
-	17	48	9	-	4	3	9	2	-	2	2	3	3	12	83
-	11	30	12	2	9	3	19	5	1	1	1	4	5	12	84
-	44	155	56	7	31	14	3	2	1	-	3	5	2	14	85
-	11	54	19	2	20	4	24	28	7	7	13	28	19	60	86
-	33	81	26	1	29	2	19	7	4	1	2	5	4	17	87
-	23	75	7	3	13	-	11	11	1	2	10	26	4	24	88
-	25	149	27	2	19	1	7	6	2	2	3	17	4	25	89
1	5	62	3	-	19	1	21	17	6	4	12	33	4	52	90
-	26	96	16	1	5	3	5	5	1	1	2	10	1	13	91
-	16	30	3	1	29	1	19	20	4	4	4	12	6	21	92
-	29	65	9	1	13	3	10	2	-	-	5	11	2	12	93
-	-	-	-	-	6	2	15	13	2	-	8	20	9	24	94

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
LOUISIANA—Continued															
1 Vernon	180	1	-	-	-	-	5	-	-	3	-	-	16	-	2
2 Washington	301	-	1	-	-	-	5	1	-	1	-	-	29	-	2
3 Bogalusa	158	-	-	-	-	-	1	-	-	1	-	-	16	-	1
4 Balance of parish	143	-	1	-	-	-	4	1	-	-	-	-	13	-	1
5 Webster	294	-	-	-	2	-	11	-	-	3	-	-	36	-	6
6 West Baton Rouge	123	-	-	-	1	-	2	-	-	3	-	-	15	-	1
7 West Carroll	110	-	-	-	-	1	7	-	-	1	-	-	9	-	1
8 West Feliciana	92	-	-	-	-	-	6	-	-	5	-	-	6	1	1
9 Winn	121	-	-	-	-	-	2	-	1	-	-	-	12	-	1
10 MAINE	9,959	1	8	-	12	4	193	-	-	55	14	-	1,420	10	223
11 Androscoggin	868	-	2	-	1	-	13	-	-	3	1	-	137	-	31
12 Lewiston	391	-	-	-	1	-	4	-	-	2	-	-	73	-	15
13 Auburn	202	-	1	-	-	-	5	-	-	-	1	-	31	-	8
14 Balance of county	275	-	1	-	-	-	4	-	-	1	-	-	35	-	10
15 Aroostook	1,796	-	-	-	1	-	22	-	-	1	3	-	87	2	10
16 Cumberland	1,784	-	1	-	-	-	32	-	-	2	3	-	263	2	35
17 Portland	879	-	-	-	1	-	19	-	-	6	1	-	151	-	23
18 South Portland	166	-	-	-	-	-	5	-	-	2	-	-	22	-	2
19 Westbrook	119	-	-	-	-	-	5	-	-	1	2	-	33	-	-
20 Balance of county	620	-	1	-	-	-	10	-	-	1	2	-	92	2	10
21 Franklin	207	-	-	-	-	-	2	-	-	2	1	-	34	-	7
22 Hancock	410	-	-	-	-	-	5	-	-	1	-	-	65	-	5
23 Kennebec	1,040	-	2	-	3	2	28	-	-	10	-	-	130	-	21
24 Augusta	300	-	-	-	2	-	16	-	-	5	-	-	36	-	4
25 Waterville	168	-	2	-	1	1	2	-	-	-	-	-	23	-	3
26 Balance of county	572	-	-	-	-	-	7	-	-	5	-	-	71	-	14
27 Knox	373	-	-	-	-	1	3	-	-	4	-	-	53	1	6
28 Lincoln	238	-	-	-	-	-	3	-	-	2	-	-	38	-	4
29 Oxford	444	-	-	-	1	-	12	-	-	2	2	-	62	-	10
30 Penobscot	1,263	-	-	-	5	-	29	-	-	17	-	-	177	3	28
31 Bangor	477	-	-	-	-	-	16	-	-	13	-	-	59	1	9
32 Balance of county	785	-	-	-	5	-	13	-	-	4	-	-	118	2	19
33 Piscataquis	214	-	-	-	-	1	5	-	-	-	1	-	28	1	9
34 Sagadahoc	243	-	-	-	-	1	1	-	-	1	1	-	54	-	4
35 Bath	113	-	-	-	-	-	-	-	-	-	1	-	21	-	3
36 Balance of county	113	-	-	-	-	1	1	-	-	1	1	-	15	-	1
37 Somerset	467	-	-	-	-	-	15	-	-	1	-	-	88	-	7
38 Waldo	277	-	1	-	-	-	7	-	-	-	-	-	39	-	7
39 Washington	386	-	-	-	-	-	6	-	-	-	1	-	59	-	11
40 York	946	1	1	-	-	-	13	-	-	2	1	-	141	1	28
41 Biddeford	170	-	-	-	-	-	3	-	-	1	-	-	23	-	2
42 Balance of county	776	1	1	-	-	-	10	-	-	1	1	-	118	1	26
43 MARYLAND	22,480	4	20	1	31	16	1,172	4	1	287	4	14	2,911	15	621
44 Allegany	991	-	1	1	7	5	27	-	-	6	3	2	102	2	25
45 Cumberland	475	-	-	-	2	5	21	-	-	2	-	2	52	1	8
46 Balance of county	506	-	1	-	5	-	6	-	-	4	3	-	50	1	17
47 Anne Arundel	980	2	-	-	2	1	62	1	-	56	1	-	84	-	25
48 Annapolis	173	-	-	-	1	-	8	-	-	2	-	-	29	-	3
49 Balance of county	705	2	-	-	3	1	44	1	-	54	1	-	55	-	22
50 Baltimore	1,953	-	3	-	1	-	60	-	-	16	-	2	276	1	65
51 District 12 ²	181	-	-	-	2	-	6	-	-	3	-	-	23	-	6
52 District 13 ²	111	-	-	-	1	-	4	-	-	-	-	-	19	-	2
53 Balance of county	1,661	-	3	-	-	1	50	-	-	13	-	2	254	1	57
54 Baltimore (city)	10,391	8	-	-	10	6	634	1	1	139	-	3	1,469	7	308
55 Calvert	139	-	-	-	-	-	6	-	-	1	-	1	11	-	5
56 Caroline	234	-	-	-	-	-	5	-	-	5	-	-	23	-	5
57 Carroll	673	-	2	-	-	1	85	-	-	12	-	-	73	-	20
58 Cecil	366	-	-	-	-	-	11	-	-	6	-	1	49	-	10
59 Charles	178	-	1	-	-	-	11	-	-	1	-	-	19	-	3
60 Dorchester	410	-	-	-	-	-	18	-	-	4	-	1	53	-	12
61 Cambridge	188	-	-	-	-	-	10	-	-	3	-	1	25	-	4
62 Balance of county	222	-	-	-	-	-	8	-	-	1	-	-	28	-	8
63 Frederick	690	-	-	-	4	-	36	-	-	1	-	-	77	-	14
64 Frederick	204	-	-	-	-	-	4	-	-	-	-	-	80	-	5
65 Balance of county	498	-	-	-	4	-	32	-	-	1	-	-	47	-	9
66 Garrett	204	-	-	-	-	-	1	-	-	1	-	-	19	-	4
67 Harford	436	-	1	-	-	-	19	-	-	1	-	-	47	1	5
68 Howard	193	-	-	-	-	-	11	1	-	1	-	1	27	-	4
69 Kent	187	1	-	-	-	-	3	-	-	1	-	-	17	-	4
70 Montgomery	953	-	3	-	1	-	22	1	-	5	-	1	171	-	24
71 Prince Georges	989	-	-	-	1	1	69	-	-	8	-	-	123	1	25
72 Queen Annes	150	-	-	-	-	-	8	-	-	2	-	-	18	-	1
73 St. Marys	173	-	-	-	1	-	7	-	-	-	-	1	18	-	1
74 Somerset	249	1	-	-	-	-	13	-	-	3	-	-	32	-	5
75 Talbot	233	-	-	-	-	-	6	-	-	3	-	-	31	1	12
76 Washington	763	-	-	-	1	1	27	-	-	10	-	1	87	-	22
77 Hagerstown	426	-	-	-	1	-	12	-	-	8	-	1	47	-	10
78 Balance of county	337	-	-	-	-	1	15	-	-	2	-	-	40	-	12
79 Wicomico	461	-	-	-	1	1	23	-	-	2	-	-	59	1	14
80 Salisbury	198	-	-	-	-	-	11	-	-	2	-	-	30	-	5
81 Balance of county	263	-	-	-	1	1	12	-	-	-	-	-	29	1	9
82 Worcester	254	-	-	-	-	-	14	-	-	3	-	-	28	1	8
83 MASSACHUSETTS	51,754	4	16	4	16	13	1,586	22	2	284	12	9	8,034	18	1,620
84 Barnstable	482	-	-	-	-	-	4	-	-	4	-	-	66	-	18
85 Berkshire	1,432	1	-	-	1	-	23	-	-	5	-	-	227	1	54
86 Pittsfield	564	-	-	-	-	-	9	-	-	2	-	-	82	-	28
87 Adams (town)	157	-	-	-	-	-	4	-	-	-	-	-	22	-	3
88 North Adams	258	1	-	-	-	-	2	-	-	-	-	-	45	1	8
89 Balance of county	452	-	-	-	1	-	8	-	-	3	-	-	78	-	15

²Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

549

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1939 revision)

Fellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of in- testines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	182, 199,200		
-	15	35	15	-	32	2	12	8	1	-	9	9	3	22	1
1	25	90	22	4	15	2	15	17	3	3	3	19	2	15	2
-	15	45	12	3	9	2	8	10	1	1	4	10	2	15	3
1	10	45	10	1	7	3	8	7	1	2	4	9	1	18	4
-	23	64	17	5	9	3	10	16	4	6	10	23	6	41	5
-	17	55	4	-	5	-	8	9	1	1	2	8	1	41	6
-	5	32	11	1	4	1	6	2	2	1	3	6	2	9	7
-	3	29	3	-	7	1	5	2	2	2	1	4	1	13	8
-	9	53	2	-	7	2	4	4	-	2	2	6	2	10	9
-	1,043	3,201	373	71	527	57	373	250	146	11	176	490	149	1,172	10
-	96	252	26	8	45	3	35	25	13	1	9	45	4	118	11
-	35	105	17	2	24	2	20	12	4	1	3	23	1	52	12
-	19	67	4	4	12	1	8	6	5	-	3	5	-	25	13
-	42	62	5	-	9	-	7	7	4	1	3	17	3	41	14
-	76	174	42	12	44	1	45	42	11	1	22	64	26	103	15
-	178	523	66	13	78	8	57	52	35	3	29	89	19	184	16
-	85	318	34	8	28	2	27	23	20	1	14	42	7	90	17
-	18	62	1	2	7	4	5	8	2	-	3	6	1	20	18
-	8	42	5	1	9	7	5	7	1	1	1	1	2	12	19
-	67	201	26	2	34	2	18	16	13	2	11	40	8	62	20
-	20	56	2	1	10	1	8	8	5	1	4	10	5	29	21
-	46	147	13	4	21	1	13	4	5	1	14	19	4	46	22
-	129	348	42	5	87	4	31	17	15	-	12	42	5	111	23
-	42	97	21	1	19	4	11	3	6	-	6	9	1	27	24
-	24	57	5	3	7	2	11	3	3	-	8	8	1	17	25
-	62	194	16	3	61	2	14	11	9	-	6	25	4	67	26
-	42	144	13	3	19	2	14	4	5	1	4	14	7	34	27
-	28	80	6	1	20	2	6	2	6	-	4	10	3	29	28
-	58	158	22	2	14	4	21	3	4	-	8	23	3	59	29
-	128	397	43	11	54	9	40	41	11	2	22	55	37	156	30
-	44	168	18	2	16	4	8	12	2	1	7	16	14	67	31
-	84	229	23	9	36	5	32	29	9	1	15	39	23	89	32
-	14	60	5	1	15	1	10	6	6	-	5	8	8	31	33
-	22	89	9	1	13	1	5	3	2	1	6	8	4	38	34
-	11	49	6	1	8	-	2	3	1	1	4	5	2	21	35
-	11	40	3	-	8	-	3	3	1	-	2	5	2	17	36
-	46	169	22	4	18	2	22	8	7	1	6	18	4	48	37
-	25	95	6	1	21	2	10	1	4	-	8	15	5	32	38
-	28	129	22	4	26	2	16	10	5	-	5	22	-	44	39
-	108	300	36	6	26	-	39	24	10	-	22	48	13	110	40
-	17	60	8	2	42	-	12	6	1	-	3	7	-	19	41
-	91	240	28	4	36	-	27	18	9	-	19	41	13	91	42
2	1,771	7,467	827	95	1,739	59	742	589	270	166	403	959	69	2,221	43
-	71	319	59	4	62	4	36	29	13	3	22	45	4	129	44
-	26	174	29	-	27	2	16	12	7	-	8	21	1	59	45
-	45	145	30	4	35	2	20	17	6	3	14	24	3	70	46
-	65	269	35	4	36	2	32	18	9	8	19	40	7	112	47
-	18	59	4	1	10	-	5	3	2	2	1	4	3	20	48
-	47	210	31	3	26	2	27	15	7	6	18	36	4	92	49
1	160	682	73	8	141	3	73	51	30	5	34	108	5	152	50
-	8	44	11	1	9	1	12	9	6	4	3	22	-	11	51
-	7	42	5	1	5	1	6	1	1	-	2	4	-	11	52
1	145	586	57	6	127	27	55	41	23	1	29	62	5	120	53
-	767	3,723	387	49	783	27	338	257	116	98	134	403	29	1,025	54
-	11	45	6	-	7	1	1	4	-	2	3	17	-	18	55
-	19	82	10	-	17	1	8	10	2	2	4	6	1	29	56
-	68	209	22	1	43	3	12	12	6	-	5	24	3	74	57
-	32	102	12	2	37	-	9	10	5	4	29	1	1	40	58
-	20	44	10	1	12	3	13	8	-	1	7	7	2	18	59
-	30	131	23	-	43	3	10	9	4	5	9	12	2	44	60
-	15	53	7	-	26	-	5	6	1	1	3	6	-	22	61
-	15	78	16	-	17	-	5	3	3	4	6	6	2	22	62
-	91	240	15	2	64	-	11	14	15	-	15	28	-	62	63
-	31	81	2	-	18	-	5	3	4	-	4	4	-	13	64
-	60	159	13	2	45	-	6	11	12	-	11	24	-	49	65
-	21	71	13	2	21	-	6	6	1	1	5	6	-	26	66
-	32	166	17	1	21	1	17	14	8	-	14	29	2	40	67
-	11	64	7	4	7	-	8	7	4	3	6	6	-	21	68
-	18	73	9	1	10	1	5	2	1	-	4	20	-	17	69
-	70	299	27	3	61	2	51	31	18	5	18	31	3	106	70
-	58	218	26	6	154	1	36	41	19	5	37	57	2	102	71
-	21	57	4	-	18	-	4	1	-	2	4	10	2	7	72
-	27	44	7	1	13	1	11	12	1	3	5	7	-	15	73
-	20	76	4	1	43	-	3	6	1	6	8	6	-	21	74
-	21	68	12	3	14	1	10	6	-	2	7	11	1	24	75
-	68	280	21	1	55	5	30	23	6	5	14	26	4	76	76
-	41	168	11	-	26	2	17	13	3	4	7	14	1	40	77
-	27	112	10	1	29	3	13	10	3	1	12	3	3	36	78
-	50	128	18	2	43	4	11	12	8	4	16	22	2	40	79
-	13	56	12	1	16	4	4	2	4	3	5	13	2	19	80
-	37	72	6	1	27	4	7	10	4	1	11	9	-	21	81
-	20	77	10	-	34	-	7	6	2	2	8	9	-	25	82
3	4,607	19,638	1,846	226	2,101	93	1,328	1,097	501	74	591	2,226	127	5,656	63
-	57	167	12	3	38	1	9	7	5	1	8	21	2	59	84
-	131	529	44	3	109	3	27	37	14	1	20	52	4	146	85
-	40	199	15	1	48	1	11	14	8	-	12	9	3	71	86
-	15	57	2	1	17	-	4	4	2	-	2	8	-	16	87
-	22	112	6	1	24	-	2	6	1	1	1	4	-	22	88
-	54	161	21	-	20	2	10	13	3	-	5	20	1	37	89

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
MASSACHUSETTS—Con.																
1	Bristol	4,515	-	-	1	7	-	154	1	-	25	4	1	760	1	165
2	Fall River	1,482	-	-	-	3	-	55	-	-	5	2	-	568	-	57
3	New Bedford	1,294	-	-	-	2	-	42	-	-	8	1	1	187	-	54
4	Taunton	608	-	-	-	-	-	29	1	-	6	-	-	57	-	19
5	Attleboro	313	-	-	-	-	-	16	-	-	-	-	-	40	-	20
6	Fairhaven (town)	119	-	-	-	-	-	2	-	-	-	-	-	12	-	1
7	North Attleborough (town)	103	-	-	1	1	-	1	-	-	-	-	-	15	-	7
8	Balance of county	596	-	-	-	-	-	9	-	-	-	1	-	61	1	27
9	Dukes	95	-	-	-	-	-	-	-	-	4	-	-	12	-	-
10	Essex	6,102	1	-	3	1	2	139	-	-	40	-	2	976	2	196
11	Beverly	517	1	-	-	-	-	5	-	-	3	-	-	51	-	14
12	Haverhill	615	-	-	-	-	-	8	-	-	4	-	-	100	-	25
13	Lawrence	955	-	-	1	-	-	19	-	-	10	-	-	143	-	35
14	Lynn	1,156	-	-	-	-	1	51	-	-	8	-	1	206	1	36
15	Salem	483	-	-	1	-	-	11	-	-	2	-	1	86	1	12
16	Amesbury (town)	121	-	-	1	-	-	1	-	-	-	-	-	20	-	2
17	Andover (town)	92	-	-	-	-	-	2	-	-	-	-	-	15	-	1
18	Danvers (town)	381	-	-	-	-	-	16	-	-	7	-	-	28	-	4
19	Gloucester	293	-	-	-	-	-	3	-	-	-	-	-	46	-	5
20	Marblehead (town)	137	-	-	-	-	-	2	-	-	-	-	-	14	-	9
21	Methuen (town)	212	-	-	-	-	-	2	-	-	-	-	-	51	-	4
22	Newburyport	207	-	-	-	-	-	2	-	-	2	-	-	26	-	7
23	Rehoboth	233	-	-	-	-	-	5	-	-	1	-	-	43	-	5
24	Saugus (town)	146	-	-	-	1	-	1	-	-	1	-	-	31	-	3
25	Svampscott (town)	118	-	-	-	-	-	2	-	-	2	-	-	14	-	2
26	Balance of county	636	-	-	-	-	1	27	-	-	-	-	-	122	-	22
27	Franklin	591	-	-	-	-	-	2	-	-	2	-	-	104	-	14
28	Greenfield (town)	201	-	-	-	-	-	2	-	-	1	-	-	35	-	7
29	Balance of county	390	-	-	-	-	-	7	-	-	1	-	-	89	-	7
30	Hampden	3,731	-	-	-	-	-	89	-	1	14	1	1	592	2	107
31	Springfield	1,783	-	-	-	-	-	41	-	1	9	1	1	257	1	55
32	Chicopee	360	-	-	-	-	-	6	-	-	-	-	-	53	-	8
33	Holyoke	678	-	-	-	-	-	11	-	-	4	-	-	114	-	25
34	Westfield	251	-	-	-	-	-	20	-	-	1	-	-	62	-	6
35	West Springfield (town)	114	-	-	-	-	-	1	-	-	-	-	-	19	-	1
36	Balance of county	545	-	-	-	-	-	10	-	-	-	1	-	89	1	11
37	Hampshire	1,074	-	-	-	2	-	39	-	-	13	-	-	153	-	29
38	Easthampton (town)	86	-	-	-	1	-	1	-	-	1	-	-	21	-	2
39	Northampton	595	-	-	-	-	-	33	-	-	12	-	-	66	-	14
40	Balance of county	383	-	-	-	1	-	5	-	-	-	-	-	66	-	12
41	Middlesex	10,704	-	4	-	2	1	269	1	1	50	2	3	1,719	3	322
42	Cambridge	1,540	-	2	-	-	-	51	-	-	8	-	-	803	-	45
43	Lowell	1,213	-	-	-	-	-	34	-	-	5	-	-	177	-	37
44	Somerville	1,046	-	-	-	1	1	35	-	-	3	-	1	144	-	30
45	Arlington (town)	399	-	-	-	-	-	6	-	-	1	-	-	58	-	14
46	Belmont (town)	196	-	-	-	-	-	1	-	-	-	-	-	40	-	5
47	Everett	362	-	-	-	-	-	7	-	-	-	-	-	45	-	18
48	Malden	617	1	-	-	-	-	7	-	1	2	-	-	105	1	20
49	Medford	589	-	-	-	-	-	11	-	-	1	-	-	118	-	12
50	Melrose	299	-	-	-	-	-	3	-	-	-	1	-	47	-	4
51	Newton	757	-	-	-	1	-	9	-	-	3	-	1	155	-	28
52	Waltham	452	-	-	-	-	-	31	-	-	1	-	1	66	1	19
53	Watertown (town)	243	-	-	-	-	-	6	1	-	1	-	-	42	-	4
54	Framingham (town)	302	-	-	-	-	-	6	-	-	2	-	-	46	-	10
55	Lexington (town)	310	-	-	-	-	-	22	-	-	8	-	-	36	-	3
56	Marlborough	182	-	-	-	-	-	2	-	-	-	1	-	19	-	7
57	Mattick (town)	170	-	-	-	-	-	2	-	-	-	-	-	26	-	8
58	Reading (town)	123	-	-	-	-	-	1	-	-	-	-	-	18	-	3
59	Stoneham (town)	123	-	-	-	-	-	1	-	-	-	-	-	23	-	4
60	Wakefield (town)	150	-	-	-	-	-	2	-	-	1	-	-	30	-	5
61	Winchester (town)	132	-	-	-	-	-	1	-	-	-	-	-	21	-	4
62	Woburn	206	-	-	-	-	-	4	-	-	-	-	-	26	-	8
63	Balance of county	1,303	-	1	-	-	-	28	-	-	14	-	-	194	-	36
64	Nantucket	42	-	-	-	-	-	-	-	-	-	-	-	3	-	2
65	Norfolk	3,884	-	-	-	-	-	85	9	-	19	-	-	617	-	125
66	Brookline (town)	626	-	-	-	-	-	2	-	-	3	-	-	128	-	31
67	Quincy	775	-	-	-	-	-	12	-	-	-	-	-	151	-	18
68	Braintree (town)	197	-	-	-	-	-	11	-	-	2	-	-	26	-	11
69	Dedham (town)	134	-	-	-	-	-	7	-	-	1	-	-	15	-	6
70	Milton (town)	180	-	-	-	-	-	3	-	-	1	-	-	31	-	2
71	Needham (town)	134	-	-	-	-	-	1	-	-	-	-	-	35	-	3
72	Norwood (town)	209	-	-	-	-	-	3	-	-	-	-	-	37	-	7
73	Wellesley (town)	122	-	-	-	-	-	3	-	-	-	-	-	14	-	-
74	Weymouth (town)	307	-	-	-	-	-	3	-	-	1	-	-	34	-	9
75	Balance of county	1,180	-	-	-	-	-	41	9	-	10	-	-	166	-	39
76	Plymouth	2,167	-	-	-	1	1	50	-	-	5	1	1	302	2	74
77	Brockton	784	-	-	-	1	-	9	-	-	-	-	-	130	-	28
78	Plymouth (town)	180	-	-	-	-	-	1	-	-	1	-	-	33	-	5
79	Balance of county	1,203	-	-	-	-	-	40	-	-	4	1	1	139	2	41
80	Suffolk	10,916	1	10	-	1	8	511	1	-	70	-	1	1,816	2	328
81	Boston	9,934	1	9	-	1	5	494	1	-	68	-	-	1,454	2	281
82	Chelsea	490	-	-	-	-	-	10	-	-	-	-	-	90	-	19
83	Revere	314	-	-	-	-	-	2	-	-	2	-	-	48	-	17
84	Winthrop (town)	178	-	-	-	-	-	3	-	-	-	-	-	24	-	11
85	Worcester	6,039	1	2	-	1	1	214	10	-	39	4	-	887	5	177
86	Worcester	2,475	1	-	-	-	-	77	10	-	19	-	-	421	3	60
87	Fitchburg	439	-	-	-	-	-	10	-	-	3	-	-	61	1	14
88	Athol (town)	106	-	-	-	-	-	2	-	-	-	1	-	9	-	8
89	Clinton (town)	159	-	1	-	-	-	2	-	-	-	-	-	22	-	9
90	Gardner	289	-	-	-	-	-	10	-	-	2	-	-	37	-	5
91	Leominster	231	-	-	-	-	-	8	-	-	-	1	-	36	-	6
92	Milford (town)	158	-	-	-	-	-	3	-	-	1	-	-	26	-	4
93	Northbridge (town)	93	-	-	-	-	-	-	-	-	-	-	-	15	-	1
94	Southbridge (town)	152	-	-	-	-	-	3	-	-	-	-	-	30	-	5
95	Webster (town)	122	-	-	-	-	-	1	-	-	-					

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
69	83	90-95	107-109,33	119,120	130-132	140-150	157,158,160,161	159	165,164	165-168	170	169, 171-195	162, 199, 200		
1	405	1,768	138	17	210	7	92	67	44	6	42	138	14	429	1
1	134	564	98	9	72	4	31	31	11	2	15	31	4	108	2
1	127	508	35	4	58	2	29	18	16	2	11	42	3	144	3
-	37	286	44	2	19	-	7	2	4	-	6	32	1	57	4
-	27	132	4	1	9	-	8	5	4	2	1	7	1	36	5
-	15	57	1	-	3	-	6	1	-	-	2	4	1	13	6
-	6	48	5	7	7	-	2	1	1	-	-	2	-	6	7
-	59	233	13	1	42	1	9	9	8	-	-	20	4	65	8
-	14	39	2	-	3	-	3	1	1	-	-	2	1	17	9
-	575	2,410	189	18	225	10	173	113	67	9	52	238	16	655	10
-	25	129	10	1	9	-	16	5	4	-	3	12	-	31	11
-	61	227	12	3	16	1	17	17	5	-	1	35	3	90	12
-	94	364	19	3	43	2	36	25	12	3	8	38	-	95	13
-	124	422	96	5	39	-	32	21	7	4	11	37	4	120	14
-	38	196	12	-	10	-	10	8	4	1	5	25	3	57	15
-	9	54	7	-	8	-	4	-	1	-	-	5	-	8	16
-	5	36	-	-	3	1	5	2	2	-	1	5	1	9	17
-	22	205	31	1	5	1	4	1	2	-	2	18	1	37	18
-	21	119	8	1	24	2	5	5	6	-	2	15	1	27	19
-	10	64	6	-	2	-	4	2	3	-	-	6	-	13	20
-	34	90	2	-	8	-	4	5	7	-	3	4	-	18	21
-	24	73	11	2	8	-	7	5	3	-	4	9	1	23	22
-	20	90	5	-	8	1	8	9	-	-	4	3	-	31	23
-	14	53	6	-	6	-	5	1	2	-	2	5	-	15	24
-	17	51	3	-	3	-	2	-	-	-	1	5	-	18	25
-	57	237	16	2	30	1	14	9	8	1	5	18	2	63	26
-	53	213	9	-	47	1	11	24	10	-	8	23	6	57	27
-	15	68	1	-	17	1	6	13	1	-	3	11	2	18	28
-	38	145	8	-	30	-	5	11	9	-	5	12	4	39	29
-	324	1,406	120	10	141	7	126	89	28	4	43	146	15	465	30
-	176	675	57	4	66	1	55	43	12	4	20	58	10	239	31
-	28	137	10	3	23	2	13	9	1	4	4	16	-	47	32
-	44	271	27	1	22	1	29	18	4	-	8	35	1	65	33
-	19	88	4	1	8	1	9	7	3	-	1	8	1	18	34
-	12	45	1	-	5	-	-	-	-	-	2	4	2	15	35
-	45	190	21	1	17	2	20	10	8	-	8	27	1	63	36
-	71	460	31	-	39	1	25	18	10	-	13	48	10	113	37
-	9	44	-	-	3	-	5	1	1	-	-	2	-	5	38
-	40	279	21	-	12	1	6	4	4	-	6	27	7	62	39
-	22	137	10	-	24	-	14	12	5	-	7	19	3	46	40
-	984	4,052	393	46	439	25	313	196	85	19	128	453	25	1,159	41
-	128	504	54	9	48	5	52	41	9	1	16	66	4	194	42
-	119	440	38	4	66	1	29	14	9	2	21	54	10	153	43
-	90	408	40	8	46	4	34	23	5	3	9	43	1	117	44
-	48	163	10	-	16	1	12	3	6	-	8	17	-	36	45
-	15	83	4	2	4	-	5	1	1	-	4	4	-	24	46
-	47	147	10	2	15	2	11	10	1	-	2	15	-	29	47
-	56	249	16	6	19	2	17	13	5	1	4	23	1	68	48
-	60	217	12	2	32	1	14	17	6	-	5	22	-	59	49
-	27	123	2	-	12	3	8	5	2	-	14	14	-	29	50
-	85	287	34	2	31	-	22	8	11	1	8	35	1	76	51
-	43	143	22	4	22	1	16	9	2	-	5	25	-	37	52
-	24	90	8	1	11	-	12	5	1	-	1	11	-	25	53
-	35	120	15	-	7	-	9	4	3	1	6	7	1	32	54
-	28	124	28	-	9	-	1	1	3	-	2	13	-	34	55
-	23	79	6	-	7	1	3	2	-	-	-	8	-	20	56
-	10	73	7	-	6	-	5	2	2	-	1	7	1	19	57
-	11	49	3	-	8	-	5	5	-	-	5	5	-	10	58
-	11	51	1	1	6	-	4	3	3	-	1	5	-	12	59
-	15	55	4	-	4	-	2	6	-	2	-	3	-	19	60
-	8	60	3	-	8	-	6	-	3	-	-	7	-	11	61
-	17	78	13	2	9	-	11	1	-	-	3	13	-	23	62
-	108	303	63	3	53	4	36	20	16	8	23	58	6	132	63
-	3	24	2	-	2	-	-	-	-	-	-	3	-	5	64
-	367	1,473	145	15	145	4	102	70	37	4	47	172	5	423	65
-	53	245	20	1	26	2	6	5	4	1	3	29	-	67	66
-	94	293	23	5	28	-	24	18	3	1	7	34	4	80	67
-	16	81	6	4	4	-	7	8	2	-	2	11	-	9	68
-	13	59	1	1	4	-	3	2	2	1	-	7	-	12	69
-	25	74	9	1	2	-	3	4	1	-	1	6	1	16	70
-	16	42	3	1	3	-	4	3	2	-	2	5	-	14	71
-	28	63	7	-	8	2	5	3	2	-	6	7	-	31	72
-	12	49	5	-	1	-	6	5	4	-	2	7	-	14	73
-	20	146	3	2	14	-	15	8	1	-	3	20	-	28	74
-	90	421	68	3	55	-	29	14	16	1	21	46	-	152	75
-	231	810	73	9	96	3	46	61	36	1	35	95	5	229	76
-	84	300	30	5	24	1	15	18	18	1	10	31	1	78	77
-	13	66	6	-	16	-	4	5	1	-	2	8	1	15	78
-	134	444	37	3	54	2	27	38	17	-	23	56	3	136	79
1	870	3,908	490	94	339	19	247	294	100	26	554	554	13	1,309	80
-	791	3,498	455	99	297	17	228	272	94	26	93	530	12	1,216	81
-	36	132	19	2	17	1	10	6	2	-	7	16	-	50	82
-	25	76	11	2	17	-	8	6	2	-	2	4	-	31	83
-	18	75	5	1	8	1	1	10	2	-	1	4	1	12	84
1	522	2,379	200	11	268	12	154	120	54	3	92	281	11	590	85
-	199	967	68	1	85	4	65	41	16	2	37	119	1	259	86
-	39	175	10	5	13	3	11	8	1	-	6	38	1	45	87
-	11	35	8	-	6	-	4	5	1	-	-	3	-	13	88
-	15	75	2	-	3	1	6	-	-	-	2	6	1	14	89
-	34	124	16	-	9	-	4	5	6	-	2	11	-	24	90
-	10	104	6	1	3	2	13	5	4	-	3	6	1	22	91
-	16	54	7	-	12	-	3	2	1	-	2	6	1	19	92
-	11	47	-	-	-	-	3	5	1	-	1	3	-	6	93
-	15	55	1	1	9	1	2	4	3	-	2	4	-	18	94
-	6	62	1	-	7	-	4	5	-	-	-	5	1	14	95
1	167	681	81	3	120	2	39	40	21	1	37	63	5	156	96

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	59	61
1 MICHIGAN-----	57,137	7	33	6	61	22	1,675	11	2	500	5	30	7,854	30	1,618
2 Alcona-----	47	-	-	-	-	-	-	-	-	1	-	-	7	-	1
3 Alger-----	74	-	-	-	1	-	-	-	-	-	-	-	7	-	4
4 Allegan-----	481	-	-	-	-	-	2	1	-	3	-	-	70	-	13
5 Alpena-----	240	-	-	-	-	-	4	-	-	3	-	-	56	-	5
6 Alpena-----	177	-	-	-	-	-	4	-	-	3	-	-	29	-	4
7 Balance of county-----	63	-	-	-	-	-	-	-	-	-	-	-	7	-	1
8 Antrim-----	116	-	-	-	-	-	5	-	-	-	-	-	17	-	2
9 Arenac-----	101	-	-	-	-	-	1	-	1	-	-	-	11	-	2
10 Baraga-----	110	-	-	-	-	-	4	1	-	1	-	-	10	-	5
11 Barry-----	283	1	-	-	-	-	-	-	-	1	-	-	28	-	28
12 Bay-----	814	-	-	-	-	-	2	-	-	5	-	-	94	-	27
13 Bay City-----	591	-	-	-	-	-	2	-	-	5	-	-	64	-	22
14 Balance of county-----	233	-	-	-	-	-	-	-	-	-	-	-	30	-	5
15 Benzie-----	96	-	-	-	-	-	1	-	-	2	1	-	11	-	4
16 Berrien-----	1,117	-	1	-	6	-	15	-	-	6	1	-	159	-	19
17 Benton Harbor-----	259	-	-	-	-	-	7	-	-	2	-	-	39	-	4
18 Niles-----	133	-	-	-	-	-	2	-	-	1	-	-	26	-	4
19 Balance of county-----	725	-	1	-	6	-	6	-	-	3	1	-	94	-	11
20 Branch-----	363	-	-	-	-	2	12	1	-	2	-	-	40	-	12
21 Calhoun-----	1,241	1	2	-	-	-	30	-	-	17	-	-	137	-	26
22 Battle Creek-----	597	1	1	-	-	-	8	-	-	1	-	-	81	-	17
23 Balance of county-----	644	-	1	-	-	-	22	-	-	16	-	-	56	-	9
24 Cass-----	310	-	-	-	1	-	3	-	-	4	-	1	39	-	10
25 Charlevoix-----	176	-	-	-	-	-	1	1	-	-	-	-	29	-	7
26 Cheboygan-----	154	-	-	-	-	-	3	-	-	-	-	-	19	-	5
27 Chippewa-----	284	-	-	-	-	-	1	-	-	1	-	-	37	-	4
28 Sault Ste. Marie-----	180	-	-	-	-	-	1	-	-	-	-	-	22	-	2
29 Balance of county-----	104	-	-	-	-	-	-	-	-	1	-	-	15	-	2
30 Clare-----	110	-	-	-	-	-	2	-	-	-	-	-	14	-	6
31 Clinton-----	308	-	-	-	-	-	1	1	-	1	1	1	38	-	6
32 Crawford-----	59	-	-	-	-	-	-	-	-	1	-	-	4	-	2
33 Delta-----	396	-	-	-	-	-	10	-	-	1	-	-	58	1	10
34 Escanaba-----	204	-	-	-	-	-	4	-	-	-	-	-	31	1	5
35 Balance of county-----	192	-	-	-	-	-	6	-	-	1	-	-	27	-	5
36 Dickinson-----	243	-	-	-	-	-	6	-	-	-	-	-	41	-	6
37 Iron Mountain-----	101	-	-	-	-	-	2	-	-	-	-	-	19	-	2
38 Balance of county-----	142	-	-	-	-	-	4	-	-	-	-	-	22	-	4
39 Eaton-----	406	-	-	-	-	-	5	-	-	1	-	-	47	-	8
40 Emmet-----	165	-	-	-	-	-	1	-	-	-	-	-	25	-	2
41 Genesee-----	2,046	-	3	1	3	-	34	-	-	7	-	9	271	1	69
42 Flint-----	1,390	-	3	-	2	-	30	-	-	7	-	6	168	-	52
43 Balance of county-----	656	-	-	1	1	-	4	-	-	-	-	3	63	1	17
44 Gladwin-----	95	-	-	-	-	-	-	-	-	-	-	-	15	-	2
45 Gogebic-----	292	-	-	-	1	-	15	1	-	2	-	-	44	-	13
46 Ironwood-----	96	-	-	-	-	-	2	-	-	-	-	-	17	-	6
47 Balance of county-----	196	-	-	-	1	-	13	1	-	2	-	-	27	-	7
48 Grand Traverse-----	529	-	-	-	-	-	20	-	-	10	-	-	38	-	12
49 Traverse City-----	145	-	-	-	-	-	4	-	-	1	-	-	16	-	6
50 Balance of county-----	394	-	-	-	-	-	16	-	-	9	-	-	22	-	6
51 Gratiot-----	396	-	-	-	-	2	5	-	-	2	-	-	58	-	10
52 Hillsdale-----	368	-	1	-	-	-	4	-	-	2	-	-	42	2	7
53 Houghton-----	556	-	-	-	2	-	12	-	-	1	-	-	80	-	16
54 Huron-----	336	-	-	-	-	-	7	-	-	-	-	-	49	-	11
55 Ingham-----	1,364	-	1	-	2	2	18	-	-	6	-	-	175	-	42
56 Lansing-----	855	-	-	-	-	-	4	-	-	3	-	-	121	-	27
57 Balance of county-----	509	-	1	-	2	2	14	-	-	3	-	-	54	-	15
58 Ionia-----	435	2	1	-	-	-	10	-	-	3	-	1	52	-	7
59 Iosco-----	96	-	-	-	-	-	1	-	-	-	-	-	13	-	4
60 Iron-----	196	-	-	-	-	-	6	-	-	1	-	-	29	-	4
61 Isabella-----	261	-	1	-	-	-	3	-	-	4	-	-	29	-	8
62 Jackson-----	1,138	-	1	1	3	1	20	1	-	10	-	1	125	-	31
63 Jackson-----	718	-	1	1	-	-	14	1	-	9	-	1	92	-	20
64 Balance of county-----	420	-	-	-	3	1	6	-	-	2	-	-	43	-	11
65 Kalamazoo-----	1,385	-	-	-	1	1	36	-	-	31	1	-	168	3	40
66 Kalamazoo-----	977	-	-	-	1	1	27	-	-	26	-	-	123	2	27
67 Balance of county-----	408	-	-	-	-	-	9	-	-	5	1	-	46	1	13
68 Kalkaska-----	35	-	-	-	-	-	-	-	-	-	-	-	8	-	-
69 Kent-----	2,814	-	2	-	1	-	55	-	-	15	1	-	417	4	80
70 Grand Rapids-----	1,823	-	2	-	1	-	29	-	-	6	-	-	282	3	49
71 Balance of county-----	991	-	-	-	-	-	26	-	-	9	1	-	135	1	31
72 Keweenaw-----	30	-	-	-	-	-	-	-	-	-	-	-	5	-	-
73 Lake-----	62	-	-	-	-	-	-	-	-	-	-	-	7	-	4
74 Lapeer-----	373	-	-	-	2	-	14	-	-	3	-	-	36	-	12
75 Leelanau-----	76	-	-	-	-	-	-	-	-	-	-	-	8	-	1
76 Lenawee-----	668	-	1	-	1	-	7	-	-	-	-	1	88	1	13
77 Adrian-----	173	-	-	-	-	-	4	-	-	-	-	-	24	-	6
78 Balance of county-----	495	-	1	-	1	-	3	-	-	-	-	1	64	1	7
79 Livingston-----	303	-	-	-	-	-	20	-	-	1	-	-	42	-	12
80 Luce-----	183	-	-	-	-	-	-	-	-	8	-	-	11	-	6
81 Mackinac-----	92	-	1	-	-	-	3	-	-	-	-	-	7	-	3
82 Macomb-----	1,084	-	1	-	1	-	24	-	-	4	-	-	176	-	25
83 Mount Clemens-----	246	-	-	-	-	-	5	-	-	2	-	-	34	-	11
84 St. Clair Shores-----	77	-	-	-	1	-	3	-	-	1	-	-	13	-	1
85 Balance of county-----	761	-	1	-	-	-	16	-	-	1	-	-	129	-	13
86 Marquette-----	210	-	-	-	-	-	3	-	1	1	-	-	33	-	6
87 Marquette-----	485	-	-	-	-	-	21	-	-	2	-	-	68	-	13
88 Marquette-----	163	-	-	-	-	-	4	-	-	1	-	-	22	-	7
89 Balance of county-----	322	-	-	-	-	-	17	-	-	1	-	-	46	-	6
90 Mason-----	246	-	-	-	-	-	5	-	-	2	-	-	33	-	12
91 Mecosta-----	237	-	-	-	1	-	1	-	-	-	-	-	31	-	6
92 Memphriscus-----	245	-	-	-	-	-	7	-	-	1	-	-	35	-	11
93 Menominee-----	146	-	-	-	-	-	-	-	-	-	-	-	22	-	8
94 Balance of county-----	99	-	-	-	-	-	7	-	-	1	-	-	13	-	3
95 Midland-----	206	-	-	-	1	-	3	-	-	1	-	-	27	-	3
96 Midland-----	79	-	-	-	-	-	1	-	-	-	-	-	14	-	1
97 Balance of county-----	127	-	-	-	1	-	2	-	-	1	-	-	13	-	2
98 Missaukee-----	51	-	-	-	-	-	-	-	-	-	-	-	3	-	2

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

553

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision.)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Disease of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	1
69	83	90-95	107- 108,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
4	5,412	18,507	2,244	272	2,586	173	1,851	1,959	624	231	1,556	2,361	708	6,697	1
10	15	1	1	-	1	-	-	1	-	-	1	3	-	8	2
8	21	4	2	-	2	-	-	3	1	-	1	8	5	7	3
61	163	13	13	3	23	1	10	12	7	-	15	26	2	46	4
19	68	14	14	-	13	-	11	11	4	-	6	15	2	29	5
16	51	10	10	-	11	-	9	5	2	-	2	8	1	22	6
3	17	4	2	-	2	-	2	6	2	-	4	7	1	1	7
17	43	2	3	1	3	1	1	5	1	-	5	3	-	13	8
8	28	6	5	-	5	-	1	4	2	-	3	6	3	21	9
7	23	11	2	-	2	-	2	4	2	-	4	7	21	11	10
22	110	5	15	-	15	-	4	10	4	-	4	8	6	40	11
77	295	48	42	3	42	4	29	25	14	3	23	26	6	91	12
65	206	32	30	3	30	3	21	9	5	3	11	16	3	66	13
12	89	16	12	-	12	-	6	5	9	-	12	10	3	25	14
11	26	6	9	2	9	1	2	6	2	-	2	3	-	9	15
118	358	52	62	1	62	4	38	43	21	3	35	38	12	127	16
21	72	8	16	1	16	3	15	15	4	1	8	12	2	29	17
11	41	8	5	-	5	1	5	4	-	-	2	3	-	16	18
86	245	36	41	-	41	-	18	24	13	2	23	23	10	82	19
44	111	15	14	3	14	-	3	5	2	2	11	24	7	53	20
143	394	47	54	4	54	1	39	35	20	2	36	58	33	162	21
56	202	19	32	2	32	1	25	22	4	1	16	24	6	78	22
87	192	28	22	2	22	2	14	13	16	1	20	34	27	84	23
29	95	18	15	-	15	2	6	9	1	-	13	25	6	84	23
24	60	4	4	-	4	-	5	2	1	-	2	10	2	24	25
12	64	7	4	1	4	-	4	3	-	-	1	7	1	23	26
21	84	5	16	3	16	-	9	8	6	-	15	28	3	23	27
12	54	2	9	2	9	-	12	7	3	-	12	15	-	11	28
9	30	3	7	1	7	-	1	4	3	-	3	13	3	12	29
10	42	1	2	-	2	-	4	1	4	-	6	5	3	9	30
31	74	15	53	1	53	1	4	15	4	-	8	11	4	38	31
7	17	1	2	-	2	-	9	3	-	-	2	5	-	6	32
43	148	14	16	1	16	-	11	11	1	-	13	14	1	43	33
29	83	6	9	-	9	-	5	4	1	-	10	7	1	28	34
14	85	8	7	1	7	-	6	7	4	-	6	7	-	15	35
34	67	11	6	2	6	1	9	10	4	-	6	7	5	28	36
19	23	4	-	-	-	-	6	6	1	-	2	4	2	15	37
15	44	7	6	2	6	1	3	4	3	-	4	3	3	13	38
34	156	13	24	-	24	-	12	9	4	-	14	16	10	53	39
20	63	5	4	-	5	1	4	6	-	-	7	5	5	16	40
169	590	93	77	10	115	7	49	103	32	6	68	77	31	279	41
127	385	68	77	6	77	3	78	61	21	5	38	45	28	139	42
42	195	25	38	4	38	4	28	42	11	1	30	32	3	90	43
14	31	8	3	-	3	-	2	1	1	-	3	8	-	8	44
31	97	4	7	-	7	-	4	4	6	1	5	18	2	37	45
12	31	1	4	-	4	-	2	2	2	-	6	8	-	12	46
19	66	3	3	-	3	-	2	2	4	1	4	12	-	25	47
48	225	42	18	3	18	1	7	3	3	-	5	20	2	66	48
14	44	6	6	-	6	-	5	5	-	-	3	6	-	26	49
34	181	9	12	3	12	1	2	4	3	-	2	14	2	40	50
30	149	13	17	1	17	1	12	13	5	-	9	17	13	37	51
42	118	11	26												

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuber-culosis (all forms)	Dysen-tery	Malaria	Syph-illis	Measles	Polio-myelitis, polio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	6	8	9	10	15-22	27	28	30	35	38	45-55	58	61
MICHIGAN—Continued															
1	Monroe	635	-	2	-	-	4	-	-	2	-	-	94	-	16
2	Monroe	243	-	-	-	-	5	-	-	1	-	-	38	-	4
3	Balance of county	392	-	2	-	-	1	-	-	1	-	-	56	-	12
4	Montcalm	367	-	1	-	-	1	-	-	2	-	1	54	-	11
5	Montmorency	29	-	-	-	-	1	-	-	-	-	-	2	-	-
6	Muskegon	1,102	-	-	-	1	31	-	-	4	-	-	132	2	32
7	Muskegon	613	-	-	-	1	13	-	-	5	-	-	78	-	19
8	Muskegon Heights	142	-	-	-	-	3	-	-	-	-	-	14	2	2
9	Balance of county	347	-	-	-	1	15	-	-	1	-	-	40	-	11
10	Newaygo	234	-	-	-	-	1	-	-	-	-	-	34	-	7
11	Oakland	2,536	-	2	-	2	59	-	-	25	-	3	389	1	67
12	Pontiac	930	-	1	-	-	23	-	-	15	-	-	106	-	15
13	Royal Oak	228	-	-	-	-	4	-	-	1	-	-	37	1	6
14	Birmingham	91	-	-	-	-	5	-	-	1	-	-	19	-	2
15	Ferndale	181	-	1	-	-	5	-	-	1	-	-	25	-	3
16	Balance of county	1,206	-	-	-	1	28	-	-	7	-	-	142	-	43
17	Oceana	177	-	-	-	-	2	-	-	-	-	-	27	-	3
18	Ogemaw	100	-	-	-	-	1	-	-	-	-	-	11	-	3
19	Ontonagon	135	-	-	-	-	5	-	-	1	-	-	15	-	3
20	Osceola	164	-	-	-	-	1	-	-	2	-	-	16	-	5
21	Oscoda	23	-	-	-	-	1	-	-	1	-	-	-	-	1
22	Otsego	89	-	-	-	-	10	-	-	1	-	-	5	-	3
23	Ottawa	897	-	-	-	-	4	-	-	1	-	-	69	1	19
24	Holland	168	-	-	-	-	1	-	-	-	-	-	25	-	8
25	Balance of county	429	-	-	-	-	3	-	-	1	-	-	64	1	11
26	Presque Isle	106	-	-	-	-	3	-	-	-	-	-	14	-	8
27	Roscommon	52	-	-	-	-	3	-	-	-	-	-	14	-	2
28	Saginaw	1,481	1	-	2	1	37	1	-	-	-	-	5	1	8
29	Saginaw	892	1	-	1	1	12	-	10	-	-	-	221	1	40
30	Balance of county	499	-	-	1	-	25	1	4	-	-	-	180	-	25
31	St. Clair	987	-	1	-	-	13	-	6	2	-	-	81	1	15
32	Port Huron	469	-	-	-	5	8	-	-	-	-	-	139	1	35
33	Balance of county	518	-	1	-	1	9	-	-	-	-	-	65	-	18
34	St. Joseph	425	-	-	-	-	6	-	2	-	-	-	76	1	17
35	Saukville	354	-	1	-	-	9	-	5	-	-	-	58	-	9
36	Schoolcraft	93	-	-	1	1	4	-	1	-	-	-	58	-	10
37	Shiawassee	473	-	1	-	1	7	-	-	-	-	-	18	-	1
38	Owosso	184	-	1	-	-	7	-	1	-	-	-	64	-	19
39	Balance of county	289	-	-	-	-	6	-	1	-	-	-	27	-	8
40	Tuscola	469	-	-	-	-	11	-	4	-	-	-	37	-	11
41	Van Buren	493	-	-	-	-	5	-	4	-	-	1	77	1	5
42	Washtenaw	1,282	-	1	-	-	5	-	5	1	-	-	70	-	13
43	Ann Arbor	596	-	-	-	-	40	-	29	-	-	2	151	-	34
44	Ipsilanti	189	-	-	-	-	2	-	5	-	-	2	60	-	15
45	Balance of county	697	-	1	-	-	1	-	2	-	-	-	16	-	8
46	Wayne	19,979	5	2	22	7	965	3	-	22	-	-	75	-	11
47	Detroit	14,821	2	7	17	3	759	3	-	258	-	8	2,953	10	592
48	Dearborn	479	-	-	1	-	7	-	150	-	-	7	2,114	8	439
49	Hamtramck	413	-	-	1	-	7	-	8	-	-	-	73	-	19
50	Highland Park	535	-	-	1	-	19	-	2	-	-	-	51	-	13
51	Wyandotte	315	-	-	-	-	8	-	8	-	-	-	72	-	23
52	Ecorse	111	-	-	-	-	8	-	2	-	-	-	42	-	14
53	Grosse Pointe Park	73	-	-	2	1	6	-	-	-	-	-	12	-	2
54	Lincoln Park	100	-	-	-	-	-	-	1	-	-	-	11	-	1
55	River Rouge	140	-	-	-	-	3	-	1	-	-	-	11	-	4
56	Balance of county	2,992	-	-	-	1	3	-	1	-	-	-	16	-	3
57	Wexford	218	-	-	2	1	185	-	65	-	-	1	551	2	74
58	MINNESOTA	27,781	1	16	3	31	22	579	5	165	19	18	4,026	15	790
59	Aitkin	125	-	-	-	-	1	-	-	-	-	-	19	-	4
60	Anoka	308	-	-	-	-	15	-	-	6	1	-	40	-	9
61	Becker	227	-	-	-	-	2	-	-	2	-	-	24	-	7
62	Beltrami	204	-	-	-	-	14	-	-	2	-	-	19	-	10
63	Benton	99	-	-	-	-	1	-	-	-	-	-	15	-	-
64	St. Cloud (part)	16	-	-	-	1	-	-	-	-	-	-	2	-	-
65	Balance of county	91	-	-	-	-	1	-	-	-	-	-	13	-	-
66	Big Stone	80	-	-	-	-	2	-	-	-	-	-	5	-	-
67	Blue Earth	373	-	-	-	-	4	-	1	1	-	-	52	-	9
68	Mankato	219	-	-	1	-	2	-	1	-	-	-	20	-	8
69	Balance of county	154	-	-	1	-	2	-	1	-	-	-	24	-	3
70	Brown	261	-	-	-	-	1	-	-	-	1	-	31	-	11
71	Carlton	359	-	-	-	-	5	-	-	4	1	-	44	-	10
72	Carver	138	-	-	-	-	1	-	-	-	-	-	19	-	6
73	Cass	206	-	-	-	1	20	-	3	-	-	-	16	-	5
74	Chippewa	159	-	-	-	-	5	-	1	1	-	-	24	-	3
75	Chicago	163	-	-	-	-	3	-	-	-	-	-	22	-	8
76	Clay	212	-	-	-	-	2	-	2	-	-	-	23	-	5
77	Clearwater	94	-	1	-	-	3	-	3	-	-	-	15	-	2
78	Cook	27	-	-	3	-	-	-	-	-	-	-	2	-	2
79	Cottonwood	151	-	-	-	-	2	-	-	-	-	-	2	-	1
80	Crow Wing	315	-	-	-	-	4	-	2	-	-	2	60	-	7
81	Brainerd	172	-	-	2	-	1	-	2	-	-	-	27	-	5
82	Balance of county	143	-	-	1	-	3	-	-	-	-	-	33	-	2
83	Dakota	348	-	-	-	2	5	-	5	-	-	1	43	-	7
84	South St. Paul	96	-	-	-	-	1	-	1	-	1	-	18	-	2
85	Balance of county	252	-	-	-	2	4	-	4	-	-	-	25	-	5
86	Dodge	102	-	-	-	-	1	-	-	-	-	-	16	1	1
87	Douglas	203	-	-	-	-	1	-	-	-	-	-	21	-	6
88	Feribault	173	-	-	-	-	1	-	-	-	-	-	31	-	-
89	Fillmore	265	-	-	-	-	2	-	-	-	-	-	26	-	9
90	Freeborn	249	-	-	-	-	5	-	2	-	-	-	32	-	8
91	Albert Lea	147	-	-	-	-	1	-	2	-	-	-	23	-	4
92	Balance of county	102	-	-	-	-	4	-	-	-	-	-	9	-	4
93	Goodhue	345	-	-	-	1	14	-	-	-	3	-	65	-	5
94	Grant	88	-	-	-	-	-	-	-	-	-	-	13	-	2

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Semility, ill-defined and unknown causes	All other causes	
89	85	90-95	107-109, 33	119, 120	130-132	140-150	157, 158, 160, 161	159	163, 164	165-168	170	169, 171-195	162, 199, 200		
-	45	203	28	6	30	1	21	29	6	2	35	26	7	78	1
-	10	76	5	3	12	1	11	17	-	1	19	13	1	28	2
-	35	127	23	3	18	-	10	12	6	1	16	13	6	50	3
-	59	89	16	4	25	2	10	11	6	1	13	15	12	54	4
-	3	13	3	-	1	-	-	3	1	-	3	-	-	-	5
-	98	526	55	8	54	11	48	48	9	7	28	49	32	123	6
-	57	175	31	5	54	6	25	23	4	4	15	27	18	75	7
-	15	46	3	1	7	-	4	10	1	1	1	10	5	16	8
-	26	105	21	2	13	5	19	18	4	2	12	12	9	32	9
-	24	85	6	1	12	-	3	4	3	-	6	22	1	26	10
-	204	781	67	17	92	5	156	107	28	15	99	140	28	310	11
-	56	278	57	6	25	2	30	38	10	9	22	40	15	103	12
-	16	69	9	2	9	-	14	10	4	-	10	8	2	25	13
-	7	20	1	-	1	-	6	2	-	-	5	6	1	19	14
-	6	43	6	2	13	-	20	13	2	-	6	11	2	23	15
-	119	371	34	7	44	3	86	44	12	4	56	75	8	140	16
-	28	48	5	1	6	-	7	7	2	-	5	8	1	27	17
-	15	27	4	-	3	-	5	6	2	-	2	12	-	9	18
-	16	43	4	1	6	1	2	1	2	-	3	11	2	21	19
-	21	51	5	2	5	-	5	3	3	-	2	12	5	26	20
-	4	10	2	-	1	-	-	-	1	-	-	1	-	1	21
-	3	25	-	-	7	-	1	1	-	-	1	3	-	9	22
-	71	181	13	-	42	1	24	25	4	-	22	26	14	60	23
-	19	55	6	-	10	-	6	8	-	-	5	4	2	19	24
-	52	126	7	-	32	1	18	17	4	-	17	22	12	41	25
-	4	32	2	-	2	-	3	5	2	-	2	9	2	18	26
-	2	17	3	-	2	1	4	1	-	-	3	4	-	6	27
1	161	451	59	9	74	4	57	48	12	4	39	57	13	198	28
1	113	308	41	7	49	4	34	36	5	3	25	31	7	124	29
-	48	143	18	2	25	-	23	12	7	1	14	26	6	64	30
-	104	344	37	6	51	5	26	21	7	3	31	64	5	87	31
-	49	163	21	4	28	4	9	14	4	1	12	26	3	41	32
-	55	181	16	2	23	1	17	7	3	2	19	38	2	46	33
-	55	122	24	3	19	1	6	17	7	-	17	21	8	44	34
-	47	117	20	2	13	6	14	10	2	2	6	18	6	35	35
-	10	36	4	-	2	-	1	2	2	-	2	4	4	5	36
-	45	147	17	-	33	-	10	21	3	1	18	15	7	66	37
-	16	52	8	-	16	-	4	10	1	1	6	7	1	19	38
-	27	95	9	-	17	-	6	11	2	-	12	8	6	47	39
-	53	131	17	-	25	2	11	15	3	1	17	18	6	71	40
-	53	181	9	2	13	1	15	13	9	-	14	21	17	53	41
-	148	381	45	5	29	2	40	37	10	1	34	46	40	207	42
-	49	108	11	1	14	-	19	14	1	-	11	12	12	60	43
-	21	51	8	1	8	2	9	19	1	-	13	5	3	21	44
-	78	222	26	3	7	-	12	4	8	1	10	29	25	128	45
1	1,560	6,403	893	105	859	66	731	723	211	144	448	637	83	2,295	46
1	1,147	4,774	601	76	708	49	552	555	168	126	314	446	61	1,733	47
-	40	167	14	2	10	5	24	21	5	-	16	24	2	45	48
-	29	127	22	4	13	-	24	19	8	2	11	12	3	51	49
-	48	174	15	4	31	2	22	15	6	5	6	16	4	75	50
-	23	111	10	4	14	3	11	11	2	-	14	13	6	29	51
-	6	33	1	2	3	-	9	6	-	1	4	13	3	8	52
-	7	27	2	1	8	-	-	1	1	-	1	2	-	9	53
-	6	26	6	-	2	1	7	9	1	-	4	9	-	11	54
-	18	37	5	1	3	2	10	16	2	2	2	3	2	13	55
-	235	927	217	11	67	6	72	70	18	8	76	99	12	323	56
-	26	74	9	-	8	3	6	6	4	1	2	8	1	23	57
1	2,937	8,856	1,289	92	874	46	937	802	323	34	619	1,389	340	3,574	58
-	11	42	4	-	9	-	5	6	1	-	3	4	4	14	59
-	36	101	8	-	1	2	10	11	1	-	9	25	5	52	60
-	36	56	13	-	7	-	16	10	3	1	10	5	7	28	61
-	17	55	14	2	4	1	7	6	-	-	4	14	12	23	62
-	17	27	6	1	1	-	3	4	1	-	5	4	5	10	63
-	2	6	1	1	-	-	2	2	-	-	1	-	-	2	64
-	15	21	5	-	1	-	3	2	1	-	4	4	2	8	65
-	6	33	3	1	3	-	2	4	2	-	4	4	1	10	66
-	31	119	13	6	18	1	18	9	4	-	6	15	9	55	67
-	20	61	8	5	12	1	11	9	3	-	1	10	7	32	68
-	11	58	4	1	6	-	7	-	1	-	5	6	2	23	69
-	30	77	5	1	14	1	11	10	4	1	13	12	2	37	70
-	30	110	17	-	12	-	3	9	7	-	10	24	2	71	71
-	14	47	13	-	4	-	6	-	3	-	6	5	1	15	72
-	24	68	16	-	8	2	3	4	2	-	8	11	1	17	73
-	16	41	6	1	15	-	2	6	-	-	1	9	2	25	74
-	19	50	6	1	9	-	5	6	-	-	3	10	3	18	75
-	19	66	9	-	11	1	9	10	5	1	13	13	1	21	76
-	3	30	10	-	3	-	4	2	-	-	-	7	2	10	77
-	4	9	1	-	-	-	1	-	-	-	1	3	4	4	78
-	15	37	3	1	8	1	6	5	1	-	2	7	2	17	79
-	39	96	15	2	12	2	7	7	5	1	7	14	7	27	80
-	27	51	10	1	10	1	4	2	2	1	2	8	5	13	81
-	12	45	5	1	2	1	1	5	3	-	5	6	4	14	82
-	43	104	15	-	11	-	12	8	5	-	26	1	1	57	83
-	7	29	3	-	3	-	5	-	3	-	2	5	1	15	84
-	36	75	12	-	8	-	7	8	2	-	1	21	2	42	85
-	17	36	1	-	3	-	2	1	1	-	1	2	1	18	86
-	23	75	8	-	5	-	7	5	2	-	9	12	-	34	87
-	23	61	6	1	10	-	5	6	-	-	6	6	-	23	88
-	32	99	12	-	5	-	10	7	1	-	7	14	1	40	89
-	25	86	8	1	8	1	13	6	2	-	9	10	3	28	90
-	14	47	4	-	4	1	10	5	2	-	5	3	3	18	91
-	11	39	4	1	4	-	3	3	-	-	4	3	9	9	92
-	42	105	16	1	8	-	10	11	4	-	10	13	4	33	93
-	12	29	5	-	1	-	1	-	1	-	2	2	-	19	94

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
MINNESOTA—Continued															
1 Hennepin	6,110	-	3	1	1	2	168	2	-	45	2	2	897	2	171
2 Minneapolis	5,263	-	3	1	1	1	112	1	-	41	1	2	787	2	149
3 Balance of county	827	-	-	-	-	1	56	1	-	4	1	-	110	-	22
4 Houston	156	-	-	-	-	-	-	-	-	-	-	1	19	-	4
5 Hubbard	107	-	-	-	-	1	-	-	-	-	-	-	11	-	1
6 Isanti	154	-	-	-	-	-	1	-	-	-	-	-	27	-	-
7 Itasca	299	-	2	-	1	1	4	-	-	1	-	-	42	-	10
8 Jackson	109	-	-	-	-	1	1	-	-	1	-	1	11	1	4
9 Kanabec	95	-	-	1	-	-	2	-	-	-	-	-	9	-	2
10 Kandiyohi	295	-	1	-	-	-	19	-	-	2	-	-	46	-	7
11 Kittson	99	-	-	-	-	-	1	-	-	-	-	-	12	-	3
12 Koochiching	206	-	-	-	2	1	4	-	-	-	-	-	27	-	3
13 Lac qui Parle	142	-	-	-	-	-	1	-	-	-	-	-	16	-	4
14 Lake	94	-	-	-	-	-	-	-	-	2	-	-	12	-	7
15 Lake of the Woods	30	-	-	-	-	-	2	-	-	-	-	-	4	-	1
16 La Sueur	194	-	-	-	-	-	-	-	-	-	1	-	35	-	3
17 Lincoln	91	-	-	-	-	-	-	-	-	1	1	-	17	1	1
18 Lyon	178	-	-	-	-	-	1	-	-	-	1	-	21	-	6
19 McLeod	199	-	-	-	-	-	4	-	-	1	1	-	32	-	8
20 Mahanomen	58	-	-	-	-	-	-	-	-	-	-	-	15	-	2
21 Marshall	132	-	1	-	2	-	2	-	-	-	-	-	19	-	7
22 Martin	185	-	-	-	-	-	1	-	-	-	-	-	25	-	5
23 Meeker	188	-	-	-	-	-	-	-	-	-	-	-	22	-	7
24 Mille Lacs	165	-	1	-	-	-	-	-	-	1	-	-	19	-	9
25 Morrison	227	-	-	-	2	2	1	-	-	-	-	-	39	-	6
26 Mower	511	-	-	-	-	1	3	-	-	-	-	-	48	-	10
27 Austin	187	-	-	-	-	1	3	-	-	-	-	-	28	-	3
28 Balance of county	124	-	-	-	-	-	-	-	-	-	-	-	20	-	7
29 Murray	99	-	1	-	-	-	-	-	-	-	-	1	11	-	2
30 Nicollet	426	-	-	-	1	-	39	-	-	7	-	-	34	-	10
31 Nobles	193	-	-	-	1	-	7	-	-	-	-	-	31	-	4
32 Norman	117	-	-	-	-	-	1	-	-	-	-	-	18	-	1
33 Olmsted	603	-	-	-	1	-	10	-	-	6	-	-	93	1	6
34 Rochester	484	-	-	-	-	-	8	-	-	5	-	-	71	-	5
35 Balance of county	119	-	-	-	1	-	2	-	-	1	-	-	22	1	1
36 Otter Tail	641	1	-	-	1	4	31	-	-	8	-	-	81	-	17
37 Fergus Falls	543	1	-	-	1	3	28	-	-	7	-	-	37	-	10
38 Balance of county	298	-	-	-	-	1	3	-	-	1	-	-	44	-	7
39 Remington	139	-	-	-	-	-	9	-	-	-	-	-	21	-	4
40 Pine	180	-	1	-	-	-	-	-	-	-	-	-	23	-	4
41 Pipestone	110	-	-	-	1	-	1	-	-	1	-	-	16	-	2
42 Polk	357	-	-	-	-	-	8	-	-	2	-	-	35	-	9
43 Pope	122	-	-	-	-	-	-	-	-	-	-	-	29	-	4
44 Ramsey	3,324	-	3	-	3	2	53	-	-	25	1	2	623	1	99
45 St. Paul	3,075	-	2	-	3	2	50	-	-	25	1	2	592	-	88
46 Balance of county	249	-	1	-	-	-	3	-	-	-	-	-	31	1	11
47 Red Lake	41	-	-	-	-	-	-	-	-	-	-	-	4	-	-
48 Redwood	166	-	-	-	-	1	1	-	-	-	1	-	24	-	7
49 Renville	206	-	-	-	-	2	2	-	-	1	1	-	39	-	6
50 Rice	384	-	1	-	-	-	19	-	-	2	1	-	40	-	8
51 Faribault	228	-	-	-	-	-	18	-	-	2	1	-	25	-	4
52 Balance of county	153	-	1	-	-	-	1	-	-	-	-	-	17	-	4
53 Rock	90	-	-	-	-	-	1	-	-	-	-	-	12	-	3
54 Roseau	133	-	-	-	-	-	-	-	-	-	-	1	15	-	2
55 St. Louis	2,031	-	1	-	3	1	32	-	-	19	1	1	324	-	67
56 Duluth	1,138	-	1	-	2	1	8	-	-	11	-	-	188	-	28
57 Hibbing	133	-	-	-	-	-	1	-	-	1	-	-	26	-	4
58 Virginia	122	-	-	-	-	-	2	-	-	3	-	-	22	-	8
59 Balance of county	658	-	-	-	1	-	21	-	-	4	1	1	68	-	27
60 Scott	130	-	-	-	-	-	2	1	-	1	-	-	9	-	6
61 Sherburne	85	-	-	-	-	-	-	-	-	1	-	1	11	-	-
62 St. Cloud (part)	14	-	-	-	-	-	1	-	-	-	-	-	4	-	-
63 Balance of county	71	-	-	-	-	-	-	-	-	1	-	1	7	-	-
64 Sibley	145	-	-	-	-	-	-	-	-	-	-	-	19	-	5
65 Stearns	563	-	1	-	2	-	10	-	-	3	-	2	59	3	25
66 St. Cloud (part)	241	-	-	-	1	-	5	-	-	-	-	1	22	-	13
67 St. Cloud (total)	273	-	-	-	1	-	5	-	-	-	-	1	28	-	13
68 Balance of county	522	-	1	-	1	-	2	-	-	3	-	1	37	3	12
69 Steele	181	-	-	-	-	-	5	-	-	-	-	-	30	-	4
70 Stevens	113	-	-	-	-	-	2	-	-	-	-	-	14	-	3
71 Swift	147	-	-	-	-	-	1	-	-	-	-	-	23	2	8
72 Todd	201	-	-	-	-	-	1	-	-	1	-	-	30	1	4
73 Traverse	58	-	-	-	-	-	1	-	-	-	-	-	7	-	1
74 Wabasha	177	-	-	-	-	-	1	-	-	-	-	-	27	1	7
75 Wadena	128	-	-	-	-	-	1	-	-	-	1	-	11	-	5
76 Waseca	140	-	-	-	-	-	1	-	-	-	1	1	20	-	4
77 Washington	301	-	-	-	-	-	4	-	-	2	-	-	43	1	12
78 Watonwan	117	-	-	-	1	-	1	-	-	-	1	-	16	-	3
79 Wilkin	84	-	-	-	-	-	1	-	-	1	-	-	11	-	1
80 Winona	395	-	-	-	-	1	4	-	-	2	-	-	62	-	18
81 Winona	249	-	-	-	-	1	2	-	-	1	-	-	39	-	14
82 Balance of county	136	-	-	-	-	-	2	-	-	1	-	-	25	-	4
83 Wright	267	-	-	-	1	-	-	-	-	-	-	1	27	-	7
84 Yellow Medicine	151	-	-	-	-	-	3	-	-	1	-	-	17	-	5
85 MISSISSIPPI	20,212	8	15	-	85	14	729	29	20	211	9	5	1,013	51	516
86 Adams	332	1	-	-	2	-	13	-	-	5	-	-	30	1	4
87 Natchez	245	1	-	-	2	-	10	-	-	2	-	-	24	-	4
88 Balance of county	87	-	-	-	-	-	3	-	-	3	-	-	6	1	2
89 Alcorn	251	-	-	-	1	-	12	-	-	-	-	-	28	-	2
90 Amite	158	1	-	-	-	-	4	-	-	-	-	-	19	-	2
91 Attala	284	-	-	-	1	-	8	-	-	1	-	-	25	-	4
92 Benton	70	-	-	-	1	-	4	-	-	-	-	-	7	-	1
93 Bolivar	888	1	-	-	6	1	28	3	3	7	-	-	51	-	6
94 Calhoun	148	-	-	-	5	-	3	-	-	-	-	-	10	3	7
95 Carroll	151	-	-	-	1	-	5	-	-	-	-	-	8	-	5

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pollagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhoea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	85	90-95	107-109,33	119,120	150-152	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200	
1	678	2,080	281	31	142	7	198	144	79	15	127	291	29	713
1	600	1,827	248	28	121	7	159	119	69	14	92	262	24	606
78	253	33	5	5	21	5	37	25	10	1	28	29	5	107
14	35	4	4	1	5	5	6	5	1	1	2	7	11	23
12	34	5	5	1	6	6	6	5	1	1	2	10	5	28
20	40	11	11	1	4	1	1	1	1	1	6	9	5	8
45	76	16	16	2	12	1	12	11	4	3	10	9	4	35
10	36	2	2	2	5	1	4	4	3	2	2	9	3	12
11	34	3	3	1	5	1	7	4	2	1	1	5	3	8
40	76	13	13	1	5	1	7	7	2	1	4	5	3	12
7	28	4	4	1	6	1	5	4	1	1	1	7	8	46
21	63	9	9	2	6	1	5	4	4	1	1	16	1	14
8	42	7	7	1	11	1	4	4	1	1	2	12	6	22
3	39	4	4	1	2	1	2	1	3	1	2	2	2	8
3	38	7	7	1	2	1	1	1	1	1	2	2	2	14
21	55	10	10	1	10	1	10	4	5	1	5	16	3	15
9	22	7	7	1	3	1	4	1	1	1	6	8	3	8
20	44	8	8	1	16	1	6	2	1	1	8	7	3	17
14	65	10	10	1	7	1	9	6	2	1	4	4	2	18
3	16	1	1	1	1	1	6	9	1	1	3	4	2	19
9	39	6	6	1	4	2	4	7	1	1	2	2	1	20
17	67	5	5	1	3	2	6	4	4	1	2	11	1	21
23	65	6	6	1	6	1	12	1	2	2	6	8	1	25
23	44	8	8	1	3	1	5	7	2	1	7	7	1	22
19	63	15	15	1	6	1	15	4	2	1	1	18	2	29
39	75	4	4	1	13	1	10	18	6	1	1	17	17	20
24	38	2	2	1	9	1	6	16	4	1	14	11	11	31
15	37	2	2	1	4	1	2	2	4	1	5	3	6	26
14	31	4	4	1	2	1	3	4	2	1	4	4	3	19
26	187	31	31	1	7	1	9	2	6	1	3	18	4	42
19	48	12	12	1	9	1	10	10	2	1	4	11	2	30
17	36	7	7	1	2	1	2	2	2	1	7	7	2	21
67	124	64	64	2	18	1	12	16	2	1	12	34	3	132
58	86	62	62	1	10	1	9	8	2	1	7	26	1	53
9	28	2	2	1	8	1	10	8	2	1	5	8	2	115
67	209	52	52	2	8	1	10	8	7	1	5	8	6	17
30	104	38	38	2	22	1	3	10	1	1	4	20	6	36
37	105	14	14	1	13	1	7	3	1	1	10	10	6	50
25	34	5	5	1	9	2	3	5	6	1	7	10	1	39
4	70	6	6	1	3	1	7	8	2	1	2	12	1	16
43	106	15	15	1	7	1	5	6	4	1	4	9	3	40
19	29	5	5	1	3	1	13	6	1	1	6	9	2	12
305	1,024	159	159	7	91	5	122	107	33	4	11	178	15	429
276	954	126	126	5	85	5	110	95	30	3	46	166	13	398
27	70	13	13	2	6	1	12	12	1	1	11	12	2	31
8	15	3	3	1	1	1	1	6	2	1	1	2	1	6
17	46	5	5	1	12	1	2	2	1	1	1	2	1	47
23	55	7	7	2	15	1	10	5	5	1	1	10	4	25
30	100	19	19	1	18	1	17	12	2	1	5	15	6	23
12	48	14	14	1	12	1	11	7	2	1	3	5	4	89
18	52	5	5	1	6	1	6	5	1	1	10	5	4	63
10	26	2	2	1	4	1	1	4	4	1	1	4	1	26
21	44	5	5	1	5	1	8	6	1	1	6	4	1	16
148	756	71	71	3	43	5	64	62	34	2	40	116	6	232
81	425	40	40	2	28	2	41	17	17	2	19	61	3	142
4	53	3	3	2	2	1	5	1	1	1	5	7	1	15
8	37	3	3	1	2	1	7	3	1	1	8	8	1	15
55	241	25	25	1	11	2	11	17	15	1	14	40	3	60
11	45	11	11	1	5	2	4	4	3	1	4	8	1	18
16	26	4	4	1	2	1	4	1	1	1	3	7	1	8
1	5	2	2	1	2	1	4	1	1	1	3	1	1	62
15	21	2	2	1	2	1	4	1	1	1	3	6	1	8
12	44	10	10	1	3	1	5	1	1	1	3	6	4	29
65	152	44	44	1	19	1	32	21	6	1	26	7	7	79
34	55	18	18	1	7	1	21	13	3	1	11	11	1	33
37	66	21	21	1	7	1	21	15	3	1	4	12	2	35
29	97	26	26	1	12	1	11	8	3	1	6	15	6	46
24	56	3	3	1	8	1	7	8	3	1	7	8	2	19
11	34	5	5	2	5	1	6	4	1	1	4	2	2	70
20	43	5	5	1	5	1	10	8	1	1	1	3	2	16
20	63	11	11	1	10	1	4	11	3	1	2	7	3	28
9	18	1	1	1	2	1	2	2	5	1	2	2	1	10
16	61	7	7	1	1	1	6	6	1	1	8	5	5	30
20	36	7	7	1	8	1	2	3	1	1	6	4	4	16
14	52	5	5	1	2	1	3	6	1	1	4	4	1	22
35	101	16	16	1	11	1	9	5	5	1	10	19	1	26
14	43	4	4	1	7	1	4	3	1	1	4	1	3	12
2	27	4	4	3	1	1	6	1	1	1	3	7	1	11
56	119	9	9	1	16	1	5	7	6	1	17	10	10	46
52	74	6	6	1	13	1	4	5	5	1	13	7	7	32
24	45	3	3	1	3	1	1	2	1	1	6	4	3	14
44	100	11	11	1	15	1	4	9	3	1	7	9	2	27
18	46	8	8	1	7	1	1	8	6	1	3	11	2	14
30	1,987	4,275	1,023	110	1,686	173	639	646	110	310	478	1,031	2,470	1,977
26	61	81	11	1	40	1	15	11	1	2	6	16	39	28
20	20	4	4	1	30	1	13	9	1	2	3	14	20	21
6	20	4	4	1	10	1	2	2	1	1	3	2	18	7
37	50	17	17	3	11	1	7	14	1	1	4	10	14	39
18	33	5	5	1	16	3	4	6	3	3	4	7	26	6
24	60	24	24	2	16	2	14	14	2	5	6	12	25	19
11	15	4	4	1	2	1	1	1	1	1	1	3	15	5
55	121	34	34	6	56	6	14	7	4	8	12	52	136	71
13	56	12	12	1	12	1	12	6	1	1	4	6	9	17
12	34	7	7	1	24	5	4	1	1	1	6	7	10	95

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningo-coccus) meningitis	Scarlet fever	Whoop-ing cough	Diph-the-ria	Tuber-culosis (all forms)	Dysen-tery	Malaria	Syph-illis	Measles	Polio-myelitis, polio-encephal-itis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
MISSISSIPPI—Continued															
1 Chickasaw	181	-	-	-	1	-	9	-	-	-	-	-	15	-	3
2 Choctaw	100	-	-	-	-	1	4	-	-	-	-	-	9	-	3
3 Claiborne	146	-	-	-	-	-	6	-	-	-	1	-	19	-	2
4 Clarke	177	-	1	-	-	-	4	-	-	-	-	-	18	-	7
5 Clay	202	-	-	-	1	-	4	-	-	-	-	-	27	-	1
6 Coahoma	489	-	-	-	3	-	20	-	-	1	-	-	59	1	5
7 Clarksdale	153	-	-	-	-	-	8	-	-	1	-	-	11	1	3
8 Balance of county	356	-	-	-	3	-	12	-	-	-	-	-	28	-	2
9 Copiah	294	-	-	-	2	-	10	-	-	-	-	-	50	-	8
10 Covington	135	-	-	-	-	-	3	-	-	1	-	-	16	-	1
11 De Soto	223	-	-	-	1	-	6	-	-	-	-	-	19	-	1
12 Forrest	363	-	-	-	-	1	16	-	-	2	1	-	45	-	8
13 Hattiesburg	263	-	-	-	-	-	11	-	-	2	-	-	37	-	7
14 Balance of county	100	-	-	-	1	1	5	-	-	2	1	-	8	-	1
15 Franklin	406	-	-	-	1	-	2	-	-	-	-	-	9	2	1
16 George	76	-	1	-	-	-	2	-	-	-	-	-	7	-	1
17 Greene	64	-	-	-	-	-	2	-	-	-	-	-	3	-	2
18 Grenada	185	-	-	-	-	-	6	-	1	-	-	-	14	-	6
19 Hancock	126	-	-	-	-	-	5	-	-	1	-	-	11	-	5
20 Harrison	652	-	-	-	2	-	14	-	-	19	-	-	51	-	5
21 Biloxi	206	-	-	-	-	-	9	-	-	1	-	-	20	-	15
22 Gulfport	245	-	-	-	-	-	4	-	-	-	15	-	13	-	5
23 Balance of county	201	-	-	-	2	-	1	-	-	-	3	-	18	-	5
24 Hinds	1,128	-	2	-	3	1	50	1	1	13	-	-	105	1	24
25 Jackson	769	-	1	-	2	1	21	1	1	11	-	-	66	-	16
26 Balance of county	359	-	1	-	1	-	29	-	-	2	-	-	39	1	8
27 Holmes	398	-	-	-	1	-	13	-	-	7	-	-	35	1	5
28 Humphreys	206	-	-	-	1	-	9	-	1	7	-	1	17	1	1
29 Issaquena	55	-	-	-	-	-	2	-	1	-	-	-	1	-	1
30 Itawamba	105	-	-	-	-	-	3	-	-	-	1	-	1	-	4
31 Jackson	245	-	-	-	2	-	10	-	1	4	-	-	10	-	7
32 Jasper	139	-	1	-	-	-	4	-	1	2	-	-	24	-	2
33 Jefferson	145	-	-	-	1	-	4	-	-	-	-	-	12	-	1
34 Jefferson Davis	155	-	1	-	-	1	7	-	-	-	-	-	12	-	1
35 Jones	403	-	-	-	-	-	11	1	-	1	-	-	15	1	1
36 Laurel	227	-	-	-	-	-	7	1	-	1	-	-	47	-	7
37 Balance of county	176	-	-	-	-	-	4	-	-	1	-	-	26	-	5
38 Kemper	154	-	-	-	-	-	3	-	-	1	-	-	21	-	2
39 Lafayette	174	-	-	-	-	-	2	1	-	-	-	-	11	1	2
40 Lamar	77	-	-	-	-	1	1	1	-	2	-	-	20	1	2
41 Lauderdale	676	2	-	-	1	1	23	1	-	1	-	1	3	-	12
42 Meridian	513	1	-	-	1	1	13	1	-	4	-	1	71	-	11
43 Balance of county	163	1	-	-	-	-	10	-	-	-	-	-	55	-	1
44 Lawrence	106	-	-	-	1	-	2	-	-	1	-	-	16	-	1
45 Leake	163	-	-	-	1	-	7	-	-	-	-	-	5	-	4
46 Lee	336	-	-	-	1	-	15	-	-	4	-	-	9	1	4
47 Leflore	497	-	1	-	1	-	30	-	-	5	-	-	31	-	3
48 Greenwood	189	-	-	-	4	-	8	-	-	1	-	-	33	-	6
49 Balance of county	298	-	-	-	1	-	22	-	-	4	-	-	12	-	3
50 Lincoln	300	-	1	-	5	-	5	2	-	3	1	-	21	-	3
51 Lowndes	350	-	-	-	-	-	14	-	-	1	-	-	30	-	5
52 Columbus	207	-	-	-	-	-	9	-	-	1	-	1	38	-	4
53 Balance of county	151	-	-	-	-	-	5	-	-	1	-	-	23	-	3
54 Madison	375	-	-	-	-	2	18	-	-	3	-	-	15	1	1
55 Marion	172	-	-	-	-	-	4	1	-	1	-	-	31	-	8
56 Marshall	229	-	-	-	-	-	10	-	-	1	-	-	26	1	1
57 Monroe	351	-	1	-	1	1	11	1	-	-	-	-	23	-	3
58 Montgomery	145	-	-	-	1	-	2	1	-	-	-	-	38	1	5
59 Neshoba	187	-	-	-	1	-	7	-	-	1	-	-	19	-	3
60 Newton	211	-	-	-	1	-	7	-	-	1	-	-	18	-	3
61 Neshoba	221	-	-	-	2	-	5	1	-	1	-	-	16	-	1
62 Oktibbeha	195	-	-	-	-	-	4	-	-	2	3	-	14	-	-
63 Panola	295	-	-	-	5	-	5	2	-	3	-	-	10	2	3
64 Pearl River	144	-	-	-	-	-	3	-	-	2	-	-	20	2	7
65 Perry	79	1	1	-	-	-	3	-	-	-	-	-	16	-	4
66 Pike	354	-	-	-	1	-	8	-	-	-	-	-	5	-	-
67 Pontotoc	186	1	-	-	-	-	8	1	1	-	-	-	19	3	2
68 Prentiss	167	-	-	-	-	-	8	-	-	1	-	-	18	1	4
69 Quitman	235	-	1	-	4	-	6	-	1	-	1	-	16	-	4
70 Rankin	605	-	-	-	1	-	48	4	2	61	-	-	17	1	4
71 Scott	160	-	-	-	-	-	5	-	-	-	-	-	30	-	4
72 Sharkey	107	-	-	-	3	-	3	-	-	5	-	-	17	-	2
73 Simpson	157	-	-	-	-	-	16	-	-	-	-	-	7	-	3
74 Smith	120	-	-	-	-	-	1	-	-	-	-	-	19	-	2
75 Stone	54	-	-	-	-	-	2	1	-	-	-	-	11	-	1
76 Sunflower	467	-	-	-	10	-	16	1	-	6	-	-	4	-	4
77 Tallahatchie	258	-	-	-	2	-	11	1	1	2	-	1	19	-	5
78 Tate	165	-	-	-	2	-	7	1	-	1	-	-	12	1	3
79 Tippah	159	-	-	-	1	-	8	-	-	-	-	-	19	-	4
80 Tishomingo	99	-	-	-	-	-	7	-	-	-	-	-	7	-	1
81 Tunica	247	-	1	-	1	1	14	1	-	-	1	-	24	1	5
82 Union	195	-	-	-	-	-	7	-	-	-	-	-	18	-	-
83 Walthall	134	-	-	-	-	-	3	-	-	-	-	-	11	-	3
84 Warren	493	-	1	-	1	1	10	-	-	10	-	-	58	1	7
85 Vicksburg	395	-	1	-	-	1	9	-	-	9	-	-	45	1	6
86 Balance of county	100	-	-	-	1	-	1	-	-	1	-	-	13	-	1
87 Washington	786	1	-	-	5	-	30	1	4	7	-	1	89	2	12
88 Greenville	346	-	-	-	3	-	6	1	1	4	-	-	44	1	9
89 Balance of county	420	1	-	-	2	-	24	-	3	3	-	1	45	1	3
90 Wayne	145	-	-	-	-	1	3	-	-	1	-	-	10	1	2
91 Webster	135	-	-	-	-	-	4	1	-	-	-	-	18	-	-
92 Wilkinson	168	-	-	-	-	-	2	-	-	2	-	-	11	-	1
93 Winston	213	-	-	-	2	-	9	1	1	3	-	-	18	-	2
94 Yalobusha	155	-	2	-	-	-	6	-	-	7	-	-	9	-	2
95 Yazoo	343	-	-	-	-	-	7	-	-	3	-	-	24	-	7

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

559

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Hemi- cides	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-166	170	169, 171-195	162, 199,200		
-	24	49	9	-	14	1	6	5	-	2	5	10	16	12	1
-	15	25	6	-	3	-	3	-	-	-	3	4	15	9	2
-	9	34	1	-	15	1	4	-	1	1	4	6	33	10	3
-	18	40	9	1	17	-	4	2	-	4	-	7	27	18	4
-	23	38	9	1	13	-	3	6	3	4	4	7	38	17	5
-	41	114	25	1	42	3	7	9	2	13	10	25	76	51	6
1	11	47	10	-	12	3	3	4	1	2	3	5	12	18	7
1	30	67	15	1	30	2	4	5	1	11	7	20	64	33	8
1	30	59	17	-	33	3	4	11	1	7	5	18	24	32	9
-	13	21	5	1	19	1	3	6	-	2	9	4	18	12	10
-	35	29	9	2	16	3	3	5	2	4	5	20	46	18	11
1	28	87	16	3	24	1	18	19	1	9	15	17	56	12	12
1	18	62	14	3	17	-	15	17	1	5	4	12	9	28	13
1	10	25	2	1	7	1	3	2	-	4	11	5	8	14	14
-	9	27	2	2	9	-	-	-	1	2	2	9	14	11	15
-	3	17	1	-	8	2	5	5	-	1	1	10	2	10	17
-	5	15	5	-	6	-	2	4	-	-	2	4	5	3	18
1	18	29	8	1	11	3	3	3	1	6	6	15	35	12	19
1	10	30	9	1	8	1	-	2	-	-	-	19	12	19	19
-	61	178	52	5	36	4	25	42	12	15	9	40	31	61	20
-	15	54	12	4	10	1	13	19	2	4	2	14	18	18	21
-	26	69	10	1	17	1	10	19	3	9	4	10	25	22	22
-	20	55	10	-	9	2	2	4	7	2	3	16	24	23	23
-	93	247	41	7	117	9	47	49	6	20	18	58	126	69	24
2	58	171	30	5	74	9	41	48	6	16	14	40	73	66	25
1	35	76	11	2	43	3	6	3	-	4	4	16	53	23	26
1	35	96	21	2	20	4	5	3	1	4	9	20	73	44	27
-	17	40	6	1	17	5	2	6	1	9	7	7	32	25	28
-	4	13	3	1	5	1	2	1	-	-	-	3	10	7	29
-	13	19	12	-	9	1	4	4	2	2	-	2	9	9	30
-	18	47	18	1	18	4	12	11	2	6	15	19	9	17	31
-	17	33	7	-	13	1	4	6	1	3	4	8	8	12	32
1	10	28	8	1	21	1	4	2	-	1	2	8	20	20	33
1	15	34	2	1	9	1	4	4	2	2	8	11	17	19	34
1	51	84	14	4	32	4	16	23	1	6	13	22	46	35	35
1	28	52	8	3	13	3	11	13	1	2	5	9	12	18	37
1	23	32	6	1	19	1	5	10	-	4	8	13	7	19	38
-	18	27	14	-	10	2	3	6	2	3	3	10	26	17	39
-	13	38	8	1	21	1	4	6	1	3	3	7	23	13	40
-	11	18	4	-	3	4	4	4	1	3	4	2	5	73	41
4	66	148	34	3	47	4	18	36	10	12	12	20	50	42	42
4	49	119	29	3	31	2	16	33	5	6	9	20	50	43	43
-	17	29	5	-	16	2	2	3	1	7	3	25	9	16	44
1	14	15	7	-	11	1	4	5	-	1	2	7	10	16	45
-	25	29	8	1	13	3	5	9	3	-	10	16	25	16	46
-	39	71	21	-	28	3	11	15	3	2	6	30	93	33	47
1	61	80	27	2	40	3	10	6	4	11	18	21	21	16	48
-	31	39	7	-	21	1	4	5	2	4	9	14	72	17	49
1	30	41	20	2	19	2	6	1	7	7	9	16	17	31	50
1	22	61	16	5	28	2	16	10	2	4	6	15	57	39	51
1	22	79	14	7	25	2	12	4	4	2	20	24	24	27	52
-	13	40	5	6	16	1	12	4	3	-	9	7	33	11	53
-	9	39	9	1	9	-	-	-	1	-	11	7	67	23	54
1	43	57	24	2	47	3	5	15	-	6	8	14	9	16	55
-	7	30	12	1	18	2	13	8	1	4	8	11	38	13	56
-	29	43	11	1	27	3	7	7	1	3	6	16	40	35	57
-	26	85	20	1	37	2	14	12	1	-	6	14	9	58	58
1	14	28	6	1	20	-	6	2	1	2	5	11	13	9	59
-	53	43	13	4	7	2	4	10	-	1	12	32	27	60	60
-	23	42	3	-	10	3	12	10	2	4	6	56	20	61	61
-	12	33	10	1	21	3	12	6	-	3	15	13	26	62	62
1	22	46	7	-	15	3	8	12	2	2	3	40	29	63	63
-	30	66	13	-	25	5	7	4	-	11	13	12	19	64	64
-	18	23	1	2	12	-	4	13	1	3	4	5	7	65	65
-	3	24	2	1	10	-	1	3	-	-	6	8	24	33	66
1	42	105	17	-	26	4	12	14	2	8	6	4	9	19	67
-	12	56	13	1	26	1	4	4	-	-	-	6	17	19	68
-	17	36	19	2	8	-	8	4	-	1	12	41	21	69	69
-	25	41	11	-	23	1	9	9	-	3	2	50	116	70	70
2	64	119	26	7	21	2	11	5	-	6	5	24	20	71	71
1	17	10	13	-	13	3	8	6	-	2	1	22	10	72	72
-	9	15	5	-	15	-	5	4	-	1	12	17	13	73	73
-	11	37	6	1	5	1	3	7	1	6	5	11	11	74	74
-	16	36	9	1	1	1	2	2	1	-	6	2	5	75	75
-	5	10	2	-	4	-	3	6	1	1	6	2	7	5	76
1	44	61	24	5	33	8	13	20	3	5	11	28	80	38	76
-	24	45	12	-	32	1	14	6	-	-	17	29	28	77	77
-	11	44	5	1	15	3	2	4	1	4	5	6	8	79	79
-	19	39	3	-	5	3	6	1	2	1	4	11	12	80	80
-	7	18	10	-	12	2	4	2	1	2	3	7	46	14	81
-	28	48	10	-	23	-	5	4	1	10	4	13	19	82	82
-	23	38	11	-	20	1	18	13	1	1	6	15	17	83	83
-	10	24	5	-	17	2	8	8	1	1	5	19	51	84	84
1	49	87	28	1	42	4	17	11	3	7	15	45	40	85	85
1	44	74	22	1	30	3	16	9	2	5	14	15	11	86	86
-	5	13	6	-	12	1	1	2	1	2	4	4	59	87	87
2	64	162	34	3	38	3	15	12	4	14	42	34	35	88	88
2	28	98	15	2	21	1	11	9	3	5	8	25	26	89	89
-	36	74	19	1	17	2	4	5	1	6	6	11	18	90	90
-	16	22	8	-	20	2	6	4	5	3	5	7	9	91	91
-	23	42	9	1	6	1	5	3	2	2	3	5	5	92	92
-	12	36	6	-	10	4	7	6	1	4	15	34	6	93	93
-	12	52	25	3	16	3	8	7	-	3	6	12	8	23	94
-	15	26	10	-	26	1	2	3	1	-	2	20	16	94	94
1	30	68	17	2	45	4	11	4	1	7	14	53	39	95	95

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

1	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1,2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	MISSOURI-----	44,572	16	15	2	67	17	1,281	16	8	414	5	18	5,778	35	953
2	Adair-----	230	-	-	-	1	-	2	-	-	4	-	-	25	-	3
3	Kirkville-----	161	-	-	-	-	-	1	-	-	3	-	-	15	-	2
4	Balance of county-----	69	-	-	-	1	-	1	-	-	1	-	-	10	-	1
5	Andrew-----	125	-	-	-	-	-	-	-	-	1	-	-	21	-	2
6	Atchison-----	122	-	-	-	-	-	-	-	-	-	-	-	10	-	5
7	Andrain-----	256	-	-	-	-	-	4	-	1	3	-	-	34	1	5
8	Berry-----	243	-	-	-	-	-	11	-	-	-	-	-	26	-	6
9	Barton-----	133	-	-	-	1	-	-	-	-	1	-	-	19	-	2
10	Bates-----	225	-	-	-	-	-	4	-	-	2	-	-	26	-	5
11	Benton-----	106	-	-	-	1	-	2	-	-	-	-	-	15	-	3
12	Bollinger-----	109	-	-	-	2	-	4	-	-	-	-	-	9	-	3
13	Boone-----	400	-	-	-	1	-	9	-	-	-	-	-	44	1	6
14	Columbia-----	224	-	-	-	1	-	6	-	-	-	-	-	26	-	3
15	Balance of county-----	176	-	-	-	-	-	3	-	-	-	-	-	18	1	3
16	Buchanan-----	1,391	1	-	1	5	-	40	-	1	52	-	1	158	-	30
17	St. Joseph-----	1,238	1	-	-	4	-	40	-	1	52	-	-	139	-	27
18	Balance of county-----	153	-	-	1	1	-	-	-	-	-	-	1	19	-	3
19	Butler-----	363	-	-	-	-	-	12	1	-	-	-	-	32	-	4
20	Poplar Bluff-----	174	-	-	-	-	-	4	1	-	-	-	-	17	-	2
21	Balance of county-----	189	-	-	-	-	-	8	-	-	-	-	-	15	-	2
22	Caldwell-----	140	-	-	-	-	-	2	-	-	-	-	-	12	-	2
23	Callaway-----	500	1	1	-	-	-	19	-	1	17	-	1	33	-	5
24	Comden-----	72	-	-	-	-	-	4	-	-	-	-	1	8	-	-
25	Cape Girardeau-----	364	-	-	-	2	-	7	-	-	5	1	-	45	-	10
26	Cape Girardeau-----	217	-	-	-	2	-	2	-	-	3	-	-	27	-	5
27	Balance of county-----	147	-	-	-	-	-	5	-	-	2	1	-	18	-	5
28	Carroll-----	197	-	-	-	-	-	3	1	-	-	-	1	31	-	4
29	Carter-----	47	-	-	-	-	-	4	-	-	-	-	-	2	-	1
30	Cass-----	221	-	-	-	-	-	5	-	-	-	-	-	29	-	11
31	Cedar-----	138	-	-	-	-	-	1	-	-	-	-	-	15	-	2
32	Chariton-----	168	-	-	-	2	-	1	-	-	2	-	-	18	-	4
33	Christian-----	125	-	-	-	1	-	1	-	-	3	-	-	12	-	2
34	Clark-----	94	-	-	-	1	-	2	-	-	-	-	-	10	-	-
35	Clay-----	396	1	-	-	-	-	20	-	-	2	-	-	49	-	11
36	Clinton-----	170	-	-	1	1	-	1	-	-	1	-	-	32	-	5
37	Cole-----	293	-	-	1	1	-	8	-	-	1	-	-	33	-	9
38	Jefferson City-----	211	-	-	-	-	-	6	-	-	1	-	-	25	-	5
39	Balance of county-----	62	-	-	-	1	-	2	-	-	-	-	-	8	-	4
40	Cooper-----	213	-	-	-	-	-	5	-	-	2	-	-	24	1	3
41	Crawford-----	111	-	-	-	-	-	5	-	-	1	-	-	15	-	1
42	Dade-----	120	-	-	-	-	-	1	-	-	-	-	-	11	-	5
43	Dallas-----	110	-	-	-	-	-	5	1	-	-	-	-	16	-	3
44	Davies-----	151	-	-	-	-	-	6	-	-	-	-	-	19	-	5
45	De Kalb-----	91	-	-	-	-	-	-	-	-	-	-	-	13	-	1
46	De Witt-----	117	-	-	-	-	-	4	-	-	-	-	-	16	-	2
47	Douglas-----	112	-	-	-	-	-	2	-	-	1	-	-	12	-	3
48	Dunklin-----	348	-	-	-	1	1	11	1	-	2	-	-	36	1	6
49	Franklin-----	396	-	-	-	-	-	3	-	-	2	-	-	45	-	13
50	Gasconade-----	129	-	-	-	-	-	3	-	-	-	-	-	17	-	5
51	Gentry-----	142	-	-	-	-	-	3	-	-	-	-	-	15	-	1
52	Greene-----	1,125	-	-	-	1	-	22	-	-	6	-	-	158	1	18
53	Springfield-----	805	-	-	-	1	-	14	-	-	5	-	-	123	-	14
54	Balance of county-----	320	-	-	-	-	-	6	-	-	1	-	-	35	1	4
55	Grundy-----	198	-	-	-	-	-	5	-	-	-	-	-	14	1	2
56	Harrison-----	169	-	-	-	-	-	-	-	-	1	1	-	28	-	2
57	Henry-----	279	-	-	-	-	-	2	-	-	2	-	1	30	1	4
58	Hickory-----	53	-	-	-	-	-	-	-	-	-	-	-	6	-	2
59	Holt-----	135	-	-	-	-	-	1	-	-	-	-	1	21	-	3
60	Howard-----	127	-	1	-	-	-	1	-	-	2	-	-	12	-	-
61	Howell-----	240	-	-	-	3	-	7	-	-	-	-	-	24	-	3
62	Iron-----	117	-	-	-	1	-	5	1	-	2	-	-	9	-	3
63	Jackson-----	6,090	2	3	-	3	-	169	-	1	75	-	1	825	4	129
64	Kansas City-----	5,322	2	2	-	2	-	158	-	1	68	-	1	739	4	111
65	Independence-----	251	-	-	-	1	-	5	-	-	3	-	-	84	-	6
66	Balance of county-----	517	-	1	-	-	-	8	-	-	2	-	-	62	-	12
67	Jasper-----	1,115	1	-	-	1	-	49	-	-	10	-	-	135	1	20
68	Joplin (part)-----	587	-	-	-	1	-	22	-	-	5	-	-	79	1	9
69	Joplin (total)-----	590	-	-	-	1	-	23	-	-	5	-	-	80	1	9
70	Carthage-----	167	-	-	-	-	-	2	-	-	2	-	-	17	-	8
71	Balance of county-----	361	1	-	-	-	-	25	-	-	3	-	-	39	-	5
72	Jefferson-----	300	-	-	-	-	-	6	-	-	3	-	-	43	-	7
73	Johnson-----	242	-	1	-	1	1	5	-	-	1	-	-	24	1	6
74	Knox-----	114	-	-	-	-	-	2	-	-	1	-	-	11	-	1
75	Laclede-----	222	1	-	-	-	-	3	-	-	-	-	-	23	-	5
76	Lafayette-----	320	-	-	-	-	-	3	-	-	1	-	-	45	-	13
77	Levance-----	275	-	-	-	1	1	39	-	-	2	-	-	25	-	7
78	Lewis-----	154	-	-	-	1	-	3	-	-	1	-	-	24	-	6
79	Lincoln-----	138	-	-	-	-	-	3	1	-	1	-	-	19	-	3
80	Linn-----	234	-	-	-	-	-	2	-	-	-	-	-	31	-	5
81	Livingston-----	218	-	-	-	-	-	-	-	-	-	-	-	23	-	2
82	McDonald-----	113	-	-	-	-	-	2	-	-	-	-	1	14	1	-
83	Macon-----	237	-	-	-	-	-	6	-	-	-	-	-	17	-	5
84	Madison-----	111	-	-	-	-	-	4	1	-	-	-	-	15	1	-
85	Marion-----	64	-	1	-	-	-	1	-	-	-	-	-	9	-	2
86	Marion-----	407	-	-	-	-	-	7	-	-	2	-	-	58	-	8
87	Hannibal-----	277	-	-	-	2	-	6	-	-	2	-	-	38	-	3
88	Balance of county-----	130	-	-	-	1	1	1	-	-	-	-	-	20	-	5
89	Mercer-----	89	-	-	-	-	-	1	-	-	-	-	-	15	-	3
90	Miller-----	151	-	-	-	1	-	3	-	-	-	-	-	18	-	3
91	Mississippi-----	224	-	-	-	-	1	6	-	-	-	-	-	19	-	2
92	Moniteau-----	145	-	-	-	-	-	-	-	-	-	-	-	19	-	1
93	Monroe-----	164	-	-	-	-	-	2	-	-	-	-	-	20	-	-
94	Montgomery-----	138	-	-	-	-	-	2	-	-	-	-	-	15	-	4
95	Morgan-----	114	-	-	-	-	-	3	-	-	-	-	-	16	-	1
96	New Madrid-----	514	-	1	-	6	3	17	-	-	3	-	-	22	-	2

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

561

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of in- testines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Semility, ill- defined and unknown causes	All other causes	1
69	85	90-95	107- 109, 53	119, 120	150-152	140-150	157, 158, 160, 161	159	163, 164	165-169	170	169, 171-195	162, 199, 200		
9	4,438	14,590	2,393	282	3,071	129	1,099	991	480	229	816	2,084	649	4,897	1
-	39	64	17	-	20	-	5	4	4	1	6	5	3	26	2
-	27	45	12	-	19	-	3	-	3	1	3	5	1	20	3
-	12	21	5	-	2	-	2	-	1	-	3	1	2	6	4
-	11	47	9	1	4	1	3	2	2	-	1	6	-	16	5
-	20	35	6	1	11	1	5	3	3	-	3	6	2	11	6
-	28	77	11	-	33	-	6	3	5	1	4	13	4	23	7
-	29	72	19	-	16	-	9	6	4	-	4	13	2	26	8
-	16	48	10	-	9	2	1	1	2	-	1	4	3	11	9
1	17	78	19	1	23	-	3	3	5	1	5	9	2	21	10
-	19	23	5	-	8	-	4	2	3	-	3	3	1	16	11
-	12	54	9	-	10	-	1	1	1	-	1	3	3	13	12
-	51	122	31	1	34	1	11	10	6	2	6	21	5	38	13
-	26	60	19	1	20	-	6	9	5	2	4	10	3	21	14
-	23	62	12	-	14	1	5	1	1	-	2	11	2	17	15
1	193	513	92	5	64	2	24	29	7	5	127	53	4	127	16
1	139	456	88	5	52	2	16	22	5	5	15	46	4	119	17
-	14	57	8	-	12	-	8	7	-	-	7	-	-	8	18
-	36	103	33	1	29	1	25	10	5	-	25	25	4	35	19
-	16	47	11	1	14	1	14	7	3	-	5	19	-	19	20
-	20	56	22	-	15	-	11	2	2	-	13	5	4	16	21
-	27	39	11	1	13	1	2	3	1	-	2	5	2	18	22
-	50	179	56	4	14	-	6	5	1	-	19	3	7	76	23
-	6	20	5	-	7	1	1	3	-	-	6	2	1	7	24
-	42	109	21	4	18	2	5	6	6	1	25	3	3	45	25
-	16	65	14	3	11	1	17	1	1	-	17	17	2	31	26
-	24	44	7	1	7	1	2	3	5	1	8	8	1	12	27
-	30	59	2	1	10	-	3	4	4	1	10	3	2	22	28
-	11	10	2	-	3	-	4	1	2	-	1	5	2	4	29
-	33	61	10	1	19	1	3	3	2	-	8	8	3	28	30
-	23	41	12	-	12	-	2	1	1	1	2	5	6	16	31
-	27	75	6	1	11	-	5	1	1	1	10	2	2	19	32
-	20	40	6	-	7	-	6	2	1	-	4	4	2	15	33
-	21	25	3	1	5	-	1	2	3	-	3	4	3	15	34
-	54	133	9	1	17	1	10	9	6	2	6	9	2	54	35
-	7	68	8	-	9	-	4	-	-	-	6	-	-	14	36
-	24	94	12	-	29	1	4	4	3	-	12	8	1	46	37
-	19	63	9	-	21	1	3	3	3	2	4	4	1	36	38
-	5	31	3	1	8	-	1	1	5	-	16	5	3	19	40
-	18	83	12	1	15	1	2	5	3	1	16	5	2	16	41
-	13	41	5	-	2	-	4	4	1	-	3	3	9	19	42
-	13	33	9	1	5	1	2	2	1	-	4	4	1	8	43
-	16	36	6	-	7	-	2	1	3	1	1	2	5	19	44
-	15	38	4	-	20	1	8	3	1	1	6	6	3	19	45
-	11	34	2	-	4	-	2	2	4	-	3	8	4	12	46
-	9	25	6	1	15	-	4	6	2	5	4	4	-	12	47
-	10	28	6	-	9	-	4	3	2	-	9	16	4	35	48
-	33	98	29	3	23	4	17	13	2	2	16	16	5	45	49
-	39	145	21	1	25	3	10	10	2	2	10	10	-	13	50
-	11	38	15	-	11	-	2	2	4	-	8	8	-	11	51
-	28	48	6	1	15	1	7	4	1	1	23	57	13	146	52
-	104	324	46	2	108	7	27	12	7	7	13	42	8	89	53
-	67	240	33	2	84	5	18	34	2	3	10	15	5	57	54
-	37	84	15	-	24	-	9	9	3	-	12	2	2	19	55
-	22	77	12	1	23	1	2	3	1	1	4	5	3	21	56
-	22	44	8	1	19	-	5	2	2	-	3	21	7	41	57
-	31	82	14												

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61	
MISSOURI—Continued																
1	Newton	277	1	-	-	-	11	-	-	1	-	-	35	-	5	
2	Joplin (part)	3	-	-	-	-	1	-	-	-	-	-	1	-	-	
3	Balance of county	274	1	-	-	-	10	-	-	1	-	-	34	-	5	
4	Madaway	307	-	-	-	-	2	-	-	2	-	-	49	1	10	
5	Oregon	97	-	-	-	-	5	-	-	-	-	-	12	-	3	
6	Osage	110	-	-	-	-	1	-	-	1	-	-	17	-	2	
7	Ozark	87	-	-	-	-	1	-	-	-	-	-	8	-	2	
8	Pemiscot	359	-	-	-	-	25	1	-	1	-	-	42	1	1	
9	Perry	118	-	-	-	-	7	-	-	-	-	1	13	-	4	
10	Pettis	444	-	-	-	-	7	1	-	-	-	-	55	-	8	
11	Sedalia	315	-	-	-	-	6	-	-	6	-	-	40	-	7	
12	Balance of county	129	-	-	-	-	1	-	-	5	-	-	15	-	1	
13	Phelps	212	1	-	-	-	6	1	-	1	-	-	24	1	5	
14	Pike	238	-	-	-	-	4	-	-	2	1	-	31	-	3	
15	Platte	124	-	1	-	-	1	-	-	-	-	-	16	1	4	
16	Folk	189	-	-	-	-	3	-	-	-	-	-	18	1	3	
17	Pulaski	104	-	-	-	-	3	-	-	-	-	-	11	-	5	
18	Putnam	138	-	-	-	-	2	-	-	-	-	-	14	-	3	
19	Ralls	101	-	-	-	-	2	-	-	-	-	-	13	-	2	
20	Randolph	318	-	1	-	-	5	1	-	-	-	-	37	-	3	
21	Moberly	183	-	1	-	-	4	-	-	-	-	-	18	-	7	
22	Balance of county	135	-	-	-	-	1	-	-	-	-	-	19	-	2	
23	Ray	210	-	-	-	-	9	1	-	2	-	-	28	-	-	
24	Reynolds	63	-	-	-	-	4	-	-	-	-	-	6	-	3	
25	Ripley	104	-	-	-	-	7	-	1	-	-	-	14	-	4	
26	St. Charles	283	-	-	-	-	4	-	-	1	-	-	29	-	4	
27	St. Charles	133	-	-	-	-	1	-	-	1	-	-	11	-	3	
28	Balance of county	150	-	-	-	-	3	-	-	-	-	-	18	-	6	
29	St. Clair	128	-	-	-	-	-	-	-	-	-	-	6	-	1	
30	St. Francois	463	1	-	-	-	19	-	-	10	-	-	58	-	4	
31	St. Louis	3,114	-	4	-	-	165	1	-	29	-	4	500	3	72	
32	University City	250	-	-	-	-	2	-	-	-	-	1	47	-	5	
33	Clayton	298	-	-	-	-	7	-	-	7	-	3	47	-	5	
34	Kirkwood	171	-	1	-	-	4	-	-	-	-	-	24	-	4	
35	Maplewood	127	-	1	-	-	3	-	-	2	-	-	13	-	6	
36	Richmond Heights	115	-	1	-	-	3	-	-	-	-	-	18	-	1	
37	Webster Groves	140	-	1	-	-	1	-	-	-	-	-	24	-	3	
38	Balance of county	2,013	-	-	3	-	145	1	-	19	-	-	327	3	48	
39	St. Louis (city)	11,068	3	1	-	3	340	4	1	129	2	5	1,638	6	302	
40	Stc. Genevieve	103	-	-	-	-	1	-	-	-	-	-	10	1	2	
41	Saline	368	-	-	-	-	12	-	-	2	-	-	43	-	3	
42	Schuyler	72	-	-	-	-	-	-	-	-	-	-	13	-	-	
43	Scotland	64	-	-	-	-	-	-	-	-	-	-	11	-	2	
44	Scott	250	-	-	-	-	5	1	-	-	-	-	25	-	3	
45	Shannon	86	1	-	-	-	2	-	-	-	-	-	10	1	3	
46	Shelby	151	-	-	-	-	3	-	-	-	-	-	23	-	3	
47	Stoddard	240	-	-	-	1	2	-	-	-	-	-	26	-	3	
48	Stone	106	2	-	-	-	5	-	-	-	-	-	14	-	1	
49	Sullivan	171	-	-	-	1	1	-	-	-	-	-	17	1	1	
50	Taney	78	-	-	-	-	1	-	-	-	-	-	7	-	-	
51	Texas	195	-	-	-	1	11	-	-	2	-	-	22	-	3	
52	Vernon	463	-	-	-	-	13	-	-	10	-	-	39	-	3	
53	Warren	79	-	-	-	-	1	-	-	-	-	-	15	-	2	
54	Washington	141	-	-	2	-	6	-	-	-	-	-	17	-	2	
55	Wayne	84	-	-	-	1	2	-	2	-	-	-	14	-	2	
56	Webster	167	-	-	-	-	4	-	-	-	-	-	23	1	1	
57	Worth	91	-	-	-	-	1	-	-	-	-	-	10	1	3	
58	Wright	153	-	-	-	-	1	-	-	1	-	-	15	-	1	
59	MONTANA															
60	Beaverhead	72	1	3	-	2	152	1	-	47	13	4	712	5	130	
61	Big Horn	94	-	-	-	-	1	-	-	-	-	-	7	-	2	
62	Blaine	92	-	1	-	-	4	-	-	2	2	1	10	1	-	
63	Broadwater	37	-	-	-	-	4	-	-	3	1	-	6	-	2	
64	Carbon	85	-	-	-	-	-	-	-	-	-	-	6	-	2	
65	Carter	17	-	-	-	-	-	-	-	1	-	-	13	-	1	
66	Cascade	493	-	-	-	-	-	-	-	-	-	-	2	-	-	
67	Great Falls	440	-	-	-	-	6	-	-	3	-	-	85	-	17	
68	Balance of county	53	-	-	-	-	6	-	-	2	-	-	78	-	17	
69	Chouteau	44	-	-	-	-	-	-	-	1	-	-	7	-	-	
70	Custer	125	-	-	-	-	-	-	-	-	-	-	7	-	1	
71	Daniels	33	-	-	-	-	1	-	-	2	-	-	23	-	-	
72	Dawson	83	-	-	-	-	1	-	-	-	-	-	3	-	2	
73	Deer Lodge	308	-	-	-	-	1	-	-	1	-	-	8	-	2	
74	Anaconda	157	-	-	-	-	10	-	-	9	-	-	25	-	3	
75	Balance of county	171	-	-	-	-	10	-	-	9	-	-	20	-	2	
76	Fallon	30	-	-	-	-	-	-	-	-	-	-	5	-	1	
77	Fergus	130	-	-	-	-	1	-	-	-	-	-	3	-	1	
78	Flathead	298	-	-	-	1	3	-	-	-	-	-	16	1	1	
79	Gallatin	190	-	-	-	-	3	-	-	2	-	-	31	1	11	
80	Garfield	27	-	-	-	-	3	-	-	-	-	-	19	-	4	
81	Glacier	105	-	-	-	-	19	-	-	3	-	-	6	-	1	
82	Golden Valley	9	-	-	-	-	-	-	-	-	-	-	6	-	2	
83	Granite	23	-	-	-	-	1	-	-	-	-	-	2	-	-	
84	Hill	134	-	1	-	-	2	-	-	-	-	-	3	-	-	
85	Jefferson	54	-	-	-	-	3	-	-	-	-	-	17	-	4	
86	Judith Basin	22	-	-	-	-	3	-	-	-	2	1	5	-	-	
87	Leake	134	-	-	-	-	1	-	-	-	-	-	1	-	1	
88	Lewis and Clark	325	-	-	-	1	7	-	-	2	-	-	17	-	2	
89	Helena	239	-	-	-	-	5	-	-	1	-	-	54	-	8	
90	Balance of county	86	-	-	-	1	2	-	-	1	-	-	40	-	7	
91	Liberty	13	-	-	-	-	-	-	-	-	-	-	14	-	1	
92	Lincoln	84	-	-	-	-	1	-	-	1	-	-	1	-	1	
93	McCone	11	-	-	-	-	-	-	-	-	-	-	14	-	-	
94	Madison	62	-	-	-	-	5	-	-	-	-	-	3	-	1	
95	Meagher	18	-	-	-	-	-	-	-	-	-	-	1	-	1	

GENERAL TABLES-DEATHS FROM SELECTED CAUSES.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Sensility, ill-defined and unknown causes	ALL other causes	
69	85	90-95	107-109, 33	119, 120	130-132	140-150	157, 158, 160, 161	159	163, 164	165-169	170	169, 171-195	162, 193, 200		
-	31	72	15	-	19	-	12	10	2	-	20	7	6	30	1
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
-	31	71	15	-	19	-	12	10	2	-	20	7	6	30	3
-	34	100	12	1	19	-	5	6	6	-	4	17	9	30	4
-	8	32	3	-	9	2	4	2	1	-	2	2	2	7	5
-	4	47	5	-	6	-	1	-	3	-	4	5	1	12	6
-	14	37	1	-	4	-	4	1	-	-	5	2	-	8	7
-	35	67	32	2	22	5	15	16	5	6	10	18	20	34	8
-	12	26	5	-	8	2	2	6	-	-	3	8	4	22	9
-	60	132	22	-	39	1	7	14	1	4	8	26	5	46	10
-	47	93	17	-	32	1	2	10	-	4	2	19	1	35	11
-	13	49	9	-	7	-	5	4	1	-	6	7	4	11	12
-	31	64	5	1	18	1	4	7	2	-	2	10	3	26	13
-	25	96	9	-	23	-	6	3	-	1	1	9	3	29	14
-	19	40	3	-	7	-	4	4	3	-	3	6	1	11	15
-	21	72	4	1	10	-	4	4	4	-	5	6	5	27	16
-	11	26	7	-	9	-	5	3	1	-	3	10	2	10	17
-	21	39	9	1	19	1	4	3	4	-	-	5	5	9	18
-	12	36	8	-	6	1	2	-	1	-	-	6	6	5	19
1	34	119	17	-	12	-	5	5	-	1	7	18	17	29	20
1	22	73	8	-	6	-	2	5	-	1	4	9	10	13	21
-	12	46	9	-	6	-	3	-	-	-	3	9	7	16	22
-	33	66	12	-	15	-	5	3	2	-	3	12	2	18	23
-	14	18	2	-	2	-	-	2	1	-	5	1	4	24	24
-	10	28	10	-	5	-	5	3	-	-	3	7	1	7	25
-	20	116	10	-	23	-	15	9	3	1	8	12	2	26	26
-	7	52	4	-	12	-	8	8	-	1	4	3	2	16	27
-	13	64	6	-	11	-	7	1	3	-	4	9	-	10	28
-	25	45	5	-	10	-	4	2	5	-	1	6	5	10	29
-	49	145	31	1	28	1	13	9	2	-	6	21	5	78	30
1	229	962	107	23	229	9	67	78	34	10	54	111	111	308	31
-	20	105	7	1	14	1	1	9	-	-	-	4	7	24	32
-	25	79	15	1	23	-	1	9	1	1	15	22	5	32	33
-	19	61	4	1	13	1	3	1	2	1	2	7	8	15	34
-	14	40	5	-	10	-	1	3	1	-	-	6	6	11	35
-	13	35	5	3	3	-	6	4	4	-	-	4	3	16	36
-	13	41	5	-	10	1	6	4	2	-	-	4	4	21	37
1	125	601	66	17	156	6	41	55	24	7	36	64	78	189	38
1	677	3,613	509	127	739	26	247	264	102	99	150	531	52	1,291	39
-	11	24	3	-	13	-	1	4	-	-	3	8	-	22	40
-	48	116	20	2	32	1	7	8	2	-	7	21	-	41	41
-	9	19	3	1	6	-	-	-	2	1	2	2	3	11	42
-	11	26	7	-	9	-	-	-	-	-	5	2	1	10	43
-	23	83	24	-	14	1	10	5	-	1	11	15	6	22	44
-	14	15	15	-	4	-	2	1	-	1	3	12	3	8	45
-	18	37	7	-	22	-	2	4	2	-	1	10	3	17	46
-	33	76	13	1	21	1	14	6	5	1	1	6	6	23	47
-	13	26	6	-	6	1	1	1	-	-	8	3	3	16	48
-	21	56	1	-	18	-	4	5	3	-	4	9	8	23	49
-	9	34	5	-	3	-	1	1	1	1	3	5	4	3	50
-	17	54	10	2	21	-	3	2	-	-	4	8	5	21	51
-	45	155	31	2	28	-	6	5	2	-	8	21	19	76	52
-	6	20	5	-	12	-	1	1	1	-	3	5	-	8	53
-	11	28	17	3	10	-	6	4	1	1	5	5	-	23	54
-	10	28	7	1	5	-	2	2	-	-	2	7	2	8	55
-	27	42	26	1	8	1	2	1	5	-	1	6	4	12	56
-	5	30	7	1	2	-	-	-	2	-	3	15	1	10	57
-	22	49	12	-	17	1	1	4	2	1	8	4	1	13	58
-	485	1,690	256	27	286	16	174	174	96	14	157	380	193	746	59
-	8	20	5	-	3	-	1	3	-	-	3	4	1	14	60
-	3	21	9	3	1	-	2	3	2	-	6	7	5	11	61
-	7	16	5	-	4	-	6	5	1	-	6	5	5	16	62
-	2	7	1	-	3	-	1	5	-	-	2	6	6	2	63
-	11	36	1	2	3	-	1	1	-	-	2	3	1	10	64
-	2	2	-	-	-	-	-	1	-	-	-	4	1	4	65
-	42	132	22	1	28	-	11	12	15	2	15	24	7	71	66
-	39	119	22	-	23	-	10	9	10	2	11	22	7	64	67
-	3	14	-	1	5	-	1	1	5	-	4	2	1	7	68
-	5	14	-	1	2	-	1	4	1	-	-	6	-	3	69
-	12	45	4	-	2	-	1	1	2	-	3	7	5	18	70
-	2	10	3	-	-	-	3	2	4	-	1	1	1	3	71
-	13	19	4	1	4	-	4	4	-	-	4	5	1	13	72
-	25	82	16	1	2	1	6	3	4	-	5	16	27	75	73
-	11	55	2	1	-	-	4	2	-	-	4	10	5	20	74
-	12	27	14	-	2	-	2	1	1	-	1	6	22	55	75
-	4	5	1	-	2	-	2	3	4	-	1	4	-	2	76
-	17	32	1	-	6	-	1	5	5	-	10	10	5	24	77
-	33	108	14	2	10	3	5	10	8	1	5	15	2	29	78
-	16	68	6	-	8	1	10	1	5	-	5	15	2	24	79
-	2	18	13	4	4	1	1	5	2	2	3	6	4	8	80
-	1	2	-	-	1	-	-	-	1	-	-	2	-	4	81
-	4	6	1	-	-	-	-	-	-	-	-	2	-	4	82
-	10	30	16	2	1	-	7	-	3	-	-	10	2	14	83
-	2	31	-	-	1	-	-	1	1	-	1	2	1	4	84
-	4	5	2	-	1	-	2	2	3	-	5	12	10	21	85
-	12	29	7	-	6	1	2	3	5	1	5	15	3	29	86
-	19	114	15	-	23	-	13	7	8	2	4	12	1	18	87
-	16	87	9	-	14	-	11	7	6	2	4	12	1	18	88
-	3	27	7	-	9	-	2	2	2	-	1	5	2	11	89
-	4	4	1	-	7	-	1	1	1	-	-	3	4	4	90
-	9	20	4	-	4	1	4	4	3	-	-	10	4	4	91
-	4	3	-	-	7	-	1	1	-	-	-	2	1	2	92
-	4	11	3	-	5	-	1	-	1	-	3	5	10	10	93
-	2	7	2	-	1	-	-	-	-	-	-	3	-	1	94

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND
(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Eyphoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
MONTANA—Continued															
1 Mineral	15	-	-	-	-	-	-	-	-	1	-	-	1	-	-
2 Missoula	277	-	-	-	-	-	2	-	-	4	-	-	34	-	5
3 Missoula	244	-	-	-	-	-	2	-	-	4	-	-	31	-	3
4 Balance of county	33	-	-	-	-	-	-	-	-	-	-	-	3	-	-
5 Musselshell	61	-	-	-	1	-	-	-	-	-	-	-	7	-	4
6 Park	136	-	-	-	1	-	3	-	-	2	-	-	21	-	2
7 Petroleum	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Phillips	58	-	-	-	-	-	-	-	-	-	-	-	10	-	1
9 Pondera	55	-	-	-	-	-	3	-	-	-	-	-	2	-	3
10 Powder River	14	-	-	-	-	-	1	-	-	-	-	-	2	-	-
11 Powell	67	-	-	-	-	-	2	-	-	-	-	-	10	-	1
12 Prairie	27	-	-	-	-	-	-	-	-	-	-	-	3	-	1
13 Ravalli	121	-	-	-	-	-	2	-	-	-	-	-	16	-	1
14 Richland	70	-	-	-	1	-	1	-	-	1	-	-	2	-	3
15 Roosevelt	106	-	-	-	-	-	8	-	-	-	1	1	13	-	4
16 Rosebud	90	-	-	-	-	-	12	-	-	-	3	-	6	-	-
17 Sanders	58	-	-	-	-	-	3	-	-	-	-	-	7	-	3
18 Sheridan	41	-	-	-	-	-	2	-	-	-	-	-	1	-	2
19 Silver Bow	653	-	-	-	-	-	29	-	-	4	-	1	85	1	19
20 Butte	520	-	-	-	-	-	23	-	-	2	-	1	71	1	14
21 Balance of county	113	-	-	-	-	-	6	-	-	2	-	-	14	-	5
22 Stillwater	58	-	-	-	1	-	1	-	-	-	-	-	9	-	1
23 Sweet Grass	34	-	-	-	-	-	1	-	-	-	-	-	5	-	-
24 Teton	37	-	-	-	1	-	-	-	-	-	-	-	3	-	-
25 Toole	58	-	-	-	-	-	1	-	-	-	-	-	6	-	-
26 Treasure	12	-	-	-	-	-	-	-	-	-	-	-	2	-	-
27 Valley	79	-	-	-	1	-	2	-	-	1	-	-	7	1	1
28 Wheatland	33	1	-	-	-	-	-	-	-	-	-	-	4	-	-
29 Wibaux	11	-	-	-	-	-	-	-	-	-	-	-	2	-	-
30 Yellowstone	455	-	1	-	-	-	6	1	-	3	3	-	60	-	11
31 Billings	366	-	-	-	-	-	6	-	-	3	3	-	53	-	8
32 Balance of county	89	-	1	-	-	-	-	1	-	-	-	-	7	-	3
33 Yellowstone National Park (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34 NEBRASKA	12,871	2	6	5	15	5	199	5	2	81	1	18	1,612	8	325
35 Adams	364	-	-	-	1	-	6	-	-	7	-	2	47	1	3
36 Hastings	165	-	-	-	1	-	-	-	-	1	-	2	35	-	3
37 Balance of county	199	-	-	-	-	-	6	-	-	6	-	-	14	1	-
38 Antelope	108	-	1	-	-	-	-	-	-	-	-	1	14	-	2
39 Arthur	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-
40 Banner	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 Blaine	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-
42 Boone	110	-	-	-	-	-	1	1	-	-	-	-	15	-	4
43 Box Butte	112	-	-	-	-	-	2	-	-	-	-	-	13	-	1
44 Boyd	49	-	-	-	-	-	-	-	-	-	-	-	7	-	3
45 Brown	51	-	-	-	1	-	-	-	-	1	-	-	6	-	1
46 Buffalo	260	-	-	-	1	-	17	-	-	-	-	-	34	-	5
47 Burt	119	-	-	-	-	-	1	-	-	1	-	-	13	-	8
48 Butler	118	-	1	-	-	-	-	-	-	-	-	1	18	-	2
49 Cass	158	-	-	-	-	1	2	-	-	1	-	1	26	-	1
50 Cedar	130	-	-	-	-	-	-	1	-	-	-	-	23	-	4
51 Chase	39	-	-	-	-	-	1	1	-	-	-	-	6	-	2
52 Cherry	69	-	-	-	-	-	1	-	-	-	-	-	9	-	-
53 Cheyenne	82	-	-	-	-	-	1	-	-	-	1	-	8	-	3
54 Clay	108	-	-	-	-	-	-	-	-	1	-	1	16	-	2
55 Colfax	88	-	-	-	-	-	1	-	-	-	-	-	20	-	-
56 Cuming	114	-	-	-	-	-	-	-	-	2	-	-	13	-	4
57 Custer	200	-	1	-	-	2	3	-	-	1	-	-	24	-	5
58 Dakota	93	-	1	-	-	7	-	-	-	2	-	-	13	-	4
59 Daves	81	1	-	1	-	-	1	-	-	1	-	-	10	1	-
60 Dawson	166	-	-	-	-	-	2	-	-	2	-	-	19	-	6
61 Deuel	19	-	-	-	-	-	-	-	-	-	-	-	1	-	1
62 Dixon	88	-	-	-	-	-	1	-	-	-	-	1	15	-	1
63 Dodge	268	-	-	-	-	-	4	-	-	1	-	1	37	-	4
64 Fremont	164	-	-	-	-	-	3	-	-	1	-	-	22	-	3
65 Balance of county	104	-	-	-	-	-	1	-	-	-	-	1	15	-	1
66 Douglas	2,828	-	-	-	1	-	71	1	-	17	-	5	413	1	72
67 Omaha	2,707	-	-	-	1	-	70	1	-	15	-	5	387	1	71
68 Balance of county	121	-	-	-	-	-	1	-	-	2	-	-	16	-	1
69 Dundy	27	-	-	-	-	-	-	-	-	-	-	-	5	-	-
70 Fillmore	95	-	-	-	-	-	-	-	-	-	-	-	13	-	4
71 Franklin	77	-	-	-	-	-	-	-	-	-	-	-	13	-	2
72 Frontier	51	-	-	-	-	-	-	-	-	-	-	-	3	-	1
73 Furnas	119	-	-	-	-	-	1	-	-	-	-	-	14	-	3
74 Gage	326	-	-	-	1	-	8	-	-	2	-	-	59	-	6
75 Beatrice	147	-	-	-	1	-	-	-	-	1	-	-	27	-	1
76 Balance of county	179	-	-	-	-	-	8	-	-	1	-	-	32	-	5
77 Garden	36	-	-	-	-	-	-	-	-	-	-	-	5	-	-
78 Garfield	35	-	-	-	-	-	-	-	-	2	-	-	5	-	1
79 Gosper	14	-	-	-	-	-	-	-	-	-	-	-	3	-	2
80 Grant	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-
81 Greeley	45	-	-	-	-	-	-	-	-	1	-	-	4	-	2
82 Hall	339	-	-	1	-	-	3	-	-	1	-	1	43	-	9
83 Grand Island	270	-	-	-	-	-	5	-	-	1	-	1	36	-	7
84 Balance of county	89	-	-	1	-	-	-	-	-	-	-	-	7	-	2
85 Hamilton	103	-	-	1	-	-	-	-	1	-	-	-	17	-	6
86 Harlan	53	-	-	-	-	-	-	-	-	-	-	-	14	-	1
87 Hayes	21	-	-	-	1	-	-	-	-	-	-	-	3	-	-
88 Hitchcock	44	-	-	-	-	-	-	-	-	-	-	1	7	-	1
89 Holt	155	-	-	-	-	-	1	-	-	1	-	-	20	-	5
90 Hooker	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-
91 Howard	61	-	-	-	-	-	-	-	-	-	-	-	7	-	1
92 Jefferson	153	-	-	-	-	-	2	-	-	-	-	-	19	1	7
93 Johnson	86	-	-	-	-	-	1	-	-	-	-	-	11	-	3
94 Kearney	68	-	-	-	-	-	1	-	-	-	-	-	7	-	2

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

565

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of in- testines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109, 53	119, 120	130-132	140-150	157, 158, 160, 161	159	183, 164	165-168	170	169, 171-195	162, 199, 200		
-	-	5	1	-	-	-	-	1	-	-	-	1	1	4	1
-	19	90	10	-	-	-	10	7	-	-	-	1	7	41	2
-	18	81	9	-	-	-	8	5	5	1	6	22	6	38	3
-	1	9	1	-	-	-	2	2	3	1	1	5	1	3	4
-	8	23	6	1	-	-	1	1	1	1	1	4	-	4	5
-	16	39	4	-	-	1	1	3	5	-	1	8	1	22	6
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	7
-	8	18	3	-	1	-	2	1	1	1	5	4	-	4	8
-	4	19	3	2	-	1	1	1	-	1	-	5	1	5	9
-	-	6	-	-	1	-	1	-	-	-	-	1	1	1	10
-	4	20	2	-	2	-	4	2	-	-	-	5	2	15	11
-	-	10	-	-	-	-	1	1	-	-	-	5	4	2	12
-	12	41	2	1	-	-	7	2	2	-	1	8	4	16	13
-	10	20	4	-	4	1	2	2	2	-	2	10	2	5	14
-	5	28	6	1	6	-	4	-	-	-	-	8	3	11	15
-	2	23	10	2	2	1	5	5	2	-	3	2	6	8	16
-	10	8	3	-	3	1	3	1	2	-	2	6	1	5	17
-	3	11	1	-	4	-	2	1	-	-	1	3	-	10	18
-	44	185	16	-	46	2	16	23	7	2	14	45	13	83	19
-	33	146	14	-	37	2	16	21	5	1	11	36	10	76	20
-	11	39	2	-	9	-	-	2	2	1	3	7	3	7	21
-	5	21	3	-	2	-	1	2	-	-	2	4	-	6	22
-	3	11	-	-	5	-	-	-	-	-	2	1	-	6	23
-	6	8	-	-	-	1	-	1	1	-	2	6	2	2	24
-	2	18	1	-	7	-	-	1	2	-	1	7	6	6	25
-	4	2	1	-	-	-	-	-	-	-	-	1	1	1	26
-	13	24	2	-	2	-	1	2	-	-	-	6	-	15	27
-	5	13	-	-	2	-	1	-	-	-	2	2	-	3	28
-	3	3	1	-	-	-	1	-	-	-	-	-	-	-	29
-	42	142	21	4	11	-	17	21	4	1	18	18	19	52	30
-	33	118	16	4	9	-	10	16	4	1	11	13	15	43	31
-	9	24	5	-	2	-	7	5	-	-	7	5	4	9	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	33
-	1,333	3,905	534	57	738	35	371	335	171	29	331	674	257	1,624	34
-	43	129	13	-	14	1	2	7	1	-	5	12	12	58	35
-	16	46	5	-	9	1	4	7	-	-	4	5	7	25	36
-	27	83	8	-	5	-	2	-	1	-	1	7	5	33	37
-	12	38	3	-	4	-	6	4	1	-	5	5	1	11	38
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	39
-	1	4	-	1	-	-	-	-	-	-	-	-	-	1	40
-	15	27	1	-	3	-	5	3	1	-	4	8	2	16	41
-	13	31	7	1	6	-	3	7	1	-	2	7	-	18	42
-	5	12	2	1	1	1	4	5	1	-	1	1	-	6	43
-	7	12	2	-	-	-	3	-	-	-	5	3	4	6	44
-	15	92	9	1	9	1	5	2	5	2	8	18	13	23	45
-	14	29	4	-	10	1	7	4	2	-	2	5	-	20	46
-	8	45	6	1	3	1	1	2	1	-	2	4	2	21	47
-	27	53	9	-	6	-	1	4	1	-	1	9	2	14	48
-	15	35	10	-	4	-	4	6	1	-	7	7	4	12	49
-	6	8	-	1	1	1	2	1	1	-	4	4	1	3	50
-	3	21	3	-	1	1	2	2	1	-	5	13	3	6	51
-	5	26	1	1	5	-	1	-	3	-	4	8	1	10	52
-	13	36	2	1	15	-	5	-	-	-	2	3	3	14	53
-	7	28	1	1	2	-	2	1	1	-	2	5	3	14	54
-	11	21	2	1	10	1	5	5	4	-	7	7	4	18	55
-	16	60	7	-	14	-	6	4	-	-	9	9	11	26	56
-	9	34	5	-	2	2	2	1	2	-	4	4	1	8	57
-	4	25	3	1	8	1	1	1	2	-	1	1	1	16	58
-	19	41	1	2	13	-	2	9	3	-	10	13	4	17	59
-	2	4	1	-	1	-	1	2	2	-	1	2	-	3	60
-	10	36	3	-	2	-	2	2	1	-	1	3	-	6	61
-	26	74	11	2	36	-	5	5	3	-	10	15	5	25	62
-	14	49	5	-	23	-	6	3	2	-	5	9	5	14	63
-	12	25	6	2	13	-	3	2	1	-	5	6	1	11	64
-	237	914	120	8	152	4	67	81	39	15	58	133	36	382	65
-	225	879	117	8	145	4	66	79	35	14	56	123	28	367	66
-	12	35	3	-	7	-	1	2	4	-	3	10	8	15	67
-	4	7	1	-	3	-	1	3	-	-	1	1	-	1	68
-	13	29	4	-	3	-	2	-	-	-	2	5	3	17	69
-	10	22	2	1	4	-	-	2	2	-	1	8	2	8	70
-	10	18	2	-	3	-	1	-	-	-	1	8	-	5	71
-	15	31	7	-	9	-	3	3	1	-	1	14	2	15	72
-	39	92	14	2	12	-	9	6	3	-	7	12	10	44	73
-	20	40	5	-	6	-	5	5	1	-	5	6	5	19	74
-	19	52	9	2	6	-	4	1	2	-	2	6	8	25	75
-	3	9	2	-	4	1	2	3	1	-	2	3	-	2	76
-	2	9	4	-	-	-	1	2	-	-	-	3	1	4	77
-	1	6	2	-	1	1	-	1	-	-	1	-	1	-	78
-	1	3	2	-	1	-	-	-	-	-	-	-	-	1	79
-	3	14	-	-	1	2	1	2	-	-	-	4	5	6	80
-	42	88	12	2	15	1	15	16	5	1	11	16	5	52	81
-	31	72	10	1	13	1	12	13	4	1	7	12	4	41	82
-	11	16	2	1	2	-	3	3	1	-	4	4	1	11	83
-	7	24	4	-	17	1	1	1	1	-	2	9	2	10	84
-	5	11	3	1	3	-	3	1	2	-	2	3	1	3	85
-	5	3	2	-	1	-	-	-	-	-	1	-	1	4	86
-	3	12	1	-	9	-	-	1	1	-	1	2	1	4	87
-	12	45	17	2	9	-	6	5	1	-	2	11	3	15	88
-	-	3	2	-	-	-	-	-	-	-	-	1	1	2	89
-	7	24	3	-	-	-	-	2	2	-	-	4	3	8	90
-	10	58	4	-	12	-	3	4	3	-	4	8	1	17	91
-	13	22	6	1	6	-	1	-	-	-	3	2	3	14	92
-	6	26	2	-	5	-	2	2	2	-	1	4	2	2	93

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
NEBRASKA—Continued															
1 Keith	53	-	-	-	-	-	2	-	-	-	-	-	5	-	-
2 Koye Paha	12	-	-	-	-	-	-	-	-	-	-	-	3	-	1
3 Kimball	32	-	-	-	-	-	2	-	-	1	-	-	3	-	4
4 Knox	128	-	-	-	1	-	3	-	-	-	-	-	17	1	4
5 Lancaster	1,121	-	-	-	-	-	21	1	-	18	-	-	175	1	28
6 Lincoln	932	-	-	-	-	-	7	1	-	7	-	-	159	1	24
7 Balance of county	189	-	-	-	-	-	14	-	-	11	-	-	16	-	4
8 Lincoln	216	-	-	-	-	-	2	-	1	1	-	-	30	-	6
9 North Platte	153	-	-	-	-	-	2	-	1	1	-	-	21	-	3
10 Balance of county	78	-	-	-	-	-	-	-	-	-	-	-	9	-	3
11 Logan	17	1	-	-	-	-	-	-	-	-	-	-	-	-	1
12 Loup	8	-	-	-	-	-	-	-	-	1	-	-	1	-	1
13 McPherson	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14 Madison	289	-	1	-	-	-	4	-	-	8	-	-	38	-	10
15 Norfolk	119	-	-	-	-	-	2	-	-	-	-	-	17	-	6
16 Balance of county	170	-	1	-	-	-	2	-	-	8	-	-	21	-	4
17 Merrick	75	-	-	-	-	-	2	-	-	-	-	-	10	-	3
18 Morrill	85	-	-	-	1	-	2	-	-	-	-	-	7	-	2
19 Nemoe	70	-	-	-	-	-	1	-	-	-	-	-	11	-	1
20 Nemaha	124	-	-	-	1	-	-	-	-	-	-	-	9	-	4
21 Nuckolls	103	-	-	-	-	-	1	-	-	-	-	-	15	-	2
22 Otoe	186	-	-	-	-	-	2	-	-	1	-	-	28	-	3
23 Pawnee	61	-	-	-	-	-	2	-	-	1	-	-	10	-	1
24 Perkins	33	-	-	-	-	-	1	-	-	-	-	-	3	-	-
25 Phelps	96	-	-	-	-	-	-	-	-	-	-	-	12	-	5
26 Pierce	61	-	-	-	-	-	1	-	-	-	-	-	14	-	2
27 Platte	151	-	-	-	1	-	-	-	-	1	-	-	22	-	4
28 Polk	99	-	-	-	-	-	2	-	-	-	-	-	9	-	3
29 Red Willow	110	-	1	-	-	-	-	-	-	-	-	-	13	-	2
30 Richardson	197	-	-	-	1	-	-	-	-	-	-	-	35	-	3
31 Rock	33	-	-	-	-	-	-	-	-	-	-	-	2	-	1
32 Saline	169	-	-	-	-	-	1	-	-	1	-	-	29	-	5
33 Sarpy	85	-	-	-	-	-	-	-	-	-	-	-	6	-	1
34 Saunders	173	-	-	-	-	-	2	-	-	-	-	-	39	-	10
35 Scotts Bluff	280	-	-	-	4	-	5	-	-	1	-	2	26	-	4
36 Scottsbluff	127	-	-	-	-	-	2	-	-	1	-	-	22	-	4
37 Balance of county	153	-	-	-	4	-	3	-	-	-	-	1	14	-	6
38 Seward	129	-	-	-	-	-	-	-	-	-	-	-	17	-	4
39 Sheridan	95	-	-	-	-	-	-	-	-	-	-	-	9	-	1
40 Sherman	54	-	-	-	-	-	-	-	-	-	-	-	7	-	-
41 Sioux	17	-	-	-	-	-	-	-	-	-	-	-	2	-	-
42 Stanton	52	-	-	-	-	-	1	-	-	-	-	-	5	-	1
43 Thayer	105	-	-	-	-	-	1	-	-	-	-	-	15	-	-
44 Thomas	16	-	-	-	-	-	-	-	-	-	-	-	4	-	-
45 Thurston	100	-	-	-	-	-	6	-	-	-	-	1	11	-	1
46 Valley	76	-	-	-	-	-	-	-	-	1	-	-	7	-	4
47 Washington	111	-	-	-	-	-	-	-	-	-	-	-	20	-	4
48 Wayne	60	-	-	-	-	-	-	-	-	1	-	-	12	-	4
49 Webster	82	-	-	-	-	-	1	-	-	1	-	-	16	-	1
50 Wheeler	9	-	-	-	-	-	-	-	-	-	-	-	2	-	-
51 York	137	-	-	-	-	-	1	-	-	-	-	-	17	-	4
52 NEVADA	1,623	-	1	-	-	-	44	-	-	19	-	2	162	2	25
53 Churchill	91	-	-	-	-	-	3	-	-	-	-	-	6	-	3
54 Clark	358	-	-	-	-	-	9	-	-	4	-	2	37	1	4
55 Douglas	35	-	-	-	-	-	1	-	-	1	-	-	4	-	-
56 Elko	110	-	-	-	-	-	3	-	-	2	-	-	10	-	4
57 Esmeralda	17	-	-	-	-	-	1	-	-	-	-	-	2	-	1
58 Eureka	9	-	-	-	-	-	-	-	-	1	-	-	2	-	-
59 Humboldt	47	-	-	-	-	-	1	-	-	1	-	-	6	1	1
60 Lander	25	-	-	-	-	-	2	-	-	-	-	-	2	-	2
61 Lincoln	35	-	-	-	-	-	1	-	-	-	-	-	7	-	1
62 Lyon	47	-	-	-	-	-	1	-	-	-	-	-	5	-	1
63 Mineral	47	-	-	-	-	-	1	-	-	-	-	-	4	-	-
64 Nye	40	-	-	-	-	-	4	-	-	-	-	-	7	-	1
65 Ormsby	34	-	-	-	-	-	1	-	-	-	-	-	5	-	-
66 Pershing	51	-	-	-	-	-	-	-	-	-	-	-	2	-	-
67 Storey	11	-	-	-	-	-	1	-	-	-	-	-	2	-	-
68 Washoe	556	-	1	-	-	-	12	-	-	9	-	-	48	-	6
69 Reno	455	-	-	-	-	-	9	-	-	8	-	-	41	-	5
70 Balance of county	101	-	1	-	-	-	3	-	-	1	-	-	7	-	1
71 White Pine	109	-	-	-	-	-	4	-	-	1	-	-	17	-	1
72 NEW HAMPSHIRE	6,194	1	3	1	3	1	63	-	2	28	-	1	901	2	222
73 Belknap	307	-	-	-	-	-	4	-	1	-	-	-	44	-	9
74 Coconia	172	-	-	-	-	-	3	-	1	-	-	-	21	-	7
75 Balance of county	135	-	-	-	-	-	1	-	-	-	-	-	23	-	2
76 Carroll	207	-	-	-	-	-	4	-	-	-	-	-	33	-	6
77 Cheshire	420	-	-	-	-	-	3	-	-	1	-	-	55	-	10
78 Keene	185	-	-	-	-	-	2	-	-	1	-	-	29	-	5
79 Balance of county	235	-	-	-	-	-	1	-	-	-	-	-	26	-	5
80 Coos	395	-	-	1	-	-	2	-	1	1	-	-	65	-	11
81 Berlin	174	-	-	-	-	-	2	-	1	1	-	-	28	-	6
82 Balance of county	221	-	-	1	-	-	-	-	1	-	-	-	37	-	5
83 Grafton	507	-	-	-	-	-	12	-	-	3	-	-	74	-	19
84 Hillsborough	1,759	-	-	1	-	-	22	-	-	6	-	-	261	1	73
85 Manchester	920	-	-	-	-	-	13	-	-	4	-	-	142	1	34
86 Nashua	402	-	-	-	-	-	4	-	-	-	-	-	63	-	23
87 Balance of county	437	-	-	1	-	-	5	-	-	2	-	-	56	-	16
88 Merrimack	1,010	-	1	-	-	-	19	-	-	14	-	-	127	1	37
89 Concord	827	-	-	-	-	-	15	-	-	14	-	-	69	1	18
90 Balance of county	383	-	1	-	-	-	4	-	-	-	-	-	58	-	19
91 Rockingham	774	1	-	-	1	-	5	-	-	1	-	-	125	-	20
92 Portsmouth	189	-	2	-	-	-	1	-	-	-	-	-	30	-	2
93 Balance of county	-	-	-	-	-	-	-	-	-	-	-	-	95	-	18

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

567

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of in- testines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Hemi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	4	13	3	1	1	-	1	2	3	-	5	5	1	7	1
-	1	4	-	-	-	-	-	-	-	-	-	-	-	3	2
-	4	6	1	1	3	-	1	-	-	-	2	3	-	5	3
-	16	41	8	-	3	-	2	4	1	-	1	8	-	16	4
-	128	345	52	6	58	2	27	21	8	2	19	56	15	139	5
-	112	301	40	5	52	1	19	18	8	2	16	47	10	102	6
-	16	44	12	1	6	1	8	3	-	-	3	9	5	36	7
-	23	43	11	1	10	1	18	7	3	-	5	20	3	31	8
-	23	26	10	-	5	-	11	5	2	-	3	10	3	22	9
-	10	17	1	1	5	1	7	2	1	-	2	10	-	9	10
-	2	1	1	-	-	-	-	-	2	-	1	3	-	5	11
-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	13
-	35	90	24	1	16	-	9	2	1	-	6	9	4	31	14
-	15	39	6	-	4	-	5	2	2	-	4	2	1	16	15
-	20	51	18	1	12	-	4	-	-	-	2	7	3	15	16
-	6	19	2	-	5	-	3	3	-	-	3	6	3	11	17
-	7	20	4	1	2	-	4	-	-	-	2	2	2	12	18
-	13	23	1	-	6	-	-	-	1	-	4	2	2	9	19
-	16	54	8	-	6	-	4	2	1	-	4	2	-	13	20
-	13	37	3	-	8	-	4	4	4	-	3	2	1	10	21
-	29	55	10	1	5	1	6	4	3	-	3	2	4	22	22
-	3	30	3	-	15	-	-	-	2	-	4	-	2	5	23
-	6	6	-	-	2	-	3	4	1	-	4	2	-	4	24
-	10	37	1	-	3	-	5	2	1	-	3	2	2	13	25
-	2	21	1	-	3	-	1	1	1	-	2	4	-	9	26
-	12	50	3	-	9	-	6	6	2	-	8	6	2	19	27
-	12	36	2	-	6	-	3	3	3	-	1	6	1	13	28
-	13	31	1	1	7	1	1	4	4	-	5	7	2	16	29
-	20	46	5	2	23	2	5	5	4	-	9	9	1	20	30
-	2	13	3	-	-	-	-	-	-	-	3	5	-	10	31
-	22	46	6	-	10	-	6	1	5	-	3	2	4	25	32
-	10	21	2	-	5	-	7	4	4	1	2	13	1	8	33
-	23	39	6	-	22	3	7	4	2	-	5	7	1	17	34
-	31	62	10	5	11	2	14	13	4	1	6	17	6	40	35
-	8	35	5	3	7	-	4	5	1	-	3	6	2	18	36
-	23	27	5	2	4	2	10	8	3	1	3	11	4	22	37
-	17	43	4	2	6	1	4	9	3	1	1	2	2	13	38
-	12	21	4	1	5	-	4	7	1	2	5	2	-	19	39
-	-	26	3	-	1	-	2	3	3	-	3	5	3	6	40
-	4	5	-	-	4	-	1	1	1	-	-	3	-	-	41
-	11	11	4	-	1	-	2	1	1	-	-	3	1	7	42
-	17	30	4	-	14	-	-	5	2	-	1	6	1	9	43
-	1	6	-	-	-	-	-	1	1	1	1	1	1	1	44
-	8	24	4	1	4	-	7	1	4	-	2	4	5	17	45
-	6	23	2	-	4	1	4	3	3	-	1	5	4	11	46
-	7	42	10	-	5	-	2	1	-	-	3	4	6	9	47
-	6	18	3	1	2	1	2	1	-	-	3	3	2	4	48
-	11	27	-	-	5	-	1	1	3	-	-	5	5	6	49
-	-	4	-	-	-	-	-	1	-	-	-	1	-	-	50
-	13	41	6	1	9	-	1	2	2	1	5	13	3	18	51
-	128	481	66	1	67	5	50	53	56	16	64	131	54	196	52
-	7	31	-	-	4	-	2	2	5	1	3	8	3	13	53
-	31	103	7	-	14	2	15	22	9	2	19	27	5	47	54
-	1	7	1	-	2	-	1	-	1	-	1	15	1	-	55
-	13	21	4	-	8	-	3	-	6	3	4	7	7	14	56
-	1	5	-	-	1	-	-	-	1	1	1	3	-	1	57
-	1	2	-	-	-	-	-	-	-	-	2	2	-	1	58
-	-	14	3	-	2	-	3	1	-	-	3	3	4	4	59
-	1	10	1	1	1	-	1	2	-	-	1	2	-	2	60
-	8	10	4	-	2	-	2	-	-	-	4	4	2	2	61
-	3	11	1	-	2	-	1	1	1	-	2	2	6	4	62
-	3	11	2	-	3	1	4	3	1	-	2	3	3	4	63
-	3	11	2	-	2	-	-	-	3	-	2	2	3	7	64
-	1	8	2	-	1	-	1	1	3	-	1	3	-	4	65
-	1	16	6	-	2	-	2	2	2	-	4	9	1	3	66
-	-	2	-	-	1	-	-	1	1	-	-	-	1	2	67
-	49	192	29	-	19	2	13	19	20	8	13	33	12	71	68
-	37	168	26	-	15	2	9	13	17	6	9	24	7	59	69
-	12	24	3	-	4	-	4	6	3	2	4	9	5	12	70
-	8	27	4	-	2	-	2	2	4	1	4	9	6	17	71
1	597	2,207	239	35	305	14	179	145	76	3	105	287	54	711	72
-	34	111	7	-	21	-	7	6	1	1	6	19	3	33	73
-	19	63	2	-	11	-	5	2	-	-	2	7	5	23	74
-	16	49	5	-	10	-	2	-	1	1	4	12	-	10	75
-	21	79	8	-	9	-	5	2	-	-	3	17	-	20	76
-	61	134	19	2	20	1	14	6	4	-	4	19	4	61	77
-	27	54	8	1	9	1	6	3	3	-	1	8	1	23	78
-	34	80	11	1	11	-	8	2	1	-	3	11	3	38	79
-	26	118	24	-	35	2	15	7	7	-	11	14	4	50	80
-	16	55	9	-	12	-	6	4	3	-	6	7	3	18	81
-	10	63	15	-	23	2	9	4	4	-	5	7	1	32	82
-	59	154	13	2	16	1	16	11	7	-	14	26	19	59	83
-	173	617	54	22	89	2	46	45	18	-	23	92	6	206	84
-	75	360	28	17	52	2	24	23	8	-	7	45	4	81	85
-	39	130	6	2	26	-	15	13	3	-	8	21	2	47	86
-	59	127	20	3	11	-	7	9	7	-	8	26	2	78	87
1	80	402	58	4	44	2	22	21	14	-	17	36	4	106	88
-	47	271	42	2	17	1	8	14	7	-	7	18	2	74	89
1	33	131	16	2	27	1	14	7	7	-	10	18	2	32	90
-	62	273	26	3	39	4	30	30	10	1	18	35	4	84	91
-	13	70	4	1	11	1	7	5	2	-	14	6	-	22	92
-	49	203	22	2	28	3	23	25	8	1	12	21	4	62	93

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningo-coccus) meningitis	Scarlet fever	Whoop-ing cough	Diph-theria	Tuber-culosis (all forms)	Dysen-tery	Malaria	Syph-illis	Measles	Polio-myelitis, polio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	6	9	9	10	13-22	27	28	30	35	36	45-55	58	61
NEW HAMPSHIRE—Con.															
1	Strafford	533	-	-	-	1	1	6	-	-	1	-	63	-	23
2	Dover	194	-	-	-	-	1	3	-	-	-	-	25	-	8
3	Rochester	141	-	-	-	-	-	1	-	-	-	-	26	-	8
4	Balance of county	199	-	-	-	1	-	2	-	1	-	1	32	-	7
5	Sullivan	282	-	-	-	-	-	6	-	-	-	-	34	-	14
6	Claremont (town)	125	-	-	-	-	-	3	-	1	-	-	12	-	6
7	Balance of county	156	-	-	-	-	-	3	-	-	-	-	22	-	6
8	NEW JERSEY	48,181	7	32	3	24	15	1,555	6	1	327	4	7,601	34	1,582
9	Atlantic	1,785	1	-	-	1	-	57	-	-	11	-	230	-	53
10	Atlantic City	958	-	-	-	-	-	35	-	2	-	-	129	-	33
11	Plenamtville	173	1	-	-	-	-	3	-	1	-	1	21	-	4
12	Balance of county	664	-	-	-	1	-	19	-	8	-	-	80	-	18
13	Bergen	4,026	-	3	-	2	1	72	-	14	1	1	698	1	138
14	Garfield	183	-	-	-	-	-	2	-	-	-	-	45	-	9
15	Hackensack	307	-	-	-	-	-	6	-	3	-	-	50	-	8
16	Peasock (twp.) ²	249	-	-	-	-	-	5	-	1	-	-	49	-	6
17	Bergenfield	100	-	-	-	-	-	2	-	1	-	-	19	-	5
18	Cliffside Park	140	-	-	-	-	-	2	-	-	-	-	23	-	1
19	Englewood	196	-	-	-	-	-	7	-	4	-	-	42	-	7
20	Lodi	86	-	-	-	-	-	3	-	-	-	-	9	-	1
21	Lyndhurst (twp.) ²	163	-	-	-	-	-	2	-	-	-	-	28	-	8
22	Ridgefield Park	92	-	-	-	-	-	1	-	-	-	-	22	-	3
23	Ridgewood	168	-	-	-	-	-	3	-	-	-	-	23	-	3
24	Rutherford	158	-	-	-	-	-	1	-	-	-	-	36	-	1
25	Balance of county	2,176	-	1	-	2	1	39	-	3	1	1	350	1	84
26	Burlington	1,161	1	-	-	-	-	30	1	7	2	-	194	-	37
27	Burlington	118	-	-	-	-	-	3	1	1	1	-	22	-	7
28	Balance of county	1,043	1	-	-	-	-	27	-	6	1	-	172	-	30
29	Camden	3,025	-	6	2	2	2	106	-	24	6	2	421	4	87
30	Camden	1,352	-	3	1	1	2	53	-	9	-	-	169	2	50
31	Collingswood	150	-	-	-	-	-	2	-	1	-	1	21	-	2
32	Gloucester City	157	-	-	-	-	-	6	-	-	-	-	22	-	2
33	Pennsauken (twp.) ²	149	-	1	-	-	-	1	-	3	-	-	22	-	1
34	Balance of county	1,217	-	2	-	1	-	42	-	11	-	1	187	2	32
35	Cape May	493	-	-	1	2	-	10	-	2	-	-	73	-	16
36	Cumberland	1,052	-	-	-	1	-	29	-	5	-	-	146	-	36
37	Bridgeton	230	-	-	-	-	-	4	-	3	-	-	33	-	8
38	Millville	210	-	-	-	-	-	2	-	-	-	-	27	-	5
39	Balance of county	612	-	-	-	1	-	23	-	2	-	-	86	-	23
40	Essex	9,431	1	6	-	1	-	377	-	69	-	1	1,516	10	333
41	Newark	4,901	1	3	-	1	-	252	-	36	-	-	779	7	185
42	Belleville	254	-	-	-	-	-	9	-	1	-	-	42	-	14
43	Bloomfield	405	-	-	-	-	-	5	-	1	-	-	65	-	9
44	East Orange	744	-	-	-	-	-	13	-	2	-	-	143	1	23
45	Irvington	534	-	-	-	-	-	4	-	2	-	-	91	-	23
46	Montclair	501	-	-	-	-	-	13	-	1	-	-	100	1	18
47	Orange	458	-	1	-	-	-	18	-	4	-	-	68	1	13
48	West Orange	225	-	-	-	-	-	3	-	-	-	-	38	-	12
49	Maplewood (twp.) ²	222	-	-	-	-	-	3	-	-	-	-	36	-	9
50	Millburn (twp.) ²	96	-	-	-	-	-	2	-	2	-	-	22	-	2
51	Nutley	198	-	-	-	-	-	4	-	-	-	-	27	-	6
52	South Orange	145	-	1	-	-	-	4	-	-	-	-	27	-	3
53	Balance of county	747	-	1	-	-	-	49	-	20	-	1	75	-	16
54	Gloucester	921	1	-	1	-	-	15	-	7	-	-	136	3	30
55	Hudson	7,011	1	4	-	2	4	269	1	35	1	-	1,180	4	252
56	Jersey City	3,386	-	3	-	-	2	147	-	13	1	-	570	2	111
57	Bayonne	682	-	-	-	-	-	16	-	4	-	-	124	-	25
58	Hoboken	597	1	1	-	1	2	30	-	3	-	-	91	-	18
59	Kearny	370	-	-	-	-	-	7	-	-	-	-	71	-	16
60	North Bergen (twp.) ²	371	-	-	-	-	-	4	-	1	-	-	80	1	11
61	Union City	573	-	-	-	-	-	15	-	1	-	-	107	1	17
62	West New York	323	-	-	1	-	-	16	-	2	-	-	59	1	14
63	Harrison	142	-	-	-	-	-	3	-	-	-	-	21	-	7
64	Weehavken (twp.) ²	172	-	-	-	-	-	4	-	1	-	-	30	-	2
65	Balance of county	435	-	-	-	-	-	27	-	11	-	-	48	-	11
66	Bunton	454	-	-	-	-	-	9	-	1	-	-	74	1	15
67	Mercer	2,581	1	-	-	2	3	115	1	32	-	-	383	2	80
68	Trenton	1,580	-	-	-	2	3	44	-	25	-	-	246	1	33
69	Balance of county	991	1	-	-	-	-	71	1	7	-	-	143	1	41
70	Middlesex	2,156	-	3	-	1	2	59	-	9	-	-	353	1	65
71	New Brunswick	388	-	1	-	-	-	17	-	2	-	-	68	-	12
72	Perth Amboy	389	-	-	-	-	-	14	-	2	-	-	60	-	9
73	Woodbridge (twp.) ²	249	-	-	-	-	-	5	-	1	-	-	40	-	11
74	Carteret	93	-	-	-	-	-	1	-	-	-	-	10	-	1
75	South River	77	-	-	-	-	-	2	-	-	-	-	17	-	3
76	Balance of county	960	-	2	-	1	2	20	-	4	-	-	140	1	29
77	Monmouth	2,540	-	1	-	2	1	72	-	19	-	-	354	-	86
78	Asbury Park	229	-	-	-	-	-	10	-	2	-	-	33	-	7
79	Long Branch	212	-	-	-	-	-	4	-	2	-	-	26	-	14
80	Neptune (twp.) ²	221	-	-	-	1	-	2	-	1	-	-	33	-	5
81	Red Bank	153	-	-	-	-	-	4	-	1	-	-	25	-	4
82	Balance of county	1,725	-	1	-	1	1	52	-	13	-	-	237	-	56
83	Morris	2,002	-	1	-	-	-	105	3	36	-	-	233	1	38
84	Dover	150	-	-	-	-	-	4	-	-	-	-	23	-	3
85	Morristown	209	-	-	-	-	-	6	-	2	-	-	42	-	5
86	Balance of county	1,643	-	1	-	-	-	96	3	34	-	-	168	1	30
87	Ocean	593	-	-	-	-	-	11	-	1	-	-	98	-	11
88	Passaic	3,233	1	4	-	2	-	75	-	12	-	-	576	2	131
89	Paterson	1,585	1	2	-	2	-	26	-	5	-	-	76	-	67
90	Clifton	386	-	-	-	-	-	8	-	-	-	-	76	-	15
91	Passaic	611	-	-	-	-	-	11	-	5	-	-	117	1	19
92	Havthorne	102	-	1	-	-	-	1	-	-	-	-	23	-	4
93	Balance of county	539	-	1	-	-	-	29	-	2	-	-	89	1	26

²Since this area is difficult to identify from information given on the transcripts, data may be understated or overstated.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

569

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes		
69	85	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200			
-	52	200	16	1	26	1	18	7	7	-	8	17	6	60	1	
-	20	72	8	-	11	-	5	3	4	-	1	9	1	22	2	
-	15	44	3	1	7	-	5	2	2	-	3	2	2	20	3	
-	17	84	5	-	8	1	5	2	2	-	4	5	2	20	3	
-	19	119	14	1	6	1	8	5	8	1	1	10	2	32	4	
-	9	51	9	-	3	1	4	3	3	-	1	2	2	14	5	
-	10	68	5	1	3	-	4	2	5	1	1	8	2	18	6	
-	2	4,084	17,233	1,559	160	2,659	107	1,240	1,137	527	141	664	1,733	208	5,526	8
-	149	605	77	-	222	1	40	40	15	7	22	56	7	200	9	
-	83	324	44	-	105	1	18	16	3	4	7	30	5	113	10	
-	11	59	12	-	20	-	5	2	3	-	2	7	1	20	11	
-	55	222	21	-	98	-	17	22	4	3	13	7	1	67	12	
-	344	1,463	117	7	186	11	112	81	50	9	58	133	13	505	13	
-	16	57	5	-	4	1	7	-	3	-	4	4	-	25	14	
-	21	101	10	2	20	1	8	9	3	-	-	21	1	43	15	
-	22	99	7	-	15	-	4	-	1	1	3	9	2	25	16	
-	11	39	-	-	1	1	5	4	3	-	-	2	1	17	17	
-	5	61	8	-	4	-	12	5	2	-	1	6	-	28	18	
-	16	56	9	-	5	-	3	4	2	1	4	9	-	11	19	
-	6	38	3	2	10	1	2	3	-	1	5	3	1	21	21	
-	9	61	3	-	6	1	3	5	2	2	5	3	1	11	22	
-	11	23	1	-	5	-	4	2	1	1	4	3	1	17	23	
-	18	70	4	2	9	-	2	3	1	-	-	2	-	14	24	
-	14	69	1	-	6	-	4	3	5	5	3	2	-	280	25	
-	195	789	86	1	101	6	58	45	29	2	33	68	9	123	26	
-	94	381	40	4	85	1	33	31	13	2	27	43	9	13	27	
-	4	38	2	2	11	-	3	5	1	1	-	2	1	310	29	
-	90	342	38	2	74	1	35	26	10	11	27	41	8	143	30	
-	264	1,033	118	17	246	12	95	74	31	11	36	114	8	510	31	
-	94	445	87	9	112	5	45	45	13	9	17	58	2	130	32	
-	16	63	1	-	15	-	2	2	1	-	-	8	-	31	33	
-	14	54	3	-	12	1	7	6	4	1	-	7	2	16	34	
-	11	52	8	1	16	1	5	2	2	1	1	6	4	16	35	
-	129	419	41	7	91	4	58	19	11	1	18	35	4	122	36	
-	41	188	17	6	29	1	10	7	3	1	5	11	8	63	37	
-	106	357	33	2	72	2	22	25	9	3	27	34	7	137	38	
-	20	69	5	1	21	2	8	7	3	-	4	9	1	34	39	
-	30	87	6	1	13	1	2	2	1	-	4	5	-	23	40	
-	56	201	22	-	38	-	15	14	1	5	17	20	6	60	41	
-	1	751	3,408	233	26	547	14	228	118	30	99	350	30	1,019	42	
-	1	360	1,695	112	16	269	7	127	59	25	45	190	20	549	43	
-	15	84	10	-	23	-	2	9	6	-	4	9	-	26	44	
-	42	145	7	-	29	3	18	7	6	-	3	16	1	48	45	
-	54	309	16	1	34	1	11	20	6	1	10	29	2	69	46	
-	55	211	12	2	37	1	10	12	2	3	3	15	2	52	47	
-	45	168	11	1	34	1	11	11	7	4	20	20	3	55	48	
-	31	171	17	3	22	1	11	6	6	4	5	7	1	50	49	
-	16	87	6	1	7	1	6	4	4	-	3	3	1	27	50	
-	21	78	7	1	18	-	4	3	4	2	4	5	-	25	51	
-	7	36	1	2	6	-	1	3	-	-	-	3	-	9	52	
-	19	63	4	2	9	-	10	6	4	-	2	8	-	30	53	
-	15	55	6	1	7	-	14	8	6	-	1	3	-	15	54	
-	71	306	24	1	52	-	3	1	8	-	9	26	1	66	55	
-	79	316	21	2	80	5	32	23	11	6	27	27	2	95	56	
-	564	2,726	225	19	278	9	155	147	59	16	61	256	9	754	57	
-	277	1,259	129	12	93	4	72	92	27	10	29	128	3	382	58	
-	67	228	19	3	47	1	13	15	2	1	14	27	1	55	59	
-	44	253	20	1	22	1	19	3	7	1	1	25	1	55	60	
-	18	151	5	1	33	1	9	7	1	1	3	11	-	38	61	
-	38	141	17	-	20	1	9	3	6	2	3	14	2	37	62	
-	46	235	14	-	13	1	14	7	7	2	3	18	-	70	63	
-	19	126	6	1	10	-	6	6	4	-	1	2	1	49	64	
-	11	52	3	-	7	1	6	4	4	-	2	9	1	15	65	
-	13	83	2	1	2	-	4	5	1	-	3	6	-	15	66	
-	31	198	10	1	31	1	3	2	4	-	2	16	-	40	67	
-	29	170	13	2	26	1	10	12	1	1	5	19	3	55	68	
-	203	857	100	22	118	6	74	49	22	13	46	90	14	334	69	
-	127	535	87	14	67	5	45	34	12	9	18	68	12	217	70	
-	76	322	33	8	51	1	29	15	10	4	28	30	2	117	71	
-	182	776	81	4	64	9	64	76	32	6	45	96	9	217	72	
-	34	133	15	-	18	1	13	13	6	6	17	17	1	31	73	
-	29	130	9	-	12	1	10	15	4	2	4	17	1	50	74	
-	20	88	14	-	6	3	7	5	6	4	5	9	1	28	75	
-	12	30	6	-	5	-	5	4	1	1	1	5	1	10	76	
-	6	24	3	-	6	-	1	1	1	1	1	3	-	9	77	
-	61	371	34	4	17	4	28	38	15	2	28	45	5	89	78	
-	205	966	71	4	199	6	53	54	23	9	26	89	31	289	79	
-	25	76	6	-	8	1	7	5	2	2	1	9	3	34	80	
-	21	76	7	-	8	2	3	2	1	1	1	13	4	28	81	
-	32	92	10	-	12	-	4	4	3	1	3	1	1	16	82	
-	16	59	2	-	13	-	2	1	1	1	1	4	1	18	83	
-	111	663	46	4	158	3	37	22	17	5	21	62	22	193	84	
-	157	737	59	10	85	2	42	40	19	4	21	53	11	346	85	
-	8	50	7	1	5	-	6	10	2	-	3	-	-	23	86	
-	13	86	4	3	8	-	6	4	1	-	1	5	1	23	87	
-	158	601	48	6	70	2	30	26	16	4	18	43	10	300	88	
-	58	214	21	3	36	2	17	18	5	2	17	26	-	55	89	
-	294	1,128	116	6	134	7	78	80	41	8	48	119	13	358	90	
-	144	595	57	1	73	4	29	34	14	3	20	65	10	172	91	
-	28	128	15	1	11	1	18	13	12	-	7	9	2	44	92	
-	64	198	24	3	25	2	18	15	6	3	23	23	-	69	93	
-	5	29	2	1	9	-	1	4	3	1	3	3	1	12	94	
-	53	178	18	-	16	-	12	14	6	1	11	19	-	61	95	

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND
(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuber-culosis (all forms)	Dysen-tery	Malaria	Syph-illis	Measles	Polio-myelitis, polio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
NEW JERSEY—Continued															
1 Salem	501	-	-	-	1	-	14	-	-	5	-	2	62	-	17
2 Somerset	971	-	-	-	-	-	38	1	-	19	-	-	142	-	33
3 North Plainfield	121	-	-	-	-	-	4	-	-	-	-	-	19	-	5
4 Balance of county	850	-	-	-	-	-	34	1	-	19	-	-	124	-	28
5 Sussex	344	-	1	-	1	-	5	-	-	1	-	1	54	-	11
6 Union	3,276	-	3	-	4	1	60	-	-	17	-	1	581	5	112
7 Elizabeth	1,194	-	2	-	3	-	24	-	-	7	-	-	209	3	44
8 Plainfield	454	-	-	-	-	-	12	-	-	4	-	-	63	-	20
9 Cranford (tw.) ²	136	-	-	-	-	-	1	-	-	-	-	-	23	-	3
10 Hillside (tw.) ²	133	-	-	-	-	-	3	-	-	-	-	-	31	-	2
11 Linden	154	-	-	-	1	-	5	-	-	-	-	-	30	-	10
12 Rahway	197	-	-	-	-	1	5	-	-	1	-	-	32	-	4
13 Roselle	121	-	-	-	-	-	4	-	-	-	-	-	20	-	6
14 Summit	191	-	-	-	-	-	1	-	-	2	-	-	32	-	8
15 Union (tw.) ²	220	-	-	-	-	-	2	-	-	-	-	-	43	1	1
16 Westfield	162	-	1	-	-	-	4	-	-	-	-	-	25	-	3
17 Balance of county	324	-	-	-	-	-	19	-	-	-	-	1	53	-	11
18 Warren	625	-	-	-	1	-	6	-	-	1	-	1	91	-	22
19 Phillipsburg	208	-	-	-	-	-	3	-	-	-	-	-	31	-	12
20 Balance of county	417	-	-	-	1	-	3	-	-	1	-	1	60	-	10
21 NEW MEXICO	5,471	2	2	2	35	9	330	25	-	56	23	4	426	7	45
22 Bernalillo	905	-	-	-	8	-	71	3	-	8	4	-	98	2	8
23 Albuquerque	458	-	-	-	3	-	40	-	-	4	-	-	48	1	4
24 Balance of county	467	-	-	-	5	-	31	3	-	4	4	-	40	1	4
25 Catron	26	-	-	-	-	-	-	-	-	-	-	-	2	-	1
26 Chaves	242	1	-	-	-	-	14	-	-	-	-	-	23	-	4
27 Roswell	163	1	-	-	-	-	10	-	-	-	-	-	16	-	3
28 Balance of county	79	-	-	-	-	-	4	-	-	-	-	-	7	-	1
29 Colfax	200	-	-	-	1	-	3	-	-	1	-	-	22	-	2
30 Curry	165	-	-	-	-	-	7	-	-	2	-	-	15	1	3
31 Clovis	130	-	-	-	-	-	6	-	-	1	-	-	11	1	2
32 Balance of county	35	-	-	-	-	-	1	-	-	1	-	-	4	-	1
33 De Baca	42	-	-	-	-	-	-	-	-	-	-	-	2	-	-
34 Dona Ana	289	1	-	1	-	2	11	1	-	1	1	-	17	1	3
35 Eddy	268	-	-	-	2	-	18	2	-	1	-	-	15	-	5
36 Grant	195	-	-	-	2	-	19	1	-	2	-	-	15	-	2
37 Guadalupe	67	-	-	-	1	-	3	1	-	-	-	-	4	1	-
38 Harding	27	-	-	-	-	-	1	-	-	-	-	-	5	-	-
39 Hidalgo	52	-	-	-	-	-	5	1	-	-	-	-	5	-	-
40 Lea	152	1	-	-	-	-	8	1	-	-	-	-	11	-	1
41 Hobbs	94	-	-	-	-	-	6	1	-	-	-	-	3	-	1
42 Balance of county	58	-	-	-	-	-	2	-	-	-	-	-	8	-	-
43 Lincoln	63	-	-	-	-	-	5	-	-	-	-	-	11	-	1
44 Luna	64	-	-	-	-	-	5	-	-	1	-	-	11	-	1
45 McKinley	320	-	-	-	1	1	50	4	-	11	7	-	19	-	2
46 Mora	91	-	-	-	1	-	5	-	-	-	-	-	4	-	-
47 Otero	129	-	-	-	4	1	4	-	-	2	-	-	10	-	1
48 Quay	122	-	-	-	-	-	1	2	-	-	-	-	11	-	1
49 Rio Arriba	240	-	-	-	2	1	8	1	-	5	1	-	7	-	1
50 Roosevelt	104	-	-	-	-	-	1	-	-	1	-	-	23	-	2
51 Sandoval	156	-	-	-	-	1	4	1	-	-	-	-	5	-	2
52 San Juan	175	1	-	-	1	1	27	-	-	2	5	2	7	-	1
53 San Miguel	382	-	-	-	6	-	22	1	-	17	-	-	14	1	2
54 Santa Fe	305	-	-	-	-	-	10	3	-	-	-	1	31	1	2
55 Santa Fe	223	-	-	-	-	-	7	3	-	-	-	1	25	1	1
56 Balance of county	32	-	-	-	-	-	3	-	-	-	-	-	6	-	1
57 Sierra	64	-	-	-	-	-	1	-	-	-	-	-	7	-	1
58 Socorro	117	-	-	-	3	-	10	2	-	-	-	-	7	-	1
59 Taos	148	-	-	-	1	-	7	1	-	1	1	-	10	-	-
60 Torrance	69	-	-	-	-	-	1	-	-	2	-	-	4	-	1
61 Union	73	-	-	-	1	-	1	-	-	1	-	-	4	-	-
62 Valencia	219	-	-	-	2	1	8	-	-	-	3	-	18	-	-
63 NEW YORK	157,734	9	69	5	44	24	5,286	24	3	1,322	5	42	24,771	104	5,993
64 Albany	2,668	-	-	-	1	-	98	-	-	11	-	2	414	1	103
65 Albany	1,709	-	-	-	1	-	74	-	-	4	-	-	265	-	69
66 Cohoes	278	-	-	-	-	-	5	-	-	1	-	1	39	1	7
67 Watervliet	199	-	-	-	-	-	5	-	-	2	-	1	32	-	6
68 Balance of county	682	-	-	-	-	-	14	-	-	4	-	-	79	-	21
69 Allegany	460	-	-	-	-	-	3	-	-	1	-	1	49	-	11
70 Broome	2,003	-	-	-	2	-	43	-	-	21	-	2	200	-	62
71 Binghamton	1,154	-	-	-	1	-	25	-	-	19	-	-	144	-	37
72 Endicott	206	-	-	-	-	-	3	-	-	-	-	1	29	-	6
73 Johnson City	178	-	-	-	-	-	-	-	-	1	-	-	43	-	5
74 Balance of county	463	-	-	-	1	-	15	-	-	1	-	1	64	-	14
75 Cattaraugus	883	-	-	-	-	-	20	-	-	6	-	-	128	-	28
76 Olean	250	-	-	-	-	-	2	-	-	2	-	-	42	-	11
77 Balance of county	633	-	-	-	-	-	18	-	-	4	-	-	86	-	18
78 Cayuga	838	-	-	-	1	-	8	-	-	-	-	-	117	-	30
79 Auburn	449	-	-	-	-	-	3	-	-	-	-	-	69	-	22
80 Balance of county	589	-	-	-	1	-	5	-	-	-	-	-	48	-	8
81 Chautauque	1,522	-	-	-	1	-	11	1	-	4	-	2	238	1	49
82 Jamestown	504	-	-	-	-	-	3	-	-	-	-	1	82	1	23
83 Dunkirk	229	-	-	-	-	-	3	1	-	1	-	-	28	-	7
84 Balance of county	789	-	-	-	1	-	5	-	-	3	-	1	128	-	16
85 Chemung	930	2	-	-	1	1	20	-	-	5	-	-	134	-	37
86 Elmira	659	1	-	-	1	1	7	-	-	2	-	-	98	-	32
87 Balance of county	271	-	-	-	-	-	13	-	-	1	-	-	36	-	5
88 Chenango	482	-	-	-	-	-	6	-	-	1	-	-	50	-	17
89 Clinton	573	-	-	-	-	-	17	-	-	12	-	1	68	-	21
90 Flattsburgh	182	-	-	-	-	-	4	-	-	3	-	1	28	-	5
91 Balance of county	391	-	-	-	-	-	15	-	-	9	-	-	40	-	16

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

571

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,53	119,120	130-132	140-150	157,158,160,161	159	163,164	165-169	170	169, 171-195	162, 199,200		
-	46	168	10	3	27	2	21	22	8	-	13	26	3	51	1
-	98	303	38	5	45	1	26	18	13	4	16	42	8	121	2
-	15	50	1	4	4	-	3	3	-	-	2	3	-	13	3
-	83	253	37	5	41	1	23	15	13	4	14	39	8	108	4
-	36	119	12	1	22	1	9	6	3	1	4	15	2	39	5
1	309	1,085	128	15	152	9	106	79	38	7	49	108	21	365	6
1	116	410	62	1	40	5	35	24	11	4	11	39	9	154	7
-	44	125	19	2	23	7	6	12	3	1	8	16	4	66	8
-	13	54	1	2	7	1	4	4	-	-	1	4	3	16	9
-	10	41	2	-	4	1	12	4	-	-	2	5	-	15	11
-	17	40	5	5	8	1	8	4	-	-	4	10	1	24	12
-	15	69	6	1	6	-	4	11	-	-	3	1	1	15	13
-	11	34	6	2	13	-	5	2	1	-	2	2	-	20	14
-	15	63	8	2	8	1	12	4	5	1	6	9	1	22	15
-	12	80	10	2	8	1	6	3	-	-	1	5	1	20	16
-	20	55	5	4	8	1	7	7	6	-	7	14	2	37	17
-	31	110	7	4	8	1	8	7	-	-	8	18	-	70	18
-	75	235	29	2	28	4	8	14	9	1	12	18	-	23	19
-	22	70	12	2	14	-	3	7	4	-	1	4	-	47	20
-	53	163	17	-	14	4	5	7	5	1	11	14	-	-	-
7	286	896	430	185	227	42	280	335	43	47	193	300	665	557	21
-	51	161	40	29	37	2	46	77	8	7	25	35	84	111	22
-	24	92	12	14	18	1	18	33	7	5	18	18	24	54	23
-	27	89	28	15	19	2	28	44	1	2	7	17	40	57	24
-	1	5	-	-	1	-	-	1	-	1	5	5	5	4	25
1	17	56	19	13	11	-	18	12	2	-	18	12	8	15	26
1	11	45	14	11	8	-	14	10	2	-	6	4	3	5	27
1	6	11	5	2	3	-	4	2	-	-	12	8	3	10	28
-	14	46	19	4	9	2	11	12	3	1	4	10	10	26	29
-	18	33	13	6	8	-	8	10	1	-	5	13	3	19	30
-	15	27	13	6	6	-	6	10	-	-	4	7	-	16	31
-	3	6	-	-	3	-	2	2	1	-	1	6	3	3	32
-	4	7	4	2	4	-	5	4	-	1	-	1	3	5	33
-	18	59	23	10	10	1	16	20	2	6	17	14	20	34	34
-	13	43	22	11	10	2	22	17	3	1	16	24	15	34	35
-	16	22	14	8	8	2	7	6	2	2	9	15	23	36	36
-	3	11	8	1	2	1	3	4	-	-	3	3	13	4	37
-	2	3	1	-	3	1	2	-	-	-	1	2	1	6	38
-	1	9	1	-	4	1	2	2	1	1	1	2	2	7	39
-	6	33	9	3	7	-	12	17	3	1	10	16	6	7	40
-	3	17	4	3	3	-	9	13	2	1	4	10	3	5	41
-	3	16	5	3	4	-	3	4	1	-	6	6	3	2	42
-	4	10	5	3	4	-	2	4	1	2	3	3	-	5	43
-	1	12	1	4	4	1	2	-	-	-	3	5	4	12	44
-	6	25	39	18	9	6	15	13	1	3	11	22	31	26	45
-	-	7	9	1	2	-	3	8	-	1	1	2	2	16	46
-	3	25	13	7	2	-	11	1	1	1	3	7	30	15	47
-	17	22	10	4	5	1	5	10	-	2	3	11	7	10	48
-	9	16	13	14	6	4	14	13	2	2	6	10	80	23	49
-	12	21	7	9	7	-	1	5	1	1	4	2	6	10	50
-	2	13	7	-	6	1	7	10	-	1	5	11	62	9	51
-	6	22	21	15	7	3	11	5	1	1	3	10	14	10	52
-	12	30	52	12	27	2	13	13	2	4	2	13	88	49	53
-	13	45	31	11	10	1	25	24	2	6	14	19	28	29	54
-	11	36	21	8	7	1	20	23	1	3	12	14	21	21	55
-	2	9	10	3	3	-	5	1	1	1	7	7	14	7	56
-	6	22	5	5	5	-	1	3	2	1	1	3	2	5	57
-	6	21	9	3	3	1	4	4	1	-	7	5	24	9	58
-	6	16	10	5	1	4	6	15	2	2	4	5	38	13	59
-	5	12	2	2	3	3	3	3	-	-	1	4	15	8	60
-	7	22	9	2	5	-	-	3	1	-	4	4	2	7	61
1	9	45	14	4	7	1	5	11	1	-	10	6	55	16	62
8	10,525	80,907	5,466	535	6,038	325	4,069	3,366	1,758	457	2,094	6,425	606	17,454	63
-	229	1,108	98	9	162	9	76	62	25	6	32	105	3	314	64
-	110	627	60	4	96	6	50	45	10	5	16	71	1	197	65
-	24	133	13	2	18	1	7	8	1	-	2	9	-	27	66
-	21	89	2	-	9	-	6	5	-	-	-	5	-	16	67
-	74	279	23	3	39	2	13	6	14	1	14	20	2	74	68
-	36	171	16	3	29	2	18	12	2	-	17	26	8	55	69
-	186	745	83	11	93	3	59	43	28	-	32	85	6	218	70
-	103	447	58	5	58	2	22	23	11	-	17	41	2	158	71
-	26	69	11	1	8	1	15	10	3	-	2	6	-	18	72
-	17	68	3	6	6	-	6	2	2	-	1	7	2	15	73
-	42	162	11	5	21	-	16	8	10	-	12	31	2	47	74
-	99	313	23	2	21	3	32	24	5	1	19	46	1	111	75
-	33	85	11	1	4	-	9	5	1	-	4	6	-	35	76
-	66	228	12	1	17	3	23	19	4	1	15	40	-	78	77
-	99	315	22	4	39	2	26	19	6	1	15	22	1	110	78
-	43	173	11	2	23	3	12	13	3	1	10	7	1	56	79
-	56	142	11	1	16	2	14	6	3	-	5	15	-	54	80
-	163	570	35	5	68	2	48	35	20	2	40	59	2	167	81
-	50	193	11	2	20	2	22	4	5	1	13	22	1	48	82
-	20	79	5	2	16	2	7	5	4	-	8	12	-	31	83
-	93	298	19	1	32	1	19	26	11	1	19	24	1	88	84
-	86	328	23	4	36	2	31	51	5	2	22	39	2	101	85
-	62	234	15	1	27	3	22	36	4	2	14	26	1	70	86
-	24	94	8	3	9	-	9	15	1	-	8	12	1	31	87
-	35	155	16	1	68	3	13	15	6	1	10	30	5	53	88
-	53	224	13	1	20	2	21	25	2	-	12	29	5	48	89
-	17	68	4	-	5	-	4	9	-	-	5	7	3	17	90
-	36	156	9	1	15	2	17	16	2	-	7	21	2	31	91

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1, 2	3	4	5	6	7-22	23	24	25	26	27-55	56	57	
NEW YORK—Continued															
1 Columbia	543	-	-	-	-	-	13	-	-	2	-	-	77	-	24
2 Hudson	180	-	-	-	-	-	2	-	-	1	-	-	29	-	6
3 Balance of county	363	-	-	-	-	-	11	-	-	1	-	-	48	-	19
4 Cortland	445	-	-	-	-	-	5	-	-	1	-	1	65	1	12
5 Cortland	241	-	-	-	-	-	4	-	-	1	-	1	40	-	8
6 Balance of county	204	-	-	-	-	-	1	-	-	1	-	-	25	1	4
7 Delaware	519	-	-	-	-	-	7	-	-	2	-	-	52	-	14
8 Dutchess	2,229	-	1	-	1	-	128	1	-	63	-	-	229	1	71
9 Poughkeepsie	535	-	1	-	-	-	4	-	-	1	-	-	75	-	23
10 Beacon	203	-	-	-	-	-	10	-	-	3	-	-	23	-	7
11 Balance of county	1,490	-	-	-	-	-	114	1	-	59	-	-	131	1	41
12 Erie	9,516	-	9	-	3	5	351	1	-	57	-	-	1,326	9	357
13 Buffalo	6,762	-	7	-	2	3	267	1	-	39	-	-	973	7	255
14 Kenmore	167	-	-	-	-	-	2	-	-	-	-	-	35	-	7
15 Lackawanna	263	-	-	-	-	-	4	-	-	-	-	-	38	-	9
16 Tonawanda	213	-	-	-	-	-	4	-	-	-	-	-	30	-	6
17 Balance of county	2,111	-	2	-	1	2	50	-	-	18	-	-	250	2	80
18 Essex	437	-	-	-	-	-	28	-	-	5	-	-	62	-	14
19 Franklin	585	-	-	1	-	1	64	-	-	2	1	-	54	-	16
20 Fulton	623	-	-	-	-	-	8	-	-	4	-	-	82	-	23
21 Gloversville	324	-	-	-	-	-	1	-	-	2	-	-	46	-	14
22 Johnstown	169	-	-	-	-	-	3	-	-	2	-	-	20	-	4
23 Balance of county	130	-	-	-	-	-	4	-	-	-	-	-	16	-	5
24 Genesee	501	-	-	-	1	-	6	-	-	2	-	-	64	-	25
25 Batavia	214	-	-	-	-	-	2	-	-	2	-	-	32	-	12
26 Balance of county	287	-	-	-	1	-	4	-	-	1	-	-	32	-	13
27 Greene	377	1	-	-	-	-	5	-	-	1	-	-	43	-	12
28 Hamilton	58	-	1	-	-	-	1	-	-	-	-	-	8	-	1
29 Herkimer	689	1	1	-	1	-	13	-	-	-	-	1	100	-	22
30 Little Falls	106	-	-	-	-	-	2	-	-	-	-	-	18	-	6
31 Balance of county	585	1	1	-	1	-	11	-	-	-	-	1	92	-	16
32 Jefferson	1,047	-	-	-	-	-	13	-	-	9	-	2	151	-	31
33 Watertown	468	-	-	-	-	-	10	-	-	4	-	1	71	-	11
34 Balance of county	579	-	-	-	-	-	3	-	-	5	-	1	80	-	20
35 Lewis	273	-	-	-	-	-	4	-	-	-	-	-	36	-	5
36 Livingston	533	-	-	-	-	-	16	-	-	2	-	1	59	-	5
37 Madison	545	-	-	-	1	-	4	-	-	1	-	-	72	-	15
38 Oneida	147	-	-	-	-	-	1	-	-	1	-	-	19	-	5
39 Balance of county	398	-	-	-	1	-	5	-	-	1	-	1	53	-	10
40 Monroe	5,360	-	2	-	-	-	149	-	1	57	-	1	788	2	185
41 Rochester	3,685	-	2	-	-	-	99	-	1	42	-	6	585	2	144
42 Ironsquoit (town)	216	-	-	-	-	-	5	-	-	1	-	-	36	-	5
43 Balance of county	1,259	-	-	-	-	-	45	-	-	14	-	-	167	-	38
44 Montgomery	721	-	-	-	1	-	11	-	-	1	-	-	90	1	25
45 Amsterdam	424	-	-	-	1	-	3	-	-	1	-	-	80	1	21
46 Balance of county	297	-	-	-	-	-	3	-	-	-	-	-	50	-	4
47 Nassau	4,321	1	-	-	-	1	92	-	-	14	-	-	707	1	129
48 Floral Park	151	-	-	-	-	-	1	-	-	-	-	-	27	-	6
49 Freeport	227	-	-	-	-	-	3	-	-	1	-	-	36	-	11
50 Garden City	120	-	-	-	-	-	3	-	-	-	-	-	15	-	4
51 Glen Cove	133	-	-	-	-	-	3	-	-	1	-	-	20	-	4
52 Hempstead	606	-	-	-	-	-	15	-	-	1	-	-	88	-	16
53 Lynbrook	165	-	-	-	-	-	2	-	-	2	-	-	19	-	6
54 Mineola	89	-	-	-	-	-	1	-	-	1	-	-	11	-	4
55 Rockville Centre	197	-	-	-	-	-	1	-	-	-	-	-	36	-	7
56 Valley Stream	148	-	-	-	-	-	3	-	-	-	-	-	25	-	4
57 Balance of county	2,491	-	1	-	-	-	63	-	-	6	-	-	430	1	67
58 New York City ⁴	81,402	3	40	1	14	12	3,152	6	2	676	2	12	14,229	70	3,538
59 Niagara	1,786	-	1	-	3	1	34	1	-	2	-	-	247	1	71
60 Niagara Falls	784	-	-	-	2	-	12	1	-	-	-	-	119	1	27
61 Lockport	341	-	1	-	1	-	3	-	-	-	-	-	47	-	15
62 North Tonawanda	190	-	-	-	-	-	3	-	-	-	-	-	39	-	8
63 Balance of county	471	-	-	-	-	1	16	-	-	4	-	-	42	-	21
64 Oneida	2,988	-	-	-	1	-	79	6	-	28	-	-	345	2	95
65 Utica	1,447	-	-	-	1	-	24	1	-	11	-	-	178	-	52
66 Rome	456	-	-	-	1	-	17	3	-	3	-	-	55	2	14
67 Balance of county	1,085	-	1	-	-	-	39	2	-	14	-	-	112	-	29
68 Onondaga	3,588	-	2	-	-	-	94	-	-	12	-	1	484	-	105
69 Syracuse	2,497	-	2	-	-	-	53	-	-	9	-	-	336	-	84
70 Balance of county	1,091	-	-	-	-	-	31	-	-	5	-	1	148	-	22
71 Ontario	739	-	-	-	-	-	20	-	-	11	-	-	102	1	13
72 Geneva	227	-	-	-	-	-	5	-	-	2	-	-	42	1	5
73 Balance of county	512	-	-	-	-	-	15	-	-	8	-	-	60	-	8
74 Orange	1,855	-	1	-	2	-	56	4	-	17	-	-	252	1	52
75 Newburgh	417	-	-	-	-	-	13	-	-	3	-	-	69	-	10
76 Middletown	489	-	-	-	-	-	24	4	-	5	-	-	44	1	9
77 Balance of county	979	-	-	-	2	-	19	-	-	5	-	-	139	1	33
78 Orleans	367	-	1	-	-	-	6	-	-	1	-	1	40	2	8
79 Oswego	893	1	-	-	-	-	11	-	-	2	-	-	115	1	21
80 Fulton	140	1	-	-	-	-	2	-	-	-	-	-	20	-	1
81 Oswego	287	-	-	-	-	-	4	-	-	1	-	-	33	1	11
82 Balance of county	466	-	-	-	-	-	5	-	-	1	-	-	62	-	9
83 Otsego	631	-	-	-	1	-	20	-	-	-	-	-	26	-	13
84 Oneonta	189	-	-	-	-	-	2	-	-	-	-	-	60	-	4
85 Balance of county	442	-	-	-	1	-	18	-	-	-	-	-	40	-	10
86 Putnam	227	-	-	-	-	-	4	-	-	-	-	-	251	1	47
87 Rensselaer	1,714	-	-	-	-	1	36	-	-	6	-	-	166	1	54
88 Troy	1,085	-	-	-	-	-	15	-	-	1	-	-	13	-	6
89 Rensselaer	123	-	-	-	-	-	2	-	-	1	-	-	72	-	7
90 Balance of county	506	-	-	-	-	1	19	-	-	-	-	-	119	1	33
91 Rockland	1,128	-	-	-	1	-	26	2	-	25	-	-	124	1	40
92 St. Lawrence	1,241	-	1	-	1	-	22	-	-	13	-	-	19	-	7
93 Messena	130	-	-	-	-	2	3	-	-	1	-	-	33	-	5
94 Ogdensburg	318	-	1	-	-	-	10	-	-	-	-	-	72	1	28
95 Balance of county	783	-	-	-	1	-	9	-	-	3	-	-	-	-	-

⁴Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

573

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Fellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicida	Hem- i- cides	Motor- vehicle accidents	Other accidents	Semility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,53	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	47	208	13	-	47	3	9	5	7	1	15	24	1	47	1
-	15	61	23	-	19	2	4	1	2	1	4	10	-	21	2
-	32	147	10	-	29	1	5	4	5	1	11	14	-	26	3
-	45	145	11	4	24	2	14	12	4	4	7	23	5	70	4
-	20	78	8	2	14	1	10	8	1	1	3	11	1	51	5
-	23	67	3	2	10	1	4	4	3	3	4	12	2	39	6
-	59	186	12	1	30	7	16	19	7	7	10	23	1	78	7
1	167	803	83	17	82	4	37	23	21	6	28	100	2	361	8
-	53	202	19	8	33	3	15	13	7	2	3	25	1	49	9
-	20	79	6	-	10	1	4	1	1	1	1	5	-	27	10
-	94	522	59	9	38	3	9	9	9	3	24	70	-	285	11
1	777	3,479	399	66	366	19	257	199	88	21	139	365	23	1,203	12
-	557	2,455	278	45	280	13	184	131	62	19	86	268	15	855	13
-	12	66	4	1	8	5	3	5	1	1	3	16	1	15	14
-	21	82	19	5	5	1	14	9	1	1	4	8	-	35	15
-	22	82	12	5	5	1	5	7	1	1	4	8	-	21	16
1	165	814	85	15	87	5	51	44	22	2	46	85	7	277	17
-	48	156	16	-	19	1	15	8	3	1	9	24	3	43	18
-	61	156	14	1	29	-	26	13	10	1	12	28	2	62	19
-	71	259	14	2	38	-	12	9	6	1	5	24	-	83	20
-	41	148	5	-	19	-	4	4	4	1	2	6	-	31	21
-	10	88	8	1	12	-	4	3	4	1	2	11	-	17	22
-	20	45	3	-	7	-	4	2	2	1	1	7	-	15	23
-	38	189	23	1	24	-	21	11	2	2	13	17	1	63	24
-	15	76	10	-	11	-	8	3	1	1	5	8	-	28	25
-	23	113	15	1	13	-	13	3	3	1	8	9	-	55	26
-	46	139	11	-	15	1	10	11	4	1	9	9	1	89	27
-	6	50	2	-	2	-	1	1	1	-	3	3	-	2	28
-	79	240	18	2	46	-	15	15	10	1	10	36	2	74	29
-	15	52	2	-	8	-	3	1	1	1	1	3	1	14	30
-	64	208	16	2	38	-	16	15	9	1	8	33	1	60	31
-	126	403	20	2	56	2	29	31	16	15	51	105	5	105	32
-	52	180	10	-	9	-	13	17	6	7	24	41	2	41	33
-	74	215	10	2	27	2	16	14	10	10	8	27	3	64	34
-	19	117	10	-	24	-	6	4	4	1	5	12	1	35	35
-	51	154	23	1	31	1	12	8	5	1	18	29	3	117	36
-	58	219	13	3	30	1	20	15	7	1	6	19	4	54	37
-	16	55	10	2	10	-	9	7	3	1	3	2	-	11	38
-	42	164	10	1	20	-	11	6	5	1	3	17	4	43	39
2	448	2,118	196	8	185	8	166	97	66	7	81	157	5	586	40
1	300	1,607	117	6	139	7	128	77	48	7	54	130	3	380	41
-	14	61	4	-	10	-	6	7	5	-	1	16	-	25	42
1	134	430	75	2	36	1	32	13	13	1	26	51	2	181	43
-	70	262	18	2	39	3	22	24	4	1	16	43	4	94	44
-	39	143	13	-	27	1	14	16	6	1	11	21	-	47	45
-	51	119	5	-	12	2	8	8	4	1	11	22	-	37	46
-	355	1,704	111	9	164	7	138	90	101	10	78	190	12	427	47
-	10	65	4	-	11	-	3	3	2	2	3	2	1	11	48
-	17	87	8	-	4	-	4	2	3	3	14	2	-	24	49
-	13	65	2	-	4	-	7	2	3	3	8	2	-	9	50
-	16	40	4	-	8	-	7	2	2	2	4	4	-	15	51
-	41	247	16	1	18	-	23	18	24	1	14	30	1	46	52
-	11	61	1	1	3	-	3	8	2	1	4	7	-	18	53
-	5	32	3	-	3	-	2	1	1	1	4	5	-	16	54
-	14	80	4	-	10	-	5	2	2	2	8	12	-	22	55
-	8	63	3	-	7	-	5	3	3	3	6	8	-	12	56
-	200	946	66	5	92	5	87	42	59	8	43	109	8	251	57
3	3,785	31,946	3,026	237	2,547	171	1,897	1,729	866	358	765	3,304	373	8,630	58
-	137	590	63	-	115	6	79	44	12	5	53	72	13	219	59
-	58	222	34	-	51	4	54	23	5	5	20	35	2	99	60
-	27	139	10	2	17	1	4	4	4	6	12	8	6	42	61
-	8	62	4	1	11	-	8	5	3	7	7	22	2	62	62
-	44	169	15	1	37	-	13	11	11	20	17	17	5	56	63
-	206	1,232	98	9	161	1	85	46	28	1	151	363	9	363	64
-	102	569	49	5	65	3	44	23	11	1	22	74	4	210	65
-	10	181	21	1	35	-	17	5	4	1	6	14	1	66	66
-	94	433	18	3	61	2	24	18	11	21	63	87	4	87	67
-	345	1,415	105	12	131	12	133	101	41	3	120	398	9	398	68
-	214	1,000	76	9	88	8	99	71	29	1	47	81	4	286	69
-	131	415	29	3	43	4	34	30	12	2	27	89	5	112	70
-	76	279	25	2	27	3	20	14	12	1	12	30	7	84	71
-	25	76	8	-	10	2	8	3	2	1	2	7	1	27	72
-	51	205	17	2	17	1	12	11	10	10	10	25	6	57	73
-	180	716	45	4	88	3	44	28	33	1	22	79	6	221	74
-	42	144	10	1	17	-	10	10	10	-	2	16	-	60	75
-	36	196	13	1	38	-	2	2	3	3	3	16	-	55	76
-	102	376	22	2	33	3	32	13	20	1	17	47	6	106	77
-	50	159	14	4	7	5	6	6	3	6	13	13	-	37	78
-	95	335	34	3	49	1	17	33	9	1	17	28	3	94	79
-	9	57	5	5	11	-	5	5	1	-	4	7	-	9	80
-	23	114	10	-	18	1	3	15	1	-	-	6	2	44	81
-	65	184	19	3	20	-	9	13	7	1	13	15	1	41	82
-	83	228	18	2	25	1	16	8	5	16	25	4	4	73	83
-	26	65	7	-	7	-	11	2	2	-	4	8	-	23	84
-	57	165	11	2	18	1	5	6	3	12	17	3	3	52	85
-	16	95	4	-	22	4	4	2	2	-	1	9	-	15	86
-	154	712	51	6	114	3	44	38	16	26	66	66	1	139	87
-	100	471	27	5	60	2	23	20	10	15	41	41	1	88	88
-	9	47	7	-	12	-	6	1	1	-	-	-	-	7	89
-	45	194	17	1	42	1	15	10	5	-	11	21	-	44	90
-	64	499	54	4	64	-	24	9	9	1	17	49	-	128	91
1	153	459	27	6	49	4	42	44	14	-	26	63	5	144	92
1	12	38	5	-	7	-	5	8	-	-	2	2	-	17	93
-	53	135	6	-	5	-	7	9	-	-	3	15	2	23	94
-	88	286	16	6	37	4	30	27	12	-	21	43	3	104	95

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND (By place of residence. Exclusive of stillbirths and of deaths among armed forces)

	AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, polio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus		
			1,2	3	4	5	6	7	8	9	10	11-22	23	24	25	26	27-35	36
NEW YORK—Continued																		
1	Saratoga	904	-	-	-	-	-	24	-	-	6	1	-	140	-	27		
2	Saratoga Springs	224	-	-	-	-	-	3	-	-	4	1	-	35	-	9		
3	Balance of county	680	-	-	-	-	-	21	-	-	2	-	-	107	-	18		
4	Schenectady	1,331	-	1	-	-	-	30	-	-	9	-	-	199	-	41		
5	Schenectady	928	-	-	-	-	-	15	-	-	5	-	-	144	-	30		
6	Balance of county	403	-	-	-	-	-	17	-	-	3	-	-	55	-	11		
7	Schoharie	248	-	-	-	-	-	1	-	-	2	-	-	31	-	9		
8	Schuyler	170	-	-	-	-	-	2	-	-	1	-	-	24	-	4		
9	Seneca	563	-	-	-	-	-	27	-	-	9	-	1	64	-	12		
10	Steuben	1,168	1	-	1	1	-	9	-	-	5	-	2	148	-	35		
11	Corning	222	-	-	-	1	-	2	-	-	1	-	-	35	-	8		
12	Hornell	191	-	-	-	-	-	-	-	-	-	-	-	28	-	5		
13	Balance of county	755	1	-	1	-	-	6	-	-	4	-	2	83	-	22		
14	Suffolk	4,107	-	-	-	-	-	277	1	-	152	-	1	423	2	110		
15	Sullivan	524	-	2	-	1	-	18	-	-	1	-	1	74	-	10		
16	Tioga	379	-	-	-	3	-	2	-	-	2	-	-	51	-	8		
17	Tompkins	516	-	-	-	1	-	17	-	-	1	-	-	66	-	18		
18	Ithaca	242	-	-	-	-	-	6	-	-	-	-	-	33	-	11		
19	Balance of county	274	-	-	-	1	-	11	-	-	1	-	-	35	-	7		
20	Ulster	1,117	-	1	-	-	-	19	-	-	8	-	1	169	-	36		
21	Kingston	441	-	-	-	-	-	12	-	-	2	-	-	70	-	15		
22	Balance of county	676	-	1	-	-	-	7	-	-	6	-	1	99	-	23		
23	Warren	508	-	-	-	-	-	16	-	-	2	-	-	61	-	14		
24	Glens Falls	266	-	-	-	-	-	5	-	-	1	-	-	39	-	8		
25	Balance of county	242	-	-	-	-	-	11	-	-	1	-	-	22	-	6		
26	Washington	580	-	-	-	-	-	7	-	-	6	-	-	65	-	17		
27	Wayne	713	-	-	-	1	-	12	-	-	2	-	-	105	-	29		
28	Westchester	5,870	-	1	-	2	-	144	1	-	31	1	2	1,108	4	206		
29	Yonkers	1,385	-	-	-	-	-	35	-	-	5	-	-	220	1	56		
30	Mount Vernon	628	-	-	-	1	-	15	-	-	4	-	2	88	-	21		
31	New Rochelle	674	-	-	-	-	-	15	-	-	1	-	-	151	-	26		
32	White Plains	438	-	-	-	1	-	8	1	-	2	-	-	65	-	19		
33	Mamaroneck	124	-	-	-	-	-	2	-	-	2	-	-	21	-	4		
34	Ossining	185	-	-	-	-	-	4	-	-	2	-	-	31	1	4		
35	Peekskill	196	-	-	-	-	-	6	-	-	-	-	-	26	-	6		
36	Port Chester	219	-	-	-	-	-	2	-	-	3	1	-	40	-	12		
37	Scarsdale	102	-	-	-	-	-	-	-	-	1	-	-	25	1	5		
38	Balance of county	1,921	-	1	-	-	-	60	-	-	11	-	-	463	1	55		
39	Wyoming	365	-	-	-	-	-	3	-	-	-	-	-	55	-	14		
40	Yates	262	-	-	-	-	-	5	-	-	-	-	-	18	-	7		
41	NORTH CAROLINA	30,187	7	31	2	54	32	1,128	18	2	266	25	21	2,766	36	575		
42	Alamance	421	-	1	-	-	-	16	1	-	4	-	3	48	-	11		
43	Burlington	151	-	-	-	-	-	6	-	-	2	-	-	18	-	2		
44	Balance of county	270	-	1	-	-	-	10	1	-	2	-	3	30	-	9		
45	Alexander	116	-	-	-	-	-	4	-	-	1	-	-	10	-	2		
46	Allegheny	64	-	-	-	-	-	1	-	-	-	-	-	12	1	-		
47	Anson	251	-	-	-	1	-	5	-	-	2	-	-	30	-	8		
48	Ashe	145	-	-	-	2	-	5	-	-	-	-	-	10	-	1		
49	Avery	88	-	-	-	-	-	3	-	-	-	-	-	8	-	-		
50	Beaufort	332	-	1	-	-	-	16	-	-	4	-	-	30	-	8		
51	Bertie	208	-	-	-	3	-	9	1	-	3	-	-	18	-	1		
52	Bladen	205	-	-	-	1	-	5	1	-	1	-	1	12	-	3		
53	Brunswick	122	-	1	-	-	1	3	-	-	1	-	-	14	-	2		
54	Dumcombe	1,058	-	-	-	2	-	116	-	-	7	-	-	113	-	19		
55	Asheville	560	-	-	-	1	-	29	-	-	5	-	-	63	-	12		
56	Balance of county	498	-	-	-	1	-	87	-	-	2	-	-	50	-	7		
57	Burke	385	-	1	-	-	-	15	-	-	0	-	-	30	1	7		
58	Cabarrus	356	-	-	-	-	1	5	-	-	2	-	-	38	-	9		
59	Concord	110	-	-	-	-	-	4	-	-	1	-	-	11	-	5		
60	Balance of county	246	-	-	-	-	1	1	-	-	1	-	-	27	-	4		
61	Caldwell	283	-	-	-	-	1	4	1	-	2	-	-	25	2	3		
62	Camden	35	-	-	-	-	-	3	-	-	1	-	-	4	-	-		
63	Carteret	170	-	-	-	-	-	2	-	-	3	-	-	28	1	9		
64	Caswell	151	-	-	-	-	-	2	-	-	1	-	-	14	1	1		
65	Catawba	397	-	-	-	1	-	2	-	-	2	-	1	37	-	4		
66	Hickory	135	-	-	-	1	-	-	-	-	1	-	-	13	-	3		
67	Balance of county	262	-	-	-	-	-	2	-	-	1	-	1	24	-	1		
68	Chatham	197	-	-	-	-	-	3	1	-	1	-	-	16	-	6		
69	Cherokee	97	-	-	-	-	-	1	-	-	-	-	1	11	-	1		
70	Chowan	101	1	-	-	-	-	3	-	-	-	-	-	11	-	3		
71	Clay	35	-	-	-	-	-	1	-	-	-	-	-	3	-	1		
72	Cleveland	426	-	-	-	2	-	9	-	-	3	-	-	44	-	8		
73	Shelby	123	-	-	-	-	-	2	-	-	1	-	-	12	-	2		
74	Balance of county	503	-	-	-	2	-	7	-	-	2	-	-	32	-	6		
75	Columbus	416	-	1	1	-	1	13	-	-	2	-	-	25	-	7		
76	Craven	351	-	-	-	-	-	17	-	1	2	-	1	22	1	3		
77	New Bern	168	-	-	-	-	-	8	-	-	2	-	-	11	-	2		
78	Balance of county	183	-	-	-	-	-	9	-	-	-	-	1	11	1	1		
79	Cumberland	592	-	2	-	-	-	14	1	-	4	-	-	53	-	6		
80	Fayetteville	287	-	1	-	-	-	4	-	-	3	-	-	58	-	3		
81	Balance of county	305	-	1	-	-	-	10	1	-	1	-	-	15	-	3		
82	Currituck	62	-	-	-	-	-	1	-	-	2	-	-	4	-	1		
83	Dare	43	-	-	-	-	-	-	-	-	-	-	-	4	-	3		
84	Davidson	394	-	-	-	-	-	10	-	-	2	-	1	53	-	13		
85	Lexington	93	-	-	-	-	-	2	-	-	-	-	-	19	-	2		
86	Thomasville	83	-	-	-	-	-	4	-	-	1	-	-	9	-	1		
87	Balance of county	218	-	-	-	-	-	4	-	-	1	-	1	25	-	10		
88	Davis	108	1	-	-	-	-	5	-	-	-	-	-	11	-	4		
89	Duplin	508	-	-	-	1	1	13	-	-	1	1	-	19	1	-		
90	Durham	728	-	2	-	1	1	33	-	-	3	-	-	102	2	15		
91	Durham	539	-	2	-	1	1	24	-	-	3	-	-	70	1	14		
92	Balance of county	189	-	-	-	-	-	9	-	-	-	-	-	32	1	1		
93	Edgecombe	407	-	1	-	-	-	24	-	-	8	-	-	34	1	8		
94	Rocky Mount (part)	111	-	-	-	-	-	5	-	-	3	-	-	10	-	2		
95	Balance of county	296	-	1	-	-	-	19	-	-	5	-	-	24	1	6		

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

575

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued.

(overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes		
69	85	90-95	107- 108,55	119,120	130-132	140-150	157,158,160,161	159	163,164	165-169	170	169, 171-195	162, 199,200			
	85	355	25	1	51	-	26	17	8	-	19	58	3	79	1	
	23	106	4	-	8	-	1	5	1	-	3	7	1	15	2	
	62	249	21	1	43	-	25	12	7	-	16	51	2	63	3	
	147	482	30	1	66	4	45	33	12	2	20	50	4	176	4	
	99	342	17	1	47	2	29	29	10	1	12	19	2	125	5	
	48	140	13	-	19	2	16	4	2	1	8	11	2	51	6	
	16	105	3	-	12	-	6	7	7	-	10	11	1	25	7	
	16	66	5	1	11	-	6	3	3	-	6	8	-	14	8	
	46	193	16	1	22	-	9	5	3	-	9	35	9	102	9	
	115	424	43	6	68	3	54	37	5	-	34	66	6	130	10	
	20	75	5	-	12	-	7	8	-	-	9	8	-	51	11	
	20	69	5	-	12	1	4	4	2	-	4	2	2	26	12	
	75	290	53	6	44	2	23	25	3	-	21	49	4	71	13	
	291	1,759	158	10	114	5	67	42	53	6	59	118	7	455	14	
	42	224	9	1	56	-	16	9	2	2	12	12	2	50	15	
	40	156	17	3	20	-	10	16	5	-	9	19	2	36	16	
	46	183	10	-	22	-	24	12	15	2	9	23	2	65	17	
	22	84	7	-	9	-	10	6	5	-	3	11	2	33	18	
	24	99	3	-	13	-	14	6	10	2	6	12	-	32	19	
	24	395	19	4	80	1	24	18	13	1	19	45	4	136	20	
	50	158	6	1	30	-	13	5	-	1	6	14	-	56	21	
	74	235	13	3	50	1	11	13	13	-	13	51	4	78	22	
	45	186	17	2	29	1	22	14	5	2	17	27	3	45	23	
	26	101	6	-	17	1	11	8	2	1	7	12	1	20	24	
	19	85	11	2	12	-	11	6	3	1	10	15	2	25	25	
	58	215	19	1	26	1	28	8	8	2	15	26	6	70	26	
	71	247	23	2	28	-	25	12	13	1	17	34	2	81	27	
	421	2,145	170	20	256	16	157	140	67	7	67	224	20	660	28	
	92	523	49	7	67	-	36	39	14	1	14	52	5	171	29	
	35	252	17	1	28	3	23	18	3	1	6	25	3	79	30	
	49	265	23	2	23	2	12	11	14	-	5	24	1	72	31	
	37	154	17	2	22	1	15	11	7	1	6	21	1	49	32	
	13	47	3	1	4	-	2	2	2	1	4	7	-	9	33	
	10	56	7	1	16	1	2	6	2	-	1	10	-	31	34	
	13	75	4	1	9	1	8	4	-	-	3	9	1	30	35	
	21	72	1	-	8	2	6	10	1	-	4	9	-	26	36	
	5	58	4	-	4	2	2	3	2	-	-	2	-	10	37	
	146	663	45	5	75	4	51	36	22	3	24	65	8	185	38	
	43	146	6	-	8	-	9	5	13	1	3	10	1	48	39	
	36	87	8	-	22	-	8	7	7	-	11	13	-	33	40	
	57	3,369	7,432	1,561	216	2,577	192	1,295	1,364	316	418	879	1,424	962	3,004	41
1	40	117	27	1	33	1	19	21	4	4	11	17	13	28	42	
1	19	39	13	1	9	1	10	5	1	2	3	8	5	6	43	
1	21	78	14	-	24	-	9	16	3	2	8	9	8	22	44	
1	13	15	6	-	9	1	9	7	-	-	4	4	19	12	45	
1	7	10	12	-	9	-	1	-	-	-	3	2	2	4	46	
1	30	56	10	1	33	-	7	10	2	1	9	16	23	47	47	
1	14	42	8	2	4	4	5	10	2	1	2	6	9	18	48	
1	5	21	8	-	4	1	9	9	-	-	5	2	6	6	49	
1	54	62	26	2	23	3	11	18	6	4	6	15	15	27	50	
1	38	42	13	2	8	2	6	8	5	3	2	16	11	17	51	
1	26	37	11	2	34	3	7	11	2	2	7	8	10	20	52	
1	13	30	10	2	8	2	6	6	-	1	1	7	8	7	53	
8	105	279	44	4	80	4	36	35	16	11	26	42	17	94	54	
7	66	155	21	1	54	2	17	14	8	8	11	25	11	56	55	
7	39	124	23	3	26	-	19	21	6	3	15	17	6	38	56	
2	43	105	26	1	20	-	11	10	3	6	9	10	4	42	57	
2	27	89	16	3	32	4	23	11	10	6	11	15	34	21	58	
2	14	28	4	1	10	-	5	3	3	3	3	1	10	4	59	
2	13	61	12	2	22	4	18	8	7	2	8	14	24	17	60	
2	36	79	20	2	11	2	15	12	5	4	8	15	7	30	61	
2	3	9	-	-	3	-	1	1	1	1	-	3	-	6	62	
2	23	44	15	-	15	-	8	5	-	-	6	5	2	14	63	
2	22	40	9	3	12	1	3	8	1	2	5	8	1	17	64	
2	46	132	18	2	25	2	18	15	5	3	16	14	19	32	65	
2	14	50	6	2	11	1	8	6	2	1	2	2	4	7	66	
2	32	82	12	2	14	1	10	9	3	2	14	12	15	25	67	
2	20	46	8	3	21	3	7	6	1	3	6	10	11	22	68	
2	6	15	8	3	7	2	6	7	1	2	1	3	12	10	69	
2	21	29	4	1	4	-	3	3	2	2	2	3	2	10	70	
2	4	6	2	-	3	1	4	4	-	-	-	7	2	1	71	
2	57	93	23	1	35	2	18	23	3	5	16	23	12	49	72	
2	18	34	2	-	11	-	2	6	2	2	5	5	6	13	73	
2	39	59	21	1	24	2	16	17	1	3	11	18	6	36	74	
2	36	71	31	3	45	2	20	28	7	5	12	17	52	36	75	
2	37	65	21	2	49	5	11	16	3	8	12	29	6	40	76	
2	19	38	10	1	22	2	4	3	1	5	2	15	2	21	77	
2	18	26	11	1	27	3	7	13	2	5	10	14	4	19	78	
2	68	133	42	4	38	4	26	38	7	12	33	30	17	60	79	
2	31	64	17	1	15	3	16	18	4	5	10	12	10	32	80	
2	37	69	25	3	23	1	10	20	3	7	23	18	7	28	81	
2	8	30	1	-	5	-	-	-	-	1	1	2	2	6	82	
2	12	2	2	-	5	-	-	-	-	-	4	2	3	2	83	
2	51	87	19	3	44	2	15	21	4	5	8	16	7	31	84	
2	20	12	3	1	6	-	3	6	-	2	5	3	2	7	85	
2	9	21	1	-	12	1	3	4	-	3	-	3	1	10	86	
2	22	54	15	2	26	-	19	11	4	-	5	10	4	9	87	
2	15	21	7	-	19	-	1	4	1	1	2	5	1	9	88	
2	48	82	20	6	21	2	18	17	3	4	5	17	9	19	89	
2	57	207	35	2	57	2	33	42	5	14	21	29	7	58	90	
2	43	155	27	1	40	2	25	31	5	14	11	20	5	44	91	
2	14	52	8	1	17	-	8	11	-	-	10	9	2	14	92	
2	59	106	18	5	47	3	11	15	3	2	4	17	13	28	93	
2	14	35	4	-	14	-	3	3	1	1	1	4	1	9	94	
2	45	71	14	4	33	3	8	12	2	1	3	13	12	19	95	

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	56	61
NORTH CAROLINA—Con.															
1 Forsyth	1,141	-	1	-	-	-	50	1	-	13	-	-	115	1	25
2 Winston-Salem	785	-	1	-	-	-	30	1	-	9	-	-	74	1	15
3 Balance of county	359	-	-	-	-	-	20	-	-	4	-	-	3	-	10
4 Franklin	222	-	-	-	1	-	7	-	-	1	1	-	13	-	1
5 Gaston	645	-	-	-	-	-	15	-	-	3	2	-	65	3	11
6 Gastonia	219	-	-	-	-	-	10	-	-	-	-	-	17	-	3
7 Balance of county	427	-	-	-	-	-	5	-	-	3	2	-	49	3	8
8 Gates	93	-	1	-	-	-	1	-	-	-	-	-	6	-	3
9 Graham	33	-	-	-	-	-	1	-	-	-	-	-	3	-	-
10 Granville	293	-	-	-	-	-	11	-	-	1	-	-	23	-	7
11 Greene	89	-	-	-	-	-	6	-	-	1	-	-	8	-	1
12 Guilford	1,275	1	3	-	4	4	28	-	-	10	1	2	144	1	22
13 Greensboro	539	1	1	-	1	-	8	-	-	6	1	-	61	-	9
14 High Point	325	-	1	-	1	1	4	-	-	2	-	2	37	1	6
15 Balance of county	432	-	2	-	-	-	16	-	-	2	-	-	46	-	7
16 Halifax	474	-	-	-	2	3	27	-	-	11	-	-	44	-	4
17 Harnett	347	2	-	-	1	-	12	-	-	-	-	-	32	-	6
18 Haywood	230	-	-	-	-	-	6	-	-	-	-	1	27	1	3
19 Henderson	259	-	-	-	-	1	3	-	-	2	-	-	24	1	7
20 Hertford	156	-	1	-	2	-	5	-	-	1	-	-	12	-	2
21 Hoke	156	-	-	-	-	-	42	-	-	-	-	-	5	1	1
22 Hyde	55	-	-	-	2	-	2	-	-	-	-	-	2	-	1
23 Iredell	396	-	-	-	-	-	6	-	-	-	-	-	54	1	12
24 Statesville	137	-	-	-	-	-	3	-	-	-	-	-	13	-	6
25 Balance of county	259	-	-	-	-	-	3	-	-	-	-	-	21	1	6
26 Jackson	152	-	-	-	-	-	4	-	-	1	2	-	11	-	2
27 Johnston	411	-	-	-	-	1	21	-	-	2	2	-	37	1	4
28 Jones	75	-	-	-	-	-	1	-	-	-	-	-	5	-	2
29 Lee	169	-	-	-	-	-	3	1	-	1	-	-	15	-	4
30 Lenoir	447	-	-	-	-	-	28	1	-	9	2	-	34	1	6
31 Kinston	212	-	-	-	-	-	13	-	-	2	-	-	21	-	4
32 Balance of county	235	-	-	-	-	-	15	1	-	7	2	-	13	1	2
33 Lincoln	162	-	-	-	-	-	3	-	-	1	-	-	14	-	4
34 McDowell	129	-	-	-	-	-	3	-	-	-	1	-	13	-	2
35 Macon	107	-	-	-	-	-	2	-	-	-	-	-	10	-	1
36 Madison	173	-	-	-	4	1	2	-	-	2	-	-	16	-	2
37 Martin	204	-	-	-	2	-	14	-	-	1	-	-	19	-	4
38 Mecklenburg	1,441	-	1	-	1	3	45	4	-	12	1	2	151	-	26
39 Charlotte	1,317	-	1	-	1	1	28	1	-	9	1	1	109	-	21
40 Balance of county	424	-	-	-	2	2	17	3	-	3	-	-	45	-	7
41 Mitchell	89	-	-	-	-	1	2	-	-	-	-	-	15	-	-
42 Montgomery	131	-	-	-	-	-	2	-	-	1	1	1	12	-	2
43 Moore	243	-	-	-	-	-	2	-	-	-	-	-	31	1	4
44 Nash	484	1	-	-	1	-	36	-	-	2	1	-	30	4	14
45 Rocky Mount (part)	165	-	1	-	1	-	11	-	-	2	-	-	12	2	9
46 Rocky Mount (total)	298	-	-	-	1	-	16	-	-	5	-	-	22	2	11
47 Balance of county	309	-	1	-	-	-	17	-	-	-	1	-	18	2	5
48 New Hanover	653	-	-	-	1	1	23	-	-	6	2	-	58	-	10
49 Wilmington	526	-	-	-	1	1	12	-	-	6	1	-	44	-	6
50 Balance of county	127	-	1	-	-	-	1	-	-	1	-	-	14	-	4
51 Northampton	203	1	-	-	-	-	15	-	-	1	-	-	17	-	6
52 Onslow	191	-	-	-	1	-	5	1	-	1	-	-	13	-	1
53 Orange	199	-	-	-	-	-	3	-	-	2	-	-	21	-	7
54 Pamlico	71	-	-	-	-	-	2	-	-	-	-	-	7	-	3
55 Pasquotank	203	-	-	-	1	-	8	-	-	4	-	-	17	-	2
56 Elizabeth City	137	-	-	-	1	-	4	-	-	4	-	-	12	-	2
57 Balance of county	66	-	-	-	-	-	4	-	-	-	-	-	5	-	-
58 Pender	159	-	-	-	-	1	4	-	-	1	1	-	11	1	2
59 Perquimans	97	-	-	-	-	-	3	-	-	-	-	-	10	-	2
60 Person	179	-	-	-	-	-	1	-	-	1	-	-	15	-	2
61 Pitt	454	-	-	-	2	1	25	-	-	4	-	-	56	1	11
62 Greenville	132	-	-	-	-	-	3	-	-	2	-	-	15	-	3
63 Balance of county	322	-	-	-	2	1	22	-	-	2	-	-	21	1	8
64 Polk	94	-	-	-	-	-	2	-	-	1	-	-	13	-	2
65 Randolph	301	-	-	-	-	-	6	-	-	1	-	1	35	1	7
66 Richmond	348	-	-	-	-	2	7	-	-	4	-	-	25	-	4
67 Robeson	631	-	-	-	-	1	18	-	-	2	-	-	40	-	12
68 Rockingham	466	-	1	-	-	-	12	-	-	1	-	-	39	-	20
69 Reidsville	112	-	-	-	-	-	5	-	-	1	-	-	9	-	6
70 Balance of county	354	-	-	-	-	-	7	-	-	-	-	-	30	-	14
71 Rowan	552	-	-	-	-	-	14	2	-	7	-	2	64	-	18
72 Salisbury	216	-	1	-	-	-	5	-	-	3	-	-	19	-	9
73 Balance of county	297	-	-	-	-	-	9	2	-	4	-	2	45	-	9
74 Rutherford	297	-	-	-	1	-	5	-	-	2	-	-	19	-	3
75 Sampson	398	-	-	-	1	1	11	-	-	3	-	-	23	-	9
76 Scotland	216	-	-	-	-	-	5	-	-	2	-	-	17	-	4
77 Stanly	268	-	-	-	-	1	3	-	-	3	-	1	23	-	4
78 Stokes	151	-	-	-	-	-	3	-	-	-	-	-	10	-	1
79 Surry	352	-	-	-	-	-	15	-	-	2	3	-	31	1	3
80 Swain	69	-	-	-	1	-	1	-	-	-	-	-	4	-	2
81 Transylvania	79	-	-	-	-	-	3	-	-	-	-	-	9	-	2
82 Tyrrell	56	-	-	-	-	1	-	-	-	-	-	-	8	-	-
83 Union	319	-	1	-	2	-	4	-	-	1	1	-	27	-	8
84 Vance	354	-	-	-	-	-	14	-	-	6	-	-	23	1	10
85 Wake	1,113	-	2	-	4	-	36	1	-	16	1	1	110	2	25
86 Raleigh	659	-	2	-	-	-	27	1	-	14	-	-	69	1	14
87 Balance of county	455	-	-	-	4	-	9	-	-	2	1	1	41	1	11
88 Warren	248	-	-	-	1	-	3	-	-	1	-	-	9	-	1
89 Washington	122	-	1	-	1	1	1	-	-	-	-	-	14	-	2
90 Watauga	116	-	-	-	1	1	1	-	-	-	-	-	17	-	1
91 Wayne	856	-	-	-	1	1	92	-	1	40	-	-	41	1	10
92 Goldsboro	203	-	-	-	-	1	6	-	-	-	-	-	17	1	9
93 Balance of county	633	-	-	-	1	-	64	-	1	40	-	-	24	-	7
94 Wilkes	333	-	1	-	-	-	4	-	-	-	2	-	22	1	7
95 Wilson	513	-	-	-	3	2	30	1	-	4	-	-	54	-	5
96 Wilson	245	-	-	-	3	-	20	1	-	1	-	-	22	-	9
97 Balance of county	269	-	-	-	-	2	10	-	-	3	-	-	12	-	4

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

577

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Fellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	85	90-95	107- 109,35	119,120	130-132	140-150	157,158,160,161	159	165,164	165-168	170	169, 171-195	162, 199,200		
2	136	323	63	10	88	6	59	58	11	12	24	35	8	100	1
2	96	215	49	8	47	5	48	45	8	10	15	26	5	74	2
-	41	106	14	2	41	1	11	13	3	2	9	9	3	26	3
-	27	52	8	3	34	2	15	8	4	3	6	7	9	20	4
3	62	151	30	8	57	1	32	37	4	10	21	41	29	62	5
-	25	54	10	1	15	1	12	13	2	3	12	15	8	20	6
3	37	97	20	5	44	1	20	24	2	7	9	26	21	42	7
-	17	24	5	1	-	1	5	1	1	2	1	8	2	9	8
-	2	5	1	-	4	-	7	7	-	1	-	-	3	8	9
-	35	59	20	1	49	2	11	4	4	3	12	11	9	31	10
-	8	14	4	1	12	2	2	5	-	2	3	5	3	11	11
2	120	369	53	6	106	9	59	47	22	20	24	62	12	145	12
1	46	156	21	1	53	4	29	23	8	11	23	23	6	59	13
1	25	97	12	4	28	3	11	10	6	3	4	19	3	43	14
-	49	113	20	1	25	2	19	14	8	6	15	20	3	43	15
-	54	111	23	1	47	5	20	27	2	4	16	30	10	59	16
-	37	95	20	-	50	1	6	10	11	11	21	15	15	27	17
4	16	60	12	1	18	1	12	13	2	1	9	11	9	23	18
2	33	72	15	2	22	2	9	10	2	3	4	7	2	36	19
1	19	36	7	1	21	1	5	6	1	2	3	8	3	19	20
-	12	27	10	1	10	1	5	6	-	6	5	6	11	10	21
-	11	14	1	-	2	-	1	1	1	-	3	3	9	3	22
-	47	124	14	4	44	-	15	14	2	7	7	16	9	39	23
-	7	50	5	1	12	1	6	6	1	2	3	6	4	12	24
-	40	74	9	3	32	1	9	8	1	5	4	10	5	27	25
1	8	27	11	2	29	2	12	4	3	1	2	8	6	28	26
-	66	89	15	3	37	5	1	25	4	9	11	21	13	33	27
-	12	14	5	1	10	1	4	4	-	1	2	1	7	5	28
8	47	8	8	1	16	1	5	14	1	3	6	8	1	23	29
1	53	102	19	3	35	4	22	29	5	11	10	22	9	41	30
1	28	52	5	-	17	2	6	15	4	8	4	9	4	17	31
-	25	50	14	3	18	2	16	14	1	3	6	13	5	24	32
1	22	41	8	-	15	1	4	7	1	11	14	11	7	14	33
-	10	28	9	2	10	-	2	3	-	2	6	8	16	13	34
-	12	30	8	1	11	1	5	3	-	-	3	6	4	11	35
-	14	48	15	1	13	1	5	5	1	2	2	8	11	22	36
1	19	49	14	4	10	1	11	3	4	4	3	12	11	15	37
4	132	434	65	12	72	6	73	82	13	27	55	62	13	143	38
2	85	329	42	9	45	5	55	106	9	22	38	38	7	106	39
2	49	105	23	3	27	1	18	27	4	5	17	24	6	37	40
-	6	22	4	2	2	-	3	-	-	-	1	5	15	10	41
-	19	31	6	-	15	1	10	4	2	2	3	5	7	19	42
-	27	66	15	3	20	1	12	5	7	4	7	9	10	19	43
2	60	113	17	4	44	5	25	25	9	7	19	20	11	42	44
-	20	46	3	-	16	2	8	10	4	2	3	9	2	20	45
-	34	83	7	1	30	2	11	13	3	5	4	13	3	29	46
2	40	65	14	4	28	3	17	15	7	3	16	11	9	22	47
1	69	171	31	2	51	3	41	29	10	9	20	35	13	76	48
1	53	140	26	2	43	2	30	21	9	7	17	31	11	61	49
-	16	31	5	5	8	1	11	7	1	2	3	4	2	15	50
19	45	9	9	2	28	4	4	12	1	2	4	13	5	19	51
-	24	28	8	-	19	-	19	11	1	7	13	22	1	17	52
-	29	47	9	-	18	1	8	9	4	4	2	7	9	20	53
-	7	24	2	1	5	1	2	6	-	-	2	4	4	5	54
1	19	47	7	1	23	2	12	8	3	3	4	20	1	17	55
1	11	30	3	-	20	2	10	6	2	2	3	12	3	9	56
-	8	17	4	-	3	-	2	2	1	1	1	8	8	8	57
-	21	28	12	1	18	1	7	4	1	2	2	11	7	22	58
-	15	25	5	1	10	1	2	3	-	-	3	6	-	12	59
-	16	50	15	2	15	2	14	12	4	2	3	8	2	14	60
-	42	105	26	2	43	4	25	32	3	9	19	13	42	61	61
-	15	31	3	1	9	1	5	7	5	5	3	2	3	22	62
-	27	74	23	1	34	3	20	25	4	4	6	17	10	20	63
-	14	23	3	-	10	-	5	2	1	1	4	5	1	7	64
-	31	86	19	1	24	1	10	14	3	3	18	10	8	23	65
-	41	104	15	3	20	5	22	10	2	2	9	14	15	45	66
1	93	139	53	6	37	3	23	18	22	25	29	34	54	53	67
1	46	150	19	2	25	-	25	20	2	7	27	21	7	42	68
1	12	37	2	1	6	-	3	3	-	1	5	5	2	10	69
-	34	113	16	1	19	1	19	17	2	6	22	16	5	32	70
-	70	128	22	5	45	3	26	25	7	6	20	19	11	57	71
-	33	50	9	2	14	1	6	11	2	3	2	9	2	32	72
-	37	78	13	3	31	1	20	14	5	3	16	10	9	25	73
-	31	74	15	4	29	4	10	20	3	1	13	21	16	26	74
-	52	114	14	1	37	1	16	22	4	4	15	29	4	37	75
-	22	61	19	5	7	1	8	12	-	4	8	10	14	18	76
-	34	80	8	1	11	1	19	15	1	1	6	14	17	23	77
1	20	39	8	2	13	-	4	5	4	4	4	8	1	28	78
1	29	96	15	5	23	2	16	20	3	3	7	17	23	35	79
-	5	15	7	-	6	-	2	1	1	1	2	5	5	8	80
-	17	15	5	-	2	-	1	4	2	1	1	5	1	10	81
-	3	3	3	-	23	1	1	2	-	1	-	3	2	5	82
-	31	90	22	5	47	1	12	10	5	5	9	32	7	35	83
-	27	83	23	6	19	8	11	11	4	2	8	11	16	37	84
1	132	265	41	4	78	6	33	53	10	13	27	51	10	171	85
-	66	172	24	1	45	4	15	24	7	8	8	29	5	125	86
1	66	113	17	3	31	4	20	29	3	6	19	22	5	46	87
1	34	38	12	3	36	2	9	14	4	4	6	17	8	22	88
-	22	30	10	-	12	2	1	5	2	1	3	5	5	8	89
-	7	23	7	1	8	-	8	8	4	1	4	2	2	20	90
-	108	137	36	16	33	7	21	14	10	11	17	20	21	198	91
-	24	42	13	1	15	3	10	5	4	5	6	6	6	29	92
-	84	95	23	15	20	4	11	9	6	6	14	15	15	169	93
1	34	87	20	1	28	1	22	13	2	3	13	12	16	43	94
-	48	86	23	5	75	8	29	24	7	7	16	22	22	57	95
-	20	44	7	2	37	6	19	13	1	2	5	11	12	23	96
-	28	42	16	3	38	2	10	11	6	4	13	11	10	34	97

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Hemi- side	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,53	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	9	39	13	1	8	2	7	3	1	4	1	8	4	14	1
1	8	21	9	-	6	-	-	1	2	-	1	7	8	11	2
-	516	1,548	233	30	223	19	210	183	64	2	139	310	154	702	3
-	5	8	2	-	-	-	2	-	-	-	-	3	-	2	4
-	15	62	10	1	6	-	9	9	1	-	1	13	1	22	5
-	5	31	6	1	5	-	2	5	1	-	1	6	-	5	6
-	2	3	1	-	-	-	1	-	-	-	-	-	-	2	7
-	15	30	4	-	-	1	6	5	1	-	3	5	-	16	8
-	1	6	2	-	3	-	1	1	-	-	3	2	-	2	9
-	5	12	4	-	3	1	2	1	1	-	3	1	-	3	10
-	16	55	5	1	6	-	10	6	4	-	5	12	-	24	11
-	13	45	4	1	5	-	7	5	4	-	3	9	-	20	12
-	3	10	1	-	-	-	3	1	-	-	2	3	-	4	13
-	45	154	17	1	8	-	28	19	6	-	-	24	16	79	14
-	33	114	14	-	8	-	24	14	4	-	10	21	10	50	15
-	12	40	3	1	-	-	4	5	3	-	2	3	8	29	16
-	7	36	5	1	2	-	7	7	1	-	1	3	-	14	17
-	4	25	4	-	4	-	4	3	3	-	2	8	2	5	18
-	7	13	3	-	3	-	1	1	2	-	1	3	3	6	19
-	2	23	1	-	3	-	-	1	1	-	1	3	2	8	20
-	5	12	1	1	4	-	1	-	2	-	2	3	1	2	21
-	5	17	5	1	5	-	2	6	2	-	1	5	1	12	22
-	4	14	4	-	3	-	1	2	1	-	-	1	3	4	23
-	5	12	1	1	1	-	2	1	1	-	1	1	3	5	24
-	38	97	18	3	24	-	13	15	5	-	11	29	26	45	25
-	28	70	12	3	16	-	11	13	2	-	18	18	4	30	26
-	10	27	6	-	8	-	2	2	3	1	6	11	22	15	27
-	3	16	3	-	4	-	1	2	2	-	1	8	-	8	28
-	6	8	2	-	2	1	2	-	1	-	1	3	1	5	29
-	3	11	1	-	2	-	2	3	-	-	1	1	6	6	30
-	5	13	-	3	2	2	1	-	-	-	2	2	1	5	31
-	5	8	2	-	2	-	2	3	2	-	2	5	1	7	32
-	15	24	3	-	4	-	6	4	1	-	4	4	-	8	34
-	1	14	2	1	7	-	2	1	1	-	3	2	3	9	35
-	11	15	-	1	2	-	2	-	-	-	3	3	-	7	36
-	9	27	11	3	2	-	2	2	3	-	5	9	4	15	37
-	2	11	1	2	3	-	1	8	2	-	1	1	2	8	38
-	11	52	3	2	8	1	9	3	3	-	2	7	8	24	39
-	9	19	6	-	1	-	1	1	2	-	1	4	1	7	40
-	4	24	2	-	7	1	3	5	2	1	4	4	5	6	41
-	2	6	-	-	1	-	1	-	-	-	-	-	-	1	42
-	14	35	6	-	14	-	6	2	1	-	8	3	2	16	43
-	9	29	2	-	6	-	1	1	1	-	5	5	1	12	44
-	22	41	4	1	4	1	6	4	-	-	3	11	-	25	45
-	12	29	3	-	2	-	3	2	-	-	-	2	4	12	46
-	3	4	4	-	-	-	2	1	-	-	1	2	1	8	47
-	23	50	5	1	3	1	7	3	3	-	8	8	16	16	48
-	6	20	8	1	-	2	5	5	1	1	1	6	12	16	49
-	12	25	2	1	3	-	2	2	-	-	1	2	1	11	50
-	1	6	1	1	1	1	-	3	-	-	-	2	1	-	51
-	2	14	3	1	2	-	-	1	1	-	1	5	3	3	52
-	5	5	-	-	-	-	1	-	-	-	-	1	1	3	53
-	11	45	4	-	4	2	-	9	-	-	3	12	4	17	54

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

	AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
OHIO—Continued																
1	Columbiana	1,122	-	-	-	1	-	26	-	-	6	4	-	120	-	43
2	East Liverpool	359	-	-	-	1	-	15	-	-	2	2	-	41	-	16
3	Salem	166	-	-	-	-	-	3	-	-	1	-	-	20	-	4
4	Balance of county	595	-	-	-	-	-	8	-	-	3	2	-	59	-	23
5	Coshocton	399	-	-	-	-	2	3	-	-	4	-	-	45	-	6
6	Coshocton	181	-	-	-	1	1	1	-	-	2	-	-	25	-	4
7	Balance of county	218	-	-	-	-	1	2	-	-	2	-	-	20	-	2
8	Crawford	442	-	-	-	1	-	6	-	-	3	-	-	65	1	12
9	Cuyahoga	13,666	-	12	-	6	1	510	1	-	145	7	9	2,082	6	482
10	Cleveland	10,290	-	11	-	6	1	450	1	-	122	4	6	1,511	5	360
11	Cleveland Heights	481	-	-	-	-	-	2	-	-	1	-	-	98	-	19
12	East Cleveland	445	-	-	-	-	-	4	-	-	6	-	-	71	1	15
13	Lakewood	682	-	-	-	-	-	7	-	-	4	1	1	102	-	21
14	Euclid	239	-	1	-	-	-	1	-	-	-	-	-	31	-	6
15	Garfield Heights	148	-	-	-	-	-	3	-	-	1	-	-	27	-	5
16	Parma	128	-	-	-	-	-	1	-	-	-	-	-	20	-	8
17	Shaker Heights	202	-	-	-	-	-	3	-	-	-	-	-	54	-	5
18	Balance of county	1,102	-	-	-	-	-	42	-	-	11	2	2	168	43	7
19	Darke	480	-	-	-	-	-	10	-	-	5	-	-	59	-	12
20	DeLancey	279	-	-	-	2	-	1	-	-	1	-	-	35	-	7
21	Delaware	355	-	-	-	-	-	7	-	-	2	-	-	41	-	12
22	Eric	618	-	-	-	1	1	13	-	-	2	-	-	85	-	8
23	Sandusky	364	-	-	-	-	-	8	-	-	2	-	-	53	-	6
24	Balance of county	254	-	-	-	1	1	5	-	-	-	-	-	32	-	2
25	Fairfield	542	1	-	-	-	1	6	-	-	5	-	-	62	1	12
26	Lancaster	255	1	-	-	-	-	3	-	-	2	-	-	29	-	8
27	Balance of county	287	-	-	-	-	1	3	-	-	3	-	-	33	1	4
28	Fayette	286	-	-	-	2	-	4	-	-	-	-	-	27	-	6
29	Franklin	5,024	-	5	-	5	5	169	3	-	73	-	9	680	2	109
30	Columbus	4,117	-	3	-	3	3	138	3	-	67	-	7	569	-	89
31	Balance of county	907	-	2	-	2	-	31	-	-	6	-	2	111	2	20
32	Fulton	294	-	-	-	-	-	1	-	-	1	-	-	38	1	11
33	Gallia	391	-	-	-	-	-	23	1	-	1	-	-	28	-	13
34	Geauga	212	-	-	-	-	-	1	-	-	-	-	-	24	-	5
35	Greene	474	-	-	-	2	-	8	-	-	3	-	-	52	-	8
36	Xenia	156	-	-	-	-	-	4	-	-	2	-	-	14	-	3
37	Balance of county	318	-	-	-	2	-	4	-	-	1	-	-	38	-	5
38	Guernsey	686	-	-	1	2	-	11	F	-	27	-	-	80	1	15
39	Cambridge	233	-	-	-	-	-	5	-	-	2	-	-	32	1	8
40	Balance of county	455	-	-	1	2	-	6	5	-	25	-	-	48	-	7
41	Hamilton	8,350	2	16	1	2	3	317	-	1	111	-	4	1,211	5	211
42	Cincinnati	6,547	1	11	1	1	2	263	-	1	85	-	2	927	4	163
43	Norwood	300	-	3	1	-	-	7	-	-	4	-	-	35	-	12
44	Balance of county	1,503	1	2	-	1	1	27	-	-	22	-	2	249	1	36
45	Hancock	523	-	-	1	1	-	5	-	-	-	-	-	54	-	10
46	Findlay	297	-	-	1	-	-	3	-	-	-	-	-	29	-	7
47	Portoria (part)	24	-	-	-	-	-	-	-	-	-	-	-	1	-	-
48	Balance of county	212	-	-	1	-	-	2	-	1	1	-	-	47	-	13
49	Hardin	107	-	-	-	-	-	5	-	-	-	-	-	31	-	5
50	Harrison	234	-	-	-	-	-	4	-	-	-	-	-	40	-	5
51	Henry	241	-	-	-	-	-	3	-	-	-	-	-	34	1	8
52	Highland	321	-	-	-	-	-	6	-	-	4	-	-	40	-	5
53	Hocking	232	-	-	-	-	-	4	-	-	-	-	-	24	-	10
54	Holmes	175	-	-	-	-	-	2	-	-	-	1	-	23	1	9
55	Huron	497	-	-	1	1	-	2	-	-	1	-	-	63	-	6
56	Jackson	316	-	-	-	-	-	7	-	-	2	-	-	39	-	14
57	Jefferson	942	-	-	2	-	-	15	-	-	5	4	-	114	2	30
58	Steubenville	436	-	-	1	-	-	13	-	-	4	-	-	51	-	16
59	Balance of county	506	-	-	1	-	-	2	-	-	1	4	-	63	2	14
60	Knox	394	-	-	-	-	-	9	-	-	4	-	-	47	1	10
61	Mount Vernon	164	-	-	-	-	-	2	-	-	3	-	-	24	-	4
62	Balance of county	230	-	-	-	-	-	7	-	-	3	-	-	23	-	6
63	Lake	547	-	1	-	-	-	7	-	-	3	-	1	81	-	20
64	Painesville	172	-	-	-	-	-	6	-	-	3	-	-	25	-	7
65	Balance of county	375	-	1	-	-	-	1	-	-	3	-	1	56	-	13
66	Lawrence	445	-	-	-	4	1	15	-	-	2	-	-	44	4	4
67	Tronton	198	-	-	1	1	-	8	-	-	2	-	-	22	-	4
68	Balance of county	247	-	-	3	-	-	7	-	-	2	-	-	22	2	-
69	Licking	760	-	-	1	-	-	25	-	-	2	-	1	89	-	30
70	Newark	428	-	-	-	-	-	19	-	-	1	-	1	57	-	17
71	Balance of county	332	-	1	-	1	-	7	-	-	1	-	-	37	-	13
72	Logan	375	-	-	-	2	-	1	-	-	1	-	-	52	-	15
73	Lorain	1,357	-	-	3	-	-	24	-	-	9	2	2	228	2	43
74	Elyria	318	-	-	-	1	-	4	-	-	4	-	1	52	-	10
75	Lorain	507	-	-	-	-	-	13	-	-	5	2	-	83	-	15
76	Balance of county	531	-	-	2	-	-	7	-	-	2	-	1	93	2	18
77	Lucas	4,398	-	2	-	2	-	172	2	-	61	-	2	567	3	124
78	Toledo	3,931	-	2	-	-	-	163	1	-	60	-	1	514	3	117
79	Balance of county	457	-	-	2	-	-	9	1	-	1	-	1	53	-	7
80	Madison	244	-	-	-	1	-	4	-	-	1	-	-	30	-	7
81	Mahoning	2,515	-	1	1	1	2	82	-	-	20	-	-	350	4	77
82	Youngstown (part)	1,904	-	1	1	1	-	36	-	-	18	-	-	287	4	54
83	Youngstown (total)	1,909	-	1	1	1	-	36	-	-	18	-	-	288	4	54
84	Campbell	77	-	-	-	-	-	3	-	-	-	-	-	13	-	4
85	Struthers	85	-	-	-	-	-	1	-	-	1	-	-	10	-	3
86	Balance of county	449	-	-	-	-	2	42	-	-	1	-	-	60	-	16
87	Marion	544	-	-	-	2	-	10	-	-	3	-	-	63	-	22
88	Marion	367	-	-	-	2	-	9	-	-	3	-	-	48	-	19
89	Balance of county	177	-	-	-	-	-	1	-	-	-	-	-	15	-	5
90	Medina	402	-	-	-	1	-	5	-	-	1	-	-	45	-	10
91	Meigs	279	-	-	-	-	-	9	-	-	2	2	-	34	-	3
92	Merces	291	-	-	-	-	-	2	-	-	-	-	-	26	-	3
93	Miami	706	-	-	-	1	-	6	-	-	3	-	-	83	1	25
94	Wesley	241	-	-	-	-	-	2	-	-	1	-	-	33	-	5
95	Balance of county	465	-	-	-	1	-	4	-	-	2	-	-			

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

581

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Fellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
69	83	90-95	107-109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	98	387	55	4	73	4	30	25	8	1	33	59	13	132	1
-	30	119	21	-	29	2	7	9	2	1	5	16	3	38	2
-	25	54	8	1	11	1	2	3	2	-	5	6	-	22	3
-	43	214	26	3	33	1	21	13	4	-	23	37	10	72	4
-	48	157	15	1	18	1	11	2	5	1	7	22	3	48	5
-	18	72	8	-	6	-	5	2	2	-	8	8	1	26	6
-	30	85	7	1	12	1	6	-	3	1	7	14	2	22	7
-	58	139	12	3	15	1	16	9	6	-	9	28	2	58	8
-	1,152	4,416	583	26	639	36	391	367	192	97	228	502	247	1,531	9
-	809	3,275	448	19	497	26	285	294	134	95	165	386	218	1,162	10
-	41	178	16	-	16	-	9	5	6	-	3	16	4	47	11
-	38	163	18	2	19	3	14	15	9	-	10	15	1	41	12
-	75	226	26	-	35	1	20	15	9	-	5	22	5	79	13
-	25	78	8	2	9	1	14	11	6	1	6	9	2	29	14
-	14	45	6	-	10	1	5	7	3	-	1	6	2	12	15
-	15	39	6	-	9	-	5	1	3	-	3	2	1	16	16
-	16	68	5	-	6	-	9	1	7	-	2	12	2	15	17
-	119	344	50	3	38	4	30	18	15	1	33	34	14	131	18
-	53	161	12	1	62	-	15	10	4	-	19	21	6	48	19
-	18	103	6	1	31	1	12	6	5	-	9	8	4	22	20
-	42	132	15	-	14	-	11	5	8	-	15	13	3	35	21
-	59	194	30	2	53	-	25	18	5	4	13	24	21	59	22
-	29	106	19	2	41	1	13	16	2	3	5	15	3	40	23
-	30	88	11	-	12	-	2	2	3	1	8	9	18	19	24
-	56	199	21	2	33	2	11	6	4	1	14	54	6	66	25
-	35	79	6	1	12	1	8	5	1	1	10	13	-	41	26
-	21	120	15	1	21	1	3	1	3	-	4	21	6	25	27
-	41	85	13	1	18	1	3	6	1	-	5	15	9	43	28
-	586	1,455	226	7	251	18	138	129	65	32	95	222	45	697	29
-	478	1,201	179	6	304	16	113	100	48	28	185	185	39	568	30
-	108	254	47	1	47	2	25	28	17	4	25	37	6	129	31
-	42	101	6	1	24	1	5	7	2	-	8	14	3	28	32
-	40	91	20	4	18	-	9	15	4	1	5	18	4	98	33
-	25	81	11	-	19	1	7	6	3	2	4	7	-	15	34
-	64	148	15	1	27	3	24	14	6	-	13	38	5	43	35
-	27	48	5	1	9	1	7	5	3	-	2	9	-	18	36
-	37	100	10	-	18	2	17	9	3	-	11	29	5	27	37
-	85	181	37	7	31	3	15	14	9	1	9	30	9	117	38
-	30	55	6	1	13	1	6	7	3	-	7	14	4	38	39
-	55	126	31	6	18	2	9	6	1	-	2	16	5	79	40
-	815	2,758	348	35	453	12	179	139	86	55	133	350	90	1,014	41
-	658	2,161	277	30	332	9	126	99	63	52	105	282	81	811	42
-	51	97	8	1	22	-	9	3	2	-	3	12	1	47	43
-	144	500	62	4	99	3	44	36	21	2	25	56	8	156	44
-	63	179	20	1	38	-	11	8	5	2	11	31	19	64	45
-	34	105	13	-	15	-	6	2	1	-	19	12	12	31	46
-	27	68	7	1	23	-	2	4	-	-	2	1	-	11	47
-	50	128	20	1	19	1	7	10	4	-	11	1	7	22	48
-	28	84	11	1	15	-	6	1	1	-	16	19	5	59	49
-	29	85	8	-	15	-	3	1	1	-	6	13	6	21	50
-	48	108	10	1	10	-	5	9	1	-	10	11	4	26	51
-	24	80	11	2	8	1	7	12	1	1	8	17	8	34	52
-	20	59	8	1	8	-	8	8	-	-	2	9	1	24	53
-	46	171	19	3	25	2	20	16	5	-	26	28	18	17	54
-	35	101	16	-	24	-	10	4	4	-	5	19	-	43	55
-	94	307	46	8	61	0	45	28	9	2	17	5	27	56	56
-	44	132	21	4	21	0	20	15	4	4	6	52	5	85	57
-	50	175	25	4	40	2	25	15	5	3	11	26	2	46	58
-	58	112	16	2	23	-	11	4	7	1	7	26	3	37	59
-	31	42	6	-	8	-	7	2	3	-	5	5	8	23	61
-	27	70	10	2	15	-	4	2	4	1	2	8	4	37	62
-	69	154	16	3	17	-	32	18	8	-	15	28	8	65	63
-	19	45	3	1	8	-	8	3	2	-	4	14	4	23	64
-	50	109	13	2	9	-	24	15	6	1	11	14	4	42	65
-	1	54	30	3	23	1	20	8	4	2	15	30	2	57	66
-	1	28	14	2	5	-	8	2	1	1	10	10	1	25	67
-	26	64	16	1	18	1	12	6	3	1	6	20	1	32	68
-	105	234	23	3	47	2	17	22	7	1	21	43	7	77	69
-	56	127	13	2	27	1	7	12	2	-	51	3	3	46	70
-	49	107	10	1	20	1	10	10	5	1	14	14	4	31	71
-	44	131	9	2	36	3	4	10	4	1	10	17	4	44	72
-	125	439	58	7	65	6	42	42	12	5	39	61	7	136	73
-	40	95	13	-	15	1	14	12	-	2	10	14	1	30	74
-	48	161	26	5	28	2	17	12	5	1	13	17	4	54	75
-	39	183	19	2	22	2	11	18	7	2	16	30	2	32	76
-	390	1,382	158	16	265	10	125	91	65	24	101	158	73	599	77
-	345	1,220	146	14	247	8	100	82	57	23	78	136	70	544	78
-	45	162	12	2	18	2	25	9	6	1	23	20	3	55	79
-	25	68	12	1	14	-	8	3	-	-	7	10	13	38	80
-	227	821	136	5	125	6	69	80	36	12	54	107	20	238	81
-	159	638	104	4	106	5	63	56	29	12	40	87	18	201	82
-	160	638	106	4	106	5	63	56	29	12	40	88	18	201	83
-	3	20	4	1	4	1	6	2	3	-	-	2	-	11	84
-	17	20	5	-	5	-	8	-	-	-	2	-	-	5	85
-	48	143	23	-	10	-	12	18	4	-	12	14	2	42	86
-	1	56	32	-	52	1	16	14	4	-	23	31	8	65	87
-	37	90	23	-	34	1	12	11	2	-	11	16	7	42	88
-	19	49	9	-	18	1	4	3	2	2	12	15	1	23	89
-	1	44	11	1	29	1	9	7	6	-	16	17	3	61	90
-	40	83	21	3	19	3	2	7	3	-	5	19	9	18	91
-	32	96	15	-	25	2	11	16	4	-	8	7	5	41	92
-	102	218	33	3	47	2	14	15	5	2	20	38	5	85	93
-	41	68	13	1	16	1	3	7	1	1	5	13	3	51	94
-	61	150	20	2	31	2	11	8	4	1	15	25	3	64	95

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningo-coccus) meningitis	Scarlet fever	Whoop- ing cough	Diph- the- ria	Tuber- culosis (all forms)	Dysen- tery	Malaria	Syph- ilis	Measles	Polio- myelitis, polio- enceph- alitis (acute)	Cancer and other malignant tumors	Acute rheu- matic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
OHIO—Continued															
1 Memroe	194	-	-	-	1	-	4	-	-	-	-	-	21	-	4
2 Montgomery	3,681	-	4	2	2	2	166	-	-	67	-	5	479	-	90
3 Dayton	2,786	-	4	1	1	1	111	-	-	51	-	2	358	-	65
4 Balance of county	685	-	-	1	1	1	55	-	-	16	-	3	121	-	25
5 Morgan	188	-	-	-	-	-	8	-	-	1	-	-	23	1	2
6 Morrow	213	-	-	-	-	-	10	-	-	-	-	-	27	1	8
7 Muskingum	658	-	-	-	2	-	3	-	-	2	2	-	100	1	27
8 Zanesville	523	-	-	-	1	-	3	-	-	2	-	-	59	1	25
9 Balance of county	335	-	-	-	1	-	7	-	-	2	2	-	41	1	1
10 Noble	131	-	-	-	-	-	-	-	-	-	-	-	23	1	4
11 Ottawa	303	-	-	-	-	-	8	-	-	-	-	-	34	-	18
12 Paulding	151	-	-	-	-	-	1	-	-	-	-	-	21	-	4
13 Perry	315	-	-	-	1	-	3	-	-	1	-	-	29	-	7
14 Pickaway	342	-	1	-	-	-	17	2	-	3	-	-	41	-	9
15 Pike	163	-	-	-	1	1	6	-	-	1	-	-	12	1	4
16 Portage	564	-	-	-	-	-	6	-	-	1	-	-	91	-	16
17 Preble	310	-	-	-	-	-	4	-	-	-	-	-	50	-	7
18 Putnam	267	-	-	-	1	-	4	-	-	1	-	-	32	-	5
19 Richland	846	-	1	-	-	1	18	-	-	5	-	-	103	1	21
20 Mansfield	450	-	1	-	-	-	8	-	-	4	-	-	54	1	11
21 Balance of county	396	-	-	-	-	1	10	-	-	1	-	-	49	-	10
22 Ross	615	-	1	-	1	-	24	-	-	28	-	1	65	-	10
23 Chillicothe	259	-	-	-	-	-	2	-	-	1	-	1	27	-	4
24 Balance of county	356	-	-	-	1	-	22	-	-	27	-	-	36	-	6
25 Sandusky	465	2	2	-	1	-	12	-	-	1	-	-	57	-	11
26 Fremont	147	1	1	-	-	-	1	-	-	-	-	-	14	-	3
27 Balance of county	338	1	2	-	1	-	11	-	-	1	-	-	43	-	6
28 Scioto	638	-	1	-	3	3	27	-	-	6	-	-	98	-	16
29 Portsmouth	469	-	1	-	2	-	14	-	-	5	-	-	61	-	8
30 Balance of county	369	-	-	-	1	3	13	-	-	1	-	-	37	-	8
31 Seneca	608	-	-	1	1	1	5	-	-	3	-	-	76	-	15
32 Fostoria (part)	113	-	-	-	-	1	2	-	-	-	-	-	15	-	2
33 Fostoria (total)	137	-	-	-	-	1	2	-	-	-	-	-	16	-	2
34 Tiffin	531	-	-	-	-	-	2	-	-	-	-	-	29	-	6
35 Balance of county	264	-	-	1	1	-	1	-	-	3	-	-	32	-	7
36 Shelby	280	-	-	-	-	-	4	-	-	-	-	-	22	-	9
37 Stark	2,870	1	5	-	3	3	113	-	-	33	1	1	582	2	92
38 Canton	1,248	-	3	-	1	-	21	-	-	7	-	1	185	2	41
39 Massillon	365	1	-	-	-	1	10	-	-	2	-	-	41	-	12
40 Alliance	321	-	-	-	1	1	7	-	-	7	-	-	50	-	8
41 Balance of county	938	-	2	-	1	1	75	-	-	22	1	-	106	-	31
42 Summit	3,494	1	6	2	4	1	93	1	-	34	1	5	511	4	99
43 Akron	2,423	-	4	1	2	1	63	1	-	19	1	4	371	3	68
44 Barberton	265	1	-	-	1	-	5	-	-	-	-	-	36	-	12
45 Cuyahoga Falls	185	-	-	-	1	-	-	-	-	5	-	-	26	-	6
46 Balance of county	621	-	2	1	1	-	25	-	-	10	-	1	78	1	13
47 Trumbull	1,267	-	1	-	1	-	25	-	-	6	-	-	163	2	30
48 Youngstown (part)	4	-	-	-	-	-	7	-	-	-	-	-	1	-	-
49 Warren	486	-	1	-	1	-	-	-	-	1	-	-	69	2	14
50 Niles	152	-	-	-	-	-	-	-	-	1	-	-	27	-	3
51 Balance of county	625	-	-	-	-	-	18	-	-	4	-	-	66	-	13
52 Tuscarawas	828	-	-	-	-	-	18	-	-	1	1	1	107	2	29
53 New Philadelphia	143	-	-	-	3	-	2	-	-	1	-	-	20	-	7
54 Balance of county	635	-	-	-	3	-	16	-	-	1	1	1	87	2	22
55 Union	239	-	-	1	-	-	4	-	-	1	-	-	37	-	9
56 Van Wert	319	-	-	-	-	-	2	-	-	-	-	-	42	-	14
57 Vinton	122	1	-	-	1	-	1	-	-	1	-	-	11	1	2
58 Warren	390	-	-	-	-	-	6	-	-	2	-	-	47	-	9
59 Washington	483	-	1	-	-	-	16	-	-	2	-	1	59	-	16
60 Marietta	206	-	-	-	-	-	5	-	-	-	-	1	30	-	3
61 Balance of county	277	-	1	-	-	-	11	-	-	2	-	-	29	-	13
62 Wayne	565	-	-	1	-	-	26	-	-	3	1	1	65	-	11
63 Wooster	151	-	-	1	-	-	3	-	-	-	-	1	15	-	3
64 Balance of county	414	-	-	-	-	-	23	-	-	3	1	-	50	-	8
65 Williams	298	-	-	-	1	-	1	-	-	-	-	-	32	-	4
66 Wood	558	-	-	-	1	-	4	-	-	4	1	-	78	-	21
67 Wyandot	231	-	-	-	-	-	6	-	-	-	-	-	32	-	5
68 OKLAHOMA	19,327	8	12	-	43	16	701	19	1	179	-	2	2,397	9	368
69 Adair	152	-	-	-	1	1	17	-	-	-	-	-	14	-	1
70 Alfalfa	121	-	-	-	-	-	3	-	-	-	-	-	21	-	3
71 Atoka	114	-	-	-	5	1	6	-	-	3	-	-	17	-	2
72 Beaver	72	-	-	-	-	-	2	1	-	-	-	-	7	-	2
73 Beckham	192	-	1	-	1	-	8	-	-	-	-	-	31	-	3
74 Blaine	164	-	-	-	2	-	2	-	-	4	-	-	13	-	3
75 Bryan	286	-	-	-	1	2	12	1	-	2	-	-	14	-	1
76 Durant	129	-	-	-	1	1	6	-	-	2	-	-	17	-	2
77 Balance of county	159	-	-	-	1	1	6	1	-	2	-	-	28	-	4
78 Caddo	275	-	-	-	1	1	16	-	-	2	-	-	20	-	6
79 Canadian	216	-	-	-	-	-	3	-	-	2	-	-	11	-	3
80 El Reno	140	-	-	-	-	-	3	-	-	-	-	-	9	-	3
81 Balance of county	76	-	-	-	-	-	3	-	-	2	-	-	11	-	3
82 Carter	338	-	-	-	-	-	11	1	-	1	-	-	50	-	4
83 Ardmore	202	-	-	-	-	-	8	1	-	1	-	-	27	-	1
84 Balance of county	136	-	-	-	-	-	3	-	-	-	-	-	25	-	3
85 Cherokee	165	-	-	-	-	1	10	-	-	1	-	-	11	-	2
86 Choctaw	203	-	-	-	2	-	10	-	-	1	-	-	17	1	3
87 Cimarron	31	-	-	-	-	-	2	-	-	-	-	-	4	-	-
88 Cleveland	400	-	-	-	-	-	14	1	-	19	-	-	42	-	8
89 Norman	179	-	-	-	-	-	5	1	-	5	-	-	23	-	8
90 Balance of county	221	-	-	-	-	-	9	-	-	14	-	-	19	-	3
91 Coal	73	-	-	-	-	-	7	-	-	-	-	-	13	-	2
92 Comanche	361	-	1	-	2	-	9	1	-	8	-	-	46	-	5
93 Lawton	241	-	-	-	2	-	4	-	-	6	-	-	27	-	3
94 Balance of county	120	-	1	-	-	-	4	-	-	2	-	-	19	-	2
95 Cotton	102	-	-	-	1	-	-	-	-	2	-	-	11	-	3
96 Craig	334	-	-	-	-	-	24	-	-	23	-	-	28	-	3

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

583

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	85	90-95	107-109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	189, 171-195	162, 189,200	
-	26	72	3	-	20	1	4	2	-	-	1	174	3	18
-	343	1,183	135	8	182	9	139	105	44	27	86	14	22	416
-	252	855	100	5	140	9	119	89	32	27	73	142	21	328
-	81	328	35	3	42	-	19	15	12	-	15	32	1	68
-	21	41	5	-	14	-	6	1	2	-	4	11	13	15
-	30	58	10	1	13	-	4	4	3	-	13	7	4	25
-	48	314	36	2	55	4	27	20	11	2	13	45	7	86
-	44	195	24	2	32	4	6	14	9	-	6	29	6	6
-	15	119	12	-	23	-	10	6	2	2	7	16	1	39
-	15	41	8	2	8	-	3	6	2	2	-	6	3	11
-	15	114	11	-	20	-	10	7	1	1	12	21	6	27
-	20	27	12	-	18	-	6	3	1	1	2	9	6	20
-	37	130	11	1	17	3	9	6	3	3	7	16	4	29
-	34	81	19	2	25	-	4	4	2	2	23	23	16	45
-	21	43	12	-	9	-	4	6	5	-	11	11	6	18
-	77	184	18	-	24	1	26	20	9	3	9	20	4	55
-	30	109	15	1	19	-	11	7	1	1	11	18	5	22
-	36	89	9	-	17	2	10	6	3	3	9	15	5	23
-	99	226	32	8	55	3	36	26	15	3	22	50	5	116
-	61	121	14	4	26	2	18	13	5	3	11	24	1	66
-	38	105	18	4	29	1	18	11	10	-	11	26	4	50
-	78	146	29	4	44	2	19	18	7	1	16	21	27	75
-	35	73	7	1	18	2	10	9	1	1	7	13	15	33
-	43	73	22	3	26	-	9	9	6	1	9	8	12	42
-	60	168	19	5	28	-	10	8	5	-	12	23	3	58
-	19	49	8	2	14	-	4	3	1	-	3	6	2	18
-	41	119	11	3	14	-	6	5	4	-	9	17	1	40
-	61	241	64	5	60	12	28	28	6	2	27	48	9	93
-	35	140	29	-	36	10	14	14	3	1	15	29	6	46
-	26	101	35	5	24	2	14	14	3	1	12	19	3	47
-	60	227	29	2	27	-	10	21	8	2	15	25	7	51
-	15	42	2	-	9	-	2	4	1	-	5	5	3	9
-	17	48	2	-	9	-	3	4	1	-	3	6	3	20
-	18	80	16	1	7	-	4	13	3	1	10	9	1	28
-	27	105	11	1	11	-	4	4	4	1	4	11	3	36
-	52	91	14	2	14	1	9	10	3	-	11	11	3	26
-	256	950	129	12	109	10	83	95	17	15	59	115	30	354
-	100	406	53	8	57	6	58	46	9	10	34	57	19	162
-	24	123	22	1	20	-	10	8	1	6	6	16	2	61
-	27	109	11	1	17	-	7	9	2	-	12	12	2	43
-	105	312	43	2	55	4	28	32	5	1	7	30	7	88
-	338	1,145	139	11	167	18	160	129	50	13	75	144	12	331
-	225	780	100	8	119	14	110	92	34	8	54	102	10	229
-	22	80	9	-	14	-	14	16	7	1	7	13	-	27
-	20	75	4	-	10	-	9	6	2	-	-	4	-	18
-	71	210	26	3	24	4	27	15	7	4	14	25	2	57
-	163	370	59	5	58	3	37	53	8	5	47	64	9	157
-	1	-	1	-	-	-	-	-	-	-	-	-	-	48
-	63	130	22	2	24	1	17	21	2	1	17	23	3	65
-	14	48	5	1	2	-	6	8	1	-	5	11	1	17
-	85	192	31	2	33	2	14	24	5	4	25	29	5	75
-	95	250	39	2	40	1	24	23	14	2	23	40	7	106
-	17	50	8	-	6	-	2	2	2	-	4	4	-	16
-	78	200	31	2	34	1	22	19	12	2	19	58	7	90
-	33	50	15	-	16	1	4	5	1	-	7	13	10	32
-	32	104	10	1	32	1	6	9	4	-	12	6	2	39
-	21	29	6	-	14	1	3	2	1	-	3	5	6	16
-	53	125	11	-	24	1	13	11	7	2	13	23	4	69
-	56	158	18	-	23	2	10	9	5	2	8	23	5	39
-	29	65	8	-	14	-	5	2	3	1	5	5	-	32
-	27	93	10	-	9	2	5	7	2	1	5	18	5	37
-	58	194	26	1	22	1	17	11	12	-	25	15	6	69
-	14	63	5	-	5	-	5	3	3	-	5	3	1	21
-	44	131	21	1	17	1	12	8	9	-	20	12	5	48
-	50	103	7	-	20	1	13	3	2	-	11	7	7	36
-	60	178	20	2	31	-	15	14	4	1	23	38	4	59
-	1	83	5	-	22	-	5	3	1	-	9	5	4	20
27	2,025	5,005	981	85	1,027	89	595	609	144	143	535	1,075	810	2,426
-	13	36	11	-	15	-	1	3	1	2	7	6	11	12
-	10	34	5	2	6	-	7	1	-	-	-	8	4	17
-	10	21	7	1	3	-	1	4	-	-	1	7	6	18
-	5	23	1	-	8	-	2	2	-	-	5	5	5	6
-	19	53	3	-	11	1	11	8	-	3	8	9	6	22
-	16	40	15	5	5	2	7	3	1	-	8	6	10	21
-	30	89	20	2	16	1	8	9	2	3	6	9	14	45
-	13	29	4	2	9	-	6	6	1	2	3	4	5	21
-	17	40	16	-	7	1	2	3	1	1	3	5	9	24
-	1	72	15	4	7	2	6	6	3	2	13	11	14	28
-	37	86	21	-	8	1	8	7	1	1	2	9	11	25
-	27	42	9	-	5	1	2	5	-	-	-	6	7	20
-	10	24	6	-	3	-	1	2	1	-	2	3	4	8
-	38	90	15	2	13	-	11	8	-	1	19	24	10	40
-	20	65	8	1	10	-	5	5	-	1	8	12	3	26
-	18	25	7	1	3	-	6	3	-	-	11	12	7	14
-	25	40	11	1	5	3	2	8	-	1	5	6	12	21
-	23	50	13	1	13	-	7	7	4	4	3	13	1	16
-	4	5	2	-	4	-	1	1	-	-	1	1	2	4
-	49	79	17	1	11	1	13	8	-	-	5	15	2	8
-	20	31	6	-	5	-	9	7	4	-	2	5	12	36
-	23	48	11	1	6	1	4	1	2	-	3	10	5	38
-	7	19	1	-	-	-	-	3	2	-	2	2	8	9
-	37	88	24	4	9	-	24	9	3	1	13	18	16	39
-	22	64	19	3	8	-	18	5	2	3	10	10	6	30
-	15	25	5	1	3	-	6	4	1	1	3	8	10	9
-	15	29	3	-	7	1	4	2	-	-	5	2	6	10
-	27	75	13	4	21	2	8	7	1	1	4	13	27	53

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tubercu-losis (all forms)	Dysen-tery	Malaria	Syph-illis	Measles	Polio-myelitis, polio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
OKLAHOMA—Continued															
1 Creek	399	1	-	-	2	2	12	-	-	4	-	-	44	-	8
2 Sapulpa	136	-	-	-	1	2	4	-	-	3	-	-	12	-	4
3 Balance of county	261	1	-	-	1	-	8	-	-	1	-	-	32	-	4
4 Custer	187	-	1	-	-	-	18	-	-	1	-	-	31	1	5
5 Delaware	120	-	-	-	1	-	8	-	-	-	-	-	17	1	1
6 Dewey	104	-	1	-	1	-	1	-	-	-	-	-	9	-	2
7 Ellis	68	-	-	-	1	-	-	-	-	-	-	-	7	-	3
8 Garfield	510	-	-	-	1	-	12	2	-	6	-	-	72	-	10
9 Ada	393	-	-	-	1	-	6	1	-	6	-	-	59	-	9
10 Balance of county	127	-	-	-	-	-	6	1	-	-	-	-	13	-	1
11 Garvin	217	-	1	-	-	-	8	-	-	-	-	-	27	-	3
12 Grady	352	-	-	-	-	-	7	1	-	4	-	-	45	-	7
13 Chickasha	208	-	-	-	-	-	4	1	-	5	-	-	24	-	4
14 Balance of county	144	-	-	-	-	-	3	-	-	1	-	-	19	-	3
15 Grant	110	-	-	-	-	-	3	-	-	-	-	-	15	-	2
16 Greer	112	-	-	-	-	-	5	-	-	-	-	-	18	-	-
17 Harmon	61	-	-	-	-	-	-	-	-	-	-	-	15	-	-
18 Harper	82	-	-	-	-	-	2	-	-	1	-	-	9	-	1
19 Haskell	110	-	-	-	-	-	2	-	-	-	-	-	5	-	2
20 Hughes	183	-	-	-	-	-	11	-	-	-	-	-	11	-	2
21 Jackson	167	-	-	-	-	-	7	-	1	3	-	-	24	-	2
22 Jefferson	85	-	-	-	-	-	2	-	-	-	-	-	20	-	2
23 Johnston	85	-	-	-	-	-	5	-	-	-	-	-	13	-	5
24 Kay	445	-	-	-	1	-	5	-	-	4	-	-	14	-	2
25 Ponca City	166	-	-	-	1	-	13	-	-	-	-	-	51	1	9
26 Balance of county	279	-	-	-	-	-	3	-	-	1	-	-	22	-	5
27 Kingfisher	121	-	-	-	-	-	10	-	-	3	-	-	29	1	3
28 Kiowa	168	-	-	-	-	-	2	-	-	-	-	-	23	-	2
29 Latimer	92	-	-	-	-	-	3	-	-	1	-	-	27	-	-
30 Le Flore	297	-	-	-	1	1	10	-	-	-	-	-	5	-	-
31 Lincoln	234	-	-	-	-	-	16	-	-	-	-	-	31	-	7
32 Logan	270	-	-	-	-	-	8	-	-	2	-	-	27	-	9
33 Guthrie	146	-	-	-	-	-	2	-	-	2	-	-	41	-	9
34 Balance of county	124	-	-	-	-	-	2	-	-	-	-	-	27	-	9
35 Love	59	-	-	-	-	-	8	-	-	-	-	-	26	-	3
36 McClain	102	1	-	-	-	-	2	1	-	-	-	-	15	-	6
37 McCurtain	291	-	1	-	2	1	1	-	-	-	-	-	10	-	1
38 McIntosh	166	1	-	-	1	-	17	-	-	-	-	-	13	-	1
39 Major	71	-	-	-	-	-	10	-	-	3	-	-	29	-	6
40 Marshall	80	-	-	-	-	-	3	-	-	-	-	-	18	-	3
41 Mayes	176	-	-	-	-	-	3	-	-	-	-	-	8	-	2
42 Murray	130	-	-	-	-	-	12	-	-	-	-	-	15	-	4
43 Muskogee	734	-	-	-	1	-	7	-	-	1	-	-	20	1	-
44 Muskogee	454	1	-	-	1	-	36	-	-	18	-	-	84	1	15
45 Balance of county	280	-	-	-	-	-	17	-	-	2	-	-	56	-	12
46 Noble	111	-	-	-	-	-	19	-	-	16	-	-	28	1	3
47 Nowata	111	-	-	-	-	-	1	-	-	-	-	-	16	-	6
48 Okfuskee	167	-	-	-	2	-	2	-	-	-	-	-	19	-	1
49 Oklahoma	2,308	-	1	-	2	-	6	-	-	-	-	-	13	-	2
50 Oklahoma City	1,906	-	1	-	3	-	57	2	-	13	-	-	325	-	47
51 Balance of county	402	-	-	-	2	-	50	2	-	9	-	-	275	-	38
52 Okmulgee	427	-	1	-	1	-	7	-	-	4	-	-	60	-	9
53 Okmulgee	185	-	1	-	-	1	14	1	-	2	-	-	55	-	7
54 Balance of county	242	-	-	-	-	-	7	-	-	-	-	-	25	-	4
55 Osage	245	-	-	-	-	-	7	-	-	2	-	-	30	-	3
56 Ottawa	337	2	1	-	1	-	8	-	-	5	-	-	37	1	5
57 Pawnee	156	-	-	-	-	-	46	-	-	1	-	-	32	-	6
58 Payne	311	1	-	-	-	-	3	-	-	-	-	-	19	-	4
59 Stillwater	103	-	-	-	-	-	5	-	-	-	-	-	34	-	4
60 Balance of county	206	1	-	-	-	-	1	-	-	-	-	-	8	-	-
61 Pittsburg	382	1	-	-	-	2	4	-	-	-	-	-	26	-	4
62 McAlester	167	-	-	-	-	1	15	-	-	-	-	-	45	-	8
63 Balance of county	215	1	-	-	-	1	9	-	-	-	-	-	23	-	4
64 Pontotoc	291	-	-	-	-	-	4	-	-	-	-	-	22	-	4
65 Ada	190	-	-	-	-	-	9	-	-	6	-	-	41	-	6
66 Balance of county	101	-	-	-	-	-	5	-	-	5	-	-	26	-	5
67 Pottawatomie	375	-	-	-	-	1	4	-	-	1	-	-	15	-	1
68 Shawnee	260	-	-	-	-	1	7	-	-	2	-	-	45	-	4
69 Balance of county	115	-	-	-	-	-	5	-	-	1	-	-	33	-	2
70 Pushmataha	93	-	-	-	-	-	2	-	-	1	-	-	12	-	2
71 Roger Mills	49	-	-	-	-	-	3	1	-	1	-	-	13	-	1
72 Rogers	186	-	-	-	-	-	4	-	-	-	-	-	5	-	2
73 Seminole	330	-	-	-	1	-	10	-	-	3	-	-	58	-	3
74 Seminole	88	-	-	-	-	-	13	1	-	1	-	-	41	-	5
75 Nowata	89	-	-	-	-	-	3	-	-	-	-	-	12	-	4
76 Balance of county	163	-	-	-	-	-	2	-	-	-	-	-	9	-	-
77 Sequoyah	166	1	-	-	-	-	8	1	-	1	-	-	20	-	1
78 Stephens	234	-	-	-	-	-	6	-	-	-	-	-	20	1	6
79 Texas	81	-	-	-	-	-	5	-	-	-	-	-	34	-	7
80 Tillman	193	-	-	-	1	-	-	-	-	1	-	-	7	-	1
81 Tulsa	1,821	1	1	-	6	-	5	-	-	-	-	-	24	-	3
82 Tulsa	1,482	1	1	-	4	-	64	2	-	15	-	1	246	1	36
83 Balance of county	329	-	-	-	2	-	55	2	-	14	-	-	206	1	26
84 Wagoner	112	-	-	-	-	-	9	-	-	1	-	-	40	-	10
85 Washington	280	-	-	-	-	1	6	-	-	2	-	-	7	-	1
86 Bartlesville	192	-	-	-	-	-	5	-	-	2	-	-	26	-	10
87 Balance of county	88	-	-	-	-	1	4	-	-	-	-	-	20	-	7
88 Washita	123	-	-	-	-	1	1	-	-	-	-	-	6	-	3
89 Woods	158	-	-	-	-	-	4	-	-	-	-	-	15	-	5
90 Woodward	303	-	-	-	-	-	2	1	-	2	-	-	15	-	5
91 OREGON	13,501	5	11	-	4	3	314	3	-	106	3	8	1,878	5	275
92 Baker	180	-	-	-	-	-	3	-	-	1	-	-	24	-	7
93 Benton	204	-	-	-	-	-	1	-	-	1	1	-	24	-	4
94 Clackamas	638	-	-	-	-	1	17	-	-	2	1	1	82	-	5

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

585

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1939 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	85	90-95	107- 109,55	119,120	150-152	140-150	157,158,160,161	159	163,164	165-169	170	169, 171-195	162, 199,200		
-	44	88	56	2	52	2	15	17	2	2	10	18	10	50	1
-	16	34	10	1	8	-	7	5	1	1	3	2	3	21	2
-	28	54	26	1	24	2	6	12	1	1	7	16	7	29	3
-	15	40	6	3	10	-	10	5	-	-	6	8	8	21	4
-	11	25	10	1	1	1	1	3	1	2	2	7	9	18	5
-	6	34	8	1	6	-	5	-	-	-	4	13	3	14	6
-	5	23	-	-	5	-	2	2	-	-	1	6	5	11	7
1	56	126	38	2	35	1	26	16	3	-	7	17	12	70	8
1	41	98	24	-	27	-	17	14	-	-	6	16	10	47	9
1	14	28	12	2	8	1	9	2	3	-	1	1	2	23	10
1	27	53	13	3	5	2	5	14	1	4	10	5	2	34	11
1	41	102	19	1	14	3	10	9	1	1	16	8	8	56	12
1	23	58	10	-	10	2	6	6	-	1	4	12	4	34	13
1	18	44	9	1	4	1	3	1	-	-	6	4	4	22	14
-	11	37	4	-	8	-	3	4	1	1	4	8	3	12	15
-	8	33	4	-	1	1	1	4	2	2	5	6	9	15	16
-	6	22	4	-	2	-	1	2	-	1	2	4	2	5	17
-	5	20	2	-	1	-	1	1	-	-	4	4	2	9	18
1	10	24	10	-	15	-	5	2	-	2	2	5	11	7	19
-	14	62	11	1	10	1	6	4	-	-	1	12	6	26	20
-	8	44	13	-	19	1	5	4	-	2	7	4	11	16	21
-	7	23	4	1	3	-	3	1	-	-	4	5	3	11	22
-	10	18	6	1	6	-	4	1	1	-	1	3	4	7	23
-	48	140	14	2	25	1	12	16	2	4	10	22	9	62	24
-	15	48	8	1	11	-	5	6	1	2	4	9	4	19	25
-	33	91	8	1	14	1	7	10	1	2	6	13	5	43	26
-	10	32	5	-	5	-	4	3	4	-	3	9	5	12	27
-	16	56	11	-	1	1	3	4	1	1	4	5	7	30	28
1	10	22	5	-	10	1	1	3	-	-	-	2	8	14	29
-	35	53	25	-	18	2	10	5	3	3	7	25	17	41	30
3	26	70	9	-	9	1	3	7	-	1	7	18	10	24	31
-	36	77	16	1	15	2	15	4	3	-	3	13	5	32	32
-	16	38	9	-	10	-	2	1	-	-	2	10	4	23	33
-	20	39	7	1	5	2	7	3	3	-	1	3	1	9	34
-	8	13	6	-	2	-	1	1	1	-	2	4	1	7	35
-	15	25	3	2	-	-	3	2	-	-	10	7	2	15	36
3	38	71	18	1	22	5	11	11	2	4	5	5	15	24	37
-	22	32	14	1	9	-	5	7	1	1	4	8	10	18	38
-	14	21	2	-	2	-	3	1	2	-	1	3	8	4	39
-	5	16	3	1	10	-	2	2	2	-	-	6	3	11	40
1	23	38	14	1	11	-	6	7	2	3	5	7	7	22	41
-	13	52	4	-	6	-	1	-	1	1	2	7	8	8	42
2	85	151	33	5	64	2	25	15	3	9	19	35	31	105	43
-	47	115	26	1	42	1	16	6	5	5	19	22	11	61	44
-	38	36	7	2	22	1	7	9	2	4	10	13	20	42	45
-	15	33	9	-	3	-	2	2	-	-	3	5	3	9	46
1	15	30	3	1	11	-	1	3	-	1	3	4	8	13	47
-	15	44	16	3	15	1	2	10	-	2	2	8	6	24	48
-	220	856	82	14	92	8	93	100	19	23	78	118	64	235	49
-	173	533	69	13	77	8	74	90	19	20	60	93	57	245	50
2	47	123	15	1	15	-	19	10	3	5	18	25	7	50	51
1	37	96	24	3	28	2	14	11	3	6	6	21	23	68	52
1	14	46	9	1	12	1	8	3	1	2	2	12	12	27	53
-	23	49	15	2	16	1	6	8	2	4	4	15	11	41	54
-	32	55	11	-	12	1	6	6	4	2	4	22	21	30	55
-	35	85	21	2	16	2	7	3	1	6	10	22	15	22	56
-	10	47	6	-	6	2	2	1	1	3	3	13	3	14	57
-	26	87	11	1	25	2	7	23	1	1	5	23	13	38	58
-	6	33	5	-	9	1	3	9	1	-	3	4	2	16	59
-	18	54	8	1	16	4	4	14	2	2	6	19	11	22	60
2	37	94	22	3	33	1	17	6	3	6	3	19	33	45	61
-	12	46	7	-	17	1	3	3	1	4	2	14	13	14	62
2	25	48	15	3	16	-	10	3	2	2	12	7	20	31	63
1	39	71	12	-	10	3	6	7	2	4	11	11	10	49	64
-	22	55	7	-	7	1	4	6	-	1	4	5	3	33	65
-	17	16	5	-	3	2	2	1	2	-	3	6	5	16	66
1	47	104	10	-	25	1	12	17	2	2	6	17	14	58	67
1	34	73	7	-	18	1	6	8	2	1	6	17	3	58	68
1	10	31	3	1	7	-	6	9	1	1	1	14	9	39	69
1	9	16	9	-	5	2	4	-	1	-	3	5	7	10	70
1	16	54	5	-	6	2	6	4	1	3	2	3	1	5	71
1	26	76	23	-	25	2	10	11	5	-	10	13	3	21	72
-	9	28	7	-	7	-	4	4	-	-	24	24	23	32	73
1	4	11	8	-	5	1	2	2	-	-	4	4	3	7	74
-	13	37	6	-	13	1	4	4	-	-	5	8	8	7	75
1	15	35	13	2	6	2	2	7	-	1	12	8	12	18	76
-	30	63	7	-	12	-	9	12	-	1	9	8	14	17	77
-	14	16	5	1	4	2	5	5	2	1	7	7	9	28	78
-	22	45	12	-	17	3	4	12	-	-	15	6	3	11	79
-	186	490	69	7	81	9	59	78	23	14	4	12	6	21	80
-	154	410	50	6	63	9	43	64	20	15	47	49	235	81	81
-	32	60	18	1	18	-	14	14	3	3	35	79	34	202	82
-	18	33	10	-	1	1	2	2	3	3	12	23	15	35	83
1	26	96	16	-	14	-	8	7	5	2	6	7	4	8	84
1	19	63	11	-	10	-	4	6	3	2	17	8	8	28	85
-	7	33	5	-	4	-	4	1	2	2	12	6	6	18	86
-	9	34	8	-	6	-	4	-	-	-	5	5	2	10	87
-	15	49	2	1	18	-	3	5	1	1	10	5	3	13	88
-	19	52	8	-	14	1	3	4	1	-	16	3	16	88	89
1	1,226	4,034	492	47	684	32	406	296	218	38	436	670	327	1,591	91
-	16	51	7	2	10	1	3	4	-	-	11	11	8	17	92
1	15	55	9	-	21	1	6	7	3	-	10	10	2	29	93
-	59	176	15	-	70	-	20	18	14	-	19	43	39	56	94

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND (By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total Deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
OREGON--Continued															
1 Clatsop	304	-	1	-	-	-	7	-	-	-	5	-	39	-	7
2 Astoria	191	-	1	-	-	-	4	-	-	-	3	-	52	-	5
3 Balance of county	123	-	-	-	-	-	3	-	-	2	-	-	7	-	2
4 Columbia	164	-	-	-	-	-	1	-	-	-	-	-	22	1	4
5 Coos	327	-	-	-	2	-	4	-	-	1	-	-	35	-	11
6 Crook	39	-	-	-	-	-	1	-	-	-	-	-	6	-	1
7 Curry	40	-	-	-	-	-	1	-	-	-	-	-	6	-	1
8 Deschutes	163	-	1	-	1	-	6	-	-	1	-	-	16	1	2
9 Bend	111	-	1	-	1	-	5	-	-	1	-	-	11	-	2
10 Balance of county	52	-	-	-	-	-	1	-	-	-	-	-	5	1	1
11 Douglas	379	1	-	-	-	-	6	-	-	3	-	-	53	-	5
12 Gilliam	24	-	-	-	-	-	-	-	-	-	-	-	3	-	1
13 Grant	59	-	-	-	-	-	-	-	-	1	-	-	8	-	1
14 Harney	45	-	-	-	-	-	-	-	-	-	-	-	7	-	1
15 Hood River	123	-	-	-	-	-	2	-	-	2	-	-	15	-	3
16 Jackson	538	1	-	-	-	-	4	-	-	5	-	1	79	-	15
17 Medford	228	1	-	-	-	-	1	-	-	4	-	-	45	-	7
18 Balance of county	310	-	-	-	-	-	3	-	-	1	-	1	54	-	9
19 Jefferson	25	-	-	-	-	-	1	-	-	-	-	-	-	-	1
20 Josephine	221	-	-	-	-	-	4	-	-	1	-	-	25	-	4
21 Klamath	307	-	-	-	-	-	2	-	-	2	-	2	36	-	6
22 Klamath Falls	205	-	-	-	-	-	2	-	-	2	-	2	25	-	5
23 Balance of county	102	-	-	-	-	-	-	-	-	-	-	-	11	-	1
24 Lake	57	-	-	-	-	-	-	1	-	-	-	-	10	-	1
25 Lane	818	-	1	-	-	-	12	-	-	10	1	1	102	-	21
26 Eugene	408	1	1	-	-	-	5	-	-	8	-	1	56	-	13
27 Balance of county	410	-	-	-	-	-	7	-	-	2	1	-	46	-	8
28 Lincoln	174	-	-	-	-	-	-	-	-	2	-	-	27	-	2
29 Linn	436	-	-	-	-	-	5	-	-	4	-	-	53	1	7
30 Malheur	145	-	-	-	-	-	1	-	-	-	-	1	17	-	3
31 Marion	1,189	-	-	-	-	-	60	1	-	17	-	-	144	-	32
32 Salem	752	-	-	-	-	-	24	-	-	16	-	-	90	-	18
33 Balance of county	457	-	-	-	-	-	36	1	-	1	-	-	54	-	14
34 Morrow	45	-	-	-	-	-	-	-	-	-	-	-	7	-	1
35 Multnomah	4,916	3	5	-	-	1	143	1	-	32	-	1	780	1	100
36 Portland	4,176	3	4	-	-	1	113	1	-	24	-	1	667	1	91
37 Balance of county	740	-	1	-	-	-	30	-	-	8	-	-	113	-	9
38 Polk	205	-	-	-	-	-	1	-	-	-	-	-	30	-	5
39 Sherman	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1
40 Tillamook	155	-	-	-	-	-	2	-	-	2	-	1	19	-	1
41 Umatilla	411	-	1	-	-	-	14	-	-	10	-	-	43	-	3
42 Union	185	-	-	-	-	-	2	-	-	-	-	-	31	-	5
43 Wallowa	56	-	-	-	-	-	1	-	-	-	-	-	8	-	2
44 Wasco	159	-	-	-	-	-	11	-	-	1	-	-	18	-	3
45 Washington	392	-	-	-	1	1	-	-	-	2	-	-	54	-	7
46 Wheeler	18	-	-	-	-	-	-	-	-	1	-	-	4	-	1
47 Yamhill	368	-	2	-	-	-	3	-	-	-	-	-	47	1	5
48 PENNSYLVANIA	110,459	20	51	10	100	34	3,467	16	9	852	42	30	14,981	85	3,590
49 Adams	394	-	-	-	-	-	6	-	-	2	-	-	53	-	14
50 Allegheny	15,485	4	8	1	18	3	549	-	2	137	14	1	2,165	10	446
51 Pittsburgh	7,982	-	3	1	10	1	337	-	-	45	6	-	1,144	5	226
52 McKeesport	589	-	-	-	-	-	12	-	-	2	-	-	77	1	17
53 Wilkensburg	374	-	-	-	-	-	5	-	-	-	-	-	49	-	12
54 Bellevue	134	-	-	-	-	-	1	-	-	2	-	-	19	-	2
55 Braddock	202	-	1	-	-	-	3	-	-	1	-	-	31	-	10
56 Carnegie	142	-	-	-	-	-	5	-	-	1	-	-	22	-	6
57 Clairton	157	-	-	-	-	-	6	-	-	2	2	-	17	-	2
58 Carapolis	95	1	-	-	-	-	4	-	-	1	-	-	17	-	4
59 Derwent	133	-	-	-	-	-	-	-	-	-	-	-	28	-	1
60 Duquesne	180	-	-	-	-	-	4	-	1	1	-	-	51	-	4
61 Harrison (tw.) ²	96	1	-	-	-	-	4	-	-	1	-	-	16	-	4
62 Homestead	133	-	-	-	1	-	7	-	-	2	-	-	22	-	4
63 McKees Rocks	233	-	-	-	-	1	8	-	-	1	1	-	30	-	6
64 Mount Lebanon (tw.) ²	141	-	1	-	-	-	1	-	-	-	-	-	22	-	1
65 Mumhall	136	-	-	-	1	-	2	-	-	1	-	-	24	-	6
66 North Braddock	116	-	-	-	-	-	2	-	-	5	-	-	16	-	3
67 Shaler (tw.) ²	53	-	-	-	-	-	2	-	-	-	1	-	7	-	1
68 Stowe (tw.) ²	4	-	-	-	-	-	-	-	-	-	-	-	3	-	-
69 Swissvale	139	-	1	-	-	-	1	-	-	-	-	-	23	-	5
70 Balance of county	4,476	2	2	6	1	145	1	72	4	4	1	565	4	133	
71 Armstrong	785	1	-	-	-	-	9	-	-	2	-	-	97	1	20
72 Beaver	1,539	-	1	-	-	-	43	1	-	16	1	-	216	1	43
73 Alliquippa	210	-	-	-	-	-	10	-	-	4	-	-	31	-	7
74 Ambridge	156	-	-	-	-	-	3	1	-	-	-	-	20	-	5
75 Beaver Falls	206	-	-	-	-	-	6	-	-	2	-	-	29	-	6
76 Ellwood City (part)	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77 Balance of county	960	-	1	-	-	-	24	-	-	10	1	-	136	1	25
78 Bedford	431	-	-	-	3	3	7	-	-	2	-	-	58	-	15
79 Berks	2,806	-	-	1	-	-	117	-	-	30	-	-	369	1	126
80 Reading	1,508	-	-	-	-	-	47	-	-	9	-	-	186	-	71
81 Balance of county	1,498	-	-	1	-	-	70	-	-	21	-	-	183	1	55
82 Blair	1,612	3	1	-	6	-	16	-	-	8	-	-	193	1	55
83 Altoona	926	1	1	-	1	-	7	-	-	5	-	-	113	-	43
84 Balance of county	686	2	-	-	5	-	9	-	-	3	-	-	80	1	12
85 Bradford	654	-	-	1	-	-	8	-	-	4	-	-	99	-	24
86 Bucks	1,241	-	-	-	1	-	29	-	-	3	1	-	171	2	43
87 Bristol	146	-	-	-	-	-	9	-	-	-	1	-	21	2	6
88 Balance of county	1,095	-	-	-	1	-	20	-	-	3	-	-	150	-	37
89 Butler	902	-	1	-	1	-	11	-	-	-	3	-	104	-	26
90 Butler	239	-	1	-	-	-	3	-	-	-	-	-	39	-	7
91 Balance of county	664	-	-	-	1	-	8	-	-	2	3	-	65	-	19

²Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhoea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes	
69	85	90-95	107-109, 33	119, 120	130-132	140-150	157, 158, 160, 161	159	163, 164	165-166	170	169, 171-185	182, 189, 200		
-	35	87	5	2	11	-	7	8	7	-	4	20	18	41	1
-	29	48	5	2	5	-	1	3	3	-	3	7	6	6	2
-	6	39	3	-	6	-	6	4	4	-	1	7	12	12	3
-	21	46	3	1	2	-	6	4	4	3	9	13	7	4	4
-	28	115	7	2	15	-	13	10	3	-	3	14	7	16	5
-	3	12	-	-	-	-	2	1	2	-	3	58	4	30	6
-	5	14	2	-	1	-	5	1	2	-	3	5	1	2	7
-	22	41	4	-	5	-	5	1	5	1	5	2	2	4	8
-	15	32	3	-	2	-	3	2	2	1	2	15	3	18	9
-	7	9	1	-	3	-	3	3	3	1	1	11	4	13	10
-	45	99	11	2	29	-	10	9	6	-	11	42	5	40	11
-	1	4	1	-	2	-	3	2	6	-	-	5	2	2	12
-	6	13	-	-	5	-	3	2	-	1	1	8	5	11	13
-	3	12	-	-	1	-	3	3	-	2	2	3	3	5	14
-	14	27	1	-	4	-	3	3	-	1	1	15	7	18	15
-	52	183	18	3	28	-	16	10	9	2	18	35	7	35	17
-	22	65	6	2	10	-	6	5	4	1	6	16	3	23	18
-	30	118	10	1	18	-	10	5	4	1	19	19	4	32	18
-	1	7	1	1	1	-	1	1	1	1	1	1	1	5	19
-	19	80	8	-	16	-	7	2	3	3	11	18	2	21	20
-	18	86	10	2	19	-	15	2	2	3	15	28	1	23	21
-	13	57	7	1	13	-	11	7	9	3	11	15	1	29	22
-	3	29	3	1	6	-	4	2	4	2	3	13	3	5	23
-	3	7	2	-	3	-	4	2	4	-	3	14	3	24	24
-	77	255	27	8	48	-	51	30	14	4	27	70	13	60	28
-	44	115	16	3	26	-	10	12	6	4	9	48	13	46	28
-	33	120	11	5	20	-	21	18	4	2	18	34	6	34	27
-	21	55	-	-	7	-	4	6	9	-	9	14	6	18	28
-	40	145	20	-	30	-	14	12	4	1	15	36	8	39	28
-	22	38	8	-	7	-	30	2	4	1	6	8	8	14	30
-	105	280	109	2	101	-	30	18	3	1	14	44	42	180	31
-	65	172	84	1	60	-	15	6	6	1	9	21	37	131	32
-	40	108	25	1	41	-	17	10	3	1	9	23	5	49	33
-	2	4	4	-	2	-	17	10	1	-	2	5	1	2	54
-	452	1,571	156	12	308	13	151	90	77	-	138	232	76	605	35
-	341	1,375	130	11	272	13	105	70	66	12	113	203	32	529	36
-	91	196	26	1	36	-	28	20	11	2	23	29	44	74	37
-	19	62	6	-	20	-	12	9	-	-	4	16	3	15	38
-	1	6	-	-	-	-	5	1	-	-	5	15	4	11	40
-	9	42	3	-	9	-	1	6	1	-	20	30	26	78	41
-	24	115	16	1	12	-	4	7	-	-	20	30	1	23	42
-	12	74	4	-	13	-	4	3	-	-	6	4	4	4	43
-	2	18	1	-	5	-	4	-	-	-	2	5	3	15	44
-	13	48	2	2	18	-	2	2	-	-	4	15	3	53	45
-	41	105	12	2	24	-	18	2	10	-	24	26	10	2	46
-	-	3	-	-	-	2	1	-	1	-	1	3	2	39	47
-	44	108	12	2	39	-	10	5	8	-	20	23	-	39	47
6	9,655	38,310	4,394	552	6,646	313	3,058	2,768	1,205	308	1,614	4,601	998	12,646	48
-	51	124	12	1	46	-	15	6	1	1	15	15	2	35	49
-	1 446	5,225	741	64	790	53	365	583	157	48	247	654	301	1,633	50
-	771	2 646	391	42	367	27	195	201	68	38	110	329	203	618	51
-	58	195	24	2	35	-	22	28	10	3	6	26	12	57	52
-	38	150	11	1	26	-	7	8	3	-	8	16	4	35	53
-	21	47	6	-	10	-	1	2	2	-	1	5	1	14	54
-	17	51	8	1	12	-	8	9	1	1	5	14	2	26	55
-	14	45	10	-	8	-	2	4	2	-	10	10	1	10	56
-	13	39	13	1	6	-	3	5	2	1	6	6	2	15	57
-	4	29	3	-	8	-	1	2	2	1	3	3	2	14	58
-	8	48	4	-	15	-	4	3	2	-	7	7	3	14	59
-	15	64	7	1	9	-	9	3	2	-	4	9	3	22	60
-	8	23	4	2	6	-	2	2	2	-	1	5	4	10	62
-	14	39	11	-	6	-	4	2	2	-	1	14	7	20	63
-	22	79	13	-	12	-	5	6	3	-	5	14	4	7	64
-	10	71	5	-	6	-	1	-	-	-	5	6	6	15	65
-	11	47	2	-	12	-	2	2	2	-	4	6	2	10	66
-	12	38	4	-	6	-	1	3	3	-	2	3	3	8	67
-	1	14	1	-	1	-	5	8	3	-	-	-	1	-	68
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	6	54	12	1	9	-	1	4	-	-	93	181	49	521	70
-	403	1 546	211	13	256	15	112	93	62	5	17	45	33	101	71
-	61	266	46	7	56	-	23	17	11	1	38	69	6	122	72
-	143	468	77	4	78	3	67	48	28	9	58	69	8	20	73
-	17	62	11	1	9	-	14	10	5	1	1	8	-	23	74
-	21	46	7	1	2	-	6	5	2	1	4	8	-	28	75
-	20	54	5	1	12	-	4	9	5	3	7	13	1	28	76
-	1	5	-	-	1	-	-	-	-	-	-	-	-	-	77
-	84	301	54	1	54	-	43	24	13	5	28	40	5	111	77
-	33	137	16	4	55	-	9	12	8	-	15	8	5	42	78
-	257	990	84	9	129	3	63	34	41	5	40	103	31	371	79
-	125	465	32	1	58	-	25	16	20	3	56	56	18	156	80
-	132	525	52	8	73	-	42	18	21	2	47	47	13	237	81
-	179	585	59	3	128	-	51	35	16	-	25	65	9	172	82
-	108	319	32	-	60	-	33	28	10	-	13	41	3	105	83
-	71	266	27	3	66	-	18	7	6	-	12	24	6	67	84
-	50	241	24	1	28	-	27	22	9	-	9	42	3	62	85
-	117	447	40	6	79	-	36	18	11	2	33	39	4	154	86
-	35	48	5	1	3	-	5	1	1	-	3	7	-	19	87
-	102	399	35	7	76	-	31	17	11	2	30	32	4	135	88
-	105	304	43	2	54	-	17	31	9	-	20	34	7	125	89
-	22	82	7	-	12	-	5	8	2	-	6	7	2	35	90
-	83	222	36	2	42	-	12	23	7	-	14	27	5	90	91

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, poliio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
PENNSYLVANIA--Continued															
1 Cambria	1,943	-	1	-	1	-	101	-	-	8	1	-	245	5	49
2 Johnstown	793	-	-	-	-	-	14	-	-	5	-	-	122	1	18
3 Balance of county	1,150	-	1	-	1	-	87	-	-	3	1	-	124	4	31
4 Cameron	82	-	-	-	-	-	2	-	-	-	-	-	12	-	1
5 Carbon	648	-	-	-	1	-	17	-	-	2	-	-	88	2	24
6 Centre	546	-	-	-	2	-	5	-	-	2	-	2	67	-	20
7 Chester	1,621	-	2	-	4	-	48	2	-	18	-	1	199	2	42
8 Coatesville	130	-	-	-	-	-	5	-	-	-	-	-	14	-	5
9 Phoenixville	133	-	-	-	-	-	5	-	-	1	-	-	21	-	4
10 West Chester	235	-	-	-	-	-	4	-	-	1	-	-	19	1	4
11 Balance of county	1,123	-	2	-	4	-	34	2	-	16	-	1	145	1	29
12 Clarion	393	-	-	-	2	-	5	-	-	2	2	-	43	-	32
13 Clearfield	876	-	1	-	-	1	13	2	-	3	-	-	132	2	10
14 Du Bois	145	-	-	-	-	-	3	1	-	1	-	-	27	-	4
15 Balance of county	731	-	1	-	-	1	10	1	-	2	-	-	105	2	28
16 Clinton	419	-	-	-	2	-	5	-	-	1	1	2	52	1	12
17 Lock Haven	169	-	-	-	-	-	2	-	-	-	-	1	23	1	6
18 Balance of county	250	-	-	-	2	-	3	-	-	1	1	1	25	-	6
19 Columbia	552	-	-	-	-	1	5	-	-	2	-	-	72	1	21
20 Berwick	155	-	-	-	-	-	2	-	-	1	-	-	75	-	10
21 Balance of county	397	-	-	-	-	1	3	-	-	-	-	-	15	-	11
22 Crawford	908	-	1	-	-	-	4	-	-	1	-	-	57	1	11
23 Meadville	252	-	-	-	-	-	2	-	-	-	-	-	111	-	30
24 Balance of county	656	-	1	-	-	-	2	-	-	1	-	-	32	-	26
25 Cumberland	874	-	-	-	-	2	13	-	-	5	-	-	141	-	28
26 Carlisle	192	-	-	-	-	-	3	-	-	3	-	-	31	-	7
27 Balance of county	682	-	-	-	-	2	10	-	-	3	-	-	110	-	61
28 Dauphin	2,277	-	1	-	4	3	90	-	-	36	-	1	288	1	27
29 Harrisburg	1,110	-	1	-	3	-	33	-	-	7	-	1	141	-	39
30 Steelton	119	-	-	-	-	-	7	-	-	1	-	-	18	-	4
31 Balance of county	1,048	-	-	-	1	3	50	-	-	28	-	-	129	1	24
32 Delaware	3,457	1	1	-	4	2	102	-	1	17	-	-	510	6	118
33 Chester	717	-	-	-	-	-	3	-	-	9	-	-	90	2	25
34 Eversford (twp.) ²	158	-	1	-	2	-	45	-	1	-	-	-	31	-	8
35 Upper Darby (twp.) ²	580	-	-	-	1	-	6	-	-	2	-	-	77	-	17
36 Darby	118	-	-	-	-	-	4	-	-	1	-	-	11	-	3
37 Lansdowne	142	-	-	-	-	-	1	-	-	-	-	-	24	-	5
38 Balance of county	1,742	1	-	-	1	2	45	-	-	5	-	-	286	4	64
39 Elk	319	-	1	-	-	-	2	-	-	-	-	-	44	-	10
40 Erie	2,125	-	-	-	1	-	56	-	-	12	-	-	285	1	72
41 Balance of county	1,400	-	-	-	-	-	31	-	-	8	-	-	218	1	44
42 Fayette	725	-	-	-	1	-	25	-	-	4	-	-	67	-	26
43 Connellsville	1,901	-	1	-	5	-	38	-	-	12	5	-	258	-	58
44 Uniontown	198	-	-	-	1	-	7	-	-	1	2	-	25	-	9
45 Balance of county	304	-	-	-	1	-	7	-	-	1	-	-	44	-	10
46 Forest	1,599	-	1	-	3	-	24	-	-	10	3	-	171	-	39
47 Franklin	35	-	-	-	-	-	1	-	-	-	-	-	1	-	-
48 Chambersburg	815	-	-	-	-	2	68	-	-	5	-	1	95	-	33
49 Waynesboro	210	-	-	-	-	-	8	-	-	2	-	-	31	-	8
50 Balance of county	124	-	-	-	-	1	3	-	-	1	-	1	17	-	4
51 Fulton	461	-	-	-	1	1	57	-	-	2	-	-	45	-	21
52 Greene	107	-	-	-	-	-	2	1	-	-	-	-	15	-	3
53 Huntingdon	439	-	-	-	2	-	14	-	-	1	-	-	48	-	16
54 Indiana	431	-	-	-	-	-	13	-	-	3	-	-	42	-	18
55 Indiana	769	-	-	-	-	1	12	-	-	3	-	-	101	-	21
56 Balance of county	118	-	-	-	-	-	2	-	-	-	-	-	19	-	5
57 Jefferson	653	-	-	-	-	1	10	-	-	3	-	-	82	-	16
58 Juniata	570	-	-	-	-	-	6	-	-	-	-	-	69	3	25
59 Lackawanna	134	-	-	-	-	-	1	-	-	-	-	-	13	-	3
60 Scranton	3,161	-	3	-	-	-	100	1	3	11	-	1	422	8	84
61 Carbon	1,823	-	3	-	-	-	48	-	2	4	-	1	227	5	44
62 Dickson City	203	-	-	-	-	-	4	1	-	-	-	-	31	-	7
63 Dumore	79	-	-	-	-	-	4	-	-	-	-	-	11	-	4
64 Old Forge	243	-	-	-	-	-	3	-	-	-	-	-	32	1	6
65 Balance of county	85	-	-	-	-	-	2	-	1	-	-	-	9	-	1
66 Lancaster	1,028	-	-	-	-	-	39	-	-	7	-	-	112	2	22
67 Lancaster	2,339	3	-	1	2	2	51	1	-	12	1	-	300	-	93
68 Columbia	761	1	-	-	-	1	23	-	-	5	1	-	104	-	32
69 Balance of county	142	-	-	-	-	-	8	-	-	1	-	-	18	-	11
70 Lawrence	1,436	2	-	1	2	1	20	1	-	6	-	-	178	-	50
71 New Castle	1,038	-	1	-	-	-	20	-	-	6	1	-	122	1	34
72 Ellwood City (part)	586	-	1	-	-	-	15	-	-	3	1	-	61	-	24
73 Ellwood City (total)	102	-	-	-	-	-	1	-	-	1	-	-	25	1	1
74 Balance of county	109	-	-	-	-	-	1	-	-	1	-	-	25	1	1
75 Lebanon	350	-	-	-	-	-	4	-	-	2	-	-	36	-	9
76 Lehigh	812	1	-	1	-	-	12	-	-	2	-	-	97	-	22
77 Lehigh	394	1	-	-	-	-	3	-	-	1	-	-	43	-	11
78 Allentown	418	-	-	1	-	-	9	-	-	1	-	-	54	-	11
79 Bethlehem (part)	2,067	1	2	-	-	-	53	1	1	25	-	2	315	-	84
80 Bethlehem (total)	1,233	1	2	-	-	-	37	1	1	20	-	2	195	-	50
81 Luzerne	139	-	-	-	-	-	2	-	-	2	-	-	26	-	5
82 Hazleton	695	-	-	-	-	-	14	-	-	3	-	-	94	-	38
83 Wilkes-Barre	4,240	-	1	-	3	-	161	-	1	15	-	1	548	2	161
84 Hanover (twp.) ²	573	-	-	-	-	-	9	-	-	2	-	-	41	-	19
85 Kingston	1,026	-	-	-	2	-	43	-	-	4	-	-	137	-	45
86 Nanticoke	25	-	-	-	-	-	2	-	-	-	-	-	5	-	-
87 Pittston	226	-	-	-	-	-	5	-	-	-	-	1	40	-	12
88 Plains (twp.) ²	237	-	-	-	-	-	11	-	-	-	-	-	27	-	6
89 Plymouth	221	-	-	-	-	-	10	-	-	-	-	-	28	1	9
90 Balance of county	87	-	-	-	-	-	5	-	-	-	-	-	10	-	5
91	179	-	-	-	-	-	13	-	-	-	-	-	14	-	1
92	1,866	-	1	-	1	-	63	-	1	9	-	-	246	1	66

²Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

589

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
89	85	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	148	639	91	7	102	7	76	55	20	9	30	91	11	247	1
-	84	262	35	4	36	2	29	21	9	3	10	38	6	115	2
-	84	378	56	3	66	5	47	32	11	6	20	53	5	132	3
-	7	25	1	1	6	1	4	3	-	-	2	7	-	10	4
-	49	255	26	4	47	1	10	15	9	-	10	14	3	71	5
-	64	181	28	4	29	2	22	18	9	-	11	28	3	49	6
-	155	544	57	12	107	1	51	38	23	9	41	66	11	187	7
-	8	46	4	1	6	-	7	5	4	1	4	3	1	16	8
-	5	48	8	-	8	-	4	6	2	-	4	4	-	13	9
-	23	92	6	1	14	-	10	9	3	2	4	7	1	34	10
-	119	358	39	10	78	1	30	18	14	6	29	52	9	124	11
-	47	119	21	2	32	1	19	9	2	-	11	21	2	43	12
-	91	282	27	2	67	1	19	20	5	1	21	41	6	107	13
-	14	41	5	-	15	-	3	2	1	-	-	7	-	21	14
-	77	241	22	2	52	-	16	18	4	1	21	34	6	86	15
-	50	140	24	1	14	1	20	10	2	-	6	25	1	49	16
-	24	46	5	1	6	-	10	2	1	-	1	12	-	21	17
-	26	94	19	-	8	1	10	8	1	-	5	13	1	28	18
-	51	203	18	2	34	1	11	18	5	-	13	21	4	69	19
-	21	57	6	-	7	-	7	7	2	-	4	6	1	16	20
-	30	146	12	2	27	1	11	11	3	-	9	15	3	53	21
-	102	514	37	3	48	2	30	15	5	-	21	41	14	129	22
-	35	71	12	-	12	2	13	7	2	-	5	13	4	38	23
-	67	243	25	3	36	-	17	8	3	-	16	28	10	91	24
-	69	312	17	2	70	2	26	14	13	-	14	41	4	100	25
-	14	69	1	-	20	-	9	4	2	-	1	9	-	20	26
-	55	243	16	2	50	2	17	10	11	-	13	32	4	80	27
-	186	748	79	10	210	10	51	43	18	7	41	75	14	294	28
-	96	386	25	7	105	6	27	28	11	5	27	30	10	122	29
-	7	39	5	1	12	-	2	1	1	1	-	1	1	16	30
-	83	323	49	2	93	4	21	13	6	1	14	44	3	156	31
-	307	1,207	91	24	207	17	77	116	42	10	59	117	20	393	32
-	55	210	29	8	40	6	13	44	7	3	12	32	-	84	33
-	17	59	2	1	7	-	2	2	4	-	1	5	2	19	34
-	55	237	10	-	40	2	18	25	10	-	11	17	4	56	35
-	5	50	1	1	7	-	7	6	3	1	1	4	1	13	36
-	14	55	-	-	4	-	3	4	1	-	1	5	1	22	37
-	161	596	49	13	108	9	42	35	17	6	33	54	12	199	38
-	22	91	10	-	25	2	12	12	3	-	9	25	1	50	39
-	227	724	88	8	103	4	72	55	29	4	52	70	19	243	40
-	142	489	54	6	58	2	49	42	21	4	29	45	4	153	41
-	85	235	34	2	45	2	23	13	8	-	23	25	15	90	42
-	195	965	99	7	130	4	68	54	24	7	37	109	26	219	43
-	23	57	8	-	14	-	7	6	5	1	3	6	-	25	44
-	36	91	10	1	18	-	10	8	5	-	9	15	9	28	45
-	136	417	81	6	98	4	51	40	14	6	25	88	17	185	46
-	7	11	1	1	1	-	1	-	-	-	5	5	-	5	47
-	1	74	31	1	61	1	22	9	10	-	19	26	1	61	48
-	19	77	10	-	17	-	2	1	2	-	8	9	-	16	49
-	10	52	2	-	9	-	1	5	1	-	3	2	-	12	50
-	1	45	19	1	35	1	19	3	7	-	8	15	1	33	51
-	9	31	6	-	10	1	2	2	-	-	2	3	-	18	52
-	56	106	27	3	28	-	17	3	6	1	8	26	6	42	53
-	63	131	15	3	30	1	10	2	2	-	6	18	9	63	54
-	76	264	25	5	35	4	29	6	1	1	24	59	7	67	55
-	16	43	3	-	5	4	4	3	1	-	4	4	-	8	56
-	60	221	22	5	32	3	25	26	5	1	20	55	7	59	57
-	52	182	18	1	53	-	18	20	3	1	16	33	5	65	58
-	4	51	5	-	21	-	3	4	-	-	5	5	1	18	59
-	231	1,209	96	6	203	8	64	56	24	8	42	148	20	413	60
-	137	559	50	4	81	2	30	22	8	5	69	8	8	190	61
-	12	70	4	-	22	2	5	6	-	-	2	9	1	27	62
-	4	24	4	-	6	-	-	2	1	-	1	2	2	13	63
-	15	96	5	1	26	-	4	4	4	1	2	7	1	33	64
-	6	36	3	-	12	-	1	-	-	-	1	4	-	9	65
-	57	424	30	1	56	3	24	20	11	2	12	57	8	141	66
-	242	779	108	4	139	6	56	63	29	3	44	94	12	294	67
-	77	251	39	-	30	1	21	11	2	2	18	26	2	87	68
-	20	40	7	-	7	-	2	5	1	1	2	4	1	14	69
-	145	488	63	4	102	5	33	28	17	-	24	64	9	193	70
-	85	352	62	5	49	1	21	25	8	1	14	55	11	154	71
-	55	197	38	2	27	1	12	14	4	1	8	34	3	85	72
-	7	34	2	-	6	-	1	4	-	-	-	2	2	15	73
-	8	39	2	-	7	-	1	4	-	-	-	2	2	15	74
-	33	121	22	3	16	-	8	7	4	-	6	19	6	54	75
-	67	283	32	2	98	1	26	21	6	-	18	38	3	82	76
-	37	144	18	1	40	-	14	9	2	-	6	17	7	47	77
-	30	139	14	1	59	1	12	12	4	-	12	21	3	35	78
-	171	710	62	34	96	2	59	49	29	1	31	74	8	247	79
-	95	415	34	21	47	-	35	35	17	-	13	44	4	164	80
-	10	38	6	-	7	-	9	-	2	-	5	9	-	15	81
-	66	257	26	7	42	2	15	14	10	1	13	21	4	68	82
-	282	1,396	164	14	307	25	119	116	39	-	59	222	53	547	83
-	31	150	8	-	23	1	12	21	2	-	9	16	7	41	84
-	62	341	38	3	68	7	29	26	10	3	14	49	8	139	85
-	3	6	-	-	-	-	1	-	-	-	1	3	2	2	86
-	15	56	8	-	22	1	8	9	3	-	5	12	3	26	87
-	19	76	8	1	13	-	7	4	1	-	2	13	11	39	88
-	18	69	10	4	20	3	10	4	2	-	3	9	-	25	89
-	10	29	2	1	5	-	3	1	1	-	-	2	-	13	90
-	11	52	7	1	14	-	7	1	3	-	-	4	2	30	91
-	113	637	83	7	142	13	42	51	17	1	21	98	20	233	92

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuber-culosis (all forms)	Dysen-tery	Malaria	Syph-illis	Measles	Polio-myelitis, polio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	56	61
PENNSYLVANIA—Con.															
1 Lycoming	1,132	-	-	-	-	-	19	-	-	4	-	1	137	-	47
2 Williamsport	601	-	-	-	-	-	15	-	-	3	-	-	81	-	32
3 Balance of county	531	-	-	-	-	-	4	-	-	1	-	1	56	-	15
4 McKean	593	-	-	-	1	-	5	-	-	-	-	-	79	2	21
5 Bradford	223	-	-	-	-	-	1	-	-	-	-	-	37	2	12
6 Balance of county	370	-	-	-	1	-	4	-	-	-	-	-	42	-	9
7 Mercer	1,104	-	-	-	5	-	22	-	-	9	2	-	164	1	35
8 Sharon	274	-	-	-	-	-	4	-	-	2	-	-	41	-	9
9 Farrall	111	-	-	-	1	-	8	-	-	1	-	-	16	-	5
10 Balance of county	719	-	-	-	4	-	10	-	-	6	2	-	107	1	21
11 Mifflin	460	-	-	-	1	-	14	-	-	3	1	-	37	1	16
12 Lewisburg	189	-	-	-	-	-	2	-	-	2	-	-	15	-	9
13 Balance of county	272	-	-	-	1	-	12	-	-	1	1	-	22	1	7
14 Monroe	369	-	-	1	1	-	5	-	-	4	-	-	49	-	13
15 Montgomery	3,456	1	1	1	1	2	99	-	1	36	-	1	456	2	112
16 Lower Merion (twp.) ²	378	1	-	1	-	-	5	-	-	3	-	1	64	1	9
17 Norristown	776	-	-	-	-	-	37	-	-	25	-	-	63	-	20
18 Abington (twp.) ²	182	-	-	-	1	-	2	-	-	-	-	-	30	-	6
19 Cheltenham (twp.) ²	186	-	-	-	-	-	4	-	-	-	-	-	26	1	8
20 Conshohocken	143	-	-	-	-	2	4	-	-	-	-	-	20	-	3
21 Pottstown	259	-	-	-	-	-	12	-	-	-	-	-	38	-	11
22 Balance of county	1,528	-	1	-	-	-	35	-	1	8	-	-	215	-	55
23 Montour	301	-	-	-	-	-	18	-	-	14	-	-	31	-	13
24 Northampton	1,833	-	1	-	-	-	35	-	-	10	-	-	265	-	95
25 Bethlehem (part)	485	-	-	-	-	-	7	-	-	3	-	-	64	-	28
26 Bethlehem (total)	684	-	-	-	-	-	9	-	-	5	-	-	110	-	34
27 Easton	502	-	-	-	-	-	10	-	-	2	-	-	80	-	23
28 Balance of county	846	-	1	-	-	-	18	-	-	5	-	-	101	-	44
29 Northumberland	1,338	-	-	-	-	-	35	-	-	6	-	-	157	1	63
30 Mount Carmel	171	-	-	-	-	-	8	-	-	-	-	-	15	-	6
31 Shamokin	268	-	-	-	-	-	9	-	-	1	-	-	40	-	12
32 Sunbury	211	-	-	-	-	-	1	-	-	1	-	-	21	1	10
33 Balance of county	888	-	-	-	-	-	18	-	-	4	-	-	61	-	35
34 Perry	269	-	1	-	-	-	10	-	-	-	1	-	30	-	8
35 Philadelphia, coextensive with Philadelphia (city)	24,129	3	15	3	16	7	1,046	5	-	260	2	6	3,534	16	715
36 Pike	118	-	-	-	1	-	3	-	-	-	-	-	18	-	6
37 Potter	221	-	-	-	1	-	1	-	-	1	-	-	29	-	6
38 Schuylkill	2,408	-	1	-	1	2	82	-	-	6	-	1	325	3	120
39 Mahanoy City	150	-	-	-	-	-	10	-	-	-	-	-	25	-	7
40 Portsville	309	-	-	-	-	-	3	-	-	1	-	-	40	1	17
41 Shenandoah	210	-	-	-	-	-	10	-	-	1	-	-	27	-	9
42 Tamaqua	145	-	-	-	-	-	3	-	-	2	-	-	18	-	11
43 Balance of county	1,522	-	1	-	1	2	56	-	-	2	-	1	214	2	76
44 Snyder	248	-	-	-	-	3	9	-	-	-	-	-	26	1	6
45 Somerset	800	-	-	-	-	-	10	-	-	10	-	-	88	1	27
46 Sullivan	81	-	-	1	-	-	1	-	-	-	-	-	7	-	2
47 Susquehanna	347	-	1	-	-	-	2	1	-	-	-	-	46	-	7
48 Tioga	428	-	-	1	-	-	4	-	-	1	-	-	51	-	7
49 Union	277	-	-	-	-	-	6	-	-	-	-	-	24	1	10
50 Venango	774	-	-	-	-	-	28	1	-	4	1	-	96	1	18
51 Oil City	251	-	-	-	-	-	4	1	-	-	-	-	31	-	5
52 Balance of county	523	-	-	-	-	-	24	-	-	4	1	-	65	1	15
53 Warren	722	-	-	-	-	-	19	-	-	19	-	2	86	-	18
54 Warren	214	-	-	-	-	-	2	-	-	-	-	-	36	-	8
55 Balance of county	508	-	-	-	-	-	17	-	-	19	-	2	50	-	12
56 Washington	1,962	1	-	1	4	-	41	-	-	12	2	1	232	1	50
57 Washington	378	-	-	-	1	-	2	-	-	4	-	-	44	-	16
58 Canonsburg	93	-	-	-	-	-	2	-	-	2	1	-	11	-	2
59 Charleroi	102	-	-	-	-	-	-	-	-	-	-	-	12	-	3
60 Donora	100	-	-	-	-	-	-	-	-	3	-	-	17	-	4
61 Balance of county	1,289	1	-	1	3	-	37	-	-	3	1	1	148	1	25
62 Wayne	390	-	-	-	-	-	19	-	-	3	-	-	50	-	12
63 Westmoreland	2,869	1	2	1	1	1	89	-	-	33	3	1	549	1	87
64 Arnold	62	-	-	-	-	-	2	-	-	-	-	1	6	-	2
65 Greensburg	199	1	-	-	-	-	3	-	-	-	-	-	32	-	7
66 Jeannette	135	-	-	-	-	-	1	-	-	1	-	-	19	-	1
67 Latrobe	137	-	-	-	-	-	5	-	-	-	-	-	17	-	3
68 Monessen	168	-	-	-	-	-	6	-	-	2	-	-	21	-	5
69 New Kensington	238	-	-	-	-	-	5	-	-	-	-	-	32	-	7
70 Vandergrift	74	-	-	-	-	-	4	-	-	-	-	-	9	-	3
71 Balance of county	1,856	-	2	1	1	-	63	-	-	50	5	-	213	1	59
72 Wyoming	177	-	-	-	-	-	3	-	-	2	-	-	24	1	10
73 York	1,948	1	-	-	3	-	28	-	-	4	-	5	243	1	53
74 York	770	-	-	-	1	-	12	-	-	-	-	3	112	1	17
75 Hanover	184	-	-	-	1	-	3	-	-	1	-	-	19	-	7
76 Balance of county	994	1	-	-	1	-	13	-	-	3	-	2	112	-	29
RHODE ISLAND															
78 Bristol	287	1	-	-	-	-	9	-	-	-	-	2	45	-	10
79 Bristol (town)	136	-	-	-	-	-	8	-	-	-	-	-	19	-	4
80 Balance of county	151	1	-	-	-	-	1	-	-	-	-	2	24	-	6
81 Kent	683	1	1	-	1	-	13	-	-	3	2	-	126	-	20
82 Warwick	380	1	1	-	-	-	6	-	-	2	-	-	71	-	16
83 West Warwick (town)	180	-	-	-	1	-	3	-	-	-	1	-	33	-	1
84 Balance of county	133	-	-	-	-	-	4	-	-	1	-	-	22	-	3
85 Newport	581	-	1	-	1	1	18	-	-	3	-	2	73	-	21
86 Newport	380	-	-	-	1	-	16	-	-	3	-	-	48	-	17
87 Balance of county	301	-	1	-	-	1	2	-	-	-	-	2	25	-	4
88 Providence	6,408	1	2	-	2	4	190	-	-	39	2	1	940	1	224
89 Providence	2,832	-	1	-	-	2	70	-	-	18	1	-	419	1	122
90 Central Falls	208	-	-	-	-	-	4	-	-	-	-	-	34	-	3
91 Cranston	876	-	-	-	-	-	41	-	-	15	-	-	93	-	21

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

591

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined, and unknown causes	All other causes	
69	83	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	113	415	29	1	56	4	35	35	17	1	18	51	5	144	1
-	42	215	11	1	29	2	26	26	6	1	8	29	1	73	2
-	71	200	18	-	27	2	9	9	11	-	10	22	4	71	3
-	70	190	14	3	26	3	22	20	12	-	10	34	8	73	4
-	18	64	8	1	9	1	12	10	6	-	2	14	4	22	5
-	52	126	6	2	17	2	10	10	6	-	8	20	4	51	6
-	110	327	44	5	86	3	33	32	14	1	32	58	3	118	7
-	24	83	14	2	17	-	15	4	6	-	5	20	1	27	8
-	9	30	5	-	2	2	1	8	2	1	3	6	-	13	9
-	77	214	25	3	67	3	17	20	6	-	24	32	2	78	10
-	25	158	14	6	58	6	18	23	4	1	5	19	7	43	11
-	9	71	1	4	27	2	2	12	3	-	4	5	2	18	12
-	16	87	13	2	31	4	16	11	1	1	1	14	5	25	13
-	29	116	16	2	30	9	9	7	5	-	8	15	11	49	14
-	275	1,323	107	10	234	6	97	74	41	4	72	115	16	369	15
-	34	144	9	1	22	1	7	4	5	-	12	16	1	37	16
-	71	311	26	4	36	2	24	19	5	-	5	34	11	85	17
-	18	72	4	9	9	-	3	3	3	-	2	7	-	25	18
-	20	71	1	1	17	-	-	3	3	-	1	4	-	24	19
-	10	56	10	-	10	-	7	5	-	-	3	6	-	12	20
-	18	81	8	1	30	-	11	10	5	1	4	7	-	22	21
-	104	588	45	3	115	3	45	30	23	3	45	41	4	164	22
-	21	108	25	-	16	4	4	2	7	1	1	5	3	32	23
-	203	626	61	22	73	5	44	43	20	1	27	63	9	250	24
-	54	148	16	9	23	1	11	18	8	1	4	15	1	54	25
-	64	186	18	15	30	1	20	18	10	1	9	24	1	69	26
-	55	179	14	1	15	2	8	12	3	-	9	18	3	68	27
-	94	299	31	12	35	2	25	13	9	-	14	30	5	108	28
-	103	470	54	8	100	2	48	36	11	2	21	62	7	155	29
-	12	46	14	2	10	1	6	6	2	1	2	14	1	25	30
-	13	96	13	2	18	-	8	5	1	-	5	10	1	34	31
-	24	74	4	1	27	-	7	8	1	-	5	6	-	21	32
-	54	254	23	3	45	2	24	17	7	1	9	32	5	75	33
-	36	94	11	4	24	1	10	4	2	1	7	6	-	18	34
3	1,678	8,861	964	166	1,378	68	640	604	227	131	257	864	171	2,489	35
-	9	44	3	-	8	-	2	2	1	-	7	3	-	10	36
-	21	89	6	1	9	-	7	4	8	1	3	10	2	24	37
-	188	771	82	7	151	11	62	63	24	6	26	109	20	345	38
-	17	47	2	-	11	-	3	1	2	-	-	3	1	20	39
-	23	112	12	2	16	1	20	11	4	-	3	15	1	27	40
-	14	60	7	2	15	1	5	6	-	-	1	7	1	43	41
-	10	64	2	1	6	-	2	1	1	-	-	7	-	17	42
-	124	468	59	2	103	8	32	44	17	6	22	77	17	238	43
-	23	90	14	1	11	4	5	4	1	-	5	7	6	36	44
-	74	267	37	4	45	2	18	19	11	-	12	59	7	109	45
-	10	32	2	2	-	-	2	-	1	-	4	-	1	16	46
-	43	130	13	2	16	2	5	2	5	1	4	11	9	47	47
-	44	169	12	1	17	2	13	6	9	-	9	21	-	61	48
-	23	101	8	1	14	-	5	5	3	1	1	8	2	25	49
-	75	266	37	5	29	-	20	15	4	1	15	50	3	105	50
-	28	95	12	1	10	-	9	6	-	-	3	11	1	34	51
-	47	171	25	3	19	-	11	9	4	1	12	39	2	71	52
-	76	269	31	4	23	1	11	11	10	1	9	25	4	105	53
-	17	80	9	4	4	-	4	4	3	-	1	1	2	45	54
-	59	189	22	3	19	-	7	7	7	-	8	24	2	60	55
-	208	634	82	2	114	6	65	55	36	11	34	107	22	234	56
-	46	119	15	2	22	2	15	20	6	4	6	9	4	41	57
-	9	31	4	-	5	-	3	2	-	1	1	4	-	15	58
-	10	40	6	-	9	-	3	2	2	-	1	4	-	10	59
-	8	27	4	1	6	-	2	5	3	-	2	5	1	11	60
-	135	417	53	6	72	3	42	26	25	6	24	85	17	157	61
-	44	111	12	3	35	-	8	8	2	-	5	14	5	50	62
-	242	987	140	10	144	6	91	107	30	8	56	133	35	332	63
-	3	26	2	-	2	-	4	3	-	-	-	4	-	7	64
-	19	70	6	-	4	-	9	11	2	2	4	5	1	21	65
-	12	51	6	1	1	1	3	8	2	2	1	7	-	19	66
-	9	54	7	1	7	-	5	3	1	-	4	9	-	12	67
-	16	43	10	4	13	-	7	10	2	1	6	9	1	12	68
-	21	83	5	1	14	-	9	12	2	2	1	13	3	28	69
-	6	20	7	-	5	-	2	2	-	-	1	4	1	10	70
-	158	640	95	4	98	5	52	58	21	1	39	92	9	223	71
-	20	62	3	-	15	1	4	6	-	-	2	8	5	11	72
-	251	663	64	9	130	4	76	46	33	3	44	74	11	202	73
-	96	262	23	6	57	2	28	20	20	1	15	27	2	85	74
-	18	59	4	-	17	-	12	4	2	-	3	9	4	20	75
-	137	342	37	3	56	1	36	22	11	2	26	38	5	117	76
1	683	3,151	269	32	517	17	246	185	71	11	103	305	27	914	77
-	34	90	11	2	26	1	8	4	4	1	2	9	1	29	78
-	21	36	6	-	16	-	3	2	2	-	1	5	-	13	79
-	13	54	5	2	10	1	5	2	2	1	1	4	1	16	80
-	61	243	15	3	43	1	19	18	4	-	9	25	-	85	81
-	34	141	5	2	18	-	6	12	-	-	2	18	-	44	82
-	12	59	7	1	10	-	10	4	4	-	4	5	-	27	83
-	15	43	3	-	14	1	3	2	2	-	3	2	-	14	84
-	55	228	9	2	31	1	20	20	4	1	6	19	2	63	85
-	36	150	7	-	15	1	12	13	2	-	3	10	-	45	86
-	19	78	2	2	16	-	8	7	2	1	3	9	-	18	87
1	508	2,449	228	24	385	12	182	125	54	9	78	234	23	678	88
1	247	1,065	92	10	156	8	83	59	22	2	34	98	18	304	89
-	14	74	5	2	22	-	8	5	2	-	3	8	-	22	90
-	66	374	49	1	44	1	14	3	6	-	2	46	-	100	91

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
12	RHODE ISLAND—Con.															
	Providence—Continued															
1	East Providence (town)---	352	-	-	-	-	-	5	-	-	-	-	1	62	-	11
2	Pawtucket-----	878	1	1	-	2	2	15	-	-	3	-	-	126	-	33
3	Woonsocket-----	504	-	-	-	-	-	12	-	-	2	-	-	86	-	10
4	Cumberland (town)---	106	-	-	-	-	-	1	-	-	-	-	-	23	-	3
5	Johnston (town)---	90	-	-	-	-	-	2	-	-	1	-	-	14	-	3
6	Lincoln (town)---	101	-	-	-	-	-	2	-	-	-	-	-	19	-	3
7	North Providence (town)---	115	-	-	-	-	-	4	-	-	-	-	-	18	-	3
8	Balance of county-----	346	-	-	-	-	-	34	-	-	-	1	-	46	-	12
9	Washington-----	401	-	-	-	-	-	3	-	-	-	2	-	59	-	14
10	Westerly (town)---	124	-	-	-	-	-	2	-	-	-	1	-	20	-	2
11	Balance of county-----	277	-	-	-	-	-	1	-	-	-	1	-	39	-	12
12	SOUTH CAROLINA-----	17,230	15	12	1	57	33	567	16	19	251	19	4	1,409	27	349
13	Abbeville-----	174	-	-	-	1	-	2	-	-	1	1	-	15	-	3
14	Atken-----	415	-	-	-	3	2	12	-	-	5	-	-	35	-	7
15	Allendale-----	105	-	-	-	1	-	5	-	-	3	-	-	8	-	5
16	Anderson-----	664	-	1	-	1	7	9	-	-	2	-	-	64	1	12
17	Anderson-----	253	-	-	-	-	5	3	-	-	1	-	-	20	1	3
18	Balance of county-----	411	-	-	-	1	2	5	-	-	1	-	-	44	-	9
19	Bamberg-----	160	2	-	-	-	-	5	-	-	2	-	-	11	-	4
20	Barnwell-----	169	1	-	-	-	-	5	-	-	1	-	-	14	-	5
21	Beaufort-----	240	-	-	-	5	-	9	1	-	5	-	-	15	1	2
22	Berkeley-----	225	-	-	-	-	-	3	-	2	1	-	-	12	-	1
23	Calhoun-----	158	-	-	-	1	1	4	-	-	-	-	-	12	-	4
24	Charleston-----	1,459	1	1	1	1	1	57	-	-	37	2	-	139	1	33
25	Charleston-----	793	1	-	-	-	1	30	-	-	26	1	-	83	1	23
26	Balance of county-----	666	-	-	-	1	-	27	-	-	11	1	-	56	-	10
27	Cherokee-----	231	-	-	-	-	1	5	-	-	1	-	-	27	-	4
28	Chester-----	258	-	-	-	1	-	5	-	-	7	-	-	26	1	9
29	Chesterfield-----	244	-	-	-	1	2	3	-	2	1	-	-	16	1	3
30	Clarendon-----	258	-	-	-	2	-	12	-	2	1	-	-	20	-	2
31	Colleton-----	262	2	-	-	-	1	9	-	1	2	-	-	20	-	6
32	Darlington-----	433	1	-	-	1	3	9	-	1	3	1	2	39	2	4
33	Dillon-----	239	-	-	-	-	1	8	-	1	44	-	-	11	1	3
34	Dorchester-----	215	1	-	-	1	-	13	-	1	2	-	-	18	-	7
35	Edgefield-----	124	-	-	-	2	-	1	-	-	2	-	-	17	-	4
36	Fairfield-----	173	-	-	-	-	-	4	-	-	2	-	-	13	-	6
37	Florence-----	675	1	-	-	1	-	25	4	1	6	1	-	43	-	11
38	Florence-----	273	-	-	-	-	-	10	2	-	2	-	-	21	-	7
39	Balance of county-----	402	1	1	-	1	-	15	2	1	4	1	-	22	-	4
40	Georgetown-----	236	-	-	-	-	-	7	-	-	-	-	-	17	1	3
41	Greenville-----	1,323	1	2	-	4	1	30	-	-	16	1	1	136	4	37
42	Greenville-----	515	-	1	-	3	-	12	-	-	9	-	1	56	3	13
43	Balance of county-----	808	1	1	-	1	1	18	-	-	7	1	-	60	1	24
44	Greenwood-----	313	-	1	-	2	2	3	-	-	3	-	-	25	1	5
45	Greenwood-----	128	-	-	-	-	2	3	-	-	1	-	-	10	-	1
46	Balance of county-----	185	-	1	-	2	-	-	-	-	2	-	-	15	1	4
47	Hampton-----	171	-	-	-	-	-	12	-	1	3	1	-	14	-	3
48	Horry-----	409	-	-	-	1	2	12	-	1	9	1	-	26	1	2
49	Jasper-----	93	-	-	-	-	-	6	-	-	-	-	-	8	-	2
50	Kershaw-----	283	-	-	-	1	-	7	-	-	2	-	-	23	1	8
51	Lancaster-----	204	-	-	-	1	2	6	-	-	1	1	-	19	-	1
52	Laurens-----	375	-	-	-	1	-	7	-	-	1	-	-	39	-	6
53	Lee-----	169	-	-	-	1	1	6	-	-	1	-	-	17	-	5
54	Lexington-----	558	-	-	-	1	1	8	1	-	3	-	-	35	2	7
55	McCormick-----	111	-	-	-	1	-	1	2	-	-	-	-	4	-	1
56	Marion-----	259	-	-	-	1	-	7	1	-	4	-	-	12	-	8
57	Marlboro-----	307	-	-	-	2	-	7	1	-	2	5	-	18	-	7
58	Newberry-----	248	-	-	-	-	-	6	-	-	-	-	-	25	1	7
59	Oconee-----	293	-	1	-	-	2	4	1	-	-	-	-	23	-	9
60	Orangeburg-----	640	1	-	1	-	-	22	-	5	4	-	-	46	2	21
61	Orangeburg-----	134	1	-	-	-	-	6	-	1	2	-	-	15	-	6
62	Balance of county-----	506	-	-	-	1	-	16	-	4	2	-	-	31	2	15
63	Pickens-----	253	-	-	-	1	-	12	1	-	1	-	-	28	-	6
64	Richland-----	1,582	-	1	1	2	2	102	-	-	99	-	-	111	-	29
65	Columbia-----	1,010	-	-	1	-	1	41	-	-	26	-	-	81	-	22
66	Balance of county-----	572	-	1	-	2	1	61	-	-	73	-	-	30	-	7
67	Saluda-----	104	1	-	-	1	-	3	-	-	-	-	-	6	-	2
68	Spartanburg-----	1,054	2	-	-	7	-	22	1	-	4	-	-	63	3	20
69	Spartanburg-----	362	-	-	-	4	-	10	-	-	-	-	-	24	1	7
70	Balance of county-----	692	2	-	-	3	-	12	1	-	2	-	-	39	2	13
71	Sumter-----	473	1	-	-	4	-	12	1	1	2	3	-	34	2	8
72	Sumter-----	152	-	-	-	1	-	6	-	-	-	-	-	18	-	1
73	Balance of county-----	321	1	-	-	3	-	6	1	1	2	3	-	16	2	7
74	Union-----	249	-	-	-	1	-	13	-	-	-	1	-	15	-	6
75	Williamsburg-----	369	-	-	-	-	1	19	1	1	4	-	-	20	-	2
76	York-----	473	-	1	-	2	1	22	1	1	4	-	1	51	1	8
77	Rock Hill-----	156	-	-	-	-	-	11	-	-	3	-	1	20	1	1
78	Balance of county-----	317	-	1	-	2	1	11	1	1	1	-	-	31	-	7
79	SOUTH DAKOTA-----	5,730	-	2	-	12	-	167	1	-	34	2	2	769	7	144
80	Armstrong-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81	Aurora-----	44	-	-	-	-	-	1	-	-	-	-	-	5	2	1
82	Beadle-----	180	-	-	-	1	-	-	-	-	-	-	-	21	-	5
83	Buron-----	129	-	-	-	1	-	-	-	-	-	-	-	15	-	2
84	Balance of county-----	51	-	-	-	-	-	-	-	-	-	-	-	6	-	3
85	Bennett-----	27	-	-	-	-	-	2	-	-	-	-	-	3	-	1
86	Bon Homme-----	69	-	-	-	-	-	1	-	-	-	-	-	13	-	1
87	Brookings-----	129	-	1	-	-	-	1	-	-	1	-	-	17	-	6
88	Brown-----	280	-	-	-	-	-	3	-	-	-	-	-	38	-	5
89	Aberdeen-----	173	-	-	-	-	-	2	-	-	-	-	-	25	-	4
90	Balance of county-----	87	-	-	-	-	-	1	-	-	-	-	-	13	-	1

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

593

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1939 revision.)

Poliagra (except alcohol)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Eneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Hemi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	85	90-95	107- 109,33	119,120	150-152	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	28	144	8	-	23	-	9	11	3	-	7	13	1	26	1
-	58	359	35	4	69	2	19	15	6	4	13	29	-	84	2
-	36	176	19	2	30	1	26	15	5	2	9	17	-	57	3
-	7	27	5	1	10	-	5	2	-	-	2	6	-	14	4
-	6	33	3	2	7	-	3	1	-	-	2	3	-	11	5
-	7	34	3	2	4	-	3	3	-	-	2	2	-	13	6
-	10	40	4	2	7	-	3	3	-	-	2	2	-	15	7
-	29	123	8	2	23	-	9	6	-	-	1	9	-	32	8
-	25	141	6	1	22	-	17	18	-	-	8	18	-	59	9
-	10	48	2	1	4	-	3	4	-	-	4	7	-	15	10
-	15	93	4	1	18	-	14	14	-	-	4	11	-	44	11
40	1,819	4,151	1,061	125	1,409	155	629	704	121	285	529	905	865	1,786	12
1	15	46	14	1	21	1	8	6	3	6	6	10	3	10	13
1	52	114	31	2	54	5	6	12	1	4	16	23	13	37	14
4	7	31	4	-	10	1	1	5	-	1	1	6	8	7	15
4	67	187	44	2	67	3	30	22	6	12	20	28	6	70	16
3	26	77	11	1	21	2	12	15	3	4	5	14	-	25	17
1	41	110	35	1	46	1	16	7	3	8	15	14	6	45	18
1	29	43	8	-	15	7	3	5	-	-	2	4	9	6	19
-	22	39	14	4	11	1	7	2	2	4	9	10	8	10	20
4	33	54	17	-	10	5	8	5	6	4	10	17	19	19	21
1	20	32	10	-	17	3	2	7	-	7	6	20	29	23	22
1	102	313	47	4	66	11	55	57	11	27	45	84	207	137	24
1	53	199	28	3	45	5	21	28	8	14	21	40	83	78	25
1	49	114	19	1	41	6	54	29	3	15	24	44	124	58	26
1	16	72	17	2	15	1	9	5	-	5	7	15	1	25	27
1	30	77	17	1	15	2	11	8	1	2	7	9	8	23	28
1	18	76	19	1	20	5	8	21	1	2	3	15	15	29	30
1	36	71	11	3	9	2	8	6	-	5	6	12	51	20	31
2	20	73	7	-	29	5	5	4	2	2	7	7	21	33	32
1	51	88	46	-	40	2	25	9	2	6	17	22	14	44	32
1	33	59	19	2	20	2	7	23	1	5	8	12	6	13	33
2	24	40	12	2	25	1	6	8	-	-	3	13	20	17	34
1	21	33	10	1	10	1	2	1	1	2	6	4	4	13	35
2	25	39	7	2	24	2	2	2	1	2	6	4	12	11	36
2	92	150	43	7	29	12	38	35	5	20	14	30	38	66	37
2	37	63	12	2	15	5	17	16	3	10	4	12	13	24	38
2	40	87	31	3	16	7	21	3	2	10	10	18	25	42	39
7	125	391	76	5	16	2	3	9	1	2	9	15	15	14	40
1	48	134	25	3	57	16	49	69	10	28	54	44	14	132	41
6	77	257	51	4	71	11	19	41	5	16	16	15	5	53	42
-	33	95	13	-	42	3	30	28	10	10	38	29	9	79	43
-	17	48	6	-	47	1	7	6	2	7	13	21	2	24	44
-	16	47	7	-	11	-	5	5	1	-	4	6	2	8	45
-	17	42	19	-	36	1	2	1	1	7	9	15	2	15	46
-	43	89	29	1	15	1	4	4	1	2	10	10	8	15	47
-	8	18	6	-	19	3	23	38	2	10	25	25	24	25	48
-	30	63	19	2	8	5	11	5	-	1	6	3	10	9	49
-	19	40	9	2	24	1	11	8	2	3	8	21	16	31	50
-	40	114	22	4	63	2	14	8	-	4	3	3	14	30	51
-	18	42	13	2	27	2	14	8	1	6	12	13	13	34	52
-	45	99	15	2	34	2	2	2	3	4	10	11	11	54	53
-	5	15	7	-	5	2	20	23	5	5	8	14	17	24	54
-	29	56	29	3	21	4	4	4	3	1	1	10	10	11	55
-	42	76	17	5	34	6	6	11	1	7	9	11	11	30	56
1	32	47	17	-	21	3	13	17	3	8	10	12	4	32	57
1	30	72	30	3	31	5	13	4	2	5	6	13	13	22	58
-	68	151	30	3	57	3	13	13	5	-	16	6	6	26	59
-	13	26	6	1	25	4	23	32	1	13	16	32	54	58	60
-	55	105	24	8	66	5	7	10	-	2	4	6	1	11	61
5	32	68	9	1	18	1	16	22	1	11	12	26	53	47	62
3	118	309	83	25	50	5	9	13	2	2	13	7	5	26	63
3	91	205	62	5	10	1	45	69	10	15	27	51	11	326	64
-	27	104	21	20	87	6	38	56	9	11	18	33	10	207	65
-	13	25	2	2	60	2	7	13	1	4	9	18	1	119	66
1	102	262	75	8	17	2	2	4	-	3	3	3	9	67	67
1	27	91	27	1	98	11	44	49	10	16	41	46	25	124	68
1	75	171	48	7	46	2	12	13	4	8	14	20	9	40	69
-	57	119	43	-	52	3	32	36	6	8	27	26	16	84	70
-	17	46	10	-	17	1	17	9	5	9	9	20	18	44	71
-	40	73	33	-	52	3	7	5	2	2	3	5	3	14	72
-	38	63	11	1	11	1	10	4	3	7	6	15	15	30	73
-	42	60	27	4	41	2	9	7	4	3	12	8	8	29	74
1	56	113	35	3	25	3	22	11	3	3	15	18	48	27	75
1	17	40	7	-	39	3	16	12	3	4	16	25	14	40	76
1	39	73	28	3	17	1	5	1	3	1	8	8	3	8	77
-	-	-	-	-	22	2	11	11	-	3	8	17	11	32	78
-	547	1,674	236	28	275	17	189	181	55	6	164	313	179	724	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	3	8	1	-	4	-	-	1	-	-	3	3	2	10	81
-	26	65	10	-	6	1	3	3	2	-	6	8	2	21	82
-	19	48	7	-	5	-	2	2	-	-	3	5	2	17	83
-	7	17	3	-	1	1	1	2	-	-	3	3	-	4	84
-	1	5	-	-	1	1	1	-	-	-	-	-	-	3	85
-	13	12	2	-	3	-	2	1	-	-	4	2	7	7	86
-	21	35	7	-	7	-	1	7	-	-	5	6	-	12	87
-	23	83	11	2	17	-	8	16	-	-	15	11	1	29	88
-	12	59	5	2	12	-	5	12	-	-	6	6	-	21	89
-	11	24	6	-	5	-	3	4	-	-	5	5	1	8	90

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND (By place of residence. Exclusive of stillbirths and of deaths among armed forces)

	AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuber-culosis (all forms)	Dysen-tery	Malaria	Syph-illis	Measles	Folic-myelitis, polio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
			1,2	6	8	9	10	15-22	27	28	30	35	36	45-55	58	61
SOUTH DAKOTA—Con.																
1	Brule	54	-	-	-	-	-	-	-	-	1	-	-	9	-	1
2	Buffalo	17	-	-	-	-	-	3	-	-	-	-	-	1	-	1
3	Butte	75	-	-	-	1	-	-	-	-	-	-	-	11	-	-
4	Campbell	25	-	-	-	-	-	-	-	-	-	-	-	2	-	-
5	Charles Mix	115	-	-	-	1	-	4	-	-	1	-	-	15	-	1
6	Clark	68	-	-	-	-	-	1	-	-	-	-	-	12	-	1
7	Clay	80	-	-	-	-	-	-	-	-	-	-	-	7	1	2
8	Codington	186	-	-	-	-	-	2	-	-	1	1	-	27	-	8
9	Watertown	140	-	-	-	-	-	-	-	-	1	1	-	23	-	7
10	Balance of county	46	-	-	-	-	-	2	-	-	1	-	-	4	-	1
11	Corson	37	-	-	-	-	-	6	-	-	-	-	-	5	-	-
12	Custer	52	-	-	-	-	-	9	-	-	-	-	-	3	-	3
13	DeWitt	223	-	-	-	-	-	2	-	-	-	-	-	34	-	10
14	Mitchell	196	-	-	-	-	-	2	-	-	-	-	-	30	-	7
15	Balance of county	27	-	-	-	-	-	-	-	-	-	-	-	4	-	3
16	Day	118	-	-	-	-	-	1	-	-	-	-	-	13	-	2
17	Deuel	66	-	-	-	-	-	-	-	-	-	-	-	9	-	2
18	DeWey	43	-	-	-	-	-	6	-	-	-	-	-	6	-	1
19	Douglas	33	-	-	-	-	-	1	-	-	-	-	-	6	-	3
20	Edmunds	53	-	-	-	-	-	3	-	-	-	-	-	4	-	4
21	Fall River	99	-	-	-	-	-	3	-	-	2	-	-	9	-	2
22	Faulk	38	-	-	-	-	-	1	-	-	-	-	-	7	-	2
23	Grant	77	-	-	-	-	-	2	-	-	1	-	-	10	-	4
24	Gregory	93	-	-	-	-	-	-	-	-	-	-	-	18	-	3
25	Hakon	24	-	-	-	-	-	-	-	-	-	-	-	5	-	-
26	Hardin	67	-	-	-	-	-	-	-	-	-	-	-	12	2	1
27	Hand	57	-	-	-	-	-	2	-	-	-	-	-	8	-	-
28	Hanson	31	-	-	-	-	-	1	-	-	1	-	-	6	-	1
29	Harding	14	-	-	-	-	-	1	-	-	-	-	-	2	-	-
30	Hughes	70	-	-	-	-	-	1	-	-	-	-	-	7	-	1
31	Hutchinson	96	-	-	-	-	-	1	-	-	-	-	-	13	-	5
32	Hyde	25	-	-	-	-	-	-	-	-	-	-	-	3	-	-
33	Jackson	26	-	-	-	-	-	-	-	-	-	-	-	3	-	-
34	Jerauld	33	-	-	-	-	-	-	-	-	-	-	-	4	-	2
35	Jones	18	-	-	-	-	-	1	-	-	-	-	-	4	-	-
36	Kingsbury	86	-	-	-	-	-	1	-	-	-	-	-	13	-	2
37	Lake	108	-	-	-	-	-	2	-	-	-	1	-	18	-	2
38	Lawrence	157	-	-	-	-	-	7	-	-	2	-	-	18	-	4
39	Lincoln	117	-	-	-	-	-	1	-	-	-	-	-	12	-	2
40	Lynne	45	-	-	-	-	-	1	-	-	-	-	-	9	-	-
41	McCook	86	-	-	-	1	-	-	-	-	-	-	-	17	-	4
42	McPherson	54	-	-	-	-	-	1	-	-	-	-	-	6	-	2
43	Marshall	64	-	-	-	-	-	2	-	-	-	-	-	10	-	-
44	Meade	99	-	-	-	-	-	4	-	-	4	-	-	8	-	1
45	Mellette	47	-	-	-	-	-	6	1	-	-	-	-	5	-	1
46	Miner	52	-	-	-	-	-	1	1	-	1	-	-	10	-	4
47	Minnehaha	568	-	-	-	-	-	9	-	-	4	-	-	76	1	13
48	Sioux Falls	448	-	-	-	-	-	8	-	-	4	-	-	61	1	9
48	Balance of county	120	-	-	-	-	-	1	-	-	-	-	-	15	-	4
50	Moody	70	-	-	-	-	-	1	-	-	-	-	-	11	-	4
51	Pennington	209	-	-	-	1	-	9	-	-	2	-	1	27	-	-
52	Rapid City	152	-	-	-	1	-	7	-	-	2	-	-	21	-	-
53	Balance of county	57	-	-	-	-	-	2	-	-	-	-	-	6	-	-
54	Perkins	29	-	-	-	-	-	-	-	-	-	-	-	3	-	-
55	Potter	41	-	-	-	-	-	-	-	-	-	-	-	7	-	-
56	Roberts	136	-	-	-	1	-	4	-	-	2	-	-	21	-	3
57	Sanborn	54	-	-	-	-	-	1	-	-	-	-	1	10	-	1
58	Shannon	68	-	-	-	4	-	19	-	-	-	-	-	1	-	2
59	Spink	157	-	-	-	-	-	3	-	-	-	-	-	17	1	5
60	Stanley	18	-	-	-	-	-	1	-	-	-	-	-	3	-	-
61	Sully	18	-	-	-	-	-	-	-	-	-	-	-	7	-	1
62	Todd	43	-	-	-	-	-	-	-	-	-	-	-	5	-	-
63	Tripp	76	-	-	-	1	-	10	-	-	-	-	-	15	-	3
64	Turner	117	-	-	-	-	-	1	-	-	1	-	-	21	-	3
65	Union	82	-	-	-	-	-	1	-	-	1	-	-	16	-	-
66	Wells	69	-	-	-	-	-	-	-	-	-	-	-	9	-	1
67	Washburn	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-
68	Washington	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-
69	Yankton	293	-	-	-	-	-	17	-	-	9	-	-	27	-	6
70	Ziebach	29	-	-	-	-	-	4	-	-	-	-	-	2	-	1
71	TENNESSEE	28,561	13	28	1	74	35	1,544	30	8	257	16	10	2,948	38	466
72	Anderson	298	-	-	-	-	-	11	-	-	2	-	-	30	-	5
73	Bedford	238	-	-	-	1	1	11	-	-	3	-	-	22	-	5
74	Benton	102	-	-	-	1	-	3	-	-	-	-	-	13	-	-
75	Bledsoe	84	-	-	-	-	-	1	-	-	1	-	-	6	-	1
76	Blount	342	-	1	-	-	-	20	-	-	2	1	-	35	-	7
77	Bradley	282	-	-	-	1	-	20	-	-	-	-	-	54	-	3
78	Cleveland	146	-	-	-	-	-	20	1	-	-	-	-	17	-	2
79	Balance of county	136	-	-	-	-	-	9	1	-	-	-	-	17	-	1
80	Campbell	270	-	-	-	1	-	14	-	-	5	-	-	31	1	4
81	Cannon	92	-	-	-	-	-	8	-	-	-	-	-	10	-	-
82	Carrroll	244	1	1	-	-	-	12	-	-	-	-	-	24	-	5
83	Carter	288	-	1	-	1	1	20	-	-	-	-	-	29	-	2
84	Cheatham	76	-	-	-	1	-	9	-	-	-	-	-	5	-	-
85	Chester	64	-	-	-	-	-	1	-	-	-	-	-	6	-	3
86	Clatsop	196	-	-	-	-	-	13	-	-	1	-	-	19	-	3
87	Clay	52	-	-	-	-	-	4	-	-	-	-	-	7	-	-
88	Cocke	209	-	-	-	-	-	12	-	-	-	-	2	15	-	2
89	Coffee	205	-	-	-	-	1	6	1	-	-	3	-	25	-	3
90	Crockett	148	2	-	-	-	-	4	1	-	-	-	-	11	1	2
91	Cumberland	111	-	-	-	-	-	6	-	-	-	-	-	7	-	3
92	Davidson	3,162	-	3	-	5	2	162	3	1	46	-	2	368	3	74
93	Nashville	2,217	-	3	-	4	-	85	1	1	20	-	1	242	2	56
94	Balance of county	945	-	-	-	1	2	77	2	-	26	-	1	126	1	18

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	85	90-95	107-108, 55	119, 120	150-152	140-150	157, 158, 180, 181	159	163, 164	165-168	170	169, 171-195	182, 199, 200	
-	4	17	3	-	2	-	1	-	1	-	1	-	1	15
-	2	2	-	-	1	-	-	-	-	-	-	-	1	2
-	5	27	4	-	2	-	-	-	-	-	-	-	1	3
-	1	4	3	-	4	-	-	-	-	-	-	-	1	4
-	7	32	6	2	7	-	-	-	-	-	-	-	1	5
-	6	21	2	-	5	-	-	-	-	-	-	-	1	6
-	11	29	4	1	4	-	-	-	-	-	-	-	1	7
-	21	50	12	-	14	-	-	-	-	-	-	-	1	8
-	13	36	8	-	11	-	-	-	-	-	-	-	1	9
-	8	14	4	-	3	-	-	-	-	-	-	-	1	10
-	3	3	-	1	3	-	-	-	-	-	-	-	1	11
-	4	11	1	-	3	-	-	-	-	-	-	-	1	12
-	23	71	6	1	3	1	-	-	-	-	-	-	1	13
-	19	62	5	1	2	-	-	-	-	-	-	-	1	14
-	4	9	1	-	1	1	-	-	-	-	-	-	1	15
-	15	34	8	-	10	-	-	-	-	-	-	-	1	16
-	7	21	5	-	3	1	-	-	-	-	-	-	1	17
-	-	6	5	4	1	-	-	-	-	-	-	-	1	18
-	3	7	2	-	1	-	-	-	-	-	-	-	1	19
-	3	20	2	-	2	-	-	-	-	-	-	-	1	20
-	9	27	5	1	7	-	-	-	-	-	-	-	1	21
-	7	5	6	-	1	-	-	-	-	-	-	-	1	22
-	5	17	2	-	9	-	-	-	-	-	-	-	1	23
-	8	24	4	-	-	-	-	-	-	-	-	-	1	24
-	1	9	1	-	-	-	-	-	-	-	-	-	1	25
-	10	24	4	-	1	-	-	-	-	-	-	-	1	26
-	5	10	1	-	10	-	-	-	-	-	-	-	1	27
-	4	6	1	1	1	-	-	-	-	-	-	-	1	28
-	2	1	-	-	-	-	-	-	-	-	-	-	1	29
-	9	21	1	1	10	-	-	-	-	-	-	-	1	30
-	11	32	3	-	-	-	-	-	-	-	-	-	1	31
-	2	9	1	-	1	-	-	-	-	-	-	-	1	32
-	3	11	1	-	-	-	-	-	-	-	-	-	1	33
-	1	15	1	1	1	-	-	-	-	-	-	-	1	34
-	1	4	-	-	1	-	-	-	-	-	-	-	1	35
-	5	18	4	-	3	-	-	-	-	-	-	-	1	36
-	13	29	2	-	4	1	-	-	-	-	-	-	1	37
-	14	46	4	-	3	-	-	-	-	-	-	-	1	38
-	13	39	2	-	5	-	-	-	-	-	-	-	1	39
-	4	1	1	1	5	-	-	-	-	-	-	-	1	40
-	12	22	4	-	1	-	-	-	-	-	-	-	1	41
-	2	20	2	-	2	-	-	-	-	-	-	-	1	42
-	6	17	4	-	3	-	-	-	-	-	-	-	1	43
-	4	38	4	-	8	-	-	-	-	-	-	-	1	44
-	2	9	3	-	2	-	-	-	-	-	-	-	1	45
-	5	15	1	-	-	-	-	-	-	-	-	-	1	46
-	59	165	33	2	26	-	-	-	-	-	-	-	1	47
-	45	135	27	2	14	-	-	-	-	-	-	-	1	48
-	14	30	6	1	12	-	-	-	-	-	-	-	1	49
-	5	27	1	-	8	-	-	-	-	-	-	-	1	50
-	23	71	7	1	6	-	-	-	-	-	-	-	1	51
-	18	50	6	1	6	-	-	-	-	-	-	-	1	52
-	5	21	1	-	3	-	-	-	-	-	-	-	1	53
-	6	8	3	2	5	2	-	-	-	-	-	-	1	54
-	10	40	6	-	5	-	-	-	-	-	-	-	1	55
-	6	17	2	-	3	-	-	-	-	-	-	-	1	56
-	1	7	4	1	5	1	-	-	-	-	-	-	1	57
-	11	51	9	-	3	-	-	-	-	-	-	-	1	58
-	2	7	1	-	2	-	-	-	-	-	-	-	1	59
-	4	4	-	-	-	-	-	-	-	-	-	-	1	60
-	1	4	1	1	1	-	-	-	-	-	-	-	1	61
-	8	25	2	-	3	-	-	-	-	-	-	-	1	62
-	13	35	4	-	3	-	-	-	-	-	-	-	1	63
-	5	29	2	-	3	-	-	-	-	-	-	-	1	64
-	3	28	2	2	5	-	-	-	-	-	-	-	1	65
-	-	2	2	-	-	-	-	-	-	-	-	-	1	66
-	-	1	-	-	-	-	-	-	-	-	-	-	1	67
-	22	104	9	1	16	1	-	-	-	-	-	-	1	68
-	3	7	-	-	2	-	-	-	-	-	-	-	1	69
59	2,984	7,064	1,642	196	1,654	150	986	1,007	246	374	696	1,224	1,919	2,932
-	32	59	19	2	6	8	20	29	2	3	9	12	20	29
-	2	58	20	2	23	1	11	5	-	4	6	9	1	22
-	12	27	5	1	3	-	2	-	-	1	-	7	21	6
-	1	23	9	-	1	1	2	3	-	5	1	10	13	5
-	1	93	11	2	27	1	16	14	3	5	11	13	11	41
-	23	68	17	1	12	-	10	15	-	6	6	10	20	34
-	10	42	8	1	1	-	3	7	-	6	3	5	12	18
-	13	26	9	-	11	-	7	8	-	2	3	5	8	16
-	26	56	22	3	12	2	22	7	1	1	4	18	18	24
-	2	15	2	-	2	-	2	3	2	1	5	3	14	12
-	1	76	12	-	14	-	8	7	2	2	5	7	12	25
-	1	64	24	2	14	1	17	15	2	2	8	11	20	32
-	8	20	8	-	2	1	3	-	1	1	1	4	3	9
-	5	15	7	-	7	-	3	1	1	1	4	3	2	4
-	24	29	8	-	9	1	4	7	2	2	4	11	5	16
-	3	7	3	1	1	-	2	2	2	2	1	1	1	5
-	9	40	11	-	25	2	7	9	1	1	9	14	25	22
-	19	44	12	-	6	-	5	9	1	4	8	12	23	19
-	21	29	9	-	14	2	3	1	3	1	7	8	6	23
-	12	25	9	1	7	-	4	3	1	2	3	3	18	7
2	348	782	151	26	194	12	87	108	28	57	68	102	184	344
239	520	107	22	149	12	60	99	23	52	53	81	146	239	93
2	108	262	44	4	45	-	27	9	5	5	15	21	38	105

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND (By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, poliio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
TENNESSEE—Continued															
1 Decatur	87	-	-	-	-	-	8	-	-	1	-	-	11	-	-
2 De Kalb	109	-	-	-	-	1	10	-	-	-	1	-	6	-	-
3 Dickson	188	-	-	-	-	-	5	-	-	-	-	-	19	1	3
4 Dyer	320	-	-	-	3	-	14	2	-	1	-	-	29	-	3
5 Dyersburg	146	-	-	-	1	-	8	2	-	-	-	-	12	-	2
6 Balance of county	164	-	-	-	2	-	6	-	-	-	-	-	17	-	1
7 Fayette	220	-	-	-	1	2	12	1	-	1	-	-	14	1	2
8 Fentress	81	-	1	-	-	-	8	-	-	-	-	-	9	-	2
9 Franklin	251	-	-	-	-	-	12	1	-	-	-	-	27	2	4
10 Gibson	470	-	-	-	3	1	21	1	-	2	-	-	36	-	9
11 Giles	279	-	-	-	-	1	17	-	-	-	-	-	30	1	5
12 Grainger	89	-	-	-	-	-	9	-	-	-	-	-	9	-	1
13 Greene	356	1	-	-	-	-	26	-	-	-	1	-	28	-	7
14 Grundy	90	-	-	-	-	-	2	-	-	-	-	-	4	1	-
15 Hamblen	203	-	-	-	-	-	10	-	-	-	-	1	16	-	2
16 Hamilton	2,089	-	2	1	2	3	108	1	-	14	-	2	215	-	31
17 Chattanooga	1,610	-	2	-	1	3	93	1	-	15	-	2	170	-	26
18 Balance of county	459	-	-	1	1	-	35	-	-	1	-	-	45	-	5
19 Hancock	58	-	-	-	-	1	4	-	-	-	-	-	8	-	-
20 Hardeman	584	-	-	-	-	-	28	-	1	25	-	-	26	1	7
21 Hardin	145	-	-	-	-	-	9	-	-	1	-	-	14	-	3
22 Hawkins	204	3	-	-	1	1	11	-	-	1	-	1	25	-	2
23 Haywood	237	-	-	-	-	-	13	-	-	1	1	-	12	-	3
24 Henderson	146	-	-	-	-	-	6	-	2	-	-	-	13	1	1
25 Henry	246	-	-	-	-	-	13	1	-	1	1	-	29	1	5
26 Hickman	99	-	-	-	-	-	8	-	-	-	-	-	8	-	-
27 Houston	75	-	-	-	1	-	8	-	-	-	-	-	5	-	-
28 Humphreys	99	-	-	-	-	1	5	-	-	1	-	-	6	-	2
29 Jackson	104	-	-	-	-	-	12	-	-	-	1	-	9	-	1
30 Jefferson	180	1	-	-	1	-	9	-	-	-	-	-	22	-	2
31 Johnson	82	-	-	-	2	1	1	-	-	-	-	-	5	-	-
32 Knox	2,049	-	1	-	7	-	102	2	-	38	2	1	200	4	34
33 Knoxville	1,273	-	1	-	6	-	42	2	-	16	2	-	140	3	28
34 Balance of county	776	-	-	-	1	-	60	-	-	22	-	1	60	1	6
35 Lake	111	-	-	-	3	1	7	1	1	3	-	-	12	-	2
36 Lauderdale	258	1	-	-	1	1	15	1	1	1	-	-	28	-	2
37 Lawrence	221	-	1	-	1	2	10	-	-	1	-	-	23	-	3
38 Lewis	49	-	-	-	-	-	2	-	-	-	-	-	-	-	2
39 Lincoln	266	-	-	-	2	-	16	-	-	1	-	-	37	2	6
40 Loudon	142	-	1	-	-	-	10	-	-	2	-	-	16	-	1
41 McMinn	252	-	-	-	-	-	15	-	-	-	-	-	30	-	7
42 McNairy	168	-	-	-	1	-	6	-	-	-	-	-	18	1	3
43 Macon	153	-	1	-	2	-	12	-	-	-	-	-	20	1	1
44 Madison	565	-	-	-	1	1	27	-	2	3	-	-	68	4	12
45 Jackson	359	-	-	-	1	-	17	-	1	2	-	-	49	3	9
46 Balance of county	206	-	-	-	-	1	10	-	1	1	-	-	19	1	3
47 Marion	162	-	-	-	1	-	12	-	-	1	-	-	17	1	1
48 Marshall	185	1	-	-	-	-	11	2	-	2	1	-	15	-	1
49 Maury	389	-	-	-	1	-	25	-	-	1	-	-	34	-	7
50 Columbia	156	-	-	-	-	-	8	-	-	1	-	-	8	-	3
51 Balance of county	253	-	-	-	1	-	17	-	-	-	-	-	26	-	4
52 Meigs	35	-	-	-	-	-	2	-	-	-	-	-	1	-	-
53 Monroe	190	-	-	-	-	3	18	-	-	1	-	-	18	-	1
54 Montgomery	342	-	2	-	1	-	16	-	-	-	-	-	33	-	4
55 Clarksville	167	-	1	-	-	-	10	-	-	-	-	-	11	-	-
56 Balance of county	175	-	1	-	1	-	6	-	-	-	-	-	22	-	4
57 Moore	43	-	-	-	-	-	2	-	-	-	-	-	6	-	-
58 Morgan	74	-	-	-	3	-	4	-	-	-	1	-	9	-	1
59 Obion	293	-	-	-	1	-	10	-	1	-	-	-	31	1	3
60 Overton	86	-	-	-	-	1	4	-	-	-	-	-	9	-	-
61 Perry	44	-	-	-	-	-	2	-	-	-	-	-	4	1	1
62 Pickett	40	-	-	-	-	-	1	-	-	-	-	-	3	-	-
63 Polk	108	-	-	-	-	-	2	-	-	-	-	-	11	-	1
64 Putnam	207	-	-	-	2	-	18	1	-	-	-	-	14	-	2
65 Rhea	115	-	-	-	-	1	6	-	-	-	-	-	10	1	3
66 Roane	262	-	-	-	1	-	12	-	-	-	-	-	34	1	2
67 Robertson	240	-	-	-	1	-	23	-	-	-	-	1	41	3	2
68 Rutherford	403	-	2	-	-	-	17	6	-	13	-	-	24	-	2
69 Scott	135	2	-	-	1	-	9	-	-	-	-	-	16	-	2
70 Sequatchie	38	-	-	-	-	-	2	-	-	-	-	-	8	-	2
71 Sevier	178	-	1	-	-	1	12	-	-	-	-	-	16	-	2
72 Shelby	4,154	1	2	-	3	3	176	1	-	66	2	-	450	2	79
73 Memphis	3,280	1	2	-	3	1	123	1	-	46	2	-	361	2	65
74 Balance of county	864	-	-	-	-	2	53	-	-	20	-	-	89	-	16
75 Smith	122	-	-	-	1	-	14	-	-	-	-	-	16	-	1
76 Stewart	82	-	-	-	-	-	8	-	-	-	-	-	8	-	1
77 Sullivan	588	-	3	-	4	1	28	1	-	2	-	-	74	1	12
78 Bristol	151	-	1	-	2	-	7	-	-	2	-	-	18	-	4
79 Kingsport	124	-	1	-	1	-	6	-	-	-	-	-	20	-	1
80 Balance of county	513	-	-	-	1	1	15	1	-	-	-	-	36	1	7
81 Sumner	352	-	1	-	-	1	27	-	-	-	-	-	35	-	5
82 Tipton	233	-	-	-	3	-	9	-	-	6	-	-	24	-	3
83 Trousdale	48	-	-	-	1	-	5	1	-	-	-	-	3	1	-
84 Unicoi	124	-	-	-	-	-	5	-	-	1	-	-	3	-	5
85 Union	57	-	-	-	-	-	6	-	-	-	-	-	2	-	-
86 Van Buren	22	-	-	-	-	1	1	-	-	-	-	-	1	-	-
87 Warren	204	-	-	-	3	-	10	-	-	-	1	-	18	-	3
88 Washington	478	-	-	-	1	-	20	1	-	7	-	-	66	-	12
89 Johnson City	252	-	2	-	-	-	6	-	-	6	-	-	28	-	7
90 Balance of county	244	-	-	-	1	-	14	1	-	1	-	-	38	-	5
91 Wayne	103	-	-	-	1	-	6	-	-	-	-	-	5	-	4
92 Weakley	291	-	-	-	1	-	19	-	-	-	-	-	31	-	6
93 White	151	-	-	-	1	-	9	-	-	-	-	-	10	-	2
94 Williamson	258	-	-	-	1	-	11	-	-	-	-	-	32	-	-
95 Wilson	269	-	1	-	-	-	11	-	-	2	-	-	32	-	8

⁵Includes data for Bristol, Tenn., only.

VITAL STATISTICS OF THE UNITED STATES

Table 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
1	TEXAS-----	62,662	52	55	1	199	76	2,791	286	52	4,625	16	32	6,023	36	1,092
2	Anderson-----	355	-	-	-	2	2	8	-	-	1	-	1	37	-	6
3	Palatka-----	184	-	-	-	-	1	2	-	-	-	-	-	21	-	2
4	Balance of county-----	171	-	-	-	2	1	6	-	-	1	-	1	18	-	4
5	Andrews-----	18	-	-	-	-	-	-	-	-	-	-	-	2	-	-
6	Angelina-----	297	1	-	-	2	1	4	-	1	4	-	-	50	-	11
7	Aransas-----	46	-	-	-	-	-	2	-	-	-	-	-	8	-	2
8	Archer-----	59	-	-	-	-	-	-	-	-	-	-	-	7	-	1
9	Armstrong-----	20	-	-	-	-	-	1	-	-	-	-	-	2	-	-
10	Atascosa-----	175	-	-	-	-	-	14	2	-	-	-	-	21	-	-
11	Austin-----	169	-	-	-	-	-	5	-	-	2	-	-	25	-	5
12	Bailey-----	40	-	-	-	-	-	-	-	-	1	-	-	3	-	-
13	Bandera-----	58	-	-	-	-	-	2	-	-	-	-	-	7	-	2
14	Bastrop-----	222	1	-	-	-	-	5	1	-	1	-	1	28	-	5
15	Baylor-----	59	-	-	-	-	-	2	-	-	-	-	-	8	-	-
16	Bee-----	166	-	-	-	2	-	12	-	-	-	-	-	9	1	3
17	Bell-----	445	-	1	-	1	1	10	2	-	-	1	-	48	-	9
18	Temple-----	186	-	-	-	1	-	3	1	-	-	-	-	20	-	5
19	Balance of county-----	255	-	-	-	-	-	7	1	-	-	1	-	28	-	4
20	Bexar-----	4,549	4	-	-	10	7	375	10	-	48	1	-	496	3	69
21	San Antonio-----	3,780	-	-	-	8	7	300	8	-	28	1	-	450	2	65
22	Balance of county-----	599	-	2	-	2	-	75	2	-	22	-	-	46	1	4
23	Blanco-----	48	-	-	-	-	-	-	-	-	-	-	-	7	-	2
24	Borden-----	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Bosque-----	127	-	-	-	-	-	4	-	-	-	-	-	16	-	-
26	Bowie-----	496	1	-	-	-	-	18	-	-	4	-	-	55	1	5
27	Texarkana ⁶ -----	243	1	-	-	-	-	10	-	-	-	-	-	22	1	4
28	Balance of county-----	245	-	-	-	-	-	8	-	-	1	-	-	33	-	1
29	Brazoria-----	291	-	-	-	3	1	8	-	-	3	-	-	23	-	10
30	Brazos-----	288	-	1	-	-	-	12	2	-	-	-	-	43	-	9
31	Bryan-----	192	-	1	-	-	-	8	-	-	-	-	-	26	-	7
32	Balance of county-----	96	-	-	-	-	-	4	2	-	-	-	-	17	-	2
33	Brewster-----	67	-	-	-	-	2	5	1	-	-	-	1	6	1	1
34	Briscoe-----	12	-	-	-	-	-	2	-	-	-	-	-	1	-	-
35	Brooks-----	76	1	-	-	-	-	1	1	-	-	-	-	5	-	3
36	Brown-----	275	1	-	-	-	-	12	-	-	2	-	-	34	-	5
37	Brownwood-----	189	-	-	-	-	-	12	-	-	1	-	-	18	-	4
38	Balance of county-----	86	1	-	-	-	-	-	-	-	1	-	1	15	-	1
39	Burleson-----	153	-	-	1	-	-	4	-	-	-	-	-	17	-	6
40	Burnet-----	85	-	-	-	-	-	1	5	-	-	-	-	15	-	1
41	Caldwell-----	226	-	1	-	-	-	16	5	-	1	-	-	34	1	4
42	Callahan-----	48	-	-	-	-	-	4	1	-	-	-	-	9	-	1
43	Callahan-----	91	1	-	-	-	-	-	-	-	2	-	-	14	-	1
44	Cameron-----	1,121	1	2	-	6	5	75	29	10	7	1	1	71	2	13
45	Brownsville-----	340	-	-	-	1	-	23	3	5	2	-	1	18	-	2
46	Hearlingen-----	200	-	1	-	1	1	19	5	-	2	-	-	19	1	6
47	Balance of county-----	581	1	1	-	4	4	33	21	5	3	1	-	34	1	5
48	Camp-----	84	-	-	-	-	-	6	-	-	1	-	-	7	-	2
49	Carson-----	33	-	-	-	-	-	1	-	-	-	-	-	6	-	1
50	Cass-----	212	-	-	-	2	-	6	-	-	1	-	-	21	1	1
51	Castro-----	19	-	1	-	-	-	-	-	-	-	-	-	1	-	1
52	Chambers-----	54	-	-	-	-	-	-	-	-	1	-	-	7	-	10
53	Cherokee-----	479	-	-	-	-	1	59	2	2	34	-	-	40	-	3
54	Childress-----	107	-	-	-	-	-	2	-	-	-	-	-	12	-	-
55	Clay-----	69	-	-	-	-	-	2	-	-	-	-	-	9	-	1
56	Cochran-----	24	-	-	-	-	-	1	-	-	-	-	-	-	-	-
57	Coke-----	19	-	-	-	-	-	-	-	-	-	-	-	4	-	-
58	Coleman-----	168	-	-	-	-	-	6	-	-	-	-	-	23	1	2
59	Collin-----	396	-	1	-	1	-	12	-	-	1	-	-	47	-	11
60	Collingsworth-----	55	-	-	-	-	-	1	-	-	1	1	-	3	-	2
61	Colorado-----	163	-	-	1	1	1	5	1	-	2	-	-	26	-	3
62	Comal-----	150	-	-	-	-	-	9	-	-	1	-	-	14	-	2
63	Comanche-----	139	-	-	-	-	-	4	-	-	-	-	-	22	-	1
64	Concho-----	54	-	-	-	-	-	1	1	-	-	-	-	1	-	1
65	Cooke-----	208	-	-	-	-	-	6	1	-	-	-	-	29	-	5
66	Coryell-----	159	-	-	-	-	1	2	-	-	1	-	-	17	-	4
67	Cottle-----	65	-	-	-	-	-	2	-	-	2	-	-	11	-	-
68	Crane-----	18	-	-	-	-	-	1	-	-	-	-	-	3	-	1
69	Crockett-----	20	-	-	-	2	-	1	-	-	-	-	-	7	-	1
70	Crook-----	50	-	-	-	-	-	1	-	-	-	-	-	-	-	-
71	Culberson-----	16	-	-	-	-	-	1	-	-	-	-	-	1	-	-
72	Dallas-----	56	-	-	-	1	-	1	-	-	-	-	-	8	-	-
73	Dallas-----	4,227	-	1	-	6	2	157	5	-	42	5	1	506	1	70
74	Dallas-----	3,216	-	-	-	5	1	111	5	-	35	1	1	396	1	53
75	Highland Park-----	100	-	-	-	-	-	1	-	-	-	-	-	16	-	2
76	University Park-----	111	-	-	-	-	-	1	-	-	1	-	-	20	-	3
77	Balance of county-----	900	-	1	-	1	1	44	-	-	6	2	-	74	-	12
78	Dawson-----	159	-	-	1	-	1	4	-	-	-	-	-	10	-	3
79	Deaf Smith-----	57	-	-	-	-	-	2	-	-	-	-	-	9	-	-
80	Delta-----	81	-	-	-	-	-	3	-	-	-	-	-	7	-	-
81	Denton-----	322	-	-	-	1	-	1	-	-	-	-	-	46	-	2
82	Denton-----	149	-	-	-	-	-	-	-	-	-	-	-	19	-	2
83	Balance of county-----	175	-	-	-	1	-	1	-	-	-	-	-	27	-	-
84	De Witt-----	284	-	-	-	-	-	16	-	-	2	-	-	27	-	9
85	Dickens-----	59	-	-	-	-	-	12	5	-	1	-	-	7	-	2
86	Dimit-----	86	-	-	-	-	-	2	-	-	-	-	-	1	-	3
87	Donley-----	61	-	-	-	2	-	1	1	-	1	-	-	5	-	2
88	Duval-----	115	-	-	-	-	-	8	-	-	-	-	-	9	-	3
89	Eastland-----	270	-	-	-	-	-	4	-	-	-	-	-	44	-	7
90	Ector-----	168	-	-	-	-	-	2	-	-	-	-	-	19	-	2
91	Edwards-----	17	-	-	-	-	-	-	1	-	-	-	-	4	-	-
92	Ellis-----	435	-	-	-	2	1	11	2	-	4	1	-	39	1	6
93	El Paso-----	1,399	-	2	-	3	-	86	4	-	16	-	-	149	1	27
94	El Paso-----	1,115	-	1	-	-	-	67	2	-	13	-	-	130	1	26
95	Balance of county-----	286	-	-	-	3	-	19	2	-	3	-	-	19	-	1

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

599

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and In- fluenza	Diarrhea, enteri- tis, and ulcera- tion of in- testines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Hemi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	85	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
122	5,324	15,605	3,194	1,097	5,188	506	2,232	2,511	614	794	1,992	3,653	2,774	7,192	1
-	32	114	11	1	29	3	12	11	1	3	8	11	27	35	2
-	14	60	4	-	16	2	5	7	-	1	4	8	13	24	3
-	18	54	7	1	13	1	7	4	1	2	4	3	14	11	4
-	-	5	-	-	-	-	1	1	-	-	2	3	3	3	5
-	29	71	10	4	33	4	9	11	1	-	5	22	9	35	6
-	7	16	1	-	2	-	1	1	-	-	2	2	2	4	7
-	1	12	2	-	-	-	3	-	-	-	2	4	5	1	8
-	1	3	-	-	-	-	1	2	-	-	2	5	1	2	9
1	9	46	15	9	1	1	9	3	1	3	9	11	6	12	10
-	18	51	5	1	14	3	3	2	5	-	2	9	4	10	12
-	5	9	1	-	1	2	3	3	-	-	1	2	2	5	12
-	5	11	1	-	-	1	2	2	-	-	1	2	2	2	13
-	26	60	12	6	8	-	8	6	1	2	1	8	18	25	14
-	11	13	4	-	2	-	2	2	-	-	1	6	2	4	15
1	18	54	17	5	7	5	10	3	-	-	5	7	11	17	16
2	45	155	9	4	19	3	17	26	4	5	19	20	80	44	17
1	17	58	3	2	8	2	9	12	1	-	5	6	11	23	18
1	58	77	6	2	11	1	8	14	-	5	14	15	9	21	19
5	306	1,021	285	90	230	25	164	194	46	51	105	155	189	492	20
4	276	906	220	85	183	25	151	165	37	45	89	128	184	419	21
1	50	115	43	7	47	-	15	21	9	8	16	27	25	73	22
-	3	9	-	-	11	-	1	1	1	-	2	2	2	7	23
-	9	44	4	-	15	-	-	5	2	-	2	3	7	16	24
1	57	122	20	3	22	2	10	24	1	9	7	43	24	59	25
-	32	68	5	2	15	1	5	16	1	8	2	14	11	22	27
1	25	54	15	1	7	1	5	8	1	7	5	29	15	37	28
-	29	67	7	2	8	-	15	11	7	13	13	18	20	32	29
1	22	71	14	5	21	-	3	22	2	2	8	15	10	25	30
-	16	51	8	3	17	-	3	15	1	1	6	4	8	17	31
1	6	20	6	2	4	-	-	7	1	1	2	11	2	8	32
1	1	11	4	4	1	-	4	3	3	1	1	4	3	9	33
-	1	2	-	-	2	-	1	1	-	-	1	2	-	2	34
-	10	11	1	3	2	1	4	7	1	1	4	4	7	9	35
-	14	82	14	3	15	-	5	7	5	1	9	10	12	43	36
-	7	55	10	2	12	-	5	6	4	-	6	9	8	29	37
-	7	27	4	1	3	-	-	1	1	1	3	3	1	4	38
-	14	46	6	2	17	1	1	2	1	2	2	4	14	10	39
-	10	26	-	3	2	-	2	1	-	-	6	5	5	6	40
-	9	52	16	5	18	1	6	5	-	2	4	11	12	23	41
-	-	20	-	2	1	-	1	1	-	-	4	2	1	3	42
1	8	25	8	-	6	-	-	2	1	2	8	5	5	6	43
1	46	161	108	63	35	10	61	40	7	17	32	56	142	99	44
-	16	52	44	37	11	1	16	15	4	6	5	19	25	34	45
1	12	25	16	11	8	3	18	7	1	1	5	8	13	16	46
-	18	94	49	35	16	6	27	18	2	10	22	29	104	49	47
1	12	29	3	-	5	-	1	1	2	2	2	6	2	3	48
-	2	8	-	-	-	-	1	4	1	-	-	6	1	1	49
1	51	46	14	3	7	1	7	4	2	2	15	15	9	20	50
-	1	3	-	-	2	-	2	2	-	-	1	4	-	3	51
-	2	20	2	-	-	-	2	2	2	-	1	3	3	7	52
-	56	133	23	2	18	3	8	2	4	3					

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND (By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningo-coccus) meningitis	Scarlet fever	Whoop-ing cough	Diph-the-ria	Tuber-culosis (all forms)	Dysen-tery	Malaria	Syph-illis	Measles	Polio-myelitis, polio-encephal-itis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
TEXAS—Continued															
1	Erath	155	-	1	-	-	4	-	-	-	-	-	18	-	4
2	Falls	279	-	1	-	-	12	-	-	2	-	-	33	-	5
3	Fannin	344	-	1	-	1	5	-	-	1	-	-	41	-	10
4	Fayette	315	-	-	-	-	9	1	-	-	-	-	36	-	7
5	Fisher	73	-	-	-	1	1	-	-	1	-	-	6	-	2
6	Floyd	78	-	-	-	-	-	2	-	-	-	-	7	-	2
7	Foard	49	-	-	-	-	1	-	-	-	-	-	6	-	4
8	Fort Bend	233	-	-	2	-	14	3	-	1	-	-	16	-	2
9	Franklin	62	-	-	-	-	-	-	1	-	-	-	3	-	-
10	Freestone	178	-	-	-	-	8	-	1	2	-	-	23	-	3
11	Fric	123	-	-	2	1	16	-	-	-	-	-	6	-	4
12	Galveston	51	-	-	-	-	-	1	-	-	-	-	4	-	-
13	Galveston	1,370	-	-	1	-	43	1	-	11	-	-	104	-	17
14	Galveston	807	-	-	1	-	38	1	-	10	-	-	85	-	11
15	Balance of county	563	-	-	-	-	5	-	-	1	-	-	19	-	6
16	Garza	47	-	-	1	-	1	-	-	-	-	-	7	-	1
17	Gillespie	96	-	-	-	-	2	-	-	-	-	-	12	-	3
18	Glasscock	3	-	-	-	-	-	-	-	-	-	-	1	-	-
19	Goliad	67	-	-	-	-	3	-	-	1	-	-	6	-	1
20	Gonzales	242	1	-	1	-	10	-	-	-	-	1	34	-	1
21	Gray	169	-	1	-	-	-	-	-	3	-	-	16	-	2
22	Pampa	128	-	1	-	-	-	-	-	3	-	-	13	-	1
23	Balance of county	43	-	-	-	-	-	-	-	-	-	-	3	-	1
24	Grayson	715	-	-	3	-	15	-	-	4	-	-	84	-	16
25	Denison	248	-	-	1	-	5	-	-	3	-	-	30	-	3
26	Sherman	207	-	-	1	-	4	-	-	-	-	-	21	-	5
27	Balance of county	260	-	-	1	-	6	1	-	1	-	-	35	-	6
28	Gregg	507	-	-	5	-	12	1	-	4	-	1	50	-	9
29	Longview	194	-	-	3	-	4	-	-	1	-	1	14	-	5
30	Balance of county	313	-	-	2	-	8	1	-	3	-	-	36	-	4
31	Grimes	158	-	-	-	-	3	-	-	1	-	-	15	-	4
32	Guadalupe	242	-	1	-	3	17	3	-	3	1	-	30	2	1
33	Hale	135	-	-	-	-	3	-	-	2	1	1	21	-	1
34	Hall	98	-	-	-	-	1	-	-	1	-	-	12	-	1
35	Hamilton	92	-	-	-	-	3	-	-	1	-	-	18	-	2
36	Hanford	28	-	-	-	-	-	-	-	-	-	-	2	-	-
37	Harden	82	-	-	1	-	3	-	-	-	-	-	11	-	2
38	Hardin	162	-	-	-	-	5	-	-	-	-	-	27	-	3
39	Harris	5,713	2	5	10	7	231	11	2	61	2	4	667	5	115
40	Houston	4,896	2	3	7	6	199	7	1	57	1	3	579	5	98
41	Balance of county	817	-	2	3	1	35	4	1	4	1	-	88	-	17
42	Harrison	468	2	-	5	-	21	-	-	5	-	-	44	-	12
43	Marshall	236	1	-	2	-	7	-	-	2	-	-	27	-	5
44	Balance of county	232	1	-	3	-	14	-	-	3	-	-	17	-	7
45	Hartley	21	-	-	-	-	-	-	-	-	-	-	2	-	-
46	Haskell	85	-	-	-	-	1	1	-	-	-	-	7	-	1
47	Hays	163	-	-	2	-	12	1	-	-	-	-	19	-	3
48	Hemphill	41	-	1	-	-	-	-	-	-	-	-	3	-	1
49	Henderson	191	-	-	1	1	9	1	-	-	-	-	28	1	4
50	Hidalgo	1,446	1	-	8	5	142	82	3	13	-	1	76	-	15
51	McAllen	199	-	-	2	-	19	1	-	1	-	-	11	-	3
52	Balance of county	1,247	1	-	6	5	123	81	3	12	-	1	85	-	12
53	Hill	331	-	-	1	-	5	1	-	-	-	-	30	-	4
54	Hockley	111	-	-	-	-	3	2	-	-	-	-	9	-	-
55	Hood	51	-	-	-	-	-	1	-	-	-	-	7	-	-
56	Hopkins	274	-	-	1	1	7	1	-	-	-	-	24	-	2
57	Houston	220	-	-	1	-	5	1	1	1	-	-	21	-	4
58	Howard	195	-	-	1	-	17	-	-	6	-	-	20	-	4
59	Big Spring	125	-	-	1	-	10	-	-	1	-	-	15	-	2
60	Balance of county	70	-	-	-	-	7	-	-	5	-	-	5	-	2
61	Hudspeth	27	-	-	-	-	-	1	-	-	-	-	1	-	-
62	Hunt	433	-	-	1	1	8	-	-	1	-	-	50	1	11
63	Greenville	181	-	-	1	1	4	-	-	1	-	-	23	-	3
64	Balance of county	252	-	-	-	-	4	-	-	-	-	-	27	1	8
65	Hutchinson	162	-	-	-	-	3	1	-	2	-	-	10	-	2
66	Berger	117	-	-	-	-	3	1	-	1	-	-	7	-	-
67	Balance of county	45	-	-	-	-	-	-	-	1	-	-	3	-	2
68	Irion	15	-	-	-	-	-	-	-	-	-	-	2	-	1
69	Jack	57	-	-	-	-	2	-	-	-	1	-	2	-	1
70	Jackson	82	-	-	-	-	-	-	-	1	-	-	12	-	2
71	Jasper	175	1	-	-	-	4	-	-	1	1	-	29	1	1
72	Jeff Davis	19	-	-	1	-	-	-	-	-	-	-	-	-	-
73	Jefferson	1,388	1	2	6	2	49	2	-	8	-	1	170	-	27
74	Beaumont	677	-	-	5	2	20	1	-	3	-	1	88	-	15
75	Port Arthur	432	1	2	1	-	11	1	-	1	-	-	46	-	10
76	Balance of county	279	-	-	-	-	18	-	-	2	-	-	36	-	2
77	Jim Hogg	45	-	-	1	-	2	1	-	-	-	-	3	-	1
78	Jim Wells	172	-	-	4	1	12	2	-	2	-	2	7	-	2
79	Johnson	332	-	-	2	-	5	1	-	1	-	-	44	-	7
80	Cleburne	156	-	-	-	-	-	-	-	-	-	-	19	-	2
81	Balance of county	176	-	-	2	-	5	1	-	1	-	-	25	-	5
82	Jones	174	-	-	-	-	2	-	-	2	-	1	17	-	3
83	Karnes	136	1	-	1	1	5	2	1	-	-	-	9	-	3
84	Kaufman	498	-	-	2	-	20	5	-	28	-	1	53	-	6
85	Terrell	307	-	-	1	-	18	-	-	27	-	-	15	-	4
86	Balance of county	191	-	-	1	-	2	5	-	1	-	1	18	-	2
87	Kendall	65	-	-	-	-	1	-	-	-	-	-	8	-	1
88	Kenedy	2	-	-	-	-	-	-	-	-	-	-	-	-	-
89	Kent	13	-	-	-	-	-	-	-	-	-	-	3	-	-
90	Kerr	164	-	-	-	-	49	-	-	1	-	-	13	-	3
91	Kimble	33	-	-	-	-	-	1	-	-	-	-	2	-	1
92	King	2	-	-	-	-	-	-	-	-	-	-	-	-	-
93	Kimney	19	-	-	1	-	-	-	-	-	-	-	1	-	-
94	Kleberg	141	-	1	-	2	11	2	-	1	-	-	14	-	3
95	Knox	55	-	-	-	-	3	-	-	-	-	-	7	-	2

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	85	90-95	107-109, 33	119, 120	130-132	140-150	157, 159, 160, 161	159	163, 164	165-168	170	169, 171-195	162, 199, 200	
1	14	49	7	1	8	-	5	5	2	1	6	4	8	17
3	19	66	20	2	29	2	8	5	1	1	5	8	20	37
46	87	87	18	2	24	2	11	7	3	4	5	23	16	35
25	71	14	2	2	21	-	13	3	7	1	4	13	27	61
3	21	3	3	3	2	-	1	7	1	1	2	3	4	10
16	6	5	-	-	4	-	2	3	3	-	12	5	5	4
2	14	3	3	-	1	-	1	-	-	-	1	7	-	9
17	54	26	4	4	9	1	6	9	2	4	8	14	12	29
9	18	6	-	-	2	1	1	3	-	-	4	4	2	8
15	61	8	1	1	11	1	4	2	-	-	1	3	5	16
17	17	10	20	8	9	1	4	1	-	-	1	4	9	11
10	12	1	-	-	2	-	2	2	-	-	3	2	2	12
1	92	303	36	8	42	2	23	43	5	17	21	475	31	94
1	80	244	26	8	38	1	16	34	5	13	8	89	22	76
12	59	10	-	-	4	1	7	9	-	-	13	386	9	18
4	8	2	1	1	3	1	3	4	-	-	-	3	2	5
10	22	6	2	2	6	-	-	2	1	-	4	6	2	16
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
9	14	4	1	1	7	-	2	2	-	-	1	2	2	3
21	60	13	4	4	14	2	18	2	2	3	9	9	9	30
18	42	5	1	1	11	-	8	11	1	3	7	12	3	24
7	35	4	1	1	9	-	6	9	1	2	5	9	1	18
11	7	1	-	-	2	-	2	2	-	-	2	3	2	6
2	109	200	34	3	48	3	13	14	5	5	26	36	34	61
1	38	55	18	2	22	1	3	6	2	2	13	13	11	25
1	35	61	4	1	7	1	4	5	2	2	12	11	12	18
1	36	84	12	-	19	1	6	3	1	1	7	12	11	18
1	35	121	18	3	33	1	24	24	4	4	28	34	19	71
1	11	43	4	1	10	1	10	11	2	2	12	13	6	37
1	24	78	14	2	23	-	14	13	2	4	16	21	13	34
1	17	41	10	-	12	1	4	7	1	1	5	5	8	23
1	17	44	13	9	16	2	9	7	7	3	2	12	10	28
1	7	38	4	3	5	2	3	8	1	3	8	9	3	14
1	6	17	10	1	6	1	7	10	1	1	2	5	1	16
1	4	36	2	-	1	-	1	1	-	-	2	2	2	12
1	4	6	2	-	1	-	-	-	-	-	5	4	4	3
10	20	3	1	1	5	-	3	3	3	2	3	6	3	12
12	44	11	1	1	8	2	8	12	1	1	3	6	5	36
4	497	1,496	261	71	243	27	207	273	55	138	169	297	171	632
4	434	1,308	213	64	216	25	172	225	50	118	129	234	125	612
1	53	188	48	7	27	2	35	48	5	20	40	63	46	90
1	73	92	26	1	25	2	10	13	4	12	9	22	28	61
1	42	49	9	1	15	2	7	6	2	3	4	14	5	32
1	31	43	17	-	10	-	3	7	2	9	5	8	23	44
2	2	4	2	-	3	-	-	3	-	-	5	4	1	45
1	7	19	4	1	4	4	5	7	1	3	4	4	1	14
1	14	42	10	5	7	1	9	6	1	3	2	4	8	19
3	8	-	-	-	-	-	1	3	-	-	5	1	1	3
16	48	7	2	2	18	-	4	4	3	2	6	7	9	22
57	174	126	114	35	35	16	84	58	6	16	77	118	118	152
11	31	11	13	8	8	1	8	6	1	11	10	10	21	30
46	143	115	101	27	27	15	76	52	7	18	67	97	132	51
1	32	18	4	14	14	3	8	9	1	1	18	19	44	53
5	20	5	3	3	3	-	2	8	1	1	20	3	9	54
4	14	2	-	6	6	-	-	3	-	-	2	2	2	5
25	68	13	1	1	20	-	6	10	3	12	17	24	37	56
28	65	12	3	3	17	-	4	7	5	5	11	19	19	57
8	40	11	6	10	10	1	7	7	3	3	14	17	16	58
5	30	3	2	4	6	1	5	6	1	6	9	10	10	59
1	3	10	8	4	4	-	2	1	-	-	6	5	7	6
3	3	5	-	-	-	-	6	1	-	-	3	2	2	5
44	108	26	3	3	25	1	1	13	1	3	10	26	19	64
15	42	13	2	2	6	1	3	7	1	5	13	8	29	63
29	66	13	1	1	19	-	13	12	4	4	13	11	35	64
8	36	7	1	1	6	1	5	8	4	4	15	20	5	15
1	27	4	1	1	6	1	10	10	2	2	13	13	3	12
5	9	3	-	-	-	-	3	3	2	-	4	7	2	3
3	1	-	1	1	1	-	1	1	-	-	3	4	4	4
7	13	6	1	1	7	-	1	1	-	-	3	4	1	4
1	38	7	3	4	4	1	4	4	2	7	11	4	18	71
26	42	7	1	1	4	-	1	5	-	-	5	2	2	72
4	4	3	1	1	1	-	61	63	22	24	43	84	20	189
1	97	377	69	3	3	4	45	32	8	17	15	35	8	90
1	49	161	33	3	45	2	27	21	5	4	17	25	7	56
35	114	23	2	2	23	-	25	11	3	3	24	7	7	23
13	62	13	1	1	15	-	11	10	9	3	1	4	1	4
2	11	5	2	2	5	-	8	12	-	-	5	10	21	78
4	15	32	12	6	10	-	5	12	2	1	6	11	12	79
1	69	98	15	1	5	-	3	6	-	-	2	4	5	15
39	43	6	1	1	10	-	9	6	2	1	4	7	7	17
30	40	9	1	1	5	-	6	6	2	1	6	9	5	28
10	57	10	2	2	4	-	6	4	1	1	3	6	13	17
12	29	14	3	3	4	1	6	4	1	2	6	6	18	84
64	154	14	3	3	16	-	6	7	4	2	26	14	8	64
37	86	10	3	3	10	1	2	4	2	1	12	10	27	86
27	48	4	1	1	9	2	5	9	1	4	4	4	1	9
5	15	1	1	1	1	-	-	-	-	-	-	-	-	88
1	1	1	1	1	2	-	-	-	-	-	-	-	-	1
2	6	3	4	4	5	-	3	8	3	1	5	5	10	5
5	11	2	2	2	2	-	1	2	-	-	-	-	-	3
1	9	1	1	1	1	1	1	1	-	-	-	-	1	9
1	28	1	9	9	10	-	2	10	-	-	6	8	11	9
1	17	1	1	1	2	-	4	1	1	1	1	2	5	95

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND
(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	3	4	5	6	7	8	9	10	11	12	13-15	16	17
TEXAS—Continued															
1 Lamar	437	-	-	-	2	-	14	-	-	-	-	-	46	-	5
2 Paris	249	-	-	-	-	-	5	-	-	-	-	-	27	-	2
3 Balance of county	188	-	-	-	2	-	9	-	-	-	-	-	19	-	3
4 Lamb	117	-	-	-	4	1	3	-	-	-	-	-	17	-	3
5 Tampasas	118	-	-	-	1	1	6	-	-	-	-	1	13	-	-
6 La Salle	66	-	-	-	1	-	4	4	-	-	-	-	10	-	1
7 Lavaca	242	-	-	-	3	-	4	-	-	1	-	1	27	-	6
8 Lee	101	-	-	-	-	-	5	-	-	3	-	-	14	-	2
9 Leon	124	-	-	-	-	-	6	1	-	2	-	1	19	-	2
10 Liberty	245	-	-	-	1	-	7	-	-	6	-	-	27	-	4
11 Limestone	250	-	-	-	1	1	8	-	-	4	-	-	25	-	4
12 Lipscomb	63	-	-	-	-	-	-	-	-	-	-	-	3	-	-
13 Live Oak	63	-	-	-	1	-	4	-	-	-	-	-	9	-	2
14 Llano	71	-	-	-	-	-	2	-	-	-	-	-	12	-	-
15 Loving	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 Lubbock	554	-	-	-	5	-	15	3	-	2	-	-	65	-	7
17 Lubbock	423	-	-	-	-	-	9	2	-	2	-	-	52	-	7
18 Balance of county	131	-	-	-	5	-	6	1	-	-	-	-	13	-	-
19 Lynn	80	-	-	-	-	-	1	-	-	1	-	-	7	-	1
20 McCulloch	120	-	-	-	-	-	5	-	-	1	-	-	20	-	2
21 McLennan	1,163	1	1	-	-	-	53	2	-	20	-	-	136	-	21
22 Waco	688	1	1	-	-	-	27	1	-	7	-	-	86	-	13
23 Balance of county	475	-	-	-	-	-	26	1	-	13	-	-	50	-	8
24 McMullen	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-
25 Madison	59	-	-	-	1	-	2	-	-	-	-	-	5	-	4
26 Marion	106	1	-	-	1	1	3	-	-	-	-	-	14	-	-
27 Martin	26	-	-	-	-	-	2	-	-	-	-	-	4	-	-
28 Mason	46	-	-	-	-	-	1	-	-	-	-	-	7	-	1
29 Matagorda	178	-	-	-	1	-	4	-	-	1	-	-	12	-	2
30 Maverick	115	-	-	-	-	1	13	-	-	1	-	-	11	-	3
31 Medina	148	-	-	-	-	-	16	-	-	1	-	-	18	-	3
32 Menard	39	-	-	-	-	-	-	-	-	1	-	-	6	-	-
33 Mitchell	123	-	-	-	-	-	6	1	-	4	-	-	11	-	1
34 Milam	251	1	1	-	1	1	10	1	1	2	-	-	35	-	3
35 Mills	66	-	-	-	-	-	1	-	-	-	-	-	8	-	2
36 Mitchell	108	-	-	-	-	-	6	-	-	1	-	-	10	-	2
37 Montague	167	-	-	-	-	-	2	-	-	-	-	-	25	-	3
38 Montgomery	232	-	-	-	2	-	7	1	1	1	-	1	26	-	3
39 Moore	40	-	-	-	-	-	-	-	-	-	-	-	4	-	1
40 Morris	78	1	-	-	2	-	6	-	-	-	-	-	10	-	1
41 Motley	25	-	-	-	-	-	1	-	-	-	-	-	3	-	-
42 Nacogdoches	279	1	-	-	2	-	9	1	1	1	-	-	28	2	4
43 Navarro	372	1	-	-	2	-	8	1	1	1	-	-	50	-	6
44 Corsicana	181	-	-	-	2	-	2	-	-	-	-	-	21	-	1
45 Balance of county	191	1	-	-	-	-	6	1	1	1	-	-	29	-	7
46 Newton	79	-	-	-	1	-	3	-	-	-	-	-	11	-	4
47 Nolan	128	-	-	-	-	-	3	-	-	1	-	-	15	-	3
48 Sweetwater	29	-	-	-	-	-	3	-	-	1	-	-	13	-	1
49 Balance of county	89	-	-	-	-	-	-	-	-	-	-	-	2	-	2
50 Rueses	1,031	-	1	-	4	6	83	13	-	12	-	2	101	-	16
51 Corpus Christi	782	-	-	-	3	5	46	5	-	10	-	-	86	-	13
52 Balance of county	269	-	-	-	1	1	37	8	-	2	-	2	15	-	3
53 Ochiltree	38	-	-	-	-	-	-	-	-	-	-	-	2	-	-
54 Oldham	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55 Orange	237	-	-	-	1	-	3	-	-	1	-	-	35	-	4
56 Palo Pinto	205	-	-	-	-	-	3	-	-	2	-	-	23	-	6
57 Panola	151	-	-	-	-	-	7	1	-	-	-	1	15	-	-
58 Parker	179	-	-	1	-	-	2	-	-	-	-	-	26	-	3
59 Parmer	31	-	-	-	-	-	-	-	-	-	-	-	1	-	1
60 Pecos	69	-	-	-	-	-	3	-	-	1	-	-	5	-	1
61 Polk	150	3	2	-	-	1	3	-	-	1	-	1	14	-	1
62 Potter	561	-	-	-	1	-	14	-	-	7	-	-	70	-	8
63 Amarillo (part)	541	-	-	-	1	-	14	-	-	7	-	-	67	-	8
64 Amarillo (total)	547	-	-	-	1	-	14	-	-	7	-	-	68	-	8
65 Balance of county	20	-	-	-	-	-	-	-	-	-	-	-	3	-	-
66 Presidio	50	-	-	-	2	1	3	-	-	1	-	-	5	-	-
67 Rains	36	-	-	-	-	-	-	-	-	-	-	-	6	-	-
68 Randall	49	-	-	1	-	-	-	-	-	-	-	-	6	-	-
69 Amarillo (part)	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-
70 Balance of county	43	-	1	-	-	-	-	-	-	-	-	-	5	-	-
71 Reagan	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
72 Real	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
73 Red River	230	-	-	-	2	-	3	-	-	-	-	-	22	-	1
74 Reeves	92	-	-	-	-	-	4	-	-	-	-	-	7	-	-
75 Refugio	60	-	-	-	1	-	2	-	-	1	-	-	5	2	1
76 Roberts	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-
77 Robertson	222	-	-	-	-	-	10	1	-	4	-	-	24	-	3
78 Rockwall	55	1	-	-	-	-	1	1	-	1	-	-	9	-	2
79 Rumsels	158	-	-	-	1	-	2	-	-	1	-	-	22	1	5
80 Rusk	319	-	-	-	1	-	5	-	-	4	-	-	36	-	10
81 Sabine	68	-	-	-	1	-	1	-	-	1	-	-	16	-	-
82 San Augustine	85	-	-	-	-	-	2	-	-	2	-	1	8	-	2
83 San Jacinto	73	-	-	-	-	-	-	1	-	-	-	-	7	-	-
84 San Patricio	359	-	-	-	1	-	32	4	-	4	-	-	29	-	1
85 San Saba	76	-	-	-	-	-	3	-	-	1	-	-	7	-	3
86 Schleicher	22	-	-	-	-	-	2	-	-	-	-	-	3	-	1
87 Scurry	60	-	-	-	-	-	1	1	-	-	-	-	8	-	2
88 Shackelford	39	-	-	-	-	-	-	-	-	-	-	-	3	-	-
89 Shelby	226	-	-	-	1	-	8	-	1	2	-	-	16	-	4
90 Sherman	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
91 Smith	599	-	-	-	-	1	15	-	-	4	-	-	61	-	12
92 Tyler	290	-	-	-	-	-	7	-	-	3	-	-	29	-	4
93 Balance of county	501	-	-	-	-	1	8	-	-	1	-	-	32	-	6
94 Somervell	39	-	-	-	-	-	1	-	-	-	-	-	4	-	-
95 Starr	107	3	-	-	2	1	9	-	2	-	-	-	7	-	-
96 Stephens	82	-	1	-	-	-	-	-	-	-	-	-	15	-	2

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

603

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, entofi- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	All other causes
69	83	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
2	48	115	23	3	56	3	17	13	3	4	4	23	15	41	1
2	25	75	12	2	29	-	9	7	1	3	3	14	9	26	2
2	23	40	11	1	27	3	8	6	2	1	1	9	6	15	3
-	7	16	3	4	11	2	7	6	2	3	5	5	4	14	4
-	6	36	5	2	5	3	4	2	1	1	2	3	5	21	5
1	3	2	3	9	4	1	5	2	1	1	2	2	2	9	6
-	16	56	11	-	45	6	6	3	2	2	2	6	18	34	7
-	11	30	4	-	8	1	-	2	1	1	1	1	7	11	8
1	11	25	7	1	11	1	2	-	-	2	-	5	10	12	9
-	14	70	24	1	13	-	9	9	2	8	10	11	7	20	11
-	16	49	14	1	24	3	6	5	1	1	10	14	12	33	10
-	3	6	1	2	2	-	1	2	-	-	3	58	1	1	12
-	5	11	6	1	1	-	2	3	-	-	4	4	4	5	15
-	10	23	2	-	2	1	2	-	-	-	4	9	-	4	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	45	123	41	8	25	7	37	52	5	7	27	32	16	51	17
-	39	95	30	6	19	7	29	21	4	4	23	24	10	37	17
1	6	28	11	2	6	-	8	11	1	1	4	8	6	14	18
-	4	16	10	4	3	1	1	4	1	1	3	8	6	9	19
1	3	35	3	1	4	1	6	7	2	1	5	2	8	15	20
2	126	291	46	8	65	6	37	26	13	7	45	41	58	159	21
2	73	173	25	4	41	5	26	18	5	5	17	17	33	99	22
-	53	118	21	4	24	1	11	8	6	2	24	24	25	59	23
-	6	4	-	-	-	-	-	1	-	-	-	1	1	1	24
-	8	8	6	1	6	1	1	1	-	1	2	2	5	25	25
-	9	29	1	-	9	1	3	3	-	2	6	3	9	11	26
-	4	4	1	-	1	-	1	3	-	-	3	4	1	3	27
-	3	18	1	-	5	1	-	1	1	2	2	2	1	2	28
-	13	39	8	6	12	-	13	11	2	3	4	9	10	28	29
-	8	11	9	14	13	-	9	2	-	-	2	1	7	10	30
-	8	41	10	2	5	1	4	11	1	-	5	6	9	9	31
-	3	13	1	-	4	-	-	-	-	-	4	1	4	2	32
-	5	23	4	-	6	-	9	11	3	3	13	10	15	15	33
2	26	68	14	-	10	2	2	5	2	1	4	12	8	23	34
1	2	10	1	-	17	-	2	1	2	2	5	5	4	8	35
1	15	20	8	-	5	1	4	4	1	1	10	10	2	14	37
1	7	61	4	-	6	-	4	5	2	3	9	15	11	21	38
2	18	53	8	2	12	-	8	15	1	4	6	16	17	23	39
-	1	10	1	1	1	-	1	9	-	-	4	2	5	5	40
-	10	19	1	1	7	-	1	1	-	-	1	3	-	3	41
-	3	9	1	-	2	-	1	1	1	-	2	15	24	20	42
1	31	65	11	2	27	3	14	10	1	4	8	10	19	51	43
4	44	100	15	1	18	-	10	13	3	4	8	10	7	28	44
4	24	49	7	1	7	-	3	10	3	2	4	4	12	23	45
-	20	51	8	-	10	-	4	3	3	2	4	4	6	6	46
-	9	15	2	1	4	1	1	4	1	1	7	5	8	20	47
-	1	42	4	-	4	-	5	4	1	3	4	7	6	13	48
-	1	37	3	-	3	-	4	3	3	3	3	6	5	7	49
-	5	5	1	-	1	-	1	1	1	-	4	1	3	3	50
-	55	193	62	54	33	13	75	51	11	13	44	55	103	80	51
-	45	152	41	40	26	8	59	32	9	9	31	39	25	80	52
-	10	41	21	14	7	5	16	19	2	4	15	16	9	23	53
-	7	6	2	-	1	1	-	6	-	-	4	2	1	5	54
-	2	2	1	-	-	-	1	1	-	-	4	4	2	2	55
-	8	66	15	2	10	1	8	16	4	3	4	27	10	26	56
-	32	59	11	-	6	1	8	7	1	1	6	7	15	23	57
-	22	26	13	-	12	1	1	3	-	1	2	9	19	26	58
-	23	46	5	-	6	1	4	4	2	-	1	3	5	5	59
-	5	6	1	-	1	1	5	-	-	-	8	4	10	60	60
1	4	12	6	1	-	-	3	1	1	2	7	11	6	15	61
-	13	48	3	-	8	-	4	2	6	2	7	35	21	62	62
-	45	125	28	9	31	3	29	35	9	6	21	31	21	60	63
-	43	122	27	9	30	3	28	34	9	6	21	31	21	60	64
-	44	132	27	9	30	3	28	36	9	6	23	31	1	60	65
-	2	3	1	-	1	-	1	2	1	1	3	4	10	1	66
2	5	8	3	1	-	1	4	1	1	1	-	3	2	6	67
-	1	1	3	-	1	-	1	7	-	-	9	3	4	6	68
-	5	11	-	-	2	-	1	2	-	-	2	7	-	4	69
-	4	11	-	-	2	-	1	5	-	-	7	1	1	1	70
-	1	5	-	-	-	-	-	1	-	-	-	1	1	1	71
-	30	61	14	-	25	2	9	3	2	4	11	5	9	27	73
-	8	12	2	-	2	2	4	3	-	-	10	12	1	8	74
-	4	11	2	-	5	2	3	3	-	-	3	4	2	11	75
-	1	6	2	-	3	-	2	6	-	-	5	4	1	1	76
1	13	64	12	4	19	-	-	3	-	4	4	6	16	27	77
-	5	11	1	-	6	-	-	3	-	-	5	3	-	7	78
1	9	26	14	2	1	-	-	5	2	1	7	7	6	25	79
-	29	105	14	1	20	-	6	3	3	-	17	21	16	25	80
-	11	24	9	-	7	-	-	2	-	3	4	4	5	8	81
-	7	22	5	-	7	-	2	2	-	1	5	2	4	10	82
-	12	16	7	-	6	2	3	2	-	-	4	3	7	5	83
-	16	59	15	57	15	2	25	24	4	4	12	13	17	29	84
-	6	12	5	-	2	-	5	2	-	-	3	7	14	6	85
-	2	4	1	-	3	1	-	-	-	1	5	-	2	4	86
-	10	18	3	-	3	1	-	-	1	1	5	5	4	2	87
-	2	12	3	1	1	-	1	1	5	5	2	6	11	28	89
-	24	54	7	3	23	2	7	1	3	5	6	16	2	1	90
-	3	3	1	-	-	-	-	1	8	10	21	32	16	78	91
3	61	154	23	3	53	5	19	20	4	3	17	17	10	40	92
3	37	85	11	1	21	5	9	11	4	7	15	15	6	38	93
-	24	69	12	2	32	-	10	9	4	1	7	4	1	10	94
-	1	12	1	-	4	1	2	2	1	-	4	1	1	10	95
-	2	16	19	4	2	-	5	1	1	-	4	4	11	10	96
-	7	18	1	-	10	-	3	4	1	1	4	3	6	4	96

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND (By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1, 2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
TEXAS—Continued															
1 Sterling	11	-	-	-	-	-	-	-	-	-	-	-	2	-	1
2 Stonewall	15	-	-	-	-	-	-	-	-	-	-	-	3	-	1
3 Sutton	17	-	-	-	-	-	1	-	-	1	-	-	4	-	-
4 Swisher	44	-	-	-	-	-	1	-	-	-	-	-	7	-	-
5 Tarrant	2,670	-	-	-	2	-	85	1	1	23	-	1	357	1	51
6 Fort Worth	2,276	-	-	-	1	-	67	1	1	22	-	1	310	1	44
7 Balance of county	394	-	-	-	1	-	18	-	-	1	-	-	47	-	7
8 Taylor	469	-	-	-	-	-	11	1	1	7	1	-	60	-	9
9 Abilene	309	-	-	-	-	-	4	1	1	4	1	-	42	-	8
10 Balance of county	160	-	-	-	-	-	7	-	-	-	-	-	18	-	1
11 Terrell	12	-	-	-	-	-	1	-	-	3	-	-	-	-	1
12 Terry	74	-	-	-	-	-	-	1	-	-	-	-	-	-	1
13 Throckmorton	20	-	-	-	-	-	-	-	-	-	-	-	2	-	1
14 Titus	153	1	-	-	-	-	4	-	-	-	-	-	10	-	3
15 Tom Green	456	-	-	-	1	-	31	1	1	1	-	-	50	-	6
16 San Angelo	377	-	-	-	1	-	24	1	-	-	-	-	39	-	5
17 Balance of county	79	-	-	-	-	-	7	-	-	1	-	-	11	-	1
18 Travis	1,490	-	-	-	4	2	96	2	-	78	1	1	128	2	23
19 Austin	1,326	-	-	-	4	2	77	2	-	75	1	1	118	2	20
20 Balance of county	164	-	-	-	-	-	21	-	-	3	-	-	11	-	3
21 Trinity	109	-	-	-	-	-	3	-	-	1	-	-	13	-	-
22 Tyler	94	-	-	-	2	-	2	-	-	2	-	1	13	-	1
23 Upshur	170	-	-	-	-	-	3	-	-	-	-	-	22	-	-
24 Upton	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1
25 Uvalde	149	-	-	-	2	-	12	3	-	3	-	-	8	-	3
26 Val Verde	180	-	-	-	1	1	15	1	-	1	-	-	11	-	3
27 Del Rio	171	-	-	-	1	1	12	-	-	1	-	-	10	-	3
28 Balance of county	9	-	-	-	-	-	1	1	-	-	-	-	1	-	1
29 Van Zandt	214	-	-	-	2	-	5	-	-	-	-	-	15	-	4
30 Victoria	270	-	-	-	2	1	16	3	-	2	-	-	25	-	8
31 Victoria	172	-	-	-	1	1	10	3	-	2	-	-	14	-	6
32 Balance of county	98	-	-	-	1	-	6	-	-	-	-	-	11	-	2
33 Walker	173	-	-	-	-	1	17	-	-	-	-	-	17	-	1
34 Waller	92	-	-	-	-	-	3	-	-	1	-	-	8	-	1
35 Ward	80	-	-	-	1	-	1	-	-	-	-	-	9	-	-
36 Washington	230	-	-	-	-	1	6	-	-	-	-	-	16	-	2
37 Webb	480	2	-	-	2	-	42	7	-	11	-	-	42	2	18
38 Laredo	459	2	-	-	1	-	39	6	-	11	-	-	41	2	17
39 Balance of county	21	-	-	-	1	-	3	1	-	-	-	-	1	-	1
40 Wharton	330	-	-	-	1	1	14	2	-	7	-	-	33	2	7
41 Wheeler	103	-	-	-	1	-	2	-	-	1	-	-	14	-	2
42 Wichita	744	-	-	-	-	-	22	-	-	14	-	-	61	-	13
43 Wichita Falls	398	-	-	-	-	-	8	-	-	2	-	-	59	-	6
44 Balance of county	346	-	-	-	-	-	14	-	-	12	-	-	22	-	7
45 Wilbarger	149	-	-	-	1	-	5	-	-	-	-	-	14	-	4
46 Willacy	179	-	-	-	-	1	15	11	-	-	-	-	10	-	1
47 Williamson	340	-	-	-	1	2	13	1	-	4	-	-	39	-	11
48 Wilson	161	-	-	-	-	-	15	-	1	-	-	-	23	-	3
49 Winkler	51	-	-	-	3	-	2	-	-	1	-	-	4	-	-
50 Wise	133	-	-	-	-	-	1	1	-	-	-	-	15	-	1
51 Wood	181	-	-	-	1	-	9	-	-	1	-	-	25	-	2
52 Yukon	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-
53 Young	158	-	-	-	-	-	2	-	-	1	-	-	18	-	4
54 Zapata	27	1	-	-	2	-	1	1	-	-	-	-	-	-	-
55 Zavala	121	-	-	-	-	1	13	3	-	2	-	-	6	-	3
56 UTAH	4,986	-	4	2	1	11	80	4	-	22	1	4	545	7	97
57 Beaver	33	-	-	-	-	-	-	-	-	-	-	-	3	-	-
58 Box Elder	140	-	-	-	-	-	2	-	-	-	-	-	17	-	3
59 Cache	236	-	2	-	-	-	3	-	-	-	-	-	31	1	5
60 Logan	110	-	-	-	-	-	2	-	-	-	-	-	14	1	4
61 Balance of county	126	-	1	-	-	-	1	-	-	-	-	-	17	-	1
62 Carbon	187	-	-	-	-	-	5	-	-	-	-	-	31	-	6
63 Daguerre	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-
64 Davis	165	-	-	-	-	-	1	-	-	1	-	-	15	-	1
65 Duchesne	65	-	-	-	-	1	1	-	-	-	-	-	4	1	2
66 Emery	43	-	-	-	-	-	1	-	-	-	-	-	6	-	2
67 Garfield	29	-	-	-	-	-	1	-	-	1	-	-	6	-	1
68 Grand	14	-	-	-	-	-	1	-	-	-	-	-	6	-	-
69 Iron	69	-	-	-	-	-	1	-	-	-	-	-	8	-	3
70 Juab	51	-	-	-	-	-	1	-	-	1	-	-	2	-	2
71 Kane	17	-	-	-	-	-	1	-	-	-	-	-	1	-	2
72 Millard	71	-	-	-	-	-	-	-	-	-	-	-	5	-	2
73 Morgan	20	-	-	-	-	-	-	1	-	-	-	-	2	-	1
74 Piute	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1
75 Rich	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-
76 Salt Lake	1,950	-	-	1	-	3	32	-	-	11	-	3	237	-	36
77 Salt Lake City	1,576	-	-	-	-	3	23	-	-	9	-	2	196	-	28
78 Balance of county	374	-	-	-	-	-	9	-	-	2	-	-	41	-	10
79 San Juan	26	-	-	-	-	-	5	-	-	-	-	-	18	-	1
80 Sanpete	133	-	-	-	-	-	-	-	-	-	-	-	6	-	2
81 Sevier	112	-	-	-	-	-	-	-	-	-	-	-	14	-	2
82 Summit	66	-	-	-	-	-	1	-	-	-	-	-	6	-	2
83 Tooele	98	-	-	-	-	1	2	-	-	1	-	-	10	1	1
84 Uintah	73	-	-	-	-	3	1	-	-	1	-	-	6	-	-
85 Utah	618	-	-	-	1	-	7	-	-	2	1	-	53	1	16
86 Provo	258	-	-	-	-	-	-	-	-	2	-	-	20	-	8
87 Balance of county	360	-	-	-	1	-	7	-	-	-	1	-	33	1	6
88 Wasatch	41	-	1	-	-	-	-	-	-	-	-	-	3	-	3
89 Washington	60	-	-	-	-	-	1	-	-	-	-	-	6	-	1
90 Wayne	16	-	-	-	-	-	-	-	-	-	-	-	3	-	1
91 Weber	618	-	1	1	-	-	14	3	-	5	-	-	56	3	6
92 Ogden	498	-	-	-	-	-	14	2	-	4	-	-	46	1	3
93 Balance of county	121	-	1	1	-	-	-	1	-	1	-	-	10	2	3

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Fellagra (except alcoholic)	Intra-cranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Diarrhea, enteritis, and ulceration of intestines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year (except premature birth)	Premature birth	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	83	90-95	107-109, 33	119, 120	130-132	140-150	157, 158, 160, 161	159	163, 164	165-169	170	169, 171-195	162, 199, 200	
-	1	1	-	-	1	-	1	1	-	-	-	1	-	2
-	1	1	-	-	2	-	1	1	-	-	-	1	-	1
-	1	1	-	-	1	-	-	1	-	-	2	3	-	3
-	2	13	-	-	3	-	1	1	-	-	2	1	-	4
9	264	783	81	11	132	3	92	133	30	50	88	120	83	271
4	226	667	73	10	116	3	74	117	21	47	72	96	68	234
5	39	116	6	1	16	-	18	16	9	3	14	24	15	37
-	43	121	30	22	12	-	9	19	5	-	15	18	15	18
-	26	90	14	6	9	-	9	14	3	-	14	14	14	35
-	17	51	8	6	3	-	-	5	2	-	1	4	1	59
-	1	2	1	-	-	-	-	1	-	-	1	1	1	2
-	4	13	3	3	2	1	4	8	-	2	6	7	1	11
-	1	3	1	-	1	-	-	-	-	1	1	2	6	2
-	1	40	9	-	8	-	9	6	4	-	6	12	4	21
2	16	119	19	9	17	1	12	24	7	5	16	25	23	52
2	37	96	18	9	14	1	11	23	4	5	16	19	19	45
-	8	23	1	-	3	-	1	1	3	3	-	6	4	12
-	121	304	75	47	64	4	46	85	16	16	35	46	42	206
3	110	272	60	45	59	3	34	75	15	14	32	59	55	195
-	11	32	15	2	5	1	12	10	1	2	3	7	14	20
-	6	29	8	-	9	-	4	3	1	1	6	4	7	15
-	6	22	8	-	4	-	1	1	1	3	4	9	3	22
-	21	49	11	1	12	1	6	3	2	1	4	4	4	23
-	2	5	1	-	1	1	2	-	-	-	3	1	-	24
-	6	31	10	4	12	-	3	4	2	1	7	11	5	22
-	10	41	19	6	7	2	9	11	1	1	4	8	8	20
-	8	41	19	5	7	2	9	11	3	1	4	5	6	20
-	2	58	10	1	-	-	-	-	1	3	-	10	9	23
1	18	58	10	1	31	2	5	4	1	5	12	10	11	47
-	25	45	10	8	18	4	13	13	3	3	10	9	9	30
-	9	29	6	5	11	3	4	12	1	2	5	7	6	28
-	14	16	4	3	7	1	2	1	3	5	5	2	2	19
-	10	37	1	2	3	2	5	2	2	7	8	6	5	32
-	3	23	3	2	8	1	2	2	-	-	8	9	7	12
-	14	79	8	-	30	-	8	5	2	-	5	7	3	8
1	14	79	8	-	30	-	8	5	2	-	5	7	3	30
1	25	87	57	17	15	2	23	30	5	6	20	17	16	42
1	25	85	55	16	15	2	22	30	4	6	18	18	1	41
-	22	4	2	1	-	-	1	-	1	1	2	2	1	39
1	6	88	17	2	14	1	10	14	2	4	9	14	18	47
1	6	27	6	-	6	-	3	9	-	-	4	8	5	41
4	73	238	39	3	40	1	17	35	7	-	15	44	16	78
1	41	109	21	2	11	1	15	24	4	2	9	26	13	44
3	32	129	48	1	29	1	2	11	3	2	6	18	3	34
-	10	49	6	2	3	1	4	8	6	1	5	10	6	14
-	7	21	19	14	3	2	15	3	2	2	4	14	12	21
-	29	77	9	7	25	2	14	17	6	6	21	21	18	47
1	16	59	7	4	11	1	3	3	-	-	3	13	10	10
-	2	10	1	-	-	-	1	3	4	-	8	3	6	4
-	13	42	6	1	7	-	10	1	1	1	10	9	4	12
-	18	50	7	-	11	-	8	4	-	-	3	14	3	27
-	18	3	1	-	-	-	1	1	-	-	3	-	3	3
-	12	51	2	-	14	-	4	6	3	1	10	13	2	16
-	2	2	3	1	-	-	1	1	-	-	1	6	4	7
-	6	16	14	15	2	2	4	4	-	2	3	6	6	13
-	360	1,554	189	33	259	17	236	207	50	12	177	284	154	676
-	3	7	2	-	4	-	1	1	2	-	3	2	1	4
-	13	48	6	2	4	-	4	4	4	-	9	9	3	20
-	17	76	3	3	14	1	9	4	2	-	14	14	8	58
-	10	33	2	2	4	-	5	1	1	-	4	3	3	39
-	7	43	1	1	10	1	4	3	1	-	2	11	3	22
-	10	45	7	5	6	1	6	6	10	-	5	20	5	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	11	46	3	3	8	-	9	5	-	1	17	17	5	63
-	3	17	2	1	-	-	6	3	2	-	5	5	2	22
-	3	13	1	-	3	-	1	1	2	-	1	5	1	8
-	6	1	1	-	1	-	3	1	-	-	-	3	2	6
-	2	1	-	-	1	-	1	2	-	-	1	2	-	5
-	4	17	1	-	4	-	8	3	1	-	5	4	1	10
-	8	11	1	-	3	-	3	3	2	2	3	4	1	8
-	4	4	-	-	-	-	-	-	-	-	-	-	-	7
-	5	9	5	1	5	-	3	2	3	1	4	3	14	11
-	7	6	2	1	1	-	-	-	-	-	3	3	1	8
-	1	3	-	-	-	-	-	-	-	-	-	-	-	2
-	1	3	-	-	-	-	-	-	-	-	-	-	-	1
-	139	634	85	4	101	11	79	91	12	3	54	94	60	261
-	114	532	66	2	77	10	64	74	9	3	37	76	34	219
-	24	102	19	2	24	1	15	17	3	3	17	18	26	42
-	1	3	2	1	3	-	2	1	-	-	-	1	3	4
-	14	56	4	-	8	-	4	4	3	-	4	4	-	13
-	3	23	5	1	8	1	7	4	2	-	8	12	2	18
-	7	23	6	4	4	-	5	3	-	-	7	2	2	81
-	8	30	1	-	6	-	6	6	2	2	8	8	4	10
-	6	18	2	-	2	-	4	4	-	2	3	8	4	9
-	46	232	26	4	28	1	25	21	6	1	21	30	8	59
-	21	107	9	-	5	-	7	3	2	1	6	6	3	87
-	25	125	17	4	23	-	18	19	4	-	15	24	5	51
-	2	15	1	1	1	1	2	3	-	-	-	3	-	88
-	7	17	3	-	11	-	6	6	1	-	6	4	3	8
-	-	3	1	-	-	-	3	1	-	-	1	2	-	2
-	41	163	20	6	33	1	39	24	8	2	23	35	26	89
-	33	148	16	4	27	1	35	19	4	2	30	30	24	70
-	8	35	4	2	6	-	4	5	4	-	8	5	2	19

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Polio-myelitis, polio-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	3	4	5	6	7	8	9	10	11	12	13	14	15
1 VERMONT	4,378	1	1	2	5	1	119	1	-	12	7	1	574	1	114
2 Addison	196	-	-	-	-	-	4	-	-	-	-	-	22	-	5
3 Bennington	296	-	-	-	-	-	6	-	-	-	2	-	47	-	6
4 Caledonia	314	-	-	-	1	-	4	-	-	1	-	-	42	-	11
5 Chittenden	520	-	-	-	-	-	3	-	-	2	1	-	67	-	14
6 Burlington	297	-	-	-	-	-	1	-	-	1	-	-	36	-	11
7 Balance of county	223	-	-	-	-	-	2	-	-	-	1	-	31	-	3
8 Essex	94	-	-	-	-	-	3	-	-	-	-	1	12	-	2
9 Franklin	314	-	-	1	-	-	5	-	-	-	-	-	4	-	2
10 Grand Isle	45	-	-	-	-	-	4	-	-	-	-	-	19	-	4
11 Lemotile	136	-	-	1	-	-	-	-	-	1	-	-	29	-	4
12 Orange	198	-	-	-	-	-	2	-	-	2	-	-	25	-	4
13 Orleans	246	1	1	1	1	-	2	-	-	1	-	-	78	-	5
14 Rutland	577	-	-	-	-	-	16	-	-	-	-	-	30	1	20
15 Rutland	255	-	-	-	-	-	2	-	-	-	-	-	50	-	7
16 Balance of county	342	-	-	-	-	-	14	-	-	-	-	-	48	1	15
17 Washington	569	-	-	-	-	1	59	1	-	3	2	-	66	-	17
18 Barre	142	-	-	-	-	-	17	-	-	-	-	-	21	-	8
19 Balance of county	427	-	-	-	-	1	41	1	-	3	2	-	45	-	9
20 Windham	405	1	1	-	-	-	7	-	-	2	-	-	55	-	10
21 Windsor	468	-	1	1	1	-	5	-	-	-	2	-	68	-	7
22 VIRGINIA ⁷	29,193	11	33	3	60	23	1,244	25	1	349	31	13	2,978	45	598
23 Accomack	411	-	-	-	3	-	17	1	-	1	-	-	26	-	13
24 Albemarle	276	-	-	-	-	-	16	-	-	2	-	-	27	-	8
25 Alleghany	189	-	-	1	-	-	13	-	-	-	-	-	7	-	5
26 Amelia	100	-	-	-	-	-	7	-	-	1	-	-	21	-	4
27 Amherst	209	-	-	-	-	-	9	-	-	-	8	-	6	-	2
28 Appomattox	89	-	-	-	-	-	6	1	-	1	-	-	6	-	2
29 Arlington	612	-	2	-	-	-	11	-	-	2	-	2	99	-	12
30 Augusta	413	-	-	-	-	-	17	2	-	1	-	-	46	-	13
31 Bath	51	-	1	-	-	-	4	-	-	-	-	-	5	1	2
32 Bedford	304	-	-	-	-	-	7	-	-	1	-	-	31	1	6
33 Bland	43	-	-	-	-	-	1	-	-	-	-	-	7	-	1
34 Botetourt	132	-	-	-	-	-	7	-	-	-	-	-	25	-	2
35 Brunswick	178	1	-	2	1	3	3	-	-	1	-	-	8	2	2
36 Buchanan	227	-	-	-	2	12	3	-	-	1	-	-	13	1	2
37 Buckingham	111	-	-	-	-	3	3	-	-	1	-	-	12	1	2
38 Campbell	203	-	1	-	1	3	3	-	-	3	-	-	22	1	4
39 Caroline	148	-	-	-	-	8	8	-	-	1	-	-	9	-	3
40 Carroll	175	-	1	1	-	8	8	-	-	4	-	-	13	1	1
41 Charles City	55	-	-	-	-	-	4	2	-	1	-	-	4	-	3
42 Charlotte	125	-	-	-	-	3	3	-	-	-	-	-	7	-	7
43 Chesterfield	288	-	-	-	-	17	3	-	-	3	-	-	36	-	5
44 Clarke	88	-	-	-	-	6	6	-	-	2	-	-	4	-	1
45 Craig	29	-	-	-	-	-	-	-	-	-	-	-	5	-	-
46 Culpeper	128	1	-	-	-	3	3	-	-	-	-	-	14	-	2
47 Cumberland	95	-	-	-	-	6	6	-	-	1	-	-	6	-	1
48 Dickenson	161	-	2	1	2	7	7	-	-	-	1	-	6	-	4
49 Dinwiddie	507	-	-	-	-	50	1	1	-	20	-	-	12	4	4
50 Elizabeth City	315	-	-	-	-	10	4	-	-	4	-	1	38	1	4
51 Essex	81	-	-	1	-	5	5	-	-	1	-	-	7	-	3
52 Fairfax	429	-	-	-	-	17	3	-	-	3	-	-	65	-	10
53 Fauquier	207	-	-	-	-	5	5	1	-	-	-	-	20	1	4
54 Floyd	90	-	1	-	-	1	4	-	-	1	-	1	9	-	2
55 Fluvanna	69	-	-	1	-	4	4	-	-	-	-	-	6	-	1
56 Franklin	198	-	1	-	1	2	2	-	-	-	1	-	20	2	6
57 Frederick	164	-	-	2	1	5	5	-	-	3	-	-	11	-	4
58 Giles	159	-	1	2	1	3	3	-	-	2	2	-	9	-	2
59 Gloucester	109	1	-	-	-	4	4	-	-	2	-	-	19	-	-
60 Goochland	95	-	-	-	-	10	1	-	-	2	-	-	7	1	-
61 Grayson	218	-	-	-	1	2	2	-	-	3	-	1	15	-	3
62 Greensboro	64	-	-	1	1	2	2	-	-	1	-	-	10	-	1
63 Greensville	128	-	-	2	-	4	4	-	-	1	-	-	10	-	1
64 Halifax	369	-	-	-	-	12	1	-	-	1	-	-	31	-	6
65 Hanover	181	2	-	-	-	9	9	-	-	-	-	-	16	-	6
66 Henrico	281	-	-	-	-	13	8	-	-	-	-	-	40	-	4
67 Henry	195	-	-	1	1	8	8	-	-	-	-	-	18	-	7
68 Highland	41	-	-	-	-	1	1	-	-	-	-	-	-	-	-
69 Isle of Wight	167	-	-	2	-	11	-	-	-	3	-	-	9	1	2
70 James City	42	-	-	-	-	-	-	-	-	1	-	-	2	-	2
71 King and Queen	60	-	-	1	-	-	-	-	-	-	-	-	9	-	-
72 King George	43	-	-	-	-	3	-	-	-	2	-	-	5	-	1
73 King William	104	-	-	-	-	5	5	-	-	2	-	-	13	-	-
74 Lancaster	106	-	-	1	-	3	3	-	-	1	-	-	10	-	-
75 Lee	266	-	-	4	1	12	1	-	-	1	2	2	20	-	8
76 Loudoun	240	-	-	-	-	5	3	-	-	3	-	-	33	1	2
77 Louisa	139	-	-	-	-	4	4	-	-	-	-	-	19	-	2
78 Lunenburg	145	-	-	-	-	4	9	-	-	1	-	-	9	-	4
79 Madison	84	-	-	-	-	2	2	-	-	1	-	-	12	-	1
80 Mathews	96	-	-	1	-	2	2	-	-	1	-	-	17	-	4
81 Mecklenburg	800	-	1	-	-	11	5	-	-	5	-	-	18	-	6
82 Middlesex	76	-	-	-	-	-	-	-	-	2	-	-	9	-	3
83 Montgomery	247	-	1	-	-	13	5	-	-	5	1	-	23	1	3
84 Nansemond	242	-	-	-	1	12	7	-	-	1	-	-	22	1	8
85 Nelson	141	-	-	1	-	7	-	-	-	-	-	-	13	2	3
86 New Kent	40	-	-	-	-	-	-	-	-	-	-	-	2	-	1
87 Norfolk	533	-	1	-	-	21	4	-	-	4	-	-	48	-	7
88 Northampton	254	-	1	-	-	9	-	-	-	-	-	-	23	-	7
89 Northumberland	66	1	-	-	-	4	-	-	-	1	-	-	9	1	4
90 Nottingham	192	1	-	2	-	26	6	-	-	3	-	-	9	-	5
91 Orange	137	-	-	1	-	6	7	-	-	1	-	-	13	1	1
92 Page	152	-	1	-	-	7	-	-	-	-	-	-	25	-	5
93 Patrick	114	-	-	-	-	1	4	-	-	-	1	-	9	-	1
94 Pittsylvania	513	1	-	-	4	1	16	1	-	2	-	1	42	1	10
95 Powhatan	61	-	-	-	-	-	2	-	-	-	-	-	8	-	1

⁷Cities of Virginia are independent, each having the same status as a county. See list of independent cities following counties of this State.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

607

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
88	85	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	435	1,504	182	20	192	12	120	100	50	4	69	246	46	559	1
-	22	78	11	1	5	-	6	2	1	-	1	12	-	28	2
-	21	111	8	1	10	2	9	2	4	-	9	18	4	36	3
-	32	105	14	-	16	-	10	9	1	-	7	20	1	40	4
-	38	185	22	2	14	1	19	23	4	2	10	30	1	72	5
-	20	121	9	1	7	1	10	15	4	1	3	13	-	43	6
-	16	74	13	1	7	-	9	8	-	1	7	17	1	29	7
-	10	30	5	-	7	-	2	3	1	-	5	5	1	7	8
-	41	93	11	2	22	1	11	7	2	-	3	19	4	42	9
-	3	18	2	-	1	-	-	-	-	-	1	3	-	6	10
-	17	38	6	-	7	-	4	4	4	-	4	6	1	18	11
-	30	72	4	2	5	1	3	5	2	2	4	11	2	20	12
-	28	77	18	3	18	-	7	6	4	-	-	17	3	30	13
-	65	196	19	3	24	2	16	6	8	1	9	30	5	80	14
-	27	88	5	2	9	1	7	4	3	1	3	11	2	31	15
-	36	108	14	1	15	1	9	2	3	-	-	19	3	49	16
-	49	174	21	2	19	-	11	13	10	-	-	5	3	79	17
-	8	35	5	-	6	-	5	3	5	-	-	1	4	21	18
-	41	139	16	2	13	-	6	10	5	-	-	4	27	4	58
-	38	153	29	-	18	1	4	6	6	1	1	1	10	46	20
-	43	164	12	2	26	4	18	14	3	-	8	16	7	55	21
24	3,101	8,096	1,328	204	2,130	144	1,087	1,110	337	261	676	1,432	683	3,166	22
-	52	141	15	1	31	3	10	6	3	9	7	16	18	38	23
-	29	86	16	1	7	2	6	5	2	2	12	16	7	31	24
-	19	61	8	1	10	-	10	3	1	1	5	12	1	16	25
-	7	28	2	-	10	-	5	4	1	-	-	6	4	14	26
-	17	58	11	2	9	-	6	6	-	-	5	9	4	37	27
-	8	24	6	1	10	1	1	1	1	-	5	7	-	8	28
-	49	173	21	7	37	2	49	33	8	5	10	17	2	71	29
-	35	117	13	2	29	1	24	14	4	3	6	23	7	56	30
-	2	15	-	-	6	-	1	2	-	-	2	3	-	6	31
-	49	89	17	-	26	3	10	9	3	3	6	9	5	29	32
-	3	16	2	1	1	-	1	1	1	-	2	2	1	2	33
-	16	41	4	2	5	1	4	3	2	-	-	12	-	9	34
-	26	57	13	2	8	2	5	9	1	1	7	5	6	16	35
-	15	31	21	2	15	4	11	16	1	3	6	20	28	25	56
-	12	42	6	1	6	-	2	5	1	-	-	9	2	9	37
-	30	61	11	2	15	-	3	6	1	1	12	11	4	12	38
-	12	46	3	-	8	2	12	6	2	-	-	6	6	20	39
-	20	58	5	1	9	-	11	5	-	1	5	8	5	16	40
-	8	9	3	-	6	-	1	3	-	-	-	6	2	9	41
-	12	34	13	1	5	1	6	5	1	1	1	9	7	17	42
-	27	69	17	2	20	-	11	10	4	1	18	32	3	32	43
-	4	31	6	4	1	1	3	2	1	1	4	3	3	7	44
-	5	8	-	-	2	-	2	-	-	-	1	2	-	5	45
-	17	57	10	-	8	1	3	1	3	1	7	10	5	8	46
-	18	22	6	-	6	-	2	2	-	-	3	6	2	14	47
-	9	20	9	3	11	2	11	9	5	1	2	23	12	19	48
-	36	146	11	2	28	2	5	8	2	1	1	8	3	100	49
-	35	100	14	1	29	1	9	11	6	3	3	12	3	34	50
-	13	16	2	1	6	-	2	3	-	-	1	5	4	5	51
-	31	130	13	4	28	-	28	12	8	6	15				

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND (By place of residence. Exclusive of stillbirths and of deaths among armed forces)

	AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
VIRGINIA ⁷ —Continued																
1	Prince Edward	148	-	-	-	2	-	4	-	-	1	1	-	9	1	4
2	Prince George	93	-	-	-	-	-	2	-	-	-	-	-	6	-	1
3	Prince William	148	-	-	-	-	-	7	-	-	1	-	-	11	-	2
4	Princess Anne	377	-	1	1	-	1	46	-	-	5	-	-	26	-	10
5	Pulaski	204	-	-	-	-	-	7	-	-	2	-	-	23	1	3
6	Rappahannock	65	-	-	-	-	-	1	2	-	2	-	-	10	-	2
7	Richmond	52	-	-	-	1	-	-	-	-	-	2	-	5	-	1
8	Roanoke	486	-	-	-	-	-	35	-	-	30	-	-	46	2	5
9	Rockbridge	222	-	-	-	-	-	20	1	-	2	-	-	16	-	6
10	Rockingham	310	1	1	-	-	-	15	-	-	2	-	-	32	-	3
11	Russell	188	1	-	-	-	-	5	-	-	-	-	-	15	-	-
12	Scott	199	-	1	-	-	-	14	-	-	-	-	1	23	-	3
13	Shenandoah	243	-	-	-	-	-	7	-	-	1	-	-	59	-	7
14	Smyth	305	-	1	-	5	-	13	2	-	7	-	-	29	-	2
15	Southampton	261	1	-	-	1	-	15	1	-	1	-	-	24	-	3
16	Spotsylvania	112	-	-	-	-	-	4	-	-	1	-	-	15	-	2
17	Stafford	93	-	-	-	-	-	8	-	-	-	-	-	9	-	5
18	Surry	63	-	-	-	-	-	2	-	-	-	-	-	9	-	1
19	Sussex	125	-	-	-	2	2	10	-	-	-	-	-	4	-	4
20	Tazewell	366	-	1	-	2	-	16	1	-	2	-	-	40	1	11
21	Warren	111	-	-	-	1	-	6	-	-	-	-	-	15	-	1
22	Warwick	145	-	2	-	1	-	7	-	-	1	-	-	15	-	2
23	Washington	330	-	-	-	1	-	11	1	-	-	-	1	28	-	1
24	Westmoreland	104	-	-	-	2	-	3	-	-	1	-	-	11	-	1
25	Wise	469	-	1	-	-	2	26	-	-	4	1	-	36	2	5
26	Wythe	218	-	-	-	-	-	8	-	-	1	1	-	32	-	3
27	York	79	-	-	-	-	-	3	-	-	-	-	-	10	-	-
Independent Cities ⁸																
28	Alexandria	439	-	2	-	1	-	16	-	-	2	-	-	66	-	9
29	Bristol	150	-	1	-	-	-	5	-	-	1	-	-	11	-	3
30	Buena Vista	53	-	-	-	-	-	-	-	-	1	-	-	10	-	2
31	Charlottesville	232	-	-	-	-	-	7	-	-	7	-	-	28	-	10
32	Clifton Forge	61	-	-	-	1	-	1	-	-	2	-	-	12	-	1
33	Danville	406	-	-	-	-	-	14	-	-	1	-	-	50	1	9
34	Fredericksburg	109	-	1	-	-	-	6	-	-	1	-	-	18	-	5
35	Hampton	124	-	-	-	-	-	3	-	-	-	-	-	14	1	3
36	Harrisonburg	100	-	-	-	-	-	2	-	-	1	-	-	7	-	4
37	Hopeville	94	-	-	-	-	-	2	-	-	-	-	-	7	1	4
38	Lynchburg	463	-	-	-	-	-	13	-	-	3	-	-	76	1	9
39	Martinsville	114	-	-	-	-	1	2	-	-	-	-	1	8	-	4
40	Newport News	581	1	-	-	1	2	23	-	-	5	-	-	60	-	16
41	Norfolk	1,899	-	-	-	1	-	64	1	-	24	-	1	206	2	46
42	Petersburg	445	-	-	-	1	1	22	-	-	3	-	-	42	1	13
43	Portsmouth	619	-	-	-	1	-	21	-	1	10	1	-	74	1	13
44	Radford	74	-	-	-	-	-	3	-	-	1	-	-	7	-	2
45	Richmond	2,570	1	3	-	2	1	124	3	-	26	2	-	301	2	67
46	Roanoke	757	-	-	-	-	-	19	1	-	10	-	1	67	2	17
47	South Norfolk	68	-	-	-	-	-	-	-	-	4	-	-	10	-	1
48	Staunton	455	-	-	-	-	-	23	1	-	13	-	-	21	-	3
49	Suffolk	154	-	-	-	-	-	10	-	-	1	-	-	23	1	7
50	Williamsburg	260	-	-	-	-	-	15	1	-	7	-	-	18	-	1
51	Winchester	190	-	-	-	-	-	9	-	-	3	-	-	22	-	-
52	WASHINGTON	21,979	4	16	-	7	11	592	3	1	178	-	13	3,002	14	476
53	Adams	50	-	-	-	1	-	1	-	-	2	-	-	6	-	1
54	Asotin	106	-	-	-	-	-	1	-	-	1	-	-	14	-	4
55	Benton	131	-	-	-	-	-	1	-	-	-	-	-	13	-	1
56	Chelan	392	-	1	-	-	1	3	-	-	3	-	-	33	-	8
57	Wenatchee	162	-	1	-	-	-	1	-	-	2	-	-	22	-	5
58	Balance of county	190	-	-	-	1	-	2	-	-	1	-	-	11	-	3
59	Clallam	251	-	-	-	-	-	5	-	-	2	-	-	26	-	6
60	Clark	716	1	-	-	-	-	14	-	-	4	-	-	94	1	22
61	Vancouver	430	1	-	-	-	-	7	-	-	2	-	-	61	1	10
62	Balance of county	286	-	-	-	-	-	7	-	-	2	-	-	35	-	12
63	Columbia	47	-	-	-	-	-	-	-	-	-	-	-	7	-	-
64	Cowlitz	401	-	-	-	-	-	8	-	-	2	-	-	54	2	6
65	Longview	188	-	-	-	-	-	2	-	-	2	-	-	26	1	5
66	Balance of county	213	-	-	-	-	-	6	-	-	-	-	-	28	1	1
67	Douglas	46	-	-	-	-	-	1	-	-	1	-	-	9	-	-
68	Ferry	30	-	-	-	-	-	-	-	-	1	-	-	7	-	3
69	Franklin	100	-	-	-	-	-	3	-	-	1	-	-	14	-	3
70	Garfield	29	-	-	-	-	-	-	-	-	-	-	-	5	-	-
71	Grant	116	-	-	-	-	-	2	-	-	2	-	-	14	1	1
72	Greys Harbor	617	-	-	-	2	-	20	-	-	5	-	1	89	-	17
73	Aberdeen	344	-	-	-	2	-	6	-	-	3	-	-	64	-	9
74	Hoquiam	88	-	-	-	-	-	1	-	-	-	-	1	7	-	-
75	Balance of county	165	-	-	-	-	-	13	-	-	2	-	-	18	-	8
76	Island	93	-	-	-	-	-	1	-	-	-	-	-	8	-	5
77	Jefferson	96	-	-	-	-	-	2	-	-	1	-	-	11	-	3
78	King	6,815	1	5	-	3	-	210	-	1	46	-	3	1,031	1	140
79	Seattle	5,339	1	4	-	3	-	153	-	-	39	-	3	832	1	107
80	Balance of county	1,476	-	1	-	-	-	57	-	1	7	-	-	199	-	33
81	Kitsap	602	-	-	-	-	-	10	1	-	3	-	1	84	-	14
82	Bremerton	265	-	-	-	-	-	3	-	-	3	-	1	45	-	9
83	Balance of county	317	-	-	-	-	-	7	1	-	-	-	-	39	-	5
84	Kittitas	175	-	-	-	-	-	3	-	-	-	-	-	28	-	9
85	Klickitat	94	-	-	-	-	-	1	-	-	-	-	-	14	1	2
86	Lewis	463	-	-	-	-	-	8	-	-	3	-	-	53	-	16
87	Lincoln	134	-	-	-	-	-	-	-	-	-	-	-	16	-	6
88	Mason	115	-	-	-	-	-	1	-	-	-	-	-	19	-	1
89	Okanogan	202	-	3	-	-	-	6	-	-	2	-	-	18	-	4
90	Pacific	152	-	-	-	-	-	2	-	-	-	-	-	25	-	3

⁷See footnote on p. 606. ⁸Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News,

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

609

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Poliagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of in- testines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,53	119,120	130-132	140-150	157,158,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	18	45	5	1	9	1	5	4	-	-	4	12	8	17	1
-	7	25	8	3	13	-	1	8	1	-	2	9	1	6	2
-	13	44	7	-	10	1	9	5	2	2	8	8	2	16	3
-	46	144	12	-	19	-	15	3	-	-	6	21	1	20	4
-	13	50	5	-	32	1	11	7	3	2	3	10	7	24	5
-	5	18	1	-	5	1	2	4	2	1	2	5	2	1	6
-	8	16	3	-	1	-	1	3	2	-	1	3	-	7	7
1	43	112	27	2	41	1	17	24	8	-	14	15	6	59	6
1	19	74	2	1	18	2	12	9	2	1	5	7	2	22	9
-	46	79	18	1	23	2	13	16	6	2	11	15	3	23	10
-	21	48	11	3	9	-	12	4	1	1	3	9	18	23	11
-	22	47	15	-	8	-	5	4	1	1	3	9	18	24	12
-	24	65	9	-	29	-	12	4	3	1	5	12	6	22	13
1	33	88	27	-	12	2	8	9	3	-	5	16	5	40	14
-	31	67	20	5	19	2	11	8	-	4	17	12	4	17	15
-	13	30	6	-	10	-	6	-	-	-	7	5	2	13	16
-	15	21	5	-	7	-	4	1	1	1	3	4	-	9	17
-	5	23	3	1	8	-	-	2	2	-	1	3	-	3	18
-	17	31	6	-	16	2	3	5	-	1	6	1	6	13	19
-	28	87	19	3	27	2	16	20	3	1	5	30	15	34	20
-	7	33	6	2	8	-	3	12	2	2	1	5	2	9	21
-	12	26	9	-	9	-	13	8	2	5	8	8	-	16	22
4	40	96	20	3	28	-	10	12	1	2	6	13	3	48	23
-	13	24	4	3	12	-	5	8	-	2	3	3	1	10	24
3	31	89	25	6	34	4	22	24	7	4	15	31	38	59	25
1	20	40	11	3	23	-	7	10	3	2	10	8	5	28	26
-	14	20	4	-	9	-	5	4	-	-	2	3	1	6	27
-	26	122	16	1	14	3	17	23	6	4	11	29	6	65	28
-	16	43	12	2	9	-	6	9	1	1	5	6	4	15	29
-	5	9	1	2	5	-	1	5	2	-	5	5	1	4	30
-	25	81	7	-	4	-	5	11	6	-	8	5	4	26	31
-	5	19	5	-	3	-	1	2	1	5	3	3	2	5	32
1	47	91	21	3	48	3	14	13	6	7	10	24	10	33	33
-	8	34	4	-	10	1	5	4	-	2	2	3	-	7	34
-	15	35	7	-	13	2	3	5	1	1	1	6	-	14	35
-	3	23	5	2	12	-	8	9	1	1	2	10	-	11	36
-	11	21	4	1	7	1	10	2	4	1	7	7	1	10	37
1	41	130	15	-	39	2	17	1	3	3	16	15	11	57	38
-	7	28	2	2	10	-	4	11	3	2	5	7	2	15	39
-	55	116	25	3	59	4	25	24	6	11	12	29	17	67	40
2	224	534	86	8	95	16	57	79	28	37	39	113	13	225	41
-	57	122	13	3	42	2	17	16	4	4	7	20	4	52	42
-	82	147	41	4	47	4	23	23	6	5	19	33	3	60	43
-	6	23	2	-	2	1	7	3	1	-	3	5	1	7	44
1	266	790	93	13	201	8	68	80	24	39	38	85	48	292	45
-	81	197	23	4	56	3	34	32	7	2	9	36	14	102	46
-	11	15	2	-	5	-	5	4	1	1	1	3	1	4	47
1	48	204	38	5	18	1	7	6	7	-	-	27	3	31	48
-	20	43	6	1	13	1	3	10	-	-	2	7	-	6	49
-	23	81	10	9	5	-	2	1	4	-	1	10	14	58	50
-	26	55	2	3	15	-	12	9	3	-	3	9	7	12	51
1	2,102	7,122	833	58	998	63	748	576	365	75	557	1,249	402	2,513	52
-	5	11	1	-	4	-	3	-	-	-	1	7	-	7	53
-	8	32	6	-	8	-	2	-	3	2	5	5	7	12	54
-	11	43	3	1	4	1	11	7	4	4	8	8	5	13	55
-	40	108	8	2	15	1	19	15	7	1	15	27	7	38	56
-	24	47	3	1	6	-	8	6	2	1	4	11	3	15	57
-	16	61	5	1	9	1	11	9	3	2	11	16	4	23	58
-	27	83	7	1	15	7	11	8	3	2	22	22	4	21	59
-	61	254	33	3	38	5	30	24	10	4	19	45	10	64	60
-	39	150	23	2	26	2	15	14	3	1	12	20	5	36	61
-	22	84	10	1	12	3	15	10	7	3	7	25	5	28	62
-	1	20	2	-	5	-	2	-	2	-	1	2	-	5	63
-	35	123	8	1	17	-	21	16	4	2	15	29	9	49	64
-	22	48	3	-	11	-	8	9	1	1	9	8	1	31	65
-	13	75	5	1	6	-	13	7	3	1	6	21	8	18	66
-	5	14	1	-	3	-	-	2	-	-	-	3	3	4	67
-	2	5	-	-	1	-	-	-	-	-	-	2	2	7	68
-	10	25	3	-	3	2	6	2	-	-	5	9	5	9	69
-	3	10	1	1	1	-	2	-	-	-	1	1	-	5	70
-	8	23	4	-	3	-	9	6	3	1	7	12	5	14	71
-	62	174	22	4	32	4	26	18	14	1	13	42	15	56	72
-	32	90	12	-	24	2	10	5	11	-	9	23	5	37	73
-	17	27	5	1	3	1	2	6	-	-	3	5	5	8	74
-	13	57	5	3	5	1	14	7	3	1	1	16	5	11	75
-	8	42	4	-	4	-	1	-	3	1	1	8	1	5	76
-	6	39	3	1	2	-	3	-	3	-	6	11	-	4	77
1	572	2,387	225	17	258	17	210	185	131	27	170	328	44	806	78
1	444	1,846	180	12	209	15	162	138	96	24	117	248	54	672	79
-	129	541	45	5	49	4	48	45	35	3	53	80	10	134	80
-	65	167	17	-	31	2	42	20	8	1	11	48	13	64	81
-	26	79	5	-	16	1	22	8	4	-	4	20	7	32	82
-	39	88	12	-	15	1	20	12	4	1	8	28	6	32	83
-	28	50	5	1	7	-	6	4	-	-	2	10	2	22	84
-	6	16	5	-	6	-	5	7	3	1	2	10	10	5	85
-	63	139	15	-	23	3	10	13	1	-	14	30	14	58	86
-	8	33	12	-	14	-	5	8	2	1	3	6	3	17	87
-	12	37	4	-	6	-	1	5	1	1	5	8	3	11	88
-	16	48	5	-	9	-	11	2	2	-	16	19	8	30	89
-	14	45	5	-	9	1	8	3	-	-	7	10	5	15	90

Korffolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

¹⁰Includes data for Bristol, Va., only.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poli-encephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61
WASHINGTON—Continued															
1 Pend Oreille.....	68	-	-	-	-	-	-	-	-	-	-	-	10	-	2
2 Pierce.....	2,674	-	2	-	2	-	104	1	-	41	-	4	375	3	58
3 Tacoma.....	1,641	-	1	-	1	-	38	-	-	12	-	2	274	2	46
4 Balance of county.....	1,033	-	1	-	1	-	66	1	-	29	-	2	101	1	12
5 San Juan.....	34	-	-	-	-	-	-	-	-	-	-	-	4	-	1
6 Skagit.....	673	-	-	-	-	1	37	-	-	10	-	1	64	-	6
7 Skamania.....	40	-	-	-	-	-	1	-	-	-	-	-	6	-	-
8 Snohomish.....	1,110	-	1	-	-	-	21	-	-	6	-	-	143	1	25
9 Everett.....	516	-	-	-	-	-	6	-	-	3	-	-	61	1	15
10 Balance of county.....	594	-	1	-	-	-	15	-	-	3	-	-	82	-	10
11 Spokane.....	2,418	-	2	-	1	-	54	-	-	24	-	1	301	2	45
12 Spokane.....	1,778	-	2	-	1	-	24	-	-	6	-	-	232	2	34
13 Balance of county.....	640	-	-	-	-	-	30	-	-	18	-	1	69	-	11
14 Stevens.....	198	-	-	-	-	-	5	-	-	-	-	-	20	1	4
15 Thurston.....	375	-	-	-	-	-	1	-	-	6	-	-	60	-	4
16 Olympia.....	236	-	-	-	-	-	1	-	-	4	-	-	37	-	4
17 Balance of county.....	139	-	-	-	-	-	-	-	-	2	-	-	23	-	3
18 Wahkiakum.....	31	-	-	-	-	-	-	-	-	-	-	-	5	-	2
19 Walla Walla.....	369	-	1	-	1	-	20	-	-	1	-	-	37	1	15
20 Walla Walla.....	294	-	-	-	1	-	16	-	-	1	-	-	29	1	13
21 Balance of county.....	75	-	-	-	-	-	4	-	-	-	-	-	8	-	2
22 Whatcom.....	726	-	-	-	-	-	13	-	-	5	-	2	120	-	13
23 Bellingham.....	423	-	-	-	-	-	8	-	-	2	-	1	73	-	4
24 Balance of county.....	303	-	-	-	-	-	5	-	-	3	-	1	47	-	9
25 Whitman.....	252	-	1	-	-	-	1	-	-	1	-	-	39	-	3
26 Yakima.....	1,079	2	-	-	2	3	32	1	-	5	-	-	128	-	23
27 Yakima.....	447	1	-	-	-	-	3	1	-	-	-	-	56	-	12
28 Balance of county.....	832	1	-	-	2	3	29	-	-	5	-	-	72	-	11
29 WEST VIRGINIA.....	17,218	8	24	8	44	9	683	11	-	197	19	7	1,866	17	397
30 Barbour.....	182	-	-	-	-	-	6	-	-	-	1	-	17	-	5
31 Berkeley.....	305	-	-	-	-	-	11	-	-	3	-	-	17	-	11
32 Martinsburg.....	194	-	-	-	-	-	5	-	-	2	-	-	13	-	8
33 Balance of county.....	111	-	-	-	-	-	6	-	-	1	-	-	4	-	3
34 Boone.....	212	-	1	-	2	-	10	-	-	-	-	1	15	2	3
35 Braxton.....	145	-	-	-	1	-	4	-	-	-	-	-	20	-	1
36 Brooke.....	236	-	1	-	-	-	1	-	-	3	1	-	38	-	10
37 Cabell.....	1,120	-	2	-	6	1	54	-	-	22	1	-	145	-	30
38 Huntington (part).....	932	-	2	-	3	1	47	-	-	21	-	-	123	-	22
39 Huntington (total).....	955	-	2	-	3	1	47	-	-	21	-	1	125	-	22
40 Balance of county.....	188	-	-	-	3	-	7	-	-	1	1	-	22	-	8
41 Calhoun.....	61	-	-	-	-	-	1	-	-	-	-	-	11	-	-
42 Clay.....	115	1	-	-	-	-	5	-	-	-	-	-	11	-	2
43 Doddridge.....	91	-	-	-	1	1	1	-	-	-	1	-	15	-	3
44 Fayette.....	658	-	-	-	1	-	28	2	-	7	-	-	60	1	19
45 Gilmer.....	71	-	-	-	1	-	2	-	-	-	-	-	7	-	2
46 Grant.....	69	-	-	-	-	-	1	-	-	-	-	-	5	1	-
47 Greenbrier.....	318	-	1	-	-	-	6	1	-	4	1	-	35	-	6
48 Hampshire.....	131	-	-	-	1	-	6	-	-	-	-	-	19	-	4
49 Hancock.....	259	-	-	-	1	-	4	-	-	1	-	-	39	-	5
50 Hardy.....	78	-	-	-	-	-	4	-	-	-	-	-	8	-	3
51 Harrison.....	740	-	-	-	-	-	16	-	-	2	-	2	75	2	23
52 Clarksburg.....	334	-	-	-	-	-	9	-	-	1	-	-	37	1	10
53 Balance of county.....	406	-	-	-	-	-	9	-	-	1	-	2	39	1	13
54 Jackson.....	151	-	1	-	1	-	3	-	-	-	-	-	17	-	4
55 Jefferson.....	219	-	-	-	1	-	11	-	-	3	-	-	32	-	10
56 Kanawha.....	1,697	2	1	-	1	3	69	1	-	18	3	-	162	2	37
57 Charleston.....	721	1	-	-	-	1	31	-	-	9	-	-	96	1	15
58 South Charleston.....	78	-	-	-	-	-	-	-	-	-	-	-	10	-	-
59 Balance of county.....	898	1	1	-	1	2	38	1	-	9	3	-	86	1	22
60 Lewis.....	431	-	-	-	-	-	69	-	-	31	-	-	30	-	4
61 Lincoln.....	156	-	-	-	2	-	6	-	-	-	-	-	14	-	4
62 Logan.....	585	-	3	-	2	1	33	2	-	3	-	-	39	-	5
63 McDowell.....	753	-	4	-	1	-	32	-	-	14	1	1	68	-	8
64 Marion.....	658	-	3	1	4	-	7	-	-	3	2	-	71	-	10
65 Fairmont.....	261	-	1	1	-	-	4	-	-	1	-	-	37	-	2
66 Balance of county.....	397	-	2	-	4	-	3	-	-	2	2	-	34	-	8
67 Marshall.....	350	-	-	-	-	-	10	-	-	3	1	-	46	1	13
68 Moundsville.....	128	-	-	-	-	-	5	-	-	2	-	-	18	-	4
69 Balance of county.....	222	-	-	-	-	-	7	-	-	1	1	-	28	1	9
70 Mason.....	247	1	1	1	-	-	9	-	-	15	-	-	19	1	8
71 Mercer.....	627	-	1	-	1	-	24	1	-	8	-	-	67	1	16
72 Bluefield ¹¹	228	-	-	-	-	-	6	-	-	-	-	-	28	-	8
73 Balance of county.....	339	-	1	-	1	-	18	1	-	2	-	-	39	1	8
74 Mineral.....	233	-	-	-	-	-	4	-	-	2	1	-	31	-	6
75 Mingo.....	303	-	-	1	2	-	14	2	-	1	-	-	29	-	5
76 Monongalia.....	493	-	-	-	1	-	10	-	-	6	1	-	53	-	11
77 Morgantown.....	212	-	-	-	-	-	5	-	-	3	-	-	27	-	7
78 Balance of county.....	261	-	-	-	1	-	5	-	-	3	1	-	26	-	4
79 Monroe.....	132	-	-	-	-	-	7	-	-	-	-	-	13	-	6
80 Morgan.....	104	-	-	-	-	-	5	-	-	-	-	-	18	-	2
81 Nicholas.....	167	-	-	-	-	-	2	-	-	1	1	-	16	-	2
82 Ohio.....	678	-	-	-	-	-	15	1	-	10	-	-	123	-	27
83 Wheeling.....	752	-	-	-	-	-	12	1	-	6	-	-	109	-	24
84 Balance of county.....	126	-	-	-	-	-	3	-	-	2	-	-	14	-	3
85 Pendleton.....	75	-	-	-	-	-	7	-	-	-	-	-	12	-	4
86 Pleasants.....	62	-	-	-	1	-	-	-	-	-	-	-	5	-	2
87 Pocahontas.....	102	-	-	-	-	-	14	-	-	1	-	-	8	-	-
88 Preston.....	297	2	-	-	5	-	17	-	-	5	-	-	35	1	6
89 Putnam.....	154	-	-	-	1	-	4	-	-	2	-	-	20	-	3
90 Raleigh.....	636	-	1	-	1	-	38	1	-	8	-	-	65	1	12
91 Beckley.....	143	-	-	-	1	-	1	-	-	2	-	-	13	-	2
92 Balance of county.....	493	-	1	-	-	-	37	1	-	6	-	-	52	1	10

¹¹Includes data for Bluefield, W. Va., only.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

611

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

overseas. Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alco- holic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of in- testines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,33	119,120	130-132	140-150	157,159,160,161	159	163,164	165-168	170	169, 171-195	162, 199,200		
-	12	16	3	-	1	-	-	5	-	-	1	6	2	10	1
-	204	877	125	4	125	4	86	60	45	7	62	125	67	295	2
-	134	530	50	1	89	3	51	34	27	6	45	76	60	179	3
-	70	347	95	3	36	1	35	26	16	1	17	49	7	118	4
-	7	13	-	-	2	-	3	-	-	-	-	1	1	2	5
-	70	195	50	-	22	2	14	13	9	1	9	29	38	103	6
-	5	19	1	-	1	-	-	1	1	1	1	2	1	1	7
-	152	366	36	5	48	3	28	23	14	3	34	67	18	116	8
-	61	169	17	3	26	1	15	15	5	1	10	31	5	71	9
-	91	197	19	2	22	2	13	8	9	2	24	36	13	45	10
-	265	790	117	6	133	7	65	60	40	5	47	139	13	501	11
-	195	576	71	4	105	5	50	54	32	5	40	108	8	224	12
-	70	214	46	2	28	2	15	6	8	7	7	31	5	77	13
-	22	64	7	1	15	-	3	4	4	-	4	23	4	17	14
-	40	130	10	1	17	-	12	12	3	4	10	16	13	36	15
-	28	81	7	-	15	-	6	9	2	2	2	8	5	22	16
-	12	49	3	1	2	-	6	3	1	2	2	8	8	14	17
-	2	12	1	-	2	-	2	-	1	-	-	3	-	1	18
-	43	102	7	2	30	1	8	3	6	1	8	22	17	45	19
-	34	61	4	1	26	1	7	2	5	1	6	18	15	31	20
-	9	21	3	1	4	-	1	1	1	1	2	4	2	12	21
-	88	230	17	1	27	4	21	14	11	1	13	28	26	92	22
-	62	157	9	-	13	1	14	9	6	1	8	13	15	47	23
-	28	93	8	1	14	3	7	5	5	-	5	15	11	45	24
-	17	76	8	1	11	3	18	6	6	1	3	22	7	26	25
-	99	324	54	5	46	2	44	32	21	4	40	65	20	127	26
-	58	145	17	1	21	1	11	11	8	1	15	23	10	53	27
-	41	179	37	4	25	2	33	21	13	3	25	42	10	74	28
3	1,563	4,437	1,018	123	908	88	661	746	198	131	408	1,096	688	1,872	29
-	18	53	13	-	9	1	6	4	1	4	4	10	12	18	30
-	37	99	22	6	54	1	9	5	3	2	9	13	2	23	31
-	22	62	11	6	24	-	2	3	2	1	6	9	1	13	32
-	15	36	11	-	10	1	2	2	1	1	3	4	1	10	33
-	12	34	21	3	10	1	15	17	1	2	5	23	13	21	34
-	20	35	10	1	10	1	2	5	1	2	2	6	10	16	35
-	19	73	9	1	10	1	7	8	3	7	4	18	-	29	36
-	86	313	70	7	31	4	42	58	14	7	27	138	15	138	37
-	74	255	56	7	24	3	35	46	11	7	22	40	8	125	38
-	77	264	56	7	25	3	35	47	11	7	23	41	9	128	39
-	12	58	14	-	7	1	7	12	3	-	5	9	5	13	40
-	7	11	3	-	-	1	3	1	1	-	-	-	17	5	41
-	9	27	3	-	4	1	2	2	5	-	4	10	14	17	42
-	9	25	3	-	3	1	-	2	2	-	1	8	6	10	43
-	53	146	36	7	43	2	28	30	5	5	20	53	21	71	44
-	6	14	6	-	7	1	1	3	1	1	1	5	9	5	45
-	8	20	5	-	2	1	4	3	-	1	3	2	4	9	46
-	30	85	21	-	26	1	20	6	7	3	10	22	6	27	47
-	12	34	9	-	9	-	5	3	3	1	4	2	4	16	48
-	20	88	8	1	15	-	7	17	3	-	11	8	4	28	49
-	9	15	4	-	10	-	5	1	-	-	3	4	4	8	50
-	69	244	34	1	60	7	28	16	8	1	15	39	16	80	51
-	32	127	13	-	31	5	12	3	1	1	4	15	7	35	52
-	37	117	21	1	29	2	16	13	7	-	11	24	9	45	53
-	18	40	10	-	16	1	1	6	1	1	5	6	4	17	54
-	9	51	18	2	30	1	4	11	2	-	6	6	-	27	55
-	123	414	91	21	61	8	80	101	29	16	43	113	115	173	56
-	61	187	29	7	32	2	36	33	9	6	12	39	42	92	57
-	9	23	2	-	3	-	5	10	2	1	2	4	3	4	58
-	53	204	60	14	26	6	39	58	8	9	29	70	7	87	59
-	42	114	24	1	22	2	8	8	5	5	7	8	14	51	60
-	8	41	12	2	6	-	11	3	-	-	7	14	11	15	61
-	34	92	48	14	24	8	40	37	8	12	24	63	40	53	62
-	53	179	35	10	20	9	33	53	4	15	18	73	40	82	63
-	63	182	31	1	55	3	25	24	8	2	15	47	12	89	64
-	30	84	8	-	15	-	5	4	2	-	4	12	7	43	65
-	33	98	23	-	40	-	20	20	6	2	11	35	5	46	66
-	40	88	18	1	21	-	12	5	10	1	7	22	6	45	67
-	18	32	4	1	10	-	7	-	4	1	2	8	2	15	68
-	23	58	14	-	11	-	5	-	8	-	5	14	4	30	69
-	32	62	14	1	14	1	6	3	2	2	2	13	8	27	70
-	56	162	38	2	36	5	24	31	7	4	12	48	21	62	71
-	22	58	9	-	8	-	8	12	4	2	4	15	9	27	72
-	34	104	29	1	28	4	16	19	3	2	8	35	12	35	73
-	16	82	14	5	11	-	10	13	4	2	1	14	-	17	74
-	35	49	25	3	13	2	16	9	-	-	12	32	23	34	75
-	50	128	24	6	21	3	22	13	10	3	19	38	11	63	76
-	22	65	7	1	3	3	14	1	1	-	9	24	3	27	77
-	28	63	17	5	18	-	8	12	9	3	14	24	8	38	78
-	11	35	8	1	11	-	4	6	2	-	2	6	6	14	79
-	12	27	6	-	8	-	3	2	-	-	1	8	2	10	80
-	16	33	9	3	9	-	11	5	6	1	5	14	21	12	81
1	100	283	54	6	54	1	17	30	13	-	11	37	3	112	82
1	82	245	25	5	46	1	14	25	9	-	10	35	3	97	83
-	18	38	9	1	8	-	3	5	4	-	2	5	-	15	84
-	4	25	6	-	1	-	1	6	-	1	1	-	6	2	85
-	6	19	1	-	6	-	2	2	-	-	-	4	-	8	86
-	17	27	5	-	3	-	3	4	1	2	2	4	-	11	87
-	23	78	14	-	6	1	10	11	3	3	8	24	11	34	88
-	18	40	23	2	7	2	4	10	2	1	2	9	4	10	89
-	40	133	36	3	44	9	26	40	9	14	23	63	13	56	90
-	10	45	4	-	12	3	5	8	1	3	6	11	5	11	91
-	30	88	32	3	32	6	21	32	8	11	17	52	8	45	92

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebro-spinal meningococcus meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliomyelitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	56	61
WEST VIRGINIA—Con.															
1 Randolph	257	-	-	-	-	-	7	-	-	2	2	1	26	1	6
2 Ritchie	136	-	1	-	-	-	2	-	-	-	-	-	15	-	5
3 Roane	213	-	-	-	-	2	14	-	-	9	-	-	19	-	4
4 Summers	166	-	-	-	2	-	6	-	-	-	-	-	15	1	5
5 Taylor	220	-	-	1	3	-	2	-	-	1	1	-	26	-	6
6 Tucker	116	-	-	-	-	-	5	-	-	1	-	-	14	-	4
7 Tyler	98	-	-	-	-	-	-	-	-	-	-	-	12	-	6
8 Upshur	165	-	2	-	-	-	9	-	-	-	1	-	26	-	1
9 Wayne	264	-	-	1	1	-	16	-	-	-	-	2	21	-	4
10 Huntington (part)	23	-	-	-	-	-	-	-	-	-	-	1	2	-	-
11 Balance of county	241	-	-	1	1	-	16	-	-	-	-	1	19	-	4
12 Webster	118	-	-	1	1	-	3	-	-	-	-	-	8	-	-
13 Wetzel	182	-	-	-	-	-	4	-	-	-	-	-	18	1	8
14 Wirt	50	-	-	-	-	-	3	-	-	-	-	-	7	-	2
15 Wood	697	-	1	-	-	1	25	-	-	6	-	-	94	-	11
16 Parkersburg	451	-	1	-	-	-	16	-	-	4	-	-	66	-	8
17 Balance of county	266	-	-	-	-	1	9	-	-	2	-	-	28	-	3
18 Wyoming	225	-	1	1	-	-	13	-	-	2	-	-	17	1	3
19 WISCONSIN	35,219	3	18	3	34	10	585	4	1	157	6	10	4,859	14	977
20 Adams	75	-	-	-	-	-	1	-	-	-	-	-	9	-	5
21 Ashland	251	-	-	-	1	-	5	-	-	-	-	-	40	-	10
22 Ashland	129	-	-	-	-	-	1	-	-	-	-	-	27	-	6
23 Balance of county	102	-	-	-	1	-	4	-	-	-	-	-	13	-	4
24 Barron	323	-	-	-	-	-	2	-	-	2	-	-	48	-	5
25 Bayfield	158	-	-	-	-	-	1	-	-	1	-	-	28	-	2
26 Brown	685	1	2	-	2	2	11	-	-	3	2	-	128	-	19
27 Green Bay	524	1	1	-	1	2	5	-	-	1	1	-	82	-	13
28 Balance of county	361	-	1	-	1	-	6	-	-	2	1	-	46	-	6
29 Buffalo	136	-	-	-	2	1	3	-	-	-	-	-	20	-	7
30 Burnett	129	-	-	-	-	-	3	-	-	-	-	-	19	1	4
31 Calumet	155	-	-	-	-	-	-	-	-	-	-	-	17	1	4
32 Chippewa	394	-	1	-	-	-	8	-	-	1	-	-	44	-	12
33 Chippewa Falls	126	-	-	-	-	-	3	-	-	-	-	-	20	-	6
34 Balance of county	269	-	1	-	-	-	5	-	-	1	-	-	24	-	6
35 Clark	317	-	-	-	-	-	2	1	-	1	-	-	42	-	9
36 Columbia	412	-	-	-	-	-	6	-	-	3	-	-	65	1	13
37 Crawford	172	-	-	-	-	-	2	-	-	-	-	-	20	-	3
38 Dane	1,413	2	1	1	-	-	25	-	-	23	-	-	131	-	36
39 Madison	683	1	1	-	-	-	11	-	-	2	-	-	105	-	19
40 Balance of county	730	-	-	-	-	-	14	-	-	21	-	-	86	-	18
41 Dodge	549	-	-	-	-	-	8	-	-	1	-	-	72	-	11
42 Beaver Dam	136	-	-	-	-	-	2	-	-	-	-	-	19	-	4
43 Watertown (part)	24	-	-	-	-	-	-	-	-	-	-	-	3	-	-
44 Balance of county	389	-	-	-	-	-	6	-	-	1	-	-	50	-	7
45 Door	210	-	-	-	1	-	5	-	-	3	1	-	32	-	9
46 Douglas	562	-	-	-	-	-	23	-	-	1	-	-	89	-	16
47 Superior	416	-	-	-	-	-	6	-	-	1	-	-	70	-	13
48 Balance of county	144	-	-	-	-	-	15	-	-	-	-	-	19	-	3
49 Dunn	256	-	-	-	-	1	4	-	-	-	-	1	36	-	7
50 Eau Claire	482	-	-	-	1	-	6	-	-	-	-	-	62	-	13
51 Eau Claire	324	-	-	-	-	-	7	-	-	-	-	-	38	-	6
52 Balance of county	158	-	-	-	1	-	1	-	-	-	-	-	24	-	7
53 Florence	36	-	-	-	1	-	1	-	-	-	-	-	5	-	2
54 Fond du Lac	745	-	-	-	-	-	7	2	-	2	1	1	125	1	17
55 Fond du Lac	390	-	-	-	-	-	2	-	-	2	1	1	66	-	11
56 Balance of county	365	-	-	-	-	-	5	2	-	-	-	-	59	1	6
57 Forest	108	-	-	-	-	-	2	-	-	-	-	-	10	-	1
58 Grant	439	-	-	-	-	-	2	-	-	-	-	-	55	-	11
59 Green	290	-	-	-	-	-	2	-	-	-	-	-	37	-	8
60 Green Lake	167	-	-	-	1	-	-	-	-	-	-	-	27	-	4
61 Iowa	242	-	-	-	-	-	3	-	-	-	-	1	44	-	6
62 Iron	94	-	-	-	-	-	4	-	-	1	-	-	10	-	2
63 Jackson	170	-	-	-	-	-	4	-	-	-	-	-	16	-	-
64 Jefferson	494	-	-	-	1	-	5	-	-	-	-	-	90	-	16
65 Watertown (part)	131	-	-	-	-	-	1	-	-	-	-	-	23	-	6
66 Watertown (total)	155	-	-	-	-	-	1	-	-	-	-	-	26	-	6
67 Balance of county	353	-	-	-	1	-	4	-	-	-	-	-	67	-	10
68 Juneau	222	-	-	-	-	-	1	-	-	1	-	-	25	-	7
69 Kenosha	639	-	2	-	-	-	10	-	-	4	-	-	106	-	19
70 Kenosha	486	-	-	-	-	-	9	-	-	4	-	-	86	-	14
71 Balance of county	153	-	-	-	-	-	1	-	-	-	-	-	20	-	4
72 Kewaunee	164	-	-	-	-	-	5	-	-	-	1	-	19	-	8
73 La Crosse	645	-	-	-	1	2	8	-	-	2	1	1	95	-	29
74 La Crosse	458	-	-	-	-	1	6	-	-	-	1	-	78	-	19
75 Balance of county	187	-	-	-	1	1	2	-	-	2	-	1	17	-	10
76 Lafayette	173	-	-	-	-	-	2	-	-	-	-	-	26	1	4
77 Langlade	234	-	-	-	-	-	3	-	-	-	-	-	25	1	7
78 Lincoln	230	-	-	-	-	-	2	-	-	-	-	-	34	-	3
79 Manitowoc	611	-	-	-	-	-	8	-	-	1	-	-	77	-	17
80 Manitowoc	269	-	-	-	-	-	3	-	-	-	-	-	35	-	7
81 Two Rivers	97	-	-	-	-	-	4	-	-	1	-	-	15	-	4
82 Balance of county	246	-	-	-	-	-	1	-	-	-	-	-	27	-	6
83 Marathon	618	-	1	-	-	-	10	-	-	3	-	-	85	1	16
84 Waushara	324	-	-	-	-	-	6	-	-	-	-	-	43	-	6
85 Balance of county	314	-	-	-	-	-	4	-	-	-	-	-	42	1	8
86 Marinette	400	-	-	-	-	-	1	-	-	4	-	-	50	-	12
87 Marinette	177	-	-	-	-	-	-	-	1	1	-	-	20	-	5
88 Balance of county	223	-	-	-	-	-	2	-	-	5	-	-	30	-	7
89 Marquette	93	-	-	-	-	-	2	-	-	-	-	-	10	-	3
90 Milwaukee	8,221	1	4	-	3	2	225	1	-	52	-	1	1,341	2	285
91 Milwaukee	6,376	1	4	-	3	3	181	-	-	39	-	1	1,052	1	229
92 Wauwatosa	286	-	-	-	-	1	5	-	-	2	-	-	49	-	8
93 West Allis	284	-	-	-	-	1	6	-	-	1	-	-	41	-	13
94 Cudahy	96	-	-	-	-	-	3	-	-	-	-	-	18	-	5
95 Shorewood	125	-	-	-	-	-	3	-	-	-	-	-	28	-	8
96 South Milwaukee	107	-	-	-	-	-	3	-	-	-	-	-	23	-	1
97 Balance of county	947	-	-	-	-	-	24	1	-	11	-	-	130	1	21

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

613

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947-Continued

(Numbers under causes of death are International List numbers, 1938 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and in- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	. Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109, 53	119, 120	130-132	140-150	157, 159, 160, 161	159	163, 164	165-169	170	169, 171-195	162, 199, 200		
1	27	67	14	1	11	1	9	10	3	3	10	9	22	24	1
-	13	39	6	-	11	-	5	4	-	1	-	6	12	16	2
-	28	67	12	-	8	-	5	1	2	-	3	7	9	23	3
-	23	43	17	1	5	-	10	13	4	1	4	7	9	18	4
-	21	59	23	-	12	-	7	9	2	-	6	14	10	17	5
-	9	26	8	-	6	-	4	4	-	-	1	12	4	19	6
-	14	31	6	-	4	-	2	2	-	-	-	9	1	13	7
-	13	29	13	-	8	1	6	2	1	-	4	5	28	16	8
1	26	70	16	1	8	2	10	7	4	6	7	8	21	32	9
-	3	9	-	-	1	-	-	-	-	-	1	1	1	3	10
1	23	61	16	1	7	2	10	6	4	6	6	7	20	29	11
-	7	24	4	1	9	1	5	17	2	1	1	10	11	14	12
-	23	42	22	1	9	-	5	9	2	1	3	9	2	25	13
-	10	8	6	-	1	-	-	4	1	-	-	1	5	2	14
-	31	194	33	3	26	4	27	30	7	1	12	21	20	88	15
-	56	109	15	2	14	1	16	25	3	1	8	11	14	61	16
-	35	65	20	1	12	3	11	5	4	-	4	10	6	17	17
-	19	39	15	4	8	-	12	16	4	4	8	30	8	21	18
3	3,316	11,134	1,245	120	1,627	89	1,014	945	468	44	790	1,484	411	3,848	19
-	7	26	7	1	-	-	2	2	1	-	3	2	2	5	20
-	23	70	2	-	17	-	4	8	7	-	6	15	3	20	21
-	14	38	1	-	11	-	2	3	5	-	1	10	-	10	22
-	9	32	1	-	6	-	2	5	2	-	5	5	3	10	23
-	46	96	18	1	9	-	11	10	5	-	12	15	9	32	24
-	12	45	6	-	9	1	3	2	6	-	2	8	-	12	25
-	90	248	20	8	38	2	32	37	6	4	23	51	25	131	26
-	55	157	11	3	22	1	19	22	3	1	8	37	10	68	27
-	35	91	9	5	16	1	13	15	3	3	15	14	15	63	28
-	14	38	16	-	7	-	2	2	-	-	3	8	2	11	29
-	15	37	5	1	7	-	3	2	2	-	3	9	-	16	30
-	18	56	4	1	10	-	6	3	3	-	2	5	3	20	31
-	49	110	22	1	17	1	16	21	3	1	6	17	11	53	32
-	18	27	6	-	4	-	4	8	1	1	2	5	6	15	33
-	31	83	16	1	13	1	12	13	2	-	4	12	5	36	34
-	52	105	14	1	14	1	5	8	8	-	5	12	4	34	35
-	52	121	24	1	20	1	14	10	3	-	4	24	13	40	36
-	8	74	6	-	13	1	10	6	2	-	3	6	1	15	37
-	128	522	59	3	69	3	46	58	23	1	41	58	12	155	38
-	63	247	22	2	32	1	31	21	10	-	24	25	2	66	39
-	65	275	37	1	37	3	15	17	13	1	17	30	10	69	40
-	65	188	23	2	33	1	15	14	5	-	14	25	7	65	41
-	12	42	6	2	11	-	5	1	1	-	5	2	-	18	42
-	4	9	-	-	-	-	1	1	1	-	3	2	1	-	43
-	49	137	17	-	22	1	9	9	3	-	9	20	6	47	44
-	21	65	5	1	10	-	8	8	-	-	9	8	3	23	45
-	49	186	20	4	16	1	22	13	8	-	7	31	5	71	46
-	36	152	15	4	11	1	16	9	7	-	4	16	2	51	47
-	13	34	5	-	5	-	6	4	1	-	3	13	3	20	48
-	25	96	7	1	19	2	4	3	2	-	11	13	3	21	49
-	49	145	26	1	28	1	12	17	5	-	23	30	7	56	50
-	33	93	15	1	11	-	8	15	4	-	18	26	6	43	51
-	16	50	11	-	17	1	4	2	1	-	5	4	1	13	52
-	3	8	3	-	2	-	1	-	-	-	1	1	-	9	53
-	83	216	20	3	50	1	25	16	4	5	17	40	8	103	54
-	43	113	12	-	23	-	9	8	2	2	6	23	3	53	55
-	40	103	8	3	27	1	14	8	2	3	11	17	5	50	56
-	11	32	4	3	7	3	8	4	3	-	1	5	-	13	57
-	54	139	16	-	20	2	10	16	3	-	13	16	19	62	58
-	39	92	12	2	18	1	9	8	6	-	6	16	1	33	59
-	13	44	7	-	10	1	3	8	1	-	6	9	4	29	60
-	25	67	7	1	20	6	6	6	3	-	6	8	5	33	61
-	4	39	4	-	1	-	2	3	4	-	4	6	1	15	62
-	16	89	6	-	2	2	1	2	7	-	3	11	17	14	63
-	55	163	13	2	25	1	9	5	3	-	10	26	1	59	64
-	16	41	3	-	6	-	-	2	-	-	-	11	1	20	65
-	20	50	3	-	6	-	1	3	1	-	2	14	2	20	66
-	39	122	10	2	19	1	9	3	3	-	9	15	-	39	67
-	23	86	7	-	11	1	2	4	4	-	3	12	10	25	68
-	59	213	16	1	41	1	22	16	7	-	31	22	2	67	69
-	38	182	10	1	36	2	13	13	6	-	21	17	1	51	70
-	21	51	6	-	5	-	9	3	1	-	10	5	1	18	71
-	19	56	5	-	12	3	4	7	-	-	4	2	3	15	72
-	103	174	19	1	41	1	27	18	11	2	12	27	5	65	73
-	60	122	14	1	33	1	18	12	7	2	6	18	5	54	74
-	43	52	5	-	8	-	9	6	4	-	6	9	-	11	75
-	15	57	8	1	9	-	6	7	5	-	4	8	3	17	76
-	16	67	15	2	29	1	11	5	2	-	5	11	1	33	77
-	24	63	8	-	9	-	10	7	3	-	5	6	6	27	78
-	67	210	18	2	23	2	16	13	7	1	20	33	7	89	79
-	29	99	10	1	7	-	8	5	2	-	11	17	3	30	80
-	6	26	1	-	6	-	2	1	4	-	2	4	2	16	81
-	32	65	7	-	10	1	3	5	5	-	7	12	2	45	82
-	64	193	24	2	30	2	29	26	8	-	21	27	9	67	83
-	33	105	6	-	16	1	11	13	3	-	7	7	3	39	84
-	31	88	18	2	14	-	18	13	5	-	14	20	6	28	85
-	30	143	17	6	18	2	16	7	2	-	10	21	3	54	86
-	15	61	10	3	8	-	7	3	1	-	4	10	2	24	87
-	15	82	7	3	10	2	9	4	1	-	6	11	1	30	88
-	18	27	6	1	4	-	1	1	-	-	-	2	3	15	89
-	639	2,946	331	27	319	18	243	227	119	16	151	318	18	932	90
-	516	2,241	256	20	257	17	184	180	90	16	114	246	12	735	91
-	17	94	9	3	10	-	11	7	6	-	8	15	2	39	92
-	18	91	9	1	13	-	11	15	4	-	6	19	3	32	93
-	4	32	7	1	7	-	4	-	3	-	2	4	-	6	94
-	10	42	3	-	3	-	6	2	1	-	2	8	-	10	95
-	6	32	2	1	2	-	13	1	4	-	3	2	-	14	96
-	68	414	45	1	27	-	34	22	11	-	16	28	1	98	97

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

(By place of residence. Exclusive of stillbirths and of deaths among armed forces)

	AREA	Total deaths	Typhoid and para-typhoid fever	Cerebro-spinal (meningo-coccus) meningitis	Scarlet fever	Whoop-ing cough	Diph-the-ria	Tuber-culosis (all forms)	Dysen-tery	Malaria	Syph-illis	Measles	Polio-myelitis, polio-encephal-itis (acute)	Cancer and other malignant tumors	Acute rheu-matic fever	Diabetes mellitus
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	56	61
WISCONSIN—Continued																
1	Monroe	511	-	-	-	4	-	3	-	-	-	-	-	43	-	13
2	Oconto	255	-	-	-	1	-	2	-	-	-	-	1	34	-	13
3	Oneida	145	-	-	-	1	-	4	-	-	-	-	-	12	1	2
4	Outagamie	694	-	-	-	2	-	9	-	-	6	-	1	85	-	19
5	Appleton	341	-	-	-	1	-	2	-	-	3	-	1	46	-	12
6	Balance of county	353	-	-	-	1	-	7	-	-	3	-	-	37	-	7
7	Ozaukee	201	-	-	-	-	-	4	-	-	-	-	-	51	-	5
8	Pepin	79	-	-	-	-	-	2	-	-	-	-	1	3	-	2
9	Pierce	224	-	-	-	-	-	3	-	-	-	-	-	34	-	8
10	Polk	267	-	-	1	-	-	6	-	-	-	-	-	35	-	10
11	Portage	297	-	-	-	-	-	7	-	-	1	-	-	43	-	8
12	Stevens Point	136	-	-	-	-	-	2	-	-	1	-	-	19	-	5
13	Balance of county	161	-	-	-	-	-	5	-	-	-	-	-	24	-	3
14	Price	159	-	-	-	1	-	3	-	-	-	-	1	23	-	3
15	Racine	1,071	1	2	-	1	-	19	-	-	12	-	-	157	-	27
16	Racine	764	1	2	-	1	-	11	-	-	8	-	-	121	-	30
17	Balance of county	307	-	-	-	-	-	6	-	-	4	-	-	36	-	5
18	Richland	167	-	-	-	-	-	3	-	-	-	-	-	28	-	4
19	Rock	910	-	-	-	2	-	11	-	-	4	-	1	138	2	18
20	Beloit	297	-	-	-	-	-	2	-	-	1	-	-	48	1	3
21	Janesville	267	-	-	-	-	-	6	-	-	1	-	1	37	1	7
22	Balance of county	346	-	-	-	2	-	3	-	-	2	-	-	55	-	6
23	Rusk	150	-	-	-	-	-	3	-	-	-	-	-	21	-	3
24	St. Croix	301	-	-	-	-	-	4	-	-	1	-	-	38	-	9
25	Sauk	364	-	-	-	-	-	5	-	-	-	-	-	54	-	3
26	Sawyer	95	-	-	-	-	-	2	-	-	1	-	-	10	-	-
27	Shawano	371	-	1	1	-	-	7	-	-	3	-	-	52	-	7
28	Sheboygan	807	-	-	-	-	1	14	-	-	2	-	-	100	2	25
29	Sheboygan	451	-	-	-	-	1	9	-	-	2	-	-	51	1	17
30	Balance of county	356	-	-	-	-	-	5	-	-	-	-	-	49	1	8
31	Taylor	185	-	-	-	-	-	3	-	-	-	-	-	29	-	4
32	Trempealeau	274	-	-	-	-	-	1	-	-	1	-	-	34	-	10
33	Vernon	278	-	-	-	-	-	3	-	-	1	-	-	36	-	4
34	Vilas	95	-	-	-	-	-	5	-	-	1	-	-	10	-	-
35	Walworth	484	-	-	-	-	-	4	-	-	2	-	-	67	-	15
36	Washburn	139	-	-	-	-	-	1	-	-	1	1	-	20	-	7
37	Washington	322	-	-	-	-	-	2	-	-	1	-	-	54	-	8
38	Waukesha	792	-	2	-	-	-	9	-	-	3	-	-	122	-	25
39	Waukesha	220	-	1	-	-	-	-	-	-	-	-	-	40	-	7
40	Balance of county	572	-	1	-	-	-	9	-	-	3	-	-	82	-	18
41	Waupaca	441	-	-	-	-	-	3	-	-	2	-	-	57	-	18
42	Waushara	141	-	-	-	2	-	2	-	-	-	-	-	19	-	4
43	Winneshago	955	-	1	-	1	-	7	-	-	6	1	-	123	-	32
44	Cashkosh	439	-	-	-	-	-	4	-	-	2	1	-	59	-	18
45	Menasha	109	-	-	-	-	-	-	-	-	-	-	-	16	-	3
46	Neenah	115	-	-	-	1	-	1	-	-	-	-	-	22	-	2
47	Balance of county	290	-	1	-	-	-	2	-	-	4	-	-	24	-	9
48	Wood	406	-	-	-	5	1	7	-	-	-	-	-	57	-	11
49	Marshfield	134	-	-	-	-	-	3	-	-	-	-	-	18	-	4
50	Wisconsin Rapids	97	-	-	-	-	-	1	-	-	-	-	-	12	-	5
51	Balance of county	175	-	-	-	5	1	3	-	-	-	-	-	27	-	2
WYOMING																
52	Albany	2,349	-	2	-	3	3	34	3	-	18	1	2	222	-	48
53	Albany	121	-	-	-	-	-	-	1	-	3	-	1	9	-	1
54	Laramie	97	-	-	-	-	-	-	1	-	3	-	-	8	-	-
55	Balance of county	24	-	-	-	-	-	-	-	-	-	-	1	1	-	1
56	Big Horn	106	-	-	-	1	-	4	-	-	1	-	-	10	-	3
57	Campbell	41	-	-	-	-	-	-	-	-	-	-	-	6	-	-
58	Carbon	130	-	1	-	-	1	3	-	-	2	-	-	16	-	2
59	Converse	66	-	-	-	-	-	-	-	-	-	-	-	5	-	3
60	Crook	38	-	-	-	-	-	-	-	-	-	-	-	4	-	4
61	Fremont	161	-	-	-	-	-	3	-	-	-	-	-	13	-	4
62	Goshen	92	-	-	-	1	-	2	-	-	-	-	1	6	-	2
63	Hot Springs	63	-	-	-	-	-	1	-	-	-	-	-	9	-	-
64	Johnson	53	-	-	-	-	-	-	-	-	-	-	-	7	-	4
65	Laramie	282	-	-	-	1	-	6	-	-	2	-	-	25	-	11
66	Cheyenne	233	-	-	-	1	-	5	-	-	2	-	-	21	-	3
67	Balance of county	49	-	-	-	-	-	1	-	-	-	-	-	4	-	1
68	Lincoln	82	-	-	-	-	-	-	-	-	-	-	-	3	-	3
69	Natrona	239	-	-	-	-	-	3	-	-	1	-	-	20	-	6
70	Casper	212	-	-	-	-	-	3	-	-	1	-	-	20	-	6
71	Balance of county	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-
72	Niobrara	44	-	-	-	-	-	1	-	-	-	-	-	5	-	1
73	Park	116	-	-	-	-	-	-	-	-	-	-	-	9	-	-
74	Platte	91	-	-	-	-	1	1	-	-	-	-	-	9	-	1
75	Sheridan	222	-	-	-	-	1	2	-	-	2	-	-	23	-	7
76	Sheridan	160	-	-	-	-	1	2	-	-	1	-	-	16	-	5
77	Balance of county	62	-	-	-	-	-	2	-	-	1	-	-	7	-	2
78	Sublette	25	-	-	-	-	-	-	-	-	-	-	-	3	-	-
79	Sweetwater	164	-	-	-	-	-	3	1	-	-	-	-	16	-	1
80	Teton	18	-	-	-	-	-	-	-	-	-	-	-	1	-	-
81	Windsor	106	-	-	-	-	-	-	-	-	5	-	-	13	-	1
82	Washakie	51	-	1	-	-	-	2	1	-	1	1	-	8	-	-
83	Weston	30	-	-	-	-	-	-	-	-	-	-	-	3	-	-
84	Yellowstone National Park (part)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Yellowstone National Park (total)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

615

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1947—Continued

(Numbers under causes of death are International List numbers, 1939 revision)

Pellagra (except alcoholic)	Intra- cranial lesions of vas- cular origin	Diseases of the heart	Pneumonia (all forms) and In- fluenza	Diarrhea, enteri- tis, and ulcera- tion of intes- tines	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malforma- tions and diseases peculiar to the first year (except pre- mature birth)	Premature birth	Suicide	Homi- cide	Motor- vehicle accidents	Other accidents	Senility, ill- defined and unknown causes	All other causes	
69	83	90-95	107- 109,33	119,120	130-132	140-150	157,158,160,161	159	165,164	165-168	170	169, 171-195	162, 199,200		
-	32	93	10	1	23	1	12	15	5	-	7	12	5	32	1
-	18	93	10	-	12	-	6	6	4	1	14	7	8	1	2
-	12	50	4	1	11	-	4	8	2	-	3	3	1	3	3
-	86	221	21	3	45	2	24	27	5	-	13	40	11	78	4
-	41	106	9	1	28	-	14	10	2	-	8	9	7	42	5
-	45	115	13	2	15	2	10	17	3	-	5	31	2	36	6
-	16	63	3	1	8	-	4	5	2	1	5	2	2	29	7
-	12	16	4	-	6	-	7	2	2	-	2	3	5	11	8
-	31	73	14	-	4	2	7	4	1	-	1	13	4	25	9
-	28	87	10	1	20	2	7	2	-	-	2	16	1	27	10
1	32	78	12	1	15	1	14	8	2	-	8	21	16	29	11
-	13	39	4	1	7	1	9	5	-	-	4	10	16	19	12
1	19	39	8	-	8	1	9	6	-	-	4	11	16	10	13
-	17	68	3	-	7	1	8	3	-	-	5	2	3	16	14
-	122	335	37	2	54	1	48	33	15	2	35	32	6	130	15
-	80	241	23	2	38	3	20	30	13	1	28	23	2	95	16
-	42	82	14	1	16	-	28	28	3	1	7	9	4	35	17
-	15	60	5	-	7	-	3	7	1	-	3	7	3	18	18
-	81	306	29	5	46	1	27	37	19	1	26	37	7	114	19
-	26	101	9	1	15	-	9	9	10	1	10	15	1	35	20
-	16	96	9	1	8	-	10	14	4	-	4	8	2	40	21
-	39	109	11	1	23	1	8	14	5	-	12	4	4	39	22
-	9	49	9	1	7	-	4	6	2	-	5	11	-	22	23
-	35	114	12	2	6	1	9	7	1	-	13	7	7	30	24
-	38	101	15	-	34	-	9	6	7	1	10	21	13	45	25
-	15	34	3	-	6	-	4	4	1	-	1	5	2	10	26
-	41	115	12	3	30	-	32	11	1	-	16	15	2	43	27
-	69	230	18	-	30	3	17	25	25	1	27	31	7	103	28
-	47	151	6	-	13	2	24	9	15	1	17	10	3	66	29
-	42	128	6	-	17	1	8	6	10	-	10	21	4	37	30
-	15	52	9	2	8	-	5	5	5	-	5	13	1	8	31
-	29	95	13	-	21	-	12	11	8	-	6	9	-	34	32
-	29	92	12	-	7	1	15	11	8	-	6	19	5	24	33
-	4	36	5	-	7	-	6	3	4	-	4	4	-	6	34
-	50	184	14	2	19	2	11	8	13	-	14	20	-	58	35
-	22	47	3	-	5	1	2	2	1	-	5	2	1	20	36
-	42	103	10	2	4	1	11	11	3	-	9	15	2	44	37
-	66	230	37	2	37	2	14	20	5	1	17	38	17	69	38
-	25	70	14	-	9	1	7	7	-	1	11	3	3	22	39
-	57	230	23	2	28	1	1	15	5	-	15	27	14	47	40
-	53	166	12	1	24	1	10	10	3	-	3	20	18	40	41
-	21	41	8	-	3	1	4	-	2	-	3	7	1	23	42
-	94	314	28	7	70	2	22	35	15	2	20	36	14	123	43
-	48	135	9	5	30	1	11	13	5	2	5	19	9	63	44
-	6	38	5	-	4	-	3	11	1	-	1	3	1	15	45
-	10	48	4	-	6	-	3	1	3	-	4	4	1	8	46
2	30	96	10	2	30	1	5	8	6	-	10	10	3	37	47
-	43	125	12	3	16	3	9	8	6	1	7	31	9	52	48
-	18	48	6	-	7	-	1	4	4	-	4	9	-	15	49
-	10	28	3	-	4	-	4	4	2	-	1	4	6	16	50
-	15	51	6	3	6	3	4	-	4	1	2	18	3	21	51
-	202	729	99	11	132	6	101	79	39	13	96	193	41	270	52
-	10	37	-	2	3	-	7	5	2	-	5	17	2	16	53
-	10	35	-	2	2	-	6	4	2	-	2	11	2	9	54
-	5	41	2	-	1	-	1	1	-	-	3	6	-	7	55
-	8	11	-	-	2	-	5	6	1	-	7	6	-	14	56
-	7	42	1	-	5	1	5	3	-	-	4	4	-	6	57
-	4	21	2	-	3	-	1	1	1	-	1	11	2	10	58
-	7	11	1	-	3	-	1	1	-	-	5	5	-	4	59
-	10	56	11	-	12	3	5	2	3	2	10	14	1	12	60
-	11	24	9	2	5	-	3	6	-	-	12	12	-	5	61
-	6	17	2	-	3	-	8	1	-	-	2	5	1	8	62
-	4	15	2	-	4	-	1	3	-	-	4	4	1	4	63
-	25	80	11	6	11	1	21	10	2	1	12	16	-	41	64
-	24	66	11	6	8	-	17	6	2	1	8	9	-	39	65
-	1	14	-	-	3	1	4	4	-	-	4	7	-	3	66
-	5	29	4	1	5	-	2	4	2	-	6	5	3	12	67
-	18	92	12	-	14	-	7	3	5	2	7	12	1	36	68
-	16	82	10	-	12	-	5	3	4	1	4	9	1	35	69
-	2	10	2	-	2	-	2	-	1	1	3	3	-	1	70
-	6	6	1	-	12	1	2	3	-	-	3	3	2	3	71
-	6	32	1	-	8	1	8	5	1	-	9	15	10	17	72
-	5	29	3	-	12	-	4	7	7	-	4	7	-	7	73
-	21	78	14	-	15	-	7	4	6	-	6	12	1	25	74
-	17	58	8	-	12	-	5	4	4	-	3	9	1	18	75
-	4	20	6	-	3	-	2	-	2	-	3	3	-	7	76
-	3	7	-	-	2	-	2	1	1	1	2	2	-	2	77
-	15	52	13	-	7	-	4	6	2	6	4	15	3	16	78
-	2	3	-	-	2	-	1	1	1	-	7	7	-	1	79
-	19	82	3	-	2	-	2	2	2	-	4	4	4	13	80
-	4	6	-	-	1	-	3	4	2	-	4	4	5	2	81
-	1	1	-	-	-	-	-	-	1	-	-	1	-	-	82
-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	83
-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	84
-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	85

County; Ellwood City, Pa., under Lawrence County; Postoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS UNDER 1 YEAR OF AGE, BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1947

(By place of residence. Exclusive of stillbirths)

AREA AND RACE	Total deaths under 1 year	URBAN					Rural	AREA AND RACE	Total deaths under 1 year	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000				Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES	119,173	70,700	31,380	14,853	10,538	14,129	46,473	Montana	484	251	...	66	83	80	253
White	98,547	59,569	25,195	12,537	9,176	12,461	39,178	White	405	226	...	66	80	80	179
Nonwhite	20,626	11,131	6,185	2,116	1,362	1,666	9,295	Nonwhite	79	5	...	2	3	-	74
Alabama	3,501	1,181	310	332	205	354	2,120	Nebraska	894	446	186	57	103	100	448
White	1,801	601	124	164	103	210	1,200	White	870	429	172	55	102	100	441
Nonwhite	1,500	580	186	168	102	124	920	Nonwhite	24	17	14	2	1	-	7
Arizona	973	487	...	308	...	179	496	Nevada	134	65	28	37	69
White	671	423	...	270	...	153	248	White	123	60	28	32	63
Nonwhite	302	64	...	38	...	28	238	Nonwhite	11	5	-	5	6
Arkansas	1,445	552	...	123	152	277	893	New Hampshire	399	240	...	128	83	37	151
White	1,075	422	...	90	115	217	653	White	398	247	...	127	83	37	151
Nonwhite	370	130	...	33	37	60	240	Nonwhite	1	1	...	1	-	-	-
California	7,233	5,029	2,565	936	659	869	2,204	New Jersey	2,965	2,336	916	594	426	410	629
White	6,587	4,534	2,219	848	616	851	2,053	White	2,560	2,008	729	524	378	377	572
Nonwhite	646	495	346	88	43	18	151	Nonwhite	385	328	187	60	46	33	57
Colorado	1,234	753	342	113	110	188	481	New Mexico	1,379	526	...	83	164	279	853
White	1,200	732	327	111	110	184	468	White	1,172	497	...	77	154	266	676
Nonwhite	34	21	15	2	-	4	13	Nonwhite	207	29	...	6	10	13	178
Connecticut	1,150	814	310	323	132	49	336	New York	9,123	7,517	5,570	679	681	597	1,908
White	1,068	757	273	309	126	49	331	White	8,169	6,594	4,716	631	662	575	1,585
Nonwhite	62	57	37	14	6	-	5	Nonwhite	854	933	854	48	19	12	21
Delaware	239	142	107	35	97	North Carolina	3,938	1,287	134	486	347	320	2,651
White	190	115	91	24	75	White	2,456	799	79	246	236	238	1,657
Nonwhite	49	27	16	11	22	Nonwhite	1,482	488	55	240	111	82	994
District of Columbia	691	691	691	North Dakota	523	181	...	46	60	75	342
White	377	377	377	White	498	180	...	46	59	75	319
Nonwhite	314	314	314	Nonwhite	25	1	...	-	1	-	24
Florida	2,285	1,308	528	165	222	373	977	Ohio	5,817	4,037	2,219	701	511	606	1,780
White	1,532	853	366	126	158	223	679	White	5,298	3,558	1,848	852	473	593	1,742
Nonwhite	753	455	162	58	84	150	298	Nonwhite	519	481	371	49	38	23	39
Georgia	3,251	1,366	341	344	270	411	1,885	Oklahoma	1,733	960	339	66	282	303	773
White	1,781	776	167	192	162	255	1,005	White	1,429	614	266	54	205	269	615
Nonwhite	1,470	590	174	152	108	156	880	Nonwhite	304	346	53	12	47	34	159
Idaho	478	211	...	17	103	91	267	Oregon	695	467	207	25	81	154	428
White	462	207	...	17	100	90	255	White	660	456	201	25	78	152	404
Nonwhite	16	4	...	-	3	1	12	Nonwhite	35	11	6	-	3	2	24
Illinois	5,672	4,358	2,383	833	489	653	1,314	Pennsylvania	7,741	5,363	2,373	1,117	926	947	2,378
White	5,024	3,749	1,908	762	454	625	1,275	White	6,884	4,557	1,767	1,009	969	914	2,327
Nonwhite	648	609	475	71	35	28	39	Nonwhite	857	806	606	109	58	33	51
Indiana	2,849	1,835	711	624	201	299	1,114	Rhode Island	522	456	170	200	71	15	66
White	2,739	1,651	570	571	197	293	1,108	White	501	435	157	195	68	15	66
Nonwhite	210	204	141	53	4	6	6	Nonwhite	21	21	13	5	3	-	-
Iowa	1,817	961	133	385	159	284	856	South Carolina	2,352	745	...	325	147	273	1,607
White	1,788	940	126	375	157	282	848	White	1,112	434	...	169	89	177	678
Nonwhite	29	21	7	10	2	2	8	Nonwhite	1,240	311	...	157	58	96	929
Kansas	1,251	729	250	95	206	178	522	South Dakota	511	207	...	55	84	68	304
White	1,169	656	217	82	183	174	513	White	453	203	...	55	80	69	250
Nonwhite	82	73	33	13	23	4	9	Nonwhite	58	4	...	-	4	-	54
Kentucky	2,971	1,016	396	248	83	289	1,955	Tennessee	3,144	1,371	874	33	140	324	1,773
White	2,762	892	347	220	72	253	1,870	White	2,472	953	542	31	115	265	1,519
Nonwhite	209	124	49	28	11	36	85	Nonwhite	672	418	332	2	25	59	254
Louisiana	2,773	1,365	542	261	135	427	1,408	Texas	8,161	5,164	1,673	1,239	650	1,602	2,997
White	1,384	740	319	124	65	232	644	White	6,857	4,350	1,337	1,043	562	1,408	2,487
Nonwhite	1,389	625	223	137	70	185	764	Nonwhite	1,324	814	336	196	89	194	530
Maine	853	317	...	133	101	83	536	Utah	545	358	165	59	21	113	187
White	850	314	...	132	101	81	536	White	531	354	164	57	21	112	177
Nonwhite	3	3	...	1	-	2	-	Nonwhite	14	4	1	2	-	1	10
Maryland	1,794	1,050	793	81	90	86	744	Vermont	303	123	...	26	26	71	180
White	1,384	727	520	78	52	77	657	White	303	123	...	26	26	71	180
Nonwhite	510	323	273	3	38	9	187	Nonwhite	-	-	...	-	-	-	-
Massachusetts	3,027	2,737	1,320	739	475	235	290	Virginia	3,142	1,174	349	467	100	258	1,968
White	2,935	2,651	1,246	732	472	201	284	White	2,101	783	213	291	69	210	1,318
Nonwhite	92	86	74	7	3	2	6	Nonwhite	1,041	391	136	176	31	48	650
Michigan	5,080	3,481	1,703	827	449	502	1,599	Washington	1,643	975	582	93	153	147	668
White	4,573	3,015	1,367	772	398	488	1,558	White	1,574	948	563	93	150	143	625
Nonwhite	507	466	336	55	61	14	41	Nonwhite	69	26	19	-	3	4	43
Minnesota	2,185	1,310	679	17	202	432	855	West Virginia	2,081	630	...	316	118	196	1,461
White	2,104	1,289	658	17	202	432	815	White	1,956	587	...	301	107	179	1,389
Nonwhite	61	21	21	-	-	-	40	Nonwhite	135	43	...	15	11	17	82
Mississippi	2,448	855	...	201	339	315	1,593	Wisconsin	2,476	1,395	412	510	216	257	1,081
White	1,032	483	...	116	188	179	549	White	2,409	1,362	389	502	216	255	1,047
Nonwhite	1,416	372	...	85	151	136	1,044	Nonwhite	67	33	23	8	-	2	34
Missouri	2,929	1,784	1,107	165	217	295	1,145	Wyoming	249	106	68	38	143
White	2,507	1,434	810	156	199	269	1,073	White	241	105	67	38	136
Nonwhite	422	350	297	9	18	26	72	Nonwhite	8	1	1	-	7

GENERAL TABLES—INFANT DEATHS

617

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, AND BY DETAILED AGE, UNITED STATES, 1947

(By place of residence. Exclusive of stillbirths)

AREA, AGE, AND RACE (DETAILED AGE FOR U. S. ONLY)	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Under 1 year	119,173	12,056	10,417	11,250	9,863	9,667	9,109	9,280	9,599	9,120	9,277	9,299	10,247
White	98,547	10,049	8,513	9,253	8,164	8,095	7,677	7,754	7,946	7,476	7,678	7,633	8,329
Nonwhite	20,626	2,007	1,904	1,997	1,699	1,572	1,432	1,546	1,653	1,644	1,599	1,665	1,918
Under 1 day	39,716	3,366	3,011	3,545	3,235	3,436	3,271	3,460	3,637	3,300	3,330	3,105	3,030
White	33,956	2,865	2,570	3,112	2,774	2,969	2,830	2,933	3,084	2,757	2,829	2,652	2,581
Nonwhite	5,760	471	441	433	461	467	441	527	553	543	501	473	449
1 day	12,683	1,091	947	998	1,050	1,051	1,121	1,108	1,150	1,084	1,046	1,038	1,019
White	10,979	960	812	858	926	885	984	976	986	925	904	882	861
Nonwhite	1,704	131	135	140	124	136	137	132	164	159	142	146	158
2 days	7,890	729	620	708	668	657	658	640	732	622	637	605	654
White	6,806	628	528	619	584	569	569	554	615	520	537	529	557
Nonwhite	1,082	101	92	89	84	89	89	86	117	102	100	76	97
3 to 6 days	10,996	1,075	947	1,027	870	945	865	882	959	865	884	830	867
White	9,013	879	784	845	725	775	729	719	781	695	708	678	695
Nonwhite	1,983	196	163	182	145	170	136	163	178	170	156	152	172
7 to 13 days	6,173	696	596	559	518	482	467	474	487	495	437	489	503
White	4,859	559	449	443	406	382	367	391	378	391	348	359	386
Nonwhite	1,314	137	137	116	112	100	100	83	109	104	89	110	117
14 to 20 days	3,600	471	347	292	296	261	258	264	249	270	309	279	304
White	2,922	404	264	233	248	219	215	210	192	218	240	241	238
Nonwhite	678	67	83	59	48	42	43	54	57	52	69	38	66
21 to 29 days	3,258	423	324	285	257	227	238	232	233	258	218	231	312
White	2,575	353	263	229	211	189	195	185	171	209	166	168	236
Nonwhite	683	70	61	56	46	38	43	47	62	49	52	63	76
Under 1 month	84,296	7,841	6,782	7,414	6,894	7,019	6,868	7,060	7,447	6,894	6,841	6,557	6,689
White	71,112	6,668	5,670	6,339	5,874	5,997	5,989	6,207	6,207	5,715	5,732	5,499	5,554
Nonwhite	13,184	1,173	1,112	1,075	1,020	1,022	989	1,092	1,240	1,179	1,109	1,059	1,135
1 month	7,528	963	877	762	618	571	485	494	444	521	570	533	670
White	5,899	757	677	595	486	476	387	399	337	417	459	403	506
Nonwhite	1,629	206	200	167	132	95	98	95	107	104	111	130	164
2 months	5,971	816	669	683	480	376	351	367	312	357	430	526	604
White	4,702	659	515	516	390	298	281	289	255	276	343	407	473
Nonwhite	1,269	157	154	167	90	78	70	67	57	81	87	119	131
3 months	4,655	626	547	559	386	340	245	225	282	275	305	374	491
White	3,654	525	438	407	294	268	196	176	230	216	244	298	362
Nonwhite	1,001	101	109	152	92	72	49	49	52	59	61	76	129
4 months	3,725	483	394	424	356	314	237	200	208	197	215	303	416
White	2,931	387	319	327	257	251	198	153	172	155	164	254	314
Nonwhite	794	96	75	97	79	63	39	47	34	42	51	69	102
5 months	2,631	333	288	333	244	227	219	166	161	166	186	214	294
White	2,253	270	213	267	190	182	170	130	132	125	154	179	241
Nonwhite	578	63	75	66	54	45	49	36	29	41	32	35	53
6 months	2,516	290	227	277	244	185	173	173	165	166	185	174	249
White	1,962	225	168	206	180	146	138	439	134	136	152	135	205
Nonwhite	554	65	59	71	64	49	35	34	29	30	33	39	46
7 months	2,019	200	178	236	185	175	156	148	136	131	119	144	211
White	1,604	163	140	173	135	145	127	119	116	112	90	113	171
Nonwhite	415	37	38	63	50	30	29	29	20	19	29	31	40
8 months	1,832	157	163	187	167	146	129	144	145	121	126	140	206
White	1,411	119	135	139	126	109	95	117	118	95	94	106	159
Nonwhite	421	38	28	49	41	37	34	27	28	26	32	34	47
9 months	1,446	143	115	144	128	122	106	108	106	116	117	104	137
White	1,152	118	89	117	97	86	84	84	87	89	93	89	114
Nonwhite	294	25	26	27	31	34	22	24	19	24	24	15	23
10 months	1,211	101	89	114	94	110	77	103	91	100	90	108	136
White	989	83	74	91	66	82	58	89	78	74	74	84	116
Nonwhite	242	18	15	23	28	28	19	14	13	26	16	22	20
11 months	1,143	103	88	97	87	72	73	92	105	76	93	113	144
White	896	75	75	77	69	53	54	71	80	63	79	86	116
Nonwhite	245	28	13	20	18	19	19	21	25	13	14	27	28
ALABAMA													
Under 1 year	3,301	325	305	329	276	259	254	217	245	242	249	266	332
White	1,801	185	149	171	159	149	145	118	140	130	148	148	180
Nonwhite	1,500	140	156	158	119	110	109	99	105	112	101	118	172
Under 1 month	2,272	213	179	178	191	185	186	172	187	196	177	198	210
White	1,323	121	98	113	114	112	115	96	109	109	110	113	111
Nonwhite	949	92	81	65	77	73	71	74	78	87	67	85	99
ARIZONA													
Under 1 year	973	105	70	81	79	102	79	79	62	80	79	85	73
White	671	75	45	64	50	67	55	49	46	53	54	56	57
Nonwhite	302	30	25	17	29	35	24	29	16	27	25	29	16
Under 1 month	518	55	42	48	33	46	38	39	37	40	45	54	41
White	405	46	30	40	25	32	29	30	28	32	36	41	36
Nonwhite	113	9	12	8	8	14	9	9	9	8	9	13	5
ARKANSAS													
Under 1 year	1,445	147	124	141	138	107	103	124	135	117	85	126	98
White	1,075	116	89	103	102	86	82	82	98	81	67	98	71
Nonwhite	370	31	35	38	36	21	21	42	37	36	18	28	27
Under 1 month	929	87	63	69	82	67	77	93	94	94	61	86	54
White	727	71	48	52	67	54	67	66	75	69	50	73	38
Nonwhite	202	16	15	17	15	13	10	27	21	26	11	15	16
CALIFORNIA													
Under 1 year	7,233	736	596	605	572	577	552	618	581	593	595	592	636
White	6,587	665	545	563	516	529	509	559	522	543	540	531	565
Nonwhite	646	71	51	42	56	48	43	59	59	50	45	61	61
Under 1 month	5,186	453	399	443	422	439	420	466	464	445	420	395	415
White	4,739	413	363	419	393	401	391	426	418	407	386	354	378
Nonwhite	447	40	36	29	39	38	29	40	46	38	34	41	37
COLORADO													
Under 1 year	1,234	132	126	122	99	96	76	100	103	88	100	101	91
White	1,200	124	119	120	97	95	75	99	100	87	98	98	89
Nonwhite	34	8	7	2	2	1	1	1	3	1	2	3	2
Under 1 month	855	75	78	83	75	70	59	76	76	67	68	56	52
White	816	70	74	82	73	70	58	75	74	67	66	58	51
Nonwhite	19	5	4	1	2	1							

VITAL STATISTICS OF THE UNITED STATES

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, AND BY DETAILED AGE, UNITED STATES, 1947—Continued

(By place of residence. Exclusive of stillbirths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT													
Under 1 year-----	1,150	107	90	106	102	108	109	97	85	86	76	91	93
White-----	1,068	100	85	98	97	100	103	93	81	81	74	89	89
Nonwhite--	82	7	5	10	5	8	6	4	4	5	2	2	4
Under 1 month-----	909	86	66	89	80	93	85	74	70	75	57	68	66
White-----	859	81	62	83	75	86	78	71	67	70	57	67	62
Nonwhite--	50	7	4	6	5	7	7	3	3	5	-	1	4
DELAWARE													
Under 1 year-----	239	16	19	26	22	21	25	19	12	22	15	11	30
White-----	190	12	12	23	17	15	22	15	12	16	11	10	24
Nonwhite--	49	4	7	3	5	6	4	3	2	6	4	1	6
Under 1 month-----	176	9	9	18	17	16	18	16	11	20	11	9	22
White-----	147	8	7	16	13	11	17	14	11	15	8	8	18
Nonwhite--	29	1	2	2	4	5	1	2	-	5	3	1	3
DISTRICT OF COLUMBIA													
Under 1 year-----	691	92	61	66	67	57	53	38	57	58	40	55	49
White-----	377	53	31	31	44	32	32	19	31	21	20	35	28
Nonwhite--	314	39	30	35	23	25	21	19	26	35	20	20	21
Under 1 month-----	532	58	45	49	53	40	45	34	53	47	32	39	37
White-----	506	39	24	23	37	24	29	18	29	17	17	25	24
Nonwhite--	226	19	21	26	16	16	16	16	24	30	15	14	13
FLORIDA													
Under 1 year-----	2,285	195	171	197	188	162	174	189	205	194	189	208	223
White-----	1,532	133	122	128	124	102	117	135	136	125	128	135	147
Nonwhite--	753	62	49	69	64	60	57	54	69	59	61	73	76
Under 1 month-----	1,699	140	117	130	146	109	130	142	166	153	158	155	151
White-----	1,179	103	87	88	105	75	91	105	112	107	109	101	97
Nonwhite--	520	37	30	44	43	34	39	36	54	46	49	54	54
GEORGIA													
Under 1 year-----	3,251	308	277	333	250	287	240	230	253	254	250	264	305
White-----	1,781	163	133	193	131	177	135	136	151	134	128	140	160
Nonwhite--	1,470	145	144	140	119	110	105	94	102	120	122	124	145
Under 1 month-----	2,239	208	155	204	174	203	174	175	202	198	181	175	189
White-----	1,306	119	82	130	100	133	105	108	123	113	95	96	102
Nonwhite--	932	89	73	74	74	70	69	67	79	85	86	79	87
IDAHO													
Under 1 year-----	478	54	30	44	39	41	38	49	34	40	44	36	29
White-----	462	53	29	44	39	37	35	45	33	39	43	35	29
Nonwhite--	16	1	1	-	-	4	3	3	1	1	1	1	-
Under 1 month-----	356	30	20	32	27	32	30	36	26	34	37	31	21
White-----	348	29	20	32	27	30	29	35	25	33	37	31	21
Nonwhite--	8	1	-	-	-	2	1	1	1	1	-	-	-
ILLINOIS													
Under 1 year-----	5,672	603	495	538	483	481	452	391	534	418	428	397	454
White-----	5,024	537	434	488	437	430	405	352	471	356	370	346	398
Nonwhite--	648	66	61	50	46	51	47	39	63	62	56	51	56
Under 1 month-----	4,236	408	330	388	382	359	339	326	414	335	332	294	329
White-----	3,791	368	298	357	348	324	306	281	367	288	294	260	289
Nonwhite--	445	40	32	31	33	35	33	35	47	47	38	34	40
INDIANA													
Under 1 year-----	2,949	296	264	272	230	226	217	234	236	227	234	226	287
White-----	2,739	283	238	253	217	202	199	212	225	217	215	212	266
Nonwhite--	210	13	26	19	13	24	18	22	11	10	19	14	21
Under 1 month-----	2,103	195	165	170	160	185	180	188	167	176	172	181	184
White-----	1,956	188	144	152	151	164	167	168	157	166	154	151	174
Nonwhite--	167	7	21	18	9	21	13	20	10	10	18	10	10
IOWA													
Under 1 year-----	1,817	157	147	177	151	176	150	136	173	110	140	134	166
White-----	1,788	156	146	176	150	171	149	130	168	109	139	131	163
Nonwhite--	29	1	1	1	1	5	1	6	5	1	1	3	3
Under 1 month-----	1,395	123	109	133	98	132	123	109	140	81	104	113	120
White-----	1,376	123	108	132	97	129	122	105	137	80	103	112	118
Nonwhite--	19	-	1	1	1	3	1	4	3	1	1	1	2
KANSAS													
Under 1 year-----	1,251	130	126	114	109	100	97	114	91	88	95	93	94
White-----	1,189	117	117	106	102	96	92	106	84	85	89	85	90
Nonwhite--	82	13	9	8	7	4	5	8	7	3	6	8	4
Under 1 month-----	906	79	66	75	76	71	60	90	71	70	75	70	63
White-----	883	74	61	69	72	69	76	84	66	68	72	64	62
Nonwhite--	51	5	7	6	4	2	4	6	5	2	3	6	1
KENTUCKY													
Under 1 year-----	2,971	343	291	295	228	197	202	224	236	241	232	217	265
White-----	2,762	317	281	279	211	183	187	209	213	224	215	202	241
Nonwhite--	209	26	10	16	17	14	15	15	23	17	17	15	24
Under 1 month-----	1,971	219	186	172	151	140	149	169	167	160	149	151	158
White-----	1,851	204	179	167	145	131	141	159	154	152	140	141	138
Nonwhite--	120	15	7	5	6	9	8	10	13	8	9	10	20
LOUISIANA													
Under 1 year-----	2,773	254	265	246	209	200	204	249	249	224	219	203	251
White-----	1,384	129	134	108	89	109	113	131	130	113	114	100	114
Nonwhite--	1,389	125	131	138	120	91	91	118	119	111	105	103	137
Under 1 month-----	1,897	171	158	134	130	132	145	190	198	177	172	140	150
White-----	1,011	91	87	69	60	76	82	106	106	93	90	74	77
Nonwhite--	886	80	71	65	70	56	63	84	92	84	82	66	73

GENERAL TABLES—INFANT DEATHS

619

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, AND BY DETAILED AGE, UNITED STATES, 1947—Continued

(By place of residence. Exclusive of stillbirths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE													
Under 1 year	853	100	85	61	71	77	66	65	69	74	60	57	70
White	850	100	85	61	70	77	65	65	69	74	60	56	70
Nonwhite	3	-	-	-	1	-	1	-	-	-	-	1	-
Under 1 month	576	68	51	41	45	59	44	37	56	51	45	40	39
White	575	68	51	41	44	59	44	37	56	51	45	40	39
Nonwhite	1	-	-	-	1	-	-	-	-	-	-	-	-
MARYLAND													
Under 1 year	1,794	181	199	193	159	134	113	117	141	116	146	148	147
White	1,284	134	146	133	112	98	87	87	92	81	102	106	106
Nonwhite	510	47	53	60	47	36	26	30	49	35	44	42	41
Under 1 month	1,249	108	122	134	107	95	91	91	111	82	103	104	101
White	910	95	92	95	76	68	70	72	72	57	73	74	76
Nonwhite	339	23	30	39	31	27	21	19	39	25	30	30	25
MASSACHUSETTS													
Under 1 year	3,027	338	247	291	255	239	223	235	232	237	257	240	255
White	2,935	331	239	281	247	231	220	227	224	228	251	231	245
Nonwhite	92	7	8	10	8	8	3	8	8	9	6	9	10
Under 1 month	2,207	240	171	190	182	177	177	169	185	177	175	173	181
White	2,148	237	165	185	188	170	175	165	179	172	171	168	173
Nonwhite	59	3	6	5	4	7	2	4	6	5	4	5	8
MICHIGAN													
Under 1 year	5,080	476	422	498	439	448	399	373	410	391	361	396	449
White	4,573	446	380	448	403	400	367	328	371	341	336	356	397
Nonwhite	507	30	42	50	35	48	31	45	39	50	45	42	52
Under 1 month	3,700	319	304	334	303	343	303	293	316	311	290	287	307
White	3,326	299	287	300	284	308	280	249	284	269	255	256	275
Nonwhite	372	20	37	34	19	35	23	34	32	42	35	29	32
MINNESOTA													
Under 1 year	2,185	234	181	201	169	176	170	169	187	159	166	160	193
White	2,104	222	176	197	163	172	164	164	181	155	165	156	189
Nonwhite	61	12	5	4	6	4	6	5	6	4	1	4	4
Under 1 month	1,802	153	132	137	129	137	131	132	151	125	124	119	132
White	1,578	149	129	137	126	137	126	130	148	123	124	117	132
Nonwhite	24	4	3	-	3	-	5	2	3	2	-	2	-
MISSISSIPPI													
Under 1 year	2,448	256	251	234	190	210	187	180	214	191	163	179	213
White	1,032	95	92	89	70	102	100	88	83	81	69	84	80
Nonwhite	1,416	141	159	145	120	108	87	92	131	110	95	95	133
Under 1 month	1,603	145	139	121	121	136	137	133	168	144	117	121	122
White	762	59	61	60	53	80	81	69	69	68	50	59	53
Nonwhite	841	86	77	61	68	56	56	64	99	76	67	62	69
MISSOURI													
Under 1 year	2,929	370	240	278	246	239	196	206	261	194	248	227	225
White	2,507	325	216	238	217	205	152	179	212	165	221	193	184
Nonwhite	422	45	24	40	31	33	44	27	49	29	27	34	39
Under 1 month	2,062	239	144	176	164	170	146	185	216	142	195	150	155
White	1,793	209	126	159	144	149	118	148	178	122	178	131	131
Nonwhite	269	30	18	17	20	21	28	17	38	20	17	19	24
MONTANA													
Under 1 year	494	59	57	43	33	35	41	33	37	31	41	38	56
White	405	49	51	36	27	31	39	29	29	24	35	31	25
Nonwhite	79	10	6	7	6	4	3	4	8	7	6	7	11
Under 1 month	335	31	40	31	25	28	25	22	26	23	25	31	24
White	309	29	40	28	23	26	25	21	25	20	24	29	20
Nonwhite	24	2	-	3	2	2	-	1	3	3	1	3	4
NEBRASKA													
Under 1 year	894	83	67	68	69	80	73	69	71	72	73	73	96
White	870	83	64	66	67	77	72	65	68	71	72	73	92
Nonwhite	24	-	3	2	2	3	1	4	3	1	1	-	4
Under 1 month	674	55	50	42	50	63	55	55	58	63	57	58	68
White	661	55	47	42	48	60	55	55	58	63	57	58	65
Nonwhite	13	-	3	-	2	3	-	2	-	-	-	-	3
NEVADA													
Under 1 year	134	22	10	10	14	14	14	5	7	10	12	5	11
White	123	20	10	9	13	12	11	5	7	10	11	5	10
Nonwhite	11	2	-	1	1	2	3	-	-	-	1	-	1
Under 1 month	99	14	4	7									

VITAL STATISTICS OF THE UNITED STATES

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND MONTH: UNITED STATES AND EACH STATE, AND BY DETAILED AGE, UNITED STATES, 1947—Continued

(By place of residence. Exclusive of stillbirths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO													
Under 1 year-----	1,379	168	108	109	100	77	87	108	104	143	135	121	119
White-----	1,172	145	95	91	81	68	71	87	91	117	119	106	100
Nonwhite--	207	23	13	18	19	8	16	21	13	26	16	15	19
Under 1 month-----	745	77	62	75	57	47	61	51	60	67	66	61	61
White-----	653	71	52	67	50	43	49	42	51	60	58	58	52
Nonwhite--	92	6	10	8	7	4	12	9	9	7	8	3	9
NEW YORK													
Under 1 year-----	9,123	890	804	885	755	756	745	723	692	685	718	736	734
White-----	8,169	773	729	805	690	675	668	641	633	609	636	656	654
Nonwhite--	954	117	75	80	65	81	77	82	59	76	82	80	80
Under 1 month-----	6,982	625	593	636	562	565	601	587	554	546	568	563	552
White-----	6,252	552	533	583	516	525	542	513	505	481	501	501	495
Nonwhite--	710	73	50	53	46	60	59	69	49	65	67	62	57
NORTH CAROLINA													
Under 1 year-----	3,939	371	392	432	359	259	281	286	321	275	340	306	337
White-----	2,456	241	242	270	214	161	179	198	198	177	208	169	192
Nonwhite--	1,482	130	150	162	124	98	102	100	125	99	131	117	145
Under 1 month-----	2,692	258	236	258	223	198	218	228	256	207	239	200	151
White-----	1,777	175	153	176	152	125	142	158	164	141	151	133	107
Nonwhite--	915	83	83	82	71	63	76	70	92	66	88	67	74
NORTH DAKOTA													
Under 1 year-----	523	68	36	39	39	36	41	46	39	49	46	44	40
White-----	499	64	34	36	36	35	41	42	35	47	45	40	39
Nonwhite--	25	4	2	1	1	1	1	4	4	2	1	4	1
Under 1 month-----	379	49	24	27	29	30	35	35	32	35	30	30	22
White-----	366	47	23	27	29	29	35	34	30	34	29	29	21
Nonwhite--	12	2	1	1	1	1	1	1	2	1	1	2	1
OHIO													
Under 1 year-----	5,817	576	485	529	478	512	446	475	449	425	459	444	540
White-----	5,298	524	438	492	428	476	410	440	401	390	420	408	483
Nonwhite--	519	52	47	37	52	36	36	35	47	45	39	36	57
Under 1 month-----	4,306	598	536	561	551	585	542	598	564	529	574	517	561
White-----	3,931	352	301	340	315	359	314	371	319	293	345	295	327
Nonwhite--	375	36	35	21	36	26	28	27	45	36	29	22	34
OKLAHOMA													
Under 1 year-----	1,733	190	169	161	156	131	134	130	131	142	133	118	138
White-----	1,429	152	133	141	127	105	119	110	110	112	112	94	114
Nonwhite--	304	38	36	20	29	26	15	20	21	30	21	24	24
Under 1 month-----	1,200	114	108	100	96	102	107	103	103	105	93	78	91
White-----	1,023	94	86	80	81	86	93	90	84	83	65	65	76
Nonwhite--	177	20	22	10	15	16	9	13	13	21	10	13	15
OREGON													
Under 1 year-----	895	113	72	76	78	70	75	73	65	62	73	72	66
White-----	860	106	67	74	77	67	73	68	64	61	69	69	64
Nonwhite--	35	7	5	2	1	3	2	4	1	1	4	3	2
Under 1 month-----	645	65	47	51	56	54	60	56	54	47	56	53	46
White-----	625	63	44	50	58	52	59	53	53	47	53	51	45
Nonwhite--	20	2	3	1	1	2	1	3	1	1	3	2	1
PENNSYLVANIA													
Under 1 year-----	7,741	778	674	729	697	693	590	563	607	584	588	589	619
White-----	6,884	700	595	657	633	615	526	512	523	523	506	539	555
Nonwhite--	857	78	79	72	64	78	64	71	84	61	82	60	64
Under 1 month-----	5,526	522	426	501	488	503	461	443	465	432	434	438	415
White-----	4,941	490	373	454	445	451	415	392	403	398	372	394	374
Nonwhite--	585	42	53	47	41	52	46	51	62	44	62	44	41
RHODE ISLAND													
Under 1 year-----	522	66	40	52	49	42	43	39	38	36	38	44	41
White-----	501	65	36	51	43	42	39	34	38	35	35	42	41
Nonwhite--	21	1	4	1	1	1	4	5	1	1	3	2	1
Under 1 month-----	387	40	25	40	31	31	39	27	30	30	28	35	31
White-----	369	40	22	39	31	31	35	22	30	29	26	33	31
Nonwhite--	18	1	3	1	1	1	4	5	1	1	2	2	1
SOUTH CAROLINA													
Under 1 year-----	2,352	225	239	260	214	173	177	158	150	197	169	160	210
White-----	1,112	95	107	119	108	85	99	70	79	102	81	74	93
Nonwhite--	1,240	130	132	161	106	88	78	88	71	95	88	86	117
Under 1 month-----	1,568	136	147	157	143	129	133	117	121	147	118	99	121
White-----	815	70	76	73	75	71	82	57	72	76	62	45	57
Nonwhite--	752	66	71	84	68	58	51	60	49	71	56	54	64
SOUTH DAKOTA													
Under 1 year-----	511	58	44	38	40	32	49	50	35	27	44	49	46
White-----	453	50	39	30	36	30	45	45	30	25	37	45	41
Nonwhite--	58	8	5	8	4	2	3	5	5	2	7	4	5
Under 1 month-----	371	41	29	25	27	26	39	34	27	21	36	38	29
White-----	349	37	26	23	26	25	37	32	25	20	33	37	28
Nonwhite--	22	4	2	2	1	1	2	2	2	1	3	1	1
TENNESSEE													
Under 1 year-----	3,144	319	320	335	287	237	233	225	256	235	235	197	285
White-----	2,472	250	254	271	220	185	185	175	206	184	185	146	215
Nonwhite--	672	69	66	64	67	52	48	52	50	51	52	51	50
Under 1 month-----	2,170	200	205	210	185	163	187	180	197	160	168	144	171
White-----	1,746	159	167	182	149	132	154	138	161	122	135	106	141
Nonwhite--	424	41	38	28	36	31	33	42	36	38	33	38	30

GENERAL TABLES--INFANT DEATHS

TABLE 25.--DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE BY RACE AND MONTH UNITED STATES AND EACH STATE, AND BY DETAILED AGE, UNITED STATES, 1947--Continued

(By place of residence. Exclusive of stillbirths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS													
Under 1 year	8,161	746	623	662	614	656	686	723	742	656	844	659	750
White	6,937	622	508	537	524	567	597	618	629	539	531	546	619
Nonwhite	1,224	124	115	125	90	89	89	105	113	112	113	113	131
Under 1 month	5,004	416	377	391	385	397	385	440	503	458	440	408	424
White	4,166	343	304	327	342	331	340	360	418	382	366	346	347
Nonwhite	818	73	73	64	43	56	55	80	85	76	74	62	77
UTAH													
Under 1 year	545	79	53	43	40	32	31	45	39	41	56	44	43
White	531	79	52	41	40	32	30	45	36	36	53	43	43
Nonwhite	14	1	1	2	-	-	1	-	2	3	3	1	-
Under 1 month	415	39	30	32	32	26	29	37	30	32	44	33	31
White	409	39	29	31	32	26	28	37	30	30	43	33	31
Nonwhite	6	-	1	1	-	-	1	-	-	2	1	-	-
VERMONT													
Under 1 year	303	33	22	15	28	37	16	28	18	26	25	23	34
White	303	33	22	15	28	37	16	28	18	26	23	23	34
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 1 month	205	20	17	10	16	24	8	21	15	18	19	17	20
White	205	20	17	10	16	24	8	21	15	18	19	17	20
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	3,142	305	262	340	271	235	216	242	234	254	241	268	274
White	2,101	207	190	236	175	142	149	169	158	165	167	157	186
Nonwhite	1,041	98	72	104	96	93	67	73	76	89	74	111	88
Under 1 month	2,247	198	166	238	184	160	170	184	193	198	186	183	177
White	1,567	136	128	171	127	112	124	136	135	130	131	116	121
Nonwhite	680	62	38	67	57	68	46	48	58	58	55	67	56
WASHINGTON													
Under 1 year	1,643	166	143	143	149	139	130	138	135	106	114	134	146
White	1,574	160	139	140	144	131	123	131	128	101	112	127	138
Nonwhite	69	6	4	3	5	8	7	7	7	5	2	7	8
Under 1 month	1,239	104	105	107	112	98	110	114	113	87	87	104	98
White	1,201	101	103	107	108	95	104	113	106	83	85	100	94
Nonwhite	38	3	2	-	3	5	6	1	7	4	1	4	4
WEST VIRGINIA													
Under 1 year	2,081	210	167	207	150	161	146	174	137	150	165	201	205
White	1,956	197	174	193	139	153	135	168	129	138	153	189	189
Nonwhite	125	13	13	14	11	8	11	6	8	12	10	13	16
Under 1 month	1,415	137	113	132	104	113	103	151	101	112	111	142	116
White	1,333	132	101	123	97	109	99	127	94	105	105	136	105
Nonwhite	82	5	12	9	7	4	4	4	7	7	6	6	11
WISCONSIN													
Under 1 year	2,476	238	222	228	191	202	190	204	247	192	190	173	199
White	2,409	233	217	219	186	196	184	195	243	189	184	169	192
Nonwhite	67	5	5	9	5	6	6	9	2	3	6	4	7
Under 1 month	1,859	153	153	172	145	148	136	167	197	154	144	141	149
White	1,810	149	151	165	142	143	132	158	195	153	140	137	145
Nonwhite	49	4	2	7	3	5	4	9	2	1	4	4	4
WYOMING													
Under 1 year	249	27	14	24	23	32	14	25	14	12	15	24	27
White	241	25	14	23	23	32	14	23	14	12	13	23	25
Nonwhite	8	2	-	1	-	-	-	-	-	-	2	1	2
Under 1 month	177	17	12	16	17	25	9	21	13	6	10	17	14
White	173	15	12	15	17	23	9	21	13	6	10	16	14
Nonwhite	4	2	-	1	-	-	-	-	-	-	1	1	-

GENERAL TABLES—INFANT DEATHS

623

TABLE 27.—DEATHS UNDER 1 YEAR BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE,

1947

(By place of residence. Exclusive of stillbirths)

AREA AND RACE	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6, days	7 to 13 days	14 to 20, days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES	119,173	39,716	12,683	7,890	10,996	6,173	3,800	3,239	84,296	7,529	5,971	4,655	3,725	2,831	2,516	2,019	1,832	1,446	1,211	1,145
White	98,547	33,956	10,979	6,808	9,013	4,859	2,922	2,575	71,112	5,899	4,702	3,654	2,931	2,253	1,962	1,604	1,411	1,152	969	896
Nonwhite	20,626	5,760	1,704	1,082	1,983	1,314	878	663	13,184	1,629	1,269	1,001	794	578	554	415	421	294	242	245
Alabama	3,301	1,042	299	210	346	191	100	84	2,272	204	210	121	98	79	78	59	59	43	34	45
White	1,601	549	176	127	183	92	51	45	1,335	97	100	59	45	36	34	25	23	22	18	19
Nonwhite	1,500	393	121	83	163	99	49	41	949	107	110	62	53	43	44	35	36	21	16	26
Arizona	973	214	58	59	77	38	33	39	518	65	83	61	53	49	29	25	32	20	21	19
White	671	177	49	52	52	30	22	24	405	46	46	37	28	32	14	16	12	9	13	13
Nonwhite	302	57	10	7	25	8	11	15	113	19	37	24	25	17	15	7	20	11	8	6
Arkansas	1,445	337	206	97	121	83	46	39	829	105	78	72	60	46	40	28	30	15	26	16
White	1,075	278	177	85	79	53	33	22	727	74	49	47	42	33	26	14	23	11	19	10
Nonwhite	370	59	29	12	42	30	13	17	202	31	29	25	18	13	14	14	7	4	7	6
California	7,233	2,750	746	496	541	315	172	166	5,186	413	348	291	243	192	136	142	89	72	68	63
White	6,587	2,490	699	460	492	292	155	151	4,739	362	318	265	219	166	122	126	82	65	64	59
Nonwhite	646	260	47	36	49	23	17	15	447	51	30	26	24	16	14	16	7	7	4	4
Colorado	1,234	419	115	89	97	47	34	34	835	61	63	73	51	35	29	20	25	22	12	10
White	1,200	411	114	87	95	45	34	30	816	59	63	71	49	32	26	20	24	20	11	10
Nonwhite	34	8	1	2	2	-	-	4	19	2	-	2	3	1	3	-	1	2	1	-
Connecticut	1,150	434	151	88	123	52	36	25	909	49	46	31	26	20	16	9	15	12	12	5
White	1,088	412	144	83	116	50	33	21	859	47	43	29	25	19	16	9	13	12	12	4
Nonwhite	62	22	7	5	7	2	3	4	50	2	3	2	1	1	-	-	2	-	-	1
Delaware	239	92	30	12	24	8	4	6	176	15	10	12	5	6	3	6	2	4	-	-
White	190	76	27	10	19	7	4	4	147	14	9	7	1	3	2	2	1	4	-	-
Nonwhite	49	16	3	2	5	1	-	2	29	1	1	5	4	3	1	4	1	-	-	-
District of Columbia	691	305	64	47	57	27	17	15	532	44	25	24	11	13	10	8	9	5	5	5
White	377	177	41	27	29	14	10	8	305	22	10	9	4	7	4	3	4	1	3	4
Nonwhite	314	128	23	20	28	13	7	7	226	22	15	15	7	6	6	5	5	4	2	1
Florida	2,285	834	226	108	251	168	67	65	1,699	121	94	65	54	48	39	42	41	37	20	26
White	1,532	620	163	70	141	102	44	39	1,179	76	60	40	38	30	21	20	18	19	14	17
Nonwhite	753	214	63	38	90	66	23	26	520	45	34	25	16	18	17	22	23	18	6	9
Georgia	3,251	1,014	290	182	365	183	100	104	2,238	221	180	122	139	73	63	45	56	46	34	34
White	1,781	618	196	114	201	83	53	41	1,306	93	80	59	68	33	28	25	30	27	15	17
Nonwhite	1,470	396	94	68	164	100	47	63	932	128	100	63	71	40	35	20	26	19	19	17
Idaho	478	166	69	30	47	23	13	8	356	22	21	15	10	16	12	8	6	4	3	5
White	462	165	66	28	47	23	12	7	348	21	20	14	9	15	10	8	5	4	3	5
Nonwhite	16	1	3	2	-	-	1	1	8	1	1	1	1	1	2	-	1	-	-	-
Illinois	5,672	2,080	659	454	487	284	150	122	4,236	294	256	202	161	119	95	85	62	66	45	51
White	5,024	1,954	579	412	435	257	137	115	3,781	242	219	174	140	103	83	76	55	60	38	44
Nonwhite	648	226	80	42	52	27	13	7	445	52	37	28	21	16	12	10	7	6	7	7
Indiana	2,949	917	292	235	292	167	118	82	2,103	180	145	112	93	74	63	51	41	28	33	26
White	2,739	865	270	219	271	146	97	63	1,936	166	139	109	88	72	59	49	38	27	32	25
Nonwhite	210	52	22	16	21	21	21	14	167	14	6	3	5	2	5	3	1	1	1	1
Iowa	1,817	649	207	143	169	101	64	62	1,395	114	69	49	42	27	35	21	14	20	16	15
White	1,768	640	203	142	165	100	64	62	1,376	111	65	48	41	26	35	21	14	20	16	15
Nonwhite	29	9	4	1	4	-	-	-	19	3	4	1	1	1	-	-	-	-	-	-
Kansas	1,251	456	161	73	102	63	26	25	908	63	60	43	46	39	14	18	16	18	14	12
White	1,169	435	150	69	96	61	26	20	857	60	48	38	42	36	14	18	14	15	13	11
Nonwhite	82	21	11	4	6	2	2	5	51	3	11	5	4	1	-	2	3	1	1	1
Kentucky	2,971	947	296	205	276	142	117	88	1,971	225	187	126	113	67	72	54	56	42	27	33
White	2,762	800	276	192	254	133	112	84	1,851	197	169	116	109	62	67	49	50	36	27	29
Nonwhite	209	47	20	13	22	9	5	4	120	26	18	10	4	5	5	6	6	-	4	4
Louisiana	2,773	953	228	131	264	162	90	69	1,897	196	142	128	93	69	61	43	48	40	34	22
White	1,364	524	151	76	141	63	42	34	1,011	83	63	55	36	24	29	24	23	19	9	9
Nonwhite	1,369	429	97	55	123	99	48	35	886	113	79	73	57	45	33	19	25	21	25	13
Maine	853	258	75	61	87	46	16	33	576	57	54	39	32	33	17	10	12	6	10	8
White	850	258	74	61	87	46	16	33	575	57	54	37	32	32	17	10	12	6	10	8
Nonwhite	3	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Maryland	1,794	573	179	127	164	93	70	43	1,249	106	99	71	61	44	38	32	31	27	13	23
White	1,264	441	121	93	108	70	50	27	910	79	68	45	42	29	26	21	22	19	6	17
Nonwhite	510	132	58	34	56	23	20	16	339	27	31	26	19	15	12	11	9	8	7	6
Massachusetts	3,027	1,056	283	219	305	143	95	103	2,207	195	159	98	64	65	52	48	54	36	27	26
White	2,935	1,030	278	213	298	138	90	101	2,148	190	149	95	60	59	50	46	51	35	27	25
Nonwhite	92	26	5	6	7	5	6	4	59	5	9	3	4	4	2	3	1	-	-	-
Michigan	5,080	1,754	562	394	477	261	120	132	3,700	314	226	174	143	118	94	82	76	68	42	43
White	4,573	1,585	506	367	418	220	111	121	3,328	278	200	156	132	112	89	71	68	65	33	41
Nonwhite	507	169	56	27	59	41	9	11	372	36	26</									

VITAL STATISTICS OF THE UNITED STATES

TABLE 27.—DEATHS UNDER 1 YEAR BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND RACE	Total deaths under 1 year	Under 1 day	1 day	2 days	5 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
Montana	484	166	46	31	42	22	12	14	335	54	22	24	15	18	14	4	7	4	5	6
White	405	155	46	28	59	20	11	10	309	26	15	12	10	13	6	2	4	3	5	5
Nonwhite	79	11	-	3	3	2	1	4	24	8	7	12	5	5	8	2	3	1	3	1
Nebraska	894	370	93	49	73	40	23	26	674	58	55	30	23	17	15	19	14	11	12	6
White	870	363	91	48	71	40	23	25	661	57	53	29	22	16	14	17	14	10	12	5
Nonwhite	24	7	2	1	2	-	-	1	13	1	2	1	1	1	2	-	1	-	-	1
Nevada	154	52	11	11	13	7	5	-	99	7	3	8	2	5	5	1	2	1	-	1
White	123	51	11	10	12	6	4	-	94	6	3	6	2	3	5	1	2	-	-	1
Nonwhite	11	1	-	1	1	1	1	-	5	1	-	2	-	2	-	-	-	1	-	-
New Hampshire	399	141	48	25	37	24	10	15	300	31	14	11	12	6	5	9	3	2	1	5
White	398	141	48	25	36	24	10	15	299	31	14	11	12	6	5	9	3	2	1	5
Nonwhite	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
New Jersey	2,965	1,056	351	191	323	156	86	57	2,220	156	137	89	72	61	39	55	42	26	35	34
White	2,580	921	320	174	283	129	76	43	1,946	128	114	69	65	55	33	46	35	23	33	31
Nonwhite	385	135	31	17	40	27	10	14	274	28	23	20	7	6	5	7	7	3	2	3
New Mexico	1,379	310	93	50	94	97	47	46	745	129	103	76	69	47	48	37	44	38	25	18
White	1,172	291	85	48	69	85	39	38	653	110	87	68	69	56	38	37	35	26	19	13
Nonwhite	207	19	10	10	25	12	8	8	92	19	16	8	13	8	11	8	9	12	6	5
New York	9,123	3,401	1,105	631	842	490	245	248	6,962	552	352	297	220	179	151	106	99	69	72	54
White	6,189	2,023	690	377	578	322	166	166	4,962	328	207	148	106	81	66	46	35	23	27	18
Nonwhite	954	378	115	54	64	48	29	22	710	65	34	32	25	31	12	16	12	8	7	2
North Carolina	3,838	1,212	425	263	363	204	126	99	2,692	299	227	184	125	79	92	65	62	40	33	40
White	2,456	844	301	188	222	105	67	50	1,777	151	134	106	70	40	48	36	35	18	25	18
Nonwhite	1,482	368	124	75	141	99	59	49	915	148	93	78	55	39	44	29	27	22	8	24
North Dakota	523	169	72	27	50	29	16	15	378	35	26	17	12	11	10	8	4	6	8	8
White	498	164	71	26	49	26	16	14	366	29	23	16	11	11	8	9	8	4	5	9
Nonwhite	25	5	1	1	1	3	-	1	12	4	3	1	1	-	2	1	-	-	1	-
Ohio	5,617	2,185	668	410	514	240	163	126	4,306	312	259	177	146	144	122	106	87	63	48	48
White	5,298	1,991	619	371	471	217	148	114	3,931	297	229	159	130	136	110	94	78	57	42	45
Nonwhite	519	194	49	39	43	23	15	12	375	25	29	18	16	8	12	9	6	6	3	3
Oklahoma	1,733	544	222	112	134	97	50	41	1,200	104	63	53	53	45	45	42	31	37	23	17
White	1,429	485	201	93	104	71	39	30	1,023	85	64	36	38	39	38	30	20	26	13	15
Nonwhite	304	59	21	19	30	26	11	11	177	21	19	17	15	7	7	12	11	11	5	2
Oregon	895	312	93	62	84	30	19	25	645	47	44	41	21	19	24	14	18	10	8	4
White	860	301	91	77	84	29	19	24	625	43	43	39	21	17	24	14	14	9	7	4
Nonwhite	35	11	2	5	-	1	-	1	20	4	1	2	-	2	-	4	1	1	-	-
Pennsylvania	7,741	2,503	810	557	729	416	281	230	5,526	555	347	319	225	159	157	104	82	69	73	73
White	6,884	2,232	729	506	685	362	250	197	4,941	490	304	279	201	141	133	111	88	73	64	59
Nonwhite	857	271	81	51	64	54	31	33	585	65	43	40	24	17	24	15	16	9	5	14
Rhode Island	522	202	50	36	47	30	12	10	387	22	29	11	17	14	15	8	3	8	5	3
White	501	189	49	36	45	28	12	10	369	22	27	11	17	14	15	7	3	8	5	3
Nonwhite	21	13	1	2	2	-	-	-	18	-	2	-	-	-	-	1	-	-	-	-
South Carolina	2,358	696	235	147	240	130	68	62	1,568	159	146	115	88	57	63	41	38	28	25	24
White	1,112	406	146	67	92	48	34	25	816	67	58	40	30	19	20	16	8	10	12	14
Nonwhite	1,240	290	89	80	148	82	34	39	752	92	88	75	58	38	43	25	22	20	15	12
South Dakota	511	171	56	32	51	25	18	16	371	42	29	10	10	13	8	7	3	3	7	8
White	453	151	55	31	48	24	16	14	349	34	21	8	9	8	6	5	3	3	5	2
Nonwhite	58	10	3	3	3	2	2	2	22	8	8	2	1	5	2	2	-	-	2	6
Tennessee	3,144	977	328	214	272	183	99	100	2,170	226	167	154	100	74	68	44	48	39	26	30
White	2,472	792	268	180	215	129	79	82	1,746	172	135	116	64	49	54	38	33	17	19	19
Nonwhite	672	185	58	34	57	51	20	18	424	54	32	38	36	25	17	10	6	9	11	11
Texas	8,161	2,042	867	448	711	448	243	245	5,004	600	475	386	363	269	261	200	178	156	148	121
White	6,837	1,710	751	393	601	343	190	198	4,186	467	337	321	305	251	225	178	151	140	135	101
Nonwhite	1,324	332	116	55	110	105	53	47	818	133	78	65	59	38	36	22	27	16	13	20
Utah	545	167	66	39	80	21	17	5	415	29	27	23	14	9	6	5	6	3	2	2
White	531	163	64	39	80	21	17	5	409	27	24	23	13	9	6	4	5	3	2	2
Nonwhite	14	4	2	-	-	-	-	-	6	2	3	-	1	-	-	1	-	-	-	-
Vermont	303	98	20	16	29	21	9	12	205	20	19	12	7	9	7	5	2	7	3	3
White	303	98	20	16	29	21	9	12	205	20	19	12	7	9	7	5	2	7	3	3
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	3,142	1,029	319	215	311	179	94	100	2,247	184	174	118	97	60	78	44	45	36	36	23
White	2,101	743	237	149	200	112	64	62	1,567	120	107	69	53	31	46	26	27	23	18	14
Nonwhite	1,041	286	82	66	111	67	30	38	680	64	67	49	44	29	32	18	18	13	18	9
Washington	1,643	655	180	123	160	49	38	35	1,239	88	62	53	45	39	35	20	21	19	9	13
White	1,574	633	175	121	154	46	37	35	1,201	85	55	50	40	37	33	17	17	9	13	13
Nonwhite	69	22	5	2	6	2	1	-	38	3	7	3	5	2	2	3	4	2	-	-
West Virginia	2,091	594	248	108	194	119	84	69	1,415	147	124	97	73	46	45	32	35	31	18	28
White	1,956	551	234																	

GENERAL TABLES—INFANT DEATHS

625

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1947

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
UNITED STATES													
Under 1 year	119,173	98,547	20,626	21,691	10,359	70,430	9,520	1,931	148	2,313	370	1,982	231
Under 1 day	39,718	33,956	5,760	4,191	2,116	27,928	3,420	1,013	67	154	53	692	64
1 to 6 days	31,569	26,800	4,769	2,316	2,172	22,332	2,435	688	42	404	61	460	39
7 to 13 days	6,178	4,859	1,314	1,055	684	3,476	575	87	5	174	42	69	10
14 to 29 days	6,358	5,497	1,341	1,624	695	3,436	598	74	4	290	54	73	10
1 to 11 months	34,877	27,435	7,442	11,307	4,692	13,460	2,494	69	8	1,311	160	668	88
ALABAMA													
Under 1 year	3,301	1,801	1,500	674	1,068	1,000	408	22	11	39	5	66	8
Under 1 day	1,042	649	393	191	262	418	116	8	10	5	1	29	4
1 to 6 days	855	489	367	129	238	320	122	11	-	6	4	23	3
7 to 13 days	191	92	99	41	75	42	26	1	-	4	-	4	-
14 to 29 days	184	94	80	51	60	28	50	1	-	9	-	5	-
1 to 11 months	1,029	478	551	263	435	192	114	1	1	17	-	5	1
ARIZONA													
Under 1 year	973	671	302	165	89	460	161	4	-	-	-	22	22
Under 1 day	214	177	37	21	7	141	26	2	-	-	-	13	4
1 to 6 days	194	152	42	27	14	118	26	2	-	-	-	5	2
7 to 13 days	38	30	8	4	1	26	6	-	-	-	-	-	1
14 to 29 days	72	46	26	10	6	35	17	-	-	-	-	1	-
1 to 11 months	455	266	189	108	69	160	116	-	-	-	-	3	14
ARKANSAS													
Under 1 year	1,448	1,075	370	423	292	586	75	-	-	13	-	53	3
Under 1 day	337	278	59	62	37	180	22	-	-	-	-	16	-
1 to 6 days	424	341	83	100	63	217	19	-	-	2	-	22	1
7 to 13 days	85	53	30	26	27	26	2	-	-	1	-	-	1
14 to 29 days	85	55	30	31	20	21	10	-	-	2	-	1	-
1 to 11 months	516	348	168	184	145	142	22	-	-	8	-	14	1
CALIFORNIA													
Under 1 year	7,233	6,587	646	862	96	5,299	527	158	8	151	5	118	8
Under 1 day	2,750	2,490	260	66	12	2,278	240	79	4	5	-	42	4
1 to 6 days	1,783	1,651	132	37	9	1,506	119	65	3	23	-	20	1
7 to 13 days	292	232	25	30	1	228	21	5	-	24	1	5	-
14 to 29 days	338	306	32	55	7	224	24	6	1	14	-	7	-
1 to 11 months	2,047	1,849	199	654	69	1,062	123	3	-	85	4	44	3
COLORADO													
Under 1 year	1,234	1,200	34	315	14	808	17	1	1	58	1	18	1
Under 1 day	419	411	8	55	-	337	7	-	1	6	-	13	-
1 to 6 days	301	296	5	32	2	247	3	1	-	14	-	2	-
7 to 13 days	47	45	2	9	1	32	1	-	-	4	-	-	-
14 to 29 days	68	64	4	29	3	31	1	-	-	4	-	1	-
1 to 11 months	399	384	15	191	8	161	5	-	-	30	1	2	1
CONNECTICUT													
Under 1 year	1,150	1,068	62	84	11	972	50	2	-	2	-	28	1
Under 1 day	434	412	22	15	1	396	21	1	-	-	-	-	-
1 to 6 days	362	343	19	3	-	339	18	1	-	1	-	-	1
7 to 13 days	52	50	2	4	-	45	2	-	-	-	-	1	-
14 to 29 days	61	54	7	2	1	50	6	-	-	-	-	2	-
1 to 11 months	241	229	12	60	9	143	3	-	-	1	-	25	-
DELAWARE													
Under 1 year	239	190	49	23	18	166	31	-	-	-	-	1	-
Under 1 day	92	76	16	4	3	72	13	-	-	-	-	-	-
1 to 6 days	66	58	10	4	4	51	6	-	-	-	-	1	-
7 to 13 days	8	7	1	1	-	6	1	-	-	-	-	-	-
14 to 29 days	10	8	2	-	1	8	1	-	-	-	-	-	-
1 to 11 months	63	43	20	14	10	29	10	-	-	-	-	-	-
DISTRICT OF COLUMBIA													
Under 1 year	691	377	314	29	47	276	217	25	9	46	40	1	1
Under 1 day	305	177	129	10	13	148	103	15	7	4	5	-	-
1 to 6 days	168	97	71	-	5	84	60	7	2	6	4	-	-
7 to 13 days	27	14	13	-	2	9	10	1	-	4	1	-	-
14 to 29 days	32	18	14	3	1	7	9	2	-	5	4	1	-
1 to 11 months	159	71	88	16	26	28	35	-	-	27	26	-	1
FLORIDA													
Under 1 year	2,285	1,532	753	262	451	1,172	267	22	2	1	-	55	13
Under 1 day	854	620	214	65	118	501	89	8	-	-	-	26	7
1 to 6 days	565	374	191	39	111	317	77	6	1	-	-	12	2
7 to 13 days	166	102	66	19	39	76	22	6	1	-	-	1	4
14 to 29 days	132	83	49	12	28	68	21	2	-	1	-	-	-
1 to 11 months	586	353	233	127	155	210	78	-	-	-	-	16	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
GEORGIA													
Under 1 year	3,251	1,781	1,470	560	1,052	1,104	398	16	1	56	2	65	17
Under 1 day	1,014	518	396	112	239	462	150	8	-	1	-	35	7
1 to 6 days	637	511	326	114	256	362	89	9	-	9	-	21	2
7 to 13 days	163	85	100	32	72	45	27	1	-	3	-	2	1
14 to 29 days	204	94	110	35	64	51	25	-	-	7	-	1	1
1 to 11 months	1,013	475	538	267	421	184	108	2	1	16	2	6	6
IDaho													
Under 1 year	478	462	16	73	6	351	10	3	-	-	-	35	-
Under 1 day	168	165	1	16	-	130	1	3	-	-	-	16	-
1 to 6 days	148	141	5	9	1	121	4	-	-	-	-	11	-
7 to 13 days	23	23	-	2	-	18	-	-	-	-	-	3	-
14 to 29 days	21	19	2	4	1	15	1	-	-	-	-	1	-
1 to 11 months	122	114	8	42	4	67	4	-	-	-	-	5	-
ILLINOIS													
Under 1 year	5,672	5,024	648	706	142	4,029	485	116	11	118	3	55	7
Under 1 day	2,080	1,856	224	137	32	1,654	182	55	6	2	-	8	4
1 to 6 days	1,600	1,426	174	50	6	1,304	163	51	4	17	1	4	-
7 to 13 days	284	257	27	30	5	210	22	3	-	11	-	3	-
14 to 29 days	272	252	20	55	7	184	12	2	1	10	-	1	-
1 to 11 months	1,436	1,233	203	434	92	677	106	5	-	78	2	39	3
INDIANA													
Under 1 year	2,949	2,759	210	591	61	1,987	148	36	-	106	-	19	1
Under 1 day	917	885	52	106	15	726	39	20	-	3	-	10	-
1 to 6 days	819	780	59	94	15	653	44	9	-	10	-	4	-
7 to 13 days	167	146	21	27	2	115	19	1	-	5	-	-	-
14 to 29 days	200	185	35	40	7	109	28	3	-	14	-	-	-
1 to 11 months	846	803	43	354	24	387	18	3	-	74	-	5	1
IOWA													
Under 1 year	1,817	1,788	29	293	9	1,431	18	11	-	19	-	44	1
Under 1 day	649	640	9	54	2	559	7	8	-	2	-	19	-
1 to 6 days	519	510	9	27	1	461	7	3	-	2	-	17	1
7 to 13 days	101	100	1	13	-	84	1	-	-	-	-	3	-
14 to 29 days	126	126	-	36	-	86	-	2	-	1	-	1	-
1 to 11 months	422	412	10	153	6	241	4	-	-	14	-	4	-
KANSAS													
Under 1 year	1,251	1,169	82	196	33	928	47	4	2	2	-	39	-
Under 1 day	456	435	21	48	4	366	16	4	1	-	-	17	-
1 to 6 days	356	315	21	23	7	280	15	-	1	-	-	12	-
7 to 13 days	63	61	2	11	1	49	1	-	-	-	-	1	-
14 to 29 days	53	46	7	8	2	36	5	-	-	-	-	2	-
1 to 11 months	345	312	31	106	19	197	12	-	-	2	-	7	-
KENTUCKY													
Under 1 year	2,971	2,762	209	1,384	133	1,263	73	14	3	82	-	19	-
Under 1 day	847	800	47	346	22	439	24	6	1	-	-	10	-
1 to 6 days	777	722	55	253	32	449	22	6	1	8	-	6	-
7 to 13 days	142	133	9	76	6	50	3	1	-	6	-	-	-
14 to 29 days	205	196	9	116	6	67	3	-	-	13	-	-	-
1 to 11 months	1,000	911	89	593	67	259	21	1	1	55	-	3	-
LOUISIANA													
Under 1 year	2,773	1,384	1,589	241	697	1,080	679	-	-	-	-	63	13
Under 1 day	953	524	429	58	149	439	275	-	-	-	-	28	5
1 to 6 days	623	348	275	37	135	297	136	-	-	-	-	14	4
7 to 13 days	162	63	99	11	46	51	53	-	-	-	-	1	-
14 to 29 days	159	76	83	21	44	50	39	-	-	-	-	5	-
1 to 11 months	876	373	503	114	323	244	176	-	-	-	-	15	4
MAINE													
Under 1 year	853	850	3	249	2	551	1	11	-	17	-	22	-
Under 1 day	258	258	-	40	-	204	-	6	-	-	-	8	-
1 to 6 days	225	222	1	23	-	185	1	4	-	1	-	9	-
7 to 13 days	46	46	-	11	-	34	-	-	-	1	-	-	-
14 to 29 days	49	49	-	18	-	29	-	1	-	1	-	-	-
1 to 11 months	277	275	2	157	2	99	-	-	-	14	-	5	-
MARYLAND													
Under 1 year	1,794	1,284	510	249	210	993	294	6	-	15	3	21	3
Under 1 day	573	441	132	52	51	377	81	5	-	1	-	6	-
1 to 6 days	470	322	148	21	40	295	107	1	-	3	-	2	1
7 to 13 days	93	70	23	7	5	61	18	-	-	-	-	1	-
14 to 29 days	113	77	36	18	14	58	21	-	-	1	1	-	-
1 to 11 months	545	374	171	151	100	202	67	-	-	9	2	12	2

GENERAL TABLES—INFANT DEATHS

627

TABLE 28. DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
MASSACHUSETTS													
Under 1 year	3,027	2,935	92	345	12	2,157	66	148	8	268	6	19	-
Under 1 day	1,056	1,030	26	50	1	669	23	80	2	27	-	5	-
1 to 6 days	807	769	16	33	1	651	12	50	5	53	-	2	-
7 to 13 days	143	138	5	10	-	105	5	3	-	20	-	-	-
14 to 29 days	201	191	10	29	1	120	8	2	1	40	-	-	-
1 to 11 months	820	787	33	223	9	413	18	11	-	128	6	12	-
MICHIGAN													
Under 1 year	5,080	4,573	507	722	88	3,448	247	91	1	219	164	93	7
Under 1 day	1,754	1,585	169	116	18	1,367	116	50	1	19	30	33	4
1 to 6 days	1,433	1,291	142	53	12	1,116	83	33	-	67	46	22	1
7 to 13 days	261	220	41	25	7	176	12	3	-	14	22	2	-
14 to 29 days	252	232	20	53	4	143	5	2	-	30	11	4	-
1 to 11 months	1,380	1,245	135	475	47	646	31	3	-	89	55	32	2
MINNESOTA													
Under 1 year	2,168	2,104	61	279	21	1,725	39	34	-	27	-	39	1
Under 1 day	829	816	13	39	1	746	11	16	-	3	-	12	1
1 to 6 days	559	553	6	15	2	517	4	10	-	4	-	7	-
7 to 13 days	95	93	2	12	-	72	2	4	-	1	-	4	-
14 to 29 days	119	116	3	19	2	90	1	4	-	2	-	1	-
1 to 11 months	363	356	7	194	16	300	21	-	-	17	-	15	-
MISSISSIPPI													
Under 1 year	2,448	1,032	1,416	279	1,112	725	265	10	2	1	-	17	37
Under 1 day	737	406	331	79	217	314	92	6	-	-	-	7	22
1 to 6 days	622	289	333	43	271	237	53	2	1	-	-	7	8
7 to 13 days	119	30	89	11	71	19	17	-	-	-	-	1	1
14 to 29 days	125	37	88	17	73	19	15	-	-	-	-	1	-
1 to 11 months	845	270	575	129	480	136	88	2	1	1	-	2	6
MISSOURI													
Under 1 year	2,929	2,507	422	665	139	1,610	264	83	14	100	5	49	-
Under 1 day	958	840	118	157	31	635	77	26	9	2	1	20	-
1 to 6 days	678	608	70	109	23	445	42	33	5	6	-	13	-
7 to 13 days	189	155	34	39	10	97	24	9	-	9	-	3	-
14 to 29 days	257	190	67	53	9	108	38	13	-	13	-	1	-
1 to 11 months	867	714	153	307	66	325	83	2	-	69	4	12	-
MONTANA													
Under 1 year	484	405	79	46	37	343	42	1	-	-	-	15	-
Under 1 day	166	155	11	4	1	147	10	1	-	-	-	3	-
1 to 6 days	119	113	6	1	3	108	3	-	-	-	-	4	-
7 to 13 days	22	20	2	1	1	18	1	-	-	-	-	1	-
14 to 29 days	26	21	5	4	1	15	4	-	-	-	-	2	-
1 to 11 months	151	96	55	36	31	55	24	-	-	-	-	5	-
NEBRASKA													
Under 1 year	694	670	24	146	6	689	18	7	-	2	-	26	-
Under 1 day	370	363	7	35	1	310	6	6	-	-	-	12	-
1 to 6 days	215	210	5	14	-	192	5	-	-	-	-	4	-
7 to 13 days	40	40	-	3	-	37	-	-	-	-	-	-	-
14 to 29 days	49	46	3	9	-	36	1	1	-	1	-	1	-
1 to 11 months	220	209	11	85	5	114	6	-	-	1	-	9	-
NEVADA													
Under 1 year	134	125	11	16	4	105	7	-	-	-	-	2	-
Under 1 day	52	51	1	2	1	49	-	-	-	-	-	1	-
1 to 6 days	35	33	2	-	-	33	2	-	-	-	-	-	-
7 to 13 days	7	6	1	1	-	3	1	-	-	-	-	-	-
14 to 29 days	5	4	1	1	1	3	-	-	-	-	-	-	-
1 to 11 months	35	29	6	12	2	16	4	-	-	-	-	1	-
NEW HAMPSHIRE													
Under 1 year	399	396	1	51	-	331	1	8	-	8	-	-	-
Under 1 day	141	141	-	6	-	131	-	4	-	-	-	-	-
1 to 6 days	110	109	1	3	-	103	1	2	-	1	-	-	-
7 to 13 days	24	24	-	2	-	20	-	1	-	1	-	-	-
14 to 29 days	25	25	-	4	-	20	-	1	-	1	-	-	-
1 to 11 months	99	99	-	36	-	57	-	1	-	5	-	-	-
NEW JERSEY													
Under 1 year	2,965	2,580	385	262	69	2,012	292	184	17	45	2	57	5
Under 1 day	1,056	921	135	44	13	750	109	113	12	1	-	13	1
1 to 6 days	886	777	99	22	4	687	80	57	4	6	-	5	-
7 to 13 days	156	129	27	7	2	111	25	6	-	3	-	2	-
14 to 29 days	143	119	24	15	5	96	17	3	1	2	1	3	-
1 to 11 months	745	634	111	194	45	366	61	5	-	33	1	34	4

VITAL STATISTICS OF THE UNITED STATES

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE—UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
NEW MEXICO													
Under 1 year-----	1,379	1,172	207	554	74	542	123	-	-	1	-	75	10
Under 1 day-----	310	291	19	89	6	101	12	-	-	-	-	22	1
1 to 6 days-----	245	200	45	71	23	112	19	-	-	-	-	17	3
7 to 13 days-----	97	85	12	29	6	47	6	-	-	-	-	9	-
14 to 29 days-----	93	77	16	42	6	29	6	-	-	-	-	6	2
1 to 11 months-----	634	519	115	324	33	173	78	-	-	1	-	21	4
NEW YORK													
Under 1 year-----	9,123	8,169	954	915	110	6,657	804	280	23	126	4	191	13
Under 1 day-----	3,401	3,025	376	149	14	2,672	349	145	13	24	-	33	2
1 to 6 days-----	2,578	2,345	233	57	9	2,154	217	101	7	26	-	27	1
7 to 13 days-----	490	442	48	49	3	363	43	16	1	9	1	6	-
14 to 29 days-----	493	442	51	66	7	345	43	8	-	17	-	6	1
1 to 11 months-----	2,161	1,917	244	585	78	1,143	152	10	2	50	3	119	9
NORTH CAROLINA													
Under 1 year-----	3,938	2,456	1,482	754	985	1,632	479	8	-	19	-	43	18
Under 1 day-----	1,212	944	368	189	198	650	165	6	-	1	-	18	5
1 to 6 days-----	1,051	711	340	105	207	588	130	2	-	3	-	15	3
7 to 13 days-----	204	105	99	42	66	61	33	-	-	1	-	1	-
14 to 29 days-----	225	117	108	51	80	64	24	-	-	1	-	1	4
1 to 11 months-----	1,246	679	567	387	434	271	127	-	-	13	-	8	6
NORTH DAKOTA													
Under 1 year-----	523	498	25	95	7	396	18	2	-	-	-	5	-
Under 1 day-----	169	164	5	20	-	141	5	1	-	-	-	2	-
1 to 6 days-----	149	146	3	14	-	129	3	1	-	-	-	2	-
7 to 13 days-----	29	26	3	1	2	25	1	-	-	-	-	-	-
14 to 29 days-----	31	30	1	9	-	21	1	-	-	-	-	-	-
1 to 11 months-----	145	132	13	51	5	80	8	-	-	-	-	1	-
OHIO													
Under 1 year-----	5,617	5,298	519	947	139	3,643	322	134	2	316	54	58	3
Under 1 day-----	2,185	1,991	194	177	31	1,686	146	79	2	22	14	27	1
1 to 6 days-----	1,592	1,481	131	100	21	1,225	91	45	-	77	18	14	1
7 to 13 days-----	240	217	23	35	5	159	14	5	-	17	4	1	-
14 to 29 days-----	299	262	27	75	10	145	12	2	-	38	5	2	-
1 to 11 months-----	1,511	1,367	144	560	71	628	59	3	-	162	13	14	1
OKLAHOMA													
Under 1 year-----	1,733	1,429	304	371	179	1,003	125	6	-	1	-	48	-
Under 1 day-----	544	485	59	75	20	395	39	3	-	-	-	22	-
1 to 6 days-----	458	399	70	64	37	319	35	2	-	-	-	13	-
7 to 13 days-----	97	71	26	26	16	44	10	1	-	-	-	-	-
14 to 29 days-----	91	69	22	34	12	35	10	-	-	-	-	-	-
1 to 11 months-----	533	406	127	172	94	220	33	-	-	1	-	13	-
OREGON													
Under 1 year-----	895	860	35	120	8	625	25	35	1	42	2	38	1
Under 1 day-----	312	301	11	5	-	270	10	15	1	-	-	11	-
1 to 6 days-----	259	252	7	7	-	213	7	18	-	6	-	8	-
7 to 13 days-----	30	29	1	3	1	19	-	-	-	5	-	2	-
14 to 29 days-----	44	43	1	9	-	27	1	2	-	5	-	-	-
1 to 11 months-----	250	235	15	96	5	96	7	-	-	26	2	17	1
PENNSYLVANIA													
Under 1 year-----	7,741	6,884	857	1,271	123	5,295	690	85	12	176	25	57	7
Under 1 day-----	2,503	2,232	271	269	22	1,900	242	42	7	4	-	17	-
1 to 6 days-----	2,096	1,900	196	167	13	1,682	176	24	5	16	1	11	1
7 to 13 days-----	415	362	54	41	7	305	45	4	-	11	2	1	-
14 to 29 days-----	511	447	64	86	12	326	44	9	-	24	7	2	1
1 to 11 months-----	2,215	1,943	272	708	69	1,082	183	6	-	121	15	26	5
RHODE ISLAND													
Under 1 year-----	522	501	21	62	2	287	9	127	10	6	-	19	-
Under 1 day-----	202	189	13	7	-	115	5	66	8	-	-	1	-
1 to 6 days-----	133	130	3	2	-	76	2	49	1	-	-	3	-
7 to 13 days-----	30	28	2	3	-	13	1	9	1	2	-	1	-
14 to 29 days-----	22	22	-	6	-	12	-	2	-	1	-	1	-
1 to 11 months-----	135	132	3	44	2	71	1	1	-	3	-	13	-
SOUTH CAROLINA													
Under 1 year-----	2,352	1,112	1,240	317	947	776	291	-	-	3	-	16	2
Under 1 day-----	686	406	280	85	184	313	94	-	-	-	-	9	2
1 to 6 days-----	622	305	317	47	254	250	63	-	-	-	-	8	-
7 to 13 days-----	150	48	82	16	68	32	14	-	-	-	-	-	-
14 to 29 days-----	130	57	73	27	54	30	19	-	-	-	-	-	-
1 to 11 months-----	784	286	488	142	387	151	101	-	-	3	-	-	-

GENERAL TABLES—INFANT DEATHS

629

TABLE 28.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE, UNITED STATES AND EACH STATE, 1947—Continued

(By place of residence. Exclusive of stillbirths)

AREA AND AGE	Total	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
SOUTH DAKOTA													
Under 1 year-----	511	453	58	79	27	361	31	2	-	-	-	11	-
Under 1 day-----	171	161	10	16	2	136	9	1	-	-	-	8	-
1 to 6 days-----	141	134	7	13	1	118	6	1	-	-	-	2	-
7 to 13 days-----	25	24	1	5	-	19	1	-	-	-	-	-	-
14 to 29 days-----	54	30	4	4	3	28	1	-	-	-	-	1	-
1 to 11 months-----	140	104	36	41	21	62	15	-	-	-	-	1	-
TENNESSEE													
Under 1 year-----	3,144	2,472	672	956	328	1,330	324	28	-	77	15	81	5
Under 1 day-----	977	792	185	199	58	539	125	15	-	1	-	38	2
1 to 6 days-----	814	664	150	179	59	445	87	7	-	8	2	25	2
7 to 13 days-----	180	129	51	67	28	54	20	1	-	2	3	5	-
14 to 29 days-----	199	161	38	84	22	63	14	1	-	12	2	1	-
1 to 11 months-----	974	726	248	427	161	229	79	4	-	54	8	12	1
TEXAS													
Under 1 year-----	8,161	6,937	1,324	2,792	720	3,803	579	110	1	53	11	79	13
Under 1 day-----	2,042	1,710	332	373	138	1,251	190	57	-	-	-	29	4
1 to 6 days-----	2,026	1,745	281	468	145	1,185	154	46	1	7	1	19	-
7 to 13 days-----	448	343	105	145	67	186	35	3	-	7	1	2	2
14 to 29 days-----	488	388	100	202	49	177	51	2	-	4	-	3	-
1 to 11 months-----	3,157	2,651	506	1,584	321	1,004	169	2	-	35	9	26	7
UTAH													
Under 1 year-----	545	531	14	64	4	425	9	16	-	12	-	14	1
Under 1 day-----	167	163	4	8	-	142	4	7	-	3	-	3	-
1 to 6 days-----	205	203	2	8	-	175	2	8	-	6	-	6	-
7 to 13 days-----	21	21	-	3	-	16	-	-	-	-	-	-	-
14 to 29 days-----	22	22	-	2	-	17	-	1	-	-	-	2	-
1 to 11 months-----	130	122	8	43	4	73	3	-	-	3	-	3	1
VERMONT													
Under 1 year-----	303	303	-	62	-	239	-	-	-	-	-	3	-
Under 1 day-----	98	96	-	13	-	84	-	-	-	-	-	1	-
1 to 6 days-----	65	65	-	4	-	60	-	-	-	-	-	1	-
7 to 13 days-----	21	21	-	5	-	15	-	-	-	-	-	1	-
14 to 29 days-----	21	21	-	4	-	17	-	-	-	-	-	-	-
1 to 11 months-----	98	96	-	36	-	62	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year-----	3,142	2,101	1,041	675	681	1,329	327	36	7	21	20	40	6
Under 1 day-----	1,029	743	286	172	169	542	111	16	2	-	2	13	2
1 to 6 days-----	845	596	259	116	154	440	99	15	1	1	4	14	1
7 to 13 days-----	179	112	67	47	38	62	21	2	2	1	6	-	-
14 to 29 days-----	194	126	68	58	46	60	19	1	-	4	3	3	-
1 to 11 months-----	895	534	361	282	274	225	77	2	2	15	5	10	3
WASHINGTON													
Under 1 year-----	1,643	1,574	69	190	14	1,299	54	6	-	7	-	73	1
Under 1 day-----	655	633	22	18	-	593	21	4	-	-	-	18	1
1 to 6 days-----	463	450	13	2	1	433	12	1	-	1	-	13	-
7 to 13 days-----	48	46	2	6	-	36	2	-	-	1	-	3	-
14 to 29 days-----	73	72	1	16	-	52	1	1	-	1	-	2	-
1 to 11 months-----	404	373	31	148	13	184	18	-	-	4	-	37	-
WEST VIRGINIA													
Under 1 year-----	2,091	1,955	136	861	81	1,048	52	1	-	4	1	22	1
Under 1 day-----	894	851	43	232	23	312	19	-	-	-	-	7	1
1 to 6 days-----	550	525	25	154	12	361	13	-	-	2	-	8	-
7 to 13 days-----	118	111	7	53	5	57	2	-	-	1	-	-	-
14 to 29 days-----	153	146	7	76	3	69	4	-	-	-	-	1	-
1 to 11 months-----	676	623	53	366	38	249	14	1	-	1	1	6	-
WISCONSIN													
Under 1 year-----	2,476	2,409	67	317	9	1,938	55	40	-	71	2	43	1
Under 1 day-----	918	899	19	60	2	801	17	28	-	-	-	10	-
1 to 6 days-----	699	666	33	13	2	632	21	9	-	10	-	2	-
7 to 13 days-----	105	102	3	7	-	87	2	1	-	5	1	2	-
14 to 29 days-----	147	143	4	24	-	107	4	1	-	11	-	-	-
1 to 11 months-----	617	599	18	213	5	311	11	1	-	45	1	29	1
WYOMING													
Under 1 year-----	249	241	8	49	3	184	5	-	-	3	-	5	-
Under 1 day-----	82	80	2	6	-	72	2	-	-	-	-	2	-
1 to 6 days-----	67	67	-	1	-	63	-	-	-	-	-	3	-
7 to 13 days-----	16	15	1	6	-	9	1	-	-	-	-	-	-
14 to 29 days-----	12	11	1	2	1	8	-	-	-	1	-	-	-
1 to 11 months-----	72	68	4	34	2	32	2	-	-	2	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 29.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1947

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		12,056	10,417	11,250	9,883	9,667	9,108	9,280	9,599	9,120	9,277	9,288	10,247
ALL CAUSES-----	119,175	12,056	10,417	11,250	9,883	9,667	9,108	9,280	9,599	9,120	9,277	9,288	10,247
Cerebrospinal (meningococcus) meningitis-----6	281	24	24	28	26	21	24	19	19	12	29	29	26
Scarlet fever-----8	8	1	1	3	-	1	-	-	-	1	-	1	-
Whooping cough-----9	1,481	104	117	125	151	162	156	151	128	94	77	100	156
Diphtheria (infection by C. diphtheriae)-----10	58	9	5	6	3	4	2	2	2	3	5	10	7
Tuberculosis (all forms)-----13-22	370	26	32	35	40	37	50	32	40	30	22	25	25
Tuberculosis of the respiratory system, etc.*-----13	146	10	8	20	18	9	12	16	17	11	11	8	8
Tuberculosis of the meninges, etc.*-----14	124	7	20	5	9	12	12	7	14	9	5	12	12
Tuberculosis (other forms)-----15-22	100	9	4	10	15	16	6	9	9	10	6	3	5
Dysentery-----27	423	19	25	26	27	38	59	63	54	34	38	21	21
Malaria-----28	9	-	-	-	-	1	4	1	1	2	-	-	-
Syphilis-----30	517	44	66	48	62	40	33	44	40	32	41	31	38
Measles-----35	116	12	9	21	16	18	18	5	4	2	2	4	7
Diseases of the thymus gland-----64	929	106	104	109	67	67	58	55	62	68	65	84	84
Meningitis (not due to meningococcus)-----81	689	68	63	76	72	64	49	45	40	33	47	48	64
Intra-cranial lesions of vascular origin-----83	182	29	13	10	13	11	9	15	19	10	15	15	21
Convulsions-----96	204	20	17	22	18	15	11	22	16	16	17	16	14
Diseases of the ear and mastoid process-----89	174	28	25	18	14	9	16	4	11	6	13	8	22
Diseases of the heart-----90-95	161	13	11	16	22	14	13	10	10	13	11	13	15
Pneumonia (all forms) and influenza-----107-109,33	13,198	2,177	1,805	1,735	1,168	785	609	595	598	640	772	995	1,525
Bronchopneumonia, etc.*-----107	7,969	1,340	975	968	879	501	384	397	383	404	485	571	912
Lobar pneumonia-----108	2,239	369	275	286	174	127	109	87	107	125	133	184	285
Pneumonia (unspecified)-----109	1,895	294	227	231	147	105	93	81	88	88	118	167	238
Influenza-----33	1,065	174	128	250	166	52	23	28	20	25	36	53	110
Other diseases of respiratory system-----104-106,110-114	1,182	197	138	126	65	80	62	55	52	53	81	88	135
Ulcer of stomach or duodenum-----117	36	7	4	3	3	1	2	1	1	3	-	6	5
Diarrhea, enteritis, etc.*-----119	5,590	513	486	504	435	466	490	486	450	511	452	401	396
Intestinal obstruction-----122b	559	46	40	37	53	63	41	54	49	52	40	33	51
Other diseases of digestive system-----115,116,118,121,123-129	554	48	60	49	42	56	39	41	44	42	43	41	49
Nephritis-----130,131	100	14	10	5	12	7	5	8	4	11	10	6	8
Congenital malformations-----157	17,076	1,696	1,425	1,572	1,335	1,418	1,326	1,376	1,425	1,359	1,386	1,327	1,419
Diseases peculiar to first year of life-----158-161	65,308	5,735	5,096	5,656	5,360	5,570	5,399	5,530	5,650	5,338	5,390	5,155	5,209
Congenital debility-----158	1,718	176	161	149	146	138	135	129	124	137	138	139	146
Premature birth-----159	41,053	3,583	3,111	3,494	3,365	3,580	3,428	3,494	3,652	3,399	3,387	3,248	3,322
Injury at birth-----160	13,075	1,206	1,032	1,173	1,061	1,062	1,094	1,106	1,201	1,016	1,072	1,062	990
Other diseases peculiar to first year of life-----161	9,462	770	792	840	808	790	742	801	873	786	783	706	761
Asphyxia (cause not specified), atelectasia-----161a	5,756	448	468	470	470	482	473	485	547	487	493	469	464
Infection of the umbilicus, etc.*-----161b,c	3,706	322	324	370	339	308	269	316	326	299	300	237	297
Homicide-----165-168	174	21	15	12	19	19	18	14	11	9	7	19	10
Accidental deaths-----169-195	3,557	397	400	349	273	244	218	214	242	252	260	331	387
Accidental mechanical suffocation-----182	1,663	211	219	179	129	113	92	84	75	93	113	161	194
Other accidental deaths-----169-181,183-195	1,894	176	181	170	144	131	126	130	167	159	147	170	193
Ill-defined and unknown causes-----199,200	4,095	495	432	469	351	272	260	286	267	303	277	314	379
All other causes-----	2,192	227	196	192	179	188	156	174	161	183	172	169	196

*Refer to International List for complete title, table IX, Part I.

GENERAL TABLES—INFANT DEATHS

631

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1947

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision.)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year											Under 1 month	Under 11 months										
		1 day	1 day	2 days	5 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	1 mo.	2 mos.	3 mos.	4 mos.		5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.				
ALL RACES, BOTH SEXES—All causes	119,175	39,716	12,983	7,890	10,896	6,173	3,600	3,238	84,296	7,528	5,971	4,655	3,725	2,631	2,516	2,019	1,932	1,446	1,211	1,143				
Cerebrospinal (meningococcus) meningitis—6	281	-	-	2	4	8	6	3	25	17	26	31	38	37	31	21	20	11	12	14				
Scarlet fever—8	6	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-	1				
Whooping cough—9	1,481	-	-	-	2	2	11	54	69	289	246	205	149	105	97	81	73	63	47	57				
Diphtheria (infection by C. diphtheriae)—10	59	-	-	-	-	2	-	1	3	1	6	3	7	1	4	4	5	6	12	12				
Tuberculosis (all forms)—13-22	370	1	1	1	1	2	-	2	7	18	14	24	26	30	39	26	42	51	42	51				
Tuberculosis of the resp. sys., etc.*—13	146	1	1	1	1	2	-	1	6	7	7	9	11	10	11	13	20	23	17	12				
Tuberculosis of the meninges, etc.*—14	124	-	-	-	-	-	-	-	7	14	7	6	12	10	12	12	15	11	31	31				
Tuberculosis (other forms)—15-22	100	-	-	-	-	-	-	-	1	4	6	8	9	8	18	1	10	13	14	8				
Dysentery—27	423	-	1	1	3	8	14	12	39	42	55	45	55	29	43	33	37	18	15	14				
Malaria—28	9	-	-	-	-	-	-	3	3	-	1	2	1	1	1	-	-	-	-	-				
Syphilis—30	517	118	35	29	45	29	17	24	297	67	61	37	13	9	12	2	7	5	3	4				
Measles—35	116	1	-	-	-	1	1	2	6	5	7	12	10	11	7	7	14	18	10	9				
Diseases of the thymus gland—54	929	76	51	52	64	46	24	36	349	110	144	104	77	54	29	21	19	8	9	5				
Meningitis (not due to meningococcus)—81	689	5	4	4	20	27	15	34	109	63	60	65	59	58	58	54	37	40	34	32				
Intracranial lesions of vascular origin—83	182	1	4	3	2	-	1	1	12	48	28	12	14	12	16	9	7	11	5	8				
Convulsions—86	204	8	9	19	34	17	9	3	99	13	19	12	14	7	5	6	8	5	10	6				
Diseases of the ear and mastoid process—89	174	-	-	-	1	2	2	8	13	13	21	23	20	20	16	12	15	8	5	8				
Diseases of the heart—90-95	161	7	6	8	6	7	3	6	43	19	19	18	16	6	13	5	6	7	5	3				
Pneumonia (all forms) and																								
Influenza—107-109, 33	13,188	174	222	283	717	670	581	633	3,280	1,769	1,715	1,460	1,194	875	752	649	523	382	300	289				
Bronchopneumonia, etc.*—107	7,899	124	157	201	450	441	371	415	2,158	1,037	857	708	540	422	381	289	196	168	153	153				
Lobar pneumonia—108	2,239	16	29	35	102	94	82	85	453	276	296	271	212	163	147	122	99	86	55	59				
Pneumonia (unspecified)—109	1,885	32	35	43	147	103	77	92	529	267	244	210	148	94	110	77	77	56	43	40				
Influenza—33	1,085	2	1	4	18	32	41	41	139	136	138	142	116	78	73	69	59	44	34	37				
Other diseases of respiratory system—104-106, 110-114	1,152	46	23	25	58	41	41	51	265	149	150	126	84	68	67	55	52	46	44	26				
Ulcer of stomach or duodenum—117	36	4	1	1	8	3	1	1	19	4	3	5	2	-	-	-	-	-	-	-				
Diarrhea, enteritis, etc.*—119	5,590	5	10	8	79	262	397	450	1,211	975	688	555	461	375	328	262	272	186	145	112				
Intestinal obstruction—122b	559	-	-	-	-	-	-	-	-	71	61	58	63	69	65	43	36	26	32	15				
Other diseases of digestive system—115, 116, 118, 121, 123-129	554	4	5	9	37	30	23	21	129	78	56	54	45	31	41	34	30	20	20	16				
Nephritis—130, 131	100	4	2	4	6	2	3	5	26	10	10	6	15	5	6	7	3	5	4	3				
Congenital malformations—157	17,076	3,679	1,289	1,357	2,127	1,379	826	726	11,163	1,574	1,016	717	579	487	404	310	243	222	180	181				
Diseases peculiar to first year—158-161	65,308	34,404	10,587	5,931	7,021	5,077	1,219	903	63,042	1,005	448	241	156	112	88	58	55	39	26	26				
Congenital debility—158	1,718	433	156	92	133	109	76	78	1,057	218	129	86	65	52	26	23	24	15	14	9				
Premature birth—159	41,053	23,332	6,512	3,186	5,779	2,056	889	540	40,243	530	152	61	27	12	15	3	4	3	2	1				
Injury at birth—160	13,075	6,826	2,337	1,440	1,489	444	142	61	12,849	85	36	25	21	14	18	9	9	9	11	9				
Other diseases peculiar to first year—161	9,462	3,713	1,602	1,213	1,610	468	163	124	8,893	192	131	69	43	34	29	23	18	11	12	7				
Asphyxia (cause not specified), atelectasis—161a	5,756	2,809	1,169	715	593	139	59	44	5,527	84	52	26	14	16	9	10	8	5	5	-				
Infection of the umbilicus, etc.*—161b,c	3,706	904	433	498	1,017	329	105	80	3,366	108	79	43	29	18	20	13	10	6	7	7				
Homicide—165-168	174	98	17	3	3	1	2	3	127	3	11	6	5	4	5	3	5	1	2	2				
Accidental deaths—169-195	3,557	105	47	69	99	101	137	125	661	584	560	408	289	191	185	151	136	131	122	119				
Accidental mechanical suffocation—182	1,663	31	10	22	41	40	64	81	289	383	344	227	154	84	66	41	33	25	11	6				
Other accidental deaths—169-181, 183-195	1,894	72	37	47	58	61	73	44	392	201	216	181	135	107	119	110	103	106	111	113				
Ill-defined and unknown causes—199, 200	4,095	859	329	223	471	267	172	163	2,484	376	368	257	165	95	89	59	72	41	36	43				
All other causes—199, 200	2,192	119	41	78	187	189	95	67	776	223	177	146	141	133	107	105	116	99	83	87				
ALL RACES, MALE—All causes	68,622	23,064	7,490	4,781	6,471	3,509	1,975	1,852	49,142	4,271	3,391	2,592	2,068	1,566	1,347	1,110	973	765	684	613				
Cerebrospinal (meningococcus) meningitis—6	163	-	-	2	2	7	3	1	15	9	14	21	25	16	17	12	10	7	8	9				
Scarlet fever—8	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-				
Whooping cough—9	731	-	-	-	2	7	30	39	143	122	98	76	51	44	43	35	31	26	23	23				
Diphtheria (infection by C. diphtheriae)—10	37	-	-	-	2	-	-	2	1	3	4	1	5	1	3	3	4	7	7	7				
Tuberculosis (all forms)—13-22	192	-	-	-	1	-	2	3	13	6	11	10	20	20	15	24	21	24	25	25				
Tuberculosis of the resp. sys., etc.*—13	60	-	-	-	1	-	1	2	6	4	4	4	8	5	8	11	12	11	5	5				
Tuberculosis of the meninges, etc.*—14	70	-	-	-	-	-	-	-	5	1	5	3	8	7	6	7	6	6	16	16				
Tuberculosis (other forms)—15-22	42	-	-	-	-	-	1	1	2	1	2	3	4	8	1	6	3	7	4	4				
Dysentery—27	245	-	1	1	1	6	9	7	25	25	37	30	31	12	27	20	15	10	8	5				
Malaria—28	6	-	-	-	-	-	-	1	1	-	1	2	1	1	-	-	-	-	-	-				
Syphilis—30	261	62	19	15	25	15	9	14	159	32	43	19	7	4	6	2	4	1	1	3				
Measles—35	62	-	-	-	1	1	-	1	3	4	4	8	5	5	4	3	5	9	6	6				
Diseases of the thymus gland—54	540	45	34	35	42	27	12	19	214	59	84	57	46	33	15	9	12	2	6	3				
Meningitis (not due to meningococcus)—81	418	3	2	-	12	19	12	21	66	41	33	34	39	35	39	34	24	26	24	21				
Intracranial lesions of vascular origin—83	108	1	1	1	2	-	1	-	6	31	15	6	9	6	7	5	6	7	4	6				
Convulsions—86	122	7	7	14	15	14	6	2	65	6	14	8	9	4	1	1	4	3	7	1				
Diseases of the ear and mastoid process—89	97	-	-	-	1	1	5	7	7	13	15	11	9	11	4	9	3	3	6	6				
Diseases of the heart—90-95	97	1	3	5	3	4	3	1	20	14	17	10	9	5	6	3	4	3	4					

VITAL STATISTICS OF THE UNITED STATES

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1947—Continued

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Age											Duration										
		Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.			
ALL RACES, FEMALE—All causes	50,551	16,652	5,193	3,108	4,525	2,664	1,625	1,586	35,154	5,157	2,580	2,083	1,857	1,265	1,169	909	859	691	527	530			
Cerebrospinal (meningococcus) meningitis—6	118	-	-	-	2	1	3	2	8	8	12	10	15	21	14	9	10	4	4	5			
Scarlet fever—8	4	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	1			
Whooping cough—9	750	-	-	-	2	-	4	24	30	146	124	107	71	54	53	38	40	32	21	54			
Diphtheria (infection by C. diphtheriae)—10	21	-	-	-	-	-	-	1	1	3	2	2	2	-	1	1	1	2	2	5			
Tuberculosis (all forms)—13-22	178	1	-	1	1	1	-	-	4	5	8	13	16	10	19	11	18	30	18	26			
Tuberculosis of the resp. sys., etc.*—15	66	1	-	1	1	1	-	-	4	1	3	5	7	2	6	5	9	11	6	7			
Tuberculosis of the meninges, etc.*—14	54	-	-	-	-	-	-	-	2	2	-	2	3	4	3	6	5	5	5	15			
Tuberculosis (other forms)—15-22	56	-	-	-	-	-	-	-	-	2	5	6	6	4	10	4	10	7	4	8			
Dysentery—27	178	-	-	-	2	2	5	5	14	17	18	15	24	17	16	13	22	8	5	9			
Malaria—28	3	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-	-	1			
Syphilis—30	236	56	16	14	20	14	8	10	158	35	18	18	6	5	6	3	4	9	4	2			
Measles—35	54	1	-	-	-	-	-	1	3	4	3	4	5	6	3	4	9	9	4	3			
Diseases of the thymus gland—64	389	31	17	17	22	19	12	17	135	51	60	47	31	21	14	12	7	6	3	2			
Meningitis (not due to meningococcus)—81	251	2	2	4	8	9	3	13	41	22	27	31	20	23	19	20	13	14	10	11			
Intracranial lesions of vascular origin—83	74	-	3	2	-	-	-	1	6	17	13	6	5	6	9	4	1	4	1	2			
Convulsions—86	82	1	2	5	19	3	3	1	34	7	5	4	6	3	4	5	4	2	3	5			
Diseases of the ear and mastoid process—89	77	-	-	-	1	1	1	3	6	6	8	8	9	12	5	8	6	5	2	2			
Diseases of the heart—90-95	64	6	3	3	3	3	-	5	23	5	2	8	7	1	7	2	2	3	3	1			
Pneumonia (all forms) and																							
influenza—107-109,33	5,823	76	93	122	299	264	269	273	1,596	761	731	637	551	399	349	299	241	189	135	125			
Bronchopneumonia, etc.*—107	3,463	56	62	88	194	164	170	185	919	475	434	372	323	245	193	160	116	94	72	60			
Lobar pneumonia—108	1,018	5	14	13	40	40	37	37	186	116	119	109	113	76	72	65	53	51	31	27			
Pneumonia (unspecified)—109	855	14	17	21	57	40	39	43	239	119	112	93	63	43	52	33	36	23	17	21			
Influenza—33	489	1	-	-	8	12	23	8	52	71	66	63	52	35	32	31	34	21	15	17			
Other diseases of respiratory system—104-106,110-114	499	13	11	12	16	19	16	21	110	67	65	47	44	31	36	26	21	20	22	10			
Ulcer of stomach or duodenum—117	16	1	1	1	3	1	-	-	7	2	1	3	2	-	-	1	-	-	-	-			
Diarrhea, enteritis, etc.*—119	2,349	1	2	3	36	111	164	186	503	390	296	249	191	153	131	127	122	83	51	53			
Intestinal obstruction—122b	200	-	-	-	-	-	-	-	-	21	21	19	30	24	25	14	15	10	15	8			
Other diseases of digestive system—115,116,118,121,123-129	215	3	-	4	11	12	7	8	45	32	21	23	18	10	19	12	13	5	9	8			
Nephritis—130,131	41	1	-	-	2	2	1	1	8	4	4	4	7	2	3	4	1	1	1	2			
Congenital malformations—157	7,662	1,749	542	432	911	629	371	324	4,958	616	455	344	278	245	201	149	132	112	90	83			
Diseases peculiar to first year—158-161	26,921	14,222	4,512	2,343	2,870	1,324	578	327	25,976	420	187	100	64	44	44	20	22	17	15	12			
Congenital debility—158	710	174	48	32	61	43	30	29	416	91	59	45	30	19	12	8	15	5	7	3			
Premature birth—159	17,448	9,763	2,781	1,354	1,635	906	415	234	17,069	233	85	34	12	5	6	1	2	1	1	1			
Injury at birth—160	5,008	2,687	867	508	575	183	63	29	4,912	30	16	6	6	8	11	3	2	8	4	4			
Other diseases peculiar to first year—161	3,754	1,598	616	448	599	192	70	37	3,560	66	47	15	16	12	15	8	3	5	3	4			
Aplasia (cause not specified), atelectasis—161a	2,331	1,204	458	266	218	63	27	16	2,252	25	20	7	5	5	5	5	2	4	1	-			
Infection of the umbilicus, etc.*—161b, c	1,423	594	158	182	381	129	43	21	1,308	41	27	8	11	7	10	3	1	1	2	4			
Homicide—165-168	79	40	12	2	2	1	-	-	58	1	6	2	-	2	4	2	1	1	1	1			
Accidental deaths—169-195	1,580	58	20	32	41	45	51	47	294	259	253	181	105	83	95	68	56	57	56	53			
Accidental mechanical suffocation—182	715	17	5	14	16	16	27	32	187	167	146	94	59	37	35	19	10	12	4	3			
Other accidental deaths—169-181,183-195	847	41	15	18	25	29	24	15	1,047	92	107	87	46	46	60	49	46	45	52	50			
Ill-defined and unknown causes—199,200	1,804	336	141	82	186	130	85	83	1,043	163	168	117	86	46	48	31	43	18	18	23			
All other causes	903	54	15	30	66	73	43	29	310	80	71	64	66	45	43	40	58	45	36	45			
WHITE, BOTH SEXES—All causes	96,547	33,956	10,979	6,808	9,013	4,859	2,922	2,575	71,112	5,999	4,702	3,654	2,931	2,253	1,962	1,604	1,411	1,152	969	896			
Cerebrospinal (meningococcus) meningitis—6	246	-	-	2	4	6	5	2	19	17	22	29	32	36	28	17	16	11	9	12			
Scarlet fever—8	7	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	1			
Whooping cough—9	1,020	-	-	-	1	8	42	52	223	192	146	89	66	62	56	41	39	27	35	9			
Diphtheria (infection by C. diphtheriae)—10	39	-	-	-	1	1	-	-	1	1	4	5	3	5	1	2	3	4	9	3			
Tuberculosis (all forms)—13-22	263	1	-	1	2	2	-	2	7	8	8	18	20	21	29	21	30	34	27	41			
Tuberculosis of the resp. sys., etc.*—15	110	1	-	1	2	-	-	1	6	1	5	6	11	7	9	10	16	17	12	11			
Tuberculosis of the meninges, etc.*—14	84	-	-	-	-	-	-	-	3	1	5	5	8	7	10	8	6	7	24	6			
Tuberculosis (other forms)—15-22	69	-	-	-	-	-	-	1	1	4	2	7	4	6	13	1	6	11	8	6			
Dysentery—27	351	-	1	1	3	7	9	10	31	38	44	40	44	27	31	30	32	12	9	13			
Malaria—28	6	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	-	-	-	-			
Syphilis—30	168	36	13	9	8	3	11	88	26	17	18	5	2	2	-	4	2	-	4	4			
Measles—35	87	1	-	-	1	-	-	1	3	6	9	8	8	5	7	9	13	7	9	9			
Diseases of the thymus gland—64	819	73	45	46	54	40	21	27	306	99	129	93	66	47	26	19	18	6	7	3			
Meningitis (not due to meningococcus)—81	516	4	3	4	16	21	13	27	88	51	45	52	47	43	46	36	25	29	25	25			
Intracranial lesions of vascular origin—83	153	1	4	3	2	-	1	1	12	40	20	10	12	11	13	8	6	11	5	5			
Convulsions—86	137	8	8	14	20	6	6	2	64	10	13	7	9	6	3	4	7	5	7	2			
Diseases of the ear and mastoid process—89	149	-	-	-	-	2	1	7	10	12	16	20	19	16	15	10	13	6	5	7			
Diseases of the heart—90-95	134	6	4	8	5	5	3	3	34	15	18	16	13	6	10	4	3	6	6	2			
Pneumonia (all forms) and																							
influenza—107-109,33	9,661	130	161	231	542	473	454	464	2,495	1,320	1,293	1,102	885	850	549	473	380	289	221	204			
Bronchopneumonia, etc.*—107	6,051	90	127	165	332	297	322	327	1,858	828	790	651	530	405	310	287	209	154	125				

GENERAL TABLES—INFANT DEATHS

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1947—Continued

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month											
		1 day	2 days	3 to 6 days	7 to 15 days	16 to 20 days	21 to 29 days	1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
WHITE, MALE—All causes	57,180	19,807	6,552	4,128	5,315	2,787	1,621	1,494	41,704	3,496	2,630	2,045	1,638	1,265	1,058	877	756	614	548	489
Cerebrospinal (meningococcus) meningitis—6	140	-	-	2	2	5	2	-	11	9	12	20	21	16	16	8	8	7	5	7
Scarlet fever—8	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	509	-	-	-	-	-	-	28	35	110	92	66	49	31	32	15	19	17	14	14
Diphtheria (infection by C. diphtheriae)—10	29	-	-	-	-	-	-	-	3	1	3	4	1	3	1	3	2	3	6	19
Tuberculosis (all forms)—15-22	136	-	-	-	-	-	-	2	3	5	4	7	15	15	12	16	14	19	19	19
Tuberculosis of the resp. sys., etc.*—15	59	-	-	-	-	-	-	1	2	1	2	2	4	7	3	6	10	9	9	4
Tuberculosis of the meninges, etc.*—14	49	-	-	-	-	-	-	1	2	1	4	2	5	6	5	4	2	5	13	13
Tuberculosis (other forms)—15-22	28	-	-	-	-	-	-	1	1	2	1	1	1	3	6	1	2	3	5	2
Dysentery—27	201	-	1	1	1	5	5	7	20	23	29	28	24	11	19	18	14	6	5	4
Malaria—28	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
Syphilis—30	84	20	7	6	4	5	2	5	48	9	10	8	2	2	1	1	1	1	3	3
Measles—35	50	-	-	-	-	-	-	-	2	2	4	5	4	4	3	3	3	8	6	6
Diseases of the thymus gland—64	486	45	52	51	56	25	9	15	193	53	78	54	41	28	15	6	11	1	4	2
Meningitis (not due to meningococcus)—81	315	2	2	-	9	15	11	17	56	33	23	27	28	22	29	24	16	21	20	16
Intracranial lesions of vascular origin—83	93	1	1	1	2	-	-	-	6	27	11	5	8	6	6	5	5	7	4	3
Convulsions—86	86	7	7	12	8	6	4	2	46	4	10	4	5	4	1	1	3	3	4	1
Diseases of the ear and mastoid process—89	86	-	-	-	-	-	-	5	6	6	11	13	11	7	10	3	8	3	3	5
Diseases of the heart—90-95	61	1	2	5	2	3	3	1	17	12	17	9	7	5	4	2	1	3	3	1
Pneumonia (all forms) and																				
Influenza—107-109, 33	5,595	75	111	128	319	295	253	272	1,453	786	744	624	483	360	297	268	210	147	124	117
Bronchopneumonia, etc.*—107	3,467	50	79	89	193	208	166	177	952	481	462	366	292	224	172	167	126	80	71	64
Lobar pneumonia—108	930	10	13	19	47	43	44	36	214	125	132	119	80	66	51	42	37	22	18	25
Pneumonia (unspecified)—109	780	14	18	18	71	32	51	36	220	108	97	85	62	42	31	29	27	23	14	14
Influenza—33	416	1	1	2	8	12	12	21	57	52	53	56	49	28	30	29	18	18	12	13
Other diseases of respiratory system—104-106, 110-114	533	25	11	10	29	17	21	23	136	67	70	64	33	28	25	23	30	24	19	13
Ulcer of stomach or duodenum—117	16	3	-	-	3	1	1	1	9	1	2	2	-	-	-	1	-	-	-	-
Diarrhea, enteritis, etc.*—119	2,651	1	5	2	26	118	196	220	568	476	314	253	232	188	159	115	115	66	76	49
Intestinal obstruction—122b	305	-	-	-	-	-	-	-	-	39	38	31	44	39	37	24	20	14	12	7
Other diseases of digestive system—115, 116, 118, 121, 123-129	290	1	5	3	17	16	15	11	86	36	33	26	23	15	18	15	14	9	7	7
Nephritis—130, 131	48	3	-	3	4	-	2	3	15	5	5	2	7	1	2	3	1	3	3	1
Congenital malformations—157	8,691	1,810	710	645	1,120	700	421	367	5,773	879	503	337	268	218	193	146	106	104	86	88
Diseases peculiar to first year—158-161	32,916	17,431	5,518	3,151	3,505	1,395	512	378	31,890	445	206	105	73	56	34	31	28	17	20	11
Congenital debility—158	726	185	68	44	45	42	33	32	449	95	54	27	27	25	10	12	8	9	6	4
Premature birth—159	20,206	11,691	3,284	1,614	1,795	916	331	244	19,875	217	64	21	12	6	6	2	1	1	1	1
Injury at birth—160	7,088	3,730	1,302	835	792	219	70	289	6,976	31	17	14	12	6	6	6	6	3	6	5
Other diseases peculiar to first year—161	4,886	1,825	864	658	873	218	78	74	4,580	102	71	43	22	19	12	11	13	4	7	2
Asphyxia (cause not specified), atelectasis—161a	2,961	1,367	625	399	322	67	28	23	2,831	52	28	15	8	9	4	5	6	4	3	2
Infection of the umbilicus, etc.*—161b	1,935	458	239	259	551	151	50	51	1,759	50	43	28	14	10	8	6	7	4	4	2
Homicide—165-166	81	50	5	-	-	-	2	2	59	2	3	4	4	2	1	1	3	-	1	1
Accidental deaths—169-195	1,603	33	22	23	35	40	68	65	262	255	188	153	94	67	66	58	60	56	58	51
Accidental mechanical suffocation—182	767	13	3	4	12	17	24	39	112	171	167	108	83	43	26	18	17	12	7	3
Other accidental deaths—169-181, 183-195	836	20	19	19	23	23	44	26	174	91	88	80	70	51	41	48	41	48	49	56
Ill-defined and unknown causes—199, 200	1,131	239	92	68	108	53	44	38	852	108	121	92	43	29	26	11	19	8	8	14
All other causes—	1,049	60	21	38	84	74	45	33	355	115	90	66	65	79	60	53	47	42	40	36
WHITE, FEMALE—All causes	41,367	14,149	4,427	2,680	3,696	2,072	1,501	1,081	29,408	2,403	2,012	1,609	1,283	988	904	727	655	538	421	409
Cerebrospinal (meningococcus) meningitis—6	109	-	-	-	2	1	3	2	8	9	10	9	11	20	12	9	8	4	4	5
Scarlet fever—8	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	511	-	-	-	-	-	-	16	19	113	90	80	40	35	31	26	26	20	10	21
Diphtheria (infection by C. diphtheriae)—10	10	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	1	1	2
Tuberculosis (all forms)—15-22	127	-	-	-	-	-	-	-	4	-	4	11	13	6	18	9	14	20	8	22
Tuberculosis of the resp. sys., etc.*—15	51	1	1	1	1	1	1	-	4	-	3	4	7	5	4	6	8	3	7	
Tuberculosis of the meninges, etc.*—14	35	-	-	-	-	-	-	-	-	1	-	1	3	3	1	5	4	4	2	11
Tuberculosis (other forms)—15-22	41	-	-	-	-	-	-	-	-	2	1	6	3	3	7	4	8	3	4	9
Dysentery—27	150	-	-	-	2	2	4	3	11	15	15	12	20	16	12	18	6	4	9	9
Malaria—28	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis—30	84	16	6	4	4	3	1	6	40	17	7	10	3	-	-	3	2	-	-	1
Measles—35	37	-	-	-	-	-	-	-	1	1	2	4	4	4	2	4	6	5	1	3
Diseases of the thymus gland—64	333	28	13	15	18	15	12	12	113	46	51	39	25	19	13	11	7	5	3	1
Meningitis (not due to meningococcus)—81	201	2	1	4	7	6	2	10	32	18	22	25	19	21	17	12	9	8	9	8
Intracranial lesions of vascular origin—83	60	-	-	3	2	1	-	1	6	13	9	5	4	5	7	3	4	4	1	2
Convulsions—86	51	1	1	2	12	-	2	2	19	6	3	3	4	2	2	3	4	2	3	1
Diseases of the ear and mastoid process—89	65	-	-	-	-	-	-	1	4	6	5	7	8	9	5	7	5	3	2	2
Diseases of the heart—90-95	53	5	2	3	3	2	-	2	17	3	2	7	6	1	6	2	2	3	3	1
Pneumonia (all forms) and																				
Influenza—107-109, 33	4,268	55	70	103	223	178	201	212	1,042	55										

VITAL STATISTICS OF THE UNITED STATES

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1947—Continued

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							Under 1 month	Under 1 year										
		1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	1 mo.		2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
NEGRO, BOTH SEXES—All causes	19,420	5,555	1,639	1,034	1,893	1,268	644	619	12,652	1,513	1,153	916	723	528	501	377	369	253	214	221
Cerebrospinal (meningococcus) meningitis—6	31	-	-	-	-	2	-	1	3	-	4	2	6	1	2	4	4	-	3	2
Scarlet fever—8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—9	434	-	-	1	1	3	12	17	60	62	57	56	39	30	20	30	23	18	22	
Diphtheria (infection by C. diphtheriae)—10	18	-	-	-	-	-	-	1	2	-	2	1	1	2	-	2	1	1	2	
Tuberculosis (all forms)—13-22	79	-	-	-	-	-	-	-	6	4	3	5	6	10	5	10	11	13	6	
Tuberculosis of the resp. sys., etc.*—13	30	-	-	-	-	-	-	-	6	1	2	-	2	3	3	4	5	4	3	
Tuberculosis of the meninges, etc.*—14	22	-	-	-	-	-	-	-	-	-	-	1	2	3	2	3	4	5	3	
Tuberculosis (other forms)—15-22	27	-	-	-	-	-	-	-	-	3	1	4	2	4	-	3	2	6	2	
Dysentery—27	60	-	-	-	1	5	2	8	2	10	4	6	2	9	3	4	5	4	1	
Malaria—28	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Syphilis—30	76	22	20	33	19	13	11	196	37	40	19	6	7	8	2	3	5	5	-	
Measles—35	21	-	-	-	1	1	-	2	2	2	2	2	2	2	2	2	3	3	-	
Diseases of the thymus gland—64	102	2	6	5	10	6	3	8	40	9	15	11	10	6	3	2	1	1	2	
Meningitis (not due to meningococcus)—81	150	1	1	4	6	2	7	21	12	15	13	12	14	12	17	12	11	5	6	
Intracranial lesions of vascular origin—83	27	-	-	-	-	-	-	-	8	8	2	2	1	3	-	-	-	-	3	
Convulsions—86	63	-	1	5	14	11	3	1	35	5	3	5	5	1	1	2	1	-	3	
Diseases of the ear and mastoid process—89	21	-	-	-	-	1	1	2	1	3	5	1	3	1	2	2	2	2	4	
Diseases of the heart—90-95	25	1	2	-	1	2	-	3	9	4	-	2	2	-	3	1	2	-	1	
Pneumonia (all forms) and																				
Influenza—107-109, 33	3,070	43	41	51	166	192	122	137	752	411	385	340	274	204	189	162	128	78	71	
Bronchopneumonia, etc.*—107	1,793	33	30	36	112	116	74	85	486	240	225	186	160	121	106	88	67	32	37	
Lobar pneumonia—108	538	4	6	4	21	21	18	18	92	62	66	68	51	42	41	35	28	22	15	
Pneumonia (unspecified)—109	432	6	5	9	29	40	19	22	130	71	59	43	33	18	20	18	14	12	7	
Influenza—33	307	-	-	2	4	15	11	12	44	38	35	43	30	23	22	21	17	12	10	
Other diseases of respiratory system—104-106, 110-114	203	13	3	7	14	10	6	7	60	27	32	23	15	13	10	7	2	3	5	
Ulcer of stomach or duodenum—117	10	1	-	1	3	1	-	-	6	2	-	-	-	-	-	-	-	-	-	
Diarrhea, enteritis, etc.*—119	956	3	4	4	31	54	51	87	254	176	105	93	75	61	60	28	46	22	21	
Intestinal obstruction—122b	79	-	-	-	-	-	-	-	-	17	3	8	16	8	6	6	4	4	6	
Other diseases of digestive system—115, 116, 118, 121, 123-129	95	2	-	2	11	5	4	3	27	18	5	8	3	9	8	7	5	1	2	
Nephritis—130, 131	23	-	2	1	1	-	-	1	6	2	3	2	1	3	1	1	1	2	-	
Congenital malformations—157	1,176	201	73	71	158	87	54	53	697	125	91	58	51	39	34	21	18	17	12	
Diseases peculiar to first year—158-161	9,379	4,695	1,300	718	1,098	619	253	183	8,866	242	109	61	29	22	14	12	10	6	4	
Congenital debility—158	484	127	42	23	44	36	22	22	316	58	33	31	14	12	4	7	4	2	2	
Premature birth—159	6,067	3,274	813	390	635	420	189	130	5,851	143	43	14	6	4	3	-	1	1	-	
Injury at birth—160	1,856	610	260	157	201	72	18	10	1,528	7	7	5	3	1	2	-	2	-	1	
Other diseases peculiar to first year—161	1,272	484	185	148	218	91	24	21	1,171	34	26	11	6	5	5	3	3	1	2	
Asphyxia (cause not specified), atelectasis—161a	747	398	131	74	82	18	4	10	717	8	9	4	1	3	1	1	1	1	-	
Infection of the umbilicus, etc.*—161b, c	525	86	54	74	136	73	20	11	454	26	17	7	5	2	4	4	2	2	-	
Homicide—165-168	19	11	-	1	1	-	-	-	13	-	2	-	-	-	-	-	-	-	-	
Accidental deaths—169-195	734	35	7	20	35	26	30	20	173	123	96	87	55	32	42	29	36	21	17	
Accidental mechanical suffocation—182	354	9	3	8	19	10	22	15	86	93	60	47	28	13	5	9	6	5	-	
Other accidental deaths—169-181, 183-195	380	26	4	12	16	16	8	5	87	30	36	40	27	18	37	20	30	16	17	
Ill-defined and unknown causes—199, 200	1,941	461	169	112	284	145	77	70	1,288	174	134	91	67	38	41	27	31	19	11	
All other causes—396	8	8	16	48	78	16	9	9	193	51	22	20	18	16	12	17	16	21	8	
NEGRO, MALE—All causes	10,787	3,147	899	620	1,103	697	333	336	7,135	818	633	497	594	279	269	216	164	130	120	
Cerebrospinal (meningococcus) meningitis—6	21	-	-	-	-	2	-	1	3	-	2	1	4	-	-	4	2	-	3	
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough—9	217	-	-	-	1	1	4	8	32	30	31	29	20	13	10	16	12	9	9	
Diphtheria (infection by C. diphtheriae)—10	8	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	1	
Tuberculosis (all forms)—13-22	39	-	-	-	-	-	-	-	5	1	2	2	3	5	6	4	4	4	4	
Tuberculosis of the resp. sys., etc.*—13	18	-	-	-	-	-	-	-	5	1	1	-	1	2	2	1	5	1	1	
Tuberculosis of the meninges, etc.*—14	9	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	1	
Tuberculosis (other forms)—15-22	12	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	3	-	2	
Dysentery—27	37	-	-	-	1	4	-	5	1	7	2	6	1	6	2	-	3	3	1	
Malaria—28	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	
Syphilis—30	163	39	12	10	18	9	7	9	104	19	32	11	3	2	5	2	3	1	1	
Measles—35	10	-	-	-	1	-	-	-	2	-	2	1	1	1	1	1	1	-	-	
Diseases of the thymus gland—64	50	-	2	3	6	2	3	4	20	4	6	5	5	2	1	1	-	2	1	
Meningitis (not due to meningococcus)—81	102	1	-	-	3	3	1	4	12	8	10	7	11	13	10	10	8	5	4	
Intracranial lesions of vascular origin—83	14	-	-	-	-	-	-	-	4	4	1	1	-	1	-	-	-	-	3	
Convulsions—86	34	-	-	2	7	8	2	-	19	2	2	4	3	-	-	-	-	3	-	
Diseases of the ear and mastoid process—89	9	-	-	-	-	-	-	1	1	1	2	-	-	1	1	1	-	-	1	
Diseases of the heart—90-95	15	-	1	-	1	1	-	-	3	2	-	1	2	-	2	1	2	-	1	
Pneumonia (all forms) and																				
Influenza—107-109, 33	1,644	23	18	33	94	109	55	79	411	204	221	193	139	108	102	86	61	38	37	
Bronchopneumonia, etc.*—107	967	18	16	24	59	68	35	48	288	123	129	105	85	65	52	39	27	22	20	
Lobar pneumonia—108	269	1	2	3	15	11	8	10	50	31	43	38	18	20	23	15	8	12	5	
Pneumonia (unspecified)—109	235	4	-	4	18	22	7	11	66	38	30	27	21	8	13	10	9	5	5	
Influenza—33	153	-	-	2	2	8	5	10	27	12	19	23	15	11	9	5	5	7	5	
Other diseases of respiratory system—104-106, 110-114	111	8	1	3	10	5	4	5	36	13	15	15	6	8	5	5	1	2	3	
Ulcer of stomach or duodenum—117	4	-	-	-	2	1	-	-	3	1	-	-	-	-	-	-	-	-	-	
Diarrhea, enteritis, etc.*—119	531	3	3	3	14	33	33	44	133	99	60	47	49	31	33					

GENERAL TABLES—INFANT DEATHS

TABLE 30—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1947—Continued

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year								Under 1 month	Under 11 months										
		1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	1 mo.	2 mos.		3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.		
NEGRO, FEMALE—All causes	8,635	2,408	740	424	790	571	311	293	5,517	695	520	419	329	249	232	161	185	123	94	109	
Cerebrospinal (meningococcus) meningitis—6	10	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	2	-	-	
Scarlet fever—8	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Whooping cough—9	217	-	-	-	1	-	2	8	11	26	32	26	27	19	17	10	14	11	9	13	
Diphtheria (infection by C. diphtheriae)—10	10	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	1	3	
Tuberculosis (all forms)—13-22	40	-	-	-	-	-	-	-	1	3	1	3	3	5	2	4	7	9	2	-	
Tuberculosis of the resp. sys., etc.*—13	12	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	2	2	-	-	
Tuberculosis of the meninges, etc.*—14	13	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	3	2	-	
Tuberculosis (other forms)—15-22	15	-	-	-	-	-	-	-	-	3	-	3	1	2	1	2	4	2	4	-	
Dysentery—27	23	-	-	-	-	1	2	3	1	3	2	2	1	3	1	4	2	1	-	-	
Malaria—28	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
Syphilis—30	141	39	10	10	15	10	6	2	92	18	8	8	3	5	3	-	-	2	2	3	
Measles—35	11	-	-	-	-	-	1	-	1	-	-	-	1	2	1	-	-	1	2	2	
Diseases of the thymus gland—64	52	2	4	2	4	4	4	20	5	9	8	5	1	1	1	1	-	1	1	1	
Meningitis (not due to meningococcus)—81	48	-	1	-	1	3	1	3	9	4	5	6	1	1	2	7	4	6	1	2	
Intracranial lesions of vascular origin—83	13	-	-	-	-	-	-	-	4	4	1	1	1	1	2	-	-	-	-	-	
Convulsions—86	29	-	1	3	7	3	1	1	16	1	1	1	1	1	2	-	-	-	-	4	
Diseases of the ear and mastoid process—89	12	-	-	-	-	-	-	-	1	-	2	1	1	3	-	1	1	2	-	-	
Diseases of the heart—90-95	10	1	1	-	-	1	-	3	6	2	-	1	-	-	1	-	-	-	-	-	
Pneumonia (all forms) and																					
Influenza—107-109,33	1,426	20	23	18	72	83	67	58	341	207	184	147	135	98	87	76	65	40	34	34	
Bronchopneumonia, etc.*—107	606	15	14	12	53	48	39	37	218	117	96	81	75	58	51	36	28	16	15	17	
Lobar pneumonia—108	269	3	4	1	6	10	8	4	42	31	23	30	33	22	18	20	20	10	10	10	
Pneumonia (unspecified)—109	197	2	5	5	11	18	12	11	64	33	29	16	12	10	7	8	5	7	4	2	
Influenza—33	154	-	-	-	2	7	6	2	17	26	16	20	15	8	11	12	12	7	5	5	
Other diseases of respiratory system—104-106,110-114	92	5	2	4	4	5	2	2	24	14	17	8	8	5	5	2	1	1	3	3	
Ulcer of stomach or duodenum—117	6	1	-	1	1	-	-	-	3	1	-	-	2	-	-	-	-	-	-	-	
Diarrhea, enteritis, etc.*—119	405	-	1	1	17	21	18	43	101	77	45	46	26	30	27	13	19	9	6	6	
Intestinal obstruction—122b	30	-	-	-	-	-	-	-	7	1	-	9	3	3	1	1	2	2	1	1	
Other diseases of digestive system—115,116,118,121,123-129	41	2	-	-	2	3	1	1	9	9	5	3	-	4	4	3	3	-	-	1	
Nephritis—130,131	12	-	1	-	1	1	-	-	3	1	2	2	-	1	-	1	-	-	1	1	
Congenital malformations—157	489	66	40	14	65	41	20	19	287	46	36	24	19	16	14	5	14	11	8	6	
Diseases peculiar to first year—158-161	4,117	2,039	574	302	477	271	129	90	3,882	107	58	27	12	11	5	5	5	2	1	2	
Congenital debility—158	223	54	22	8	20	15	10	7	136	28	18	18	8	5	1	4	3	1	1	-	
Premature birth—159	2,798	1,460	387	179	300	190	99	70	2,885	86	22	8	3	3	-	-	-	-	-	1	
Injury at birth—160	611	319	98	66	75	30	9	5	601	3	4	-	-	1	1	1	-	-	-	1	
Other diseases peculiar to first year—161	495	207	67	49	82	36	11	8	461	10	14	1	1	3	1	1	1	1	1	1	
Asphyxia (cause not specified), atelectasis—161a	301	171	48	26	30	9	2	5	291	1	5	-	-	1	1	1	1	-	-	-	
Infection of the umbilicus, etc.*—161b,c	194	36	19	23	52	27	9	3	169	9	9	1	1	1	2	-	-	1	-	1	
Homicide—165-168	5	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
Accidental deaths—169-195	365	23	2	7	12	11	12	8	75	62	53	49	27	18	20	13	15	9	8	16	
Accidental mechanical suffocation—182	184	8	1	4	6	3	9	6	30	50	36	23	16	10	-	5	1	4	-	2	
Other accidental deaths—169-181,183-195	181	15	1	3	6	8	3	2	38	12	17	26	11	8	20	8	14	5	8	14	
Ill-defined and unknown causes—199,200	659	162	77	46	99	76	39	31	550	75	62	51	32	19	20	13	22	5	5	7	
All other causes—	169	3	3	6	12	38	11	5	78	24	6	5	9	8	9	5	8	10	1	6	
OTHER RACES, BOTH SEXES—All causes	1,206	205	65	48	90	46	34	44	532	116	116	85	71	50	53	39	52	41	28	24	
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough—9	27	-	-	-	-	-	-	-	6	2	2	4	-	5	3	2	1	1	2	-	
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	4	2	3	1	5	1	-	-	2	6	2	4	
Tuberculosis (all forms)—13-22	28	-	-	-	-	-	-	-	4	1	1	1	1	2	-	-	1	5	2	4	
Tuberculosis of the resp. sys., etc.*—13	6	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	1	1	2	4	
Tuberculosis of the meninges, etc.*—14	18	-	-	-	-	-	-	-	4	1	2	-	1	1	-	-	1	5	-	4	
Tuberculosis (other forms)—15-22	4	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	1	1	-	-	
Dysentery—27	12	-	-	-	-	-	-	-	2	1	1	5	-	3	-	1	1	1	-	-	
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis—30	25	4	-	-	4	2	1	2	15	4	4	-	2	-	2	-	-	-	-	-	
Measles—35	9	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	3	2	-	-	
Diseases of the thymus gland—64	9	1	-	1	-	-	-	1	2	-	-	1	1	1	-	-	-	1	-	-	
Meningitis (not due to meningococcus)—81	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	
Intracranial lesions of vascular origin—83	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Convulsions—86	4	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	
Diseases of the ear and mastoid process—89	4	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	
Diseases of the heart—90-95	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
Pneumonia (all forms) and																					
Influenza—107-109,33	267	1	-	1	9	5	5	12	35	58	37	38	25	21	14	17	15	8	7	7	
Bronchopneumonia, etc.*—107	155	1	-	6	2	2	8	17	17	22	20	18	14	6	6	12	10	6	2	2	
Lobar pneumonia—108	44	-	-	2	1	4	-	2	7	9	4	5	4	3	4	2	1	2	1	2	
Pneumonia (unspecified)—109	55	-	1	1	2	-	-	2	6	5	10	13	3	3	4	5	2	2	2	2	
Influenza—33	13	-	-	-	-	-	1	2	3	2	1	-	-	1	-	1	2	1	1	1	
Other diseases of respiratory system—104-106,110-114	11	-	-	-	1	-	-	3	4	2	-	1	-	1	1	-	-	-	1	-	
Ulcer of stomach or duodenum—117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhea, enteritis, etc.*—119	142	-	-	-	4	-	5	6	15	18	24	15	18	4	10	10	13	6	5	4	

VITAL STATISTICS OF THE UNITED STATES

TABLE 30.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE, RACE, AND SEX: UNITED STATES, 1947—Continued

(Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year											Under 1 month										
		1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.			
OTHER RACES, MALE—All causes	655	110	39	33	53	25	21	22	303	57	68	50	36	22	20	17	33	21	16	12			
Cerebrospinal (meningococcus) meningitis—6	2	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-			
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Whooping cough—9	5	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-			
Diphtheria (infection by C. diphtheriae)—10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-			
Tuberculosis (all forms)—13-22	17	-	-	-	-	-	-	-	3	1	2	1	2	-	-	-	2	3	1	2			
Tuberculosis of the resp. sys., etc.*—13	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-			
Tuberculosis of the meninges, etc.*—14	12	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	1	3	1	2			
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dysentery—27	7	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	1	-	-			
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-			
Syphilis—30	14	3	-	-	3	1	-	-	7	4	1	-	2	-	-	-	-	-	-	-			
Measles—35	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-			
Diseases of the thymus gland—64	4	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-			
Meningitis (not due to meningococcus)—61	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Intracranial lesions of vascular origin—63	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Convulsions—66	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-			
Diseases of the ear and mastoid process—69	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-			
Diseases of the heart—90-95	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Pneumonia (all forms) and																							
Influenza—107-109, 33	138	-	-	-	5	2	4	9	20	18	19	26	11	8	4	6	11	8	4	3			
Bronchopneumonia, etc.*—107	82	-	-	-	4	1	-	5	10	11	12	14	6	4	2	2	7	6	3	1			
Lobar pneumonia—108	22	-	-	-	-	-	-	-	3	4	2	5	2	1	1	1	1	1	1	1			
Pneumonia (unspecified)—109	27	-	-	-	1	1	-	2	4	2	5	7	2	1	1	1	1	1	1	1			
Influenza—33	7	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	2	-	-	1			
Other diseases of respiratory system—104-106, 110-114	9	-	-	-	1	-	-	-	3	2	-	-	1	-	1	1	-	-	-	-			
Ulcer of stomach or duodenum—117	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-			
Diarrhea, enteritis, etc.*—119	79	-	-	-	3	-	4	-	7	10	16	6	9	3	5	5	8	4	3	1			
Intestinal obstruction—122b	5	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-			
Other diseases of digestive system—115, 116, 118, 121, 123-129	5	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-			
Nephritis—130, 131	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Congenital malformations—157	35	7	4	3	3	4	-	1	22	2	3	2	1	2	-	-	1	-	-	2			
Diseases peculiar to first year—158-161	209	95	31	21	25	10	5	5	192	5	4	2	2	1	1	-	-	-	-	1			
Congenital debility—158	21	1	-	1	3	3	3	3	12	2	4	1	2	1	1	-	-	-	-	1			
Premature birth—159	119	64	21	7	14	4	2	2	114	3	2	-	-	-	-	-	-	-	-	1			
Injury at birth—160	34	17	6	5	6	2	-	-	34	-	-	-	-	-	-	-	-	-	-	-			
Other diseases peculiar to first year—161	35	13	4	8	2	3	2	-	32	-	1	1	-	-	-	-	-	-	-	1			
Asphyxia (cause not specified), etc.—161a	18	11	3	2	1	1	-	-	18	-	-	-	-	-	-	-	-	-	-	-			
Infection of the umbilicus, etc.*—161b, c	17	2	1	6	1	3	1	-	14	-	1	1	-	-	-	-	-	-	-	1			
Homicide—165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Accidental deaths—169-195	23	-	-	1	-	1	-	1	3	2	9	1	3	1	1	1	1	1	2	1			
Accidental mechanical suffocation—182	13	-	-	-	-	-	-	1	1	2	1	1	1	1	1	1	1	1	1	1			
Other accidental deaths—169-181, 183-195	12	-	-	1	-	1	-	1	2	4	2	2	3	1	1	1	1	2	2	1			
Ill-defined and unknown causes—199, 200	78	5	4	7	12	5	5	3	41	4	7	6	1	1	4	3	3	2	4	2			
All other causes—	14	-	-	-	1	2	1	-	6	1	-	1	1	1	1	1	3	1	-	-			
OTHER RACES, FEMALE—All causes	551	95	26	15	37	21	15	22	229	59	48	35	35	28	33	21	19	20	12	12			
Cerebrospinal (meningococcus) meningitis—6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Scarlet fever—8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Whooping cough—9	22	-	-	-	-	-	-	-	5	2	1	4	-	5	2	-	-	1	2	-			
Diphtheria (infection by C. diphtheriae)—10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Tuberculosis (all forms)—13-22	11	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	3	1	2			
Tuberculosis of the resp. sys., etc.*—13	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-			
Tuberculosis of the meninges, etc.*—14	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	2			
Tuberculosis (other forms)—15-22	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
Dysentery—27	5	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-			
Malaria—28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Syphilis—30	11	1	-	-	1	1	1	2	6	-	3	-	-	-	2	-	-	-	-	-			
Measles—35	6	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	2	-	-			
Diseases of the thymus gland—64	4	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-			
Meningitis (not due to meningococcus)—61	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-			
Intracranial lesions of vascular origin—63	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Convulsions—66	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-			
Diseases of the ear and mastoid process—69	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
Diseases of the heart—90-95	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-			
Pneumonia (all forms) and																							
Influenza—107-109, 33	129	1	-	1	4	3	1	3	15	20	18	12	14	13	10	8	6	7	4	4			
Bronchopneumonia, etc.*—107	73	1	-	2	2	1	-	3	7	11	10	6	10	8	4	4	5	4	3	1			
Lobar pneumonia—108	22	-	-	-	2	1	1	-	4	5	2	-	3	2	3	1	-	1	-	1			
Pneumonia (unspecified)—109	28	-	-	1	-	1	-	-	2	3	5	6	1	2	3	2	1	1	-	2			
Influenza—33	6	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	1	-			
Other diseases of respiratory system—104-106, 110-114	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-			
Ulcer of stomach or duodenum—117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Diarrhea, enteritis, etc.*—119	63	-	-	-	1	-	1	6	8	8	6	9	9	1	5	5	5	2	2	3			
Intestinal obstruction—122b	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Other diseases of digestive system—115, 116, 118, 121, 123-129	5	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-			
Nephritis—130, 131	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
Congenital malformations—157	34	3	1	2	7																		

GENERAL TABLES—INFANT DEATHS

637

TABLE 31.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY RACE; URBAN AND RURAL: UNITED STATES, 1947

(By place of residence. Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1939 revision)

RACE AND CAUSE OF DEATH	Total deaths under 1 year	URBAN				Rural		
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000		Places of 2,500 to 10,000	
ALL RACES—All causes	119,173	70,700	31,580	14,633	10,539	14,129	48,473	
Cerebrospinal (meningococcus) meningitis	6	281	163	93	31	14	25	116
Scarlet fever	8	9	2	1	-	-	1	6
Whooping cough	9	1,481	551	175	120	99	157	930
Diphtheria (infection by C. diphtheriae)	10	58	16	5	3	4	4	42
Tuberculosis (all forms)	13-22	370	208	108	40	22	38	162
Tuberculosis of the respiratory system, etc.*	15	146	91	54	14	8	15	55
Tuberculosis of the meninges, etc.*	14	124	54	21	13	8	12	70
Tuberculosis (other forms)	15-22	100	63	33	13	6	11	37
Dysentery	27	423	180	30	25	31	94	243
Malaria	28	9	2	-	-	2	-	7
Syphilis	30	517	315	140	69	38	67	204
Measles	35	116	37	12	5	10	10	79
Diseases of the thymus gland	64	929	528	219	85	96	128	401
Meningitis (not due to meningococcus)	81	668	394	166	76	72	80	275
Intracranial lesions of vascular origin	83	182	112	49	20	21	22	70
Convulsions	86	204	84	11	16	22	35	120
Diseases of the ear and mastoid process	89	174	90	42	20	8	20	84
Diseases of the heart	90-95	161	91	43	25	6	17	70
Pneumonia (all forms) and influenza	107-109, 33	13,196	6,748	2,827	1,387	1,030	1,304	6,450
Bronchopneumonia, etc.*	107	7,999	4,503	2,129	919	595	860	3,496
Lobar pneumonia	108	2,239	1,046	386	199	181	282	1,191
Pneumonia (unspecified)	109	1,895	815	247	179	162	227	1,090
Influenza	33	1,065	382	65	90	92	135	683
Other diseases of respiratory system	104-106, 110-114	1,152	640	295	135	100	110	512
Ulcer of stomach or duodenum	117	35	30	22	5	1	2	6
Diarrhea, enteritis, etc.*	119	5,590	3,417	1,511	783	470	653	2,173
Intestinal obstruction	122b	559	314	115	70	61	68	245
Other diseases of digestive system	115, 116, 118, 121, 123-129	584	275	137	47	37	54	279
Nephritis	130, 131	100	52	20	12	9	11	48
Congenital malformations	157	17,076	10,798	4,959	2,242	1,601	1,996	6,278
Diseases peculiar to first year of life	158-161	65,308	41,450	16,702	8,593	6,096	8,059	23,658
Congenital debility	158	1,718	733	218	170	131	214	985
Premature birth	159	41,053	26,351	12,001	5,492	3,603	5,035	14,722
Injury at birth	160	13,075	8,322	3,714	1,684	1,259	1,665	4,753
Other diseases peculiar to first year of life	161	9,462	6,064	2,769	1,247	903	1,145	3,398
Asphyxia (cause not specified), atelectasis	161a	5,756	3,847	1,608	800	549	690	1,909
Infection of the umbilicus, etc.*	161b,c	3,706	2,217	961	447	354	455	1,489
Homicide	165-168	174	123	62	27	20	14	51
Accidental deaths	169-195	5,557	1,788	785	362	275	368	1,789
Accidental mechanical suffocation	162	1,683	835	378	156	127	174	828
Other accidental deaths	169-181, 183-195	1,884	953	407	206	149	192	941
Ill-defined and unknown causes	199, 200	4,085	1,045	299	201	203	342	3,050
All other causes	2, 132	1,249	552	255	190	252	252	943
WHITE—All causes	98,547	59,569	25,195	12,537	9,176	12,461	39,178	
Cerebrospinal (meningococcus) meningitis	6	248	146	85	25	12	24	102
Scarlet fever	8	7	1	-	-	-	1	6
Whooping cough	9	1,020	575	113	78	65	119	645
Diphtheria (infection by C. diphtheriae)	10	39	9	4	1	1	3	30
Tuberculosis (all forms)	13-22	263	151	72	29	17	33	112
Tuberculosis of the respiratory system, etc.*	15	110	68	35	12	7	14	42
Tuberculosis of the meninges, etc.*	14	84	41	17	8	6	10	43
Tuberculosis (other forms)	15-22	69	42	20	9	4	9	27
Dysentery	27	351	157	26	22	27	82	194
Malaria	28	6	2	-	-	2	-	4
Syphilis	30	168	104	54	24	15	31	64
Measles	35	87	32	10	4	9	9	55
Diseases of the thymus gland	64	819	458	181	73	88	116	361
Meningitis (not due to meningococcus)	81	516	296	116	56	63	61	220
Intracranial lesions of vascular origin	83	155	96	40	17	20	19	57
Convulsions	86	137	61	7	11	15	23	76
Diseases of the ear and mastoid process	89	149	74	32	16	7	19	75
Diseases of the heart	90-95	134	75	32	22	5	14	61
Pneumonia (all forms) and influenza	107-109, 33	9,861	5,161	2,117	1,047	813	1,184	4,700
Bronchopneumonia, etc.*	107	6,031	3,433	1,571	703	471	630	2,836
Lobar pneumonia	108	1,687	820	304	149	145	221	837
Pneumonia (unspecified)	109	1,408	633	131	130	133	179	775
Influenza	33	745	273	51	65	63	94	472
Other diseases of respiratory system	104-106, 110-114	938	534	242	122	81	89	404
Ulcer of stomach or duodenum	117	26	20	12	5	1	2	6
Diarrhea, enteritis, etc.*	119	4,512	2,778	1,141	665	396	576	1,734
Intestinal obstruction	122b	474	266	97	60	50	59	208
Other diseases of digestive system	115, 116, 118, 121, 123-129	449	221	110	42	28	41	228
Nephritis	130, 131	76	41	13	11	8	9	35
Congenital malformations	157	15,831	10,014	4,507	2,099	1,508	1,900	5,817
Diseases peculiar to first year of life	158-161	55,566	35,156	14,958	7,447	5,458	7,319	20,400
Congenital debility	158	1,195	524	150	113	86	176	671
Premature birth	159	34,772	22,150	9,456	4,736	3,393	4,555	12,622
Injury at birth	160	11,465	7,268	3,103	1,490	1,144	1,531	4,198
Other diseases peculiar to first year of life	161	8,126	5,214	2,246	1,108	812	1,048	2,812
Asphyxia (cause not specified), atelectasis	161a	4,972	3,279	1,431	712	498	638	1,693
Infection of the umbilicus, etc.*	161b,c	3,154	1,935	815	396	314	410	1,219
Homicide	165-168	155	108	55	24	18	11	47
Accidental deaths	169-195	2,792	1,407	575	310	221	301	1,365
Accidental mechanical suffocation	162	1,294	649	265	137	101	146	645
Other accidental deaths	169-181, 183-195	1,498	758	310	173	120	155	740
Ill-defined and unknown causes	199, 200	2,014	601	177	107	110	207	1,413
All other causes	2, 132	1,766	1,027	442	220	161	204	738

*Refer to International List for complete title, table IX, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 31.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY RACE; URBAN AND RURAL: UNITED STATES, 1947—Continued

(By place of residence. Exclusive of stillbirths. Numbers after causes of death are International List numbers, 1938 revision)

RACE AND CAUSE OF DEATH	Total deaths under 1 year	URBAN				Rural	
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000		Places of 2,500 to 10,000
NONWHITE -----All causes	20,626	11,331	6,185	2,116	1,362	1,668	9,285
Cerebrospinal (meningococcus) meningitis-----6	33	17	8	6	2	1	16
Scarlet fever-----8	1	1	-	-	-	-	-
Whooping cough-----9	461	176	62	42	34	38	285
Diphtheria (infection by C. diphtheriae)-----10	19	7	1	2	3	1	12
Tuberculosis (all forms)-----13-22	107	57	56	11	5	5	50
Tuberculosis of the respiratory system, etc.*-----13	36	23	19	2	1	1	13
Tuberculosis of the meninges, etc.*-----14	40	13	4	5	2	2	27
Tuberculosis (other forms)-----15-22	31	21	13	4	2	2	10
Dysentery-----27	72	23	4	3	4	12	49
Malaria-----28	5	-	-	-	-	-	3
Syphilis-----30	349	209	106	44	23	36	140
Measles-----35	28	5	2	1	1	1	24
Diseases of the thymus gland-----64	110	70	38	12	8	12	40
Meningitis (not due to meningococcus)-----81	153	98	50	20	9	19	55
Intracranial lesions of vascular origin-----83	29	16	9	3	1	3	13
Convulsions-----86	67	23	4	5	7	7	44
Diseases of the ear and mastoid process-----89	25	16	10	4	1	1	9
Diseases of the heart-----90-95	27	18	11	3	1	3	9
Pneumonia (all forms) and influenza-----107-109, 33	3,537	1,587	710	340	217	320	1,750
Bronchopneumonia, etc.*-----107	1,948	1,068	588	218	124	170	880
Lobar pneumonia-----108	382	228	82	50	35	61	354
Pneumonia (unspecified)-----109	487	182	56	49	29	48	305
Influenza-----33	320	109	14	25	29	41	211
Other diseases of respiratory system-----104-106, 110-114	214	106	53	13	19	21	108
Ulcer of stomach or duodenum-----117	10	10	10	-	-	-	-
Diarrhea, enteritis, etc.*-----119	1,078	639	370	118	74	77	439
Intestinal obstruction-----122b	85	48	18	10	11	9	37
Other diseases of digestive system-----115, 116, 118, 121, 123-129	105	54	27	5	9	13	51
Nephritis-----130, 131	24	11	7	1	1	2	13
Congenital malformations-----157	1,245	784	452	143	93	96	461
Diseases peculiar to first year of life-----158-161	9,752	6,294	3,747	1,146	661	740	3,458
Congenital debility-----158	525	209	68	57	45	39	314
Premature birth-----159	6,281	4,161	2,545	756	410	470	2,100
Injury at birth-----160	1,612	1,054	611	194	115	134	558
Other diseases peculiar to first year of life-----161	1,336	850	523	139	91	97	486
Asphyxia (cause not specified), atelectasis-----161a	784	568	377	88	51	52	216
Infection of the umbilicus, etc.*-----161b, c	552	282	146	51	40	45	270
Homicide-----165-168	19	15	7	3	2	3	4
Accidental deaths-----169-195	765	381	210	52	54	65	384
Accidental mechanical suffocation-----182	369	186	113	19	26	28	183
Other accidental deaths-----169-181, 185-195	396	195	97	33	28	37	201
Ill-defined and unknown causes-----199, 200	2,081	444	122	94	83	135	1,637
All other causes-----	426	222	110	35	29	48	204

*Refer to International List for complete title, table IX, Part I.