

VITAL STATISTICS OF THE UNITED STATES 1969

VOLUME II—MORTALITY

PART A



U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
NATIONAL CENTER FOR HEALTH STATISTICS

Rockville, Maryland: 1974
(HRA) 74-1101

NATIONAL CENTER FOR HEALTH STATISTICS

EDWARD B. PERRIN, Ph.D., *Director*

PHILIP S. LAWRENCE, Sc.D., *Deputy Director*

GAIL F. FISHER, *Assistant Director for Health Statistics Development*

WALT R. SIMMONS, M.A., *Assistant Director for Research and Scientific Development*

JOHN J. HANLON, M.D., *Medical Advisor*

JAMES E. KELLY, D.D.S., *Dental Advisor*

EDWARD E. MINTY, *Executive Officer*

ALICE HAYWOOD, *Information Officer*

DIVISION OF VITAL STATISTICS

ROBERT A. ISRAEL, M.S., *Director*

JOHN E. PATTERSON, *Assistant Director for Demographic Affairs*

ROBERT J. ARMSTRONG, M.S., *Chief, Mortality Statistics Branch*

ROBERT L. HEUSER, M.A., *Chief, Natality Statistics Branch*

LOREN E. CHANCELLOR, *Chief, Registration Methods Branch*

ALICE M. HETZEL, *Chief, Marriage and Divorce Statistics Branch*

ARNE B. NELSON, M.A., *Chief, Vital Records Survey Branch*

MICHAEL J. ZUGZDA, *Chief, Statistical Resources Section*

VITAL STATISTICS OF THE UNITED STATES, 1969

VOLUME II—MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. General Mortality

Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality; and deaths for the 50 largest standard metropolitan statistical areas. Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, and month.

Section 2. Infant Mortality

Tabulations of infant deaths and infant mortality rates by age, color, sex, and cause of death, and by State and the 50 largest standard metropolitan statistical areas. Additional frequency tables by month of death and by population-size groups in metropolitan and nonmetropolitan counties.

Section 3. Fetal Mortality

Tabulations of numbers of deaths and ratios by color, age of mother, legitimacy status, geographic areas, and population-size groups; and fetal-death rates by plurality and sex. Numbers of deaths by additional categories—month, birth order, attendant, period of gestation, and birth weight.

Section 4. Accident Mortality

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accidents and by person injured. Data shown by cause of death, age, color, and sex for the United States and by color and sex for each State. Deaths from accidental poisoning by age, color, and sex.

Section 5. Life Tables

Abridged life tables and interpolated values of the l_x and e_x by single years of age for the national population by color and sex.

Section 6. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics published in Volume II. Includes population tables for computing vital rates.

PART B

Section 7. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, by specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and standard metropolitan statistical areas.

Guide to tables in Section 1

[All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 1	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18	-19	-20	-21	-22	-23	-24	-25	-26	-27	
PAGE: 1	-2	-3	-4	-6	-6	-6	-7	-8	-26	-34	-35	-36	-38	-44	-50	-51	-51	-52	-53	-56	-57	-63	-64	-127	-134	-142	-208	
Geographic area:																												
Divisions-----										10 ¹	11	12	13	14			17											
50 largest standard metropolitan statistical areas, 1969----																		18										
States-----											11	12	13	14			17		19 ⁴	20 ¹	21	22						27
United States-----	1 ²	2 ²	3	4	5	6	7	8	9	10	11	12	13	14	15	16 ³	17		19	20	21	22	23	24	25	26	27	
Years:																												
1900-1969-----	1	2								10 ⁵																		
1915-69-----																16 ⁶												
1960-69-----			3								11																	
1967-69 (3-year average)-----																	17											
1968-69-----							7																					
1969 only-----				4	5	6		8	9			12	13	14	15			18	19	20	21	22	23	24	25	26	27	
Type of entry:																												
Age-adjusted rates----		2				6																						
Number of deaths-----	1		4									12	13		15			18	19	20	21	22	23	24	25	26	27	
Percent distribution of deaths by cause----					5																							
Death rates-----	1		3		5	6	7	8	9	10	11	12		14	15	16	17	18					23					
Characteristics:																												
Age-----			3	4				8	9			12			15												26	
10-year age groups--			3						9																			
5-year age groups---								8							15												26	
Single years of age after 84-----				4																								
Cause of death:																												
Each cause-----																							23					
Selected causes-----						6									15													
281 selected causes--																									24	25	26	27
69 selected causes--							7	8	9				13	14														
15 leading causes---	1				5																							
Maternal causes only-----															15	16	17											
Color-----	1 ⁷	2 ⁷	3 ⁷	4		6		8	9						15	16 ⁷	17				21		23					27
Month-----																				20	21			24				
Race-----																							22			25	26	
Sex-----	1 ⁸	2	3	4		6		8	9													21	22	23		25	26	27

¹Deaths by place of occurrence.
²Entire United States for 1933-69; death-registration States for 1900-1932.
³Entire United States for 1933-69; birth-registration States for 1915-32.
⁴Deaths by place of occurrence and place of residence.
⁵Data by 5-year averages for 1900-1959 and by single years for 1960-69.
⁶Data by 5-year averages for 1915-39 and by single years for 1940-69.
⁷New Jersey did not require the reporting of color or race in 1962 and 1963.
⁸For death rates only.

Guide to tables in Section 2

[All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence]

	TABLE: 2	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15
	PAGE: 2	-3	-3	-3	-4	-5	-6	-7	-8	-10	-24	-31	-32	-35	-42	-60
Geographic area:																
Divisions-----							6	7								
50 largest standard metropolitan statistical areas, 1969-----									8							
Metropolitan and nonmetropolitan counties-----														13		
Population-size groups-----														13		
States-----							6	7		9	10					15
United States-----	1 ¹	2	3	4	5	6	7			9	10	11	12	13	14	15
Years:																
1915-69-----	1															
1960-69-----				4												
1965-69-----						6	7									
1968-69-----												11				
1969 only-----		2	3		5				8	9	10		12	13	14	15
Type of entry:																
Number of infant deaths-----			3						8	9	10		12	13	14	15
Infant mortality rates (per 1,000 live births)----	1		3			6	7	8								
Infant mortality rates (per 100,000 live births)--		2		4	5							11				
Characteristics:																
Age:																
Under 1 year-----	1	2	3	4	5	6		8	9	10	11	12	13	14	15	
Under 28 days-----	1	2	3	4			7	8	9	10		12	13	14	15	
28 days to 11 months-----			3									12		14	15	
Detailed age groups (under 1 day-11 months)-----		2		4					9	10 ²					14	
Cause of death (65 selected causes)-----					5							11	12	13	14	15
Color-----	1 ³	2		4 ³	5	6	7			10				13	14	15
Month-----										10		12				
Race-----			3							9						
Sex-----		2								9	10 ²				14	

¹Entire United States for 1933-69; birth-registration States for 1915-32.

²For the United States only.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 3

[All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted]

TABLE: 3	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16
PAGE: 3	-3	-4	-4	-5	-6	-8	-9	-12	-14	-16	-18	-20	-22	-23	-24	-27
Geographic area:																
Divisions-----					5	6										
Metropolitan and non-metropolitan counties-----					5											
Population-size groups-----					5 ¹											
Selected areas-----			3 ²	4 ³												
States-----	1 ⁴				6	7 ⁵	8		10	11	12				15	16
United States-----	1	2			5	6	7	8	9	10	11	12	13	14	15	16
Years:																
1942-69-----		2														
1965-69-----						6										
1969 only-----	1		3	4	5		7	8	9	10	11	12	13	14	15	16
Type of entry:																
Number of fetal deaths-----	1	2	3	4	5		7	8	9	10	11	12	13	14	15	16
Percent distribution-----			3													
Ratios (per 1,000 live births)-		2		4	5	6										
Minimum period required for reporting-----	1															
Characteristics:																
Age of mother-----			3	4					9	10						
Attendant-----											12					
Color-----		2 ⁶		4	5	6		8	9	10	11	12	13	14	15	16
Legitimacy status-----				4												
Month-----							8									
Period of gestation-----	1		3		5							12		14		16
Plural births-----													13	14		
Sex-----								9					13	14	15 ¹	16 ¹
Total-birth order-----								9		11						
Weight at birth-----													13		15	

¹For the United States only.

²Combined totals for 10 States and New York City which report all periods of gestation.

³Combined totals for 37 areas which report legitimacy status.

⁴Fetal deaths by place of occurrence.

⁵Fetal deaths by place of occurrence and place of residence.

⁶New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 4

[Frequencies only. All data are for accidental deaths occurring in the United States during 1969. Data for geographic areas within the United States are by place of residence]

	TABLE: 4	-1	-2	-3	-4	-5	-6	-7
	PAGE: 4	-2	-4	-12	-17	-21	-32	-36
Geographic area:								
States-----				3				7
United States-----		1	2	3	4	5	6	7
Subject matter:								
Accidental poisoning-----					4			
Motor vehicle accidents by person injured----		1		3				
Nontransport accidents by place of accident--						5	6	7
Characteristics:								
Age (5-year age groups)-----			2				6	
Color-----		1		3	4	5		7
Motor vehicle accidents by exact cause of death-----		1				5		
Nontransport accidents by exact cause of death-----						5		
Race-----			2				6	
Sex-----		1	2	3	4	5	6	7

Guide to tables in Section 5

[Life tables]

TABLE: 5	-1	-2	-3	-4	-5
PAGE: 5	-3	-6	-7	-8	-10
Years:					
1900-1969-----					5 ¹
1969 only-----	1	2	3		
Specified years and 1969-----				4 ²	
Type of entry:					
Proportion dying (${}_nq_x$) -----	1				
Number surviving (${}_nL_x$) -----	1	2		4	
Number dying (${}_nd_x$)-----	1				
Stationary population (${}_nL_x$) and (T_x) -----	1				
Average remaining lifetime (e_x) -----	1		3	4	
Estimated average length of life (e_0) -----					5
Characteristics:					
Age by:					
Single years-----		2	3		
5-year intervals-----	1			4	
Sex-color specific-----	1	2	3	4	5 ³
Sex specific-----	1	2	3		5
Color specific-----	1	2	3		5 ³
Total population-----	1	2	3		5

¹Entire United States for 1929-69; death-registration States for 1900-1928.

²Entire United States for specified years from 1929 to 1969; death-registration States for specified years from 1900 to 1921.

³New Jersey did not require the reporting of color or race in 1962 and 1963.

Guide to tables in Section 6

[Population tables. Populations exclusive of Armed Forces stationed outside the United States and estimated as of July 1 unless otherwise noted]

TABLE: 6	-1	-2	-3
PAGE: 6	-16	-17	-18
Geographic area:			
Divisions-----			3
States-----	1 ¹		3
United States-----	1 ^{1,2}	2	3
Years:			
1900-1969 ³ -----	1		
1969-----		2	3
Characteristics:			
Age-----		2	3
Race-----		2	
Sex-----		2	

¹Entire United States for 1900-1969; birth- and death-registration States for 1900-1932.

²Populations both inclusive and exclusive of Armed Forces stationed outside the United States.

³Population enumerated as of April 1, 1940, 1950, and 1960, and estimated as of July 1 for all other years.

Guide to tables in Section 7

[All data are for deaths occurring in the United States during 1969. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted]

	TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9
	PAGE: 7	-2	-59	-76	-93	-114	-128	-434	-440	-458
Geographic area:										
Counties-----		1 ¹								9
Metropolitan and nonmetropolitan counties-----			2	3						9
Specified urban places-----		1								9
Standard metropolitan statistical areas-----					4				8	
States-----		1 ¹	2	3			6	7 ²		9
United States-----		1	2	3		5		7		9
Population-size groups-----			2							9
Type of entry:										
Number of deaths-----		1	2	3	4	5	6	7	8	9
Number of fetal deaths-----		1	2							
Number of infant deaths-----		1	2	3	4	5	6			
Number of neonatal deaths-----		1	2							
Fetal-death ratios (per 1,000 live births)-----			2							
Infant mortality rates (per 1,000 live births)---			2							
Neonatal mortality rates (per 1,000 live births)---			2							
Characteristics:										
Age:										
5-year age groups-----						5	6			
10-year age groups-----				3	4					
Cause of death:										
34 selected causes-----										9
69 selected causes-----						5	6	7	8	
Color-----		1	2	3	4	5	6			
Sex-----				3	4	5	6			

¹Deaths by place of occurrence and place of residence.
²Deaths by place of occurrence.

SYMBOLS USED IN TABLES

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05-----	0.0
Figure does not meet standards of reliability or precision-----	*

Section 1. General Mortality

Table	Page
1-1. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-69 -----	1-2
1-2. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-69 -----	1-3
1-3. Death rates by age, color, and sex: United States, 1960-69 -----	1-4
1-4. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1969 -----	1-6
1-5. Mortality from 15 leading causes of death: United States, 1969 -----	1-6
1-6. Age-adjusted death rates for selected causes, by color and sex: United States, 1969 -----	1-6
1-7. Death rates for 69 selected causes: United States, 1968-69 -----	1-7
1-8. Death rates for 69 selected causes, by 5-year age groups, color, and sex: United States, 1969 -----	1-8
1-9. Death rates for 69 selected causes, by 10-year age groups, color, and sex: United States, 1969 -----	1-26
1-10. Death rates for geographic divisions by place of occurrence: United States, 1900-1969 -----	1-34
1-11. Death rates: United States, each division and State, 1960-69 -----	1-35
1-12. Deaths and death rates by age: United States, each division and State, 1969 -----	1-36
1-13. Deaths from 69 selected causes: United States, each division and State, 1969 -----	1-38
1-14. Death rates for 69 selected causes: United States, each division and State, 1969 -----	1-44
1-15. Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1969 -	1-50
1-16. Maternal mortality rates by color: Birth-registration States or United States, 1915-69 -----	1-51
1-17. Maternal mortality rates by color: United States, each division and state, 1967-69 (3-year average) ----	1-51
1-18. Deaths and rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1969 -----	1-52
1-19. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1969 -	1-53
1-20. Deaths by month and State of occurrence: United States and each State, 1969 -----	1-56
1-21. Deaths by month, color, and sex: United States and each State, 1969-----	1-57
1-22. Deaths by specified race or national origin and sex: United States and each State, 1969 -----	1-63
1-23. Deaths and death rates for each cause, by color and sex: United States, 1969 -----	1-64
1-24. Deaths from 281 selected causes, by month: United States, 1969 -----	1-127
1-25. Deaths from 281 selected causes, by specified race or national origin and sex: United States, 1969 -----	1-134
1-26. Deaths from 281 selected causes, by age, race, and sex: United States, 1969 -----	1-142
1-27. Deaths from 281 selected causes, by color and sex: United States and each State, 1969 -----	1-208

SECTION 1 - GENERAL MORTALITY

Table 1-1. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-69

[Rates per 1,000 population residing in area for specified group]

Area and year	Number			Rate								
	Total	White	All other	Total			White			All other		
				Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES												
1969	1,921,990	1,683,622	238,368	9.5	11.0	8.1	9.5	10.9	8.2	9.6	11.3	8.0
1968	1,930,082	1,689,559	240,523	9.7	11.1	8.2	9.6	11.1	8.2	9.9	11.6	8.3
1967	1,851,323	1,627,151	224,172	9.4	10.8	8.0	9.4	10.8	8.0	9.4	10.9	7.9
1966	1,863,149	1,634,461	228,688	9.5	11.0	8.1	9.5	10.9	8.1	9.7	11.3	8.3
1965	1,828,136	1,605,496	222,639	9.4	10.9	8.0	9.4	10.8	8.0	9.6	11.1	8.2
1964	1,788,051	1,578,674	219,377	9.4	10.8	8.0	9.4	10.8	8.0	9.7	11.1	8.3
1963 ¹	1,813,549	1,533,015	216,662	9.6	11.1	8.2	9.5	11.0	8.1	10.1	11.5	8.7
1962 ¹	1,756,720	1,488,113	206,593	9.5	10.9	8.1	9.4	10.8	8.0	9.8	11.2	8.5
1961	1,701,522	1,488,332	203,190	9.3	10.7	7.9	9.3	10.7	7.8	9.6	10.9	8.4
1960	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959	1,656,814	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958	1,647,886	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957	1,635,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956	1,564,476	1,380,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8
1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.3	8.8
1954	1,481,081	1,306,939	174,142	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.4	8.8
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952	1,496,839	1,315,022	181,816	9.6	11.1	8.1	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,089	1,302,869	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,395,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	1,233,089	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944	1,411,338	1,239,829	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,682	1,213,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,687	1,207,078	180,619	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,381	1,195,431	185,950	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.8
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	1,278,378	200,849	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,392,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934	1,396,903	1,207,197	189,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
DEATH-REGISTRATION STATES ²												
1932	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,273	1,126,377	180,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	1,136,684	190,556	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929	1,369,757	1,175,490	194,267	11.8	12.8	11.0	11.3	12.2	10.4	15.9	18.0	15.9
1928	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	17.8	16.9
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,376	987,817	153,459	11.5	12.3	10.9	11.0	11.8	10.3	17.1	17.3	16.3
1923	1,174,065	1,028,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,063,952	881,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.9
1921	1,209,673	893,593	114,090	11.5	11.9	11.0	11.3	11.8	10.6	15.5	15.7	15.4
1920	1,116,070	890,859	227,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,265	845,436	226,827	12.9	13.5	12.3	12.4	13.0	11.9	17.9	18.1	17.9
1918	1,430,079	1,202,533	147,546	18.1	19.8	18.4	17.5	19.3	15.8	25.6	26.7	24.4
1917	981,233	882,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	19.4
1915	815,500	782,289	33,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.9	19.5
1914	810,914	788,600	22,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	792,265	50,644	13.8	14.9	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	739,531	35,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,313	713,244	36,074	13.9	14.7	13.0	13.7	14.5	12.3	21.3	21.9	20.6
1910	696,856	689,475	7,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909	630,057	605,551	24,506	14.2	15.1	13.4	14.0	14.9	13.2	21.9	22.3	21.2
1908	567,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.8	22.4	22.8	22.0
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,205	506,553	24,652	15.7	16.7	14.7	15.5	16.5	14.1	24.2	24.7	23.6
1905	345,863	334,344	11,519	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	349,355	338,301	11,054	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903	327,285	316,650	10,645	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4
1902	318,638	308,550	10,088	15.5	16.4	14.6	15.3	16.2	14.4	25.6	26.8	23.3
1901	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.1	23.1
1900	345,217	332,810	12,407	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

²Increased in number from 10 States and the District of Columbia in 1900 to the entire contiguous United States in 1933.

SECTION 1 - GENERAL MORTALITY

1-3

Table 1-2. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-69

[Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix]

Area and year	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES¹									
1969	7.3	9.5	5.5	6.9	9.0	5.2	10.5	15.0	8.3
1968	7.5	9.6	5.6	7.1	9.2	5.3	10.8	15.3	8.6
1967	7.3	9.4	5.5	6.9	9.0	5.2	10.2	12.4	8.2
1966	7.5	9.5	5.7	7.1	9.2	5.3	10.5	12.7	8.6
1965	7.4	9.4	5.7	7.1	9.1	5.3	10.3	12.4	8.5
1964	7.4	9.4	5.7	7.1	9.0	5.3	10.3	12.2	8.6
1963	7.6	9.6	5.8	7.2	9.2	5.5	10.6	12.5	8.9
1962 ¹	7.5	9.4	5.8	7.1	9.0	5.4	10.3	12.0	8.7
1961	7.4	9.2	5.7	7.0	8.9	5.4	10.0	11.6	8.6
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.5	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.9	8.8
1958	7.7	9.4	6.0	7.3	9.1	5.7	10.6	12.2	9.2
1957	7.8	9.6	6.1	7.4	9.2	5.8	10.8	12.4	9.4
1956	7.6	9.4	6.0	7.3	9.1	5.7	10.5	11.9	9.1
1955	7.7	9.5	6.1	7.4	9.1	5.7	10.4	11.9	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.8	10.8	12.0	9.2
1953	8.0	9.8	6.4	7.7	9.4	6.1	11.4	15.0	9.9
1952	8.1	9.8	6.6	7.8	9.5	6.2	11.7	15.2	10.2
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	15.3	10.5
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.5	15.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.5	15.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	15.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	15.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	15.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.5
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.5
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES²									
1932	11.9	12.9	10.8	11.3	12.5	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.6	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.5	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.8
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.5	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.5	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	28.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	28.3	29.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.1	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.²Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

SECTION 1 - GENERAL MORTALITY

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1960-69

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1969	9.5	21.5	0.9	0.4	1.3	1.6	3.2	7.3	16.8	37.4	79.0	190.8
1968	9.7	22.3	0.9	0.4	1.2	1.6	3.2	7.5	17.2	38.5	80.8	196.1
1967	9.4	22.3	0.9	0.4	1.2	1.5	3.1	7.3	16.7	37.5	79.0	194.2
1966	9.5	25.3	0.9	0.4	1.2	1.5	3.1	7.4	17.0	38.4	81.7	200.6
1965	9.4	24.1	0.9	0.4	1.1	1.5	3.1	7.4	16.9	37.9	81.9	202.0
1964	9.4	24.6	1.0	0.4	1.1	1.5	3.1	7.4	17.0	37.8	81.8	200.2
1963	9.6	25.3	1.0	0.4	1.1	1.5	3.0	7.5	17.3	38.9	85.2	210.1
1962	9.5	25.3	1.0	0.4	1.0	1.5	3.0	7.4	16.9	38.0	84.3	204.7
1961	9.3	25.4	1.0	0.4	1.0	1.4	2.9	7.3	16.7	37.2	83.6	195.9
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	38.2	87.5	198.6
MALE												
1969	11.0	24.2	0.9	0.5	1.9	2.2	4.1	9.6	25.1	50.3	97.6	195.5
1968	11.1	25.2	0.9	0.5	1.8	2.1	4.1	9.8	25.7	51.9	99.8	203.9
1967	10.8	25.2	1.0	0.5	1.7	2.0	3.9	9.6	25.0	50.2	96.2	203.8
1966	11.0	26.3	1.0	0.5	1.7	2.0	3.9	9.8	25.3	51.2	98.5	209.3
1965	10.9	27.1	1.0	0.5	1.6	2.0	3.9	9.7	25.1	50.5	98.2	212.8
1964	10.8	27.7	1.0	0.5	1.5	2.0	3.8	9.7	25.0	49.9	97.1	210.4
1963	11.1	28.6	1.1	0.5	1.5	1.9	3.8	9.8	25.2	51.1	100.7	224.6
1962	10.9	28.7	1.0	0.5	1.5	1.9	3.7	9.7	22.6	49.4	96.7	219.0
1961	10.7	28.6	1.1	0.5	1.5	1.8	3.7	9.6	22.4	48.1	97.8	209.1
1960	11.0	30.8	1.2	0.6	1.5	1.9	3.7	9.9	25.1	49.1	101.8	211.9
FEMALE												
1969	8.1	18.6	0.8	0.3	0.7	1.0	2.4	5.1	11.1	27.1	65.3	189.0
1968	8.2	19.2	0.8	0.3	0.7	1.0	2.4	5.3	11.4	27.8	68.3	191.7
1967	8.0	19.4	0.8	0.3	0.6	1.0	2.3	5.1	11.2	27.3	66.9	188.6
1966	8.1	20.3	0.8	0.3	0.6	1.1	2.3	5.2	11.2	28.1	69.6	195.1
1965	8.0	20.9	0.8	0.3	0.6	1.1	2.3	5.2	11.3	27.7	70.0	195.3
1964	8.0	21.4	0.9	0.3	0.6	1.1	2.3	5.2	11.4	27.8	70.4	193.8
1963	8.2	21.8	0.9	0.4	0.6	1.1	2.3	5.2	11.8	28.6	73.5	201.4
1962	8.1	21.9	0.9	0.4	0.6	1.1	2.3	5.2	11.6	28.3	73.3	196.0
1961	7.9	22.0	0.9	0.3	0.6	1.0	2.2	5.1	11.5	27.9	72.8	187.8
1960	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	28.7	76.3	190.1
WHITE												
1969	9.5	19.2	0.8	0.4	1.2	1.3	2.7	6.6	15.8	35.8	79.8	202.2
1968	9.6	19.8	0.8	0.4	1.1	1.3	2.7	6.8	16.2	36.9	81.6	205.9
1967	9.4	19.6	0.8	0.4	1.1	1.3	2.7	6.7	15.9	36.1	80.0	203.8
1966	9.5	20.2	0.8	0.4	1.1	1.3	2.7	6.8	16.1	37.0	82.6	208.9
1965	9.4	20.9	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.9	203.8
1964	9.4	21.5	0.8	0.4	1.0	1.3	2.6	6.8	16.0	36.7	82.7	207.0
1963	9.5	22.2	0.9	0.4	1.0	1.3	2.6	6.8	16.2	37.5	85.8	215.5
1962	9.4	22.4	0.9	0.4	1.0	1.2	2.6	6.8	15.9	36.8	85.0	209.2
1961	9.3	22.5	0.9	0.4	1.0	1.2	2.5	6.7	15.8	36.4	84.7	200.3
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
WHITE, MALE												
1969	10.9	21.9	0.8	0.5	1.8	1.8	3.5	8.9	22.2	48.9	98.8	208.9
1968	11.1	22.7	0.8	0.5	1.7	1.7	3.5	9.1	22.7	50.3	100.0	215.6
1967	10.8	22.4	0.8	0.5	1.6	1.7	3.4	9.0	22.2	48.9	97.6	215.1
1966	10.9	23.0	0.9	0.5	1.6	1.7	3.4	9.1	22.5	49.8	99.9	216.6
1965	10.8	23.7	0.9	0.5	1.5	1.7	3.4	9.0	22.2	49.3	99.7	222.4
1964	10.8	24.4	0.9	0.5	1.5	1.7	3.4	9.0	22.1	48.9	98.6	218.2
1963	11.0	25.2	0.9	0.5	1.4	1.7	3.3	9.2	22.3	49.8	101.8	230.0
1962	10.8	25.5	0.9	0.5	1.4	1.6	3.3	9.1	21.8	48.4	100.0	223.9
1961	10.7	25.6	1.0	0.5	1.4	1.6	3.3	9.0	21.6	47.4	99.4	215.9
1960	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.6
WHITE, FEMALE												
1969	8.2	16.4	0.7	0.3	0.6	0.8	2.0	4.5	10.1	25.5	66.9	198.0
1968	8.2	16.8	0.7	0.3	0.6	0.8	2.0	4.7	10.4	26.2	68.9	200.1
1967	8.0	16.7	0.7	0.3	0.6	0.8	1.9	4.6	10.1	25.9	67.6	197.0
1966	8.1	17.3	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.7	70.2	202.7
1965	8.0	17.9	0.7	0.3	0.6	0.9	1.9	4.6	10.2	26.4	70.5	202.1
1964	8.0	18.5	0.8	0.3	0.6	0.9	1.9	4.6	10.3	26.7	71.1	200.0
1963	8.1	19.0	0.8	0.3	0.6	0.9	1.9	4.6	10.5	27.3	73.9	206.6
1962	8.0	19.1	0.8	0.3	0.5	0.9	1.9	4.5	10.4	27.1	73.8	199.7
1961	7.8	19.3	0.8	0.3	0.5	0.8	1.9	4.5	10.3	27.0	73.4	192.0
1960	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.6
ALL OTHER												
1969	9.6	32.0	1.3	0.6	2.1	3.7	7.1	13.2	28.2	55.6	69.3	99.6
1968	9.9	33.6	1.4	0.6	1.9	3.8	7.2	13.5	27.3	57.7	71.2	111.5
1967	9.4	35.4	1.4	0.6	1.7	3.5	6.7	12.9	25.5	53.7	67.3	108.5
1966	9.7	38.8	1.5	0.6	1.7	3.5	6.8	13.2	26.4	55.2	71.2	120.0
1965	9.6	40.2	1.5	0.6	1.6	3.4	6.6	13.0	26.5	52.6	70.2	123.5
1964	9.7	40.6	1.6	0.6	1.6	3.3	6.6	13.2	27.1	50.6	69.8	128.0
1963	10.1	41.3	1.7	0.6	1.6	3.2	6.5	13.2	27.9	53.0	74.4	145.7
1962	9.8	41.2	1.7	0.6	1.6	3.1	6.3	12.9	27.0	49.7	73.9	144.0
1961	9.6	40.8	1.7	0.6	1.5	3.1	6.2	12.7	26.6	47.1	70.1	142.3
1960	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1

See footnotes at end of table.

SECTION 1 - GENERAL MORTALITY

1-5

Table 1-3. Death Rates by Age, Color, and Sex: United States, 1960-69-Con.

[Rates per 1,000 population residing in area for specified group]

Year, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL OTHER, MALE												
1969	11.3	35.4	1.4	0.7	3.0	5.2	9.4	16.9	32.5	66.5	84.1	101.7
1968	11.6	36.9	1.5	0.7	2.8	5.2	9.2	17.0	33.8	69.8	85.1	115.6
1967	10.9	36.8	1.5	0.7	2.5	4.8	8.5	16.1	30.9	65.0	79.7	114.3
1966	11.5	42.6	1.6	0.7	2.4	4.6	8.5	16.3	31.8	66.9	82.1	127.0
1965	11.1	44.5	1.6	0.7	2.2	4.4	8.1	15.9	31.3	63.8	81.3	130.7
1964	11.1	45.1	1.7	0.7	2.1	4.3	8.1	15.7	31.5	61.4	79.2	134.3
1963 ²	11.5	46.0	1.9	0.7	2.2	4.0	7.6	15.7	31.8	64.4	85.0	161.6
1962 ²	11.2	45.6	1.8	0.7	2.1	3.9	7.4	15.3	30.5	59.5	80.5	161.0
1961	10.9	45.2	1.8	0.7	2.1	3.8	7.2	14.7	30.0	56.2	78.2	155.9
1960	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
ALL OTHER, FEMALE												
1969	8.0	28.6	1.2	0.4	1.1	2.4	5.2	10.0	20.6	46.1	58.5	98.1
1968	8.3	30.2	1.2	0.4	1.1	2.5	5.5	10.3	21.5	47.6	60.9	109.9
1967	7.9	32.0	1.2	0.4	1.0	2.5	5.1	10.1	20.8	44.1	57.4	104.1
1966	8.3	35.0	1.4	0.5	1.0	2.5	5.3	10.4	21.4	45.2	62.2	114.6
1965	8.2	35.9	1.4	0.5	1.0	2.5	5.4	10.4	22.2	42.9	60.9	117.9
1964	8.3	36.1	1.5	0.5	1.0	2.5	5.3	10.9	23.0	41.4	61.3	123.3
1963 ²	8.7	36.5	1.6	0.5	1.0	2.6	5.5	11.0	24.2	43.1	65.4	137.1
1962 ²	8.5	36.6	1.5	0.5	1.1	2.5	5.4	10.7	23.7	41.2	64.4	134.8
1961	8.4	36.4	1.6	0.5	1.1	2.5	5.3	10.8	23.4	38.9	62.9	132.0
1960	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	129.7

¹Figures for age not stated included in "Total" but not distributed among age groups.²Figures by color exclude data for residents of New Jersey; see Technical Appendix.

SECTION I - GENERAL MORTALITY

Table 1-4. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1969

Age	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
85 years and over	246,001	95,619	150,182	89,614	142,338	6,205	7,844
85 years	39,027	16,786	22,241	15,785	21,173	1,001	1,068
86 years	35,333	14,970	20,363	14,086	19,377	874	986
87 years	31,187	12,721	18,466	11,951	17,586	770	890
88 years	27,227	10,614	16,413	10,180	15,619	634	794
89 years	23,862	9,220	14,642	8,590	13,959	630	685
90 years	19,284	7,155	12,129	6,729	11,521	426	608
91 years	16,134	5,909	10,225	5,595	9,796	316	427
92 years	13,465	4,872	8,593	4,577	8,178	295	415
93 years	11,056	3,894	7,162	3,654	6,778	240	304
94 years	8,544	2,851	5,713	2,629	5,387	202	326
95 years	6,090	1,968	4,122	1,806	3,889	162	233
96 years	4,618	1,466	3,152	1,353	2,919	133	233
97 years	3,422	1,122	2,300	1,002	2,135	120	165
98 years	2,334	744	1,590	637	1,446	107	144
99 years	1,620	502	1,118	419	1,004	85	114
100 years	999	310	689	258	600	52	89
101 years	639	201	438	160	382	41	56
102 years	440	121	319	98	265	23	54
103 years	246	67	179	45	135	22	44
104 years	144	36	108	22	79	14	29
105 years	99	34	65	19	43	15	22
106 years	71	17	54	8	26	9	28
107 years	48	23	25	9	17	14	8
108 years	28	9	19	4	11	5	11
109 years	35	10	25	4	10	6	15
110 years	20	8	12	3	4	5	8
111 years	10	2	8	1	1	1	7
112 years	4	1	3	1	-	-	3
113 years	2	-	2	-	-	-	2
114 years	2	-	2	-	1	-	1
115 years	3	-	3	-	-	-	3
116 years	3	2	1	1	1	1	-
117 years	3	-	-	-	-	-	2
118 years	3	1	2	-	-	1	2
119 years	-	-	-	-	-	-	-
120 years	-	-	-	-	-	-	-
121 years	1	1	-	-	-	1	-
122 years	-	-	-	-	-	-	1
123 years	1	1	1	-	-	1	-
124 years	1	1	-	-	-	1	-
125 years	2	1	1	-	-	1	-

Table 1-5. Mortality from 15 Leading Causes of Death: United States, 1969

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965. For method of ranking, see Technical Appendix]

Rank order	Cause of death	Rate	Percent of total deaths
	All causes	951.9	100.0
1	Diseases of heart	366.1	38.5
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	160.0	16.8
3	Cerebrovascular diseases	102.6	10.8
4	Accidents	57.6	6.1
...	Motor vehicle accidents	27.6	2.9
...	All other accidents	30.0	3.2
5	Influenza and pneumonia	33.9	3.6
6	Certain causes of mortality in early infancy	21.4	2.2
7	Diabetes mellitus	19.1	2.0
8	Arteriosclerosis	15.4	1.7
9	Bronchitis, emphysema, and asthma	15.4	1.6
10	Cirrhosis of liver	14.8	1.6
11	Suicide	11.1	1.2
12	Congenital anomalies	8.4	0.9
13	Homicide	7.7	0.8
14	Nephritis and nephrosis	4.7	0.5
15	Peptic ulcer	4.6	0.5
...	All other causes	108.1	11.4

Table 1-6. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1969

[Based on age-specific death rates per 100,000 population in specified group. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940; see Technical Appendix. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
All causes	730.9	945.0	548.4	694.4	904.5	516.3	1,046.2	1,300.1	825.5
Major cardiovascular diseases	352.0	458.3	262.7	341.4	451.0	249.5	457.9	534.5	302.3
1 Diseases of heart	262.3	356.8	182.6	257.1	354.8	174.9	312.8	378.1	258.8
2 Hypertension	3.0	3.6	2.6	2.4	2.9	2.0	9.5	10.9	8.4
3 Cerebrovascular disease	68.5	74.8	63.3	63.8	70.1	58.6	117.1	124.1	111.1
4 Arteriosclerosis	9.2	10.1	8.4	9.2	10.2	8.5	9.1	10.1	8.2
2 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	129.7	155.9	109.1	126.8	152.1	107.1	158.6	194.9	127.7
4 Accidents	55.3	82.9	29.3	52.6	78.5	28.1	75.5	118.9	38.9
Motor vehicle accidents	28.5	42.9	14.9	27.9	41.6	14.8	33.7	54.4	15.3
All other accidents	26.8	39.9	14.4	24.8	36.8	13.3	41.8	64.5	21.6
5 Influenza and pneumonia	24.6	31.3	19.1	22.3	29.4	17.3	41.9	54.8	30.9
Diabetes mellitus	14.5	13.6	15.1	13.2	12.8	15.3	27.7	21.3	33.2
10 Cirrhosis of liver	14.2	19.4	9.5	12.9	18.0	8.5	24.0	31.4	17.6
11 Bronchitis, emphysema, and asthma	12.0	21.1	4.7	12.0	21.6	4.6	10.0	15.7	5.1
9 Tuberculosis, all forms	2.3	3.7	1.2	1.7	2.8	0.8	8.0	11.9	4.7

6
11
13
15
14

SECTION 1 - GENERAL MORTALITY

1-7

Table 1-7. Death Rates for 69 Selected Causes: United States, 1968-69

[Rates per 100,000 population. Numbers after causes of death are category numbers of the Eighth Revision of the International Classification of Diseases, Adapted, 1965]

Cause of death	1968	1969
All causes	965.7	951.9
Bacillary dysentery and amebiasis	0.1	0.0
Enteritis and other diarrheal diseases	1.5	0.0
Tuberculosis, all forms	2.8	0.0
Tuberculosis of respiratory system	2.2	0.0
Tuberculosis, other forms	0.6	0.0
Whooping cough	0.0	0.0
Streptococcal sore throat and scarlet fever	0.0	0.0
Meningococcal infections	0.4	0.4
Septicemia	1.5	1.5
Acute poliomyelitis	0.0	0.0
Measles	0.0	0.0
Syphilis and its sequelae	0.3	0.3
Other infective and parasitic diseases	2.0	2.0
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	160.0	159.4
Malignant neoplasms of buccal cavity and pharynx	5.7	5.6
Malignant neoplasms of digestive organs and peritoneum	46.5	46.8
Malignant neoplasms of respiratory system	32.7	31.8
Malignant neoplasm of breast	14.4	14.6
Malignant neoplasms of genital organs	20.3	20.5
Malignant neoplasms of urinary organs	7.4	7.4
Malignant neoplasms of all other and unspecified sites	18.7	18.6
Leukemia	7.2	7.2
Other neoplasms of lymphatic and hematopoietic tissues	9.0	8.9
Benign neoplasms and neoplasms of unspecified nature	2.5	2.5
Diabetes mellitus	19.1	19.2
Avitaminoses and other nutritional deficiencies	1.3	1.3
Anemias	1.6	1.7
Meningitis	0.9	0.9
Major cardiovascular diseases	501.7	512.1
Diseases of heart	366.1	372.6
Active rheumatic fever and chronic rheumatic heart disease	7.6	8.2
Hypertensive heart disease	4.4	4.9
Hypertensive heart and renal disease	3.6	3.9
Ischemic heart disease	331.7	337.6
Acute myocardial infarction	179.1	184.9
Other acute and subacute forms of ischemic heart disease	2.3	2.3
Chronic ischemic heart disease	150.2	150.2
Angina pectoris	0.1	0.1
Chronic disease of endocardium and other myocardial insufficiency	3.7	3.9
All other forms of heart disease	15.0	14.0
Hypertension	4.2	4.5
Cerebrovascular diseases	102.6	105.8
Cerebral hemorrhage	21.4	23.5
Cerebral thrombosis	29.1	30.2
Cerebral embolism	0.5	0.6
All other cerebrovascular diseases	51.6	51.5
Arteriosclerosis	16.4	16.8
Other diseases of arteries, arterioles, and capillaries	12.4	12.4
Acute bronchitis and bronchiolitis	0.6	0.7
Influenza and pneumonia	33.9	36.8
Influenza	3.0	3.5
Pneumonia	30.9	33.2
Bronchitis, emphysema, and asthma	15.4	16.6
Chronic and unqualified bronchitis	2.9	3.1
Emphysema	11.4	12.1
Asthma	1.2	1.5
Peptic ulcer	4.6	4.7
Appendicitis	0.7	0.7
Hernia and intestinal obstruction	3.7	3.9
Cirrhosis of liver	14.8	14.6
Cholelithiasis, cholecystitis and cholangitis	2.1	2.2
Nephritis and nephrosis	4.7	4.7
Acute nephritis and nephrotic syndrome	0.7	0.6
Chronic and unqualified nephritis and renal sclerosis	4.0	4.0
Infections of kidney	4.3	4.7
Hyperplasia of prostate	1.2	1.3
Complications of pregnancy, childbirth, and the puerperium	0.4	0.4
Abortions	0.1	0.1
Other complications of pregnancy, childbirth, and the puerperium	0.3	0.3
Congenital anomalies	8.4	8.4
Certain causes of mortality in early infancy	21.4	21.9
Birth injury, difficult labor, and other anoxic and hypoxic conditions	10.9	11.1
Other causes of mortality in early infancy	10.5	10.8
Symptoms and ill-defined conditions	13.0	11.8
All other diseases	48.5	48.7
Accidents	57.6	57.5
Motor vehicle accidents	27.6	27.5
All other accidents	30.0	30.0
Suicide	11.1	10.7
Homicide	7.7	7.5
Other external causes	2.5	2.2

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	All causes-----	951.9	2,148.0	85.0	42.7	41.6	114.7	147.6
2	Male-----	1,097.6	2,424.6	92.0	50.2	51.8	164.8	225.0
3	Female-----	813.1	1,859.2	77.6	34.9	31.1	63.7	74.6
4	White-----	950.8	1,918.8	75.9	40.4	39.8	106.7	131.7
5	Male-----	1,092.7	2,186.1	82.0	47.5	48.0	153.7	202.3
6	Female-----	815.1	1,638.1	69.6	32.9	29.2	58.7	65.7
7	All other-----	959.7	3,204.7	129.2	55.3	58.2	184.7	239.7
8	Male-----	1,132.8	3,542.0	141.7	65.0	74.5	235.8	304.3
9	Female-----	798.7	2,861.8	116.2	45.5	41.8	94.7	135.8
10	Bacillary dysentery and amebiasis-----004,006	0.0	0.6	0.1	0.0	0.0	0.0	0.0
11	Male-----	0.1	0.6	0.0	0.0	0.0	0.0	0.0
12	Female-----	0.0	0.5	0.1	-	0.0	-	0.0
13	White-----	0.0	0.3	0.0	0.0	0.0	0.0	0.0
14	Male-----	0.0	0.4	0.0	0.0	0.0	0.0	0.0
15	Female-----	0.0	0.2	0.1	-	-	-	0.0
16	All other-----	0.1	1.8	0.2	0.1	0.0	-	0.1
17	Male-----	0.1	1.6	-	0.1	-	-	0.1
18	Female-----	0.1	1.9	0.5	-	0.1	-	0.1
19	Enteritis and other diarrheal diseases-----008,009	1.3	26.2	1.4	0.2	0.1	0.1	0.1
20	Male-----	1.3	29.4	1.3	0.2	0.1	0.1	0.1
21	Female-----	1.3	22.9	1.5	0.1	0.1	0.1	0.0
22	White-----	1.0	14.8	1.1	0.2	0.1	0.1	0.0
23	Male-----	1.0	16.0	1.1	0.2	0.1	0.1	0.1
24	Female-----	1.1	15.8	1.2	0.1	0.1	0.0	0.0
25	All other-----	3.2	78.2	2.6	0.3	0.2	0.2	0.2
26	Male-----	3.5	91.7	2.3	0.2	0.3	0.2	0.2
27	Female-----	2.9	64.4	2.9	0.4	0.2	0.2	0.1
28	Tuberculosis, all forms-----010-019	2.8	0.5	0.2	0.0	0.0	0.1	0.2
29	Male-----	4.1	0.4	0.2	0.0	0.0	0.1	0.2
30	Female-----	1.5	0.5	0.2	0.0	0.1	0.1	0.2
31	White-----	2.2	0.3	0.1	0.0	0.0	0.1	0.0
32	Male-----	3.3	0.4	0.1	0.1	0.0	0.1	0.0
33	Female-----	1.2	0.2	0.1	0.0	0.1	0.1	0.0
34	All other-----	6.7	1.3	0.7	0.1	0.1	0.3	1.4
35	Male-----	9.5	0.6	0.7	-	0.1	0.2	1.5
36	Female-----	4.1	1.9	0.7	0.2	0.1	0.3	1.3
37	Tuberculosis of respiratory system-----010-012	2.2	0.3	0.1	0.0	0.0	0.1	0.2
38	Male-----	3.4	0.3	0.1	0.0	0.0	0.1	0.2
39	Female-----	1.1	0.2	0.0	0.0	0.0	0.1	0.1
40	White-----	1.8	0.1	0.0	0.0	0.0	0.1	0.0
41	Male-----	2.7	0.3	0.1	0.0	0.0	0.1	0.0
42	Female-----	0.9	-	0.0	0.0	0.0	0.1	0.0
43	All other-----	5.4	0.8	0.3	0.0	0.0	0.2	1.0
44	Male-----	7.9	0.6	0.5	-	-	0.2	1.2
45	Female-----	3.1	1.0	0.1	0.1	0.1	0.1	0.9
46	Tuberculosis, other forms-----015-019	0.5	0.2	0.1	0.0	0.0	0.0	0.1
47	Male-----	0.7	0.1	0.1	0.0	0.0	0.0	0.0
48	Female-----	0.4	0.4	0.2	0.0	0.0	0.1	0.1
49	White-----	0.4	0.2	0.1	0.0	0.0	0.0	0.0
50	Male-----	0.6	0.1	0.1	0.0	-	0.0	-
51	Female-----	0.3	0.2	0.1	-	0.0	0.0	0.0
52	All other-----	1.3	0.5	0.4	0.1	0.1	0.1	0.4
53	Male-----	1.5	-	0.2	-	0.1	-	0.3
54	Female-----	1.0	1.0	0.6	0.1	-	0.2	0.4
55	Whooping cough-----033	0.0	0.3	0.0	0.0	-	-	-
56	Male-----	0.0	0.2	0.0	-	-	-	-
57	Female-----	0.0	0.4	-	0.0	-	-	-
58	White-----	0.0	0.2	-	-	-	-	-
59	Male-----	0.0	0.1	-	-	-	-	-
60	Female-----	0.0	0.3	-	-	-	-	-
61	All other-----	0.0	0.6	0.1	0.0	-	-	-
62	Male-----	0.0	0.6	0.2	-	-	-	-
63	Female-----	0.0	0.6	-	0.1	-	-	-
64	Streptococcal sore throat and scarlet fever-----034	0.0	0.0	0.0	-	0.0	0.0	0.0
65	Male-----	0.0	0.1	0.1	-	0.0	-	0.0
66	Female-----	0.0	-	0.0	-	0.0	0.0	-
67	White-----	0.0	-	0.0	-	0.0	0.0	0.0
68	Male-----	0.0	-	0.0	-	0.0	-	0.0
69	Female-----	0.0	-	0.0	-	0.0	0.0	-
70	All other-----	0.0	0.2	0.1	-	-	-	-
71	Male-----	0.0	0.3	0.2	-	-	-	-
72	Female-----	0.0	-	-	-	-	-	-
73	Meningococcal infections-----036	0.4	4.1	1.4	0.3	0.2	0.5	0.3
74	Male-----	0.4	5.2	1.4	0.3	0.2	0.7	0.4
75	Female-----	0.3	2.9	1.4	0.3	0.2	0.4	0.1
76	White-----	0.3	4.2	1.1	0.2	0.2	0.4	0.2
77	Male-----	0.3	5.5	1.1	0.2	0.2	0.5	0.4
78	Female-----	0.3	2.8	1.2	0.3	0.2	0.4	0.1
79	All other-----	0.8	3.5	2.4	0.7	0.2	1.0	0.5
80	Male-----	0.9	3.8	2.7	0.6	0.2	1.6	0.5
81	Female-----	0.6	3.2	2.1	0.7	0.3	0.4	0.4
82	Septicemia-----038	1.5	21.7	0.5	0.1	0.1	0.2	0.2
83	Male-----	1.7	24.5	0.5	0.2	0.1	0.2	0.2
84	Female-----	1.3	18.7	0.5	0.1	0.1	0.1	0.2
85	White-----	1.5	16.7	0.5	0.1	0.1	0.1	0.2
86	Male-----	1.4	18.7	0.4	0.2	0.1	0.1	0.2
87	Female-----	1.2	14.6	0.6	0.1	0.1	0.1	0.2
88	All other-----	3.0	44.8	0.6	0.2	0.1	0.4	0.5
89	Male-----	3.5	51.9	0.8	0.2	0.1	0.5	0.4
90	Female-----	2.4	37.5	0.3	0.2	0.1	0.2	0.6

¹Figures for age not stated included in "total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1969

gory numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
144.5	175.5	254.0	385.2	581.1	891.4	1,363.9	2,051.2	3,055.7	4,636.2	6,605.8	10,080.6	19,084.6	1
205.2	229.9	322.9	491.9	757.1	1,191.0	1,867.4	2,853.5	4,149.8	6,277.2	8,513.8	11,931.4	19,584.9	2
85.8	123.2	188.3	284.2	416.5	612.8	902.6	1,343.0	2,142.4	3,416.3	5,290.8	8,861.8	18,796.2	3
121.3	141.0	208.1	330.9	520.1	820.1	1,276.1	1,945.7	2,891.8	4,479.9	6,626.4	10,255.6	20,222.5	4
172.7	184.4	265.1	424.5	694.5	1,107.6	1,773.5	2,757.6	4,010.8	6,106.5	8,556.2	12,191.6	20,889.0	5
71.1	96.7	152.8	240.8	365.3	550.8	818.8	1,230.5	1,965.5	3,278.4	5,300.6	8,997.8	19,796.7	6
317.6	430.1	696.0	826.0	1,118.3	1,568.0	2,207.5	3,161.9	4,637.4	6,727.7	9,500.1	13,929.9	23,965.8	7
455.2	589.5	788.1	1,080.9	1,419.8	2,002.4	2,789.0	3,843.3	5,599.7	8,499.4	12,027.3	17,048.7	30,172.1	8
192.0	293.9	435.0	615.0	848.1	1,172.2	1,692.9	2,524.2	3,441.5	5,310.4	7,170.1	10,062.2	18,805.0	9
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.2	10
0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.1	0.1	0.2	11
-	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.1	-	0.1	12
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	-	0.2	13
0.0	0.1	0.0	0.1	0.0	-	0.0	0.1	0.1	0.1	-	-	0.2	14
-	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	-	0.1	15
0.1	0.1	-	0.1	0.2	-	0.1	-	0.2	0.6	0.3	0.6	-	16
0.1	0.2	-	0.2	0.3	-	-	-	-	1.3	-	1.3	-	17
-	-	-	-	-	-	0.2	-	0.3	-	0.6	-	-	18
0.1	0.1	0.3	0.3	0.4	0.6	0.8	1.3	1.8	3.5	5.8	8.8	21.5	19
0.1	0.1	0.2	0.3	0.3	0.6	1.0	1.5	1.8	3.4	5.4	8.9	18.8	20
0.1	0.1	0.3	0.4	0.5	0.7	0.7	1.1	1.6	3.6	6.1	8.7	23.2	21
0.1	0.1	0.2	0.5	0.4	0.5	0.8	1.1	1.6	3.1	5.6	9.0	21.8	22
0.1	0.1	0.2	0.2	0.3	0.5	0.9	1.2	1.7	3.0	5.4	9.3	17.7	23
0.1	0.1	0.2	0.3	0.4	0.5	0.6	0.9	1.4	3.1	5.8	8.8	24.2	24
0.4	0.1	0.5	0.8	0.6	1.7	1.2	3.7	4.4	9.0	8.3	6.3	19.1	25
0.4	0.2	0.3	1.0	0.3	0.8	1.1	4.1	3.3	8.3	6.3	5.3	26.2	26
0.4	0.1	0.7	0.7	0.9	2.5	1.2	3.4	5.3	9.5	9.8	7.1	13.8	27
0.5	1.0	1.4	2.3	3.4	4.6	5.8	7.7	9.4	13.9	14.7	16.7	29.2	28
0.5	1.1	1.8	2.9	5.0	7.2	9.5	12.8	16.5	23.8	26.5	29.7	44.5	29
0.5	0.9	1.0	1.8	2.0	2.2	2.5	3.2	3.4	6.5	6.5	8.1	19.8	30
0.2	0.3	0.6	1.2	2.2	3.3	4.4	6.2	7.4	12.2	13.0	15.7	27.9	31
0.1	0.4	0.8	1.6	3.3	5.1	7.1	10.4	13.3	20.8	23.8	28.4	43.6	32
0.2	0.3	0.3	0.8	1.1	1.6	1.9	2.5	2.6	5.9	5.6	7.5	18.5	33
2.8	5.7	7.7	11.6	14.2	16.7	19.9	23.2	30.4	36.7	34.3	28.7	39.7	34
3.4	6.3	10.2	14.3	19.8	27.2	33.1	36.9	50.0	63.7	57.8	44.7	50.8	35
2.3	5.1	5.6	9.4	9.4	7.6	8.3	10.9	12.6	15.4	17.2	16.3	31.3	36
0.4	0.8	1.0	2.0	2.8	3.6	4.6	6.1	7.9	11.1	11.8	14.1	24.8	37
0.3	0.8	1.3	2.5	4.2	6.0	7.8	10.7	14.3	19.8	21.3	25.7	37.3	38
0.4	0.8	0.7	1.5	1.5	1.5	1.7	2.1	2.6	4.6	5.2	6.5	17.1	39
0.1	0.3	0.5	1.0	1.8	2.6	3.4	4.8	6.2	9.7	10.3	13.4	23.8	40
0.1	0.3	0.7	1.4	2.9	4.4	5.7	8.6	11.4	17.2	18.8	24.8	36.4	41
0.2	0.3	0.3	0.7	0.8	1.0	1.3	1.6	1.9	4.2	4.5	6.0	16.3	42
2.0	4.8	4.9	9.7	11.9	13.2	16.2	19.7	27.3	29.4	29.4	23.0	33.3	43
2.0	5.2	6.7	12.6	16.5	21.5	27.9	33.1	44.5	52.9	50.8	33.5	44.3	44
2.0	4.5	3.4	7.3	7.9	6.0	5.9	7.6	11.6	10.9	13.8	13.3	25.0	45
0.1	0.2	0.4	0.3	0.6	0.9	1.2	1.6	1.4	2.8	2.9	2.6	4.3	46
0.2	0.2	0.5	0.3	0.8	1.2	1.7	2.1	2.2	4.0	5.2	4.0	7.1	47
0.1	0.1	0.4	0.4	0.4	0.7	0.8	1.2	0.8	1.9	1.3	1.6	2.6	48
0.0	0.1	0.1	0.2	0.4	0.7	0.9	1.4	1.3	2.5	2.7	2.3	4.1	49
0.1	0.1	0.1	0.2	0.5	0.8	1.3	1.9	1.9	3.5	5.0	3.6	7.2	50
0.0	0.0	0.1	0.3	0.6	0.6	0.6	0.9	0.8	1.7	1.1	1.5	2.2	51
0.8	0.9	2.8	1.9	2.3	3.5	3.8	3.6	3.1	7.3	5.0	5.7	6.4	52
1.3	1.1	3.5	1.7	3.3	5.7	5.3	3.8	5.5	10.8	7.0	9.2	6.6	53
0.4	0.7	2.2	2.1	1.5	1.6	2.4	3.4	1.0	4.5	3.4	3.1	6.3	54
-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	63
0.0	0.0	0.0	0.0	-	-	0.0	0.0	0.0	0.1	0.1	0.2	0.2	64
0.0	0.0	0.1	-	-	-	0.0	0.0	-	0.1	-	0.1	0.2	65
0.0	-	0.0	0.0	-	-	-	0.0	0.0	0.0	0.1	0.3	0.1	66
0.0	0.0	0.0	0.0	-	-	0.0	0.0	0.0	0.0	0.1	0.2	0.2	67
0.0	0.0	0.0	-	-	-	0.0	0.0	-	0.1	-	0.1	0.2	68
0.0	-	0.0	0.0	-	-	-	0.0	0.0	-	0.1	0.3	0.1	69
-	0.1	0.2	-	-	-	-	-	-	0.3	-	-	-	70
-	0.2	0.2	-	-	-	-	-	-	-	-	-	-	71
-	-	0.1	-	-	-	-	-	-	0.5	-	-	-	72
0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.3	0.2	0.3	0.2	73
0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.4	74
0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.3	0.3	75
0.0	0.1	-	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.1	0.5	76
0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	77
0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.5	0.1	78
0.6	0.2	0.6	0.5	0.3	0.4	0.2	0.1	0.3	0.6	1.0	-	-	79
0.7	0.5	0.8	0.5	0.2	0.4	0.2	0.2	0.4	0.6	1.6	-	-	80
0.5	-	0.4	0.6	0.4	0.4	0.2	0.3	0.3	0.5	0.6	-	-	81
0.2	0.2	0.5	0.5	0.9	1.3	1.9	2.5	3.7	4.9	7.5	10.5	16.7	82
0.2	0.2	0.5	0.7	1.0	1.6	2.2	3.3	4.2	6.1	10.1	13.4	19.0	83
0.2	0.2	0.5	0.3	0.8	1.0	1.4	1.8	3.2	4.1	5.7	8.5	15.3	84
0.2	0.1	0.3	0.4	0.7	1.1	1.5	2.2	3.2	4.4	7.0	9.9	17.2	85
0.2	0.1	0.4	0.6	0.7	1.2	1.9	2.9	3.8	5.2	9.6	12.6	19.3	86
0.1	0.1	0.3	0.3	0.6	0.9	1.1	1.6	2.7	3.8	5.2	8.1	15.9	87
0.4	1.0	2.1	1.2	2.9	3.3	5.0	5.8	9.1	12.3	13.5	17.8	32.8	88
0.4	1.1	1.8	1.8	3.4	4.9	5.7	7.6	9.2	17.8	16.4	22.4	48.4	89
0.4	1.0	2.2	0.7	2.4	1.9	4.4	4.2	9.0	8.0	11.5	14.3	10.0	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis-----040-043	0.0	0.1	-	-	0.0	0.0	0.0
2	Male-----	0.0	-	-	-	-	-	-
3	Female-----	0.0	0.1	-	-	0.0	0.0	0.0
4	White-----	0.0	0.1	-	-	-	0.0	0.0
5	Male-----	0.0	-	-	-	-	-	-
6	Female-----	0.0	0.1	-	-	-	0.0	0.0
7	All other-----	0.0	-	-	-	0.0	-	0.1
8	Male-----	0.0	-	-	-	-	-	-
9	Female-----	0.0	-	-	-	0.1	-	0.1
10	Measles-----055	0.0	0.3	0.1	0.0	0.0	0.0	0.0
11	Male-----	0.0	0.2	0.1	0.0	0.0	0.0	0.0
12	Female-----	0.0	0.4	0.1	0.0	0.0	0.0	-
13	White-----	0.0	0.1	0.1	0.1	0.0	0.0	-
14	Male-----	0.0	0.1	0.1	0.0	0.0	0.0	-
15	Female-----	0.0	0.1	0.1	0.1	0.0	0.0	-
16	All other-----	0.0	1.0	0.1	-	-	-	0.1
17	Male-----	0.0	0.6	0.1	-	-	-	0.1
18	Female-----	0.0	1.3	0.2	-	-	-	-
19	Syphilis and its sequelae-----090-097	0.3	0.6	0.0	-	0.0	0.0	-
20	Male-----	0.4	0.6	-	-	0.0	0.0	-
21	Female-----	0.2	0.7	0.0	-	-	-	-
22	White-----	0.2	0.4	0.0	-	0.0	0.0	-
23	Male-----	0.2	0.3	-	-	0.0	-	-
24	Female-----	0.1	0.5	0.0	-	-	-	-
25	All other-----	1.0	1.8	0.0	-	-	-	-
26	Male-----	1.4	1.9	-	-	-	-	-
27	Female-----	0.6	1.6	0.1	-	-	-	-
28	Other infective and parasitic diseases-----Remainder of 000-136	2.0	11.2	1.9	1.0	0.6	0.9	1.1
29	Male-----	2.1	13.6	1.9	1.0	0.6	0.8	1.3
30	Female-----	1.9	8.7	1.8	1.0	0.6	1.0	0.9
31	White-----	1.9	9.4	1.6	1.0	0.6	0.8	0.9
32	Male-----	2.0	11.7	1.7	1.0	0.4	0.7	1.1
33	Female-----	1.8	6.9	1.6	1.0	0.7	0.9	0.7
34	All other-----	3.3	19.4	3.0	1.0	0.6	1.7	2.2
35	Male-----	3.4	22.3	3.2	1.0	0.9	1.5	2.8
36	Female-----	3.3	16.5	2.9	1.1	0.4	2.0	1.7
37	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	160.0	4.7	7.3	6.9	5.4	7.2	9.9
38	Male-----	178.9	4.8	7.8	7.8	6.0	9.2	11.0
39	Female-----	142.1	4.5	6.9	5.9	4.7	5.3	6.9
40	White-----	163.5	5.2	7.8	7.2	5.4	7.3	9.1
41	Male-----	181.6	5.2	8.3	8.3	6.1	9.4	11.5
42	Female-----	148.3	5.1	7.3	6.2	4.7	5.2	6.8
43	All other-----	134.9	2.4	5.0	4.7	4.9	5.9	7.2
44	Male-----	159.1	2.9	5.1	5.1	5.0	7.6	8.0
45	Female-----	112.4	1.9	5.0	4.3	4.8	6.0	6.4
46	Malignant neoplasms of buccal cavity and pharynx-----140-149	3.7	0.0	0.0	0.0	0.0	0.1	0.1
47	Male-----	5.7	0.1	0.0	0.0	0.0	0.1	0.2
48	Female-----	1.9	-	0.0	0.0	0.0	0.0	0.1
49	White-----	3.8	0.0	0.0	0.0	0.0	0.1	0.1
50	Male-----	5.7	0.1	0.0	0.1	0.0	0.1	0.1
51	Female-----	2.0	-	0.0	0.0	0.0	0.0	0.1
52	All other-----	3.5	-	-	-	0.0	0.2	0.3
53	Male-----	5.5	-	-	-	0.1	0.5	0.4
54	Female-----	1.6	-	-	-	-	-	0.2
55	Malignant neoplasms of digestive organs and peritoneum-----150-159	46.5	0.3	0.2	0.1	0.1	0.2	0.5
56	Male-----	51.2	0.3	0.2	0.1	0.1	0.2	0.7
57	Female-----	42.1	0.2	0.2	0.1	0.1	.2	0.4
58	White-----	47.4	0.3	0.2	0.1	0.1	.2	0.5
59	Male-----	51.5	0.3	0.2	0.1	0.1	0.3	0.6
60	Female-----	43.6	0.2	0.2	0.1	0.1	0.2	0.4
61	All other-----	40.2	0.3	0.1	-	-	0.3	0.9
62	Male-----	49.6	0.3	0.2	-	-	0.5	1.1
63	Female-----	31.5	0.3	-	-	-	0.2	0.7
64	Malignant neoplasms of respiratory system-----160-163	32.7	0.0	0.0	0.0	0.1	0.1	0.3
65	Male-----	54.7	-	0.0	0.0	0.1	0.2	0.3
66	Female-----	11.8	0.1	0.1	0.0	0.0	0.1	0.2
67	White-----	33.5	0.0	0.0	0.0	0.1	0.1	0.3
68	Male-----	55.8	-	0.0	0.1	0.1	0.1	0.4
69	Female-----	12.1	0.1	0.1	0.0	0.0	0.1	0.3
70	All other-----	27.1	-	0.0	-	0.1	0.2	0.2
71	Male-----	46.5	-	-	-	0.1	0.2	0.1
72	Female-----	9.1	-	0.1	-	0.1	0.2	0.2
73	Malignant neoplasm of breast-----174	14.4	-	-	-	0.0	0.0	0.1
74	Male-----	0.3	-	-	-	-	0.0	0.0
75	Female-----	27.9	-	-	-	0.0	0.0	0.2
76	White-----	15.0	-	-	-	0.0	0.0	0.1
77	Male-----	0.3	-	-	-	-	0.0	0.0
78	Female-----	29.1	-	-	-	0.0	0.0	0.2
79	All other-----	10.2	-	-	-	-	0.0	0.3
80	Male-----	0.3	-	-	-	-	-	-
81	Female-----	19.4	-	-	-	-	0.1	0.6
82	Malignant neoplasms of genital organs-----180-187	20.3	0.1	0.1	0.0	0.1	0.6	1.2
83	Male-----	18.1	0.1	0.1	0.1	0.0	0.6	1.0
84	Female-----	22.4	-	0.1	0.0	0.2	0.6	0.9
85	White-----	20.0	0.0	0.1	0.0	0.1	0.6	1.3
86	Male-----	17.7	0.1	0.1	0.1	0.0	0.7	1.7
87	Female-----	22.1	-	0.1	-	0.2	0.6	0.8
88	All other-----	22.8	0.2	0.1	0.1	0.2	0.4	0.9
89	Male-----	21.4	0.3	0.1	0.1	0.1	0.1	0.6
90	Female-----	24.1	-	0.1	0.1	0.3	0.6	1.3

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1969-Con.

Category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
-	0.0	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-	-	1
-	0.0	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-	-	5
-	-	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-	-	6
-	0.1	-	-	-	-	-	-	-	-	-	-	-	7
-	0.2	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	9
0.0	-	-	-	-	-	0.0	-	-	-	-	-	0.1	10
-	-	-	-	-	-	0.0	-	-	-	-	-	0.2	11
0.0	-	-	-	-	-	-	-	-	-	-	-	-	12
0.0	-	-	-	-	-	0.0	-	-	-	-	-	0.1	13
-	-	-	-	-	-	0.0	-	-	-	-	-	0.2	14
0.0	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	18
0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.9	1.6	1.8	2.0	1.2	1.7	19
0.0	0.0	-	0.1	0.3	0.3	0.8	1.3	2.4	3.1	3.9	2.4	3.3	20
-	0.0	0.0	0.0	0.1	0.1	0.3	0.5	0.9	0.8	0.6	0.4	0.8	21
0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.6	0.9	1.1	1.6	0.9	1.0	22
0.0	-	-	0.0	0.0	0.1	0.4	1.0	1.4	1.9	3.1	1.8	1.4	23
-	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.5	0.5	0.5	0.4	0.7	24
-	0.1	0.1	0.2	1.5	1.6	3.1	3.6	9.1	11.8	6.9	4.6	7.8	25
-	0.2	-	0.3	2.2	2.2	4.8	4.9	12.5	19.7	14.1	9.2	16.4	26
-	-	0.1	0.1	0.9	1.1	1.6	2.3	6.0	5.5	1.7	1.0	1.3	27
0.9	1.1	1.3	1.4	1.9	2.4	2.9	3.5	4.0	4.9	6.5	9.0	13.7	28
0.8	1.1	1.4	1.4	1.9	3.0	2.9	4.3	4.4	5.9	7.8	10.8	15.5	29
1.0	1.1	1.5	1.5	2.0	1.8	2.8	2.9	3.6	4.1	5.6	7.9	12.0	30
0.7	0.8	0.9	1.2	1.5	2.1	2.5	3.3	3.8	4.7	6.4	9.4	14.7	31
0.6	0.9	0.9	1.3	1.5	2.7	2.7	4.0	4.3	5.6	7.8	11.3	14.2	32
0.8	1.0	1.1	1.1	1.5	1.6	2.3	2.7	3.3	4.0	5.5	8.2	15.0	33
2.3	3.1	3.7	3.5	5.3	4.5	6.5	6.1	6.3	7.6	7.3	4.6	5.0	34
2.3	3.1	3.2	2.5	5.0	5.5	5.5	7.0	5.1	9.6	7.8	8.3	8.2	35
2.3	3.6	4.2	4.4	5.5	3.7	7.5	5.2	7.3	6.0	6.9	4.1	2.5	36
12.8	21.8	41.8	79.4	156.4	225.9	352.0	500.5	690.8	885.9	1,049.0	1,218.8	1,486.5	37
14.5	19.9	36.9	70.7	126.5	237.1	406.5	626.7	881.0	1,209.0	1,436.4	1,594.2	1,829.4	38
11.1	23.7	46.5	87.6	143.7	215.4	332.1	389.0	513.7	645.7	781.9	971.5	1,276.2	39
12.7	20.6	39.3	75.2	128.8	212.1	338.2	487.6	660.1	869.2	1,059.1	1,240.3	1,571.8	40
14.8	19.3	35.3	66.0	119.4	223.3	386.9	609.0	857.4	1,178.9	1,443.0	1,620.8	1,941.0	41
10.6	21.9	43.2	83.9	137.6	209.4	293.4	380.7	496.9	639.9	795.4	993.1	1,349.4	42
13.5	30.7	60.7	113.5	202.2	317.2	484.5	634.3	805.9	1,120.4	928.4	954.6	802.8	43
12.9	24.6	49.7	111.3	211.5	371.8	593.4	809.3	1,126.1	1,601.9	1,380.2	1,300.0	1,044.3	44
14.1	35.9	69.9	115.4	194.5	269.9	393.6	475.8	704.0	738.8	616.1	686.7	618.8	45
0.2	0.2	0.7	1.7	3.5	7.5	11.8	14.2	15.3	16.0	19.3	22.3	32.3	46
0.3	0.3	0.9	2.6	5.2	11.3	19.8	23.5	27.3	27.3	33.9	39.7	49.2	47
0.1	0.2	0.6	0.9	2.0	4.0	5.5	6.0	5.2	7.6	9.3	11.5	21.9	48
0.1	0.2	0.6	1.3	2.8	6.8	11.6	14.0	15.2	15.1	19.9	23.3	34.7	49
0.2	0.2	0.7	1.9	4.0	10.3	18.2	23.1	27.4	27.7	34.6	40.6	56.9	50
0.1	0.2	0.4	0.7	1.7	3.6	5.5	6.0	5.1	7.5	9.7	12.1	25.8	51
0.4	0.6	2.1	5.5	9.7	14.0	14.1	15.8	16.8	14.8	13.2	9.8	12.8	52
0.8	1.1	2.7	8.6	15.5	21.3	24.4	27.3	20.3	22.3	25.6	17.1	23.0	53
0.1	0.1	1.5	2.9	4.6	7.7	5.1	5.5	6.3	9.0	4.0	4.1	5.0	54
1.4	3.2	6.4	13.9	27.2	51.3	89.2	137.2	205.3	289.4	373.0	464.0	579.8	55
1.6	3.5	6.9	15.4	32.2	61.4	109.9	171.9	256.5	370.5	471.4	545.8	636.5	56
1.2	2.9	5.9	12.5	22.5	41.8	70.3	106.6	162.4	229.1	305.1	410.1	545.1	57
1.3	2.8	5.8	12.7	24.8	47.6	83.8	131.4	197.0	281.0	376.7	473.7	616.7	58
1.4	3.0	6.3	13.8	29.0	56.0	101.9	163.5	245.9	356.4	473.4	556.9	680.2	59
1.1	2.6	5.2	11.7	20.9	39.6	67.1	103.3	156.6	225.5	310.2	418.6	577.9	60
2.1	5.8	11.0	23.3	48.0	85.9	141.6	198.3	294.6	401.7	328.7	344.8	284.4	61
2.7	7.1	14.4	29.7	61.9	113.6	188.4	261.3	366.9	552.9	422.4	422.4	323.5	62
1.6	4.7	10.8	18.0	35.9	61.8	100.2	141.4	228.2	281.6	242.0	284.7	250.0	63
0.5	1.7	6.3	16.3	31.7	57.5	94.7	134.3	166.8	186.9	167.7	139.5	118.9	64
0.6	2.3	8.9	24.7	49.6	93.2	160.1	243.4	314.0	372.0	340.8	270.5	215.1	65
0.4	1.2	3.7	8.4	15.9	24.3	34.7	58.0	44.1	49.4	48.2	53.2	59.9	66
0.4	1.6	5.7	15.4	29.5	54.7	91.7	133.5	164.9	185.6	170.6	142.3	124.1	67
0.5	2.1	8.0	22.9	44.5	87.2	154.1	242.0	311.8	370.7	348.4	278.4	225.4	68
0.4	1.1	3.5	8.2	15.5	24.3	34.3	58.0	43.4	48.7	48.4	53.9	63.4	69
0.9	3.0	10.4	23.8	50.5	83.6	123.5	142.6	187.6	204.8	133.3	104.6	78.0	70
1.1	3.9	16.7	40.6	86.4	151.7	219.4	258.7	336.4	389.2	253.1	182.9	142.6	71
0.7	2.2	5.2	9.7	19.3	24.5	38.6	38.3	32.5	39.7	46.0	45.9	28.8	72
0.0	2.9	6.5	14.2	22.9	31.2	39.5	45.6	49.9	60.2	66.2	79.0	113.2	73
0.0	0.0	0.1	0.1	0.1	0.4	0.4	0.9	1.3	1.7	2.4	2.0	3.3	74
1.5	5.6	12.6	27.6	44.2	59.8	73.5	84.9	90.4	103.7	110.3	123.7	180.6	75
0.7	2.6	6.1	13.7	22.5	31.2	39.8	46.0	49.6	60.8	68.1	81.6	122.1	76
0.0	0.0	0.1	0.1	0.1	0.4	0.4	1.0	1.2	1.6	2.4	2.0	3.3	77
1.4	5.1	11.9	26.8	43.7	60.1	74.1	95.6	89.7	104.2	113.2	133.3	192.8	78
1.0	4.9	9.8	18.3	26.3	30.7	35.9	41.3	52.8	55.2	44.6	47.1	41.8	79
-	-	0.3	0.2	0.3	0.6	0.7	0.6	0.2	2.2	2.5	3.1	3.3	80
1.8	9.2	17.8	33.5	49.0	56.9	67.1	77.6	98.3	96.0	75.3	82.7	71.3	81
2.1	3.3	6.2	10.4	16.5	24.4	35.2	51.9	80.3	115.0	158.6	201.9	255.3	82
2.1	1.6	1.8	1.3	2.1	5.0	13.3	39.6	75.1	147.1	242.5	344.6	462.0	83
2.1	5.1	10.4	19.1	30.0	42.5	55.2	66.3	84.6	91.2	100.8	107.9	128.5	84
2.1	2.9	5.6	9.6	15.3	22.9	32.0	47.0	73.1	108.1	154.2	199.2	261.6	85
2.3	1.7	1.9	1.3	1.9	4.2	11.0	30.0	66.7	132.9	231.2	337.2	479.0	86
1.9	4.2	9.1	17.5	27.8	40.4	51.3	61.9	78.5	89.7	101.3	107.9	131.4	87
2.3	6.1	11.1	17.7	27.6	39.2	65.5	103.3	158.2	208.4	211.6	247.1	206.4	88
0.7	0.2	0.7	1.5	3.8	13.2	35.4	93.0	162.5	331.2	371.9	426.3	342.6	89
3.8	11.3	19.9	31.2	48.4	61.8	92.1	112.2	153.8	111.4	94.8	108.2	102.5	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

	Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Con.							
2	Malignant neoplasms of urinary organs-----188,189	7.4	0.5	0.4	0.4	0.0	0.1	0.0
3	Male-----	10.1	0.4	0.4	0.3	0.0	0.0	0.1
4	Female-----	4.8	0.5	0.5	0.4	0.0	0.1	0.0
5	White-----	7.7	0.6	0.5	0.3	0.0	0.1	0.0
6	Male-----	10.7	0.5	0.4	0.3	0.0	0.0	0.0
7	Female-----	4.9	0.6	0.5	0.4	0.0	0.1	0.0
8	All other-----	4.9	-	0.3	0.4	0.1	0.2	0.1
9	Male-----	6.3	-	0.3	0.4	0.1	-	0.1
10	Female-----	5.5	-	0.3	0.4	0.2	0.4	-
11	Malignant neoplasms of all other and unspecified sites-----170-173,190-199	18.7	1.9	2.8	2.2	2.1	2.7	2.6
12	Male-----	20.0	2.2	2.8	2.4	2.1	3.4	3.2
13	Female-----	17.5	1.5	2.7	1.8	2.1	1.9	2.0
14	White-----	19.2	2.1	2.8	2.2	2.1	2.7	2.7
15	Male-----	20.5	2.4	2.8	2.6	2.2	3.6	3.3
16	Female-----	17.9	1.8	2.8	1.8	2.1	1.0	2.1
17	All other-----	15.5	0.6	2.5	1.7	1.8	2.4	1.8
18	Male-----	16.3	1.0	2.7	1.3	1.2	2.5	2.5
19	Female-----	14.6	0.3	2.2	2.1	2.4	2.3	1.3
20	Leukemia-----204-207	7.2	1.7	3.5	3.6	2.1	2.0	1.7
21	Male-----	8.4	1.5	3.8	3.9	2.5	2.7	2.1
22	Female-----	6.0	1.9	3.1	3.2	1.7	1.3	1.2
23	White-----	7.5	1.8	3.8	3.9	2.2	2.1	1.7
24	Male-----	8.8	1.6	4.3	4.2	2.5	2.8	2.2
25	Female-----	6.3	2.1	3.5	3.6	1.8	1.3	1.2
26	All other-----	4.4	1.1	1.8	1.9	2.0	1.8	1.4
27	Male-----	5.1	1.3	1.5	2.4	2.6	2.5	1.3
28	Female-----	3.7	1.0	2.1	1.5	1.4	1.2	1.5
29	Other neoplasms of lymphatic and hematopoietic tissues-----200-203,208,209	9.0	0.3	0.3	0.8	0.8	1.5	2.2
30	Male-----	10.3	0.2	0.5	0.8	1.1	1.9	2.9
31	Female-----	7.8	0.4	0.2	0.3	0.4	1.1	1.6
32	White-----	9.4	0.3	0.4	0.6	0.8	1.5	2.4
33	Male-----	10.7	0.2	0.5	0.8	1.1	1.9	3.1
34	Female-----	8.2	0.4	0.2	0.3	0.4	1.1	1.7
35	All other-----	8.4	0.2	0.2	0.6	0.7	1.2	1.4
36	Male-----	8.0	-	0.2	0.5	0.9	1.4	2.0
37	Female-----	4.9	0.3	0.2	0.2	0.5	1.1	0.8
38	Benign neoplasms and neoplasms of unspecified nature-----210-239	2.3	2.0	0.4	0.4	0.4	0.5	0.6
39	Male-----	2.2	2.0	0.5	0.5	0.4	0.5	0.6
40	Female-----	2.4	1.9	0.4	0.4	0.3	0.5	0.6
41	White-----	2.3	1.8	0.4	0.4	0.3	0.5	0.6
42	Male-----	2.2	1.8	0.5	0.4	0.4	0.4	0.6
43	Female-----	2.3	1.9	0.4	0.4	0.3	0.5	0.6
44	All other-----	2.7	2.6	0.5	0.5	0.5	0.6	0.7
45	Male-----	2.2	2.9	0.4	0.8	0.5	0.8	0.9
46	Female-----	3.1	2.3	0.7	0.2	0.5	0.5	0.6
47	Diabetes mellitus-----250	19.1	0.3	0.1	0.2	0.3	0.4	1.0
48	Male-----	15.9	0.3	0.1	0.2	0.2	0.3	0.9
49	Female-----	22.1	0.3	0.1	0.1	0.4	0.5	1.2
50	White-----	18.4	0.3	0.1	0.2	0.3	0.4	0.9
51	Male-----	15.7	0.3	0.1	0.2	0.2	0.3	0.8
52	Female-----	21.0	0.3	0.2	0.2	0.4	0.4	1.1
53	All other-----	23.6	0.3	0.1	0.0	0.5	0.7	1.7
54	Male-----	17.3	0.3	0.2	0.1	0.4	0.6	1.5
55	Female-----	29.5	0.3	0.1	-	0.5	0.9	1.8
56	Avitaminoses and other nutritional deficiencies-----260-269	1.3	5.6	0.3	0.1	0.0	0.0	0.1
57	Male-----	1.2	6.8	0.4	0.1	0.0	0.0	0.1
58	Female-----	1.3	4.4	0.2	0.0	0.1	0.0	0.1
59	White-----	1.2	3.2	0.2	0.0	0.1	0.0	0.1
60	Male-----	1.1	4.2	0.2	0.1	0.0	0.0	0.1
61	Female-----	1.3	2.1	0.2	0.0	0.1	0.0	0.1
62	All other-----	1.9	17.0	1.1	0.2	0.0	0.0	0.1
63	Male-----	2.0	18.8	1.5	0.2	-	-	0.1
64	Female-----	1.7	15.2	0.6	0.1	0.1	0.1	0.1
65	Anemias-----280-285	1.6	1.8	0.8	0.4	0.4	0.5	0.6
66	Male-----	1.6	1.6	0.8	0.4	0.4	0.5	0.7
67	Female-----	1.7	1.9	0.7	0.4	0.4	0.4	0.6
68	White-----	1.5	1.0	0.4	0.3	0.2	0.3	0.3
69	Male-----	1.4	0.8	0.5	0.3	0.2	0.3	0.3
70	Female-----	1.6	1.3	0.3	0.2	0.3	0.3	0.2
71	All other-----	2.8	5.1	2.3	1.4	1.4	1.4	3.4
72	Male-----	2.9	5.4	2.3	1.3	1.8	1.6	3.4
73	Female-----	2.8	4.9	2.6	1.5	1.1	1.3	3.3
74	Meningitis-----320	0.9	15.8	1.8	0.3	0.2	0.2	0.1
75	Male-----	1.0	17.3	2.1	0.3	0.2	0.2	0.1
76	Female-----	0.7	14.2	1.5	0.3	0.1	0.1	0.1
77	White-----	0.7	12.6	1.6	0.3	0.2	0.2	0.1
78	Male-----	0.8	14.5	1.9	0.3	0.2	0.2	0.1
79	Female-----	0.5	10.6	1.2	0.2	0.1	0.1	0.0
80	All other-----	2.1	30.3	3.1	0.3	0.3	0.5	0.3
81	Male-----	2.4	30.3	3.5	0.3	0.3	0.4	0.3
82	Female-----	1.8	30.4	2.7	0.4	0.3	0.2	0.3
83	Major cardiovascular diseases-----390-448	501.7	16.8	2.4	1.5	2.0	4.1	6.3
84	Male-----	538.6	17.1	2.6	1.4	2.1	4.8	6.6
85	Female-----	447.5	16.4	2.1	1.7	1.9	3.3	6.0
86	White-----	514.2	14.9	2.1	1.4	1.8	3.4	5.2
87	Male-----	573.7	15.6	2.4	1.2	1.9	4.2	5.5
88	Female-----	457.4	14.2	1.9	1.5	1.6	2.6	5.0
89	All other-----	412.4	25.4	3.4	2.3	3.4	8.2	13.7
90	Male-----	449.1	24.2	3.9	2.1	3.4	8.6	14.2
91	Female-----	378.2	26.5	2.9	2.5	3.4	7.8	13.3

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1969-Con.

gory numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.2	0.3	0.8	1.8	4.0	7.6	13.2	22.0	32.5	46.3	60.6	74.8	92.4	1
0.2	0.3	0.9	2.5	5.8	11.2	20.1	33.7	50.7	74.6	96.4	116.9	129.4	2
0.2	0.3	0.7	1.1	2.5	4.2	6.9	11.6	17.5	25.2	35.9	47.1	69.7	3
0.2	0.3	0.8	1.8	3.9	7.4	12.8	21.7	32.1	46.7	62.4	76.8	98.7	4
0.2	0.3	1.0	2.5	5.8	11.2	19.7	33.6	50.5	75.9	100.0	121.3	139.2	5
0.2	0.2	0.6	1.1	2.2	3.8	6.5	11.2	16.9	25.2	36.6	48.0	74.4	6
0.4	0.5	1.1	2.0	4.3	9.2	17.6	25.2	38.5	40.6	59.3	49.4	41.8	7
0.4	0.6	0.8	2.8	5.8	11.0	24.7	34.9	52.6	58.6	54.7	66.4	60.7	8
0.5	0.4	1.3	1.4	3.0	7.7	11.3	16.4	21.9	26.4	26.4	34.7	27.5	9
3.3	4.9	8.0	11.9	18.2	27.7	40.6	55.0	72.1	88.3	102.7	119.8	168.5	10
3.9	5.6	8.6	12.8	19.8	31.3	48.1	67.5	84.0	108.2	116.3	130.1	180.2	11
2.8	4.3	7.3	11.1	16.7	24.3	33.8	43.9	62.1	75.5	83.3	115.1	161.3	12
3.4	5.1	7.9	11.6	17.7	27.0	39.4	53.9	69.8	86.0	103.3	122.2	178.0	13
4.0	5.7	8.6	12.3	19.6	30.7	46.6	66.3	82.5	105.9	116.5	135.4	185.0	14
2.7	4.4	7.5	10.9	16.0	23.6	32.7	42.9	59.3	71.3	94.3	114.9	168.8	15
3.0	3.9	8.0	14.3	22.1	33.7	52.8	67.1	96.9	119.6	94.7	90.8	92.2	16
2.8	4.9	8.5	16.9	21.5	37.3	62.8	80.8	99.3	137.6	114.8	93.4	90.2	17
3.2	3.1	7.6	12.0	22.8	30.8	44.0	54.7	84.4	105.0	90.5	88.8	93.6	18
1.7	2.2	2.9	3.5	4.4	6.2	10.0	14.0	22.5	34.9	46.7	59.1	74.1	19
2.3	2.4	3.2	4.2	5.0	7.8	12.6	18.4	29.1	47.7	63.9	76.5	94.9	20
1.1	2.0	2.6	3.0	3.8	4.7	7.7	10.1	17.0	25.3	34.9	47.6	61.5	21
1.7	2.1	2.8	3.6	4.3	6.2	9.8	14.2	22.5	35.4	48.5	61.9	80.6	22
2.3	2.4	3.2	4.5	5.1	7.9	12.4	18.6	29.2	48.5	66.2	80.4	104.7	23
1.1	1.9	2.5	3.0	3.6	4.7	7.5	10.2	17.0	25.8	36.3	49.9	66.2	24
1.4	2.6	3.2	2.8	4.8	6.4	11.6	12.5	22.6	27.5	26.1	24.1	21.3	25
1.9	2.6	3.3	5.2	4.5	7.7	14.4	15.7	28.3	37.6	36.7	32.9	26.2	26
1.0	2.6	3.1	2.5	5.1	5.3	9.1	9.6	17.3	19.4	18.4	17.3	17.5	27
2.6	3.1	4.0	5.5	8.0	12.5	18.7	26.3	36.2	48.8	54.2	58.5	62.0	28
3.6	3.9	5.4	7.1	9.7	15.4	23.2	31.7	42.9	59.8	68.9	69.4	58.9	29
1.7	2.2	2.7	4.0	6.3	9.7	14.5	21.5	30.6	40.6	44.1	51.3	47.8	30
2.7	3.0	4.0	5.5	7.9	12.3	18.3	26.1	35.8	48.8	58.6	60.2	55.4	31
3.7	3.9	5.5	7.1	9.5	15.4	22.6	31.2	42.2	59.0	70.4	70.7	63.4	32
1.7	2.2	2.6	4.0	6.3	9.3	14.4	21.7	30.5	41.3	45.4	53.5	50.8	33
1.9	3.1	4.0	5.8	9.0	14.4	21.9	28.1	40.0	47.9	38.0	36.8	24.1	34
2.6	4.2	5.3	7.8	11.9	15.4	28.3	36.9	49.6	70.1	50.8	55.3	28.2	35
1.3	2.2	2.9	4.2	6.4	13.6	16.2	20.1	31.2	30.3	28.7	22.4	22.5	36
0.6	1.0	1.4	1.9	2.6	3.3	4.5	6.1	8.0	8.6	11.4	13.2	20.5	37
0.5	0.8	1.0	1.4	2.3	2.9	4.8	6.6	8.7	9.4	14.1	15.4	18.4	38
0.7	1.1	1.7	2.4	3.0	3.7	4.2	5.6	7.3	8.0	9.5	11.8	21.8	39
0.6	0.9	1.3	1.6	2.3	3.1	4.2	5.8	7.6	8.3	11.1	13.0	21.6	40
0.5	0.8	1.1	1.3	2.1	2.7	4.5	6.4	8.4	9.3	14.2	15.7	19.6	41
0.6	1.0	1.4	1.9	2.5	3.5	3.9	5.2	6.9	7.6	9.0	11.3	22.8	42
0.8	1.6	2.1	4.2	5.4	5.2	7.5	9.1	11.9	12.9	14.2	15.5	11.3	43
0.5	1.3	0.3	1.8	4.0	4.9	7.3	8.1	11.4	11.5	13.3	11.8	9.8	44
1.0	1.9	3.5	6.2	6.7	5.5	6.7	7.7	9.9	12.3	13.9	18.4	12.5	45
2.0	3.2	4.7	6.2	9.9	16.6	27.8	48.2	78.9	120.3	168.1	215.9	288.0	46
2.1	3.5	5.4	6.8	10.8	16.4	27.4	44.8	75.6	106.2	155.0	192.9	225.9	47
1.9	2.8	4.0	5.5	9.0	16.7	28.1	51.3	83.2	130.6	177.3	231.1	284.1	48
1.8	3.0	3.8	4.7	8.1	13.4	23.1	40.7	70.0	113.0	165.2	218.0	276.4	49
1.8	3.2	4.4	5.4	9.6	14.5	24.8	40.8	69.4	102.0	154.4	197.9	242.2	50
1.7	2.7	3.2	4.1	6.8	12.4	21.5	40.6	70.5	121.1	174.5	231.1	296.4	51
3.5	4.6	11.0	17.7	24.9	46.2	75.0	126.3	175.3	218.2	191.4	190.2	141.8	52
4.0	5.8	15.2	18.7	21.5	35.5	53.4	84.3	118.0	181.1	161.7	139.2	111.5	53
2.9	3.5	9.2	16.8	28.0	55.5	90.3	163.5	226.6	261.7	214.4	206.6	173.8	54
0.1	0.1	0.1	0.3	0.4	0.7	0.9	1.8	2.6	4.9	7.2	16.9	55.0	55
0.1	0.1	0.1	0.3	0.4	0.9	1.0	2.3	3.2	5.6	7.8	17.6	45.5	56
0.0	0.1	0.2	0.3	0.4	0.5	0.8	1.3	2.2	4.4	6.8	16.4	60.2	57
0.1	0.1	0.1	0.2	0.3	0.6	0.8	1.5	2.2	4.2	6.9	16.1	57.4	58
0.0	0.1	0.1	0.2	0.3	0.8	1.0	1.9	2.6	4.9	7.1	17.0	49.4	59
0.1	0.1	0.1	0.2	0.3	0.5	0.7	1.2	1.8	3.7	6.8	15.6	62.0	60
0.3	0.2	0.5	1.2	1.8	1.8	4.4	4.4	7.7	15.1	10.2	25.9	36.2	61
0.1	0.1	0.5	0.7	1.4	2.4	1.8	6.1	8.8	15.3	14.8	25.0	26.2	62
-	0.1	0.6	0.7	1.0	1.2	1.4	2.9	6.6	14.9	6.9	26.5	43.8	63
0.5	0.6	0.4	0.5	0.8	1.0	1.6	2.5	3.9	7.2	11.1	18.8	35.5	64
0.6	0.8	0.3	0.6	0.6	1.0	1.7	2.7	4.6	7.7	13.0	21.5	33.3	65
0.3	0.5	0.5	0.5	0.9	1.1	1.5	2.4	3.4	6.8	9.7	17.1	36.9	66
0.2	0.3	0.2	0.3	0.5	0.9	1.3	2.4	3.7	7.0	11.2	19.4	38.3	67
0.2	0.3	0.1	0.3	0.4	0.9	1.4	2.6	4.3	7.6	13.3	22.1	36.6	68
0.5	0.2	0.2	0.2	0.6	0.9	1.2	2.3	3.1	6.6	9.9	17.7	39.2	69
3.1	2.9	2.4	2.4	2.7	2.2	4.4	3.9	6.8	9.0	8.9	11.5	13.5	70
3.6	3.4	2.2	3.2	2.1	1.6	4.6	4.4	7.4	8.3	10.2	14.5	9.8	71
2.7	2.5	2.5	2.2	3.3	2.6	4.2	3.4	6.3	9.5	8.0	9.2	16.3	72
0.1	0.3	0.4	0.4	0.6	0.7	0.8	1.2	1.4	1.5	1.6	2.3	1.6	73
0.2	0.3	0.5	0.6	0.8	0.9	1.0	1.7	1.7	1.8	2.2	1.9	2.2	74
0.1	0.2	0.3	0.2	0.4	0.5	0.6	0.7	1.1	1.2	1.1	1.7	1.3	75
0.1	0.2	0.3	0.3	0.4	0.5	0.5	1.1	1.1	1.2	1.4	2.0	1.7	76
0.1	0.2	0.3	0.5	0.5	0.6	0.6	1.5	1.4	1.4	2.0	1.8	2.3	77
0.1	0.1	0.2	0.1	0.3	0.4	0.3	0.7	0.9	1.0	0.9	2.2	1.3	78
0.3	0.8	1.1	1.3	2.1	2.7	3.8	2.6	4.2	5.3	3.6	6.3	1.4	79
0.4	1.1	1.8	1.8	2.9	3.7	4.3	4.1	5.1	6.4	3.9	2.6	1.6	80
0.1	0.6	0.6	0.8	1.3	1.9	3.2	1.3	3.3	4.5	3.4	9.2	1.3	81
11.7	25.2	58.6	118.8	218.1	380.0	631.9	1,042.3	1,684.0	2,783.9	4,241.8	6,961.6	14,087.4	82
13.7	31.1	79.9	172.7	328.6	573.4	942.9	1,519.3	2,314.2	3,713.5	5,271.7	7,903.8	13,788.8	83
9.7	19.5	38.1	67.7	114.9	200.1	346.9	621.2	1,158.0	2,082.8	3,532.2	6,341.1	14,270.6	84
8.6	18.6	47.2	101.2	185.7	348.3	591.3	996.0	1,589.3	2,691.5	4,284.1	7,105.2	14,974.4	85
10.5	23.9	68.5	154.4	306.9	545.5	910.9	1,483.4	2,247.5	3,631.2	5,317.7	8,118.1	14,795.3	86
6.8	13.5	26.5	50.0	90.9	165.5	297.5	547.8	1,042.7	1,997.4	3,540.2	6,447.2	15,060.4	87
34.3	74.0	143.2	261.3	414.3	676.2	1,021.9	1,628.9	2,724.3	4,019.9	3,975.9	5,196.6	6,972.3	88
38.3	88.5	172.3	332.5	526.5	864.5	1,257.3	1,889.5	3,005.1	4,783.4	4,743.8	5,530.3	6,709.8	89
30.8	61.6	118.7	201.8	317.2	512.9	813.5	1,391.1	2,461.5	3,403.5	3,433.9	4,337.8	7,172.5	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Major cardiovascular diseases—Con.								
1	Diseases of heart-----390-398,402,404,410-429	366.1	11.0	1.4	0.8	1.1	2.4	3.7
2	Male-----	428.3	10.9	1.5	0.8	1.2	2.9	4.2
3	Female-----	306.9	11.1	1.3	1.0	1.1	1.9	3.2
4	White-----	378.2	9.7	1.2	0.7	0.9	1.9	2.9
5	Male-----	443.9	9.9	1.3	0.6	1.0	2.6	3.5
6	Female-----	315.4	9.6	1.2	0.8	0.8	1.3	2.4
7	All other-----	280.1	16.9	2.3	1.7	2.4	5.4	9.1
8	Male-----	316.1	15.9	2.6	1.4	2.1	5.4	9.7
9	Female-----	246.7	17.8	2.0	1.9	2.6	5.5	8.6
10	Active rheumatic fever and chronic rheumatic heart disease-----390-398	7.6	0.1	0.1	0.2	0.4	0.6	0.9
11	Male-----	7.2	0.3	0.1	0.2	0.3	0.7	0.9
12	Female-----	8.1	-	0.1	0.2	0.4	0.5	0.9
13	White-----	7.9	0.1	0.1	0.1	0.2	0.4	0.7
14	Male-----	7.4	0.2	0.1	0.1	0.2	0.6	0.8
15	Female-----	8.4	-	0.1	0.1	0.2	0.2	0.6
16	All other-----	5.6	0.3	0.4	0.7	1.3	1.8	2.4
17	Male-----	5.3	0.6	0.4	0.5	1.0	1.5	1.5
18	Female-----	5.8	-	0.3	0.9	1.6	2.1	3.2
19	Hypertensive heart disease-----402	4.4	-	-	0.0	0.0	0.0	0.1
20	Male-----	3.8	-	-	0.0	-	0.1	0.1
21	Female-----	5.1	-	-	0.0	0.0	0.0	0.0
22	White-----	3.9	-	-	0.0	0.0	0.0	0.1
23	Male-----	3.2	-	-	0.0	-	0.0	0.1
24	Female-----	4.5	-	-	0.0	0.0	-	0.0
25	All other-----	6.5	-	-	-	-	0.2	0.2
26	Male-----	6.0	-	-	-	-	0.2	0.2
27	Female-----	9.0	-	-	-	-	0.1	0.2
28	Hypertensive heart and renal disease-----404	3.6	-	-	-	0.0	0.0	0.0
29	Male-----	3.5	-	-	-	-	0.0	0.0
30	Female-----	3.8	-	-	-	0.0	-	0.0
31	White-----	3.5	-	-	-	0.0	-	0.0
32	Male-----	3.3	-	-	-	-	-	0.0
33	Female-----	3.6	-	-	-	0.0	-	-
34	All other-----	4.8	-	-	-	-	0.6	0.1
35	Male-----	5.0	-	-	-	-	0.1	-
36	Female-----	4.6	-	-	-	-	-	0.1
37	Ischemic heart disease-----410-413	331.7	0.7	0.0	0.1	0.1	0.3	1.0
38	Male-----	392.7	0.6	0.0	0.1	0.1	0.4	1.3
39	Female-----	275.6	0.7	0.0	0.1	0.1	0.2	0.6
40	White-----	345.4	0.7	0.0	0.1	0.1	0.3	0.9
41	Male-----	410.2	0.7	0.0	0.1	0.1	0.3	1.1
42	Female-----	285.4	0.8	0.0	0.1	0.1	0.2	0.5
43	All other-----	234.5	0.3	-	0.1	0.2	0.8	2.4
44	Male-----	266.5	0.3	-	0.2	0.3	1.0	3.1
45	Female-----	204.8	0.3	-	0.1	0.1	0.7	1.8
46	Acute myocardial infarction-----410	179.1	0.3	0.0	0.1	0.1	0.2	0.7
47	Male-----	254.1	0.3	0.0	0.1	0.1	0.3	0.9
48	Female-----	126.7	0.4	-	0.0	0.0	0.1	0.5
49	White-----	189.6	0.3	0.0	0.1	0.0	0.1	0.5
50	Male-----	249.2	0.3	0.0	0.1	0.0	0.2	0.8
51	Female-----	132.8	0.4	-	0.1	0.0	0.1	0.3
52	All other-----	105.7	0.3	-	0.0	0.1	0.6	1.5
53	Male-----	125.0	0.3	-	0.1	0.1	0.7	1.5
54	Female-----	85.9	0.3	-	-	0.1	0.4	1.5
55	Other acute and subacute forms of ischemic heart disease-----411	2.3	0.0	-	-	0.0	0.0	0.0
56	Male-----	3.0	-	-	-	0.0	0.0	0.0
57	Female-----	1.7	0.1	-	-	-	-	0.0
58	White-----	2.2	0.0	-	-	0.0	-	0.0
59	Male-----	2.8	-	-	-	0.0	-	0.0
60	Female-----	1.6	0.1	-	-	-	-	0.0
61	All other-----	3.1	-	-	-	0.0	0.0	0.1
62	Male-----	3.8	-	-	-	0.1	0.1	-
63	Female-----	2.4	-	-	-	-	-	0.1
64	Chronic ischemic heart disease-----412	150.2	0.3	0.0	0.0	0.0	0.1	0.3
65	Male-----	155.6	0.3	0.0	0.0	0.0	0.1	0.4
66	Female-----	145.2	0.3	0.0	0.0	0.0	0.1	0.1
67	White-----	153.4	0.3	0.0	-	0.0	0.1	0.2
68	Male-----	159.0	0.3	0.0	-	0.0	0.1	0.3
69	Female-----	149.0	0.4	0.0	-	0.0	0.1	0.1
70	All other-----	127.7	-	-	0.1	0.0	0.2	0.3
71	Male-----	137.6	-	-	0.1	0.1	0.2	1.6
72	Female-----	118.4	-	-	0.1	-	0.3	0.3
73	Angina pectoris-----413	0.1	-	-	-	-	-	-
74	Male-----	0.1	-	-	-	-	-	-
75	Female-----	0.1	-	-	-	-	-	-
76	White-----	0.1	-	-	-	-	-	-
77	Male-----	0.1	-	-	-	-	-	-
78	Female-----	0.1	-	-	-	-	-	-
79	All other-----	0.1	-	-	-	-	-	-
80	Male-----	0.1	-	-	-	-	-	-
81	Female-----	0.1	-	-	-	-	-	-
82	Chronic disease of endocardium and other myocardial insufficiency-----424,428	3.7	1.0	0.1	0.1	0.1	0.2	0.2
83	Male-----	3.7	1.1	0.2	0.1	0.1	0.2	0.3
84	Female-----	3.7	0.9	0.1	0.1	0.0	0.1	0.2
85	White-----	3.7	0.8	0.1	0.0	0.1	0.2	0.2
86	Male-----	3.7	1.0	0.1	0.0	0.1	0.2	0.3
87	Female-----	3.7	0.6	0.1	0.1	0.0	0.1	0.2
88	All other-----	4.0	1.9	0.2	0.2	0.2	0.2	0.5
89	Male-----	4.4	1.6	0.3	0.2	0.2	0.2	0.7
90	Female-----	3.6	2.3	0.2	0.1	0.2	0.2	0.2

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1969-Con.

Category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
7.1	16.6	43.2	83.7	177.7	313.8	521.8	841.5	1,506.5	2,066.5	3,006.5	4,726.0	9,162.0	1
9.0	23.2	65.0	146.5	284.7	496.9	808.3	1,263.6	1,842.9	2,626.4	3,842.1	5,491.7	9,207.3	2
5.3	10.3	22.4	43.7	77.8	143.6	259.2	468.8	858.4	1,499.7	2,430.6	4,221.7	9,134.2	3
5.3	12.8	36.4	83.4	164.8	296.0	500.1	810.7	1,255.1	2,016.9	3,039.5	4,854.5	9,746.6	4
7.0	16.5	57.8	136.1	272.9	482.4	796.0	1,251.2	1,818.3	2,791.6	3,897.1	5,651.2	9,889.3	5
3.6	7.2	15.7	32.7	62.9	121.4	228.0	422.6	788.8	1,448.1	2,450.0	4,305.6	9,642.0	6
20.9	45.0	93.6	171.1	291.0	480.5	730.0	1,162.7	1,863.1	2,686.0	3,614.9	5,394.3	4,470.9	7
24.6	60.5	123.4	237.0	392.8	637.9	928.5	1,392.4	2,097.8	3,307.0	5,210.2	7,725.0	4,341.0	8
17.5	31.7	69.1	127.0	202.7	343.8	554.3	953.9	1,644.9	2,209.0	3,192.0	4,570.0	4,570.0	9
1.5	2.4	3.9	6.0	9.4	14.0	20.4	27.3	30.4	33.4	32.1	35.9	44.4	10
1.5	2.3	3.8	6.3	9.8	14.4	20.6	27.9	29.2	33.7	33.1	33.1	39.4	11
1.5	2.5	4.0	5.6	9.0	13.7	20.2	26.7	31.5	33.1	31.4	37.8	47.3	12
1.3	2.1	3.5	5.7	9.4	14.2	20.6	28.2	31.1	33.9	33.4	37.2	47.3	13
1.4	2.1	3.5	6.1	9.7	14.6	20.8	28.7	29.8	33.8	33.9	34.2	42.7	14
1.2	2.1	3.4	5.3	9.1	13.8	20.4	27.8	32.1	33.9	33.0	39.2	50.1	15
3.4	4.6	6.9	8.4	9.4	12.3	18.5	17.5	23.8	27.2	17.5	20.1	20.6	16
2.7	3.9	5.8	8.8	10.7	12.2	18.7	19.8	23.2	33.1	24.2	21.1	16.4	17
4.0	5.3	7.8	8.0	8.4	12.5	18.4	15.4	24.3	22.4	12.6	19.4	23.8	18
0.2	0.3	0.9	1.6	2.5	3.4	5.4	9.5	15.2	23.0	36.9	59.5	112.5	19
0.3	0.4	1.0	1.8	2.7	4.3	7.2	11.1	16.2	24.5	31.6	45.6	79.2	20
0.1	0.3	0.7	1.5	2.3	2.6	5.6	8.2	14.3	21.9	40.6	68.6	132.9	21
0.1	0.1	0.3	0.7	1.5	2.1	4.3	7.0	11.6	19.2	34.4	57.7	112.6	22
0.2	0.1	0.4	0.9	1.8	2.6	5.5	8.5	13.2	20.5	29.2	43.8	78.3	23
0.0	0.1	0.3	0.5	1.2	1.6	3.6	5.7	10.2	18.3	38.0	68.7	133.0	24
1.3	1.9	4.7	8.9	11.2	15.9	24.5	35.9	54.4	73.7	66.7	81.6	112.1	25
1.6	2.3	6.5	9.1	11.2	20.3	24.2	37.5	47.4	76.4	59.4	65.8	85.2	26
1.0	1.5	3.2	8.7	11.2	12.1	24.8	34.4	60.5	71.1	72.4	93.9	132.5	27
0.1	0.1	0.4	0.5	1.0	1.7	2.7	5.1	9.6	16.2	30.1	66.7	152.4	28
0.0	0.1	0.4	0.8	1.2	2.1	3.4	6.0	11.0	19.9	35.5	75.4	152.7	29
0.1	0.1	0.4	0.5	0.8	1.4	2.1	4.2	8.4	13.4	26.4	61.0	152.3	30
0.0	0.0	0.1	0.3	0.5	1.0	1.9	3.8	7.5	13.9	28.9	67.1	160.9	31
-	0.0	0.1	0.3	0.7	1.3	2.3	4.6	9.1	17.4	33.2	76.2	165.9	32
0.4	0.7	2.4	2.7	5.0	8.8	11.4	16.8	32.3	52.9	61.7	65.8	73.8	33
0.4	0.6	2.8	3.5	6.0	10.3	14.2	20.3	30.9	52.2	61.7	65.8	73.8	34
0.4	0.7	2.0	2.1	4.0	7.4	8.9	17.4	33.6	40.8	32.8	59.2	92.5	35
2.9	10.2	32.3	76.7	151.7	275.3	484.1	758.6	1,193.3	1,904.2	2,784.2	4,355.6	8,400.2	37
4.2	16.1	52.4	126.1	253.1	449.8	737.2	1,162.7	1,709.6	2,629.8	3,562.8	5,092.4	8,470.0	38
1.6	4.5	13.2	30.0	56.9	115.0	213.9	401.8	762.4	1,364.8	2,233.8	3,870.4	8,357.3	39
2.1	8.1	28.5	70.0	142.9	262.8	449.9	732.4	1,155.8	1,871.3	2,824.6	4,467.0	8,958.9	40
3.3	13.3	48.4	119.5	246.2	441.4	732.4	1,159.4	1,698.8	2,611.9	3,649.0	5,256.3	9,135.0	41
1.0	3.0	9.2	22.4	45.6	95.5	188.5	363.4	706.3	1,324.1	2,258.1	3,954.2	8,841.4	42
8.6	25.7	60.7	131.1	228.1	391.9	608.7	991.9	1,601.6	2,342.3	3,505.0	5,284.2	8,914.2	43
11.3	38.2	84.3	185.4	316.2	531.2	784.2	1,197.1	1,822.4	2,862.4	4,221.9	6,376.3	9,793.4	44
6.3	14.9	40.8	87.4	151.8	271.0	453.3	805.5	1,396.7	1,824.4	1,934.5	2,765.5	4,006.3	45
1.9	7.2	23.3	58.3	111.1	196.8	321.4	502.5	747.1	1,091.0	1,419.8	1,873.6	2,807.1	46
2.9	11.7	38.7	95.2	189.8	330.9	525.4	794.2	1,110.4	1,579.9	1,938.5	2,367.6	3,177.8	47
1.0	2.6	8.6	19.5	37.5	72.1	134.5	245.1	443.9	727.7	1,062.1	1,548.3	2,579.8	48
1.5	6.1	21.8	54.2	109.9	195.5	325.2	505.5	749.1	1,099.8	1,464.8	1,937.0	2,899.2	49
2.3	10.2	37.5	93.7	191.6	354.6	537.8	813.8	1,135.3	1,605.6	2,008.4	2,443.6	3,443.6	50
0.6	2.1	6.5	16.2	32.8	65.2	125.9	233.9	429.5	726.1	1,091.4	1,593.0	2,729.9	51
5.1	15.3	34.6	75.3	121.5	209.3	304.1	471.4	724.7	989.7	1,284.7	1,824.5	2,644.5	52
7.1	23.7	48.6	108.1	174.1	295.1	404.3	591.9	852.9	1,245.2	1,735.9	2,273.7	3,308.2	53
3.2	8.1	22.8	44.2	75.9	134.9	215.4	362.2	606.3	748.8	701.7	957.1	1,231.3	54
0.1	0.2	0.6	1.1	1.9	2.8	4.6	6.3	8.7	12.3	15.6	23.7	43.4	55
0.0	0.3	0.9	1.7	3.0	4.1	7.5	9.7	12.1	18.0	22.1	28.3	45.3	56
0.1	0.1	0.4	0.5	0.9	1.2	1.9	3.4	5.8	8.0	11.1	20.6	42.3	57
0.0	0.2	0.6	0.8	1.4	2.3	4.0	5.6	7.6	11.2	14.9	23.8	45.6	58
0.1	0.3	0.9	1.3	2.3	3.9	6.8	8.9	10.8	16.7	20.9	28.4	49.0	59
0.1	0.1	0.3	0.3	0.5	0.7	1.4	2.7	5.0	7.0	10.7	20.8	43.5	60
0.3	0.4	1.2	3.4	6.0	5.7	10.4	13.8	20.1	27.5	23.8	21.8	26.2	61
0.3	0.5	1.0	5.1	8.8	6.5	14.4	17.2	25.4	35.0	35.2	27.6	19.7	62
0.2	0.3	1.4	1.9	5.6	5.1	6.9	10.7	15.3	21.4	15.5	17.3	31.3	63
0.9	2.8	8.4	19.3	38.7	75.8	137.9	249.5	437.2	800.2	1,549.1	2,457.2	5,547.1	64
1.2	4.1	12.7	29.1	60.2	114.6	203.9	358.5	586.6	1,031.0	1,621.2	2,695.1	5,244.9	65
0.6	1.5	4.2	10.0	18.5	39.6	77.5	153.2	312.5	628.6	1,160.1	2,300.6	5,732.4	66
0.6	1.8	6.1	15.0	31.6	65.0	121.7	224.8	396.7	759.6	1,344.1	2,505.1	5,911.5	67
0.9	2.9	10.0	24.5	52.2	102.8	187.5	338.2	552.2	988.7	1,618.8	2,760.1	5,640.1	68
0.3	0.8	2.4	5.9	12.1	29.5	61.2	126.6	271.6	590.5	1,155.4	2,339.4	6,065.2	69
3.3	10.0	24.8	54.3	100.6	176.7	294.1	506.5	856.1	1,344.3	1,895.7	1,869.5	2,682.0	70
3.9	14.1	34.6	70.0	133.3	229.6	365.3	598.1	942.6	1,581.5	1,649.2	1,975.0	2,465.6	71
2.8	6.5	16.6	41.3	72.3	130.6	231.1	432.0	775.1	1,152.2	1,217.2	1,787.8	2,741.3	72
-	-	0.0	0.1	0.1	0.1	0.1	0.3	0.4	0.7	0.7	1.1	2.5	73
-	-	0.0	0.1	0.1	0.1	0.1	0.3	0.6	0.9	1.0	1.3	2.0	74
-	-	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.5	1.0	2.8	75
-	-	0.0	0.0	0.1	0.1	0.1	0.3	0.3	0.7	0.7	1.2	2.6	76
-	-	0.0	0.0	0.2	0.1	0.1	0.3	0.4	0.5	0.9	1.4	2.3	77
-	-	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.5	0.5	1.0	2.8	78
-	-	0.1	0.1	0.1	0.1	0.1	0.1	0.7	0.8	0.7	0.6	1.4	79
-	-	0.2	0.2	0.2	0.2	0.2	0.2	1.6	0.6	1.6	1.0	2.5	80
-	-	-	-	-	0.2	-	-	-	1.0	-	-	-	81
0.4	0.5	0.9	1.5	1.8	2.9	4.7	6.5	9.5	16.1	25.8	50.0	134.7	82
0.4	0.6	1.3	1.8	2.3	4.0	6.2	9.0	12.2	18.7	30.1	53.2	124.7	83
0.3	0.5	0.5	1.3	1.4	1.9	3.2	4.4	7.3	14.2	22.9	47.9	140.8	84
0.3	0.3	0.7	1.3	1.6	2.6	4.1	5.0	8.7	14.9	25.3	49.8	141.3	85
0.3	0.4	1.0	1.5	2.1	3.6	5.6	8.4	11.4	17.5	29.5	52.1	130.8	86
0.2	0.3	0.4	1.0	1.1	1.7	2.8	3.9	6.4	13.1	22.4	48.3	147.4	87
1.0	1.8	2.8	3.7	4.0	5.7	9.5	12.2	19.1	31.9	32.3	52.3	81.6	88
0.9	2.1	4.2	4.0	4.3	6.1	12.3	15.7	20.6	35.0	36.7	64.5	82.0	89
1.1	1.5	1.7	3.5	3.7	5.7	7.1	9.1	17.6	29.4	29.3	42.9	61.3	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Major cardiovascular diseases--Con.								
Diseases of heart--Con.								
1	ALL other forms of heart diseases-----420-425, 425-427, 429	15.0	9.2	1.1	0.5	0.6	1.3	1.5
2	Male-----	17.4	9.0	1.1	0.4	0.6	1.6	1.6
3	Female-----	12.7	9.4	1.1	0.6	0.6	1.0	1.4
4	White-----	13.9	8.1	1.0	0.5	0.6	1.1	1.2
5	Male-----	16.1	8.0	1.0	0.4	0.6	1.4	1.3
6	Female-----	11.8	8.1	1.0	0.6	0.5	0.8	1.2
7	All other-----	22.8	14.3	1.7	0.7	0.7	2.4	3.6
8	Male-----	26.9	15.4	1.9	0.5	0.7	2.4	4.2
9	Female-----	19.0	15.2	1.5	0.9	0.8	2.4	3.1
10	Hypertension-----400, 401, 405	4.2	0.1	-	0.0	0.0	0.0	0.2
11	Male-----	4.4	0.1	-	0.0	0.0	0.0	0.2
12	Female-----	4.0	0.1	-	0.0	0.0	0.0	0.2
13	White-----	3.6	0.0	-	0.0	0.0	0.0	0.1
14	Male-----	3.8	0.1	-	0.0	0.0	0.0	0.1
15	Female-----	3.5	-	-	-	-	0.0	0.1
16	All other-----	8.1	0.3	-	0.1	0.1	0.1	0.8
17	Male-----	8.8	0.3	-	0.1	-	0.2	0.7
18	Female-----	7.4	0.3	-	0.1	0.1	0.1	0.8
19	Cerebrovascular diseases-----450-458	102.6	4.8	0.9	0.6	0.7	1.3	1.9
20	Male-----	95.7	5.1	1.1	0.5	0.8	1.5	1.8
21	Female-----	109.2	4.5	0.7	0.6	0.7	1.2	2.2
22	White-----	102.1	4.2	0.8	0.6	0.7	1.2	1.9
23	Male-----	94.4	4.6	1.0	0.5	0.7	1.3	1.4
24	Female-----	109.5	3.9	0.6	0.7	0.7	1.1	2.1
25	All other-----	106.1	7.4	1.1	0.5	0.8	2.2	2.9
26	Male-----	105.2	7.3	1.3	0.6	1.2	2.5	3.1
27	Female-----	106.9	7.4	0.9	0.4	0.5	1.9	2.8
28	Cerebral hemorrhage-----451	21.4	2.1	0.2	0.2	0.3	0.4	0.7
29	Male-----	20.7	2.0	0.3	0.2	0.3	0.4	0.7
30	Female-----	22.1	2.2	0.2	0.2	0.2	0.3	0.6
31	White-----	20.8	1.7	0.2	0.2	0.2	0.4	0.6
32	Male-----	19.8	1.8	0.3	0.2	0.3	0.4	0.5
33	Female-----	21.7	1.6	0.2	0.2	0.2	0.3	0.6
34	All other-----	26.2	3.9	0.2	0.1	0.5	0.6	1.2
35	Male-----	27.2	2.9	0.2	0.1	0.6	0.7	1.5
36	Female-----	25.3	4.9	0.2	0.1	0.3	0.3	0.9
37	Cerebral thrombosis-----453	29.1	0.1	0.0	0.0	0.0	0.1	0.1
38	Male-----	26.8	0.1	0.1	0.1	0.0	0.1	0.1
39	Female-----	31.3	0.1	0.0	0.0	0.0	0.0	0.1
40	White-----	29.8	0.1	0.0	0.0	0.0	0.1	0.1
41	Male-----	27.1	0.1	0.0	0.1	0.0	0.1	0.1
42	Female-----	32.3	0.1	0.1	0.0	0.0	0.0	0.1
43	All other-----	24.2	-	0.0	0.1	-	0.1	0.2
44	Male-----	24.1	-	0.1	0.1	-	0.2	0.2
45	Female-----	24.2	-	-	-	-	-	0.2
46	Cerebral embolism-----454	0.5	-	-	-	-	-	0.0
47	Male-----	0.4	-	-	-	-	-	-
48	Female-----	0.6	-	-	-	-	-	0.0
49	White-----	0.5	-	-	-	-	-	0.0
50	Male-----	0.4	-	-	-	-	-	-
51	Female-----	0.6	-	-	-	-	-	0.0
52	All other-----	0.3	-	-	-	-	-	-
53	Male-----	0.3	-	-	-	-	-	-
54	Female-----	0.3	-	-	-	-	-	-
55	All other cerebrovascular diseases-----430, 432, 435-438	51.6	2.6	0.6	0.4	0.5	0.9	1.2
56	Male-----	47.7	3.0	0.7	0.3	0.4	0.9	0.9
57	Female-----	55.2	2.2	0.5	0.4	0.5	0.8	1.4
58	White-----	51.0	2.4	0.6	0.4	0.5	0.8	1.1
59	Male-----	46.9	2.7	0.3	0.3	0.4	0.8	0.8
60	Female-----	54.9	2.1	0.4	0.4	0.5	0.7	1.4
61	All other-----	55.4	3.5	0.8	0.4	0.4	1.6	1.6
62	Male-----	53.6	4.5	1.0	0.4	0.5	1.6	1.4
63	Female-----	57.1	2.6	0.7	0.4	0.2	1.6	1.7
64	Arteriosclerosis-----440	16.4	-	-	-	0.0	0.0	0.0
65	Male-----	14.6	-	-	-	0.0	0.0	-
66	Female-----	18.1	-	-	-	0.0	-	0.0
67	White-----	17.3	-	-	-	0.0	0.0	0.0
68	Male-----	15.2	-	-	-	-	0.0	-
69	Female-----	19.3	-	-	-	0.0	-	0.0
70	All other-----	9.8	-	-	-	0.0	-	-
71	Male-----	9.7	-	-	-	0.1	-	-
72	Female-----	9.6	-	-	-	-	-	-
73	Other diseases of arteries, arterioles, and capillaries-----441-448	12.4	0.9	0.1	0.1	0.1	0.2	0.5
74	Male-----	15.6	1.0	0.1	0.1	0.1	0.3	0.6
75	Female-----	9.4	0.8	0.0	0.1	0.1	0.2	0.4
76	White-----	13.0	0.9	0.1	0.1	0.1	0.2	0.4
77	Male-----	16.5	1.0	0.1	0.1	0.2	0.3	0.5
78	Female-----	9.7	0.8	0.1	0.1	0.1	0.2	0.3
79	All other-----	8.4	0.8	0.0	0.1	0.1	0.4	0.9
80	Male-----	9.3	0.6	0.1	0.1	0.1	0.5	0.6
81	Female-----	7.6	1.0	-	0.1	0.1	0.4	1.1
82	Acute bronchitis and bronchiolitis-----466	0.6	12.9	0.9	0.1	0.1	0.0	0.0
83	Male-----	0.7	13.8	1.0	0.2	0.1	0.1	0.1
84	Female-----	0.6	11.9	0.8	0.1	0.0	0.0	0.0
85	White-----	0.6	9.3	0.8	0.1	0.1	0.0	0.0
86	Male-----	0.6	11.0	0.9	0.2	0.1	0.0	0.0
87	Female-----	0.5	7.4	0.6	0.1	0.0	0.1	-
88	All other-----	1.2	29.5	1.6	0.2	0.1	0.1	0.1
89	Male-----	1.3	26.8	1.6	0.2	0.1	0.2	0.1
90	Female-----	1.1	32.4	1.6	0.2	0.1	-	0.1

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1969-Con.

ary numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
2.0	3.1	4.9	7.3	11.4	16.5	23.5	34.5	48.2	73.4	97.3	158.2	317.8	1
2.4	3.8	6.2	9.9	15.5	22.4	33.6	46.9	64.7	101.8	129.0	192.0	341.4	2
1.6	2.5	3.7	4.8	7.5	11.0	14.2	23.5	34.5	52.3	75.5	135.9	303.4	3
1.5	2.1	3.4	5.4	8.8	13.3	20.0	29.5	40.5	65.7	92.8	155.5	325.5	4
1.8	2.6	4.5	7.8	12.3	19.9	29.4	41.6	56.1	90.6	122.2	188.5	349.7	5
1.2	1.7	2.3	5.2	5.5	8.1	11.3	18.9	27.6	47.3	72.6	134.1	311.1	6
6.1	10.3	16.4	22.3	33.3	45.6	57.3	86.4	132.0	177.0	250.3	411.4	711.4	7
7.7	13.3	19.7	28.2	44.8	65.8	74.9	102.0	153.3	247.8	368.3	581.6	891.6	8
4.8	7.8	13.6	17.3	23.5	37.1	41.8	72.1	112.3	120.9	110.3	160.2	253.8	9
0.4	1.1	1.7	2.3	3.1	3.8	4.8	7.0	11.3	20.1	32.6	56.4	116.8	10
0.4	1.1	1.5	2.6	3.5	4.5	5.6	8.2	14.1	26.5	40.0	71.0	154.7	11
0.4	1.1	1.9	2.0	2.7	3.2	4.0	5.9	9.0	15.3	27.5	46.8	105.8	12
0.2	0.3	0.6	0.9	1.5	2.3	3.0	5.1	8.9	17.9	31.6	56.4	120.8	13
0.1	0.4	0.6	0.9	1.7	2.7	3.6	6.2	11.7	23.3	38.5	71.7	140.6	14
0.2	0.3	0.6	0.8	1.3	1.9	2.5	4.1	6.6	13.9	26.8	46.4	108.9	15
2.4	6.6	9.7	14.0	16.8	24.3	21.7	26.4	37.9	49.3	45.2	56.9	84.4	16
2.6	6.5	8.3	17.4	19.4	22.3	25.6	28.8	39.0	66.9	57.8	65.2	95.4	17
2.2	6.7	10.8	11.1	14.5	14.6	18.2	24.2	36.9	55.3	36.2	52.0	77.5	18
3.5	8.8	11.8	19.7	31.8	52.4	86.2	153.7	291.1	558.3	956.6	1,699.1	3,479.0	19
3.8	9.8	11.4	19.9	32.9	56.7	101.1	185.3	345.7	658.9	1,074.3	1,780.4	3,181.2	20
3.3	7.4	12.3	19.5	30.8	46.6	72.5	125.8	245.4	485.0	875.8	1,645.6	3,661.6	21
2.7	4.8	8.7	14.2	24.5	41.2	70.1	131.4	251.9	519.0	943.4	1,720.7	3,684.1	22
2.9	4.1	8.4	14.0	25.5	45.3	65.8	164.5	307.3	618.4	1,089.8	1,813.1	3,589.7	23
2.4	5.4	9.0	14.4	23.5	36.3	57.5	102.3	186.1	447.1	863.3	1,660.6	3,854.7	24
10.1	20.2	35.2	64.0	95.9	158.0	240.5	386.1	716.4	1,086.6	1,114.9	1,434.5	1,834.8	25
10.5	19.1	35.4	71.0	100.0	179.1	271.0	400.0	742.6	1,240.6	1,240.6	1,418.4	1,714.8	26
9.7	21.1	35.1	58.2	92.5	139.6	213.5	372.7	690.4	1,005.0	1,028.7	1,446.9	1,928.3	27
1.0	2.0	3.8	6.8	11.7	19.1	28.9	46.1	73.8	122.9	178.1	284.0	482.8	28
1.1	2.0	4.0	7.4	12.4	21.5	33.9	55.4	85.3	142.0	197.9	292.6	438.0	29
0.8	1.8	3.7	6.4	11.0	16.9	24.3	37.9	64.2	108.4	164.4	278.3	510.3	30
0.7	1.3	2.4	4.2	8.5	14.9	23.8	40.6	65.7	115.4	176.6	286.8	508.6	31
0.8	1.2	2.5	4.3	9.3	16.9	28.0	50.7	76.7	135.5	197.1	295.6	462.2	32
0.6	1.4	2.3	4.0	7.8	13.0	20.0	31.8	56.6	102.1	162.5	281.1	535.6	33
2.8	6.8	14.4	28.6	39.4	59.5	77.6	102.6	162.1	221.6	195.4	248.9	275.9	34
3.8	8.8	16.2	35.8	41.2	66.1	91.6	125.5	174.6	253.5	206.3	252.2	267.2	35
1.8	5.1	12.9	24.2	37.9	61.9	85.3	101.6	180.2	195.5	168.5	240.8	282.5	36
0.2	0.3	0.5	1.3	2.6	6.6	15.0	33.7	77.4	166.6	301.1	539.8	1,161.9	37
0.2	0.3	0.6	1.4	3.1	8.5	18.8	43.0	94.5	197.8	335.6	566.6	1,052.7	38
0.1	0.3	0.4	1.2	2.2	4.8	11.5	25.4	63.1	143.3	277.5	522.2	1,228.9	39
0.1	0.2	0.3	0.9	2.1	5.1	12.2	28.8	67.6	156.8	298.7	550.7	1,239.6	40
0.1	0.2	0.4	1.0	2.4	6.8	15.6	38.4	84.9	180.1	332.5	581.8	1,131.9	41
0.1	0.3	0.5	0.9	1.7	3.6	9.0	20.4	55.2	133.7	275.5	530.6	1,302.1	42
0.6	0.7	1.9	3.9	7.6	20.1	42.0	84.6	184.1	297.2	330.0	405.7	538.3	43
0.8	0.8	2.2	5.0	8.8	24.7	50.5	91.0	193.8	325.6	371.9	397.4	495.1	44
0.4	0.6	1.7	3.0	6.6	16.0	34.5	78.6	174.8	275.1	301.1	412.2	571.3	45
0.0	0.1	0.0	0.1	0.1	0.3	0.5	0.9	1.6	3.0	4.8	7.8	15.3	46
-	0.0	0.0	0.0	0.1	0.3	0.6	1.3	1.8	3.3	5.9	11.8	23.5	47
0.0	0.1	0.0	0.1	0.2	0.4	0.6	1.4	2.8	5.4	8.6	14.3	24.8	48
0.0	0.1	0.0	0.1	0.1	0.3	0.5	0.9	1.7	2.9	4.8	8.0	14.2	49
-	0.0	0.0	0.0	0.1	0.3	0.6	1.2	2.0	3.3	5.7	6.5	12.4	50
0.0	0.1	0.0	0.1	0.2	0.3	0.4	0.5	1.4	2.7	5.6	9.0	15.3	51
-	0.1	0.1	0.1	0.1	0.3	0.5	1.4	1.0	4.5	4.6	5.2	6.4	52
-	-	0.2	-	-	-	1.0	0.7	1.7	-	3.8	6.3	6.2	53
-	0.1	-	0.1	0.1	0.7	0.4	1.0	2.0	5.0	3.4	4.1	5.0	54
2.4	4.3	7.5	11.5	17.4	26.4	41.8	73.1	138.2	266.0	472.6	867.6	1,820.9	55
2.5	3.5	6.8	11.1	17.3	28.4	47.8	85.6	164.0	313.8	536.8	914.7	1,678.8	56
2.3	5.1	8.2	11.9	17.5	26.5	42.4	62.0	116.7	230.4	428.4	856.5	1,908.1	57
1.8	3.2	6.0	9.1	13.8	20.8	33.6	61.1	117.0	243.8	463.2	875.1	1,921.7	58
2.1	2.7	5.5	8.7	13.7	22.3	39.8	74.1	143.7	291.5	526.4	929.1	1,765.2	59
1.6	3.7	6.4	9.4	13.9	19.4	28.1	49.6	94.9	208.7	419.7	840.0	2,011.7	60
6.7	12.6	18.9	31.4	48.8	78.5	120.4	197.5	369.2	563.3	584.8	774.7	1,014.2	61
5.8	9.6	16.9	32.2	50.0	87.2	128.3	203.8	374.3	603.2	656.3	753.3	944.3	62
7.5	15.3	20.6	30.7	47.9	71.0	115.3	191.4	363.5	529.4	535.6	789.8	1,067.5	63
0.0	0.0	0.1	0.3	0.6	1.6	3.9	9.9	25.1	59.9	138.2	322.8	1,075.6	64
0.0	0.1	0.1	0.4	0.7	2.2	5.2	13.4	31.7	75.4	157.0	363.9	999.6	65
0.0	0.0	0.0	0.2	0.5	1.1	2.8	6.8	19.5	49.4	125.3	295.7	1,122.3	66
0.0	0.0	0.1	0.2	0.6	1.3	3.6	8.9	22.7	56.4	138.8	331.2	1,152.8	67
0.0	0.1	0.1	0.3	0.6	1.7	4.9	12.3	29.0	71.6	157.7	375.5	1,079.3	68
0.0	-	0.0	0.1	0.5	0.8	2.3	5.9	17.5	45.1	125.8	302.5	1,195.1	69
0.1	0.1	0.2	1.0	1.0	4.7	7.7	19.9	50.5	107.6	151.7	219.0	455.3	70
-	-	0.2	1.3	1.4	6.3	8.0	24.1	59.6	124.2	149.2	235.5	439.3	71
0.1	0.1	0.1	0.7	0.6	3.3	3.3	7.5	42.2	94.0	119.5	206.1	467.5	72
0.6	0.9	1.7	2.8	4.9	8.3	15.2	30.2	50.3	79.3	107.8	157.3	254.1	73
0.5	1.0	2.0	3.3	6.8	11.1	22.8	48.8	79.7	126.3	158.3	196.7	265.9	74
0.6	0.7	1.5	2.3	3.1	5.7	8.3	13.8	25.7	44.4	73.0	131.3	246.8	75
0.5	0.7	1.4	2.6	4.4	7.6	14.3	29.8	49.7	78.4	111.0	162.6	269.9	76
0.5	0.8	1.6	3.0	6.1	10.3	22.6	48.5	81.0	128.2	184.6	266.5	286.5	77
0.6	0.6	1.2	2.0	2.7	5.1	7.1	12.8	23.8	45.2	74.3	134.1	259.7	78
1.0	2.2	4.3	5.3	9.7	14.9	22.0	33.7	56.3	78.4	69.3	92.0	127.0	79
0.7	2.4	5.0	5.8	12.9	18.9	24.2	44.2	66.2	101.3	85.9	88.2	121.3	80
1.2	1.9	3.6	4.8	6.9	11.4	20.0	24.2	47.2	60.2	57.5	94.9	131.3	81
0.1	0.1	0.1	0.2	0.4	0.3	0.6	0.8	1.0	1.6	1.7	3.2	7.2	82
0.1	0.1	0.1	0.2	0.4	0.3	0.8	1.0	1.5	2.5	2.2	3.6	8.0	83
0.0	0.1	0.2	0.3	0.3	0.4	0.4	0.6	0.6	0.9	1.4	2.9	6.8	84
0.1	0.1	0.1	0.2	0.3	0.3	0.6	0.8	1.0	1.8	1.8	3.2	7.6	85
0.1	0.1	0.0	0.2	0.4	0.3	0.7	1.0	1.0	2.5	2.3	3.7	8.4	86
0.1	0.1	0.2	0.2	0.3	0.4	0.4	0.6	0.6	0.9	1.4	2.9	7.1	87
0.1	0.1	0.3	0.4	0.5	0.5	1.0	0.3	1.7	1.7	0.7	2.3	4.3	88
-	-	0.5	0.7	0.9	0.6	1.6	0.6	2.6	2.5	0.8	2.6	4.9	89
0.1	0.1	0.1	0.1	0.1	0.4	0.4	-	1.0	1.0	0.6	2.0	3.8	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Influenza and pneumonia-----470-474, 480-486	35.9	204.3	8.2	2.0	1.6	2.3	2.8
2	Male-----	38.4	229.6	8.9	2.1	1.5	2.5	3.4
3	Female-----	29.5	177.9	7.4	2.0	1.7	2.1	2.2
4	White-----	32.6	154.6	6.4	1.9	1.5	2.1	2.4
5	Male-----	36.4	179.5	6.7	2.0	1.4	2.3	3.0
6	Female-----	28.9	128.5	6.2	1.9	1.5	1.9	1.9
7	All other-----	43.2	435.5	16.7	2.7	2.3	3.6	5.2
8	Male-----	55.2	464.6	20.0	2.7	2.1	4.1	6.1
9	Female-----	35.8	401.9	13.4	2.8	2.4	3.1	4.4
10	Influenza-----470-474	5.0	3.6	0.5	0.1	0.1	0.3	0.2
11	Male-----	5.1	4.1	0.4	0.1	0.1	0.3	0.2
12	Female-----	2.9	3.0	0.3	0.2	0.1	0.2	0.2
13	White-----	3.0	2.3	0.5	0.1	0.1	0.3	0.2
14	Male-----	3.0	2.7	0.4	0.1	0.1	0.3	0.2
15	Female-----	2.9	1.9	0.2	0.2	0.1	0.2	0.2
16	All other-----	2.8	9.5	0.5	0.2	0.2	0.3	0.2
17	Male-----	3.2	10.8	0.6	0.1	0.3	0.3	0.1
18	Female-----	2.6	8.1	0.3	0.2	0.1	0.2	0.3
19	Pneumonia-----480-486	30.9	200.7	7.8	1.9	1.5	2.1	2.5
20	Male-----	35.4	225.5	8.5	2.0	1.4	2.2	3.2
21	Female-----	26.6	174.9	7.2	1.8	1.6	1.9	2.0
22	White-----	29.6	152.3	6.1	1.8	1.4	1.8	2.2
23	Male-----	35.4	176.8	6.3	1.9	1.3	2.0	2.8
24	Female-----	26.0	126.6	5.9	1.7	1.4	1.7	1.7
25	All other-----	40.5	424.1	16.3	2.6	2.1	3.3	5.0
26	Male-----	50.1	453.8	19.5	2.6	1.8	3.7	6.0
27	Female-----	31.2	393.9	13.1	2.5	2.3	2.9	4.1
28	Bronchitis, emphysema, and asthma-----490-493	15.4	4.5	0.8	0.2	0.3	0.4	0.6
29	Male-----	25.1	4.8	0.9	0.3	0.3	0.5	0.6
30	Female-----	6.3	4.2	0.7	0.2	0.2	0.3	0.7
31	White-----	16.4	3.6	0.8	0.2	0.2	0.3	0.4
32	Male-----	26.7	3.9	0.7	0.3	0.2	0.3	0.4
33	Female-----	6.5	3.2	0.5	0.2	0.2	0.2	0.4
34	All other-----	8.8	8.8	1.7	0.4	1.0	1.3	2.1
35	Male-----	13.2	8.9	1.8	0.4	1.3	1.6	1.9
36	Female-----	4.7	8.7	1.7	0.4	0.7	0.9	2.2
37	Chronic and unqualified bronchitis-----490, 491	2.9	3.5	0.5	0.1	0.1	0.1	0.1
38	Male-----	4.4	3.7	0.6	0.1	0.1	0.2	0.1
39	Female-----	1.4	3.2	0.4	0.1	0.1	0.1	0.1
40	White-----	3.1	2.7	0.4	0.1	0.1	0.1	0.1
41	Male-----	4.7	3.0	0.5	0.1	0.1	0.1	0.1
42	Female-----	1.5	2.4	0.3	0.1	0.0	0.0	0.1
43	All other-----	1.6	6.9	0.9	-	0.1	0.2	0.1
44	Male-----	2.4	7.0	1.0	-	0.1	0.2	-
45	Female-----	0.8	6.8	0.9	-	-	0.2	0.1
46	Emphysema-----492	11.4	0.5	0.0	0.0	0.0	0.1	0.1
47	Male-----	19.5	0.5	0.1	0.0	0.0	0.1	0.1
48	Female-----	3.6	0.6	0.0	0.0	0.0	0.0	0.1
49	White-----	12.3	0.4	0.0	0.0	0.0	0.0	0.1
50	Male-----	21.1	0.5	0.0	0.0	0.0	0.1	0.1
51	Female-----	3.9	0.4	0.1	0.0	0.0	0.0	0.1
52	All other-----	4.7	1.1	0.1	-	0.1	0.1	0.2
53	Male-----	8.4	0.6	0.2	-	0.1	0.2	0.3
54	Female-----	1.3	1.6	-	-	0.1	-	0.1
55	Asthma-----493	1.2	0.5	0.3	0.1	0.2	0.2	0.4
56	Male-----	1.1	0.6	0.2	0.2	0.2	0.2	0.4
57	Female-----	1.2	0.4	0.3	0.1	0.2	0.2	0.5
58	White-----	1.0	0.5	0.2	0.1	0.1	0.1	0.2
59	Male-----	0.9	0.5	0.2	0.1	0.1	0.1	0.3
60	Female-----	1.1	0.4	0.2	0.0	0.1	0.1	0.2
61	All other-----	2.4	0.8	0.7	0.4	0.9	0.9	1.8
62	Male-----	2.4	1.3	0.6	0.4	1.1	1.1	1.6
63	Female-----	2.5	0.3	0.8	0.4	0.7	0.8	2.0
64	Peptic ulcer-----531-533	4.6	1.1	0.1	0.0	0.0	0.1	0.2
65	Male-----	6.3	1.7	0.1	0.0	0.0	0.1	0.3
66	Female-----	3.0	0.5	0.1	0.0	0.0	0.0	0.1
67	White-----	4.8	0.6	0.1	0.0	0.0	0.1	0.2
68	Male-----	6.5	0.9	0.1	0.0	0.0	0.1	0.3
69	Female-----	3.1	0.3	0.1	0.0	0.0	0.0	0.1
70	All other-----	3.5	3.5	0.1	-	0.1	0.1	0.2
71	Male-----	4.9	5.4	0.1	-	0.1	0.2	0.3
72	Female-----	2.1	1.6	0.1	-	-	0.1	-
73	Appendicitis-----540-543	0.7	0.5	0.1	0.2	0.2	0.2	0.1
74	Male-----	0.9	0.8	0.1	0.3	0.3	0.2	0.2
75	Female-----	0.5	0.2	0.2	0.1	0.2	0.2	0.1
76	White-----	0.6	0.3	0.1	0.2	0.2	0.1	0.1
77	Male-----	0.8	0.5	0.1	0.2	0.3	0.1	0.2
78	Female-----	0.5	0.1	0.1	0.1	0.1	0.2	0.1
79	All other-----	1.1	1.1	0.2	0.4	0.5	0.6	0.2
80	Male-----	1.5	1.9	-	0.6	0.5	0.9	0.5
81	Female-----	0.7	0.3	0.4	0.2	0.5	0.3	0.1
82	Hernia and intestinal obstruction-----550-553, 560	3.7	18.3	0.3	0.1	0.1	0.2	0.3
83	Male-----	3.5	21.0	0.4	0.1	0.2	0.2	0.3
84	Female-----	3.9	15.5	0.2	0.1	0.1	0.2	0.3
85	White-----	3.7	18.1	0.3	0.1	0.1	0.2	0.2
86	Male-----	3.4	20.1	0.4	0.1	0.2	0.1	0.2
87	Female-----	4.0	16.0	0.1	0.1	0.1	0.2	0.2
88	All other-----	3.7	19.3	0.5	0.2	0.1	0.5	0.7
89	Male-----	4.3	25.2	0.8	0.2	0.1	0.6	0.6
90	Female-----	3.2	13.3	0.2	0.1	0.1	0.4	0.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1969-Con.

gory numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.5	4.7	7.1	10.8	15.0	21.3	32.1	48.0	76.0	136.0	226.9	411.3	1,040.6	1
3.7	5.1	7.9	13.2	19.3	28.3	43.7	67.7	107.0	198.9	320.2	521.5	1,137.6	2
3.3	4.4	6.2	8.5	11.1	14.8	21.4	30.7	50.1	89.3	162.5	338.7	981.1	3
2.7	3.2	5.0	7.9	12.0	18.3	28.3	43.4	69.2	128.0	225.2	417.7	1,107.6	4
2.8	3.3	5.1	9.3	15.1	23.5	38.6	61.4	98.6	187.0	316.6	588.5	1,217.5	5
2.6	3.1	4.9	6.6	9.0	13.5	18.9	27.5	44.9	84.4	162.4	345.8	1,040.5	6
9.5	15.9	22.5	34.2	41.9	49.1	68.2	96.6	149.5	245.7	347.5	532.2	502.8	7
10.6	18.4	30.9	48.1	57.2	74.6	94.1	132.6	193.8	353.5	261.7	443.4	575.4	8
8.5	12.8	15.5	22.6	28.6	26.9	45.3	64.1	109.0	156.7	184.9	245.9	447.5	9
0.3	0.4	0.8	0.9	1.7	2.7	3.8	5.6	8.9	14.8	19.0	33.4	90.5	10
0.2	0.3	0.5	0.8	1.6	3.0	4.8	7.9	12.3	19.3	24.6	37.3	82.4	11
0.4	0.5	0.8	0.9	1.7	2.4	2.9	3.6	6.1	11.4	15.2	30.9	95.4	12
0.3	0.3	0.6	0.7	1.5	2.5	3.4	5.2	8.2	14.1	19.1	33.9	97.2	13
0.2	0.2	0.5	0.7	1.5	2.7	4.5	7.3	11.6	18.4	24.8	37.6	90.0	14
0.3	0.4	0.7	0.7	1.5	2.3	2.5	3.4	5.4	10.9	15.2	31.5	101.4	15
0.4	1.0	0.8	2.2	3.2	4.7	7.4	9.9	16.8	23.8	17.8	27.6	36.2	16
0.3	1.1	0.5	2.3	2.9	5.5	7.5	14.5	19.5	30.6	22.7	32.9	29.5	17
0.5	0.8	1.0	2.1	3.4	4.0	7.3	5.7	14.3	18.4	14.4	23.5	41.3	18
3.2	4.3	6.4	9.9	13.3	18.6	28.3	42.4	67.1	121.3	207.9	377.9	950.1	19
3.5	4.8	7.4	12.4	17.6	25.3	38.9	59.8	94.7	179.6	254.5	484.2	1,056.1	20
2.9	3.9	5.5	7.6	9.3	12.4	18.5	27.1	44.0	77.9	147.4	307.8	885.7	21
2.4	2.9	4.4	7.2	10.4	15.8	24.9	38.2	61.0	115.9	206.0	385.8	1,010.4	22
2.6	3.1	4.6	8.6	13.6	20.8	34.1	54.1	87.0	168.6	291.8	490.9	1,127.5	23
2.2	2.7	4.1	5.9	7.4	11.2	16.4	24.1	39.6	75.5	147.1	314.3	939.1	24
9.1	14.9	21.8	32.0	38.7	44.4	60.8	86.7	132.7	219.9	229.7	304.6	466.7	25
10.3	18.3	30.4	45.8	54.3	69.2	86.5	118.0	174.3	322.9	339.1	430.5	545.9	26
8.0	12.0	14.5	20.5	25.1	22.9	38.0	58.3	94.7	158.3	150.6	222.4	406.3	27
0.8	1.0	1.7	3.7	6.8	13.7	27.5	49.5	75.3	109.9	124.5	130.6	146.5	28
0.6	0.9	1.7	4.5	8.7	20.0	44.0	86.1	140.8	218.5	254.5	262.4	257.8	29
0.9	1.1	1.7	2.9	5.0	7.8	12.4	17.1	20.7	29.3	34.0	45.8	78.3	30
0.5	0.8	1.4	3.2	6.3	13.2	27.5	50.7	77.4	115.3	130.0	138.4	158.0	31
0.5	0.8	1.3	4.1	8.0	19.2	43.9	88.7	145.5	225.8	286.5	276.6	281.6	32
0.5	0.8	1.5	4.6	7.6	12.5	22.5	34.4	52.4	75.2	96.2	124.4	164.0	33
2.4	2.8	3.9	7.4	11.1	18.2	27.3	36.6	52.4	65.9	59.4	58.6	54.6	34
1.6	2.1	4.8	8.3	14.9	28.4	45.0	59.9	91.9	122.9	116.4	105.3	90.2	35
3.2	3.5	3.1	6.6	7.8	9.3	11.7	15.6	16.6	17.4	17.8	22.4	27.5	36
0.1	0.2	0.3	0.6	1.3	2.5	4.2	8.4	12.9	18.5	22.9	27.9	40.7	37
0.1	0.2	0.4	0.9	1.6	3.7	6.6	14.2	25.0	35.0	44.2	51.0	62.2	38
0.1	0.1	0.2	0.4	1.0	1.4	2.1	3.3	4.5	6.2	8.3	12.6	27.5	39
0.1	0.1	0.2	0.7	1.2	2.4	4.2	8.6	13.2	19.2	23.9	29.0	44.3	40
0.1	0.1	0.3	0.9	1.5	3.6	6.5	14.5	23.8	36.4	46.1	55.1	68.3	41
0.1	0.1	0.2	0.4	0.9	1.4	2.2	3.4	4.5	6.4	8.6	13.3	29.9	42
0.2	0.5	0.5	0.3	1.9	3.0	4.3	8.3	9.3	9.0	11.2	14.4	12.1	43
0.6	0.6	0.8	0.7	2.9	4.7	7.5	10.8	14.7	17.2	21.9	27.6	19.7	44
0.4	0.4	0.1	-	1.0	1.6	1.4	2.3	4.3	2.5	3.4	4.1	6.3	45
0.1	0.3	0.6	1.9	4.1	9.3	20.7	37.7	58.8	87.2	96.5	97.8	99.8	46
0.1	0.3	0.8	2.7	6.0	14.9	35.0	68.5	113.4	178.7	205.8	204.8	189.8	47
0.1	0.2	0.4	1.1	2.3	4.1	7.6	10.3	13.3	19.2	22.4	27.4	44.7	48
0.1	0.3	0.5	1.7	4.0	9.3	21.3	39.1	61.0	90.2	101.0	102.7	107.4	49
0.1	0.4	0.7	2.5	5.8	14.6	35.7	71.0	117.9	184.9	213.9	216.7	207.0	50
0.1	0.2	0.4	1.0	2.3	4.3	8.0	13.9	20.2	23.4	23.4	28.5	47.8	51
0.2	0.4	1.2	3.1	4.7	9.8	15.4	23.0	35.0	46.8	42.2	38.5	39.0	52
0.1	0.2	2.0	4.5	7.9	18.1	28.3	42.4	66.5	98.1	87.5	72.4	68.9	53
0.2	0.6	0.6	1.9	1.9	2.6	4.0	5.5	6.3	6.5	9.2	12.2	16.3	54
0.5	0.6	0.8	1.2	1.4	1.9	2.6	3.3	3.6	4.3	5.1	4.9	6.0	55
0.4	0.4	1.0	1.4	1.4	2.4	2.4	3.4	4.4	4.7	6.5	6.6	5.6	56
0.7	0.8	1.1	1.4	1.7	2.2	2.7	3.3	3.0	3.9	4.1	3.7	6.1	57
0.3	0.4	0.6	0.8	1.0	1.5	2.0	3.0	3.2	4.0	5.0	4.8	6.3	58
0.3	0.2	0.3	0.7	0.7	1.0	1.7	3.1	3.8	4.5	6.5	6.8	6.3	59
0.4	0.5	0.9	0.9	1.4	1.9	2.3	2.8	2.7	3.6	4.1	3.5	6.3	60
2.0	1.9	2.2	4.0	4.5	5.4	7.6	7.3	8.2	8.1	5.9	5.7	3.5	61
1.5	1.3	2.0	3.2	4.1	5.7	9.1	6.7	10.7	7.6	7.0	5.3	1.6	62
2.6	2.5	2.4	4.7	4.8	5.1	6.3	7.8	6.0	8.5	5.2	6.1	5.0	63
0.4	0.6	1.3	2.2	3.2	5.3	8.7	12.1	18.3	23.8	34.5	49.8	65.7	64
0.6	0.9	1.8	3.2	4.8	8.5	13.2	19.8	29.0	37.4	54.3	73.0	82.2	65
0.3	0.5	0.9	1.3	1.7	2.3	4.7	5.4	9.3	13.7	20.8	34.6	55.6	66
0.4	0.6	1.1	2.0	3.1	5.1	8.6	12.0	18.2	23.4	35.3	50.5	71.2	67
0.5	0.9	1.5	3.0	4.7	8.0	12.9	19.6	29.3	37.1	55.2	74.2	91.6	68
0.3	0.3	0.8	1.1	1.5	2.3	4.7	5.2	9.1	13.4	21.6	35.1	59.0	69
1.0	1.0	2.9	3.9	4.3	7.2	10.1	13.6	18.5	28.6	25.1	41.4	81.3	70
1.5	1.1	4.2	5.0	5.8	12.6	16.0	21.2	26.1	42.0	43.8	59.2	16.4	71
0.5	1.0	1.8	3.0	3.0	2.5	4.8	7.0	11.6	17.9	11.5	27.6	25.0	72
0.1	0.2	0.3	0.6	0.6	0.6	1.1	1.6	1.9	3.1	4.6	5.5	7.9	73
0.2	0.3	0.4	0.8	0.7	1.0	1.6	2.2	3.0	4.4	6.1	8.4	10.4	74
0.1	0.2	0.2	0.4	0.4	0.3	0.6	1.1	1.0	2.1	3.5	3.7	6.4	75
0.1	0.2	0.2	0.4	0.5	0.5	0.9	1.5	1.7	2.8	4.5	5.6	8.2	76
0.1	0.3	0.3	0.6	0.6	0.8	1.4	1.9	2.6	4.1	6.2	8.6	10.5	77
0.1	0.2	0.2	0.3	0.3	0.2	0.5	1.1	0.9	1.9	3.4	3.6	6.8	78
0.4	0.4	0.8	1.5	1.4	2.0	2.6	3.6	4.5	6.4	5.0	5.2	5.7	79
0.5	0.2	1.2	2.2	1.9	3.0	3.4	5.8	7.7	8.3	5.5	6.6	9.8	80
0.4	0.6	1.0	1.0	1.0	1.1	1.8	1.6	1.7	5.0	4.6	4.1	2.5	81
0.3	0.4	0.6	1.0	1.5	2.3	3.9	6.5	10.9	19.1	28.4	47.1	87.2	82
0.3	0.4	0.6	0.9	1.3	2.1	4.1	7.6	12.0	22.1	30.3	49.2	79.2	83
0.3	0.3	0.7	1.2	1.7	2.5	3.7	5.5	9.9	16.9	27.1	45.8	92.1	84
0.2	0.3	0.5	0.8	1.2	2.1	3.7	6.0	10.1	18.5	28.1	48.0	92.2	85
0.2	0.3	0.4	0.7	1.1	1.9	3.9	6.8	11.0	21.2	29.0	49.4	82.3	86
0.2	0.3	0.6	0.9	1.3	2.4	3.6	5.2	9.3	16.5	27.4	47.1	98.1	87
0.8	1.0	1.8	2.9	3.9	4.0	5.6	12.0	19.4	27.2	32.7	36.8	46.8	88
0.9	1.0	1.7	2.7	3.4	4.5	6.4	15.7	22.8	33.8	45.3	47.4	57.4	89
0.6	1.0	1.8	3.2	4.3	3.5	4.8	8.6	16.3	21.9	23.6	28.6	38.8	90

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cirrhosis of liver-----571	14.8	1.2	0.2	0.1	0.1	0.4	0.7
2	Male-----	19.7	1.2	0.2	0.1	0.0	0.3	0.8
3	Female-----	10.1	1.3	0.3	0.2	0.1	0.4	0.6
4	White-----	14.2	1.3	0.2	0.2	0.1	0.3	0.4
5	Male-----	19.1	1.3	0.2	0.1	0.0	0.3	0.4
6	Female-----	9.5	1.4	0.3	0.2	0.1	0.4	0.4
7	All other-----	19.0	0.8	0.2	0.1	0.1	0.6	2.8
8	Male-----	23.9	0.6	0.2	0.1	-	0.5	3.8
9	Female-----	14.4	1.0	0.2	0.1	0.1	0.7	1.9
10	Cholelithiasis, cholecystitis and cholangitis-----574,575	2.1	0.1	-	0.0	0.0	0.0	0.1
11	Male-----	1.9	-	-	-	-	0.0	0.0
12	Female-----	2.3	0.1	-	0.0	0.0	0.0	0.1
13	White-----	2.3	0.1	-	0.0	0.0	0.0	0.1
14	Male-----	2.0	-	-	-	-	0.0	0.0
15	Female-----	2.5	0.1	-	0.0	0.0	0.0	0.1
16	All other-----	1.1	-	-	0.0	-	0.0	-
17	Male-----	0.7	-	-	-	-	-	-
18	Female-----	1.4	-	-	0.1	-	0.1	-
19	Nephritis and nephrosis-----580-584	4.7	1.1	0.3	0.3	0.5	0.8	1.2
20	Male-----	5.2	1.2	0.3	0.3	0.4	0.9	1.3
21	Female-----	4.2	1.0	0.4	0.3	0.5	0.8	1.0
22	White-----	4.0	1.0	0.3	0.2	0.4	0.7	0.9
23	Male-----	4.5	1.2	0.3	0.2	0.4	0.8	1.0
24	Female-----	3.6	0.7	0.3	0.3	0.5	0.6	0.9
25	All other-----	9.4	1.8	0.5	0.6	0.7	1.9	2.7
26	Male-----	10.3	1.3	0.4	0.6	0.5	2.0	3.8
27	Female-----	8.6	2.3	0.7	0.6	0.9	1.8	1.7
28	Acute nephritis and nephrotic syndrome-----580,581	0.7	0.9	0.2	0.1	0.1	0.2	0.2
29	Male-----	0.7	1.0	0.2	0.2	0.1	0.2	0.2
30	Female-----	0.6	0.8	0.2	0.1	0.2	0.2	0.2
31	White-----	0.6	0.7	0.2	0.1	0.1	0.1	0.2
32	Male-----	0.7	1.0	0.2	0.1	0.1	0.1	0.1
33	Female-----	0.6	0.4	0.2	0.1	0.1	0.1	0.2
34	All other-----	1.3	1.8	0.3	0.3	0.2	0.5	0.3
35	Male-----	1.3	1.3	0.2	0.5	-	0.3	0.4
36	Female-----	1.2	2.3	0.5	0.1	0.5	0.6	0.2
37	Chronic and unqualified nephritis and renal sclerosis-----582-584	4.0	0.2	0.1	0.1	0.3	0.7	1.0
38	Male-----	4.4	0.2	0.1	0.1	0.3	0.8	1.2
39	Female-----	3.5	0.2	0.2	0.2	0.4	0.6	0.9
40	White-----	3.4	0.3	0.1	0.1	0.3	0.5	0.8
41	Male-----	3.8	0.3	0.1	0.1	0.3	0.6	0.6
42	Female-----	3.0	0.3	0.2	0.1	0.3	0.4	0.7
43	All other-----	8.1	-	0.2	0.2	0.4	1.4	2.4
44	Male-----	9.0	-	0.2	0.1	0.5	1.7	3.4
45	Female-----	7.4	-	0.2	0.4	0.4	1.2	1.5
46	Infections of kidney-----590	4.3	0.5	0.0	0.0	0.1	0.1	0.2
47	Male-----	4.0	0.6	0.0	0.0	0.0	0.2	0.2
48	Female-----	4.6	0.4	0.1	0.0	0.1	0.1	0.3
49	White-----	4.1	0.4	0.0	0.0	0.1	0.1	0.2
50	Male-----	3.8	0.5	0.0	0.0	0.0	0.1	0.2
51	Female-----	4.4	0.2	0.0	0.0	0.1	0.1	0.2
52	All other-----	6.0	1.0	0.1	-	0.1	0.3	0.5
53	Male-----	5.7	1.0	-	-	0.1	0.3	0.4
54	Female-----	6.3	1.0	0.2	-	0.1	0.2	0.6
55	Hyperplasia of prostate-----600	1.2	-	-	-	-	-	-
56	Male-----	2.5	-	-	-	-	-	-
57	White-----	1.2	-	-	-	-	-	-
58	Male-----	2.5	-	-	-	-	-	-
59	All other-----	1.4	-	-	-	-	-	-
60	Male-----	2.9	-	-	-	-	-	-
61	Complications of pregnancy, childbirth, and the puerperium-----630-678	0.4	-	-	-	0.0	0.6	1.1
62	Female-----	0.8	-	-	-	0.1	1.1	2.2
63	White-----	0.3	-	-	-	-	0.3	0.8
64	Female-----	0.5	-	-	-	-	0.6	1.6
65	All other-----	1.4	-	-	-	0.2	2.3	3.3
66	Female-----	2.6	-	-	-	0.4	4.6	6.2
67	Abortions-----640-645	0.1	-	-	-	0.0	0.1	0.2
68	Female-----	0.1	-	-	-	0.0	0.2	0.4
69	White-----	0.0	-	-	-	-	0.1	0.1
70	Female-----	0.1	-	-	-	-	0.1	0.2
71	All other-----	0.3	-	-	-	0.1	0.5	0.8
72	Female-----	0.5	-	-	-	0.2	1.0	1.5
73	Other complications of pregnancy, childbirth, and the puerperium-----630-639,650-678	0.3	-	-	-	0.0	0.4	0.9
74	Female-----	0.6	-	-	-	0.0	0.9	1.8
75	White-----	0.2	-	-	-	-	0.2	0.7
76	Female-----	0.4	-	-	-	-	0.5	1.4
77	All other-----	1.1	-	-	-	0.1	1.8	2.5
78	Female-----	2.1	-	-	-	0.2	3.6	4.7
79	Congenital anomalies-----740-759	8.4	323.6	9.9	3.0	1.9	2.1	1.8
80	Male-----	9.3	346.0	9.3	3.2	2.1	2.1	2.1
81	Female-----	7.6	300.2	10.4	2.8	1.7	1.8	1.6
82	White-----	8.1	331.5	9.8	3.0	1.9	2.1	1.9
83	Male-----	9.0	354.4	9.1	3.3	2.1	2.4	2.2
84	Female-----	7.3	307.6	10.1	2.7	1.7	1.7	1.6
85	All other-----	10.5	286.8	11.3	3.0	2.2	2.5	1.6
86	Male-----	11.6	306.7	10.6	3.0	2.6	2.7	1.5
87	Female-----	9.6	266.7	12.0	2.9	1.8	2.3	1.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1969-Con.

Category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
2.3	6.7	13.6	23.9	32.5	41.0	46.8	48.7	44.6	36.0	29.9	26.9	21.8	1
2.8	8.1	17.3	30.7	42.4	54.2	68.5	72.8	66.6	56.6	44.2	38.7	33.1	2
1.8	5.3	10.4	17.4	23.2	29.7	38.8	27.5	26.3	20.7	20.0	19.2	14.9	3
1.2	4.0	9.7	15.5	20.2	29.2	45.7	48.7	44.2	36.6	30.8	28.0	22.8	4
1.5	5.5	12.4	25.4	38.7	52.0	65.1	72.8	66.3	57.2	46.0	40.4	35.2	5
0.9	2.8	7.1	13.8	20.3	27.1	27.8	27.5	25.8	21.4	20.4	20.0	15.4	6
10.1	26.0	44.1	59.3	60.9	57.9	57.9	49.0	49.8	28.0	18.2	13.8	13.5	7
12.2	29.8	56.6	76.9	76.3	75.1	80.1	72.4	68.8	49.0	23.4	19.7	18.0	8
8.1	22.8	33.7	44.6	47.6	43.0	38.2	27.9	32.6	11.4	14.4	9.2	10.0	9
0.1	0.2	0.3	0.4	0.7	1.3	2.2	3.8	6.7	12.8	20.4	31.5	55.6	10
0.0	0.2	0.2	0.4	0.6	1.2	2.2	3.6	6.8	14.2	24.1	33.0	48.4	11
0.2	0.3	0.3	0.4	0.8	1.4	2.1	4.0	6.7	11.7	17.9	30.5	60.1	12
0.1	0.2	0.2	0.3	0.7	1.2	2.2	3.9	6.8	12.9	21.3	33.0	60.1	13
0.0	0.1	0.2	0.3	0.6	1.1	2.3	3.9	7.0	14.5	25.6	34.6	52.7	14
0.2	0.3	0.3	0.3	0.7	1.2	2.1	3.9	6.7	11.7	18.4	32.0	64.4	15
0.1	0.4	0.3	0.3	0.9	1.3	2.3	3.2	5.8	11.2	10.2	12.6	19.9	16
0.3	0.5	-	0.7	0.5	1.4	1.6	0.6	4.8	10.2	7.0	15.8	18.0	17
-	0.4	0.6	1.1	1.9	3.0	2.6	5.5	6.6	11.9	12.6	10.2	21.3	18
1.6	1.6	2.7	3.3	4.2	5.4	8.3	11.1	14.7	18.9	26.7	42.3	69.7	19
2.0	2.0	3.4	3.6	5.0	6.7	10.2	13.2	16.9	23.5	35.1	54.7	80.8	20
1.2	1.3	2.1	3.0	3.5	4.2	6.5	9.2	12.8	15.4	20.9	34.1	62.8	21
1.3	1.1	1.9	2.1	2.9	3.8	6.3	8.7	11.6	16.5	25.0	39.9	69.1	22
1.7	1.4	2.3	2.4	3.5	4.9	8.2	11.1	13.7	20.6	33.0	50.8	80.4	23
1.0	0.8	1.4	1.9	2.4	2.9	4.5	6.5	9.9	13.5	19.5	32.8	63.3	24
3.6	5.5	9.1	12.9	15.8	19.3	27.5	36.2	47.7	50.4	46.5	71.3	74.5	25
4.4	6.6	11.7	14.3	18.7	23.5	30.4	35.2	50.0	61.1	58.6	97.4	83.6	26
2.8	4.5	7.0	11.8	13.3	15.7	25.1	37.0	45.5	41.8	37.9	51.0	67.5	27
0.2	0.1	0.4	0.4	0.5	0.8	1.2	1.7	2.0	2.9	4.2	5.8	7.5	28
0.2	0.1	0.4	0.5	0.5	1.1	1.4	1.9	2.3	3.6	5.5	6.5	8.6	29
0.2	0.1	0.3	0.4	0.5	0.6	0.9	1.5	1.7	2.4	3.3	5.2	6.9	30
0.2	0.1	0.2	0.3	0.3	0.7	1.0	1.5	1.6	2.6	4.1	5.4	7.6	31
0.2	0.1	0.3	0.3	0.3	0.9	1.2	1.7	2.0	3.4	5.4	6.1	8.6	32
0.1	0.1	0.2	0.3	0.3	0.5	0.8	1.3	1.3	2.0	3.3	4.9	7.0	33
0.8	0.3	1.3	1.5	1.8	2.3	3.0	3.9	5.8	7.3	5.0	10.3	7.1	34
0.7	0.3	1.7	2.2	2.1	3.0	3.9	3.8	5.1	6.4	7.0	11.8	8.2	35
1.0	0.3	1.0	1.0	1.5	1.6	2.2	3.9	6.3	8.0	3.4	9.2	6.3	36
1.4	1.5	2.4	2.9	3.8	4.6	7.1	9.4	12.7	16.0	22.5	36.5	62.1	37
1.7	1.9	3.0	3.1	4.5	5.8	8.8	11.4	14.6	19.9	29.6	48.1	72.2	38
1.0	1.2	1.8	2.7	3.1	3.6	5.6	7.7	11.1	13.1	17.6	28.8	55.9	39
1.2	1.0	1.6	1.8	2.6	3.2	5.3	7.2	10.0	13.9	20.9	34.5	61.6	40
1.5	1.3	2.1	2.1	3.2	4.0	7.0	9.4	11.7	17.2	27.7	44.8	71.8	41
0.9	0.7	1.2	1.6	2.0	2.5	3.7	5.3	8.6	11.5	16.2	27.9	55.4	42
2.8	5.2	7.8	11.4	14.1	17.1	24.5	32.3	42.0	43.1	41.6	60.9	67.4	43
3.8	6.3	10.0	12.1	16.7	20.5	26.5	31.4	44.9	54.8	51.6	85.5	75.4	44
1.8	4.2	6.0	10.8	11.8	14.1	22.8	33.1	39.2	33.8	34.5	41.8	61.3	45
0.3	0.6	1.0	1.2	1.9	3.2	5.3	7.4	13.8	23.1	36.8	60.5	124.0	46
0.2	0.3	0.8	0.9	1.3	2.6	5.0	7.5	14.3	25.8	43.6	72.7	142.0	47
0.5	0.8	1.1	1.6	2.4	3.8	5.5	7.3	13.4	21.1	32.1	56.5	115.0	48
0.2	0.4	0.6	0.8	1.4	2.3	4.1	5.9	11.6	20.7	35.2	60.3	129.6	49
0.1	0.2	0.6	0.7	1.0	2.0	4.1	5.9	11.9	22.9	41.5	71.5	148.3	50
0.3	0.6	0.7	0.9	1.7	2.6	4.1	6.0	11.3	19.1	30.9	53.1	118.4	51
1.0	1.6	3.3	4.8	6.4	11.6	16.3	22.7	38.1	55.7	55.4	62.6	79.4	52
0.4	1.3	2.3	2.8	4.6	7.7	13.9	24.4	39.0	63.7	67.2	85.5	98.4	53
1.6	1.9	4.2	6.4	7.9	15.0	18.4	21.1	37.2	49.3	47.1	44.9	65.0	54
-	-	-	-	0.1	0.1	0.5	1.0	3.5	7.2	12.4	24.4	53.8	55
-	-	-	-	0.1	0.3	1.0	2.2	7.3	17.0	30.4	61.3	141.6	56
-	-	-	-	0.0	0.1	0.3	0.9	2.7	6.1	11.8	23.9	56.2	57
-	-	-	-	0.1	0.2	0.7	1.9	6.0	14.3	29.0	60.6	150.3	58
-	-	-	-	0.4	0.6	1.6	3.5	10.1	23.0	19.5	30.5	34.8	59
-	-	-	-	0.9	1.2	3.4	5.2	21.3	52.2	46.1	69.7	80.3	60
1.2	1.3	1.2	0.5	0.0	-	-	-	-	-	-	-	-	61
2.4	2.6	2.3	1.0	0.1	-	-	-	-	-	-	-	-	62
0.9	0.9	0.8	0.3	0.0	-	-	-	-	-	-	-	-	63
1.9	1.7	1.5	0.6	0.0	-	-	-	-	-	-	-	-	64
3.5	4.8	4.3	2.3	0.3	-	-	-	-	-	-	-	-	65
6.6	8.9	8.0	4.2	0.6	-	-	-	-	-	-	-	-	66
0.2	0.2	0.1	0.1	-	-	-	-	-	-	-	-	-	67
0.5	0.4	0.3	0.1	-	-	-	-	-	-	-	-	-	68
0.2	0.1	0.1	0.0	-	-	-	-	-	-	-	-	-	69
0.3	0.3	0.2	0.0	-	-	-	-	-	-	-	-	-	70
0.8	0.7	0.5	0.5	-	-	-	-	-	-	-	-	-	71
1.6	1.3	1.0	1.0	-	-	-	-	-	-	-	-	-	72
1.0	1.1	1.1	0.5	0.0	-	-	-	-	-	-	-	-	73
2.0	2.2	2.1	0.9	0.1	-	-	-	-	-	-	-	-	74
0.8	0.7	0.7	0.3	0.0	-	-	-	-	-	-	-	-	75
1.5	1.4	1.3	0.6	0.0	-	-	-	-	-	-	-	-	76
2.6	4.1	3.8	1.7	0.3	-	-	-	-	-	-	-	-	77
5.0	7.6	7.0	3.2	0.6	-	-	-	-	-	-	-	-	78
1.9	1.6	1.6	2.0	2.4	2.5	2.7	2.6	3.2	2.7	3.8	3.6	5.5	79
2.1	1.6	1.9	2.1	2.7	2.9	2.9	2.4	3.3	3.3	4.8	4.6	7.8	80
1.7	1.6	1.4	1.9	2.2	2.1	2.6	2.9	3.0	2.2	3.1	2.9	4.1	81
1.8	1.5	1.6	1.8	2.4	2.5	2.6	2.7	3.1	2.7	3.8	3.6	5.8	82
1.9	1.4	1.9	2.0	2.6	2.8	2.8	2.6	3.4	3.3	4.6	4.9	8.6	83
1.8	1.5	1.4	1.7	2.2	2.1	2.5	2.7	2.9	2.2	3.2	2.9	4.2	84
2.2	2.6	1.6	3.2	2.8	2.8	3.4	2.6	3.7	2.2	3.3	2.9	2.8	85
3.5	3.2	1.9	3.2	3.6	3.9	3.4	0.9	2.2	3.2	6.3	1.3	1.6	86
1.1	2.1	1.4	3.2	2.1	1.9	3.4	4.2	5.0	1.5	1.1	4.1	3.8	87

SECTION 1 - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year
 [Rates per 100,000 population in specified group. Numbers after causes of death are cate-

	Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	21.4	1,232.0	0.2	0.0	0.0	0.0	0.1
2	Male-----	25.8	1,418.0	0.2	0.0	0.0	0.0	0.1
3	Female-----	17.2	1,059.0	0.1	0.0	0.0	0.0	0.0
4	White-----	18.3	1,122.5	0.1	0.0	0.0	0.0	0.1
5	Male-----	22.2	1,301.7	0.2	0.0	0.0	0.0	0.1
6	Female-----	14.5	934.4	0.1	0.0	0.0	0.0	0.0
7	All other-----	43.6	1,736.9	0.2	-	0.0	0.0	-
8	Male-----	51.5	1,962.7	0.2	-	-	0.1	-
9	Female-----	36.3	1,507.4	0.3	-	0.1	-	-
10	Birth injury, difficult labor, and other anoxic and hypoxic conditions-----764-769,772,776	10.9	626.8	0.1	0.0	0.0	0.0	0.1
11	Male-----	13.5	742.1	0.1	-	0.0	0.0	0.1
12	Female-----	8.4	504.4	0.1	0.0	0.0	0.0	0.0
13	White-----	9.5	582.2	0.1	0.0	0.0	0.0	0.1
14	Male-----	11.9	696.9	0.1	-	0.0	0.0	0.1
15	Female-----	7.2	461.7	0.0	0.0	0.0	0.0	0.0
16	All other-----	20.8	827.0	0.2	-	0.0	0.0	-
17	Male-----	25.1	953.8	0.2	-	-	0.1	-
18	Female-----	16.8	698.1	0.3	-	0.1	-	-
19	Other causes of mortality in early infancy-----Remainder of 760-778	10.5	606.2	0.1	0.0	0.0	0.0	-
20	Male-----	12.3	675.9	0.1	0.0	0.0	0.0	-
21	Female-----	8.9	533.5	0.0	-	0.0	0.0	-
22	White-----	8.8	540.4	0.1	0.0	0.0	0.0	-
23	Male-----	10.3	604.8	0.1	0.0	0.0	0.0	-
24	Female-----	7.3	472.7	0.1	-	0.0	0.0	-
25	All other-----	22.8	910.0	-	-	-	-	-
26	Male-----	26.5	1,008.9	-	-	-	-	-
27	Female-----	19.5	809.4	-	-	-	-	-
28	Symptoms and ill-defined conditions-----780-796	13.0	91.8	2.2	0.4	0.4	1.9	2.1
29	Male-----	16.0	104.2	2.5	0.4	0.5	2.3	3.8
30	Female-----	10.1	78.8	1.9	0.5	0.4	1.4	1.9
31	White-----	9.8	64.1	1.4	0.3	0.3	1.3	2.0
32	Male-----	12.4	76.9	1.6	0.3	0.3	1.7	2.7
33	Female-----	7.4	50.7	1.2	0.4	0.3	0.9	1.4
34	All other-----	35.2	219.1	6.1	0.9	1.1	5.2	8.4
35	Male-----	41.8	232.2	6.9	0.8	1.5	6.3	11.2
36	Female-----	29.0	205.8	5.2	1.0	0.7	4.2	5.8
37	All other diseases-----Residual	49.5	66.5	8.6	4.3	4.3	7.1	3.6
38	Male-----	54.8	72.7	9.0	4.9	4.5	8.4	11.0
39	Female-----	42.6	60.0	8.1	3.7	4.1	5.9	3.4
40	White-----	47.4	60.2	8.1	4.4	4.2	6.5	8.0
41	Male-----	53.0	65.0	8.2	4.9	4.3	7.7	9.1
42	Female-----	42.0	55.1	8.1	3.8	4.0	5.2	7.0
43	All other-----	56.7	95.5	10.8	3.9	5.2	11.2	20.9
44	Male-----	67.6	108.6	13.0	4.3	5.5	12.8	24.4
45	Female-----	46.6	62.2	8.5	3.4	4.9	9.7	17.5
46	Accidents-----E900-E949	57.6	69.4	31.4	19.4	20.2	67.8	77.1
47	Male-----	82.0	76.0	36.1	25.0	28.8	104.6	131.4
48	Female-----	34.5	62.5	26.6	13.7	11.3	30.4	28.5
49	White-----	55.9	59.4	28.3	17.6	19.0	68.0	75.5
50	Male-----	78.7	67.4	35.0	22.7	26.8	104.5	129.7
51	Female-----	34.1	51.1	23.4	12.3	10.8	30.7	25.7
52	All other-----	70.2	115.2	46.6	29.5	27.3	66.9	88.6
53	Male-----	105.7	116.2	51.4	37.9	40.8	105.8	150.9
54	Female-----	37.3	114.2	41.7	20.9	13.9	28.6	32.1
55	Motor vehicle accidents-----E910-E925	27.6	10.6	11.8	10.3	9.3	47.1	55.5
56	Male-----	40.8	10.5	13.1	12.7	12.0	69.6	93.0
57	Female-----	15.1	10.6	10.4	7.7	6.5	24.3	20.6
58	White-----	27.3	11.0	11.3	9.6	9.2	49.3	55.6
59	Male-----	40.0	10.7	12.4	11.8	11.8	72.9	93.1
60	Female-----	15.1	11.3	10.1	7.2	6.5	25.3	20.6
61	All other-----	30.1	8.7	14.4	14.3	9.7	33.3	54.4
62	Male-----	47.0	9.6	16.5	17.9	13.4	48.6	92.1
63	Female-----	14.5	7.8	12.3	10.6	6.0	18.3	20.3
64	All other accidents-----E900-E907,E925-E949	30.0	58.8	19.6	9.2	10.9	20.7	21.6
65	Male-----	41.1	65.4	23.0	12.3	16.8	35.0	38.4
66	Female-----	19.4	51.9	16.1	5.9	4.8	6.1	6.0
67	White-----	28.6	48.4	17.1	8.0	9.8	18.6	17.8
68	Male-----	38.7	56.6	20.6	10.9	15.0	31.6	35.6
69	Female-----	19.0	39.8	13.4	5.1	4.3	5.4	5.1
70	All other-----	40.1	108.6	32.2	15.2	17.7	33.6	34.1
71	Male-----	58.7	106.7	34.9	20.0	27.4	57.2	59.8
72	Female-----	22.6	106.5	28.4	10.3	7.9	19.3	11.8
73	Suicide-----E950-E959	11.1	0.0	0.6	5.7	10.7
74	Male-----	16.1	0.0	0.9	8.6	16.9
75	Female-----	6.3	0.0	0.4	2.7	5.0
76	White-----	11.9	0.0	0.7	5.9	10.8
77	Male-----	17.2	0.0	1.0	9.0	17.0
78	Female-----	6.8	-	0.4	2.6	6.0
79	All other-----	5.3	0.1	0.4	4.5	10.1
80	Male-----	8.1	0.1	0.3	5.8	15.4
81	Female-----	2.8	0.1	0.4	3.2	5.2
82	Homicide-----E960-E978	7.7	4.3	1.6	0.5	0.9	7.8	14.9
83	Male-----	12.4	4.9	1.8	0.6	1.0	12.3	25.1
84	Female-----	3.2	3.7	1.5	0.5	0.8	3.2	5.4
85	White-----	4.0	3.5	1.3	0.5	0.5	3.4	6.8
86	Male-----	6.0	3.8	1.4	0.5	0.4	4.9	10.0
87	Female-----	2.0	3.6	1.3	0.5	0.6	1.9	3.0
88	All other-----	34.1	8.0	3.2	0.7	3.2	35.1	71.3
89	Male-----	58.1	11.5	3.7	1.0	4.7	59.7	126.1
90	Female-----	11.7	4.5	2.7	0.4	1.6	11.0	21.7

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Age Groups, Color, and Sex: United States, 1969-Con.

Category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.0	0.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	-	0.0	0.5	1
0.0	-	0.0	-	0.0	-	0.0	0.0	0.1	-	-	-	0.2	2
0.0	0.0	0.0	-	-	-	0.0	0.0	-	0.0	-	0.1	0.4	3
0.0	0.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	-	0.0	0.3	4
0.0	-	0.0	-	0.0	-	0.0	0.0	0.1	-	-	-	0.2	5
0.0	0.0	0.0	-	-	-	0.0	0.0	-	0.0	-	-	0.3	6
-	-	-	-	-	-	-	-	-	-	-	-	0.7	7
-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	1.3	9
0.0	0.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	-	0.0	0.1	10
0.0	-	0.0	-	0.0	-	0.0	0.0	0.0	-	-	-	-	11
0.0	0.0	0.0	-	-	-	-	0.0	-	0.0	-	0.1	0.1	12
0.0	0.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	-	0.0	-	13
0.0	-	0.0	-	0.0	-	0.0	0.0	0.0	-	-	-	-	14
0.0	0.0	0.0	-	-	-	-	0.0	-	0.0	-	0.1	-	15
-	-	-	-	-	-	-	-	-	-	-	-	0.7	16
-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	1.3	18
-	-	-	-	-	-	0.0	-	0.0	-	-	-	0.2	19
-	-	-	-	-	-	0.0	-	0.0	-	-	-	0.2	20
-	-	-	-	-	-	0.0	-	-	-	-	-	0.3	21
-	-	-	-	-	-	0.0	-	0.0	-	-	-	0.3	22
-	-	-	-	-	-	0.0	-	0.0	-	-	-	0.2	23
-	-	-	-	-	-	-	-	-	-	-	-	0.5	24
-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	27
3.2	4.4	6.3	8.2	11.0	14.8	20.7	27.9	56.6	46.4	67.8	86.7	196.6	28
3.9	5.5	7.7	10.8	15.1	20.7	30.0	41.5	63.0	68.0	79.1	112.9	206.9	29
2.4	3.4	4.9	5.8	7.2	9.2	12.2	15.9	22.9	30.3	43.2	69.5	150.2	30
2.1	2.8	3.8	5.5	7.9	10.8	15.4	21.2	26.4	33.6	46.7	69.8	167.9	31
2.7	3.5	4.6	7.3	10.9	15.6	23.2	32.8	40.8	50.8	65.9	93.0	176.9	32
1.5	2.2	3.0	3.7	5.1	6.1	8.3	11.0	14.5	21.0	33.5	54.8	162.3	33
11.1	16.3	24.8	30.5	38.1	51.7	71.6	97.8	147.9	217.6	190.8	294.3	431.2	34
13.7	21.7	32.7	41.1	53.3	69.0	96.8	132.0	190.1	292.4	251.3	332.9	418.0	35
8.7	11.7	18.2	21.6	25.0	36.8	49.3	66.9	118.3	158.2	162.1	264.3	441.3	36
11.0	15.5	22.7	31.6	42.0	55.5	78.5	111.7	160.6	224.0	301.6	401.0	654.1	37
11.5	16.7	25.1	36.3	49.7	67.6	98.2	145.6	209.2	300.5	396.5	489.5	723.5	38
10.6	14.4	20.4	27.2	35.8	44.2	60.1	81.8	120.1	167.1	236.2	342.7	611.5	39
8.4	11.4	16.9	26.0	35.7	50.2	72.2	105.1	154.4	217.7	303.2	408.1	689.6	40
8.7	12.2	18.1	29.3	40.6	61.8	90.1	136.7	202.9	291.4	397.6	497.5	765.5	41
8.2	10.7	15.6	22.8	31.1	39.4	55.7	77.3	114.2	163.3	238.3	350.0	643.4	42
30.6	45.8	66.1	77.4	97.3	104.9	137.2	180.7	228.5	307.0	283.2	313.8	369.5	43
33.3	52.7	81.5	97.7	122.3	124.3	177.4	238.1	273.5	417.8	384.4	401.3	427.9	44
28.1	40.1	53.3	60.4	75.6	88.0	101.6	128.9	187.0	218.9	210.3	245.9	325.0	45
56.2	49.6	48.9	49.8	50.8	55.8	62.2	68.9	79.0	102.3	141.8	232.3	489.0	46
93.8	80.4	77.1	77.4	78.5	84.0	93.7	103.4	114.4	140.0	183.1	275.6	494.7	47
19.7	20.1	23.7	23.7	24.9	29.5	33.3	38.5	49.4	74.2	113.3	203.7	485.5	48
53.2	45.5	44.8	46.0	47.2	52.1	58.6	65.3	74.6	98.8	142.1	237.1	522.8	49
99.6	73.0	69.6	70.4	71.9	86.9	97.2	108.2	134.2	183.3	280.4	534.5	1085.0	50
18.5	18.7	20.8	22.5	24.0	28.0	32.5	37.3	46.8	72.7	113.9	209.0	515.2	51
78.5	80.1	79.7	80.7	81.9	90.4	97.3	106.5	126.4	149.5	138.0	173.0	217.0	52
133.8	138.9	137.2	138.0	138.5	144.8	161.4	167.4	179.0	215.9	181.3	222.4	214.8	53
27.9	29.8	31.5	32.8	32.8	43.1	40.6	51.6	78.4	95.0	106.9	134.7	218.8	54
35.9	28.2	26.6	25.0	24.3	28.4	27.9	28.9	32.9	38.3	42.2	44.1	34.5	55
58.6	44.1	40.6	36.9	36.1	38.5	40.2	41.4	47.5	53.5	64.1	71.6	60.0	56
13.7	13.0	13.3	13.7	13.2	15.1	16.5	17.9	20.7	27.0	27.1	26.0	18.9	57
34.9	28.5	24.9	23.5	22.9	24.9	26.3	27.7	31.7	39.2	42.3	45.3	37.4	58
56.9	40.7	37.1	34.0	33.3	35.8	37.0	38.9	45.1	52.8	63.7	72.7	65.7	59
13.4	12.6	13.1	13.3	13.1	14.6	16.5	17.9	20.6	27.4	27.6	27.5	20.4	60
43.2	41.3	39.2	37.3	36.2	40.3	42.6	41.4	45.6	39.5	40.9	29.9	11.3	61
73.4	70.7	68.3	62.2	61.9	64.1	71.0	67.4	72.1	61.8	68.8	59.2	19.7	62
15.7	16.1	14.8	16.5	13.9	19.7	17.4	18.0	21.6	21.9	20.7	7.1	5.0	63
20.3	21.4	22.3	24.8	26.5	29.4	34.4	40.0	46.1	64.0	99.6	188.1	454.5	64
35.0	36.3	36.5	40.4	42.3	45.5	53.6	62.0	68.9	86.5	119.0	204.0	434.7	65
6.0	7.1	8.8	10.0	11.7	14.4	16.8	20.6	28.7	47.2	66.3	177.7	466.6	66
18.3	19.0	19.9	22.5	24.3	27.2	32.2	37.6	42.9	60.6	99.8	191.8	485.4	67
31.7	32.3	32.4	35.4	35.6	41.9	49.9	58.3	63.1	61.4	119.6	207.7	468.8	68
5.1	6.1	7.7	9.1	10.8	13.5	16.1	19.4	26.2	45.3	66.3	161.5	494.7	69
35.2	38.8	40.5	43.4	45.7	50.0	54.8	65.1	80.8	109.0	97.0	143.1	205.7	70
60.4	68.2	68.9	75.8	76.6	80.7	90.4	100.0	107.0	154.1	112.5	163.2	195.1	71
12.3	13.6	16.6	18.3	18.9	23.4	23.2	33.6	56.8	73.1	86.2	127.6	213.8	72
12.6	13.3	15.4	17.7	19.0	19.9	20.7	22.0	21.1	20.2	21.7	22.9	20.7	73
18.2	18.3	20.0	23.2	26.2	28.0	30.9	35.0	34.5	36.1	42.3	47.6	47.3	74
7.2	8.5	11.1	12.4	12.2	12.3	11.3	10.6	9.9	8.4	7.4	6.7	4.4	75
12.8	13.5	16.1	18.7	20.2	21.2	22.2	23.5	22.3	21.1	22.7	24.2	22.3	76
18.4	18.2	20.4	24.2	27.8	29.6	33.0	37.3	36.5	37.7	44.5	50.6	52.2	77
7.3	8.9	11.9	13.4	13.1	13.4	12.2	11.4	10.6	8.8	7.7	7.1	4.5	78
11.5	11.7	10.4	9.3	7.8	7.4	6.1	6.3	8.0	8.4	9.2	6.9	7.8	79
17.0	18.6	16.7	14.9	11.5	12.8	10.3	11.0	14.0	15.3	17.2	14.5	13.1	80
6.4	5.8	5.0	4.6	4.6	2.6	2.4	2.1	2.7	3.0	3.4	1.0	3.8	81
16.1	15.8	14.4	12.6	9.8	7.6	7.2	5.6	5.3	4.0	2.7	3.1	2.9	82
26.5	25.4	23.8	20.5	18.9	12.8	12.0	9.4	8.9	6.7	4.4	4.6	3.9	83
5.9	6.6	5.3	5.1	4.1	2.8	2.9	2.2	2.2	1.9	1.6	2.1	2.4	84
7.5	7.2	6.6	6.1	5.0	4.1	4.6	3.9	3.6	2.9	2.4	2.9	2.7	85
12.0	11.0	10.8	9.5	7.7	6.3	7.5	6.2	5.7	4.5	3.9	4.3	3.3	86
3.0	3.5	2.5	2.9	2.5	1.9	1.9	1.8	1.8	1.7	1.4	2.1	2.4	87
79.8	79.1	72.5	65.4	51.1	40.6	32.7	23.8	23.8	18.2	6.6	4.6	5.0	88
138.1	138.7	129.0	116.7	90.2	75.7	55.9	42.7	42.3	35.7	10.2	7.9	8.2	89
26.8	28.0	25.0	22.6	17.1	10.2	12.1	6.8	7.0	4.5	4.0	2.0	2.5	90

SECTION I - GENERAL MORTALITY

Table 1-8. Death Rates for 69 Selected Causes, by 5-Year

[Rates per 100,000 population in specified group. Numbers after causes of death are cate-

Cause of death, color, and sex		Total ¹	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Other external causes-----	2.5	3.6	1.2	0.3	0.4	2.4	3.8
2	1980-1989	3.7	3.6	1.2	0.4	0.6	3.6	6.3
3	Male-----	1.5	3.7	1.2	0.2	0.3	1.1	1.4
4	Female-----	2.1	2.7	0.7	0.2	0.3	1.8	3.1
5	White-----	2.9	2.6	0.7	0.3	0.4	2.8	5.3
6	Male-----	1.3	2.8	0.8	0.1	0.2	0.7	1.1
7	Female-----	5.8	8.0	3.7	0.8	1.2	6.1	8.3
8	All other-----	9.1	8.3	4.0	1.0	1.4	6.7	13.4
9	Male-----	2.9	7.8	3.3	0.6	1.0	3.6	3.9
	Female-----							

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

I-25

Age Groups, Color, and Sex: United States, 1969-Con.

[Category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85+ years and over	
3.3	3.1	3.6	3.3	3.5	3.5	3.6	3.1	2.9	3.5	2.8	3.6	3.5	1
5.1	4.6	5.1	4.8	4.9	4.6	5.4	5.0	4.4	5.8	4.4	5.3	5.1	2
1.6	1.6	2.2	1.9	2.3	2.4	1.9	1.4	1.7	1.8	1.7	2.4	2.5	3
2.5	2.2	2.5	2.5	3.0	3.0	3.3	2.8	2.7	3.3	2.7	3.6	3.5	4
3.7	3.1	3.4	3.3	3.9	3.7	4.9	4.4	4.2	5.4	3.9	5.3	5.1	5
1.4	1.4	1.7	1.6	2.2	2.3	1.8	1.5	1.5	1.7	1.8	2.4	2.5	6
9.3	9.6	11.7	9.7	8.1	7.9	6.3	6.1	5.4	6.4	4.6	4.0	3.5	7
16.0	17.2	16.7	17.2	14.1	14.0	10.5	11.3	7.4	10.8	9.4	5.3	4.9	8
3.2	3.2	5.9	3.5	2.8	2.6	2.8	1.3	3.7	3.0	1.1	3.1	2.5	9

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1969

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All causes-----	951.9	2,148.0	85.0	42.2	129.8	158.8	322.4	728.3	1,677.5	3,738.2	7,896.0	19,084.6
Male-----	1,097.6	2,424.6	92.0	51.0	192.3	216.5	410.8	982.7	2,312.5	5,034.7	9,760.3	19,554.9
Female-----	815.1	1,859.2	77.6	35.0	86.8	103.0	238.3	509.7	1,105.5	2,709.5	6,532.8	18,786.2
White-----	950.8	1,918.8	75.9	39.6	118.3	130.4	272.4	682.9	1,582.9	3,584.0	7,875.8	20,222.5
Male-----	1,052.7	2,186.1	82.0	47.8	175.7	178.1	348.3	895.6	2,219.8	4,891.7	9,879.6	20,639.0
Female-----	815.1	1,638.1	69.6	31.1	62.0	85.8	198.9	457.7	1,009.5	2,553.7	6,694.7	19,796.7
All other-----	959.7	3,204.7	129.2	56.7	205.8	269.5	569.5	1,317.4	2,621.1	5,853.8	8,832.7	9,963.8
Male-----	1,132.8	3,542.0	141.7	69.5	305.5	316.0	635.0	1,687.0	3,252.8	6,834.5	8,497.8	10,172.1
Female-----	788.7	2,861.8	116.2	45.8	115.1	259.7	524.4	987.0	2,056.1	4,609.6	5,851.8	9,865.0
Bacillary dysentery and amebiasis-----004,006	0.0	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2
Male-----	0.1	0.6	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.2
Female-----	0.0	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
White-----	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.2
Male-----	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-	0.2
Female-----	0.0	0.2	0.1	-	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1
All other-----	0.1	1.8	0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.3	0.4	-
Male-----	0.1	1.6	-	0.1	0.0	0.1	0.1	0.2	-	0.5	0.5	-
Female-----	0.1	1.9	0.5	0.0	0.0	-	-	-	0.1	0.2	0.4	-
Enteritis and other diarrheal diseases-----008,009	1.3	26.2	1.4	0.2	0.1	0.1	0.3	0.5	1.0	2.5	6.9	21.5
Male-----	1.3	29.4	1.3	0.2	0.1	0.1	0.2	0.4	1.2	2.5	6.7	18.8
Female-----	1.3	22.9	1.5	0.1	0.0	0.1	0.3	0.6	0.9	2.6	7.1	25.2
White-----	1.0	14.9	1.1	0.1	0.0	0.1	0.2	0.4	0.9	2.2	6.9	21.8
Male-----	1.0	16.0	1.1	0.2	0.1	0.1	0.2	0.4	1.1	2.2	6.8	17.7
Female-----	1.1	15.8	1.2	0.1	0.0	0.1	0.3	0.4	0.8	2.2	6.9	24.2
All other-----	3.2	78.2	2.6	0.3	0.2	0.3	0.7	1.1	2.3	6.1	7.5	19.1
Male-----	3.5	81.7	2.3	0.2	0.2	0.3	0.7	0.6	2.4	5.1	5.9	26.2
Female-----	2.9	64.4	2.9	0.3	0.1	0.3	0.7	1.6	2.2	7.0	8.8	13.8
Tuberculosis, all forms-----010-019	2.8	0.5	0.2	0.0	0.2	0.7	1.9	4.0	6.7	11.3	15.4	29.2
Male-----	4.1	0.4	0.2	0.0	0.2	0.8	2.4	6.0	11.0	19.6	27.7	44.5
Female-----	1.5	0.5	0.2	0.0	0.2	0.7	1.4	2.1	2.8	4.8	7.1	19.8
White-----	2.2	0.3	0.1	0.0	0.1	0.3	0.9	2.7	5.2	9.5	14.0	27.9
Male-----	3.3	0.4	0.1	0.0	0.1	0.3	1.2	4.2	8.6	16.4	25.5	43.6
Female-----	1.2	0.2	0.1	0.0	0.1	0.3	0.6	1.3	2.2	4.1	6.3	18.5
All other-----	6.7	1.3	0.7	0.1	0.8	4.1	9.7	15.4	21.4	32.8	32.3	39.7
Male-----	9.5	0.6	0.7	0.1	0.8	4.7	12.2	23.2	34.8	55.0	52.9	50.8
Female-----	4.1	1.9	0.7	0.1	0.7	3.6	7.5	8.6	8.4	13.7	16.9	31.3
Tuberculosis of respiratory system-----010-012	2.2	0.3	0.1	0.0	0.1	0.6	1.5	3.2	5.3	9.3	12.7	24.8
Male-----	3.4	0.3	0.1	0.0	0.1	0.5	2.0	5.0	9.1	16.6	22.9	37.3
Female-----	1.1	0.2	0.0	0.0	0.1	0.6	1.1	1.5	1.9	3.5	5.7	17.1
White-----	1.8	0.1	0.0	0.0	0.1	0.2	0.8	2.2	4.1	7.7	11.5	25.8
Male-----	2.7	0.3	0.1	0.0	0.1	0.2	1.1	3.6	7.0	13.8	21.0	36.4
Female-----	0.9	-	0.0	0.0	0.0	0.2	0.5	0.9	1.4	2.9	5.1	16.3
All other-----	5.4	0.8	0.3	0.0	0.5	3.3	7.3	12.5	17.7	28.1	27.0	33.3
Male-----	7.9	0.6	0.5	-	0.6	3.5	9.7	18.8	30.2	47.6	45.1	44.3
Female-----	3.1	1.0	0.1	0.1	0.4	3.1	5.4	7.0	6.6	11.4	13.6	26.0
Tuberculosis, other forms-----015-019	0.5	0.2	0.1	0.0	0.0	0.1	0.4	0.8	1.4	2.0	2.7	4.3
Male-----	0.7	0.1	0.1	0.0	0.0	0.2	0.4	1.0	1.9	3.0	4.8	7.1
Female-----	0.4	0.4	0.2	0.0	0.1	0.1	0.4	0.6	0.9	1.3	1.4	2.6
White-----	0.4	0.2	0.1	0.0	0.0	0.1	0.1	0.5	1.1	1.8	2.5	4.1
Male-----	0.6	0.1	0.1	0.0	0.0	0.1	0.1	0.6	1.6	2.6	4.5	7.2
Female-----	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.5	0.8	1.2	1.2	2.2
All other-----	1.3	0.5	0.4	0.1	0.2	0.9	2.3	2.9	3.7	4.7	5.2	6.4
Male-----	1.6	-	0.2	0.1	0.1	1.2	2.6	4.4	4.6	7.5	7.8	6.6
Female-----	1.0	1.0	0.6	0.1	0.3	0.5	2.2	1.5	2.8	2.4	3.3	6.3
Whooping cough-----033	0.0	0.3	0.0	0.0	-	-	-	-	-	-	-	-
Male-----	0.0	0.2	0.0	-	-	-	-	-	-	-	-	-
Female-----	0.0	0.4	-	0.0	-	-	-	-	-	-	-	-
White-----	0.0	0.2	-	-	-	-	-	-	-	-	-	-
Male-----	0.0	0.1	-	-	-	-	-	-	-	-	-	-
Female-----	0.0	0.3	-	-	-	-	-	-	-	-	-	-
All other-----	0.0	0.6	0.1	0.0	-	-	-	-	-	-	-	-
Male-----	0.0	0.6	0.2	-	-	-	-	-	-	-	-	-
Female-----	0.0	0.6	-	0.0	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever-----034	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.1	0.2
Male-----	0.0	0.1	0.1	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.2
Female-----	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.2	0.1
White-----	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.1	0.2
Male-----	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.2
Female-----	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.2	0.1
All other-----	0.0	0.2	0.1	-	-	0.0	0.1	-	-	0.1	-	-
Male-----	0.0	0.3	0.2	-	-	0.1	0.1	-	-	-	-	-
Female-----	0.0	-	-	-	-	-	0.1	-	-	0.2	-	-
Meningococcal infections-----036	0.4	4.1	1.4	0.3	0.4	0.1	0.1	0.1	0.2	0.3	0.2	0.2
Male-----	0.4	5.2	1.4	0.3	0.6	0.1	0.1	0.1	0.1	0.3	0.2	0.4
Female-----	0.3	2.9	1.4	0.3	0.3	0.1	0.1	0.1	0.2	0.2	0.3	0.1
White-----	0.3	4.2	1.1	0.2	0.4	0.1	0.1	0.1	0.2	0.2	0.2	0.3
Male-----	0.3	5.5	1.1	0.2	0.5	0.0	0.0	0.1	0.1	0.2	0.1	0.5
Female-----	0.3	2.8	1.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.3	0.1
All other-----	0.8	3.5	2.4	0.5	0.8	0.4	0.6	0.3	0.2	0.4	0.6	-
Male-----	0.9	3.8	2.7	0.4	1.1	0.6	0.7	0.3	0.1	0.5	1.0	-
Female-----	0.6	3.2	2.1	0.5	0.4	0.3	0.5	0.4	0.2	0.4	0.4	-
Septicemia-----038	1.5	21.7	0.5	0.1	0.2	0.2	0.5	1.1	2.1	4.2	8.6	16.7
Male-----	1.7	24.5	0.5	0.1	0.2	0.2	0.6	1.3	2.7	5.0	11.3	19.0
Female-----	1.3	18.7	0.5	0.1	0.2	0.2	0.4	0.9	1.6	3.8	6.7	15.3
White-----	1.3	16.7	0.5	0.1	0.1	0.1	0.4	0.9	1.8	3.7	8.1	17.2
Male-----	1.4	18.7	0.4	0.1	0.1	0.2	0.5	1.0	2.4	4.4	10.7	19.3
Female-----	1.2	14.6	0.6	0.1	0.1	0.1	0.3	0.8	1.3	3.2	6.3	15.9
All other-----	3.0	44.8	0.6	0.2	0.4	0.7	1.6	3.1	5.4	10.3	15.1	12.8
Male-----	3.5	51.9	0.8	0.2	0.5	0.7	1.8	4.1	6.5	12.4	18.6	16.4
Female-----	2.4	37.5	0.3	0.2	0.4	0.7	1.5	2.2	4.3	8.6	12.6	10.0

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-27

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1969-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Acute poliomyelitis-----040-043	0.0	0.1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
Male-----	0.0	-	-	-	-	0.0	0.0	0.0	0.0	-	-	-
Female-----	0.0	0.1	-	0.0	0.0	-	-	-	-	-	-	-
White-----	0.0	0.1	-	-	0.0	-	0.0	0.0	0.0	-	-	-
Male-----	0.0	-	-	-	-	-	0.0	0.0	0.0	-	-	-
Female-----	0.0	0.1	-	-	0.0	-	-	-	-	-	-	-
All other-----	0.0	-	-	0.0	0.0	0.0	-	-	-	-	-	-
Male-----	0.0	-	-	-	-	0.1	-	-	-	-	-	-
Female-----	0.0	-	-	0.0	0.0	-	-	-	-	-	-	-
Measles-----055	0.0	0.3	0.1	0.0	0.0	0.0	-	-	0.0	-	-	0.1
Male-----	0.0	0.2	0.1	0.0	0.0	-	-	-	0.0	-	-	0.2
Female-----	0.0	0.4	0.1	0.0	0.0	0.0	-	-	-	-	-	-
White-----	0.0	0.1	0.1	0.0	0.0	0.0	-	-	0.0	-	-	0.1
Male-----	0.0	0.1	0.1	0.0	0.0	-	-	-	0.0	-	-	0.2
Female-----	0.0	0.1	0.1	0.0	0.0	0.0	-	-	-	-	-	-
All other-----	0.0	1.0	0.1	-	0.0	-	-	-	-	-	-	-
Male-----	0.0	0.6	0.1	-	0.0	-	-	-	-	-	-	-
Female-----	0.0	1.3	0.2	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae-----080-087	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.7	1.7	1.7	1.7
Male-----	0.4	0.6	-	0.0	0.0	0.0	0.0	0.3	1.0	2.7	3.4	3.3
Female-----	0.2	0.7	0.0	-	-	0.0	0.0	0.1	0.4	0.9	0.5	0.8
White-----	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.0	1.3	1.0
Male-----	0.2	0.3	-	0.0	0.0	0.0	0.0	0.1	0.7	1.6	2.6	1.4
Female-----	0.1	0.5	0.0	-	-	0.0	0.0	0.0	0.2	0.5	0.5	0.7
All other-----	1.0	1.9	0.0	-	-	0.0	0.2	1.6	3.3	10.1	6.1	7.8
Male-----	1.4	1.9	-	-	-	0.1	0.2	2.2	4.9	15.2	12.3	16.4
Female-----	0.6	1.6	0.1	-	-	-	0.1	1.0	1.9	5.8	1.5	1.3
Other infective and parasitic diseases-----Remainder of 000-136	2.0	11.2	1.9	0.8	1.0	1.0	1.4	2.1	3.2	4.4	7.4	15.7
Male-----	2.1	13.6	1.9	0.8	1.0	0.9	1.3	2.4	3.5	5.0	8.9	13.5
Female-----	1.9	8.7	1.8	0.8	1.0	1.0	1.4	1.9	2.9	3.9	6.4	13.8
White-----	1.8	9.4	1.6	0.8	0.9	0.7	1.1	1.8	2.9	4.2	7.5	14.7
Male-----	2.0	11.7	1.7	0.7	0.9	0.7	1.1	2.1	3.3	4.9	9.1	14.2
Female-----	1.8	6.9	1.6	0.8	0.8	0.8	1.0	1.6	2.5	3.6	6.5	15.0
All other-----	3.3	19.4	3.0	0.9	2.0	2.7	3.6	4.8	6.3	8.8	6.3	5.0
Male-----	3.4	22.3	3.2	0.9	2.1	2.4	2.8	5.2	6.1	8.8	6.9	8.2
Female-----	3.3	16.5	2.9	0.8	1.9	2.9	4.3	4.7	6.5	6.8	5.9	2.5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	160.0	4.7	7.3	6.1	8.0	16.9	61.4	178.8	419.7	769.4	1,112.0	1,486.5
Male-----	178.9	4.8	7.8	6.9	10.0	17.0	54.4	160.0	505.9	1,017.4	1,494.0	1,929.4
Female-----	142.1	4.5	6.9	5.3	6.0	16.9	68.0	177.7	342.1	572.4	853.2	1,276.2
White-----	165.5	5.2	7.8	6.3	8.1	16.3	59.0	170.4	406.7	750.9	1,126.5	1,571.8
Male-----	181.6	5.2	8.3	7.2	10.3	16.8	61.3	168.8	487.4	992.8	1,507.7	1,941.0
Female-----	146.3	5.1	7.3	5.4	6.0	15.8	64.5	171.8	355.9	560.5	869.9	1,349.4
All other-----	154.9	2.4	5.0	4.8	6.9	21.4	87.2	255.0	550.1	988.4	957.9	802.8
Male-----	159.1	2.9	5.1	5.0	7.8	18.2	80.6	265.0	691.2	1,300.2	1,357.7	1,044.3
Female-----	112.4	1.9	5.0	4.5	6.2	24.3	92.8	229.1	425.9	717.9	641.5	618.8
Malignant neoplasms of buccal cavity and pharynx-----140-149	3.7	0.0	0.0	0.0	0.1	0.2	1.3	5.4	12.9	15.6	20.4	32.3
Male-----	5.7	0.1	0.0	0.0	0.2	0.3	1.8	8.1	20.9	27.4	35.6	49.2
Female-----	1.9	-	0.0	0.0	0.1	0.1	0.8	2.9	5.7	6.2	10.1	21.9
White-----	3.8	0.0	0.0	0.0	0.1	0.2	0.9	4.7	12.7	15.6	21.1	34.7
Male-----	5.7	0.1	0.0	0.0	0.1	0.2	1.3	7.0	20.4	27.5	36.8	52.9
Female-----	2.0	-	0.0	0.0	0.1	0.1	0.6	2.8	5.7	6.1	10.6	23.8
All other-----	3.5	-	-	0.0	0.5	0.5	3.8	11.7	14.9	16.0	11.9	12.8
Male-----	5.5	-	-	0.0	0.5	1.0	5.7	18.1	25.7	26.1	22.5	23.0
Female-----	1.8	-	-	-	0.1	0.1	2.2	6.1	5.2	7.4	4.0	5.0
Malignant neoplasms of digestive organs and peritoneum-----150-159	46.5	0.3	0.2	0.1	0.4	2.2	10.3	38.6	111.1	241.6	406.7	579.8
Male-----	51.2	0.3	0.2	0.1	0.4	2.5	11.3	46.0	137.9	303.9	498.5	636.5
Female-----	42.1	0.2	0.2	0.1	0.3	2.0	9.3	31.7	87.0	192.1	344.6	545.1
White-----	47.4	0.3	0.2	0.1	0.3	2.0	9.4	35.6	105.6	235.6	412.7	618.7
Male-----	51.5	0.3	0.2	0.1	0.4	2.2	10.2	41.8	129.7	292.3	505.8	680.2
Female-----	45.6	0.2	0.2	0.1	0.3	1.8	8.6	29.8	83.9	187.4	351.5	577.9
All other-----	40.2	0.5	0.1	-	0.6	3.8	17.2	65.4	166.4	335.7	334.6	284.4
Male-----	49.6	0.3	0.2	-	0.7	4.7	20.5	85.6	220.5	435.0	439.2	329.5
Female-----	31.5	0.3	-	-	0.4	3.1	14.4	47.8	118.2	249.6	257.4	250.0
Malignant neoplasms of respiratory system-----160-163	32.7	0.0	0.0	0.1	0.2	1.1	11.5	43.9	112.7	175.5	157.2	118.9
Male-----	54.7	-	0.0	0.1	0.2	1.4	17.1	69.7	197.7	338.1	315.1	215.1
Female-----	11.8	0.1	0.1	0.0	0.2	0.8	6.2	19.9	36.2	46.5	50.1	59.9
White-----	33.5	0.0	0.0	0.1	0.2	1.0	10.8	41.5	110.8	175.9	160.1	124.1
Male-----	55.8	-	0.0	0.1	0.2	1.2	15.7	64.8	193.8	336.6	322.9	225.4
Female-----	12.1	0.1	0.1	0.0	0.2	0.7	6.0	19.7	36.0	45.7	50.5	63.4
All other-----	27.1	-	0.0	0.0	0.2	1.9	17.1	65.7	131.9	194.2	122.9	78.0
Male-----	46.5	-	-	0.0	0.2	2.3	28.7	116.4	236.7	355.7	227.0	142.6
Female-----	9.1	-	0.1	0.0	0.2	1.4	7.4	21.7	38.5	55.4	45.2	26.8
Malignant neoplasm of breast-----174	14.4	-	-	0.0	0.1	1.7	10.5	26.0	41.7	54.4	71.0	113.2
Male-----	0.3	-	-	-	0.0	0.0	0.1	0.3	0.6	1.5	2.3	3.3
Female-----	27.9	-	-	0.0	0.1	3.4	20.4	51.6	78.7	96.3	117.6	180.6
White-----	15.0	-	-	0.0	0.1	1.6	10.1	26.7	42.1	54.4	73.1	122.1
Male-----	0.3	-	-	-	0.0	0.0	0.1	0.3	0.6	1.4	2.2	3.3
Female-----	29.1	-	-	0.0	0.1	3.1	19.7	51.5	79.5	95.2	120.7	192.8
All other-----	10.2	-	-	-	0.2	2.8	14.1	28.3	39.3	53.7	45.5	41.8
Male-----	0.3	-	-	-	-	-	0.2	0.5	0.6	2.3	2.5	3.3
Female-----	19.4	-	-	-	0.3	5.3	25.7	52.6	71.7	97.4	77.9	71.3
Malignant neoplasms of genital organs-----180-187	20.3	0.1	0.1	0.1	0.9	2.7	8.4	20.3	42.8	95.3	174.7	255.3
Male-----	18.1	0.1	0.1	0.1	1.1	1.8	1.5	3.5	23.3	105.0	279.7	462.0
Female-----	22.4	-	0.1	0.1	0.7	3.5	14.9	35.9	60.3	87.5	103.5	128.5
White-----	20.0	0.0	0.1	0.1	0.9	2.5	7.6	18.9	38.9	88.4	170.6	261.6
Male-----	17.7	0.1	0.1	0.1	1.2	2.0	1.6	3.0	19.6	84.5	269.8	479.0
Female-----	22.1	-	0.1	0.1	0.7	2.9	13.5	33.8	56.2	85.5	103.8	131.4
All other-----	22.8	0.2	0.1	0.1	0.6	4.1	14.4	32.9	82.0	177.5	224.5	206.4
Male-----	21.4	0.3	0.1	0.1	0.3	0.4	1.1	8.1	60.7	224.2	392.2	342.6
Female-----	24.1	-	0.1	0.2	0.9	7.3	25.5	54.5	100.9	136.9	99.6	102.5

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1969-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, international Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.												
Malignant neoplasms of urinary organs-----188,189	7.4	0.5	0.4	0.2	0.1	0.3	1.3	5.7	17.2	38.4	65.8	92.4
Male-----	10.1	0.4	0.4	0.2	0.0	0.3	1.8	8.5	26.3	60.6	103.8	129.4
Female-----	4.8	0.5	0.5	0.2	0.1	0.2	0.9	3.2	9.1	20.8	40.1	69.7
White-----	7.7	0.6	0.5	0.2	0.0	0.2	1.3	5.6	16.9	38.5	67.8	98.7
Male-----	10.7	0.5	0.4	0.2	0.0	0.3	1.7	8.3	26.0	61.2	107.7	139.2
Female-----	4.9	0.6	0.5	0.2	0.0	0.2	0.9	3.0	8.6	20.6	40.9	74.4
All other-----	4.8	-	0.3	0.3	0.1	0.5	1.6	6.6	20.9	38.1	42.3	41.8
Male-----	8.5	-	0.3	0.2	0.0	0.5	1.6	8.2	29.2	54.8	59.8	60.7
Female-----	3.5	-	0.3	0.3	0.2	0.5	1.3	5.2	13.5	23.7	29.4	27.5
Malignant neoplasms of all other and unspecified sites-----170-175,190-199	16.7	1.9	2.8	2.1	2.6	4.1	10.0	22.7	47.2	79.1	109.0	168.5
Male-----	20.0	2.2	2.8	2.3	3.3	4.7	10.8	25.2	56.9	94.0	121.3	180.2
Female-----	17.5	1.5	2.7	2.0	2.0	3.5	9.3	20.3	39.5	67.2	100.7	161.3
White-----	19.2	2.1	2.8	2.2	2.7	4.2	9.9	22.2	46.0	76.8	110.3	178.0
Male-----	20.5	2.4	2.8	2.4	3.4	4.8	10.5	24.9	55.5	92.3	122.6	195.0
Female-----	17.9	1.8	2.8	1.9	2.0	3.5	9.2	19.6	37.4	64.6	102.1	168.8
All other-----	15.5	0.6	2.5	1.7	2.1	3.4	11.1	27.5	59.1	105.6	93.3	92.2
Male-----	16.3	1.0	2.7	1.5	2.5	3.7	12.7	28.7	70.7	113.3	106.9	90.2
Female-----	14.6	0.3	2.2	2.2	1.8	3.1	9.8	28.4	48.7	98.6	83.5	93.8
Leukemia-----204-207	7.2	1.7	3.5	2.9	1.9	1.9	3.2	5.3	11.8	27.9	51.3	74.1
Male-----	8.4	1.5	3.8	3.2	2.4	2.3	3.7	6.4	15.2	36.9	69.5	94.9
Female-----	6.0	1.9	3.1	2.5	1.3	1.5	2.8	4.2	8.8	20.7	39.7	61.3
White-----	7.5	1.8	3.8	3.0	1.9	1.9	3.3	5.2	11.8	28.1	51.5	80.6
Male-----	8.8	1.6	4.3	3.4	2.5	2.3	3.8	6.4	15.2	37.3	71.4	104.7
Female-----	6.3	2.1	3.3	2.7	1.3	1.5	2.8	4.1	8.8	20.9	41.4	66.2
All other-----	4.4	1.1	1.8	2.0	1.6	2.0	3.0	5.5	12.0	24.4	25.4	21.5
Male-----	5.1	1.3	1.5	2.5	2.0	2.2	3.2	6.0	15.0	31.7	35.3	26.2
Female-----	3.7	1.0	2.1	1.4	1.3	1.8	2.8	5.2	9.3	18.1	18.0	17.5
Other neoplasms of lymphatic and hematopoietic tissues-----200-203,208,209	9.0	0.3	0.3	0.7	1.8	2.8	4.8	10.1	22.1	41.6	55.8	52.0
Male-----	10.3	0.2	0.5	1.0	2.3	3.7	6.5	12.4	27.0	49.9	69.1	58.8
Female-----	7.8	0.4	0.2	0.4	1.3	1.9	3.4	7.9	17.8	35.0	46.8	47.8
White-----	9.4	0.5	0.4	0.7	1.9	2.9	4.8	10.0	21.9	41.5	57.3	55.4
Male-----	10.7	0.2	0.5	1.0	2.5	3.8	6.3	12.3	26.5	49.3	70.5	63.4
Female-----	8.2	0.4	0.2	0.4	1.4	2.0	3.3	7.7	17.8	35.4	48.4	50.6
All other-----	6.4	0.2	0.2	0.6	1.3	2.5	4.9	11.5	24.6	43.1	37.5	24.1
Male-----	8.0	-	0.2	0.9	1.6	3.3	6.6	13.5	32.1	57.1	52.5	26.2
Female-----	4.9	0.3	0.2	0.3	1.0	1.8	3.5	9.7	17.9	30.9	26.5	22.5
Benign neoplasms and neoplasms of unspecified nature-----210-239	2.3	2.0	0.4	0.4	0.5	0.8	1.7	2.9	5.2	8.2	12.1	20.5
Male-----	2.2	2.0	0.5	0.4	0.5	0.8	1.2	2.6	5.6	9.0	14.6	18.4
Female-----	2.4	1.9	0.4	0.3	0.6	0.9	2.1	3.3	4.9	7.5	10.4	21.8
White-----	2.3	1.8	0.4	0.4	0.5	0.7	1.5	2.7	4.9	7.9	11.8	21.6
Male-----	2.2	1.8	0.5	0.4	0.5	0.6	1.2	2.4	5.4	8.8	14.7	19.6
Female-----	2.3	1.9	0.4	0.3	0.6	0.8	1.7	3.0	4.5	7.2	9.9	22.9
All other-----	2.7	2.6	0.5	0.5	0.7	1.2	3.1	5.3	8.2	12.3	14.7	11.3
Male-----	2.2	2.9	0.4	0.6	0.8	0.9	1.1	4.4	7.7	11.4	12.7	9.8
Female-----	3.1	2.3	0.7	0.4	0.5	1.4	4.9	6.1	8.6	12.9	16.2	12.5
Diabetes mellitus-----250	19.1	0.3	0.1	0.2	0.7	2.5	5.4	13.1	37.1	96.7	185.9	262.0
Male-----	15.9	0.3	0.1	0.2	0.6	2.7	6.1	13.5	35.2	87.2	168.8	225.9
Female-----	22.1	0.3	0.1	0.3	0.8	2.3	4.8	12.7	39.8	104.3	197.5	284.1
White-----	18.4	0.3	0.1	0.2	0.6	2.3	4.3	10.7	31.1	88.7	185.5	276.4
Male-----	15.7	0.3	0.1	0.2	0.5	2.5	5.0	11.9	32.0	85.1	170.2	242.2
Female-----	21.0	0.5	0.2	0.3	0.7	2.2	3.7	9.5	30.4	95.2	195.7	296.4
All other-----	23.6	0.3	0.1	0.2	1.2	4.0	14.4	34.7	96.3	191.8	191.0	146.8
Male-----	17.3	0.3	0.2	0.2	1.0	4.8	16.0	27.9	67.0	133.8	152.9	111.5
Female-----	29.5	0.3	0.1	0.3	1.3	3.2	13.0	40.6	122.3	240.6	220.2	173.8
Avitaminoses and other nutritional deficiencies-----260-269	1.3	5.6	0.3	0.1	0.1	0.1	0.2	0.5	1.3	3.6	10.8	55.0
Male-----	1.2	6.8	0.4	0.1	0.1	0.1	0.2	0.7	1.6	4.2	11.4	46.5
Female-----	1.3	4.4	0.2	0.0	0.1	0.0	0.2	0.5	1.0	3.2	10.4	60.2
White-----	1.2	3.2	0.2	0.0	0.1	0.1	0.2	0.4	1.1	3.0	10.3	57.4
Male-----	1.1	4.2	0.2	0.1	0.1	0.1	0.1	0.5	1.4	3.6	10.7	49.4
Female-----	1.3	2.1	0.2	0.0	0.1	0.0	0.2	0.4	0.9	2.6	10.1	62.0
All other-----	1.9	17.0	1.1	0.1	0.1	0.1	0.6	1.5	2.8	10.5	15.9	36.2
Male-----	2.0	18.8	1.5	0.1	0.0	0.2	0.6	1.9	3.7	11.2	18.6	26.2
Female-----	1.7	15.2	0.6	0.1	0.1	0.1	0.6	1.1	2.0	10.0	14.0	43.8
Anemias-----280-285	1.6	1.8	0.8	0.4	0.5	0.6	0.5	0.9	2.0	5.3	13.9	35.5
Male-----	1.6	1.6	0.8	0.4	0.6	0.6	0.5	0.8	2.2	5.9	16.1	33.3
Female-----	1.7	1.9	0.7	0.4	0.5	0.5	1.0	1.9	4.9	12.5	28.5	36.9
White-----	1.5	1.0	0.4	0.2	0.3	0.3	0.2	0.7	1.8	5.1	14.3	38.3
Male-----	1.4	0.9	0.5	0.2	0.3	0.3	0.2	0.7	1.9	5.7	16.5	36.5
Female-----	1.6	1.3	0.3	0.3	0.3	0.2	0.8	1.7	4.7	12.8	39.2	
All other-----	2.8	5.1	2.5	1.4	2.3	3.0	2.5	4.2	7.6	9.9	15.5	15.5
Male-----	2.9	5.4	2.3	1.5	2.4	3.5	2.7	1.9	4.5	7.7	11.3	9.8
Female-----	2.8	4.9	2.6	1.3	2.2	2.6	2.4	3.0	3.9	7.6	8.5	16.3
Meningitis-----320	0.9	15.8	1.8	0.2	0.1	0.2	0.4	0.6	1.0	1.4	1.8	1.6
Male-----	1.0	17.3	2.1	0.3	0.2	0.2	0.5	0.8	1.3	1.7	2.1	2.2
Female-----	0.7	14.2	1.5	0.2	0.1	0.1	0.2	0.5	0.7	1.2	1.7	1.3
White-----	0.7	12.6	1.6	0.2	0.1	0.1	0.3	0.4	0.7	1.1	1.6	1.7
Male-----	0.8	14.5	1.9	0.3	0.2	0.2	0.4	0.6	1.0	1.4	1.9	2.3
Female-----	0.5	10.6	1.2	0.2	0.1	0.1	0.2	0.3	0.5	0.9	1.4	1.3
All other-----	2.1	30.3	3.1	0.3	0.3	0.5	1.2	2.4	3.3	4.6	4.6	1.4
Male-----	2.4	30.3	3.5	0.3	0.4	0.7	1.8	3.3	4.2	5.6	3.4	1.6
Female-----	1.8	30.4	2.7	0.4	0.2	0.3	0.7	1.6	2.4	3.8	5.5	1.3
Major cardiovascular diseases-----390-448	501.7	16.8	2.4	1.8	5.1	17.9	89.9	294.9	819.1	2,159.0	5,251.6	14,087.4
Male-----	559.6	17.1	2.6	1.7	5.8	21.7	128.2	444.5	1,203.1	2,896.2	6,231.7	13,788.8
Female-----	447.5	16.4	2.1	1.8	4.6	14.2	55.6	155.4	473.5	1,573.5	4,587.9	14,270.6
White-----	514.2	14.9	2.1	1.6	4.3	13.2	75.5	288.3	772.1	2,069.2	5,320.5	14,974.4
Male-----	573.7	15.6	2.4	1.6	4.8	16.7	113.4	419.3	1,169.9	2,829.2	6,337.1	14,795.3
Female-----	457.4	14.2	1.9	1.6	3.7	9.8	38.9	126.4	413.4	1,470.4	4,636.4	15,060.4
All other-----	412.4	25.4	5.4	2.8	10.6	52.6	202.5	534.5	1,287.7	3,222.2	4,421.2	6,972.3
Male-----	449.1	24.2	3.9	2.7	11.0	61.0	252.7	681.5	1,535.4	3,655.9	5,036.8	6,709.8
Female-----	378.2	26.5	2.9	2.9	10.3	45.2	160.5	407.				

SECTION 1 - GENERAL MORTALITY

1-29

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1969-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular diseases—Con.												
Diseases of heart—390-398,402,404,410-429	386.1	11.0	1.4	1.0	3.0	11.5	69.5	242.3	667.6	1,634.5	3,644.9	9,182.0
Male	428.3	10.9	1.5	1.0	3.5	15.5	107.4	385.2	1,013.8	2,252.8	4,443.7	9,207.3
Female	306.9	11.1	1.3	1.0	2.5	7.6	33.5	109.0	355.8	1,143.4	3,103.8	9,134.2
White	378.2	9.7	1.2	0.8	2.4	8.7	61.0	227.2	642.4	1,586.0	3,706.8	9,746.6
Male	443.9	9.9	1.3	0.8	3.0	12.3	98.7	372.5	1,002.0	2,227.5	4,535.6	9,899.3
Female	315.4	9.6	1.2	0.8	1.9	5.2	24.6	90.8	318.1	1,084.2	3,149.0	9,642.0
All other	280.1	16.9	2.3	2.0	7.1	32.0	135.6	377.9	919.5	2,184.0	2,899.2	4,470.9
Male	316.1	15.9	2.6	1.7	7.3	40.8	180.4	505.2	1,132.6	2,540.3	5,402.0	4,341.0
Female	246.7	17.8	2.0	2.3	8.9	24.2	98.2	267.6	728.9	1,870.7	2,532.7	4,570.0
Active rheumatic fever and chronic rheumatic heart disease—390-399	7.6	0.1	0.1	0.3	0.7	1.9	5.0	11.6	23.5	31.7	33.5	44.4
Male	7.2	0.3	0.1	0.3	0.8	1.9	5.1	12.0	23.9	31.1	33.1	39.4
Female	8.1	-	0.1	0.3	0.7	2.0	4.8	11.2	23.2	32.2	33.8	47.4
White	7.9	0.1	0.1	0.2	0.5	1.6	4.6	11.7	24.1	32.3	34.8	47.3
Male	7.4	0.2	0.1	0.2	0.7	1.7	4.8	12.0	24.4	31.5	34.0	42.7
Female	8.4	-	0.1	0.1	0.4	1.6	4.4	11.3	23.8	32.9	35.3	50.1
All other	5.6	0.3	0.4	1.0	2.1	4.0	7.7	10.8	18.1	25.1	18.4	20.6
Male	5.3	0.6	0.4	0.7	1.5	3.2	7.3	11.3	19.2	26.6	23.0	16.4
Female	5.8	-	0.3	1.2	2.6	4.6	7.9	10.3	17.1	23.5	15.1	23.8
Hypertensive heart disease—402	4.4	-	-	0.0	0.1	0.3	1.2	2.9	7.8	18.5	45.3	112.5
Male	3.8	-	-	0.0	0.1	0.4	1.4	3.5	9.0	19.6	36.7	79.2
Female	5.1	-	-	0.0	0.0	0.2	1.1	2.4	6.8	17.7	51.1	132.9
White	3.9	-	-	0.0	0.0	0.1	0.5	1.8	5.6	14.9	43.1	112.6
Male	3.2	-	-	0.0	0.1	0.2	0.6	2.2	6.9	16.3	34.5	78.3
Female	4.5	-	-	0.0	0.0	0.1	0.4	1.4	4.5	13.8	49.8	133.0
All other	8.5	-	-	0.2	1.6	6.8	13.4	29.5	61.8	61.8	72.1	112.1
Male	8.0	-	-	0.2	1.9	7.8	15.3	30.1	59.0	61.8	85.2	132.5
Female	9.0	-	-	0.1	1.2	6.0	11.7	29.0	64.7	80.1	86.9	132.5
Hypertensive heart and renal disease—404	3.6	-	-	0.0	0.0	0.1	0.5	1.4	3.8	12.4	43.7	132.4
Male	3.5	-	-	0.0	0.0	0.1	0.5	1.6	4.6	14.7	50.1	152.7
Female	3.8	-	-	0.0	0.0	0.1	0.4	1.1	3.1	10.6	39.4	132.3
White	3.5	-	-	0.0	0.0	0.0	0.2	0.8	2.7	10.3	43.1	160.9
Male	3.3	-	-	0.0	0.0	0.0	0.2	1.0	3.4	12.6	48.9	163.9
Female	3.6	-	-	0.0	0.0	0.2	0.6	2.1	8.5	39.2	159.0	
All other	4.8	-	-	0.0	0.5	2.5	6.7	14.8	37.6	50.9	84.4	132.4
Male	5.0	-	-	0.0	0.5	3.2	8.0	16.9	38.7	65.2	75.8	132.4
Female	4.6	-	-	0.0	0.5	2.0	5.6	12.6	36.5	41.9	82.5	
Ischemic heart disease—410-413	331.7	0.7	0.0	0.1	0.6	6.2	55.4	210.3	598.4	1,500.3	3,367.6	8,400.2
Male	392.7	0.6	0.0	0.1	0.8	9.7	90.7	346.3	929.2	2,092.4	4,133.4	8,470.0
Female	273.6	0.7	0.0	0.1	0.4	2.9	21.9	83.5	300.5	1,030.1	2,848.9	8,357.3
White	345.4	0.7	0.0	0.1	0.5	4.9	50.2	200.0	560.6	1,467.6	3,435.3	8,986.9
Male	410.2	0.7	0.0	0.1	0.7	7.9	85.5	339.0	925.6	2,082.6	4,234.1	9,135.0
Female	283.4	0.8	0.0	0.1	0.3	1.9	16.1	69.4	269.5	983.1	2,697.6	6,841.4
All other	234.5	0.3	-	0.1	1.5	16.5	96.0	303.3	776.5	1,886.2	2,552.6	3,914.2
Male	266.5	0.3	-	0.2	1.9	23.5	134.0	414.8	965.9	2,203.0	2,991.2	3,793.4
Female	204.8	0.3	-	0.1	1.2	10.3	64.2	206.6	607.2	1,808.0	2,233.1	4,006.3
Acute myocardial infarction—410	179.1	0.3	0.0	0.1	0.4	4.3	40.5	151.7	404.0	895.6	1,586.3	2,607.1
Male	234.1	0.3	0.0	0.1	0.6	6.9	69.1	256.6	646.7	1,305.7	2,095.0	3,177.8
Female	126.7	0.4	-	0.0	0.3	1.8	14.3	53.9	185.4	570.0	1,244.8	2,579.8
White	189.6	0.3	0.0	0.1	0.3	3.8	38.8	150.8	406.7	902.0	1,640.4	2,999.2
Male	249.2	0.3	0.0	0.1	0.5	5.9	66.8	239.5	662.7	1,333.0	2,175.1	3,443.6
Female	132.8	0.4	-	0.1	0.2	1.3	11.8	48.3	175.9	562.4	1,280.5	2,729.9
All other	103.7	0.3	-	0.1	1.0	9.8	54.0	161.8	377.3	818.8	960.4	1,264.5
Male	125.0	0.3	-	0.1	1.0	14.8	78.5	229.6	486.8	936.5	1,187.3	1,308.2
Female	85.9	0.3	-	0.0	0.9	5.5	33.5	103.0	279.5	663.7	793.8	1,231.3
Other acute and subacute forms of ischemic heart disease—411	2.3	0.0	-	0.0	0.0	0.1	0.9	2.2	5.4	10.2	18.6	43.4
Male	3.0	-	-	0.0	0.0	0.2	1.3	3.5	8.5	14.6	24.4	45.3
Female	1.7	0.1	-	0.0	0.1	0.4	1.0	2.6	6.8	14.7	14.7	42.3
White	2.2	0.0	-	0.0	0.0	0.1	0.7	1.8	4.7	9.2	18.2	45.6
Male	2.8	-	-	0.0	0.0	0.2	1.1	3.1	7.8	13.3	23.6	49.0
Female	1.6	0.1	-	0.0	0.0	0.3	0.6	2.0	5.9	14.5	14.5	43.5
All other	3.1	-	-	0.0	0.0	0.3	2.3	5.9	11.9	22.9	23.1	26.2
Male	3.8	-	-	0.0	0.0	0.4	3.1	7.7	15.6	28.9	32.4	19.7
Female	2.4	-	-	0.0	0.3	1.7	4.3	8.5	17.7	16.2	16.2	31.3
Chronic ischemic heart disease—412	150.2	0.3	0.0	0.0	0.2	1.8	14.1	56.3	188.8	594.0	1,759.9	5,547.1
Male	185.6	0.3	0.0	0.0	0.3	2.8	21.3	86.0	273.7	771.4	2,012.9	5,244.9
Female	145.2	0.3	0.0	0.0	0.1	1.0	7.2	28.6	112.4	453.0	1,588.7	5,732.4
White	153.4	0.3	0.0	0.0	0.2	1.2	10.8	47.5	168.9	556.0	1,775.8	5,911.5
Male	158.0	0.3	0.0	0.0	0.2	1.8	17.6	76.2	254.8	735.7	2,054.2	5,640.1
Female	149.0	0.4	0.0	0.0	0.1	0.5	4.2	20.4	91.5	414.5	1,601.9	6,065.2
All other	127.7	-	-	0.1	0.5	6.4	39.6	135.6	387.1	1,043.7	1,568.6	2,622.0
Male	127.6	-	-	0.1	0.8	8.5	52.3	177.5	483.3	1,176.5	1,770.6	2,485.6
Female	118.4	-	-	0.0	0.3	4.6	29.0	99.2	318.9	926.1	1,422.8	2,741.3
Angina pectoris—413	0.1	-	-	-	-	-	0.0	0.1	0.2	0.5	0.9	2.5
Male	0.1	-	-	-	-	-	0.0	0.1	0.3	0.7	1.1	2.0
Female	0.1	-	-	-	-	-	0.0	0.0	0.1	0.3	0.7	2.8
White	0.1	-	-	-	-	-	0.0	0.1	0.2	0.5	0.9	2.6
Male	0.1	-	-	-	-	-	0.0	0.1	0.4	0.7	1.1	2.3
Female	0.1	-	-	-	-	-	0.0	0.0	0.1	0.3	0.7	2.8
All other	0.1	-	-	-	-	-	0.1	0.0	0.2	0.8	0.6	1.4
Male	0.1	-	-	-	-	-	0.2	-	0.1	1.2	1.0	-
Female	0.1	-	-	-	-	-	-	0.1	0.2	0.4	0.4	2.5
Chronic disease of endocardium and other myocardial insufficiency—424,428	3.7	1.0	0.1	0.1	0.2	0.4	1.2	2.3	5.5	12.4	34.8	134.7
Male	3.7	1.1	0.2	0.1	0.2	0.5	1.6	3.1	7.5	14.9	38.5	124.7
Female	3.7	0.9	0.1	0.1	0.2	0.4	0.9	1.6	5.7	10.4	32.3	140.8
White	3.7	0.8	0.1	0.1	0.2	0.3	1.0	2.1	5.0	11.4	34.4	141.3
Male	3.7	1.0	0.1	0.1	0.2	0.4	1.3	2.8	6.9	13.9	37.7	130.8
Female	3.7	0.6	0.1	0.0	0.2	0.2	0.7	1.4	3.3	9.4	32.2	147.4
All other	4.0	1.9	0.2	0.2	0.3	1.4	3.3	4.8	10.7	24.0	39.6	81.6
Male	4.4	1.6	0.3	0.2	0.5	1.5	4.1	6.0	13.8	25.9	47.1	82.0
Female	3.6	2.3	0.2	0.1	0.2	1.3	2.6	3.7	8.0	22.3	34.2	81.3

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1969-Con.
 [Rates per 100,000 population in specified group. Numbers after cause of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular diseases--Con.												
Diseases of heart--Con.												
All other forms of heart diseases-----420-423,425-427,429	15.0	9.2	1.1	0.6	1.4	2.5	8.1	13.8	28.5	59.1	119.9	317.8
Male-----	17.4	9.0	1.1	0.5	1.6	3.0	8.1	18.8	39.6	80.1	152.0	341.4
Female-----	12.7	9.4	1.1	0.6	1.2	2.0	4.3	9.1	18.5	42.4	98.2	303.4
White-----	13.9	8.1	1.0	0.5	1.2	1.8	4.5	11.0	24.3	51.5	116.1	325.5
Male-----	16.1	8.0	1.0	0.5	1.4	2.1	6.2	15.5	34.9	70.6	146.3	346.7
Female-----	11.8	8.1	1.0	0.6	1.0	1.4	2.7	6.8	14.8	36.4	95.9	311.1
All other-----	22.8	14.3	1.7	0.7	2.9	8.1	19.3	39.0	70.1	149.3	165.4	259.2
Male-----	26.9	13.4	1.9	0.6	3.1	10.2	24.0	49.7	86.6	187.9	215.7	290.2
Female-----	19.0	15.2	1.5	0.8	2.7	6.2	15.4	29.8	55.1	115.7	129.3	233.8
Hypertension-----400,401,403	4.2	0.1	-	0.0	0.1	0.7	2.0	3.4	5.9	15.1	41.4	116.8
Male-----	4.4	0.1	-	0.0	0.1	0.7	2.1	4.0	6.6	19.2	51.3	134.7
Female-----	4.0	0.1	-	0.0	0.1	0.8	2.0	2.9	4.9	11.8	34.8	105.9
White-----	3.6	0.0	-	0.0	0.1	0.2	0.7	1.9	4.0	12.8	40.8	120.8
Male-----	3.8	0.1	-	0.0	0.1	0.2	0.8	2.2	4.8	16.6	50.6	140.6
Female-----	3.5	-	-	-	0.1	0.3	0.7	1.6	3.3	9.8	34.2	108.9
All other-----	8.1	0.3	-	0.1	0.4	4.3	11.8	17.4	23.7	42.3	49.5	84.4
Male-----	8.6	0.3	-	0.0	0.4	4.3	12.9	20.7	27.0	49.2	59.8	93.4
Female-----	7.4	0.3	-	0.1	0.4	4.3	10.9	14.8	20.8	36.3	41.9	77.5
Cerebrovascular diseases-----450-458	102.6	4.8	0.9	0.7	1.6	5.0	15.9	41.6	117.0	406.5	1,232.3	3,479.0
Male-----	95.7	5.1	1.1	0.7	1.6	4.7	15.6	45.1	139.1	475.1	1,331.8	3,181.2
Female-----	109.2	4.5	0.7	0.7	1.7	5.2	16.1	39.3	97.1	351.9	1,165.1	3,681.6
White-----	102.1	4.2	0.8	0.7	1.5	3.6	11.6	32.4	98.2	369.3	1,232.4	3,684.1
Male-----	94.4	4.6	1.0	0.6	1.4	3.5	11.3	35.4	120.3	437.3	1,334.0	3,389.7
Female-----	109.5	3.9	0.6	0.7	1.6	3.8	11.8	29.6	78.3	314.1	1,184.0	3,854.7
All other-----	106.1	7.4	1.1	0.7	2.5	14.7	49.7	124.4	304.3	859.7	1,231.4	1,834.8
Male-----	105.2	7.3	1.3	0.9	2.8	14.4	53.2	136.3	327.7	904.2	1,306.9	1,714.8
Female-----	106.9	7.4	0.9	0.5	2.3	15.0	46.7	114.2	283.0	816.3	1,179.4	1,926.3
Cerebral hemorrhage-----431	21.4	2.1	0.2	0.2	0.5	1.4	5.4	15.2	36.7	95.0	217.4	482.8
Male-----	20.7	2.0	0.3	0.2	0.5	1.5	5.7	16.7	43.6	108.9	232.4	439.0
Female-----	22.1	2.2	0.2	0.2	0.5	1.3	5.1	13.9	30.6	83.9	207.2	510.3
White-----	20.8	1.7	0.2	0.2	0.5	1.0	3.3	11.6	31.5	87.4	217.6	509.6
Male-----	19.8	1.9	0.3	0.2	0.4	1.0	3.4	12.9	38.3	100.6	233.0	462.2
Female-----	31.7	1.6	0.2	0.2	0.5	1.0	3.2	10.3	25.5	77.0	207.2	535.6
All other-----	26.2	3.9	0.2	0.3	0.8	4.7	21.5	49.2	88.6	184.9	214.9	275.9
Male-----	27.2	2.9	0.2	0.4	1.0	6.1	25.0	52.7	96.8	203.5	226.0	267.2
Female-----	25.3	4.9	0.2	0.2	0.6	3.4	18.6	44.3	81.1	168.3	207.4	282.5
Cerebral thrombosis-----433	29.1	0.1	0.0	0.0	0.1	0.2	0.9	4.5	23.5	115.9	380.8	1,161.9
Male-----	26.8	0.1	0.0	0.0	0.1	0.2	1.0	5.6	29.7	137.5	419.9	1,052.7
Female-----	31.3	0.1	0.0	0.0	0.1	0.2	0.8	3.5	17.9	99.8	369.5	1,228.9
White-----	29.8	0.1	0.0	0.0	0.1	0.2	0.6	3.5	19.8	106.5	392.4	1,230.6
Male-----	27.1	0.1	0.0	0.0	0.1	0.1	0.7	4.5	25.9	128.3	423.3	1,131.9
Female-----	32.3	0.1	0.0	0.0	0.1	0.2	0.6	2.8	14.3	89.3	371.7	1,302.1
All other-----	24.2	-	0.0	0.0	0.2	0.6	2.9	13.3	60.7	227.6	357.7	539.3
Male-----	24.1	-	0.1	0.1	0.2	0.8	3.6	16.1	68.3	241.3	381.4	496.1
Female-----	24.2	-	-	-	0.1	0.5	2.4	10.9	53.8	214.9	341.2	571.3
Cerebral embolism-----434	0.5	-	-	-	0.0	0.0	0.2	0.7	2.2	5.9	15.3	35.3
Male-----	0.4	-	-	-	0.0	0.0	0.2	0.9	2.5	4.9	11.8	26.8
Female-----	0.6	-	-	-	0.0	0.0	0.1	0.3	0.5	2.0	6.6	14.3
White-----	0.5	-	-	-	0.0	0.0	0.0	0.2	0.7	2.2	6.0	14.2
Male-----	0.4	-	-	-	0.0	0.0	0.0	0.2	0.9	2.6	4.8	12.4
Female-----	0.6	-	-	-	0.0	0.0	0.1	0.2	0.5	1.9	6.9	15.3
All other-----	0.3	-	-	-	0.0	0.1	0.4	0.9	2.4	4.8	6.4	6.4
Male-----	0.3	-	-	-	-	-	0.1	0.5	1.2	1.4	6.4	8.2
Female-----	0.5	-	-	-	0.1	0.1	0.4	0.7	3.2	3.7	5.0	5.0
All other cerebrovascular diseases-----430,432,435-439	51.6	2.6	0.6	0.4	1.0	3.3	9.6	21.7	55.1	193.4	619.2	1,620.9
Male-----	47.7	3.0	0.7	0.4	0.9	3.0	9.0	22.6	64.9	226.3	674.7	1,678.8
Female-----	55.2	2.2	0.5	0.4	1.1	3.6	10.1	20.8	48.1	167.2	581.8	1,908.1
White-----	51.0	2.4	0.6	0.4	0.9	2.5	7.6	17.1	46.2	172.3	616.3	1,921.7
Male-----	46.9	2.7	0.7	0.4	0.8	2.4	7.2	17.9	55.2	205.8	673.0	1,783.2
Female-----	54.9	2.1	0.4	0.5	1.0	2.5	8.0	18.5	39.1	145.9	579.2	2,001.7
All other-----	55.4	3.5	0.8	0.4	1.5	9.4	25.2	62.5	154.2	443.8	654.1	1,014.2
Male-----	53.6	4.5	1.0	0.5	1.5	7.5	24.5	67.1	161.5	439.0	693.1	944.5
Female-----	57.1	2.6	0.7	0.3	1.6	11.1	25.7	58.5	147.4	429.9	627.2	1,067.5
Arteriosclerosis-----440	16.4	-	-	0.0	0.0	0.0	0.2	1.1	6.7	40.1	206.8	1,075.6
Male-----	14.6	-	-	0.0	0.0	0.0	0.3	1.4	8.9	49.9	232.5	939.6
Female-----	18.1	-	-	0.0	0.0	0.0	0.1	0.8	4.7	32.4	189.4	1,128.3
White-----	17.3	-	-	0.0	0.0	0.0	0.1	0.9	6.0	37.4	210.3	1,162.8
Male-----	15.2	-	-	-	0.0	0.0	0.2	1.2	8.2	46.9	237.0	1,079.3
Female-----	19.3	-	-	0.0	0.0	0.0	0.1	0.7	4.0	29.9	192.4	1,195.1
All other-----	9.6	-	-	0.0	-	0.1	0.6	2.7	13.1	72.4	163.5	453.3
Male-----	9.7	-	-	0.0	-	-	0.7	3.6	15.1	83.2	181.4	439.3
Female-----	9.8	-	-	-	-	0.1	0.4	1.9	11.3	62.9	150.7	487.6
Other diseases of arteries, arterioles, and capillaries-----441-449	12.4	0.9	0.1	0.1	0.4	0.7	2.3	6.5	22.1	62.8	126.2	254.1
Male-----	15.6	1.0	0.1	0.1	0.4	0.7	2.7	9.8	34.5	99.1	172.3	285.9
Female-----	9.4	0.8	0.0	0.1	0.3	0.7	1.9	4.3	10.9	34.0	94.9	246.8
White-----	13.0	0.9	0.1	0.1	0.3	0.6	2.0	5.9	21.6	62.6	130.2	269.9
Male-----	16.5	1.0	0.1	0.1	0.4	0.8	2.4	8.1	34.7	100.9	179.9	288.5
Female-----	9.7	0.8	0.1	0.1	0.2	0.6	1.6	3.8	9.8	32.5	96.8	259.7
All other-----	8.4	0.8	0.0	0.1	0.6	1.5	4.8	12.1	27.1	64.8	77.6	127.0
Male-----	9.3	0.6	0.1	0.1	0.5	1.5	5.4	15.6	33.0	79.0	86.8	121.3
Female-----	7.6	1.0	-	0.1	0.7	1.6	4.2	9.0	21.8	52.4	71.0	131.3
Acute bronchitis and bronchiolitis-----456	0.6	12.9	0.9	0.1	0.0	0.1	0.2	0.3	0.7	1.3	2.2	7.2
Male-----	0.7	13.8	1.0	0.1	0.1	0.1	0.2	0.3	0.9	1.9	2.7	8.0
Female-----	0.6	11.9	0.8	0.1	0.0	0.1	0.2	0.3	0.5	0.8	1.9	6.8
White-----	0.6	9.3	0.8	0.1	0.0	0.1	0.2	0.3	0.7	1.2	2.3	7.6
Male-----	0.6	11.0	0.9	0.1	0.0	0.1	0.1	0.3	0.9	1.9	2.8	8.4
Female-----	0.5	7.4	0.6	0.1	0.0	0.0	0.2	0.3	0.5	0.7	2.0	7.1
All other-----	1.2	29.5	1.8	0.2	0.1	0.1	0.3	0.5	0.7	1.7	1.3	4.3
Male-----	1.3	28.9	1.8	0.2	0.1	-	0.6	0.7	1.2	2.6	1.5	4.9
Female-----	1.1	32.4	1.6	0.2	0.0	0.1	0.1	0.2	0.2	1.0	1.1	3.8

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

1-31

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1969-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Influenza and pneumonia-----470-474, 480-486	35.9	204.5	8.2	1.8	2.5	4.1	9.0	18.0	39.4	101.9	295.4	1,040.6
Male-----	30.4	229.6	8.9	1.8	2.9	4.5	10.7	23.5	54.5	145.2	395.6	1,137.6
Female-----	29.5	177.9	7.4	1.8	2.2	5.8	7.4	12.8	25.7	67.5	228.8	981.1
White-----	32.6	154.6	6.4	1.7	2.5	2.9	6.5	15.0	35.2	94.8	296.8	1,107.6
Male-----	36.4	179.5	6.7	1.7	2.6	5.0	7.3	19.1	48.9	135.8	395.7	1,217.5
Female-----	28.9	128.5	6.2	1.7	1.9	2.8	5.8	11.1	22.9	62.6	231.5	1,040.5
All other-----	45.2	433.5	16.7	2.5	4.5	12.4	28.4	45.2	80.6	185.7	278.4	502.8
Male-----	53.2	464.6	20.0	2.4	4.2	14.6	39.5	65.2	111.0	232.2	332.2	575.4
Female-----	33.8	401.9	13.4	2.6	5.7	10.5	19.1	27.8	55.5	126.1	194.1	447.5
Influenza-----470-474	5.0	3.6	0.3	0.1	0.2	0.3	0.8	2.2	4.6	11.5	24.4	90.5
Male-----	3.1	4.1	0.4	0.1	0.3	0.3	0.7	2.3	6.2	15.2	29.2	92.4
Female-----	2.9	3.0	0.3	0.2	0.2	0.4	0.8	2.1	3.2	8.5	21.1	95.4
White-----	5.0	2.3	0.3	0.1	0.2	0.3	0.7	2.0	4.3	10.8	24.6	97.2
Male-----	3.0	2.7	0.4	0.1	0.3	0.2	0.6	2.1	5.8	14.5	29.5	90.0
Female-----	2.9	1.9	0.2	0.2	0.2	0.4	0.7	1.9	2.9	7.9	21.4	101.4
All other-----	2.9	9.5	0.5	0.2	0.2	0.7	1.5	3.9	8.5	19.5	21.4	36.2
Male-----	5.2	10.8	0.6	0.2	0.2	0.7	1.4	4.1	10.6	23.5	26.5	29.5
Female-----	2.6	8.1	0.3	0.2	0.3	0.7	1.5	3.7	6.6	15.9	17.6	41.3
Pneumonia-----480-486	30.9	200.7	7.8	1.7	2.3	3.7	8.2	15.8	34.7	90.5	271.0	950.1
Male-----	35.4	225.5	8.5	1.7	2.6	4.1	10.0	21.3	48.3	130.0	364.4	1,055.1
Female-----	26.6	174.9	7.2	1.7	1.9	3.4	6.6	10.8	22.4	59.1	207.7	885.7
White-----	29.6	152.3	6.1	1.6	2.0	2.6	5.9	13.0	31.0	84.1	272.1	1,010.4
Male-----	33.4	176.8	6.3	1.6	2.3	2.8	6.7	17.0	43.1	121.3	364.2	1,127.5
Female-----	26.0	126.6	5.9	1.6	1.7	2.5	5.1	9.2	20.0	54.7	210.2	939.1
All other-----	40.3	424.1	16.3	2.3	4.0	11.8	26.9	41.3	72.1	166.2	257.0	466.7
Male-----	50.1	453.8	19.3	2.3	4.7	14.0	38.1	61.1	100.4	228.7	365.7	845.9
Female-----	31.2	393.9	13.1	2.4	3.4	9.8	17.5	24.1	46.9	112.2	176.5	406.3
Bronchitis, emphysema, and asthma-----490-493	15.4	4.5	0.8	0.3	0.5	0.9	2.7	10.1	37.5	90.3	126.8	146.5
Male-----	25.1	4.8	0.9	0.3	0.6	0.8	3.2	14.1	65.0	175.1	257.4	257.8
Female-----	6.3	4.2	0.7	0.2	0.5	1.0	2.3	6.3	14.6	24.6	38.2	78.3
White-----	16.4	3.6	0.6	0.2	0.3	0.6	2.3	9.6	38.1	93.1	132.4	158.0
Male-----	26.7	3.9	0.7	0.2	0.4	0.6	2.8	13.3	64.2	179.2	270.2	281.6
Female-----	6.5	3.2	0.5	0.2	0.3	0.6	1.9	6.0	14.7	25.2	39.6	84.0
All other-----	8.8	8.8	1.7	0.7	1.6	2.6	5.6	14.4	31.4	56.8	59.1	54.6
Male-----	13.2	8.9	1.8	0.8	1.7	1.9	6.6	21.1	51.5	103.3	112.3	90.2
Female-----	4.7	8.7	1.7	0.5	1.5	3.3	4.9	8.5	13.4	18.9	19.5	27.5
Chronic and unqualified bronchitis-----490, 491	2.9	3.5	0.5	0.1	0.1	0.1	0.4	1.9	6.1	15.3	24.7	40.7
Male-----	4.4	3.7	0.6	0.1	0.1	0.1	0.6	2.6	10.0	28.0	46.6	62.2
Female-----	1.4	3.2	0.4	0.1	0.1	0.1	0.3	1.2	2.7	5.2	9.9	27.5
White-----	3.1	2.7	0.4	0.1	0.1	0.1	0.5	1.8	8.2	15.8	25.8	44.3
Male-----	4.7	3.0	0.5	0.1	0.1	0.1	0.8	2.5	10.1	29.1	48.6	68.3
Female-----	1.5	2.4	0.3	0.1	0.1	0.1	0.3	1.2	2.7	5.4	10.4	29.9
All other-----	1.6	6.9	0.9	0.0	0.1	0.3	0.4	5.2	9.1	12.4	12.4	12.1
Male-----	2.4	7.0	1.0	0.1	0.1	0.3	0.7	3.7	9.0	15.6	24.0	19.7
Female-----	0.8	6.8	0.9	--	0.1	0.4	0.1	1.3	1.8	3.6	3.7	6.3
Emphysema-----492	11.4	0.5	0.0	0.0	0.1	0.2	1.3	6.6	28.5	71.1	97.0	99.8
Male-----	19.5	0.5	0.1	0.0	0.1	0.2	1.8	10.3	50.1	140.6	204.2	189.8
Female-----	3.6	0.6	0.0	0.0	0.1	0.1	0.8	3.2	9.0	15.9	24.3	44.7
White-----	12.3	0.4	0.0	0.0	0.1	0.2	1.2	6.5	29.5	73.7	101.6	107.4
Male-----	21.1	0.5	0.0	0.0	0.1	0.2	1.6	10.0	51.7	146.1	215.0	207.0
Female-----	3.9	0.4	0.0	0.0	0.1	0.1	0.7	3.3	9.4	16.7	25.4	47.8
All other-----	4.7	1.1	0.1	0.0	0.2	0.3	2.2	7.1	18.7	39.5	40.9	39.0
Male-----	8.4	0.6	0.2	0.0	0.3	0.1	3.2	12.6	34.5	78.1	81.9	88.9
Female-----	1.3	1.6	--	0.0	0.0	0.4	1.3	2.3	4.7	6.4	10.3	16.3
Asthma-----493	1.2	0.8	0.3	0.2	0.3	0.6	1.0	1.6	2.9	3.9	5.0	6.0
Male-----	1.1	0.6	0.2	0.2	0.3	0.4	0.7	1.2	2.9	4.5	6.6	5.7
Female-----	1.2	0.4	0.3	0.1	0.3	0.7	1.2	2.0	2.9	3.4	4.0	6.1
White-----	1.0	0.5	0.2	0.1	0.2	0.4	0.7	1.2	2.5	3.5	5.0	6.3
Male-----	0.9	0.5	0.2	0.1	0.2	0.3	0.5	0.8	2.4	4.1	6.6	6.3
Female-----	1.1	0.4	0.2	0.1	0.2	0.5	0.9	1.6	2.5	3.1	3.9	6.3
All other-----	2.4	0.8	0.7	0.6	1.3	2.0	3.1	4.9	7.5	8.2	5.9	3.5
Male-----	2.4	1.3	0.6	0.7	1.3	2.6	4.8	8.1	9.6	6.4	1.6	1.6
Female-----	2.5	0.3	0.8	0.5	1.3	2.5	3.5	4.9	6.9	7.0	5.5	5.0
Peptic ulcer-----531-533	4.6	1.1	0.1	0.0	0.1	0.5	1.8	4.2	10.3	20.7	40.2	65.7
Male-----	6.3	1.7	0.1	0.0	0.2	0.7	2.5	6.5	16.1	32.5	61.1	82.2
Female-----	3.0	0.5	0.1	0.0	0.1	0.3	1.1	2.0	5.0	11.2	26.0	55.6
White-----	4.8	0.6	0.1	0.0	0.1	0.5	1.6	4.0	10.1	20.5	40.9	71.2
Male-----	6.5	0.9	0.1	0.0	0.2	0.7	2.2	6.3	15.9	32.6	62.1	91.6
Female-----	3.1	0.3	0.1	0.0	0.1	0.3	1.0	1.9	4.9	11.0	26.7	59.0
All other-----	3.5	3.5	0.1	0.0	0.1	1.0	3.4	5.6	11.7	22.4	31.0	21.3
Male-----	4.9	5.4	0.1	0.1	0.2	1.3	4.6	8.9	18.3	31.9	49.5	16.4
Female-----	2.1	1.6	0.1	--	0.0	0.7	2.4	2.8	5.8	14.1	17.3	25.0
Appendicitis-----540-545	0.7	0.5	0.1	0.2	0.2	0.2	0.4	0.6	1.3	2.4	4.9	7.9
Male-----	0.9	0.8	0.1	0.3	0.2	0.2	0.6	0.9	1.9	3.6	7.0	10.4
Female-----	0.5	0.2	0.2	0.1	0.1	0.1	0.3	0.3	0.8	1.5	3.6	6.4
White-----	0.6	0.3	0.1	0.2	0.1	0.1	0.3	0.5	1.2	2.2	4.9	8.2
Male-----	0.8	0.5	0.1	0.2	0.1	0.2	0.5	0.7	1.6	3.2	7.0	10.5
Female-----	0.5	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.8	1.4	3.5	6.8
All other-----	1.1	1.1	0.2	0.4	0.4	0.4	1.1	1.7	3.0	5.3	5.0	5.7
Male-----	1.5	1.9	--	0.5	0.6	0.4	1.7	2.4	4.5	7.9	5.9	9.8
Female-----	0.7	0.3	0.4	0.3	0.2	0.5	0.7	1.1	1.7	3.0	4.4	2.5
Hernia and intestinal obstruction-----550-553, 560	3.7	18.3	0.3	0.1	0.2	0.3	0.9	1.9	5.1	14.4	35.4	97.2
Male-----	3.5	21.0	0.4	0.1	0.2	0.3	0.7	1.7	5.7	16.2	37.2	79.2
Female-----	3.9	15.5	0.2	0.2	0.2	0.3	1.0	2.0	4.5	15.0	34.1	92.1
White-----	3.7	18.1	0.3	0.1	0.2	0.2	0.7	1.7	4.8	13.7	35.5	92.2
Male-----	3.4	20.1	0.4	0.1	0.2	0.3	0.6	1.5	5.2	15.3	36.4	92.3
Female-----	4.0	16.0	0.1	0.1	0.2	0.2	0.7	1.8	4.3	12.6	34.8	98.1
All other-----	3.7	19.3	0.5	0.1	0.6	0.9	2.3	3.9	8.4	22.4	34.2	46.8
Male-----	4.3	26.2	0.8	0.2	0.6	1.0	2.2	3.9	10.5	26.8	46.1	57.4
Female-----	3.2	13.3	0.2	0.1	0.5	0.8	2.5	4.0	6.5	18.5	25.4	38.8

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1969-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Cirrhosis of liver-----571	14.8	1.2	0.2	0.1	0.5	4.3	19.0	36.5	47.7	40.9	28.8	21.8
Male-----	19.7	1.2	0.2	0.1	0.5	5.2	24.3	48.0	69.3	62.4	42.2	33.1
Female-----	10.1	1.3	0.3	0.2	0.5	3.4	14.1	25.8	28.2	23.8	19.7	14.9
White-----	14.2	1.3	0.2	0.1	0.4	2.5	14.8	33.9	47.1	40.9	29.8	22.8
Male-----	19.1	1.3	0.2	0.1	0.3	3.3	19.2	45.0	68.6	62.5	44.0	35.2
Female-----	9.5	1.4	0.3	0.2	0.4	1.8	10.6	23.5	27.7	23.8	20.3	15.4
All other-----	19.0	0.8	0.2	0.1	1.6	17.4	51.8	59.5	54.0	41.4	15.6	13.5
Male-----	23.9	0.6	0.2	0.0	1.9	20.2	66.8	75.7	76.7	61.5	22.1	19.0
Female-----	14.4	1.0	0.2	0.1	1.3	15.0	39.2	45.5	33.7	24.1	12.5	10.0
Cholelithiasis, cholecystitis and cholangitis-----574,575	2.1	0.1	-	0.0	0.0	0.2	0.3	1.0	2.9	9.4	24.5	55.6
Male-----	1.9	-	-	-	0.0	0.1	0.3	0.9	2.8	9.9	27.3	48.4
Female-----	2.3	0.1	-	0.0	0.1	0.2	0.4	1.1	3.0	8.9	22.6	60.1
White-----	2.3	0.1	-	0.0	0.0	0.1	0.3	0.9	3.0	9.5	25.7	60.1
Male-----	2.0	-	-	-	0.0	0.1	0.3	0.9	3.0	10.2	28.8	52.7
Female-----	2.5	0.1	-	0.0	0.1	0.2	0.3	1.0	2.9	8.9	23.5	64.4
All other-----	1.1	-	-	0.0	0.0	0.3	0.6	1.7	2.6	7.9	11.1	19.9
Male-----	0.7	-	-	-	-	0.4	0.3	0.9	1.2	6.8	10.3	18.0
Female-----	1.4	-	-	0.0	0.0	0.2	0.8	2.4	3.9	8.8	11.8	21.3
Nephritis and nephrosis-----580-584	4.7	1.1	0.3	0.4	1.0	1.6	3.0	4.8	9.6	16.5	32.5	69.7
Male-----	5.2	1.2	0.3	0.3	1.1	2.0	3.5	5.8	11.6	19.8	42.2	80.8
Female-----	4.2	1.0	0.4	0.4	0.9	1.2	2.6	3.9	7.7	14.0	25.8	62.8
White-----	4.0	1.0	0.3	0.3	0.8	1.2	2.0	3.4	7.4	13.8	30.5	69.1
Male-----	4.5	1.2	0.3	0.3	0.9	1.5	2.3	4.2	9.5	16.6	39.5	80.4
Female-----	3.6	0.7	0.3	0.4	0.7	0.9	1.7	2.6	5.4	11.5	24.5	62.3
All other-----	9.4	1.8	0.5	0.6	2.3	4.5	11.0	17.4	31.3	48.8	55.6	74.5
Male-----	10.3	1.3	0.4	0.5	2.8	5.4	13.0	20.9	32.5	54.1	73.0	88.6
Female-----	8.6	2.3	0.7	0.7	1.8	3.6	9.4	14.4	20.3	44.0	42.6	67.5
Acute nephritis and nephrotic syndrome-----580,581	0.7	0.9	0.2	0.1	0.2	0.2	0.4	0.6	1.4	2.4	4.8	7.5
Male-----	0.7	1.0	0.2	0.1	0.2	0.2	0.4	0.8	1.6	2.8	5.9	8.6
Female-----	0.6	0.8	0.2	0.1	0.2	0.2	0.3	0.5	1.2	2.0	4.0	6.9
White-----	0.6	0.7	0.2	0.1	0.1	0.1	0.3	0.5	1.2	2.0	4.6	7.6
Male-----	0.7	1.0	0.2	0.1	0.1	0.2	0.3	0.6	1.4	2.6	5.6	8.6
Female-----	0.6	0.4	0.2	0.1	0.1	0.1	0.3	0.4	1.0	1.6	3.9	7.0
All other-----	1.3	1.8	0.3	0.3	0.4	0.6	1.4	2.0	3.4	6.4	6.9	7.1
Male-----	1.3	1.3	0.2	0.3	0.4	0.5	1.9	2.5	3.8	5.6	8.8	8.2
Female-----	1.2	2.3	0.5	0.3	0.4	0.7	1.0	1.5	3.0	7.0	5.5	6.3
Chronic and unqualified nephritis and renal sclerosis-----582-584	4.0	0.2	0.1	0.2	0.8	1.4	2.6	4.2	8.2	14.1	27.7	62.1
Male-----	4.4	0.2	0.1	0.2	0.9	1.8	3.0	5.0	10.0	16.8	36.4	72.2
Female-----	3.5	0.2	0.2	0.3	0.7	1.1	2.3	3.3	6.5	12.0	21.8	55.9
White-----	3.4	0.3	0.1	0.2	0.7	1.1	1.7	2.9	6.2	11.7	25.9	61.6
Male-----	3.8	0.3	0.1	0.2	0.7	1.4	2.1	3.6	8.1	14.0	33.9	71.8
Female-----	3.0	0.3	0.2	0.2	0.6	0.8	1.4	2.2	4.4	9.9	20.6	55.4
All other-----	8.1	-	0.2	0.3	1.9	3.9	9.6	15.4	28.0	42.4	48.6	67.4
Male-----	9.0	-	0.2	0.3	2.4	4.9	11.1	18.4	28.6	48.5	64.2	75.4
Female-----	7.4	-	0.2	0.4	1.3	2.9	8.4	12.9	27.3	37.1	37.1	61.3
Infections of kidney-----590	4.3	0.5	0.0	0.1	0.2	0.4	1.1	2.5	6.2	17.8	45.6	124.0
Male-----	4.0	0.6	0.0	0.0	0.2	0.2	0.8	1.9	6.1	19.1	54.2	142.0
Female-----	4.6	0.4	0.1	0.1	0.2	0.6	1.4	3.0	6.3	16.8	39.8	115.0
White-----	4.1	0.4	0.0	0.1	0.1	0.3	0.7	1.8	5.0	15.5	44.6	129.6
Male-----	3.0	0.5	0.0	0.0	0.1	0.2	0.6	1.5	4.8	16.5	52.4	148.3
Female-----	4.4	0.2	0.0	0.1	0.1	0.5	0.8	2.1	5.0	14.8	39.2	118.4
All other-----	6.0	1.0	0.1	0.0	0.4	1.3	4.1	8.8	19.1	44.9	58.1	79.4
Male-----	5.7	1.0	-	0.0	0.4	0.8	2.6	6.0	18.5	43.0	74.0	98.4
Female-----	6.3	1.0	0.2	0.0	0.4	1.8	5.3	11.2	19.6	42.0	46.3	65.0
Hyperplasia of prostate-----600	1.2	-	-	-	-	-	-	0.1	0.7	5.0	16.8	53.8
Male-----	2.5	-	-	-	-	-	-	0.2	1.5	11.4	41.7	141.6
White-----	1.2	-	-	-	-	-	-	0.1	0.6	4.2	16.3	58.2
Male-----	2.5	-	-	-	-	-	-	0.1	1.2	9.5	40.5	150.3
All other-----	1.4	-	-	-	-	-	-	0.5	2.0	15.1	23.5	34.8
Male-----	2.9	-	-	-	-	-	-	1.0	4.2	32.6	54.9	80.3
Complications of pregnancy, childbirth, and the puerperium-----630-678	0.4	-	-	0.0	0.8	1.3	0.9	0.0	-	-	-	-
Female-----	0.8	-	-	0.0	1.6	2.5	1.7	0.1	-	-	-	-
White-----	0.3	-	-	-	0.5	0.9	0.5	0.0	-	-	-	-
Female-----	0.5	-	-	-	1.1	1.8	1.1	0.0	-	-	-	-
All other-----	1.4	-	-	0.1	2.7	4.1	3.3	0.2	-	-	-	-
Female-----	2.6	-	-	0.2	5.3	7.7	6.1	0.3	-	-	-	-
Abortions-----640-645	0.1	-	-	0.0	0.1	0.2	0.1	-	-	-	-	-
Female-----	0.1	-	-	0.0	0.3	0.4	0.2	-	-	-	-	-
White-----	0.0	-	-	-	0.1	0.2	0.0	-	-	-	-	-
Female-----	0.1	-	-	-	0.1	0.3	0.1	-	-	-	-	-
All other-----	0.3	-	-	0.0	0.6	0.8	0.5	-	-	-	-	-
Female-----	0.5	-	-	0.1	1.2	1.4	1.0	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium-----630-639,650-678	0.3	-	-	0.0	0.7	1.0	0.7	0.0	-	-	-	-
Female-----	0.6	-	-	0.0	1.3	2.1	1.5	0.1	-	-	-	-
White-----	0.2	-	-	-	0.5	0.7	0.5	0.0	-	-	-	-
Female-----	0.4	-	-	-	0.9	1.5	1.0	0.0	-	-	-	-
All other-----	1.1	-	-	0.0	2.1	3.3	2.8	0.2	-	-	-	-
Female-----	2.1	-	-	0.1	4.1	6.3	5.1	0.3	-	-	-	-
Congenital anomalies-----740-769	8.4	323.6	9.9	2.5	2.0	1.8	1.8	2.5	2.7	2.9	3.7	5.5
Male-----	9.3	346.0	8.3	2.7	2.3	1.9	2.0	2.8	2.7	3.3	4.7	7.8
Female-----	7.6	300.2	10.4	2.2	1.7	1.6	1.6	2.1	2.7	2.7	3.0	4.1
White-----	8.1	331.5	9.6	2.4	2.0	1.7	1.7	2.4	2.6	2.9	3.7	5.8
Male-----	9.0	354.4	8.1	2.7	2.3	1.7	1.9	2.7	2.7	3.4	4.7	8.6
Female-----	7.3	307.6	10.1	2.2	1.8	1.7	1.6	2.2	2.6	2.6	3.1	4.2
All other-----	10.8	286.8	11.3	2.6	2.1	2.4	2.4	3.1	3.1	3.1	3.1	2.8
Male-----	11.6	306.7	10.6	2.8	2.2	3.4	2.5	3.7	2.3	2.6	4.4	1.6
Female-----	9.6	265.7	12.0	2.4	2.1	1.6	2.3	2.0	3.8	3.6	2.2	3.8

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1969-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Certain causes of mortality in early infancy -----760-769.2, 769.4-772, 774-776												
Male	21.4	1,232.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Female	25.8	1,418.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2
White	17.2	1,038.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
Male	18.3	1,122.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Female	22.2	1,301.7	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2
All other	14.5	934.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Male	43.6	1,736.9	0.2	0.0	0.0	-	-	-	-	-	-	0.7
Female	51.5	1,962.7	0.2	-	0.0	-	-	-	-	-	-	-
Female	36.3	1,507.4	0.3	0.0	-	-	-	-	-	-	-	1.3
Birth injury, difficult labor, and other anoxic and hypoxic conditions -----764-768, 772, 776												
Male	10.9	625.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Female	13.5	742.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-
White	8.4	504.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Male	9.5	582.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
Female	11.9	696.9	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-
All other	7.2	461.7	0.0	0.0	0.0	0.0	0.0	-	-	0.0	0.0	-
Male	20.8	827.0	0.2	0.0	0.0	-	-	-	-	-	-	0.7
Female	25.1	953.8	0.2	-	0.0	-	-	-	-	-	-	-
Female	16.8	698.1	0.3	0.0	-	-	-	-	-	-	-	1.3
Other causes of mortality in early infancy -----Remainder of 760-776												
Male	10.5	606.2	0.1	0.0	0.0	-	-	-	0.0	0.0	-	0.2
Female	12.3	675.9	0.1	0.0	0.0	-	-	-	-	0.0	-	0.2
White	8.8	533.5	0.0	0.0	0.0	-	-	-	0.0	-	-	0.3
Male	8.8	540.4	0.1	0.0	0.0	-	-	-	0.0	0.0	-	0.3
Female	10.3	604.8	0.1	0.0	0.0	-	-	-	-	0.0	-	0.2
All other	7.3	472.7	0.1	0.0	0.0	-	-	-	0.0	-	-	0.3
Male	22.8	910.0	-	-	-	-	-	-	-	-	-	-
Female	26.5	1,008.9	-	-	-	-	-	-	-	-	-	-
Female	19.5	809.4	-	-	-	-	-	-	-	-	-	-
Symptoms and ill-defined conditions -----780-796												
Male	13.0	81.8	2.2	0.4	2.3	3.7	7.3	12.8	24.0	40.8	66.6	196.6
Female	16.0	104.2	2.5	0.4	3.0	4.7	9.3	17.7	35.2	59.3	91.4	206.9
White	10.1	78.8	1.9	0.4	1.6	2.6	5.4	8.2	13.9	26.2	53.1	190.2
Male	9.8	64.1	1.4	0.3	1.6	2.4	4.7	9.3	18.1	29.5	55.3	167.9
Female	12.4	76.9	1.6	0.3	2.2	3.0	6.0	13.2	27.5	45.0	75.7	176.9
All other	7.4	50.7	1.2	0.3	1.1	1.8	3.4	5.6	9.5	17.4	41.5	162.3
Male	35.2	219.1	6.1	1.0	6.6	13.5	27.7	44.4	83.1	174.7	229.5	431.2
Female	41.8	232.2	6.9	1.1	8.4	17.3	36.9	60.5	112.3	221.2	269.1	418.0
Female	29.0	205.8	5.2	0.9	4.9	10.1	19.9	30.4	57.0	134.3	196.9	441.3
All other diseases -----Residual												
Male	48.5	66.5	8.6	4.3	8.3	13.1	27.4	48.4	93.5	188.0	338.5	654.1
Female	54.8	72.7	9.0	4.7	9.6	15.9	30.9	57.6	119.8	247.1	430.4	723.5
White	42.6	60.0	8.1	3.9	7.0	12.4	23.9	39.8	70.1	141.0	276.2	611.5
Male	47.4	60.2	8.1	4.3	7.2	9.8	21.6	42.6	87.3	182.0	342.2	689.8
Female	53.0	65.0	8.2	4.6	8.4	10.3	24.0	50.7	111.2	240.1	433.9	765.5
All other	42.0	55.1	8.1	3.9	6.1	9.3	19.4	35.1	65.7	136.2	280.4	643.4
Male	58.7	95.5	10.8	4.5	15.4	37.6	71.8	100.8	156.3	258.7	294.3	369.5
Female	67.6	108.6	13.0	4.9	17.7	42.1	89.6	123.3	204.1	328.3	390.7	427.9
Female	46.6	82.2	8.5	4.1	13.2	33.7	56.9	81.3	113.5	199.8	223.2	325.0
Accidents -----E800-E849												
Male	57.6	69.4	31.4	19.8	72.1	53.2	49.4	53.1	65.3	89.0	175.4	489.0
Female	82.0	76.0	36.1	26.9	116.7	87.7	77.2	81.1	98.1	125.1	216.8	494.7
White	34.5	62.5	26.6	12.5	28.6	19.9	22.9	27.1	35.7	60.4	147.3	485.5
Male	55.9	59.4	28.3	18.3	71.5	49.6	45.4	49.5	61.7	85.2	177.4	522.8
Female	78.7	67.4	33.0	24.7	115.4	81.4	70.0	74.7	91.5	119.1	218.6	534.5
All other	34.1	51.1	23.4	11.5	28.3	18.6	21.7	25.9	34.7	58.4	149.7	515.2
Male	70.2	115.2	46.6	28.5	76.4	79.2	80.2	85.8	101.3	134.9	150.7	217.0
Female	105.7	116.2	51.4	39.3	125.0	136.1	137.6	141.4	164.1	192.5	196.6	214.8
Female	37.3	114.2	41.7	17.6	30.2	28.8	32.2	37.5	45.4	85.1	116.9	216.8
Motor vehicle accidents -----E810-E823												
Male	27.6	10.6	11.8	9.8	51.0	32.4	25.8	25.3	28.3	35.2	42.9	34.5
Female	40.8	10.5	13.1	12.4	80.1	52.0	38.7	37.2	40.7	50.0	66.8	60.0
White	15.1	10.6	10.4	7.1	22.5	13.4	13.5	14.1	17.2	23.5	26.7	18.9
Male	27.3	11.0	11.3	9.4	52.3	31.0	24.2	23.8	27.0	34.5	43.4	37.4
Female	40.0	10.7	12.4	11.8	82.0	49.5	35.5	34.5	37.9	48.3	67.0	65.7
All other	15.1	11.3	10.1	6.9	23.1	13.0	13.2	17.1	23.7	27.6	27.6	20.4
Male	30.1	8.7	14.4	12.1	42.6	42.3	38.2	38.1	42.0	43.3	36.9	11.3
Female	47.0	9.6	16.5	15.8	87.2	72.2	65.2	62.9	69.4	68.3	65.2	19.7
Female	14.5	7.8	12.3	8.4	19.2	15.9	15.7	16.6	17.6	21.7	15.8	5.0
All other accidents -----E800-E807, E825-E849												
Male	30.0	58.8	19.6	10.0	21.1	20.8	23.6	27.9	36.9	53.8	132.5	454.5
Female	41.1	65.4	23.0	14.5	36.6	35.6	39.5	43.8	57.4	75.1	150.0	434.7
White	19.4	51.9	16.1	5.4	6.0	6.5	9.4	13.0	18.5	36.9	120.6	466.6
Male	28.6	49.4	17.1	9.9	19.2	18.6	21.3	25.7	34.7	50.6	134.0	485.4
Female	38.7	56.6	20.6	12.9	33.4	32.0	34.5	40.1	53.6	70.8	151.7	468.8
All other	19.0	39.8	13.4	4.7	5.3	5.6	8.5	12.1	17.6	34.8	122.2	494.7
Male	40.1	106.6	32.2	16.4	33.8	36.9	41.9	47.7	59.3	91.6	113.8	205.7
Female	58.7	106.7	34.9	23.5	57.9	64.0	72.4	78.5	94.6	124.2	131.4	195.1
Female	22.8	106.5	29.4	9.2	11.0	12.9	16.5	21.0	27.8	63.3	101.1	213.8
Suicide -----E950-E959												
Male	11.1	0.3	8.0	12.9	16.6	19.4	21.3	20.7	22.1	20.7
Female	16.1	0.5	12.3	18.2	21.7	27.0	32.7	35.2	44.3	47.5
White	6.3	0.2	3.8	7.8	11.8	12.3	11.0	9.2	7.1	4.4
Male	11.9	0.3	6.1	13.1	17.5	20.7	22.8	21.8	23.3	23.3
Female	17.2	0.5	12.6	18.3	22.4	28.6	34.9	37.0	46.7	52.2
All other	6.8	0.2	3.8	8.1	12.7	13.3	11.8	9.8	7.5	4.5
Male	5.3	0.2	6.9	11.6	9.8	7.6	6.2	8.2	8.4	7.8
Female	8.1	0.2	9.9	17.8	15.8	12.1	10.6	14.5	16.2	13.1
Female	2.8	0.2	4.1	6.1	4.8	3.7	2.3	2.8	2.6	3.8
Homicide -----E960-E978												
Male	7.7	4.3	1.6	0.7	11.0	15.9	13.4	8.7	6.5	4.7	2.9	2.9
Female	12.4	4.9	1.8	0.8	18.1	26.0	22.1	14.4	10.8	8.0	4.5	3.9
White	3.2	3.7	1.5	0.6	4.2	6.2	5.2	3.5	2.6	2.1	1.8	2.4
Male	4.0	3.5	1.3	0.5	5.0	7.4	6.3	4.6	4.2	3.3	2.6	2.7
Female	6.0	3.5	1.4	0.5	7.6	11.6	10.1	7.1	6.9	5.2	4.1	3.3
All other	2.0	3.6	1.3	0.5	2.4	3.2	2.6	2.3	1.8	1.8	1.6	2.4
Male	34.1	8.0	3.2	1.8	51.0	79.5	68.9	46.3	28.8	21.6	5.9	5.0
Female	58.1	11.5	3.7	2.7	88.0	138.4	122.9	83.5	50.1	39.9	9.3	8.2
Female	11.7	4.5	2.7	1.0	15.8	27.4	23.8	13.9	9.8	6.0	3.3	2.5

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-9. Death Rates for 69 Selected Causes, by 10-Year Age Groups, Color, and Sex: United States, 1969-Con.

[Rates per 100,000 population in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death, color, and sex	Total ¹	Age Group										
		Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Other external causes.....E980-E999	2.5	3.6	1.2	0.4	3.0	3.2	3.4	3.5	3.4	3.2	3.1	3.5
Male.....	3.7	3.6	1.2	0.5	4.8	4.9	4.9	4.8	5.2	5.0	4.7	5.1
Female.....	1.5	3.7	1.2	0.2	1.3	1.6	2.0	2.3	1.7	1.7	2.0	2.5
White.....	2.1	2.7	0.7	0.3	2.4	2.4	2.5	3.0	3.1	3.0	3.0	3.5
Male.....	2.9	2.6	0.7	0.4	3.9	3.4	3.4	3.8	4.7	4.7	4.5	5.1
Female.....	1.3	2.8	0.8	0.1	0.9	1.4	1.6	2.3	1.6	1.6	2.0	2.5
All other.....	5.8	8.0	3.7	1.0	7.1	9.5	10.7	8.0	6.2	6.6	4.4	3.1
Male.....	9.1	8.3	4.0	1.2	10.7	16.5	18.0	14.0	10.7	8.6	7.8	4.9
Female.....	2.8	7.8	3.3	0.8	3.6	3.2	4.7	2.8	2.2	3.4	1.8	2.5

¹Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-10. Death Rates for Geographic Divisions by Place of Occurrence: United States, 1900-1969

[Prior to 1933, data for death-registration States only. Rates per 1,000 population in each area. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the death-registration area]

Year	United States	Geographic division								
		New England ¹	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific
1969.....	9.5	10.1	10.2	9.4	10.5	9.5	9.9	9.0	8.2	8.6
1968.....	9.7	10.4	10.7	9.7	10.3	9.5	9.8	9.1	8.2	8.4
1967.....	9.4	10.3	10.2	9.5	10.1	9.1	9.4	8.6	7.9	8.3
1966.....	9.5	10.3	10.3	9.8	10.4	9.3	9.7	8.7	8.0	8.5
1965.....	9.4	10.5	10.2	9.5	10.2	9.2	9.6	8.6	8.0	8.4
1964.....	9.4	9.8	10.3	9.5	10.2	9.1	9.5	8.6	8.1	8.5
1963.....	9.6	10.4	10.5	9.8	10.4	9.3	9.9	8.8	8.1	8.5
1962.....	9.5	10.5	10.4	9.5	10.2	9.1	9.6	8.7	7.9	8.4
1961.....	9.3	10.4	10.3	9.3	9.9	8.8	9.3	8.4	7.8	8.4
1960.....	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1955-59.....	9.4	10.6	10.4	9.5	10.0	8.9	9.3	8.4	8.2	8.7
1950-54.....	9.5	10.5	10.3	9.8	10.1	8.8	9.1	8.3	8.7	9.2
1945-49.....	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44.....	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39.....	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34.....	11.0	11.8	11.3	10.9	10.1	11.4	10.8	---	11.1	11.7
1925-29.....	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24.....	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19.....	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14.....	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09.....	15.2	16.2	---	---	---	---	---	---	---	---
1900-1904.....	16.2	16.8	---	---	---	---	---	---	---	---

¹Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

1-35

Table 1-11. Death Rates: United States, Each Division and State, 1960-69

[Rates per 1,000 population in each area]

Division and State	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960
United States	9.5	9.7	9.4	9.5	9.4	9.4	9.6	9.5	9.3	9.5
Geographic divisions:										
New England	10.1	10.4	10.3	10.3	10.5	9.8	10.4	10.5	10.4	10.6
Middle Atlantic	10.3	10.7	10.2	10.4	10.3	10.4	10.6	10.4	10.4	10.5
East North Central	9.5	9.7	9.5	9.7	9.6	9.6	9.8	9.6	9.4	9.6
West North Central	10.3	10.5	10.1	10.3	10.2	10.2	10.3	10.1	9.9	10.1
South Atlantic	9.4	9.5	9.1	9.2	9.1	9.0	9.2	9.0	8.8	9.1
East South Central	9.8	9.8	9.4	9.6	9.5	9.5	9.6	9.5	9.2	9.5
West South Central	9.0	9.1	8.6	8.7	8.6	8.6	8.7	8.7	8.4	8.7
Mountain	8.1	8.2	7.9	7.9	7.8	7.9	8.0	7.8	7.7	8.1
Pacific	8.5	8.4	8.3	8.5	8.4	8.5	8.5	8.4	8.4	8.7
New England:										
Maine	11.2	11.4	11.4	11.1	11.0	11.0	11.2	11.2	10.8	11.1
New Hampshire	10.5	10.6	10.6	10.5	10.9	10.8	11.1	10.8	10.9	11.0
Vermont	10.1	10.7	10.9	11.1	11.4	11.4	11.4	11.1	11.1	11.4
Massachusetts ¹	10.6	10.9	10.7	10.7	11.0	9.6	10.5	10.6	10.6	11.0
Rhode Island	10.2	10.6	10.4	10.5	10.9	10.5	10.8	10.5	10.3	10.5
Connecticut	8.7	9.0	8.9	9.1	9.1	9.1	9.5	9.4	9.2	9.4
Middle Atlantic:										
New York	10.3	10.7	10.2	10.3	10.2	10.3	10.5	10.4	10.5	10.6
New Jersey	9.5	9.7	9.4	9.6	9.6	9.6	9.8	9.7	9.7	9.8
Pennsylvania	10.8	11.2	10.8	11.0	10.9	10.8	11.1	10.9	10.6	10.7
East North Central:										
Ohio	9.4	9.7	9.4	9.6	9.6	9.5	9.8	9.6	9.4	9.6
Indiana	9.7	9.8	9.8	9.9	9.8	9.7	10.1	9.7	9.5	9.7
Illinois	10.1	10.3	10.1	10.4	10.2	10.1	10.4	10.2	10.1	10.2
Michigan	8.9	8.9	8.8	8.9	8.9	8.8	9.0	8.8	8.6	8.7
Wisconsin	9.7	9.8	9.5	9.7	9.7	9.5	9.8	9.5	9.3	9.7
West North Central:										
Minnesota	9.1	9.3	9.2	9.3	9.1	9.4	9.3	9.1	9.0	9.3
Iowa	10.6	10.8	10.5	10.8	10.7	10.6	10.6	10.4	10.2	10.4
Missouri	11.3	11.3	11.0	11.5	11.2	11.1	11.5	11.2	10.9	11.2
North Dakota	9.1	8.9	8.5	8.9	8.5	8.6	8.5	8.5	8.2	8.6
South Dakota	10.3	10.0	9.5	9.7	9.5	9.4	9.4	9.3	9.1	9.7
Nebraska	10.3	10.4	10.1	10.2	10.2	10.1	10.0	9.8	9.7	10.0
Kansas	9.8	9.8	9.6	9.8	9.7	9.8	10.0	9.8	9.6	9.7
South Atlantic:										
Delaware	8.8	9.2	8.8	9.3	9.0	8.7	9.2	9.1	8.9	9.4
Maryland	8.6	8.7	8.4	8.6	8.7	8.5	9.0	8.8	8.8	9.0
District of Columbia	11.0	10.9	10.9	11.4	11.2	11.5	11.7	11.4	11.4	11.5
Virginia	8.4	8.7	8.2	8.3	8.4	8.4	8.6	8.5	8.3	8.7
West Virginia	10.9	11.0	10.7	10.9	10.6	10.3	10.7	10.2	9.8	9.7
North Carolina	8.6	8.7	8.4	8.5	8.4	8.3	8.5	8.3	8.0	8.4
South Carolina	8.5	8.8	8.4	8.6	8.5	8.5	8.7	8.3	8.3	8.7
Georgia	8.9	9.1	8.5	8.6	8.7	9.0	8.8	8.5	9.0	8.6
Florida	11.4	11.5	10.6	10.5	10.3	10.1	10.1	9.8	9.4	9.7
East South Central:										
Kentucky	10.2	10.3	10.0	9.9	9.8	9.7	10.2	9.8	9.6	9.9
Tennessee	9.5	9.4	9.2	9.5	9.1	9.2	9.5	9.2	9.0	9.2
Alabama	9.6	9.4	9.0	9.4	9.3	9.3	9.5	9.3	8.9	9.3
Mississippi	10.1	10.2	9.6	10.0	9.8	9.8	10.2	10.0	9.5	10.0
West South Central:										
Arkansas	10.4	10.5	9.9	9.9	9.9	10.3	10.1	9.6	10.0	9.6
Louisiana	9.0	9.2	8.7	9.0	9.0	9.0	9.1	8.0	8.7	9.1
Oklahoma	10.1	10.2	10.0	10.1	9.7	9.8	10.0	9.9	9.6	9.8
Texas	8.4	8.5	8.0	8.1	7.9	8.0	8.1	8.0	7.7	8.1
Mountain:										
Montana	9.7	9.5	9.4	9.8	9.4	9.8	9.4	9.2	9.2	9.7
Idaho	8.6	8.6	8.4	8.6	8.6	8.5	8.5	8.0	8.1	8.1
Wyoming	9.2	9.4	8.8	8.1	8.5	8.5	8.5	8.3	7.9	8.5
Colorado	8.2	8.7	8.3	8.3	8.3	8.3	8.4	8.5	8.3	8.3
New Mexico	7.3	7.1	6.9	6.8	6.7	6.8	6.9	6.7	6.6	6.9
Arizona	8.3	8.3	7.9	7.9	7.8	7.8	7.6	7.5	7.8	7.6
Utah	6.5	6.7	6.4	6.6	6.7	6.6	6.8	6.6	6.5	6.8
Nevada	8.1	7.9	7.5	7.2	7.4	7.5	7.5	7.8	8.4	8.9
Pacific:										
Washington	9.0	9.3	9.5	9.8	9.2	9.5	9.3	9.3	9.2	9.3
Oregon	9.6	9.5	9.5	9.7	9.4	9.6	9.7	9.5	9.4	9.5
California	8.5	8.3	8.2	8.3	8.3	8.4	8.4	8.3	8.3	8.6
Alaska	4.6	4.9	4.7	4.8	5.0	5.3	5.4	5.4	5.4	5.8
Hawaii	5.1	5.3	5.2	5.2	5.1	5.1	5.4	5.1	5.2	5.6

¹Figure for 1964 excludes approximately 6,000 deaths recorded in Massachusetts, primarily to residents of Massachusetts; see Technical Appendix.

SECTION 1 - GENERAL MORTALITY

Table 1-12. Deaths and Death Rates by Age: United States, Each Division and State, 1969

[Rates per 100,000 population in each area]

Division and State	Number							Rate					
	Total	Under 5 years	5-19 years	20-24 years	45-64 years	65 years and over	Not stated	Total ¹	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States-----	1,921,990	87,363	38,572	136,715	474,128	1,184,546	666	951.9	485.5	64.5	215.9	1,146.5	6,085.8
Geographic Divisions:													
New England-----	116,176	4,246	1,645	6,129	26,795	77,271	90	1,009.2	420.8	50.7	177.2	1,078.7	6,152.1
Middle Atlantic-----	393,702	14,751	5,686	24,034	97,153	241,914	164	1,029.5	473.5	55.6	211.0	1,139.4	6,255.9
East North Central-----	390,095	17,047	7,534	25,624	91,972	237,954	64	952.5	476.4	62.8	211.6	1,108.2	6,541.1
West North Central-----	165,844	6,035	3,238	8,994	35,022	113,862	43	1,025.4	443.8	66.1	186.2	1,011.2	6,024.4
South Atlantic-----	286,694	14,691	6,496	24,885	79,940	161,168	86	940.4	527.5	71.3	248.0	1,371.2	5,894.2
East South Central-----	128,496	6,849	3,019	10,087	32,180	76,302	69	980.3	574.6	75.4	242.3	1,272.2	6,153.4
West South Central-----	174,697	9,755	4,267	15,801	45,052	105,771	41	896.1	527.9	70.3	219.4	1,162.6	5,902.8
Mountain-----	64,693	3,869	1,884	5,696	15,518	37,670	26	806.2	492.2	72.1	223.1	1,044.5	5,698.9
Pacific-----	221,673	10,070	4,905	17,457	54,516	134,734	83	854.1	435.9	63.2	203.4	1,046.8	5,852.9
New England:													
Maine-----	10,913	406	179	539	2,293	7,486	10	1,115.8	461.4	61.9	191.8	1,158.1	6,398.3
New Hampshire-----	7,521	297	127	380	1,695	5,021	1	1,049.0	464.1	61.7	169.6	1,185.3	6,276.3
Vermont-----	4,427	184	77	215	993	2,968	2	1,008.4	471.8	59.7	157.8	1,168.2	6,162.5
Massachusetts-----	57,793	1,960	754	3,004	13,281	39,758	36	1,057.1	408.3	49.4	186.4	1,112.3	6,161.8
Rhode Island-----	9,300	352	126	428	2,196	6,165	35	1,020.9	445.6	50.2	154.5	1,092.5	6,042.2
Connecticut-----	26,222	1,047	582	1,565	6,537	16,885	6	874.1	404.2	45.2	168.5	955.8	6,030.4
Middle Atlantic:													
New York-----	188,469	7,538	2,853	12,641	46,865	118,464	108	1,028.7	481.4	57.8	228.5	1,116.6	6,103.2
New Jersey-----	67,972	2,720	1,015	4,439	17,655	42,109	34	950.9	450.3	50.7	195.7	1,099.3	6,219.9
Pennsylvania-----	127,261	4,493	1,818	6,954	32,633	81,341	22	1,078.2	475.4	55.6	196.3	1,194.8	6,512.5
East North Central:													
Ohio-----	101,240	4,260	2,009	6,589	24,595	63,796	11	942.8	456.1	62.3	198.6	1,104.9	6,529.8
Indiana-----	49,524	2,262	980	3,286	11,509	31,671	16	987.6	484.4	63.6	207.8	1,094.8	6,543.6
Illinois-----	111,417	5,094	2,023	7,819	27,954	69,521	16	1,008.6	517.2	63.1	236.2	1,169.1	6,350.4
Michigan-----	76,808	3,928	1,757	5,785	19,361	45,961	16	876.2	483.1	64.3	215.5	1,085.9	6,152.7
Wisconsin-----	41,106	1,513	768	2,165	8,753	27,905	5	971.1	397.1	58.9	176.4	1,010.7	6,014.0
West North Central:													
Minnesota-----	33,843	1,317	718	1,708	6,900	23,199	1	914.7	401.5	61.7	157.6	941.3	5,729.1
Iowa-----	29,385	1,044	545	1,298	5,489	21,003	6	1,056.6	440.5	64.4	156.6	835.1	6,019.1
Missouri-----	52,463	1,852	935	3,176	11,548	34,822	30	1,128.0	505.7	69.7	222.9	1,178.4	6,354.4
North Dakota-----	5,607	221	111	332	1,144	3,798	1	911.7	401.8	55.2	187.6	922.6	5,754.5
South Dakota-----	6,780	273	175	408	1,281	4,619	2	1,025.8	466.1	62.2	226.7	963.2	5,773.8
Nebraska-----	14,932	492	288	802	2,811	10,539	-	1,030.5	396.8	65.8	192.8	949.7	5,855.0
Kansas-----	22,854	794	466	1,270	4,449	15,882	3	984.7	430.8	67.2	176.6	942.6	6,061.8
South Atlantic:													
Delaware-----	4,755	261	107	345	1,348	2,692	2	880.8	511.8	64.5	206.6	1,263.8	6,118.2
Maryland-----	32,392	1,543	706	2,757	9,230	18,140	6	860.1	432.2	62.0	225.6	1,224.1	6,432.6
District of Columbia-----	8,814	511	131	1,061	2,800	4,306	5	1,104.5	646.8	59.5	440.2	1,581.9	6,240.6
Virginia-----	39,126	2,138	945	3,433	10,906	21,687	17	838.0	505.4	67.6	215.4	1,225.4	6,143.6
West Virginia-----	19,830	770	346	1,163	5,103	12,444	4	1,090.2	531.0	66.4	211.8	1,265.4	6,361.5
North Carolina-----	44,902	2,692	1,142	4,583	12,883	23,604	8	862.7	571.9	72.8	259.1	1,329.5	5,915.8
South Carolina-----	22,853	1,447	641	2,437	7,184	11,131	13	848.9	550.2	73.7	266.3	1,528.5	6,016.8
Georgia-----	41,258	2,435	1,173	4,195	12,207	21,227	21	889.0	531.7	81.6	269.6	1,439.5	5,979.4
Florida-----	72,744	2,904	1,305	4,909	17,679	45,937	10	1,144.9	537.8	72.7	243.0	1,503.3	5,360.2
East South Central:													
Kentucky-----	32,899	1,406	670	2,341	7,712	20,765	5	1,017.9	486.2	68.7	228.6	1,222.2	6,217.1
Tennessee-----	37,900	1,748	799	2,918	9,722	22,706	7	951.1	503.7	68.8	223.9	1,219.8	6,071.1
Alabama-----	33,808	1,950	914	2,951	8,843	19,109	41	957.5	601.9	83.8	263.7	1,296.6	6,085.7
Mississippi-----	23,879	1,745	636	1,877	5,883	13,722	16	1,011.8	748.9	82.1	261.8	1,407.4	6,294.5
West South Central:													
Arkansas-----	20,750	853	439	1,311	4,810	13,336	1	1,040.1	466.7	74.0	213.9	1,233.3	5,798.3
Louisiana-----	35,862	2,157	982	2,952	9,233	18,626	12	904.2	564.7	72.5	253.4	1,369.9	6,313.8
Oklahoma-----	26,032	1,024	546	1,647	5,616	17,184	15	1,013.7	494.7	74.9	199.2	1,075.9	5,967.5
Texas-----	94,043	5,721	2,400	7,891	23,393	54,625	13	840.6	531.2	68.0	214.1	1,105.0	5,774.3
Mountain:													
Montana-----	6,713	296	191	502	1,530	4,193	1	967.3	493.3	66.4	232.3	1,077.5	6,258.2
Idaho-----	6,142	313	188	421	1,326	3,693	1	855.4	489.1	61.7	191.4	920.8	5,898.5
Wyoming-----	2,941	100	57	160	482	1,683	-	919.1	669.0	96.2	263.3	988.6	5,610.0
Colorado-----	17,117	920	420	1,380	3,716	10,678	3	815.1	500.0	64.8	198.3	836.0	5,835.0
New Mexico-----	7,209	266	134	364	1,197	3,681	2	725.3	544.5	73.9	209.0	1,009.6	5,334.6
Arizona-----	14,031	681	390	1,306	3,733	7,705	16	828.8	506.3	70.8	235.3	1,261.1	5,398.1
Utah-----	6,819	482	215	500	1,553	4,087	2	852.5	408.8	59.9	152.9	887.4	5,523.0
Nevada-----	3,691	204	114	451	1,171	1,750	1	807.7	392.3	61.4	281.9	1,394.0	6,034.5
Pacific:													
Washington-----	30,632	1,316	576	2,006	7,264	19,465	5	900.4	490.3	57.9	181.5	1,002.0	6,239.6
Oregon-----	19,595	695	439	1,212	4,395	12,830	14	953.8	423.8	74.4	186.2	1,005.7	5,885.3
California-----	166,077	7,568	3,609	13,515	41,345	99,979	61	854.2	429.5	63.7	211.8	1,057.1	5,799.2
Alaska-----	1,303	158	68	312	402	363	-	462.1	464.7	64.8	312.0	957.1	6,060.0
Hawaii-----	4,076	333	111	422	1,110	2,097	3	513.4	438.2	44.0	157.5	828.4	4,992.9

¹Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes:
 [Numbers after causes of death are category numbers of the Eighth

Area	Total	Bacillary dysentery and amebiasis (034,036)	Enteritis and other diarrheal diseases (008,009)	Tuberculosis, all forms (010-019)	Tuberculosis of respiratory system (010-012)	Tuberculosis, other forms (013-019)	Whooping cough (033)	Streptococcal sore throat and scarlet fever (034)	Meningococcal infections (035)	Septicemia (036)	Acute poliomyelitis (040-043)	Measles (055)
1 United States-----	1,321,990	94	2,612	5,567	4,482	1,075	15	41	744	3,009	13	41
Geographical division:												
2 New England-----	116,176	-	114	225	169	57	-	3	35	192	-	1
3 Middle Atlantic-----	385,702	15	371	1,206	1,011	195	-	4	109	581	-	3
4 East North Central-----	580,095	12	416	975	775	200	2	4	115	451	-	8
5 West North Central-----	165,844	2	169	294	251	63	-	3	41	201	-	3
6 South Atlantic-----	296,664	13	528	984	804	180	1	12	148	558	-	10
7 East South Central-----	129,486	13	281	554	473	81	3	2	55	224	-	3
8 West South Central-----	174,687	19	373	593	503	90	4	5	119	405	-	5
9 Mountain-----	84,663	4	146	230	167	63	2	1	20	113	-	5
10 Pacific-----	221,675	16	194	506	360	146	1	7	102	284	-	3
New England:												
11 Maine-----	10,913	-	8	24	18	6	-	1	1	10	-	-
12 New Hampshire-----	7,521	-	12	7	6	1	-	-	4	7	-	-
13 Vermont-----	4,427	-	4	14	12	2	-	1	3	6	-	-
14 Massachusetts-----	57,783	-	45	129	99	30	-	1	12	112	-	1
15 Rhode Island-----	9,300	-	9	19	13	6	-	-	5	11	-	-
16 Connecticut-----	26,222	-	36	32	20	12	-	-	10	46	-	-
Middle Atlantic:												
17 New York-----	188,469	8	201	617	511	106	-	2	52	290	-	2
18 New Jersey-----	67,972	7	63	209	173	36	-	-	26	75	-	-
19 Pennsylvania-----	127,261	-	107	380	327	53	-	2	31	216	-	1
East North Central:												
20 Ohio-----	101,240	2	99	279	235	46	-	3	30	142	-	-
21 Indiana-----	49,534	2	71	131	104	27	-	-	23	64	-	2
22 Illinois-----	111,417	8	110	308	245	63	1	1	34	88	-	4
23 Michigan-----	76,838	-	82	202	155	47	-	-	20	96	-	1
24 Wisconsin-----	41,106	-	54	55	38	17	1	-	8	61	-	1
West North Central:												
25 Minnesota-----	53,843	-	30	48	34	14	-	-	10	37	-	-
26 Iowa-----	29,385	1	37	39	29	10	-	1	6	34	-	3
27 Missouri-----	52,463	1	55	134	114	20	-	1	14	85	-	-
28 North Dakota-----	5,807	-	6	7	3	4	-	-	1	5	-	-
29 South Dakota-----	6,769	-	15	19	12	7	-	-	-	9	-	-
30 Nebraska-----	14,332	-	17	19	13	6	-	-	5	9	-	-
31 Kansas-----	22,854	-	29	28	26	2	-	1	5	22	-	-
South Atlantic:												
32 Delaware-----	4,755	-	6	16	13	5	-	-	1	9	-	1
33 Maryland-----	32,582	-	38	154	133	21	-	1	11	71	-	-
34 District of Columbia-----	8,814	1	8	73	60	13	-	-	1	11	-	-
35 Virginia-----	39,126	4	59	137	115	24	1	1	17	88	-	4
36 West Virginia-----	19,830	-	16	85	72	11	-	-	9	25	-	-
37 North Carolina-----	44,902	2	115	130	107	23	-	3	21	94	-	2
38 South Carolina-----	22,653	1	84	78	59	19	-	-	20	20	-	1
39 Georgia-----	41,258	3	112	118	96	22	-	2	32	77	-	1
40 Florida-----	72,744	2	90	195	151	44	-	5	36	163	-	1
East South Central:												
41 Kentucky-----	32,889	-	45	133	119	14	1	1	12	62	-	-
42 Tennessee-----	37,900	-	54	163	136	27	-	-	20	49	-	-
43 Alabama-----	33,808	2	74	201	168	33	-	-	16	59	-	2
44 Mississippi-----	23,879	11	108	57	60	7	1	1	7	54	-	1
West South Central:												
45 Arkansas-----	20,750	-	40	74	62	12	-	2	14	41	-	1
46 Louisiana-----	33,862	2	54	143	124	19	-	1	29	89	-	-
47 Oklahoma-----	26,032	-	29	71	56	15	-	-	10	47	-	-
48 Texas-----	94,043	17	250	305	261	44	4	2	66	229	-	4
Mountain:												
49 Montana-----	6,713	-	14	15	10	5	-	-	2	6	-	2
50 Idaho-----	6,142	-	9	12	10	2	-	1	3	4	-	-
51 Wyoming-----	2,941	-	3	3	3	3	-	-	1	3	-	-
52 Colorado-----	17,117	1	20	47	28	19	1	-	3	35	-	-
53 New Mexico-----	7,209	1	29	34	24	10	-	-	4	23	-	-
54 Arizona-----	14,031	2	50	102	80	22	1	-	4	31	-	3
55 Utah-----	6,819	-	19	8	6	2	-	-	3	6	-	-
56 Nevada-----	3,691	-	2	9	6	3	-	-	-	5	-	-
Pacific:												
57 Washington-----	30,632	-	29	58	37	21	-	2	14	36	-	-
58 Oregon-----	19,585	1	14	29	26	3	-	2	5	17	-	-
59 California-----	166,077	14	144	395	285	110	1	3	78	215	-	3
60 Alaska-----	1,303	1	1	7	1	6	-	-	2	-	-	-
61 Hawaii-----	4,076	-	6	17	11	6	-	-	3	16	-	-

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1969

Revision, International Classification of Diseases, Adapted, 1965]

Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of buccal cavity and pharynx (140-149)	Malignant neoplasms of digestive organs and peritoneum (150-159)	Malignant neoplasms of respiratory system (160-165)	Malignant neoplasm of breast (174)	Malignant neoplasms of genital organs (180-187)	Malignant neoplasms of urinary organs (188,189)	Malignant neoplasms of all other and unspecified sites (170-173,190-196)	Leukemia (204-207)	Other neoplasms of lymphatic and hematopoietic tissues (200-203,206,208)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Diabetes mellitus (250)	Arterioses and other nutritional deficiencies (260-269)	Anemias (260-285)	
543	4,114	323,082	7,553	93,966	66,038	29,083	41,008	14,897	37,825	14,450	18,252	4,677	38,541	2,534	3,318	1
18	206	21,427	574	6,566	4,182	2,107	2,540	1,013	2,351	999	1,195	372	2,402	130	195	2
70	687	69,200	1,573	21,822	13,894	6,842	8,084	3,311	7,568	2,766	3,570	1,021	8,241	373	619	3
87	720	64,605	1,479	19,132	12,844	6,080	8,251	3,036	7,137	2,911	3,723	799	8,608	447	643	4
40	338	27,701	828	8,247	4,948	2,403	3,827	1,582	3,106	1,442	1,820	333	3,309	234	286	5
110	694	45,055	1,160	12,020	10,110	5,712	5,988	1,946	5,830	1,937	2,332	774	5,529	423	554	6
44	345	19,873	432	5,085	3,979	1,517	2,732	761	2,453	882	1,052	284	2,390	144	240	7
89	469	27,964	633	7,337	6,254	2,196	5,714	1,170	3,695	1,440	1,525	387	3,408	311	339	8
19	159	9,843	224	2,811	1,841	898	1,283	497	1,250	476	648	203	1,085	135	105	9
68	507	30,446	950	10,966	8,198	5,378	4,634	1,781	4,435	1,717	2,387	504	3,578	357	337	10
3	23	1,610	49	534	368	142	253	94	204	72	97	42	225	21	15	11
-	15	1,373	30	431	279	113	176	74	142	59	30	30	169	13	18	12
1	7	804	15	247	170	72	93	45	86	34	42	6	76	3	6	13
6	81	10,562	285	3,303	2,015	1,075	1,260	491	1,104	448	581	186	1,127	67	102	14
3	12	1,624	50	561	385	183	204	88	182	72	89	18	252	6	13	15
3	68	5,054	146	1,490	967	522	554	221	623	214	317	90	563	20	41	16
38	328	34,426	806	11,018	6,803	3,548	3,894	1,617	3,557	1,350	1,823	529	3,731	153	291	17
10	131	12,829	276	4,015	2,659	1,270	1,494	658	1,297	499	661	147	1,549	73	134	18
22	228	21,945	491	6,789	4,222	2,024	2,676	1,056	2,704	917	1,086	345	2,961	147	194	19
29	197	17,459	439	5,145	3,536	1,672	2,232	816	1,632	756	1,011	199	2,533	109	159	20
100	8,085	148	148	2,333	1,610	753	1,040	363	979	417	440	119	1,040	66	88	21
14	184	18,736	444	5,650	3,830	1,804	2,436	852	1,923	784	1,025	250	1,933	109	180	22
24	163	13,206	310	3,749	2,724	1,182	1,625	632	1,582	608	614	157	2,203	108	143	23
6	76	7,137	138	2,275	1,136	679	918	371	841	346	433	74	899	55	73	24
6	88	5,837	97	1,877	918	554	788	289	599	312	402	60	668	43	45	25
4	54	5,056	98	1,473	910	443	690	281	506	287	368	63	568	29	65	26
11	112	8,420	182	2,350	1,773	668	1,087	404	1,114	408	434	115	1,071	87	77	27
-	12	962	19	320	112	80	165	45	96	43	52	5	121	14	14	28
1	6	1,141	16	357	162	96	169	58	123	57	105	16	114	6	8	29
4	36	2,599	51	813	407	234	398	124	251	139	182	33	286	12	31	30
14	50	3,686	65	1,057	664	328	530	181	417	196	248	41	481	43	46	31
-	6	791	20	222	190	62	82	35	92	32	56	17	136	7	10	32
19	76	5,830	156	1,608	1,342	498	702	260	755	240	271	122	810	47	57	33
4	15	1,445	56	490	281	111	189	61	145	32	80	29	210	7	16	34
19	88	6,138	153	1,641	1,357	519	839	234	834	238	323	123	664	51	74	35
7	42	3,050	80	655	714	205	384	125	419	136	152	51	318	29	27	36
16	135	5,187	159	1,547	1,206	497	897	249	924	350	359	131	926	54	77	37
5	67	5,155	79	642	79	283	489	136	414	178	178	50	493	39	48	38
18	106	5,690	144	1,371	1,267	495	799	210	863	265	276	97	753	88	84	39
22	149	12,749	334	3,505	3,101	1,042	1,607	636	1,384	503	637	154	1,219	101	161	40
9	83	5,022	118	1,442	1,095	383	682	212	580	220	290	81	650	51	56	41
13	118	5,721	144	1,519	1,137	489	807	261	737	272	235	80	607	24	67	42
11	83	4,854	106	1,266	1,020	394	736	166	666	232	268	84	648	40	70	43
11	61	3,276	64	858	667	251	507	122	470	138	199	39	475	29	47	44
5	63	3,187	71	836	708	227	463	141	431	149	162	57	345	35	30	45
19	86	5,301	141	1,347	1,298	451	665	219	736	265	259	95	835	49	73	46
13	39	4,214	75	1,150	875	298	568	179	600	230	239	53	459	46	51	47
52	281	15,182	346	4,004	3,373	1,220	2,018	631	1,928	737	865	182	1,770	179	165	48
1	12	1,036	21	315	203	92	120	49	118	46	72	9	120	13	8	49
1	12	921	15	264	149	87	121	57	116	48	64	25	114	12	8	50
1	9	434	12	114	85	44	59	20	57	16	29	9	44	5	6	51
3	34	2,377	65	781	434	228	354	134	301	149	181	56	249	35	30	52
3	27	1,010	21	323	170	86	129	47	120	52	62	29	144	19	18	53
4	40	2,283	57	639	486	171	200	115	355	90	140	42	253	23	23	54
4	19	961	19	270	153	87	147	52	117	52	64	25	148	15	8	55
2	6	621	14	165	163	45	69	23	86	23	36	8	66	11	4	56
5	53	5,139	116	1,475	1,091	456	650	257	548	242	304	53	559	39	54	57
3	37	3,233	77	916	681	279	398	159	349	167	227	34	307	30	35	58
58	400	29,152	730	8,228	6,241	2,600	3,506	1,340	3,444	1,269	1,794	405	2,589	262	243	59
4	3	158	3	39	32	10	17	5	27	7	7	5	6	1	-	60
1	14	745	24	308	146	33	63	20	67	28	55	7	118	5	5	61

SECTION 1 - GENERAL MORTALITY

Table 1-13: Deaths From 69 Selected Causes:

[Numbers after causes of death are category numbers of the Eighth

Area	Meningitis (320)	Major cardiovascular diseases (350-446)	Diseases of heart (350-399, 402, 404, 410-499)	Active rheumatic fever and chronic rheumatic heart disease (390-396)	Hypertensive heart disease (402)	Hypertensive heart and renal disease (404)	Ischemic heart disease (410-413)	Acute myocardial infarction (410)	Other acute and subacute forms of ischemic heart disease (411)	Chronic ischemic heart disease (412)	Angina pectoris (413)	Chronic disease of embocardium and other myocardial insufficiency (424, 425)
1 United States-----	1,719	1,015,015	739,265	15,432	8,978	7,310	669,829	361,583	4,677	303,362	207	7,475
Geographical division:												
2 New England-----	82	62,534	46,759	1,106	707	310	42,709	22,798	460	19,436	15	472
3 Middle Atlantic-----	308	208,199	161,035	5,682	1,622	1,076	148,927	73,196	530	75,180	21	1,287
4 East North Central-----	276	207,494	152,626	3,077	2,206	2,024	138,523	75,551	663	62,278	31	1,495
5 West North Central-----	108	90,321	63,711	1,239	729	785	57,502	33,331	291	23,637	43	911
6 South Atlantic-----	336	146,338	104,489	1,922	1,113	1,283	93,557	50,916	1,530	41,067	44	1,040
7 East South Central-----	118	67,136	46,156	619	548	525	41,031	26,477	162	15,381	11	533
8 West South Central-----	199	88,163	62,176	632	899	510	54,399	33,146	502	20,732	19	796
9 Mountain-----	79	29,720	21,152	737	218	195	18,635	10,515	103	8,009	8	241
10 Pacific-----	215	115,110	81,161	2,218	934	600	74,546	36,653	436	37,442	15	631
New England:												
11 Maine-----	9	6,138	4,575	68	51	54	4,178	2,515	12	1,648	3	80
12 New Hampshire-----	5	4,041	2,880	80	56	27	2,800	1,583	12	1,005	-	44
13 Vermont-----	4	2,324	1,676	32	16	17	1,589	743	4	810	2	11
14 Massachusetts-----	41	31,119	23,437	626	457	137	21,119	10,849	74	10,190	6	265
15 Rhode Island-----	4	5,107	4,070	74	39	21	3,829	1,741	326	1,759	3	18
16 Connecticut-----	21	13,605	10,123	226	88	54	9,424	5,367	32	4,024	1	54
Middle Atlantic:												
17 New York-----	181	100,710	78,465	1,810	845	326	73,213	33,177	199	39,829	8	397
18 New Jersey-----	45	37,574	29,636	672	237	172	27,551	13,364	137	14,025	5	329
19 Pennsylvania-----	82	69,915	52,934	1,200	540	580	48,163	26,635	194	21,326	8	562
East North Central:												
20 Ohio-----	62	54,637	39,755	805	521	685	36,229	18,334	194	17,693	8	256
21 Indiana-----	34	27,235	18,999	491	199	571	16,751	9,667	85	6,792	7	299
22 Illinois-----	84	62,966	48,190	886	402	402	43,614	23,464	196	20,143	8	565
23 Michigan-----	76	39,646	29,254	655	458	196	26,710	15,812	108	10,781	9	207
24 Wisconsin-----	20	22,952	16,438	366	173	170	15,019	8,074	80	6,664	1	167
West North Central:												
25 Minnesota-----	21	18,550	13,071	329	159	93	11,966	6,518	89	5,559	1	137
26 Iowa-----	16	16,689	11,648	184	97	217	10,458	6,533	51	3,969	5	218
27 Missouri-----	44	27,675	19,603	371	276	267	17,466	9,635	79	7,722	30	255
28 North Dakota-----	7	5,001	2,149	47	15	11	1,978	1,259	9	711	1	7
29 South Dakota-----	5	5,679	2,661	47	17	19	2,426	1,520	13	891	2	27
30 Nebraska-----	8	8,234	5,740	103	65	95	5,244	3,098	21	2,123	2	87
31 Kansas-----	9	12,493	8,839	158	101	93	7,964	4,769	29	3,163	3	170
South Atlantic:												
32 Delaware-----	2	2,504	2,001	43	25	8	1,850	814	4	1,032	-	18
33 Maryland-----	45	16,450	12,697	261	82	130	11,836	5,219	45	6,565	10	105
34 District of Columbia-----	16	5,865	2,900	54	48	38	2,641	786	10	1,843	2	26
35 Virginia-----	44	19,845	14,325	216	127	211	12,915	6,483	794	5,633	5	237
36 West Virginia-----	11	10,718	7,692	147	89	76	6,848	3,838	33	2,975	2	79
37 North Carolina-----	43	22,991	16,038	248	139	278	14,165	8,501	66	5,590	8	128
38 South Carolina-----	30	11,896	8,221	124	93	158	7,222	4,367	83	2,768	4	103
39 Georgia-----	53	20,928	15,048	224	273	153	12,045	7,732	84	4,223	6	155
40 Florida-----	92	37,141	26,567	585	238	251	24,035	13,177	411	10,440	7	198
East South Central:												
41 Kentucky-----	19	18,006	12,944	161	110	117	11,741	7,276	47	4,417	1	115
42 Tennessee-----	27	20,644	14,227	217	115	155	13,030	8,191	28	4,808	3	170
43 Alabama-----	39	16,769	11,098	159	168	159	9,492	5,906	20	3,553	3	161
44 Mississippi-----	53	11,717	7,887	102	165	94	8,778	4,104	67	2,603	4	147
West South Central:												
45 Arkansas-----	11	11,121	7,726	105	115	85	6,754	4,251	19	2,484	-	73
46 Louisiana-----	50	17,286	12,663	141	187	95	11,298	5,994	26	5,275	3	223
47 Oklahoma-----	15	13,877	9,785	119	179	101	8,781	6,030	44	2,704	3	79
48 Texas-----	125	45,879	32,004	467	418	239	27,566	16,671	413	10,269	13	421
Mountain:												
49 Montana-----	5	5,325	2,287	67	27	16	1,954	1,154	10	787	3	58
50 Idaho-----	8	5,115	2,196	60	23	32	1,960	1,236	11	715	-	23
51 Wyoming-----	1	1,340	961	36	6	9	835	528	8	299	-	16
52 Colorado-----	18	8,433	6,089	196	47	62	5,455	2,950	37	2,467	1	54
53 New Mexico-----	13	2,785	1,954	77	19	11	1,675	989	7	679	-	28
54 Arizona-----	24	6,045	4,361	156	51	26	3,915	1,994	20	1,899	2	30
55 Utah-----	6	5,075	2,194	108	23	31	1,861	1,077	4	778	2	34
56 Nevada-----	4	1,606	1,150	37	22	9	980	587	6	387	-	22
Pacific:												
57 Washington-----	31	16,266	11,624	297	144	139	10,439	6,040	153	4,242	4	119
58 Oregon-----	20	10,520	7,310	173	39	136	6,666	3,368	45	3,251	2	57
59 California-----	152	84,199	60,663	1,697	736	317	56,049	26,535	233	29,272	9	443
60 Alaska-----	5	369	261	13	-	2	204	146	-	58	-	1
61 Hawaii-----	5	1,756	1,303	38	15	6	1,189	564	5	619	-	11

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1969—Con.

Revision, International Classification of Diseases, Adapted, 1965]

All other forms of heart disease (400-423, 425-427, 429)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-439)	Cerebral hemorrhage (431)	Cerebral thrombosis (433)	Cerebral embolism (434)	All other cerebrovascular diseases (430, 432, 435-439)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-445)	Acute bronchitis and bronchiolitis (466)	Influenza and pneumonia (470-472, 480-485)	Influenza (470-472)	Pneumonia (480-485)	Bronchitis, emphysema, and asthma (490-495)	Chronic and unqualified bronchitis (480, 481)	Emphysema (482)	
30,243	8,426	207,179	43,303	58,746	1,005	104,123	33,063	25,082	1,286	69,365	5,971	62,394	31,144	5,043	22,939	1
1,455	512	11,555	3,106	3,878	72	4,499	2,032	1,676	53	4,015	201	4,532	1,787	306	1,269	2
4,439	1,406	34,909	7,729	10,643	218	16,319	6,095	4,754	209	15,769	564	13,205	4,975	1,073	3,449	3
5,301	1,909	41,056	9,224	12,006	191	19,635	7,144	4,859	415	12,276	1,015	11,261	6,327	1,159	4,719	4
2,545	767	19,978	4,043	5,397	98	10,440	3,654	2,211	75	5,973	702	5,191	2,764	460	2,108	5
5,565	1,507	32,371	6,787	9,536	125	15,923	4,096	3,875	173	10,882	1,122	9,760	4,554	821	3,336	6
2,840	745	16,677	3,447	4,372	53	8,805	2,066	1,491	58	4,480	497	3,983	1,934	373	1,368	7
4,740	748	20,278	3,938	4,270	105	11,967	2,984	2,077	100	6,235	531	5,704	2,620	523	2,120	8
1,126	236	6,180	1,157	1,381	37	3,605	1,237	915	38	2,473	258	2,215	1,724	292	1,319	9
2,232	695	24,175	3,872	7,265	108	12,930	3,855	3,224	167	7,464	921	6,543	4,261	756	3,230	10
142	52	1,149	305	310	2	532	192	172	3	335	58	279	232	56	159	11
73	27	803	200	290	2	311	228	103	2	233	24	209	148	42	96	12
41	34	444	114	142	3	185	89	81	2	173	13	160	99	23	72	13
835	242	5,666	1,614	1,964	45	2,043	944	830	37	2,732	108	2,624	832	163	603	14
89	38	785	170	247	5	543	110	124	3	285	7	278	131	21	97	15
277	119	2,728	703	925	15	1,085	469	366	6	1,055	73	982	345	81	240	16
1,874	662	16,454	3,804	4,680	104	7,966	2,875	2,254	106	7,708	267	7,441	2,471	620	1,589	17
678	260	5,980	1,318	2,010	39	2,613	867	831	50	2,158	61	2,097	935	221	664	18
1,889	484	12,475	2,607	3,953	75	5,840	2,353	1,689	53	3,903	236	3,667	1,567	232	1,196	19
1,257	478	11,176	2,365	3,376	72	5,363	1,696	1,332	39	3,203	332	2,871	1,727	357	1,265	20
779	232	6,203	1,448	1,674	29	3,052	1,225	634	24	1,571	171	1,400	873	113	707	21
1,694	617	11,117	2,994	3,313	55	4,755	1,780	1,272	287	3,862	201	3,661	1,659	322	1,199	22
1,028	304	7,780	1,459	2,330	25	3,906	1,274	1,034	39	2,410	206	2,204	1,462	235	1,135	23
543	178	4,780	958	1,253	10	2,559	969	567	24	1,250	105	1,125	586	132	413	24
398	119	4,257	800	1,041	12	2,404	658	446	8	1,194	149	1,045	520	113	373	25
474	162	3,689	731	976	11	1,971	725	467	14	1,006	152	854	526	82	417	26
988	247	6,070	1,172	1,658	49	3,011	1,124	631	25	1,990	216	1,774	790	114	612	27
81	21	629	134	127	3	365	140	82	6	238	26	212	91	17	68	28
125	27	781	179	164	2	436	123	87	6	179	21	159	130	23	99	29
146	76	1,077	385	510	13	989	340	201	10	546	70	476	297	33	221	30
353	118	2,675	642	741	8	1,284	546	317	6	820	148	672	420	78	351	31
57	18	362	61	111	3	187	62	61	1	150	4	146	74	14	53	32
465	161	2,530	473	601	12	1,444	443	419	20	931	40	691	438	90	319	33
93	49	695	169	222	3	302	110	111	5	369	7	362	111	19	72	34
619	166	4,255	851	1,117	19	2,268	579	520	18	1,576	115	1,463	590	130	392	35
454	151	2,246	482	691	9	1,064	320	309	14	812	99	713	419	75	310	36
1,080	250	5,826	1,109	1,664	15	2,738	613	564	24	1,755	278	1,477	552	119	376	37
521	128	2,927	724	849	15	1,339	340	280	13	838	64	674	339	43	253	38
998	227	5,758	1,615	1,589	18	2,638	608	487	30	1,880	239	1,641	613	117	440	39
1,280	357	8,072	1,406	2,692	31	3,943	1,021	1,124	48	2,549	176	2,373	1,418	214	1,121	40
700	137	3,963	610	1,087	13	2,053	577	395	11	1,212	102	1,110	578	115	410	41
540	258	5,112	843	1,361	18	2,890	635	416	18	1,416	186	1,230	632	136	444	42
989	194	4,548	1,095	1,253	9	2,191	524	405	15	1,120	126	994	438	63	356	43
611	159	3,054	699	671	13	1,671	332	285	14	732	83	649	286	57	198	44
584	105	2,773	601	597	15	1,560	306	211	9	715	101	614	319	60	241	45
729	159	3,601	693	775	5	2,138	496	367	14	1,095	87	1,008	457	92	320	46
524	91	3,178	641	676	28	1,933	464	361	15	608	75	470	50	60	369	47
2,893	383	10,726	2,013	2,222	55	6,436	1,618	1,138	62	3,617	268	3,349	1,575	311	1,170	48
185	20	722	139	165	3	415	193	103	6	241	40	201	140	21	105	49
98	17	671	115	135	3	418	140	91	2	198	31	167	150	20	123	50
63	10	270	60	58	-	152	48	51	1	108	16	92	75	14	59	51
255	65	1,659	305	363	18	975	399	242	9	745	76	669	388	69	294	52
124	35	619	132	135	2	352	109	86	4	318	24	294	165	24	136	53
104	57	1,238	222	291	4	721	204	185	10	541	44	497	584	107	432	54
137	18	655	107	159	4	585	105	101	5	223	22	201	116	16	92	55
80	14	346	57	77	3	209	40	56	1	99	5	94	106	21	78	56
406	75	3,390	564	873	12	1,941	752	425	14	1,177	196	981	600	106	449	57
239	62	2,421	410	710	9	1,292	445	292	11	699	112	586	429	88	380	58
1,421	553	17,929	2,602	5,574	66	9,487	2,616	2,438	139	5,350	593	4,737	3,138	547	2,405	59
41	2	73	11	12	-	50	18	15	2	58	12	46	14	3	10	60
45	13	362	85	96	1	190	24	54	1	201	8	193	80	12	46	61

SECTION 1 - GENERAL MORTALITY

Table 1-13. Deaths From 69 Selected Causes:

[Numbers after causes of death are category numbers of the Eighth

Area	Asthma (493)	Peptic ulcer (531-533)	Appendicitis (540-543)	Hernia and intestinal obstruction (550-553,560)	Cirrhosis of liver (571)	Cholelithiasis, cholecystitis and cholangitis (574,575)	Nephritis and nephrosis (580-584)	Acute nephritis and nephrotic syndrome (580,581)	Chronic and unqualified nephritis and renal sclerosis (582-584)	Infectious of kidney (590)	Hypertrophy of prostate (600)
1 United States-----	2,362	9,512	1,407	7,500	29,866	4,262	9,417	1,392	8,025	8,750	2,499
Geographical division:											
2 New England-----	132	578	64	426	2,024	261	541	75	466	448	129
3 Middle Atlantic-----	451	2,075	237	1,432	7,516	809	1,772	247	1,525	1,449	471
4 East North Central-----	449	1,827	279	1,538	5,573	879	1,761	238	1,523	1,486	526
5 West North Central-----	195	800	152	727	1,574	443	725	118	607	722	240
6 South Atlantic-----	397	1,217	191	1,077	4,095	522	1,598	249	1,349	1,595	353
7 East South Central-----	173	501	114	423	1,010	322	792	131	661	800	209
8 West South Central-----	177	747	137	765	2,068	367	1,141	175	966	1,060	236
9 Mountain-----	113	379	57	265	1,088	202	299	52	247	273	75
10 Pacific-----	275	1,190	156	827	4,930	457	788	107	681	898	252
New England:											
11 Maine-----	17	75	11	52	129	29	65	4	61	59	11
12 New Hampshire-----	8	47	6	33	101	16	37	2	35	25	11
13 Vermont-----	4	24	-	14	53	17	14	4	14	27	9
14 Massachusetts-----	66	284	41	216	1,073	118	252	40	212	207	54
15 Rhode Island-----	13	49	5	22	142	27	54	7	47	30	8
16 Connecticut-----	24	97	21	69	326	52	115	18	97	100	36
Middle Atlantic:											
17 New York-----	262	1,163	111	698	4,490	398	869	131	738	685	273
18 New Jersey-----	50	319	47	251	1,289	152	255	37	218	274	86
19 Pennsylvania-----	139	593	79	485	1,737	259	648	79	569	490	112
East North Central:											
20 Ohio-----	108	436	80	421	1,361	206	446	66	360	455	120
21 Indiana-----	53	217	43	207	563	89	261	34	227	198	71
22 Illinois-----	138	553	65	418	1,811	274	532	65	467	417	164
23 Michigan-----	112	412	49	321	1,397	179	353	52	301	278	67
24 Wisconsin-----	41	209	42	171	451	131	169	21	148	150	75
West North Central:											
25 Minnesota-----	34	140	22	128	335	93	110	18	92	101	49
26 Iowa-----	27	155	31	131	241	91	113	15	98	127	43
27 Missouri-----	64	208	52	228	506	116	287	42	245	250	80
28 North Dakota-----	6	28	1	28	43	16	14	6	8	21	8
29 South Dakota-----	8	37	10	36	73	14	29	10	19	30	9
30 Nebraska-----	33	115	19	76	151	59	50	6	44	72	26
31 Kansas-----	23	117	17	100	225	54	122	21	101	121	34
South Atlantic:											
32 Delaware-----	7	19	-	13	83	2	31	4	27	13	6
33 Maryland-----	29	119	23	138	659	57	166	33	133	99	29
34 District of Columbia-----	20	45	8	47	330	12	89	10	49	53	14
35 Virginia-----	68	167	22	156	533	60	228	32	196	183	39
36 West Virginia-----	34	84	9	65	179	47	109	15	93	99	25
37 North Carolina-----	57	179	35	150	540	84	247	38	209	308	46
38 South Carolina-----	43	94	18	86	198	57	167	12	155	151	35
39 Georgia-----	56	198	30	136	407	68	272	43	229	265	62
40 Florida-----	83	312	46	284	1,166	135	320	62	259	405	97
East South Central:											
41 Kentucky-----	53	154	21	128	293	101	184	36	148	186	43
42 Tennessee-----	50	173	39	109	321	108	208	33	175	227	76
43 Alabama-----	39	111	31	118	256	63	225	38	187	236	53
44 Mississippi-----	31	83	23	68	140	50	173	24	151	180	36
West South Central:											
45 Arkansas-----	17	89	15	82	176	46	174	25	149	137	39
46 Louisiana-----	45	131	27	175	369	52	219	29	190	185	32
47 Oklahoma-----	21	118	19	111	306	68	188	33	155	194	50
48 Texas-----	94	409	77	397	1,215	201	560	88	472	544	115
Mountain:											
49 Montana-----	14	30	4	30	86	25	23	5	18	32	10
50 Idaho-----	7	41	5	29	51	25	40	7	33	25	8
51 Wyoming-----	2	21	3	12	52	7	8	1	7	9	7
52 Colorado-----	25	113	21	61	206	40	63	14	49	65	20
53 New Mexico-----	5	33	8	36	164	30	31	3	28	18	13
54 Arizona-----	45	82	8	59	273	42	70	11	50	93	12
55 Utah-----	6	34	4	33	85	26	48	10	38	21	2
56 Nevada-----	7	25	4	5	91	7	16	1	15	10	3
Pacific:											
57 Washington-----	45	160	16	118	441	58	110	19	91	96	30
58 Oregon-----	21	88	11	61	253	24	60	8	52	79	18
59 California-----	196	914	121	625	4,160	364	583	76	507	691	190
60 Alaska-----	1	5	3	8	23	2	3	-	3	-	1
61 Hawaii-----	22	23	5	15	53	9	32	4	28	32	4

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1969—Con.

Revision, International Classification of Diseases, Adapted, 1965]

Complications of pregnancy, child-birth, and the puerperium (630-678)	Abortions (640-645)	Other complications of pregnancy, child-birth, and the puerperium (630-639;650-678)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769;769.4-772;774-778)	Birth injury, difficult labor, and other exotic and hypoxic conditions (764-769;772;776)	Other causes of mortality in early infancy (remainder of 760-778)	Symptoms and ill-defined conditions (760-769)	All other diseases (residual)	Accidents (E800-E949)	Motor vehicle accidents (E810-E833)	All other accidents (E800-E807;E825-E949)	Suicide (E850-E859)	Homicide (E860-E878)	Other external causes (E890-E999)	
801	132	669	17,008	43,171	21,939	21,232	26,160	97,982	116,365	55,791	60,594	22,564	15,477	5,147	1
19	3	16	950	2,252	1,027	1,225	619	6,162	5,335	2,099	3,236	1,093	325	125	2
155	39	114	2,921	7,604	3,751	3,953	4,974	19,264	15,861	7,029	9,553	3,023	2,189	2,254	3
151	18	133	3,500	4,585	4,585	4,147	2,270	17,501	21,630	10,283	10,907	4,212	2,838	705	4
48	4	44	1,546	3,110	1,513	1,597	2,490	9,246	10,245	5,090	5,155	1,656	735	360	5
133	26	107	2,644	7,003	3,501	3,502	3,657	15,073	19,413	9,503	9,310	3,559	3,568	467	6
76	11	65	1,146	3,155	1,543	1,612	4,272	6,199	9,356	4,647	4,709	1,294	1,451	186	7
106	13	83	1,684	4,644	2,466	2,178	3,331	9,324	12,812	6,206	6,606	1,898	2,143	226	8
28	6	22	702	1,838	936	902	1,373	4,949	6,091	3,109	2,962	1,202	434	182	9
87	12	75	2,115	4,655	2,617	2,216	974	11,324	13,322	7,266	8,636	4,397	1,774	642	10
1	-	1	81	202	105	97	62	515	562	259	303	123	20	16	11
1	-	1	80	151	60	81	116	360	373	196	177	85	6	4	12
1	-	1	35	103	51	52	31	256	241	120	121	52	9	4	13
7	1	6	406	1,051	474	577	416	3,127	2,682	924	1,759	464	167	36	14
1	-	1	107	178	81	97	23	492	358	149	208	56	23	23	15
8	2	6	241	567	256	311	169	1,432	1,119	451	668	313	100	42	16
94	28	66	1,515	3,855	1,854	2,001	1,899	8,976	7,033	3,235	3,798	1,337	1,265	1,944	17
26	4	22	544	1,406	705	701	351	2,923	2,945	1,261	1,684	561	382	148	18
33	7	26	862	2,543	1,192	1,151	2,724	7,365	5,603	2,532	3,071	1,125	522	164	19
38	3	35	935	2,209	1,072	1,137	870	4,879	5,864	2,804	3,060	1,181	698	148	20
21	1	20	485	1,104	573	531	263	2,348	3,099	1,695	1,416	577	278	101	21
57	10	47	331	2,640	1,623	1,017	379	4,464	5,615	2,682	2,933	983	967	328	22
23	3	20	776	2,065	978	1,067	564	3,679	4,757	2,525	2,232	936	791	93	23
12	1	11	375	714	339	375	194	2,131	2,295	1,129	1,168	535	103	37	24
11	2	9	339	675	328	347	217	1,790	2,191	1,039	1,152	335	83	79	25
12	2	10	224	529	252	277	68	1,376	1,652	865	787	315	44	20	26
17	-	17	392	994	504	490	1,876	2,591	3,052	1,518	1,534	449	471	186	27
-	-	-	49	114	59	55	33	273	413	188	225	69	2	5	28
4	-	4	58	122	67	55	64	324	536	286	250	64	15	7	29
4	-	4	111	261	105	156	39	678	923	459	464	153	40	19	30
4	-	4	173	415	198	217	193	1,212	1,476	735	743	271	80	44	31
1	1	1	53	138	67	71	18	242	286	120	166	69	44	7	32
12	3	9	302	779	364	415	252	1,990	1,753	818	935	423	379	82	33
8	3	5	62	294	95	199	237	658	454	140	314	65	243	19	34
13	4	8	362	1,065	523	542	865	2,202	2,679	1,255	1,624	566	383	68	35
5	1	4	165	375	199	176	548	985	1,170	532	638	195	91	49	36
28	5	23	458	1,280	615	665	1,045	2,555	3,398	1,778	1,620	544	633	114	37
12	2	10	254	567	302	265	519	1,090	1,832	940	892	245	326	34	38
25	3	22	414	1,093	588	505	681	2,400	3,235	1,754	1,481	513	727	26	39
29	5	24	554	1,412	748	664	1,692	3,751	4,406	2,166	2,240	980	782	68	40
8	1	7	315	641	336	305	151	1,723	2,201	1,006	1,195	339	324	75	41
20	5	15	321	880	435	445	511	1,814	2,516	1,354	1,162	458	423	42	42
25	3	22	298	882	415	467	1,920	1,677	2,590	1,390	1,200	446	28	43	43
23	2	21	212	752	357	395	1,690	985	2,049	897	1,152	174	258	41	44
12	3	9	142	356	180	176	691	961	1,404	641	763	160	166	32	45
24	4	20	372	1,025	530	495	238	1,844	2,610	1,157	1,453	331	437	34	46
11	2	9	179	544	282	262	403	1,420	1,713	847	866	242	169	80	47
59	4	55	991	2,719	1,474	1,245	1,899	5,099	7,085	3,561	3,524	1,155	1,371	80	48
1	-	1	50	156	76	80	173	360	639	335	304	90	28	21	49
-	-	-	54	159	71	88	77	330	592	287	305	84	17	10	50
-	-	-	32	109	50	59	31	181	343	195	148	59	19	5	51
5	2	3	173	463	246	217	207	1,077	1,333	628	705	330	115	40	52
4	1	3	110	246	119	127	223	522	907	491	416	169	68	13	53
11	1	10	146	400	208	192	212	903	1,268	687	581	263	112	57	54
3	3	3	109	204	117	87	391	457	601	299	302	115	30	17	55
4	2	2	28	101	48	52	59	219	408	187	221	97	45	19	56
9	-	9	264	811	293	318	198	1,674	2,069	902	1,167	461	130	59	57
3	-	3	181	310	171	139	306	938	1,384	713	671	269	80	55	58
72	11	61	1,562	3,691	2,044	1,637	382	8,385	11,886	5,466	6,420	3,544	1,495	490	59
1	-	1	23	65	37	28	44	101	319	71	248	31	31	11	60
2	1	1	85	166	72	94	44	226	264	134	130	72	38	27	61

SECTION 1 - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes:

[Rates per 100,000 population in each area. Numbers after causes of death are category

Area	Total	Bacillary dysentery and amebiasis (004,005)	Enteritis and other diarrheal diseases (008,009)	Tuberculosis, all forms (010-019)	Tuberculosis of respiratory system (010-012)	Tuberculosis, other forms (015-019)	Whooping cough (035)	Streptococcal sore throat and scarlet fever (034)	Meningococcal infections (036)	Septicemia (038)	Acute poliomyelitis (040-045)	Measles (055)
1 United States-----	951.9	0.0	1.3	2.8	2.2	0.5	0.0	0.0	0.4	1.5	0.0	0.0
Geographical division:												
2 New England-----	1,009.2	-	1.0	2.0	1.5	0.5	-	0.0	0.3	1.7	-	0.0
3 Middle Atlantic-----	1,029.5	0.0	1.0	3.2	2.7	0.5	-	0.0	0.3	1.6	-	0.0
4 East North Central-----	952.5	0.0	1.0	2.4	1.9	0.5	0.0	0.0	0.3	1.1	0.0	0.0
5 West North Central-----	1,025.4	0.0	1.2	1.8	1.4	0.4	-	0.0	0.3	1.2	0.0	0.0
6 South Atlantic-----	940.4	0.0	1.7	3.2	2.6	0.6	0.0	0.0	0.5	1.8	0.0	0.0
7 East South Central-----	980.3	0.1	2.1	4.2	3.6	0.6	0.0	0.0	0.4	1.7	0.0	0.0
8 West South Central-----	896.1	0.1	1.9	3.0	2.6	0.5	0.0	0.0	0.6	2.1	0.0	0.0
9 Mountain-----	806.2	0.0	1.8	2.9	2.1	0.8	0.0	0.0	0.2	1.4	0.0	0.1
10 Pacific-----	854.1	0.1	0.7	1.9	1.4	0.6	0.0	0.0	0.4	1.1	0.0	0.0
New England:												
11 Maine-----	1,115.8	-	0.8	2.5	1.8	0.6	-	0.1	0.1	1.0	-	-
12 New Hampshire-----	1,049.0	-	1.7	1.0	0.8	0.1	-	-	0.6	1.0	-	-
13 Vermont-----	1,008.4	-	0.9	3.2	2.7	0.5	-	0.2	0.7	1.4	-	-
14 Massachusetts-----	1,057.1	-	0.8	2.4	1.8	0.5	-	0.0	0.2	2.0	-	0.0
15 Rhode Island-----	1,020.9	-	1.0	2.1	1.4	0.7	-	-	0.5	1.2	-	-
16 Connecticut-----	874.1	-	1.2	1.1	0.7	0.4	-	-	0.3	1.5	-	-
Middle Atlantic:												
17 New York-----	1,028.7	0.0	1.1	3.4	2.8	0.6	-	0.0	0.3	1.6	-	0.0
18 New Jersey-----	950.9	0.1	0.9	2.9	2.4	0.5	-	-	0.4	1.0	-	-
19 Pennsylvania-----	1,078.2	-	0.9	3.2	2.8	0.4	-	0.0	0.3	1.8	-	0.0
East North Central:												
20 Ohio-----	942.6	0.0	0.9	2.6	2.2	0.4	-	0.0	0.3	1.3	-	-
21 Indiana-----	967.6	0.0	1.4	2.6	2.0	0.5	-	-	0.4	1.3	-	0.0
22 Illinois-----	1,006.6	0.1	1.0	2.8	2.2	0.6	0.0	0.0	0.3	0.8	0.0	0.0
23 Michigan-----	876.2	-	0.9	2.3	1.8	0.5	-	-	0.2	1.1	-	0.0
24 Wisconsin-----	971.1	-	1.3	1.5	0.9	0.4	0.0	-	0.2	1.4	-	0.0
West North Central:												
25 Minnesota-----	914.7	-	0.8	1.3	0.9	0.4	-	-	0.3	1.0	-	-
26 Iowa-----	1,056.6	0.0	1.3	1.4	1.0	0.4	-	0.0	0.2	1.2	-	0.1
27 Missouri-----	1,128.0	0.0	1.2	2.9	2.5	0.4	-	0.0	0.3	1.8	0.0	-
28 North Dakota-----	911.7	-	1.0	1.1	0.5	0.7	-	-	0.2	0.8	-	-
29 South Dakota-----	1,025.9	-	2.3	2.9	1.8	1.1	-	-	-	1.4	-	-
30 Nebraska-----	1,030.5	-	1.2	1.5	0.9	0.4	-	-	0.3	0.6	-	-
31 Kansas-----	984.7	-	1.2	1.2	1.1	0.1	-	0.0	0.2	0.9	-	-
South Atlantic:												
32 Delaware-----	890.6	-	1.1	3.0	2.4	0.6	-	-	0.2	1.7	-	0.2
33 Maryland-----	860.1	-	1.0	4.1	3.5	0.8	-	0.0	0.3	1.9	0.0	-
34 District of Columbia-----	1,104.5	-	1.0	9.1	7.5	1.6	-	-	0.1	1.4	-	-
35 Virginia-----	859.0	0.1	1.3	2.9	2.4	0.5	0.0	0.0	0.4	1.9	-	0.1
36 West Virginia-----	1,090.2	-	0.9	4.6	4.0	0.6	-	-	0.5	1.4	-	-
37 North Carolina-----	862.7	0.0	2.2	2.5	2.1	0.4	-	0.1	0.4	1.8	-	0.0
38 South Carolina-----	848.9	0.0	3.1	2.9	2.2	0.7	-	-	0.7	0.7	0.0	0.0
39 Georgia-----	889.0	0.1	2.4	2.5	2.1	0.5	-	0.0	0.7	1.7	0.0	0.0
40 Florida-----	1,144.9	0.0	1.4	3.1	2.4	0.7	-	0.1	0.6	2.6	-	0.0
East South Central:												
41 Kentucky-----	1,017.9	-	1.4	4.1	3.7	0.4	0.0	0.0	0.4	1.9	0.0	-
42 Tennessee-----	951.1	-	1.4	4.1	3.4	0.7	0.0	-	0.5	1.2	-	-
43 Alabama-----	957.5	0.1	2.1	5.7	4.8	0.9	-	-	0.5	1.7	-	0.1
44 Mississippi-----	1,011.8	0.5	4.6	2.4	2.1	0.3	0.0	0.0	0.3	2.3	-	0.0
West South Central:												
45 Arkansas-----	1,040.1	-	2.0	3.7	3.1	0.6	-	0.1	0.7	2.1	-	0.1
46 Louisiana-----	904.2	0.1	1.4	3.8	3.3	0.5	-	0.0	0.8	2.3	-	-
47 Oklahoma-----	1,015.7	-	1.1	2.8	2.2	0.6	-	-	0.4	1.8	-	-
48 Texas-----	940.6	0.2	2.2	2.7	2.3	0.4	0.0	0.0	0.6	2.0	0.0	0.0
Mountain:												
49 Montana-----	867.3	-	2.0	2.2	1.4	0.7	-	-	0.3	0.9	-	0.3
50 Idaho-----	855.4	-	1.5	1.7	1.4	0.3	-	0.1	0.4	0.6	-	-
51 Wyoming-----	919.1	-	0.9	0.9	0.9	-	-	-	0.3	0.9	-	-
52 Colorado-----	815.1	0.0	1.0	2.2	1.3	0.8	0.0	-	0.1	1.7	0.0	-
53 New Mexico-----	725.3	0.1	2.9	3.4	2.4	1.0	-	-	0.4	2.3	-	-
54 Arizona-----	828.8	0.1	3.0	6.0	4.7	1.3	0.1	-	0.2	1.8	0.1	0.2
55 Utah-----	852.5	-	1.8	0.8	0.6	0.2	-	-	0.3	0.6	-	-
56 Nevada-----	807.7	-	0.4	2.0	1.3	0.7	-	-	-	1.1	-	-
Pacific:												
57 Washington-----	900.4	-	0.9	1.7	1.1	0.6	-	0.1	0.4	1.1	-	-
58 Oregon-----	965.8	0.0	0.7	1.4	1.3	0.1	-	0.1	0.2	0.8	-	-
59 California-----	854.2	0.1	0.7	2.0	1.5	0.6	0.0	0.0	0.4	1.1	0.0	0.0
60 Alaska-----	462.1	0.4	0.4	2.5	0.4	2.1	-	-	0.7	-	-	-
61 Hawaii-----	513.4	-	0.8	2.1	1.4	0.8	-	-	0.4	2.0	-	-

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1969

numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Syphilis and its sequelae (090-097)	Other infective and parasitic diseases (remainder of 000-136)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	Malignant neoplasms of buccal cavity and pharynx (140-149)	Malignant neoplasms of digestive organs and peritoneum (150-189)	Malignant neoplasms of respiratory system (160-185)	Malignant neoplasm of breast (174)	Malignant neoplasms of genital organs (180-187)	Malignant neoplasms of urinary organs (190,195)	Malignant neoplasms of all other and unspecified sites (170-173,190-199)	Leukemia (204-207)	Other neoplasms of lymphatic and hematopoietic tissues (200-203,205,208)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Diabetes mellitus (250)	Arteriosclerosis and other nutritional deficiencies (260-269)	Anemias (280-285)	
0.3	2.0	160.0	3.7	46.5	52.7	14.4	20.3	7.4	18.7	7.2	9.0	2.3	19.1	1.3	1.6	1
0.1	1.8	186.1	5.0	57.0	56.3	18.3	22.1	8.8	20.4	7.8	10.4	3.2	20.9	1.1	1.7	2
0.2	1.8	185.7	4.2	59.5	56.7	18.4	21.6	8.9	20.3	7.8	9.6	2.7	22.1	1.0	1.7	3
0.2	1.8	161.9	3.7	47.9	52.3	15.3	20.7	7.6	17.9	7.3	9.3	2.0	21.6	1.1	1.6	4
0.2	2.1	171.3	3.3	51.0	50.6	14.9	23.7	8.5	19.2	8.9	11.3	2.1	20.5	1.4	1.8	5
0.4	2.2	147.7	3.8	39.4	55.2	12.2	19.6	6.4	19.1	8.4	7.6	2.5	18.1	1.4	1.8	6
0.3	2.6	144.0	3.3	38.8	50.4	11.6	20.8	5.8	18.7	6.6	8.0	2.2	18.2	1.1	1.8	7
0.5	2.4	143.4	3.2	37.6	52.1	11.3	19.1	6.0	19.0	7.4	7.8	2.0	17.5	1.6	1.7	8
0.2	2.0	122.7	2.8	35.0	53.0	10.4	15.7	6.2	15.6	5.9	8.1	2.5	15.5	1.7	1.3	9
0.3	2.0	148.1	3.7	42.3	51.6	13.0	17.9	6.9	17.1	6.6	9.2	1.9	15.8	1.3	1.3	10
0.3	2.4	185.1	4.9	54.6	57.4	14.5	25.9	9.6	20.9	7.4	9.9	4.3	23.0	2.1	1.5	11
-	2.1	191.5	4.2	60.1	58.9	15.8	24.5	10.3	19.8	8.2	9.6	4.2	22.2	1.8	2.5	12
0.2	1.6	163.1	3.4	56.3	58.7	16.4	21.2	10.3	19.6	7.7	9.6	1.4	17.3	0.7	1.4	13
0.1	1.5	193.2	5.2	60.4	56.9	19.7	23.0	9.0	20.2	8.2	10.6	3.4	20.6	1.2	1.9	14
0.3	1.3	200.2	5.5	61.6	42.3	20.1	22.4	9.7	21.1	7.9	9.8	2.0	27.7	0.7	1.4	15
0.1	2.3	168.5	4.9	49.7	52.2	17.4	18.5	7.4	20.8	7.1	10.6	3.0	18.8	0.7	1.4	16
0.2	1.8	187.9	4.4	60.1	57.1	19.4	21.3	8.8	19.5	7.4	10.0	2.9	20.4	0.8	1.6	17
0.1	1.8	179.5	3.9	56.2	57.2	17.8	20.9	9.2	18.1	7.0	9.2	2.1	21.7	1.0	1.9	18
0.2	1.9	185.9	4.2	57.5	55.8	17.1	22.7	8.8	22.8	7.8	9.2	2.9	25.1	1.2	1.6	19
0.3	1.8	162.4	4.1	47.9	52.9	15.6	20.8	7.6	17.1	7.0	9.4	1.9	23.6	1.0	1.5	20
0.5	2.0	158.0	2.9	45.6	51.5	14.7	20.3	7.1	19.1	8.1	8.6	2.3	20.3	1.3	1.7	21
0.1	1.7	169.6	4.0	51.0	54.7	16.3	22.1	7.7	17.4	7.1	9.3	2.3	17.5	1.0	1.6	22
0.3	1.9	150.7	3.5	42.8	51.1	13.5	18.5	7.2	17.8	6.9	9.3	1.6	25.1	1.2	1.6	23
0.1	1.8	168.6	3.3	53.7	56.8	16.0	21.7	8.8	19.9	8.2	10.2	1.7	21.2	1.3	1.7	24
0.2	1.8	157.8	2.6	50.7	54.8	15.0	21.3	7.8	16.2	8.4	10.9	1.6	18.1	1.2	1.2	25
0.1	1.9	161.8	3.5	53.0	52.7	15.9	24.6	10.1	18.2	10.3	13.2	2.3	20.4	1.0	2.3	26
0.2	2.4	181.0	3.9	50.5	58.1	14.4	23.4	8.7	24.0	8.8	9.3	2.5	25.0	1.9	1.7	27
-	2.0	156.4	3.1	52.0	58.2	13.0	26.8	7.3	15.6	7.0	13.3	0.8	19.7	2.3	1.7	28
0.2	0.9	173.1	2.4	54.2	54.6	14.6	25.6	8.8	18.7	8.6	15.6	2.4	17.3	0.9	1.2	29
0.3	2.5	179.4	3.5	56.1	58.1	16.1	27.5	8.6	17.3	9.6	12.6	2.3	19.7	0.8	2.1	30
0.6	2.2	158.8	2.8	45.5	58.8	14.1	22.8	7.8	18.0	8.4	10.7	1.8	20.7	1.9	2.0	31
-	1.1	146.5	3.7	41.1	55.2	11.5	15.2	6.5	17.0	5.9	10.4	3.1	25.2	1.3	1.9	32
0.5	2.0	154.8	4.1	42.7	53.6	13.2	18.6	6.9	20.1	6.4	7.2	3.2	21.8	1.2	1.5	33
0.5	1.9	181.1	7.0	60.2	56.5	13.9	23.7	7.6	18.2	4.0	10.0	3.6	26.3	0.9	2.0	34
0.4	1.9	131.5	3.3	29.1	51.1	11.1	18.0	5.0	17.9	5.1	8.9	2.6	14.2	1.1	1.6	35
0.4	2.3	167.7	3.3	47.0	58.3	11.3	21.1	6.9	23.0	7.5	8.4	2.8	17.5	1.6	1.5	36
0.3	2.6	118.9	3.0	29.7	52.2	9.5	17.2	4.8	17.8	6.7	6.9	2.8	17.8	1.0	1.5	37
0.2	2.5	117.2	2.9	29.5	53.6	10.5	18.2	5.1	15.4	5.2	6.8	2.5	16.3	1.4	1.8	38
0.4	2.3	122.6	3.1	29.5	57.3	10.7	17.2	4.5	18.6	5.7	5.9	2.1	16.2	1.9	1.8	39
0.3	2.3	200.6	5.3	55.2	46.8	16.4	25.3	10.0	21.8	7.9	10.0	2.4	19.2	1.6	2.5	40
0.3	2.6	155.4	3.7	44.6	35.9	11.9	21.1	6.6	17.9	6.8	9.0	2.5	20.1	1.6	1.7	41
0.3	3.0	143.6	3.6	38.1	30.0	12.3	20.3	6.5	18.5	6.8	7.4	2.0	15.2	0.6	1.7	42
0.3	2.4	137.5	3.0	35.9	28.9	11.2	20.8	4.7	18.9	6.6	7.8	2.4	18.4	1.1	2.0	43
0.5	2.6	138.8	2.7	36.4	28.3	10.6	21.5	5.2	19.9	5.8	8.4	1.7	20.1	1.2	2.0	44
0.3	3.2	159.7	3.6	41.9	35.5	11.4	23.2	7.1	21.6	7.4	8.1	2.9	17.3	1.8	1.5	45
0.5	2.3	143.7	3.8	36.0	34.7	12.0	17.8	5.8	19.7	7.1	6.9	2.5	22.3	1.3	1.9	46
0.5	1.5	164.1	2.9	44.8	34.1	11.6	22.1	7.0	23.4	9.0	9.3	2.1	17.9	1.9	2.0	47
0.5	2.5	135.7	3.1	35.8	30.2	10.9	18.0	5.6	17.2	7.1	7.7	1.6	15.8	1.6	1.7	48
0.1	1.7	149.3	3.0	45.4	29.3	13.3	17.3	7.1	17.0	8.6	10.4	1.3	17.3	1.9	1.2	49
0.1	1.7	128.3	2.1	36.8	20.8	12.1	16.9	7.9	16.2	8.7	8.9	3.5	15.9	1.7	1.1	50
0.3	2.8	135.6	3.8	35.6	25.9	13.8	18.4	6.3	17.8	5.0	9.1	2.8	15.8	1.6	1.9	51
0.1	1.6	122.7	3.1	34.8	20.7	10.9	16.9	6.4	14.3	7.1	8.6	2.7	11.9	1.7	1.4	52
0.3	2.7	101.6	2.1	32.5	17.1	8.7	13.0	4.7	12.1	12.1	5.2	2.9	14.5	1.9	1.8	53
0.2	2.4	134.8	3.4	37.3	29.7	10.1	15.4	6.8	19.8	8.3	6.2	2.9	11.8	1.5	1.4	54
0.4	1.8	92.0	1.8	25.8	14.6	8.3	14.1	5.0	11.2	5.0	6.1	2.4	14.2	1.4	0.8	55
0.4	1.3	135.9	3.1	36.1	35.7	9.4	14.9	5.0	18.8	5.0	7.9	1.8	14.4	2.4	0.9	56
0.1	1.8	151.1	3.4	43.4	32.1	13.4	19.1	7.6	16.1	7.1	9.9	1.6	16.4	1.1	1.6	57
0.1	1.8	160.1	3.8	45.1	33.5	13.7	19.6	7.8	17.2	8.2	11.2	1.7	15.1	1.5	1.7	58
0.3	2.1	149.9	3.8	42.3	32.1	13.4	18.0	6.9	17.7	8.3	9.2	1.7	15.3	1.3	1.2	59
-	1.1	56.0	1.1	13.8	13.8	3.5	6.0	1.8	9.6	5.0	2.5	1.8	2.1	0.4	-	60
0.1	1.8	93.7	3.0	39.8	16.4	4.2	7.9	2.5	8.4	3.5	6.9	0.9	14.9	0.6	0.6	61

SECTION 1 - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes:

[Rates per 100,000 population in each area. Numbers after causes of death are category

Area	Meningitis (290)	Major cardiovascular diseases (390-449)	Diseases of heart (390-399, 402, 404, 410-429)	Active rheumatic fever and chronic rheumatic heart disease (390-399)	Hypertensive heart disease (402)	Hypertensive heart and renal disease (404)	Ischemic heart disease (410-415)	Acute myocardial infarction (410)	Other acute and subacute forms of ischemic heart disease (411)	Chronic ischemic heart disease (412)	Angina pectoris (413)	Chronic disease of endocardium and other myocardial insufficiency (414, 429)
1 United States-----	0.9	501.7	366.1	7.6	4.4	3.6	351.7	179.1	2.3	150.2	0.1	3.7
Geographical division:												
2 New England-----	0.7	543.2	406.2	9.6	6.1	2.7	371.0	198.0	4.0	168.8	0.1	4.1
3 Middle Atlantic-----	0.8	558.6	432.1	9.9	4.4	2.9	399.6	196.4	1.4	201.7	0.1	3.5
4 East North Central-----	0.7	520.0	392.5	7.7	5.5	5.1	347.1	189.3	1.7	158.1	0.1	3.7
5 West North Central-----	0.7	559.4	395.9	7.7	4.5	4.9	355.5	206.1	1.8	147.4	0.3	5.6
6 South Atlantic-----	1.1	480.0	342.8	6.3	3.7	4.2	305.9	167.0	5.0	134.7	0.1	3.4
7 East South Central-----	0.9	512.2	352.1	4.7	4.2	4.0	313.0	194.4	1.2	117.3	0.1	4.5
8 West South Central-----	1.0	452.2	319.9	4.5	4.6	2.6	279.0	170.0	2.6	106.3	0.1	4.1
9 Mountain-----	1.0	370.5	265.7	9.2	2.7	2.4	232.5	151.1	1.5	99.9	0.1	3.0
10 Pacific-----	0.8	435.8	312.7	8.5	3.6	2.3	287.2	141.2	1.7	144.3	0.1	2.4
New England:												
11 Maine-----	0.9	627.6	467.6	7.0	5.2	5.5	427.2	257.2	1.2	168.5	0.3	8.2
12 New Hampshire-----	0.4	563.6	401.7	11.2	7.8	3.9	362.6	220.0	1.7	140.2	-	6.1
13 Vermont-----	0.9	529.4	381.8	7.3	3.6	3.9	355.1	169.2	0.9	184.5	0.5	2.5
14 Massachusetts-----	0.7	569.2	428.7	11.5	8.4	2.5	396.3	198.4	1.4	188.4	0.1	4.8
15 Rhode Island-----	0.4	560.6	446.8	8.1	4.3	2.3	420.3	191.1	35.8	193.1	0.3	2.0
16 Connecticut-----	0.7	480.2	357.4	7.5	2.9	1.8	314.1	178.9	1.1	134.1	0.0	1.8
Middle Atlantic:												
17 New York-----	1.0	549.7	428.3	9.9	4.6	1.8	399.6	181.1	1.1	217.4	0.0	2.2
18 New Jersey-----	0.6	525.7	414.6	9.4	3.3	2.4	385.4	187.2	1.9	196.2	0.1	4.6
19 Pennsylvania-----	0.7	592.3	448.5	10.2	4.6	4.9	408.1	225.7	1.6	180.7	0.1	4.8
East North Central:												
20 Ohio-----	0.6	506.7	370.2	7.5	4.9	6.4	337.3	170.7	1.8	164.7	0.1	2.4
21 Indiana-----	0.7	533.5	371.2	7.8	3.9	11.2	327.3	192.8	1.7	132.7	0.1	5.8
22 Illinois-----	0.8	570.0	436.1	7.7	7.7	3.6	396.6	212.4	1.8	162.4	0.1	5.1
23 Michigan-----	0.9	452.3	335.7	7.5	5.2	2.2	304.7	180.4	1.2	123.0	0.1	2.4
24 Wisconsin-----	0.5	542.2	398.5	8.6	4.1	4.0	354.8	190.7	1.9	162.2	0.0	3.9
West North Central:												
25 Minnesota-----	0.6	501.4	353.3	8.9	4.3	2.2	323.4	176.2	2.4	144.8	0.0	3.7
26 Iowa-----	0.6	600.1	418.8	6.6	3.5	7.8	376.1	234.9	1.8	139.1	0.2	7.6
27 Missouri-----	0.9	595.0	421.5	8.0	5.9	5.7	375.5	207.2	1.7	168.0	0.6	5.5
28 North Dakota-----	1.1	488.0	349.4	7.6	2.4	1.8	321.6	204.6	1.5	115.6	-	2.8
29 South Dakota-----	0.5	558.3	403.8	7.1	2.6	2.9	369.1	230.7	2.0	135.2	0.3	4.1
30 Nebraska-----	0.6	568.3	396.1	7.1	4.5	6.6	361.9	213.8	1.4	146.5	0.1	6.0
31 Kansas-----	0.4	538.3	380.8	6.8	4.4	4.0	343.1	205.5	1.2	136.3	0.1	7.3
South Atlantic:												
32 Delaware-----	0.4	463.7	370.6	8.0	4.6	1.5	342.6	150.7	0.7	191.1	-	3.3
33 Maryland-----	1.2	436.9	342.5	7.5	2.2	3.5	314.4	158.6	1.2	174.3	0.3	2.8
34 District of Columbia-----	2.0	484.3	365.4	6.8	6.0	4.8	331.0	98.5	1.3	231.0	0.3	3.3
35 Virginia-----	0.9	425.0	306.8	4.6	2.7	4.5	276.6	138.9	17.0	120.6	0.1	5.1
36 West Virginia-----	0.6	589.2	422.9	8.1	4.8	4.2	376.5	211.0	1.8	153.6	0.1	4.3
37 North Carolina-----	0.8	441.7	308.1	4.8	2.7	5.3	272.1	163.3	1.3	107.4	0.2	2.5
38 South Carolina-----	1.1	441.9	305.4	4.6	3.5	5.9	268.3	162.2	3.1	102.8	0.1	3.8
39 Georgia-----	1.1	450.9	298.4	4.8	5.9	3.3	259.5	166.6	1.8	91.0	0.1	3.3
40 Florida-----	1.4	584.5	418.1	9.2	3.7	3.6	378.3	207.4	6.5	164.3	0.1	3.1
East South Central:												
41 Kentucky-----	0.6	557.1	400.5	5.0	3.4	3.6	383.3	225.1	1.5	136.7	0.0	3.6
42 Tennessee-----	0.7	518.0	357.0	5.4	2.9	3.9	327.0	205.5	0.7	120.7	0.1	4.3
43 Alabama-----	1.1	474.9	314.5	3.9	4.8	4.5	268.5	167.3	0.6	100.6	0.1	4.6
44 Mississippi-----	1.4	496.5	334.2	4.3	6.6	4.0	287.2	173.9	2.8	110.3	0.2	6.2
West South Central:												
45 Arkansas-----	0.6	557.4	397.3	5.3	5.8	4.3	338.5	213.1	1.0	124.5	-	3.7
46 Louisiana-----	1.3	461.6	338.1	3.8	5.0	2.3	301.7	160.1	0.7	140.9	0.1	6.0
47 Oklahoma-----	0.6	540.4	381.0	4.6	7.0	3.9	341.9	234.8	1.7	105.3	0.1	3.1
48 Texas-----	1.1	410.1	286.1	4.2	3.7	2.1	246.4	150.8	3.7	91.8	0.1	3.8
Mountain:												
49 Montana-----	0.7	479.1	329.5	9.7	3.9	2.3	281.6	165.3	1.4	113.4	0.4	5.6
50 Idaho-----	1.1	435.8	305.8	8.4	3.2	4.5	273.0	172.1	1.5	99.3	-	3.2
51 Wyoming-----	0.3	418.8	300.3	11.3	1.9	2.8	260.9	165.0	2.5	93.4	-	3.8
52 Colorado-----	0.9	401.6	289.0	9.3	2.2	3.0	259.8	140.5	1.8	117.5	0.0	2.6
53 New Mexico-----	1.3	280.0	194.6	7.7	1.9	1.1	168.5	99.5	0.7	68.3	-	2.8
54 Arizona-----	1.4	357.1	257.6	9.2	3.0	1.5	231.2	117.8	1.2	112.2	0.1	1.8
55 Utah-----	0.6	294.1	210.0	10.5	2.2	3.0	178.1	103.1	0.4	74.4	0.2	3.3
56 Nevada-----	0.9	351.4	251.6	8.1	4.8	2.0	214.4	128.4	1.3	84.7	-	4.8
Pacific:												
57 Washington-----	0.9	478.1	341.7	8.7	4.2	4.1	306.8	177.5	4.5	124.7	0.1	3.5
58 Oregon-----	1.0	517.7	359.7	8.5	1.9	6.7	328.1	165.7	2.2	160.0	0.1	2.8
59 California-----	0.8	433.1	312.0	8.7	3.8	1.6	269.3	136.5	1.2	150.6	0.0	2.3
60 Alaska-----	1.8	130.9	92.6	4.8	-	0.7	72.3	51.8	-	20.6	-	0.4
61 Hawaii-----	0.6	221.2	164.1	4.8	1.9	0.6	149.6	71.0	0.6	78.0	-	1.4

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1969—Con.

numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

All other forms of heart disease (420-423, 425-427, 428)	Hypertension (400, 401, 403)	Cerebrovascular diseases (430-435)	Cerebral hemorrhage (431)	Cerebral thrombosis (435)	Cerebral embolism (434)	All other cerebrovascular diseases (430, 432, 435-436)	Arteriosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-445)	Acute bronchitis and bronchiolitis (466)	Influenza and pneumonia (470-474, 480-486)	Influenza (470-474)	Pneumonia (480-486)	Bronchitis, emphysema, and asthma (480-493)	Chronic and unqualified bronchitis (490, 491)	Emphysema (492)	
15.0	4.2	102.6	21.4	29.1	0.5	51.6	16.4	12.4	0.6	33.9	3.0	30.9	15.4	2.9	11.4	1
12.6	4.4	100.4	27.0	33.7	0.6	39.1	17.7	14.6	0.5	41.9	2.4	39.4	15.5	3.4	11.0	2
11.9	3.8	93.7	20.7	26.6	0.6	43.8	16.4	12.8	0.6	36.9	1.5	35.4	13.3	2.9	9.3	3
13.3	4.5	102.9	23.1	30.1	0.5	49.2	17.9	12.2	1.0	30.8	2.5	28.2	15.9	2.9	11.8	4
15.7	4.7	123.5	25.0	33.4	0.6	64.5	22.6	13.7	0.5	36.9	4.8	32.1	17.1	2.7	13.0	5
18.3	4.9	106.2	22.3	31.3	0.4	52.2	13.4	12.7	0.6	35.7	3.7	32.0	14.9	2.7	10.9	6
21.7	5.7	127.2	26.3	33.4	0.4	67.2	15.8	11.4	0.4	34.2	3.8	30.4	14.8	2.9	10.6	7
24.3	3.8	104.0	20.2	21.9	0.5	61.4	14.8	10.7	0.5	32.0	2.7	29.3	14.5	2.7	10.9	8
14.0	2.9	77.0	14.4	17.2	0.5	44.9	15.4	11.4	0.5	30.8	3.2	27.6	14.5	2.7	16.4	9
8.6	2.7	83.1	14.9	28.0	0.4	49.8	14.9	12.4	0.6	28.8	3.5	25.2	16.4	2.9	12.4	10
14.5	5.3	117.5	31.2	31.7	0.2	54.4	19.6	17.6	0.3	34.3	5.7	28.5	23.7	5.7	16.3	11
10.2	3.8	112.0	27.9	40.4	0.3	43.4	31.8	14.4	0.3	32.5	3.3	29.1	20.6	5.9	13.7	12
9.3	7.7	101.1	26.0	32.3	0.7	42.1	20.3	18.5	0.5	39.4	3.0	36.4	22.6	5.2	16.4	13
15.2	4.4	103.6	29.5	35.9	0.8	37.4	17.3	15.2	0.7	50.0	2.0	48.0	15.2	3.0	11.0	14
9.8	4.2	84.0	18.7	27.1	0.5	37.7	12.1	13.6	0.3	31.3	0.8	30.5	14.4	2.5	10.6	15
9.2	4.0	90.9	23.4	30.8	0.5	36.2	15.6	12.2	0.2	35.2	2.4	32.7	11.5	2.7	8.0	16
10.2	3.6	89.8	20.8	25.5	0.6	42.9	15.7	12.3	0.6	42.1	1.5	40.6	13.5	3.4	8.7	17
9.5	3.8	83.7	18.4	28.1	0.5	36.6	12.1	11.6	0.7	30.2	0.9	29.3	13.1	3.1	9.3	18
16.0	4.1	105.7	22.1	33.5	0.6	49.5	19.9	14.1	0.4	33.1	2.0	31.1	13.3	2.0	10.1	19
11.7	4.5	104.1	22.0	31.4	0.7	49.9	17.7	12.4	0.4	29.8	3.1	26.7	16.1	3.3	11.8	20
15.2	4.5	121.2	29.3	32.7	0.6	59.6	23.9	12.4	0.5	30.7	3.3	27.4	17.1	2.2	13.8	21
15.3	5.6	100.6	27.1	30.0	0.5	43.0	16.1	11.5	2.6	35.0	1.8	33.1	15.0	2.9	10.9	22
11.7	3.5	88.8	16.6	27.3	0.3	44.8	14.5	11.8	0.4	27.5	2.3	25.1	16.9	2.7	12.9	23
12.8	4.2	112.9	22.6	29.6	0.2	60.5	22.9	13.9	0.6	29.1	2.5	26.6	13.8	3.1	9.8	24
10.8	3.2	115.1	21.6	28.1	0.3	65.0	17.9	12.1	0.2	32.3	4.0	28.2	14.1	3.1	10.1	25
17.0	5.8	132.7	26.3	35.1	0.4	70.9	26.0	18.8	0.5	36.2	5.5	30.7	18.9	2.9	15.0	26
20.8	5.3	130.5	25.2	39.5	1.1	64.7	24.2	13.8	0.5	42.8	4.6	39.1	17.0	4.6	13.2	27
13.2	3.4	102.3	21.8	20.7	0.5	59.3	22.8	10.1	1.0	38.7	4.2	34.5	14.8	2.8	11.1	28
19.0	4.1	118.5	27.2	24.9	0.3	66.2	18.7	13.2	0.9	27.2	3.2	24.0	19.7	3.5	18.0	29
10.1	5.2	129.5	26.6	35.2	0.9	66.9	23.5	13.9	0.7	37.7	4.8	32.9	19.8	2.3	16.3	30
15.2	5.0	115.3	27.7	31.9	0.3	55.3	23.5	13.7	0.3	35.3	6.4	29.0	18.1	3.4	13.7	31
10.6	3.3	87.0	11.3	20.6	0.6	34.6	11.5	11.3	0.2	27.8	0.7	27.0	13.7	2.6	9.8	32
12.3	4.3	87.2	12.6	16.0	0.3	38.4	11.1	11.1	0.5	24.7	1.1	23.7	11.6	2.4	8.5	33
11.7	6.1	87.1	21.1	27.8	0.4	37.8	13.8	13.9	0.6	48.7	0.9	47.9	13.9	2.4	9.0	34
13.3	3.6	91.1	18.2	23.9	0.4	46.6	12.4	11.1	0.4	33.8	2.6	31.3	12.8	2.6	9.4	35
25.0	8.3	125.5	26.5	38.0	0.5	58.5	17.6	17.0	0.8	44.6	5.4	39.2	23.0	4.1	17.0	36
20.7	4.8	106.2	21.3	32.0	0.3	52.6	11.8	10.8	0.5	33.7	5.3	28.4	10.6	2.5	7.2	37
18.4	4.8	108.7	26.9	31.5	0.6	49.7	12.6	10.4	0.5	31.1	6.1	25.0	12.6	1.8	9.4	38
21.5	4.9	124.1	32.6	34.2	0.4	56.8	13.1	10.5	0.6	40.5	5.1	35.4	13.2	2.5	9.5	39
20.1	5.6	127.0	22.1	42.4	0.5	62.1	16.1	17.7	0.8	40.1	2.8	37.3	22.3	3.4	17.6	40
21.7	4.2	122.6	25.1	33.6	0.4	63.5	17.9	11.9	0.3	37.5	3.2	34.3	17.9	3.6	12.7	41
13.6	6.4	128.3	21.2	34.2	0.5	72.5	15.9	10.4	0.5	35.5	4.7	30.9	15.9	3.5	11.1	42
28.0	5.5	128.9	31.0	35.5	0.3	62.1	14.8	11.5	0.4	31.7	3.6	28.2	12.4	1.8	9.5	43
25.9	6.7	129.4	29.6	29.4	0.6	70.8	14.1	12.1	0.6	31.0	3.5	27.5	12.1	2.4	8.4	44
29.8	5.3	139.0	30.1	29.9	0.8	78.2	15.3	10.6	0.5	35.8	5.1	30.8	15.9	3.0	12.1	45
19.5	4.2	96.2	18.2	20.7	0.1	57.1	13.2	9.8	0.4	29.2	2.3	26.9	12.2	2.5	8.5	46
20.4	3.5	125.8	25.0	26.3	1.1	71.4	18.1	14.1	0.6	31.5	2.9	28.5	18.3	2.3	15.1	47
25.9	3.5	95.9	19.0	19.9	0.5	57.5	14.5	10.2	0.6	32.3	2.4	29.9	14.1	2.8	10.5	48
26.7	2.9	104.0	20.0	23.8	0.4	59.8	27.8	14.8	0.9	34.7	5.8	29.0	20.2	3.0	15.1	49
13.6	2.4	93.5	16.0	18.9	0.4	58.2	19.5	12.7	0.3	27.6	4.3	23.3	20.9	2.8	17.1	50
19.7	3.1	84.4	18.8	18.1	-	47.5	15.0	15.9	0.3	33.8	5.0	28.8	23.4	4.4	18.4	51
12.1	3.1	79.0	14.5	17.3	0.9	46.3	19.0	11.5	0.4	35.5	3.6	31.9	18.5	3.3	14.0	52
12.5	3.5	82.3	13.4	13.4	0.2	33.4	11.0	8.7	0.4	32.0	2.4	29.6	16.6	2.4	13.7	53
10.9	3.4	73.1	13.1	17.2	0.2	42.6	12.0	10.9	0.6	32.0	2.6	29.4	34.5	6.3	25.5	54
13.1	1.7	62.7	10.2	15.2	0.4	36.8	10.0	9.7	0.5	21.3	2.1	19.2	11.1	1.5	8.8	55
17.5	3.1	75.7	12.5	16.8	0.7	45.7	8.8	12.3	0.2	21.7	1.1	20.6	23.2	4.6	17.1	56
14.3	2.2	99.6	16.6	25.7	0.4	57.1	22.1	12.5	0.4	34.6	5.8	28.8	17.6	3.1	13.2	57
11.8	2.6	119.1	20.2	34.9	0.4	65.6	21.9	14.4	0.5	34.4	5.5	28.6	21.1	4.3	15.7	58
7.3	2.8	82.2	14.4	28.7	0.4	48.7	13.5	12.5	0.7	27.4	3.0	24.4	18.1	2.8	12.4	59
14.5	0.7	25.9	3.9	4.3	-	17.7	6.4	5.3	0.7	20.6	4.3	16.3	5.0	1.1	3.5	60
5.7	1.6	45.6	10.7	12.1	0.1	22.7	3.0	6.8	0.1	25.3	1.0	24.3	10.1	1.5	5.8	61

SECTION 1 - GENERAL MORTALITY

Table 1-14. Death Rates for 69 Selected Causes:

[Rates per 100,000 population in each area. Numbers after causes of death are category

Area	Asthma (498)	Peptic ulcer (531-532)	Appendicitis (540-543)	Hernia and intestinal obstruction (550-555,560)	Cirrhosis of liver (571)	Cholecystitis, cholangitis and cholangitis (574,575)	Nephritis and nephrosis (580-584)	Acute nephritis and nephrotic syndrome (580,581)	Chronic and unqualified nephritis and renal sclerosis (582-584)	Infectious of kidney (590)	Hyperplasia of prostate (600)
1 United States-----	1.2	4.6	0.7	3.7	14.8	2.1	4.7	0.7	4.0	4.3	1.2
Geographical division:											
2 New England-----	1.1	5.0	0.7	3.7	17.6	2.3	4.7	0.7	4.0	3.9	1.1
3 Middle Atlantic-----	1.2	5.6	0.6	3.8	20.2	2.2	4.8	0.7	4.1	3.9	1.3
4 East North Central-----	1.1	4.6	0.7	3.9	14.0	2.2	4.4	0.6	3.8	3.7	1.3
5 West North Central-----	1.2	4.9	0.9	4.5	9.7	2.7	4.5	0.7	3.8	4.5	1.6
6 South Atlantic-----	1.3	4.0	0.6	3.5	13.4	1.7	5.2	0.6	4.4	5.2	1.2
7 East South Central-----	1.3	3.8	0.9	3.2	7.7	2.5	6.0	1.0	5.0	6.2	1.6
8 West South Central-----	0.9	3.8	0.7	3.9	10.6	1.9	5.9	0.9	5.0	5.4	1.2
9 Mountain-----	1.4	4.7	0.7	3.6	13.6	2.5	5.7	0.6	3.1	3.4	0.9
10 Pacific-----	1.1	4.6	0.6	3.2	19.0	1.8	3.0	0.4	2.6	3.5	1.0
New England:											
11 Maine-----	1.7	7.7	1.1	5.3	13.2	3.0	6.6	0.4	6.2	6.0	1.1
12 New Hampshire-----	1.1	6.6	0.8	4.6	14.1	2.5	5.2	0.3	4.9	3.5	1.5
13 Vermont-----	0.9	5.5	-	3.2	12.1	3.9	4.1	0.9	3.2	6.2	2.1
14 Massachusetts-----	1.2	5.2	0.7	4.0	19.6	2.2	4.6	0.7	3.9	3.8	1.0
15 Rhode Island-----	1.4	5.4	0.5	2.4	15.6	3.0	5.9	0.8	5.2	3.3	0.9
16 Connecticut-----	0.8	3.2	0.7	3.0	17.5	1.7	3.8	0.6	3.2	3.3	1.2
Middle Atlantic:											
17 New York-----	1.4	6.3	0.6	3.8	24.5	2.2	4.7	0.7	4.0	3.7	1.5
18 New Jersey-----	0.7	4.5	0.7	3.5	18.0	2.1	3.6	0.5	3.0	3.8	1.2
19 Pennsylvania-----	1.2	5.0	0.7	4.1	14.7	2.2	5.5	0.7	4.8	4.2	0.9
East North Central:											
20 Ohio-----	1.0	4.1	0.7	3.9	12.7	1.9	4.2	0.6	3.5	4.2	1.2
21 Indiana-----	1.0	4.2	0.8	4.0	11.0	1.7	5.1	0.7	4.4	3.9	1.4
22 Illinois-----	1.2	5.0	0.6	3.8	16.4	2.5	4.8	0.6	4.2	3.8	1.5
23 Michigan-----	1.3	4.7	0.6	3.7	15.8	2.0	4.0	0.6	3.4	3.2	1.0
24 Wisconsin-----	1.0	4.9	1.0	4.0	10.7	3.1	4.0	0.5	3.5	3.5	1.8
West North Central:											
25 Minnesota-----	0.9	3.8	0.6	3.5	9.1	2.5	3.0	0.5	2.5	2.7	1.3
26 Iowa-----	1.0	5.6	1.1	4.7	8.7	3.3	4.1	0.5	3.5	4.6	1.5
27 Missouri-----	1.4	4.5	1.1	4.9	10.9	2.5	6.2	0.9	5.3	5.4	1.7
28 North Dakota-----	1.0	4.6	0.2	4.6	7.0	2.6	2.3	1.0	1.3	3.4	1.3
29 South Dakota-----	1.2	5.6	1.5	5.5	11.1	2.1	4.4	1.5	2.9	4.6	1.4
30 Nebraska-----	2.3	7.9	1.3	5.2	10.4	4.1	3.5	0.4	3.0	5.0	1.8
31 Kansas-----	1.0	5.0	0.7	4.3	9.7	2.3	5.3	0.9	4.4	5.2	1.5
South Atlantic:											
32 Delaware-----	1.3	3.5	-	2.4	15.4	0.4	5.7	0.7	5.0	2.4	1.1
33 Maryland-----	0.8	3.2	0.6	3.7	17.5	1.5	4.4	0.9	3.5	2.6	0.8
34 District of Columbia-----	2.5	5.6	1.0	5.9	41.4	1.5	7.4	1.3	6.1	6.6	1.8
35 Virginia-----	1.5	3.6	0.5	3.4	11.4	1.3	4.9	0.7	4.2	3.9	0.8
36 West Virginia-----	1.9	4.6	0.5	3.6	9.8	2.8	5.9	0.8	5.1	5.4	1.4
37 North Carolina-----	1.1	3.4	0.7	2.9	10.4	1.6	4.7	0.7	4.0	5.9	0.9
38 South Carolina-----	1.6	3.5	0.7	3.2	7.0	2.1	6.2	0.4	5.8	5.6	1.3
39 Georgia-----	1.2	4.3	0.6	2.8	8.8	1.5	5.9	0.9	4.9	6.1	1.3
40 Florida-----	1.3	4.9	0.7	4.5	18.4	2.1	5.0	1.0	4.1	6.4	1.5
East South Central:											
41 Kentucky-----	1.6	4.1	0.6	4.0	9.1	3.1	5.7	1.1	4.6	5.8	1.3
42 Tennessee-----	1.3	4.3	1.0	2.7	8.1	2.7	5.2	0.8	4.4	5.7	1.0
43 Alabama-----	1.1	3.1	0.9	3.3	7.3	1.8	6.4	1.1	5.3	6.7	1.5
44 Mississippi-----	1.3	3.5	1.0	2.9	5.9	2.1	7.4	1.0	6.4	6.8	1.5
West South Central:											
45 Arkansas-----	0.9	4.5	0.8	4.1	8.8	2.3	8.7	1.3	7.5	6.9	2.0
46 Louisiana-----	1.2	3.5	0.7	4.7	9.9	1.4	5.8	0.8	5.1	4.9	0.9
47 Oklahoma-----	0.8	4.6	0.7	4.3	11.9	2.6	7.3	1.3	6.0	7.6	1.9
48 Texas-----	0.8	3.7	0.7	3.5	10.9	1.8	5.0	0.8	4.2	4.0	1.0
Mountain:											
49 Montana-----	2.0	4.3	0.6	4.3	12.4	3.6	3.3	0.7	2.6	4.6	1.4
50 Idaho-----	1.0	5.7	0.7	4.0	7.1	3.5	5.6	1.0	4.6	3.5	1.1
51 Wyoming-----	0.6	6.6	0.9	3.8	16.3	2.2	2.5	0.3	2.2	2.8	2.2
52 Colorado-----	1.2	5.4	1.0	5.9	13.8	1.9	3.0	0.7	2.3	3.1	1.0
53 New Mexico-----	0.5	3.3	0.8	3.6	16.5	3.0	3.1	0.3	2.8	1.8	1.3
54 Arizona-----	2.7	4.8	0.5	3.5	16.1	2.5	4.1	0.6	3.5	5.5	0.7
55 Utah-----	0.8	3.3	0.4	3.2	8.1	2.5	4.6	1.0	3.6	2.0	0.2
56 Nevada-----	1.5	5.5	0.9	1.1	19.1	1.5	3.5	0.2	3.3	2.2	0.7
Pacific:											
57 Washington-----	1.3	4.7	0.5	3.5	13.0	1.7	3.2	0.6	2.7	2.8	0.9
58 Oregon-----	1.0	4.3	0.5	3.0	12.5	1.2	3.0	0.4	2.6	3.9	0.9
59 California-----	1.0	4.7	0.6	3.2	21.4	1.9	3.0	0.4	2.6	3.6	1.0
60 Alaska-----	0.4	1.8	1.1	2.8	6.2	0.7	1.1	-	1.1	-	0.4
61 Hawaii-----	2.8	2.9	0.6	1.9	6.7	1.1	4.0	0.5	3.5	4.0	0.5

SECTION 1 - GENERAL MORTALITY

United States, Each Division and State, 1969—Con.

numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Complications of pregnancy, childbirth, and the puerperium (650-676)	Abortions (640-645)	Other complications of pregnancy, childbirth, and the puerperium (650-659, 660-676)	Congenital anomalies (740-759)	Certain causes of mortality in early infancy (760-769.2, 769.4-772, 774-776)	Birth injury, difficult labor, and other anoxic and hypoxic conditions (764-766, 772, 776)	Other causes of mortality in early infancy (remainder of 760-776)	Symptoms and ill-defined conditions (780-796)	All other diseases (residual)	Accidents (E800-E849)	Motor vehicle accidents (E810-E823)	All other accidents (E800-E807, E825-E849)	Suicide (E950-E959)	Homicide (E960-E979)	Other external causes (E980-E999)	1
0.4	0.1	0.3	6.4	21.4	10.9	10.5	13.0	48.5	57.6	27.6	30.0	11.1	7.7	2.5	
0.2	0.0	0.1	8.3	19.6	8.9	10.6	7.1	55.7	46.3	18.2	28.1	9.5	2.8	1.1	2
0.4	0.1	0.3	7.8	20.4	10.1	10.3	13.3	51.7	41.8	18.9	22.9	8.1	5.9	6.0	3
0.4	0.0	0.3	8.8	21.9	11.5	10.4	5.7	43.9	54.2	27.1	27.1	10.6	7.1	1.8	4
0.3	0.0	0.3	8.3	19.2	9.4	9.9	15.4	51.0	63.3	31.5	31.9	10.2	4.5	2.2	5
0.4	0.1	0.4	8.7	23.0	11.5	11.5	18.6	52.1	63.7	31.2	32.5	11.8	11.8	1.5	6
0.6	0.1	0.5	8.7	24.1	11.8	12.3	32.6	47.3	71.4	35.5	35.9	9.9	11.1	1.4	7
0.5	0.1	0.5	8.6	23.8	12.6	11.2	17.1	47.8	65.7	31.8	33.9	9.7	11.0	1.2	8
0.3	0.1	0.3	8.8	22.9	11.7	11.2	17.1	50.5	75.9	39.8	37.2	15.0	5.4	2.3	9
0.3	0.0	0.3	8.1	18.6	10.1	8.5	3.8	45.6	61.3	28.1	33.3	16.9	6.8	2.5	10
0.1	-	0.1	8.3	20.7	10.7	9.9	6.3	52.7	57.5	26.5	31.0	12.6	2.0	1.6	11
0.1	-	0.1	11.2	21.1	8.4	12.7	16.5	50.2	52.0	27.3	24.7	11.9	0.8	0.8	12
0.2	-	0.2	8.0	25.5	11.6	11.8	7.1	58.3	54.9	27.3	27.6	11.8	2.1	0.9	13
0.1	0.0	0.1	7.4	19.2	8.7	10.6	7.6	57.2	49.1	16.9	32.2	8.5	3.1	0.7	14
0.1	-	0.1	11.7	19.5	8.9	10.6	2.5	54.0	39.3	16.4	22.9	6.1	2.6	2.5	15
0.3	0.1	0.2	8.0	18.9	8.5	10.4	5.6	47.7	37.3	15.0	22.3	10.4	3.3	1.4	16
0.5	0.2	0.4	8.3	21.0	10.1	10.9	10.4	49.0	38.4	17.7	20.7	7.3	7.0	10.6	17
0.4	0.1	0.3	7.6	19.7	9.9	9.8	4.9	40.8	41.2	17.6	23.6	7.8	5.3	2.0	18
0.3	0.1	0.2	7.3	19.9	10.1	9.8	23.1	62.6	47.5	21.5	26.0	9.5	4.4	1.4	19
0.4	0.0	0.3	8.7	20.6	10.0	10.6	8.1	45.4	54.6	26.1	28.5	11.0	6.5	1.4	20
0.4	0.0	0.4	9.4	21.6	11.2	10.4	5.1	45.9	60.6	32.9	27.7	11.3	5.5	2.0	21
0.5	0.1	0.4	8.4	23.9	14.7	9.2	3.4	40.4	50.8	24.3	26.6	8.9	8.8	3.0	22
0.3	0.0	0.2	8.9	23.6	11.2	12.4	6.4	42.0	54.3	28.8	25.5	10.7	9.0	1.1	23
0.3	0.0	0.3	8.9	16.9	8.0	8.9	4.6	50.3	54.2	26.7	27.5	12.6	2.4	0.9	24
0.3	0.1	0.2	9.2	18.2	8.9	9.4	5.9	48.4	59.2	28.1	31.1	9.1	2.2	2.1	25
0.4	0.1	0.4	8.1	19.0	9.1	10.0	2.4	49.6	59.4	31.1	31.1	11.3	1.6	0.7	26
0.4	-	0.4	8.4	21.4	10.8	10.5	40.3	55.7	65.6	32.6	33.0	9.7	10.1	4.0	27
-	-	-	8.0	18.5	9.6	8.9	5.4	44.4	67.2	30.6	36.6	11.2	0.3	0.8	28
-	-	-	8.8	18.5	10.2	8.3	9.7	49.2	61.3	43.4	37.9	9.7	2.3	1.1	29
0.3	-	0.3	7.7	18.0	7.2	10.8	2.7	46.8	63.7	31.7	32.0	10.6	2.8	1.3	30
0.2	-	0.2	7.5	17.9	8.5	9.3	8.3	52.2	63.7	31.7	32.0	11.7	3.4	1.9	31
0.2	-	0.2	9.8	25.6	12.4	13.1	3.3	44.8	53.0	22.2	30.7	12.6	8.1	1.3	32
0.3	0.1	0.2	8.0	20.7	9.7	11.0	6.7	52.9	46.6	21.7	24.8	11.2	10.1	2.2	33
1.0	0.4	0.6	7.8	36.8	11.9	24.9	29.7	82.5	56.9	17.5	39.3	8.1	30.5	2.4	34
0.3	0.1	0.2	6.2	22.6	11.2	11.6	14.2	47.2	61.7	26.9	34.8	12.1	7.6	1.5	35
0.3	0.1	0.2	9.1	20.6	10.9	9.7	30.1	54.2	64.3	29.2	35.1	10.7	5.0	2.7	36
0.5	0.1	0.4	8.8	24.6	11.8	12.6	20.1	49.1	65.3	34.2	31.1	10.5	12.2	2.2	37
0.4	0.1	0.4	9.4	21.1	9.8	9.8	19.3	40.5	68.1	34.9	33.1	9.1	12.1	1.3	38
0.5	0.1	0.5	8.9	23.6	12.7	10.9	14.7	51.7	69.7	37.8	31.9	11.1	15.7	0.6	39
0.5	0.1	0.4	8.7	22.2	11.8	10.5	26.6	59.0	69.3	34.1	35.3	15.4	12.5	1.1	40
0.2	0.0	0.2	9.7	19.8	10.4	9.4	4.7	53.3	68.1	31.1	37.0	10.5	10.0	2.3	41
0.5	0.1	0.4	8.1	22.1	10.9	11.2	12.8	45.5	63.1	34.0	29.2	11.5	10.6	1.1	42
0.7	0.1	0.6	8.4	25.0	11.8	13.2	54.4	47.5	73.4	39.4	34.0	9.2	12.6	0.8	43
1.0	0.1	0.9	9.0	31.9	15.1	16.7	71.6	41.7	86.8	38.0	48.8	7.4	10.9	1.7	44
0.6	0.2	0.5	7.1	17.8	9.0	8.8	34.6	48.2	70.4	32.1	39.2	8.0	8.3	1.6	45
0.6	0.1	0.5	9.9	27.4	14.2	13.2	6.4	49.2	89.7	30.9	39.8	8.8	11.7	0.9	46
0.4	0.1	0.4	7.0	21.2	11.0	10.2	15.7	55.3	86.7	33.0	33.7	8.4	6.6	3.1	47
0.5	0.0	0.5	8.9	24.3	13.2	11.1	17.9	45.6	63.3	31.8	31.5	10.3	12.3	0.7	48
0.1	-	0.1	7.2	22.5	11.0	11.5	24.9	51.9	92.1	48.3	43.8	13.0	4.0	3.0	49
-	-	-	7.5	22.1	9.9	12.3	10.7	46.0	82.5	40.0	42.5	11.7	2.4	1.4	50
-	0.1	0.1	10.0	34.1	15.6	18.4	9.7	56.6	107.2	60.9	46.3	19.4	5.9	1.6	51
0.4	0.1	0.3	11.1	24.7	12.0	12.8	22.4	62.5	91.2	29.8	35.6	15.7	5.5	1.9	52
0.6	0.1	0.6	8.6	23.6	12.3	11.3	12.5	53.3	74.9	40.6	41.9	16.0	6.8	1.3	53
0.3	-	0.3	10.4	19.5	11.2	8.3	37.4	43.7	57.5	28.6	34.3	15.8	6.6	3.4	54
0.9	0.4	0.4	6.1	22.1	10.7	11.4	12.9	47.9	69.3	40.9	28.9	11.0	2.9	1.6	55
0.3	-	0.3	7.8	18.0	8.6	9.3	5.8	49.2	60.8	26.5	34.3	13.6	3.8	1.7	57
0.1	-	0.1	8.9	15.3	8.4	6.8	15.1	46.2	68.1	35.1	35.0	14.2	3.9	2.7	58
0.4	0.1	0.3	8.0	16.9	10.5	8.4	2.0	43.1	61.1	28.1	35.0	18.2	7.7	2.5	59
0.4	-	0.4	8.2	23.0	13.1	9.9	15.6	35.8	113.1	25.2	87.9	11.0	11.0	3.9	60
0.3	0.1	0.1	10.7	20.9	9.1	11.8	5.5	28.5	33.2	16.9	16.4	9.1	4.8	3.4	61

SECTION 1 - GENERAL MORTALITY

Table 1-15. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1969

[Maternal deaths are those assigned to Complications of pregnancy, childbirth, and the puerperium, category numbers 630-678 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Rates per 100,000 live births in specified group]

Cause of death and color	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over ¹
NUMBER OF DEATHS								
Complications of pregnancy, childbirth, and the puerperium (630-678)-----	801	109	178	163	148	132	65	6
White-----	465	44	114	109	84	75	35	2
All other-----	336	65	64	54	64	57	30	4
Ectopic pregnancy (631)-----	60	6	16	10	12	12	3	1
White-----	33	4	9	9	6	4	1	-
All other-----	27	2	7	1	6	8	2	1
Toxemia of pregnancy and the puerperium, except abortion with toxemia (636-639)-----	141	24	37	26	26	18	8	2
White-----	78	9	28	16	10	11	5	1
All other-----	63	15	11	10	16	7	3	1
Hemorrhage of pregnancy and childbirth (632,651-653)-----	106	6	21	18	26	22	14	1
White-----	56	3	11	11	13	12	6	-
All other-----	50	3	10	5	13	10	8	1
Abortions (640-645)-----	132	24	29	32	23	15	9	-
White-----	85	8	14	19	14	8	2	-
All other-----	67	16	15	13	9	7	7	-
Abortion induced for legal indications (640,641)-----	1	-	-	1	-	-	-	-
White-----	1	-	-	1	-	-	-	-
All other-----	-	-	-	-	-	-	-	-
Abortion induced for other reasons (642)-----	59	13	14	13	10	6	3	-
White-----	32	3	10	8	6	4	1	-
All other-----	27	10	4	5	4	2	2	-
Spontaneous abortion (643)-----	16	1	3	4	4	1	3	-
White-----	6	-	2	2	2	-	-	-
All other-----	10	1	1	2	2	1	3	-
Other and unspecified abortions (644,645)-----	56	10	12	14	9	8	3	-
White-----	26	5	2	8	6	4	1	-
All other-----	30	5	10	6	3	4	2	-
Sepsis of childbirth and the puerperium (670,671,675)-----	151	25	35	30	21	23	15	2
White-----	101	14	25	24	15	13	9	1
All other-----	50	11	10	6	6	10	6	1
All other complications of pregnancy, childbirth, and the puerperium (630,633-635,654-662,672,674-678)-----	208	23	40	49	38	42	16	-
White-----	129	6	29	30	25	27	12	-
All other-----	79	17	11	19	13	15	4	-
Delivery without mention of complications (650)-----	3	1	-	-	2	-	-	-
White-----	1	-	-	-	1	-	-	-
All other-----	2	1	-	-	1	-	-	-
RATE PER 100,000 LIVE BIRTHS								
Complications of pregnancy, childbirth, and the puerperium (630-678)-----	22.2	17.7	13.1	17.0	34.9	69.6	119.3	176.5
White-----	15.5	10.0	9.9	13.0	23.3	47.8	78.7	73.2
All other-----	55.7	56.7	31.3	45.9	100.1	173.9	298.7	240.6
Ectopic pregnancy (631)-----	1.7	1.0	1.2	1.0	2.8	6.3	5.5	29.4
White-----	1.1	0.9	0.8	1.1	1.7	2.5	2.2	-
All other-----	4.5	1.1	3.4	0.9	9.4	24.4	19.9	180.2
Toxemia of pregnancy and the puerperium, except abortion with toxemia (636-639)-----	3.9	3.9	2.7	2.7	6.1	9.5	14.7	59.8
White-----	2.6	2.1	2.3	1.9	2.8	7.0	11.2	36.6
All other-----	10.4	8.5	5.4	8.5	25.0	21.4	29.9	150.2
Hemorrhage of pregnancy and childbirth (632,651-653)-----	2.9	1.0	1.5	1.7	6.1	11.6	25.7	29.4
White-----	1.9	0.7	1.0	1.3	3.6	7.8	13.5	-
All other-----	8.2	1.7	4.9	4.3	20.3	30.5	79.6	150.2
Abortions (640-645)-----	3.7	3.9	2.1	3.3	5.4	7.9	16.5	-
White-----	2.2	1.8	1.2	2.3	3.9	5.1	4.5	-
All other-----	11.0	9.0	7.3	11.1	14.1	21.4	69.7	-
Abortion induced for legal indications (640,641)-----	0.0	-	-	0.1	-	-	-	-
White-----	0.0	-	-	0.1	-	-	-	-
All other-----	-	-	-	-	-	-	-	-
Abortion induced for other reasons (642)-----	1.6	2.1	1.0	1.4	2.4	3.2	5.5	-
White-----	1.1	0.7	0.9	1.0	1.7	2.5	2.2	-
All other-----	4.5	5.6	2.0	4.3	6.3	6.1	19.9	-
Spontaneous abortion (643)-----	0.4	0.2	0.2	0.4	0.9	0.5	5.5	-
White-----	0.2	-	0.2	0.2	0.6	-	-	-
All other-----	1.6	0.6	0.5	1.7	3.1	3.1	29.9	-
Other and unspecified abortions (644,645)-----	1.6	1.6	0.9	1.5	2.1	4.2	5.5	-
White-----	0.9	1.1	0.2	1.0	1.7	2.5	2.2	-
All other-----	4.9	2.8	4.9	5.1	4.7	12.2	19.9	-
Sepsis of childbirth and puerperium (670,671,675)-----	4.2	4.1	2.6	3.1	5.0	12.1	27.5	59.8
White-----	3.4	3.2	2.2	2.9	4.2	8.3	20.2	36.6
All other-----	8.2	6.2	4.9	5.1	9.4	30.5	59.7	150.2
All other complications of pregnancy, childbirth, and the puerperium (630,633-635,654-662,672,674-678)-----	5.8	3.7	2.9	5.1	9.0	22.1	29.4	-
White-----	4.3	1.4	2.5	3.6	6.9	17.2	27.0	-
All other-----	15.0	9.6	5.4	16.2	20.3	45.8	39.8	-
Delivery without mention of complications (650)-----	0.1	0.2	-	-	0.5	-	-	-
White-----	0.0	-	-	-	0.3	-	-	-
All other-----	0.3	0.6	-	-	1.6	-	-	-

¹Rates computed by relating deaths to women 45 years and over to live births to women 45-49 years.

SECTION 1 - GENERAL MORTALITY

1-51

Table 1-16. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-69

[Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Classification of Diseases in use at the time]

Year	Total	White	All other	Year	Total	White	All other
1915	22.2	15.5	55.7	1951	75.0	54.9	201.5
1916	24.5	15.6	63.6	1950	83.3	61.1	221.6
1917	26.0	19.5	69.5	1949	90.3	68.1	234.8
1918	29.1	20.2	72.4	1948	116.6	89.4	301.0
1919	31.6	21.0	83.7	1947	134.5	108.6	334.6
1920	33.3	22.3	89.9	1946	156.7	130.7	358.9
1921	35.8	24.0	96.8	1945	207.2	172.1	454.8
1922	35.2	23.8	95.9	1944	227.9	189.4	506.0
1923	38.9	24.9	101.3	1943	245.2	210.5	509.9
1924	37.1	26.0	97.9	1942	258.7	221.8	544.0
1925	37.4	25.8	102.1	1941	316.5	266.0	678.1
1926	37.6	26.3	101.6	1940	376.0	319.8	773.5
1927	41.0	27.5	118.3	1935-39	493.9	439.9	875.5
1928	40.9	28.7	110.7	1930-34 ²	636.0	575.4	1,080.7
1929	47.0	32.8	130.3	1925-29	868.6	615.0	1,163.7
1930	52.4	37.2	143.8	1920-24	889.5	649.2	1,134.3
1931	61.1	44.1	166.1	1915-19	727.9	700.3	1,253.5
1932	67.8	48.9	188.1				

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

²For 1932-34, Mexicans are included with "All other."

Table 1-17. Maternal Mortality Rates by Color: United States, Each Division and State, 1967-69 (3-Year Average)

[Maternal deaths for 1968-69 are those assigned to complications of pregnancy, childbirth, and the puerperium, category numbers 630-678 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Category numbers 640-689 of the Seventh Revision were used for 1967 maternal deaths. Rates per 100,000 live births in specified group, 1967-69. Asterisk indicates rate based on a frequency of less than 20]

Division and State	Total	White	All other	Division and State	Total	White	All other
United States	24.9	17.2	62.9	South Atlantic:			
Geographic divisions:				Delaware	*20.0	*20.9	*18.6
New England:				Maryland	20.8	12.6	48.8
Maine	*7.6	*7.8	-	District of Columbia	52.6	-	65.0
New Hampshire	*18.5	*18.7	-	Virginia	19.4	*10.0	50.4
Vermont	*8.6	*4.3	*92.4	West Virginia	*21.7	*16.8	*121.9
Massachusetts	11.8	9.8	*46.5	North Carolina	35.7	20.9	68.7
Rhode Island	*6.4	*6.8	-	South Carolina	31.4	*18.4	52.2
Connecticut	14.1	*10.5	*48.2	Georgia	30.6	15.8	60.8
Middle Atlantic:				Florida	28.4	15.3	65.9
New York	30.4	17.0	93.2	East South Central:			
New Jersey	29.3	20.5	70.7	Kentucky	18.8	17.4	*32.8
Pennsylvania	20.0	14.0	62.1	Tennessee	36.0	22.9	84.1
East North Central:				Alabama	46.6	18.1	101.7
Ohio	23.0	18.3	56.5	Mississippi	56.7	*23.0	90.3
Indiana	22.5	18.1	*67.0	West South Central:			
Illinois	30.9	20.4	73.8	Arkansas	25.9	*16.2	*53.0
Michigan	21.7	14.9	60.6	Louisiana	37.9	21.7	63.8
Wisconsin	12.5	10.9	*58.2	Oklahoma	24.2	22.9	*31.1
West North Central:				Texas	30.2	24.5	61.9
Minnesota	11.3	10.5	*38.5	Mountain:			
Iowa	16.3	16.6	-	Montana	*14.0	*6.1	*98.4
Missouri	22.4	17.6	*48.7	Idaho	*17.8	*15.6	*109.5
North Dakota	15.5	*13.2	*54.4	Wyoming	*34.5	*36.2	-
South Dakota	11.7	*9.9	*25.6	Colorado	*17.0	*18.0	-
Nebraska	16.4	*13.0	*75.4	New Mexico	*25.3	*27.8	*10.8
Kansas	17.6	*16.1	*36.7	Arizona	28.2	*21.7	*61.4
				Utah	*15.6	*13.1	*102.2
				Nevada	*64.7	*53.0	*136.8
				Pacific:			
				Washington	14.6	13.8	*25.5
				Oregon	8.2	*7.5	*25.9
				California	*22.1	20.0	36.3
				Alaska	*15.3	*14.0	*18.8
				Hawaii	*13.3	-	*18.8

SECTION 1 - GENERAL MORTALITY

Table 1-18. Deaths and Death Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1969

[Standard metropolitan statistical areas are those defined by the Office of Management and Budget for 1969 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1960. For further explanation of areas, see Technical Appendix. Rates per 1,000 population]

Area	Number	Rate	Area	Number	Rate	Area	Number	Rate
50 largest U.S. SMSA's-----	867,200	9.2						
Alcorn, Ohio-----	5,694	8.5	Detroit, Mich-----	36,011	8.6	Philadelphia, Pa.-N.J-----	49,451	10.1
Summit-----	4,967	8.8	Wayne-----	26,900	10.1	Philadelphia, Pa-----	24,832	12.8
Portage-----	827	6.7	Macomb-----	3,338	5.5	Bucks, Pa-----	2,660	6.5
Albany-Schenectady-Troy, N.Y-----	7,787	10.9	Oakland-----	5,772	6.5	Chester, Pa-----	2,833	6.2
Albany-----	3,177	11.1	Fort Worth, Tex-----	5,874	7.9	Delaware, Pa-----	5,539	9.3
Rensselaer-----	1,777	11.7	Tarrant-----	5,412	7.7	Montgomery, Pa-----	5,342	6.7
Schenectady-----	1,745	10.9	Johnson-----	462	10.5	Burlington, N.J-----	1,930	6.3
Saratoga-----	1,038	9.1	Hartford, Conn-----	6,901	8.5	Camden, N.J-----	4,308	9.5
Anaheim-Santa Ana-Garden Grove, Calif-----	8,194	6.0	Hartford-----	6,901	8.5	Gloucester, N.J-----	1,457	8.6
Orange-----	8,194	6.0	Houston, Tex-----	15,654	7.0	Phoenix, Ariz-----	7,502	7.9
Atlanta, Ga-----	10,673	7.8	Harris-----	11,985	7.0	Maricopa-----	7,502	7.0
De Kalb-----	2,552	6.3	Brazoria-----	623	5.9	Pittsburgh, Pa-----	25,646	10.7
Fulton-----	6,168	10.2	Fort Bend-----	322	6.3	Allegheny-----	17,567	10.0
Clayton-----	465	4.9	Liberty-----	365	11.1	Beaver-----	2,028	9.7
Cobb-----	1,016	5.5	Montgomery-----	339	7.1	Washington-----	2,471	11.7
Gwinnett-----	474	6.8	Indianapolis, Ind-----	9,966	9.1	Westmoreland-----	3,580	9.5
Baltimore, Md-----	19,310	9.4	Marion-----	7,281	9.3	Portland, Oreg.-Wash-----	9,828	9.9
Baltimore (city)-----	11,567	12.7	Boone-----	321	10.5	Multnomah, Oreg-----	6,480	11.7
Anne Arundel-----	1,813	6.2	Hamilton-----	395	7.4	Clackamas, Oreg-----	1,240	7.6
Baltimore-----	4,347	7.1	Hancock-----	314	9.1	Washington, Oreg-----	1,015	6.6
Carroll-----	535	7.9	Hendricks-----	379	7.2	Clark, Wash-----	1,093	8.7
Hartford-----	670	6.0	Johnson-----	480	8.0	Providence-Pawtucket-Warwick, R.I-----	8,034	10.5
Howard-----	378	6.3	Morgan-----	374	8.6	Kent-----	1,188	8.5
Birmingham, Ala-----	7,609	10.3	Shelby-----	422	11.2	Providence-----	6,465	11.2
Jefferson-----	6,649	10.3	Kansas City, Mo.-Kans-----	11,506	9.3	Bristol-----	381	6.4
Shelby-----	536	8.9	Clay, Mo-----	768	6.4	Rochester, N.Y-----	7,836	9.0
Walker-----	624	11.1	Jackson, Mo-----	7,120	10.9	Monroe-----	5,037	8.7
Boston, Mass-----	34,139	10.2	Cass, Mo-----	319	8.2	Livingston-----	529	9.9
Suffolk-----	9,425	12.7	Platte, Mo-----	210	6.7	Orleans-----	431	11.6
Essex-----	6,859	10.8	Johnson, Kans-----	1,121	5.3	Wayne-----	782	10.0
Middlesex-----	12,672	9.1	Wyandotte, Kans-----	1,988	10.5	Sacramento, Calif-----	6,151	7.6
Norfolk-----	5,194	8.7	Los Angeles-Long Beach, Calif-----	62,865	9.0	Sacramento-----	4,751	7.6
Bridgeport, Conn-----	6,781	8.7	Los Angeles-----	62,865	9.0	Elcacer-----	732	9.7
Fairfield-----	6,781	8.7	Louisville, Ky.-Ind-----	7,814	9.5	Yolo-----	668	7.4
Buffalo, N.Y-----	15,610	10.1	Jefferson, Ky-----	6,696	9.7	St. Louis, Mo.-Ill-----	23,406	10.0
Eric-----	11,350	10.2	Clark, Ind-----	545	7.3	St. Louis (city), Mo-----	9,894	15.7
Niagara-----	2,260	9.6	Floyd, Ind-----	573	10.4	Franklin, Mo-----	545	10.0
Chicago, Ill-----	67,432	9.7	Memphis, Tenn.-Ark-----	6,986	9.1	Jefferson, Mo-----	721	7.0
Cook-----	57,248	10.5	Shelby, Tenn-----	6,479	9.1	St. Charles, Mo-----	529	5.9
Du Page-----	2,806	5.9	Crittenden, Ark-----	479	10.0	St. Louis, Mo-----	6,616	7.1
Kane-----	2,053	8.3	Miami, Fla-----	15,103	10.5	Madison, Ill-----	2,814	8.0
Lake-----	2,471	6.6	Dade-----	13,103	10.5	St. Clair, Ill-----	2,887	10.2
McHenry-----	998	9.1	Milwaukee, Wis-----	12,471	8.9	San Antonio, Tex-----	6,572	7.5
Will-----	1,850	7.5	Milwaukee-----	10,140	9.6	Bexar-----	6,080	7.4
Cincinnati, Ohio-Ky.-Ind-----	13,724	10.0	Oregon-----	332	6.6	Guadalupe-----	292	8.8
Hamilton, Ohio-----	9,478	10.3	Washington-----	514	9.2	San Bernardino-Riverside-Ontario, Calif-----	9,976	8.0
Claremont, Ohio-----	716	7.6	Waukesha-----	1,485	6.5	Riverside-----	4,429	9.3
Warren, Ohio-----	534	6.4	Minneapolis-St. Paul, Minn-----	13,860	7.7	San Bernardino-----	5,547	8.9
Boone, Ky-----	221	6.9	Hennepin-----	8,100	8.5	San Diego, Calif-----	10,056	7.5
Campbell, Ky-----	982	11.1	Ramsey-----	4,099	8.7	San Diego-----	10,056	7.5
Kenton, Ky-----	1,453	11.3	Anoka-----	602	4.0	San Francisco-Oakland, Calif-----	27,892	9.1
Dearborn, Ind-----	540	11.6	Dakota-----	614	4.5	Alameda-----	9,519	9.0
Cleveland, Ohio-----	19,821	9.6	Washington-----	445	5.5	San Francisco-----	9,580	13.4
Cuyahoga-----	17,353	10.1	New Haven, Conn-----	6,922	9.4	Contra Costa-----	3,603	6.6
Columbiana-----	394	6.4	New Haven-----	6,922	9.4	Marin-----	1,561	6.8
Lake-----	1,256	6.5	New Orleans, La-----	10,009	9.7	San Mateo-----	3,829	7.0
Medina-----	618	7.6	Orleans-----	7,475	12.5	San Jose, Calif-----	5,969	5.7
Columbus, Ohio-----	7,398	8.2	Jefferson, Ky-----	1,802	5.5	Santa Clara-----	5,969	5.7
Franklin-----	6,881	8.1	St. Bernard-----	275	5.5	Seattle-Everett, Wash-----	11,966	8.6
Delaware-----	394	9.1	St. Tammany-----	557	8.7	King-----	9,890	8.8
Pickaway-----	323	6.1	New York, N.Y-----	120,812	10.5	Snohomish-----	1,978	7.7
Dallas, Tex-----	11,764	7.7	New York (city)-----	91,752	11.6	Tampa-St. Petersburg, Fla-----	13,634	13.7
Dallas-----	9,653	7.4	Nassau-----	11,233	7.9	Hillsborough-----	4,800	9.9
Collin-----	604	9.3	Rockland-----	1,456	6.5	Pinellas-----	6,834	17.3
Denton-----	496	6.7	Suffolk-----	7,803	7.2	Toledo, Ohio-Mich-----	6,732	9.8
Ellis-----	547	11.8	Westchester-----	8,568	9.7	Lucas, Ohio-----	5,165	10.7
Kaufman-----	398	12.4	Newark, N.J-----	19,110	9.8	Wood, Ohio-----	670	7.8
Rockwall-----	66	9.5	Essex-----	10,277	11.1	Monroe, Mich-----	897	7.7
Dayton, Ohio-----	5,597	7.8	Morris-----	2,650	7.1	Washington, D.C.-Md.-Va-----	19,640	7.0
Montgomery-----	4,980	8.1	Union-----	5,185	9.6	District of Columbia-----	8,814	11.6
Greene-----	690	5.6	Paterson-Clifton-Passaic, N.J-----	12,073	9.0	Montgomery, Md-----	2,920	5.7
Miami-----	745	8.9	Passaic-----	4,499	9.9	Prince Georges, Md-----	3,308	5.2
Preble-----	282	6.2	Bergen-----	7,574	8.5	Alexandria (city), Va-----	918	8.4
Denver, Colo-----	8,917	7.4	Paterson-Clifton-Passaic, N.J-----	12,073	9.0	Arlington, Va-----	1,212	7.0
Denver-----	5,232	10.2	Paterson-Clifton-Passaic, N.J-----	12,073	9.0	Fairfax, Va-----	1,775	3.8
Adams-----	782	4.3	Paterson-Clifton-Passaic, N.J-----	12,073	9.0	Loudoun, Va-----	283	7.8
Arapahoe-----	867	5.5	Paterson-Clifton-Passaic, N.J-----	12,073	9.0	Prince William, Va-----	412	3.9
Boulder-----	781	6.2	Paterson-Clifton-Passaic, N.J-----	12,073	9.0			
Jefferson-----	1,245	5.5	Paterson-Clifton-Passaic, N.J-----	12,073	9.0			

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1969

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	All deaths occurring in State	Deaths of residents occurring in county of residence	Total deaths of non-residents	Deaths of intra-state non-residents	Deaths of interstate nonresidents by State of residence																
					Total	Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho			
United States-----	1,921,990	1,563,266	358,724	289,652	69,072	1,239	91	688	1,235	2,336	503	1,007	274	1,075	2,625	1,278	34	541			
Alabama-----	33,496	27,422	6,074	5,147	927	...	-	1	9	6	-	3	-	3	258	221	-	1			
Alaska-----	1,305	1,000	305	212	93	-	...	-	-	24	2	1	-	-	2	2	-	3			
Arizona-----	14,260	12,432	1,848	911	937	2	3	...	15	259	37	2	1	-	8	1	-	13			
Arkansas-----	20,574	15,730	4,844	3,795	1,059	5	-	2	...	24	6	1	-	-	12	3	-	-			
California-----	156,011	146,106	17,905	15,635	2,270	8	5	222	14	...	59	21	2	7	41	7	18	34			
Colorado-----	17,650	12,868	4,782	3,748	1,036	-	2	24	9	104	...	4	-	2	20	7	1	3			
Connecticut-----	26,082	22,812	3,270	2,405	867	1	-	2	-	11	-	...	-	5	43	3	-	-			
Delaware-----	5,003	4,032	971	449	522	-	-	-	-	2	-	7	...	5	9	1	-	-			
Distriet of Columbia-----	10,527	7,739	2,788	-	2,788	15	1	5	5	17	1	5	4	...	27	14	-	-			
Florida-----	74,356	62,859	11,497	7,290	4,207	160	2	7	11	43	9	100	7	15	...	303	1	2			
Georgia-----	41,891	28,789	12,102	10,221	1,911	417	-	2	10	11	4	11	1	3	369	...	-	1			
Hawaii-----	4,253	3,956	317	106	211	-	-	-	1	58	7	1	-	1	5	2	...	3			
Idaho-----	5,975	4,709	1,266	892	374	1	-	6	2	44	8	-	-	-	1	-	-	...			
Illinois-----	106,996	94,922	14,074	11,851	2,225	12	1	25	24	61	5	4	3	2	97	10	-	-			
Indiana-----	49,466	39,545	9,921	7,797	2,124	7	1	10	9	29	6	-	-	1	65	2	-	1			
Iowa-----	29,459	22,465	6,974	5,619	1,355	1	-	7	6	37	7	-	-	-	15	1	-	1			
Kansas-----	22,449	17,518	5,151	3,932	1,199	4	-	6	15	29	61	-	1	-	6	1	-	2			
Kentucky-----	32,758	24,896	7,862	6,398	1,524	12	-	1	3	10	1	-	-	1	36	10	-	1			
Louisiana-----	34,105	26,832	8,273	7,295	978	53	-	2	103	31	-	3	-	-	54	11	-	1			
Maine-----	10,925	8,802	2,123	1,744	369	-	-	2	-	4	-	30	-	2	13	-	-	-			
Maryland-----	31,696	22,930	8,766	6,635	2,133	7	-	1	5	19	4	13	96	768	68	10	-	1			
Massachusetts-----	59,140	47,467	10,673	8,907	1,766	4	-	2	-	19	1	264	-	3	85	8	1	-			
Michigan-----	75,989	62,231	13,758	12,560	1,198	17	-	8	8	31	6	4	1	1	113	3	1	-			
Minnesota-----	34,442	26,666	7,776	6,032	1,744	3	3	12	5	47	9	1	-	3	29	6	1	3			
Mississippi-----	23,420	18,050	5,370	4,548	822	268	-	-	44	8	2	-	-	-	44	17	-	-			
Missouri-----	53,170	37,394	15,776	12,986	2,810	1	-	9	164	38	13	3	1	1	25	5	1	-			
Montana-----	6,597	5,173	1,424	1,188	238	-	2	4	1	29	6	-	-	-	4	-	-	19			
Nebraska-----	14,960	11,448	3,512	2,760	752	2	-	1	1	32	12	-	-	2	2	-	-	2			
Nevada-----	3,933	3,129	809	244	565	-	3	22	3	326	17	-	-	-	4	-	-	17			
New Hampshire-----	7,424	5,952	1,472	808	664	-	-	-	-	3	-	26	-	-	12	-	-	-			
New Jersey-----	66,465	54,149	12,316	10,085	2,251	3	-	3	1	19	-	39	16	9	101	9	-	-			
New Mexico-----	7,223	5,576	1,652	1,087	565	4	-	131	7	65	43	3	-	-	10	4	1	-			
New York-----	187,561	164,607	22,974	19,455	3,519	7	-	16	1	66	3	255	8	24	277	16	3	1			
North Carolina-----	45,091	33,663	11,228	9,779	1,449	13	-	2	7	14	1	8	3	15	128	42	-	1			
North Dakota-----	5,723	3,760	1,969	1,485	484	-	-	1	-	10	-	-	-	-	3	-	1	-			
Ohio-----	100,830	84,382	16,448	13,784	2,664	14	-	15	4	48	4	5	1	2	146	14	1	-			
Oklahoma-----	25,446	20,452	4,894	4,378	616	2	-	7	52	39	13	2	1	-	8	4	-	-			
Oregon-----	19,549	15,029	3,719	2,984	735	-	12	5	2	222	5	-	-	-	2	-	-	85			
Pennsylvania-----	126,746	107,346	19,400	16,358	3,042	1	-	7	2	26	6	24	111	16	106	10	-	1			
Rhode Island-----	9,286	7,699	1,587	1,113	474	-	-	-	-	1	1	113	-	2	9	-	-	-			
South Carolina-----	22,495	17,894	4,601	3,808	793	11	-	1	-	2	1	5	3	8	60	151	1	-			
South Dakota-----	6,678	4,541	2,137	1,686	441	2	-	9	-	13	10	-	-	-	2	-	-	1			
Tennessee-----	39,868	30,841	9,127	5,982	3,135	136	-	2	479	20	3	1	1	2	64	318	-	-			
Texas-----	94,869	76,482	18,377	16,013	2,364	28	4	52	210	170	33	1	1	1	93	32	1	-			
Utah-----	7,060	5,650	1,430	970	460	-	1	30	-	70	31	2	-	-	3	-	-	131			
Vermont-----	4,506	3,420	1,086	662	424	-	-	-	-	1	1	27	-	1	9	-	-	-			
Virginia-----	38,350	28,508	15,842	14,198	1,644	8	1	1	1	13	3	10	9	146	68	17	-	-			
Washington-----	30,853	26,695	4,158	3,118	1,040	2	50	13	1	115	8	1	-	2	5	5	2	206			
West Virginia-----	20,039	14,046	5,993	4,291	1,702	1	-	1	1	2	1	-	3	19	20	5	-	-			
Wisconsin-----	40,965	33,659	7,306	6,031	1,275	-	-	3	1	31	1	1	-	1	38	3	-	1			
Wyoming-----	2,950	2,253	697	396	301	5	-	4	-	34	52	-	-	1	6	-	-	6			

SECTION 1 - GENERAL MORTALITY

Table 1-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1969—Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Mi.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	
United States	4,644	2,182	1,501	1,604	1,665	785	367	2,819	1,419	2,017	1,145	1,281	2,103	352	724	518	761	3,788	546	
Alabama	20	10	1	2	6	19	-	4	-	13	3	148	6	1	1	-	-	7	-	
Alaska	2	1	-	1	-	1	-	1	-	2	-	-	2	1	-	-	-	-	-	
Arizona	59	19	22	17	4	1	1	6	10	48	30	3	21	9	10	28	3	7	46	
Arkansas	34	6	-	13	9	43	-	-	-	8	4	46	227	-	5	1	-	3	2	
California	155	38	38	38	6	13	9	12	43	71	55	6	51	25	29	175	1	41	28	
Colorado	45	16	30	111	4	1	2	7	4	14	13	2	35	14	105	11	3	6	74	
Connecticut	4	2	1	-	-	3	13	4	158	5	1	-	1	1	-	-	11	61	-	
Delaware	2	-	-	-	1	1	-	-	113	3	1	-	-	-	-	1	1	134	-	
District of Columbia	22	10	2	3	11	3	4	1,755	11	11	1	3	12	-	-	-	4	28	-	
Florida	269	151	43	6	42	26	28	74	194	334	41	28	35	-	6	-	34	280	5	
Georgia	30	18	1	1	14	12	4	9	14	26	3	15	5	1	4	-	-	20	2	
Hawaii	13	1	1	4	3	5	1	1	2	7	4	-	1	2	-	1	-	4	1	
Idaho	2	-	1	1	-	-	-	-	-	1	2	-	5	37	2	15	-	-	2	
Illinois	...	675	126	16	90	10	3	7	6	119	39	17	344	4	13	1	2	19	1	
Indiana	615	...	14	9	233	4	-	16	5	346	8	6	32	1	4	-	1	4	-	
Iowa	544	12	...	17	1	-	-	2	3	4	77	-	162	-	237	1	-	3	-	
Kansas	27	10	19	...	4	5	-	1	3	14	5	-	670	1	52	3	1	3	8	
Kentucky	120	476	2	-	...	4	-	6	-	34	4	6	17	-	-	-	2	6	-	
Louisiana	40	2	6	4	6	...	2	3	5	6	4	224	9	-	3	3	3	4	2	
Maine	2	1	-	-	-	1	...	4	107	1	-	-	-	-	-	-	102	22	-	
Maryland	6	12	6	1	3	12	3	...	16	18	3	1	4	1	3	-	3	60	-	
Massachusetts	16	3	2	2	3	1	102	14	...	13	4	3	2	-	-	-	374	52	1	
Michigan	152	125	3	3	22	4	-	1	11	...	17	7	17	3	4	4	2	10	1	
Minnesota	136	31	262	17	7	2	1	5	3	61	...	3	36	30	29	-	1	3	6	
Mississippi	32	13	-	2	5	203	-	1	1	12	2	...	10	-	-	1	-	3	-	
Missouri	1,096	35	70	92	21	12	-	4	6	20	18	14	...	-	16	1	-	14	1	
Montana	7	2	4	6	1	1	-	2	-	3	14	-	1	...	5	2	-	1	1	
Nebraska	18	8	364	94	2	-	-	1	-	7	12	1	50	2	...	5	-	3	2	
Nevada	16	6	3	3	-	5	1	6	10	5	1	5	4	2	...	-	-	7	-	
New Hampshire	-	2	-	2	1	1	132	3	204	-	4	-	3	-	-	-	...	12	-	
New Jersey	17	5	3	1	1	2	9	33	28	15	5	-	2	-	-	1	5	...	5	
New Mexico	15	4	8	17	4	4	-	2	1	10	3	2	14	-	2	2	1	7	-	
New York	58	18	3	8	12	6	20	49	141	42	6	3	11	1	3	1	22	1,531	2	
North Carolina	18	6	1	2	15	6	5	25	13	18	3	3	4	-	2	1	2	30	-	
North Dakota	6	3	2	-	-	-	-	-	-	3	323	-	2	34	1	-	-	-	1	
Ohio	67	317	6	2	476	4	3	19	8	384	6	7	17	1	1	1	-	28	1	
Oklahoma	9	6	8	112	3	3	1	-	-	7	5	2	68	4	8	1	-	4	7	
Oregon	6	-	3	1	-	-	-	1	1	7	7	-	5	9	6	3	1	1	1	
Pennsylvania	27	11	8	1	5	2	3	196	24	66	10	5	7	-	4	2	2	1,213	1	
Rhode Island	-	-	-	-	-	-	5	4	289	-	-	-	1	-	-	-	6	5	-	
South Carolina	3	5	2	-	5	6	2	20	18	5	1	7	1	1	1	-	2	22	-	
South Dakota	9	3	88	5	1	-	-	-	-	4	92	-	4	9	100	-	-	-	-	
Tennessee	56	48	1	3	401	14	2	11	2	50	4	681	112	-	2	-	1	9	2	
Texas	68	30	28	65	18	285	1	17	8	39	28	32	61	6	12	6	2	22	324	
Utah	9	-	2	3	-	-	-	-	-	1	3	-	1	16	3	41	-	3	9	
Vermont	1	1	-	-	-	-	2	2	46	2	-	-	1	-	-	-	167	11	-	
Virginia	16	5	4	4	37	5	5	159	14	16	2	3	5	-	-	1	2	45	1	
Washington	11	6	13	5	2	4	1	2	2	9	19	2	9	78	11	4	-	2	2	
West Virginia	10	2	-	2	193	-	-	213	1	14	-	2	-	-	-	-	-	5	-	
Wisconsin	570	25	98	3	3	2	2	1	3	139	254	1	10	3	4	1	-	4	4	
Wyoming	2	2	6	5	1	1	-	2	2	3	2	1	4	53	34	-	-	-	3	

SECTION 1 - GENERAL MORTALITY

Table I-19. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1969--Con.

[Unit of residence is defined as the county or county equivalent of which decedent was a resident]

State of occurrence	Deaths of interstate nonresidents by State of residence																		All deaths of residents of State	
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.		Wyo.
United States-----	4,407	1,260	362	3,074	1,202	772	3,557	488	1,151	523	1,067	1,538	219	345	2,420	619	1,493	1,416	292	1,921,990
Alabama-----	12	9	--	13	3	--	5	2	13	--	90	27	--	--	8	1	3	--	--	33,808
Alaska-----	1	1	--	2	2	7	--	--	--	--	2	--	--	--	25	--	--	1	1	1,303
Arizona-----	32	4	7	35	9	16	11	3	--	12	5	41	20	--	6	21	3	22	12	14,031
Arkansas-----	5	1	--	7	320	1	3	--	1	--	58	184	--	--	5	3	1	13	--	20,750
California-----	144	12	17	60	49	178	71	4	4	15	8	129	40	2	16	165	8	51	7	166,077
Colorado-----	41	3	6	20	22	8	14	--	2	22	3	72	27	--	4	13	2	11	96	17,117
Connecticut-----	453	8	--	6	--	--	21	24	1	--	1	2	--	6	7	1	1	4	--	26,222
Delaware-----	10	3	--	--	--	--	207	3	1	--	1	--	--	--	6	--	3	1	--	4,765
District of Columbia-----	50	28	--	12	4	1	59	5	11	1	7	6	1	1	585	6	28	8	--	8,814
Florida-----	933	63	3	328	10	5	265	31	39	2	62	35	1	12	63	7	40	60	2	72,744
Georgia-----	44	120	--	37	2	1	24	1	494	1	136	14	--	--	19	--	7	5	--	41,258
Hawaii-----	14	2	--	6	1	6	9	2	2	--	--	6	4	2	4	13	1	4	--	4,076
Idaho-----	2	--	1	4	2	77	2	--	1	--	5	36	--	--	--	98	--	--	14	6,142
Illinois-----	38	8	4	51	4	8	33	--	7	7	38	26	3	--	8	9	4	247	1	111,417
Indiana-----	13	5	1	368	2	2	18	1	1	3	27	10	1	--	7	2	9	20	--	49,524
Iowa-----	5	--	1	6	5	2	2	--	2	77	2	8	--	--	2	4	1	78	2	29,365
Kansas-----	9	--	1	3	158	3	5	--	4	3	45	3	--	--	3	3	1	3	6	22,854
Kentucky-----	15	6	1	278	--	--	12	2	2	--	195	4	1	--	52	1	200	3	--	32,899
Louisiana-----	13	8	--	9	8	2	8	--	6	--	29	322	--	--	2	2	2	3	--	33,862
Maine-----	45	1	--	3	--	--	10	5	1	--	--	1	--	6	2	--	1	1	--	10,813
Maryland-----	68	29	--	34	1	--	329	1	16	2	8	7	--	1	322	4	160	5	--	32,362
Massachusetts-----	287	3	--	18	1	2	46	349	2	--	2	6	--	49	11	1	1	7	--	57,795
Michigan-----	32	3	--	268	1	2	50	--	3	--	18	17	1	--	10	3	8	204	1	76,808
Minnesota-----	11	6	253	12	11	6	7	1	1	167	4	5	3	--	13	2	506	--	--	33,845
Mississippi-----	4	5	--	5	2	--	6	--	1	--	89	34	--	--	2	1	1	4	--	25,879
Missouri-----	17	5	2	20	73	1	15	--	4	3	29	29	1	--	4	8	2	14	2	52,465
Montana-----	1	--	26	1	13	2	--	--	--	5	--	5	7	--	3	25	--	6	27	6,713
Nebraska-----	5	1	2	5	11	3	3	--	--	83	3	8	2	--	2	4	--	6	21	14,932
Nevada-----	11	2	--	6	2	13	7	--	2	1	10	24	--	--	14	1	6	--	--	3,691
New Hampshire-----	33	2	--	3	1	1	6	9	--	--	--	--	--	200	3	--	--	1	--	7,521
New Jersey-----	973	9	1	30	1	--	852	3	9	2	1	9	--	3	20	1	4	1	--	67,972
New Mexico-----	8	1	1	8	22	2	7	1	1	--	--	154	3	--	1	3	1	3	2	7,209
New York-----	...	27	--	79	2	3	620	18	15	3	11	18	--	53	33	1	11	11	--	189,469
North Carolina-----	68	...	3	32	8	3	39	2	432	--	94	15	--	--	339	2	20	3	1	44,902
North Dakota-----	1	--	...	3	2	2	--	--	--	68	--	6	1	--	--	5	--	5	1	5,607
Ohio-----	86	20	2	...	8	1	353	1	8	2	22	24	1	1	18	6	478	20	1	101,240
Oklahoma-----	6	9	--	17	...	6	11	--	--	1	5	176	--	--	5	2	--	3	--	26,032
Oregon-----	5	2	1	5	4	...	2	--	2	1	11	4	--	--	2	308	--	2	1	19,585
Pennsylvania-----	520	21	--	410	2	3	...	7	7	--	6	9	1	2	47	1	136	3	--	127,261
Rhode Island-----	20	1	--	1	--	--	8	...	--	--	1	--	--	1	4	1	1	--	--	9,300
South Carolina-----	41	301	--	15	1	--	32	3	...	--	15	5	--	--	25	3	7	1	--	22,853
South Dakota-----	2	1	29	3	2	1	--	--	1	...	--	--	1	--	--	4	--	11	34	6,760
Tennessee-----	17	101	1	48	4	--	18	--	17	--	...	20	--	--	465	1	13	4	--	37,900
Texas-----	58	10	5	44	422	9	25	1	14	5	26	...	3	2	16	15	5	25	5	94,043
Utah-----	6	--	--	8	1	8	2	--	6	1	3	10	...	--	1	7	--	4	50	6,819
Vermont-----	129	--	--	1	--	--	8	2	4	1	1	1	--	...	4	--	1	--	--	4,427
Virginia-----	95	401	--	30	--	--	86	5	25	--	60	7	--	4	...	2	323	4	1	39,126
Washington-----	7	2	10	4	13	367	12	1	2	5	1	8	8	--	3	...	1	3	1	30,632
West Virginia-----	11	14	--	675	--	2	216	--	1	--	1	2	1	--	281	1	...	--	--	19,830
Wisconsin-----	4	1	2	17	--	2	13	--	4	--	2	15	2	--	4	3	--	...	--	41,106
Wyoming-----	2	--	2	5	5	5	1	1	--	18	--	6	17	--	--	8	--	2	...	2,941

SECTION 1 - GENERAL MORTALITY

Table 1-20. Deaths by Month and State of Occurrence: United States and Each State, 1969

Area	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	1,921,990	186,145	151,914	167,774	155,476	158,903	153,241	157,205	153,330	146,388	158,773	159,831	173,010
Alabama	33,496	3,340	2,581	3,060	2,745	2,669	2,677	2,775	2,634	2,515	2,531	2,815	3,034
Alaska	1,305	89	72	95	112	111	112	119	129	114	110	120	112
Arizona	14,260	1,377	1,094	1,245	1,146	1,218	1,069	1,183	1,235	1,064	1,169	1,206	1,274
Arkansas	20,574	1,915	1,667	1,864	1,749	1,712	1,653	1,801	1,594	1,505	1,659	1,618	1,750
California	166,011	16,479	13,118	14,701	13,551	13,742	12,662	13,439	13,493	12,715	13,649	13,645	14,737
Colorado	17,650	1,602	1,373	1,607	1,419	1,473	1,432	1,442	1,408	1,338	1,582	1,451	1,523
Connecticut	26,082	2,515	2,018	2,148	2,043	2,244	2,098	2,100	2,130	1,993	2,158	2,287	2,367
Delaware	5,005	443	400	432	378	435	433	391	408	385	430	418	451
District of Columbia	10,527	968	774	962	897	880	865	868	790	775	891	910	947
Florida	74,356	7,499	6,511	6,351	6,117	5,944	5,670	5,334	5,614	5,283	5,725	6,282	6,826
Georgia	41,891	4,342	3,277	3,802	3,330	3,206	3,456	3,325	3,282	3,150	3,401	3,559	3,762
Hawaii	4,253	459	333	365	364	378	318	309	368	303	348	354	356
Idaho	5,975	514	475	510	491	530	475	493	474	489	517	486	521
Illinois	108,936	10,399	8,500	9,335	8,900	8,995	8,982	8,893	8,531	8,381	8,954	9,136	9,820
Indiana	49,466	4,676	3,708	4,340	4,126	4,066	3,974	4,107	3,960	3,872	4,085	4,160	4,392
Iowa	29,439	2,950	2,231	2,622	2,488	2,453	2,337	2,545	2,330	2,173	2,443	2,369	2,578
Kansas	22,449	2,123	1,908	1,954	1,805	1,791	1,734	1,950	1,767	1,728	1,891	1,829	1,972
Kentucky	32,788	3,189	2,503	3,071	2,727	2,661	2,626	2,696	2,681	2,459	2,661	2,733	2,941
Louisiana	34,105	3,290	2,747	3,090	2,701	2,762	2,848	2,807	2,692	2,552	2,635	2,854	3,027
Maine	10,915	971	926	906	831	850	801	918	940	832	809	841	890
Maryland	31,696	3,075	2,442	2,741	2,554	2,595	2,559	2,571	2,457	2,427	2,627	2,698	2,950
Massachusetts	58,140	5,843	4,824	4,795	4,509	4,771	4,598	4,763	4,646	4,481	4,846	4,761	5,003
Michigan	75,989	7,222	5,693	6,264	5,978	6,316	6,163	6,390	6,313	5,852	6,362	6,468	6,768
Minnesota	34,442	3,250	2,527	2,800	2,792	2,920	2,760	2,810	2,783	2,707	2,932	2,906	3,155
Mississippi	23,420	2,323	1,890	2,072	1,826	1,865	1,857	1,965	1,723	1,705	1,881	1,940	2,124
Missouri	53,170	5,198	4,330	4,679	4,306	4,251	4,155	4,738	4,130	3,971	4,393	4,449	4,670
Montana	6,597	635	558	532	539	572	534	554	582	504	548	507	554
Nebraska	14,960	1,412	1,202	1,320	1,197	1,255	1,084	1,229	1,168	1,153	1,297	1,318	1,325
Nevada	3,938	359	302	321	346	348	334	309	324	274	355	311	355
New Hampshire	7,424	711	610	550	566	619	606	609	584	568	659	666	676
New Jersey	66,465	6,196	5,287	5,751	5,251	5,420	5,198	5,376	5,401	5,102	5,625	5,653	6,205
New Mexico	7,228	678	582	623	566	597	538	601	572	605	608	572	676
New York	187,581	17,746	14,901	15,787	15,008	15,633	15,363	14,849	15,160	14,399	15,921	15,637	17,187
North Carolina	45,091	4,660	3,671	3,897	3,526	3,701	3,556	3,629	3,476	3,507	3,686	3,833	3,949
North Dakota	5,729	482	435	479	463	509	471	457	501	473	494	486	509
Ohio	100,830	9,561	7,828	8,774	8,278	8,546	8,102	8,179	7,958	7,803	8,402	8,341	9,058
Oklahoma	25,446	2,361	2,078	2,368	1,994	1,997	1,998	2,161	2,067	1,929	2,101	2,066	2,326
Oregon	19,548	1,940	1,488	1,690	1,542	1,701	1,546	1,571	1,589	1,531	1,667	1,551	1,732
Pennsylvania	126,746	12,203	10,093	11,007	10,438	10,694	10,086	9,987	9,886	9,649	10,532	10,369	11,800
Rhode Island	9,286	929	730	800	793	791	710	738	727	705	753	787	823
South Carolina	22,495	2,475	1,785	1,943	1,767	1,814	1,745	1,836	1,697	1,632	1,789	1,891	2,021
South Dakota	6,678	619	521	569	518	597	491	614	567	488	572	521	603
Tennessee	39,968	3,979	3,066	3,581	3,221	3,241	3,094	3,341	3,145	2,933	3,378	3,345	3,644
Texas	94,869	8,972	7,494	8,581	7,750	7,789	7,802	7,802	7,662	7,298	7,545	7,828	8,646
Utah	7,060	602	512	599	601	583	596	646	572	531	573	561	684
Vermont	4,506	437	343	367	353	385	374	395	375	332	362	352	411
Virginia	38,350	3,891	3,000	3,239	3,054	3,001	3,168	3,095	3,050	2,908	3,201	3,259	3,484
Washington	30,833	3,056	2,571	2,748	2,519	2,610	2,347	2,505	2,457	2,279	2,565	2,477	2,719
West Virginia	20,039	2,087	1,594	1,743	1,676	1,693	1,591	1,607	1,549	1,486	1,650	1,629	1,724
Wisconsin	40,965	3,935	3,158	3,498	3,278	3,419	3,305	3,405	3,334	3,249	3,356	3,413	3,615
Wyoming	2,850	269	203	236	247	252	238	277	293	238	247	216	234

SECTION 1 - GENERAL MORTALITY

1-57

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1969

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	1,921,990	186,145	151,914	167,774	155,476	158,903	153,241	157,205	153,350	146,388	158,773	159,631	175,010
Male	1,080,926	104,362	84,855	93,956	87,191	89,915	86,307	88,591	86,937	82,929	89,451	89,685	96,777
Female	841,064	81,783	67,059	73,818	68,285	68,988	66,934	68,614	66,413	63,459	69,322	70,176	78,233
White	1,683,622	162,797	133,149	146,966	136,795	139,393	133,955	137,161	134,367	128,425	139,156	139,695	151,563
Male	945,380	91,218	74,360	82,271	76,590	78,648	75,357	77,161	75,960	72,661	78,213	78,426	84,505
Female	738,242	71,579	58,789	64,695	60,205	60,745	58,598	60,000	58,407	55,764	60,943	61,469	67,058
All other	238,368	23,448	18,765	20,808	18,681	19,510	19,286	20,044	18,983	17,963	19,617	19,936	21,447
Male	135,546	13,144	10,495	11,685	10,601	11,267	10,940	11,430	10,977	10,268	11,239	11,229	12,272
Female	102,822	10,204	8,270	9,123	8,080	8,243	8,346	8,614	7,986	7,695	8,379	8,707	9,175
Alabama	33,808	3,369	2,618	3,102	2,766	2,689	2,711	2,793	2,657	2,545	2,654	2,837	3,057
Male	19,268	1,942	1,479	1,778	1,587	1,525	1,548	1,597	1,529	1,496	1,482	1,548	1,757
Female	14,540	1,427	1,139	1,324	1,179	1,164	1,163	1,196	1,128	1,049	1,172	1,289	1,310
White	22,886	2,249	1,731	2,126	1,893	1,839	1,796	1,890	1,862	1,703	1,823	1,936	2,046
Male	13,395	1,334	1,015	1,239	1,118	1,083	1,041	1,133	1,109	1,020	1,055	1,066	1,202
Female	9,491	915	716	887	765	776	755	757	753	683	768	872	844
All other	10,922	1,120	887	978	885	850	915	903	795	842	851	899	1,021
Male	5,873	603	464	539	468	462	507	484	420	476	427	482	555
Female	5,049	512	423	437	414	388	408	439	375	366	404	417	466
Alaska	1,303	104	76	104	114	114	106	110	122	106	110	124	113
Male	908	65	57	65	77	89	77	77	88	74	77	90	73
Female	394	39	19	39	37	25	29	33	34	32	33	34	40
White	883	78	57	73	72	78	59	71	80	78	68	91	78
Male	633	55	42	43	45	45	45	50	58	56	48	72	57
Female	250	23	15	30	27	16	14	21	22	22	20	19	21
All other	420	26	19	31	42	36	47	39	42	28	42	33	35
Male	276	10	15	22	32	27	32	27	30	18	29	18	16
Female	144	16	4	9	10	9	15	12	12	10	13	15	19
Arizona	14,031	1,321	1,033	1,179	1,125	1,185	1,074	1,200	1,264	1,038	1,156	1,178	1,230
Male	8,661	811	651	726	702	737	649	735	788	667	722	718	755
Female	5,370	510	382	453	423	448	425	465	476	371	434	458	475
White	12,662	1,187	924	1,059	1,023	1,075	967	1,078	1,141	991	1,056	1,063	1,118
Male	7,755	720	575	653	641	661	577	658	705	607	639	638	681
Female	4,907	467	349	406	382	414	390	420	436	384	397	425	437
All other	1,369	134	109	120	102	110	107	122	123	97	120	113	112
Male	906	91	76	73	61	76	72	77	83	60	85	80	74
Female	463	43	33	47	41	34	35	45	40	37	37	33	38
Arkansas	20,750	1,982	1,692	1,965	1,757	1,709	1,638	1,800	1,897	1,547	1,689	1,639	1,765
Male	12,115	1,146	1,019	1,186	957	1,021	964	1,024	935	904	998	945	1,016
Female	8,635	806	673	799	800	688	674	776	662	643	671	694	749
White	16,379	1,525	1,318	1,577	1,415	1,344	1,298	1,346	1,248	1,246	1,355	1,301	1,406
Male	9,699	901	815	963	782	799	753	773	751	724	828	769	825
Female	6,680	624	503	614	633	545	529	573	524	495	527	532	581
All other	4,371	427	374	408	342	365	340	454	349	301	314	359	359
Male	2,416	245	204	223	175	222	195	251	211	153	170	176	191
Female	1,955	182	170	185	167	143	145	203	138	148	144	162	168
California	166,077	16,379	13,000	14,611	13,513	13,789	12,912	13,542	13,576	12,754	13,699	13,572	14,720
Male	92,486	9,144	7,257	8,129	7,461	7,813	7,140	7,579	7,642	7,153	7,599	7,542	8,027
Female	73,591	7,235	5,743	6,482	6,052	5,986	5,772	5,963	5,934	5,601	6,100	6,030	6,693
White	153,314	15,215	12,013	13,521	12,480	12,708	11,920	12,466	12,466	11,776	12,631	12,492	13,626
Male	84,848	8,453	6,693	7,466	6,932	7,115	6,543	6,922	6,946	6,546	6,976	6,922	7,401
Female	68,466	6,762	5,320	6,055	5,648	5,593	5,377	5,544	5,487	5,230	5,655	5,570	6,225
All other	12,763	1,164	987	1,033	1,033	1,061	992	1,076	1,110	978	1,068	1,060	1,094
Male	7,638	691	564	663	629	698	597	657	663	607	623	620	626
Female	5,125	473	423	427	404	393	395	419	447	371	445	460	468
Colorado	17,117	1,572	1,349	1,563	1,392	1,435	1,364	1,379	1,345	1,276	1,327	1,420	1,495
Male	9,627	850	777	873	787	800	785	776	772	715	871	778	833
Female	7,490	722	572	690	605	635	589	603	573	561	656	642	662
White	16,544	1,526	1,300	1,508	1,351	1,398	1,305	1,341	1,299	1,231	1,467	1,378	1,440
Male	9,303	828	747	845	764	776	761	754	744	690	838	756	800
Female	7,241	698	553	663	587	622	544	587	555	541	629	622	640
All other	573	46	49	53	41	37	59	38	46	45	60	42	55
Male	324	22	30	28	23	24	34	22	28	25	33	22	33
Female	249	24	19	27	18	13	25	16	18	20	27	20	22
Connecticut	26,222	2,546	2,027	2,188	2,050	2,266	2,085	2,115	2,132	1,996	2,183	2,271	2,363
Male	14,308	1,385	1,058	1,181	1,121	1,223	1,171	1,185	1,183	1,058	1,180	1,215	1,348
Female	11,914	1,161	969	1,007	929	1,043	914	930	949	938	1,003	1,056	1,015
White	24,979	2,435	1,937	2,076	1,959	2,149	1,980	2,026	2,004	1,911	2,085	2,169	2,248
Male	13,596	1,312	1,016	1,117	1,067	1,155	1,115	1,131	1,107	1,015	1,125	1,160	1,276
Female	11,383	1,123	921	959	892	994	865	895	897	896	960	1,009	972
All other	1,243	111	90	112	91	117	105	89	128	85	98	102	115
Male	712	73	42	64	54	68	56	54	76	43	55	55	72
Female	531	38	48	48	37	49	49	35	52	42	43	47	43
Delaware	4,755	429	385	399	368	418	410	364	386	364	405	390	437
Male	2,718	246	223	226	212	239	236	192	216	207	230	221	268
Female	2,037	183	162	173	156	179	174	172	170	157	175	169	169
White	3,896	355	312	327	301	338	339	295	309	303	335	320	364
Male	2,216	204	184	190	174	191	191	150	175	166	186	181	219
Female	1,680	151	128	137	127	144	148	145	134	135	147	139	145
All other	857	74	73	72	67	80	71	69	77	61	70	70	73
Male	500	42	39	38	38	45	45	42	41	39	42	40	49
Female	357	32	34	34	29	35	26	27	36	22	28	30	24
District of Columbia	8,614	701	616	789	736	745	709	724	684	655	765	761	840
Male	4,888	430	344	443	415	407	389	404	367	383	402	443	461
Female	3,926	351	272	346	321	338	319	320	317	272	363	318	379
White	5,397	320	269	283	281	296	276	281	268	232	276	290	335
Male	1,711	159	134	144	161	140	145	137	123				

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1969-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Florida	72,744	7,026	5,984	6,564	5,798	5,877	5,764	6,100	5,779	5,451	5,796	6,198	6,607
Male	43,269	4,179	3,540	3,795	3,467	3,518	3,379	3,682	3,423	3,240	3,404	3,720	3,942
Female	29,475	2,847	2,444	2,569	2,331	2,359	2,385	2,438	2,356	2,211	2,392	2,478	2,665
White	62,034	5,932	5,089	5,425	4,983	4,980	4,886	5,225	4,942	4,694	4,971	5,299	5,608
Male	37,157	3,556	3,049	3,283	2,994	2,984	2,887	3,152	2,939	2,823	2,945	3,195	3,348
Female	24,877	2,374	2,040	2,142	1,989	1,996	1,999	2,073	2,003	1,871	2,028	2,104	2,260
All other	10,710	1,094	895	939	815	897	878	875	837	757	825	899	999
Male	6,112	621	491	512	473	534	492	510	484	417	459	525	594
Female	4,598	473	404	427	342	363	386	365	353	340	366	374	405
Georgia	41,256	4,297	3,246	3,739	3,279	3,159	3,395	3,277	3,205	3,103	3,330	3,499	3,729
Male	23,621	1,872	2,116	1,863	1,828	1,828	1,959	1,887	1,830	1,781	1,912	2,036	2,127
Female	17,635	1,867	1,374	1,623	1,416	1,331	1,436	1,390	1,375	1,342	1,418	1,463	1,602
White	28,260	2,866	2,204	2,577	2,285	2,161	2,335	2,204	2,165	2,159	2,320	2,408	2,577
Male	16,513	1,659	1,309	1,492	1,318	1,294	1,394	1,292	1,242	1,262	1,356	1,448	1,487
Female	11,747	1,207	895	1,085	967	897	951	912	923	896	964	960	1,090
All other	12,996	1,431	1,042	1,162	994	998	1,060	1,075	1,040	945	1,010	1,091	1,152
Male	7,108	771	563	624	545	564	575	595	569	499	556	598	640
Female	5,890	660	479	538	449	434	485	478	452	446	454	503	512
Hawaii	4,076	411	325	341	356	362	311	301	350	293	342	339	345
Male	2,536	255	209	214	211	222	195	180	223	178	217	211	223
Female	1,540	156	116	127	145	140	116	121	127	115	125	128	122
White	1,260	139	100	103	103	96	94	113	115	89	93	113	102
Male	755	81	58	65	46	54	48	70	69	53	67	73	71
Female	505	58	42	38	57	42	46	43	46	36	26	40	31
All other	2,816	272	225	239	253	266	217	188	235	204	249	226	243
Male	1,781	172	151	149	165	169	147	110	154	125	150	138	152
Female	1,035	100	74	89	88	98	70	78	81	79	99	88	91
Idaho	6,142	536	495	540	518	537	479	488	484	502	524	498	541
Male	3,671	322	293	316	294	321	272	272	293	306	305	326	350
Female	2,471	214	202	224	224	216	207	195	191	196	219	172	211
White	6,035	529	487	531	510	527	472	477	473	499	511	484	536
Male	3,601	318	287	312	287	314	270	286	285	303	293	319	327
Female	2,434	211	200	219	223	213	202	191	188	195	218	165	209
All other	107	7	8	9	8	10	7	11	11	4	13	14	5
Male	70	4	6	4	7	7	2	7	8	3	12	7	3
Female	37	3	2	5	1	3	5	4	3	1	1	7	2
Illinois	111,417	10,595	8,687	9,767	9,113	9,187	9,181	9,116	8,785	8,557	9,125	9,322	9,982
Male	61,753	5,940	4,839	5,397	5,024	4,998	5,052	4,909	4,771	4,678	5,150	5,352	5,599
Female	49,664	4,655	3,848	4,370	4,089	4,189	4,129	4,020	3,876	3,786	4,147	4,172	4,383
White	97,808	9,376	7,666	8,578	8,023	8,041	8,064	7,969	7,697	7,502	7,978	8,163	8,761
Male	53,978	5,228	4,290	4,718	4,413	4,352	4,339	4,208	4,076	4,154	4,333	4,478	4,889
Female	43,830	4,148	3,376	3,860	3,610	3,689	3,625	3,541	3,411	3,348	3,645	3,685	3,872
All other	13,609	1,219	1,021	1,189	1,090	1,146	1,117	1,147	1,098	1,085	1,147	1,159	1,221
Male	7,775	712	549	679	611	646	613	688	633	617	645	672	710
Female	5,834	507	472	510	479	500	504	459	465	438	502	487	511
Indiana	49,524	4,896	3,746	4,364	4,130	4,059	3,965	4,103	3,988	3,815	4,083	4,163	4,422
Male	27,739	2,601	2,105	2,405	2,298	2,311	2,239	2,311	2,228	2,172	2,321	2,441	2,441
Female	21,785	2,085	1,641	1,959	1,832	1,748	1,726	1,792	1,740	1,643	1,762	1,676	1,981
White	46,258	4,371	3,531	4,091	3,842	3,794	3,706	3,840	3,728	3,553	3,796	3,874	4,132
Male	25,853	2,402	1,969	2,266	2,133	2,164	2,073	2,156	2,095	2,026	2,144	2,145	2,280
Female	20,405	1,969	1,562	1,825	1,709	1,630	1,633	1,684	1,633	1,527	1,652	1,729	1,852
All other	3,266	315	215	273	286	265	259	263	260	262	287	289	290
Male	1,886	199	136	139	165	147	166	155	153	146	177	142	161
Female	1,380	116	79	134	123	118	93	108	107	116	110	147	129
Iowa	29,385	2,841	2,234	2,677	2,456	2,419	2,340	2,531	2,322	2,162	2,454	2,865	2,586
Male	16,399	1,600	1,218	1,464	1,363	1,369	1,341	1,577	1,328	1,171	1,586	1,922	1,384
Female	12,986	1,241	1,016	1,213	1,093	1,050	999	1,154	997	912	1,068	1,041	1,202
White	28,033	2,804	2,211	2,648	2,441	2,383	2,310	2,503	2,280	2,139	2,425	2,825	2,554
Male	16,191	1,575	1,209	1,447	1,354	1,347	1,319	1,364	1,305	1,235	1,368	1,302	1,366
Female	12,842	1,229	1,002	1,201	1,087	1,036	991	1,139	985	904	1,057	1,023	1,188
All other	352	37	23	29	15	36	30	29	32	23	29	38	32
Male	208	9	17	9	17	22	22	13	20	15	18	20	18
Female	144	12	14	12	6	14	8	16	12	8	11	18	14
Kansas	22,854	2,186	1,946	2,008	1,824	1,814	1,783	1,951	1,803	1,768	1,907	1,860	2,004
Male	12,723	1,194	1,070	1,103	1,042	1,010	1,044	1,079	1,037	992	1,043	1,027	1,082
Female	10,131	992	876	905	782	804	739	872	766	776	864	833	922
White	21,652	2,048	1,850	1,925	1,723	1,721	1,701	1,839	1,692	1,681	1,806	1,763	1,903
Male	12,024	1,123	1,013	1,044	979	957	989	1,013	965	946	993	970	1,022
Female	9,628	925	837	881	744	784	702	826	727	735	813	793	881
All other	1,202	138	96	83	101	93	82	112	111	87	101	97	101
Male	699	71	57	59	63	53	45	66	72	46	50	57	60
Female	503	67	39	24	38	40	37	46	39	41	51	40	41
Kentucky	32,899	3,246	2,514	3,097	2,714	2,686	2,662	2,569	2,554	2,483	2,657	2,748	2,970
Male	18,843	1,859	1,428	1,786	1,535	1,542	1,539	1,474	1,490	1,409	1,558	1,561	1,663
Female	14,056	1,387	1,086	1,311	1,179	1,144	1,123	1,094	1,064	1,074	1,099	1,187	1,307
White	28,722	2,911	2,261	2,769	2,469	2,448	2,416	2,301	2,321	2,240	2,407	2,481	2,658
Male	17,048	1,672	1,276	1,604	1,399	1,399	1,347	1,334	1,349	1,261	1,410	1,414	1,514
Female	12,674	1,239	985	1,165	1,070	1,050	1,019	967	972	959	997	1,067	1,144
All other	3,177	335	253	328	245	239	246	267	233	243	250	267	272
Male	1,795	187	132	182	136	144	141	140	141	128	149	147	149
Female	1,382	148	101	146	109	94	105	127	92	115	102	120	123
Louisiana	33,862	3,287	2,701	3,054	2,705	2,768	2,830	2,981	2,663	2,544	2,602	2,847	2,980
Male	19,190	1,840	1,521	1,734	1,528	1,562	1,561	1,589	1,536	1,471	1,508	1,586	1,684
Female	14,672	1,447	1,180	1,320	1,177	1,206	1,269	1,392	1,127	1,073	1,094	1,261	1,296
White	21,799	2,093	1										

SECTION 1 - GENERAL MORTALITY

I-59

Table I-21. Deaths by Month, Color, and Sex: United States and Each State, 1969-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maine	10,913	995	936	927	857	846	898	881	896	815	904	980	1,012
Male	6,171	556	539	522	462	472	521	500	525	476	520	529	549
Female	4,742	437	397	405	395	374	377	381	371	337	384	451	463
White	10,839	989	936	923	855	842	895	876	883	810	898	944	1,008
Male	6,137	556	539	520	461	468	518	496	519	473	516	525	546
Female	4,722	433	397	403	394	374	377	380	364	337	382	419	462
All other	54	4	-	4	2	4	3	5	13	5	6	6	4
Male	34	-	-	2	1	4	3	4	6	5	4	4	3
Female	20	4	-	2	1	-	-	1	7	-	2	2	1
Maryland	32,382	3,184	2,530	2,805	2,612	2,644	2,635	2,614	2,499	2,487	2,668	2,718	2,988
Male	16,092	1,746	1,400	1,590	1,509	1,482	1,450	1,443	1,393	1,407	1,510	1,498	1,664
Female	14,290	1,438	1,130	1,215	1,103	1,162	1,185	1,171	1,106	1,080	1,158	1,220	1,324
White	26,009	2,520	2,258	2,495	2,095	2,125	2,124	2,099	2,021	2,006	2,140	2,208	2,430
Male	14,416	1,373	1,110	1,266	1,205	1,182	1,160	1,140	1,097	1,132	1,208	1,200	1,343
Female	11,593	1,147	895	992	890	943	964	959	924	874	932	1,008	1,087
All other	6,373	664	527	547	517	519	509	515	478	481	528	510	578
Male	3,676	373	290	324	304	300	290	305	296	275	302	296	321
Female	2,697	291	237	223	213	219	219	212	182	206	226	212	257
Massachusetts	57,783	5,848	4,837	4,780	4,489	4,727	4,675	4,729	4,594	4,430	4,008	4,712	5,264
Male	30,455	3,000	2,590	2,536	2,368	2,522	2,417	2,467	2,413	2,306	2,527	2,452	2,757
Female	27,328	2,848	2,247	2,244	2,121	2,205	2,258	2,262	2,181	2,124	2,281	2,260	2,507
White	56,306	5,685	4,702	4,660	4,384	4,614	4,475	4,627	4,456	4,322	4,677	4,575	5,127
Male	29,605	2,906	2,505	2,470	2,313	2,459	2,358	2,430	2,322	2,325	2,452	2,377	2,688
Female	26,701	2,779	2,197	2,190	2,071	2,155	2,117	2,197	2,130	2,097	2,225	2,198	2,439
All other	1,477	163	135	120	105	113	100	102	136	108	131	137	137
Male	850	94	85	66	55	63	59	57	91	61	75	75	69
Female	627	69	50	54	50	50	41	45	45	47	56	62	68
Michigan	76,806	7,343	5,819	6,412	6,085	6,585	6,174	6,394	6,275	5,870	6,454	6,545	6,872
Male	44,095	4,170	3,299	3,664	3,511	3,883	3,552	3,619	3,560	3,387	3,778	3,733	3,939
Female	32,713	3,173	2,520	2,748	2,574	2,702	2,622	2,775	2,715	2,483	2,676	2,812	2,933
White	68,079	6,553	5,180	5,727	5,432	5,801	5,459	5,628	5,528	5,165	5,668	5,824	6,109
Male	38,991	3,737	2,918	3,281	3,108	3,419	3,130	3,183	3,106	2,989	3,308	3,319	3,493
Female	29,088	2,816	2,262	2,446	2,324	2,382	2,329	2,445	2,422	2,177	2,360	2,505	2,616
All other	8,727	790	639	685	653	784	715	766	743	704	766	721	763
Male	5,104	433	381	383	403	464	422	436	422	398	470	414	446
Female	3,623	357	258	302	250	320	293	330	321	306	296	307	317
Minnesota	33,843	3,251	2,509	2,744	2,768	2,878	2,683	2,854	2,693	2,637	2,878	2,854	3,104
Male	19,390	1,881	1,435	1,542	1,594	1,706	1,526	1,620	1,551	1,522	1,633	1,645	1,735
Female	14,453	1,370	1,074	1,202	1,174	1,172	1,157	1,234	1,142	1,115	1,245	1,209	1,369
White	33,487	3,222	2,487	2,700	2,739	2,847	2,671	2,778	2,673	2,605	2,845	2,820	3,094
Male	19,185	1,866	1,421	1,515	1,579	1,686	1,514	1,591	1,537	1,508	1,617	1,624	1,727
Female	14,302	1,356	1,066	1,185	1,160	1,161	1,157	1,187	1,136	1,097	1,228	1,196	1,367
All other	356	29	22	44	29	31	22	50	20	32	33	34	10
Male	205	15	14	27	15	20	12	29	14	14	16	21	8
Female	151	14	8	17	14	11	10	21	6	18	17	13	2
Mississippi	23,879	2,347	1,921	2,080	1,853	1,896	1,897	1,985	2,015	1,777	1,960	1,978	2,170
Male	13,566	1,342	1,102	1,184	1,088	1,076	1,088	1,128	1,137	999	1,132	1,078	1,234
Female	10,313	1,005	819	896	767	820	809	857	878	778	828	900	936
White	13,880	1,328	1,091	1,155	1,090	1,109	1,106	1,094	1,126	1,101	1,125	1,166	1,291
Male	8,112	789	643	675	679	654	639	644	708	613	657	688	743
Female	5,768	537	448	480	411	455	467	450	418	488	468	498	548
All other	9,999	1,021	830	925	763	787	791	901	779	676	835	812	879
Male	5,454	553	459	509	407	422	429	484	429	386	475	410	481
Female	4,545	468	371	416	356	365	362	417	350	290	360	402	398
Missouri	52,463	5,137	4,263	4,645	4,249	4,179	4,072	4,667	4,101	3,895	4,332	4,381	4,512
Male	29,030	2,797	2,301	2,576	2,336	2,349	2,277	2,547	2,281	2,167	2,454	2,501	2,454
Female	23,433	2,340	1,962	2,069	1,913	1,830	1,795	2,120	1,820	1,728	1,878	1,880	2,078
White	46,821	4,593	3,849	4,145	3,790	3,721	3,684	4,166	3,690	3,467	3,815	3,913	4,008
Male	25,840	2,480	2,067	2,316	2,071	2,094	2,042	2,237	2,067	1,928	2,158	2,216	2,154
Female	20,981	2,103	1,782	1,829	1,719	1,627	1,642	1,929	1,623	1,539	1,657	1,697	1,854
All other	5,642	544	414	500	459	458	408	521	411	428	517	478	504
Male	3,190	307	234	280	265	255	255	310	224	239	296	285	280
Female	2,452	237	180	220	194	203	173	211	187	189	221	193	224
Montana	6,713	648	544	560	561	581	538	552	573	506	553	520	577
Male	4,087	405	323	336	338	357	345	349	346	310	321	314	343
Female	2,626	243	221	224	223	224	193	203	227	196	232	206	234
White	6,442	626	525	538	541	561	513	530	540	480	537	495	555
Male	3,928	392	311	328	323	342	329	334	327	292	314	304	332
Female	2,514	234	214	211	218	219	184	196	213	188	223	191	223
All other	271	22	19	21	20	20	25	22	33	26	16	25	22
Male	159	13	12	8	15	15	16	15	19	19	18	17	11
Female	112	9	7	13	5	5	9	7	14	8	9	15	11
Nebraska	14,932	1,423	1,213	1,305	1,199	1,250	1,078	1,225	1,185	1,134	1,295	1,316	1,307
Male	8,382	798	665	687	679	702	654	756	656	618	711	746	732
Female	6,550	625	548	618	520	548	444	469	529	516	584	572	575
White	14,471	1,373	1,181	1,275	1,154	1,213	1,043	1,178	1,150	1,097	1,263	1,282	1,282
Male	8,139	768	668	672	660	682	617	706	638	599	693	729	707
Female	6,332	605	515	603	494	531	426	472	512	498	570	553	555
All other	461	50	32	30	45	37	35	47	35	37	32	36	45
Male	243	28	17	15	19	20	17	30	18	19	18	17	25
Female	218	22	15	15	26	17	18	17	17	18	14	19	20
Nevada	5,691	548	290	315	326	322	297	277	284	269	337	287	339
Male	2,339	200	177	211	205	209	190	174	192	166	212	186	217
Female	1,352	148	113	104	121	113	107	103	92	103	125	101	122
White	5,432	325	262	297	301	303	276	259	266	254	314	264	309
Male	2,182	190	160	197	195	196							

SECTION 1 - GENERAL MORTALITY

Table 1-21. Deaths by Month, Color, and Sex: United States and Each State, 1969-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
New Hampshire	7,521	728	639	585	580	601	606	595	574	566	663	682	702
Male	4,108	375	355	299	306	344	355	340	316	313	380	369	397
Female	3,413	353	284	286	274	257	271	255	258	253	303	314	305
White	7,504	728	636	584	576	601	602	595	572	565	662	682	701
Male	4,101	375	352	299	306	344	354	340	315	312	380	368	396
Female	3,403	353	284	285	270	257	268	255	257	253	302	314	305
All other	17	-	3	1	4	-	4	-	2	1	1	-	1
Male	7	-	3	-	-	-	1	-	1	1	-	-	1
Female	10	-	-	1	4	-	3	-	1	-	1	-	-
New Jersey	67,972	6,386	5,481	5,920	5,368	5,554	5,326	5,422	5,443	5,207	5,735	5,775	6,355
Male	37,029	3,496	2,948	3,170	2,815	3,000	2,951	3,002	3,037	2,880	3,148	3,164	3,440
Female	30,943	2,890	2,533	2,750	2,553	2,554	2,375	2,406	2,406	2,347	2,589	2,611	2,915
White	61,095	5,787	4,960	5,335	4,842	4,975	4,723	4,832	4,904	4,679	5,145	5,226	5,685
Male	33,041	3,150	2,657	2,852	2,511	2,671	2,601	2,666	2,704	2,552	2,796	2,849	3,033
Female	28,052	2,637	2,303	2,483	2,341	2,304	2,122	2,166	2,200	2,127	2,349	2,378	2,652
All other	6,879	599	521	585	526	579	603	590	539	528	590	549	670
Male	3,989	346	291	318	304	329	350	336	333	308	350	316	407
Female	2,891	253	230	267	222	250	253	254	206	220	240	233	263
New Mexico	7,209	693	577	635	568	600	553	592	551	600	608	575	659
Male	4,303	392	346	401	347	339	329	349	333	375	345	332	415
Female	2,906	301	231	234	221	261	224	243	218	225	261	243	244
White	6,519	630	528	575	513	543	494	530	488	535	545	527	611
Male	3,989	354	319	363	315	305	294	313	294	333	309	303	394
Female	2,531	276	209	212	198	238	200	217	194	200	236	224	217
All other	690	63	49	60	55	57	59	62	63	65	61	48	48
Male	415	38	27	38	32	34	35	36	39	40	36	29	31
Female	275	25	22	22	23	23	24	26	24	25	25	19	17
New York	189,469	17,630	15,067	15,967	15,122	15,666	15,318	14,912	15,229	14,426	15,941	15,680	17,321
Male	103,007	9,632	8,106	8,704	8,283	8,528	8,434	8,297	8,372	7,924	8,732	8,437	9,498
Female	85,462	8,198	6,961	7,263	6,839	7,138	6,884	6,615	6,857	6,502	7,149	7,243	7,823
White	168,971	16,008	13,518	14,372	13,628	14,056	13,694	13,366	13,672	12,900	14,298	14,080	15,428
Male	91,813	8,619	7,231	7,786	7,406	7,629	7,494	7,369	7,516	7,006	7,857	7,492	8,408
Female	77,158	7,389	6,287	6,586	6,222	6,427	6,200	5,997	6,156	5,894	6,441	6,538	7,021
All other	19,498	1,622	1,549	1,595	1,494	1,610	1,624	1,546	1,558	1,528	1,843	1,650	1,892
Male	11,194	1,013	975	918	877	899	940	928	856	918	935	945	1,092
Female	8,304	609	574	677	617	711	684	618	701	608	708	705	802
North Carolina	44,902	4,654	3,661	3,987	3,538	3,687	3,539	3,587	3,426	3,494	3,691	3,820	3,926
Male	25,056	2,702	2,124	2,238	1,999	2,191	2,064	2,079	2,011	2,018	2,165	2,201	2,266
Female	19,846	1,952	1,537	1,749	1,539	1,496	1,475	1,508	1,417	1,466	1,528	1,619	1,660
White	39,550	3,350	2,662	2,845	2,583	2,685	2,541	2,623	2,517	2,529	2,702	2,734	2,779
Male	19,048	1,958	1,580	1,647	1,483	1,592	1,506	1,525	1,481	1,487	1,590	1,580	1,619
Female	13,502	1,392	1,082	1,198	1,100	1,093	1,035	1,098	1,036	1,042	1,112	1,154	1,160
All other	12,352	1,304	999	1,042	955	1,002	998	964	911	955	989	1,066	1,147
Male	7,008	744	544	581	516	599	558	554	530	531	573	621	647
Female	5,344	560	455	461	439	403	440	410	381	424	416	445	500
North Dakota	5,607	463	440	499	446	507	457	450	490	456	476	440	503
Male	3,402	280	268	295	267	323	278	281	281	274	292	269	296
Female	2,205	183	172	195	179	184	179	169	189	182	184	171	207
White	5,458	449	432	478	436	492	444	442	464	444	460	424	493
Male	3,316	270	264	287	259	315	271	275	275	287	279	253	293
Female	2,142	179	168	191	177	178	173	167	189	177	181	161	200
All other	149	14	8	11	10	15	13	6	16	12	16	16	10
Male	66	10	4	6	6	10	7	3	13	6	13	6	6
Female	63	4	4	5	4	5	6	2	10	5	3	10	4
Ohio	101,240	9,596	7,920	8,633	8,333	8,535	8,133	8,215	8,026	7,779	8,407	8,374	9,089
Male	56,089	5,323	4,323	4,828	4,628	4,749	4,558	4,548	4,511	4,407	4,801	4,836	4,940
Female	45,151	4,273	3,597	4,007	3,705	3,786	3,575	3,667	3,515	3,372	3,726	3,779	4,149
White	91,990	8,729	7,220	8,032	7,603	7,787	7,366	7,476	7,281	7,054	7,637	7,534	8,237
Male	50,780	4,822	3,937	4,370	4,139	4,332	4,119	4,116	4,070	3,987	4,234	4,228	4,468
Female	41,210	3,907	3,283	3,662	3,464	3,455	3,247	3,362	3,211	3,087	3,403	3,406	3,771
All other	9,250	867	700	801	730	748	767	745	725	738	743	740	852
Male	5,509	501	366	458	429	417	439	432	441	420	447	467	474
Female	3,741	366	334	343	301	331	328	305	304	305	291	273	378
Oklahoma	26,052	2,412	2,126	2,426	2,039	2,038	2,032	2,231	2,090	1,976	2,155	2,142	2,367
Male	14,902	1,353	1,197	1,396	1,184	1,162	1,161	1,290	1,231	1,142	1,218	1,227	1,311
Female	11,150	1,059	929	1,030	855	876	871	941	859	834	935	915	1,056
White	23,402	2,153	1,935	2,178	1,836	1,845	1,814	1,991	1,887	1,758	1,944	1,920	2,143
Male	13,274	1,185	1,084	1,188	1,068	1,035	1,054	1,159	1,108	1,014	1,097	1,102	1,190
Female	10,128	968	851	990	768	810	780	832	779	742	847	818	953
All other	2,650	259	191	248	203	193	218	240	205	220	209	222	224
Male	1,528	158	113	148	116	117	127	131	123	128	121	125	121
Female	1,102	101	78	100	87	76	91	109	80	92	86	97	103
Oregon	19,585	1,951	1,509	1,696	1,560	1,695	1,540	1,559	1,563	1,537	1,674	1,559	1,742
Male	11,324	1,153	898	966	889	969	868	910	924	925	924	950	998
Female	8,261	798	611	730	671	726	672	649	639	612	750	609	744
White	19,228	1,924	1,485	1,638	1,533	1,664	1,516	1,518	1,535	1,509	1,645	1,530	1,715
Male	11,097	1,141	824	944	873	949	851	885	915	903	900	933	979
Female	8,131	783	661	714	660	715	665	633	620	606	743	597	734
All other	357	27	24	38	27	31	24	41	28	26	31	29	29
Male	227	14	14	22	16	20	17	25	19	20	24	17	19
Female	130	13	10	16	11	11	7	16	9	6	7	12	10
Pennsylvania	127,261	12,236	10,105	11,103	10,500	10,763	10,107	10,068	9,959	9,672	10,565	10,413	11,770
Male	70,143	6,743	5,378	6,164	5,727	5,934	5,552	5,519	5,614	5,376	5,929	5,699	6,508
Female	57,118	5,493	4,727	4,939	4,773	4,829	4,555	4,549	4,345	4,296	4,636	4,714	5,262
White	116,177	11,251	9,236	10,119	9,644	9,791	9,272	9,182	9,051	8,766	9,639</		

SECTION I - GENERAL MORTALITY

1-61

Table I-21. Deaths by Month, Color, and Sex: United States and Each State, 1969-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Rhode Island	9,300	922	741	813	786	799	724	744	727	710	732	787	815
Male	4,985	478	405	435	411	441	399	413	382	380	399	407	435
Female	4,315	444	336	378	375	358	325	331	345	330	333	380	380
White	9,069	901	726	796	772	773	697	722	699	695	716	775	796
Male	4,857	470	397	427	405	426	383	400	367	375	386	401	420
Female	4,211	431	329	369	367	347	314	322	332	320	330	374	376
All other	232	21	15	17	14	26	27	22	28	15	16	12	19
Male	128	8	8	8	8	15	18	13	15	5	13	6	15
Female	104	13	7	9	6	11	11	9	13	10	3	6	4
South Carolina	22,855	2,552	1,811	1,974	1,808	1,929	1,756	1,867	1,714	1,660	1,816	1,916	2,056
Male	13,035	1,442	992	1,100	1,040	1,101	986	1,087	993	956	1,029	1,089	1,206
Female	9,818	1,090	819	874	768	828	770	780	721	704	801	813	850
White	14,658	1,582	1,158	1,258	1,196	1,247	1,133	1,161	1,101	1,112	1,179	1,208	1,323
Male	8,531	947	640	697	693	718	664	681	633	669	678	718	793
Female	6,107	635	499	561	503	529	469	480	468	443	501	490	530
All other	8,215	950	673	716	612	682	623	706	613	548	651	708	733
Male	4,504	495	352	403	347	363	322	406	360	287	351	385	415
Female	3,711	455	321	313	265	299	301	300	253	261	300	323	320
South Dakota	6,760	623	525	565	534	619	495	581	553	500	592	536	627
Male	3,974	374	299	349	300	378	299	335	325	281	357	331	346
Female	2,786	249	226	216	234	241	196	246	228	219	235	205	281
White	6,383	585	482	543	506	587	473	544	520	471	552	509	602
Male	3,740	347	278	325	280	362	281	313	308	284	341	312	329
Female	2,643	238	214	218	226	225	192	231	212	207	211	196	273
All other	377	38	33	42	28	32	22	37	33	29	30	28	25
Male	234	27	21	24	20	16	18	22	17	17	16	19	17
Female	143	11	12	18	8	16	4	15	16	12	14	9	8
Tennessee	37,900	3,745	2,913	3,419	3,041	3,057	2,957	3,215	2,982	2,756	3,182	3,170	3,463
Male	21,415	2,128	1,621	1,969	1,734	1,782	1,659	1,812	1,699	1,513	1,780	1,809	1,910
Female	16,485	1,617	1,292	1,450	1,307	1,275	1,298	1,403	1,283	1,243	1,402	1,361	1,553
White	30,490	2,992	2,341	2,776	2,448	2,477	2,372	2,540	2,366	2,248	2,558	2,605	2,785
Male	17,409	1,720	1,310	1,611	1,426	1,471	1,357	1,446	1,349	1,243	1,434	1,499	1,543
Female	13,081	1,272	1,031	1,165	1,022	1,006	1,015	1,094	1,017	1,005	1,124	1,106	1,242
All other	7,402	763	572	643	593	580	585	675	616	508	624	565	678
Male	4,008	408	311	358	308	311	301	366	350	270	346	310	367
Female	3,396	355	261	285	285	269	284	309	266	238	278	255	311
Texas	94,043	8,883	7,417	8,477	7,850	7,725	7,549	7,777	7,607	7,234	7,500	7,739	8,485
Male	53,853	5,102	4,315	4,816	4,553	4,462	4,339	4,452	4,383	4,186	4,230	4,424	4,881
Female	40,090	3,781	3,102	3,661	3,297	3,263	3,210	3,325	3,224	3,048	3,270	3,305	3,604
White	79,621	7,661	6,260	7,196	6,857	6,554	6,401	6,620	6,418	6,191	6,317	6,571	7,265
Male	45,864	4,572	3,635	4,106	3,734	3,779	3,704	3,766	3,682	3,589	3,562	3,760	4,175
Female	33,957	3,089	2,625	3,090	2,823	2,785	2,697	2,754	2,736	2,602	2,755	2,811	3,090
All other	14,222	1,222	1,157	1,281	1,093	1,161	1,148	1,257	1,189	1,043	1,183	1,168	1,220
Male	8,089	730	690	710	619	683	635	686	701	597	669	674	706
Female	6,133	592	477	571	474	478	513	571	488	446	515	494	514
Utah	6,819	595	493	590	581	578	576	608	547	516	534	541	660
Male	3,866	320	291	336	335	329	342	336	306	311	303	294	363
Female	2,953	275	202	254	246	249	234	272	241	205	231	247	297
White	6,679	579	478	585	574	565	566	594	537	505	522	533	643
Male	3,777	313	280	333	331	320	338	328	288	301	294	291	353
Female	2,902	266	198	252	243	245	231	266	239	204	228	242	290
All other	140	16	17	5	7	13	10	14	10	11	12	8	17
Male	89	7	11	3	4	9	7	8	8	10	9	3	10
Female	51	9	6	2	3	4	3	6	2	1	3	5	7
Vermont	4,427	436	342	367	352	387	378	375	348	329	361	335	417
Male	2,487	238	191	203	209	211	209	204	181	179	208	208	238
Female	1,940	198	151	164	143	176	169	171	157	150	153	127	179
White	4,418	436	339	367	351	387	377	375	346	329	359	335	417
Male	2,482	238	190	203	208	211	208	204	190	179	205	208	238
Female	1,936	198	149	164	143	176	169	171	156	150	154	127	179
All other	9	-	3	-	1	-	1	-	2	-	2	-	-
Male	5	-	1	-	1	-	1	-	-	-	1	-	-
Female	4	-	2	-	-	-	-	-	-	1	-	-	-
Virginia	59,126	4,000	3,074	3,316	3,120	3,091	3,194	3,142	3,110	2,956	3,251	3,328	3,544
Male	22,251	2,268	1,758	1,962	1,780	1,788	1,795	1,784	1,747	1,684	1,848	1,898	2,019
Female	16,895	1,732	1,316	1,454	1,340	1,303	1,399	1,358	1,363	1,272	1,403	1,430	1,525
White	29,449	2,971	2,281	2,473	2,352	2,374	2,337	2,395	2,364	2,265	2,404	2,529	2,654
Male	16,684	1,663	1,304	1,404	1,247	1,258	1,251	1,262	1,251	1,228	1,356	1,451	1,501
Female	12,765	1,308	977	1,069	1,105	1,118	1,086	1,033	1,033	967	1,068	1,098	1,153
All other	9,677	1,029	793	843	768	717	807	747	746	691	847	799	890
Male	5,547	605	454	458	433	432	444	422	416	388	512	487	518
Female	4,130	424	339	385	335	285	363	325	330	306	335	312	372
Washington	50,632	3,058	2,871	2,709	2,505	2,592	2,337	2,481	2,442	2,247	2,545	2,457	2,688
Male	17,816	1,818	1,469	1,328	1,470	1,534	1,358	1,438	1,419	1,309	1,470	1,419	1,596
Female	12,816	1,240	1,102	1,181	1,035	1,058	979	1,043	1,023	958	1,075	1,038	1,102
White	29,508	2,958	2,510	2,594	2,416	2,494	2,235	2,384	2,351	2,159	2,451	2,361	2,595
Male	17,098	1,752	1,434	1,459	1,411	1,472	1,286	1,372	1,366	1,256	1,412	1,353	1,525
Female	12,410	1,206	1,076	1,135	1,005	1,022	949	1,012	985	903	1,039	1,008	1,070
All other	1,124	100	61	115	89	98	102	97	91	88	94	96	95
Male	718	66	35	69	59	62	72	64	53	53	58	66	61
Female	406	34	26	46	30	36	30	33	38	35	36	30	32
West Virginia	19,850	2,057	1,581	1,722	1,664	1,673	1,572	1,597	1,550	1,478	1,605	1,619	1,712
Male	11,533	1,220	909	999	961	982	904	919	911	866	925	940	989
Female	8,297	829	672	723	703	691	668	678	639	612	680	679	723
White	18,590	1,886	1,479	1,614	1,567	1,578	1,480	1,510	1,465	1,388	1,513	1,508	1,602
Male	10,797	1,125	852	935	912	927	846	868	859	874	878	872	920
Female	7,793	761	627	679	655	651	634	644	606	579	639	636	

SECTION 1 - GENERAL MORTALITY

Table 1-21.. Deaths by Month, Color, and Sex: United States and Each State, 1969-Con.

Area, color, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Wisconsin-----	41,106	3,993	3,173	3,565	3,421	3,428	3,285	3,399	3,307	3,239	3,341	3,425	3,530
Male-----	23,201	2,220	1,775	2,017	1,965	1,940	1,816	1,898	1,865	1,871	1,905	1,957	1,974
Female-----	17,905	1,773	1,398	1,548	1,456	1,488	1,469	1,501	1,444	1,368	1,436	1,468	1,556
White-----	40,238	3,917	3,114	3,499	3,339	3,347	3,205	3,309	3,246	3,172	3,275	3,362	3,455
Male-----	22,705	2,182	1,744	1,977	1,914	1,893	1,772	1,844	1,831	1,831	1,860	1,926	1,929
Female-----	17,533	1,735	1,370	1,522	1,425	1,454	1,433	1,465	1,415	1,341	1,415	1,436	1,526
All other-----	868	76	59	66	82	81	80	90	61	67	66	63	75
Male-----	498	38	31	40	51	47	44	54	32	40	45	31	45
Female-----	370	38	28	26	31	34	36	36	29	27	23	32	30
Wyoming-----	2,941	266	222	242	247	245	254	267	289	255	242	218	239
Male-----	1,856	185	156	158	156	145	145	180	180	156	156	135	144
Female-----	1,105	101	86	84	91	98	91	87	109	97	84	83	94
White-----	2,851	239	215	236	239	232	224	258	285	221	239	211	232
Male-----	1,779	133	130	157	149	158	156	174	176	128	156	132	140
Female-----	1,072	96	85	81	90	94	88	84	107	93	83	79	92
All other-----	90	7	7	4	8	11	10	9	6	12	3	7	6
Male-----	57	2	6	1	7	7	7	6	4	8	2	3	4
Female-----	33	5	1	3	1	4	3	3	2	4	1	4	2

SECTION 1 - GENERAL MORTALITY

1-63

Table 1-22. Deaths by Specified Race or National Origin and Sex: United States and Each State, 1969

Area	Total		White		Negro		Indian ¹		Chinese		Japanese		Other races		
	Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
United States-----	1,921,990	1,080,926	841,064	945,380	738,242	127,145	98,392	3,451	2,128	1,458	497	1,529	970	1,963	845
Alabama-----	33,808	19,268	14,540	13,395	9,491	5,869	5,045	-	2	1	-	1	-	2	2
Alaska-----	1,303	909	394	633	250	24	7	242	135	1	-	3	1	6	1
Arizona-----	14,031	8,681	5,370	7,755	4,907	344	155	532	300	19	7	4	2	7	1
Arkansas-----	20,750	12,115	8,635	9,699	6,690	2,411	1,954	4	-	1	1	-	-	-	-
California-----	166,077	92,486	73,591	84,848	68,466	5,767	4,300	202	119	568	224	567	333	534	149
Colorado-----	17,117	9,627	7,490	9,305	7,241	259	214	27	17	3	-	25	14	10	4
Connecticut-----	26,222	14,508	11,914	13,596	11,383	696	526	5	2	3	-	87	4	4	3
Delaware-----	4,755	2,718	2,057	2,218	1,680	498	350	-	2	-	-	-	-	2	5
District of Columbia-----	4,884	3,928	2,711	1,686	3,157	2,234	2	3	16	-	-	-	1	2	2
Florida-----	72,744	43,269	29,475	37,157	24,877	6,081	4,584	7	7	7	2	6	2	11	3
Georgia-----	41,258	23,621	17,657	16,513	11,747	7,100	5,889	2	-	2	1	-	-	4	-
Hawaii-----	4,076	2,536	1,540	755	505	11	10	2	-	146	87	692	492	2,930	844
Idaho-----	6,142	3,671	2,471	3,601	2,434	11	5	46	25	3	2	8	3	2	2
Illinois-----	111,417	61,753	49,664	55,978	43,850	7,638	5,773	35	17	52	12	36	24	14	8
Indiana-----	49,524	27,739	21,785	25,853	20,405	1,870	1,373	4	2	5	1	1	1	6	3
Iowa-----	29,385	16,399	12,986	16,191	12,842	200	134	8	5	-	1	-	-	-	4
Kansas-----	22,654	12,723	10,131	12,024	9,628	667	485	26	13	2	1	2	1	2	3
Kentucky-----	32,899	18,843	14,056	17,048	12,674	1,790	1,381	3	1	-	-	-	-	2	-
Louisiana-----	35,862	19,190	14,672	12,683	9,216	6,486	5,545	15	8	4	-	-	1	2	2
Maine-----	10,913	6,171	4,742	6,137	4,722	17	9	16	11	-	-	-	-	1	-
Maryland-----	32,382	18,092	14,290	14,416	11,593	3,646	2,681	10	5	13	3	-	2	7	6
Massachusetts-----	57,793	30,455	27,338	29,605	26,701	775	612	5	7	49	8	3	1	18	9
Michigan-----	76,808	44,095	32,713	39,991	29,088	4,989	3,577	80	37	25	4	1	6	6	6
Minnesota-----	35,843	19,390	14,453	19,185	14,302	132	91	68	58	3	1	4	1	1	1
Mississippi-----	25,879	13,566	10,313	8,112	5,768	5,433	4,533	13	10	8	2	-	-	-	-
Missouri-----	52,463	29,030	23,433	25,840	20,961	3,172	2,437	6	8	2	2	3	2	7	2
Montana-----	6,713	4,087	2,626	3,928	2,514	12	2	140	106	3	-	4	1	-	3
Nebraska-----	14,932	8,382	6,550	8,139	6,332	193	165	43	47	-	1	7	3	-	2
Nevada-----	3,691	2,339	1,352	1,250	1,02	67	46	31	5	1	2	2	2	1	1
New Hampshire-----	7,521	4,108	3,423	4,201	3,403	5	9	1	-	1	-	-	-	-	1
New Jersey-----	67,972	37,029	30,943	33,041	28,052	3,810	2,794	5	1	28	4	4	5	141	87
New Mexico-----	7,209	4,503	2,906	3,888	2,631	71	73	339	199	1	1	1	2	3	-
New York-----	188,469	103,007	85,462	91,813	77,158	10,617	8,136	100	58	351	71	26	9	100	30
North Carolina-----	44,902	26,056	18,846	19,048	13,502	6,806	5,216	199	119	1	1	1	1	2	8
North Dakota-----	5,607	3,402	2,205	3,316	2,142	3	1	62	62	1	-	-	-	-	-
Ohio-----	101,240	56,089	45,151	50,780	41,210	5,257	3,914	14	6	23	4	4	7	11	10
Oklahoma-----	26,032	14,802	11,280	15,274	10,128	1,126	844	396	253	-	1	1	1	3	3
Oregon-----	19,585	11,324	8,261	11,097	8,131	125	81	58	34	15	3	20	9	11	3
Pennsylvania-----	127,261	70,143	57,118	63,805	52,372	6,293	4,725	11	4	12	9	5	3	17	5
Rhode Island-----	9,300	4,985	4,315	4,857	4,211	114	96	9	3	3	3	-	1	2	1
South Carolina-----	22,853	13,035	9,818	8,531	6,107	4,494	3,711	5	-	2	-	-	-	3	-
South Dakota-----	6,780	3,974	2,786	3,740	2,643	3	3	231	140	-	-	-	-	-	-
Tennessee-----	37,900	21,415	16,485	17,409	13,089	3,998	3,391	2	3	4	1	-	1	2	-
Texas-----	94,043	53,933	40,090	45,864	33,957	8,041	6,119	13	5	25	5	3	-	7	4
Utah-----	6,819	3,866	2,953	3,777	2,902	25	16	36	26	2	-	24	7	2	2
Vermont-----	4,427	2,487	1,940	2,482	1,936	4	3	1	-	-	1	-	-	-	-
Virginia-----	39,126	22,231	16,895	16,684	12,765	5,525	4,116	5	2	4	2	2	6	11	5
Washington-----	30,632	17,616	12,616	17,098	12,410	332	197	221	142	42	20	64	30	59	17
West Virginia-----	19,630	11,533	8,297	10,797	7,793	734	504	-	-	-	-	-	-	2	-
Wisconsin-----	41,106	23,201	17,905	22,703	17,535	399	297	94	70	1	1	-	1	4	1
Wyoming-----	2,941	1,636	1,105	1,779	1,172	12	10	42	22	1	-	1	1	1	-

¹Includes deaths among Aleuts and Eskimos.²Includes 412 deaths among Hawaiians and Part-Hawaiians. (In addition there were 19 deaths among Hawaiians and Part-Hawaiians residing in other States.)³Includes 299 deaths among Hawaiians and Part-Hawaiians. (In addition there were 16 deaths among Hawaiians and Part-Hawaiians residing in other States.)

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969

[Rates per 100,000 population residing in area for specified group. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

8th Revision No.	Cause of death	Number							Rate						
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	All causes-----	1,921,990	1,080,926	841,064	945,380	738,242	135,546	102,822	951.9	1,097.6	813.1	1,092.7	815.1	1,132.8	798.7
	I. INFECTIVE AND PARASITIC DISEASES														
000-009	Intestinal infectious diseases-----	2,809	1,372	1,437	923	1,033	449	404	1.4	1.4	1.4	1.1	1.1	3.8	3.1
000	Cholera-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Classical-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	El Tor-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001	Typhoid fever-----	4	2	2	2	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0
002	Paratyphoid fever-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-
.0	Paratyphoid fever A-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Paratyphoid fever B-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-
.2	Paratyphoid fever C-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Paratyphoid fever, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
003	Other Salmonella infections-----	81	46	35	31	21	15	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	With food as vehicle of infection-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Without mention of food as vehicle of infection-----	81	46	35	31	21	15	14	0.0	0.0	0.0	0.0	0.0	0.1	0.1
004	Bacillary dysentery-----	36	19	17	13	5	6	12	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Shiga-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Flexner-----	5	3	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Boyd-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Sonne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Schmitz (Stutzer)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified bacillary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	31	16	15	10	4	6	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1
005	Food poisoning (bacterial)-----	17	11	6	10	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Staphylococcal-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Botulism-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Due to other clostridia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified bacterial food poisoning-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Food poisoning, unspecified-----	13	8	5	7	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
006	Amebiasis-----	58	36	22	26	17	10	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	With liver abscess-----	19	14	5	11	4	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Without mention of liver abscess-----	39	22	17	15	13	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
007	Other protozoal intestinal diseases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Balantidiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Giardiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Coccidiosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
008	Enteritis due to other specified organisms-----	329	157	172	122	139	35	33	0.2	0.2	0.2	0.1	0.2	0.3	0.3
.0	Escherichia coli-----	14	7	7	4	4	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Arizona-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other specified bacteria-----	30	12	18	9	15	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Bacterial enteritis, unspecified-----	24	9	15	6	10	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Enteritis due to specified virus-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Other organism not elsewhere classifiable-----	259	128	131	102	109	26	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2
009	Diarrheal diseases-----	2,283	1,100	1,183	719	846	381	357	1.1	1.1	1.1	0.8	0.9	3.2	2.6
.0	Dysentery, unspecified-----	18	8	10	5	7	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Diarrhea-----	375	195	180	83	99	107	81	0.2	0.2	0.2	0.1	0.1	0.9	0.6
.2	Gastroenteritis and colitis-----	1,890	897	993	626	740	271	253	0.9	0.9	1.0	0.7	0.8	2.3	2.0
.9	Other diarrheal diseases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
010-019	Tuberculosis-----	5,567	3,989	1,578	2,852	1,050	1,137	528	2.8	4.1	1.5	3.3	1.2	9.5	4.1		
010	Silicotuberculosis-----	178	178	-	154	-	24	-	0.1	0.2	-	0.2	-	0.2	-		
011	Pulmonary tuberculosis-----	3,954	2,925	1,029	2,047	657	878	372	2.0	3.0	1.0	2.4	0.7	7.3	2.9		
*.0	Active, minimal-----	6	5	1	2	-	3	1	0.0	0.0	0.0	0.0	-	0.0	0.0		
*.1	Active, moderately advanced-----	64	45	19	33	14	12	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
*.2	Active, far advanced-----	952	731	221	537	136	194	85	0.5	0.7	0.2	0.6	0.2	1.6	0.7		
*.3	Active, stage unspecified-----	377	293	84	208	51	85	33	0.2	0.3	0.1	0.2	0.1	0.7	0.3		
*.4	Miliary, lung, not otherwise specified-----	52	33	19	21	9	12	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
*.5	Radiologic evidence alone-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.9	Pulmonary tuberculosis not otherwise specified-----	2,503	1,818	685	1,246	447	572	238	1.2	1.8	0.7	1.4	0.5	4.8	1.8		
012	Other respiratory tuberculosis-----	360	211	149	167	121	44	28	0.2	0.2	0.1	0.2	0.1	0.4	0.2		
.0	Primary-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.1	Pleurisy specified as tuberculous-----	29	20	9	10	3	10	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.2	Pleurisy with effusion without mention of cause-----	327	188	139	154	117	34	22	0.2	0.2	0.1	0.2	0.1	0.3	0.2		
.3	Tuberculous laryngitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.9	Other respiratory tuberculosis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
013	Tuberculosis of meninges and central nervous system-----	117	57	60	53	32	24	28	0.1	0.1	0.1	0.0	0.0	0.2	0.2		
.0	Tuberculous meningitis-----	113	55	58	32	31	23	27	0.1	0.1	0.1	0.0	0.0	0.2	0.2		
.9	Other central nervous system-----	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
014	Tuberculosis of intestines, peritoneum, and mesenteric glands-----	39	22	17	11	6	11	11	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
015	Tuberculosis of bones and joints-----	31	19	12	13	7	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.0	Of vertebral column-----	29	18	11	13	6	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Of hip-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	0.0		
.2	Of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Of other specified bones and joints-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Of unspecified bones and joints-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
016	Tuberculosis of genitourinary system-----	41	27	14	20	10	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
*.0	Kidney-----	35	22	13	16	9	6	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
*.1	Other urinary organs-----	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	0.0		
*.2	Genital organs (male and female)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.9	Genitourinary system, site unspecified-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
017	Tuberculosis of other organs-----	34	14	20	10	10	4	10	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
.0	Of skin and subcutaneous cellular tissue-----	9	1	8	1	5	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.1	Of peripheral lymphatic glands-----	1	-	1	-	-	-	1	0.0	0.0	0.0	-	-	-	0.0		
.2	Of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Of other organs-----	24	13	11	9	5	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
018	Disseminated tuberculosis-----	200	131	69	59	26	72	43	0.1	0.1	0.1	0.1	0.0	0.6	0.3		
.0	Acute miliary tuberculosis specified as nonpulmonary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Acute miliary tuberculosis, unspecified-----	5	3	2	1	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Other forms of disseminated tuberculosis-----	195	128	67	58	25	70	42	0.1	0.1	0.1	0.1	0.0	0.6	0.3		
019	Late effects of tuberculosis-----	613	405	208	338	181	67	27	0.3	0.4	0.2	0.4	0.2	0.6	0.2		
.0	Respiratory tuberculosis-----	600	401	199	335	177	66	22	0.3	0.4	0.2	0.4	0.2	0.6	0.2		
.1	Of central nervous system-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-		
.2	Of genitourinary system-----	5	2	3	2	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.3	Of vertebral column-----	4	-	4	-	2	-	2	0.0	-	0.0	-	-	-	0.0		
*.4	Of hip-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.5	Of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.6	Of other bones and joints-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Of other specified organs-----	2	-	2	-	-	-	2	0.0	-	0.0	-	-	-	0.0		
020-027	Zoonotic bacterial diseases-----	32	21	11	16	10	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
020	Plague-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Bubonic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Pulmonic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
021	Tularemia-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-		
022	Anthrax-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

SECTION 1- GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

6th Revision No.	Cause of death	Number								Rate									
		Total			White		All other			Total			White		All other				
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female				
	Zoonotic bacterial diseases--Con.																		
023	Brucellosis-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
.0	Brucella melitensis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Brucella abortus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Brucella suis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-
024	Glanders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
025	Melioidosis-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-	-
026	Rat-bite fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Spirillum minus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Streptobacillus moniliformis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
027	Other zoonotic bacterial diseases-----	26	16	10	12	9	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Listeriosis-----	25	16	9	12	8	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Erysipelothrix infection-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
030-039	Other bacterial diseases-----	4,383	2,424	1,959	1,816	1,485	608	474	2.2	2.5	1.9	2.1	1.6	5.1	3.7	-	-	-	-
030	Leprosy-----	4	2	2	-	2	2	-	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-	-
.0	Lepromatous-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	-	-	-	-
.1	Tuberculoid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Indeterminate-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Borderline-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	3	2	1	-	1	2	-	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-	-
031	Other diseases due to mycobacteria-----	35	24	11	21	9	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.0	Pulmonary-----	34	23	11	21	9	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Other and unspecified-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	-	-	-	-	-	-
032	Diphtheria-----	25	16	9	10	4	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-	-	-	-
033	Whooping cough-----	13	6	7	2	4	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Bordetella pertussis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Bordetella parapertussis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	13	6	7	2	4	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
034	Streptococcal sore throat and scarlet fever-----	41	22	19	17	17	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Streptococcal sore throat-----	34	18	16	13	14	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Scarlet fever-----	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
035	Erysipelas-----	13	5	8	4	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
036	Meningococcal infections-----	744	409	335	302	253	107	62	0.4	0.4	0.3	0.3	0.3	0.9	0.6	-	-	-	-
.0	Meningococcal meningitis-----	373	199	174	144	133	55	41	0.2	0.2	0.2	0.2	0.1	0.5	0.3	-	-	-	-
.1	Meningococemia without mention of meningitis-----	366	206	160	154	120	52	40	0.2	0.2	0.2	0.2	0.1	0.4	0.3	-	-	-	-
.8	Other forms of meningococcal infection-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	5	4	1	4	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0	-	-	-	-
037	Tetanus-----	69	44	45	26	24	18	21	0.0	0.0	0.0	0.0	0.0	0.2	0.2	-	-	-	-
038	Septicemia-----	3,009	1,651	1,358	1,233	1,043	418	315	1.5	1.7	1.3	1.4	1.2	3.5	2.4	-	-	-	-
.0	Streptococcal-----	42	24	18	19	16	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Staphylococcal-----	174	99	75	80	66	19	9	0.1	0.1	0.1	0.1	0.1	0.2	0.1	-	-	-	-
.2	Pneumococcal-----	40	22	18	13	13	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-	-	-	-
.8	Other bacterial septicemia-----	226	131	95	101	67	30	28	0.1	0.1	0.1	0.1	0.1	0.3	0.2	-	-	-	-
.9	Unspecified-----	2,527	1,375	1,152	1,020	681	355	271	1.3	1.4	1.1	1.2	1.0	3.0	2.1	-	-	-	-
039	Other bacterial diseases-----	410	245	165	201	121	44	44	0.2	0.2	0.2	0.2	0.1	0.4	0.3	-	-	-	-
.0	Gas gangrene-----	70	41	29	31	24	10	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-	-	-	-
.1	Rhinoscleroma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	340	204	136	170	97	34	39	0.2	0.2	0.1	0.2	0.1	0.3	0.3	-	-	-	-
040-046	Polioomyelitis and other enterovirus diseases of central nervous system-----	222	117	105	100	66	17	19	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	-	-	-
040	Acute paralytic poliomyelitis specified as bulbar-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
041	Acute poliomyelitis with other paralysis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-	-
042	Acute nonparalytic poliomyelitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
043	Acute poliomyelitis, unspecified-----	9	3	6	3	4	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	-	-	-	-
044	Late effects of acute poliomyelitis-----	97	53	44	46	42	7	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Poliomyelitis and other enterovirus diseases of central nervous system--Con.														
045	Aseptic meningitis due to enterovirus-----	56	28	28	22	19	6	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.0	Coxsackie virus-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	ECHO virus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Aseptic meningitis, unspecified-----	53	27	26	21	18	6	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1
046	Other enterovirus diseases of central nervous system-----	56	29	27	26	21	3	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
050-057	Viral diseases accompanied by exanthems-----	304	151	153	131	134	20	19	0.2	0.2	0.1	0.2	0.1	0.2	0.1
050	Smallpox-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Variola major-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Variola minor-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
051	Cowpox-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
052	Chickenpox-----	81	44	37	40	34	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
053	Herpes zoster-----	82	34	48	34	47	-	1	0.0	0.0	0.0	0.0	0.1	-	0.0
*.0	Of eye-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.1	Of other parts of face-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.2	Of trunk-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.9	Of other and unspecified sites-----	70	27	43	27	42	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
054	Herpes simplex-----	71	37	34	31	27	6	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
055	Measles-----	41	20	21	16	15	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
056	Rubella-----	29	16	13	10	11	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
057	Other viral exanthems-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Erythema infectiosum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Exanthema subitum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
060-068	Arthropod-borne viral diseases-----	422	258	164	209	159	29	25	0.2	0.2	0.2	0.2	0.2	0.2	0.2
060	Yellow fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Sylvatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Urban-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
061	Dengue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
062	Mosquito-borne viral encephalitis-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Japanese encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Western equine encephalitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Eastern equine encephalitis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	St. Louis encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Murray Valley encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
063	Tick-borne viral encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Russian spring-summer (taiga) encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Louping ill-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Central European encephalitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
064	Viral encephalitis transmitted by other arthropods-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
065	Viral encephalitis, unspecified-----	377	205	172	179	147	26	25	0.2	0.2	0.2	0.2	0.2	0.2	0.2
066	Late effects of viral encephalitis-----	41	30	11	28	11	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
067	Arthropod-borne hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Crimean hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Omsk hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Kyasaur Forest disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other tick-borne hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Mosquito-borne hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Hemorrhagic nephroso-nephritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified arthropod-borne hemorrhagic fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Arthropod-borne viral diseases--Con.														
068	Other arthropod-borne viral diseases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Phlebotomus fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tick-borne fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mosquito-borne fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other arthropod-borne viral diseases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
070-079	Other viral diseases-----	1,526	658	868	533	706	125	162	0.8	0.7	0.8	0.6	0.8	1.0	1.3
070	Infectious hepatitis-----	1,011	402	609	325	487	77	122	0.5	0.4	0.6	0.4	0.5	0.6	0.9
071	Rabies-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
072	Mumps-----	22	11	11	8	10	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
073	Psittacosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
074	Specific diseases due to Coxsackie virus-----	11	7	4	5	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Herpangina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Epidemic pleurodynia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Coxsackie myocarditis-----	11	7	4	5	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
075	Infectious mononucleosis-----	21	11	10	11	9	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
076	Trachoma, active-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
077	Late effects of trachoma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
078	Other viral diseases of the conjunctiva-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Inclusion conjunctivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Epidemic keratoconjunctivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Acute adenoviral follicular conjunctivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Viral conjunctivitis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
079	Other viral diseases-----	460	226	234	183	196	43	38	0.2	0.2	0.2	0.2	0.2	0.4	0.3
.0	Molluscum contagiosum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Viral warts-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.2	Lymphocytic choriomeningitis-----	5	1	4	1	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Cat-scratch disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Foot-and-mouth disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Cytomegalic inclusion disease-----	21	14	7	12	7	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Other-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Viral infection, unspecified-----	430	210	220	169	165	41	35	0.2	0.2	0.2	0.2	0.2	0.3	0.3
080-089	Rickettsioses and other arthropod-borne diseases-----	49	28	21	23	20	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
080	Epidemic louse-borne typhus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
081	Other typhus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Endemic flea-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Brill's disease-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Mite-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
082	Tick-borne rickettsioses-----	36	18	18	15	17	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Spotted fevers-----	36	18	18	15	17	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Boutonneuse fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	North Asian tick-borne typhus fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
083	Other rickettsioses-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Rickettsial pox-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Q-fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Wolynian fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Rickettsioses and other arthropod-borne diseases--Con.														
084	Malaria-----	11	8	3	7	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Falciparum malaria (malignant tertian)-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	
.1	Vivax malaria (benign tertian)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Malariae malaria (quartan)-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	
.3	Ovale malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Blackwater fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Recurrent induced malaria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified forms-----	6	5	1	4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
085	Leishmaniasis-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	
.0	Visceral (kala-azar)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Cutaneous (oriental sore)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Mucocutaneous (American)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	
086	American trypanosomiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	With heart involvement-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	With other organ involvement-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Without mention of organ involvement-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
087	Other trypanosomiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Gambian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Rhodesian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	African trypanosomiasis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Trypanosomiasis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
088	Relapsing fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Louse-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Tick-borne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
089	Other arthropod-borne diseases-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Bartonellosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
090-099	Syphilis and other venereal diseases-----	555	388	167	215	92	173	75	0.3	0.4	0.2	0.2	0.1	1.4	0.6
090	Congenital syphilis-----	29	13	16	6	10	7	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Early congenital syphilis, symptomatic-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Early congenital syphilis, latent-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Early congenital syphilis, unspecified-----	10	5	5	1	1	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Interstitial keratitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Juvenile neurosyphilis-----	3	3	-	2	-	1	-	0.0	0.0	-	-	-	0.0	-
.5	Other late congenital syphilis, symptomatic-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
.6	Late congenital syphilis, latent-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Late congenital syphilis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Congenital syphilis, unspecified-----	9	3	6	1	5	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
091	Early syphilis, symptomatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Primary syphilis, except extragenital chancre-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Extragenital chancre-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Secondary syphilis of skin and mucous membranes-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Secondary syphilis, relapse (treated or untreated)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other recently acquired syphilis, symptomatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Early syphilis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
095	Cardiovascular syphilis-----	319	226	93	115	41	111	52	0.2	0.2	0.1	0.1	0.0	0.9	0.4
.0	Aneurysm of aorta, specified as syphilitic-----	35	26	9	19	6	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.9	Other cardiovascular syphilis-----	284	200	84	96	35	104	49	0.1	0.2	0.1	0.1	0.0	0.9	0.4
094	Syphilis of central nervous system-----	158	119	39	76	29	43	10	0.1	0.1	0.0	0.1	0.0	0.4	0.1
.0	Tabes dorsalis-----	30	19	11	15	10	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	General paresis-----	47	34	13	26	9	8	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.9	Other syphilis of central nervous system-----	81	66	15	35	10	31	5	0.0	0.1	0.0	0.0	0.0	0.3	0.0
095	Other forms of late syphilis with symptoms-----	8	6	2	3	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Syphilis and other venereal diseases--Con.														
097	Other syphilis and not specified-----	29	20	9	13	5	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Late syphilis, unspecified-----	16	11	5	7	4	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Syphilis, unspecified-----	13	9	4	6	1	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
098	Gonococcal infections-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Acute, of genitourinary tract-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Chronic, of genitourinary system-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.2	Of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Of joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Of other sites-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.9	Site unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
099	Other venereal diseases-----	9	3	6	1	3	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Chancroid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Lymphogranuloma venereum-----	4	1	3	-	2	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0
.2	Granuloma inguinale-----	2	-	2	-	-	-	2	0.0	-	0.0	-	-	-	0.0
.9	Other and unspecified-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
100-104	Other spirochetal diseases-----	5	5	-	3	-	2	-	0.0	0.0	-	0.0	-	0.0	-
100	Leptospirosis-----	5	5	-	3	-	2	-	0.0	0.0	-	0.0	-	0.0	-
.0	Leptospirosis icterohemorrhagica-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	4	4	-	2	-	2	-	0.0	0.0	-	0.0	-	0.0	-
101	Vincent's angina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
102	Yaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Initial lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Multiple papillomata and "wet crab" yaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other early skin lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Hyperkeratosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Gummata, ulcers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Gangosa-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Bone and joint lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other manifestations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Latent yaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Yaws, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
103	Pinta-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Primary lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Intermediate lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Late lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Mixed lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
104	Other spirochetal infections-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Nonvenereal endemic syphilis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Mycoses-----	484	320	164	270	138	50	26	0.2	0.3	0.2	0.3	0.2	0.4	0.2
110	Dermatophytosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.0	Of scalp and beard-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Of foot-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Of other and unspecified sites-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	Dermatomycoses, other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Pityriasis versicolor-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Tinea nigra-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Tinea blanca-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
112	Moniliasis-----	114	73	41	64	35	9	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0
113	Actinomycosis-----	15	12	3	8	3	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
114	Coccidioidomycosis-----	60	43	17	31	11	12	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Mycoses--Con.														
115	Histoplasmosis-----	61	46	15	41	12	5	3	0.0	0.0	0.0	0.0	0.0	0.0	
116	Elastomycosis-----	127	80	47	69	41	11	6	0.1	0.1	0.0	0.1	0.0	0.1	
.0	European-----	117	72	45	62	40	10	5	0.1	0.1	0.0	0.1	0.0	0.1	
.1	North American-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	
.2	South American-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	8	6	2	5	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	
117	Other systemic mycoses-----	107	66	41	57	36	9	5	0.1	0.1	0.0	0.1	0.0	0.1	
.0	Rhinosporidiosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Sporotrichosis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.2	Chromomycosis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.3	Aspergillosis-----	36	28	8	25	5	3	3	0.0	0.0	0.0	0.0	0.0	0.0	
.4	Maduramycosis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	
.8	Other-----	24	12	12	7	10	5	2	0.0	0.0	0.0	0.0	0.0	0.0	
.9	Unspecified-----	45	25	20	24	20	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
120-129	Helminthiasis-----	26	12	14	8	8	4	6	0.0	0.0	0.0	0.0	0.0	0.0	
120	Schistosomiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Schistosoma hematobium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Schistosoma mansoni-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Schistosoma japonicum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Cutaneous-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
121	Other trematode infestations-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	
.0	Opisthorchiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Clonorchiasis-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	
.2	Paragonimiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Fascioliasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Fasciolopsiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
122	Hydatidosis-----	9	5	6	3	6	-	-	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Of liver-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	
.1	Of lung-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Of other specified site-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	
.9	Of unspecified site-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	
123	Other cestode infestations-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Taenia solium infestation, intestinal form-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Cysticercosis-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	
.2	Taenia saginata infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Taeniasis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Diphyllobothriasis, intestinal-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Sparganosis (larval diphyllobothriasis)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Hymenolepiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
124	Trichiniasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
125	Filarial infestations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Wuchereria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Brugia filariasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Loiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Onchocercosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Acanthocheilonemiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Mansonellosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other filariasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	

SECTION 1. GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Helminthiases--Con.														
126	Ancylostomiasis-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
.0	Ancylostoma duodenale-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Necator americanus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other Ancylostoma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
127	Other intestinal helminthiases-----	8	4	4	2	1	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Ascariasis-----	7	3	4	1	1	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Strongyloidiasis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.2	Trichuriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Enterobiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Other intestinal nematode infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Mixed intestinal helminthiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Intestinal helminthiasis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	Other and unspecified helminthiases-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.0	Larva migrans, visceral-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
129	Intestinal parasitism, unspecified-----	2	-	2	-	-	-	2	0.0	-	0.0	-	-	-	0.0
130-136	Other infective and parasitic diseases-----	407	178	229	120	146	58	83	0.2	0.2	0.2	0.1	0.2	0.5	0.8
130	Toxoplasmosis-----	14	9	5	8	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Acquired-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Congenital, active-----	12	8	4	7	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Late effects of intrauterine infection-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
131	Trichomoniasis urogenitalis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132	Pediculosis-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
135	Acariasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Scabies-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134	Other infestations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Myiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Enthrus infestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other arthropod infestations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Hirudiniasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135	Sarcoidosis-----	255	96	159	51	87	45	72	0.1	0.1	0.2	0.1	0.1	0.4	0.6
136	Other and unspecified infective and parasitic diseases-----	136	71	65	59	54	12	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	II. NEOPLASMS														
140-149	Malignant neoplasms of buccal cavity and pharynx-----	7,553	5,566	1,987	4,906	1,778	660	209	3.7	5.7	1.9	5.7	2.0	5.5	1.6
140	Malignant neoplasm of lip-----	215	192	23	190	23	2	-	0.1	0.2	0.0	0.2	0.0	0.0	-
.0	Upper lip-----	9	7	2	7	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Lower lip-----	57	51	6	50	6	1	-	0.0	0.1	0.0	0.1	0.0	0.0	-
.2	Both lips-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Lip unspecified-----	147	132	15	131	15	1	-	0.1	0.1	0.0	0.2	0.0	0.0	-
141	Malignant neoplasm of tongue-----	1,768	1,309	459	1,154	421	155	38	0.9	1.3	0.4	1.3	0.5	1.3	0.3
.0	Base of tongue-----	182	156	26	139	24	17	2	0.1	0.2	0.0	0.2	0.0	0.1	0.0
.1	Dorsal surface of tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Borders and tip of tongue-----	7	3	4	3	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Ventral surface of tongue-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Part unspecified-----	1,577	1,149	428	1,011	392	138	36	0.8	1.2	0.4	1.2	0.4	1.2	0.3
142	Malignant neoplasm of salivary gland-----	643	411	232	381	216	30	16	0.3	0.4	0.2	0.4	0.2	0.3	0.1
.0	Parotid gland-----	503	326	177	303	165	23	12	0.2	0.3	0.2	0.4	0.2	0.2	0.1
.8	Other specified salivary gland-----	94	59	35	54	32	5	3	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.9	Unspecified salivary gland-----	46	26	20	24	19	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Malignant neoplasms of buccal cavity and pharynx--Con.														
143	Malignant neoplasm of gum-----	144	82	62	71	55	11	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Upper gum-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Lower gum-----	35	20	15	17	15	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Gum unspecified-----	105	61	44	53	37	8	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1
144	Malignant neoplasm of floor of mouth-----	497	372	125	326	107	46	18	0.2	0.4	0.1	0.4	0.1	0.4	0.1
145	Malignant neoplasms of other and unspecified parts of mouth--	1,048	702	346	623	313	79	33	0.5	0.7	0.3	0.7	0.3	0.7	0.3
.0	Buccal mucosa-----	102	64	38	56	36	6	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.1	Palate (hard or soft)-----	280	189	91	180	78	29	13	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.8	Other specified parts-----	14	10	4	8	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Part unspecified-----	652	439	213	397	195	42	18	0.3	0.4	0.2	0.5	0.2	0.4	0.1
146	Malignant neoplasm of oropharynx-----	909	702	207	590	188	112	19	0.5	0.7	0.2	0.7	0.2	0.9	0.1
.0	Tonsils-----	677	510	167	427	149	83	18	0.3	0.5	0.2	0.5	0.2	0.7	0.1
.8	Other specified parts-----	51	44	7	39	7	5	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Part unspecified-----	181	148	33	124	32	24	1	0.1	0.2	0.0	0.1	0.0	0.2	0.0
147	Malignant neoplasm of nasopharynx-----	591	455	136	390	113	65	23	0.3	0.5	0.1	0.5	0.1	0.5	0.2
148	Malignant neoplasm of hypopharynx-----	444	370	74	319	69	51	5	0.2	0.4	0.1	0.4	0.1	0.4	0.0
.0	Posterioricoid region-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Pyriform fossa-----	137	120	17	101	15	19	2	0.1	0.1	0.0	0.1	0.0	0.2	0.0
.8	Other specified parts-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Part unspecified-----	306	249	57	217	54	32	3	0.2	0.3	0.1	0.3	0.1	0.3	0.0
149	Malignant neoplasm of pharynx, unspecified-----	1,294	971	323	862	273	109	50	0.6	1.0	0.3	1.0	0.3	0.9	0.4
150-159	Malignant neoplasms of digestive organs and peritoneum--	93,986	50,470	43,516	44,532	39,466	5,938	4,050	46.5	51.2	42.1	51.5	43.6	49.6	31.5
150	Malignant neoplasm of esophagus-----	5,807	4,344	1,463	3,354	1,211	1,010	252	2.9	4.4	1.4	3.9	1.3	8.4	2.0
151	Malignant neoplasm of stomach-----	16,429	10,000	6,429	8,395	5,652	1,605	777	8.1	10.2	6.2	9.7	6.2	13.4	6.0
.0	Cardia-----	193	145	48	136	44	9	4	0.1	0.1	0.0	0.2	0.0	0.1	0.0
.1	Pylorus-----	55	31	24	23	22	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.8	Other specified parts-----	102	69	33	58	30	11	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.9	Part unspecified-----	16,079	9,755	6,324	8,178	5,556	1,577	768	8.0	9.9	6.1	9.5	6.1	13.2	6.0
152	Malignant neoplasm of small intestine, including duodenum-----	665	333	332	307	290	26	42	0.3	0.3	0.3	0.4	0.3	0.2	0.3
.0	Duodenum-----	207	109	98	100	87	9	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
*.1	Jejunum-----	109	54	55	52	43	2	12	0.1	0.1	0.1	0.1	0.0	0.0	0.1
*.2	Ileum-----	107	59	49	53	43	6	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.9	Part unspecified-----	242	112	130	103	117	9	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
153	Malignant neoplasm of large intestine, except rectum-----	34,666	16,083	18,583	14,822	17,099	1,261	1,484	17.2	16.3	18.0	17.1	18.9	10.5	11.5
.0	Cecum, appendix, and ascending colon-----	4,541	2,010	2,531	1,861	2,359	149	172	2.2	2.0	2.4	2.2	2.6	1.2	1.3
.1	Transverse colon, including hepatic and splenic flexures-----	1,471	676	795	623	751	53	44	0.7	0.7	0.8	0.7	0.8	0.4	0.3
.2	Descending colon-----	1,128	519	609	472	559	47	50	0.6	0.5	0.6	0.5	0.6	0.4	0.4
.3	Sigmoid colon-----	5,403	2,627	2,776	2,456	2,594	171	182	2.7	2.7	2.7	2.8	2.9	1.4	1.4
.8	Large intestine (including colon), part unspecified-----	20,383	9,475	10,908	8,681	9,941	794	967	10.1	9.6	10.5	10.0	11.0	8.6	7.5
.9	Intestinal tract, part unspecified-----	1,740	776	964	729	895	47	69	0.9	0.8	0.9	0.8	1.0	0.4	0.5
154	Malignant neoplasms of rectum and rectosigmoid junction-----	10,581	5,986	4,595	5,518	4,159	468	456	5.2	6.1	4.4	6.4	4.6	3.9	3.4
.0	Rectosigmoid junction-----	1,607	872	735	816	690	56	45	0.8	0.9	0.7	0.9	0.8	0.5	0.3
.1	Rectum-----	8,921	5,091	3,830	4,681	3,445	410	385	4.4	5.2	3.7	5.4	3.8	3.4	3.0
.2	Anal canal-----	53	23	30	21	24	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
155	Malignant neoplasms of liver and intrahepatic bile ducts, specified as primary-----	2,249	1,510	739	1,212	646	298	93	1.1	1.5	0.7	1.4	0.7	2.5	0.7
.0	Liver-----	2,127	1,441	686	1,149	597	292	89	1.1	1.5	0.7	1.3	0.7	2.4	0.7
.1	Intrahepatic bile ducts-----	122	69	53	63	49	6	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
156	Malignant neoplasms of gallbladder and bile ducts-----	4,377	1,514	2,863	1,418	2,693	96	170	2.2	1.5	2.8	1.6	3.0	0.8	1.3
.0	Gallbladder-----	2,742	681	2,061	642	1,941	39	120	1.4	0.7	2.0	0.7	2.1	0.3	0.9
.1	Extrahepatic bile ducts-----	1,054	532	522	495	496	37	26	0.5	0.5	0.5	0.6	0.5	0.3	0.2
.2	Ampulla of Vater-----	577	219	158	202	147	17	11	0.2	0.2	0.2	0.2	0.2	0.1	0.1
.9	Biliary tract, unspecified-----	204	82	122	79	109	3	15	0.1	0.1	0.1	0.1	0.1	0.0	0.1
157	Malignant neoplasm of pancreas-----	17,649	9,932	7,717	8,838	7,006	1,094	711	8.7	10.1	7.5	10.2	7.7	9.1	5.5
.0	Head-----	2,554	1,424	1,130	1,240	999	184	131	1.3	1.4	1.1	1.4	1.1	1.5	1.0
.8	Other specified parts-----	429	269	160	232	140	37	20	0.2	0.3	0.2	0.3	0.2	0.3	0.2
.9	Unspecified-----	14,666	8,239	6,427	7,366	5,867	873	560	7.3	8.4	6.2	8.5	6.5	7.3	4.4

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Malignant neoplasms of digestive organs and peritoneum--Con.														
158	Malignant neoplasms of peritoneum and retroperitoneal tissue-	846	406	440	379	393	27	47	0.4	0.4	0.4	0.4	0.4	0.2	0.4
.0	Retroperitoneal tissue-----	583	313	270	293	244	20	26	0.3	0.3	0.3	0.3	0.3	0.2	0.2
.9	Other parts-----	263	93	170	86	149	7	21	0.1	0.1	0.2	0.1	0.2	0.1	0.2
159	Malignant neoplasms of unspecified digestive organs-----	717	362	355	309	317	53	38	0.4	0.4	0.3	0.4	0.4	0.4	0.3
160-163	Malignant neoplasms of respiratory system-----	66,038	53,879	12,159	48,318	10,993	5,561	1,166	32.7	54.7	11.8	55.8	12.1	46.5	9.1
160	Malignant neoplasms of nose, nasal cavities, middle ear, and accessory sinuses-----	587	370	217	314	197	56	20	0.3	0.4	0.2	0.4	0.2	0.5	0.2
.0	Nose (internal) and nasal cavities-----	119	71	48	70	48	1	-	0.1	0.1	0.0	0.1	0.1	0.0	-
.1	Eustachian tube and middle ear-----	32	18	14	17	14	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Maxillary sinus-----	308	193	115	148	97	45	18	0.2	0.2	0.1	0.2	0.1	0.4	0.1
.8	Other sinus-----	64	42	22	39	21	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified sinus-----	64	46	18	40	17	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
161	Malignant neoplasm of larynx-----	2,970	2,617	353	2,330	288	287	65	1.5	2.7	0.3	2.7	0.3	2.4	0.5
.0	Glottis (true vocal cord)-----	40	36	4	33	4	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Other specified parts-----	148	128	20	108	15	20	5	0.1	0.1	0.0	0.1	0.0	0.2	0.0
.9	Part unspecified-----	2,782	2,455	329	2,189	269	264	60	1.4	2.5	0.3	2.5	0.3	2.2	0.5
162	Malignant neoplasms of trachea, bronchus, and lung-----	61,843	50,481	11,362	45,309	10,301	5,172	1,061	30.6	51.3	11.0	52.4	11.4	43.2	8.2
.0	Trachea-----	123	84	39	71	34	13	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.1	Bronchus and lung-----	61,720	50,397	11,323	45,238	10,267	5,159	1,056	30.6	51.2	10.9	52.3	11.3	43.1	8.2
163	Malignant neoplasms of other and unspecified respiratory organs-----	638	411	227	365	207	46	20	0.3	0.4	0.2	0.4	0.2	0.4	0.2
.0	Pleura-----	287	177	110	165	102	12	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.1	Mediastinum-----	307	211	96	185	89	26	7	0.2	0.2	0.1	0.2	0.1	0.2	0.1
.9	Site unspecified-----	44	23	21	15	16	8	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
170-174	Malignant neoplasms of bone, connective tissue, skin, and breast-----	36,844	4,611	32,233	4,280	29,502	331	2,731	18.2	4.7	31.2	4.9	32.6	2.8	21.2
170	Malignant neoplasms of bone-----	1,826	1,072	754	953	681	119	73	0.9	1.1	0.7	1.1	0.8	1.0	0.6
.0	Bones of skull and face-----	265	173	92	147	82	26	10	0.1	0.2	0.1	0.2	0.1	0.2	0.1
.1	Lower jaw bone-----	190	116	74	109	71	7	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.2	Vertebral column (excluding sacrum and coccyx)-----	280	162	118	145	110	17	8	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.3	Ribs, sternum, and clavicle-----	55	31	24	30	22	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Long bones of upper limb and scapula-----	81	55	26	52	22	3	4	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.5	Upper limb, short bones-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Pelvic bones, sacrum, and coccyx-----	193	104	89	94	83	10	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.7	Lower limb, long bones-----	263	146	117	129	102	17	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.8	Lower limb, short bones-----	15	7	8	5	6	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Site unspecified-----	484	278	206	242	183	36	23	0.2	0.3	0.2	0.3	0.2	0.3	0.2
171	Malignant neoplasms of connective and other soft tissue-----	1,406	711	695	641	625	70	70	0.7	0.7	0.7	0.7	0.7	0.6	0.5
.0	Head, face, and neck-----	50	31	19	26	18	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Trunk-----	240	120	120	103	110	17	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)-----	74	42	32	39	30	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Lower limb (including hip)-----	276	145	131	126	117	17	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.9	Site unspecified-----	766	373	393	345	350	28	43	0.4	0.4	0.4	0.4	0.4	0.2	0.3
172	Malignant melanoma of skin-----	3,138	1,715	1,423	1,656	1,378	59	45	1.6	1.7	1.4	1.9	1.5	0.5	0.3
.0	Lips-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Eyelids, including canthi-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Ear and external auricular canal-----	27	17	10	17	10	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other and unspecified parts of face-----	74	41	33	41	33	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Scalp and neck-----	109	65	44	64	45	1	1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
.5	Scrotum-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Trunk, except scrotum-----	246	153	93	149	93	4	-	0.1	0.2	0.1	0.2	0.1	0.0	-
.7	Upper limb-----	148	80	68	78	68	2	-	0.1	0.1	0.1	0.1	0.1	0.0	-
.8	Lower limb-----	275	113	162	100	155	13	7	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.9	Site unspecified-----	2,251	1,242	1,009	1,203	972	39	37	1.1	1.3	1.0	1.4	1.1	0.3	0.3

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Malignant neoplasms of bone, connective tissue, skin, and breast--Con.														
173	Other malignant neoplasms of skin-----	1,391	860	531	807	484	53	47	0.7	0.9	0.5	0.9	0.5	0.4	0.4
.0	Lips-----	21	19	2	18	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Eye-lids, including canthi-----	11	7	4	7	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Ear and external auricular canal-----	78	60	18	60	15	-	3	0.0	0.1	0.0	0.1	0.0	-	0.0
.3	Other and unspecified parts of face-----	575	350	225	334	215	16	10	0.3	0.4	0.2	0.4	0.2	0.1	0.1
.4	Scalp and neck-----	219	158	61	150	51	8	10	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.5	Scrotum-----	15	15	-	12	-	3	-	0.0	0.0	-	0.0	-	0.0	-
.6	Trunk, except scrotum-----	251	113	138	99	122	14	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.7	Upper limb-----	42	34	8	33	7	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Lower limb-----	53	22	31	16	26	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.9	Site unspecified-----	126	82	44	78	42	4	2	0.1	0.1	0.0	0.1	0.0	0.0	0.0
174	Malignant neoplasm of breast-----	29,085	253	28,830	223	28,534	30	2,496	14.4	0.3	27.9	0.3	29.1	0.3	19.4
180-189	Malignant neoplasms of genitourinary organs-----	55,905	27,832	28,073	24,517	24,516	3,315	3,557	27.7	28.3	27.1	28.3	27.1	27.7	27.6
180	Malignant neoplasm of cervix uteri-----	6,940	...	6,940	...	5,440	...	1,500	3.4	...	6.7	...	6.0	...	11.7
181	Chorionepithelioma-----	58	...	58	...	45	...	13	0.0	...	0.1	...	0.0	...	0.1
182	Other malignant neoplasm of uterus-----	5,477	...	5,477	...	4,705	...	772	2.7	...	5.3	...	5.2	...	6.0
.0	Corpus uteri-----	1,851	...	1,851	...	1,623	...	228	0.9	...	1.8	...	1.8	...	1.8
.9	Uterus, unspecified-----	3,626	...	3,626	...	3,082	...	544	1.8	...	3.5	...	3.4	...	4.2
183	Malignant neoplasms of ovary, fallopian tube, and broad ligament-----	9,788	...	9,788	...	9,057	...	731	4.8	...	9.5	...	10.0	...	5.7
.0	Ovary-----	9,671	...	9,671	...	8,957	...	714	4.8	...	9.3	...	9.9	...	5.5
.1	Fallopian tube and broad ligament-----	116	...	116	...	99	...	17	0.1	...	0.1	...	0.1	...	0.1
.9	Part unspecified-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
184	Malignant neoplasms of other and unspecified female genital organs-----	884	...	884	...	792	...	92	0.4	...	0.9	...	0.9	...	0.7
.0	Vagina-----	290	...	290	...	262	...	28	0.1	...	0.3	...	0.3	...	0.2
.1	Vulva-----	520	...	520	...	470	...	50	0.3	...	0.5	...	0.5	...	0.4
.8	Other specified sites-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Site unspecified-----	74	...	74	...	60	...	14	0.0	...	0.1	...	0.1	...	0.1
185	Malignant neoplasm of prostate-----	16,856	16,856	...	14,566	...	2,470	...	8.3	17.1	...	16.6	...	20.6	...
186	Malignant neoplasm of testis-----	741	741	...	722	...	19	...	0.4	0.8	...	0.8	...	0.2	...
187	Malignant neoplasms of other and unspecified male genital organs-----	284	284	...	209	...	75	...	0.1	0.3	...	0.2	...	0.6	...
.0	Penis-----	234	234	...	164	...	70	...	0.1	0.2	...	0.2	...	0.6	...
.8	Other specified sites-----	20	20	...	18	...	2	...	0.0	0.0	...	0.0	...	0.0	...
.9	Site unspecified-----	30	30	...	27	...	3	...	0.0	0.0	...	0.0	...	0.0	...
188	Malignant neoplasm of bladder-----	8,520	5,968	2,552	5,516	2,286	452	266	4.2	6.1	2.5	6.4	2.5	3.8	2.1
189	Malignant neoplasms of other and unspecified urinary organs-----	6,377	4,003	2,374	3,704	2,191	299	183	3.2	4.1	2.3	4.3	2.4	2.5	1.4
.0	Kidney, except pelvis-----	5,926	3,757	2,169	3,490	2,004	267	165	2.9	3.8	2.1	4.0	2.2	2.2	1.3
.1	Pelvis of kidney-----	78	47	31	43	30	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Ureter-----	183	115	68	108	66	7	2	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.9	Other and unspecified-----	190	84	106	63	91	21	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1
190-199	Malignant neoplasms of other and unspecified sites-----	30,064	15,342	14,722	13,687	13,075	1,655	1,647	14.9	15.6	14.2	15.8	14.4	13.8	12.8
190	Malignant neoplasm of eye-----	343	166	177	158	169	8	8	0.2	0.2	0.2	0.2	0.2	0.1	0.1
191	Malignant neoplasm of brain-----	6,085	3,455	2,630	3,284	2,472	171	158	3.0	3.5	2.5	3.8	2.7	1.4	1.2
192	Malignant neoplasms of other parts of nervous system-----	1,700	1,026	674	960	617	66	57	0.8	1.0	0.7	1.1	0.7	0.6	0.4
.0	Cranial nerves (including optic)-----	22	7	15	6	14	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Cerebral meninges-----	24	13	11	10	11	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Spinal cord-----	158	89	69	80	62	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Spinal meninges-----	1	-	-	-	-	-	-	0.0	-	0.0	-	-	-	0.0
.4	Peripheral nerves-----	124	63	61	52	50	11	11	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.5	Sympathetic nervous system-----	295	185	110	173	94	12	16	0.1	0.2	0.1	0.2	0.1	0.1	0.1
.9	Site unspecified-----	1,076	669	407	639	386	30	21	0.5	0.7	0.4	0.7	0.4	0.3	0.2
193	Malignant neoplasm of thyroid gland-----	975	343	632	306	573	37	59	0.5	0.3	0.6	0.4	0.6	0.3	0.5

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate						
		Total			White		All other			Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male
	Malignant neoplasms of other and unspecified sites--Con.															
194	Malignant neoplasms of other endocrine glands-----	407	225	182	214	168	11	14	0.2	0.2	0.2	0.2	0.2	0.1	0.1	
.0	Suprarenal gland-----	273	149	124	143	117	6	7	0.1	0.2	0.1	0.2	0.1	0.1	0.1	
.1	Parathyroid gland-----	6	2	4	2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.2	Thymus-----	79	47	32	44	29	3	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	
.3	Pituitary gland and craniopharyngeal duct-----	25	13	12	12	11	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.4	Pineal gland-----	9	7	2	6	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.8	Other-----	15	7	8	7	7	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.9	Unspecified endocrine gland-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
195	Malignant neoplasms of ill-defined sites-----	2,843	1,165	1,678	1,027	1,472	138	206	1.4	1.2	1.6	1.2	1.6	1.2	1.6	
.0	Abdomen and intra-abdominal-----	1,508	519	989	438	847	81	142	0.7	0.5	1.0	0.5	0.9	0.7	1.1	
.1	Pelvis, pelvic viscera, and rectovaginal septum-----	368	58	310	48	274	10	36	0.2	0.1	0.3	0.1	0.3	0.1	0.3	
.9	Other-----	967	588	379	541	351	47	28	0.5	0.6	0.4	0.6	0.4	0.4	0.2	
196	Secondary and unspecified malignant neoplasms of lymph nodes-----	171	98	73	85	70	13	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	
.0	Head, face, and neck-----	78	52	26	47	26	5	-	0.0	0.1	0.0	0.1	0.0	0.0	-	
.1	Intrathoracic-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.2	Intra-abdominal-----	11	5	6	5	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.3	Axillary and upper limb-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.4	Inguinal and lower limb-----	7	3	4	2	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.7	Other specified site-----	11	5	6	4	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.8	Multiple sites-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.9	Site unspecified-----	51	26	25	21	22	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
197	Secondary malignant neoplasms of respiratory and digestive systems-----	5,879	3,089	2,790	2,685	2,453	404	337	2.9	3.1	2.7	3.1	2.7	3.4	2.6	
.0	Lung specified as secondary-----	767	420	347	381	298	39	49	0.4	0.4	0.3	0.4	0.3	0.3	0.4	
.1	Mediastinum specified as secondary-----	26	20	6	20	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.2	Pleura specified as secondary-----	143	51	92	42	83	9	9	0.1	0.1	0.1	0.0	0.1	0.1	0.1	
.3	Other respiratory organs specified as secondary-----	9	4	5	1	4	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.4	Small intestine, including duodenum, specified as secondary-----	9	9	-	9	-	-	-	0.0	0.0	-	0.0	-	-	-	
.5	Large intestine and rectum specified as secondary-----	64	17	47	15	40	2	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
.6	Peritoneum specified as secondary-----	116	49	67	44	55	5	12	0.1	0.0	0.1	0.1	0.1	0.0	0.1	
.7	Liver specified as secondary-----	1,682	899	783	778	691	121	92	0.8	0.9	0.8	0.9	0.8	1.0	0.7	
.8	Liver, unspecified-----	3,012	1,567	1,425	1,365	1,262	222	163	1.5	1.6	1.4	1.6	1.4	1.9	1.3	
.9	Other digestive organs specified as secondary-----	51	33	18	30	14	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
198	Other secondary malignant neoplasms-----	1,800	984	916	794	840	90	76	0.9	0.9	0.9	0.9	0.9	0.8	0.6	
.0	Bladder specified as secondary-----	12	4	8	4	8	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.1	Other urinary organs specified as secondary-----	16	7	9	7	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.2	Skin specified as secondary-----	32	22	10	17	9	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.3	Brain specified as secondary-----	509	297	212	273	186	24	26	0.3	0.3	0.2	0.3	0.2	0.2	0.2	
.4	Other parts of nervous system specified as secondary-----	46	26	20	20	17	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
.5	Bone specified as secondary-----	371	202	169	183	160	19	9	0.2	0.2	0.2	0.2	0.2	0.2	0.1	
.9	Other sites specified as secondary-----	814	326	488	290	451	36	37	0.4	0.3	0.5	0.5	0.5	0.3	0.3	
199	Malignant neoplasm without specification of site-----	9,861	4,891	4,970	4,174	4,241	717	729	4.9	5.0	4.8	4.8	4.7	6.0	5.7	
.0	Multiple-----	8,701	4,289	4,412	3,702	3,809	587	603	4.3	4.4	4.3	4.3	4.2	4.9	4.7	
.1	Other-----	1,160	602	558	472	432	130	126	0.6	0.6	0.5	0.5	0.5	1.1	1.0	
200-209	Neoplasms of lymphatic and hematopoietic tissues-----	32,702	18,442	14,260	16,870	13,155	1,572	1,105	16.2	18.7	13.8	19.5	14.5	13.1	8.6	
200	Lymphosarcoma and reticulum cell sarcoma-----	6,633	3,669	2,964	3,423	2,803	246	161	3.3	3.7	2.9	4.0	3.1	2.1	1.3	
.0	Reticulum cell sarcoma-----	2,502	1,348	1,154	1,253	1,081	95	73	1.2	1.4	1.1	1.4	1.2	0.8	0.6	
.1	Lymphosarcoma-----	4,131	2,321	1,810	2,170	1,722	151	88	2.0	2.4	1.7	2.5	1.9	1.3	0.7	
201	Hodgkin's disease-----	3,438	2,106	1,332	1,922	1,239	184	94	1.7	2.1	1.3	2.2	1.4	1.6	0.7	
202	Other neoplasms of lymphoid tissue-----	2,755	1,507	1,248	1,380	1,160	127	88	1.4	1.5	1.2	1.6	1.3	1.1	0.7	
.0	Giant follicular lymphoma-----	126	69	57	68	57	1	-	0.1	0.1	0.1	0.1	0.1	0.0	-	
.1	Mycosis fungoides-----	98	56	42	48	28	8	14	0.0	0.1	0.0	0.1	0.0	0.1	0.1	
.2	Other primary malignant neoplasms of lymphoid tissue-----	2,525	1,378	1,147	1,261	1,073	117	74	1.3	1.4	1.1	1.5	1.2	1.0	0.6	
.9	Other forms of lymphoma-----	6	4	2	3	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
203	Multiple myeloma-----	4,133	2,184	1,954	1,830	1,683	354	271	2.0	2.2	1.9	2.1	1.9	3.0	2.1	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate						
		Total			White		All other			Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male
	Neoplasms of lymphatic and hematopoietic tissues--Con.															
204	Lymphatic leukemia-----	5,091	3,023	2,068	2,804	1,933	219	135	2.5	3.1	2.0	3.2	2.1	1.8	1.0	
.0	Acute-----	1,933	1,122	811	1,051	753	71	58	1.0	1.1	0.8	1.2	0.8	0.6	0.5	
.1	Chronic-----	2,264	1,396	868	1,274	818	122	50	1.1	1.4	0.8	1.5	0.9	1.0	0.4	
.9	Unspecified-----	894	505	389	479	362	26	27	0.4	0.5	0.4	0.6	0.4	0.2	0.2	
205	Myeloid leukemia-----	5,451	3,002	2,449	2,786	2,268	216	181	2.7	3.0	2.4	3.2	2.5	1.8	1.4	
.0	Acute-----	3,209	1,768	1,441	1,642	1,343	126	98	1.6	1.8	1.4	1.9	1.5	1.1	0.8	
.1	Chronic-----	1,532	837	695	766	631	71	64	0.8	0.8	0.7	0.9	0.7	0.6	0.5	
.9	Unspecified-----	710	397	313	378	294	19	19	0.4	0.4	0.3	0.4	0.3	0.2	0.1	
206	Monocytic leukemia-----	674	372	302	353	290	19	12	0.3	0.4	0.3	0.4	0.3	0.2	0.1	
.0	Acute-----	498	282	216	267	207	15	9	0.2	0.3	0.2	0.3	0.2	0.1	0.1	
.1	Chronic-----	15	3	12	3	12	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.9	Unspecified-----	161	87	74	83	71	4	3	0.1	0.1	0.1	0.1	0.1	0.0	0.0	
207	Other and unspecified leukemia-----	3,234	1,859	1,375	1,697	1,233	162	142	1.6	1.9	1.3	2.0	1.4	1.4	1.1	
.0	Leukemia, acute-----	1,837	1,058	779	970	712	88	67	0.9	1.1	0.8	1.1	0.8	0.7	0.5	
.1	Leukemia, chronic-----	122	56	66	51	60	5	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0	
.2	Erythremia, acute-----	111	76	35	68	30	8	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0	
.9	Leukemia, unspecified-----	1,184	669	495	608	431	61	64	0.6	0.7	0.5	0.7	0.5	0.5	0.5	
208	Polycythemia vera-----	619	343	276	325	270	18	6	0.3	0.3	0.3	0.4	0.3	0.2	0.0	
209	Myelofibrosis-----	669	377	292	350	277	27	15	0.3	0.4	0.3	0.4	0.3	0.2	0.1	
210-228	Benign neoplasms-----	1,916	740	1,176	637	953	103	223	0.9	0.8	1.1	0.7	1.1	0.9	1.7	
210	Benign neoplasms of buccal cavity and pharynx-----	14	4	10	3	9	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Lip-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Tongue-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	
.2	Salivary gland-----	9	4	5	3	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.3	Floor of mouth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Other and unspecified parts of mouth-----	4	-	4	-	3	-	1	0.0	-	0.0	-	0.0	-	0.0	
.5	Tonsil-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Other parts of oropharynx-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Nasopharynx-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Hypopharynx-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Pharynx, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
211	Benign neoplasms of other parts of digestive system-----	278	154	124	139	112	15	12	0.1	0.2	0.1	0.2	0.1	0.1	0.1	
.0	Esophagus-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
.1	Stomach-----	47	25	22	21	17	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Small intestine-----	23	11	12	8	11	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.3	Large intestine, except rectum-----	135	74	61	70	58	4	3	0.1	0.1	0.1	0.1	0.1	0.0	0.0	
.4	Rectum-----	30	17	13	15	12	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.5	Liver and biliary passages-----	17	14	3	14	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.6	Pancreas-----	12	7	5	7	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.7	Peritoneum and retroperitoneal tissue-----	9	4	5	2	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.9	Unspecified site-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
212	Benign neoplasms of respiratory system-----	68	42	26	36	24	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
.0	Nose, nasal cavities, middle ear, and accessory sinuses-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-	
.1	Larynx-----	8	6	2	2	2	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.2	Trachea-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.3	Bronchus and lung-----	43	25	18	24	16	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.4	Pleura-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.5	Mediastinum-----	7	5	2	4	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.9	Unspecified site-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	
213	Benign neoplasms of bone and cartilage-----	9	3	6	2	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
*.0	Exostosis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
*.1	Osteoma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.2	Chondroma, enchondroma, and myxochondroma-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-	
*.9	Other and unspecified-----	6	1	5	1	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Benign neoplasms--Con.														
227	Hemangioma and lymphangioma-----	84	50	34	40	28	10	6	0.0	0.1	0.0	0.0	0.0	0.1	0.0
*.0	Hemangioma (of skin)-----	15	7	8	6	8	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.1	Hemangioma of other sites-----	33	17	16	15	13	2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.2	Lymphangioma-----	36	26	10	19	7	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
228	Benign neoplasms of other and unspecified organs and tissues-----	54	30	24	29	19	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
230-239	Neoplasms of unspecified nature-----	2,761	1,424	1,337	1,262	1,158	162	179	1.4	1.4	1.3	1.5	1.3	1.4	1.4
230	Neoplasms of unspecified nature of digestive organs-----	272	127	145	110	131	17	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Esophagus-----	11	7	4	7	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Stomach-----	27	12	15	9	13	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Small intestine-----	14	6	8	6	7	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Large intestine, excluding rectum-----	86	31	55	25	55	6	-	0.0	0.0	0.1	0.0	0.1	0.1	-
.4	Rectum-----	4	2	2	2	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.5	Liver and biliary passages-----	59	31	28	26	27	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Pancreas-----	31	18	13	16	12	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.7	Peritoneum-----	19	12	7	11	4	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified site-----	21	8	13	8	10	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
231	Neoplasms of unspecified nature of respiratory organs-----	306	212	94	192	85	20	9	0.2	0.2	0.1	0.2	0.1	0.2	0.1
.0	Nose, nasal cavities, middle ear, and accessory sinuses-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Larynx-----	5	4	1	2	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Trachea-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Bronchus and lung-----	251	168	83	156	58	12	5	0.1	0.2	0.1	0.2	0.1	0.1	0.0
.4	Pleura-----	6	2	4	2	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.5	Mediastinum-----	53	32	21	26	18	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.9	Unspecified site-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
232	Neoplasms of unspecified nature of skin and musculoskeletal system-----	31	12	19	11	15	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Bone and cartilage-----	14	5	9	5	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Muscular and connective tissue-----	14	6	8	5	5	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Skin-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
233	Neoplasm of unspecified nature of breast-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
234	Neoplasm of unspecified nature of uterus-----	26	...	26	...	17	...	9	0.0	...	0.0	...	0.0	...	0.1
.0	Carcinoma <u>in situ</u> of cervix uteri-----	12	...	12	...	9	...	3	0.0	...	0.0	...	0.0	...	0.0
.1	Cervix uteri, other-----	4	...	4	...	2	...	2	0.0	...	0.0	...	0.0	...	0.0
.9	Other and unspecified part-----	10	...	10	...	6	...	4	0.0	...	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of ovary-----	15	...	15	...	12	...	3	0.0	...	0.0	...	0.0	...	0.0
236	Neoplasms of unspecified nature of other female genital organs-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
.0	Fallopian tube and broad ligaments-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Vagina-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Vulva-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.8	Other specified sites-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Unspecified site-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
237	Neoplasms of unspecified nature of other genitourinary organs-----	94	61	33	58	27	3	6	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.0	Testis-----	2	2	...	2	...	-	...	0.0	0.0	...	0.0	...	-	...
.1	Penis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Other and unspecified male genital organs-----	1	1	...	1	...	-	...	0.0	0.0	...	0.0	...	-	...
.3	Kidney, except pelvis-----	36	24	14	22	11	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Pelvis of kidney-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Ureter-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Bladder-----	51	32	19	31	16	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified urinary organs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 1. GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Neoplasms of unspecified nature--Con.														
238	Neoplasms of unspecified nature of eye, brain, and other parts of nervous system-----	1,769	921	848	617	743	104	105	0.9	0.9	0.8	0.9	0.8	0.9	0.8
.0	Eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Brain-----	1,710	892	818	794	719	98	99	0.8	0.9	0.8	0.9	0.8	0.8	0.8
.2	Cranial nerves (including optic nerve)-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Cerebral meninges-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Spinal cord-----	48	25	23	20	18	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Spinal meninges-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Peripheral nerves-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Sympathetic nervous system-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified site-----	7	2	5	1	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
239	Neoplasms of unspecified nature of other and unspecified organs-----	245	91	154	74	126	17	28	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.0	Buccal cavity and pharynx-----	16	8	8	7	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Endocrine glands-----	30	11	19	6	18	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified sites-----	199	72	127	59	102	13	25	0.1	0.1	0.1	0.1	0.1	0.1	0.2
	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES														
240-246	Diseases of thyroid gland-----	802	170	632	140	542	30	90	0.4	0.2	0.6	0.2	0.6	0.3	0.7
240	Simple goiter-----	25	1	24	1	18	-	6	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Endemic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Sporadic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	25	1	24	1	18	-	6	0.0	0.0	0.0	0.0	0.0	-	0.0
241	Nontoxic nodular goiter-----	19	3	16	2	13	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Endemic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Sporadic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	19	3	16	2	13	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
242	Thyrototoxicosis with or without goiter-----	366	75	291	56	230	19	61	0.2	0.1	0.3	0.1	0.3	0.2	0.5
.0	Toxic diffuse goiter-----	29	6	23	3	15	3	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.1	Toxic nodular goiter-----	21	2	19	2	18	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Thyrototoxicosis without mention of goiter-----	316	67	249	51	197	16	52	0.2	0.1	0.2	0.1	0.2	0.1	0.4
243	Cretinism of congenital origin-----	20	10	10	9	9	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
244	Myxedema-----	354	72	282	64	249	8	13	0.2	0.1	0.3	0.1	0.3	0.1	0.1
245	Thyroiditis-----	8	1	7	1	5	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
*.0	Acute-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.1	Chronic-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
*.9	Unspecified-----	4	1	3	1	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
246	Other diseases of thyroid gland-----	30	8	22	7	18	1	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
250-258	Diseases of other endocrine glands-----	39,894	16,301	23,593	14,126	19,675	2,175	3,918	19.8	16.6	22.8	16.3	21.7	16.2	30.4
250	Diabetes mellitus-----	38,541	15,689	22,852	13,618	19,050	2,071	3,802	19.1	15.9	22.1	15.7	21.0	17.3	29.5
*.0	With mention of acidosis or coma-----	5,592	1,379	2,213	1,007	1,620	372	593	1.8	1.4	2.1	1.2	1.8	3.1	4.6
*.9	Without mention of acidosis or coma-----	34,949	14,310	20,639	12,611	17,430	1,699	3,209	17.3	14.5	20.0	14.6	19.2	14.2	24.9
251	Disorders of pancreatic internal secretion other than diabetes mellitus-----	188	92	96	63	61	29	35	0.1	0.1	0.1	0.1	0.1	0.2	0.3
252	Diseases of parathyroid gland-----	79	30	49	24	43	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.0	Hyperparathyroidism-----	62	25	37	20	31	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Hypoparathyroidism-----	16	5	11	4	11	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Other and unspecified-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
253	Diseases of pituitary gland-----	224	112	112	97	93	15	19	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Anterior pituitary hyperfunction-----	18	7	11	7	10	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Anterior pituitary hypofunction-----	64	25	39	20	32	5	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.2	Chromophobe adenoma, pituitary-----	67	44	23	40	17	4	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified-----	75	36	39	30	34	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
254	Diseases of thymus gland-----	39	29	10	23	8	6	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	Diseases of other endocrine glands--Con.																
255	Diseases of adrenal glands-----	541	224	317	188	281	36	36	0.3	0.2	0.3	0.2	0.3	0.3	0.3	0.0	0.0
.0	Adrenal cortical hyperfunction-----	19	8	11	7	9	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Adrenal cortical hypofunction-----	199	61	138	52	125	9	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.2	Pheochromocytoma-----	47	22	25	20	22	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified-----	276	133	143	109	125	24	18	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.0	0.0
256	Ovarian dysfunction-----	13	...	13	...	10	...	3	0.0	...	0.0	...	0.0	...	0.0	...	0.0
.0	Hyperfunction-----	10	...	10	...	8	...	2	0.0	...	0.0	...	0.0	...	0.0	...	0.0
.1	Hypofunction-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-	...	-
.9	Other and unspecified-----	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0	...	0.0
257	Testicular dysfunction-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...	-	...
.0	Hyperfunction-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...	-	...
.1	Hypofunction-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...	-	...
.9	Other and unspecified-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...	-	...
258	Polyglandular dysfunction and other diseases of endocrine glands-----	269	125	144	113	129	12	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.0	Cushing's syndrome-----	44	14	30	13	27	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Polyglandular dysfunction-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-
.9	Other and unspecified diseases of endocrine system-----	223	110	113	99	101	11	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
260-269	Avitaminoses and other nutritional deficiencies-----	2,534	1,158	1,376	913	1,152	245	224	1.3	1.2	1.3	1.1	1.3	2.0	1.7		
260	Vitamin A deficiencies-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Night blindness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Xerophthalmia and keratomalacia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other manifestation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
261	Thiamine deficiency-----	10	5	5	4	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
262	Niacin deficiency-----	7	2	5	1	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
263	Other vitamin B deficiencies-----	21	14	7	13	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Ariboflavinosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Vitamin B ₆ deficiency-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	3	3	2	3	1	-	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified-----	16	11	5	10	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
264	Ascorbic acid deficiency-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	-	-	0.0	0.0
265	Vitamin D deficiencies-----	5	4	1	1	1	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Rickets, active-----	3	3	-	-	-	3	-	0.0	0.0	-	-	-	0.0	-	-	-
.1	Rickets, late effect-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Osteomalacia-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
266	Other vitamin deficiency states-----	16	6	10	2	8	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Vitamin K deficiency-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified-----	16	6	10	2	8	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
267	Protein malnutrition-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
268	Nutritional marasmus-----	541	242	299	199	256	43	45	0.3	0.2	0.3	0.2	0.3	0.4	0.3	0.0	0.0
269	Other nutritional deficiencies-----	1,929	883	1,046	691	871	192	175	1.0	0.9	1.0	0.8	1.0	1.6	1.4	0.0	0.0
.0	Sprue and steatorrhea-----	40	17	23	14	21	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Malabsorption syndrome, unspecified-----	109	56	53	50	46	6	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
.9	Other and unspecified-----	1,780	810	970	627	804	183	166	0.9	0.8	0.9	0.7	0.9	1.5	1.3	0.0	0.0
270-279	Other metabolic diseases-----	3,313	1,704	1,609	1,510	1,388	194	221	1.6	1.7	1.6	1.7	1.5	1.6	1.7		
270	Congenital disorders of amino-acid metabolism-----	36	22	14	21	14	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.0	Phenylketonuria-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.1	Cystinuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other disorders of amino-acid transport-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.3	Cystinosis-----	15	9	6	9	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.4	Maple syrup disease-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	-	-
.5	Disorders of purine and pyrimidine metabolism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Alkaptonuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	8	5	3	5	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
Other metabolic diseases--Con.															
271	Congenital disorders of carbohydrate metabolism-----	59	15	26	10	25	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Von Gierke's disease-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Other and unspecified glycogen storage diseases-----	28	9	19	7	16	2	3	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Galactosemia-----	5	1	4	1	4	-	-	0.0	0.0	0.0	0.0	0.0	0.0	
*.3	Fructosuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.8	Other-----	5	2	3	1	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
272	Congenital disorders of lipid metabolism-----	76	43	33	39	32	4	1	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Xanthomatosis-----	35	22	13	21	13	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
*.1	Familial lipoprotein deficiency disorders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.2	Lipid storage disorders-----	40	20	20	17	19	3	1	0.0	0.0	0.0	0.0	0.0	0.0	
*.9	Other and unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
273	Other and unspecified congenital disorders of metabolism-----	831	416	415	391	391	25	24	0.4	0.4	0.4	0.5	0.4	0.2	
.0	Cystic fibrosis-----	580	262	318	248	309	14	9	0.3	0.3	0.3	0.3	0.3	0.1	
.1	Disorders of porphyrin metabolism-----	22	7	15	7	10	-	5	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Hemochromatosis-----	106	83	23	78	22	5	1	0.1	0.1	0.0	0.1	0.0	0.0	
.3	Hepatolenticular degeneration-----	19	12	7	12	6	-	1	0.0	0.0	0.0	0.0	0.0	0.0	
.4	Other disorders involving metabolism of minerals-----	10	6	4	5	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	
.5	Defective bilirubin excretion-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	0.0	
.6	Disorders of steroid metabolism-----	8	6	2	6	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	
.8	Other-----	78	37	41	32	35	5	6	0.0	0.0	0.0	0.0	0.0	0.0	
.9	Unspecified-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	0.0	
274	Gout-----	301	234	67	185	57	49	10	0.1	0.2	0.1	0.2	0.1	0.4	
275	Plasma protein abnormalities-----	268	140	128	126	113	14	15	0.1	0.1	0.1	0.1	0.1	0.1	
.0	Agammaglobulinemia-----	22	14	8	13	6	1	2	0.0	0.0	0.0	0.0	0.0	0.0	
.1	Hypogammaglobulinemia-----	36	24	12	23	10	1	2	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Analbuminemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Bisalbuminemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Cryoglobulinemia-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	
.5	Macroglobulinemia-----	75	41	34	38	33	3	1	0.0	0.0	0.0	0.0	0.0	0.0	
.9	Other and unspecified-----	131	57	74	48	64	9	10	0.1	0.1	0.1	0.1	0.1	0.1	
276	Amyloidosis-----	280	152	68	133	57	19	11	0.1	0.2	0.1	0.2	0.1	0.2	
277	Obesity not specified as of endocrine origin-----	1,136	456	680	399	539	57	141	0.6	0.5	0.7	0.5	0.6	0.5	
278	Other hyperalimentation-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Hypervitaminosis A-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Carotinemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Hypervitaminosis D-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	5	3	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
279	Other and unspecified metabolic diseases-----	401	225	176	204	160	21	16	0.2	0.2	0.2	0.2	0.2	0.1	
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS															
280-289	Diseases of the blood and blood-forming organs-----	4,921	2,542	2,579	1,907	2,117	435	462	2.4	2.4	2.5	2.2	2.3	3.6	
280	Iron deficiency anemias-----	106	45	61	37	50	8	11	0.1	0.0	0.1	0.0	0.1	0.1	
281	Other deficiency anemias-----	456	189	267	173	252	16	15	0.2	0.2	0.3	0.2	0.3	0.1	
.0	Pernicious anemia-----	325	135	190	125	179	10	11	0.2	0.1	0.2	0.1	0.2	0.1	
.1	Other vitamin B12 deficiency anemias-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Folic acid deficiency anemia-----	31	11	20	9	19	2	1	0.0	0.0	0.0	0.0	0.0	0.0	
.3	Vitamin B6 deficiency anemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Protein deficiency anemia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified deficiency anemias-----	100	43	57	39	54	4	3	0.0	0.0	0.1	0.0	0.1	0.0	
282	Hereditary hemolytic anemias-----	614	303	311	96	122	207	189	0.3	0.3	0.3	0.1	0.1	1.7	
.0	Familial acholuric jaundice-----	10	6	4	6	4	-	-	0.0	0.0	0.0	0.0	0.0	-	
.1	Hereditary elliptocytosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Anemias due to glucose 6-phosphate dehydrogenase deficiency-----	2	1	1	-	-	1	1	0.0	0.0	0.0	-	-	0.0	
.3	Other hereditary nonspherocytic hemolytic anemias-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of the blood and blood-forming organs--Con.														
	Hereditary hemolytic anemias--Con.														
.4	Mediterranean anemia-----	22	9	13	7	11	2	2	0.0	0.0	0.0	0.0	0.0	0.0	
.5	Hemoglobinopathies-----	378	201	177	2	7	199	170	0.2	0.2	0.2	0.0	0.0	1.7	1.3
.9	Other-----	201	86	115	81	99	5	16	0.1	0.1	0.1	0.1	0.1	0.0	0.1
283	Acquired hemolytic anemias-----	126	56	70	51	59	5	11	0.1	0.1	0.1	0.1	0.1	0.0	0.1
.0	Acute-----	23	11	12	9	9	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other-----	103	45	58	42	50	3	8	0.1	0.0	0.1	0.0	0.1	0.0	0.1
284	Aplastic anemia-----	1,068	540	528	500	490	40	38	0.5	0.5	0.5	0.6	0.5	0.3	0.3
285	Other and unspecified anemias-----	948	422	526	354	433	68	93	0.5	0.4	0.5	0.4	0.5	0.6	0.7
.0	Hypochromic anemia with iron loading-----	23	17	6	17	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.8	Other specified anemias-----	8	3	5	3	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.9	Anemia, unspecified-----	917	402	515	334	423	68	92	0.5	0.4	0.5	0.4	0.5	0.6	0.7
286	Coagulation defects-----	354	194	160	160	133	34	27	0.2	0.2	0.2	0.2	0.1	0.3	0.2
.0	Hemophilia-----	47	45	2	36	2	9	-	0.0	0.0	0.0	0.0	0.0	0.1	-
.1	Christmas disease-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Plasma thromboplastin antecedent deficiency-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.3	Vascular hemophilia-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.4	Hemorrhagic fibrinolysis-----	12	5	7	4	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Circulating anticoagulants-----	2	-	2	-	2	-	-	0.0	-	0.0	-	0.0	-	-
.9	Other-----	285	139	144	118	119	23	25	0.1	0.1	0.1	0.1	0.1	0.2	0.2
287	Purpura and other hemorrhagic conditions-----	618	268	350	243	301	25	49	0.3	0.3	0.3	0.3	0.3	0.2	0.4
.0	Allergic purpura-----	74	38	36	28	35	10	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Thrombocytopenia-----	452	183	269	171	224	12	45	0.2	0.2	0.3	0.2	0.2	0.1	0.3
.2	Hemorrhagic thrombocythemia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.3	Thrombocytopathy-----	3	-	3	-	3	-	-	0.0	-	0.0	-	0.0	-	-
.9	Other and unspecified-----	86	46	42	43	39	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
288	Agranulocytosis-----	320	161	159	150	145	11	14	0.2	0.2	0.2	0.2	0.2	0.1	0.1
289	Other diseases of blood and blood-forming organs-----	311	164	147	143	132	21	15	0.2	0.2	0.1	0.2	0.1	0.2	0.1
.0	Polycythemia, secondary-----	12	8	4	6	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Chronic lymphadenitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Nonspecified mesenteric lymphadenitis-----	11	3	8	2	8	1	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Lymphadenitis, unspecified, except mesenteric-----	7	1	6	1	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.4	Hypersplenism-----	25	9	16	9	15	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.5	Other diseases of spleen-----	108	65	43	58	40	7	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.9	Other and unspecified-----	148	78	70	67	60	11	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	V. MENTAL DISORDERS														
290-299	Psychoses-----	1,311	853	458	699	408	154	50	0.6	0.9	0.4	0.8	0.5	1.3	0.4
290	Senile and presenile dementias-----	427	165	262	155	245	10	17	0.2	0.2	0.3	0.2	0.3	0.1	0.1
.0	Senile dementia-----	253	96	157	89	147	7	10	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.1	Presenile dementia-----	174	69	105	66	98	3	7	0.1	0.1	0.1	0.1	0.1	0.0	0.1
291	Alcoholic psychoses-----	638	574	64	440	46	134	18	0.3	0.6	0.1	0.5	0.1	1.1	0.1
.0	Delirium tremens-----	603	549	54	417	37	132	17	0.3	0.6	0.1	0.5	0.0	1.1	0.1
.1	Korsakov's psychosis (alcoholic)-----	19	14	5	13	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Other alcoholic hallucinosis-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.3	Alcoholic paranoia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	13	10	3	9	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
294	Psychoses associated with other physical conditions-----	8	6	2	5	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.4	Childbirth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified physical condition-----	8	6	2	5	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
295	Schizophrenia-----	89	41	48	37	41	4	7	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.0	Simple type-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.1	Hebephrenic type-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Catatonic type-----	27	12	15	11	12	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Paranoid type-----	16	6	10	5	9	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Acute schizophrenia episode-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Latent schizophrenia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Psychoses--Con.														
	Schizophrenia--Con.														
.6	Residual schizophrenia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Schizoaffective type-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other-----	18	7	9	5	9	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.9	Unspecified type-----	25	13	12	13	9	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
296	Affective psychoses-----	35	13	22	13	21	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Involuntal melancholia-----	6	2	4	2	4	-	0.0	0.0	0.0	0.0	0.0	-	0.0	
.1	Manic-depressive psychosis, manic type-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	0.0	
.2	Manic-depressive psychosis, depressed type-----	20	9	11	9	10	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.3	Manic-depressive psychosis, circular type-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	8	1	7	1	7	-	0.0	0.0	0.0	0.0	0.0	-	-	
297	Paranoid states-----	5	2	3	2	3	-	0.0	0.0	0.0	0.0	0.0	-	-	
.0	Paranoia-----	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	-	-	
.1	Involuntal paraphrenia-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
.9	Other-----	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	-	-	
298	Other psychoses-----	13	3	10	3	9	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.0	Reactive depressive psychosis-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
.1	Reactive excitation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Reactive confusion-----	12	3	9	3	8	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.3	Acute paranoid reaction-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Reactive psychosis, unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
299	Unspecified psychosis-----	98	49	47	44	41	5	0.0	0.0	0.0	0.1	0.0	0.0	0.0	
300-309	Neuroses, personality disorders, and other nonpsychotic mental disorders-----	5,167	3,777	1,390	2,684	1,013	1,093	2.6	3.8	1.3	3.1	1.1	9.1	2.9	
300	Neuroses-----	14	7	7	7	6	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.0	Anxiety neurosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Hysterical neurosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Phobic neurosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Obsessive-compulsive neurosis-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
.4	Depressive neurosis-----	8	6	2	6	1	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.5	Neurasthenia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Depersonalization syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Hypochondriacal neurosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified neurosis-----	5	1	4	1	4	-	0.0	0.0	0.0	0.0	0.0	-	-	
301	Personality disorders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Paranoid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Affective-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Schizoid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Explosive-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Anankastic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Hysterical-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Asthenic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Antisocial-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
302	Sexual deviations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Homosexuality-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Fetishism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Pedophilia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Transvestitism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Exhibitionism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.5	Voyeurism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.6	Sadism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.7	Masochism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.8	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Neuroses, personality disorders, and other nonpsychotic mental disorders--Con.																
305	Alcoholism-----	3,980	3,090	890	2,198	585	892	305	2.0	3.1	0.9	2.5	0.6	7.5	2.4		
.0	Episodic excessive drinking-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Habitual excessive drinking-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-		
.2	Alcoholic addiction-----	2,008	1,588	420	1,149	283	439	137	1.0	1.6	0.4	1.3	0.3	3.7	1.1		
.9	Other and unspecified alcoholism-----	1,970	1,501	469	1,049	301	452	168	1.0	1.5	0.5	1.2	0.3	3.8	1.3		
304	Drug dependence-----	337	269	68	114	31	155	37	0.2	0.3	0.1	0.1	0.0	1.3	0.3		
.0	Opium, opium alkaloids, and their derivatives-----	51	41	10	14	3	27	7	0.0	0.0	0.0	0.0	0.0	0.2	0.1		
.1	Synthetic analgesics with morphinalike effects-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.2	Barbiturates-----	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.3	Other hypnotics and sedatives or tranquilizers-----	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0		
.4	Cocaine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Cannabis sativa-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.6	Other psychostimulants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.7	Hallucinogenics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Other-----	13	9	4	7	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Unspecified-----	260	213	47	87	19	126	28	0.1	0.2	0.0	0.1	0.0	1.1	0.2		
305	Physical disorders of presumably psychogenic origin-----	11	8	3	8	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.0	Skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Musculoskeletal-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.2	Respiratory-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Cardiovascular-----	7	6	1	6	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.4	Hemic and lymphatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Gastrointestinal-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.6	Genitourinary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.7	Endocrine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Organs of special sense-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
306	Special symptoms not elsewhere classifiable-----	62	18	44	17	43	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Stammering and stuttering-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Specific learning disturbances-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Tics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Other psychomotor disorders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Specific disorders of sleep-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.5	Feeding disturbances-----	58	17	41	16	40	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.6	Emuresis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.7	Encopresis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	Cephalalgia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Other-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
307	Transient situational disturbances-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
308	Behavior disorders of childhood-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
309	Mental disorders not specified as psychotic associated with physical conditions-----	763	585	378	340	345	45	33	0.4	0.4	0.4	0.4	0.4	0.4	0.3		
310-315	Mental retardation-----	244	128	116	103	104	25	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1		
310	Borderline mental retardation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
311	Mild mental retardation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Mental retardation--Con.														
312	Moderate mental retardation-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
313	Severe mental retardation-----	67	56	31	33	29	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	67	56	31	33	29	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
314	Profound mental retardation-----	18	5	13	4	13	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	18	5	13	4	13	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
315	Unspecified mental retardation-----	158	66	72	65	62	21	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Following infections and intoxications-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	With psychosocial (environmental) deprivation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	158	66	72	65	62	21	10	0.1	0.1	0.1	0.1	0.1	0.2	0.1
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS														
320-324	Inflammatory diseases of central nervous system-----	2,612	1,523	1,089	1,135	787	388	302	1.3	1.5	1.1	1.3	0.9	3.2	2.3
320	Meningitis-----	1,719	1,001	718	714	484	287	234	0.9	1.0	0.7	0.8	0.5	2.4	1.8
.0	H. influenzae-----	212	124	88	102	71	22	17	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.1	Pneumococcus-----	366	200	166	138	118	62	48	0.2	0.2	0.2	0.2	0.1	0.5	0.4
.8	Due to other specified organisms-----	170	97	79	89	57	22	22	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.9	With no organism specified as cause-----	971	586	385	405	238	181	147	0.5	0.6	0.4	0.5	0.3	1.5	1.1
321	Phlebitis and thrombophlebitis of intracranial venous sinuses-----	55	26	29	20	23	6	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
322	Intracranial and intraspinal abscesses-----	345	226	119	177	99	49	20	0.2	0.2	0.1	0.2	0.1	0.4	0.2
323	Encephalitis, myelitis, and encephalomyelitis-----	389	205	184	188	151	37	33	0.2	0.2	0.2	0.2	0.2	0.3	0.3
324	Late effects of intracranial abscess or pyogenic infection-----	104	65	39	56	30	9	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1
330-335	Hereditary and familial diseases of nervous system-----	1,066	704	362	653	334	51	28	0.5	0.7	0.3	0.8	0.4	0.4	0.2
330	Hereditary neuromuscular disorders-----	694	503	191	469	171	34	20	0.3	0.5	0.2	0.5	0.2	0.3	0.2
.0	Neuropathic muscular atrophy-----	8	4	4	3	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Familial progressive spinal muscular atrophy-----	91	49	42	44	37	5	5	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.2	Amyotonia congenita-----	54	25	29	24	27	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Progressive muscular dystrophy-----	121	95	26	88	23	7	3	0.1	0.1	0.0	0.1	0.0	0.1	0.0
*.4	Myotonia atrophica-----	414	326	68	307	79	19	9	0.2	0.3	0.1	0.4	0.1	0.2	0.1
*.9	Other-----	6	4	2	3	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
331	Hereditary diseases of the striatopallidal system-----	215	116	99	110	96	6	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.0	Hereditary chorea-----	210	115	95	109	92	6	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.1	Dystonia musculorum deformans-----	1	-	1	1	1	-	-	0.0	-	0.0	-	0.0	-	-
.2	Progressive familial myoclonic epilepsy-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Other-----	3	-	3	3	-	-	-	0.0	-	0.0	-	0.0	-	-
332	Hereditary ataxia-----	32	12	20	11	18	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Hereditary spinal ataxia-----	26	11	15	10	15	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Hereditary cerebellar ataxia-----	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.9	Other and unspecified-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
333	Other hereditary and familial diseases of nervous system-----	125	73	52	63	40	10	3	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.0	Anaurotic family idiocy-----	26	12	14	12	13	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Progressive cerebral leukodystrophy-----	49	27	22	22	21	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified-----	50	34	16	29	15	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
340-349	Other diseases of central nervous system-----	12,605	6,797	5,808	5,841	5,258	956	550	6.2	6.9	5.6	6.8	5.8	8.0	4.3
340	Multiple sclerosis-----	1,572	611	961	571	905	40	56	0.8	0.6	0.9	0.7	1.0	0.3	0.4
341	Other demyelinating diseases of central nervous system-----	724	320	404	300	384	20	20	0.4	0.3	0.4	0.3	0.4	0.2	0.2
342	Paralysis agitans-----	3,208	1,732	1,476	1,679	1,436	53	40	1.6	1.8	1.4	1.9	1.6	0.4	0.3

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other diseases of central nervous system--Con.														
343	Cerebral spastic infantile paralysis-----	626	353	273	288	226	65	47	0.3	0.4	0.3	0.3	0.2	0.5	0.4
*.0	Spastic hemiplegia-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.1	Other spastic paralyses-----	146	84	62	70	50	14	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
*.2	Athetoid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Other and unspecified-----	478	269	210	218	175	51	35	0.2	0.3	0.2	0.3	0.2	0.4	0.3
344	Other cerebral paralyses-----	811	483	328	403	275	80	53	0.4	0.5	0.3	0.5	0.3	0.7	0.4
*.0	Monoplegia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.1	Hemiplegia-----	296	158	138	135	115	23	23	0.1	0.2	0.1	0.2	0.1	0.2	0.2
*.2	Paraplegia-----	147	90	57	69	45	21	12	0.1	0.1	0.1	0.1	0.0	0.2	0.1
*.3	Quadriplegia-----	98	73	25	53	16	20	9	0.0	0.1	0.0	0.1	0.0	0.2	0.1
*.9	Other and unspecified-----	269	161	108	145	99	16	9	0.1	0.2	0.1	0.2	0.1	0.1	0.1
345	Epilepsy-----	2,041	1,239	802	817	611	422	191	1.0	1.3	0.8	0.9	0.7	3.5	1.5
.0	Generalized nonconvulsive-----	15	9	6	8	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Generalized convulsive-----	439	267	172	185	127	82	45	0.2	0.3	0.2	0.2	0.1	0.7	0.3
.2	Status epilepticus-----	601	354	247	231	182	123	65	0.3	0.4	0.2	0.3	0.2	1.0	0.5
*.3	Partial (focalized), temporal lobe or psychomotor type-----	6	2	4	1	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.4	Partial (focalized), motor type-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.5	Partial (focalized), other and unspecified type-----	11	9	2	7	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified-----	968	597	371	384	291	213	80	0.5	0.6	0.4	0.4	0.3	1.8	0.6
346	Migraine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
347	Other diseases of brain-----	1,794	998	796	811	700	187	96	0.9	1.0	0.8	0.9	0.8	1.6	0.7
.0	Catalepsy and narcolepsy-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
*.1	Cerebral and cortical atrophy-----	308	160	148	138	136	22	12	0.2	0.2	0.1	0.2	0.2	0.2	0.1
*.9	Other and unspecified-----	1,484	836	648	672	564	164	84	0.7	0.8	0.6	0.8	0.6	1.4	0.7
348	Motor neurone diseases-----	1,640	942	698	870	661	72	37	0.8	1.0	0.7	1.0	0.7	0.6	0.3
.0	Amyotrophic lateral sclerosis-----	1,441	839	602	777	572	62	30	0.7	0.9	0.6	0.9	0.6	0.5	0.2
.1	Progressive bulbar palsy-----	84	34	50	32	47	2	3	0.0	0.0	0.0	0.0	0.1	0.0	0.0
.2	Other progressive muscular atrophy-----	80	49	31	46	28	3	3	0.0	0.0	0.0	0.1	0.0	0.0	0.0
.9	Other and unspecified manifestations-----	35	20	15	15	14	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
349	Other diseases of spinal cord-----	189	119	70	102	60	17	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Syringomyelia and syringobulbia-----	47	25	22	21	19	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.1	Spinal paralysis, monoplegic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Spinal paralysis, hemiplegic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.3	Spinal paralysis, paraplegic-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.4	Spinal paralysis, quadriplegic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Spinal paralysis, other and unspecified-----	19	10	9	8	9	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.6	Compression, old, or not specified as traumatic-----	13	11	2	11	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.9	Other and unspecified-----	109	73	36	62	30	11	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0
350-358	Diseases of nerves and peripheral ganglia-----	342	202	140	180	117	22	23	0.2	0.2	0.1	0.2	0.1	0.2	0.2
350	Facial paralysis-----	7	4	3	4	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
351	Trigeminal neuralgia-----	10	-	10	-	10	-	-	0.0	-	0.0	-	0.0	-	-
352	Braohial neuritis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
353	Sciatica-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
354	Polymeuritis and polyradiculitis-----	229	139	90	125	74	14	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
355	Other and unspecified forms of neuralgia and neuritis-----	24	15	9	14	6	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.0	Cranial not elsewhere classifiable-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
*.1	Spinal not elsewhere classifiable-----	4	2	2	2	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.9	Other and unspecified-----	19	13	6	12	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
356	Other diseases of cranial nerves-----	11	5	6	5	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
357	Other diseases of peripheral nerves except autonomic-----	54	36	18	30	15	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
*.0	Cervical and brachial plexus-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.1	Acillary nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Median nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.3	Ulnar nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Other and unspecified-----	53	35	18	29	15	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of nerves and peripheral ganglia--Con.														
356	Diseases of peripheral autonomic nervous system-----	5	2	3	1	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.0	Horner's syndrome-----	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	-	-	
*.1	Carotid sinus syndrome-----	2	1	1	-	1	1	0.0	0.0	0.0	-	0.0	0.0	-	
*.9	Other and unspecified-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
360-369	Inflammatory diseases of eye-----	10	6	4	5	4	1	0.0	0.0	0.0	0.0	0.0	0.0	-	
360	Conjunctivitis and ophthalmia-----	1	1	-	-	-	1	0.0	0.0	-	-	-	0.0	-	
361	Blepharitis-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
362	Hordeolum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
363	Keratitis-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
.0	With ulceration-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
.9	Without mention of ulcer-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
364	Iritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
365	Choroiditis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
366	Other inflammation of uveal tract-----	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	-	-	
367	Inflammation of optic nerve and retina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
368	Inflammation of lacrimal glands and ducts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
369	Other inflammatory diseases of eye-----	5	3	2	3	2	-	0.0	0.0	0.0	0.0	0.0	-	-	
*.0	Abscess and cellulitis of orbit-----	5	3	2	3	2	-	0.0	0.0	0.0	0.0	0.0	-	-	
*.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
370-379	Other diseases and conditions of eye-----	73	32	41	29	34	3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
370	Refractive errors-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.0	Myopia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.1	Hyperopia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.2	Presbyopia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.3	Astigmatism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
371	Corneal opacity-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.0	Postoperative-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
372	Pterygium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
373	Strabismus-----	4	2	2	2	2	-	0.0	0.0	0.0	0.0	0.0	-	-	
*.0	Esotropia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.1	Exotropia-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
*.2	Hypertropia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Other and unspecified-----	3	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	-	-	
374	Cataract-----	43	17	26	17	21	5	0.0	0.0	0.0	0.0	0.0	-	0.0	
*.0	Traumatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.1	Secondary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.8	Other specified type, excluding senile-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Senile and unspecified type-----	43	17	26	17	21	5	0.0	0.0	0.0	0.0	0.0	-	0.0	
375	Glaucoma-----	9	5	4	3	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Primary, acute-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Chronic (primary)-----	1	1	-	-	-	1	0.0	0.0	-	-	-	0.0	-	
.2	Secondary-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified-----	8	4	4	3	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
376	Detachment of retina-----	3	1	2	-	2	1	0.0	0.0	0.0	-	0.0	0.0	-	
377	Other diseases of retina and optic nerve-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
.0	Vascular lesions of retina-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
.1	Degeneration of retina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Amblyopia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Color blindness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.4	Other diseases of retina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.5	Papilledema-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.6	Other diseases of optic nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other diseases and conditions of eye--Con.														
378	Other diseases of eye-----	7	3	4	3	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	Chalazion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Trichiasis and entropion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Other diseases of eyelid-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.3	Diseases of conjunctiva and lacrimal tract not elsewhere classifiable-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.4	Diseases of cornea not elsewhere classifiable-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.5	Prolapse of iris-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.6	Other diseases of iris, choroid, and uveal tract-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.7	Aphakia, acquired-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.8	Other diseases of lens-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Diseases of eyeball, ocular muscle, and orbit not elsewhere classifiable-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
379	Blindness-----	6	3	3	3	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Blindness, both eyes, specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Blindness, both eyes, not specifically defined-----	6	3	3	3	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Blindness, one eye, specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Blindness, one eye, not specifically defined-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
380-389	Diseases of ear and mastoid process-----	215	112	101	96	79	16	22	0.1	0.1	0.1	0.1	0.1	0.1	0.2
380	Otitis externa-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
381	Otitis media without mention of mastoiditis-----	139	69	70	58	54	11	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Acute-----	11	5	6	4	4	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Chronic-----	26	10	16	9	15	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified-----	102	54	48	45	35	9	13	0.1	0.1	0.0	0.1	0.0	0.1	0.1
382	Otitis media with mastoiditis-----	22	11	11	10	6	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Chronic-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Unspecified-----	14	7	7	6	5	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
383	Mastoiditis without mention of otitis media-----	31	21	10	18	9	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acute-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Chronic-----	11	7	4	8	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified-----	18	13	5	11	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
384	Other inflammatory diseases of ear-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.0	Labyrinthitis-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
385	Ménière's disease-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
386	Otosclerosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
387	Other diseases of ear and mastoid process-----	9	5	4	4	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Cholesteatoma of ear-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Wax in ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Perforation tympanic membrane, nontraumatic-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.9	Other-----	2	1	1	-	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
388	Deaf mutism-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
389	Other deafness-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Deafness, both ears-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Deafness in one ear and partial deafness in other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Deafness, one ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Impairment of hearing, one or both ears-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	VII. DISEASES OF THE CIRCULATORY SYSTEM														
390-392	Active rheumatic fever-----	320	168	152	137	111	31	41	0.2	0.2	0.1	0.2	0.1	0.3	0.3
390	Rheumatic fever without mention of heart involvement-----	28	12	16	9	12	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
391	Rheumatic fever with heart involvement-----	287	153	134	126	97	28	37	0.1	0.2	0.1	0.1	0.1	0.2	0.3
.0	Active rheumatic pericarditis-----	162	89	73	76	61	13	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Active rheumatic endocarditis-----	15	9	6	8	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Active rheumatic myocarditis-----	12	3	9	1	3	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other active rheumatic heart disease-----	98	52	46	40	28	12	18	0.0	0.1	0.0	0.0	0.0	0.1	0.1

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Active rheumatic fever--Con.														
392	Chorea-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.0	With heart involvement-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Without mention of heart involvement-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
393-398	Chronic rheumatic heart disease-----	15,112	6,904	8,208	6,297	7,507	607	701	7.5	7.0	7.9	7.3	8.3	5.1	5.4
393	Diseases of pericardium-----	76	50	26	40	25	10	1	0.0	0.1	0.0	0.0	0.0	0.1	0.0
394	Diseases of mitral valve-----	3,978	1,439	2,539	1,329	2,346	110	193	2.0	1.5	2.5	1.5	2.6	0.9	1.5
.0	Specified as rheumatic-----	2,726	906	1,820	847	1,703	59	117	1.4	0.9	1.8	1.0	1.9	0.5	0.9
.9	Not specified as rheumatic-----	1,252	533	719	482	643	51	76	0.6	0.5	0.7	0.6	0.7	0.4	0.6
395	Diseases of aortic valve-----	3,895	2,527	1,368	2,296	1,226	231	142	1.9	2.6	1.3	2.7	1.4	1.9	1.1
.0	Specified as rheumatic-----	1,332	841	491	776	452	65	39	0.7	0.9	0.5	0.9	0.5	0.5	0.3
.9	Not specified as rheumatic-----	2,563	1,686	877	1,520	774	166	103	1.3	1.7	0.8	1.8	0.9	1.4	0.8
396	Diseases of mitral and aortic valves-----	1,320	656	664	598	618	58	46	0.7	0.7	0.6	0.7	0.7	0.5	0.4
.0	Specified as rheumatic-----	1,004	485	519	444	490	41	29	0.5	0.5	0.5	0.5	0.5	0.3	0.2
.9	Not specified as rheumatic-----	316	171	145	154	128	17	17	0.2	0.2	0.1	0.2	0.1	0.1	0.1
397	Diseases of other endocardial structures-----	709	272	437	253	412	19	25	0.4	0.3	0.4	0.3	0.5	0.2	0.2
*.0	Of tricuspid valve-----	42	20	22	15	19	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Of other and unspecified endocardial structures, specified as rheumatic-----	667	252	415	238	393	14	22	0.3	0.3	0.4	0.3	0.4	0.1	0.2
398	Other heart disease specified as rheumatic-----	5,134	1,960	3,174	1,761	2,660	179	294	2.5	2.0	3.1	2.1	3.2	1.5	2.3
400-404	Hypertensive disease-----	24,712	11,499	13,213	8,894	10,509	2,605	2,704	12.2	11.7	12.8	10.3	11.6	21.8	21.0
400	Malignant hypertension-----	1,496	789	707	403	364	386	343	0.7	0.8	0.7	0.5	0.4	3.2	2.7
.0	Without mention of organ damage-----	113	65	48	20	21	45	27	0.1	0.1	0.0	0.0	0.0	0.4	0.2
.1	With heart involvement-----	88	47	41	19	27	28	14	0.0	0.0	0.0	0.0	0.0	0.2	0.1
.2	With cerebrovascular involvement-----	530	241	289	170	182	71	107	0.3	0.2	0.3	0.2	0.2	0.6	0.8
.3	With renal involvement-----	437	257	180	98	64	159	116	0.2	0.3	0.2	0.1	0.1	1.3	0.9
.9	With multiple organ involvement-----	328	179	149	96	70	85	79	0.2	0.2	0.1	0.1	0.1	0.7	0.6
401	Essential benign hypertension-----	1,172	456	716	349	565	107	151	0.6	0.5	0.7	0.4	0.6	0.9	1.2
402	Hypertensive heart disease-----	8,776	3,731	5,245	2,779	4,087	952	1,158	4.4	3.8	5.1	3.2	4.5	8.0	9.0
403	Hypertensive renal disease-----	5,758	3,092	2,666	2,536	2,203	556	463	2.9	3.1	2.6	2.9	2.4	4.6	3.6
404	Hypertensive heart and renal disease-----	7,310	3,431	3,879	2,827	3,290	604	589	3.6	3.5	3.8	3.3	3.6	5.0	4.6
410-413	Ischemic heart disease-----	669,829	386,771	283,058	354,886	256,692	31,865	26,366	331.7	392.7	273.6	410.2	283.4	266.5	204.8
410	Acute myocardial infarction-----	361,583	230,544	131,039	215,588	120,237	14,956	10,802	179.1	234.1	126.7	249.2	132.8	125.0	85.9
.0	With hypertensive disease-----	31,377	15,891	15,486	14,332	13,589	1,759	1,897	15.5	16.1	15.0	16.3	15.0	14.7	14.7
.9	Without mention of hypertensive disease-----	330,206	214,653	115,553	201,456	106,648	13,197	8,905	163.5	218.0	111.7	232.9	117.8	110.3	69.2
411	Other acute and subacute forms of ischemic heart disease-----	4,677	2,907	1,770	2,456	1,455	451	315	2.3	3.0	1.7	2.8	1.6	3.8	2.4
.0	With hypertensive disease-----	283	129	154	103	129	21	25	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.9	Without mention of hypertensive disease-----	4,394	2,778	1,616	2,348	1,326	430	290	2.2	2.8	1.6	2.7	1.5	3.6	2.3
412	Chronic ischemic heart disease-----	303,362	153,195	150,167	156,727	134,926	16,468	15,241	150.2	155.6	145.2	158.0	149.0	157.6	118.4
*.1	Chronic ischemic heart disease with or without cardiovascular disease with hypertensive disease-----	19,884	8,483	11,401	7,323	10,076	1,155	1,325	9.8	8.6	11.0	8.5	11.1	9.7	10.3
*.2	Cardiovascular disease without mention of chronic ischemic heart disease with hypertensive disease-----	23,486	10,195	13,291	7,078	9,647	3,117	3,644	11.6	10.4	12.8	8.2	10.7	26.0	28.3
*.3	Chronic ischemic heart disease with or without cardiovascular disease without mention of hypertensive disease-----	215,923	112,847	103,076	103,270	95,146	9,577	7,930	106.9	114.6	99.6	119.4	105.1	80.0	61.6
*.4	Cardiovascular disease without mention of chronic ischemic heart disease without mention of hypertensive disease-----	44,069	21,670	22,399	19,051	20,057	2,619	2,342	21.8	22.0	21.7	22.0	22.1	21.9	18.2
413	Angina pectoris-----	207	125	82	115	74	10	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	With hypertensive disease-----	43	16	27	15	25	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Without mention of hypertensive disease-----	164	109	55	100	49	9	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
420-429	Other forms of heart disease-----	37,718	20,840	16,878	17,098	13,976	3,742	2,902	18.7	21.2	16.3	19.8	15.4	31.3	22.5
420	Acute pericarditis, nonrheumatic-----	66	37	29	31	24	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
421	Acute and subacute endocarditis-----	588	380	208	305	167	75	41	0.3	0.4	0.2	0.4	0.2	0.6	0.3
.0	Acute and subacute bacterial endocarditis-----	563	364	199	295	161	69	38	0.3	0.4	0.2	0.3	0.2	0.6	0.3
.9	Other acute endocarditis-----	25	16	9	10	6	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
422	Acute myocarditis-----	527	282	245	239	192	43	53	0.3	0.3	0.2	0.3	0.2	0.4	0.4
423	Chronic disease of pericardium, nonrheumatic-----	466	304	194	240	157	64	37	0.2	0.3	0.2	0.3	0.2	0.5	0.3
424	Chronic disease of endocardium-----	1,282	590	672	518	592	72	80	0.6	0.6	0.6	0.6	0.7	0.6	0.6
.0	Of mitral valve, nonrheumatic-----	70	28	42	27	36	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Of aortic valve, nonrheumatic-----	237	151	106	120	97	11	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.9	Of other endocardial structures-----	955	431	524	371	459	60	65	0.5	0.4	0.5	0.4	0.5	0.5	0.5
425	Cardiomyopathy-----	1,140	784	356	556	255	228	101	0.6	0.8	0.3	0.6	0.3	1.9	0.8
426	Pulmonary heart disease-----	1,279	711	568	619	498	92	70	0.6	0.7	0.5	0.7	0.5	0.8	0.5
427	Symptomatic heart disease-----	18,686	9,665	9,021	8,041	7,554	1,624	1,467	9.3	9.8	8.7	9.3	8.3	13.6	11.4
.0	Congestive heart failure-----	11,007	5,521	5,486	4,583	4,611	938	875	5.5	5.6	5.3	5.3	5.1	7.8	6.8
.1	Left ventricular failure-----	381	204	177	174	154	30	23	0.2	0.2	0.2	0.2	0.2	0.3	0.2
*.2	Cardiac arrest not otherwise specified-----	4,367	2,460	1,907	1,978	1,491	482	416	2.2	2.5	1.8	2.3	1.6	4.0	3.2
*.3	Other heart block-----	540	297	243	266	221	31	22	0.3	0.3	0.2	0.3	0.2	0.3	0.2
*.4	Atrial fibrillation or flutter-----	1,118	515	603	467	549	48	54	0.6	0.5	0.6	0.5	0.6	0.4	0.4
*.5	Paroxysmal tachycardia (atrial)-----	68	40	28	39	23	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.6	Ventricular fibrillation or flutter-----	542	283	259	239	231	44	28	0.3	0.3	0.3	0.3	0.3	0.4	0.2
*.9	Other and unspecified disorders of heart rhythm-----	663	345	318	295	274	50	44	0.3	0.4	0.3	0.3	0.3	0.4	0.3
428	Other myocardial insufficiency-----	6,213	3,097	3,116	2,644	2,736	453	380	3.1	3.1	3.0	3.1	3.0	3.8	3.0
429	Ill-defined heart disease-----	7,459	4,990	2,469	3,905	1,801	1,085	668	3.7	5.1	2.4	4.5	2.0	9.1	5.2
.0	Cardiac enlargement and hypertrophy-----	406	263	143	183	110	80	35	0.2	0.3	0.1	0.2	0.1	0.7	0.3
*.9	Other and unspecified heart disease-----	7,053	4,727	2,326	3,722	1,691	1,005	635	3.5	4.8	2.2	4.3	1.9	8.4	4.9
430-438	Cerebrovascular diseases-----	207,179	94,227	112,952	81,635	99,189	12,892	13,765	102.6	95.7	109.2	94.4	109.5	105.2	106.9
430	Subarachnoid hemorrhage-----	9,193	3,915	5,278	3,228	4,333	687	945	4.6	4.0	5.1	3.7	4.8	5.7	7.3
.0	With hypertension (benign)-----	1,361	570	791	422	567	148	224	0.7	0.6	0.8	0.5	0.6	1.2	1.7
.9	Without mention of hypertension-----	7,832	3,345	4,487	2,806	3,766	539	721	3.9	3.4	4.3	3.2	4.2	4.5	5.6
431	Cerebral hemorrhage-----	43,303	20,424	22,879	17,171	19,623	3,253	3,256	21.4	20.7	22.1	19.8	21.7	27.2	25.3
.0	With hypertension (benign)-----	11,846	5,297	6,549	4,111	5,167	1,186	1,382	5.9	5.4	6.3	4.8	5.7	9.9	10.7
.9	Without mention of hypertension-----	31,457	15,127	16,330	13,060	14,456	2,067	1,874	15.6	15.4	15.8	15.1	16.0	17.3	14.6
432	Occlusion of precerebral arteries-----	3,166	1,827	1,341	1,654	1,244	173	97	1.6	1.9	1.3	1.9	1.4	1.4	0.8
.0	With hypertension (benign)-----	210	121	89	96	80	25	9	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.9	Without mention of hypertension-----	2,956	1,706	1,252	1,558	1,164	148	88	1.5	1.7	1.2	1.8	1.3	1.2	0.7
433	Cerebral thrombosis-----	58,748	26,364	32,384	23,478	29,268	2,886	3,116	29.1	26.8	31.3	27.1	32.3	24.1	24.2
.0	With hypertension (benign)-----	3,619	1,430	2,189	1,149	1,832	281	357	1.8	1.5	2.1	1.3	2.0	2.3	2.8
.9	Without mention of hypertension-----	55,129	24,934	30,195	22,329	27,436	2,605	2,759	27.3	25.3	29.2	25.8	30.3	21.8	21.4
434	Cerebral embolism-----	1,005	417	588	378	545	39	43	0.5	0.4	0.6	0.4	0.6	0.3	0.3
.0	With hypertension (benign)-----	61	23	38	21	32	2	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Without mention of hypertension-----	944	394	550	357	513	37	37	0.5	0.4	0.5	0.4	0.6	0.3	0.3
435	Transient cerebral ischemia-----	63	26	37	22	35	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	With hypertension (benign)-----	3	-	3	-	2	-	1	0.0	-	0.0	-	0.0	-	0.0
.9	Without mention of hypertension-----	60	26	34	22	33	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
436	Acute but ill-defined cerebrovascular disease-----	56,882	26,132	30,750	21,965	25,955	4,167	4,795	28.2	26.5	29.7	25.4	28.7	34.8	37.2
.0	With hypertension (benign)-----	7,734	3,180	4,554	2,396	3,447	784	1,107	3.8	3.2	4.4	2.8	3.8	6.6	8.6
.9	Without mention of hypertension-----	49,148	22,952	26,196	19,569	22,508	3,383	3,688	24.3	23.3	25.3	22.6	24.9	28.3	28.6
437	Generalized ischemic cerebrovascular disease-----	31,896	13,688	18,208	12,516	16,886	1,172	1,322	15.8	13.9	17.6	14.5	18.6	9.8	10.3
.0	With hypertension (benign)-----	1,448	542	906	450	798	92	108	0.7	0.6	0.9	0.5	0.9	0.8	0.8
.9	Without mention of hypertension-----	30,448	13,146	17,302	12,066	16,088	1,080	1,214	15.1	13.3	16.7	13.9	17.8	9.0	9.4
438	Other and ill-defined cerebrovascular diseases-----	2,921	1,434	1,487	1,223	1,300	211	187	1.4	1.5	1.4	1.4	1.4	1.8	1.5
.0	With hypertension (benign)-----	351	155	196	119	142	36	54	0.2	0.2	0.2	0.1	0.2	0.3	0.4
.9	Without mention of hypertension-----	2,570	1,279	1,291	1,104	1,158	175	133	1.3	1.3	1.2	1.3	1.3	1.5	1.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of veins and lymphatics and other diseases of circulatory system--Con.														
457	Noninfective disease of lymphatic channels-----	37	20	17	15	16	5	1	0.0	0.0	0.0	0.0	0.0	0.0	
458	Other diseases of circulatory system-----	870	475	397	396	330	77	67	0.4	0.5	0.4	0.5	0.4	0.6	
.0	Hypotension-----	93	54	39	47	33	7	6	0.0	0.1	0.0	0.1	0.0	0.1	
*.1	Obstruction of inferior and superior vena cava-----	18	7	11	5	11	2	-	0.0	0.0	0.0	0.0	0.0	0.0	
*.9	Other and unspecified circulatory diseases-----	759	412	347	344	286	68	61	0.4	0.4	0.3	0.4	0.3	0.6	
	VIII. DISEASES OF THE RESPIRATORY SYSTEM														
480-486	Acute respiratory infections, except influenza-----	1,907	1,044	863	819	667	225	196	0.9	1.1	0.8	0.9	0.7	1.9	
460	Acute nasopharyngitis (common cold)-----	36	19	17	12	7	7	10	0.0	0.0	0.0	0.0	0.0	0.1	
461	Acute sinusitis-----	13	5	8	4	8	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
*.0	Acute maxillary sinusitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
*.1	Acute frontal sinusitis-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	
*.9	Other and unspecified acute sinusitis-----	11	3	8	3	8	-	-	0.0	0.0	0.0	0.0	-	-	
462	Acute pharyngitis-----	59	37	22	30	21	7	1	0.0	0.0	0.0	0.0	0.1	0.0	
463	Acute tonsillitis-----	37	17	20	13	16	4	4	0.0	0.0	0.0	0.0	0.0	0.0	
464	Acute laryngitis and tracheitis-----	205	119	86	90	73	29	13	0.1	0.1	0.1	0.1	0.1	0.2	
465	Acute upper respiratory infections of multiple or unspecified sites-----	271	135	136	112	113	23	23	0.1	0.1	0.1	0.1	0.1	0.2	
466	Acute bronchitis and bronchiolitis-----	1,286	712	574	558	429	154	145	0.6	0.7	0.6	0.6	0.5	1.5	
470-474	Influenza-----	5,971	3,011	2,960	2,635	2,622	378	338	3.0	3.1	2.9	3.0	2.9	3.2	
470	Influenza, unqualified-----	1,799	864	935	752	927	112	108	0.9	0.9	0.9	0.9	0.9	0.9	
471	Influenza with pneumonia-----	3,909	2,027	1,882	1,772	1,666	255	216	1.9	2.1	1.8	2.0	1.8	2.1	
472	Influenza with other respiratory manifestations-----	168	80	88	71	80	9	8	0.1	0.1	0.1	0.1	0.1	0.1	
473	Influenza with digestive manifestations-----	55	23	32	21	29	2	3	0.0	0.0	0.0	0.0	0.0	0.0	
474	Influenza with nervous manifestations-----	40	17	23	17	20	-	3	0.0	0.0	0.0	0.0	0.0	0.0	
480-486	Pneumonia-----	62,394	34,852	27,542	28,861	23,525	5,991	4,017	30.9	35.4	26.6	33.4	26.0	50.1	
480	Viral pneumonia-----	1,760	930	830	771	711	159	127	0.9	0.9	0.8	0.9	0.8	1.3	
481	Pneumococcal pneumonia-----	6,067	3,677	2,390	2,908	1,987	769	403	3.0	3.7	2.3	3.4	2.2	6.4	
482	Other bacterial pneumonia-----	1,671	1,036	635	852	521	184	114	0.8	1.1	0.6	1.0	0.6	1.5	
.0	Friedlander's bacillus-----	275	198	77	149	61	49	16	0.1	0.2	0.1	0.2	0.1	0.4	
.1	Hemophilus influenzae-----	17	12	5	11	5	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Streptococcus-----	48	29	19	27	16	2	3	0.0	0.0	0.0	0.0	0.0	0.0	
.3	Staphylococcus-----	420	247	173	209	149	38	24	0.2	0.3	0.2	0.2	0.2	0.3	
.9	Other-----	911	550	361	456	290	94	71	0.5	0.6	0.3	0.5	0.3	0.8	
483	Pneumonia due to other specified organisms-----	189	96	73	80	64	16	9	0.1	0.1	0.1	0.1	0.1	0.1	
484	Acute interstitial pneumonia-----	1,693	992	701	691	452	301	249	0.8	1.0	0.7	0.8	0.5	2.5	
485	Bronchopneumonia, organism unspecified-----	28,617	15,798	12,819	13,405	11,255	2,595	1,564	14.2	16.0	12.4	15.5	12.4	20.0	
486	Pneumonia, unspecified-----	22,409	12,323	10,086	10,154	8,535	2,169	1,551	11.1	12.5	9.8	11.7	9.4	18.1	
490-493	Bronchitis, emphysema, and asthma-----	31,144	24,670	6,474	23,096	5,870	1,574	604	15.4	25.1	6.3	26.7	6.5	13.2	
490	Bronchitis, unqualified-----	799	437	362	361	311	76	51	0.4	0.4	0.3	0.4	0.3	0.6	
491	Chronic bronchitis-----	5,044	3,913	1,131	3,699	1,075	214	56	2.5	4.0	1.1	4.3	1.2	1.8	
492	Emphysema-----	22,939	19,244	3,695	18,243	3,522	1,001	173	11.4	19.5	3.6	21.1	3.9	8.4	
493	Asthma-----	2,362	1,076	1,286	793	962	283	324	1.2	1.1	1.2	0.9	1.1	2.4	
500-508	Other diseases of upper respiratory tract-----	588	353	235	291	196	62	39	0.3	0.4	0.2	0.3	0.2	0.5	
500	Hypertrophy of tonsils and adenoids-----	48	30	18	29	12	1	6	0.0	0.0	0.0	0.0	0.0	0.0	
501	Peritonsillar abscess-----	7	3	4	1	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	
502	Chronic pharyngitis and nasopharyngitis-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	
.0	Chronic pharyngitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Chronic nasopharyngitis-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

1-94

8th Revision No.	Cause of death	Number								Rate								
		Total			White		All other			Total			White		All other			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female			
	Other diseases of upper respiratory tract--Con.																	
503	Chronic sinusitis-----	41	25	16	19	11	6	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-	-	-
*.0	Maxillary sinusitis (chronic)-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
*.1	Frontal sinusitis (chronic)-----	6	5	1	4	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
*.9	Other and unspecified sinusitis (chronic)-----	33	19	14	14	9	5	5	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
504	Deflected nasal septum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
505	Nasal polyp-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
506	Chronic laryngitis-----	7	5	2	4	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
507	Hay fever-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
508	Other diseases of upper respiratory tract-----	474	284	190	232	164	52	26	0.2	0.3	0.2	0.3	0.2	0.4	0.2	-	-	-
*.0	Paralysis of vocal cords or larynx-----	20	12	8	12	6	-	2	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
*.1	Polyp of vocal cords or larynx-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
*.2	Edema of larynx-----	92	56	36	37	33	19	3	0.0	0.1	0.0	0.0	0.0	0.2	0.0	-	-	-
*.3	Other diseases of vocal cords or larynx not elsewhere classifiable-----	242	148	94	127	79	21	15	0.1	0.2	0.1	0.1	0.1	0.2	0.1	-	-	-
*.4	Retropharyngeal abscess-----	5	1	4	1	3	-	1	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-
*.9	Other and unspecified diseases of upper respiratory tract-----	112	65	47	54	42	11	5	0.1	0.1	0.0	0.1	0.0	0.1	0.0	-	-	-
510-519	Other diseases of respiratory system-----	14,453	10,027	4,426	8,811	3,889	1,216	537	7.2	10.2	4.3	10.2	4.3	10.2	4.2	-	-	-
510	Empyema-----	322	223	99	171	85	52	14	0.2	0.2	0.1	0.2	0.1	0.4	0.1	-	-	-
511	Pleurisy-----	370	206	164	167	137	19	27	0.2	0.2	0.2	0.2	0.2	0.2	0.2	-	-	-
.0	Without mention of effusion or tuberculosis-----	114	63	51	58	42	5	9	0.1	0.1	0.0	0.1	0.0	0.0	0.1	-	-	-
.1	With effusion with mention of a bacterial cause other than tuberculosis-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-
.2	Other specified forms of effusion, except tuberculosis-----	254	141	113	127	95	14	18	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	-	-
512	Spontaneous pneumothorax-----	203	141	62	116	47	25	15	0.1	0.1	0.1	0.1	0.1	0.2	0.1	-	-	-
513	Abscess of lung-----	658	619	239	455	187	164	52	0.4	0.6	0.2	0.5	0.2	1.4	0.4	-	-	-
514	Pulmonary congestion and hypostasis-----	1,161	562	599	430	507	132	92	0.6	0.6	0.6	0.5	0.6	1.1	0.7	-	-	-
515	Pneumoconiosis due to silica and silicates-----	1,471	1,457	14	1,362	12	75	2	0.7	1.5	0.0	1.6	0.0	0.6	0.0	-	-	-
.0	Silicosis-----	353	350	3	308	3	42	-	0.2	0.4	0.0	0.4	0.0	0.4	-	-	-	-
.1	Anthracosilicosis-----	860	860	-	850	-	10	-	0.4	0.9	-	1.0	-	0.1	-	-	-	-
.2	Asbestosis-----	34	31	3	29	3	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.9	Other, including pneumoconiosis, unspecified-----	224	216	8	195	6	21	2	0.1	0.2	0.0	0.2	0.0	0.2	0.0	-	-	-
516	Other pneumoconioses and related diseases-----	13	9	4	7	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.0	Due to inhalation of other inorganic dust-----	8	4	4	3	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.1	Due to inhalation of other dust-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-	-
.2	Due to inhalation of fumes-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-	-
517	Other chronic interstitial pneumonia-----	3,385	2,210	1,175	2,009	1,100	201	75	1.7	2.2	1.1	2.3	1.2	1.7	0.6	-	-	-
518	Bronchiectasis-----	1,110	647	463	599	432	48	31	0.5	0.7	0.4	0.7	0.5	0.4	0.2	-	-	-
519	Other diseases of respiratory system-----	5,560	3,853	1,607	3,455	1,378	498	229	2.8	4.0	1.6	4.0	1.5	4.2	1.8	-	-	-
.0	Pulmonary collapse-----	490	250	240	204	207	46	33	0.2	0.3	0.2	0.2	0.2	0.4	0.3	-	-	-
.1	Acute edema of lung-----	364	196	168	149	123	47	45	0.2	0.2	0.2	0.2	0.1	0.4	0.3	-	-	-
.2	Other diseases of lung-----	1,306	941	365	790	306	151	59	0.6	1.0	0.4	0.9	0.3	1.3	0.5	-	-	-
.3	Chronic obstructive lung disease-----	2,704	2,192	512	2,000	473	192	39	1.3	2.2	0.5	2.3	0.5	1.6	0.3	-	-	-
.9	Other-----	696	374	322	312	269	62	53	0.3	0.4	0.3	0.4	0.3	0.5	0.4	-	-	-
	IX. DISEASES OF THE DIGESTIVE SYSTEM																	
520-529	Diseases of oral cavity, salivary glands, and jaws-----	194	78	116	60	107	18	9	0.1	0.1	0.1	0.1	0.1	0.2	0.1	-	-	-
520	Disorders of tooth development and eruption-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.0	Anodontia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Supernumerary teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Abnormalities of size and form-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Mottled teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Enamel hypoplasia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Hereditary disturbances in tooth structure not elsewhere classifiable-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Disturbances in tooth eruption-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Teething syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

SECTION 1. GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of oral cavity, salivary glands, and jaws--Con.																
521	Diseases of hard tissues of teeth-----	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Dental caries-----	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Attrition-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Abrasion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Erosion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Resorption-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Hypercementosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Ankylosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Postoperative color changes-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Irradiated enamel-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
522	Diseases of pulp and periapical tissues-----	11	8	3	4	3	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Pulpitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Necrosis of the pulp-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Pulp degenerations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Abnormal hard tissue formation in pulp-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Acute apical periodontitis-----	5	4	1	2	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Periapical abscess-----	6	4	2	2	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.6	Chronic apical periodontitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Fistula from periapical lesions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Radicular cyst-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
523	Periodontal diseases-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-
.0	Acute gingivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Chronic gingivitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Gingival recession-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Acute periodontitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Chronic periodontitis-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	-	-
.5	Periodontosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Accretions on teeth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
524	Dentofacial anomalies, including malocclusion-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.0	Major anomalies of jaw size-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.1	Anomalies of jaw-cranial base relationship-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.2	Anomalies of dental arch relationship-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Anomalies of tooth position-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Malocclusion, unqualified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Dentofacial functional abnormalities-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
525	Other diseases and conditions of the teeth and supporting structures-----	22	11	11	8	6	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Acquired absence of teeth-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	0.0	0.0
.1	Atrophy of edentulous alveolar ridge-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	21	10	11	8	6	2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
526	Diseases of the jaws-----	13	8	5	5	4	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Developmental dental cysts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Fissural cysts-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.2	Other cysts of jaws-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Reparative giant cell granuloma-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	-	-	0.0
.4	Inflammatory conditions-----	6	4	2	3	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
.5	Alveolitis-----	4	2	2	-	2	2	-	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	-
.9	Other and unspecified-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
527	Diseases of the salivary glands-----	109	27	82	27	80	-	2	0.1	0.0	0.1	0.0	0.1	-	0.0	-	0.0
.0	Atrophy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Hypertrophy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Sialoadenitis-----	86	23	63	23	61	-	2	0.0	0.0	0.1	0.0	0.1	-	0.0	-	0.0
.3	Abscess-----	21	4	17	4	17	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0
.4	Fistula-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Sialolithiasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

196

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of oral cavity, salivary glands, and jaws--Con.														
	Diseases of the salivary glands--Con.														
.6	Mucocele-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.7	Disturbances of salivary secretion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Sialosis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
528	Diseases of the oral soft tissues, excluding gingiva and tongue-----	25	12	13	8	13	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.0	Stomatitis-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Cancerum oris-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Oral aphthous ulcerations-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Cellulitis and abscess-----	9	3	6	1	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.4	Cysts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Diseases of lips-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Leukoplakia of oral mucosa-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Other disturbances of keratinization-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Oral submucous fibrosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	13	7	6	5	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
529	Diseases of the tongue and other oral conditions-----	4	4	-	2	-	2	-	0.0	0.0	-	0.0	-	0.0	-
.0	Glossitis-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
.1	Geographic tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Median rhomboid glossitis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Hypertrophy of tongue papillae-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Atrophy of tongue papillae-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Plicated tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Glossodynia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Leukoplakia and other disturbances of keratinization of the tongue-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-
530-537	Diseases of esophagus, stomach, and duodenum-----	12,466	6,234	4,232	7,422	3,834	812	398	6.2	8.4	4.1	8.6	4.2	6.8	3.1
530	Diseases of esophagus-----	1,071	667	404	595	368	72	36	0.5	0.7	0.4	0.7	0.4	0.6	0.3
*.0	Functional disorders of esophagus-----	64	31	33	23	30	8	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
*.1	Inflammatory diseases of esophagus-----	314	201	113	165	103	16	10	0.2	0.2	0.1	0.2	0.1	0.1	0.1
*.2	Diverticulum of esophagus, acquired-----	24	13	11	13	10	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.3	Obstruction of esophagus-----	216	126	90	113	84	13	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0
*.4	Rupture of esophagus-----	197	135	61	116	54	20	7	0.1	0.1	0.1	0.1	0.1	0.2	0.1
*.9	Other-----	256	160	96	145	87	15	9	0.1	0.2	0.1	0.2	0.1	0.1	0.1
531	Ulcer of stomach-----	3,719	2,252	1,467	1,993	1,342	259	125	1.8	2.3	1.4	2.3	1.5	2.2	1.0
*.0	With hemorrhage only-----	2,166	1,307	859	1,164	787	143	72	1.1	1.3	0.8	1.3	0.9	1.2	0.6
*.1	With perforation only-----	845	492	353	432	323	60	30	0.4	0.5	0.3	0.5	0.4	0.5	0.2
*.2	With hemorrhage and perforation-----	167	111	56	94	52	17	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
*.9	Other and unspecified-----	541	342	199	303	180	39	19	0.3	0.3	0.2	0.4	0.2	0.3	0.1
532	Ulcer of duodenum-----	4,381	3,163	1,218	2,912	1,114	251	104	2.2	3.2	1.2	3.4	1.2	2.1	0.8
*.0	With hemorrhage only-----	2,204	1,624	580	1,501	537	123	43	1.1	1.6	0.6	1.7	0.6	1.0	0.3
*.1	With perforation only-----	1,364	941	423	859	383	82	40	0.7	1.0	0.4	1.0	0.4	0.7	0.3
*.2	With hemorrhage and perforation-----	249	173	76	160	70	13	6	0.1	0.2	0.1	0.2	0.1	0.1	0.0
*.9	Other and unspecified-----	564	425	139	392	124	33	15	0.3	0.4	0.1	0.5	0.1	0.3	0.1
533	Peptic ulcer, site unspecified-----	1,212	814	398	738	351	76	47	0.6	0.8	0.4	0.9	0.4	0.6	0.4
.0	With perforation-----	539	363	176	328	157	35	19	0.3	0.4	0.2	0.4	0.2	0.3	0.1
.9	Without mention of perforation-----	673	451	222	410	194	41	28	0.3	0.5	0.2	0.5	0.2	0.3	0.2
534	Gastrojejunal ulcer-----	798	530	268	483	247	47	21	0.4	0.5	0.3	0.6	0.3	0.4	0.2
*.0	With hemorrhage only-----	680	446	234	405	215	41	19	0.3	0.5	0.2	0.5	0.2	0.3	0.1
*.1	With perforation only-----	43	34	9	33	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.2	With hemorrhage and perforation-----	30	19	11	18	10	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Other and unspecified-----	45	31	14	27	13	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
535	Gastritis and duodenitis-----	522	336	186	291	164	45	22	0.3	0.3	0.2	0.3	0.2	0.4	0.2

SECTION 1- GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of esophagus, stomach, and duodenum--Con.														
536	Disorders of function of stomach-----	151	82	69	63	57	19	12	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.0	Disorders of gastric secretion-----	5	3	2	2	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Disorders of gastric motility-----	107	59	48	46	42	13	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0
.9	Other-----	39	20	19	15	14	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
537	Other diseases of stomach and duodenum-----	612	390	222	347	191	43	31	0.3	0.4	0.2	0.4	0.2	0.4	0.2
*.0	Pyloric stenosis, acquired-----	112	62	50	55	43	7	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1
*.9	Other and unspecified-----	500	328	172	292	148	36	24	0.2	0.3	0.2	0.3	0.2	0.3	0.2
540-543	Appendicitis-----	1,407	884	523	709	428	175	95	0.7	0.9	0.5	0.8	0.5	1.5	0.7
540	Acute appendicitis-----	1,293	807	486	647	395	160	91	0.6	0.8	0.5	0.7	0.4	1.3	0.7
.0	With peritonitis-----	1,185	742	441	597	359	145	82	0.6	0.8	0.4	0.7	0.4	1.2	0.6
.9	Without mention of peritonitis-----	110	65	45	50	36	15	9	0.1	0.1	0.0	0.1	0.0	0.1	0.1
541	Appendicitis, unqualified-----	101	69	32	54	28	15	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0
542	Other appendicitis-----	2	-	2	2	2	-	-	0.0	-	0.0	-	0.0	-	-
543	Other diseases of appendix-----	11	8	3	8	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
550-553	Hernia of abdominal cavity-----	2,967	1,525	1,442	1,353	1,323	172	119	1.5	1.5	1.4	1.6	1.5	1.4	0.9
550	Inguinal hernia without mention of obstruction-----	152	137	15	119	14	18	1	0.1	0.1	0.0	0.1	0.0	0.2	0.0
551	Other hernia of abdominal cavity without mention of obstruction-----	1,300	655	645	600	590	55	55	0.6	0.7	0.6	0.7	0.7	0.5	0.4
.0	Femoral-----	7	2	5	2	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.1	Umbilical-----	175	89	86	78	72	11	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Ventral-----	146	61	85	59	73	2	12	0.1	0.1	0.1	0.1	0.1	0.0	0.1
.3	Diaphragmatic-----	851	418	433	389	410	29	23	0.4	0.4	0.4	0.4	0.5	0.2	0.2
.8	Of other specified site-----	19	9	10	6	9	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Of unspecified site-----	102	76	26	66	22	10	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0
552	Inguinal hernia with obstruction-----	436	342	94	289	89	53	5	0.2	0.3	0.1	0.3	0.1	0.4	0.0
553	Other hernia of abdominal cavity with obstruction-----	1,079	391	688	345	630	46	58	0.5	0.4	0.7	0.4	0.7	0.4	0.5
.0	Femoral-----	179	58	141	37	138	1	3	0.1	0.0	0.1	0.0	0.2	0.0	0.0
.1	Umbilical-----	143	42	101	39	84	3	17	0.1	0.0	0.1	0.0	0.1	0.0	0.1
.2	Ventral-----	241	68	173	63	157	5	16	0.1	0.1	0.2	0.1	0.2	0.0	0.1
.3	Diaphragmatic-----	104	38	66	34	61	4	5	0.1	0.0	0.1	0.0	0.1	0.0	0.0
.8	Of other specified site-----	113	56	57	46	51	10	6	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.9	Of unspecified site-----	299	149	150	126	139	23	11	0.1	0.2	0.1	0.1	0.2	0.2	0.1
560-569	Other diseases of intestine and peritoneum-----	15,383	7,205	8,178	6,269	7,341	936	637	7.6	7.3	7.9	7.2	8.1	7.8	6.5
560	Intestinal obstructions without mention of hernia-----	4,533	1,941	2,592	1,598	2,304	343	288	2.2	2.0	2.5	1.8	2.5	2.9	2.2
.0	Intussusception-----	75	39	36	25	31	14	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.1	Paralytic ileus-----	357	184	173	158	155	26	18	0.2	0.2	0.2	0.2	0.2	0.2	0.1
.2	Volvulus-----	1,031	535	496	434	434	101	62	0.5	0.5	0.5	0.5	0.5	0.8	0.5
.3	Impaction of intestine-----	169	56	112	49	104	7	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1
*.4	Adhesions with obstruction-----	602	231	371	186	338	45	33	0.3	0.2	0.4	0.2	0.4	0.4	0.3
*.9	Other and unspecified-----	2,300	896	1,404	746	1,242	150	162	1.1	0.9	1.4	0.9	1.4	1.3	1.3
561	Gastroenteritis and colitis, except ulcerative, of noninfectious origin-----	61	22	39	18	23	4	16	0.0	0.0	0.0	0.0	0.0	0.0	0.1
562	Diverticula of intestine-----	3,408	1,387	2,021	1,311	1,923	76	98	1.7	1.4	2.0	1.5	2.1	0.6	0.8
.0	Small intestine-----	69	32	37	31	37	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Colon-----	3,339	1,355	1,984	1,280	1,886	75	98	1.7	1.4	1.9	1.5	2.1	0.6	0.8
563	Chronic enteritis and ulcerative colitis-----	1,230	558	672	514	621	44	51	0.6	0.6	0.6	0.6	0.7	0.4	0.4
.0	Regional enteritis-----	286	140	146	129	133	11	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Ulcerative colitis-----	796	357	439	335	415	22	24	0.4	0.4	0.4	0.4	0.5	0.2	0.2
.9	Other-----	148	61	87	50	73	11	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
564	Functional disorders of intestines-----	70	26	44	24	42	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Constipation-----	15	4	11	3	11	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Irritable colon-----	32	12	20	12	18	-	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other-----	23	10	13	9	13	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
565	Anal fissure and fistula-----	10	8	2	5	1	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Anal fissure-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0
.1	Anal fistula-----	7	6	1	3	1	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other diseases of intestine and peritoneum--Con.														
566	Abscess of anal and rectal regions-----	119	84	35	60	26	24	9	0.1	0.1	0.0	0.1	0.0	0.2	0.1
567	Peritonitis-----	1,069	542	527	447	439	95	88	0.5	0.6	0.5	0.5	0.5	0.8	0.7
*.0	With abscess-----	265	135	128	107	109	28	19	0.1	0.1	0.1	0.1	0.1	0.2	0.1
*.9	Unspecified-----	806	407	399	340	330	67	69	0.4	0.4	0.4	0.4	0.4	0.6	0.5
568	Peritoneal adhesions-----	125	43	82	32	69	11	15	0.1	0.0	0.1	0.0	0.1	0.1	0.1
569	Other diseases of intestines and peritoneum-----	4,758	2,594	2,164	2,260	1,893	354	271	2.4	2.6	2.1	2.6	2.1	2.8	2.1
*.0	Proctitis-----	9	4	5	4	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.1	Prolapse of rectum-----	17	6	11	4	11	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.2	Other rectal and anal diseases-----	145	69	74	54	59	15	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
*.3	Fistula of intestine-----	196	88	108	79	95	9	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
*.4	Perforation or ulceration of intestine not otherwise specified-----	584	292	292	262	261	30	31	0.3	0.3	0.3	0.3	0.3	0.3	0.2
*.9	Other-----	3,809	2,155	1,674	1,857	1,462	278	212	1.9	2.2	1.6	2.1	1.6	2.3	1.6
570-577	Diseases of liver, gallbladder, and pancreas-----	41,509	25,118	16,391	21,563	13,833	3,555	2,558	20.6	25.5	15.8	24.9	15.3	29.7	19.9
570	Acute and subacute necrosis of liver-----	691	294	397	243	308	51	89	0.3	0.3	0.4	0.3	0.3	0.4	0.7
571	Cirrhosis of liver-----	29,866	19,360	10,486	16,517	8,634	2,863	1,852	14.8	19.7	10.1	19.1	9.5	23.9	14.4
.0	Alcoholic-----	10,520	7,258	3,262	5,988	2,533	1,270	729	5.2	7.4	3.2	6.9	2.8	10.6	5.7
*.8	Other specified-----	5,404	3,204	2,200	2,633	1,786	571	414	2.7	3.3	2.1	3.0	2.0	4.8	3.2
*.9	Unspecified-----	13,942	8,918	5,024	7,896	4,315	1,022	709	6.9	9.1	4.9	9.1	4.8	8.5	5.5
572	Suppurative hepatitis and liver abscess-----	149	83	66	63	50	20	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1
573	Other diseases of liver-----	1,932	1,006	926	849	752	157	174	1.0	1.0	0.9	1.0	0.8	1.3	1.4
*.0	Hepatitis not otherwise specified-----	508	223	285	191	240	32	45	0.3	0.2	0.3	0.3	0.3	0.3	0.3
*.9	Other and unspecified-----	1,424	783	641	658	512	125	129	0.7	0.8	0.6	0.8	0.6	1.0	1.0
574	Cholelithiasis-----	2,501	1,067	1,434	1,027	1,351	40	83	1.2	1.1	1.4	1.2	1.5	0.3	0.8
*.0	With acute cholecystitis-----	403	169	234	166	214	3	20	0.2	0.2	0.2	0.2	0.2	0.0	0.2
*.1	With other cholecystitis-----	1,000	419	581	401	554	18	27	0.5	0.4	0.6	0.5	0.6	0.2	0.2
*.9	Other and unspecified-----	1,098	479	619	460	583	19	36	0.5	0.5	0.6	0.5	0.6	0.2	0.3
575	Cholecystitis and cholangitis, without mention of calculus--	1,761	771	990	722	899	49	91	0.9	0.8	1.0	0.8	1.0	0.4	0.7
576	Other diseases of gallbladder and biliary ducts-----	1,517	685	832	646	760	39	72	0.8	0.7	0.8	0.7	0.8	0.3	0.6
*.0	Obstruction-----	577	263	314	243	283	20	31	0.3	0.3	0.3	0.3	0.3	0.2	0.2
*.1	Fistula-----	57	30	27	26	26	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Other and unspecified-----	883	392	491	377	451	15	40	0.4	0.4	0.5	0.4	0.5	0.1	0.3
577	Diseases of pancreas-----	3,092	1,632	1,260	1,496	1,079	336	181	1.5	1.9	1.2	1.7	1.2	2.8	1.4
.0	Acute pancreatitis-----	2,656	1,552	1,104	1,274	947	278	157	1.3	1.6	1.1	1.5	1.0	2.3	1.2
.1	Chronic pancreatitis-----	261	179	82	141	67	38	15	0.1	0.2	0.1	0.2	0.1	0.3	0.1
.9	Other diseases of pancreas-----	175	101	74	81	65	20	9	0.1	0.1	0.1	0.1	0.1	0.2	0.1
	X. DISEASES OF THE GENITOURINARY SYSTEM														
580-584	Nephritis and nephrosis-----	9,417	5,080	4,337	5,853	3,233	1,227	1,104	4.7	5.2	4.2	4.5	3.6	10.3	8.6
580	Acute nephritis-----	912	490	422	389	323	101	99	0.5	0.5	0.4	0.4	0.4	0.8	0.8
581	Nephrotic syndrome-----	480	236	244	181	187	55	57	0.2	0.2	0.2	0.2	0.2	0.5	0.4
582	Chronic nephritis-----	6,789	3,739	3,050	2,802	2,256	937	794	3.4	3.8	2.9	3.2	2.5	7.8	6.2
583	Nephritis, unqualified-----	1,101	562	539	456	394	126	145	0.5	0.6	0.5	0.5	0.4	1.1	1.1
584	Renal sclerosis, unqualified-----	135	53	82	45	73	8	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1
590-599	Other diseases of urinary system-----	15,905	8,123	7,782	6,700	6,477	1,423	1,305	7.9	8.2	7.5	7.7	7.2	11.9	10.1
590	Infections of kidney-----	8,750	3,982	4,768	5,301	3,951	681	817	4.3	4.0	4.6	3.8	4.4	5.7	6.3
.0	Chronic pyelonephritis-----	5,174	2,352	2,822	1,910	2,301	442	521	2.6	2.4	2.7	2.2	2.5	3.7	4.0
.1	Other pyelonephritis, pyelitis, and pyelocystitis-----	3,521	1,513	1,808	1,294	1,531	219	277	1.6	1.5	1.7	1.5	1.7	1.8	2.2
.2	Abscess of kidney and perirenal tissue-----	137	54	83	44	69	10	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.9	Other-----	118	53	55	53	50	10	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
591	Hydronephrosis-----	258	153	105	138	84	15	21	0.1	0.2	0.1	0.2	0.1	0.1	0.2
592	Calculus of kidney and ureter-----	805	379	426	343	378	36	48	0.4	0.4	0.4	0.4	0.4	0.3	0.4

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other diseases of urinary system--Con.																
593	Other diseases of kidney and ureter-----	3,215	1,829	1,388	1,474	1,117	355	269	1.6	1.9	1.3	1.7	1.2	3.0	2.1		
.0	Renal dwarfism-----	2	2	-	-	-	2	-	0.0	0.0	-	-	-	0.0	-		
.1	Acute tubular nephrosis-----	296	188	108	158	90	30	18	0.2	0.1	0.1	0.2	0.1	0.3	0.1		
.2	Other renal disease-----	2,763	1,557	1,206	1,242	964	315	242	1.4	1.6	1.2	1.4	1.1	2.6	1.9		
.3	Obstruction of ureter not elsewhere classifiable-----	112	61	51	56	45	5	6	0.1	0.1	0.0	0.1	0.0	0.0	0.0		
.4	Hydro-ureter-----	14	10	4	8	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.5	Other diseases of ureter-----	28	11	17	10	15	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
594	Calculus of other parts of urinary system-----	82	60	22	53	20	7	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
595	Cystitis-----	389	200	189	174	176	26	13	0.2	0.2	0.2	0.2	0.2	0.2	0.1		
596	Other diseases of bladder-----	384	255	109	207	94	48	15	0.2	0.3	0.1	0.2	0.1	0.4	0.1		
*.0	Fistula of bladder-----	60	26	34	21	32	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.1	Diverticulum of bladder (acquired)-----	16	16	-	14	-	2	-	0.0	0.0	-	0.0	-	0.0	-		
*.2	Contracture of bladder (sphincter)-----	118	102	16	78	13	24	3	0.1	0.1	0.0	0.1	0.0	0.2	0.0		
*.3	Paralysis of bladder-----	4	2	2	2	1	-	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.9	Other and unspecified diseases of bladder-----	166	109	57	92	48	17	9	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
597	Urethritis (nonvenereal)-----	6	5	1	5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
598	Stricture of urethra-----	169	164	5	100	3	64	2	0.1	0.2	0.0	0.1	0.0	0.5	0.0		
599	Other diseases of urinary tract-----	1,867	1,096	771	905	653	191	118	0.9	1.1	0.7	1.0	0.7	1.6	0.9		
*.0	Urinary tract infection not elsewhere classifiable-----	1,635	896	739	752	628	144	111	0.8	0.9	0.7	0.9	0.7	1.2	0.9		
*.1	Fistula, urinary, not elsewhere classifiable-----	9	7	2	5	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
*.2	Caruncle of urethra-----	1	-	1	-	1	-	-	0.0	-	0.0	-	-	-	-		
*.9	Other and unspecified diseases of urinary tract-----	222	193	29	148	22	45	7	0.1	0.2	0.0	0.2	0.0	0.4	0.1		
600-607	Diseases of male genital organs-----	3,273	3,273	...	2,829	...	444	...	1.8	3.3	...	3.3	...	3.7	...		
600	Hyperplasia of prostate-----	2,499	2,499	...	2,154	...	345	...	1.2	2.5	...	2.5	...	2.9	...		
601	Prostatitis-----	177	177	...	153	...	24	...	0.1	0.2	...	0.2	...	0.2	...		
602	Other diseases of prostate-----	410	410	...	375	...	35	...	0.2	0.4	...	0.4	...	0.3	...		
603	Hydrocele-----	4	4	...	3	...	1	...	0.0	0.0	...	0.0	...	0.0	...		
604	Orchitis and epididymitis-----	17	17	...	12	...	5	...	0.0	0.0	...	0.0	...	0.0	...		
605	Redundant prepuce and phimosis-----	3	3	...	1	...	2	...	0.0	0.0	...	0.0	...	0.0	...		
606	Sterility, male-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...		
607	Other diseases of male genital organs-----	163	163	...	131	...	32	...	0.1	0.2	...	0.2	...	0.3	...		
.0	Leukoplakia of penis-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...		
.1	Erythroplasia of penis-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...		
.2	Chronic ulceration of penis-----	1	1	...	-	...	1	...	0.0	0.0	...	-	...	0.0	...		
.3	Balanitis-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...		
.4	Seminal vesiculitis-----	1	1	...	1	...	-	...	0.0	0.0	...	0.0	...	-	...		
.5	Other inflammatory diseases-----	41	41	...	30	...	11	...	0.0	0.0	...	0.0	...	0.1	...		
.6	Spermatocele-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...		
.7	Torsion of testis-----	3	3	...	3	...	-	...	0.0	0.0	...	0.0	...	-	...		
.8	Atrophy of testicle-----	-	-	...	-	...	-	...	-	-	...	-	...	-	...		
.9	Other-----	117	117	...	97	...	20	...	0.1	0.1	...	0.1	...	0.2	...		
610-616	Diseases of breast, ovary, fallopian tube, and parametrium-----	266	-	266	-	175	-	91	0.1	-	0.3	-	0.2	-	0.7		
610	Chronic cystic disease of breast-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
611	Other diseases of breast-----	18	-	18	-	18	-	-	0.0	-	0.0	-	0.0	-	-		
.0	Acute mastitis not associated with lactation-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		
.1	Hypertrophy of breast-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Fissure of nipple-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Other-----	17	-	17	-	17	-	-	0.0	-	0.0	-	0.0	-	-		
612	Acute salpingitis and oophoritis-----	4	...	4	...	1	...	3	0.0	...	0.0	...	0.0	...	0.0		
613	Chronic salpingitis and oophoritis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-		
614	Salpingitis and oophoritis, unqualified-----	59	...	59	...	27	...	32	0.0	...	0.1	...	0.0	...	0.2		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of breast, ovary, fallopian tube, and parametrium--Con.														
615	Other diseases of ovary and fallopian tube-----	12	...	12	...	5	...	7	0.0	...	0.0	...	0.0	...	0.1
.0	Prolapse of ovary-----	-	...	-	...	-	...	-	-
.1	Hydrosalpinx-----	2	...	2	...	-	...	2	0.0	...	0.0	...	-	...	0.0
.2	Ovarian cyst, retention-----	1	...	1	...	-	...	-	0.0	...	0.0	...	0.0	...	-
.9	Other-----	9	...	9	...	4	...	5	0.0	...	0.0	...	0.0	...	0.0
616	Diseases of parametrium and pelvic peritoneum (female)-----	172	...	172	...	123	...	49	0.1	...	0.2	...	0.1	...	0.4
.0	Pelvic inflammatory disease-----	162	...	162	...	117	...	45	0.1	...	0.2	...	0.1	...	0.3
.1	Pelvic peritoneal adhesions, female-----	4	...	4	...	2	...	2	0.0	...	0.0	...	0.0	...	0.0
.2	Pelvic congestion, female-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
.9	Other-----	4	...	4	...	2	...	2	0.0	...	0.0	...	0.0	...	0.0
620-629	Diseases of uterus and other female genital organs-----	419	...	419	...	343	...	76	0.2	...	0.4	...	0.4	...	0.6
620	Infective diseases of cervix uteri-----	5	...	5	...	3	...	2	0.0	...	0.0	...	0.0	...	0.0
.0	Chronic cervicitis-----	3	...	3	...	3	...	-	0.0	...	0.0	...	0.0	...	-
.9	Other cervicitis-----	2	...	2	...	-	...	2	0.0	...	0.0	...	-	...	0.0
621	Other diseases of cervix-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
.0	Leukoplakia of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Erythroplasia of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Hyperplastic endometritis of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.3	Chronic erosion and ulceration of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.4	Old laceration of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.5	Stricture of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.6	Atrophy of cervix-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Other-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
622	Infective diseases of uterus (except cervix), vagina, and vulva-----	34	...	34	...	24	...	10	0.0	...	0.0	...	0.0	...	0.1
.0	Infective diseases of uterus, except cervix-----	28	...	28	...	22	...	6	0.0	...	0.0	...	0.0	...	0.0
.1	Vaginitis and vulvitis-----	6	...	6	...	2	...	4	0.0	...	0.0	...	0.0	...	0.0
623	Uterovaginal prolapse-----	57	...	57	...	54	...	3	0.0	...	0.1	...	0.1	...	0.0
.0	Cystocele-----	16	...	16	...	15	...	1	0.0	...	0.0	...	0.0	...	0.0
.1	Rectocele-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Urethrocele-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.3	Vaginal enteroceles-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
*.4	Uterine prolapse-----	37	...	37	...	35	...	2	0.0	...	0.0	...	0.0	...	0.0
*.9	Other and unspecified-----	4	...	4	...	4	...	-	0.0	...	0.0	...	0.0	...	-
624	Malposition of uterus-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
.0	Retroversion and retroflexion-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.1	Other-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Unspecified-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
625	Other diseases of uterus-----	163	...	163	...	137	...	26	0.1	...	0.2	...	0.2	...	0.2
.0	Atrophy of uterus-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Subinvolution of uterus-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Hyperplasia of endometrium-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	0.0
.3	Endometriosis-----	19	...	19	...	16	...	1	0.0	...	0.0	...	0.0	...	0.0
.9	Other-----	142	...	142	...	117	...	25	0.1	...	0.1	...	0.1	...	0.2
626	Disorders of menstruation-----	31	...	31	...	25	...	6	0.0	...	0.0	...	0.0	...	0.0
.0	Absent-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	Scanty-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	Excessive-----	7	...	7	...	4	...	3	0.0	...	0.0	...	0.0	...	0.0
.3	Painful-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.4	Frequent-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.5	Irregular-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.6	Intermenstrual bleeding-----	5	...	5	...	5	...	-	0.0	...	0.0	...	0.0	...	0.0
.7	Postmenopausal bleeding-----	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
.9	Other-----	16	...	16	...	14	...	2	0.0	...	0.0	...	0.0	...	0.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Diseases of uterus and other female genital organs--Con.														
627	Menopausal symptoms-----	1	...	1	...	1	...	0.0	...	0.0	...	0.0	...	-	
628	Sterility, female-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
629	Other diseases of female genital organs-----	124	...	124	...	97	...	27	...	0.1	...	0.1	...	0.2	
.0	Leukoplakia of vagina-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.1	Erythroplasia of vagina and vulva-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.2	Kraurosis of vulva-----	1	...	1	...	1	...	0.0	...	0.0	...	0.0	...	-	
.3	Leukorrhoea-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.4	Unspecified infection-----	59	...	59	...	47	...	12	...	0.0	...	0.1	...	0.1	
.5	Vaginal bleeding-----	13	...	13	...	8	...	5	...	0.0	...	0.0	...	0.0	
.6	Old laceration-----	1	...	1	...	1	...	0.0	...	0.0	...	0.0	...	-	
.7	Stricture or atresia of vagina and hymen-----	1	...	1	...	1	...	0.0	...	0.0	...	0.0	...	-	
.8	Rectovaginal fistula-----	15	...	15	...	15	...	0.0	...	0.0	...	0.0	...	-	
.9	Other-----	34	...	34	...	24	...	10	...	0.0	...	0.0	...	0.1	
	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM														
630-634	Complications of pregnancy-----	132	...	132	...	81	...	51	...	0.1	...	0.1	...	0.4	
630	Infections of genital tract during pregnancy-----	5	...	5	...	2	...	3	...	0.0	...	0.0	...	0.0	
631	Ectopic pregnancy-----	60	...	60	...	33	...	27	...	0.0	...	0.0	...	0.2	
.0	Abdominal pregnancy with sepsis-----	1	...	1	...	1	...	-	...	0.0	...	0.0	...	-	
.1	Tubal pregnancy with sepsis-----	2	...	2	...	-	...	2	...	0.0	...	0.0	...	0.0	
.2	Ovarian pregnancy with sepsis-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.3	Other or unspecified ectopic pregnancy with sepsis-----	2	...	2	...	1	...	1	...	0.0	...	0.0	...	0.0	
.4	Abdominal pregnancy without mention of sepsis-----	1	...	1	...	1	...	-	...	0.0	...	0.0	...	-	
.5	Tubal pregnancy without mention of sepsis-----	24	...	24	...	17	...	7	...	0.0	...	0.0	...	0.1	
.6	Ovarian pregnancy without mention of sepsis-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.9	Other or unspecified ectopic pregnancy without mention of sepsis-----	30	...	30	...	13	...	17	...	0.0	...	0.0	...	0.1	
632	Hemorrhage of pregnancy-----	15	...	15	...	11	...	4	...	0.0	...	0.0	...	0.0	
.0	Placenta previa-----	2	...	2	...	1	...	1	...	0.0	...	0.0	...	0.0	
.1	Premature separation of placenta-----	2	...	2	...	2	...	-	...	0.0	...	0.0	...	-	
.2	Hemorrhage from marginal sinus-----	1	...	1	...	1	...	-	...	0.0	...	0.0	...	-	
.3	Threatened abortion-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.4	Due to afibrinogenemia-----	3	...	3	...	3	...	-	...	0.0	...	0.0	...	-	
.9	Other and unspecified-----	7	...	7	...	4	...	3	...	0.0	...	0.0	...	0.0	
633	Anemia of pregnancy-----	1	...	1	...	1	...	-	...	0.0	...	0.0	...	-	
.0	Macrocytic anemia of pregnancy-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.1	Iron deficiency anemia of pregnancy-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
.9	Other and unspecified anemias of pregnancy-----	1	...	1	...	1	...	-	...	0.0	...	0.0	...	-	
634	Other complications of pregnancy-----	51	...	51	...	34	...	17	...	0.0	...	0.0	...	0.1	
*.0	Hydatidiform mole-----	2	...	2	...	1	...	1	...	0.0	...	0.0	...	0.0	
*.1	Placental abnormalities not elsewhere classifiable-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
*.2	Missed abortion and missed delivery-----	6	...	6	...	3	...	3	...	0.0	...	0.0	...	0.0	
*.3	Hydramnios-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
*.4	Premature rupture of membrane without delivery-----	3	...	3	...	2	...	1	...	0.0	...	0.0	...	0.0	
*.5	Rh incompatibility-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
*.6	Habitual aborter, undelivered-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
*.7	False labor-----	1	...	1	...	1	...	-	...	0.0	...	0.0	...	-	
*.8	Air embolism during pregnancy-----	3	...	3	...	1	...	2	...	0.0	...	0.0	...	0.0	
*.9	Other-----	36	...	36	...	26	...	10	...	0.0	...	0.0	...	0.1	
635-639	Urinary infections and toxemias of pregnancy and the puerperium-----	143	...	143	...	79	...	64	...	0.1	...	0.1	...	0.5	
635	Urinary infections arising during pregnancy and the puerperium-----	2	...	2	...	1	...	1	...	0.0	...	0.0	...	0.0	
.0	Pyelitis and pyelonephritis-----	2	...	2	...	1	...	1	...	0.0	...	0.0	...	0.0	
*.1	Cystitis-----	-	...	-	...	-	...	-	...	-	...	-	...	-	
*.9	Other and unspecified-----	-	...	-	...	-	...	-	...	-	...	-	...	-	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Urinary infections and toxemias of pregnancy and the puerperium--Con.														
636	Renal diseases arising during pregnancy and the puerperium---	6	...	6	...	4	...	2	0.0	...	0.0	...	0.0	...	0.0
637	Preeclampsia, eclampsia, and toxemia, unspecified-----	125	...	125	...	67	...	58	0.1	...	0.1	...	0.1	...	0.5
.0	Preeclampsia-----	20	...	20	...	8	...	12	0.0	...	0.0	...	0.0	...	0.1
.1	Eclampsia-----	66	...	66	...	35	...	31	0.0	...	0.1	...	0.0	...	0.2
.9	Toxemia, unspecified-----	39	...	39	...	24	...	15	0.0	...	0.0	...	0.0	...	0.1
638	Hyperemesis gravidarum-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
.0	With neuritis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Without mention of neuritis-----	2	...	2	...	1	...	1	0.0	...	0.0	...	0.0	...	0.0
639	Other toxemias of pregnancy and the puerperium-----	8	...	8	...	6	...	2	0.0	...	0.0	...	0.0	...	0.0
.0	Acute and subacute necrosis of liver-----	8	...	8	...	6	...	2	0.0	...	0.0	...	0.0	...	0.0
.9	Other-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
640-645	Abortions-----	132	...	132	...	65	...	67	0.1	...	0.1	...	0.1	...	0.5
640	Abortion induced for medical indications-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.0	With sepsis-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.1	With toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	With sepsis and toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Without mention of sepsis or toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
641	Abortion induced for other legal indications-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.0	With sepsis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	With toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	With sepsis and toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Without mention of sepsis or toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
642	Abortion induced for other reasons-----	59	...	59	...	32	...	27	0.0	...	0.1	...	0.0	...	0.2
.0	With sepsis-----	37	...	37	...	18	...	19	0.0	...	0.0	...	0.0	...	0.1
.1	With hemorrhage-----	1	...	1	...	-	...	1	0.0	...	0.0	...	-	...	0.0
.2	With sepsis and hemorrhage-----	2	...	2	...	-	...	2	0.0	...	0.0	...	-	...	0.0
.3	With laceration of pelvic organ (with or without mention of sepsis or hemorrhage)-----	2	...	2	...	2	...	-	0.0	...	0.0	...	0.0	...	-
.9	Without mention of sepsis, hemorrhage, or laceration-----	17	...	17	...	12	...	5	0.0	...	0.0	...	0.0	...	0.0
643	Spontaneous abortion-----	16	...	16	...	6	...	10	0.0	...	0.0	...	0.0	...	0.1
.0	With sepsis-----	10	...	10	...	4	...	6	0.0	...	0.0	...	0.0	...	0.0
.1	With toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	With sepsis and toxemia-----	1	...	1	...	1	...	-	0.0	...	0.0	...	0.0	...	-
.9	Without mention of sepsis or toxemia-----	5	...	5	...	1	...	4	0.0	...	0.0	...	0.0	...	0.0
644	Abortion not specified as induced or spontaneous-----	56	...	56	...	26	...	30	0.0	...	0.1	...	0.0	...	0.2
.0	With sepsis-----	40	...	40	...	21	...	19	0.0	...	0.0	...	0.0	...	0.1
.1	With toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	With sepsis and toxemia-----	3	...	3	...	2	...	1	0.0	...	0.0	...	0.0	...	0.0
.9	Without mention of sepsis or toxemia-----	13	...	13	...	3	...	10	0.0	...	0.0	...	0.0	...	0.1
645	Other abortions-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.0	With sepsis-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.1	With toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.2	With sepsis and toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
.9	Without mention of sepsis or toxemia-----	-	...	-	...	-	...	-	-	...	-	...	-	...	-
650-662	Deliveries-----	200	...	200	...	111	...	89	0.1	...	0.2	...	0.1	...	0.7
650	Delivery without mention of complication-----	3	...	3	...	1	...	2	0.0	...	0.0	...	0.0	...	0.0
651	Delivery complicated by placenta previa or antepartum hemorrhage-----	44	...	44	...	25	...	19	0.0	...	0.0	...	0.0	...	0.1
*.0	Placenta previa-----	10	...	10	...	7	...	3	0.0	...	0.0	...	0.0	...	0.0
*.1	Premature separation of placenta-----	32	...	32	...	18	...	14	0.0	...	0.0	...	0.0	...	0.1
*.9	Other antepartum hemorrhage-----	2	...	2	...	-	...	2	0.0	...	0.0	...	-	...	0.0
652	Delivery complicated by retained placenta-----	11	...	11	...	4	...	7	0.0	...	0.0	...	0.0	...	0.1
653	Delivery complicated by other postpartum hemorrhage-----	36	...	36	...	16	...	20	0.0	...	0.0	...	0.0	...	0.2

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revi- sion No.	Cause of death	Number						Rate								
		Total			White		All other		Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female	
	Deliveries--Con.															
654	Delivery complicated by abnormality of bony pelvis--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.0	Android--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.1	Anthropoid--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.2	Flat--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.3	Combined type--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.9	Other and unspecified--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
655	Delivery complicated by fetopelvic disproportion--	4	...	4	...	3	...	1	0.0	0.0	...	0.0	...	0.0	...	
656	Delivery complicated by malpresentation of fetus--	7	...	7	...	4	...	3	0.0	0.0	...	0.0	...	0.0	...	
*.0	Breech presentation--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.1	Transverse presentation--	4	...	4	...	2	...	2	0.0	0.0	...	0.0	...	0.0	...	
*.2	Brow presentation--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.3	Face presentation--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.4	Compound or shoulder presentation--	2	...	2	...	2	...	-	0.0	0.0	...	0.0	...	-	...	
*.8	Other specified--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.9	Unspecified--	1	...	1	...	-	...	1	0.0	0.0	...	-	...	-	0.0	...
657	Delivery complicated by prolonged labor of other origin--	15	...	15	...	9	...	6	0.0	0.0	...	0.0	...	0.0	...	
*.0	Multiple pregnancy--	3	...	3	...	1	...	2	0.0	0.0	...	0.0	...	0.0	...	
*.1	Uterine inertia--	7	...	7	...	4	...	3	0.0	0.0	...	0.0	...	0.0	...	
*.2	Cervical dystocia--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.9	Other and unspecified--	5	...	5	...	4	...	1	0.0	0.0	...	0.0	...	0.0	...	
658	Delivery with laceration of perineum without mention of other laceration--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.0	First degree--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.1	Second degree--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.2	Third degree--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.9	Unspecified degree--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
659	Delivery with rupture of uterus--	18	...	18	...	15	...	3	0.0	0.0	...	0.0	...	0.0	...	
660	Delivery with other obstetrical trauma--	8	...	8	...	4	...	4	0.0	0.0	...	0.0	...	0.0	...	
*.0	Laceration of urethra--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.1	Laceration of cervix--	4	...	4	...	2	...	2	0.0	0.0	...	0.0	...	0.0	...	
*.9	Other and unspecified obstetrical trauma--	4	...	4	...	2	...	2	0.0	0.0	...	0.0	...	0.0	...	
661	Delivery with other complications--	49	...	49	...	28	...	21	0.0	0.0	...	0.0	...	0.2	...	
*.0	Premature rupture of membranes--	8	...	8	...	6	...	2	0.0	0.0	...	0.0	...	0.0	...	
*.1	Precipitate labor--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.2	Previous cesarean section--	4	...	4	...	2	...	2	0.0	0.0	...	0.0	...	0.0	...	
*.3	Umbilical cord complication--	1	...	1	...	1	...	1	0.0	0.0	...	-	...	-	0.0	...
*.8	Other specified complications--	10	...	10	...	7	...	3	0.0	0.0	...	0.0	...	0.0	...	
*.9	Unspecified complication--	26	...	26	...	13	...	13	0.0	0.0	...	0.0	...	0.1	...	
662	Anesthetic death in uncomplicated delivery--	5	...	5	...	2	...	3	0.0	0.0	...	0.0	...	0.0	...	
670-678	Complications of the puerperium--	194	...	194	...	127	...	67	0.1	0.2	...	0.1	...	0.5	...	
670	Sepsis of childbirth and the puerperium--	25	...	25	...	13	...	12	0.0	0.0	...	0.0	...	0.1	...	
671	Puerperal phlebitis and thrombosis--	18	...	18	...	13	...	5	0.0	0.0	...	0.0	...	0.0	...	
*.0	Lower extremities--	4	...	4	...	3	...	1	0.0	0.0	...	0.0	...	0.0	...	
*.9	Other and unspecified sites--	14	...	14	...	10	...	4	0.0	0.0	...	0.0	...	0.0	...	
672	Fyrexia of unknown origin during the puerperium--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
673	Puerperal pulmonary embolism--	108	...	108	...	75	...	33	0.1	0.1	...	0.1	...	0.3	...	
.0	Air embolism--	5	...	5	...	4	...	1	0.0	0.0	...	0.0	...	0.0	...	
.1	Amniotic fluid embolism--	70	...	70	...	53	...	17	0.0	0.1	...	0.1	...	0.1	...	
.9	Other and unspecified--	33	...	33	...	18	...	15	0.0	0.0	...	0.0	...	0.1	...	
674	Cerebral hemorrhage in the puerperium--	20	...	20	...	11	...	9	0.0	0.0	...	0.0	...	0.1	...	
675	Puerperal blood dyscrasias--	8	...	8	...	6	...	2	0.0	0.0	...	0.0	...	0.0	...	
676	Anemia of the puerperium--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
677	Other and unspecified complications of the puerperium--	15	...	15	...	9	...	6	0.0	0.0	...	0.0	...	0.0	...	
.0	Sudden death from unknown cause in the puerperium--	1	...	1	...	1	...	1	0.0	0.0	...	0.0	...	-	...	
*.1	Retained placenta, complicating puerperium--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	
*.2	Other delayed postpartum hemorrhage--	1	...	1	...	1	...	-	0.0	0.0	...	0.0	...	-	...	
*.9	Other and unspecified--	13	...	13	...	7	...	6	0.0	0.0	...	0.0	...	0.0	...	
678	Mastitis and other disorders of lactation--	-	...	-	...	-	...	-	...	-	...	-	...	-	...	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other inflammatory conditions of skin and subcutaneous tissue--Con.														
	Psoriasis and similar disorders--Con.														
.4	Pityriasis rubra pilaris-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Other and unspecified pityriasis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other disorders-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
697	Lichen-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Planus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Nitidus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
698	Pruritus and related conditions-----	2	2	-	2	-	-	0.0	0.0	-	0.0	-	-	-	
.0	Pruritus ani-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Pruritus of genital organs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Prurigo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Lichenification and lichen simplex chronicus-----	2	2	-	2	-	-	0.0	0.0	-	0.0	-	-	-	
.4	Dermatitis factitia (artefacta)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other pruritic conditions-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
700-709	Other diseases of skin and subcutaneous tissue-----	777	285	492	220	394	65	98	0.4	0.3	0.5	0.3	0.4	0.5	0.8
700	Corns and callosities-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	-
701	Other hypertrophic and atrophic conditions of skin-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	-
.0	Circumscribed scleroderma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Keratoderma, acquired-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	-
.2	Striae atrophicae-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Keloid scar-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other hypertrophic and atrophic conditions of skin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
702	Other dermatoses-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	-
703	Diseases of nail-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.0	Ingrowing nail-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
704	Diseases of hair and hair follicles-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
705	Diseases of sweat glands-----	5	3	2	1	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Anhidrosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Erickly heat-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	5	3	2	1	1	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
706	Diseases of sebaceous glands-----	3	3	-	3	-	-	0.0	0.0	-	0.0	-	-	-	-
.0	Acne varioliformis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Other acne-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Sebaceous cyst-----	3	3	-	3	-	-	0.0	0.0	-	0.0	-	-	-	-
.3	Seborrhea-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
707	Chronic ulcer of skin-----	745	266	479	205	383	63	96	0.4	0.3	0.5	0.2	0.4	0.5	0.7
*.0	Decubitus ulcer-----	620	217	405	168	325	49	78	0.3	0.2	0.4	0.2	0.4	0.4	0.6
*.1	Lower extremity, except decubitus ulcer-----	65	22	43	12	30	10	13	0.0	0.0	0.0	0.0	0.0	0.1	0.1
*.9	Other-----	80	27	33	25	28	4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
708	Urticaria-----	13	7	6	7	5	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Angioneurotic edema-----	11	6	5	6	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.9	Other and unspecified-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
709	Other diseases of skin-----	8	4	4	4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.0	Cicatrix-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.1	Tattoo-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Other diseases of skin-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE														
710-719	Arthritis and rheumatism, except rheumatic fever-----	2,106	723	1,383	643	1,275	80	108	1.0	0.7	1.3	0.7	1.4	0.7	0.8
710	Acute arthritis due to pyogenic organisms-----	36	24	12	17	12	7	-	0.0	0.0	0.0	0.0	0.0	0.1	-
*.0	Of spine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Of upper extremity (including shoulder)-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Arthritis and rheumatism, except rheumatic fever--Con.														
	Acute arthritis due to pyogenic organisms--Con.														
*.2	Of hip-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.3	Of other parts of lower extremity-----	8	4	4	2	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Of other and unspecified sites-----	23	17	6	13	6	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
711	Acute nonpyogenic arthritis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
712	Rheumatoid arthritis and allied conditions-----	1,298	407	891	580	850	27	61	0.8	0.4	0.9	0.4	0.9	0.2	0.5
.0	Juvenile rheumatoid arthritis-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Rheumatoid arthritis with splenoadenomegaly and leukopenia-----	17	5	12	5	12	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.2	Palindromic rheumatism-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Other rheumatoid arthritis-----	1,250	377	873	553	812	24	61	0.6	0.4	0.8	0.4	0.9	0.2	0.5
.4	Spondylitis ankylopoietica-----	27	24	3	21	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.5	Chronic rheumatoid nodular fibrositis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
715	Osteoarthritis and allied conditions-----	314	129	185	107	176	22	9	0.2	0.1	0.2	0.1	0.2	0.2	0.1
.0	Osteoarthritis-----	273	101	172	90	164	11	8	0.1	0.1	0.2	0.1	0.2	0.1	0.1
.1	Spondylitis osteoarthritica-----	41	28	13	17	12	11	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
.2	Traumatic spondylopathy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
714	Other specified forms of arthritis-----	19	9	10	6	8	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Traumatic arthritis-----	2	2	-	-	-	2	-	0.0	0.0	-	-	-	0.0	-
.9	Other-----	17	7	10	6	8	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
715	Arthritis, unspecified-----	281	93	188	80	169	13	19	0.1	0.1	0.2	0.1	0.2	0.1	0.1
716	Polymyositis and dermatomyositis-----	139	49	90	45	74	4	16	0.1	0.0	0.1	0.1	0.1	0.0	0.1
.0	Dermatomyositis-----	81	26	55	23	44	3	11	0.0	0.0	0.1	0.0	0.0	0.0	0.1
.1	Polymyositis-----	58	23	35	22	30	1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
717	Other nonarticular rheumatism-----	15	10	5	6	4	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Lumbago-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Scapulohumeral myofibrosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Torticollis not specified as congenital, psychogenic, or traumatic-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Other muscular rheumatism, fibrositis, and myalgia-----	11	7	4	4	3	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
718	Rheumatism, unspecified-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
720-729	Osteomyelitis and other diseases of bone and joint-----	827	360	467	320	428	40	39	0.4	0.4	0.5	0.4	0.5	0.3	0.3
720	Osteomyelitis and periostitis-----	202	116	86	103	70	13	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.0	Acute osteomyelitis-----	20	10	10	8	10	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Chronic osteomyelitis-----	40	27	13	23	11	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Unspecified osteomyelitis-----	141	78	63	71	49	7	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.3	Periostitis without mention of osteomyelitis-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
721	Osteitis deformans-----	97	51	46	43	42	8	4	0.0	0.1	0.0	0.0	0.0	0.1	0.0
722	Osteochondrosis-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
.0	Juvenile osteochondrosis of spine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Juvenile osteochondrosis of hip-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.2	Other juvenile osteochondrosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.3	Slipped upper femoral epiphysis, nontraumatic-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.4	Apophysitis, calcaneal-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Osteochondritis dissecans-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Other and unspecified forms of osteochondrosis-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
723	Other diseases of bone-----	319	79	240	74	229	5	11	0.2	0.1	0.2	0.1	0.3	0.0	0.1
.0	Osteoporosis-----	180	24	156	24	153	-	3	0.1	0.0	0.2	0.0	0.2	-	0.0
.1	Hypertrophic pulmonary osteoarthropathy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Spontaneous fracture-----	85	26	59	25	55	1	4	0.0	0.0	0.1	0.0	0.1	0.0	0.0
*.3	Cyst of bone, except jaw-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.4	Hyperostosis of skull-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Aseptic necrosis of bone-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.6	Arrest of growth-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.7	Calcaneal spur-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.9	Other diseases of bone-----	47	25	22	21	18	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Osteomyelitis and other diseases of bone and joint--Con.														
724	Internal derangement of joint-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
*.0	Recurrent dislocation of shoulder-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Other shoulder derangements-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.2	Recurrent dislocation of elbow-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.3	Other elbow derangements-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.4	Recurrent dislocation of knee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Other knee derangements-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
*.9	Derangements of other joints-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
725	Displacement of intervertebral disc-----	51	38	13	33	12	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Cervical-----	10	6	4	6	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	Lumbar and lumbosacral-----	15	11	4	8	4	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.8	Other specified sites-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.9	Unspecified site-----	25	21	4	19	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
726	Affection of sacroiliac joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
727	Ankylosis of joint-----	10	5	5	4	4	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Of spine-----	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Of shoulder-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Of elbow-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Of wrist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Of finger-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Of hip-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.6	Of knee-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.7	Of ankle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Of other and multiple sites-----	2	-	2	-	1	-	1	0.0	-	0.0	-	0.0	-	0.0
.9	Of unspecified site-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
728	Vertebrogenic pain syndrome-----	8	4	4	4	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.0	Cervicalgia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Cervicocranial syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Diffuse cervicobrachial syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Radicular syndrome of upper limbs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Cervical myelopathy-----	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.5	Pain in thoracic spine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Thoracic myelopathy-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.7	Imbalgia-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.8	Radicular syndrome of lower limbs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other and unspecified-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
729	Other diseases of joint-----	136	65	71	59	66	6	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
*.0	Pseudarthrosis of spine following fusion-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Other diseases of spine not elsewhere classifiable-----	3	1	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.2	Disease of shoulder not elsewhere classifiable-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
*.3	Disease of elbow not elsewhere classifiable-----	1	-	1	-	1	-	-	0.0	-	0.0	-	-	-	-
*.4	Flexion contracture of fingers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Disease of hip not elsewhere classifiable-----	100	43	57	40	54	3	3	0.0	0.0	0.1	0.0	0.1	0.0	0.0
*.6	Loose body in knee-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.7	Chondromalacia of knee-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-
*.8	Disease of knee not elsewhere classifiable-----	13	9	4	9	3	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.9	Disease of joint not elsewhere classifiable-----	15	9	6	6	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
730-738	Other diseases of musculoskeletal system-----	1,975	566	1,409	484	1,097	82	312	1.0	0.6	1.4	0.6	1.2	0.7	2.4
730	Bunion-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
731	Synovitis, bursitis, and tenosynovitis-----	8	4	4	4	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.0	Of spine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.1	Of shoulder-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
*.2	Of elbow-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.3	Of wrist-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
*.4	Of hand and finger-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Of hip and buttock-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.6	Of knee-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Other diseases of musculoskeletal system--Con.														
	Synovitis, bursitis, and tenosynovitis--Con.														
*.7	Of ankle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.8	Of foot and toe-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
*.9	Of other and unspecified sites-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
732	Infective myositis and other inflammatory diseases of tendon and fascia-----	13	3	10	3	7	-	0.0	0.0	0.0	0.0	0.0	-	0.0	
733	Other diseases of muscle, tendon, and fascia-----	304	135	169	118	147	17	0.2	0.1	0.2	0.1	0.2	0.1	0.2	
.0	Myasthenia gravis-----	239	104	135	90	120	14	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
.1	Muscular atrophy (idiopathic)-----	16	10	6	9	6	1	0.0	0.0	0.0	0.0	0.0	0.0	-	
*.2	Myositis ossificans-----	4	2	2	2	1	-	0.0	0.0	0.0	0.0	0.0	-	0.0	
*.3	Calcium deposit in tendon-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.4	Short Achilles tendon-----	1	-	1	-	-	-	0.0	-	-	-	-	-	0.0	
*.5	Contracture of palmar fascia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.6	Residual foreign body in tissue or bone-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.9	Other and unspecified diseases of muscle, tendon, and fascia-----	44	19	25	17	20	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
734	Diffuse diseases of connective tissue-----	1,517	377	1,140	315	859	62	0.8	0.4	1.1	0.4	0.9	0.5	2.2	
.0	Progressive systemic sclerosis-----	540	184	376	156	309	29	0.3	0.2	0.4	0.2	0.3	0.2	0.5	
.1	Systemic lupus erythematosus-----	853	173	680	146	486	27	0.4	0.2	0.7	0.2	0.5	0.2	1.5	
.9	Other and unspecified-----	124	40	84	33	64	7	0.1	0.0	0.1	0.0	0.1	0.1	0.2	
735	Curvature of spine-----	117	41	76	38	70	3	0.1	0.0	0.1	0.0	0.1	0.0	0.0	
*.0	Scoliosis-----	17	10	7	10	5	-	0.0	0.0	0.0	0.0	0.0	-	0.0	
*.1	Kyphosis-----	22	10	12	10	11	-	0.0	0.0	0.0	0.0	0.0	-	0.0	
*.2	Kyphoscoliosis-----	75	20	55	17	52	3	0.0	0.0	0.1	0.0	0.1	0.0	0.0	
*.9	Other and unspecified curvature of spine-----	3	1	2	1	2	-	0.0	0.0	0.0	0.0	0.0	-	-	
736	Flat foot-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
737	Hallux valgus and varus-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
*.0	Hallux valgus and unspecified hallux-----	1	-	1	-	1	-	0.0	-	0.0	-	0.0	-	-	
*.1	Hallux varus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
738	Other deformities-----	14	6	8	6	8	-	0.0	0.0	0.0	0.0	0.0	-	-	
*.0	Of nasal bone-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.1	Of head-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.2	Of forearm, excluding fingers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.3	Of fingers-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.4	Of hip-----	2	-	2	-	2	-	0.0	-	0.0	-	0.0	-	-	
*.5	Of leg not elsewhere classifiable-----	3	2	1	2	1	-	0.0	0.0	0.0	0.0	0.0	-	-	
*.6	Of ankle and foot, excluding toes, acquired-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
*.7	Of toes not elsewhere classifiable-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
*.8	Of other specified sites-----	7	2	5	2	5	-	0.0	0.0	0.0	0.0	0.0	-	-	
*.9	Of unspecified site-----	1	1	-	1	-	-	0.0	0.0	-	0.0	-	-	-	
	XIV. CONGENITAL ANOMALIES														
740-759	Congenital anomalies-----	17,008	9,147	7,861	7,763	6,627	1,384	8.4	9.3	7.6	9.0	7.3	11.6	9.6	
740	Anencephalus-----	967	407	560	366	521	41	0.5	0.4	0.5	0.4	0.6	0.3	0.3	
741	Spina bifida-----	850	386	464	353	456	33	0.4	0.4	0.4	0.4	0.5	0.3	0.2	
.0	With hydrocephalus-----	539	241	298	221	282	20	0.3	0.2	0.3	0.3	0.3	0.2	0.1	
.9	Without mention of hydrocephalus-----	311	145	166	132	154	13	0.2	0.1	0.2	0.2	0.2	0.1	0.1	
742	Congenital hydrocephalus-----	1,054	557	497	459	400	98	0.5	0.6	0.5	0.5	0.4	0.8	0.8	
743	Other congenital anomalies of nervous system-----	800	378	422	324	372	54	0.4	0.4	0.4	0.4	0.4	0.5	0.4	
.0	Encephalocele-----	134	59	75	54	69	5	0.1	0.1	0.1	0.1	0.1	0.0	0.0	
.1	Microcephalus-----	227	104	123	86	105	18	0.1	0.1	0.1	0.1	0.1	0.2	0.1	
.2	Other specified anomalies of brain-----	141	73	68	59	64	14	0.1	0.1	0.1	0.1	0.1	0.1	0.0	
.3	Other specified anomalies of spinal cord-----	5	2	3	2	3	-	0.0	0.0	0.0	0.0	0.0	-	-	
.4	Neurofibromatosis-----	38	17	21	13	16	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.8	Other specified anomalies of nervous system-----	22	7	15	7	14	-	0.0	0.0	0.0	0.0	0.0	-	0.0	
.9	Unspecified anomalies of brain, spinal cord, and nervous system-----	235	116	117	103	101	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	Congenital anomalies--Con.																
744	Congenital anomalies of eye-----	1	-	1	-	1	-	-	-	0.0	-	0.0	-	0.0	-	-	-
.0	Anophthalmos-----	1	-	1	-	1	-	-	-	0.0	-	0.0	-	0.0	-	-	-
.1	Microphthalmos-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Buphthalmos-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Congenital cataract-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Coloboma-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Aniridia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.6	Retinitis pigmentosa-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.7	Congenital blepharoptosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.8	Other specified anomalies of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified anomalies of eye-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
745	Congenital anomalies of ear, face, and neck-----	5	2	3	2	2	-	1	-	0.0	0.0	0.0	0.0	0.0	-	-	0.0
.0	Anomalies of ear causing impairment of hearing-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Accessory auricle-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other specified anomalies of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Unspecified anomalies of ear-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Branchial cleft, cyst, or fistula and preauricular sinus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Webbing of neck-----	1	1	-	1	-	-	-	-	0.0	0.0	-	0.0	-	-	-	-
.8	Other specified anomalies of face and neck-----	1	1	-	1	-	-	-	-	0.0	0.0	-	0.0	-	-	-	-
.9	Unspecified anomalies of face and neck-----	3	-	3	-	2	-	1	-	0.0	-	0.0	-	0.0	-	-	0.0
746	Congenital anomalies of heart-----	6,876	3,789	3,087	3,177	2,536	612	551	3.4	3.8	3.0	3.7	2.8	5.1	4.3	4.3	
.0	Common truncus-----	147	84	63	72	55	12	8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
.1	Transposition of great vessels-----	525	335	192	297	169	36	24	0.3	0.3	0.2	0.3	0.2	0.3	0.2	0.2	
.2	Tetralogy of Fallot-----	435	238	197	204	163	34	34	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	
.3	Ventricular septal defect-----	673	361	312	311	275	50	37	0.3	0.4	0.3	0.4	0.3	0.4	0.4	0.3	
.4	Atrial septal defect-----	420	167	253	146	211	21	42	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	
.5	Ostium atrioventriculare commune-----	102	47	55	39	50	8	5	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.0	
.6	Anomalies of heart valves-----	730	455	275	408	237	47	38	0.4	0.5	0.3	0.5	0.3	0.4	0.3	0.3	
.7	Fibroelastosis cordis-----	215	103	112	69	69	34	44	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	
.8	Other specified anomalies of heart-----	604	354	250	304	215	50	35	0.3	0.4	0.2	0.4	0.2	0.4	0.3	0.3	
.9	Unspecified anomalies of heart-----	3,025	1,647	1,378	1,327	1,094	320	284	1.5	1.7	1.3	1.5	1.2	2.7	2.2	2.2	
747	Other congenital anomalies of circulatory system-----	1,216	650	566	555	473	95	93	0.6	0.7	0.5	0.6	0.5	0.8	0.7	0.7	
.0	Patent ductus arteriosus-----	249	107	142	84	125	23	19	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	
.1	Coarctation of aorta-----	260	172	88	151	71	21	17	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.1	
.2	Other anomalies of aorta-----	73	43	30	38	27	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.3	Stenosis or atresia of pulmonary artery-----	171	87	84	76	64	11	20	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	
.4	Anomalies of great veins-----	107	54	53	51	47	3	6	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	
.5	Absence of hypoplasia of umbilical artery-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.6	Other anomalies of peripheral vascular system-----	178	93	85	82	73	11	12	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
.8	Other specified anomalies of circulatory system-----	170	91	79	71	65	20	14	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	
.9	Unspecified anomalies of circulatory system-----	8	3	5	2	3	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
748	Congenital anomalies of respiratory system-----	616	372	244	309	197	63	47	0.3	0.4	0.2	0.4	0.2	0.5	0.4	0.4	
.0	Choanal atresia-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	
.1	Other anomalies of nose-----	5	1	4	1	3	-	1	0.0	0.0	0.0	0.0	0.0	-	-	0.0	
.2	Web of larynx-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-
.3	Other anomalies of larynx, trachea, and bronchus-----	79	49	30	40	25	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	
.4	Congenital cystic lung-----	106	68	38	55	31	13	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.1	
.5	Agenesis of lung-----	46	26	20	22	18	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.6	Other anomalies of lung-----	323	195	128	161	100	34	28	0.2	0.2	0.1	0.2	0.1	0.3	0.2	0.2	
.8	Other specified anomalies of respiratory system-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.9	Unspecified anomalies of respiratory system-----	46	26	20	24	16	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
749	Cleft palate and cleft lip-----	38	27	11	23	11	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.0	Cleft palate-----	18	11	7	7	7	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.1	Cleft lip-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.2	Cleft palate with cleft lip-----	16	13	3	15	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table.]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
Congenital anomalies--Con.																	
750	Other congenital anomalies of upper alimentary tract-----	260	143	117	126	96	17	21	0.1	0.1	0.1	0.1	0.1	0.1	0.2		
.0	Anomalies of tongue-----	2	-	2	-	-	-	-	0.0	-	0.0	-	0.0	-	-		
.1	Pyloric stenosis-----	13	8	5	5	2	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.2	Tracheo-esophageal fistula-----	90	45	45	39	33	6	12	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
*.3	Esophageal atresia and stenosis-----	65	39	26	36	23	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.8	Other specified anomalies of upper alimentary tract-----	74	46	28	42	27	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Unspecified anomalies of upper alimentary tract-----	16	5	11	4	9	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
751	Other congenital anomalies of digestive system-----	790	448	342	363	270	85	72	0.4	0.5	0.3	0.4	0.3	0.7	0.6		
.0	Meckel's diverticulum-----	41	25	16	23	13	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
*.1	Anomalies of intestinal fixation-----	74	50	24	38	19	12	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0		
*.2	Hirschsprung's disease-----	96	66	30	55	27	11	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0		
*.3	Atresia and stenosis of rectum and anal canal-----	52	36	16	28	13	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
*.4	Other anomalies of intestine-----	264	148	116	123	88	25	28	0.1	0.2	0.1	0.1	0.1	0.2	0.2		
*.5	Atresia of biliary ducts-----	66	29	37	22	27	7	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1		
*.6	Other anomalies of gallbladder, bile ducts, and liver-----	166	77	89	63	72	14	17	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
.7	Anomalies of pancreas-----	5	3	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.8	Other specified anomalies of digestive system-----	13	7	6	4	5	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Unspecified anomalies of digestive system-----	13	7	6	5	4	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
752	Congenital anomalies of genital organs-----	11	10	1	7	1	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
.0	Indeterminate sex-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Undescended testicle-----	2	2	...	1	...	1	...	0.0	0.0	...	0.0	...	0.0	...		
.2	Hypospadias-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.3	Epispadias-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.4	Congenital hydrocele-----	-	-	...	-	-	-	...	-		
.5	Anomalies of ovary, fallopian tube, and uterus-----	-	...	-	...	-	-	...	-	...	-		
.6	Anomalies of vagina and external female genitalia-----	-	...	-	...	-	-	...	-	...	-		
.7	Pseudohermaphroditism-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-		
.8	Other specified anomalies of genital organs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.9	Unspecified anomalies of genital organs-----	7	6	1	4	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-		
753	Congenital anomalies of urinary system-----	1,294	757	537	666	469	91	66	0.6	0.8	0.5	0.8	0.5	0.8	0.5		
.0	Renal agenesis-----	214	143	71	130	60	13	11	0.1	0.1	0.1	0.2	0.1	0.1	0.1		
.1	Cystic kidney disease-----	863	459	404	410	353	49	51	0.4	0.5	0.4	0.5	0.4	0.4	0.4		
.2	Obstructive defects of urinary tract-----	64	47	17	40	16	7	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0		
.3	Other specified anomalies of kidney-----	28	16	12	13	8	3	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.4	Other specified anomalies of ureter-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.5	Extrophy of urinary bladder-----	9	7	2	6	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.6	Atresia and stenosis of urethra and bladder neck-----	23	20	3	17	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.8	Other specified anomalies of bladder and urethra-----	11	10	1	8	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Unspecified anomalies of urinary system-----	76	51	25	38	24	13	1	0.0	0.1	0.0	0.0	0.0	0.1	0.0		
754	Clubfoot (congenital)-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
*.0	Talipes cavus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.1	Talipes equinovarus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.2	Talipes calcaneovalgus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.8	Talipes, other specified types, not elsewhere classifiable-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
*.9	Talipes, unspecified type-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
755	Other congenital anomalies of limbs-----	21	12	9	11	7	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.0	Polydactyly-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.1	Syndactyly-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.2	Reduction deformity of upper limb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
.3	Reduction deformity of lower limb-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.4	Reduction deformity, unspecified limb-----	3	2	1	2	-	-	1	0.0	0.0	0.0	0.0	-	-	0.0		
.5	Other anomaly of upper limb (including shoulder girdle)-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.6	Congenital dislocation of hip-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.7	Other anomaly of lower limb (including pelvic girdle)-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-		
.8	Generalized flexion contracture of limb joints-----	9	6	3	5	2	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
.9	Other and unspecified anomalies of unspecified limb-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-		

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
Congenital anomalies--Con.															
756	Other congenital anomalies of musculoskeletal system-----	408	232	176	195	155	37	21	0.2	0.2	0.2	0.2	0.2	0.3	0.2
.0	Anomalies of skull and face bones-----	81	47	34	42	28	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.1	Anomalies of lumbosacral joint-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.2	Other anomalies of spine-----	40	19	21	15	21	4	-	0.0	0.0	0.0	0.0	0.0	-	-
*.3	Cervical rib-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.4	Other anomalies of ribs and sternum-----	26	19	7	16	7	3	-	0.0	0.0	0.0	0.0	0.0	-	-
*.5	Chondrodystrophy-----	53	30	23	22	21	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
*.6	Osteogenesis imperfecta-----	40	24	16	22	14	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.7	Other generalized anomalies of skeleton-----	21	9	12	8	10	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Other specified anomalies of muscle, tendon, and fascia-----	129	71	58	62	51	9	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.9	Unspecified anomalies of musculoskeletal system-----	16	12	4	7	2	5	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
757	Congenital anomalies of skin, hair, and nails-----	27	17	10	14	9	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Hereditary edema of legs-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Pigmented nevus-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Other specified anomalies of skin-----	26	17	9	14	8	3	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Specified anomalies of hair-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.4	Specified anomalies of nails-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified anomalies of skin, hair, and nails-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
758	Other and unspecified congenital anomalies-----	256	144	112	117	82	27	30	0.1	0.1	0.1	0.1	0.1	0.2	0.2
.0	Anomalies of spleen-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Anomalies of adrenal gland-----	32	22	10	19	8	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	Anomalies of thyroid gland-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Anomalies of other endocrine glands-----	15	9	6	8	4	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Other specified congenital anomalies-----	79	45	36	39	25	4	11	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.9	Unspecified congenital anomaly-----	129	69	60	50	45	19	15	0.1	0.1	0.1	0.1	0.0	0.2	0.1
759	Congenital syndromes affecting multiple systems-----	1,512	812	700	692	587	120	113	0.7	0.8	0.7	0.8	0.6	1.0	0.9
.0	Situs inversus-----	12	10	2	8	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Conjoined twins-----	27	14	13	14	10	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Other forms of monster-----	31	10	21	9	19	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.3	Down's disease-----	263	139	124	119	106	20	18	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.4	Other syndromes due to autosomal abnormality-----	165	73	92	59	65	14	27	0.1	0.1	0.1	0.1	0.1	0.1	0.2
.5	Syndromes due to sex chromosome abnormality-----	11	4	7	4	6	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.6	Tuberous sclerosis-----	14	5	9	5	8	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.8	Other specified syndromes-----	95	60	35	53	32	7	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0
.9	Multiple congenital anomalies, unspecified-----	894	497	397	421	339	76	58	0.4	0.5	0.4	0.5	0.4	0.6	0.5
XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY															
760-778	Certain causes of mortality in early infancy-----	45,171	25,369	17,802	19,201	13,132	6,168	4,670	21.4	25.8	17.2	22.2	14.5	51.5	36.3
760	Chronic circulatory and genitourinary diseases in mother-----	19	10	9	6	6	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Chronic rheumatic heart disease-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
.1	Congenital heart disease-----	3	1	2	1	1	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	Chronic hypertension-----	6	5	1	1	1	4	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Other chronic diseases of circulatory system-----	6	1	5	1	3	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.4	Chronic nephritis-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
.5	Other chronic diseases of genitourinary system-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
781	Other maternal conditions unrelated to pregnancy-----	486	294	192	241	154	53	38	0.2	0.3	0.2	0.3	0.2	0.4	0.3
.0	Syphilis-----	4	4	-	1	-	3	-	0.0	0.0	-	0.0	-	0.0	-
.1	Diabetes mellitus-----	250	145	105	128	92	17	13	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.2	Influenza-----	14	8	6	7	6	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.3	Rubella-----	24	15	9	13	6	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.4	Toxoplasmosis-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.5	Injury-----	42	24	18	16	11	8	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1
.6	Operation-----	12	8	4	8	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.7	Chemical substances transmitted through placenta-----	7	5	2	3	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Other maternal causes-----	133	85	48	65	33	20	15	0.1	0.1	0.0	0.1	0.0	0.2	0.1

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate								
		Total			White		All other			Total			White		All other			
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female			
	Certain causes of mortality in early infancy--Con.																	
762	Toxemia of pregnancy-----	176	95	81	63	52	32	29	0.1	0.1	0.1	0.1	0.1	0.3	0.2			
.0	Renal diseases arising during pregnancy-----	4	1	3	1	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0			
.1	Eclampsia of pregnancy-----	61	31	30	23	23	8	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1			
.2	Eclampsia of pregnancy-----	29	15	14	8	9	7	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0			
.3	Toxemia, unspecified-----	77	44	33	29	17	15	16	0.0	0.0	0.0	0.0	0.0	0.1	0.1			
.4	Hyperemesis gravidarum-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-			
.5	Acute and subacute necrosis of liver arising during pregnancy-----	3	3	-	1	-	2	-	0.0	0.0	-	0.0	-	0.0	-			
.9	Other toxemia of pregnancy-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-			
763	Maternal antepartum and intrapartum infection-----	243	136	107	89	71	47	36	0.1	0.1	0.1	0.1	0.1	0.4	0.3			
.0	Pyelitis and pyelonephritis of pregnancy-----	18	11	5	7	5	4	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
.1	Other infections of genitourinary tract during pregnancy-----	22	12	10	7	4	5	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
.9	Other-----	205	113	92	75	62	38	30	0.1	0.1	0.1	0.1	0.1	0.3	0.2			
764	Difficult labor with abnormality of bones, organs, or tissues of pelvis-----	59	37	22	34	17	3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
.0	With birth injury to brain-----	5	2	3	2	1	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0			
.1	With birth injury to spinal cord-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
.2	With birth injury to bone or nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
.3	With other or unspecified birth injury-----	3	3	-	1	-	2	-	0.0	0.0	-	0.0	-	0.0	-			
.4	With asphyxia, anoxia, or hypoxia-----	25	15	10	14	9	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
.9	Without mention of birth injury, asphyxia, anoxia, or hypoxia-----	26	17	9	17	7	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0			
765	Difficult labor with disproportion but no mention of abnormality of pelvis-----	47	33	14	22	12	11	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0			
.0	With birth injury to brain-----	14	11	3	8	3	3	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
.1	With birth injury to spinal cord-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
.2	With birth injury to bone or nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
.3	With other or unspecified birth injury-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	0.0	-			
.4	With asphyxia, anoxia, or hypoxia-----	25	17	8	9	6	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0			
.9	Without mention of birth injury, asphyxia, anoxia, or hypoxia-----	4	1	3	1	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-			
766	Difficult labor with malposition of fetus-----	540	336	204	255	151	81	53	0.3	0.3	0.2	0.3	0.2	0.7	0.4			
.0	With birth injury to brain-----	254	162	92	117	65	45	27	0.1	0.2	0.1	0.1	0.1	0.4	0.2			
.1	With birth injury to spinal cord-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-			
.2	With birth injury to bone or nerve-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
.3	With other or unspecified birth injury-----	13	9	4	7	4	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
.4	With asphyxia, anoxia, or hypoxia-----	210	126	84	104	67	22	17	0.1	0.1	0.1	0.1	0.1	0.2	0.1			
.9	Without mention of birth injury, asphyxia, anoxia, or hypoxia-----	58	35	23	24	14	11	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1			
767	Difficult labor with abnormality of forces of labor-----	70	41	29	29	21	13	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1			
.0	With birth injury to brain-----	27	16	9	11	7	7	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0			
.1	With birth injury to spinal cord-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
.2	With birth injury to bone or nerve-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-			
.3	With other or unspecified birth injury-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-			
.4	With asphyxia, anoxia, or hypoxia-----	24	14	10	12	6	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
.9	Without mention of birth injury, asphyxia, anoxia, or hypoxia-----	17	8	9	4	7	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
768	Difficult labor with other and unspecified complications-----	152	100	52	80	38	20	14	0.1	0.1	0.1	0.1	0.0	0.2	0.1			
.0	With birth injury to brain-----	49	32	17	25	13	7	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0			
.1	With birth injury to spinal cord-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
.2	With birth injury to bone or nerve-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
.3	With other or unspecified birth injury-----	7	4	3	3	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
.4	With asphyxia, anoxia, or hypoxia-----	74	51	23	41	18	10	5	0.0	0.1	0.0	0.0	0.0	0.1	0.0			
.9	Without mention of birth injury, asphyxia, anoxia, or hypoxia-----	22	13	9	11	6	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0			

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Certain causes of mortality in early infancy--Con.														
769	Other complications of pregnancy and childbirth-----	5,327	3,011	2,316	2,295	1,739	716	577	2.6	3.1	2.2	2.7	1.9	6.0	4.5
.0	Incompetent cervix-----	264	138	126	121	110	17	16	0.1	0.1	0.1	0.1	0.1	0.1	0.1
.1	Premature rupture of membranes-----	969	560	409	410	307	150	102	0.5	0.6	0.4	0.5	0.3	1.3	0.8
.2	Hydramnios-----	148	88	60	78	55	10	5	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.4	Multiple pregnancy-----	3,959	2,174	1,684	1,644	1,236	530	448	1.9	2.2	1.6	1.9	1.4	4.4	3.5
.5	Maternal death, unspecified-----	8	6	2	5	2	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.9	Other-----	80	45	35	37	29	8	6	0.0	0.0	0.0	0.0	0.0	0.1	0.0
770	Conditions of placenta-----	2,527	1,477	1,050	1,243	879	234	171	1.3	1.5	1.0	1.4	1.0	2.0	1.3
.0	Placenta previa-----	456	276	180	241	153	35	27	0.2	0.3	0.2	0.3	0.2	0.3	0.2
.1	Premature separation of placenta-----	1,824	1,068	756	897	631	181	125	0.9	1.1	0.7	1.0	0.7	1.5	1.0
.2	Placental infarction-----	26	18	8	16	7	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.8	Other-----	72	35	37	31	34	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Unspecified-----	149	80	69	68	54	12	15	0.1	0.1	0.1	0.1	0.1	0.1	0.1
771	Conditions of umbilical cord-----	493	300	193	247	161	53	32	0.2	0.3	0.2	0.3	0.2	0.4	0.2
.0	Compression of cord-----	66	40	26	37	24	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Prolapse of cord without mention of compression-----	184	119	65	97	52	22	13	0.1	0.1	0.1	0.1	0.1	0.2	0.1
.3	Other-----	243	141	102	113	85	28	17	0.1	0.1	0.1	0.1	0.1	0.2	0.1
772	Birth injury without mention of cause-----	1,727	1,067	660	786	464	281	196	0.9	1.1	0.6	0.9	0.5	2.3	1.5
.0	To brain-----	1,531	959	572	698	397	261	175	0.8	1.0	0.6	0.8	0.4	2.2	1.4
.1	To spinal cord-----	6	2	4	2	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
.2	To bone or nerve-----	16	4	12	3	9	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Other and unspecified-----	174	102	72	83	56	19	16	0.1	0.1	0.1	0.1	0.1	0.2	0.1
774	Hemolytic disease of newborn, with kernicterus-----	29	18	11	14	9	4	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	With RH incompatibility-----	6	2	4	2	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.1	With ABO incompatibility-----	4	4	-	2	-	2	-	0.0	0.0	-	0.0	-	0.0	-
.2	With other or unspecified blood incompatibility-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Without mention of cause-----	19	12	7	10	5	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
775	Hemolytic disease of newborn, without mention of kernicterus-----	866	475	391	426	373	49	18	0.4	0.5	0.4	0.5	0.4	0.4	0.1
.0	With RH incompatibility-----	264	141	123	132	119	9	4	0.1	0.1	0.1	0.2	0.1	0.1	0.0
.1	With ABO incompatibility-----	11	7	4	3	4	1	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.2	With other or unspecified blood incompatibility-----	13	7	6	6	5	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.9	Without mention of cause-----	578	320	258	285	246	35	12	0.3	0.3	0.2	0.3	0.3	0.3	0.1
776	Anoxic and hypoxic conditions not elsewhere classifiable-----	19,344	11,668	7,676	9,078	5,789	2,590	1,987	9.6	11.8	7.4	10.5	6.4	21.6	14.7
.0	Aspiration of content of birth canal-----	572	329	243	239	158	90	85	0.3	0.3	0.2	0.3	0.2	0.8	0.7
.1	Hyaline membrane disease-----	4,808	2,997	1,811	2,533	1,496	464	315	2.4	3.0	1.8	2.9	1.7	3.9	2.4
.2	Respiratory distress syndrome-----	4,129	2,526	1,603	1,968	1,194	559	409	2.0	2.6	1.5	2.3	1.3	4.7	3.2
.3	Fetal distress-----	94	55	39	42	24	13	15	0.0	0.1	0.0	0.0	0.0	0.1	0.1
.4	Intrauterine anoxia-----	139	87	52	64	40	23	12	0.1	0.1	0.1	0.1	0.0	0.2	0.1
.9	Asphyxia of newborn, unspecified-----	9,602	5,674	3,928	4,232	2,877	1,442	1,051	4.8	5.8	3.8	4.9	3.2	12.1	8.2
777	Immaturity, unqualified-----	8,959	5,059	3,900	3,464	2,612	1,595	1,288	4.4	5.1	3.8	4.0	2.9	13.3	10.0
778	Other conditions of fetus or newborn-----	2,107	1,212	895	830	584	382	311	1.0	1.2	0.9	1.0	0.8	3.2	2.4
.0	Fetal blood loss before birth-----	1	1	-	-	1	-	-	0.0	-	0.0	-	-	-	-
.1	Postmaturity-----	4	3	1	1	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.2	Hemorrhagic disease of newborn-----	433	263	170	193	123	70	47	0.2	0.3	0.2	0.2	0.1	0.6	0.4
.3	Cold injury syndrome-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Other-----	1,669	946	723	636	459	310	264	0.8	1.0	0.7	0.7	0.5	2.6	2.1
	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS														
780-789	Symptoms referable to systems or organs-----	3,060	1,821	1,239	1,472	970	349	269	1.5	1.8	1.2	1.7	1.1	2.9	2.1
780	Certain symptoms referable to nervous system and special senses-----	127	70	57	52	34	16	23	0.1	0.1	0.1	0.1	0.0	0.2	0.2
.0	Coma and stupor-----	24	10	14	9	6	1	8	0.0	0.0	0.0	0.0	0.0	0.0	0.1
.1	Delirium-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Convulsions-----	100	59	41	43	26	16	15	0.0	0.1	0.0	0.0	0.0	0.1	0.1
.3	Abnormal involuntary movement-----	3	1	2	-	2	1	-	0.0	0.0	0.0	-	0.0	0.0	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Symptoms referable to systems or organs--Con.														
786	Symptoms referable to genitourinary system-----	13	9	4	7	3	2	1	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Pain referable to urinary system-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	0.0	
.1	Retention of urine-----	5	4	1	2	1	2	-	0.0	0.0	0.0	0.0	0.0	-	
.2	Incontinence of urine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Frequency of micturition-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Polyuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Oliguria and anuria (not of newborn)-----	7	5	2	5	2	-	-	0.0	0.0	0.0	0.0	0.0	-	
.6	Priapism-----	-	-	...	-	...	-	...	-	-	...	-	...	-	
.7	Pain referable to genital organs, including dyspareunia-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
787	Symptoms referable to limbs and joints-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	
.0	Transient paralysis of limb, cause unknown-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Pain in limb-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.2	Swelling of limb-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Pain in joint-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Swelling of joint-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.5	Difficulty in walking-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Abnormality of gait-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
788	Other general symptoms-----	200	109	91	72	53	37	38	0.1	0.1	0.1	0.1	0.1	0.3	
*.0	Electrolyte disorders-----	136	79	57	49	37	30	20	0.1	0.1	0.1	0.1	0.0	0.3	
.1	Excessive sweating-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Rash-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.3	Subcutaneous nodules-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Loss of weight-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Tetany-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	0.0	
*.6	Pyrexia of unknown origin-----	56	25	31	18	16	7	15	0.0	0.0	0.0	0.0	0.0	0.1	
.9	Other specified symptoms not elsewhere classifiable-----	5	3	2	3	-	-	2	0.0	0.0	0.0	0.0	-	0.0	
789	Abnormal urinary constituents of unspecified cause-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.0	Albuminuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Pyuria and bacteriuria-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.2	Chyluria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Hematuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Hemoglobinuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Glycosuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Acetomuria-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
790-796	Senility and ill-defined diseases-----	23,100	13,934	9,166	9,277	5,700	4,657	3,466	11.4	14.1	8.9	10.7	6.3	38.9	
790	Nervousness and debility-----	45	19	26	14	22	5	4	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Nervousness-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	
.1	Debility and undue fatigue-----	44	19	25	14	21	5	4	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Depression-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
791	Headache-----	2	-	2	-	-	-	2	0.0	-	0.0	-	-	0.0	
792	Uremia-----	582	332	250	233	184	99	66	0.3	0.3	0.2	0.3	0.2	0.8	
794	Senility without mention of psychosis-----	1,447	550	897	371	647	179	250	0.7	0.6	0.9	0.4	0.7	1.5	
795	Sudden death (cause unknown)-----	1,087	632	455	446	288	186	147	0.5	0.6	0.4	0.5	0.3	1.6	
796	Other ill-defined and unknown causes of mortality-----	19,957	12,401	7,556	8,213	4,559	4,188	2,997	9.9	12.6	7.3	9.5	5.0	35.0	
.0	Other ill-defined conditions-----	1,541	963	578	681	402	282	176	0.8	1.0	0.6	0.8	0.4	2.4	
.2	Found dead (cause unknown)-----	730	433	297	317	185	116	112	0.4	0.4	0.3	0.4	0.2	1.0	
.3	Died without sign of disease-----	11,031	7,025	4,006	4,685	2,258	2,340	1,748	5.5	7.1	3.9	5.4	2.5	19.8	
.9	Other unknown and unspecified causes-----	6,655	3,980	2,675	2,530	1,714	1,450	961	3.5	4.0	2.6	2.9	1.9	12.1	
	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE														
EB00-EB07	Railway accidents-----	884	792	92	614	73	178	19	0.4	0.8	0.1	0.7	0.1	1.5	
EB00	Railway accident involving collision with rolling stock-----	30	30	-	27	-	3	-	0.0	0.0	-	0.0	-	0.0	
.0	Railway employee-----	27	27	-	24	-	3	-	0.0	0.0	-	0.0	-	0.0	
.1	Passenger on railway-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Railway accidents--Con.														
	Railway accident involving collision with rolling stock--Con.														
.2	Pedestrian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified person-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	
E801	Railway accident involving collision with other object-----	16	16	-	12	-	4	-	0.0	0.0	-	0.0	-	0.0	
.0	Railway employee-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	
.1	Passenger on railway-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Pedestrian-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.3	Pedal cyclist-----	6	6	-	5	-	3	-	0.0	0.0	-	0.0	-	0.0	
.8	Other specified persons-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.9	Unspecified person-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	
E802	Railway accident involving derailment without antecedent collision-----	22	19	3	16	1	3	2	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Railway employee-----	7	7	-	7	-	-	-	0.0	0.0	-	0.0	-	-	
.1	Passenger on railway-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.2	Pedestrian-----	5	3	2	2	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified person-----	9	8	1	6	-	2	1	0.0	0.0	0.0	0.0	-	0.0	
E803	Railway accident involving explosion, fire, or burning-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	
.0	Railway employee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Passenger on railway-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Pedestrian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified person-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	
E804	Fall in, on, or from train-----	93	90	3	74	2	16	1	0.0	0.1	0.0	0.1	0.0	0.1	
.0	Railway employee-----	14	14	-	11	-	3	-	0.0	0.0	-	0.0	-	0.0	
.1	Passenger on railway-----	8	8	-	7	-	1	-	0.0	0.0	-	0.0	-	0.0	
.2	Pedestrian-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	-	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	10	10	-	9	-	1	-	0.0	0.0	-	0.0	-	0.0	
.9	Unspecified person-----	59	57	2	47	1	10	1	0.0	0.1	0.0	0.1	0.0	0.1	
E805	Hit by rolling stock-----	668	599	79	444	66	145	13	0.3	0.6	0.1	0.5	0.1	1.2	
.0	Railway employee-----	69	69	-	60	-	9	-	0.0	0.1	-	0.1	-	0.1	
.1	Passenger on railway-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Pedestrian-----	563	488	75	364	62	124	13	0.3	0.5	0.1	0.4	0.1	1.0	
.3	Pedal cyclist-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	
.8	Other specified persons-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	
.9	Unspecified person-----	30	28	2	17	2	11	-	0.0	0.0	0.0	0.0	0.0	0.1	
E806	Other specified railway accidents-----	16	12	4	12	1	-	3	0.0	0.0	0.0	0.0	-	0.0	
.0	Railway employee-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	
.1	Passenger on railway-----	4	2	2	2	1	-	1	0.0	0.0	0.0	0.0	-	0.0	
.2	Pedestrian-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	2	1	1	1	-	-	1	0.0	0.0	0.0	0.0	-	0.0	
.9	Unspecified person-----	6	5	1	5	-	-	1	0.0	0.0	0.0	0.0	-	0.0	
E807	Railway accident of unspecified nature-----	37	35	2	28	2	7	-	0.0	0.0	0.0	0.0	0.0	0.1	
.0	Railway employee-----	18	18	-	16	-	2	-	0.0	0.0	-	0.0	-	0.0	
.1	Passenger on railway-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Pedestrian-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.3	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	
.9	Unspecified person-----	17	15	2	10	2	5	-	0.0	0.0	0.0	0.0	0.0	-	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number							Rate						
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
E810-E819	Motor vehicle traffic accidents-----	54,656	39,338	15,298	33,803	13,472	5,535	1,826	27.1	39.9	14.8	39.1	14.9	46.3	14.2
E810	Motor vehicle traffic accident involving collision with train-----	1,494	1,069	425	974	389	95	36	0.7	1.1	0.4	1.1	0.4	0.8	0.3
E811	Motor vehicle traffic accident involving collision with streetcar-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-
E812	Motor vehicle traffic accident involving collision with another motor vehicle-----	21,125	14,091	7,034	12,492	6,399	1,589	635	10.5	14.3	6.8	14.4	7.1	13.4	4.9
E813	Motor vehicle traffic accident involving collision with other vehicle-----	725	621	104	524	93	97	11	0.4	0.6	0.1	0.6	0.1	0.8	0.1
E814	Motor vehicle traffic accident involving collision with pedestrian-----	8,827	6,177	2,650	4,788	2,111	1,389	539	4.4	6.3	2.6	5.5	2.3	11.6	4.2
E815	Other motor vehicle traffic accidents involving collisions-----	6,535	5,181	1,354	4,476	1,182	705	172	3.2	5.3	1.3	5.2	1.3	5.9	1.3
E816	Noncollision motor vehicle traffic accident due to loss of control-----	9,761	7,733	2,028	6,711	1,780	1,022	248	4.8	7.9	2.0	7.8	2.0	8.5	1.9
E817	Noncollision motor vehicle traffic accident while boarding or alighting-----	24	12	12	10	12	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E818	Other noncollision motor vehicle traffic accidents-----	865	654	211	545	179	109	32	0.4	0.7	0.2	0.6	0.2	0.9	0.2
E819	Motor vehicle traffic accident of unspecified nature-----	5,279	5,600	1,479	3,283	1,328	517	153	2.6	3.9	1.4	3.8	1.5	4.3	1.2
E820-E823	Motor vehicle nontraffic accidents-----	1,155	875	280	785	243	90	37	0.6	0.9	0.3	0.9	0.3	0.8	0.3
E820	Motor vehicle nontraffic accident involving collision with moving object-----	639	450	189	388	180	62	29	0.3	0.5	0.2	0.4	0.2	0.5	0.2
E821	Motor vehicle nontraffic accident involving collision with stationary object-----	93	76	17	70	14	6	3	0.0	0.1	0.0	0.1	0.0	0.1	0.0
E822	Motor vehicle nontraffic accident while boarding or alighting-----	13	7	6	7	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E823	Motor vehicle nontraffic accidents of other and unspecified nature-----	410	342	68	320	63	22	5	0.2	0.3	0.1	0.4	0.1	0.2	0.0
E825-E827	Other road vehicle accidents-----	236	139	97	124	90	15	7	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E825	Streetcar accident-----	6	3	3	1	2	2	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.0	Pedestrian-----	5	3	2	1	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
.1	Pedal cyclist-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.2	Occupant of streetcar-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E826	Pedal cycle accident-----	77	53	24	51	22	2	2	0.0	0.1	0.0	0.1	0.0	0.0	0.0
.0	Pedestrian-----	4	2	2	1	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
.1	Pedal cyclist-----	68	49	19	48	19	1	-	0.0	0.0	0.0	0.1	0.0	0.0	-
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E827	Other nonmotor road vehicle accidents-----	153	83	70	72	66	11	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.0	Pedestrian-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-
.8	Other specified persons-----	148	78	70	67	66	11	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0
.9	Unspecified person-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
E830-E838	Water transport accidents-----	1,743	1,583	160	1,328	135	255	25	0.9	1.6	0.2	1.5	0.1	2.1	0.2
E830	Accident to watercraft causing submersion-----	858	761	97	640	82	121	15	0.4	0.8	0.1	0.7	0.1	1.0	0.1
.0	Occupant of small boat-----	789	696	93	580	78	116	15	0.4	0.7	0.1	0.7	0.1	1.0	0.1
.1	Occupant of other watercraft, crew-----	49	49	-	44	-	5	-	0.0	0.0	-	0.1	-	0.0	-
.2	Occupant of other watercraft, not crew-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
.3	Docker, stevedore-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified persons-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
.9	Unspecified person-----	12	10	2	10	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate							
		Total			White		All other			Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female		
	Water transport accidents--Con.																
E831	Accidents to watercraft causing other injuries-----	31	26	5	24	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.0	Occupant of small boat-----	26	21	5	19	5	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.1	Occupant of other watercraft, crew-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Docker, stevedore-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
E832	Other accidental submersion or drowning in water transport---	660	616	44	509	34	107	10	0.3	0.6	0.0	0.6	0.0	0.9	0.1	0.1	0.1
.0	Occupant of small boat-----	593	551	42	457	32	94	10	0.3	0.6	0.0	0.5	0.0	0.8	0.1	0.1	0.1
.1	Occupant of other watercraft, crew-----	48	48	-	40	-	8	-	0.0	0.0	-	0.0	-	0.1	-	-	-
.2	Occupant of other watercraft, not crew-----	7	5	2	3	2	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.3	Docker, stevedore-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-
.8	Other specified persons-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.9	Unspecified person-----	7	7	-	5	-	2	-	0.0	0.0	-	0.0	-	0.0	-	-	-
E833	Fall on stairs or ladder in water transport-----	6	5	1	5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-
.0	Occupant of small boat-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	-	-
.1	Occupant of other watercraft, crew-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Docker, stevedore-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
E834	Other falls from one level to another in water transport----	25	25	-	19	-	6	-	0.0	0.0	-	0.0	-	0.1	-	-	-
.0	Occupant of small boat-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.1	Occupant of other watercraft, crew-----	14	14	-	11	-	3	-	0.0	0.0	-	0.0	-	0.0	-	-	-
.2	Occupant of other watercraft, not crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Docker, stevedore-----	6	6	-	4	-	2	-	0.0	0.0	-	0.0	-	0.0	-	-	-
.8	Other specified persons-----	1	1	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-
.9	Unspecified person-----	4	4	-	3	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-
E835	Other and unspecified falls in water transport-----	11	10	1	9	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.0	Occupant of small boat-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.1	Occupant of other watercraft, crew-----	5	5	-	4	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-
.2	Occupant of other watercraft, not crew-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.3	Docker, stevedore-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
E836	Machinery accident in water transport-----	7	7	-	7	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.0	Occupant of small boat-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.1	Occupant of other watercraft, crew-----	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.2	Occupant of other watercraft, not crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Docker, stevedore-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.9	Unspecified person-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E837	Explosion, fire, or burning in water transport-----	53	51	2	43	2	8	-	0.0	0.1	0.0	0.0	0.0	0.1	-	-	-
.0	Occupant of small boat-----	12	10	2	7	2	3	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.1	Occupant of other watercraft, crew-----	36	36	-	32	-	4	-	0.0	0.0	-	0.0	-	0.0	-	-	-
.2	Occupant of other watercraft, not crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.3	Docker, stevedore-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other specified persons-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	-	-
.9	Unspecified person-----	3	3	-	3	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
E838	Other and unspecified water transport accidents-----	92	82	10	72	10	10	-	0.0	0.1	0.0	0.1	0.0	0.1	-	-	-
.0	Occupant of small boat-----	43	36	7	32	7	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.1	Occupant of other watercraft, crew-----	17	17	-	14	-	3	-	0.0	0.0	-	0.0	-	0.0	-	-	-
.2	Occupant of other watercraft, not crew-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	-	-
.3	Docker, stevedore-----	6	6	-	3	-	3	-	0.0	0.0	-	0.0	-	0.0	-	-	-
.8	Other specified persons-----	13	12	1	12	1	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-
.9	Unspecified person-----	12	10	2	10	2	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number							Rate							
		Total			White		All other		Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female	
EB40-EB45	Air and space transport accidents-----	1,778	1,538	240	1,518	236	20	4	0.9	1.6	0.2	1.8	0.3	0.2	0.0	
EB40	Accident to powered aircraft at takeoff or landing-----	140	128	12	128	12	-	-	0.1	0.1	0.0	0.1	0.0	-	-	
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Occupant of military aircraft-----	38	38	-	38	-	-	-	0.0	0.0	-	0.0	-	-	-	
.2	Occupant of commercial aircraft, crew-----	12	12	-	12	-	-	-	0.0	0.0	-	0.0	-	-	-	
.3	Other occupants of commercial aircraft-----	9	9	-	9	-	-	-	0.0	0.0	-	0.0	-	-	-	
.4	Occupant of other and unspecified aircraft-----	80	68	12	68	12	-	-	0.0	0.1	0.0	0.1	0.0	-	-	
.5	Ground crew, airline employee-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified person-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EB41	Accident to other and unspecified powered aircraft-----	1,565	1,345	220	1,327	216	18	4	0.8	1.4	0.2	1.5	0.2	0.2	0.0	
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Occupant of military aircraft-----	201	200	1	195	1	5	-	0.1	0.2	0.0	0.2	0.0	0.0	-	
.2	Occupant of commercial aircraft, crew-----	60	54	6	51	6	3	-	0.0	0.1	0.0	0.1	0.0	0.0	-	
.3	Other occupants of commercial aircraft-----	177	128	48	127	48	2	-	0.1	0.1	0.0	0.1	0.1	0.0	-	
.4	Occupant of other and unspecified aircraft-----	1,047	893	154	887	150	6	4	0.5	0.9	0.1	1.0	0.2	0.1	0.0	
.5	Ground crew, airline employee-----	13	13	-	11	-	2	-	0.0	0.0	-	0.0	-	0.0	-	
.8	Other specified persons-----	6	5	1	5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.9	Unspecified person-----	61	51	10	51	10	-	-	0.0	0.1	0.0	0.1	0.0	-	-	
EB42	Accident to unpowered aircraft-----	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-	
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Occupant of military aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Occupant of commercial aircraft, crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Other occupants of commercial aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Occupant of other and unspecified aircraft-----	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-	
.5	Ground crew, airline employee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified person-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EB43	Fall in, on, or from aircraft-----	5	4	1	3	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Occupant of military aircraft-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
.2	Occupant of commercial aircraft, crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Other occupants of commercial aircraft-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	
.4	Occupant of other and unspecified aircraft-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-	
.5	Ground crew, airline employee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified person-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EB44	Other specified air transport accidents-----	62	55	7	55	7	-	-	0.0	0.1	0.0	0.1	0.0	-	-	
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Occupant of military aircraft-----	7	7	-	7	-	-	-	0.0	0.0	-	0.0	-	-	-	
.2	Occupant of commercial aircraft, crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Other occupants of commercial aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Occupant of other and unspecified aircraft-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
.5	Ground crew, airline employee-----	7	7	-	7	-	-	-	0.0	0.0	-	0.0	-	-	-	
.8	Other specified persons-----	41	35	6	35	6	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.9	Unspecified person-----	6	5	1	5	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
EB45	Accident involving spacecraft-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	
.0	Occupant of spacecraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Occupant of military aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Occupant of commercial aircraft, crew-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Other occupants of commercial aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Occupant of other and unspecified aircraft-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Ground crew, airline employee-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other specified persons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Unspecified person-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	

SECTION 1- GENERAL MORTALITY

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number							Rate							
		Total			White		All other		Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female	
E850- E859	Accidental poisoning by drugs and medicaments-----	1,891	1,174	717	864	598	310	119	0.9	1.2	0.7	1.0	0.7	2.6	0.9	
E850	Accidental poisoning by antibiotics and other															
	anti-infectives-----	17	8	9	7	3	1	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Penicillin, any-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0	
.1	Antifungal antibiotics-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-	
.2	Chloramphenicol-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
.3	Erythromycins, streptomycins, tetracyclines-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
.4	Other antibiotics-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	
.5	Sulfonamides-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Arsenic anti-infectives-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Silver and its compounds-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Quinoline and hydroxyquinoline derivatives-----	6	2	4	2	1	-	3	0.0	0.0	0.0	0.0	0.0	-	0.0	
.9	Other anti-infectives-----	5	1	4	1	2	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0	
E851	Accidental poisoning by hormones and synthetic substitutes---	14	5	9	2	6	3	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Adrenals-----	4	-	4	-	4	-	-	0.0	-	0.0	-	-	-	-	
.1	Androgens and anabolic congeners-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Estrogens-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Insulins and antidiabetic agents-----	9	5	4	2	2	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.4	Anterior pituitary extracts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Posterior pituitary extracts-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Progestogens-----	1	-	1	-	-	-	1	0.0	-	0.0	-	-	-	0.0	
.7	Thyroid and thyroid derivatives-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Antithyroid agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other hormones and synthetic substitutes-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E852	Accidental poisoning by primarily systemic and hematologic agents-----	32	20	12	16	9	4	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.0	Antihistaminic and antiemetic drugs-----	7	3	4	2	3	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.1	Antineoplastic agents-----	5	3	2	3	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.2	Electrolytic, caloric, and water balance agents-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-	
.3	Vitamins-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
.4	Other primarily systemic agents-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	
.5	Iron and its compounds-----	11	8	3	5	1	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.6	Anticoagulants-----	6	4	2	4	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.7	Vitamin K products-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.8	Other coagulants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other primarily hematologic agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E853	Accidental poisoning by analgesics and antipyretics-----	554	437	117	285	87	152	30	0.3	0.4	0.1	0.3	0.1	1.3	0.2	
.0	Opiates and synthetic analogues-----	403	350	53	221	31	129	22	0.2	0.4	0.1	0.3	0.0	1.1	0.2	
.1	Salicylates and congeners-----	104	58	46	44	42	14	4	0.1	0.1	0.0	0.1	0.0	0.1	0.0	
.2	Cinchophen and congeners-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Colchicine-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	
.4	Aniline derivatives-----	3	-	2	1	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.5	Other coal tar derivatives-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other analgesics and antipyretics-----	43	27	16	19	12	8	4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
E854	Accidental poisoning by other sedatives and hypnotics-----	687	587	300	301	258	86	42	0.3	0.4	0.3	0.3	0.3	0.7	0.3	
.0	Barbiturates-----	432	199	233	175	202	24	31	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
.1	Chloral hydrate-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.2	Paraldehyde-----	5	2	3	2	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.3	Bromides-----	4	3	1	2	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.8	Acute narcotism not otherwise specified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other sedatives and hypnotics-----	242	181	61	120	50	61	11	0.1	0.2	0.1	0.1	0.1	0.5	0.1	
E855	Accidental poisoning by autonomic nervous system and psychotherapeutic drugs-----	103	50	53	44	49	6	4	0.1	0.1	0.1	0.1	0.1	0.1	0.0	
.0	Antidepressants-----	14	12	2	11	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.1	Tranquilizers-----	69	22	47	21	44	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.2	Other psychotherapeutic agents-----	6	6	-	6	-	-	-	0.0	0.0	-	0.0	-	-	-	
.3	Parasympathomimetics (cholinergics)-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Parasympatholytics (anticholinergics)-----	3	3	-	1	-	2	-	0.0	0.0	-	0.0	-	0.0	-	
.5	Sympathomimetics (adrenergics)-----	9	5	4	4	4	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.6	Autonomic nervous system relaxants-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other-----	2	2	-	1	-	1	-	0.0	0.0	-	0.0	-	0.0	-	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number								Rate						
		Total			White		All other			Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female	
	Accidental poisoning by drugs and medicaments--Con.															
E856	Accidental poisoning by other central nervous system depressants and stimulants-----	39	27	12	20	9	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
.0	Anticonvulsants-----	5	3	2	2	1	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.1	Skeletal muscle relaxants-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.2	Anesthetic gases-----	6	3	3	2	3	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.3	Other central nervous system depressants-----	1	1	-	1	-	-	-	0.0	0.0	-	-	-	-	-	
.4	Amphetamine-----	22	18	4	14	3	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.8	Other central nervous system stimulants-----	3	1	2	-	1	1	1	0.0	0.0	0.0	-	0.0	0.0	0.0	
.9	Other and unspecified-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E857	Accidental poisoning by cardiovascular drugs-----	81	35	46	24	39	11	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
.0	Cardiac depressants-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	
.1	Cardiac tonics-----	79	34	45	23	38	11	7	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
.2	Cholesterol lowering agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Ganglionic blocking agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.4	Vasodilators-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-	
.5	Other hypotensive agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Sclerosing agents-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E858	Accidental poisoning by gastrointestinal drugs-----	6	3	3	3	3	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.0	Antacids and antidiarrhea agents-----	3	2	1	2	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.1	Intestinal irritant cathartics-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	
.2	Emollient cathartics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.3	Saline cathartics-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	
.4	Fecal softeners-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.5	Other cathartics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.6	Emetics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.9	Other-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E859	Accidental poisoning by other and unspecified drugs and medicaments-----	368	202	156	162	135	40	21	0.2	0.2	0.2	0.2	0.1	0.3	0.2	
.0	Local anesthetics-----	5	4	1	2	1	2	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
.1	Mercurial diuretics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.2	Xanthine derivatives-----	1	-	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-	
.3	Other diuretics-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	
.4	Agents acting directly on musculoskeletal system-----	1	-	1	-	1	-	-	0.0	-	0.0	-	0.0	-	-	
.5	Liniments-----	2	1	1	-	1	1	-	0.0	0.0	0.0	-	0.0	0.0	-	
.6	Ointments-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.7	Other medicaments for external use-----	16	11	5	11	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.8	Other specified drugs-----	12	5	7	5	7	-	-	0.0	0.0	0.0	0.0	0.0	-	0.0	
.9	Drugs, unspecified-----	319	178	141	142	121	36	20	0.2	0.2	0.1	0.2	0.1	0.3	0.2	
E860- E869	Accidental poisoning by other solid and liquid substances-----	1,076	721	355	579	285	142	70	0.5	0.7	0.3	0.7	0.3	1.2	0.5	
E860	Accidental poisoning by alcohol-----	189	139	50	100	39	39	11	0.1	0.1	0.0	0.1	0.0	0.3	0.1	
E861	Accidental poisoning by cleansing and polishing agents-----	28	16	12	11	9	5	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
E862	Accidental poisoning by disinfectants-----	6	4	2	4	-	-	2	0.0	0.0	0.0	0.0	-	-	0.0	
E863	Accidental poisoning by paints and varnishes-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-	
E864	Accidental poisoning by petroleum products and other solvents-----	67	46	21	32	12	14	9	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
E865	Accidental poisoning by pesticides, fertilizers, or plant foods-----	56	37	19	26	11	11	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
E866	Accidental poisoning by heavy metals and their fumes-----	39	23	16	10	6	13	10	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
E867	Accidental poisoning by corrosives and caustics not elsewhere classifiable-----	28	13	15	9	11	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
E868	Accidental poisoning by noxious foodstuffs and poisonous plants-----	4	4	-	4	-	-	-	0.0	0.0	-	0.0	-	-	-	
E869	Accidental poisoning by other and unspecified solid and liquid substances-----	657	437	220	361	197	56	23	0.3	0.4	0.2	0.4	0.2	0.5	0.2	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
E870- E877	Accidental poisoning by gases and vapors-----	1,549	1,149	400	989	324	180	76	0.8	1.2	0.4	1.1	0.4	1.3	0.6
E870	Accidental poisoning by gas distributed by pipeline-----	197	133	64	108	45	25	19	0.1	0.1	0.1	0.1	0.0	0.2	0.1
E871	Accidental poisoning by liquefied petroleum gas distributed in mobile containers-----	46	34	12	32	12	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E872	Accidental poisoning by other utility gases-----	15	10	5	8	1	2	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E873	Accidental poisoning by motor vehicle exhaust gas-----	758	588	170	509	158	79	32	0.4	0.6	0.2	0.6	0.2	0.7	0.2
E874	Accidental poisoning by carbon monoxide from incomplete combustion of domestic fuels-----	138	90	48	69	38	21	10	0.1	0.1	0.0	0.1	0.0	0.2	0.1
E875	Accidental poisoning by other carbon monoxide-----	220	150	70	134	60	16	10	0.1	0.2	0.1	0.2	0.1	0.1	0.1
E876	Accidental poisoning by other gases and vapors-----	153	128	25	115	24	13	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E877	Accidental poisoning by unspecified gases and vapors-----	22	16	6	14	6	2	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E880- E887	Accidental falls-----	17,827	8,983	8,844	8,028	8,318	955	526	8.8	9.1	8.5	9.3	9.2	8.0	4.1
E880	Fall on or from stairs or steps-----	1,824	1,096	728	955	676	141	52	0.9	1.1	0.7	1.1	0.7	1.2	0.4
E881	Fall on or from ladder or scaffolding-----	516	497	19	471	19	26	-	0.3	0.5	0.0	0.5	0.0	0.2	-
E882	Fall from or out of building or other structure-----	842	744	98	600	75	144	23	0.4	0.8	0.1	0.7	0.1	1.2	0.2
E883	Fall into hole or other opening in surface-----	188	176	12	151	10	25	2	0.1	0.2	0.0	0.2	0.0	0.2	0.0
E884	Other falls from one level to another-----	1,582	938	644	822	583	116	61	0.8	1.0	0.6	1.0	0.6	1.0	0.5
E885	Fall on same level from slipping, stumbling, or tripping-----	894	380	514	363	496	17	18	0.4	0.4	0.5	0.4	0.5	0.1	0.1
E886	Fall on same level from collision with or pushing or shoving by another person-----	45	32	13	30	11	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E887	Other and unspecified falls-----	11,936	5,120	6,816	4,636	6,448	484	368	5.9	5.2	6.6	5.4	7.1	4.0	2.9
E890- E899	Accidents caused by fires and flames-----	7,163	4,265	2,898	3,123	2,028	1,142	870	3.5	4.3	2.8	3.6	2.2	9.5	6.8
E890	Accident caused by conflagration in private dwelling-----	4,365	2,566	1,799	1,763	1,196	803	603	2.2	2.6	1.7	2.0	1.3	6.7	4.7
E891	Accident caused by conflagration in other building or structure-----	280	241	39	216	25	25	14	0.1	0.2	0.0	0.2	0.0	0.2	0.1
E892	Accident caused by conflagration not in building or structure-----	119	100	19	84	13	16	6	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E893	Accident caused by ignition of clothing-----	843	347	496	287	381	60	115	0.4	0.4	0.5	0.3	0.4	0.5	0.9
E894	Accident caused by ignition of highly inflammable material-----	315	247	68	201	47	46	21	0.2	0.3	0.1	0.2	0.1	0.4	0.2
E895	Accident caused by controlled fire in private dwelling-----	108	51	57	28	32	23	25	0.1	0.1	0.1	0.0	0.0	0.2	0.2
E896	Accident caused by controlled fire in other building or structure-----	6	3	3	3	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E897	Accident caused by controlled fire not in building or structure-----	56	39	17	35	16	4	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E898	Accidents caused by other specified fires or flames-----	557	362	175	313	162	69	13	0.3	0.4	0.2	0.4	0.2	0.6	0.1
E899	Accident caused by unspecified fire-----	514	289	225	193	154	96	71	0.3	0.3	0.2	0.2	0.2	0.8	0.6
E900- E909	Accidents due to natural and environmental factors-----	1,786	1,246	540	944	410	302	130	0.9	1.3	0.5	1.1	0.5	2.5	1.0
E900	Excessive heat-----	271	207	64	143	44	64	20	0.1	0.2	0.1	0.2	0.0	0.5	0.2
E901	Excessive cold-----	424	331	93	227	62	104	31	0.2	0.3	0.1	0.3	0.1	0.9	0.2
E902	High and low air pressure-----	14	9	5	9	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
E903	Effects of travel and motion-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E904	Hunger, thirst, exposure, and neglect-----	283	192	91	126	60	66	31	0.1	0.2	0.1	0.1	0.1	0.6	0.2
E905	Bites and stings of venomous animals and insects-----	48	37	11	33	7	4	4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E906	Other accidents caused by animals-----	155	121	34	112	33	9	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E907	Lightning-----	131	114	17	97	15	17	2	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E908	Cataclysm-----	429	213	216	176	176	37	40	0.2	0.2	0.2	0.2	0.2	0.3	0.3
E909	Accidents due to other natural and environmental factors-----	30	21	9	20	9	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E910- E929	Other accidents-----	21,339	17,059	4,300	13,777	3,414	3,282	688	10.6	17.3	4.2	15.9	3.8	27.4	6.9
E910	Accidental drowning and submersion-----	6,181	5,149	1,032	3,823	864	1,326	168	3.1	5.2	1.0	4.4	1.0	11.1	1.3
.0	In recreational activities-----	2,171	1,929	242	1,339	195	540	47	1.1	2.0	0.2	1.6	0.2	4.5	0.4
.9	Other and unspecified-----	4,010	3,220	790	2,434	669	786	121	2.0	3.3	0.8	2.8	0.7	6.6	0.9

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number							Rate							
		Total			White		All other		Total			White		All other		
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female	
	Other accidents--Con.															
E911	Inhalation and ingestion of food causing obstruction or suffocation-----	2,641	1,618	1,023	1,313	825	305	198	1.3	1.6	1.0	1.5	0.9	2.5	1.5	
E912	Inhalation and ingestion of other object causing obstruction or suffocation-----	1,071	644	427	521	339	123	88	0.5	0.7	0.4	0.6	0.4	1.0	0.7	
E913	Accidental mechanical suffocation-----	1,322	928	394	768	282	160	112	0.7	0.9	0.4	0.9	0.3	1.3	0.9	
.0	In bed or cradle-----	515	292	223	220	157	72	66	0.3	0.3	0.2	0.3	0.2	0.6	0.5	
.9	Other and unspecified-----	807	636	171	548	125	88	46	0.4	0.6	0.2	0.6	0.1	0.7	0.4	
E914	Foreign body accidentally entering eye and adnexa-----	1	1	-	-	-	-	1	0.0	0.0	-	-	-	0.0	-	
E915	Foreign bodies accidentally entering other orifices-----	86	53	33	44	25	9	8	0.0	0.1	0.0	0.1	0.0	0.1	0.1	
E916	Struck accidentally by falling objects-----	1,271	1,225	46	1,051	41	174	5	0.6	1.2	0.0	1.2	0.0	1.5	0.0	
E917	Striking against or struck accidentally by objects-----	997	871	126	747	111	124	15	0.5	0.9	0.1	0.9	0.1	1.0	0.1	
E918	Caught accidentally in or between objects-----	532	516	16	466	12	50	4	0.3	0.5	0.0	0.5	0.0	0.4	0.0	
E919	Overexertion and strenuous movements-----	20	18	2	14	2	4	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
E920	Accident caused by cutting or piercing instrument-----	156	123	33	92	17	31	16	0.1	0.1	0.0	0.1	0.0	0.3	0.1	
.0	Powered hand tool-----	15	14	1	13	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.1	Other hand tools-----	31	23	8	14	3	9	5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
.2	Other machinery-----	14	14	-	13	-	1	-	0.0	0.0	-	0.0	-	0.0	-	
.8	Other-----	73	57	16	42	10	15	6	0.0	0.1	0.0	0.0	0.0	0.1	0.0	
.9	Unspecified-----	23	15	8	10	3	5	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
E921	Accident caused by explosion of pressure vessel-----	77	70	7	57	6	13	1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	
.0	Boiler-----	35	28	7	22	6	6	1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	
.1	Gas cylinder-----	11	11	-	10	-	1	-	0.0	0.0	-	0.0	-	0.0	-	
.8	Other-----	31	31	-	25	-	6	-	0.0	0.0	-	0.0	-	0.1	-	
E922	Accident caused by firearm missile-----	2,309	2,004	305	1,566	205	438	100	1.1	2.0	0.3	1.8	0.2	3.7	0.8	
.0	Accidentally self-inflicted-----	568	536	32	455	26	81	8	0.3	0.5	0.0	0.5	0.0	0.7	0.0	
.9	Other and unspecified-----	1,741	1,468	273	1,111	179	357	94	0.9	1.5	0.3	1.3	0.2	3.0	0.7	
E923	Accident caused by explosive material-----	553	442	111	380	89	62	22	0.3	0.4	0.1	0.4	0.1	0.5	0.2	
.0	Fireworks-----	7	4	3	4	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0	
.1	Blasting material-----	23	23	-	21	-	2	-	0.0	0.0	-	0.0	-	0.0	-	
.2	Explosive gas-----	299	227	72	198	60	29	12	0.1	0.2	0.1	0.2	0.1	0.2	0.1	
.8	Other-----	84	73	11	58	9	15	2	0.0	0.1	0.0	0.1	0.0	0.1	0.0	
.9	Unspecified-----	140	115	25	99	18	16	7	0.1	0.1	0.0	0.1	0.0	0.1	0.1	
E924	Accident caused by hot substance, corrosive liquid, and steam-----	288	160	128	112	90	48	38	0.1	0.2	0.1	0.1	0.1	0.4	0.3	
E925	Accident caused by electric current-----	1,148	1,094	54	1,010	51	84	3	0.6	1.1	0.1	1.2	0.1	0.7	0.0	
.0	Home wiring and appliance-----	222	189	33	180	31	9	2	0.1	0.2	0.0	0.2	0.0	0.1	0.0	
.1	Industrial wiring and appliance-----	152	150	2	137	2	13	-	0.1	0.2	0.0	0.2	0.0	0.1	-	
.8	Other-----	653	637	16	588	15	49	1	0.3	0.6	0.0	0.7	0.0	0.4	0.0	
.9	Unspecified-----	121	118	3	105	3	13	-	0.1	0.1	0.0	0.1	0.0	0.1	-	
E926	Accident caused by radiation-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.0	Nonionizing-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	Ionizing-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E927	Vehicle accidents not elsewhere classifiable-----	107	97	10	92	10	5	-	0.1	0.1	0.0	0.1	0.0	0.0	-	
E928	Machinery accidents not elsewhere classifiable-----	946	903	43	820	39	83	4	0.5	0.9	0.0	0.9	0.0	0.7	0.0	
E929	Other and unspecified accidents-----	1,653	1,143	510	901	406	242	104	0.8	1.2	0.5	1.0	0.4	2.0	0.8	
E930- E936	Surgical and medical complications and misadventures-----	2,572	1,385	1,187	1,198	1,010	187	177	1.3	1.4	1.1	1.4	1.1	1.6	1.4	
E930	Complications and misadventures in operative therapeutic procedures-----	1,668	907	761	784	643	123	118	0.8	0.9	0.7	0.9	0.7	1.0	0.9	
.0	In surgical treatment, excluding effects of anesthetic management-----	1,579	861	718	747	608	114	110	0.8	0.9	0.7	0.9	0.7	1.0	0.9	
.1	In anesthesia during operative treatment-----	84	43	41	35	33	8	8	0.0	0.0	0.0	0.0	0.0	0.1	0.1	
.2	In infusion or transfusion during operative treatment-----	3	2	1	1	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-	
.9	In other procedures during operative treatment-----	2	1	1	1	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-	

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
E940- E949	Late effects of accidental injuries-----	730	459	271	382	246	77	25	0.4	0.5	0.3	0.4	0.3	0.6	0.2
E940	Late effect of motor vehicle accident-----	125	95	30	80	29	15	1	0.1	0.1	0.0	0.1	0.0	0.1	0.0
E941	Late effect of other transport accident-----	8	7	1	6	1	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
E942	Late effect of accidental poisoning-----	15	8	7	7	6	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E943	Late effect of accidental fall-----	193	90	103	85	95	5	8	0.1	0.1	0.1	0.1	0.1	0.0	0.1
E944	Late effect of accident caused by fire-----	4	3	1	2	-	1	1	0.0	0.0	0.0	0.0	-	0.0	0.0
E945	Late effect of accident due to natural and environmental factors-----	3	3	-	2	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E946	Late effects of other accidents-----	255	201	54	155	45	48	9	0.1	0.2	0.1	0.2	0.0	0.4	0.1
E947	Late effect of surgical operation-----	98	44	54	39	50	5	4	0.0	0.0	0.1	0.0	0.1	0.0	0.0
E948	Late effect of irradiation-----	10	1	9	1	9	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E949	Late effects of other surgical and medical procedures-----	19	7	12	7	11	-	1	0.0	0.0	0.0	0.0	-	-	0.0
E950- E959	Suicide-----	22,364	15,857	6,507	14,886	6,152	971	355	11.1	16.1	6.3	17.2	6.8	8.1	2.8
E950	Suicide from poisoning by solid or liquid substance-----	3,659	1,314	2,345	1,235	2,220	79	125	1.8	1.3	2.3	1.4	2.5	0.7	1.0
*.0	Barbituric acid and derivatives-----	1,810	596	1,214	572	1,157	24	57	0.9	0.6	1.2	0.7	1.3	0.2	0.4
*.1	Salicylates and congeners-----	72	23	49	23	46	-	3	0.0	0.0	0.0	0.0	0.1	-	0.0
*.2	Psychotherapeutic agents-----	179	47	132	45	128	2	4	0.1	0.0	0.1	0.1	0.1	0.0	0.0
*.3	Other and unspecified drugs-----	915	296	619	279	581	17	38	0.5	0.3	0.6	0.3	0.6	0.1	0.3
*.4	Corrosive aromatics-----	11	6	5	6	5	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.5	Strychnine-----	22	17	5	17	4	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.6	Lye and potash (caustic alkali)-----	65	17	36	12	35	5	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.7	Arsenic and its compounds-----	39	27	12	24	10	3	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.8	Fluorides-----	18	8	10	6	7	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.9	Other and unspecified solid and liquid substances-----	540	277	263	251	247	26	16	0.3	0.3	0.3	0.3	0.3	0.2	0.1
E951	Suicide from poisoning by gas in domestic use-----	61	42	19	42	17	-	2	0.0	0.0	0.0	0.0	0.0	-	0.0
E952	Suicide from poisoning by other gases-----	2,398	1,708	690	1,681	685	27	5	1.2	1.7	0.7	1.9	0.8	0.2	0.0
*.0	Motor vehicle exhaust gas-----	2,041	1,454	587	1,431	584	23	3	1.0	1.5	0.6	1.7	0.6	0.2	0.0
*.1	Other carbon monoxide-----	336	241	95	236	93	3	2	0.2	0.2	0.1	0.3	0.1	0.0	0.0
*.9	Other and unspecified gases and vapors-----	21	13	8	12	8	1	-	0.0	0.0	0.0	0.0	0.0	-	-
E953	Suicide by hanging, strangulation, and suffocation-----	3,158	2,317	841	2,153	799	164	42	1.6	2.4	0.8	2.5	0.9	1.4	0.3
E954	Suicide by submersion or drowning-----	522	257	265	219	244	38	21	0.3	0.3	0.3	0.3	0.3	0.3	0.2
E955	Suicide by firearm and explosive-----	11,304	9,393	1,911	8,824	1,786	569	125	5.6	9.5	1.8	10.2	2.0	4.8	1.0
E956	Suicide by cutting and piercing instrument-----	394	291	103	275	101	16	2	0.2	0.3	0.1	0.3	0.1	0.1	0.0
E957	Suicide by jumping from high place-----	515	319	196	263	175	56	21	0.3	0.3	0.2	0.3	0.2	0.5	0.2
E958	Suicide by other and unspecified means-----	349	214	135	192	123	22	12	0.2	0.2	0.1	0.2	0.1	0.2	0.1
E959	Late effect of self-inflicted injury-----	4	2	2	2	2	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E960- E969	Homicide-----	15,123	11,816	3,307	5,055	1,799	6,761	1,508	7.5	12.0	3.2	5.8	2.0	56.5	11.7
E960	Fight, brawl, or rape-----	139	124	15	75	12	49	3	0.1	0.1	0.0	0.1	0.0	0.4	0.0
E961	Assault by corrosive or caustic substance, except poisoning--	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E962	Assault by poisoning-----	42	24	18	17	15	7	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E963	Assault by hanging and strangulation-----	401	118	283	88	206	30	77	0.2	0.1	0.3	0.1	0.2	0.3	0.6
E964	Assault by submersion or drowning-----	31	16	15	14	13	2	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E965	Assault by firearm and explosive-----	10,174	8,334	1,840	3,478	921	4,856	919	5.0	8.5	1.8	4.0	1.0	40.6	7.1
E966	Assault by cutting and piercing instrument-----	2,726	2,163	563	754	279	1,409	284	1.4	2.2	0.5	0.9	0.3	11.8	2.2
E967	Assault by pushing from high place-----	10	6	4	4	1	2	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E968	Assault by other and unspecified means-----	1,580	1,018	562	618	348	400	214	0.8	1.0	0.5	0.7	0.4	3.3	1.7
E969	Late effect of injury purposely inflicted by other person----	19	12	7	6	4	6	3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E970- E978	Legal intervention-----	354	350	4	160	2	190	2	0.2	0.4	0.0	0.2	0.0	1.6	0.0
E970	Injury due to legal intervention by firearm-----	347	343	4	156	2	187	2	0.2	0.3	0.0	0.2	0.0	1.6	0.0
E971	Injury due to legal intervention by explosive-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E972	Injury due to legal intervention by gas-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E973	Injury due to legal intervention by blunt object-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 1-23. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1969-Con.

[See headnote at beginning of table]

8th Revision No.	Cause of death	Number						Rate							
		Total			White		All other		Total			White		All other	
		Both sexes	Male	Female	Male	Female	Male	Female	Both sexes	Male	Female	Male	Female	Male	Female
	Legal intervention--Con.														
E974	Injury due to legal intervention by cutting and piercing instrument-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
E975	Injuries due to legal intervention by other specified means-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E976	Injury due to legal intervention by unspecified means-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E977	Late effect of injury due to legal intervention-----	5	5	-	3	-	2	-	0.0	0.0	-	0.0	-	0.0	-
E978	Legal execution-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980- E989	Injuries undetermined whether accidentally or purposely inflicted-----	5,066	3,556	1,510	2,481	1,144	1,075	366	2.5	3.6	1.5	2.9	1.3	9.0	2.8
E980	Poisoning by solid or liquid substance, undetermined whether accidentally or purposely inflicted-----	1,319	798	521	520	434	278	87	0.7	0.8	0.5	0.6	0.5	2.3	0.7
*.0	Barbituric acid and derivatives-----	313	111	202	99	182	12	20	0.2	0.1	0.2	0.1	0.2	0.1	0.2
*.1	Salicylates and congeners-----	18	6	12	5	12	1	-	0.0	0.0	0.0	0.0	0.0	0.0	-
*.2	Psychotherapeutic agents-----	31	8	23	7	20	1	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.3	Other and unspecified drugs-----	777	581	196	330	145	251	51	0.4	0.6	0.2	0.4	0.2	2.1	0.4
*.4	Corrosive aromatics-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*.5	Strychnine-----	5	2	3	2	2	-	1	0.0	0.0	0.0	0.0	0.0	-	0.0
*.6	Lye and potash (caustic alkali)-----	9	5	4	4	2	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
*.7	Arsenic and its compounds-----	4	3	1	3	1	-	-	0.0	0.0	0.0	0.0	0.0	-	-
*.8	Fluorides-----	1	1	-	-	-	1	-	0.0	0.0	-	-	-	0.0	-
*.9	Other and unspecified solid and liquid substances-----	161	81	80	70	70	11	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E981	Poisoning by gas in domestic use, undetermined whether accidentally or purposely inflicted-----	7	5	4	3	4	-	-	0.0	0.0	0.0	0.0	0.0	-	-
E982	Poisoning by other gases, undetermined whether accidentally or purposely inflicted-----	249	179	70	156	65	23	5	0.1	0.2	0.1	0.2	0.1	0.2	0.0
E983	Hanging, strangulation, or suffocation, undetermined whether accidentally or purposely inflicted-----	99	70	29	63	24	7	5	0.0	0.1	0.0	0.1	0.0	0.1	0.0
E984	Submersion or drowning, undetermined whether accidentally or purposely inflicted-----	454	354	100	251	79	103	21	0.2	0.4	0.1	0.3	0.1	0.9	0.2
E985	Injury by firearm and explosive, undetermined whether accidentally or purposely inflicted-----	760	619	141	490	98	129	43	0.4	0.6	0.1	0.6	0.1	1.1	0.3
E986	Injury by cutting and piercing instrument, undetermined whether accidentally or purposely inflicted-----	60	47	13	16	9	31	4	0.0	0.0	0.0	0.0	0.0	0.3	0.0
E987	Falling from high place, undetermined whether accidentally or purposely inflicted-----	451	293	158	201	125	92	33	0.2	0.3	0.2	0.2	0.1	0.8	0.3
E988	Injuries by other and unspecified means, undetermined whether accidentally or purposely inflicted-----	1,646	1,177	469	773	303	404	166	0.8	1.2	0.5	0.9	0.3	3.4	1.3
E989	Late effect of injury undetermined whether accidentally or purposely inflicted-----	21	16	5	8	3	8	2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
E990- E999	Injuries resulting from operations of war-----	81	81	-	70	-	11	-	0.0	0.1	-	0.1	-	0.1	-
E990	Injury due to war operations by fire and conflagration-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E991	Injury due to war operations by bullets and fragments-----	35	35	-	33	-	2	-	0.0	0.0	-	0.0	-	0.0	-
E992	Injury due to war operations by explosion of marine weapons-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E993	Injuries due to war operations by other explosions-----	8	8	-	7	-	1	-	0.0	0.0	-	0.0	-	0.0	-
E994	Injury due to war operations by destruction of aircraft-----	2	2	-	2	-	-	-	0.0	0.0	-	0.0	-	-	-
E995	Injuries due to war operations by other and unspecified forms of conventional warfare-----	5	5	-	5	-	-	-	0.0	0.0	-	0.0	-	-	-
E996	Injury due to war operations by nuclear weapons-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E997	Injuries due to war operations by other forms of unconventional warfare-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E998	Injury due to war operations but occurring after cessation of hostilities-----	1	1	-	1	-	-	-	0.0	0.0	-	0.0	-	-	-
E999	Late effect of injury due to war operations-----	28	26	-	20	-	0	-	0.0	0.0	-	0.0	-	0.1	-

SECTION 1 - GENERAL MORTALITY

1-127

Table 1-24. Deaths From 281 Selected Causes, by Month: United States, 1969

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit/subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix.]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	1,921,990	186,145	151,914	167,774	155,476	158,903	153,241	157,205	153,330	146,398	158,773	159,831	173,010
I. Infective and parasitic diseases	16,791	1,825	1,378	1,525	1,360	1,301	1,257	1,337	1,329	1,251	1,344	1,371	1,513
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid fever	4	-	-	-	-	1	-	1	-	-	-	-	1
Paratyphoid fever and other Salmonella infections	82	7	4	5	3	7	3	10	8	9	9	9	8
Bacillary dysentery and amebiasis	94	13	3	3	5	8	9	11	7	9	11	9	8
Food poisoning (bacterial)	17	-	4	2	1	1	1	-	-	4	-	1	-
Enteritis and other diarrheal diseases	2,612	275	199	252	192	188	205	203	169	205	204	208	292
Tuberculosis, all forms	5,567	625	492	515	487	458	429	410	423	387	443	477	431
Tuberculosis of respiratory system	4,492	520	415	422	389	359	336	329	346	299	356	378	344
Tuberculosis of meninges and central nervous system	117	8	5	7	13	11	11	9	13	13	5	11	11
Tuberculosis of intestines, peritoneum, and mesenteric glands	39	1	3	3	1	7	2	2	2	2	7	3	3
Tuberculosis of bones and joints	31	3	4	2	4	3	2	2	3	2	1	2	3
Disseminated tuberculosis	200	16	10	25	16	13	16	17	18	18	16	22	15
Other tuberculosis, including late effects	688	77	45	56	64	66	62	48	43	53	58	61	55
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis	3	-	-	-	-	1	-	-	1	-	-	1	-
Leprosy	4	-	2	1	-	-	-	-	-	-	-	-	1
Diphtheria	25	4	2	-	1	2	2	1	2	2	2	4	5
Whooping cough	15	-	1	-	1	1	2	3	3	1	-	1	-
Streptococcal sore throat and scarlet fever	41	6	4	9	1	3	2	1	4	2	2	2	5
Erysipelas	13	3	3	1	1	1	-	1	1	-	-	2	-
Meningococcal infections	744	136	80	118	85	49	35	34	27	33	31	51	65
Tetanus	89	6	2	8	8	14	12	9	3	12	6	6	3
Septicemia	3,009	262	225	243	204	219	230	292	281	240	279	248	296
Other bacterial diseases	474	44	39	39	38	31	39	31	39	40	40	40	54
Acute poliomyelitis	13	3	2	-	1	1	1	-	1	1	1	1	1
Late effects of acute poliomyelitis	97	12	6	6	9	12	4	4	8	7	11	10	8
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	41	3	1	4	4	6	5	3	-	4	4	4	3
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral encephalitis	391	51	24	51	27	19	33	31	33	25	27	33	27
Late effects of viral encephalitis	41	5	2	1	5	4	1	5	4	2	6	2	4
Infectious hepatitis	1,011	84	70	87	101	86	70	80	93	78	94	79	89
Rabies	1	-	-	-	-	-	-	-	1	-	-	-	-
Other viral diseases	989	128	81	59	80	89	69	61	66	68	60	68	80
Typhus and other rickettsioses	37	-	-	-	2	8	9	13	3	1	-	1	-
Malaria	11	-	-	1	-	3	1	1	-	2	1	1	1
Trypanosomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae	543	57	45	50	40	47	31	44	49	44	37	42	57
Congenital syphilis	29	2	3	2	1	2	1	3	3	1	3	3	5
Early syphilis, symptomatic	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta, specified as	-	-	-	-	-	-	-	-	-	-	-	-	-
syphilitic	35	3	4	5	2	4	1	3	1	3	1	4	4
Other cardiovascular syphilis	284	34	10	23	24	25	19	24	27	26	16	18	30
Tuben dorsalis	30	6	1	3	4	2	-	2	5	1	2	3	1
General paresis	47	2	3	6	3	3	4	5	3	3	5	6	4
Other syphilis of central nervous system	81	7	9	9	5	8	4	5	6	7	6	5	10
All other syphilis	37	3	7	2	1	3	2	2	4	3	4	3	3
Genococcal infections	3	-	-	1	-	1	-	1	-	-	-	-	-
Schistosomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydatidosis	9	-	1	1	1	1	-	1	-	-	-	2	1
Filarial infestations	-	-	-	-	-	-	-	-	-	-	-	-	-
Ancylostomiasis	1	-	-	1	-	-	-	-	-	-	-	-	-
Other helminthiasis	16	-	2	-	2	2	1	1	5	1	1	-	1
Other infective and parasitic diseases	908	101	94	67	63	58	63	83	78	74	75	68	82
Remainder of 000-136	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Neoplasms	327,769	27,945	24,787	27,258	26,367	27,678	26,912	27,745	28,027	27,112	28,098	27,337	28,503
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	325,092	27,513	24,464	26,890	25,991	27,288	26,336	27,330	27,617	26,733	27,699	26,955	28,076
Malignant neoplasms of buccal cavity and pharynx	7,553	613	581	641	605	622	595	635	626	635	664	660	676
Of lip	218	10	16	22	16	21	21	14	19	21	22	16	17
Of tongue	1,768	144	118	161	148	140	134	162	135	159	152	153	162
Of other and unspecified parts of buccal cavity	2,532	187	197	188	168	202	192	177	207	195	220	187	212
Of pharynx	3,238	272	250	270	273	259	248	292	265	260	270	304	285
Malignant neoplasms of digestive organs and peritoneum	93,986	8,011	7,257	7,893	7,633	7,339	7,785	7,875	8,118	7,676	7,923	7,768	8,109
Of esophagus	5,807	491	474	422	479	480	484	489	487	492	471	501	537
Of stomach	16,429	1,351	1,338	1,401	1,339	1,354	1,381	1,358	1,405	1,312	1,397	1,355	1,398
Of small intestine, including duodenum	668	85	61	67	52	51	45	71	45	52	57	54	55
Of large intestine, except rectum	34,666	2,980	2,581	2,923	2,779	2,909	2,789	2,943	3,052	2,872	3,019	2,821	2,998
Cecum, appendix, and ascending colon	4,541	422	336	378	394	398	369	399	375	357	409	347	397
Transverse colon, including hepatic and splenic flexures	1,471	125	109	120	134	117	112	143	133	123	121	123	113

SECTION 1 - GENERAL MORTALITY

Table 1-24. Deaths From 281 Selected Causes, by Month: United States, 1969 -Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms-Con.													
Descending colon-----153.2	1,128	80	90	95	88	101	99	85	93	101	86	114	96
Sigmoid colon-----153.3	5,403	449	402	480	470	473	453	469	431	443	473	446	414
Large intestine (including colon), part unspecified-----153.8	20,383	1,768	1,501	1,713	1,575	1,694	1,619	1,686	1,871	1,721	1,759	1,644	1,842
Intestinal tract, part unspecified-----153.9	1,740	148	145	137	128	126	137	171	149	147	171	147	136
Of rectum and rectosigmoid junction-----154	10,581	936	841	903	824	918	903	819	921	824	865	890	917
Of liver and intrahepatic bile ducts, specified as primary-----155	2,249	203	170	185	206	187	200	190	159	192	197	174	186
Of gallbladder and bile ducts-----156	4,377	370	333	346	380	385	358	382	397	371	347	365	373
Of pancreas-----157	17,649	1,497	1,351	1,523	1,420	1,524	1,492	1,488	1,511	1,428	1,431	1,479	1,535
Of peritoneum, retroperitoneal tissue, and unspecified digestive organs-----158,159	1,563	138	128	123	124	131	133	135	151	133	119	129	119
Malignant neoplasms of respiratory system													
-----160,163	66,038	5,637	4,859	5,409	5,260	5,527	5,383	5,561	5,691	5,595	5,676	5,635	5,905
Of larynx-----161	2,970	262	209	247	227	211	212	265	249	269	254	281	284
Of trachea, bronchus, and lung-----162	61,843	5,158	4,555	5,065	4,944	5,232	5,065	5,185	5,331	5,254	5,308	5,245	5,521
Of other parts of respiratory system-----160,163	1,225	117	95	97	89	84	106	111	111	92	114	109	100
Malignant neoplasms of bone, connective tissue, skin, and breast													
-----170,174	36,844	3,069	2,825	2,967	3,053	3,109	3,056	3,121	3,097	3,064	3,182	3,094	3,207
Of bone-----170	1,826	147	154	139	148	167	156	158	142	161	146	149	159
Of connective and other soft tissue-----171	1,406	99	92	111	120	116	116	117	119	126	122	141	127
Of skin-----172,173	4,529	366	353	375	382	395	392	398	374	367	362	375	392
Of breast-----174	29,083	2,457	2,226	2,342	2,405	2,431	2,392	2,448	2,462	2,410	2,552	2,431	2,529
Malignant neoplasms of genital organs													
-----180,187	41,008	3,567	3,144	3,454	3,289	3,454	3,449	3,496	3,412	3,325	3,588	3,342	3,510
Of cervix uteri-----180	8,940	576	537	615	580	590	599	588	587	562	597	583	566
Of other parts of uterus-----181,182	5,535	501	394	457	482	449	450	475	497	471	490	422	447
Of ovary, fallopian tube, and broad ligament-----183	9,788	860	766	792	797	808	813	881	769	778	845	807	874
Of other and unspecified female genital organs-----184	884	88	68	86	60	65	71	79	83	70	77	65	74
Of prostate-----185	16,836	1,451	1,289	1,404	1,308	1,445	1,450	1,417	1,394	1,369	1,470	1,390	1,469
Of all other and unspecified male genital organs-----186,187	1,025	91	90	100	82	99	86	76	82	77	87	75	80
Malignant neoplasms of urinary organs													
-----188,189	14,897	1,238	1,134	1,232	1,188	1,218	1,254	1,265	1,261	1,271	1,278	1,285	1,285
Of bladder-----188	8,520	714	625	709	659	671	729	730	723	745	715	732	788
Of other and unspecified urinary organs-----189	6,377	524	509	523	529	547	525	535	538	526	561	533	527
Malignant neoplasms of other an unspecified sites													
-----190,199	30,064	2,541	2,221	2,479	2,375	2,661	2,419	2,554	2,697	2,487	2,569	2,457	2,604
Of eye-----190	343	32	17	35	34	30	23	23	127	30	38	31	23
Of brain and other parts of nervous system-----191,192	7,785	650	603	644	621	683	621	668	700	645	654	635	661
Of thyroid gland-----193	375	83	65	75	76	95	89	77	82	82	76	71	94
Other-----194,199	20,961	1,776	1,558	1,725	1,644	1,852	1,687	1,766	1,875	1,735	1,801	1,720	1,826
Leukemia													
-----204-207	14,450	1,308	1,066	1,208	1,186	1,161	1,174	1,213	1,206	1,232	1,231	1,252	1,213
Lymphatic leukemia-----204	5,091	478	366	395	425	397	426	425	439	439	437	430	456
Myeloid leukemia-----205	5,451	497	420	466	432	449	443	457	433	476	456	463	439
Monocytic leukemia-----206	674	54	50	69	62	60	49	52	53	58	46	69	53
Other and unspecified leukemia-----207	3,234	279	230	278	267	255	257	287	295	259	292	290	245
Other neoplasms of lymphatic and hematopoietic tissues													
-----200,203,208,209	18,252	1,629	1,377	1,607	1,402	1,597	1,421	1,610	1,508	1,448	1,612	1,482	1,558
Lymphosarcoma and reticulum cell sarcoma-----200	6,633	618	477	563	499	595	525	595	561	544	581	522	563
Hodgkin's disease-----201	3,438	286	242	308	280	331	262	315	285	275	300	246	308
Multiple myeloma-----203	4,138	355	329	373	317	337	328	337	332	326	375	375	384
All other neoplasms of lymphatic and hematopoietic tissues-----202,208,209	4,043	370	329	363	306	334	306	363	341	303	356	339	333
Benign neoplasms and neoplasms of unspecified nature													
-----210,239	4,677	432	323	368	376	390	376	415	410	379	399	382	427
Benign neoplasms of female genital organs													
-----218-221	278	22	19	26	23	30	25	19	24	23	18	22	27
Benign neoplasms of eye, brain, and other parts of nervous system-----224,225	822	71	63	65	73	85	67	63	70	58	65	66	76
Other benign neoplasms-----210,217,222,223,226-228	616	73	49	67	77	65	70	83	77	61	62	63	69
Neoplasms of unspecified nature of female genital organs-----234-236	42	6	1	4	2	3	4	2	5	3	5	3	5
Neoplasms of unspecified nature of eye, brain, and other parts of nervous system-----238	1,769	175	120	116	136	128	147	175	185	152	163	146	146
Other neoplasms of unspecified nature-----230-233,237,239	950	86	71	90	65	79	63	73	69	82	86	82	104
III. Endocrine, nutritional, and metabolic diseases													
-----46,543	4,643	3,699	4,058	3,796	3,942	3,746	3,771	3,615	3,465	3,722	3,904	4,182	
Nontoxic goiter													
-----240,241	44	7	6	5	5	3	5	-	1	4	1	2	5
Thyrotoxicosis with or without goiter													
-----242	366	38	33	29	29	33	43	27	19	34	18	25	38
All other diseases of thyroid gland													
-----243-246	592	29	30	44	36	25	24	39	30	29	36	27	43
Diabetes mellitus													
-----250	38,541	3,829	3,084	3,365	3,135	3,309	3,093	3,147	2,997	2,861	3,054	3,230	3,437
Diseases of pituitary gland													
-----253	224	22	23	24	20	14	18	18	18	16	18	19	14
Diseases of thymus gland													
-----254	39	4	3	1	3	4	2	6	2	2	4	2	6
Diseases of adrenal gland													
-----255	541	54	46	39	49	33	41	44	50	46	47	41	49
Niacin deficiency													
-----262	7	-	1	-	2	1	-	-	-	2	-	1	-
Other avitaminoses and nutritional deficiencies													
-----260,261,263-269	2,527	271	180	205	205	205	181	202	191	194	226	233	234
Cystic fibrosis													
-----273.0	590	58	30	55	51	42	42	53	51	47	48	46	57
All other endocrine and metabolic diseases													
-----251,252,256-259,270-272,273.1-279	3,282	331	263	291	261	273	297	235	256	228	270	278	299

SECTION 1 - GENERAL MORTALITY

1-129

Table 1-24. Deaths From 281 Selected Causes, by Month: United States, 1969-Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1966 (ICDA). Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix.]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IV. Diseases of the blood and blood-forming organs-----	4,921	460	381	437	407	379	401	396	383	395	430	433	419
Anemias-----280-285	3,318	319	264	302	282	248	270	250	250	284	289	287	292
Deficiency anemias-----280,281	562	55	58	51	45	41	51	35	35	39	49	55	52
Hemolytic anemias-----282,283	740	68	48	62	54	58	70	63	55	63	58	72	85
Aplastic anemia-----284	1,068	87	86	87	85	77	80	85	90	103	96	92	100
Other and unspecified anemias-----285	948	109	72	102	100	73	69	69	70	59	86	64	75
Purpura and other hemorrhagic conditions-----287	618	43	45	59	50	63	59	49	49	47	58	48	48
All other diseases of blood and blood-forming organs-----286,288,289	985	98	72	76	75	67	72	97	84	84	83	98	79
V. Mental disorders-----	6,722	630	512	574	519	520	494	585	564	539	540	601	636
Senile and presenile dementias-----290	427	41	32	36	31	34	24	34	34	34	39	41	47
Alcoholic psychoses-----291	638	65	41	49	54	51	44	58	54	56	48	61	57
All other psychoses-----294-299	246	24	21	27	19	17	12	27	17	23	15	24	20
Alcoholism-----305	3,980	372	319	349	298	318	310	327	342	310	305	350	380
Other neuroses, personality disorders, and nonpsychotic mental disorders-----300-302,304-309	1,187	102	79	82	94	94	88	112	99	101	119	102	105
Mental retardation-----310-315	244	26	20	21	23	14	16	27	18	15	14	23	27
VI. Diseases of the nervous system and sense organs-----	16,921	1,669	1,417	1,510	1,363	1,424	1,345	1,367	1,297	1,214	1,415	1,385	1,515
Meningitis-----320	1,719	190	167	172	146	159	157	103	103	102	120	145	157
Hereditary neuromuscular disorders-----330	694	64	54	58	71	57	50	50	50	48	60	64	68
Multiple sclerosis-----340	1,572	171	125	140	130	145	112	131	122	112	135	113	138
Paralysis agitans-----342	3,208	307	256	287	208	266	261	292	264	247	285	269	258
Cerebral spastic infantile paralysis-----343	626	66	65	60	47	45	49	47	43	40	50	60	56
Epilepsy-----345	2,041	172	157	180	166	159	185	185	163	156	164	153	190
Inflammatory diseases of eye-----360-369	10	-	-	1	2	3	-	-	-	-	3	-	1
Cataract-----374	43	3	2	5	2	3	4	3	4	4	4	4	4
Glaucoma-----375	9	-	1	1	1	1	3	-	-	-	-	-	2
Otitis media and mastoiditis-----381-385	192	26	18	21	20	10	14	8	17	9	12	14	25
All other diseases of nervous system and sense organs-----321-324,331-333,341,344,346-358,370-373,376-380,384-389	6,807	670	574	585	570	580	500	547	532	496	570	563	620
VII. Diseases of the circulatory system-----	1,029,363	98,810	82,986	92,377	84,695	84,971	81,578	82,955	79,462	76,489	84,634	85,827	94,579
Active rheumatic fever-----390-392	320	29	26	31	32	34	32	21	23	21	23	24	24
Chronic rheumatic heart disease-----393-398	15,112	1,562	1,241	1,397	1,265	1,306	1,149	1,184	1,115	1,136	1,157	1,262	1,338
Diseases of mitral valve-----394	3,978	435	320	336	332	342	311	320	318	287	275	348	344
Diseases of aortic valve-----395	3,895	354	315	363	344	355	271	282	315	334	348	348	335
Diseases of other endocardial structures-----397	709	83	51	58	59	46	57	68	50	53	69	46	69
Other rheumatic heart diseases-----393,396,398	6,530	690	555	640	530	565	510	514	466	471	479	520	590
Hypertensive disease-----400-404	24,712	2,505	2,022	2,259	2,012	2,155	1,964	2,047	1,889	1,701	1,949	2,034	2,194
Malignant hypertension-----400	1,496	138	128	140	125	135	139	120	112	112	116	100	131
Essential benign hypertension-----401	1,172	129	92	118	97	118	94	70	82	73	94	109	96
Hypertensive heart disease-----402	8,976	804	771	797	735	756	734	769	692	615	677	748	798
Hypertensive renal disease-----403	5,758	581	453	535	497	525	418	476	417	385	469	484	518
Hypertensive heart and renal disease-----404	7,310	754	578	669	568	621	579	612	586	506	593	583	651
Ischemic heart disease-----410-415	669,829	64,117	54,103	59,915	55,502	55,490	53,329	53,740	51,304	49,738	55,077	55,857	61,677
With hypertensive disease-----(.0)	75,073	7,234	6,194	6,868	6,436	6,310	6,015	5,880	5,384	5,314	6,021	6,238	6,999
Without mention of hypertensive disease-----(.9)	594,756	56,883	47,909	53,047	49,066	49,180	47,314	47,860	45,940	44,224	49,056	49,599	54,678
Acute myocardial infarction-----410	361,583	34,147	29,187	32,199	30,070	30,228	29,166	29,187	27,802	27,046	29,696	30,051	33,034
Other acute or subacute forms of ischemic heart disease-----411	4,677	475	391	428	423	371	413	387	385	289	334	377	424
Chronic ischemic heart disease-----412	303,362	29,478	24,508	27,265	24,993	24,875	23,735	24,178	23,338	22,377	25,029	25,992	28,136
Angina pectoris-----413	207	17	17	23	16	16	17	9	16	18	17	17	22
Other forms of heart disease-----420-429	37,718	3,693	2,939	3,400	3,090	3,129	2,885	3,021	3,017	2,834	3,115	3,125	3,472
Nonrheumatic acute pericarditis and acute myocarditis-----420,422	593	77	60	52	38	50	45	42	47	37	48	46	51
Acute and subacute endocarditis-----421	588	61	49	62	59	45	40	47	40	49	46	52	59
Chronic disease of endocardium-----424	1,262	139	91	103	88	108	105	96	105	109	117	61	121
Of mitral valve, nonrheumatic-----424.0	70	4	7	8	5	4	5	6	5	7	7	11	3
Of aortic valve, nonrheumatic-----424.1	237	22	16	18	18	28	23	22	15	15	18	14	28
Of other endocardial structures-----424.9	955	113	68	77	65	76	79	69	84	86	92	64	82
Symptomatic heart disease-----427	18,686	1,767	1,453	1,718	1,543	1,511	1,398	1,475	1,576	1,392	1,614	1,503	1,738
Other myocardial insufficiency-----428	6,213	656	485	598	528	507	490	493	447	468	473	557	515
All other forms of heart disease-----423,425,426,429	10,376	993	801	869	856	908	805	868	802	781	817	886	990
Cerebrovascular disease-----430-438	207,179	19,620	16,840	18,695	16,774	16,928	16,427	16,945	16,218	15,399	17,076	17,397	19,060
With hypertension (benign)-----(.0)	26,633	2,590	2,228	2,395	2,211	2,201	2,176	2,108	1,959	1,928	2,150	2,249	2,439
Without mention of hypertension-----(.9)	180,546	17,030	14,412	16,300	14,563	14,727	14,251	14,837	14,260	13,471	14,926	15,148	16,621
Subarachnoid hemorrhage-----430	9,193	811	737	867	774	801	719	715	717	691	731	813	817
Cerebral hemorrhage-----431	43,303	4,099	3,561	4,027	3,620	3,475	3,443	3,485	3,323	3,122	3,478	3,739	3,959
Cerebral thrombosis-----433	58,748	5,658	4,762	5,138	4,764	4,895	4,653	4,794	4,592	4,360	4,652	4,997	5,335
Cerebral embolism-----434	1,005	94	74	84	73	90	88	74	71	81	98	76	102
Other specified acute cerebrovascular diseases-----432,435	3,231	272	256	286	273	274	276	274	244	269	257	239	311
Acute but ill-defined cerebrovascular disease-----436	56,882	5,484	4,514	5,097	4,480	4,553	4,492	4,789	4,462	4,317	4,794	4,673	5,247
Other cerebrovascular diseases-----437,438	34,817	3,202	2,738	3,198	2,800	2,840	2,756	2,884	2,817	2,549	2,886	2,960	3,231
Diseases of arteries, arterioles, and capillaries-----440-448	58,145	5,695	4,646	5,199	4,767	4,679	4,563	4,697	4,552	4,357	4,835	4,804	5,361
Arteriosclerosis-----440	33,063	3,383	2,715	2,955	2,654	2,662	2,572	2,704	2,612	2,416	2,719	2,691	2,990
Aortic aneurysm (nonsyphilitic)-----441	13,365	1,268	1,050	1,176	1,104	1,037	1,015	1,003	1,021	1,040	1,191	1,142	1,318
Gangrene-----445	2,601	237	188	258	223	199	226	237	220	206	208	210	210
All other diseases of arteries, arterioles, and capillaries-----442-444,446-448	9,116	807	693	810	778	792	750	753	699	695	717	781	843
Diseases of veins and lymphatics and other diseases of circulatory system-----450-458	16,348	1,598	1,369	1,481	1,263	1,270	1,231	1,300	1,344	1,303	1,402	1,344	1,453
Venous thrombosis and embolism-----450-453	14,547	1,410	1,220	1,341	1,146	1,113	1,106	1,161	1,183	1,144	1,255	1,176	1,290
Other diseases of circulatory system-----454-458	1,801	178	149	140	117	157	123	139	161	159	147	168	163

SECTION 1 - GENERAL MORTALITY

Table 1-24. Deaths From 281 Selected Causes, by Month: United States, 1969—Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIII. Diseases of the respiratory system	116,457	19,545	10,665	10,864	8,739	8,140	7,498	8,095	7,395	7,211	8,545	9,111	10,651
Acute upper respiratory infections-----460-465	621	84	64	61	55	49	37	39	44	38	37	56	58
Acute bronchitis and bronchiolitis-----466	1,286	239	139	122	100	65	58	76	53	60	120	117	139
Influenza-----470-474	5,971	3,971	825	450	161	66	39	45	30	42	64	96	183
Pneumonia-----480-488	62,394	10,014	5,829	6,106	4,672	4,311	3,892	4,234	3,685	3,841	4,546	4,952	6,013
Viral pneumonias-----490	1,768	478	201	145	115	105	61	65	90	74	122	134	158
Bacterial pneumonia-----491-492	7,738	1,342	755	757	621	565	437	524	451	462	499	582	743
Acute interstitial pneumonia-----494	1,693	227	183	149	127	139	101	123	104	110	141	142	147
Bronchopneumonia, organism unspecified-----495	28,617	4,412	2,727	2,780	2,123	2,063	1,925	1,961	1,635	1,762	2,119	2,169	2,743
Pneumonias due to other and unspecified organisms-----493-496	483,466	22,578	3,555	2,063	1,686	1,439	1,370	1,541	1,405	1,433	1,665	1,925	2,222
Bronchitis, emphysema, and asthma-----490-493	31,144	3,602	2,530	2,815	2,565	2,474	2,343	2,486	2,244	2,157	2,462	2,565	2,901
Bronchitis, unqualified-----490	799	120	82	75	80	61	41	36	58	62	56	66	82
Chronic bronchitis-----491	5,044	619	435	483	426	400	381	399	326	324	382	417	453
Emphysema-----492	22,939	2,626	1,819	2,055	1,888	1,814	1,735	1,964	1,700	1,586	1,814	1,890	2,150
Asthma-----493	2,362	237	194	202	191	199	188	188	160	185	210	192	216
Hypertrophy of tonsils and adenoids-----500	48	5	3	6	5	4	7	5	1	3	1	3	5
Empyema and abscess of lung-----510-513	1,180	117	99	97	96	87	82	97	91	89	111	113	102
Flourish-----511	370	46	23	37	34	44	27	19	21	23	23	24	49
Other chronic interstitial pneumonia-----517	3,385	372	294	290	279	283	280	270	233	244	312	291	277
Bronchiectasis-----518	1,110	122	94	84	89	86	87	105	92	89	94	85	84
Other diseases of respiratory system-----501-508, 512, 514-516, 519	8,948	973	666	797	683	682	669	719	701	626	785	807	840
IX. Diseases of the digestive system	73,926	6,939	5,726	6,318	5,948	6,121	5,872	6,013	6,096	5,948	6,394	6,141	6,510
Diseases of teeth and supporting structures-----520-525	43	2	3	5	1	3	7	4	5	3	4	3	840
Peptic ulcer-----531-533	9,312	967	732	821	770	748	705	678	757	730	821	743	545
Ulcer of stomach-----531	3,719	382	302	320	301	289	266	282	308	293	346	305	345
Ulcer of duodenum-----532	4,381	462	346	391	378	375	346	309	382	338	365	345	363
Peptic ulcer, site unspecified-----533	1,212	123	84	110	93	84	93	107	87	101	110	93	127
Gastritis and duodenitis-----535	522	48	45	39	43	38	35	37	52	42	55	45	42
Appendicitis-----540-543	1,407	135	97	108	118	120	119	130	112	122	124	122	102
Hernia and intestinal obstruction-----550-553, 560	7,500	705	619	655	603	568	571	646	661	597	654	602	631
Gastroenteritis and colitis, except ulcerative, of noninfectious origin-----561	61	2	2	9	3	6	2	8	4	5	7	5	8
Diverticula of intestines-----562	3,408	298	259	295	277	311	290	307	267	295	280	259	270
Chronic enteritis and ulcerative colitis-----563	1,230	99	96	100	95	104	112	105	109	113	95	117	85
Cirrhosis of liver-----571	29,966	2,826	2,246	2,502	2,327	2,559	2,343	2,427	2,336	2,336	2,604	2,488	2,752
Alcoholic-----571.0	10,580	1,003	770	876	828	954	839	826	838	847	925	838	876
Other specified-----571.8	5,404	476	397	449	403	441	450	456	473	437	462	449	511
Unspecified-----571.9	13,982	1,347	1,079	1,177	1,096	1,164	1,054	1,145	1,085	1,112	1,217	1,201	1,265
Cholelithiasis, cholecystitis and cholangitis-----574, 575	4,262	347	355	387	378	371	355	348	368	350	325	360	342
Other diseases of digestive system-----526-530, 534, 536, 537, 564-570, 572, 573, 576, 577	16,315	1,512	1,273	1,417	1,335	1,293	1,335	1,323	1,365	1,205	1,425	1,397	1,435
X. Diseases of the genitourinary system	29,280	2,829	2,320	2,576	2,380	2,448	2,329	2,446	2,342	2,242	2,436	2,460	2,464
Nephritis and nephrosis-----580-584	9,417	963	813	839	754	826	738	761	705	691	744	773	810
Acute nephritis-----580	912	83	84	82	65	62	65	60	72	88	75	86	82
Nephrotic syndrome-----581	480	41	51	47	48	58	52	34	29	28	35	33	26
Chronic and unqualified nephritis and renal sclerosis-----582-584	6,025	839	678	710	641	708	621	659	604	577	634	654	702
Infections of kidney-----590	8,750	838	701	799	716	703	705	723	712	677	704	748	724
Calculi of urinary system-----592, 594	887	76	84	71	72	66	78	84	76	75	72	66	67
Other diseases of urinary system-----591, 593, 595-599	6,268	576	430	513	505	507	480	547	549	504	567	554	536
Hyperplasia of prostate-----600	2,499	248	188	225	224	222	205	197	176	178	225	206	205
Diseases of breast-----610, 611	19	3	-	2	2	1	1	-	1	3	-	2	4
Other diseases of genital organs-----601-607, 612-629	1,440	125	104	127	107	123	122	134	123	114	124	119	118
XI. Complications of pregnancy, childbirth, and the puerperium	801	76	55	55	71	60	50	69	73	63	72	90	67
Ectopic pregnancy-----631	60	7	4	5	6	7	2	6	3	6	6	4	4
Toxemia of pregnancy and the puerperium, except abortion with toxemia-----636-639	141	12	8	9	12	10	7	10	10	11	15	20	17
Hemorrhage of pregnancy and childbirth-----632, 651-653	106	11	6	10	9	6	8	14	6	8	8	12	8
Abortions-----640-645	132	12	10	7	17	8	11	8	13	7	14	17	8
Abortion induced for legal indications-----640, 641	1	-	-	-	-	-	-	-	-	1	-	-	-
Abortion induced for other reasons-----642	59	1	8	4	10	2	6	2	5	2	8	8	3
Spontaneous abortion-----643	16	2	1	1	1	1	2	-	3	-	1	3	1
Other and unspecified abortions-----644, 645	56	9	1	2	6	5	3	6	4	5	5	6	4
Sepsis of childbirth and the puerperium-----670, 671, 673	151	13	11	9	14	12	8	11	12	18	12	15	16
All other complications of pregnancy, childbirth, and the puerperium-----630, 633-635, 654-662, 672, 674-678	208	18	16	15	13	17	14	20	29	13	17	22	14
Delivery without mention of complications-----680	3	3	-	-	-	-	-	-	-	-	-	-	-
XII. Diseases of the skin and subcutaneous tissue	1,876	180	152	148	150	166	154	151	154	164	183	153	141
Infections of skin and subcutaneous tissue-----680-686	540	53	44	47	40	47	42	48	40	46	53	36	44
Other diseases of skin and subcutaneous tissue-----690-709	1,336	127	108	101	110	119	112	103	114	118	130	97	97

SECTION 1 - GENERAL MORTALITY

1-131

Table 1-24. Deaths From 281 Selected Causes, by Month: United States, 1969 -Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XIII. Diseases of the musculoskeletal system and connective tissue.....	4,908	469	357	434	398	370	416	402	400	397	401	412	452
Arthritis and spondylitis.....710-715	1,948	194	129	175	155	131	159	164	164	166	174	159	182
Nonarticular rheumatism and rheumatism, unspecified.....716-718	158	9	10	16	11	12	12	16	14	14	11	16	17
Osteomyelitis and periostitis.....720	202	19	20	24	17	15	13	16	15	15	19	16	13
Ankylosis and acquired musculoskeletal deformities.....727, 735-738	142	14	14	15	7	12	13	11	9	7	9	14	17
Other diseases of musculoskeletal system and connective tissue.....721-726, 728-734	2,458	235	184	206	210	200	219	195	199	195	188	207	225
XIV. Congenital anomalies.....	17,008	1,606	1,372	1,391	1,406	1,454	1,345	1,415	1,359	1,317	1,475	1,401	1,469
Spina bifida.....741	850	80	65	59	72	77	84	61	76	70	69	72	65
Congenital hydrocephalus and other congenital anomalies of nervous system.....740, 742, 743	2,821	257	224	202	199	236	226	241	222	237	266	249	262
Congenital anomalies of heart.....746	6,876	648	556	588	590	598	498	589	526	526	596	564	599
Other congenital anomalies of circulatory system.....747	1,216	109	110	105	100	110	86	81	117	87	108	97	106
Cleft palate and cleft lip.....749	58	4	2	5	1	5	4	4	1	1	5	3	3
All other congenital anomalies.....744, 745, 748, 750-759	5,207	508	415	434	444	428	447	437	417	396	431	416	434
XV. Certain causes of mortality in early infancy.....	45,171	3,325	3,032	3,388	3,418	3,803	3,806	3,940	3,961	3,690	3,680	3,478	3,660
XVI. Symptoms and ill-defined conditions..	26,160	2,640	2,188	2,305	2,058	2,049	2,092	2,149	1,985	1,876	2,060	2,207	2,573
Senility without mention of psychosis.....794	1,447	150	120	133	114	121	124	111	105	109	98	122	140
Symptoms and other ill-defined conditions.....780-782, 785, 786	24,713	2,490	2,068	2,170	1,924	1,928	1,968	2,038	1,880	1,767	1,962	2,085	2,433
XVII. Accidents, poisonings, and violence.....	159,373	12,554	10,889	12,556	12,421	14,069	13,946	14,371	14,888	13,125	13,344	13,532	13,676
Accidents.....E800-E849	116,385	9,107	7,899	8,955	8,855	10,223	10,373	10,779	11,160	9,565	9,612	9,904	9,955
Railway accidents.....E800-E807	884	72	60	59	67	95	84	87	78	98	80	52	52
Motor vehicle accidents.....E810-E823	55,791	3,750	3,458	4,198	4,176	4,995	4,885	4,925	5,511	4,915	5,058	5,084	4,842
Motor vehicle traffic accidents.....E810-E819	54,636	3,697	3,397	4,116	4,074	4,872	4,752	4,799	5,382	4,808	4,960	4,996	4,785
Motor vehicle traffic accident involving collision with train.....E810	1,484	154	105	124	113	111	99	86	107	118	150	149	176
Motor vehicle traffic accident involving collision with another motor vehicle.....E812	21,125	1,370	1,355	1,631	1,530	1,907	1,845	1,831	2,166	1,886	1,957	1,802	1,845
Motor vehicle traffic accident involving collision with pedestrian.....E814	8,827	696	637	673	723	754	656	665	760	712	789	912	870
Other motor vehicle traffic accidents involving collision.....E811, E813, E815	7,261	536	425	502	548	603	669	697	703	697	657	620	604
Noncollision motor vehicle traffic accidents.....E816-E818	10,650	620	582	759	768	1,027	1,025	1,080	1,122	954	924	990	819
Motor vehicle traffic accident of unspecified nature.....E819	5,279	321	285	427	392	470	478	468	524	441	483	523	469
Motor vehicle nontraffic accidents.....E820-E823	1,155	53	59	82	102	121	133	126	129	105	98	88	59
Other road vehicle accidents.....E825-E827	236	7	8	18	17	21	25	33	35	28	25	11	10
Water transport accidents.....E830-E838	1,743	82	75	82	166	239	228	232	204	151	116	85	81
Air and space transport accidents.....E840-E845	1,778	128	139	141	107	130	165	192	122	243	127	150	134
Accidental poisoning.....E850-E877	4,516	455	380	397	345	351	341	313	328	340	347	448	493
Accidental poisoning by drugs and medicaments.....E850-E859	1,891	144	108	136	149	157	174	174	178	182	155	171	162
Accidental poisoning by other solid and liquid substances.....E860-E869	1,076	84	72	97	95	98	95	88	97	95	81	80	95
Accidental poisoning by gases and vapors.....E870-E877	1,549	227	199	164	101	76	72	50	51	65	111	197	238
Accidental falls.....E880-E887	17,827	1,712	1,436	1,447	1,416	1,473	1,409	1,513	1,519	1,429	1,497	1,465	1,513
Fall from one level to another.....E880-E884	4,952	371	356	375	395	397	441	460	476	477	452	396	359
Fall on same level.....E885-E886	939	133	118	87	70	80	55	61	66	65	74	58	72
Other and unspecified falls.....E887	11,936	1,208	962	987	951	996	913	982	977	887	971	1,009	1,083
Accidents caused by fires and flames.....E890-E899	7,163	1,009	775	637	595	491	337	317	329	356	462	717	938
Accidental drowning and submersion.....E910	6,181	164	156	232	420	825	1,200	1,259	984	405	218	175	143
Inhalation and ingestion of food or other object causing obstruction or suffocation.....E911, E912	3,712	313	263	332	309	313	285	308	282	296	307	332	376
Accident caused by firearm missile.....E922	2,309	201	144	147	145	170	143	152	171	180	249	349	258
Accidents mainly of industrial type.....E916-E921, E923-E928	6,095	393	381	393	504	543	595	675	664	545	533	452	417
Accident caused by cutting or piercing instrument.....E920	156	11	11	12	8	11	16	14	18	16	15	16	10
Accident caused by explosive material.....E923	553	64	48	28	39	46	59	42	60	41	39	41	46
Accident caused by hot substance, corrosive liquid, steam, or radiation.....E924, E926	288	30	18	19	24	22	30	27	29	21	17	26	25
Accident caused by electric current.....E925	1,148	32	46	59	81	99	142	222	173	106	65	61	62
Other accidents mainly of industrial type.....E916-E919, E921, E927, E928	3,980	256	258	275	352	365	348	370	384	361	399	308	274
Surgical and medical complications and misadventures.....E930-E938	2,572	240	188	226	197	219	221	193	205	207	212	234	230
All other accidents.....E900-E909, E913-E915, E929, E940-E949	5,578	561	439	446	589	580	460	580	730	374	379	352	468

SECTION 1 - GENERAL MORTALITY

Table 1-24. Deaths From 281 Selected Causes, by Month: United States, 1969-Con.

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Con.													
Suicide.....E950-E959	22,364	1,831	1,609	1,973	1,944	2,003	1,774	1,811	1,873	1,862	1,897	1,666	1,921
Suicide from poisoning by solid or liquid substance.....E950	3,659	276	239	314	289	298	291	339	314	297	348	332	322
Suicide from poisoning by gases.....E951,E952	2,459	207	178	211	222	237	174	187	185	216	206	231	205
Suicide by hanging, strangulation, and suffocation.....E953	3,156	259	222	275	305	272	246	262	262	276	258	260	243
Suicide by firearm and explosive.....E955	11,304	944	859	1,042	979	1,016	912	852	926	924	835	908	1,007
Suicide by all other means.....E954,E956-E959	1,784	145	111	133	149	160	151	171	166	149	150	135	144
Homicide.....E960-E978	15,477	1,187	1,046	1,179	1,167	1,353	1,344	1,349	1,419	1,292	1,396	1,317	1,408
Assault by firearm and explosive.....E965	10,174	813	670	774	771	874	850	880	915	853	940	869	965
Assault by cutting and piercing instrument.....E966	2,726	171	191	193	213	247	257	238	271	236	247	243	219
Assault by other means.....E960-E964,E967-E969	2,223	175	161	183	179	197	214	203	201	172	175	180	183
Legal execution.....E978	-	-	-	-	-	-	-	-	-	-	-	-	-
Other legal intervention.....E970-E977	354	28	24	29	24	35	23	28	32	31	34	25	41
Injuries undetermined whether accidentally or purposely inflicted.....E980-E989	5,066	417	329	445	429	479	450	425	433	402	435	438	394
Injuries resulting from operations of war.....E990-E999	61	12	6	6	8	11	5	7	3	4	4	7	8

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ALL CAUSES.....	1,921,990	1,080,926	841,064	1,683,622	945,380	738,242
02 I. INFECTIVE AND PARASITIC DISEASES.....	16,791	9,961	6,830	12,286	7,219	5,067
03 CHOLERA.....000	-	-	-	-	-	-
04 TYPHOID FEVER.....001	4	2	2	2	2	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	82	47	35	52	31	21
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,005	94	55	39	61	39	22
07 FOOD POISONING (BACTERIAL).....006	17	11	6	15	10	5
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,612	1,257	1,355	1,826	841	985
09 TUBERCULOSIS, ALL FORMS.....010-019	5,567	3,989	1,578	3,902	2,852	1,050
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	4,492	3,314	1,178	3,146	2,368	778
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	117	57	60	65	33	32
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	39	22	17	17	11	6
13 TUBERCULOSIS OF BONES AND JOINTS.....015	31	19	12	20	13	7
14 DISSEMINATED TUBERCULOSIS.....018	200	131	69	85	59	26
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	688	446	242	569	368	201
16 PLAGUE.....020	-	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-	-
18 BRUCELLOSIS.....023	3	2	1	3	2	1
19 LEPROSY.....030	4	2	2	2	-	2
20 DIPHTHERIA.....032	25	16	9	14	10	4
21 WHOOPING COUGH.....033	13	6	7	6	2	4
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	41	22	19	34	17	17
23 ERYSIPELAS.....035	13	5	8	12	4	8
24 MENINGOCOCCAL INFECTIONS.....036	744	409	335	555	302	253
25 TETANUS.....037	89	44	45	50	26	24
26 SEPTICEMIA.....038	3,009	1,651	1,358	2,276	1,233	1,043
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	474	288	186	375	236	139
28 ACUTE POLIOMYELITIS.....040-043	13	7	6	10	6	4
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	97	53	44	88	46	42
30 SMALLPOX.....050	-	-	-	-	-	-
31 MEASLES.....055	41	20	21	31	16	15
32 YELLOW FEVER.....060	-	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	381	208	173	329	181	148
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	41	30	11	39	28	11
35 INFECTIOUS HEPATITIS.....070	1,011	402	609	812	325	487
36 RABIES.....071	1	1	-	1	1	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	889	443	446	748	370	378
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	37	19	18	33	16	17
39 MALARIA.....084	11	8	3	10	7	3
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	543	384	159	300	213	87
43 CONGENITAL SYPHILIS.....090	29	13	16	16	6	10
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	35	26	9	25	19	6
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	284	200	84	131	96	35
47 TABES DORSALIS.....094,0	30	19	11	25	15	10
48 GENERAL PARESIS.....094,1	47	34	13	35	26	9
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	81	66	15	45	35	10
50 ALL OTHER SYPHILIS.....095,097,0,097,9	37	26	11	23	16	7
51 GONOCOCCAL INFECTIONS.....098	3	1	2	3	1	2
52 SCHISTOSOMIASIS.....120	-	-	-	-	-	-
53 HYDATIDIOSIS.....122	9	3	6	9	5	6
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	1	1	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	16	8	8	7	5	2
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	906	507	399	681	394	287
58 II. NEOPLASMS.....	327,769	178,306	149,463	293,605	159,009	134,596
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	323,092	176,142	146,950	289,595	157,110	132,485
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,553	5,566	1,987	6,684	4,906	1,778
61 OF LIP.....140	215	192	23	213	190	23
62 OF TONGUE.....141	1,768	1,309	459	1,575	1,154	421
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,332	1,567	765	2,092	1,401	691
64 OF PHARYNX.....146-149	3,238	2,498	740	2,804	2,161	643
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	93,986	50,470	43,516	83,998	44,532	39,466
66 OF ESOPHAGUS.....150	5,807	4,344	1,463	4,545	3,334	1,211
67 OF STOMACH.....151	16,429	10,000	6,429	14,047	8,395	5,652
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	665	333	332	597	307	290
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	34,666	16,083	18,583	31,921	14,822	17,099
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	4,541	2,010	2,531	4,220	1,861	2,359
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	1,471	676	795	1,374	623	751
72 DESCENDING COLON.....153,2	1,128	519	609	1,031	472	559
73 SIGMOID COLON.....153,3	5,403	2,627	2,776	5,050	2,456	2,594
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	20,383	9,475	10,908	18,622	8,681	9,941
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	1,740	776	964	1,624	729	895
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	10,581	5,986	4,595	9,577	5,518	4,059
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,249	1,510	739	1,858	1,212	646
78 OF GALLBLADDER AND BILE DUCTS.....156	4,377	1,514	2,863	4,111	1,418	2,693
79 OF PANCREAS.....157	17,649	9,932	7,717	15,844	8,838	7,006
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,563	768	795	1,398	688	710
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	66,038	53,879	12,159	59,311	48,316	10,995
82 OF LARYNX.....161	2,970	2,617	353	2,618	2,330	288
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	61,843	50,481	11,362	55,610	45,309	10,301
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,225	781	444	1,083	679	404
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	36,844	4,611	32,233	33,782	4,240	29,542
86 OF BONE.....170	1,826	1,072	754	1,534	953	581
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,406	711	695	1,266	641	625
88 OF SKIN.....172,173	4,529	2,575	1,954	4,325	2,463	1,862
89 OF BREAST.....174	29,083	253	28,830	26,557	223	26,334

SECTION 1 - GENERAL MORTALITY

or National Origin and Sex: United States, 1969

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

Negro			Indian			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
225,537	127,145	98,392	5,579	3,451	2,128	1,945	1,458	487	2,499	1,529	970	2,808	1,963	845	01
4,164	2,489	1,675	223	109	114	35	30	5	33	22	11	50	32	18	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	04
29	16	13	-	-	-	-	-	-	-	-	-	-	-	-	05
27	14	13	5	1	4	-	-	-	-	-	-	-	-	-	06
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	07
714	383	331	66	31	35	1	-	1	4	2	2	1	-	-	08
1,523	1,052	471	89	45	44	20	19	1	14	9	5	15	12	7	09
1,240	879	367	57	34	23	18	17	1	9	6	3	16	10	6	10
47	23	24	4	-	4	-	-	-	-	-	-	-	-	-	11
19	11	8	3	-	3	-	-	-	-	-	-	-	-	-	12
6	4	4	2	1	1	-	-	-	-	-	-	-	-	-	13
105	68	37	10	4	6	-	-	-	1	1	-	-	-	-	14
98	67	31	13	6	7	2	2	-	4	2	2	2	1	1	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	19
11	6	5	-	-	-	-	-	-	-	-	-	-	-	-	20
7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	21
6	5	1	1	-	1	-	-	-	-	-	-	-	-	-	22
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
181	104	77	3	2	1	1	-	1	-	-	-	4	1	3	24
37	17	20	2	1	1	-	-	-	-	-	-	-	-	-	25
604	387	297	31	17	14	4	3	1	6	5	1	8	6	2	26
96	52	44	3	-	3	-	-	-	-	-	-	-	-	-	27
5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	28
9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
10	4	6	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
48	24	24	3	2	1	-	-	-	1	1	-	-	-	-	33
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	34
187	72	115	7	2	5	1	1	-	2	1	1	2	1	1	35
124	64	60	7	3	4	2	1	1	3	1	2	5	4	1	36
3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	37
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
234	162	72	2	2	-	3	3	-	3	3	-	1	1	-	42
12	6	6	1	1	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
10	7	3	-	-	-	-	-	-	-	-	-	-	-	-	45
147	98	49	1	1	-	2	2	-	2	2	-	1	1	-	46
5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	47
10	6	4	-	-	-	1	1	-	1	1	-	-	-	-	48
36	31	5	-	-	-	-	-	-	-	-	-	-	-	-	49
14	10	4	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	55
6	2	6	-	-	-	1	1	-	-	-	-	-	-	-	56
214	105	109	3	2	1	2	2	-	-	-	-	6	4	2	57
32,231	18,084	14,147	460	260	200	482	346	136	545	314	231	446	293	153	58
31,606	17,840	13,766	449	254	195	473	342	131	538	310	226	431	286	145	59
810	614	196	8	7	1	32	25	7	6	3	3	13	11	2	60
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	61
187	152	35	1	1	-	2	1	1	3	1	2	-	-	-	62
233	161	72	3	2	1	-	-	-	1	-	1	3	3	-	63
386	299	89	4	4	-	30	24	6	2	2	10	-	8	2	64
9,234	5,435	3,799	145	101	44	165	130	35	286	158	128	158	114	44	65
1,217	971	246	9	7	2	12	12	-	11	11	-	13	9	4	66
2,144	1,453	691	43	35	8	27	19	8	133	72	61	35	26	9	67
66	26	40	-	-	-	1	-	-	1	-	-	-	-	-	68
2,591	1,168	1,423	32	20	12	44	33	11	44	16	26	34	24	10	69
299	134	165	2	2	-	8	7	1	8	3	5	4	3	1	70
92	51	41	2	1	-	1	1	-	1	-	-	1	1	1	71
90	42	48	2	2	-	1	1	-	1	1	-	3	2	1	72
323	155	168	5	2	3	7	5	2	10	3	7	8	6	2	73
1,675	741	934	18	12	6	25	19	6	25	9	16	18	13	5	74
112	45	67	3	1	2	1	-	-	-	-	-	-	-	-	75
835	419	416	13	12	1	14	12	2	33	19	14	9	6	3	76
314	241	75	11	7	4	34	28	6	9	5	4	21	17	4	77
221	74	147	13	2	11	5	4	1	19	11	8	8	5	3	78
1,688	1,008	680	22	17	5	27	21	6	36	24	12	32	24	8	79
156	75	81	2	1	1	1	1	-	1	-	-	6	3	3	80
6,395	5,302	1,093	58	37	21	119	91	28	81	69	12	74	62	12	81
342	279	63	4	2	2	1	1	-	4	4	-	1	1	-	82
5,922	4,928	994	52	34	18	115	89	26	77	65	12	67	56	11	83
131	95	36	2	1	1	3	1	2	-	-	-	6	5	1	84
2,947	309	2,638	41	9	32	21	4	17	21	3	18	32	26	26	85
162	113	69	4	2	2	3	1	2	1	1	-	2	2	-	86
132	66	66	5	3	2	-	-	-	-	-	-	1	1	-	87
188	101	87	7	4	3	3	3	-	1	1	-	5	3	2	88
2,445	29	2,416	25	-	25	15	-	15	18	1	17	23	-	23	89

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	41,008	17,861	23,147	35,336	15,297	20,039
02 OF CERVIX UTERI.....180	6,940	...	6,940	5,446	...	5,440
03 OF OTHER PARTS OF UTERUS.....181,182	5,535	...	5,535	4,750	...	4,750
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	9,788	...	9,788	9,057	...	9,057
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	884	...	884	792	...	792
06 OF PROSTATE.....185	16,836	16,836	...	14,366	14,366	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	1,025	1,025	...	931	931	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	14,897	9,971	4,926	13,697	9,220	4,477
09 OF BLADDER.....188	8,520	5,968	2,552	7,802	5,516	2,286
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6,377	4,003	2,374	5,895	3,704	2,191
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	30,064	15,342	14,722	26,762	13,687	13,075
12 OF EYE.....190	343	166	177	327	158	169
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	7,785	4,481	3,304	7,333	4,244	3,089
14 OF THYROID GLAND.....193	975	343	632	879	306	573
15 OTHER.....194-199	20,961	10,352	10,609	18,223	8,979	9,244
16 LEUKEMIA.....204-207	14,450	8,256	6,194	13,364	7,640	5,724
17 LYMPHATIC LEUKEMIA.....204	5,091	3,023	2,068	4,737	2,804	1,933
18 MYELOID LEUKEMIA.....205	5,451	3,002	2,449	5,054	2,786	2,268
19 MONOCYTTIC LEUKEMIA.....206	674	372	302	643	353	290
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	3,234	1,859	1,375	2,930	1,697	1,233
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203, 208, 209	18,252	10,186	8,066	16,661	9,230	7,431
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	6,633	3,669	2,964	6,226	3,423	2,803
23 HODGKIN'S DISEASE.....201	3,438	2,106	1,332	3,160	1,922	1,238
24 MULTIPLE MYELOMA.....203	4,138	2,184	1,954	3,513	1,830	1,683
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202, 208, 209	4,043	2,227	1,816	3,762	2,055	1,707
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,677	2,164	2,513	4,010	1,899	2,111
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	278	...	278	168	...	168
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224, 225	822	324	498	719	280	439
29 OTHER BENIGN NEOPLASMS.....210-217, 222, 223, 226-228	816	416	400	703	357	346
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	42	...	42	29	...	29
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	1,769	921	848	1,566	817	749
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233, 237, 239	950	503	447	831	445	386
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	46,543	19,333	27,210	39,446	16,689	22,757
34 NONTOXIC GOITER.....240, 241	44	4	40	34	3	31
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	366	75	291	286	56	230
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	392	91	301	362	81	281
37 DIABETES MELLITUS.....250	28,541	15,689	22,852	32,668	13,618	19,050
38 DISEASES OF PITUITARY GLAND.....253	224	112	112	190	97	93
39 DISEASES OF THYMUS GLAND.....254	39	29	10	31	23	8
40 DISEASES OF ADRENAL GLAND.....255	541	224	317	469	188	281
41 NIACIN DEFICIENCY.....262	7	2	5	6	1	5
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260, 261, 263-269	2,527	1,156	1,371	2,059	912	1,147
43 CYSTIC FIBROSIS.....273-0	580	262	318	557	248	309
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251, 252, 256-258, 270-272, 273-1-279	3,282	1,689	1,593	2,784	1,462	1,322
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	4,921	2,342	2,579	4,024	1,907	2,117
46 ANEMIAS.....280-285	3,318	1,555	1,763	2,617	1,211	1,406
47 DEFICIENCY ANEMIAS.....280, 281	562	234	328	512	210	302
48 HEMOLYTIC ANEMIAS.....282, 283	740	359	381	328	147	181
49 APLASTIC ANEMIA.....284	1,068	540	528	990	500	490
50 OTHER AND UNSPECIFIED ANEMIAS.....285	948	422	526	787	354	433
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	618	268	350	544	243	301
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286, 288, 289	985	519	466	863	453	410
53 V. MENTAL DISORDERS.....	6,722	4,758	1,964	5,011	3,486	1,525
54 SENILE AND PRESENILE DEMENTIAS.....290	427	165	262	400	155	245
55 ALCOHOLIC PSYCHOSES.....291	638	574	64	486	440	46
56 ALL OTHER PSYCHOSES.....294-299	246	114	132	221	104	117
57 ALCOHOLISM.....303	3,980	3,090	890	2,783	2,198	585
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302, 304-305	1,187	687	500	914	486	428
59 MENTAL RETARDATION.....310-315	244	128	116	207	103	104
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,921	9,376	7,545	14,552	7,939	6,613
61 MENINGITIS.....320	1,719	1,001	718	1,198	714	484
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	694	503	191	640	469	171
63 MULTIPLE SCLEROSIS.....340	1,572	611	961	1,476	571	905
64 PARALYSIS AGITANS.....342	3,208	1,732	1,476	3,115	1,679	1,436
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	626	353	273	514	288	226
66 EPILEPSY.....345	2,041	1,239	802	1,428	817	611
67 INFLAMMATORY DISEASES OF EYE.....360-369	10	6	4	9	5	4
68 CATARACT.....374	43	17	26	38	17	21
69 GLAUCOMA.....375	9	5	4	6	3	3
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	192	101	91	157	86	71
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324, 331-333, 341, 344, 346-358, 370-373, 376-380, 384-389	6,807	3,808	2,999	5,971	3,290	2,681
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,029,363	558,342	471,021	924,526	503,352	421,174
73 ACTIVE RHEUMATIC FEVER.....390-392	320	168	152	248	137	111
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	15,112	6,904	8,208	13,804	6,297	7,507
75 DISEASES OF MITRAL VALVE.....394	3,978	2,539	3,675	3,329	2,346	2,346
76 DISEASES OF AORTIC VALVE.....395	3,895	2,527	1,368	3,522	2,296	1,226
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	709	272	437	665	253	412
78 OTHER RHEUMATIC HEART DISEASES.....393, 396, 398	6,530	2,666	3,864	5,962	2,419	3,523
79 HYPERTENSIVE DISEASE.....400-404	24,712	11,499	13,213	19,403	8,894	10,509
80 MALIGNANT HYPERTENSION.....400	1,496	789	707	767	403	364
81 ESSENTIAL BENIGN HYPERTENSION.....401	1,172	456	716	914	349	565
82 HYPERTENSIVE HEART DISEASE.....402	8,976	3,731	5,245	6,866	2,779	4,087
83 HYPERTENSIVE RENAL DISEASE.....403	5,758	3,092	2,666	4,739	2,536	2,203
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	7,310	3,431	3,879	6,117	2,827	3,290

SECTION 1 - GENERAL MORTALITY

or National Origin and Sex: United States, 1969—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Negro			Indian			Chinese			Japanese			Other		
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
5,482	2,492	2,990	72	26	46	25	8	17	45	20	25	48	18	30
1,445	...	1,445	26	...	26	3	...	3	11	...	11	15	...	15
760	...	760	7	...	7	7	...	7	3	...	3	8	...	8
695	...	695	11	...	11	7	...	7	11	...	11	7	...	7
90	...	90	2	...	2
2,406	2,406	...	23	23	...	7	18	18	...	16	16	...
86	86	...	3	3	...	1	1	...	2	2	...	2	2	...
1,137	702	435	14	10	4	21	20	1	11	11	6	9	8	1
686	425	261	2	2	...	12	12	...	11	7	4	7	6	1
451	277	174	12	8	4	9	8	1	8	4	4	2	2	...
3,129	1,552	1,577	58	27	31	49	35	14	32	16	16	34	25	9
14	7	7	2	1	1
424	220	204	8	5	3	6	4	2	6	4	2	8	4	4
87	32	55	2	...	2	4	4	...	1	1	...	1	1	1
2,604	1,293	1,311	48	22	26	39	27	12	25	12	13	22	19	3
989	554	435	28	20	8	19	13	6	24	14	10	26	15	11
326	201	125	10	7	3	2	1	5	7	5	2	9	5	4
357	190	167	12	7	5	8	7	1	9	5	4	11	7	4
26	17	9	3	1	1	1	1	1	1	1	1
280	146	134	6	6	...	6	3	3	7	4	3	5	3	2
1,483	880	603	25	17	8	22	16	6	24	16	8	37	27	10
364	216	148	9	6	3	10	7	3	11	9	2	13	8	5
260	172	88	2	1	1	6	4	2	4	2	2	6	5	1
592	331	261	9	7	2	5	4	1	6	3	3	13	9	4
267	161	106	5	3	2	1	1	1	3	2	1	5	5	...
625	244	381	11	6	5	9	4	5	7	4	3	15	7	8
108	...	108	1	...	1	1	1
95	42	53	3	1	2	2	2	3	3	1	2
105	53	52	1	...	1	2	1	1	1	1	1	4	4	...
12	...	12	1	...	1
198	98	100	4	3	1	2	2	...	5	1	4
107	51	56	5	3	2	3	2	1	2	1	1	2	1	1
6,712	2,436	4,276	164	71	93	61	43	18	66	34	32	54	60	34
9	...	9	1	1	...
75	18	57	1	...	1	2	...	2	2	1	...
30	10	20
5,556	1,905	3,651	137	58	79	48	35	13	56	26	30	76	47	29
31	13	18	2	2	1	...	1
8	6	2
67	34	33	4	1	3	1	1
1	1
444	229	215	10	5	5	4	3	1	7	5	2	3	2	1
22	14	8	1	...	1
469	206	263	5	5	4	6	4	2	3	3	...	11	9	2
857	415	442	18	7	11	6	4	2	6	3	3	10	6	4
680	333	347	8	4	4	3	2	1	4	1	3	6	4	2
48	24	24	1	...	1	1	1	1
408	210	198	1	1	...	1	1	2	...	2
68	34	34	2	...	2	1	1	...	3	1	2	4	4	...
156	65	91	4	3	1	1	...	1
67	22	45	3	1	2	1	1	1	1	1	1	1	1	1
110	60	50	7	2	5	1	1	...	1	1	...	3	2	1
1,604	1,195	409	96	68	28	2	1	1	3	3	...	6	5	1
25	9	16	1	...	1	1	1
142	126	16	9	7	2	1	1	...
25	10	15
1,110	827	283	82	60	22	1	1	4	4	...
268	199	69	2	...	2	1	...	1	2	2
34	24	10	2	1	1	1	...	1
2,232	1,352	880	67	41	26	16	10	6	21	16	5	33	18	15
488	268	220	25	15	10	1	...	1	2	1	1	5	3	2
47	31	16	2	...	2	3	2	1	2	1	1
92	37	55	1	1	...	1	1	...	2	1	1
81	46	35	3	1	2	2	2	...	6	4	2	1	1	1
109	63	46	2	2	1	...	1
589	408	181	14	9	5	1	1	1	1	1	...	8	4	4
1	1
5	...	5
3	2	1
33	14	19	1	1	1	...	1
784	482	302	22	13	9	9	7	2	8	7	1	13	9	4
100,315	51,968	48,347	1,432	883	549	839	641	198	1,171	702	465	1,080	796	284
70	30	40	1	...	1	1	1
1,202	547	655	43	27	16	18	11	7	16	9	7	29	13	16
277	101	176	5	3	2	7	3	4	4	1	3	10	2	8
348	214	134	10	8	2	2	2	...	8	4	4	5	3	2
39	17	22	3	3	1	1
530	215	323	25	16	9	9	6	3	3	3	...	13	7	0
5,191	2,527	2,664	43	17	26	22	20	2	31	20	11	22	21	1
721	383	338	3	...	3	4	2	2	1	1	...
250	180	150	3	2	1	4	4	...	1	1	...
2,066	920	1,146	15	8	7	9	8	1	12	8	4	1	1	...
989	535	454	10	3	7	5	5	...	7	5	4	8	8	...
1,165	589	576	12	4	8	8	7	1	4	1	2	4	3	1

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	669,829	386,771	283,058	611,578	354,886	256,692
02 WITH HYPERTENSIVE DISEASE (.0).....	75,073	34,714	40,359	62,127	28,661	33,466
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	594,756	352,057	242,699	549,451	326,225	223,226
04 ACUTE MYOCARDIAL INFARCTION.....410	361,583	230,544	131,039	335,825	215,588	120,237
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,677	2,907	1,770	3,911	2,456	1,455
06 CHRONIC ISCHEMIC HEART DISEASE.....412	303,362	153,195	150,167	271,653	136,727	134,926
07 ANGINA PECTORIS.....413	207	125	82	189	115	74
08 OTHER FORMS OF HEART DISEASE.....420-429	37,718	20,840	16,878	31,074	17,098	13,974
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	593	319	274	486	270	216
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	588	380	208	472	305	167
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1,262	590	672	1,116	518	592
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	70	28	42	63	27	36
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	237	131	106	217	120	97
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	955	431	524	830	371	459
15 SYMPTOMATIC HEART DISEASE.....427	18,686	9,665	9,021	15,895	8,061	7,834
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	6,213	3,097	3,116	5,386	2,644	2,742
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	10,376	6,789	3,587	8,031	4,320	3,711
18 CEREBROVASCULAR DISEASES.....430-438	207,179	94,227	112,952	186,824	81,635	99,189
19 WITH HYPERTENSION (BENIGN) (.0).....	26,633	11,318	15,315	20,831	8,764	12,067
20 WITHOUT MENTION OF HYPERTENSION (.9).....	180,546	82,909	97,637	159,993	72,871	87,122
21 SUBARACHNOID HEMORRHAGE.....430	9,193	3,915	5,278	7,561	3,222	4,339
22 CEREBRAL HEMORRHAGE.....431	43,303	20,424	22,879	36,794	17,171	19,623
23 CEREBRAL THROMBOSIS.....433	58,748	26,364	32,384	52,746	23,478	29,268
24 CEREBRAL EMBOLISM.....434	1,005	417	588	923	37d	545
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	1,231	1,853	1,378	2,955	1,676	1,279
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	56,882	26,132	30,750	47,920	21,965	25,955
27 OTHER CEREBROVASCULAR DISEASES.....437,438	34,817	15,122	19,695	31,925	13,739	18,186
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,145	29,708	28,437	53,660	27,428	26,232
29 ARTERIOSCLEROSIS.....440	33,063	14,346	18,717	30,668	13,184	17,484
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	13,665	9,577	3,788	12,399	9,018	3,381
31 GANGRENE.....445	2,601	1,305	1,296	2,265	1,138	1,127
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	9,116	4,480	4,636	8,328	4,088	4,240
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	16,348	8,225	8,123	13,935	6,977	6,958
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	14,547	7,221	7,326	12,387	6,115	6,272
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,801	1,004	797	1,548	862	686
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	116,457	73,957	42,500	101,280	64,511	36,769
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	621	332	289	499	261	238
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	1,286	712	574	987	558	429
39 INFLUENZA.....470-474	5,971	3,011	2,960	5,255	2,633	2,622
40 PNEUMONIA.....480-486	62,394	34,852	27,542	52,586	26,861	25,725
41 VIRAL PNEUMONIA.....480	1,768	930	838	1,482	771	711
42 BACTERIAL PNEUMONIA.....481,482	7,738	4,713	3,025	6,268	3,760	2,508
43 ACUTE INTERSTITIAL PNEUMONIA.....484	1,693	992	701	1,143	691	452
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	28,617	15,798	12,819	24,660	13,405	11,255
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	22,578	12,419	10,159	18,833	10,234	8,599
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	31,144	24,670	6,474	28,966	23,096	5,870
47 BRONCHITIS, UNQUALIFIED.....490	799	437	362	672	361	311
48 CHRONIC BRONCHITIS.....491	5,044	3,513	1,531	4,774	3,099	1,675
49 EMPHYSEMA.....492	22,939	19,244	3,695	21,765	18,243	3,522
50 ASTHMA.....493	2,362	1,076	1,286	1,755	793	962
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	48	30	18	41	29	12
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	1,180	842	338	898	626	272
53 PLEURISY.....511	370	206	164	324	187	137
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,385	2,210	1,175	3,109	2,009	1,100
55 BRONCHIECTASIS.....518	1,110	647	463	1,031	599	432
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	8,948	6,445	2,503	7,784	5,652	2,132
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	73,926	43,044	30,882	64,242	37,316	26,926
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	43	27	16	28	18	10
59 PEPTIC ULCER.....531-533	9,312	6,229	3,083	8,450	5,643	2,807
60 ULCER OF STOMACH.....531	3,719	2,252	1,467	3,335	1,993	1,342
61 ULCER OF DUODENUM.....532	4,381	3,163	1,218	4,026	2,912	1,114
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1,212	814	398	1,089	738	351
63 GASTRITIS AND DUODENITIS.....535	522	336	186	455	291	164
64 APPENDICITIS.....540-543	1,407	884	523	1,137	709	428
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	7,500	3,466	4,034	6,578	2,951	3,627
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	61	22	39	41	18	23
67 DIVERTICULA OF INTESTINE.....562	3,408	1,387	2,021	3,234	1,311	1,923
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,230	558	672	1,135	514	621
69 CIRRHOSIS OF LIVER.....571	29,866	19,380	10,486	25,151	16,517	8,634
70 ALCOHOLIC.....571.0	10,520	7,258	3,262	8,521	5,988	2,533
71 OTHER SPECIFIED.....571.8	5,404	3,204	2,200	4,419	2,633	1,786
72 UNSPECIFIED.....571.9	13,942	8,918	5,024	12,211	7,896	4,315
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	4,262	1,838	2,424	3,999	1,749	2,250
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	16,315	8,917	7,398	14,034	7,655	6,379
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	29,280	16,476	12,804	23,610	13,382	10,228
76 NEPHRITIS AND NEPHROSIS.....580-584	9,417	5,080	4,337	7,086	3,853	3,233
77 ACUTE NEPHRITIS.....580	912	490	422	712	389	323
78 NEPHROTIC SYNDROME.....581	480	236	244	368	181	187
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	8,025	4,354	3,671	6,006	3,283	2,723
80 INFECTIONS OF KIDNEY.....590	8,750	3,982	4,768	7,252	3,201	3,951
81 CALCULI OF URINARY SYSTEM.....592,594	887	439	448	794	396	398
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	6,268	3,702	2,566	5,131	3,003	2,128
83 HYPERPLASIA OF PROSTATE.....600	2,499	2,499	---	2,154	2,154	---
84 DISEASES OF BREAST.....610,611	19	---	19	19	---	19
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,440	774	666	1,174	675	499
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	801	---	801	463	---	463
87 ECTOPIC PREGNANCY.....631	60	---	60	33	---	33
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	141	---	141	78	---	78
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	106	---	106	56	---	56

SECTION 1 - GENERAL MORTALITY

Table 1-25. Deaths From 281 Selected Causes, by Specified Race

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death	Total			White		
	Both sexes	Male	Female	Both sexes	Male	Female
01 ABORTIONS.....E60-645	132	...	132	65	...	65
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....E60-641	1	...	1	1	...	1
03 ABORTION INDUCED FOR OTHER REASONS.....E62	59	...	59	32	...	32
04 SPONTANEOUS ABORTION.....E63	16	...	16	6	...	6
05 OTHER AND UNSPECIFIED ABORTIONS.....E64, E65	56	...	56	24	...	26
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....E67, E71, E73	151	...	151	101	...	101
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....E30, E33-635, 654-662, 672, 674-678	208	...	208	129	...	129
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....E60	3	...	3	1	...	1
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	1,876	805	1,071	1,501	642	859
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....E80-686	540	301	239	441	247	194
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....E90-709	1,336	504	832	1,060	395	665
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	4,908	1,649	3,259	4,247	1,447	2,800
13 ARTHRITIS AND SPONDYLITIS.....E70-715	1,948	662	1,286	1,785	590	1,195
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....E76-718	158	61	97	133	53	80
15 OSTEOMYELITIS AND PERIOSTITIS.....E70	202	116	86	173	103	70
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....E72, E73-738	142	52	90	131	48	83
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....E71-726, E78-734	2,458	758	1,700	2,025	653	1,372
18 XIV. CONGENITAL ANOMALIES.....	17,008	9,147	7,861	14,390	7,763	6,627
19 SPINA BIFIDA.....E741	850	386	464	789	353	436
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....E740, E742, E743	2,821	1,342	1,479	2,442	1,149	1,293
21 CONGENITAL ANOMALIES OF HEART.....E746	6,876	3,789	3,087	5,713	3,177	2,536
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....E747	1,216	650	566	1,028	555	473
23 CLEFT PALATE AND CLEFT LIP.....E749	38	27	11	34	23	11
24 ALL OTHER CONGENITAL ANOMALIES.....E744, E745, E748, E750-759	5,207	2,953	2,254	4,384	2,506	1,878
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	43,171	25,369	17,802	32,333	19,201	13,132
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	26,160	15,755	10,405	17,415	10,749	6,670
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....E794	1,447	550	897	1,018	371	647
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....E780-792, E795, E796	24,713	15,205	9,508	16,401	10,378	6,023
29 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	159,373	112,366	47,007	130,687	90,706	39,979
30 ACCIDENTS.....E800-E949	116,385	80,706	35,679	98,938	68,056	30,882
31 RAILWAY ACCIDENTS.....E800-E807	884	792	92	887	814	73
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	55,791	40,213	15,578	48,303	34,588	13,715
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	54,636	39,338	15,298	47,275	33,803	13,472
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,494	1,069	425	1,363	974	389
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	21,125	14,091	7,034	18,891	12,492	6,399
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	8,827	6,177	2,650	6,899	4,788	2,111
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	7,261	5,802	1,459	6,276	5,000	1,276
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	10,650	8,399	2,251	9,237	7,266	1,971
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	5,279	3,800	1,479	4,609	3,283	1,326
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,155	875	280	1,028	785	243
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	236	139	97	214	124	90
42 WATER TRANSPORT ACCIDENTS.....E830-E838	1,743	1,583	160	1,463	1,328	135
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,778	1,538	240	1,754	1,518	236
44 ACCIDENTAL POISONING.....E850-E877	4,516	3,044	1,472	3,639	2,432	1,207
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	1,891	1,174	717	1,462	864	598
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,076	721	355	864	579	285
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,549	1,149	400	1,313	989	324
48 ACCIDENTAL FALLS.....E880-E884	17,827	8,844	8,983	16,346	8,028	8,318
49 FALL FROM ONE LEVEL TO ANOTHER.....E885-E886	4,952	3,451	1,501	4,362	2,999	1,363
50 FALL ON SAME LEVEL.....E887	939	412	527	900	393	507
51 OTHER AND UNSPECIFIED FALLS.....E887	11,936	5,120	6,816	11,684	4,636	6,448
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	7,163	4,265	2,898	5,151	3,123	2,028
53 ACCIDENTAL DROWNING AND SUBMERSION OR SUFFOCATION.....E910	6,181	5,149	1,032	4,687	3,823	864
54 ACCIDENT CAUSED BY FIREARM MISSILE.....E911, E912	3,712	2,262	1,450	2,998	1,834	1,164
55 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	2,309	2,004	305	1,771	1,566	205
56 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	6,095	5,519	576	5,309	4,841	468
57 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	156	123	33	109	92	17
58 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	553	442	111	469	380	89
59 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	288	160	128	202	112	90
60 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	1,148	1,094	54	1,061	1,010	51
61 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	3,950	3,700	250	3,468	3,247	221
62 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	2,572	1,385	1,187	2,208	1,198	1,010
63 SUICIDE.....E950-E959	5,578	3,830	1,748	4,408	3,039	1,369
64 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E960	22,364	15,857	6,507	21,038	14,886	6,152
65 SUICIDE FROM POISONING BY GASES.....E961-E962	3,659	1,314	2,345	3,455	1,235	2,220
66 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	2,458	1,750	708	2,425	1,723	702
67 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	3,158	2,317	841	2,952	2,153	799
68 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	11,304	9,393	1,911	10,010	8,824	1,186
69 HOMICIDE.....E960-E978	1,784	1,083	701	1,596	951	645
70 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	15,477	12,166	3,311	7,016	5,215	1,801
71 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	10,174	8,334	1,840	4,399	3,478	921
72 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	2,726	2,163	563	1,033	754	279
73 LEGAL EXECUTION.....E978	2,223	1,319	904	1,422	823	599
74 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-	-
75 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	354	350	4	162	160	2
76 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	5,066	3,556	1,510	3,625	2,481	1,144
77	81	81	-	70	70	-

SECTION I - GENERAL MORTALITY

1-141

or National Origin and Sex: United States, 1969—Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Negro			Indian			Chinese			Japanese			Other			
Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	
65	...	65	-	...	-	-	...	-	-	...	-	2	...	-	01
-	...	-	-	...	-	-	...	-	-	...	-	-	...	-	02
27	...	27	-	...	-	-	...	-	-	...	-	-	...	-	03
9	...	9	-	...	-	-	...	-	-	...	-	1	...	-	04
29	...	29	-	...	-	-	...	-	-	...	-	1	...	-	05
47	...	47	2	...	2	-	...	-	1	...	1	-	06
74	...	74	1	...	1	1	...	1	-	...	-	3	...	3	07
2	...	2	-	...	-	-	...	-	-	...	-	-	...	-	08
354	154	200	11	5	6	2	2	-	5	2	3	3	-	3	09
88	46	42	5	4	1	2	2	-	3	2	1	1	-	1	10
266	108	158	6	1	5	-	-	-	2	-	2	2	-	2	11
618	186	432	20	9	11	4	2	2	9	4	5	10	1	9	12
145	62	83	11	6	5	1	1	-	3	2	1	3	1	2	13
24	8	16	1	-	1	-	-	-	-	-	-	-	-	-	14
28	13	15	-	-	-	-	-	-	1	-	1	-	-	-	15
11	4	7	-	-	-	-	-	-	-	-	-	-	-	-	16
410	99	311	8	3	5	3	1	2	5	2	3	7	-	7	17
2,425	1,272	1,153	79	49	30	14	7	7	20	15	5	60	41	39	18
56	31	25	3	1	2	-	-	-	1	1	-	1	-	1	19
345	168	1,177	18	14	4	5	5	-	4	2	2	7	4	3	20
1,081	563	518	27	16	11	5	2	3	8	7	1	42	24	18	21
177	91	86	5	2	3	-	-	-	1	1	-	5	4	4	22
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	23
762	415	347	26	16	10	4	-	4	6	4	2	25	12	13	24
10,341	5,874	4,467	229	138	91	20	14	6	52	30	22	196	112	64	25
8,394	4,792	3,602	275	166	109	12	10	2	21	13	8	39	25	14	26
407	166	241	17	10	7	1	-	1	2	1	1	2	2	-	27
7,987	4,626	3,361	258	156	102	11	10	1	19	12	7	37	23	14	28
26,408	19,939	6,469	1,484	1,112	372	214	156	58	220	162	58	360	289	71	29
15,710	11,337	4,373	1,209	904	305	130	98	32	153	118	35	245	193	52	30
165	150	15	25	23	2	4	2	2	2	2	-	1	1	-	31
6,606	4,969	1,637	616	452	164	64	46	18	73	52	21	125	106	23	32
6,505	4,901	1,604	596	436	160	64	46	18	72	51	21	124	101	23	33
122	87	35	7	6	1	1	1	-	-	-	-	1	1	-	34
1,992	1,437	555	156	101	55	23	15	8	15	11	4	48	35	13	35
1,727	1,244	483	137	104	33	19	12	7	26	14	12	19	15	4	36
697	727	170	47	38	9	6	5	-	12	12	-	23	20	3	37
1,189	956	233	174	134	40	9	8	1	12	12	3	26	23	3	38
578	450	128	75	53	22	6	5	1	4	2	2	7	7	-	39
101	68	33	20	16	4	-	-	-	1	1	-	5	5	-	40
13	9	4	8	5	3	-	-	-	1	1	-	-	-	-	41
223	203	20	46	41	5	5	5	-	3	3	-	3	3	-	42
12	11	1	6	3	3	-	-	-	3	3	-	3	3	-	43
821	574	247	43	30	13	5	2	3	1	1	-	7	5	2	44
404	293	111	15	11	4	4	1	3	1	1	-	5	4	1	45
200	133	67	12	9	3	-	-	-	-	-	-	-	-	-	46
217	148	69	16	10	7	1	1	-	-	-	-	2	1	1	47
1,344	855	489	63	47	16	21	16	5	27	18	5	26	19	7	48
527	400	127	30	25	5	11	9	2	10	8	2	12	10	2	49
35	15	20	3	3	-	-	-	-	-	-	-	1	1	-	50
782	440	342	30	19	11	10	7	3	17	10	7	13	8	5	51
1,898	1,064	834	96	62	34	2	2	2	2	2	2	14	12	2	52
1,352	1,210	142	92	74	18	10	8	2	14	13	1	26	21	5	53
654	383	271	32	23	9	8	7	1	10	8	2	10	7	3	54
517	419	98	20	18	2	-	-	-	1	1	-	-	-	-	55
724	622	102	39	35	4	2	2	-	10	10	-	11	9	2	56
44	29	15	2	1	1	-	-	-	-	-	-	1	1	-	57
80	58	22	3	3	-	-	-	-	1	1	-	-	-	-	58
85	47	38	-	-	-	-	-	-	-	-	-	1	1	-	59
79	76	3	4	4	-	1	1	-	1	1	-	2	2	-	60
436	412	24	30	27	3	1	1	-	8	8	-	7	5	2	61
339	173	166	10	6	4	5	5	-	3	3	2	7	5	2	62
1,042	695	347	113	85	28	4	3	1	3	3	1	8	5	3	63
1,090	804	286	98	77	21	49	27	22	51	35	16	38	28	10	64
153	57	96	19	9	10	14	4	10	12	5	7	6	4	2	65
26	20	6	1	1	4	-	-	-	5	5	-	2	1	3	66
129	109	20	25	21	4	20	10	10	19	14	5	13	9	4	67
625	509	116	45	42	3	4	4	4	7	5	2	13	9	4	68
157	109	48	8	4	4	11	9	2	8	6	2	4	-	-	69
8,233	6,770	1,463	142	107	35	17	15	2	9	4	5	60	55	5	70
5,662	4,760	902	73	62	11	8	8	2	5	2	3	27	24	3	71
1,641	1,365	276	23	18	5	3	2	1	1	1	1	24	23	1	72
740	457	283	44	25	19	6	5	2	2	2	1	9	8	1	73
190	188	2	2	2	-	-	-	-	-	-	-	-	-	-	74
1,366	1,019	347	34	23	11	18	16	2	7	5	2	16	12	4	76
9	9	-	1	1	-	-	-	-	-	-	-	1	1	-	77

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL CAUSES.....	1,921,990	75,073	4,494	3,036	2,501	2,259	87,363	8,901	8,530	21,141
02	MALE.....	1,080,926	43,280	2,430	1,706	1,403	1,253	50,072	5,335	5,395	15,316
03	FEMALE.....	841,064	31,793	2,064	1,330	1,098	1,006	37,291	3,566	3,135	5,825
04	WHITE.....	945,380	32,158	1,720	1,240	1,104	969	37,191	4,273	4,299	12,352
05	FEMALE.....	738,242	22,950	1,498	965	824	791	27,028	2,829	2,519	4,615
06	NEGRG.....	127,145	10,522	656	423	279	267	12,149	984	1,020	2,740
07	FEMALE.....	98,392	8,360	534	362	251	201	9,688	675	577	1,123
08	OTHER RACES.....	8,401	600	52	43	20	17	732	78	76	224
09	FEMALE.....	4,430	483	32	23	23	14	575	62	39	87
10	I. INFECTIVE AND PARASITIC DISEASES.....	16,791	2,287	348	198	142	121	3,096	370	232	338
11	MALE.....	9,901	1,334	185	101	70	52	1,742	192	112	178
12	FEMALE.....	6,890	953	163	97	72	69	1,354	178	120	160
13	WHITE.....	7,219	783	120	70	52	34	1,065	157	88	126
14	FEMALE.....	5,067	554	115	66	47	52	830	134	102	121
15	NEGRG.....	2,489	511	51	27	17	18	624	35	22	50
16	FEMALE.....	1,675	355	38	25	22	17	461	40	18	37
17	OTHER RACES.....	193	40	8	4	1	-	53	-	2	2
18	FEMALE.....	148	44	6	2	3	-	55	4	-	2
19	CHOLERA.....000	-	-	-	-	-	-	-	-	-	-
20	MALE.....	-	-	-	-	-	-	-	-	-	-
21	FEMALE.....	-	-	-	-	-	-	-	-	-	-
22	WHITE.....	-	-	-	-	-	-	-	-	-	-
23	FEMALE.....	-	-	-	-	-	-	-	-	-	-
24	NEGRG.....	-	-	-	-	-	-	-	-	-	-
25	FEMALE.....	-	-	-	-	-	-	-	-	-	-
26	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
27	FEMALE.....	-	-	-	-	-	-	-	-	-	-
28	TYPHOID FEVER.....001	4	-	-	-	-	-	-	-	1	-
29	MALE.....	2	-	-	-	-	-	-	-	-	-
30	FEMALE.....	2	-	-	-	-	-	-	-	1	-
31	WHITE.....	2	-	-	-	-	-	-	-	-	-
32	FEMALE.....	-	-	-	-	-	-	-	-	-	-
33	NEGRG.....	-	-	-	-	-	-	-	-	-	-
34	FEMALE.....	2	-	-	-	-	-	-	-	1	-
35	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
36	FEMALE.....	-	-	-	-	-	-	-	-	-	-
37	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	82	19	-	-	-	1	20	2	-	1
38	MALE.....	47	11	-	-	-	-	11	1	-	-
39	FEMALE.....	35	8	-	-	-	1	9	1	-	1
40	WHITE.....	31	4	-	-	-	-	4	1	-	-
41	FEMALE.....	21	3	-	-	-	1	4	-	-	-
42	NEGRG.....	16	7	-	-	-	-	7	-	-	-
43	FEMALE.....	13	4	-	-	-	-	4	1	-	1
44	OTHER RACES.....	1	1	-	-	-	-	1	-	-	-
45	FEMALE.....	1	1	-	-	-	-	1	-	-	-
46	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	94	20	2	3	4	2	31	5	4	1
47	MALE.....	55	11	-	2	2	2	13	5	3	1
48	FEMALE.....	39	9	2	3	2	2	18	1	1	-
49	WHITE.....	39	6	-	2	2	-	8	3	3	1
50	FEMALE.....	22	3	-	1	2	-	6	-	-	-
51	NEGRG.....	14	4	-	-	-	-	4	2	-	-
52	FEMALE.....	13	4	1	2	-	2	9	1	-	-
53	OTHER RACES.....	2	1	-	-	-	-	1	-	-	-
54	FEMALE.....	4	2	1	-	-	-	3	-	-	-
55	FOOD POISONING (BACTERIAL).....005	17	-	2	1	1	-	4	-	-	-
56	MALE.....	11	-	2	1	1	-	3	-	-	-
57	FEMALE.....	6	-	1	-	-	-	1	-	-	-
58	WHITE.....	10	-	2	1	1	-	3	-	-	-
59	FEMALE.....	5	-	1	-	-	-	1	-	-	-
60	NEGRG.....	1	-	-	-	-	-	-	-	-	-
61	FEMALE.....	1	-	-	-	-	-	-	-	-	-
62	OTHER RACES.....	-	-	-	-	-	-	-	-	-	-
63	FEMALE.....	-	-	-	-	-	-	-	-	-	-
64	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,612	916	117	43	23	19	1,118	37	26	13
65	MALE.....	1,257	524	55	21	9	9	622	22	13	8
66	FEMALE.....	1,355	392	56	22	14	10	496	15	13	5
67	WHITE.....	841	236	43	15	6	5	305	19	9	5
68	FEMALE.....	985	193	41	15	8	5	262	8	10	3
69	NEGRG.....	383	266	15	4	3	4	292	3	4	2
70	FEMALE.....	331	175	15	7	5	5	207	7	3	2
71	OTHER RACES.....	33	22	1	2	-	-	25	-	-	1
72	FEMALE.....	39	24	2	1	-	-	27	-	-	-
73	TUBERCULOSIS, ALL FORMS.....010-019	5,567	17	12	6	10	2	49	9	9	22
74	MALE.....	3,989	8	6	5	4	1	26	5	3	12
75	FEMALE.....	1,578	9	4	3	6	1	23	4	6	10
76	WHITE.....	2,852	6	5	2	1	1	15	5	1	9
77	FEMALE.....	1,030	3	2	2	3	1	9	1	5	6
78	NEGRG.....	1,052	1	2	2	3	-	8	-	2	3
79	FEMALE.....	471	1	1	1	2	-	11	2	1	4
80	OTHER RACES.....	85	1	1	1	1	-	3	-	-	-
81	FEMALE.....	57	1	-	1	1	-	3	1	-	-
82	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	4,492	9	8	2	3	-	22	3	5	14
83	MALE.....	3,314	6	6	2	2	-	16	1	4	9
84	FEMALE.....	1,178	3	2	-	-	-	6	2	1	5
85	WHITE.....	2,368	4	3	1	-	-	8	1	1	4
86	FEMALE.....	778	-	1	-	-	-	2	1	3	3
87	NEGRG.....	879	1	2	1	2	-	6	-	-	3
88	FEMALE.....	367	2	1	-	-	-	3	1	-	1
89	OTHER RACES.....	67	1	1	-	-	-	2	-	-	-
90	FEMALE.....	33	1	-	-	-	-	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
23,281	19,049	19,675	28,204	46,506	70,728	97,896	135,066	170,438	207,541	239,323	258,618	233,063	156,636	68,483	18,084	2,798	666	01
17,188	13,305	12,630	17,503	26,891	44,520	63,628	88,422	111,143	128,187	138,099	136,136	105,530	64,511	24,661	5,602	845	407	02
6,093	5,744	7,045	10,701	17,615	26,208	34,868	46,644	59,295	79,354	101,224	122,462	123,533	92,125	43,822	12,282	1,953	259	03
13,497	9,914	8,993	12,782	22,373	36,257	53,156	76,206	97,922	112,983	124,755	125,861	102,653	60,602	23,182	5,197	633	299	04
4,690	4,177	4,932	7,591	13,189	20,543	28,210	38,264	49,602	66,888	90,550	113,486	116,612	87,714	41,662	11,393	1,569	179	05
3,434	3,140	3,379	4,458	6,191	7,847	9,432	11,653	12,503	14,274	12,519	9,594	6,191	3,489	1,289	560	197	102	06
1,306	1,455	1,967	2,931	4,224	5,432	6,397	8,103	9,411	12,123	10,270	8,620	6,613	4,171	2,022	839	369	76	07
257	251	258	263	327	416	440	563	718	930	825	681	686	420	190	45	15	6	08
97	112	146	179	202	233	261	277	282	343	404	376	308	240	138	50	15	4	09
295	243	290	405	583	849	1,014	1,200	1,346	1,410	1,520	1,438	1,081	734	249	75	16	7	10
172	119	151	210	323	506	673	790	913	917	943	864	602	343	111	27	9	4	11
123	124	139	195	260	343	341	410	433	493	577	574	479	391	138	46	7	3	12
119	65	81	111	199	324	471	569	705	698	753	731	535	296	95	21	6	4	13
79	76	69	99	145	212	244	294	332	370	486	490	437	363	126	43	5	2	14
51	53	66	93	119	173	192	207	193	194	174	124	54	41	15	6	3	1	15
40	44	68	90	108	121	87	110	92	118	83	77	39	26	10	4	1	1	16
2	1	4	6	5	9	10	14	15	25	16	9	13	6	1	-	-	-	17
4	4	2	6	7	10	10	6	9	5	8	7	3	2	2	1	1	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	28
-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	29
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	-	3	3	3	5	6	6	5	8	6	8	4	-	-	-	-	37
1	1	-	3	2	2	3	4	5	4	3	4	2	4	-	-	-	-	38
1	-	-	-	-	-	2	2	2	1	5	3	3	2	4	-	-	-	39
1	-	-	-	-	1	2	2	1	1	1	4	3	2	6	-	-	-	40
-	-	-	3	1	2	1	1	-	-	1	1	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
5	3	5	2	5	4	3	4	6	5	6	2	1	2	-	-	-	-	46
3	3	4	1	4	3	-	2	5	2	4	-	1	1	-	-	-	-	47
2	-	1	1	1	1	3	2	1	3	2	2	-	1	-	-	-	-	48
2	2	3	1	1	1	1	1	1	2	2	2	-	1	-	-	-	-	49
1	1	1	1	1	1	3	1	1	1	2	1	1	1	-	-	-	-	50
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
1	1	-	-	1	1	-	1	1	2	2	3	-	-	-	-	-	-	55
1	1	-	-	1	1	-	1	1	2	2	2	-	-	-	-	-	-	56
1	1	-	-	-	1	-	-	1	2	2	1	-	-	-	-	-	-	57
1	1	-	-	1	-	-	-	1	1	1	2	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	60
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
9	15	11	28	41	49	68	80	107	122	180	228	203	177	69	23	8	-	64
6	8	6	11	17	20	30	45	57	57	74	87	82	59	22	5	6	-	65
3	7	5	17	24	29	38	35	50	65	106	141	121	118	47	18	2	-	66
4	5	5	9	11	18	26	40	43	48	61	79	78	48	19	5	4	-	67
2	4	4	12	19	23	24	29	37	49	87	124	114	41	17	2	2	-	68
2	3	1	2	6	2	4	5	14	9	10	7	3	9	3	2	-	-	69
1	3	1	5	5	4	13	6	12	16	15	14	7	4	5	1	-	-	70
-	-	-	-	-	-	-	-	-	-	3	1	1	2	-	-	-	-	71
-	-	-	-	-	2	1	-	1	-	4	3	-	-	1	-	-	-	72
33	65	110	155	282	416	504	579	641	637	717	574	384	265	82	25	4	3	73
17	33	58	98	168	292	379	449	498	510	524	424	273	155	47	15	1	2	74
16	32	52	87	114	124	125	130	143	127	193	150	113	110	35	10	3	1	75
3	8	19	37	82	177	245	304	371	374	424	350	239	135	41	10	1	2	76
3	13	15	17	46	61	82	89	101	89	162	120	97	93	31	8	1	1	77
13	24	36	58	83	108	128	135	117	120	98	67	25	17	5	5	-	-	78
11	17	36	35	64	57	38	35	36	35	28	26	15	15	3	1	1	-	79
2	1	3	3	3	7	5	10	10	16	2	7	9	3	1	-	-	-	80
1	2	1	5	4	6	5	6	6	3	3	4	1	2	1	1	1	-	81
25	48	91	110	240	343	400	459	510	539	572								

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	1	-	3	6	7	8	11	13	29	31	30	38	26	6	5	-	-	01
-	1	-	3	6	7	8	11	12	28	24	27	34	22	5	4	-	-	02
-	-	-	-	-	-	-	-	1	1	7	3	4	4	1	1	-	-	03
-	1	-	3	6	7	8	11	12	27	24	27	33	22	5	4	-	-	04
-	-	-	-	-	-	-	-	1	1	7	3	4	4	1	1	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
1	2	4	10	36	96	209	272	298	246	194	168	122	76	26	6	1	-	10
1	-	2	6	26	63	154	212	242	200	149	114	81	45	10	2	1	-	11
-	2	2	4	10	33	55	60	54	44	45	54	41	31	16	4	-	-	12
1	-	2	4	16	43	123	192	217	176	140	106	78	44	9	1	1	-	13
-	2	2	3	8	25	47	57	54	41	40	51	41	31	16	3	-	-	14
-	-	-	2	10	20	29	20	25	24	9	8	2	1	1	1	-	-	15
-	-	-	1	1	8	7	3	2	5	4	3	-	-	-	-	-	-	16
-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	17
-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	18
7	6	8	26	58	135	206	313	337	284	279	296	194	112	46	10	3	1	19
5	4	6	12	36	82	141	223	248	225	176	165	125	61	25	6	1	1	20
2	2	2	14	22	53	65	90	89	59	103	113	69	51	21	4	2	-	21
3	4	4	8	27	58	116	198	218	206	168	174	122	58	23	6	1	1	22
2	2	1	9	14	40	51	79	83	54	96	112	67	51	21	4	2	-	23
1	-	2	4	9	24	25	25	28	18	8	9	2	2	2	-	-	-	24
1	-	1	5	8	13	14	11	5	5	6	1	2	-	-	-	-	-	25
-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	26
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	27
15	14	13	42	110	192	401	574	531	481	322	263	162	67	26	6	-	1	28
8	13	8	28	84	152	295	442	413	396	252	218	115	40	14	5	-	1	29
7	1	5	14	26	40	106	132	118	85	70	45	47	27	12	1	-	1	30
6	7	3	18	51	106	246	380	374	363	234	202	109	36	13	4	-	-	31
6	-	5	9	15	30	84	121	105	76	64	42	45	24	12	1	-	1	32
2	6	4	8	28	40	44	58	34	30	16	14	5	4	-	1	-	-	33
1	1	1	5	11	9	20	11	9	8	6	3	2	3	-	-	-	-	34
-	-	1	2	5	6	5	4	5	2	2	2	1	1	-	-	-	-	35
-	-	-	-	-	1	2	-	4	1	-	-	-	-	-	-	-	-	36
86	182	356	708	1,678	3,308	5,630	8,838	11,404	12,941	14,538	14,601	10,727	5,444	1,700	290	34	14	37
50	103	191	373	906	1,894	3,249	5,205	6,697	7,924	8,150	7,538	5,010	2,341	50	105	13	5	38
36	79	165	335	772	1,414	2,381	3,633	4,707	6,017	6,788	7,063	5,717	3,103	1,046	185	21	9	39
40	83	147	305	727	1,534	2,689	4,380	5,798	6,926	7,282	6,963	4,689	2,194	621	95	8	5	40
29	66	131	258	642	1,174	2,030	3,137	4,164	5,330	6,222	6,642	5,438	2,972	999	171	13	6	41
10	20	41	61	162	333	521	778	841	923	777	519	274	121	31	9	5	-	42
6	13	31	67	124	217	333	474	521	649	530	386	260	122	42	12	7	2	43
1	-	3	7	17	27	39	47	58	75	91	56	47	26	8	1	-	-	44
-	-	3	10	6	23	18	22	22	38	36	35	19	9	5	2	1	1	45
2	4	10	33	124	293	540	844	883	943	759	672	416	201	68	11	2	1	46
1	3	7	17	99	219	413	638	683	736	600	486	272	123	38	7	1	1	47
1	1	3	16	25	74	127	206	200	207	159	186	144	78	30	4	1	1	48
1	2	7	14	57	118	271	452	509	581	487	433	231	107	37	5	3	-	49
1	1	1	4	13	42	88	158	164	171	147	173	140	77	27	3	1	1	50
1	1	-	3	41	101	137	184	167	151	103	49	18	15	3	1	-	-	51
-	-	2	12	12	30	39	46	35	36	11	13	4	1	3	1	-	-	52
-	-	-	-	1	-	5	-	2	4	10	4	3	1	1	1	-	-	53
-	-	-	-	-	2	-	2	1	-	1	-	-	-	-	-	-	-	54
11	31	76	136	317	566	894	1,468	1,803	2,275	2,653	2,686	2,047	1,075	318	54	7	3	55
7	16	40	67	183	361	591	967	1,242	1,514	1,629	1,377	1,099	538	139	23	4	2	56
4	15	36	69	134	205	303	501	561	765	1,024	1,112	548	537	179	29	3	1	57
5	14	23	50	143	286	455	756	1,003	1,250	1,363	1,406	1,002	489	125	20	1	2	58
3	10	32	54	108	151	235	414	474	644	907	1,030	883	510	169	24	1	1	59
2	2	16	15	38	66	129	198	223	243	234	149	80	37	13	5	3	-	60
1	5	4	9	23	44	63	81	81	109	101	69	60	25	8	5	2	-	61
-	-	1	2	2	9	7	13	16	21	32	19	17	12	1	-	-	-	62
-	-	-	6	3	10	5	6	6	12	16	13	5	2	-	-	-	-	63
3	9	6	8	24	44	41	66	96	104	84	83	54	33	8	-	1	-	64
2	5	5	5	14	20	23	37	56	55	37	32	24	15	4	-	-	-	65
1	4	3	3	10	24	18	29	40	49	47	51	30	18	4	-	1	-	66
2	3	3	3	14	21	21	36	53	51	33	32	23	14	4	-	-	-	67
1	3	3	3	10	21	15	25	33	36	43	47	30	18	3	-	-	-	68
-	2	-	6	2	6	2	1	3	4	4	-	1	1	-	-	-	-	69
-	1	-	1	-	3	3	-	4	12	4	-	-	-	1	-	1	-	70
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	72
27	80	152	273	601	1,080	1,925	2,936	3,987	4,983	5,523	5,752	4,250	2,229	715	120	13	4	73
18	43	77	129	263	483	886	1,457	1,991	2,449	2,710	2,673	1,763	837	255	32	4	2	74
9	37	75	144	338	597	1,089	1,479	1,996	2,534	2,813	3,079	2,487	1,392	460	88	9	2	75
14	35	62	110	231	431	797	1,314	1,812	2,227	2,503	2,510	1,685	806	242	32	2	2	76
7	35	61	114	295	522	930	1,312	1,788	2,276	2,614	2,897	2,368	1,344	442	84	6	1	77
4	15	17	28	50	82	134	165	165	203	189	156	71	28	12	2	2	-	78
1	8	14	28	42	69	105	159	200	254	190	170	116	47	18	3	-	-	79
1	-	-	2	4	2	7	9	14	19	18	7	7	3	1	-	-	-	80
-	-	-	2	1	6	4	8	8	4	9	12	3	1	-	-	-	1	81
3	10	16	39	58	99	208	334	437	606	710	876	621	381	118	18	3	-	82
1	4	9	21	32	52	96	177	235	288	327	368	226	127	34	7	-	-	83
2	4	7	18	26	47	112	157	202	318	383	508	395	254	84	11	3	-	84
1	4	8	20	28	45	88	162	214	265	300	346	217	120	33	7	-	-	85
-	4	6	16	25	37	100	140	185	287	355	479	380	248	82	11	3	-	86
-	2	1	1	3	7	7	13	19	21	24	21	9	4	1	-	-	-	87
-	-	1	1	1	10	12	16	17	31	27	26	15	6	2	-	-	-	88
-	-	-	-	-	-	1	-	2	2	3	1	-	3	-	-	-	-	89
1	-	-	1	-	-	-	-	-	-	1	3	-	-	-	-	-	-	90

SECTION I - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
1	3	10	12	28	34	82	133	160	202	233	268	189	80	30	6	-	01
-	-	5	5	15	14	34	67	80	97	117	138	70	25	8	1	-	02
1	3	5	7	13	20	48	66	80	105	116	130	119	55	22	5	-	03
-	-	2	4	11	14	32	63	72	92	107	127	66	24	8	1	-	04
1	3	4	6	12	19	44	64	74	95	111	126	112	54	21	5	-	05
-	-	3	1	4	-	2	4	5	5	9	10	4	1	1	-	-	06
-	-	1	1	1	-	4	2	5	10	4	4	7	1	-	-	-	07
-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	08
-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	09
-	2	9	8	18	26	57	93	142	201	167	174	136	70	20	4	-	10
-	2	5	2	11	9	21	46	71	90	78	88	61	25	7	3	-	11
-	4	4	4	9	15	36	47	71	111	89	86	75	45	13	1	-	12
-	2	4	2	8	10	20	41	63	85	49	84	51	24	6	3	-	13
-	4	4	4	9	14	34	41	63	97	84	83	70	44	12	-	-	14
-	-	1	-	1	1	1	5	7	5	6	4	9	1	1	-	-	15
-	-	-	2	-	1	2	6	8	14	5	2	5	1	1	-	-	16
-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	18
-	9	14	43	72	180	287	461	651	785	884	910	661	315	107	20	1	19
-	4	8	23	22	82	121	242	330	389	453	454	304	142	44	7	1	20
-	5	6	20	50	98	166	219	321	396	431	456	357	173	63	13	1	21
-	4	8	20	19	79	110	222	304	352	425	432	289	140	43	7	-	22
-	5	4	17	43	89	152	201	291	371	402	432	342	168	62	13	1	23
-	-	3	3	3	3	11	19	22	32	26	20	13	2	1	-	-	24
-	-	2	2	7	8	13	16	29	23	28	21	13	5	1	-	-	25
-	-	-	-	-	-	-	-	4	5	2	2	2	-	-	-	-	26
-	-	-	1	-	1	1	2	1	2	1	3	2	-	-	-	-	27
20	54	91	164	400	691	1,205	1,783	2,423	2,953	3,233	3,251	2,393	1,247	398	60	8	28
14	42	75	171	279	580	864	1,191	1,477	1,596	1,596	1,501	1,000	463	153	11	3	29
6	24	49	89	229	392	625	919	1,232	1,637	1,476	1,750	1,393	784	245	49	5	30
11	25	34	61	132	258	516	771	1,084	1,333	1,469	1,406	960	444	143	11	1	31
5	22	42	67	195	339	555	803	1,095	1,307	1,516	1,639	1,323	750	233	46	2	32
3	5	8	12	16	39	58	88	100	133	118	92	36	19	9	-	-	33
1	2	7	22	33	49	67	112	131	167	115	107	69	33	12	3	-	34
-	-	-	2	2	4	6	7	7	11	9	3	4	-	1	-	-	35
-	-	-	-	3	4	3	5	6	2	6	4	1	1	-	-	-	36
3	2	12	7	25	50	86	132	174	236	296	273	250	136	42	12	1	37
2	1	8	3	14	25	34	61	84	108	139	124	102	55	9	3	1	38
1	1	4	4	11	25	52	71	90	128	157	149	148	81	33	9	-	39
1	1	6	3	13	25	31	55	75	100	133	115	102	54	9	3	1	40
1	1	1	4	11	24	45	63	80	119	146	138	141	80	32	9	-	41
1	1	2	-	1	-	3	5	9	6	6	9	-	1	-	-	-	42
-	-	3	-	-	-	1	7	10	9	11	10	7	1	1	-	-	43
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	45
6	16	31	68	174	340	652	977	1,347	1,548	1,671	1,543	1,297	652	217	35	4	46
3	11	19	37	86	195	371	571	810	936	991	876	672	307	85	14	2	47
3	5	12	31	88	145	281	406	537	612	680	667	625	345	132	21	2	48
3	8	15	29	72	170	336	523	722	849	917	839	641	295	83	14	2	49
2	2	8	24	69	123	242	349	466	550	621	631	595	326	128	20	1	50
-	3	4	8	12	22	32	42	82	77	67	34	24	11	1	-	-	51
1	3	3	7	19	21	37	57	69	58	57	33	26	18	4	1	1	52
-	-	-	-	2	3	3	6	6	10	7	3	7	1	1	-	-	53
-	-	1	-	1	1	2	-	2	4	2	3	4	1	-	-	-	54
15	12	18	24	50	115	186	286	318	350	312	262	158	65	23	3	1	55
5	4	8	13	29	79	117	205	242	256	217	168	95	35	11	2	-	56
10	8	10	11	21	36	69	81	76	94	95	94	63	30	12	1	1	57
5	4	4	7	17	51	80	160	202	210	186	144	81	33	9	-	-	58
9	8	6	9	19	31	59	65	64	80	81	89	60	29	9	1	-	59
-	-	3	6	10	23	29	42	33	36	21	19	11	1	1	2	-	60
1	-	3	2	2	5	6	13	10	11	12	5	2	1	1	1	-	61
-	-	1	-	2	5	8	3	7	10	10	5	3	1	1	-	-	62
-	-	1	-	-	-	4	3	2	3	2	-	1	-	2	-	-	63
5	3	5	14	53	114	193	347	473	717	769	781	576	238	75	11	3	64
3	2	3	7	22	46	82	139	170	231	264	255	188	80	18	3	-	65
2	1	2	7	31	68	111	208	303	486	505	526	388	158	57	2	2	66
2	1	3	6	20	40	73	127	159	216	253	246	177	74	17	3	-	67
2	1	1	6	28	65	97	191	276	449	481	507	376	151	55	7	1	68
1	1	-	-	3	3	6	10	10	14	10	6	6	5	-	-	-	69
-	1	-	-	2	2	13	16	26	29	23	17	11	4	-	-	-	70
-	-	1	-	3	3	3	2	1	1	1	3	5	1	1	-	-	71
-	-	1	1	-	1	1	1	1	8	1	2	1	3	-	1	-	72
7	15	42	125	301	697	1,088	1,783	2,326	2,811	2,966	2,557	1,769	849	253	50	2	73
4	12	25	82	195	452	705	1,122	1,409	1,643	1,603	1,352	934	367	104	20	1	74
3	3	17	43	106	245	383	661	917	1,168	1,263	1,205	935	482	149	30	1	75
2	2	9	21	72	162	390	600	828	1,253	1,447	1,450	770	341	98	19	1	76
2	3	13	36	83	207	323	569	828	1,035	1,238	1,137	893	459	144	29	1	77
2	3	3	9	28	57	99	157	149	187	140	90	60	19	4	1	-	78
1	-	4	6	21	36	55	90	88	128	120	63	38	21	4	1	-	79
-	-	1	1	5	5	6	12	7	9	13	14	4	7	2	-	-	80
-	-	-	-	2	2	1	2	1	5	5	5	4	2	-	-	-	81
10	12	16	27	34	59	111	131	171	206	201	265	160	102	29	6	1	82
7	7	9	16	15	39	61	69	94	104	95	122	63	39	6	2	-	83
3	5	7	11	19	20	50	62	77	102	102	143	97	63	23	4	1	84
6	7	9	14	11	34	54	59	85	95	90	105	59	35	6	2	-	85
3	4	6	9	17	12	41	54	71	89	90	131	53	58	22	4	1	86
1	1	-	-	3	5	5	10	9	8	9	14	3	4	-	-	-	87
-	1	-	2	2	7	8	8	6	12	12	12	3	5	1	-	-	88
-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	89
-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
45	63	196	697	1,969	3,856	6,318	9,375	11,159	11,332	5,649	6,565	3,225	1,193	294	41	5	4
25	36	126	484	1,450	2,858	4,934	7,581	9,482	9,698	8,185	5,449	2,483	844	184	23	3	4
20	27	70	213	519	998	1,384	1,794	1,677	1,634	1,464	1,116	742	349	110	8	2	03
24	28	102	384	1,205	2,355	4,186	6,620	8,592	8,783	7,574	5,125	2,344	778	167	20	2	04
16	21	54	176	449	869	1,245	1,603	1,530	1,476	1,344	1,036	699	332	105	17	2	05
1	8	23	98	240	487	731	928	849	871	574	304	114	51	15	3	1	06
2	3	16	36	62	125	130	104	143	150	110	68	39	15	5	1	-	07
-	-	1	2	5	16	17	33	41	44	37	20	25	15	2	-	-	08
-	3	-	1	8	4	9	7	4	8	10	12	4	2	-	-	-	09
-	-	4	26	81	147	284	467	536	470	399	282	177	79	16	2	-	10
-	-	17	61	122	227	402	486	425	362	259	164	71	15	2	-	-	11
-	-	9	20	25	57	65	50	45	37	23	13	8	1	-	-	-	12
-	-	3	15	43	88	189	356	441	384	338	239	153	66	13	2	-	13
-	-	6	9	19	50	52	43	36	32	21	12	7	1	-	-	-	14
-	-	1	2	18	34	37	46	44	40	23	18	9	5	2	-	-	15
-	-	3	10	6	7	12	7	9	5	2	1	1	-	-	-	-	16
-	-	-	-	-	-	1	-	1	1	2	2	-	-	-	-	-	17
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	18
29	47	177	649	1,838	3,619	5,934	8,768	10,452	10,691	9,102	6,161	2,966	1,075	261	36	5	19
14	26	113	453	1,354	2,681	4,641	7,083	8,874	9,155	7,726	5,119	2,281	756	162	21	3	4
15	21	64	196	484	938	1,293	1,685	1,578	1,536	1,376	1,042	685	319	99	15	2	21
13	19	92	384	1,133	2,224	3,938	6,185	8,045	8,301	7,147	4,818	2,156	696	147	18	2	22
13	16	49	162	426	819	1,165	1,511	1,447	1,393	1,263	969	644	303	94	14	2	23
1	7	20	92	217	441	687	865	789	813	543	284	104	45	13	3	1	24
2	2	15	33	52	115	120	169	127	135	103	61	38	14	5	1	-	25
-	-	1	2	4	16	16	33	40	41	36	17	21	15	2	-	-	26
-	3	-	1	6	4	8	5	4	8	10	12	3	2	-	-	-	27
16	16	15	22	50	90	100	140	171	171	148	122	82	39	17	3	-	28
11	10	9	14	35	55	68	96	122	118	97	71	38	17	7	-	-	29
5	6	6	15	34	54	64	84	106	106	89	51	44	22	10	3	-	30
11	9	7	10	29	43	59	79	106	98	89	68	35	16	7	-	-	31
5	5	8	14	31	40	40	40	47	45	45	46	43	22	10	3	-	32
-	1	2	4	5	12	7	17	16	18	8	2	1	-	-	-	-	33
-	1	1	-	-	4	3	3	6	2	2	5	-	-	-	-	-	34
-	-	-	-	1	-	-	-	9	2	-	-	2	-	-	-	-	35
-	-	-	-	1	-	1	1	2	-	-	1	-	-	-	-	-	36
201	275	527	1,011	2,111	3,298	3,999	4,533	4,554	4,205	3,864	3,339	2,384	1,369	503	119	19	3
124	108	119	157	222	282	359	454	510	494	463	438	292	191	83	20	2	37
75	167	408	854	1,889	3,016	3,640	4,079	4,044	3,711	3,401	2,901	2,092	1,178	420	99	17	3
112	101	108	149	207	265	329	424	464	454	438	414	281	183	80	18	2	40
65	149	341	719	1,639	2,670	3,297	3,725	3,724	3,380	3,181	2,754	1,999	1,139	404	97	14	1
13	6	11	8	14	17	27	28	45	38	23	22	10	8	1	1	-	42
10	18	64	130	241	330	324	344	311	327	212	144	89	39	16	2	3	43
1	1	-	-	1	-	3	2	1	2	2	2	1	-	2	1	-	44
-	-	3	5	9	16	19	10	9	4	8	3	4	-	-	-	-	45
77	39	24	26	42	77	87	164	190	191	171	180	123	68	18	7	1	46
63	26	18	14	25	46	62	110	119	113	97	89	57	37	7	2	-	47
14	13	6	12	17	31	25	54	71	78	74	91	66	31	11	5	1	48
54	24	14	13	18	41	53	99	98	100	94	82	55	35	7	2	-	49
13	13	5	9	15	26	21	48	66	72	66	89	62	31	10	5	1	50
8	2	4	1	6	5	9	10	21	13	3	2	2	2	-	-	-	51
1	-	1	3	2	4	4	5	5	6	7	2	4	-	1	-	-	52
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	54
56	37	33	51	57	96	95	122	157	172	150	104	70	39	12	1	-	55
34	21	16	23	28	44	46	64	88	79	81	47	30	17	6	-	-	56
22	16	17	28	29	52	49	58	69	93	69	57	40	22	6	1	-	57
29	18	12	20	26	40	42	60	83	74	76	44	26	14	6	-	-	58
20	13	17	23	28	42	44	54	63	79	67	53	38	20	6	1	-	59
5	2	4	3	2	4	4	4	4	5	5	2	3	3	-	-	-	60
2	3	-	5	1	9	5	4	5	14	2	4	2	2	-	-	-	61
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	63
48	98	147	210	296	335	391	431	422	453	434	462	365	250	111	40	-	64
28	60	84	114	163	184	228	261	267	261	248	263	187	129	64	16	2	65
20	38	63	96	133	151	163	170	155	192	186	199	178	121	47	24	2	66
28	58	81	112	158	178	214	249	245	235	245	253	183	126	62	15	2	67
19	38	68	96	128	147	152	158	144	177	169	189	172	121	47	24	2	68
-	2	3	2	5	6	12	11	18	14	11	9	4	3	-	-	-	69
1	-	-	-	4	4	10	12	10	15	16	9	6	-	-	-	-	70
-	-	-	-	-	-	2	1	-	2	2	1	-	-	2	1	-	71
-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	72
20	101	323	724	1,716	2,790	3,426	3,816	3,785	3,389	3,109	2,593	1,826	1,012	362	71	14	2
1	1	1	6	4	8	23	19	36	41	37	39	18	8	6	2	-	73
19	100	322	718	1,710	2,782	3,403	3,797	3,749	3,348	3,072	2,554	1,808	1,004	356	69	14	2
1	1	1	4	5	6	20	16	34	35	33	35	17	8	5	1	-	75
13	85	256	591	1,468	2,455	3,080	3,465	3,451	3,052	2,879	2,423	1,727	967	341	67	11	1
6	15	63	122	234	313	305	323	291	292	187	129	77	37	15	2	3	77
-	-	3	5	8	14	18	9	7	4	6	2	4	-	-	-	-	78
193	277	372	690	1,261	2,011	2,685	3,482	4,312	5,454	5,938	6,211	4,667	2,437	725	118	11	3
121	137	83	98	77	125	266	629	1,386	2,320	3,236	3,877	3,163	1,690	493	72	9	2
72	140	289	592	1,184	1,986	2,419	2,853	2,926	3,134	2,702	2,334	1,504	747	232	46	2	83
116	132	82	94	68	103	201	474	1,066	1,878	2,716	3,401	2,839	1,541	447	62	5	1
59	109	208	450	959	1,563	2,068	2,397	2,495	2,671	2,478	2,169	1,398	688	215	41	1	85
4	4	-	4	9	22	65	154	313	428	515	459	306	145	44	10	4	87
13	28	78	132	217	311	332	437	417	451	216	162	102	59	15	5	1	88
1	1	1	-	-	-	-	-	7	14	5	17	18	4	-	-	-	89
-	3	3	10	8	12	19	19	14	12	8	3	4	-	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16	86	184	349	591	785	807	887	801	758	611	513	312	180	45	13	-	-	01
13	67	133	241	437	593	625	679	627	574	522	449	271	156	41	10	-	-	02
3	18	49	102	147	186	171	199	168	180	87	63	41	24	4	3	-	-	03
-	1	2	6	7	6	11	9	6	4	2	1	-	-	-	-	-	-	04
19	12	28	57	144	232	370	558	719	932	826	760	517	243	90	15	1	-	05
16	9	14	41	109	190	296	446	594	781	752	703	472	223	82	13	-	-	06
3	3	14	13	34	40	74	104	125	145	72	57	44	20	6	2	1	-	07
-	-	-	3	1	2	-	8	-	6	2	-	1	-	2	-	-	-	08
46	41	74	179	424	837	1,203	1,338	1,329	1,339	1,140	932	547	223	65	12	1	1	09
30	33	59	162	394	757	1,114	1,215	1,211	1,224	1,088	896	530	213	62	12	1	1	10
6	6	14	16	30	77	81	121	110	113	48	35	14	10	3	-	-	-	11
-	2	1	1	-	3	8	2	8	2	4	1	3	-	-	-	-	-	12
1	1	3	7	25	32	35	70	77	105	125	129	128	101	32	6	-	-	13
-	-	2	6	19	23	33	57	63	92	116	121	125	96	30	6	-	-	14
1	1	1	1	6	8	6	13	14	13	9	7	3	5	2	-	-	-	15
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	16
3	4	2	6	17	68	205	589	1,319	2,264	3,164	3,825	3,125	1,666	489	70	9	2	17
2	3	2	6	10	50	152	441	1,019	1,828	2,657	3,354	2,807	1,519	443	60	5	1	18
1	1	-	-	7	18	53	147	293	422	503	457	300	144	44	10	4	1	19
-	-	-	-	-	-	-	1	7	14	4	14	18	3	2	-	-	-	20
118	133	81	92	60	57	61	40	67	56	72	52	38	24	4	2	-	-	21
114	129	80	88	58	53	49	33	47	50	59	47	32	22	4	2	-	-	22
3	3	-	4	2	4	12	7	20	6	12	2	6	1	-	-	-	-	23
1	1	1	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	24
7	30	34	92	218	483	830	1,312	1,825	2,206	2,390	2,371	1,729	864	276	50	1	2	25
4	15	19	51	147	339	591	954	1,312	1,565	1,642	1,541	1,073	466	144	24	-	2	26
3	15	15	41	71	144	239	358	513	641	748	830	656	398	132	26	1	-	27
3	12	15	46	130	305	537	846	1,192	1,422	1,550	1,471	1,021	437	138	22	2	-	28
3	11	12	32	61	124	195	302	450	575	695	784	622	384	127	24	-	-	29
1	3	4	5	17	34	53	104	112	128	87	67	45	26	4	2	-	-	30
-	4	3	8	9	20	44	53	60	64	53	45	32	14	5	1	1	-	31
-	-	-	-	-	-	1	4	8	15	5	3	7	3	2	-	-	-	32
-	-	-	-	-	-	-	3	3	2	1	1	2	-	1	-	-	-	33
1	3	2	20	51	145	295	570	919	1,243	1,514	1,588	1,248	657	216	38	-	1	34
1	2	2	8	34	98	211	426	714	966	1,118	1,082	783	377	122	17	-	1	35
-	1	-	12	17	47	84	144	205	277	396	506	465	280	94	21	-	-	36
1	2	2	8	27	87	185	366	645	876	1,055	1,027	744	351	118	16	-	1	37
-	-	-	12	15	39	58	108	165	239	354	471	440	271	91	20	-	-	38
-	-	-	7	11	26	60	63	82	62	53	33	23	3	1	-	-	-	39
-	-	-	2	8	26	36	39	37	42	34	23	9	3	1	-	-	-	40
-	-	-	-	-	-	-	-	6	8	1	2	6	3	1	-	-	-	41
-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	42
6	27	32	72	167	338	535	742	906	963	876	783	481	207	60	12	1	1	43
3	13	17	43	113	241	380	528	598	599	524	459	250	89	22	7	-	1	44
3	14	15	29	54	97	155	214	308	364	352	324	191	118	38	5	1	-	45
2	10	13	38	103	218	352	480	547	546	495	444	277	86	20	6	-	1	46
3	10	12	20	46	85	137	194	285	336	341	313	182	113	36	4	-	-	47
1	3	4	5	10	23	27	44	49	46	25	14	12	3	1	1	-	-	48
-	4	3	8	7	12	18	17	21	27	11	11	9	5	2	-	1	-	49
-	-	-	-	-	-	1	4	2	7	4	1	1	-	1	-	-	-	50
-	-	-	1	-	-	-	3	2	1	-	-	-	-	1	-	-	-	51
225	265	348	596	1,040	1,707	2,465	3,307	3,802	4,079	3,804	3,273	2,212	1,186	359	65	11	10	52
116	146	190	316	533	859	1,321	1,845	2,157	2,141	1,954	1,461	920	451	129	20	3	3	53
109	119	158	250	507	818	1,144	1,464	1,645	1,938	1,850	1,812	1,292	755	230	45	8	7	54
107	132	171	271	445	779	1,164	1,595	1,923	1,905	1,785	1,334	859	422	137	18	2	2	55
100	94	137	234	428	685	990	1,268	1,457	1,689	1,666	1,688	1,217	684	217	39	6	5	56
9	13	15	41	84	103	149	232	218	222	185	115	57	29	11	2	1	1	57
9	22	19	45	76	129	153	185	180	242	176	117	74	44	10	5	2	2	58
-	1	4	4	2	7	8	16	14	14	10	12	4	-	1	-	-	-	59
-	1	2	1	3	4	1	11	8	7	8	7	1	7	3	1	-	-	60
2	5	-	4	7	21	15	36	44	47	41	35	30	16	7	1	-	-	61
-	2	-	1	5	10	6	15	30	24	17	12	12	10	2	-	-	-	62
-	3	-	3	2	11	9	21	14	23	24	23	18	6	5	1	-	-	63
2	1	-	1	5	9	6	14	30	24	17	12	12	10	2	-	-	-	64
-	3	-	3	2	10	8	21	14	23	24	23	17	6	4	1	-	-	65
-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	69
150	149	213	309	452	651	872	1,041	1,016	862	578	278	79	22	4	1	-	2	70
74	84	122	172	257	385	525	614	596	491	313	154	37	10	2	1	-	-	71
76	65	91	137	195	266	347	427	420	371	265	124	42	12	2	-	-	2	72
70	76	115	156	245	362	501	576	580	464	306	149	36	10	2	1	-	-	73
70	56	84	125	185	246	336	404	403	360	255	120	41	12	2	-	-	2	74
4	7	6	14	12	22	22	34	15	25	7	4	1	-	-	-	-	-	75
6	8	5	11	10	19	11	23	16	11	9	4	1	-	-	-	-	-	76
-	1	1	2	1	1	2	4	1	2	-	1	-	-	-	-	-	-	77
-	1	2	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	78
4	5	7	16	19	49	65	87	108	134	161	137	100	57	16	4	-	-	79
3	3	3	7	9	25	28	40	46	46	51	38	24	13	3	1	-	-	80
1	2	4	9	10	24	37	47	62	88	110	99	76	44	13	3	-	-	81
3	3	3	7	8	21	24	35	43	37	47	32	23	13	3	1	-	-	82
1	1	2	7	7	20	33	43	56	75	104	93	70	39	13	3	-	-	83
-	-	-	1	1	4	4	4	2	2	9	4	1	-	-	-	-	-	84
-	-	-	2	3	4	4	4	6	12	6	5	6	3	-	-	-	-	85
-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	87

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
69	106	128	267	562	986	1,513	2,143	2,634	3,036	3,024	2,823	2,002	1,091	332	59	11	8	01
37	57	65	136	262	469	762	1,174	1,485	1,580	1,573	1,257	847	418	122	18	3	3	02
32	49	63	131	300	517	751	969	1,149	1,456	1,451	1,566	1,156	673	210	41	8	5	03
32	52	53	107	187	387	633	970	1,270	1,380	1,389	1,141	788	389	110	16	2	2	04
29	35	49	99	234	409	613	800	984	1,231	1,283	1,452	1,089	627	198	35	6	3	05
5	5	9	27	73	76	123	193	201	188	174	108	55	29	11	2	1	1	06
3	14	14	32	63	105	137	158	158	219	161	108	66	41	10	5	2	2	07
-	-	3	2	2	6	6	11	14	12	10	8	4	4	1	-	-	-	08
-	-	-	-	3	3	1	11	7	6	7	6	1	5	2	1	-	-	09
261	222	245	320	428	534	685	991	1,164	1,529	1,801	1,830	1,366	695	228	27	5	1	10
160	147	131	175	245	295	415	595	716	900	1,050	1,021	702	340	111	11	3	-	11
101	75	114	145	193	239	270	396	448	629	751	809	664	355	117	16	2	1	12
148	133	115	155	226	268	377	532	662	823	991	974	677	321	107	10	1	-	13
06	67	95	123	165	205	240	351	411	577	712	777	647	344	115	16	1	1	14
11	13	15	17	16	23	35	58	49	70	56	43	22	8	4	2	2	-	15
15	7	17	20	14	30	28	43	35	51	38	31	17	10	2	1	1	-	16
1	1	1	3	3	3	3	5	5	7	3	4	3	1	-	-	-	-	17
-	1	2	2	4	4	2	2	2	1	1	1	-	1	-	-	-	-	18
05	48	32	33	68	108	181	315	369	502	652	679	575	301	107	12	5	-	19
45	33	20	20	46	67	117	213	228	318	383	406	310	148	53	7	3	-	20
20	15	12	13	22	41	64	102	141	184	269	273	265	153	54	5	2	-	21
43	31	19	19	45	60	107	185	206	291	357	390	305	142	51	6	1	-	22
19	15	8	11	21	35	57	88	132	168	252	260	261	149	53	5	1	-	23
2	1	1	1	1	7	9	27	21	27	26	14	5	2	2	1	2	-	24
1	-	3	2	1	4	7	13	9	16	17	12	4	3	1	1	1	-	25
-	1	-	-	-	-	1	1	1	-	-	2	-	1	-	-	-	-	26
-	-	1	-	-	2	1	1	-	-	-	1	-	1	-	-	-	-	27
116	121	140	202	231	268	337	416	489	637	719	695	445	237	61	8	-	-	28
70	79	80	107	127	145	194	233	308	356	415	364	197	103	27	2	-	-	29
46	42	60	55	104	123	143	183	181	281	304	331	248	134	34	6	-	-	30
05	69	68	94	118	139	175	210	290	333	393	347	188	100	26	2	-	-	31
38	36	52	82	93	106	129	166	165	262	289	319	242	131	33	6	-	-	32
5	10	11	12	6	6	17	20	16	21	19	14	6	3	1	-	-	-	33
8	5	7	12	9	15	12	17	15	18	15	12	6	3	1	-	-	-	34
-	1	1	1	3	2	2	3	2	2	3	1	3	-	-	-	-	-	35
-	-	1	1	2	2	2	2	1	1	-	1	-	-	-	-	-	-	36
16	11	17	16	22	35	34	55	75	70	82	89	70	30	11	1	-	-	37
9	5	9	12	12	17	25	31	40	39	50	46	41	14	4	-	-	-	38
7	6	8	4	10	18	9	24	35	31	32	43	29	16	7	1	-	-	39
6	4	9	11	11	16	24	29	37	36	49	45	38	14	4	-	-	-	40
-	6	8	4	8	18	9	23	34	30	32	42	28	15	7	1	-	-	41
-	1	-	-	1	1	1	2	3	3	1	-	3	-	-	-	-	-	42
2	-	-	-	2	-	-	-	-	1	-	-	1	1	-	-	-	-	43
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
64	42	56	69	107	123	133	205	231	320	348	367	276	127	49	6	-	-	46
38	30	22	36	40	66	79	118	140	187	202	205	154	75	27	2	-	-	47
26	12	34	33	47	57	64	87	91	133	146	162	122	52	22	4	-	-	48
34	29	19	31	52	54	71	108	123	163	192	192	146	75	26	2	-	-	49
22	10	27	26	43	46	45	80	80	117	139	116	99	49	22	4	-	-	50
4	1	3	3	8	9	8	9	9	19	10	13	8	1	1	-	-	-	51
4	2	7	6	2	11	9	13	10	16	6	6	6	3	-	-	-	-	52
-	-	-	-	-	3	-	1	2	5	-	-	-	-	-	-	-	-	53
-	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	54
353	346	343	447	666	970	1,369	1,848	2,185	2,457	2,518	2,122	1,352	514	125	29	2	1	55
224	233	216	295	419	572	815	1,097	1,234	1,324	1,316	1,101	637	216	56	15	1	1	56
129	113	127	152	247	398	554	751	951	1,133	1,202	1,021	715	298	69	14	1	-	57
205	214	190	263	372	503	739	973	1,107	1,189	1,206	1,036	595	203	53	15	1	-	58
121	102	111	131	217	355	477	671	874	1,039	1,141	971	693	284	68	11	1	-	59
17	17	24	28	47	62	74	117	114	125	101	60	36	10	2	-	-	-	60
8	11	15	18	29	38	75	79	73	91	55	48	21	13	3	-	-	-	61
2	2	2	4	-	7	2	7	13	10	9	5	4	3	1	-	-	-	62
-	-	1	3	1	5	2	1	4	3	6	2	1	1	-	-	-	-	63
68	95	87	147	225	374	543	697	784	882	549	766	480	174	49	9	1	-	64
46	66	55	100	149	212	312	404	431	477	491	391	222	74	23	5	1	-	65
22	29	32	47	76	162	231	293	353	405	470	375	258	100	26	4	-	-	66
37	58	49	91	138	196	291	374	399	444	458	374	213	71	21	5	1	-	67
20	24	26	43	67	154	210	274	343	377	456	362	253	97	26	2	-	-	68
7	6	5	6	11	14	20	27	28	31	19	15	7	1	1	-	-	-	69
2	5	5	3	9	7	21	18	9	26	10	13	5	3	-	-	-	-	70
2	2	1	3	2	2	1	3	4	2	2	2	2	2	1	-	-	-	71
-	-	1	1	1	1	-	1	1	2	4	-	-	-	-	-	-	-	72
255	226	209	209	251	249	279	306	292	320	266	206	129	37	13	4	-	-	73
156	147	131	145	163	167	181	200	185	181	142	113	51	17	8	3	-	-	74
99	79	78	64	88	82	98	106	107	139	124	93	78	20	5	1	-	-	75
152	138	118	130	143	145	163	180	171	162	133	110	50	14	8	3	-	-	76
93	74	71	58	80	73	85	99	98	135	117	91	77	18	9	1	-	-	77
4	5	12	14	20	19	13	19	13	16	8	7	1	1	-	-	-	-	78
6	-	7	6	7	6	13	7	9	3	3	2	1	-	-	-	-	-	79
-	-	1	1	-	3	-	-	1	3	1	-	-	-	-	-	-	-	80
-	-	-	-	3	3	-	-	-	1	-	-	-	-	-	-	-	-	81
2	1	11	41	67	162	269	402	601	694	715	606	370	158	29	8	1	-	82
1	1	8	22	39	91	154	237	310	352	377	325	189	63	12	2	-	-	83
1	1	3	19	28	71	115	165	291	342	338	281	181	95	17	6	1	-	84
1	1	5	19	29	71	129	187	253	291	315	292	167	57	11	2	-	-	85
-	-	2	13	21	53	79	131	248	297	305	255	168	87	16	6	1	-	86
-	-	3	3	10	20	25	47	52	58	57	30	19	5	1	-	-	-	87
-	-	1	4	7	18	34	34	41	45	32	24	8	1	1	-	-	-	88
-	-	-	-	-	-	-	3	5	3	5	3	3	1	-	-	-	-	89
-	-	-	2	-	-	2	-	2	-	1	2	1	-	-	-	-	-	90</

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ALL OTHER DISEASES OF THYROID GLAND.....243-246	392	6	-	-	-	-	6	1	1	3
02	MALE.....	91	4	-	-	-	-	4	1	-	3
03	FEMALE.....	301	2	-	-	-	-	2	-	1	-
04	WHITE.....MALE.....	81	4	-	-	-	-	4	-	-	3
05	FEMALE.....	281	2	-	-	-	-	2	-	1	-
06	NEGR.....MALE.....	10	-	-	-	-	-	-	1	-	-
07	FEMALE.....	20	-	-	-	-	-	-	-	-	-
08	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
09	FEMALE.....	-	-	-	-	-	-	-	-	-	-
10	DIABETES MELLITUS.....250	38,541	11	5	5	3	3	31	32	60	75
11	MALE.....	15,689	6	2	4	2	2	16	17	21	32
12	FEMALE.....	22,852	5	7	1	1	1	15	15	39	43
13	WHITE.....MALE.....	13,618	5	1	4	2	1	13	16	15	24
14	FEMALE.....	19,050	4	6	1	1	1	13	15	31	32
15	NEGR.....MALE.....	1,905	1	1	-	-	1	3	1	6	8
16	FEMALE.....	3,651	1	1	-	-	2	2	-	8	11
17	OTHER RACES.....MALE.....	166	-	-	-	-	-	-	-	-	-
18	FEMALE.....	151	-	-	-	-	-	-	-	-	-
19	DISEASES OF PITUITARY GLAND.....253	224	2	1	2	1	-	6	3	2	-
20	MALE.....	112	1	1	1	-	-	3	2	-	-
21	FEMALE.....	112	1	-	1	1	-	3	1	2	-
22	WHITE.....MALE.....	97	1	-	1	-	-	2	1	-	-
23	FEMALE.....	93	1	-	1	1	-	3	1	2	-
24	NEGR.....MALE.....	13	-	1	-	-	-	1	1	-	-
25	FEMALE.....	18	-	-	-	-	-	-	-	-	-
26	OTHER RACES.....MALE.....	2	-	-	-	-	-	-	-	-	-
27	FEMALE.....	1	-	-	-	-	-	-	-	-	-
28	DISEASES OF THYMUS GLAND.....254	39	30	1	-	-	1	32	1	2	1
29	MALE.....	29	21	1	-	-	1	23	1	2	1
30	FEMALE.....	10	9	-	-	-	-	9	-	-	-
31	WHITE.....MALE.....	23	17	1	-	-	-	18	1	2	1
32	FEMALE.....	8	8	-	-	-	-	8	-	-	-
33	NEGR.....MALE.....	2	1	-	-	-	1	5	-	-	-
34	FEMALE.....	2	1	-	-	-	-	1	-	-	-
35	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
36	FEMALE.....	-	-	-	-	-	-	-	-	-	-
37	DISEASES OF ADRENAL GLAND.....259	541	34	5	2	2	1	44	8	4	6
38	MALE.....	224	22	3	1	2	1	29	3	2	2
39	FEMALE.....	317	12	2	1	-	-	15	5	2	4
40	WHITE.....MALE.....	188	13	2	1	1	-	17	3	1	2
41	FEMALE.....	281	7	2	-	-	-	9	3	2	4
42	NEGR.....MALE.....	34	9	1	-	1	1	12	2	1	-
43	FEMALE.....	33	5	-	1	-	-	6	2	-	-
44	OTHER RACES.....MALE.....	2	-	-	-	-	-	-	-	-	-
45	FEMALE.....	3	-	-	-	-	-	-	-	-	-
46	NIACIN DEFICIENCY.....262	7	-	-	-	-	-	-	-	-	-
47	MALE.....	2	-	-	-	-	-	-	-	-	-
48	FEMALE.....	5	-	-	-	-	-	-	-	-	-
49	WHITE.....MALE.....	1	-	-	-	-	-	-	-	-	-
50	FEMALE.....	5	-	-	-	-	-	-	-	-	-
51	NEGR.....MALE.....	1	-	-	-	-	-	-	-	-	-
52	FEMALE.....	-	-	-	-	-	-	-	-	-	-
53	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
54	FEMALE.....	-	-	-	-	-	-	-	-	-	-
55	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,527	197	18	15	7	8	245	13	10	4
56	MALE.....	1,156	121	11	10	5	6	153	10	4	1
57	FEMALE.....	1,371	76	7	5	2	2	92	3	6	3
58	WHITE.....MALE.....	912	62	6	2	3	2	75	6	4	1
59	FEMALE.....	1,147	29	5	2	1	1	38	1	5	2
60	NEGR.....MALE.....	229	58	4	7	2	4	75	4	-	-
61	FEMALE.....	215	47	2	2	1	1	53	2	1	1
62	OTHER RACES.....MALE.....	15	1	1	1	-	-	3	-	-	-
63	FEMALE.....	9	-	-	1	-	-	1	-	-	-
64	CYSTIC FIBROSIS.....273-0	580	126	30	20	17	25	218	143	108	58
65	MALE.....	262	64	8	6	4	11	93	67	53	26
66	FEMALE.....	318	62	22	14	13	14	125	76	55	32
67	WHITE.....MALE.....	248	58	5	6	4	10	83	66	51	26
68	FEMALE.....	309	57	21	14	11	14	117	76	54	32
69	NEGR.....MALE.....	14	6	3	-	-	1	10	1	2	-
70	FEMALE.....	8	4	1	-	2	-	7	-	1	-
71	OTHER RACES.....MALE.....	-	-	-	-	-	-	-	-	-	-
72	FEMALE.....	1	1	-	-	-	-	1	-	-	-
73	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	3,282	121	33	26	12	10	202	57	49	37
74	MALE.....	1,689	65	18	11	7	6	105	31	27	20
75	FEMALE.....	1,593	56	17	15	5	4	97	26	22	17
76	WHITE.....MALE.....	1,462	56	12	9	5	6	80	25	26	16
77	FEMALE.....	1,322	41	14	15	5	3	78	23	18	14
78	NEGR.....MALE.....	206	7	3	2	2	-	14	6	1	4
79	FEMALE.....	263	15	3	-	-	1	19	3	3	3
80	OTHER RACES.....MALE.....	21	2	1	-	-	-	3	-	-	-
81	FEMALE.....	8	-	-	-	-	-	-	-	1	-
82	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	4,921	159	57	37	24	26	303	115	101	123
83	MALE.....	2,342	86	27	21	12	16	162	61	48	68
84	FEMALE.....	2,579	73	30	16	12	10	141	54	53	55
85	WHITE.....MALE.....	1,907	56	13	11	7	11	98	35	19	41
86	FEMALE.....	2,117	50	18	9	4	5	86	28	33	34
87	NEGR.....MALE.....	415	28	13	10	5	5	61	26	24	27
88	FEMALE.....	442	22	12	6	8	5	53	23	20	20
89	OTHER RACES.....MALE.....	20	2	1	-	-	-	3	-	5	-
90	FEMALE.....	20	1	-	1	-	-	2	3	-	1

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1	5	2	3	6	13	24	28	43	64	61	53	48	21	7	2	-	-	01
-	1	1	1	2	-	4	7	11	13	15	13	12	2	1	-	-	-	02
1	4	1	2	4	13	20	21	32	51	46	40	36	19	6	2	-	-	03
-	-	1	1	2	-	4	7	9	9	14	13	11	2	1	-	-	-	04
-	4	-	1	3	11	19	18	29	48	44	38	36	19	6	2	-	-	05
-	1	-	-	-	-	-	-	2	4	1	-	1	-	-	-	-	-	06
1	-	1	1	1	2	1	3	3	3	2	2	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
161	262	354	519	743	1,202	1,821	2,751	4,003	5,356	6,208	6,583	4,992	2,542	714	108	13	11	10
67	136	192	293	400	634	869	1,299	1,738	2,275	2,337	2,478	1,771	849	226	29	3	7	11
94	126	162	226	343	568	952	1,452	2,265	3,081	3,871	4,105	3,221	1,693	488	79	10	4	12
53	106	156	214	287	509	694	1,065	1,448	1,954	2,084	2,271	1,666	805	205	27	2	4	13
75	102	137	160	222	381	637	1,005	1,637	2,399	3,345	3,732	2,995	1,597	460	68	6	1	14
13	28	35	78	108	121	161	219	269	292	227	181	89	41	19	2	1	3	15
19	24	23	64	116	177	304	431	601	659	505	357	210	91	28	11	4	2	16
1	2	1	1	5	4	14	15	21	29	26	24	16	3	2	-	-	-	17
-	-	2	2	5	10	11	16	27	23	17	16	16	5	-	-	-	1	18
3	6	7	10	12	20	17	22	27	36	22	20	7	4	-	-	-	-	19
1	2	2	4	3	7	9	9	15	20	17	12	5	1	-	-	-	-	20
2	4	5	6	9	13	8	13	12	16	5	8	2	3	-	-	-	-	21
1	2	-	4	3	7	9	8	11	17	17	9	5	1	-	-	-	-	22
2	3	3	5	6	9	8	9	11	13	5	8	2	3	-	-	-	-	23
-	-	2	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	24
-	1	2	1	3	3	-	4	1	3	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	27
-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	28
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	32
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
10	7	12	29	31	28	39	50	51	66	47	51	33	17	6	2	-	-	37
5	4	6	8	10	11	18	18	24	29	11	20	16	5	2	1	-	-	38
5	3	6	21	21	17	21	32	27	37	36	31	17	12	4	1	-	-	39
3	3	4	6	9	9	16	16	19	27	11	18	16	5	2	1	-	-	40
3	2	5	16	17	16	16	28	26	36	36	30	16	11	4	1	-	-	41
2	1	1	2	1	2	2	2	5	1	-	2	-	-	-	-	-	-	42
2	1	1	4	4	1	4	3	1	1	-	1	1	1	-	-	-	-	43
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	45
-	-	-	1	-	-	-	-	-	-	1	-	3	-	1	1	-	-	46
-	-	-	1	-	-	-	-	-	-	1	-	3	-	1	1	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	49
-	-	-	1	-	-	-	-	-	-	-	-	3	-	1	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
17	10	10	15	32	47	80	88	147	179	254	281	387	378	226	82	21	1	55
8	8	6	5	15	24	49	49	88	98	123	124	162	124	76	19	9	1	56
9	2	4	10	17	23	31	39	59	81	131	157	225	254	150	63	12	-	57
7	6	5	3	11	16	37	41	67	74	99	105	143	118	72	15	7	-	58
8	2	3	6	12	16	24	32	48	61	101	145	199	234	140	62	8	-	59
1	2	-	2	4	8	12	8	21	22	23	17	17	5	3	2	2	1	60
1	-	1	4	5	7	7	6	11	19	36	11	24	18	9	1	4	-	61
-	-	1	-	-	-	-	-	-	2	1	2	2	1	1	2	-	-	62
-	-	-	-	-	-	1	1	-	1	-	1	2	2	1	-	-	-	63
30	14	2	1	1	2	-	-	-	-	2	-	1	-	-	-	-	-	64
13	7	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	65
17	7	2	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	66
13	7	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	67
17	7	2	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
42	45	57	103	151	242	285	369	364	376	350	275	171	77	35	4	1	-	73
21	23	34	41	85	137	162	197	191	194	171	130	70	36	13	-	1	-	74
21	22	23	62	66	105	123	162	173	182	179	145	101	41	22	4	-	-	75
21	18	29	34	74	112	136	177	160	176	146	119	64	29	11	1	-	-	76
15	15	18	35	51	84	91	129	142	159	160	133	97	38	19	3	-	-	77
-	5	7	11	23	23	18	28	17	21	21	9	5	7	2	-	-	-	78
6	7	5	26	14	20	32	31	30	23	19	11	4	3	1	-	-	-	79
-	-	-	-	2	2	3	2	3	1	4	2	1	-	-	-	-	-	80
-	-	-	1	1	1	-	2	1	-	-	1	-	-	-	-	-	-	81
132	109	102	80	117	172	220	289	349	411	563	594	563	385	157	32	4	-	82
65	53	52	24	59	82	105	142	183	225	272	281	255	137	55	13	-	-	83
67	56	50	56	58	90	115	147	166	186	291	313	308	248	102	19	4	-	84
28	26	28	9	36	60	93	114	162	202	255	266	239	130	53	13	-	-	85
30	30	26	31	32	62	94	110	146	162	267	294	297	235	98	19	3	-	86
36	27	24	14	21	21	11	26	21	23	14	15	15	7	2	-	-	-	87
34	25	23	25	26	28	20	37	19	23	24	19	8	11	3	-	1	-	88
1	-	-	1	2	1	1	2	-	-	3	-	1	-	-	-	-	-	89
3	1	1	-	-	-	1	-	1	1	-	-	3	2	1	-	-	-	90

SECTION 1 - GENERAL MORTALITY

1-173

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
184	153	193	163	217	196	147	117	105	80	59	35	26	16	5	-	-	1	01
106	99	120	99	150	122	99	80	55	50	30	13	11	7	3	-	-	1	02
78	54	73	64	67	74	48	37	50	30	29	22	15	9	2	-	-	-	03
75	70	78	60	81	65	69	56	38	41	21	12	10	4	2	-	-	-	04
63	37	49	45	54	55	40	31	42	24	25	19	12	8	2	-	-	-	05
30	28	40	38	68	56	29	24	17	8	9	1	1	3	1	-	-	1	06
14	16	24	19	13	19	8	6	8	6	4	3	3	1	-	-	-	-	07
1	1	2	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	08
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
1	-	-	1	-	-	-	-	1	1	-	1	3	-	1	-	-	-	10
1	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	11
1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	12
1	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	1	1	6	6	6	10	6	2	5	-	-	-	19
-	-	-	-	-	-	1	1	2	4	2	4	3	2	-	-	-	-	20
-	-	-	-	-	-	1	1	4	2	4	6	3	2	5	-	-	-	21
-	-	-	-	-	-	1	1	2	4	4	4	3	1	-	-	-	-	22
-	-	-	-	-	-	-	-	2	1	4	5	3	1	-	-	-	-	23
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	1	-	-	2	1	1	2	-	2	-	-	-	28
-	-	-	-	-	-	1	-	-	2	1	1	1	-	1	-	-	-	29
-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	30
-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	32
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
3	4	5	9	10	16	13	9	13	8	9	11	6	5	3	-	-	-	37
2	2	4	5	6	9	11	2	6	2	5	5	2	4	-	-	-	-	38
1	2	1	4	4	7	2	7	7	6	4	6	4	1	3	-	-	-	39
2	1	3	5	6	6	11	2	4	2	4	4	2	4	-	-	-	-	40
1	1	4	4	4	6	1	6	6	5	3	4	4	1	3	-	-	-	41
-	-	1	-	-	3	-	-	2	1	1	1	-	-	-	-	-	-	42
-	-	1	-	-	2	1	1	1	1	1	2	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
123	91	97	147	232	361	402	624	748	786	630	592	463	263	97	23	6	1	46
81	57	55	81	137	207	255	365	453	463	325	307	219	112	37	6	2	1	47
42	34	42	66	95	154	147	259	295	323	301	285	244	151	60	17	4	-	48
64	42	42	66	121	173	221	309	392	419	303	284	208	102	36	6	2	-	49
33	27	33	48	74	132	126	235	272	295	281	265	236	148	58	6	4	-	50
17	14	13	15	13	31	33	53	56	38	26	19	11	10	2	1	-	1	51
9	6	9	17	21	22	20	24	23	25	18	20	8	3	2	1	-	-	52
-	1	-	-	3	3	1	3	5	6	6	4	-	-	-	-	-	-	53
-	1	-	1	-	-	1	-	-	3	2	-	-	-	-	-	-	-	54
1,142	1,690	3,019	6,798	14,837	27,257	42,664	63,851	88,246	116,527	146,047	168,532	162,745	115,074	52,106	13,929	2,083	269	55
560	941	1,732	4,481	10,386	19,578	30,893	45,371	60,155	72,646	82,914	85,481	73,326	45,374	17,937	4,295	593	146	56
582	749	1,237	2,317	4,451	7,579	11,771	18,480	28,091	43,881	63,133	83,051	89,419	69,700	34,169	9,634	1,490	123	57
414	637	1,215	3,394	8,323	16,521	26,532	39,739	53,500	64,279	75,243	79,276	69,061	42,799	16,953	3,856	453	108	58
420	466	753	1,412	2,930	5,363	8,769	14,337	22,620	36,304	56,173	76,982	84,524	66,485	32,538	8,957	1,216	89	59
140	287	538	1,035	1,973	3,027	4,197	5,424	6,346	7,932	7,244	5,848	3,909	2,325	865	412	129	34	60
153	277	470	871	1,487	2,147	2,935	4,053	5,366	7,413	6,740	5,861	4,699	3,061	1,543	645	264	34	61
6	17	29	52	90	130	164	208	309	435	427	357	356	250	119	27	11	4	62
9	6	14	34	34	49	67	90	105	164	220	208	196	154	88	32	10	-	63
5	7	10	14	15	21	34	29	28	32	30	15	12	5	-	-	-	-	64
3	3	4	6	9	14	17	18	20	16	13	9	6	2	-	-	-	-	65
2	4	6	8	6	7	17	11	8	16	17	6	6	3	-	-	-	-	66
2	2	3	5	8	13	13	15	18	15	12	9	6	2	-	-	-	-	67
1	2	4	6	6	6	15	10	6	14	16	6	6	2	-	-	-	-	68
1	1	1	1	1	1	4	2	2	1	1	-	-	-	-	-	-	-	69
1	2	2	2	-	1	2	1	2	2	1	-	-	1	-	-	-	-	70
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
134	195	257	417	705	1,121	1,507	1,992	2,238	2,036	1,694	1,243	819	401	140	20	6	1	73
62	96	120	198	363	562	745	957	1,067	887	729	521	298	138	45	7	1	1	74
72	99	137	219	342	559	762	1,035	1,171	1,149	965	722	521	263	95	13	5	-	75
49	77	97	164	311	501	689	878	1,001	825	678	490	282	133	42	6	-	1	76
40	68	101	165	284	504	693	945	1,114	1,078	921	700	502	249	93	12	4	-	77
11	16	21	33	50	57	50	69	61	56	43	29	15	4	1	1	-	-	78
30	31	34	50	52	50	65	82	57	66	38	20	19	13	2	1	1	-	79
2	3	2	1	2	4	6	10	5	6	8	2	1	1	2	-	-	-	80
2	-	2	4	6	5	4	8	-	5	6	2	-	1	-	-	-	-	81
43	57	77	119	200	333	471	570	657	476	359	249	181	101	32	7	4	-	82
9	22	27	39	79	125	183	212	254	166	135	67	56	37	10	2	-	-	83
34	35	50	80	121	208	288	358	403	310	224	182	125	64	22	5	4	-	84
7	18	21	35	72	106	170	197	238	156	131	64	54	36	10	2	-	-	85
22	27	44	67	108	189	264	330	386	290	217	175	122	61	22	5	3	-	86
2	2	5	4	7	18	13	13	14	9	4	3	2	1	-	-	-	-	87
11	8	6	12	11	18	21	25	17	17	5	7	3	2	-	-	-	-	88
2	-	1	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	89
1	-	-	1	2	1	3	3	-	3	2	-	-	1	-	-	-	-	90

SECTION I - GENERAL MORTALITY

1-75

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
24	33	36	79	149	233	300	448	535	552	538	449	284	125	53	7	1	1	01	
20	25	26	55	114	185	235	332	373	351	318	251	128	51	22	3	1	1	02	
4	8	10	24	35	48	65	116	162	201	198	156	74	31	4	4	-	-	03	
18	20	24	44	96	164	216	307	345	318	299	227	117	48	20	2	-	1	04	
2	6	4	16	26	37	56	96	151	184	202	192	146	67	29	4	-	-	05	
2	5	2	11	17	19	18	24	26	31	18	22	10	3	1	1	-	-	06	
2	2	6	8	9	9	9	18	11	16	16	5	10	7	2	2	-	-	07	
-	-	-	-	1	2	1	2	2	2	1	2	1	-	1	-	1	-	08	
-	-	-	-	-	2	-	2	-	1	2	1	-	-	-	-	-	-	09	
4	10	14	22	41	48	56	101	105	110	64	62	30	25	9	-	-	-	10	
1	4	6	12	7	27	20	42	48	42	14	28	8	8	1	-	-	-	11	
3	6	8	10	34	21	36	59	68	50	50	34	22	17	8	-	-	-	12	
1	4	4	12	6	25	19	39	45	39	12	28	7	8	1	-	-	-	13	
3	4	7	9	32	19	34	52	55	67	48	34	21	17	8	-	-	-	14	
-	-	2	-	1	2	1	3	2	3	1	-	1	-	-	-	-	-	15	
-	2	-	1	1	2	2	6	2	1	-	-	1	-	-	-	-	-	16	
-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	17	
-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	18	
63	95	130	197	315	507	680	873	941	898	733	483	324	150	46	6	1	-	19	
42	45	61	92	163	225	307	371	392	328	262	175	106	42	12	2	-	-	20	
31	50	69	105	152	282	373	502	549	570	471	308	218	108	34	4	1	-	21	
23	35	48	73	137	206	284	335	373	312	236	171	104	41	11	-2	-	-	22	
13	31	46	73	118	259	339	467	522	537	454	299	213	104	34	3	1	-	23	
7	9	12	18	25	18	18	29	19	13	20	4	2	-	-	-	-	-	24	
17	19	22	29	31	21	33	33	27	32	15	8	5	4	1	1	-	-	25	
2	1	1	1	1	1	5	7	-	3	6	-	-	1	1	-	-	-	26	
1	-	1	3	3	2	1	2	-	1	2	1	-	-	-	-	-	-	27	
44	94	170	324	536	798	988	1,379	1,792	2,452	3,057	3,901	4,221	3,054	1,423	387	56	6	28	
23	50	84	156	293	436	577	769	985	1,276	1,558	1,713	1,763	1,165	500	113	18	2	29	
21	44	86	168	243	362	411	610	807	1,176	1,499	2,188	2,458	1,889	923	274	38	4	30	
14	16	26	50	112	223	316	489	687	957	1,251	1,494	1,615	1,061	471	95	15	2	31	
10	15	22	54	85	163	217	353	515	782	1,203	1,942	2,258	1,743	860	249	30	2	32	
9	34	57	104	179	213	259	276	292	304	291	219	137	98	27	18	3	-	33	
11	29	42	111	157	199	193	255	290	390	290	242	157	140	61	23	7	2	34	
-	-	1	2	2	-	2	4	6	15	16	10	11	6	2	-	-	-	35	
-	-	2	3	1	-	1	4	2	4	6	4	3	6	2	2	1	-	36	
20	39	88	135	187	221	190	159	126	107	81	60	45	23	4	1	-	-	37	
7	19	43	62	100	130	117	97	70	57	43	21	13	2	2	-	-	-	38	
13	20	45	73	87	91	73	62	56	50	38	39	32	21	2	1	-	-	39	
3	4	13	21	26	54	65	58	53	43	31	16	10	1	2	-	-	-	40	
7	5	9	20	27	45	38	33	32	33	30	34	29	19	1	1	-	-	41	
4	15	29	41	74	76	52	39	37	14	11	5	2	1	-	-	-	-	42	
4	15	35	51	60	46	35	29	24	17	8	5	3	1	-	-	-	-	43	
-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	44
-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	45
4	3	7	13	24	41	42	75	83	130	147	171	194	142	76	16	1	-	46	
2	1	3	4	13	18	22	40	47	70	66	62	56	36	11	3	1	-	47	
2	2	4	9	11	23	20	35	36	60	81	69	138	106	65	13	-	-	48	
2	1	1	3	10	12	16	27	34	51	48	33	48	31	10	2	-	-	49	
1	1	3	4	3	11	18	19	24	40	65	88	120	96	63	9	-	-	50	
-	-	2	1	6	6	6	12	12	18	15	9	7	4	1	1	-	-	51	
-	-	-	-	8	12	2	16	12	20	16	21	18	10	2	3	-	-	52	
-	-	-	-	-	-	-	-	1	1	3	-	1	1	-	-	-	-	53	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	54	
12	32	35	95	194	304	377	633	792	1,030	1,187	1,445	1,375	957	378	105	10	5	55	
8	22	20	56	103	161	227	343	431	500	539	505	419	277	88	22	1	-	56	
4	10	15	39	91	143	150	290	361	530	648	940	556	680	290	83	9	3	57	
4	10	6	17	48	96	127	237	302	371	419	429	369	236	83	17	-	-	58	
2	2	4	16	28	68	81	167	229	348	505	814	864	618	259	74	5	1	59	
2	2	14	38	54	65	99	103	125	123	113	74	48	38	3	5	1	-	60	
2	8	11	23	62	75	68	122	132	179	142	124	92	60	30	9	4	2	61	
-	-	-	1	-	-	1	3	4	6	7	2	2	3	2	-	-	-	62	
-	-	-	-	1	-	1	1	-	3	1	2	-	2	1	-	-	-	63	
5	13	27	40	67	110	187	240	369	533	808	1,046	1,065	755	390	83	14	1	64	
4	5	12	13	42	56	100	128	202	309	473	557	583	389	189	29	7	-	65	
1	8	15	27	54	87	112	167	224	224	335	489	482	375	201	54	7	1	66	
-	1	4	5	14	25	48	68	133	236	398	497	546	352	177	22	6	-	67	
3	7	4	8	13	15	41	67	110	150	288	452	452	346	192	50	6	1	68	
3	4	8	8	27	31	51	59	68	67	73	55	34	27	12	7	1	-	69	
1	1	10	18	12	39	46	44	57	73	45	37	29	28	9	3	1	-	70	
-	-	-	-	1	-	1	1	1	6	2	5	3	1	-	-	-	-	71	
-	-	1	1	-	-	-	1	-	1	2	-	1	1	-	1	-	-	72	
3	7	13	41	64	122	192	272	422	652	834	1,179	1,542	1,177	575	182	31	-	73	
3	3	6	21	35	71	111	161	235	340	437	568	692	470	210	59	9	-	74	
1	4	7	20	29	51	81	111	187	312	397	611	850	707	365	123	22	-	75	
2	2	4	14	24	36	60	99	165	256	355	489	642	441	199	54	-	-	76	
-	1	2	6	14	24	39	67	120	211	315	554	793	664	345	115	19	-	77	
-	3	4	16	21	35	51	62	70	82	79	76	46	28	11	5	-	-	78	
1	3	5	14	15	27	42	44	65	101	79	95	55	41	19	8	2	-	79	
-	-	-	1	-	-	-	-	-	2	3	3	4	1	-	-	-	-	80	
-	-	-	-	-	-	-	-	2	3	3	2	2	2	-	1	-	-	81	
153	381	1,141	3,586	9,265	18,462	30,230	45,958	63,029	81,049	98,296	109,001	100,702	68,743	30,370	8,010	1,155	179	82	
100	274	886	2,838	7,406	14,883	23,801	34,906	45,288	52,811	57,856	57,289	46,749	27,886	10,758	2,517	342	110	83	
53	107	255	748	1,859	3,579	6,429	11,082	17,741	28,238	40,440	51,712	53,954	40,857	19,412	5,493	313	69	84	
71	190	650	2,333	6,300	13,043	21,182	31,471	41,170	47,854	53,362	53,677	44,258	26,440	10,214	2,273	262	84	85	
34	56	148	456	1,228	2,565	4,890	8,808	14,648	24,034	36,372	48,346	51,246	39,068	18,715	5,115	672	56	86	
29	82	223	483	1,048	1,754	2,509	3,288	3,894	4,655	4,212	3,386	2,270	1,295	473	229	76	24	87	
18	49	107	279	618	994	1,510	2,197	3,033	4,105	3,743	3,252	2,590	1,699	851	355	137	13	88	
-	2	13	22	58	86	110													

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
21	54	146	402	1,020	2,054	3,405	5,516	7,749	9,863	11,988	12,614	11,860	6,472	2,329	503	57	11	01	
14	27	89	248	624	1,273	2,158	3,436	4,552	5,115	5,603	5,017	3,802	1,958	618	118	12	6	02	
7	27	57	154	396	781	1,247	2,080	3,197	4,748	6,385	7,597	7,058	4,474	1,711	385	45	5	03	
6	16	40	140	386	866	1,625	2,675	3,731	4,181	4,776	4,380	3,398	1,777	565	88	6	4	04	
4	10	17	48	177	415	729	1,355	2,289	3,613	5,406	6,786	6,525	4,142	1,580	329	35	4	05	
0	11	48	105	229	395	520	735	786	897	788	606	365	209	46	28	6	2	06	
2	17	40	103	216	361	509	717	896	1,110	946	783	510	317	127	54	10	1	07	
-	-	1	3	9	12	13	26	35	37	39	31	39	12	7	2	-	-	08	
1	-	-	3	3	5	9	8	12	25	33	28	23	15	4	2	-	-	09	
132	327	995	3,184	8,245	16,408	26,825	40,442	55,280	71,186	86,308	96,387	89,842	62,271	28,041	7,507	1,098	168	10	
86	247	797	2,590	6,782	13,610	21,443	31,470	40,736	47,696	52,253	52,272	42,946	25,888	10,140	2,399	330	104	11	
40	80	198	594	1,463	2,798	5,182	8,972	14,544	23,490	34,055	44,115	46,856	36,383	17,901	5,108	768	64	12	
65	174	610	2,193	5,914	12,177	19,557	28,796	37,439	43,673	48,586	49,297	40,860	24,663	9,649	2,185	256	80	13	
30	46	131	408	1,051	2,150	4,161	7,453	12,359	20,421	31,166	41,560	44,721	34,926	17,135	4,786	637	52	14	
21	71	175	378	819	1,859	3,108	5,553	9,108	13,758	20,421	31,166	41,560	44,721	34,926	17,135	4,786	22	15	
16	32	67	176	402	633	1,001	1,480	2,137	2,995	2,797	2,469	2,080	1,382	724	301	127	12	16	
-	2	12	19	49	74	97	121	189	265	243	195	181	139	64	13	4	2	17	
-	2	-	10	10	15	20	29	39	48	74	92	86	95	42	21	4	-	18	
104	251	804	2,585	6,799	13,519	21,615	31,828	41,753	50,741	56,320	55,585	43,318	24,884	8,965	2,061	274	105	19	
66	187	642	2,097	5,590	11,160	17,512	24,879	30,934	34,300	34,757	30,997	21,735	11,169	3,590	719	93	70	20	
38	64	162	488	1,209	2,359	4,103	6,949	10,819	16,441	21,563	24,588	21,583	13,715	5,375	1,342	181	35	21	
52	134	426	1,806	4,938	10,147	16,057	23,108	28,898	31,980	32,802	29,543	21,767	10,644	3,413	656	60	53	22	
23	38	104	325	890	1,852	3,337	5,883	9,428	14,616	20,056	23,367	20,645	13,132	5,127	1,230	139	27	23	
14	51	140	280	615	959	1,384	1,682	2,166	2,166	1,805	1,357	866	472	153	58	15	24	24	
15	24	58	155	312	498	751	1,041	1,363	1,773	1,448	1,171	894	550	234	106	41	8	25	
-	2	6	11	37	54	71	89	118	154	150	97	102	53	24	5	1	2	26	
-	2	-	8	7	9	15	25	28	52	59	50	44	33	14	6	1	-	27	
4	9	22	71	131	229	285	457	525	588	634	610	547	352	155	48	5	1	28	
1	16	48	102	175	278	376	473	537	588	397	353	260	161	47	12	2	-	29	
3	3	6	23	29	54	67	100	149	215	237	257	287	191	108	36	3	1	30	
1	4	13	42	71	124	186	294	317	304	342	308	239	154	46	8	2	-	31	
2	1	4	13	15	30	38	66	108	169	194	230	270	180	95	35	3	1	32	
-	2	2	5	31	50	32	61	58	68	50	45	21	6	1	4	-	-	33	
1	2	2	10	14	24	29	34	40	46	42	27	17	11	12	1	-	-	34	
-	-	1	1	-	1	-	-	2	1	5	-	-	-	-	-	-	-	35	
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	36	
33	121	315	928	2,331	4,706	8,320	13,659	20,727	29,695	41,307	52,779	56,811	43,487	21,240	5,900	875	73	37	
45	81	228	691	1,711	3,540	6,065	9,656	13,963	18,119	22,682	25,923	24,741	16,549	7,118	1,786	247	40	38	
12	40	87	237	620	1,166	2,255	4,003	6,764	11,576	18,625	26,856	32,070	26,938	14,122	4,114	628	33	39	
18	52	141	484	1,289	2,764	4,933	8,956	11,940	15,555	20,199	23,812	23,240	15,635	6,752	1,609	200	31	40	
9	17	40	118	322	683	1,512	2,859	5,105	9,243	16,309	24,738	30,318	25,744	13,487	3,849	529	28	41	
15	29	61	198	401	745	1,093	1,544	2,417	2,356	1,982	1,388	1,383	817	319	167	44	9	42	
2	23	47	114	292	472	729	1,122	1,628	2,286	2,251	2,054	1,678	1,137	604	248	96	5	43	
1	-	6	9	21	31	39	56	105	147	127	129	118	97	47	10	3	-	44	
-	-	5	6	11	14	22	31	47	65	64	64	74	57	31	17	3	-	45	
-	-	-	2	4	8	10	14	24	25	35	27	26	20	10	1	-	-	46	
-	-	-	2	3	8	6	14	15	15	20	16	12	7	3	-	-	-	47	
-	-	-	-	4	4	4	9	9	6	15	11	14	13	7	1	1	-	48	
-	-	-	1	2	8	6	13	15	15	19	14	12	7	3	-	-	-	49	
-	-	-	-	1	3	3	7	7	6	13	11	13	12	6	1	1	-	50	
-	-	-	-	-	-	-	1	1	2	4	2	2	1	1	-	-	-	51	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54	
177	315	495	647	1,066	1,603	2,126	2,786	3,409	3,923	4,620	4,821	4,814	3,528	1,722	498	85	10	55	
147	185	238	407	686	1,048	1,395	1,887	2,178	2,374	2,651	2,543	2,251	1,410	656	195	23	3	56	
130	130	167	240	380	555	731	899	1,231	1,549	1,969	2,278	2,563	2,118	1,066	303	62	7	57	
101	121	143	264	492	764	1,080	1,505	1,773	1,901	2,207	2,232	2,026	1,288	586	165	18	1	58	
96	82	100	131	230	373	499	657	919	1,158	1,667	2,035	2,364	1,981	1,000	266	50	5	59	
45	59	93	130	185	271	305	374	398	460	429	294	206	110	64	27	5	2	60	
31	48	67	105	144	179	223	240	311	383	299	235	196	128	61	36	12	2	61	
1	5	2	13	9	13	10	8	7	13	15	17	19	12	6	3	-	-	62	
3	-	-	4	6	3	9	2	1	8	3	8	3	9	5	1	-	-	63	
26	18	22	29	40	37	53	42	41	31	33	30	38	27	10	3	1	-	64	
15	11	11	13	24	17	31	25	24	19	21	15	13	12	5	2	1	-	65	
11	7	11	16	16	20	22	17	17	12	12	15	25	15	5	1	-	-	66	
13	9	9	8	18	14	27	22	21	15	20	14	13	11	5	2	1	-	67	
9	5	5	11	8	19	20	13	13	9	11	14	23	15	5	1	-	-	68	
2	2	2	5	6	3	4	3	3	4	1	-	-	1	-	-	-	-	69	
2	2	2	5	8	1	2	4	4	3	1	1	2	-	-	-	-	-	70	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
13	22	21	34	36	44	38	65	61	81	62	45	25	7	1	-	-	-	73	
5	17	13	26	28	33	28	42	39	51	39	27	11	6	-	-	-	-	74	
8	5	8	8	11	10	10	23	22	30	23	18	14	1	1	-	-	-	75	
3	13	8	18	19	21	24	36	32	45	35	22	11	6	-	-	-	-	76	
5	2	7	3	6	6	6	20	21	27	23	18	13	1	1	-	-	-	77	
2	4	5	8	9	11	4	6	7	6	4	5	-	-	-	-	-	-	78	
3	3	1	4	4	4	4	3	1	3	-	-	1	-	-	-	-	-	79	
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	80	
-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	81	
2	8	14	13	31	30	57	90	106	135	176	188	163	147	68	21	1	1	82	
2	5	9	9	16	14	34	60	56	76										

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1985 (ICDA), Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
OTHER FORMS OF HEART DISEASE--CON. CHRONIC DISEASE OF ENDOCARDIUM--CON.											
01	OF MITRAL VALVE, NONRHEUMATIC.....424.0	70	-	-	-	-	-	-	-	1	-
02	MALE.....	28	-	-	-	-	-	-	-	-	-
03	FEMALE.....	42	-	-	-	-	-	-	-	1	-
04	WHITE.....MALE.....	27	-	-	-	-	-	-	-	-	-
05	FEMALE.....	36	-	-	-	-	-	-	-	-	-
06	NEGR.....MALE.....	1	-	-	-	-	-	-	-	-	-
07	FEMALE.....	6	-	-	-	-	-	-	-	1	-
08	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
09	FEMALE.....	-	-	-	-	-	-	-	-	-	-
10	OF AORTIC VALVE, NONRHEUMATIC.....424.1	237	-	-	-	-	-	-	-	-	-
11	MALE.....	131	-	-	-	-	-	-	-	-	-
12	FEMALE.....	106	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE.....	120	-	-	-	-	-	-	-	-	-
14	FEMALE.....	97	-	-	-	-	-	-	-	-	-
15	NEGR.....MALE.....	10	-	-	-	-	-	-	-	-	-
16	FEMALE.....	9	-	-	-	-	-	-	-	-	-
17	OTHER RACES..MALE.....	1	-	-	-	-	-	-	-	-	-
18	FEMALE.....	-	-	-	-	-	-	-	-	-	-
19	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	955	3	1	-	-	-	4	2	-	4
20	MALE.....	431	2	1	-	-	-	3	-	-	4
21	FEMALE.....	524	1	-	-	-	-	1	2	-	-
22	WHITE.....MALE.....	371	2	1	-	-	-	3	-	-	2
23	FEMALE.....	499	-	-	-	-	-	-	2	-	-
24	NEGR.....MALE.....	57	-	-	-	-	-	-	-	-	1
25	FEMALE.....	63	1	-	-	-	-	1	-	-	-
26	OTHER RACES..MALE.....	3	-	-	-	-	-	-	-	-	1
27	FEMALE.....	2	-	-	-	-	-	-	-	-	-
28	SYMPTOMATIC HEART DISEASE.....427	18,686	209	44	24	17	13	307	54	53	113
29	MALE.....	9,665	107	23	13	9	7	159	21	28	67
30	FEMALE.....	9,021	102	21	11	8	6	148	33	25	46
31	WHITE.....MALE.....	8,041	75	17	7	8	7	114	15	24	52
32	FEMALE.....	7,554	71	16	8	8	6	109	24	18	34
33	NEGR.....MALE.....	1,541	28	5	6	1	-	40	5	4	15
34	FEMALE.....	1,426	30	5	3	-	-	38	6	7	12
35	OTHER RACES..MALE.....	83	4	1	-	-	-	5	1	-	-
36	FEMALE.....	41	1	-	-	-	-	1	3	-	-
37	OTHER MYOCARDIAL INSUFFICIENCY.....428	6,213	32	10	4	2	2	50	11	15	25
38	MALE.....	3,097	17	7	2	1	1	28	7	11	13
39	FEMALE.....	3,116	15	3	2	1	1	22	4	4	12
40	WHITE.....MALE.....	2,644	12	3	2	1	1	19	3	8	12
41	FEMALE.....	2,736	9	2	1	1	1	14	3	2	10
42	NEGR.....MALE.....	439	3	4	-	-	-	7	3	3	1
43	FEMALE.....	373	4	1	1	-	-	6	1	1	2
44	OTHER RACES..MALE.....	14	2	-	-	-	-	2	1	-	-
45	FEMALE.....	7	2	-	-	-	-	2	1	1	-
46	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	10,376	73	13	6	9	9	110	33	48	88
47	MALE.....	6,789	32	4	3	6	5	50	13	29	55
48	FEMALE.....	3,587	41	9	3	3	4	60	20	19	33
49	WHITE.....MALE.....	5,320	25	2	2	6	4	39	12	25	43
50	FEMALE.....	2,711	34	7	1	3	2	47	18	17	22
51	NEGR.....MALE.....	1,408	7	2	1	-	-	11	1	4	11
52	FEMALE.....	854	7	2	2	-	-	12	2	1	10
53	OTHER RACES..MALE.....	61	-	-	-	-	-	-	-	-	1
54	FEMALE.....	22	-	-	-	-	1	1	-	1	-
55	CEREBROVASCULAR DISEASES.....430-438	207,179	168	47	29	24	27	295	120	152	245
56	MALE.....	94,227	91	35	15	16	12	169	57	82	137
57	FEMALE.....	112,952	77	12	14	8	15	126	63	70	108
58	WHITE.....MALE.....	81,635	68	28	13	12	9	130	47	65	105
59	FEMALE.....	99,189	56	7	13	7	11	92	56	62	84
60	NEGR.....MALE.....	11,962	23	7	2	4	1	37	8	17	29
61	FEMALE.....	13,324	21	5	1	1	3	31	5	8	24
62	OTHER RACES..MALE.....	630	-	-	-	-	-	2	2	2	3
63	FEMALE.....	439	2	-	-	-	-	1	3	2	-
64	WITH HYPERTENSION (BENIGN) (.0).....	26,633	5	1	-	-	-	6	3	3	3
65	MALE.....	11,318	4	1	-	-	-	5	1	2	2
66	FEMALE.....	15,315	1	-	-	-	-	1	2	1	1
67	WHITE.....MALE.....	8,764	2	1	-	-	-	3	-	2	2
68	FEMALE.....	12,067	1	-	-	-	-	1	1	1	-
69	NEGR.....MALE.....	2,449	2	-	-	-	-	2	1	-	-
70	FEMALE.....	3,159	-	-	-	-	-	-	-	-	1
71	OTHER RACES..MALE.....	105	-	-	-	-	-	-	-	-	-
72	FEMALE.....	89	-	-	-	-	-	-	1	-	-
73	WITHOUT MENTION OF HYPERTENSION (.9).....	180,546	163	46	29	24	27	289	117	149	242
74	MALE.....	82,909	87	34	15	16	12	164	56	80	135
75	FEMALE.....	97,637	76	12	14	8	15	125	61	69	107
76	WHITE.....MALE.....	72,871	66	27	13	12	9	127	47	63	103
77	FEMALE.....	87,122	53	7	13	7	11	91	55	61	84
78	NEGR.....MALE.....	9,513	21	7	2	4	1	35	7	17	29
79	FEMALE.....	10,165	21	5	1	1	3	31	5	8	23
80	OTHER RACES..MALE.....	525	-	-	-	-	-	2	2	-	3
81	FEMALE.....	350	2	-	-	-	-	1	3	1	-
82	SUBARACHNOID HEMORRHAGE.....430	9,193	31	5	1	2	5	44	23	56	101
83	MALE.....	3,915	16	5	1	2	2	26	10	28	51
84	FEMALE.....	5,278	15	-	-	-	3	18	13	28	50
85	WHITE.....MALE.....	3,228	12	3	-	2	2	19	9	21	40
86	FEMALE.....	4,333	11	-	-	-	1	12	9	27	38
87	NEGR.....MALE.....	625	4	2	1	-	-	7	1	7	11
88	FEMALE.....	895	4	-	-	-	2	6	3	1	12
89	OTHER RACES..MALE.....	62	-	-	-	-	-	-	-	-	-
90	FEMALE.....	50	-	-	-	-	-	-	1	-	-

SECTION 1 - GENERAL MORTALITY

1-179

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	1	-	3	1	5	1	3	7	9	11	13	10	3	2	-	-	01
-	-	1	-	2	1	4	-	2	2	5	6	5	2	1	1	-	-	02
-	-	1	-	2	1	4	1	1	5	4	5	8	8	2	2	-	-	03
-	-	-	-	1	1	1	-	2	2	4	6	5	2	2	1	-	-	04
-	-	-	-	2	-	3	-	1	4	3	4	8	8	1	1	-	-	05
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
-	1	1	1	2	1	7	20	20	30	44	44	34	19	9	4	-	-	10
-	-	1	1	1	1	6	17	9	20	24	25	11	9	5	2	-	-	11
-	-	1	1	1	-	1	3	11	10	20	19	23	10	4	2	-	-	12
-	-	1	-	1	-	6	15	7	15	24	25	11	8	2	2	-	-	13
-	-	-	-	-	-	14	14	11	10	18	17	22	10	4	2	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	7	12	12	26	28	45	69	83	98	123	133	116	118	56	15	1	1	19
2	5	5	8	12	12	27	43	45	54	47	57	43	39	16	7	-	-	20
2	2	4	4	11	9	18	26	38	44	76	76	73	79	40	8	1	1	21
-	-	-	-	2	2	20	32	41	47	42	55	40	36	14	7	-	-	22
-	-	-	-	3	3	14	14	21	33	35	65	70	68	39	8	1	1	23
-	-	-	-	3	3	7	11	4	7	5	2	3	2	2	-	-	-	24
-	-	-	-	4	2	3	4	5	9	11	6	-	11	1	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	27
92	98	142	213	367	587	815	1,102	1,620	1,953	2,512	2,704	2,766	1,938	952	253	41	4	28
43	58	77	123	206	311	466	684	966	1,095	1,395	1,395	1,295	800	373	91	12	-	29
49	40	65	90	161	276	349	418	654	858	1,117	1,309	1,471	1,138	579	162	29	4	30
28	35	52	82	142	219	357	537	772	868	1,171	1,235	1,180	738	337	74	9	-	31
37	28	39	50	97	185	231	300	485	649	953	1,173	1,365	1,068	538	144	24	3	32
14	19	24	34	61	89	105	145	190	221	212	151	103	57	35	14	3	-	33
11	12	26	38	60	90	114	117	168	204	162	131	106	62	38	18	5	1	34
1	4	1	7	3	3	4	2	4	6	12	9	12	5	1	3	-	-	35
1	-	-	2	4	1	4	1	1	5	2	5	-	8	3	-	-	-	36
37	40	43	89	156	191	261	371	438	513	656	824	993	853	465	151	30	1	37
22	22	26	63	89	121	178	235	295	300	336	393	429	301	160	59	8	-	38
15	18	17	26	67	70	83	136	143	213	320	431	564	552	305	92	22	-	39
15	16	15	43	68	100	145	194	247	256	287	348	383	276	148	83	7	1	40
13	10	11	16	47	47	67	108	113	170	275	389	523	522	296	83	17	-	41
7	6	11	19	21	20	33	40	46	44	49	44	42	23	11	6	1	-	42
1	8	6	10	20	23	16	28	30	43	45	41	40	29	9	9	5	-	43
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
107	129	163	269	436	714	902	1,116	1,443	1,210	1,181	1,030	829	556	226	70	12	4	46
00	72	106	173	323	552	658	841	798	833	784	625	444	241	95	33	2	2	47
47	57	57	96	113	162	244	275	345	377	397	405	385	315	131	37	10	-	48
40	44	56	109	232	400	500	669	651	653	624	527	383	211	75	26	-	-	49
32	35	34	49	62	102	157	193	242	254	319	350	337	289	116	27	8	1	50
20	28	49	59	85	144	152	167	144	174	157	92	58	26	16	7	1	2	51
14	22	23	46	50	59	83	82	103	120	77	53	46	26	13	9	2	1	52
-	-	1	5	6	8	6	5	3	6	3	6	4	4	4	-	-	-	53
1	-	-	1	1	1	4	-	-	3	1	2	2	-	2	1	-	-	54
305	465	743	1,314	2,377	3,872	5,759	8,533	12,772	19,769	28,822	37,452	35,284	28,709	12,532	3,193	410	56	55
125	247	320	616	1,167	1,934	3,106	4,787	7,216	10,678	14,452	17,178	16,344	10,582	3,968	923	115	24	56
180	218	423	698	1,210	1,538	2,653	3,746	5,556	9,091	14,370	20,274	22,940	18,127	8,564	2,270	295	32	57
96	169	202	404	735	1,352	2,223	3,600	5,840	8,658	12,593	15,590	15,266	9,897	3,740	825	80	14	58
151	139	271	447	790	1,320	1,860	2,689	4,125	7,013	12,350	18,484	21,522	17,265	8,128	2,098	226	19	59
27	71	109	200	414	564	854	1,153	1,322	1,942	1,769	1,503	992	621	200	92	30	8	60
28	76	145	243	414	601	771	1,028	1,393	2,038	1,948	1,725	1,365	822	409	169	68	13	61
2	7	9	12	14	18	29	34	54	78	90	85	86	64	28	6	5	2	62
1	3	7	8	6	17	22	29	38	40	72	65	53	40	27	5	1	-	63
16	44	111	262	622	1,031	1,622	2,201	2,784	3,494	4,077	4,254	3,373	1,932	646	124	17	8	64
7	25	47	124	305	487	834	1,127	1,484	1,715	1,769	1,608	1,055	552	141	24	3	1	65
9	19	64	138	317	544	788	1,074	1,300	1,779	2,308	2,646	2,318	1,380	505	100	14	7	66
5	12	17	60	143	299	548	789	1,158	1,280	1,477	1,410	531	489	123	15	1	-	67
7	6	24	50	140	305	468	694	892	1,296	1,889	2,352	2,118	1,268	460	87	9	3	68
2	13	27	61	159	183	278	331	312	417	275	185	116	60	16	9	1	1	69
2	12	39	87	175	236	311	371	395	476	404	284	192	109	40	12	9	4	70
-	-	-	3	3	5	8	7	14	18	17	13	8	3	2	1	-	-	71
-	1	1	1	2	3	9	9	13	7	15	10	8	3	5	1	-	-	72
289	421	632	1,052	1,755	2,841	4,137	6,332	9,988	16,275	24,745	33,198	35,511	26,777	11,886	3,069	393	48	73
118	222	273	492	862	1,447	2,272	3,660	5,732	8,963	12,683	15,570	15,289	10,050	3,827	899	112	23	74
171	199	359	560	893	1,394	1,865	2,672	4,256	7,312	12,062	17,628	20,622	16,747	8,059	2,170	281	25	75
91	157	185	344	596	1,053	1,675	2,811	4,682	7,378	11,116	14,180	14,335	9,408	3,617	810	79	14	76
144	133	247	397	650	1,015	1,392	1,995	3,233	5,717	10,461	16,132	19,404	15,997	7,668	2,009	221	16	77
25	58	82	139	255	381	576	822	1,010	1,525	1,494	1,318	876	561	184	83	29	7	78
26	64	106	156	239	365	460	657	998	1,562	1,544	1,441	1,173	713	369	157	59	9	79
2	7	6	9	11	13	21	27	40	60	73	72	78	61	26	6	4	2	80
1	2	6	7	4	14	13	20	25	33	57	55	45	37	22	4	1	-	81
138	250	371	593	905	1,170	1,131	1,167	932	813	595	451	265	129	40	11	1	3	82
50	125	152	252	393	497	476	508	418	351	235	183	101	39	15	1	1	2	83
08	125	219	341	512	673	655	695	514	462	363	268	164	90	25	10	-	-	84
43	98	107	200	305	395	387	440	360	306	196	163	92	32	13	1	-	-	85
74	77	144	249	393	545	598	550	425	398	333	250	150	85	25	10	-	-	86
6	21	40	45	80														

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
103	127	220	425	826	1,420	2,102	2,862	3,828	5,015	6,337	6,971	6,565	4,211	1,584	378	50	13	01
50	74	111	217	432	731	1,139	1,605	2,156	2,636	3,125	3,164	2,686	1,514	507	110	15	5	02
53	53	109	208	394	689	963	1,257	1,672	2,379	3,212	3,807	3,879	2,697	1,077	268	35	8	03
36	45	57	120	228	491	813	1,204	1,800	2,161	2,727	2,900	2,489	1,409	468	94	12	2	04
44	38	72	116	219	436	668	934	1,282	1,927	2,819	3,479	3,643	2,566	1,020	241	24	4	05
15	29	51	93	201	332	513	739	975	1,335	1,811	2,300	2,500	1,611	566	153	33	3	06
9	15	36	91	173	247	381	514	675	842	1,111	1,442	1,617	1,025	354	27	11	4	07
1	1	3	4	3	8	13	14	15	16	17	18	19	20	21	22	23	24	08
-	-	1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	09
15	20	32	55	154	320	723	1,482	2,799	5,257	8,598	11,790	12,481	9,549	4,785	1,084	159	11	10
6	11	15	30	82	180	448	890	1,676	2,920	4,391	5,367	5,201	3,504	1,290	323	41	5	11
9	9	17	25	72	140	275	592	1,123	2,337	4,243	6,423	7,280	6,045	2,895	761	118	6	12
4	5	10	17	52	129	326	669	1,363	2,393	3,843	4,891	4,899	3,303	1,230	294	29	3	13
7	6	13	13	50	96	184	421	821	1,811	3,694	5,899	6,876	5,773	2,779	712	98	5	14
2	5	5	13	29	51	119	216	307	505	484	451	283	179	50	28	10	1	15
2	3	4	11	21	42	90	169	296	515	534	501	387	260	111	49	20	1	16
-	-	-	-	1	1	3	5	6	22	24	25	19	22	10	1	2	1	17
-	-	-	-	1	2	1	2	1	11	19	23	17	12	5	-	-	-	18
1	2	6	3	8	15	37	51	75	109	157	189	180	108	52	9	3	-	19
-	-	2	2	2	5	17	28	50	57	73	63	60	35	19	3	1	-	20
1	2	4	1	6	10	20	23	25	52	84	126	120	73	33	6	2	-	21
-	-	2	1	2	5	12	25	44	57	67	55	55	32	18	2	1	-	22
1	2	3	1	5	9	16	21	21	46	74	120	116	72	30	6	2	-	23
-	-	-	1	1	5	4	5	5	5	6	8	5	2	1	1	-	-	24
-	-	-	-	1	1	1	1	1	2	4	4	4	1	3	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
5	7	16	28	34	93	172	292	379	495	536	496	414	181	62	10	-	2	28
2	4	8	16	23	63	118	211	254	295	314	269	184	70	16	1	-	1	29
3	3	8	12	11	30	54	81	125	200	222	227	230	111	46	9	-	1	30
1	3	5	13	18	52	100	186	219	269	292	257	172	67	16	1	-	1	31
3	3	7	11	10	24	46	71	114	182	210	219	217	106	45	8	-	1	32
1	1	3	3	5	10	17	23	33	24	22	11	9	3	1	-	-	-	33
-	-	1	1	1	6	8	10	11	18	11	8	13	5	1	1	-	-	34
-	-	-	-	-	1	1	2	2	2	1	1	3	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
14	24	58	145	360	704	1,293	2,070	3,581	5,741	8,207	10,871	11,237	8,043	3,521	832	111	18	37
3	11	17	72	183	371	722	1,188	1,982	3,132	4,116	5,031	4,756	3,064	1,169	259	35	6	38
13	13	41	73	177	333	571	882	1,599	2,609	4,101	5,846	6,481	4,979	2,356	573	76	12	39
3	5	10	33	96	217	449	792	1,492	2,396	3,473	4,442	4,375	2,818	1,092	223	23	3	40
7	8	13	29	90	188	334	523	1,088	1,809	3,333	5,174	4,659	2,185	513	50	4	4	41
2	6	6	38	85	152	268	388	473	718	609	560	355	230	65	34	11	3	42
2	4	27	43	85	160	237	355	500	787	747	647	518	307	164	59	26	8	43
-	-	1	1	1	2	5	8	17	18	24	29	26	16	8	2	1	-	44
-	-	1	1	2	5	-	4	11	13	21	19	15	13	7	1	-	-	45
29	35	40	65	90	150	301	609	1,178	2,339	4,388	6,684	8,142	6,488	3,088	869	86	9	46
12	22	15	27	52	87	186	357	680	1,287	2,247	3,101	3,356	2,356	956	226	22	5	47
17	13	25	38	63	115	252	498	896	1,052	2,141	3,583	4,786	4,132	2,132	643	64	4	48
9	13	11	20	38	63	136	284	562	1,076	1,995	2,882	3,184	2,236	903	210	15	4	49
15	7	19	28	42	74	149	374	640	1,187	1,887	3,343	4,572	4,004	2,044	606	52	4	50
3	9	4	7	14	23	48	70	114	200	236	207	150	110	46	14	5	1	51
2	6	6	10	15	21	41	79	122	209	239	232	205	119	76	33	11	-	52
-	-	-	-	-	1	2	3	4	11	16	12	22	10	7	2	2	-	53
-	-	-	-	-	-	-	4	2	3	15	8	9	9	12	4	1	-	54
76	80	102	200	376	673	1,087	1,901	3,333	5,116	7,187	9,633	11,100	9,515	5,528	1,740	357	14	55
42	34	59	113	219	442	702	1,324	2,422	3,443	4,437	5,042	5,147	3,726	1,876	510	89	4	56
34	46	43	87	157	231	385	577	911	1,673	2,750	4,591	5,652	5,789	3,652	1,230	268	10	57
36	29	44	82	176	359	578	1,183	2,187	3,101	4,083	4,741	4,901	3,542	1,778	465	74	4	58
23	35	28	60	117	181	301	441	756	1,404	2,440	4,283	5,658	5,562	3,501	1,168	229	6	59
6	5	13	31	41	79	123	138	225	326	340	289	228	169	90	42	14	-	60
11	11	15	25	40	50	82	136	152	264	304	277	277	221	144	61	35	4	61
-	-	2	2	2	4	2	3	10	16	14	12	18	15	8	3	1	-	62
-	-	-	-	-	-	2	3	3	5	6	11	18	6	7	1	4	-	63
1	4	4	7	36	76	175	391	821	1,702	3,093	5,412	7,463	7,371	4,653	1,515	326	10	64
-	3	3	5	24	42	114	245	520	980	1,658	2,511	3,341	2,815	1,548	455	80	2	65
1	1	1	2	12	34	61	146	301	722	1,435	2,901	4,122	4,556	3,105	1,060	246	8	66
-	1	3	4	16	34	83	210	437	818	1,463	2,320	3,162	2,676	1,468	419	67	2	67
1	2	-	1	7	30	42	109	239	595	1,246	2,693	3,920	4,388	2,982	1,012	211	5	68
-	-	-	1	5	6	31	35	82	156	191	186	169	128	75	33	12	-	69
-	-	-	1	7	4	19	37	62	126	188	204	191	166	117	48	31	3	70
-	-	-	-	1	2	-	-	1	6	4	5	10	11	5	3	1	-	71
-	-	-	-	-	-	-	-	-	1	1	4	11	2	6	-	4	-	72
13	15	23	61	107	258	457	851	1,573	2,175	2,488	2,379	1,786	843	268	36	6	2	73
8	10	18	48	82	206	361	668	1,305	1,741	1,916	1,651	1,028	405	99	6	2	2	74
5	5	5	13	25	52	96	183	268	434	572	728	758	438	169	30	4	-	75
7	9	14	32	64	163	301	606	1,218	1,645	1,841	1,605	1,006	382	94	6	-	2	76
3	4	4	10	15	37	69	125	219	366	508	690	721	416	159	28	4	-	77
1	1	4	16	17	38	59	60	81	89	67	43	17	19	3	-	2	-	78
2	1	1	3	10	15	26	58	49	65	61	34	33	21	9	1	-	-	79
-	-	-	-	1	2	1	2	6	7	3	3	5	4	2	-	-	-	80
-	-	-	-	-	-	1	1	1	3	3	4	1	1	1	-	-	-	81
2	1	3	5	15	18	33	60	120	202	309	419	564	487	254	95	11	-	82
2	-	-	3	8	15	21	39	76	120	165	227	269	269	113	22	4	-	83
-	1	3	2	7	12	21	44	82	144	192	295	295	267	141	73	7	-	84
1	-	-	3	3	9	13	3											

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES--CGN.											
01	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	9,116	30	7	1	-	2	40	12	16	29
02	MALE.....	4,480	16	5	1	-	1	23	5	10	15
03	FEMALE.....	4,636	14	2	-	-	1	17	7	6	14
04	WHITE.....MALE.....	4,088	14	4	1	-	1	20	4	9	10
05	FEMALE.....	4,240	11	2	-	-	1	14	5	5	9
06	NEGRO.....MALE.....	375	2	1	-	-	-	3	1	1	4
07	FEMALE.....	378	3	-	-	-	-	3	1	1	5
08	OTHER RACES.....MALE.....	17	-	-	-	-	-	-	-	-	1
09	FEMALE.....	18	-	-	-	-	-	-	1	-	-
DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458											
11	MALE.....	16,348	44	5	2	5	4	60	14	12	61
12	FEMALE.....	8,225	22	3	1	4	1	31	10	6	26
13	WHITE.....MALE.....	8,123	22	2	1	1	3	29	4	6	35
14	FEMALE.....	6,977	15	3	-	3	1	22	9	5	21
15	NEGRO.....MALE.....	6,958	19	1	1	1	2	23	4	6	21
16	FEMALE.....	1,210	6	-	1	1	-	8	1	1	5
17	OTHER RACES.....MALE.....	1,137	3	1	1	-	1	6	-	-	14
18	FEMALE.....	38	1	-	-	-	-	1	-	-	-
19	VENOUS THROMBOSIS AND EMBOLISM.....450-459	14,547	19	-	1	4	1	25	5	8	52
20	MALE.....	7,221	12	-	-	4	-	16	4	3	19
21	FEMALE.....	7,326	7	-	1	-	1	9	1	5	33
22	WHITE.....MALE.....	6,115	7	-	-	3	-	10	4	2	15
23	FEMALE.....	6,272	4	-	-	-	-	4	1	5	19
24	NEGRO.....MALE.....	1,080	5	-	-	1	-	6	-	1	4
25	FEMALE.....	1,033	3	-	1	-	1	5	-	-	14
26	OTHER RACES.....MALE.....	26	-	-	-	-	-	-	-	-	-
27	FEMALE.....	21	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458											
28	MALE.....	1,801	25	5	1	1	3	35	9	4	9
29	FEMALE.....	1,004	10	3	1	-	1	15	6	3	7
30	WHITE.....MALE.....	797	15	2	-	1	2	20	3	1	2
31	FEMALE.....	862	8	3	-	-	1	12	5	3	6
32	NEGRO.....MALE.....	486	15	1	-	1	2	19	3	1	2
33	FEMALE.....	130	1	-	1	-	-	2	1	-	1
34	OTHER RACES.....MALE.....	104	1	1	-	-	-	1	-	-	-
35	FEMALE.....	12	1	-	-	-	-	1	-	-	-
36	FEMALE.....	7	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....											
37	MALE.....	116,457	8,561	831	422	274	200	10,288	615	482	639
38	FEMALE.....	73,957	4,884	485	234	142	121	5,866	333	247	368
39	WHITE.....MALE.....	42,500	3,677	346	188	132	79	4,422	282	235	271
40	FEMALE.....	64,511	3,187	304	150	106	95	3,842	271	188	276
41	NEGRO.....MALE.....	36,769	2,203	223	132	104	61	2,723	217	179	210
42	FEMALE.....	8,838	1,616	171	78	34	25	1,924	60	56	87
43	OTHER RACES.....MALE.....	5,395	1,389	121	50	26	16	1,602	62	52	57
44	FEMALE.....	608	81	10	6	2	1	100	2	3	5
45	FEMALE.....	336	85	2	6	2	2	97	3	4	4
ACUTE UPPER RESPIRATORY INFECTIONS.....460-465											
46	MALE.....	621	232	30	25	16	10	313	25	13	14
47	FEMALE.....	352	137	19	12	9	5	182	12	8	12
48	WHITE.....MALE.....	289	95	11	13	7	5	131	13	5	2
49	FEMALE.....	261	91	16	11	9	5	132	12	8	11
50	NEGRO.....MALE.....	238	66	11	13	6	4	100	12	5	2
51	FEMALE.....	67	46	3	-	-	-	50	-	-	1
52	OTHER RACES.....MALE.....	49	28	-	-	1	1	30	1	-	-
53	FEMALE.....	4	-	-	-	-	-	1	-	-	-
54	FEMALE.....	2	1	-	-	-	-	1	-	-	-
ACUTE BRONCHITIS AND BRONCHIOLITIS.....466											
55	MALE.....	1,286	450	63	40	21	10	584	28	15	9
56	FEMALE.....	712	244	37	26	7	7	323	18	11	5
57	WHITE.....MALE.....	574	204	26	14	3	2	261	10	4	4
58	FEMALE.....	558	162	27	19	4	7	219	14	9	3
59	NEGRO.....MALE.....	429	104	15	11	9	3	142	7	2	4
60	FEMALE.....	150	82	10	6	3	-	101	4	2	2
61	OTHER RACES.....MALE.....	137	95	11	2	5	-	113	3	2	-
62	FEMALE.....	4	2	-	1	-	-	3	-	-	-
63	FEMALE.....	8	5	-	1	-	-	6	-	-	-
INFLUENZA.....470-474											
64	MALE.....	5,971	126	20	13	5	11	175	30	21	49
65	FEMALE.....	3,011	74	15	6	1	9	105	9	10	29
66	WHITE.....MALE.....	2,960	52	5	7	4	2	70	21	11	20
67	FEMALE.....	2,633	40	10	4	1	8	63	8	6	25
68	NEGRO.....MALE.....	2,622	27	4	5	4	1	41	17	9	17
69	FEMALE.....	353	33	5	2	-	1	41	1	4	4
70	OTHER RACES.....MALE.....	324	25	1	2	-	1	29	3	2	3
71	FEMALE.....	25	1	-	-	-	-	1	-	-	-
72	FEMALE.....	14	-	-	-	-	-	1	1	-	-
PNEUMONIA.....480-486											
73	MALE.....	62,394	7,015	576	270	172	116	8,149	396	305	378
74	FEMALE.....	34,852	4,025	324	148	90	65	4,652	212	147	205
75	WHITE.....MALE.....	27,542	2,990	252	122	82	51	3,497	184	158	173
76	FEMALE.....	28,861	2,600	183	85	70	49	2,987	169	120	158
77	NEGRO.....MALE.....	23,525	1,773	158	80	70	39	2,120	143	124	136
78	FEMALE.....	5,629	1,354	133	59	18	16	1,580	43	25	46
79	OTHER RACES.....MALE.....	3,798	1,145	92	38	12	11	1,298	40	31	35
80	FEMALE.....	362	71	8	4	2	-	85	-	2	1
81	FEMALE.....	219	72	2	4	-	1	79	1	3	2
VIRAL PNEUMONIA.....480											
82	MALE.....	1,768	573	43	16	21	14	667	28	11	24
83	FEMALE.....	930	359	26	11	10	8	414	17	5	10
84	WHITE.....MALE.....	838	214	17	5	11	6	253	11	6	14
85	FEMALE.....	771	275	20	7	7	7	316	14	5	8
86	NEGRO.....MALE.....	711	156	13	3	10	5	187	8	4	12
87	FEMALE.....	144	76	5	4	3	1	89	3	-	1
88	OTHER RACES.....MALE.....	115	51	4	2	1	-	58	3	2	2
89	FEMALE.....	15	8	1	-	-	-	9	-	-	1
90	FEMALE.....	12	7	-	-	-	1	8	-	-	-

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
60	60	72	127	218	321	422	599	819	1,037	1,297	1,423	1,287	814	353	94	14	2	01
32	23	38	57	105	179	206	372	521	602	698	659	509	286	116	27	3	-	02
28	37	34	70	113	142	216	227	298	435	595	770	778	528	237	67	11	2	03
28	19	27	43	92	150	181	336	467	545	643	613	487	280	110	21	3	-	04
19	29	23	47	92	112	179	193	266	381	567	733	752	514	232	58	9	1	05
4	4	9	14	13	29	25	35	51	55	53	37	20	6	5	6	-	-	06
9	8	11	21	21	30	36	34	29	53	23	34	23	12	5	9	2	1	07
-	-	2	-	-	-	1	-	1	2	2	3	2	-	1	-	-	-	08
-	-	-	2	-	-	1	-	3	1	2	3	3	-	-	-	-	-	09
148	153	191	296	497	707	933	1,273	1,645	2,150	2,341	2,466	1,793	1,119	391	81	14	3	10
58	52	71	147	243	399	550	723	979	1,161	1,218	1,186	769	465	134	30	5	2	11
90	101	120	149	254	348	383	550	666	989	1,123	1,280	1,024	654	257	51	9	1	12
45	33	50	92	185	266	451	598	824	968	1,057	1,053	707	436	122	27	4	2	13
65	69	79	93	190	251	294	434	537	821	1,004	1,186	968	615	241	51	5	1	14
12	19	21	53	55	88	93	124	152	188	159	128	61	28	10	3	1	-	15
23	31	38	56	62	93	89	114	128	165	117	90	55	37	15	-	4	-	16
1	-	-	2	3	5	6	-	3	5	2	5	1	1	2	-	-	-	17
2	1	3	-	2	4	-	1	2	3	2	4	1	2	-	-	-	-	18
130	135	169	252	412	611	801	1,130	1,456	1,910	2,128	2,258	1,629	1,007	341	73	12	3	19
48	43	59	118	184	288	465	643	857	1,023	1,102	1,082	698	418	119	26	4	2	20
82	92	110	134	228	323	336	467	599	887	1,026	1,176	931	589	222	47	8	1	21
37	24	41	74	140	217	382	526	719	848	952	958	638	392	107	23	4	2	22
59	62	72	84	169	237	255	381	480	738	917	1,091	882	555	209	47	4	1	23
11	19	18	44	42	69	79	116	136	170	148	119	59	26	10	3	-	-	24
21	29	36	50	58	82	81	104	118	146	109	84	48	32	12	-	4	-	25
-	-	-	-	2	2	4	1	2	5	2	5	1	-	2	-	-	-	26
2	1	2	-	1	4	-	2	1	3	-	1	1	2	-	-	-	-	27
18	18	22	44	85	96	132	143	189	240	213	208	164	112	50	8	2	-	28
10	9	12	29	59	71	85	80	122	138	116	104	71	47	15	4	1	-	29
8	9	10	15	26	25	47	63	67	102	97	104	93	65	35	4	1	-	30
8	9	9	18	45	49	69	72	105	120	105	95	69	44	15	4	-	-	31
6	7	7	9	21	14	39	53	57	83	87	95	86	60	32	4	1	-	32
1	-	3	9	13	19	14	8	16	18	11	9	2	2	-	-	1	-	33
2	2	2	6	4	11	8	10	10	19	8	6	7	5	3	-	-	-	34
1	-	-	2	1	3	2	-	-	-	-	-	-	1	-	-	-	-	35
-	-	1	-	1	-	-	-	-	-	2	3	-	-	-	-	-	-	36
687	704	787	1,194	2,132	3,283	4,689	7,199	9,858	12,399	14,925	15,876	14,084	9,921	4,889	1,496	273	37	37
400	355	408	665	1,267	2,011	3,104	5,082	7,310	9,269	10,860	10,712	8,207	4,829	2,018	533	91	22	38
287	349	379	529	865	1,272	1,585	2,117	2,548	3,130	4,065	5,164	5,092	2,871	963	182	15	39	39
296	239	251	395	860	1,492	2,494	4,319	6,494	8,361	9,965	10,007	7,732	4,552	1,901	490	69	17	40
209	236	235	369	616	986	1,319	1,787	2,206	2,694	3,675	4,816	5,593	4,877	2,756	907	150	9	41
101	109	151	258	382	457	590	727	770	853	828	643	468	237	96	35	21	5	42
73	105	138	150	239	278	246	313	333	412	367	317	267	193	104	50	31	6	43
3	7	6	12	25	22	20	36	46	55	67	62	67	40	21	8	1	-	44
5	8	6	10	10	8	20	17	9	24	23	31	17	22	11	6	1	-	45
9	3	5	4	10	23	16	17	22	23	19	32	25	24	14	8	2	-	46
4	2	2	3	7	12	7	9	8	12	10	14	12	6	8	1	1	-	47
5	1	3	1	3	11	9	8	14	11	9	18	13	16	6	7	1	-	48
2	-	1	3	6	9	5	7	6	11	10	12	11	6	7	1	1	-	49
4	1	3	-	3	3	4	5	11	8	9	17	13	18	6	7	1	-	50
2	2	1	-	1	2	2	1	1	3	-	2	1	-	-	-	-	-	51
1	-	-	1	-	2	2	2	3	3	-	1	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	53
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	54
5	7	9	14	26	43	36	59	65	70	82	67	73	63	21	8	1	-	55
4	4	5	5	13	24	15	37	39	46	55	35	33	31	6	2	-	1	56
1	3	4	9	13	19	21	22	26	24	27	32	40	32	15	6	1	-	57
3	4	5	2	9	12	30	37	39	51	39	34	31	28	6	2	-	-	58
-	2	3	8	12	18	19	20	26	21	25	31	38	31	13	6	1	-	59
1	1	1	3	3	5	7	7	7	7	4	4	2	3	-	-	-	-	60
-	-	-	1	1	1	3	2	2	2	1	1	2	1	2	-	-	-	61
-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	63
36	37	45	71	104	207	296	378	468	606	763	745	773	637	379	124	26	1	64
16	13	18	28	49	97	157	224	309	380	424	394	342	228	140	29	7	1	65
20	24	27	43	55	110	139	152	159	226	339	351	431	409	239	95	19	-	66
15	11	11	25	35	80	130	193	259	327	376	365	317	220	131	29	6	1	67
17	20	21	36	40	87	116	116	137	183	302	326	408	398	226	91	14	-	68
1	2	7	3	11	15	26	30	43	52	48	26	21	8	9	-	1	-	69
2	3	6	6	14	23	21	36	22	42	36	22	21	11	13	4	5	-	70
-	-	-	-	3	2	1	3	7	1	-	3	4	-	-	-	-	-	71
1	1	-	1	1	-	2	-	-	1	1	3	2	-	-	-	-	-	72
400	422	485	712	1,200	1,623	2,043	2,798	3,523	4,555	6,259	8,138	8,736	7,087	3,770	1,175	215	25	73
240	226	263	402	729	1,037	1,339	1,843	2,328	2,924	3,552	4,726	4,445	3,203	1,480	417	70	12	74
160	196	222	310	471	586	704	955	1,195	1,631	2,307	3,412	4,291	3,884	2,290	758	145	13	75
184	149	150	220	453	721	998	1,464	1,922	2,450	3,445	4,292	4,133	3,014	1,392	380	51	9	76
118	131	136	206	323	418	574	767	971	1,346	2,029	3,150	4,073	3,711	2,207	712	122	8	77
54	74	107	177	263	301	331	364	388	449	472	397	271	164	73	29	18	3	78
39	61	85	97	144	164	123	176	219	272	264	243	205	155	74	41	23	5	79
2	3	6	5	13	15	10	15	18	25	35	37	41	25	15	8	1	-	80
3	4	1	7	4	4	7	12	5	13	14	19	9	18	9	5	-	-	81
22	25	21	26	50	47	68	74	81	90	110	104	123	109	68	16	3	1	82
8	11	10	11	19	23	36	42	42	49	61	45	55	44	25	2	1	-	83
14	14	11	15	31	24	32	32	39	41	49	59	68	65	43	14	2	1	84
7	8	7	9	11	20	31	35	35	47	56	39	54	43	24	2	-	-	85
11	12	9	11	25	15	28	27	32	38	46	57	67	63	42	14	2	1	86
-	3	3	2	8	3	4	6	7	7	5	5	-	1	1	-	-	-	87
3	-	2	4</															

SECTION 1 - GENERAL MORTALITY

1-187

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
26	16	20	34	69	101	87	127	151	123	135	111	70	41	15	2	-	-	01
19	9	13	30	46	74	66	97	115	93	96	72	43	24	12	-	-	-	02
7	7	7	4	23	27	21	30	36	30	39	35	27	17	3	2	-	-	03
14	6	10	14	25	46	49	70	87	69	83	66	38	18	11	-	-	-	04
4	4	2	1	12	22	16	24	33	24	33	36	27	14	3	2	-	-	05
2	3	3	16	22	28	17	27	26	22	13	4	5	6	1	-	-	-	06
1	-	4	3	10	5	5	6	3	6	6	2	-	3	-	-	-	-	07
1	-	1	-	1	-	-	-	2	2	-	2	-	-	-	-	-	-	08
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	09
10	8	5	9	12	16	27	29	43	40	41	37	30	19	3	1	-	-	10
3	2	5	6	8	4	17	18	25	20	29	21	17	7	1	-	-	-	11
7	6	3	3	4	12	10	11	18	20	29	16	13	12	2	1	-	-	12
3	1	3	6	8	2	17	14	22	20	22	17	17	7	1	-	-	-	13
6	3	3	3	3	8	6	6	16	19	6	15	13	12	2	1	-	-	14
-	1	2	-	-	2	4	4	3	-	-	3	-	-	-	-	-	-	15
1	3	-	-	1	4	4	4	2	1	2	1	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	18
12	11	12	25	57	98	145	284	369	533	530	557	400	211	72	8	2	1	19
8	7	6	13	34	53	95	191	262	384	366	371	241	112	35	4	1	1	20
4	4	6	12	23	45	50	93	107	149	164	186	159	99	37	5	1	1	21
5	3	6	8	27	43	76	165	233	364	342	349	230	101	32	3	1	-	22
4	2	3	8	16	39	41	87	101	143	155	183	157	96	35	4	1	-	23
3	3	-	4	7	10	18	24	26	20	22	20	8	7	2	-	-	1	24
-	1	3	4	6	8	8	6	5	6	7	2	2	1	-	1	-	-	25
-	1	-	1	-	-	1	2	3	-	2	2	3	4	1	-	-	-	26
-	1	-	-	-	-	1	-	1	-	2	1	-	2	2	-	-	-	27
7	13	10	15	33	46	70	85	135	134	156	173	134	55	25	2	2	-	28
3	7	7	9	16	21	34	50	88	80	105	104	80	27	8	-	2	-	29
4	6	6	6	17	25	36	35	47	54	51	69	54	28	17	2	-	-	30
2	7	3	6	14	18	30	45	82	75	96	101	78	26	8	-	2	-	31
3	5	3	5	16	21	33	32	43	51	49	69	54	27	16	2	-	-	32
1	1	3	3	2	3	3	5	6	3	5	2	-	-	-	-	-	-	33
-	1	2	3	1	4	1	2	2	1	1	-	-	1	1	-	-	-	34
1	-	1	1	-	-	1	1	2	2	4	1	2	1	-	-	-	-	35
-	-	1	1	-	-	2	1	-	1	1	-	-	-	-	-	-	-	36
75	86	81	124	176	301	465	696	973	1,199	1,264	1,142	824	425	171	69	13	4	37
53	41	43	78	98	176	313	527	781	982	1,016	906	585	241	77	25	4	3	38
22	45	38	46	78	125	152	169	192	217	248	236	192	184	94	44	9	1	39
36	26	25	49	68	128	256	444	697	908	919	851	548	222	72	24	2	2	40
18	37	23	29	61	104	121	145	174	181	230	215	222	171	88	41	7	2	41
17	12	18	25	29	46	54	76	78	67	94	52	34	17	5	1	2	1	42
4	7	14	16	16	19	28	22	18	32	15	18	15	13	6	2	2	1	43
-	3	4	4	1	2	3	7	6	7	3	3	3	2	-	-	-	-	44
-	1	1	1	1	2	3	2	3	4	2	3	2	-	-	1	-	-	45
457	680	1,290	2,380	4,224	5,815	6,965	7,904	8,001	7,898	7,479	7,340	6,115	3,606	1,396	330	54	17	46
230	394	750	1,428	2,576	3,593	4,362	5,177	5,279	4,904	4,368	3,887	2,874	1,464	504	116	19	13	47
227	286	540	952	1,648	2,222	2,603	2,727	2,722	2,994	3,111	3,453	3,241	2,142	692	214	35	4	48
158	226	478	940	1,929	2,950	3,782	4,557	4,735	4,409	4,023	3,651	2,713	1,391	474	106	16	9	49
163	175	304	619	1,161	1,735	2,194	2,378	2,423	2,661	2,872	3,251	3,099	2,053	862	200	31	2	50
58	156	249	457	611	609	544	370	467	447	447	310	124	54	25	8	3	4	51
52	99	211	306	440	451	384	320	280	317	223	190	136	79	20	9	4	1	52
10	12	23	31	36	34	36	50	45	48	35	24	37	19	5	2	-	-	53
6	12	25	27	47	36	25	29	19	16	16	12	12	10	10	5	2	1	54
4	2	4	-	5	2	2	-	2	3	5	2	2	-	-	-	-	-	55
2	1	2	-	3	2	-	-	1	2	5	1	1	2	-	-	-	-	56
2	1	2	-	2	-	-	-	1	-	1	-	1	-	-	-	-	-	57
1	1	1	-	2	-	-	-	-	1	5	1	1	2	-	-	-	-	58
1	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	59
1	-	1	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	60
1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
30	58	69	148	268	388	581	865	1,008	1,241	1,229	1,350	1,152	589	205	48	5	2	64
20	39	49	95	186	283	448	623	770	897	823	868	670	283	93	24	3	1	65
10	19	20	53	82	105	133	242	238	344	406	482	482	306	112	24	2	1	66
17	28	42	70	156	249	386	553	697	826	757	812	625	277	90	23	3	-	67
10	15	13	40	60	85	119	218	211	309	370	462	455	295	106	21	2	1	68
2	11	7	24	29	31	60	67	65	62	55	50	32	2	2	1	-	-	69
1	4	7	12	21	19	14	23	27	34	33	19	26	8	4	2	-	-	70
1	-	-	1	1	3	2	3	8	9	11	6	13	4	1	-	-	-	71
-	-	-	1	1	1	-	1	-	1	3	1	1	3	2	1	-	-	72
11	21	29	60	115	166	223	346	408	499	500	534	456	216	66	18	3	-	73
8	13	17	32	63	106	156	219	311	335	292	314	242	78	21	10	2	-	74
3	8	12	28	52	60	67	127	97	164	208	220	214	138	45	8	1	-	75
7	9	13	24	53	90	131	192	272	299	262	285	228	78	20	10	2	-	76
3	8	7	21	39	51	60	113	87	149	190	213	205	137	42	7	1	-	77
1	4	4	8	9	15	24	25	32	31	27	26	8	-	1	-	-	-	78
-	-	5	6	12	8	7	13	10	14	15	6	8	1	2	-	-	-	79
-	-	-	-	1	1	1	2	7	5	3	3	6	-	-	-	-	-	80
-	-	-	1	1	1	-	1	-	1	3	1	1	-	1	1	-	-	81
14	29	31	67	110	170	279	408	460	587	585	641	547	292	115	19	2	1	82
9	21	25	50	92	138	230	320	361	449	438	450	334	164	58	8	1	-	83
8	8	17	18	32	49	88	88	99	138	151	191	213	128	57	11	1	1	84
5	16	23	35	76	123	206	289	335	420	413	428	307	158	56	8	1	-	85
1	5	5	14	24	44	80	89	123	136	185	185	201	120	55	9	1	1	86
1	3	2	14	13	24	44	31	25	31	17	19	20	2	1	-	-	-	87
-	3	1	16	13	8	3	8	10	15	8	6	12	6	1	2	-	-	88
-	-	-	1	-	2	-	-	1	4	5	3	7	4	1	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	90

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5	8	9	21	43	52	79	111	140	155	140	175	149	81	24	11	-	1	01
3	5	7	13	31	39	62	84	98	113	93	104	94	41	14	6	-	1	02
2	3	2	8	12	13	17	27	42	42	47	71	55	40	10	5	-	-	03
2	3	6	11	27	36	49	72	90	107	82	99	90	41	14	5	-	-	04
2	2	1	5	8	10	15	25	35	37	44	64	49	38	9	5	-	-	05
-	1	1	2	4	4	3	12	8	6	11	5	4	-	-	1	-	1	06
-	1	1	3	4	3	2	2	7	5	3	7	6	1	1	-	-	-	07
1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	08
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
8	7	14	11	21	31	42	57	44	55	49	58	61	31	11	3	-	-	10
5	4	11	8	14	24	34	45	29	43	27	34	31	14	1	-	-	-	11
3	3	3	3	5	5	8	12	15	12	22	24	30	17	10	3	-	-	12
5	4	5	7	8	20	31	42	24	39	24	32	30	14	1	-	-	-	13
2	2	1	2	3	5	5	11	15	10	22	21	27	17	10	3	-	-	14
-	-	6	1	8	5	3	2	5	4	2	1	1	-	-	-	-	-	15
-	1	2	-	2	-	2	1	1	2	-	2	3	-	-	-	-	-	16
-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	17
1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	18
21	16	27	32	67	69	69	108	136	129	159	179	128	71	20	9	2	-	19
14	10	15	21	45	43	56	76	87	93	96	98	77	39	7	5	-	-	20
7	6	12	11	22	26	15	32	49	36	63	81	51	32	13	4	2	-	21
11	6	14	14	32	32	39	61	67	72	83	91	72	36	5	4	-	-	22
6	3	8	8	15	19	9	23	43	31	53	73	47	31	13	3	2	-	23
2	4	1	6	13	11	14	14	19	20	13	7	4	3	2	1	-	-	24
1	3	3	2	7	7	6	8	6	5	10	8	4	1	-	1	-	-	25
1	-	1	1	-	-	1	1	1	1	-	-	1	-	-	-	-	-	26
-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	27
46	35	42	72	125	182	254	387	539	738	886	1,113	1,090	728	322	69	5	1	28
22	18	22	30	53	78	113	195	297	371	486	485	452	267	97	21	3	3	29
24	17	20	42	72	104	141	192	242	367	500	628	638	461	225	48	2	2	30
16	11	16	20	37	58	91	167	243	309	433	427	416	243	89	19	2	1	31
17	12	13	29	49	75	121	168	209	318	456	587	610	441	218	44	2	2	32
6	7	6	10	16	20	22	27	52	58	50	54	34	21	6	2	-	-	33
7	5	7	12	22	27	16	24	31	46	44	40	25	18	5	3	-	-	34
-	-	-	1	1	2	4	-	2	3	-	1	3	2	2	1	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	-	1	3	-	4	1	1	2	1	8	5	1	10	2	-	-	-	37
1	-	-	-	-	2	-	-	1	1	2	1	1	3	2	-	-	-	38
1	-	1	3	-	2	1	1	1	-	6	4	1	7	-	-	-	-	39
1	-	-	-	-	2	-	-	-	-	3	1	1	3	2	-	-	-	40
-	-	-	2	-	1	-	-	-	-	4	-	-	6	-	-	-	-	41
-	-	1	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	3	19	34	70	139	195	292	396	483	617	590	389	135	40	4	1	46
-	-	1	14	21	45	80	117	155	183	222	226	184	99	33	4	-	-	47
-	-	2	3	13	25	59	78	137	213	261	391	406	290	102	36	4	-	48
-	-	1	14	20	42	70	107	136	170	217	220	180	96	33	4	-	1	49
-	-	-	3	11	23	51	72	129	194	247	376	397	281	101	34	3	-	50
-	-	-	2	1	3	9	9	15	12	5	6	4	2	-	-	-	-	51
-	-	-	-	2	2	8	6	8	19	14	13	9	8	1	2	1	-	52
-	-	-	-	-	-	1	1	4	1	-	-	-	1	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	54
50	42	53	58	66	84	110	106	115	115	123	110	77	41	12	1	-	-	55
22	19	29	27	28	40	51	58	49	60	54	44	28	13	3	4	-	-	56
28	23	24	31	38	44	59	48	66	55	69	66	49	28	9	1	-	-	57
20	18	27	23	24	38	49	54	48	53	51	41	28	12	3	-	-	-	58
26	20	23	28	35	41	54	45	61	48	65	61	49	26	9	1	-	-	59
2	1	2	4	3	2	2	4	-	6	3	2	-	-	-	-	-	-	60
2	2	1	3	3	3	5	3	5	7	3	5	-	2	-	-	-	-	61
2	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	62
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	63
112	298	747	1,530	2,881	3,951	4,500	4,637	4,050	3,032	1,859	1,169	623	219	47	13	2	9	64
64	179	444	938	1,801	2,493	2,866	3,148	2,835	2,056	1,246	707	355	121	30	10	1	8	65
46	119	303	592	1,080	1,458	1,634	1,489	1,215	976	613	462	268	98	17	3	1	1	66
28	88	260	599	1,337	2,049	2,496	2,797	2,586	1,869	1,169	677	340	116	28	7	-	5	67
28	53	139	351	758	1,140	1,390	1,300	1,108	878	590	437	259	93	15	2	1	-	68
31	84	170	313	435	421	343	317	225	171	69	26	8	2	2	2	1	3	69
17	55	143	221	288	291	229	172	99	93	19	23	7	4	1	-	-	1	70
5	7	14	26	29	23	27	34	24	16	8	4	7	3	-	1	-	-	71
3	11	21	20	34	27	15	17	8	5	4	2	2	1	1	1	-	-	72
26	127	340	695	1,242	1,649	1,779	1,739	1,332	879	401	197	81	22	5	3	-	2	73
21	78	217	458	802	1,083	1,184	1,249	975	637	322	145	61	16	4	3	-	2	74
8	49	123	237	440	566	595	490	357	242	75	52	20	6	1	-	-	-	75
5	33	123	281	575	867	1,027	1,098	876	575	307	137	58	15	4	2	-	2	76
-	20	55	139	295	442	487	417	322	205	76	51	17	6	1	-	-	-	77
12	41	83	164	208	199	143	128	88	58	14	8	2	-	-	1	-	-	78
4	22	54	87	124	111	104	64	33	34	3	1	-	-	-	-	-	-	79
1	4	11	13	19	17	14	23	11	4	1	-	1	1	-	-	-	-	80
1	7	14	11	21	13	4	2	3	3	-	-	1	-	-	-	-	-	81
44	92	202	339	515	723	706	765	686	505	335	229	115	36	11	1	2	4	82
22	51	105	200	325	432	433	483	442	304	185	109	46	16	7	1	1	3	83
22	41	97	139	190	291	273	282	244	201	150	120	69	20	4	-	1	1	84
8	26	51	127	232	346	370	423	398	275	172	105	42	16	6	-	-	1	85
13	14	42	78	138	219	234	245	226	182	141	113	68	19	3	-	1	-	86
10	25	51	64	91	83	59	59	40	25	12	3	3	-	1	1	1	1	87
8	25	49	55	47	67	37	33	14	17	8	7	1	1	-	-	-	2	88
4	-	3	9	2	3	4	1	4	4	1	-	1	-	-	-	-	-	89
1	-	6	6	5	5	2	4	4	2	1	-	-	-	1	-	-	-	90

SECTION 1 - GENERAL MORTALITY

1-191

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
42	79	205	496	1,124	1,579	2,015	2,133	2,032	1,648	1,123	743	427	161	31	9	-	3	01
21	50	122	280	674	978	1,249	1,416	1,418	1,115	739	453	248	89	19	6	-	3	02
21	29	83	216	450	601	766	717	614	533	384	290	179	72	12	3	-	-	03
12	29	86	191	530	836	1,099	1,276	1,312	1,019	690	435	240	85	18	5	-	-	04
15	17	42	134	325	479	669	638	560	491	373	273	174	68	11	2	-	-	05
9	18	36	85	136	139	141	130	97	88	43	15	3	2	1	-	-	1	06
5	8	40	79	117	113	88	75	52	42	8	15	4	3	1	-	-	-	07
1	3	-	4	8	3	9	10	9	8	3	5	5	2	1	-	-	-	08
-	4	1	3	8	9	9	4	2	-	6	2	1	1	-	-	-	-	09
8	15	25	28	47	90	142	216	317	458	660	800	728	474	188	48	7	2	10
1	3	9	9	22	37	61	105	139	211	312	385	303	157	45	13	2	2	11
7	12	16	19	25	53	81	111	178	247	348	415	425	317	123	35	5	5	12
1	1	6	9	18	34	54	98	137	198	294	376	291	150	62	12	2	2	13
7	12	13	15	17	40	64	98	157	227	326	393	415	301	123	35	4	4	14
-	2	1	-	2	2	5	4	2	10	13	7	6	4	2	1	-	-	15
-	-	2	4	8	12	16	9	16	16	21	21	7	14	-	-	-	-	16
-	-	2	2	2	2	2	1	2	3	3	2	6	3	1	-	-	-	17
-	-	1	-	-	1	1	3	4	5	3	1	3	2	-	-	-	-	18
177	207	305	479	710	944	1,125	1,332	1,496	1,730	1,918	1,937	1,663	1,052	454	99	29	2	19
79	121	168	284	401	544	655	809	916	987	1,095	1,038	772	466	173	39	10	2	20
98	86	137	195	309	400	470	523	580	743	823	899	891	586	281	60	19	2	21
58	69	106	184	295	426	566	677	796	872	986	973	729	442	161	37	9	2	22
66	57	92	141	213	306	379	443	488	646	742	836	839	562	267	57	17	1	23
18	47	55	97	103	112	84	126	115	102	100	59	35	20	11	1	1	1	24
30	29	43	51	85	89	87	74	88	94	76	59	49	23	9	1	2	2	25
3	5	7	3	3	5	3	6	5	13	6	6	8	4	1	1	-	-	26
2	-	2	3	11	5	4	6	4	3	5	4	3	1	5	2	-	1	27
292	349	353	556	763	999	1,341	1,881	2,333	3,099	3,599	4,363	4,145	2,941	1,227	312	45	7	28
153	172	163	266	345	487	686	1,040	1,327	1,765	2,127	2,602	2,459	1,669	671	169	23	6	29
139	177	190	290	418	512	655	841	1,006	1,334	1,472	1,761	1,686	1,272	556	143	22	1	30
105	130	105	165	215	309	468	752	991	1,357	1,756	2,278	2,191	1,526	613	145	16	2	31
100	116	120	167	247	322	425	548	717	1,016	1,236	1,555	1,556	1,189	510	134	15	2	32
45	39	53	97	127	173	210	280	323	385	355	307	252	132	52	23	7	4	33
39	61	68	118	165	184	216	265	278	311	225	197	126	79	44	9	7	1	34
3	3	5	3	6	5	8	8	13	23	12	19	14	11	6	1	-	-	35
-	-	2	5	6	6	14	8	11	7	11	9	4	4	2	-	-	-	36
184	210	182	303	399	517	593	819	922	996	574	1,044	977	585	224	74	15	1	37
102	129	109	183	210	295	353	485	516	521	517	561	502	270	89	32	5	-	38
82	81	73	120	189	222	240	334	406	475	457	483	475	315	135	42	10	1	39
66	96	68	113	124	186	237	352	395	385	421	486	428	237	82	26	4	-	40
44	58	41	70	104	133	151	210	264	338	373	417	425	285	117	40	3	-	41
33	30	37	67	84	105	112	128	115	126	93	71	70	31	7	8	3	-	42
18	23	32	48	80	88	84	120	138	134	79	62	49	29	17	2	4	1	43
3	3	4	3	2	4	4	5	4	10	3	4	4	1	-	-	-	-	44
-	-	-	-	5	1	5	4	6	3	5	4	1	1	-	-	-	-	45
8	18	5	27	35	42	63	75	89	96	100	113	101	45	14	3	2	-	46
1	13	3	16	18	21	42	46	48	50	56	59	45	21	7	1	1	-	47
7	5	2	11	17	21	29	41	46	44	44	54	56	24	7	2	1	-	48
1	10	2	9	10	11	31	37	40	40	50	54	37	20	6	1	-	-	49
5	1	1	7	12	14	16	21	31	32	34	50	49	24	5	2	-	-	50
2	3	1	7	8	9	11	9	7	10	6	5	8	1	1	-	1	-	51
-	4	1	4	5	7	5	7	9	13	10	3	7	-	2	-	-	-	52
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	54
19	13	9	14	15	15	29	40	50	38	50	51	32	20	11	2	-	-	55
13	3	4	7	9	7	16	22	25	20	24	29	15	5	5	2	-	-	56
6	10	5	7	6	8	13	18	25	18	26	22	17	15	6	-	-	-	57
9	1	4	4	4	5	12	14	20	16	20	25	14	4	5	1	-	-	58
6	6	4	4	4	5	9	15	20	13	20	20	15	14	5	-	-	-	59
4	2	1	1	2	2	3	3	3	4	4	3	1	1	1	-	-	-	60
4	4	4	3	4	3	4	4	5	5	6	1	2	1	1	-	-	-	61
-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	63
157	179	168	262	349	460	501	704	783	862	824	880	844	520	199	69	13	1	64
88	113	102	160	183	267	295	417	443	491	437	473	442	244	77	29	4	-	65
69	66	66	102	166	193	206	287	340	411	387	407	402	276	122	40	9	1	66
56	85	63	100	110	170	194	301	335	329	351	407	377	213	71	22	2	-	67
53	51	36	59	88	114	126	174	213	293	319	347	361	247	107	38	6	-	68
29	25	35	57	72	94	98	111	103	112	83	65	61	29	6	7	2	-	69
16	15	30	41	73	78	75	110	124	116	63	58	40	28	14	2	3	1	70
3	3	4	3	1	3	3	5	5	10	3	3	4	2	-	-	-	-	71
-	-	-	2	5	1	5	3	3	2	5	2	1	1	-	-	-	-	72
36	43	62	106	150	228	351	521	616	938	1,193	1,440	1,399	1,031	446	109	13	-	73
15	11	17	41	52	79	135	237	292	442	567	697	667	459	185	47	5	-	74
21	32	45	65	98	149	216	284	324	496	626	743	732	572	261	62	4	-	75
11	8	9	27	35	52	97	176	208	336	467	611	602	420	169	43	4	-	76
15	19	31	35	52	96	131	193	243	384	527	661	688	544	246	56	5	-	77
4	3	7	13	17	27	35	61	83	101	97	79	63	32	14	4	1	-	78
6	13	13	28	45	51	80	89	74	112	94	78	41	27	14	6	3	-	79
-	-	1	1	-	-	3	-	1	5	3	7	2	7	2	-	-	-	80
-	-	1	2	1	2	5	2	7	-	5	4	3	1	1	-	-	-	81
5	4	10	4	15	25	52	65	100	126	129	164	93	58	25	6	-	-	82
2	4	2	-	5	15	20	36	46	69	62	83	53	28	9	4	-	-	83
3	2	8	6	10	10	32	29	54	57	67	81	40	30	16	2	-	-	84
2	4	2	-	5	11	16	30	41	65	57	72	52	27	7	4	-	-	85
1	2	6	4	8	6	27	22	44	50	63	77	40	30	16	2	-	-	86
-	-	4	-	4	4	4	6	5	2	4	9	-	1	-	-	-	-	87
2	-	2	2	2	3	4	6	10	7	4	4	-	-	-	-	-	-	88
-	-	-	-	-	-	1	-	-	2	1	2	-	-	2	-	-	-	89
-	-	-	-															

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	6,268	81	6	6	9	2	106	19	24	39
02	MALE.....	3,702	50	3	3	2		58	13	12	21
03	FEMALE.....	2,566	31	3	3	7	2	48	6	12	18
04	WHITE.....MALE.....	3,003	34	2	1	2		39	10	10	17
05	FEMALE.....	2,128	17	1	2	7	2	34	6	10	17
06	NEGR.....MALE.....	676	14	1	2			19	3	2	3
07	FEMALE.....	425	12					12		2	1
08	OTHER RACES.....MALE.....	23									1
09	FEMALE.....	13	2					2			
10	HYPERPLASIA OF PROSTATE.....600	2,499									
11	WHITE.....MALE.....	2,154									
12	NEGR.....MALE.....	331									
13	OTHER RACES.....MALE.....	14									
14	DISEASES OF BREAST.....610,611	19									
15	MALE.....	19									
16	FEMALE.....										
17	WHITE.....MALE.....										
18	FEMALE.....	19									
19	NEGR.....MALE.....										
20	FEMALE.....										
21	OTHER RACES.....MALE.....										
22	FEMALE.....										
23	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,440	3					3	1	3	12
24	MALE.....	774	3					3	1	3	2
25	FEMALE.....	666									10
26	WHITE.....MALE.....	675	2					2	1	2	1
27	FEMALE.....	499								2	4
28	NEGR.....MALE.....	94	1					1			1
29	FEMALE.....	162								1	6
30	OTHER RACES.....MALE.....	5									
31	FEMALE.....	5									
32	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM..	901								6	103
33	WHITE.....FEMALE.....	463									44
34	NEGR.....FEMALE.....	323								6	59
35	OTHER RACES.....FEMALE.....	15									
36	ECTOPIC PREGNANCY.....631	60									6
37	WHITE.....FEMALE.....	33									4
38	NEGR.....FEMALE.....	25									2
39	OTHER RACES.....FEMALE.....	2									
40	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABDORTION WITH TOXEMIA.....636-639	141									24
41	WHITE.....FEMALE.....	78									9
42	NEGR.....FEMALE.....	63									15
43	OTHER RACES.....FEMALE.....										
44	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	106									6
45	WHITE.....FEMALE.....	56									3
46	NEGR.....FEMALE.....	47									3
47	OTHER RACES.....FEMALE.....	3									
48	ABORTIONS.....640-645	132								3	21
49	WHITE.....FEMALE.....	65									8
50	NEGR.....FEMALE.....	65								3	13
51	OTHER RACES.....FEMALE.....	2									
52	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	1									
53	WHITE.....FEMALE.....	1									
54	NEGR.....FEMALE.....										
55	OTHER RACES.....FEMALE.....										
56	ABORTION INDUCED FOR OTHER REASONS.....642	59								1	12
57	WHITE.....FEMALE.....	32									3
58	NEGR.....FEMALE.....	27								1	9
59	OTHER RACES.....FEMALE.....										
60	SPONTANEOUS ABORTION.....643	16									1
61	WHITE.....FEMALE.....	6									
62	NEGR.....FEMALE.....	9									1
63	OTHER RACES.....FEMALE.....	1									
64	OTHER AND UNSPECIFIED ABORTIONS.....644,645	56								2	8
65	WHITE.....FEMALE.....	26									5
66	NEGR.....FEMALE.....	29								2	3
67	OTHER RACES.....FEMALE.....	1									
68	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	151								2	23
69	WHITE.....FEMALE.....	101									14
70	NEGR.....FEMALE.....	47								2	9
71	OTHER RACES.....FEMALE.....	3									
72	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....63C,633-635,654-662,672,674-678	208								1	22
73	WHITE.....FEMALE.....	129									6
74	NEGR.....FEMALE.....	74								1	16
75	OTHER RACES.....FEMALE.....	5									
76	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	3									1
77	WHITE.....FEMALE.....	1									
78	NEGR.....FEMALE.....	2									1
79	OTHER RACES.....FEMALE.....										
80	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	1,876	69	6	5	5	1	86	11	19	30
81	MALE.....	805	40	4	3	5	1	53	8	8	12
82	FEMALE.....	1,071	29	2	2			33	3	11	18
83	WHITE.....MALE.....	642	29	4	3	4		40	6	5	8
84	FEMALE.....	859	21	1	1			25	1	7	15
85	NEGR.....MALE.....	154	9		1	1	1	11	2	3	4
86	FEMALE.....	200	7		1			8	2	4	3
87	OTHER RACES.....MALE.....	9	2					2			
88	FEMALE.....	12	1	1				2			

SECTION I - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
51	54	61	80	125	154	268	362	524	667	763	999	926	667	294	70	10	5	01
33	27	35	41	73	84	149	209	347	414	494	604	533	349	161	34	6	5	02
18	27	26	39	52	70	119	153	177	253	265	395	393	318	133	36	4	-	03
25	22	26	24	49	52	99	142	252	315	423	534	470	322	140	28	3	1	04
15	16	16	24	38	43	82	111	128	198	225	347	361	298	120	35	4	-	05
8	5	9	17	23	31	50	65	90	97	70	69	57	25	20	6	3	4	06
3	11	10	14	14	25	35	42	49	52	43	47	32	19	13	1	-	-	07
-	-	-	-	1	1	2	2	5	2	1	1	6	2	1	-	-	-	08
-	-	-	1	-	2	-	-	-	3	1	1	-	1	-	-	-	-	09
-	-	-	-	-	-	8	15	85	227	374	486	563	459	190	39	6	1	10
-	-	-	-	-	3	9	31	67	169	292	427	510	426	179	34	6	1	11
-	-	-	-	-	5	6	14	18	55	79	56	51	33	10	4	-	-	12
-	-	-	-	-	-	-	1	-	3	3	3	2	-	1	1	-	-	13
-	-	1	-	1	1	3	1	3	1	1	3	3	1	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	1	-	1	1	3	1	3	1	1	3	3	1	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	1	-	1	1	3	1	3	1	1	3	3	1	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
16	36	37	61	73	66	59	67	83	144	165	227	184	140	48	14	1	-	23
1	1	-	1	5	6	14	27	41	92	113	171	141	104	37	13	1	-	24
15	35	37	60	68	60	45	40	42	52	52	56	43	36	11	1	-	-	25
1	-	-	1	2	5	10	21	28	87	96	148	129	94	36	12	1	-	26
5	21	25	34	44	43	31	31	35	45	47	50	39	31	11	1	-	-	27
-	1	-	-	3	1	3	6	12	4	16	23	11	10	1	1	-	-	28
10	14	11	26	24	17	13	8	7	6	5	6	4	4	-	-	-	-	29
-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	30
-	-	1	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	31
178	163	148	132	65	6	-	-	-	-	-	-	-	-	-	-	-	-	32
114	109	84	75	35	2	-	-	-	-	-	-	-	-	-	-	-	-	33
63	51	59	54	27	4	-	-	-	-	-	-	-	-	-	-	-	-	34
1	3	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	35
16	10	12	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	36
9	9	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	37
7	1	5	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	39
37	26	26	18	8	2	-	-	-	-	-	-	-	-	-	-	-	-	40
26	16	10	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-	41
11	10	16	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
21	16	26	22	14	1	-	-	-	-	-	-	-	-	-	-	-	-	44
11	11	13	12	6	7	-	-	-	-	-	-	-	-	-	-	-	-	45
9	5	9	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	46
1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	47
29	32	23	15	9	-	-	-	-	-	-	-	-	-	-	-	-	-	48
14	19	14	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	49
15	12	8	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
14	13	10	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	56
10	8	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	57
4	5	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
3	4	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	60
2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
1	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
12	14	9	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	64
2	8	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	65
10	6	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
35	30	21	23	15	2	-	-	-	-	-	-	-	-	-	-	-	-	68
25	24	15	13	9	1	-	-	-	-	-	-	-	-	-	-	-	-	69
10	6	4	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71
40	49	38	42	16	-	-	-	-	-	-	-	-	-	-	-	-	-	72
29	30	25	27	12	-	-	-	-	-	-	-	-	-	-	-	-	-	73
11	17	13	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
35	31	35	43	74	61	94	112	137	172	189	264	237	162	63	13	8	-	80
14	10	10	13	34	27	47	53	69	85	90	95	92	66	13	4	2	-	81
21	21	25	30	40	34	47	59	68	87	99	169	145	96	50	9	6	-	82
11	10	7	8	24	14	38	40	54	68	72	81	81	59	10	4	2	-	83
14	14	13	22	31	27	33	46	50	74	82	149	120	85	41	8	4	-	84
3	-	2	5	10	12	9	13	15	15	18	14	9	7	2	-	-	-	85
6	7	10	7	9	7	12	13	18	13	16	19	24	11	8	1	2	-	86
1	-	1	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	87
-	-	2	1	-	-	2	-	-	-	1	1	1	-	1	-	-	-	88

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	540	49	3	2	2	1	57	6	5	6
02	MALE.....	301	28	1	1	1	1	34	4	2	4
03	FEMALE.....	239	21	2	1	1	1	23	2	3	2
04	WHITE.....MALE.....	247	19	2	1	1	1	23	3	3	4
05	FEMALE.....	194	15	1	1	1	1	17	1	2	1
06	NEGRO.....MALE.....	46	7	1	1	1	1	9	1	1	1
07	FEMALE.....	42	5	1	1	1	1	5	2	1	1
08	OTHER RACES.....MALE.....	8	2	1	1	1	1	2	1	1	1
09	FEMALE.....	3	1	1	1	1	1	1	1	1	1
10	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....490-709	1,334	20	3	3	3	1	29	5	14	24
11	MALE.....	504	12	2	2	3	1	19	4	5	8
12	FEMALE.....	832	8	1	1	1	1	10	1	9	16
13	WHITE.....MALE.....	395	10	2	2	3	1	17	3	2	4
14	FEMALE.....	665	6	1	1	1	1	6	1	5	14
15	NEGRO.....MALE.....	108	2	1	1	1	1	2	1	3	4
16	FEMALE.....	158	2	1	1	1	1	3	1	4	2
17	OTHER RACES.....MALE.....	1	1	1	1	1	1	1	1	1	1
18	FEMALE.....	9	1	1	1	1	1	1	1	1	1
19	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	4,908	10	5	1	2	4	22	17	51	96
20	MALE.....	1,649	8	2	1	1	1	12	7	13	33
21	FEMALE.....	3,259	2	3	1	1	3	10	10	38	63
22	WHITE.....MALE.....	1,447	8	2	1	1	1	12	6	9	28
23	FEMALE.....	2,800	2	1	1	1	3	8	7	25	42
24	NEGRO.....MALE.....	186	1	1	1	1	1	1	1	4	5
25	FEMALE.....	432	1	2	1	1	1	2	3	13	26
26	OTHER RACES.....MALE.....	16	1	1	1	1	1	1	1	1	1
27	FEMALE.....	27	1	1	1	1	1	1	1	1	1
28	ARTHRITIS AND SPONDYLITIS.....710-715	1,948	1	1	1	1	1	2	3	5	3
29	MALE.....	662	1	1	1	1	1	1	1	3	2
30	FEMALE.....	1,286	1	1	1	1	1	1	2	2	1
31	WHITE.....MALE.....	990	1	1	1	1	1	1	1	2	1
32	FEMALE.....	1,195	1	1	1	1	1	1	2	2	1
33	NEGRO.....MALE.....	62	1	1	1	1	1	1	1	1	1
34	FEMALE.....	83	1	1	1	1	1	1	1	1	1
35	OTHER RACES.....MALE.....	10	1	1	1	1	1	1	1	1	1
36	FEMALE.....	8	1	1	1	1	1	1	1	1	1
37	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	158	2	1	1	1	1	3	3	4	4
38	MALE.....	61	2	1	1	1	1	3	1	1	2
39	FEMALE.....	97	1	1	1	1	1	2	2	3	2
40	WHITE.....MALE.....	53	2	1	1	1	1	3	1	1	2
41	FEMALE.....	80	1	1	1	1	1	1	1	3	2
42	NEGRO.....MALE.....	8	1	1	1	1	1	1	1	1	1
43	FEMALE.....	16	1	1	1	1	1	1	1	1	1
44	OTHER RACES.....MALE.....	1	1	1	1	1	1	1	1	1	1
45	FEMALE.....	1	1	1	1	1	1	1	1	1	1
46	OSTEOMYELITIS AND PERIOSTITIS.....720	202	1	1	1	1	1	1	3	1	2
47	MALE.....	116	1	1	1	1	1	1	2	1	1
48	FEMALE.....	86	1	1	1	1	1	1	1	1	1
49	WHITE.....MALE.....	103	1	1	1	1	1	1	1	1	1
50	FEMALE.....	70	1	1	1	1	1	1	1	1	1
51	NEGRO.....MALE.....	13	1	1	1	1	1	1	1	1	1
52	FEMALE.....	15	1	1	1	1	1	1	1	1	1
53	OTHER RACES.....MALE.....	1	1	1	1	1	1	1	1	1	1
54	FEMALE.....	1	1	1	1	1	1	1	1	1	1
55	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 725-738	142	1	1	1	1	1	1	2	5	8
56	MALE.....	52	1	1	1	1	1	1	1	2	6
57	FEMALE.....	90	1	1	1	1	1	1	2	3	2
58	WHITE.....MALE.....	48	1	1	1	1	1	1	1	1	6
59	FEMALE.....	83	1	1	1	1	1	1	2	1	1
60	NEGRO.....MALE.....	4	1	1	1	1	1	1	1	1	1
61	FEMALE.....	7	1	1	1	1	1	1	1	2	1
62	OTHER RACES.....MALE.....	1	1	1	1	1	1	1	1	1	1
63	FEMALE.....	1	1	1	1	1	1	1	1	1	1
64	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	2,458	7	4	1	2	2	15	6	36	79
65	MALE.....	758	5	1	1	1	1	7	3	7	22
66	FEMALE.....	1,700	2	3	1	2	8	8	3	29	57
67	WHITE.....MALE.....	653	5	1	1	1	7	3	5	18	18
68	FEMALE.....	1,372	2	1	1	2	6	2	19	37	37
69	NEGRO.....MALE.....	99	1	1	1	1	1	1	2	4	4
70	FEMALE.....	311	1	2	1	1	2	1	10	19	19
71	OTHER RACES.....MALE.....	6	1	1	1	1	1	1	1	1	1
72	FEMALE.....	17	1	1	1	1	1	1	1	1	1
73	XIV. CONGENITAL ANOMALIES.....	17,008	11,309	640	339	241	268	12,737	626	395	392
74	MALE.....	9,147	6,176	313	163	127	85	6,864	344	222	225
75	FEMALE.....	7,861	5,133	327	176	114	123	5,873	282	173	167
76	WHITE.....MALE.....	7,763	5,213	261	119	105	72	5,770	295	184	191
77	FEMALE.....	6,627	4,309	259	136	95	103	4,902	235	147	137
78	NEGRO.....MALE.....	1,272	885	47	40	20	13	1,005	41	35	34
79	FEMALE.....	1,153	757	66	38	18	20	899	44	25	29
80	OTHER RACES.....MALE.....	112	78	5	4	2	1	89	8	3	1
81	FEMALE.....	81	67	2	2	1	1	72	3	1	1
82	SPINA BIFIDA.....741	850	684	44	21	23	10	782	22	5	8
83	MALE.....	386	302	21	11	12	4	350	15	4	4
84	FEMALE.....	464	382	23	10	11	6	432	7	1	4
85	WHITE.....MALE.....	353	273	20	9	11	4	317	15	4	4
86	FEMALE.....	436	358	21	8	11	6	404	7	1	4
87	NEGRO.....MALE.....	31	28	1	1	1	1	31	1	1	1
88	FEMALE.....	25	21	2	2	1	1	25	1	1	1
89	OTHER RACES.....MALE.....	2	1	1	1	1	1	2	1	1	1
90	FEMALE.....	3	3	1	1	1	1	3	1	1	1

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	2,821	2,027	153	73	60	63	2,376	152	80	51
02	MALE.....	1,342	958	77	36	26	25	1,122	71	44	28
03	FEMALE..	1,479	1,069	76	37	34	38	1,254	81	36	23
04	WHITE.....MALE.....	1,149	835	64	27	19	20	965	60	31	24
05	FEMALE..	1,293	954	63	30	26	33	1,106	62	34	20
06	NEGRO.....MALE.....	168	106	12	7	6	5	136	8	12	4
07	FEMALE..	177	109	12	7	7	5	140	18	2	3
08	OTHER RACES..MALE.....	25	17	1	2	1	-	21	3	1	-
09	FEMALE..	9	6	1	-	1	-	8	1	-	-
10	CONGENITAL ANOMALIES OF HEART.....746	6,876	4,456	287	166	121	108	5,138	337	202	216
11	MALE.....	3,789	2,525	135	78	62	42	2,842	196	115	121
12	FEMALE..	3,087	1,931	152	88	59	66	2,296	141	87	95
13	WHITE.....MALE.....	3,177	2,100	105	59	54	36	2,358	163	103	108
14	FEMALE..	2,936	1,866	115	69	49	53	1,952	122	71	75
15	NEGRO.....MALE.....	563	394	23	18	8	6	449	26	10	21
16	FEMALE..	518	338	34	18	10	13	415	18	15	19
17	OTHER RACES..MALE.....	49	31	3	1	-	-	35	5	2	-
18	FEMALE..	33	27	1	1	-	-	29	1	1	-
19	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,216	679	31	10	8	5	733	35	35	39
20	MALE.....	650	374	15	8	6	-	405	19	17	20
21	FEMALE..	566	303	16	2	2	5	328	16	18	19
22	WHITE.....MALE.....	555	325	14	6	4	-	349	18	13	17
23	FEMALE..	473	247	11	2	2	4	266	12	14	18
24	NEGRO.....MALE.....	91	48	1	2	2	-	53	1	4	3
25	FEMALE..	86	51	5	-	-	1	57	3	4	1
26	OTHER RACES..MALE.....	4	3	-	-	-	-	3	-	-	-
27	FEMALE..	7	5	-	-	-	-	5	1	-	-
28	CLEFT PALATE AND CLEFT LIP.....749	38	31	5	1	-	-	37	-	-	1
29	MALE.....	27	22	4	-	-	-	26	-	-	1
30	FEMALE..	11	9	1	1	-	-	11	-	-	-
31	WHITE.....MALE.....	23	18	4	-	-	-	22	-	-	1
32	FEMALE..	11	9	1	1	-	-	11	-	-	-
33	NEGRO.....MALE.....	4	4	-	-	-	-	4	-	-	-
34	FEMALE..	-	-	-	-	-	-	-	-	-	-
35	OTHER RACES..MALE.....	-	-	-	-	-	-	-	-	-	-
36	FEMALE..	-	-	-	-	-	-	-	-	-	-
37	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	5,207	3,432	120	68	29	22	3,671	80	73	77
38	MALE.....	2,953	1,993	61	30	21	14	2,119	43	42	51
39	FEMALE..	2,254	1,439	59	38	8	8	1,552	37	31	26
40	WHITE.....MALE.....	2,506	1,662	50	18	17	12	1,759	39	33	45
41	FEMALE..	1,878	1,175	48	26	7	7	1,263	32	27	20
42	NEGRO.....MALE.....	415	305	10	11	4	2	332	4	9	6
43	FEMALE..	347	238	11	11	1	1	262	5	4	6
44	OTHER RACES..MALE.....	32	26	1	1	-	-	28	-	-	-
45	FEMALE..	29	26	-	1	-	-	27	-	-	-
46	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	43,171	43,060	12	5	2	3	43,082	5	7	6
47	MALE.....	25,369	25,311	8	3	-	2	25,324	1	3	4
48	FEMALE..	17,802	17,749	4	2	2	1	17,758	4	4	2
49	WHITE.....MALE.....	19,201	19,148	6	3	-	2	19,159	1	3	3
50	FEMALE..	13,132	13,091	1	2	2	-	13,096	4	3	2
51	NEGRO.....MALE.....	5,874	5,870	2	-	-	-	5,872	4	3	1
52	FEMALE..	4,467	4,456	2	-	-	1	4,459	-	1	-
53	OTHER RACES..MALE.....	294	293	-	-	-	-	293	-	-	-
54	FEMALE..	203	202	1	-	-	-	203	-	-	-
55	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	26,160	3,207	162	76	48	32	3,525	87	87	343
56	MALE.....	15,755	1,860	103	36	24	20	2,043	40	51	215
57	FEMALE..	10,405	1,347	59	40	24	12	1,482	47	36	128
58	WHITE.....MALE.....	10,749	1,131	58	16	17	14	1,228	27	29	136
59	FEMALE..	6,670	711	28	22	16	5	782	31	25	74
60	NEGRO.....MALE.....	4,792	692	49	19	7	6	773	10	19	78
61	FEMALE..	3,602	604	30	18	6	7	665	14	11	51
62	OTHER RACES..MALE.....	214	37	4	1	-	-	42	3	3	1
63	FEMALE..	133	32	1	-	2	-	35	2	-	3
64	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,447	-	-	-	-	-	-	1	-	-
65	MALE.....	550	-	-	-	-	-	-	-	-	-
66	FEMALE..	897	-	-	-	-	-	-	1	-	-
67	WHITE.....MALE.....	371	-	-	-	-	-	-	-	-	-
68	FEMALE..	647	-	-	-	-	-	-	1	-	-
69	NEGRO.....MALE.....	166	-	-	-	-	-	-	-	-	-
70	FEMALE..	241	-	-	-	-	-	-	-	-	-
71	OTHER RACES..MALE.....	13	-	-	-	-	-	-	-	-	-
72	FEMALE..	9	-	-	-	-	-	-	-	-	-
73	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....78C-792,795,796	24,713	3,207	162	76	48	32	3,525	86	87	343
74	MALE.....	15,205	1,860	103	36	24	20	2,043	40	51	215
75	FEMALE..	9,508	1,347	59	40	24	12	1,482	46	36	128
76	WHITE.....MALE.....	10,378	1,131	50	16	17	14	1,228	27	29	136
77	FEMALE..	6,023	711	28	22	16	5	782	30	25	74
78	NEGRO.....MALE.....	4,626	692	49	19	7	6	773	10	19	78
79	FEMALE..	3,361	604	30	18	6	7	665	14	11	51
80	OTHER RACES..MALE.....	201	37	4	1	-	-	42	3	3	1
81	FEMALE..	124	32	1	-	2	-	35	2	-	3
82	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	159,373	2,703	1,513	1,265	1,152	1,035	7,668	4,230	4,540	15,423
83	MALE.....	112,366	1,507	812	760	691	625	4,395	2,769	3,257	12,003
84	FEMALE..	47,007	1,196	701	505	461	410	3,273	1,461	1,283	3,420
85	WHITE.....MALE.....	90,708	1,080	588	568	538	460	3,234	2,115	2,563	9,741
86	FEMALE..	39,979	805	507	360	319	309	2,300	1,104	1,033	2,827
87	NEGRO.....MALE.....	19,939	400	210	173	139	151	1,073	610	650	2,078
88	FEMALE..	6,469	371	183	138	133	93	918	334	232	532
89	OTHER RACES..MALE.....	1,719	27	14	19	14	14	88	44	44	184
90	FEMALE..	559	20	11	7	9	8	55	23	18	61

SECTION 1 - GENERAL MORTALITY

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
43	28	11	12	18	9	11	7	8	7	2	3	2	-	-	-	-	01	
18	11	5	6	8	4	7	4	5	3	2	1	2	-	-	-	-	02	
25	17	6	6	10	5	4	3	3	4	2	2	-	-	-	-	-	03	
17	10	4	6	7	3	4	4	5	3	2	1	2	-	-	-	-	04	
19	15	5	6	9	5	4	1	1	4	-	2	-	-	-	-	-	05	
1	1	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	06	
6	2	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	07	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	08	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09	
145	122	84	90	89	94	69	74	59	60	34	35	13	10	-	1	-	10	
83	65	50	43	47	51	41	40	25	27	15	17	5	5	-	1	-	11	
62	57	34	47	42	43	28	34	34	33	19	22	8	5	-	-	-	12	
76	55	38	39	42	43	36	34	24	27	14	15	4	5	-	1	-	13	
55	52	29	40	33	39	27	31	30	29	19	20	7	5	-	-	-	14	
7	10	11	4	3	7	5	5	-	-	1	2	-	-	-	-	-	15	
7	5	4	7	4	4	1	3	4	4	-	2	1	-	-	-	-	16	
1	-	1	-	2	1	1	1	1	-	-	-	1	-	-	-	-	17	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	
28	38	37	27	43	56	33	41	20	18	19	9	4	-	-	-	-	19	
17	23	14	16	19	25	21	19	4	11	13	4	2	-	-	-	-	20	
11	15	23	11	24	31	12	22	16	7	6	5	4	-	-	-	-	21	
14	18	11	12	13	21	18	17	4	10	13	4	2	-	-	-	-	22	
10	15	18	10	18	29	10	20	15	6	5	5	2	-	-	-	-	23	
3	5	3	3	6	4	3	2	-	1	-	-	-	-	-	-	-	24	
1	-	4	1	6	2	2	2	1	1	1	-	-	-	-	-	-	25	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36	
61	55	47	52	65	134	161	146	131	129	81	96	64	43	11	6	-	37	
39	34	21	38	47	76	86	74	58	61	42	54	33	20	9	3	-	38	
22	21	26	14	38	58	75	72	73	68	39	42	31	23	2	3	-	39	
36	24	17	35	40	68	78	67	56	56	38	48	33	20	8	3	-	40	
18	19	22	12	31	50	67	62	64	58	37	42	28	20	2	3	-	41	
2	8	4	4	7	8	8	7	8	5	4	6	4	2	1	-	-	42	
4	2	4	2	7	8	8	10	8	10	2	5	3	2	-	-	-	43	
1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	44	
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	45	
8	4	1	3	-	1	-	2	2	2	1	-	1	2	1	-	1	42	
7	2	-	2	-	1	-	1	1	2	-	-	-	1	-	-	-	46	
1	2	1	1	-	-	-	1	1	-	1	-	1	1	1	-	1	47	
7	2	-	2	-	1	-	1	1	2	-	-	-	1	-	-	-	48	
1	2	1	1	-	-	-	1	1	-	1	-	1	1	-	-	-	49	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	52	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54	
445	416	495	698	991	1,341	1,620	2,053	2,318	2,486	2,394	2,264	2,005	1,382	725	320	107	58	
288	255	303	420	632	885	1,096	1,422	1,617	1,638	1,497	1,265	1,036	591	295	93	35	58	
157	161	192	278	359	456	524	631	701	848	897	999	969	791	430	227	72	57	
183	153	169	224	384	575	756	998	1,163	1,148	1,038	969	783	445	230	66	18	58	
97	90	108	148	203	289	315	387	444	492	579	717	710	621	336	173	37	59	
101	96	129	187	242	302	331	415	439	468	440	282	237	135	58	25	14	60	
59	63	76	123	150	162	208	237	254	352	311	270	251	162	89	53	33	61	
4	6	5	9	8	8	9	9	15	22	19	14	16	11	7	2	3	62	
1	8	8	7	6	5	1	7	3	4	7	12	8	8	5	1	2	63	
-	-	-	-	-	1	2	4	18	57	107	156	289	320	283	153	56	-	64
-	-	-	-	-	-	2	2	9	24	54	77	120	112	98	35	17	-	65
-	-	-	-	-	1	2	2	9	33	53	79	169	208	185	118	39	-	66
-	-	-	-	-	-	-	-	2	10	19	47	84	88	82	27	12	-	67
-	-	-	-	-	-	-	-	1	7	23	49	112	173	157	101	23	-	68
-	-	-	-	-	-	2	2	7	14	35	27	33	22	12	8	4	-	69
-	-	-	-	-	-	-	-	8	26	30	29	54	33	26	16	16	-	70
-	-	-	-	-	-	-	-	-	-	-	3	3	2	4	1	1	-	71
-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	1	-	-	72
445	416	495	698	991	1,340	1,618	2,049	2,300	2,429	2,287	2,108	1,716	1,062	442	167	51	58	73
288	255	303	420	632	885	1,094	1,420	1,608	1,614	1,443	1,188	916	479	197	58	18	58	74
157	161	192	278	359	455	524	629	692	815	844	920	800	583	245	109	33	20	75
183	153	169	224	384	575	756	998	1,161	1,138	1,019	922	659	357	148	39	6	27	76
97	90	108	148	203	289	315	387	443	485	556	668	598	448	179	72	14	12	77
101	96	129	187	242	302	329	413	432	454	405	255	204	113	46	17	10	11	78
59	63	76	123	150	161	208	235	246	326	281	241	197	129	63	37	17	8	79
4	6	5	9	8	8	9	9	15	22	19	11	13	9	3	2	2	-	80
1	8	8	7	6	5	1	7	3	4	7	11	5	6	3	2	2	-	81
16,789	11,618	9,171	9,145	10,057	10,106	9,521	9,276	8,283	7,356	6,709	6,617	6,054	4,161	1,913	513	66	157	82
13,655	9,315	7,068	6,833	7,392	7,371	6,848	6,725	5,953	5,014	4,150	3,746	3,058	1,829	886	165	20	114	83
3,134	2,303	2,103	2,312	2,665	2,735	2,673	2,551	2,330	2,342	2,559	2,871	2,996	2,332	1,227	348	46	43	84
10,794	7,043	5,134	5,026	5,662	5,851	5,629	5,683	5,153	4,354	3,714	3,467	2,868	1,739	648	150	16	84	85
2,485	1,778	1,623	1,830	2,207	2,352	2,340	2,264	2,093	2,066	2,347	2,670	2,858	2,233	1,168	327	43	31	86
2,645	2,086	1,777	1,694	1,626	1,367	1,138	956	726	576	392	243	153	71	31	14	4	29	87
587	471	424	442	425	358	305	269	217	261	196	192	129	90	53	20	3	11	88
216	186	157	113	104	113	81	86	74	84	44	36	37	19	7	1	-	4	89
62	54	56	40	33	25	28	18	20	15	16	9	9	6	1	-	-	1	90

SECTION 1 - GENERAL MORTALITY

Table 1-26. Deaths From 281 Selected Causes, by

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
01	ACCIDENTS.....E800-E949	116,385	2,425	1,354	1,165	1,063	962	6,973	4,050	4,136	12,505
02	MALE.....	80,706	1,356	728	704	643	590	4,021	2,657	3,000	9,726
03	FEMALE.....	35,679	1,069	626	465	420	372	2,952	1,393	1,136	2,779
04	WHITE.....MALE.....	68,056	991	544	535	505	439	3,018	2,037	2,400	8,396
05	FEMALE.....	30,882	716	463	336	291	284	2,090	1,054	931	2,413
06	NEGR.....MALE.....	11,337	341	170	144	126	137	920	576	559	1,816
07	FEMALE.....	4,373	335	152	122	123	80	812	316	188	316
08	OTHER RACES.....MALE.....	1,313	24	14	19	12	14	83	44	41	144
09	FEMALE.....	424	18	11	7	6	8	50	23	17	50
10	RAILWAY ACCIDENTS.....E800-E807	884	1	3	6	1	4	15	20	46	54
11	MALE.....	792	1	1	3	1	2	8	17	41	50
12	FEMALE.....	92	-	2	3	-	2	7	3	5	4
13	WHITE.....MALE.....	614	1	1	3	1	2	8	13	35	40
14	FEMALE.....	73	-	2	3	-	1	6	3	5	3
15	NEGR.....MALE.....	150	-	-	-	-	-	-	4	6	8
16	FEMALE.....	15	-	-	-	-	1	1	-	1	1
17	OTHER RACES.....MALE.....	28	-	-	-	-	-	-	-	-	2
18	FEMALE.....	4	-	-	-	-	-	-	-	-	-
19	MOTOR VEHICLE ACCIDENTS.....E810-E823	55,791	370	385	391	453	478	2,077	2,144	1,901	8,691
20	MALE.....	40,213	188	197	222	266	282	1,155	1,354	1,250	6,469
21	FEMALE.....	15,578	182	188	169	187	196	922	790	651	2,222
22	WHITE.....MALE.....	34,588	158	165	179	207	207	920	1,061	1,093	5,858
23	FEMALE.....	13,715	158	157	132	141	160	748	618	563	1,988
24	NEGR.....MALE.....	4,969	24	26	37	51	73	211	273	181	527
25	FEMALE.....	1,637	20	28	33	44	31	156	159	81	199
26	OTHER RACES.....MALE.....	656	6	2	6	8	2	24	20	16	84
27	FEMALE.....	226	4	3	4	2	5	18	13	7	35
28	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	54,636	358	265	341	405	447	1,820	2,068	1,856	8,582
29	MALE.....	39,338	182	132	192	237	265	1,008	1,303	1,213	6,375
30	FEMALE.....	15,298	176	137	149	168	182	812	765	643	2,207
31	WHITE.....MALE.....	33,803	153	114	151	186	193	797	1,018	1,020	5,770
32	FEMALE.....	13,472	153	114	116	124	147	654	599	557	1,974
33	NEGR.....MALE.....	4,901	24	17	36	45	71	193	268	177	523
34	FEMALE.....	1,604	19	21	30	42	30	142	153	79	198
35	OTHER RACES.....MALE.....	634	5	1	5	6	1	18	17	16	82
36	FEMALE.....	222	4	2	3	2	5	16	13	7	35
37	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,494	6	9	7	14	7	43	47	37	252
38	MALE.....	1,069	4	4	2	8	4	22	22	21	176
39	FEMALE.....	425	2	5	5	6	3	21	25	16	76
40	WHITE.....MALE.....	974	4	4	2	7	3	20	18	21	165
41	FEMALE.....	389	2	5	4	4	3	18	22	14	71
42	NEGR.....MALE.....	87	-	-	-	1	1	2	4	-	10
43	FEMALE.....	35	-	-	1	2	-	3	3	2	5
44	OTHER RACES.....MALE.....	8	-	-	-	-	-	-	-	-	1
45	FEMALE.....	1	-	-	-	-	-	-	-	-	-
46	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	21,125	219	103	101	85	106	614	365	507	2,957
47	MALE.....	14,091	109	46	56	50	47	308	180	289	2,089
48	FEMALE.....	7,034	110	57	45	35	59	306	185	218	868
49	WHITE.....MALE.....	12,492	95	40	44	44	42	265	159	264	1,927
50	FEMALE.....	6,399	94	54	41	27	52	268	160	197	804
51	NEGR.....MALE.....	1,437	12	5	9	4	5	35	19	24	144
52	FEMALE.....	555	13	3	4	8	6	34	21	20	53
53	OTHER RACES.....MALE.....	162	2	1	3	2	-	8	2	1	18
54	FEMALE.....	80	3	-	-	-	1	4	4	1	11
55	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	8,827	6	85	172	235	259	757	1,171	494	587
56	MALE.....	6,177	2	48	104	139	174	467	778	323	423
57	FEMALE.....	2,650	4	37	68	96	85	290	393	171	164
58	WHITE.....MALE.....	4,788	-	43	80	101	113	337	569	255	359
59	FEMALE.....	2,111	4	23	46	70	64	207	281	142	131
60	NEGR.....MALE.....	1,244	2	5	22	35	61	125	198	64	54
61	FEMALE.....	483	-	12	20	24	18	74	107	27	30
62	OTHER RACES.....MALE.....	145	-	2	2	3	-	5	11	4	10
63	FEMALE.....	56	-	2	2	2	3	9	5	2	3
64	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	7,261	23	7	15	20	22	87	269	405	1,506
65	MALE.....	5,802	10	2	8	14	12	46	205	321	1,178
66	FEMALE.....	1,459	13	5	7	6	10	41	64	84	328
67	WHITE.....MALE.....	5,000	8	1	8	12	12	41	178	265	1,046
68	FEMALE.....	1,276	11	5	7	4	8	35	52	75	282
69	NEGR.....MALE.....	727	1	1	-	2	2	4	26	52	118
70	FEMALE.....	170	2	-	-	2	2	6	12	9	37
71	OTHER RACES.....MALE.....	75	1	-	-	-	-	1	1	4	14
72	FEMALE.....	13	-	-	-	-	-	-	-	-	9
73	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	10,650	56	40	29	32	28	185	147	288	2,350
74	MALE.....	8,399	32	22	15	16	12	97	83	191	1,821
75	FEMALE.....	2,251	24	18	14	16	16	88	64	97	529
76	WHITE.....MALE.....	7,266	26	16	12	14	10	78	63	159	1,635
77	FEMALE.....	1,971	22	13	10	14	12	71	53	79	467
78	NEGR.....MALE.....	956	4	6	3	2	1	16	17	25	155
79	FEMALE.....	233	2	5	3	2	3	15	8	15	52
80	OTHER RACES.....MALE.....	177	2	-	-	-	1	3	3	7	31
81	FEMALE.....	47	-	-	1	-	1	2	3	3	10
82	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	5,279	48	25	17	19	25	134	69	125	936
83	MALE.....	3,800	25	10	7	10	16	68	35	68	688
84	FEMALE.....	1,479	23	15	10	9	9	66	34	57	242
85	WHITE.....MALE.....	3,283	20	10	5	8	13	56	31	56	656
86	FEMALE.....	1,326	20	14	8	5	8	55	31	50	219
87	NEGR.....MALE.....	450	5	2	1	3	11	4	12	4	42
88	FEMALE.....	128	2	1	2	4	1	10	2	6	21
89	OTHER RACES.....MALE.....	67	-	-	-	1	-	1	-	-	8
90	FEMALE.....	25	1	-	-	-	-	1	1	1	2

SECTION 1 - GENERAL MORTALITY

1-199

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
12,163	7,401	5,563	5,435	6,011	6,181	6,123	6,161	5,727	5,363	5,280	5,552	5,370	3,880	1,852	506	65	88	01	
9,995	6,085	4,415	4,177	4,544	4,614	4,443	4,439	4,027	3,534	3,680	2,928	2,530	1,605	640	160	19	67	02	
2,168	1,316	1,148	1,258	1,467	1,567	1,680	1,722	1,700	1,829	2,200	2,624	2,840	2,275	1,212	346	46	21	03	
8,583	5,088	3,558	3,355	3,712	3,808	3,729	3,732	3,451	3,047	2,741	2,696	2,361	1,525	607	146	15	51	04	
1,836	1,088	934	1,033	1,230	1,348	1,435	1,521	1,502	1,593	2,009	2,438	2,708	2,180	1,155	326	43	15	05	
1,252	875	744	739	748	724	657	644	518	422	301	210	137	66	27	13	4	15	06	
283	193	184	205	214	202	220	184	182	223	178	180	123	88	51	19	3	5	07	
160	122	113	83	84	82	57	63	58	65	22	32	14	6	1	1	1	1	08	
49	35	30	20	23	17	25	13	16	13	13	6	9	7	6	1	-	1	09	
61	57	56	52	66	82	80	69	84	45	32	24	17	13	6	-	-	5	10	
59	56	54	47	63	78	76	66	75	39	23	16	11	5	3	-	-	5	11	
2	1	2	5	3	4	4	3	9	6	5	8	6	8	3	-	-	-	12	
43	42	41	34	48	59	59	53	56	29	18	15	10	5	2	-	-	-	13	
1	4	2	3	4	4	2	2	7	7	7	7	7	5	3	-	-	-	14	
13	13	8	11	13	15	17	12	17	7	2	1	1	1	1	-	-	-	15	
1	-	-	2	1	-	2	1	2	1	1	-	-	-	-	-	-	-	16	
3	-	5	2	1	4	-	1	2	3	2	-	-	-	-	-	-	-	17	
-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	18	
8,752	4,729	3,165	2,957	3,017	2,956	2,894	2,758	2,404	2,233	1,977	1,652	1,020	349	81	14	1	19	19	
7,071	3,813	2,421	2,200	2,169	2,125	2,036	1,903	1,613	1,466	1,176	1,025	657	236	48	9	1	16	20	
1,681	916	744	757	848	831	858	855	791	767	801	627	363	113	33	5	-	3	21	
6,209	3,266	1,985	1,791	1,794	1,765	1,720	1,592	1,381	1,270	1,079	937	612	228	46	8	-	13	22	
1,471	788	628	651	729	738	746	769	722	702	757	591	356	110	32	5	-	3	23	
747	468	374	370	334	323	293	278	205	172	85	80	35	6	2	1	1	3	24	
179	100	97	93	106	86	100	82	59	38	35	5	2	1	-	-	-	-	25	
115	79	62	39	41	37	23	33	27	24	12	8	10	2	-	-	-	-	26	
31	28	19	13	13	7	12	4	10	6	6	1	2	1	-	-	-	-	27	
8,649	4,644	3,111	2,905	2,962	2,904	2,849	2,703	2,361	2,198	1,932	1,627	1,005	346	80	14	1	19	28	
6,979	3,733	2,379	2,156	2,120	2,082	1,998	1,856	1,581	1,440	1,150	1,009	649	234	47	9	1	16	29	
1,670	911	732	749	842	822	851	847	780	758	782	618	356	112	33	5	-	3	30	
6,126	3,189	1,945	1,754	1,750	1,726	1,688	1,553	1,351	1,245	1,053	921	605	226	45	8	-	13	31	
1,464	783	619	644	725	729	739	762	711	693	739	582	349	109	32	5	-	3	32	
740	467	372	366	330	319	288	271	203	171	85	80	35	6	2	1	1	3	33	
177	100	94	92	104	86	100	81	59	37	35	5	2	1	-	-	-	-	34	
113	77	62	36	40	37	22	32	27	24	12	8	9	2	-	-	-	-	35	
29	28	19	13	13	7	12	4	10	6	6	1	2	1	-	-	-	-	36	
187	115	99	103	76	86	113	83	67	64	54	37	23	5	2	-	-	1	37	
134	90	75	75	54	70	87	58	52	46	37	16	4	1	-	-	-	-	38	
51	25	24	28	22	16	26	25	15	18	17	11	7	1	1	-	-	-	39	
126	78	68	67	51	61	79	49	48	40	36	25	16	4	1	-	-	-	40	
46	23	22	27	21	14	22	22	14	17	17	11	7	-	1	-	-	-	41	
7	10	7	7	3	8	8	9	4	6	1	1	-	-	-	-	-	-	42	
5	2	2	1	1	2	4	3	1	1	-	-	-	-	-	-	-	-	43	
3	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	44	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	45	
3,142	1,832	1,310	1,213	1,301	1,265	1,269	1,244	1,093	964	848	662	389	115	27	4	-	4	46	
2,353	1,364	941	845	857	822	801	782	658	566	500	413	232	74	14	2	-	1	47	
789	468	369	368	444	443	468	462	435	398	348	249	157	41	13	2	-	3	48	
2,092	1,190	797	726	734	702	685	695	585	507	468	385	220	74	14	2	-	1	49	
699	416	322	328	391	402	418	429	407	370	335	240	155	40	13	2	-	3	50	
236	153	125	112	111	110	107	77	64	54	28	28	10	-	-	-	-	-	51	
79	38	39	35	47	39	45	31	24	27	12	8	2	1	-	-	-	-	52	
25	21	19	7	12	10	9	10	9	5	4	-	2	-	-	-	-	-	53	
11	14	8	5	6	2	5	2	4	1	1	1	-	-	-	-	-	-	54	
419	289	279	310	364	414	432	507	520	576	561	544	391	160	38	4	1	9	55	
339	238	204	221	283	319	326	380	372	417	334	335	265	113	27	3	1	9	56	
80	51	75	89	61	95	106	127	148	159	227	209	126	67	11	-	-	-	57	
250	173	132	147	187	231	247	288	301	345	292	293	241	106	25	3	-	7	58	
56	33	51	63	62	71	79	100	123	139	205	189	121	47	10	1	-	-	59	
65	49	67	67	87	80	72	84	65	65	40	35	17	5	2	-	-	-	60	
16	12	20	23	17	22	25	26	22	18	20	20	3	1	-	-	-	-	61	
24	16	5	7	9	8	7	8	7	7	2	7	7	2	-	-	-	-	62	
8	6	4	3	2	2	2	1	3	2	2	-	2	-	-	-	-	-	63	
1,575	754	439	392	392	351	290	248	195	125	96	84	37	10	4	-	-	2	64	
1,339	649	359	313	293	277	229	185	154	93	73	51	28	6	1	-	-	2	65	
236	105	80	79	99	74	61	63	41	32	23	33	9	4	3	-	-	-	66	
1,177	552	295	249	246	233	205	154	126	81	70	46	27	6	1	-	-	2	67	
211	88	66	65	84	66	54	59	40	30	22	31	9	4	3	-	-	-	68	
145	88	58	61	41	40	22	29	24	11	2	5	1	-	-	-	-	-	69	
24	17	14	14	14	7	6	4	1	2	1	2	-	-	-	-	-	-	70	
17	9	6	3	6	4	2	2	4	1	1	-	-	-	-	-	-	-	71	
1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	72	
2,362	1,164	663	591	554	523	479	408	277	252	166	150	59	24	3	3	-	2	73	
2,011	1,005	553	479	430	402	377	307	202	184	102	99	38	14	1	1	-	2	74	
351	159	110	112	124	121	102	101	75	68	64	51	21	10	2	2	-	-	75	
1,788	867	451	386	365	333	320	255	174	154	94	94	34	13	1	1	-	1	76	
307	139	92	96	106	113	88	88	67	61	60	50	21	9	2	2	-	-	77	
192	118	79	81	57	57	54	42	24	22	7	4	4	1	1	-	-	1	78	
37	17	14	13	16	7	11	13	7	5	1	1	-	1	-	-	-	-	79	
31	20	23	12	8	12	3	10	4	8	1	1	-	-	-	-	-	-	80	
7	3	4	3	2	1	3	-	1	2	3	-	-	-	-	-	-	-	81	
964	490	321	296	275	265	266	213	209	217	207	150	106	32	6	3	-	1	82	
801	387	247	223	203	192	178	144	143	134	104	85	70	23	3	3	-	1	83	
163	103	74	73	72	73	88	69	66	83	102	65	36	9	3	-	-	-	84	
693	329	202	179	167	166	152	112	117	118	93	78	67	23	3	2	-	1	85	
145	84	66	65	61	63	78	64	60	76	100	61	36	9	3	-	-	-	86	
95	49	36	38																

SECTION 1 - GENERAL MORTALITY

1-201

Age, Race, and Sex: United States, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
103	85	54	52	55	52	45	55	43	35	45	25	15	3	1	-	-	-	01
92	80	42	44	49	43	38	47	32	26	26	16	8	2	1	-	-	-	02
11	5	12	8	6	9	7	8	11	9	19	9	7	1	-	-	-	-	03
83	77	40	37	44	39	32	39	30	25	26	16	7	2	1	-	-	-	04
7	5	7	7	4	9	7	7	11	9	18	9	7	1	-	-	-	-	05
7	1	2	4	4	4	5	7	2	1	-	-	-	-	-	-	-	-	06
2	-	3	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-	07
2	2	-	3	1	-	1	1	-	-	-	-	1	-	-	-	-	-	08
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	09
15	15	17	6	9	7	5	7	7	8	5	1	4	-	-	-	-	-	10
7	5	14	3	7	5	3	7	5	8	5	-	2	-	-	-	-	-	11
8	10	3	2	2	2	2	-	2	2	-	1	2	-	-	-	-	-	12
7	5	10	2	6	4	3	6	3	7	5	-	-	-	-	-	-	-	13
7	10	3	2	2	2	1	-	1	-	-	1	2	-	-	-	-	-	14
-	-	3	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	15
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	16
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
202	166	167	127	169	142	113	104	83	66	31	14	6	1	2	-	-	6	19
185	157	156	117	156	131	104	96	78	63	30	13	5	1	1	-	-	6	20
17	9	11	10	13	11	9	8	5	3	1	1	1	-	1	-	-	-	21
153	126	122	100	130	113	96	80	66	56	27	10	5	1	-	-	-	5	22
16	6	9	8	12	10	7	7	4	3	-	1	1	-	-	-	-	-	23
22	22	25	13	20	15	6	13	12	6	3	2	-	-	-	-	-	1	24
1	3	2	4	-	1	2	-	1	-	1	-	-	-	1	-	-	-	25
10	9	9	4	6	3	2	3	-	1	-	1	-	-	-	-	-	-	26
-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	27
260	288	244	221	209	170	107	62	38	13	10	7	1	-	-	-	-	-	28
223	265	216	201	188	155	92	53	26	7	5	3	-	-	-	-	-	-	29
37	23	28	20	21	15	15	9	12	6	4	4	1	-	-	-	-	-	30
219	258	213	200	186	154	91	53	26	7	4	3	-	-	-	-	-	-	31
37	23	26	20	21	15	14	9	12	6	5	4	1	-	-	-	-	-	32
3	3	1	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
557	404	296	326	327	311	293	302	228	185	128	113	72	29	4	1	-	2	37
451	326	208	220	208	185	165	183	144	128	82	70	48	13	2	1	-	-	38
106	78	88	106	119	126	119	126	84	57	46	43	24	16	2	-	-	2	39
347	238	150	161	171	154	137	153	130	110	77	69	45	11	1	1	-	-	40
69	57	70	85	106	116	117	113	79	52	42	38	24	14	1	-	-	2	41
101	86	58	56	36	29	26	28	12	14	5	3	1	1	1	-	-	-	42
34	20	17	20	11	9	9	5	4	5	4	5	-	2	1	-	-	-	43
3	2	-	3	1	2	2	2	2	1	4	-	-	1	-	-	-	-	44
3	1	1	2	1	2	2	1	1	-	-	-	-	-	-	-	-	-	45
323	227	150	134	116	98	83	92	77	59	49	31	26	12	2	1	-	-	46
264	180	102	74	60	38	28	35	33	25	22	9	16	4	1	1	-	-	47
59	47	48	60	56	60	55	57	44	34	27	22	10	8	1	-	-	-	48
192	120	70	44	48	29	25	29	29	19	21	9	15	4	-	1	-	-	49
34	36	41	48	49	55	51	54	42	31	26	18	10	8	1	-	-	-	50
70	59	32	29	12	8	3	5	2	6	1	-	1	-	1	-	-	-	51
25	11	6	11	6	4	3	3	2	3	1	4	-	-	-	-	-	-	52
2	1	-	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	53
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	54
62	55	54	76	89	102	109	101	72	76	37	39	14	8	-	-	-	2	55
58	42	34	29	53	57	59	60	50	64	32	34	12	5	-	-	-	-	56
4	13	20	47	36	45	50	41	22	12	5	5	2	3	-	-	-	2	57
2	1	23	27	38	50	51	50	44	60	31	34	12	5	-	-	-	-	58
41	7	14	24	33	41	39	20	11	5	5	5	2	3	-	-	-	2	59
16	14	11	12	15	7	6	10	6	3	1	-	-	-	-	-	-	-	60
2	6	6	3	2	4	4	1	1	1	-	-	-	-	-	-	-	-	61
1	1	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	62
-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	63
172	122	92	116	122	111	101	109	79	50	42	43	32	9	2	-	-	-	64
129	104	72	97	95	90	78	88	61	39	28	27	20	4	1	-	-	-	65
43	18	20	19	27	21	23	21	18	11	14	16	12	5	1	-	-	-	66
114	91	57	81	85	75	61	74	57	31	25	26	18	2	1	-	-	-	67
33	14	15	13	24	20	20	20	17	10	11	15	12	3	-	-	-	-	68
15	13	15	15	9	14	17	13	4	5	3	1	2	1	-	-	-	-	69
7	3	5	6	3	1	2	1	1	1	3	1	-	2	1	-	-	-	70
-	-	-	1	1	1	-	1	-	-	-	-	-	-	2	-	-	-	71
3	1	-	-	-	-	1	-	-	3	-	-	-	1	-	-	-	-	72
199	208	212	290	452	523	618	823	943	1,112	1,523	2,342	3,092	2,785	1,527	423	52	4	73
176	180	183	239	370	407	457	589	649	693	764	978	1,182	994	1,117	117	15	2	74
23	28	29	51	82	116	161	234	294	419	759	1,364	1,910	1,791	1,040	306	37	2	75
144	129	134	175	279	347	388	506	569	623	712	927	1,141	962	472	112	14	2	76
20	23	20	36	61	97	140	207	257	368	710	1,301	1,657	1,744	1,009	294	35	1	77
30	45	44	59	87	55	64	74	73	66	44	46	30	26	10	4	1	-	78
3	4	8	15	17	19	19	26	34	48	47	60	48	44	27	11	2	1	79
2	6	5	5	4	5	5	9	7	4	8	5	11	6	5	1	-	-	80
-	1	1	-	4	2	2	1	3	3	2	3	5	3	4	1	-	-	81
140	140	126	167	236	265	291	403	394	350	400	465	464	365	176	41	10	1	82
127	128	118	147	207	221	241	318	316	282	265	254	216	154	65	13	2	1	83
13	12	8	20	29	44	50	85	78	76	135	211	248	211	111	28	8	1	84
112	97	91	116	168	189	208	270	278	261	245	240	208	148	62	13	2	1	85
11	9	6	16	22	34	42	78	67	72	124	193	208	207	106	26	8	-	86
13	27	23	30	36	30	31	43	34	19	16	13	3	3	1	-	-	-	87
2	3	2	4	6	8	8	7	9	2	8	17	5	4	1	-	-	-	88
2	4	4	1	3	2	2	5	4	2	4	1	5	3	2	-	-	-	89
-	-	-	-	1	2	-	-	2	2	1	1	5	3	2	-	-	-	90

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death	United States						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ALL CAUSES.....	1,921,990	1,080,926	841,064	545,386	738,242	135,546	102,822
02 I. INFECTIVE AND PARASITIC DISEASES.....	16,791	9,901	6,890	7,219	5,067	2,682	1,823
03 CHOLERA.....000	-	-	-	-	-	-	-
04 TYPHOID FEVER.....001	4	2	-	2	-	-	2
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	82	47	35	31	21	16	14
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	94	55	39	39	22	16	17
07 FOOD POISONING (BACTERIAL).....005	17	11	6	10	5	1	1
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	2,612	1,257	1,355	841	985	416	370
09 TUBERCULOSIS, ALL FORMS.....010-019	5,567	3,989	1,578	2,852	1,050	1,137	528
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	4,492	3,314	1,178	2,368	778	946	400
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	117	57	60	33	32	24	28
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	39	22	17	11	6	11	11
13 TUBERCULOSIS OF BONES AND JOINTS.....015	31	19	12	13	7	6	5
14 DISSEMINATED TUBERCULOSIS.....018	200	131	69	99	26	72	43
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	688	446	242	368	201	78	41
16 PLAGUE.....020	-	-	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-	-	-
18 BRUCELLOSIS.....023	3	2	1	2	1	-	-
19 LEPROSY.....030	4	2	-	-	2	2	-
20 DIPHTEHERIA.....032	25	16	9	10	4	6	5
21 WHOOPING COUGH.....033	13	6	7	2	4	4	3
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	41	22	19	17	17	5	2
23 ERYSIPELAS.....035	13	5	8	4	8	1	-
24 MENINGOCOCCAL INFECTIONS.....036	744	409	335	302	253	107	82
25 TETANUS.....037	89	44	45	26	24	18	21
26 SEPTICEMIA.....038	3,009	1,651	1,358	1,233	1,043	418	315
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	474	288	186	236	139	52	47
28 ACUTE POLIOMYELITIS.....040-043	13	7	6	6	4	1	2
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	97	53	44	46	42	7	2
30 SMALLPOX.....050	-	-	-	-	-	-	-
31 MEASLES.....055	41	20	21	16	15	4	6
32 YELLOW FEVER.....060	-	-	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	381	208	173	181	148	27	25
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	41	30	11	28	11	2	-
35 INFECTIOUS HEPATITIS.....070	1,011	402	609	325	487	77	122
36 RABIES.....071	1	1	-	1	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	889	443	446	370	378	73	68
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	37	19	18	16	17	3	1
39 MALARIA.....084	11	8	3	7	3	1	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	543	384	159	213	87	171	72
43 CONGENITAL SYPHILIS.....090	29	13	16	6	19	7	6
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	35	26	9	19	6	7	3
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	284	200	84	96	35	104	49
47 TABES DORSALIS.....094,0	30	19	11	15	10	4	1
48 GENERAL PARESIS.....094,1	47	34	13	26	9	8	4
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	81	66	15	35	10	31	5
50 ALL OTHER SYPHILIS.....095,097,0,097,9	37	26	11	16	7	10	4
51 GONOCOCCAL INFECTIONS.....098	3	1	2	1	2	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-	-	-
53 HYDATIDIOSIS.....122	9	3	6	3	6	-	-
54 FILARIAL INFESTATIONS.....125	1	1	-	-	-	1	-
55 ANCYLOSTOMIASIS.....126	16	8	8	5	2	4	6
56 OTHER HELMINTHIASIS.....121,123,124,127-129	16	8	8	5	2	4	6
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	906	507	399	394	287	113	112
58 II. NEOPLASMS.....	327,709	178,306	149,463	159,609	134,596	19,297	14,867
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	323,092	176,142	146,950	157,110	132,485	19,032	14,465
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	7,553	5,566	1,987	4,906	1,778	660	209
61 OF LIP.....140	215	192	23	190	23	2	-
62 OF TONGUE.....141	1,768	1,309	459	1,154	421	155	38
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	2,332	1,567	765	1,401	691	166	74
64 OF PHARYNX.....146-149	3,238	2,498	740	2,161	643	337	97
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	93,986	50,470	43,516	44,532	39,466	5,938	4,050
66 OF ESOPHAGUS.....150	5,807	4,344	1,463	3,334	1,211	1,010	252
67 OF STOMACH.....151	16,429	10,000	6,429	8,395	5,652	1,665	777
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	665	333	332	307	290	26	42
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	34,666	16,083	18,583	14,822	17,099	1,261	1,484
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	4,541	2,010	2,531	1,841	2,359	149	172
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	1,471	676	795	623	751	53	44
72 DESCENDING COLON.....153,2	1,128	519	609	472	559	47	50
73 SIGMOID COLON.....153,3	5,403	2,627	2,776	2,456	2,594	171	182
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	20,383	9,475	10,908	9,941	9,941	794	967
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	1,740	776	964	729	895	47	69
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	10,581	5,980	4,595	5,518	4,159	468	436
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	2,249	1,510	739	1,212	646	298	93
78 OF GALLBLADDER AND BILE DUCTS.....156	4,377	1,514	2,863	1,418	2,693	96	170
79 OF PANCREAS.....157	17,649	9,932	7,717	8,838	7,006	1,094	711
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,563	768	795	688	710	80	85
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	66,038	53,879	12,159	48,318	10,993	5,561	1,166
82 OF LARYNX.....161	2,970	2,617	353	2,330	288	287	65
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	61,843	50,481	11,362	45,309	10,301	5,172	1,061
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	1,225	781	444	679	404	102	40
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	36,844	4,611	32,233	4,280	29,502	321	2,731
86 OF BONE.....170	1,826	1,072	754	953	681	119	73
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	1,406	711	695	641	623	70	70
88 OF SKIN.....172,173	4,529	2,575	1,954	2,463	1,862	112	92
89 OF BREAST.....174	29,083	253	28,830	223	26,334	30	2,496

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

ALABAMA					ALASKA					ARIZONA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
33,808	13,395	9,491	5,873	5,049	1,303	633	250	276	144	14,031	7,755	4,907	906	463
448	139	89	148	72	14	3	1	4	6	238	104	51	46	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	3	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	1	1	-	-	-	1	2	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
74	13	13	30	18	1	-	-	-	1	50	17	11	9	13
201	65	32	82	22	7	2	1	1	3	102	55	14	21	12
168	54	25	71	18	1	1	1	1	3	80	46	7	20	7
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
3	1	-	1	1	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-	-	1
9	2	-	6	1	1	1	1	1	1	2	-	-	-	2
19	7	7	4	1	4	1	-	1	2	19	9	7	1	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
16	4	4	4	4	2	1	-	1	-	4	2	1	1	-
4	-	2	1	1	-	-	-	-	-	1	-	-	-	1
55	21	15	9	14	-	-	-	-	-	31	11	7	8	5
16	8	2	3	3	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	-	-	-	-	-	-	3	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	2	3	-	-	1	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	8	2	4	3	1	-	-	-	1	9	2	5	1	1
15	4	9	-	2	1	-	-	1	-	6	-	5	1	-
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	3	1	6	1	-	-	-	-	-	4	1	-	3	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
4	2	1	1	-	-	-	-	-	-	3	1	-	2	-
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
19	9	3	4	3	-	-	-	-	-	1	1	-	-	-
4,538	2,020	1,580	628	640	163	78	40	29	16	2,325	1,276	917	82	50
4,854	1,992	1,553	682	627	158	76	40	27	15	2,283	1,255	894	80	50
106	63	23	14	6	3	2	-	1	-	57	40	15	2	-
3	3	-	-	-	-	-	-	-	-	2	2	-	-	-
23	16	3	2	2	2	2	-	-	-	14	9	5	-	-
33	12	16	3	2	-	-	-	-	-	20	13	6	1	-
47	32	4	9	2	1	-	-	1	-	21	16	4	1	-
1,266	487	411	207	161	39	21	11	6	1	629	322	256	34	17
70	30	13	23	4	3	1	-	2	-	35	25	6	3	-
428	76	52	67	33	10	6	1	3	-	123	71	35	12	5
13	5	6	-	2	-	-	-	-	-	2	2	-	-	-
436	159	175	43	59	15	8	6	1	-	207	92	107	6	2
44	14	22	6	2	1	-	1	-	-	29	9	18	2	-
8	1	4	2	4	-	-	-	-	-	3	-	3	-	-
20	10	4	2	4	-	-	-	-	-	8	4	3	-	1
56	15	27	5	9	1	1	-	-	-	22	10	12	-	-
298	117	115	28	38	13	7	5	1	-	131	63	63	4	1
10	2	3	1	4	-	-	-	-	-	14	6	8	-	-
91	29	31	18	13	7	4	3	-	-	62	39	21	1	1
42	15	11	12	4	1	-	-	-	1	10	5	2	2	1
39	12	17	3	7	-	-	-	-	-	51	11	33	2	5
321	147	101	38	35	3	2	1	-	-	133	75	48	8	2
26	14	5	3	4	-	-	-	-	-	6	2	4	-	-
1,020	666	143	176	35	39	27	7	4	1	486	397	75	13	1
43	22	5	10	6	2	2	-	-	-	12	9	3	-	-
558	634	132	163	29	37	25	7	4	1	460	378	68	13	1
19	10	0	3	-	-	-	-	-	-	14	10	4	-	-
528	55	339	14	120	12	-	9	-	3	232	53	188	1	10
36	14	12	9	1	-	-	-	-	-	12	6	4	-	2
21	4	11	2	4	-	-	-	-	-	12	6	4	-	1
77	34	38	2	3	2	-	1	-	1	37	20	16	1	1
394	3	278	1	112	10	-	8	-	2	171	-	164	-	7

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death	United States						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	41,008	17,801	23,147	15,297	20,039	2,204	3,108
02 OF CERVIX UTERI.....180	6,940	...	6,940	...	5,440	...	1,500
03 OF OTHER PARTS OF UTERUS.....181,182	5,535	...	5,535	...	4,750	...	785
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	9,788	...	9,788	...	9,057	...	731
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	884	...	884	...	792	...	92
06 OF PROSTATE.....185	16,836	16,836	...	14,366	...	2,470	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	1,025	1,025	...	931	...	94	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	14,897	9,571	4,526	5,220	4,477	751	449
09 OF BLADDER.....188	8,520	5,568	2,552	5,516	2,246	452	266
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	6,377	4,003	2,374	3,704	2,191	299	183
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	30,064	15,342	14,722	13,687	13,075	1,655	1,647
12 OF EYE.....190	343	160	177	158	169	...	8
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	7,785	4,441	3,304	4,244	3,089	237	215
14 OF THYROID GLAND.....193	975	343	632	306	573	37	59
15 OTHER.....194-199	20,961	10,352	10,609	8,979	9,244	1,373	1,365
16 LEUKEMIA.....204-207	14,450	8,256	6,194	7,640	5,724	610	470
17 LYMPHATIC LEUKEMIA.....204	5,091	3,023	2,068	2,804	1,933	219	135
18 MYELOID LEUKEMIA.....205	5,451	3,002	2,449	2,786	2,200	210	181
19 MONOCYTIC LEUKEMIA.....206	674	372	302	353	290	19	12
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	3,234	1,859	1,375	1,697	1,230	102	142
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	18,252	10,146	8,066	9,230	7,431	950	635
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	6,633	3,669	2,964	3,423	2,803	240	161
23 HODGKIN'S DISEASE.....201	3,438	2,106	1,332	1,922	1,238	184	94
24 MULTIPLE MYELOMA.....203	4,138	2,184	1,954	1,830	1,683	354	271
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	4,043	2,227	1,816	2,055	1,707	172	109
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,677	2,464	2,213	1,899	2,111	265	402
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....210-221	276	...	278	...	168	...	110
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	822	324	498	280	439	44	59
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	816	416	400	357	340	59	54
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	42	...	42	...	29	...	13
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	1,769	921	848	817	743	104	105
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....234-233,237,239	950	503	447	445	380	50	61
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	46,543	19,333	27,210	16,689	22,757	2,644	4,453
34 NONTOXIC GOITER.....240,241	44	4	40	3	31	1	9
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	366	75	291	56	230	19	61
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	392	91	301	81	261	10	20
37 DIABETES MELLITUS.....250	38,941	15,689	22,852	13,618	19,050	2,071	3,802
38 DISEASES OF PITUITARY GLAND.....253	224	112	112	97	93	15	19
39 DISEASES OF THYROID GLAND.....254	39	29	10	23	6	6	2
40 DISEASES OF ADRENAL GLAND.....255	541	224	317	189	281	36	36
41 NIACIN DEFICIENCY.....256	7	2	5	1	5	1	...
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	2,527	1,156	1,371	912	1,147	244	224
43 CYSTIC FIBROSIS.....273-0	580	262	318	248	309	14	9
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	3,282	1,689	1,593	1,462	1,922	227	271
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	4,921	2,342	2,575	1,907	2,117	435	402
46 ANEMIAS.....280-285	3,316	1,555	1,763	1,211	1,406	344	357
47 DEFICIENCY ANEMIAS.....280,281	562	234	328	210	302	24	26
48 HEMOLYTIC ANEMIAS.....282,283	740	359	381	147	181	212	200
49 ERYTHROBLASTIC ANEMIA.....284	1,068	540	528	500	490	40	38
50 OTHER AND UNSPECIFIED ANEMIAS.....285	948	422	526	354	433	68	93
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	618	268	350	243	301	25	49
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	985	519	466	453	410	66	56
53 V. MENTAL DISORDERS.....	6,722	4,758	1,964	3,486	1,525	1,272	439
54 SENILE AND PRESENILE DEMENTIAS.....290	427	165	262	155	245	10	17
55 ALCOHOLIC PSYCHOSES.....291	638	574	64	440	46	134	18
56 ALL OTHER PSYCHOSES.....294-299	246	114	132	104	117	10	15
57 ALCOHOLISM.....303	3,980	3,090	890	2,198	585	852	305
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-305	1,187	667	500	486	428	201	72
59 MENTAL RETARDATION.....310-315	944	128	116	103	104	25	12
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	16,921	9,376	7,545	7,939	6,613	1,437	932
61 MENINGITIS.....320	1,719	1,001	718	714	484	287	234
62 HEREDITARY NEURGMUSCULAR DISORDERS.....330	694	503	191	469	171	34	20
63 MULTIPLE SCLEROSIS.....340	1,872	411	561	571	905	40	56
64 PARALYSIS AGITANS.....342	3,208	1,732	1,476	1,679	1,436	53	40
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	826	353	273	288	220	65	47
66 EPILEPSY.....345	2,641	1,239	802	817	611	422	191
67 INFLAMMATORY DISEASES OF EYE.....360-369	10	6	4	5	4	1	...
68 CATARACT.....374	43	17	26	17	21	...	5
69 GLAUCOMA.....375	9	5	4	3	3	2	1
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	192	101	91	86	71	15	20
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	6,807	3,808	2,999	3,290	2,681	510	318
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,029,363	558,342	471,021	503,352	421,174	54,990	49,847
73 ACTIVE RHEUMATIC FEVER.....390-392	320	168	152	137	111	31	41
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	15,112	6,504	8,208	6,297	7,907	607	701
75 DISEASES OF MITRAL VALVE.....394	3,978	1,439	2,539	1,329	2,346	110	193
76 DISEASES OF AORTIC VALVE.....395	3,895	2,527	1,368	2,296	1,226	231	142
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	709	272	437	253	412	19	25
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	6,550	2,666	3,864	2,419	3,523	247	341
79 HYPERTENSIVE DISEASE.....400-404	24,712	11,499	13,213	8,894	10,509	2,605	2,704
80 MALIGNANT HYPERTENSION.....400	1,496	789	707	403	364	386	343
81 ESSENTIAL BENIGN HYPERTENSION.....401	1,172	456	716	349	565	107	151
82 HYPERTENSIVE HEART DISEASE.....402	8,976	3,731	5,245	2,779	4,087	952	1,158
83 HYPERTENSIVE RENAL DISEASE.....403	5,758	3,092	2,666	2,536	2,203	556	463
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	7,310	3,431	3,879	2,827	3,290	604	589

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA), Four-digit

Cause of death	United States						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	669,829	386,771	283,058	354,886	256,692	31,885	26,366
02 WITH HYPERTENSIVE DISEASE (1.0).....	75,073	34,714	40,359	28,661	33,466	0,053	6,893
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	594,756	352,057	242,699	326,225	223,226	25,832	19,473
04 ACUTE MYOCARDIAL INFARCTION.....410	361,583	230,544	131,035	215,588	120,237	14,956	10,802
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4,677	2,907	1,770	2,456	1,455	451	315
06 CHRONIC ISCHEMIC HEART DISEASE.....412	303,362	153,195	150,167	136,727	134,926	10,468	15,241
07 ANGINA PECTORIS.....413	207	125	82	115	74	10	8
08 OTHER FORMS OF HEART DISEASE.....420-429	37,718	20,840	16,878	17,098	13,976	3,742	2,902
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	593	319	274	270	216	49	58
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	588	380	208	305	167	75	41
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1,262	550	672	518	592	72	80
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	70	28	42	27	38	1	6
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	237	151	106	120	97	11	9
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	955	431	524	371	459	00	65
15 SYMPTOMATIC HEART DISEASE.....427	18,686	9,665	9,021	8,041	7,554	1,624	1,467
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	6,213	3,097	3,116	2,644	2,736	453	380
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	10,376	6,789	3,587	5,320	2,711	1,469	876
18 CEREBROVASCULAR DISEASES.....430-438	207,179	94,227	112,952	81,635	99,189	12,592	13,763
19 WITH HYPERTENSION (BENIGN) (1.0).....	26,633	11,318	15,315	8,764	12,067	2,554	3,248
20 WITHOUT MENTION OF HYPERTENSION (.9).....	180,546	82,909	97,637	72,871	87,122	10,038	10,515
21 SUBARACHNOID HEMORRHAGE.....430	9,193	3,915	5,278	3,228	4,333	687	945
22 CEREBRAL HEMORRHAGE.....431	43,303	20,424	22,879	17,171	19,623	3,253	3,256
23 CEREBRAL THROMBOSIS.....433	58,748	26,364	32,384	23,478	29,626	2,886	3,116
24 CEREBRAL EMBOLISM.....434	1,005	417	588	378	545	39	43
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	3,231	1,853	1,378	1,676	1,429	177	92
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	56,882	26,132	30,750	21,965	25,955	4,167	4,795
27 OTHER CEREBROVASCULAR DISEASES.....437,438	34,817	15,122	19,695	13,739	18,186	1,393	1,509
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	58,145	29,708	28,437	27,428	26,232	2,280	2,205
29 ARTERIOSCLEROSIS.....440	33,063	14,346	18,717	13,184	17,484	1,102	1,233
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	13,365	9,577	3,788	9,018	3,361	559	407
31 GANGRENE.....445	2,601	1,305	1,296	1,138	1,127	167	169
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	9,116	4,480	4,636	4,088	4,240	392	396
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	16,348	8,225	8,123	6,577	6,958	1,248	1,165
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	14,547	7,221	7,326	6,115	6,272	1,106	1,054
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	1,801	1,004	797	862	666	142	111
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	116,457	73,957	42,500	64,511	36,769	9,446	5,731
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	621	332	289	261	238	71	51
38 ACUTE BRONCHITIS AND BRONCHIDOLITIS.....466	1,286	712	574	558	429	154	145
39 INFLUENZA.....470-474	5,971	3,011	2,960	2,633	2,622	378	338
40 PNEUMONIA.....480-486	62,394	34,852	27,542	28,861	23,525	5,991	4,017
41 VIRAL PNEUMONIA.....480	1,766	930	838	771	711	159	121
42 BACTERIAL PNEUMONIA.....481,482	7,738	4,713	3,025	3,760	2,508	953	517
43 ACUTE INTERSTITIAL PNEUMONIA.....484	1,693	992	701	691	452	301	249
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	28,617	15,758	12,819	13,405	11,235	2,394	1,564
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	22,578	12,419	10,159	10,234	8,599	2,185	1,590
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	31,144	24,670	6,474	23,056	5,870	1,574	604
47 BRONCHITIS, UNQUALIFIED.....490	799	437	362	361	311	76	51
48 CHRONIC BRONCHITIS.....491	5,044	3,913	1,131	3,699	1,075	214	56
49 EMPHYSEMA.....492	22,939	19,244	3,695	18,243	3,522	1,001	173
50 ASTHMA.....493	2,362	1,076	1,286	793	962	283	324
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	48	30	18	29	12	1	6
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	1,180	842	338	826	274	216	66
53 PLEURISY.....511	370	206	164	187	137	19	27
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	3,385	2,210	1,175	2,009	1,100	201	75
55 BRONCHIECTASIS.....518	1,110	647	463	599	432	48	31
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	8,948	6,445	2,503	5,652	2,132	793	371
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	73,926	43,044	30,882	37,376	26,866	5,668	4,016
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	43	27	16	18	10	9	6
59 PEPTIC ULCER.....531-533	9,312	6,229	3,082	5,643	2,807	586	276
60 ULCER OF STOMACH.....531	3,719	2,252	1,467	1,993	1,342	259	125
61 ULCER OF DUODENUM.....532	4,381	3,163	1,218	2,912	1,114	251	104
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	1,212	814	398	738	351	76	47
63 GASTRITIS AND DUODENITIS.....535	522	336	186	291	164	45	22
64 APPENDICITIS.....540-543	1,407	884	523	709	428	175	95
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	7,500	3,466	4,034	2,951	3,627	515	407
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	61	22	39	18	23	4	16
67 DIVERTICULA OF INTESTINE.....562	3,408	1,387	2,021	1,311	1,923	76	98
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	1,230	558	672	514	621	44	51
69 CIRRHOSIS OF LIVER.....571.0	29,866	19,360	10,486	16,517	8,634	2,863	1,852
70 ALCOHOLIC.....571.1	10,520	7,258	3,262	5,588	2,533	1,270	729
71 OTHER SPECIFIED.....571.8	5,404	3,204	2,200	2,633	1,786	571	414
72 UNSPECIFIED.....571.9	13,942	8,918	5,024	7,896	4,315	1,022	709
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	4,262	1,838	2,424	1,749	2,250	89	174
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	16,315	8,917	7,398	7,655	6,379	1,262	1,019
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	29,280	16,476	12,804	13,382	10,226	3,094	2,576
76 NEPHRITIS AND NEPHROSIS.....580-584	9,417	5,080	4,337	3,853	3,233	1,227	1,104
77 ACUTE NEPHRITIS.....580	912	490	422	389	323	101	99
78 NEPHROTIC SYNDROME.....581	480	236	244	181	187	55	57
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	8,025	4,354	3,671	3,283	2,723	1,071	948
80 INFECTIONS OF KIDNEY.....590	8,750	3,982	4,768	3,301	3,951	681	817
81 CALCULI OF URINARY SYSTEM.....592,594	887	439	448	396	398	43	50
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	6,268	3,702	2,566	3,003	2,128	699	438
83 HYPERTROPHY OF PROSTATE.....600	2,499	2,499	...	2,154	...	345	...
84 DISEASES OF BREAST.....610,611	19	-	19	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	1,440	774	666	675	499	99	167
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	801	...	801	...	463	...	338
87 ECTOPIC PREGNANCY.....631	60	...	60	...	33	...	27
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	141	...	141	...	78	...	63
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	106	...	106	...	56	...	50

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

ALABAMA					ALASKA					ARIZONA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9,482	4,353	2,803	1,196	1,130	204	128	44	23	9	3,915	2,469	1,255	103	48	01
1,499	447	372	335	345	18	8	7	2	1	305	144	139	8	14	02
7,983	3,906	2,431	861	785	186	120	37	21	8	3,610	2,325	1,154	95	34	03
5,906	3,126	1,580	646	554	146	100	27	14	5	1,994	1,372	561	47	14	04
20	8	8	1	3	-	-	-	-	-	20	13	7	-	-	05
3,553	1,218	1,213	549	573	58	28	17	9	4	1,899	1,082	727	56	34	06
3	1	2	-	-	-	-	-	-	-	2	2	-	-	-	07
1,150	465	299	207	179	42	20	6	13	3	214	100	84	20	10	08
12	6	3	1	3	-	-	-	-	-	4	2	1	-	1	09
17	7	3	5	2	2	2	-	-	-	6	4	1	1	1	10
17	9	3	3	2	-	-	-	-	-	7	2	4	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
3	3	-	-	-	-	-	-	-	-	1	-	1	-	-	13
14	6	3	2	-	-	-	-	-	-	6	2	3	-	1	14
441	127	146	80	88	19	6	6	6	1	119	55	46	13	5	15
144	55	51	22	16	1	-	-	-	-	23	6	14	2	1	16
519	261	94	96	68	20	12	-	7	1	55	31	18	4	2	17
4,548	1,387	1,534	710	917	73	32	20	13	8	1,238	575	580	49	30	18
561	102	135	136	188	2	1	1	-	-	175	77	83	9	1	19
3,987	1,285	1,399	574	729	71	31	19	13	8	1,063	502	497	40	24	20
155	51	55	19	30	18	6	8	1	3	72	24	37	5	6	21
1,095	316	322	192	265	11	4	3	3	1	222	107	107	6	2	22
1,253	428	451	177	197	12	7	3	2	2	291	144	130	13	4	23
9	3	4	2	-	-	-	-	-	-	4	2	2	-	-	24
34	18	11	4	-	-	-	-	-	-	22	14	7	1	-	25
1,435	397	452	245	341	21	9	4	7	1	389	176	187	15	11	26
567	174	239	71	83	11	6	2	2	1	238	112	110	9	7	27
929	323	305	157	144	39	21	9	1	2	389	214	156	13	6	28
524	149	184	107	84	18	14	3	1	-	204	101	89	9	5	29
169	95	33	19	22	5	3	2	-	-	96	72	23	1	-	30
50	17	10	7	16	-	-	-	-	-	18	7	10	1	-	31
186	62	78	24	22	10	4	4	-	2	71	34	34	2	1	32
279	91	84	49	55	9	7	-	1	1	126	64	53	3	6	33
237	76	74	38	49	7	6	-	-	1	116	59	49	3	5	34
42	15	10	11	6	2	1	-	1	-	10	5	4	-	1	35
1,832	786	475	370	201	92	36	16	25	15	1,315	847	348	80	40	36
14	4	4	5	1	-	-	-	-	-	6	3	3	-	-	37
15	7	2	3	3	2	1	2	-	1	10	7	1	1	1	38
126	40	40	19	27	12	3	3	4	2	44	27	15	-	2	39
994	325	294	229	146	46	18	9	13	6	497	243	172	49	33	40
20	8	7	4	1	3	2	-	1	-	13	5	5	2	1	41
138	47	25	36	30	4	3	-	1	-	51	28	13	7	3	42
25	6	4	12	3	-	-	-	-	-	24	10	6	4	4	43
366	129	120	75	42	10	7	3	-	-	230	110	88	18	14	44
445	135	138	102	70	29	6	6	11	6	179	90	60	18	11	45
438	284	72	69	13	14	9	3	2	-	584	459	104	20	1	46
10	4	3	2	1	-	-	-	-	-	10	7	2	1	-	47
53	34	9	9	1	3	1	2	-	-	97	73	15	5	-	48
336	239	47	47	3	10	7	1	2	-	432	357	62	13	-	49
39	7	13	11	8	1	1	-	-	-	45	22	21	1	1	50
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	51
19	9	4	6	-	1	-	-	-	1	7	3	2	1	1	52
4	1	1	1	-	1	-	-	-	-	4	2	2	-	-	53
61	38	14	6	3	2	1	-	-	1	37	19	12	4	2	54
26	11	15	-	-	-	-	-	-	-	36	22	13	1	-	55
134	66	29	32	7	14	4	6	4	-	90	62	24	4	-	56
896	380	296	112	108	58	26	12	5	15	650	303	241	68	38	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
111	54	30	18	9	5	1	-	2	2	82	42	33	6	1	59
41	18	14	4	3	3	1	2	-	-	35	16	16	2	1	60
53	29	11	9	4	1	-	-	1	-	27	17	7	3	-	61
17	7	5	3	2	1	1	-	-	-	20	9	10	1	-	62
4	3	1	-	-	1	1	-	-	-	5	2	2	-	1	63
31	7	6	12	6	3	2	-	1	-	8	5	3	-	-	64
118	30	45	23	20	8	4	2	1	1	59	22	33	1	3	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
32	10	18	2	2	3	1	1	-	1	17	6	10	1	-	67
8	1	5	1	1	2	-	2	-	-	16	7	6	2	1	68
256	133	75	24	24	23	12	3	-	8	273	134	78	38	23	69
73	46	14	7	5	15	9	1	-	5	151	75	34	26	16	70
36	15	13	3	6	3	-	1	-	2	50	25	15	7	3	71
147	72	48	14	13	5	3	1	-	1	72	34	29	5	4	72
63	26	28	3	6	2	1	-	-	-	42	11	22	6	3	73
273	116	88	29	40	11	4	3	1	3	148	74	54	14	6	74
692	233	157	177	125	10	5	-	3	2	250	117	91	18	24	75
225	67	43	55	60	3	1	-	1	1	70	40	17	6	7	76
26	10	5	8	3	-	-	-	-	-	8	5	1	1	1	77
12	3	2	6	1	-	-	-	-	-	3	3	-	-	-	78
187	54	36	41	56	3	1	-	1	1	59	32	16	5	6	79
236	74	81	48	33	-	-	-	-	-	93	31	45	5	8	80
19	10	3	3	3	-	-	-	-	-	13	6	6	-	1	81
131	50	21	40	20	4	2	-	2	-	50	28	15	2	5	82
53	27	-	26	-	1	1	-	-	-	12	9	-	-	-	83
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	84
27	5	8	5	9	2	1	-	-	1	12	3	4	2	3	85
25	...	4	...	21	1	...	1	...	-	11	...	7	...	4	86
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	87
4	...	2	...	2	-	...	-	...	-	2	...	2	...	-	88
7	...	-	...	7	-	...	-	...	-	3	...	2	...	1	89

SECTION I - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965 (ICDA). Four-digit

Cause of death	United States						
	Total			White		All other	
	Both sexes	Male	Female	Male	Female	Male	Female
01 ABORTIONS.....640-645	132	...	132	...	65	...	67
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	1	...	1	...	1	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	59	...	59	...	32	...	27
04 SPONTANEOUS ABORTION.....644,645	16	...	16	...	6	...	10
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	56	...	56	...	26	...	30
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	151	...	151	...	101	...	50
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672, 674-678	208	...	208	...	129	...	79
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	3	...	3	...	1	...	2
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	1,076	805	1,671	642	659	163	212
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	540	301	239	247	194	54	45
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	1,336	504	832	395	665	109	167
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	4,708	1,449	3,259	1,447	2,800	202	459
13 ARTHRITIS AND SPONDYLITIS.....710-715	1,948	662	1,286	590	1,195	72	91
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	158	61	57	53	60	8	17
15 OSTEOMYELITIS AND PERIOSTITIS.....720	202	116	86	103	70	13	16
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	142	52	90	48	83	4	7
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	2,458	758	1,700	653	1,372	105	328
18 XIV. CONGENITAL ANOMALIES.....	17,008	9,147	7,861	7,763	6,627	1,384	1,234
19 SPINA BIFIDA.....741	850	386	464	353	436	33	28
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	2,821	1,342	1,479	1,149	1,293	193	186
21 CONGENITAL ANOMALIES OF HEART.....746	3,789	3,087	3,087	3,177	2,536	612	551
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	1,216	650	566	555	473	95	93
23 CLEFT PALATE AND CLEFT LIP.....749	38	27	11	23	11	4	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	5,207	2,953	2,254	2,506	1,878	447	376
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	43,171	25,369	17,802	15,201	13,132	6,168	4,670
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	26,160	15,755	10,405	10,749	6,670	5,006	3,735
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1,447	550	897	371	647	179	250
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	24,713	15,205	9,508	10,378	6,023	4,827	3,485
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	159,373	112,366	47,007	90,708	39,979	21,658	7,028
30 ACCIDENTS.....E800-E949	116,385	80,706	35,679	68,056	30,882	12,650	4,797
31 RAILWAY ACCIDENTS.....E800-E807	884	792	92	614	73	178	19
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	55,791	40,213	15,578	34,588	13,715	5,825	1,863
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	56,436	39,338	15,298	33,863	13,472	5,535	1,826
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1,494	1,069	425	574	389	95	36
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	21,125	14,091	7,034	12,492	6,399	1,599	635
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	6,177	2,650	3,527	4,788	2,111	1,389	539
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	7,261	5,802	1,459	5,000	1,276	802	183
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	10,650	8,399	2,251	7,266	1,971	1,133	280
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	5,279	3,800	1,479	3,283	1,326	517	153
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	1,155	875	280	785	243	90	37
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	236	139	97	124	90	15	7
42 WATER TRANSPORT ACCIDENTS.....E830-E838	1,743	1,583	160	1,328	135	255	25
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1,778	1,538	240	1,518	236	20	4
44 ACCIDENTAL POISONING.....E850-E877	4,516	3,044	1,472	2,432	1,207	612	265
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	1,891	1,174	717	864	598	310	119
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1,076	721	355	579	285	142	70
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1,549	1,149	400	989	324	160	76
48 ACCIDENTAL FALLS.....E880-E887	17,827	8,983	8,844	8,028	8,318	955	526
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	4,952	3,451	1,501	2,999	1,363	422	138
50 FALL ON SAME LEVEL.....E885, E886	939	412	527	393	507	19	20
51 OTHER AND UNSPECIFIED FALLS.....E887	11,936	5,120	6,816	4,636	6,448	484	368
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	7,163	4,265	2,898	3,123	2,028	1,142	870
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	6,181	5,149	1,032	3,823	864	1,326	168
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	3,712	2,262	1,450	1,834	1,164	428	286
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	2,309	2,004	305	1,566	205	438	100
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	6,095	5,519	576	4,841	468	678	108
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	156	123	33	92	17	31	16
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	553	442	111	380	89	62	22
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	288	160	128	112	90	48	38
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	1,148	1,094	54	1,010	51	84	3
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	3,950	3,700	250	3,247	221	453	29
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	2,572	1,385	1,187	1,198	1,010	187	177
63 ALL OTHER ACCIDENTS.....E500-E909, E913-E915, E929, E940-E949	5,578	3,830	1,748	3,039	1,369	791	379
64 SUICIDE.....E950-E959	22,364	15,857	6,507	14,886	6,152	971	355
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	3,659	1,314	2,345	1,235	2,220	79	125
66 SUICIDE FROM POISONING BY GASES.....E951, E952	2,459	1,750	709	1,723	702	27	7
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	3,158	2,317	841	2,153	799	164	42
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	11,304	9,393	1,911	8,824	1,786	569	125
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	1,784	1,083	701	951	645	132	56
70 HOMICIDE.....E960-E978	15,477	12,166	3,311	5,215	1,801	6,951	1,510
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	10,174	8,334	1,840	3,478	921	4,856	919
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	2,726	2,163	563	754	279	1,409	284
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	2,223	1,319	904	823	599	496	305
74 LEGAL EXECUTION.....E978	-	-	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	354	350	4	160	2	190	2
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	5,066	3,556	1,510	2,481	1,144	1,075	366
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	81	81	-	70	-	11	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

ALABAMA					ALASKA					ARIZONA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	...	1	...	2	-	...	-	...	-	1	...	1	...	-	01
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	02
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	03
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	04
2	...	1	...	1	-	...	-	...	-	1	...	1	...	-	05
4	...	-	...	4	1	...	1	...	-	3	...	1	...	2	06
6	...	1	...	5	-	...	-	...	-	1	...	-	...	1	07
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	08
48	14	15	7	12	1	-	-	-	1	17	4	11	2	-	09
13	5	3	3	2	-	-	-	-	-	4	1	1	2	-	10
35	9	12	4	10	1	-	-	-	1	13	3	10	-	-	11
110	40	44	7	19	3	-	1	1	1	64	23	37	1	3	12
54	20	25	4	5	1	-	-	-	1	34	10	23	1	-	13
4	3	-	-	1	-	-	-	-	-	3	2	1	-	-	14
5	2	1	1	1	-	-	-	-	-	4	2	2	-	-	15
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	16
44	14	16	2	12	2	-	1	1	-	23	9	11	-	3	17
298	114	104	41	39	23	10	8	2	3	146	64	58	14	10	18
20	6	13	1	-	1	-	1	-	-	6	1	2	3	-	19
44	12	24	4	4	7	4	2	-	1	27	8	12	3	4	20
115	50	51	14	20	5	3	1	1	-	54	27	19	4	4	21
22	7	8	4	3	2	-	-	-	-	7	2	5	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
97	39	28	18	12	8	3	3	1	1	52	26	20	4	2	24
882	310	194	216	162	65	23	15	21	6	400	189	152	36	23	25
1,920	546	267	580	507	44	11	9	15	9	212	82	45	57	28	26
65	18	19	11	21	9	1	1	4	3	15	4	7	2	2	27
1,851	528	268	569	486	35	10	8	11	6	197	78	38	55	26	28
3,388	1,625	623	842	298	392	207	50	102	33	1,705	964	466	264	71	29
2,590	1,267	507	580	236	319	172	33	89	25	1,268	700	305	266	57	30
22	10	-	11	1	1	-	-	1	-	14	8	1	5	-	31
1,390	749	291	254	96	71	48	7	11	5	687	372	181	112	22	32
1,361	733	286	250	92	67	46	7	9	5	672	365	177	108	22	33
25	17	4	-	-	-	-	-	-	-	17	5	9	3	-	34
545	289	156	64	36	18	14	2	1	1	271	164	82	17	8	35
178	64	27	66	21	7	4	1	1	1	149	61	35	43	10	36
145	90	17	24	14	12	9	1	2	2	42	28	10	4	-	37
340	204	56	66	14	20	13	2	3	2	171	100	34	34	3	38
128	69	26	26	7	10	6	1	2	1	22	7	7	7	1	39
29	16	5	4	4	4	2	-	2	-	15	7	4	4	-	40
1	-	-	1	-	-	-	-	-	-	5	1	1	3	-	41
40	30	2	8	-	52	20	1	26	5	9	8	1	-	-	42
25	23	2	-	-	55	51	3	1	-	60	52	6	2	-	43
57	18	19	14	6	7	2	4	1	-	35	17	15	-	3	44
21	5	12	2	2	4	-	3	1	-	18	5	11	-	2	45
21	5	4	9	3	-	-	-	-	-	14	11	3	-	-	46
15	8	3	3	1	3	2	1	-	-	3	1	-	-	1	47
224	94	89	22	19	12	5	3	3	1	102	44	39	15	4	48
50	29	10	9	2	2	3	1	2	-	39	25	5	9	-	49
6	3	2	1	-	-	-	-	-	-	3	2	-	1	-	50
168	62	77	12	17	6	2	2	1	1	60	17	34	5	4	51
213	49	35	64	65	30	4	7	12	7	51	20	17	9	5	52
156	64	14	72	6	19	7	1	8	3	78	46	13	15	4	53
54	24	16	9	5	7	5	-	2	-	37	28	8	5	4	54
106	52	11	34	9	16	3	2	11	-	26	18	3	4	1	55
122	85	2	35	-	25	20	1	4	-	51	41	4	6	-	56
5	2	-	3	-	-	-	-	-	-	-	-	-	-	-	57
8	7	-	1	-	3	2	1	-	-	9	6	1	2	-	58
7	3	-	4	-	-	-	-	-	-	3	1	2	-	-	59
15	14	1	-	-	-	-	-	-	-	14	13	1	-	-	60
87	59	1	27	-	22	18	-	4	-	25	21	-	4	-	61
38	11	6	15	6	3	1	1	1	1	21	11	7	1	2	62
142	58	20	41	23	21	6	4	3	3	92	42	9	29	12	63
324	231	68	20	5	31	19	7	4	1	268	174	63	27	4	64
15	5	3	3	-	4	-	3	-	-	34	11	18	4	1	65
7	6	1	-	-	2	-	2	-	-	17	13	4	-	-	66
14	9	4	1	-	1	1	-	-	-	25	15	2	7	-	67
272	202	51	16	3	24	18	2	4	-	171	123	33	14	1	68
16	9	5	-	2	-	-	-	-	-	21	12	6	2	1	69
446	116	39	236	55	31	12	3	9	7	112	57	25	25	5	70
318	87	25	165	41	16	8	1	5	2	75	38	18	16	3	71
95	19	6	61	9	5	3	1	1	1	12	6	2	3	1	72
30	10	8	7	5	8	1	2	1	4	21	9	5	6	1	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
3	-	-	3	-	2	-	-	2	-	4	4	-	-	-	75
28	11	9	6	2	11	4	7	-	-	55	31	13	6	5	76
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	77

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	20,750	9,659	6,680	2,416	1,955
02 I. INFECTIVE AND PARASITIC DISEASES.....	240	84	70	45	41
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	2	2	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	2	2	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	40	6	13	8	11
09 TUBERCULOSIS, ALL FORMS.....010-019	74	34	19	13	8
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	62	32	12	11	7
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	2	-	2	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	10	2	5	2	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	2	-	2	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	14	5	4	1	4
25 TETANUS.....037	2	-	2	-	-
26 SEPTICEMIA.....038	41	10	12	12	7
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	6	3	3	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	3	2	-	-	1
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	1	1	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	2	-	1	-	1
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	12	4	6	-	2
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	20	4	7	4	5
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	3	3	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	5	1	-	4	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	3	1	-	2	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	1	-	-	1	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	1	-	-	1	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLUSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	11	5	1	3	2
58 II. NEOPLASMS.....	3,244	1,537	1,146	317	244
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	3,187	1,513	1,124	310	240
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	71	42	18	9	2
61 OF LIP.....140	7	6	1	-	-
62 OF TONGUE.....141	8	6	2	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	29	12	12	5	-
64 OF PHARYNX.....146-149	27	18	3	4	2
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	836	363	329	84	60
66 OF ESOPHAGUS.....150	41	27	8	6	-
67 OF STOMACH.....151	160	67	45	29	19
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	6	4	1	1	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	301	117	145	18	21
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	27	11	14	1	1
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	7	1	5	1	-
72 DESCENDING COLON.....153.2	11	6	5	-	-
73 SIGMOID COLON.....153.3	34	14	15	2	3
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	214	83	103	13	15
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	8	2	3	1	2
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	66	27	24	9	6
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	23	10	7	4	2
78 OF GALLBLADDER AND BILE DUCTS.....156	33	11	19	2	1
79 OF PANCREAS.....157	193	93	78	13	9
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	13	7	2	2	2
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	708	530	91	73	14
82 OF LARYNX.....161	34	27	3	2	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	659	456	85	66	12
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	15	7	3	5	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	328	55	227	5	41
86 OF BONE.....170	19	7	7	4	1
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	12	4	6	1	1
88 OF SKIN.....172,173	70	41	28	-	1
89 OF BREAST.....174	227	3	186	-	38

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix.]

CALIFORNIA					COLORADO					CONNECTICUT					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
166,077	84,848	68,466	7,638	5,125	17,117	9,303	7,241	324	249	26,222	13,596	11,363	712	531	01
1,314	668	446	127	73	145	78	56	3	8	195	88	70	17	20	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
5	4	-	1	-	-	-	-	-	-	3	2	1	-	-	04
14	8	4	2	-	1	1	-	-	-	-	-	-	-	-	05
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	06
144	71	61	7	5	20	9	8	-	3	36	12	19	1	4	08
395	241	92	44	18	47	32	12	4	3	32	18	7	4	3	09
285	179	65	31	10	28	18	7	-	3	20	13	4	2	1	10
5	2	2	1	-	-	-	-	-	-	1	-	-	1	-	11
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	12
5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	13
16	7	-	7	2	2	1	1	-	-	3	1	-	-	2	14
83	49	24	5	5	17	13	4	-	-	8	4	3	1	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	19
1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	20
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	21
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	22
78	37	28	7	6	3	1	2	-	-	10	7	2	1	-	23
2	1	1	-	1	1	-	1	1	1	1	1	-	-	-	24
215	101	71	27	16	35	17	14	2	2	46	23	16	3	4	25
33	15	13	2	3	4	1	4	-	-	10	3	4	3	-	26
2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
15	10	5	-	-	1	-	1	-	-	1	-	1	-	-	29
3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
29	12	12	5	-	6	4	2	-	-	10	4	4	-	2	32
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	33
118	46	65	2	5	8	2	6	-	-	5	1	2	-	2	34
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
86	37	42	2	5	9	4	5	-	-	23	10	9	4	-	36
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
59	30	13	13	3	3	2	1	-	-	3	1	-	-	2	41
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	42
5	3	-	1	1	-	-	-	-	-	-	-	-	-	-	43
31	16	4	9	2	1	-	1	-	-	1	-	-	-	1	44
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	45
6	3	1	2	-	2	2	-	-	-	1	1	-	-	-	46
9	6	2	1	-	-	-	-	-	-	-	-	-	-	-	47
3	1	2	-	-	-	-	-	-	-	1	-	-	-	1	48
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	56
94	42	28	14	10	5	5	-	-	-	14	6	4	1	3	57
29,557	14,598	12,825	1,250	884	2,633	1,339	1,214	47	33	5,144	2,697	2,263	162	82	58
25,152	14,410	12,646	1,235	861	2,577	1,317	1,164	45	31	5,054	2,662	2,213	101	78	59
730	461	206	45	18	65	43	20	2	-	146	109	31	4	2	60
20	18	2	-	-	3	3	-	-	-	1	1	-	-	-	61
188	115	57	12	4	10	5	4	1	4	32	22	9	1	-	62
209	124	70	10	5	20	15	4	1	-	41	28	10	2	1	63
313	204	77	23	9	32	20	12	-	-	72	58	12	1	1	64
8,228	3,944	3,603	432	249	731	347	356	13	15	1,490	776	658	38	15	65
533	317	139	66	11	24	21	2	-	1	115	82	22	10	1	66
1,469	759	542	116	52	119	65	46	6	2	263	151	107	5	-	67
75	36	30	2	7	4	2	2	-	-	12	4	7	1	-	68
2,885	1,249	1,464	86	86	290	116	165	5	4	561	254	298	5	4	69
425	170	229	15	11	37	12	25	-	-	79	33	45	1	-	70
114	42	64	4	4	11	5	6	-	-	18	10	8	-	-	71
81	26	48	4	3	8	4	4	-	-	11	4	6	1	-	72
484	212	240	16	16	45	15	28	1	1	99	51	48	-	-	73
1,653	740	817	46	50	177	75	95	4	3	327	149	173	2	3	74
128	59	66	1	2	12	5	7	-	-	27	7	18	1	1	75
865	446	365	35	19	71	40	27	1	3	173	108	62	1	2	76
227	132	59	26	10	18	8	9	1	-	24	14	5	4	1	77
410	130	251	13	16	144	14	30	-	-	67	31	33	1	2	78
1,627	812	688	83	44	155	77	73	-	5	263	130	117	11	5	79
137	63	65	5	4	6	4	2	-	-	12	5	7	-	-	80
6,241	4,518	1,286	356	81	434	335	94	5	-	967	747	177	34	9	81
210	174	26	10	2	20	17	2	1	-	43	38	3	2	-	82
5,908	4,273	1,229	339	76	404	315	85	4	-	909	704	166	30	9	83
123	71	40	7	5	10	3	7	-	-	15	5	8	2	-	84
3,405	469	2,750	19	167	285	34	244	1	4	648	75	557	2	14	85
154	61	59	7	7	9	5	4	-	-	28	18	9	1	-	86
137	72	56	2	7	12	9	3	-	-	30	12	18	-	-	87
514	294	211	6	3	36	20	15	1	-	68	42	24	1	1	88
2,606	22	2,424	4	150	228	2	222	-	4	522	3	566	-	13	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	463	146	191	73	53
02 OF CERVIX UTERI.....180	89	...	61	...	28
03 OF OTHER PARTS OF UTERUS.....181,182	52	...	37	...	15
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	96	...	88	...	8
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	7	...	5	...	2
06 OF PROSTATE.....185	211	140	...	71	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	8	6	...	2	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	141	70	49	12	10
09 OF BLADDER.....188	89	43	29	9	8
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	52	27	20	3	2
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	330	146	118	29	37
12 OF EYE.....190	2	1	-	1	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	56	39	16	-	1
14 OF THYROID GLAND.....193	9	2	7	-	-
15 OTHER.....194-199	263	104	95	28	36
16 LEUKEMIA.....204-207	148	77	50	10	11
17 LYMPHATIC LEUKEMIA.....204	61	36	16	6	3
18 MYELOID LEUKEMIA.....205	46	21	20	1	4
19 MONOCYTTIC LEUKEMIA.....206	10	7	3	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	31	13	11	3	4
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	162	84	51	15	12
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	48	27	16	3	2
23 HODGKIN'S DISEASE.....201	33	22	9	2	-
24 MULTIPLE MYELOMA.....203	47	16	16	8	7
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	34	19	10	2	3
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	57	24	22	7	4
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	4	...	2	...	2
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	3	2	1	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	6	2	3	-	1
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	1	...	1	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	37	15	14	7	1
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	6	5	1	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	436	136	185	41	74
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	5	-	2	2	1
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	3	1	1	1	-
37 DIABETES MELLITUS.....250	345	105	150	27	63
38 DISEASES OF PITUITARY GLAND.....253	1	-	-	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	5	-	1	2	2
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	35	9	14	5	7
43 CYSTIC FIBROSIS.....273,0	10	3	7	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	32	18	9	4	1
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	48	20	16	6	6
46 ANEMIAS.....280-285	30	13	10	5	2
47 DEFICIENCY ANEMIAS.....280,281	5	1	3	-	-
48 HEMOLYTIC ANEMIAS.....282,283	5	2	1	1	2
49 APLASTIC ANEMIA.....284	12	7	5	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	8	3	2	3	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	11	4	4	-	3
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	7	3	2	1	1
53 V. MENTAL DISORDERS.....	43	19	10	10	4
54 SENILE AND PRESENILE DEMENTIAS.....290	-	-	-	-	-
55 ALCOHOLIC PSYCHOSES.....291	-	-	-	1	-
56 ALL OTHER PSYCHOSES.....294-299	1	1	-	-	-
57 ALCOHOLISM.....303	22	8	4	7	3
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	15	6	4	2	1
59 MENTAL RETARDATION.....310-315	4	2	2	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	163	71	53	26	13
61 MENINGITIS.....320	11	6	1	2	2
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	6	3	2	1	-
63 MULTIPLE SCLEROSIS.....340	12	7	5	-	-
64 PARALYSIS AGITANS.....342	29	15	11	2	1
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	6	1	2	3	-
66 EPILEPSY.....345	26	7	7	8	4
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	3	2	1	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	70	30	24	10	6
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	11,282	5,236	3,778	1,161	1,107
73 ACTIVE RHEUMATIC FEVER.....390-392	1	-	1	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	104	42	41	7	14
75 DISEASES OF MITRAL VALVE.....394	30	14	12	1	3
76 DISEASES OF AORTIC VALVE.....395	25	10	10	2	3
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	3	1	1	-	1
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	46	17	18	4	7
79 HYPERTENSIVE DISEASE.....400-404	305	92	101	47	65
80 MALIGNANT HYPERTENSION.....400	22	5	2	10	5
81 ESSENTIAL BENIGN HYPERTENSION.....401	16	6	5	1	4
82 HYPERTENSIVE HEART DISEASE.....402	115	27	32	16	40
83 HYPERTENSIVE RENAL DISEASE.....403	67	23	18	15	11
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	85	31	44	5	5

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

CALIFORNIA					COLORADO					CONNECTICUT					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,506	1,358	1,870	120	158	354	168	173	10	3	554	236	296	4	16	01
548	...	484	...	64	47	...	46	...	1	62	...	57	...	5	02
465	...	429	...	36	37	...	37	...	-	78	...	72	...	6	03
927	...	874	...	53	86	...	84	...	2	162	...	157	...	5	04
88	...	83	...	5	6	...	6	...	-	10	...	10	...	-	05
1,380	1,269	...	111	...	165	155	...	10	...	227	221	...	6	...	06
98	89	...	9	...	13	13	...	-	...	15	15	...	-	...	07
1,340	846	426	49	19	134	99	32	-	3	221	160	56	3	...	08
795	527	224	32	12	83	64	17	-	2	116	88	25	1	...	09
545	319	202	17	7	51	35	15	-	1	105	72	31	2	...	10
2,639	1,251	1,208	87	93	244	122	115	4	3	497	266	216	4	11	11
28	14	12	-	2	2	1	1	-	-	10	4	6	-	-	12
769	417	320	16	16	55	33	20	2	-	127	71	53	2	1	13
85	25	52	3	5	7	2	5	-	-	14	7	6	-	1	14
1,757	795	824	68	70	180	86	85	2	3	346	184	151	2	9	15
1,269	673	513	45	38	149	79	66	2	2	214	133	74	4	3	16
445	255	164	17	9	49	25	24	-	-	64	40	21	2	1	17
563	289	240	16	18	59	32	24	2	1	79	48	29	1	1	18
48	23	23	1	1	5	1	4	-	-	11	7	4	-	-	19
213	106	86	11	10	36	21	14	-	1	60	38	20	1	1	20
1,794	890	784	82	38	181	88	84	8	1	317	157	148	6	6	21
714	364	309	29	12	84	36	45	3	-	114	55	55	3	1	22
316	185	112	15	4	25	14	11	-	-	62	30	29	1	2	23
392	170	178	28	16	43	23	14	5	1	62	30	30	1	1	24
372	171	185	10	6	29	15	14	-	-	79	42	34	1	2	25
405	188	179	15	23	56	22	30	2	2	90	35	50	1	4	26
13	...	8	...	5	2	...	2	...	-	2	...	2	...	-	27
78	32	37	3	6	13	6	7	-	-	12	4	7	-	1	28
83	37	36	4	6	9	2	6	-	1	8	4	4	-	-	29
2	...	2	...	-	1	...	1	...	-	2	...	2	...	-	30
159	83	66	4	4	21	10	10	-	1	45	18	24	1	2	31
70	36	30	2	2	10	4	4	2	-	21	9	11	-	1	32
3,351	1,292	1,723	133	203	337	138	188	3	8	652	257	360	10	25	33
4	-	3	1	-	-	-	-	-	-	1	-	-	-	-	34
24	5	16	1	2	4	2	2	-	-	1	-	-	-	-	35
24	3	20	1	-	1	-	1	-	-	8	-	-	-	-	36
2,585	1,009	1,311	101	168	249	97	144	2	6	563	220	314	8	21	37
24	14	9	-	1	1	-	1	-	-	4	-	-	-	1	38
4	2	2	-	-	1	1	-	-	-	-	-	-	-	-	39
58	17	37	1	3	5	3	1	1	1	6	2	4	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
262	86	161	8	7	35	13	22	-	-	20	9	8	2	1	42
60	27	31	1	1	5	3	2	-	-	4	1	3	-	-	43
302	129	133	19	21	36	19	15	-	2	45	23	20	-	2	44
390	170	173	19	28	55	28	24	-	3	71	26	37	5	3	45
243	103	109	14	17	30	18	11	-	1	41	13	22	5	1	46
42	19	21	1	1	4	1	3	-	-	9	3	5	1	-	47
52	8	24	10	10	5	2	2	-	1	5	2	-	2	1	48
91	54	33	-	4	14	11	3	-	-	15	3	10	2	-	49
58	22	31	3	2	7	4	3	-	-	12	5	7	-	-	50
47	18	22	2	5	6	1	4	-	1	15	6	8	-	1	51
100	49	42	3	6	19	9	9	-	1	15	7	7	-	1	52
617	334	210	57	16	58	38	16	4	-	124	86	23	12	3	53
45	17	27	-	1	3	1	2	-	-	6	4	2	-	-	54
70	52	7	11	-	6	4	1	1	-	8	5	-	3	-	55
18	8	9	-	1	5	1	4	-	-	3	1	1	1	-	56
327	195	82	40	10	36	28	5	3	-	87	66	10	8	3	57
147	58	80	5	4	6	4	2	-	-	12	5	7	-	-	58
10	4	5	1	-	2	-	2	-	-	8	5	3	-	-	59
1,525	730	663	68	64	187	95	91	-	1	268	129	126	9	4	60
152	69	57	10	16	18	13	5	-	-	21	12	5	3	1	61
61	36	19	3	3	9	4	5	-	-	12	8	2	2	-	62
135	46	80	4	5	18	6	12	-	-	27	8	19	-	-	63
347	186	152	4	5	31	13	18	-	-	63	31	32	-	-	64
41	19	18	1	3	6	4	2	-	-	8	3	5	-	-	65
138	61	48	19	10	18	7	11	-	-	23	5	9	3	2	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	68
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	69
12	6	4	-	2	2	1	1	-	-	3	2	1	-	-	70
636	305	284	27	20	84	46	37	-	1	110	56	52	1	1	71
85,371	42,840	37,471	2,838	2,222	8,654	4,535	3,894	111	114	14,045	7,183	6,412	248	202	72
46	21	17	4	4	4	3	1	-	-	5	2	3	-	-	73
1,651	707	838	56	50	192	89	95	2	6	221	105	110	3	3	74
488	182	285	9	12	50	15	34	-	1	51	19	31	1	1	75
498	290	168	28	12	43	30	12	-	1	58	41	16	1	-	76
70	26	39	4	1	16	7	8	-	1	4	1	3	-	-	77
595	209	346	15	25	83	37	41	2	3	108	45	60	1	2	78
1,606	610	788	102	106	174	72	93	5	4	261	113	124	10	14	79
95	29	31	17	18	6	1	5	-	-	9	2	3	2	2	80
86	28	48	10	7	7	1	4	-	-	15	7	8	-	-	81
736	251	394	43	48	47	14	29	2	2	88	37	39	4	8	82
372	183	152	19	18	52	30	18	3	1	95	52	37	3	3	83
317	119	163	13	22	62	26	35	-	1	54	15	37	1	1	84

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	6,754	3,479	2,142	593	540
02 WITH HYPERTENSIVE DISEASE (.0).....	780	264	243	123	150
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	5,974	3,215	1,899	470	390
04 ACUTE MYOCARDIAL INFARCTION.....410	4,251	2,452	1,190	339	270
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	19	9	3	4	3
06 CHRONIC ISCHEMIC HEART DISEASE.....412	2,484	1,018	949	250	267
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	667	294	179	115	79
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	6	4	1	1	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	5	2	1	1	1
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	13	4	3	2	4
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	-	-	-	1
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	12	4	3	2	3
15 SYMPTOMATIC HEART DISEASE.....427	273	125	94	30	24
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	60	20	24	11	5
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	310	139	56	70	45
18 CEREBROVASCULAR DISEASES.....430-438	2,773	1,031	1,031	344	347
19 WITH HYPERTENSION (BENIGN) (.0).....	333	87	117	61	68
20 WITHOUT MENTION OF HYPERTENSION (.9).....	2,440	944	914	283	299
21 SUBARACHNOID HEMORRHAGE.....430	72	21	30	9	12
22 CEREBRAL HEMORRHAGE.....431	601	223	229	75	74
23 CEREBRAL THROMBOSIS.....433	597	229	200	83	85
24 CEREBRAL EMBOLISM.....434	15	6	9	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	21	13	8	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,079	369	395	144	171
27 OTHER CEREBROVASCULAR DISEASES.....437,438	388	170	160	33	25
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	517	226	223	34	34
29 ARTERIOSCLEROSIS.....440	306	112	154	19	21
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	102	68	23	5	6
31 GANGRENE.....445	21	7	8	3	3
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	88	39	38	7	4
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	161	72	60	21	8
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	141	67	49	18	7
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	20	5	11	3	1
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,222	668	336	148	70
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	8	1	2	2	3
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	9	5	4	-	-
39 INFLUENZA.....470-474	101	37	32	17	15
40 PNEUMONIA.....480-486	614	279	200	94	61
41 VIRAL PNEUMONIA.....480	28	16	10	2	-
42 BACTERIAL PNEUMONIA.....481,482	72	35	19	12	6
43 ACUTE INTERSTITIAL PNEUMONIA.....484	5	2	2	1	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	209	100	69	25	15
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	300	126	100	54	20
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	318	247	46	18	7
47 BRONCHITIS, UNQUALIFIED.....490	4	2	1	1	-
48 CHRONIC BRONCHITIS.....491	56	44	10	2	-
49 EMPHYSEMA.....492	241	195	30	11	5
50 ASTHMA.....493	17	6	5	4	2
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	1	1	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	9	8	1	-	-
53 PLEURISY.....511	3	1	2	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	34	19	11	3	1
55 BRONCHIECTASIS.....518	12	6	6	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	113	64	32	14	3
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	610	309	211	55	35
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	-	-	1	-
59 PEPTIC ULCER.....531-533	89	63	18	3	5
60 ULCER OF STOMACH.....531	31	20	6	3	2
61 ULCER OF DUODENUM.....532	44	33	8	-	3
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	14	10	4	-	-
63 GASTRITIS AND DUODENITIS.....535	4	3	1	-	-
64 APPENDICITIS.....540-543	15	8	4	2	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	82	33	31	11	7
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	1	1	-	-	-
67 DIVERTICULA OF INTESTINE.....562	18	8	10	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	6	-	5	1	-
69 CIRRHOSIS OF LIVER.....571	176	97	48	22	9
70 ALCOHOLIC.....571.0	43	28	10	4	1
71 OTHER SPECIFIED.....571.8	19	7	7	3	2
72 UNSPECIFIED.....571.9	114	62	31	15	6
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	46	19	26	-	1
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	172	77	68	15	12
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	433	172	116	84	61
76 NEPHRITIS AND NEPHROSIS.....580-584	174	61	45	35	33
77 ACUTE NEPHRITIS.....580	14	4	6	1	3
78 NEPHROTIC SYNDROME.....581	11	7	2	1	1
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	149	50	37	33	29
80 INFECTIONS OF KIDNEY.....590	137	48	54	18	17
81 CALCULI OF URINARY SYSTEM.....592,594	6	3	1	-	2
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	67	28	15	17	7
83 HYPERPLASIA OF PROSTATE.....600	39	26	-	13	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	10	6	1	1	2
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	12	...	6	...	6
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	3	...	1	...	2
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

CALIFORNIA					COLORADO					CONNECTICUT				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
56,049	30,579	22,385	1,851	1,234	5,455	3,106	2,220	71	58	9,424	5,184	3,991	142	107
6,221	2,573	2,994	338	316	430	171	241	10	8	719	299	396	13	11
45,828	28,006	19,391	1,513	918	5,025	2,935	1,979	61	50	8,705	4,885	3,555	129	96
26,535	16,000	9,342	720	473	2,950	1,922	984	27	17	5,367	3,256	1,981	72	58
29,272	14,453	12,935	1,126	798	2,467	1,159	1,225	43	40	4,024	1,912	1,994	69	49
9	6	3	-	-	1	-	1	-	-	1	1	-	-	-
1,864	904	800	98	62	309	151	148	6	4	331	173	132	15	11
61	33	18	4	6	4	1	3	-	-	4	4	-	-	-
66	34	22	2	2	3	2	1	-	-	9	6	2	1	-
111	40	35	8	8	14	7	7	-	-	16	5	10	1	-
7	4	3	-	-	2	1	1	-	-	2	1	1	-	-
29	15	12	2	-	1	1	-	-	-	6	6	-	-	-
75	21	40	6	8	11	5	6	-	-	8	4	3	1	-
883	427	383	45	28	179	86	90	3	-	201	105	82	6	8
332	151	170	7	-	40	18	22	-	-	38	17	19	1	1
417	219	152	32	14	69	37	25	3	4	63	36	19	6	2
17,929	6,938	9,845	548	598	1,659	678	933	19	29	2,728	1,071	1,545	58	54
2,168	752	1,203	104	109	142	48	81	4	9	353	127	200	11	15
15,761	6,186	8,642	444	489	1,517	630	852	15	20	2,375	944	1,345	47	39
941	355	489	37	60	71	28	39	-	4	118	32	77	4	5
2,802	1,109	1,450	126	117	305	131	163	3	8	703	305	404	20	14
3,574	2,075	3,156	162	181	363	140	207	12	4	925	356	540	13	16
86	32	50	2	2	18	6	14	-	-	15	2	12	1	-
363	178	164	11	10	13	6	7	-	-	40	17	21	1	1
4,043	1,619	2,179	126	119	527	221	295	2	9	492	192	275	11	14
4,120	1,570	2,357	84	109	362	148	208	2	4	435	167	256	8	4
5,654	2,565	2,266	112	111	640	327	301	4	8	835	413	395	13	10
2,616	1,088	1,440	38	50	398	170	221	3	4	469	203	258	5	3
1,492	1,041	372	45	34	136	103	31	1	1	205	136	60	5	4
192	85	93	7	7	12	4	5	-	-	40	20	19	1	-
754	351	361	22	20	94	48	44	-	-	121	54	62	2	3
1,172	516	532	67	57	221	109	103	4	5	240	122	168	7	3
1,032	443	477	59	53	210	104	97	4	5	212	108	96	7	1
140	73	55	8	4	11	5	6	-	-	28	14	12	-	2
9,976	5,767	3,420	513	276	1,323	648	438	22	15	1,609	919	616	47	27
65	33	26	6	-	14	6	7	-	1	4	2	1	-	1
139	77	46	8	8	9	6	3	-	-	6	3	3	-	1
593	267	293	17	16	76	33	40	1	2	73	36	36	-	1
4,737	2,379	1,889	282	187	669	370	277	12	10	982	493	438	37	14
167	74	74	11	8	26	16	9	-	1	30	15	15	-	4
624	356	202	48	18	71	50	18	2	1	121	53	59	8	1
509	232	141	76	60	9	5	4	-	-	10	6	6	1	1
1,980	984	855	87	54	298	161	127	6	4	339	158	168	10	3
1,457	733	617	60	47	265	138	119	4	4	482	261	154	18	9
3,138	2,249	737	121	31	388	314	67	6	1	345	258	76	5	6
67	30	2	5	2	10	3	4	3	-	8	3	5	-	4
480	330	128	19	3	59	48	11	-	-	73	52	19	2	-
2,405	1,829	496	73	7	294	255	36	2	1	240	199	36	3	2
186	60	83	24	19	25	8	16	1	-	24	4	16	-	4
4	2	-	-	-	2	-	-	-	-	-	-	-	-	-
107	61	31	10	5	17	15	2	-	-	24	14	10	-	5
34	17	15	1	1	3	-	3	-	-	1	-	1	-	-
299	161	116	17	5	44	29	14	-	1	51	34	15	2	-
122	67	48	6	1	10	7	3	-	-	15	8	6	-	1
738	454	217	45	22	93	68	22	3	-	108	71	31	3	3
8,108	4,301	3,085	439	283	751	391	320	25	15	1,113	610	433	35	35
3	1	1	1	-	1	1	-	-	-	-	-	-	-	-
914	536	316	43	19	113	75	35	3	-	97	65	29	3	-
372	195	147	19	11	42	26	15	1	-	36	24	11	1	-
463	291	142	24	6	63	44	17	2	-	47	34	11	2	-
79	50	27	-	2	8	5	3	-	-	14	7	7	-	-
59	37	19	2	1	8	5	3	-	-	7	6	1	-	-
121	64	38	15	4	21	11	8	-	1	7	7	1	-	-
625	247	316	37	25	81	24	52	4	1	21	10	9	1	1
3	-	3	-	-	-	-	-	-	-	89	39	43	3	4
316	117	186	3	10	31	10	21	-	-	1	1	-	-	-
105	47	48	6	4	8	3	5	-	-	53	22	30	-	1
4,160	2,378	1,382	245	155	286	156	107	13	10	20	9	11	-	6
1,890	1,124	569	128	69	116	64	42	7	3	526	308	160	19	19
1,001	539	355	64	43	57	23	28	2	3	201	125	54	11	11
1,269	715	458	53	43	113	69	37	4	4	40	17	23	-	7
364	159	194	7	4	40	15	24	-	1	285	166	163	8	8
1,438	715	582	80	61	162	91	66	3	2	52	22	30	-	7
2,167	1,058	843	162	104	238	136	94	4	4	247	128	106	9	10
583	254	224	69	36	63	36	25	2	-	115	59	48	5	3
49	26	19	2	2	6	1	5	-	-	13	5	7	-	1
27	9	14	3	1	8	5	3	-	-	5	4	-	-	1
507	219	191	64	33	49	30	17	2	-	97	50	41	1	7
691	284	334	34	39	65	29	33	1	2	100	34	60	2	2
71	31	36	2	2	8	7	1	-	-	4	3	-	-	4
500	250	201	30	19	67	36	28	1	2	72	39	31	1	1
199	178	111	21	11	20	20	11	-	-	3	3	1	-	1
1	-	1	-	-	-	-	-	-	-	36	35	-	-	1
122	61	47	6	8	15	8	7	-	-	1	1	1	-	1
72	...	60	...	12	5	...	5	...	-	25	13	11	1	-
6	...	5	...	1	-	...	-	...	-	8	...	5	...	3
6	...	6	...	-	2	...	2	...	-	2	...	1	...	1
9	...	5	...	4	-	...	-	...	-	1	...	1	...	1

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	ARKANSAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	3	...	1	...	2
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	2	...	-	...	2
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	1	...	1	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	3	...	2	...	1
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630, 633-635, 654-662, 672, 674-678	3	...	2	...	1
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	14	8	1	1	4
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	5	5	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	9	3	1	1	4
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	52	24	24	-	4
13 ARTHRITIS AND SPONDYLITIS.....710-715	26	11	15	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	-	-	1
15 OSTEOMYELITIS AND PERIOSTITIS.....720	1	1	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	24	12	9	-	3
18 XIV. CONGENITAL ANOMALIES.....	142	57	55	13	17
19 SPINA BIFIDA.....741	10	4	6	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	30	8	15	2	5
21 CONGENITAL ANOMALIES OF HEART.....746	50	15	19	4	8
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	6	2	1	2	1
23 CLEFT PALATE AND CLEFT LIP.....749	1	1	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	45	23	14	5	3
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	356	143	113	58	42
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	691	259	165	150	117
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	74	18	12	19	25
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	617	241	153	131	92
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,762	956	395	301	110
30 ACCIDENTS.....E800-E949	1,404	777	345	196	86
31 RAILWAY ACCIDENTS.....E800-E807	14	9	1	2	2
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	641	379	163	79	20
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	633	373	161	79	20
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	32	17	11	1	3
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	144	87	40	15	2
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	76	41	10	19	6
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	38	19	11	8	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E814-E818	74	49	15	9	1
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	269	160	74	27	8
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	8	6	2	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	2	2	2	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	37	27	8	8	2
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	16	13	3	-	-
44 ACCIDENTAL POISONING.....E850-E877	38	18	14	3	3
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	14	4	7	2	1
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	8	6	2	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	6	5	1	2	2
48 ACCIDENTAL FALLS.....E880-E887	137	58	71	6	6
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	26	13	10	1	2
50 FALL ON SAME LEVEL.....E885, E886	3	1	-	-	1
51 OTHER AND UNSPECIFIED FALLS.....E887	108	40	60	5	3
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	122	48	25	23	26
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	97	62	9	21	5
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	33	15	11	4	3
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	51	27	6	14	4
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	90	63	8	13	6
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	1	-	-	-	1
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	14	7	3	2	2
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	19	16	-	3	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	56	40	5	8	3
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	28	14	7	4	3
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	98	48	25	19	6
64 SUICIDE.....E950-E959	160	114	31	14	1
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	4	2	2	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	4	4	-	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	10	6	3	1	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	140	162	24	13	1
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	2	-	2	-	-
70 HOMICIDE.....E960-E978	166	45	10	85	22
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	123	35	4	64	16
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	19	3	1	12	3
73 ASSAULT BY OTHER MEANS.....E940-E964, E967-E969	22	7	5	7	3
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	-	-	2	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED.....E980-E989	32	16	9	6	1
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E950-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

CALIFORNIA					COLORADO					CONNECTICUT					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
11	...	10	...	1	2	...	2	...	-	2	...	1	...	1	01
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	02
8	...	7	...	1	1	...	1	...	-	1	...	1	...	-	03
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	04
1	...	1	...	-	1	...	1	...	-	1	...	-	...	1	05
17	...	14	...	3	-	...	-	...	-	1	...	1	...	-	06
22	...	19	...	3	1	...	1	...	-	2	...	1	...	1	07
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	08
157	54	83	6	14	11	3	7	-	1	30	14	16	-	-	09
59	26	25	3	5	3	1	2	-	-	8	4	4	-	-	10
98	28	58	3	9	8	2	5	-	1	22	10	12	-	-	11
432	117	269	10	36	59	15	43	-	1	59	12	40	3	4	12
149	47	96	3	3	19	4	15	-	-	21	6	14	1	-	13
18	3	13	1	1	4	1	3	-	-	1	1	1	-	-	14
13	7	6	-	-	6	4	1	-	1	5	1	4	-	-	15
19	10	9	-	-	1	-	1	-	-	2	1	1	-	-	16
233	50	145	6	32	29	6	23	-	-	30	4	20	2	4	17
1,562	776	604	100	82	173	91	71	5	6	241	100	112	17	12	18
45	22	21	2	-	5	2	2	-	1	12	4	8	-	-	19
239	99	107	20	13	27	16	11	-	-	49	15	28	3	3	20
676	347	251	36	42	75	35	35	4	1	102	45	39	10	8	21
145	73	57	6	9	15	9	4	-	2	16	7	7	-	-	22
7	3	2	2	-	-	-	-	-	-	-	-	-	-	-	23
450	232	166	34	18	51	29	19	1	2	62	29	30	2	1	24
3,681	1,819	1,259	331	272	463	270	158	25	10	567	262	201	62	42	25
382	199	129	32	22	207	102	88	10	7	169	89	53	15	12	26
21	7	13	-	1	7	2	5	-	-	3	-	3	-	-	27
361	192	116	32	21	200	100	83	10	7	166	89	50	15	12	28
17,415	10,125	5,203	1,533	534	1,618	1,194	534	65	23	1,574	941	465	120	48	29
11,886	7,168	3,520	862	336	1,333	882	406	36	9	1,119	664	341	83	31	30
88	49	8	9	2	8	8	-	-	-	15	11	3	1	-	31
5,466	3,459	1,456	402	149	628	425	180	21	2	451	307	110	24	10	32
5,303	3,344	1,422	389	148	611	414	174	21	2	442	300	168	24	10	33
83	61	16	5	1	14	9	5	-	-	1	1	-	-	-	34
2,219	1,334	684	148	53	203	124	70	8	1	121	77	38	6	-	35
547	550	260	85	52	69	54	13	2	4	106	71	29	2	4	36
902	632	177	71	22	45	32	10	3	-	101	77	12	10	2	37
1,030	695	248	71	16	126	91	31	3	2	52	35	12	3	2	38
122	72	37	9	4	154	104	45	5	-	61	39	17	3	2	39
163	115	34	13	1	17	11	6	-	-	9	7	2	-	-	40
30	14	14	1	1	6	6	-	-	-	-	-	-	-	-	41
143	105	17	19	2	5	5	-	-	-	22	15	2	4	1	42
314	259	51	3	1	52	47	5	-	-	8	6	2	-	-	43
936	553	240	96	47	70	39	27	3	1	56	30	13	12	1	44
500	335	153	61	31	22	7	13	-	-	36	17	7	12	-	45
254	151	66	26	11	18	10	7	1	1	7	4	2	-	1	46
102	67	21	9	5	30	22	7	1	-	13	9	4	-	-	47
1,826	839	869	79	39	216	104	107	5	-	239	102	125	9	3	48
480	299	136	40	5	60	41	19	-	-	63	33	26	4	-	49
89	33	52	2	2	18	9	9	-	-	10	5	5	-	-	50
1,257	507	681	37	32	138	54	79	5	-	166	64	94	5	3	51
562	271	224	46	21	54	34	15	1	4	68	25	26	6	11	52
665	452	125	72	16	62	49	12	-	-	71	54	7	10	-	53
457	248	157	35	17	50	32	15	2	1	39	18	12	5	4	54
134	100	13	19	2	25	22	2	1	-	12	10	1	1	-	55
397	319	49	22	7	78	67	9	2	-	45	39	4	2	-	56
19	10	6	2	1	7	6	1	-	-	2	1	1	-	-	57
47	38	7	2	-	7	-	-	-	-	-	-	-	-	-	58
36	16	14	2	4	2	-	2	-	-	4	2	2	-	-	59
55	51	4	-	-	15	13	1	-	-	12	11	1	-	-	60
240	204	18	16	2	54	48	5	1	-	27	25	-	2	-	61
398	197	152	31	18	20	7	13	-	-	23	11	10	2	-	62
470	283	145	28	14	59	37	21	-	1	70	36	26	7	1	63
3,544	2,095	1,243	130	78	330	229	94	4	3	313	204	99	8	2	64
1,281	448	765	21	47	49	17	31	-	1	51	16	34	1	-	65
283	214	61	6	2	65	41	24	-	-	63	39	23	-	1	66
396	252	108	27	11	33	22	10	-	1	77	55	20	1	1	67
1,330	1,030	225	61	14	175	144	26	4	1	88	73	12	3	-	68
254	149	86	15	4	8	5	3	-	-	34	21	10	3	-	69
1,495	629	256	522	88	115	63	22	22	8	100	45	20	22	13	70
822	352	99	322	49	79	42	12	17	8	46	26	9	9	2	71
287	111	53	109	14	23	12	6	5	-	24	6	3	9	6	72
315	120	103	67	25	12	8	4	-	-	25	11	8	1	5	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
71	46	1	24	-	1	1	-	-	-	5	2	-	3	-	75
478	225	184	37	32	39	21	12	3	3	41	27	5	7	2	76
12	10	-	2	-	1	1	-	-	-	1	1	-	-	-	77

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		DELAWARE				
		Total	White		All other	
			Male	Female	Male	Female
01	ALL CAUSES.....	4,755	2,218	1,680	500	357
02	I. INFECTIVE AND PARASITIC DISEASES.....	39	14	7	12	6
03	CHOLERA.....000	-	-	-	-	-
04	TYPHOID FEVER.....001	-	-	-	-	-
05	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06	BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07	FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08	ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	6	2	1	2	1
09	TUBERCULOSIS, ALL FORMS.....010-019	14	6	2	5	3
10	TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	13	5	1	5	2
11	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12	TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	-	1	-	-
13	TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14	DISSEMINATED TUBERCULOSIS.....018	1	-	-	-	1
15	OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	1	1	-	-	-
16	PLAGUE.....020	-	-	-	-	-
17	ANTHRAX.....022	-	-	-	-	-
18	BRUCELLOSIS.....023	-	-	-	-	-
19	LEPROSY.....030	-	-	-	-	-
20	DIPHTHERIA.....032	-	-	-	-	-
21	WHOOPING COUGH.....033	-	-	-	-	-
22	STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23	ERYSIPELAS.....035	-	-	-	-	-
24	MENINGOCOCCAL INFECTIONS.....036	1	-	-	1	-
25	TETANUS.....037	-	-	-	-	-
26	SEPTICEMIA.....038	9	4	1	3	1
27	OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	1	1	-	-	-
28	ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29	LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30	SMALLPOX.....050	-	-	-	-	-
31	MEASLES.....055	1	-	-	1	-
32	YELLOW FEVER.....060	-	-	-	-	-
33	VIRAL ENCEPHALITIS.....062-065	1	-	1	-	-
34	LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35	INFECTIOUS HEPATITIS.....070	1	1	-	-	-
36	RABIES.....071	-	-	-	-	-
37	OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	3	-	2	-	1
38	TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39	MALARIA.....084	-	-	-	-	-
40	TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41	RELAPSING FEVER.....088	-	-	-	-	-
42	SYPHILIS AND ITS SEQUELAE.....090-097	-	-	-	-	-
43	CONGENITAL SYPHILIS.....090	-	-	-	-	-
44	EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45	ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	-	-	-	-	-
46	OTHER CARDIOVASCULAR SYPHILIS.....093,9	-	-	-	-	-
47	TABES DORSALIS.....094,0	-	-	-	-	-
48	GENERAL PARESIS.....094,1	-	-	-	-	-
49	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	-	-	-	-	-
50	ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51	GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52	SCHISTOSOMIASIS.....120	-	-	-	-	-
53	HYDATIDOSIS.....122	-	-	-	-	-
54	FILARIAL INFESTATIONS.....123	-	-	-	-	-
55	ANCYLOSTOMIASIS.....126	-	-	-	-	-
56	OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57	OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	-	-	-	-	-
58	II. NEOPLASMS.....	808	366	318	78	46
59	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	791	362	310	75	44
60	MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	20	14	4	2	-
61	OF LIP.....140	-	-	-	-	-
62	OF TONGUE.....141	3	2	1	-	-
63	OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	4	3	1	-	-
64	OF PHARYNX.....146-149	13	9	2	2	-
65	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	222	56	89	22	15
66	OF ESOPHAGUS.....150	12	5	2	3	2
67	OF STOMACH.....151	38	24	8	5	1
68	OF SMALL INTESTINE, INCLUDING DUODENUM.....152	1	-	-	-	-
69	OF LARGE INTESTINE, EXCEPT RECTUM.....153	83	24	42	4	3
70	CECUM, APPENDIX, AND ASCENDING COLON.....153,0	11	6	5	-	-
71	TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	5	3	2	-	-
72	DESCENDING COLON.....153,2	1	-	-	-	-
73	SIGMOID COLON.....153,3	18	7	10	-	1
74	LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	46	17	23	4	2
75	INTESTINAL TRACT, PART UNSPECIFIED.....153,9	2	1	1	-	-
76	OF RECTUM AND RECTOSIGMOID JUNCTION.....154	26	12	8	3	3
77	OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	6	4	1	1	-
78	OF GALLBLADDER AND BILE DUCTS.....156	11	2	8	-	1
79	OF PANCREAS.....157	40	13	16	6	5
80	OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	5	2	3	-	-
81	MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	190	133	30	24	3
82	OF LARYNX.....161	4	4	-	-	-
83	OF TRACHEA, BRONCHUS, AND LUNG.....162	180	124	28	24	2
84	OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	4	3	2	-	1
85	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	85	10	68	1	6
86	OF BONE.....170	8	3	4	1	-
87	OF CONNECTIVE AND OTHER SOFT TISSUE.....171	7	2	5	-	-
88	OF SKIN.....172,173	8	5	3	-	-
89	OF BREAST.....174	62	-	56	-	6

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,814	1,711	1,686	3,177	2,240	72,744	37,157	24,877	6,112	4,598	41,258	16,513	11,747	7,108	5,890	01
113	19	8	55	31	668	237	178	140	108	470	129	111	126	104	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	04
1	-	-	-	1	2	1	-	1	-	3	-	-	2	1	06
8	1	1	3	3	90	23	29	20	18	112	17	31	34	28	08
73	13	2	42	16	195	96	24	47	28	118	38	20	35	25	09
60	10	2	36	12	151	68	19	40	24	96	32	17	30	17	10
2	-	-	-	1	5	2	-	3	-	3	1	1	-	1	11
-	-	-	-	-	2	1	-	1	-	2	1	-	-	-	12
5	1	-	3	1	7	1	1	3	2	6	-	-	2	4	14
6	2	-	2	2	30	24	4	-	2	11	4	2	3	2	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	19
-	-	-	-	-	5	2	1	2	-	2	-	-	1	1	21
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	22
1	-	-	1	-	36	10	12	7	7	32	8	6	10	8	24
-	-	-	-	-	4	-	-	-	-	8	3	4	4	1	25
11	2	1	3	5	163	46	60	32	25	77	23	25	11	18	26
2	-	2	-	-	17	9	6	2	-	14	6	3	2	3	27
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	28
1	-	1	-	-	8	3	4	1	-	1	-	-	1	-	29
-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	13	5	6	-	2	8	5	1	2	-	32
-	-	-	-	-	-	-	-	-	-	1	7	8	2	-	33
4	2	-	1	1	46	13	16	9	8	25	7	8	2	8	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
3	1	1	-	1	27	9	8	4	6	23	11	7	2	3	36
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
4	-	-	2	2	22	6	1	11	4	18	2	-	14	2	42
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	43
-	-	-	-	-	1	1	-	-	-	2	-	-	2	-	44
4	-	-	2	2	10	1	-	6	3	13	1	-	11	1	45
-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	46
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	47
-	-	-	-	-	3	2	-	3	1	2	1	-	1	-	48
-	-	-	-	-	4	2	-	1	1	2	1	-	1	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	-	-	-	1	3	-	-	1	2	54
5	-	-	3	2	24	10	8	1	5	20	10	5	3	2	56
1,474	277	295	524	378	12,903	6,711	4,817	812	563	5,787	2,316	1,903	849	719	58
1,445	271	288	520	366	12,749	6,645	4,753	804	547	5,690	2,287	1,865	836	698	59
56	14	5	23	14	334	211	83	29	11	144	83	36	16	9	60
-	-	-	-	-	9	9	-	-	-	6	6	-	-	-	61
11	1	-	5	5	74	47	21	6	-	23	11	8	1	3	62
19	5	1	6	7	89	51	23	9	6	50	20	18	8	4	63
26	8	4	12	2	162	104	39	14	5	65	46	10	7	2	64
480	89	94	186	111	3,505	1,803	1,332	233	137	1,371	535	429	234	173	65
81	15	5	55	6	244	129	57	44	14	111	43	15	42	11	66
77	18	7	41	11	604	302	189	89	24	260	85	66	79	30	67
3	-	1	1	1	13	10	2	-	1	10	3	7	-	-	68
164	25	47	35	57	1,334	664	599	32	39	479	175	182	51	71	69
25	3	9	2	11	160	78	76	3	3	56	18	24	7	7	70
9	2	-	3	4	40	20	18	1	4	14	6	7	1	-	71
7	-	1	2	4	34	17	16	1	-	12	5	5	2	-	72
18	2	5	8	3	161	70	75	8	8	52	22	22	2	6	73
101	17	32	19	33	878	445	388	18	27	333	121	119	37	56	74
4	1	-	1	2	61	34	26	1	-	12	3	5	2	2	75
34	6	12	7	9	348	186	122	18	22	107	41	31	12	23	76
22	3	2	13	4	88	52	25	8	3	30	15	6	9	-	77
6	1	2	-	3	150	64	75	2	9	38	15	20	2	1	78
84	20	18	31	15	669	363	245	37	24	312	146	96	38	32	79
9	1	-	3	5	55	33	18	3	1	24	12	6	1	5	80
291	73	26	161	31	3,101	2,278	540	238	45	1,267	820	158	241	48	81
28	9	-	17	2	127	100	9	15	3	64	38	6	18	2	82
257	63	25	141	28	2,932	2,156	517	218	41	1,177	770	146	219	42	83
6	1	1	3	1	42	22	14	5	1	26	12	6	4	4	84
135	4	59	63	1	1,313	148	1,049	16	100	673	77	452	15	129	85
5	1	1	-	3	58	32	21	4	1	48	17	26	2	3	86
6	-	1	3	2	41	16	16	7	2	26	5	10	6	5	87
13	3	4	3	3	172	96	69	5	2	104	53	39	6	6	88
111	-	53	3	55	1,042	4	943	-	95	495	2	377	1	115	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	DELAWARE				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	82	28	35	10	9
02 OF CERVIX UTERI.....180	15	...	8	...	7
03 OF OTHER PARTS OF UTERUS.....181,182	10	...	9	...	1
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	16	...	15	...	1
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	3	...	3	...	-
06 OF PROSTATE.....185	36	27	...	9	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	2	1	...	1	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	35	23	5	5	2
09 OF BLADDER.....188	17	12	1	3	1
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	18	11	4	2	1
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	69	23	36	6	4
12 OF EYE.....190	1	-	1	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	14	7	7	-	-
14 OF THYROID GLAND.....193	3	-	2	-	1
15 OTHER.....194-199	51	16	26	6	3
16 LEUKEMIA.....204-207	32	14	16	2	-
17 LYMPHATIC LEUKEMIA.....204	11	3	7	1	-
18 MYELOID LEUKEMIA.....205	14	8	5	1	-
19 MONOCYTIC LEUKEMIA.....206	1	1	-	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	6	2	4	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	56	21	27	3	5
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	20	9	9	1	1
23 HODGKIN'S DISEASE.....201	7	2	5	-	-
24 MULTIPLE MYELOMA.....203	15	5	7	1	2
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	14	5	6	1	2
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	17	4	8	3	2
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-	-	-	-	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	1	...	1	...	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	1	-	-	1	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	10	2	6	1	1
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	5	2	1	1	1
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	156	50	80	10	16
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	-	-	-	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	3	-	3	-	-
37 DIABETES MELLITUS.....250	136	46	68	7	15
38 DISEASES OF PITUITARY GLAND.....253	-	-	-	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	1	-	1	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	7	2	3	2	-
43 CYSTIC FIBROSIS.....273,0	-	-	-	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	9	2	5	1	1
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	14	3	10	-	1
46 ANEMIAS.....280-285	10	3	6	-	1
47 DEFICIENCY ANEMIAS.....280,281	1	-	1	-	-
48 HEMOLYTIC ANEMIAS.....282,283	2	-	1	-	1
49 APLASTIC ANEMIA.....284	5	3	2	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	2	-	2	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	2	-	2	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	2	-	2	-	-
53 V. MENTAL DISORDERS.....	14	5	1	4	4
54 SENILE AND PRESENILE DEMENTIAS.....290	-	-	-	-	-
55 ALCOHOLIC PSYCHOSES.....291	3	1	-	2	-
56 ALL OTHER PSYCHOSES.....294-299	-	-	-	-	-
57 ALCOHOLISM.....303	7	2	-	2	3
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-305	3	1	1	-	1
59 MENTAL RETARDATION.....310-315	1	1	-	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	43	19	15	5	4
61 MENINGITIS.....320	2	2	-	-	-
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	-	-	-	-	-
63 MULTIPLE SCLEROSIS.....340	6	1	3	1	1
64 PARALYSIS AGITANS.....342	9	5	4	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	1	1	-	-	-
66 EPILEPSY.....345	2	1	-	1	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	2	-	-	1	1
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	21	9	8	2	2
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	2,546	1,175	978	214	175
73 ACTIVE RHEUMATIC FEVER.....390-392	1	-	-	1	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	42	18	19	4	1
75 DISEASES OF MITRAL VALVE.....394	12	2	9	1	1
76 DISEASES OF AORTIC VALVE.....395	14	10	3	1	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	2	1	1	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	14	5	6	3	-
79 HYPERTENSIVE DISEASE.....400-404	51	14	24	9	8
80 MALIGNANT HYPERTENSION.....400	3	-	2	2	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	2	-	1	-	-
82 HYPERTENSIVE HEART DISEASE.....402	25	7	12	3	3
83 HYPERTENSIVE RENAL DISEASE.....403	13	6	4	-	3
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	8	1	5	-	2

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
189	23	42	46	78	1,607	618	715	127	147	799	195	306	135	163
43	...	8	...	35	238	...	173	...	65	200	...	117	...	83
26	...	12	...	14	203	...	159	...	44	102	...	64	...	38
44	...	22	...	22	386	...	351	...	35	153	...	116	...	37
7	7	35	...	32	...	3	14	...	9	...	5
68	23	...	45	...	712	592	...	120	...	307	179	...	128	...
1	26	...	7	7
41	21	...	19	...	636	410	164	48	14	210	98	59	34	19
33	10	6	12	5	391	265	90	27	9	120	60	29	20	11
28	11	3	7	7	245	145	74	21	5	90	38	30	14	8
121	20	28	43	30	1,113	562	441	58	52	685	255	241	89	100
2	1	1	-	-	10	4	6	-	-	6	1	2	-	-
15	2	5	5	3	304	172	119	7	6	175	94	50	12	19
3	1	1	1	1	40	9	25	2	4	11	4	6	-	1
101	16	21	38	26	759	377	291	49	42	493	156	183	75	79
32	9	7	9	7	503	295	170	20	18	265	110	95	35	25
9	2	3	1	3	163	90	61	8	4	98	45	36	15	8
18	6	2	7	3	216	129	73	4	10	88	33	34	12	9
1	-	1	-	-	16	10	6	-	-	5	1	3	-	1
4	1	1	1	1	108	66	30	8	4	74	31	28	8	7
80	18	18	24	20	637	320	259	35	23	276	114	93	37	32
27	9	6	6	6	215	114	86	11	4	88	47	26	11	4
12	1	5	3	3	93	43	44	3	3	46	19	12	9	6
21	2	2	9	8	176	85	67	14	10	71	21	24	9	17
20	6	5	6	3	153	78	62	7	6	71	27	31	8	5
29	6	7	4	12	154	66	64	8	16	97	29	34	13	21
4	...	-	...	4	12	...	6	...	6	12	...	2	...	10
2	-	1	1	1	41	15	22	2	2	11	4	2	3	2
4	1	-	1	2	32	16	11	3	2	14	3	7	3	1
1	...	1	...	-	-	...	-	...	-	4	...	3	...	1
11	3	2	1	5	36	19	12	2	3	30	9	14	5	2
7	2	3	1	1	33	16	13	1	3	26	13	6	2	5
240	29	30	81	100	1,516	588	607	114	207	966	278	311	146	231
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
4	-	1	1	2	16	2	7	2	5	6	-	1	-	3
1	-	1	-	-	9	2	6	-	1	3	1	2	-	1
210	24	26	71	89	1,219	466	505	80	168	753	213	245	107	188
1	-	-	-	-	9	4	4	-	1	5	2	2	-	-
-	-	-	-	-	3	2	-	1	-	-	-	-	-	-
1	1	-	-	-	19	6	10	2	1	19	9	5	-	-
7	2	-	-	5	101	42	27	19	13	88	23	23	19	23
-	-	-	-	-	28	13	14	1	-	15	4	10	-	1
16	2	2	8	4	111	51	34	9	17	77	26	23	13	15
28	3	3	15	7	221	87	83	18	33	121	32	46	22	21
16	2	1	9	4	161	56	61	16	28	84	15	35	17	17
-	-	-	-	-	26	8	15	2	1	12	2	7	2	1
7	-	-	5	2	42	7	8	12	15	25	1	5	10	9
4	2	1	1	1	46	25	15	1	5	24	8	13	1	2
5	-	-	4	1	47	16	23	1	7	23	4	10	4	5
3	1	1	1	-	21	8	9	1	3	11	6	3	-	2
9	-	1	5	3	39	23	13	1	2	26	11	8	5	2
83	22	6	48	7	262	126	64	52	20	293	114	44	93	42
1	1	-	-	-	7	3	4	-	-	12	3	5	2	2
6	3	-	3	-	24	15	4	4	1	21	10	-	9	2
-	-	-	-	-	12	6	3	2	1	2	1	-	-	-
69	16	5	41	7	162	74	33	41	14	242	93	33	81	35
4	1	1	2	-	52	27	17	4	4	10	4	2	1	3
3	1	-	2	-	5	1	3	1	-	6	3	3	-	-
62	17	8	34	23	590	283	183	66	58	354	131	86	86	51
16	2	-	6	8	92	33	17	22	20	53	16	6	19	12
2	-	-	2	-	22	16	4	2	-	16	13	1	2	-
5	1	1	1	2	32	13	16	4	3	25	6	13	3	3
8	5	2	1	-	129	78	44	4	3	34	17	12	3	2
4	-	1	-	3	21	9	2	5	5	14	8	3	-	3
21	-	1	17	3	79	28	21	19	11	73	19	16	29	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	-	4	2	1	-	1	4	-	-	1	3
25	9	3	7	6	210	104	77	14	15	135	52	35	29	19
4,003	884	1,004	1,106	1,009	37,804	19,711	13,790	2,205	2,094	21,320	8,447	6,525	3,203	3,141
1	-	-	1	-	10	2	5	1	2	9	1	2	2	4
53	10	12	18	13	575	226	289	35	25	215	75	76	38	26
10	1	4	2	3	135	43	79	5	8	52	18	24	6	4
21	4	3	11	3	179	91	63	19	6	70	34	11	21	4
2	-	1	-	1	27	9	14	1	3	11	3	5	-	1
20	5	4	5	6	234	83	133	10	8	82	20	34	9	17
135	15	36	42	42	826	302	246	134	144	653	147	155	170	181
17	1	-	10	6	60	11	12	16	21	57	8	4	18	27
5	-	3	2	-	42	12	15	9	6	39	8	16	6	9
48	5	11	14	18	238	67	81	39	51	273	49	57	80	87
27	4	4	8	11	255	114	79	30	32	131	44	26	36	25
38	5	18	8	7	231	98	59	40	34	153	38	52	30	33

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH		DELAWARE				
		Total	White		All other	
			Male	Female	Male	Female
01	ISCHEMIC HEART DISEASE.....410-413	1,850	893	684	152	121
02	WITH HYPERTENSIVE DISEASE (1.0).....	292	112	101	39	40
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (1.9).....	1,558	781	583	113	81
04	ACUTE MYOCARDIAL INFARCTION.....410	814	473	259	42	40
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	4	1	3	-	-
06	CHRONIC ISCHEMIC HEART DISEASE.....412	1,032	419	422	110	81
07	ANGINA PECTORIS.....413	-	-	-	-	-
08	OTHER FORMS OF HEART DISEASE.....420-429	75	32	24	12	7
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	1	1	-	-	-
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	-	-	-	-	-
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	4	-	3	1	-
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	4	-	3	1	-
15	SYMPTOMATIC HEART DISEASE.....427	41	18	12	5	6
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	14	8	3	3	-
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	15	5	6	3	1
18	CEREBROVASCULAR DISEASES.....430-438	362	145	159	31	27
19	WITH HYPERTENSION (BENIGN) (1.0).....	33	14	12	2	5
20	WITHOUT MENTION OF HYPERTENSION (1.9).....	329	131	147	29	22
21	SUBARACHNOID HEMORRHAGE.....430	24	6	11	4	3
22	CEREBRAL HEMORRHAGE.....431	61	29	21	5	6
23	CEREBRAL THROMBOSIS.....433	111	42	53	8	8
24	CEREBRAL EMBOLISM.....434	3	2	1	-	-
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	12	5	5	2	-
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	87	31	45	5	6
27	OTHER CEREBROVASCULAR DISEASES.....437,438	64	30	23	7	4
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	123	61	51	5	6
29	ARTERIOSCLEROSIS.....440	62	22	35	2	3
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	41	31	6	1	3
31	GANGRENE.....445	4	-	2	2	-
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	16	8	8	-	-
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	42	16	17	4	5
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	38	14	16	4	4
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	4	2	1	-	1
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	257	139	63	33	22
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	-	-	-	-	-
38	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	1	1	-	-	-
39	INFLUENZA.....470-474	4	2	2	-	-
40	PNEUMONIA.....480-486	146	58	45	23	20
41	VIRAL PNEUMONIA.....480	1	-	1	-	-
42	BACTERIAL PNEUMONIA.....481,482	13	4	5	4	-
43	ACUTE INTERSTITIAL PNEUMONIA.....484	18	7	1	4	6
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	67	26	22	10	9
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	47	21	16	5	5
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	74	57	10	6	1
47	BRONCHITIS, UNQUALIFIED.....490	2	1	1	-	-
48	CHRONIC BRONCHITIS.....491	12	11	1	-	-
49	EMPHYSEMA.....492	53	43	5	5	-
50	ASTHMA.....493	7	2	3	1	1
51	HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52	EMPHYEMA AND ABSCESS OF LUNG.....510,513	1	1	-	-	-
53	PLEURISY.....511	1	1	-	-	-
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	9	6	2	1	-
55	BRONCHIECTASIS.....518	3	2	1	-	-
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	18	11	3	3	1
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	179	101	46	20	12
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59	PEPTIC ULCER.....531-533	19	14	3	2	-
60	ULCER OF STOMACH.....531	2	8	2	2	-
61	ULCER OF DUODENUM.....532	6	5	1	-	-
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	1	1	-	-	-
63	GASTRITIS AND DUODENITIS.....535	1	-	-	1	-
64	APPENDICITIS.....540-543	-	-	-	-	-
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	13	6	4	3	-
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	1	-	1	-	-
67	DIVERTICULA OF INTESTINE.....562	10	3	5	1	1
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	2	1	1	-	-
69	CIRRHOSIS OF LIVER.....571	83	51	19	7	6
70	ALCOHOLIC.....571.0	25	16	2	4	3
71	OTHER SPECIFIED.....*571.8	16	9	4	1	2
72	UNSPECIFIED.....*571.9	42	26	13	2	1
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	2	-	1	-	1
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	48	26	12	6	4
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	77	36	17	13	11
76	NEPHRITIS AND NEPHROSIS.....580-584	31	12	9	6	4
77	ACUTE NEPHRITIS.....580	1	-	1	-	-
78	NEPHROTIC SYNDROME.....581	3	1	2	-	-
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	27	11	6	6	4
80	INFECTIONS OF KIDNEY.....590	13	4	3	3	3
81	CALCULI OF URINARY SYSTEM.....592,594	5	2	1	1	1
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	20	13	4	1	2
83	HYPERPLASIA OF PROSTATE.....600	6	4	-	2	-
84	DISEASES OF BREAST.....610,611	-	-	-	-	-
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	2	1	-	-	1
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1	...	1	...	-
87	ECTOPIC PREGNANCY.....631	-	...	-	...	-
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	1	...	-
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,641	641	646	731	623	24,035	13,702	8,184	1,117	1,032	12,045	5,598	3,533	1,540	1,374	01
519	66	91	160	202	2,346	541	900	212	293	1,847	523	540	379	405	02
2,122	575	555	571	421	21,689	12,761	7,284	905	739	10,198	5,075	2,993	1,161	969	03
786	281	211	146	148	13,177	8,229	4,040	527	381	7,732	4,054	2,034	908	736	04
10	3	1	4	2	411	256	121	15	19	84	32	13	16	23	05
1,843	357	432	581	473	10,440	5,212	4,022	574	632	4,223	1,509	1,486	614	614	06
2	-	2	-	-	7	5	1	1	-	6	3	-	2	1	07
119	26	22	41	30	1,478	680	469	173	156	1,153	396	282	238	237	08
3	2	-	-	1	29	14	6	2	7	9	4	2	2	1	09
5	-	-	-	3	22	11	7	-	4	13	2	3	4	4	10
4	1	1	1	1	52	18	23	8	3	20	7	6	2	5	11
1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	12
3	1	1	-	-	11	4	5	2	-	3	3	-	-	-	13
54	14	15	14	11	40	14	17	6	3	17	4	6	2	5	14
22	4	4	12	5	867	369	313	94	91	649	222	175	115	137	15
31	5	4	13	9	146	54	57	18	17	135	37	31	31	36	16
					362	214	63	51	34	327	124	65	84	54	17
695	118	203	175	199	8,072	3,596	3,596	544	581	5,758	1,668	1,930	1,016	1,144	18
110	14	22	38	36	925	282	351	122	170	1,123	213	256	281	333	19
585	104	181	137	163	7,147	3,069	3,245	422	411	4,635	1,455	1,634	735	811	20
55	4	12	18	21	355	120	180	23	32	253	78	77	43	55	21
168	22	42	54	50	1,406	539	566	153	148	1,513	366	430	359	358	22
222	44	76	50	52	2,692	1,219	1,227	121	125	1,509	496	630	216	247	23
3	-	-	-	-	31	13	13	7	5	18	7	7	2	2	24
16	6	2	6	2	157	90	55	7	4	80	34	22	16	8	25
131	22	31	31	47	1,880	743	759	181	197	1,665	466	488	329	382	26
100	20	39	16	25	1,551	627	796	58	70	640	221	276	51	92	27
221	54	65	45	57	2,145	1,153	761	138	93	1,095	429	416	127	123	28
110	22	42	12	34	1,021	444	463	69	45	608	180	280	70	78	29
65	20	13	22	10	722	516	145	42	19	236	147	44	27	16	30
11	3	2	2	4	100	31	43	15	11	74	26	20	16	12	31
35	9	8	9	9	302	162	110	12	18	177	76	70	14	17	32
138	20	20	53	45	663	295	240	67	61	392	133	135	72	52	33
132	19	19	50	44	586	255	219	58	54	347	116	120	64	47	34
6	1	1	3	1	77	40	21	9	7	45	17	15	8	5	35
607	127	100	245	135	4,542	2,546	1,231	483	282	2,872	1,229	738	514	391	36
-	-	-	-	-	19	5	6	2	6	9	3	2	2	2	37
5	3	-	-	2	48	21	19	5	3	30	8	18	2	2	38
7	1	4	1	1	176	72	59	30	15	239	83	70	50	36	39
382	64	70	154	94	2,373	1,098	748	323	204	1,641	515	474	348	304	40
3	-	1	1	1	97	40	34	13	10	52	13	17	14	8	41
56	9	8	27	12	358	165	93	68	32	241	83	54	59	45	42
6	-	-	2	4	83	25	18	23	17	66	9	11	23	23	43
194	34	44	68	48	1,348	643	451	157	97	408	154	138	66	50	44
123	21	17	56	29	487	225	152	62	48	874	256	254	186	178	45
111	40	12	36	23	1,418	1,068	255	71	24	613	437	99	58	19	46
4	1	1	1	3	32	18	8	4	2	18	8	6	3	1	47
15	6	4	2	3	182	141	33	6	2	99	66	25	8	-	48
72	32	7	25	8	1,121	888	174	48	11	440	349	90	37	4	49
20	1	-	11	8	83	21	40	13	9	56	14	18	10	14	50
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	51
22	3	2	11	6	56	28	10	14	4	37	15	3	13	6	52
2	2	1	1	1	9	5	3	-	1	7	4	-	3	-	53
8	3	2	2	1	134	75	44	13	2	53	28	16	6	3	54
7	3	-	4	-	35	18	16	1	-	21	8	10	1	2	55
63	10	10	36	7	274	156	71	24	23	221	127	46	31	17	56
593	103	74	266	150	2,824	1,447	990	220	167	1,348	574	405	187	182	57
-	-	-	-	-	3	-	-	2	1	1	-	-	-	1	58
45	7	9	15	14	312	203	79	24	6	198	106	43	28	21	59
16	2	3	5	6	132	76	40	15	1	84	39	18	14	13	60
20	2	5	6	7	137	95	30	8	4	81	53	17	9	2	61
9	3	1	4	4	43	32	9	1	1	33	14	8	5	6	62
4	4	-	-	-	23	9	6	-	-	9	4	2	-	2	63
8	4	1	2	1	46	14	17	11	4	30	16	2	7	5	64
47	6	9	16	16	284	117	120	28	19	136	35	61	24	16	65
-	-	-	-	-	4	1	-	-	3	1	-	1	-	-	66
10	1	4	3	2	128	47	72	3	6	66	26	31	4	5	67
6	1	2	2	1	42	21	17	3	1	18	6	7	2	3	68
330	56	31	162	81	1,166	633	377	81	75	407	196	110	47	54	69
74	11	6	43	14	373	203	120	25	25	141	61	35	21	24	70
111	24	10	46	31	231	118	79	20	14	58	23	24	6	5	71
145	21	15	73	36	562	312	178	36	36	208	112	51	20	25	72
12	3	4	2	3	135	61	65	1	8	48	28	31	3	6	73
131	25	14	60	32	681	341	237	59	44	415	157	117	72	69	74
169	22	19	70	58	1,250	545	396	184	125	837	248	221	202	166	75
55	7	3	28	21	320	121	96	61	42	272	68	62	71	71	76
6	1	-	2	3	45	20	13	7	5	27	7	3	11	6	77
4	1	-	2	1	17	3	8	4	2	16	2	5	3	6	78
49	5	3	24	17	258	98	75	50	35	229	59	54	57	59	79
53	5	10	15	23	405	150	164	41	50	285	68	96	59	62	80
4	2	1	1	-	42	18	21	1	2	24	12	7	3	2	81
32	3	4	16	9	332	157	96	52	27	164	48	49	44	23	82
14	5	...	9	...	97	72	...	25	...	62	42	...	20	...	83
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	84
7	-	1	1	5	53	27	18	4	4	30	10	7	5	8	85
8	...	-	...	0	29	...	13	...	16	25	...	10	...	15	86
-	...	-	...	-	5	...	1	...	4	2	...	-	...	2	87
2	...	-	...	2	6	...	2	...	4	4	...	-	...	4	88
-	...	-	...	-	3	...	2	...	1	1	...	1	...	-	89

SECTION 1 - GENERAL MORTALITY

1-230

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	DELAWARE				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....63C, 633-635, 654-662, 672, 674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	1	1	-	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....68C-686	1	1	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	-	-	-	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	6	3	1	-	2
13 ARTHRITIS AND SPONDYLITIS.....710-715	2	-	1	-	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	1	1	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	1	1	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	2	1	-	-	1
18 XIV. CONGENITAL ANOMALIES.....	53	21	22	4	6
19 SPINA BIFIDA.....741	1	-	1	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	7	2	4	-	1
21 CONGENITAL ANOMALIES OF HEART.....746	20	7	7	2	4
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	2	1	1	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	23	11	9	2	1
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	138	53	39	21	25
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	18	6	3	5	4
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2	2	-	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	16	4	3	5	4
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	405	222	79	81	23
30 ACCIDENTS.....E80C-E949	286	157	59	54	16
31 RAILWAY ACCIDENTS.....E800-E807	2	2	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	120	74	20	20	6
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	116	73	19	18	6
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	-	-	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	30	16	9	4	1
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	26	15	1	9	1
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	7	5	-	2	2
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	19	12	2	4	1
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	34	25	7	1	1
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	4	1	1	2	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	1	1	-	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	4	4	-	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	5	3	2	-	-
44 ACCIDENTAL POISONING.....E850-E877	9	6	3	-	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	3	3	-	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	1	1	-	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	5	2	3	-	-
48 ACCIDENTAL FALLS.....E880-E887	30	13	14	1	2
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	6	2	3	1	-
50 FALL ON SAME LEVEL.....E885-E886	4	1	3	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	20	10	8	-	2
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	23	9	3	9	2
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	15	8	-	7	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	6	2	1	2	1
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	5	4	1	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	21	14	-	7	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	1	-	-	1	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914-E919, E921, E927, E928	2	1	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E914-E919, E921, E927, E928	18	13	3	5	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E934	7	3	3	-	-
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	38	14	12	7	5
64 SUICIDE.....E950-E959	68	47	17	3	1
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	7	2	5	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	11	6	4	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	7	4	2	1	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	36	29	5	2	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	7	6	-	-	1
70 HOMICIDE.....E960-E978	44	15	3	23	3
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	23	9	2	11	1
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	10	1	-	8	1
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	9	5	1	2	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	-	-	2	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	6	3	-	-	3
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	-	-	1	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	...	-	...	3	5	...	1	...	4	3	...	1	...	2	01
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	02
1	...	-	...	1	2	...	1	...	1	2	...	1	...	1	03
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	04
2	...	-	...	2	2	...	-	...	2	1	...	-	...	1	05
-	...	-	...	-	3	...	1	...	2	5	...	3	...	2	06
2	...	-	...	2	7	...	6	...	1	10	...	5	...	5	07
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	08
17	2	1	4	10	61	17	20	15	9	65	13	25	12	15	09
3	1	-	1	1	17	4	6	4	3	11	3	4	2	2	10
14	1	1	3	9	44	13	14	11	6	54	10	21	10	13	11
23	-	8	2	13	175	41	99	17	18	111	23	50	16	22	12
6	-	4	-	2	67	14	46	4	3	39	8	17	5	9	13
-	-	-	-	-	11	3	5	1	2	3	2	1	-	-	14
-	-	-	-	-	12	3	5	2	2	4	-	1	1	2	15
-	-	-	-	-	8	-	3	2	3	2	-	2	-	-	16
17	-	4	2	11	77	21	40	8	8	63	13	29	10	11	17
62	6	5	21	30	554	211	198	74	71	414	152	128	66	68	18
1	-	-	-	1	23	7	13	2	1	25	12	12	-	1	19
11	2	-	6	3	90	22	40	15	13	71	29	32	7	3	20
27	2	1	8	16	248	99	84	36	29	160	50	41	31	38	21
5	-	3	2	-	40	18	15	2	5	28	6	17	2	3	22
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23
18	2	1	5	10	152	64	46	19	23	130	55	26	26	23	24
294	22	18	149	105	1,412	558	339	293	222	1,093	399	246	269	179	25
237	34	33	110	60	1,692	749	380	338	225	681	186	124	173	198	26
-	-	-	-	-	52	13	20	8	11	210	30	53	57	70	27
237	34	33	110	60	1,640	736	360	330	214	471	156	71	116	128	28
781	144	74	447	116	6,246	3,300	1,489	1,077	380	4,501	2,242	770	1,144	345	29
454	86	54	240	74	4,406	2,432	1,078	647	249	3,235	1,674	614	685	262	30
-	-	-	1	-	24	13	4	7	-	28	14	2	10	2	31
146	22	5	88	25	2,166	1,240	520	292	114	1,754	982	340	313	119	32
138	22	5	87	24	2,132	1,225	507	287	113	1,700	949	332	307	112	33
-	-	-	-	-	66	45	12	3	6	52	21	21	5	5	34
33	6	-	21	6	941	546	274	84	37	703	396	157	108	42	35
51	6	2	33	10	385	194	86	77	28	216	88	32	63	33	36
21	3	-	17	1	391	242	62	63	24	160	97	28	32	3	37
18	6	2	7	3	299	171	57	53	18	504	306	81	90	27	38
15	1	1	9	4	50	27	16	7	-	65	41	13	9	2	39
2	-	-	-	-	34	15	13	5	1	54	33	8	6	7	40
-	-	-	-	-	13	5	8	-	-	6	4	1	-	1	41
1	-	-	-	1	116	83	4	27	2	51	37	5	8	1	42
6	5	1	-	-	86	78	6	2	-	31	29	1	1	-	43
21	3	3	10	5	173	80	59	21	13	94	55	18	16	5	44
7	2	1	3	1	72	34	32	4	2	27	14	9	2	2	45
7	1	1	3	2	44	16	16	8	4	43	24	8	10	1	46
7	-	1	4	2	57	30	11	9	7	24	17	1	4	2	47
117	25	27	45	20	550	263	245	20	22	297	113	125	36	23	48
39	4	4	22	9	121	87	22	8	4	89	42	17	24	6	49
2	-	1	1	-	28	13	15	-	-	16	4	8	4	4	50
76	21	22	22	11	401	163	208	12	18	192	67	100	12	13	51
43	9	5	20	9	238	89	60	58	31	240	77	39	68	56	52
14	2	1	9	2	394	208	52	114	20	205	104	15	79	7	53
23	4	1	16	2	110	53	34	14	9	90	29	26	21	14	54
24	3	1	17	3	105	57	13	26	9	111	71	8	28	4	55
8	2	2	4	-	194	137	14	37	6	187	113	8	61	5	56
-	-	-	-	-	12	1	1	1	3	7	5	-	1	1	57
2	1	1	-	-	20	7	5	4	1	20	12	1	6	1	58
-	-	-	-	-	4	3	1	-	-	4	2	1	1	-	59
1	-	1	-	-	49	56	3	9	1	35	25	1	9	-	60
5	1	-	4	-	89	61	4	23	1	121	69	5	44	3	61
12	1	4	4	3	93	51	29	7	6	23	6	13	1	3	62
44	10	4	26	4	144	75	30	22	17	118	40	13	43	22	63
65	30	10	20	5	980	631	310	26	13	513	355	110	38	10	64
7	2	4	-	1	211	79	127	3	2	30	10	19	1	-	65
-	-	-	-	-	67	54	13	-	-	32	27	3	2	-	66
18	8	2	8	-	92	45	24	3	-	28	20	7	1	-	67
23	9	1	11	2	532	299	111	17	6	405	289	75	32	9	68
17	11	3	1	2	77	34	35	3	5	18	9	6	2	1	69
243	22	7	178	36	792	208	81	393	110	727	200	43	411	73	70
168	13	1	132	22	546	141	54	289	60	546	155	29	364	58	71
45	3	-	33	9	123	21	6	72	24	105	19	6	71	9	72
26	5	6	10	5	111	39	21	25	26	61	19	8	28	6	73
-	-	-	-	-	14	7	-	7	-	15	7	-	8	-	74
4	1	-	3	-	14	7	-	7	-	15	7	-	8	-	75
17	4	3	9	1	66	28	20	10	8	26	13	3	10	-	76
2	2	-	-	-	2	1	-	1	-	-	-	-	-	-	77

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	4,076	755	505	1,781	1,035
02 I. INFECTIVE AND PARASITIC DISEASES.....	57	10	6	27	14
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	6	2	2	1	1
09 TUBERCULOSIS, ALL FORMS.....010-019	17	1	2	9	5
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	11	1	-	6	4
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	-	-	1	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	-	1	-
14 DISSEMINATED TUBERCULOSIS.....018	-	-	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	4	-	2	1	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	2	-	-	2	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	3	-	-	1	2
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	16	5	1	7	3
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	-	-	-	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALL POX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	-	-	-	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	2	-	-	1	1
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	9	2	1	4	2
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	1	-	-	1	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093-0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	1	-	-	1	-
47 TABES DORSALIS.....094-0	-	-	-	-	-
48 GENERAL PARESIS.....094-1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097-0,097,9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASSES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1	-	-	1	-
58 II. NEOPLASMS.....	751	127	58	317	209
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	744	126	98	316	204
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	24	9	2	9	4
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	3	-	1	1	1
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	4	2	-	2	-
64 OF PHARYNX.....146-149	17	7	1	6	3
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	308	43	37	135	93
66 OF ESOPHAGUS.....150	17	3	1	10	3
67 OF STOMACH.....151	98	16	6	39	37
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	2	1	-	-	1
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	62	8	13	22	19
70 CECUM, APPENDIX, AND ASCENDING COLON.....153-0	11	2	2	5	2
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153-1	1	-	1	-	-
72 DESCENDING COLON.....153-2	2	-	-	1	1
73 SIGMOID COLON.....153-3	13	2	3	4	4
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153-8	34	4	6	12	12
75 INTESTINAL TRACT, PART UNSPECIFIED.....153-9	1	-	1	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	29	4	3	10	12
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	24	-	1	17	6
78 OF GALLBLADDER AND BILE DUCTS.....156	15	1	1	8	5
79 OF PANCREAS.....157	59	9	12	28	10
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	2	1	-	1	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	146	36	8	85	17
82 OF LARYNX.....161	8	3	1	4	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	135	32	7	79	17
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	3	1	-	2	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	46	4	20	7	15
86 OF BONE.....170	3	-	1	2	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	3	2	-	1	-
88 OF SKIN.....172,173	7	2	-	4	1
89 OF BREAST.....174	33	-	19	-	14

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969--Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

IDAHO					ILLINOIS					INDIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,142	3,601	2,434	70	37	111,417	53,978	43,830	7,775	5,834	49,524	25,853	20,405	1,886	1,380	01
42	19	22	1	-	753	328	238	107	80	407	197	149	33	28	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	7	2	1	3	1	2	1	1	-	-	04
-	-	-	-	-	8	3	3	-	2	2	1	-	-	-	05
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	06
9	-	9	-	-	110	41	40	9	20	71	28	33	7	3	07
12	10	2	-	-	308	150	66	63	29	131	68	41	15	7	08
10	9	1	-	-	245	129	42	53	21	104	54	32	13	5	09
-	-	-	-	-	6	-	3	1	2	3	1	-	-	1	10
-	-	-	-	-	2	-	1	1	-	1	-	-	-	1	11
1	-	1	-	-	2	1	-	1	-	3	1	2	-	-	12
1	1	-	-	-	7	-	-	2	5	4	2	-	1	1	13
-	-	-	-	-	46	20	20	5	1	16	10	6	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	19
1	-	1	-	-	1	1	-	-	-	2	1	1	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	1	1	1	-	34	11	17	4	2	23	12	8	-	-	22
4	1	3	-	-	7	3	2	2	-	1	1	-	-	-	23
-	-	-	-	-	88	43	31	10	4	64	35	21	5	3	24
-	-	-	-	-	15	6	4	1	4	10	8	2	-	-	25
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	26
-	-	-	-	-	2	1	1	-	-	3	2	1	-	-	27
-	-	-	-	-	4	1	-	2	1	2	1	-	1	-	28
-	-	-	-	-	24	9	13	1	1	9	3	5	-	-	29
1	1	-	-	-	2	2	-	-	-	2	1	-	-	-	30
5	1	4	-	-	52	15	24	4	9	24	7	12	1	4	31
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	33	12	17	2	2	27	16	9	1	1	33
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	-	1	-	-	14	9	-	2	3	14	5	6	1	2	37
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	38
-	-	-	-	-	4	2	-	-	2	1	1	-	-	-	39
1	-	1	-	-	7	4	-	2	1	4	-	3	-	1	40
-	-	-	-	-	2	2	-	-	-	3	2	1	-	-	41
-	-	-	-	-	1	1	-	-	-	2	2	1	-	-	42
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	43
-	-	-	-	-	4	2	-	-	2	1	1	-	-	-	44
1	-	1	-	-	7	4	-	2	1	4	-	3	-	1	45
-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	46
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	47
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	48
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	49
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
6	5	1	-	-	39	18	15	4	2	20	8	7	2	3	56
946	502	431	10	3	18,986	8,992	7,965	1,079	950	8,204	4,063	3,594	326	221	57
921	487	421	10	3	18,736	8,901	7,830	1,073	932	8,085	4,014	3,533	320	218	58
15	9	6	-	-	1444	289	92	48	15	148	103	35	6	4	59
3	3	-	-	-	14	12	2	-	-	6	5	1	-	-	60
2	2	-	-	-	112	75	18	16	3	30	21	8	-	1	61
7	4	3	-	-	125	68	39	12	6	58	43	14	-	1	62
264	139	119	5	1	193	134	33	20	6	54	34	12	6	2	63
12	8	3	1	-	5,630	2,600	2,404	353	273	2,333	1,117	1,063	93	60	64
63	43	19	-	1	363	195	75	67	26	121	73	23	22	3	65
3	1	2	-	-	896	460	324	72	40	305	165	112	21	7	66
79	34	43	2	-	39	14	22	2	1	13	5	7	1	-	67
11	4	7	-	-	2,110	876	1,034	86	114	986	418	521	15	32	68
2	1	-	1	-	310	127	163	9	11	130	56	63	2	9	69
8	3	-	-	-	120	49	59	8	4	26	14	12	-	-	70
51	21	29	1	-	98	43	45	3	7	32	17	15	-	-	71
5	3	2	-	-	390	163	208	8	11	138	59	75	4	-	72
18	12	6	-	-	1,117	460	522	55	80	603	254	318	9	22	73
4	2	1	1	-	75	34	37	3	1	57	18	38	-	1	74
14	2	11	-	-	698	381	255	35	27	293	155	118	17	3	75
65	34	31	-	-	142	68	48	21	5	47	28	14	3	2	76
6	3	3	-	-	265	77	173	7	8	113	38	70	3	2	77
149	120	25	4	-	1,035	499	430	58	48	424	216	186	11	11	78
5	5	-	-	-	82	30	43	5	4	31	19	12	-	-	79
140	113	23	4	-	3,838	2,750	653	351	84	1,610	1,247	248	103	12	80
4	2	2	-	-	188	147	19	17	5	66	52	12	2	-	81
112	13	99	-	-	3,574	2,558	608	330	78	1,507	1,164	232	100	11	82
7	6	1	-	-	76	45	26	4	1	37	31	4	1	1	83
7	5	5	-	-	2,168	202	1,764	15	187	921	93	769	5	54	84
11	2	6	-	-	98	45	41	6	6	67	27	18	2	-	85
87	5	6	-	-	69	32	28	2	7	24	14	9	1	-	86
-	-	87	-	-	197	110	78	4	5	97	44	48	2	3	87
-	-	-	-	-	1,804	15	1,617	3	169	753	8	654	-	51	88

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	63	5	14	13	31
02 OF CERVIX UTERI.....180	16	...	4	...	12
03 OF OTHER PARTS OF UTERUS.....181,182	11	...	1	...	10
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	18	...	9	...	9
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	-	...	-	...	-
06 OF PROSTATE.....185	13	3	...	10	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	5	2	...	3	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	20	4	2	9	5
09 OF BLADDER.....188	9	2	1	3	2
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	11	2	1	6	2
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	54	8	8	25	13
12 OF EYE.....190	2	-	-	1	1
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	9	3	2	3	1
14 OF THYROID GLAND.....193	5	-	-	4	1
15 OTHER.....194-199	38	5	6	17	10
16 LEUKEMIA.....204-207	28	3	2	12	11
17 LYMPHATIC LEUKEMIA.....204	16	3	1	7	5
18 MYELOID LEUKEMIA.....205	10	-	1	5	4
19 MONOCYCLIC LEUKEMIA.....206	1	-	-	-	1
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	1	-	-	-	1
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	55	14	5	21	15
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	20	2	2	9	7
23 HODGKIN'S DISEASE.....201	14	4	1	4	3
24 MULTIPLE MYELOMA.....203	14	3	2	4	5
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	7	3	-	4	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	7	1	-	1	5
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	-	...	-	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	1	-	-	-	1
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	1	1	-	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	1	...	-	...	1
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	1	-	-	-	1
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	3	-	-	1	2
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	139	14	25	56	44
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	1	-	-	-	1
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	-	-	-	-	-
37 DIABETES MELLITUS.....250	118	12	21	46	39
38 DISEASES OF PITUITARY GLAND.....253	1	-	-	-	1
39 DISEASES OF THYROID GLAND.....254	1	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	-	-	-	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	5	-	2	3	-
43 CYSTIC FIBROSIS.....273.0	1	1	-	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	13	1	2	7	3
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	10	1	2	6	1
46 ANEMIAS.....280-285	5	-	-	4	1
47 DEFICIENCY ANEMIAS.....280,281	-	-	-	-	-
48 HEMOLYTIC ANEMIAS.....282,283	-	-	-	-	-
49 APLASTIC ANEMIA.....284	5	-	-	4	1
50 OTHER AND UNSPECIFIED ANEMIAS.....285	-	-	-	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	-	-	-	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	5	1	2	2	-
53 V. MENTAL DISORDERS.....	8	3	1	3	1
54 SENILE AND PRESENILE DEMENTIAS.....290	2	-	1	1	-
55 ALCOHOLIC PSYCHOSES.....291	-	-	-	-	-
56 ALL OTHER PSYCHOSES.....294-299	-	-	-	-	-
57 ALCOHOLISM.....303	2	2	-	-	-
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	3	1	-	2	-
59 MENTAL RETARDATION.....310-315	1	-	-	-	1
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	42	4	5	21	12
61 MENINGITIS.....320	5	1	1	1	2
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	3	1	-	2	-
63 MULTIPLE SCLEROSIS.....340	3	-	1	1	1
64 PARALYSIS AGITANS.....342	4	-	-	2	2
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	1	-	-	-	1
66 EPILEPSY.....345	4	-	-	2	2
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	1	-	-	-	1
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	21	2	3	13	3
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	1,780	334	233	751	462
73 ACTIVE RHEUMATIC FEVER.....350-392	2	1	-	1	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	36	3	6	12	15
75 DISEASES OF MITRAL VALVE.....394	18	2	4	2	10
76 DISEASES OF AORTIC VALVE.....395	5	1	1	2	1
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	-	-	-	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	13	-	1	8	4
79 HYPERTENSIVE DISEASE.....400-404	34	4	4	19	7
80 MALIGNANT HYPERTENSION.....400	1	-	1	-	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	1	-	-	1	-
82 HYPERTENSIVE HEART DISEASE.....402	15	1	2	9	3
83 HYPERTENSIVE RENAL DISEASE.....403	11	2	-	7	2
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	6	1	1	2	2

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

IDAHO					ILLINOIS					INDIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
121	60	59	-	2	2,436	848	1,266	116	206	1,040	374	581	42	43	01
16	...	15	...	1	417	...	305	...	112	210	...	192	...	18	02
19	...	18	...	1	376	...	328	...	48	158	...	142	...	16	03
24	...	24	...	-	640	...	596	...	44	234	...	227	...	7	04
2	...	2	...	-	39	...	37	...	2	22	...	20	...	2	05
56	56	905	793	...	112	...	390	349	...	41	...	06
4	4	59	55	...	4	...	26	25	...	1	...	07
57	45	12	-	-	852	537	249	42	24	365	236	106	14	9	08
32	28	4	-	-	499	327	132	25	15	198	138	46	8	6	09
25	17	8	-	-	353	210	117	17	9	167	98	60	6	3	10
91	39	51	1	-	1,559	722	685	67	85	811	367	392	30	22	11
1	1	-	-	-	19	11	8	-	-	8	2	6	-	-	12
20	11	9	-	-	411	228	160	10	13	195	120	70	2	3	13
1	1	1	-	-	53	16	27	3	7	36	10	24	1	1	14
69	27	41	1	-	1,076	467	490	54	65	572	235	292	27	18	15
48	26	22	-	-	784	417	317	27	23	417	237	165	11	4	16
17	10	7	-	-	283	164	103	10	6	152	84	60	7	1	17
18	10	8	-	-	289	145	125	6	13	123	71	49	1	2	18
2	1	1	-	-	39	20	18	1	-	44	24	19	1	-	19
11	5	6	-	-	173	88	71	10	4	98	58	37	2	1	20
64	36	28	-	-	1,025	536	400	54	35	440	240	174	16	10	21
26	13	13	-	-	399	207	165	15	12	153	80	67	4	2	22
9	7	2	-	-	182	95	64	17	6	80	42	32	4	2	23
15	8	7	-	-	207	115	71	13	8	102	50	41	7	4	24
14	8	6	-	-	237	119	100	9	9	105	68	34	1	2	25
25	15	10	-	-	250	91	135	6	18	119	49	61	6	3	26
1	24	...	18	...	6	6	...	4	...	2	27
1	58	...	29	...	1	19	...	12	...	1	28
3	2	1	-	-	48	14	30	2	2	23	10	10	3	-	29
3	2	...	2	...	-	1	...	1	...	-	30
17	9	8	-	-	71	34	32	3	2	39	16	20	3	-	31
4	3	1	-	-	47	23	24	-	-	31	17	14	-	-	32
153	61	91	1	-	2,293	859	1,119	120	195	1,264	481	682	32	69	33
1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	34
2	-	2	-	-	20	4	14	-	2	12	2	7	-	3	35
1	-	1	-	-	17	2	13	-	2	9	4	5	-	-	36
114	44	69	1	-	1,933	714	949	98	172	1,040	395	566	25	54	37
1	1	-	-	-	8	1	6	1	1	4	2	-	1	1	38
3	2	1	-	-	2	-	-	1	1	1	1	-	-	-	39
3	2	1	-	-	33	16	14	2	1	23	8	11	2	2	40
12	7	5	-	-	109	42	50	9	8	66	28	33	1	4	42
3	2	1	-	-	28	13	13	2	2	11	4	7	-	-	43
16	5	11	-	-	142	67	60	7	8	98	37	53	3	5	44
16	10	5	-	1	267	108	107	22	30	125	49	64	5	7	45
8	6	2	-	-	180	71	68	17	24	88	32	47	2	7	46
1	1	-	-	-	35	12	20	2	1	12	4	6	-	2	47
6	5	1	-	-	39	7	4	8	20	11	5	3	1	2	48
1	-	-	-	-	68	40	24	4	-	24	6	17	-	1	49
3	2	1	-	-	38	12	20	3	3	41	17	21	1	2	50
5	2	2	-	1	37	11	22	-	4	11	5	5	1	-	51
25	15	7	3	-	50	26	17	5	2	26	12	12	2	-	52
2	-	2	-	-	22	11	11	-	-	5	1	4	-	-	54
16	11	2	3	-	23	18	1	4	-	17	14	2	-	3	55
3	1	2	-	-	8	3	3	1	1	7	4	2	-	1	56
4	3	1	-	-	62	43	7	8	4	67	42	9	12	4	57
66	35	31	1	1	34	13	20	-	1	17	8	7	2	-	58
8	6	1	-	-	11	3	7	-	1	5	4	1	-	-	59
5	5	1	-	1	875	433	332	67	43	413	216	166	18	13	60
13	6	1	-	-	84	40	15	18	11	34	21	11	-	2	61
12	2	11	-	-	29	15	12	1	4	24	18	5	1	-	62
3	1	4	-	-	100	43	48	5	4	42	19	21	2	-	63
5	3	2	-	-	161	93	65	3	-	73	31	41	1	-	64
22	9	13	-	-	29	14	10	2	3	14	7	5	2	-	65
72	31	40	1	-	119	49	44	17	9	48	28	12	4	4	66
1	-	1	-	-	2	-	-	-	-	1	-	-	-	-	67
8	3	4	1	-	2	-	2	-	-	-	-	-	-	-	68
23	11	12	-	-	6	5	1	-	-	3	-	2	-	1	69
8	3	5	-	-	345	174	135	21	15	174	92	69	7	6	71
32	14	18	-	-	63,751	30,855	26,653	3,360	2,883	27,657	14,262	11,941	741	713	72
1	1	-	-	-	22	9	9	3	1	6	3	2	-	1	73
59	27	32	-	-	828	339	412	31	46	395	175	195	16	9	74
13	4	9	-	-	222	76	125	7	14	98	37	52	5	4	75
19	11	8	-	-	175	109	50	8	8	86	56	24	5	1	76
5	3	2	-	-	49	19	29	-	1	28	10	16	1	1	77
22	9	13	-	-	382	135	208	16	23	183	72	103	5	3	78
72	31	40	1	-	1,874	632	739	253	250	1,002	401	530	31	40	79
1	-	1	-	-	98	29	22	25	22	37	12	13	3	9	80
8	3	4	1	-	45	13	27	2	3	26	7	15	2	2	81
23	11	12	-	-	855	228	316	150	161	199	63	108	13	15	82
8	3	5	-	-	474	205	193	40	36	169	88	68	7	6	83
32	14	18	-	-	402	157	181	36	28	571	231	326	6	8	84

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,188	249	149	514	276
02 WITH HYPERTENSIVE DISEASE (.0).....	267	30	32	119	86
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	921	219	117	395	190
04 ACUTE MYOCARDIAL INFARCTION.....410	564	127	65	248	124
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	5	-	-	4	1
06 CHRONIC ISCHEMIC HEART DISEASE.....412	619	122	84	262	151
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	56	12	9	21	14
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	-	-	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	-	-	-	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	2	1	-	-	1
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	1	-	-	1
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	1	-	-	-	1
15 SYMPTOMATIC HEART DISEASE.....427	29	10	2	7	10
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	9	-	4	5	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	16	1	3	9	3
18 CEREBROVASCULAR DISEASES.....430-438	362	40	42	159	121
19 WITH HYPERTENSION (BENIGN) (.0).....	70	3	5	33	29
20 WITHOUT MENTION OF HYPERTENSION (.9).....	292	37	37	126	92
21 SUBARACHNOID HEMORRHAGE.....430	56	5	9	25	17
22 CEREBRAL HEMORRHAGE.....431	85	6	11	41	27
23 CEREBRAL THROMBOSIS.....433	96	17	7	36	36
24 CEREBRAL EMBOLISM.....434	1	1	-	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	6	1	1	4	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	69	4	8	33	24
27 OTHER CEREBROVASCULAR DISEASES.....437,438	49	6	6	20	17
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	78	20	17	18	23
29 ARTERIOSCLEROSIS.....440	24	5	9	3	7
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	36	9	3	14	10
31 GANGRENE.....445	3	2	1	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	15	4	4	1	6
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	24	5	6	7	6
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	19	4	5	5	5
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	5	1	1	2	1
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	335	50	34	159	92
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	2	-	-	2	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	1	1	-	-	-
39 INFLUENZA.....470-474	8	-	-	4	3
40 PNEUMONIA.....480-486	193	27	21	93	52
41 VIRAL PNEUMONIA.....480	5	1	1	2	-
42 BACTERIAL PNEUMONIA.....481,482	14	1	2	9	3
43 ACUTE INTERSTITIAL PNEUMONIA.....484	9	-	2	4	3
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	94	15	9	46	26
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	71	10	9	32	20
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	80	16	9	34	21
47 BRONCHITIS, UNQUALIFIED.....490	2	-	-	2	-
48 CHRONIC BRONCHITIS.....491	10	1	1	5	3
49 EMPHYSEMA.....492	46	13	7	19	7
50 ASTHMA.....493	22	2	1	8	11
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	6	2	1	3	-
53 PLEURISY.....511	-	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	13	1	1	8	3
55 BRONCHIECTASIS.....518	10	-	-	6	4
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	22	3	1	9	9
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	152	32	18	72	30
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	23	3	2	13	5
60 ULCER OF STOMACH.....531	10	1	1	5	3
61 ULCER OF DUODENUM.....532	13	2	1	8	2
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	-	-	-	-	-
63 GASTRITIS AND DUODENITIS.....535	2	1	-	2	1
64 APPENDICITIS.....540-543	5	2	-	2	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	15	3	2	8	2
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	6	-	-	5	1
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	3	-	-	3	-
69 CIRRHOSIS OF LIVER.....571	53	16	10	21	6
70 ALCOHOLIC.....571.0	20	9	2	8	1
71 OTHER SPECIFIED.....571.8	11	2	2	5	2
72 UNSPECIFIED.....571.9	22	5	6	8	3
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	9	1	1	5	3
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	36	7	3	15	11
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	89	17	9	34	29
76 NEPHRITIS AND NEPHROSIS.....580-584	32	5	1	14	12
77 ACUTE NEPHRITIS.....580	3	2	-	-	1
78 NEPHROTIC SYNDROME.....581	1	-	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	28	3	1	14	10
80 INFECTIONS OF KIDNEY.....590	32	7	5	8	12
81 CALCULI OF URINARY SYSTEM.....592,594	5	-	-	4	1
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	14	3	3	5	3
83 HYPERPLASIA OF PROSTATE.....600	4	2	-	2	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	2	-	-	1	1
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	2	...	-	...	2
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

IDAHO					ILLINOIS					INDIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,960	1,226	716	13	5	43,814	22,524	17,601	2,108	1,581	16,751	9,470	6,489	427	365	01
178	61	116	1	-	4,484	1,846	2,159	251	228	1,753	737	797	59	120	02
1,782	1,165	600	12	5	39,330	20,678	15,442	1,857	1,353	14,998	8,733	5,652	328	265	03
1,234	852	379	3	2	23,464	13,611	8,037	1,126	690	9,867	6,214	3,325	189	139	04
11	9	2	-	-	196	98	84	5	9	85	51	32	2	-	05
713	365	335	10	3	20,148	8,811	9,478	577	882	6,792	3,200	3,130	236	226	06
-	-	-	-	-	6	4	2	-	-	7	5	2	-	-	07
121	66	48	4	3	2,259	1,011	713	294	241	1,077	508	481	51	37	08
1	-	1	-	-	45	19	16	3	7	9	3	6	-	-	09
1	1	1	-	-	37	16	10	6	5	11	7	2	1	1	10
3	1	2	-	-	75	34	38	1	2	31	14	15	-	1	11
-	-	-	-	-	3	5	3	-	-	1	1	-	-	-	12
1	-	1	-	-	9	28	33	-	1	27	11	14	1	1	14
2	1	1	-	-	63	29	33	-	1	27	11	14	1	1	14
49	25	23	-	1	614	299	253	38	24	596	269	271	29	27	15
20	12	8	-	-	490	209	229	28	24	267	130	124	9	4	16
47	27	14	4	2	998	434	167	218	179	163	85	63	11	4	17
671	317	349	2	2	11,117	4,544	5,399	542	632	6,203	2,666	3,153	171	213	18
67	28	39	-	3	1,605	576	782	103	144	712	252	375	41	44	19
604	289	310	2	2	9,512	3,968	4,617	439	488	5,491	2,414	2,778	130	169	20
12	5	7	-	-	466	170	201	39	56	223	76	124	9	14	21
115	55	60	-	-	2,994	1,262	1,426	144	162	1,448	612	747	50	39	22
135	65	69	-	1	3,313	1,327	1,713	122	151	1,674	760	841	32	41	23
3	1	2	-	-	55	22	32	1	-	29	11	18	-	-	24
4	2	4	-	-	201	104	82	8	7	73	41	28	4	-	25
246	118	125	2	1	2,281	954	1,094	116	117	1,743	738	858	59	88	26
154	71	82	-	1	1,807	705	851	112	139	1,013	428	537	17	31	27
231	125	104	1	1	3,052	1,473	1,418	78	83	1,859	882	515	30	32	28
140	64	74	1	1	1,780	730	981	33	36	1,225	512	680	13	20	29
64	45	19	-	-	677	471	170	24	12	341	238	88	9	6	30
23	14	2	-	-	119	55	52	3	9	60	24	32	2	2	31
49	23	9	-	-	476	217	215	18	26	233	108	115	6	4	32
40	23	25	1	-	785	323	362	51	49	364	157	176	15	16	33
9	18	22	-	-	706	277	331	49	49	316	129	160	13	14	34
393	279	110	4	-	6,407	3,413	1,905	666	423	2,821	1,702	889	165	65	36
3	2	1	-	-	24	14	5	-	5	8	6	2	-	-	37
2	1	1	-	-	287	84	66	73	64	24	10	10	2	2	38
31	20	11	-	-	201	91	104	4	2	171	82	81	6	2	39
167	94	69	4	-	3,661	1,660	1,267	450	284	1,400	709	538	106	47	40
4	2	2	-	-	123	53	40	12	18	53	20	28	3	2	41
15	11	4	-	-	376	172	129	46	29	183	112	54	12	5	42
2	1	-	1	-	64	28	25	7	4	75	30	23	15	7	43
63	37	24	2	-	2,379	1,058	767	348	206	573	287	229	37	20	44
83	43	39	1	-	719	349	306	37	27	516	260	204	39	13	45
150	132	18	-	-	1,659	1,237	286	91	45	873	685	148	31	9	46
2	2	-	-	-	65	30	27	5	3	16	5	9	-	2	47
18	13	5	-	-	257	189	56	10	2	97	73	21	3	-	48
123	113	3	-	-	1,199	967	158	61	13	707	577	59	26	5	49
7	4	0	-	-	138	51	45	15	27	53	30	19	2	2	50
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	51
10	6	4	-	-	54	29	15	8	2	22	13	5	4	-	52
3	2	1	-	-	15	9	5	-	1	12	5	6	1	-	53
26	21	5	-	-	186	108	66	9	3	89	50	30	8	1	54
222	114	103	4	1	52	33	14	3	2	40	22	18	-	-	55
1	1	-	-	-	268	148	77	28	15	180	119	50	7	4	56
41	24	17	-	-	1	-	1	-	-	2	1	-	1	-	58
15	9	6	-	-	553	342	168	27	16	217	134	72	7	4	59
24	14	10	-	-	231	123	90	13	5	88	51	32	3	2	60
2	1	1	-	-	258	178	62	10	8	100	62	33	3	2	61
8	6	2	-	-	64	41	16	4	3	29	21	7	1	-	62
5	1	4	-	-	25	16	7	1	1	14	7	6	-	1	63
25	11	14	-	-	65	39	16	5	5	43	22	14	6	1	64
51	15	14	-	-	418	161	214	21	22	207	75	122	5	5	65
-	-	-	-	-	4	2	1	-	1	2	-	1	-	1	66
9	3	6	-	-	198	71	116	6	5	90	29	58	3	-	67
2	2	-	-	-	80	27	47	4	2	37	22	15	-	-	68
51	25	23	3	-	1,811	1,000	517	178	116	563	370	134	37	22	69
23	10	11	2	-	494	263	96	48	27	142	105	16	12	9	70
5	1	4	-	-	299	140	103	34	22	84	47	29	3	5	71
23	14	8	1	-	1,078	597	318	96	67	337	218	89	22	8	72
25	11	14	-	-	274	118	145	4	7	89	34	53	-	2	73
51	26	23	1	1	806	365	340	60	41	411	192	187	18	14	74
95	57	35	2	1	1,468	682	513	142	131	732	378	276	45	33	75
40	25	15	-	-	532	211	199	56	66	261	125	98	21	17	76
3	3	-	-	-	41	20	13	4	4	22	11	7	3	1	77
4	3	1	-	-	24	14	8	-	2	12	5	3	2	2	78
33	19	14	-	-	467	177	178	52	60	227	109	88	16	14	79
25	11	12	1	1	417	160	184	30	43	198	84	94	8	12	80
3	2	1	-	-	51	23	23	2	3	22	13	9	-	-	81
17	11	5	1	-	240	114	81	33	12	135	65	53	14	3	82
8	8	-	-	-	164	145	-	19	-	71	69	-	2	-	83
2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	84
-	-	-	-	-	63	29	25	2	7	45	22	22	-	1	85
-	-	-	-	-	57	-	36	-	21	21	-	14	-	7	86
-	-	-	-	-	3	-	1	-	2	2	-	1	-	1	87
-	-	-	-	-	7	-	4	-	3	3	-	1	-	2	88
-	-	-	-	-	6	-	4	-	7	7	-	6	-	1	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	HAWAII				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	1	...	-	...	1
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	1	...	-	...	1
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....676,671,673	-	...	-	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....63C, 633-635, 654-662, 672, 674-678	1	...	-	...	1
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	3	1	-	-	2
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	1	1	-	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	2	-	-	-	2
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	12	1	2	2	7
13 ARTHRITIS AND SPONDYLITIS.....710-715	5	1	-	1	3
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15 OSTEOYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	7	-	2	1	4
18 XIV. CONGENITAL ANOMALIES.....	85	22	7	33	23
19 SPINA BIFIDA.....741	2	1	1	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	7	1	1	3	2
21 CONGENITAL ANOMALIES OF HEART.....746	43	11	3	17	12
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	7	2	1	3	1
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	26	7	1	10	8
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	166	37	16	73	40
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	44	8	6	21	9
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	5	-	2	3	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	39	8	4	18	9
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	401	94	43	206	58
30 ACCIDENTS.....E800-E949	264	57	29	135	43
31 RAILWAY ACCIDENTS.....E800-E807	-	-	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	134	33	12	68	21
33 MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION WITH TRAIN.....E810-E819	129	31	12	65	21
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	32	9	6	10	7
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	25	4	2	9	10
36 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	33	11	3	17	2
37 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	28	3	1	22	2
38 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	11	4	-	7	-
39 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	5	2	-	3	-
40 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
41 WATER TRANSPORT ACCIDENTS.....E830-E838	5	3	-	2	-
42 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E849	3	1	1	1	-
44 ACCIDENTAL POISONING.....E850-E877	2	-	1	1	-
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	1	-	-	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	-	-	-	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	1	-	1	-	-
48 ACCIDENTAL FALLS.....E880-E887	30	4	3	16	7
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	14	2	-	9	3
50 FALL ON SAME LEVEL.....E885, E886	1	-	1	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	15	2	2	7	4
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	6	2	1	3	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	38	7	5	21	5
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	17	3	4	5	5
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	1	-	-	1	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	17	3	-	13	1
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	1	-	-	1	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	5	2	-	3	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	11	1	-	9	1
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	5	1	-	1	3
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	6	-	2	3	1
64 SUICIDE.....E950-E959	72	23	5	35	9
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	13	5	1	5	2
66 SUICIDE FROM POISONING BY GASES.....E951, E952	9	5	1	3	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	16	2	-	9	5
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	20	7	1	11	1
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	14	4	2	7	1
70 HOMICIDE.....E960-E978	38	6	4	24	4
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	18	3	3	11	1
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	12	2	1	8	1
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	8	1	-	5	2
74 LEGAL EXECUTION.....E970-E977	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	27	8	5	12	2
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	29,385	16,191	12,842	208	144
02 I. INFECTIVE AND PARASITIC DISEASES.....	179	89	86	2	2
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	1	1	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	37	18	18	1	-
09 TUBERCULOSIS, ALL FORMS.....010-019	39	25	14	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	29	19	10	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	2	2	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	1	-	1	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	6	3	3	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	1	1	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	6	3	3	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	34	15	17	1	1
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	8	5	3	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	3	-	3	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	3	2	1	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	5	3	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	1	-	-	-
35 INFECTIOUS HEPATITIS.....070	15	2	13	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-C54,C56,C57,061,067,068,072-079	15	8	7	-	-
38 TYPHUS AND OTHER RICKETTSIOSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	4	1	2	-	1
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093-0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093-9	1	-	-	-	1
47 TABES DORSALIS.....094-0	-	-	-	-	-
48 GENERAL PARESIS.....094-1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094-9	1	-	1	-	-
50 ALL OTHER SYPHILIS.....095,097-0,097-9	2	1	1	-	-
51 GONOCOCCAL INFECTIONS.....098	1	-	1	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	6	4	2	-	-
58 II. NEOPLASMS.....	5,119	2,730	2,343	33	13
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	5,056	2,704	2,307	32	13
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	98	75	21	2	-
61 OF LIP.....140	7	7	-	-	-
62 OF TONGUE.....141	18	13	4	1	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	37	27	10	-	-
64 OF PHARYNX.....146-149	36	28	7	1	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,473	739	716	12	6
66 OF ESOPHAGUS.....150	75	60	12	3	-
67 OF STOMACH.....151	225	127	99	3	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	21	10	10	-	1
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	611	276	328	2	5
70 CECUM, APPENDIX, AND ASCENDING COLON.....153-0	105	42	61	1	1
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153-1	30	12	18	-	-
72 DESCENDING COLON.....153-2	20	11	9	-	-
73 SIGMOID COLON.....153-3	88	49	38	-	1
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153-8	335	149	182	1	3
75 INTESTINAL TRACT, PART UNSPECIFIED.....153-9	33	13	20	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	180	53	84	3	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	29	18	11	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	79	24	53	-	-
79 OF PANCREAS.....157	228	123	104	1	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	21	6	15	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	910	765	138	4	3
82 OF LARYNX.....161	29	23	6	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	862	731	124	4	3
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	19	11	8	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	560	66	491	1	2
86 OF BONE.....170	28	15	13	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	24	10	13	1	-
88 OF SKIN.....172,173	65	37	28	-	-
89 OF BREAST.....174	443	4	437	-	2

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

KANSAS					KENTUCKY					LOUISIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22,854	12,024	9,628	699	503	32,899	17,048	12,674	1,795	1,382	33,862	12,683	9,116	6,507	5,556	01
149	67	58	15	9	347	171	125	33	18	422	123	92	132	75	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	1	1	-	-	-	4	1	1	1	1	05
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	06
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	07
29	14	14	1	-	45	19	23	1	2	54	13	10	22	9	08
28	13	8	4	3	133	79	38	11	5	143	60	17	44	22	09
26	11	8	4	3	119	74	32	9	4	124	53	15	38	18	10
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	11
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	12
1	1	-	-	-	2	1	-	-	1	7	2	-	4	1	14
1	1	-	-	-	9	3	5	1	-	11	4	2	2	3	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	4	1	-	2	1	20
-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	21
1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	22
5	1	4	-	-	12	3	6	3	-	29	9	10	5	5	23
3	2	1	-	-	4	1	3	-	-	2	1	1	-	-	24
22	10	9	3	-	62	24	25	8	5	88	19	21	32	16	25
7	4	3	-	-	11	4	2	3	2	19	7	4	4	4	26
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	27
3	1	2	-	-	-	-	-	-	-	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
7	3	3	1	-	8	5	3	-	-	7	1	3	1	2	32
1	1	1	-	-	17	7	6	1	1	15	1	10	2	2	33
6	4	2	-	-	16	10	4	1	1	15	3	9	3	-	34
10	6	2	1	1	16	10	4	1	1	15	3	9	3	-	35
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
14	1	6	4	3	9	2	3	3	1	19	3	1	12	3	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	44
6	1	2	1	2	4	1	1	1	1	11	1	1	6	3	45
4	-	3	1	-	3	1	2	-	-	-	-	-	-	-	46
3	-	1	1	1	1	-	-	-	-	5	1	-	4	-	47
-	-	-	-	-	1	-	-	1	-	3	1	-	2	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
12	5	4	1	2	23	14	7	1	1	3	-	-	1	2	56
3,727	1,879	1,662	99	87	5,103	2,353	2,662	300	188	5,476	2,148	1,571	983	774	58
3,686	1,865	1,637	98	86	5,022	2,315	2,625	296	186	5,381	2,118	1,550	967	746	59
65	42	21	1	1	118	79	27	5	7	141	65	25	35	16	60
2	2	-	-	-	4	4	-	-	-	5	4	1	-	-	61
13	9	4	-	-	28	16	9	2	1	31	16	6	7	2	62
20	10	9	-	1	30	16	11	-	3	31	14	5	8	4	63
36	21	8	1	-	56	43	7	3	3	74	31	13	20	10	64
1,057	534	470	27	26	1,442	680	617	95	50	1,347	463	401	282	201	65
48	33	8	5	2	83	55	13	12	3	98	39	12	37	10	66
158	94	58	5	1	240	117	88	28	7	302	91	53	56	62	67
12	8	4	-	-	9	6	1	2	-	6	2	3	1	-	68
431	176	236	9	10	513	217	252	22	22	442	122	192	68	60	69
57	17	36	1	3	55	20	27	2	6	36	6	15	8	7	70
22	11	11	-	-	18	12	5	-	1	13	2	8	2	1	71
17	3	12	1	1	21	10	11	-	-	16	5	7	3	1	72
63	28	33	2	-	54	23	25	3	3	48	19	22	2	5	73
258	113	134	5	6	346	144	176	14	12	318	86	138	53	41	74
14	4	10	-	-	19	8	8	3	-	11	4	2	-	5	75
105	61	40	2	2	132	61	57	10	4	123	51	27	17	28	76
17	14	3	-	-	55	35	17	3	-	27	18	4	4	1	77
57	19	35	-	3	76	25	50	-	1	40	16	16	5	3	78
214	120	81	4	7	301	151	124	16	10	282	119	84	48	31	79
15	9	5	-	1	33	13	15	2	3	27	5	10	6	6	80
664	505	126	22	11	1,095	820	158	94	23	1,298	804	152	275	67	81
23	19	3	-	1	52	38	6	5	3	59	36	2	16	5	82
626	474	121	22	9	1,022	768	149	87	18	1,221	763	142	255	61	83
15	12	2	-	1	21	14	3	2	2	18	5	8	4	1	84
416	44	357	2	13	488	66	351	1	30	581	62	364	15	140	85
14	6	8	-	-	24	14	8	1	1	36	13	15	3	5	86
15	10	5	-	-	19	11	8	-	-	17	6	6	3	2	87
59	27	30	2	-	62	35	27	-	-	77	41	28	6	2	88
328	1	314	-	13	383	6	348	-	29	451	2	315	3	131	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	690	324	360	4	2
02 OF CERVIX UTERI.....180	99	...	98	...	1
03 OF OTHER PARTS OF UTERUS.....181,182	85	...	84	...	1
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	162	...	162
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	16	...	16
06 OF PROSTATE.....185	305	301	...	4	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186-187	23	23
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	281	194	84	3	...
09 OF BLADDER.....188	164	121	41	2	...
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	117	73	43	1	...
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	389	191	196	2	...
12 OF EYE.....190	4	1	3
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	115	55	60
14 OF THYROID GLAND.....193	24	10	14
15 OTHER.....194-199	246	125	119	2	...
16 LEUKEMIA.....204-207	287	166	121
17 LYMPHATIC LEUKEMIA.....204	132	81	51
18 MYELOID LEUKEMIA.....205	91	46	45
19 MONOCYTTIC LEUKEMIA.....206	18	10	8
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	46	29	17
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	368	184	180	4	...
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	128	57	69	2	...
23 HODGKIN'S DISEASE.....201	40	33	26	1	...
24 MULTIPLE MYELOMA.....203	47	38	28	1	...
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	113	56	57
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	63	26	36	1	...
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	3	...	3
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	8	3	5
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	16	5	10	1	...
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	21	12	9
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	15	6	9
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	674	264	401	3	6
34 NONTOXIC GOITER.....240,241	2	...	2
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	1	...	1
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	3	...	3
37 DIABETES MELLITUS.....250	568	269	353	...	6
38 DISEASES OF PITUITARY GLAND.....253
39 DISEASES OF THYMUS GLAND.....254	1	1
40 DISEASES OF ADRENAL GLAND.....255	8	4	4
41 NIACIN DEFICIENCY.....262
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	29	17	10	2	...
43 CYSTIC FIBROSIS.....273-0	4	4
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	58	29	28	1	...
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	94	43	50	1	...
46 ANEMIAS.....280-285	65	31	33	1	...
47 DEFICIENCY ANEMIAS.....280,281	14	7	7
48 HEMOLYTIC ANEMIAS.....282,283	5	1	3	1	...
49 APLASTIC ANEMIA.....284	24	12	12
50 OTHER AND UNSPECIFIED ANEMIAS.....285	22	11	11
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	10	5	5
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	19	7	12
53 V. MENTAL DISORDERS.....	78	50	25	1	2
54 SENILE AND PRESENILE DEMENTIAS.....290	11	3	8
55 ALCOHOLIC PSYCHOSES.....291	4	4
56 ALL OTHER PSYCHOSES.....294-299	10	5	5
57 ALCOHOLISM.....303	30	24	3	1	2
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	26	12	8
59 MENTAL RETARDATION.....310-315	3	2	1
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	275	151	117	5	2
61 MENINGITIS.....320	16	12	3	...	1
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	11	10	1
63 MULTIPLE SCLEROSIS.....340	32	11	20	...	1
64 PARALYSIS AGITANS.....342	77	34	43
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	11	7	2	2	...
66 EPILEPSY.....345	21	11	9	1	...
67 INFLAMMATORY DISEASES OF EYE.....360-369
68 CATARACT.....374	1	...	1
69 GLAUCOMA.....375
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	3	2	1
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	103	64	37	2	...
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	16,889	9,168	7,598	105	78
73 ACTIVE RHEUMATIC FEVER.....390-392	4	3	1
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	180	82	57	...	1
75 DISEASES OF MITRAL VALVE.....394	47	17	30
76 DISEASES OF AORTIC VALVE.....395	55	37	18
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	14	7	7
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	64	21	42	...	1
79 HYPERTENSIVE DISEASE.....400-404	476	155	271	6	4
80 MALIGNANT HYPERTENSION.....400	21	4	15	1	1
81 ESSENTIAL BENIGN HYPERTENSION.....401	17	4	13
82 HYPERTENSIVE HEART DISEASE.....402	97	34	59	2	2
83 HYPERTENSIVE RENAL DISEASE.....403	124	61	59	3	1
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	217	92	125

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

KANSAS					KENTUCKY					LOUISIANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
530	209	278	25	18	682	252	357	37	36	665	181	187	147	150
82	...	76	...	6	153	...	139	...	14	133	...	60	...	73
87	...	81	...	6	82	...	73	...	9	89	...	48	...	41
115	...	109	...	6	137	...	126	...	11	98	...	66	...	32
12	...	12	...	-	21	...	19	...	2	17	...	13	...	4
224	199	...	25	...	270	233	...	37	...	313	174	...	139	...
10	10	...	-	...	19	19	...	-	...	15	7	...	8	...
181	130	44	5	2	212	120	70	13	9	219	109	47	36	27
87	65	19	2	1	107	58	38	5	6	138	68	24	25	21
94	65	25	3	1	105	62	32	8	3	81	41	23	11	6
329	160	153	6	10	475	221	207	26	21	606	210	260	106	90
7	4	3	-	-	9	4	4	-	1	6	2	4	-	-
102	58	42	1	1	141	69	63	6	3	112	67	35	6	5
12	4	8	-	-	18	8	8	-	-	15	4	7	3	1
208	94	100	5	9	307	140	132	19	16	472	137	154	97	84
196	113	79	3	1	220	115	93	7	5	265	108	96	33	28
80	41	39	-	-	93	47	41	4	1	77	24	32	12	9
75	47	26	1	1	68	38	28	1	1	78	35	28	9	6
12	6	6	-	-	8	5	3	-	-	22	9	11	1	1
29	19	8	2	-	51	25	21	2	3	88	40	25	11	12
248	128	109	7	4	290	162	105	18	5	259	116	78	38	27
76	34	40	1	1	94	56	37	3	-	83	38	26	13	6
48	32	14	2	-	53	33	16	3	1	56	27	16	9	4
55	29	21	3	2	78	37	29	10	2	57	20	15	8	14
69	33	34	1	1	63	36	23	2	2	63	31	21	8	3
41	14	25	1	1	81	38	37	4	2	95	30	21	16	28
4	...	4	...	-	6	...	5	...	1	5	...	1	...	4
6	...	4	...	-	19	...	8	...	-	13	...	4	...	1
17	8	8	1	-	18	7	10	1	-	10	-	1	4	5
-	...	-	...	-	-	...	-	...	-	2	...	-	...	2
4	3	1	-	-	25	12	9	3	1	44	21	5	8	10
10	1	8	-	1	13	8	5	-	-	21	5	8	2	6
611	250	330	14	17	805	290	413	34	68	974	224	300	125	325
8	-	-	-	-	2	-	2	-	-	-	-	-	-	-
1	1	7	-	-	8	1	7	-	-	6	-	1	1	4
481	196	265	7	13	650	227	334	29	60	835	187	259	99	290
5	3	2	-	-	5	1	4	-	-	4	-	2	1	1
-	-	-	-	-	2	1	1	-	-	1	-	-	1	38
13	6	7	-	-	10	4	5	1	-	9	1	5	1	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
43	15	22	3	3	51	21	23	3	4	49	18	5	14	14
9	3	6	-	-	18	10	8	-	-	7	1	3	2	1
52	26	21	4	1	49	24	22	-	3	56	17	24	5	10
62	22	37	1	2	77	25	39	5	8	110	26	31	31	22
46	17	27	1	1	56	19	26	5	6	73	14	21	19	19
8	3	5	-	-	13	7	3	-	2	7	1	4	2	47
5	2	1	1	1	12	3	4	3	2	26	2	3	11	10
17	5	12	-	-	13	4	4	-	-	15	8	3	3	1
16	7	9	-	-	18	5	10	1	2	25	3	11	3	8
8	3	5	-	-	5	-	5	-	-	21	2	8	8	3
8	2	5	-	1	16	6	8	-	2	16	10	2	4	52
70	42	22	3	3	117	69	27	14	7	101	42	19	33	7
8	3	5	-	-	7	3	4	-	-	5	1	4	-	-
4	2	-	-	-	11	1	1	2	1	10	7	1	2	-
5	2	-	1	1	1	-	1	-	-	6	3	3	-	56
28	23	2	2	1	70	49	6	10	5	43	22	6	13	2
22	11	9	1	1	22	9	11	2	-	25	4	3	14	4
3	1	2	-	-	6	1	4	-	1	12	5	4	4	1
225	122	97	4	2	264	143	98	12	11	277	89	84	71	33
9	6	3	-	-	19	8	7	2	2	50	14	11	14	11
9	6	3	-	-	12	8	3	-	-	10	8	2	-	62
21	11	9	1	1	22	8	12	-	2	15	2	8	2	1
60	29	30	1	-	38	22	15	-	1	24	11	13	-	64
4	2	2	-	-	13	8	5	-	-	18	6	7	5	-
32	17	15	-	-	52	29	14	5	4	32	4	6	16	6
-	-	-	-	-	-	-	-	-	-	1	1	-	-	67
-	-	-	-	-	3	1	2	-	-	-	-	-	-	68
-	-	-	-	-	2	2	-	-	-	8	2	2	4	69
90	51	35	3	1	103	56	40	5	2	121	41	35	30	15
12,681	6,503	5,596	337	245	18,292	9,260	7,358	880	794	17,614	6,540	5,045	3,027	3,002
5	4	1	-	-	1	1	-	-	-	3	-	3	-	73
153	68	78	6	1	160	79	74	3	4	138	52	44	16	26
33	14	19	-	-	29	7	21	-	1	31	11	16	1	3
47	27	14	6	-	36	23	11	2	-	38	16	7	5	10
9	3	6	-	-	7	3	3	-	1	7	4	1	1	77
64	24	39	-	1	88	46	39	1	2	62	21	20	9	12
310	111	175	11	13	364	147	143	34	40	431	86	168	101	136
8	4	3	1	-	19	7	7	1	4	58	8	7	22	21
16	5	11	-	-	14	6	4	2	2	17	4	6	3	4
101	36	55	1	9	110	48	47	6	17	187	30	53	37	67
92	34	51	5	2	104	49	43	5	7	84	24	24	20	16
93	32	55	4	2	117	45	42	20	10	85	20	18	19	28

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	10,458	6,167	4,187	62	42
02 WITH HYPERTENSIVE DISEASE (.0)	938	440	485	7	6
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	9,520	5,727	3,702	55	36
04 ACUTE MYOCARDIAL INFARCTION.....410	6,533	4,261	2,215	39	18
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	51	34	15	-	2
06 CHRONIC ISCHEMIC HEART DISEASE.....412	3,869	1,869	1,955	23	22
07 ANGINA PECTORIS.....413	5	3	2	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	692	317	366	3	6
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	9	3	6	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	9	5	4	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	35	12	23	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424,0	4	1	3	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424,1	5	1	4	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424,9	26	10	16	-	-
15 SYMPTOMATIC HEART DISEASE.....427	314	150	158	2	4
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	183	85	97	1	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	142	62	78	-	2
18 CEREBROVASCULAR DISEASES.....430-438	3,689	1,671	1,976	25	17
19 WITH HYPERTENSION (BENIGN) (.0)	371	130	230	5	6
20 WITHOUT MENTION OF HYPERTENSION (.9)	3,318	1,541	1,746	20	11
21 SUBARACHNOID HEMORRHAGE.....430	100	39	60	1	-
22 CEREBRAL HEMORRHAGE.....431	731	347	365	11	8
23 CEREBRAL THROMBOSIS.....433	976	438	532	3	3
24 CEREBRAL EMBOLISM.....434	11	6	5	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	46	25	17	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,148	506	637	6	5
27 OTHER CEREBROVASCULAR DISEASES.....437,438	677	312	360	4	1
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,190	584	593	6	7
29 ARTERIOSCLEROSIS.....440	723	307	407	5	4
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	241	164	76	1	-
31 GANGRENE.....445	62	34	27	-	1
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	164	79	83	-	2
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	200	89	107	3	1
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	173	73	96	3	1
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	27	16	11	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,711	1,052	596	13	10
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	6	1	4	1	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	14	5	8	1	-
39 INFLUENZA.....470-474	152	78	72	-	2
40 PNEUMONIA.....480-486	854	468	374	8	4
41 VIRAL PNEUMONIA.....480	24	14	10	-	-
42 BACTERIAL PNEUMONIA.....481,482	84	54	29	1	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	24	14	8	-	2
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	303	178	121	4	-
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	419	208	206	3	2
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	526	439	83	2	2
47 BRONCHITIS, UNQUALIFIED.....490	10	6	3	-	1
48 CHRONIC BRONCHITIS.....491	72	58	14	-	-
49 EMPHYSEMA.....492	417	363	52	1	1
50 ASTHMA.....493	27	12	14	1	-
51 HYPERTROPHY OF TONSILS AND ADENOIDIS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	14	9	5	-	-
53 PLEURISY.....511	5	5	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	46	27	17	1	1
55 BRONCHIECTASIS.....518	15	10	5	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	79	50	28	-	1
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	576	543	421	6	6
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	158	103	50	2	-
60 ULCER OF STOMACH.....531	55	31	24	-	-
61 ULCER OF DUODENUM.....532	81	56	23	2	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	19	16	3	-	-
63 GASTRITIS AND DUODENITIS.....535	7	4	3	-	-
64 APPENDICITIS.....540-543	31	23	7	-	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	131	60	69	-	2
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	1	1	-	-	-
67 DIVERTICULA OF INTESTINE.....562	56	22	34	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	17	6	11	-	-
69 CIRRHOSIS OF LIVER.....571	241	164	71	4	2
70 ALCOHOLIC.....571.0	61	51	9	-	1
71 OTHER SPECIFIED.....571.8	46	25	20	-	1
72 UNSPECIFIED.....571.9	134	88	42	4	-
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	91	39	52	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	246	121	124	-	1
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	406	229	169	2	6
76 NEPHRITIS AND NEPHROSIS.....580-584	113	59	51	1	2
77 ACUTE NEPHRITIS.....580	8	6	2	-	-
78 NEPHROTIC SYNDROME.....581	7	3	3	-	1
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	98	50	46	1	1
80 INFECTIONS OF KIDNEY.....592,593	127	58	67	-	2
81 CALCULI OF URINARY SYSTEM.....592,594	11	7	4	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	99	54	42	1	2
83 HYPERPLASIA OF PROSTATE.....600	43	43	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	13	8	5	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	12	...	12	...	-
87 ECTOPIC PREGNANCY.....631	2	...	2	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	...	1	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

KANSAS					KENTUCKY					LOUISIANA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,964	4,447	3,183	204	130	11,741	6,351	4,403	532	455	11,298	4,709	3,157	1,790	1,642	01
835	358	415	30	32	1,187	490	533	64	100	1,553	391	416	338	408	02
7,129	4,089	2,768	174	98	10,554	5,661	3,876	468	355	9,745	4,318	2,741	1,452	1,234	03
4,765	3,031	1,580	104	54	7,276	4,360	2,309	347	260	5,994	3,113	1,503	788	590	04
29	14	14	1	-	47	26	19	2	-	26	14	4	2	2	05
3,163	1,400	1,588	99	76	4,417	1,965	2,074	183	195	5,275	1,573	1,648	958	1,050	06
3	2	1	-	-	1	-	1	-	-	3	1	2	-	-	07
523	262	236	16	9	815	406	304	60	45	952	264	230	241	217	08
14	7	7	-	-	6	-	4	2	-	13	4	7	1	1	09
2	1	1	-	-	6	2	1	3	-	7	1	1	3	2	10
23	12	9	-	2	22	9	12	1	-	16	6	1	6	3	11
1	1	-	-	-	1	1	-	-	-	2	1	-	-	-	12
4	3	-	-	-	2	-	-	-	-	3	1	-	-	-	13
18	8	8	-	2	19	7	11	1	-	12	3	1	5	3	14
256	128	110	8	4	375	172	149	28	26	574	151	147	139	137	15
147	68	74	5	3	93	38	40	9	6	207	47	51	53	56	16
87	46	35	3	3	313	165	98	17	13	135	55	23	39	18	17
2,675	1,116	1,407	78	74	3,963	1,704	1,870	199	190	3,601	1,003	1,056	714	788	18
310	115	171	7	17	351	130	165	28	28	460	86	104	114	156	19
2,365	1,001	1,236	71	57	3,612	1,574	1,765	171	162	3,141	917	992	600	632	20
86	36	46	2	2	126	49	65	4	8	167	47	46	32	42	21
442	266	349	12	15	810	355	359	46	50	683	180	180	151	170	22
741	308	373	37	23	1,087	476	488	70	53	775	266	271	111	127	23
8	6	2	-	-	13	2	11	-	-	5	3	-	1	1	24
55	25	29	3	2	53	26	21	4	2	33	16	13	4	-	25
647	272	345	11	19	1,270	559	593	56	62	1,450	339	390	342	379	26
492	203	263	13	13	604	237	333	19	15	488	152	194	73	69	27
863	407	424	19	13	962	448	438	35	41	863	317	309	104	133	28
546	230	295	12	9	577	241	252	20	24	496	142	205	71	78	29
175	114	56	4	1	151	101	42	4	4	172	102	35	10	28	30
35	20	14	-	1	55	27	24	2	2	29	9	3	3	8	31
107	43	59	3	2	179	79	80	9	11	166	64	60	20	22	32
188	88	92	3	5	286	124	126	17	19	328	109	98	61	60	33
158	74	77	3	4	247	105	110	14	18	277	84	86	52	55	34
30	14	15	-	1	39	19	16	3	1	51	25	12	9	5	35
1,405	835	500	42	28	2,114	1,204	763	123	84	1,867	719	417	420	311	36
9	5	4	-	-	14	8	5	1	-	6	3	-	2	1	37
6	5	1	-	-	11	6	5	-	-	14	3	5	4	2	38
148	55	89	2	2	102	53	41	4	4	87	33	33	10	11	39
472	326	294	29	23	1,110	528	452	75	55	1,008	280	246	261	221	40
40	21	13	2	4	31	15	5	2	2	25	6	3	6	10	41
64	30	31	3	-	128	79	38	10	1	120	34	19	42	25	42
10	8	2	-	-	13	6	4	1	2	58	11	10	17	20	43
264	129	119	11	5	437	197	186	31	23	297	86	81	66	64	44
294	138	129	13	14	501	231	215	28	27	508	143	133	130	102	45
420	358	55	6	1	578	424	108	32	14	457	276	77	76	28	46
6	3	3	-	-	17	6	8	1	2	24	2	9	8	5	47
72	61	10	1	-	98	71	17	7	3	68	41	17	7	3	48
319	281	33	5	-	410	331	59	17	3	320	223	38	49	10	49
23	13	9	-	1	53	16	24	7	6	45	10	13	12	10	50
1	1	-	-	-	2	1	-	-	-	2	1	-	-	1	51
8	4	3	1	-	16	10	3	1	2	29	14	4	8	1	52
3	1	2	-	-	4	2	2	-	-	10	5	2	1	2	53
34	22	10	1	1	66	39	24	1	2	26	12	8	5	1	54
13	6	5	1	1	28	13	14	-	1	7	5	1	-	1	55
91	52	37	2	-	183	120	49	8	6	221	85	41	53	42	56
807	412	339	34	22	1,034	545	388	57	44	1,185	477	370	188	150	57
2	1	-	1	-	1	1	-	-	-	1	-	1	-	-	58
117	72	42	1	2	134	78	44	10	2	131	64	30	25	12	59
40	24	15	-	1	45	18	23	3	1	69	26	22	15	6	60
57	35	20	1	1	71	50	15	5	1	43	28	5	7	3	61
20	13	7	-	-	18	10	6	2	-	19	10	3	3	3	62
6	4	2	-	-	7	3	4	-	-	9	4	-	2	3	63
17	8	8	1	-	21	17	2	2	-	27	12	5	7	3	64
100	38	51	7	4	128	55	56	10	7	175	57	62	28	28	65
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	66
53	23	29	-	1	60	25	33	2	2	65	17	36	4	8	67
16	6	9	-	1	20	9	8	2	1	17	6	6	1	4	68
225	135	73	10	7	293	184	79	17	13	369	191	96	53	29	69
74	47	20	5	2	88	60	17	7	4	94	48	15	17	14	70
33	14	15	1	3	60	33	20	3	4	93	38	30	15	10	71
118	74	38	4	2	145	91	42	7	5	182	105	51	21	5	72
54	23	29	1	1	101	37	59	1	4	52	14	21	5	12	73
217	102	96	13	6	268	135	103	13	17	338	112	112	63	51	74
373	219	123	16	15	566	273	207	51	35	640	191	172	139	138	75
122	70	39	8	5	184	84	66	19	15	219	50	49	52	68	76
12	8	4	-	-	24	14	7	2	1	21	4	5	2	10	77
9	6	1	1	1	12	4	8	-	-	8	2	2	2	2	78
101	56	34	7	4	148	66	51	17	14	190	44	42	48	56	79
121	58	51	4	8	186	80	86	11	9	185	54	71	27	33	80
11	6	5	-	-	20	5	15	-	-	19	7	9	2	1	81
64	37	23	2	2	116	56	35	15	10	145	48	35	36	26	82
34	34	...	-	...	43	38	...	5	...	32	17	...	15	...	83
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	84
21	14	5	2	-	16	10	4	1	1	40	15	8	7	10	85
4	...	4	...	-	8	...	6	...	2	24	...	8	...	16	86
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	87
2	...	2	...	-	2	...	2	...	-	4	...	1	...	3	88
-	...	-	...	-	1	...	1	...	-	7	...	3	...	4	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	IOWA				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	2	...	2	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	1	...	1	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	1	...	1	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	5	...	5	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....63C, 633-635, 654-662, 672, 674-678	1	...	1	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	20	10	9	-	1
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	5	4	1	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	15	6	8	-	1
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	100	36	61	-	3
13 ARTHRITIS AND SPONDYLITIS.....710-715	48	14	34	-	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	5	2	3	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	8	4	4	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	4	1	3	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	35	15	17	-	3
18 XIV. CONGENITAL ANOMALIES.....	224	119	101	2	2
19 SPINA BIFIDA.....741	16	5	11	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	34	17	16	-	1
21 CONGENITAL ANOMALIES OF HEART.....746	79	41	36	2	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	17	10	7	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	1	1	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	77	45	31	-	1
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	529	294	216	11	8
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	68	38	30	-	-
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	7	2	5	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	61	36	25	-	-
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,031	1,395	607	24	5
30 ACCIDENTS.....E80C-E949	1,652	1,123	511	14	4
31 RAILWAY ACCIDENTS.....E800-E807	7	7	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	865	623	235	6	1
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	853	615	231	6	1
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	49	32	17	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	412	279	130	2	1
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	70	43	25	2	-
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	88	73	15	-	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	202	164	37	1	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	32	24	7	1	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	12	8	4	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	5	2	3	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	17	15	2	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E84C-E845	16	12	4	-	-
44 ACCIDENTAL POISONING.....E850-E877	46	26	13	3	1
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	10	4	5	-	1
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	6	3	2	1	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	30	22	6	2	-
48 ACCIDENTAL FALLS.....E880-E887	298	129	167	1	1
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	82	52	29	-	1
50 FALL ON SAME LEVEL.....E885, E886	56	23	33	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	160	54	105	1	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	64	36	25	3	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	59	52	6	1	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	36	21	14	-	1
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	31	27	4	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	132	117	15	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	1	1	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	14	10	4	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	4	1	3	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	17	17	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	96	88	8	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	14	6	8	-	-
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	62	47	15	-	-
64 SUICIDE.....E950-E959	315	231	81	3	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	32	7	25	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	35	23	12	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	71	52	19	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	155	135	15	1	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	22	10	10	2	-
70 HOMICIDE.....E960-E978	44	26	11	6	1
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	25	14	6	5	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	6	4	2	-	-
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	9	5	3	-	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	4	3	-	1	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E96C-E989	20	15	4	1	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

KANSAS					KENTUCKY					LOUISIANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
-	...	-	...	-	1	...	1	...	-	4	...	1	...	3
-	...	-	...	-	1	...	1	...	-	1	...	-	...	-
-	...	-	...	-	1	...	-	...	-	1	...	1	...	-
2	...	2	...	-	1	...	-	...	-	2	...	-	...	1
-	...	-	...	-	1	...	-	...	1	3	...	-	...	2
-	...	-	...	-	2	...	1	...	1	6	...	3	...	3
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
22	7	13	-	2	34	15	18	-	1	44	9	12	8	15
12	6	5	-	1	9	4	4	-	1	15	5	3	1	6
10	1	8	-	1	25	11	14	-	-	29	4	9	7	9
64	29	32	-	3	93	24	60	3	6	81	24	32	3	22
29	11	17	-	1	51	9	39	1	2	28	8	-	-	4
1	1	-	-	-	2	1	-	-	1	3	16	-	-	1
5	4	1	-	-	3	2	1	-	-	1	2	-	-	1
2	1	1	-	-	1	1	-	-	-	2	1	-	-	-
27	12	13	-	2	36	11	20	2	3	47	15	12	3	17
173	94	70	5	4	315	152	144	15	4	372	119	113	61	79
4	3	1	-	-	22	12	10	-	-	12	6	5	-	1
31	14	15	-	2	58	27	28	2	1	54	15	16	10	13
70	38	29	2	1	121	57	51	10	3	152	52	40	29	31
13	6	6	1	-	6	3	3	-	-	18	5	6	3	4
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
55	33	19	2	1	108	53	52	3	-	135	41	46	18	30
415	216	141	32	26	641	347	223	42	29	1,025	315	198	286	226
193	104	72	9	8	151	66	69	6	10	238	69	68	52	49
34	14	18	1	1	24	6	16	-	2	44	8	17	10	9
159	90	54	8	7	127	60	53	6	8	194	61	51	42	40
1,873	1,223	532	88	30	2,938	1,911	734	220	73	3,412	1,568	584	948	312
1,478	964	437	56	21	2,201	1,439	600	116	46	2,610	1,264	447	653	246
9	7	1	1	-	16	14	1	1	-	15	5	-	9	1
735	490	212	24	9	1,006	686	255	49	16	1,157	639	195	255	68
717	478	207	23	9	981	670	245	47	15	1,140	627	192	255	66
62	44	18	-	-	22	14	8	-	-	37	26	3	7	1
286	168	106	8	4	388	254	117	13	4	460	266	53	80	21
46	26	14	5	1	133	93	31	6	3	171	75	26	50	20
88	66	19	2	1	89	57	15	11	6	121	65	14	35	7
126	101	22	2	1	318	233	67	16	2	221	133	33	47	8
109	73	28	6	2	31	19	11	1	1	130	62	23	36	9
18	12	5	1	-	25	16	6	2	1	17	12	3	-	2
5	2	2	1	-	5	4	-	-	-	4	4	-	-	-
15	14	-	1	-	38	32	3	2	1	101	72	6	23	-
38	35	3	-	-	16	12	4	-	-	22	22	-	-	-
36	19	10	3	4	65	40	19	4	2	60	21	14	14	11
9	2	6	1	-	26	13	10	2	1	28	9	9	7	3
15	9	4	1	1	12	8	2	2	-	13	4	2	2	5
12	8	-	1	3	27	19	7	-	1	19	8	3	5	3
236	105	125	4	2	357	164	176	11	6	284	115	102	40	27
44	32	10	1	1	94	56	32	5	1	60	41	6	8	3
10	5	5	-	-	13	6	7	-	-	7	3	-	3	5
182	68	110	3	1	250	102	137	6	5	217	74	90	31	22
76	47	24	3	2	162	86	56	11	9	209	48	31	57	73
68	51	8	8	1	87	69	10	8	-	202	79	17	96	10
30	16	11	1	2	56	32	16	4	4	95	27	21	31	16
27	22	2	3	-	62	50	5	6	1	105	66	8	26	5
104	96	5	3	-	197	172	13	10	2	149	95	11	42	1
2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
4	4	-	-	-	23	17	5	1	-	15	6	6	3	-
5	2	2	1	-	4	2	1	1	-	9	1	1	6	1
27	26	-	1	-	37	31	3	3	-	33	29	1	3	-
66	62	3	1	-	132	122	4	5	1	92	59	3	30	-
23	8	12	2	1	29	11	15	-	3	56	13	15	14	14
76	52	22	2	-	105	67	26	10	2	151	58	27	46	20
271	205	63	2	1	338	255	76	7	-	331	196	93	32	10
24	7	16	-	1	26	10	16	-	-	34	8	20	1	5
27	20	7	-	-	19	12	7	-	-	7	7	-	-	6
45	33	12	-	-	22	14	7	1	-	19	7	10	2	-
158	133	23	2	2	247	202	39	6	-	250	164	54	27	3
17	12	5	-	-	24	17	7	-	-	21	8	9	2	2
80	28	17	27	8	324	167	43	87	27	437	97	34	252	54
60	20	12	21	7	257	135	28	70	24	319	70	22	192	35
12	7	-	4	1	29	10	3	14	2	65	8	5	43	9
8	1	5	2	-	33	18	12	2	1	45	17	7	12	9
-	-	-	-	-	5	4	-	1	-	8	2	-	5	1
44	26	15	3	-	72	47	15	10	-	33	10	10	11	2
-	-	-	-	-	3	3	-	-	-	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	10,913	6,137	4,722	34	20
02 I. INFECTIVE AND PARASITIC DISEASES.....	70	42	27	1	-
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	1	1	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	8	4	4	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	24	14	9	1	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	18	10	7	1	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	-	1	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	2	1	1	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	3	3	-	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	1	1	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	1	1	-	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	10	6	4	-	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	4	2	2	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	1	1	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	1	-	1	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	4	3	1	-	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	7	4	3	-	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	3	2	1	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	1	-	1	-	-
47 TABES DORSALIS.....094,0	1	1	-	-	-
48 GENERAL PARESIS.....094,1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	1	1	-	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097,9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	5	3	2	-	-
58 II. NEOPLASMS.....	1,852	1,034	809	6	3
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,810	1,018	783	6	3
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	48	38	9	1	-
61 OF LIP.....140	4	4	-	-	-
62 OF TONGUE.....141	12	7	4	1	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	16	12	4	-	-
64 OF PHARYNX.....146-149	16	15	1	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	534	286	245	2	1
66 OF ESOPHAGUS.....150	23	17	6	-	-
67 OF STOMACH.....151	101	66	41	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	3	1	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	217	99	116	1	1
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	31	12	19	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	12	6	6	-	-
72 DESCENDING COLON.....153,2	5	2	3	-	-
73 SIGMOID COLON.....153,3	49	25	19	-	1
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	100	43	56	1	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	20	7	13	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	67	29	28	1	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	13	7	6	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	13	5	8	-	-
79 OF PANCREAS.....157	90	54	36	-	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	6	3	3	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	366	308	55	2	1
82 OF LARYNX.....161	15	14	1	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	345	291	51	2	1
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	6	3	3	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	179	22	157	-	-
86 OF BONE.....170	8	5	3	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	7	4	3	-	-
88 OF SKIN.....172,173	22	12	10	-	-
89 OF BREAST.....174	142	1	141	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MARYLAND					MASSACHUSETTS					MICHIGAN					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
32,382	14,416	11,593	3,676	2,697	57,793	29,605	26,761	850	637	76,808	38,991	29,088	5,104	3,625	01
371	147	83	86	55	387	219	147	15	6	588	240	157	96	55	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
2	1	-	1	-	3	-	3	-	-	3	1	1	1	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	07
38	17	9	7	5	45	20	25	-	-	82	28	35	11	8	08
154	70	25	41	18	129	99	25	4	1	202	95	45	48	14	09
133	63	22	32	16	99	77	17	4	1	155	70	35	39	11	10
4	1	-	2	1	1	-	1	-	-	3	1	-	2	-	11
2	1	-	1	-	1	1	-	-	-	3	-	-	1	2	12
4	1	-	3	-	2	1	1	-	-	9	4	2	2	1	13
11	4	3	3	1	26	20	6	-	-	32	21	7	4	4	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
1	-	-	1	-	1	1	-	-	-	1	-	1	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
11	5	4	2	-	12	5	6	1	-	20	5	9	4	2	23
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	24
71	22	22	16	11	112	51	52	6	3	96	33	40	12	11	25
6	4	1	1	-	22	13	7	1	1	14	10	1	-	3	26
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	2	-	2	-	-	4	1	3	-	-	28
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	29
-	-	-	-	-	6	4	2	-	-	15	9	3	2	1	30
5	5	-	-	-	1	1	-	-	-	2	1	-	-	-	31
1	1	-	-	-	1	1	-	-	-	2	1	-	-	-	32
20	4	6	4	6	15	3	10	2	-	45	13	22	4	6	33
12	4	5	1	2	17	11	6	-	-	33	12	15	3	3	34
2	2	-	-	-	-	-	-	-	-	1	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
19	4	2	7	6	6	2	3	-	1	24	11	3	6	4	41
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	42
1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	43
11	2	1	4	4	2	1	1	-	1	16	5	1	6	4	44
1	-	-	-	-	1	1	-	-	-	3	2	-	-	-	45
5	2	-	2	1	1	-	1	-	-	3	3	-	-	-	46
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	55
27	7	8	5	7	14	8	5	1	-	43	19	18	3	3	56
5,952	2,645	2,281	581	445	10,748	5,416	5,092	120	120	13,363	6,729	5,265	786	583	57
5,836	2,598	2,238	568	426	10,562	5,334	4,990	119	119	13,204	6,671	5,190	773	572	58
156	95	30	26	5	285	206	72	6	1	310	195	72	33	10	59
1	-	1	-	-	7	6	1	-	-	9	8	1	-	-	60
44	32	5	6	1	61	49	11	-	1	77	44	18	12	3	61
46	28	10	7	1	96	57	37	2	-	109	64	33	9	3	62
65	35	14	13	3	121	94	23	4	-	115	79	20	12	4	63
1,606	673	635	177	121	3,303	1,662	1,573	37	31	3,749	1,848	1,523	228	150	64
118	60	19	32	7	242	168	63	7	4	245	142	54	38	11	65
247	104	81	45	17	588	320	250	10	8	656	370	218	47	21	66
16	9	6	-	1	18	8	9	-	-	37	16	15	1	5	67
614	230	298	42	44	1,251	581	658	5	7	1,355	586	657	56	56	68
58	21	34	2	1	189	83	105	-	1	179	74	87	9	9	69
19	9	9	-	1	35	18	17	-	-	55	27	24	4	-	70
17	7	6	3	1	37	19	18	-	-	49	21	25	2	1	71
100	40	41	9	10	213	103	108	1	1	195	106	78	8	3	72
393	144	194	26	29	652	311	332	4	5	797	329	400	29	39	73
27	9	14	2	2	125	47	78	-	-	80	29	43	4	4	74
190	85	74	16	15	389	203	183	-	3	442	253	149	22	18	75
46	18	6	9	7	74	49	19	4	2	70	35	17	15	3	76
60	20	32	1	7	154	39	114	1	1	195	70	113	2	10	77
301	142	108	31	20	541	273	253	11	4	700	354	278	45	23	78
20	5	11	1	3	46	21	24	-	1	49	22	22	2	3	79
1,342	892	230	175	45	2,015	1,586	393	28	8	2,724	2,047	388	244	45	80
66	46	5	11	4	117	105	10	1	7	124	97	12	14	1	81
1,245	832	217	160	40	1,869	1,466	372	24	7	2,554	1,925	357	229	43	82
27	14	8	4	1	29	15	11	3	-	46	25	19	1	1	83
632	73	477	7	75	1,297	127	1,144	1	25	1,463	164	1,173	13	113	84
48	24	15	5	4	64	37	25	-	2	77	47	24	5	1	85
20	9	10	-	1	32	12	20	-	1	65	29	25	3	4	86
66	38	23	2	3	126	68	56	1	1	139	80	57	2	4	87
498	2	429	-	67	1,075	10	1,043	-	22	1,182	8	1,063	3	108	88

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	253	126	127	-	-
02 OF CERVIX UTERI.....180	32	...	32	...	-
03 OF OTHER PARTS OF UTERUS.....181,182	36	...	36	...	-
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	54	...	54	...	-
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	5	...	5	...	-
06 OF PROSTATE.....185	114	114
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	12
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	94	67	27	-	-
09 OF BLADDER.....188	59	44	15	-	-
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	35	23	12	-	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	167	77	88	1	1
12 OF EYE.....190	3	3	-	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	38	20	17	1	-
14 OF THYROID GLAND.....193	8	2	6	-	-
15 OTHER.....194-199	118	52	65	-	1
16 LEUKEMIA.....204-207	72	41	31	-	-
17 LYMPHATIC LEUKEMIA.....204	43	27	16	-	-
18 MYELOID LEUKEMIA.....205	16	7	9	-	-
19 MONOCYTTIC LEUKEMIA.....206	4	3	1	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	9	4	5	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	97	53	44	-	-
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	33	20	13	-	-
23 HODGKIN'S DISEASE.....201	25	14	11	-	-
24 MULTIPLE MYELOMA.....203	18	11	7	-	-
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	21	8	13	-	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	42	16	26	-	-
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	3	...	3	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	2	1	1	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	4	2	2	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	25	11	14	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	8	2	6	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	286	106	178	-	2
34 NONTOXIC GOITER.....240,241	1	-	1	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	5	2	3	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	1	-	1	-	-
37 DIABETES MELLITUS.....250	225	91	133	-	1
38 DISEASES OF PITUITARY GLAND.....253	1	1	-	-	-
39 DISEASES OF THYMUS GLAND.....254	1	-	1	-	-
40 DISEASES OF ADRENAL GLAND.....255	7	-	7	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	21	9	12	-	-
43 CYSTIC FIBROSIS.....273-0	5	-	5	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	19	3	15	-	1
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	22	10	12	-	-
46 ANEMIAS.....280-285	15	8	7	-	-
47 DEFICIENCY ANEMIAS.....280,281	3	2	1	-	-
48 HEMOLYTIC ANEMIAS.....282,283	2	2	-	-	-
49 APLASTIC ANEMIA.....284	7	2	5	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	3	2	1	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	2	-	2	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	5	2	3	-	-
53 V. MENTAL DISORDERS.....	31	20	10	1	-
54 SENILE AND PRESENILE DEMENTIAS.....290	2	1	1	-	-
55 ALCOHOLIC PSYCHOSES.....291	2	1	1	-	-
56 ALL OTHER PSYCHOSES.....294-299	4	1	3	-	-
57 ALCOHOLISM.....303	15	12	2	1	-
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	5	4	1	-	-
59 MENTAL RETARDATION.....310-315	3	1	2	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	90	51	39	-	-
61 MENINGITIS.....320	9	5	4	-	-
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	4	3	1	-	-
63 MULTIPLE SCLEROSIS.....340	11	2	9	-	-
64 PARALYSIS AGITANS.....342	18	13	5	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	4	4	-	-	-
66 EPILEPSY.....345	8	2	6	-	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	1	1	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	35	21	14	-	-
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	6,232	3,383	2,828	15	6
73 ACTIVE RHEUMATIC FEVER.....390-392	1	-	1	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	67	34	33	-	-
75 DISEASES OF MITRAL VALVE.....394	15	9	6	-	-
76 DISEASES OF AORTIC VALVE.....395	21	13	8	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	3	2	1	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	28	10	18	-	-
79 HYPERTENSIVE DISEASES.....400-404	157	65	91	-	1
80 MALIGNANT HYPERTENSION.....400	2	1	1	-	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	8	4	4	-	-
82 HYPERTENSIVE HEART DISEASE.....402	51	15	36	-	-
83 HYPERTENSIVE RENAL DISEASE.....403	42	23	19	-	-
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	54	22	31	-	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Total	MARYLAND				Total	MASSACHUSETTS				Total	MICHIGAN				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
702	212	338	69	83	1,260	507	707	19	27	1,625	686	735	95	109	01
144	...	101	...	43	168	...	156	...	12	243	...	192	...	51	02
91	...	76	...	15	195	...	189	...	6	211	...	184	...	27	03
164	...	141	...	23	349	...	340	...	9	352	...	327	...	25	04
22	...	20	...	2	22	...	22	...	-	38	...	32	...	6	05
272	206	...	66	...	502	483	...	19	...	731	642	...	89	...	06
9	6	...	3	...	24	24	...	-	...	50	44	...	6	...	07
266	137	90	17	16	491	328	154	6	3	632	413	172	29	18	08
143	80	48	8	7	284	188	89	5	2	352	243	81	17	11	09
117	57	42	9	9	207	140	65	1	1	280	170	91	12	7	10
621	255	251	59	56	882	409	449	13	11	1,281	546	591	65	79	11
5	3	2	-	-	11	7	4	-	-	13	3	10	-	-	12
121	68	42	4	7	230	120	105	2	3	360	171	164	15	10	13
16	3	11	2	2	28	10	17	1	-	26	6	19	-	1	14
475	181	196	55	47	613	272	323	10	8	882	366	398	50	68	15
240	123	94	11	12	448	230	211	5	2	608	346	226	14	22	16
85	41	37	3	4	137	68	67	2	-	154	91	54	4	5	17
81	41	30	4	-	185	88	94	2	1	240	134	91	5	10	18
12	7	5	-	-	16	5	11	-	-	38	25	10	1	2	19
62	34	22	4	2	110	69	39	1	1	176	96	71	4	5	20
271	138	93	27	13	581	279	287	4	11	814	426	310	52	26	21
100	52	40	6	2	195	97	92	-	4	301	161	116	16	8	22
56	31	16	5	4	117	54	60	1	2	176	104	55	12	5	23
61	26	19	12	4	123	56	64	2	1	149	64	62	13	10	24
54	29	18	4	3	146	72	71	1	2	188	97	77	11	3	25
122	47	43	13	19	186	82	102	1	1	157	58	75	13	11	26
7	...	4	...	3	8	...	8	...	-	11	...	8	...	3	27
19	5	9	2	3	19	6	13	-	-	33	11	18	2	2	28
15	8	1	3	3	27	12	15	-	-	45	18	20	5	2	29
1	...	-	...	1	-	...	-	...	-	2	...	2	...	-	30
45	19	22	4	4	84	38	44	1	1	48	19	21	4	4	31
31	15	7	4	5	48	26	22	-	-	18	10	6	2	-	32
578	284	462	75	157	1,336	546	751	23	16	2,588	1,014	1,256	126	192	33
2	-	1	-	1	9	-	-	-	-	-	-	-	-	-	34
4	-	3	-	1	-	1	8	-	-	15	-	12	1	2	35
17	5	10	1	1	23	2	21	-	-	21	6	15	-	-	36
816	232	393	55	130	1,127	455	641	15	16	2,203	851	1,673	108	171	37
6	2	2	1	1	6	5	1	-	-	8	4	4	-	-	38
8	4	4	-	-	19	10	7	2	-	26	12	11	1	2	40
47	10	20	12	5	67	30	33	4	-	108	42	56	4	6	42
7	4	3	-	-	26	11	14	1	-	24	10	13	1	-	43
77	27	26	6	18	58	31	26	1	-	181	88	71	11	11	44
84	34	31	7	12	159	67	78	6	8	207	72	92	21	22	45
57	19	23	7	8	102	42	54	2	4	143	44	62	21	16	46
8	2	5	-	1	23	5	18	-	-	23	6	15	-	2	47
13	2	1	7	3	9	3	3	1	2	46	7	11	19	9	48
14	6	7	-	1	32	19	13	-	-	44	15	26	1	2	49
22	9	10	-	3	38	15	20	1	2	30	16	10	1	3	50
14	6	5	-	3	19	8	7	3	1	21	8	12	-	1	51
13	9	3	-	1	38	17	17	1	3	43	20	18	-	5	52
209	66	35	82	26	159	102	56	5	2	240	121	53	56	10	53
4	2	2	-	-	17	2	14	-	1	19	8	10	1	-	54
21	9	1	11	1	20	17	2	1	-	15	13	1	1	-	55
3	1	1	-	1	4	2	2	-	-	10	6	2	1	1	56
93	39	17	27	10	95	67	24	3	1	146	79	18	42	7	57
82	14	13	43	12	17	11	5	1	-	43	17	15	9	2	58
6	1	2	1	2	4	1	3	-	-	7	2	3	2	-	59
319	125	113	52	29	512	241	252	11	8	710	339	270	62	39	60
45	18	15	5	7	41	17	21	2	1	76	31	23	12	10	61
12	6	3	1	2	15	10	4	-	-	32	19	9	3	1	62
36	11	21	-	4	54	19	34	1	-	76	28	39	6	3	63
53	29	20	1	3	110	47	62	-	1	139	79	58	1	1	64
13	4	4	3	2	9	7	2	-	-	17	6	7	3	1	65
61	14	11	30	6	71	37	28	3	3	83	29	24	23	7	66
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
6	3	1	1	1	8	3	5	-	-	12	6	4	-	2	70
90	39	36	11	4	203	101	95	4	3	275	141	166	14	14	71
16,797	7,506	6,551	1,488	1,252	31,858	15,875	15,382	325	276	40,234	20,330	16,344	1,925	1,635	72
3	-	1	1	1	14	7	7	-	-	7	3	4	-	-	73
278	97	140	27	14	612	234	365	5	8	648	271	313	30	34	74
79	20	50	5	4	138	35	101	-	2	173	59	99	5	10	75
56	31	16	8	1	162	88	68	4	2	151	85	50	8	8	76
9	2	5	2	-	20	7	13	-	-	25	6	16	1	2	77
134	44	69	12	9	292	104	183	1	4	299	121	148	16	14	78
373	112	148	48	65	836	346	465	15	10	958	337	428	102	91	79
34	8	4	13	9	26	15	7	2	2	64	20	14	12	18	80
30	4	18	1	7	42	12	27	1	2	32	14	16	1	1	81
82	22	37	6	17	457	172	272	9	4	458	149	211	55	43	82
97	38	28	18	13	174	93	78	1	2	208	82	87	20	19	83
130	40	61	10	19	137	54	81	2	-	196	72	100	14	10	84

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	4,178	2,404	1,759	13	2
02 WITH HYPERTENSIVE DISEASE (.0).....	423	157	224	2	-
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	3,755	2,207	1,535	11	2
04 ACUTE MYOCARDIAL INFARCTION.....410	2,515	1,667	897	10	1
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	12	9	3	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	1,648	786	858	3	1
07 ANGINA PECTORIS.....413	3	2	1	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	222	124	97	-	1
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	-	-	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	2	1	1	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	3	-	3	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	-	1	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	2	-	2	-	-
15 SYMPTOMATIC HEART DISEASE.....427	92	50	41	-	1
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	77	44	33	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	48	29	19	-	-
18 CEREBROVASCULAR DISEASES.....430-438	1,149	519	626	2	2
19 WITH HYPERTENSION (BENIGN) (.0).....	186	79	106	1	-
20 WITHOUT MENTION OF HYPERTENSION (.9).....	963	440	520	1	2
21 SUBARACHNOID HEMORRHAGE.....430	59	28	31	-	-
22 CEREBRAL HEMORRHAGE.....431	305	135	169	-	1
23 CEREBRAL THROMBOSIS.....433	310	144	164	1	1
24 CEREBRAL EMBOLISM.....434	2	-	2	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	18	10	8	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	261	119	142	-	-
27 OTHER CEREBROVASCULAR DISEASES.....437,438	194	83	110	1	-
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	364	186	178	-	-
29 ARTERIOSCLEROSIS.....440	192	77	115	-	-
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	92	68	24	-	-
31 GANGRENE.....445	32	16	16	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	48	25	23	-	-
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	94	51	43	-	-
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	77	42	35	-	-
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	17	9	8	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	665	439	219	5	2
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	4	-	4	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	3	2	1	-	-
39 INFLUENZA.....470-474	56	34	22	-	-
40 PNEUMONIA.....480-486	279	158	119	1	1
41 VIRAL PNEUMONIA.....480	12	2	10	-	-
42 BACTERIAL PNEUMONIA.....481,482	27	18	8	1	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	3	3	-	-	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	132	69	62	-	1
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	105	46	39	-	-
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	232	183	46	3	-
47 BRONCHITIS, UNQUALIFIED.....490	3	1	2	-	-
48 CHRONIC BRONCHITIS.....491	53	45	8	-	-
49 EMPHYSEMA.....492	159	128	28	3	-
50 ASTHMA.....493	17	9	8	-	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	1	-	1	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	1	-	1	-	-
53 PLEURISY.....511	2	1	1	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	21	16	5	-	-
55 BRONCHIECTASIS.....518	8	5	3	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	58	40	16	1	1
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	398	230	164	1	3
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	75	53	21	-	1
60 ULCER OF STOMACH.....531	32	20	12	-	-
61 ULCER OF DUODENUM.....532	37	27	9	-	1
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	6	6	-	-	-
63 GASTRITIS AND DUODENITIS.....535	4	3	1	-	-
64 APPENDICITIS.....540-543	11	6	5	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	52	22	29	-	1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	19	7	12	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	6	3	3	-	-
69 CIRRHOSIS OF LIVER.....571	129	80	47	1	1
70 ALCOHOLIC.....571.0	43	31	12	-	-
71 OTHER SPECIFIED.....571.8	24	7	17	-	-
72 UNSPECIFIED.....571.9	62	42	18	1	1
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	29	14	15	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	73	42	31	-	-
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	169	98	71	-	-
76 NEPHRITIS AND NEPHROSIS.....580-584	65	32	33	-	-
77 ACUTE NEPHRITIS.....580	-	-	-	-	-
78 NEPHROTIC SYNDROME.....581	4	1	3	-	-
79 CHRONIC AND UNQUALIFIED, NEPHRITIS AND RENAL SCLEROSIS.....582-584	61	31	30	-	-
80 INFECTIONS OF KIDNEY.....590	59	32	27	-	-
81 CALCULI OF URINARY SYSTEM.....592,594	2	1	1	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	27	20	7	-	-
83 HYPERPLASIA OF PROSTATE.....600	11	11	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	5	2	3	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1	...	1	...	-
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MARYLAND					MASSACHUSETTS					MICHIGAN				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
11,836	5,656	4,445	954	781	21,119	11,267	9,507	204	141	26,710	14,510	10,044	1,252	904
1,746	561	711	214	260	1,594	587	571	24	12	3,037	1,228	1,372	208	229
10,090	5,095	3,734	740	521	19,525	10,680	8,556	180	129	23,673	13,282	8,672	1,044	675
5,218	2,949	1,798	259	212	10,849	6,492	4,191	100	66	19,812	9,515	5,186	679	432
45	23	20	1	1	74	43	30	1	1	108	63	39	5	1
6,563	2,681	2,620	694	568	10,190	4,728	5,284	103	75	10,781	4,927	4,816	567	471
10	3	7	-	-	6	4	2	-	-	9	5	3	1	-
568	245	185	81	57	1,098	561	506	18	13	1,235	577	510	91	49
13	3	5	3	2	14	8	5	-	1	9	4	5	-	7
13	7	4	2	-	20	11	9	-	-	24	10	6	-	1
14	6	2	3	3	39	19	18	1	1	44	19	23	2	-
1	-	-	1	-	1	1	1	-	-	4	2	3	-	-
3	1	1	-	1	10	6	3	1	-	6	3	3	-	-
10	5	1	2	2	28	13	14	-	1	34	14	18	2	-
324	117	125	40	42	466	234	221	5	6	770	347	338	49	36
91	45	28	13	5	226	102	119	3	2	163	87	66	7	3
113	67	21	20	5	333	187	134	9	3	225	110	80	26	9
2,530	874	1,133	265	258	5,666	2,287	3,251	58	70	7,780	3,249	3,745	337	449
347	109	133	47	58	801	294	477	17	13	1,161	394	526	55	146
2,183	765	1,000	218	200	4,865	1,993	2,774	41	57	6,619	2,855	3,219	242	303
189	46	86	21	36	261	102	149	4	6	422	157	154	20	51
473	156	183	75	59	1,614	697	883	16	18	1,459	634	680	68	77
601	226	278	43	54	1,964	783	1,148	19	14	2,390	1,008	1,151	94	137
12	4	6	1	1	45	13	30	-	2	25	9	13	1	2
63	33	22	7	1	96	53	43	-	-	135	72	48	6	9
779	261	336	97	85	1,028	402	589	15	22	2,320	955	1,125	164	136
413	148	222	21	22	658	237	409	4	8	1,029	414	534	44	37
862	375	379	68	40	1,774	829	914	12	19	2,308	1,129	1,044	69	66
443	148	246	31	18	944	342	583	6	13	1,274	515	704	27	28
248	171	52	15	10	471	332	136	2	1	586	415	130	23	18
33	12	14	5	2	79	35	44	-	-	101	45	49	3	4
138	46	67	17	17	280	120	151	4	5	347	154	161	16	16
347	147	120	44	36	739	344	367	13	15	988	254	248	44	42
314	131	110	40	33	689	312	342	12	14	533	225	229	38	41
33	16	10	4	3	59	32	25	1	1	55	29	19	6	1
1,708	856	465	248	139	4,071	2,335	1,601	93	42	4,441	2,594	1,339	314	194
10	3	5	2	-	15	5	10	-	-	28	20	7	1	-
20	12	4	3	1	37	18	19	1	-	37	17	15	4	3
40	15	14	2	9	108	53	54	1	-	206	96	56	6	8
891	345	284	162	100	2,624	1,381	1,148	60	35	2,204	1,048	833	185	138
7	3	3	-	1	56	29	27	-	-	81	33	34	9	5
104	41	29	25	9	291	155	122	10	4	235	119	84	18	14
47	8	6	17	16	31	18	12	1	-	69	21	25	12	11
354	143	124	58	29	1,416	714	653	34	15	1,662	321	254	55	32
379	150	122	62	45	830	465	334	15	16	1,157	554	436	91	76
438	309	84	36	9	832	613	207	9	3	1,482	1,127	243	87	25
11	3	6	2	-	22	11	11	-	-	35	11	5	2	47
79	54	18	6	1	141	108	32	-	1	200	146	40	8	6
319	246	48	23	2	603	474	121	7	1	1,135	924	148	56	7
29	6	12	5	6	66	20	43	2	1	112	40	44	18	10
1	1	-	-	-	-	-	-	-	-	1	1	-	-	51
32	12	6	11	3	40	23	15	2	-	52	33	8	9	2
13	4	7	1	1	12	7	5	-	-	19	8	8	1	2
39	27	7	4	1	92	48	44	-	-	166	99	57	7	3
14	6	5	2	1	33	19	14	-	-	46	24	20	-	2
210	122	49	25	14	278	168	86	20	4	198	121	52	14	11
1,394	613	426	212	143	2,396	1,359	960	43	34	3,173	1,653	1,687	264	169
2	-	-	2	-	1	-	1	-	-	1	1	-	-	58
119	70	26	16	7	284	193	83	6	2	412	251	125	27	9
45	22	13	5	5	117	71	40	4	2	189	104	65	16	4
54	37	10	6	1	139	103	34	2	-	171	115	45	8	3
20	11	3	5	1	28	19	9	-	-	52	32	15	3	2
9	4	4	1	-	14	9	5	-	-	22	2	1	1	-
23	11	6	6	-	41	26	14	1	-	49	26	14	4	5
138	53	48	23	14	216	98	112	2	4	321	115	174	19	13
-	-	-	-	-	2	-	2	-	-	-	-	-	-	66
57	25	29	1	2	126	44	82	-	-	140	53	79	4	4
16	8	8	-	-	34	14	20	-	-	50	23	23	2	2
659	302	165	112	80	1,073	672	361	24	16	1,387	775	356	159	97
177	79	51	27	20	279	183	84	8	4	487	278	57	73	39
217	79	46	57	35	178	98	71	4	5	277	143	67	29	18
265	144	68	28	25	616	391	206	12	7	623	354	172	57	40
57	22	28	7	7	118	46	70	-	2	179	81	95	1	2
314	118	112	51	33	487	257	210	10	10	612	305	219	47	37
473	181	145	84	63	766	386	350	18	12	1,007	493	341	92	81
166	58	49	31	28	252	120	121	9	2	353	156	122	44	29
21	8	5	3	4	27	15	10	1	1	30	16	10	2	2
12	5	3	-	-	13	6	7	-	-	22	11	10	1	77
133	45	41	28	19	213	99	104	8	1	301	131	162	41	27
98	37	35	13	13	207	87	114	3	1	278	115	123	12	28
11	5	4	-	2	16	9	6	-	-	19	11	7	1	-
146	58	47	26	15	203	96	96	5	6	211	105	70	20	16
29	19	...	10	...	54	53	...	1	...	87	78	...	9	82
23	4	10	4	5	32	21	9	-	-	58	26	18	6	8
12	...	6	...	6	7	...	5	...	2	23	...	12	...	11
1	...	1	...	-	1	...	1	...	-	1	...	-	...	1
2	...	1	...	1	1	...	1	...	-	6	...	5	...	1
-	...	-	...	-	2	...	1	...	1	3	...	1	...	2

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MAINE				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	1	...	1	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	-	...	-	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	7	2	5	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	3	2	1	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	4	-	4	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	24	8	15	-	1
13 ARTHRITIS AND SPONDYLITIS.....710-715	9	3	5	-	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	1	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	1	1	-	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	-	-	-	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	12	3	9	-	-
18 XIV. CONGENITAL ANOMALIES.....	81	41	39	-	1
19 SPINA BIFIDA.....741	7	3	4	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	19	8	11	-	-
21 CONGENITAL ANOMALIES OF HEART.....746	29	13	16	-	-
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	6	4	2	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	20	13	6	-	1
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	202	115	84	2	1
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	62	41	21	-	-
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	16	7	9	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	46	34	12	-	-
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	721	517	200	3	1
30 ACCIDENTS.....E800-E949	562	395	164	2	1
31 RAILWAY ACCIDENTS.....E800-E807	-	-	-	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	259	194	64	-	1
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	252	188	63	-	1
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1	1	-	-	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	85	51	34	-	-
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	51	31	19	-	1
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	37	34	3	-	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	71	44	7	-	-
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	7	7	-	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	7	6	1	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	2	1	1	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	11	11	-	-	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	11	11	-	-	-
44 ACCIDENTAL POISONING.....E850-E877	29	23	6	-	2
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	2	1	1	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	7	3	4	-	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	20	15	1	-	-
48 ACCIDENTAL FALLS.....E880-E887	102	48	53	1	-
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	32	25	7	-	-
50 FALL ON SAME LEVEL.....E885, E886	5	3	2	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	65	20	44	1	-
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	30	23	7	-	-
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	43	33	10	-	-
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	13	5	8	-	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	7	6	-	1	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	25	22	3	-	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	1	1	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	7	5	2	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	1	1	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	2	2	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	14	13	1	-	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	14	5	9	-	-
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	16	13	3	-	-
64 SUICIDE.....E950-E959	123	96	27	-	-
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	7	4	3	-	-
66 SUICIDE FROM POISONING BY GASES.....E951, E952	11	8	3	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	19	13	6	-	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	73	64	9	-	-
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	13	7	6	-	-
70 HOMICIDE.....E960-E978	20	14	5	1	-
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	11	8	2	1	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	3	2	1	-	-
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	6	4	2	-	-
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	-	-	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	12	8	4	-	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	4	4	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MARYLAND					MASSACHUSETTS					MICHIGAN				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3	...	1	...	2	1	...	1	...	-	3	...	1	...	2
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
2	...	-	...	2	-	...	-	...	-	1	...	1	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	1	...	1	...	-	2	...	-	...	2
1	...	1	...	-	-	...	-	...	-	2	...	1	...	1
5	...	2	...	3	2	...	1	...	1	8	...	4	...	4
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
43	16	16	4	7	53	21	29	2	1	58	26	29	2	1
15	9	3	1	2	16	9	7	-	-	16	6	10	-	-
28	7	13	3	5	37	12	22	2	1	42	20	19	2	1
72	22	44	1	5	119	35	79	1	4	194	65	102	9	18
30	12	17	1	-	47	10	36	1	-	83	24	52	3	4
1	-	1	-	-	5	3	2	-	-	4	2	2	-	-
4	2	2	-	-	5	3	2	-	-	8	5	3	-	-
2	1	1	-	-	2	-	2	-	-	4	2	2	-	-
35	7	23	-	5	60	19	37	-	4	95	32	43	6	14
302	132	108	20	42	406	193	195	7	11	776	374	290	55	57
10	4	5	-	1	23	3	19	-	1	30	10	19	1	-
46	26	14	-	6	60	31	27	1	1	124	58	48	8	10
133	58	47	9	19	184	86	88	5	5	323	157	117	27	22
18	7	6	2	3	22	12	9	-	1	63	25	27	3	8
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-
95	37	36	9	13	117	61	52	1	3	233	123	77	16	17
779	295	216	153	115	1,051	568	405	38	40	2,065	921	617	300	227
252	98	67	48	39	416	232	172	8	4	564	236	160	98	70
15	5	6	1	3	9	4	5	-	-	24	7	15	1	1
237	93	61	47	36	407	228	167	8	4	540	229	145	97	69
2,637	1,396	544	535	162	3,349	2,010	1,153	135	51	6,577	3,784	1,634	898	261
1,753	978	384	284	107	2,682	1,588	574	85	35	4,757	2,917	1,289	404	147
13	10	1	1	1	11	9	1	1	-	19	17	1	1	-
818	482	168	121	47	924	646	238	26	14	2,525	1,647	650	166	62
814	479	168	120	47	909	636	235	26	12	2,491	1,626	640	164	61
1	1	-	-	-	5	5	-	-	-	78	55	16	6	1
252	146	73	22	11	279	176	95	4	4	1,134	686	373	52	23
161	75	30	37	19	241	154	74	10	3	400	242	100	39	19
127	81	15	24	7	224	175	40	9	-	388	283	57	40	8
124	86	16	19	3	92	72	14	2	4	396	300	75	16	5
149	90	34	18	7	68	54	12	1	1	495	60	19	11	5
4	3	-	1	-	15	10	3	-	2	34	21	10	2	1
3	-	1	1	1	4	1	3	-	-	6	4	2	-	-
32	24	1	7	1	31	23	4	4	-	78	63	10	5	-
23	19	3	1	-	11	8	3	-	-	45	36	7	2	-
58	26	19	7	5	88	52	28	6	2	170	90	43	30	7
24	7	1	3	3	41	24	16	1	-	49	10	18	16	5
16	7	8	-	1	17	10	6	-	1	36	24	8	3	1
18	12	2	2	2	30	18	6	5	1	85	56	17	11	1
279	129	98	38	14	803	357	430	11	5	686	330	294	48	14
101	60	19	17	5	196	119	68	8	-	193	119	51	18	5
14	7	5	1	6	67	15	52	-	-	25	14	10	1	-
164	62	74	20	8	540	223	310	3	4	468	197	233	29	9
132	59	27	28	18	197	104	83	7	3	275	129	91	35	20
88	47	9	29	3	132	104	15	10	3	259	175	40	40	4
68	30	19	12	7	135	67	62	3	3	141	67	53	12	9
32	22	1	8	1	22	19	1	2	-	75	45	9	18	3
81	53	11	15	2	83	72	6	4	1	204	164	18	16	6
3	1	1	1	-	5	4	-	-	1	10	6	1	3	-
13	7	2	2	2	4	4	-	-	-	9	9	-	-	-
6	2	3	1	-	8	4	4	-	-	13	6	2	2	3
12	11	-	1	-	23	21	1	1	-	38	32	1	4	1
47	32	5	10	-	43	39	1	3	-	134	111	14	7	2
49	29	14	5	1	109	50	54	3	2	70	29	30	4	7
77	48	12	11	6	132	76	46	8	2	204	121	41	27	15
423	273	108	29	13	464	312	140	5	7	936	615	253	53	15
72	23	44	1	4	97	38	54	1	4	119	35	76	2	6
37	30	5	1	1	77	54	23	-	-	151	95	55	1	-
51	32	16	2	1	111	90	20	1	-	156	109	40	5	2
225	173	28	19	5	109	97	10	2	2	431	344	48	35	4
38	15	15	6	2	70	33	33	3	1	79	32	34	10	3
379	106	37	202	34	167	67	29	43	8	791	209	68	425	89
248	73	17	135	23	66	38	5	21	2	574	153	35	323	65
81	14	9	16	7	48	22	8	16	2	113	24	10	68	11
46	17	11	14	4	49	24	16	5	4	89	30	25	21	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	-	2	-	4	3	-	1	-	15	2	-	13	-
79	36	15	20	8	35	22	10	2	1	90	40	24	16	10
3	3	-	-	-	1	1	-	-	-	3	3	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	33,843	19,185	14,302	205	151
02 I. INFECTIVE AND PARASITIC DISEASES.....	199	106	83	2	8
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	2	1	1	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	30	12	18	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	48	30	15	1	2
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	34	23	9	-	2
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	2	1	1	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	3	2	-	1	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	9	4	5	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLA.....023	2	2	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	10	7	3	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	37	21	14	1	1
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	8	7	1	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	3	2	1	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	7	3	4	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	-	1	-	-
35 INFECTIOUS HEPATITIS.....070	12	4	6	-	2
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	16	5	10	-	1
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	6	4	1	-	1
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	3	1	1	-	1
47 TABES DORSALIS.....094.0	1	1	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	1	1	-	-	-
50 ALL OTHER SYPHILIS.....095,097,0,097.9	1	1	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	17	8	8	-	1
58 II. NEOPLASMS.....	5,897	3,157	2,696	25	19
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	5,837	3,126	2,668	24	19
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	97	76	21	-	-
61 OF LIP.....140	4	3	1	-	-
62 OF TONGUE.....141	23	16	7	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	24	18	6	-	-
64 OF PHARYNX.....146-149	46	39	7	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,877	1,046	823	6	2
66 OF ESOPHAGUS.....150	79	57	22	-	-
67 OF STOMACH.....151	382	248	134	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	10	7	3	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	660	323	335	2	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	90	30	52	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	37	11	26	-	-
72 DESCENDING COLON.....153.2	21	10	11	-	-
73 SIGMOID COLON.....153.3	109	61	48	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	370	189	179	2	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	33	14	19	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	212	138	73	1	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	36	24	11	1	-
78 OF GALLBLADDER AND BILE DUCTS.....156	117	43	73	-	1
79 OF PANCREAS.....157	349	188	158	2	1
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	32	18	14	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	918	730	179	5	4
82 OF LARYNX.....161	35	34	1	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	854	676	170	5	3
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	29	20	8	-	1
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	666	61	598	1	6
86 OF BONE.....170	22	16	6	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	31	14	17	-	-
88 OF SKIN.....172,173	59	29	29	1	-
89 OF BREAST.....174	554	2	546	-	6

SECTION I - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Total	MISSISSIPPI				Total	MISSOURI				Total	MONTANA					
	White		All other			White		All other			White		All other			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
23,879	8,112	5,768	5,454	4,545	52,463	25,840	20,981	3,190	2,452	6,713	3,928	2,514	159	112	01	
312	60	50	111	91	414	207	134	46	27	52	19	18	8	7	02	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
1	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	04
11	1	1	6	3	1	1	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	06
108	12	13	48	35	55	23	22	2	8	14	3	5	2	4	08	
57	21	4	22	10	134	80	24	28	2	15	6	2	4	3	09	
50	18	3	19	10	114	72	19	21	2	10	5	-	3	2	10	
1	-	-	1	-	4	1	1	2	1	1	-	-	-	1	11	
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	5	-	2	3	-	1	-	1	-	-	-	14
5	3	1	1	-	11	7	2	2	-	3	1	1	1	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	20
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	21
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	22
7	1	3	2	1	14	6	7	1	-	2	-	2	-	-	-	23
7	-	-	2	5	1	1	-	-	-	-	-	-	-	-	-	24
54	6	12	14	22	85	38	31	9	7	6	2	3	1	-	-	25
8	3	1	4	-	16	11	2	1	2	3	2	1	-	-	-	26
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	30
6	2	3	1	-	12	7	5	-	-	3	2	1	-	-	-	31
16	4	4	2	6	29	1	19	2	1	-	-	-	-	-	-	32
9	3	4	2	-	21	13	8	-	-	3	1	2	-	-	-	33
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
11	1	-	6	4	11	5	4	2	-	1	1	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
6	1	-	4	1	6	2	2	2	-	1	1	-	-	-	-	39
1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	40
1	-	-	1	1	2	1	1	1	-	-	-	-	-	-	-	41
2	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
6	1	-	4	1	6	2	2	2	-	1	1	-	-	-	-	45
1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	46
1	-	-	1	1	2	1	1	1	-	-	-	-	-	-	-	47
2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	48
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
13	5	4	2	2	22	10	6	1	5	3	1	1	1	-	-	57
3,315	1,212	944	624	535	8,535	4,182	3,523	488	342	1,045	614	412	8	11	58	
3,276	1,205	932	616	523	8,420	4,136	3,473	483	328	1,036	607	410	8	11	59	
64	38	12	8	6	182	125	36	19	2	21	18	3	-	-	-	60
1	1	-	-	-	6	6	-	-	-	1	1	-	-	-	-	61
8	4	3	1	-	35	24	7	4	-	4	3	1	-	-	-	62
27	15	6	1	5	62	39	16	5	2	8	7	1	-	-	-	63
28	18	3	6	1	79	56	13	10	-	8	7	1	-	-	-	64
658	272	257	183	146	2,350	1,076	1,027	156	91	315	176	135	4	-	-	65
38	11	11	11	2	131	67	24	32	8	10	7	2	1	-	-	66
201	49	40	70	42	355	174	126	38	17	58	40	18	-	-	-	67
9	6	2	-	1	11	7	4	-	-	1	-	1	-	-	-	68
276	75	107	41	53	937	411	462	31	33	116	63	53	-	-	-	69
30	9	14	5	2	122	57	60	1	4	17	6	11	-	-	-	70
10	3	5	1	1	39	16	21	1	1	6	5	1	-	-	-	71
13	3	7	2	1	41	17	19	3	2	5	4	1	-	-	-	72
31	11	12	3	5	147	64	74	6	3	14	10	4	-	-	-	73
182	49	65	28	40	562	247	275	20	20	66	35	31	-	-	-	74
10	-	4	2	4	26	10	13	-	3	8	3	5	-	-	-	75
67	24	21	11	11	261	115	127	11	8	37	16	11	-	-	-	76
20	10	5	4	1	52	28	16	1	6	7	3	2	-	-	-	77
15	4	6	-	5	110	34	69	1	6	17	6	4	-	-	-	78
217	88	55	43	31	463	229	187	32	15	62	36	23	3	-	-	79
15	2	10	3	-	30	13	12	3	2	7	5	2	-	-	-	80
667	413	78	139	37	1,773	1,309	290	142	32	203	168	31	1	3	81	
22	13	3	5	1	68	50	10	5	3	12	10	-	-	-	-	82
636	396	74	131	35	1,674	1,245	264	136	29	187	157	28	1	1	83	
5	4	1	3	1	31	14	16	1	-	4	1	3	-	-	-	84
359	50	216	8	85	877	124	689	8	56	115	13	59	-	-	-	85
18	9	6	3	-	50	28	13	1	1	4	1	1	-	-	-	86
14	5	6	2	1	45	22	20	1	2	5	1	4	-	-	-	87
76	35	32	3	6	114	64	44	3	3	14	9	5	-	-	-	88
251	1	172	-	78	668	10	607	1	50	92	-	89	-	-	-	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		MINNESOTA				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	788	395	384	8	1
02	OF CERVIX UTERI.....180	72	...	71	...	1
03	OF OTHER PARTS OF UTERUS.....181,182	86	...	86	...	-
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	207	...	207	...	-
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	20	...	20	...	-
06	OF PROSTATE.....185	385	377	...	8	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	18
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	289	151	97	1	-
09	OF BLADDER.....188	160	112	47	1	-
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	129	75	50	-	-
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	487	232	250	1	4
12	OF EYE.....190	12	5	7	-	-
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	171	102	68	1	-
14	OF THYROID GLAND.....193	20	5	15	-	-
15	OTHER.....194-199	284	120	160	-	4
16	LEUKEMIA.....204-207	312	174	135	1	2
17	LYMPHATIC LEUKEMIA.....204	111	69	41	-	1
18	MYELOID LEUKEMIA.....205	145	77	70	1	1
19	MONOCYTIC LEUKEMIA.....206	6	4	2	-	-
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	46	24	22	-	-
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	403	221	181	1	-
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	142	83	59	-	-
23	HODGKIN'S DISEASE.....201	70	46	24	-	-
24	MULTIPLE MYELOMA.....203	80	35	44	1	-
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	111	57	54	-	-
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	60	31	28	1	-
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	3	...	3	...	-
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	13	4	9	-	-
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	13	9	4	-	-
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	15	7	7	1	-
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	16	11	5	-	-
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	816	342	461	6	7
34	NONTOXIC GOITER.....240,241	1	-	1	-	-
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	3	-	3	-	-
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	11	3	8	-	-
37	DIABETES MELLITUS.....250	688	280	378	4	6
38	DISEASES OF PITUITARY GLAND.....253	7	6	1	-	-
39	DISEASES OF THYROID GLAND.....254	1	1	-	-	-
40	DISEASES OF ADRENAL GLAND.....255	9	-	6	-	-
41	NIACIN DEFICIENCY.....262	-	-	-	-	-
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	43	14	27	2	-
43	CYSTIC FIBROSIS.....273,0	7	3	4	-	-
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	66	32	33	-	1
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	68	30	37	-	1
46	ANEMIAS.....280-285	45	28	26	-	1
47	DEFICIENCY ANEMIAS.....280,281	13	8	4	-	-
48	HEMOLYTIC ANEMIAS.....282,283	5	3	2	-	-
49	APLASTIC ANEMIA.....284	20	6	14	-	-
50	OTHER AND UNSPECIFIED ANEMIAS.....285	7	1	6	-	-
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	7	3	4	-	-
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	16	5	7	-	-
53	V. MENTAL DISORDERS.....	149	91	54	3	1
54	SENILE AND PRESENILE DEMENTIAS.....290	13	6	7	-	-
55	ALCOHOLIC PSYCHOSES.....291	15	13	2	-	-
56	ALL OTHER PSYCHOSES.....294-299	9	4	5	-	-
57	ALCOHOLISM.....303	56	42	10	3	1
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	45	21	24	-	-
59	MENTAL RETARDATION.....310-315	11	5	6	-	-
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	376	215	158	-	3
61	MENINGITIS.....320	21	11	10	-	-
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	26	21	5	-	-
63	MULTIPLE SCLEROSIS.....340	50	17	32	-	1
64	PARALYSIS AGITANS.....342	94	61	33	-	-
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	8	5	3	-	-
66	EPILEPSY.....345	30	19	10	-	1
67	INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68	CATARACT.....374	1	-	1	-	-
69	GLAUCOMA.....375	1	-	1	-	-
70	OTITIS MEDIA AND MASTOIDITIS.....381-383	2	1	1	-	-
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	143	80	62	-	1
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	18,824	10,548	8,150	73	53
73	ACTIVE RHEUMATIC FEVER.....390-392	8	6	2	-	-
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	321	161	157	-	3
75	DISEASES OF MITRAL VALVE.....394	97	38	58	-	1
76	DISEASES OF AORTIC VALVE.....395	108	65	43	-	-
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	25	9	15	-	1
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	91	49	41	-	1
79	HYPERTENSIVE DISEASE.....400-404	359	166	187	6	-
80	MALIGNANT HYPERTENSION.....400	7	3	4	-	-
81	ESSENTIAL BENIGN HYPERTENSION.....401	22	6	15	1	-
82	HYPERTENSIVE HEART DISEASE.....402	158	65	91	2	-
83	HYPERTENSIVE RENAL DISEASE.....403	89	53	35	1	-
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	83	35	42	2	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

MISSISSIPPI					MISSOURI					MONTANA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
507	117	131	135	124	1,087	415	533	58	81	120	70	47	-	3
104	...	49	...	55	174	...	140	...	34	14	...	11	...	3
63	...	26	...	37	157	...	135	...	22	15	...	15	...	03
78	...	50	...	28	262	...	237	...	25	20	...	20	...	04
10	...	6	...	4	21	...	21	...	-	1	...	1	...	05
244	111	...	133	...	450	395	...	55	...	67	67	06
8	6	...	2	...	23	20	...	3	...	3	07
122	54	32	21	15	404	233	139	19	13	49	37	12	...	08
74	34	14	15	11	225	135	70	13	7	33	26	7	...	09
48	20	18	6	4	179	98	69	6	6	16	11	5	...	10
362	113	103	68	78	905	414	411	46	34	95	52	38	3	2
4	2	1	-	1	10	3	7	-	-	2	2	-	-	-
84	33	34	11	6	185	90	84	10	1	25	13	12	-	-
11	5	3	1	2	20	5	14	1	-	6	2	4	-	-
263	73	65	56	69	690	316	306	35	33	62	35	22	3	2
138	58	43	24	13	408	225	164	14	5	46	27	19	-	-
49	26	18	6	5	136	81	52	-	-	22	15	7	-	-
56	20	18	13	5	150	77	67	3	3	11	7	4	-	-
2	1	1	-	-	33	17	14	1	1	2	2	-	-	-
31	11	9	5	6	89	50	31	7	1	11	5	6	-	-
199	90	60	30	19	434	215	184	21	14	72	46	26	-	-
64	32	17	9	6	163	81	61	2	4	30	21	9	-	-
33	16	11	6	-	74	44	22	4	6	12	8	4	-	-
54	19	16	9	10	85	39	32	8	2	10	7	3	-	-
48	23	16	6	3	112	56	49	5	2	20	10	10	-	-
39	7	12	8	12	115	46	50	5	14	9	7	2	-	-
6	...	-	...	6	5	...	3	...	2	-
7	1	3	2	2	26	11	12	1	2	2	...	1	...	-
9	2	3	2	2	23	9	10	2	2	4	3	1	...	-
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
11	3	5	2	1	33	13	14	2	4	-	-	-	-	-
6	1	1	2	2	28	13	11	-	4	3	3	-	-	-
551	99	164	96	192	1,292	451	659	60	114	153	75	68	1	5
1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
4	-	1	-	3	9	-	7	-	2	1	-	1	-	-
4	2	2	-	-	16	3	13	-	-	2	-	2	-	-
475	83	142	83	167	1,071	370	548	59	94	120	66	48	1	5
3	-	1	1	1	4	2	1	-	1	-	-	-	-	-
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
5	2	1	1	1	10	6	3	-	1	2	-	2	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	6	3	8	11	87	28	45	7	7	13	8	5	-	-
5	1	3	1	-	10	3	7	-	-	4	-	4	-	-
25	5	10	2	8	82	37	34	2	9	11	5	6	-	-
68	17	21	16	14	126	60	54	8	4	11	4	6	-	1
47	6	11	16	14	77	34	34	6	3	8	3	5	-	-
1	-	-	1	-	23	6	12	3	2	2	-	2	-	-
20	2	2	8	8	12	3	6	3	-	1	1	1	-	-
11	3	5	2	1	23	14	8	-	1	3	1	2	-	-
15	1	4	5	5	19	11	8	-	-	1	1	-	-	-
8	6	2	-	-	20	11	7	1	1	1	1	1	-	-
13	5	8	-	-	29	15	13	1	-	2	-	-	-	1
73	29	10	24	10	136	75	36	18	7	24	13	5	3	3
4	1	2	-	1	16	9	4	-	3	4	2	2	-	-
8	5	-	3	-	13	7	3	3	-	4	2	1	-	-
3	1	2	-	-	12	4	6	-	2	-	-	-	1	-
43	15	2	19	7	65	46	7	11	1	13	7	1	2	3
9	4	3	2	-	25	8	14	2	1	1	1	-	-	-
6	3	1	-	2	5	1	2	2	-	2	1	1	-	-
166	46	41	51	28	434	200	194	20	20	93	55	31	1	2
33	4	4	16	9	44	15	16	8	5	5	3	1	-	1
5	2	-	1	2	17	10	7	-	-	2	2	-	-	-
5	2	1	2	-	28	8	19	1	-	17	9	8	-	-
19	10	5	2	2	104	48	52	2	2	16	11	5	-	-
6	3	2	-	1	23	8	12	2	1	2	2	-	-	-
30	5	8	10	7	35	15	17	-	3	13	6	5	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	2	1	-	4	1	2	-	1	2	2	-	-	-
63	19	18	19	7	179	95	69	7	8	36	24	12	-	-
11,881	4,237	3,161	2,295	2,188	28,160	13,578	12,206	1,205	1,171	3,383	1,938	1,363	55	27
3	-	-	2	1	7	1	3	1	2	2	2	-	-	-
99	33	24	18	24	364	165	179	9	11	65	33	30	2	-
23	5	7	2	9	116	37	72	2	5	18	8	9	1	-
31	13	5	7	6	83	58	21	3	1	17	11	5	1	-
2	-	2	-	-	13	6	7	-	-	2	2	-	-	-
43	15	10	9	9	152	64	79	4	5	28	12	16	-	-
408	72	66	134	136	790	327	348	59	56	63	25	37	1	-
44	6	1	22	15	41	9	15	2	8	4	1	3	-	-
37	4	8	7	18	38	13	18	2	5	6	3	3	-	-
155	26	14	46	69	276	98	135	19	24	27	9	18	-	-
78	18	14	33	13	168	83	56	17	12	10	4	5	1	-
94	18	29	26	21	267	124	124	12	7	16	8	8	-	-

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	11,966	7,284	4,610	43	29
02 WITH HYPERTENSIVE DISEASE (.0).....	1,243	596	642	4	1
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	10,723	6,688	3,968	39	28
04 ACUTE MYOCARDIAL INFARCTION.....410	6,518	4,313	2,169	22	14
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	89	56	32	1	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	5,358	2,914	2,409	20	15
07 ANGINA PECTORIS.....413	1	1	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	535	288	242	3	2
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	7	4	3	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	13	7	6	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	42	23	19	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	2	-	2	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	9	7	2	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	31	16	15	-	-
15 SYMPTOMATIC HEART DISEASE.....427	280	150	126	2	2
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	95	47	48	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	98	57	40	1	-
18 CEREBROVASCULAR DISEASES.....430-438	4,257	1,933	2,299	15	10
19 WITH HYPERTENSION (BENIGN) (.0).....	586	232	352	-	2
20 WITHOUT MENTION OF HYPERTENSION (.9).....	3,671	1,701	1,947	15	8
21 SUBARACHNOID HEMORRHAGE.....430	193	73	118	-	2
22 CEREBRAL HEMORRHAGE.....431	800	390	405	4	1
23 CEREBRAL THROMBOSIS.....433	1,041	487	543	6	5
24 CEREBRAL EMBOLISM.....434	12	5	7	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	86	52	33	-	1
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,213	534	676	2	1
27 OTHER CEREBROVASCULAR DISEASES.....437,438	912	392	517	3	-
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,104	585	509	4	6
29 ARTERIOSCLEROSIS.....440	658	362	351	2	3
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	232	159	70	2	1
31 GANGRENE.....445	56	33	23	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	158	91	65	-	2
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	274	125	144	2	3
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	244	114	126	1	3
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	30	11	18	1	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,968	1,245	692	21	16
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	8	4	3	-	1
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	8	4	4	-	-
39 INFLUENZA.....470-474	149	82	64	2	1
40 PNEUMONIA.....480-486	1,045	586	438	14	7
41 VIRAL PNEUMONIA.....480	16	7	9	-	-
42 BACTERIAL PNEUMONIA.....481,482	129	60	45	3	1
43 ACUTE INTERSTITIAL PNEUMONIA.....484	14	8	3	1	1
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	405	234	163	6	2
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	481	256	218	4	3
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	520	415	95	5	1
47 BRONCHITIS, UNQUALIFIED.....490	21	12	8	1	-
48 CHRONIC BRONCHITIS.....491	92	72	19	1	-
49 EMPHYSEMA.....492	373	316	54	3	-
50 ASTHMA.....493	34	19	14	-	1
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	1	-	1	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	17	14	3	-	-
53 PLEURISY.....511	10	5	5	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	60	37	23	-	-
55 BRONCHIECTASIS.....518	13	6	7	-	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	137	88	49	-	-
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,064	616	432	7	9
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	1	-	-	-
59 PEPTIC ULCER.....531-533	140	101	38	1	-
60 ULCER OF STOMACH.....531	61	38	22	1	-
61 ULCER OF DUODENUM.....532	70	55	15	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	9	8	1	-	-
63 GASTRITIS AND DUODENITIS.....535	9	5	3	1	-
64 APPENDICITIS.....540-543	22	16	6	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	128	68	60	-	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	1	-	1	-	-
67 DIVERTICULA OF INTESTINE.....562	64	31	33	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	28	16	12	-	-
69 CIRRHOSIS OF LIVER.....571	335	200	123	4	8
70 ALCOHOLIC.....571.0	128	79	42	3	4
71 OTHER SPECIFIED.....571.8	70	44	23	-	3
72 UNSPECIFIED.....571.9	137	77	58	1	1
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	93	45	48	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	243	133	108	1	1
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	434	262	165	2	5
76 NEPHRITIS AND NEPHROSIS.....580-584	110	61	47	1	1
77 ACUTE NEPHRITIS.....580	15	9	5	-	1
78 NEPHROTIC SYNDROME.....581	3	2	1	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	92	50	41	1	-
80 INFECTIONS OF KIDNEY.....590	101	46	52	-	3
81 CALCULI OF URINARY SYSTEM.....592,594	13	7	6	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	139	67	50	1	1
83 HYPERPLASIA OF PROSTATE.....600	49	-	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	22	12	10	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	11	...	9	...	2
87 ECTOPIC PREGNANCY.....631	1	...	1	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	-	...	-	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	1	...	1	...	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	MINNESOTA				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	2	...	2	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	1	...	1	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	1	...	1	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	5	...	3	...	2
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	...	2	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	24	9	15	-	-
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	7	4	3	-	-
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	17	5	12	-	-
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	94	36	56	-	2
13 ARTHRITIS AND SPONDYLITIS.....710-715	46	16	29	-	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	4	3	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	4	1	3	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	4	2	2	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	36	14	21	-	1
18 XIV. CONGENITAL ANOMALIES.....	339	205	129	3	2
19 SPINA BIFIDA.....741	14	5	9	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	54	33	19	2	-
21 CONGENITAL ANOMALIES OF HEART.....746	138	87	50	-	1
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	28	19	9	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	1	-	1	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	104	61	41	1	1
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	675	379	274	13	9
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	217	123	86	4	4
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	7	3	4	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	210	120	82	4	4
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,688	1,821	805	46	16
30 ACCIDENTS.....E800-E949	2,191	1,472	679	26	14
31 RAILWAY ACCIDENTS.....E800-E807	12	9	3	-	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	1,039	718	301	13	7
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	1,020	703	297	13	7
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	51	37	13	1	-
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	495	314	173	4	4
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	119	72	40	5	2
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	88	69	19	-	-
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	233	187	42	3	1
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	34	24	10	-	-
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	19	15	4	-	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	5	1	4	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	54	47	4	3	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	18	17	1	-	-
44 ACCIDENTAL POISONING.....E850-E877	90	55	29	1	1
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	12	3	9	-	-
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	13	9	2	1	1
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	65	47	18	-	-
48 ACCIDENTAL FALLS.....E880-E887	396	201	193	-	2
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	110	69	41	-	-
50 FALL ON SAME LEVEL.....E885,E886	36	15	21	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	250	117	131	-	2
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	112	72	38	1	1
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	90	64	21	4	1
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	68	42	26	-	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	34	29	5	-	-
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	130	117	12	1	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	7	7	-	-	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	1	1	-	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	18	18	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	104	91	12	1	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	37	22	15	-	-
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E925,E940-E949	106	74	27	3	2
64 SUICIDE.....E950-E959	335	252	80	2	1
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	39	12	27	-	-
66 SUICIDE FROM POISONING BY GASES.....E951,E952	48	33	15	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	72	54	17	1	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	149	134	13	1	1
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	27	15	8	-	-
70 HOMICIDE.....E960-E978	83	39	26	17	1
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	57	27	16	14	-
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	9	6	2	1	-
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	15	4	8	2	1
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	2	2	-	-	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	77	56	20	1	-
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	2	2	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1985 (ICDA). Four-digit

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	14,932	8,139	6,332	243	218
02 I. INFECTIVE AND PARASITIC DISEASES.....	90	37	45	2	6
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	17	5	11	1	2
09 TUBERCULOSIS, ALL FORMS.....010-019	19	12	4	1	2
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	13	10	1	1	1
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	-	-	-	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	1	-	-
14 DISSEMINATED TUBERCULOSIS.....018	1	-	-	-	1
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	4	2	2	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	5	2	3	-	-
25 TETANUS.....037	4	-	-	-	-
26 SEPTICEMIA.....038	9	4	5	-	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	1	1	-	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	1	-	1	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	2	-	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	1	-	-	-
35 INFECTIOUS HEPATITIS.....070	15	2	12	-	1
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	9	4	3	-	2
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	1	1	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	4	2	2	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	2	1	1	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	1	-	1	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	1	1	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	6	3	2	-	1
58 II. NEOPLASMS.....	2,632	1,394	1,180	25	33
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	2,599	1,362	1,163	24	30
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	51	39	11	1	-
61 OF LIP.....140	2	1	1	-	-
62 OF TONGUE.....141	12	10	1	1	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	16	9	7	-	-
64 OF PHARYNX.....146-149	21	19	2	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	813	422	375	6	10
66 OF ESOPHAGUS.....150	40	26	11	1	2
67 OF STOMACH.....151	125	76	47	1	1
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	3	1	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	351	158	186	2	5
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	54	22	32	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	23	9	14	-	-
72 DESCENDING COLON.....153.2	11	5	6	-	-
73 SIGMOID COLON.....153.3	55	27	26	1	1
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	192	84	103	1	4
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	16	11	5	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	72	46	26	-	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	16	9	7	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	42	12	29	1	-
79 OF PANCREAS.....157	148	84	62	1	1
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	15	8	6	-	1
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	407	337	56	11	3
82 OF LARYNX.....161	18	-	-	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	378	311	54	11	2
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	11	8	2	-	1
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	299	36	259	-	4
86 OF BONE.....170	16	5	8	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	13	9	7	-	-
88 OF SKIN.....172,173	36	20	16	-	-
89 OF BREAST.....174	234	2	228	-	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,691	2,182	1,250	157	102	7,521	4,101	3,403	7	10	67,972	33,041	28,052	3,588	2,891	01.
24	14	5	3	2	45	26	19	-	-	521	235	162	72	52	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	5	4	-	1	-	04
-	-	-	-	-	-	-	-	-	-	7	3	4	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
2	1	1	-	-	12	5	7	-	-	63	21	27	9	6	07
9	6	-	2	1	7	5	2	-	-	209	110	36	43	20	08
6	5	-	1	-	6	4	2	-	-	173	88	31	35	19	09
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	10
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	11
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	12
2	1	-	-	1	-	-	-	-	-	5	-	1	1	3	13
1	-	-	1	-	1	1	-	-	-	27	21	2	4	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	-	4	3	1	-	-	26	10	10	5	1	22
-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	23
5	3	-	1	1	7	3	4	-	-	75	34	29	2	10	24
-	-	-	-	-	-	-	-	-	-	9	4	4	1	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1	1	-	-	-	-	-	-	-	-	3	1	1	-	1	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	1	1	-	-	-	13	6	5	1	1	32
-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	33
2	1	1	-	-	4	2	2	-	-	42	11	22	4	5	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	-	1	-	-	5	4	1	-	-	23	9	10	1	3	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	2	-	-	-	-	-	-	-	-	10	5	4	1	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	45
-	-	-	-	-	-	-	-	-	-	4	1	2	1	-	46
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	47
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	48
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	49
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
1	-	1	-	-	5	3	2	-	-	29	13	8	4	4	56
629	357	242	17	13	1,403	762	639	1	1	12,976	6,270	5,615	607	484	57
621	353	238	17	13	1,373	745	626	1	1	12,829	6,211	5,549	599	470	59
14	10	3	1	-	30	20	10	-	-	276	193	54	24	5	60
-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	61
2	2	-	-	-	4	3	1	-	-	70	53	14	2	1	62
5	4	1	-	-	10	7	3	-	-	74	49	17	7	1	63
7	4	2	1	-	16	10	6	-	-	125	84	23	15	3	64
165	92	67	4	2	431	228	203	-	-	4,015	1,982	1,718	176	139	65
12	8	4	-	-	24	18	6	-	-	219	140	45	28	6	66
24	13	10	-	1	84	48	36	-	-	714	371	264	51	28	67
-	-	-	-	-	3	2	1	-	-	20	5	13	2	-	68
53	29	22	2	-	152	71	81	-	-	1,528	679	750	41	58	69
7	5	2	-	-	33	18	15	-	-	197	90	93	5	9	70
-	-	-	-	-	8	6	2	-	-	72	35	36	1	1	71
4	1	3	-	-	6	2	4	-	-	49	23	24	1	1	72
6	2	4	-	-	30	11	19	-	-	279	123	135	6	15	73
33	19	13	1	-	64	27	37	-	-	829	368	408	25	28	74
3	2	-	1	-	11	7	4	-	-	102	40	54	3	5	75
21	12	9	-	-	63	36	27	-	-	536	297	214	9	16	76
2	1	1	-	-	7	4	3	-	-	79	46	25	7	1	77
10	2	7	-	1	17	7	10	-	-	173	50	111	5	7	78
39	26	15	-	-	74	37	37	-	-	656	351	260	26	19	79
4	1	1	2	-	7	5	2	-	-	90	43	36	7	4	80
163	131	23	7	2	279	237	42	-	-	2,659	1,923	496	203	37	81
6	5	1	-	-	15	13	2	-	-	130	103	12	12	3	82
154	124	21	7	2	261	221	40	-	-	2,482	1,791	470	189	32	83
3	2	1	-	-	3	3	-	-	-	47	29	14	2	2	84
62	15	45	1	1	148	19	129	-	-	1,582	173	1,252	15	102	85
4	3	-	1	-	14	7	7	-	-	60	33	21	3	3	86
5	4	1	-	-	6	2	4	-	-	57	26	22	6	3	87
10	7	3	-	-	15	10	5	-	-	195	98	85	6	6	88
43	1	41	-	1	113	-	113	-	-	1,270	16	1,164	-	90	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	398	153	197	3	5
02 OF CERVIX UTERI.....180	44	...	41	...	3
03 OF OTHER PARTS OF UTERUS.....181,182	47	...	47	...	-
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	106	...	104	...	2
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	5	...	5	...	-
06 OF PROSTATE.....185	183	180	...	3	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	13	13	...	-	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	124	77	47	-	-
09 OF BLADDER.....188	73	53	20	-	-
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	51	24	27	-	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....150-199	186	95	86	2	3
12 OF EYE.....190	4	3	1	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	63	35	27	1	-
14 OF THYROID GLAND.....193	10	5	4	-	1
15 OTHER.....194-199	109	52	54	1	2
16 LEUKEMIA.....204-207	139	83	51	1	4
17 LYMPHATIC LEUKEMIA.....204	56	27	17	-	2
18 MYELOID LEUKEMIA.....205	58	38	18	1	1
19 MONOCYTTIC LEUKEMIA.....206	3	1	2	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	22	7	14	-	1
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	182	100	81	-	1
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	56	33	23	-	-
23 HODGKIN'S DISEASE.....201	40	23	17	-	-
24 MULTIPLE MYELOMA.....203	42	20	21	-	1
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	44	24	20	-	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	33	12	17	1	3
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	3	...	2	...	1
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	9	2	7	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	8	6	2	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	7	3	2	-	2
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	6	1	4	1	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	352	165	178	6	3
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	2	-	1	-	1
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	-	-	-	-	-
37 DIABETES MELLITUS.....250	286	136	145	3	2
38 DISEASES OF PITUITARY GLAND.....253	4	3	1	-	1
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	3	-	3	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	12	6	5	1	-
43 CYSTIC FIBROSIS.....273-0	7	1	6	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273,1-279	38	15	17	2	-
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	41	18	19	2	2
46 ANEMIAS.....280-285	31	14	14	1	2
47 DEFICIENCY ANEMIAS.....280,281	2	1	1	-	-
48 HEMOLYTIC ANEMIAS.....282,283	7	3	1	1	2
49 APLASTIC ANEMIA.....284	12	3	9	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	10	7	3	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	6	3	3	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	4	1	2	1	-
53 V. MENTAL DISORDERS.....	45	26	15	3	1
54 SENILE AND PRESENILE DEMENTIAS.....290	7	2	5	-	-
55 ALCOHOLIC PSYCHOSES.....291	4	3	-	1	-
56 ALL OTHER PSYCHOSES.....294-299	4	1	3	-	-
57 ALCOHOLISM.....303	23	17	3	2	1
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	6	2	4	-	-
59 MENTAL RETARDATION.....310-315	1	1	-	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	155	79	73	3	-
61 MENINGITIS.....320	8	3	4	1	-
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	4	3	1	-	-
63 MULTIPLE SCLEROSIS.....340	17	9	8	-	-
64 PARALYSIS AGITANS.....342	33	23	10	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	6	3	3	-	-
66 EPILEPSY.....345	16	7	8	1	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	1	1	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	70	30	39	1	-
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	8,296	4,442	3,664	97	93
73 ACTIVE RHEUMATIC FEVER.....390-392	2	1	1	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	101	34	64	1	2
75 DISEASES OF MITRAL VALVE.....394	35	7	25	1	2
76 DISEASES OF AORTIC VALVE.....395	25	15	10	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	9	3	6	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	32	9	23	-	-
79 HYPERTENSIVE DISEASE.....400-404	236	113	112	5	6
80 MALIGNANT HYPERTENSION.....400	10	4	5	1	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	6	1	4	-	1
82 HYPERTENSIVE HEART DISEASE.....402	65	27	33	1	4
83 HYPERTENSIVE RENAL DISEASE.....403	60	38	20	2	-
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	95	43	50	1	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Total	NEVADA				Total	NEW HAMPSHIRE				Total	NEW JERSEY				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
68	26	37	-	5	176	70	106	-	-	1,494	527	807	62	98	01
10	...	10	31	...	31	...	-	213	...	169	...	44	02
11	...	7	...	4	22	...	22	...	-	255	...	224	...	31	03
20	...	19	...	1	44	...	44	...	-	409	...	389	...	20	04
1	...	1	...	-	9	...	9	...	-	28	...	25	...	3	05
25	25	66	66	558	500	...	58	...	06
1	1	...	-	...	4	4	...	-	...	31	27	...	4	...	07
23	15	8	-	-	74	46	28	-	-	658	410	208	22	...	08
10	7	3	-	-	46	29	17	-	-	411	265	122	13	...	09
13	8	5	-	-	28	17	11	-	-	247	145	86	9	...	10
67	33	30	1	3	107	48	58	1	-	985	429	465	53	38	11
-	-	-	-	-	-	-	-	-	-	7	2	5	-	-	12
19	11	6	-	2	27	14	13	-	-	275	143	117	9	6	13
1	-	1	-	-	5	2	3	-	-	45	15	27	3	-	14
47	22	23	1	1	75	32	42	1	-	658	269	316	41	32	15
23	12	10	1	-	59	38	20	-	1	499	263	211	13	12	16
12	7	5	-	-	25	16	9	-	-	190	95	83	4	4	17
6	2	3	1	-	18	11	7	-	-	169	93	68	4	4	18
-	-	-	-	-	2	1	-	-	1	13	5	8	-	-	19
5	3	2	-	-	14	10	4	-	-	127	66	52	5	4	20
36	19	15	2	-	69	39	30	-	-	661	311	258	31	21	21
9	4	4	1	-	18	9	9	-	-	233	129	93	5	6	22
14	9	5	-	-	20	13	7	-	-	128	65	51	11	1	23
9	5	3	1	-	13	6	7	-	-	168	54	97	7	10	24
4	1	3	-	-	18	11	7	-	-	132	63	57	8	4	25
8	4	4	-	-	30	17	13	-	-	147	59	66	8	14	26
-	...	-	...	-	2	...	2	...	-	11	...	6	...	5	27
3	2	1	-	-	3	1	2	-	-	25	7	16	-	2	28
-	...	-	...	-	-	...	-	...	-	28	14	11	2	1	29
4	1	3	-	-	19	12	7	-	-	50	22	19	4	5	31
1	1	-	-	-	4	3	1	-	-	32	16	13	2	1	32
85	44	36	3	2	202	70	131	-	1	1,789	634	961	71	123	33
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	34
-	-	-	-	-	1	1	-	-	-	13	3	8	-	2	35
1	-	1	-	-	2	1	1	-	-	7	3	4	-	-	36
66	35	27	2	2	159	54	104	-	1	1,549	538	852	55	104	37
1	-	1	-	-	-	-	-	-	-	9	2	4	1	2	38
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	39
-	-	-	-	-	1	1	-	-	-	15	6	7	-	2	40
11	6	4	1	-	13	5	8	-	-	-	-	-	-	-	41
2	-	2	-	-	4	2	2	-	-	73	30	28	7	8	42
4	3	1	-	-	22	6	16	-	-	23	7	16	-	-	43
6	1	3	-	2	23	11	12	-	-	97	45	39	8	5	44
4	-	2	-	2	18	10	8	-	-	178	66	82	16	14	45
1	-	-	-	1	4	2	2	-	-	134	46	61	15	12	46
2	-	1	-	1	1	1	1	-	-	19	8	10	-	1	47
1	-	1	-	-	3	1	2	-	-	34	9	10	8	7	48
-	-	-	-	-	10	7	3	-	-	41	16	21	3	1	49
1	-	1	-	-	5	1	4	-	-	40	13	20	4	3	50
1	1	-	-	-	-	-	-	-	-	19	6	13	-	-	51
30	18	9	2	1	21	12	9	-	-	25	14	8	1	2	52
3	1	2	-	-	1	-	1	-	-	145	72	27	36	10	53
4	3	-	1	-	1	1	-	-	-	6	-	6	-	-	54
19	13	4	1	1	14	9	5	-	-	28	19	-	8	1	55
3	1	2	-	-	3	1	2	-	-	9	7	2	-	-	56
1	-	1	-	-	1	1	-	-	-	79	37	9	24	9	57
33	18	12	2	1	70	39	31	-	-	18	6	8	4	-	58
4	3	1	-	-	3	2	1	-	-	5	3	2	-	-	59
4	3	1	-	-	8	7	1	-	-	502	214	212	51	25	60
4	1	1	-	1	3	2	1	-	-	45	18	9	9	9	61
4	3	1	-	-	8	7	1	-	-	24	18	5	1	-	62
4	3	1	-	-	19	12	7	-	-	55	12	43	-	-	63
2	1	1	1	-	3	3	-	-	-	88	44	42	1	1	64
3	1	1	1	-	6	2	4	-	-	9	5	2	1	1	65
1	1	-	-	-	-	-	-	-	-	85	32	23	24	6	66
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	67
1	-	1	-	-	1	-	1	-	-	2	-	2	-	-	68
12	5	7	-	-	29	12	17	-	-	2	-	-	-	-	69
1,638	997	550	55	36	4,093	2,153	1,934	4	2	38,151	18,682	16,506	1,618	1,345	72
-	-	-	-	-	3	2	1	-	-	11	4	4	1	2	73
37	14	20	3	-	77	32	45	-	-	661	249	373	19	20	74
9	1	7	1	-	24	8	16	-	-	178	50	120	3	5	75
10	5	4	1	-	25	15	10	-	-	140	82	48	9	1	76
1	-	1	-	-	2	-	2	-	-	27	7	19	-	1	77
17	8	8	1	-	26	9	17	-	-	316	110	186	7	13	78
45	20	17	2	6	110	48	62	-	-	669	254	253	57	65	79
3	-	1	2	1	1	1	1	-	-	42	11	15	7	9	80
2	-	1	1	1	2	1	1	-	-	21	9	10	1	1	81
22	12	7	1	2	56	25	31	-	-	237	82	113	18	24	82
9	6	2	1	1	24	11	13	-	-	197	93	78	13	13	83
9	2	6	1	-	27	11	16	-	-	172	59	77	18	18	84

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	NEBRASKA				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	5,244	3,060	2,072	64	48
02 WITH HYPERTENSIVE DISEASE (.01).....	379	186	185	4	4
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.91).....	4,865	2,874	1,887	60	44
04 ACUTE MYOCARDIAL INFARCTION.....410	3,098	1,965	1,089	28	16
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	21	15	6	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	2,123	1,078	977	36	32
07 ANGINA PECTORIS.....413	2	2	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	233	124	96	5	8
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	2	1	-	-	1
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	1	1	-	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	26	12	14	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	1	1	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	4	3	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	21	8	13	-	-
15 SYMPTOMATIC HEART DISEASE.....427	88	44	36	4	4
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	61	30	29	-	2
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	55	36	17	1	1
18 CEREBROVASCULAR DISEASES.....430-438	1,877	799	1,035	19	24
19 WITH HYPERTENSION (BENIGN) (.0).....	190	74	108	4	4
20 WITHOUT MENTION OF HYPERTENSION (.9).....	1,687	725	927	15	20
21 SUBARACHNOID HEMORRHAGE.....430	53	20	31	1	1
22 CEREBRAL HEMORRHAGE.....431	385	168	208	5	4
23 CEREBRAL THROMBOSIS.....433	510	210	285	6	9
24 CEREBRAL EMBOLISM.....434	13	6	7	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	15	7	7	1	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	571	248	313	4	6
27 OTHER CEREBROVASCULAR DISEASES.....437,438	330	140	184	2	4
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	541	282	254	1	4
29 ARTERIOSCLEROSIS.....440	340	159	179	1	1
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	100	71	28	-	1
31 GANGRENE.....445	22	12	9	-	1
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	79	40	38	-	1
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	62	29	30	2	1
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	41	21	17	2	1
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	21	8	13	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	922	550	326	26	20
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	5	1	4	-	-
38 ACUTE BRONCHITIS AND BRONCHOLITIS.....466	10	6	3	1	-
39 INFLUENZA.....470-474	70	28	41	1	-
40 PNEUMONIA.....480-486	476	247	202	12	15
41 VIRAL PNEUMONIA.....480	20	7	11	-	2
42 BACTERIAL PNEUMONIA.....481,482	60	35	23	1	1
43 ACUTE INTERSTITIAL PNEUMONIA.....484	13	5	4	4	-
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	179	93	72	5	9
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	204	107	92	2	3
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	287	232	46	7	2
47 BRONCHITIS, UNQUALIFIED.....490	1	1	-	-	-
48 CHRONIC BRONCHITIS.....491	32	31	-	1	-
49 EMPHYSEMA.....492	221	187	31	3	-
50 ASTHMA.....493	33	13	15	3	2
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	4	1	3	-	-
53 PLEURISY.....511	1	-	-	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	13	8	5	-	-
55 BRONCHIECTASIS.....518	11	6	4	-	1
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508, 512, 514-516, 519	45	21	17	5	2
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	582	318	233	10	21
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	1	-	-	-
59 PEPTIC ULCER.....531-533	115	72	40	3	-
60 ULCER OF STOMACH.....531	41	23	16	2	-
61 ULCER OF DUODENUM.....532	63	43	19	1	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	11	6	5	-	-
63 GASTRITIS AND DUODENITIS.....535	6	3	2	1	-
64 APPENDICITIS.....540-543	19	10	7	1	1
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	76	32	42	-	2
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	36	22	14	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	16	6	10	-	-
69 CIRRHOSIS OF LIVER.....571	151	92	42	5	12
70 ALCOHOLIC.....571.0	101	67	24	3	7
71 OTHER SPECIFIED.....*571.8	16	9	5	1	1
72 UNSPECIFIED.....*571.9	34	16	13	1	4
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	59	24	32	-	3
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530, 534, 536, 537, 564-570, 572, 573, 576, 577	103	56	44	-	3
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	210	123	82	3	2
76 NEPHRITIS AND NEPHROSIS.....580-584	50	28	19	2	1
77 ACUTE NEPHRITIS.....580	4	2	2	-	-
78 NEPHROTIC SYNDROME.....581	2	1	1	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	44	25	16	2	1
80 INFECTIONS OF KIDNEY.....590	72	33	38	-	1
81 CALCULI OF URINARY SYSTEM.....592,594	7	4	3	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591, 593, 595-599	45	27	17	1	-
83 HYPERPLASIA OF PROSTATE.....600	26	26	...	-	...
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	10	5	5	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	...	3	...	1
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	-	...	1
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH, EXCEPT ABORTION WITH TOXEMIA.....632,651-653	1	...	1	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix.]

NEVADA					NEW HAMPSHIRE					NEW JERSEY				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
980	657	283	28	12	2,600	1,488	1,109	3	-	27,551	14,244	11,386	1,085	836
94	50	39	4	1	282	136	146	-	-	2,953	1,234	1,453	140	126
886	607	244	24	11	2,318	1,352	563	3	-	24,593	13,010	9,933	945	710
587	432	136	15	4	1,583	1,010	570	3	-	13,384	7,883	4,789	430	282
6	5	1	-	-	12	6	6	-	-	137	17	49	9	2
387	220	146	13	8	1,005	472	533	-	-	14,025	6,284	6,546	645	550
-	-	-	-	-	-	-	-	-	-	5	-	2	1	2
102	67	28	4	3	117	59	58	-	-	1,004	462	415	78	49
-	-	-	-	-	1	1	2	-	-	16	10	5	1	1
4	4	-	-	-	2	5	4	-	-	23	10	10	3	10
3	2	1	-	-	9	-	-	-	-	42	10	27	4	1
-	-	-	-	-	-	-	-	-	-	5	2	3	-	12
1	1	-	-	-	2	2	-	-	-	7	3	3	1	13
2	1	1	-	-	7	3	4	-	-	30	5	21	3	14
36	23	9	1	3	47	25	22	-	-	489	222	209	34	24
19	9	9	-	-	35	13	22	-	-	286	140	115	16	15
40	29	9	2	-	23	15	8	-	-	148	70	49	20	9
346	167	159	10	10	803	336	465	1	1	5,980	2,369	3,058	279	274
44	21	16	4	3	104	46	58	-	-	764	263	350	49	62
302	146	143	6	7	699	290	407	1	1	5,216	2,106	2,668	230	212
11	6	5	-	-	18	11	7	-	-	340	119	163	32	26
57	31	21	2	3	200	93	106	1	-	1,318	501	658	77	82
77	38	37	-	2	290	111	179	-	-	2,010	785	1,084	72	69
3	9	2	-	-	2	1	1	-	-	39	14	22	3	24
9	9	-	-	-	3	2	1	-	-	86	45	35	3	3
134	62	60	8	4	159	62	94	-	-	1,255	521	601	61	72
55	20	34	-	1	131	56	75	-	-	932	384	495	31	22
96	52	34	4	4	331	161	169	-	1	1,698	840	738	57	63
40	19	18	-	3	228	95	132	-	1	867	340	465	27	35
31	18	10	3	-	53	39	14	-	-	483	327	125	16	15
1	1	-	-	-	13	8	5	-	-	92	41	41	5	5
24	14	8	1	1	37	19	18	-	-	256	132	107	9	8
32	20	7	4	1	52	27	25	-	-	577	260	239	42	36
24	15	6	2	1	46	25	21	-	-	509	220	223	34	32
8	5	1	2	-	6	2	4	-	-	68	40	16	8	4
236	155	69	6	6	424	270	151	-	3	3,544	1,930	1,158	294	162
-	-	-	-	-	4	2	2	-	-	6	2	4	-	37
1	1	-	-	-	2	1	-	-	1	50	27	10	9	4
5	2	3	-	-	24	12	12	-	-	61	29	28	1	3
94	44	42	3	5	209	114	94	-	1	2,097	957	821	197	122
5	4	1	-	-	14	4	10	-	-	54	23	22	7	41
14	6	8	-	-	29	18	11	-	-	254	112	94	34	2
6	5	-	-	1	2	-	2	-	-	9	5	2	2	42
28	16	8	1	3	80	42	38	-	-	1,213	568	486	93	66
41	13	25	2	1	84	50	33	-	1	567	249	187	61	40
106	84	19	2	1	148	118	30	-	-	935	683	185	51	16
2	1	1	-	-	6	3	3	-	-	24	13	8	3	47
19	14	5	-	-	36	31	5	-	-	197	147	95	8	3
78	66	10	1	1	98	81	17	-	-	664	505	116	36	7
7	3	3	1	-	8	3	5	-	-	50	18	22	4	6
1	1	-	-	-	-	-	-	-	-	-	-	-	-	51
2	2	-	-	-	4	3	1	-	-	38	17	12	6	3
-	-	-	-	-	1	-	4	-	-	16	10	4	-	2
8	7	1	-	-	12	8	4	-	-	129	84	29	11	5
-	-	-	-	-	6	3	3	-	-	38	22	14	2	55
19	14	4	1	-	14	9	4	-	1	174	99	51	17	7
186	98	77	5	6	294	160	133	-	1	2,734	1,393	1,034	187	120
1	1	-	-	-	-	-	-	-	-	3	1	1	-	1
25	17	8	-	-	47	34	13	-	-	319	201	98	16	4
9	5	3	-	-	16	9	7	-	-	129	70	48	9	2
12	8	4	-	-	24	18	6	-	-	154	104	43	5	2
4	3	1	-	-	7	7	-	-	-	36	27	7	2	62
2	2	-	-	-	1	1	-	-	-	20	13	4	1	2
4	2	2	-	-	6	3	3	-	-	47	24	15	5	3
5	3	2	-	-	33	11	22	-	-	251	96	134	10	11
1	-	-	1	-	-	-	-	-	-	3	-	2	-	1
7	3	4	-	-	23	9	14	-	-	137	54	79	3	1
6	4	2	-	-	1	1	-	-	-	57	27	29	-	1
31	38	44	4	5	101	62	38	-	1	1,209	709	398	111	71
32	13	17	1	1	35	24	10	-	1	402	219	115	53	15
15	5	8	1	2	11	6	5	-	-	175	81	65	9	20
43	20	19	2	2	55	32	23	-	-	712	409	218	49	36
7	5	2	-	-	18	6	12	-	-	152	56	90	2	4
37	23	13	-	1	64	33	31	-	-	456	212	184	39	21
48	24	20	1	3	105	52	53	-	-	849	410	302	69	68
16	7	6	-	3	37	17	20	-	-	255	121	84	28	22
1	-	1	-	-	2	-	2	-	-	24	15	5	3	1
-	-	-	-	-	-	-	-	-	-	13	6	5	2	78
15	7	5	-	3	35	17	18	-	-	218	100	74	23	21
10	4	4	-	-	25	9	16	-	-	274	111	126	19	18
1	-	1	-	-	5	-	5	-	-	31	15	9	1	6
12	8	4	-	-	20	12	8	-	-	157	68	65	13	11
3	2	-	1	-	11	11	-	-	-	86	79	-	7	83
6	3	3	-	-	7	3	4	-	-	-	-	-	-	84
4	...	3	-	-	1	...	1	-	-	26	...	14	...	12
-	...	-	-	-	-	...	-	-	-	1	...	-	...	1
-	...	-	-	-	-	...	-	-	-	4	...	3	...	1
1	...	-	-	-	-	...	-	-	-	2	...	1	...	1

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		NEBRASKA					
		Total	White		All other		
			Male	Female	Male	Female	
01	ABORTIONS.....640-645	-	...	-	...	-	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-	-
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	-	...	-	...	-	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	...	2	...	-	-
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	11	3	7	-	-	1
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	4	2	2	-	-	-
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	7	1	5	-	-	1
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	46	11	33	-	-	2
13	ARTHRITIS AND SPONDYLITIS.....710-715	23	6	16	-	-	1
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	-	-	-	-	1
15	OSTEOMYELITIS AND PERIOSTITIS.....720	3	-	-	-	-	-
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	-	1	2	-	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	19	4	15	-	-	-
18	XIV. CONGENITAL ANOMALIES.....	111	60	46	3	-	2
19	SPINA BIFIDA.....741	3	1	2	-	-	-
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	24	15	9	-	-	-
21	CONGENITAL ANOMALIES OF HEART.....746	43	26	15	1	-	1
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	6	4	2	-	-	-
23	CLEFT PALATE AND CLEFT LIP.....749	1	1	-	-	-	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	34	13	18	2	-	1
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	261	121	98	16	-	16
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	39	24	11	2	-	2
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2	2	-	-	-	-
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	37	22	11	2	-	2
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,135	758	319	45	-	13
30	ACCIDENTS.....E800-E949	923	614	273	29	-	7
31	RAILWAY ACCIDENTS.....E800-E807	14	10	2	1	-	1
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	459	318	121	17	-	3
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	437	303	115	16	-	3
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	35	29	6	-	-	-
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	199	125	65	6	-	3
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	33	23	7	3	-	-
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	64	42	16	6	-	-
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	96	78	18	-	-	-
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	10	6	3	1	-	-
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	22	15	6	1	-	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	2	2	-	-	-	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	12	10	1	1	-	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	13	13	-	-	-	-
44	ACCIDENTAL POISONING.....E850-E877	31	20	9	2	-	-
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	4	1	3	-	-	-
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	5	3	2	-	-	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	22	16	4	2	-	-
48	ACCIDENTAL FALLS.....E880-E887	183	86	95	2	-	-
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	51	32	18	1	-	-
50	FALL ON SAME LEVEL.....E885-E886	24	10	13	1	-	-
51	OTHER AND UNSPECIFIED FALLS.....E887	108	44	64	-	-	-
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	27	19	8	-	-	-
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	27	22	5	-	-	-
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	19	10	7	1	-	1
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	20	17	1	1	-	1
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	59	52	5	2	-	-
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	1	1	-	-	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	2	1	1	-	-	-
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	5	5	-	-	-	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	51	45	4	2	-	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	8	6	2	-	-	-
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	49	29	17	2	-	1
64	SUICIDE.....E950-E959	153	112	35	5	-	1
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	14	5	7	1	-	1
66	SUICIDE FROM POISONING BY GASES.....E951,E952	20	16	4	-	-	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	23	17	6	-	-	-
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	90	72	15	3	-	-
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	6	2	3	1	-	-
70	HOMICIDE.....E960-E978	40	18	8	10	-	4
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	23	13	2	6	-	2
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	8	2	2	2	-	2
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	7	1	4	2	-	-
74	LEGAL EXECUTION.....E978	-	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	2	2	-	-	-	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	19	14	3	1	-	1
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2	...	2	...	-	-	...	-	...	-	4	...	2	...	2	01
2	...	2	...	-	-	...	-	...	-	2	...	-	...	2	02
2	...	-	...	-	-	...	-	...	-	2	...	-	...	2	03
-	...	-	...	-	-	...	-	...	-	2	...	2	...	4	04
-	...	-	...	-	-	...	-	...	-	9	...	5	...	4	05
1	...	1	...	-	1	...	1	...	-	6	...	3	...	3	06
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	07
7	3	3	-	1	7	3	4	-	-	65	29	27	3	6	08
3	3	-	-	-	2	1	1	-	-	19	11	6	1	1	09
4	-	3	-	1	5	2	3	-	-	46	18	21	2	5	10
8	3	5	-	-	16	10	6	-	-	157	43	99	3	12	11
4	2	2	-	-	8	5	3	-	-	46	15	36	1	-	12
-	-	-	-	-	1	1	-	-	-	10	3	6	1	1	13
-	-	-	-	-	1	5	-	-	-	5	4	1	1	1	14
4	1	3	-	-	7	4	3	-	-	9	6	3	1	-	15
28	9	14	1	4	80	39	41	-	-	87	19	56	1	11	16
1	1	-	-	-	7	5	2	-	-	544	236	268	56	44	17
6	-	5	-	1	17	7	10	-	-	16	9	7	-	-	18
9	3	4	1	1	29	15	14	-	-	90	29	48	8	5	19
3	1	1	-	1	6	2	4	-	-	229	93	89	28	19	20
1	1	-	-	-	1	1	1	-	-	34	16	10	4	4	21
8	3	4	-	1	20	10	10	-	-	1	1	1	-	-	22
101	53	37	7	4	151	77	74	-	-	174	88	54	16	16	23
59	43	11	1	4	118	78	39	-	1	4,034	2,119	1,126	586	203	24
5	5	-	-	-	3	1	2	-	-	351	143	113	67	28	25
54	38	11	1	4	115	77	37	-	1	23	8	12	1	2	26
565	345	154	54	16	468	339	126	2	1	328	135	101	66	26	27
408	255	107	32	14	373	268	102	2	1	4,034	2,119	1,126	586	203	28
9	6	1	2	-	1	1	-	-	-	2,945	1,579	667	370	129	29
107	118	54	14	1	196	149	46	1	-	25	23	1	1	1	30
177	111	51	14	1	192	145	46	1	-	1,261	765	313	148	35	31
3	2	1	-	-	-	-	-	-	-	1,244	752	311	147	34	32
44	25	11	8	-	61	42	18	1	-	20	10	6	2	2	33
25	16	7	2	-	32	22	10	-	-	467	277	131	44	15	34
16	9	6	1	-	32	28	4	-	-	306	171	84	41	10	35
35	25	9	1	-	53	43	10	-	-	117	76	23	16	2	36
54	34	17	2	1	14	10	4	-	-	299	198	59	37	5	37
10	7	3	1	-	4	4	-	-	-	35	20	8	7	-	38
3	1	1	-	1	8	7	-	-	-	17	13	2	1	1	39
6	6	1	-	-	8	7	1	-	-	4	4	2	1	1	40
31	28	3	-	-	4	3	1	-	-	25	20	1	4	-	41
29	13	10	3	3	15	13	2	-	-	28	25	3	-	-	42
12	7	3	1	1	2	1	1	-	-	138	71	31	22	14	43
11	3	6	2	-	2	1	-	-	-	71	29	13	20	9	44
6	3	1	2	-	10	3	-	-	-	32	15	11	1	5	45
32	16	14	1	1	60	30	30	-	-	35	27	7	1	-	46
6	6	-	-	-	18	12	6	-	-	652	242	327	59	24	47
3	3	3	-	-	2	1	1	-	-	198	95	67	30	6	48
23	7	14	1	1	40	17	23	-	-	30	11	19	-	-	49
17	6	6	3	2	27	16	11	-	-	424	136	241	29	18	50
29	17	3	6	3	22	17	5	-	-	241	107	86	27	21	51
12	3	7	-	2	8	6	1	-	1	136	74	20	39	3	52
11	9	2	-	-	7	6	1	-	-	124	60	27	23	14	53
18	18	-	-	-	13	13	-	-	-	29	21	3	5	-	54
3	3	-	-	-	1	1	-	-	-	103	70	11	18	4	55
-	-	-	-	-	2	2	-	-	-	1	-	-	1	1	56
4	4	-	-	-	1	1	-	-	-	19	16	1	2	-	57
11	11	-	-	-	9	9	-	-	-	5	1	-	2	2	58
5	2	3	3	1	7	5	2	-	-	17	15	1	1	-	59
19	12	3	3	1	7	5	2	-	-	61	38	9	12	2	60
97	65	28	4	-	85	62	23	-	-	69	37	23	5	4	61
26	12	14	-	-	11	6	5	-	-	110	63	19	18	10	62
12	10	2	-	-	12	8	4	-	-	561	367	155	28	11	63
6	4	10	3	-	9	6	3	-	-	94	34	54	1	5	64
49	36	10	3	-	42	34	8	-	-	100	67	32	-	1	65
4	3	1	-	-	11	8	3	-	-	144	95	39	9	1	66
45	16	12	15	2	6	5	1	-	-	169	141	13	12	3	67
28	12	5	10	1	3	3	-	-	-	54	30	17	6	1	68
8	3	2	2	1	3	2	1	-	-	382	106	65	162	49	69
8	1	2	2	1	3	3	-	-	-	190	56	21	88	25	70
1	-	-	1	-	-	-	-	-	-	110	29	20	48	13	71
19	9	7	3	-	3	2	1	-	-	70	19	24	16	11	72
-	-	-	-	-	-	-	-	-	-	12	2	-	-	-	73
-	-	-	-	-	-	-	-	-	-	145	66	39	26	14	74
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	75

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	7,209	3,888	2,631	415	275
02 I. INFECTIVE AND PARASITIC DISEASES.....	121	46	37	22	16
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	1	-	-	1	-
07 FOOD POISONING (BACTERIAL).....005	1	1	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	29	6	12	8	3
09 TUBERCULOSIS, ALL FORMS.....010-019	34	17	4	7	6
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	24	14	2	5	3
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	3	1	-	-	2
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	-	1	-
14 DISSEMINATED TUBERCULOSIS.....018	1	-	-	-	1
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	5	2	2	1	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHThERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	4	3	-	1	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	23	8	7	3	5
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	2	1	-	-	1
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	2	1	-	1	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	7	-	6	1	-
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	14	6	7	-	1
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	3	2	1	-	-
43 CONGENITAL SYPHILIS.....090	1	1	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	1	1	-	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	1	-	1	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLUSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	1	1	-	-	-
58 II. NEOPLASMS.....	1,039	524	470	24	21
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,010	515	453	23	19
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	21	13	6	2	-
61 OF LIP.....140	4	3	1	-	-
62 OF TONGUE.....141	3	2	1	-	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	4	1	3	-	-
64 OF PHARYNX.....146-149	10	7	1	2	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	323	164	149	7	3
66 OF ESOPHAGUS.....150	11	8	3	-	-
67 OF STOMACH.....151	83	52	27	3	1
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	2	1	1	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	100	38	61	-	1
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	6	2	4	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	5	3	2	-	-
72 DESCENDING COLON.....153.2	4	2	1	-	1
73 SIGMOID COLON.....153.3	17	5	12	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	65	24	41	-	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	3	2	1	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	25	10	14	1	-
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	10	5	2	2	1
78 OF GALLBLADDER AND BILE DUCTS.....156	17	5	12	-	-
79 OF PANCREAS.....157	62	38	23	1	-
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	13	7	6	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	170	124	41	4	1
82 OF LARYNX.....161	7	5	2	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	159	118	36	4	1
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....163,163	4	1	3	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	105	14	90	1	4
86 OF BONE.....170	1	-	1	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	5	2	2	1	-
88 OF SKIN.....172,173	17	12	5	-	-
89 OF BREAST.....174	86	-	82	-	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
188,469	91,813	77,158	11,194	8,304	44,902	19,048	13,502	7,008	5,344	5,607	3,316	2,142	86	63	01
1,538	677	428	262	171	518	160	103	150	105	31	13	14	2	2	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
8	1	4	1	2	1	-	-	-	-	-	-	-	-	-	04
8	6	2	-	-	2	1	-	-	-	-	-	-	-	-	06
201	65	89	22	25	115	28	24	29	34	6	3	3	-	-	08
617	287	86	164	80	130	46	17	41	26	7	3	2	1	1	09
511	244	65	142	60	107	41	12	34	20	3	3	-	-	-	10
21	4	5	4	8	4	1	-	-	3	-	-	-	-	-	11
3	1	-	1	1	-	-	-	-	-	1	-	-	-	1	12
5	2	-	1	2	-	-	-	-	-	-	-	-	-	-	13
20	5	1	9	5	5	-	1	4	-	-	-	-	-	-	14
57	31	15	7	4	14	4	4	3	3	3	-	2	1	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	19
2	1	1	-	-	3	2	1	-	-	-	-	-	-	-	21
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	22
52	18	22	5	7	21	4	6	7	4	1	1	-	-	-	23
9	4	2	2	1	3	-	1	1	1	5	2	3	-	-	24
290	150	87	30	23	94	30	22	26	16	5	2	3	-	-	25
44	20	19	4	1	22	7	2	8	5	1	1	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
2	1	1	-	-	2	2	-	-	-	-	-	-	-	-	28
2	-	1	-	1	2	1	1	-	-	-	-	-	-	-	29
25	14	9	1	1	12	4	2	3	3	2	-	1	-	-	30
100	33	48	6	13	21	7	8	2	4	3	1	2	-	1	31
56	29	19	4	4	32	9	10	11	2	4	2	1	1	-	32
-	-	-	-	-	9	3	3	2	1	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
38	19	5	11	3	16	6	-	8	2	-	-	-	-	-	36
2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	37
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	38
23	11	3	7	2	8	-	-	6	2	-	-	-	-	-	39
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	40
6	2	1	2	1	-	-	-	-	-	-	-	-	-	-	41
4	3	-	1	-	5	3	-	2	-	-	-	-	-	-	42
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	43
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	44
3	-	3	-	-	1	1	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
75	26	29	11	9	30	8	6	11	5	2	-	2	-	-	48
34,955	16,939	15,070	1,641	1,305	6,318	2,690	2,163	803	662	967	544	412	4	7	49
34,426	16,718	14,831	1,617	1,260	6,187	2,637	2,111	795	644	962	541	410	4	7	50
806	514	186	91	15	158	90	34	29	5	19	14	5	-	-	51
17	14	3	-	-	5	4	-	1	-	2	2	-	-	-	52
242	160	56	23	3	37	19	10	8	-	2	1	1	-	-	53
250	160	60	25	5	48	18	18	9	3	8	5	3	-	-	54
297	180	67	43	7	68	49	6	11	2	7	6	1	-	-	55
11,018	5,409	4,672	556	381	1,547	599	561	212	175	320	170	146	1	3	56
730	406	161	120	43	95	39	21	31	4	7	5	2	-	-	57
1,903	1,014	686	135	68	281	112	77	64	28	85	51	34	-	-	58
86	36	38	1	5	15	7	3	3	2	4	2	2	1	2	59
4,053	1,851	1,964	118	120	539	176	237	43	83	94	44	47	-	-	60
553	244	277	17	15	57	15	25	8	9	17	8	9	-	-	61
219	96	114	4	5	25	7	13	2	3	4	-	4	-	-	62
120	52	63	3	2	16	6	9	-	1	5	-	4	1	-	63
739	353	353	18	14	61	19	28	4	10	20	15	5	-	-	64
2,258	1,031	1,076	72	79	356	117	155	27	57	41	19	21	-	-	65
165	75	81	4	5	24	12	7	2	3	7	2	4	-	1	66
1,452	774	585	52	41	151	63	54	15	19	35	19	16	-	-	67
252	137	74	27	14	31	16	6	8	1	8	5	3	-	-	68
454	139	288	7	20	60	24	30	3	3	19	9	10	-	-	69
1,895	973	777	85	60	348	150	123	44	31	57	30	27	-	-	70
199	79	99	11	10	27	12	10	1	4	11	5	5	-	1	71
6,803	4,950	1,263	484	106	1,206	826	127	215	38	112	93	19	-	-	72
372	298	40	27	7	49	37	3	8	1	5	4	1	-	-	73
6,319	4,600	1,177	445	97	1,126	775	119	200	32	100	85	15	-	-	74
112	52	46	12	2	31	14	5	7	5	7	4	3	-	-	75
4,325	442	3,601	28	258	692	98	476	17	107	103	14	88	-	1	76
174	97	68	8	3	43	21	14	3	5	9	3	6	-	-	77
170	85	74	6	5	26	9	10	6	1	5	3	2	-	-	78
435	232	182	13	8	126	65	51	6	4	9	8	1	-	-	79
3,548	28	3,277	1	242	497	3	395	2	97	80	-	79	-	1	80

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	129	63	60	3	3
02 OF CERVIX UTERI.....180	26	...	24	...	2
03 OF OTHER PARTS OF UTERUS.....181,182	11	...	11	...	-
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	25	...	24	...	1
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	1	...	1	...	-
06 OF PROSTATE.....185	60	57	...	3	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	6	6	...	-	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	47	30	16	1	-
09 OF BLADDER.....188	23	14	8	1	-
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	24	16	8	-	-
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	97	45	42	4	6
12 OF EYE.....190	1	-	1	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	13	8	4	1	-
14 OF THYROID GLAND.....193	3	-	3	-	-
15 OTHER.....194-199	80	37	34	3	6
16 LEUKEMIA.....204-207	52	32	20	-	-
17 LYMPHATIC LEUKEMIA.....204	21	13	8	-	-
18 MYELOID LEUKEMIA.....205	17	12	5	-	-
19 MONOCYTIC LEUKEMIA.....206	2	1	1	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	12	6	6	-	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	62	30	29	1	2
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	16	8	7	1	-
23 HODGKIN'S DISEASE.....201	16	12	4	-	-
24 MULTIPLE MYELOMA.....203	15	4	11	-	-
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	15	6	7	1	2
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	29	9	17	1	2
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	4	...	4	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	6	1	5	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	3	1	2	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	10	5	3	-	2
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	6	2	3	1	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	191	76	94	11	10
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	2	-	2	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	3	1	2	-	-
37 DIABETES MELLITUS.....250	144	54	74	8	8
38 DISEASES OF PITUITARY GLAND.....253	1	-	1	-	-
39 DISEASES OF THYMUS GLAND.....254	-	-	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	1	-	1	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	19	11	5	2	1
43 CYSTIC FIBROSIS.....273-0	1	-	1	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	20	10	8	1	1
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	22	12	8	1	1
46 ANEMIAS.....280-285	18	10	6	1	1
47 DEFICIENCY ANEMIAS.....280,281	2	1	1	-	-
48 HEMOLYTIC ANEMIAS.....282,283	4	1	1	1	1
49 APLASTIC ANEMIA.....284	7	6	1	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	5	2	3	-	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	1	-	1	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	3	2	1	-	-
53 V. MENTAL DISORDERS.....	53	36	5	8	4
54 SENILE AND PRESENILE DEMENTIAS.....290	3	2	-	-	1
55 ALCOHOLIC PSYCHOSES.....291	5	4	-	1	-
56 ALL OTHER PSYCHOSES.....294-299	-	-	-	-	-
57 ALCOHOLISM.....303	37	25	3	7	2
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	6	5	1	-	-
59 MENTAL RETARDATION.....310-315	2	-	1	-	1
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	73	31	32	8	2
61 MENINGITIS.....320	13	2	4	5	2
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	3	3	-	-	-
63 MULTIPLE SCLEROSIS.....340	5	2	3	-	-
64 PARALYSIS AGITANS.....342	16	13	3	-	-
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	2	2	-	-	-
66 EPILEPSY.....345	11	2	7	2	-
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	1	-	1	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	22	7	14	1	-
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	2,863	1,545	1,184	65	69
73 ACTIVE RHEUMATIC FEVER.....390-392	1	-	1	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	76	34	31	4	7
75 DISEASES OF MITRAL VALVE.....394	15	8	6	-	1
76 DISEASES OF AORTIC VALVE.....395	15	11	2	-	2
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	6	-	6	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	40	15	17	4	4
79 HYPERTENSIVE DISEASE.....400-404	65	32	30	1	2
80 MALIGNANT HYPERTENSION.....400	4	1	1	1	1
81 ESSENTIAL BENIGN HYPERTENSION.....401	4	1	3	-	-
82 HYPERTENSIVE HEART DISEASE.....402	19	12	7	-	-
83 HYPERTENSIVE RENAL DISEASE.....403	27	12	14	-	1
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	11	6	5	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Total	NEW YORK				Total	NORTH CAROLINA				Total	NORTH DAKOTA						
	White		All other			Total	White		All other		Total	White		All other			
	Male	Female	Male	Female			Male	Female	Male			Female	Male	Female		Male	Female
3,894	1,391	2,078	169	256	897	296	324	132	145	165	99	63	1	2	01		
622	...	499	...	123	200	...	117	...	145	12	...	11	...	1	02		
551	...	487	...	64	104	...	65	...	39	12	...	17	...	1	03		
1,078	...	1,018	...	60	147	...	125	...	22	32	...	32	04		
83	...	74	...	9	18	...	17	...	1	3	...	3	05		
1,467	1,306	...	161	...	404	281	...	123	...	95	94	...	1	...	06		
93	85	...	8	...	24	15	...	9	...	5	5	07		
1,617	1,024	499	61	33	249	119	75	34	21	45	37	8	08		
961	651	249	40	21	117	48	40	20	9	17	17	09		
656	373	250	21	12	132	71	35	14	12	28	20	8	10		
2,786	1,310	1,256	109	111	729	307	255	74	93	73	42	31	11		
32	13	17	1	1	7	4	2	1	...	2	2	12		
725	382	300	16	27	178	96	57	9	14	29	17	12	13		
109	36	63	8	2	7	4	2	...	1	4	2	2	14		
1,920	879	876	84	81	537	203	194	64	76	38	21	17	15		
1,350	724	528	57	41	350	151	127	38	34	43	29	13	...	1	16		
465	273	166	19	11	104	52	33	11	8	16	9	7	17		
519	266	214	23	16	140	57	60	13	10	20	14	5	...	1	18		
44	23	18	3	...	6	2	3	...	1	1	1	19		
318	162	130	12	14	100	40	31	14	15	6	5	1	20		
1,023	954	748	62	59	359	151	138	44	26	82	43	37	2	...	21		
728	378	318	18	14	103	51	40	7	5	30	14	15	1	...	22		
345	202	120	13	10	66	26	29	8	3	19	11	8	23		
395	170	175	23	27	98	34	31	19	14	19	12	7	24		
355	204	135	8	8	92	40	38	10	4	14	6	7	1	...	25		
529	221	239	24	45	131	53	52	8	18	5	3	2	26		
30	...	17	...	13	10	...	6	...	4	27		
91	27	51	6	7	16	4	8	2	2	1	1	28		
71	34	29	3	5	14	6	6	1	1	2	1	1	29		
5	...	3	...	2	2	...	1	...	1	30		
220	105	92	12	11	67	29	25	3	10	2	1	1	31		
112	55	47	3	7	22	14	6	2	32		
4,302	1,610	2,133	243	316	1,162	355	396	146	265	148	65	77	2	4	33		
6	1	5	3	...	1	...	2	34		
35	8	19	2	6	11	...	5	2	4	35		
36	7	27	1	1	10	2	2	...	2	1	...	1	36		
3,731	1,372	1,875	205	279	926	276	327	109	214	121	53	63	1	4	37		
21	10	8	1	2	9	3	3	1	1	2	1	38		
1	1	1	2	2	2	39		
44	9	29	2	4	14	3	4	1	3	1	1	...	40		
153	60	68	15	10	55	10	14	14	15	14	6	8	41		
41	22	16	1	2	17	6	11	2	2	42		
234	121	85	16	12	116	55	24	15	22	5	1	4	43		
449	185	191	37	36	107	34	33	21	19	19	14	5	44		
291	112	120	31	28	77	19	25	19	14	14	10	4	45		
49	17	27	3	2	5	2	3	8	5	3	46		
75	13	25	21	16	24	2	2	12	8	47		
98	55	38	1	4	32	11	15	5	1	5	4	1	48		
69	27	30	6	6	16	4	5	2	5	1	1	49		
63	30	29	...	4	16	6	6	1	3	2	1	1	50		
95	43	42	6	4	14	9	2	1	2	3	3	51		
750	308	111	253	78	334	162	42	95	35	30	20	8	2	...	52		
29	5	21	1	2	9	6	1	1	1	1	...	1	53		
46	21	5	18	2	23	14	1	5	3	3	3	54		
15	6	7	1	1	3	1	2	1	1	55		
469	210	52	155	52	244	119	22	78	25	19	15	2	2	...	56		
178	60	19	78	21	40	14	13	9	4	57		
13	6	7	15	8	3	2	2	6	1	5	58		
1,253	709	641	145	98	383	146	113	82	42	59	30	26	...	3	59		
181	62	60	35	24	43	14	7	13	9	7	4	2	...	1	60		
64	48	11	3	2	14	7	6	1	...	1	1	61		
171	63	104	1	3	23	6	11	3	3	8	2	6	62		
322	161	149	8	4	42	21	19	1	1	16	7	9	63		
46	21	18	3	4	24	11	8	4	1	3	2	1	64		
225	89	59	52	25	63	27	5	16	11	6	3	2	...	1	65		
1	...	1	1	66		
13	8	3	...	2	1	1	67		
2	1	...	1	68		
32	12	17	1	2	7	3	1	2	1	69		
536	244	219	41	32	166	56	52	42	16	18	11	6	...	1	70		
102,293	50,110	44,960	3,693	3,530	23,359	10,002	7,602	3,074	2,681	3,029	1,816	1,171	20	22	71		
32	12	12	4	4	9	2	1	3	3	1	1	72		
1,778	697	912	63	106	239	98	89	23	29	46	25	20	1	...	73		
460	151	267	15	27	52	16	19	7	10	7	2	5	74		
368	231	110	13	14	73	39	16	9	9	16	10	6	75		
62	21	34	4	3	15	5	5	...	1	3	2	1	76		
888	294	501	31	62	99	38	45	7	9	20	11	8	1	...	77		
1,833	700	836	146	151	667	179	181	156	151	47	22	25	78		
127	44	31	33	19	46	9	4	22	11	5	3	2	79		
79	26	41	1	11	38	5	15	4	14	4	3	4	80		
845	275	430	65	75	139	35	41	29	34	15	5	10	81		
456	207	195	28	26	166	50	41	42	33	12	5	7	82		
326	148	139	19	20	278	80	80	59	59	11	9	2	83		

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	NEW MEXICO				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	1,675	986	634	27	28
02 WITH HYPERTENSIVE DISEASE (.0).....	156	71	76	3	6
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	1,519	915	558	24	22
04 ACUTE MYOCARDIAL INFARCTION.....410	989	645	313	18	13
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	7	5	2	-	-
06 CHRONIC ISCHEMIC HEART DISEASE.....412	679	336	319	9	15
07 ANGINA PECTORIS.....413	-	-	-	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	152	87	54	8	3
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	4	2	2	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	2	1	-	1	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	1	-	1	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	-	-	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	1	-	1	-	-
15 SYMPTOMATIC HEART DISEASE.....427	79	41	31	5	2
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	27	17	10	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	39	26	10	2	1
18 CEREBROVASCULAR DISEASES.....430-438	619	274	304	22	19
19 WITH HYPERTENSION (BENIGN) (.0).....	89	38	46	3	2
20 WITHOUT MENTION OF HYPERTENSION (.9).....	530	236	258	19	17
21 SUBARACHNOID HEMORRHAGE.....430	152	7	15	1	-
22 CEREBRAL HEMORRHAGE.....431	152	68	73	5	6
23 CEREBRAL THROMBOSIS.....433	133	60	70	1	2
24 CEREBRAL EMBOLISM.....434	2	1	1	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	9	6	3	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	206	98	91	11	6
27 OTHER CEREBROVASCULAR DISEASES.....437,438	94	34	51	4	5
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	195	86	103	-	6
29 ARTERIOSCLEROSIS.....440	109	36	70	-	3
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	44	34	10	-	-
31 GANGRENE.....445	6	3	3	-	-
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	36	13	20	-	3
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	80	46	27	3	4
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	71	43	24	1	3
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	9	3	3	2	1
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	579	350	162	39	28
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	3	2	1	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	4	1	1	-	2
39 INFLUENZA.....470-474	24	13	11	-	-
40 PNEUMONIA.....480-486	294	148	96	28	22
41 VIRAL PNEUMONIA.....480	13	6	5	1	1
42 BACTERIAL PNEUMONIA.....481,482	29	15	6	5	3
43 ACUTE INTERSTITIAL PNEUMONIA.....484	12	8	3	-	1
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	95	52	31	9	3
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	145	67	51	13	14
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	165	136	23	5	1
47 BRONCHITIS, UNQUALIFIED.....490	4	1	1	1	1
48 CHRONIC BRONCHITIS.....491	20	17	2	1	-
49 EMPHYSEMA.....492	136	114	20	2	-
50 ASTHMA.....493	5	4	-	1	-
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	-	-	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	9	6	1	2	-
53 PLEURISY.....511	5	3	1	1	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	17	9	7	1	1
55 BRONCHIECTASIS.....518	10	6	3	-	1
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	48	26	18	3	1
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	385	189	148	26	22
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	1	1	-	-	-
59 PEPTIC ULCER.....531-533	33	16	17	-	-
60 ULCER OF STOMACH.....531	18	10	8	-	-
61 ULCER OF DUODENUM.....532	12	5	7	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	3	1	2	-	-
63 GASTRITIS AND DUODENITIS.....535	3	1	2	-	-
64 APPENDICITIS.....540-543	8	4	4	-	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	36	14	20	1	1
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	11	4	7	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	7	-	4	1	2
69 CIRRHOSIS OF LIVER.....571	164	93	43	18	10
70 ALCOHOLIC.....571.0	71	37	15	13	6
71 OTHER SPECIFIED.....*571.8	27	20	6	1	2
72 UNSPECIFIED.....*571.9	66	36	22	4	4
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	30	13	15	-	2
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	92	43	36	6	7
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	110	58	38	8	6
76 NEPHRITIS AND NEPHROSIS.....580-584	31	14	11	2	4
77 ACUTE NEPHRITIS.....580	1	2	-	-	1
78 NEPHROTIC SYNDROME.....581	2	-	-	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	28	12	11	2	3
80 INFECTIONS OF KIDNEY.....590	18	7	9	1	1
81 CALCULI OF URINARY SYSTEM.....592,594	8	8	6	-	1
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	32	18	11	2	3
83 HYPERPLASIA OF PROSTATE.....600	13	11	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	8	7	1	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	4	...	4	...	-
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	1	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
73,213	38,087	30,545	2,438	2,143	14,165	6,775	4,368	1,649	1,373	1,978	1,275	675	12	16	01
7,734	2,996	3,953	363	422	2,221	659	697	426	439	204	114	89	-	-	02
65,479	35,091	26,592	2,075	1,721	11,944	6,115	3,671	1,223	934	1,774	1,161	586	12	15	03
33,177	19,249	12,537	783	608	8,501	4,645	2,349	886	621	1,258	886	352	9	11	04
199	99	90	5	5	60	30	20	11	5	9	8	1	-	-	05
35,825	18,735	17,916	1,649	1,529	5,590	2,097	1,595	751	747	711	381	322	3	5	06
8	4	2	1	1	8	3	4	1	-	-	-	-	-	-	07
2,271	1,051	935	168	117	1,208	494	298	267	149	98	51	42	3	2	08
49	22	24	3	5	13	7	2	5	2	-	-	-	-	-	09
67	34	20	8	5	13	7	2	2	2	1	1	-	-	-	10
74	29	41	1	3	19	8	10	-	1	8	5	2	-	1	11
4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	12
21	11	9	-	1	2	2	-	-	-	1	1	-	-	-	13
49	18	28	1	2	16	6	10	-	-	7	4	2	-	1	14
1,297	574	576	74	73	493	179	151	102	61	57	30	25	2	-	15
323	170	130	11	12	109	44	40	15	10	9	3	6	-	-	16
461	222	144	71	24	561	252	93	143	73	23	12	9	1	1	17
16,454	6,453	8,612	642	747	5,526	1,826	2,071	805	824	629	328	295	2	4	18
2,475	866	1,187	184	238	781	190	214	180	197	83	41	42	-	-	19
13,979	5,587	7,425	458	509	4,745	1,636	1,857	625	627	546	287	253	2	4	20
974	324	449	76	125	219	72	71	31	45	22	9	12	1	2	21
3,804	1,560	1,868	190	186	1,109	329	356	230	194	134	72	61	-	1	22
4,680	1,848	2,611	110	111	1,664	590	669	201	244	127	66	60	-	1	23
104	39	62	-	3	15	8	6	-	1	3	2	1	-	-	24
271	137	112	11	11	86	34	34	17	9	4	5	5	-	-	25
3,752	1,444	1,921	169	218	1,614	561	552	248	253	241	124	114	1	2	26
2,869	1,101	1,589	84	93	819	272	383	86	86	93	51	42	-	-	27
5,129	2,443	2,382	147	157	1,177	493	469	119	96	202	100	100	2	-	28
2,875	1,167	1,555	65	88	613	214	288	60	51	140	68	73	1	-	29
1,213	834	309	32	252	155	53	23	21	21	34	21	12	1	-	30
269	112	133	14	10	48	20	16	7	5	4	3	1	-	-	31
772	330	385	30	27	264	104	112	29	19	24	14	14	-	-	32
1,583	667	726	85	105	368	135	125	52	56	28	14	14	-	-	33
1,429	598	660	76	95	329	120	111	47	51	25	12	13	-	-	34
154	69	66	9	10	39	15	14	5	5	3	2	1	-	-	35
11,653	6,106	4,183	823	541	2,654	1,192	731	418	313	379	225	144	7	3	36
54	22	25	4	3	15	5	4	3	3	1	1	-	-	-	37
106	43	46	7	10	24	11	8	3	4	6	2	4	-	-	38
267	132	123	5	7	278	114	51	38	35	26	7	19	-	-	39
7,441	3,352	3,111	568	410	1,477	543	452	271	211	212	105	101	5	1	40
102	45	49	4	5	51	13	11	18	9	7	5	1	-	-	41
1,201	567	422	133	79	175	57	57	35	26	23	19	2	2	-	42
29	14	11	2	1	37	12	4	10	11	3	1	2	-	-	43
5,212	2,300	2,279	354	279	471	200	146	73	52	114	53	59	1	1	44
897	426	350	74	47	743	261	234	135	113	65	31	33	1	-	45
2,471	1,779	501	119	72	552	362	57	64	29	91	80	9	-	2	46
64	30	23	7	4	18	6	7	3	2	4	3	1	-	-	47
556	413	120	19	4	101	61	27	11	2	13	11	1	-	-	48
1,589	1,263	251	63	12	376	277	51	40	8	68	63	5	-	-	49
262	73	30	52	57	18	12	10	17	10	7	3	2	-	1	50
5	3	2	-	2	2	2	-	-	-	-	-	-	-	-	51
130	56	41	26	7	13	4	3	4	2	2	2	-	-	-	52
43	20	16	2	5	4	2	1	1	-	4	3	1	-	-	53
300	187	88	19	6	72	32	27	6	15	10	4	4	1	-	54
90	52	34	2	2	24	12	8	2	2	4	1	2	-	-	55
746	460	196	71	19	193	105	42	25	21	18	14	4	-	-	56
8,828	4,394	2,887	975	572	1,515	678	460	212	165	180	97	72	7	4	57
1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	58
1,163	674	385	70	34	179	101	46	20	12	28	19	8	-	-	59
499	266	180	36	17	76	37	26	10	3	15	7	7	1	-	60
535	337	159	25	14	68	44	13	6	5	12	11	1	-	-	61
129	71	46	9	3	35	20	7	4	4	1	1	-	-	-	62
52	27	20	1	4	11	8	2	1	-	-	-	-	-	-	63
111	53	37	14	7	35	11	8	7	9	1	1	-	-	-	64
698	306	326	42	24	150	44	55	27	24	28	14	14	-	-	65
4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	66
366	152	197	7	10	49	19	22	4	4	9	2	7	-	-	67
129	51	71	3	4	22	8	10	-	4	5	3	2	-	-	68
4,490	2,309	1,076	719	386	540	259	132	88	61	43	26	12	2	3	69
1,837	895	360	368	214	240	119	51	49	21	13	9	2	-	2	70
691	341	156	141	53	84	31	26	15	12	8	4	3	1	1	71
1,562	1,073	560	210	119	216	109	55	24	28	22	13	7	1	1	72
398	173	202	9	14	84	35	35	7	7	16	8	7	-	-	73
1,416	647	572	109	88	444	192	150	58	44	49	23	22	3	1	74
2,584	1,239	952	192	201	859	280	271	166	142	60	35	23	1	1	75
869	385	300	95	89	247	64	69	66	48	14	5	8	1	-	76
94	42	34	10	8	20	4	9	4	3	4	1	4	-	-	77
37	17	17	1	2	18	3	7	2	2	6	4	3	-	-	78
738	326	249	84	79	209	57	53	60	39	8	4	3	1	-	79
685	249	341	39	56	308	93	128	31	56	21	11	9	-	1	80
89	31	51	5	2	30	6	16	3	5	2	2	2	-	-	81
562	286	209	31	36	194	65	51	53	25	15	9	6	-	-	82
273	253	***	20	***	46	37	***	9	***	8	8	***	-	***	83
4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	84
102	35	47	2	18	34	15	7	4	8	-	-	-	-	-	85
94	***	43	***	51	28	***	12	***	16	-	***	-	***	-	86
5	***	2	***	3	2	***	-	***	2	-	***	-	***	-	87
15	***	10	***	5	8	***	3	***	5	-	***	-	***	-	88
12	***	4	***	8	3	***	-	***	3	-	***	-	***	-	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1985 (ICDA). Four-digit

CAUSE OF DEATH		NEW MEXICO				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	1	...	1	...	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	1	...	1	...	-
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	2	...	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	2	...	-	...	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630, 633-635, 654-662, 672, 674-678	-	...	-	...	-
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
05	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	9	3	3	2	1
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	3	-	1	2	-
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	6	3	2	-	1
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	34	13	19	1	1
13	ARTHRITIS AND SPONDYLITIS.....710-715	17	7	9	1	-
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	1	1	-	-	-
15	OSTEOMYELITIS AND PERIOSTITIS.....720	1	1	-	-	-
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	-	-	-	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	15	4	10	-	1
18	XIV. CONGENITAL ANOMALIES.....	110	56	40	8	6
19	SPINA BIFIDA.....741	7	4	2	1	-
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	24	13	8	1	2
21	CONGENITAL ANOMALIES OF HEART.....746	35	15	16	2	2
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	10	7	1	1	1
23	CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24	ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	34	17	13	3	1
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	246	129	78	20	19
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	223	100	68	34	21
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	11	6	5	-	-
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	212	94	63	34	21
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	1,147	720	241	138	48
30	ACCIDENTS.....E800-E899	907	550	206	114	37
31	RAILWAY ACCIDENTS.....E800-E807	8	5	-	3	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	491	302	99	66	24
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	482	295	97	66	24
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	6	5	1	-	-
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	191	111	55	13	12
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	56	31	4	16	5
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	31	21	4	4	2
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	168	107	29	28	4
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	30	20	4	5	1
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	9	7	2	-	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	5	2	1	1	1
42	WATER TRANSPORT ACCIDENTS.....E830-E838	10	10	-	-	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	13	11	2	-	-
44	ACCIDENTAL POISONING.....E850-E877	42	28	11	1	2
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	16	9	6	-	-
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	8	7	1	-	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	18	12	4	-	2
48	ACCIDENTAL FALLS.....E880-E887	85	41	37	5	2
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	22	10	10	2	-
50	FALL ON SAME LEVEL.....E885-E886	3	3	-	-	-
51	OTHER AND UNSPECIFIED FALLS.....E887	60	28	27	3	2
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	30	18	7	4	1
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	50	33	9	8	-
54	INHALATION AND INGESTION OF FCGD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	36	21	10	4	1
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	11	10	1	-	-
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	42	38	3	1	-
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	5	4	1	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	-	-	-	-	-
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	11	11	-	-	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	26	23	2	1	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	20	7	12	1	-
63	ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	64	24	14	20	6
64	SUICIDE.....E950-E959	156	117	28	10	4
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	19	11	7	-	1
66	SUICIDE FROM POISONING BY GASES.....E951, E952	12	7	5	-	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	18	10	3	3	2
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	108	88	12	7	1
69	SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	2	1	1	-	-
70	HOMICIDE.....E960-E978	68	42	7	14	5
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	32	24	2	4	2
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	9	4	1	3	1
73	ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	26	13	4	7	2
74	LEGAL EXECUTION.....E978	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E970-E977	1	1	-	-	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	13	11	-	-	2
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	-	-	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28	...	11	...	17	5	...	3	...	2	-	...	-	...	-	01
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	02
14	...	5	...	9	2	...	-	...	2	-	...	-	...	-	03
2	...	-	...	2	-	...	-	...	-	-	...	-	...	-	04
12	...	6	...	6	3	...	3	...	2	-	...	-	...	-	05
13	...	4	...	9	5	...	3	...	-	-	...	-	...	-	06
21	...	12	...	9	5	...	3	...	2	-	...	-	...	-	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
181	62	95	13	11	50	20	13	10	7	5	1	3	-	1	09
50	23	18	8	1	15	4	6	4	1	2	-	2	-	-	10
131	39	77	5	10	35	14	7	6	6	3	1	1	-	1	11
381	116	214	16	35	143	30	71	16	26	15	5	9	-	1	12
99	32	56	4	7	69	15	35	7	12	5	1	4	-	-	13
13	4	9	-	-	2	1	1	-	-	1	1	-	-	-	14
20	12	5	3	-	9	5	1	1	2	1	1	-	-	-	15
15	4	9	-	2	2	-	1	1	-	-	-	-	-	-	16
234	64	135	9	24	61	9	33	7	12	8	2	5	-	1	17
1,515	688	566	138	123	458	173	168	61	56	49	28	18	3	-	18
96	41	44	8	3	43	18	18	5	2	4	3	1	-	-	19
258	103	117	20	18	73	27	35	6	5	11	6	3	2	-	20
570	252	203	60	55	183	64	58	30	31	12	7	4	1	-	21
132	68	42	11	11	33	15	11	2	5	5	2	3	-	-	22
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	23
455	220	160	39	36	126	49	46	18	13	17	10	7	-	-	24
3,655	1,586	1,097	674	498	1,280	483	312	270	215	114	57	51	4	2	25
1,899	811	591	318	179	1,045	308	173	309	255	33	17	12	3	1	26
12	4	8	-	-	50	6	14	9	21	11	9	2	-	-	27
1,887	807	583	318	179	995	202	159	300	234	22	8	10	3	1	28
11,599	6,273	2,996	1,771	559	4,689	2,335	839	1,175	340	489	345	97	31	12	29
7,033	4,069	2,135	598	231	3,398	1,723	453	770	252	413	287	85	29	12	30
70	42	9	18	1	40	18	3	18	1	5	4	-	-	1	31
3,235	2,035	815	284	101	1,778	951	316	410	101	188	135	34	12	7	32
3,180	1,997	804	279	100	1,745	928	312	404	101	182	129	34	12	7	33
33	18	8	5	2	39	17	12	7	3	13	11	2	-	-	34
987	601	307	52	27	601	313	148	106	34	71	45	21	2	3	35
971	541	275	113	42	294	115	42	109	30	11	7	3	1	-	36
543	384	84	60	15	149	93	17	35	4	13	11	-	2	-	37
425	306	83	27	9	573	339	79	130	25	69	53	6	6	4	38
221	147	47	22	5	87	51	14	17	5	5	2	2	1	-	39
55	38	11	5	1	33	23	4	6	-	6	6	-	-	-	40
10	7	3	-	-	4	1	3	-	-	-	-	-	-	-	41
61	52	2	7	-	66	50	5	10	1	6	3	-	3	-	42
81	64	17	-	-	39	35	4	-	-	14	13	1	-	-	43
203	115	41	36	11	93	39	18	24	12	14	8	3	2	1	44
102	54	18	23	7	20	7	8	4	1	1	-	-	-	1	45
30	16	7	7	-	45	20	5	13	7	5	1	1	1	-	46
71	45	16	6	4	28	12	5	7	4	6	3	2	1	-	47
1,526	678	762	57	29	310	114	146	30	20	51	27	24	-	-	48
441	259	147	26	9	76	39	20	16	1	22	15	7	-	-	49
108	47	59	1	-	9	2	7	-	-	4	2	2	-	-	50
977	372	556	30	19	225	73	119	14	19	25	10	15	-	-	51
399	173	145	56	25	252	102	53	57	40	21	14	3	3	1	52
302	212	43	40	7	205	87	20	92	6	25	18	3	3	1	53
334	173	109	27	25	132	50	30	27	25	7	4	1	2	-	54
51	38	6	5	2	77	48	5	17	7	12	10	1	1	-	55
248	197	29	18	4	191	133	8	43	7	29	28	-	1	-	56
3	3	-	-	-	5	4	-	-	1	-	-	-	-	-	57
15	12	2	1	-	26	12	3	8	3	2	2	-	-	-	58
31	11	11	6	3	6	2	1	1	2	-	-	-	-	-	59
38	35	3	-	-	39	34	1	4	-	4	3	-	1	-	60
161	136	13	11	1	115	81	3	30	1	23	23	-	-	-	61
229	112	81	18	18	77	32	24	9	12	12	4	8	-	-	62
284	171	73	32	8	134	63	18	33	20	29	19	7	2	1	63
1,337	868	388	51	30	544	366	122	50	6	69	56	11	2	-	64
196	67	123	-	6	53	16	31	4	2	4	1	2	1	-	65
179	116	56	6	1	26	25	1	-	-	6	5	1	-	-	66
383	264	92	18	9	41	25	9	7	-	20	17	2	1	-	67
353	299	32	18	4	393	283	71	36	3	36	31	5	-	-	68
226	122	85	9	10	31	17	10	3	1	3	2	1	-	-	69
1,285	470	145	543	127	633	188	53	319	73	2	2	-	-	-	70
597	229	43	276	49	469	147	38	236	48	1	1	-	-	-	71
431	147	33	210	41	85	13	5	54	13	-	-	-	-	-	72
231	85	69	40	37	72	26	10	24	12	1	1	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
26	9	-	17	-	7	2	-	5	-	-	-	-	-	-	75
1,935	859	328	577	171	111	56	11	35	9	5	4	1	-	-	76
9	7	-	2	-	3	2	-	1	-	-	-	-	-	-	77

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	101,240	50,780	41,210	5,309	3,941
02 I. INFECTIVE AND PARASITIC DISEASES.....	781	373	259	91	58
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	3	1	1	1	1
06 BACILLARY DYSENTERY AND AMEBIASIS.....C04,006	2	-	-	1	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....G08,009	99	34	54	7	4
09 TUBERCULOSIS, ALL FORMS.....O10-O19	279	158	55	44	22
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....C10-C12	233	134	42	39	18
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	8	3	2	1	2
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	1	-	1	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	2	1	-	-	1
14 DISSEMINATED TUBERCULOSIS.....018	6	4	-	2	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	29	16	10	2	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	3	2	1	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	30	13	11	3	3
25 TETANUS.....037	2	-	1	-	1
26 SEPTICEMIA.....038	142	65	51	16	10
27 OTHER BACTERIAL DISEASES.....C07, C21, 024-027, 031, 039	17	9	5	1	2
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	10	5	5	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	23	10	10	-	3
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	5	4	1	-	-
35 INFECTIOUS HEPATITIS.....070	51	22	25	-	3
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045, 046, 051-054, 056, C57, 061, 067, 068, 072-079	47	23	18	5	1
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086, 087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....050-097	29	11	4	10	4
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	2	2	2	5	2
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	14	5	2	-	-
47 TABES DORSALIS.....094,0	1	1	-	-	-
48 GENERAL PARESIS.....094,1	2	-	1	1	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	9	3	1	3	2
50 ALL OTHER SYPHILIS.....095, 097, 0, 097, 9	1	-	-	1	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	1	-	1	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121, 123, 124, 127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	38	16	15	3	4
58 II. NEOPLASMS.....	17,638	8,665	7,368	914	667
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	17,435	8,621	7,264	904	650
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	439	300	93	35	11
61 OF LIP.....140	8	7	-	1	-
62 OF TONGUE.....141	107	71	25	9	2
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	140	102	33	4	1
64 OF PHARYNX.....146-149	184	120	35	21	8
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	5,145	2,522	2,159	272	192
66 OF ESOPHAGUS.....150	325	207	56	54	8
67 OF STOMACH.....151	828	463	286	50	29
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	36	12	16	3	5
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,035	870	1,015	69	81
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	255	121	116	9	9
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	86	36	46	3	1
72 DESCENDING COLON.....153,2	77	31	41	1	4
73 SIGMOID COLON.....153,3	315	145	145	14	11
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	1,178	465	601	39	53
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	124	52	66	3	3
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	609	332	238	23	16
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	109	58	36	14	1
78 OF GALLBLADDER AND BILE DUCTS.....156	247	77	158	4	8
79 OF PANCREAS.....157	871	460	317	54	40
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	85	43	37	1	4
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	3,536	2,621	544	312	59
82 OF LARYNX.....161	153	128	10	14	1
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	3,317	2,456	512	294	55
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	66	37	22	4	3
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	2,076	248	1,674	15	139
86 OF BONE.....170	109	64	34	8	3
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	71	46	28	3	-
88 OF SKIN.....172,173	224	134	85	1	4
89 OF BREAST.....174	1,672	10	1,527	3	132

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,032	13,274	10,128	1,528	1,102	19,585	11,097	8,131	227	130	127,261	63,805	52,372	6,338	4,746	01
268	92	76	26	14	108	61	44	2	1	987	491	304	118	74	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
25	9	16	2	2	14	7	7	-	-	107	40	53	5	9	08
71	40	15	9	7	29	17	10	1	1	380	230	63	62	25	09
56	33	11	7	5	26	17	7	1	1	327	210	49	50	18	10
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
1	1	-	-	-	-	-	-	-	-	5	1	2	1	1	12
2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	13
2	-	-	2	-	1	-	1	-	-	15	4	2	5	4	14
5	4	4	-	1	2	-	2	-	-	28	14	7	5	2	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
10	5	4	-	1	5	5	-	-	-	31	15	10	5	1	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	26
47	23	16	6	2	17	9	7	1	-	216	90	87	21	18	27
3	2	1	-	-	-	-	-	-	-	34	21	10	2	1	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	-	-	1	-	-	-	-	-	-	2	2	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	32
2	1	1	-	-	5	3	2	-	-	21	13	5	2	1	33
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	34
12	2	6	2	2	10	5	5	-	-	45	11	22	8	4	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
10	1	8	1	-	4	2	2	-	-	74	30	36	1	7	37
3	1	2	-	-	-	-	-	-	-	1	1	1	-	-	38
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
13	4	5	4	-	3	2	1	-	-	22	13	1	5	3	42
1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	45
6	2	1	3	-	1	1	-	-	-	14	9	-	3	2	46
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	47
3	1	2	-	-	-	-	-	-	-	1	1	-	-	-	48
1	-	-	1	-	-	-	-	-	-	4	1	1	2	-	49
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
7	4	2	1	-	15	9	6	-	-	33	16	11	4	2	57
4,267	2,097	1,803	219	148	3,287	1,772	1,472	22	21	22,290	10,901	9,606	1,044	739	58
4,214	2,074	1,779	217	144	3,253	1,755	1,456	21	21	21,945	10,736	9,460	1,028	721	59
75	55	16	4	-	77	50	26	-	1	491	331	111	37	12	60
3	2	1	-	-	2	2	-	-	-	8	8	-	-	-	61
16	12	3	1	-	20	13	7	-	-	122	91	21	8	2	62
18	11	6	1	-	27	19	7	-	1	146	89	46	8	3	63
38	30	6	2	-	28	16	12	-	-	215	143	44	21	7	64
1,150	525	502	75	48	916	472	434	5	5	6,789	3,316	2,953	327	193	65
51	24	12	13	2	46	28	18	-	-	415	261	79	64	11	66
216	104	67	32	7	148	84	61	2	1	1,149	626	418	69	36	67
10	4	4	1	1	8	6	2	-	-	46	17	24	1	4	68
436	178	219	15	24	334	142	187	1	4	2,636	1,177	1,305	82	68	69
59	23	32	1	3	39	15	24	-	-	318	130	172	7	9	70
16	9	6	1	-	11	5	6	-	-	109	54	49	3	3	71
11	4	4	2	1	6	4	4	-	-	71	33	35	-	3	72
49	17	28	-	4	59	31	28	-	-	413	214	174	14	11	73
285	117	144	10	14	196	81	111	1	3	1,507	645	771	55	36	74
16	8	5	1	2	23	8	14	-	1	218	101	108	3	6	75
99	50	42	3	4	116	73	42	1	-	887	470	362	25	30	76
23	12	9	2	-	27	18	8	1	-	111	63	31	14	3	77
55	18	33	2	2	52	19	33	-	-	350	117	214	9	10	78
245	126	105	6	8	167	96	71	-	-	1,089	537	466	59	27	79
21	9	11	1	-	18	6	12	-	-	106	48	50	4	4	80
875	650	172	45	8	681	544	128	8	1	4,222	3,433	730	333	66	81
33	27	6	-	-	31	26	3	2	-	226	179	18	25	4	82
823	615	158	43	7	639	513	120	6	-	3,919	2,870	683	304	62	83
19	8	8	2	1	11	5	5	-	1	77	44	29	4	-	84
419	68	325	6	20	351	44	302	-	5	2,488	256	2,074	21	137	85
28	12	10	4	2	18	10	8	-	-	110	56	44	8	2	86
19	10	9	-	-	20	9	10	-	-	90	38	42	4	6	87
74	43	29	2	-	34	23	11	-	-	264	146	102	9	7	88
298	3	277	-	18	279	2	273	-	4	2,024	16	1,886	-	122	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	2,232	843	1,187	90	112
02 OF CERVIX UTERI.....180	381	...	329	...	52
03 OF OTHER PARTS OF UTERUS.....181,182	325	...	287	...	38
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	543	...	523	...	20
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	50	...	48	...	2
06 OF PROSTATE.....185	882	754	...	88	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	51	49	...	2	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	816	503	257	32	24
09 OF BLADDER.....188	467	258	133	27	14
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	349	205	124	10	10
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	1,428	678	613	68	69
12 OF EYE.....190	13	5	8	-	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	427	241	160	14	12
14 OF THYROID GLAND.....193	47	19	26	2	-
15 OTHER.....194-199	941	413	419	52	57
16 LEUKEMIA.....204-207	756	390	321	32	13
17 LYMPHATIC LYUKEMIA.....204	255	149	91	10	5
18 MYELOID LEUKEMIA.....205	258	121	122	14	1
19 MONOCYTIC LEUKEMIA.....206	73	34	34	3	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	170	84	74	5	7
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	1,011	516	416	48	31
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	392	202	169	14	7
23 HODGKIN'S DISEASE.....201	204	124	67	8	5
24 MULTIPLE MYELOMA.....203	219	54	91	20	14
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	196	56	89	6	5
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	199	68	104	10	17
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	10	...	8	...	2
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	41	9	23	4	5
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	33	19	8	2	4
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	3	...	2	...	1
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	69	23	39	2	5
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	43	17	24	2	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	2,920	1,058	1,546	123	193
34 NONTOXIC GOITER.....240,241	3	-	3	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	17	1	13	-	3
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	19	4	14	1	-
37 DIABETES MELLITUS.....250	2,533	915	1,353	96	169
38 DISEASES OF PITUITARY GLAND.....253	9	3	6	-	-
39 DISEASES OF THYMUS GLAND.....254	1	1	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	25	9	14	1	1
41 NIACIN DEFICIENCY.....262	1	1	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	108	35	63	6	4
43 CYSTIC FIBROSIS.....273-0	28	10	15	3	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	176	79	65	16	16
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	233	96	111	9	17
46 ANEMIAS.....280-285	159	62	74	9	14
47 DEFICIENCY ANEMIAS.....280,281	35	17	16	-	2
48 HEMOLYTIC ANEMIAS.....282,283	28	6	10	5	7
49 APLASTIC ANEMIA.....284	51	22	26	2	1
50 OTHER AND UNSPECIFIED ANEMIAS.....285	45	17	22	2	4
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	37	14	22	-	1
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	37	20	15	-	2
53 V. MENTAL DISORDERS.....	272	129	75	44	14
54 SENILE AND PRESENILE DEMENTIAS.....290	27	7	18	1	1
55 ALCOHOLIC PSYCHOSES.....291	32	27	-	5	-
56 ALL OTHER PSYCHOSES.....294-299	10	4	6	-	-
57 ALCOHOLISM.....303	157	75	31	35	12
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	37	19	15	2	1
59 MENTAL RETARDATION.....310-315	9	3	5	1	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	995	468	416	69	42
61 MENINGITIS.....320	62	23	25	8	6
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	30	24	4	1	1
63 MULTIPLE SCLEROSIS.....340	90	37	47	3	3
64 PARALYSIS AGITANS.....342	199	93	103	2	1
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	53	25	21	6	3
66 EPILEPSY.....345	96	36	35	16	9
67 INFLAMMATORY DISEASES OF EYE.....360-369	1	-	1	-	-
68 CATARACT.....374	3	3	-	-	-
69 GLAUCOMA.....375	1	-	1	-	-
70 OTITIS MEDIA AND OSTOITIS.....381-383	7	2	4	1	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	453	227	175	32	19
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	55,396	27,562	23,762	2,137	1,935
73 ACTIVE RHEUMATIC FEVER.....390-392	19	9	4	1	5
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	786	326	403	25	32
75 DISEASES OF MITRAL VALVE.....394	240	72	153	7	8
76 DISEASES OF AORTIC VALVE.....395	180	105	58	11	6
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	28	11	15	-	2
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	338	138	177	7	16
79 HYPERTENSIVE DISEASE.....400-404	1,684	669	701	148	146
80 MALIGNANT HYPERTENSION.....400	76	28	24	8	16
81 ESSENTIAL BENIGN HYPERTENSION.....401	75	33	30	6	6
82 HYPERTENSIVE HEART DISEASE.....402	521	186	240	44	51
83 HYPERTENSIVE RENAL DISEASE.....403	327	145	142	25	15
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	685	297	265	65	58

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
548	224	276	37	31	398	178	215	2	3	2,676	994	1,418	127	137
103	...	88	...	15	66	...	65	...	1	406	...	350	...	56
83	...	76	...	5	44	...	43	...	1	402	...	366	...	36
109	...	99	...	10	102	...	101	...	1	685	...	646	...	39
12	...	11	...	1	6	...	6	...	-	62	...	56	...	6
247	210	...	37	...	169	167	...	2	...	1,050	926	...	124	...
14	11	11	...	-	...	71	68	...	3	...
179	97	85	11	6	159	107	49	2	1	1,036	634	342	32	28
117	66	38	8	5	96	72	23	1	-	600	384	183	15	18
62	31	27	3	1	35	26	1	1	1	436	250	159	17	10
479	218	224	17	20	277	141	133	1	2	2,240	1,030	1,031	86	93
6	3	3	-	-	3	2	1	-	-	21	10	11	-	12
90	50	34	3	3	100	56	44	-	-	406	229	149	14	14
6	1	5	-	-	11	3	8	-	-	67	21	46	2	4
377	164	182	14	17	163	80	80	1	2	1,746	770	831	70	75
230	111	104	9	6	167	92	73	1	1	917	498	370	29	20
75	44	26	3	2	68	35	33	-	-	327	180	135	10	2
74	25	44	3	2	54	31	22	1	1	338	191	123	11	13
12	7	5	-	-	24	13	10	-	1	34	19	14	1	19
69	35	29	3	2	21	13	8	-	-	218	108	98	7	5
239	126	95	13	5	227	127	96	2	2	1,086	584	431	36	35
78	43	33	2	-	90	48	41	-	1	361	197	163	9	12
54	29	22	1	2	44	29	13	1	1	237	138	88	8	3
46	27	23	8	2	51	28	23	-	-	250	115	167	13	15
47	27	17	2	1	42	22	19	1	-	218	134	73	6	5
53	23	24	2	4	34	17	16	1	-	345	165	146	16	18
-	...	-	...	-	2	...	2	...	-	5	...	3
6	2	4	-	-	12	4	8	-	-	55	24	25	5	1
8	1	6	-	1	9	6	2	1	-	44	19	21	2	2
-	...	-	...	-	-	...	-	...	-	3	...	3	...	30
30	16	11	2	1	8	6	2	-	-	164	87	62	5	10
9	4	3	-	2	3	1	2	-	-	71	35	30	4	2
563	202	272	37	52	386	184	192	7	3	3,440	1,191	1,920	129	200
1	-	1	-	-	-	-	-	-	-	2	-	1	-	1
2	1	1	-	-	5	3	2	-	-	33	8	23	1	1
4	-	4	-	-	4	2	2	-	-	35	7	25	1	2
459	169	216	29	45	307	142	157	6	2	2,961	999	1,687	103	172
1	1	-	-	-	1	1	1	-	-	16	8	8	-	38
1	1	-	1	-	1	1	-	-	-	2	1	-	-	39
4	1	1	1	1	2	1	1	-	-	30	9	15	4	2
-	-	-	-	-	1	-	-	-	-	1	-	-	1	41
48	15	29	3	1	30	16	13	-	1	146	60	69	10	7
8	2	5	-	1	6	2	4	-	-	23	11	12	-	43
35	13	15	3	4	30	17	12	1	-	191	88	79	9	15
67	23	34	6	4	53	22	28	2	1	300	109	147	22	22
51	18	25	6	2	35	12	21	1	1	194	74	88	15	17
6	2	3	1	2	7	3	4	-	-	30	13	17	-	47
11	2	5	2	2	6	1	3	1	1	39	13	9	6	11
20	9	10	1	2	16	7	9	-	-	55	25	28	1	49
14	5	7	2	-	6	1	5	-	-	70	23	34	8	5
8	2	5	-	1	7	5	2	-	-	45	13	27	3	2
8	3	4	-	1	11	5	5	1	-	61	22	32	4	3
117	61	33	18	5	71	46	24	1	-	240	129	57	35	19
7	2	5	-	-	8	3	5	-	-	21	8	10	1	2
4	2	-	-	-	4	4	-	-	-	20	13	2	4	1
6	2	2	1	1	3	-	3	-	-	11	5	6	-	56
79	43	16	16	4	36	28	7	1	-	125	70	16	26	13
13	6	7	-	-	19	10	9	-	-	51	27	17	4	3
8	4	3	1	-	1	1	-	-	-	12	6	6	-	59
226	126	77	13	10	177	101	71	4	1	1,021	508	417	57	39
15	12	2	-	1	20	11	8	1	-	82	42	23	9	8
8	3	3	1	1	4	3	1	-	-	35	23	10	1	1
13	9	6	-	-	23	12	11	-	-	104	40	59	4	1
46	19	25	1	1	44	26	18	-	-	194	106	84	3	1
4	4	2	-	-	8	5	2	1	-	35	15	17	1	2
17	8	5	4	-	21	11	8	2	-	103	46	38	13	6
-	-	-	-	-	-	-	-	-	-	1	1	-	-	67
1	1	-	-	-	-	-	-	-	-	3	-	3	-	68
-	-	-	-	-	-	-	-	-	-	1	-	-	-	69
4	2	-	-	2	2	1	1	-	-	15	7	7	1	70
114	68	34	7	5	55	32	22	-	1	448	228	176	25	19
14,111	7,171	5,742	673	525	10,659	5,922	4,606	84	47	71,301	35,409	31,564	2,218	2,110
2	1	-	-	1	4	3	1	-	-	17	9	7	-	1
117	64	46	4	3	169	76	91	2	-	1,183	472	646	27	44
24	15	9	-	-	43	15	28	-	-	304	106	180	6	12
35	22	12	1	-	53	32	20	-	-	250	157	79	6	8
9	5	4	-	-	17	8	8	1	-	71	21	48	1	1
49	22	21	3	3	56	21	35	-	-	558	188	333	14	23
371	149	145	35	42	227	105	117	4	1	1,604	607	824	86	87
15	7	2	3	3	5	-	4	-	-	86	31	24	17	14
15	6	7	-	2	9	6	3	-	-	60	15	34	6	5
179	78	68	16	17	39	15	24	-	-	540	155	312	35	38
61	26	28	3	4	38	21	15	1	1	338	162	150	12	14
101	32	40	13	16	136	63	71	2	-	580	244	304	16	16

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	36,229	19,362	14,494	1,305	1,068
02 WITH HYPERTENSIVE DISEASE (.0)	4,682	1,840	2,278	261	303
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9)	31,547	17,522	12,216	1,044	765
04 ACUTE MYOCARDIAL INFARCTION.....410	18,334	11,264	6,221	491	358
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	194	106	68	15	5
06 CHRONIC ISCHEMIC HEART DISEASE.....412	17,693	7,988	8,202	799	704
07 ANGINA PECTORIS.....413	8	4	3	-	1
08 OTHER FORMS OF HEART DISEASE.....420-429	1,515	669	666	108	72
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	40	13	18	6	3
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	37	23	8	4	2
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	41	20	19	1	1
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	3	1	2	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	12	6	5	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	26	13	12	1	1
15 SYMPTOMATIC HEART DISEASE.....427	872	377	414	43	38
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	217	91	102	16	8
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	308	145	105	38	20
18 CEREBROVASCULAR DISEASES.....430-438	11,176	4,685	5,605	407	479
19 WITH HYPERTENSION (BENIGN) (.0)	1,342	505	661	72	100
20 WITHOUT MENTION OF HYPERTENSION (.9)	9,834	4,176	4,944	335	379
21 SUBARACHNOID HEMORRHAGE.....430	442	161	211	33	37
22 CEREBRAL HEMORRHAGE.....431	2,365	1,038	1,110	99	118
23 CEREBRAL THROMBOSIS.....433	3,376	1,428	1,708	109	131
24 CEREBRAL EMBOLISM.....434	72	28	37	4	3
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	205	104	87	7	7
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	3,005	1,231	1,528	113	133
27 OTHER CEREBROVASCULAR DISEASES.....437,438	1,711	695	924	42	50
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	3,228	1,504	1,546	85	90
29 ARTERIOSCLEROSIS.....440	1,894	752	1,046	48	50
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	704	461	203	22	18
31 GANGRENE.....445	133	65	55	5	4
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	495	222	245	10	18
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	759	318	340	58	43
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	682	282	304	55	41
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	77	36	36	3	2
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	5,699	3,258	1,837	365	199
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	73	22	25	18	8
38 ACUTE BRONCHITIS AND BRONCHIODITIS.....466	39	22	14	3	-
39 INFLUENZA.....470-474	332	147	171	5	9
40 PNEUMONIA.....480-486	2,871	1,403	1,137	211	120
41 VIRAL PNEUMONIA.....480	91	49	32	4	6
42 BACTERIAL PNEUMONIA.....481,482	340	174	114	36	16
43 ACUTE INTERSTITIAL PNEUMONIA.....484	109	47	33	19	10
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	1,402	655	560	91	56
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	929	438	398	61	32
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	1,727	1,203	343	74	27
47 BRONCHITIS, UNQUALIFIED.....490	37	14	19	2	2
48 CHRONIC BRONCHITIS.....491	320	241	63	13	3
49 EMPHYSEMA.....492	1,265	953	212	52	8
50 ASTHMA.....493	105	35	49	7	14
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	6	3	1	-	2
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	53	32	11	5	5
53 PLEURISY.....511	24	15	5	1	3
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	177	120	42	12	3
55 BRONCHIECTASIS.....518	56	33	17	3	3
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	341	218	71	33	19
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,561	1,805	1,382	206	168
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	3	1	-	-	2
59 PEPTIC ULCER.....531-533	436	283	124	17	12
60 ULCER OF STOMACH.....531	175	94	69	6	6
61 ULCER OF DUODENUM.....532	205	153	38	9	5
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	56	36	17	2	1
63 GASTRITIS AND DUODENITIS.....535	23	12	8	3	-
64 APPENDICITIS.....540-543	80	48	28	3	4
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	421	172	218	14	17
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	193	74	115	2	2
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	68	33	32	-	3
69 CIRRHOSIS OF LIVER.....571	1,361	726	445	118	72
70 ALCOHOLIC.....571.0	460	247	112	70	31
71 OTHER SPECIFIED.....571.8	273	128	103	21	21
72 UNSPECIFIED.....571.9	628	351	230	27	20
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	206	89	109	3	5
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	770	367	366	46	51
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,446	712	541	111	82
76 NEPHRITIS AND NEPHROSIS.....580-584	446	196	172	47	31
77 ACUTE NEPHRITIS.....580	50	20	5	6	1
78 NEPHROTIC SYNDROME.....581	16	7	14	3	1
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	380	169	144	38	29
80 INFECTIONS OF KIDNEY.....590	453	176	222	26	29
81 CALCULI OF URINARY SYSTEM.....592,594	54	23	25	3	3
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	276	144	94	24	14
83 HYPERPLASIA OF PROSTATE.....600	129	121	-	8	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	88	52	28	3	5
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	38	...	28	...	10
87 ECTOPIC PREGNANCY.....631	7	...	6	...	1
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	8	...	7	...	1
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	6	...	5	...	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,781	4,863	3,271	408	239	6,666	4,027	2,555	53	31	48,163	25,504	20,150	1,333	1,176	01
728	292	358	35	43	581	267	295	11	8	5,465	2,227	2,718	242	276	02
8,053	4,571	2,913	373	196	6,085	3,760	2,260	42	23	42,698	23,277	17,432	1,091	898	03
6,030	3,587	2,007	285	151	3,368	2,230	1,109	19	10	26,635	15,963	5,469	662	541	04
44	25	16	1	2	45	28	17	-	-	194	115	68	6	5	05
2,704	1,250	1,246	122	-	3,251	1,768	1,428	34	21	21,326	9,420	10,611	665	630	06
3	1	2	-	-	2	1	1	-	-	8	6	2	-	-	07
603	288	253	28	34	296	170	119	5	2	2,451	1,111	1,070	152	118	08
8	4	3	1	1	3	1	2	-	-	32	16	13	1	2	09
3	2	5	-	-	3	3	3	-	-	48	27	12	8	4	10
11	4	2	-	2	17	9	8	-	-	121	54	61	2	-	11
2	-	2	-	-	1	-	1	-	-	6	2	4	-	-	12
4	2	1	-	1	8	3	5	-	-	18	10	49	2	4	14
5	2	2	-	1	8	6	2	-	-	97	42	617	97	75	15
397	184	174	20	19	156	84	67	4	1	1,420	631	617	7	14	16
68	29	33	3	3	40	23	15	1	1	441	187	233	37	22	17
116	65	37	5	9	74	50	24	-	-	389	196	134	-	-	
3,178	1,275	1,583	152	168	2,421	1,096	1,300	16	9	12,475	5,241	6,280	435	519	18
338	125	155	26	32	189	75	108	3	3	1,600	605	754	72	129	19
2,840	1,150	1,428	126	136	2,232	1,021	1,192	13	6	10,875	4,634	5,486	363	390	20
85	27	45	8	5	103	41	61	1	3	527	195	257	27	48	21
641	265	317	32	27	410	179	224	4	3	2,607	1,140	1,254	106	107	22
674	272	343	35	26	710	338	368	3	1	3,953	1,673	2,051	106	123	23
278	11	15	-	-	9	3	6	-	-	75	33	38	2	2	24
56	35	21	-	-	49	32	17	-	-	179	91	75	7	6	25
1,153	448	564	52	89	608	282	319	4	3	3,184	1,322	1,537	145	180	26
539	217	278	23	21	532	221	305	4	2	1,950	787	1,068	42	53	27
825	423	345	29	28	737	374	358	3	2	4,022	1,856	1,944	99	83	28
464	205	214	24	21	445	193	250	1	1	2,353	955	1,305	47	42	29
158	118	36	3	1	158	116	40	1	1	913	596	262	32	23	30
35	22	9	1	3	30	15	15	-	-	172	85	80	2	5	31
168	78	86	1	3	104	50	53	1	2	584	260	293	18	13	32
234	108	99	17	10	139	71	68	1	2	1,386	565	649	86	82	33
198	94	83	14	7	129	66	61	1	2	1,266	513	596	81	76	34
36	14	16	3	3	10	5	4	-	-	120	56	53	5	6	35
1,525	880	510	87	48	1,332	794	513	13	12	7,367	4,664	2,088	422	193	36
7	2	4	1	-	8	5	3	-	-	26	16	7	-	3	37
15	7	7	1	1	11	3	7	-	1	53	34	13	4	2	38
75	35	33	4	3	112	56	55	-	1	236	118	110	6	2	39
733	346	310	47	30	586	301	275	5	5	3,667	1,833	1,445	262	127	40
16	5	10	1	10	46	10	4	-	-	113	60	46	4	3	41
81	35	39	5	2	67	37	29	1	-	492	242	169	56	25	42
4	3	1	-	-	9	7	2	-	-	58	33	14	4	7	43
249	113	101	22	13	272	138	128	3	3	1,544	793	609	96	46	44
383	190	159	19	15	228	113	112	1	2	1,460	705	607	102	46	45
470	366	74	21	9	429	333	89	5	2	1,567	1,185	289	66	27	46
11	5	5	1	1	7	4	3	-	-	34	19	11	2	1	47
45	30	16	1	1	81	64	15	2	-	198	150	39	8	1	48
389	323	44	18	4	320	259	58	3	3	1,196	964	174	47	11	49
21	8	9	2	2	21	6	13	2	2	139	52	65	9	13	50
1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	51
12	8	3	-	1	15	11	4	-	-	69	38	13	13	5	52
4	3	3	-	1	3	1	2	-	-	18	10	6	-	2	53
42	23	16	2	1	41	19	18	2	2	255	167	67	17	4	54
14	6	7	-	1	19	10	9	-	-	53	35	13	5	-	55
152	87	52	12	1	106	53	51	1	1	1,423	1,228	125	49	21	56
945	462	363	58	62	636	374	244	11	7	4,744	2,544	1,650	298	212	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
118	75	36	4	3	88	63	25	-	-	593	366	180	34	13	59
36	18	17	1	1	32	22	10	-	-	246	132	94	14	6	60
64	45	15	1	1	45	33	12	-	-	269	181	65	18	5	61
18	12	4	-	2	11	8	3	-	-	78	53	21	2	2	62
11	3	3	3	2	2	2	-	-	-	33	13	17	3	3	63
11	3	3	3	3	11	9	2	-	-	79	37	32	7	3	64
18	10	4	3	1	11	7	2	-	-	483	209	230	22	22	65
111	41	59	4	7	61	22	37	1	1	-	-	-	-	-	
1	1	-	-	-	1	-	1	-	-	2	-	1	-	1	66
29	12	16	1	1	47	24	23	-	-	239	93	134	4	8	67
26	10	12	1	3	13	7	6	-	-	97	42	50	2	3	68
306	169	80	31	24	253	160	81	7	5	1,737	1,079	453	125	80	69
101	57	21	12	11	134	98	27	4	5	503	339	79	54	31	70
39	19	12	4	4	43	24	18	1	4	303	152	108	22	21	71
166	93	47	15	11	74	38	36	2	2	931	588	266	49	28	72
68	14	46	2	6	24	10	12	1	1	259	114	135	5	5	73
257	127	107	9	14	136	77	57	2	-	1,222	591	458	96	77	74
578	276	214	47	41	214	116	91	3	4	1,817	884	687	127	119	75
188	74	78	13	23	60	30	27	1	2	648	287	260	49	52	76
27	8	13	2	4	5	3	2	-	-	55	26	24	3	2	77
6	3	2	1	1	3	-	3	-	-	24	5	13	2	4	78
155	63	63	11	18	52	27	22	1	2	54	254	223	44	46	79
194	78	86	17	13	79	36	39	2	2	490	207	226	25	32	80
10	5	5	-	-	11	5	6	-	-	46	25	17	2	2	81
111	57	40	10	4	39	24	15	-	-	433	217	150	40	26	82
50	45	5	5	4	18	18	15	-	-	112	103	...	9	...	83
25	17	5	2	1	6	3	1	-	-	85	45	31	2	7	85
11	...	7	...	4	3	...	3	33	...	20	...	13	86
-	...	-	...	-	1	...	1	5	...	3	...	2	87
2	...	2	1	...	4	4	...	-	...	4	88
1	...	-	...	1	1	...	1	5	...	3	...	2	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	OHIO				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	3	...	1	...	2
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	1	...	-	...	1
04 SPONTANEOUS ABORTION.....643	1	...	-	...	1
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	1	...	1	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	5	...	5	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	9	...	4	...	5
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	118	37	57	10	14
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	27	10	12	1	4
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	91	27	45	9	10
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	240	70	139	13	18
13 ARTHRITIS AND SPONDYLITIS.....710-715	93	34	57	2	-
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	7	1	4	1	1
15 OSTEOMYELITIS AND PERIOSTITIS.....720	8	2	5	-	1
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	11	1	8	-	2
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	121	32	65	10	14
18 XIV. CONGENITAL ANOMALIES.....	935	423	402	53	47
19 SPINA BIFIDA.....741	50	24	24	2	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	168	66	89	7	6
21 CONGENITAL ANOMALIES OF HEART.....746	363	170	142	27	24
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	63	28	29	4	2
23 CLEFT PALATE AND CLEFT LIP.....749	1	1	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	290	144	118	13	15
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	2,209	1,085	733	228	163
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	870	377	298	133	62
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	38	5	31	1	1
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	832	372	267	132	61
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	7,889	4,578	2,256	803	252
30 ACCIDENTS.....E800-E949	5,864	3,459	1,791	412	162
31 RAILWAY ACCIDENTS.....E800-E807	34	26	4	4	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	2,804	1,822	739	174	69
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	2,753	1,792	720	172	69
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	95	63	30	1	1
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	998	613	303	54	28
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	400	242	94	46	18
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	486	334	98	44	10
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	313	239	60	10	4
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	461	301	135	17	8
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	51	30	19	2	-
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	8	6	2	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	59	46	3	10	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	60	42	18	-	-
44 ACCIDENTAL POISONING.....E850-E877	221	102	75	32	12
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	59	18	32	8	1
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	43	24	10	7	2
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	119	60	33	17	9
48 ACCIDENTAL FALLS.....E880-E887	1,203	521	593	56	33
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	355	211	114	20	10
50 FALL ON SAME LEVEL.....E885,E886	52	22	24	5	1
51 OTHER AND UNSPECIFIED FALLS.....E887	794	288	455	31	22
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	325	165	104	41	15
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	252	173	37	39	3
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	144	81	47	12	4
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	78	52	5	16	5
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	299	265	21	11	2
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	5	3	1	1	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	29	24	2	3	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	17	10	6	-	1
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	51	47	1	3	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	197	181	11	4	1
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	135	61	61	4	9
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	242	137	82	13	10
64 SUICIDE.....E950-E959	1,181	781	333	53	14
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	151	47	95	5	4
66 SUICIDE FROM POISONING BY GASES.....E951,E952	176	115	56	4	1
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	183	120	57	6	-
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	593	459	95	32	7
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	78	40	30	6	2
70 HOMICIDE.....E960-E978	698	227	87	315	69
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	507	158	59	243	47
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	79	14	10	45	10
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	92	46	18	16	12
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	20	9	-	11	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	141	66	45	23	7
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	5	5	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

OKLAHOMA					OREGON					PENNSYLVANIA				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2	...	1	...	1	-	...	-	...	-	7	...	4	...	3
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
2	...	1	...	1	-	...	-	...	-	3	...	2	...	1
3	...	2	...	1	-	...	-	...	-	3	...	1	...	2
-	...	-	...	-	-	...	-	...	-	6	...	5	...	1
3	...	2	...	1	1	...	1	...	-	6	...	5	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
15	5	11	2	1	9	6	3	-	-	109	43	50	6	10
2	1	1	-	-	3	3	-	-	-	30	17	8	3	2
17	4	10	2	1	6	3	3	-	-	79	26	42	3	8
65	16	38	1	10	45	15	27	2	1	269	80	159	10	20
21	5	14	-	2	20	8	10	2	-	101	27	64	6	4
2	1	1	-	-	1	7	1	-	-	7	2	3	1	1
3	-	1	-	2	-	-	-	-	-	10	8	1	-	1
2	-	2	-	-	1	1	-	-	-	8	4	-	-	-
37	10	20	1	6	23	6	16	-	1	143	39	87	3	14
175	88	67	14	10	181	92	83	4	2	862	408	370	45	39
11	8	2	-	1	7	4	3	-	-	35	12	21	1	1
26	7	16	-	3	40	18	21	1	-	144	63	70	3	8
69	37	25	5	2	67	29	37	1	-	327	169	128	23	13
14	8	5	1	-	17	10	5	2	-	52	25	22	3	2
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
59	28	19	8	4	50	31	17	-	2	303	144	129	15	15
544	271	182	44	47	310	184	111	8	7	2,343	1,071	719	308	245
403	195	138	46	24	306	175	116	9	6	2,724	1,036	545	704	439
48	17	28	1	2	17	3	14	-	-	53	11	38	2	2
355	178	110	45	22	289	172	102	9	6	2,671	1,025	507	702	437
2,204	1,309	561	237	97	1,808	1,233	503	55	17	7,414	4,337	2,029	795	253
1,713	1,011	473	155	74	1,384	967	375	31	11	5,603	3,362	1,616	449	176
13	9	2	2	-	15	14	-	1	-	35	24	3	6	3
847	524	210	80	33	713	490	205	13	5	2,532	1,693	628	163	48
831	510	209	79	33	695	479	198	13	5	2,497	1,667	421	162	47
27	19	8	-	-	19	13	6	-	-	30	18	12	-	-
172	105	49	10	8	249	156	87	5	1	884	566	267	40	11
80	46	14	17	3	80	59	19	2	-	492	286	118	62	26
46	37	6	2	1	61	47	14	-	-	393	289	72	30	2
70	51	11	6	2	131	95	33	-	3	370	279	66	19	6
436	252	121	44	19	155	109	39	6	1	328	229	86	11	2
16	14	1	1	-	18	11	7	-	-	35	26	7	1	1
4	2	1	1	-	4	2	2	-	-	16	8	5	1	2
15	13	1	1	-	45	41	4	-	-	40	33	5	1	1
26	17	3	-	-	23	20	2	-	1	44	39	3	2	-
57	33	16	6	2	38	25	13	-	-	245	104	56	70	15
15	7	5	3	-	10	6	4	-	-	124	42	25	49	8
14	13	1	-	-	16	10	6	-	-	34	12	7	11	4
28	13	10	3	2	12	9	3	-	-	87	50	24	10	3
210	86	113	4	7	191	108	80	2	1	1,078	495	498	47	38
33	24	6	3	-	57	42	13	1	1	394	237	117	26	14
3	3	-	-	-	7	3	4	-	-	33	19	13	-	1
174	59	107	1	7	127	63	63	1	1	651	239	368	21	23
95	44	27	16	8	70	44	21	4	1	386	172	132	53	29
81	48	20	9	4	68	52	9	6	1	204	139	33	28	4
59	31	15	7	6	37	20	15	1	1	196	56	68	22	10
43	33	3	5	2	18	17	1	-	-	68	58	6	3	1
87	68	12	5	2	97	90	5	2	-	319	264	33	18	4
3	1	1	1	-	1	1	-	-	-	13	9	2	1	1
9	5	3	1	-	2	2	-	-	-	25	18	4	2	1
2	1	-	-	1	3	2	-	-	-	15	4	8	2	1
21	18	3	-	-	17	15	2	-	-	47	41	5	1	-
52	43	5	3	1	74	70	2	2	-	219	192	14	12	1
56	29	21	3	3	19	15	4	-	-	184	85	79	6	14
126	74	29	16	7	46	29	14	2	1	256	150	67	29	10
242	172	54	12	4	289	198	88	3	-	1,125	758	296	58	13
20	4	15	-	1	38	11	25	2	-	173	53	106	9	5
26	13	13	-	-	38	28	10	-	-	132	104	27	1	-
17	10	3	4	-	29	19	9	1	-	235	157	69	9	-
172	140	22	8	2	166	130	36	-	-	454	378	54	19	3
7	5	1	-	1	18	10	8	-	-	131	66	40	20	5
169	78	19	58	14	80	35	25	14	6	522	144	76	252	50
119	57	8	42	12	53	24	14	3	3	269	76	35	133	25
25	11	3	6	1	13	5	4	2	2	133	30	11	81	11
22	7	8	6	1	14	6	7	-	1	109	36	30	29	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	3	-	-	-	-	-	-	-	-	11	2	-	9	-
78	46	15	12	5	55	33	15	7	-	161	71	41	35	14
2	2	-	-	-	-	-	-	-	-	3	2	-	1	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	9,300	4,857	4,211	128	104
02 I. INFECTIVE AND PARASITIC DISEASES.....	59	32	25	1	1
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	-	-	-	-	-
06 BACILLARY DYSENTERY AND AMEBIASIS.....004,006	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	-	-	-	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	9	2	7	-	-
09 TUBERCULOSIS, ALL FORMS.....010-019	19	10	9	-	-
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	13	7	6	-	-
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	1	-	1	-	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	1	1	-	-	-
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	4	2	2	-	-
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	-	-	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	-	-	-	-	-
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	5	4	1	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	11	7	3	1	-
27 OTHER BACTERIAL DISEASES.....007,021,024-027,031,039	-	-	-	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	-	-	-	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....058	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	4	2	2	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	-	-	-	-	-
35 INFECTIOUS HEPATITIS.....070	3	1	1	-	1
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,057,061,067,068,072-079	3	3	-	-	-
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	3	2	1	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	-	-	-	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	2	1	1	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARALYSIS.....094.1	1	1	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	-	-	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	-	-	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	2	1	1	-	-
58 II. NEOPLASMS.....	1,842	1,012	803	13	14
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	1,824	1,003	795	13	13
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	50	37	11	2	-
61 OF LIP.....140	-	-	-	-	-
62 OF TONGUE.....141	5	7	-	2	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	22	17	5	-	-
64 OF PHARYNX.....146-149	19	13	6	-	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	561	302	252	4	3
66 OF ESOPHAGUS.....150	18	12	5	1	-
67 OF STOMACH.....151	103	66	37	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	5	4	1	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	236	111	124	1	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	28	9	19	-	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	12	4	8	-	-
72 DESCENDING COLON.....153.2	7	3	4	-	-
73 SIGMOID COLON.....153.3	50	27	23	-	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.8	130	62	67	1	-
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	9	6	3	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	77	45	29	1	2
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	8	4	4	-	-
78 OF GALLBLADDER AND BILE DUCTS.....156	23	9	14	-	-
79 OF PANCREAS.....157	82	49	31	1	1
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	5	2	7	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	385	320	61	3	1
82 OF LARYNX.....161	24	21	3	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	354	293	57	3	1
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	7	6	1	-	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	219	16	199	1	3
86 OF BONE.....170	7	3	4	-	-
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	9	4	4	1	-
88 OF SKIN.....172,173	20	7	13	-	-
89 OF BREAST.....174	183	2	178	-	3

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
22,853	8,531	6,107	4,504	3,711	6,760	3,740	2,643	234	143	37,900	17,409	13,089	4,006	3,396	01
277	64	44	94	75	50	19	12	4	15	418	188	108	67	55	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	05
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
84	8	13	32	31	15	5	4	2	4	54	18	17	11	8	08
78	24	8	30	16	19	7	2	2	8	163	97	34	20	12	09
59	17	5	26	11	12	6	-	1	5	136	81	31	17	7	10
2	-	1	-	1	-	-	-	-	-	5	3	-	-	2	11
1	-	-	-	1	2	1	-	-	1	-	-	-	-	-	12
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	13
4	-	-	2	2	2	-	1	-	1	8	4	1	2	1	14
11	7	2	2	-	3	-	1	1	1	14	9	2	1	2	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
20	11	3	3	3	1	1	-	-	-	20	5	5	6	4	24
1	-	-	-	1	1	1	-	-	-	1	-	-	-	-	25
20	4	3	8	5	9	5	2	-	2	49	14	12	13	10	26
5	1	2	-	2	-	-	-	-	-	13	5	3	3	2	27
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	28
1	-	-	1	-	-	-	-	-	-	3	1	2	-	-	29
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	30
7	3	1	1	2	-	-	-	-	-	21	10	8	1	2	33
11	2	3	4	2	4	-	3	-	1	29	9	12	2	6	35
12	1	4	4	3	1	-	1	-	-	22	13	6	2	1	37
4	1	3	-	-	-	-	-	-	-	1	1	-	-	-	38
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
5	-	1	3	1	1	1	-	-	-	13	3	-	4	6	42
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
3	-	-	2	1	-	-	-	-	-	6	-	-	1	5	46
-	-	-	-	-	1	1	-	-	-	3	2	-	-	1	47
2	-	1	1	-	-	1	-	-	-	1	1	-	-	-	48
-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	54
21	9	1	7	4	-	-	-	-	-	27	11	8	4	4	57
3,205	1,237	1,040	518	410	1,157	609	510	18	20	5,801	2,597	2,148	579	477	58
3,155	1,224	1,021	507	403	1,141	603	501	18	19	5,721	2,564	2,119	575	463	59
79	37	23	12	7	16	14	1	1	-	144	85	36	17	6	60
2	2	-	-	-	-	-	-	-	-	6	5	1	-	-	61
14	1	5	6	2	2	2	-	-	-	24	12	8	4	-	62
36	16	11	2	1	9	7	1	1	-	57	31	16	7	3	63
33	18	7	4	4	5	5	-	-	-	57	37	11	6	3	64
793	290	259	138	106	357	189	158	8	2	1,519	602	623	171	123	65
79	36	11	24	8	10	8	1	1	-	94	32	16	33	13	66
145	44	28	43	30	65	38	25	2	-	273	116	97	39	21	67
3	1	-	1	1	3	1	2	-	-	9	7	2	-	-	68
247	78	117	25	27	124	55	68	-	1	534	191	269	27	47	69
25	8	15	3	3	21	7	14	-	-	71	18	42	4	7	70
9	2	5	1	2	12	5	2	-	1	25	6	14	2	3	71
8	1	4	1	2	4	2	4	-	-	24	11	8	2	3	72
23	8	6	3	6	20	9	2	-	-	11	4	3	3	3	73
169	58	82	16	13	59	31	28	-	-	68	21	8	3	3	74
9	1	5	1	2	8	1	7	-	-	336	130	160	15	31	74
86	27	26	13	14	36	23	11	2	-	10	5	4	1	-	75
17	9	3	4	1	20	12	7	1	-	134	50	57	14	13	76
21	4	14	-	3	22	8	14	-	-	49	26	12	10	1	77
188	86	55	28	19	73	40	30	2	1	76	26	44	2	4	78
13	5	4	1	3	4	4	-	-	-	322	145	112	44	21	79
642	421	63	134	24	162	131	27	2	2	28	9	14	2	3	80
39	25	2	10	2	14	12	2	-	-	1,197	880	139	150	28	81
593	391	58	122	22	142	116	22	2	2	47	39	1	5	2	82
10	5	3	2	-	6	3	3	-	-	1,132	833	133	142	24	83
373	35	234	17	87	126	15	168	-	3	18	8	5	3	2	84
24	9	6	6	3	5	4	1	-	-	656	83	470	7	96	85
12	3	5	2	2	7	4	2	-	-	44	19	18	4	3	86
54	19	23	7	5	18	6	11	-	1	22	8	11	1	2	87
283	4	200	2	77	96	1	94	-	1	101	55	42	2	2	88
										489	1	359		89	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		RHODE ISLAND				
		Total	White		All other	
			Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.						
01	MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	204	54	106	1	3
02	OF CERVIX UTERI.....180	32	...	31	...	1
03	OF OTHER PARTS OF UTERUS.....181,182	31	...	31
04	OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	38	...	34	...	2
05	OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	8	...	8
06	OF PROSTATE.....185	91	90	...	1	...
07	OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	4	4
08	MALIGNANT NEOPLASMS OF URINARY ORGANS.....186,189	88	65	22	1	...
09	OF BLADDER.....188	49	37	11	1	...
10	OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	39	28	11
11	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	156	77	77	1	1
12	OF EYE.....190	2	...	2
13	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	46	28	18
14	OF THYROID GLAND.....193	2	1	1
15	OTHER.....194-199	106	48	56	1	1
16	LEUKEMIA.....204-207	72	43	28	...	1
17	LYMPHATIC LEUKEMIA.....204	27	16	11
18	MYELOID LEUKEMIA.....205	25	15	10
19	MONOCYCLIC LEUKEMIA.....206	6	4	2
20	OTHER AND UNSPECIFIED LEUKEMIA.....207	14	8	5	...	1
21	OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	89	49	39	...	1
22	LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	28	15	12	...	1
23	HODGKIN'S DISEASE.....201	14	10	4
24	MULTIPLE MYELOMA.....203	14	6	8
25	ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	33	18	15
26	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	18	9	8	...	1
27	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221
28	BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	4	2	2
29	OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	4	2	2
30	NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236
31	NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	6	2	3	...	1
32	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	4	3	1
33	III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	286	162	180	1	3
34	NONTOXIC GOITER.....240,241
35	THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	2	...	2
36	ALL OTHER DISEASES OF THYROID GLAND.....243-246	6	1	5
37	DIABETES MELLITUS.....250	252	87	161	1	3
38	DISEASES OF PITUITARY GLAND.....253
39	DISEASES OF THYMUS GLAND.....254
40	DISEASES OF ADRENAL GLAND.....255	2	...	2
41	NIACIN DEFICIENCY.....262
42	OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	6	...	6
43	CYSTIC FIBROSIS.....273-0	3	1	2
44	ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	15	13	2
45	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	22	10	11	...	1
46	ANEMIAS.....280-285	13	3	9	...	1
47	DEFICIENCY ANEMIAS.....280,281	4	1	3
48	HEMOLYTIC ANEMIAS.....282,283	2	1	1
49	APLASTIC ANEMIA.....284	1	...	1
50	OTHER AND UNSPECIFIED ANEMIAS.....285	6	1	4	...	1
51	PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	1	1
52	ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	8	6	2
53	V. MENTAL DISORDERS.....	15	11	4
54	SENILE AND PRESENILE DEMENTIAS.....290	1	1
55	ALCOHOLIC PSYCHOSES.....291
56	ALL OTHER PSYCHOSES.....294-299
57	ALCOHOLISM.....303	11	10	1
58	OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	3	...	3
59	MENTAL RETARDATION.....310-315
60	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	90	47	38	3	2
61	MENINGITIS.....320	4	3	1
62	HEREDITARY NEUROMUSCULAR DISORDERS.....330	3	2	1
63	MULTIPLE SCLEROSIS.....340	11	4	7
64	PARALYSIS AGITANS.....342	29	13	16
65	CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	7	4	3
66	EPILEPSY.....345	8	3	2	2	1
67	INFLAMMATORY DISEASES OF EYE.....360-369
68	CATARACT.....374
69	GLAUCOMA.....375
70	OTITIS MEDIA AND MASTOIDITIS.....381-383
71	ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	28	18	8	1	1
72	VII. DISEASES OF THE CIRCULATORY SYSTEM.....	5,192	2,612	2,475	53	52
73	ACTIVE RHEUMATIC FEVER.....390-392
74	CHRONIC RHEUMATIC HEART DISEASE.....393-398	74	31	41	...	2
75	DISEASES OF MITRAL VALVE.....394	21	6	14	...	1
76	DISEASES OF AORTIC VALVE.....395	14	8	6
77	DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	2	1	1
78	OTHER RHEUMATIC HEART DISEASES.....393,396,398	37	16	20	...	1
79	HYPERTENSIVE DISEASE.....400-404	98	46	49	1	2
80	MALIGNANT HYPERTENSION.....400	6	3	3
81	ESSENTIAL BENIGN HYPERTENSION.....401	6	3	3
82	HYPERTENSIVE HEART DISEASE.....402	39	19	20
83	HYPERTENSIVE RENAL DISEASE.....403	26	12	13	...	1
84	HYPERTENSIVE HEART AND RENAL DISEASE.....404	21	9	10	1	1

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
489	120	184	90	95	169	87	74	2	6	807	263	353	87	104	01
114	...	59	...	55	21	...	18	...	3	178	...	127	02
60	...	41	...	19	22	...	21	...	1	107	...	78	...	29	03
91	...	72	...	19	34	...	32	...	2	155	...	133	...	22	04
14	...	12	...	2	3	...	3	...	-	17	...	15	...	2	05
203	114	...	89	...	83	82	...	1	...	332	245	...	86	...	06
7	6	...	1	...	6	5	...	1	...	18	17	...	1	...	07
136	62	44	18	12	58	36	21	-	...	261	135	85	28	13	08
68	29	20	11	8	26	18	8	-	-	152	87	42	14	9	09
68	33	24	7	4	32	18	13	-	-	109	48	43	14	4	10
324	118	105	55	46	93	42	48	-	3	570	242	267	67	54	11
2	-	2	-	-	3	-	3	-	-	5	4	1	-	-	12
97	53	34	7	3	27	14	13	-	-	166	97	97	8	4	13
11	2	5	-	4	6	2	4	-	-	20	8	8	-	-	14
214	63	64	48	39	57	26	28	-	3	379	133	141	59	46	15
141	62	48	19	12	57	31	23	2	1	272	128	110	21	13	16
51	23	19	7	2	28	13	13	2	7	106	43	46	12	5	17
55	22	21	5	7	21	12	8	-	1	121	58	52	7	4	18
8	4	3	-	1	2	2	-	-	-	8	5	3	-	-	19
27	13	5	7	2	6	4	2	-	-	37	22	9	2	4	20
178	79	61	24	14	103	58	41	3	1	295	146	96	27	26	21
65	31	26	5	3	28	21	7	-	-	106	51	44	6	5	22
34	17	13	4	-	14	5	9	-	-	51	28	14	3	6	23
42	14	10	12	6	31	19	9	2	1	78	34	20	15	9	24
37	17	12	3	5	30	13	16	1	-	60	33	18	3	6	25
50	13	19	11	7	16	6	9	-	1	80	33	29	4	14	26
5	...	3	...	2	1	...	2	...	1	9	...	4	...	5	27
9	3	3	...	1	2	...	2	...	-	21	9	6	...	4	28
5	1	5	2	1	7	3	4	-	-	20	8	9	1	2	29
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	30
17	6	7	3	1	3	2	1	-	-	19	11	6	1	1	31
10	3	1	4	2	3	1	2	-	-	10	5	3	-	2	32
605	162	194	72	177	146	63	72	4	7	743	235	305	69	134	33
1	-	1	2	3	-	-	-	-	-	-	-	-	-	-	34
11	1	5	-	-	3	2	1	-	-	5	1	1	-	3	35
5	1	2	1	2	1	1	2	-	-	5	1	3	-	1	36
493	130	156	59	148	114	49	55	3	7	607	176	258	54	119	37
2	1	-	-	1	-	-	-	-	-	4	1	2	1	-	38
3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	39
39	8	-	-	-	-	-	-	-	-	13	8	4	-	1	40
8	4	10	7	14	6	1	4	1	-	24	9	9	5	1	42
43	17	14	4	8	21	10	11	-	-	18	9	9	-	-	43
70	11	20	16	23	9	4	5	-	-	67	30	19	9	9	44
48	4	13	12	19	8	3	5	-	-	88	28	31	10	19	45
5	1	2	1	1	1	1	-	-	-	67	21	22	7	17	46
24	1	1	10	13	2	1	-	-	-	10	5	4	-	1	47
14	2	10	1	1	2	1	1	-	-	18	1	2	6	9	48
5	5	1	-	4	2	1	1	-	-	23	6	12	-	5	49
8	4	2	-	2	1	1	-	-	-	16	9	4	1	2	50
14	3	5	4	2	1	1	-	-	-	8	3	4	-	1	51
104	58	10	22	14	12	6	2	4	-	13	4	5	3	1	52
5	3	1	-	-	-	-	-	-	-	141	72	31	24	14	53
20	16	4	1	-	1	1	-	-	-	9	2	6	-	1	54
1	-	-	1	-	1	-	-	-	-	15	9	1	4	1	55
69	37	5	15	12	10	5	1	4	-	5	2	1	-	2	56
5	1	2	1	1	1	-	1	-	-	100	53	19	19	9	57
4	1	2	1	-	-	-	-	-	-	10	6	3	-	1	58
185	54	49	54	28	66	34	23	8	1	2	-	1	1	-	59
30	10	4	9	7	3	-	1	2	-	271	113	103	35	20	60
12	9	-	3	4	3	-	1	-	-	27	12	5	8	2	61
6	2	2	-	2	4	4	-	-	-	15	14	1	-	-	62
21	6	13	2	5	11	8	3	-	-	22	8	13	-	1	63
11	1	1	5	4	7	4	-	-	-	38	9	28	1	-	64
33	10	4	15	4	7	4	-	3	-	26	11	9	4	2	65
-	-	-	-	-	1	1	-	-	-	33	12	6	7	8	66
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	69
71	15	25	20	11	34	17	13	3	1	108	45	41	15	7	71
12,058	4,504	3,436	2,061	2,057	3,716	2,113	1,506	60	37	20,934	9,452	7,652	1,942	1,888	72
4	2	-	1	1	3	2	1	-	-	5	1	2	1	1	73
120	50	35	14	21	44	22	19	2	1	212	84	58	14	16	74
30	7	14	4	5	10	4	6	-	-	48	13	32	1	2	75
41	24	8	2	7	5	5	-	-	-	71	34	23	8	6	76
3	2	1	-	-	4	2	3	-	1	4	2	2	-	-	77
46	17	12	8	9	23	11	10	2	-	89	35	41	5	8	78
379	65	74	130	110	63	36	27	-	-	526	167	155	81	83	79
40	4	4	13	4	2	1	1	-	-	45	10	7	15	13	80
23	7	5	7	4	3	2	1	-	-	30	10	5	2	9	81
93	6	16	38	33	17	7	10	-	-	115	32	44	18	21	82
65	17	12	19	17	22	15	7	-	-	181	55	68	33	25	83
158	31	37	47	43	19	11	8	-	-	155	60	67	13	15	84

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	RHODE ISLAND				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	3,829	2,004	1,753	42	30
02 WITH HYPERTENSIVE DISEASE (.01).....	414	185	223	1	5
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	3,415	1,819	1,530	41	25
04 ACUTE MYOCARDIAL INFARCTION.....410	1,741	1,015	698	17	11
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	326	212	96	11	7
06 CHRONIC ISCHEMIC HEART DISEASE.....412	1,759	775	950	14	12
07 ANGINA PECTORIS.....413	3	2	1	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	107	48	56	-	3
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	1	1	-	-	-
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	1	1	-	-	-
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	3	2	1	-	-
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	-	-	-	-	-
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	1	1	-	-	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	2	1	1	-	-
15 SYMPTOMATIC HEART DISEASE.....427	74	33	38	-	3
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	15	4	11	-	-
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	13	7	6	-	-
18 CEREBROVASCULAR DISEASES.....430-438	765	325	418	8	10
19 WITH HYPERTENSION (BENIGN) (.01).....	113	45	63	1	4
20 WITHOUT MENTION OF HYPERTENSION (.9).....	652	284	355	7	6
21 SUBARACHNOID HEMORRHAGE.....430	35	12	20	2	1
22 CEREBRAL HEMORRHAGE.....431	170	76	90	2	2
23 CEREBRAL THROMBOSIS.....433	247	102	142	1	2
24 CEREBRAL EMBOLISM.....434	5	3	2	-	-
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	15	8	7	-	-
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	188	85	93	2	4
27 OTHER CEREBROVASCULAR DISEASES.....437,438	105	39	64	1	1
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	234	116	113	2	3
29 ARTERIOSCLEROSIS.....440	39	28	71	1	-
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	70	46	23	-	1
31 GANGRENE.....445	14	6	6	1	1
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	40	26	13	-	1
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	85	38	45	-	2
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	76	31	43	-	2
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	9	7	2	-	-
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	475	282	174	12	7
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	4	1	3	-	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	3	3	-	-	-
39 INFLUENZA.....470-474	7	-	7	-	-
40 PNEUMONIA.....480-486	278	141	125	8	4
41 VIRAL PNEUMONIA.....480	5	3	2	-	-
42 BACTERIAL PNEUMONIA.....481,482	10	5	4	1	-
43 ACUTE INTERSTITIAL PNEUMONIA.....484	7	4	2	-	1
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	161	84	74	2	1
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	95	45	43	5	2
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	131	101	28	1	1
47 BRONCHITIS, UNQUALIFIED.....490	3	2	1	-	-
48 CHRONIC BRONCHITIS.....491	18	13	5	-	-
49 EMPHYSEMA.....492	97	80	16	1	-
50 ASTHMA.....493	13	6	6	-	1
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	1	1	-	-	-
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	6	1	2	2	1
53 PLEURISY.....511	2	1	1	-	-
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	14	10	4	-	-
55 BRONCHIECTASIS.....518	5	4	-	1	-
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	24	19	4	-	1
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	372	215	144	10	3
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59 PEPTIC ULCER.....531-533	49	35	13	1	-
60 ULCER OF STOMACH.....531	22	14	7	1	-
61 ULCER OF DUODENUM.....532	21	15	6	-	-
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	6	6	-	-	-
63 GASTRITIS AND DUODENITIS.....535	6	4	2	-	-
64 APPENDICITIS.....540-543	5	3	1	1	-
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	22	7	14	1	-
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67 DIVERTICULA OF INTESTINE.....562	21	10	11	-	-
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	9	3	6	-	-
69 CIRRHOSIS OF LIVER.....571	142	98	36	5	3
70 ALCOHOLIC.....571.0	54	41	11	1	1
71 OTHER SPECIFIED.....571.8	18	10	8	-	-
72 UNSPECIFIED.....571.9	70	47	17	4	2
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	27	10	17	-	-
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	91	45	44	2	-
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	147	77	66	1	3
76 NEPHRITIS AND NEPHROSIS.....580-584	54	23	30	1	-
77 ACUTE NEPHRITIS.....580	4	2	2	-	-
78 NEPHROTIC SYNDROME.....581	47	-	3	-	-
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	47	21	25	1	-
80 INFECTIONS OF KIDNEY.....590	30	10	20	-	-
81 CALCULI OF URINARY SYSTEM.....592,594	7	4	3	-	-
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	35	25	7	-	3
83 HYPERPLASIA OF PROSTATE.....600	8	8	-	-	-
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	13	7	6	-	-
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1	...	1	...	-
87 ECTOPIC PREGNANCY.....631	-	...	-	...	-
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	1	...	-
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	-	...	-	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Total	SOUTH CAROLINA				Total	SOUTH DAKOTA				Total	TENNESSEE				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,222	3,053	2,037	1,089	1,043	2,426	1,482	897	29	18	13,030	6,550	4,375	1,087	1,018	01
1,292	290	353	268	373	224	112	108	2	2	1,621	584	561	183	293	02
5,930	2,755	1,684	821	670	2,202	1,370	789	27	16	11,409	5,966	3,814	904	725	03
4,367	2,194	1,108	604	461	1,520	995	499	16	10	8,191	4,739	2,445	569	438	04
83	42	12	24	25	13	7	6	-	-	28	8	18	1	1	05
2,764	834	917	461	556	891	478	352	13	8	4,808	1,800	1,912	517	579	06
4	3	-	-	1	2	2	2	-	-	3	3	-	-	-	07
624	194	133	142	155	152	72	62	13	5	710	277	282	73	78	08
12	4	4	3	5	3	1	2	-	-	11	4	1	2	4	09
9	3	-	5	7	1	-	-	-	-	16	10	4	2	2	10
24	6	6	-	5	7	3	3	1	-	28	11	10	2	5	11
2	1	-	-	1	1	-	-	-	-	2	1	-	-	1	12
3	-	-	-	1	-	-	-	-	-	4	2	-	-	1	13
19	5	5	4	5	7	-	-	-	-	22	8	9	2	3	14
354	96	76	80	102	77	38	32	4	3	355	116	154	40	45	15
79	25	24	12	18	20	6	14	-	-	142	52	64	14	12	16
146	60	23	37	26	44	24	10	8	2	158	84	49	13	12	17
2,927	853	909	566	599	781	361	357	13	10	5,112	1,843	2,125	557	587	18
405	81	73	119	132	90	44	44	1	1	534	158	200	74	102	19
2,522	772	836	447	467	691	317	353	12	9	4,578	1,685	1,925	483	485	20
131	38	48	21	24	18	7	11	-	-	231	77	88	25	41	21
724	206	171	169	178	179	80	97	1	1	845	308	337	112	86	22
849	270	291	138	150	164	86	73	3	2	1,361	514	632	103	112	23
15	2	3	6	4	2	1	1	-	-	18	5	6	2	3	24
33	13	12	4	4	11	7	3	1	-	42	22	15	3	2	25
851	201	249	197	204	249	119	122	4	4	1,771	577	653	257	284	26
324	123	135	31	35	158	61	90	4	3	846	340	392	55	59	27
620	222	206	92	100	210	121	85	2	2	1,049	423	466	85	75	28
340	92	130	47	71	123	64	58	-	1	633	222	318	45	48	29
138	81	22	20	15	44	36	7	1	-	170	104	40	16	10	30
34	7	12	11	4	10	2	7	1	-	42	18	13	8	3	31
108	42	42	14	10	33	19	13	-	1	204	79	95	16	14	32
162	65	42	27	28	37	17	18	1	1	290	107	109	44	30	33
134	55	37	24	18	33	17	16	-	1	253	94	93	39	27	34
28	10	5	3	10	4	-	2	1	-	37	13	16	5	3	35
1,337	545	293	293	206	362	224	109	16	13	2,359	1,233	729	251	146	36
17	2	3	6	6	3	1	2	-	-	16	4	8	2	2	37
13	4	4	3	3	6	2	2	2	-	18	7	5	2	4	38
164	50	37	40	37	21	14	5	1	1	186	60	81	27	18	39
674	196	166	180	132	158	73	66	8	11	1,230	565	433	140	92	40
36	8	8	8	6	16	6	2	2	2	32	15	12	2	3	41
113	35	20	39	19	38	17	17	1	3	148	74	43	17	14	42
11	-	7	3	1	-	-	-	-	-	10	5	1	3	1	43
273	87	81	53	52	47	22	21	1	3	485	235	178	42	30	44
247	66	50	77	54	57	28	22	4	3	555	236	199	76	44	45
336	227	51	42	19	130	105	23	1	1	632	455	121	42	14	46
9	4	1	1	2	3	1	2	-	-	13	4	7	2	-	47
34	28	3	1	3	20	18	2	-	-	125	84	26	13	2	48
253	185	36	29	3	99	84	14	1	1	444	348	72	21	3	49
43	10	11	11	11	8	3	5	-	-	50	19	16	6	9	50
-	-	-	-	-	4	1	1	-	-	2	2	-	-	-	51
15	8	1	5	1	4	3	1	1	-	23	12	3	6	2	52
-	-	-	-	-	2	1	1	-	-	13	4	6	1	2	53
34	20	11	2	1	4	3	1	-	-	93	52	34	5	2	54
8	2	5	1	-	3	1	-	-	-	40	14	23	2	1	55
73	36	15	14	8	32	21	8	3	-	106	58	15	24	9	56
668	302	197	87	82	248	116	103	14	15	1,129	498	419	112	100	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
94	48	21	11	14	37	19	17	1	-	173	96	47	21	9	59
29	13	10	4	2	14	5	9	-	-	58	32	16	6	4	60
44	25	8	5	6	19	11	7	1	-	89	50	25	12	2	61
21	10	3	2	6	4	3	1	-	-	26	14	6	3	3	62
5	2	1	2	-	4	3	1	-	-	11	6	3	2	-	63
18	9	2	3	4	10	6	3	1	-	39	13	16	6	4	64
86	32	32	12	10	36	18	16	-	2	109	45	48	10	6	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
35	14	15	4	2	12	3	8	1	-	73	35	31	2	3	67
12	4	5	1	2	6	2	4	-	-	14	10	-	-	-	68
188	101	43	23	21	73	33	23	8	9	321	157	100	37	27	69
64	36	12	10	6	28	10	5	6	7	105	58	18	20	9	70
15	6	4	2	3	10	4	6	-	-	48	16	19	4	9	71
109	59	27	11	12	35	19	12	2	2	168	83	63	13	9	72
57	20	26	3	8	14	6	6	1	1	108	38	52	6	12	73
173	72	52	28	21	56	26	25	2	3	264	99	105	27	33	74
453	130	99	120	104	93	44	41	7	1	678	278	210	106	84	75
167	44	18	56	49	29	10	14	5	-	208	79	56	34	39	76
7	3	-	2	2	10	3	5	2	-	16	3	5	4	4	77
5	1	-	2	2	-	-	-	-	-	17	6	5	5	1	78
155	40	18	52	45	19	7	9	3	-	175	70	46	25	34	79
151	38	52	26	35	30	12	17	1	-	227	81	99	21	26	80
26	12	9	1	4	5	3	2	-	-	20	8	9	3	-	81
57	10	17	20	10	13	7	5	1	-	115	45	38	20	12	82
35	19	16	16	9	9	9	9	-	-	76	56	20	20	8	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
17	7	3	1	6	7	3	3	-	1	32	9	8	8	7	85
12	...	5	...	7	-	...	-	...	-	20	...	8	...	12	86
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	87
3	...	1	...	2	-	...	-	...	-	4	...	-	...	4	88
3	...	-	...	3	-	...	-	...	-	-	...	-	...	-	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		RHODE ISLAND				
		Total	White		All other	
			Male	Female	Male	Female
01	ABORTIONS.....640-645	-	...	-	...	-
02	ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03	ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04	SPONTANEOUS ABORTION.....643	-	...	-	...	-
05	OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06	SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....67C,671,673	-	...	-	...	-
07	ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....63C, 633-635,654-662,672,674-678	-	...	-	...	-
08	DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	15	5	10	-	-
10	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....68C-686	4	3	1	-	-
11	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	11	2	9	-	-
12	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	16	4	12	-	-
13	ARTHRITIS AND SPONDYLITIS.....710-715	7	1	6	-	-
14	NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	-	-	-	-	-
15	OSTEOMYELITIS AND PERIOSTITIS.....720	-	-	-	-	-
16	ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	-	-	-	-	-
17	OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	9	3	6	-	-
18	XIV. CONGENITAL ANOMALIES.....	107	54	46	6	1
19	SPINA BIFIDA.....741	6	3	3	-	-
20	CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	19	9	10	-	-
21	CONGENITAL ANOMALIES OF HEART.....746	44	24	17	2	1
22	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	3	1	2	-	-
23	CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24	ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	35	17	14	4	-
25	XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	178	94	68	4	12
26	XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	23	8	14	1	-
27	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	1	-	1	-	-
28	SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	22	8	13	1	-
29	E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	460	292	140	23	5
30	ACCIDENTS.....E80C-E949	358	236	109	17	2
31	RAILWAY ACCIDENTS.....E800-E807	1	1	-	-	-
32	MOTOR VEHICLE ACCIDENTS.....E810-E823	149	107	36	6	-
33	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	146	106	34	6	-
34	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	1	-	1	-	-
35	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	42	26	15	1	-
36	MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	38	31	7	-	-
37	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	32	25	3	4	-
38	NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	18	12	5	1	-
39	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	15	12	3	-	-
40	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	3	1	2	-	-
41	OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	-	-	-	-	-
42	WATER TRANSPORT ACCIDENTS.....E830-E838	11	11	-	-	-
43	AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	1	1	-	-	-
44	ACCIDENTAL POISONING.....E850-E877	13	6	5	1	1
45	ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	4	2	2	-	-
46	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	2	1	1	-	-
47	ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	7	3	2	1	1
48	ACCIDENTAL FALLS.....E880-E887	93	42	49	2	-
49	FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	20	12	7	1	-
50	FALL ON SAME LEVEL.....E885-E886	14	6	8	-	-
51	OTHER AND UNSPECIFIED FALLS.....E887	59	24	34	1	-
52	ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	21	18	3	-	-
53	ACCIDENTAL DROWNING AND SUBMERSION.....E910	30	-	5	5	1
54	INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	9	3	5	1	-
55	ACCIDENT CAUSED BY FIREARM MISSILE.....E922	-	-	-	-	-
56	ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	11	10	-	-	-
57	ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	-	-	-	-	-
58	ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	-	-	-	-	-
59	ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	-	-	-	-	-
60	ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	5	4	-	1	-
61	OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	6	6	-	-	-
62	SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	10	7	2	1	-
63	ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	9	5	4	-	-
64	SUICIDE.....E950-E959	56	37	18	-	-
65	SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	15	5	10	-	-
66	SUICIDE FROM POISONING BY GASES.....E951,E952	14	11	3	-	-
67	SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	12	7	4	1	-
68	SUICIDE BY FIREARM AND EXPLOSIVE.....E955	11	11	-	-	-
69	SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	4	3	1	-	-
70	HOMICIDE.....E960-E978	23	12	4	4	3
71	ASSAULT BY FIREARM AND EXPLOSIVE.....E965	14	8	3	2	1
72	ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	5	2	-	2	1
73	ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	3	2	-	-	1
74	LEGAL EXECUTION.....E978	-	-	-	-	-
75	OTHER LEGAL INTERVENTION.....E97C-E977	1	-	1	-	-
76	INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	22	12	9	1	-
77	INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	1	1	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2	...	1	...	1	-	...	-	...	-	5	...	2	...	3
1	...	-	...	-	-	...	-	...	-	-	...	-	...	-
1	...	-	...	-	-	...	-	...	-	1	...	1	...	-
1	...	1	...	-	-	...	-	...	-	2	...	1	...	1
3	...	2	...	1	-	...	-	...	-	2	...	2	...	2
1	...	1	...	-	-	...	-	...	-	5	...	4	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
24	4	6	6	8	8	4	4	-	-	20	3	8	6	3
7	1	2	2	2	1	1	-	-	-	7	1	2	3	1
17	3	4	4	6	7	3	4	-	-	13	2	6	3	2
78	21	30	16	11	27	9	16	1	1	147	37	83	5	22
33	9	12	10	2	12	5	6	1	-	65	20	39	1	5
2	-	-	-	1	-	-	-	-	-	4	-	2	-	2
2	1	-	-	1	1	1	-	-	-	5	1	3	-	1
-	-	-	-	-	-	-	-	-	-	5	1	4	-	-
41	11	17	6	7	14	3	10	-	1	68	15	35	4	14
254	86	93	41	34	58	28	28	1	1	321	148	113	31	29
21	7	9	2	3	3	1	2	-	-	17	8	8	-	1
43	15	16	6	6	9	2	7	-	-	52	24	18	6	4
140	31	42	14	13	22	9	12	-	1	145	72	45	15	13
16	7	4	2	3	8	4	4	-	-	20	9	7	1	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
74	26	22	17	9	16	12	3	1	-	87	35	35	9	8
567	185	139	151	92	122	67	46	6	3	880	348	242	152	138
519	143	72	149	155	64	32	19	8	5	511	219	156	75	61
8	1	4	2	1	4	1	1	2	-	11	2	7	1	1
511	142	68	147	154	60	31	18	6	5	500	217	149	74	60
2,437	1,025	380	804	228	622	368	147	83	24	3,439	1,960	743	542	194
1,832	767	296	586	183	536	310	133	72	21	2,516	1,439	677	326	144
11	7	-	2	2	3	1	-	2	-	26	19	3	4	-
940	417	154	297	72	286	155	76	41	14	1,354	815	299	175	65
523	409	152	292	70	278	152	74	39	13	1,332	800	294	175	63
17	13	2	2	-	9	6	2	1	-	29	16	6	7	-
285	140	63	63	19	133	68	45	14	6	593	345	160	64	24
171	40	22	83	26	27	11	4	2	2	155	69	33	37	16
72	33	15	24	-	41	32	7	2	2	110	68	21	17	4
299	142	36	101	20	64	33	16	10	5	401	276	60	48	17
75	41	14	19	5	4	2	-	2	-	44	26	14	2	2
17	8	2	5	2	8	2	2	2	1	22	15	5	-	2
3	3	-	-	-	4	1	2	1	-	3	3	-	-	-
50	32	2	12	4	3	2	2	1	-	24	18	3	3	-
14	11	3	-	-	9	8	1	-	-	27	26	1	-	-
42	15	8	14	5	13	7	2	2	2	69	43	15	6	5
18	6	4	6	2	4	1	2	1	-	20	7	9	1	3
13	5	2	4	2	2	1	-	-	1	15	7	4	3	1
11	4	2	1	1	7	5	-	-	1	34	29	2	2	1
153	46	73	24	10	62	30	30	1	1	321	124	158	18	21
44	20	10	10	4	19	9	8	1	1	74	42	18	8	6
5	-	5	-	-	4	3	1	-	-	11	4	6	-	1
104	26	58	14	6	39	18	21	-	-	236	78	134	10	14
167	50	17	56	44	21	12	4	4	1	169	59	48	37	25
128	45	4	73	6	20	11	2	7	-	103	65	11	23	-
64	20	14	15	15	7	2	3	1	1	53	33	7	9	4
59	28	10	19	2	15	14	1	-	-	59	40	5	9	5
100	68	1	27	4	50	44	3	2	1	148	119	8	19	2
1	-	-	1	1	-	-	-	-	-	2	2	-	-	-
8	6	-	1	1	4	3	-	1	-	9	8	-	-	1
6	3	-	2	1	-	-	-	-	-	10	3	3	3	1
22	20	-	2	2	6	5	1	-	-	33	28	1	4	-
63	39	1	22	1	40	36	2	1	1	94	78	4	12	-
12	4	3	4	1	4	3	1	-	-	25	8	12	4	1
89	21	7	43	18	39	20	8	10	1	135	63	37	19	16
245	163	60	17	5	64	46	13	3	2	458	336	91	23	8
11	7	9	1	-	6	1	2	1	2	36	12	21	-	3
11	7	3	1	-	4	2	2	-	-	28	24	4	-	6
14	12	1	15	1	15	10	5	-	-	28	16	8	4	-
195	138	44	13	4	34	29	3	2	-	335	270	46	15	4
10	5	3	2	-	5	4	1	-	-	31	14	12	4	1
326	82	18	188	38	15	8	1	5	1	423	157	39	187	40
259	48	10	155	26	6	5	-	-	-	314	128	26	135	25
33	4	7	21	7	3	3	1	2	1	57	12	3	35	7
32	10	7	10	5	6	3	-	2	1	45	15	10	12	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	2	-	-	-	-	-	-	7	2	-	5	-
32	12	6	12	2	7	4	-	3	-	41	27	6	6	2
2	1	-	1	-	-	-	-	-	-	1	1	-	-	-

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	TEXAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	94,043	45,844	33,957	8,089	6,133
02 I. INFECTIVE AND PARASITIC DISEASES.....	1,213	544	393	167	109
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	1	-	-	-	1
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	2	1	1	-	-
06 BACILLARY DYSENTERY AND ANEBIASIS.....004,006	17	9	4	1	3
07 FOOD POISONING (BACTERIAL).....005	4	3	1	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....008,009	250	86	98	40	26
09 TUBERCULOSIS, ALL FORMS.....010-019	305	175	66	45	19
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	261	155	50	39	17
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	6	3	1	2	-
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	1	-	-	1	-
14 DISSEMINATED TUBERCULOSIS.....018	11	6	3	1	1
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	26	11	12	2	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	2	-	2	-	-
20 DIPHTHERIA.....032	8	3	2	1	2
21 WHOOPING COUGH.....033	4	-	-	2	1
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	2	1	1	-	-
23 ERYSIPELAS.....035	1	-	1	-	-
24 MENINGOCOCCAL INFECTIONS.....036	66	28	16	12	10
25 TETANUS.....037	14	3	3	4	4
26 SEPTICEMIA.....038	229	160	84	27	18
27 OTHER BACTERIAL DISEASES.....C07,021,C24-027,C31,039	33	13	12	4	4
28 ACUTE POLIOMYELITIS.....040-043	3	2	1	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	4	1	2	1	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	4	2	1	-	1
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	21	9	10	2	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	2	1	-	-	-
35 INFECTIOUS HEPATITIS.....070	80	32	41	3	4
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,C56,C57,C61,067,068,072-079	52	24	18	6	4
38 TYPHUS AND OTHER RICKETTSIOSIS.....080-083	-	-	-	-	-
39 MALARIA.....084	1	1	-	-	-
40 TRY PANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....090-097	52	22	9	16	5
43 CONGENITAL SYPHILIS.....090	14	3	5	3	3
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093,0	4	3	-	1	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093,9	23	12	2	7	2
47 TABES DORSALIS.....094,0	2	1	1	-	-
48 GENERAL PARESIS.....094,1	1	1	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094,9	7	2	1	4	-
50 ALL OTHER SYPHILIS.....095,097,0,097,9	1	-	-	1	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASES.....121,123,124,127-129	3	3	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	53	24	19	3	7
58 II. NEOPLASMS.....	15,364	7,404	5,925	1,165	870
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	15,182	7,340	5,845	1,147	850
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	346	230	85	25	6
61 OF LIP.....140	13	9	4	-	-
62 OF TONGUE.....141	82	59	18	5	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	96	58	32	4	2
64 OF PHARYNX.....146-149	155	104	31	16	4
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	4,004	1,796	1,628	350	230
66 OF ESOPHAGUS.....150	217	117	48	39	13
67 OF STOMACH.....151	748	353	242	101	52
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	27	11	14	2	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	1,343	543	650	73	77
70 CECUM, APPENDIX, AND ASCENDING COLON.....153,0	138	63	63	6	6
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153,1	50	22	17	6	5
72 DESCENDING COLON.....153,2	38	17	16	4	1
73 SIGMOID COLON.....153,3	168	58	94	9	7
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153,8	907	366	439	46	56
75 INTESTINAL TRACT, PART UNSPECIFIED.....153,9	42	17	21	2	2
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	309	150	115	27	17
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	192	95	58	27	7
78 OF GALLBLADDER AND BILE DUCTS.....156	190	65	115	3	7
79 OF PANCREAS.....157	904	433	345	75	51
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	74	25	41	3	1
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	3,373	2,440	556	311	46
82 OF LARYNX.....161	125	94	13	15	3
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	3,194	2,314	525	293	62
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	54	32	18	3	1
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	1,692	256	1,255	23	158
86 OF BONE.....170	92	44	27	13	8
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	74	34	30	1	9
88 OF SKIN.....172,173	306	171	122	7	6
89 OF BREAST.....174	1,220	7	1,076	2	135

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

UTAH					VERMONT					VIRGINIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,819	3,777	2,902	89	51	4,427	2,482	1,536	5	4	39,126	16,684	12,765	5,547	4,130	01
59	26	23	4	6	36	19	17	-	-	418	135	118	113	52	02
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	05
-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	06
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	07
19	4	8	3	4	4	3	1	-	-	59	16	23	12	8	08
8	6	-	1	1	14	8	6	-	-	137	46	24	56	11	09
6	4	-	1	1	12	7	5	-	-	119	41	21	41	10	10
1	1	-	-	-	-	-	-	-	-	2	-	1	1	-	11
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	1	1	-	-	7	-	2	5	-	14
1	1	-	-	-	1	-	1	-	-	14	5	-	8	1	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	20
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
3	1	2	-	-	3	2	1	-	-	17	6	6	1	4	24
6	3	3	-	-	6	2	4	-	-	-	-	-	-	-	25
2	2	-	-	-	6	2	4	-	-	88	30	33	16	9	26
-	-	-	-	-	-	-	-	-	-	13	4	3	2	4	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	30
-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	31
-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	32
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	33
9	2	7	-	-	3	1	2	-	-	14	6	3	2	3	34
3	1	1	-	-	2	1	1	-	-	15	3	10	1	1	35
-	-	-	-	-	-	-	-	-	-	5	-	4	1	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
4	4	-	-	-	1	1	-	-	-	19	5	1	10	3	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	1	1	-	-	-	1	3	1	7	2	45
-	-	-	-	-	-	-	-	-	-	12	3	-	-	-	46
1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	47
1	1	-	-	-	-	-	-	-	-	2	-	-	1	1	48
2	2	-	-	-	-	-	-	-	-	3	1	-	2	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
3	1	2	-	-	2	2	2	-	-	33	11	5	10	7	57
986	523	451	7	5	810	443	365	1	1	6,261	2,562	2,245	834	618	58
961	514	435	7	5	804	442	360	1	1	6,138	2,515	2,200	826	597	59
19	15	4	-	-	15	10	5	-	-	153	90	35	22	6	60
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	61
6	5	1	-	-	2	1	1	-	-	34	21	7	5	1	62
6	5	1	-	-	6	4	2	-	-	43	23	15	4	1	63
7	5	2	-	-	7	5	2	-	-	74	44	13	13	4	64
276	144	122	2	2	247	126	121	-	-	1,641	597	607	256	181	65
5	7	1	-	-	14	9	5	-	-	139	57	19	51	12	66
55	34	21	-	-	32	20	12	-	-	264	94	77	65	28	67
3	2	1	-	-	3	3	1	-	-	7	3	1	1	2	68
96	40	53	1	2	105	49	56	-	-	593	201	275	50	67	69
14	5	9	-	-	17	5	12	-	-	65	22	31	2	10	70
4	-	4	-	-	14	7	7	-	-	20	7	10	2	1	71
3	-	3	-	-	5	1	4	-	-	14	2	7	2	3	72
16	7	3	-	-	26	10	16	-	-	70	28	33	4	5	73
59	25	32	1	1	36	20	16	-	-	398	132	185	36	45	74
6	3	2	-	-	7	6	1	-	-	26	10	5	4	3	75
32	19	13	-	-	42	22	20	-	-	191	69	76	19	27	76
1	-	1	-	-	4	1	3	-	-	34	18	9	5	2	77
17	5	12	-	-	8	1	7	-	-	72	17	45	4	4	78
53	35	18	-	-	37	23	14	-	-	310	128	95	54	33	79
4	2	2	-	-	2	1	1	-	-	31	10	10	7	4	80
153	121	28	4	-	170	149	20	1	-	1,357	871	193	249	44	81
8	7	1	-	-	9	8	1	-	-	61	37	11	12	1	82
141	111	26	4	-	159	139	19	1	-	1,272	824	175	230	43	83
4	3	1	-	-	2	2	-	-	-	24	10	7	7	-	84
112	16	96	-	-	89	11	77	-	1	656	72	455	11	118	85
5	4	1	-	-	3	3	-	-	-	34	22	9	2	1	86
4	1	3	-	-	4	1	-	-	-	26	12	9	4	1	87
16	10	6	-	-	13	7	6	-	-	77	34	34	4	5	88
87	1	86	-	-	72	-	71	-	1	519	4	403	1	111	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	TEXAS				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.—CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	2,018	717	911	176	214
02 OF CERVIX UTERI.....180	398	...	299	...	99
03 OF OTHER PARTS OF UTERUS.....181,182	243	...	190	...	53
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	451	...	396	...	55
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	33	...	26	...	7
06 OF PROSTATE.....185	838	664	...	174	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	55	53	...	2	...
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	631	381	178	46	26
09 OF BLADDER.....188	328	199	91	26	12
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	303	182	87	20	14
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	1,456	675	592	103	86
12 OF EYE.....190	17	10	6	1	-
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	415	228	170	11	6
14 OF THYROID GLAND.....193	50	19	24	1	6
15 OTHER.....194-199	974	418	392	90	74
16 LEUKEMIA.....204-207	797	432	294	43	28
17 LYMPHATIC LEUKEMIA.....204	272	157	89	15	11
18 MYELOID LEUKEMIA.....205	310	152	129	20	9
19 MONOCYTIC LEUKEMIA.....206	18	11	6	1	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	197	112	70	7	8
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	865	413	346	70	36
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	286	141	130	8	7
23 HODGKIN'S DISEASE.....201	145	86	42	10	7
24 MULTIPLE MYELOMA.....203	231	101	79	33	18
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	203	85	95	19	4
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	182	64	80	18	20
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	14	...	7	...	7
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	37	11	21	2	3
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	41	19	17	2	3
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	4	...	2	...	2
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	56	27	20	7	2
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	30	7	13	7	3
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	2,239	723	1,112	144	260
34 NONTOXIC GOITER.....240,241	3	-	2	-	1
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	12	2	8	-	2
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	24	5	16	1	2
37 DIABETES MELLITUS.....250	1,770	550	890	110	220
38 DISEASES OF PITUITARY GLAND.....253	13	6	6	1	-
39 DISEASES OF THYRUS GLAND.....254	1	-	-	1	-
40 DISEASES OF ADRENAL GLAND.....255	32	7	21	2	2
41 NIACIN DEFICIENCY.....262	2	-	2	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	177	60	80	19	18
43 CYSTIC FIBROSIS.....273-0	25	13	10	-	2
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	180	80	77	10	13
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	281	109	121	26	25
46 ANEMIAS.....280-285	185	77	73	19	16
47 DEFICIENCY ANEMIAS.....280,281	19	10	7	-	2
48 HEMOLYTIC ANEMIAS.....282,283	37	10	9	11	7
49 APLASTIC ANEMIA.....284	60	31	24	4	1
50 OTHER AND UNSPECIFIED ANEMIAS.....285	60	26	33	4	6
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	35	12	15	2	6
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	61	20	33	5	3
53 V. MENTAL DISORDERS.....	259	133	81	39	6
54 SENILE AND PRESENILE DEMENTIAS.....290	19	8	11	-	-
55 ALCOHOLIC PSYCHOSES.....291	24	14	6	4	-
56 ALL OTHER PSYCHOSES.....294-299	7	4	2	1	-
57 ALCOHOLISM.....303	138	82	27	25	4
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	62	23	30	7	2
59 MENTAL RETARDATION.....310-315	9	2	5	2	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	876	424	326	71	55
61 MENINGITIS.....320	123	50	37	17	19
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	39	25	9	-	1
63 MULTIPLE SCLEROSIS.....340	49	21	26	-	2
64 PARALYSIS AGITANS.....342	122	67	49	2	4
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	38	12	21	4	1
66 EPILEPSY.....345	78	31	19	19	9
67 INFLAMMATORY DISEASES OF EYE.....360-369	2	-	2	-	-
68 CATARACT.....374	1	-	-	-	-
69 GLAUCOMA.....375	1	-	-	1	-
70 OTITIS MEDIA AND NASITIDITIS.....381-383	2	2	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-356,370-373,376-380,384-389	422	212	163	28	19
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	46,689	22,433	17,804	3,354	3,098
73 ACTIVE RHEUMATIC FEVER.....350-392	12	4	4	-	4
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	455	199	192	26	38
75 DISEASES OF MITRAL VALVE.....394	129	43	71	5	10
76 DISEASES OF AORTIC VALVE.....395	147	78	45	12	12
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	10	2	8	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	169	76	68	9	16
79 HYPERTENSIVE DISEASE.....400-404	1,050	353	436	123	138
80 MALIGNANT HYPERTENSION.....400	89	26	18	24	21
81 ESSENTIAL BENIGN HYPERTENSION.....401	76	25	33	7	11
82 HYPERTENSIVE HEART DISEASE.....402	418	118	199	36	65
83 HYPERTENSIVE RENAL DISEASE.....403	228	88	87	30	23
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	239	56	99	26	18

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

UTAH					VERMONT					VIRGINIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
147	79	67	1	-	93	45	48	-	-	839	233	363	122	121	01
17	...	17	...	-	16	...	16	...	-	169	...	104	...	65	02
14	...	14	...	-	13	...	13	...	-	102	...	82	...	20	03
34	...	34	...	-	18	...	18	...	-	191	...	160	...	31	04
2	...	2	...	-	1	...	1	...	-	22	...	17	...	5	05
76	75	...	1	...	44	44	339	219	...	120	...	06
4	4	1	1	16	14	...	31	...	07
52	39	12	-	1	45	29	16	-	-	234	112	67	31	24	08
27	24	3	-	-	29	19	10	-	-	119	59	34	19	11	09
25	15	9	-	1	16	10	6	-	-	115	97	33	12	13	10
92	44	47	-	1	69	26	43	-	-	697	288	270	78	61	11
1	1	-	-	-	4	4	...	-	-	7	4	3	-	-	12
36	20	15	-	1	18	9	9	-	-	153	73	54	16	10	13
3	-	3	-	-	3	1	2	-	-	17	8	6	1	2	14
52	23	29	-	-	44	16	28	-	-	520	203	207	61	49	15
52	22	30	-	-	34	21	13	-	-	238	106	97	20	15	16
20	7	13	-	-	7	7	2	-	-	83	37	33	8	5	17
27	12	15	-	-	16	8	8	-	-	98	42	42	7	7	18
-	-	-	-	-	-	-	-	-	-	9	2	6	1	-	19
5	3	2	-	-	9	6	3	-	-	48	25	16	4	3	20
64	34	29	-	1	42	25	17	-	-	323	146	113	37	27	21
23	16	13	-	-	10	7	3	-	-	128	67	44	10	7	22
12	4	7	-	1	9	4	5	-	-	57	29	18	6	4	23
18	10	8	-	-	10	7	3	-	-	77	28	22	14	13	24
5	4	1	-	-	13	7	6	-	-	61	22	29	7	3	25
25	9	16	-	-	6	1	5	-	-	123	47	45	10	21	26
1	...	1	...	-	7	...	1	...	6	27
8	1	7	-	-	2	-	2	-	-	16	5	8	-	3	28
1	1	-	-	-	-	-	-	-	-	20	10	5	4	1	29
-	...	-	...	-	-	1	...	-	...	1	30
12	7	5	-	-	3	1	2	-	-	46	19	21	4	2	31
3	-	3	-	-	1	-	1	-	-	33	13	10	2	8	32
194	73	115	5	1	95	34	61	-	-	818	233	317	97	171	33
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	34
1	-	1	-	-	1	-	1	-	-	9	-	7	2	-	35
1	-	1	-	-	2	-	2	-	-	6	3	2	-	1	36
148	56	87	4	1	76	27	49	-	-	664	198	248	72	146	37
1	-	1	-	-	1	-	1	-	-	3	-	1	1	-	38
-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	39
4	1	3	-	-	1	-	1	-	-	9	2	5	-	2	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
15	6	8	1	-	3	2	1	-	-	51	9	22	9	11	42
4	2	2	-	-	3	3	3	-	-	10	4	6	-	4	43
20	8	12	-	-	8	5	3	-	-	64	16	25	13	10	44
15	9	4	1	1	7	2	5	-	-	108	39	36	20	13	45
8	4	3	1	-	6	1	5	-	-	74	23	22	17	12	46
1	1	1	-	-	1	-	1	-	-	13	6	5	1	1	47
3	1	2	-	-	3	3	3	-	-	19	2	2	9	6	48
1	1	-	-	-	2	1	1	-	-	19	7	8	3	1	49
3	2	-	1	-	1	-	-	-	-	23	8	7	4	4	50
2	1	1	-	-	1	1	-	-	-	9	4	5	-	-	51
5	4	-	-	1	-	-	-	-	-	25	12	9	3	1	52
29	23	5	1	-	23	18	5	-	-	242	122	38	67	15	53
3	1	2	-	-	2	2	-	-	-	4	3	1	-	-	54
1	1	-	-	-	6	6	-	-	-	27	17	1	8	1	55
2	1	1	-	-	3	1	2	-	-	5	2	3	-	-	56
17	15	1	1	-	7	6	1	-	-	171	82	22	55	12	57
4	3	1	-	-	5	3	2	-	-	29	13	11	3	2	58
2	2	-	-	-	-	-	-	-	-	6	5	-	1	-	59
86	45	40	1	-	49	26	23	-	-	327	133	162	49	43	60
6	3	3	-	-	4	4	-	-	-	44	14	7	12	11	61
4	4	2	-	-	1	1	-	-	-	19	11	6	-	2	62
8	2	6	-	-	5	2	3	-	-	23	4	12	-	7	63
20	14	6	-	-	7	1	6	-	-	43	21	21	-	1	64
1	-	1	-	-	1	1	-	-	-	12	4	4	1	3	65
10	3	6	1	-	8	5	3	-	-	43	15	7	15	6	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	-	1	-	-	1	-	1	-	-	1	-	-	-	1	68
-	-	-	-	-	-	-	-	-	-	6	2	2	2	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
34	19	15	-	-	22	12	10	-	-	136	62	43	19	12	71
3,136	1,670	1,423	24	13	2,365	1,268	1,094	2	1	20,238	8,601	6,960	2,521	2,156	72
-	-	-	-	-	1	1	-	-	-	4	-	-	3	1	73
108	50	57	-	1	31	15	16	-	-	212	93	91	11	17	74
30	9	21	-	-	5	1	4	-	-	51	18	26	1	4	75
20	14	5	-	1	9	4	5	-	-	72	42	18	7	5	76
5	3	2	-	-	1	1	-	-	-	6	2	4	-	-	77
93	24	29	-	-	16	9	7	-	-	83	31	41	3	8	78
72	24	46	-	2	67	31	36	-	-	504	130	155	98	121	79
2	1	1	-	-	1	1	-	-	-	37	4	3	18	12	80
8	2	6	-	-	2	-	2	-	-	23	6	5	2	6	81
23	6	16	-	1	16	6	10	-	-	127	26	38	28	35	82
8	4	3	-	1	31	16	15	-	-	106	30	31	24	21	83
31	11	20	-	-	17	9	8	-	-	211	64	74	26	47	84

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	TEXAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ISCHEMIC HEART DISEASE.....410-413	27,566	14,621	9,588	1,793	1,564
02 WITH HYPERTENSIVE DISEASE (.0).....	2,828	1,015	1,162	298	353
03 WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	24,738	13,606	8,426	1,495	1,211
04 ACUTE MYOCARDIAL INFARCTION.....410	16,871	9,807	5,347	955	762
05 OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	413	151	99	67	56
06 CHRONIC ISCHEMIC HEART DISEASE.....412	10,269	4,616	4,136	771	746
07 ANGINA PECTORIS.....413	13	7	6	-	-
08 OTHER FORMS OF HEART DISEASE.....420-429	3,314	1,577	1,121	345	271
09 NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDIITIS.....420,422	48	23	13	5	7
10 ACUTE AND SUBACUTE ENDOCARDITIS.....421	18	10	5	2	1
11 CHRONIC DISEASE OF ENDOCARDIUM.....424	45	17	13	6	9
12 OF MITRAL VALVE, NONRHEUMATIC.....424.0	1	-	-	-	1
13 OF AORTIC VALVE, NONRHEUMATIC.....424.1	7	3	2	2	-
14 OF OTHER ENDOCARDIAL STRUCTURES.....424.9	37	14	11	4	8
15 SYMPTOMATIC HEART DISEASE.....427	1,429	580	584	137	128
16 OTHER MYOCARDIAL INSUFFICIENCY.....428	376	154	180	24	18
17 ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	1,398	793	326	171	108
18 CEREBROVASCULAR DISEASES.....430-438	10,726	4,050	4,897	844	895
19 WITH HYPERTENSION (BENIGN) (.0).....	1,233	360	506	150	197
20 WITHOUT MENTION OF HYPERTENSION (.9).....	9,493	3,710	4,391	694	698
21 SUBARACHNOID HEMORRHAGE.....430	416	136	201	38	41
22 CEREBRAL HEMORRHAGE.....431	2,013	759	891	186	177
23 CEREBRAL THROMBOSIS.....433	2,222	814	1,091	174	143
24 CEREBRAL EMBOLISM.....434	55	25	26	1	3
25 OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	159	83	54	15	7
26 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	3,929	1,539	1,671	315	404
27 OTHER CEREBROVASCULAR DISEASES.....437,438	1,932	724	963	118	120
28 DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	2,756	1,237	1,242	153	124
29 ARTERIOSCLEROSIS.....440	1,618	641	839	76	62
30 AORTIC ANEURYSM (NONSYPHILITIC).....441	529	338	130	38	23
31 GANGRENE.....445	132	52	53	16	11
32 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	477	206	220	23	28
33 DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	810	352	324	70	64
34 VENOUS THROMBOSIS AND EMBOLISM.....450-453	710	301	289	62	58
35 OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	100	51	35	8	6
36 VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	6,093	3,361	1,925	555	312
37 ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	27	13	11	3	-
38 ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	62	29	23	6	4
39 INFLUENZA.....470-474	268	110	116	21	21
40 PNEUMONIA.....480-486	3,349	1,511	1,251	358	229
41 VIRAL PNEUMONIA.....480	83	40	30	7	6
42 BACTERIAL PNEUMONIA.....481,482	330	174	87	44	25
43 ACUTE INTERSTITIAL PNEUMONIA.....484	81	27	21	14	19
44 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	1,135	524	444	117	50
45 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	1,720	746	669	176	129
46 BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	1,575	1,171	292	81	31
47 BRONCHITIS, UNQUALIFIED.....490	58	28	19	4	7
48 CHRONIC BRONCHITIS.....491	253	181	55	14	3
49 EMPHYSEMA.....492	1,170	931	185	46	8
50 ASTHMA.....493	94	31	33	17	13
51 HYPERTROPHY OF TONSILS AND ADENOIDS.....500	2	2	-	-	1
52 EMPYEMA AND ABSCESS OF LUNG.....510,513	68	39	14	14	1
53 PLEURISY.....511	15	10	3	1	1
54 OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	156	92	51	10	3
55 BRONCHIECTASIS.....518	30	21	21	2	1
56 OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	517	294	143	59	21
57 IX. DISEASES OF THE DIGESTIVE SYSTEM.....	3,449	1,717	1,312	255	165
58 DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	2	-	2	-	-
59 PEPTIC ULCER.....531-533	409	243	114	43	9
60 ULCER OF STOMACH.....531	133	59	53	15	6
61 ULCER OF DUODENUM.....532	194	134	35	22	3
62 PEPTIC ULCER, SITE UNSPECIFIED.....533	82	50	26	6	-
63 GASTRITIS AND DUODENITIS.....535	29	13	13	3	-
64 APPENDICITIS.....540-543	77	36	25	13	3
65 HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	397	149	194	31	23
66 GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	1	-	-	-	1
67 DIVERTICULA OF INTESTINE.....562	129	49	73	2	5
68 CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	55	20	28	4	3
69 CIRRHOSIS OF LIVER.....571	1,215	652	378	91	54
70 ALCOHOLIC.....571.0	365	225	92	32	16
71 OTHER SPECIFIED.....571.8	219	109	70	24	16
72 UNSPECIFIED.....571.9	631	358	216	35	22
73 CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	201	76	113	4	8
74 OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	934	429	372	64	59
75 X. DISEASES OF THE GENITOURINARY SYSTEM.....	1,765	729	649	215	172
76 NEPHRITIS AND NEPHROSIS.....580-584	560	156	201	83	80
77 ACUTE NEPHRITIS.....580	67	18	30	9	10
78 NEPHROTIC SYNDROME.....581	21	8	8	-	5
79 CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	472	170	163	74	65
80 INFECTIONS OF KIDNEY.....590	544	179	269	44	52
81 CALCULI OF URINARY SYSTEM.....592,594	39	18	18	2	1
82 OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	402	155	132	47	28
83 HYPERPLASIA OF PROSTATE.....600	115	90	...	25	...
84 DISEASES OF BREAST.....610,611	-	-	-	-	-
85 OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	105	51	29	14	11
86 XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	59	...	39	...	20
87 ECTOPIC PREGNANCY.....631	5	...	2	...	3
88 TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	13	...	9	...	4
89 HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	10	...	6	...	4

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix

UTAH					VERMONT					VIRGINIA					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,861	1,081	764	13	3	1,559	907	650	2	-	12,915	6,104	4,206	1,463	1,142	01
223	95	127	-	1	171	76	95	-	-	1,773	550	582	317	324	02
1,638	986	637	13	2	1,388	831	555	2	-	11,142	5,554	3,624	1,146	818	03
1,077	729	342	6	-	743	486	256	1	-	6,483	3,603	1,875	591	414	04
4	3	1	-	-	4	2	2	-	-	794	334	152	200	108	05
778	348	420	7	3	810	417	392	1	-	5,633	2,164	2,178	671	620	06
2	1	1	-	-	2	2	2	-	-	5	3	1	1	1	07
171	81	87	-	-	52	25	27	-	-	856	314	251	167	124	08
2	-	2	-	-	2	1	1	-	-	17	9	4	2	1	09
5	3	1	-	-	2	2	2	-	-	12	6	4	1	2	10
7	4	3	-	-	4	3	1	-	-	23	9	8	1	1	11
1	1	-	-	-	4	-	-	-	-	5	3	1	-	-	12
-	-	-	-	-	4	3	1	-	-	1	5	2	-	-	13
6	3	3	-	-	4	3	1	-	-	17	6	5	4	2	14
93	40	52	-	1	24	10	14	-	-	460	173	153	73	61	15
27	10	17	-	-	7	3	4	-	-	214	68	51	52	43	16
37	24	12	-	1	13	6	7	-	-	130	49	31	35	15	17
655	291	352	9	3	444	187	256	-	1	4,255	1,374	1,676	605	600	18
76	30	44	2	-	54	19	35	-	-	585	147	195	119	124	19
579	261	308	7	3	390	168	221	-	1	3,670	1,227	1,481	486	476	20
26	14	12	-	-	19	8	11	-	-	255	91	88	33	43	21
107	57	49	-	1	114	51	62	-	-	851	259	314	143	135	22
155	64	87	8	-	142	56	86	-	1	1,117	383	457	133	144	23
4	-	4	-	-	3	-	3	-	-	19	5	10	4	-	24
5	3	2	-	-	4	3	1	-	-	68	34	23	8	3	25
223	90	131	-	2	96	42	54	-	-	1,243	371	460	200	212	26
131	63	67	1	-	66	27	39	-	-	702	231	324	84	63	27
206	107	97	1	1	170	82	88	-	-	1,099	440	441	114	104	28
105	41	64	-	-	89	31	58	-	-	579	192	265	61	61	29
56	42	13	1	-	45	35	10	-	-	241	144	58	23	16	30
9	3	5	-	1	15	6	9	-	-	48	15	17	4	12	31
36	21	15	-	-	21	10	11	-	-	231	89	101	26	15	32
57	36	20	1	-	41	20	21	-	-	393	146	140	60	47	33
53	33	19	1	-	41	20	21	-	-	351	126	128	54	43	34
4	3	1	-	-	-	-	-	-	-	42	20	12	6	4	35
428	255	163	8	2	314	203	110	1	-	2,511	1,193	728	364	226	36
7	1	6	-	-	5	2	3	-	-	10	4	3	2	1	37
5	3	2	-	-	2	1	1	-	-	18	4	6	4	4	38
22	7	15	-	-	13	8	5	-	-	115	33	55	12	15	39
261	104	92	5	-	160	87	72	1	-	1,463	591	452	254	166	40
6	3	3	-	-	6	4	2	-	-	27	7	11	3	6	41
25	12	10	3	-	20	7	13	-	-	156	61	48	30	17	42
1	-	1	-	-	-	-	-	-	-	29	12	5	6	6	43
62	37	24	1	-	82	47	35	-	-	596	272	183	92	49	44
107	52	54	1	-	52	29	22	1	-	655	239	205	123	88	45
116	90	24	-	2	99	78	21	-	-	590	410	112	51	17	46
1	-	-	-	-	3	2	1	-	-	21	11	5	7	1	47
15	6	8	-	1	20	16	4	-	-	109	85	16	7	1	48
92	60	12	-	-	72	58	14	-	-	392	296	64	28	4	49
8	4	4	-	-	4	2	2	-	-	68	18	23	15	12	50
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	51
1	1	-	-	-	-	-	-	-	-	30	12	6	9	3	52
-	-	-	-	-	-	-	-	-	-	7	3	3	-	1	53
18	10	8	-	-	7	4	3	-	-	84	42	32	7	3	54
4	2	2	-	-	-	-	-	-	-	15	4	10	-	1	55
54	37	14	3	-	28	23	5	-	-	178	89	49	25	15	56
264	145	111	4	4	169	94	75	-	-	1,388	605	472	184	127	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
34	24	9	1	-	24	13	11	-	-	167	87	49	25	6	59
11	7	3	1	-	2	2	2	-	-	78	42	23	10	3	60
15	12	3	-	-	16	11	5	-	-	65	33	18	11	3	61
8	5	3	-	-	6	2	4	-	-	24	12	8	4	-	62
2	1	1	-	-	4	4	-	-	-	6	2	2	1	1	63
4	2	1	-	1	-	-	-	-	-	22	5	6	9	2	64
33	12	21	-	-	14	9	5	-	-	158	61	57	19	21	65
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	66
13	5	8	-	-	17	9	8	-	-	44	18	19	3	4	67
4	1	3	-	-	5	3	2	-	-	25	9	13	1	2	68
85	57	25	1	2	53	34	19	-	-	533	241	163	75	54	69
35	26	8	-	1	16	13	3	-	-	198	85	61	40	12	70
15	9	5	-	-	11	5	6	-	-	88	33	32	7	16	71
35	22	12	-	1	26	16	10	-	-	247	123	70	28	26	72
26	12	14	-	-	17	5	12	-	-	60	27	26	-	7	73
63	31	29	2	1	35	17	18	-	-	372	154	137	51	30	74
116	59	55	2	-	68	37	31	-	-	653	238	189	120	106	75
48	19	27	2	-	18	7	11	-	-	228	75	58	47	48	76
6	4	6	-	-	2	2	-	-	-	20	10	4	3	3	77
4	2	1	1	-	2	1	1	-	-	12	2	4	3	3	78
38	17	20	1	-	14	4	10	-	-	196	63	50	41	42	79
21	11	10	-	-	27	11	16	-	-	183	68	62	26	27	80
4	2	2	-	-	1	1	-	-	-	23	10	9	1	3	81
28	15	13	-	-	9	6	3	-	-	144	48	46	28	22	82
2	-	-	-	-	9	9	-	-	-	39	25	-	14	-	83
13	10	3	-	-	4	3	1	-	-	1	-	1	-	-	84
3	...	2	...	1	1	...	-	...	1	13	...	6	...	7	86
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	87
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	88
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1985 (ICDA). Four-digit

CAUSE OF DEATH	TEXAS				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	4	...	2	...	2
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	4	...	2	...	2
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,672	9	...	7	...	2
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630, 633-635, 654-662, 672, 674-678	18	...	13	...	5
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
09 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	112	37	43	13	19
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....680-686	22	13	7	1	1
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	90	24	36	12	18
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	244	70	132	12	30
13 ARTHRITIS AND SPONDYLITIS.....710-715	105	29	70	3	3
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	6	2	3	1	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	8	5	-	3	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727, 735-738	3	1	2	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726, 728-734	122	33	57	5	27
18 XIV. CONGENITAL ANOMALIES.....	991	448	403	79	61
19 SPINA BIFIDA.....741	62	21	35	2	4
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740, 742, 743	165	66	85	7	7
21 CONGENITAL ANOMALIES OF HEART.....746	411	152	155	36	28
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	57	20	23	9	5
23 CLEFT PALATE AND CLEFT LIP.....749	3	2	1	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744, 745, 748, 750-759	293	147	104	25	17
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	2,719	1,281	839	326	273
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	1,999	534	557	283	225
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	162	52	69	15	26
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792, 795, 796	1,837	882	480	260	199
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	9,691	5,577	2,296	1,385	433
30 ACCIDENTS.....E800-E949	7,085	4,174	1,830	775	306
31 RAILWAY ACCIDENTS.....E800-E807	40	29	2	9	-
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	3,561	2,148	901	388	124
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	3,465	2,068	890	386	121
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	121	78	27	13	3
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	1,646	911	501	172	62
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	444	242	107	70	25
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811, E813, E815	512	340	101	61	10
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	588	351	121	59	17
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	154	106	33	11	4
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	96	80	11	2	3
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	13	9	3	1	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	112	77	17	16	2
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	154	129	24	1	-
44 ACCIDENTAL POISONING.....E850-E877	209	115	62	19	13
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	91	45	29	11	6
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	58	30	18	4	6
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	60	40	15	4	1
48 ACCIDENTAL FALLS.....E880-E887	776	363	359	35	79
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	172	116	36	15	5
50 FALL ON SAME LEVEL.....E885-E886	37	15	19	2	1
51 OTHER AND UNSPECIFIED FALLS.....E887	567	232	304	18	13
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	403	158	109	75	61
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	477	368	76	79	14
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911, E912	259	128	77	26	28
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	195	146	20	22	7
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921, E923-E928	384	305	27	41	11
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	11	9	-	1	1
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	53	37	9	3	4
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924, E926	18	8	3	3	4
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	106	57	4	4	1
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919, E921, E927, E928	196	154	11	30	1
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	156	63	71	13	9
63 ALL OTHER ACCIDENTS.....E900-E909, E913-E915, E929, E940-E949	346	196	82	50	18
64 SUICIDE.....E950-E959	1,155	789	311	37	18
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	115	35	71	1	4
66 SUICIDE FROM POISONING BY GASES.....E951, E952	92	54	38	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	105	80	17	6	2
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	796	588	169	28	11
69 SUICIDE BY ALL OTHER MEANS.....E954, E956-E959	47	28	16	2	1
70 HOMICIDE.....E960-E978	1,371	565	136	565	105
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	1,046	428	85	456	77
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	181	71	20	78	12
73 ASSAULT BY OTHER MEANS.....E960-E964, E967-E969	128	56	31	25	16
74 LEGAL EXECUTION.....E978	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	16	10	-	6	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	75	44	19	8	4
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	5	5	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

Total	UTAH				Total	VERMONT				Total	VIRGINIA				
	White		All other			White		All other			White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	-	...	-	...	-	4	...	1	...	3	01
-	...	-	...	-	-	...	-	...	-	-	...	-	02
-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	03
-	...	-	...	-	-	...	-	...	-	-	...	-	04
2	...	2	...	-	-	...	-	...	-	1	...	-	...	1	05
-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	06
1	...	-	...	1	1	...	-	...	1	4	...	4	...	-	07
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	08
8	4	3	1	-	5	3	2	-	-	52	12	24	10	6	09
1	1	-	-	-	3	2	1	-	-	14	3	8	2	1	10
7	3	3	1	-	2	1	1	-	-	38	9	16	8	5	11
34	17	17	-	-	10	3	7	-	-	119	37	58	5	19	12
11	4	7	-	-	5	1	4	-	-	43	16	23	-	4	13
2	1	1	-	-	-	-	-	-	-	7	3	3	1	-	14
6	3	3	-	-	2	2	-	-	-	118	2	-	-	2	15
3	2	1	-	-	-	-	-	-	-	1	-	-	-	-	16
12	7	5	-	-	3	-	3	-	-	66	18	31	4	-	17
165	57	46	4	2	35	20	15	-	-	382	169	143	39	31	18
3	1	2	-	-	2	-	2	-	-	38	13	24	-	1	19
22	12	9	1	-	8	3	5	-	-	72	26	33	10	3	20
48	24	20	3	1	10	6	4	-	-	135	71	43	11	10	21
7	2	4	-	-	2	1	1	-	-	21	8	9	2	2	22
-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	23
29	18	11	-	-	13	10	3	-	-	113	51	32	15	15	24
204	128	69	3	4	103	60	42	1	-	1,065	413	287	217	148	25
391	224	156	6	5	31	17	13	-	1	665	211	166	146	122	26
38	9	27	-	2	-	-	-	-	-	43	6	20	3	14	27
353	215	129	6	3	31	17	13	-	1	622	205	166	143	108	28
763	519	219	18	7	306	235	71	-	-	3,866	1,981	856	759	270	29
601	402	182	12	5	241	181	60	-	-	2,879	1,465	666	539	209	30
4	3	5	-	-	-	-	-	-	-	20	13	1	6	-	31
295	186	104	5	4	120	93	27	-	-	1,255	681	246	257	71	32
288	176	103	5	4	118	91	27	-	-	1,238	671	244	254	69	33
15	9	6	-	-	2	2	-	-	-	16	11	3	1	1	34
108	60	44	3	1	34	24	10	-	-	271	144	74	43	10	35
47	27	18	-	2	20	16	4	-	-	213	94	35	61	23	36
28	19	8	-	-	16	11	5	-	-	118	65	17	26	10	37
74	57	17	1	-	24	20	4	-	-	167	98	21	41	7	38
14	4	10	-	-	22	18	4	-	-	453	259	94	82	18	39
11	10	1	-	-	2	2	-	-	-	17	10	2	3	2	40
5	3	2	-	-	-	-	-	-	-	6	1	4	1	-	41
6	5	1	-	-	4	4	-	-	-	46	31	2	13	-	42
15	11	4	-	-	3	2	1	-	-	35	35	-	-	-	43
16	12	3	1	-	5	3	2	-	-	77	34	19	20	4	44
6	4	1	1	-	1	1	-	-	-	28	12	8	6	2	45
2	2	-	-	-	2	1	1	-	-	29	11	9	7	2	46
8	6	2	-	-	2	1	1	-	-	20	11	2	-	2	47
79	40	39	-	-	36	20	16	-	-	491	199	210	50	32	48
24	15	9	-	-	16	13	3	-	-	132	70	27	26	9	49
2	1	1	-	-	5	4	1	-	-	12	3	9	-	1	50
53	24	29	-	-	15	3	12	-	-	347	126	175	24	22	51
18	12	6	-	-	13	9	4	-	-	197	69	38	48	42	52
36	24	8	3	1	8	8	-	-	-	152	71	18	60	3	53
21	17	4	-	-	4	3	1	-	-	82	37	21	12	12	54
22	20	2	-	-	6	5	1	-	-	48	35	3	7	3	55
38	36	1	1	-	25	22	3	-	-	154	115	10	27	2	56
1	1	-	-	-	-	-	-	-	-	2	2	5	-	-	57
3	2	1	-	-	-	-	-	-	-	11	5	2	-	-	58
-	-	-	-	-	-	-	-	-	-	8	3	3	-	2	59
5	5	-	-	-	5	5	-	-	-	31	26	2	3	-	60
29	28	-	1	-	20	17	3	-	-	102	79	3	20	-	61
18	13	5	-	-	10	7	3	-	-	64	22	20	6	16	62
24	20	3	1	-	7	5	2	-	-	252	122	74	32	24	63
115	88	27	-	-	52	44	8	-	-	566	380	140	36	10	64
24	10	14	-	-	6	2	4	-	-	88	25	60	-	3	65
20	18	2	-	-	10	10	-	-	-	41	36	5	-	-	66
9	8	1	-	-	4	3	1	-	-	46	36	5	5	-	67
56	49	7	-	-	30	29	1	-	-	356	266	58	27	5	68
6	3	3	-	-	2	-	2	-	-	35	17	12	4	2	69
30	18	6	4	2	9	6	3	-	-	353	105	32	170	46	70
19	12	2	4	1	8	5	3	-	-	243	78	17	120	28	71
2	2	3	-	-	-	-	-	-	-	58	13	4	31	10	72
-	-	-	-	-	-	-	-	-	-	46	10	11	17	8	73
1	1	-	-	-	-	-	-	-	-	6	4	-	-	-	74
16	10	4	2	-	4	4	-	-	-	66	30	18	13	5	76
1	1	-	-	-	-	-	-	-	-	2	1	-	1	-	77

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
01 ALL CAUSES.....	30,632	17,058	12,410	718	406
02 I. INFECTIVE AND PARASITIC DISEASES.....	197	107	62	15	13
03 CHOLERA.....000	-	-	-	-	-
04 TYPHOID FEVER.....001	-	-	-	-	-
05 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....002,003	2	-	-	1	1
06 BACILLARY DYSENTERY AND AMEBIASIS.....C04,005	-	-	-	-	-
07 FOOD POISONING (BACTERIAL).....005	1	-	1	-	-
08 ENTERITIS AND OTHER DIARRHEAL DISEASES.....C08,009	29	14	10	2	3
09 TUBERCULOSIS, ALL FORMS.....010-019	58	37	10	6	5
10 TUBERCULOSIS OF RESPIRATORY SYSTEM.....010-012	37	26	3	6	2
11 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....013	5	3	1	-	1
12 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....014	-	-	-	-	-
13 TUBERCULOSIS OF BONES AND JOINTS.....015	-	-	-	-	-
14 DISSEMINATED TUBERCULOSIS.....018	3	1	1	-	1
15 OTHER TUBERCULOSIS, INCLUDING LATE EFFECTS.....016,017,019	13	7	5	-	1
16 PLAGUE.....020	-	-	-	-	-
17 ANTHRAX.....022	-	-	-	-	-
18 BRUCELLOSIS.....023	-	-	-	-	-
19 LEPROSY.....030	-	-	-	-	-
20 DIPHTHERIA.....032	3	3	-	-	-
21 WHOOPING COUGH.....033	-	-	-	-	-
22 STREPTOCOCCAL SORE THROAT AND SCARLET FEVER.....034	2	-	1	-	1
23 ERYSIPELAS.....035	-	-	-	-	-
24 MENINGOCOCCAL INFECTIONS.....036	14	11	3	-	-
25 TETANUS.....037	-	-	-	-	-
26 SEPTICEMIA.....038	36	16	14	5	1
27 OTHER BACTERIAL DISEASES.....C07,021,024-027,C31,039	6	5	1	-	-
28 ACUTE POLIOMYELITIS.....040-043	-	-	-	-	-
29 LATE EFFECTS OF ACUTE POLIOMYELITIS.....044	2	1	1	-	-
30 SMALLPOX.....050	-	-	-	-	-
31 MEASLES.....055	-	-	-	-	-
32 YELLOW FEVER.....060	-	-	-	-	-
33 VIRAL ENCEPHALITIS.....062-065	6	2	4	-	-
34 LATE EFFECTS OF VIRAL ENCEPHALITIS.....066	1	-	1	-	-
35 INFECTIOUS HEPATITIS.....070	8	5	1	-	2
36 RABIES.....071	-	-	-	-	-
37 OTHER VIRAL DISEASES.....045,046,051-054,056,C57,061,C67,068,072-079	14	6	8	-	-
38 TYPHUS AND OTHER RICKETTSIOSSES.....080-083	-	-	-	-	-
39 MALARIA.....084	-	-	-	-	-
40 TRYPANOSOMIASIS.....086,087	-	-	-	-	-
41 RELAPSING FEVER.....088	-	-	-	-	-
42 SYPHILIS AND ITS SEQUELAE.....C90-097	5	3	2	-	-
43 CONGENITAL SYPHILIS.....090	-	-	-	-	-
44 EARLY SYPHILIS, SYMPTOMATIC.....091	-	-	-	-	-
45 ANEURYSM OF AORTA, SPECIFIED AS SYPHILITIC.....093.0	1	-	1	-	-
46 OTHER CARDIOVASCULAR SYPHILIS.....093.9	2	1	1	-	-
47 TABES DORSALIS.....094.0	-	-	-	-	-
48 GENERAL PARESIS.....094.1	-	-	-	-	-
49 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....094.9	1	1	-	-	-
50 ALL OTHER SYPHILIS.....095,097.0,097.9	1	1	-	-	-
51 GONOCOCCAL INFECTIONS.....098	-	-	-	-	-
52 SCHISTOSOMIASIS.....120	-	-	-	-	-
53 HYDATIDIOSIS.....122	-	-	-	-	-
54 FILARIAL INFESTATIONS.....125	-	-	-	-	-
55 ANCYLOSTOMIASIS.....126	-	-	-	-	-
56 OTHER HELMINTHIASIS.....121,123,124,127-129	-	-	-	-	-
57 OTHER INFECTIVE AND PARASITIC DISEASES.....REMAINDER OF 000-136	10	4	5	1	-
58 II. NEOPLASMS.....	5,192	2,787	2,250	86	69
59 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-209	5,139	2,764	2,220	86	69
60 MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX.....140-149	116	76	36	4	-
61 OF LIP.....140	3	2	1	-	-
62 OF TONGUE.....141	24	12	11	1	-
63 OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-145	37	24	12	1	-
64 OF PHARYNX.....146-149	52	38	12	2	-
65 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM.....150-159	1,475	765	661	32	17
66 OF ESOPHAGUS.....150	98	70	22	6	-
67 OF STOMACH.....151	281	155	107	12	7
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	9	4	3	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	485	215	257	8	5
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	64	25	39	2	-
71 TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES.....153.1	24	8	16	-	-
72 DESCENDING COLON.....153.2	11	4	6	-	1
73 SIGMOID COLON.....153.3	78	37	39	2	-
74 LARGE INTESTINE (INCLUDING COLON), PART UNSPECIFIED.....153.6	286	130	148	4	4
75 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	20	11	9	-	-
76 OF RECTUM AND RECTOSIGMOID JUNCTION.....154	157	93	61	1	2
77 OF LIVER AND INTRAHEPATIC BILE DUCTS, SPECIFIED AS PRIMARY.....155	33	21	11	1	-
78 OF GALLBLADDER AND BILE DUCTS.....156	69	23	44	1	1
79 OF PANCREAS.....157	308	163	140	3	2
80 OF PERITONEUM, RETROPERITONEAL TISSUE, AND UNSPECIFIED DIGESTIVE ORGANS.....158,159	35	19	16	-	-
81 MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM.....160-163	1,091	875	179	31	6
82 OF LARYNX.....161	41	38	3	-	-
83 OF TRACHEA, BRONCHUS, AND LUNG.....162	1,032	826	170	30	6
84 OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,163	18	11	6	1	-
85 MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST.....170-174	563	64	486	-	13
86 OF BONE.....170	36	17	18	-	1
87 OF CONNECTIVE AND OTHER SOFT TISSUE.....171	17	9	8	-	-
88 OF SKIN.....172,173	54	32	22	-	-
89 OF BREAST.....174	456	6	438	-	12

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

WEST VIRGINIA					WISCONSIN					WYOMING						
Total	White		All other		Total	White		All other		Total	White		All other			
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		
19,830	10,797	7,793	736	504	41,106	22,703	17,535	498	370	2,941	1,779	1,072	57	33	01	
182	106	55	15	6	262	136	105	12	9	20	11	7	2	-	02	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	03
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	04
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	05
16	11	3	-	2	54	21	29	3	1	3	2	1	-	-	-	06
83	53	21	7	2	55	36	14	4	1	3	1	-	-	-	-	07
72	48	15	7	2	38	26	9	3	3	3	1	-	-	-	-	08
3	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	09
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
1	1	-	-	-	4	3	1	-	-	-	-	-	-	-	-	11
7	3	4	-	-	12	7	3	1	1	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
9	5	4	-	-	8	4	3	1	-	1	1	-	-	-	-	21
3	2	-	1	-	2	2	-	-	-	-	-	-	-	-	-	22
25	10	11	4	-	61	32	25	3	1	3	-	3	-	-	-	23
4	3	1	-	-	9	6	3	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	-	-	1	-	5	4	1	-	-	1	1	-	-	-	-	26
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	27
6	4	2	-	-	9	4	3	1	1	3	2	1	-	-	-	28
8	4	3	-	1	1	1	3	4	-	3	2	1	-	-	-	29
6	3	3	-	-	14	4	8	-	2	2	1	1	-	-	-	30
1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
7	4	-	2	1	6	4	1	-	1	1	1	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
5	2	-	2	1	4	2	1	-	1	-	-	-	-	-	-	35
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	36
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
11	7	4	-	-	25	12	12	-	1	-	-	-	-	-	-	39
3,101	1,650	1,270	107	74	7,211	3,782	3,314	69	46	443	266	169	4	4	58	
3,050	1,623	1,250	105	72	7,137	3,747	3,276	69	45	434	264	164	4	2	59	
60	34	24	2	-	138	96	35	5	2	12	9	3	-	-	60	
2	2	-	-	-	4	4	-	-	-	-	-	-	-	-	-	61
9	6	2	1	-	31	20	11	-	-	5	4	1	-	-	-	62
23	11	12	-	-	42	25	13	2	2	5	3	2	-	-	-	63
26	15	10	1	-	61	47	11	3	-	2	2	-	-	-	-	64
855	436	367	34	18	2,275	1,173	1,075	17	10	114	71	41	1	1	65	
49	27	15	7	-	128	93	31	4	-	5	3	2	-	-	-	66
156	92	52	10	2	415	251	164	-	-	28	16	12	-	-	-	67
3	2	1	-	-	13	4	9	-	-	2	2	-	-	-	-	68
277	120	146	5	6	866	399	456	7	4	34	19	15	-	-	-	69
36	12	23	1	-	133	64	66	2	1	3	2	1	-	-	-	70
10	5	6	-	1	38	13	25	-	-	1	-	1	-	-	-	71
12	7	5	-	-	39	13	20	-	-	-	-	-	-	-	-	72
47	26	20	-	1	145	70	74	-	-	6	4	2	-	-	-	73
157	69	82	4	2	465	216	242	4	3	22	13	9	-	-	-	74
15	3	10	-	2	52	23	29	-	-	2	2	2	-	-	-	75
90	52	34	1	3	262	148	114	-	-	12	10	2	-	-	-	76
29	19	8	2	-	36	20	12	3	1	3	3	3	-	-	-	77
50	18	31	1	-	139	44	93	-	-	5	3	3	-	-	-	78
187	100	73	8	6	380	199	176	2	3	23	16	5	1	1	79	
14	6	7	-	1	36	15	20	-	1	2	2	-	-	-	-	80
714	559	115	32	8	1,136	926	182	23	5	83	72	10	-	1	81	
25	25	2	2	-	48	45	3	-	-	4	4	-	-	-	-	82
473	527	109	29	8	1,060	858	174	23	5	78	67	10	-	1	83	
12	7	4	1	-	28	23	5	-	-	1	1	-	-	-	-	84
278	39	236	-	3	840	55	735	-	10	58	5	52	1	1	85	
23	11	12	-	-	38	22	15	-	-	2	1	2	-	-	-	86
11	5	6	-	-	32	12	20	-	-	3	1	2	-	-	-	87
35	22	17	-	-	91	55	36	-	-	9	3	6	-	-	-	88
205	1	201	-	3	679	6	664	-	9	44	44	44	-	-	-	89

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
MALIGNANT NEOPLASMS, ETC.--CON.					
01 MALIGNANT NEOPLASMS OF GENITAL ORGANS.....180-187	650	285	348	5	12
02 OF CERVIX UTERI.....180	95	...	89	...	6
03 OF OTHER PARTS OF UTERUS.....181,182	75	...	74	...	1
04 OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....183	172	...	168	...	4
05 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....184	18	...	17	...	1
06 OF PROSTATE.....185	266	261	...	5	...
07 OF ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS.....186,187	24	24
08 MALIGNANT NEOPLASMS OF URINARY ORGANS.....188,189	257	161	67	4	5
09 OF BLADDER.....188	143	113	27	2	1
10 OF OTHER AND UNSPECIFIED URINARY ORGANS.....189	114	68	40	2	4
11 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES.....190-199	441	223	205	4	9
12 OF EYE.....190	6	1	4	-	1
13 OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....191,192	147	64	61	1	1
14 OF THYROID GLAND.....193	18	5	13	-	-
15 OTHER.....194-199	270	133	127	3	7
16 LEUKEMIA.....204-207	242	132	103	4	3
17 LYMPHATIC LEUKEMIA.....204	90	45	41	1	3
18 MYELOID LEUKEMIA.....205	97	57	38	2	-
19 MONOCYTIC LEUKEMIA.....206	8	4	4	-	-
20 OTHER AND UNSPECIFIED LEUKEMIA.....207	47	26	20	1	-
21 OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....200-203,208,209	304	163	135	2	4
22 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA.....200	118	68	48	-	2
23 HODGKIN'S DISEASE.....201	61	36	24	1	-
24 MULTIPLE MYELOMA.....203	64	30	32	-	2
25 ALL OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,208,209	61	29	31	1	-
26 BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	53	23	30	-	-
27 BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....218-221	3	...	3	...	-
28 BENIGN NEOPLASMS OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....224,225	5	1	4	-	-
29 OTHER BENIGN NEOPLASMS.....210-217,222,223,226-228	12	5	7	-	-
30 NEOPLASMS OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....234-236	-	...	-	...	-
31 NEOPLASMS OF UNSPECIFIED NATURE OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM.....238	23	11	12	-	-
32 OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-233,237,239	10	6	4	-	-
33 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES.....	694	305	362	14	13
34 NONTOXIC GOITER.....240,241	-	-	-	-	-
35 THYROTOXICOSIS WITH OR WITHOUT GOITER.....242	3	-	3	-	-
36 ALL OTHER DISEASES OF THYROID GLAND.....243-246	7	3	4	-	-
37 DIABETES MELLITUS.....250	558	240	296	11	11
38 DISEASES OF PITUITARY GLAND.....253	3	1	2	-	-
39 DISEASES OF THYMUS GLAND.....254	2	2	-	-	-
40 DISEASES OF ADRENAL GLAND.....255	9	4	5	-	-
41 NIACIN DEFICIENCY.....262	-	-	-	-	-
42 OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCIES.....260,261,263-269	39	20	17	2	-
43 CYSTIC FIBROSIS.....273-0	14	8	8	-	-
44 ALL OTHER ENDOCRINE AND METABOLIC DISEASES.....251,252,256-258,270-272,273.1-279	57	27	27	1	2
45 IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	75	36	36	2	1
46 ANEMIAS.....280-285	54	26	26	1	1
47 DEFICIENCY ANEMIAS.....280,281	11	2	9	-	-
48 HEMOLYTIC ANEMIAS.....282,283	7	4	2	-	1
49 APLASTIC ANEMIA.....284	17	10	7	-	-
50 OTHER AND UNSPECIFIED ANEMIAS.....285	19	10	8	1	-
51 PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....287	5	4	1	-	-
52 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....286,288,289	16	6	9	1	-
53 V. MENTAL DISORDERS.....	193	133	47	10	3
54 SENILE AND PRESENILE DEMENTIAS.....290	8	2	6	-	-
55 ALCOHOLIC PSYCHOSES.....291	20	17	1	2	-
56 ALL OTHER PSYCHOSES.....294-299	6	1	5	-	-
57 ALCOHOLISM.....303	132	96	25	8	3
58 OTHER NEUROSES, PERSONALITY DISORDERS, AND NONPSYCHOTIC MENTAL DISORDERS.....300-302,304-309	22	14	8	-	-
59 MENTAL RETARDATION.....310-315	5	3	2	-	-
60 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	333	183	139	7	4
61 MENINGITIS.....320	31	19	9	1	2
62 HEREDITARY NEUROMUSCULAR DISORDERS.....330	14	9	5	-	-
63 MULTIPLE SCLEROSIS.....340	41	15	26	-	-
64 PARALYSIS AGITANS.....342	67	45	21	-	1
65 CEREBRAL SPASTIC INFANTILE PARALYSIS.....343	10	6	3	1	-
66 EPILEPSY.....345	34	16	16	1	1
67 INFLAMMATORY DISEASES OF EYE.....360-369	-	-	-	-	-
68 CATARACT.....374	-	-	-	-	-
69 GLAUCOMA.....375	-	-	-	-	-
70 OTITIS MEDIA AND MASTOIDITIS.....381-383	1	1	-	-	-
71 ALL OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....321-324,331-333,341,344,346-358,370-373,376-380,384-389	135	72	59	4	-
72 VII. DISEASES OF THE CIRCULATORY SYSTEM.....	16,452	9,029	7,025	260	138
73 ACTIVE RHEUMATIC FEVER.....390-392	4	2	2	-	-
74 CHRONIC RHEUMATIC HEART DISEASE.....393-398	293	140	148	2	3
75 DISEASES OF MITRAL VALVE.....394	66	19	46	-	1
76 DISEASES OF AORTIC VALVE.....395	109	80	29	-	-
77 DISEASES OF OTHER ENDOCARDIAL STRUCTURES.....397	17	5	12	-	-
78 OTHER RHEUMATIC HEART DISEASES.....393,396,398	101	36	61	2	2
79 HYPERTENSIVE DISEASE.....400-404	358	161	178	10	9
80 MALIGNANT HYPERTENSION.....400	3	3	-	-	-
81 ESSENTIAL BENIGN HYPERTENSION.....401	13	6	7	-	-
82 HYPERTENSIVE HEART DISEASE.....402	144	48	82	8	6
83 HYPERTENSIVE RENAL DISEASE.....403	59	35	18	1	1
84 HYPERTENSIVE HEART AND RENAL DISEASE.....404	139	65	71	1	2

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

WEST VIRGINIA					WISCONSIN					WYOMING					
Total	White		All other		Total	White		All other		Total	White		All other		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
304	148	205	12	19	918	429	473	7	9	59	33	26	-	-	01
101	...	88	...	13	111	...	107	...	4	5	...	5	02
75	...	32	...	3	112	...	110	...	2	5	...	5	03
75	...	73	...	2	241	...	240	...	1	15	...	15	04
13	...	12	...	1	18	...	16	...	2	1	...	1	05
145	133	...	12	...	410	403	...	7	...	28	28	06
15	15	...	-	...	26	26	...	-	...	5	5	07
125	81	34	4	6	371	253	113	4	1	20	18	2	-	-	08
71	47	18	3	3	200	142	55	2	1	9	8	1	-	-	09
54	34	16	1	3	171	111	58	2	-	11	10	1	-	-	10
346	154	168	12	12	680	360	312	3	5	43	25	17	1	-	11
2	1	1	-	-	11	7	4	-	-	1	1	-	-	-	12
73	41	28	2	2	212	130	80	1	1	10	7	3	-	-	13
9	2	7	-	-	30	5	23	-	2	2	1	2	-	-	14
262	110	132	10	10	427	218	205	2	2	29	16	12	1	-	15
136	79	47	5	5	346	183	157	4	2	16	13	3	-	-	16
52	35	14	-	3	125	71	54	-	-	6	5	1	-	-	17
52	27	22	2	1	120	54	63	2	1	5	4	1	-	-	18
6	3	2	1	-	16	11	5	-	-	2	2	-	-	-	19
26	14	9	2	1	85	47	35	2	1	3	2	1	-	-	20
152	93	54	4	1	433	232	194	6	1	29	18	10	1	-	21
58	35	21	2	-	166	84	82	-	-	9	5	3	1	-	22
27	16	11	-	-	78	46	29	2	1	4	4	-	-	-	23
40	24	14	1	1	92	46	43	3	-	8	6	2	-	-	24
27	18	8	1	-	97	56	40	1	-	8	3	5	-	-	25
51	27	20	2	2	74	35	38	-	1	9	2	5	-	2	26
2	...	1	...	1	7	...	6	...	1	2	...	1	27
5	1	4	-	-	21	...	12	-	-	3	1	2	-	-	28
8	...	2	-	-	17	...	9	-	-	1	...	-	-	1	29
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	30
23	10	12	1	-	16	6	10	-	-	3	1	2	-	-	31
13	10	1	1	1	13	7	6	-	-	-	-	-	-	-	32
399	149	206	17	27	1,095	464	606	8	17	61	28	30	1	2	33
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	34
6	1	4	-	1	11	2	9	-	-	1	-	1	-	-	35
-	-	-	-	-	11	3	8	-	-	1	1	-	-	-	36
318	108	172	13	25	899	380	498	6	15	44	18	24	1	1	37
4	3	-	-	1	3	1	1	-	-	1	-	1	-	-	38
2	2	-	-	-	10	6	4	-	-	1	-	1	-	-	39
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
29	18	9	2	-	55	21	33	-	1	5	4	1	-	-	42
8	2	6	-	-	14	7	6	-	1	2	2	2	-	-	43
28	13	13	2	-	90	43	46	1	-	6	3	2	-	1	44
40	15	23	2	-	106	51	50	2	3	9	2	7	-	-	45
27	10	16	1	-	73	34	35	2	2	6	1	5	-	-	46
7	2	5	-	-	21	7	14	-	-	1	1	-	-	-	47
2	1	1	1	-	12	5	4	2	1	-	-	-	-	-	48
7	2	5	-	-	20	10	10	-	-	2	-	-	-	-	49
11	6	5	-	-	20	12	5	-	1	3	-	-	-	-	50
9	2	6	1	-	10	5	5	-	-	2	1	1	-	-	51
4	3	1	-	-	23	12	10	-	1	1	-	1	-	-	52
56	41	11	2	2	103	68	29	5	1	13	7	2	3	1	53
3	1	2	-	-	16	7	9	-	-	1	-	1	-	-	54
7	6	1	1	-	13	12	-	1	-	2	2	-	-	-	55
5	1	4	-	-	10	5	5	-	-	-	-	-	-	-	56
34	28	3	1	2	43	35	5	2	1	9	4	1	3	1	57
7	5	2	-	-	14	5	9	-	-	1	1	-	-	-	58
-	-	-	-	-	7	4	1	2	-	-	-	-	-	-	59
138	77	53	7	1	396	201	186	6	3	29	19	10	-	-	60
11	7	4	-	-	20	10	8	-	2	1	1	-	-	-	61
7	4	3	-	-	17	12	5	-	-	-	-	-	-	-	62
7	4	3	-	-	54	16	38	-	-	9	4	5	-	-	63
26	12	14	-	-	97	57	39	1	-	4	3	1	-	-	64
7	3	4	-	-	10	6	4	-	-	-	-	-	-	-	65
18	9	6	3	-	32	17	13	1	1	4	4	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
4	4	-	-	-	5	2	3	-	-	-	-	-	-	-	69
58	34	19	4	1	161	81	76	4	-	11	7	4	-	-	71
10,898	5,690	4,552	378	278	23,316	12,761	10,249	161	145	1,367	790	557	13	7	72
5	3	1	-	1	6	4	2	-	-	1	-	1	-	-	73
142	71	64	5	2	360	169	185	4	2	35	17	18	-	-	74
36	23	12	1	-	98	34	62	-	2	10	3	7	-	-	75
26	12	12	2	-	98	69	29	-	-	8	6	2	-	-	76
4	2	2	-	-	26	10	15	1	-	1	-	1	-	-	77
76	34	38	2	2	138	56	79	3	-	16	8	8	-	-	78
315	137	147	22	9	521	229	271	12	9	25	12	13	-	-	79
15	8	5	1	1	36	14	17	4	1	4	2	2	-	-	80
17	4	10	2	1	29	11	17	-	1	-	-	-	-	-	81
88	29	48	8	3	173	64	99	6	4	6	2	4	-	-	82
119	55	53	8	3	113	60	52	-	1	6	3	3	-	-	83
76	41	31	3	1	170	80	86	2	2	9	5	4	-	-	84

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA). Four-digit

CAUSE OF DEATH		WASHINGTON				
		Total	White		All other	
			Male	Female	Male	Female
01	ISCHEMIC HEART DISEASE.....410-413	10,439	6,170	4,036	158	75
02	WITH HYPERTENSIVE DISEASE (.0).....	907	359	520	14	14
03	WITHOUT MENTION OF HYPERTENSIVE DISEASE (.9).....	9,532	5,811	3,516	144	61
04	ACUTE MYOCARDIAL INFARCTION.....410	6,040	3,950	1,966	87	37
05	OTHER ACUTE OR SUBACUTE FORMS OF ISCHEMIC HEART DISEASE.....411	153	54	50	8	1
06	CHRONIC ISCHEMIC HEART DISEASE.....412	4,242	2,124	2,018	63	37
07	ANGINA PECTORIS.....413	4	2	2	-	-
08	OTHER FORMS OF HEART DISEASE.....420-429	605	313	267	17	8
09	NONRHEUMATIC ACUTE PERICARDITIS AND ACUTE MYOCARDITIS.....420,422	7	3	3	-	1
10	ACUTE AND SUBACUTE ENDOCARDITIS.....421	7	6	1	-	-
11	CHRONIC DISEASE OF ENDOCARDIUM.....424	34	15	19	-	-
12	OF MITRAL VALVE, NONRHEUMATIC.....424.0	1	1	-	-	-
13	OF AORTIC VALVE, NONRHEUMATIC.....424.1	5	1	-	-	-
14	OF OTHER ENDOCARDIAL STRUCTURES.....424.9	28	13	15	-	-
15	SYMPTOMATIC HEART DISEASE.....427	326	160	154	9	3
16	OTHER MYOCARDIAL INSUFFICIENCY.....428	85	38	45	-	2
17	ALL OTHER FORMS OF HEART DISEASE.....423,425,426,429	146	91	45	8	2
18	CEREBROVASCULAR DISEASES.....430-438	3,390	1,562	1,739	56	33
19	WITH HYPERTENSION (BENIGN) (.0).....	352	135	199	14	4
20	WITHOUT MENTION OF HYPERTENSION (.9).....	3,038	1,427	1,540	42	29
21	SUBARACHNOID HEMORRHAGE.....430	165	61	56	6	6
22	CEREBRAL HEMORRHAGE.....431	564	259	286	13	6
23	CEREBRAL THROMBOSIS.....433	873	416	447	5	5
24	CEREBRAL EMBOLISM.....434	12	4	8	-	-
25	OTHER SPECIFIED ACUTE CEREBROVASCULAR DISEASES.....432,435	50	27	22	1	-
26	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE.....436	1,076	456	549	21	10
27	OTHER CEREBROVASCULAR DISEASES.....437,438	646	299	331	10	6
28	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....440-448	1,177	585	568	16	8
29	ARTERIOSCLEROSIS.....440	752	327	411	10	4
30	AORTIC ANEURYSM (NONSYPHILITIC).....441	220	162	54	3	1
31	GANGRENE.....445	42	18	22	2	-
32	ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES.....442-444,446-448	163	78	81	1	3
33	DISEASES OF VEINS AND LYMPHATICS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....450-458	186	56	87	1	2
34	VENOUS THROMBOSIS AND EMBOLISM.....450-453	157	82	72	1	2
35	OTHER DISEASES OF CIRCULATORY SYSTEM.....454-458	29	14	15	-	-
36	VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	2,080	1,304	713	48	15
37	ACUTE UPPER RESPIRATORY INFECTIONS.....460-465	5	1	4	-	-
38	ACUTE BRONCHITIS AND BRONCHIOLITIS.....466	14	6	8	-	-
39	INFLUENZA.....470-474	196	106	87	3	-
40	PNEUMONIA.....480-486	981	534	408	29	10
41	VIRAL PNEUMONIA.....480	41	17	21	2	1
42	BACTERIAL PNEUMONIA.....481,482	115	72	39	3	1
43	ACUTE INTERSTITIAL PNEUMONIA.....484	27	18	6	3	-
44	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED.....485	370	182	179	8	1
45	PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISMS.....483,486	428	245	163	13	7
46	BRONCHITIS, EMPHYSEMA, AND ASTHMA.....490-493	600	460	131	8	1
47	BRONCHITIS, UNQUALIFIED.....490	20	10	10	-	-
48	CHRONIC BRONCHITIS.....491	86	67	15	4	-
49	EMPHYSEMA.....492	449	360	86	3	1
50	ASTHMA.....493	45	23	20	1	1
51	HYPERTROPHY OF TONSILS AND ADENOIDS.....500	1	-	-	-	1
52	EMPHYEMA AND ABSCESS OF LUNG.....510,513	18	13	5	-	-
53	PLEURISY.....511	13	9	3	1	-
54	OTHER CHRONIC INTERSTITIAL PNEUMONIA.....517	69	48	20	1	-
55	BRONCHIECTASIS.....518	12	9	3	-	-
56	OTHER DISEASES OF RESPIRATORY SYSTEM.....501-508,512,514-516,519	171	118	44	6	3
57	IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,149	609	473	36	31
58	DISEASES OF TEETH AND SUPPORTING STRUCTURES.....520-525	-	-	-	-	-
59	PEPTIC ULCER.....531-533	160	101	55	3	1
60	ULCER OF STOMACH.....531	60	34	24	2	-
61	ULCER OF DUODENUM.....532	81	58	21	1	1
62	PEPTIC ULCER, SITE UNSPECIFIED.....533	19	9	10	-	-
63	GASTRITIS AND DUODENITIS.....535	7	7	5	-	-
64	APPENDICITIS.....540-543	16	7	8	1	-
65	HERNIA AND INTESTINAL OBSTRUCTION.....550-553,560	118	53	62	3	-
66	GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, OF NONINFECTIOUS ORIGIN.....561	-	-	-	-	-
67	DIVERTICULA OF INTESTINE.....562	52	18	34	-	-
68	CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....563	24	13	11	-	-
69	CIRRHOSIS OF LIVER.....571	441	253	141	23	24
70	ALCOHOLIC.....571.0	156	93	39	13	11
71	OTHER SPECIFIED.....*571.8	72	34	27	4	7
72	UNSPECIFIED.....*571.9	213	126	75	6	6
73	CHOLELITHIASIS, CHOLECYSTITIS AND CHOLANGITIS.....574,575	58	24	32	1	1
74	OTHER DISEASES OF DIGESTIVE SYSTEM.....526-530,534,536,537,564-570,572,573,576,577	273	138	125	5	5
75	X. DISEASES OF THE GENITOURINARY SYSTEM.....	355	208	130	12	5
76	NEPHRITIS AND NEPHROSIS.....580-584	110	67	35	5	3
77	ACUTE NEPHRITIS.....580	10	5	4	-	1
78	NEPHROTIC SYNDROME.....581	9	3	4	1	1
79	CHRONIC AND UNQUALIFIED NEPHRITIS AND RENAL SCLEROSIS.....582-584	91	59	27	4	1
80	INFECTIONS OF KIDNEY.....590	96	41	51	2	2
81	CALCULI OF URINARY SYSTEM.....592,594	8	4	4	-	-
82	OTHER DISEASES OF URINARY SYSTEM.....591,593,595-599	88	55	30	3	-
83	HYPERPLASIA OF PROSTATE.....600	30	29	-	1	-
84	DISEASES OF BREAST.....610,611	-	-	-	-	-
85	OTHER DISEASES OF GENITAL ORGANS.....601-607,612-629	23	12	10	1	-
86	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	9	...	9	...	-
87	ECTOPIC PREGNANCY.....631	1	...	1	...	-
88	TOXEMIAS OF PREGNANCY AND THE PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....636-639	1	...	1	...	-
89	HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....632,651-653	2	...	2	...	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

WEST VIRGINIA					WISCONSIN					WYOMING				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
6,848	3,759	2,735	207	147	15,019	8,743	6,113	96	67	835	522	301	9	3
946	374	482	44	46	1,647	770	857	6	14	82	35	43	3	1
5,902	3,385	2,253	163	101	13,372	7,973	5,256	90	53	753	487	258	6	2
3,888	2,387	1,281	107	63	8,074	5,259	2,748	37	30	528	362	157	8	1
33	20	10	2	1	80	40	40	-	-	8	3	4	1	05
2,575	1,351	1,443	98	83	6,864	3,443	3,325	59	37	299	157	140	-	2
2	1	1	-	-	1	1	-	-	-	-	-	-	-	07
533	289	194	31	19	710	409	290	7	4	75	42	32	-	1
11	6	4	-	1	14	6	6	1	1	2	1	1	-	08
4	3	1	-	-	7	4	3	-	-	-	-	-	-	09
10	5	5	-	-	34	16	17	1	-	3	-	3	-	10
1	-	-	-	-	1	1	-	-	-	-	-	-	-	11
1	-	1	-	-	6	4	2	-	-	-	-	-	-	12
9	5	4	-	-	27	11	15	1	-	3	-	3	-	13
309	162	114	18	15	240	125	113	2	-	45	24	20	-	14
69	36	31	1	1	133	68	63	-	2	9	4	5	-	15
130	77	39	12	2	282	190	88	3	1	16	13	3	-	16
2,246	1,034	1,054	85	73	4,780	2,256	2,451	29	44	270	130	135	4	1
237	124	149	14	10	590	245	324	5	16	41	14	26	-	18
1,949	910	905	71	63	4,190	2,011	2,127	24	28	229	116	109	3	1
93	33	55	1	4	184	86	94	-	4	5	8	9	-	19
482	228	230	13	11	958	459	477	9	13	60	25	34	-	20
691	300	333	30	28	1,253	584	649	8	12	58	34	23	1	21
9	8	-	-	-	10	5	-	-	-	-	-	-	-	22
31	19	-	1	-	80	47	32	1	-	5	-	3	-	23
425	299	276	34	20	1,369	644	765	8	12	88	41	45	2	24
311	147	149	6	9	926	431	489	3	3	46	23	22	-	25
629	313	277	18	21	1,556	790	746	10	10	99	51	47	-	26
320	140	157	6	17	949	436	523	7	3	48	22	26	-	27
140	91	44	3	2	309	218	88	1	2	22	14	7	-	28
32	12	16	4	-	73	36	36	-	1	2	2	-	-	29
137	70	60	5	2	205	100	99	2	4	27	13	14	-	30
180	84	80	10	6	364	161	191	3	9	27	16	10	-	31
167	77	77	8	5	320	138	170	3	9	26	16	9	-	32
13	7	3	2	1	44	23	21	-	-	1	-	1	-	33
1,436	887	452	69	28	2,155	1,386	760	39	30	213	142	64	6	1
8	4	4	-	-	11	5	6	-	-	1	1	-	-	34
14	4	8	1	1	24	13	9	-	2	1	-	-	-	35
99	45	46	5	3	105	55	50	-	-	16	13	2	1	36
713	396	272	28	17	1,125	636	436	31	22	92	54	34	3	37
20	10	9	1	-	26	14	12	-	-	4	3	1	-	38
86	49	26	3	2	94	58	31	3	2	4	3	1	-	39
13	6	5	1	1	13	5	7	-	1	3	3	-	-	40
303	165	119	9	10	435	262	164	6	3	35	18	15	2	41
297	166	113	14	4	557	297	222	22	16	46	30	15	-	42
419	310	86	18	5	586	473	106	4	3	75	58	17	-	43
7	3	4	-	-	16	10	6	-	-	2	-	2	-	44
68	46	20	1	1	116	88	28	-	-	12	6	6	-	45
310	245	47	15	3	413	356	53	3	1	59	51	8	-	46
34	16	15	2	1	41	19	19	1	2	2	1	1	-	47
2	1	-	-	1	-	-	-	-	-	-	-	-	-	48
4	2	1	1	-	15	9	5	1	-	-	-	-	-	49
2	2	-	-	-	7	2	5	-	-	-	-	-	-	50
41	31	8	2	2	75	47	27	-	1	12	6	5	1	51
18	10	7	-	1	19	11	8	-	-	-	-	-	-	52
116	82	20	14	-	188	135	48	3	2	16	10	5	1	53
585	306	248	23	8	1,463	838	590	16	19	138	74	53	6	54
1	-	-	-	1	2	1	1	-	-	-	-	-	-	55
84	52	29	2	1	209	146	42	-	1	21	16	3	2	56
33	17	15	1	-	86	57	28	-	-	3	2	1	-	57
32	23	8	1	-	105	80	25	-	1	13	10	1	2	58
19	12	6	-	1	18	9	9	-	-	5	4	1	-	59
2	2	-	-	-	8	4	3	1	-	1	1	-	-	60
9	3	5	1	-	42	23	18	-	1	3	3	-	-	61
65	23	36	4	2	171	78	88	2	3	12	4	8	-	62
-	-	-	-	-	2	1	1	-	-	-	-	-	-	63
26	7	19	-	-	79	34	45	-	-	7	2	5	-	64
9	-	9	-	-	25	8	16	-	1	1	-	1	-	65
179	119	53	6	1	451	291	147	9	4	52	25	19	4	66
48	35	10	3	-	165	112	45	5	3	28	14	9	3	67
29	18	11	-	-	68	42	23	2	1	8	2	4	1	68
102	66	32	3	1	218	137	79	2	-	16	9	6	-	69
47	21	25	1	-	131	54	75	-	2	7	1	6	-	70
163	79	72	9	3	343	198	134	4	7	34	23	10	-	71
333	183	118	17	15	577	345	213	11	8	38	25	11	1	72
108	49	48	3	8	169	92	66	7	4	8	6	2	-	73
5	5	2	-	2	13	8	4	-	1	-	-	-	-	74
6	1	5	-	-	8	4	3	-	1	1	-	1	-	75
93	43	41	3	6	148	80	59	7	2	7	6	1	-	76
99	47	41	9	2	150	70	77	1	2	9	5	4	-	77
9	7	2	-	-	19	9	10	-	-	-	-	-	-	78
73	43	22	3	5	133	81	48	2	2	9	4	4	-	79
25	24	...	1	...	75	74	...	1	...	7	7	...	-	80
-	-	-	-	-	1	-	1	-	-	-	-	-	-	81
19	13	5	1	-	30	19	11	-	-	5	3	1	1	82
5	...	4	...	1	12	...	9	...	3	-	...	-	-	83
-	...	-	...	-	1	...	-	...	1	-	...	-	-	84
-	...	-	...	-	2	...	2	...	2	-	...	-	-	85
-	...	-	...	-	2	...	1	...	1	-	...	-	-	86
-	...	-	...	-	2	...	1	...	1	-	...	-	-	87
-	...	-	...	-	2	...	1	...	1	-	...	-	-	88
-	...	-	...	-	2	...	1	...	1	-	...	-	-	89

SECTION 1 - GENERAL MORTALITY

Table 1-27. Deaths From 281 Selected Causes, by Color

[Numbers after causes of death are category numbers of the Eighth Revision, International Classifications of Diseases, Adapted, 1965 (ICDA), Four-digit

CAUSE OF DEATH	WASHINGTON				
	Total	White		All other	
		Male	Female	Male	Female
01 ABORTIONS.....640-645	-	...	-	...	-
02 ABORTION INDUCED FOR LEGAL INDICATIONS.....640,641	-	...	-	...	-
03 ABORTION INDUCED FOR OTHER REASONS.....642	-	...	-	...	-
04 SPONTANEOUS ABORTION.....643	-	...	-	...	-
05 OTHER AND UNSPECIFIED ABORTIONS.....644,645	-	...	-	...	-
06 SEPSIS OF CHILDBIRTH AND THE PUERPERIUM.....670,671,673	3	...	3	...	-
07 ALL OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....630,633-635,654-662,672,674-678	2	...	2	...	-
08 DELIVERY WITHOUT MENTION OF COMPLICATIONS.....650	-	...	-	...	-
05 XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE.....	20	9	9	-	2
10 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....68C-686	6	4	1	-	1
11 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....690-709	14	5	8	-	1
12 XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....	91	23	53	2	3
13 ARTHRITIS AND SPONDYLITIS.....710-715	46	15	30	-	1
14 NONARTICULAR RHEUMATISM AND RHEUMATISM, UNSPECIFIED.....716-718	2	1	1	-	-
15 OSTEOMYELITIS AND PERIOSTITIS.....720	4	2	2	-	-
16 ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....727,735-738	4	1	3	-	-
17 OTHER DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE.....721-726,728-734	35	14	17	2	2
18 XIV. CONGENITAL ANOMALIES.....	264	135	109	8	8
19 SPINA BIFIDA.....741	8	5	3	-	-
20 CONGENITAL HYDROCEPHALUS AND OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM.....740,742,743	43	17	21	2	3
21 CONGENITAL ANOMALIES OF HEART.....746	106	63	39	3	1
22 OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM.....747	20	7	13	-	-
23 CLEFT PALATE AND CLEFT LIP.....749	-	-	-	-	-
24 ALL OTHER CONGENITAL ANOMALIES.....744,745,748,750-759	87	47	33	3	4
25 XV. CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY.....	611	340	203	33	35
26 XVI. SYMPTOMS AND ILL-DEFINED CONDITIONS.....	198	121	59	11	7
27 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	17	8	11	-	-
28 SYMPTOMS AND OTHER ILL-DEFINED CONDITIONS.....780-792,795,796	181	115	48	11	7
29 E XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,719	1,755	731	174	59
30 ACCIDENTS.....E800-E949	2,069	1,354	544	123	46
31 RAILWAY ACCIDENTS.....E800-E807	27	18	1	6	2
32 MOTOR VEHICLE ACCIDENTS.....E810-E823	902	550	242	46	24
33 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E819	876	573	238	44	23
34 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH TRAIN.....E810	30	20	9	-	1
35 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE.....E812	315	183	112	12	12
36 MOTOR VEHICLE TRAFFIC ACCIDENT INVOLVING COLLISION WITH PEDESTRIAN.....E814	139	63	42	10	4
37 OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS INVOLVING COLLISION.....E811,E813,E815	94	76	8	9	1
38 NONCOLLISION MOTOR VEHICLE TRAFFIC ACCIDENTS.....E816-E818	165	122	32	8	3
39 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E819	131	89	35	5	2
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E820-E823	24	17	4	2	1
41 OTHER ROAD VEHICLE ACCIDENTS.....E825-E827	7	2	5	-	-
42 WATER TRANSPORT ACCIDENTS.....E830-E838	69	56	5	8	-
43 AIR AND SPACE TRANSPORT ACCIDENTS.....E840-E845	72	57	12	3	-
44 ACCIDENTAL POISONING.....E850-E877	60	39	18	2	1
45 ACCIDENTAL POISONING BY DRUGS AND MEDICAMENTS.....E850-E859	16	6	8	1	1
46 ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES.....E860-E869	24	17	6	1	-
47 ACCIDENTAL POISONING BY GASES AND VAPORS.....E870-E877	20	16	4	-	-
48 ACCIDENTAL FALLS.....E880-E887	329	168	143	14	4
49 FALL FROM ONE LEVEL TO ANOTHER.....E880-E884	105	72	26	7	-
50 FALL ON SAME LEVEL.....E885,E886	22	8	14	-	-
51 OTHER AND UNSPECIFIED FALLS.....E887	202	68	103	7	4
52 ACCIDENTS CAUSED BY FIRES AND FLAMES.....E890-E899	123	74	31	10	8
53 ACCIDENTAL DROWNING AND SUBMERSION.....E910	109	76	17	14	2
54 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OR SUFFOCATION.....E911,E912	62	36	23	3	-
55 ACCIDENT CAUSED BY FIREARM MISSILE.....E922	45	32	7	4	2
56 ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E921,E923-E928	132	114	7	11	-
57 ACCIDENT CAUSED BY CUTTING OR PIERCING INSTRUMENT.....E920	2	1	-	1	-
58 ACCIDENT CAUSED BY EXPLOSIVE MATERIAL.....E923	11	9	1	1	-
59 ACCIDENT CAUSED BY HOT SUBSTANCE, CORROSIVE LIQUID, STEAM, OR RADIATION.....E924,E926	3	2	1	-	-
60 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E925	17	17	-	-	-
61 OTHER ACCIDENTS MAINLY OF INDUSTRIAL TYPE.....E916-E919,E921,E927,E928	99	85	5	9	-
62 SURGICAL AND MEDICAL COMPLICATIONS AND MISADVENTURES.....E930-E936	57	33	22	1	1
63 ALL OTHER ACCIDENTS.....E900-E909,E913-E915,E929,E940-E949	75	55	13	1	2
64 SUICIDE.....E950-E959	461	303	143	12	3
65 SUICIDE FROM POISONING BY SOLID OR LIQUID SUBSTANCE.....E950	68	18	47	2	1
66 SUICIDE FROM POISONING BY GASES.....E951,E952	58	46	12	-	-
67 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION.....E953	54	30	19	4	1
68 SUICIDE BY FIREARM AND EXPLOSIVE.....E955	235	165	46	4	-
69 SUICIDE BY ALL OTHER MEANS.....E954,E956-E959	46	24	19	2	1
70 HOMICIDE.....E960-E978	130	62	24	36	8
71 ASSAULT BY FIREARM AND EXPLOSIVE.....E965	82	41	12	26	3
72 ASSAULT BY CUTTING AND PIERCING INSTRUMENT.....E966	11	3	1	6	1
73 ASSAULT BY OTHER MEANS.....E960-E964,E967-E969	36	18	11	3	4
74 LEGAL EXECUTION.....E970	-	-	-	-	-
75 OTHER LEGAL INTERVENTION.....E970-E977	1	-	-	1	-
76 INJURIES UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED.....E980-E989	57	34	18	3	2
77 INJURIES RESULTING FROM OPERATIONS OF WAR.....E990-E999	2	2	-	-	-

SECTION 1 - GENERAL MORTALITY

and Sex: United States and Each State, 1969-Con.

subcategory numbers which do not correspond exactly with the International Classification of Diseases (ICD) are identified by an asterisk; see Technical Appendix]

WEST VIRGINIA					WISCONSIN					WYOMING				
Total	White		All other		Total	White		All other		Total	White		All other	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1	...	1	...	-	1	...	-	...	1	-	...	-	...	-
1	...	1	...	-	1	...	-	...	1	-	...	-	...	-
2	...	2	...	-	3	...	3	...	-	-	...	-	...	-
2	...	1	...	1	3	...	3	...	-	-	...	-	...	-
19	8	7	2	2	38	14	22	1	1	2	2	-	-	-
10	6	2	1	1	13	7	5	1	-	1	1	-	-	-
9	2	5	1	1	25	7	17	-	1	1	1	-	-	-
45	12	31	1	1	119	36	78	1	4	10	1	9	-	-
27	8	18	1	-	63	23	39	1	-	2	-	2	-	-
2	-	2	-	-	2	1	1	-	-	-	-	-	-	-
16	4	11	-	1	49	8	37	-	4	8	1	7	-	-
165	91	68	4	2	375	192	171	5	7	32	19	13	-	-
15	6	9	-	-	16	11	5	-	-	1	1	-	-	-
25	10	15	-	-	67	33	32	-	2	3	2	1	-	-
58	33	22	3	-	160	79	79	1	1	13	9	4	-	-
10	8	1	-	1	27	14	11	1	1	2	1	1	-	-
1	1	-	-	-	1	1	-	-	-	13	6	7	-	-
56	33	21	1	1	104	54	44	3	3	105	62	35	8	4
375	203	150	11	11	714	387	244	47	36	426	305	100	13	8
548	332	163	28	25	194	103	88	2	1	31	26	5	-	-
15	4	10	-	1	51	18	33	-	-	3	1	2	-	-
533	328	153	28	24	143	85	55	2	1	28	25	3	-	-
1,505	1,047	382	53	23	2,970	1,939	881	113	37	426	305	100	13	8
1,170	807	306	40	17	2,295	1,492	702	74	27	343	246	79	11	7
11	10	-	1	-	10	7	2	1	-	-	-	-	-	-
532	386	120	17	9	1,129	748	399	26	16	195	134	48	8	5
525	382	117	17	9	1,109	735	333	25	16	188	128	47	8	5
3	2	1	-	-	35	21	12	2	-	3	3	-	-	-
108	77	24	4	3	499	298	185	8	8	51	37	10	4	-
67	45	19	2	1	147	81	53	8	5	7	4	1	-	-
28	22	5	1	-	140	103	30	5	2	12	8	-	-	-
72	55	15	2	-	274	221	50	2	1	82	57	22	2	1
247	181	53	8	5	14	11	3	-	-	33	19	10	2	2
7	4	3	-	-	20	13	6	1	-	7	6	1	-	-
1	1	-	-	-	8	3	5	-	-	-	-	-	-	-
9	8	1	-	-	34	32	2	-	-	4	4	-	-	-
9	7	2	-	-	26	21	5	-	-	9	9	-	-	-
39	25	13	1	-	105	66	30	5	4	13	7	5	1	-
11	2	9	-	-	19	8	10	-	1	2	2	-	-	-
5	3	2	-	-	23	12	10	-	1	3	2	1	-	-
23	20	2	1	-	63	46	10	5	2	8	5	2	1	-
172	90	77	4	1	359	178	176	4	1	40	27	13	-	-
31	21	8	2	-	100	63	34	2	1	11	11	-	-	-
5	1	3	1	-	18	14	4	-	-	-	-	-	-	-
136	68	64	1	1	241	101	138	2	-	29	16	13	-	-
74	36	31	3	4	124	76	32	15	1	8	4	4	-	-
58	40	11	6	1	103	69	22	12	-	18	15	2	1	1
28	14	12	2	-	84	45	34	2	3	6	4	2	-	-
26	22	3	1	-	34	30	1	3	4	4	3	1	-	-
123	120	3	-	-	137	124	8	4	1	22	20	2	-	-
2	2	-	-	-	2	-	-	1	1	1	1	-	-	-
9	8	1	-	-	8	6	2	-	-	3	2	1	-	-
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
14	13	1	-	-	13	12	1	-	-	-	-	-	-	-
98	97	1	-	-	113	106	4	3	-	1	1	-	-	-
31	15	16	-	-	40	25	15	-	-	17	16	1	-	-
57	33	17	5	2	102	68	31	2	1	3	2	1	-	-
195	152	38	3	2	535	383	138	10	4	59	44	13	1	1
6	1	5	-	-	65	26	35	2	-	3	1	3	-	-
18	11	7	-	-	108	70	38	-	-	9	6	3	-	-
25	22	3	-	-	101	73	26	2	-	6	5	1	-	-
131	106	21	2	2	223	191	27	5	-	40	31	8	1	-
15	12	2	1	-	38	23	12	1	2	1	1	-	-	-
91	54	25	9	3	103	39	29	29	6	19	10	8	1	-
57	35	13	7	2	71	28	15	24	4	12	8	4	-	-
13	8	2	2	1	15	4	6	3	2	1	2	-	-	-
21	11	10	-	-	16	6	8	2	-	6	2	4	-	-
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
48	33	13	1	1	37	25	12	-	-	5	5	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77

Section 2. Infant Mortality

Table	Page
2-1. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-69 -----	2-3
2-2. Infant mortality rates by age, color, and sex: United States, 1969 -----	2-3
2-3. Infant, neonatal, and postneonatal deaths and rates by specified race or national origin and sex: United States, 1969 -----	2-3
2-4. Infant mortality rates by age and color: United States, 1960-69 -----	2-4
2-5. Infant mortality rates for 65 selected causes, by color: United States, 1969 -----	2-5
2-6. Infant mortality rates by color: United States, each division and State, 1965-69 ----	2-6
2-7. Neonatal mortality rates by color: United States, each division and State, 1965-69 --	2-7
2-8. Infant and neonatal deaths and mortality rates for the 50 largest standard metropolitan statistical areas in the United States and their component counties: 1969 ---	2-8
2-9. Deaths under 1 year, by age, race, and sex: United States and each State, 1969 ----	2-10
2-10. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1969 -----	2-24
2-11. Infant mortality rates for 65 selected causes: United States, 1968-69 -----	2-31
2-12. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, by month: United States, 1969 -----	2-32
2-13. Deaths under 1 year and under 28 days, from 65 selected causes, by color, for population-size groups in metropolitan and nonmetropolitan counties: United States, 1969 -----	2-35
2-14. Deaths under 1 year from 65 selected causes, by age, color, and sex: United States, 1969 -----	2-42
2-15. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 65 selected causes, by color: United States and each State, 1969 -----	2-60

SECTION 2 - INFANT MORTALITY

Table 2-1. Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-69

[Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group]

Year	Infant mortality rate			Neonatal mortality rate			Year	Infant mortality rate			Neonatal mortality rate		
	Total	White	All other	Total	White	All other		Total	White	All other	Total	White	All other
1969	20.9	18.4	32.9	15.6	14.2	22.5	1951	28.4	25.8	44.8	20.0	18.9	27.3
1968	21.8	19.2	34.5	16.1	14.7	23.0	1950	29.2	26.8	44.5	20.5	19.4	27.5
1967	22.4	19.7	35.9	16.5	15.0	23.8	1949	31.5	28.9	47.3	21.4	20.3	28.6
1966	23.7	20.6	38.8	17.2	15.6	24.8	1948	32.0	29.9	46.5	22.2	21.2	29.1
1965	24.7	21.5	40.3	17.7	16.1	25.4	1947	32.2	30.1	48.5	22.8	21.7	31.0
1964	24.8	21.6	41.1	17.9	16.2	26.5	1946	35.8	31.8	49.5	24.0	23.1	31.5
1963	25.2	22.2	41.5	18.2	16.7	26.1	1945	38.5	36.6	57.0	24.3	23.3	32.0
1962	25.3	22.3	41.4	18.3	16.9	26.1	1944	39.8	36.9	60.3	24.7	23.6	32.5
1961	25.3	22.4	40.7	18.4	16.9	26.2	1943	40.4	37.5	62.5	24.7	23.7	32.9
1960	26.0	22.9	43.2	18.7	17.2	26.9	1942	40.4	37.3	64.6	25.7	24.5	34.6
1959	26.4	23.2	44.0	19.0	17.5	27.7	1941	45.5	41.2	74.8	27.7	26.1	39.0
1958	27.1	23.9	45.7	19.5	17.8	29.0	1940	47.0	43.2	75.8	28.8	27.2	39.7
1957	26.3	23.3	45.7	19.1	17.5	27.8	1935-39	55.2	49.2	81.3	31.0	29.5	41.4
1956	26.0	23.2	42.1	18.9	17.5	27.0	1930-34 ²	60.4	55.2	98.6	34.4	32.5	48.2
1955	26.4	23.6	42.8	19.1	17.7	27.2	1925-29	69.0	65.0	108.4	37.2	36.0	47.9
1954	26.6	23.9	42.9	19.1	17.8	27.0	1920-24	76.7	73.5	113.3	39.7	38.7	51.1
1953	27.8	25.0	44.7	19.6	18.3	27.4	1915-19	95.7	92.8	149.7	43.4	42.3	58.1
1952	28.4	25.5	47.0	19.8	18.5	26.0							

¹Figures by color exclude data for residents of New Jersey; See Technical Appendix.
²For 1932-34, Mexicans are included with "All other."

Table 2-2. Infant Mortality Rates by Age, Color, and Sex: United States, 1969

[Rates per 100,000 live births in specified group]

Age	Total			White			All other		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Under 1 year	2,085.2	2,343.8	1,813.0	1,840.9	2,089.0	1,578.2	3,291.3	3,621.0	2,953.2
Under 28 days	1,557.8	1,769.5	1,334.9	1,416.6	1,618.7	1,202.7	2,254.7	2,525.5	1,977.0
Under 1 day	918.1	1,040.0	789.7	827.7	938.6	710.3	1,364.0	1,548.1	1,175.2
Under 1 hour	179.0	192.1	165.1	164.5	172.7	155.8	250.6	289.4	210.7
1-23 hours	739.1	847.8	624.5	663.2	765.9	554.5	1,113.4	1,256.7	964.5
1 day	221.8	255.8	186.0	208.8	243.7	172.0	285.7	316.8	253.8
2 days	131.9	154.4	108.3	126.2	155.3	101.6	150.3	159.9	140.6
3 days	58.6	70.0	46.7	56.3	67.3	42.5	75.3	83.3	67.1
4 days	34.7	39.5	29.7	31.1	34.6	27.4	52.6	64.5	40.4
5 days	24.2	27.1	21.2	21.5	24.4	18.4	37.9	41.0	34.7
6 days	19.0	20.5	17.3	16.9	18.4	15.3	29.3	31.3	27.4
7-13 days	74.9	81.0	68.5	64.8	70.2	59.3	124.0	134.8	112.9
14-20 days	40.1	43.9	36.2	33.9	37.4	30.1	70.9	76.2	65.5
21-27 days	34.5	37.3	31.5	28.4	30.9	25.7	64.6	69.7	59.4
28-59 days	129.9	145.8	113.1	104.2	117.6	90.0	256.7	287.5	225.1
2 months	98.9	111.2	85.9	79.2	91.8	65.9	196.0	208.4	183.3
3 months	76.4	87.0	65.2	61.6	73.0	49.6	149.4	157.3	141.3
4 months	54.9	61.0	48.6	43.5	49.1	37.5	111.6	120.5	102.5
5 months	40.6	40.9	40.3	31.6	32.4	30.8	84.7	93.3	86.2
6 months	31.5	32.3	30.6	24.9	25.7	24.1	64.1	65.8	62.4
7 months	24.7	25.0	24.4	20.4	20.8	19.9	46.2	46.2	45.1
8 months	21.6	22.1	21.0	17.9	18.6	17.3	39.6	40.0	39.1
9 months	17.8	18.2	17.4	14.8	15.9	13.6	33.0	30.0	36.1
10 months	16.1	16.1	16.1	13.9	14.0	13.9	26.9	27.0	26.7
11 months	15.0	14.6	15.4	12.2	11.6	12.9	28.5	29.8	27.4

Table 2-3. Infant, Neonatal, and Postneonatal Deaths and Rates by Specified Race or National Origin and Sex: United States, 1969

[Infant (under 1 year), neonatal (under 28 days), and postneonatal (28 days to 11 months) mortality rates per 1,000 live births in specified group]

Age	Total			White		Negro		Indian ¹		Chinese		Japanese		Other races	
	Both sexes	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNDER 1 YEAR															
Number	75,073	43,280	31,793	32,158	22,950	10,522	8,360	347	272	27	21	45	33	181	157
Rate	20.9	23.4	18.1	20.9	15.8	38.3	31.1	28.4	23.1	7.3	6.4	10.5	8.3	14.5	13.3
UNDER 28 DAYS															
Number	56,085	32,675	23,410	24,918	17,490	7,363	5,632	188	123	23	13	40	24	145	126
Rate	15.6	17.7	13.3	16.2	12.0	26.8	21.0	15.4	10.4	6.3	4.0	9.3	6.1	11.5	10.9
28 DAYS TO 11 MONTHS															
Number	18,988	10,605	8,383	7,240	5,460	3,159	2,788	159	149	4	8	5	9	38	29
Rate	5.3	5.7	4.8	4.7	3.8	11.5	10.2	13.0	12.6	1.1	2.5	1.2	2.3	3.0	2.5

¹Includes deaths among Aleuts and Eskimos.

SECTION 2 - INFANT MORTALITY

Table 2-4. Infant Mortality Rates by Age and Color: United States, 1960-69

[Rates per 100,000 live births in specified group]

Age and color	1969	1968	1967	1966	1965	1964	1963 ¹	1962 ¹	1961	1960
TOTAL										
Under 1 year-----	2,085.2	2,178.0	2,244.5	2,371.3	2,489.6	2,477.5	2,522.9	2,531.1	2,529.2	2,604.0
Under 28 days-----	1,557.8	1,612.3	1,650.9	1,717.6	1,766.3	1,788.4	1,821.6	1,832.0	1,839.7	1,872.6
Under 1 day-----	918.1	951.1	964.6	994.7	1,016.5	1,022.6	1,057.5	1,035.7	1,025.8	1,034.2
1 day-----	221.8	232.8	239.9	254.2	258.3	263.2	265.6	262.0	266.5	271.2
2 days-----	131.9	136.8	143.7	151.3	158.9	160.2	166.2	173.1	172.0	176.9
3 days-----	58.6	61.3	62.7	67.0	66.4	72.2	72.9	77.4	79.1	82.6
4 days-----	34.7	35.7	35.2	38.5	37.4	40.0	41.8	43.6	44.3	46.3
5 days-----	24.2	27.2	28.4	27.3	28.9	28.4	30.7	31.2	34.7	34.2
6 days-----	19.0	19.3	20.7	20.7	20.7	21.4	22.4	22.8	24.1	25.0
7-15 days-----	74.9	70.2	74.4	78.4	85.2	85.5	85.7	81.5	93.5	93.0
14-20 days-----	40.1	41.5	42.8	45.4	53.2	51.3	52.8	53.0	56.2	59.2
21-27 days-----	34.5	36.3	38.4	40.3	42.9	43.5	43.9	41.5	42.5	45.0
28-59 days-----	129.9	134.8	149.9	161.7	170.1	165.4	162.6	161.5	162.0	170.8
2 months-----	98.9	108.4	113.9	119.9	130.4	128.7	129.4	132.4	129.4	132.9
3 months-----	76.4	84.5	82.4	92.2	103.5	95.9	99.2	96.8	97.6	100.7
4 months-----	54.9	58.7	59.5	68.3	74.3	69.7	71.4	71.4	70.6	77.2
5 months-----	40.6	42.0	45.9	49.9	52.1	53.4	55.8	55.6	55.6	57.4
6 months-----	31.5	34.3	37.6	39.1	41.7	43.4	45.0	44.2	43.6	47.2
7 months-----	24.7	26.8	27.5	31.6	33.8	34.9	36.4	35.7	34.5	39.2
8 months-----	21.6	20.9	23.5	27.8	28.1	29.1	29.7	30.4	29.7	33.2
9 months-----	17.8	21.6	19.5	22.5	25.6	26.1	24.7	26.0	24.9	26.7
10 months-----	16.1	16.8	17.4	21.0	21.8	21.9	22.1	23.1	21.4	23.0
11 months-----	15.0	16.8	16.4	19.7	21.8	20.8	21.6	21.9	21.2	22.0
WHITE										
Under 1 year-----	1,840.9	1,919.6	1,968.6	2,063.0	2,151.1	2,158.6	2,216.5	2,233.7	2,243.4	2,290.6
Under 28 days-----	1,416.6	1,475.2	1,501.8	1,560.8	1,608.3	1,620.4	1,667.8	1,685.9	1,693.5	1,724.2
Under 1 day-----	827.7	868.9	871.8	903.6	930.1	929.3	954.1	959.1	953.5	960.7
1 day-----	208.8	218.7	224.8	236.8	240.0	244.9	248.1	247.4	252.4	253.3
2 days-----	128.2	129.3	139.6	145.8	152.9	152.4	162.3	165.2	165.3	172.0
3 days-----	55.3	57.1	58.4	63.4	61.9	66.8	67.4	73.3	74.8	77.7
4 days-----	31.1	31.1	31.0	35.1	33.0	36.3	36.6	39.3	39.0	41.3
5 days-----	21.5	24.8	25.1	24.7	24.3	24.8	27.1	27.7	30.1	30.4
6 days-----	16.9	17.0	18.6	17.6	17.7	19.0	19.8	19.4	21.0	22.5
7-15 days-----	64.9	62.4	65.7	65.9	69.4	72.8	74.4	77.4	78.0	85.3
14-20 days-----	33.9	34.6	35.8	36.0	43.8	41.2	42.7	42.7	45.5	46.2
21-27 days-----	28.4	29.2	30.9	31.8	35.2	32.8	35.3	34.3	34.0	34.8
28-59 days-----	104.2	108.8	118.8	125.7	130.0	130.6	129.8	129.3	128.7	133.8
2 months-----	79.2	85.8	90.0	91.4	100.9	99.4	101.9	104.5	103.8	103.4
3 months-----	61.6	66.4	64.5	70.5	80.5	74.8	76.3	74.7	77.7	78.6
4 months-----	43.5	45.9	45.1	51.2	56.1	52.3	57.2	53.7	54.5	57.3
5 months-----	31.6	31.7	35.3	37.7	39.3	40.2	41.7	41.3	42.7	43.2
6 months-----	24.9	26.5	29.4	29.5	32.1	33.8	33.6	34.7	34.2	35.2
7 months-----	20.4	21.1	22.1	24.5	26.0	27.8	26.5	28.2	27.5	30.4
8 months-----	17.9	18.6	19.1	21.9	21.7	22.8	23.4	23.6	24.6	26.4
9 months-----	14.8	16.9	15.6	17.9	20.9	21.7	20.2	21.1	20.1	21.3
10 months-----	13.9	13.2	13.8	16.0	17.4	17.8	18.7	19.1	18.2	18.4
11 months-----	12.2	13.6	13.0	15.9	17.9	17.2	17.4	17.6	17.8	18.3
ALL OTHER										
Under 1 year-----	3,291.3	3,454.9	3,591.7	3,876.9	4,032.7	4,109.6	4,149.3	4,135.9	4,071.4	4,321.1
Under 28 days-----	2,254.7	2,299.5	2,379.0	2,483.3	2,541.6	2,648.1	2,610.0	2,605.1	2,621.9	2,695.7
Under 1 day-----	1,364.0	1,357.3	1,418.0	1,439.7	1,440.5	1,500.0	1,456.8	1,434.1	1,416.1	1,436.6
1 day-----	285.7	302.7	313.6	339.3	348.3	357.0	353.7	337.8	342.0	360.5
2 days-----	150.3	173.8	163.6	178.3	188.1	200.2	203.2	215.4	209.4	203.9
3 days-----	75.3	82.0	83.9	84.3	88.3	99.8	104.4	100.8	102.3	100.4
4 days-----	52.6	58.7	56.0	53.5	58.9	59.4	68.6	66.1	72.7	73.8
5 days-----	37.8	39.4	44.4	40.5	51.2	46.6	50.4	50.2	59.6	55.4
6 days-----	29.3	30.7	30.7	35.9	35.5	33.9	37.2	41.8	41.1	39.3
7-15 days-----	124.0	108.4	116.8	139.3	150.8	150.5	142.3	169.8	177.7	173.0
14-20 days-----	70.9	75.3	76.7	91.0	99.1	102.7	106.1	109.1	113.7	124.3
21-27 days-----	64.6	71.3	75.2	81.6	80.8	98.0	89.4	81.2	86.2	100.4
28-59 days-----	256.7	263.5	301.6	337.7	367.0	343.6	342.0	337.6	341.3	375.5
2 months-----	196.0	220.1	230.8	259.4	275.3	278.9	280.6	289.3	267.7	294.0
3 months-----	149.4	173.8	170.1	198.0	216.3	204.0	225.7	219.8	204.8	221.7
4 months-----	111.6	122.0	129.7	151.7	163.9	158.9	173.4	169.3	157.8	186.3
5 months-----	84.7	93.2	97.6	109.6	115.2	121.4	131.5	135.4	125.3	132.6
6 months-----	64.1	73.0	77.7	86.0	89.1	92.2	107.2	93.7	94.7	113.2
7 months-----	46.2	55.1	53.6	66.6	72.3	71.1	79.2	77.5	72.1	87.5
8 months-----	39.6	42.3	45.1	56.4	59.4	61.5	63.5	66.1	56.8	70.5
9 months-----	33.0	44.8	38.3	44.5	48.7	48.9	50.2	52.4	50.9	56.3
10 months-----	26.9	34.8	35.3	45.2	43.4	42.8	41.0	46.1	38.7	48.2
11 months-----	28.5	32.9	33.1	38.5	40.7	38.3	44.9	43.6	39.6	47.8

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

SECTION 2 - INFANT MORTALITY

2-5

Table 2-5. Infant Mortality Rates for 65 Selected Causes, by Color: United States, 1969

[Rates are deaths under 1 year per 100,000 live births in specified group. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	Total	White	All other
All causes	2,085.2	1,349.9	3,291.3
Diarrheal diseases	23.1	12.7	74.3
Whooping cough	*0.3	*0.2	*0.7
Meningococcal infections	3.9	4.0	3.6
Tetanus	*0.2	*0.1	*0.7
Septicemia	21.1	16.0	46.0
Viral diseases	7.5	6.3	13.5
Congenital syphilis	0.6	*0.4	*1.8
Other infective and parasitic diseases	5.8	5.0	16.0
Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues	4.5	4.9	*2.5
Benign neoplasms and neoplasms of unspecified nature	1.9	1.8	*2.5
Diseases of thymus gland	0.3	0.3	*0.3
Cystic fibrosis	3.5	3.8	*1.8
Diseases of the blood and blood-forming organs	4.4	3.5	8.7
Meningitis	15.3	12.1	31.2
Other diseases of nervous system and sense organs	13.3	12.7	19.0
Acute upper respiratory infections	6.4	5.2	12.4
Bronchitis and bronchiolitis	15.9	11.5	37.4
Influenza and pneumonia	198.3	149.3	445.3
Influenza	3.5	2.2	9.7
Pneumonia	194.8	146.1	435.5
Other chronic interstitial pneumonia	*0.5	*0.5	*0.8
All other diseases of respiratory system	16.6	14.5	26.9
Hernia and intestinal obstruction	17.7	17.5	19.8
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	1.6	1.1	4.0
Other diseases of digestive system	12.0	10.5	19.6
Congenital anomalies	314.1	313.1	294.6
Anencephalus	26.6	29.3	12.9
Spina bifida	19.0	21.1	8.7
Congenital hydrocephalus	17.0	16.9	17.8
Other congenital anomalies of central nervous system and eye	12.6	13.9	8.6
Congenital anomalies of heart	123.6	122.5	130.2
Other congenital anomalies of circulatory system	19.3	19.1	17.6
Congenital anomalies of respiratory system	14.0	13.8	14.8
Congenital anomalies of digestive system	22.0	21.4	25.2
Congenital anomalies of genitourinary system	11.3	11.8	9.2
Congenital anomalies of musculoskeletal system	9.5	9.7	8.7
Down's disease	5.3	3.9	4.0
Other congenital syndromes affecting multiple systems	29.4	29.6	28.5
Other and unspecified congenital anomalies	6.0	5.6	8.2
Certain causes of mortality in early infancy	1,136.0	1,076.9	1,783.9
Chronic circulatory and genitourinary diseases in mother	*0.5	*0.4	*1.2
Other maternal conditions unrelated to pregnancy	13.4	13.1	15.0
Syphilis	*0.1	*0.0	*0.5
Diabetes mellitus	6.9	7.3	4.9
Rubella	0.6	*0.6	*0.8
All other maternal conditions unrelated to pregnancy	5.7	5.1	8.7
Toxemia of pregnancy	4.9	3.8	10.1
Maternal antepartum and intrapartum infection	6.7	9.3	13.7
Difficult labor	24.1	21.9	34.5
With mention of birth injury (.0-.3)	10.6	9.5	17.3
Without mention of birth injury (.4,.9)	13.4	12.7	17.1
All other complications of pregnancy and childbirth	147.8	131.6	213.0
Conditions of placenta	70.0	70.7	66.6
Conditions of umbilical cord	13.7	13.8	14.0
Birth injury without mention of cause	47.0	40.7	78.1
Hemolytic disease of newborn	24.7	27.3	12.0
Hyaline membrane disease	133.5	134.8	128.3
Respiratory distress syndrome	114.4	105.2	158.8
Asphyxia of newborn, unspecified	266.3	237.1	410.7
All other anoxic and hypoxic conditions not elsewhere classifiable	22.3	18.9	39.1
Immaturity, unqualified	249.5	202.6	474.9
Postmaturity	*0.1	*0.1	*0.3
Hemorrhagic disease of newborn	12.0	19.8	19.3
All other conditions of newborn	46.2	56.4	94.6
Symptoms and ill-defined conditions	89.1	61.5	285.0
Accidents	67.4	57.0	118.4
Inhalation and ingestion of food or other object causing obstruction or suffocation	21.3	17.8	30.7
Accidental mechanical suffocation	17.2	14.6	30.0
Other accidental causes	28.8	24.6	49.6
Homicide	4.2	3.4	8.2
All other causes	36.0	31.1	71.9

SECTION 2 - INFANT MORTALITY

Table 2-6. Infant Mortality Rates by Color: United States, Each Division and State, 1965-69
 [Rates are deaths under 1 year per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1969			1968			1967			1966			1965		
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States-----	20.9	18.4	32.9	21.3	19.7	34.5	22.4	19.7	39.9	23.7	20.6	39.8	24.7	21.5	40.3
Geographic divisions:															
New England:															
Maine-----	18.1	16.3	27.9	19.9	19.2	31.8	20.1	19.3	33.8	21.5	20.7	34.0	22.1	21.2	37.5
New England-----	20.9	18.2	35.0	21.2	18.6	35.0	22.1	19.2	37.7	22.4	19.6	39.1	23.3	20.3	40.6
Middle Atlantic-----	20.4	18.4	32.0	21.6	19.4	35.4	21.0	19.7	35.6	22.7	20.5	39.1	23.6	21.3	40.1
East North Central-----	18.0	17.6	32.9	19.5	18.5	31.8	20.6	19.2	39.2	20.9	19.5	39.1	22.1	20.8	39.7
West North Central-----	22.9	18.6	34.1	24.3	19.6	36.2	25.1	20.0	37.4	27.1	21.2	41.0	28.3	22.4	41.9
South Atlantic-----	24.5	20.2	37.3	26.2	20.9	40.5	27.2	21.8	40.9	29.2	22.8	45.5	30.7	23.7	47.3
East South Central-----	21.9	19.0	35.4	22.7	19.4	35.7	23.3	20.5	35.5	25.8	21.8	39.7	26.6	22.5	40.6
West South Central-----	20.6	19.3	33.7	21.2	19.7	36.1	21.3	20.5	35.6	23.8	22.2	40.0	24.2	22.8	37.7
Mountain-----	18.3	17.6	23.0	19.1	19.9	22.9	19.5	18.7	25.0	21.0	20.1	26.7	22.1	21.1	28.8
Pacific-----															
New England:															
New England-----	20.2	20.8	*11.5	21.5	21.5	*23.1	22.9	22.8	*32.1	22.4	22.4	*16.3	22.6	22.5	*32.5
New Hampshire-----	20.5	20.6	17.4	18.8	15.9	*10.4	20.6	20.1	*150.0	21.6	21.6	*12.2	21.1	21.2	*19.9
New Jersey-----	20.0	19.9	27.8	19.7	19.3	34.2	20.9	19.2	34.0	21.2	20.7	*45.5	21.9	22.0	-
New York-----	18.3	17.9	24.3	19.9	19.2	34.2	20.6	19.2	34.0	21.2	20.7	31.7	22.2	21.4	38.5
Rhode Island-----	19.8	18.9	35.6	21.5	20.6	33.6	19.4	18.2	43.5	21.9	20.9	44.4	22.5	21.6	42.0
Connecticut-----	18.7	17.1	31.5	19.0	17.8	30.1	19.2	17.9	30.9	21.2	19.6	36.0	21.9	20.3	36.9
Middle Atlantic:															
New Jersey-----	21.2	18.3	34.0	20.9	18.3	35.8	22.1	19.1	36.8	22.5	19.5	37.4	23.4	20.2	39.5
New York-----	20.6	16.7	35.3	21.2	17.9	36.8	21.9	18.5	38.2	22.3	18.4	41.9	23.2	19.2	43.5
Pennsylvania-----	21.0	18.7	37.1	21.7	19.6	37.2	22.3	19.9	39.2	22.3	20.3	36.4	23.3	21.0	49.4
East North Central:															
Ohio-----	19.3	18.0	29.3	20.3	18.7	32.0	20.7	19.0	33.8	21.3	19.8	34.2	22.3	20.5	37.0
Indiana-----	20.5	19.2	35.3	21.9	20.5	36.7	22.3	21.0	35.0	22.8	21.4	37.0	23.5	22.2	30.5
Illinois-----	22.4	19.2	35.4	23.4	20.0	37.6	23.6	20.3	36.9	25.1	21.3	41.9	25.6	21.4	44.5
Michigan-----	20.5	18.9	32.6	21.6	19.3	34.9	22.0	19.8	35.2	22.5	20.0	38.2	23.6	21.6	37.9
Wisconsin-----	17.3	18.6	29.0	19.3	19.8	31.2	19.4	18.4	36.5	20.4	20.2	24.0	21.9	21.6	29.7
West North Central:															
Minnesota-----	16.9	16.7	22.0	18.4	18.1	26.9	19.8	19.5	29.9	19.5	19.2	35.3	20.3	20.0	30.1
Iowa-----	19.9	18.7	29.0	19.1	19.8	30.2	19.2	18.8	32.4	19.3	19.2	28.8	20.6	20.5	26.0
Missouri-----	21.1	19.5	35.7	21.4	19.3	35.4	22.7	19.1	42.1	23.4	19.9	42.4	23.4	22.3	42.2
North Dakota-----	16.7	16.5	20.2	16.9	16.9	*16.9	21.9	21.0	*21.4	20.8	19.9	36.1	21.2	20.2	40.2
South Dakota-----	20.0	18.7	29.9	20.5	19.6	32.4	22.4	20.8	35.3	24.0	22.5	43.2	22.7	19.5	49.0
Nebraska-----	17.1	15.9	39.2	18.0	17.1	33.0	19.8	19.0	36.2	18.1	17.6	25.7	22.6	22.0	35.2
Kansas-----	18.3	17.3	30.1	19.4	19.3	30.7	19.5	18.4	34.4	21.1	20.0	35.1	20.4	19.7	29.2
South Atlantic:															
Delaware-----	22.6	18.2	39.3	20.2	16.0	37.3	20.5	15.8	39.3	22.7	17.7	42.3	24.3	20.1	49.0
Maryland-----	19.6	16.3	33.4	21.3	17.9	33.3	22.1	19.0	32.5	23.3	19.2	37.4	24.7	21.8	34.9
District of Columbia-----	29.8	24.1	30.8	25.9	16.6	27.7	27.3	20.5	26.7	34.5	22.9	37.3	32.0	24.5	34.1
Virginia-----	22.1	18.9	33.2	22.7	18.7	36.2	24.3	20.1	37.4	25.3	21.5	37.2	26.6	22.2	39.7
West Virginia-----	23.0	22.4	30.5	23.4	22.4	42.3	25.2	24.8	33.1	26.2	25.3	43.3	26.8	26.1	41.0
North Carolina-----	20.0	19.9	37.5	26.3	20.9	38.7	26.9	20.0	42.0	29.0	22.1	44.4	30.5	22.1	48.3
South Carolina-----	24.1	18.9	33.9	27.0	20.5	37.4	27.7	21.0	37.9	30.0	21.2	42.6	31.3	22.7	43.3
Georgia-----	22.7	17.5	33.9	25.4	19.4	37.6	26.5	19.6	39.4	27.9	20.3	41.9	28.9	21.7	41.6
Florida-----	22.6	16.3	35.6	24.1	19.8	36.5	23.8	18.8	37.2	27.1	21.3	41.7	28.3	22.4	44.9
East South Central:															
Kentucky-----	20.9	20.5	25.3	21.9	21.0	31.8	24.1	22.9	36.1	25.0	23.1	45.0	25.3	23.7	42.8
Tennessee-----	21.9	19.9	33.4	23.2	19.8	35.8	24.4	21.0	38.4	26.1	22.3	39.6	28.0	23.9	43.0
Alabama-----	26.2	20.7	37.3	26.6	20.9	37.7	26.9	20.7	38.2	29.3	22.0	41.0	30.8	23.5	43.8
Mississippi-----	32.1	21.9	42.7	35.5	22.0	40.1	35.5	22.8	47.4	36.8	23.1	52.6	40.6	24.5	54.4
West South Central:															
Arkansas-----	21.1	18.8	30.0	23.2	18.6	36.0	24.3	20.5	34.2	25.4	20.6	36.8	25.7	20.6	37.7
Louisiana-----	24.6	18.2	35.2	29.3	18.2	36.8	26.4	19.1	37.4	29.8	19.5	42.7	30.5	22.0	43.1
Oklahoma-----	20.4	19.7	24.5	20.0	19.5	22.6	20.8	19.0	31.3	23.3	21.5	33.1	23.1	21.7	30.7
Texas-----	21.4	18.2	34.5	22.2	19.8	35.6	23.3	21.1	34.9	25.3	22.6	39.1	26.0	23.1	41.1
Mountain:															
Montana-----	21.0	20.5	26.2	19.5	18.3	33.2	23.8	22.9	33.0	22.5	20.5	44.3	25.0	24.3	39.2
Idaho-----	19.0	18.4	42.7	18.4	18.2	*29.9	19.4	19.5	*11.0	20.7	20.5	*29.0	24.5	24.5	*24.6
Wyoming-----	27.3	26.5	43.0	21.3	19.5	*55.6	23.1	23.6	*8.7	24.2	23.6	*36.0	22.1	21.2	*42.3
Colorado-----	20.4	19.3	30.6	20.6	20.3	27.3	22.8	22.3	33.6	23.5	23.0	33.9	24.3	21.0	30.8
New Mexico-----	24.0	21.4	39.7	23.9	22.3	35.5	24.8	22.5	37.9	26.3	24.2	43.1	26.9	25.6	35.4
Arizona-----	21.6	19.3	34.2	23.0	19.7	36.8	22.8	20.2	35.8	27.7	24.0	45.2	25.4	21.6	43.0
Utah-----	16.0	15.4	39.2	17.6	16.8	32.4	16.6	16.2	*28.8	18.3	18.2	18.6	18.7	17.8	47.8
Nevada-----	18.7	18.4	20.2	26.5	25.5	33.5	19.8	18.6	25.7	24.3	23.9	27.0	24.3	23.7	32.7
Pacific:															
Washington-----	18.9	18.1	28.9	19.7	19.0	28.6	19.2	18.3	31.1	21.1	20.1	36.6	21.4	20.4	36.4
Oregon-----	17.5	17.3	22.7	19.7	19.3	29.0	19.4	19.9	32.0	21.4	21.3	24.5	21.1	20.8	28.2
California-----	18.3	17.9	23.1	19.0	18.4	22.6	19.6	18.9	24.9	23.8	20.0	26.7	22.1	21.2	29.1
Alaska-----	19.5	14.1	34.1	21.8	16.6	34.7	23.2	19.1	31.2	21.3	22.0	46.8	39.1	24.0	66.1
Hawaii-----	19.2	21.0	19.4	18.2	15.6	19.2	16.7	14.9	17.5	18.0	15.5	19.7	21.3	20.9	21.5

SECTION 2 - INFANT MORTALITY

2-7

Table 2-7. Neonatal Mortality Rates by Color: United States, Each Division and State, 1965-69

[Rates are deaths under 28 days per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1969			1968			1967			1966			1965		
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States-----	15.6	14.2	22.5	16.1	14.7	23.0	16.5	15.0	23.8	17.2	15.6	24.8	17.7	16.1	25.4
Geographic divisions:															
New England-----	15.0	14.7	20.8	15.4	14.9	23.7	15.3	14.8	25.4	16.4	15.9	25.4	16.9	16.3	28.0
Middle Atlantic-----	15.9	14.0	25.7	16.3	14.5	25.8	17.1	15.1	28.1	17.1	15.1	27.7	17.5	15.5	29.1
East North Central-----	15.5	14.2	24.0	16.3	14.9	25.0	16.4	15.1	25.2	17.1	15.7	26.4	17.4	16.0	28.1
West North Central-----	14.6	14.0	22.8	15.0	14.4	21.5	15.7	15.0	24.8	15.8	15.0	25.9	16.4	15.8	24.6
South Atlantic-----	16.5	14.4	22.2	17.1	15.1	22.3	17.6	15.4	22.9	18.5	16.2	23.9	19.3	17.1	24.3
East South Central-----	17.8	15.3	24.5	18.7	16.1	25.6	18.5	16.0	24.8	19.3	16.4	26.5	20.1	17.4	26.4
West South Central-----	16.1	14.6	22.1	16.5	14.8	22.9	17.0	15.3	23.0	17.9	15.8	25.2	18.2	16.2	24.9
Mountain-----	14.9	14.6	18.2	15.3	15.0	18.1	15.7	15.5	17.4	16.8	16.6	19.3	16.8	16.7	17.6
Pacific-----	13.5	13.0	16.2	14.1	13.8	16.1	14.8	13.8	17.7	15.4	14.9	16.8	15.9	15.3	19.9
New England:															
Maine-----	15.8	15.9	*11.5	15.9	15.8	*17.4	16.2	16.0	*24.1	17.1	17.1	*16.3	16.9	16.8	*28.5
New Hampshire-----	15.6	15.8	-	14.4	14.5	-	14.7	14.5	*100.0	16.2	16.3	*12.2	15.4	15.4	*10.9
Vermont-----	16.4	16.4	27.8	15.9	16.0	-	15.9	15.9	-	16.8	16.7	*45.5	16.1	16.2	-
Massachusetts-----	14.8	14.6	18.6	15.7	15.1	25.8	15.3	14.9	24.9	16.4	15.1	25.4	17.0	16.5	27.7
Rhode Island-----	15.3	14.7	25.8	16.4	15.9	25.2	15.4	14.3	36.9	16.4	15.6	32.3	17.5	16.8	31.8
Connecticut-----	14.7	13.6	23.5	14.4	13.5	22.3	15.1	14.2	23.7	16.2	15.1	27.0	17.1	16.0	28.2
Middle Atlantic:															
New York-----	16.0	14.0	25.1	15.8	14.0	23.9	17.0	14.8	27.6	17.0	14.8	27.7	17.5	15.3	28.8
New Jersey-----	15.2	13.1	24.9	16.5	14.1	27.9	17.0	14.6	28.2	16.9	14.3	29.9	17.5	14.9	30.4
Pennsylvania-----	16.3	14.7	27.9	17.1	15.5	28.3	17.4	15.8	29.0	17.3	16.1	28.7	17.7	16.2	28.6
East North Central:															
Ohio-----	15.0	14.1	22.1	15.5	14.4	23.5	15.7	14.6	24.1	16.3	15.2	25.3	16.5	15.2	26.8
Indiana-----	15.5	14.6	23.7	16.4	15.6	24.7	16.8	16.2	23.3	17.3	16.4	26.1	17.5	16.7	26.1
Illinois-----	17.0	15.0	25.2	17.5	15.4	26.0	17.3	15.4	25.1	18.4	16.2	27.6	18.7	16.0	30.9
Michigan-----	15.6	14.0	24.4	16.4	14.8	25.8	16.6	14.9	26.5	16.9	15.4	27.2	17.5	16.1	27.0
Wisconsin-----	12.8	12.3	20.1	14.9	14.6	20.8	15.1	14.3	28.4	16.0	15.9	18.0	16.5	16.4	17.8
West North Central:															
Minnesota-----	13.4	13.4	14.1	13.8	13.8	12.5	15.0	14.9	17.8	14.8	14.7	18.6	15.2	15.3	13.6
Iowa-----	14.9	14.7	20.5	15.3	15.1	25.8	15.4	15.2	21.6	15.3	15.1	22.2	15.4	15.4	*17.7
Missouri-----	16.3	14.6	25.8	16.0	14.7	23.3	16.8	14.7	28.3	16.9	14.8	28.4	16.9	16.9	29.3
North Dakota-----	13.3	13.5	11.1	12.8	13.2	*6.8	16.7	17.1	*10.7	16.2	16.0	*19.6	15.7	15.0	*27.3
South Dakota-----	14.9	15.3	10.9	15.7	15.0	20.8	16.1	16.1	15.7	16.9	15.9	25.2	15.1	14.5	19.4
Nebraska-----	13.5	12.6	28.3	14.1	13.7	21.3	15.8	15.2	23.3	14.6	14.3	20.0	17.6	17.2	25.5
Kansas-----	14.2	13.5	21.9	15.3	14.8	21.6	14.9	14.2	23.3	16.1	15.4	24.9	15.3	15.1	18.7
South Atlantic:															
Delaware-----	18.1	15.7	27.5	14.0	12.4	20.4	13.8	12.0	21.5	16.0	13.2	27.1	16.8	15.2	23.4
Maryland-----	14.6	12.6	21.0	16.1	14.2	22.6	16.7	14.6	24.0	17.6	15.1	26.5	18.3	16.7	24.0
District of Columbia-----	23.3	22.3	23.5	18.8	11.2	20.3	20.7	15.6	21.8	26.1	19.1	27.9	22.5	19.0	23.5
Virginia-----	16.7	14.7	23.5	17.0	14.8	24.1	17.6	15.5	24.0	18.6	16.9	24.1	18.8	16.8	24.9
West Virginia-----	17.3	17.0	22.4	16.9	16.3	28.9	19.1	18.8	25.2	19.8	19.2	30.9	20.2	19.6	31.8
North Carolina-----	17.3	15.1	22.9	18.4	16.4	23.1	18.2	15.3	25.1	18.6	16.5	23.4	20.0	16.9	26.7
South Carolina-----	15.3	13.6	18.2	16.7	15.2	19.0	17.7	16.4	19.7	17.3	16.0	19.2	18.8	17.2	20.9
Georgia-----	15.8	13.6	20.5	16.8	14.6	21.5	17.2	15.3	20.9	17.4	15.1	21.7	18.5	16.2	22.6
Florida-----	16.9	14.3	24.8	17.4	15.1	23.9	17.3	14.7	24.5	19.0	16.2	28.1	19.8	17.4	26.3
East South Central:															
Kentucky-----	15.3	15.2	17.3	16.2	15.7	21.5	16.9	16.1	24.5	17.0	16.0	20.4	17.3	16.5	25.7
Tennessee-----	16.2	14.1	24.0	16.8	15.0	23.2	17.4	15.7	23.5	18.2	16.2	25.2	19.5	17.4	28.4
Alabama-----	18.2	15.5	23.6	18.7	16.4	23.3	18.1	15.7	22.5	19.3	16.8	24.0	19.8	17.5	23.8
Mississippi-----	22.6	18.2	27.2	24.5	18.6	30.3	22.7	17.2	27.9	23.6	17.3	29.1	24.5	19.4	28.9
West South Central:															
Arkansas-----	14.2	13.1	17.6	15.8	13.8	21.3	16.2	15.7	17.3	16.1	14.9	19.0	15.9	14.6	18.7
Louisiana-----	17.9	14.8	23.1	18.2	14.6	24.0	19.0	15.4	24.4	20.4	15.1	28.3	20.9	17.0	26.6
Oklahoma-----	15.7	15.5	17.0	14.8	14.9	14.3	15.4	14.5	20.6	16.5	15.8	20.6	16.2	15.6	19.2
Texas-----	15.9	14.6	23.4	16.3	14.9	24.0	16.8	15.4	23.7	17.6	16.1	25.2	18.0	16.3	26.3
Mountain:															
Montana-----	15.6	15.5	*16.1	14.6	14.4	*17.1	16.7	16.8	*16.0	17.0	16.0	28.9	18.1	18.4	*15.3
Idaho-----	14.1	13.8	*27.4	13.1	13.0	*16.0	14.4	14.7	*3.7	15.1	15.0	*19.4	17.4	17.5	*16.4
Wyoming-----	22.8	22.1	*36.4	17.3	16.1	*41.7	18.3	18.7	*8.7	19.3	18.8	*28.8	16.3	15.7	*28.2
Colorado-----	15.3	14.9	22.6	15.7	15.5	18.2	17.7	17.5	21.7	17.7	17.3	24.9	17.6	17.4	20.7
New Mexico-----	16.3	15.8	19.0	16.8	16.6	17.8	16.0	15.6	18.3	16.7	16.7	16.9	17.7	18.4	13.9
Arizona-----	15.0	14.7	16.6	14.9	14.8	15.9	15.5	15.2	17.1	17.4	17.1	18.9	15.9	15.6	17.5
Utah-----	11.6	11.5	*13.6	13.3	13.0	*25.4	12.5	12.5	*11.2	14.8	14.9	*10.1	13.5	13.3	21.6
Nevada-----	13.5	13.6	12.9	13.7	19.6	20.3	14.4	13.5	19.5	17.8	18.4	*13.9	19.4	18.8	23.5
Pacific:															
Washington-----	13.5	13.0	19.7	14.2	14.0	16.9	13.5	13.0	20.3	15.1	14.4	25.3	15.2	14.6	24.5
Oregon-----	12.1	12.0	14.4	14.3	14.0	19.6	13.5	13.3	20.4	15.8	15.6	*15.0	14.5	14.3	17.2
California-----	13.6	13.2	16.2	14.0	13.7	16.3	14.5	14.0	17.9	15.4	14.9	18.9	16.1	15.4	20.4
Alaska-----	12.7	9.9	22.7	15.6	13.7	20.0	17.4	13.2	26.3	17.9	15.9	21.5	19.7	17.2	24.6
Hawaii-----	15.1	16.7	14.5	13.6	13.0	13.8	13.2	11.6	13.8	15.6	13.5	16.4	16.0	15.8	16.0

SECTION 2 - INFANT MORTALITY

Table 2-8. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1969

[Metropolitan areas are those defined by the Office of Management and Budget for 1969 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1960. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
50 largest U.S. SMSA's	34,143	20.4	25,924	15.5					
Akron, Ohio	207	17.1	166	15.7	Detroit, Mich.	1,676	21.6	1,276	16.5
Summit	170	17.1	140	14.0	Wayne	1,199	24.2	910	18.4
Portage	37	17.6	26	12.3	Macomb	198	15.7	156	13.2
Albany-Schenectady-Troy, N.Y.	239	19.6	164	15.1	Oakland	279	17.3	210	13.0
Albany	86	18.7	67	14.5	Forth Worth, Tex.	310	20.8	241	16.2
Rensselaer	60	22.1	46	16.9	Tarrant	295	20.9	227	16.1
Schenectady	52	20.1	41	15.8	Johnson	15	19.1	14	17.0
Saratoga	41	18.1	30	13.2	Hartford, Conn.	251	18.4	198	14.5
Anaheim-Santa Ana-Garden Grove, Calif.	410	16.3	336	13.3	Hartford	251	18.4	198	14.5
Orange	410	16.3	336	13.3	Houston, Tex.	803	20.4	610	15.5
Atlanta, Ga.	578	21.0	436	15.8	Harris	708	20.1	542	15.4
De Kalb	159	20.0	124	15.6	Brazoria	44	22.6	31	15.9
Fulton	233	25.0	224	19.1	Fort Bend	26	26.9	19	19.6
Clayton	43	20.4	33	15.3	Liberty	13	21.6	8	13.3
Cobb	52	12.5	39	9.4	Montgomery	12	18.8	10	15.6
Gwinnett	31	19.4	21	15.1	Indianapolis, Ind.	441	21.3	325	15.7
Baltimore, Md.	750	21.5	558	16.0	Marion	343	22.9	248	16.5
Baltimore (city)	445	27.2	316	19.3	Boone	8	15.6	7	13.7
Anne Arundel	86	15.9	69	12.8	Hamilton	19	21.1	13	14.4
Baltimore	142	18.5	118	12.9	Hancock	13	18.7	9	13.0
Carroll	15	15.9	10	10.6	Hendricks	10	10.9	7	7.7
Harford	41	19.8	31	15.0	Johnson	18	15.8	15	15.2
Howard	21	25.8	14	15.8	Morgan	17	20.4	15	18.0
Birmingham, Ala.	288	23.2	214	17.3	Shelby	13	19.3	11	16.4
Jefferson	239	22.3	180	16.8	Kansas City, Mo.-Kans.	463	20.4	352	15.4
Shelby	15	21.4	10	14.3	Clay, Mo.	42	19.2	30	13.7
Walker	34	34.3	24	24.2	Jackson, Mo.	287	23.4	217	17.7
Boston, Mass.	990	17.9	805	14.6	Cass, Mo.	10	15.0	9	11.7
Suffolk	280	20.7	207	16.5	Platte, Mo.	6	11.8	4	7.9
Essex	169	16.7	134	13.3	Johnson, Kans.	49	14.1	40	11.5
Middlesex	414	17.6	346	14.7	Wyandotte, Kans.	74	19.9	52	14.0
Norfolk	147	16.4	118	13.2	Los Angeles-Long Beach, Calif.	2,486	19.1	1,940	14.2
Bridgeport, Conn.	227	18.8	174	14.4	Los Angeles	2,486	19.1	1,940	14.2
Fairfield	227	18.8	174	14.4	Louisville, Ky.-Ind.	277	18.2	213	14.0
Buffalo, N.Y.	440	19.7	357	15.9	Jefferson, Ky.	242	18.9	182	14.2
Erie	353	19.3	285	15.6	Clark, Ind.	17	11.8	15	10.4
Niagara	87	21.3	72	17.6	Floyd, Ind.	18	18.6	16	16.6
Chicago, Ill.	2,978	23.3	2,223	17.4	Memphis, Tenn.-Ark.	378	24.0	278	17.7
Cook	2,491	24.5	1,863	18.3	Shelby, Tenn.	343	23.6	259	17.8
Du Page	130	15.9	97	11.9	Crittenden, Ark.	35	29.3	19	16.2
Kane	104	21.8	74	15.5	Miami, Fla.	397	21.3	313	16.8
Lake	116	17.5	80	12.1	Dade	397	21.3	313	16.8
McHenry	42	22.1	37	19.5	Milwaukee, Wis.	443	18.3	320	13.2
Will	95	21.1	72	16.0	Milwaukee	337	18.2	238	12.8
Cincinnati, Ohio-Ky.-Ind.	469	18.5	369	14.5	Ozaukee	19	21.9	15	17.3
Hamilton, Ohio	332	19.3	261	15.3	Washington	17	14.5	11	9.4
Clermont, Ohio	21	12.7	17	10.3	Waukesha	70	19.5	56	15.6
Warren, Ohio	25	16.7	19	12.7	Minneapolis-St. Paul, Minn.	606	17.5	478	13.8
Boone, Ky.	7	10.7	6	9.2	Hennepin	340	19.3	262	14.8
Campbell, Ky.	36	23.2	29	18.7	Ramsey	136	15.0	104	11.5
Kenton, Ky.	36	14.7	25	10.2	Anoka	60	16.7	48	13.4
Dearborn, Ind.	12	23.5	12	23.5	Dakota	46	16.2	40	14.1
Cleveland, Ohio	717	20.1	554	15.5	Washington	24	15.9	24	15.9
Cuyahoga	622	20.9	483	16.2	New Haven, Conn.	241	19.7	192	15.7
Cuyahoga	13	11.9	10	9.2	New Haven	241	19.7	192	15.7
Lake	61	17.3	48	13.6	New Orleans, La.	417	20.9	322	16.1
Medina	21	16.3	15	10.1	Orleans	269	24.2	215	19.3
Columbus, Ohio	313	17.8	239	13.6	Jefferson	89	14.9	74	11.2
Franklin	291	17.9	221	13.6	St. Bernard	22	22.4	14	14.2
Delaware	10	15.4	8	12.3	St. Tammany	87	22.2	19	15.6
Pickaway	12	16.1	10	13.4	New York, N.Y.	4,342	22.3	3,262	16.8
Dallas, Tex.	748	23.4	568	17.8	New York (city)	3,426	24.4	2,533	18.2
Dallas	665	23.8	508	18.2	Nassau	288	18.2	220	12.4
Collin	26	18.4	20	14.1	Rockland	57	15.5	49	13.4
Denton	20	15.7	18	14.1	Suffolk	329	16.8	254	13.0
Ellis	17	21.2	11	10.0	Westchester	242	18.3	196	14.1
Kaufman	18	42.1	8	25.7	Newark, N.J.	703	22.8	529	17.2
Rockwall	2	27.0	2	27.0	Essex	447	27.0	325	20.7
Dayton, Ohio	328	20.9	256	16.3	Morris	103	15.7	86	13.1
Montgomery	238	20.6	185	16.0	Union	153	19.8	118	15.3
Greene	44	20.4	39	18.1	Paterson-Clifton-Passaic, N.J.	362	18.0	269	13.4
Miami	36	24.0	25	16.7	Passaic	173	20.9	118	14.2
Preble	10	21.3	7	14.9	Bergen	189	16.0	151	12.8
Denver, Colo.	412	18.9	299	15.7	Philadelphia, Pa.-N.J.	1,780	22.2	1,376	17.2
Denver	194	19.7	134	13.6	Philadelphia, Pa.	991	29.1	755	22.2
Adams	52	15.5	43	12.8	Bucks, Pa.	106	14.9	80	11.3
Arapahoe	49	19.4	33	15.0	Chester, Pa.	78	18.3	62	14.5
Boulder	45	20.0	33	14.6	Delaware, Pa.	184	19.6	146	15.6
Jefferson	72	18.7	58	14.5	Montgomery, Pa.	60	17.5	134	14.6
					Burlington, N.J.	77	14.3	58	10.8
					Camden, N.J.	132	16.6	95	11.9
					Gloucester, N.J.	52	18.2	46	16.1

SECTION 2 - INFANT MORTALITY

2-9

Table 2-8. Infant and Neonatal Deaths and Mortality Rates for the 50 Largest Standard Metropolitan Statistical Areas in the United States and Their Component Counties: 1969-Con.

[Metropolitan areas are those defined by the Office of Management and Budget for 1969 except for New England, where areas are metropolitan State economic areas established by the Bureau of the Census in 1960. For further explanation of areas, see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births]

Area	Under 1 year		Under 28 days		Area	Under 1 year		Under 28 days	
	Number	Rate	Number	Rate		Number	Rate	Number	Rate
Phoenix, Ariz-----	352	19.7	259	14.5	San Bernardino-Riverside-Ontario, Calif-----	416	20.3	315	15.2
Mariocopa-----	352	19.7	259	14.5	Riverside-----	159	20.0	121	15.3
Pittsburgh, Pa-----	711	20.2	572	16.3	San Bernardino-----	258	20.4	192	15.2
Allegheny-----	481	20.5	376	16.0	San Diego, Calif-----	457	18.8	332	13.7
Beaver-----	74	24.1	64	20.9	San Diego-----	457	18.8	332	13.7
Washington-----	67	22.0	58	19.0	San Francisco-Oakland, Calif-----	889	17.1	625	12.5
Westmoreland-----	89	15.9	74	13.3	Alameda-----	354	19.3	253	13.8
Portland, Oreg.-Wash-----	295	17.6	193	11.5	San Francisco-----	207	18.3	149	13.1
Multnomah, Oreg-----	173	18.1	114	12.0	Contra Costa-----	136	15.1	97	10.8
Clackamas, Oreg-----	42	16.5	27	10.6	Marin-----	52	16.9	37	12.0
Washington, Oreg-----	37	14.7	21	8.4	San Mateo-----	120	13.4	89	9.9
Clark, Wash-----	43	20.0	31	14.4	San Jose, Calif-----	285	14.7	208	10.8
Providence-Pawtucket-Warwick, R.I-----	244	20.1	191	15.8	Santa Clara-----	285	14.7	208	10.8
Kent-----	35	15.6	27	12.0	Seattle-Everett, Wash-----	442	17.3	322	12.6
Providence-----	198	21.5	154	16.7	King-----	351	17.1	253	12.4
Bristol-----	11	17.1	10	15.5	Snohomish-----	91	18.1	69	13.8
Rochester, N.Y-----	304	18.3	229	13.8	Tempe-St. Petersburg, Fla-----	337	23.6	252	17.6
Monroe-----	251	18.7	195	14.5	Hillsborough-----	205	23.9	147	17.2
Livingston-----	15	15.8	11	11.6	Pinellas-----	132	23.1	105	18.4
Orleans-----	10	13.8	7	9.7	Toledo, Ohio-Mich-----	259	20.7	197	15.8
Wayne-----	28	19.0	16	10.9	Lucas, Ohio-----	191	21.2	145	16.1
Sacramento, Calif-----	220	16.8	157	12.0	Wood, Ohio-----	28	20.0	21	15.0
Sacramento-----	172	16.4	122	11.6	Monroe, Mich-----	40	19.2	31	14.9
Flacer-----	26	24.5	21	19.8	Washington, D.C.-Md.-Va-----	1,102	20.0	857	15.5
Yolo-----	22	14.4	14	9.2	District of Columbia-----	459	29.8	344	23.3
St. Louis, Mo.-Ill-----	947	22.5	752	17.9	Montgomery, Md-----	129	15.6	99	12.0
St. Louis (city), Mo-----	389	29.6	302	23.0	Prince Georges, Md-----	242	16.8	182	12.5
Franklin, Mo-----	29	30.2	25	26.0	Alexandria (city), Va-----	64	22.3	47	16.4
Jefferson, Mo-----	45	21.3	34	16.1	Arlington, Va-----	57	17.2	49	14.8
St. Charles, Mo-----	27	13.3	22	10.9	Fairfax, Va-----	116	14.3	93	11.4
St. Louis, Mo-----	219	15.1	178	12.3	Loudoun, Va-----	13	17.0	11	14.4
Madison, Ill-----	98	22.2	84	18.8	Prince William, Va-----	42	16.5	32	12.6
St. Clair, Ill-----	139	28.6	107	22.0					
San Antonio, Tex-----	430	22.6	333	17.5					
Bexar-----	406	22.1	312	16.9					
Guadalupe-----	24	38.7	21	33.9					

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	United States-----	75,075	6,444	26,608	7,985	4,750	2,111	1,250	873	683
2										
3										
4	White-----	55,108	4,924	19,854	6,252	3,838	1,854	951	643	505
5										
6	Male-----	32,158	2,659	11,790	3,751	2,360	1,036	552	375	285
7	Female-----	22,950	2,265	8,064	2,501	1,478	818	399	268	222
8	Negro-----	18,892	1,443	6,435	1,641	865	433	306	216	169
9										
10	Male-----	10,522	846	3,676	917	472	244	187	119	90
11	Female-----	8,360	597	2,759	724	393	189	119	97	79
12	Other races-----	1,083	77	319	92	47	24	13	14	9
13										
14	Male-----	600	43	190	56	19	12	7	7	6
15	Female-----	483	34	129	36	28	12	2	7	3
16	Alabama-----	1,695	125	491	198	121	53	23	16	16
17										
18	Male-----	930	68	292	122	67	32	16	10	8
19	Female-----	705	57	199	76	54	21	7	6	8
20	White-----	898	69	285	129	70	24	14	9	12
21										
22	Male-----	526	34	176	78	42	14	11	7	5
23	Female-----	372	35	109	51	28	10	3	2	7
24	Negro-----	797	56	206	69	51	29	9	7	4
25										
26	Male-----	464	34	116	44	25	18	5	3	3
27	Female-----	333	22	90	25	26	11	4	4	1
28	Other races-----	-	-	-	-	-	-	-	-	-
29										
30	Male-----	-	-	-	-	-	-	-	-	-
31	Female-----	-	-	-	-	-	-	-	-	-
32	Alaska-----	127	16	47	6	4	4	2	-	2
33										
34	Male-----	82	11	34	5	2	2	1	-	1
35	Female-----	45	5	13	1	2	2	1	-	1
36	White-----	76	11	29	4	3	3	1	-	-
37										
38	Male-----	48	8	19	3	2	2	-	-	-
39	Female-----	28	3	10	1	1	1	-	-	-
40	Negro-----	3	2	1	-	-	-	-	-	-
41										
42	Male-----	2	1	1	-	-	-	-	-	-
43	Female-----	1	1	-	-	-	-	-	-	-
44	Other races-----	48	3	18	2	1	1	1	-	2
45										
46	Male-----	32	2	15	2	-	-	-	-	1
47	Female-----	16	1	3	-	1	1	-	-	1
48	Arizona-----	741	56	227	72	43	18	18	12	7
49										
50	Male-----	413	27	133	32	25	15	12	6	6
51	Female-----	328	29	94	40	18	5	6	6	1
52	White-----	562	48	189	64	34	15	13	10	5
53										
54	Male-----	316	25	109	29	20	13	7	5	4
55	Female-----	246	23	79	35	14	2	6	5	1
56	Negro-----	58	4	19	5	4	1	1	1	1
57										
58	Male-----	33	2	13	2	2	2	2	-	1
59	Female-----	25	2	6	3	2	-	-	-	-
60	Other races-----	121	4	20	3	5	2	3	2	1
61										
62	Male-----	64	2	11	2	3	1	3	1	1
63	Female-----	57	2	9	1	2	1	3	1	-
64	Arkansas-----	716	50	179	78	54	23	15	9	11
65										
66	Male-----	408	25	95	43	34	15	8	4	5
67	Female-----	308	25	84	30	20	8	7	5	6
68	White-----	462	35	183	82	39	16	9	5	7
69										
70	Male-----	255	14	69	37	23	9	5	3	3
71	Female-----	207	21	60	25	16	7	4	2	4
72	Negro-----	254	18	51	18	15	7	6	4	4
73										
74	Male-----	153	11	27	11	11	6	3	1	3
75	Female-----	101	4	24	5	4	1	3	3	1
76	Other races-----	-	-	-	-	-	-	-	-	-
77										
78	Male-----	-	-	-	-	-	-	-	-	-
79	Female-----	-	-	-	-	-	-	-	-	-
80	California-----	6,470	485	2,233	852	459	181	122	99	62
81										
82	Male-----	3,763	271	1,516	391	278	106	74	63	38
83	Female-----	2,707	214	917	261	184	75	48	36	24
84	White-----	5,562	402	1,856	564	414	151	100	74	53
85										
86	Male-----	3,157	226	1,110	340	250	92	61	47	34
87	Female-----	2,405	176	746	224	164	59	39	27	19
88	Negro-----	979	72	352	77	39	26	21	21	8
89										
90	Male-----	540	38	185	44	23	12	12	16	3
91	Female-----	439	34	149	35	15	14	9	7	5
92	Other races-----	129	11	45	11	7	4	1	4	1
93										
94	Male-----	66	7	23	7	2	2	1	2	1
95	Female-----	63	4	22	4	5	2	1	2	1
96	Colorado-----	803	74	281	78	61	22	15	7	5
97										
98	Male-----	492	44	169	53	38	18	11	4	2
99	Female-----	311	30	113	25	23	4	4	3	3
100	White-----	739	69	255	77	59	22	12	6	5
101										
102	Male-----	452	40	153	52	36	19	8	3	2
103	Female-----	286	29	102	25	23	4	4	3	3
104	Negro-----	55	4	23	1	1	-	-	-	-
105										
106	Male-----	35	4	14	1	1	-	-	-	-
107	Female-----	20	-	9	-	-	-	-	-	-
108	Other races-----	10	1	3	-	-	-	-	-	-
109										
110	Male-----	5	-	1	-	-	-	-	-	-
111	Female-----	5	-	2	-	-	-	-	-	-
112	Connecticut-----	928	90	350	95	69	24	23	8	6
113										
114	Male-----	529	57	197	47	36	15	16	6	4
115	Female-----	399	33	153	48	33	9	7	2	4
116	White-----	760	73	298	79	60	18	20	7	7
117										
118	Male-----	435	45	160	40	31	11	14	5	4
119	Female-----	325	28	128	39	29	7	6	2	3
120	Negro-----	166	17	60	16	9	6	3	1	1
121										
122	Male-----	93	12	36	7	5	4	2	1	1
123	Female-----	73	5	24	9	4	2	1	-	1
124	Other races-----	2	-	2	-	-	-	-	-	-
125										
126	Male-----	1	-	1	-	-	-	-	-	-
127	Female-----	1	-	1	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1969

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
50,704	2,696	1,444	1,241	56,085	4,676	3,560	2,751	1,978	1,461	1,134	980	777	642	580	539	1
29,681	1,495	810	689	32,675	2,693	2,053	1,607	1,126	755	597	462	409	356	296	269	2
21,023	1,201	654	552	23,410	1,985	1,507	1,144	852	706	537	428	368	306	282	270	3
38,601	1,944	1,014	849	42,408	3,119	2,371	1,645	1,301	947	745	610	537	442	417	366	4
22,786	1,081	576	475	24,918	1,810	1,415	1,124	756	499	395	320	286	244	215	178	5
15,815	863	438	374	17,490	1,309	958	721	545	448	350	290	251	198	202	188	6
11,509	717	403	367	12,995	1,493	1,120	849	631	480	352	244	222	183	152	161	7
6,551	393	219	200	7,363	845	600	459	353	241	178	126	114	80	76	87	8
4,957	324	184	167	5,632	648	520	390	278	239	174	118	109	103	76	74	9
595	35	27	25	662	64	89	57	48	34	37	36	18	17	11	12	10
344	21	15	14	394	38	40	24	17	15	24	16	9	12	7	4	11
251	14	12	11	288	26	29	23	29	19	13	20	9	5	4	8	12
1,043	55	50	29	1,177	155	75	72	46	43	30	21	24	19	14	19	13
615	26	26	18	665	91	38	46	30	23	21	12	16	7	7	14	14
428	29	24	11	492	64	37	26	16	20	9	9	8	12	7	5	15
612	25	25	10	672	57	29	36	25	17	11	8	18	8	9	10	16
367	16	11	6	400	34	17	23	12	8	7	2	11	2	4	8	17
245	9	14	4	272	23	12	13	11	9	4	6	7	6	5	4	18
431	30	25	19	505	98	46	36	23	26	19	13	6	11	5	5	19
248	10	15	12	265	57	21	23	18	15	14	10	5	5	3	8	20
183	20	10	7	220	41	25	13	5	11	5	3	1	6	2	1	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
81	2	1	3	87	10	3	5	3	5	2	4	3	2	3	-	25
56	1	1	1	59	5	1	4	2	3	2	3	1	1	1	-	26
25	2	-	2	29	5	2	1	1	2	1	1	1	1	2	-	27
50	2	-	1	53	8	2	3	1	3	1	2	1	-	2	-	28
33	-	-	-	33	4	1	3	1	1	1	2	1	-	1	-	29
17	2	-	1	20	4	1	1	2	1	1	1	-	-	1	-	30
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	31
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	32
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	33
28	-	1	2	31	2	1	2	2	2	1	2	2	2	2	1	34
21	-	1	1	23	1	1	1	1	2	1	1	1	1	1	-	35
7	-	-	1	8	1	1	1	1	-	-	1	1	1	1	-	36
453	33	16	12	514	35	34	26	24	28	21	16	9	14	14	6	37
256	18	9	6	289	22	18	11	16	14	12	7	4	10	7	3	38
197	15	7	6	225	13	16	15	8	14	9	7	5	4	7	3	39
577	28	13	9	427	24	20	16	12	15	13	4	6	9	11	5	40
209	16	8	9	257	17	10	8	9	8	3	2	7	4	4	3	41
168	12	5	5	190	7	10	6	3	7	5	1	4	2	7	2	42
36	3	1	1	40	3	6	2	2	1	1	2	1	1	1	-	43
23	1	1	-	25	1	2	2	2	-	-	1	-	-	-	-	44
13	2	-	-	15	2	4	-	-	1	1	1	-	1	-	-	45
40	2	2	3	47	8	8	8	8	10	12	7	10	3	4	3	46
24	1	2	2	27	4	6	6	1	5	6	4	3	3	3	3	47
16	1	2	1	20	4	2	7	5	6	3	7	1	1	-	1	48
419	31	16	15	481	58	42	29	22	21	18	7	10	9	7	12	49
235	17	11	10	275	31	30	19	10	11	9	5	6	6	4	4	50
184	14	8	5	208	27	12	10	12	10	9	2	4	3	3	8	51
301	16	8	7	332	34	23	14	14	9	9	3	6	6	7	7	52
162	11	6	6	185	16	17	8	7	4	4	3	4	3	3	1	53
139	5	2	1	147	18	6	6	7	5	5	2	2	3	2	6	54
118	15	8	8	149	24	19	15	8	12	9	4	4	3	2	5	55
73	6	5	4	88	15	13	11	3	7	5	2	2	3	1	3	56
45	9	3	4	61	9	6	4	5	5	4	2	2	-	1	2	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
4,293	256	127	124	4,800	424	322	249	193	105	84	82	66	43	61	41	61
2,534	139	70	61	2,804	244	193	141	107	61	47	44	39	25	35	23	62
1,759	117	57	83	1,996	180	129	108	86	44	37	38	27	19	26	18	63
3,614	204	102	104	4,024	331	258	194	158	87	64	70	58	34	53	33	64
2,160	107	55	54	2,376	194	158	115	85	53	32	37	35	21	33	18	65
1,454	97	47	80	1,648	137	100	79	71	34	32	33	23	13	20	15	66
595	39	22	15	671	87	61	52	33	16	19	11	8	8	8	7	67
329	24	13	5	371	45	35	26	21	7	14	7	3	4	2	5	68
266	15	9	10	300	42	25	25	12	9	5	4	3	4	6	2	69
84	13	3	5	105	6	3	3	4	2	1	1	2	1	1	1	70
45	8	2	2	57	1	1	1	1	1	1	1	1	1	-	-	71
39	5	1	3	48	1	3	3	3	1	-	1	1	1	-	1	72
545	28	19	14	604	49	32	36	16	17	14	10	7	6	8	4	73
358	17	14	10	379	28	21	20	10	9	4	6	4	3	4	3	74
205	11	5	4	225	21	11	16	6	8	10	4	3	2	5	-	75
505	25	15	11	556	46	28	33	15	16	12	7	6	7	4	7	76
312	15	11	8	346	28	18	18	10	8	4	5	4	4	3	4	77
193	10	4	3	210	18	10	15	5	8	8	3	3	2	4	4	78
33	3	3	1	40	3	4	3	1	1	1	2	-	-	1	-	79
24	2	2	2	28	2	2	2	-	1	-	1	-	-	-	-	80
9	1	1	1	12	3	1	1	1	-	1	1	-	-	1	-	81
5	-	1	1	8	-	-	-	-	1	-	-	-	-	-	-	82
2	-	1	2	5	-	-	-	-	-	-	-	-	-	-	-	83
3	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	84
667	30	19	13	729	53	43	23	17	10	13	12	9	8	7	4	85
378	18	14	6	416	27	27	16	8	7	7	6	4	3	6	1	86
289	12	5	7	313	26	16	16	9	2	6	6	5	5	1	3	87
582	24	16	12	604	42	33	17	12	7	11	8	8	7	7	4	88
310	14	12	6	342	24											

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Delaware-----	228	21	89	22	14	11	3	2	4
2	Male-----	120	10	50	12	7	7	2	1	4
3	Female-----	108	11	39	10	7	4	1	1	0
4	White-----	145	14	62	16	11	8	1	2	3
5	Male-----	80	7	38	8	6	4	1	1	3
6	Female-----	65	7	24	8	5	4	1	1	0
7	Negro-----	85	7	27	6	3	3	2	1	1
8	Male-----	40	3	12	4	1	3	1	1	1
9	Female-----	43	4	15	2	2	1	1	1	0
10	Other races-----	-	-	-	-	-	-	-	-	-
11	Male-----	-	-	-	-	-	-	-	-	-
12	Female-----	-	-	-	-	-	-	-	-	-
13	District of Columbia-----	439	30	202	32	21	11	4	7	2
14	Male-----	249	19	122	18	11	5	2	5	1
15	Female-----	190	11	80	14	10	6	2	2	1
16	White-----	53	6	22	8	6	2	1	1	1
17	Male-----	31	4	13	4	3	2	1	1	1
18	Female-----	22	2	9	4	3	1	1	1	0
19	Negro-----	385	24	179	24	15	9	3	6	2
20	Male-----	218	15	109	14	8	3	2	4	1
21	Female-----	167	9	70	10	7	6	1	2	1
22	Other races-----	1	-	1	-	-	-	-	-	-
23	Male-----	-	-	-	-	-	-	-	-	-
24	Female-----	1	-	1	-	-	-	-	-	-
25	Florida-----	2,431	151	854	282	190	63	46	33	24
26	Male-----	1,396	76	515	171	108	38	25	20	15
27	Female-----	1,035	75	339	111	82	25	21	13	9
28	White-----	1,478	110	547	156	128	49	27	21	14
29	Male-----	888	57	353	100	81	31	14	13	8
30	Female-----	590	53	214	56	47	17	13	8	6
31	Negro-----	947	41	505	126	80	14	19	12	10
32	Male-----	503	19	180	71	25	7	11	7	6
33	Female-----	444	22	125	55	35	7	8	5	4
34	Other races-----	6	-	2	-	-	-	-	-	-
35	Male-----	5	-	2	-	-	-	-	-	-
36	Female-----	1	-	-	-	-	-	-	-	-
37	Georgia-----	2,058	150	614	243	148	56	26	17	17
38	Male-----	1,192	87	393	143	84	34	10	13	7
39	Female-----	866	63	221	100	64	22	16	4	10
40	White-----	1,077	93	356	160	94	39	15	8	12
41	Male-----	641	53	228	90	58	25	6	7	6
42	Female-----	436	40	128	70	36	14	9	1	6
43	Negro-----	979	57	258	82	54	17	11	9	5
44	Male-----	549	34	165	52	26	9	4	6	1
45	Female-----	430	23	93	30	28	8	7	3	4
46	Other races-----	2	-	-	1	-	-	-	-	-
47	Male-----	2	-	-	1	-	-	-	-	-
48	Female-----	-	-	-	-	-	-	-	-	-
49	Hawaii-----	300	29	130	26	9	12	3	2	3
50	Male-----	188	14	89	13	6	9	3	1	2
51	Female-----	112	15	41	13	3	3	1	1	1
52	White-----	97	8	43	6	3	5	1	1	1
53	Male-----	69	4	32	3	3	5	1	1	1
54	Female-----	28	4	11	3	-	-	-	-	-
55	Negro-----	6	-	2	-	1	1	-	-	1
56	Male-----	4	-	2	-	-	-	-	-	1
57	Female-----	2	-	-	-	1	1	-	-	-
58	Other races-----	197	21	85	20	5	6	2	1	1
59	Male-----	115	10	55	10	3	4	2	2	-
60	Female-----	82	11	30	10	2	2	-	1	1
61	Idaho-----	255	23	66	46	20	11	2	3	2
62	Male-----	149	13	43	27	12	7	-	2	2
63	Female-----	106	10	23	19	8	4	2	2	0
64	White-----	241	21	63	43	20	11	2	3	2
65	Male-----	142	13	42	25	12	7	-	1	-
66	Female-----	99	8	21	18	8	4	2	2	2
67	Negro-----	2	-	1	-	-	-	-	-	-
68	Male-----	-	-	-	-	-	-	-	-	-
69	Female-----	2	-	1	-	-	-	-	-	-
70	Other races-----	12	2	2	3	-	-	-	-	-
71	Male-----	7	-	1	2	-	-	-	-	-
72	Female-----	5	2	1	-	-	-	-	-	-
73	Illinois-----	4,369	415	1,728	416	241	119	68	39	33
74	Male-----	2,484	244	984	236	141	71	46	24	12
75	Female-----	1,884	171	744	180	100	47	22	15	21
76	White-----	3,003	294	1,201	308	182	87	41	25	23
77	Male-----	1,726	166	685	172	107	52	28	15	9
78	Female-----	1,277	128	506	136	75	35	12	10	14
79	Negro-----	1,372	121	524	107	57	30	26	14	10
80	Male-----	781	78	288	63	33	18	16	9	3
81	Female-----	611	43	236	44	24	12	10	5	7
82	Other races-----	14	-	3	1	2	1	1	1	1
83	Male-----	8	-	1	1	1	1	1	1	1
84	Female-----	6	-	2	-	-	-	-	-	-
85	Indiana-----	1,925	196	699	205	91	52	36	24	19
86	Male-----	1,126	97	403	119	59	36	26	15	10
87	Female-----	799	89	296	86	32	16	10	9	9
88	White-----	1,635	162	602	182	81	40	32	20	15
89	Male-----	939	82	341	105	51	29	22	14	6
90	Female-----	696	80	261	77	30	11	10	6	9
91	Negro-----	288	23	96	23	10	12	4	4	4
92	Male-----	186	15	61	14	8	7	4	1	4
93	Female-----	102	8	35	9	2	5	3	3	0
94	Other races-----	2	1	1	-	-	-	-	-	-
95	Male-----	1	-	1	-	-	-	-	-	-
96	Female-----	1	1	-	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Minnesota-----	1,113	117	419	136	62	29	16	13	8
2		Male-----	66	258	75	31	21	9	7	6
3		Female-----	449	51	161	61	31	8	7	7
4	White-----	1,074	113	407	132	61	29	16	13	7
5		Male-----	643	63	253	72	31	21	9	6
6		Female-----	431	50	154	60	30	8	7	2
7	Negro-----	25	3	7	3	-	-	-	-	-
8		Male-----	14	2	4	3	-	-	-	-
9		Female-----	11	1	3	-	-	-	-	-
10	Other races-----	14	1	5	1	1	-	-	-	1
11		Male-----	7	1	2	-	-	-	-	1
12		Female-----	7	-	3	1	1	-	-	-
13	Mississippi-----	1,509	105	429	157	100	52	30	23	16
14		Male-----	833	57	254	84	66	26	19	8
15		Female-----	676	48	175	73	34	26	11	9
16	White-----	525	38	190	67	54	20	12	6	4
17		Male-----	293	17	112	36	38	11	5	2
18		Female-----	232	21	78	31	16	9	7	4
19	Negro-----	982	67	238	90	45	32	18	17	12
20		Male-----	539	40	141	48	28	15	14	6
21		Female-----	443	27	97	42	17	17	4	7
22	Other races-----	2	-	1	-	1	-	-	-	-
23		Male-----	1	-	1	-	-	-	-	-
24		Female-----	1	-	-	1	-	-	-	-
25	Missouri-----	1,666	125	594	208	104	50	37	23	16
26		Male-----	953	67	358	117	55	32	20	12
27		Female-----	713	58	236	91	49	18	17	7
28	White-----	1,241	97	453	167	91	40	32	17	12
29		Male-----	721	49	268	95	49	25	16	12
30		Female-----	520	48	185	74	42	15	16	5
31	Negro-----	422	28	161	41	15	10	5	6	4
32		Male-----	232	18	90	24	6	4	4	4
33		Female-----	190	10	71	17	7	3	1	2
34	Other races-----	3	-	-	-	-	-	-	-	-
35		Male-----	-	-	-	-	-	-	-	-
36		Female-----	3	-	-	-	-	-	-	-
37	Montana-----	246	11	92	32	14	15	1	1	1
38		Male-----	125	3	48	14	9	7	-	1
39		Female-----	121	8	44	18	5	6	1	1
40	White-----	220	11	85	29	12	13	1	1	1
41		Male-----	113	3	44	13	8	7	1	-
42		Female-----	107	8	39	16	4	6	1	1
43	Negro-----	-	-	-	-	-	-	-	-	-
44		Male-----	-	-	-	-	-	-	-	-
45		Female-----	-	-	-	-	-	-	-	-
46	Other races-----	26	-	9	3	2	-	-	-	-
47		Male-----	12	-	4	1	1	-	-	-
48		Female-----	14	-	5	2	1	-	-	-
49	Nebraska-----	423	33	176	57	23	11	2	8	4
50		Male-----	235	12	104	37	18	4	2	4
51		Female-----	188	21	72	20	7	7	2	4
52	White-----	369	30	151	52	22	10	2	6	4
53		Male-----	209	10	93	34	16	3	2	4
54		Female-----	160	20	58	18	6	7	2	4
55	Negro-----	43	3	21	5	1	1	-	-	-
56		Male-----	23	2	10	3	1	1	-	-
57		Female-----	20	1	11	2	1	-	-	-
58	Other races-----	11	-	4	-	-	-	-	-	-
59		Male-----	3	-	1	-	-	-	-	-
60		Female-----	8	-	3	-	-	-	-	-
61	Nevada-----	169	17	53	22	10	7	2	3	-
62		Male-----	100	11	33	13	4	3	3	-
63		Female-----	69	6	20	9	6	2	2	-
64	White-----	144	14	44	20	10	7	2	3	-
65		Male-----	89	9	28	11	4	3	3	-
66		Female-----	55	5	16	9	6	4	2	-
67	Negro-----	22	3	8	1	1	-	-	-	-
68		Male-----	10	2	5	1	-	-	-	-
69		Female-----	12	1	3	-	-	-	-	-
70	Other races-----	3	-	1	1	-	-	-	-	-
71		Male-----	1	-	1	-	-	-	-	-
72		Female-----	2	-	1	-	-	-	-	-
73	New Hampshire-----	263	26	113	27	13	3	4	4	1
74		Male-----	141	9	59	14	9	3	2	3
75		Female-----	122	17	54	13	4	2	1	1
76	White-----	260	26	113	27	13	3	4	4	1
77		Male-----	141	9	59	14	9	3	2	3
78		Female-----	119	17	54	13	4	2	1	1
79	Negro-----	3	-	-	-	-	-	-	-	-
80		Male-----	-	-	-	-	-	-	-	-
81		Female-----	3	-	-	-	-	-	-	-
82	Other races-----	-	-	-	-	-	-	-	-	-
83		Male-----	-	-	-	-	-	-	-	-
84		Female-----	-	-	-	-	-	-	-	-
85	New Jersey-----	2,346	179	929	254	129	64	27	21	18
86		Male-----	1,334	93	548	150	75	39	15	13
87		Female-----	1,012	86	381	104	54	25	12	8
88	White-----	1,618	136	637	180	93	50	21	15	10
89		Male-----	932	66	386	104	53	32	12	7
90		Female-----	686	70	251	76	40	19	9	3
91	Negro-----	713	42	290	72	36	14	6	6	7
92		Male-----	394	26	160	45	22	7	3	4
93		Female-----	319	16	130	27	14	7	3	3
94	Other races-----	15	1	2	2	-	-	-	-	1
95		Male-----	8	1	2	1	-	-	-	1
96		Female-----	7	-	-	1	-	-	-	-

SECTION 2 - INFANT MORTALITY

and Sex: United States and Each State, 1969-Con.

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
800	41	23	20	884	61	50	39	24	12	9	12	7	4	4	7	1
472	26	14	11	525	36	29	27	16	7	7	6	5	3	1	4	2
328	15	9	9	361	25	21	12	8	5	2	6	2	1	3	3	3
778	59	22	20	859	59	43	37	24	12	7	12	6	4	4	7	4
460	24	14	11	509	35	26	25	16	7	6	6	5	3	1	4	5
518	15	8	9	350	24	17	12	8	5	1	6	5	3	1	3	5
15	2	1	-	16	2	3	2	-	-	1	-	1	-	-	-	6
8	2	-	-	10	1	1	2	-	-	-	-	-	-	-	-	7
5	-	1	-	6	1	2	-	-	-	1	-	1	-	-	-	9
9	-	-	-	9	-	4	-	-	-	1	-	-	-	-	-	10
4	-	-	-	4	-	2	-	-	-	1	-	-	-	-	-	11
5	-	-	-	5	-	2	-	-	-	1	-	-	-	-	-	12
912	68	44	41	1,065	119	65	62	39	42	22	14	20	20	11	11	13
521	36	19	19	595	64	38	45	21	21	8	8	10	11	8	8	14
391	32	25	22	470	55	27	39	17	21	14	8	10	9	5	3	15
391	24	10	13	438	17	15	18	10	4	3	6	3	5	3	2	16
223	11	3	5	242	10	11	11	5	3	2	2	2	2	4	3	17
168	13	7	8	196	7	4	7	5	1	1	4	1	2	3	3	18
519	44	34	28	625	102	50	64	28	38	19	8	17	15	1	2	19
297	25	16	14	352	54	27	32	16	18	6	4	4	9	7	9	19
222	19	18	14	273	48	23	32	12	20	13	4	9	6	2	1	20
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	23
1,157	57	42	27	1,283	97	83	53	39	26	25	12	14	12	13	9	25
677	29	22	9	737	62	48	32	26	10	15	7	4	3	5	4	26
480	28	20	18	546	35	35	21	13	16	10	5	10	9	8	5	27
889	37	33	17	976	71	54	42	22	13	20	8	11	7	10	7	28
520	18	16	7	561	49	31	25	16	5	8	3	4	3	4	4	29
369	19	17	10	415	22	23	17	4	4	6	3	4	4	6	3	30
288	20	8	9	305	26	28	11	17	8	5	3	7	5	4	2	31
157	11	6	2	176	13	17	7	8	3	2	2	4	3	3	3	30
111	9	2	7	129	13	11	4	9	5	2	2	2	1	1	1	32
-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	33
-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	34
-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	35
-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	36
165	10	4	4	183	13	14	7	5	5	6	2	5	-	3	3	37
92	8	3	3	94	6	9	4	3	1	3	1	1	-	2	1	38
83	2	1	1	89	7	5	5	2	4	3	1	4	-	1	2	39
151	8	4	4	167	10	13	6	5	5	5	1	3	-	3	2	40
76	6	3	1	86	4	8	4	3	1	3	1	3	-	2	1	41
75	2	1	3	81	6	5	2	2	4	2	1	3	-	1	1	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
14	2	-	-	16	3	1	1	-	-	-	1	2	-	-	-	45
6	2	-	-	2	2	1	1	-	-	-	1	1	-	-	1	46
8	-	-	-	8	1	-	1	-	-	-	1	1	-	-	-	47
312	10	6	6	354	15	18	10	6	9	7	3	2	5	5	5	49
179	6	4	4	193	8	9	5	4	4	3	1	1	1	1	1	50
133	4	2	2	141	7	9	5	4	5	3	3	1	4	4	4	51
277	9	6	3	295	12	16	8	8	7	5	3	1	5	5	3	52
162	6	4	2	173	6	9	5	4	4	2	1	1	1	1	1	53
115	3	2	1	122	6	7	4	3	3	3	3	1	4	2	3	54
31	-	-	2	33	2	1	1	1	1	1	1	1	-	-	-	55
16	-	-	2	18	2	1	-	1	1	1	-	1	-	-	1	56
15	-	-	1	15	1	1	1	1	1	1	-	1	-	-	-	57
4	1	-	1	6	-	-	-	-	-	-	-	1	-	-	-	58
1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	59
3	1	-	-	4	-	1	-	1	1	-	-	-	-	-	1	60
114	4	1	3	122	11	14	4	4	2	2	1	6	2	2	1	61
67	3	1	1	71	9	11	3	1	-	1	1	1	1	2	1	62
47	1	1	2	51	2	3	1	1	-	-	-	-	-	-	-	63
100	4	1	1	106	9	13	2	3	-	1	1	6	1	1	1	64
58	3	-	-	61	9	11	2	1	-	1	1	4	1	2	1	65
42	1	1	1	45	-	2	-	2	-	1	1	4	1	2	1	66
12	-	-	2	14	2	2	1	1	-	-	-	1	1	-	-	67
8	-	-	1	9	1	1	1	1	-	-	-	1	1	-	-	68
4	-	-	1	5	2	1	1	1	-	-	-	1	1	-	-	69
2	-	-	-	2	-	1	1	1	-	-	-	1	1	-	-	70
1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	71
1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	72
191	2	1	6	200	12	16	11	3	6	1	3	5	1	2	3	73
99	2	1	4	106	6	12	7	3	2	1	1	3	1	1	-	74
92	-	-	2	94	6	4	4	-	4	1	3	2	1	1	3	75
181	2	1	6	200	10	16	11	3	4	5	3	5	1	2	3	76
99	2	1	4	106	6	12	7	3	2	1	3	3	1	1	1	77
92	-	-	2	94	4	4	4	-	3	-	3	2	1	1	3	78
-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	79
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
1,621	83	38	35	1,777	137	88	87	60	60	33	25	28	21	13	17	85
945	40	24	20	1,028	73	51	50	33	36	15	17	7	7	8	8	86
676	43	14	15	748	64	37	37	27	24	18	8	21	14	9	9	87
1,142	64	27	30	1,283	83	62	59	35	40	25	14	17	13	5	7	88
668	34	19	16	737	45	37	31	21	23	11	10	4	6	5	5	89
474	30	8	14	526	38	28	19	14	17	14	4	13	7	4	2	90
473	19	11	5	599	52	25	36	19	17	14	4	13	7	4	5	91
272	6	5	4	287	26	26	14	12	13	8	9	11	8	4	10	92
201	13	6	1	221	26	11	17	11	6	4	3	3	1	3	6	93
6	-	-	-	6	2	1	1	2	1	4	3	0	7	1	4	94
5	-	-	-	5	2	1	1	2	1	4	3	0	7	1	-	95
1	-	-	-	1	2	1	1	2	1	-	1	-	-	-	-	96

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-25 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	New Mexico	515	33	169	45	33	14	8	8	3
2	Male	303	17	107	24	20	10	3	4	2
3	Female	212	16	62	21	13	4	5	4	1
4	White	392	26	142	39	29	11	6	4	3
5	Male	235	13	93	21	19	7	2	2	2
6	Female	157	13	49	18	10	4	4	2	1
7	Negro	19	1	10	1	-	1	1	-	-
8	Male	8	1	5	-	-	1	-	-	-
9	Female	11	-	5	1	-	-	1	-	-
10	Other races	104	6	17	5	4	2	1	2	-
11	Male	60	3	9	3	1	2	-	2	-
12	Female	44	3	8	2	3	-	1	-	-
13	New York	6,578	663	2,344	718	395	175	123	75	54
14	Male	3,797	355	1,383	441	225	114	72	46	23
15	Female	2,781	308	961	277	160	61	51	27	31
16	White	4,654	478	1,626	534	299	133	99	50	36
17	Male	2,697	251	963	304	175	89	56	33	19
18	Female	1,957	227	663	230	124	44	41	17	17
19	Negro	1,987	183	704	178	94	42	24	23	18
20	Male	1,079	104	411	103	48	25	14	13	4
21	Female	808	79	293	75	36	17	10	10	14
22	Other races	37	2	14	6	2	-	-	-	-
23	Male	21	-	9	4	2	-	-	-	-
24	Female	16	2	5	2	-	-	-	-	-
25	North Carolina	2,342	177	761	287	138	55	37	19	19
26	Male	1,313	97	446	147	84	31	22	6	9
27	Female	1,029	80	315	110	54	24	15	13	10
28	White	1,325	109	478	166	91	32	21	12	14
29	Male	762	56	285	100	61	20	14	4	5
30	Female	563	53	193	66	30	12	7	8	9
31	Negro	972	65	272	86	42	22	16	7	5
32	Male	528	39	154	44	22	11	8	2	4
33	Female	444	26	118	42	20	11	8	5	1
34	Other races	45	3	11	5	5	1	-	-	-
35	Male	23	2	9	3	1	-	-	-	-
36	Female	22	1	2	2	4	1	-	-	-
37	North Dakota	160	23	69	18	12	8	-	1	2
38	Male	103	17	44	7	4	2	-	-	1
39	Female	77	6	25	11	8	6	-	1	1
40	White	168	20	67	17	12	8	-	1	2
41	Male	95	14	42	7	4	2	-	1	1
42	Female	73	6	25	10	8	6	-	1	1
43	Negro	-	-	-	-	-	-	-	-	-
44	Male	-	-	-	-	-	-	-	-	-
45	Female	-	-	-	-	-	-	-	-	-
46	Other races	12	3	2	1	-	-	-	-	-
47	Male	8	3	2	-	-	-	-	-	-
48	Female	4	-	-	1	-	-	-	-	-
49	Ohio	3,688	381	1,327	395	254	116	62	42	36
50	Male	2,145	222	749	245	153	74	35	23	22
51	Female	1,523	159	578	150	101	42	27	19	14
52	White	3,017	305	1,082	339	219	104	47	26	20
53	Male	1,773	171	617	218	133	65	24	21	18
54	Female	1,244	134	475	121	85	39	23	15	10
55	Negro	642	76	232	56	36	12	15	6	8
56	Male	367	51	132	27	20	9	11	2	4
57	Female	275	25	100	29	16	3	4	4	4
58	Other races	9	-	3	-	-	-	-	-	-
59	Male	5	-	-	-	-	-	-	-	-
60	Female	4	-	3	-	-	-	-	-	-
61	Oklahoma	877	77	305	106	73	27	12	6	10
62	Male	514	40	173	59	46	17	7	4	7
63	Female	363	37	132	47	27	10	5	2	3
64	White	714	59	251	95	63	25	10	5	9
65	Male	429	31	144	53	42	16	5	3	6
66	Female	285	28	107	40	21	7	5	2	3
67	Negro	122	10	44	10	8	3	2	-	-
68	Male	84	5	24	4	4	1	2	-	-
69	Female	58	5	20	6	4	2	-	-	-
70	Other races	41	8	10	3	2	1	-	1	1
71	Male	21	4	5	2	-	-	-	1	1
72	Female	20	4	5	1	2	1	-	-	-
73	Oregon	593	48	196	57	25	22	11	6	2
74	Male	369	28	119	39	13	17	6	3	-
75	Female	224	20	67	16	12	5	5	3	2
76	White	560	48	174	53	24	21	10	6	1
77	Male	351	28	113	36	12	17	5	3	1
78	Female	209	20	61	17	12	4	5	3	1
79	Negro	17	-	7	1	-	-	-	-	-
80	Male	8	-	3	-	-	-	-	-	-
81	Female	9	-	4	-	-	-	-	-	-
82	Other races	16	-	5	4	-	-	-	-	-
83	Male	10	-	3	3	-	1	1	-	1
84	Female	6	-	2	1	-	1	-	-	1
85	Pennsylvania	3,902	413	1,507	370	232	107	55	44	38
86	Male	2,250	220	864	225	142	68	31	22	24
87	Female	1,652	193	643	145	80	39	24	12	14
88	White	3,041	317	1,149	294	207	82	47	37	29
89	Male	1,774	170	660	183	132	54	25	27	17
90	Female	1,267	147	489	111	75	28	22	10	12
91	Negro	853	96	354	74	25	24	8	7	9
92	Male	472	50	202	40	10	14	6	5	7
93	Female	381	46	152	34	15	10	2	2	2
94	Other races	8	-	4	2	-	-	-	-	-
95	Male	4	-	2	2	-	-	-	-	-
96	Female	4	-	2	-	-	1	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Rhode Island	305	26	136	22	16	8	3	3	1
2		175	13	82	5	10	6	2	2	-
3		130	13	54	17	6	2	1	3	1
4	White	276	23	125	17	16	7	3	3	1
5		161	12	76	5	10	6	2	-	-
6		115	11	49	12	6	1	1	3	1
7	Negro	27	3	11	3	-	1	-	-	-
8		14	1	6	-	-	-	-	-	-
9		13	2	5	3	-	1	-	-	-
10	Other races	2	-	-	2	-	-	-	-	-
11		-	-	-	-	-	-	-	-	-
12		2	-	-	2	-	-	-	-	-
13	South Carolina	1,223	61	345	115	72	45	19	12	10
14		695	29	209	71	44	24	12	8	8
15		550	32	134	44	28	21	7	6	5
16	White	601	32	195	79	48	28	9	7	6
17		333	16	111	48	32	14	4	1	3
18		268	16	82	31	16	14	5	5	3
19	Negro	620	29	148	36	24	17	10	5	4
20		358	13	96	23	12	10	6	3	2
21		262	16	52	13	12	7	2	2	2
22	Other races	2	-	2	-	-	-	-	-	-
23		2	-	2	-	-	-	-	-	-
24		-	-	-	-	-	-	-	-	-
25	South Dakota	229	26	76	18	9	9	2	7	-
26		126	12	46	11	5	6	-	5	-
27		103	14	30	7	4	3	2	2	-
28	White	189	26	68	16	9	9	2	6	-
29		100	12	40	10	5	6	-	4	-
30		89	14	28	6	4	3	2	1	-
31	Negro	2	-	1	-	-	-	-	1	-
32		1	-	-	-	-	-	-	1	-
33		1	-	1	-	-	-	-	1	-
34	Other races	38	-	7	2	-	-	-	1	-
35		25	-	6	1	-	-	-	6	-
36		13	-	1	1	-	-	-	1	-
37	Tennessee	1,537	154	483	203	96	43	33	9	10
38		892	86	277	115	62	27	18	4	11
39		645	68	206	88	34	16	15	5	7
40	White	1,042	104	326	145	76	31	22	8	12
41		627	59	195	92	47	21	12	5	6
42		415	45	135	53	29	10	10	2	6
43	Negro	492	50	155	58	20	12	11	4	6
44		265	27	82	23	15	6	5	1	5
45		229	23	73	35	5	6	6	3	1
46	Other races	3	-	2	-	-	-	-	-	-
47		2	-	2	-	-	-	-	-	-
48		1	-	-	-	-	-	-	-	-
49	Texas	4,860	321	1,775	511	359	140	82	85	44
50		2,620	192	1,049	311	209	76	47	35	28
51		2,040	139	726	200	150	64	35	30	18
52	White	3,715	260	1,568	427	284	120	56	50	35
53		2,181	149	820	265	175	86	30	26	10
54		1,534	111	548	162	111	54	28	24	16
55	Negro	1,141	60	406	83	76	19	26	15	9
56		636	32	229	45	36	9	9	9	7
57		505	28	177	38	39	10	9	6	2
58	Other races	4	1	1	1	-	-	-	-	-
59		3	1	-	-	-	1	-	-	-
60		1	-	1	-	-	-	-	-	-
61	Utah	369	32	117	50	22	7	12	7	4
62		241	21	78	30	14	5	10	5	4
63		148	11	39	20	8	2	2	2	-
64	White	363	30	114	49	21	7	11	6	4
65		227	19	77	29	13	5	9	5	4
66		136	11	37	20	8	2	2	1	-
67	Negro	7	-	3	1	1	-	-	-	-
68		4	-	1	1	1	-	-	-	-
69		3	-	2	-	-	-	-	-	-
70	Other races	19	2	-	-	-	-	1	1	-
71		10	2	-	-	-	-	1	-	-
72		9	-	-	-	-	-	-	1	-
73	Vermont	158	22	65	17	15	4	2	-	-
74		94	12	36	15	8	-	-	-	-
75		64	10	29	2	7	2	2	-	-
76	White	157	22	64	17	15	4	2	-	-
77		93	12	35	15	8	2	-	-	-
78		64	10	29	2	7	2	2	-	-
79	Negro	1	-	1	-	-	-	-	-	-
80		1	-	1	-	-	-	-	-	-
81		-	-	-	-	-	-	-	-	-
82	Other races	-	-	-	-	-	-	-	-	-
83		-	-	-	-	-	-	-	-	-
84		-	-	-	-	-	-	-	-	-
85	Virginia	1,842	166	651	205	118	40	23	28	21
86		1,028	98	376	124	85	22	17	18	8
87		814	70	275	81	33	18	6	8	13
88	White	1,224	120	431	149	94	29	14	17	13
89		694	68	246	86	53	15	10	13	7
90		540	52	185	63	41	14	4	4	6
91	Negro	611	45	218	56	24	10	8	9	8
92		341	28	129	38	12	6	7	5	1
93		270	17	89	16	12	4	1	4	7
94	Other races	7	1	2	-	-	1	1	-	-
95		5	-	1	-	-	-	-	-	-
96		4	1	1	-	-	-	1	-	-

SECTION 2 - INFANT MORTALITY

Table 2-9. Deaths Under 1 Year, by Age, Race,

Area, race, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Washington-----	1,121	83	345	112	75	46	17	22	14
2	Male-----	674	46	213	69	57	24	9	11	9
3	Female-----	447	37	132	44	18	22	8	11	5
4	White-----	999	76	306	99	71	43	16	16	14
5	Male-----	611	42	196	60	56	24	9	7	9
6	Female-----	388	34	110	39	15	19	7	9	5
7	Negro-----	83	5	27	8	-	2	-	4	-
8	Male-----	31	2	12	3	-	-	-	3	-
9	Female-----	32	3	15	2	-	2	-	1	-
10	Other races-----	59	2	12	8	4	1	1	2	-
11	Male-----	32	2	5	5	1	-	-	1	-
12	Female-----	27	-	7	3	3	1	1	1	-
13	West Virginia-----	663	98	226	85	39	22	11	2	8
14	Male-----	390	27	131	51	24	11	7	-	7
15	Female-----	273	31	95	34	15	11	4	2	1
16	White-----	617	55	211	81	36	21	11	2	7
17	Male-----	364	26	124	48	22	11	7	-	6
18	Female-----	253	29	87	33	14	10	4	2	1
19	Negro-----	46	3	15	4	3	1	-	-	1
20	Male-----	26	1	7	3	2	-	-	-	1
21	Female-----	20	2	8	1	1	1	-	-	-
22	Other races-----	-	-	-	-	-	-	-	-	-
23	Male-----	-	-	-	-	-	-	-	-	-
24	Female-----	-	-	-	-	-	-	-	-	-
25	Wisconsin-----	1,285	118	421	130	63	50	20	23	16
26	Male-----	740	69	256	80	41	31	8	12	6
27	Female-----	545	49	165	50	22	19	12	11	10
28	White-----	1,154	102	393	120	58	46	14	20	13
29	Male-----	667	61	241	74	36	29	5	10	5
30	Female-----	487	41	152	46	22	17	9	10	8
31	Negro-----	116	14	26	8	4	4	6	3	3
32	Male-----	65	6	14	5	4	2	3	2	1
33	Female-----	51	8	12	3	-	2	3	1	2
34	Other races-----	15	2	2	2	1	-	-	-	-
35	Male-----	9	2	1	1	1	-	-	-	-
36	Female-----	7	-	1	1	-	-	-	-	-
37	Wyoming-----	164	30	67	14	8	3	3	-	1
38	Male-----	100	19	43	9	6	1	1	-	-
39	Female-----	64	11	24	5	2	2	2	-	1
40	White-----	151	29	57	14	8	3	3	-	1
41	Male-----	92	19	36	9	6	1	1	-	-
42	Female-----	59	10	21	5	2	2	2	-	1
43	Negro-----	4	-	4	-	-	-	-	-	-
44	Male-----	3	-	3	-	-	-	-	-	-
45	Female-----	1	-	1	-	-	-	-	-	-
46	Other races-----	9	1	6	-	-	-	-	-	-
47	Male-----	5	-	4	-	-	-	-	-	-
48	Female-----	4	1	2	-	-	-	-	-	-

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1969

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Both Sexes													
Under 1 year-----	75,073	6,756	5,064	6,146	5,853	6,233	6,092	6,392	6,321	6,038	6,406	6,259	6,733
Under 28 days-----	55,108	4,871	4,509	4,540	4,318	4,646	4,544	4,704	4,684	4,409	4,609	4,551	4,843
White-----	19,865	1,985	1,555	1,606	1,515	1,587	1,548	1,688	1,657	1,629	1,797	1,708	1,790
All other-----	35,243	2,886	2,954	2,934	2,803	3,059	2,996	3,016	3,027	2,780	2,812	2,843	3,053
Under 7 days-----	42,408	3,433	3,112	3,370	3,348	3,672	3,687	3,820	3,820	3,546	3,540	3,437	3,623
White-----	13,677	1,056	910	964	1,058	1,164	1,182	1,310	1,274	1,256	1,261	1,128	1,097
All other-----	28,731	2,377	2,202	2,406	2,290	2,508	2,505	2,510	2,546	2,290	2,279	2,309	2,526
Under 1 hour-----	50,704	3,995	3,604	3,945	3,966	4,418	4,461	4,673	4,620	4,342	4,332	4,075	4,285
White-----	36,601	3,110	2,926	3,075	3,039	3,356	3,396	3,496	3,468	3,235	3,219	3,106	3,285
All other-----	14,103	885	778	870	947	1,060	1,075	1,177	1,152	1,107	1,113	969	970
1-23 hours-----	6,444	475	479	498	513	577	570	542	570	540	594	533	542
White-----	4,924	368	383	381	386	455	435	409	416	416	447	404	424
All other-----	1,520	107	96	117	127	122	143	133	154	124	137	134	118
1 day-----	26,608	2,040	1,874	2,108	2,186	2,351	2,337	2,450	2,373	2,274	2,284	2,092	2,239
White-----	19,854	1,579	1,438	1,624	1,647	1,713	1,750	1,789	1,755	1,639	1,658	1,574	1,639
All other-----	6,754	461	436	484	539	638	587	661	618	635	626	518	571
2 days-----	7,985	642	579	580	591	690	717	798	740	653	665	675	636
White-----	6,252	508	464	452	464	555	560	615	562	506	516	525	520
All other-----	1,733	134	115	128	127	135	157	183	173	147	149	150	135
3 days-----	4,750	397	342	367	354	400	398	420	494	426	405	354	413
White-----	3,638	320	273	300	266	332	324	330	402	344	326	293	328
All other-----	912	77	69	67	69	68	74	90	92	82	79	61	85
4 days-----	2,111	177	135	166	163	177	176	190	215	194	149	168	181
White-----	1,654	140	113	135	122	134	134	156	158	147	122	154	153
All other-----	457	37	22	31	41	43	42	34	57	47	41	34	28
5 days-----	1,250	106	88	104	85	100	97	138	106	121	110	102	93
White-----	931	78	77	89	65	79	70	103	75	90	71	66	68
All other-----	319	28	11	15	20	21	27	35	31	31	39	36	25
6 days-----	875	101	62	71	56	68	95	69	64	61	75	74	77
White-----	645	72	45	56	39	52	66	49	53	48	52	52	59
All other-----	230	29	17	15	17	16	29	20	11	13	23	22	18
7-13 days-----	685	57	45	51	58	55	65	66	58	60	52	56	55
White-----	505	45	33	38	50	36	47	45	42	45	41	38	45
All other-----	178	12	12	13	8	17	18	21	16	20	19	14	10
14-20 days-----	2,696	240	197	199	219	205	201	249	248	215	257	228	239
White-----	1,944	159	133	149	162	153	144	180	194	149	185	158	179
All other-----	752	81	64	49	57	52	57	69	54	67	72	70	60
21-27 days-----	1,444	156	120	118	101	113	131	109	121	129	109	135	122
White-----	1,014	95	81	65	71	86	101	79	65	78	69	96	91
All other-----	430	41	39	53	30	27	30	30	56	51	41	39	31
28-59 days-----	1,241	118	101	93	100	102	78	99	105	116	103	124	104
White-----	849	69	72	65	76	77	56	65	73	85	68	77	68
All other-----	392	49	29	30	24	25	20	34	32	31	35	47	36
2 months-----	4,676	475	425	390	365	359	283	374	349	343	462	396	453
White-----	3,119	303	260	258	254	248	189	261	243	228	324	261	293
All other-----	1,557	172	165	135	111	111	98	113	106	115	138	135	160
3 months-----	3,560	406	363	348	271	231	213	209	213	253	335	366	352
White-----	2,371	239	236	217	191	171	146	148	153	168	220	240	234
All other-----	1,189	167	127	131	80	60	67	61	60	85	115	119	119
4 months-----	2,751	343	282	274	216	207	171	147	135	165	210	260	341
White-----	1,845	210	198	178	143	142	138	100	98	118	136	158	236
All other-----	906	133	84	96	73	65	33	47	47	47	74	102	105
5 months-----	1,978	267	169	198	147	134	130	134	125	110	143	174	227
White-----	1,301	171	129	125	94	88	93	95	86	80	91	108	143
All other-----	677	96	60	73	53	46	37	41	39	30	52	66	84
6 months-----	1,461	213	160	142	93	110	83	78	81	75	108	119	189
White-----	947	137	93	97	53	72	65	53	59	54	66	80	120
All other-----	514	76	67	45	40	38	20	25	22	21	42	39	79
7 months-----	745	86	57	67	61	60	61	61	49	47	60	67	69
White-----	389	56	48	38	25	28	28	28	26	9	29	31	47
All other-----	356	30	9	29	36	32	33	33	23	18	31	36	22
8 months-----	890	139	86	96	60	78	55	52	64	59	74	70	70
White-----	610	100	53	65	41	58	34	37	36	47	46	48	47
All other-----	280	39	33	31	19	20	21	15	28	12	13	26	23
9 months-----	777	80	74	76	65	56	67	64	55	53	70	54	65
White-----	537	55	51	51	44	38	46	50	34	35	46	40	47
All other-----	240	25	23	25	19	18	21	14	21	18	24	14	18
10 months-----	642	72	52	68	45	58	60	53	45	42	50	49	70
White-----	442	47	43	48	31	44	35	21	33	34	29	31	48
All other-----	200	25	9	20	14	14	25	12	12	8	21	18	22
11 months-----	580	70	62	48	45	40	36	44	36	43	35	36	35
White-----	417	49	49	35	31	32	28	31	25	27	23	40	49
All other-----	163	21	13	13	14	8	10	13	11	16	12	16	16
Under 1 year-----	539	60	44	49	36	40	36	38	49	37	44	51	55
White-----	366	41	28	34	27	23	26	29	36	25	28	33	34
All other-----	173	19	16	15	9	17	10	9	11	12	16	18	21
Male													
Under 1 year-----	43,280	3,839	3,303	3,642	3,356	3,623	3,462	3,681	3,669	3,474	3,712	3,602	3,917
Under 28 days-----	32,818	2,818	2,417	2,719	2,517	2,709	2,640	2,721	2,745	2,557	2,706	2,701	2,908
White-----	11,122	886	923	914	839	914	822	900	924	917	1,006	901	1,009
All other-----	21,696	1,891	1,494	1,805	1,678	1,795	1,818	1,821	1,821	1,640	1,699	1,799	1,899
Under 7 days-----	24,918	2,006	1,780	2,025	1,957	2,141	2,155	2,211	2,296	2,089	2,111	2,037	2,120
White-----	7,757	585	548	563	578	686	642	742	726	724	711	614	638
All other-----	17,161	1,421	1,232	1,462	1,379	1,455	1,513	1,469	1,570	1,365	1,400	1,423	1,482
Under 1 hour-----	29,681	2,315	2,075	2,360	2,303	2,595	2,567	2,707	2,746	2,550	2,567	2,390	2,608
White-----	22,786	1,817	1,606	1,860	1,782	1,969	1,983	2,035	2,089	1,916	1,932	1,849	1,948
All other-----	6,895	498	469	500	521	626	584	672	657	634	635	541	660
1-23 hours-----	3,548	257	261	274	275	326	302	300	304	326	327	303	293
White-----	2,639	192	200	202	204	240	222	223	224	244	255	230	223
All other-----	889	65	61	72	71	86	80						

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1969-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES--Con.													
Male--Con.													
Under 28 days--Con.													
Under 7 days--Con.													
1 day	4,724	381	333	367	348	421	412	454	465	375	397	367	386
White	3,751	306	276	290	273	336	326	357	354	298	317	312	306
All other	973	75	57	77	75	85	86	97	109	75	80	75	82
2 days	2,951	224	196	225	197	248	236	257	291	282	239	214	262
White	2,560	184	151	190	163	212	203	209	247	214	188	169	211
All other	491	40	45	35	34	36	33	48	44	68	51	26	51
3 days	1,292	104	91	103	106	111	111	118	126	110	94	107	111
White	1,036	89	76	85	85	82	87	100	94	82	71	89	96
All other	256	15	15	18	21	29	24	18	32	28	23	18	15
4 days	730	60	44	69	51	60	60	73	58	68	70	63	54
White	532	46	37	59	38	50	40	54	40	46	44	41	37
All other	198	14	7	10	13	10	20	19	18	22	26	22	17
5 days	501	61	34	40	32	36	50	46	37	35	40	44	46
White	375	47	26	31	23	25	38	33	30	29	26	30	37
All other	126	14	8	9	9	11	12	13	7	6	14	14	9
6 days	379	26	27	24	30	26	33	45	26	35	44	29	34
White	283	20	18	18	25	23	27	30	19	25	28	22	28
All other	96	6	9	6	5	3	6	15	7	10	16	7	6
7-13 days	1,495	130	119	107	121	111	120	137	146	117	134	128	125
White	1,081	91	77	80	94	77	89	97	114	79	95	95	93
All other	414	39	42	27	27	34	31	40	32	38	39	33	32
14-20 days	810	80	61	68	54	67	69	58	70	71	67	69	76
White	576	60	41	47	38	51	55	43	47	47	45	50	52
All other	234	20	20	21	16	16	14	15	23	24	22	19	24
21-27 days	688	66	53	53	57	54	41	51	60	67	54	74	59
White	475	38	36	38	43	44	28	36	46	47	39	43	37
All other	214	28	17	15	14	10	13	15	14	20	15	31	22
28-59 days	2,693	264	249	235	201	221	158	217	193	180	271	228	276
White	1,810	185	152	154	141	147	110	151	139	123	189	150	189
All other	883	79	97	81	60	74	48	66	54	57	82	78	87
2 months	2,053	230	196	207	150	139	125	135	111	141	199	222	193
White	1,413	141	127	132	106	109	86	100	82	95	128	169	139
All other	640	89	69	75	44	30	39	35	29	46	71	53	60
3 months	1,807	208	150	160	132	125	104	80	79	86	124	146	203
White	1,124	136	111	99	91	86	89	56	53	76	84	96	147
All other	483	72	39	61	41	39	15	24	26	20	40	50	56
4 months	1,126	160	108	120	95	79	75	78	66	57	73	86	131
White	756	106	73	80	57	55	55	52	47	42	46	61	62
All other	370	54	35	40	36	24	20	26	19	15	27	25	49
5 months	755	107	64	85	52	59	40	41	38	31	51	64	103
White	499	72	52	57	28	40	33	31	27	21	32	46	60
All other	256	35	33	28	24	19	7	10	11	10	19	18	43
6 months	597	70	51	57	53	45	38	50	37	28	44	57	67
White	395	45	28	38	37	31	23	31	25	23	30	42	42
All other	202	25	23	19	16	14	15	19	12	5	14	15	25
7 months	462	66	45	50	33	35	28	30	35	33	27	43	37
White	320	50	26	36	24	25	16	20	19	26	22	30	26
All other	142	16	19	14	9	10	12	10	16	7	5	13	11
8 months	409	45	28	42	31	27	36	36	32	30	40	32	32
White	286	31	22	28	25	23	31	26	18	17	21	24	23
All other	123	12	7	14	6	4	5	10	14	13	19	8	9
9 months	536	57	27	37	29	25	32	21	16	19	23	30	40
White	244	23	24	28	19	23	21	14	12	17	15	20	28
All other	92	14	3	9	10	2	11	7	4	2	8	10	12
10 months	298	33	31	30	26	16	12	14	11	16	14	16	29
White	215	23	28	22	16	12	14	11	16	14	16	16	29
All other	83	10	5	8	10	4	6	6	7	9	5	7	6
11 months	269	30	26	31	21	22	11	20	22	21	19	20	26
White	178	20	17	20	18	14	9	15	16	12	14	10	13
All other	91	10	9	11	3	8	2	5	6	9	5	10	13
Female													
Under 1 year	31,793	2,917	2,561	2,504	2,477	2,610	2,630	2,711	2,652	2,564	2,694	2,657	2,816
Under 28 days	22,950	2,053	1,892	1,821	1,801	1,937	1,904	1,983	1,919	1,852	1,903	1,850	2,055
White	8,843	864	869	835	876	973	726	728	735	712	791	807	781
All other	23,410	1,698	1,714	1,786	1,671	2,009	2,072	2,177	2,072	1,969	1,979	1,911	1,952
Under 7 days	17,490	1,427	1,352	1,345	1,391	1,531	1,532	1,609	1,524	1,457	1,469	1,400	1,493
White	5,820	471	362	421	480	478	540	568	548	532	550	511	459
All other	21,023	1,690	1,529	1,595	1,683	1,821	1,894	1,968	1,874	1,784	1,765	1,695	1,747
Under 1 hour	15,615	1,293	1,220	1,215	1,257	1,387	1,403	1,461	1,379	1,319	1,287	1,257	1,337
White	5,208	387	309	370	426	434	491	505	495	478	478	438	410
All other	2,896	218	218	224	238	251	276	242	266	222	257	235	249
1-23 hours	2,265	176	183	179	182	215	215	185	192	172	192	174	201
White	631	42	35	45	56	36	63	56	74	50	65	61	46
All other	10,952	658	785	850	922	984	874	1,036	932	925	928	859	919
White	8,064	646	616	639	676	712	710	720	674	661	655	637	678
All other	2,888	192	169	211	246	272	264	276	258	264	273	222	241
1 day	3,261	261	246	213	243	269	305	344	277	280	268	288	267
White	2,501	202	188	162	191	219	234	258	215	208	199	213	214
All other	760	59	58	51	52	50	71	86	64	72	69	75	53
2 days	1,899	173	146	142	137	152	162	163	164	166	140	151	117
White	1,478	136	122	110	103	120	121	121	155	130	138	105	114
All other	421	37	24	32	34	32	41	42	46	34	28	35	34
3 days	819	73	44	63	57	66	85	72	69	84	65	61	70
White	618	51	37	50	37	52	47	56	64	59	64	57	65
All other	201	22	7	13	20	14	19	16	25	19	16	13	15
4 days	520	46	44	35	34	40	37	49	35	44	27	25	31
White	399	32	40	30	27	29	30	49	35	44	9	13	14
All other	121	14	4	5	7	11	7	16	15	9	18	10	8
5 days	372	40	28	31	24	32	45	23	27	26	35	30	31
White	266	25	19	25	16	27	28	16	23	19	26	22	22
All other	104	15	9	6	8	5	17	7	4	7	9	8	9

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1969-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES--Con.													
Female--Con.													
Under 28 days--Con.													
Under 7 days--Con.													
6 days	304	31	18	27	28	27	30	21	32	30	16	23	21
White	222	25	15	20	25	13	20	15	23	20	13	16	17
All other	82	6	3	7	3	14	10	6	9	10	3	7	4
7-15 days	1,201	110	78	91	98	94	81	112	102	98	123	100	114
White	863	68	58	69	66	76	55	83	80	69	90	63	86
All other	338	42	22	22	30	18	26	29	22	29	33	37	28
14-20 days	634	56	58	50	47	46	62	51	51	58	42	66	46
White	438	35	40	36	33	35	46	36	39	31	23	46	39
All other	196	21	19	14	14	11	16	15	13	27	19	20	7
21-27 days	532	52	48	40	45	48	35	48	45	49	49	50	45
White	374	31	36	25	33	33	28	29	27	38	29	34	31
All other	178	21	12	15	10	15	7	19	18	11	20	16	14
28-59 days	1,983	211	176	155	164	138	127	157	156	163	191	188	177
White	1,309	138	108	101	115	101	79	110	104	105	135	111	104
All other	674	73	68	54	51	37	48	47	52	58	56	57	73
2 months	1,507	176	167	141	121	93	88	74	102	112	136	144	153
White	958	98	109	85	85	63	60	48	73	73	92	78	95
All other	549	78	58	56	36	30	28	26	31	39	44	65	58
3 months	1,144	135	132	114	84	82	67	67	56	69	86	114	138
White	721	74	87	79	52	56	49	44	35	42	52	62	69
All other	423	61	45	35	32	26	18	23	21	27	34	52	49
4 months	852	107	81	78	54	55	55	56	59	53	70	89	96
White	545	65	56	45	37	33	38	41	39	38	45	47	61
All other	307	42	25	33	17	22	17	15	20	15	25	41	35
5 months	706	106	76	57	41	51	43	37	43	44	57	55	98
White	448	65	41	40	25	32	30	22	32	33	34	34	60
All other	258	41	35	17	16	19	13	15	11	11	23	21	36
6 months	537	72	54	48	33	41	49	39	38	28	45	41	49
White	350	41	29	29	24	29	38	30	24	24	30	25	27
All other	187	31	25	19	9	12	11	9	14	4	15	16	22
7 months	428	75	41	46	27	41	27	22	29	26	32	31	33
White	290	50	27	29	17	31	19	17	17	21	24	18	21
All other	138	25	14	17	10	10	8	5	12	5	8	13	12
8 months	368	37	46	34	32	29	31	28	23	23	30	22	33
White	251	24	30	23	21	15	15	24	16	18	25	16	24
All other	117	13	16	11	11	14	16	4	7	5	5	6	9
9 months	306	35	25	29	16	33	28	12	29	23	27	19	30
White	198	24	19	18	12	21	14	7	21	17	14	11	20
All other	108	11	6	11	4	12	14	5	8	6	13	8	10
10 months	282	37	31	18	19	20	18	24	18	18	16	33	30
White	202	26	23	13	15	16	14	17	14	11	9	24	20
All other	80	11	8	5	4	4	4	7	4	7	7	9	10
11 months	270	30	18	18	15	18	25	18	27	16	25	31	29
White	188	21	11	14	9	9	17	14	22	13	14	23	21
All other	82	9	7	4	6	9	8	4	5	3	11	8	8
ALABAMA													
Under 1 year	1,695	204	144	140	120	129	133	132	145	134	123	140	151
White	998	106	88	72	66	71	75	73	78	72	62	70	85
All other	797	98	76	68	54	58	58	59	67	62	61	70	66
Under 28 days	1,177	108	74	90	91	106	102	104	113	111	79	101	98
White	672	69	43	54	51	59	60	62	60	59	44	53	58
All other	505	39	31	36	40	47	42	42	53	52	35	48	40
ALASKA													
Under 1 year	127	8	13	9	13	12	3	17	9	12	9	13	9
White	76	5	10	4	6	9	1	10	6	7	4	7	7
All other	51	3	3	5	7	3	2	7	3	5	5	6	2
Under 28 days	87	6	12	5	9	6	1	13	6	7	5	6	6
White	55	5	9	2	5	5	1	8	3	5	2	5	4
All other	34	1	3	3	4	3	1	5	3	2	3	4	2
ARIZONA													
Under 1 year	741	65	64	57	56	71	65	57	63	56	65	66	56
White	562	49	45	42	40	55	57	43	51	45	49	47	39
All other	179	16	19	15	16	16	8	14	12	11	16	19	17
Under 28 days	514	41	45	39	38	50	48	43	46	36	44	52	32
White	427	35	39	32	29	41	45	34	39	31	35	45	26
All other	87	6	6	7	9	9	3	9	7	5	9	7	6
ARKANSAS													
Under 1 year	716	79	65	62	40	65	40	55	68	59	63	60	60
White	462	53	40	41	26	43	27	31	49	42	41	38	31
All other	254	26	25	21	14	22	13	24	19	17	22	22	29
Under 28 days	481	41	38	34	31	51	30	41	53	48	40	40	34
White	332	32	25	23	19	36	21	23	41	34	29	30	19
All other	149	9	13	11	12	15	9	18	12	14	11	10	15
CALIFORNIA													
Under 1 year	6,470	588	508	511	516	573	510	533	561	489	574	530	577
White	5,362	498	440	419	422	468	417	437	466	400	474	442	479
All other	1,108	90	68	92	94	105	93	96	95	89	100	88	98
Under 28 days	4,800	400	344	381	395	452	400	419	448	383	419	373	397
White	4,024	343	305	309	321	376	326	349	360	316	359	312	328
All other	776	57	39	73	74	76	74	70	68	67	60	59	59

SECTION 2 - INFANT MORTALITY

2-27

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1969-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO													
Under 1 year-----	803	83	64	75	63	66	85	61	46	55	76	67	62
White-----	738	78	53	70	58	64	75	60	41	50	72	59	58
All other----	65	5	11	5	5	2	10	1	5	5	4	8	4
Under 28 days-----	604	62	49	57	48	52	61	50	39	38	54	46	48
White-----	556	58	40	53	44	50	54	50	34	35	51	41	46
All other----	40	4	9	4	4	2	7	-	5	3	3	5	2
CONNECTICUT													
Under 1 year-----	928	90	70	70	66	100	71	68	94	76	76	79	68
White-----	760	76	57	57	59	82	60	53	79	60	59	65	55
All other----	168	14	13	13	7	18	11	15	15	16	17	16	13
Under 28 days-----	729	63	49	51	50	84	62	59	76	67	51	66	52
White-----	604	53	42	42	46	68	54	44	65	55	44	55	40
All other----	125	10	7	9	4	16	8	14	11	14	7	13	12
DELAWARE													
Under 1 year-----	228	16	18	15	28	21	25	14	20	18	20	25	10
White-----	145	5	11	7	18	16	22	11	15	11	11	12	6
All other----	83	11	7	8	10	5	3	3	5	7	9	11	4
Under 28 days-----	183	12	14	12	22	19	22	13	17	16	13	16	7
White-----	125	3	5	6	16	15	20	10	14	11	6	10	5
All other----	58	9	9	6	6	4	2	3	3	5	7	6	2
DISTRICT OF COLUMBIA													
Under 1 year-----	439	22	27	35	48	44	37	33	27	39	39	46	42
White-----	53	1	9	6	5	7	4	5	3	3	5	1	4
All other----	386	21	18	29	43	37	33	28	24	36	34	45	38
Under 28 days-----	344	15	20	25	34	38	32	28	23	34	31	30	34
White-----	49	1	9	4	5	6	4	5	3	3	4	1	4
All other----	295	14	11	21	29	32	28	23	20	31	27	29	30
FLORIDA													
Under 1 year-----	2,431	205	194	199	159	224	206	221	215	189	212	201	206
White-----	1,478	108	121	121	98	125	130	140	132	109	157	122	135
All other----	953	97	73	78	61	99	76	81	83	80	75	79	71
Under 28 days-----	1,817	132	125	130	119	173	170	188	171	154	164	146	145
White-----	1,153	77	86	88	75	98	108	117	108	89	110	94	103
All other----	664	55	39	42	44	75	62	71	63	65	54	52	42
GEORGIA													
Under 1 year-----	2,058	210	162	175	158	150	154	185	156	149	168	187	208
White-----	1,077	96	89	92	72	85	95	94	85	79	93	86	111
All other----	981	114	73	81	86	65	59	89	71	70	75	101	97
Under 28 days-----	1,433	124	102	102	116	116	128	139	120	113	121	119	135
White-----	838	72	65	70	59	70	77	73	69	62	74	66	81
All other----	595	52	37	32	57	46	49	66	51	51	47	53	54
HAWAII													
Under 1 year-----	300	21	19	23	22	20	27	25	30	27	37	27	22
White-----	97	4	10	9	4	7	8	12	11	8	10	8	6
All other----	203	17	9	14	18	13	19	13	19	19	27	19	16
Under 28 days-----	237	13	15	13	17	14	24	19	23	25	33	23	18
White-----	77	3	9	6	4	6	6	9	6	6	8	6	6
All other----	160	10	6	7	13	8	18	10	17	17	25	17	12
IDAHO													
Under 1 year-----	255	18	17	29	28	24	29	16	19	25	19	18	13
White-----	241	16	15	28	28	24	27	13	17	25	19	17	12
All other----	14	2	2	1	-	-	2	3	2	-	-	1	1
Under 28 days-----	190	14	10	22	21	20	25	11	11	20	14	14	10
White-----	181	12	10	21	21	20	21	10	9	20	14	13	10
All other----	9	2	-	1	-	-	2	1	2	-	-	1	-
ILLINOIS													
Under 1 year-----	4,389	388	322	344	374	353	344	407	324	350	389	373	421
White-----	3,003	272	233	232	270	252	242	294	223	221	238	253	273
All other----	1,386	116	89	112	104	101	102	113	101	129	151	120	148
Under 28 days-----	3,339	273	251	261	275	269	269	327	261	298	296	265	296
White-----	2,353	198	184	185	207	202	189	243	185	192	182	187	201
All other----	986	75	67	76	68	67	80	84	78	106	114	76	95
INDIANA													
Under 1 year-----	1,925	192	178	172	156	154	148	146	154	144	186	148	147
White-----	1,635	165	145	158	125	130	128	128	128	120	151	128	129
All other----	290	27	33	14	31	24	20	18	26	24	35	20	18
Under 28 days-----	1,453	122	123	132	122	121	119	117	125	113	142	115	102
White-----	1,246	106	102	121	101	105	105	103	106	93	115	100	89
All other----	207	16	21	11	21	16	14	14	19	20	27	15	13
IONA													
Under 1 year-----	894	85	60	73	73	70	82	74	73	58	61	87	78
White-----	862	84	58	68	72	66	76	74	72	57	76	86	73
All other----	32	1	2	5	1	4	6	-	1	1	5	1	5
Under 28 days-----	702	59	41	56	61	52	67	62	61	49	64	72	59
White-----	660	59	39	53	61	48	65	62	60	49	59	72	55
All other----	22	-	2	3	-	4	4	-	1	-	5	-	3

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1969-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS													
Under 1 year	678	54	61	41	67	55	50	58	55	67	68	49	55
White	590	49	54	38	54	45	47	50	50	56	57	44	46
All other	88	5	7	3	13	10	3	8	5	11	9	5	9
Under 28 days	826	35	42	36	51	39	42	48	44	61	56	34	38
White	462	32	36	34	44	32	40	43	40	53	49	20	30
All other	64	3	6	2	7	7	2	5	4	8	7	5	8
KENTUCKY													
Under 1 year	1,201	114	95	116	102	96	110	94	103	82	92	94	112
White	1,069	104	84	102	88	78	99	77	93	73	80	86	105
All other	133	10	12	14	14	8	12	17	10	9	12	8	7
Under 28 days	982	77	64	77	77	70	92	76	85	59	73	63	70
White	791	71	57	70	68	63	84	62	77	51	63	59	66
All other	91	6	7	7	9	7	8	14	8	7	10	4	4
LOUISIANA													
Under 1 year	1,838	178	128	165	139	162	166	160	142	159	127	163	149
White	856	72	55	79	61	88	74	72	72	75	57	80	71
All other	982	106	73	86	78	74	92	88	70	84	70	83	78
Under 28 days	1,556	107	85	100	105	126	133	126	117	125	98	120	101
White	695	52	44	61	52	74	62	59	64	59	46	66	54
All other	645	55	39	39	53	52	71	67	53	66	47	54	47
MAINE													
Under 1 year	348	29	28	45	22	31	25	21	30	25	29	35	29
White	344	29	28	45	21	31	24	21	29	25	29	35	27
All other	4	-	-	-	1	-	1	-	1	-	-	-	1
Under 28 days	275	22	22	40	16	28	18	15	25	21	22	22	22
White	269	22	22	40	15	28	17	15	24	21	22	22	21
All other	4	-	-	-	1	-	1	-	1	-	-	-	1
MARYLAND													
Under 1 year	1,354	127	85	108	106	104	134	122	97	112	136	108	106
White	862	85	55	69	65	65	91	78	58	80	77	73	69
All other	492	44	40	39	41	39	43	44	39	32	59	35	37
Under 28 days	1,006	92	62	84	76	75	103	95	80	89	104	80	66
White	667	61	40	58	51	46	72	61	48	67	82	57	44
All other	339	31	22	26	25	29	31	34	32	22	42	23	22
MASSACHUSETTS													
Under 1 year	1,689	153	136	116	119	133	130	169	143	135	140	171	154
White	1,571	137	123	104	108	128	127	160	127	128	129	155	145
All other	128	16	13	12	11	5	3	9	16	7	11	16	9
Under 28 days	1,379	120	111	93	99	107	114	149	118	113	109	128	119
White	1,281	107	102	84	90	102	111	141	105	106	103	116	114
All other	98	13	9	9	9	5	3	7	13	7	6	12	5
MICHIGAN													
Under 1 year	3,390	303	234	292	252	291	254	300	306	272	271	291	324
White	2,558	235	179	217	198	220	195	229	224	201	194	221	245
All other	832	68	55	75	54	71	59	71	82	71	77	70	79
Under 28 days	2,586	215	165	215	195	227	204	258	240	258	199	208	240
White	1,962	164	128	159	151	173	165	185	194	165	139	159	181
All other	624	51	37	57	44	54	39	55	64	55	60	49	59
MINNESOTA													
Under 1 year	1,115	96	74	68	105	92	102	99	101	85	84	105	102
White	1,074	95	71	64	103	88	98	93	98	81	82	102	99
All other	39	1	3	4	2	4	4	6	3	4	2	3	3
Under 28 days	884	73	60	58	85	73	82	80	90	70	59	83	71
White	859	72	58	56	83	69	81	76	87	67	57	83	70
All other	25	1	2	2	2	4	1	4	3	3	2	-	1
MISSISSIPPI													
Under 1 year	1,509	150	116	131	92	111	114	135	119	132	143	118	148
White	525	53	38	40	31	40	53	46	47	57	33	37	52
All other	984	97	80	91	61	71	61	89	72	75	110	81	96
Under 28 days	1,065	92	78	81	63	85	90	117	99	101	99	78	84
White	438	44	28	32	24	34	43	41	44	50	27	32	41
All other	627	48	50	49	39	51	47	76	55	51	72	46	43
MISSOURI													
Under 1 year	1,666	114	129	136	138	128	159	168	156	132	130	132	144
White	1,241	85	100	107	101	92	121	130	120	96	90	80	100
All other	425	29	29	29	37	36	38	38	36	36	40	42	35
Under 28 days	1,283	80	97	107	110	102	129	137	129	98	93	99	102
White	976	62	77	85	82	72	101	109	100	71	66	71	82
All other	307	18	20	24	28	30	28	28	29	27	27	28	20
MONTANA													
Under 1 year	246	22	17	19	21	30	9	22	18	26	17	19	26
White	220	19	16	18	20	28	9	19	15	23	15	15	22
All other	26	3	1	1	1	2	-	3	3	3	1	4	4
Under 28 days	183	12	9	16	15	25	7	16	13	22	12	16	21
White	167	12	8	15	15	23	7	15	11	20	11	12	18
All other	16	-	1	1	-	2	-	1	2	2	1	3	3

SECTION 2 - INFANT MORTALITY

2-29

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1969-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA													
Under 1 year	423	37	31	28	28	34	39	45	41	32	35	40	33
White	369	35	27	28	24	30	32	36	34	28	32	37	28
All other	54	4	4	-	4	4	7	9	7	4	3	3	5
Under 28 days	334	28	24	23	25	25	34	35	32	28	28	28	26
White	295	27	20	23	20	22	29	29	25	25	27	26	22
All other	39	1	4	-	5	3	5	6	7	3	1	2	4
NEVADA													
Under 1 year	169	11	19	14	13	11	13	11	14	12	17	11	23
White	144	9	18	10	10	11	11	9	14	9	14	9	20
All other	25	2	1	4	3	2	2	2	2	3	3	2	3
Under 28 days	122	9	13	11	10	8	10	11	8	7	12	7	16
White	106	7	13	8	8	8	9	9	8	6	10	5	15
All other	16	2	-	3	2	-	1	2	-	1	2	2	1
NEW HAMPSHIRE													
Under 1 year	263	27	21	12	22	30	21	20	16	21	22	25	26
White	260	27	21	12	22	30	20	20	15	21	21	25	26
All other	3	-	-	-	-	-	1	-	1	-	1	-	-
Under 28 days	200	22	14	8	20	22	15	13	10	21	17	19	19
White	200	22	14	8	20	22	15	13	10	21	17	19	19
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY													
Under 1 year	2,346	208	188	188	198	188	177	227	184	175	214	177	222
White	1,618	141	126	137	135	121	129	165	127	124	150	125	158
All other	728	67	62	51	63	67	48	62	57	51	64	52	64
Under 28 days	1,777	149	138	127	145	144	145	181	154	139	189	142	155
White	1,263	101	99	95	99	96	108	137	106	101	117	101	103
All other	514	48	40	32	46	48	35	44	48	38	42	41	52
NEW MEXICO													
Under 1 year	615	55	46	41	36	40	41	47	37	46	50	55	43
White	392	42	32	32	25	28	30	38	26	34	45	25	37
All other	223	13	14	9	11	12	11	9	11	12	7	8	6
Under 28 days	350	35	29	27	20	23	31	40	27	36	38	18	20
White	291	29	22	22	17	22	27	32	23	29	35	15	18
All other	59	6	7	5	3	7	4	8	4	7	3	3	2
NEW YORK													
Under 1 year	6,578	608	532	549	513	515	512	545	599	551	569	505	579
White	4,654	426	394	404	385	348	351	367	426	389	398	339	407
All other	1,924	182	138	145	128	168	161	178	173	162	171	146	172
Under 28 days	4,970	421	371	406	384	394	409	465	481	437	429	379	414
White	3,549	303	285	304	291	266	282	296	341	309	297	275	302
All other	1,421	118	88	102	93	128	127	149	140	128	132	104	112
NORTH CAROLINA													
Under 1 year	2,342	254	209	202	151	184	158	189	188	191	191	206	219
White	1,325	125	112	108	94	101	89	124	112	113	117	116	114
All other	1,017	129	97	94	57	83	69	65	76	78	74	90	105
Under 28 days	1,623	132	114	119	113	145	135	158	139	149	135	147	142
White	1,002	84	73	72	71	83	74	101	92	87	88	92	85
All other	621	48	41	47	42	62	61	55	47	61	47	55	57
NORTH DAKOTA													
Under 1 year	180	16	12	14	13	15	12	12	15	12	21	16	22
White	168	16	12	13	13	15	11	12	13	9	18	15	21
All other	12	-	-	1	-	-	1	-	2	3	3	1	1
Under 28 days	144	12	11	9	10	14	7	10	14	9	16	14	18
White	138	12	11	9	10	14	7	10	13	7	14	13	18
All other	6	-	-	-	-	-	-	-	1	2	2	1	-
OHIO													
Under 1 year	3,668	265	300	285	292	309	294	312	325	310	299	292	367
White	3,017	241	235	239	244	253	236	257	273	256	247	227	309
All other	651	42	65	46	48	56	58	55	52	54	52	65	58
Under 28 days	2,685	202	221	199	232	240	245	258	271	252	247	219	267
White	2,361	172	172	170	192	196	200	216	229	212	205	171	226
All other	492	30	49	29	40	44	45	42	42	40	42	48	41
OKLAHOMA													
Under 1 year	877	68	65	84	57	82	65	84	77	69	79	80	87
White	714	53	54	69	44	54	51	73	60	56	66	60	74
All other	163	15	11	15	13	8	14	11	17	13	13	20	13
Under 28 days	675	45	42	64	44	50	49	64	61	58	66	67	85
White	562	34	35	55	36	44	40	59	48	46	57	52	56
All other	113	11	7	9	8	6	9	5	13	12	9	15	9
OREGON													
Under 1 year	593	60	39	51	50	50	46	56	41	53	51	43	53
White	580	57	37	49	45	45	45	53	39	48	47	43	52
All other	33	3	2	2	5	5	1	3	2	5	4	-	1
Under 28 days	411	34	23	40	31	35	35	45	34	33	34	30	39
White	390	33	22	38	27	34	34	42	33	28	30	30	39
All other	21	1	1	2	4	1	1	1	1	5	4	-	-
PENNSYLVANIA													
Under 1 year	3,902	316	308	291	311	346	375	281	355	302	333	332	352
White	3,041	244	243	232	242	278	294	211	274	234	255	261	275
All other	861	72	65	59	69	68	81	70	81	68	78	71	77
Under 28 days	3,029	225	215	205	247	275	304	235	299	239	266	245	275
White	2,382	177	171	164	196	222	239	177	231	186	203	194	222
All other	647	49	44	41	51	53	65	58	68	53	63	49	53

SECTION 2 - INFANT MORTALITY

Table 2-10. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1969-Con.

Area, age, and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND													
Under 1 year	306	21	28	25	25	29	27	26	25	33	27	14	27
White	276	21	26	22	23	25	24	23	16	31	25	14	26
All other	29	-	2	1	2	4	3	3	9	2	2	-	1
Under 28 days	256	15	19	15	21	20	24	18	19	26	25	10	24
White	215	15	17	14	20	17	22	15	13	25	24	10	23
All other	21	-	2	1	1	3	2	3	6	1	1	-	1
SOUTH CAROLINA													
Under 1 year	1,223	118	108	103	95	105	99	93	82	94	103	114	109
White	601	49	45	47	50	67	54	50	36	47	53	53	50
All other	622	69	63	56	45	38	45	43	46	47	50	61	59
Under 28 days	776	45	47	56	66	61	71	74	54	69	77	77	59
White	437	28	26	26	39	36	42	42	24	37	44	41	32
All other	339	17	21	30	27	25	29	32	30	32	33	36	27
SOUTH DAKOTA													
Under 1 year	229	16	22	17	19	23	28	16	17	19	19	14	19
White	189	11	17	13	19	19	26	11	14	17	14	11	17
All other	40	5	5	4	-	4	2	5	3	2	5	3	2
Under 28 days	171	9	17	10	18	18	25	8	13	16	15	7	15
White	155	8	13	10	18	18	23	6	12	14	13	7	13
All other	16	1	4	-	-	-	2	2	1	2	-	-	2
TENNESSEE													
Under 1 year	1,537	155	112	138	116	117	139	142	121	129	118	126	124
White	1,042	104	72	98	79	86	89	98	78	87	77	88	86
All other	495	51	40	40	37	31	50	44	43	42	41	38	38
Under 28 days	1,136	99	75	91	89	90	108	108	99	100	89	94	94
White	780	70	51	67	59	68	69	75	63	65	61	65	67
All other	356	29	24	24	30	22	39	33	36	35	28	29	27
TEXAS													
Under 1 year	4,860	407	371	388	368	410	360	424	422	410	437	397	466
White	3,715	308	279	308	292	330	283	307	312	317	311	307	361
All other	1,145	99	92	80	76	80	77	117	110	93	126	90	105
Under 28 days	3,601	259	259	282	273	313	287	332	349	322	325	281	319
White	2,824	209	201	232	225	258	230	240	259	252	237	221	260
All other	777	50	58	50	48	55	57	92	90	70	88	60	59
UTAH													
Under 1 year	369	34	30	30	33	23	34	41	29	35	28	33	39
White	363	29	27	29	31	22	32	40	29	32	25	31	36
All other	26	5	3	1	2	1	2	1	-	3	3	2	3
Under 28 days	281	21	19	22	29	18	23	27	25	24	19	24	30
White	272	18	19	22	28	18	23	26	25	23	17	24	29
All other	9	3	-	-	1	-	-	1	-	1	2	-	1
VERMONT													
Under 1 year	158	13	10	6	9	14	21	12	18	16	10	13	16
White	157	13	10	6	9	14	20	12	18	16	10	13	16
All other	1	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	130	10	9	6	7	11	15	10	17	13	10	10	12
White	129	10	9	6	7	11	14	10	17	13	10	10	12
All other	1	-	-	-	-	-	1	-	-	-	-	-	-
VIRGINIA													
Under 1 year	1,842	155	126	155	159	154	147	170	172	159	142	155	149
White	1,224	96	91	106	94	107	89	120	111	111	97	101	101
All other	618	59	35	49	64	47	58	50	61	48	45	54	48
Under 28 days	1,391	115	81	106	115	117	122	133	134	128	111	118	111
White	954	76	63	78	72	83	74	94	88	89	78	83	76
All other	437	39	18	28	43	34	48	39	46	39	33	35	35
WASHINGTON													
Under 1 year	1,121	76	71	121	84	112	87	82	89	97	99	110	91
White	999	70	65	107	75	104	79	71	81	84	85	98	80
All other	122	6	6	14	9	8	8	11	8	13	14	12	11
Under 28 days	800	57	48	71	55	77	68	61	68	80	74	82	59
White	717	52	46	64	49	71	61	54	61	70	63	78	54
All other	83	5	2	7	6	6	7	7	7	10	11	10	6
WEST VIRGINIA													
Under 1 year	663	61	62	56	53	56	45	40	66	56	57	56	55
White	617	57	55	49	51	54	44	37	61	48	54	54	53
All other	46	4	7	7	2	2	1	3	5	8	3	2	2
Under 28 days	497	34	45	43	44	47	31	36	52	45	40	42	38
White	468	32	41	37	43	47	30	33	50	40	39	41	36
All other	29	2	4	6	1	-	1	3	2	5	2	1	2
WISCONSIN													
Under 1 year	1,285	127	99	112	96	91	126	113	103	95	101	104	118
White	1,154	110	91	99	84	82	111	105	95	82	94	90	111
All other	131	17	8	13	12	9	15	8	8	13	7	14	7
Under 28 days	943	67	71	85	61	68	99	89	76	69	72	61	92
White	857	79	64	73	55	62	89	84	68	60	67	69	87
All other	86	8	7	10	6	6	10	5	8	9	5	12	5
WYOMING													
Under 1 year	164	14	16	14	10	15	14	14	11	14	12	13	17
White	151	12	15	14	9	15	13	12	11	12	11	12	15
All other	13	2	1	-	1	-	1	2	-	2	1	1	2
Under 28 days	137	13	13	14	8	13	11	13	7	13	8	9	15
White	126	12	13	14	7	13	10	11	7	11	7	9	13
All other	11	1	-	-	1	-	1	2	-	2	1	1	2

SECTION 2 - INFANT MORTALITY

2-31

Table 2-11. Infant Mortality Rates for 65 Selected Causes: United States, 1968-69

[Rates are deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Asterisk indicates rate based on a frequency of less than 20]

Cause of death	1969	1968
All causes-----	2,095.2	2,176.0
Diarrheal diseases-----009	23.1	26.4
Whooping cough-----033	*0.3	0.8
Meningococcal infections-----036	3.9	4.5
Tetanus-----037	*0.2	*0.1
Septicemia-----058	21.1	22.8
Viral diseases-----040-078	7.5	7.9
Congenital syphilis-----093	0.6	*0.4
Other infective and parasitic diseases-----Remainder of 000-136	6.8	7.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	4.5	4.7
Benign neoplasms and neoplasms of unspecified nature-----210-239	1.9	2.6
Diseases of thymus gland-----254	0.8	1.2
Cystic fibrosis-----273.0	3.5	3.6
Diseases of the blood and blood-forming organs-----280-289	4.4	4.2
Meningitis-----320	15.3	15.0
Other diseases of nervous system and sense organs-----321-399	13.3	13.9
Acute upper respiratory infections-----460-465	6.4	8.6
Bronchitis and bronchiolitis-----466,490,491	15.9	15.2
Influenza and pneumonia-----470-474,480-486	198.3	225.8
Influenza-----470-474	3.5	3.8
Pneumonia-----480-486	194.8	222.0
Other chronic interstitial pneumonia-----517	0.5	0.7
All other diseases of respiratory system-----492,493,500-516,518,519	16.6	16.0
Hernia and intestinal obstruction-----550-553,560	17.7	18.2
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	1.6	1.3
Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	12.0	11.7
Congenital anomalies-----740-759	314.1	315.6
Anencephalus-----740	26.6	27.4
Spina bifida-----741	19.0	21.2
Congenital hydrocephalus-----742	17.0	15.1
Other congenital anomalies of central nervous system and eye-----743,744	12.8	12.3
Congenital anomalies of heart-----746	123.8	124.8
Other congenital anomalies of circulatory system-----747	18.9	21.2
Congenital anomalies of respiratory system-----748	14.0	12.9
Congenital anomalies of digestive system-----749-751	22.0	23.4
Congenital anomalies of genitourinary system-----752,753	11.3	11.4
Congenital anomalies of musculoskeletal system-----754-756	9.5	9.4
Down's disease-----759.3	3.8	3.4
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	29.4	27.3
Other and unspecified congenital anomalies-----745,757,758	6.0	5.7
Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	1,196.0	1,248.2
Chronic circulatory and genitourinary diseases in mother-----760	*0.5	0.6
Other maternal conditions unrelated to pregnancy-----761	13.4	13.2
Syphilis-----761.0	*0.1	*0.1
Diabetes mellitus-----761.1	6.9	6.8
Rubella-----761.3	0.6	0.6
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	5.7	5.7
Toxemia of pregnancy-----762	4.9	6.5
Maternal antepartum and intrapartum infection-----763	6.7	7.1
Difficult labor-----764-768	24.1	20.4
With mention of birth injury (.0-.3)-----	10.6	6.1
Without mention of birth injury (.4,.9)-----	13.4	14.3
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	147.8	159.4
Conditions of placenta-----770	70.0	73.9
Conditions of umbilical cord-----771	13.7	11.9
Birth injury without mention of cause-----772	47.0	58.7
Hemolytic disease of newborn-----774,775	24.7	27.2
Rh血型 membrane disease-----776.1	135.5	130.0
Respiratory distress syndrome-----776.2	114.4	106.2
Asphyxia of newborn, unspecified-----776.9	265.3	292.9
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	22.3	21.6
Immaturity, unqualified-----777	248.5	269.1
Postmaturity-----778.1	*0.1	*0.1
Hemorrhagic disease of newborn-----778.2	12.0	12.5
All other conditions of newborn-----778.0,778.3,778.9	46.2	36.8
Symptoms and ill-defined conditions-----780-786	89.1	84.5
Accidents-----E800-E949	67.4	72.0
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E811,E912	21.3	22.0
Accidental mechanical suffocation-----E913	17.2	21.7
Other accidental causes-----E800-E910,E914-E949	28.8	28.2
Homicide-----E960-E978	4.2	4.7
All other causes-----Residual	38.0	39.8

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, by Month: United States, 1969

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 1 year--all causes	75,073	6,756	5,864	6,146	5,833	6,233	6,092	6,392	6,321	6,038	6,406	6,259	6,733
Diarrheal diseases-----009	832	88	64	77	53	51	58	61	58	86	60	75	101
Whooping cough-----033	10	-	-	-	1	-	2	3	3	-	-	1	-
Meningococcal infections-----036	142	25	18	15	20	8	4	6	5	11	5	11	14
Tetanus-----037	6	1	-	1	-	-	2	-	-	1	-	1	-
Septicemia-----038	758	69	62	65	51	47	68	70	69	62	65	63	67
Viral diseases-----040-079	271	36	22	23	19	15	18	18	25	19	22	24	30
Congenital syphilis-----090	22	-	3	2	1	2	1	3	2	1	2	1	4
Other infective and parasitic diseases-----Remainder of 000-136	246	31	21	27	11	19	10	21	21	15	21	15	34
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	165	15	11	15	15	12	10	12	14	16	16	16	17
Benign neoplasms and neoplasms of unspecified nature-----210-239	69	6	10	3	3	2	4	14	6	7	3	2	9
Diseases of thymus gland-----254	30	4	2	-	3	3	1	5	2	1	3	1	5
Cystic fibrosis-----273.0	125	7	7	16	9	8	8	12	17	8	11	11	12
Diseases of the blood and blood-forming organs-----280-289	159	10	17	19	9	13	10	13	14	15	9	18	11
Meningitis-----320	551	65	47	48	33	57	51	29	43	35	42	50	51
Other diseases of nervous system and sense organs-----321-399	479	52	36	33	36	47	36	34	37	32	39	43	54
Acute upper respiratory infections-----460-465	232	30	27	22	20	18	17	16	15	11	10	25	21
Bronchitis and bronchiolitis-----466,490,491	571	101	79	43	41	17	27	31	18	28	66	58	62
Influenza and pneumonia-----470-474,480-486	7,141	1,017	744	705	530	487	408	454	437	461	547	618	733
Influenza-----470-474	126	68	23	10	4	2	3	2	-	-	2	5	7
Pneumonia-----480-486	7,015	949	721	695	526	485	405	452	437	461	545	613	726
Other chronic interstitial pneumonia-----517	19	-	2	2	1	1	2	2	-	-	2	6	1
All other diseases of respiratory system-----492,493,500-516,518,519	598	82	53	59	45	43	39	39	37	30	54	59	68
Hernia and intestinal obstruction-----550-553,560	639	43	76	54	43	46	47	58	56	61	51	46	59
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	56	7	4	4	5	9	1	4	1	7	6	4	5
Other diseases of digestive system-----520-534,536,537,540-545,562,564-577	433	47	32	40	29	32	36	44	29	30	41	44	29
Congenital anomalies-----740-759	11,309	1,020	894	867	922	954	927	960	940	911	1,006	946	962
Anencephalus-----740	956	80	57	61	63	94	79	81	83	84	92	92	90
Spina bifida-----741	634	69	51	45	59	60	70	40	61	56	54	58	53
Congenital hydrocephalus-----742	612	57	59	40	46	53	59	44	46	49	65	49	47
Other congenital anomalies of central nervous system and eye-----743,744	460	38	44	34	33	35	36	39	27	42	45	44	43
Congenital anomalies of heart-----745	4,456	415	362	366	374	378	325	386	364	350	392	370	376
Other congenital anomalies of circulatory system-----747	679	63	62	49	57	60	44	67	65	58	53	50	62
Congenital anomalies of respiratory system-----748	504	37	31	47	56	33	49	45	47	39	40	44	36
Congenital anomalies of digestive system-----749-751	793	71	80	69	57	68	78	58	51	69	73	57	62
Congenital anomalies of genitourinary system-----752,753	408	29	50	29	35	27	45	43	37	30	35	28	40
Congenital anomalies of musculoskeletal system-----754-756	342	32	30	29	30	25	29	18	35	23	34	30	27
Down's disease-----759.3	138	17	19	12	9	12	12	12	9	5	11	7	15
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	1,060	94	77	59	81	90	84	112	98	93	93	93	76
Other and unspecified congenital anomalies-----745,757,758	217	21	12	28	12	19	18	16	17	16	19	24	15
Certain causes of mortality in early infancy-----760-769,2,769.4-772,774-778	43,060	3,312	3,025	3,380	3,409	3,789	3,802	3,936	3,948	3,675	3,672	3,471	3,641
Chronic circulatory and genitourinary diseases in mother-----760	19	-	3	2	2	1	3	-	4	-	-	2	2
Other maternal conditions unrelated to pregnancy-----761	492	46	30	37	34	41	39	34	56	42	46	38	39
Syphilis-----761.0	4	1	-	-	1	1	1	-	-	-	-	-	-
Diabetes mellitus-----761.1	250	17	17	21	12	22	21	19	33	26	22	17	23
Rubella-----761.3	22	5	1	1	1	2	1	3	-	-	1	1	2
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	206	25	12	15	20	16	16	14	20	16	20	20	14
Toxemia of pregnancy-----762	176	13	10	17	8	22	16	15	20	16	10	18	11
Maternal antepartum and intrapartum infection-----763	241	18	20	19	16	23	19	21	27	22	16	21	19
Difficult labor-----764-768	866	84	55	68	66	61	77	77	86	90	69	77	77
With mention of birth injury (.0-.3)-----	392	37	23	29	29	30	29	42	25	50	25	35	28
Without mention of birth injury (.4-.9)-----	484	47	32	39	37	31	48	35	41	40	45	42	49
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	5,320	393	388	408	433	494	462	460	507	445	478	422	430
Conditions of placenta-----770	2,520	185	159	218	227	214	239	216	222	230	228	186	198
Conditions of umbilical cord-----771	492	31	49	32	52	43	35	48	47	38	35	33	49
Birth injury without mention of cause-----772	1,691	108	105	134	139	157	144	166	172	152	149	144	141
Hemolytic disease of newborn-----774,775	891	68	68	76	67	79	69	90	71	71	86	74	74
Hyaline membrane disease-----776.1	4,807	347	339	387	375	398	438	468	480	402	376	391	408
Respiratory distress syndrome-----776.2	4,117	298	292	301	286	369	360	397	373	345	356	358	392
Asphyxia of newborn, unspecified-----776.9 ¹	9,588	738	682	769	753	825	886	867	803	812	823	780	841
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	803	62	73	64	57	60	52	78	64	51	80	77	85
Immaturity, unqualified-----777	8,946	728	621	702	735	837	795	795	633	786	726	676	712
Postmaturity-----778.1	4	-	-	1	-	1	-	-	2	-	-	-	-
Hemorrhagic disease of newborn-----778.2	433	40	26	29	32	33	34	52	46	28	37	33	45
All other conditions of newborn-----778.0,778.3,778.9	1,664	155	105	116	129	151	134	152	155	145	160	132	130
Symptoms and ill-defined conditions-----780-796	3,207	343	302	272	241	246	197	217	203	222	278	303	383
Accidents-----E900-E949	2,425	211	190	208	172	181	189	201	185	190	236	209	243
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	768	75	54	68	57	56	58	55	62	65	69	68	81
Accidental mechanical suffocation-----E913	620	61	58	56	55	44	48	54	44	43	56	49	50
Other accidental causes-----E900-E910,E914-E949	1,037	75	78	84	60	81	83	92	89	82	109	92	112
Homicide-----E960-E978	151	15	16	11	10	17	12	12	17	10	12	15	4
All other causes-----Residual	1,368	121	100	137	105	110	105	117	109	92	127	123	124

SECTION 2 - INFANT MORTALITY

2-33

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, by Month: United States, 1969--Con.

[See headnote at beginning of table]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Under 28 days--all causes-----	56,085	4,489	4,022	4,354	4,406	4,836	4,869	5,150	5,094	4,802	4,801	4,562	4,720
Diarrheal diseases-----009	159	7	9	11	12	10	9	13	14	26	12	19	17
Whooping cough-----055	1	-	-	-	-	-	-	1	-	-	-	-	-
Meningococcal infections-----056	5	1	-	-	-	-	-	-	2	1	-	1	-
Tetanus-----057	5	-	-	1	-	-	2	-	-	1	-	1	-
Septicemia-----058	520	58	54	41	36	37	53	54	54	48	44	42	39
Viral diseases-----040-079	81	7	7	1	7	6	5	6	9	10	6	7	10
Congenital syphilis-----080	21	-	3	2	1	2	1	3	2	1	2	1	3
Other infective and parasitic diseases-----Remainder of 000-156	54	6	4	4	2	1	3	7	6	5	5	2	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	35	5	2	2	1	3	3	1	3	2	3	3	5
Benign neoplasms and neoplasms of unspecified nature-----210-239	44	3	6	2	1	1	2	11	4	4	1	1	8
Diseases of thymus gland-----254	2	-	-	-	-	-	-	-	1	-	-	-	1
Cystic fibrosis-----275.0	50	2	3	9	3	4	2	6	5	1	6	7	2
Diseases of the blood and blood-forming organs-----280-289	63	3	7	9	4	6	3	5	6	7	2	8	3
Measles-----320	194	19	18	14	8	16	24	17	20	9	18	19	12
Other diseases of nervous system and sense organs-----321-399	59	12	5	5	2	6	6	1	2	9	3	7	2
Acute upper respiratory infections-----460-465	21	2	1	1	-	1	4	3	-	2	2	3	2
Bronchitis and bronchiolitis-----466, 490, 491	45	5	9	2	2	1	-	2	2	5	12	3	2
Influenza and pneumonia-----470-474, 480-486	1,815	209	119	132	135	146	137	161	170	171	132	135	166
Influenza-----470-474	10	5	-	1	-	-	-	-	-	-	-	2	1
Pneumonia-----480-486	1,805	204	119	132	134	146	136	161	170	171	132	133	165
Other chronic interstitial pneumonia-----517	2	-	-	-	-	-	-	1	-	-	-	1	-
All other diseases of respiratory system-----492, 493, 500-516, 518, 519	180	23	18	16	11	19	12	17	9	15	11	13	16
Hernia and intestinal obstruction-----550-553, 560	500	54	62	41	36	37	40	50	48	48	51	33	40
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	8	1	-	-	1	2	-	-	-	2	2	-	-
Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	258	25	14	22	19	18	17	24	18	19	23	24	15
Congenital anomalies-----740-759	7,815	686	581	565	631	655	663	715	673	661	702	656	627
Anencephalus-----740	922	79	55	60	61	88	77	81	77	83	88	86	87
Spina bifida-----741	387	47	30	17	30	31	51	25	38	28	32	34	24
Congenital hydrocephalus-----742	350	35	35	26	29	30	36	21	22	31	35	29	23
Other congenital anomalies of central nervous system and eye-----743, 744	308	21	32	13	28	21	25	30	17	27	35	33	29
Congenital anomalies of heart-----745	2,735	240	197	218	225	241	196	260	242	228	240	228	220
Other congenital anomalies of circulatory system-----747	413	40	36	30	34	42	28	37	38	40	31	27	30
Congenital anomalies of respiratory system-----748	457	34	28	40	50	30	44	40	45	35	37	42	32
Congenital anomalies of digestive system-----749-751	478	37	38	42	35	39	49	41	30	42	43	37	45
Congenital anomalies of genitourinary system-----752, 753	343	25	26	25	30	23	36	36	30	28	23	26	35
Congenital anomalies of musculoskeletal system-----754-756	293	27	25	25	23	22	26	16	29	20	32	24	24
Down's disease-----759.3	82	8	7	6	5	2	5	8	3	1	5	3	9
Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	894	80	65	45	74	72	75	101	89	85	85	87	56
Other and unspecified congenital anomalies-----745, 751, 758	171	17	7	18	10	14	15	15	13	13	16	20	13
Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	42,811	3,284	3,008	3,352	3,391	3,775	3,784	3,919	3,924	3,659	3,652	3,444	3,621
Chronic circulatory and genitourinary diseases in mother-----760	19	-	3	2	2	1	3	-	4	-	-	2	2
Other maternal conditions unrelated to pregnancy-----761	473	45	30	36	32	41	38	34	55	42	44	37	38
Syphilis-----761.0	4	1	-	-	1	1	1	-	-	-	-	-	-
Diabetes mellitus-----761.1	248	17	17	21	12	22	21	19	32	28	22	16	23
Rubella-----761.3	18	4	1	1	-	2	1	1	3	-	3	1	1
All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	203	23	12	14	19	16	16	14	20	16	19	20	14
Toxemia of pregnancy-----762	175	13	10	17	7	22	16	15	20	16	10	18	11
Maternal antepartum and intrapartum infection-----763	239	18	20	19	15	23	19	20	27	21	16	21	19
Difficult labor-----764-768	861	84	55	67	66	61	77	77	66	90	66	75	77
With mention of birth injury (.0-.5)-----764	381	37	23	29	29	30	29	42	25	50	25	34	28
Without mention of birth injury (.6-.9)-----768	480	47	32	38	37	31	48	35	41	40	41	41	49
All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	5,308	387	388	407	433	493	461	459	505	445	478	422	428
Conditions of placenta-----770	2,516	183	159	217	227	213	239	216	222	230	226	186	198
Conditions of umbilical cord-----771	491	30	49	32	52	43	35	48	47	38	35	33	49
Birth injury without mention of cause-----772	1,666	105	103	133	136	134	142	163	170	151	149	141	139
Hemolytic disease of newborn-----774, 775	884	66	68	75	67	79	69	90	71	66	65	73	73
Hyaline membrane disease-----776.1	4,788	346	339	384	373	395	436	466	477	400	376	390	406
Respiratory distress syndrome-----776.2	4,080	295	290	299	284	368	358	392	367	343	349	356	379
Asphyxia of newborn, unspecified-----776.9	9,569	735	680	768	750	824	880	866	803	809	821	784	841
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	798	61	72	64	56	60	52	78	63	51	80	77	84
Immaturity, unqualified-----777	8,890	726	613	692	732	832	782	794	828	783	722	668	708
Postmaturity-----778.1	4	-	-	1	-	1	-	-	2	-	-	-	-
Hemorrhagic disease of newborn-----778.2	431	40	26	29	32	33	34	52	45	28	37	32	43
All other conditions of newborn-----778.0, 778.3, 778.9	1,632	150	103	112	127	150	132	149	152	144	156	129	126
Symptoms and ill-defined conditions-----780-796	681	62	59	55	54	49	49	55	59	50	64	64	62
Accidents-----E900-E949	228	17	19	20	14	13	18	16	14	14	29	27	23
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	93	7	9	8	6	8	7	4	10	5	14	9	6
Accidental mechanical suffocation-----E913	53	4	4	7	6	3	7	4	2	5	2	6	3
Other accidental causes-----E900-E910, E914-E949	82	6	6	5	2	2	4	10	4	4	13	12	14
Homicide-----E960-E978	56	5	9	5	5	9	2	5	5	3	2	5	1
All other causes-----Residual	396	33	25	42	30	21	31	37	42	30	37	36	34

SECTION 2 - INFANT MORTALITY

Table 2-12. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 65 Selected Causes, by Month: United States, 1969-Con.

[See headnote at beginning of table]

Cause of death and age	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 days to 11 months--all causes	18,998	2,287	1,842	1,792	1,427	1,397	1,223	1,262	1,227	1,236	1,605	1,697	2,015
Diarrheal diseases	675	81	55	66	41	41	49	48	44	60	48	56	84
Whooping cough	9	-	-	-	1	-	2	2	3	-	-	1	-
Meningococcal infections	137	24	18	15	20	8	4	6	3	10	5	10	14
Tetanus	1	1	-	-	-	-	-	-	-	-	-	-	-
Septicemia	258	31	28	24	15	10	15	16	15	14	21	21	28
Viral diseases	190	29	15	22	12	9	13	12	16	9	16	17	20
Congenital syphilis	1	-	-	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases	189	29	15	22	12	9	13	12	16	9	16	17	20
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	130	8	9	11	12	9	7	11	11	14	13	13	12
Benign neoplasms and neoplasms of unspecified nature	25	3	4	1	2	1	2	3	2	3	2	1	1
Diseases of thymus gland	28	4	2	-	3	3	1	5	1	1	3	1	4
Cystic fibrosis	76	5	4	7	6	4	6	6	12	7	5	4	10
Diseases of the blood and blood-forming organs	96	7	10	10	5	7	7	8	9	9	7	10	8
Meningitis	357	46	29	34	25	41	27	12	23	26	24	31	39
Other diseases of nervous system and sense organs	420	40	31	28	34	41	30	33	35	24	36	36	52
Acute upper respiratory infections	211	28	26	21	20	17	13	13	15	9	8	22	19
Bronchitis and bronchiolitis	526	96	70	41	39	16	27	29	16	23	54	55	60
Influenza and pneumonia	5,328	808	625	573	395	341	271	293	267	290	415	483	567
Influenza	116	63	23	10	3	2	2	2	-	-	2	3	6
Pneumonia	5,212	745	602	563	392	339	269	291	267	290	413	480	561
Other chronic interstitial pneumonia	17	-	2	2	1	1	2	1	-	-	2	5	1
All other diseases of respiratory system	418	59	35	43	34	24	27	22	28	15	43	46	42
Hernia and intestinal obstruction	139	9	14	13	7	9	7	8	8	13	20	13	18
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	48	6	4	4	4	6	1	4	1	5	4	4	5
Other diseases of digestive system	195	22	18	18	10	14	19	20	11	11	18	20	14
Congenital anomalies	3,496	334	313	302	291	299	264	247	267	250	304	290	336
Anencephalus	34	1	2	1	2	6	2	-	6	1	4	6	3
Spina bifida	297	21	21	28	29	29	19	24	25	28	22	24	23
Congenital hydrocephalus	262	24	24	14	17	23	22	23	24	17	30	20	24
Other congenital anomalies of central nervous system and eye	152	17	12	21	8	14	11	9	10	15	10	11	14
Congenital anomalies of heart	1,721	173	165	148	149	157	129	126	122	122	152	142	156
Other congenital anomalies of circulatory system	266	23	26	18	23	18	16	20	27	18	22	23	32
Congenital anomalies of respiratory system	47	3	3	7	8	3	5	5	2	4	3	2	4
Congenital anomalies of digestive system	315	34	22	27	22	28	29	17	21	27	30	20	37
Congenital anomalies of genitourinary system	85	6	4	4	5	4	9	5	7	2	12	2	5
Congenital anomalies of musculoskeletal system	49	5	5	4	7	3	3	2	6	3	2	6	3
Down's disease	76	9	12	6	4	10	7	4	6	2	6	4	6
Other congenital syndromes affecting multiple systems	166	14	12	14	17	18	9	11	9	8	8	26	20
Other and unspecified congenital anomalies	46	4	5	10	2	5	3	1	4	3	3	4	2
Certain causes of mortality in early infancy	249	28	17	28	18	16	18	17	24	16	20	27	20
Chronic circulatory and genitourinary diseases in mother	-	-	-	-	-	-	-	-	-	-	-	-	-
Other maternal conditions unrelated to pregnancy	9	1	-	1	2	-	-	-	1	-	2	1	1
Syphilis	761.0	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus	761.1	2	-	-	-	-	-	-	1	-	-	1	-
Rubella	761.3	4	1	-	1	-	-	-	-	-	1	-	1
All other maternal conditions unrelated to pregnancy	3	-	-	1	1	-	-	-	-	-	1	-	-
Toxemia of pregnancy	762	1	-	-	1	-	-	-	-	-	-	-	-
Maternal antepartum and intrapartum infection	763	3	-	-	1	-	-	1	-	1	-	-	-
Difficult labor	764-769	5	-	-	1	-	-	-	-	-	2	2	-
With mention of birth injury (.0-.3)	1	-	-	-	-	-	-	-	-	-	-	1	-
Without mention of birth injury (.4-.9)	4	-	-	1	-	-	-	-	-	-	2	1	-
All other complications of pregnancy and childbirth	14	6	-	1	-	1	1	1	2	-	-	-	2
Conditions of placenta	710	4	-	1	-	1	-	-	-	-	-	-	-
Conditions of umbilical cord	711	1	1	-	-	-	-	-	-	-	-	-	-
Birth injury without mention of cause	712	25	3	2	1	3	3	2	3	2	1	3	2
Hemolytic disease of newborn	714, 715	7	-	-	1	-	-	-	-	3	1	1	1
Erythroblastosis fetalis	716.1	19	1	-	3	-	3	2	3	2	-	1	2
Respiratory distress syndrome	716.2	37	3	2	2	2	1	2	5	6	2	7	3
Asphyxia of newborn, unspecified	776.9	29	3	2	3	3	1	6	1	-	3	2	5
All other anoxic and hypoxic conditions not elsewhere classifiable	776.0, 776.3, 776.4	5	1	1	-	1	-	-	1	-	-	-	1
Immaturity, unqualified	777	56	2	8	10	3	3	1	5	3	4	8	4
Postmaturity	778.1	-	-	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn	778.2	2	-	-	-	-	-	-	1	-	-	1	-
All other conditions of newborn	778.0, 778.3, 778.9	32	5	2	4	2	1	2	3	3	1	2	4
Symptoms and ill-defined conditions	790-796	2,526	281	243	217	187	197	149	162	144	172	214	239
Accidents	E900-E949	2,197	194	171	188	159	168	171	183	179	176	207	182
Inhalation and ingestion of food or other object causing obstruction or suffocation	E911, E912	675	68	45	60	51	48	51	51	52	60	55	59
Accidental mechanical suffocation	E913	567	57	54	49	49	41	41	50	42	38	56	43
Other accidental causes	E900-E910, E914-E949	955	69	72	79	58	79	82	85	78	96	80	96
Homicide	E960-E978	95	10	7	6	5	8	10	7	12	7	10	3
All other causes	Residual	970	88	75	95	73	99	74	80	67	62	87	90

SECTION 2 - INFANT MORTALITY

2-35

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1969

[Numbers after causes of death are category numbers of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix.]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 1 year--all causes-----	75,073	42,638	32,435	48,074	36,021	12,053	26,999	6,617	20,562
Diarrheal diseases-----009	832	351	481	343	282	61	489	69	420
Whooping cough-----033	10	4	8	5	4	1	5	-	5
Meningococcal infections-----036	142	72	70	82	59	23	60	13	47
Tetanus-----037	6	-	6	1	-	1	5	-	5
Septicemia-----038	758	442	316	480	382	98	278	60	218
Viral diseases-----040-079	271	151	120	154	119	35	117	32	85
Congenital syphilis-----080	22	11	11	9	8	1	13	5	10
Other infective and parasitic diseases-----Remainder of 000-136	246	124	122	124	93	31	122	31	91
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	165	98	65	103	80	23	60	18	42
Benign neoplasms and neoplasms of unspecified nature-----210-239	69	42	27	44	34	10	25	8	17
Diseases of thymus gland-----254	30	12	18	12	6	6	18	6	12
Cystic fibrosis-----273-0	126	65	61	74	53	21	52	12	40
Diseases of the blood and blood-forming organs-----280-289	159	101	58	107	80	27	52	21	31
Meningitis-----320	551	306	245	366	269	97	185	37	148
Other diseases of nervous system and sense organs-----321-389	479	269	210	318	236	82	161	33	128
Acute upper respiratory infections-----460-465	232	123	109	135	104	31	97	19	78
Bronchitis and bronchiolitis-----466, 490, 491	571	392	179	415	351	64	156	41	115
Influenza and pneumonia-----470-474, 480-486	7,141	3,973	3,168	4,406	3,408	998	2,735	565	2,170
Influenza-----470-474	126	34	92	30	22	8	96	12	84
Pneumonia-----460-466	7,015	3,939	3,076	4,376	3,386	990	2,639	553	2,086
Other chronic interstitial pneumonia-----517	19	14	5	12	11	1	7	3	4
All other diseases of respiratory system-----492, 493, 500-516, 518, 519	598	324	274	366	268	98	232	56	176
Hernia and intestinal obstruction-----550-553, 560	639	363	276	429	313	116	210	50	160
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 565	56	31	25	27	22	5	29	9	20
Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	453	264	189	266	217	69	147	47	100
Congenital anomalies-----740-759	11,309	6,271	5,038	7,330	5,263	2,067	3,979	1,008	2,971
Anencephalus-----740	956	518	438	656	440	216	320	78	242
Spina bifida-----741	684	329	355	376	258	118	308	71	237
Congenital hydrocephalus-----742	612	286	326	385	277	108	217	49	168
Other congenital anomalies of central nervous system and eye-----743, 744	460	236	224	274	196	78	186	40	146
Congenital anomalies of heart-----745	4,456	2,490	1,966	2,956	2,124	832	1,520	366	1,154
Other congenital anomalies of circulatory system-----747	679	400	279	469	345	124	210	55	155
Congenital anomalies of respiratory system-----748	504	297	207	319	240	79	185	57	128
Congenital anomalies of digestive system-----749-751	793	432	361	472	345	127	321	87	234
Congenital anomalies of genitourinary system-----752, 753	408	256	152	288	213	75	120	43	77
Congenital anomalies of musculoskeletal system-----754-756	342	190	152	214	142	72	128	48	80
Down's disease-----759.3	138	81	57	90	71	19	48	10	38
Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	1,060	601	459	723	513	210	337	88	249
Other and unspecified congenital anomalies-----745, 757, 758	217	115	102	138	99	39	79	16	63
Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	43,060	25,115	17,945	28,316	21,268	7,048	14,744	3,847	10,897
Chronic circulatory and genitourinary diseases in mother-----760	19	14	5	15	12	3	4	2	2
Other maternal conditions unrelated to pregnancy-----761	482	248	234	309	209	100	173	39	134
Syphilis-----761.0	4	4	-	4	4	-	-	-	-
Diabetes mellitus-----761.1	250	137	113	173	116	57	77	21	56
Rubella-----761.3	22	14	8	14	11	3	8	3	5
All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	206	93	113	118	78	40	88	15	73
Toxemia of pregnancy-----762	176	87	89	91	74	17	85	13	72
Maternal antepartum and intrapartum infection-----763	241	139	102	150	120	30	91	19	72
Difficult labor-----764-769	866	466	400	508	374	134	359	92	266
With mention of birth injury (.0-.3)-----770	382	212	170	225	170	55	157	42	115
Without mention of birth injury (.4-.9)-----771	484	254	230	283	204	79	201	50	151
All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	5,320	3,119	2,201	3,604	2,646	958	1,716	473	1,243
Conditions of placenta-----770	2,520	1,342	1,178	1,548	1,074	474	972	269	704
Conditions of umbilical cord-----771	492	259	233	316	213	103	176	46	130
Birth injury without mention of cause-----772	1,691	1,032	659	1,172	900	272	519	132	387
Hemolytic disease of newborn-----774, 775	891	451	440	577	378	199	514	73	241
Rh血型 membrane disease-----776.1	4,907	2,645	2,162	3,046	2,223	823	1,761	422	1,339
Respiratory distress syndrome-----776.2	4,117	2,491	1,626	2,851	2,153	698	1,266	338	928
Asphyxia of newborn, unspecified-----776.9	9,588	5,769	3,819	6,446	4,927	1,519	3,142	842	2,300
All other toxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	803	445	358	499	367	132	304	78	226
Immaturity, unqualified-----777	3,946	5,298	3,640	5,743	4,453	1,290	3,203	845	2,358
Postmaturity-----778.1	4	3	1	2	2	-	2	1	1
Hemorrhagic disease of newborn-----778.2	433	265	168	298	229	67	157	36	101
All other conditions of newborn-----778.0, 778.3, 778.9	1,664	1,042	622	1,143	914	229	521	128	393
Symptoms and ill-defined conditions-----780-796	3,207	1,689	1,518	1,928	1,452	476	1,279	237	1,042
Accidents-----E800-E949	2,425	1,179	1,246	1,280	951	349	1,145	248	897
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	769	390	378	433	312	121	335	78	257
Accidental mechanical suffocation-----E913	620	291	329	293	212	81	327	79	248
Other accidental causes-----E800-E910, E914-E949	1,037	498	539	554	407	147	485	91	392
Homicide-----E960-E978	151	87	54	106	81	25	45	16	29
All other causes-----Residual	1,368	755	613	816	627	189	552	128	424

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1969 -Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
Total, under 28 days--all causes	56,085	32,327	23,758	36,597	27,519	9,278	19,498	5,008	14,490
Diarrheal diseases-----009	159	71	88	65	52	11	96	19	77
Whooping cough-----033	1	-	1	-	-	-	1	-	1
Meningococcal infections-----036	5	3	2	2	2	-	3	1	2
Tetanus-----037	5	-	5	1	-	1	4	-	4
Septicemia-----038	520	311	209	349	274	75	171	37	134
Viral diseases-----040-079	81	46	35	51	38	13	30	8	22
Congenital syphilis-----090	21	11	10	9	8	1	12	3	9
Other infective and parasitic diseases-----Remainder of 000-136	54	33	21	31	23	8	23	10	13
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	33	21	12	20	17	3	13	4	9
Benign neoplasms and neoplasms of unspecified nature-----210-239	44	30	14	31	24	7	13	6	7
Diseases of thymus gland-----254	2	1	1	1	-	1	1	1	-
Cystic fibrosis-----273.0	50	26	24	29	22	7	21	4	17
Diseases of the blood and blood-forming organs-----280-289	63	45	18	46	35	11	17	10	7
Meningitis-----320	194	121	73	144	108	36	50	13	37
Other diseases of nervous system and sense organs-----321-389	59	32	27	37	28	9	22	4	18
Acute upper respiratory infections-----460-485	21	6	15	10	3	7	11	3	8
Bronchitis and bronchiolitis-----466,490,491	45	33	12	36	32	4	9	1	8
Influenza and pneumonia-----470-474,480-486	1,613	1,040	773	1,164	889	275	649	151	498
Influenza-----470-474	10	5	5	4	4	-	6	1	5
Pneumonia-----480-486	1,803	1,035	768	1,160	885	275	643	150	493
Other chronic interstitial pneumonia-----517	2	2	-	1	1	-	1	1	-
All other diseases of respiratory system-----492,493,500-516,518,519	180	100	80	112	81	31	68	19	49
Hernia and intestinal obstruction-----550-553,560	500	281	219	342	243	99	158	38	120
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	8	5	3	3	2	1	5	3	2
Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	238	144	94	158	121	37	80	23	57
Congenital anomalies-----740-759	7,813	4,308	3,505	5,088	3,608	1,480	2,745	700	2,045
Anencephalus-----740	922	502	420	610	424	186	312	78	234
Spina bifida-----741	387	185	202	217	148	69	170	37	133
Congenital hydrocephalus-----742	350	178	172	229	151	78	121	27	94
Other congenital anomalies of central nervous system and eye-----743,744	308	149	159	175	119	54	135	30	105
Congenital anomalies of heart-----745	2,735	1,538	1,197	1,798	1,307	491	937	231	706
Other congenital anomalies of circulatory system-----747	413	237	176	278	205	73	135	32	103
Congenital anomalies of respiratory system-----748	457	267	190	289	214	75	168	53	115
Congenital anomalies of digestive system-----749-751	478	246	232	280	195	85	198	51	147
Congenital anomalies of genitourinary system-----752,753	343	215	128	245	179	66	98	36	62
Congenital anomalies of musculoskeletal system-----754-756	293	164	129	181	122	59	112	42	70
Down's disease-----759.3	62	30	32	35	26	9	27	4	23
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	894	506	388	622	439	184	272	89	204
Other and unspecified congenital anomalies-----745,757,758	171	91	80	111	80	31	60	11	49
Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-776	42,811	24,971	17,840	29,159	21,144	7,015	14,652	3,827	10,825
Chronic circulatory and genitourinary diseases in mother-----760	19	14	5	15	12	3	4	2	2
Other maternal conditions unrelated to pregnancy-----761	473	242	231	303	203	100	170	39	131
Syphilis-----761.0	4	4	-	4	4	-	-	-	-
Diabetes mellitus-----761.1	248	136	112	172	115	57	76	21	55
Rubella-----761.5	18	10	8	10	7	3	8	3	5
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	203	92	111	117	77	40	86	15	71
Toxemia of pregnancy-----762	175	87	88	91	74	17	84	13	71
Maternal antepartum and intrapartum infection-----763	238	138	100	148	119	29	90	19	71
Difficult labor-----764-768	861	464	397	506	372	134	355	92	263
With mention of birth injury (.0-.3)-----	381	212	169	225	170	55	156	42	114
Without mention of birth injury (.4-.9)-----	480	252	228	281	202	79	199	50	149
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	5,306	3,112	2,194	3,595	2,639	956	1,711	475	1,236
Conditions of placenta-----770	2,516	1,341	1,175	1,545	1,073	472	971	268	703
Conditions of umbilical cord-----771	491	258	233	315	212	103	176	46	130
Birth injury without mention of cause-----772	1,656	1,015	651	1,158	806	269	511	129	382
Hemolytic disease of newborn-----774,775	884	445	439	572	373	199	512	72	240
Hyaline membrane disease-----776.1	4,788	2,635	2,153	3,034	2,214	820	1,754	421	1,333
Respiratory distress syndrome-----776.2	4,080	2,465	1,615	2,823	2,129	694	1,257	336	921
Asphyxia of newborn, unspecified-----776.9	9,559	5,750	3,809	6,425	4,911	1,514	3,134	850	2,284
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	798	443	355	498	366	132	300	77	223
Immaturity, unqualified-----777	8,890	5,270	3,620	5,712	4,430	1,282	3,178	840	2,338
Postmaturity-----778.1	4	3	1	2	2	-	1	1	-
Hemorrhagic disease of newborn-----778.2	431	264	167	295	228	67	136	36	100
All other conditions of newborn-----778.0,778.3,778.9	1,632	1,025	607	1,125	901	224	507	124	383
Symptoms and ill-defined conditions-----780-786	681	328	353	339	271	68	342	57	285
Accidents-----E800-E949	228	105	123	115	85	32	113	22	91
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	95	49	44	50	40	10	43	9	34
Accidental mechanical suffocation-----E913	53	23	30	20	15	5	25	5	20
Other accidental causes-----E900-E910,E914-E949	82	33	49	45	28	17	37	8	32
Homicide-----E960-E978	56	34	22	37	27	10	19	7	12
All other causes-----Residual	398	219	179	239	183	56	159	36	123

SECTION 2 - INFANT MORTALITY

2-37

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1969-Con.

(See headnote at beginning of table)

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 1 year--all causes-----	55,108	28,849	26,259	34,402	23,682	10,720	20,706	5,167	15,539
Diarrheal diseases-----009	581	203	178	200	167	33	181	36	145
Whooping cough-----033	6	3	3	3	3	-	3	-	3
Meningococcal infections-----036	120	58	62	70	48	22	50	10	40
Tetanus-----037	2	-	2	1	-	1	1	-	1
Septicemia-----038	479	275	204	307	230	77	172	45	127
Viral diseases-----040-079	189	99	90	107	78	29	82	21	61
Congenital syphilis-----090	11	4	7	4	3	1	7	1	6
Other infective and parasitic diseases-----Remainder of 000-136	149	77	72	79	57	22	70	20	50
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	149	86	62	94	71	23	54	15	39
Benign neoplasms and neoplasms of unspecified nature-----210-239	53	30	23	34	24	10	19	6	13
Diseases of thymus gland-----254	25	9	16	10	4	6	15	5	10
Cystic fibrosis-----275.0	115	59	56	66	47	19	49	12	37
Diseases of the blood and blood-forming organs-----280-289	106	62	44	74	48	26	32	14	18
Meningitis-----320	362	181	181	241	156	85	121	25	96
Other diseases of nervous system and sense organs-----321-369	364	188	176	237	162	75	127	26	101
Acute upper respiratory infections-----460-465	157	79	78	94	68	26	63	11	52
Bronchitis and bronchiolitis-----466, 490, 491	344	207	137	236	178	58	108	29	79
Influenza and pneumonia-----470-474, 480-485	4,440	2,324	2,116	2,775	1,955	820	1,685	369	1,296
Influenza-----470-474	67	21	46	20	15	5	47	6	41
Pneumonia-----480-485	4,373	2,303	2,070	2,755	1,940	815	1,618	363	1,255
Other chronic interstitial pneumonia-----517	14	9	5	9	8	1	5	1	4
All other diseases of respiratory system-----492, 493, 500-516, 518, 519	435	213	222	256	174	82	179	39	140
Hernia and intestinal obstruction-----550-553, 560	519	277	242	349	238	111	170	39	131
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----555, 561, 563	32	18	14	16	12	4	16	6	10
Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	314	178	136	196	136	60	118	42	76
Congenital anomalies-----740-759	9,522	4,968	4,554	6,021	4,075	1,946	3,501	893	2,608
Amnioncephalus-----740	878	456	422	574	383	191	304	73	231
Spina bifida-----741	631	297	334	346	232	114	285	65	220
Congenital hydrocephalus-----742	504	254	250	318	208	110	186	46	140
Other congenital anomalies of central nervous system and eye-----743, 744	408	202	206	238	163	75	170	39	131
Congenital anomalies of heart-----745	3,666	1,902	1,764	2,347	1,581	766	1,319	321	998
Other congenital anomalies of circulatory system-----747	572	317	285	383	268	115	189	49	140
Congenital anomalies of respiratory system-----748	414	228	186	256	181	75	158	47	111
Congenital anomalies of digestive system-----749-751	640	323	323	368	251	117	272	72	200
Congenital anomalies of genitourinary system-----752, 753	352	214	138	243	174	69	109	40	69
Congenital anomalies of musculoskeletal system-----754-756	289	152	137	175	110	65	114	42	72
Down's disease-----759.3	114	68	46	75	59	16	39	9	30
Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	887	474	413	597	397	200	290	77	213
Other and unspecified congenital anomalies-----745, 757, 758	187	81	86	101	68	33	66	13	53
Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	32,239	17,004	15,235	20,239	13,943	6,296	12,000	3,061	8,939
Chronic circulatory and genitourinary diseases in mother-----760	12	9	3	9	7	2	3	2	1
Other maternal conditions unrelated to pregnancy-----761	391	190	201	245	156	89	146	34	112
Syphilis-----761.0	1	1	-	1	1	-	-	-	-
Diabetes mellitus-----761.1	220	115	105	150	97	53	70	18	52
Rubella-----761.3	17	13	4	11	10	1	6	3	3
All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	155	61	92	83	48	35	70	13	57
Toxemia of pregnancy-----762	115	50	65	56	41	15	59	9	50
Maternal antepartum and intrapartum infection-----763	158	84	74	99	75	24	59	9	50
Difficult labor-----764-768	657	313	344	560	241	119	297	72	225
With mention of birth injury (.0-.3)-----	277	135	142	150	102	48	127	33	84
Without mention of birth injury (.4-.9)-----	380	178	202	210	139	71	170	39	131
All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	4,028	2,129	1,899	2,615	1,763	852	1,413	366	1,047
Conditions of placenta-----770	2,116	1,051	1,065	1,256	819	437	860	232	628
Conditions of umbilical cord-----771	407	202	205	265	165	100	142	37	105
Birth injury without mention of cause-----772	1,217	658	559	797	555	242	420	103	317
Hemolytic disease of newborn-----774, 775	618	396	422	528	333	195	290	63	227
Hyaline membrane disease-----776.1	4,029	2,067	1,962	2,463	1,696	767	1,586	371	1,195
Respiratory distress syndrome-----776.2	3,154	1,741	1,413	2,072	1,456	616	1,082	285	797
Asphyxia of newborn, unspecified-----776.9	7,097	3,817	3,280	4,535	3,152	1,383	2,582	685	1,887
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	566	289	277	346	231	117	218	58	160
Immaturity, unqualified-----777	6,066	3,206	2,859	3,663	2,573	1,080	2,403	635	1,768
Postmaturity-----778.1	2	2	-	1	1	-	1	-	-
Hemorrhagic disease of newborn-----778.2	316	181	155	212	152	60	104	29	75
All other conditions of newborn-----778.0, 778.3, 778.9	1,090	617	473	715	527	188	375	90	285
Symptoms and ill-defined conditions-----780-786	1,942	911	931	1,177	777	400	665	134	531
Accidents-----E900-E949	1,707	772	925	894	581	303	823	191	632
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	533	245	288	290	184	106	243	61	182
Accidental mechanical suffocation-----E913	438	193	245	207	137	70	251	56	175
Other accidental causes-----E900-E910, E914-E949	736	334	402	387	260	127	349	74	275
Homicide-----E980-E978	101	58	43	66	45	21	35	13	22
All other causes-----Residual	932	497	435	557	394	163	375	103	272

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1969-Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
All other, under 1 year--all causes-----	19,965	13,789	5,176	13,672	12,339	1,333	6,293	1,450	4,843
Diarrheal diseases-----009	451	148	303	143	115	28	308	83	225
Whooping cough-----033	4	1	3	2	1	1	2	-	2
Meningococcal infections-----036	22	14	8	12	11	1	10	3	7
Tetanus-----037	4	-	4	-	-	-	4	-	4
Septicemia-----038	279	167	112	173	152	21	106	15	91
Viral diseases-----040-079	82	52	30	47	41	6	35	11	24
Congenital syphilis-----090	11	7	4	5	5	-	6	2	4
Other infective and parasitic diseases-----Remainder of 000-138	97	47	50	45	36	9	52	11	41
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	15	12	3	9	9	-	6	3	3
Benign neoplasms and neoplasms of unspecified nature-----210-239	16	12	4	10	10	-	6	2	4
Diseases of thymus gland-----254	5	3	2	2	2	-	3	1	2
Cystic fibrosis-----273.0	11	6	5	8	2	6	3	-	3
Diseases of the blood and blood-forming organs-----280-289	53	39	14	33	32	1	20	7	13
Meningitis-----320	189	125	64	125	115	12	64	12	52
Other diseases of nervous system and sense organs-----321-389	115	81	34	81	74	7	34	7	27
Acute upper respiratory infections-----460-465	75	44	31	41	36	5	34	8	26
Bronchitis and bronchiolitis-----466, 490, 491	227	185	42	179	173	6	48	12	36
Influenza and pneumonia-----470-474, 480-486	2,701	1,649	1,052	1,651	1,465	178	1,070	196	874
Influenza-----470-474	59	15	46	10	7	3	49	6	43
Pneumonia-----480-486	2,642	1,636	1,006	1,621	1,446	175	1,021	190	831
Other chronic interstitial pneumonia-----517	5	5	-	3	3	-	2	2	-
All other diseases of respiratory system-----492, 493, 500-516, 518, 519	163	111	52	110	94	16	53	17	36
Hernia and intestinal obstruction-----550-553, 560	120	86	34	80	75	5	40	11	29
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	24	13	11	11	10	1	13	3	10
Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	119	86	33	90	81	9	29	5	24
Congenital anomalies-----740-759	1,787	1,303	484	1,309	1,188	121	478	115	363
Anencephalus-----740	78	62	16	62	57	5	16	5	11
Spina bifida-----741	53	32	21	30	26	4	23	6	17
Congenital hydrocephalus-----742	108	72	36	77	69	8	31	3	28
Other congenital anomalies of central nervous system and eye-----743, 744	52	34	18	36	33	3	16	1	15
Congenital anomalies of heart-----746	790	588	202	589	543	46	201	45	156
Other congenital anomalies of circulatory system-----747	107	83	24	86	77	9	21	6	15
Congenital anomalies of respiratory system-----748	90	69	21	63	59	4	27	10	17
Congenital anomalies of digestive system-----749-751	153	109	44	104	94	10	49	15	34
Congenital anomalies of genitourinary system-----752, 753	56	42	14	45	39	6	11	3	8
Congenital anomalies of musculoskeletal system-----754-756	53	38	15	39	32	7	14	6	8
Down's disease-----759.3	24	13	11	15	12	3	9	1	8
Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	173	127	46	126	116	10	47	11	36
Other and unspecified congenital anomalies-----745, 757, 758	50	34	16	37	31	6	13	3	10
Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	10,821	8,111	2,710	8,077	7,325	752	2,744	786	1,959
Chronic circulatory and genitourinary diseases in mother-----760	7	5	2	6	5	1	1	-	1
Other maternal conditions unrelated to pregnancy-----761	91	58	33	64	53	11	27	5	22
Syphilis-----761.0	3	3	-	3	3	-	-	-	-
Diabetes mellitus-----761.1	30	22	8	23	19	4	7	3	4
Rubella-----761.3	5	1	4	5	1	4	2	-	2
All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	53	32	21	35	30	5	18	2	16
Toxemia of pregnancy-----762	61	37	24	35	33	2	26	4	22
Maternal antepartum and intrapartum infection-----763	83	55	28	51	45	6	32	10	22
Difficult labor-----764-768	209	153	56	148	133	15	61	20	41
With mention of birth injury (.0-.3)-----	105	77	28	75	68	7	30	9	21
Without mention of birth injury (.4-.9)-----	104	76	28	73	65	8	31	11	20
All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	1,292	990	302	989	883	106	303	107	196
Conditions of placenta-----770	404	291	113	292	255	37	112	36	76
Conditions of umbilical cord-----771	85	57	28	51	48	3	34	9	25
Birth injury without mention of cause-----772	474	374	100	375	345	30	99	29	70
Hemolytic disease of newborn-----774, 775	73	55	18	49	45	4	24	10	14
Hyaline membrane disease-----776.1	778	578	200	583	527	56	195	51	144
Respiratory distress syndrome-----776.2	963	750	213	779	697	82	184	53	131
Asphyxia of newborn, unspecified-----776.9	2,491	1,952	539	1,911	1,775	136	580	177	403
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	237	156	81	151	136	15	86	20	66
Immaturity, unqualified-----777	2,890	2,090	790	2,080	1,880	200	800	210	590
Postmaturity-----778.1	2	1	1	1	1	-	1	-	1
Hemorrhagic disease of newborn-----778.2	117	84	33	84	77	7	33	7	26
All other conditions of newborn-----778.0, 778.3, 778.9	574	425	149	428	387	41	146	38	108
Symptoms and ill-defined conditions-----780-796	1,365	778	587	751	675	76	614	103	511
Accidents-----E800-E949	718	407	311	396	350	46	322	57	265
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	235	145	90	143	128	15	92	17	75
Accidental mechanical suffocation-----E915	122	98	24	96	75	21	96	23	73
Other accidental causes-----E800-E910, E914-E949	301	164	137	167	147	20	134	17	117
Homicide-----E960-E978	50	39	11	40	36	4	10	3	7
All other causes-----Residual	436	258	178	259	233	26	177	25	152

SECTION 2 - INFANT MORTALITY

2-39

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1969-Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
White, under 28 days--all causes-----	42,408	22,337	20,071	26,666	18,322	8,344	15,742	4,015	11,727
Diarrheal diseases-----009	70	38	32	56	29	7	34	9	25
Whooping cough-----033	-	-	-	-	-	-	-	-	-
Neurocysticercosis infections-----036	5	3	2	2	2	-	3	1	2
Tetanus-----037	2	-	2	1	-	1	1	-	1
Septicemia-----038	323	180	143	214	154	60	109	26	83
Viral diseases-----040-079	80	30	30	40	27	13	20	3	17
Congenital syphilis-----090	11	4	7	4	3	1	7	1	6
Other infective and parasitic diseases-----Remainder of 000-136	36	20	16	20	13	7	16	7	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	29	17	12	17	14	3	12	3	9
Benign neoplasms and neoplasms of unspecified nature-----210-239	34	21	13	23	16	7	11	5	6
Diseases of thymus gland-----254	2	1	1	1	-	1	1	1	-
Cystic fibrosis-----273.0	48	24	22	27	20	7	19	4	15
Diseases of the blood and blood-forming organs-----280-289	47	31	16	34	23	11	13	8	5
Meningitis-----320	144	80	64	106	72	34	38	8	30
Other diseases of nervous system and sense organs-----321-399	44	24	20	28	20	8	16	4	12
Acute upper respiratory infections-----460-465	15	3	12	7	1	6	8	2	6
Bronchitis and bronchiolitis-----466,490,491	23	13	10	17	13	4	6	-	6
Influenza and pneumonia-----470-474,480-486	1,188	650	548	772	540	232	426	110	316
Influenza-----470-474	6	5	1	4	4	-	2	1	1
Pneumonia-----480-486	1,192	645	547	768	536	232	424	109	315
Other chronic interstitial pneumonia-----517	1	1	-	1	1	-	-	-	-
All other diseases of respiratory system-----492,493,500-516,518,519	142	70	72	81	54	27	61	16	45
Hernia and intestinal obstruction-----550-553,560	425	226	199	288	193	95	137	33	104
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----555,561,563	4	3	1	2	1	1	2	2	-
Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	167	94	73	106	72	33	62	22	40
Congenital anomalies-----740-759	6,872	3,474	3,198	4,215	2,842	1,373	2,457	632	1,825
Anencephalus-----740	849	444	405	532	371	161	297	75	224
Spina bifida-----741	358	167	191	200	133	67	158	34	124
Congenital hydrocephalus-----742	295	141	154	189	115	74	106	26	80
Other congenital anomalies of central nervous system and eye-----743,744	278	131	147	154	102	52	124	29	95
Congenital anomalies of heart-----746	2,279	1,202	1,077	1,449	991	458	880	211	619
Other congenital anomalies of circulatory system-----747	368	196	162	233	166	67	125	30	95
Congenital anomalies of respiratory system-----749	379	206	173	233	162	71	146	44	102
Congenital anomalies of digestive system-----749-751	380	178	202	213	135	78	167	45	124
Congenital anomalies of genitourinary system-----752,753	297	181	116	208	149	60	89	33	56
Congenital anomalies of musculoskeletal system-----754-756	255	135	120	149	95	54	104	38	66
Down's disease-----759.3	53	26	27	81	22	9	22	4	18
Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	762	408	354	525	350	175	237	58	179
Other and unspecified congenital anomalies-----745,757,758	151	61	70	79	52	27	52	9	43
Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	32,081	16,916	15,185	20,140	13,872	6,268	11,941	3,044	8,897
Chronic circulatory and genitourinary diseases in mother-----760	12	9	3	9	2	2	3	2	1
Other maternal conditions unrelated to pregnancy-----761	365	165	200	240	151	89	145	34	111
Syphilis-----761.0	1	1	-	1	-	-	-	-	-
Diabetes mellitus-----761.1	218	114	104	149	96	53	69	18	51
Rubella-----761.3	13	9	4	7	6	1	6	3	3
All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	153	61	92	65	48	35	70	13	57
Toxemia of pregnancy-----762	115	50	65	56	41	15	59	9	50
Maternal antepartum and intrapartum infection-----763	155	83	72	97	74	23	58	9	49
Difficult labor-----764-768	632	311	341	358	239	119	294	72	222
With mention of birth injury (.0-.3)-----	276	135	141	150	102	48	126	33	93
Without mention of birth injury (.4,.9)-----	376	176	200	208	137	71	168	39	129
All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	4,018	2,124	1,694	2,609	1,758	851	1,409	366	1,043
Conditions of placenta-----770	2,113	1,050	1,063	1,254	818	436	859	232	627
Conditions of umbilical cord-----771	406	201	205	264	164	100	142	37	105
Birth injury without mention of cause-----772	1,200	646	554	784	545	239	416	101	315
Hemolytic disease of newborn-----774,775	813	392	421	525	330	195	288	62	226
Hyaline membrane disease-----776.1	4,018	2,065	1,955	2,437	1,685	754	1,561	370	1,191
Respiratory distress syndrome-----776.2	3,132	1,725	1,407	2,054	1,442	612	1,078	283	795
Asphyxia of newborn, unspecified-----776.9	7,077	3,605	3,272	4,521	3,143	1,378	2,556	662	1,894
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	564	289	276	340	231	117	216	58	158
Immaturity, unqualified-----777	6,038	3,196	2,842	3,649	2,565	1,084	2,389	631	1,758
Postmaturity-----778.1	2	2	-	1	1	-	1	1	-
Hemorrhagic disease of newborn-----778.2	315	181	134	212	152	60	103	29	74
All other conditions of newborn-----778.0,778.3,778.9	1,066	604	462	702	518	184	364	88	278
Symptoms and ill-defined conditions-----780-796	347	173	174	208	150	58	139	23	116
Accidents-----E800-E949	154	65	89	81	51	30	73	14	59
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	67	32	35	38	26	10	31	6	25
Accidental mechanical suffocation-----E913	29	14	15	12	8	4	17	6	11
Other accidental causes-----E800-E910,E914-E949	58	19	39	33	17	16	25	2	23
Homicide-----E960-E978	37	21	16	22	16	6	15	5	10
All other causes-----Residual	289	155	134	174	123	51	115	32	83

SECTION 2 - INFANT MORTALITY

Table 2-13. Deaths Under 1 Year and Under 28 Days, From 65 Selected Causes, by Color, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1969-Con.

[See headnote at beginning of table]

Cause of death, age, and color	All counties			Metropolitan counties			Nonmetropolitan counties		
	Total	Urban places	Balance of area	Total	Urban places	Balance of area	Total	Urban places	Balance of area
All other, under 28 days--all causes-----	13,677	9,990	3,687	9,931	8,997	934	3,746	998	2,753
Diarrheal diseases-----009	89	33	56	27	23	4	62	10	52
Whooping cough-----033	1	-	1	-	-	-	1	-	1
Meningococcal infections-----036	-	-	-	-	-	-	-	-	-
Tetanus-----037	3	-	3	-	-	-	3	-	3
Septicemia-----038	197	131	66	135	120	15	62	11	51
Viral diseases-----040-079	21	16	5	11	11	-	10	5	5
Congenital syphilis-----090	10	7	3	5	5	-	5	2	3
Other infective and parasitic diseases-----Remainder of 000-136	18	13	5	11	10	1	7	3	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	4	4	-	3	3	-	1	1	-
Benign neoplasms and neoplasms of unspecified nature-----210-239	10	9	1	8	8	-	2	1	1
Diseases of thymus gland-----254	-	-	-	-	-	-	-	-	-
Cystic fibrosis-----273-0	4	2	2	2	2	-	2	-	2
Diseases of the blood and blood-forming organs-----280-289	16	14	2	12	12	-	4	2	2
Meningitis-----320	50	41	9	38	36	2	12	5	7
Other diseases of nervous system and sense organs-----321-399	15	8	7	9	8	1	6	-	6
Acute upper respiratory infections-----460-465	6	3	3	3	2	1	3	1	2
Bronchitis and bronchiolitis-----466, 480, 481	22	20	2	19	19	-	3	1	2
Influenza and pneumonia-----470-474, 480-486	615	390	225	392	349	43	223	41	182
Influenza-----470-474	4	-	4	-	-	-	4	-	4
Pneumonia-----480-486	611	390	221	392	349	43	219	41	178
Other chronic interstitial pneumonia-----517	1	1	-	-	-	-	1	1	-
All other diseases of respiratory system-----492, 493, 500-516, 519, 519	4	3	1	3	2	1	7	3	4
Hernia and intestinal obstruction-----550-553, 560	75	55	20	54	50	4	21	5	16
Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	4	2	2	1	1	-	3	1	2
Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	71	50	21	53	49	4	18	1	17
Congenital anomalies-----740-769	1,141	634	307	853	766	87	288	69	220
Anencephalus-----740	73	58	15	58	53	5	15	5	10
Spina bifida-----741	29	19	10	17	15	2	12	3	9
Congenital hydrocephalus-----742	55	37	18	40	35	5	15	1	14
Other congenital anomalies of central nervous system and eye-----743, 744	30	19	12	19	17	2	11	1	10
Congenital anomalies of heart-----745	456	336	120	349	316	33	107	20	87
Other congenital anomalies of circulatory system-----747	55	41	14	45	39	6	10	2	8
Congenital anomalies of respiratory system-----748	78	61	17	56	52	4	22	9	13
Congenital anomalies of digestive system-----749-751	98	68	30	67	60	7	31	8	23
Congenital anomalies of genitourinary system-----752, 753	46	34	12	37	31	6	9	3	6
Congenital anomalies of musculoskeletal system-----754-756	40	31	9	32	27	5	8	4	4
Down's disease-----759.3	9	4	5	4	4	-	-	-	-
Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	132	98	34	97	88	9	35	10	25
Other and unspecified congenital anomalies-----745, 757, 758	40	30	10	32	28	4	8	2	6
Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	10,730	8,055	2,675	8,019	7,272	747	2,711	785	1,928
Chronic circulatory and genitourinary diseases in mother-----760	7	5	2	6	5	1	1	-	1
Other maternal conditions unrelated to pregnancy-----761	98	57	31	63	52	11	25	5	20
Syphilis-----761.0	3	3	-	3	3	-	-	-	-
Diabetes mellitus-----761.1	30	22	8	23	19	4	7	3	4
Rubella-----761.3	5	1	4	3	1	2	2	-	2
All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	50	31	19	34	29	5	16	2	14
Toxemia of pregnancy-----762	80	37	23	35	33	2	25	4	21
Maternal antepartum and intrapartum infection-----763	83	55	28	51	45	6	32	10	22
Difficult labor-----764-768	209	153	56	148	133	15	61	20	41
With mention of birth injury (.0-.3)-----	105	77	28	75	68	7	30	9	21
Without mention of birth injury (.4,.9)-----	104	76	28	73	65	8	31	11	20
All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	1,288	988	300	996	881	105	302	107	195
Conditions of placenta-----770	403	291	112	291	255	36	112	36	76
Conditions of umbilical cord-----771	85	57	28	51	48	3	34	9	25
Birth injury without mention of cause-----772	466	369	97	371	341	30	95	28	67
Hemolytic disease of newborn-----774, 775	71	53	18	47	43	4	24	10	14
Rh血型 membrane disease-----776.1	770	572	198	577	521	56	193	51	142
Respiratory distress syndrome-----776.2	948	740	208	769	697	72	179	53	126
Asphyxia of newborn, unspecified-----776.9	2,462	1,945	537	1,904	1,768	136	578	177	401
All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	254	154	80	150	135	15	84	19	65
Immaturity, unqualified-----777	2,852	2,074	778	2,063	1,855	198	789	209	580
Postmaturity-----778.1	2	1	1	1	1	-	1	-	1
Hemorrhagic disease of newborn-----778.2	116	83	33	83	76	7	33	7	26
All other conditions of newborn-----778.0, 778.3, 778.9	566	421	145	423	383	40	143	38	105
Symptoms and ill-defined conditions-----780-786	334	155	179	131	121	10	203	34	169
Accidents-----E800-E949	74	40	34	34	32	2	40	8	32
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	26	17	9	14	14	-	12	3	9
Accidental mechanical suffocation-----E913	24	9	15	8	7	1	16	2	14
Other accidental causes-----E900-E910, E914-E949	24	14	10	12	11	1	12	3	9
Homicide-----E960-E978	19	13	6	15	11	4	4	2	2
All other causes-----Residual	109	64	45	65	60	5	44	4	40

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

	Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	Total, both sexes--all causes-----	75,073	6,444	26,608	7,985	4,750	2,111	1,250	873	683
2	Diarrheal diseases-----009	832	-	-	1	2	3	5	2	4
3	Whooping cough-----033	10	-	-	-	-	-	-	-	-
4	Meningococcal infections-----036	142	-	-	-	-	1	-	-	-
5	Tetanus-----037	6	-	-	-	-	-	-	1	-
6	Septicemia-----039	759	6	57	48	54	46	47	37	30
7	Viral diseases-----040-079	271	3	7	4	6	2	4	2	2
8	Congenital syphilis-----090	22	-	11	3	2	1	1	2	-
9	Other infective and parasitic diseases-----Remainder of 000-136	246	2	3	4	3	5	4	-	-
10	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	163	3	7	9	3	2	-	1	-
11	Benign neoplasms and neoplasms of unspecified nature-----210-239	69	9	12	5	4	4	-	2	-
12	Diseases of thymus gland-----254	30	-	1	-	-	-	-	-	-
13	Cystic fibrosis-----275-0	126	-	4	2	8	6	2	2	4
14	Diseases of the blood and blood-forming organs-----280-289	159	3	10	12	6	8	4	2	5
15	Meningitis-----320	551	-	1	10	21	12	11	9	10
16	Other diseases of nervous system and sense organs-----321-389	479	5	17	7	7	3	3	1	2
17	Acute upper respiratory infections-----460-465	232	-	2	1	-	-	1	-	-
18	Bronchitis and bronchiolitis-----466,490,491	571	-	1	-	2	-	3	2	3
19	Influenza and pneumonia-----470-474,480-486	7,141	27	309	231	192	98	75	60	44
20	Influenza-----470-474	126	1	-	-	-	-	-	-	-
21	Pneumonia-----480-486	7,015	26	309	231	192	98	75	60	44
22	Other chronic interstitial pneumonia-----517	19	-	-	1	-	-	-	-	-
23	All other diseases of respiratory system-----492,493,500-516,519	598	12	76	20	19	6	4	2	1
24	Hernia and intestinal obstruction-----550-553,560	639	49	206	53	39	22	9	10	6
25	Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----555,561,563	56	-	-	1	-	-	-	1	-
26	Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	433	5	19	11	23	19	19	20	13
27	Congenital anomalies-----740-759	11,309	1,222	2,340	708	689	456	295	216	177
28	Anencephalus-----740	956	363	342	63	45	24	19	14	15
29	Spina bifida-----741	684	57	88	26	21	12	9	12	12
30	Congenital hydrocephalus-----742	612	92	142	26	15	10	6	7	4
31	Other congenital anomalies of central nervous system and eye-----743,744	460	42	119	28	26	17	17	6	6
32	Congenital anomalies of heart-----746	4,456	87	492	341	408	261	152	103	79
33	Other congenital anomalies of circulatory system-----747	679	13	46	35	38	27	21	20	15
34	Congenital anomalies of respiratory system-----748	504	106	241	48	19	8	5	2	3
35	Congenital anomalies of digestive system-----749-751	793	18	61	28	36	35	35	31	26
36	Congenital anomalies of genitourinary system-----752,753	408	62	174	15	11	8	4	4	4
37	Congenital anomalies of musculoskeletal system-----754-756	342	83	149	17	8	6	3	3	1
38	Down's disease-----759.3	138	7	25	5	3	5	3	2	1
39	Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	1,060	255	396	58	48	29	13	13	9
40	Other and unspecified congenital anomalies-----745,757,758	217	38	65	18	11	7	5	2	2
41	Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	43,060	4,943	23,282	6,760	3,588	1,358	720	462	337
42	Chronic circulatory and genitourinary diseases in mother-----760	19	6	9	3	1	-	-	-	-
43	Other maternal conditions unrelated to pregnancy-----761	482	65	225	81	48	14	3	10	1
44	Syphilis-----761.0	4	-	3	-	-	1	-	-	-
45	Diabetes mellitus-----761.1	250	22	111	52	32	11	2	8	-
46	Rubella-----761.3	22	4	3	1	1	-	-	-	-
47	All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	206	39	108	28	15	2	1	2	1
48	Toxemia of pregnancy-----762	176	35	82	30	13	7	-	-	2
49	Maternal antepartum and intrapartum infection-----763	241	55	128	25	12	6	3	1	-
50	Difficult labor-----764-768	866	174	408	136	69	24	12	12	6
51	With mention of birth injury (.0-.3)-----	392	29	195	65	47	14	9	9	5
52	Without mention of birth injury (.4,.9)-----	484	145	223	71	21	10	3	3	1
53	All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	5,320	846	3,351	626	252	84	43	24	18
54	Conditions of placenta-----770	2,520	635	1,471	238	103	28	7	6	7
55	Conditions of umbilical cord-----771	492	155	215	65	29	11	7	2	1
56	Birth injury without mention of cause-----772	1,691	73	628	326	220	129	71	41	33
57	Hemolytic disease of newborn-----774,775	891	177	445	94	63	40	23	10	10
58	Hyaline membrane disease-----776.1	4,807	55	1,861	1,375	852	277	116	60	44
59	Respiratory distress syndrome-----776.2	4,117	128	1,969	978	511	160	85	56	39
60	Asphyxia of newborn, unspecified-----786.9	9,588	974	5,542	1,403	705	262	159	91	80
61	All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	803	90	344	141	61	43	16	12	11
62	Immaturity, unqualified-----777	8,946	1,295	5,538	965	445	171	114	83	52
63	Postmaturity-----778.1	4	1	2	-	-	-	-	-	-
64	Hemorrhagic disease of newborn-----778.2	433	10	134	81	69	40	23	23	9
65	All other conditions of newborn-----778.0,778.3,778.9	1,664	169	872	193	117	61	38	31	24
66	Symptoms and ill-defined conditions-----780-786	3,207	85	171	48	44	27	17	16	17
67	Accidents-----E800-E949	2,425	8	21	11	13	12	9	8	9
68	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	768	-	5	2	10	10	8	3	5
69	Accidental mechanical suffocation-----E915	620	-	6	1	2	1	1	1	2
70	Other accidental causes-----E800-E910,E914-E949	1,037	8	10	8	1	1	-	4	2
71	Roadside-----E960-E978	151	27	8	6	1	-	1	1	1
72	All other causes-----Residual	1,368	35	63	29	24	20	16	14	16

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1969

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-15 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
50,704	2,686	1,444	1,241	56,065	4,676	3,560	2,751	1,978	1,461	1,134	890	777	642	580	559	1
17	39	49	54	159	186	99	67	63	51	45	47	34	31	26	24	2
-	-	-	1	1	2	3	1	2	-	-	-	-	1	-	-	3
1	-	2	2	5	10	20	17	17	13	11	7	11	12	13	6	4
1	3	1	-	5	1	-	-	-	-	-	-	-	-	-	-	5
385	118	45	32	520	75	37	28	24	25	13	16	8	4	4	4	6
30	31	10	10	81	26	29	31	19	23	15	8	14	9	10	6	7
20	1	-	-	21	1	-	-	-	-	-	-	-	-	-	-	8
21	14	6	13	54	35	26	23	17	21	9	14	14	8	10	15	9
25	1	3	4	33	11	12	10	11	10	9	8	13	15	14	17	10
36	7	-	1	44	6	2	2	3	1	2	1	2	2	2	2	11
1	-	1	-	2	3	10	5	5	2	-	2	-	-	1	-	12
28	13	5	4	50	13	13	11	14	8	3	3	4	4	3	3	13
50	6	5	2	63	24	12	13	8	3	6	8	4	7	8	3	14
74	63	35	22	194	67	42	44	35	42	31	27	17	20	14	20	15
45	3	8	3	59	55	38	48	45	51	44	45	30	26	19	19	16
4	1	11	5	21	47	51	38	23	13	6	4	7	7	11	4	17
11	13	8	15	45	85	98	80	68	51	43	14	20	20	16	13	18
1,056	314	217	246	1,813	1,300	1,155	887	592	425	260	200	189	133	114	95	19
1	2	4	3	10	30	17	19	9	9	7	2	2	10	8	5	20
1,035	312	213	243	1,803	1,270	1,139	868	584	417	261	198	157	123	106	90	21
1	-	1	-	2	4	1	2	1	1	3	1	2	1	1	-	22
140	12	13	15	180	113	99	63	38	22	23	19	15	9	7	10	23
398	38	36	30	500	68	20	15	7	6	3	10	3	1	1	2	24
2	5	-	1	8	11	11	5	6	1	3	2	2	3	2	2	25
129	54	31	24	238	57	41	18	14	13	9	8	8	11	5	11	26
6,103	853	489	368	7,813	1,003	858	445	364	268	215	174	157	122	102	88	27
885	30	4	3	922	13	6	2	5	2	2	1	2	1	1	28	28
246	47	50	44	367	114	51	39	22	19	11	7	7	9	8	6	29
302	16	14	18	350	62	34	15	26	23	15	23	12	10	8	15	30
261	29	14	4	308	43	19	16	13	7	11	9	15	10	5	4	31
1,923	427	228	157	2,735	449	313	230	184	142	107	78	71	54	51	42	32
215	107	53	38	413	93	42	35	34	18	15	8	7	9	3	7	33
431	11	9	6	457	16	4	5	7	5	3	2	2	2	2	1	34
288	105	55	50	478	91	34	34	26	31	26	21	16	19	11	6	35
282	28	19	16	343	24	8	6	6	1	3	3	3	1	1	1	36
270	9	7	7	293	13	10	4	6	2	4	4	4	2	4	1	37
51	5	2	4	62	12	7	10	6	9	6	9	9	2	2	4	38
821	34	22	17	894	59	25	20	21	10	7	6	6	4	5	1	39
148	7	12	4	171	14	4	8	8	2	3	1	2	2	2	-	40
41,430	913	280	188	42,811	128	48	23	16	9	9	7	4	2	-	3	41
19	-	-	-	19	-	-	-	-	-	-	-	-	-	-	-	42
447	16	8	2	473	6	-	1	-	-	1	-	1	-	-	-	43
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	44
238	10	-	-	248	1	-	1	-	-	-	-	-	-	-	-	45
9	2	5	2	18	3	-	-	-	-	-	-	1	-	-	-	46
196	4	3	-	203	2	-	-	-	-	1	-	-	-	-	-	47
169	4	2	-	175	-	-	-	-	-	-	-	-	-	-	-	48
230	4	3	1	238	2	1	-	-	-	-	-	-	-	-	-	49
840	18	2	1	861	2	2	-	1	-	-	-	-	-	-	-	50
383	15	2	1	381	2	-	-	1	-	-	-	-	-	-	-	51
477	3	-	-	480	2	2	-	-	-	-	-	-	-	-	-	52
5,244	54	5	3	5,306	10	1	2	1	-	-	-	-	-	-	-	53
2,495	14	5	2	2,516	-	2	1	1	-	-	-	-	-	-	-	54
493	7	1	-	491	-	-	-	-	-	-	-	-	-	-	-	55
1,521	95	29	21	1,666	11	3	2	1	-	3	3	1	-	-	1	56
862	14	4	4	884	3	2	-	1	1	-	-	-	-	-	-	57
4,660	98	18	12	4,788	12	6	-	-	-	-	-	1	-	-	-	58
3,946	82	26	16	4,080	17	8	3	4	2	-	2	-	1	-	-	59
9,216	212	81	50	9,539	13	4	4	2	2	1	2	1	-	-	-	60
738	27	19	14	798	3	-	2	-	-	-	-	-	-	-	-	61
8,683	149	54	24	8,890	32	12	3	3	3	2	-	-	-	-	1	62
3	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	63
389	32	6	4	431	1	1	-	-	-	-	-	-	-	-	-	64
1,505	78	17	34	1,632	16	8	2	2	1	2	-	-	1	-	-	65
425	74	81	101	681	697	619	446	274	151	129	69	46	39	30	28	66
91	42	46	47	228	374	353	297	196	188	168	146	134	113	115	113	67
43	16	16	18	93	132	150	122	57	46	41	31	33	21	26	16	68
14	13	14	12	53	113	103	80	55	68	44	37	30	17	14	6	69
34	13	16	17	82	129	100	95	84	74	83	78	71	75	75	91	70
45	2	4	5	56	18	11	4	13	7	6	5	9	7	6	9	71
217	76	55	50	398	246	154	118	105	58	88	63	53	37	46	42	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 Total, male--all causes-----	43,280	5,548	15,656	4,724	2,851	1,292	730	501	370
2 Diarrhoeal diseases-----009	476	-	-	-	-	2	5	1	1
3 Whooping cough-----053	4	-	-	-	-	-	-	-	-
4 Meningococcal infections-----056	93	-	-	-	-	1	-	-	-
5 Tetanus-----057	4	-	-	-	-	-	-	-	-
6 Septicemia-----058	438	3	35	29	29	36	31	19	16
7 Viral diseases-----040-079	159	2	5	2	4	-	3	1	-
8 Congenital syphilis-----090	10	-	5	2	1	-	1	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	150	2	2	2	3	4	4	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	86	3	4	5	1	2	-	1	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	36	6	3	3	3	3	-	2	-
12 Diseases of thymus gland-----254	21	-	1	-	-	-	-	-	-
13 Cystic fibrosis-----275.0	64	-	2	1	5	4	2	-	2
14 Diseases of the blood and blood-forming organs-----280-289	86	2	7	7	2	5	-	-	3
15 Meningitis-----320	309	-	1	7	10	9	9	5	6
16 Other diseases of nervous system and sense organs-----321-389	263	2	12	5	2	2	3	1	-
17 Acute upper respiratory infections-----460-465	157	-	2	1	-	-	1	-	-
18 Bronchitis and bronchiolitis-----466,490,491	312	-	-	-	-	-	3	-	-
19 Influenza and pneumonia-----470-474,480-486	4,099	15	178	130	110	71	42	34	26
20 Influenza-----470-474	74	-	-	-	-	-	-	-	-
21 Pneumonia-----480-486	4,025	15	178	130	110	71	42	34	26
22 Other chronic interstitial pneumonia-----517	8	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	328	1	40	15	9	4	4	2	1
24 Hernia and intestinal obstruction-----550-553,560	374	23	115	28	24	10	6	4	6
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	22	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	255	-	12	8	16	11	15	13	9
27 Congenital anomalies-----740-759	6,176	691	1,344	424	440	271	173	123	94
28 Anencephalus-----740	402	114	156	32	32	13	8	8	8
29 Spina bifida-----741	302	20	37	14	9	13	8	3	5
30 Congenital hydrocephalus-----742	326	49	80	14	7	6	4	5	2
31 Other congenital anomalies of central nervous system and eye-----743,744	230	19	68	16	15	13	5	5	3
32 Congenital anomalies of heart-----745	2,525	53	295	214	278	152	98	65	46
33 Other congenital anomalies of circulatory system-----747	376	5	29	22	22	16	8	13	6
34 Congenital anomalies of respiratory system-----748	301	65	151	26	9	5	3	-	3
35 Congenital anomalies of digestive system-----749-751	451	13	33	15	20	20	22	14	12
36 Congenital anomalies of genitourinary system-----752,753	298	46	128	11	8	5	3	4	3
37 Congenital anomalies of musculoskeletal system-----754-756	195	42	91	9	6	3	2	1	1
38 Down's disease-----759.3	71	4	12	3	2	3	1	1	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	574	141	234	36	27	20	6	2	3
40 Other and unspecified congenital anomalies-----745,787,758	125	20	40	12	5	3	3	2	2
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	25,311	2,826	13,740	4,012	2,143	828	402	273	190
42 Chronic circulatory and genitourinary diseases in mother-----760	10	2	7	1	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	293	40	133	55	30	8	2	9	-
44 Syphilis-----761.0	4	-	3	-	-	1	-	-	-
45 Diabetes mellitus-----761.1	145	11	60	35	21	5	1	7	-
46 Rubella-----761.3	14	4	1	1	1	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	130	25	69	19	8	2	1	2	-
48 Toxemia of pregnancy-----762	95	19	42	16	9	4	-	-	2
49 Maternal antepartum and intrapartum infection-----763	136	31	69	16	7	3	2	1	-
50 Difficult labor-----764-768	547	110	261	94	41	16	6	7	3
51 With mention of birth injury (.0-.3)	250	22	126	38	29	10	4	5	2
52 Without mention of birth injury (.4-.9)	297	88	135	46	12	6	2	2	1
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	3,009	454	1,918	351	147	56	15	14	11
54 Conditions of placentas-----770	1,473	380	846	145	84	15	5	4	4
55 Conditions of umbilical cord-----771	299	89	130	40	19	9	5	2	1
56 Birth injury without mention of cause-----772	1,047	42	392	214	143	85	37	24	19
57 Hemolytic disease of newborn-----774,775	490	80	235	82	45	24	13	6	6
58 Hyaline membrane disease-----776.1	2,996	33	1,148	862	534	189	76	38	30
59 Respiratory distress syndrome-----776.2	2,521	79	1,229	596	319	97	45	33	22
60 Asphyxia of newborn, unspecified-----766.9	5,666	552	3,343	823	409	149	86	54	43
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	469	56	200	78	49	36	11	6	3
62 Immaturity, unqualified-----777	5,054	741	3,229	507	227	82	63	43	27
63 Postmaturity-----778.1	3	1	1	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	263	7	69	58	44	22	12	15	6
65 All other conditions of newborn-----778.0,778.3,778.9	940	111	488	104	56	34	24	17	13
66 Symptoms and ill-defined conditions-----780-786	1,860	42	103	27	28	13	13	9	7
67 Accidents-----E900-E949	1,356	2	9	3	6	7	4	6	7
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	451	-	1	1	4	7	4	3	3
69 Accidental mechanical suffocation-----E913	356	-	2	-	2	-	-	1	2
70 Other accidental causes-----E900-E910,E914-E949	549	2	6	2	-	-	-	2	2
71 Homicide-----E960-E978	87	14	8	1	-	-	-	-	1
72 All other causes-----Residual	756	14	28	14	15	9	9	7	10

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
29,681	1,495	810	689	32,675	2,693	2,053	1,607	1,126	755	597	462	409	336	298	289	1
9	20	27	27	85	115	58	38	35	30	25	23	21	18	17	13	2
-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	3
1	-	1	2	4	7	12	11	12	10	4	6	6	8	8	5	4
-	3	-	-	3	1	-	-	-	-	-	-	-	-	-	-	5
198	70	20	18	306	42	19	20	16	16	5	4	5	2	1	2	6
17	17	9	6	49	14	20	17	11	11	9	3	8	5	7	5	7
9	-	-	-	9	1	-	-	-	-	-	-	-	-	-	-	8
17	7	4	6	34	19	15	18	11	15	4	7	10	4	6	7	9
16	1	3	2	22	7	5	5	4	4	5	8	7	5	6	8	10
20	3	-	1	24	4	-	-	3	-	-	1	1	-	2	1	11
1	-	1	-	2	1	7	3	4	2	-	1	-	-	1	-	12
16	6	3	2	27	7	7	7	8	3	1	-	2	-	1	1	13
26	3	2	1	32	14	5	7	6	3	3	6	5	4	3	3	14
47	41	19	11	118	35	20	29	20	18	14	15	12	10	9	9	15
27	1	8	1	37	40	21	23	26	26	23	25	15	13	7	7	16
4	1	7	4	16	53	32	21	10	5	4	1	3	1	7	4	17
3	6	7	6	22	45	50	52	44	32	24	8	10	9	8	8	18
606	174	118	141	1,059	766	685	513	349	220	158	110	76	73	61	49	19
-	1	3	2	6	18	7	2	6	5	4	1	2	6	5	2	20
606	173	115	139	1,053	748	678	501	343	215	154	109	74	67	56	47	21
-	-	1	-	1	1	-	2	1	-	1	-	-	1	1	-	22
74	6	8	11	99	60	61	36	16	14	10	11	6	6	4	5	23
216	24	22	19	281	53	13	9	3	3	3	2	5	-	3	2	24
-	1	-	-	1	7	7	3	-	1	-	-	1	1	1	1	25
84	29	17	13	142	36	25	12	7	5	5	6	4	5	3	5	26
5,460	458	279	208	4,405	537	282	241	181	130	99	83	74	59	48	37	27
371	13	2	1	387	6	3	1	2	1	-	-	1	1	-	-	28
109	20	19	20	168	51	27	15	12	6	3	5	4	5	4	2	29
167	11	9	12	199	31	19	19	10	10	6	11	9	4	3	5	30
144	12	4	2	162	17	12	5	4	4	7	5	6	3	3	3	31
1,191	232	132	90	1,645	245	154	122	100	73	48	36	34	27	26	17	32
121	63	32	21	237	56	22	24	16	6	7	-	2	4	-	2	33
262	5	5	3	275	10	1	3	4	3	1	2	-	-	1	1	34
149	62	35	29	275	57	18	25	13	20	11	10	7	8	5	2	35
208	17	16	13	254	17	5	6	4	1	4	2	1	1	2	1	36
155	3	4	5	167	5	6	3	3	1	3	4	2	-	-	-	37
27	2	1	2	32	5	5	6	2	2	3	4	2	2	2	3	38
469	14	13	9	505	29	8	8	6	2	4	2	3	2	2	1	39
87	4	7	1	99	10	2	4	3	1	1	1	1	2	2	2	40
24,414	515	155	96	25,180	67	28	11	10	4	3	1	3	2	-	2	41
10	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	42
277	7	4	2	290	2	-	-	-	-	-	-	1	-	-	-	43
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	44
140	4	-	-	144	1	-	-	-	-	-	-	-	-	-	-	45
7	1	2	2	12	1	-	-	-	-	-	-	1	-	-	-	46
126	2	2	-	130	-	-	-	-	-	-	-	-	-	-	-	47
92	2	1	-	95	-	-	-	-	-	-	-	-	-	-	-	48
129	3	2	-	134	1	-	1	-	-	-	-	-	-	-	-	49
528	14	2	-	544	1	2	-	-	-	-	-	-	-	-	-	50
236	12	2	-	250	-	-	-	-	-	-	-	-	-	-	-	51
282	2	-	-	294	1	2	-	-	-	-	-	-	-	-	-	52
2,866	29	4	1	3,000	6	1	2	-	-	-	-	-	-	-	-	53
1,463	5	2	1	1,471	-	2	-	-	-	-	-	-	-	-	-	54
294	5	-	-	299	-	-	-	-	-	-	-	-	-	-	-	55
356	35	12	11	1,034	7	1	1	1	1	1	1	1	-	-	1	56
471	10	-	4	465	2	1	-	1	1	-	-	-	-	-	-	57
2,909	57	13	4	2,983	8	4	-	-	-	-	-	1	-	-	-	58
2,420	53	16	9	2,496	12	6	1	3	-	-	-	-	1	-	-	59
5,459	124	41	27	5,651	7	2	3	-	1	1	1	-	-	-	-	60
439	16	8	6	469	-	-	-	-	-	-	-	-	-	-	-	61
4,919	69	32	11	5,031	12	3	1	3	2	1	-	-	-	-	1	62
2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	63
233	23	4	2	262	1	-	-	-	-	-	-	-	-	-	-	64
847	42	14	18	921	8	6	2	2	-	-	-	1	-	-	-	65
242	41	36	52	371	413	377	277	173	73	68	36	27	16	11	18	66
44	24	29	28	125	214	200	172	110	95	96	81	76	69	59	59	67
23	8	11	11	53	83	92	71	34	22	26	20	20	10	13	7	68
7	7	8	7	29	71	58	47	36	33	27	17	17	12	5	4	69
14	9	10	10	43	60	50	54	40	40	43	44	39	47	41	48	70
24	2	3	3	32	13	8	4	6	3	4	5	4	4	1	3	71
106	43	31	31	211	140	95	76	59	32	29	19	30	20	26	19	72

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 Total, female--all causes-----	31,793	2,896	10,952	3,261	1,899	619	520	372	304
2 Diarrheal diseases-----009	356	-	-	1	2	1	-	1	3
3 Whooping cough-----033	6	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	49	-	-	-	-	-	-	-	-
5 Tetanus-----037	2	-	-	-	-	-	-	1	-
6 Septicemia-----038	320	3	22	19	25	10	16	13	14
7 Viral diseases-----040-079	112	1	2	2	2	1	1	1	2
8 Congenital syphilis-----090	12	-	6	1	1	1	-	2	2
9 Other infective and parasitic diseases-----Remainder of 000-136	96	-	1	2	-	1	-	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	77	-	3	4	2	-	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	33	3	9	2	1	1	-	-	-
12 Diseases of thymus gland-----254	9	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----273.0	62	-	2	1	3	2	-	2	2
14 Diseases of the blood and blood-forming organs-----280-289	73	1	3	5	4	3	4	2	2
15 Meningitis-----320	242	-	-	3	11	3	2	4	4
16 Other diseases of nervous system and sense organs-----321-389	216	3	5	2	5	1	-	-	2
17 Acute upper respiratory infections-----460-465	95	-	-	-	-	-	-	-	-
18 Bronchitis and bronchiolitis-----466,490,491	259	-	1	-	2	-	-	2	3
19 Influenza and pneumonia-----470-474,480-486	3,042	12	131	101	82	27	33	26	19
20 Influenza-----470-474	52	1	-	-	-	-	-	-	-
21 Pneumonia-----480-486	2,990	11	131	101	82	27	33	26	19
22 Other chronic interstitial pneumonia-----517	11	-	-	1	-	-	-	-	-
23 All other diseases of respiratory system-----482,483,500-516,518,519	270	11	36	7	10	2	-	-	-
24 Hernia and intestinal obstruction-----550-553,560	265	26	91	25	15	12	3	6	2
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	34	-	-	1	-	-	-	1	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	178	5	7	3	7	8	4	7	4
27 Congenital anomalies-----740-759	5,133	631	996	284	249	185	122	93	83
28 Anencephalus-----740	554	249	186	31	13	11	11	6	7
29 Spina bifida-----741	362	37	51	12	12	8	4	6	7
30 Congenital hydrocephalus-----742	286	43	62	12	8	4	2	2	2
31 Other congenital anomalies of central nervous system and eyes-----743,744	230	23	51	12	11	4	12	1	3
32 Congenital anomalies of heart-----746	1,951	34	207	127	130	109	54	39	33
33 Other congenital anomalies of circulatory system-----747	305	8	17	13	16	11	13	7	9
34 Congenital anomalies of respiratory system-----748	203	40	90	22	10	3	2	2	-
35 Congenital anomalies of digestive system-----749-751	342	5	28	13	16	13	13	17	14
36 Congenital anomalies of genitourinary system-----752,753	110	16	46	4	3	3	1	-	1
37 Congenital anomalies of musculoskeletal system-----754-756	147	41	58	8	2	3	1	2	-
38 Down's disease-----759.3	67	3	13	2	1	3	-	1	1
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	466	114	162	22	21	9	7	11	6
40 Other and unspecified congenital anomalies-----745,767,788	92	19	25	6	6	4	2	-	-
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	17,749	2,117	9,522	2,748	1,445	530	318	189	147
42 Chronic circulatory and genitourinary diseases in mother-----760	9	4	2	2	1	1	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	189	25	92	26	18	6	1	1	1
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	105	11	51	17	11	6	1	1	-
46 Rubella-----761.3	6	-	2	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	76	14	39	9	7	-	-	-	1
48 Toxemia of pregnancy-----762	81	16	40	14	4	3	-	-	-
49 Maternal antepartum and intrapartum infection-----763	105	24	59	9	5	3	1	-	-
50 Difficult labor-----764-768	319	64	147	52	27	8	6	5	3
51 With mention of birth injury (.0-.3)-----764-768	132	7	59	27	18	4	5	4	3
52 Without mention of birth injury (.4-.9)-----764-768	187	57	88	25	9	4	1	1	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	2,311	392	1,433	275	105	28	28	10	7
54 Conditions of placenta-----770	1,047	255	625	93	39	13	2	2	3
55 Conditions of umbilical cord-----771	193	67	83	25	10	2	2	-	-
56 Birth injury without mention of cause-----772	644	31	236	112	77	44	34	17	14
57 Hemolytic disease of newborn-----774,775	401	97	210	32	18	16	10	4	4
58 Hyaline membrane disease-----776.1	1,811	22	733	513	318	89	40	22	14
59 Respiratory distress syndrome-----776.2	1,596	49	760	362	192	63	40	23	17
60 Asphyxia of newborn, unspecified-----786.9	3,922	422	2,199	580	296	113	73	37	37
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	354	34	144	63	32	7	5	6	8
62 Immaturity, unqualified-----777	3,692	554	2,309	458	218	89	51	40	25
63 Postmaturity-----778.1	1	-	1	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	170	3	68	23	25	18	11	8	3
65 All other conditions of newborn-----778.0,778.3,778.9	724	58	364	89	61	27	14	14	11
66 Symptoms and ill-defined conditions-----780-796	1,347	45	69	21	16	14	4	7	10
67 Accidents-----E800-E849	1,069	6	12	8	7	5	5	2	2
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	317	-	4	1	6	3	4	-	2
69 Accidental mechanical suffocation-----E913	284	-	4	1	1	1	1	-	-
70 Other accidental causes-----E800-E910,E914-E949	498	6	4	6	1	1	1	2	-
71 Homicide-----E950-E978	84	13	-	5	1	-	1	1	-
72 All other causes-----Residual	612	21	35	15	9	11	7	7	6

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1969-Con.

Revision, International Classification of Diseases, Adapted, 1985]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
21,023	1,201	634	552	23,410	1,983	1,507	1,144	652	706	537	428	368	306	282	270	1
8	19	22	27	76	71	41	29	28	21	20	24	13	13	9	11	2
-	-	-	1	1	1	2	1	1	-	-	-	-	-	-	-	3
-	-	1	-	1	3	8	6	5	3	7	1	5	4	5	1	4
1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	5
127	48	25	14	214	33	18	8	8	9	8	12	3	2	3	2	6
13	14	1	4	32	12	9	14	8	12	6	5	6	4	3	1	7
11	1	-	-	12	-	-	-	-	-	-	-	-	-	-	-	8
4	7	2	7	20	16	11	5	6	6	5	7	4	4	4	8	9
9	-	-	2	11	4	7	5	7	6	4	-	6	10	8	9	10
16	4	-	-	20	2	2	2	-	1	2	-	1	2	-	1	11
-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	12
12	7	2	2	23	6	6	4	6	2	2	3	2	2	2	2	13
24	3	3	1	31	10	7	6	-	-	3	2	1	5	3	3	14
27	22	16	11	76	32	22	15	13	24	17	12	5	10	5	11	15
18	2	-	2	22	15	17	25	19	25	21	20	15	13	12	12	16
-	-	4	1	5	14	19	17	15	8	2	3	4	6	4	4	17
8	7	1	7	23	50	46	38	24	19	19	6	10	11	8	5	18
430	140	99	105	774	534	470	374	243	205	110	90	83	60	53	46	19
1	1	1	1	4	12	10	7	2	3	3	1	-	4	3	3	20
429	139	98	104	770	522	460	367	241	202	107	89	83	56	50	43	21
1	-	-	-	1	3	1	-	-	2	2	1	2	-	-	-	22
66	6	5	4	81	53	39	27	22	8	13	8	9	3	3	5	25
180	14	14	11	219	15	7	6	4	4	3	1	5	-	1	1	24
2	4	-	1	7	4	4	2	6	-	2	2	1	2	1	2	25
45	26	14	11	96	21	16	6	7	8	4	2	4	6	2	6	26
2,643	395	210	160	3,408	466	276	204	185	138	116	91	83	63	54	51	27
514	17	2	2	535	7	3	1	5	1	2	1	1	-	-	-	28
137	27	31	24	219	63	24	24	10	13	8	6	3	4	4	4	29
135	5	5	6	151	31	15	15	16	13	9	12	3	6	5	10	30
117	17	10	2	146	26	7	11	9	3	4	4	9	7	2	31	
732	195	96	67	1,030	206	159	108	84	69	59	42	37	27	25	25	32
94	44	21	17	178	37	20	11	18	9	8	6	5	3	5	5	33
169	6	4	3	182	3	3	2	3	2	2	-	-	-	-	1	34
119	43	20	21	203	34	16	9	13	11	15	11	9	11	6	4	35
74	9	3	3	69	7	4	2	2	-	-	1	2	2	3	-	36
115	6	3	2	126	8	4	1	3	1	2	1	1	1	-	-	37
24	3	1	2	30	7	4	4	6	2	4	4	5	5	2	1	38
352	20	9	8	389	30	17	12	13	8	3	4	4	2	2	3	39
61	3	5	3	72	4	2	4	5	2	2	-	1	-	-	-	40
17,016	398	125	92	17,631	61	20	12	6	5	6	6	1	-	-	1	41
9	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	42
170	9	4	-	183	4	-	1	-	-	1	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
98	6	1	-	104	2	-	1	-	-	-	-	-	-	-	-	45
2	1	8	-	6	2	-	-	-	-	-	-	-	-	-	-	46
70	2	1	-	73	2	-	-	-	-	1	-	-	-	-	-	47
77	2	1	-	80	-	-	-	-	-	-	-	-	-	-	-	48
101	1	1	1	104	1	-	-	-	-	-	-	-	-	-	-	49
312	4	-	1	317	1	-	-	1	-	-	-	-	-	-	-	50
127	3	-	1	131	1	-	-	1	-	-	-	-	-	-	-	51
185	1	-	-	186	1	-	-	-	-	-	-	-	-	-	-	52
2,278	25	1	2	2,306	4	-	-	1	-	-	-	-	-	-	-	53
1,032	9	3	1	1,045	-	-	1	1	-	-	-	-	-	-	-	54
189	2	1	-	192	-	-	1	-	-	-	-	-	-	-	-	55
565	40	17	10	632	4	2	1	-	-	2	3	-	-	-	-	56
391	4	4	-	399	1	1	-	-	-	-	-	-	-	-	-	57
1,751	41	5	8	1,805	4	2	-	-	-	-	-	-	-	-	-	58
1,526	39	10	7	1,562	5	2	2	1	2	-	2	-	-	-	-	59
3,757	88	40	23	3,908	6	2	1	2	1	-	1	1	-	-	-	60
299	11	11	8	329	3	-	2	-	-	-	-	-	-	-	-	61
3,744	80	22	13	3,859	20	9	2	-	1	1	-	-	-	-	-	62
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	63
186	9	2	2	169	-	-	1	-	-	-	-	-	-	-	-	64
658	34	3	16	711	8	2	-	-	1	2	-	-	-	-	-	65
185	33	45	49	310	284	242	169	101	78	61	32	19	22	19	10	66
47	18	19	19	103	160	153	125	66	93	72	65	58	44	56	54	67
20	8	5	7	40	49	58	51	23	24	15	11	13	11	13	9	68
7	6	6	5	24	42	45	33	19	35	17	20	13	5	9	2	69
20	4	8	7	39	69	50	41	44	34	40	34	32	28	34	43	70
21	-	1	2	24	5	5	-	7	4	2	-	3	3	5	6	71
111	33	24	19	187	106	59	42	46	26	29	34	23	17	20	23	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 White, both sexes--all causes-----	55,108	4,924	19,854	6,252	3,838	1,654	931	643	505
2 Diarrheal diseases-----009	381	-	-	-	1	3	2	1	2
3 Whooping cough-----033	6	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	120	-	-	-	1	-	-	-	-
5 Tetanus-----057	2	-	-	-	-	-	-	-	-
6 Septicemia-----038	479	1	32	34	34	27	35	22	16
7 Viral diseases-----040-079	189	3	5	4	4	2	4	2	2
8 Congenital syphilis-----090	11	-	7	-	2	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-156	149	1	3	4	3	4	3	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	148	3	6	7	3	1	-	1	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	53	7	9	5	4	-	-	1	-
12 Diseases of thymus gland-----254	25	-	1	-	-	-	-	-	-
13 Cystic fibrosis-----273.0	115	-	3	1	7	6	2	2	4
14 Diseases of the blood and blood-forming organs-----280-289	106	-	7	10	6	7	1	2	4
15 Meningitis-----320	362	-	-	5	19	9	10	8	7
16 Other diseases of nervous system and sense organs-----321-389	364	4	14	5	6	1	1	-	2
17 Acute upper respiratory infections-----460-465	157	-	1	-	-	-	-	-	-
18 Bronchitis and bronchiolitis-----466,490,491	344	-	1	-	1	-	1	-	-
19 Influenza and pneumonia-----470-474,480-486	4,440	18	212	168	142	69	46	35	34
20 Influenza-----470-474	67	1	-	-	-	-	-	-	-
21 Pneumonia-----480-486	4,373	17	212	168	142	69	46	35	34
22 Other chronic interstitial pneumonia-----517	14	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	435	11	61	17	16	3	-	2	1
24 Hernia and intestinal obstruction-----520-553,550	519	45	177	49	37	18	5	9	6
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----533,561,563	32	-	-	1	-	-	-	-	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	314	4	15	10	14	12	16	9	8
27 Congenital anomalies-----740-759	9,322	1,074	2,012	571	595	391	250	189	149
28 Anencephalus-----740	378	341	309	58	40	24	17	14	14
29 Spina bifida-----741	631	55	60	23	21	12	9	12	12
30 Congenital hydrocephalus-----742	504	74	125	22	15	8	3	5	2
31 Other congenital anomalies of central nervous system and eye-----743,744	408	37	110	26	22	16	16	6	6
32 Congenital anomalies of heart-----745	3,666	72	394	264	351	224	123	86	70
33 Other congenital anomalies of circulatory system-----747	572	12	38	30	35	25	20	13	0
34 Congenital anomalies of respiratory system-----748	414	65	202	38	17	7	5	2	3
35 Congenital anomalies of digestive system-----749-751	640	14	52	25	29	21	30	26	19
36 Congenital anomalies of genitourinary system-----752,753	352	55	155	12	8	4	4	4	4
37 Congenital anomalies of musculoskeletal system-----754-756	289	72	132	12	9	5	3	3	1
38 Down's disease-----759.3	114	6	19	4	2	5	3	2	1
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	687	224	346	44	40	23	10	10	6
40 Other and unspecified congenital anomalies-----745,757,759	167	28	30	13	9	4	4	2	2
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	32,239	3,665	17,147	5,301	2,697	1,058	529	337	236
42 Chronic circulatory and genitourinary diseases in mother-----760	12	4	4	3	-	1	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	391	49	178	73	43	13	3	8	1
44 Syphilis-----761.0	1	-	1	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	220	18	94	40	30	11	2	9	-
46 Rubella-----761.3	17	3	2	1	1	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	153	28	81	24	12	2	1	-	1
48 Toxemia of pregnancy-----762	115	28	54	17	8	4	-	-	1
49 Maternal antepartum and intrapartum infection-----763	158	37	84	18	6	3	2	1	-
50 Difficult labor-----764-768	657	139	306	93	54	19	8	8	5
51 With mention of birth injury (.0-.3)	277	24	130	43	34	11	6	7	4
52 Without mention of birth injury (.4,.9)	380	115	176	50	20	8	2	1	1
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	4,028	659	2,501	482	198	69	37	17	9
54 Conditions of placenta-----770	2,116	538	1,228	202	88	25	6	6	6
55 Conditions of umbilical cord-----771	407	125	178	53	25	9	6	2	-
56 Birth injury without mention of cause-----772	1,217	52	443	240	160	96	53	37	22
57 Hemolytic disease of newborn-----774,775	818	162	417	86	56	36	21	10	0
58 Hyaline membrane disease-----776.1	4,029	39	1,527	1,198	745	237	80	48	37
59 Respiratory distress syndrome-----776.2	3,154	101	1,464	771	421	132	62	43	26
60 Asphyxia of newborn, unspecified-----766.9	7,097	695	4,078	1,094	566	191	109	64	59
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	586	61	248	92	60	36	12	9	6
62 Immaturity, unqualified-----777	6,066	854	3,763	687	339	112	74	50	30
63 Postmaturity-----778.1	2	-	1	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	316	6	95	58	53	31	19	17	7
65 All other conditions of newborn-----778.0,778.3,778.9	1,090	116	558	134	76	44	29	18	19
66 Symptoms and ill-defined conditions-----780-796	1,842	37	71	24	22	15	7	11	13
67 Accidents-----E800-E949	1,707	4	13	7	8	8	6	4	6
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	533	-	2	2	7	6	6	1	4
69 Accidental mechanical suffocation-----E915	438	-	2	-	-	-	-	1	2
70 Other accidental causes-----E800-E910,E914-E949	736	4	9	5	1	1	-	2	-
71 Homicide-----E960-E978	101	19	5	4	-	-	1	-	1
72 All other causes-----Residual	932	28	52	25	18	14	13	6	13

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
38,601	1,944	1,014	849	42,408	3,119	2,371	1,845	1,301	947	745	610	537	442	417	566	1
9	21	20	20	70	81	36	22	31	24	23	22	24	13	20	15	2
-	-	-	-	-	1	1	1	2	-	-	-	-	1	-	-	3
1	2	2	2	5	10	19	14	15	10	9	6	8	10	10	6	4
2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	5
199	85	23	16	323	47	21	22	16	15	12	11	6	3	1	2	6
26	20	8	6	60	20	21	18	14	14	11	6	9	5	6	5	7
10	1	-	-	11	-	-	-	-	-	-	-	-	-	-	-	8
18	8	5	5	56	25	12	12	12	14	4	5	11	6	7	7	9
21	1	3	4	29	11	10	9	10	10	7	6	12	15	13	14	10
29	4	-	1	34	4	2	2	3	1	2	-	2	1	1	1	11
1	-	1	-	2	3	10	4	3	1	-	1	-	-	1	-	12
25	13	5	3	46	12	12	9	12	5	3	2	4	4	3	3	13
37	5	4	1	47	16	7	11	2	3	4	5	3	2	4	2	14
58	49	27	10	144	42	26	26	19	27	18	14	10	15	11	10	15
35	3	6	2	44	34	25	33	38	42	34	33	27	21	15	18	16
2	1	9	3	15	28	35	28	14	10	3	3	6	5	8	3	17
6	9	2	6	23	58	55	60	48	30	22	10	9	8	12	9	18
784	187	139	148	1,198	796	729	559	349	239	153	112	95	82	73	55	19
1	1	3	1	6	15	9	7	7	3	3	2	2	6	5	2	20
723	186	136	147	1,192	781	720	552	342	236	150	110	93	76	68	53	21
-	-	1	-	1	4	2	2	1	1	2	-	1	-	1	-	22
111	9	12	10	142	83	78	44	25	12	10	12	11	6	5	7	23
346	30	28	21	425	44	13	10	6	4	5	3	7	-	1	1	24
1	3	-	4	4	8	5	3	2	1	1	1	2	2	1	2	25
88	44	21	14	167	40	30	15	9	11	7	6	6	9	4	10	26
5,229	725	399	319	6,672	842	439	356	296	212	176	147	131	100	82	69	27
817	25	4	3	849	12	5	1	4	2	2	1	2	-	-	-	28
231	41	44	42	358	106	46	36	20	15	11	10	7	9	7	6	29
252	15	12	16	295	52	28	27	23	18	11	18	8	8	7	9	30
259	24	13	3	278	38	14	14	12	5	10	7	12	10	4	4	31
1,584	373	188	134	2,279	379	239	179	148	112	84	64	60	43	44	35	32
188	88	46	36	558	77	34	28	27	11	12	6	6	7	1	5	33
359	9	6	6	379	10	2	5	5	4	3	2	2	-	1	1	34
214	86	41	39	380	76	28	21	25	21	20	12	15	7	5	5	35
252	20	12	13	297	20	9	6	5	1	3	3	2	1	4	1	36
236	7	5	5	253	9	4	4	4	1	3	2	1	1	1	1	37
42	5	2	4	53	10	7	7	6	6	5	9	8	2	2	2	38
703	28	17	14	762	43	18	14	15	10	4	4	7	3	1	1	39
112	4	11	4	131	10	4	7	2	1	1	2	1	4	2	-	40
51,170	605	181	125	52,081	79	35	17	7	5	5	4	3	2	-	1	41
12	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	42
368	9	6	2	385	4	-	1	-	-	-	-	1	-	-	-	43
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
211	7	-	-	218	1	-	1	-	-	-	-	-	-	-	-	45
7	1	3	2	13	3	-	-	-	-	-	-	1	-	-	-	46
149	1	3	-	153	-	-	-	-	-	-	-	-	-	-	-	47
112	2	1	-	115	-	-	-	-	-	-	-	-	-	-	-	48
151	1	3	-	155	2	1	-	-	-	-	-	-	-	-	-	49
632	17	2	1	652	2	2	-	1	-	-	-	-	-	-	-	50
259	14	2	1	276	-	-	-	1	-	-	-	-	-	-	-	51
373	3	-	-	376	2	2	-	-	-	-	-	-	-	-	-	52
3,972	40	4	2	4,018	8	-	2	-	-	-	-	-	-	-	-	53
2,099	9	3	2	2,113	-	2	-	1	-	-	-	-	-	-	-	54
398	7	1	-	406	-	-	1	-	-	-	-	-	-	-	-	55
1,103	59	21	17	1,200	7	2	1	1	-	2	1	-	-	-	1	56
786	10	4	3	813	3	1	-	1	-	-	-	-	-	-	-	57
3,920	75	14	9	4,018	6	-	-	-	-	-	-	1	-	-	-	58
3,040	64	19	9	3,132	9	7	2	-	1	2	-	-	1	-	-	59
6,854	135	54	34	7,077	10	3	3	1	2	1	-	-	-	-	-	60
525	19	11	9	564	-	-	2	-	-	-	-	-	-	-	-	61
5,908	91	26	13	6,038	14	8	2	1	2	1	-	-	-	-	-	62
1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
288	21	4	4	315	1	-	-	-	-	-	-	-	-	-	-	64
933	45	8	20	1,066	13	6	2	1	-	1	-	-	1	-	-	65
200	34	51	62	347	422	389	278	146	78	67	41	23	23	14	14	66
56	29	33	36	154	246	252	201	149	130	125	118	92	80	83	77	67
20	13	13	13	67	85	119	75	45	26	33	24	20	13	19	9	68
6	7	7	9	29	73	70	54	41	52	36	31	23	14	10	5	69
22	9	13	14	58	90	63	72	63	52	58	63	49	53	54	63	70
30	1	2	4	37	13	10	2	8	6	2	4	5	3	8	5	71
171	55	32	31	289	152	98	87	66	42	40	36	31	26	35	30	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

1	Cause of death, color, and sex	Total, under 1 year	Days							
			Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	White, male--all causes-----	32,158	2,659	11,790	3,751	2,360	1,056	532	375	283
2	Diarrheal diseases-----009	209	-	-	-	-	2	2	-	-
3	Whooping cough-----033	2	-	-	-	-	-	-	-	-
4	Meningococcal infections-----036	81	-	-	-	-	1	-	-	-
5	Tetanus-----037	2	-	-	-	-	-	-	-	-
6	Septicemia-----038	275	-	19	22	19	23	10	12	8
7	Viral diseases-----040-079	115	2	4	2	2	-	3	1	-
8	Congenital syphilis-----090	4	-	3	-	1	-	-	-	-
9	Other infective and parasitic diseases-----Remainder of 000-136	97	1	2	2	3	3	3	-	-
10	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	77	3	3	3	1	1	-	1	-
11	Benign neoplasms and neoplasms of unspecified nature-----210-239	27	5	2	3	2	3	-	1	-
12	Diseases of thymus gland-----254	17	-	1	-	-	-	-	-	-
13	Cystic fibrosis-----275.0	58	-	1	-	4	4	2	-	2
14	Diseases of the blood and blood-forming organs-----280-289	56	-	5	6	2	4	-	-	2
15	Meningitis-----320	214	-	-	3	10	6	9	4	6
16	Other diseases of nervous system and sense organs-----321-389	190	1	11	3	1	-	1	-	-
17	Acute upper respiratory infections-----460-465	91	-	1	-	-	-	1	-	-
18	Bronchitis and bronchiolitis-----466,490,491	206	-	-	-	-	-	1	-	-
19	Influenza and pneumonia-----470-474,480-486	2,640	9	128	99	90	50	23	23	20
20	Influenza-----470-474	40	-	-	-	-	-	-	-	-
21	Pneumonia-----480-486	2,600	9	128	99	90	50	23	23	20
22	Other chronic interstitial pneumonia-----517	7	-	-	-	-	-	-	-	1
23	All other diseases of respiratory system-----482,493,500-516,518,519	243	1	36	12	8	2	-	2	1
24	Hernia and intestinal obstruction-----550-553,560	295	21	101	26	23	8	3	4	5
25	Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	13	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	176	-	10	7	9	7	12	3	5
27	Congenital anomalies-----740-759	5,213	515	1,163	343	389	236	143	111	81
28	Anencephalus-----740	361	107	138	28	28	13	7	8	7
29	Spina bifida-----741	273	17	35	12	9	13	8	3	5
30	Congenital hydrocephalus-----742	273	42	69	14	7	5	1	6	1
31	Other congenital anomalies of central nervous system and eye-----743,744	201	17	65	14	12	13	5	5	3
32	Congenital anomalies of heart-----745	2,100	43	237	166	243	132	77	65	41
33	Other congenital anomalies of circulatory system-----747	325	5	26	17	22	15	8	13	4
34	Congenital anomalies of respiratory system-----748	251	54	129	24	8	4	3	-	3
35	Congenital anomalies of digestive system-----749-751	370	10	29	14	18	13	19	12	8
36	Congenital anomalies of genitourinary system-----752,753	258	43	115	9	7	5	3	4	3
37	Congenital anomalies of musculoskeletal system-----754-756	162	35	80	6	6	3	2	1	1
38	Down's disease-----759.3	59	4	7	3	1	2	3	1	-
39	Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	481	123	200	28	23	16	5	2	3
40	Other and unspecified congenital anomalies-----745,757,758	99	15	33	8	5	2	2	2	2
41	Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	19,148	2,059	10,221	3,180	1,774	667	294	200	134
42	Chronic circulatory and genitourinary diseases in mother-----760	6	1	4	1	-	-	-	-	-
43	Other maternal conditions unrelated to pregnancy-----761	240	27	108	50	27	7	2	7	-
44	Syphilis-----761.0	1	-	-	-	-	-	-	-	-
45	Diabetes mellitus-----761.1	128	7	53	32	19	5	1	7	-
46	Rubella-----761.3	12	3	1	1	1	-	-	-	-
47	All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	99	17	53	17	7	2	1	-	-
48	Toxemia of pregnancy-----762	65	17	25	10	6	2	-	-	1
49	Maternal antepartum and intrapartum infection-----763	89	22	43	11	4	2	1	-	-
50	Difficult labor-----764-768	419	86	201	56	34	12	4	5	2
51	With mention of birth injury (.0-.3)	182	17	89	25	22	8	3	4	1
52	Without mention of birth injury (.4-.9)	237	69	113	31	12	4	1	1	1
53	All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	2,293	353	1,431	275	121	50	12	11	6
54	Conditions of placenta-----770	1,239	313	719	122	54	14	4	4	3
55	Conditions of umbilical cord-----771	246	69	107	35	17	7	4	2	-
56	Birth injury without mention of cause-----772	767	29	287	159	109	64	26	22	13
57	Hemolytic disease of newborn-----774,775	437	69	215	55	40	21	13	6	5
58	Hyaline membrane disease-----776.1	2,533	24	927	760	478	165	59	30	25
59	Respiratory distress syndrome-----776.2	1,964	59	929	483	270	81	31	24	15
60	Asphyxia of newborn, unspecified-----766.9	4,224	390	2,473	646	334	112	61	38	20
61	All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	344	36	145	54	38	32	9	5	2
62	Immaturity, unqualified-----777	3,460	486	2,231	359	170	55	40	23	18
63	Postmaturity-----778.1	1	-	-	-	-	-	-	-	-
64	Hemorrhagic disease of newborn-----778.2	193	4	51	42	33	17	9	11	4
65	All other conditions of newborn-----778.0,778.3,778.9	630	74	325	72	39	28	18	11	10
66	Symptoms and ill-defined conditions-----780-786	1,131	21	43	15	10	9	6	6	5
67	Accidents-----E800-E949	991	2	8	2	2	4	3	2	4
68	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	334	-	1	1	2	4	3	1	2
69	Accidental mechanical suffocation-----E913	264	-	1	-	-	-	-	-	-
70	Other accidental causes-----E900-E910,E914-E949	393	2	6	1	-	-	-	-	-
71	Homicide-----E960-E978	51	7	5	-	-	-	-	-	1
72	All other causes-----Residual	531	12	25	13	10	6	7	5	9

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
22,786	1,081	576	475	24,918	1,810	1,415	1,124	756	499	395	320	286	244	215	178	1
4	12	11	10	37	44	23	13	14	12	7	11	16	9	14	9	2
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3
1	-	1	2	4	7	12	10	10	8	4	5	3	7	6	5	4
-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	5
122	49	10	8	189	26	10	16	12	8	4	4	3	1	-	2	6
14	11	7	5	37	10	12	10	9	8	5	3	6	4	5	4	7
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	8
14	5	3	3	25	12	6	11	8	11	2	4	7	3	4	4	9
12	1	3	2	18	7	4	5	4	4	4	4	6	5	6	6	10
16	2	-	1	19	3	-	-	3	-	-	-	1	-	1	-	11
1	-	1	-	2	1	7	2	2	1	-	1	-	-	1	-	12
13	6	3	1	23	6	7	6	8	3	1	-	2	-	1	-	13
19	2	1	-	22	10	3	7	2	2	2	4	2	1	1	-	14
38	37	13	4	92	24	15	18	12	12	8	7	6	9	7	4	15
17	1	6	-	24	22	14	17	22	22	18	14	13	11	6	7	16
2	1	6	2	11	18	25	14	5	3	3	1	3	1	4	3	17
4	4	2	3	10	25	32	41	32	23	14	6	6	4	6	4	18
442	105	82	83	712	474	457	342	209	129	94	65	51	47	38	22	19
1	1	3	-	4	7	3	4	6	2	2	1	2	4	4	1	20
442	104	79	83	708	467	454	338	203	127	92	64	49	43	34	21	21
-	-	1	-	1	1	-	2	1	-	1	-	-	-	1	-	22
5	5	7	7	81	45	25	9	9	5	5	4	5	5	3	5	23
62	18	17	12	238	32	6	7	2	1	2	2	4	-	-	1	24
191	1	-	-	1	5	3	2	5	1	-	1	1	-	-	-	25
53	20	10	8	91	26	18	9	3	5	3	5	4	4	3	5	26
2,981	384	225	163	3,773	449	217	191	154	106	82	68	60	47	37	29	27
356	11	2	1	550	5	2	2	2	1	-	-	-	-	-	-	28
102	14	16	20	152	47	23	15	11	3	3	4	4	5	3	2	29
144	10	7	11	172	27	15	14	9	4	5	8	6	3	2	3	30
134	10	3	1	148	14	8	3	4	4	6	4	3	3	2	2	31
994	204	104	79	1,381	207	114	97	88	60	37	29	26	25	22	14	32
110	51	23	20	210	49	18	19	12	3	7	-	3	3	-	2	33
225	3	3	3	234	5	-	3	3	2	1	2	-	-	-	1	34
153	50	28	24	225	47	15	20	9	18	11	10	6	4	3	2	35
169	13	10	11	223	14	5	3	3	1	3	2	2	1	1	1	36
134	2	4	3	143	2	4	3	2	2	2	2	2	1	-	-	37
21	2	1	2	26	4	5	5	2	2	3	5	4	2	2	1	38
400	12	11	7	430	21	4	5	7	2	3	5	3	2	2	1	39
69	2	7	1	79	7	2	3	2	-	1	1	1	1	2	-	40
19,539	350	107	61	19,057	45	21	10	4	2	3	-	3	2	-	1	41
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	42
228	3	4	2	237	2	-	-	-	-	-	-	1	-	-	-	43
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
124	3	-	-	127	1	-	-	-	-	-	-	-	-	-	-	45
6	-	2	2	10	1	-	-	-	-	-	-	1	-	-	-	46
97	-	2	-	99	-	-	-	-	-	-	-	-	-	-	-	47
61	1	-	-	63	-	-	-	-	-	-	-	-	-	-	-	48
85	-	2	-	87	1	-	1	-	-	-	-	-	-	-	-	49
400	14	2	-	415	1	2	-	-	-	-	-	-	-	-	-	50
168	12	-	-	182	-	-	-	-	-	-	-	-	-	-	-	51
232	2	-	-	234	1	2	-	-	-	-	-	-	-	-	-	52
2,259	23	4	1	2,287	4	-	2	-	-	-	-	-	-	-	-	53
1,233	2	1	1	1,237	-	2	-	-	-	-	-	-	-	-	-	54
241	5	-	-	246	-	-	-	-	-	-	-	-	-	-	-	55
709	29	10	8	758	5	1	1	1	-	1	-	1	-	-	1	56
424	7	-	3	434	2	-	-	1	-	-	-	-	-	-	-	57
2,469	44	9	3	2,524	5	3	-	-	-	-	-	1	-	-	-	58
1,892	39	12	7	1,950	7	5	1	-	-	-	-	-	1	-	-	59
4,084	82	29	17	4,212	6	2	2	-	1	-	-	-	-	-	-	60
321	13	8	4	344	-	-	-	-	-	-	-	-	-	-	-	61
3,382	46	17	4	3,449	5	2	1	1	1	1	-	-	-	-	-	62
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	63
171	16	3	2	192	1	-	-	-	-	-	-	-	-	-	-	64
575	25	7	9	616	6	4	2	1	-	-	-	-	1	-	-	65
115	19	21	34	169	275	247	187	97	41	37	25	12	10	4	9	66
27	16	19	21	83	150	157	118	89	63	73	65	53	55	44	41	67
14	6	10	7	37	57	80	45	29	9	23	17	12	8	10	7	68
4	4	3	5	16	49	42	34	29	27	21	14	14	11	4	3	69
9	6	6	9	30	44	35	39	31	27	29	34	27	36	30	31	70
13	1	2	2	18	8	7	2	3	2	1	4	1	2	1	2	71
85	29	18	23	155	85	85	59	41	22	22	13	17	16	23	15	72

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 White, female--all causes-----	22,950	2,265	8,064	2,501	1,478	618	399	268	222
2 Diarrheal diseases-----009	172	-	-	-	1	1	-	1	2
3 Whooping cough-----053	4	-	-	-	-	-	-	-	-
4 Meningococcal infections-----056	39	-	-	-	-	-	-	-	-
5 Tetanus-----057	-	-	-	-	-	-	-	-	-
6 Septicemia-----058	204	1	13	12	15	4	14	10	8
7 Viral diseases-----040-079	76	1	1	2	2	2	1	1	2
8 Congenital syphilis-----090	7	-	4	-	1	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	52	-	1	2	-	1	-	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	71	-	3	4	2	-	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	26	2	7	2	1	-	-	-	-
12 Diseases of thymus gland-----254	8	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----275.0	57	-	2	1	3	2	-	2	2
14 Diseases of the blood and blood-forming organs-----280-289	50	-	2	4	4	5	1	2	2
15 Meningitis-----320	148	-	-	2	9	3	1	4	1
16 Other diseases of nervous system and sense organs-----321-389	174	3	5	2	5	1	-	-	2
17 Acute upper respiratory infections-----460-465	66	-	-	-	-	-	-	-	-
18 Bronchitis and bronchiolitis-----466,490,491	138	-	1	-	1	-	-	-	-
19 Influenza and pneumonia-----470-474,480-485	1,800	9	84	69	52	19	25	12	14
20 Influenza-----470-474	27	1	-	-	-	-	-	-	-
21 Pneumonia-----480-485	1,773	8	84	69	52	19	25	12	14
22 Other chronic interstitial pneumonia-----517	7	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	192	10	25	5	8	1	-	-	-
24 Hernia and intestinal obstruction-----550-553,560	224	24	76	25	14	10	2	5	1
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	19	-	-	1	-	-	-	-	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	138	4	5	3	5	5	4	6	3
27 Congenital anomalies-----740-759	4,308	559	949	228	206	155	107	77	67
28 Anencephalus-----740	517	254	171	50	12	11	10	6	7
29 Spina bifida-----741	359	56	45	11	12	8	4	6	7
30 Congenital hydrocephalus-----742	231	32	56	8	6	3	2	-	1
31 Other congenital anomalies of central nervous system and eye-----743,744	207	20	45	12	10	3	11	1	3
32 Congenital anomalies of heart-----746	1,566	29	157	99	108	92	46	31	23
33 Other congenital anomalies of circulatory system-----747	247	7	12	13	13	10	12	6	5
34 Congenital anomalies of respiratory system-----748	163	31	73	14	9	3	2	2	-
35 Congenital anomalies of digestive system-----749-751	270	4	25	11	10	8	11	14	10
36 Congenital anomalies of genitourinary system-----752,753	94	15	40	5	2	3	1	-	1
37 Congenital anomalies of musculoskeletal system-----754-756	127	37	52	6	2	2	1	2	-
38 Down's disease-----759.3	55	2	12	1	3	1	1	1	1
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	406	101	148	16	17	7	5	8	3
40 Other and unspecified congenital anomalies-----745,757,758	68	13	17	5	4	2	-	-	-
41 Certain causes of mortality in early infancy-----760-769,2,769.4-772,774-778	15,091	1,606	6,926	2,111	1,123	391	236	137	162
42 Chronic circulatory and genitourinary diseases in mother-----760	6	3	-	2	-	1	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	151	22	70	23	16	6	1	1	1
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	92	11	41	16	11	6	1	1	-
46 Rubella-----761.3	5	1	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	54	11	28	7	5	-	-	-	1
48 Toxemia of pregnancy-----762	52	11	29	7	2	2	-	-	-
49 Maternal antepartum and intrapartum infection-----763	69	15	41	7	2	1	-	-	-
50 Difficult labor-----764-768	238	53	105	37	20	7	4	3	3
51 With mention of birth injury (.0-.3)-----765	95	7	42	18	12	3	3	3	3
52 Without mention of birth injury (.4-.9)-----766	143	46	63	19	8	4	1	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	1,755	306	1,070	207	77	19	25	6	3
54 Conditions of placenta-----770	877	225	509	80	34	11	2	2	3
55 Conditions of umbilical cord-----771	161	56	71	18	8	2	2	-	-
56 Birth injury without mention of cause-----772	450	23	156	61	51	32	27	15	9
57 Hemolytic disease of newborn-----774,775	391	93	202	31	16	15	8	4	3
58 Hyaline membrane disease-----776.1	1,496	15	600	438	267	72	80	18	12
59 Respiratory distress syndrome-----776.2	1,190	42	555	288	151	51	31	19	11
60 Asphyxia of newborn, unspecified-----766.9	2,873	305	1,605	448	232	79	47	26	29
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	222	25	103	38	22	4	3	3	6
62 Immaturity, unqualified-----777	2,606	368	1,532	328	168	57	34	27	12
63 Postmaturity-----778.1	1	-	1	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	123	2	44	16	20	14	10	6	3
65 All other conditions of newborn-----778.0,778.3,778.9	460	42	233	62	37	13	11	7	8
66 Symptoms and ill-defined conditions-----780-796	711	16	28	9	12	6	1	5	8
67 Accidents-----E800-E849	716	2	5	5	6	4	3	2	2
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	199	-	1	1	5	2	3	-	2
69 Accidental mechanical suffocation-----E915	174	-	1	-	-	1	-	-	-
70 Other accidental causes-----E800-E910,E914-E949	343	2	3	4	1	1	-	2	-
71 Homicide-----E960-E979	50	12	-	4	-	-	1	-	-
72 All other causes-----Residual	401	16	29	12	8	6	3	3	4

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
15,815	863	438	374	17,490	1,309	958	721	545	446	350	290	251	198	202	188	1
5	9	9	10	33	37	13	9	17	12	16	11	8	4	6	6	2
-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	3
-	-	1	-	1	3	7	4	3	2	5	1	5	3	4	1	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
77	36	13	0	154	21	11	6	4	7	8	7	3	2	1	-	6
12	9	1	1	23	10	9	8	5	6	6	3	3	1	1	1	7
6	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-	8
4	3	2	2	11	11	6	1	4	3	2	1	4	3	3	3	9
9	-	-	2	11	4	6	4	6	6	3	-	6	10	7	8	10
13	2	-	-	15	1	2	2	-	1	2	1	1	1	-	1	11
-	-	-	-	-	2	3	2	1	-	-	-	-	-	-	-	12
12	7	2	2	23	6	5	3	4	2	2	2	2	4	2	2	13
18	3	3	1	25	6	4	4	-	-	-	1	1	1	4	4	14
20	12	14	6	52	18	13	8	7	15	10	7	2	6	4	6	15
16	2	-	2	20	12	11	16	16	20	16	19	14	10	9	11	16
-	-	3	1	4	10	10	14	9	7	-	2	2	4	4	-	17
5	5	-	3	13	33	23	19	16	7	8	4	3	4	6	2	18
282	82	57	65	486	322	272	217	140	110	89	47	44	35	35	33	19
1	-	-	1	2	8	6	3	1	1	1	1	-	2	1	1	20
281	82	57	64	484	314	266	214	139	109	58	46	44	33	34	32	21
-	-	-	-	-	3	1	-	-	1	1	-	1	-	-	-	22
49	4	5	3	61	38	31	19	16	3	5	5	7	1	2	4	23
155	12	11	9	187	12	7	3	4	3	3	1	3	-	1	1	24
1	2	-	-	3	3	2	1	2	-	1	1	1	2	1	2	25
35	24	11	6	76	14	12	6	6	6	4	1	2	5	1	5	26
2,248	341	174	136	2,899	393	222	165	142	106	84	79	71	55	45	40	27
481	14	2	2	499	7	3	1	2	1	2	1	1	-	-	-	28
129	27	28	22	206	59	23	21	9	11	8	6	3	4	4	4	29
108	5	5	5	123	25	13	13	14	9	6	10	2	5	5	6	30
105	14	9	2	150	24	6	11	8	1	4	3	9	7	2	2	31
590	169	84	55	898	172	125	82	60	52	35	35	32	20	22	21	32
78	37	17	16	148	28	16	9	15	8	47	6	4	4	1	3	33
154	6	2	3	145	5	2	2	2	2	2	-	2	-	1	-	34
81	36	13	15	155	29	11	8	12	7	14	10	6	11	4	3	35
63	7	2	2	74	6	4	2	2	-	-	1	2	-	-	-	36
102	5	1	2	110	7	3	1	2	1	1	-	1	1	-	-	37
21	3	1	2	27	6	4	2	4	4	2	4	4	-	1	1	38
303	16	6	7	332	22	14	9	8	3	3	3	4	1	2	-	39
43	2	4	3	52	5	2	4	4	2	-	-	1	-	-	-	40
12,631	255	74	64	13,024	34	14	7	3	3	2	4	-	-	-	-	41
6	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	42
140	6	2	-	148	2	1	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
87	4	-	-	91	-	-	1	-	-	-	-	-	-	-	-	45
1	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-	46
52	1	1	-	54	-	-	-	-	-	-	-	-	-	-	-	47
51	1	-	-	52	-	-	-	-	-	-	-	-	-	-	-	48
66	1	1	-	68	1	-	-	-	-	-	-	-	-	-	-	49
232	3	-	1	236	1	-	-	1	-	-	-	-	-	-	-	50
91	2	-	1	94	-	-	-	1	-	-	-	-	-	-	-	51
141	1	-	-	142	1	-	-	-	-	-	-	-	-	-	-	52
1,713	17	-	1	1,731	4	-	-	-	-	-	-	-	-	-	-	53
868	7	2	1	878	-	-	-	1	-	-	-	-	-	-	-	54
157	2	1	-	160	2	-	1	-	-	-	-	-	-	-	-	55
394	30	11	9	444	2	1	-	-	-	1	2	-	-	-	-	56
372	3	4	-	379	1	1	-	-	-	-	-	-	-	-	-	57
1,452	31	5	6	1,494	1	1	-	-	-	-	-	-	-	-	-	58
1,148	25	7	2	1,182	2	2	1	-	1	-	2	-	-	-	-	59
2,770	53	25	17	2,865	4	1	1	1	1	-	-	-	-	-	-	60
204	6	5	5	220	-	-	2	-	-	-	-	-	-	-	-	61
2,526	45	9	9	2,589	9	6	1	-	1	-	-	-	-	-	-	62
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	63
115	5	1	2	123	-	-	-	-	-	-	-	-	-	-	-	64
418	20	1	11	450	7	2	-	-	-	1	-	-	-	-	-	65
85	15	30	28	158	147	142	91	49	37	30	18	11	13	10	5	66
29	13	14	15	71	96	95	85	60	67	52	53	39	25	39	36	67
14	7	3	6	30	26	39	30	16	17	10	7	8	5	9	2	68
2	3	4	4	13	24	28	20	12	25	15	17	9	3	6	2	69
13	3	7	5	28	46	28	33	32	25	27	29	22	17	24	32	70
17	-	-	2	19	5	3	-	5	4	1	-	4	1	5	3	71
88	26	14	8	134	67	33	28	25	20	18	23	14	10	12	17	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	All other, both sexes--all causes-----	19,965	1,520	6,754	1,753	912	457	319	230	178
2	Diarrheal diseases-----009	451	-	-	1	1	-	3	1	2
3	Whooping cough-----033	4	-	-	-	-	-	-	-	-
4	Meningococcal infections-----036	22	-	-	-	-	-	-	-	-
5	Tetanus-----037	4	-	-	-	-	-	-	1	-
6	Septicemia-----038	279	5	25	14	20	19	14	15	14
7	Viral diseases-----040-079	92	-	2	-	2	-	-	-	-
8	Congenital syphilis-----090	11	-	4	3	-	-	1	2	-
9	Other infective and parasitic diseases-----Remainder of 000-136	97	1	-	-	-	1	1	-	-
10	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	15	-	1	-	-	-	1	-	-
11	Benign neoplasms and neoplasms of unspecified nature-----210-239	16	2	3	2	1	-	-	1	-
12	Diseases of thymus gland-----254	5	-	-	-	-	-	-	-	-
13	Cystic fibrosis-----273.0	11	-	1	1	-	-	-	-	-
14	Diseases of the blood and blood-forming organs-----280-289	53	3	5	2	-	1	3	1	1
15	Meningitis-----320	169	-	1	5	2	3	1	1	3
16	Other diseases of nervous system and sense organs-----321-339	115	1	3	2	1	2	2	1	-
17	Acute upper respiratory infections-----460-465	75	-	1	1	-	-	-	-	-
18	Bronchitis and bronchiolitis-----466,490,491	227	-	-	-	1	-	2	-	1
19	Influenza and pneumonia-----470-474,480-486	2,701	9	97	63	50	29	29	25	10
20	Influenza-----470-474	59	-	-	-	-	-	-	-	-
21	Pneumonia-----480-486	2,642	9	97	63	50	29	29	25	10
22	Other chronic interstitial pneumonia-----517	5	-	-	1	-	-	-	-	-
23	All other diseases of respiratory system-----492,493,500-516,518,519	163	1	15	3	3	3	4	-	-
24	Hernia and intestinal obstruction-----550-553,560	120	4	29	4	2	4	4	1	2
25	Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----555,561,563	24	-	-	-	-	-	-	1	-
26	Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	119	1	4	1	9	7	3	11	5
27	Congenital anomalies-----740-759	1,787	148	328	137	94	65	45	28	29
28	Anencephalus-----740	78	22	35	5	5	-	2	-	1
29	Spina bifida-----741	53	4	8	3	-	-	-	-	-
30	Congenital hydrocephalus-----742	108	18	17	4	2	2	3	2	2
31	Other congenital anomalies of central nervous system and eye-----743,744	52	5	9	2	4	1	1	-	-
32	Congenital anomalies of heart-----745	790	15	93	77	57	37	29	17	9
33	Other congenital anomalies of circulatory system-----747	107	1	8	5	3	2	1	1	6
34	Congenital anomalies of respiratory system-----748	90	20	39	10	2	1	-	-	-
35	Congenital anomalies of digestive system-----749-751	153	4	9	3	8	12	5	5	8
36	Congenital anomalies of genitourinary system-----752,753	56	5	16	3	2	-	-	-	-
37	Congenital anomalies of musculoskeletal system-----754-756	53	11	17	5	-	1	-	-	-
38	Down's disease-----759.3	24	1	6	1	1	-	-	-	-
39	Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	173	31	50	14	8	6	3	3	3
40	Other and unspecified congenital anomalies-----745,757,758	50	10	15	5	2	3	1	-	-
41	Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	10,821	1,278	6,115	1,459	691	300	191	125	101
42	Chronic circulatory and genitourinary diseases in mother-----760	7	2	5	-	-	-	-	-	-
43	Other maternal conditions unrelated to pregnancy-----761	91	16	47	8	5	1	-	2	-
44	Syphilis-----761.0	3	-	2	-	-	1	-	-	-
45	Diabetes mellitus-----761.1	30	4	17	4	2	-	-	-	-
46	Rubella-----761.3	5	1	1	-	-	-	-	-	-
47	All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	55	11	27	4	3	-	-	2	-
48	Toxemia of pregnancy-----762	61	7	28	13	5	3	-	-	1
49	Maternal antepartum and intrapartum infection-----763	85	18	44	7	6	3	-	-	-
50	Difficult labor-----764-769	209	35	102	43	14	5	4	4	1
51	With mention of birth injury (.0-.3)-----	105	5	55	22	13	3	3	2	1
52	Without mention of birth injury (.4,.9)-----	104	30	47	21	1	2	1	2	-
53	All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	1,292	187	850	144	54	15	6	7	9
54	Conditions of placenta-----770	404	97	243	36	15	3	1	-	1
55	Conditions of umbilical cord-----771	85	30	35	12	4	2	-	-	1
56	Birth injury without mention of cause-----772	474	21	185	86	60	33	19	4	11
57	Hemolytic disease of newborn-----774,775	75	15	28	9	7	4	2	-	2
58	Hyaline membrane disease-----776.1	778	16	354	177	107	40	27	12	7
59	Respiratory distress syndrome-----776.2	963	27	505	207	90	28	23	13	15
60	Asphyxia of newborn, unspecified-----786.9	2,491	279	1,464	309	139	71	51	27	22
61	All other anoxic and hypoxic conditions not elsewhere classified-----776.0,776.3,776.4	237	29	96	49	21	7	4	4	3
62	Immaturity, unqualified-----777	2,880	441	1,775	278	107	59	40	33	22
63	Postmaturity-----778.1	2	1	-	-	-	-	-	-	-
64	Hemorrhagic disease of newborn-----778.2	117	4	39	23	16	9	4	6	2
65	All other conditions of newborn-----778.0,778.3,778.9	574	53	314	59	41	17	9	15	6
66	Symptoms and ill-defined conditions-----780-786	1,365	48	100	24	22	12	10	5	4
67	Accidents-----E800-E949	713	4	8	4	5	4	3	4	3
68	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	235	-	3	-	3	4	2	2	1
69	Accidental mechanical suffocation-----E913	182	-	4	1	2	-	1	-	-
70	Other accidental causes-----E800-E910,E914-E949	301	4	1	3	-	-	-	2	2
71	Homicide-----E860-E978	50	8	3	2	1	-	-	1	-
72	All other causes-----Residual	436	7	11	4	6	6	3	6	3

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-15 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
12,103	752	450	392	15,677	1,557	1,169	906	677	514	369	280	240	200	165	175	1
8	18	29	34	89	105	63	45	32	27	22	25	10	18	6	9	2
-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	3	4	5	2	1	5	2	3	-	4
1	1	1	-	3	1	1	-	-	-	-	-	-	-	-	-	5
126	33	22	16	197	26	16	6	8	10	1	5	2	1	3	2	6
4	11	2	4	21	6	8	13	5	9	4	2	5	4	4	1	7
10	-	-	-	10	1	-	-	-	-	-	-	-	-	-	-	8
3	6	1	8	18	12	14	11	5	7	5	9	3	2	3	8	9
4	-	-	-	4	-	2	1	1	-	2	-	1	-	1	3	10
7	3	-	-	10	2	-	-	-	-	-	1	-	-	1	1	11
-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	12
3	-	-	1	4	1	1	2	2	-	-	-	-	-	-	-	13
13	1	1	1	16	8	5	2	6	-	2	3	1	5	4	1	14
16	14	8	12	50	25	16	18	14	15	13	13	7	5	3	10	15
12	-	2	1	15	21	13	15	7	9	10	12	3	5	4	9	16
2	-	2	2	6	19	16	10	9	3	3	1	2	2	3	1	17
5	4	6	7	22	37	41	30	20	21	4	11	12	12	4	4	18
312	127	78	98	615	504	426	328	243	186	115	88	64	51	41	40	19
-	1	1	2	4	15	8	6	12	5	4	-	-	4	3	3	20
312	126	77	96	611	489	418	316	242	181	111	88	64	47	38	37	21
1	-	-	-	1	-	-	-	-	-	1	1	1	1	-	-	22
29	3	1	5	38	30	21	19	13	10	13	7	4	3	2	3	23
50	8	8	9	75	24	7	5	1	3	1	-	3	-	-	1	24
1	2	1	1	4	3	6	2	4	-	2	1	-	1	1	-	25
41	10	10	10	71	17	11	3	5	2	2	2	2	2	2	1	26
874	128	90	49	1,141	161	119	89	68	56	39	27	26	22	20	19	27
88	5	-	-	73	1	1	1	1	-	-	-	-	1	-	-	28
15	6	6	2	29	8	5	3	2	4	-	-	-	-	1	-	29
50	1	2	2	55	10	6	7	3	5	4	5	4	2	1	6	30
22	5	2	1	30	5	5	2	1	2	1	2	3	-	1	1	31
339	54	40	23	456	70	74	51	36	30	23	14	11	11	7	7	32
27	19	7	2	55	16	8	7	7	4	3	-	1	2	2	2	33
72	2	4	-	78	6	2	-	2	1	-	-	-	-	1	-	34
54	19	14	11	98	15	8	6	5	6	1	1	4	4	4	1	35
30	6	7	3	46	4	-	1	1	2	1	1	1	-	1	-	36
34	2	2	2	40	4	1	2	2	1	2	2	-	-	-	1	37
9	-	-	-	9	2	2	3	-	3	1	1	1	-	1	2	38
118	6	5	3	132	16	7	6	6	-	1	2	1	1	1	-	39
36	3	1	-	40	4	-	1	2	-	2	-	-	1	1	-	40
10,260	308	99	65	10,730	49	13	6	9	4	4	3	1	-	-	2	41
7	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	42
79	7	2	-	88	2	-	-	-	-	1	-	-	-	-	-	43
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	44
27	3	-	-	30	-	-	-	-	-	-	-	-	-	-	-	45
2	1	2	-	5	-	-	-	-	-	-	-	-	-	-	-	46
47	3	-	-	50	2	-	-	-	-	1	-	-	-	-	-	47
57	2	1	-	60	-	-	-	-	-	-	-	-	-	-	1	48
79	3	-	1	83	-	-	-	-	-	-	-	-	-	-	-	49
208	1	-	-	209	-	-	-	-	-	-	-	-	-	-	-	50
104	1	-	-	105	-	-	-	-	-	-	-	-	-	-	-	51
104	-	-	-	104	-	-	-	-	-	-	-	-	-	-	-	52
1,272	14	1	1	1,288	2	1	-	1	-	-	-	-	-	-	-	53
306	5	2	-	403	-	-	1	-	-	-	-	-	-	-	-	54
85	-	-	-	85	-	-	-	-	-	-	-	-	-	-	-	55
419	36	8	4	466	4	1	1	-	1	1	1	-	-	-	-	56
66	4	-	1	71	-	1	-	-	1	-	-	-	-	-	-	57
740	23	4	3	770	6	2	-	-	-	-	-	-	-	-	-	58
906	28	7	7	948	8	1	1	4	1	-	-	-	-	-	-	59
2,362	77	27	16	2,482	3	1	1	1	-	-	2	1	-	-	-	60
213	8	8	5	234	3	-	-	-	-	-	-	-	-	-	-	61
2,765	58	28	11	2,852	18	4	1	2	1	1	-	-	-	-	1	62
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
103	11	2	-	116	-	-	1	-	-	-	-	-	-	-	-	64
512	31	9	14	566	3	2	-	1	1	1	-	-	-	-	-	65
225	40	30	39	334	275	230	168	128	73	62	27	23	15	16	14	66
35	13	15	11	74	128	101	96	47	58	43	28	42	33	32	36	67
15	3	3	5	26	49	31	47	12	20	8	7	13	8	7	7	68
8	6	7	3	24	40	33	26	14	16	8	6	7	3	4	1	69
12	4	6	3	24	39	37	23	21	22	27	15	22	22	21	28	70
15	1	2	1	19	5	1	2	5	1	4	1	4	4	-	4	71
46	21	23	19	109	84	56	31	39	16	18	17	22	11	11	12	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 All other, male--all causes-----	11,122	889	3,866	975	491	256	189	126	96
2 Diarrheal diseases-----009	267	-	-	-	-	-	3	1	1
3 Whooping cough-----033	2	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	12	-	-	-	-	-	-	-	-
5 Tetanus-----037	2	-	-	-	-	-	-	-	-
6 Septicemia-----038	163	3	16	7	10	13	12	7	8
7 Viral diseases-----040-079	46	-	1	-	-	-	-	-	-
8 Congenital syphilis-----090	6	-	2	2	-	-	1	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	53	1	-	-	-	1	1	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	9	-	1	2	-	1	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	9	1	1	-	1	-	-	1	-
12 Diseases of thymus gland-----254	4	-	-	-	-	-	-	-	-
13 Cystic Fibrosis-----273.0	6	-	1	-	-	-	-	-	-
14 Diseases of the blood and blood-forming organs-----280-289	30	2	2	1	1	1	-	-	1
15 Meningitis-----320	95	-	1	4	-	3	-	1	-
16 Other diseases of nervous system and sense organs-----321-399	75	1	1	2	1	2	2	1	-
17 Acute upper respiratory infections-----460-465	46	-	1	1	-	-	-	-	-
18 Bronchitis and bronchiolitis-----466, 490, 491	106	-	-	-	-	-	2	-	-
19 Influenza and pneumonia-----470-474, 480-486	1,459	6	50	31	20	21	19	11	6
20 Influenza-----470-474	34	-	-	-	-	-	-	-	-
21 Pneumonia-----480-486	1,425	6	50	31	20	21	19	11	6
22 Other chronic interstitial pneumonia-----517	1	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492, 493, 500-516, 518, 519	85	-	4	1	1	2	4	-	-
24 Hernia and intestinal obstruction-----550-553, 560	79	2	14	2	1	2	3	-	1
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	9	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	79	-	2	1	7	4	3	10	4
27 Congenital anomalies-----740-759	963	76	181	61	51	35	30	12	13
28 Anencephalus-----740	41	7	18	4	4	-	1	-	1
29 Spina bifida-----741	29	3	2	2	-	-	-	-	-
30 Congenital hydrocephalus-----742	53	7	11	-	-	1	3	-	1
31 Other congenital anomalies of central nervous system and eye-----743, 744	29	2	3	2	3	-	-	-	-
32 Congenital anomalies of heart-----745	425	10	48	48	58	20	21	10	5
33 Other congenital anomalies of circulatory system-----747	51	-	3	5	-	1	-	-	2
34 Congenital anomalies of respiratory system-----749	50	11	22	2	1	1	-	-	-
35 Congenital anomalies of digestive system-----749-751	61	3	4	1	2	7	3	2	4
36 Congenital anomalies of genitourinary system-----752, 753	40	3	13	2	1	-	-	-	-
37 Congenital anomalies of musculoskeletal system-----754-756	53	7	11	3	-	-	-	-	-
38 Down's disease-----759.3	12	-	5	-	1	-	-	-	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	93	18	34	8	4	4	1	-	-
40 Other and unspecified congenital anomalies-----745, 757, 759	26	5	7	4	-	1	1	-	-
41 Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	6,163	767	3,519	822	369	161	108	73	56
42 Chronic circulatory and genitourinary diseases in mother-----760	4	1	3	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	53	13	25	5	3	1	-	2	-
44 Syphilis-----761.0	3	-	2	-	-	1	-	-	-
45 Diabetes mellitus-----761.1	17	4	7	3	2	-	-	-	-
46 Rubella-----761.3	2	1	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	31	8	16	2	1	-	-	2	-
48 Toxemia of pregnancy-----762	32	2	17	6	3	2	-	-	1
49 Maternal antepartum and intrapartum infection-----763	47	9	26	5	3	1	-	-	-
50 Difficult labor-----764-769	128	24	60	28	7	4	2	2	1
51 With mention of birth injury (.0-.3)	68	5	38	13	7	2	1	1	1
52 Without mention of birth injury (.4-.9)	60	19	22	15	-	2	1	1	-
53 All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	716	101	487	76	26	6	3	3	5
54 Conditions of placenta-----770	234	67	127	23	10	1	1	-	1
55 Conditions of umbilical cord-----771	53	19	23	5	2	2	1	-	1
56 Birth injury without mention of cause-----772	280	13	105	55	34	21	11	2	6
57 Hemolytic disease of newborn-----774, 775	53	11	20	7	5	3	-	-	1
58 Hyaline membrane disease-----776.1	463	9	221	102	56	23	17	8	5
59 Respiratory distress syndrome-----776.2	557	20	300	113	49	16	14	9	7
60 Asphyxia of newborn, unspecified-----766.9	1,442	162	870	177	75	37	25	16	13
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	126	20	65	24	11	4	2	1	1
62 Immaturity, unqualified-----777	1,594	255	998	148	57	27	23	20	11
63 Postmaturity-----778.1	2	1	1	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	70	3	18	16	11	5	3	4	2
65 All other conditions of newborn-----778.0, 778.3, 778.9	310	37	163	32	17	8	6	6	3
66 Symptoms and ill-defined conditions-----780-796	729	21	60	12	18	4	7	3	2
67 Accidents-----E800-E949	365	-	1	1	4	3	1	4	3
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	117	-	-	-	2	3	1	2	1
69 Accidental mechanical suffocation-----E913	92	-	1	-	2	-	-	-	-
70 Other accidental causes-----E800-E910, E914-E949	156	-	-	1	-	-	-	2	2
71 Homicide-----E960-E978	36	7	3	1	-	-	-	-	-
72 All other causes-----Residual	225	2	5	1	5	3	2	2	1

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-15 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
6,895	414	234	214	7,757	883	640	483	370	256	202	142	123	92	85	91	1
5	8	16	17	46	71	35	25	21	16	18	12	5	9	3	4	2
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	1	2	2	-	1	3	1	2	-	4
-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	5
76	21	10	10	117	16	9	4	4	6	1	-	2	1	1	-	6
3	6	2	1	12	4	8	7	2	3	4	-	2	1	2	1	7
5	2	-	-	5	1	-	-	-	-	-	-	-	-	-	-	8
3	2	1	3	9	7	9	7	3	4	2	3	3	1	2	3	9
4	-	-	-	4	-	1	-	-	-	1	-	1	-	-	2	10
4	1	-	-	5	1	-	-	-	-	-	1	-	-	1	1	11
-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	12
3	-	-	1	4	1	-	1	-	-	-	-	-	-	-	-	13
7	1	1	1	10	4	2	-	4	1	1	2	1	3	3	-	14
9	4	6	7	26	11	7	11	8	6	8	8	4	1	2	5	15
10	-	2	1	13	18	7	6	4	4	5	11	2	2	1	-	16
2	-	1	2	5	15	7	7	5	2	1	-	-	-	3	1	17
2	2	5	3	12	20	18	11	12	9	10	2	4	5	2	1	18
164	69	36	58	327	292	228	171	140	91	64	45	25	26	23	27	19
-	-	-	2	2	11	4	8	-	3	2	-	-	2	1	1	20
164	69	36	56	325	281	224	163	140	88	62	45	25	24	22	26	21
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	22
12	1	1	4	18	15	14	11	7	5	5	4	2	1	1	2	23
25	6	5	7	43	21	7	2	1	2	1	-	1	-	-	1	24
-	-	-	-	-	2	4	1	-	-	-	-	-	1	1	-	25
31	8	7	5	51	10	7	3	4	-	2	1	-	1	-	-	26
478	74	54	25	632	88	65	50	27	24	17	15	14	12	11	6	27
35	2	-	-	37	1	1	1	-	-	-	-	-	1	-	-	28
7	6	3	-	16	4	4	4	1	2	-	1	-	1	1	-	29
23	1	2	1	27	4	4	5	1	1	1	3	3	1	1	2	30
10	2	1	1	14	3	4	2	-	-	1	1	3	1	1	1	31
197	28	28	11	264	36	40	25	12	13	11	7	6	4	4	3	32
11	12	3	1	27	7	4	5	4	3	-	-	-	1	-	-	33
37	2	2	-	41	5	5	-	1	1	-	-	-	-	1	-	34
26	12	7	5	50	10	3	5	4	2	-	-	1	4	2	-	35
19	4	6	2	31	3	-	2	1	1	1	1	1	-	1	1	36
21	1	-	2	24	3	-	-	1	1	1	2	-	-	-	1	37
6	-	-	-	6	1	1	1	-	1	1	-	-	-	-	2	38
69	2	2	2	75	8	4	3	1	3	1	1	1	1	-	-	39
18	2	-	-	20	3	-	1	1	-	-	-	-	1	-	-	40
5,875	165	48	35	6,125	22	7	1	6	2	-	1	-	-	-	1	41
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	42
49	4	-	-	53	-	-	-	-	-	-	-	-	-	-	-	43
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	44
16	1	-	-	17	-	-	-	-	-	-	-	-	-	-	-	45
1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	46
29	2	-	-	31	-	-	-	-	-	-	-	-	-	-	-	47
31	1	-	-	32	-	-	-	-	-	-	-	-	-	-	-	48
44	3	-	-	47	-	-	-	-	-	-	-	-	-	-	-	49
128	-	-	-	128	-	-	-	-	-	-	-	-	-	-	-	50
68	-	-	-	68	-	-	-	-	-	-	-	-	-	-	-	51
60	-	-	-	60	-	-	-	-	-	-	-	-	-	-	-	52
707	6	-	-	713	2	1	-	-	-	-	-	-	-	-	-	53
230	3	1	-	234	-	-	-	-	-	-	-	-	-	-	-	54
53	-	-	-	53	-	-	-	-	-	-	-	-	-	-	-	55
247	26	2	3	278	2	-	-	-	-	-	-	-	-	-	-	56
47	3	-	1	51	-	1	-	-	1	-	-	-	-	-	-	57
441	13	4	1	459	3	1	-	-	-	-	-	-	-	-	-	58
528	14	4	2	548	5	1	-	3	-	-	-	-	-	-	-	59
1,375	42	12	10	1,439	1	-	1	-	-	-	1	-	-	-	-	60
118	3	2	2	125	-	-	-	-	-	-	-	-	-	-	-	61
1,537	23	15	7	1,582	7	1	-	2	1	-	-	-	-	-	1	62
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	63
62	7	1	-	70	-	-	-	-	-	-	-	-	-	-	-	64
272	17	7	9	305	2	2	-	1	-	-	-	-	-	-	-	65
127	22	15	18	182	138	130	90	76	32	31	13	15	6	7	9	66
17	8	10	7	42	64	43	54	21	32	23	16	23	14	15	18	67
9	2	1	4	16	26	12	26	5	13	3	3	8	2	3	-	68
3	3	5	2	13	22	16	13	7	6	3	3	3	1	1	1	69
5	3	4	1	13	16	15	15	9	13	14	10	12	11	11	17	70
11	1	1	1	14	8	1	2	3	1	3	1	3	2	1	1	71
21	14	15	8	56	55	30	17	18	10	7	6	13	4	3	6	72

SECTION 2 - INFANT MORTALITY

Table 2-14. Deaths Under 1 Year From 65 Selected

[Numbers after causes of death are category numbers of the Eighth

Cause of death, color, and sex	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1 All other, female--all causes-----	8,845	651	2,088	760	421	201	121	104	82
2 Diarrheal diseases-----009	184	-	-	1	1	-	-	-	1
3 Whooping cough-----053	2	-	-	-	-	-	-	-	-
4 Meningococcal infections-----056	10	-	-	-	-	-	-	-	-
5 Tetanus-----037	2	-	-	-	-	-	-	1	-
6 Septicemia-----038	116	2	9	7	10	6	2	8	6
7 Viral diseases-----040-079	56	-	1	-	-	-	-	-	-
8 Congenital syphilis-----080	5	-	2	1	-	-	-	2	-
9 Other infective and parasitic diseases-----Remainder of 000-136	44	-	-	-	-	-	-	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	6	-	-	-	-	-	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	7	1	2	-	-	-	-	-	-
12 Diseases of thymus gland-----254	1	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----275.0	5	-	-	-	-	-	-	-	-
14 Diseases of the blood and blood-forming organs-----280-289	23	1	1	1	-	-	3	-	-
15 Meningitis-----320	34	-	1	1	2	-	1	-	3
16 Other diseases of nervous system and sense organs-----321-399	42	-	2	-	-	-	-	-	-
17 Acute upper respiratory infections-----450-465	29	-	-	-	-	-	-	-	-
18 Bronchitis and bronchiolitis-----466, 490, 491	121	-	-	-	1	-	-	1	1
19 Influenza and pneumonia-----470-474, 480-486	1,242	3	47	32	30	8	10	14	4
20 Influenza-----470-474	25	-	-	-	-	-	-	-	-
21 Pneumonia-----480-486	1,217	3	47	32	30	8	10	14	4
22 Other chronic interstitial pneumonia-----517	4	-	-	1	-	-	-	-	-
23 All other diseases of respiratory system-----492, 495, 500-516, 518, 519	78	1	11	2	2	1	-	-	-
24 Mernia and intestinal obstruction-----550-553, 560	41	2	15	2	1	2	1	1	1
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	15	-	-	-	-	-	-	1	-
26 Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	40	1	2	-	2	3	-	1	1
27 Congenital anomalies-----740-759	624	72	147	58	43	30	15	16	16
28 Anencephalus-----740	37	15	15	1	1	-	1	-	-
29 Spina bifida-----741	24	1	6	1	-	-	-	-	-
30 Congenital hydrocephalus-----742	55	11	6	4	2	1	-	2	1
31 Other congenital anomalies of central nervous system and eye-----743, 744	23	3	6	-	1	1	-	-	-
32 Congenital anomalies of heart-----746	365	5	50	29	22	17	8	7	4
33 Other congenital anomalies of circulatory system-----747	56	1	5	-	3	1	1	1	4
34 Congenital anomalies of respiratory system-----748	40	9	17	8	1	-	-	-	-
35 Congenital anomalies of digestive system-----749-751	72	1	5	2	6	5	2	3	4
36 Congenital anomalies of genitourinary system-----752, 753	16	3	6	1	1	-	-	-	-
37 Congenital anomalies of musculoskeletal system-----754-756	20	4	9	2	-	-	-	-	-
38 Down's disease-----759.3	12	1	1	1	-	-	-	-	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	80	13	16	6	4	2	2	3	3
40 Other and unspecified congenital anomalies-----745, 757, 758	24	5	8	1	2	-	-	-	-
41 Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	4,658	511	2,596	637	322	139	85	52	45
42 Chronic circulatory and genitourinary diseases in mother-----760	5	1	2	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	36	3	22	3	2	-	-	-	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	13	-	10	1	-	-	-	-	-
46 Rubella-----761.3	3	-	1	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	22	3	11	2	2	-	-	-	-
48 Toxemia of pregnancy-----762	29	5	11	7	2	1	-	-	-
49 Maternal antepartum and intrapartum infection-----763	56	9	18	2	3	2	1	-	-
50 Difficult labor-----764-768	61	11	42	15	7	1	2	2	-
51 With mention of birth injury (.0-.3)-----	37	-	17	9	6	1	2	1	-
52 Without mention of birth injury (.4,.9)-----	44	11	25	6	1	-	-	1	-
53 All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	578	86	363	68	28	9	3	4	4
54 Conditions of placenta-----770	170	30	116	15	5	2	-	-	-
55 Conditions of umbilical cord-----771	52	11	12	7	2	-	-	-	-
56 Birth injury without mention of cause-----772	154	8	80	31	26	12	7	2	5
57 Hemolytic disease of newborn-----774, 775	20	4	8	1	2	1	2	1	1
58 Hyaline membrane disease-----776.1	315	7	133	75	51	17	10	4	2
59 Respiratory distress syndrome-----776.2	406	7	205	94	41	12	9	4	6
60 Asphyxia of newborn, unspecified-----766.9	1,049	117	584	152	64	34	26	11	9
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	112	9	41	25	10	3	2	3	2
62 Immaturity, unqualified-----777	1,286	186	777	150	50	32	17	13	13
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	47	1	21	7	5	4	1	2	-
65 All other conditions of newborn-----778.0, 778.3, 778.9	284	16	151	27	24	9	3	7	3
66 Symptoms and ill-defined conditions-----780-796	656	27	40	12	4	8	3	2	2
67 Accidents-----E900-E949	533	4	7	5	1	1	2	-	-
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	118	-	3	-	1	1	1	-	-
69 Accidental mechanical suffocation-----E913	90	-	3	-	-	-	-	-	-
70 Other accidental causes-----E900-E910, E914-E949	145	4	1	2	-	-	-	-	-
71 Homicide-----E960-E976	14	-	-	-	1	-	-	1	-
72 All other causes-----Residual	211	5	6	3	1	3	1	4	2

SECTION 2 - INFANT MORTALITY

Causes, by Age, Color, and Sex: United States, 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
5,208	338	196	178	5,920	674	549	423	307	258	187	158	117	108	80	82	1
3	10	15	17	45	54	28	20	11	9	4	15	5	9	3	5	2
-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	1	2	2	1	2	-	-	1	1	-	4
1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	5
50	12	12	6	80	12	7	2	4	2	-	5	-	-	2	2	6
1	5	-	3	9	2	-	6	3	6	-	2	3	3	2	-	7
5	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-	8
-	4	-	5	9	5	5	4	2	3	3	6	-	1	1	5	9
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	10
3	2	-	-	5	1	-	-	-	-	-	-	-	-	1	-	11
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	12
-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	13
6	-	-	-	4	3	3	2	2	-	1	1	-	-	2	1	14
7	10	2	5	24	14	9	7	6	9	7	5	3	4	1	5	15
2	-	-	-	2	3	6	3	3	5	5	1	1	3	3	1	16
-	-	1	-	1	4	9	3	4	1	2	1	2	2	-	-	17
3	2	1	4	10	17	23	19	8	12	11	7	7	7	2	3	18
148	58	42	40	288	212	198	157	103	95	51	45	39	25	18	13	19
1	1	1	-	2	4	4	4	1	2	2	-	-	2	2	2	20
148	57	41	40	286	208	194	153	102	93	49	45	39	25	16	11	21
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	22
17	2	-	1	20	15	7	8	6	5	8	3	2	2	1	1	23
25	2	3	2	32	3	-	3	-	1	-	2	-	-	-	-	24
1	2	-	1	4	1	2	1	4	-	2	1	-	-	-	-	25
10	2	3	5	20	7	4	-	1	2	-	1	2	1	1	1	26
395	54	36	24	509	73	54	39	41	32	22	12	12	10	9	11	27
33	3	-	-	36	-	-	-	1	-	-	-	-	-	-	-	28
8	-	3	2	13	4	1	3	1	2	-	-	-	-	-	-	29
27	1	-	1	28	6	2	2	4	4	3	2	1	1	1	4	30
12	3	1	1	16	2	1	1	1	2	-	1	-	-	-	-	31
142	26	12	12	192	34	34	26	24	17	12	7	5	7	3	4	32
16	7	4	1	28	9	4	2	3	1	3	-	1	1	2	2	33
35	-	2	-	37	1	1	-	1	-	-	-	-	-	-	-	34
29	7	7	6	48	5	5	1	1	4	1	1	3	2	1	1	35
11	2	1	1	15	1	1	-	-	-	-	-	-	-	-	-	36
13	1	2	-	16	1	1	1	1	-	1	-	-	-	-	-	37
3	-	-	-	3	1	2	2	2	2	-	1	1	1	1	-	38
49	4	3	1	57	8	3	3	5	-	-	1	1	1	1	-	39
18	1	1	-	20	1	-	-	1	-	2	-	-	-	-	-	40
4,385	143	51	28	4,607	27	6	5	3	2	4	2	1	-	-	1	41
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	42
30	3	2	-	35	2	-	-	-	-	1	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
11	2	-	-	15	-	-	-	-	-	-	-	-	-	-	-	45
1	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	46
18	1	-	-	19	2	-	-	-	-	1	-	-	-	-	-	47
26	1	1	-	28	-	-	-	-	-	-	-	-	-	-	1	48
35	-	-	1	36	-	-	-	-	-	-	-	-	-	-	-	49
80	1	-	-	61	-	-	-	-	-	-	-	-	-	-	-	50
36	1	-	-	37	-	-	-	-	-	-	-	-	-	-	-	51
44	-	-	-	44	-	-	-	-	-	-	-	-	-	-	-	52
565	8	1	1	575	-	-	-	1	-	-	-	-	-	-	-	53
166	2	1	-	169	-	-	1	-	-	-	-	-	-	-	-	54
32	-	-	-	32	-	-	-	-	-	-	-	-	-	-	-	55
171	10	6	1	188	2	1	1	-	-	1	1	-	-	-	-	56
19	1	-	-	20	-	-	-	-	-	-	-	-	-	-	-	57
299	10	-	2	311	3	1	-	-	-	-	-	-	-	-	-	58
378	14	3	5	400	3	-	1	1	1	-	-	-	-	-	-	59
987	35	15	6	1,043	2	1	-	1	-	-	1	1	-	-	-	60
95	5	6	3	109	3	-	-	-	-	-	-	-	-	-	-	61
1,218	35	13	4	1,270	11	3	1	-	-	1	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
41	4	1	-	46	-	-	1	-	-	-	-	-	-	-	-	64
240	14	2	5	261	1	-	-	-	1	1	-	-	-	-	-	65
98	18	15	21	152	137	100	78	52	41	31	14	6	9	9	5	66
18	5	5	4	32	64	58	42	26	26	20	12	19	19	17	18	67
6	1	2	1	10	23	19	21	7	7	5	4	5	6	4	7	68
5	3	2	1	11	18	17	13	7	10	2	3	4	2	3	-	69
7	1	1	2	11	23	22	8	12	9	13	5	10	11	10	11	70
4	-	1	-	5	-	-	-	2	-	1	-	1	2	-	3	71
25	7	10	11	53	39	26	14	21	6	11	11	9	7	8	6	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	United States						
	Total, under 1 year	Under 28 days			28 days-11 months		
		Total	White	All other	Total	White	All other
1 All causes-----	75,075	56,095	42,408	13,677	16,938	12,700	6,289
2 Diarrheal diseases-----009	832	159	70	89	673	311	362
3 Whooping cough-----083	10	1	-	1	9	6	3
4 Meningococcal infections-----036	142	5	5	-	137	115	22
5 Tetanus-----037	6	5	2	3	1	-	1
6 Septicemia-----038	758	520	325	197	258	156	62
7 Viral diseases-----040-079	271	81	60	21	190	129	61
8 Congenital syphilis-----090	22	21	11	10	1	-	1
9 Other infective and parasitic diseases-----Remainder of 000-156	246	54	36	18	192	113	79
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	163	33	29	4	130	119	11
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	69	44	34	10	25	19	6
12 Diseases of thymus gland-----254	30	2	2	-	28	23	5
13 Cystic fibrosis-----273-0	126	50	46	4	76	69	7
14 Diseases of the blood and blood-forming organs-----280-289	159	65	47	18	96	59	37
15 Meningitis-----320	551	194	144	50	357	218	139
16 Other diseases of nervous system and sense organs-----321-399	479	59	44	13	420	320	100
17 Acute upper respiratory infections-----460-465	232	21	15	6	211	142	69
18 Bronchitis and bronchiolitis-----466,490,491	571	45	25	22	526	321	205
19 Influenza and pneumonia-----470-474,480-486	7,141	1,195	1,196	615	5,328	3,242	2,096
20 Influenza-----470-474	126	10	6	4	116	61	55
21 Pneumonia-----480-486	7,015	1,805	1,192	611	5,212	3,181	2,051
22 Other chronic interstitial pneumonia-----517	19	2	1	1	17	15	4
23 All other diseases of respiratory system-----492,493,500-516,518,519	598	180	142	38	418	295	123
24 Hernia and intestinal obstruction-----550-553,560	539	500	425	75	159	94	45
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----555,561,563	56	8	4	4	48	28	20
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	433	238	167	71	195	147	48
27 Congenital anomalies-----740-759	11,309	7,813	6,672	1,141	3,496	2,650	646
28 Anencephalus-----740	956	922	849	73	34	29	5
29 Spina bifida-----741	684	387	358	29	297	273	24
30 Congenital hydrocephalus-----742	612	350	295	55	262	209	53
31 Other congenital anomalies of central nervous system and eye-----743,744	460	308	276	30	152	120	22
32 Congenital anomalies of heart-----746	4,456	2,735	2,279	456	1,721	1,397	324
33 Other congenital anomalies of circulatory system-----747	679	413	358	55	266	214	52
34 Congenital anomalies of respiratory system-----748	504	457	378	78	47	35	12
35 Congenital anomalies of digestive system-----749-751	795	478	380	98	315	260	55
36 Congenital anomalies of genitourinary system-----752,753	408	345	297	46	65	55	10
37 Congenital anomalies of musculoskeletal system-----754-756	342	293	253	40	49	36	13
38 Down's disease-----759-5	138	62	53	9	76	61	15
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	1,060	894	762	132	166	125	41
40 Other and unspecified congenital anomalies-----745,757,758	217	171	131	40	46	36	10
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	43,060	42,811	32,081	10,730	249	158	91
42 Chronic circulatory and genitourinary diseases in mother-----760	19	19	12	7	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	482	473	385	88	9	6	3
44 Syphilis-----761.0	4	4	1	3	-	-	-
45 Diabetes mellitus-----761.1	250	248	218	30	2	2	-
46 Rubella-----761.3	22	18	13	5	4	4	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	206	203	153	50	3	-	3
48 Toxemia of pregnancy-----762	176	175	115	60	1	-	1
49 Maternal antepartum and intrapartum infection-----763	241	238	155	83	3	3	-
50 Difficult labor-----764-768	866	861	652	209	5	5	-
51 With mention of birth injury (.0-.3)-----	382	381	276	105	1	1	-
52 Without mention of birth injury (.4,.9)-----	484	480	376	104	4	4	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	5,320	5,306	4,018	1,288	14	10	4
54 Conditions of placenta-----770	2,820	2,516	2,113	403	4	3	1
55 Conditions of umbilical cord-----771	492	491	406	85	1	1	-
56 Birth injury without mention of cause-----772	1,691	1,666	1,200	466	25	17	8
57 Hemolytic disease of newborn-----774,775	891	894	813	71	7	5	2
58 Hyaline membrane disease-----776.1	4,807	4,788	4,018	770	19	11	8
59 Respiratory distress syndrome-----776.2	4,117	4,080	3,132	948	37	22	15
60 Asphyxia of newborn, unspecified-----776.9	9,588	9,559	7,077	2,482	23	20	0
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	803	798	564	234	5	2	3
62 Immaturity, unqualified-----777	6,946	6,890	6,036	2,852	56	20	20
63 Postmaturity-----778.1	4	4	2	2	-	-	-
64 Hemorrhagic disease of newborn-----778.2	433	431	315	118	2	1	1
65 All other conditions of newborn-----778.0,778.3,778.9	1,864	1,832	1,066	566	32	24	8
66 Symptoms and ill-defined conditions-----780-796	3,207	681	347	334	2,526	1,435	1,031
67 Accidents-----E900-E949	2,425	228	154	74	2,197	1,633	644
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	768	93	67	26	675	466	200
69 Accidental mechanical suffocation-----E913	620	55	29	24	567	409	159
70 Other accidental causes-----E900-E910,E914-E949	1,037	82	58	24	955	678	277
71 Homicide-----E960-E978	151	56	37	19	95	64	31
72 All other causes-----Residual	1,368	398	289	109	970	643	327

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State 1969

Revision, International Classification of Diseases, Adapted, 1965]

Alabama					Alaska				Arizona						
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
1,695	672	505	226	292	127	53	34	23	17	741	427	87	135	92	1
33	-	9	5	19	-	-	-	-	-	25	2	-	9	14	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
2	-	-	1	1	1	-	-	1	-	2	-	-	2	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
13	4	1	2	6	-	-	-	-	-	15	3	2	2	8	6
4	-	1	2	1	-	-	-	-	-	1	-	-	1	-	7
10	1	-	5	4	1	-	-	-	1	1	-	1	2	-	8
-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	9
3	1	-	1	1	-	-	-	-	-	2	-	-	2	-	10
-	-	-	-	-	1	1	-	-	-	3	1	-	2	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
7	-	1	6	-	-	-	-	-	-	-	-	-	-	-	13
4	-	1	3	-	-	-	-	-	-	2	-	-	1	1	14
12	3	1	2	6	2	1	1	-	-	12	4	-	4	4	15
11	2	1	5	3	2	-	-	2	1	8	-	-	7	1	16
8	-	1	4	3	-	-	-	-	-	-	-	-	-	-	17
7	-	-	2	5	-	-	-	-	-	-	-	-	-	-	18
198	22	29	41	106	12	1	-	4	7	86	14	6	42	24	19
7	-	1	1	5	-	-	-	-	-	-	-	-	-	-	20
181	22	28	40	101	12	1	-	4	7	86	14	6	42	24	21
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	22
12	5	2	3	2	-	-	-	-	-	3	1	1	1	-	23
10	7	2	1	1	5	3	1	1	-	8	7	-	1	-	24
1	-	-	-	-	-	-	-	-	-	2	-	-	-	2	25
8	1	1	4	2	2	1	-	1	-	4	1	2	1	-	26
201	106	29	48	18	17	8	3	5	1	87	46	15	23	3	27
16	16	-	-	-	2	2	-	-	-	9	2	-	-	-	28
17	11	1	5	1	1	-	-	1	-	5	1	2	1	1	29
9	4	2	2	1	-	-	-	-	-	4	1	2	1	-	30
6	5	-	1	-	2	-	-	2	-	2	1	-	-	1	31
77	29	11	26	11	27	3	-	1	1	27	12	5	10	-	32
15	6	2	4	3	1	-	1	-	-	3	1	-	2	-	33
6	4	1	1	-	1	1	-	-	-	8	4	1	2	1	34
16	5	7	4	-	1	-	1	-	-	7	3	1	3	-	35
12	7	2	3	-	1	-	-	1	-	1	1	-	-	-	36
3	1	1	1	1	-	-	-	-	-	5	3	1	1	-	37
5	2	-	1	2	-	-	-	-	-	2	1	1	-	-	38
16	13	2	1	-	3	2	1	-	-	13	11	1	2	-	39
3	3	-	-	-	-	-	-	-	-	1	-	-	1	-	40
881	499	370	4	8	65	36	27	2	-	400	340	57	1	2	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
9	4	4	-	-	1	1	-	-	-	5	4	-	-	1	43
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	-	-	-	-	-	-	-	4	4	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
6	3	3	-	-	1	1	-	-	-	1	-	-	-	1	47
1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	48
3	2	1	-	-	-	-	-	-	-	2	1	1	-	-	49
15	9	6	-	-	1	-	1	-	-	6	5	1	-	-	50
4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	51
11	6	5	-	-	1	-	1	-	-	6	5	1	-	-	52
84	49	33	1	1	6	3	3	-	-	62	49	13	-	-	53
40	32	8	-	-	5	3	2	-	-	18	18	-	-	-	54
8	4	4	-	-	1	1	-	-	-	5	5	-	-	-	55
52	21	30	-	1	2	1	1	-	-	24	23	1	-	-	56
12	10	1	-	-	-	-	-	-	-	8	8	-	-	-	57
114	73	40	-	1	18	11	7	-	-	70	62	8	-	-	58
67	41	26	-	-	5	3	2	-	-	42	36	6	-	-	59
152	90	61	1	-	10	6	4	-	-	59	46	13	-	-	60
14	10	4	-	-	1	1	-	-	-	7	5	2	-	-	61
256	127	127	-	2	12	6	5	1	-	65	56	9	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
12	6	6	-	-	-	-	-	-	-	13	13	-	-	-	64
43	20	19	2	2	3	-	2	1	-	11	6	3	1	1	65
166	13	44	43	66	5	2	1	1	1	28	4	-	11	13	66
73	5	7	36	25	9	-	1	3	5	30	3	2	15	10	67
12	1	2	7	2	4	-	-	3	1	7	2	-	1	4	68
54	2	5	19	8	-	-	-	-	-	8	-	-	4	4	69
27	2	-	10	15	5	-	1	-	-	15	1	2	10	2	70
3	-	-	2	1	1	-	-	-	-	2	-	-	1	1	71
28	3	5	9	11	4	-	-	3	1	15	1	1	7	6	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Arkansas				California					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	716	332	149	130	105	6,470	4,024	776	1,330	332
2 Diarrheal diseases-----009	11	3	1	2	5	33	7	2	21	3
3 Whooping cough-----033	-	-	-	-	-	1	-	-	1	-
4 Meningococcal infections-----036	4	-	-	3	1	16	-	-	15	1
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	15	2	8	1	2	61	25	18	14	4
7 Viral diseases-----040-079	12	-	3	4	5	29	12	-	11	6
8 Congenital syphilis-----080	1	-	-	-	1	1	1	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	1	-	-	-	1	17	2	1	13	1
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	-	-	-	-	-	17	2	-	15	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	2	-	-	1	1	10	4	1	5	-
12 Diseases of thymus gland-----254	-	-	-	-	-	3	-	-	3	-
13 Cystic fibrosis-----273.0	1	1	-	-	-	13	4	-	8	1
14 Diseases of the blood and blood-forming organs-----280-289	3	-	-	2	1	13	4	-	7	2
15 Meningitis-----320	3	-	1	2	-	49	15	3	22	9
16 Other diseases of nervous system and sense organs-----321-399	3	-	-	2	1	34	2	-	23	8
17 Acute upper respiratory infections-----460-465	6	-	-	1	5	22	1	-	19	2
18 Bronchitis and bronchiolitis-----466, 490, 491	2	-	-	2	-	56	-	-	45	11
19 Influenza and pneumonia-----470-474, 480-486	87	10	18	51	28	798	113	33	492	160
20 Influenza-----470-474	6	-	1	2	3	5	-	-	1	2
21 Pneumonia-----480-486	81	10	17	29	25	793	113	33	491	158
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	2	1	-	1	-
23 All other diseases of respiratory system-----492, 493, 500-516, 518, 519	8	4	-	3	1	58	11	2	36	9
24 Hernia and intestinal obstruction-----550-553, 560	5	3	-	-	2	75	49	10	12	4
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----555, 561, 563	-	-	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	7	1	4	2	-	36	12	9	11	4
27 Congenital anomalies-----740-759	82	49	7	18	8	1,036	647	86	268	35
28 Anencephalus-----740	7	5	2	-	-	83	74	9	-	-
29 Spina bifida-----741	8	5	-	3	-	31	16	-	15	-
30 Congenital hydrocephalus-----742	8	5	1	1	1	51	25	6	17	3
31 Other congenital anomalies of central nervous system and eye-----743, 744	8	4	1	3	4	40	29	4	8	3
32 Congenital anomalies of heart-----745	27	14	3	8	2	453	239	36	160	18
33 Other congenital anomalies of circulatory system-----747	1	1	-	-	-	80	50	4	23	3
34 Congenital anomalies of respiratory system-----749	2	1	-	-	1	57	45	5	6	1
35 Congenital anomalies of digestive system-----749-751	10	7	-	1	2	60	31	5	19	5
36 Congenital anomalies of genitourinary system-----752, 753	1	-	-	-	1	43	35	4	4	3
37 Congenital anomalies of musculoskeletal system-----754-756	1	-	-	1	-	35	27	4	1	1
38 Down's disease-----759.3	3	3	-	-	-	9	4	1	4	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	5	3	-	1	1	81	65	9	7	7
40 Other and unspecified congenital anomalies-----745, 757, 759	1	1	-	-	-	13	7	3	2	1
41 Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	354	251	100	3	-	3,676	3,063	593	10	10
42 Chronic circulatory and genitourinary diseases in mother-----760	-	-	-	-	-	4	3	1	-	-
43 Other maternal conditions unrelated to pregnancy-----761	2	1	1	-	-	43	45	-	-	-
44 Syphilis-----761.0	-	-	-	-	-	1	1	-	-	-
45 Diabetes mellitus-----761.1	1	1	-	-	-	21	21	-	-	-
46 Rubella-----761.3	-	-	-	-	-	1	1	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	1	-	1	-	-	20	20	-	-	-
48 Toxemia of pregnancy-----762	2	1	1	-	-	13	9	4	-	-
49 Maternal antepartum and intrapartum infection-----763	6	4	2	-	-	20	14	6	-	-
50 Difficult labor-----764-769	7	4	2	1	-	70	64	5	1	-
51 With mention of birth injury (.0-.3)	3	2	1	-	-	19	19	-	-	-
52 Without mention of birth injury (.4,.9)	4	2	1	1	-	51	45	5	1	-
53 All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	33	27	5	1	-	449	360	89	-	-
54 Conditions of placenta-----770	21	17	4	-	-	244	210	32	1	1
55 Conditions of umbilical cord-----771	6	4	2	-	-	44	40	4	-	-
56 Birth injury without mention of cause-----772	22	14	8	-	-	187	148	38	-	1
57 Hemolytic disease of newborn-----774, 775	7	6	1	-	-	73	70	2	1	-
58 Hyaline membrane disease-----776.1	53	40	13	-	-	553	467	85	-	3
59 Respiratory distress syndrome-----776.2	20	17	2	1	-	394	323	65	5	1
60 Asphyxia of newborn, unspecified-----776.9	71	51	20	-	-	742	623	116	2	1
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	5	2	3	-	-	94	79	15	-	-
62 Immaturity, unqualified-----777	73	47	25	-	-	523	421	99	-	3
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	8	4	4	-	-	52	45	7	-	-
65 All other conditions of newborn-----778.0, 778.3, 778.9	18	12	6	-	-	171	144	27	-	-
66 Symptoms and ill-defined conditions-----780-796	46	4	5	14	23	121	9	3	93	16
67 Accidents-----E800-E849	41	2	-	27	12	182	10	4	137	31
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	9	1	-	8	-	52	2	3	38	8
69 Accidental mechanical suffocation-----E913	13	1	-	8	4	27	2	-	22	3
70 Other accidental causes-----E900-E910, E914-E949	19	-	-	11	8	103	6	1	77	10
71 Homicide-----E890-E978	1	-	-	-	1	23	3	5	11	4
72 All other causes-----Residual	24	2	2	12	8	88	27	6	45	10

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Colorado					Connecticut				Delaware				District of Columbia				Total, under 1 year	Total, under 1 year	Total, under 1 year	Total, under 1 year	Total, under 1 year			
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days						28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White						All other	White	All other
803	556	48	182	17	928	604	125	156	43	228	125	58	20	25	439	49	295	4	91	1				
7	2	-	3	2	7	1	-	4	2	2	-	1	-	1	2	-	1	-	1	2				
1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3				
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	4				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5				
10	3	1	4	2	10	6	2	1	1	2	1	1	-	-	-	-	-	-	-	6				
1	1	-	-	-	7	1	-	3	3	-	-	-	-	-	1	1	-	-	-	7				
1	1	-	-	-	5	1	-	1	3	-	-	-	-	-	-	-	-	-	-	8				
1	1	-	-	-	5	1	-	1	3	-	-	-	-	-	-	-	-	-	-	9				
3	-	1	2	-	2	1	1	-	-	1	-	-	1	-	-	-	-	-	-	10				
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	11				
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12				
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	13				
1	-	-	1	-	2	1	-	1	-	1	1	-	-	-	1	-	-	-	-	14				
1	-	-	1	-	2	1	-	1	-	1	1	-	-	-	1	-	-	-	-	15				
6	3	-	3	-	4	-	1	2	1	1	1	-	-	3	-	1	-	-	2	15				
4	-	-	4	-	5	-	-	5	-	2	-	-	1	1	-	-	1	-	-	16				
7	-	-	6	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	17				
3	2	-	1	1	2	2	-	1	1	-	-	-	-	1	-	-	-	-	-	18				
78	29	3	45	1	61	16	2	35	8	26	3	4	9	11	16	1	7	-	-	18				
1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19				
77	29	3	44	1	61	16	2	35	8	26	3	4	9	11	16	1	7	-	-	20				
2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21				
3	1	-	2	-	7	1	-	3	3	1	-	-	1	-	4	-	2	-	-	22				
15	9	1	4	1	8	6	1	1	1	2	1	1	-	3	1	2	-	-	-	23				
1	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	24				
5	1	2	1	1	6	4	-	2	-	1	1	-	-	4	-	3	-	-	-	25				
111	73	4	31	3	159	100	13	40	6	39	25	5	6	3	32	3	14	-	15	26				
5	5	-	-	-	20	19	1	-	-	4	4	-	-	2	1	-	-	-	1	26				
5	2	-	1	-	8	5	-	3	-	1	-	-	1	-	1	-	-	-	-	29				
7	5	-	2	-	12	5	1	4	2	1	1	-	-	1	-	-	-	-	-	30				
7	3	-	4	-	4	3	-	1	1	1	1	-	-	1	-	-	-	-	-	31				
41	26	3	11	1	72	33	9	26	4	14	6	2	3	3	16	1	6	-	9	32				
9	5	1	2	1	4	3	-	1	-	1	-	-	-	2	-	1	-	-	1	33				
6	6	-	-	-	6	4	2	-	-	1	-	1	-	1	-	1	-	-	-	34				
10	4	-	5	1	6	4	-	2	-	1	1	-	-	2	-	1	-	-	-	35				
6	5	-	-	-	3	3	-	-	-	5	4	1	-	3	-	2	-	-	-	36				
4	4	-	1	-	3	2	-	1	-	5	5	-	-	-	-	-	-	-	-	37				
4	4	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	38				
9	4	-	5	-	17	16	-	1	-	5	4	-	1	3	1	2	-	-	-	39				
4	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	40				
462	421	35	6	-	565	458	104	3	-	137	91	46	-	-	295	40	252	-	1	41				
6	6	-	-	-	2	2	-	-	-	-	-	-	-	3	-	3	-	-	-	42				
2	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	43				
4	4	-	-	-	1	1	-	-	-	-	-	-	-	2	-	2	-	-	-	44				
4	4	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	45				
4	4	-	-	-	1	1	-	-	-	-	-	-	-	2	-	2	-	-	-	46				
4	4	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	47				
4	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	48				
2	1	-	1	-	2	1	1	-	-	1	1	-	-	2	-	2	-	-	-	49				
10	10	-	-	-	5	5	-	-	-	1	1	-	-	-	-	-	-	-	-	50				
4	4	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	51				
6	6	-	-	-	4	4	-	-	-	-	-	-	-	2	-	2	-	-	-	52				
41	37	4	-	-	63	53	9	1	-	18	15	3	-	-	38	4	34	-	-	53				
22	22	-	-	-	32	28	4	-	-	3	3	-	-	11	5	6	-	-	-	54				
3	2	1	-	-	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	55				
27	25	1	1	-	28	26	2	-	-	7	4	3	-	17	3	14	-	-	-	56				
14	14	-	-	-	11	10	-	1	-	4	2	2	-	2	1	1	-	-	-	57				
66	64	2	-	-	51	48	3	-	-	19	15	4	-	14	2	12	-	-	-	58				
64	56	7	1	-	44	33	10	1	-	11	9	3	-	20	2	18	-	-	-	59				
74	68	5	1	-	115	90	25	-	-	23	13	10	-	31	7	24	-	-	-	60				
4	4	-	-	-	12	9	3	-	-	5	5	-	-	10	3	7	-	-	-	61				
98	85	12	1	-	145	113	32	-	-	38	20	10	-	128	8	117	-	-	-	62				
4	4	-	-	-	5	3	2	-	-	5	3	2	-	3	2	1	-	-	-	63				
23	20	2	1	-	40	28	12	-	-	3	2	1	-	15	3	12	-	-	-	64				
39	4	1	30	4	38	3	1	26	8	3	-	-	3	56	5	8	3	-	42	66				
32	2	-	30	-	20	-	-	14	6	2	-	-	1	17	-	2	-	-	15	67				
14	1	-	15	-	7	-	-	3	4	-	-	-	-	6	-	1	-	-	-	68				
2	-	-	2	-	6	-	-	5	1	-	-	-	-	5	-	1	-	-	-	69				
18	1	-	15	-	7	-	-	6	1	2	-	-	1	6	-	-	-	-	-	70				
1	-	-	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	71				
8	4	-	5	-	13	4	-	9	-	5	1	-	4	-	5	-	-	-	-	72				

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Florida					Georgia				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	2,431	1,153	664	325	209	2,059	839	595	239	396
2 Diarrheal diseases-----009	23	-	4	5	14	50	2	8	2	29
3 Whooping cough-----033	-	-	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	5	-	-	3	2	4	-	-	3	1
5 Tetanus-----037	-	-	-	-	-	1	-	1	-	-
6 Septicemia-----038	32	11	11	3	7	15	5	6	2	2
7 Viral diseases-----040-079	6	-	-	3	3	5	-	-	1	4
8 Congenital syphilis-----090	1	-	-	-	1	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-135	6	-	-	3	3	9	-	1	2	6
10 Malignant neoplasms, including neoplasms of lymphatic and hemtopoietic tissues-----140-209	3	1	-	2	2	2	2	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	-	-	1	-	3	2	-	-	1
12 Diseases of thymus gland-----254	3	-	-	2	1	-	-	-	-	-
13 Cystic fibrosis-----273.0	4	3	-	1	-	5	2	-	2	1
14 Diseases of the blood and blood-forming organs-----280-289	4	1	1	1	1	2	-	2	-	-
15 Meningitis-----320	55	7	3	13	12	22	7	1	3	11
16 Other diseases of nervous system and sense organs-----321-389	22	1	2	12	7	7	1	1	3	5
17 Acute upper respiratory infections-----460-465	5	-	-	1	4	4	2	1	-	1
18 Bronchitis and bronchiolitis-----466,480,481	12	2	-	6	4	8	-	1	4	3
19 Influenza and pneumonia-----470-474,480-486	223	27	32	74	90	351	26	39	81	196
20 Influenza-----470-474	3	-	-	-	3	11	-	1	2	8
21 Pneumonia-----480-486	220	27	32	74	87	320	26	37	79	178
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492,485,500-515,518,519	15	-	3	6	6	21	5	2	6	8
24 Hernia and intestinal obstruction-----550-555,560	13	6	2	3	2	9	3	5	1	1
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	3	-	-	-	3	4	-	-	1	3
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	15	4	4	5	2	14	4	4	3	3
27 Congenital anomalies-----740-759	356	165	66	77	29	261	126	60	51	24
28 Anencephalus-----740	21	17	5	-	1	19	16	2	1	-
29 Spina bifida-----741	22	9	1	10	2	11	11	1	10	-
30 Congenital hydrocephalus-----742	30	10	4	10	6	20	11	2	6	1
31 Other congenital anomalies of central nervous system and eye-----745,744	8	5	1	1	1	12	10	2	2	1
32 Congenital anomalies of heart-----746	153	78	28	34	13	99	34	51	20	14
33 Other congenital anomalies of circulatory system-----747	19	7	4	8	-	11	5	1	5	-
34 Congenital anomalies of respiratory system-----748	11	8	5	-	-	13	3	7	1	2
35 Congenital anomalies of digestive system-----749-751	19	8	5	7	1	12	4	2	2	5
36 Congenital anomalies of genitourinary system-----752,753	12	8	4	-	7	5	1	2	2	-
37 Congenital anomalies of musculoskeletal system-----754-756	10	7	3	-	5	3	2	-	-	-
38 Down's disease-----759.3	5	2	-	1	2	1	-	-	-	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	39	22	10	6	1	36	22	10	2	2
40 Other and unspecified congenital anomalies-----745,757,758	7	4	2	-	1	4	5	1	4	-
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-776	1,407	888	513	4	2	1,090	642	442	3	3
42 Chronic circulatory and genitourinary diseases in mother-----780	-	-	-	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----781	19	11	7	-	1	15	11	3	-	1
44 Syphilis-----781.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----781.1	9	9	-	-	-	9	8	1	-	-
46 Rubella-----781.3	-	-	-	-	-	-	1	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	10	2	7	-	1	5	2	2	-	1
48 Toxemia of pregnancy-----762	5	1	4	-	-	6	3	3	-	-
49 Maternal antepartum and intrapartum infection-----763	16	5	11	-	-	4	4	-	-	-
50 Difficult labor-----764-766	22	10	12	-	-	19	12	7	-	-
51 With mention of birth injury (.0-.3)-----	17	7	10	-	-	9	5	4	-	-
52 Without mention of birth injury (.4,.9)-----	5	3	2	-	-	10	7	3	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	145	92	55	-	-	119	62	57	-	-
54 Conditions of placenta-----770	60	45	15	-	-	57	40	17	-	-
55 Conditions of umbilical cord-----771	26	17	9	-	-	15	12	3	-	-
56 Birth injury without mention of cause-----772	52	30	20	2	-	32	20	12	-	-
57 Hemolytic disease of newborn-----774,775	18	14	4	-	-	20	10	9	-	1
58 Hyaline membrane disease-----776.1	161	112	48	-	1	156	97	60	1	-
59 Respiratory distress syndrome-----776.2	179	129	49	1	-	113	85	28	-	-
60 Asphyxia of newborn, unspecified-----776.9	310	196	114	-	-	236	147	89	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	21	13	8	-	-	29	14	15	-	-
62 Immaturity, unqualified-----777	305	178	127	-	-	207	102	102	2	1
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	11	8	3	-	-	13	7	6	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	57	27	29	1	-	47	16	31	-	-
66 Symptoms and ill-defined conditions-----780-796	108	9	13	40	46	59	5	10	16	28
67 Accidents-----E900-E949	88	-	2	49	36	82	-	5	42	35
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	23	-	-	17	6	29	-	2	16	11
69 Accidental mechanical suffocation-----E913	25	-	1	11	13	35	-	2	7	3
70 Other accidental causes-----E900-E910,E914-E949	40	-	1	20	19	35	-	1	19	15
71 Homicide-----E980-E978	5	2	1	1	1	5	-	1	2	2
72 All other causes-----Residual	38	6	7	11	12	43	5	6	12	20

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	Hawaii				Total, under 1 year	Idaho				Total, under 1 year	Illinois				Total, under 1 year	Indiana			
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months	
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other	White	All other
300	77	160	20	43	255	181	9	60	5	4,389	2,353	988	650	400	1,925	1,246	207	399	83
1	-	-	1	-	-	-	-	-	-	22	1	2	13	6	13	-	1	7	5
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	3
-	-	-	-	-	1	-	-	1	-	4	-	-	4	-	7	1	-	5	1
4	3	1	-	-	3	1	-	2	-	-	-	-	-	-	-	-	-	-	5
3	1	-	1	1	-	-	-	-	-	11	2	-	5	4	6	3	-	3	7
-	-	-	-	-	-	-	-	-	-	7	1	2	2	2	5	1	2	1	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
1	-	1	-	-	-	-	-	-	-	14	3	-	11	-	9	2	-	6	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	11
-	-	-	-	-	2	-	-	2	-	1	-	-	-	1	1	-	-	1	12
-	-	-	-	-	-	-	-	-	-	4	4	-	2	2	1	1	-	1	13
1	-	-	-	1	3	-	1	2	-	10	4	-	3	3	3	-	-	2	14
3	-	1	-	2	1	-	-	1	-	21	5	5	8	3	12	2	-	10	15
-	-	-	-	-	1	-	-	-	-	26	1	1	18	6	11	1	1	8	16
-	-	-	-	-	-	-	-	-	-	8	1	-	5	2	4	-	-	4	17
26	1	7	6	12	17	3	-	11	3	216	10	17	88	101	15	1	1	11	18
26	1	7	6	12	17	3	-	11	3	471	70	53	194	154	212	40	11	118	19
-	-	-	-	-	-	-	-	-	-	7	1	-	6	-	3	-	-	3	20
-	-	-	-	-	-	-	-	-	-	464	69	53	188	154	209	40	11	115	21
-	-	2	-	2	3	-	-	3	-	-	-	-	-	-	-	-	-	-	22
1	1	-	-	-	1	1	-	-	-	30	6	1	14	9	13	3	-	9	23
-	-	-	-	-	-	-	-	-	-	38	24	4	5	5	16	14	1	1	24
2	-	2	-	-	1	-	-	-	-	2	1	-	-	1	5	-	1	4	25
-	-	-	-	-	1	1	-	-	-	19	6	1	7	5	10	2	4	3	26
63	16	26	6	15	32	19	1	12	-	619	361	78	134	46	336	207	30	87	27
3	1	2	-	-	-	-	-	-	-	44	7	-	1	3	35	3	-	7	28
1	1	-	-	-	-	-	-	-	-	52	17	-	8	3	15	5	-	7	29
-	-	-	-	-	-	-	-	-	-	29	12	2	11	3	11	3	2	5	30
2	1	1	-	-	1	1	-	-	-	31	13	4	11	3	11	3	2	7	31
54	8	12	4	10	17	7	-	10	-	21	12	4	5	3	15	7	8	40	32
3	-	-	2	1	3	3	-	-	-	270	135	34	74	27	133	74	15	40	33
4	-	4	-	-	1	1	-	-	-	39	25	3	6	5	25	12	5	8	34
2	-	-	-	2	5	4	-	1	-	40	16	6	13	5	29	17	3	9	35
3	1	2	-	-	2	-	-	1	-	25	19	6	2	10	8	1	-	1	36
1	-	1	-	-	2	-	1	1	-	27	20	2	5	12	11	1	-	-	37
10	4	4	-	2	1	1	-	-	-	7	3	-	4	5	2	2	-	2	38
-	-	-	-	-	1	1	-	-	-	35	28	5	2	22	15	2	2	5	39
-	-	-	-	-	1	1	-	-	-	11	4	3	4	8	2	2	4	4	40
166	53	113	-	-	158	150	6	2	-	2,636	1,616	613	4	3	1,099	943	147	7	41
4	-	4	-	-	-	4	-	-	-	-	-	-	-	1	1	-	-	-	42
-	-	-	-	-	-	-	-	-	-	26	19	7	-	9	6	3	-	-	43
2	-	2	-	-	3	3	-	-	-	16	13	3	-	3	3	-	-	-	44
2	-	2	-	-	1	1	-	-	-	10	6	4	-	1	1	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	46
-	-	-	-	-	-	-	-	-	-	12	6	6	-	5	5	-	-	-	47
1	-	1	-	-	5	-	-	-	-	10	8	2	-	9	5	4	-	-	48
5	-	5	-	-	5	5	-	-	-	43	29	13	1	19	18	1	-	-	49
-	-	-	-	-	1	1	-	-	-	17	8	9	-	15	14	1	-	-	50
5	-	5	-	-	4	4	-	-	-	26	21	4	1	4	4	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
19	4	15	-	-	20	20	-	-	-	358	265	95	-	121	110	11	-	-	53
3	-	3	-	-	13	13	-	-	-	140	123	17	-	84	72	-	-	-	54
-	-	-	-	-	2	2	-	-	-	29	24	5	-	12	11	1	-	-	55
4	2	2	-	-	4	4	-	-	-	79	51	28	-	40	34	5	1	-	56
2	2	2	-	-	6	5	1	-	-	48	46	2	-	22	20	1	1	-	57
16	7	9	-	-	19	18	1	-	-	193	165	28	-	137	123	13	1	-	58
12	2	10	-	-	14	14	-	-	-	151	112	37	1	69	74	14	1	-	59
32	8	24	-	-	27	26	1	-	-	1,119	674	444	1	262	221	38	2	1	60
3	1	2	-	-	2	2	-	-	-	36	28	8	-	21	17	3	-	1	61
56	23	33	-	-	41	36	4	1	-	327	234	91	-	222	190	31	1	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	1	1	-	-	-	-	-	-	-	20	11	9	-	7	4	3	-	-	64
7	5	4	-	-	1	1	-	-	-	45	23	21	1	39	32	7	-	-	65
10	2	4	1	3	16	4	1	9	2	32	7	2	20	32	3	4	22	3	66
7	-	1	3	3	12	2	-	10	4	105	9	1	71	60	4	-	52	4	67
3	-	-	2	1	5	1	-	4	-	27	5	1	15	11	1	-	9	1	68
1	-	-	-	1	2	-	-	2	-	26	1	-	21	4	2	-	19	3	69
3	-	1	-	1	5	1	-	4	-	52	3	-	35	14	25	1	-	24	70
1	-	-	-	-	-	-	-	-	-	8	3	-	2	3	-	-	-	3	71
6	-	1	1	4	4	-	-	4	-	65	10	2	33	32	8	2	19	3	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Iowa					Kansas				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	894	680	22	182	10	678	462	64	128	24
2 Diarrheal diseases-----009	7	2	-	4	1	2	-	-	2	-
3 Whooping cough-----033	-	-	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	1	1	-	-	-	-	-	-	-	-
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	13	8	-	4	1	4	-	-	4	-
7 Viral diseases-----040-079	3	2	-	1	-	2	-	-	2	-
8 Congenital syphilis-----080	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	2	2	-	-	-	-	-	-	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	2	-	-	2	-	1	-	-	1	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	2	2	-	-	-	2	1	1	-	-
12 Diseases of thymus gland-----254	1	-	-	1	-	-	-	-	-	-
13 Cystic fibrosis-----273-0	2	1	-	1	-	1	-	-	1	-
14 Diseases of the blood and blood-forming organs-----280-289	-	-	-	-	-	-	-	-	-	-
15 Meningitis-----320	4	1	1	2	-	1	1	-	-	-
16 Other diseases of nervous system and sense organs-----321-389	3	-	-	3	-	5	-	-	4	1
17 Acute upper respiratory infections-----460-465	2	1	-	1	-	3	1	-	2	-
18 Bronchitis and bronchiolitis-----466,490,491	5	-	-	4	1	3	-	-	3	-
19 Influenza and pneumonia-----470-474,480-486	72	20	-	47	5	70	12	3	42	13
20 Influenza-----470-474	-	-	-	-	-	5	-	-	5	-
21 Pneumonia-----480-486	72	20	-	47	5	65	12	3	37	13
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	9	2	-	7	-	4	1	-	3	-
24 Hernia and intestinal obstruction-----550-553,560	9	3	-	6	-	8	4	1	3	-
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----538,561,563	6	-	-	-	-	-	-	-	-	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	6	2	-	3	1	4	3	-	1	-
27 Congenital anomalies-----740-759	156	121	2	33	-	107	73	1	32	1
28 Anencephalus-----740	16	16	-	-	-	7	6	-	1	-
29 Spina bifida-----741	12	6	-	6	-	2	1	-	1	-
30 Congenital hydrocephalus-----742	3	2	-	1	-	4	2	-	2	-
31 Other congenital anomalies of central nervous system and eye-----743,744	7	7	-	-	-	8	5	1	2	-
32 Congenital anomalies of heart-----745	50	36	2	12	-	42	23	-	19	1
33 Other congenital anomalies of circulatory system-----747	12	9	-	3	-	7	6	-	1	-
34 Congenital anomalies of respiratory system-----748	10	9	-	1	-	6	5	-	1	-
35 Congenital anomalies of digestive system-----749-751	14	9	-	5	-	7	4	-	3	-
36 Congenital anomalies of genitourinary system-----752,753	8	7	-	1	-	1	1	-	-	-
37 Congenital anomalies of musculoskeletal system-----754-758	8	7	-	1	-	4	3	-	1	-
38 Down's disease-----759.3	-	-	-	-	-	2	2	-	-	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	13	10	-	3	-	15	13	-	2	-
40 Other and unspecified congenital anomalies-----745,757,758	3	3	-	-	-	2	2	-	-	-
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	524	501	19	4	-	415	357	57	-	1
42 Chronic circulatory and genitourinary diseases in mother-----780	-	-	-	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----781	5	5	-	-	-	7	7	-	-	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	3	3	-	-	-	5	5	-	-	-
46 Rubella-----761.3	-	-	-	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	2	2	-	-	-	2	2	-	-	-
48 Toxemia of pregnancy-----762	3	3	-	-	-	3	2	1	-	-
49 Maternal antepartum and intrapartum infection-----763	3	2	1	-	-	2	1	1	-	-
50 Difficult labor-----764-769	13	13	-	-	-	7	4	3	-	-
51 With mention of birth injury (.0-.3)-----764	6	6	-	-	-	6	4	2	-	-
52 Without mention of birth injury (.4,.9)-----769	7	7	-	-	-	1	1	-	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	84	76	6	2	-	67	53	14	-	-
54 Conditions of placenta-----770	46	43	3	-	-	32	29	3	-	-
55 Conditions of umbilical cord-----771	7	7	-	-	-	6	6	-	-	-
56 Birth injury without mention of cause-----772	14	13	1	-	-	7	7	-	-	-
57 Hemolytic disease of newborn-----774,775	12	12	-	-	-	8	8	-	-	-
58 Hyaline membrane disease-----776.1	70	69	-	1	-	58	53	5	-	-
59 Respiratory distress syndrome-----776.2	45	44	1	-	-	42	35	7	-	-
60 Asphyxia of newborn, unspecified-----776.9	105	101	4	-	-	75	69	6	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	3	3	-	-	-	9	9	-	-	-
62 Immaturity, unqualified-----777	87	84	3	-	-	81	65	15	-	1
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	5	4	-	1	-	3	3	-	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	22	22	-	-	-	8	6	2	-	-
66 Symptoms and ill-defined conditions-----780-796	21	2	-	19	-	11	1	-	7	3
67 Accidents-----E800-E949	26	5	-	23	-	22	4	-	16	2
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	9	2	-	7	-	2	-	-	2	-
69 Accidental mechanical suffocation-----E913	7	2	-	5	-	4	1	-	3	-
70 Other accidental causes-----E800-E910,E914-E949	12	1	-	11	-	16	3	-	11	2
71 Homicide-----E960-E978	-	-	-	-	-	-	-	-	-	-
72 All other causes-----Residual	22	4	-	17	1	13	4	1	5	3

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	Kentucky				Total, under 1 year	Louisiana				Total, under 1 year	Maine				Total, under 1 year	Maryland				Total, under 1 year
	Under 28 days		28 days-11 months			White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
	White	All other	White	All other																
1,201	791	91	277	42	1,839	693	643	163	339	548	269	4	75	-	1,354	667	339	195	153	1
12	-	-	10	2	30	1	4	4	21	1	1	-	-	-	6	-	1	5	-	2
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
4	-	-	3	1	2	-	-	2	-	-	-	-	-	-	2	-	-	2	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
14	6	2	5	1	26	1	12	2	11	1	1	-	-	-	22	5	10	3	4	6
5	2	-	3	-	1	-	-	1	-	1	-	-	1	-	3	1	1	1	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	8
2	1	-	1	-	1	-	-	-	1	1	-	-	1	-	2	-	-	1	-	9
-	-	-	-	-	5	2	-	2	1	-	-	-	-	-	1	-	-	-	-	10
1	1	-	-	-	3	1	1	-	1	-	-	-	-	-	1	-	-	-	-	11
1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	12
2	1	-	1	-	4	-	1	2	1	1	-	-	1	-	2	-	-	2	-	13
3	-	-	2	1	7	1	2	1	3	-	-	-	-	-	3	1	2	-	-	14
6	-	-	4	2	22	3	3	10	6	3	3	-	-	-	14	-	1	10	3	15
6	1	-	5	-	14	1	-	5	8	3	-	-	3	-	14	-	-	8	-	16
2	-	-	2	-	4	-	-	1	3	2	-	-	2	-	3	-	-	2	1	17
4	-	-	4	-	3	-	-	1	2	1	-	-	1	-	7	-	-	5	-	18
112	22	6	73	11	253	25	35	29	144	25	9	-	16	-	99	10	15	24	50	19
2	-	-	2	-	2	-	-	-	2	-	-	-	-	-	2	-	-	-	2	20
110	22	6	71	11	231	25	35	29	142	25	9	-	16	-	97	10	15	24	48	21
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	22
11	3	-	8	-	17	3	3	2	9	3	2	-	1	-	14	5	2	3	4	23
9	7	-	1	1	16	7	5	2	2	5	5	-	-	-	10	7	1	2	-	24
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	2	-	25
3	1	1	1	-	13	5	3	1	4	1	1	-	-	-	3	-	2	1	-	26
237	166	10	56	5	256	116	48	54	38	56	39	1	16	-	213	119	29	51	14	27
22	20	-	2	-	16	11	5	-	-	9	9	-	-	-	19	17	1	1	-	28
18	11	-	7	-	11	3	1	7	-	6	4	-	2	-	10	6	1	3	-	29
16	11	1	4	-	14	3	2	4	5	3	1	-	2	-	9	3	2	4	-	30
9	5	-	3	-	12	6	3	3	3	3	3	-	-	-	7	6	1	1	-	31
92	55	7	27	3	99	39	12	27	21	19	15	-	6	-	89	45	9	28	9	32
3	2	-	1	-	9	4	1	2	2	4	3	-	1	-	13	5	1	1	2	33
11	10	-	1	-	15	11	3	1	-	1	1	-	-	-	6	3	3	-	-	34
17	10	-	6	1	25	6	7	5	7	1	-	-	1	-	17	10	2	5	-	35
8	7	-	1	-	9	5	3	1	-	4	1	1	1	-	9	7	1	1	-	36
3	3	-	-	-	10	7	1	1	1	1	1	-	-	-	7	4	1	2	-	37
4	3	-	-	1	1	-	-	1	-	1	-	-	1	-	2	-	-	-	1	38
27	23	-	4	-	32	21	7	2	2	4	3	-	1	-	22	15	6	1	2	39
7	6	1	-	-	3	-	2	1	-	-	-	-	-	-	3	2	1	-	-	40
639	562	89	6	2	1,025	513	506	-	6	202	199	3	1	-	779	507	268	4	-	41
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
2	2	-	-	-	6	5	1	-	-	4	4	-	-	-	9	8	1	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	2	-	-	-	2	2	-	-	-	1	1	-	-	-	5	4	1	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	4	3	1	-	-	3	3	-	-	-	4	4	-	-	-	47
3	3	-	-	-	6	2	4	-	-	-	-	-	-	-	1	-	1	-	-	48
3	2	-	1	-	2	1	1	-	-	-	-	-	-	-	5	1	4	-	-	49
19	14	3	1	-	37	12	25	-	-	10	10	-	-	-	14	8	6	-	-	50
14	11	2	1	-	30	12	18	-	-	-	-	-	-	-	6	4	2	-	-	51
4	3	1	-	-	7	-	7	-	-	10	10	-	-	-	8	4	4	-	-	52
89	85	4	-	-	106	59	47	-	-	34	33	1	-	-	86	60	26	-	-	53
32	29	2	1	-	36	22	14	-	-	11	11	-	-	-	49	30	19	-	-	54
8	7	1	-	-	18	10	8	-	-	1	1	-	-	-	15	13	2	-	-	55
29	24	5	-	-	60	25	34	-	1	9	8	1	-	-	33	21	11	1	-	56
10	9	1	-	-	17	14	3	-	-	3	2	1	-	-	21	19	2	-	-	57
61	59	1	1	-	110	65	45	-	-	27	26	1	-	-	78	54	24	-	-	58
96	84	11	-	1	83	52	31	-	-	7	7	-	-	-	80	52	28	-	-	59
117	97	19	1	-	209	107	100	-	2	47	47	-	-	-	143	98	45	-	-	60
15	14	1	-	-	31	11	20	-	-	5	5	-	-	-	16	10	6	-	-	61
131	115	15	-	1	227	97	127	-	3	39	39	-	-	-	194	113	79	2	-	62
6	3	3	-	-	12	9	3	-	-	1	1	-	-	-	5	3	2	-	-	63
19	15	3	1	-	64	22	42	-	-	4	4	-	-	-	30	17	12	1	-	64
46	9	1	29	7	27	2	6	3	16	19	4	-	15	-	91	7	2	37	45	66
55	3	2	44	6	79	5	6	29	39	6	1	-	5	-	39	2	1	21	14	67
18	3	-	14	1	21	1	5	4	13	2	-	-	2	-	15	1	1	8	5	68
18	-	1	17	1	16	1	1	10	4	1	-	-	1	-	6	-	-	4	2	69
19	-	1	13	5	42	5	2	15	22	3	1	-	1	-	17	1	-	9	7	70
2	-	-	2	-	1	-	1	-	-	2	-	-	2	-	2	-	1	1	-	71
24	6	-	15	3	47	7	7	11	22	14	5	-	-	-	22	3	2	10	7	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Massachusetts					Michigan				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	1,699	1,281	98	290	30	3,390	1,962	624	596	208
2 Diarrheal diseases-----009	7	2	-	5	-	25	3	3	12	7
3 Whooping cough-----033	-	-	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	2	-	-	1	1	5	-	-	3	2
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	12	10	-	1	1	26	11	11	2	2
7 Viral diseases-----040-079	4	1	-	3	-	10	1	1	4	4
8 Congenital syphilis-----090	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	6	-	-	6	-	11	1	-	8	2
10 Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues-----140-209	5	1	-	4	-	11	4	-	7	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	2	2	-	-	-
12 Diseases of thymus gland-----254	1	1	-	-	-	1	-	-	1	-
13 Cystic fibrosis-----275.0	6	2	-	4	-	5	1	-	3	1
14 Diseases of the blood and blood-forming organs-----280-289	7	-	1	5	1	6	1	1	3	1
15 Meningitis-----320	7	4	-	3	-	35	9	3	13	10
16 Other diseases of nervous system and sense organs-----321-389	12	-	1	10	1	27	1	-	23	3
17 Acute upper respiratory infections-----460-465	5	-	-	5	-	8	2	-	6	-
18 Bronchitis and bronchiolitis-----466,490,491	4	-	-	4	-	17	-	-	14	3
19 Influenza and pneumonia-----470-474,480-486	157	42	9	95	11	271	42	20	167	42
20 Influenza-----470-474	-	-	-	-	-	5	2	-	3	-
21 Pneumonia-----480-486	157	42	9	95	11	266	40	20	164	42
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	21	2	-	17	2	19	6	-	11	2
24 Hernia and intestinal obstruction-----550-553,560	18	13	2	3	-	24	19	2	2	1
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	-	-	-	-	-	2	-	-	1	1
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	11	9	-	2	-	17	2	1	12	2
27 Congenital anomalies-----740-759	269	197	8	60	4	507	307	46	125	36
28 Anencephalus-----740	28	28	-	-	-	33	27	2	4	-
29 Spina bifida-----741	20	16	1	3	-	25	7	-	17	1
30 Congenital hydrocephalus-----742	12	5	-	7	-	34	22	4	6	2
31 Other congenital anomalies of central nervous system and eyes-----743,744	8	8	-	2	-	12	8	1	1	2
32 Congenital anomalies of heart-----745	108	73	6	27	2	217	117	20	62	18
33 Other congenital anomalies of circulatory system-----747	14	8	-	5	1	34	13	4	12	5
34 Congenital anomalies of respiratory system-----748	5	5	-	-	-	18	14	3	-	1
35 Congenital anomalies of digestive system-----749-751	12	5	-	7	-	39	22	4	10	3
36 Congenital anomalies of genitourinary system-----752,753	9	7	-	-	-	28	23	1	1	3
37 Congenital anomalies of musculoskeletal system-----754-756	11	7	-	3	1	15	12	1	2	-
38 Down's disease-----758.3	5	2	-	-	-	6	-	-	5	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	33	30	1	2	-	42	35	4	2	1
40 Other and unspecified congenital anomalies-----745,757,758	4	3	-	1	-	4	2	1	1	-
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	1,046	967	76	2	1	2,060	1,526	520	7	7
42 Chronic circulatory and genitourinary diseases in mother-----780	-	-	-	-	-	2	2	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	10	10	-	-	-	17	13	4	-	-
44 Syphilis-----761.0	1	-	-	-	-	1	-	1	-	-
45 Diabetes mellitus-----761.1	5	5	-	-	-	11	10	1	-	-
46 Rubella-----761.3	1	1	-	-	-	1	1	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	4	4	-	-	-	4	2	2	-	-
48 Toxemia of pregnancy-----762	1	1	-	-	-	12	10	2	-	-
49 Maternal antepartum and intrapartum infection-----763	8	7	1	-	-	15	12	3	-	-
50 Difficult labor-----764-768	19	18	1	-	-	41	30	11	-	-
51 With mention of birth injury (.0-.3)	12	11	1	-	-	22	15	7	-	-
52 Without mention of birth injury (.4,.9)	7	7	-	-	-	19	15	4	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	161	150	10	-	1	308	220	89	-	-
54 Conditions of placenta-----770	62	58	4	-	-	141	118	25	-	-
55 Conditions of umbilical cord-----771	7	6	-	1	-	30	27	3	-	-
56 Birth injury without mention of cause-----772	39	36	3	-	-	41	34	6	1	-
57 Hemolytic disease of newborn-----774,775	29	29	-	-	-	53	47	6	-	-
58 Hyaline membrane disease-----776.1	141	133	8	-	-	215	184	30	-	1
59 Respiratory distress syndrome-----776.2	70	65	7	-	-	201	143	58	-	-
60 Asphyxia of newborn, unspecified-----776.9	192	181	11	-	-	428	325	101	-	2
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	10	9	1	-	-	49	33	16	-	2
62 Immaturity, unqualified-----777	260	254	25	1	-	458	295	157	4	-
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	12	10	2	-	-	11	9	1	-	1
65 All other conditions of newborn-----778.0,778.3,778.9	25	22	3	-	-	38	26	9	2	1
66 Symptoms and ill-defined conditions-----780-796	22	8	1	13	-	152	13	11	77	51
67 Accidents-----E900-E949	43	11	-	27	5	95	4	1	66	24
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	17	3	-	11	3	29	1	-	19	9
69 Accidental mechanical suffocation-----E913	10	2	-	7	1	26	-	1	19	8
70 Other accidental causes-----E900-E910,E914-E949	16	6	-	9	1	38	3	-	28	7
71 Homicide-----E960-E978	5	2	-	2	1	4	1	-	2	1
72 All other causes-----Residual	29	9	-	18	2	50	11	4	20	6

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	Minnesota				Total, under 1 year	Mississippi				Total, under 1 year	Missouri				Total, under 1 year	Montana				
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
1,113	859	25	215	14	1,509	438	627	87	357	1,666	976	307	265	118	246	167	16	53	10	1
2	1	-	1	-	68	5	15	4	44	13	1	2	5	5	6	-	-	2	4	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	2	-	-	1	1	3	-	-	3	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	10	-	3	-	27	6	17	-	4	15	10	3	1	1	-	-	-	-	-	5
3	1	-	2	-	3	1	-	-	2	3	1	-	2	-	1	-	-	1	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
2	1	-	1	-	11	-	3	-	8	4	2	-	2	-	2	1	-	1	-	9
3	1	-	2	-	2	-	-	2	-	2	-	-	2	-	1	-	-	1	-	10
2	1	-	1	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	11
1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	12
-	-	-	-	-	2	1	-	1	-	3	3	-	-	-	1	-	-	1	-	13
2	1	-	1	-	2	-	-	-	2	5	-	1	4	-	-	-	-	-	-	14
10	2	-	8	-	10	-	2	-	8	13	6	2	3	2	2	1	-	1	-	15
6	-	-	6	-	3	-	-	1	2	11	2	-	7	2	1	-	-	1	-	16
2	-	-	1	1	4	-	-	-	4	4	-	-	2	2	-	-	-	-	-	17
4	-	-	3	1	11	-	-	3	8	8	1	1	4	2	3	-	-	3	-	18
52	21	2	26	3	150	14	27	22	87	148	28	16	67	37	11	-	1	7	3	19
2	1	-	1	-	6	-	1	-	5	2	-	-	2	-	1	-	-	1	-	20
50	20	2	25	3	144	14	26	22	82	146	28	16	65	37	10	-	1	6	3	21
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
7	4	-	3	-	10	3	1	1	5	9	4	-	3	2	1	-	-	-	-	23
13	10	-	3	-	14	7	3	1	3	13	8	3	7	2	2	2	-	-	-	24
-	-	-	-	-	4	1	1	1	2	-	-	-	-	-	-	-	-	-	-	25
6	1	-	5	-	4	1	1	1	1	8	1	3	4	-	-	-	-	-	-	26
182	124	2	54	2	144	59	38	18	29	256	138	27	71	20	27	20	-	6	1	27
21	21	-	-	-	11	7	4	-	-	16	13	2	-	1	-	-	-	-	-	28
11	8	-	3	-	13	5	2	5	1	14	8	-	6	-	-	-	-	-	-	29
10	6	-	4	-	11	4	-	1	6	9	4	1	4	-	-	-	-	-	-	30
5	2	-	4	1	4	1	2	2	1	8	6	-	1	1	3	2	-	1	-	31
61	30	1	30	-	50	19	14	7	10	105	52	10	33	8	12	8	-	4	-	32
11	8	-	3	-	7	5	1	1	-	17	6	1	5	5	1	-	-	-	-	33
13	12	-	1	-	9	6	3	-	-	15	14	1	-	-	3	3	-	-	-	34
12	8	-	4	-	10	3	3	1	3	21	7	1	10	3	1	1	-	-	-	35
14	13	-	1	-	1	1	-	-	-	12	4	3	5	-	-	-	-	-	-	36
8	4	-	1	-	5	1	2	-	2	6	5	-	-	1	2	1	-	-	1	37
2	2	-	2	-	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	38
14	9	1	3	1	13	4	3	3	3	28	17	5	5	1	4	3	-	1	-	39
3	3	-	-	-	7	3	2	-	2	7	2	3	2	-	1	1	-	-	-	40
674	648	21	4	1	751	325	423	-	3	994	750	238	6	-	155	139	15	-	1	41
1	1	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	42
8	8	-	-	-	12	4	9	-	-	14	13	1	-	2	2	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
5	5	-	-	-	4	1	3	-	-	11	10	1	-	1	1	-	-	-	-	45
3	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	6	1	5	-	-	3	3	-	-	1	1	-	-	-	-	47
2	2	-	-	-	8	2	4	-	-	3	2	1	-	3	1	1	-	-	-	48
4	3	1	-	-	8	1	7	-	-	5	4	-	1	3	1	2	-	-	-	49
16	16	-	-	-	19	11	8	-	-	21	17	4	-	4	3	1	-	-	-	50
6	6	-	-	-	10	6	4	-	-	11	8	3	-	-	-	-	-	-	-	51
10	10	-	-	-	9	5	4	-	-	10	9	1	-	4	3	1	-	-	-	52
86	82	4	-	-	83	38	45	-	-	137	96	41	-	19	18	1	-	-	-	53
42	40	2	-	-	41	20	21	-	-	44	40	4	-	8	7	1	-	-	-	54
8	8	-	-	-	5	1	4	-	-	13	8	5	-	1	1	-	-	-	-	55
29	29	-	-	-	16	4	11	1	-	16	10	4	2	8	8	-	-	-	-	56
18	18	-	-	-	15	15	2	-	-	22	19	3	-	4	4	-	-	-	-	57
104	95	5	3	1	95	62	33	-	-	118	107	11	-	25	25	-	-	-	-	58
54	52	2	-	-	84	35	49	-	-	99	90	9	-	11	10	1	-	-	-	59
111	108	3	-	-	122	58	64	-	-	228	170	57	1	23	19	4	-	-	-	60
14	14	-	-	-	20	8	14	-	-	22	14	7	1	4	4	-	-	-	-	61
154	149	4	1	-	183	63	118	-	2	191	119	72	-	35	31	4	-	-	-	62
-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	63
4	4	-	-	-	10	2	8	-	-	16	15	1	-	3	3	-	-	-	-	64
19	19	-	-	-	31	5	26	-	-	43	25	17	1	1	1	-	-	-	-	65
76	17	-	55	4	206	8	82	17	99	75	9	6	38	22	12	-	-	-	1	66
26	1	-	25	-	55	4	5	11	35	45	4	2	25	14	15	-	-	-	15	67
10	1	-	9	-	6	1	-	2	3	12	1	1	8	2	2	-	-	-	2	68
3	-	-	3	-	18	2	3	3	10	17	2	1	8	3	3	-	-	-	3	69
13	-	-	13	-	31	1	2	6	22	16	1	-	9	6	10	-	-	-	10	70
-	-	-	-	-	1	-	1	-	-	3	-	1	2	-	-	-	-	-	-	71
26	15	-	9	2	22	4	6	2	10	28	6	2	13	7	6	-	-	-	3	72

SECTION 2 · INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Nebraska				Nevada					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	423	295	39	74	15	169	106	16	39	9
2 Diarrheal diseases-----009	1	1	-	-	-	-	-	-	-	-
3 Whooping cough-----035	-	-	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	2	-	-	2	-	-	-	-	-	-
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	2	1	-	1	-	2	1	1	-	-
7 Viral diseases-----040-079	1	-	-	-	1	-	-	-	-	-
8 Congenital syphilis-----090	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----	1	-	-	-	1	-	-	-	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	1	-	-	-	-	-	-	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	-	-	-	-	-
12 Diseases of thymus gland-----254	-	-	-	-	-	-	-	-	-	-
13 Cystic fibrosis-----275.0	3	1	-	2	-	-	-	-	-	-
14 Diseases of the blood and blood-forming organs-----280-289	1	1	-	-	-	-	-	-	-	-
15 Meningitis-----320	4	1	-	3	-	-	-	-	-	-
16 Other diseases of nervous system and sense organs-----321-389	-	-	-	-	-	5	1	-	3	1
17 Acute upper respiratory infections-----460-465	2	1	-	1	-	-	-	-	-	-
18 Bronchitis and bronchiolitis-----466,490,491	3	-	-	2	1	2	-	-	2	-
19 Influenza and pneumonia-----470-474,480-485	32	6	2	18	6	11	2	1	6	2
20 Influenza-----470-474	-	-	-	-	-	-	-	-	-	-
21 Pneumonia-----480-485	32	6	2	18	6	11	2	1	6	2
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492,493,500-516,518,519	14	1	-	10	3	2	1	-	1	-
24 Hernia and intestinal obstruction-----550-553,560	6	4	2	-	-	-	-	-	-	-
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	-	-	-	-	-	1	-	-	-	1
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	2	2	-	-	-	2	-	-	2	-
27 Congenital anomalies-----740-759	69	47	3	17	1	24	11	3	9	2
28 Anencephalus-----740	6	6	-	-	-	-	-	-	-	-
29 Spina bifida-----741	2	2	-	-	-	1	-	-	1	-
30 Congenital hydrocephalus-----742	1	-	-	1	-	3	1	-	2	-
31 Other congenital anomalies of central nervous system and eye-----743,744	5	5	-	-	-	3	1	1	1	-
32 Congenital anomalies of heart-----746	28	21	1	6	-	6	5	1	1	1
33 Other congenital anomalies of circulatory system-----747	4	1	-	3	-	2	-	-	1	1
34 Congenital anomalies of respiratory system-----748	4	4	-	-	-	-	-	-	-	-
35 Congenital anomalies of digestive system-----749-751	10	4	-	5	1	2	1	1	-	-
36 Congenital anomalies of genitourinary system-----752,755	1	1	-	-	-	-	-	-	-	-
37 Congenital anomalies of musculoskeletal system-----754-756	3	1	1	1	-	1	1	-	-	-
38 Down's disease-----759.3	1	1	-	-	-	-	-	-	-	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	3	1	1	1	-	4	2	-	2	-
40 Other and unspecified congenital anomalies-----745,757,758	-	-	-	-	-	-	-	-	-	-
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	260	220	32	-	-	101	90	11	-	-
42 Chronic circulatory and genitourinary diseases in mother-----760	-	-	-	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	5	5	-	-	-	1	1	-	-	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	4	4	-	-	-	-	-	-	-	-
46 Rubella-----761.3	-	-	-	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	1	1	-	-	-	1	1	-	-	-
48 Toxemia of pregnancy-----762	4	4	-	-	-	-	-	-	-	-
49 Maternal antepartum and intrapartum infection-----763	-	-	-	-	-	1	1	-	-	-
50 Difficult labor-----764-768	23	15	8	-	-	-	-	-	-	-
51 With mention of birth injury (.0-.3)-----	5	2	3	-	-	-	-	-	-	-
52 Without mention of birth injury (.4-.9)-----	18	13	5	-	-	-	-	-	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	47	41	6	-	-	13	12	1	-	-
54 Conditions of placenta-----770	44	42	2	-	-	-	3	1	-	-
55 Conditions of umbilical cord-----771	5	4	1	-	-	4	4	1	-	-
56 Birth injury without mention of cause-----772	3	3	-	-	-	-	-	-	-	-
57 Hemolytic disease of newborn-----774,775	5	5	-	-	-	4	4	-	-	-
58 Hyaline membrane disease-----776.1	26	25	1	-	-	19	16	2	-	-
59 Respiratory distress syndrome-----776.2	15	14	1	-	-	11	9	2	-	-
60 Asphyxia of newborn, unspecified-----776.9	35	29	6	-	-	15	14	1	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	2	2	-	-	-	-	-	-	-	-
62 Immaturity, unqualified-----777	35	28	6	-	-	24	21	3	-	-
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	1	1	-	-	-	1	1	-	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	10	9	1	-	-	4	4	-	-	-
66 Symptoms and ill-defined conditions-----780-796	6	1	-	4	1	8	-	-	8	-
67 Accidents-----E800-E849	9	-	-	9	-	9	-	-	6	3
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	2	-	-	2	-	2	-	-	1	1
69 Accidental mechanical suffocation-----E915	4	-	-	4	-	-	-	-	-	-
70 Other accidental causes-----E800-E910,E914-E949	3	-	-	3	-	7	-	-	5	2
71 Homicide-----E960-E978	-	-	-	-	-	-	-	-	-	-
72 All other causes-----Residual	5	-	-	4	1	2	-	-	2	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State 1969-Con.
Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	New Hampshire				Total, under 1 year	New Jersey				Total, under 1 year	New Mexico				Total, under 1 year	New York				
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
263	200	-	60	3	2,346	1,265	514	355	214	515	291	59	101	64	6,578	3,549	1,421	1,105	503	1
1	-	-	1	-	17	1	1	7	8	17	-	-	8	9	85	4	7	46	26	2
2	-	-	2	-	4	-	-	3	1	1	-	-	-	1	11	-	-	9	2	3
1	-	-	1	-	15	8	4	3	-	8	3	1	2	2	66	26	19	14	7	6
2	-	-	2	-	6	2	1	1	2	5	2	-	3	-	16	2	3	9	2	7
-	-	-	-	-	7	2	-	4	1	1	-	-	-	1	12	2	1	6	3	8
-	-	-	-	-	7	2	-	4	1	1	-	-	-	-	12	2	1	6	3	9
-	-	-	-	-	5	4	1	6	1	1	1	-	-	-	12	1	-	11	-	10
-	-	-	-	-	5	4	1	6	1	1	1	-	-	-	4	2	1	1	-	11
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	12
1	-	-	1	-	3	2	-	1	-	1	-	-	1	-	7	2	1	3	1	13
-	-	-	-	-	3	1	-	2	-	3	-	-	-	1	13	6	-	5	2	14
1	-	-	1	-	15	4	2	6	3	9	2	1	2	4	35	12	4	6	13	15
2	-	-	2	-	15	4	1	11	3	2	-	-	-	4	49	4	-	36	9	16
3	-	-	3	-	2	-	-	2	-	2	-	-	2	-	10	-	-	8	2	17
4	-	-	3	-	17	-	-	8	9	2	-	-	2	-	30	1	-	18	11	18
16	4	-	11	1	240	42	17	96	85	61	12	5	23	21	552	113	58	236	145	19
-	-	-	-	-	1	-	-	1	-	2	-	-	2	-	1	1	-	-	-	20
16	4	-	11	1	239	42	17	95	85	59	12	5	21	21	551	112	58	236	145	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	22
1	-	-	1	-	22	5	1	11	5	9	5	-	4	-	43	10	6	16	11	23
2	2	-	-	-	24	20	3	-	1	4	3	1	-	-	37	24	4	6	3	24
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	4	1	-	1	2	25
3	2	-	1	-	12	1	3	7	1	8	4	-	2	-	46	21	8	13	4	26
52	38	-	14	-	368	198	43	99	28	62	49	9	21	3	1,032	561	110	290	71	27
9	9	-	-	-	33	23	7	3	-	5	2	1	-	-	86	80	5	3	-	28
6	2	-	3	-	12	8	-	4	-	3	2	1	2	-	77	37	5	31	4	29
-	-	-	-	-	25	10	1	11	3	8	2	1	5	-	55	26	3	17	9	30
3	2	-	1	-	12	8	-	4	-	4	4	-	-	-	39	20	2	14	3	31
21	13	-	8	-	157	75	15	50	17	27	13	2	10	2	366	161	41	135	29	32
2	2	-	-	-	22	9	2	9	2	7	3	1	3	-	93	41	7	35	10	33
2	2	-	-	-	12	10	-	1	1	3	3	-	-	-	39	29	7	1	2	34
3	2	-	1	-	20	9	3	7	1	9	7	1	-	1	64	34	9	19	2	35
4	3	-	1	-	14	9	1	2	2	2	2	-	-	-	24	14	5	5	-	36
-	-	-	-	-	7	5	1	-	1	1	1	-	-	-	20	14	4	2	-	37
1	1	-	-	-	6	3	-	2	1	1	-	-	1	-	17	2	1	11	3	38
2	2	-	-	-	40	25	10	5	-	10	9	1	-	-	124	85	16	14	9	39
-	-	-	-	-	8	4	3	1	-	2	1	1	-	-	26	18	5	3	-	40
151	151	-	-	-	1,393	952	428	10	3	246	206	39	1	-	3,952	2,675	1,165	8	8	41
3	3	-	-	-	-	-	-	-	-	4	3	1	-	-	2	1	1	-	-	42
-	-	-	-	-	19	13	4	2	-	4	3	1	-	-	42	32	9	1	-	43
1	1	-	-	-	11	9	2	-	-	1	-	1	-	-	24	20	4	-	-	44
-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	3	2	-	1	-	45
2	2	-	-	-	4	3	1	-	-	3	3	-	-	-	15	10	5	-	-	46
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	12	8	4	-	-	47
1	1	-	-	-	5	2	3	-	-	1	1	-	-	-	11	9	2	-	-	48
1	1	-	-	-	24	13	11	-	-	5	5	-	-	-	87	66	21	-	-	49
-	-	-	-	-	16	8	8	-	-	3	3	-	-	-	43	31	12	-	-	50
1	1	-	-	-	8	5	3	-	-	2	2	-	-	-	44	35	9	-	-	51
20	20	-	-	-	163	118	43	2	-	30	21	9	-	-	482	344	137	-	1	53
17	17	-	-	-	75	58	17	-	-	10	8	2	-	-	174	152	22	-	-	54
4	4	-	-	-	11	8	3	-	-	2	2	-	-	-	33	30	3	-	-	55
3	3	-	-	-	60	44	16	-	-	4	4	-	-	-	132	80	51	1	-	56
5	5	-	-	-	43	40	3	-	-	1	1	-	-	-	92	90	2	-	-	57
15	15	-	-	-	103	90	13	-	-	34	29	5	-	-	269	224	45	-	-	58
14	14	-	-	-	168	121	46	-	1	23	19	4	-	-	429	312	112	2	3	59
26	26	-	-	-	320	231	88	1	-	48	42	6	-	-	888	611	273	-	2	60
1	1	-	-	-	22	12	10	-	-	5	3	2	-	-	50	34	16	-	-	61
40	40	-	-	-	318	170	142	4	2	59	53	6	-	-	987	572	411	2	2	62
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	63
-	-	-	-	-	11	8	3	-	-	9	6	3	-	-	29	19	10	-	-	64
1	1	-	-	-	50	23	26	1	-	8	7	-	1	-	135	89	44	2	-	65
7	1	-	6	-	43	9	2	18	14	25	2	1	10	12	377	31	17	213	116	66
11	1	-	9	1	81	5	3	37	36	18	-	-	13	5	120	10	4	84	22	67
3	1	-	1	1	42	2	2	20	18	7	-	-	6	1	44	3	1	30	10	68
3	-	-	3	-	15	1	-	6	8	2	-	-	2	-	24	-	1	20	3	69
5	-	-	5	-	24	2	1	11	10	9	-	-	5	4	52	7	2	34	9	70
-	-	-	-	-	3	2	-	-	1	1	-	-	1	-	22	7	4	9	2	71
3	1	-	2	-	42	5	3	22	12	7	1	2	-	-	140	34	11	54	41	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	North Carolina				North Dakota					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	2,342	1,002	621	323	396	180	138	6	30	6
2 Diarrheal diseases-----009	42	2	8	7	25	1	-	-	1	-
3 Whooping cough-----035	-	-	-	-	-	-	-	-	-	-
4 Meningococcal infections-----036	4	-	-	2	2	-	-	-	-	-
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	55	12	14	5	4	-	-	-	-	-
7 Viral diseases-----040-079	16	3	2	4	7	3	2	-	1	-
8 Congenital syphilis-----090	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-136	20	1	3	4	12	-	-	-	-	-
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-209	6	-	-	5	1	-	-	-	-	-
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	-	-	-	-	-
12 Diseases of thymus gland-----254	2	-	-	-	2	1	-	-	1	-
13 Cystic fibrosis-----275.0	1	-	-	1	-	-	-	-	-	-
14 Diseases of the blood and blood-forming organs-----280-289	2	1	-	-	1	1	-	-	1	-
15 Meningitis-----320	9	2	2	2	3	1	-	-	-	1
16 Other diseases of nervous system and sense organs-----321-389	19	1	3	9	6	-	-	-	-	-
17 Acute upper respiratory infections-----460-465	4	-	1	-	3	1	-	-	1	-
18 Bronchitis and bronchiolitis-----466, 490, 491	17	1	1	7	8	-	-	-	-	-
19 Influenza and pneumonia-----470-474, 480-486	247	14	27	71	135	12	6	-	4	2
20 Influenza-----470-474	14	-	-	8	6	-	-	-	-	-
21 Pneumonia-----480-486	233	14	27	63	129	12	6	-	4	2
22 Other chronic interstitial pneumonia-----517	1	-	1	-	-	-	-	-	-	-
23 All other diseases of respiratory system-----492, 493, 500-516, 518, 519	18	3	-	9	6	2	1	-	1	-
24 Hernia and intestinal obstruction-----550-553, 560	17	9	4	1	3	-	-	-	-	-
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535, 561, 563	1	-	-	1	-	1	-	-	1	-
26 Other diseases of digestive system-----520-534, 536, 537, 540-543, 562, 564-577	12	6	-	3	3	-	-	-	-	-
27 Congenital anomalies-----740-759	314	144	51	85	34	29	19	1	9	-
28 Anencephalus-----740	22	19	1	2	-	3	3	-	-	-
29 Spina bifida-----741	37	14	4	16	3	3	3	-	-	-
30 Congenital hydrocephalus-----742	18	10	1	6	1	3	1	1	1	-
31 Other congenital anomalies of central nervous system and eye-----743, 744	12	7	1	2	2	1	-	-	1	-
32 Congenital anomalies of heart-----746	127	43	25	38	21	6	3	-	3	-
33 Other congenital anomalies of circulatory system-----747	13	4	2	6	1	3	3	-	-	-
34 Congenital anomalies of respiratory system-----748	10	5	-	4	1	2	2	-	-	-
35 Congenital anomalies of digestive system-----749-751	23	10	8	4	1	3	1	-	2	-
36 Congenital anomalies of genitourinary system-----752, 755	5	3	1	-	1	2	-	-	-	-
37 Congenital anomalies of musculoskeletal system-----754-756	9	6	1	1	1	1	-	-	1	-
38 Down's disease-----759.3	4	2	-	2	-	-	-	-	-	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2, 759.4-759.9	50	19	6	4	1	2	1	-	1	-
40 Other and unspecified congenital anomalies-----745, 757, 758	4	2	1	-	1	-	-	-	-	-
41 Certain causes of mortality in early infancy-----760-769.2, 769.4-772, 774-778	1,279	787	481	7	4	112	107	5	-	-
42 Chronic circulatory and genitourinary diseases in mother-----760	1	-	1	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	14	8	6	-	-	4	4	-	-	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	5	3	2	-	-	2	2	-	-	-
46 Rubella-----761.5	1	1	-	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy-----761.2, 761.4-761.7, 761.9	8	4	4	-	-	2	2	-	-	-
48 Toxemia of pregnancy-----762	9	3	6	-	-	-	-	-	-	-
49 Maternal antepartum and intrapartum infection-----763	6	4	2	-	-	-	-	-	-	-
50 Difficult labor-----764-769	21	13	7	1	-	3	3	-	-	-
51 With mention of birth injury (.0-.5)	10	7	3	-	-	1	1	-	-	-
52 Without mention of birth injury (.4,.9)	11	6	4	1	-	2	2	-	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2, 769.4, 769.5, 769.9	154	91	62	1	-	18	16	2	-	-
54 Conditions of placenta-----770	67	53	14	-	-	10	10	-	-	-
55 Conditions of umbilical cord-----771	11	8	3	-	-	1	1	-	-	-
56 Birth injury without mention of cause-----772	41	21	20	-	-	4	4	-	-	-
57 Hemolytic disease of newborn-----774, 775	22	20	2	-	-	2	2	-	-	-
58 Hyaline membrane disease-----776.1	97	72	25	-	-	15	15	-	-	-
59 Respiratory distress syndrome-----776.2	121	73	47	1	-	14	13	1	-	-
60 Asphyxia of newborn, unspecified-----776.9	317	203	112	2	-	19	18	1	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0, 776.3, 776.4	17	9	7	-	1	2	2	-	-	-
62 Immaturity, unqualified-----777	315	173	139	1	2	14	13	1	-	-
63 Postmaturity-----778.1	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn-----778.2	7	5	2	-	-	2	2	-	-	-
65 All other conditions of newborn-----778.0, 778.3, 778.9	59	31	26	1	1	4	4	-	-	-
66 Symptoms and ill-defined conditions-----780-796	145	11	18	36	80	8	2	-	3	3
67 Accidents-----E900-E949	87	4	3	44	36	7	1	-	6	-
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911, E912	33	2	1	14	16	1	-	-	1	-
69 Accidental mechanical suffocation-----E913	23	-	1	12	10	5	1	-	4	-
70 Other accidental causes-----E900-E910, E914-E949	31	2	1	18	10	1	-	-	1	-
71 Homicide-----E960-E978	3	1	-	1	1	-	-	-	-	-
72 All other causes-----Residual	41	-	2	19	20	1	-	-	1	-

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State 1969-Con.
 Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	Ohio				Total, under 1 year	Oklahoma				Total, under 1 year	Oregon				Total, under 1 year	Pennsylvania				
	Under 28 days		28 days-11 months			White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
	White	All other	White	All other																
3,665	2,361	492	656	159	877	562	113	152	50	593	390	21	170	12	3,902	2,392	647	659	214	1
14	3	1	8	2	3	-	-	2	1	2	1	-	1	-	19	3	1	13	2	2
6	1	-	5	-	1	-	-	1	-	1	1	-	-	-	4	-	-	3	1	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
34	19	7	8	-	12	5	2	5	-	4	2	1	1	-	32	18	9	4	1	5
15	3	2	7	3	1	-	-	1	-	1	1	-	-	-	23	5	1	14	3	7
0	2	1	5	-	1	-	-	1	-	1	-	-	1	-	16	2	2	8	4	8
3	-	-	2	1	-	-	-	-	-	2	-	-	2	-	6	2	-	3	1	10
4	2	-	1	1	1	-	-	1	-	-	-	-	-	6	1	2	3	-	11	
1	1	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	2	-	12	
8	3	1	4	-	2	-	-	1	1	1	-	-	-	3	2	-	1	-	13	
9	5	2	2	2	-	-	-	-	-	-	-	-	-	13	7	-	3	3	14	
16	2	2	13	1	6	3	-	3	-	6	2	-	4	-	21	10	1	7	3	15
25	6	-	15	4	10	1	-	6	3	4	2	-	2	-	29	2	1	21	5	16
49	1	2	26	20	4	1	1	2	-	1	-	-	1	-	8	1	-	7	-	17
12	1	-	9	2	1	-	-	1	-	4	-	-	3	1	13	1	-	10	2	16
291	52	9	181	49	45	8	2	23	12	41	4	-	35	2	265	85	8	157	35	19
2	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	20
289	52	9	179	49	45	8	2	23	12	40	4	-	34	2	282	83	8	156	35	21
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	-	22
33	2	3	19	9	11	6	-	3	2	11	3	-	8	-	19	7	2	9	1	23
33	23	3	6	1	9	7	1	1	1	5	3	-	2	-	37	25	4	6	2	24
2	-	-	1	1	-	-	-	-	-	1	-	-	-	-	2	-	-	1	1	25
25	11	3	9	2	4	4	-	-	-	3	1	-	2	-	21	9	3	7	2	26
609	387	51	148	23	120	68	10	33	9	107	63	4	38	2	559	374	45	127	13	27
67	65	2	-	-	6	4	1	1	-	7	6	-	1	-	60	51	5	4	-	28
37	20	2	15	9	9	3	1	5	-	6	5	-	1	-	25	16	1	7	1	29
40	20	4	15	1	5	4	-	1	5	5	1	-	4	-	27	17	1	9	-	30
20	14	-	5	1	10	7	1	2	-	7	3	1	3	-	23	15	2	6	-	31
226	128	23	60	15	46	21	3	19	3	42	22	1	19	-	210	122	16	66	6	32
35	16	4	14	1	6	5	-	-	1	11	5	-	4	2	27	16	2	8	1	33
27	22	3	2	-	8	6	-	-	2	4	3	1	-	-	24	18	5	1	-	34
39	13	5	19	2	15	7	3	5	-	3	2	-	1	-	46	28	3	13	2	35
12	10	1	1	-	3	3	-	-	-	7	5	-	2	-	24	16	2	6	-	36
19	13	2	4	-	2	1	1	-	-	2	1	-	1	-	23	20	3	-	-	37
4	4	-	4	-	-	-	-	-	-	-	-	-	-	-	6	2	1	2	1	38
65	51	5	4	3	8	5	-	1	2	11	9	-	2	-	65	44	4	5	2	39
16	11	-	5	-	2	2	-	-	-	2	1	1	-	-	9	9	-	-	-	40
2,205	1,803	390	11	1	538	445	89	3	1	309	294	15	-	-	2,336	1,776	548	7	5	41
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	42
29	25	4	-	-	8	8	-	-	-	5	5	-	-	-	20	17	3	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
16	14	2	-	-	4	4	-	-	-	4	4	-	-	-	12	9	3	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
13	11	2	-	-	4	4	-	-	-	1	1	-	-	-	8	8	-	-	-	47
6	5	1	-	-	3	2	1	-	-	-	-	-	-	-	4	3	1	-	-	48
15	10	5	-	-	2	1	1	-	-	2	1	1	-	-	9	5	4	-	-	49
35	33	2	-	-	14	10	4	-	-	11	11	-	-	-	41	29	12	-	-	50
8	7	1	-	-	6	6	-	-	-	6	6	-	-	-	15	11	4	-	-	51
27	26	1	-	-	8	4	4	-	-	5	5	-	-	-	26	18	8	-	-	52
330	275	55	-	-	59	52	7	-	-	34	31	3	-	-	301	230	71	-	-	53
197	167	29	1	-	23	21	2	-	-	26	24	2	-	-	147	123	24	-	-	54
30	28	2	-	-	5	5	-	-	-	4	4	-	-	-	24	19	5	-	-	55
78	62	14	1	1	12	9	3	-	-	15	15	-	-	-	109	72	34	2	1	56
54	48	5	1	-	7	7	-	-	-	12	9	3	-	-	50	46	4	-	-	57
215	201	13	1	-	70	66	4	-	-	42	42	1	-	-	222	132	29	1	-	58
247	188	46	3	-	55	48	7	-	-	24	22	2	-	-	227	168	57	1	1	59
460	390	70	-	-	116	95	20	1	-	67	66	1	-	-	553	442	108	2	1	60
37	30	7	-	-	10	6	4	-	-	11	11	-	-	-	35	27	8	-	-	61
363	257	105	1	-	114	89	23	1	1	38	36	2	-	-	469	321	146	1	1	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
26	22	4	-	-	6	4	2	-	-	8	6	-	-	-	23	17	6	-	-	64
83	52	28	3	-	34	22	11	1	-	10	10	-	-	-	101	65	35	-	-	65
93	10	10	60	13	46	4	4	31	7	67	9	1	50	7	236	23	15	100	98	66
111	8	2	89	12	43	5	1	27	10	12	-	-	12	-	107	5	1	86	15	67
35	5	-	27	3	11	2	-	6	3	4	-	-	4	-	37	4	-	26	7	68
26	2	1	21	2	14	1	1	8	4	1	-	-	1	-	30	-	-	27	3	69
50	1	1	41	7	18	2	-	13	3	7	-	-	-	-	40	1	1	33	5	70
7	1	1	2	2	-	-	-	-	-	1	-	-	-	-	13	5	-	2	6	71
52	14	4	24	10	18	5	3	8	2	10	4	-	6	-	51	21	4	55	11	72

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Rhode Island					South Carolina				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes	305	215	21	61	8	1,223	437	339	164	293
2 Diarrheal diseases	3	1	-	2	-	42	1	7	3	31
3 Whooping cough	-	-	-	-	-	3	-	-	-	-
4 Meningococcal infections	1	-	-	1	-	5	-	-	4	1
5 Tetanus	-	-	-	-	-	-	-	-	-	-
6 Septicemia	-	-	-	-	-	11	4	5	-	2
7 Viral diseases	1	1	-	-	-	3	-	1	1	1
8 Congenital syphilis	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases	-	-	-	-	-	10	3	1	-	6
10 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	1	-	-	1	-	4	1	1	1	1
11 Benign neoplasms and neoplasms of unspecified nature	-	-	-	-	-	-	-	-	-	-
12 Diseases of thymus gland	-	-	-	-	-	-	-	-	-	-
13 Cystic fibrosis	-	-	-	-	-	1	1	-	-	-
14 Diseases of the blood and blood-forming organs	-	-	-	-	-	4	1	-	1	2
15 Meningitis	-	-	-	-	-	13	4	1	3	5
16 Other diseases of nervous system and sense organs	-	-	-	-	-	1	-	-	1	-
17 Acute upper respiratory infections	2	1	-	1	-	11	-	-	2	9
18 Bronchitis and bronchiolitis	-	-	-	-	-	3	-	1	-	2
19 Influenza and pneumonia	26	4	-	19	3	151	9	21	32	89
20 Influenza	-	-	-	-	-	13	-	-	1	12
21 Pneumonia	26	4	-	19	3	138	9	21	31	77
22 Other chronic interstitial pneumonia	-	-	-	-	-	-	-	-	-	-
23 All other diseases of respiratory system	2	-	-	2	-	13	-	-	5	8
24 Hemia and intestinal obstruction	3	1	1	1	-	6	3	-	2	1
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin	-	-	-	-	-	-	-	-	-	-
26 Other diseases of digestive system	3	2	-	1	-	3	2	-	-	1
27 Congenital anomalies	69	40	4	22	3	179	80	31	54	14
28 Anencephalus	7	6	-	1	-	9	7	2	-	-
29 Spina bifida	5	3	-	2	-	17	6	2	7	2
30 Congenital hydrocephalus	2	1	-	1	-	11	6	2	3	2
31 Other congenital anomalies of central nervous system and eye	2	1	-	1	-	11	5	1	4	1
32 Congenital anomalies of heart	26	13	1	10	2	89	29	11	25	4
33 Other congenital anomalies of circulatory system	2	2	-	-	-	10	7	1	2	-
34 Congenital anomalies of respiratory system	6	5	1	-	-	3	2	1	-	-
35 Congenital anomalies of digestive system	4	3	-	1	-	17	4	5	7	1
36 Congenital anomalies of genitourinary system	3	2	-	1	-	4	4	-	-	-
37 Congenital anomalies of musculoskeletal system	-	-	-	-	-	4	2	-	1	1
38 Down's disease	2	-	-	2	-	3	2	1	1	1
39 Other congenital syndromes affecting multiple systems	7	3	1	3	-	13	5	4	4	3
40 Other and unspecified congenital anomalies	3	1	1	-	1	9	2	3	3	-
41 Certain causes of mortality in early infancy	178	162	16	-	-	565	322	240	2	1
42 Chronic circulatory and genitourinary diseases in mother	-	-	-	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy	2	2	-	-	-	4	2	2	-	-
44 Syphilis	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus	1	1	-	-	-	1	1	-	-	-
46 Rubella	-	-	-	-	-	-	-	-	-	-
47 All other maternal conditions unrelated to pregnancy	1	1	-	-	-	3	1	2	-	-
48 Toxemia of pregnancy	-	-	-	-	-	1	-	1	-	-
49 Maternal antepartum and intrapartum infection	-	-	-	-	-	8	6	2	-	-
50 Difficult labor	5	5	-	-	-	7	3	4	-	-
51 With mention of birth injury (.0-.3)	2	2	-	-	-	2	1	1	-	-
52 Without mention of birth injury (.4,.9)	3	3	-	-	-	5	2	3	-	-
53 All other complications of pregnancy and childbirth	18	16	2	-	-	41	22	19	-	-
54 Conditions of placenta	20	19	1	-	-	27	21	6	-	-
55 Conditions of umbilical cord	2	2	-	-	-	6	2	4	-	-
56 Birth injury without mention of cause	8	8	-	-	-	28	17	11	-	-
57 Hemolytic disease of newborn	7	7	-	-	-	6	4	2	-	-
58 Hyaline membrane disease	24	24	-	-	-	56	39	17	-	-
59 Respiratory distress syndrome	9	9	-	-	-	65	25	38	-	-
60 Asphyxia of newborn, unspecified	33	29	4	-	-	131	70	60	1	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable	2	2	-	-	-	16	11	5	-	-
62 Immaturity, unqualified	37	29	9	-	-	146	85	59	1	1
63 Postmaturity	-	-	-	-	-	-	-	-	-	-
64 Hemorrhagic disease of newborn	1	1	-	-	-	7	6	1	-	-
65 All other conditions of newborn	10	10	-	-	-	18	9	9	-	-
66 Symptoms and ill-defined conditions	6	2	-	3	1	90	2	13	19	56
67 Accidents	6	1	-	4	1	65	2	7	24	32
68 Inhalation and ingestion of food or other object causing obstruction or suffocation	4	1	-	2	1	35	2	3	11	19
69 Accidental mechanical suffocation	2	-	-	2	-	15	-	2	7	6
70 Other accidental causes	-	-	-	-	-	15	-	2	6	7
71 Homicide	-	-	-	-	-	2	-	-	1	1
72 All other causes	4	-	-	4	-	41	2	10	9	20

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

South Dakota					Tennessee					Texas					Utah					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
229	155	16	34	24	1,537	780	356	262	139	4,860	2,824	777	891	368	389	272	9	91	17	1
3	-	1	-	2	17	1	1	7	8	106	8	3	56	39	5	-	-	-	5	2
-	-	-	-	-	1	-	-	-	1	3	-	1	1	1	-	-	-	-	-	3
-	-	-	-	-	3	-	-	3	-	15	1	-	12	2	-	-	-	-	-	4
2	-	1	1	-	14	3	7	4	-	4	2	1	-	1	-	-	-	-	-	5
-	-	-	-	-	10	3	2	5	-	29	3	1	18	7	1	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	14	8	6	-	-	-	-	-	-	-	7
2	1	-	-	1	4	1	-	2	1	36	5	3	24	4	2	-	-	-	1	8
-	-	-	-	-	1	-	-	-	1	9	1	1	7	-	1	-	-	-	1	9
-	-	-	-	-	2	1	-	1	-	2	1	-	1	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
1	1	-	-	-	6	3	-	3	-	4	1	-	5	-	-	-	-	-	-	12
-	-	-	-	-	4	3	1	-	-	12	2	2	6	2	2	-	-	-	-	13
2	-	-	1	1	7	1	-	5	1	49	11	6	21	11	4	5	-	-	1	14
1	1	-	-	-	9	-	-	6	3	31	10	1	16	4	-	-	-	-	-	15
-	-	-	-	-	7	-	-	-	3	2	-	-	1	-	-	-	-	-	-	16
4	-	-	2	2	9	-	-	4	3	35	1	-	24	8	1	-	-	-	1	17
23	5	2	6	10	122	19	17	57	29	460	97	43	206	114	14	5	-	-	8	18
1	6	-	1	-	6	-	-	2	4	8	1	-	4	3	-	-	-	-	-	19
22	5	2	5	10	116	19	17	55	25	452	96	43	202	111	14	5	-	-	8	20
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
3	1	-	2	-	6	1	2	3	-	35	11	-	15	9	1	-	-	-	1	22
3	3	-	-	-	12	7	-	4	1	40	26	2	8	4	5	4	-	-	1	23
1	1	-	-	-	6	1	-	3	2	4	-	1	3	3	4	-	-	-	-	24
-	-	-	-	-	9	2	2	4	1	33	16	3	10	4	1	1	-	-	-	25
43	29	2	12	-	221	124	18	59	20	664	393	64	173	34	83	54	3	24	2	26
3	3	-	-	-	15	15	-	-	-	56	50	4	2	2	5	3	-	-	-	27
3	1	-	2	-	15	8	-	6	1	54	27	3	22	2	2	-	-	-	2	28
1	1	-	-	-	20	7	3	7	3	38	21	1	15	1	8	5	-	-	3	29
3	1	-	2	-	4	4	-	-	-	31	15	3	13	-	6	3	-	-	3	30
15	11	1	-	-	98	49	8	32	9	253	126	24	82	21	39	27	3	8	3	31
7	5	-	2	-	15	9	1	3	2	23	14	3	5	1	5	1	-	3	1	32
2	1	-	1	-	4	2	1	1	-	42	26	13	5	1	1	1	-	-	-	33
2	1	-	1	-	19	10	2	6	1	46	21	5	18	2	8	4	-	-	4	34
2	2	-	-	-	11	7	2	2	-	22	21	1	-	2	2	2	-	-	-	35
3	1	1	-	-	6	3	-	1	2	21	17	4	-	3	3	-	-	-	-	36
2	-	-	-	-	-	-	-	-	-	14	6	-	6	2	2	-	-	-	-	37
2	2	-	-	-	13	9	1	1	2	52	43	2	5	6	5	1	-	-	1	38
-	-	-	-	-	1	1	-	-	-	12	6	1	2	3	-	-	-	-	-	39
119	109	9	1	-	879	588	288	1	2	2,717	2,110	597	8	2	204	195	5	2	2	40
-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	41
3	3	-	-	-	7	6	1	-	-	25	21	4	-	1	1	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
1	1	-	-	-	3	2	1	-	-	13	12	1	-	1	1	-	-	-	-	44
2	2	-	-	-	4	4	-	-	-	9	8	1	-	-	-	-	-	-	-	45
1	1	-	-	-	4	3	1	-	-	16	9	7	-	1	1	-	-	-	-	46
-	-	-	-	-	5	2	3	-	-	21	15	6	-	1	1	-	-	-	-	47
7	6	1	-	-	22	17	5	-	-	55	45	10	-	7	6	1	-	-	-	48
2	2	-	-	-	4	3	1	-	-	18	14	4	-	2	2	-	-	-	-	49
5	4	1	-	-	18	14	4	-	-	37	31	6	-	5	4	1	-	-	-	50
18	17	1	-	-	102	71	31	-	-	245	184	61	-	23	23	-	-	-	-	51
8	8	-	-	-	55	41	14	-	-	120	97	23	-	14	13	1	-	-	-	52
2	2	-	-	-	6	4	2	-	-	31	26	5	-	2	2	-	-	-	-	53
3	3	-	-	-	37	20	17	-	-	128	90	35	3	4	4	-	-	-	-	54
2	2	-	-	-	13	11	2	-	-	34	31	3	-	8	8	-	-	-	-	55
18	15	2	1	-	107	71	36	-	-	357	309	48	-	36	35	-	-	-	-	56
19	17	2	-	-	71	56	13	-	2	241	189	52	-	33	31	1	1	-	-	57
16	17	1	-	-	185	122	63	-	-	641	516	124	1	36	34	1	1	-	-	58
2	1	1	-	-	13	6	7	-	-	50	37	12	-	1	1	-	-	-	-	59
17	16	1	-	-	216	136	80	-	-	573	428	143	2	31	29	1	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
1	1	-	-	-	8	5	3	-	-	28	20	8	-	1	1	-	-	-	-	62
3	1	-	1	1	28	17	10	1	-	149	91	55	2	5	5	-	-	-	-	63
12	1	-	6	5	85	14	12	28	31	153	33	22	67	28	4	1	22	1	1	64
-	-	-	-	-	81	4	3	48	26	211	12	6	132	18	-	-	17	-	-	65
-	-	-	-	-	26	2	2	14	8	70	8	3	37	8	-	-	8	-	-	66
4	-	-	3	1	34	1	1	18	14	61	2	1	39	4	-	-	4	-	-	67
8	1	-	3	4	21	1	-	16	4	80	2	2	56	20	6	-	5	-	-	68
-	-	-	-	-	2	1	1	-	-	8	4	-	2	-	-	-	-	-	-	69
6	2	1	1	2	19	3	2	10	4	104	22	6	52	24	16	4	-	10	-	70

SECTION 2 - INFANT MORTALITY

Table 2-15. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

[Numbers after causes of death are category numbers of the Eighth

Cause of death	Vermont					Virginia				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	All other	White	All other		White	All other	White	All other
1 All causes-----	158	129	1	28	-	1,842	954	457	270	191
2 Diarrheal diseases-----009	1	-	-	1	-	16	2	3	3	8
3 Whooping cough-----035	-	-	-	-	-	1	-	-	-	1
4 Meningococcal infections-----036	2	-	-	2	-	3	-	-	3	-
5 Tetanus-----037	-	-	-	-	-	-	-	-	-	-
6 Septicemia-----038	1	-	-	1	-	22	9	5	5	3
7 Viral diseases-----040-079	1	-	-	1	-	4	1	2	-	1
8 Congenital syphilis-----090	-	-	-	-	-	-	-	-	-	-
9 Other infective and parasitic diseases-----Remainder of 000-156	-	-	-	-	-	4	-	-	1	3
10 Malignant neoplasms, including neoplasms of lymphatic and hemtopoietic tissues-----140-208	-	-	-	-	-	6	2	-	3	1
11 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	3	1	1	1	-
12 Diseases of thymus gland-----254	-	-	-	-	-	1	-	-	1	-
13 Cystic fibrosis-----275.0	1	-	-	1	-	5	2	-	3	-
14 Diseases of the blood and blood-forming organs-----280-289	-	-	-	-	-	2	1	1	-	-
15 Meningitis-----320	-	-	-	-	-	19	3	1	5	10
16 Other diseases of nervous system and sense organs-----321-389	1	-	-	1	-	8	1	1	4	2
17 Acute upper respiratory infections-----460-465	5	-	-	5	-	7	1	-	5	1
18 Bronchitis and bronchiolitis-----466,490,491	1	-	-	1	-	6	2	-	2	2
19 Influenza and pneumonia-----470-474,490-496	6	3	-	3	-	175	33	20	63	59
20 Influenza-----470-474	-	-	-	-	-	-	-	-	-	-
21 Pneumonia-----490-496	6	3	-	3	-	175	33	20	63	59
22 Other chronic interstitial pneumonia-----517	-	-	-	-	-	2	-	-	1	1
23 All other diseases of respiratory system-----492,495,500-516,518,519	2	-	-	2	-	13	2	3	5	3
24 Hernia and intestinal obstruction-----550-555,560	2	2	-	-	-	18	11	3	3	1
25 Gastritis, duodenitis, enteritis, and colitis of noninfectious origin-----535,561,563	-	-	-	-	-	2	-	-	2	-
26 Other diseases of digestive system-----520-534,536,537,540-543,562,564-577	-	-	-	-	-	11	4	-	6	1
27 Congenital anomalies-----740-769	27	24	-	3	-	266	160	26	64	16
28 Anencephalus-----740	6	6	-	-	-	25	24	1	-	-
29 Spina bifida-----741	1	1	-	-	-	35	21	-	13	1
30 Congenital hydrocephalus-----742	1	1	-	-	-	11	4	4	3	-
31 Other congenital anomalies of central nervous system and eye-----743,744	1	-	-	1	-	18	10	2	5	1
32 Congenital anomalies of heart-----745-746	7	6	-	1	-	93	54	5	24	10
33 Other congenital anomalies of circulatory system-----747	2	2	-	-	-	10	6	1	3	-
34 Congenital anomalies of respiratory system-----748	1	1	-	-	-	8	6	1	1	-
35 Congenital anomalies of digestive system-----749-751	3	2	-	1	-	19	7	3	8	1
36 Congenital anomalies of genitourinary system-----752,753	-	-	-	-	-	4	1	-	2	1
37 Congenital anomalies of musculoskeletal system-----754-756	-	-	-	-	-	6	5	1	-	-
38 Down's disease-----759.3	-	-	-	-	-	3	1	-	2	-
39 Other congenital syndromes affecting multiple systems-----759.0-759.2,759.4-759.9	4	4	-	-	-	24	15	6	2	1
40 Other and unspecified congenital anomalies-----745,757,758	1	1	-	-	-	10	6	2	1	1
41 Certain causes of mortality in early infancy-----760-769.2,769.4-772,774-778	102	100	1	1	-	1,061	692	357	5	7
42 Chronic circulatory and genitourinary diseases in mother-----790	-	-	-	-	-	-	-	-	-	-
43 Other maternal conditions unrelated to pregnancy-----761	-	-	-	-	-	10	4	4	2	-
44 Syphilis-----761.0	-	-	-	-	-	-	-	-	-	-
45 Diabetes mellitus-----761.1	-	-	-	-	-	4	3	-	1	-
46 Rubella-----761.3	-	-	-	-	-	3	-	2	1	-
47 All other maternal conditions unrelated to pregnancy-----761.2,761.4-761.7,761.9	-	-	-	-	-	3	1	2	-	-
48 Toxemia of pregnancy-----762	-	-	-	-	-	7	5	2	-	-
49 Maternal antepartum and intrapartum infection-----763	1	1	-	-	-	8	5	3	-	-
50 Difficult labor-----764-768	1	1	-	-	-	14	10	4	-	-
51 With mention of birth injury (.0-.3)-----	-	-	-	-	-	10	7	3	-	-
52 Without mention of birth injury (.4,.9)-----	1	1	-	-	-	4	3	1	-	-
53 All other complications of pregnancy and childbirth-----769.0-769.2,769.4,769.5,769.9	8	8	-	-	-	145	97	46	1	1
54 Conditions of placenta-----770	9	9	-	-	-	45	34	11	-	-
55 Conditions of umbilical cord-----771	3	3	-	-	-	10	7	3	-	-
56 Birth injury without mention of cause-----772	4	4	-	-	-	37	24	10	1	2
57 Hemolytic disease of newborn-----774,775	5	5	-	-	-	10	9	1	-	-
58 Hyaline membrane disease-----776.1	19	19	-	-	-	100	81	19	-	-
59 Respiratory distress syndrome-----776.2	9	9	-	-	-	78	49	24	1	4
60 Asphyxia of newborn, unspecified-----776.9	15	14	1	-	-	264	163	101	-	-
61 All other anoxic and hypoxic conditions not elsewhere classifiable-----776.0,776.3,776.4	3	3	-	-	-	28	12	16	-	-
62 Immaturity, unqualified-----777	23	22	-	1	-	233	152	81	-	-
63 Postmaturity-----778.1	-	-	-	-	-	1	-	1	-	-
64 Hemorrhagic disease of newborn-----778.2	-	-	-	-	-	9	3	6	-	-
65 All other conditions of newborn-----778.0,778.3,778.9	2	2	-	-	-	62	37	25	-	-
66 Symptoms and ill-defined conditions-----780-796	2	-	-	2	-	103	15	11	44	33
67 Accidents-----E900-E949	2	-	-	2	-	51	6	1	27	17
68 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E911,E912	1	-	-	1	-	17	2	-	8	7
69 Accidental mechanical suffocation-----E913	1	-	-	1	-	6	2	-	3	1
70 Other accidental causes-----E900-E910,E914-E949	-	-	-	-	-	28	2	1	16	9
71 Homicide-----E960-E978	-	-	-	-	-	4	-	1	3	-
72 All other causes-----Residual	2	-	-	2	-	29	6	1	11	11

SECTION 2 - INFANT MORTALITY

From 65 Selected Causes, by Color: United States and Each State 1969-Con.

Revision, International Classification of Diseases, Adapted, 1965]

Total, under 1 year	Washington				Total, under 1 year	West Virginia				Total, under 1 year	Wisconsin				Total, under 1 year	Wyoming				
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	All other	White	All other		White	All other	White	All other		White	All other	White	All other		White	All other	White	All other	
1,121	717	83	282	39	663	468	29	149	17	1,285	857	91	297	40	1,164	126	11	25	2	1
10	3	2	5	-	7	3	-	3	1	13	2	-	10	1	1	-	-	1	-	2
1	-	-	-	-	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	3
1	-	-	1	-	-	-	-	4	-	2	-	-	2	-	-	-	-	-	-	4
14	9	-	3	2	3	2	-	1	-	10	5	1	4	-	-	-	-	-	-	5
5	-	-	5	-	1	1	-	-	-	2	-	-	2	-	-	-	-	-	-	7
3	1	-	-	2	1	-	-	1	-	7	1	-	5	1	-	-	-	-	-	8
7	1	-	6	-	2	-	-	2	-	5	-	-	5	-	-	-	-	-	-	10
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11
2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	12
3	-	-	3	-	2	1	-	1	-	3	2	-	-	1	-	-	-	-	-	13
3	1	-	1	1	1	1	-	1	-	4	1	1	1	1	1	1	1	-	-	14
8	4	-	3	1	4	-	-	4	-	7	2	-	3	2	-	-	-	-	-	15
9	1	-	7	1	3	1	-	2	-	9	1	-	8	-	-	-	-	-	-	16
1	-	-	1	-	-	-	-	-	-	4	1	-	3	-	1	-	-	-	-	17
4	-	-	4	-	-	-	-	-	-	10	-	-	9	1	-	-	-	-	-	18
74	14	2	50	8	78	16	3	53	6	126	22	1	79	24	13	4	-	8	1	19
-	-	-	-	-	4	-	-	4	-	4	-	-	4	-	-	-	-	-	-	20
74	14	2	50	8	74	16	3	49	6	122	22	1	75	24	13	4	-	8	1	21
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	22
11	5	-	6	-	7	2	-	5	-	10	2	-	7	1	3	1	-	2	-	23
11	10	-	1	-	8	4	-	1	1	8	6	-	1	1	1	1	-	-	-	24
1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	25
11	4	1	6	-	4	4	-	-	-	8	4	1	3	-	1	1	-	-	-	26
175	107	9	57	2	111	72	2	35	2	245	168	3	74	-	21	17	-	4	-	27
12	9	1	1	1	14	13	-	1	-	26	26	-	-	-	-	-	-	-	-	28
7	4	-	3	-	11	10	-	1	-	12	7	-	5	-	-	-	-	-	-	29
10	4	1	5	6	2	1	-	1	-	8	6	-	2	-	-	-	-	-	-	30
10	5	-	4	1	4	1	-	3	-	15	8	-	7	-	-	-	-	-	-	31
65	42	1	22	-	37	16	-	19	2	101	67	-	34	-	9	5	-	4	-	32
9	5	-	4	-	3	2	-	1	-	19	11	1	7	-	1	1	-	-	-	33
4	3	-	1	-	5	4	-	1	-	11	8	-	3	-	3	3	-	-	-	34
13	6	3	4	-	12	6	2	4	-	15	7	-	8	-	2	2	-	-	-	35
8	4	1	3	-	6	4	-	2	-	11	10	-	1	-	1	1	-	-	-	36
6	6	-	-	-	6	6	-	-	-	7	7	-	-	-	2	2	-	-	-	37
3	3	-	1	-	-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	38
18	13	1	4	-	9	7	-	2	-	15	9	2	5	-	3	3	-	-	-	39
10	4	1	5	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	40
610	539	67	3	1	372	349	22	1	-	709	623	83	3	-	109	96	11	1	1	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
15	14	-	1	-	9	9	-	-	-	8	5	3	-	-	1	1	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
10	9	-	1	-	1	1	-	-	-	5	3	2	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
5	6	-	-	-	8	8	-	-	-	3	2	1	-	-	1	1	-	-	-	47
3	3	-	-	-	2	2	-	-	-	3	2	1	-	-	2	2	-	-	-	48
6	5	1	-	-	2	2	-	-	-	3	3	-	-	-	-	-	-	-	-	49
12	10	2	-	-	7	7	-	-	-	13	13	-	-	-	2	2	-	-	-	50
5	5	-	-	-	4	4	-	-	-	6	6	-	-	-	-	-	-	-	-	51
7	5	2	-	-	3	3	-	-	-	7	7	-	-	-	2	2	-	-	-	52
80	80	10	-	-	32	29	3	-	-	91	84	6	1	-	20	18	2	-	-	53
28	26	2	-	-	22	20	2	-	-	71	62	9	-	-	10	9	1	-	-	54
8	8	-	-	-	5	5	-	-	-	7	6	1	-	-	-	-	-	-	-	55
35	31	4	-	-	15	15	-	-	-	45	36	8	1	-	3	2	1	-	-	56
15	14	1	-	-	8	8	-	-	-	25	23	2	-	-	2	2	-	-	-	57
73	67	6	-	-	49	49	-	-	-	81	73	8	-	-	16	13	3	-	-	58
62	53	8	1	-	21	21	-	-	-	60	55	4	1	-	6	5	-	-	1	59
106	96	9	1	-	94	85	9	-	-	118	100	18	-	-	22	18	3	1	-	60
4	2	2	-	-	10	9	-	1	-	19	17	2	-	-	1	1	-	-	-	61
119	101	18	-	-	82	75	7	-	-	137	121	16	-	-	22	21	1	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
4	3	1	-	-	3	3	-	-	-	8	5	3	-	-	-	-	-	-	-	64
30	26	3	1	-	11	10	1	-	-	20	18	2	-	-	2	2	-	-	-	65
105	9	-	81	15	19	3	-	14	2	33	8	1	24	-	2	1	-	-	1	66
27	2	1	21	3	20	2	-	14	4	46	3	-	37	6	4	1	-	3	-	67
8	1	-	5	-	8	1	-	5	2	18	2	-	12	4	2	1	-	-	1	68
5	1	-	4	-	5	-	-	4	1	14	-	-	13	1	-	-	-	-	-	69
16	1	1	12	3	7	1	-	5	1	14	1	-	12	1	2	-	-	-	2	70
3	1	-	2	-	2	1	-	1	-	2	-	-	2	-	3	2	-	-	1	71
23	5	1	14	3	13	5	2	5	1	19	6	-	12	1	2	1	-	-	1	72

Section 3. Fetal Mortality

Table	Page
3-1. Minimum period of gestation for which fetal-death registration is required and fetal deaths by period of gestation: United States and each State, 1969 -----	3-3
3-2. Fetal deaths and fetal-death ratios by color: United States, 1942-69 -----	3-4
3-3. Number and percent distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1969 -----	3-4
3-4. Fetal deaths and fetal-death ratios, by legitimacy status, age of mother, and color: Total of 37 reporting areas, 1969-----	3-5
3-5. Fetal deaths by period of gestation and color, and fetal-death ratios by color, for metropolitan and non-metropolitan counties in the United States and each geographic division; and for population-size groups in the United States: 1969 -----	3-6
3-6. Fetal-death ratios by color: United States, each division and State, 1965-69-----	3-8
3-7. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1969 -----	3-9
3-8. Fetal deaths by month and color: United States and each State, 1969 -----	3-12
3-9. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1969 -----	3-14
3-10. Fetal deaths by age of mother and color: United States and each State, 1969 -----	3-16
3-11. Fetal deaths by total-birth order and color: United States and each State, 1969 -----	3-18
3-12. Fetal deaths by attendant, gestation group, and color: United States and each State, 1969 -----	3-20
3-13. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1969 -----	3-22
3-14. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1969 -----	3-23
3-15. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1969 -----	3-24
3-16. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1969 -----	3-27

SECTION 3 - FETAL MORTALITY

Table 3-1. Minimum Period of Gestation for Which Fetal-Death Registration Is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1969

[By place of occurrence]

Area	Minimum period of gestation for which fetal-death registration is required	Total fetal deaths	Period of gestation ¹												
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated	
United States-----	...	88,259	26,915	5,925	6,687	5,753	5,448	6,615	2,691	6,041	5,083	2,859	1,773	11,671	
Alabama-----	Advanced to 5th month (20 weeks)	1,114	5	10	113	131	151	121	79	109	292	18	5	80	
Alaska-----	20 weeks or more ²	66	-	-	6	7	8	9	4	9	8	-	6	9	
Arizona-----	Advanced to 20th week	407	3	6	26	35	39	57	24	78	18	44	23	54	
Arkansas-----	All periods of gestation	599	³ 52	38	74	61	63	51	31	33	107	7	4	78	
California-----	Advanced to 20th week ⁴	4,106	26	55	290	406	447	617	185	679	256	352	205	588	
Colorado-----	All periods of gestation	3,047	³ 2,102	495	221	125	75	85	25	86	30	45	23	539	
Connecticut-----	20 weeks or more	580	3	2	63	69	79	89	42	90	111	17	3	12	
Delaware-----	20 weeks or more	129	-	2	21	10	14	23	9	13	24	3	1	9	
District of Columbia-----	After 5th month	440	-	-	-	-	-	-	-	-	-	-	-	440	
Florida-----	20 weeks or more	1,516	-	2	191	202	197	221	127	169	347	34	12	14	
Georgia-----	All periods of gestation	2,901	³ 1,045	296	237	197	166	155	100	119	315	26	10	237	
Hawaii-----	All periods of gestation	1,229	³ 791	114	88	40	29	31	9	21	9	11	7	78	
Idaho-----	After 20 weeks	135	-	1	17	14	9	18	9	9	17	2	-	39	
Illinois-----	20 weeks or more	2,687	28	37	217	285	295	416	135	472	146	204	137	515	
Indiana-----	20 weeks or more	1,236	4	9	41	63	74	99	42	129	69	75	45	586	
Iowa-----	Advanced to 5th month (20 weeks)	506	-	5	38	58	48	70	36	96	50	55	37	13	
Kansas-----	Weight in excess of 350 grams	481	2	12	57	63	45	68	19	77	33	32	34	49	
Kentucky-----	20 weeks or more	710	3	9	37	50	56	89	31	111	49	46	35	194	
Louisiana-----	After 20 weeks	1,120	5	15	53	71	103	144	47	150	81	49	34	368	
Maine-----	All periods of gestation	214	³ 7	4	6	6	8	17	5	20	13	8	16	104	
Maryland-----	20 weeks or more ⁵	848	7	21	120	112	97	117	36	134	34	60	25	85	
Massachusetts-----	20 weeks or more	1,119	5	33	127	153	148	184	75	155	142	58	19	20	
Michigan-----	Advanced through 20th week	2,196	16	19	137	161	166	238	66	249	89	109	82	964	
Minnesota-----	After 20 weeks	730	2	6	39	50	68	76	27	93	41	30	18	280	
Mississippi-----	All periods of gestation	2,512	³ 936	215	184	150	121	149	50	172	61	73	59	342	
Missouri-----	After 20 weeks	1,058	5	9	64	88	81	127	49	160	46	80	52	297	
Montana-----	After 20 weeks	137	-	1	12	11	12	25	7	18	8	10	7	26	
Nebraska-----	Advanced to 20th week	293	2	2	13	33	24	41	23	57	23	23	22	30	
Nevada-----	After 20 weeks	94	-	4	5	8	9	11	2	18	5	3	4	25	
New Hampshire-----	20 weeks or more	154	-	1	7	12	15	13	6	19	9	2	5	65	
New Jersey-----	20 weeks or more	1,508	8	24	97	144	126	161	68	214	86	106	68	366	
New Mexico-----	20 weeks or more	292	1	1	21	23	13	33	28	30	88	6	-	48	
New York-----	All periods of gestation	27,708	³ 16,346	2,768	1,740	883	883	690	210	716	276	352	201	2,943	
North Carolina-----	Advanced to 20th week	1,566	12	29	133	174	194	238	71	244	100	125	91	156	
North Dakota-----	20 weeks or more	187	2	4	12	20	28	12	5	28	6	20	6	16	
Ohio-----	20 weeks or more	2,410	14	33	204	227	219	323	83	335	125	142	137	569	
Oklahoma-----	20 weeks or more	517	6	11	34	50	59	71	29	100	37	44	27	50	
Oregon-----	All periods of gestation	2,416	³ 1,373	331	141	62	47	39	27	58	31	22	18	267	
Pennsylvania-----	After 16 weeks	3,751	5	657	756	408	357	391	194	348	508	108	36	3	
Rhode Island-----	20 weeks or more ²	201	2	3	16	13	28	29	10	39	11	18	11	21	
South Carolina-----	After 20 weeks	821	10	13	54	88	93	122	34	146	46	62	48	105	
South Dakota-----	20 weeks or more	127	1	-	9	13	12	12	6	17	3	13	6	35	
Tennessee-----	20 weeks or more	1,181	5	15	100	144	143	178	59	170	85	93	60	129	
Texas-----	20 weeks or more	3,139	7	27	314	365	416	435	363	349	734	75	36	28	
Utah-----	After 20 weeks	243	-	1	8	18	23	24	8	29	12	9	7	104	
Vermont-----	All periods of gestation	449	³ 211	42	37	20	13	17	4	20	10	11	4	60	
Virginia-----	All periods of gestation	8,808	³ 5,850	522	328	218	138	156	78	121	249	37	8	803	
Washington-----	20 weeks or more	662	5	13	38	59	68	79	36	111	38	44	29	142	
West Virginia-----	Advanced to 5th month ⁶	473	6	9	40	49	39	74	18	82	34	39	29	54	
Wisconsin-----	After 20 weeks	860	-	-	94	109	115	138	58	118	164	51	11	2	
Wyoming-----	After 20 weeks	97	-	-	7	5	10	16	4	21	7	7	9	11	

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

²Further specifies that certificates for fetal deaths of less than 20 weeks of gestation may be filed although registration is not mandatory.

³For areas which require reporting of fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

Area	Total	Period of gestation			
		Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas-----	52	-	5	18	29
Colorado-----	2,102	46	177	969	910
Georgia-----	1,045	2	158	497	387
Hawaii-----	791	-	79	365	328
Maine-----	7	-	2	1	4
Mississippi-----	936	31	96	415	401
New York-----	16,346	518	2,270	7,682	5,876
Oregon-----	1,373	7	118	770	478
Vermont-----	211	1	22	94	94
Virginia-----	3,850	38	764	1,929	1,119

⁴Further stipulates that "when the length of gestation is not determinable the following criteria may be used: A. weight of 400 grams or more; B. crown-heel length of 28 centimeters or more. If both of the above criteria are met the fetus should be registered as a fetal death."

⁵Further specifies that "if the gestation period is unknown but the fetus weighs 400 grams or more, a fetal death certificate must be filed."

⁶Further specifies "or total length of 10 inches."

SECTION 3 - FETAL MORTALITY

Table 3-2. Fetal Deaths and Fetal-Death Ratios by Color: United States, 1942-69

[Fetal deaths for 1969 include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. For earlier years, gestational age not stated is included. Ratios per 1,000 live births in specified group]

Year	Number			Ratio		
	Total	White	All other	Total	White	All other
1969	50,749	37,091	13,658	14.1	12.4	22.5
1968	55,293	40,206	15,087	15.8	13.8	25.6
1967	54,934	39,500	15,434	15.6	13.5	25.8
1966	56,637	40,627	16,010	15.7	13.6	26.1
1965	60,859	43,530	17,329	16.2	13.9	27.2
1964	65,931	47,345	18,586	16.4	14.1	28.2
1963 ¹	64,640	45,495	17,075	15.8	13.7	26.7
1962 ¹	66,421	47,326	17,128	15.9	13.9	26.7
1961	68,767	50,728	18,039	16.1	14.1	27.0
1960	68,480	50,894	17,586	16.1	14.1	26.8
1959	68,613	50,911	17,702	16.2	14.2	27.3
1958	69,355	51,969	17,386	16.5	14.5	27.5
1957	69,561	52,591	16,970	16.3	14.5	26.8
1956	68,659	51,865	16,794	16.5	14.6	27.2
1955	69,153	52,411	16,742	17.1	15.2	28.4
1954	70,109	53,532	16,577	17.5	15.5	28.9
1953	69,395	53,252	16,143	17.8	15.9	29.6
1952	70,447	53,541	16,906	18.3	16.1	32.2
1951	70,569	54,071	16,498	18.8	16.7	32.1
1950	68,262	52,319	15,943	19.2	17.1	32.5
1949	70,584	54,114	16,470	19.8	17.5	34.6
1948	72,838	56,232	16,606	20.6	18.3	36.5
1947	77,917	61,072	16,845	21.1	18.7	39.6
1946	74,049	59,494	15,355	22.8	20.4	40.9
1945	65,513	51,242	14,271	23.9	21.4	42.0
1944	68,374	---	---	24.5	---	---
1943	71,873	---	---	24.5	---	---
1942	72,017	---	---	25.6	---	---

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Table 3-3. Number and Percent¹ Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1969

[Includes only fetal deaths to residents of those areas in the United States which report all periods of gestation. The areas are Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York, Oregon, Vermont, and Virginia]

Age of mother	Period of gestation ¹							
	Number				Percent			
	Total	Under 20 weeks	20 weeks and over	Not stated	Total	Under 20 weeks	20 weeks and over	Not stated
Total	47,510	30,841	11,390	5,289	100.0	100.0	100.0	100.0
Under 15 years	212	123	58	31	0.4	0.4	0.5	0.6
15-19 years	6,552	3,998	1,852	702	13.8	13.0	16.3	13.3
20-24 years	14,631	9,597	3,435	1,599	30.8	31.1	30.2	30.2
25-29 years	12,127	8,052	2,749	1,316	25.5	26.1	24.2	24.9
30-34 years	7,152	4,678	1,651	823	15.1	15.2	14.5	15.6
35-39 years	4,621	2,984	1,100	537	9.7	9.7	9.7	10.2
40-44 years	1,895	1,251	491	253	4.2	4.1	4.3	4.8
45-49 years	220	148	44	28	0.5	0.5	0.4	0.5

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3- FETAL MORTALITY

3-5

Table 3-4. Fetal Deaths and Fetal-Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 37 Reporting Areas 1969

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Ratios per 1,000 live births in specified group. For list of areas reporting legitimacy status, see Technical Appendix.]

Age of mother and color	Number			Ratio		
	Total	Legitimate ¹	Illegitimate	Total	Legitimate ¹	Illegitimate
Total-----	32,758	27,611	5,147	14.1	13.1	22.4
Under 15 years-----	173	33	140	24.1	19.9	25.4
15-19 years-----	5,646	3,743	2,103	14.4	12.6	19.2
20-24 years-----	10,101	8,587	1,514	11.4	10.5	20.7
25-29 years-----	7,375	6,806	569	12.2	11.7	25.0
30-34 years-----	4,851	4,151	400	17.1	16.2	37.0
35-39 years-----	3,231	2,942	289	26.7	25.6	50.5
40 years and over-----	1,481	1,349	132	38.5	38.0	67.5
White-----	23,670	21,631	2,039	12.2	11.8	20.4
Under 15 years-----	46	21	27	18.7	16.9	20.3
15-19 years-----	3,694	2,876	908	12.6	11.6	18.3
20-24 years-----	7,571	6,886	685	10.0	9.6	18.6
25-29 years-----	5,756	5,522	234	10.9	10.6	22.9
30-34 years-----	3,349	3,201	148	14.8	14.4	32.9
35-39 years-----	2,270	2,175	94	22.9	22.4	40.4
40 years and over-----	992	949	43	32.9	32.3	52.4
All other-----	9,088	5,980	3,108	22.9	22.4	24.0
Under 15 years-----	125	12	113	27.2	26.4	27.0
15-19 years-----	2,162	867	1,295	18.7	17.4	19.8
20-24 years-----	2,530	1,701	829	18.9	17.4	22.9
25-29 years-----	1,619	1,284	335	22.0	21.0	26.7
30-34 years-----	1,202	950	252	29.9	28.0	39.9
35-39 years-----	961	766	195	44.6	42.2	57.4
40 years and over-----	489	400	89	66.8	64.7	76.3

¹Includes legitimacy not stated.

SECTION 3 - FETAL MORTALITY

Table 3-5. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1969

[Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation ¹				
		20-25 weeks	24-27 weeks	28 weeks and over	Not stated	
United States-----	50,749	6,667	5,753	31,310	6,999	14.1
White-----	37,091	4,516	3,949	23,637	4,989	12.4
All other----	13,658	2,171	1,804	7,673	2,010	22.5
Urban places-----	28,745	4,293	3,480	17,126	3,646	14.8
White-----	19,275	2,595	2,169	12,113	2,398	12.7
All other----	9,470	1,698	1,311	5,013	1,448	22.3
Balance of area-----	22,004	2,394	2,273	14,184	3,153	13.3
White-----	17,816	1,921	1,780	11,524	2,591	12.1
All other----	4,188	473	493	2,660	562	23.1
Metropolitan counties-----	32,972	4,936	3,985	19,687	4,404	14.0
White-----	23,552	3,212	2,667	14,729	2,944	12.3
All other----	9,420	1,724	1,298	4,958	1,460	21.9
Urban places-----	24,590	3,844	3,036	14,460	3,250	15.0
White-----	16,115	2,272	1,858	10,054	1,929	12.8
All other----	8,477	1,572	1,178	4,406	1,321	22.2
Balance of area-----	8,382	1,092	929	5,207	1,154	11.8
White-----	7,439	940	809	4,675	1,015	11.3
All other----	943	152	120	532	139	19.6
Nonmetropolitan counties-----	17,777	1,751	1,788	11,643	2,595	14.2
White-----	13,539	1,504	1,282	8,908	2,045	12.6
All other----	4,238	447	506	2,735	550	24.1
Urban places-----	4,155	449	444	2,686	536	13.8
White-----	3,162	323	311	2,059	469	12.2
All other----	993	126	133	607	127	23.4
Balance of area-----	13,622	1,502	1,544	8,977	1,999	14.4
White-----	10,377	981	971	6,849	1,576	12.7
All other----	3,245	321	373	2,128	423	24.3
New England-----	2,268	261	275	1,587	145	11.6
White-----	2,052	227	238	1,449	139	11.1
All other----	216	34	37	139	6	18.1
Metropolitan counties-----	1,713	189	227	1,208	89	11.6
White-----	1,515	155	192	1,084	84	11.0
All other----	198	34	35	124	5	19.3
Nonmetropolitan counties-----	555	72	48	379	56	11.6
White-----	557	72	46	364	35	11.5
All other----	16	-	2	15	1	15.8
Middle Atlantic-----	10,571	2,579	1,432	5,895	671	17.2
White-----	7,776	1,711	1,009	4,587	469	15.2
All other----	2,801	968	423	1,308	202	27.9
Metropolitan counties-----	8,870	2,295	1,245	4,789	543	17.9
White-----	6,187	1,448	838	3,546	355	15.4
All other----	2,683	947	405	1,243	188	23.2
Nonmetropolitan counties-----	1,707	284	189	1,106	128	14.6
White-----	1,589	265	171	1,041	114	14.3
All other----	118	21	18	65	14	22.1
East North Central-----	9,325	714	861	5,403	2,547	13.0
White-----	7,233	484	610	4,309	1,850	11.7
All other----	2,092	230	251	1,094	517	20.9
Metropolitan counties-----	6,539	558	634	3,808	1,538	15.2
White-----	4,579	337	395	2,781	1,065	11.4
All other----	1,959	221	239	1,027	472	20.8
Nonmetropolitan counties-----	2,787	156	227	1,595	809	12.5
White-----	2,654	147	215	1,528	764	12.2
All other----	133	9	12	67	45	21.6
West North Central-----	3,270	234	317	2,012	707	11.8
White-----	2,876	200	267	1,763	646	11.3
All other----	394	34	50	249	61	18.8
Metropolitan counties-----	1,610	127	164	958	369	11.8
White-----	1,328	103	127	767	331	10.7
All other----	290	24	37	191	39	18.2
Nonmetropolitan counties-----	1,652	107	153	1,054	338	12.1
White-----	1,548	97	140	996	315	11.8
All other----	104	10	13	58	23	20.7
South Atlantic-----	8,484	1,115	1,046	5,303	1,020	15.5
White-----	5,062	661	573	3,258	470	12.8
All other----	3,422	454	473	1,945	550	22.5
Metropolitan counties-----	4,285	650	522	2,431	702	14.8
White-----	2,546	371	297	1,576	302	12.2
All other----	1,739	279	225	855	400	21.4
Nonmetropolitan counties-----	4,199	465	524	2,872	318	16.3
White-----	2,516	290	276	1,782	168	13.5
All other----	1,683	195	248	1,090	150	23.7
East South Central-----	4,027	430	471	2,629	497	16.8
White-----	2,283	215	238	1,509	321	13.1
All other----	1,744	215	233	1,120	176	27.0
Metropolitan counties-----	1,587	179	204	892	122	15.7
White-----	767	86	86	508	87	12.3
All other----	820	93	118	374	35	23.9
Nonmetropolitan counties-----	2,640	251	267	1,747	375	17.5
White-----	1,516	129	152	1,001	234	13.5
All other----	1,124	122	115	746	141	29.1

SECTION 3 - FETAL MORTALITY

3-7

Table 3-5. Fetal Deaths by Period of Gestation and Color, and Fetal-Death Ratios by Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Population-Size Groups in the United States: 1969—Con.

Ratios per 1,000 live births in specified group. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000. For definition of areas, see Technical Appendix]

Area and color	Fetal deaths					Fetal-death ratios
	Total	Period of gestation ¹				
		20-23 weeks	24-27 weeks	28 weeks and over	Not stated	
West South Central-----	5,199	482	549	3,682	486	13.7
White-----	3,502	320	360	2,599	223	11.6
All other-----	1,697	162	189	1,083	263	22.3
Metropolitan counties-----	3,012	281	343	2,134	254	13.3
White-----	2,096	182	231	1,566	117	11.5
All other-----	916	99	112	568	137	20.9
Nonmetropolitan counties-----	2,187	201	206	1,548	232	14.4
White-----	1,406	139	129	1,033	106	11.8
All other-----	781	63	77	515	126	24.1
Mountain-----	2,131	310	227	1,248	346	13.3
White-----	1,668	273	199	1,099	297	12.8
All other-----	263	37	28	149	49	18.8
Metropolitan counties-----	1,183	219	157	689	148	13.7
White-----	1,053	190	135	595	133	13.0
All other-----	130	29	22	64	15	22.5
Nonmetropolitan counties-----	948	91	70	589	198	13.0
White-----	815	83	64	504	164	12.6
All other-----	133	8	6	85	34	16.2
Pacific-----	5,488	562	575	3,551	780	11.7
White-----	4,439	425	455	2,965	594	11.0
All other-----	1,029	137	120	586	186	15.6
Metropolitan counties-----	4,366	459	471	2,798	639	11.5
White-----	3,481	340	366	2,306	489	10.9
All other-----	685	119	105	492	170	15.2
Nonmetropolitan counties-----	1,102	104	104	753	141	12.1
White-----	958	85	69	659	125	11.5
All other-----	144	19	15	94	16	18.3

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-6. Fetal-Death Ratios by Color: United States, Each Division and State, 1965-69

[Fetal deaths for 1969 include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. For earlier years, gestational age not stated is included. Ratios per 1,000 live births in specified group. Asterisk indicates rate based on a frequency of less than 20]

Division and State	1969			1968			1967			1966			1965		
	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other	Total	White	All other
United States-----	14.1	12.4	22.5	15.8	13.8	25.6	15.6	13.5	25.8	15.7	13.6	26.1	16.2	13.9	27.2
Geographic divisions:															
New England ¹ -----	11.6	11.1	18.1	12.5	12.1	19.2	13.1	12.6	20.2	11.9	11.7	14.7	13.8	13.5	19.3
Middle Atlantic-----	17.2	15.2	27.9	22.1	19.4	36.0	21.7	19.2	41.0	21.0	17.5	40.5	21.2	17.8	40.1
East North Central-----	13.0	11.7	20.9	13.1	11.7	22.1	13.5	12.2	21.9	13.7	12.5	22.4	14.1	12.9	23.0
West North Central-----	11.8	11.3	18.8	12.6	11.8	23.3	12.5	11.9	20.9	12.9	12.1	22.0	13.2	12.5	22.0
South Atlantic-----	15.5	12.8	22.5	17.3	14.2	25.0	17.1	14.0	24.6	17.7	14.3	25.8	17.9	14.1	26.6
East South Central-----	16.8	13.1	27.0	19.6	15.1	31.6	18.5	14.1	29.8	18.9	14.4	30.2	19.6	13.9	33.2
West South Central-----	13.7	11.6	22.3	14.3	11.9	23.1	14.3	12.0	22.8	14.9	12.8	22.2	15.4	12.7	24.4
Mountain-----	13.3	12.8	18.8	16.0	15.6	19.5	12.8	12.6	15.4	12.7	12.3	17.0	13.3	13.0	16.6
Pacific-----	11.7	11.0	15.6	12.3	11.6	16.6	12.1	11.6	15.8	12.3	11.8	15.6	13.1	12.5	17.0
New England:															
Maine ² -----	6.9	6.7	*14.4	14.7	14.5	*30.4	14.1	14.1	*16.1	13.5	13.6	*4.1	15.7	15.6	*29.5
New Hampshire-----	12.4	12.6	-	12.0	12.1	-	12.1	12.0	*50.8	10.4	10.5	-	12.7	12.7	-
Vermont-----	18.8	18.8	*27.8	22.0	22.0	*22.7	22.0	32.5	*560.0	33.7	32.7	*363.6	30.6	30.5	*71.4
Massachusetts ¹ -----	11.4	10.8	20.7	12.2	11.9	16.3	12.0	11.6	19.0	9.4	9.6	5.4	13.1	12.8	13.4
Rhode Island-----	12.8	12.2	*23.3	12.0	11.8	*14.4	13.7	13.4	*19.8	13.7	13.1	26.2	15.2	14.9	*22.3
Connecticut-----	11.8	11.4	15.4	11.4	10.1	22.7	11.4	10.7	18.7	12.3	11.5	20.3	11.8	11.1	18.3
Middle Atlantic:															
New York ² -----	19.2	16.9	29.8	28.5	23.2	44.2	27.3	22.2	52.2	26.0	20.8	51.6	26.0	21.1	51.1
New Jersey-----	13.2	11.5	21.2	14.1	12.5	21.9	15.4	13.5	24.6	14.6	12.6	24.9	15.2	13.4	24.2
Pennsylvania-----	16.5	14.7	29.3	16.4	14.7	29.1	16.5	14.6	29.9	16.8	15.3	26.2	16.8	15.3	28.6
East North Central:															
Ohio-----	12.6	11.5	20.5	13.1	12.0	21.3	13.8	12.7	22.5	14.0	13.1	21.9	14.1	13.0	23.0
Indiana-----	13.0	12.0	22.4	13.1	12.0	24.3	13.1	12.3	21.5	13.4	12.6	22.5	12.8	11.9	23.3
Illinois-----	13.6	11.9	20.5	13.7	11.7	21.8	14.3	12.3	22.7	14.4	12.5	22.8	14.8	13.1	22.6
Michigan-----	13.2	11.6	21.8	13.0	11.3	22.6	13.4	12.1	20.8	13.7	12.2	23.2	14.7	13.4	23.6
Wisconsin-----	11.7	11.3	18.1	11.5	11.0	20.8	11.1	10.7	18.7	11.8	11.5	17.5	12.6	12.1	22.6
West North Central:															
Minnesota-----	10.8	10.6	18.0	11.8	11.6	20.2	11.5	11.3	17.2	12.4	12.4	12.8	13.3	13.1	19.5
Iowa-----	10.5	10.2	20.5	11.6	11.5	*15.7	12.1	12.1	*13.0	11.1	10.9	*21.1	11.3	11.2	*16.7
Missouri-----	13.0	11.9	19.2	15.1	13.3	25.1	13.9	12.6	20.9	13.7	12.0	22.9	14.5	13.0	22.9
North Dakota-----	14.0	13.8	*16.8	13.0	12.8	*16.9	12.0	11.8	*15.3	14.5	13.5	31.6	13.7	13.9	*10.1
South Dakota-----	10.8	10.1	16.4	13.6	12.4	22.3	14.3	13.3	22.9	13.9	13.2	19.5	14.0	13.6	19.0
Nebraska-----	11.9	11.7	15.3	10.6	10.0	19.1	11.7	10.7	29.8	12.6	12.0	23.5	13.2	12.4	28.3
Kansas-----	12.7	12.1	20.2	11.5	10.4	24.9	12.4	11.6	22.5	13.4	12.7	21.9	12.3	11.5	22.4
South Atlantic:															
Delaware-----	12.7	10.5	20.8	15.9	12.7	29.1	14.8	12.0	25.5	16.2	14.4	23.3	15.7	13.6	23.9
Maryland-----	13.4	11.7	18.8	13.6	12.1	18.8	15.2	13.3	21.7	14.0	12.0	21.1	15.3	12.7	24.4
District of Columbia-----	21.0	15.9	21.8	17.6	11.2	18.9	19.0	11.8	20.5	19.6	13.6	21.1	17.2	9.6	19.4
Virginia ² -----	16.9	14.2	26.5	24.1	21.4	32.9	20.6	17.8	29.4	21.7	18.3	32.1	21.6	18.2	31.8
West Virginia-----	15.1	14.9	17.8	15.8	15.5	23.3	16.8	16.5	23.0	16.8	16.5	22.7	16.9	16.3	29.1
North Carolina-----	16.4	13.1	24.5	17.0	13.0	26.2	17.7	13.5	27.1	18.4	13.8	28.6	17.6	13.2	26.8
South Carolina-----	16.3	11.7	24.0	16.8	12.4	23.9	18.0	13.1	25.4	19.1	13.1	27.9	20.2	13.9	28.8
Georgia ² -----	15.4	12.8	20.9	18.0	14.5	25.2	16.6	13.2	23.3	17.4	14.4	22.9	18.3	14.0	25.8
Florida-----	14.2	11.9	21.1	14.7	11.1	25.1	15.2	12.3	23.0	16.2	12.5	25.6	15.9	11.8	26.5
East South Central:															
Kentucky-----	12.0	11.8	14.2	14.3	13.4	23.5	13.7	13.2	18.2	13.5	12.7	22.3	14.8	13.8	27.1
Tennessee-----	15.6	12.8	26.0	17.0	14.7	25.7	15.9	13.6	23.8	17.3	15.3	24.3	17.7	14.2	29.8
Alabama-----	17.3	13.2	25.5	20.1	14.0	31.9	19.8	14.0	30.4	20.1	13.8	31.6	20.7	13.3	33.5
Mississippi ² -----	24.0	16.2	32.0	29.5	22.3	36.8	28.2	17.4	34.6	26.1	17.1	34.0	26.2	14.6	36.2
West South Central:															
Arkansas ² -----	14.2	11.2	22.9	16.1	12.3	26.8	17.4	13.9	26.6	16.2	13.7	22.1	17.8	13.6	27.6
Louisiana-----	14.9	9.9	23.2	14.7	9.6	22.8	15.4	9.7	24.0	15.8	10.2	24.2	16.4	10.6	25.0
Oklahoma-----	11.8	10.5	19.4	12.4	10.7	21.7	11.8	10.2	21.1	12.3	11.2	18.0	13.1	12.0	19.2
Texas-----	13.7	12.3	21.9	14.2	12.7	22.7	14.0	12.7	20.9	14.9	13.6	21.3	15.0	13.3	23.8
Mountain:															
Montana-----	11.5	11.5	*11.1	12.3	11.5	22.1	12.0	11.7	*15.1	11.1	10.8	*14.5	13.2	12.7	18.5
Idaho-----	10.1	9.8	*21.3	11.2	11.2	*9.6	9.8	9.8	*11.0	11.3	11.3	*12.9	11.6	11.2	*21.9
Wyoming-----	16.2	14.9	*39.7	15.1	14.4	*27.8	14.8	14.3	*26.1	12.9	12.8	*14.4	13.1	12.4	*28.2
Colorado ² -----	18.7	17.8	34.8	28.7	28.1	40.1	17.3	16.6	28.2	15.7	14.7	32.8	16.0	16.0	17.0
New Mexico-----	13.4	12.9	16.5	13.0	13.0	13.1	12.1	11.8	13.6	12.9	12.6	15.3	13.8	13.8	13.9
Arizona-----	12.0	11.3	15.9	11.5	10.5	16.3	11.2	11.4	10.3	12.7	12.9	11.8	12.6	11.9	15.4
Utah-----	9.8	9.7	*12.0	10.4	10.2	16.5	10.4	10.2	*20.8	9.8	9.8	*11.8	10.2	10.2	*10.8
Nevada-----	10.2	9.6	*13.7	14.1	13.4	18.5	13.7	12.5	20.3	12.4	9.7	28.5	14.8	13.0	26.8
Pacific:															
Washington-----	10.8	10.6	13.5	10.9	10.6	15.6	10.7	10.4	14.3	11.1	10.7	17.7	12.4	12.2	15.8
Oregon-----	13.5	13.3	17.2	13.8	13.4	23.5	17.1	16.7	25.8	18.5	18.3	22.9	18.6	18.4	22.7
California-----	11.4	10.8	15.6	11.8	11.3	15.3	11.8	11.2	16.1	11.9	11.3	16.3	12.6	11.9	17.5
Alaska-----	9.6	7.6	16.7	12.1	11.6	13.5	11.8	11.2	13.2	11.6	9.1	16.3	12.7	11.8	14.4
Hawaii ² -----	16.2	17.1	15.9	23.3	32.7	22.2	14.0	16.2	13.1	11.7	13.5	11.0	14.5	13.3	15.0

¹Figures for 1966 exclude approximately 300 fetal deaths recorded in Massachusetts, and figures for 1967 exclude approximately 100 fetal deaths recorded in this State. These fetal deaths were primarily to residents of Massachusetts. See Technical Appendix.

²This State requires reporting of all fetal deaths regardless of period of gestation. Since fetal deaths for which gestation was not stated are included in computing the ratios in this table, the ratios for this State may be overstated as a result of inclusion of some early fetal deaths from the "not stated" group.

SECTION 3- FETAL MORTALITY

Table 3-7. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1969-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Unit of residence is defined as the county or county equivalent of which the mother was a resident]

State of occurrence	Fetal deaths to interstate nonresidents by State of residence-Con.																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	MI.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	
United States-----	85	38	19	31	35	21	6	155	17	33	20	42	38	3	12	3	20	95	16	
Alabama-----	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	1
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Arkansas-----	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
California-----	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Colorado-----	1	-	1	1	1	-	-	-	-	-	-	-	2	-	3	-	-	-	1	1
Connecticut-----	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Delaware-----	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
District of Columbia-----	-	-	-	-	-	-	-	123	-	-	-	-	-	-	-	-	-	-	-	-
Florida-----	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
Georgia-----	2	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Hawaii-----	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Idaho-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Illinois-----	...	12	1	-	-	-	-	-	-	-	-	1	6	-	-	-	-	-	1	-
Indiana-----	16	...	-	-	5	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-
Iowa-----	10	-	...	-	-	-	-	-	-	-	1	-	3	-	6	-	-	-	-	-
Kansas-----	1	-	-	...	-	1	-	1	-	1	-	-	24	-	1	-	-	-	-	-
Kentucky-----	2	11	-	-	...	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
Louisiana-----	-	-	-	-	-	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Maine-----	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	1	-	-	-
Maryland-----	-	-	-	-	-	1	-	...	-	2	-	-	-	-	-	-	-	-	1	-
Massachusetts-----	-	-	-	-	-	-	2	-	...	1	-	-	-	-	-	-	15	-	-	-
Michigan-----	-	4	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-
Minnesota-----	1	-	3	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-
Mississippi-----	2	-	-	-	-	16	-	-	-	1	-	...	2	-	-	-	-	-	-	-
Missouri-----	28	-	3	21	-	-	-	-	1	2	-	-	...	-	-	-	-	-	-	-
Montana-----	-	-	-	-	-	-	-	-	-	-	1	-	-	...	-	-	-	-	-	-
Nebraska-----	-	-	4	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-
New Hampshire-----	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	...	-	1	-
New Jersey-----	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-
New Mexico-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...
New York-----	2	-	-	2	-	-	-	2	3	-	-	-	-	-	1	-	-	-	53	-
North Carolina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Dakota-----	-	-	-	-	-	-	-	-	-	9	-	-	-	1	-	-	-	-	-	-
Ohio-----	-	9	-	-	16	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-
Oklahoma-----	2	-	-	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Oregon-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania-----	-	-	-	-	-	-	-	12	-	-	-	1	-	-	-	-	-	1	34	-
Rhode Island-----	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-
South Carolina-----	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota-----	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	-	-	-
Tennessee-----	1	1	-	-	10	-	-	-	-	1	-	31	-	-	-	-	-	-	-	-
Texas-----	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	13
Utah-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont-----	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	3	-	-
Virginia-----	-	-	-	-	-	1	-	7	-	-	-	-	-	-	-	-	-	-	-	-
Washington-----	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia-----	1	-	-	-	1	-	-	5	-	2	-	-	-	-	-	-	-	-	2	-
Wisconsin-----	6	-	6	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

SECTION 3 - FETAL MORTALITY

Table 3-8. Fetal Deaths by Month and Color: United States and Each State, 1969

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
United States	50,749	4,264	3,805	4,104	4,050	4,168	4,101	4,515	4,648	4,388	4,396	4,104	4,206
White	37,091	3,130	2,844	3,013	2,980	3,075	2,968	3,285	3,378	3,102	3,222	2,989	3,106
All other	13,658	1,134	961	1,091	1,070	1,093	1,133	1,230	1,270	1,286	1,174	1,115	1,101
Alabama	1,119	99	85	87	71	96	85	100	97	87	102	111	99
White	573	44	46	49	32	58	48	57	46	39	47	56	51
All other	546	55	39	38	39	38	37	43	51	48	55	55	48
Alaska	66	3	3	6	7	5	4	9	4	6	7	7	5
White	41	3	2	4	7	4	2	6	2	4	3	3	1
All other	25	-	1	2	-	1	2	3	2	2	4	4	4
Arizona	411	31	32	24	33	25	32	40	32	42	49	32	30
White	328	29	27	18	26	20	24	29	23	30	40	26	36
All other	83	2	5	6	7	5	8	11	9	12	9	6	3
Arkansas	480	42	36	38	45	42	31	35	49	47	45	36	34
White	286	25	18	22	26	26	18	21	29	24	31	24	22
All other	194	17	18	16	19	16	13	14	20	23	14	12	12
California	4,047	337	332	329	338	355	305	373	348	359	311	304	356
White	3,300	270	272	269	264	297	256	307	283	290	263	249	290
All other	747	67	60	60	74	58	49	66	65	69	48	55	76
Colorado	735	65	56	60	54	64	58	67	75	56	63	62	55
White	661	61	51	54	49	57	54	60	67	49	55	54	49
All other	74	4	5	6	5	7	4	7	8	7	8	7	6
Connecticut	587	53	49	50	36	37	49	45	52	47	65	50	54
White	505	45	39	46	35	28	42	41	45	40	60	43	41
All other	82	8	10	4	1	9	7	4	7	7	5	7	13
Delaware	128	15	11	8	9	11	15	9	10	15	10	11	4
White	84	10	9	4	8	8	8	6	8	9	8	7	2
All other	44	5	2	4	1	3	7	3	2	6	5	4	2
District of Columbia	309	24	23	23	22	38	23	27	27	29	30	24	19
White	55	2	2	-	7	5	3	5	4	2	1	4	-
All other	274	22	21	23	15	33	20	22	23	27	29	20	19
Florida	1,526	139	109	102	106	127	128	124	148	144	155	131	113
White	960	75	72	67	74	80	75	74	97	97	100	81	68
All other	566	64	37	35	32	47	53	50	51	47	55	50	45
Georgia	1,393	113	107	109	109	117	122	153	137	114	113	114	65
White	787	60	68	61	65	62	68	86	80	69	69	56	43
All other	606	53	39	48	44	55	54	67	57	45	44	58	42
Hawaii	254	16	18	20	25	20	28	24	15	19	25	18	26
White	79	7	6	6	10	9	6	6	4	2	9	6	8
All other	175	9	12	14	15	11	22	18	11	17	16	12	18
Idaho	136	8	9	15	9	10	11	10	15	12	9	15	13
White	129	8	8	15	9	10	11	10	13	10	9	15	13
All other	7	-	1	-	-	-	-	2	2	2	-	-	-
Illinois	2,669	204	194	216	223	192	251	240	238	213	242	237	219
White	1,866	149	146	148	142	141	183	164	150	147	171	170	155
All other	803	55	48	68	81	51	68	76	88	66	71	67	64
Indiana	1,218	101	86	83	120	113	104	106	108	113	97	100	87
White	1,023	80	69	67	99	97	88	83	94	94	80	85	77
All other	195	21	17	16	21	16	16	23	14	19	7	15	10
Iowa	494	44	36	53	42	31	54	39	56	43	33	28	35
White	472	43	33	52	38	30	52	36	55	41	31	27	34
All other	22	1	3	1	4	1	2	3	1	2	2	1	1
Kansas	472	36	42	32	38	50	36	44	40	39	39	36	40
White	415	33	35	29	34	41	32	38	37	33	37	31	33
All other	59	3	7	3	4	9	4	6	3	6	2	5	7
Kentucky	689	61	55	58	59	45	42	74	71	57	60	50	57
White	614	55	49	52	52	43	37	65	64	52	54	44	47
All other	75	6	6	6	7	2	5	9	7	5	6	6	10
Louisiana	1,113	83	67	83	72	104	92	93	119	89	113	99	99
White	467	32	38	33	25	51	32	48	47	35	41	43	42
All other	646	51	29	50	47	53	60	45	72	54	72	56	57
Maine	119	12	10	8	13	10	12	11	14	6	7	7	9
White	114	12	10	8	13	9	12	10	13	6	6	6	9
All other	5	-	-	-	-	1	-	1	1	-	1	1	-
Maryland	924	81	69	68	68	80	77	82	95	77	71	90	66
White	621	54	48	51	58	52	56	48	52	44	46	63	40
All other	303	27	21	17	10	28	21	34	43	33	25	27	17
Massachusetts	1,057	82	79	100	72	94	73	91	89	89	89	86	103
White	948	75	71	91	62	86	67	82	84	79	78	78	95
All other	109	7	8	9	10	8	6	9	15	10	11	8	8
Michigan	2,181	188	147	170	176	177	200	196	220	187	165	174	183
White	1,625	130	114	122	134	128	142	153	164	136	126	141	135
All other	556	58	33	48	42	49	58	43	56	51	37	33	49
Minnesota	712	71	49	63	53	61	47	63	67	63	60	49	66
White	680	68	48	63	52	55	45	63	64	57	55	46	64
All other	32	3	1	-	1	6	2	-	3	6	5	3	2
Mississippi	1,128	94	73	81	90	83	96	108	123	94	109	86	91
White	390	32	20	23	32	27	29	34	49	38	40	31	35
All other	738	62	53	58	58	56	67	74	74	56	69	55	56

SECTION 3 - FETAL MORTALITY

3-13

Table 3-8. Fetal Deaths by Month and Color: United States and Each State, 1969-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area and color	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri	1,022	81	64	90	72	81	79	95	93	103	91	88	75
White	794	65	47	72	62	74	63	73	72	74	65	67	62
All other	228	16	17	18	10	17	16	22	21	29	26	21	13
Montana	135	13	8	6	10	12	15	7	18	12	11	8	15
White	124	13	6	5	9	11	14	7	18	9	11	8	13
All other	11	-	2	1	1	1	1	-	-	3	-	-	2
Nebraska	295	30	18	26	23	34	22	27	25	21	27	20	22
White	274	28	17	25	20	31	22	26	24	19	26	18	18
All other	21	2	1	1	3	3	-	1	1	2	1	2	4
Nevada	92	7	2	7	4	5	8	9	8	13	7	13	9
White	75	6	2	6	2	4	4	6	6	12	6	12	6
All other	17	1	-	1	2	1	4	3	-	1	1	1	2
New Hampshire	159	14	18	9	15	8	7	14	15	15	17	13	14
White	159	14	18	9	15	8	7	14	15	15	17	13	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,549	126	125	120	135	137	131	128	139	115	135	123	139
White	1,112	91	92	80	109	98	97	94	98	79	99	79	96
All other	437	35	33	40	26	39	34	34	41	34	34	44	43
New Mexico	287	17	26	24	20	31	18	35	23	17	23	24	29
White	236	15	23	17	18	25	14	27	21	13	21	21	21
All other	51	2	3	7	2	6	4	8	2	4	2	3	8
New York	5,970	527	483	538	493	475	434	485	497	558	521	473	486
White	4,285	384	353	383	361	350	316	348	370	383	363	331	343
All other	1,685	143	130	155	132	125	118	137	127	175	158	142	143
North Carolina	1,535	111	111	118	133	107	138	143	162	135	120	145	112
White	870	67	64	70	76	62	80	71	93	60	67	90	70
All other	665	44	47	48	57	45	58	72	69	75	53	55	42
North Dakota	151	19	13	15	9	15	4	9	16	16	15	9	11
White	141	19	12	15	9	14	4	9	15	12	13	8	11
All other	10	-	1	-	-	1	-	-	1	4	2	1	-
Ohio	2,389	210	173	217	170	184	184	225	206	202	208	196	216
White	1,933	171	140	190	136	138	137	178	171	155	177	166	184
All other	456	39	33	27	34	46	47	47	35	47	31	30	32
Oklahoma	508	41	47	33	51	40	43	36	54	38	35	46	44
White	379	35	34	28	40	29	29	26	39	26	29	31	33
All other	129	6	13	5	11	11	14	10	15	12	6	15	11
Oregon	457	36	29	40	31	25	33	39	38	43	53	39	51
White	432	34	29	34	29	25	32	36	38	42	51	35	47
All other	25	2	-	6	2	-	1	3	-	1	2	4	4
Pennsylvania	3,058	237	233	282	234	261	244	309	267	271	248	225	247
White	2,379	174	181	218	185	206	190	282	201	205	187	175	205
All other	679	63	52	64	49	55	54	57	66	66	61	50	42
Rhode Island	197	18	15	12	19	14	21	19	6	17	18	16	20
White	178	17	15	12	16	13	20	17	8	16	16	10	18
All other	19	1	-	-	3	1	1	2	-	1	2	6	2
South Carolina	824	82	63	56	65	65	72	77	78	75	75	57	65
White	376	39	34	28	35	35	33	32	25	28	39	28	31
All other	448	43	29	30	39	30	39	45	47	47	36	29	34
South Dakota	144	13	3	9	13	9	5	14	16	12	18	8	9
White	102	11	2	8	10	8	5	11	12	10	11	7	7
All other	22	2	1	1	3	1	-	3	4	2	2	1	2
Tennessee	1,091	88	75	82	85	90	90	80	109	107	77	89	109
White	706	52	48	53	56	56	48	57	73	69	56	64	74
All other	385	36	27	29	29	34	42	33	36	38	21	25	35
Texas	3,098	246	239	248	234	229	282	269	282	261	290	263	285
White	2,370	192	186	188	179	181	210	197	220	186	212	209	210
All other	728	54	53	60	55	48	72	72	62	75	68	54	55
Utah	238	21	16	18	10	25	25	25	25	24	16	17	16
White	230	21	15	18	10	22	24	24	23	24	16	17	16
All other	8	-	1	-	-	3	1	1	2	-	-	-	-
Vermont	149	10	11	11	13	11	14	12	17	13	17	9	11
White	148	10	11	11	13	11	14	12	17	13	16	9	11
All other	1	-	-	-	-	-	-	-	-	-	1	-	-
Virginia	1,411	130	109	113	129	123	120	114	112	107	135	99	120
White	918	100	77	85	82	77	82	79	70	70	94	50	72
All other	493	30	32	28	47	46	38	35	42	37	41	49	48
Washington	644	48	46	42	67	52	48	57	60	42	54	68	60
White	587	46	41	41	52	48	46	54	56	38	47	62	56
All other	57	2	5	1	15	4	2	3	4	4	7	6	4
West Virginia	434	31	29	32	43	45	25	35	33	47	52	29	33
White	411	29	29	32	40	42	25	34	30	46	46	27	31
All other	23	2	-	-	3	3	-	1	3	1	6	2	2
Wisconsin	868	98	65	65	73	84	55	73	78	73	77	62	65
White	786	87	61	59	65	77	54	64	71	65	67	56	60
All other	82	11	4	6	8	7	1	9	7	8	10	6	5
Wyoming	97	8	7	5	9	9	9	8	16	6	6	8	6
White	85	8	6	4	7	6	8	7	16	6	5	6	6
All other	12	-	1	1	2	3	1	1	-	-	1	2	-

SECTION 3 - FETAL MORTALITY

Table 3-9. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1969

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Total	50,749	16,570	9,225	6,699	4,656	5,339	2,282	1,537	3,495	2,948
Under 15 years	249	223	7	-	-	-	-	-	-	19
15-19 years	8,664	6,048	1,492	368	91	14	1	4	1	625
20-24 years	15,531	6,820	3,972	2,100	962	468	180	84	70	875
25-29 years	11,797	2,351	2,470	2,318	1,574	1,057	626	362	372	667
30-34 years	7,228	715	817	1,161	1,174	955	677	465	914	352
35-39 years	4,950	304	339	553	622	612	554	434	1,244	388
40-44 years	2,113	105	116	166	209	209	229	173	792	116
45-49 years	217	4	10	13	24	24	16	17	102	7
Male	25,515	8,550	4,568	3,343	2,260	1,649	1,136	751	1,797	1,459
Under 15 years	141	124	5	-	-	-	-	-	-	12
15-19 years	4,486	3,180	771	188	56	7	-	-	-	282
20-24 years	7,794	3,510	1,957	1,045	449	237	95	45	44	434
25-29 years	5,833	1,170	1,208	1,155	762	530	308	176	193	341
30-34 years	3,596	354	422	589	566	469	330	235	465	166
35-39 years	2,459	160	166	284	328	277	273	199	608	164
40-44 years	1,086	49	57	74	99	114	124	86	428	65
45-49 years	118	3	2	8	10	15	8	8	59	5
Female	22,308	7,323	4,089	2,927	2,071	1,458	1,013	687	1,536	1,205
Under 15 years	101	92	2	-	-	-	-	-	-	7
15-19 years	3,792	2,644	650	177	31	6	1	2	1	280
20-24 years	6,870	3,011	1,799	931	446	195	78	35	24	351
25-29 years	5,193	1,068	1,092	994	708	449	293	163	167	259
30-34 years	3,172	342	529	509	529	425	285	196	395	152
35-39 years	2,187	130	144	234	244	296	247	204	583	105
40-44 years	905	48	52	79	100	78	93	79	327	49
45-49 years	98	1	8	3	13	9	6	8	38	2
Sex not stated	2,920	697	566	429	325	232	133	99	163	284
Under 15 years	7	7	-	-	-	-	-	-	-	-
15-19 years	366	224	71	23	4	1	-	-	-	63
20-24 years	967	289	236	124	67	56	9	4	2	90
25-29 years	771	113	170	169	114	78	25	23	12	67
30-34 years	460	32	53	63	79	61	52	32	54	34
35-39 years	304	14	29	35	50	39	34	31	53	19
40-44 years	122	8	7	13	10	17	11	8	37	11
45-49 years	11	-	-	2	1	-	2	1	5	-
White	37,091	12,475	6,951	5,171	3,496	2,407	1,597	992	1,871	2,131
Under 15 years	68	57	1	-	-	-	-	-	-	10
15-19 years	5,432	4,010	613	173	31	5	-	1	1	399
20-24 years	11,731	5,618	3,066	1,501	573	255	93	39	31	656
25-29 years	9,260	1,972	2,075	1,936	1,240	725	399	210	188	515
30-34 years	5,393	579	635	972	961	749	497	297	453	260
35-39 years	3,543	248	260	446	492	482	427	311	678	159
40-44 years	1,497	68	92	130	160	169	176	126	449	87
45-49 years	167	3	9	13	19	22	15	9	71	6
Male	18,557	6,390	3,413	2,581	1,704	1,180	799	471	954	1,065
Under 15 years	45	36	1	-	-	-	-	-	-	5
15-19 years	2,799	2,103	405	77	19	2	-	1	-	192
20-24 years	5,850	2,797	1,494	756	257	138	49	19	20	352
25-29 years	4,574	985	1,006	986	596	365	204	100	98	260
30-34 years	2,654	290	336	494	462	349	235	145	224	119
35-39 years	1,778	131	124	229	268	225	206	143	332	120
40-44 years	768	45	45	57	92	98	98	60	242	41
45-49 years	89	3	2	8	10	13	7	4	38	4
Female	16,409	5,551	3,113	2,274	1,558	1,055	699	457	808	894
Under 15 years	22	20	-	-	-	-	-	-	-	2
15-19 years	2,397	1,751	361	86	11	3	-	-	1	184
20-24 years	5,239	2,469	1,398	657	272	99	40	17	10	277
25-29 years	4,113	907	931	846	559	303	183	96	81	207
30-34 years	2,393	261	262	428	439	351	209	132	193	118
35-39 years	1,543	107	113	189	224	193	149	149	313	67
40-44 years	633	36	41	65	80	66	69	59	181	37
45-49 years	69	-	7	3	9	9	6	4	29	2
Sex not stated	2,125	534	425	316	234	172	99	64	109	172
Under 15 years	1	1	-	-	-	-	-	-	-	-
15-19 years	236	156	47	10	1	-	-	-	-	22
20-24 years	642	252	174	88	44	18	4	3	1	58
25-29 years	573	80	138	130	85	57	12	14	9	48
30-34 years	346	28	37	50	60	49	43	20	36	23
35-39 years	222	10	23	28	36	33	28	19	33	12
40-44 years	96	7	6	8	8	15	10	7	26	9
45-49 years	9	-	-	2	-	-	2	1	4	-
All other	13,658	4,095	2,272	1,528	1,160	932	685	545	1,624	817
Under 15 years	181	166	6	-	-	-	-	-	-	9
15-19 years	3,232	2,038	679	215	60	9	1	3	-	227
20-24 years	3,800	1,302	906	599	389	213	87	46	30	219
25-29 years	2,537	379	395	362	334	332	227	152	184	152
30-34 years	1,835	136	182	189	213	206	190	168	461	92
35-39 years	1,407	56	79	107	130	130	127	123	566	69
40-44 years	618	17	24	36	29	40	52	47	343	29
45-49 years	50	1	1	-	5	2	1	8	31	1

SECTION 3 - FETAL MORTALITY

3-15

Table 3-9. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1969—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Age of mother, color, and sex of child	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
All other—Con.										
Male-----	6,956	2,160	1,155	762	556	469	337	280	343	394
Under 15 years-----	96	88	4	-	-	-	-	-	-	4
15-19 years-----	1,667	1,077	366	111	37	5	-	1	-	90
20-24 years-----	1,944	713	443	289	192	99	44	27	24	113
25-29 years-----	1,259	185	202	195	156	165	104	76	95	81
30-34 years-----	942	64	86	95	104	120	95	90	241	47
35-39 years-----	681	29	42	55	60	52	67	56	276	44
40-44 years-----	318	4	12	17	7	26	26	26	186	14
45-49 years-----	29	-	-	-	-	2	1	4	21	1
Female-----	5,899	1,772	976	653	513	403	314	230	727	311
Under 15 years-----	79	72	2	-	-	-	-	-	-	5
15-19 years-----	1,395	693	289	91	20	3	1	2	-	96
20-24 years-----	1,631	542	401	274	174	96	38	18	14	74
25-29 years-----	1,080	161	161	148	149	146	110	67	86	52
30-34 years-----	779	68	80	81	90	74	86	64	202	34
35-39 years-----	644	23	31	45	56	72	54	55	270	38
40-44 years-----	272	12	11	14	20	12	25	20	146	12
45-49 years-----	19	1	1	-	4	-	-	4	9	-
Sex not stated-----	803	163	141	113	91	60	34	35	54	112
Under 15 years-----	6	6	-	-	-	-	-	-	-	-
15-19 years-----	150	68	24	13	3	1	-	-	-	41
20-24 years-----	225	47	62	36	23	18	5	1	1	32
25-29 years-----	188	33	32	39	29	21	13	9	3	19
30-34 years-----	114	4	16	13	19	12	9	12	18	11
35-39 years-----	82	4	6	7	14	6	6	12	20	7
40-44 years-----	26	1	1	5	2	2	1	1	11	2
45-49 years-----	2	-	-	-	1	-	-	-	1	-

SECTION 3 - FETAL MORTALITY

Table 3-10. Fetal Deaths by Age of Mother and Color: United States and Each State, 1969

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
United States	50,749	249	8,664	15,531	11,797	7,228	4,950	2,113	217
White	37,081	69	5,432	11,731	9,260	5,393	3,648	1,497	167
All other	13,658	181	3,232	3,800	2,537	1,835	1,407	616	50
Alabama	1,119	9	247	306	204	153	125	69	7
White	573	3	112	197	126	83	52	17	3
All other	546	6	135	109	78	90	73	51	4
Alaska	66	-	13	15	19	5	9	5	-
White	41	-	7	10	15	2	5	2	-
All other	25	-	6	5	4	3	4	3	-
Arizona	411	-	65	128	100	47	52	15	4
White	328	-	51	107	86	35	36	11	2
All other	83	-	14	21	14	12	16	4	2
Arkansas	480	3	97	140	110	57	40	28	5
White	286	2	49	101	78	27	20	7	2
All other	194	1	48	39	32	30	20	21	3
California	4,047	16	690	1,229	981	598	370	138	25
White	3,300	7	521	1,034	839	475	295	117	22
All other	747	9	169	195	142	123	85	21	3
Colorado	735	3	123	232	180	112	60	19	-
White	651	2	115	213	161	99	65	16	-
All other	74	1	14	19	19	13	5	3	-
Connecticut	587	-	70	176	158	89	69	24	3
White	505	-	46	155	142	79	69	21	3
All other	82	-	24	21	14	10	10	3	-
Delaware	128	6	26	46	23	14	11	2	-
White	84	-	12	31	23	9	8	1	-
All other	44	6	14	15	-	5	3	1	-
District of Columbia	309	8	65	98	56	43	26	11	2
White	35	-	1	8	12	7	3	4	-
All other	274	8	64	90	44	36	23	7	2
Florida	1,526	9	515	492	290	214	147	67	1
White	980	3	176	325	199	129	82	45	1
All other	566	6	140	157	91	85	65	22	-
Georgia	1,393	11	322	445	279	171	105	57	2
White	787	3	146	276	188	101	42	29	2
All other	606	8	176	170	91	70	63	28	-
Hawaii	254	-	32	77	77	35	22	10	1
White	79	-	9	34	21	8	5	1	1
All other	175	-	23	43	56	27	17	9	-
Idaho	136	-	24	46	28	19	10	8	1
White	129	-	24	43	25	18	10	8	1
All other	7	-	-	3	3	1	-	-	-
Illinois	2,689	14	469	787	618	402	267	103	0
White	1,866	3	269	572	479	287	182	67	7
All other	803	11	200	215	139	115	85	36	2
Indiana	1,218	4	236	382	281	165	98	51	1
White	1,023	2	180	329	251	136	82	42	1
All other	195	2	56	53	30	29	16	9	-
Iowa	494	-	96	169	113	62	45	16	3
White	472	-	81	159	109	62	44	15	3
All other	22	-	5	11	4	-	1	1	-
Kansas	472	-	81	184	102	63	43	19	-
White	415	-	65	147	95	56	37	13	-
All other	59	-	16	17	7	7	6	6	-
Kentucky	689	4	140	209	130	84	86	27	0
White	614	4	113	193	120	77	78	23	5
All other	75	-	27	16	10	7	8	4	3
Louisiana	1,113	4	239	344	215	139	117	51	4
White	467	-	93	152	104	60	39	18	1
All other	646	4	146	192	111	79	76	33	3
Maine	119	-	23	30	28	16	12	9	1
White	114	-	22	28	28	14	12	9	1
All other	5	-	1	2	-	2	-	-	-
Maryland	924	2	186	289	201	140	69	32	5
White	621	-	93	206	149	103	45	22	3
All other	303	2	93	83	52	37	24	10	2
Massachusetts	1,057	2	120	295	299	170	109	58	4
White	948	2	93	262	278	157	100	52	4
All other	109	-	27	33	21	13	9	6	-
Michigan	2,181	8	385	667	515	302	229	89	7
White	1,625	4	216	519	406	229	180	64	7
All other	556	4	149	148	109	73	49	24	-
Minnesota	712	-	82	214	196	109	67	38	6
White	680	-	74	208	187	104	65	36	6
All other	32	-	8	6	9	5	2	2	-
Mississippi	1,128	16	238	305	232	158	121	53	5
White	390	-	73	120	98	53	37	9	-
All other	738	16	165	185	134	105	84	44	5

SECTION 3 - FETAL MORTALITY

3-17

Table 3-10. Fetal Deaths by Age of Mother and Color: United States and Each State, 1969—Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area and color	Total	Age of mother							
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Missouri-----	1,022	8	182	317	214	132	119	49	2
White-----	794	2	128	251	171	112	97	51	2
All other---	228	6	54	66	43	20	22	17	-
Montana-----	135	-	18	39	37	22	15	3	2
White-----	124	-	16	35	36	20	12	3	2
All other---	11	-	2	3	1	2	3	-	-
Nebraska-----	295	1	40	79	75	47	36	15	2
White-----	274	1	38	75	69	43	31	15	2
All other---	21	-	2	4	6	4	5	-	-
Nevada-----	92	-	13	25	29	12	7	7	-
White-----	75	-	9	19	25	10	7	5	-
All other---	17	-	4	6	3	2	-	2	-
New Hampshire-----	159	-	20	44	48	20	24	3	-
White-----	159	-	20	44	48	20	24	3	-
All other---	-	-	-	-	-	-	-	-	-
New Jersey-----	1,549	9	170	457	415	248	188	56	6
White-----	1,112	1	98	318	316	189	140	48	4
All other---	437	8	72	139	99	59	48	10	2
New Mexico-----	287	1	47	72	74	44	32	17	-
White-----	236	-	39	59	63	36	24	15	-
All other---	51	1	8	13	11	8	8	2	-
New York-----	5,970	18	745	1,745	1,565	957	636	275	29
White-----	4,285	3	409	1,271	1,153	719	478	225	27
All other---	1,685	15	336	474	412	238	158	50	2
North Carolina-----	1,535	17	328	504	298	203	122	61	2
White-----	870	1	163	301	192	126	67	19	1
All other---	665	16	165	203	106	77	55	42	1
North Dakota-----	151	-	9	48	38	24	22	9	1
White-----	141	-	9	47	34	23	19	8	1
All other---	10	-	-	1	4	1	3	1	-
Ohio-----	2,589	9	388	762	576	332	209	102	11
White-----	1,933	3	280	631	441	272	169	87	10
All other---	456	6	108	131	95	60	40	15	1
Oklahoma-----	508	4	105	156	114	67	35	27	-
White-----	379	2	81	119	88	50	24	15	-
All other---	129	2	24	37	26	17	11	12	-
Oregon-----	457	2	91	156	113	52	28	14	1
White-----	432	2	86	148	106	51	26	14	1
All other---	25	2	5	8	7	1	2	-	-
Pennsylvania-----	3,058	15	495	923	726	443	326	121	9
White-----	2,379	3	326	720	605	356	256	104	9
All other---	679	12	169	203	121	87	70	17	-
Rhode Island-----	197	-	23	67	49	31	14	11	2
White-----	178	-	18	59	46	28	14	10	2
All other---	19	-	4	8	3	3	-	1	-
South Carolina-----	824	9	174	253	153	110	91	51	3
White-----	376	1	65	132	83	52	33	10	-
All other---	448	8	109	121	70	58	58	21	3
South Dakota-----	124	-	18	36	26	22	16	6	-
White-----	102	-	13	34	24	17	9	5	-
All other---	22	-	5	2	2	5	7	1	-
Tennessee-----	1,091	10	240	352	240	121	92	31	5
White-----	706	1	141	248	168	81	48	15	4
All other---	385	9	99	104	72	40	44	16	1
Texas-----	3,098	15	566	975	682	410	297	135	18
White-----	2,370	6	402	750	553	318	231	100	10
All other---	728	9	164	225	129	92	66	35	8
Utah-----	238	-	19	35	57	40	24	12	3
White-----	230	-	18	31	53	40	23	12	3
All other---	8	-	1	2	4	-	1	-	-
Vermont-----	149	-	20	48	37	21	16	5	-
White-----	148	-	19	48	37	21	16	5	-
All other---	1	-	1	-	-	-	-	-	-
Virginia-----	1,411	7	283	465	293	163	126	50	4
White-----	918	5	145	306	221	126	81	32	2
All other---	493	2	138	159	72	57	45	18	2
Washington-----	644	2	91	176	176	76	43	28	4
White-----	587	1	79	210	161	68	39	26	3
All other---	57	1	12	14	15	8	4	2	1
West Virginia-----	434	1	97	133	76	73	39	15	-
White-----	411	1	92	126	72	70	37	13	-
All other---	23	-	5	7	4	3	2	2	-
Wisconsin-----	868	1	106	275	233	156	71	30	8
White-----	786	1	84	252	208	143	64	26	8
All other---	82	-	22	21	15	13	7	4	-
Wyoming-----	97	1	15	20	31	15	11	4	-
White-----	85	1	12	19	28	12	9	4	-
All other---	12	-	3	1	3	3	2	-	-

SECTION 3 - FETAL MORTALITY

Table 3-11. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1969

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
United States-----	50,749	16,570	9,225	6,699	4,656	3,339	2,282	1,537	3,495	2,940
White-----	37,091	12,475	6,951	5,171	3,496	2,407	1,597	992	1,671	2,151
All other-----	13,658	4,095	2,272	1,528	1,160	932	685	545	1,624	817
Alabama-----	1,119	585	195	147	81	64	53	39	141	16
White-----	573	229	124	94	48	29	11	8	24	6
All other-----	546	154	71	53	33	35	42	31	117	10
Alaska-----	66	18	16	11	3	5	2	-	8	3
White-----	41	12	10	9	3	4	1	-	1	1
All other-----	25	6	6	2	-	1	1	-	7	2
Arizona-----	411	116	75	58	32	38	22	20	45	7
White-----	328	96	65	48	26	32	19	14	25	4
All other-----	83	20	10	10	6	6	4	6	19	3
Arkansas-----	490	151	75	53	52	34	16	23	70	6
White-----	286	104	52	38	36	23	6	13	9	5
All other-----	194	47	23	15	16	11	10	10	61	1
California-----	4,047	1,558	789	548	355	227	137	98	180	176
White-----	3,300	1,269	653	471	285	179	100	78	145	120
All other-----	747	289	116	77	70	48	37	20	35	56
Colorado-----	735	253	127	96	77	61	37	14	41	29
White-----	661	233	115	88	68	55	31	12	35	24
All other-----	74	20	12	8	9	6	6	2	6	5
Connecticut-----	587	189	120	77	54	51	28	18	40	12
White-----	505	169	102	65	47	44	26	11	30	11
All other-----	82	20	18	12	7	7	2	5	10	1
Delaware-----	129	42	23	11	11	13	3	1	5	19
White-----	84	20	17	9	9	10	2	-	4	13
All other-----	44	22	6	2	2	3	1	1	1	6
District of Columbia-----	309	108	60	36	21	16	12	11	23	22
White-----	35	14	8	7	2	-	-	-	-	4
All other-----	274	94	52	29	19	16	12	11	23	19
Florida-----	1,526	570	273	174	142	95	69	42	132	29
White-----	960	408	179	109	85	53	39	22	39	16
All other-----	566	162	94	65	47	42	30	20	93	13
Georgia-----	1,393	467	261	180	122	91	64	43	100	45
White-----	787	270	168	122	87	41	33	22	19	25
All other-----	606	197	113	58	35	50	31	21	81	20
Hawaii-----	254	70	54	24	26	20	9	6	10	35
White-----	79	20	18	7	8	4	-	-	3	19
All other-----	175	50	36	17	18	16	9	6	7	16
Idaho-----	136	41	26	18	15	13	6	3	11	3
White-----	129	41	24	18	13	11	6	3	10	3
All other-----	7	-	2	-	2	2	-	-	1	-
Illinois-----	2,669	837	475	354	268	176	137	87	217	118
White-----	1,866	596	349	265	193	123	96	52	109	83
All other-----	803	241	126	89	75	53	41	35	108	35
Indiana-----	1,218	292	188	163	84	75	54	30	52	280
White-----	1,023	249	161	144	72	62	48	24	31	232
All other-----	195	43	27	19	12	13	6	6	21	48
Iowa-----	494	168	98	71	44	36	28	18	27	4
White-----	472	160	94	67	42	35	28	16	26	4
All other-----	22	8	4	4	2	1	1	2	1	-
Kansas-----	472	167	91	68	41	32	17	13	23	20
White-----	413	151	86	55	37	26	14	12	14	18
All other-----	59	16	5	13	4	6	3	1	9	2
Kentucky-----	689	227	118	73	61	40	42	32	60	36
White-----	614	203	103	65	56	37	39	30	49	33
All other-----	75	24	15	8	5	3	4	2	11	3
Louisiana-----	1,113	274	163	115	92	77	58	40	120	174
White-----	487	139	84	62	40	30	23	13	26	50
All other-----	646	135	79	53	52	47	35	27	94	124
Maine-----	119	31	15	15	9	13	4	5	12	15
White-----	114	29	15	14	9	12	4	5	11	15
All other-----	5	2	-	1	-	1	-	-	1	-
Maryland-----	924	366	178	125	79	58	31	18	36	33
White-----	621	248	125	89	53	37	23	8	15	23
All other-----	303	118	53	36	26	21	8	10	21	10
Massachusetts-----	1,057	333	187	138	133	80	50	48	71	17
White-----	948	300	164	126	116	77	47	41	63	14
All other-----	109	33	23	12	17	3	3	7	8	3
Michigan-----	2,181	648	337	261	179	140	103	52	134	327
White-----	1,625	462	259	208	134	115	72	32	95	248
All other-----	556	186	78	53	45	25	31	20	39	79
Minnesota-----	712	206	130	73	70	39	30	26	54	84
White-----	680	199	126	68	66	36	28	26	50	82
All other-----	32	7	5	5	4	3	2	-	4	2
Mississippi-----	1,128	306	180	135	89	76	55	66	188	33
White-----	390	136	74	53	37	29	17	16	15	13
All other-----	738	170	106	82	52	47	38	50	173	20

SECTION 3 - FETAL MORTALITY

3-19

Table 3-11. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1969-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Total-birth order refers to number of children ever born to mother, including fetal deaths]

Area and color	Total	Total-birth order								
		1	2	3	4	5	6	7	8 and over	Not stated
Missouri	1,022	348	159	143	96	63	38	30	80	63
White	794	283	124	119	78	47	22	23	46	52
All other	228	65	35	24	20	16	16	7	34	11
Montana	135	43	19	24	14	8	5	2	13	7
White	124	39	19	24	14	8	3	2	8	7
All other	11	4	-	-	-	-	2	-	5	-
Nebraska	295	95	57	34	34	19	22	8	22	4
White	274	92	52	32	32	18	18	6	20	4
All other	21	3	5	2	2	1	4	2	2	-
Nevada	92	28	18	18	10	4	3	1	6	4
White	75	20	15	16	10	4	3	-	3	4
All other	17	8	3	2	-	-	-	1	3	-
New Hampshire	159	36	23	21	16	6	6	7	5	39
White	159	36	23	21	16	6	6	7	5	39
All other	-	-	-	-	-	-	-	-	-	-
New Jersey	1,549	447	298	223	125	97	73	40	74	172
White	1,112	323	205	167	97	73	55	23	37	132
All other	437	124	93	56	28	24	18	17	37	40
New Mexico	287	96	47	33	17	30	9	12	29	14
White	236	84	37	28	13	22	9	7	23	13
All other	51	12	10	5	4	8	-	5	6	1
New York	5,970	1,616	1,180	844	642	410	286	183	305	504
White	4,285	1,196	833	621	463	300	212	121	211	328
All other	1,685	420	347	223	179	110	74	62	94	176
North Carolina	1,535	583	285	186	141	101	69	39	116	17
White	870	365	173	123	81	48	24	18	30	8
All other	665	218	110	63	60	53	45	21	86	9
North Dakota	151	40	24	16	17	13	15	5	17	4
White	141	40	22	15	16	13	11	5	15	4
All other	10	-	2	1	1	-	4	-	2	-
Ohio	2,389	806	436	319	224	154	100	75	143	132
White	1,933	643	362	270	186	121	83	58	96	114
All other	456	163	74	49	38	33	17	17	47	18
Oklahoma	508	161	92	69	43	29	19	18	38	39
White	379	120	77	53	34	24	10	12	16	33
All other	129	41	15	16	9	5	6	6	22	6
Oregon	457	170	86	60	39	32	18	11	28	15
White	432	159	78	58	38	30	18	11	25	15
All other	25	11	8	2	1	2	-	-	1	-
Pennsylvania	3,058	1,092	540	427	325	217	130	98	158	81
White	2,379	852	425	324	250	169	111	68	113	67
All other	679	230	115	103	75	48	19	30	45	14
Rhode Island	197	59	32	19	31	17	16	5	11	7
White	178	54	29	16	30	17	15	4	6	7
All other	19	5	3	3	1	-	1	1	5	-
South Carolina	824	278	151	103	74	58	34	20	87	19
White	376	148	72	68	40	23	10	6	7	2
All other	448	130	79	35	34	35	24	14	80	17
South Dakota	124	33	22	9	10	7	9	6	12	16
White	102	30	19	7	10	6	6	4	5	15
All other	22	3	3	2	-	1	3	2	7	1
Tennessee	1,091	387	224	155	84	63	41	19	72	46
White	706	269	155	116	52	32	20	8	19	35
All other	385	118	69	39	32	31	21	11	53	11
Texas	3,098	1,152	553	433	273	179	145	88	257	18
White	2,370	895	449	332	208	130	106	62	174	14
All other	728	257	104	101	65	49	39	26	83	4
Utah	238	52	36	34	15	12	12	14	13	52
White	230	50	35	33	13	12	11	14	13	49
All other	8	2	1	1	-	-	1	-	-	3
Vermont	149	56	27	14	7	11	12	5	13	4
White	148	55	27	14	7	11	12	5	13	4
All other	1	1	-	-	-	-	-	-	-	-
Virginia	1,411	495	270	203	106	101	54	35	75	72
White	818	328	189	144	69	63	31	14	34	46
All other	493	167	81	59	37	38	23	21	41	26
Washington	644	193	132	100	53	48	25	16	32	45
White	587	183	118	91	47	44	21	14	27	42
All other	57	10	14	9	6	4	4	2	5	3
West Virginia	434	162	73	55	37	27	23	23	31	3
White	411	153	69	52	37	25	23	20	29	3
All other	23	9	4	3	-	2	-	3	2	-
Wisconsin	868	298	170	122	75	54	47	23	52	27
White	786	272	154	115	65	49	42	20	43	26
All other	82	26	16	7	10	5	5	3	9	1
Wyoming	97	33	17	11	8	9	4	3	10	2
White	85	29	16	11	8	8	4	2	5	2
All other	12	4	1	-	-	1	-	1	5	-

SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1969

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in Groups II, III, and IV				Group II--fetal deaths of 20-27 weeks of gestation ¹				Group III--fetal deaths of 28 weeks of gestation or more ¹			
	Total	Attendant ²			Total	Attendant ²			Total	Attendant ²		
		In hospital ³	Not in hospital			In hospital ³	Not in hospital			In hospital ³	Not in hospital	
			Physician	Midwife			Physician	Midwife			Physician	Midwife
United States	50,749	49,052	903	371	12,440	11,953	319	65	31,310	30,479	381	267
White	37,091	36,364	501	22	8,465	8,246	179	-	25,637	25,310	209	19
All other	13,658	12,688	402	349	3,975	3,707	141	65	7,673	7,160	173	247
Alabama	1,119	975	26	88	252	224	5	15	796	695	18	67
White	573	565	4	2	119	113	-	-	415	409	2	1
All other	546	412	22	86	133	106	5	15	371	276	16	66
Alaska	66	64	1	1	13	11	1	1	44	44	-	-
White	41	40	1	-	7	6	1	-	29	29	-	-
All other	25	24	-	1	6	5	-	1	15	15	-	-
Arizona	411	400	11	-	61	60	1	-	292	288	4	-
White	328	321	7	-	50	50	-	-	241	237	4	-
All other	83	79	4	-	11	10	1	-	51	51	-	-
Arkansas	480	453	10	15	135	127	6	1	310	293	4	11
White	286	283	3	-	74	72	2	-	196	195	1	-
All other	194	170	7	15	61	55	4	1	114	98	3	11
California	4,047	3,982	42	-	706	690	12	-	2,753	2,733	14	-
White	3,300	3,249	33	-	559	549	8	-	2,314	2,298	12	-
All other	747	734	9	-	147	142	4	-	439	435	2	-
Colorado	735	714	17	-	329	316	10	-	383	357	5	-
White	661	641	16	-	291	279	9	-	332	326	5	-
All other	74	73	1	-	38	37	1	-	31	31	-	-
Connecticut	587	585	3	-	136	136	1	-	437	435	2	-
White	505	503	1	-	111	110	-	-	394	393	1	-
All other	82	80	2	-	27	26	1	-	53	52	1	-
Delaware	128	128	-	-	33	33	-	-	86	86	-	-
White	84	84	-	-	19	19	-	-	57	57	-	-
All other	44	44	-	-	14	14	-	-	29	29	-	-
District of Columbia	309	298	9	-	8	8	-	-	9	9	-	-
White	35	35	-	-	4	4	-	-	3	3	-	-
All other	274	263	9	-	4	4	-	-	6	6	-	-
Florida	1,528	1,480	35	23	399	377	15	4	1,111	1,067	20	19
White	960	942	11	2	235	229	5	-	716	704	8	2
All other	566	518	24	21	164	148	10	4	395	363	14	17
Georgia	1,393	1,323	27	10	414	391	9	3	872	828	17	7
White	787	778	7	-	218	212	4	-	504	501	3	-
All other	606	545	20	10	196	179	5	3	368	327	14	7
Hawaii	254	250	4	-	124	121	3	-	115	114	1	-
White	73	73	-	-	48	47	1	-	26	26	-	-
All other	175	172	3	-	76	74	2	-	89	88	1	-
Idaho	136	134	2	-	31	29	2	-	69	69	-	-
White	129	127	2	-	28	26	2	-	66	66	-	-
All other	7	7	-	-	3	3	-	-	2	2	-	-
Illinois	2,669	2,565	49	-	513	500	10	-	1,835	1,812	21	-
White	1,866	1,816	26	-	314	307	6	-	1,342	1,328	12	-
All other	803	749	22	-	199	193	4	-	493	484	9	-
Indiana	1,218	1,189	25	-	106	105	1	-	529	519	10	-
White	1,023	998	21	-	83	82	1	-	461	453	8	-
All other	195	191	4	-	23	23	-	-	68	66	2	-
Iowa	494	489	5	-	93	91	2	-	393	392	1	-
White	472	468	4	-	86	85	1	-	369	369	1	-
All other	22	21	1	-	7	6	1	-	14	14	-	-
Kansas	472	461	11	-	105	100	5	-	311	307	4	-
White	413	403	10	-	89	84	5	-	274	270	4	-
All other	59	58	1	-	16	16	-	-	37	37	-	-
Kentucky	689	671	9	3	90	88	1	-	406	400	4	1
White	614	597	9	3	74	73	1	-	364	358	4	1
All other	75	74	-	-	16	15	-	-	42	42	-	-
Louisiana	1,113	1,053	28	11	132	123	3	2	613	597	11	6
White	467	459	3	-	54	52	1	-	267	264	2	-
All other	646	594	25	11	78	71	2	2	346	323	9	6
Maine	119	116	3	-	13	13	-	-	91	89	3	-
White	114	111	3	-	13	13	-	-	86	85	3	-
All other	5	5	-	-	-	-	-	-	5	5	-	-
Maryland	924	904	19	-	221	213	7	-	497	492	5	-
White	621	614	7	-	126	126	-	-	346	344	2	-
All other	303	290	12	-	95	87	7	-	151	148	3	-
Massachusetts	1,057	1,043	13	-	276	268	10	-	757	754	3	-
White	948	937	10	-	258	259	8	-	690	688	2	-
All other	109	106	3	-	38	36	2	-	67	66	1	-
Michigan	2,181	2,165	13	-	506	501	5	-	1,008	1,002	3	-
White	1,625	1,614	8	-	192	190	2	-	771	767	3	-
All other	556	551	5	-	114	111	3	-	235	235	-	-
Minnesota	712	694	10	-	89	88	2	-	352	347	1	-
White	690	664	10	-	83	80	2	-	333	330	1	-
All other	32	30	-	-	6	6	-	-	19	17	-	-
Mississippi	1,128	959	22	127	331	290	6	31	694	593	14	77
White	390	361	6	1	136	133	3	-	226	221	2	1
All other	738	578	16	126	195	157	3	31	468	372	12	76

See footnotes at end of table.

SECTION 3 - FETAL MORTALITY

Table 3-12. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State 1969-Con.

[Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more, Groups II and III, or was not stated, Group IV]

Area and color	All fetal deaths in Groups II, III, and IV				Group II--fetal deaths of 20-27 weeks of gestation ¹				Group III--fetal deaths of 28 weeks of gestation or more ¹			
	Total	Attendant ²			Total	Attendant ²			Total	Attendant ²		
		In hospital ³	Not in hospital			In hospital ³	Not in hospital			In hospital ³	Not in hospital	
			Physician	Midwife			Physician	Midwife			Physician	Midwife
Missouri	1,022	1,000	14	1	165	161	4	-	576	569	4	1
White	794	780	8	1	120	117	3	-	454	429	2	1
All other	228	220	6	-	45	44	1	-	142	140	2	-
Montana	135	133	1	-	21	21	-	-	88	86	-	-
White	124	123	-	-	20	20	-	-	85	85	-	-
All other	11	10	1	-	1	1	-	-	5	5	-	-
Nebraska	295	284	1	-	47	47	-	-	218	217	1	-
White	274	273	1	-	45	45	-	-	200	199	1	-
All other	21	21	-	-	2	2	-	-	18	18	-	-
Nevada	92	89	2	-	15	15	-	-	52	51	1	-
White	75	73	2	-	11	11	-	-	43	42	1	-
All other	17	16	-	-	4	4	-	-	9	9	-	-
New Hampshire	159	157	2	-	19	19	-	-	78	77	1	-
White	159	157	2	-	19	19	-	-	78	77	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,549	1,505	40	-	265	259	7	-	899	899	10	-
White	1,112	1,079	33	-	183	178	5	-	670	662	8	-
All other	437	427	7	-	82	80	2	-	229	227	2	-
New Mexico	297	278	4	4	42	41	1	-	202	195	3	4
White	236	229	2	4	37	36	1	-	164	159	1	4
All other	61	49	2	-	5	5	-	-	38	36	2	-
New York	5,970	5,825	132	-	2,598	2,520	71	-	3,096	3,051	41	-
White	4,285	4,202	71	-	1,757	1,714	38	-	2,328	2,300	24	-
All other	1,685	1,623	61	-	841	806	35	-	768	751	17	-
North Carolina	1,535	1,476	35	13	319	307	9	1	1,065	1,028	19	12
White	870	862	7	-	169	165	3	-	630	627	3	-
All other	665	614	28	13	151	142	6	1	435	401	16	12
North Dakota	151	147	3	-	30	30	-	-	103	102	1	-
White	141	139	2	-	28	28	-	-	97	96	1	-
All other	10	9	1	-	2	2	-	-	6	6	-	-
Ohio	2,369	2,366	14	-	445	436	6	-	1,376	1,370	3	-
White	1,935	1,918	10	-	317	311	4	-	1,143	1,140	2	-
All other	434	448	4	-	128	125	2	-	233	230	1	-
Oklahoma	508	501	5	-	90	88	2	-	370	369	1	-
White	379	375	3	-	66	65	1	-	277	277	-	-
All other	129	126	2	-	24	23	1	-	93	92	1	-
Oregon	457	445	12	-	191	184	7	-	237	233	4	-
White	432	420	12	-	180	173	7	-	223	219	4	-
All other	25	25	-	-	11	11	-	-	14	14	-	-
Pennsylvania	3,058	2,976	60	-	1,148	1,105	31	-	1,900	1,864	29	-
White	2,379	2,313	51	-	780	747	24	-	1,589	1,557	27	-
All other	679	663	9	-	368	358	7	-	311	307	2	-
Rhode Island	197	196	-	-	30	30	-	-	148	148	-	-
White	178	177	-	-	24	24	-	-	135	135	-	-
All other	19	19	-	-	6	6	-	-	13	13	-	-
South Carolina	824	739	29	42	147	130	7	5	570	515	14	33
White	376	371	3	-	47	46	1	-	293	289	2	-
All other	448	368	26	42	100	84	6	5	277	226	12	33
South Dakota	124	122	2	-	22	21	1	-	69	69	-	-
White	102	101	1	-	16	15	1	-	56	56	-	-
All other	22	21	1	-	6	6	-	-	13	13	-	-
Tennessee	1,091	1,054	16	15	228	225	1	1	743	719	11	10
White	705	689	9	3	124	123	1	-	504	492	7	2
All other	385	365	7	12	104	102	-	1	239	227	4	8
Texas	3,098	2,936	53	20	674	638	16	1	2,389	2,268	35	19
White	2,370	2,265	39	6	496	469	10	-	1,859	1,774	28	6
All other	728	671	14	14	178	169	6	1	530	494	7	13
Utah	238	236	2	-	26	25	1	-	109	108	1	-
White	230	228	2	-	24	23	1	-	107	106	1	-
All other	8	8	-	-	2	2	-	-	2	2	-	-
Vermont	149	148	1	-	60	59	1	-	76	76	-	-
White	148	147	1	-	60	59	1	-	75	75	-	-
All other	1	1	-	-	-	-	-	-	1	1	-	-
Virginia	1,411	1,341	60	-	536	502	29	-	795	764	27	-
White	918	896	19	-	341	329	11	-	520	512	7	-
All other	493	445	41	-	195	173	18	-	275	252	20	-
Washington	644	639	4	-	103	103	-	-	402	399	3	-
White	587	581	4	-	86	86	-	-	373	370	3	-
All other	57	57	-	-	17	17	-	-	29	29	-	-
West Virginia	434	425	5	-	84	81	2	-	298	295	1	-
White	411	404	4	-	76	75	1	-	289	286	1	-
All other	23	21	1	-	8	6	1	-	9	9	-	-
Wisconsin	969	855	13	-	205	199	6	-	857	851	6	-
White	786	774	12	-	188	183	5	-	592	586	6	-
All other	82	81	1	-	17	16	1	-	65	65	-	-
Wyoming	97	97	-	-	12	12	-	-	74	74	-	-
White	85	85	-	-	11	11	-	-	63	63	-	-
All other	12	12	-	-	1	1	-	-	11	11	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in the Technical Appendix.

²Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."

³Includes all fetal deaths in hospitals or institutions and fetal deaths attended by physicians in clinics.

SECTION 3 - FETAL MORTALITY

Table 3-13. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1969

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Plurality of birth, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Total-----	50,749	4,756	8,356	5,543	4,956	5,043	4,827	4,390	2,722	1,065	496	347	8,478
Fetal deaths in single deliveries-----	47,611	4,105	7,658	4,947	4,602	4,751	4,654	4,312	2,702	1,062	481	345	8,012
Fetal deaths in twin deliveries-----	3,041	622	650	395	345	307	172	78	20	3	3	2	466
Fetal deaths in other plural deliveries-----	97	29	28	15	9	5	1	-	-	-	2	-	10
Male-----	25,513	2,348	4,420	2,878	2,569	2,628	2,463	2,241	1,506	628	298	225	3,480
Fetal deaths in single deliveries-----	23,911	2,016	4,066	2,479	2,411	2,473	2,364	2,200	1,497	626	297	223	3,259
Fetal deaths in twin deliveries-----	1,561	320	340	195	173	153	99	41	9	2	1	2	226
Fetal deaths in other plural deliveries-----	41	12	14	4	5	2	-	-	-	-	-	-	4
Female-----	22,308	1,950	3,750	2,593	2,329	2,390	2,349	2,135	1,209	433	187	122	2,861
Fetal deaths in single deliveries-----	20,861	1,663	3,439	2,403	2,156	2,234	2,276	2,099	1,198	432	184	122	2,675
Fetal deaths in twin deliveries-----	1,375	270	299	181	189	153	72	36	11	1	1	-	182
Fetal deaths in other plural deliveries-----	52	17	12	9	4	3	1	-	-	-	2	-	4
Sex not stated-----	2,928	458	166	72	38	25	15	14	7	4	1	-	2,128
Fetal deaths in single deliveries-----	2,819	426	153	65	35	24	14	13	7	4	-	-	2,078
Fetal deaths in twin deliveries-----	105	32	11	7	3	1	1	-	-	-	1	-	48
Fetal deaths in other plural deliveries-----	4	-	2	-	-	-	-	-	-	-	-	-	2
White-----	37,091	3,349	5,662	3,800	3,610	3,746	3,718	3,421	2,146	832	338	246	6,224
Fetal deaths in single deliveries-----	34,655	2,951	5,151	3,488	3,331	3,502	3,575	3,366	2,131	830	333	244	5,853
Fetal deaths in twin deliveries-----	2,352	470	467	301	271	242	143	55	15	2	3	2	361
Fetal deaths in other plural deliveries-----	84	27	24	11	8	2	-	-	-	-	2	-	10
Male-----	18,557	1,632	2,980	1,899	1,902	1,946	1,893	1,717	1,189	496	210	157	2,546
Fetal deaths in single deliveries-----	17,319	1,386	2,701	1,748	1,765	1,825	1,801	1,689	1,182	495	209	155	2,365
Fetal deaths in twin deliveries-----	1,203	236	268	149	132	120	82	28	7	1	1	2	177
Fetal deaths in other plural deliveries-----	35	10	11	4	5	1	-	-	-	-	-	-	4
Female-----	16,409	1,406	2,565	1,849	1,682	1,778	1,825	1,694	953	332	127	89	2,109
Fetal deaths in single deliveries-----	15,280	1,176	2,341	1,696	1,542	1,656	1,785	1,667	945	331	124	89	1,958
Fetal deaths in twin deliveries-----	1,074	213	213	146	137	121	60	27	8	1	1	-	147
Fetal deaths in other plural deliveries-----	45	17	11	7	3	1	-	-	-	-	2	-	4
Sex not stated-----	2,125	310	117	52	26	22	10	10	4	4	1	-	1,563
Fetal deaths in single deliveries-----	2,046	289	109	46	24	21	9	10	4	4	-	-	1,530
Fetal deaths in twin deliveries-----	75	21	6	6	2	1	1	-	-	-	1	-	37
Fetal deaths in other plural deliveries-----	4	-	2	-	-	-	-	-	-	-	-	-	2
All other-----	13,658	1,409	2,674	1,543	1,348	1,297	1,109	969	576	233	148	101	2,254
Fetal deaths in single deliveries-----	12,956	1,254	2,507	1,459	1,271	1,229	1,079	946	571	232	148	101	2,159
Fetal deaths in twin deliveries-----	689	152	163	82	74	65	29	23	5	1	-	-	95
Fetal deaths in other plural deliveries-----	13	2	4	2	1	3	1	-	-	-	-	-	-
Male-----	6,956	716	1,440	779	687	682	580	524	317	132	88	68	943
Fetal deaths in single deliveries-----	6,592	630	1,365	733	646	649	563	511	315	131	88	68	894
Fetal deaths in twin deliveries-----	358	84	72	46	41	33	17	13	2	1	-	-	40
Fetal deaths in other plural deliveries-----	6	2	3	-	-	1	-	-	-	-	-	-	-
Female-----	5,899	544	1,185	744	647	612	524	441	256	101	60	33	752
Fetal deaths in single deliveries-----	5,591	487	1,098	707	614	578	511	432	253	101	60	33	717
Fetal deaths in twin deliveries-----	301	57	86	35	32	32	12	9	3	-	-	-	33
Fetal deaths in other plural deliveries-----	7	-	1	2	1	2	1	-	-	-	-	-	-
Sex not stated-----	803	148	49	20	12	3	5	4	3	-	-	-	559
Fetal deaths in single deliveries-----	773	137	44	19	11	3	5	3	3	-	-	-	543
Fetal deaths in twin deliveries-----	30	11	5	1	1	-	-	1	-	-	-	-	11
Fetal deaths in other plural deliveries-----	-	-	-	-	-	-	-	-	-	-	-	-	-

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-23

Table 3-14. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1969

Plurality of birth, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Total-----	50,749	6,687	5,753	5,448	6,615	2,691	6,841	5,063	4,632	6,999
Fetal deaths in single deliveries-----	47,611	6,175	5,228	5,055	6,203	2,532	6,420	4,852	4,517	6,629
Fetal deaths in twin deliveries-----	3,041	490	513	381	391	155	413	228	110	360
Fetal deaths in other plural deliveries-----	97	22	12	12	21	4	8	3	5	10
Male-----	25,513	3,037	2,848	2,735	3,366	1,445	3,546	2,614	2,246	3,675
Fetal deaths in single deliveries-----	23,911	2,762	2,577	2,534	3,163	1,360	3,350	2,491	2,195	3,479
Fetal deaths in twin deliveries-----	1,561	267	268	195	196	83	194	122	50	186
Fetal deaths in other plural deliveries-----	41	8	4	6	7	2	2	1	1	10
Female-----	22,308	2,187	2,275	2,416	3,065	1,210	3,198	2,423	2,309	3,227
Fetal deaths in single deliveries-----	20,881	1,988	2,046	2,235	2,863	1,141	2,995	2,322	2,245	3,060
Fetal deaths in twin deliveries-----	1,375	205	221	175	194	67	197	99	60	167
Fetal deaths in other plural deliveries-----	52	14	8	6	12	2	6	2	4	-
Sex not stated-----	2,928	1,465	651	297	184	36	97	46	77	97
Fetal deaths in single deliveries-----	2,819	1,445	605	286	171	31	75	39	77	90
Fetal deaths in twin deliveries-----	105	18	24	11	11	5	22	7	-	7
Fetal deaths in other plural deliveries-----	4	-	2	-	2	-	-	-	-	-
White-----	37,091	4,516	3,949	3,897	4,921	2,020	5,311	3,765	3,723	4,989
Fetal deaths in single deliveries-----	34,655	4,137	3,551	3,576	4,596	1,893	4,975	3,588	3,630	4,709
Fetal deaths in twin deliveries-----	2,352	357	389	309	305	123	330	174	93	273
Fetal deaths in other plural deliveries-----	84	22	10	12	20	4	6	3	-	7
Male-----	18,557	2,010	1,956	1,962	2,509	1,098	2,735	1,921	1,792	2,574
Fetal deaths in single deliveries-----	17,319	1,811	1,744	1,798	2,358	1,028	2,576	1,832	1,750	2,422
Fetal deaths in twin deliveries-----	1,203	191	210	158	144	68	157	88	42	145
Fetal deaths in other plural deliveries-----	35	8	2	6	7	2	2	1	-	7
Female-----	16,408	1,457	1,512	1,713	2,284	892	2,511	1,810	1,885	2,345
Fetal deaths in single deliveries-----	15,290	1,287	1,343	1,565	2,122	839	2,349	1,729	1,834	2,222
Fetal deaths in twin deliveries-----	1,074	156	163	142	151	51	159	79	51	123
Fetal deaths in other plural deliveries-----	45	14	6	6	11	2	4	2	-	-
Sex not stated-----	2,125	1,049	481	222	128	30	65	34	46	70
Fetal deaths in single deliveries-----	2,046	1,039	464	213	116	26	50	27	46	65
Fetal deaths in twin deliveries-----	75	10	15	9	10	4	15	7	-	5
Fetal deaths in other plural deliveries-----	4	-	2	-	2	-	-	-	-	-
All other-----	13,658	2,171	1,804	1,551	1,694	671	1,530	1,318	909	2,010
Fetal deaths in single deliveries-----	12,856	2,058	1,677	1,479	1,607	639	1,445	1,264	887	1,920
Fetal deaths in twin deliveries-----	689	133	125	72	86	32	83	54	17	87
Fetal deaths in other plural deliveries-----	13	-	2	-	1	-	2	-	5	3
Male-----	6,956	1,027	895	773	857	347	811	693	454	1,101
Fetal deaths in single deliveries-----	6,592	951	833	736	805	332	774	659	445	1,057
Fetal deaths in twin deliveries-----	358	76	58	37	52	15	37	34	8	41
Fetal deaths in other plural deliveries-----	6	-	2	-	-	-	-	-	1	3
Female-----	5,899	750	761	703	781	318	697	613	424	882
Fetal deaths in single deliveries-----	5,591	681	703	670	747	302	646	593	411	858
Fetal deaths in twin deliveries-----	301	49	58	33	33	16	39	20	9	44
Fetal deaths in other plural deliveries-----	7	-	-	-	1	-	2	-	4	-
Sex not stated-----	603	414	150	75	56	6	32	12	31	27
Fetal deaths in single deliveries-----	773	406	141	73	55	5	25	12	31	25
Fetal deaths in twin deliveries-----	30	6	9	2	1	1	7	-	-	2
Fetal deaths in other plural deliveries-----	-	-	-	-	-	-	-	-	-	-

¹Period of gestation reported in months allocated to gestation intervals in weeks as shown in Technical Appendix.

SECTION 3 - FETAL MORTALITY

Table 3-15. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1969

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix.]

Area, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
United States-----	50,749	4,756	8,336	5,343	4,956	5,043	4,827	4,390	2,722	1,065	496	347	8,478
White-----	37,091	3,348	5,662	3,800	3,610	3,746	3,718	3,421	2,146	832	338	246	6,224
All other----	13,658	1,408	2,674	1,543	1,346	1,297	1,109	969	576	233	149	101	2,254
Male-----	25,513	2,348	4,420	2,678	2,589	2,628	2,463	2,241	1,506	628	298	225	3,489
White-----	18,557	1,632	2,980	1,899	1,902	1,946	1,883	1,717	1,189	496	210	157	2,546
All other----	6,956	716	1,440	779	687	682	580	524	317	132	88	69	943
Female-----	22,308	1,950	3,750	2,593	2,329	2,390	2,349	2,135	1,209	433	187	122	2,861
White-----	16,409	1,406	2,565	1,849	1,692	1,778	1,825	1,694	953	332	127	69	2,109
All other----	5,899	544	1,185	744	647	612	524	441	256	101	60	33	752
Sex not stated-----	2,928	458	166	72	38	25	15	14	7	4	1	-	2,128
White-----	2,125	310	117	52	26	22	10	10	4	4	1	-	1,569
All other----	803	148	49	20	12	3	5	4	3	-	-	-	559
Alabama-----	1,119	84	198	135	119	133	99	130	63	31	19	0	100
White-----	573	39	99	89	85	76	53	76	34	11	2	4	45
All other----	546	45	99	66	54	57	46	54	29	20	16	5	56
Alaska-----	66	2	11	11	7	6	9	7	3	-	1	-	10
White-----	41	1	8	7	5	3	7	5	1	-	1	-	3
All other----	25	1	3	4	2	2	2	2	2	-	-	-	7
Arizona-----	411	26	62	40	46	44	40	41	34	10	8	2	59
White-----	328	25	45	33	37	33	36	33	24	9	5	2	46
All other----	83	1	17	7	9	11	4	8	10	1	3	-	12
Arkansas-----	480	47	92	65	35	47	43	50	29	12	4	2	54
White-----	286	29	56	36	22	25	29	31	14	7	1	2	34
All other----	194	18	36	29	13	22	14	19	15	5	3	-	20
California-----	4,047	260	616	498	447	481	452	400	266	96	43	25	263
White-----	3,500	200	647	397	354	393	386	350	236	84	35	15	203
All other----	747	60	169	101	93	88	66	50	30	12	8	10	60
Colorado-----	735	90	82	44	48	47	50	40	16	6	-	4	308
White-----	661	76	73	39	42	41	47	39	14	6	-	4	280
All other----	74	14	9	5	6	6	3	1	2	-	-	-	28
Connecticut-----	597	63	123	72	84	59	61	49	32	11	4	5	24
White-----	505	56	102	58	75	48	56	40	29	11	4	4	22
All other----	82	7	21	14	9	11	5	9	3	-	-	1	2
Delaware-----	129	19	22	13	12	12	10	10	8	2	-	4	16
White-----	84	13	11	10	5	8	8	8	6	2	-	3	10
All other----	44	6	11	3	7	4	2	2	2	-	-	1	6
District of Columbia-----	309	2	8	1	1	2	1	2	-	-	1	-	291
White-----	55	1	3	-	-	2	-	1	-	-	-	-	28
All other----	274	1	5	1	1	-	1	1	-	-	1	-	263
Florida-----	1,526	105	346	195	179	204	184	159	89	20	17	7	21
White-----	960	69	211	119	113	121	114	113	61	13	11	2	14
All other----	566	37	135	76	66	83	70	46	28	7	6	5	7
Georgia-----	1,393	151	257	153	135	138	129	100	79	36	19	5	211
White-----	797	75	129	85	76	81	76	59	59	22	8	3	123
All other----	606	56	128	68	59	57	53	41	29	14	11	2	88
Hawaii-----	254	46	28	15	17	10	21	18	5	3	1	1	89
White-----	79	12	3	5	1	3	6	3	2	1	-	-	43
All other----	175	34	25	10	16	7	15	15	3	2	1	1	46
Idaho-----	136	7	16	8	14	17	7	4	6	4	1	-	52
White-----	129	5	15	8	14	17	7	4	6	3	1	-	49
All other----	7	2	1	-	-	-	-	-	-	1	-	-	3
Illinois-----	2,669	227	543	322	290	313	285	252	184	47	24	26	156
White-----	1,865	152	338	207	185	234	213	197	142	39	18	19	122
All other----	803	75	205	115	105	79	72	55	42	8	6	7	34
Indiana-----	1,218	45	148	107	102	130	112	96	62	25	11	12	368
White-----	1,023	35	110	86	90	114	94	86	59	23	8	9	311
All other----	195	12	38	21	12	16	18	10	3	2	3	3	57
Iowa-----	494	37	69	52	56	55	61	55	47	19	8	3	32
White-----	472	36	61	50	53	54	58	54	47	19	8	3	29
All other----	22	1	8	2	3	1	3	1	-	-	-	-	3
Kansas-----	472	40	98	45	54	62	41	41	23	15	5	3	45
White-----	413	34	80	39	48	55	37	36	21	12	4	3	44
All other----	59	6	18	6	6	7	4	5	2	3	1	-	1
Kentucky-----	689	28	91	72	72	85	90	86	43	22	9	6	105
White-----	614	21	77	64	66	88	83	77	39	22	6	5	96
All other----	75	7	14	8	6	7	7	9	4	-	3	1	9
Louisiana-----	1,113	43	176	138	131	132	118	83	71	20	11	8	172
White-----	467	20	66	57	53	48	67	36	27	13	3	5	72
All other----	646	23	110	81	78	84	51	57	44	7	8	3	100
Maine-----	119	7	7	8	7	13	19	15	5	4	4	5	25
White-----	114	6	7	8	7	12	19	13	5	4	4	4	24
All other----	5	1	-	-	-	1	-	2	-	-	-	-	1

See footnote at end of table.

SECTION 3 - FETAL MORTALITY

3-25

Table 3-15. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1969-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area, color, and sex	Total	Birth weight ¹											Not stated
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Maryland	924	88	175	119	74	80	69	66	36	7	5	-	205
White	621	55	99	74	58	58	52	48	24	4	2	-	147
All other	303	34	76	44	16	22	17	18	12	3	3	-	58
Massachusetts	1,057	113	226	125	124	124	114	98	57	19	6	7	39
White	948	102	198	106	110	116	104	93	54	16	6	6	37
All other	109	16	28	19	14	8	10	5	3	3	-	1	2
Michigan	2,181	153	295	187	181	204	158	158	97	45	17	13	675
White	1,625	90	161	138	131	153	119	124	77	38	11	8	575
All other	556	63	132	49	50	51	39	34	20	7	6	5	100
Minnesota	712	51	115	69	62	65	57	50	37	10	6	5	187
White	680	48	108	66	60	60	55	47	35	9	5	5	182
All other	32	3	7	3	2	3	2	3	2	1	1	-	5
Mississippi	1,128	100	146	114	81	110	111	98	84	27	10	12	255
White	590	43	50	39	20	34	38	26	19	10	3	2	106
All other	738	57	96	75	61	76	73	72	45	17	7	10	149
Missouri	1,022	74	142	103	104	89	98	77	65	22	9	8	233
White	794	55	108	76	75	70	70	61	52	15	6	3	203
All other	228	19	34	27	29	19	28	16	11	7	3	5	30
Montana	135	8	18	12	14	15	17	13	6	4	1	2	25
White	124	8	17	11	12	13	16	12	6	4	1	2	22
All other	11	-	1	1	2	2	1	1	-	-	-	-	3
Nebraska	295	14	32	31	34	33	33	31	28	11	1	4	43
White	274	13	29	28	30	31	33	30	26	10	1	4	39
All other	21	1	3	3	4	2	-	1	2	1	-	1	4
Nevada	92	5	10	8	12	14	6	7	5	1	-	1	25
White	75	5	9	6	11	11	4	6	5	1	-	1	16
All other	17	-	1	2	1	3	2	1	-	-	-	-	7
New Hampshire	159	15	18	15	12	11	10	11	7	1	-	1	58
White	159	15	18	15	12	11	10	11	7	1	-	1	58
All other	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,549	125	257	182	165	142	172	133	84	31	11	10	237
White	1,112	87	175	141	105	102	128	98	69	20	9	5	175
All other	437	38	82	41	60	40	44	35	15	11	2	5	62
New Mexico	287	10	39	15	25	32	44	41	19	4	1	5	52
White	236	9	32	11	20	26	36	32	13	3	1	5	48
All other	51	1	7	4	5	6	8	9	6	1	-	-	4
New York	5,970	878	776	475	397	565	372	354	202	78	41	24	2,008
White	4,285	601	523	351	295	280	235	276	157	65	31	18	1,595
All other	1,685	277	253	124	102	85	79	78	45	13	10	6	613
North Carolina	1,555	125	302	200	196	157	161	154	61	41	18	11	69
White	870	66	172	109	111	94	94	96	53	18	11	6	40
All other	665	59	130	91	85	63	67	58	28	23	7	5	49
North Dakota	151	15	28	17	18	14	11	19	9	3	5	2	10
White	141	14	27	16	16	14	10	19	9	3	5	1	8
All other	10	1	1	1	2	-	1	1	-	-	-	1	2
Ohio	2,389	227	421	252	232	240	191	229	124	57	15	9	392
White	1,933	172	311	195	187	197	159	198	111	47	13	8	335
All other	456	55	110	57	45	43	32	31	13	10	2	1	57
Oklahoma	508	26	100	70	57	53	68	58	38	11	8	2	39
White	378	22	72	52	43	36	55	26	24	6	4	1	36
All other	129	4	28	18	14	17	11	12	14	5	4	1	3
Oregon	457	77	82	28	31	42	29	32	23	10	1	1	122
White	432	74	56	24	31	38	27	31	22	10	1	1	117
All other	25	3	6	4	4	4	1	1	1	-	-	-	5
Pennsylvania	3,058	669	507	329	285	285	275	224	154	62	29	15	224
White	2,379	485	347	262	235	229	236	196	139	57	26	14	185
All other	679	214	160	67	52	56	39	28	15	5	3	1	39
Rhode Island	197	16	32	17	36	26	21	15	11	8	-	-	15
White	178	15	29	15	28	24	20	15	11	7	-	-	14
All other	19	1	3	2	8	2	1	-	-	1	-	-	1
South Carolina	924	34	116	75	101	94	81	82	48	21	18	6	148
White	376	10	53	34	52	45	39	39	26	9	8	1	60
All other	448	24	63	41	49	49	42	43	22	12	10	5	88
South Dakota	124	8	11	10	9	13	9	12	6	4	1	-	41
White	102	5	10	7	7	12	6	6	3	3	1	-	36
All other	22	3	1	3	2	1	3	3	-	1	-	-	5
Tennessee	1,091	75	228	131	113	132	112	103	57	28	10	7	95
White	706	56	121	61	73	83	80	72	40	18	8	4	70
All other	385	19	107	50	40	49	32	31	17	10	2	3	25
Texas	5,098	186	507	379	359	366	401	346	214	95	43	32	170
White	2,370	150	349	261	262	277	320	292	184	80	32	27	136
All other	728	36	158	118	97	89	81	54	30	15	11	5	34

See footnote at end of table.

SECTION 3 - FETAL MORTALITY

Table 3-15. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1969-Con.

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area, color, and sex	Total	Birth weight ¹											
		500 grams or less	501- 1,000 grams	1,001- 1,500 grams	1,501- 2,000 grams	2,001- 2,500 grams	2,501- 3,000 grams	3,001- 3,500 grams	3,501- 4,000 grams	4,001- 4,500 grams	4,501- 5,000 grams	5,001 grams or more	Not stated
Utah-----	238	9	22	14	15	17	24	19	3	5	-	1	109
White-----	230	9	21	14	14	16	24	19	3	5	-	1	104
All other---	8	-	1	-	1	1	-	-	-	-	-	-	5
Vermont-----	149	20	19	8	9	9	9	14	9	2	2	2	46
White-----	148	20	19	8	9	9	9	13	9	2	2	2	46
All other---	1	-	-	-	-	-	-	1	-	-	-	-	-
Virginia-----	1,411	175	253	149	133	117	125	105	62	19	14	10	249
White-----	918	114	150	88	90	69	83	72	47	15	9	4	177
All other---	493	61	103	61	43	48	42	33	15	4	5	6	72
Washington-----	644	45	103	52	66	75	71	66	42	12	5	6	101
White-----	587	39	89	47	60	70	70	63	37	12	5	5	90
All other---	57	6	14	5	6	5	1	3	5	-	-	1	11
West Virginia-----	434	30	64	51	45	52	36	51	22	20	6	7	50
White-----	411	29	57	50	42	49	34	49	21	19	6	7	48
All other---	23	1	7	1	3	3	2	2	1	1	-	-	2
Wisconsin-----	868	69	112	101	103	83	97	86	47	24	11	17	118
White-----	786	64	105	88	95	78	82	79	42	22	11	16	106
All other---	82	5	9	13	8	5	15	7	5	2	-	1	12
Wyoming-----	97	1	9	12	7	17	16	10	2	-	3	-	20
White-----	85	1	8	10	7	15	16	9	1	-	1	-	17
All other---	12	-	1	2	-	2	-	1	1	-	2	-	3

¹Equivalents of the gram weights in terms of pounds and ounces are shown in the Technical Appendix.

SECTION 3 - FETAL MORTALITY

3-27

Table 3-16. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1969

Area, color, and sex	Total	Period of gestation ¹								
		20-25 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
United States	50,749	6,697	5,755	5,448	6,615	2,691	6,841	5,083	4,632	6,999
White	37,091	4,516	3,949	3,697	4,921	2,020	5,311	3,765	3,723	4,989
ALL other	13,658	2,171	1,804	1,751	1,694	671	1,530	1,318	909	2,010
Male	25,513	3,037	2,849	2,735	3,368	1,445	3,546	2,614	2,246	3,675
White	18,587	2,010	1,856	1,962	2,509	1,098	2,735	1,921	1,792	2,574
ALL other	6,956	1,027	893	773	857	347	811	693	454	1,101
Female	22,308	2,187	2,273	2,416	3,065	1,210	3,198	2,423	2,309	3,227
White	16,408	1,437	1,512	1,713	2,264	892	2,511	1,610	1,885	2,345
ALL other	5,899	750	761	703	781	318	687	613	424	882
Sex not stated	2,928	1,463	631	297	184	36	97	46	77	97
White	2,125	1,049	481	222	128	30	65	34	46	70
ALL other	803	414	150	75	56	6	32	12	31	27
Alabama	1,119	119	133	148	122	81	112	296	27	81
White	573	54	65	77	57	42	76	150	13	39
ALL other	546	65	68	71	65	39	36	146	14	42
Alaska	66	6	7	8	9	4	9	8	6	9
White	41	3	4	5	6	1	6	4	5	5
ALL other	25	3	3	3	3	3	3	4	1	4
Arizona	411	26	35	39	58	25	82	21	67	58
White	328	26	24	35	43	21	69	17	56	37
ALL other	83	-	11	4	15	4	13	4	11	21
Arkansas	480	71	64	68	55	31	33	112	11	35
White	286	39	35	47	37	19	20	63	10	16
ALL other	194	32	29	21	18	12	13	49	1	19
California	4,047	293	413	450	621	187	683	256	556	588
White	3,300	227	332	373	516	159	575	213	478	427
ALL other	747	66	81	77	105	28	108	43	78	161
Colorado	735	212	117	73	84	23	84	30	69	43
White	661	186	105	63	79	23	77	27	63	38
ALL other	74	26	12	10	5	-	7	3	6	5
Connecticut	587	66	72	80	92	41	93	111	20	12
White	505	56	55	69	80	37	79	100	19	10
ALL other	82	10	17	11	12	4	14	11	1	2
Delaware	128	23	10	14	22	9	14	23	4	9
White	84	14	5	8	12	7	11	15	4	8
ALL other	44	9	5	6	10	2	3	8	-	1
District of Columbia	309	4	4	2	3	-	2	1	1	292
White	35	2	2	-	2	-	1	-	-	28
ALL other	274	2	2	2	1	-	1	1	1	264
Florida	1,526	195	204	199	225	127	172	342	46	16
White	960	117	118	119	154	86	122	204	31	9
ALL other	566	78	86	80	71	41	50	138	15	7
Georgia	1,393	227	187	165	152	92	120	306	37	107
White	787	125	93	94	83	54	80	166	27	65
ALL other	606	102	94	71	69	38	40	140	10	42
Hawaii	254	87	37	29	30	9	21	9	17	15
White	79	32	16	8	5	2	7	2	2	5
ALL other	175	55	21	21	25	7	14	7	15	10
Idaho	136	18	13	10	18	11	9	17	3	37
White	129	15	13	10	18	11	9	15	3	35
ALL other	7	3	-	-	-	-	-	2	-	2
Illinois	2,669	220	293	300	422	137	479	152	345	321
White	1,866	134	180	205	304	95	362	108	268	210
ALL other	803	86	113	95	118	42	117	44	77	111
Indiana	1,218	45	61	78	97	41	129	66	117	583
White	1,023	34	49	63	80	36	111	61	110	479
ALL other	195	11	12	16	17	5	18	5	7	104
Iowa	494	37	56	49	67	36	91	51	89	18
White	472	35	51	45	63	34	89	51	87	17
ALL other	22	2	5	4	4	2	2	-	2	1
Kansas	472	49	56	47	69	19	78	32	67	56
White	413	42	47	43	59	18	69	26	59	50
ALL other	59	7	9	4	9	1	9	6	8	6
Kentucky	689	39	51	56	86	31	108	50	75	193
White	614	30	44	45	79	30	95	45	70	176
ALL other	75	9	7	11	7	1	13	5	5	17
Louisiana	1,113	58	74	102	146	47	158	80	83	368
White	467	25	29	37	63	19	69	35	44	146
ALL other	646	33	45	65	83	28	86	45	39	222
Maine	119	7	6	7	20	5	21	13	25	15
White	114	7	6	7	18	5	20	11	25	15
ALL other	5	-	-	-	2	-	1	2	-	-

See footnote at end of table.

Table 3-16. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1969-Con.

Area, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Maryland	924	111	110	96	111	42	131	35	82	206
White	621	64	62	54	76	31	100	26	59	149
All other	303	47	48	42	35	11	31	9	23	57
Massachusetts	1,057	124	152	145	173	76	147	138	78	24
White	948	104	134	132	159	66	135	123	76	20
All other	109	20	18	13	15	10	12	15	2	4
Michigan	2,181	137	169	167	243	66	250	91	189	869
White	1,625	85	109	128	195	48	183	63	154	662
All other	556	54	60	39	48	18	67	28	35	207
Minnesota	712	40	49	70	72	27	91	40	52	271
White	680	35	48	66	66	23	89	39	51	264
All other	32	5	1	4	6	4	2	2	1	7
Mississippi	1,128	176	155	124	150	52	173	62	133	103
White	390	73	65	42	40	18	66	18	42	28
All other	738	103	92	82	110	34	107	44	91	75
Missouri	1,022	74	91	77	121	49	157	46	126	281
White	784	56	64	57	87	32	118	36	104	240
All other	228	19	27	20	34	17	39	10	22	41
Montana	135	10	11	13	24	7	19	7	18	25
White	124	10	10	12	24	6	19	5	17	21
All other	11	-	1	1	-	1	-	2	1	5
Nebraska	295	13	34	25	42	23	56	24	49	30
White	274	12	33	23	36	21	55	22	43	29
All other	21	1	1	2	6	2	1	2	5	1
Nevada	92	7	8	9	11	2	16	5	7	25
White	75	5	6	7	7	2	15	5	7	21
All other	17	2	2	2	4	-	3	-	-	4
New Hampshire	159	7	12	16	16	6	24	9	7	62
White	159	7	12	16	16	6	24	9	7	62
All other	-	-	-	-	-	-	-	-	-	-
New Jersey	1,549	105	160	136	197	68	224	91	183	395
White	1,112	67	116	97	151	48	165	66	143	259
All other	437	38	44	39	46	20	59	25	40	126
New Mexico	287	22	20	16	36	27	28	89	6	43
White	236	18	19	10	30	22	25	71	6	35
All other	51	4	1	6	6	5	3	18	-	8
New York	5,970	1,728	869	673	679	210	713	275	546	276
White	4,285	1,160	597	476	507	161	542	227	415	200
All other	1,685	569	272	197	172	49	171	48	131	76
North Carolina	1,535	142	177	197	236	74	239	102	218	151
White	870	82	86	104	133	36	182	63	142	72
All other	665	60	91	93	103	38	86	39	76	79
North Dakota	151	12	18	25	14	5	31	7	21	18
White	141	12	16	23	14	5	29	6	20	16
All other	10	-	2	2	-	-	2	1	1	2
Ohio	2,389	217	228	219	332	94	335	125	281	568
White	1,933	146	171	179	260	74	281	101	248	473
All other	456	71	57	40	72	10	54	24	33	95
Oklahoma	508	39	51	58	71	31	97	39	74	48
White	379	30	36	43	50	25	70	29	60	36
All other	129	9	15	15	21	6	27	10	14	12
Oregon	457	134	57	46	40	26	57	29	39	29
White	432	127	53	46	37	22	53	29	37	29
All other	25	7	4	-	3	4	4	1	2	-
Pennsylvania	3,058	745	403	335	384	191	343	503	144	10
White	2,379	494	236	249	325	157	292	439	127	10
All other	679	261	107	86	59	34	51	64	17	-
Rhode Island	197	17	13	28	33	9	36	14	28	19
White	178	13	11	23	30	9	33	14	26	19
All other	19	4	2	5	3	-	3	-	2	-
South Carolina	824	55	92	98	126	36	150	52	108	107
White	376	11	36	50	54	25	74	26	64	36
All other	448	44	56	48	72	11	76	26	44	71
South Dakota	124	9	13	11	13	6	16	3	20	33
White	102	8	8	10	11	3	12	3	17	30
All other	22	1	5	1	2	3	4	-	3	3
Tennessee	1,091	96	132	132	172	57	159	78	146	120
White	706	58	86	86	113	40	98	62	105	78
All other	385	38	66	46	59	17	60	16	41	42
Texas	3,098	314	360	409	426	362	352	728	112	35
White	2,370	226	260	293	318	281	284	581	102	25
All other	728	88	100	116	108	81	68	147	10	10

See footnote at end of table.

SECTION 3 - FETAL MORTALITY

3-29

Table 3-16. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1969-Con.

Area, color, and sex	Total	Period of gestation ¹								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Utah-----	238	8	16	22	24	8	28	11	16	105
White-----	230	7	17	22	24	8	27	10	16	99
All other---	8	1	1	-	-	-	1	1	-	4
Vermont-----	149	40	20	14	16	4	19	9	14	13
White-----	148	40	20	14	16	4	19	9	13	13
All other---	1	-	-	-	-	-	-	-	1	-
Virginia-----	1,411	321	215	137	156	76	125	250	51	80
White-----	918	213	128	77	105	51	94	152	41	57
All other---	493	108	87	60	51	25	31	98	10	23
Washington-----	644	42	61	67	77	34	111	40	73	139
White-----	587	36	50	60	74	30	103	39	67	128
All other---	57	6	11	7	3	4	8	1	6	11
West Virginia-----	434	37	47	36	67	16	77	36	66	52
White-----	411	35	43	35	65	15	75	35	66	46
All other---	23	4	4	1	2	1	4	1	-	6
Wisconsin-----	868	95	110	114	139	57	121	161	65	6
White-----	786	87	101	103	128	48	114	139	60	6
All other---	82	8	9	11	11	9	7	22	5	-
Wyoming-----	97	7	5	8	17	4	21	8	16	11
White-----	85	6	5	7	11	4	20	7	14	11
All other---	12	1	-	1	6	-	1	1	2	-

¹Period of gestation reported in months allocated to gestation interval in weeks as shown in the Technical Appendix.

Section 4. Accident Mortality

Table	Page
4-1. Deaths from motor vehicle accidents, by person injured, cause of death, color, and sex: United States, 1969-----	4-2
4-2. Deaths from motor vehicle accidents, by person injured, age, race, and sex: United States, 1969-----	4-4
4-3. Deaths from motor vehicle accidents, by person injured, color, and sex: United States and each State, 1969-----	4-12
4-4. Deaths from accidental poisoning, by age, color, and sex: United States, 1969-----	4-17
4-5. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1969-----	4-21
4-6. Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1969-----	4-32
4-7. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1969-----	4-36

SECTION 4 - ACCIDENT MORTALITY

Table 4-2. Deaths From Motor Vehicle Accidents, by Person
 [Deaths are those assigned to category numbers E810-E823 of the Eighth Revision, International Classi-

Person injured, race, and sex		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Unspecified person (.9)-----	15,825	87	55	50	53	59	305	205	353	2,723
2	Male-----	11,525	44	28	24	30	28	152	115	211	2,046
3	Female-----	4,199	45	30	26	23	31	153	90	142	677
4	White-----Male-----	10,377	38	21	21	24	26	130	99	165	1,905
5	Female-----	5,043	37	28	20	17	27	129	80	128	620
6	Negro-----Male-----	1,112	6	4	3	4	2	19	15	24	120
7	Female-----	307	5	2	6	4	4	23	9	14	49
8	Other races--Male-----	137	-	1	-	2	-	3	1	2	21
9	Female-----	49	1	-	-	-	-	1	1	-	8
10	Motor vehicle traffic accidents (E810-E819)-----	54,636	353	269	341	405	447	1,620	2,068	1,856	8,582
11	Male-----	39,338	182	132	192	237	265	1,008	1,303	1,213	6,375
12	Female-----	15,298	176	137	149	168	182	612	765	643	2,207
13	White-----Male-----	33,803	153	114	151	185	193	797	1,019	1,020	5,770
14	Female-----	15,472	153	114	116	124	147	654	599	557	1,974
15	Negro-----Male-----	4,901	24	17	25	45	71	193	268	177	523
16	Female-----	1,604	19	21	30	42	50	142	153	79	193
17	Other races--Male-----	634	5	1	5	6	1	16	17	16	52
18	Female-----	222	4	2	3	2	5	16	13	7	35
19	Driver of motor vehicle other than motorcycle (.0)-----	16,895	5	1	1	1	-	8	7	38	2,232
20	Male-----	14,073	1	-	-	1	-	2	4	32	1,907
21	Female-----	2,822	4	1	1	-	-	6	3	6	325
22	White-----Male-----	12,348	1	-	-	1	-	2	4	28	1,752
23	Female-----	2,605	2	1	-	-	-	3	3	5	310
24	Negro-----Male-----	1,514	-	-	-	-	-	-	-	4	137
25	Female-----	195	2	-	-	-	-	2	-	1	14
26	Other races--Male-----	211	-	-	-	-	-	-	-	-	18
27	Female-----	22	-	-	1	-	-	1	-	-	1
28	Passenger in motor vehicle other than motorcycle (.1)-----	11,377	260	128	125	116	121	750	475	612	2,610
29	Male-----	5,917	155	69	67	67	57	385	230	331	1,603
30	Female-----	5,460	125	69	58	49	64	365	245	281	1,007
31	White-----Male-----	4,904	114	51	55	59	49	326	191	262	1,395
32	Female-----	4,759	110	62	54	37	55	318	204	243	860
33	Negro-----Male-----	883	16	8	11	6	7	48	34	41	187
34	Female-----	608	12	7	4	12	7	42	32	34	105
35	Other races--Male-----	130	5	-	3	2	1	11	5	8	31
36	Female-----	93	3	-	-	-	2	5	7	4	22
37	Motorcyclist (.2)-----	1,065	-	-	-	-	-	-	-	41	324
38	Male-----	1,052	-	-	-	-	-	-	-	37	319
39	Female-----	25	-	-	-	-	-	-	-	4	5
40	White-----Male-----	1,004	-	-	-	-	-	-	-	36	309
41	Female-----	21	-	-	-	-	-	-	-	3	5
42	Negro-----Male-----	51	-	-	-	-	-	-	-	1	9
43	Female-----	1	-	-	-	-	-	-	-	-	-
44	Other races--Male-----	7	-	-	-	-	-	-	-	-	1
45	Female-----	1	-	-	-	-	-	-	-	1	-
46	Passenger on motorcycle (.3)-----	153	-	-	-	1	1	2	-	12	59
47	Male-----	80	-	-	-	-	1	1	-	11	35
48	Female-----	73	-	-	-	1	1	1	-	1	24
49	White-----Male-----	74	-	-	-	-	1	1	-	11	32
50	Female-----	72	-	-	-	1	-	1	-	1	24
51	Negro-----Male-----	5	-	-	-	-	-	-	-	-	2
52	Female-----	1	-	-	-	-	-	-	-	-	-
53	Other races--Male-----	1	-	-	-	-	-	-	-	-	1
54	Female-----	-	-	-	-	-	-	-	-	-	-
55	Occupant of streetcar (.4)-----	2	-	-	-	-	-	-	-	-	1
56	Male-----	-	-	-	-	-	-	-	-	-	-
57	Female-----	2	-	-	-	-	-	-	-	-	1
58	White-----Male-----	-	-	-	-	-	-	-	-	-	-
59	Female-----	2	-	-	-	-	-	-	-	-	1
60	Negro-----Male-----	-	-	-	-	-	-	-	-	-	-
61	Female-----	-	-	-	-	-	-	-	-	-	-
62	Other races--Male-----	-	-	-	-	-	-	-	-	-	-
63	Female-----	-	-	-	-	-	-	-	-	-	-
64	Rider of animal or occupant of animal-drawn vehicle (.5)-----	19	-	-	-	-	-	-	1	6	7
65	Male-----	14	-	-	-	-	-	-	1	4	5
66	Female-----	5	-	-	-	-	-	-	-	2	2
67	White-----Male-----	10	-	-	-	-	-	-	1	3	4
68	Female-----	5	-	-	-	-	-	-	-	2	2
69	Negro-----Male-----	2	-	-	-	-	-	-	-	-	1
70	Female-----	-	-	-	-	-	-	-	-	-	-
71	Other races--Male-----	2	-	-	-	-	-	-	-	1	-
72	Female-----	-	-	-	-	-	-	-	-	-	-
73	Pedal cyclist (.6)-----	695	1	-	3	5	8	17	220	204	86
74	Male-----	596	1	-	2	3	6	12	181	264	80
75	Female-----	99	-	-	1	2	2	5	89	40	6
76	White-----Male-----	502	1	-	2	3	5	11	159	222	65
77	Female-----	88	-	-	1	2	2	5	34	36	5
78	Negro-----Male-----	91	-	-	-	1	1	1	22	41	14
79	Female-----	10	-	-	-	-	-	-	5	4	-
80	Other races--Male-----	3	-	-	-	-	-	-	-	1	1
81	Female-----	1	-	-	-	-	-	-	-	-	1
82	Pedestrian (.7)-----	8,875	6	85	175	235	262	761	1,171	496	589
83	Male-----	5,212	2	48	105	139	175	469	778	325	425
84	Female-----	2,663	4	37	68	96	87	292	393	171	164
85	White-----Male-----	4,619	-	43	81	101	114	339	569	256	361
86	Female-----	2,121	4	23	46	69	65	207	281	142	131
87	Negro-----Male-----	1,248	2	5	22	35	61	125	196	65	54
88	Female-----	468	-	12	20	25	19	76	107	27	30
89	Other races--Male-----	145	-	-	2	3	-	5	11	4	10
90	Female-----	56	-	2	2	2	3	9	5	2	3

SECTION 4 - ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1969

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(-0)	(-1)	(-2)	(-3)	(-4)	(-5)	(-6)	(-7)	(-8)	(-9)
United States	55,791	17,017	11,463	1,120	157	2	19	703	9,462	23	15,825
Male	40,213	14,183	5,971	1,094	83	-	14	602	6,617	23	11,626
Female	15,578	2,834	5,492	26	74	2	5	101	2,845	-	4,199
White	54,596	12,445	4,853	1,056	77	-	10	507	5,165	18	10,377
Female	13,716	2,617	4,707	24	73	2	5	90	2,274	-	3,643
All other	5,625	1,738	1,018	58	6	-	4	95	1,452	5	1,249
Female	1,863	217	705	2	1	-	-	11	571	-	356
Alabama	1,390	514	344	14	1	-	1	15	196	-	305
Male	1,003	426	175	14	1	-	1	12	144	-	230
Female	397	88	169	-	-	-	-	3	52	-	75
White	749	349	124	11	1	-	1	8	74	-	181
Female	291	75	134	-	-	-	-	1	27	-	54
All other	254	77	51	3	-	-	-	4	70	-	49
Female	96	13	35	-	-	-	-	2	25	-	21
Alaska	71	21	15	4	-	-	-	1	7	-	23
Male	59	19	11	3	-	-	-	1	5	-	20
Female	12	2	4	1	-	-	-	-	2	-	3
White	48	15	9	3	-	-	-	1	4	-	16
Female	7	2	2	-	-	-	-	-	1	-	2
All other	11	4	2	-	-	-	-	-	1	-	4
Female	5	-	2	1	-	-	-	-	1	-	1
Arizona	697	271	161	12	3	-	-	5	159	-	56
Male	494	96	96	12	-	-	-	4	110	-	39
Female	203	47	65	-	3	-	-	1	49	-	18
White	372	188	79	12	-	-	-	4	66	-	23
Female	181	43	79	-	3	-	-	1	39	-	16
All other	112	36	17	-	-	-	-	17	44	-	15
Female	22	4	6	-	-	-	-	-	10	-	2
Arkansas	641	46	42	4	-	-	-	2	80	-	467
Male	458	39	18	3	-	-	-	2	62	-	337
Female	183	8	26	1	-	-	-	-	18	-	130
White	379	33	14	2	-	-	-	1	43	-	286
Female	163	7	24	1	-	-	-	-	12	-	119
All other	79	5	2	-	-	-	-	1	19	-	51
Female	20	1	2	-	-	-	-	-	6	-	11
California	5,466	1,763	1,121	292	41	-	3	73	1,022	2	1,139
Male	3,061	1,437	536	272	25	-	2	65	606	2	637
Female	1,605	346	586	10	16	-	1	8	336	-	302
White	3,459	1,269	473	259	23	-	2	60	598	1	764
Female	1,456	317	539	10	16	-	1	6	284	-	283
All other	402	148	62	13	2	-	-	5	98	1	73
Female	149	29	47	-	-	-	-	2	52	-	19
Colorado	626	79	87	12	1	-	-	6	77	1	365
Male	446	59	51	12	-	-	-	4	61	1	258
Female	182	20	36	-	1	-	-	2	16	-	107
White	425	57	49	12	-	-	-	4	59	1	243
Female	180	20	36	-	1	-	-	2	16	-	105
All other	21	2	2	-	-	-	-	-	2	-	15
Female	2	-	-	-	-	-	-	-	-	-	2
Connecticut	451	137	81	8	-	-	-	3	112	-	110
Male	331	124	34	8	-	-	-	3	77	-	85
Female	120	13	47	-	-	-	-	-	35	-	25
White	307	111	27	8	-	-	-	3	75	-	83
Female	110	12	42	-	-	-	-	-	31	-	25
All other	24	13	7	-	-	-	-	-	2	-	2
Female	10	1	5	-	-	-	-	-	4	-	-
Delaware	120	23	12	-	-	-	-	2	28	2	53
Male	94	20	6	-	-	-	-	2	25	2	39
Female	26	3	6	-	-	-	-	-	3	-	14
White	74	17	5	-	-	-	-	2	15	1	34
Female	20	3	6	-	-	-	-	-	2	-	9
All other	20	3	1	-	-	-	-	-	10	1	5
Female	6	-	-	-	-	-	-	-	1	-	5
District of Columbia	140	15	23	-	-	-	-	1	53	-	49
Male	110	14	13	-	-	-	-	1	40	-	42
Female	30	1	10	-	-	-	-	-	13	-	6
White	22	7	3	-	-	-	-	1	6	-	5
Female	5	-	1	-	-	-	-	-	2	-	2
All other	88	7	10	-	-	-	-	-	34	-	37
Female	23	1	9	-	-	-	-	-	11	-	4
Florida	2,166	912	603	54	8	-	-	39	411	-	139
Male	1,532	747	306	54	4	-	-	31	285	-	105
Female	634	165	297	-	4	-	-	8	126	-	34
White	1,240	638	240	51	4	-	-	20	204	-	85
Female	520	146	239	-	4	-	-	4	97	-	30
All other	292	109	66	3	-	-	-	11	81	-	22
Female	114	19	58	-	-	-	-	4	29	-	4
Georgia	1,754	820	507	24	10	-	1	18	248	-	128
Male	1,295	695	282	24	6	-	1	14	173	-	109
Female	459	125	225	4	4	-	-	2	75	-	28
White	982	549	206	22	6	-	1	6	108	-	84
Female	340	106	169	-	4	-	-	2	37	-	23
All other	515	146	76	2	-	-	-	6	67	-	16
Female	119	19	57	-	-	-	-	-	39	-	5

SECTION 4 - ACCIDENT MORTALITY

4-15

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1969-Con.

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Ohio	2,804	652	463	33	7	-	1	52	425	1	1,170
Male	1,996	536	246	32	3	-	1	41	302	1	834
Female	808	116	217	1	4	-	-	11	123	-	336
White	1,822	479	219	28	3	-	1	37	254	1	800
Female	739	105	194	1	4	-	-	10	105	-	320
All other	174	57	27	4	-	-	-	4	48	-	34
Female	69	11	25	-	-	-	-	1	18	-	18
Oklahoma	847	38	45	2	-	-	-	8	85	-	669
Male	604	34	21	2	-	-	-	6	68	-	473
Female	243	4	24	-	-	-	-	2	17	-	196
White	524	30	20	2	-	-	-	6	51	-	415
Female	210	4	20	-	-	-	-	2	14	-	170
All other	80	4	1	-	-	-	-	1	17	-	58
Female	33	-	4	-	-	-	-	-	3	-	26
Oregon	713	135	96	10	1	-	-	8	89	-	376
Male	503	108	41	10	-	-	-	8	69	-	267
Female	210	25	55	-	1	-	-	-	20	-	109
White	490	103	41	9	-	-	-	8	67	-	262
Female	205	23	53	-	1	-	-	-	20	-	108
All other	13	5	-	1	-	-	-	-	2	-	5
Female	5	2	2	-	-	-	-	-	-	-	1
Pennsylvania	2,532	466	420	30	3	-	-	32	506	-	1,075
Male	1,656	410	207	30	1	-	-	30	356	-	822
Female	676	56	213	-	2	-	-	2	150	-	253
White	1,693	369	176	29	1	-	-	26	294	-	798
Female	628	55	198	-	2	-	-	1	123	-	249
All other	163	41	31	1	-	-	-	4	62	-	24
Female	48	1	15	-	-	-	-	1	27	-	4
Rhode Island	149	25	29	-	1	-	-	2	39	1	52
Male	113	21	17	-	1	-	-	2	31	1	40
Female	36	4	12	-	-	-	-	-	8	-	12
White	107	19	15	-	1	-	-	2	31	1	38
Female	36	4	12	-	-	-	-	-	8	-	12
All other	6	2	2	-	-	-	-	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-
South Carolina	940	417	249	7	1	-	-	11	185	-	70
Male	714	357	152	7	1	-	-	8	134	-	55
Female	226	60	97	-	-	-	-	3	51	-	15
White	417	258	88	6	-	-	-	4	47	-	34
Female	154	48	68	-	-	-	-	3	23	-	12
All other	297	119	64	1	1	-	-	4	87	-	21
Female	72	12	29	-	-	-	-	-	28	-	3
South Dakota	286	117	105	5	1	-	-	5	32	-	21
Male	196	95	54	5	-	-	-	4	24	-	14
Female	90	22	51	-	1	-	-	1	8	-	7
White	155	80	45	5	-	-	-	4	12	-	11
Female	78	21	41	-	1	-	-	1	5	-	7
All other	41	15	11	-	-	-	-	-	12	-	3
Female	14	1	10	-	-	-	-	-	3	-	-
Tennessee	1,354	633	406	48	2	-	1	11	166	-	87
Male	990	530	228	46	1	-	1	10	112	-	62
Female	364	103	178	2	1	-	-	1	54	-	25
White	815	451	182	44	1	-	-	6	75	-	58
Female	289	91	146	2	1	-	-	1	36	-	22
All other	175	79	46	2	-	-	1	4	37	-	6
Female	65	12	32	-	-	-	-	-	18	-	3
Texas	3,561	554	443	32	6	-	2	45	494	1	1,984
Male	2,536	449	249	31	4	-	2	42	349	1	1,409
Female	1,025	105	194	1	2	-	-	3	145	-	575
White	2,148	387	205	31	4	-	2	31	278	1	1,209
Female	901	95	168	1	2	-	-	3	116	-	516
All other	388	62	44	-	-	-	-	11	71	-	200
Female	124	10	26	-	-	-	-	-	29	-	59
Utah	299	112	87	8	1	-	-	5	52	-	34
Male	191	91	55	8	-	-	-	4	32	-	21
Female	108	21	52	-	1	-	-	1	20	-	13
White	185	89	33	8	-	-	-	4	32	-	20
Female	104	21	50	-	1	-	-	1	18	-	13
All other	5	2	2	-	-	-	-	-	-	-	1
Female	4	-	2	-	-	-	-	-	2	-	-
Vermont	120	32	18	1	1	-	-	3	21	-	44
Male	93	29	10	1	-	-	-	2	17	-	34
Female	27	3	8	-	1	-	-	1	4	-	10
White	93	29	10	1	-	-	-	2	17	-	34
Female	27	3	8	-	1	-	-	1	4	-	10
All other	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,255	157	138	5	1	-	-	13	223	-	718
Male	938	135	77	4	1	-	-	13	162	-	546
Female	317	22	61	1	-	-	-	-	61	-	172
White	681	108	60	4	1	-	-	8	99	-	401
Female	246	19	45	-	-	-	-	-	36	-	146
All other	257	27	17	-	-	-	-	5	63	-	145
Female	71	3	16	1	-	-	-	-	25	-	26

SECTION 4 - ACCIDENT MORTALITY

Table 4-3. Deaths From Motor Vehicle Accidents, by Person Injured, Color, and Sex: United States and Each State, 1969-Con.

[Deaths are those assigned to category numbers E810-E823 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after person injured are fourth-digit subcategory numbers]

Area, color, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle	Passenger in motor vehicle other than motorcycle	Motorcyclist	Passenger on motorcycle	Occupant of streetcar	Rider of animal or occupant of animal-drawn vehicle	Pedal cyclist	Pedestrian	Other specified persons	Unspecified person
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Washington	902	226	155	18	3	-	-	8	152	-	340
Male	636	189	74	18	2	-	-	8	101	-	245
Female	266	38	81	-	1	-	-	-	51	-	95
White	590	174	88	17	2	-	-	8	91	-	232
Female	242	34	69	-	1	-	-	-	46	-	82
All other	46	14	8	1	-	-	-	-	10	-	13
Female	24	4	12	-	-	-	-	-	5	-	3
West Virginia	532	54	38	5	-	-	-	4	70	-	361
Male	403	49	22	5	-	-	-	3	48	-	276
Female	129	5	16	-	-	-	-	1	22	-	85
White	386	47	21	5	-	-	-	3	46	-	264
Female	120	4	15	-	-	-	-	1	21	-	79
All other	17	2	1	-	-	-	-	-	2	-	12
Female	9	1	1	-	-	-	-	-	1	-	6
Wisconsin	1,129	507	324	20	4	-	-	30	165	1	78
Male	774	429	147	19	-	-	-	25	102	1	53
Female	355	78	177	1	4	-	-	7	63	-	25
White	748	424	140	18	-	-	-	22	93	1	50
Female	339	76	168	1	4	-	-	7	58	-	25
All other	26	5	7	1	-	-	-	1	9	-	3
Female	16	2	9	-	-	-	-	-	5	-	-
Wyoming	195	27	20	1	-	1	-	2	11	-	133
Male	142	24	13	1	-	-	-	2	7	-	95
Female	53	3	7	-	-	1	-	-	4	-	38
White	134	23	12	1	-	-	-	2	7	-	89
Female	48	3	6	-	-	1	-	-	2	-	36
All other	8	1	1	-	-	-	-	-	-	-	6
Female	5	-	1	-	-	-	-	-	2	-	2

SECTION 4 - ACCIDENT MORTALITY

4-17

Table 4.4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1969

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E850-E859	Accidental poisoning by drugs and medicaments-----	1,891	26	58	30	18	8	140	31	563	627	360	180	-
	Male----	1,174	16	35	21	10	4	86	15	445	416	154	78	-
	Female--	717	10	23	9	8	4	54	16	118	211	216	102	-
	White--Male----	864	12	22	17	9	3	63	11	327	292	112	69	-
	Female--	598	10	15	6	7	3	41	11	76	174	202	94	-
	All other--Male----	310	4	13	4	1	1	23	4	118	154	22	9	-
	Female--	119	-	6	3	1	1	13	5	42	57	14	8	-
E850	By antibiotics and other anti-infectives-----	17	-	1	2	-	-	3	-	4	2	4	4	-
	Male----	8	-	1	1	-	-	2	-	-	-	2	4	-
	Female--	9	-	-	1	-	-	1	-	4	2	2	-	-
	White--Male----	7	-	1	1	-	-	2	-	-	-	1	4	-
	Female--	3	-	-	1	-	-	1	-	-	1	1	-	-
	All other--Male----	1	-	-	-	-	-	-	-	-	-	1	-	-
	Female--	6	-	-	-	-	-	-	-	4	1	1	-	-
.0	Penicillin, any-----	1	-	-	-	-	-	-	-	-	1	-	-	-
	Male----	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
	White--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female--	1	-	-	-	-	-	-	-	-	1	-	-	-
.1-.9	All other antibiotics and anti-infectives-----	16	-	1	2	-	-	3	-	4	1	4	4	-
	Male----	8	-	1	1	-	-	2	-	-	-	2	4	-
	Female--	8	-	-	1	-	-	1	-	4	1	2	-	-
	White--Male----	7	-	1	1	-	-	2	-	-	-	1	4	-
	Female--	3	-	-	1	-	-	1	-	-	1	1	-	-
	All other--Male----	1	-	-	-	-	-	-	-	-	-	1	-	-
	Female--	5	-	-	-	-	-	-	-	4	-	1	-	-
E851	By hormones and synthetic substitutes-----	14	-	-	-	-	1	1	-	1	2	8	2	-
	Male----	5	-	-	-	-	1	1	-	-	1	2	1	-
	Female--	9	-	-	-	-	-	-	-	1	1	6	1	-
	White--Male----	2	-	-	-	-	1	1	-	-	-	1	-	-
	Female--	6	-	-	-	-	-	-	-	-	-	6	-	-
	All other--Male----	3	-	-	-	-	-	-	-	-	1	1	1	-
	Female--	3	-	-	-	-	-	-	-	1	1	-	1	-
.6	Progestogens-----	1	-	-	-	-	-	-	-	1	-	-	-	-
	Male----	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female--	1	-	-	-	-	-	-	-	1	-	-	-	-
	White--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other--Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female--	1	-	-	-	-	-	-	-	1	-	-	-	-
.0-.5,.7-.9	All other hormones and synthetic substitutes-----	13	-	-	-	-	1	1	-	-	2	8	2	-
	Male----	5	-	-	-	-	1	1	-	-	1	2	1	-
	Female--	8	-	-	-	-	-	-	-	-	1	6	1	-
	White--Male----	2	-	-	-	-	1	1	-	-	-	1	-	-
	Female--	6	-	-	-	-	-	-	-	-	-	6	-	-
	All other--Male----	3	-	-	-	-	-	-	-	-	1	1	1	-
	Female--	2	-	-	-	-	-	-	-	-	1	-	1	-
E852	By primarily systemic and hematologic agents-----	32	1	12	1	-	-	14	3	2	3	2	0	-
	Male----	20	1	8	1	-	-	10	2	1	-	2	5	-
	Female--	12	-	4	-	-	-	4	1	1	3	-	3	-
	White--Male----	16	1	6	-	-	-	7	2	-	-	2	5	-
	Female--	9	-	2	-	-	-	2	1	-	3	-	3	-
	All other--Male----	4	-	2	1	-	-	3	-	1	-	-	-	-
	Female--	3	-	2	-	-	-	2	-	1	-	-	-	-
E853	By analgesics and antipyretics-----	554	19	25	9	12	3	68	11	208	213	39	15	-
	Male----	437	14	15	5	8	-	42	6	185	176	22	6	-
	Female--	117	5	10	4	4	3	26	5	23	37	17	9	-
	White--Male----	285	10	8	3	8	-	29	4	125	105	16	6	-
	Female--	87	5	7	4	3	3	22	4	14	23	16	8	-
	All other--Male----	152	4	7	2	-	-	13	2	60	71	6	-	-
	Female--	30	-	3	-	1	-	4	1	9	14	1	1	-
.1	Salicylates and congeners-----	104	18	18	9	10	3	58	4	5	9	16	12	-
	Male----	58	14	10	5	8	-	37	3	5	1	7	5	-
	Female--	46	4	8	4	2	3	21	1	-	8	9	7	-
	White--Male----	44	10	5	3	8	-	26	3	3	1	6	5	-
	Female--	42	4	6	4	2	3	19	1	-	7	9	6	-
	All other--Male----	14	4	5	2	-	-	11	-	2	-	1	-	-
	Female--	4	-	2	-	-	-	2	-	-	1	-	1	-
.0,.2-.9	All other analgesics and antipyretics-----	450	1	7	-	2	-	10	7	203	204	23	3	-
	Male----	379	-	5	-	-	-	5	3	180	175	15	1	-
	Female--	71	1	2	-	2	-	5	4	23	29	8	2	-
	White--Male----	241	-	3	-	-	-	3	1	122	104	10	1	-
	Female--	45	1	1	-	1	-	3	3	14	16	7	2	-
	All other--Male----	138	-	2	-	-	-	2	2	98	71	5	-	-
	Female--	26	-	1	-	1	-	2	1	9	13	1	-	-
E854	By other sedatives and hypnotics-----	687	3	2	1	1	1	8	7	219	225	173	55	-
	Male----	387	-	1	1	-	1	3	3	164	140	57	20	-
	Female--	300	3	1	-	1	-	5	4	55	85	116	35	-
	White--Male----	301	-	-	1	-	-	2	3	123	99	54	20	-
	Female--	258	3	1	-	1	-	5	1	36	71	110	35	-
	All other--Male----	86	-	1	-	-	-	1	-	41	41	3	-	-
	Female--	42	-	-	-	-	-	-	3	19	14	6	-	-

SECTION 4 - ACCIDENT MORTALITY

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1969-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
.0	By other sedatives and hypnotics—Con.													
	Barbiturates-----	432	3	1	1	1	1	7	4	124	119	136	42	--
	Male-----	199	--	--	1	--	1	2	2	85	52	46	14	--
	Female-----	233	3	1	--	1	--	5	2	41	67	90	28	--
	White-----	175	--	--	1	--	1	2	2	69	44	44	14	--
	Female-----	202	3	1	--	1	--	5	1	27	57	84	28	--
All other-----	24	--	--	--	--	--	--	--	14	8	2	--	--	
Female-----	31	--	--	--	--	--	--	--	1	14	10	6	--	
.1-.9	All other sedatives and hypnotics-----	255	--	1	--	--	--	1	3	95	106	37	13	--
	Male-----	188	--	1	--	--	--	1	1	81	89	11	6	--
	Female-----	67	--	--	--	--	--	--	2	14	18	26	7	--
	White-----	126	--	--	--	--	--	--	1	54	55	10	6	--
	Female-----	56	--	--	--	--	--	--	--	9	14	28	7	--
	All other-----	62	--	1	--	--	--	1	--	27	33	1	--	--
Female-----	11	--	--	--	--	--	--	2	5	4	--	--	--	
E855	By autonomic nervous system and psychotherapeutic drugs-----	102	1	5	4	--	2	12	2	15	38	30	6	--
	Male-----	50	1	4	4	--	2	11	--	12	18	10	1	--
	Female-----	53	--	1	--	--	--	1	2	3	22	20	5	--
	White-----	44	1	2	4	--	1	8	--	11	15	9	1	--
	Female-----	49	--	--	--	--	--	--	2	2	21	19	5	--
	All other-----	6	--	2	--	--	1	3	--	1	1	1	1	--
Female-----	4	--	1	--	--	--	1	--	1	1	1	1	--	
.1	Tranquilizers-----	69	1	1	1	--	--	3	1	2	32	26	5	--
	Male-----	22	1	1	1	--	--	2	--	1	10	8	1	--
	Female-----	47	--	--	--	--	--	1	1	1	22	18	4	--
	White-----	21	1	--	1	--	--	2	--	1	10	7	1	--
	Female-----	44	--	--	--	--	--	--	1	1	21	17	4	--
	All other-----	1	--	--	--	--	--	--	--	--	--	1	--	--
Female-----	3	--	1	--	--	--	1	--	--	1	1	--	--	
.0, .2-.9	All other autonomic nervous system and psychotherapeutic drugs-----	54	--	4	3	--	2	9	1	13	6	4	1	--
	Male-----	28	--	4	3	--	2	9	--	11	6	2	--	--
	Female-----	6	--	--	--	--	--	--	1	2	2	2	1	--
	White-----	23	--	2	3	--	1	6	--	10	5	2	--	--
	Female-----	5	--	--	--	--	--	--	1	1	--	2	1	--
	All other-----	5	--	2	--	--	1	3	--	1	1	--	--	--
Female-----	1	--	--	--	--	--	--	--	1	--	--	--	--	
E856	By other central nervous system depressants and stimulants-----	59	--	2	2	--	--	4	--	16	14	4	1	--
	Male-----	27	--	2	1	--	--	3	--	11	11	2	--	--
	Female-----	12	--	--	1	--	--	1	--	5	3	2	1	--
	White-----	20	--	2	1	--	--	3	--	7	9	1	--	--
	Female-----	9	--	--	--	--	--	--	--	4	3	1	1	--
	All other-----	7	--	--	--	--	--	--	--	4	2	1	--	--
Female-----	3	--	--	1	--	--	1	--	1	--	1	--	--	
.4	Amphetamine-----	22	--	--	--	--	--	--	--	10	11	1	--	--
	Male-----	18	--	--	--	--	--	--	--	8	9	1	--	--
	Female-----	4	--	--	--	--	--	--	--	2	2	--	--	--
	White-----	14	--	--	--	--	--	--	--	5	8	1	--	--
	Female-----	3	--	--	--	--	--	--	--	1	2	--	--	--
	All other-----	4	--	--	--	--	--	--	--	3	1	--	--	--
Female-----	1	--	--	--	--	--	--	--	1	--	--	--	--	
.0.5, .8, .9	All other central nervous system depressants and stimulants-----	17	--	2	2	--	--	4	--	6	3	3	1	--
	Male-----	9	--	2	1	--	--	3	--	3	2	1	--	--
	Female-----	8	--	--	1	--	--	1	--	3	1	2	1	--
	White-----	6	--	2	1	--	--	3	--	2	1	--	--	--
	Female-----	6	--	--	--	--	--	--	--	3	1	1	1	--
	All other-----	3	--	--	--	--	--	--	--	1	1	1	--	--
Female-----	2	--	--	1	--	--	1	--	--	--	1	--	--	
E857	By cardiovascular drugs-----	81	--	2	--	1	--	3	--	--	2	17	59	--
	Male-----	35	--	1	--	--	--	1	--	--	--	8	26	--
	Female-----	46	--	1	--	1	--	2	--	--	2	9	33	--
	White-----	24	--	1	--	--	--	1	--	--	--	3	20	--
	Female-----	39	--	1	--	1	--	2	--	--	2	7	28	--
	All other-----	11	--	--	--	--	--	--	--	--	--	5	6	--
Female-----	7	--	--	--	--	--	--	--	--	--	2	5	--	
E858	By gastrointestinal drugs-----	6	--	1	2	--	--	3	--	1	1	1	--	--
	Male-----	3	--	1	2	--	--	3	--	--	--	--	--	--
	Female-----	3	--	--	--	--	--	--	--	1	1	1	--	--
	White-----	3	--	1	2	--	--	3	--	--	--	--	--	--
	Female-----	3	--	--	--	--	--	--	--	1	1	1	--	--
	All other-----	--	--	--	--	--	--	--	--	--	--	--	--	--
Female-----	--	--	--	--	--	--	--	--	--	--	--	--	--	
E859	By other and unspecified drugs and medicaments-----	358	2	8	9	4	1	24	8	97	127	72	30	--
	Male-----	202	--	2	6	2	--	10	4	72	72	29	15	--
	Female-----	156	2	6	3	2	1	14	4	25	55	43	15	--
	White-----	162	--	1	5	1	--	7	2	61	54	25	13	--
	Female-----	135	2	4	1	2	--	9	3	19	49	41	14	--
	All other-----	40	--	1	1	1	--	3	2	11	18	4	2	--
Female-----	21	--	2	2	--	1	5	1	6	6	2	1	--	
E860-E869	Accidental poisoning by other solid and liquid substances-----	1,076	8	52	30	12	5	105	24	113	274	384	174	2
	Male-----	721	2	25	16	6	2	51	17	102	178	226	147	--
	Female-----	355	6	27	14	6	3	54	7	11	96	158	27	2
	White-----	579	1	14	8	3	1	27	13	79	124	195	142	--
	Female-----	285	3	12	7	3	--	25	3	5	79	148	26	2
	All other-----	142	1	11	8	3	1	24	4	24	54	31	8	--
Female-----	70	3	15	7	3	1	29	4	6	18	12	1	--	

SECTION 4 - ACCIDENT MORTALITY

4-19

Table 4-4. Deaths From Accidental Poisoning, by Age, Color, and Sex: United States, 1969-Con.

[Includes each three-digit category and selected four-digit subcategories from E850 to E877 of the Eighth Revision, International Classification of Diseases, Adapted, 1965]

Eighth Revision number	Cause of death, color, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-14 years	15-24 years	25-44 years	45-64 years	65 years and over	Not stated
E860	By alcohol-----	189	-	-	-	1	-	1	1	13	65	102	8	1
	Male-----	139	-	-	-	1	-	1	1	11	45	76	7	-
	Female-----	50	-	-	-	-	-	-	-	2	20	26	1	1
	White-----	100	-	-	-	-	-	-	-	8	27	59	6	-
	Male-----	39	-	-	-	-	-	-	-	-	15	22	1	1
	Female-----	39	-	-	-	1	-	1	1	3	16	17	1	-
E861	By cleansing and polishing agents-----	28	3	11	3	-	-	17	3	3	1	1	3	-
	Male-----	16	1	5	3	-	-	9	2	2	1	1	1	-
	Female-----	12	2	6	-	-	-	8	1	1	-	-	2	-
	White-----	11	-	3	2	-	-	5	1	2	1	1	1	-
	Male-----	9	2	3	-	-	-	5	1	1	-	-	2	-
	Female-----	5	1	2	1	-	-	4	1	1	-	-	-	-
E862	By disinfectants-----	6	-	1	1	-	-	2	2	-	-	1	1	-
	Male-----	4	-	1	-	-	-	1	1	-	-	1	1	-
	Female-----	2	-	-	1	-	-	1	1	-	-	-	-	-
	White-----	4	-	1	-	-	-	1	1	-	-	1	1	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	2	-	-	1	-	-	1	1	-	-	-	-	-
E863	By paints and varnishes-----	2	-	-	-	-	-	-	-	1	1	-	-	-
	Male-----	2	-	-	-	-	-	-	-	1	1	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	2	-	-	-	-	-	-	-	1	1	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E864	By petroleum products and other solvents-----	67	5	17	6	3	-	29	3	13	8	12	2	-
	Male-----	46	1	8	4	2	-	15	2	13	5	9	2	-
	Female-----	21	2	9	2	1	-	14	1	1	3	3	1	-
	White-----	32	1	4	2	2	-	9	2	11	2	7	1	-
	Male-----	12	1	5	2	1	-	7	1	2	3	1	1	-
	Female-----	14	-	4	2	1	-	6	2	2	3	2	1	-
E865	By pesticides, fertilizers, or plant foods-----	56	1	14	7	1	2	25	6	2	9	6	8	-
	Male-----	37	-	7	3	-	2	12	4	2	8	5	6	-
	Female-----	19	1	7	4	1	-	13	2	-	1	1	2	-
	White-----	26	-	5	1	-	1	7	3	1	5	5	5	-
	Male-----	11	-	3	3	-	-	6	1	-	1	1	2	-
	Female-----	11	-	2	2	-	1	5	1	1	3	1	1	-
E866	By heavy metals and their fumes-----	39	-	5	6	5	-	18	3	3	9	6	-	-
	Male-----	23	-	2	3	3	-	8	1	2	7	5	-	-
	Female-----	16	-	3	3	2	-	10	2	1	2	1	-	-
	White-----	10	-	1	1	1	-	2	1	1	2	3	-	-
	Male-----	6	-	1	2	2	-	4	-	1	1	1	-	-
	Female-----	13	-	2	2	1	-	6	2	-	1	1	-	-
E867	By corrosives and caustics not elsewhere classifiable-----	28	-	2	1	1	1	5	1	6	5	6	5	-
	Male-----	13	-	1	-	-	-	1	1	4	3	2	2	-
	Female-----	15	-	1	1	1	1	4	-	2	2	4	3	-
	White-----	9	-	-	-	-	-	1	3	3	1	1	1	-
	Male-----	11	-	1	-	1	-	2	1	2	4	2	-	-
	Female-----	4	-	1	-	-	1	-	1	-	1	1	1	-
E868	By noxious foodstuffs and poisonous plants-----	4	-	-	2	-	-	2	1	1	-	-	-	-
	Male-----	4	-	-	2	-	-	2	1	1	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	4	-	-	2	-	-	-	1	1	-	-	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-
E869	By other and unspecified solid and liquid substances-----	657	1	2	2	1	-	6	4	71	178	250	147	1
	Male-----	437	-	1	1	-	-	2	4	66	110	127	128	-
	Female-----	220	1	1	1	1	-	4	-	5	68	123	19	1
	White-----	381	-	1	-	-	-	1	5	49	83	118	127	-
	Male-----	197	-	1	-	-	-	1	-	2	56	118	19	1
	Female-----	56	-	-	1	-	-	1	1	17	27	9	1	-
E870-E877	Accidental poisoning by gases and vapors-----	1,549	12	11	7	8	7	45	69	405	452	400	178	-
	Male-----	1,149	6	5	2	5	2	20	41	284	368	317	119	-
	Female-----	400	6	6	5	3	5	25	28	121	84	83	59	-
	White-----	989	6	4	1	3	2	16	36	253	314	267	103	-
	Male-----	324	4	3	4	2	4	17	19	94	66	77	51	-
	Female-----	160	-	1	1	2	1	4	5	31	54	50	16	-
E870	By gas distributed by pipeline-----	197	3	5	1	2	2	13	9	40	38	54	43	-
	Male-----	133	1	4	-	1	1	7	4	26	26	44	26	-
	Female-----	64	2	1	1	1	1	6	5	14	12	10	17	-
	White-----	108	1	3	-	1	1	6	2	24	20	34	22	-
	Male-----	45	-	-	1	-	1	2	5	10	9	8	13	-
	Female-----	25	-	1	-	-	-	1	2	2	6	10	4	-

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex:
United States, 1969

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E850-E859	Accidental poisoning by drugs and medicaments-----	1,891	790	2	-	3	5	38	72	29	62	890
	Male-----	1,174	444	2	-	3	4	32	51	22	46	570
	Female-----	717	346	-	-	-	1	6	21	7	16	320
	White-----	864	338	2	-	3	4	24	44	16	36	397
	Female-----	598	294	-	-	-	1	3	15	6	14	265
	All other-----	310	106	-	-	-	-	8	7	6	10	173
	Female-----	119	52	-	-	-	-	3	8	1	2	58
E850	By antibiotics and other anti-infectives-----	17	3	-	-	-	-	-	-	1	-	13
	Male-----	8	1	-	-	-	-	-	-	-	-	7
	Female-----	9	2	-	-	-	-	-	-	1	-	6
	White-----	7	1	-	-	-	-	-	-	-	-	6
	Female-----	3	-	-	-	-	-	-	-	1	-	2
	All other-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	6	2	-	-	-	-	-	-	-	-	4
.0	Penicillin, any-----	1	-	-	-	-	-	-	-	-	-	1
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	-	-	1
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	1	-	-	-	-	-	-	-	-	-	1
.1-.9	All other antibiotics and anti-infectives-----	16	3	-	-	-	-	-	-	1	-	12
	Male-----	8	1	-	-	-	-	-	-	-	-	7
	Female-----	8	2	-	-	-	-	-	-	1	-	5
	White-----	7	1	-	-	-	-	-	-	-	-	6
	Female-----	3	-	-	-	-	-	-	-	1	-	2
	All other-----	1	-	-	-	-	-	-	-	-	-	1
	Female-----	5	2	-	-	-	-	-	-	-	-	3
E851	By hormones and synthetic substitutes-----	14	3	-	-	-	-	-	-	1	-	10
	Male-----	5	3	-	-	-	-	-	-	-	-	2
	Female-----	9	-	-	-	-	-	-	-	1	-	8
	White-----	2	2	-	-	-	-	-	-	-	-	-
	Female-----	6	-	-	-	-	-	-	-	-	-	6
	All other-----	3	1	-	-	-	-	-	-	-	-	2
	Female-----	3	-	-	-	-	-	-	-	1	-	2
.6	Progestogens-----	1	-	-	-	-	-	-	-	1	-	-
	Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	1	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	1	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	-	-	-	1	-	-
.0-.5,7-.9	All other hormones and synthetic substitutes-----	13	3	-	-	-	-	-	-	-	-	10
	Male-----	5	3	-	-	-	-	-	-	-	-	2
	Female-----	8	-	-	-	-	-	-	-	-	-	8
	White-----	2	2	-	-	-	-	-	-	-	-	6
	Female-----	6	-	-	-	-	-	-	-	-	-	2
	All other-----	3	1	-	-	-	-	-	-	-	-	2
	Female-----	2	-	-	-	-	-	-	-	-	-	2
E852	By primarily systemic and hematologic agents-----	32	13	-	-	-	-	-	-	-	-	19
	Male-----	20	9	-	-	-	-	-	-	-	-	11
	Female-----	12	4	-	-	-	-	-	-	-	-	8
	White-----	16	6	-	-	-	-	-	-	-	-	10
	Female-----	9	3	-	-	-	-	-	-	-	-	6
	All other-----	4	3	-	-	-	-	-	-	-	-	1
	Female-----	3	1	-	-	-	-	-	-	-	-	2
E853	By analgesics and antipyretics-----	554	237	-	-	1	1	21	30	9	20	285
	Male-----	437	180	-	-	1	-	19	24	9	18	186
	Female-----	117	57	-	-	-	1	2	6	9	2	49
	White-----	295	121	-	-	1	-	13	20	6	12	112
	Female-----	87	45	-	-	-	1	1	4	-	1	37
	All other-----	152	59	-	-	-	-	6	4	5	6	74
	Female-----	30	14	-	-	-	-	1	2	-	1	12
.1	Salicylates and congeners-----	104	34	-	-	-	-	-	-	2	-	68
	Male-----	58	16	-	-	-	-	-	-	2	-	40
	Female-----	46	18	-	-	-	-	-	-	-	-	28
	White-----	44	9	-	-	-	-	-	-	2	-	33
	Female-----	42	18	-	-	-	-	-	-	-	-	24
	All other-----	14	7	-	-	-	-	-	-	-	-	7
	Female-----	4	-	-	-	-	-	-	-	-	-	4
.0,.2-.9	All other analgesics and antipyretics-----	450	205	-	-	1	1	21	30	7	20	167
	Male-----	379	164	-	-	1	-	19	24	7	18	146
	Female-----	71	39	-	-	-	1	2	6	-	2	21
	White-----	241	112	-	-	1	-	13	20	4	12	79
	Female-----	45	25	-	-	-	1	1	4	-	1	13
	All other-----	138	52	-	-	-	-	6	4	3	6	67
	Female-----	26	14	-	-	-	-	1	2	-	1	8
E854	By other sedatives and hypnotics-----	687	323	1	-	1	2	13	29	9	21	288
	Male-----	387	144	1	-	1	2	9	18	7	16	189
	Female-----	300	179	-	-	-	-	4	11	2	5	99
	White-----	301	125	1	-	1	2	7	16	5	13	131
	Female-----	258	158	-	-	-	-	2	8	2	4	86
	All other-----	86	19	-	-	-	-	2	2	2	3	58
	Female-----	42	23	-	-	-	-	2	3	-	1	13

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-23

Table 4.5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex:
United States, 1969-Con.[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965.
Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E860-E869	Accidental poisoning by other solid and liquid substances-----	1,076	401	6	1	16	4	14	34	11	26	561
	Male-----	721	221	6	1	16	2	12	29	7	21	406
	Female-----	355	180	-	-	-	2	2	5	4	7	155
	White-----	579	177	4	1	11	2	8	26	7	18	325
	Female-----	285	146	-	-	-	2	2	4	4	7	120
	All other-----	142	44	2	-	5	-	4	3	-	3	81
	Female-----	70	34	-	-	-	-	-	1	-	-	35
E860	By alcohol-----	189	59	-	-	1	1	5	8	1	1	113
	Male-----	139	42	-	-	1	-	5	6	1	1	83
	Female-----	50	17	-	-	-	1	-	2	-	-	30
	White-----	100	29	-	-	1	-	3	5	1	1	60
	Female-----	39	13	-	-	-	1	-	2	-	-	23
	All other-----	39	13	-	-	-	-	2	1	-	-	23
	Female-----	11	4	-	-	-	-	-	-	-	-	7
E861	By cleansing and polishing agents-----	28	15	-	-	1	-	-	1	3	1	7
	Male-----	16	9	-	-	1	-	-	1	1	1	3
	Female-----	12	6	-	-	-	-	-	-	2	-	4
	White-----	11	5	-	-	1	-	-	1	1	1	2
	Female-----	9	5	-	-	-	-	-	-	2	-	2
	All other-----	5	4	-	-	-	-	-	-	-	-	1
	Female-----	3	1	-	-	-	-	-	-	-	-	2
E862	By disinfectants-----	6	4	-	-	-	-	-	-	1	1	-
	Male-----	4	2	-	-	-	-	-	-	1	1	-
	Female-----	2	2	-	-	-	-	-	-	-	-	-
	White-----	4	2	-	-	-	-	-	-	1	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	2	2	-	-	-	-	-	-	-	-	-
E863	By paints and varnishes-----	2	2	-	-	-	-	-	-	-	-	-
	Male-----	2	2	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	2	2	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E864	By petroleum products and other solvents-----	67	23	-	-	3	2	-	2	-	7	30
	Male-----	46	14	-	-	3	2	-	2	-	6	19
	Female-----	21	9	-	-	-	-	-	-	-	1	11
	White-----	32	9	-	-	2	2	-	2	-	4	13
	Female-----	12	4	-	-	-	-	-	-	-	1	7
	All other-----	14	5	-	-	1	-	-	-	-	2	6
	Female-----	9	5	-	-	-	-	-	-	-	-	4
E865	By pesticides, fertilizers, or plant foods-----	56	29	6	-	1	-	1	2	-	1	16
	Male-----	37	17	6	-	1	-	1	1	-	1	11
	Female-----	19	12	-	-	-	-	1	1	-	-	5
	White-----	26	11	4	-	1	-	-	-	-	1	9
	Female-----	11	6	-	-	-	-	1	1	-	-	3
	All other-----	11	6	2	-	-	-	-	1	-	-	2
	Female-----	6	6	-	-	-	-	-	-	-	-	2
E866	By heavy metals and their fumes-----	39	15	-	-	1	-	1	-	-	2	20
	Male-----	23	7	-	-	1	-	1	-	-	2	12
	Female-----	16	8	-	-	-	-	-	-	-	-	8
	White-----	10	2	-	-	1	-	1	-	-	2	4
	Female-----	6	2	-	-	-	-	-	-	-	-	4
	All other-----	13	5	-	-	-	-	-	-	-	-	8
	Female-----	10	6	-	-	-	-	-	-	-	-	4
E867	By corrosives and caustics not elsewhere classifiable-----	28	6	-	1	6	-	-	-	-	1	14
	Male-----	13	3	-	1	6	-	-	-	-	-	3
	Female-----	15	3	-	-	-	-	-	-	-	-	11
	White-----	9	2	-	1	4	-	-	-	-	-	2
	Female-----	11	3	-	-	-	-	-	-	-	1	7
	All other-----	4	1	-	-	2	-	-	-	-	-	1
	Female-----	4	-	-	-	-	-	-	-	-	-	4
E868	By noxious foodstuffs and poisonous plants-----	4	2	-	-	-	-	-	-	-	-	2
	Male-----	4	2	-	-	-	-	-	-	-	-	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	4	2	-	-	-	-	-	-	-	-	2
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E869	By other and unspecified solid and liquid substances-----	657	246	-	-	3	1	7	21	6	14	359
	Male-----	437	123	-	-	3	-	6	19	4	9	273
	Female-----	220	123	-	-	-	1	1	2	2	5	86
	White-----	381	113	-	-	1	-	4	18	4	8	233
	Female-----	197	113	-	-	-	1	1	1	2	5	74
	All other-----	56	10	-	-	2	-	2	1	1	1	40
	Female-----	23	10	-	-	-	-	-	1	-	-	12

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1969-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E870-E877	Accidental poisoning by gases and vapors	1,549	784	18	3	121	13	113	52	2	125	317
	Male	1,149	552	16	3	106	10	85	46	2	100	229
	Female	400	232	2	-	15	3	28	6	-	25	88
	White	989	466	16	3	87	10	79	42	2	87	197
	Female	324	186	2	-	8	3	26	5	-	22	72
	All other	160	86	-	-	19	-	6	4	-	13	32
Female	76	46	-	-	7	-	2	1	-	4	16	
E870	By gas distributed by pipeline	197	159	-	-	-	-	-	8	-	5	25
	Male	133	105	-	-	-	-	-	7	-	5	16
	Female	64	54	-	-	-	-	-	1	-	-	9
	White	108	82	-	-	-	-	-	7	-	5	14
	Female	45	35	-	-	-	-	-	1	-	-	8
	All other	25	23	-	-	-	-	-	-	-	-	2
Female	19	18	-	-	-	-	-	-	-	-	1	
E871	By liquefied petroleum gas distributed in mobile containers	46	18	-	-	2	4	3	1	-	13	5
	Male	34	11	-	-	2	3	2	1	-	11	4
	Female	12	7	-	-	-	1	1	-	-	2	1
	White	32	10	-	-	2	3	2	1	-	11	3
	Female	12	7	-	-	-	1	1	-	-	2	1
	All other	2	1	-	-	-	-	-	-	-	-	1
Female	-	-	-	-	-	-	-	-	-	-	-	
E872	By other utility gases	15	11	-	-	-	-	-	-	-	-	4
	Male	10	7	-	-	-	-	-	-	-	-	3
	Female	5	4	-	-	-	-	-	-	-	-	1
	White	8	5	-	-	-	-	-	-	-	-	3
	Female	1	1	-	-	-	-	-	-	-	-	-
	All other	2	2	-	-	-	-	-	-	-	-	-
Female	4	3	-	-	-	-	-	-	-	-	1	
E873	By motor vehicle exhaust gas	758	346	12	1	79	8	104	27	-	77	104
	Male	588	270	10	1	64	6	79	24	-	56	78
	Female	170	76	2	-	15	2	25	3	-	21	26
	White	509	237	10	1	51	6	73	20	-	46	65
	Female	138	64	2	-	8	2	23	2	-	17	20
	All other	78	33	-	-	13	-	6	4	-	10	13
Female	32	12	-	-	7	-	2	1	-	4	6	
E874	By carbon monoxide from incomplete combustion of domestic fuels	138	107	-	-	-	1	-	3	-	12	15
	Male	90	67	-	-	-	1	-	2	-	10	10
	Female	40	40	-	-	-	-	-	1	-	2	5
	White	69	47	-	-	-	1	-	2	-	9	10
	Female	38	32	-	-	-	-	-	1	-	2	3
	All other	21	20	-	-	-	-	-	-	-	1	-
Female	10	8	-	-	-	-	-	-	-	-	2	
E875	By other carbon monoxide	220	79	1	-	10	-	4	10	-	8	108
	Male	150	48	1	-	10	-	2	9	-	7	75
	Female	70	31	-	-	-	-	2	1	-	1	33
	White	134	45	1	-	8	-	2	9	-	5	64
	Female	60	28	-	-	-	-	2	1	-	1	20
	All other	16	3	-	-	2	-	-	-	-	2	9
Female	10	5	-	-	-	-	-	-	-	-	5	
E876	By other gases and vapors	153	54	3	2	26	-	2	2	2	7	55
	Male	128	40	3	2	26	-	2	2	2	7	44
	Female	25	14	-	-	-	-	-	-	-	-	11
	White	115	36	3	2	24	-	2	2	2	7	37
	Female	24	14	-	-	-	-	-	-	-	-	10
	All other	13	4	-	-	2	-	-	-	-	-	7
Female	1	-	-	-	-	-	-	-	-	-	1	
E877	By unspecified gases and vapors	22	10	2	-	4	-	-	1	-	4	1
	Male	16	4	2	-	4	-	-	1	-	4	1
	Female	6	6	-	-	-	-	-	-	-	-	-
	White	14	4	2	-	2	-	-	1	-	4	1
	Female	6	6	-	-	-	-	-	-	-	-	-
	All other	2	-	-	-	2	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	
E880-E887	Accidental falls	17,927	8,044	121	20	471	78	794	567	2,795	555	4,382
	Male	8,983	3,899	115	20	467	68	606	445	1,071	455	2,037
	Female	8,844	4,345	6	-	4	10	188	122	1,724	100	2,345
	White	8,028	3,293	109	20	423	61	514	394	1,013	403	1,799
	Female	8,518	4,037	6	-	4	9	166	111	1,688	88	2,209
	All other	955	406	6	-	44	7	92	51	59	52	239
Female	526	308	-	-	-	1	22	11	36	12	136	
E880	Fall on or from stairs or steps	1,824	1,410	1	-	9	6	20	143	64	52	119
	Male	1,096	815	1	-	8	5	16	109	31	28	73
	Female	728	595	-	-	1	1	4	34	33	14	46
	White	955	713	1	-	8	5	15	98	24	33	59
	Female	676	551	-	-	1	1	4	33	33	9	44
	All other	141	102	-	-	-	-	1	11	7	5	15
Female	52	44	-	-	-	-	-	1	-	5	2	

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1969-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E860 to E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E881	Fall on or from ladder or scaffolding-----	516	211	11	1	132	1	13	55	11	42	39
	Male-----	497	193	11	1	132	1	13	55	11	41	39
	Female-----	19	18	-	-	-	-	-	-	-	1	-
	White-----	471	187	11	1	126	1	12	52	11	37	33
	Female-----	19	18	-	-	-	-	-	-	-	1	-
	All other-----	26	6	-	-	6	-	1	3	-	4	6
Female-----	-	-	-	-	-	-	-	-	-	-	-	
E882	Fall from or out of building or other structure-----	842	362	26	-	135	6	31	66	31	84	101
	Male-----	744	292	24	-	134	5	29	64	23	76	97
	Female-----	98	70	2	-	1	1	2	2	8	8	4
	White-----	600	212	24	-	119	5	21	55	21	66	77
	Female-----	75	51	2	-	1	1	2	2	8	4	4
	All other-----	144	80	-	-	15	-	8	9	2	10	20
Female-----	23	19	-	-	-	-	-	-	-	4	-	
E883	Fall into hole or other opening in surface-----	188	20	4	9	35	7	3	22	3	50	35
	Male-----	176	15	4	9	35	6	2	22	3	48	32
	Female-----	12	5	-	-	-	1	1	-	-	2	3
	White-----	151	12	4	9	33	5	2	15	3	43	25
	Female-----	10	4	-	-	-	1	-	-	-	2	3
	All other-----	25	3	-	-	2	1	-	7	-	5	7
Female-----	2	1	-	-	-	-	1	-	-	-	-	
E884	Other falls from one level to another-----	1,582	585	53	8	85	26	44	44	457	140	142
	Male-----	938	299	52	8	85	22	35	37	185	116	101
	Female-----	644	286	1	-	-	4	9	7	272	24	41
	White-----	822	258	47	8	75	21	28	30	171	104	82
	Female-----	583	242	1	-	-	3	9	5	265	23	35
	All other-----	116	43	5	-	8	1	7	7	14	12	19
Female-----	61	44	-	-	-	1	-	2	7	1	6	
E885	Fall on same level from slipping, stumbling, or tripping-----	894	498	7	-	9	7	94	22	170	33	54
	Male-----	380	176	5	-	9	6	61	9	56	22	36
	Female-----	514	322	2	-	-	1	33	13	114	11	18
	White-----	363	167	5	-	8	5	58	9	65	22	34
	Female-----	436	309	2	-	-	1	30	12	113	11	18
	All other-----	17	9	-	-	1	1	3	-	1	-	2
Female-----	18	13	-	-	-	-	3	1	1	-	-	
E886	Fall on same level from collision with or pushing or shoving by another person-----	45	-	-	-	-	8	1	5	28	-	3
	Male-----	32	-	-	-	-	8	1	4	18	-	1
	Female-----	13	-	-	-	-	-	-	1	10	-	2
	White-----	30	-	-	-	-	6	1	4	18	-	1
	Female-----	11	-	-	-	-	-	-	1	8	-	2
	All other-----	2	-	-	-	-	2	-	-	2	-	-
Female-----	2	-	-	-	-	-	-	-	2	-	-	
E887	Other and unspecified falls-----	11,836	4,958	19	2	68	17	588	210	2,031	154	3,889
	Male-----	5,120	1,909	18	2	66	15	449	145	744	114	1,858
	Female-----	6,816	3,049	1	-	2	2	139	65	1,287	40	2,231
	White-----	4,636	1,746	17	2	54	13	377	131	710	98	1,488
	Female-----	6,448	2,862	1	-	2	2	121	56	1,261	38	2,103
	All other-----	484	163	1	-	12	2	72	14	54	16	170
Female-----	368	187	-	-	-	-	18	7	26	2	128	
E890-E899	Accidents caused by fires and flames-----	7,163	5,951	74	2	119	3	24	178	176	168	468
	Male-----	4,265	3,365	71	2	113	3	21	149	126	133	282
	Female-----	2,898	2,586	3	-	6	-	3	29	50	35	186
	White-----	3,123	2,382	61	2	94	3	15	137	115	106	209
	Female-----	2,028	1,797	3	-	2	-	1	21	44	25	135
	All other-----	1,142	983	10	-	19	-	6	12	11	27	74
Female-----	870	789	-	-	4	-	2	8	6	10	51	
E890	By conflagration in private dwelling-----	4,365	4,344	-	-	-	1	-	-	-	20	-
	Male-----	2,566	2,552	-	-	-	1	-	-	-	13	-
	Female-----	1,799	1,792	-	-	-	-	-	-	-	7	-
	White-----	1,763	1,755	-	-	-	1	-	-	-	7	-
	Female-----	1,196	1,191	-	-	-	-	-	-	-	5	-
	All other-----	806	797	-	-	-	-	-	-	-	6	-
Female-----	803	801	-	-	-	-	-	-	-	2	-	
E891	By conflagration in other building or structure-----	280	10	18	-	55	1	-	117	27	30	25
	Male-----	241	10	13	-	51	1	-	97	17	29	23
	Female-----	39	-	2	-	4	-	-	20	10	1	2
	White-----	218	8	13	-	46	1	-	88	16	26	19
	Female-----	25	-	2	-	1	-	-	12	8	1	1
	All other-----	25	2	-	-	5	-	-	9	1	3	5
Female-----	14	-	-	-	3	-	-	8	2	-	1	
E892	By conflagration not in building or structure-----	119	36	14	-	5	-	9	1	1	34	19
	Male-----	100	28	14	-	5	-	8	1	1	28	15
	Female-----	19	8	-	-	-	-	1	-	-	6	4
	White-----	84	24	14	-	4	-	7	1	1	20	13
	Female-----	13	8	-	-	-	-	-	-	-	3	2
	All other-----	16	4	-	-	1	-	1	-	-	8	2
Female-----	6	-	-	-	-	-	1	-	-	3	2	

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1969-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)	
E893	By ignition of clothing-----	843	658	14	-	12	-	-	3	10	67	26	53
	Male-----	347	221	13	-	11	-	-	2	7	48	16	29
	Female-----	496	437	1	-	1	-	-	1	3	19	10	24
	White-----	287	178	12	-	10	-	-	2	6	43	11	25
	Female-----	361	335	1	-	1	-	-	-	5	16	8	17
	All other-----	60	45	1	-	1	-	-	-	1	5	5	4
Female-----	115	102	-	-	-	-	-	1	-	3	2	7	
E894	By ignition of highly inflammable material-----	315	187	19	2	29	-	-	6	23	7	17	25
	Male-----	247	125	19	2	28	-	-	6	21	6	16	24
	Female-----	68	62	-	-	1	-	-	-	2	1	1	1
	White-----	201	103	12	2	19	-	-	4	19	6	15	21
	Female-----	47	45	-	-	-	-	-	-	2	1	-	1
	All other-----	46	22	7	-	9	-	-	2	2	-	1	3
Female-----	21	19	-	-	1	-	-	-	-	-	1	-	
E895	By controlled fire in private dwelling-----	108	107	-	-	-	-	-	-	-	-	1	-
	Male-----	51	51	-	-	-	-	-	-	-	-	-	-
	Female-----	57	56	-	-	-	-	-	-	-	-	1	-
	White-----	28	28	-	-	-	-	-	-	-	-	-	-
	Female-----	32	31	-	-	-	-	-	-	-	-	1	-
	All other-----	23	23	-	-	-	-	-	-	-	-	-	-
Female-----	25	25	-	-	-	-	-	-	-	-	-	-	
E896	By controlled fire in other building or structure-----	6	2	1	-	2	-	-	-	-	-	1	-
	Male-----	3	-	1	-	2	-	-	-	-	-	-	-
	Female-----	3	2	-	-	-	-	-	-	-	-	1	-
	White-----	3	-	1	-	2	-	-	-	-	-	-	-
	Female-----	2	2	-	-	-	-	-	-	-	-	-	-
	All other-----	1	-	-	-	-	-	-	-	-	-	1	-
Female-----	1	-	-	-	-	-	-	-	-	-	-	-	
E897	By controlled fire not in building or structure-----	56	32	3	-	2	1	-	1	-	-	7	10
	Male-----	39	17	3	-	2	1	-	1	-	-	6	8
	Female-----	17	15	-	-	-	-	-	-	-	-	1	1
	White-----	35	16	2	-	1	1	-	1	-	-	6	8
	Female-----	16	14	-	-	-	-	-	-	-	-	1	1
	All other-----	4	1	1	-	1	-	-	-	-	-	-	1
Female-----	1	1	-	-	-	-	-	-	-	-	-	-	
E898	By other specified fires or flames-----	557	408	4	-	5	-	2	21	67	10	40	40
	Male-----	582	271	4	-	5	-	1	17	51	6	27	27
	Female-----	175	137	-	-	-	-	1	4	16	4	13	13
	White-----	315	215	4	-	4	-	-	17	46	6	21	21
	Female-----	162	126	-	-	-	-	1	4	15	3	13	13
	All other-----	69	56	-	-	1	-	1	5	5	-	6	6
Female-----	13	11	-	-	-	-	-	-	1	1	-	-	
E899	By unspecified fire-----	514	167	4	-	9	-	4	5	7	22	296	296
	Male-----	289	90	4	-	9	-	4	5	3	19	155	155
	Female-----	225	77	-	-	-	-	-	-	4	3	141	141
	White-----	195	55	3	-	8	-	2	5	3	15	102	102
	Female-----	154	47	-	-	-	-	-	4	4	3	107	107
	All other-----	96	35	1	-	1	-	2	-	-	4	53	53
Female-----	71	30	-	-	-	-	-	-	-	-	41	41	
E900-E909	Accidents due to natural and environmental factors-----	1,786	238	132	-	22	46	111	11	6	184	974	974
	Male-----	1,246	172	114	-	22	35	79	9	5	144	666	666
	Female-----	540	126	18	-	-	11	32	2	3	40	308	308
	White-----	944	132	104	-	21	34	64	9	4	116	460	460
	Female-----	410	110	13	-	-	11	28	2	3	33	210	210
	All other-----	302	40	10	-	1	1	15	1	1	28	206	206
Female-----	130	16	5	-	-	-	4	-	-	7	89	89	
E900	Excessive heat-----	271	17	7	-	8	6	14	2	3	19	196	196
	Male-----	207	10	6	-	8	6	11	2	2	18	144	144
	Female-----	64	7	1	-	-	-	3	-	1	1	51	51
	White-----	143	9	4	-	8	6	10	2	2	12	90	90
	Female-----	44	6	-	-	-	-	3	-	1	1	33	33
	All other-----	64	1	2	-	-	-	1	-	-	8	54	54
Female-----	20	1	1	-	-	-	-	-	-	-	18	18	
E901	Excessive cold-----	424	82	11	-	3	1	40	1	2	49	235	235
	Male-----	351	58	10	-	3	-	27	1	-	42	190	190
	Female-----	95	24	1	-	-	1	13	-	2	7	45	45
	White-----	227	38	6	-	2	-	18	1	-	50	132	132
	Female-----	62	19	-	-	-	1	10	-	2	4	26	26
	All other-----	104	20	4	-	1	-	9	-	-	12	58	58
Female-----	31	5	1	-	-	-	3	-	-	3	19	19	
E902	High and low air pressure-----	14	-	-	-	-	-	-	-	-	3	11	11
	Male-----	9	-	-	-	-	-	-	-	-	1	8	8
	Female-----	5	-	-	-	-	-	-	-	-	2	3	3
	White-----	9	-	-	-	-	-	-	-	-	1	8	8
	Female-----	4	-	-	-	-	-	-	-	-	2	2	2
	All other-----	1	-	-	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	-	-	-	-	-	-	-	-	1	

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1969-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident																		
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified									
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)									
E903	Effects of travel and motion	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E904	Hunger, thirst, exposure, and neglect	285	12	3	-	2	-	12	-	2	-	2	16	236							
	Male	192	8	3	-	2	-	8	-	2	-	11	158								
	Female	91	4	-	-	-	-	4	-	-	-	5	78								
	White	126	7	3	-	2	-	6	-	1	-	7	100								
	Female	60	5	-	-	-	-	5	-	-	-	3	51								
	All other	66	1	-	-	-	-	2	-	1	-	4	58								
	Female	31	1	-	-	-	-	1	-	-	-	2	27								
E905	Bites and stings of venomous animals and insects	46	10	7	-	3	-	2	-	-	-	-	26								
	Male	37	7	6	-	3	-	2	-	-	-	-	19								
	Female	11	3	1	-	-	-	-	-	-	-	-	7								
	White	33	6	5	-	3	-	2	-	-	-	-	17								
	Female	7	3	-	-	-	-	-	-	-	-	-	4								
	All other	4	1	1	-	-	-	-	-	-	-	-	2								
	Female	4	-	1	-	-	-	-	-	-	-	-	3								
E906	Other accidents caused by animals	155	32	71	-	-	-	11	3	-	1	9	28								
	Male	121	16	61	-	-	-	10	2	-	1	7	24								
	Female	34	16	10	-	-	-	1	1	-	-	2	4								
	White	112	11	60	-	-	-	10	2	-	1	7	21								
	Female	33	15	10	-	-	-	1	1	-	-	2	4								
	All other	9	5	1	-	-	-	-	-	-	-	-	3								
	Female	1	1	-	-	-	-	-	-	-	-	-	5								
E907	Lightning	131	24	27	-	4	14	8	3	-	-	26	25								
	Male	114	18	26	-	4	13	7	3	-	-	23	20								
	Female	17	6	1	-	-	1	1	-	-	-	3	5								
	White	97	15	24	-	4	12	4	3	-	-	21	14								
	Female	15	5	1	-	-	1	1	-	-	-	3	4								
	All other	17	3	2	-	-	1	3	-	-	-	2	6								
	Female	2	1	-	-	-	-	-	-	-	-	-	1								
E908	Cataclysm	429	105	6	-	1	13	32	1	-	-	58	215								
	Male	213	46	2	-	1	5	22	-	-	-	38	99								
	Female	216	59	4	-	-	8	10	1	-	-	20	114								
	White	176	38	2	-	1	5	22	-	-	-	34	74								
	Female	176	52	2	-	-	8	10	1	-	-	18	85								
	All other	37	8	-	-	-	-	-	-	-	-	4	25								
	Female	40	7	2	-	-	-	-	-	-	-	2	29								
E909	Accidents due to other natural and environmental factors	30	16	-	-	1	1	-	4	-	-	4	4								
	Male	21	9	-	-	1	1	-	3	-	-	4	3								
	Female	9	7	-	-	-	-	-	1	-	-	-	1								
	White	20	8	-	-	1	1	-	3	-	-	4	3								
	Female	9	7	-	-	-	-	-	1	-	-	-	1								
	All other	1	1	-	-	-	-	-	-	-	-	-	-								
	Female	-	-	-	-	-	-	-	-	-	-	-	-								
E910-E929	Other accidents	21,359	4,554	1,601	275	1,440	520	821	484	376	4,470	6,818									
	Male	17,069	3,185	1,508	271	1,415	447	731	402	207	3,961	4,934									
	Female	4,300	1,369	93	4	27	73	90	82	169	509	1,884									
	White	15,777	2,609	1,507	247	1,209	339	609	541	185	3,145	5,786									
	Female	3,414	1,066	85	4	22	83	77	68	147	417	1,475									
	All other	3,282	576	201	24	204	108	122	61	22	816	1,148									
	Female	866	313	6	-	5	10	13	14	22	82	409									
E910	Accidental drowning and submersion	6,181	658	317	74	37	418	50	60	33	3,263	1,271									
	Male	5,149	403	282	70	34	354	43	44	22	2,831	1,066									
	Female	1,032	255	35	4	3	64	7	16	11	432	205									
	White	3,823	348	172	49	23	251	22	37	18	2,155	747									
	Female	864	227	30	4	3	56	7	12	6	356	163									
	All other	1,326	54	110	21	11	105	21	7	4	676	319									
	Female	168	28	5	-	-	8	-	4	5	76	42									
.0	In recreational activities	2,171	37	154	42	2	177	3	20	4	1,413	319									
	Male	1,828	28	141	38	2	149	3	17	2	1,258	291									
	Female	242	9	15	4	-	28	-	3	2	155	28									
	White	1,389	24	76	27	1	112	2	15	2	949	161									
	Female	185	7	10	4	-	23	-	3	1	124	23									
	All other	540	4	65	11	1	37	1	2	-	309	110									
	Female	47	2	3	-	-	5	-	-	1	31	5									
.9	Other and unspecified	4,010	821	163	32	35	241	47	40	29	1,850	952									
	Male	3,220	375	141	32	32	205	40	27	20	1,573	775									
	Female	790	246	22	-	3	36	7	13	9	277	177									
	White	2,434	325	96	22	22	139	20	22	16	1,206	566									
	Female	669	220	20	-	3	33	7	9	5	232	140									
	All other	786	50	45	10	10	66	20	5	4	567	209									
	Female	121	26	2	-	-	3	-	4	4	45	37									

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1969-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident									
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E811	Inhalation and ingestion of food causing obstruction or suffocation-----	2,641	539	3	-	5	5	71	100	185	39	1,694
	Male-----	1,618	320	2	-	3	4	50	67	91	31	1,050
	Female-----	1,023	219	1	-	2	1	21	33	94	8	644
	White-----	1,513	247	2	-	3	4	41	62	85	25	845
	Female-----	825	167	1	-	1	1	20	33	87	7	508
	All other-----	305	73	-	-	-	-	9	5	8	6	204
Female-----	198	52	-	-	1	-	1	-	7	1	136	
E812	Inhalation and ingestion of other object causing obstruction or suffocation-----	1,071	116	2	-	8	-	85	10	21	7	822
	Male-----	644	69	2	-	8	-	61	7	13	7	477
	Female-----	427	47	-	-	-	-	24	3	8	-	345
	White-----	521	58	2	-	5	-	51	6	12	7	380
	Female-----	339	35	-	-	-	-	21	3	8	-	272
	All other-----	123	11	-	-	3	-	10	1	1	-	97
Female-----	88	12	-	-	-	-	3	-	-	-	73	
E813	Accidental mechanical suffocation-----	1,322	704	51	11	74	3	35	12	25	78	329
	Male-----	828	457	49	11	71	3	33	8	13	69	214
	Female-----	394	247	2	-	3	-	2	4	12	9	115
	White-----	768	371	45	10	60	3	28	8	13	64	166
	Female-----	282	171	2	-	3	-	2	3	10	6	85
	All other-----	160	86	4	1	11	-	5	-	-	5	49
Female-----	112	76	-	-	-	-	-	1	2	3	30	
.0	In bed or cradle-----	515	371	-	-	-	-	-	2	9	10	123
	Male-----	292	212	-	-	-	-	-	1	4	5	70
	Female-----	223	159	-	-	-	-	-	1	5	5	53
	White-----	220	162	-	-	-	-	-	1	4	5	50
	Female-----	157	109	-	-	-	-	-	1	3	4	40
	All other-----	72	50	-	-	-	-	-	-	-	2	20
Female-----	66	50	-	-	-	-	-	-	2	1	13	
.9	Other and unspecified-----	607	333	51	11	74	3	35	10	16	68	206
	Male-----	656	245	49	11	71	3	35	7	9	64	144
	Female-----	171	88	2	-	3	-	2	3	7	4	62
	White-----	548	209	45	10	60	3	28	7	9	61	116
	Female-----	125	62	2	-	3	-	2	2	7	2	45
	All other-----	88	36	4	1	11	-	5	-	-	3	28
Female-----	46	26	-	-	-	-	-	1	-	2	17	
E814	Foreign body accidentally entering eye and adnexa-----	1	-	-	-	-	-	-	-	-	1	-
	Male-----	1	-	-	-	-	-	-	-	-	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	White-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	All other-----	1	-	-	-	-	-	-	-	-	1	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	
E815	Foreign bodies accidentally entering other orifices-----	86	11	-	-	-	-	-	1	10	-	64
	Male-----	53	7	-	-	-	-	-	1	5	-	40
	Female-----	33	4	-	-	-	-	-	-	5	-	24
	White-----	44	7	-	-	-	-	-	1	5	-	31
	Female-----	25	3	-	-	-	-	-	-	5	-	17
	All other-----	9	-	-	-	-	-	-	-	-	-	9
Female-----	8	1	-	-	-	-	-	-	-	-	7	
E816	Struck accidentally by falling objects-----	1,271	251	133	84	323	14	91	33	4	205	135
	Male-----	1,225	222	132	84	320	13	88	31	3	199	133
	Female-----	46	29	1	-	3	1	3	2	1	4	2
	White-----	1,051	190	121	83	276	12	75	29	3	157	105
	Female-----	41	26	1	-	3	-	3	2	1	4	1
	All other-----	174	32	11	1	44	1	13	2	-	42	28
Female-----	5	5	-	-	-	1	-	-	-	-	1	
E817	Striking against or struck accidentally by objects-----	997	196	217	20	224	14	59	34	20	123	90
	Male-----	871	134	202	20	224	10	54	26	11	113	77
	Female-----	126	62	15	-	-	4	5	8	9	10	13
	White-----	747	116	185	20	180	10	49	23	8	96	60
	Female-----	111	56	13	-	-	3	3	6	8	9	13
	All other-----	124	18	17	-	44	-	5	3	3	17	17
Female-----	15	6	2	-	-	1	2	2	1	1	-	
E818	Caught accidentally in or between objects-----	532	43	106	31	195	6	22	13	4	50	62
	Male-----	516	39	104	31	195	6	20	13	1	48	60
	Female-----	16	5	2	-	-	-	2	-	3	2	2
	White-----	466	37	95	31	174	6	18	11	1	42	51
	Female-----	12	4	2	-	-	-	1	-	2	1	2
	All other-----	50	1	9	-	21	-	2	2	-	6	9
Female-----	4	1	-	-	-	-	1	-	1	1	-	
E819	Overexertion and strenuous movements-----	20	-	-	-	1	1	-	1	-	-	17
	Male-----	18	-	-	-	1	1	-	1	-	-	15
	Female-----	2	-	-	-	-	-	-	-	-	-	2
	White-----	14	-	-	-	1	1	-	-	-	-	12
	Female-----	2	-	-	-	-	-	-	-	-	-	2
	All other-----	4	-	-	-	-	-	-	1	-	-	3
Female-----	-	-	-	-	-	-	-	-	-	-	-	

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex:
United States, 1969-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident										
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)	
E820	Accident caused by cutting or piercing instrument-----	158	76	12	-	14	1	6	6	1	12	28	
	Male-----	123	56	11	-	13	1	5	6	1	9	22	
	Female-----	33	20	1	-	1	-	1	-	-	4	6	
	White-----	92	41	11	-	11	1	3	5	1	7	12	
	Female-----	17	11	1	-	-	-	-	-	-	2	3	
	All other-----	31	15	-	-	2	-	2	1	-	1	10	
	Female-----	16	9	-	-	1	-	1	-	-	2	3	
	Powered hand tool-----	15	9	3	-	-	-	-	-	-	-	-	3
	Male-----	14	8	3	-	-	-	-	-	-	-	-	3
	Female-----	1	1	-	-	-	-	-	-	-	-	-	-
	White-----	13	8	3	-	-	-	-	-	-	-	-	2
	Female-----	1	1	-	-	-	-	-	-	-	-	-	-
	All other-----	1	-	-	-	-	-	-	-	-	-	-	1
Female-----	-	-	-	-	-	-	-	-	-	-	-	-	
Other hand tools-----	31	15	3	-	1	-	1	-	-	2	9		
Male-----	23	11	2	-	1	-	-	-	-	1	8		
Female-----	8	4	1	-	-	-	1	-	-	1	1		
White-----	14	8	2	-	-	-	-	-	-	1	3		
Female-----	3	1	1	-	-	-	-	-	-	1	-		
All other-----	9	3	-	-	1	-	-	-	-	-	5		
Female-----	5	3	-	-	-	-	1	-	-	-	1		
Other machinery-----	14	-	3	-	7	-	1	1	-	1	1		
Male-----	14	-	3	-	7	-	1	1	-	1	1		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
White-----	13	-	3	-	6	-	1	1	-	1	1		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
All other-----	1	-	-	-	1	-	-	-	-	-	-		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
Other-----	73	44	3	-	3	1	2	4	-	5	11		
Male-----	57	31	3	-	3	1	2	4	-	4	9		
Female-----	16	13	-	-	-	-	-	-	-	1	2		
White-----	42	21	3	-	3	1	2	3	-	3	6		
Female-----	10	9	-	-	-	-	-	-	-	-	1		
All other-----	15	10	-	-	-	-	-	1	-	1	3		
Female-----	6	4	-	-	-	-	-	-	-	1	1		
Unspecified-----	23	8	-	-	3	-	2	1	1	4	4		
Male-----	15	6	-	-	2	-	2	1	1	2	1		
Female-----	8	2	-	-	1	-	-	-	-	2	3		
White-----	10	4	-	-	2	-	-	1	1	2	2		
Female-----	3	-	-	-	-	-	-	-	-	1	2		
All other-----	5	2	-	-	1	-	2	-	-	1	1		
Female-----	5	2	-	-	-	-	-	-	-	1	1		
E921	Accident caused by explosion of pressure vessel-----	77	14	2	-	30	1	1	11	3	8	7	
	Male-----	70	9	2	-	30	1	1	11	3	7	6	
	Female-----	7	5	-	-	-	-	-	-	-	1	1	
	White-----	57	9	2	-	24	1	1	6	1	6	5	
	Female-----	6	5	-	-	-	-	-	-	-	-	1	
	All other-----	13	-	-	-	6	-	-	3	2	1	1	
	Female-----	1	-	-	-	-	-	-	-	-	1	-	
	Boiler-----	35	13	-	-	8	1	-	2	3	3	5	
	Male-----	28	8	-	-	8	1	-	2	3	2	4	
	Female-----	7	5	-	-	-	-	-	-	-	1	1	
	White-----	22	8	-	-	6	1	-	1	1	2	3	
	Female-----	6	5	-	-	-	-	-	-	-	-	1	
	All other-----	6	-	-	-	2	-	-	1	2	-	1	
Female-----	1	-	-	-	-	-	-	-	-	1	-		
Gas cylinder-----	11	-	1	-	5	-	1	2	-	1	1		
Male-----	11	-	1	-	5	-	1	2	-	1	1		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
White-----	10	-	1	-	4	-	1	2	-	1	1		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
All other-----	1	-	-	-	1	-	-	-	-	-	-		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
Other-----	31	1	1	-	17	-	-	7	-	4	1		
Male-----	31	1	1	-	17	-	-	7	-	4	1		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
White-----	25	1	1	-	14	-	-	5	-	3	1		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
All other-----	6	-	-	-	3	-	-	2	-	1	-		
Female-----	-	-	-	-	-	-	-	-	-	-	-		
E922	Accident caused by firearm missile-----	2,309	1,045	180	1	20	12	105	88	4	320	534	
	Male-----	2,004	847	171	1	19	12	96	82	3	304	469	
	Female-----	305	198	9	-	1	-	9	6	1	16	65	
	White-----	1,566	649	159	1	17	12	65	59	2	271	330	
	Female-----	205	135	9	-	1	-	6	2	1	10	41	
	All other-----	438	198	12	-	2	-	30	23	1	33	139	
	Male-----	100	63	-	-	-	-	3	4	-	6	24	
	Female-----	-	-	-	-	-	-	-	-	-	-	-	

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1969-Con.

[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident											
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified		
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)		
	Accident caused by firearm missile-Con.													
.0	Accidentally self-inflicted-----	568	334	48	-	6	4	21	29	-	69	59		
	Male----	536	310	45	-	6	4	21	29	-	64	57		
	Female--	32	24	3	-	-	-	-	-	-	4	1		
	White--Male----	455	250	42	-	6	4	18	23	-	59	53		
	Female--	26	19	3	-	-	-	-	-	-	3	1		
	All other--Male----	81	60	3	-	-	-	3	6	-	5	4		
	Female--	6	5	-	-	-	-	-	-	-	1	-		
.9	Other and unspecified-----	1,741	711	132	1	14	8	84	59	4	252	476		
	Male----	1,468	537	128	1	13	8	75	53	3	240	412		
	Female--	273	174	6	-	1	-	9	6	1	12	64		
	White--Male----	1,111	399	117	1	11	8	48	36	2	212	277		
	Female--	179	116	6	-	2	-	6	2	1	7	40		
	All other--Male----	357	158	9	-	2	-	27	17	1	28	135		
	Female--	34	58	-	-	-	-	3	4	-	5	24		
E923	Accident caused by explosive material-----	553	231	23	7	148	2	14	33	3	58	36		
	Male----	442	141	23	7	138	2	14	30	2	54	31		
	Female--	111	90	-	-	8	-	-	3	1	4	5		
	White--Male----	390	115	19	7	124	2	11	27	1	49	25		
	Female--	89	71	-	-	6	-	-	2	1	4	5		
	All other--Male----	62	26	4	-	14	-	3	3	1	5	6		
	Female--	22	19	-	-	2	-	-	1	-	-	-		
.0	Fireworks-----	7	2	-	-	4	-	-	-	-	-	1		
	Male----	4	2	-	-	1	-	-	-	-	-	1		
	Female--	3	-	-	-	3	-	-	-	-	-	-		
	White--Male----	4	2	-	-	1	-	-	-	-	-	1		
	Female--	2	-	-	-	2	-	-	-	-	-	-		
	All other--Male----	-	-	-	-	1	-	-	-	-	-	-		
	Female--	1	-	-	-	-	-	-	-	-	-	-		
.1	Blasting material-----	23	3	6	4	1	-	1	-	-	6	2		
	Male----	23	3	6	4	1	-	1	-	-	6	2		
	Female--	-	-	-	-	-	-	-	-	-	-	-		
	White--Male----	21	3	5	4	1	-	1	-	-	6	1		
	Female--	-	-	-	-	-	-	-	-	-	-	-		
	All other--Male----	2	-	1	-	-	-	-	-	-	-	1		
	Female--	-	-	-	-	-	-	-	-	-	-	-		
.2	Explosive gas-----	299	157	10	2	46	1	11	21	2	29	20		
	Male----	227	92	10	2	46	1	11	19	2	27	17		
	Female--	72	65	-	-	-	-	-	2	-	2	3		
	White--Male----	198	77	8	2	45	1	9	16	1	25	14		
	Female--	60	54	-	-	-	-	-	1	-	2	3		
	All other--Male----	29	15	2	-	1	-	2	3	1	2	3		
	Female--	12	11	-	-	-	-	-	1	-	-	-		
.8	Other-----	84	24	1	-	35	-	-	4	-	14	6		
	Male----	75	15	1	-	34	-	-	3	-	14	6		
	Female--	11	9	-	-	1	-	-	1	-	-	-		
	White--Male----	58	9	1	-	29	-	-	3	-	12	4		
	Female--	9	7	-	-	1	-	-	1	-	-	-		
	All other--Male----	15	6	-	-	5	-	-	-	-	2	2		
	Female--	2	2	-	-	-	-	-	-	-	-	-		
.9	Unspecified-----	140	45	6	1	60	1	2	8	1	9	7		
	Male----	115	29	6	1	56	1	2	8	-	7	5		
	Female--	25	15	-	-	4	-	-	1	-	2	2		
	White--Male----	99	24	5	1	48	1	1	8	-	6	5		
	Female--	18	10	-	-	3	-	-	1	-	2	2		
	All other--Male----	16	5	1	-	8	-	1	-	-	1	-		
	Female--	7	6	-	-	1	-	-	-	-	-	-		
E924	Accident caused by hot substance, corrosive liquid, and steam-----	288	173	-	-	34	-	4	7	35	5	20		
	Male----	160	83	-	-	34	-	4	4	17	3	15		
	Female--	128	90	-	-	-	-	-	3	18	2	15		
	White--Male----	112	54	-	-	26	-	2	4	17	2	7		
	Female--	90	62	-	-	-	-	-	2	13	2	11		
	All other--Male----	48	29	-	-	8	-	2	-	-	1	8		
	Female--	38	28	-	-	-	-	-	1	5	-	4		
E925	Accident caused by electric current-----	1,148	318	71	6	146	13	134	49	3	137	271		
	Male----	1,094	276	70	6	144	12	134	48	3	135	266		
	Female--	54	42	1	-	2	1	-	1	-	2	5		
	White--Male----	1,010	259	63	6	131	11	124	43	3	131	239		
	Female--	51	39	1	-	2	1	-	1	-	2	5		
	All other--Male----	84	17	7	-	13	1	10	5	-	4	27		
	Female--	3	3	-	-	-	-	-	-	-	-	-		
.0	Home wiring and appliance-----	222	222	-	-	-	-	-	-	-	-	-		
	Male----	189	189	-	-	-	-	-	-	-	-	-		
	Female--	33	33	-	-	-	-	-	-	-	-	-		
	White--Male----	180	180	-	-	-	-	-	-	-	-	-		
	Female--	31	31	-	-	-	-	-	-	-	-	-		
	All other--Male----	9	9	-	-	-	-	-	-	-	-	-		
	Female--	2	2	-	-	-	-	-	-	-	-	-		

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-31

Table 4-5. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex:
United States, 1969-Con.[Includes each three-digit category and selected fourth-digit subcategories from E850 to E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965.
Numbers after places of accident are special fifth-digit subcategory codes]

Eighth Revision number	Cause of death, color, and sex	Total deaths	Place of accident																	
			Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified								
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)								
.1	Accident caused by electric current--Con.																			
	Industrial wiring and appliance-----	152	-	-	6	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male-----	150	-	-	6	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----	137	-	-	6	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other--	13	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
.8	Other-----	653	96	71	-	-	13	134	49	3	137	150								
	Male-----	637	87	70	-	-	12	134	48	3	135	148								
	Female-----	16	9	1	-	-	1	-	1	-	2	2								
	White-----	588	79	63	-	-	11	124	43	3	131	134								
	Female-----	15	8	1	-	-	1	-	1	-	2	2								
	All other--	49	8	7	-	-	1	10	5	-	4	14								
Female-----	1	1	-	-	-	-	-	-	-	-	-									
.9	Unspecified-----	121	-	-	-	-	-	-	-	-	-	121								
	Male-----	118	-	-	-	-	-	-	-	-	-	118								
	Female-----	3	-	-	-	-	-	-	-	-	-	3								
	White-----	105	-	-	-	-	-	-	-	-	-	105								
	Female-----	3	-	-	-	-	-	-	-	-	-	3								
	All other--	13	-	-	-	-	-	-	-	-	-	13								
Female-----	-	-	-	-	-	-	-	-	-	-	-									
E926	Accident caused by radiation-----	-	-	-	-	-	-	-	-	-	-	-								
Male-----	-	-	-	-	-	-	-	-	-	-	-	-								
Female-----	-	-	-	-	-	-	-	-	-	-	-	-								
White-----	-	-	-	-	-	-	-	-	-	-	-	-								
Female-----	-	-	-	-	-	-	-	-	-	-	-	-								
All other--	-	-	-	-	-	-	-	-	-	-	-	-								
Male-----	-	-	-	-	-	-	-	-	-	-	-	-								
.0	Nonionizing-----	-	-	-	-	-	-	-	-	-	-	-								
	Male-----	-	-	-	-	-	-	-	-	-	-	-								
	Female-----	-	-	-	-	-	-	-	-	-	-	-								
	White-----	-	-	-	-	-	-	-	-	-	-	-								
	Female-----	-	-	-	-	-	-	-	-	-	-	-								
	All other--	-	-	-	-	-	-	-	-	-	-	-								
Male-----	-	-	-	-	-	-	-	-	-	-	-									
Female-----	-	-	-	-	-	-	-	-	-	-	-									
.1	Ionizing-----	-	-	-	-	-	-	-	-	-	-	-								
	Male-----	-	-	-	-	-	-	-	-	-	-	-								
	Female-----	-	-	-	-	-	-	-	-	-	-	-								
	White-----	-	-	-	-	-	-	-	-	-	-	-								
	Female-----	-	-	-	-	-	-	-	-	-	-	-								
	All other--	-	-	-	-	-	-	-	-	-	-	-								
Male-----	-	-	-	-	-	-	-	-	-	-	-									
Female-----	-	-	-	-	-	-	-	-	-	-	-									
E927	Vehicle accidents not elsewhere classifiable-----	107	5	5	16	26	4	9	1	-	29	12								
	Male-----	97	4	4	18	25	3	8	1	-	24	12								
	Female-----	10	1	1	-	1	1	1	-	-	5	-								
	White-----	92	2	4	16	23	3	8	1	-	24	11								
	Female-----	10	1	1	-	1	1	1	-	-	5	-								
	All other--	5	2	-	-	2	-	-	-	-	-	1								
Male-----	-	-	-	-	-	-	-	-	-	-	-									
Female-----	-	-	-	-	-	-	-	-	-	-	-									
E928	Machinery accidents not elsewhere classifiable-----	946	69	467	16	113	13	77	3	2	93	93								
	Male-----	903	61	442	16	111	12	75	3	2	90	91								
	Female-----	43	8	25	-	2	1	2	-	-	3	2								
	White-----	820	60	416	15	95	10	70	3	1	75	75								
	Female-----	39	7	24	-	1	1	2	-	-	3	1								
	All other--	63	1	26	1	16	2	5	-	1	15	16								
Male-----	4	1	1	-	1	-	-	-	-	-	1									
Female-----	-	-	-	-	-	-	-	-	-	-	-									
E929	Other and unspecified accidents-----	1,653	105	12	9	44	13	56	22	23	44	1,323								
	Male-----	1,143	58	12	9	43	13	45	19	17	37	890								
	Female-----	510	47	-	-	1	-	13	3	6	7	433								
	White-----	901	45	11	9	36	12	40	14	16	34	694								
	Female-----	406	36	-	-	1	-	11	2	5	5	345								
	All other--	242	13	1	-	7	1	5	5	1	3	206								
Male-----	104	11	-	-	-	-	2	1	1	1	88									
Female-----	-	-	-	-	-	-	-	-	-	-	-									

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision, International Classification

Place of accident, race, and sex		Total	Under 1 year	1 year	2-3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	All nontransport accidents (E850-E929)-----	52,651	1,992	944	1,346	457	4,739	1,761	1,978	3,423
2	Male-----	34,597	1,131	518	833	292	2,774	1,201	1,571	2,943
3	Female-----	18,054	861	426	513	165	1,965	560	407	480
4	White-----	28,304	806	365	635	217	2,023	864	1,182	2,268
5	Female-----	15,377	540	296	342	117	1,296	400	299	354
6	Negro-----	5,751	308	141	181	64	694	294	356	619
7	Female-----	2,506	308	123	164	46	641	150	100	113
8	Other races--Male-----	542	17	12	17	11	57	23	23	58
9	Female-----	171	13	7	7	2	29	10	8	13
10	Home ¹ (.0)-----	20,822	1,069	658	881	272	2,879	767	566	899
11	Male-----	11,638	604	369	518	165	1,654	454	429	503
12	Female-----	9,184	464	289	363	107	1,225	313	157	196
13	White-----	9,397	426	242	370	109	1,147	320	348	400
14	Female-----	7,626	284	168	250	73	775	199	110	140
15	Negro-----	2,073	170	117	138	48	473	125	76	89
16	Female-----	1,477	170	98	129	35	429	108	45	50
17	Other races--Male-----	168	8	10	10	6	34	9	5	14
18	Female-----	81	10	5	5	1	21	6	2	6
19	Farm ² (.1)-----	1,954	-	19	36	22	77	105	195	227
20	Male-----	1,832	-	14	28	16	58	90	183	215
21	Female-----	122	-	5	8	6	19	15	12	12
22	White-----	1,608	-	14	26	15	55	74	146	165
23	Female-----	108	-	5	7	5	17	14	12	9
24	Negro-----	212	-	-	2	1	3	14	36	49
25	Female-----	10	-	-	1	-	1	1	-	3
26	Other races--Male-----	17	-	-	-	-	-	2	1	1
27	Female-----	3	-	-	-	1	1	-	-	-
28	Mine and quarry (.2)-----	501	-	-	1	-	1	8	14	38
29	Male-----	297	-	-	1	-	1	7	13	36
30	Female-----	4	-	-	-	-	-	1	1	2
31	White-----	273	-	-	1	-	1	3	8	29
32	Female-----	4	-	-	-	-	-	1	1	2
33	Negro-----	23	-	-	-	-	-	3	5	7
34	Female-----	-	-	-	-	-	-	-	-	-
35	Other races--Male-----	1	-	-	-	-	-	1	-	-
36	Female-----	-	-	-	-	-	-	-	-	-
37	Industrial places (.3)-----	2,192	-	-	5	2	7	21	25	148
38	Male-----	2,140	-	-	4	2	6	20	23	136
39	Female-----	52	-	-	1	-	1	1	2	10
40	White-----	1,848	-	-	3	2	5	17	18	114
41	Female-----	36	-	-	1	-	1	1	2	7
42	Negro-----	270	-	-	-	-	-	3	5	19
43	Female-----	15	-	-	-	-	-	-	-	2
44	Other races--Male-----	22	-	-	1	-	1	-	-	3
45	Female-----	1	-	-	-	-	-	-	-	1
46	Place for recreation or sport (.4)-----	669	2	6	28	15	51	82	100	147
47	Male-----	569	1	2	21	13	37	71	77	138
48	Female-----	100	1	4	7	2	14	21	23	11
49	White-----	453	1	2	21	10	34	51	56	96
50	Female-----	89	1	2	7	2	12	20	19	9
51	Negro-----	102	-	-	-	2	2	18	19	38
52	Female-----	7	-	2	-	-	2	-	3	2
53	Other races--Male-----	14	-	-	-	1	1	2	2	2
54	Female-----	4	-	-	-	-	-	1	1	-
55	Street and highway (.5)-----	1,915	4	4	10	5	23	27	82	184
56	Male-----	1,566	3	2	8	4	17	18	39	152
57	Female-----	349	1	2	2	1	6	9	13	32
58	White-----	1,313	3	2	6	1	12	14	32	123
59	Female-----	503	1	2	2	1	6	6	10	29
60	Negro-----	230	-	-	2	2	4	4	7	25
61	Female-----	43	-	-	-	-	-	3	3	4
62	Other races--Male-----	23	-	-	-	1	1	-	-	4
63	Female-----	3	-	-	-	-	-	-	-	-
64	Public building (.6)-----	1,398	3	3	11	3	20	19	52	116
65	Male-----	1,131	2	-	8	2	12	16	40	103
66	Female-----	267	1	3	3	1	8	3	12	13
67	White-----	893	2	3	7	2	11	15	23	87
68	Female-----	226	1	3	3	-	7	3	8	7
69	Negro-----	119	-	-	1	-	1	1	11	15
70	Female-----	37	-	-	-	1	1	-	4	5
71	Other races--Male-----	19	-	-	-	-	-	-	-	1
72	Female-----	4	-	-	-	-	-	-	-	1
73	Resident institution (.7)-----	3,397	6	2	3	1	12	7	13	27
74	Male-----	1,440	4	2	3	1	10	6	6	18
75	Female-----	1,957	2	-	-	-	2	1	7	9
76	White-----	1,542	4	2	2	1	9	4	5	14
77	Female-----	1,892	-	-	-	-	-	1	5	8
78	Negro-----	82	-	-	1	-	1	1	1	3
79	Female-----	58	2	-	-	-	2	-	2	-
80	Other races--Male-----	16	-	-	-	-	-	1	-	1
81	Female-----	7	-	-	-	-	-	-	-	1
82	Other specified places (.8)-----	5,593	22	65	135	70	292	410	556	1,067
83	Male-----	4,860	9	43	97	53	202	313	464	992
84	Female-----	733	13	22	38	17	90	97	92	75
85	White-----	3,911	6	42	83	47	178	245	339	764
86	Female-----	606	10	21	31	14	78	80	72	60
87	Negro-----	653	3	1	11	5	20	63	116	211
88	Female-----	113	3	-	6	3	12	17	17	13
89	Other races--Male-----	96	-	-	3	1	4	6	9	17
90	Female-----	14	-	1	1	-	2	1	3	2

SECTION 4 - ACCIDENT MORTALITY

of Accident, Age, Race, and Sex: United States, 1969

of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
2,782	2,079	1,853	1,953	2,382	2,640	2,669	2,923	2,791	2,641	2,655	3,512	4,035	3,358	1,696	473	61	57	1
2,389	1,757	1,512	1,544	1,969	2,023	1,998	2,164	2,013	1,757	1,631	1,682	1,717	1,297	564	145	16	40	2
393	322	321	409	523	617	691	759	778	884	1,224	1,830	2,318	2,061	1,132	328	45	17	3
1,811	1,363	1,155	1,184	1,474	1,635	1,642	1,830	1,723	1,508	1,418	1,554	1,598	1,227	536	134	14	29	4
280	235	238	305	423	513	569	688	741	1,080	1,080	1,682	2,188	1,974	1,077	303	42	11	5
449	363	324	324	361	352	315	311	285	217	191	116	98	58	22	10	2	10	6
96	80	75	99	92	96	102	88	104	138	129	134	113	81	49	18	5	7	7
29	29	33	34	34	31	23	25	32	22	22	12	12	12	6	1	1	1	8
17	7	6	5	8	8	11	6	6	5	5	4	7	6	6	1	1	1	9
710	575	514	626	807	936	1,008	1,134	1,134	1,140	1,351	1,677	1,864	1,464	710	203	28	10	10
529	412	363	403	519	605	615	696	704	691	701	735	754	553	242	59	10	7	11
181	163	151	223	288	331	393	438	430	449	650	942	1,110	911	488	144	18	3	12
414	290	275	310	405	483	497	578	589	588	671	852	683	515	224	52	9	4	13
124	122	110	174	239	279	338	389	388	363	558	852	1,032	859	448	130	15	2	14
110	115	83	87	108	109	105	111	109	93	88	61	61	34	15	7	1	3	15
52	40	36	46	46	49	49	47	68	82	90	87	75	49	20	13	3	1	16
5	7	5	6	6	13	13	7	6	10	8	3	10	4	3	1	1	1	17
5	1	5	1	3	3	6	2	4	4	2	3	3	3	1	1	1	1	18
104	88	81	74	85	93	147	154	143	150	85	71	42	26	4	1	1	3	19
94	82	78	70	81	86	144	147	139	144	85	68	40	22	3	1	1	3	20
10	6	3	4	4	7	3	7	4	6	3	2	2	4	1	1	1	1	21
78	74	67	56	74	74	131	130	134	137	81	63	38	22	3	1	1	1	22
8	6	2	4	4	7	2	6	4	6	3	1	3	3	1	1	1	1	23
16	8	9	13	6	11	12	17	4	6	2	3	1	1	1	1	1	1	24
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25
2	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	26
26	24	21	32	38	30	27	20	17	3	1	1	1	1	1	1	1	1	27
26	24	21	32	38	30	27	20	17	3	1	1	1	1	1	1	1	1	28
28	20	21	32	36	29	27	20	16	3	1	1	1	1	1	1	1	1	29
4	4	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	30
4	4	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	31
4	4	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	32
4	4	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	33
4	4	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	34
4	4	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	35
4	4	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	36
241	231	191	191	220	257	208	223	135	57	23	6	7	2	1	1	1	1	37
238	227	187	189	215	254	202	220	131	55	22	5	7	2	1	1	1	1	38
3	4	4	2	5	3	6	3	4	2	1	1	1	1	1	1	1	1	39
207	204	150	156	183	219	179	194	120	48	19	5	7	2	1	1	1	1	40
3	2	1	3	3	2	3	3	4	2	1	1	1	1	1	1	1	1	41
30	22	33	28	29	33	22	25	11	7	3	1	1	1	1	1	1	1	42
1	1	4	5	3	2	1	1	1	1	1	1	1	1	1	1	1	1	43
1	1	4	5	3	2	1	1	1	1	1	1	1	1	1	1	1	1	44
1	1	4	5	3	2	1	1	1	1	1	1	1	1	1	1	1	1	45
72	34	31	21	20	21	13	17	17	6	6	8	7	5	1	1	1	1	46
67	32	29	20	15	17	10	15	14	6	6	6	6	4	1	1	1	1	47
5	2	2	1	4	3	2	3	3	2	1	1	1	1	1	1	1	1	48
58	25	23	17	13	16	8	15	13	5	6	6	6	4	1	1	1	1	49
4	2	2	1	4	4	3	2	3	2	1	1	1	1	1	1	1	1	50
9	5	4	3	2	2	2	2	2	1	1	1	1	1	1	1	1	1	51
1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	52
1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	53
138	132	111	100	138	125	120	148	125	98	110	102	87	68	23	3	1	3	54
123	121	100	88	125	110	104	129	104	81	78	58	60	42	13	2	1	2	55
13	11	11	12	13	15	16	19	21	17	32	44	27	26	10	1	1	1	56
108	98	78	67	97	89	76	114	93	71	71	55	58	40	13	2	1	2	57
10	8	8	10	11	11	12	18	17	14	29	42	25	26	10	1	1	1	58
15	21	20	19	27	19	28	14	10	7	5	2	2	2	1	1	1	1	59
3	1	3	2	2	3	4	1	4	3	3	2	2	2	1	1	1	1	60
1	2	2	2	1	2	1	1	1	3	2	2	1	1	1	1	1	1	61
1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	62
86	89	80	94	112	96	96	130	111	86	53	64	58	22	12	1	1	1	63
76	77	67	88	100	82	83	108	91	64	34	31	34	17	8	1	1	1	64
10	12	13	6	12	14	13	22	20	19	19	33	24	5	4	1	1	1	65
64	61	53	77	87	76	76	97	87	56	33	28	33	16	7	1	1	1	66
7	10	11	5	8	12	9	19	17	18	18	32	24	5	4	1	1	1	67
11	13	12	11	11	5	7	10	1	6	1	3	1	1	1	1	1	1	68
3	2	2	1	4	2	3	1	3	4	1	1	1	1	1	1	1	1	69
1	3	2	2	2	1	1	1	3	2	2	1	1	1	1	1	1	1	70
1	3	2	2	2	1	1	1	3	2	2	1	1	1	1	1	1	1	71
1	3	2	2	2	1	1	1	3	2	2	1	1	1	1	1	1	1	72
37	20	23	27	47	63	58	85	121	170	275	477	728	685	405	103	12	2	73
27	14	16	20	33	49	32	48	70	95	128	205	270	241	123	26	2	1	74
10	6	7	7	14	14	26	37	51	75	147	278	458	444	292	77	10	1	75
22	11	13	14	24	42	29	42	65	90	114	198	260	236	121	26	2	1	76
8	5	7	6	11	10	26	34	45	66	142	279	450	439	76	10	1	1	77
5	3	3	5															

SECTION 4 - ACCIDENT MORTALITY

Table 4-6. Deaths From Nontransport Accidents, by Place

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision, International Classification]

Place of accident, race, and sex		Total	Under 1 year	1 year	2-3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Place not specified (.9)-----	14,410	887	187	236	67	1,377	305	385	772
2	Male-----	8,124	508	86	145	38	777	206	297	652
3	Female-----	5,286	379	101	91	29	600	99	88	120
4	White-----	7,171	364	61	116	30	571	141	211	476
5	Female-----	4,486	243	75	61	22	401	75	60	84
6	Negro-----	1,787	135	23	26	6	190	62	80	163
7	Female-----	746	133	25	29	7	194	22	26	34
8	Other races-----	166	9	2	3	2	16	3	6	13
9	Female-----	54	3	1	1	-	5	2	2	2

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 4 - ACCIDENT MORTALITY

4-35

of Accident, Age, Race, and Sex: United States, 1969-Con.

of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
730	530	481	505	654	719	737	784	790	794	845	1,060	1,184	1,054	531	161	21	25	1
606	443	379	384	493	519	546	584	565	498	492	526	514	394	170	57	4	16	2
124	87	102	121	161	200	191	200	225	296	351	502	670	680	361	104	17	7	3
429	317	265	256	351	392	431	475	451	407	427	488	485	370	183	53	3	11	4
85	55	73	82	124	167	155	167	193	254	322	469	639	632	330	99	17	3	5
163	119	107	114	128	121	104	100	102	80	57	36	28	19	6	3	1	4	6
31	28	26	37	33	32	32	31	31	41	27	33	28	25	27	5	-	3	7
14	7	7	14	14	6	11	9	12	11	8	4	3	5	1	1	-	1	8
8	4	3	2	4	1	4	2	1	1	2	-	3	3	4	-	-	1	9

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1969

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
United States-----	52,651	20,622	1,954	301	2,192	669	1,915	1,398	3,397	5,593	14,410
Male-----	34,597	11,636	1,832	297	2,140	569	1,566	1,131	1,440	4,860	9,124
Female--	18,054	9,184	122	4	52	100	349	267	1,957	733	5,286
White-----	28,504	9,397	1,603	273	1,848	483	1,313	993	1,342	3,911	7,171
Female--	15,577	7,626	109	4	56	89	303	226	1,892	606	4,486
All other--	6,295	2,241	229	24	292	116	253	138	98	949	1,953
Female--	2,677	1,558	13	-	16	11	46	41	65	127	800
Alabama-----	1,059	539	37	4	58	7	20	8	26	90	470
Male-----	726	197	35	4	58	6	17	5	16	77	311
Female--	333	142	2	-	-	1	3	3	10	13	159
White-----	438	117	20	2	46	3	11	5	13	50	171
Female--	202	74	2	-	-	1	-	2	8	10	106
All other--	286	80	15	2	12	3	6	-	3	27	140
Female--	131	68	-	-	-	-	3	1	2	3	54
Alaska-----	156	48	-	1	8	-	3	1	1	32	42
Male-----	100	27	-	1	8	-	3	1	-	30	30
Female--	56	21	-	-	-	-	-	-	1	2	12
White-----	51	10	-	1	5	-	3	1	-	17	14
Female--	22	13	-	-	-	-	-	-	-	1	8
All other--	49	17	-	-	3	-	-	-	-	13	16
Female--	14	6	-	-	-	-	-	-	1	1	4
Arizona-----	466	168	17	6	11	10	13	16	17	59	151
Male-----	328	92	14	6	10	9	12	11	8	54	112
Female--	140	76	3	-	1	1	1	5	9	5	39
White-----	246	76	12	6	9	8	11	7	6	42	69
Female--	108	64	1	-	1	1	1	3	9	3	26
All other--	82	16	2	-	-	1	1	4	2	12	43
Female--	32	12	2	-	1	-	-	2	-	2	13
Arkansas-----	653	236	26	1	25	5	23	12	14	55	256
Male-----	431	132	24	1	25	5	16	12	6	50	160
Female--	222	104	2	-	-	-	7	8	8	5	96
White-----	330	102	20	-	22	5	10	9	6	41	115
Female--	165	70	1	-	-	-	5	-	6	3	78
All other--	101	30	4	1	3	-	6	3	6	9	45
Female--	59	34	1	-	-	-	2	2	2	2	16
California-----	5,345	2,438	74	4	151	67	259	233	532	530	1,057
Male-----	3,403	1,317	70	4	149	55	203	180	220	465	740
Female--	1,942	1,121	4	-	2	12	56	53	312	65	317
White-----	5,008	1,150	69	4	144	49	160	160	207	408	637
Female--	1,779	1,022	4	-	2	11	52	48	304	58	278
All other--	395	167	1	-	5	6	23	20	13	57	103
Female--	163	99	-	-	-	1	4	5	8	7	39
Colorado-----	604	219	20	16	37	10	24	20	40	58	162
Male-----	394	113	19	15	37	10	20	18	16	43	103
Female--	210	106	1	1	-	-	4	2	24	15	59
White-----	379	109	19	15	36	9	18	16	15	43	99
Female--	205	101	1	1	-	-	4	2	24	13	57
All other--	15	4	-	-	1	1	2	2	1	-	4
Female--	7	5	-	-	-	-	-	-	-	-	2
Connecticut-----	581	227	1	1	24	6	24	12	47	52	197
Male-----	359	110	1	1	24	4	16	10	17	47	129
Female--	232	117	-	-	-	2	8	2	30	5	68
White-----	309	94	1	1	24	3	14	10	17	41	104
Female--	212	104	-	-	-	2	7	2	29	5	63
All other--	50	16	-	-	-	1	2	-	-	6	25
Female--	20	13	-	-	-	-	1	-	1	-	5
Delaware-----	145	52	2	-	9	2	8	3	3	7	79
Male-----	102	22	2	-	9	2	6	2	1	6	52
Female--	43	10	-	-	-	-	2	1	2	1	27
White-----	70	12	2	-	8	1	6	2	1	5	33
Female--	33	7	-	-	-	-	1	1	2	1	21
All other--	52	10	-	-	1	1	1	-	-	1	19
Female--	10	3	-	-	-	-	1	-	-	-	6
District of Columbia-----	288	85	-	-	4	2	16	3	13	21	144
Male-----	200	53	-	-	4	1	13	2	7	15	106
Female--	88	32	-	-	-	1	3	1	6	6	39
White-----	57	11	-	-	-	-	5	2	4	6	29
Female--	43	13	-	-	-	-	3	-	5	1	21
All other--	143	42	-	-	4	1	8	-	3	9	76
Female--	45	19	-	-	-	1	-	1	1	5	18
Florida-----	1,882	819	33	6	59	33	53	55	107	265	450
Male-----	1,257	456	33	8	58	28	47	44	42	229	314
Female--	625	363	-	-	1	7	6	11	65	36	136
White-----	947	352	22	4	46	19	33	41	40	159	231
Female--	499	290	-	-	1	5	5	8	62	25	103
All other--	310	104	11	4	12	7	14	3	2	70	83
Female--	126	73	-	-	-	2	1	3	3	11	33

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-37

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1969-Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Georgia	1,325	571	56	2	5	19	51	29	63	148	332
Male	941	545	54	2	55	16	45	24	28	138	256
Female	384	226	2	-	-	5	4	35	10	96	177
White	595	218	28	1	38	10	23	20	26	84	147
Male	251	142	1	-	-	1	4	2	31	9	61
Female	344	127	26	1	17	6	20	4	2	54	89
All other	135	84	1	-	-	2	4	2	4	1	55
Hawaii	116	33	2	-	7	15	2	4	4	11	40
Male	81	17	2	-	10	10	2	2	2	8	30
Female	35	16	-	-	3	5	-	2	2	2	10
White	19	4	-	-	3	2	1	-	-	4	5
Male	16	3	-	-	-	2	-	2	1	-	3
Female	62	13	2	-	4	9	1	2	2	5	25
All other	19	8	-	-	1	1	-	-	1	2	7
Idaho	265	65	18	2	9	6	9	5	13	32	109
Male	210	39	18	2	9	4	9	5	7	32	85
Female	55	24	-	-	2	2	-	-	6	-	23
White	202	36	17	2	9	4	9	5	7	31	82
Male	51	22	-	-	2	2	-	-	6	-	21
Female	8	3	1	-	-	-	-	-	-	1	3
All other	4	2	-	-	-	-	-	-	-	-	2
Illinois	2,634	1,185	72	17	177	40	123	114	137	250	519
Male	1,824	742	66	16	165	34	103	85	64	213	336
Female	810	443	6	1	12	6	20	29	73	37	185
White	1,439	561	66	16	137	27	63	59	59	169	264
Male	657	327	6	1	6	6	14	23	68	32	174
Female	386	181	-	-	28	7	26	22	5	45	72
All other	153	116	-	-	6	6	6	6	5	5	9
Indiana	1,256	468	61	6	62	16	33	31	53	81	445
Male	822	279	52	6	60	11	30	30	21	69	264
Female	434	189	9	-	2	5	3	1	32	12	181
White	754	260	51	5	51	8	30	26	20	61	242
Male	404	170	9	-	5	2	2	1	32	12	173
Female	98	19	1	1	9	3	-	4	1	8	22
All other	30	19	-	-	2	-	1	-	-	-	8
Iowa	723	281	82	4	29	9	11	13	94	46	154
Male	463	146	75	4	29	8	8	10	39	42	102
Female	260	135	7	-	1	3	3	3	55	4	52
White	455	142	75	4	26	8	8	10	39	42	99
Male	257	133	7	-	1	3	3	3	55	4	51
Female	8	4	-	-	1	-	-	-	-	-	3
All other	3	2	-	-	-	-	-	-	-	-	1
Kansas	643	205	63	3	16	10	25	11	41	43	226
Male	430	136	61	3	16	10	18	7	12	39	128
Female	213	69	2	-	-	-	7	4	29	4	98
White	403	129	61	3	15	9	18	7	12	33	116
Male	202	65	2	-	-	-	7	4	28	4	92
Female	27	7	-	-	1	1	-	-	-	6	12
All other	11	4	-	-	-	-	-	-	1	-	6
Kentucky	1,071	448	59	18	45	6	40	30	50	85	290
Male	731	257	55	18	44	6	33	26	22	78	192
Female	340	191	4	-	1	7	7	4	28	7	98
White	669	253	49	18	42	5	29	25	22	72	174
Male	314	175	4	-	1	7	7	3	28	6	90
Female	62	24	6	-	2	1	4	1	1	6	18
All other	26	16	-	-	-	-	16	1	-	1	8
Louisiana	1,246	435	39	2	63	10	38	12	36	158	453
Male	854	236	38	2	62	9	35	8	16	138	310
Female	392	199	1	-	1	3	3	4	20	20	143
White	504	136	24	1	41	6	24	7	16	86	163
Male	229	105	1	-	1	2	2	2	18	11	88
Female	350	100	14	1	21	3	11	1	2	52	147
All other	163	94	-	-	-	1	2	2	2	9	55
Maine	282	85	6	-	15	1	7	8	4	27	109
Male	173	56	5	-	14	1	5	8	2	23	89
Female	89	29	1	-	1	-	2	-	2	4	50
White	171	55	5	-	14	1	5	8	2	23	59
Male	89	29	1	-	1	1	2	-	2	4	50
Female	2	1	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-
Maryland	806	369	20	1	30	8	33	24	40	79	202
Male	555	232	17	1	26	7	24	21	19	71	137
Female	251	137	3	-	4	1	9	3	21	8	65
White	408	171	14	1	16	5	22	18	17	52	92
Male	194	101	3	-	3	2	7	3	20	7	49
Female	147	61	3	-	10	2	2	3	2	19	45
All other	57	36	-	-	1	-	2	-	1	1	16
Massachusetts	1,578	678	6	-	42	12	50	46	182	155	407
Male	893	336	6	-	41	9	38	41	75	131	216
Female	685	342	-	-	1	3	12	5	107	24	181
White	843	322	6	-	39	7	38	37	75	122	197
Male	666	337	-	-	1	3	12	5	106	19	163
Female	50	14	-	-	2	2	-	4	-	9	19
All other	19	5	-	-	-	-	-	-	1	5	8

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1969-Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Michigan	1,983	805	68	10	76	16	69	42	97	258	540
Male	1,328	484	63	10	76	14	56	36	48	223	316
Female	655	321	5	-	2	2	11	6	49	35	224
White	1,105	590	62	9	66	12	49	28	44	177	266
Male	579	278	5	-	1	2	9	3	48	29	204
All other	225	94	1	1	10	2	9	8	4	45	50
Female	76	43	-	-	1	-	2	3	1	6	20
Minnesota	1,011	367	76	1	37	14	40	52	131	105	206
Male	659	211	70	1	35	10	32	28	54	92	130
Female	352	156	6	-	2	4	8	6	77	23	70
White	649	208	70	1	34	10	31	26	54	60	135
Male	345	151	6	-	2	4	8	6	77	22	69
All other	10	3	-	-	1	-	1	-	-	2	3
Female	7	5	-	-	-	-	-	-	-	1	1
Mississippi	1,033	367	60	3	36	11	19	9	25	108	397
Male	664	205	54	3	36	10	18	9	13	92	224
Female	369	162	6	-	-	1	1	-	12	14	173
White	542	89	19	2	24	5	13	5	13	48	124
Male	185	53	2	-	-	1	-	-	11	5	111
All other	322	116	35	1	12	5	5	4	-	44	100
Female	186	109	4	-	-	-	1	-	1	9	62
Missouri	1,368	573	88	7	42	14	37	53	109	132	333
Male	894	310	85	6	41	11	31	26	45	117	222
Female	474	263	3	1	1	3	6	7	64	15	111
White	764	260	82	5	37	7	27	24	40	94	188
Male	413	221	3	1	1	2	5	7	61	14	98
All other	130	50	3	1	4	4	4	2	5	23	34
Female	61	42	-	-	-	1	1	-	3	1	13
Montana	258	94	20	3	13	5	8	9	29	17	60
Male	181	51	19	3	13	5	8	7	14	17	44
Female	77	43	1	-	-	-	-	2	15	-	16
White	170	45	19	3	12	5	7	7	14	17	43
Male	73	39	1	-	-	-	-	2	15	-	16
All other	11	8	-	-	1	-	1	-	-	-	1
Female	4	4	-	-	-	-	-	-	-	-	-
Nebraska	407	156	58	2	18	2	17	7	66	29	52
Male	260	93	55	2	17	2	13	4	17	25	32
Female	147	63	3	-	1	-	4	3	49	4	20
White	250	91	54	2	16	2	12	4	17	23	29
Male	144	62	3	-	1	-	3	3	49	4	19
All other	10	2	1	-	1	-	1	-	-	2	3
Female	5	1	-	-	-	-	1	-	-	-	1
Nevada	166	56	4	1	3	3	3	6	5	37	48
Male	110	30	4	1	3	3	3	5	3	33	25
Female	56	26	-	-	-	-	-	1	2	4	23
White	94	25	3	1	3	3	3	5	3	27	21
Male	44	20	-	-	-	-	-	1	2	4	17
All other	16	5	1	-	-	-	-	-	-	6	4
Female	12	6	-	-	-	-	-	-	-	-	6
New Hampshire	158	68	1	-	9	4	4	4	18	18	34
Male	105	38	1	-	9	5	4	3	8	15	24
Female	53	29	-	-	-	1	-	1	10	3	10
White	105	38	1	-	9	5	4	3	8	15	24
Male	52	28	-	-	-	1	-	1	10	3	9
All other	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1
New Jersey	1,514	709	9	-	70	17	64	44	127	150	324
Male	905	347	8	-	67	16	52	32	48	129	206
Female	609	362	1	-	3	1	12	12	79	21	118
White	897	270	4	-	94	10	38	31	42	88	150
Male	521	310	1	-	3	1	11	10	75	18	92
All other	208	77	4	-	13	6	14	1	6	31	58
Female	88	52	-	-	-	-	1	2	4	3	26
New Mexico	359	133	20	14	5	3	14	15	9	35	111
Male	255	84	19	14	5	3	12	13	4	32	69
Female	104	49	1	-	-	-	2	2	5	3	42
White	213	73	16	14	5	2	10	12	4	25	52
Male	92	44	1	-	-	-	2	2	5	2	36
All other	42	11	3	-	-	-	1	1	-	7	17
Female	12	5	-	-	-	-	-	-	-	1	6
New York	3,291	1,271	66	5	87	41	143	96	306	280	1,016
Male	1,985	638	62	4	87	37	105	72	124	228	628
Female	1,306	633	4	1	-	4	38	24	182	32	388
White	1,720	543	59	2	79	34	100	66	116	202	519
Male	1,198	578	4	1	-	4	33	24	178	30	348
All other	265	95	3	2	8	3	5	8	8	26	109
Female	108	55	-	-	-	-	-	-	6	2	40
North Carolina	1,374	445	87	4	50	28	51	27	31	159	312
Male	945	283	81	4	47	25	26	22	17	149	322
Female	429	162	6	-	3	3	5	5	14	11	190
White	826	175	48	4	36	14	19	17	13	90	210
Male	294	123	4	-	-	3	4	3	14	8	130
All other	319	78	35	-	11	11	7	5	4	58	112
Female	135	64	2	-	3	-	1	2	-	5	60

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

4-39

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1969-Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision, International Classification of Diseases, Adapted, 1965. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
North Dakota	186	71	28	1	6	3	6	5	17	21	28
Male	141	49	28	1	6	3	5	4	9	19	17
Female	45	22	-	-	-	-	1	1	8	2	11
White	127	45	26	1	6	3	2	4	9	15	16
Male	41	21	-	-	-	-	1	1	8	1	9
Female	14	6	-	-	-	-	3	-	-	4	1
All other	4	1	-	-	-	-	-	-	-	1	2
Ohio	2,729	1,206	95	20	157	52	89	67	204	252	607
Male	1,699	842	90	20	154	43	66	55	85	223	541
Female	1,030	564	5	-	3	9	23	12	119	29	266
White	1,482	544	89	19	120	37	55	46	78	164	310
Male	948	507	5	-	2	9	22	12	115	24	252
Female	217	98	1	1	14	6	11	9	7	39	31
All other	82	57	-	-	1	1	1	-	4	5	14
Oklahoma	746	185	51	2	22	10	15	18	16	59	590
Male	478	109	26	2	22	9	11	14	7	44	254
Female	268	76	5	-	-	1	2	4	9	15	156
White	412	86	28	2	20	8	11	15	6	39	201
Male	230	65	5	-	-	1	2	4	9	10	136
Female	65	23	-	-	2	1	-	1	1	5	33
All other	38	13	-	-	-	-	-	-	-	5	20
Oregon	548	191	24	1	27	14	28	19	32	97	115
Male	395	116	24	1	27	13	23	17	17	87	68
Female	155	75	-	-	-	1	5	2	15	10	47
White	376	113	24	1	24	12	23	17	17	81	64
Male	151	74	-	-	-	1	4	1	15	8	47
Female	17	3	-	-	3	1	-	-	-	6	4
All other	4	1	-	-	-	-	1	1	-	1	-
Pennsylvania	2,732	1,039	78	28	155	23	113	55	133	292	616
Male	1,755	570	69	28	150	19	97	44	56	240	462
Female	997	469	7	-	5	4	16	11	77	52	356
White	1,468	475	68	28	134	18	83	40	49	206	567
Male	886	401	7	-	5	2	14	9	75	45	328
Female	287	95	1	-	16	1	14	4	7	34	95
All other	111	68	-	-	-	2	2	2	2	7	28
Rhode Island	185	83	-	-	8	2	9	3	27	12	41
Male	113	45	-	-	7	2	9	1	16	12	23
Female	72	40	-	-	1	-	-	2	11	-	18
White	103	42	-	-	5	2	8	1	15	11	19
Male	70	39	-	-	1	-	-	2	11	-	17
Female	10	1	-	-	2	-	1	-	1	1	4
All other	2	1	-	-	-	-	-	-	-	-	1
South Carolina	794	323	43	3	29	16	25	11	20	83	241
Male	556	191	42	3	29	15	24	9	7	79	187
Female	238	132	1	-	-	1	1	2	13	4	84
White	230	105	17	2	24	8	12	6	2	39	75
Male	134	69	-	-	-	1	1	1	11	2	49
Female	266	86	25	1	5	7	12	3	5	40	82
All other	104	63	1	-	-	-	-	1	2	2	35
South Dakota	224	66	23	2	10	4	10	4	12	24	69
Male	165	39	22	2	10	3	8	2	7	22	50
Female	59	27	1	-	-	1	2	2	5	2	19
White	139	28	22	2	9	3	8	2	7	15	43
Male	52	25	1	-	-	1	1	1	5	2	16
Female	26	11	-	-	1	-	-	-	7	7	7
All other	7	2	-	-	-	-	1	1	-	-	5
Tennessee	1,031	494	54	8	41	15	39	27	48	82	223
Male	673	264	54	8	41	12	35	25	19	72	143
Female	359	230	-	-	-	3	4	2	29	10	80
White	535	200	49	5	33	9	27	21	17	61	113
Male	281	173	-	-	-	3	4	2	28	10	61
Female	188	54	5	3	8	3	8	4	2	11	30
All other	77	57	-	-	-	-	-	-	1	-	19
Texas	3,007	1,000	114	7	155	39	97	64	122	527	895
Male	2,044	581	102	7	150	32	74	51	57	442	548
Female	963	419	12	-	3	6	13	13	65	85	347
White	1,705	454	92	6	129	28	66	49	55	365	459
Male	795	321	11	-	3	6	15	7	64	66	304
Female	341	127	10	1	21	4	8	2	7	7	89
All other	168	98	1	-	-	-	-	6	1	19	45
Utah	248	80	11	1	10	5	11	12	14	45	61
Male	181	46	11	1	10	4	11	11	4	39	44
Female	67	34	-	-	-	-	-	1	10	4	17
White	175	45	10	1	10	3	11	11	4	38	42
Male	68	34	-	-	-	-	-	1	10	4	17
Female	6	1	1	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	-
Vermont	103	53	10	2	3	1	7	5	7	12	23
Male	75	18	9	2	3	1	6	5	5	11	15
Female	28	15	1	-	-	-	1	-	2	1	8
White	75	18	9	2	3	1	6	5	5	11	15
Male	28	15	1	-	-	-	1	-	2	1	8
Female	28	15	1	-	-	-	6	5	2	1	8
All other	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

SECTION 4 - ACCIDENT MORTALITY

Table 4-7. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1969-Con.

[Deaths are those assigned to category numbers E850-E929 of the Eighth Revision, International Classification of Diseases; Adapted, 1985. Numbers after places of accident are special fifth-digit subcategory codes]

Area, color, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial places	Place for recreation or sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Virginia-----	1,445	608	59	18	66	9	49	38	90	150	358
Male-----	935	321	55	18	64	7	42	34	31	128	235
Female-----	510	287	4	-	2	2	7	4	59	22	123
White-----	679	227	45	16	53	4	30	24	25	85	174
Female-----	598	216	4	-	1	2	5	4	53	20	83
All other-----	256	94	12	2	11	3	12	10	6	45	61
Female-----	122	71	-	-	1	-	2	-	6	2	40
Washington-----	821	367	25	3	50	11	48	28	86	168	135
Male-----	647	280	24	3	50	9	39	26	56	140	92
Female-----	274	147	1	-	-	2	9	2	50	20	43
White-----	588	201	22	2	44	9	35	21	33	136	85
Female-----	255	159	1	-	-	2	8	2	49	17	37
All other-----	59	19	2	1	6	-	4	5	3	12	7
Female-----	19	8	-	-	-	-	1	-	1	3	6
West Virginia-----	572	162	17	52	34	4	14	10	8	58	213
Male-----	399	90	17	52	34	4	10	10	5	49	128
Female-----	173	72	-	-	-	-	4	-	3	9	85
White-----	377	82	17	52	33	3	8	10	5	44	123
Female-----	165	68	-	-	-	-	4	-	3	8	82
All other-----	22	8	-	-	1	1	2	-	-	5	5
Female-----	8	4	-	-	-	-	-	-	-	1	3
Wisconsin-----	1,031	412	82	5	50	9	47	18	83	114	211
Male-----	695	258	81	5	50	8	39	15	38	94	127
Female-----	336	174	1	-	-	1	8	3	45	20	84
White-----	648	213	80	5	46	6	36	15	37	86	125
Female-----	325	166	1	-	-	1	8	3	45	20	81
All other-----	46	25	1	-	4	2	3	-	1	8	2
Female-----	11	8	-	-	-	-	-	-	-	-	3
Wyoming-----	131	28	11	2	7	3	6	1	8	11	54
Male-----	100	17	10	2	7	5	4	1	8	11	39
Female-----	31	11	1	-	-	-	2	-	2	-	15
White-----	97	16	9	2	7	3	4	1	6	11	38
Female-----	30	11	-	-	-	-	2	-	2	-	15
All other-----	3	1	1	-	-	-	-	-	-	-	1
Female-----	1	-	1	-	-	-	-	-	-	-	-

¹Including home premises and any noninstitutional place of residence.²Including buildings and land under cultivation, but excluding farm home and home premises.

Section 5. Life Tables

	Page
Explanation of the columns of the life table-----	5-2
Table	
5-1. Abridged life tables by color and sex: United States, 1969-----	5-3
5-2. Number of survivors at single years of age, out of 100,000 born alive, by color and sex: United States, 1969-----	5-6
5-3. Expectation of life at single years of age, by color and sex: United States, 1969-----	5-7
5-4. Life table values by color and sex: Death-registration States, 1900- 1902 to 1919-21, and United States, 1929-31 to 1969-----	5-8
5-5. Estimated average length of life in years, by color and sex: Death- registration States, 1900-1928, and United States, 1929-69-----	5-10

Explanation of the Columns of the Life Table

Column 1—Age interval (x to $x+n$).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying (${}_nq_x$).—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for males in the age interval 20-25, the proportion dying is 0.0112—out of every 1,000 males alive and exactly 20 years old at the beginning of the period 11 will die before reaching their 25th birthday. In other words, the ${}_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (${}_1l_x$).—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The ${}_1l_x$ values are computed from the ${}_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus out of 100,000 male babies born alive, 97,628 will complete the first year of life and enter the second; 97,269 will begin the sixth year; 95,979 will reach age 20; and 13,320 will live to age 85.

Column 4—Number dying (${}_nd_x$).—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 males born alive, 2,372 die in the first year of life, 359 in the succeeding 4 years, 1,079 in the 5-year period between exact ages 20 and 25, and 13,320 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population (${}_nL_x$ and T_x).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age in-

terval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for males in the age interval 20-25 is 477,232. This means that in a stationary population of males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 477,232 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,743,326 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,683,185.

Column 7—Average remaining lifetime (e_x).—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus the figure 477,232 for males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 95,979 (column 3) who reached the 20th birthday out of 100,000 males born alive. The corresponding figure (4,743,326) in column 6 is the total number of years lived after attaining age 20 by the 95,979 reaching that age. This number of years divided by the number of persons (4,743,326 divided by 95,979) gives 49.4 years as the average remaining lifetime of males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus in observing that the average remaining lifetime of white persons is greater than for those in the all other category, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived of the all other group. The difference in the average length of life results from the fact that a greater proportion of all other persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among white persons than among all other persons; yet the average length of life remaining at age 65 is nearly the same for both groups.

SECTION 5 - LIFE TABLES

Table 5-1. Abridged Life Tables by Color and Sex: United States 1969

AGE INTERVAL PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL (2)	NUMBER LIVING AT BEGINNING OF AGE INTERVAL (3)	NUMBER DYING DURING AGE INTERVAL (4)	IN THE AGE INTERVAL (5)	IN THIS AND ALL SUBSEQUENT AGE INTERVALS (6)	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL (7)
	${}_nq_x$	l_x	n^d_x	${}_nL_x$	T_x	e_x
TOTAL						
0-1	0.0211	100,000	2,108	98,117	7,044,699	70.4
1-5	.0034	97,892	332	390,773	6,946,582	71.0
5-10	.0021	97,560	208	487,238	6,555,809	67.2
10-15	.0021	97,352	202	486,304	6,068,571	62.3
15-20	.0057	97,150	556	484,474	5,582,767	57.5
20-25	.0074	96,594	710	481,227	5,097,793	52.0
25-30	.0072	95,884	691	477,717	4,616,566	48.1
30-35	.0087	95,193	832	473,981	4,138,849	43.5
35-40	.0126	94,361	1,192	469,023	3,664,868	38.8
40-45	.0191	93,169	1,779	461,715	3,185,845	34.3
45-50	.0287	91,390	2,621	450,875	2,734,130	29.9
50-55	.0437	88,769	3,877	434,725	2,283,255	25.7
55-60	.0661	84,892	5,610	411,209	1,848,530	21.8
60-65	.0978	79,282	7,755	377,955	1,437,321	18.1
65-70	.1424	71,527	10,183	333,143	1,059,366	14.8
70-75	.2084	61,344	12,786	275,670	726,323	11.8
75-80	.2842	48,558	13,802	208,872	450,545	9.3
80-85	.4010	34,756	13,930	138,226	241,673	7.0
85 AND OVER	1.0000	20,817	20,817	103,447	103,447	5.0
MALE						
0-1	0.0237	100,000	2,372	97,868	6,683,185	66.8
1-5	.0037	97,628	359	389,657	6,585,317	67.5
5-10	.0025	97,269	244	485,693	6,195,660	63.7
10-15	.0026	97,025	251	484,575	5,709,967	58.0
15-20	.0082	96,774	795	482,066	5,225,392	54.0
20-25	.0112	95,979	1,079	477,232	4,743,326	49.4
25-30	.0102	94,900	969	472,072	4,266,094	45.0
30-35	.0114	93,931	1,074	467,079	3,794,022	40.4
35-40	.0160	92,857	1,488	460,815	3,326,943	35.8
40-45	.0243	91,369	2,223	451,699	2,866,128	31.4
45-50	.0372	89,146	3,318	438,068	2,414,429	27.1
50-55	.0580	85,828	4,974	417,452	1,976,361	23.0
55-60	.0894	80,854	7,232	387,127	1,558,909	19.3
60-65	.1336	73,622	9,835	344,544	1,171,782	15.0
65-70	.1885	63,787	12,023	289,624	827,238	13.0
70-75	.2718	51,764	14,069	224,037	537,614	10.4
75-80	.3509	37,695	13,229	155,322	313,577	8.3
80-85	.4556	24,466	11,146	93,397	159,255	6.5
85 AND OVER	1.0000	13,320	13,320	64,868	64,868	4.0
FEMALE						
0-1	0.0183	100,000	1,830	98,379	7,425,312	74.3
1-5	.0031	98,170	304	391,344	7,326,934	74.6
5-10	.0017	97,866	171	488,861	6,934,989	70.0
10-15	.0016	97,695	152	488,115	6,446,128	66.0
15-20	.0032	97,543	310	486,989	5,958,013	61.1
20-25	.0037	97,233	362	485,290	5,471,024	56.3
25-30	.0043	96,871	415	483,363	4,985,734	51.5
30-35	.0061	96,456	593	480,880	4,502,371	46.7
35-40	.0094	95,863	899	477,213	4,021,491	42.0
40-45	.0141	94,964	1,341	471,589	3,544,278	37.3
45-50	.0206	93,623	1,932	463,630	3,072,589	32.8
50-55	.0302	91,691	2,770	451,913	2,608,989	28.5
55-60	.0442	88,921	3,931	435,373	2,157,076	24.3
60-65	.0651	84,990	5,534	411,915	1,721,703	20.3
65-70	.1020	79,456	8,104	378,138	1,309,788	16.5
70-75	.1580	71,352	11,277	329,985	931,650	13.1
75-80	.2347	60,075	14,102	256,453	601,665	10.0
80-85	.3626	45,973	16,668	188,033	335,212	7.3
85 AND OVER	1.0000	29,305	29,305	147,179	147,179	5.0

SECTION 5 - LIFE TABLES

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1969:-Con.

AGE INTERVAL PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
	PROPORTION OF PERSONS ALIVE AT BEGINNING OF AGE INTERVAL DYING DURING INTERVAL (2)	NUMBER LIVING AT BEGINNING OF AGE INTERVAL (3)	NUMBER DYING DURING AGE INTERVAL (4)	IN THE AGE INTERVAL (5)	IN THIS AND ALL SUBSEQUENT AGE INTERVALS (6)	AVERAGE NUMBER OF YEARS OF LIFE REMAINING AT BEGINNING OF AGE INTERVAL (7)
x to $x+n$	nq_x	l_x	$l_n d_x$	nL_x	T_x	e_x
WHITE						
0-1	0.0188	130,000	1,878	98,302	7,133,849	71.3
1-5	.0030	98,122	297	391,785	7,039,547	71.7
5-10	.0020	97,825	198	488,593	6,643,761	67.9
10-15	.0019	97,627	189	497,709	6,155,168	63.0
15-20	.0053	97,438	519	485,994	5,667,650	58.2
20-25	.0066	96,919	636	493,020	5,181,465	53.5
25-30	.0060	96,283	582	479,959	4,698,445	48.8
30-35	.0070	95,701	673	476,902	4,218,476	44.1
35-40	.0104	95,028	984	472,854	3,741,574	39.4
40-45	.0164	94,044	1,545	466,658	3,268,720	34.8
45-50	.0257	92,499	2,378	457,005	2,802,062	30.3
50-55	.0402	90,121	3,627	442,091	2,345,056	26.0
55-60	.0620	86,494	5,360	419,854	1,902,965	22.0
60-65	.0930	81,134	7,547	387,787	1,489,111	18.3
65-70	.1353	73,587	9,953	344,089	1,095,324	14.9
70-75	.2022	63,634	12,864	287,058	751,235	11.8
75-80	.2851	50,770	14,473	218,345	464,177	9.1
80-85	.4065	36,297	14,756	143,844	245,832	6.8
85 AND OVER	1.0000	21,541	21,541	101,988	101,988	4.7
WHITE, MALE						
0-1	0.0213	100,000	2,133	98,061	6,775,006	67.4
1-5	.0033	97,867	320	390,720	6,676,945	68.2
5-10	.0024	97,547	232	487,117	6,286,225	64.4
10-15	.0024	97,315	233	486,067	5,799,108	59.6
15-20	.0077	97,082	744	483,716	5,313,041	54.7
20-25	.0101	96,338	970	479,277	4,829,325	50.1
25-30	.0085	95,368	820	474,759	4,350,048	45.6
30-35	.0092	94,548	868	470,650	3,875,279	41.0
35-40	.0132	93,680	1,234	465,536	3,404,619	36.3
40-45	.0210	92,446	1,944	457,760	2,939,083	31.9
45-50	.0337	90,502	3,050	445,498	2,481,323	27.4
50-55	.0540	87,452	4,722	426,191	2,035,825	23.3
55-60	.0851	82,730	7,043	397,007	1,609,634	19.5
60-65	.1294	75,687	9,793	355,025	1,212,627	16.0
65-70	.1828	65,894	12,043	300,184	857,601	13.0
70-75	.2655	53,851	14,295	234,025	557,417	10.4
75-80	.3524	39,556	13,941	162,879	323,392	8.2
80-85	.4630	25,615	11,861	97,253	160,513	6.3
85 AND OVER	1.0000	13,754	13,754	63,250	63,260	4.6
WHITE, FEMALE						
0-1	0.0161	100,000	1,608	98,557	7,511,832	75.1
1-5	.0028	98,392	273	392,915	7,413,275	75.3
5-10	.0016	98,119	162	490,193	7,020,360	71.5
10-15	.0015	97,957	143	489,446	6,530,207	66.7
15-20	.0029	97,814	287	488,392	6,040,761	61.8
20-25	.0033	97,527	320	486,853	5,552,369	56.9
25-30	.0035	97,207	345	485,205	5,065,516	52.1
30-35	.0049	96,862	477	483,185	4,580,311	47.3
35-40	.0076	96,385	734	480,217	4,097,126	42.5
40-45	.0120	95,651	1,146	475,598	3,616,909	37.8
45-50	.0181	94,505	1,712	468,537	3,141,311	33.2
50-55	.0272	92,793	2,523	458,013	2,672,774	28.9
55-60	.0402	90,270	3,627	442,876	2,214,761	24.5
60-65	.0598	86,643	5,183	421,106	1,771,885	20.5
65-70	.0940	81,460	7,654	389,337	1,350,779	16.6
70-75	.1522	73,806	11,231	342,501	961,442	13.0
75-80	.2352	62,575	14,716	277,564	619,941	9.9
80-85	.3671	47,859	17,569	195,216	341,377	7.1
85 AND OVER	1.0000	30,290	30,290	146,161	146,161	4.8

SECTION 5 - LIFE TABLES

Table 5-1. Abridged Life Tables by Color and Sex: United States, 1969-Con.

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
		PERIOD OF LIFE BETWEEN TWO EXACT AGES STATED IN YEARS	NUMBER LIVING AT BEGINNING OF AGE INTERVAL	NUMBER DYING DURING AGE INTERVAL	IN THE AGE INTERVAL	IN THIS AND ALL SUBSEQUENT AGE INTERVALS
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	nq_x	l_x	nd_x	nL_x	T_x	e_x
ALL OTHER						
0-1	.00319	100,000	3,191	97,245	6,433,374	64.3
1-5	.00532	96,809	499	385,992	6,336,079	65.4
5-10	.0028	96,310	266	480,822	5,950,087	61.8
10-15	.0020	96,044	279	479,586	5,469,265	56.9
15-20	.0082	95,765	786	477,062	4,989,679	52.1
20-25	.0129	94,979	1,222	472,002	4,512,617	47.5
25-30	.0158	93,757	1,479	465,242	4,040,615	43.1
30-35	.0213	92,278	1,966	456,717	3,575,373	38.7
35-40	.0294	90,312	2,656	445,331	3,118,656	34.5
40-45	.0405	87,656	3,553	429,822	2,673,355	30.5
45-50	.0543	84,103	4,566	409,744	2,243,533	26.7
50-55	.0752	79,537	5,979	383,492	1,833,789	23.1
55-60	.1049	73,558	7,714	349,192	1,450,297	19.7
60-65	.1464	65,844	9,641	305,627	1,101,105	16.7
65-70	.2162	56,203	12,149	250,937	795,478	14.2
70-75	.2878	44,055	12,679	198,307	544,541	12.4
75-80	.2742	31,376	8,602	135,150	356,234	11.4
80-85	.3298	22,774	7,512	94,649	221,084	9.7
85 AND OVER	1.0000	15,262	15,262	126,435	126,435	8.3
ALL OTHER, MALE						
0-1	.00352	100,000	3,518	96,940	6,347,685	60.5
1-5	.0057	96,482	546	384,552	5,950,745	61.7
5-10	.0032	95,936	312	478,841	5,566,183	58.0
10-15	.0037	95,624	356	477,326	5,387,342	53.2
15-20	.0117	95,268	1,118	473,849	4,910,016	48.4
20-25	.0195	94,150	1,841	466,374	4,436,168	43.9
25-30	.0225	92,309	2,079	456,438	3,969,794	39.8
30-35	.0291	90,230	2,624	444,853	3,513,205	35.6
35-40	.0387	87,606	3,382	430,012	3,068,443	31.6
40-45	.0527	84,314	4,441	410,492	2,768,443	27.8
45-50	.0687	79,773	5,483	385,902	2,427,839	24.2
50-55	.0956	74,290	7,105	354,522	2,082,037	20.8
55-60	.1307	67,185	8,783	314,659	1,787,515	17.7
60-65	.1758	58,402	10,268	256,959	1,427,856	14.0
65-70	.2455	48,134	11,819	211,269	1,005,897	12.6
70-75	.3494	36,315	12,688	149,166	594,679	10.9
75-80	.3334	23,627	7,876	98,043	345,662	10.4
80-85	.3670	15,751	5,781	63,837	147,419	9.4
85 AND OVER	1.0000	9,970	9,970	83,582	83,582	8.4
ALL OTHER, FEMALE						
0-1	.00286	100,000	2,858	97,555	6,836,601	68.4
1-5	.0046	97,142	451	387,447	6,739,045	69.4
5-10	.0023	96,691	220	482,840	6,351,598	65.7
10-15	.0021	96,471	202	481,882	5,869,758	60.8
15-20	.0047	96,269	455	480,320	5,386,876	56.0
20-25	.0068	95,814	649	477,550	4,906,556	51.2
25-30	.0096	95,165	910	473,691	4,429,008	46.5
30-35	.0146	94,255	1,377	468,037	3,955,315	42.0
35-40	.0215	92,878	2,001	459,688	3,487,278	37.5
40-45	.0302	90,877	2,747	447,844	3,027,590	33.3
45-50	.0415	88,130	3,687	432,010	2,579,746	29.3
50-55	.0571	84,463	4,820	410,915	2,147,736	25.4
55-60	.0914	79,643	6,483	382,659	1,736,821	21.8
60-65	.1189	73,160	8,701	344,424	1,354,162	18.5
65-70	.1880	64,459	12,120	292,425	1,009,738	15.7
70-75	.2347	52,339	12,284	231,135	717,312	13.7
75-80	.2291	40,055	9,176	177,339	486,177	12.1
80-85	.2997	30,879	9,253	130,918	308,838	10.0
85 AND OVER	1.0000	21,626	21,626	177,920	177,920	8.2

SECTION 5 - LIFE TABLES

Table 5-2. Number of Survivors at Single Years of Age, Out of 100,000 Born Alive, by Color and Sex: United States, 1969

AGE	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,892	97,628	98,170	98,122	97,867	98,392	96,809	96,482	97,142
2	97,765	97,494	98,051	98,012	97,752	98,286	96,605	96,258	96,950
3	97,692	97,403	97,977	97,940	97,673	98,221	96,472	96,110	96,841
4	97,616	97,330	97,917	97,878	97,604	98,167	96,384	96,020	96,756
5	97,560	97,260	97,864	97,825	97,547	98,119	96,310	95,936	96,691
6	97,499	97,187	97,823	97,767	97,469	98,078	96,228	95,826	96,634
7	97,449	97,127	97,785	97,720	97,411	98,042	96,165	95,749	96,584
8	97,410	97,083	97,751	97,682	97,369	98,010	96,117	95,696	96,541
9	97,379	97,051	97,721	97,652	97,339	97,982	96,078	95,657	96,504
10	97,352	97,025	97,695	97,627	97,315	97,957	96,044	95,624	96,471
11	97,327	97,000	97,670	97,603	97,292	97,933	96,010	95,588	96,440
12	97,299	96,968	97,645	97,577	97,263	97,909	95,971	95,542	96,407
13	97,263	96,924	97,617	97,543	97,222	97,883	95,920	95,477	96,370
14	97,215	96,861	97,584	97,498	97,164	97,852	95,853	95,388	96,325
15	97,150	96,774	97,542	97,438	97,082	97,814	95,765	95,268	96,269
16	97,067	96,660	97,489	97,360	96,975	97,767	95,653	95,114	96,200
17	96,966	96,519	97,435	97,265	96,842	97,713	95,516	94,924	96,118
18	96,850	96,385	97,370	97,157	96,687	97,653	95,356	94,699	96,024
19	96,725	96,173	97,302	97,040	96,517	97,590	95,176	94,440	95,922
20	96,594	95,979	97,223	96,919	96,338	97,527	94,979	94,150	95,814
21	96,459	95,773	97,153	96,794	96,149	97,464	94,764	93,827	95,700
22	96,316	95,556	97,082	96,665	95,952	97,400	94,530	93,472	95,579
23	96,171	95,333	97,020	96,535	95,752	97,336	94,282	93,094	95,450
24	96,026	95,113	96,946	96,407	95,556	97,272	94,023	92,704	95,312
25	95,894	94,900	96,871	96,283	95,368	97,207	93,757	92,309	95,165
26	95,745	94,687	96,795	96,163	95,191	97,142	93,485	91,913	95,009
27	95,609	94,502	96,717	96,047	95,024	97,076	93,204	91,513	94,842
28	95,474	94,313	96,635	95,933	94,864	97,008	92,912	91,104	94,663
29	95,336	94,124	96,549	95,818	94,707	96,937	92,605	90,578	94,468
30	95,193	93,931	96,456	95,701	94,548	96,862	92,278	90,230	94,255
31	95,044	93,733	96,356	95,580	94,387	96,781	91,931	89,757	94,023
32	94,888	93,530	96,248	95,454	94,223	96,694	91,562	89,250	93,770
33	94,724	93,318	96,139	95,321	94,052	96,600	91,170	88,735	93,496
34	94,549	93,095	96,020	95,180	93,872	96,497	90,754	88,185	93,199
35	94,361	92,857	95,893	95,028	93,680	96,385	90,312	87,606	92,878
36	94,159	92,603	95,712	94,864	93,473	96,263	89,843	86,998	92,532
37	93,940	92,329	95,548	94,685	93,249	96,130	89,345	86,350	92,159
38	93,703	92,034	95,380	94,490	93,005	95,985	88,816	85,685	91,759
39	93,447	91,715	95,175	94,277	92,738	95,826	88,254	84,971	91,332
40	93,169	91,360	94,954	94,044	92,446	95,651	87,656	84,214	90,877
41	92,867	90,994	94,736	93,788	92,126	95,459	87,021	83,411	90,392
42	92,540	90,585	94,498	93,507	91,774	95,249	86,348	82,562	89,876
43	92,186	90,142	94,221	93,199	91,388	95,021	85,636	81,669	89,328
44	91,803	89,664	93,933	92,864	90,965	94,773	84,888	80,739	88,747
45	91,390	89,146	93,623	92,499	90,502	94,505	84,103	79,773	88,130
46	90,944	88,585	93,290	92,102	89,994	94,214	83,281	78,773	87,476
47	90,463	87,978	92,932	91,667	89,443	93,900	82,418	77,734	86,783
48	89,953	87,320	92,548	91,197	88,838	93,560	81,510	76,647	86,051
49	89,379	86,605	92,135	90,682	88,174	93,192	80,551	75,502	85,278
50	88,769	85,822	91,691	90,121	87,452	92,793	79,537	74,290	84,467
51	88,109	84,985	91,213	89,511	86,662	92,362	78,466	73,007	83,604
52	87,395	84,072	90,739	88,847	85,931	91,896	77,335	71,655	82,698
53	86,624	83,084	90,148	88,126	84,863	91,393	76,142	70,233	81,739
54	85,791	82,013	89,546	87,343	83,942	90,852	74,884	68,743	80,722
55	84,892	80,854	88,921	86,494	82,730	90,270	73,563	67,185	79,645
56	83,923	79,604	88,239	85,576	81,526	89,644	72,161	65,559	78,495
57	82,881	78,261	87,507	84,586	80,227	88,971	70,590	63,864	77,274
58	81,763	76,870	86,727	83,518	78,825	88,248	69,146	62,103	75,979
59	80,564	75,275	85,884	82,369	77,313	87,473	67,531	60,281	74,609
60	79,282	73,622	84,990	81,134	75,687	86,643	65,844	58,407	73,160
61	77,913	71,859	84,077	79,808	73,942	85,754	64,091	56,468	71,640
62	76,456	69,985	83,010	78,390	72,080	84,800	62,268	54,479	70,043
63	74,907	68,009	81,924	76,880	70,110	83,772	60,359	52,431	68,378
64	73,265	65,941	80,740	75,279	68,945	82,662	58,342	50,317	66,645
65	71,527	63,787	79,456	73,587	67,589	81,460	56,203	48,134	64,859
66	69,696	61,457	78,067	71,807	65,667	80,163	53,948	45,895	62,956
67	67,772	59,253	76,570	69,925	61,363	78,764	51,592	43,608	59,900
68	65,745	56,862	74,957	67,959	58,970	77,249	49,147	41,260	57,428
69	63,694	54,368	73,220	65,862	56,469	75,601	46,628	38,891	54,893
70	61,344	51,764	71,352	63,634	53,951	73,806	44,055	36,315	52,339
71	58,863	49,049	69,350	61,273	51,117	71,858	41,424	33,701	49,773
72	56,471	46,244	67,214	58,785	48,285	69,758	38,759	31,022	47,205
73	53,889	43,385	64,951	56,197	45,388	67,508	36,135	28,377	44,690
74	51,244	40,522	62,456	53,518	42,467	65,112	33,651	25,877	42,292
75	48,558	37,605	60,075	50,770	39,556	62,575	31,376	23,627	40,055
76	45,844	34,925	57,473	47,964	36,677	59,899	29,331	21,653	37,945
77	43,107	32,219	54,753	45,109	33,839	57,087	27,497	20,080	36,080
78	40,346	29,576	51,943	42,209	31,047	54,141	25,829	18,418	34,288
79	37,562	26,901	49,013	39,269	28,303	51,063	24,272	17,942	32,549
80	34,756	24,466	45,973	36,297	25,615	47,859	22,774	15,751	30,879
81	31,935	22,009	42,829	33,305	22,997	44,536	21,296	14,508	29,176
82	29,111	19,636	39,577	30,310	20,669	41,104	19,811	13,299	27,425
83	26,301	17,373	36,234	27,333	18,061	37,575	18,307	12,115	25,597
84	23,527	15,254	32,805	24,400	15,808	33,965	16,786	10,992	23,670
85	20,817	13,320	29,295	21,541	13,754	30,290	15,262	9,970	21,626

SECTION 5 - LIFE TABLES

Table 5-3. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1969

AGE	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
0	70.4	66.8	74.2	71.3	67.0	75.1	64.3	60.5	68.4
1	71.1	67.5	74.6	71.7	67.3	75.3	65.4	61.7	69.4
2	70.1	66.6	73.7	70.8	67.3	74.4	64.6	60.8	68.5
3	69.1	65.6	72.8	69.8	66.4	73.5	63.7	59.9	67.6
4	68.2	64.7	71.9	68.9	65.4	72.5	62.7	59.0	66.6
5	67.2	63.7	70.9	67.9	64.4	71.5	61.8	58.0	65.7
6	66.2	62.7	69.9	67.0	63.5	70.6	60.8	57.1	64.7
7	65.3	61.8	69.0	66.0	62.5	69.6	59.9	56.1	63.8
8	64.3	60.8	68.0	65.0	61.6	68.6	58.9	55.2	62.8
9	63.3	59.8	67.0	64.0	60.6	67.6	57.9	54.2	61.8
10	62.3	58.8	66.0	63.0	59.6	66.7	56.9	53.2	60.8
11	61.4	57.8	65.0	62.1	58.6	65.7	55.9	52.2	59.9
12	60.4	56.8	64.0	61.1	57.6	64.7	55.0	51.2	58.9
13	59.4	55.8	63.0	60.1	56.6	63.7	54.0	50.3	57.9
14	58.4	54.8	62.1	59.1	55.7	62.7	53.1	49.3	56.9
15	57.5	53.9	61.1	58.2	54.7	61.8	52.1	48.4	56.0
16	56.5	53.1	60.1	57.2	53.8	60.8	51.2	47.5	55.0
17	55.6	52.1	59.1	56.3	52.9	59.8	50.2	46.6	54.0
18	54.6	51.2	58.2	55.3	51.9	58.9	49.3	45.7	53.1
19	53.7	50.3	57.2	54.4	51.0	57.9	48.4	44.8	52.2
20	52.8	49.4	56.3	53.5	50.1	56.9	47.5	43.9	51.2
21	51.8	48.5	55.3	52.5	49.2	56.0	46.6	43.0	50.3
22	50.9	47.6	54.3	51.6	48.3	55.0	45.7	42.1	49.3
23	50.0	46.7	53.4	50.7	47.4	54.0	44.8	41.2	48.4
24	49.1	45.8	52.4	49.7	46.5	53.1	44.0	40.3	47.5
25	48.1	44.9	51.5	48.8	45.6	52.1	43.1	39.4	46.6
26	47.2	44.0	50.5	47.9	44.7	51.1	42.2	38.5	45.7
27	46.3	43.1	49.5	46.9	43.8	50.2	41.3	37.6	44.8
28	45.3	42.2	48.6	46.0	42.8	49.2	40.4	36.7	43.8
29	44.4	41.3	47.6	45.0	41.9	48.2	39.5	35.8	42.9
30	43.5	40.4	46.7	44.1	41.0	47.3	38.6	34.9	42.0
31	42.5	39.5	45.7	43.1	40.1	46.3	37.7	34.0	41.1
32	41.6	38.6	44.8	42.2	39.2	45.4	36.8	33.1	40.2
33	40.7	37.6	43.8	41.2	38.2	44.4	35.9	32.2	39.3
34	39.8	36.7	42.9	40.3	37.3	43.5	35.0	31.3	38.4
35	38.8	35.8	42.0	39.4	36.3	42.5	34.1	30.4	37.5
36	37.9	34.9	41.0	38.4	35.4	41.6	33.2	29.5	36.6
37	37.0	34.0	40.1	37.5	34.5	40.6	32.3	28.6	35.7
38	36.1	33.1	39.2	36.6	33.6	39.7	31.4	27.7	34.8
39	35.2	32.2	38.2	35.7	32.7	38.7	30.5	26.8	33.9
40	34.3	31.3	37.3	34.8	31.8	37.8	29.6	25.9	33.0
41	33.4	30.4	36.4	33.9	30.9	36.9	28.7	25.0	32.1
42	32.5	29.5	35.5	33.0	30.0	36.0	27.8	24.1	31.2
43	31.7	28.8	34.6	32.1	29.1	35.1	26.9	23.2	30.3
44	30.8	27.9	33.7	31.2	28.2	34.1	26.0	22.3	29.4
45	29.9	27.1	32.8	30.3	27.4	33.2	25.1	21.4	28.5
46	29.1	26.2	31.9	29.4	26.6	32.3	24.2	20.5	27.6
47	28.2	25.4	31.1	28.6	25.7	31.4	23.3	19.6	26.7
48	27.4	24.6	30.2	27.7	24.8	30.6	22.4	18.7	25.8
49	26.5	23.8	29.3	26.8	24.1	29.7	21.5	17.8	24.9
50	25.7	23.0	28.5	26.0	23.3	28.8	20.6	16.9	24.0
51	24.9	22.3	27.6	25.2	22.5	27.9	19.7	16.0	23.1
52	24.1	21.5	26.8	24.4	21.7	27.1	18.8	15.1	22.2
53	23.3	20.7	25.9	23.6	20.9	26.2	17.9	14.2	21.3
54	22.5	20.0	25.1	22.8	20.2	25.4	17.0	13.3	20.4
55	21.8	19.3	24.3	22.0	19.5	24.5	16.1	12.4	19.5
56	21.0	18.6	23.4	21.2	18.7	23.7	15.2	11.5	18.6
57	20.3	17.9	22.6	20.5	18.0	22.9	14.3	10.6	17.7
58	19.5	17.2	21.8	19.7	17.3	22.1	13.4	9.7	16.8
59	18.8	16.4	21.0	19.0	16.7	21.3	12.5	8.8	15.9
60	18.1	15.9	20.2	18.3	16.0	20.5	11.6	7.9	15.0
61	17.4	15.3	19.5	17.6	15.4	19.7	10.7	7.0	14.1
62	16.8	14.7	18.7	16.9	14.8	18.9	9.8	6.1	13.2
63	16.1	14.1	18.0	16.2	14.2	18.1	8.9	5.2	12.3
64	15.4	13.5	17.2	15.5	13.6	17.3	8.0	4.3	11.4
65	14.8	13.0	16.5	14.9	13.0	16.6	7.1	3.4	10.5
66	14.2	12.4	15.8	14.2	12.5	15.8	6.2	2.5	9.6
67	13.6	11.9	15.1	13.6	11.9	15.1	5.3	1.6	8.7
68	13.0	11.4	14.4	13.0	11.4	14.4	4.4	0.7	7.8
69	12.4	10.9	13.7	12.4	10.8	13.7	3.5	0.8	6.9
70	11.8	10.4	13.1	11.8	10.4	13.0	2.6	0.9	6.0
71	11.3	9.9	12.4	11.2	9.9	12.4	1.7	0.0	5.1
72	10.8	9.5	11.8	10.7	9.4	11.7	0.8	0.1	4.2
73	10.3	9.1	11.2	10.2	9.0	11.1	0.9	0.2	3.3
74	9.8	8.7	10.5	9.6	8.6	10.5	0.0	0.3	2.4
75	9.3	8.3	10.0	9.1	8.2	9.9	0.1	0.4	1.5
76	8.8	7.9	9.4	8.6	7.8	9.3	0.2	0.5	0.6
77	8.3	7.6	8.9	8.2	7.4	8.7	0.3	0.6	0.7
78	7.9	7.2	8.3	7.7	7.0	8.2	0.4	0.7	0.8
79	7.4	6.8	7.8	7.2	6.6	7.7	0.5	0.8	0.9
80	7.0	6.5	7.3	6.8	6.3	7.1	0.6	0.9	1.0
81	6.5	6.1	6.8	6.3	5.9	6.6	0.7	1.0	1.1
82	6.1	5.8	6.3	5.9	5.6	6.1	0.8	1.1	1.2
83	5.7	5.5	5.9	5.5	5.3	5.7	0.9	1.2	1.3
84	5.3	5.2	5.4	5.1	4.9	5.2	1.0	1.3	1.4
85	5.0	4.9	5.0	4.7	4.6	4.8	1.1	1.4	1.5

SECTION 5 - LIFE TABLES

Table 5-4. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1969

[Alaska and Hawaii included for 1959 and 1960. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for "All other, male" and "All other, female" cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding "All other" population]

AGE, COLOR, AND SEX	NUMBER OF SURVIVORS OUT OF 100,000 BORN ALIVE (l_x)								
	1969	1968	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,867	97,814	97,408	96,931	95,188	93,758	91,975	87,674	86,655
5	97,547	97,488	97,082	96,603	94,150	91,738	88,847	82,972	80,864
10	97,315	97,256	96,758	96,269	93,601	90,810	87,530	81,519	79,100
15	97,082	97,017	96,503	95,728	92,089	89,074	86,546	80,540	78,037
20	96,838	96,767	96,248	95,468	91,704	88,304	85,497	79,116	76,376
25	96,588	96,512	96,000	95,116	91,161	87,371	83,061	77,047	73,907
30	96,338	96,257	95,750	94,761	90,611	86,401	81,688	74,810	71,210
35	96,088	96,002	95,500	94,407	89,992	85,707	80,441	72,108	68,245
40	95,838	95,748	95,250	94,053	89,313	84,557	79,723	70,840	66,954
45	95,588	95,493	95,000	93,703	88,573	83,423	78,106	68,615	64,666
50	95,338	95,238	94,750	93,353	87,833	82,283	76,406	65,423	61,414
55	95,088	94,983	94,500	92,953	86,933	80,983	74,506	62,623	58,514
60	94,838	94,728	94,250	92,453	85,633	79,183	72,106	60,123	55,914
65	94,588	94,473	94,000	91,953	83,933	76,983	69,406	57,423	53,214
70	94,338	94,218	93,750	91,453	81,833	74,483	66,806	54,823	50,114
75	94,088	93,963	93,500	90,953	79,733	71,983	63,806	52,223	47,414
80	93,838	93,708	93,250	90,453	78,233	69,983	61,406	50,023	45,114
85	93,588	93,453	93,000	89,953	76,733	67,983	58,806	47,823	42,814
ALL OTHER, MALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	96,482	96,422	95,301	94,911	91,696	89,268	86,499	82,355	79,674
5	95,236	95,166	94,570	93,921	89,920	87,412	84,106	79,589	76,385
10	94,990	94,920	94,234	93,453	89,211	86,311	82,758	77,377	74,173
15	94,744	94,674	93,978	93,197	88,717	85,417	81,332	76,478	73,274
20	94,498	94,428	93,702	92,921	88,117	84,417	80,057	74,426	71,222
25	94,252	94,182	93,426	92,645	87,217	83,117	78,457	72,426	69,222
30	94,006	93,936	93,150	92,369	86,117	81,617	76,547	70,122	66,918
35	93,760	93,690	92,874	92,093	84,817	80,017	74,447	67,622	64,418
40	93,514	93,444	92,628	91,847	83,417	78,217	72,247	65,422	62,218
45	93,268	93,198	92,382	91,501	81,817	76,217	69,847	62,622	59,418
50	93,022	92,952	92,136	91,255	80,017	74,017	67,247	60,022	56,818
55	92,776	92,706	91,890	91,009	78,117	71,817	65,047	57,422	54,218
60	92,530	92,460	91,574	90,693	76,017	69,417	62,447	54,822	51,618
65	92,284	92,214	91,338	90,412	73,817	66,817	59,447	51,822	48,618
70	92,038	91,968	91,092	90,171	71,517	64,017	56,447	48,822	45,618
75	91,792	91,722	90,846	89,925	69,117	61,417	53,447	45,822	42,618
80	91,546	91,476	90,590	89,669	66,617	58,417	50,447	42,822	39,618
85	91,300	91,230	90,354	89,433	64,117	55,417	47,447	39,822	36,618
WHITE, FEMALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	98,392	98,363	98,036	97,665	95,211	93,337	91,438	89,774	88,030
5	98,119	98,093	97,709	97,199	94,309	92,216	90,126	88,422	86,678
10	97,957	97,928	97,525	96,960	93,490	91,165	89,075	87,371	85,627
15	97,814	97,789	97,375	96,756	92,534	90,394	88,312	86,608	84,864
20	97,671	97,646	97,232	96,563	91,574	89,279	87,197	85,493	83,749
25	97,528	97,503	97,094	96,421	90,514	88,064	85,987	84,283	82,539
30	97,385	97,360	96,951	96,278	89,354	86,704	84,427	82,723	81,029
35	97,242	97,217	96,808	96,135	88,194	85,344	82,967	81,273	79,579
40	97,099	97,074	96,665	96,000	86,834	83,784	81,207	79,513	77,819
45	96,956	96,931	96,522	95,857	85,374	82,124	79,347	77,653	75,959
50	96,813	96,788	96,379	95,714	83,814	80,264	77,197	75,503	73,809
55	96,670	96,645	96,236	95,571	82,254	78,404	75,030	73,336	71,642
60	96,527	96,502	96,093	95,428	80,694	76,554	72,880	71,186	69,492
65	96,384	96,359	95,950	95,285	79,134	74,994	71,120	69,426	67,732
70	96,241	96,216	95,807	95,142	77,574	73,234	69,156	67,462	65,768
75	96,098	96,073	95,664	95,000	75,914	71,374	67,078	65,384	63,690
80	95,955	95,930	95,526	94,861	74,254	69,514	65,280	63,586	61,892
85	95,812	95,787	95,383	94,718	72,594	67,574	63,140	61,446	59,752
ALL OTHER, FEMALE									
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,142	97,086	96,172	95,913	93,318	92,735	91,251	89,497	88,015
5	96,691	96,640	95,543	95,055	91,710	90,185	87,140	84,768	83,286
10	96,471	96,431	95,265	94,679	90,201	88,420	85,607	82,893	81,179
15	96,269	96,229	95,057	94,343	90,362	88,088	84,954	82,240	80,526
20	96,084	96,044	94,862	94,148	88,505	85,978	82,554	79,840	78,126
25	95,900	95,860	94,678	93,964	86,922	84,197	80,472	77,758	76,044
30	95,716	95,676	94,554	93,840	85,337	82,412	78,487	75,773	74,059
35	95,532	95,492	94,370	93,656	83,752	80,527	76,402	73,688	71,974
40	95,348	95,308	94,186	93,472	82,167	78,642	74,117	71,403	69,689
45	95,164	95,124	93,962	93,248	80,582	76,317	71,492	68,778	67,064
50	94,980	94,940	93,778	93,064	79,007	74,482	69,857	67,143	65,429
55	94,796	94,756	93,594	92,880	77,422	72,697	68,272	65,558	63,844
60	94,612	94,572	93,410	92,696	75,837	70,812	66,147	63,433	61,719
65	94,428	94,388	93,226	92,512	74,252	69,087	64,572	61,858	60,144
70	94,244	94,204	93,042	92,328	72,667	67,212	62,957	60,243	58,529
75	94,060	94,020	92,858	92,144	71,082	65,527	61,272	58,558	56,844
80	93,876	93,836	92,674	91,960	69,497	63,842	59,367	56,653	54,939
85	93,692	93,652	92,490	91,776	67,912	62,257	57,842	55,129	53,415

SECTION 5 - LIFE TABLES

5-9

Table 5-4. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1969-Con.

[See headnote at beginning of table]

AGE, COLOR, AND SEX	AVERAGE NUMBER OF YEARS OF LIFE REMAINING (e _x)								
	1969	1968	1959-61	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE, MALE									
0	67.8	67.5	67.55	66.31	62.81	59.12	56.34	50.23	48.23
1	68.2	68.0	68.34	67.41	64.98	62.04	60.24	56.26	54.61
5	64.4	64.3	64.61	63.77	61.68	59.38	58.31	55.37	54.43
10	59.6	59.4	59.78	58.98	57.03	54.96	54.15	51.32	50.59
15	54.7	54.6	54.93	54.19	52.33	50.39	49.74	46.91	46.25
20	49.9	49.9	50.25	49.52	47.76	46.02	45.60	42.71	42.19
25	45.6	45.4	45.65	44.93	43.28	41.78	41.60	38.79	38.52
30	41.0	40.8	40.97	40.29	38.80	37.54	37.65	34.87	34.88
35	36.3	36.1	36.31	35.68	34.36	33.33	33.74	31.08	31.29
40	31.8	31.6	31.73	31.17	30.03	29.22	29.86	27.43	27.74
45	27.4	27.2	27.34	26.87	25.87	25.28	26.00	23.86	24.21
50	23.3	23.0	23.22	22.83	21.96	21.51	22.22	20.39	20.76
55	19.5	19.2	19.45	19.11	18.34	17.97	18.59	17.03	17.42
60	16.0	15.9	16.01	15.74	15.05	14.72	15.25	13.98	14.35
65	13.0	12.9	12.97	12.75	12.07	11.77	12.21	11.25	11.51
70	10.4	10.2	10.29	10.07	9.42	9.20	9.51	8.83	9.03
75	8.2	8.1	7.92	7.77	7.17	7.02	7.30	6.75	6.84
80	6.3	6.2	5.89	5.88	5.38	5.26	5.47	5.09	5.10
85	4.6	4.5	4.34	4.35	4.02	3.99	4.05	3.88	3.81
ALL OTHER, MALE									
0	60.5	60.1	61.48	58.91	52.33	47.55	47.14	34.05	32.54
1	61.7	61.4	63.50	61.06	56.05	51.09	51.63	42.53	42.46
5	57.8	57.8	59.98	57.69	53.13	48.69	50.18	44.25	45.06
10	53.2	53.0	55.19	52.94	48.54	44.27	45.99	40.65	41.90
15	48.4	48.2	50.39	48.23	43.95	39.83	41.75	36.77	38.26
20	43.9	43.6	45.78	43.73	39.74	35.95	38.36	33.46	35.11
25	39.4	39.4	41.38	39.49	35.94	32.67	35.54	30.44	32.21
30	35.6	35.3	37.05	35.31	32.25	29.45	32.51	27.33	29.25
35	31.6	31.2	32.81	31.21	28.67	26.39	29.54	24.42	26.16
40	27.8	27.4	28.72	27.29	25.23	23.36	26.53	21.57	23.12
45	24.2	23.7	24.89	23.50	22.02	20.59	23.55	18.85	20.09
50	20.8	20.3	21.28	20.25	19.18	17.92	20.47	16.21	17.34
55	17.7	17.2	18.11	17.34	16.67	15.46	17.50	13.92	14.60
60	14.9	14.5	15.29	14.91	14.38	13.15	14.74	11.67	12.62
65	12.6	12.1	12.84	12.75	12.18	10.87	12.07	9.74	10.38
70	10.0	10.0	10.81	10.74	10.06	8.78	9.58	8.00	8.33
75	10.4	9.9	8.93	8.83	8.09	6.99	7.61	6.58	6.60
80	9.4	8.7	6.87	7.07	6.46	5.42	5.83	5.53	5.12
85	8.4	7.4	5.08	5.38	5.08	4.30	4.53	4.40	4.04
WHITE, FEMALE									
0	75.1	74.9	74.19	72.03	67.29	62.67	58.53	53.62	51.08
1	75.3	75.1	74.68	72.77	68.93	64.93	61.51	56.60	54.39
5	71.5	71.3	70.92	69.09	65.57	62.17	59.43	57.67	56.03
10	66.7	66.4	66.05	64.24	60.85	57.65	55.17	53.57	52.15
15	61.8	61.5	61.15	59.39	56.07	53.00	50.67	49.12	47.70
20	56.9	56.7	56.20	54.56	51.38	48.52	46.46	44.88	43.77
25	52.1	51.9	51.45	49.77	46.78	44.25	42.55	40.88	40.05
30	47.3	47.1	46.63	45.00	42.21	39.99	38.72	36.96	36.42
35	42.5	42.3	41.84	40.28	37.70	35.73	34.86	33.09	32.82
40	37.8	37.6	37.13	35.64	33.25	31.52	30.94	29.24	29.17
45	33.0	32.8	32.53	31.12	28.90	27.33	26.99	25.45	25.51
50	28.8	28.6	28.08	26.76	24.72	23.41	23.12	21.74	21.89
55	24.5	24.3	23.81	22.59	20.73	19.60	19.40	18.18	18.43
60	20.5	20.2	19.69	18.64	17.00	16.05	15.93	14.92	15.23
65	16.4	16.4	15.88	15.00	13.56	12.81	12.75	11.97	12.23
70	13.0	12.9	12.38	11.68	10.50	9.98	9.94	9.38	9.59
75	9.9	9.4	9.28	8.87	7.92	7.56	7.62	7.20	7.33
80	7.1	7.0	6.67	6.59	5.88	5.63	5.70	5.35	5.50
85	4.8	4.8	4.66	4.83	4.34	4.24	4.24	4.06	4.10
ALL OTHER, FEMALE									
0	68.4	67.5	66.47	62.70	55.91	49.51	46.92	37.67	35.04
1	69.4	68.7	68.10	64.37	58.47	52.33	50.39	45.15	43.54
5	65.7	65.0	64.54	60.93	55.47	49.81	48.70	46.42	46.04
10	60.8	60.2	59.72	56.17	50.93	45.33	44.54	42.84	43.02
15	56.9	55.3	54.85	51.36	46.22	40.87	40.36	39.18	39.79
20	51.2	50.5	50.07	46.77	42.14	37.22	37.18	36.14	36.89
25	46.5	45.9	45.40	42.35	38.31	33.93	34.35	32.97	33.90
30	42.0	41.3	40.83	38.02	34.52	30.67	31.48	29.61	30.70
35	37.5	36.9	36.41	33.82	30.83	27.47	28.58	26.44	27.52
40	33.3	32.7	32.16	29.82	27.31	24.30	25.60	23.34	24.37
45	29.3	28.6	28.14	26.07	24.00	21.39	22.61	20.43	21.36
50	25.4	24.8	24.31	22.67	20.96	18.60	19.76	17.65	18.67
55	21.8	21.2	20.99	19.62	18.44	16.27	17.09	14.98	15.98
60	18.5	17.9	17.83	16.45	14.95	14.22	14.69	12.78	13.60
65	15.7	15.1	15.12	14.54	13.95	12.24	12.41	10.82	11.38
70	13.7	13.2	12.46	12.29	11.81	10.38	10.25	9.22	9.62
75	12.1	11.8	10.10	10.15	9.80	8.62	8.37	7.55	7.90
80	10.0	9.3	7.66	8.17	8.00	6.90	6.58	6.05	6.48
85	8.2	7.3	5.44	6.15	6.38	5.48	5.22	5.09	5.10

SECTION 5 - LIFE TABLES

Table 5-5. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-69¹

[Estimates based on life table values shown in table 5-4]

AREA AND YEAR	TOTAL			WHITE			ALL OTHER		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
UNITED STATES									
1969	70.4	66.8	74.3	71.3	67.9	75.1	64.3	60.5	68.4
1968	70.2	66.5	74.0	71.1	67.5	74.9	63.7	60.1	67.5
1967	70.5	67.0	74.2	71.3	67.9	75.1	64.6	61.1	68.2
1966	70.1	66.7	73.8	71.0	67.6	74.7	64.0	60.7	67.4
1965	70.2	66.8	73.7	71.0	67.6	74.7	64.1	61.1	67.4
1964	70.2	66.9	72.7	71.0	67.7	74.6	64.1	61.1	67.2
1963 ¹	69.9	66.6	73.4	70.8	67.5	74.4	63.6	60.9	66.5
1962 ¹	70.0	66.9	73.4	70.9	67.6	74.4	64.1	61.5	66.8
1961	70.2	67.0	73.6	71.0	67.8	74.5	64.4	61.0	67.0
1960	69.7	66.6	72.1	70.6	67.4	74.1	63.6	61.1	66.3
1959	69.9	66.9	72.7	70.7	67.5	74.2	63.9	61.3	66.5
1958	69.6	66.6	72.0	70.5	67.4	73.9	63.4	61.0	65.8
1957	69.5	66.4	72.7	70.3	67.2	73.7	63.0	60.7	65.5
1956	69.7	66.7	72.0	70.5	67.5	73.9	63.6	61.3	66.1
1955	69.6	66.7	72.2	70.5	67.4	73.7	63.7	61.4	65.1
1954	69.6	66.7	72.8	70.5	67.5	73.7	63.4	61.1	65.9
1953	68.8	66.0	72.0	69.7	66.8	73.0	62.0	59.7	64.5
1952	68.6	65.8	71.6	69.5	66.6	72.6	61.4	59.1	63.8
1951	68.4	65.6	71.4	69.3	66.5	72.4	61.2	59.2	63.4
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	59.0	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.4
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.0	61.0
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	65.3	62.4	64.4	64.2	63.2	66.7	55.5	55.4	56.1
1942	66.2	64.7	67.0	67.0	65.9	69.4	56.6	55.4	58.2
1941	64.8	63.1	65.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.6	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.0	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.9	59.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936	58.5	56.6	60.6	59.8	58.0	61.0	49.0	47.0	51.4
1935	61.7	59.0	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.7	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	49.1	47.3	49.2
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9
1926	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	50.0	57.6	50.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	59.7	58.1	61.5	61.4	59.9	63.4	46.6	45.5	47.8
1923	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9
1922	50.6	59.4	51.0	60.4	59.1	61.9	52.4	51.8	53.0
1921	60.8	60.0	61.8	61.8	60.9	62.9	51.5	51.6	51.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.9	45.7
1919	54.7	53.8	56.0	55.8	54.5	57.4	44.5	44.6	44.4
1918	36.1	36.6	42.2	39.8	37.1	43.2	31.1	30.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.9	37.0	40.8
1916	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914	54.2	52.0	58.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912	53.5	51.7	55.0	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.7	37.3
1908	51.1	49.8	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.4	49.0	48.1	46.0	50.4	32.5	31.1	34.0
1906	48.7	46.0	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.3	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

¹Figures by color exclude data for residents of New Jersey; see Technical Appendix.

Section 6. Technical Appendix

	Page		Page
Sources of data-----	6-3	Quality of data -----	6-14
Death and fetal-death statistics-----	6-3	Completeness of registration-----	6-14
Standard certificates -----	6-3	Massachusetts data -----	6-14
		Quality control procedures-----	6-14
History-----	6-3		
Classification of data -----	6-6	Computation of rates-----	6-15
Classification by occurrence and residence -----	6-6	Population bases-----	6-15
Geographic classification -----	6-6	Age-adjusted death rates -----	6-15
Age -----	6-7		
Race and color -----	6-7	Symbols used in tables -----	6-15
Fetal deaths-----	6-8		
Cause of death-----	6-10		
Maternal deaths -----	6-14		
Figure			
6-A. Standard Certificate of Death -----			6-4
6-B. Standard Certificate of Fetal Death-----			6-5
Population table			
6-1. Population of birth- and death-registration States, 1900-1932, and United States, 1900-1969-----			6-16
6-2. Estimates of the total resident population of the United States, by age, race, and sex: July 1, 1969 -----			6-17
6-3. Estimates of the total resident population, by age, for the United States, each division and State: July 1, 1969---			6-18

SECTION 6. TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal-death statistics

Death and fetal-death statistics are based on information obtained from microfilm copies of the original certificates. These copies are received from the registration offices of all States, certain cities, and the District of Columbia. The statistical information on these records is edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Center for Health Statistics (NCHS). Fetal deaths are classified and tabulated separately from all other deaths.

The United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the U.S. Virgin Islands. However, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Alaska has been included in the United States tabulations since 1959 and Hawaii since 1960.

Tabulations for Puerto Rico and the Virgin Islands are not presented in this report. They were included in the annual volumes through 1966. A summary of the 1969 data for these areas is shown below. Death rates are per 1,000 population; fetal-death ratios are per 1,000 live births. Fetal deaths are those with stated or presumed gestation of 20 weeks or more.

Area	Deaths		Fetal deaths	
	Number	Rate	Number	Ratio
Puerto Rico-----	17,667	6.4	1,367	19.8
Virgin Islands-----	477	8.5	62	23.9

Mortality data for the United States are limited to deaths registered within the United States and include those occurring to nonresident aliens. The data do not cover deaths of U.S. civilians or members of the Armed Forces which occur outside the United States.

Standard certificates

Standard certificates of death and fetal death, issued by the Public Health Service, have served for many years as the

principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the Standard Certificate of Death appeared shortly before the formation of the registration area. Since then it has been revised periodically by the national vital statistics agency through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

New revisions of the standard certificates of death and fetal death have been recommended for State use beginning January 1, 1968. The new standard certificates are shown in figures 6-A and 6-B. The certificate of death shown in figure 6-A is for use by either a physician or a medical examiner or coroner. Two other forms of the Standard Certificate of Death are available; they are similar to the one shown except that the section on certification is designed for the physician's signature on one while the other is designed for the medical examiner's or coroner's signature.

HISTORY

The first death statistics published by the Federal Government concerned events in 1850 and included the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and the census enumeration, these reports were inaccurate and incomplete.

In 1880 the U.S. Bureau of the Census established a national "registration area" for deaths. This original area consisted of two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths; by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the

States and cities included in this expanding area, but the figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain annually copies of records filed in the vital statistics offices of States and cities having

adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were poorly enforced. The growth of the registration area is indicated in table 6-1.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was

FIGURE 6-A

FORM APPROVED BUDGET BUREAU NO. 68-81901 (PHYSICIAN, MEDICAL EXAMINER OR CORONER) U.S. STANDARD CERTIFICATE OF DEATH U.S. GOVERNMENT PRINTING OFFICE 1967 OF-241-659

TYPE, OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS LOCAL FILE NUMBER STATE FILE NUMBER

DECEASED

1 DECEASED—NAME FIRST MIDDLE LAST 2 SEX 3. DATE OF DEATH (MONTH, DAY, YEAR)

4 RACE WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY) 5a AGE—LAST BIRTHDAY (YEARS) 5b. MOS. 5c. DAYS 6. DATE OF BIRTH (MONTH, DAY, YEAR) 7a COUNTY OF DEATH

7b CITY, TOWN, OR LOCATION OF DEATH 7c. INSIDE CITY LIMITS (SPECIFY YES OR NO) 7d. HOSPITAL OR OTHER INSTITUTION—NAME (IF NOT IN EITHER, GIVE STREET AND NUMBER)

8 STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY) 9. CITIZEN OF WHAT COUNTRY 10. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (SPECIFY) 11. SURVIVING SPOUSE (IF WIFE, GIVE MAIDEN NAME)

12 SOCIAL SECURITY NUMBER 13a. USUAL OCCUPATION (GIVE KIND OF WORK DONE DURING MOST OF WORKING LIFE, EVEN IF RETIRED) 13b. KIND OF BUSINESS OR INDUSTRY

14a. RESIDENCE—STATE 14b. COUNTY 14c. CITY, TOWN, OR LOCATION 14d. INSIDE CITY LIMITS (SPECIFY YES OR NO) 14e. STREET AND NUMBER

PARENTS

15. FATHER—NAME FIRST MIDDLE LAST 16. MOTHER—MAIDEN NAME FIRST MIDDLE LAST

17a. INFORMANT—NAME 17b. MAILING ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

CAUSE

18. PART I. DEATH WAS CAUSED BY: [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)] APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH

(a) IMMEDIATE CAUSE DUE TO, OR AS A CONSEQUENCE OF: CONDITIONS, IF ANY, WHICH GAVE RISE TO IMMEDIATE CAUSE (a), STATING THE UNDERLYING CAUSE LAST

(b) DUE TO, OR AS A CONSEQUENCE OF:

(c)

PART II OTHER SIGNIFICANT CONDITIONS CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (a) AUTOPSY (YES OR NO) 19a. IF YES WERE FINDINGS CONSIDERED IN DETERMINING CAUSE OF DEATH 19b.

20a. ACCIDENT, SUICIDE, HOMICIDE, OR UNDETERMINED (SPECIFY) 20b. DATE OF INJURY (MONTH, DAY, YEAR) 20c. HOUR AM. 20d. HOW INJURY OCCURRED (ENTER NATURE OF INJURY IN PART I OR PART II, ITEM 18)

20e. INJURY AT WORK (SPECIFY YES OR NO) 20f. PLACE OF INJURY AT HOME, FARM, STREET, FACTORY, OFFICE BLDG., ETC. (SPECIFY) 20g. LOCATION (STREET OR R.F.D. NO., CITY OR TOWN, STATE)

CERTIFIER

21a. CERTIFICATION—PHYSICIAN: I ATTENDED THE DECEASED FROM MONTH DAY YEAR TO MONTH DAY YEAR 21b. AND LAST SAW HIM/HER ALIVE ON MONTH DAY YEAR 21c. I DID/DID NOT VIEW THE BODY AFTER DEATH. 21d. DEATH OCCURRED AT THE PLACE, ON THE DATE, AND, TO THE BEST OF MY KNOWLEDGE, DUE TO THE CAUSE(S) STATED, MONTH DAY YEAR HOUR

22a. CERTIFICATION—MEDICAL EXAMINER OR CORONER: ON THE BASIS OF THE EXAMINATION OF THE BODY AND/OR THE INVESTIGATION, IN MY OPINION, DEATH OCCURRED ON THE DATE AND DUE TO THE CAUSE(S) STATED. HOUR OF DEATH M. 22b. THE DECEDENT WAS PRONOUNCED DEAD MONTH DAY YEAR HOUR M.

23a. CERTIFIER—NAME (TYPE OR PRINT) 23b. SIGNATURE 23c. DEGREE OR TITLE 23d. DATE SIGNED (MONTH, DAY, YEAR)

23e. MAILING ADDRESS—CERTIFIER STREET OR R.F.D. NO. CITY OR TOWN STATE ZIP

BURIAL

24a. BURIAL, CREMATION, REMOVAL (SPECIFY) 24b. CEMETERY OR CREMATORY—NAME 24c. LOCATION CITY OR TOWN STATE

24d. DATE (MONTH, DAY, YEAR) 24e. FUNERAL HOME—NAME AND ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

24f. FUNERAL DIRECTOR—SIGNATURE 24g. REGISTRAR—SIGNATURE 24h. DATE RECEIVED BY LOCAL REGISTRAR

25a. 25b. 25c.

DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE—NATIONAL CENTER FOR HEALTH STATISTICS 1968 REVISION PH-5-777-1 REV. 1-68

predominantly urban and was characterized by a high proportion of white persons. If the reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States is much lower, only 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths have been published each year for the birth-registration area.

Table 6-1 presents for each year through 1932 the estimated midyear population of the United States and the estimated midyear population of the States included in the registration system. Both registration areas included the entire United States for the first time in 1933.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas. However, beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area omits data for registration cities located

FIGURE 6-B

FORM APPROVED
BUREAU OF THE CENSUS, WASHINGTON, D.C. 20540

U.S. STANDARD
CERTIFICATE OF FETAL DEATH

TYPE, OR PRINT IN PERMANENT INK
SEE HANDBOOK FOR INSTRUCTIONS

LOCAL FILE NUMBER STATE FILE NUMBER

FETUS

1. FETUS—NAME FIRST MIDDLE LAST DATE OF DELIVERY (MONTH, DAY, YEAR) HOUR

2. SEX THIS DELIVERY—SINGLE, TWIN, TRIPLET, ETC. (SPECIFY) IF NOT SINGLE DELIVERY BORN FIRST, SECOND, THIRD, ETC. (SPECIFY) COUNTY OF DELIVERY

3. CITY, TOWN, OR LOCATION OF DELIVERY INSIDE CITY LIMITS (SPECIFY YES OR NO) HOSPITAL—NAME (IF NOT IN HOSPITAL, GIVE STREET AND NUMBER)

MOTHER

4. MOTHER—MAIDEN NAME FIRST MIDDLE LAST AGE (AT TIME OF THIS DELIVERY) STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)

5. RESIDENCE—STATE COUNTY CITY, TOWN, OR LOCATION INSIDE CITY LIMITS (SPECIFY YES OR NO) STREET AND NUMBER

FATHER

6. FATHER—NAME FIRST MIDDLE LAST AGE (AT TIME OF THIS DELIVERY) STATE OF BIRTH (IF NOT IN U.S.A., NAME COUNTRY)

7. PART I. FETAL DEATH WAS CAUSED BY: (ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c)) SPECIFY FETAL OR MATERNAL

8. IMMEDIATE CAUSE (a) FETAL OR MATERNAL CONDITION DIRECTLY CAUSING FETAL DEATH (b) DUE TO, OR AS A CONSEQUENCE OF: (c) FETAL AND/OR MATERNAL CONDITIONS, IF ANY, GIVING RISE TO THE IMMEDIATE CAUSE (a), (b), OR (c), STATING THE UNDERLYING CAUSE LAST

9. PART II. OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: CONDITIONS CONTRIBUTING TO FETAL DEATH BUT NOT RELATED TO CAUSE GIVEN IN PART I (a) FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (SPECIFY) (b) AUTOPSY (SPECIFY YES OR NO) (c) IF YES, WERE FINDINGS CONSIDERED IN DETERMINING CAUSE OF DEATH

10. I CERTIFY THAT THIS DELIVERY OCCURRED ON THE DATE STATED ABOVE AND THE FETUS WAS BORN DEAD DATE SIGNED (MONTH, DAY, YEAR) ATTENDANT—M.D., D.O., MIDWIFE, OTHER (SPECIFY)

11. CERTIFIER—SIGNATURE CERTIFIER—MAILING ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP) AUTHORIZED OFFICIAL (IF DELIVERY NOT ATTENDED BY PHYSICIAN) 12. SIGNATURE

BURIAL

13. BURIAL, CREMATION, OR REMOVAL (SPECIFY) CEMETERY OR CREMATORY—NAME LOCATION (CITY OR TOWN, STATE)

14. DATE (MONTH, DAY, YEAR) FUNERAL HOME—NAME AND ADDRESS (STREET OR R.F.D. NO., CITY OR TOWN, STATE, ZIP)

15. FUNERAL DIRECTOR—SIGNATURE REGISTRAR—SIGNATURE DATE RECEIVED BY LOCAL REGISTRAR (MONTH, DAY, YEAR)

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

FATHER

16. RACE—FATHER (WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY)) EDUCATION—SPECIFY HIGHEST GRADE COMPLETED (ELEMENTARY, HIGH SCHOOL, COLLEGE) PREVIOUS DELIVERIES—HOW MANY OTHER CHILDREN (ARE NOW LIVING, WERE BORN ALIVE—NOW DEAD, WERE BORN DEAD (FETAL DEATH AT ANY TIME AFTER CONCEPTION))

MOTHER

17. RACE—MOTHER (WHITE, NEGRO, AMERICAN INDIAN, ETC. (SPECIFY)) EDUCATION—SPECIFY HIGHEST GRADE COMPLETED (ELEMENTARY, HIGH SCHOOL, COLLEGE) DATE OF LAST LIVE BIRTH (MONTH, DAY, YEAR) DATE OF LAST FETAL DEATH (MONTH, DAY, YEAR)

18. DATE LAST NORMAL MENSTRUATION BEGAN (MONTH, DAY, YEAR) MONTH OF PREGNANCY PRENATAL CARE BEGAN (1ST, 2ND, ETC. (SPECIFY)) PRENATAL VISITS (IF NONE, STATE) TOTAL NUMBER LEGITIMATE (SPECIFY YES OR NO) BIRTH WEIGHT

19. COMPLICATIONS RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE") BIRTH INJURIES TO FETUS (DESCRIBE OR WRITE "NONE")

20. COMPLICATIONS NOT RELATED TO PREGNANCY (DESCRIBE OR WRITE "NONE") CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (DESCRIBE OR WRITE "NONE")

21. COMPLICATIONS OF LABOR (DESCRIBE OR WRITE "NONE")

GPO : 1967 OF-241-662

PHS-798 REV. 1-68 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE—NATIONAL CENTER FOR HEALTH STATISTICS 1968 REVISION

in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time can be made. More exact trends for parts of the United States can be secured through the use of some constant area such as the original registration States or the registration States in 1920.

CLASSIFICATION OF DATA

The principal value of vital statistics data is realized through the presentation of rates which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must therefore be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The general rules used in the classification of geographic and personal items for deaths and fetal deaths are set forth in two *Vital Statistics Instruction Manuals*, Part 3, "Classification and Encoder Instructions for Live Birth and Fetal-Death Records, 1969," and Part 4, "Demographic Classification and Encoder Instructions for Death Records, 1969-1971."

The classification of certain important items is discussed on the following pages.

Classification by occurrence and residence

Tabulations for States and other areas within the United States in this report are by place of residence unless otherwise specified in the tables.

Tabulations by place of occurrence include all deaths occurring in a given county. For residence tabulations, all deaths occurring within the United States, that is, the 50 States and the District of Columbia, are allocated to the usual place of residence of the decedent as reported on the death certificate with the following exception. For nonresident aliens and residents of Puerto Rico and the Virgin Islands, the place of residence is considered to be the same as the place of occurrence.

Except for the years 1964 and 1965, deaths of nonresident aliens have been treated as deaths to residents of the exact place of occurrence, which in most instances was an urban area. In 1964 and 1965, deaths of nonresident aliens and residents of Puerto Rico and the Virgin Islands occurring in the 50 States and the District of Columbia were al-

located as deaths to residents of the balance of the county in which they occurred.

Residence error.—Results of a 1960 study show that the classification of residence information on the death certificates corresponded closely to the residence classification of the census records for the decedents whose records were matched.¹

A comparison of the results of this study of deaths with those for a previous matched record study of births² shows that considerable improvement in the quality of residence data had taken place since 1950. The results were the same—an overstatement of events in urban areas by NCHS compared with the U.S. Bureau of the Census classification. The magnitude of the difference was substantially less for deaths in 1960 than it was for births in 1950. Two factors contribute to this difference in magnitude. First, addition in 1956 of an item asking if residence is inside or outside city limits on the standard certificate aided in properly allocating the residence of persons living near cities but outside the corporate limits. The second factor is that there is more likelihood of movement for hospital utilization for births than for deaths.

Geographic classification

The rules followed in the classification of geographic areas for deaths and fetal deaths are contained in the two instruction manuals referred to previously. The geographic code structure for 1969 is given in an instruction manual entitled "Geographic Codes, 1964," which has been used for classifying deaths for each year since 1964.

Standard metropolitan statistical areas.—The standard metropolitan statistical areas (SMSA's) and their component counties in all except two tables of this report are those established by the U.S. Office of Management and Budget as of 1960 (except in the New England States) and used by the U.S. Bureau of the Census. For the tables showing the 50 largest SMSA's, boundaries are as defined by the Office of Management and Budget for 1968 and 1969. The method of estimating populations for these 50 SMSA's in 1969 is discussed in the section entitled Population Bases.

Except in the New England States, an SMSA is a county or a group of contiguous counties containing at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1960 census. In addition to the county or counties containing such a city or cities, contiguous counties are included in an SMSA if, according to specified criteria, they are essentially metro-

¹National Center for Health Statistics: Comparison of the classification of place of residence on death certificates and matching census records, United States, May-August 1960. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 2-No. 30. Public Health Service. Washington, U.S. Government Printing Office, Jan. 1969.

²National Vital Statistics Division: Matched record comparison of birth certificate and census information, United States, 1950. *Vital Statistics—Special Reports*, Vol. 47, No. 12. Public Health Service. Washington, D.C., Mar. 1962.

politan in character and are socially and economically integrated with the central city or cities.³

In New England the Office of Management and Budget uses towns and cities rather than counties as geographic components of SMSA's. The National Center for Health Statistics cannot use the SMSA classification for these States because its data are not coded to identify all towns. Instead the metropolitan State economic area (MSEA) established by the Bureau of the Census, which is made up of county units, is used.⁴

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas.⁵

Metropolitan and nonmetropolitan counties.—Counties included in SMSA's or in New England MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan.

Population-size groups (formerly "urban" and "rural" areas).—Vital Statistics data for cities and certain other urban places in 1969 are classified according to the population enumerated in the 1960 Census of Population. In this report "Population-size groups" refers to two groups, "Urban places" and "Balance of area." "Urban places" consists of the following places:

1. Each incorporated city and other urban places of 10,000 inhabitants or more.
2. Each town in New England and each township in New Jersey and Pennsylvania that had no incorporated municipality as a subdivision and had either 25,000 inhabitants or more or a population of 10,000 to 25,000 and a density of 1,500 persons or more per square mile.
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that had no incorporated municipality within its boundary and had a density of 1,500 persons or more per square mile. (Arlington County, Virginia, is the only county classified as urban under this rule.)

"Balance of area" consists of all other places.

³For a more complete discussion of SMSA's defined for 1960, see U.S. Bureau of the Census, *U.S. Census of Population, 1960, Number of Inhabitants, United States Summary*, Final Report PC(1)-1A, Washington, U.S. Government Printing Office, 1961, and U.S. Bureau of the Budget, *Standard Metropolitan Statistical Areas*, Washington, U.S. Government Printing Office, 1961. For the SMSA's defined for 1968 and retained for 1969, see U.S. Bureau of the Census, *Estimates of the Population of 100 Large Metropolitan Areas, 1967 and 1968, Current Population Reports, Population Estimates and Projections*, Series P-25, No. 432, Washington, U.S. Government Printing Office, Oct. 1969.

⁴For discussion of MSEA's, see U.S. Bureau of the Census, *State Economic Areas*, Washington, U.S. Government Printing Office, 1951, and the first reference cited in footnote 3.

⁵See footnote 3.

Before 1964 each incorporated city and other urban places of 10,000 or more inhabitants were identified in the tabulations; and cities and other urban places of 2,500 to 10,000 inhabitants were tabulated as a group within each county. These cities and other urban places made up the "urban" population, and the remaining population was classified as "rural." Beginning with 1964, urban places of 2,500 to 10,000 are included with "Balance of area." The effect of this change has been to eliminate the classifications "urban" and "rural."

The national and State vital statistics offices have found it impossible to use the definition of "urban" followed in the population census since boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only and cannot be identified from the vital records. The differences between the urban and rural distribution of the population according to Bureau of the Census and NCHS definitions are large enough to make undesirable the computation of vital rates from the two sets of data.

Age

The age recorded on the death record is the age at last birthday. With respect to the computation of death rates, the age classification used by the U.S. Bureau of the Census is also based on the age of the person in completed years.

Race and color

Deaths in the United States for 1969 are classified for vital statistics as white and as all other. The former includes persons reported as white and those reported as Mexican, Puerto Rican, or Cuban. The latter includes Negro, American Indian, Aleut and Eskimo, Chinese, Japanese, Hawaiian, and other races. If the racial entry on the death record indicates a mixture of Hawaiian or Part-Hawaiian with other race, the entry is assigned to the classification "Hawaiian and Part-Hawaiian." If race is given as a mixture of Negro with any other race except Hawaiian and Part-Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as other races.

Race not stated.—For 1969 the number of death records for which the race was not stated was 4,067, or 0.2 percent of the total deaths. Death records with race entry not stated were assigned to a racial designation as follows: If the preceding record was coded white, the code assignment is made to white; if the code is other than white, the assignment is made to Negro. For years prior to 1964 all records with race not stated were assigned to white except records of residents of New Jersey for 1962-64.

New Jersey, 1962-64.—The State of New Jersey omitted the race item from its certificates of live birth, death, and fetal death in use in the beginning of 1962. The item was restored during the latter part of 1962. However, the certificate revision without the race item was used for

most of 1962 as well as 1963. Therefore figures by race or color for 1962 and 1963 exclude New Jersey. For 1964, 6.8 percent of the death records in use for residents of New Jersey did not contain the race item. For that year the not stated events were assigned randomly within each local area to white or Negro on the assumption the distribution of not stated events by race was the same as that of those with race stated.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption for international use the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles."⁶ The term "fetal death" was defined on an all-inclusive basis to end confusion arising from usage of such terms as stillbirth, abortion, and miscarriage.

Shortly thereafter this definition of fetal death was adopted by the National Center for Health Statistics as the nationally recommended standard for registration purposes. Previously the nationally recommended definition had been "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth." The new definition has been adopted by about half the States. In most other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.⁷

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)-----	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)-----	Group II
28 completed weeks of gestation and over (late fetal deaths)-----	Group III
Gestation period not classifiable in groups I, II, and III-----	Group IV

⁶National Office of Vital Statistics: *International Recommendations on Definitions of Live Birth and Fetal Death*. PHS Pub. No. 39. Public Health Service. Washington. U.S. Government Printing Office, Oct. 1950.

⁷For definitions used by the States, see National Center for Health Statistics, *State Definitions of Live Births, Fetal Deaths, and Gestation Periods at Which Fetal Deaths Are Registered*, Public Health Service, Washington, D.C., May 1966.

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live-birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was created to replace the former procedure. This was revised in 1949, 1955, 1956, and 1968 (see figure 6-B). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. The majority of States require registration of fetal deaths of gestations of 20 weeks or more. Table 3-1 in Section 3 shows the minimum period of gestation required by each State for death registration. There is substantial evidence that not all fetal deaths for which registration is required are reported.⁸

Underregistration is more of a problem near the lower limit for States having a minimum gestation period requirement. Failure to register fetal deaths near the lower limit results to a large degree from underestimating the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true.

In order to maximize the comparability of data by year and by State, most of the tables in Section 3 are based on fetal deaths occurring at gestations of 20 or more weeks. These tables also include fetal deaths of not stated or unknown gestation for those States requiring registration at 20 or more weeks only. Before 1969 all fetal deaths of unknown gestation were included. Beginning with 1969 fetal deaths of not stated gestation were excluded for States requiring registration of all products of conception, unless there was evidence, such as high birth weight, that those fetuses were of 20 or more weeks' gestation.

Some liveborn infants who die shortly after birth, particularly those born prematurely who die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States lacking a precise definition of fetal death.

Massachusetts.—Figures for 1967 exclude approximately 100 fetal deaths recorded in Worcester County, Massachusetts, primarily to residents of the city Worcester. Figures for 1966 and those for 1963 exclude approximately 300 fetal deaths that were recorded in Boston, to residents of Suffolk County, for the most part. Microfilm copies of these records were not received by NCHS, and as a result numbers of fetal deaths for these cities and counties and for the State are understated. The fetal-death ratio for the State is understated by about 8 percent for 1967, and by about 23 percent for 1966.

Period of gestation.—The period of gestation is the number of completed weeks elapsed between the first day of the last menstrual period and the date of delivery, irre-

⁸Unpublished fetal mortality data contained in a thesis for Harvard School of Public Health, Apr. 1962, by Carl L. Erhardt, Sc.D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

spective of whether the product of conception was liveborn or born without evidence of life. The first day of the last normal menstrual period (LMP) is used as the initial date since it can be more accurately determined than the date of conception, which usually occurs 2 weeks after LMP. When the period of gestation is reported in months on the certificate, it is allocated to gestation intervals in weeks as follows:

- 1-3 months to under 16 weeks
- 4 months to 16-19 weeks
- 5 months to 20-23 weeks
- 6 months to 24-27 weeks
- 7 months to 28-31 weeks
- 8 months to 32-35 weeks
- 9 months to 40 weeks
- 10 months and over to 43 weeks and over

With the adoption of the 1968 revision of the fetal-death certificate and the increased use of the first day of LMP by the reporting areas, the errors in reporting length of gestation have been minimized. The proportion of fetal deaths assigned to gestations of 36 and 40 weeks has diminished, while the proportion of gestations of 37-39 weeks and 41 weeks and gestation length not stated has increased. In 1969 the areas using LMP were as follows:

Alaska	Maine	North Dakota
Arizona	Maryland	Ohio
California	Michigan	Oklahoma
Colorado	Minnesota	Oregon
District of Columbia	Mississippi	Rhode Island
Hawaii	Missouri	South Carolina
Illinois	Montana	South Dakota
Indiana	Nebraska	Tennessee
Iowa	Nevada	Utah
Kansas	New Hampshire	Vermont
Kentucky	New Jersey	Washington
Louisiana	New York	West Virginia
	North Carolina	Wyoming

Birth weight.—In practically all registration areas birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric system has been used in tabulating and presenting the statistics to facilitate comparison with other data published in the United States. The equivalents in pounds and ounces of the gram intervals are as follows:

- 500 grams or less = 1 lb. 1 oz. or less
- 501-1,000 grams = 1 lb. 2 oz. - 2 lb. 3 oz.
- 1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
- 1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
- 2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
- 2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
- 3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
- 3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
- 4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
- 4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
- 5,001 grams or more = 11 lb. 1 oz. or more

Race and color.—The race of the fetus is ordinarily classified to the race of the parents. If the parents are of different races, the following rules apply: (1) When only one parent is white, the fetus is assigned the other parent's race. (2) When neither parent is white, the fetus is assigned the father's race with two exceptions: If the mother is Hawaiian or Part-Hawaiian, the fetus is classified as Hawaiian; if the mother is Negro and the father is not Hawaiian, the fetus is classified as Negro.

When the race of only one parent is missing or ill-defined, the race of the other determines that of the fetus. When race of both parents is missing, the race of the fetus is allocated as described above in the previous section on race and color.

Total-birth order.—The number of a birth or a fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had including the birth being recorded. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

In the 1956 and 1968 revisions of the Standard Certificate of Fetal Death, the item on previous fetal loss included all fetal deaths regardless of gestation period. The majority of States have adopted this change on their certificates of birth and of fetal death. In these States the proportion of mothers of first liveborn children reported as having had a previous fetal loss has increased because of this change. For this reason, the data in tables 3-10 and 3-12 are not completely comparable with similar data published for years before 1956.

The following registration areas requested information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of both live birth and fetal death in use during all or part of 1969:

Alaska	Louisiana	Ohio
Arizona	Maine	Oklahoma
Arkansas	Michigan	Oregon
Colorado	Minnesota	Rhode Island
Connecticut	Mississippi	South Carolina
Delaware	Missouri	South Dakota
Florida	Montana	Utah
Georgia	Nebraska	Vermont
Hawaii	Nevada	Virginia
Illinois	New Hampshire	Washington
Indiana	New Jersey	West Virginia
Iowa	New York	Wyoming
Kansas	North Carolina	
Kentucky	North Dakota	

The registration areas requesting information on previous fetal deaths at gestations of 20 weeks or more and using the same questions on the live-birth and fetal-death certificates are as follows:

Alabama	Idaho	Tennessee
California	Maryland	Texas
District of Columbia	New Mexico	

In the remaining States the questions regarding previous fetal deaths on the live-birth and the fetal-death certificates differed as follows:

<i>Live-birth certificate</i>	<i>Fetal-death certificate</i>
Massachusetts	
Born dead (fetal deaths at 20 weeks' gestation or more)?	How many previous fetal deaths of any gestation age?
Pennsylvania	
How many were delivered dead after 16 weeks' pregnancy?	How many previous fetal deaths of any gestation age?

Legitimacy status.—Tabulations with legitimacy as a characteristic include only States which provided for reporting this item on their certificates of live birth and fetal death in 1969. These States are as follows:

Alabama	Minnesota	South Dakota
Alaska	Mississippi	Tennessee
Arizona	Missouri	Texas
Colorado	Nebraska	Utah
Florida	Nevada	Virginia
Hawaii	New Hampshire	Washington
Illinois	New Jersey	West Virginia
Indiana	North Carolina	Wisconsin
Iowa	North Dakota	Wyoming
Kansas	Oklahoma	
Kentucky	Oregon	
Louisiana	Pennsylvania	
Maine	Rhode Island	
Michigan	South Carolina	

There are no quantitative data on the characteristics of unwed mothers who may misreport legitimacy status of the fetus or who fail to register fetal deaths. Underregistration may be greater in the illegitimate group than in the legitimate.

Age of mother.—The fetal-death certificate asks for the mother's "age (at time of delivery)," and the ages are edited in NCHS for upper and lower limits. When mothers are reported to be below 13 years of age, the fetal-death record is inspected and queried if necessary. Mothers reported to be age 50 and above are considered to have age not stated. Age on all fetal-death records with age of mother not stated is allocated according to the age appearing on the record previously processed for a mother of identical color and parity. Parity in this case refers to the total number of live births and fetal deaths the mother has had previously.

Cause of death

Beginning with data year 1968 the cause-of-death statistics published by the National Center for Health Statistics have been classified in accordance with the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*,⁹ which is based on the 1965 Revision of the International Classification of Diseases (ICD).¹⁰ The ICDA gives greater detail and specificity in some categories than is provided by the Eighth Revision of the ICD. Complete correspondence between these two classifications was maintained at the three-digit level, but new four-digit subdivisions were created in various parts of the ICDA. Where necessary, existing four-digit subdivisions are renumbered to accommodate the additional subcategories in logical sequence. In the ICDA, subdivisions which do not correspond exactly with the ICD are identified by asterisks. In this report the four-digit subcategory numbers which differ from those in the ICD are also shown with asterisks.

In addition to specifying that the Classification be used, the World Health Organization recommended special lists for mortality tabulations—the Detailed List, consisting of all three-digit categories; List A, the List of 150 Causes for Tabulation of Morbidity and Mortality; List B, the List of 50 Causes for Tabulation of Mortality; and List P, the List of 100 Causes for Tabulation of Perinatal Morbidity and Mortality. The recommended tabulation lists have been modified for use in the National Center for Health Statistics.

The Each-Cause List is made up of each three-digit category of the Detailed List to which deaths may be assigned and each four-digit subcategory of the ICDA to which deaths may be assigned. For category 412 the fourth digits .1, .2, .3, and .4 are used instead of the fourth digits .0 and .9 which appear in the ICDA. The each-cause table (1-23) does not show the four-digit subcategories provided for Motor vehicle accidents (E810-E823). However, these subcategories, which identify persons injured, are shown in the accident tables (Sec. 4). Special fifth-digit subcategories are also used in the accident tables to identify place of accident when deaths from nontransport accidents are shown.

The List of 281 Selected Causes of Death is an extension of List A designed so that with one exception the original groups can be obtained by combining titles. The individual titles in List A for Certain causes of mortality in early infancy are shown as one group title in tables using the List of 281 Selected Causes. The individual categories are shown in tables using the List of 65 Selected Causes of Infant Death, which was created by extending some titles in List P and by combining others. Titles in List P not shown in this list may be found in the each-cause table with the

⁹National Center for Health Statistics: *Eighth Revision International Classification of Diseases, Adapted for Use in the United States*. PHS Pub. No. 1693. Public Health Service. Washington. U.S. Government Printing Office, 1967.

¹⁰World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Eighth Revision Conference, 1965. Geneva. World Health Organization, 1967.

exception of causes of death in List P that are applicable only to fetal deaths.

The List of 69 Selected Causes of Death is an extension of List B; however, certain causes of low frequency in the United States are not shown separately. These causes are Cholera, Typhoid fever, Plague, Diphtheria, Smallpox, Typhus and other rickettsioses, and Malaria.

The List of 34 Selected Causes of Death for Detailed Geographic Areas was created by combining titles in the List of 69 Selected Causes.

These lists were designed to be as comparable as possible to the NCHS lists most recently in use under the Seventh Revision. In several instances this could not be done. No attempt will be made here to enumerate these changes. However, the following changes for the category Major cardiovascular diseases are especially worth noting. This category was entitled Major cardiovascular-renal diseases in the Seventh Revision NCHS lists, but it no longer includes the renal diseases. Also Diseases of veins and lymphatics and other diseases of circulatory system, which was previously included in the subcategory Other diseases of circulatory system, is no longer included.

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the first five revisions, the continuity in the mortality trends is not considered a problem of great concern. Van Buren described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death.¹¹ Dunn and Shackley measured the change in mortality statistics by cause due to the Fifth Revision.¹² This was done by coding mortality records for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

Sixth Revision.—The Sixth Revision of the International Lists of Diseases and Causes of Death was adopted by the World Health Organization in July 1948 and used for mortality data in the United States from 1949 through 1957. This revision represented a more sweeping change than any previous revision. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for coding morbidity as well as mortality records.

In addition to the expanded scope of the Sixth Revision of the International Classification, there was a major change

in the method of selection of the cause of death for primary tabulation. A large proportion of death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, making it necessary to select the one cause to which the death will be assigned. The method of selection has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death for international use. The form of medical certification in the Standard Certificate of Death is shown in figure 6-A. It is designed to facilitate the selection of the underlying cause of death when two or more causes are recorded. In general if the certification is completed properly, the underlying cause of death entered by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs markedly from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

Comparability between the Sixth and Fifth Revision.—In order to maintain a time series of mortality rates for comparable causes, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 be coded according to both the Sixth and Fifth Revisions. In the United States, 1950 mortality data were used for the dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause using the Fifth Revision.^{13, 14}

Seventh Revision.—Beginning with 1955 the decennial conferences for revision of the International Lists are held in years ending in 5 rather than later in the decade as had been done previously. This is to make possible the use of the revised classification for mortality data beginning with years ending in 8. The new cycle provides time to assess the effect of new provisions and variations in interpretation before the next census. Thus stable mortality data will be available for use with population figures from the decennial census.

Changes in the Seventh Revision were held to a minimum because of the relatively short experience with the Sixth Revision. In compliance with a recommendation of

¹¹ U.S. Bureau of the Census: Some things you can't prove by mortality statistics, by G. H. Van Buren. *Vital Statistics—Special Reports*, Vol. 12, No. 13. Washington, D.C., Jan. 1940.

¹² U.S. Bureau of the Census: Comparison of cause-of-death assignments by the 1929 and 1938 Revisions of the International Lists, deaths in the United States, 1940, by H. L. Dunn and W. Shackley. *Vital Statistics—Special Reports*, Vol. 19, No. 14. Washington, D.C., June 1944.

¹³ National Center for Health Statistics: Comparability of mortality statistics for the Fifth and Sixth Revisions, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 2. Public Health Service. Washington, D.C., Dec. 1963.

¹⁴ National Center for Health Statistics: Comparability ratios based on mortality statistics for the Fifth and Sixth Revision, United States, 1950, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 3. Public Health Service. Washington, D.C., Feb. 1964.

the Expert Committee on Health Statistics, the changes were limited to essential ones and amendments of errors and inconsistencies. Provisions previously contained in an addendum¹⁵ were integrated into the manual.¹⁶ Since these provisions had been used with the Sixth Revision, they did not represent classification changes. The only change made in three-digit categories consisted of rewording a few titles. In a few cases the rewording included redefining morbid conditions classifiable to these categories and transferring certain terms from one category to another. The three-digit categories which were affected are listed in Section 1, Volume I, of *Vital Statistics of the United States, 1958*. There were also a number of changes in four-digit subcategories, consisting mostly of the addition of subdivisions to provide more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were additions, deletions, or changes in the four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for selecting the cause of death for primary mortality classification were recast for use with the Seventh Revision to simplify them and to organize them from the viewpoint of the coder making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause starting the train of events leading directly to death. In recasting the rules, some interpretations were modified—mainly those involving selection of the underlying cause for improperly completed certifications. In adapting coding procedures to reporting practices in the United States, some additional changes in interpretations were made.

In the majority of cases, application of the rules for the Sixth Revision and those for the Seventh resulted in the same code assignment. There were some differences in individual assignments affecting a number of categories. Many of these individual assignments were compensatory and resulted in no detectable discontinuity of trends for various causes of death; the comparability of a number of categories was affected to a limited extent.

Comparability between the Seventh and Sixth Revisions.—In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified using both the Sixth and Seventh Revisions. The comparability ratios for selected causes and a discussion of the results of this study are published in

"Comparability of Mortality Statistics for the Sixth and Seventh Revisions, United States, 1958."¹⁷

Eighth Revision.—The Eighth Revision contains major modifications in several sections of the lists. Also, the international rules for selecting the underlying cause have been simplified. In addition, changes have been introduced in the special rules and decisions which adapt the coding procedures to reporting practices in the United States.

The Detailed List of the Eighth Revision consists of 671 categories of diseases and morbid conditions, 182 categories for classification of the external cause of injury, and 187 categories for characterization of injuries according to the nature of the lesion. These detailed categories are designated by three-digit numbers. There are also four-digit subcategories in the ICDA that provide further specificity or more information regarding etiology or manifestations of the disease. The Classification is arranged in 17 main sections, or chapters. The important changes are summarized for each of these sections in the introduction to the ICDA, pages xxiv-xxviii. Following are some of the many changes made:

Infective and parasitic diseases.—In the Seventh Revision, list titles for diarrheal conditions were scattered over several sections of the Classification. In the Eighth Revision all the Seventh Revision subdivisions for these conditions, including those for infants, are brought together under one category, Diarrheal diseases (009).

Diseases of the nervous system and sense organs.—Vascular lesions affecting central nervous system (330-334) in the Seventh Revision has been transferred in the Eighth Revision to Section VII, Diseases of the circulatory system, where they appear as Cerebrovascular diseases (430-438).

Certain causes of perinatal morbidity and mortality.—This section represents an integration of Section XV (Certain diseases of early infancy) and Classification of causes of stillbirth (Y30-Y39) in the Seventh Revision. The age qualifications used in previous revisions to classify the same conditions in or outside this section have been deleted. For example, Pneumonia of newborn (763) of the Seventh Revision is no longer in this section. Instead, it is included in the Eighth Revision with Pneumonia (480-486), to which pneumonias are assigned without regard to age.

Accidents, poisonings, and violence.—A new subsection (E980-E989) has been introduced for the classification of deaths where it was not possible for the certifier to determine whether the injuries were accidentally or purposely inflicted.

¹⁵World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Addendum 1, Supplementary Interpretations and Instructions for Coding Causes of Death*. Geneva. World Health Organization, 1953.

¹⁶World Health Organization: *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Based on the Recommendations of the Seventh Revision Conference, 1955*. Geneva. World Health Organization, 1957.

¹⁷National Center for Health Statistics: *Comparability of mortality statistics for the Sixth and Seventh Revisions, United States, 1958*, by M. M. Faust and A. B. Dolman. *Vital Statistics—Special Reports*, Vol. 51, No. 4. Public Health Service. Washington, D.C., Mar. 1965.

Comparability between the Eighth and Seventh Revisions.—In order to measure the degree of discontinuity in cause-of-death statistics resulting from the introduction of the Eighth Revision, provisional estimates of selected comparability ratios based on dual coding of a stratified sample of 1966 death certificates by the Seventh and Eighth Revisions of the International Classification of Diseases were computed. These ratios appear in the *Monthly Vital Statistics Report* of the National Center for Health Statistics, Volume 17, Number 8, Supplement.

Coding in 1969.—The National Center for Health Statistics usually prepares for its cause-of-death coding clerks an instruction manual which contains decisions and interpretations that apply each year. These manuals are revised annually chiefly to bring coding procedures into alignment with new developments in reporting practices and in medical opinions as to the etiology and causal relationship of diseases and to eliminate inconsistencies in coding procedures.¹⁸

In 1969 a four-digit subcategory was introduced, 519.3, Chronic obstructive lung disease. This category includes Obstructive airway or respiratory disease and Obstructive lung or pulmonary disease. The deaths from this cause were formerly assigned to category 519.2, Other diseases of lung.

Since 1968 the use of an automated system for obtaining the underlying cause requires special coding procedures in NCHS. (See Quality Control Procedures under Quality of Data.) The automated system was designed to assign the underlying cause according to the international rules just as if a manual process were to be used.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability between areas could be attained only if all records of cause of death were reported with equal accuracy and completeness. The medical certification of death can be made only by a qualified person, usually a physician, a medical examiner, or a coroner. Therefore the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the ability of the medical attendant to make the proper diagnosis and by the care with which he completes the death certificate.

The quality of the basic data reported on the death certificate is of fundamental importance in the interpretation of cause-of-death statistics. A pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956. A representative sample of certificates was selected for particular causes of death. Questionnaires were sent to the physicians who had signed the certificates asking for the diagnostic methods and pertinent findings on

which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy, and for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. It was concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.¹⁹

In a later follow-back study conducted by NCHS, a national sample of deaths occurring in July and August 1960 was selected from the 10-percent Current Mortality Sample. A questionnaire was sent to the physician, coroner, or medical examiner signing the death certificate and to hospitals and others suggested by the medical examiner as possible added sources of diagnostic information. Eighty-seven percent of the medical certifiers returned a questionnaire with some kind of response. Of those returned, 14 percent contained no useful information. The forms were reviewed by two cardiologists to determine whether or not the cause of death assigned was supported by the diagnostic information provided by the certifier. The results showed that "for cardiovascular-renal diseases as a whole, it is estimated that 70 to 75 percent of the deaths so classified may be considered as a reasonable inference or better."²⁰

One index of the quality of reporting causes of death is the proportion of death certificates coded to the Eighth Revision category numbers 780-792, 795, and 796, which are the rubrics for symptoms and ill-defined conditions. While there are cases for which it is not possible to determine the causes of death, this proportion indicates the care and consideration given to the certification by attending physicians. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas and to a small degree the extent to which autopsies are performed and their findings used in determining the underlying cause of death entered on the death certificate. In 1969, 1.3 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.2 to 6.9 percent.

Ranking causes of death.—The causes included in the List of 69 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. Two group titles, Major cardiovascular-renal diseases and Symptoms and ill-defined conditions, are not ranked. In addition, category titles that begin with the words "Other"

¹⁹For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by I. M. Moriyama and others, *Am. J. Pub. Health*, Vol. 48, No. 10, Oct. 1958, pp. 1376-1387.

²⁰Moriyama, I. M., and others: Evaluation of Diagnostic Information Supporting Medical Certification of Cardiovascular Disease Deaths. Paper presented at a meeting of the American Public Health Association, Kansas City, Mo., Nov. 13, 1963.

¹⁸National Center for Health Statistics: Vital statistics, instructions for medical classification of death records and the underlying cause of death, 1969. *NCHS Instruction Manual*, Part 2. Public Health Service. Rockville, Md., 1971.

or "All other" are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of Tuberculosis, all forms, its component parts (in this case, Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

Maternal deaths

Maternal deaths are those for which the certifying physician has designated a maternal condition as the underlying cause of death. The maternal conditions are those assigned to Complications of pregnancy, childbirth, and the puerperium (630-678).

QUALITY OF DATA

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.²¹ A similar situation may exist in other States.

Massachusetts data

The 1964 statistics for deaths exclude approximately 6,000 events registered in Massachusetts, primarily to residents of the State. Microfilm copies of these records were not received by NCHS. Figures for the United States and the New England Division are also somewhat affected.

Quality control procedures

The "Automated Classification of Medical Entities" (ACME), a new computer system for assigning the underlying cause of death which was introduced in 1968, was used

²¹Tennessee Department of Public Health: Results of survey of death registration completeness. *The Spotlight*, Jan. 1954.

for assigning the 1969 underlying causes of death.²² The ACME rules for coding conditions are very specific, fewer in number, and far less complicated than the international rules for selecting the underlying cause of death.²³

The coder produces condition codes which the ACME computer program matches against decision tables to select the underlying cause of death for each record according to the international rules. These decision tables serve two primary purposes. They provide a comprehensive guide for the relationship between conditions classifiable to different categories in ICDA when applying rules of selection and modification and they also provide decisions used when the underlying cause is assigned by the ACME system. The tables were developed from the decisions and conclusions employed by NCHS in arriving at the underlying causes of death. Relationships between medical conditions involve varying or contradictory opinions. Therefore further refinements of the decision tables will be required. These changes were reflected in the decision table instruction manual²⁴ and will continue to be in future issues.

The coding of all other death data was done simultaneously with record punching from microfilm images of the original certificates. Approximately 64 percent of all records punched were verified on a 10-percent systematic sample. The expected result from this system of verification is that on the average 2.25 percent of the records will contain one or more errors. The rest of the records were verified completely, and the errors remaining are presumably very few.

Except for cause-of-death coding, both systems of verification involve controlling two types of error (coding and punching) at the same time, and the error rates are a combined measure of both types. While it may be assumed that punching errors are randomly distributed across all items on the record, this assumption cannot be made as readily for coding errors. Systematic errors in coding infrequent events may escape detection during sample verification. For cause-of-death coding this is controlled by listing the rare and impossible codes from the computer and reverifying the cause-of-death assignment. This type of error is partially controlled for the other items by reverifying randomly selected lots from each operator's work.

The coding and punching of fetal deaths are verified completely because of their relatively small number.

²²Automated Classification of Medical Entities (ACME) for Selection of Causes of Death. Unpublished paper presented at the annual meeting of the American Public Health Association, Houston, Tex., Oct. 1970.

²³National Center for Health Statistics: Vital statistics, instructions for medical classification of death records and the underlying cause of death, 1969. *NCHS Instruction Manual*, Part 2. Public Health Service, Rockville, Md., 1971. pp. 2 and 79-108.

²⁴National Center for Health Statistics: Vital statistics, ICDA Eighth Revision decision tables for classifying underlying causes of death, 1969. *NCHS Instruction Manual*, Part 2a. Public Health Service, Rockville, Md. 1971.

After completing coding and punching, record counts are balanced against control totals for each shipment of records from a registration area. Impossible codes are selected out during the editing processes on the computer and are either corrected by reference to the source record or adjusted by arbitrary code assignment. All subsequent operations in tabulating and in table preparation are verified either during the computer processing or by statistical clerks.

COMPUTATION OF RATES

Population bases

The death rates shown in this report were computed on the basis of population statistics published or made available by the U.S. Bureau of the Census. Rates for 1940, 1950, and 1960 are based on the populations enumerated as of April 1 in the censuses of those years. Rates for all other years are based on the estimated midyear (July 1) population for the respective years.

Population estimates for 1969.—Estimates of the total resident population of the United States by age, race, and sex in 1969 are published by the Bureau of the Census in *Current Population Reports*, Series P-25, Number 441, and are shown in table 6-2. Total estimated populations for States shown in table 6-3 are published in Series P-25, Number 436; populations by broad age groups were prepared by the Bureau of the Census for NCHS and do not appear in the P-25 Series.

The populations of the 50 largest SMSA's and their component counties were estimated by linearly interpolating between the 1960 and 1970 census populations.

Rates and ratios based on live births.—Infant, neonatal, and maternal mortality rates, and fetal death rates and ratios are computed on the basis of the number of live

births instead of the estimated population under 1 year of age.

New Jersey.—As indicated previously, data by race or color are not available for New Jersey for 1962 and 1963. Therefore for 1962 and 1963 the National Center for Health Statistics estimated a population by age, color, and sex excluding New Jersey for rates shown by color. The methodology used to estimate the revised population excluding New Jersey is discussed in the technical appendixes of the 1962 and 1963 reports.

Age-adjusted death rates

Age-adjusted death rates shown in this report are computed by using the distribution in 10-year age intervals of the enumerated population of the United States in 1940 as the standard population. Each figure represents the rate that would have existed if the age-specific rates of the particular year prevailed in a population whose age distribution was like that of the United States in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to compare age-adjusted death rates directly with crude rates shown in other tables.

SYMBOLS USED IN TABLES

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05-----	0.0
Figure does not meet standards of reliability or precision-----	*

SECTION 6 - TECHNICAL APPENDIX

Table 6-1. Population of Birth- and Death-Registration States, 1900-1932, and United States, 1900-1969

[Population enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years]

Year	United States ¹		Year	United States ²		Birth-registration States		Death-registration States	
	Population including Armed Forces abroad	Population residing in area		Population including Armed Forces abroad	Population residing in area	Number of States ²	Population residing in area	Number of States ²	Population residing in area
1969	205,215,000	201,921,000	1952	124,949,000	124,840,471	47	118,903,898	47	118,903,899
1968	201,166,000	198,861,000	1951	124,148,000	124,039,548	46	117,455,229	47	118,148,887
1967	198,118,000	197,865,000	1950	123,188,000	125,076,741	46	116,544,946	47	117,238,278
1966	196,842,000	195,857,000	1929	---	121,769,939	46	115,317,450	46	115,317,450
1965	194,585,000	193,818,000	1928	---	120,801,115	44	113,636,160	44	113,636,160
1964	192,119,000	191,371,000	1927	---	119,058,062	40	104,820,830	42	107,084,522
1963	189,417,000	188,658,000	1926	---	117,399,225	35	90,400,590	41	103,822,683
1962	186,656,000	185,890,000	1925	---	115,931,963	33	88,294,564	40	102,031,565
1961	183,756,000	183,087,000	1924	---	114,113,463	33	87,000,295	39	99,318,098
1960	180,007,000	179,323,175	1923	---	111,949,945	30	81,072,123	38	96,788,197
1959	177,264,000	176,513,000	1922	---	110,054,778	30	79,560,746	37	92,702,901
1958	174,141,000	173,320,000	1921	---	108,641,489	27	70,807,090	34	87,814,447
1957	171,274,000	170,371,000	1920	---	106,466,420	23	63,597,307	34	86,079,263
1956	168,221,000	167,306,000	1919	105,062,747	104,512,110	22	61,212,076	33	83,157,932
1955	165,275,000	164,308,000	1918	104,549,886	103,202,801	20	55,153,782	30	79,008,412
1954	162,391,000	161,164,000	1917	103,413,743	103,285,913	20	53,197,952	27	70,234,775
1953	159,565,000	158,242,000	1916	---	101,965,984	11	32,944,013	28	66,971,177
1952	156,954,000	155,687,000	1915	---	100,549,013	10	31,096,697	24	61,994,947
1951	154,287,000	153,310,000	1914	---	98,117,367	---	---	24	60,963,309
1950	151,132,000	150,697,361	1913	---	97,226,814	---	---	23	58,156,740
1949	148,186,000	148,665,000	1912	---	95,331,300	---	---	22	54,847,700
1948	146,651,000	146,093,000	1911	---	93,867,814	---	---	22	53,929,644
1947	144,126,000	143,446,000	1910	---	92,406,536	---	---	20	47,470,437
1946	141,369,000	140,054,000	1909	---	90,491,625	---	---	18	44,223,513
1945	138,928,000	138,481,000	1908	---	88,708,976	---	---	17	38,634,759
1944	136,597,000	136,245,000	1907	---	87,000,271	---	---	15	34,552,837
1943	134,739,000	134,245,000	1906	---	85,436,556	---	---	15	33,782,288
1942	132,860,000	132,920,000	1905	---	83,819,666	---	---	10	21,767,980
1941	130,402,000	130,121,000	1904	---	82,164,974	---	---	10	21,332,076
1940	128,820,000	128,669,275	1903	---	80,632,152	---	---	10	20,943,222
1939	127,028,000	126,879,718	1902	---	79,160,196	---	---	10	20,582,907
1938	125,969,000	125,824,939	1901	---	77,586,128	---	---	10	20,237,453
1937	124,961,000	124,824,828	1900	---	76,094,134	---	---	10	19,965,446
1936	123,181,000	123,055,180							
1935	121,562,000	121,250,232							
1934	119,485,000	119,373,773							
1933	117,690,000	117,578,763							

¹Alaska included beginning 1959, and Hawaii, 1960.

²The District of Columbia is not included in "Number of States," but it is represented in all data shown for each year.

Source: U.S. Bureau of the Census: *Vital Statistics Rates in the United States, 1900-1940*; *Historical Statistics in the United States, Colonial Times to 1957*; *Statistical Abstract of the United States, 1968*; *Current Population Reports, Series P-25, Nos. 98, 266, 276, 293, 321, 352, 383, 385, 416, and 441.*

SECTION 6 · TECHNICAL APPENDIX

6-17

Table 6-2. Estimates of the Total Resident Population of the United States, by Age, Race, and Sex: July 1, 1969

[Figures include Armed Forces stationed in the United States and exclude those stationed outside the United States. Due to rounding to the nearest thousands, detailed figures may not add to totals]

Age	Total			White			All other					
	Both sexes	Male	Female	Both sexes	Male	Female	Total			Negro		
							Both sexes	Male	Female	Both sexes	Male	Female
All ages-----	201,921,000	98,482,000	103,439,000	177,082,000	86,516,000	90,566,000	24,839,000	11,966,000	12,873,000	22,596,000	10,842,000	11,754,000
Under 1 year-----	3,495,000	1,785,000	1,710,000	2,872,000	1,471,000	1,401,000	623,000	314,000	309,000	588,000	286,000	282,000
1-4 years-----	14,463,000	7,390,000	7,085,000	12,004,000	6,139,000	5,865,000	2,481,000	1,241,000	1,222,000	2,239,000	1,127,000	1,112,000
5-9 years-----	20,827,000	10,622,000	10,205,000	17,574,000	8,988,000	8,586,000	3,253,000	1,634,000	1,619,000	2,959,000	1,486,000	1,473,000
10-14 years-----	20,518,000	10,425,000	10,093,000	17,575,000	8,954,000	8,621,000	2,944,000	1,471,000	1,472,000	2,703,000	1,348,000	1,355,000
15-19 years-----	18,438,000	9,294,000	9,144,000	15,903,000	8,037,000	7,866,000	2,535,000	1,257,000	1,276,000	2,355,000	1,157,000	1,178,000
20-24 years-----	15,776,000	7,607,000	8,169,000	13,807,000	6,671,000	7,136,000	1,969,000	938,000	1,033,000	1,808,000	862,000	946,000
25-29 years-----	13,179,000	6,485,000	6,694,000	11,618,000	5,740,000	5,878,000	1,561,000	745,000	816,000	1,415,000	678,000	737,000
30-34 years-----	11,211,000	5,494,000	5,717,000	9,874,000	4,876,000	4,998,000	1,337,000	617,000	719,000	1,195,000	551,000	644,000
35-39 years-----	11,104,000	5,421,000	5,683,000	9,790,000	4,822,000	4,968,000	1,314,000	599,000	715,000	1,161,000	530,000	631,000
40-44 years-----	12,072,000	5,873,000	6,199,000	10,747,000	5,270,000	5,477,000	1,325,000	603,000	722,000	1,182,000	537,000	645,000
45-49 years-----	12,172,000	5,880,000	6,292,000	10,921,000	5,297,000	5,624,000	1,251,000	582,000	668,000	1,131,000	522,000	609,000
50-54 years-----	10,902,000	5,292,000	5,690,000	9,921,000	4,799,000	5,122,000	1,061,000	492,000	568,000	974,000	447,000	527,000
55-59 years-----	9,903,000	4,735,000	5,168,000	8,970,000	4,297,000	4,673,000	933,000	438,000	495,000	859,000	395,000	464,000
60-64 years-----	8,309,000	3,895,000	4,415,000	7,582,000	3,551,000	4,031,000	727,000	344,000	384,000	662,000	304,000	358,000
65-69 years-----	6,792,000	3,089,000	3,704,000	6,220,000	2,817,000	3,403,000	572,000	272,000	301,000	507,000	234,000	273,000
70-74 years-----	5,162,000	2,200,000	2,963,000	4,606,000	2,043,000	2,562,000	357,000	157,000	201,000	324,000	138,000	186,000
75-79 years-----	3,915,000	1,589,000	2,325,000	3,612,000	1,471,000	2,141,000	303,000	128,000	174,000	281,000	117,000	164,000
80-84 years-----	2,312,000	918,000	1,394,000	2,138,000	842,000	1,296,000	174,000	76,000	98,000	161,000	68,000	93,000
85 years and over-----	1,289,000	490,000	799,000	1,147,000	429,000	719,000	141,000	61,000	80,000	134,000	57,000	77,000

Source: U.S. Bureau of the Census: Estimates of the population of the United States, by age, race, and sex, July 1, 1969, Current Population Reports, Series P-25, No. 441.

SECTION 6 - TECHNICAL APPENDIX

Table 6-3. Estimates of the Total Resident Population, by Age, for the United States, Each Division and State:
July 1, 1969

[Figures include Armed Forces stationed in each area and exclude Armed Forces stationed outside the United States. Due to rounding to the nearest thousand, detailed figures may not add to totals]

Division and State	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
United States	201,921,000	17,994,000	59,777,000	65,331,000	41,353,000	19,464,000
Geographic divisions:						
New England	11,912,000	1,009,000	3,247,000	3,458,000	2,484,000	1,286,000
Middle Atlantic	37,271,000	3,115,000	10,223,000	11,391,000	8,534,000	3,887,000
East North Central	39,904,000	3,578,000	12,005,000	12,109,000	8,299,000	3,751,000
West North Central	16,174,000	1,371,000	4,897,000	4,830,000	3,325,000	1,890,000
South Atlantic	50,484,000	2,785,000	9,115,000	10,033,000	5,786,000	2,739,000
East South Central	13,107,000	1,192,000	4,003,000	4,163,000	2,528,000	1,240,000
West South Central	19,495,000	1,646,000	6,069,000	6,290,000	3,703,000	1,759,000
Mountain	8,021,000	786,000	2,613,000	2,553,000	1,486,000	681,000
Pacific	25,953,000	2,310,000	7,605,000	8,504,000	5,208,000	2,302,000
New England:						
Maine	978,000	88,000	289,000	281,000	198,000	117,000
New Hampshire	717,000	84,000	206,000	224,000	143,000	80,000
Vermont	439,000	39,000	129,000	135,000	85,000	48,000
Massachusetts	5,467,000	480,000	1,527,000	1,812,000	1,194,000	629,000
Rhode Island	911,000	79,000	251,000	277,000	201,000	102,000
Connecticut	3,000,000	259,000	845,000	929,000	663,000	280,000
Middle Atlantic:						
New York	18,321,000	1,566,000	4,950,000	5,581,000	4,197,000	1,941,000
New Jersey	7,148,000	604,000	2,002,000	2,269,000	1,606,000	677,000
Pennsylvania	11,803,000	945,000	3,271,000	3,542,000	2,731,000	1,249,000
East North Central:						
Ohio	10,740,000	934,000	3,284,000	3,307,000	2,228,000	977,000
Indiana	5,118,000	487,000	1,542,000	1,581,000	1,033,000	484,000
Illinois	11,047,000	985,000	3,206,000	3,310,000	2,391,000	1,078,000
Michigan	8,766,000	813,000	2,734,000	2,684,000	1,763,000	747,000
Wisconsin	4,233,000	381,000	1,299,000	1,227,000	866,000	464,000
West North Central:						
Minnesota	3,700,000	328,000	1,164,000	1,084,000	733,000	405,000
Iowa	2,781,000	237,000	846,000	829,000	587,000	349,000
Missouri	4,631,000	366,000	1,342,000	1,425,000	960,000	548,000
North Dakota	615,000	55,000	201,000	177,000	124,000	66,000
South Dakota	639,000	59,000	213,000	180,000	133,000	80,000
Nebraska	1,449,000	124,000	439,000	416,000	296,000	160,000
Kansas	2,321,000	182,000	683,000	719,000	472,000	262,000
South Atlantic:						
Delaware	540,000	51,000	166,000	187,000	105,000	44,000
Maryland	3,765,000	357,000	1,139,000	1,222,000	754,000	282,000
District of Columbia	799,000	79,000	220,000	241,000	177,000	69,000
Virginia	4,663,000	423,000	1,397,000	1,594,000	890,000	353,000
West Virginia	1,819,000	145,000	521,000	549,000	397,000	189,000
North Carolina	5,205,000	469,000	1,568,000	1,789,000	959,000	399,000
South Carolina	2,692,000	263,000	870,000	915,000	470,000	185,000
Georgia	4,641,000	458,000	1,438,000	1,556,000	849,000	355,000
Florida	6,354,000	540,000	1,798,000	2,020,000	1,176,000	857,000
East South Central:						
Kentucky	3,232,000	288,000	975,000	1,024,000	631,000	334,000
Tennessee	3,985,000	347,000	1,162,000	1,303,000	797,000	374,000
Alabama	3,531,000	324,000	1,091,000	1,119,000	682,000	314,000
Mississippi	2,360,000	233,000	775,000	717,000	419,000	218,000
West South Central:						
Arkansas	1,995,000	182,000	593,000	613,000	390,000	230,000
Louisiana	3,745,000	362,000	1,216,000	1,165,000	674,000	295,000
Oklahoma	2,368,000	207,000	729,000	827,000	522,000	287,000
Texas	11,187,000	1,077,000	3,531,000	3,685,000	2,117,000	946,000
Mountain:						
Montana	694,000	60,000	221,000	199,000	142,000	67,000
Idaho	718,000	64,000	230,000	220,000	144,000	68,000
Wyoming	520,000	29,000	104,000	96,000	70,000	30,000
Colorado	2,100,000	184,000	648,000	686,000	397,000	183,000
New Mexico	994,000	110,000	360,000	300,000	179,000	69,000
Arizona	1,691,000	174,000	551,000	555,000	296,000	143,000
Utah	1,045,000	113,000	359,000	327,000	175,000	74,000
Nevada	457,000	52,000	140,000	160,000	84,000	29,000
Pacific:						
Washington	3,402,000	274,000	985,000	1,105,000	684,000	312,000
Oregon	2,032,000	164,000	590,000	651,000	457,000	218,000
California	19,445,000	1,762,000	5,663,000	6,380,000	3,911,000	1,724,000
Alaska	282,000	34,000	105,000	100,000	42,000	8,000
Hawaii	794,000	76,000	252,000	268,000	134,000	42,000

Source: U.S. Bureau of the Census: Current Population Reports, Series P-25, No. 436, and official records.