

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
All races, both sexes, all ages <sup>3</sup>					All races, both sexes, 10–14 years				
...	All causes . . . . .	2,403,351	100.0	873.1	...	All causes . . . . .	4,160	100.0	20.9
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	710,760	29.6	258.2	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,588	38.2	8.0
2	Malignant neoplasms . . . . . (C00–C97)	553,091	23.0	200.9	2	Malignant neoplasms . . . . . (C00–C97)	525	12.6	2.6
3	Cerebrovascular diseases . . . . . (I60–I69)	167,661	7.0	60.9	3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	300	7.2	1.5
4	Chronic lower respiratory diseases . . . . . (J40–J47)	122,009	5.1	44.3	4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	231	5.6	1.2
5	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	97,900	4.1	35.6	5	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	201	4.8	1.0
6	Diabetes mellitus . . . . . (E10–E14)	69,301	2.9	25.2	6	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	165	4.0	0.8
7	Influenza and pneumonia . . . . . (J10–J18)	65,313	2.7	23.7	7	Chronic lower respiratory diseases . . . . . (J40–J47)	91	2.2	0.5
8	Alzheimer's disease . . . . . (G30)	49,558	2.1	18.0	8	Cerebrovascular diseases . . . . . (I60–I69)	51	1.2	0.3
9	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	37,251	1.5	13.5	9	Influenza and pneumonia . . . . . (J10–J18)	40	1.0	0.2
10	Septicemia . . . . . (A40–A41)	31,224	1.3	11.3	10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	37	0.9	0.2
...	All other causes . . . . . (Residual)	499,283	20.8	181.4	...	All other causes . . . . . (Residual)	931	22.4	4.7
All races, both sexes, 1–4 years					All races, both sexes, 15–19 years				
...	All causes . . . . .	4,979	100.0	32.9	...	All causes . . . . .	13,563	100.0	68.2
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,826	36.7	12.1	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	6,755	49.8	34.0
2	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	495	9.9	3.3	2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1,914	14.1	9.6
3	Malignant neoplasms . . . . . (C00–C97)	420	8.4	2.8	3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1,621	12.0	8.2
4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	356	7.2	2.3	4	Malignant neoplasms . . . . . (C00–C97)	745	5.5	3.7
5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	181	3.6	1.2	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	403	3.0	2.0
6	Influenza and pneumonia . . . . . (J10–J18)	103	2.1	0.7	6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	225	1.7	1.1
7	Septicemia . . . . . (A40–A41)	99	2.0	0.7	7	Chronic lower respiratory diseases . . . . . (J40–J47)	86	0.6	0.4
8	Certain conditions originating in the perinatal period . . . . . (P00–P96)	79	1.6	0.5	8	Cerebrovascular diseases . . . . . (I60–I69)	67	0.5	0.3
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	53	1.1	0.3	9	Influenza and pneumonia . . . . . (J10–J18)	65	0.5	0.3
10	Chronic lower respiratory diseases . . . . . (J40–J47)	51	1.0	0.3	10	Diabetes mellitus . . . . . (E10–E14)	48	0.4	0.2
...	All other causes . . . . . (Residual)	1,316	26.4	8.7	...	All other causes . . . . . (Residual)	1,634	12.0	8.2
All races, both sexes, 5–9 years					All races, both sexes, 20–24 years				
...	All causes . . . . .	3,253	100.0	16.4	...	All causes . . . . .	17,744	100.0	96.0
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,391	42.8	7.0	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	7,358	41.5	39.8
2	Malignant neoplasms . . . . . (C00–C97)	489	15.0	2.5	2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	3,025	17.0	16.4
3	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	198	6.1	1.0	3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	2,373	13.4	12.8
4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	140	4.3	0.7	4	Malignant neoplasms . . . . . (C00–C97)	968	5.5	5.2
5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	106	3.3	0.5	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	628	3.5	3.4
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	62	1.9	0.3	6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	216	1.2	1.2
7	Chronic lower respiratory diseases . . . . . (J40–J47)	48	1.5	0.2	7	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	144	0.8	0.8
8	Influenza and pneumonia . . . . . (J10–J18)	47	1.4	0.2	8	Cerebrovascular diseases . . . . . (I60–I69)	132	0.7	0.7
9	Septicemia . . . . . (A40–A41)	38	1.2	0.2	9	Influenza and pneumonia . . . . . (J10–J18)	124	0.7	0.7
10	Cerebrovascular diseases . . . . . (I60–I69)	25	0.8	0.1	10	Diabetes mellitus . . . . . (E10–E14)	114	0.6	0.6
10	Certain conditions originating in the perinatal period . . . . . (P00–P96)	25	0.8	0.1	...	All other causes . . . . . (Residual)	2,662	15.0	14.4
...	All other causes . . . . . (Residual)	684	21.0	3.5					

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
All races, both sexes, 25–34 years					All races, both sexes, 55–64 years				
...	All causes . . . . .	40,451	100.0	108.1	...	All causes . . . . .	240,846	100.0	1,004.6
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	11,769	29.1	31.4	1	Malignant neoplasms . . . . . (C00–C97)	89,005	37.0	371.3
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	4,792	11.8	12.8	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	63,399	26.3	264.5
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	4,164	10.3	11.1	3	Chronic lower respiratory diseases . . . . . (J40–J47)	10,739	4.5	44.8
4	Malignant neoplasms . . . . . (C00–C97)	3,916	9.7	10.5	4	Cerebrovascular diseases . . . . . (I60–I69)	9,956	4.1	41.5
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	2,958	7.3	7.9	5	Diabetes mellitus . . . . . (E10–E14)	9,186	3.8	38.3
6	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	2,437	6.0	6.5	6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	7,505	3.1	31.3
7	Diabetes mellitus . . . . . (E10–E14)	623	1.5	1.7	7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	5,774	2.4	24.1
8	Cerebrovascular diseases . . . . . (I60–I69)	602	1.5	1.6	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	3,100	1.3	12.9
9	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	477	1.2	1.3	9	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	2,945	1.2	12.3
10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	415	1.0	1.1	10	Septicemia . . . . . (A40–A41)	2,899	1.2	12.1
...	All other causes . . . . . (Residual)	8,298	20.5	22.2	...	All other causes . . . . . (Residual)	36,338	15.1	151.6
All races, both sexes, 35–44 years					All races, both sexes, 65 years and over				
...	All causes . . . . .	89,798	100.0	200.0	...	All causes . . . . .	1,799,825	100.0	5,175.4
1	Malignant neoplasms . . . . . (C00–C97)	16,520	18.4	36.8	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	593,707	33.0	1,707.2
2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	15,413	17.2	34.3	2	Malignant neoplasms . . . . . (C00–C97)	392,366	21.8	1,128.2
3	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	13,181	14.7	29.4	3	Cerebrovascular diseases . . . . . (I60–I69)	148,045	8.2	425.7
4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	6,562	7.3	14.6	4	Chronic lower respiratory diseases . . . . . (J40–J47)	106,375	5.9	305.9
5	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	5,919	6.6	13.2	5	Influenza and pneumonia . . . . . (J10–J18)	58,557	3.3	168.4
6	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	3,371	3.8	7.5	6	Diabetes mellitus . . . . . (E10–E14)	52,414	2.9	150.7
7	Assault (homicide) . . . . . (X85–Y09,Y87.1)	3,219	3.6	7.2	7	Alzheimer's disease . . . . . (G30)	48,993	2.7	140.9
8	Cerebrovascular diseases . . . . . (I60–I69)	2,599	2.9	5.8	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	31,225	1.7	89.8
9	Diabetes mellitus . . . . . (E10–E14)	1,926	2.1	4.3	9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	31,051	1.7	89.3
10	Influenza and pneumonia . . . . . (J10–J18)	1,068	1.2	2.4	10	Septicemia . . . . . (A40–A41)	24,786	1.4	71.3
...	All other causes . . . . . (Residual)	20,020	22.3	44.6	...	All other causes . . . . . (Residual)	312,306	17.4	898.0
All races, both sexes, 45–54 years					All races, both sexes, 65–74 years				
...	All causes . . . . .	160,341	100.0	431.6	...	All causes . . . . .	441,209	100.0	2,428.6
1	Malignant neoplasms . . . . . (C00–C97)	48,034	30.0	129.3	1	Malignant neoplasms . . . . . (C00–C97)	150,131	34.0	826.4
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	35,480	22.1	95.5	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	122,405	27.7	673.8
3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	12,278	7.7	33.0	3	Chronic lower respiratory diseases . . . . . (J40–J47)	31,157	7.1	171.5
4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	6,654	4.1	17.9	4	Cerebrovascular diseases . . . . . (I60–I69)	23,649	5.4	130.2
5	Cerebrovascular diseases . . . . . (I60–I69)	6,011	3.7	16.2	5	Diabetes mellitus . . . . . (E10–E14)	16,674	3.8	91.8
6	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	5,437	3.4	14.6	6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	7,698	1.7	42.4
7	Diabetes mellitus . . . . . (E10–E14)	4,954	3.1	13.3	7	Influenza and pneumonia . . . . . (J10–J18)	7,189	1.6	39.6
8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	4,142	2.6	11.1	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	6,990	1.6	38.5
9	Chronic lower respiratory diseases . . . . . (J40–J47)	3,251	2.0	8.8	9	Septicemia . . . . . (A40–A41)	5,704	1.3	31.4
10	Viral hepatitis . . . . . (B15–B19)	1,894	1.2	5.1	10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	5,482	1.2	30.2
...	All other causes . . . . . (Residual)	32,206	20.1	86.7	...	All other causes . . . . . (Residual)	64,130	14.5	353.0

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
All races, both sexes, 75–84 years					All races, male, 1–4 years				
...	All causes . . . . .	700,445	100.0	5,688.4	...	All causes . . . . .	2,824	100.0	36.5
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	220,060	31.4	1,787.1	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,098	38.9	14.2
2	Malignant neoplasms . . . . . (C00–C97)	165,099	23.6	1,340.8	2	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	259	9.2	3.3
3	Cerebrovascular diseases . . . . . (I60–I69)	57,020	8.1	463.1	3	Malignant neoplasms . . . . . (C00–C97)	233	8.3	3.0
4	Chronic lower respiratory diseases . . . . . (J40–J47)	47,722	6.8	387.6	4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	198	7.0	2.6
5	Diabetes mellitus . . . . . (E10–E14)	22,184	3.2	180.2	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	107	3.8	1.4
6	Influenza and pneumonia . . . . . (J10–J18)	19,821	2.8	161.0	6	Influenza and pneumonia . . . . . (J10–J18)	54	1.9	0.7
7	Alzheimer's disease . . . . . (G30)	17,253	2.5	140.1	7	Septicemia . . . . . (A40–A41)	53	1.9	0.7
8	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	12,458	1.8	101.2	8	Certain conditions originating in the perinatal period . . . . . (P00–P96)	52	1.8	0.7
9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	11,758	1.7	95.5	9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	33	1.2	0.4
10	Septicemia . . . . . (A40–A41)	9,938	1.4	80.7	10	Chronic lower respiratory diseases . . . . . (J40–J47)	28	1.0	0.4
...	All other causes . . . . . (Residual)	117,132	16.7	951.2	...	All other causes . . . . . (Residual)	709	25.1	9.2
All races, both sexes, 85 years and over					All races, male, 5–9 years				
...	All causes . . . . .	658,171	100.0	15,321.5	...	All causes . . . . .	1,850	100.0	18.3
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	251,242	38.2	5,848.7	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	824	44.5	8.1
2	Malignant neoplasms . . . . . (C00–C97)	77,136	11.7	1,795.6	2	Malignant neoplasms . . . . . (C00–C97)	269	14.5	2.7
3	Cerebrovascular diseases . . . . . (I60–I69)	67,376	10.2	1,568.4	3	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	105	5.7	1.0
4	Influenza and pneumonia . . . . . (J10–J18)	31,547	4.8	734.4	4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	77	4.2	0.8
5	Alzheimer's disease . . . . . (G30)	28,309	4.3	659.0	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	64	3.5	0.6
6	Chronic lower respiratory diseases . . . . . (J40–J47)	27,496	4.2	640.1	6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	32	1.7	0.3
7	Diabetes mellitus . . . . . (E10–E14)	13,556	2.1	315.6	7	Influenza and pneumonia . . . . . (J10–J18)	27	1.5	0.3
8	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	11,777	1.8	274.2	8	Chronic lower respiratory diseases . . . . . (J40–J47)	26	1.4	0.3
9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	11,595	1.8	269.9	9	Septicemia . . . . . (A40–A41)	24	1.3	0.2
10	Septicemia . . . . . (A40–A41)	9,144	1.4	212.9	10	Anemias . . . . . (D50–D64)	17	0.9	*
...	All other causes . . . . . (Residual)	128,993	19.6	3,002.8	...	All other causes . . . . . (Residual)	385	20.8	3.8
All races, male, all ages					All races, male, 10–14 years				
...	All causes . . . . .	1,177,578	100.0	874.7	...	All causes . . . . .	2,551	100.0	25.0
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	344,807	29.3	256.1	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,037	40.7	10.2
2	Malignant neoplasms . . . . . (C00–C97)	286,082	24.3	212.5	2	Malignant neoplasms . . . . . (C00–C97)	300	11.8	2.9
3	Cerebrovascular diseases . . . . . (I60–I69)	64,769	5.5	48.1	3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	238	9.3	2.3
4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	63,817	5.4	47.4	4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	150	5.9	1.5
5	Chronic lower respiratory diseases . . . . . (J40–J47)	60,004	5.1	44.6	5	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	102	4.0	1.0
6	Diabetes mellitus . . . . . (E10–E14)	31,602	2.7	23.5	6	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	99	3.9	1.0
7	Influenza and pneumonia . . . . . (J10–J18)	28,658	2.4	21.3	7	Chronic lower respiratory diseases . . . . . (J40–J47)	54	2.1	0.5
8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	23,618	2.0	17.5	8	Cerebrovascular diseases . . . . . (I60–I69)	21	0.8	0.2
9	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	17,811	1.5	13.2	8	Influenza and pneumonia . . . . . (J10–J18)	21	0.8	0.2
10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	17,214	1.5	12.8	10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	17	0.7	*
...	All other causes . . . . . (Residual)	239,196	20.3	177.7	...	All other causes . . . . . (Residual)	512	20.1	5.0

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
All races, male, 15–19 years					All races, male, 35–44 years				
...	All causes . . . . .	9,697	100.0	94.9	...	All causes . . . . .	57,297	100.0	256.9
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	4,757	49.1	46.6	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	11,444	20.0	51.3
2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1,613	16.6	15.8	2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	9,286	16.2	41.6
3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1,351	13.9	13.2	3	Malignant neoplasms . . . . . (C00–C97)	7,344	12.8	32.9
4	Malignant neoplasms . . . . . (C00–C97)	446	4.6	4.4	4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	5,114	8.9	22.9
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	248	2.6	2.4	5	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	4,441	7.8	19.9
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	137	1.4	1.3	6	Assault (homicide) . . . . . (X85–Y09,Y87.1)	2,319	4.0	10.4
7	Chronic lower respiratory diseases . . . . . (J40–J47)	58	0.6	0.6	7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	2,314	4.0	10.4
8	Cerebrovascular diseases . . . . . (I60–I69)	38	0.4	0.4	8	Cerebrovascular diseases . . . . . (I60–I69)	1,297	2.3	5.8
9	Influenza and pneumonia . . . . . (J10–J18)	35	0.4	0.3	9	Diabetes mellitus . . . . . (E10–E14)	1,151	2.0	5.2
10	Diabetes mellitus . . . . . (E10–E14)	31	0.3	0.3	10	Influenza and pneumonia . . . . . (J10–J18)	630	1.1	2.8
...	All other causes . . . . . (Residual)	983	10.1	9.6	...	All other causes . . . . . (Residual)	11,957	20.9	53.6
All races, male, 20–24 years					All races, male, 45–54 years				
...	All causes . . . . .	13,374	100.0	142.0	...	All causes . . . . .	100,398	100.0	552.5
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	5,703	42.6	60.6	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	25,927	25.8	142.7
2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	2,590	19.4	27.5	2	Malignant neoplasms . . . . . (C00–C97)	24,215	24.1	133.3
3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	2,073	15.5	22.0	3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	9,063	9.0	49.9
4	Malignant neoplasms . . . . . (C00–C97)	576	4.3	6.1	4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	4,975	5.0	27.4
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	390	2.9	4.1	5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	4,149	4.1	22.8
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	131	1.0	1.4	6	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	3,296	3.3	18.1
7	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	80	0.6	0.8	7	Cerebrovascular diseases . . . . . (I60–I69)	3,235	3.2	17.8
8	Cerebrovascular diseases . . . . . (I60–I69)	68	0.5	0.7	8	Diabetes mellitus . . . . . (E10–E14)	2,821	2.8	15.5
9	Influenza and pneumonia . . . . . (J10–J18)	67	0.5	0.7	9	Chronic lower respiratory diseases . . . . . (J40–J47)	1,661	1.7	9.1
10	Diabetes mellitus . . . . . (E10–E14)	63	0.5	0.7	10	Viral hepatitis . . . . . (B15–B19)	1,425	1.4	7.8
...	All other causes . . . . . (Residual)	1,633	12.2	17.3	...	All other causes . . . . . (Residual)	19,631	19.6	108.0
All races, male, 25–34 years					All races, male, 55–64 years				
...	All causes . . . . .	27,890	100.0	149.9	...	All causes . . . . .	143,321	100.0	1,253.5
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	9,059	32.5	48.7	1	Malignant neoplasms . . . . . (C00–C97)	48,427	33.8	423.5
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	3,938	14.1	21.2	2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	43,285	30.2	378.6
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	3,361	12.1	18.1	3	Chronic lower respiratory diseases . . . . . (J40–J47)	5,564	3.9	48.7
4	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1,922	6.9	10.3	4	Cerebrovascular diseases . . . . . (I60–I69)	5,496	3.8	48.1
5	Malignant neoplasms . . . . . (C00–C97)	1,854	6.6	10.0	5	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	5,133	3.6	44.9
6	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1,602	5.7	8.6	6	Diabetes mellitus . . . . . (E10–E14)	4,943	3.4	43.2
7	Diabetes mellitus . . . . . (E10–E14)	376	1.3	2.0	7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	4,005	2.8	35.0
8	Cerebrovascular diseases . . . . . (I60–I69)	308	1.1	1.7	8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	2,265	1.6	19.8
9	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	280	1.0	1.5	9	Influenza and pneumonia . . . . . (J10–J18)	1,680	1.2	14.7
10	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	279	1.0	1.5	10	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	1,651	1.2	14.4
...	All other causes . . . . . (Residual)	4,911	17.6	26.4	...	All other causes . . . . . (Residual)	20,872	14.6	182.5

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
All races, male, 65 years and over					All races, male, 85 years and over				
...	All causes . . . . .	802,369	100.0	5,548.7	...	All causes . . . . .	214,742	100.0	16,605.4
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	263,178	32.8	1,820.0	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	78,896	36.7	6,100.8
2	Malignant neoplasms . . . . . (C00–C97)	202,358	25.2	1,399.4	2	Malignant neoplasms . . . . . (C00–C97)	33,260	15.5	2,571.9
3	Cerebrovascular diseases . . . . . (I60–I69)	54,200	6.8	374.8	3	Cerebrovascular diseases . . . . . (I60–I69)	18,212	8.5	1,408.3
4	Chronic lower respiratory diseases . . . . . (J40–J47)	51,924	6.5	359.1	4	Chronic lower respiratory diseases . . . . . (J40–J47)	11,876	5.5	918.3
5	Influenza and pneumonia . . . . . (J10–J18)	24,709	3.1	170.9	5	Influenza and pneumonia . . . . . (J10–J18)	10,945	5.1	846.3
6	Diabetes mellitus . . . . . (E10–E14)	22,198	2.8	153.5	6	Alzheimer's disease . . . . . (G30)	6,406	3.0	495.4
7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	15,115	1.9	104.5	7	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	4,671	2.2	361.2
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	14,448	1.8	99.9	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	4,413	2.1	341.2
9	Alzheimer's disease . . . . . (G30)	14,188	1.8	98.1	9	Diabetes mellitus . . . . . (E10–E14)	4,234	2.0	327.4
10	Septicemia . . . . . (A40–A41)	10,085	1.3	69.7	10	Pneumonitis due to solids and liquids . . . . . (J69)	3,387	1.6	261.9
...	All other causes . . . . . (Residual)	129,966	16.2	898.8	...	All other causes . . . . . (Residual)	38,442	17.9	2,972.6
All races, male, 65–74 years					All races, female, all ages <sup>3</sup>				
...	All causes . . . . .	247,408	100.0	3,015.7	...	All causes . . . . .	1,225,773	100.0	871.6
1	Malignant neoplasms . . . . . (C00–C97)	83,191	33.6	1,014.0	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	365,953	29.9	260.2
2	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	74,589	30.1	909.2	2	Malignant neoplasms . . . . . (C00–C97)	267,009	21.8	189.9
3	Chronic lower respiratory diseases . . . . . (J40–J47)	16,210	6.6	197.6	3	Cerebrovascular diseases . . . . . (I60–I69)	102,892	8.4	73.2
4	Cerebrovascular diseases . . . . . (I60–I69)	12,042	4.9	146.8	4	Chronic lower respiratory diseases . . . . . (J40–J47)	62,005	5.1	44.1
5	Diabetes mellitus . . . . . (E10–E14)	8,226	3.3	100.3	5	Diabetes mellitus . . . . . (E10–E14)	37,699	3.1	26.8
6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	4,639	1.9	56.5	6	Influenza and pneumonia . . . . . (J10–J18)	36,655	3.0	26.1
7	Influenza and pneumonia . . . . . (J10–J18)	4,013	1.6	48.9	7	Alzheimer's disease . . . . . (G30)	35,120	2.9	25.0
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	3,564	1.4	43.4	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	34,083	2.8	24.2
9	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	3,317	1.3	40.4	9	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	19,440	1.6	13.8
10	Septicemia . . . . . (A40–A41)	2,867	1.2	34.9	10	Septicemia . . . . . (A40–A41)	17,687	1.4	12.6
...	All other causes . . . . . (Residual)	34,750	14.0	423.6	...	All other causes . . . . . (Residual)	247,230	20.2	175.8
All races, male, 75–84 years					All races, female, 1–4 years				
...	All causes . . . . .	340,219	100.0	6,854.7	...	All causes . . . . .	2,155	100.0	29.1
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	109,693	32.2	2,210.1	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	728	33.8	9.8
2	Malignant neoplasms . . . . . (C00–C97)	85,907	25.3	1,730.9	2	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	236	11.0	3.2
3	Cerebrovascular diseases . . . . . (I60–I69)	23,946	7.0	482.5	3	Malignant neoplasms . . . . . (C00–C97)	187	8.7	2.5
4	Chronic lower respiratory diseases . . . . . (J40–J47)	23,838	7.0	480.3	4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	158	7.3	2.1
5	Influenza and pneumonia . . . . . (J10–J18)	9,751	2.9	196.5	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	74	3.4	1.0
6	Diabetes mellitus . . . . . (E10–E14)	9,738	2.9	196.2	6	Influenza and pneumonia . . . . . (J10–J18)	49	2.3	0.7
7	Alzheimer's disease . . . . . (G30)	6,228	1.8	125.5	7	Septicemia . . . . . (A40–A41)	46	2.1	0.6
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	6,213	1.8	125.2	8	Cerebrovascular diseases . . . . . (I60–I69)	28	1.3	0.4
9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	6,063	1.8	122.2	9	Certain conditions originating in the perinatal period . . . . . (P00–P96)	27	1.3	0.4
10	Parkinson's disease . . . . . (G20–G21)	4,530	1.3	91.3	10	Chronic lower respiratory diseases . . . . . (J40–J47)	23	1.1	0.3
...	All other causes . . . . . (Residual)	54,312	16.0	1,094.3	...	All other causes . . . . . (Residual)	599	27.8	8.1

See footnotes at end of table.



**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
All races, female, 5–9 years					All races, female, 20–24 years				
...	All causes . . . . .	1,403	100.0	14.5	...	All causes . . . . .	4,370	100.0	48.2
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	567	40.4	5.9	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,655	37.9	18.3
2	Malignant neoplasms . . . . . (C00–C97)	220	15.7	2.3	2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	435	10.0	4.8
3	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	93	6.6	1.0	3	Malignant neoplasms . . . . . (C00–C97)	392	9.0	4.3
4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	63	4.5	0.7	4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	300	6.9	3.3
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	42	3.0	0.4	5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	238	5.4	2.6
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	30	2.1	0.3	6	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	85	1.9	0.9
7	Chronic lower respiratory diseases . . . . . (J40–J47)	22	1.6	0.2	7	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	77	1.8	0.8
8	Influenza and pneumonia . . . . . (J10–J18)	20	1.4	0.2	8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	64	1.5	0.7
9	Septicemia . . . . . (A40–A41)	14	1.0	*	8	Cerebrovascular diseases . . . . . (I60–I69)	64	1.5	0.7
10	Cerebrovascular diseases . . . . . (I60–I69)	13	0.9	*	10	Influenza and pneumonia . . . . . (J10–J18)	57	1.3	0.6
...	All other causes . . . . . (Residual)	319	22.7	3.3	...	All other causes . . . . . (Residual)	1,003	23.0	11.1
All races, female, 10–14 years					All races, female, 25–34 years				
...	All causes . . . . .	1,609	100.0	16.6	...	All causes . . . . .	12,561	100.0	66.7
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	551	34.2	5.7	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	2,710	21.6	14.4
2	Malignant neoplasms . . . . . (C00–C97)	225	14.0	2.3	2	Malignant neoplasms . . . . . (C00–C97)	2,062	16.4	11.0
3	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	99	6.2	1.0	3	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	1,036	8.2	5.5
4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	81	5.0	0.8	4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	854	6.8	4.5
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	66	4.1	0.7	5	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	835	6.6	4.4
6	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	62	3.9	0.6	6	Assault (homicide) . . . . . (X85–Y09,Y87.1)	803	6.4	4.3
7	Chronic lower respiratory diseases . . . . . (J40–J47)	37	2.3	0.4	7	Cerebrovascular diseases . . . . . (I60–I69)	294	2.3	1.6
8	Cerebrovascular diseases . . . . . (I60–I69)	30	1.9	0.3	8	Diabetes mellitus . . . . . (E10–E14)	247	2.0	1.3
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	20	1.2	0.2	9	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	198	1.6	1.1
10	Influenza and pneumonia . . . . . (J10–J18)	19	1.2	*	10	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	182	1.4	1.0
...	All other causes . . . . . (Residual)	419	26.0	4.3	...	All other causes . . . . . (Residual)	3,340	26.6	17.7
All races, female, 15–19 years					All races, female, 35–44 years				
...	All causes . . . . .	3,866	100.0	40.0	...	All causes . . . . .	32,501	100.0	143.9
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,998	51.7	20.7	1	Malignant neoplasms . . . . . (C00–C97)	9,176	28.2	40.6
2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	301	7.8	3.1	2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	3,969	12.2	17.6
3	Malignant neoplasms . . . . . (C00–C97)	299	7.7	3.1	3	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	3,895	12.0	17.2
4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	270	7.0	2.8	4	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1,478	4.5	6.5
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	155	4.0	1.6	5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1,448	4.5	6.4
6	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	88	2.3	0.9	6	Cerebrovascular diseases . . . . . (I60–I69)	1,302	4.0	5.8
7	Influenza and pneumonia . . . . . (J10–J18)	30	0.8	0.3	7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	1,057	3.3	4.7
8	Cerebrovascular diseases . . . . . (I60–I69)	29	0.8	0.3	8	Assault (homicide) . . . . . (X85–Y09,Y87.1)	900	2.8	4.0
9	Chronic lower respiratory diseases . . . . . (J40–J47)	28	0.7	0.3	9	Diabetes mellitus . . . . . (E10–E14)	775	2.4	3.4
10	Anemias . . . . . (D50–D64)	18	0.5	*	10	Chronic lower respiratory diseases . . . . . (J40–J47)	493	1.5	2.2
10	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	18	0.5	*	...	All other causes . . . . . (Residual)	8,008	24.6	35.5
...	All other causes . . . . . (Residual)	632	16.3	6.5					

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
All races, female, 45–54 years					All races, female, 65–74 years				
...	All causes . . . . .	59,943	100.0	315.8	...	All causes . . . . .	193,801	100.0	1,945.1
1	Malignant neoplasms . . . . . (C00–C97)	23,819	39.7	125.5	1	Malignant neoplasms . . . . . (C00–C97)	66,940	34.5	671.8
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	9,553	15.9	50.3	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	47,816	24.7	479.9
3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	3,215	5.4	16.9	3	Chronic lower respiratory diseases . . . . . (J40–J47)	14,947	7.7	150.0
4	Cerebrovascular diseases . . . . . (I60–I69)	2,776	4.6	14.6	4	Cerebrovascular diseases . . . . . (I60–I69)	11,607	6.0	116.5
5	Diabetes mellitus . . . . . (E10–E14)	2,133	3.6	11.2	5	Diabetes mellitus . . . . . (E10–E14)	8,448	4.4	84.8
6	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	1,679	2.8	8.8	6	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	3,426	1.8	34.4
7	Chronic lower respiratory diseases . . . . . (J40–J47)	1,590	2.7	8.4	7	Influenza and pneumonia . . . . . (J10–J18)	3,176	1.6	31.9
8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1,288	2.1	6.8	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	3,059	1.6	30.7
9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	846	1.4	4.5	9	Septicemia . . . . . (A40–A41)	2,837	1.5	28.5
10	Septicemia . . . . . (A40–A41)	806	1.3	4.2	10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	2,165	1.1	21.7
...	All other causes . . . . . (Residual)	12,238	20.4	64.5	...	All other causes . . . . . (Residual)	29,380	15.2	294.9
All races, female, 55–64 years					All races, female, 75–84 years				
...	All causes . . . . .	97,525	100.0	777.7	...	All causes . . . . .	360,226	100.0	4,900.9
1	Malignant neoplasms . . . . . (C00–C97)	40,578	41.6	323.6	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	110,367	30.6	1,501.5
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	20,114	20.6	160.4	2	Malignant neoplasms . . . . . (C00–C97)	79,192	22.0	1,077.4
3	Chronic lower respiratory diseases . . . . . (J40–J47)	5,175	5.3	41.3	3	Cerebrovascular diseases . . . . . (I60–I69)	33,074	9.2	450.0
4	Cerebrovascular diseases . . . . . (I60–I69)	4,460	4.6	35.6	4	Chronic lower respiratory diseases . . . . . (J40–J47)	23,884	6.6	324.9
5	Diabetes mellitus . . . . . (E10–E14)	4,243	4.4	33.8	5	Diabetes mellitus . . . . . (E10–E14)	12,446	3.5	169.3
6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	2,372	2.4	18.9	6	Alzheimer's disease . . . . . (G30)	11,025	3.1	150.0
7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	1,769	1.8	14.1	7	Influenza and pneumonia . . . . . (J10–J18)	10,070	2.8	137.0
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	1,449	1.5	11.6	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	6,245	1.7	85.0
9	Septicemia . . . . . (A40–A41)	1,386	1.4	11.1	9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	5,695	1.6	77.5
10	Influenza and pneumonia . . . . . (J10–J18)	1,199	1.2	9.6	10	Septicemia . . . . . (A40–A41)	5,456	1.5	74.2
...	All other causes . . . . . (Residual)	14,780	15.2	117.9	...	All other causes . . . . . (Residual)	62,772	17.4	854.0
All races, female, 65 years and over					All races, female, 85 years and over				
...	All causes . . . . .	997,456	100.0	4,909.6	...	All causes . . . . .	443,429	100.0	14,768.6
1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	330,529	33.1	1,626.9	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	172,346	38.9	5,740.1
2	Malignant neoplasms . . . . . (C00–C97)	190,008	19.0	935.2	2	Cerebrovascular diseases . . . . . (I60–I69)	49,164	11.1	1,637.4
3	Cerebrovascular diseases . . . . . (I60–I69)	93,845	9.4	461.9	3	Malignant neoplasms . . . . . (C00–C97)	43,876	9.9	1,461.3
4	Chronic lower respiratory diseases . . . . . (J40–J47)	54,451	5.5	268.0	4	Alzheimer's disease . . . . . (G30)	21,903	4.9	729.5
5	Alzheimer's disease . . . . . (G30)	34,805	3.5	171.3	5	Influenza and pneumonia . . . . . (J10–J18)	20,602	4.6	686.2
6	Influenza and pneumonia . . . . . (J10–J18)	33,848	3.4	166.6	6	Chronic lower respiratory diseases . . . . . (J40–J47)	15,620	3.5	520.2
7	Diabetes mellitus . . . . . (E10–E14)	30,216	3.0	148.7	7	Diabetes mellitus . . . . . (E10–E14)	9,322	2.1	310.5
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	16,777	1.7	82.6	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	7,182	1.6	239.2
9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	15,936	1.6	78.4	9	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	7,106	1.6	236.7
10	Septicemia . . . . . (A40–A41)	14,701	1.5	72.4	10	Septicemia . . . . . (A40–A41)	6,408	1.4	213.4
...	All other causes . . . . . (Residual)	182,340	18.3	897.5	...	All other causes . . . . . (Residual)	89,900	20.3	2,994.2

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
White, both sexes, all ages <sup>3</sup>					White, both sexes, 10–14 years				
...	All causes . . . . .	2,071,287	100.0	915.5	...	All causes . . . . .	3,091	100.0	19.8
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	621,719	30.0	274.8	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,223	39.6	7.8
2	Malignant neoplasms . . . . . (C00–C97)	480,011	23.2	212.2	2	Malignant neoplasms . . . . . (C00–C97)	421	13.6	2.7
3	Cerebrovascular diseases . . . . . (I60–I69)	144,580	7.0	63.9	3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	248	8.0	1.6
4	Chronic lower respiratory diseases . . . . . (J40–J47)	112,840	5.4	49.9	4	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	145	4.7	0.9
5	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	82,592	4.0	36.5	5	Assault (homicide) . . . . . (X85–Y09,Y87.1)	142	4.6	0.9
6	Influenza and pneumonia . . . . . (J10–J18)	57,914	2.8	25.6	6	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	106	3.4	0.7
7	Diabetes mellitus . . . . . (E10–E14)	55,561	2.7	24.6	7	Chronic lower respiratory diseases . . . . . (J40–J47)	40	1.3	0.3
8	Alzheimer's disease . . . . . (G30)	46,460	2.2	20.5	8	Cerebrovascular diseases . . . . . (I60–I69)	34	1.1	0.2
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	29,598	1.4	13.1	8	Influenza and pneumonia . . . . . (J10–J18)	34	1.1	0.2
10	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	26,475	1.3	11.7	10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	30	1.0	0.2
...	All other causes . . . . . (Residual)	413,537	20.0	182.8	...	All other causes . . . . . (Residual)	668	21.6	4.3
White, both sexes, 1–4 years					White, both sexes, 15–19 years				
...	All causes . . . . .	3,494	100.0	29.1	...	All causes . . . . .	10,273	100.0	65.2
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,335	38.2	11.1	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	5,731	55.8	36.4
2	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	347	9.9	2.9	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1,354	13.2	8.6
3	Malignant neoplasms . . . . . (C00–C97)	330	9.4	2.7	3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	823	8.0	5.2
4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	199	5.7	1.7	4	Malignant neoplasms . . . . . (C00–C97)	576	5.6	3.7
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	126	3.6	1.0	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	264	2.6	1.7
6	Influenza and pneumonia . . . . . (J10–J18)	69	2.0	0.6	6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	159	1.5	1.0
7	Septicemia . . . . . (A40–A41)	66	1.9	0.5	7	Cerebrovascular diseases . . . . . (I60–I69)	51	0.5	0.3
8	Certain conditions originating in the perinatal period . . . . . (P00–P96)	46	1.3	0.4	8	Influenza and pneumonia . . . . . (J10–J18)	48	0.5	0.3
9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	44	1.3	0.4	9	Chronic lower respiratory diseases . . . . . (J40–J47)	40	0.4	0.3
10	Cerebrovascular diseases . . . . . (I60–I69)	30	0.9	0.2	10	Diabetes mellitus . . . . . (E10–E14)	33	0.3	0.2
...	All other causes . . . . . (Residual)	902	25.8	7.5	...	All other causes . . . . . (Residual)	1,194	11.6	7.6
White, both sexes, 5–9 years					White, both sexes, 20–24 years				
...	All causes . . . . .	2,359	100.0	15.1	...	All causes . . . . .	12,745	100.0	86.6
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	996	42.2	6.4	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	6,092	47.8	41.4
2	Malignant neoplasms . . . . . (C00–C97)	397	16.8	2.5	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1,961	15.4	13.3
3	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	147	6.2	0.9	3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1,158	9.1	7.9
4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	98	4.2	0.6	4	Malignant neoplasms . . . . . (C00–C97)	757	5.9	5.1
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	71	3.0	0.5	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	392	3.1	2.7
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	46	1.9	0.3	6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	173	1.4	1.2
7	Influenza and pneumonia . . . . . (J10–J18)	36	1.5	0.2	7	Cerebrovascular diseases . . . . . (I60–I69)	97	0.8	0.7
8	Septicemia . . . . . (A40–A41)	28	1.2	0.2	8	Influenza and pneumonia . . . . . (J10–J18)	90	0.7	0.6
9	Chronic lower respiratory diseases . . . . . (J40–J47)	23	1.0	0.1	9	Diabetes mellitus . . . . . (E10–E14)	72	0.6	0.5
10	Cerebrovascular diseases . . . . . (I60–I69)	21	0.9	0.1	10	Chronic lower respiratory diseases . . . . . (J40–J47)	63	0.5	0.4
...	All other causes . . . . . (Residual)	496	21.0	3.2	...	All other causes . . . . . (Residual)	1,890	14.8	12.8

See footnotes at end of table.



**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
White, both sexes, 25–34 years					White, both sexes, 55–64 years				
...	All causes . . . . .	28,719	100.0	96.2	...	All causes . . . . .	195,541	100.0	948.9
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	9,519	33.1	31.9	1	Malignant neoplasms . . . . . (C00–C97)	74,759	38.2	362.8
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	4,084	14.2	13.7	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	50,581	25.9	245.4
3	Malignant neoplasms . . . . . (C00–C97)	3,072	10.7	10.3	3	Chronic lower respiratory diseases . . . . . (J40–J47)	9,532	4.9	46.3
4	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	1,937	6.7	6.5	4	Cerebrovascular diseases . . . . . (I60–I69)	7,239	3.7	35.1
5	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1,814	6.3	6.1	5	Diabetes mellitus . . . . . (E10–E14)	6,879	3.5	33.4
6	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	983	3.4	3.3	6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	6,275	3.2	30.4
7	Diabetes mellitus . . . . . (E10–E14)	420	1.5	1.4	7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	4,948	2.5	24.0
7	Cerebrovascular diseases . . . . . (I60–I69)	420	1.5	1.4	8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	2,775	1.4	13.5
9	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	391	1.4	1.3	9	Influenza and pneumonia . . . . . (J10–J18)	2,258	1.2	11.0
10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	312	1.1	1.0	10	Septicemia . . . . . (A40–A41)	2,066	1.1	10.0
...	All other causes . . . . . (Residual)	5,767	20.1	19.3	...	All other causes . . . . . (Residual)	28,229	14.4	137.0
White, both sexes, 35–44 years					White, both sexes, 65 years and over				
...	All causes . . . . .	66,496	100.0	180.3	...	All causes . . . . .	1,607,476	100.0	5,209.2
1	Malignant neoplasms . . . . . (C00–C97)	12,764	19.2	34.6	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	531,332	33.1	1,721.8
2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	12,663	19.0	34.3	2	Malignant neoplasms . . . . . (C00–C97)	348,375	21.7	1,128.9
3	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	9,532	14.3	25.8	3	Cerebrovascular diseases . . . . . (I60–I69)	131,053	8.2	424.7
4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	5,942	8.9	16.1	4	Chronic lower respiratory diseases . . . . . (J40–J47)	99,716	6.2	323.1
5	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	2,785	4.2	7.5	5	Influenza and pneumonia . . . . . (J10–J18)	52,881	3.3	171.4
6	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	2,745	4.1	7.4	6	Alzheimer's disease . . . . . (G30)	45,946	2.9	148.9
7	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1,725	2.6	4.7	7	Diabetes mellitus . . . . . (E10–E14)	43,198	2.7	140.0
8	Cerebrovascular diseases . . . . . (I60–I69)	1,645	2.5	4.5	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	28,209	1.8	91.4
9	Diabetes mellitus . . . . . (E10–E14)	1,419	2.1	3.8	9	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	25,925	1.6	84.0
10	Influenza and pneumonia . . . . . (J10–J18)	767	1.2	2.1	10	Septicemia . . . . . (A40–A41)	20,431	1.3	66.2
...	All other causes . . . . . (Residual)	14,509	21.8	39.3	...	All other causes . . . . . (Residual)	280,410	17.4	908.7
White, both sexes, 45–54 years					White, both sexes, 65–74 years				
...	All causes . . . . .	122,674	100.0	391.8	...	All causes . . . . .	376,986	100.0	2,375.1
1	Malignant neoplasms . . . . . (C00–C97)	38,478	31.4	122.9	1	Malignant neoplasms . . . . . (C00–C97)	130,570	34.6	822.6
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	26,991	22.0	86.2	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	103,449	27.4	651.8
3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	9,901	8.1	31.6	3	Chronic lower respiratory diseases . . . . . (J40–J47)	28,765	7.6	181.2
4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	5,515	4.5	17.6	4	Cerebrovascular diseases . . . . . (I60–I69)	19,224	5.1	121.1
5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	5,035	4.1	16.1	5	Diabetes mellitus . . . . . (E10–E14)	13,075	3.5	82.4
6	Cerebrovascular diseases . . . . . (I60–I69)	3,914	3.2	12.5	6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	6,617	1.8	41.7
7	Diabetes mellitus . . . . . (E10–E14)	3,514	2.9	11.2	7	Influenza and pneumonia . . . . . (J10–J18)	5,969	1.6	37.6
8	Chronic lower respiratory diseases . . . . . (J40–J47)	2,584	2.1	8.3	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	5,144	1.4	32.4
9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1,856	1.5	5.9	9	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	4,925	1.3	31.0
10	Viral hepatitis . . . . . (B15–B19)	1,462	1.2	4.7	10	Septicemia . . . . . (A40–A41)	4,418	1.2	27.8
...	All other causes . . . . . (Residual)	23,424	19.1	74.8	...	All other causes . . . . . (Residual)	54,830	14.5	345.4

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
White, both sexes, 75–84 years					White, male, 1–4 years				
...	All causes . . . . .	627,729	100.0	5,652.4	...	All causes . . . . .	2,004	100.0	32.5
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	196,833	31.4	1,772.4	1	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	808	40.3	13.1
2	Malignant neoplasms . . . . .(C00–C97)	148,126	23.6	1,333.8	2	Malignant neoplasms . . . . .(C00–C97)	190	9.5	3.1
3	Cerebrovascular diseases . . . . .(I60–I69)	50,367	8.0	453.5	3	Congenital malformations, deformations and chromosomal abnormalities. . . . .(Q00–Q99)	180	9.0	2.9
4	Chronic lower respiratory diseases. . . . .(J40–J47)	45,025	7.2	405.4	4	Assault (homicide). . . . .(X85–Y09,Y87.1)	114	5.7	1.9
5	Diabetes mellitus . . . . .(E10–E14)	18,478	2.9	166.4	5	Diseases of heart . . . . .(I00–I09,I11,I13,I20–I51)	80	4.0	1.3
6	Influenza and pneumonia . . . . .(J10–J18)	17,811	2.8	160.4	6	Septicemia . . . . .(A40–A41)	35	1.7	0.6
7	Alzheimer’s disease. . . . .(G30)	16,124	2.6	145.2	7	Influenza and pneumonia . . . . .(J10–J18)	30	1.5	0.5
8	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	10,740	1.7	96.7	7	Certain conditions originating in the perinatal period. . . . .(P00–P96)	30	1.5	0.5
9	Nephritis, nephrotic syndrome and nephrosis . . . . .(N00–N07,N17–N19,N25–N27)	10,470	1.7	94.3	9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . .(D00–D48)	25	1.2	0.4
10	Septicemia . . . . .(A40–A41)	8,223	1.3	74.0	10	Meningitis. . . . .(G00,G03)	14	0.7	*
...	All other causes . . . . .(Residual)	105,532	16.8	950.3	10	Cerebrovascular diseases . . . . .(I60–I69)	14	0.7	*
White, both sexes, 85 years and over					White, male, 5–9 years				
...	All causes . . . . .	602,761	100.0	15,532.5	...	All causes . . . . .	1,348	100.0	16.9
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	231,050	38.3	5,953.9	1	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	587	43.5	7.4
2	Malignant neoplasms . . . . .(C00–C97)	69,679	11.6	1,795.6	2	Malignant neoplasms . . . . .(C00–C97)	215	15.9	2.7
3	Cerebrovascular diseases . . . . .(I60–I69)	61,462	10.2	1,583.8	3	Congenital malformations, deformations and chromosomal abnormalities. . . . .(Q00–Q99)	72	5.3	0.9
4	Influenza and pneumonia . . . . .(J10–J18)	29,101	4.8	749.9	4	Assault (homicide). . . . .(X85–Y09,Y87.1)	59	4.4	0.7
5	Alzheimer’s disease. . . . .(G30)	26,683	4.4	687.6	5	Diseases of heart . . . . .(I00–I09,I11,I13,I20–I51)	42	3.1	0.5
6	Chronic lower respiratory diseases. . . . .(J40–J47)	25,926	4.3	668.1	6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . .(D00–D48)	24	1.8	0.3
7	Diabetes mellitus . . . . .(E10–E14)	11,645	1.9	300.1	7	Influenza and pneumonia . . . . .(J10–J18)	22	1.6	0.3
8	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	10,852	1.8	279.6	8	Septicemia . . . . .(A40–A41)	19	1.4	*
9	Nephritis, nephrotic syndrome and nephrosis . . . . .(N00–N07,N17–N19,N25–N27)	10,311	1.7	265.7	9	Cerebrovascular diseases . . . . .(I60–I69)	12	0.9	*
10	Septicemia . . . . .(A40–A41)	7,790	1.3	200.7	9	Chronic lower respiratory diseases. . . . .(J40–J47)	12	0.9	*
...	All other causes . . . . .(Residual)	118,262	19.6	3,047.5	...	All other causes . . . . .(Residual)	284	21.1	3.6
White, male, all ages <sup>3</sup>					White, male, 10–14 years				
...	All causes . . . . .	1,007,191	100.0	905.8	...	All causes . . . . .	1,907	100.0	23.8
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	301,551	29.9	271.2	1	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	791	41.5	9.9
2	Malignant neoplasms . . . . .(C00–C97)	247,403	24.6	222.5	2	Malignant neoplasms . . . . .(C00–C97)	241	12.6	3.0
3	Cerebrovascular diseases . . . . .(I60–I69)	54,938	5.5	49.4	3	Intentional self-harm (suicide). . . . .(X60–X84,Y87.0)	195	10.2	2.4
4	Chronic lower respiratory diseases. . . . .(J40–J47)	54,816	5.4	49.3	4	Assault (homicide). . . . .(X85–Y09,Y87.1)	89	4.7	1.1
5	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	53,329	5.3	48.0	5	Congenital malformations, deformations and chromosomal abnormalities. . . . .(Q00–Q99)	75	3.9	0.9
6	Diabetes mellitus . . . . .(E10–E14)	26,009	2.6	23.4	6	Diseases of heart . . . . .(I00–I09,I11,I13,I20–I51)	69	3.6	0.9
7	Influenza and pneumonia . . . . .(J10–J18)	25,002	2.5	22.5	7	Chronic lower respiratory diseases. . . . .(J40–J47)	21	1.1	0.3
8	Intentional self-harm (suicide). . . . .(X60–X84,Y87.0)	21,293	2.1	19.1	8	Influenza and pneumonia . . . . .(J10–J18)	17	0.9	*
9	Chronic liver disease and cirrhosis . . . . .(K70,K73–K74)	15,002	1.5	13.5	9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . .(D00–D48)	15	0.8	*
10	Nephritis, nephrotic syndrome and nephrosis . . . . .(N00–N07,N17–N19,N25–N27)	14,385	1.4	12.9	10	Cerebrovascular diseases . . . . .(I60–I69)	14	0.7	*
...	All other causes . . . . .(Residual)	193,463	19.2	174.0	...	All other causes . . . . .(Residual)	380	19.9	4.7

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
White, male, 15–19 years					White, male, 35–44 years				
...	All causes . . . . .	7,242	100.0	89.2	...	All causes . . . . .	43,378	100.0	234.3
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	4,007	55.3	49.3	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	9,462	21.8	51.1
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1,130	15.6	13.9	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	7,020	16.2	37.9
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	659	9.1	8.1	3	Malignant neoplasms . . . . . (C00–C97)	5,739	13.2	31.0
4	Malignant neoplasms . . . . . (C00–C97)	344	4.8	4.2	4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	4,620	10.7	25.0
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	161	2.2	2.0	5	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	2,300	5.3	12.4
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	93	1.3	1.1	6	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	1,921	4.4	10.4
7	Cerebrovascular diseases . . . . . (I60–I69)	33	0.5	0.4	7	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1,202	2.8	6.5
8	Influenza and pneumonia . . . . . (J10–J18)	27	0.4	0.3	8	Diabetes mellitus . . . . . (E10–E14)	866	2.0	4.7
9	Chronic lower respiratory diseases . . . . . (J40–J47)	26	0.4	0.3	9	Cerebrovascular diseases . . . . . (I60–I69)	842	1.9	4.5
10	Diabetes mellitus . . . . . (E10–E14)	22	0.3	0.3	10	Influenza and pneumonia . . . . . (J10–J18)	455	1.0	2.5
...	All other causes . . . . . (Residual)	740	10.2	9.1	...	All other causes . . . . . (Residual)	8,951	20.6	48.3
White, male, 20–24 years					White, male, 45–54 years				
...	All causes . . . . .	9,626	100.0	127.5	...	All causes . . . . .	77,866	100.0	502.7
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	4,763	49.5	63.1	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	20,480	26.3	132.2
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1,723	17.9	22.8	2	Malignant neoplasms . . . . . (C00–C97)	19,353	24.9	125.0
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	924	9.6	12.2	3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	7,322	9.4	47.3
4	Malignant neoplasms . . . . . (C00–C97)	454	4.7	6.0	4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	4,205	5.4	27.1
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	252	2.6	3.3	5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	3,834	4.9	24.8
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	108	1.1	1.4	6	Cerebrovascular diseases . . . . . (I60–I69)	2,138	2.7	13.8
7	Influenza and pneumonia . . . . . (J10–J18)	52	0.5	0.7	7	Diabetes mellitus . . . . . (E10–E14)	2,077	2.7	13.4
8	Cerebrovascular diseases . . . . . (I60–I69)	51	0.5	0.7	8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1,590	2.0	10.3
9	Diabetes mellitus . . . . . (E10–E14)	42	0.4	0.6	9	Chronic lower respiratory diseases . . . . . (J40–J47)	1,321	1.7	8.5
10	Chronic lower respiratory diseases . . . . . (J40–J47)	39	0.4	0.5	10	Viral hepatitis . . . . . (B15–B19)	1,123	1.4	7.3
...	All other causes . . . . . (Residual)	1,218	12.7	16.1	...	All other causes . . . . . (Residual)	14,423	18.5	93.1
White, male, 25–34 years					White, male, 55–64 years				
...	All causes . . . . .	20,140	100.0	134.4	...	All causes . . . . .	117,114	100.0	1,177.7
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	7,369	36.6	49.2	1	Malignant neoplasms . . . . . (C00–C97)	40,457	34.5	406.8
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	3,363	16.7	22.4	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	35,422	30.2	356.2
3	Malignant neoplasms . . . . . (C00–C97)	1,500	7.4	10.0	3	Chronic lower respiratory diseases . . . . . (J40–J47)	4,893	4.2	49.2
4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1,356	6.7	9.0	4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	4,242	3.6	42.7
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	1,316	6.5	8.8	5	Cerebrovascular diseases . . . . . (I60–I69)	3,998	3.4	40.2
6	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	749	3.7	5.0	6	Diabetes mellitus . . . . . (E10–E14)	3,823	3.3	38.4
7	Diabetes mellitus . . . . . (E10–E14)	267	1.3	1.8	7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	3,475	3.0	34.9
8	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	229	1.1	1.5	8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	2,133	1.8	21.5
9	Cerebrovascular diseases . . . . . (I60–I69)	225	1.1	1.5	9	Influenza and pneumonia . . . . . (J10–J18)	1,302	1.1	13.1
10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	224	1.1	1.5	10	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	1,106	0.9	11.1
...	All other causes . . . . . (Residual)	3,542	17.6	23.6	...	All other causes . . . . . (Residual)	16,263	13.9	163.5

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
White, male, 65 years and over					White, male, 85 years and over				
...	All causes . . . . .	716,158	100.0	5,556.0	...	All causes . . . . .	196,409	100.0	16,897.7
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	236,494	33.0	1,834.7	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	72,735	37.0	6,257.6
2	Malignant neoplasms . . . . . (C00–C97)	178,861	25.0	1,387.6	2	Malignant neoplasms . . . . . (C00–C97)	29,863	15.2	2,569.2
3	Chronic lower respiratory diseases . . . . . (J40–J47)	48,098	6.7	373.1	3	Cerebrovascular diseases . . . . . (I60–I69)	16,526	8.4	1,421.8
4	Cerebrovascular diseases . . . . . (I60–I69)	47,564	6.6	369.0	4	Chronic lower respiratory diseases . . . . . (J40–J47)	11,058	5.6	951.4
5	Influenza and pneumonia . . . . . (J10–J18)	22,101	3.1	171.5	5	Influenza and pneumonia . . . . . (J10–J18)	10,045	5.1	864.2
6	Diabetes mellitus . . . . . (E10–E14)	18,898	2.6	146.6	6	Alzheimer's disease . . . . . (G30)	6,010	3.1	517.1
7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	13,570	1.9	105.3	7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	4,171	2.1	358.8
8	Alzheimer's disease . . . . . (G30)	13,296	1.9	103.2	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	4,100	2.1	352.7
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	12,293	1.7	95.4	9	Diabetes mellitus . . . . . (E10–E14)	3,740	1.9	321.8
10	Septicemia . . . . . (A40–A41)	8,327	1.2	64.6	10	Pneumonitis due to solids and liquids . . (J69)	3,149	1.6	270.9
...	All other causes . . . . . (Residual)	116,656	16.3	905.0	...	All other causes . . . . . (Residual)	35,012	17.8	3,012.2
White, male, 65–74 years					White, female, all ages				
...	All causes . . . . .	213,379	100.0	2,949.8	...	All causes . . . . .	1,064,096	100.0	924.9
1	Malignant neoplasms . . . . . (C00–C97)	72,284	33.9	999.3	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	320,168	30.1	278.3
2	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	64,464	30.2	891.2	2	Malignant neoplasms . . . . . (C00–C97)	232,608	21.9	202.2
3	Chronic lower respiratory diseases . . . . . (J40–J47)	14,786	6.9	204.4	3	Cerebrovascular diseases . . . . . (I60–I69)	89,642	8.4	77.9
4	Cerebrovascular diseases . . . . . (I60–I69)	9,828	4.6	135.9	4	Chronic lower respiratory diseases . . . . . (J40–J47)	58,024	5.5	50.4
5	Diabetes mellitus . . . . . (E10–E14)	6,739	3.2	93.2	5	Alzheimer's disease . . . . . (G30)	32,936	3.1	28.6
6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	3,977	1.9	55.0	6	Influenza and pneumonia . . . . . (J10–J18)	32,912	3.1	28.6
7	Influenza and pneumonia . . . . . (J10–J18)	3,314	1.6	45.8	7	Diabetes mellitus . . . . . (E10–E14)	29,552	2.8	25.7
8	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	3,006	1.4	41.6	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	29,263	2.8	25.4
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	2,769	1.3	38.3	9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	15,213	1.4	13.2
10	Aortic aneurysm and dissection . . . . . (I71)	2,533	1.2	35.0	10	Septicemia . . . . . (A40–A41)	14,088	1.3	12.2
...	All other causes . . . . . (Residual)	29,679	13.9	410.3	...	All other causes . . . . . (Residual)	209,690	19.7	182.3
White, male, 75–84 years					White, female, 1–4 years				
...	All causes . . . . .	306,370	100.0	6,817.7	...	All causes . . . . .	1,490	100.0	25.4
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	99,295	32.4	2,209.6	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	527	35.4	9.0
2	Malignant neoplasms . . . . . (C00–C97)	76,714	25.0	1,707.1	2	Congenital malformations, deformations and chromosomal abnormalities . . . (Q00–Q99)	167	11.2	2.8
3	Chronic lower respiratory diseases . . . . . (J40–J47)	22,254	7.3	495.2	3	Malignant neoplasms . . . . . (C00–C97)	140	9.4	2.4
4	Cerebrovascular diseases . . . . . (I60–I69)	21,210	6.9	472.0	4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	85	5.7	1.4
5	Influenza and pneumonia . . . . . (J10–J18)	8,742	2.9	194.5	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	46	3.1	0.8
6	Diabetes mellitus . . . . . (E10–E14)	8,419	2.7	187.4	6	Influenza and pneumonia . . . . . (J10–J18)	39	2.6	0.7
7	Alzheimer's disease . . . . . (G30)	5,854	1.9	130.3	7	Septicemia . . . . . (A40–A41)	31	2.1	0.5
8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	5,493	1.8	122.2	8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	19	1.3	*
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	5,353	1.7	119.1	9	Cerebrovascular diseases . . . . . (I60–I69)	16	1.1	*
10	Parkinson's disease . . . . . (G20–G21)	4,307	1.4	95.8	9	Certain conditions originating in the perinatal period . . . . . (P00–P96)	16	1.1	*
...	All other causes . . . . . (Residual)	48,729	15.9	1,084.4	...	All other causes . . . . . (Residual)	404	27.1	6.9

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
White, female, 5–9 years					White, female, 20–24 years				
...	All causes . . . . .	1,011	100.0	13.3	...	All causes . . . . .	3,119	100.0	43.6
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	409	40.5	5.4	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,329	42.6	18.6
2	Malignant neoplasms . . . . . (C00–C97)	182	18.0	2.4	2	Malignant neoplasms . . . . . (C00–C97)	303	9.7	4.2
3	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	75	7.4	1.0	3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	238	7.6	3.3
4	Assault (homicide). . . . . (X85–Y09,Y87.1)	39	3.9	0.5	4	Assault (homicide). . . . . (X85–Y09,Y87.1)	234	7.5	3.3
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	29	2.9	0.4	5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	140	4.5	2.0
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . . (D00–D48)	22	2.2	0.3	6	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	65	2.1	0.9
7	Influenza and pneumonia . . . . . (J10–J18)	14	1.4	*	7	Cerebrovascular diseases . . . . . (I60–I69)	46	1.5	0.6
8	Chronic lower respiratory diseases. . . . . (J40–J47)	11	1.1	*	8	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	44	1.4	0.6
9	Septicemia . . . . . (A40–A41)	9	0.9	*	9	Influenza and pneumonia . . . . . (J10–J18)	38	1.2	0.5
9	Cerebrovascular diseases . . . . . (I60–I69)	9	0.9	*	10	Diabetes mellitus . . . . . (E10–E14)	30	1.0	0.4
...	All other causes . . . . . (Residual)	212	21.0	2.8	...	All other causes . . . . . (Residual)	652	20.9	9.1
White, female, 10–14 years					White, female, 25–34 years				
...	All causes . . . . .	1,184	100.0	15.6	...	All causes . . . . .	8,579	100.0	57.7
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	432	36.5	5.7	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	2,150	25.1	14.4
2	Malignant neoplasms . . . . . (C00–C97)	180	15.2	2.4	2	Malignant neoplasms . . . . . (C00–C97)	1,572	18.3	10.6
3	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	70	5.9	0.9	3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	721	8.4	4.8
4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	53	4.5	0.7	4	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	621	7.2	4.2
4	Assault (homicide). . . . . (X85–Y09,Y87.1)	53	4.5	0.7	5	Assault (homicide). . . . . (X85–Y09,Y87.1)	458	5.3	3.1
6	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	37	3.1	0.5	6	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	234	2.7	1.6
7	Cerebrovascular diseases . . . . . (I60–I69)	20	1.7	0.3	7	Cerebrovascular diseases . . . . . (I60–I69)	195	2.3	1.3
8	Chronic lower respiratory diseases. . . . . (J40–J47)	19	1.6	*	8	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	162	1.9	1.1
9	Influenza and pneumonia . . . . . (J10–J18)	17	1.4	*	9	Diabetes mellitus . . . . . (E10–E14)	153	1.8	1.0
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . . (D00–D48)	15	1.3	*	10	Influenza and pneumonia . . . . . (J10–J18)	123	1.4	0.8
...	All other causes . . . . . (Residual)	288	24.3	3.8	...	All other causes . . . . . (Residual)	2,190	25.5	14.7
White, female, 15–19 years					White, female, 35–44 years				
...	All causes . . . . .	3,031	100.0	39.7	...	All causes . . . . .	23,118	100.0	125.8
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,724	56.9	22.6	1	Malignant neoplasms . . . . . (C00–C97)	7,025	30.4	38.2
2	Malignant neoplasms . . . . . (C00–C97)	232	7.7	3.0	2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	3,201	13.8	17.4
3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	224	7.4	2.9	3	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	2,512	10.9	13.7
4	Assault (homicide). . . . . (X85–Y09,Y87.1)	164	5.4	2.1	4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1,322	5.7	7.2
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	103	3.4	1.3	5	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	824	3.6	4.5
6	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	66	2.2	0.9	6	Cerebrovascular diseases . . . . . (I60–I69)	803	3.5	4.4
7	Influenza and pneumonia . . . . . (J10–J18)	21	0.7	0.3	7	Diabetes mellitus . . . . . (E10–E14)	553	2.4	3.0
8	Cerebrovascular diseases . . . . . (I60–I69)	18	0.6	*	8	Assault (homicide). . . . . (X85–Y09,Y87.1)	523	2.3	2.8
9	Chronic lower respiratory diseases. . . . . (J40–J47)	14	0.5	*	9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	485	2.1	2.6
10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . . (D00–D48)	11	0.4	*	10	Chronic lower respiratory diseases. . . . . (J40–J47)	332	1.4	1.8
10	Diabetes mellitus . . . . . (E10–E14)	11	0.4	*	...	All other causes . . . . . (Residual)	5,538	24.0	30.1
10	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	11	0.4	*					
...	All other causes . . . . . (Residual)	432	14.3	5.7					

See footnotes at end of table.



**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
White, female, 45–54 years					White, female, 65–74 years				
...	All causes . . . . .	44,808	100.0	283.2	...	All causes . . . . .	163,607	100.0	1,893.9
1	Malignant neoplasms . . . . . (C00–C97)	19,125	42.7	120.9	1	Malignant neoplasms . . . . . (C00–C97)	58,286	35.6	674.7
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	6,511	14.5	41.2	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	38,985	23.8	451.3
3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	2,579	5.8	16.3	3	Chronic lower respiratory diseases . . . . . (J40–J47)	13,979	8.5	161.8
4	Cerebrovascular diseases . . . . . (I60–I69)	1,776	4.0	11.2	4	Cerebrovascular diseases . . . . . (I60–I69)	9,396	5.7	108.8
5	Diabetes mellitus . . . . . (E10–E14)	1,437	3.2	9.1	5	Diabetes mellitus . . . . . (E10–E14)	6,336	3.9	73.3
6	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	1,310	2.9	8.3	6	Influenza and pneumonia . . . . . (J10–J18)	2,655	1.6	30.7
7	Chronic lower respiratory diseases . . . . . (J40–J47)	1,263	2.8	8.0	7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	2,640	1.6	30.6
8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1,201	2.7	7.6	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	2,375	1.5	27.5
9	Influenza and pneumonia . . . . . (J10–J18)	538	1.2	3.4	9	Septicemia . . . . . (A40–A41)	2,154	1.3	24.9
10	Septicemia . . . . . (A40–A41)	526	1.2	3.3	10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	1,919	1.2	22.2
...	All other causes . . . . . (Residual)	8,542	19.1	54.0	...	All other causes . . . . . (Residual)	24,882	15.2	288.0
White, female, 55–64 years					White, female, 75–84 years				
...	All causes . . . . .	78,427	100.0	735.5	...	All causes . . . . .	321,359	100.0	4,860.4
1	Malignant neoplasms . . . . . (C00–C97)	34,302	43.7	321.7	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	97,538	30.4	1,475.2
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	15,159	19.3	142.2	2	Malignant neoplasms . . . . . (C00–C97)	71,412	22.2	1,080.1
3	Chronic lower respiratory diseases . . . . . (J40–J47)	4,639	5.9	43.5	3	Cerebrovascular diseases . . . . . (I60–I69)	29,157	9.1	441.0
4	Cerebrovascular diseases . . . . . (I60–I69)	3,241	4.1	30.4	4	Chronic lower respiratory diseases . . . . . (J40–J47)	22,771	7.1	344.4
5	Diabetes mellitus . . . . . (E10–E14)	3,056	3.9	28.7	5	Alzheimer's disease . . . . . (G30)	10,270	3.2	155.3
6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	2,033	2.6	19.1	6	Diabetes mellitus . . . . . (E10–E14)	10,059	3.1	152.1
7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	1,473	1.9	13.8	7	Influenza and pneumonia . . . . . (J10–J18)	9,069	2.8	137.2
8	Septicemia . . . . . (A40–A41)	969	1.2	9.1	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	5,247	1.6	79.4
9	Influenza and pneumonia . . . . . (J10–J18)	956	1.2	9.0	9	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	5,117	1.6	77.4
10	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	903	1.2	8.5	10	Septicemia . . . . . (A40–A41)	4,486	1.4	67.8
...	All other causes . . . . . (Residual)	11,696	14.9	109.7	...	All other causes . . . . . (Residual)	56,233	17.5	850.5
White, female, 65 years and over					White, female, 85 years and over				
...	All causes . . . . .	891,318	100.0	4,960.4	...	All causes . . . . .	406,352	100.0	14,948.7
1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	294,838	33.1	1,640.9	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	158,315	39.0	5,824.0
2	Malignant neoplasms . . . . . (C00–C97)	169,514	19.0	943.4	2	Cerebrovascular diseases . . . . . (I60–I69)	44,936	11.1	1,653.1
3	Cerebrovascular diseases . . . . . (I60–I69)	83,489	9.4	464.6	3	Malignant neoplasms . . . . . (C00–C97)	39,816	9.8	1,464.7
4	Chronic lower respiratory diseases . . . . . (J40–J47)	51,618	5.8	287.3	4	Alzheimer's disease . . . . . (G30)	20,673	5.1	760.5
5	Alzheimer's disease . . . . . (G30)	32,650	3.7	181.7	5	Influenza and pneumonia . . . . . (J10–J18)	19,056	4.7	701.0
6	Influenza and pneumonia . . . . . (J10–J18)	30,780	3.5	171.3	6	Chronic lower respiratory diseases . . . . . (J40–J47)	14,868	3.7	547.0
7	Diabetes mellitus . . . . . (E10–E14)	24,300	2.7	135.2	7	Diabetes mellitus . . . . . (E10–E14)	7,905	1.9	290.8
8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	14,639	1.6	81.5	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	6,752	1.7	248.4
9	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	13,632	1.5	75.9	9	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	6,140	1.5	225.9
10	Septicemia . . . . . (A40–A41)	12,104	1.4	67.4	10	Atherosclerosis . . . . . (I70)	5,480	1.3	201.6
...	All other causes . . . . . (Residual)	163,754	18.4	911.3	...	All other causes . . . . . (Residual)	82,411	20.3	3,031.7

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Black, both sexes, all ages <sup>3</sup>					Black, both sexes, 10–14 years				
...	All causes . . . . .	285,826	100.0	809.6	...	All causes . . . . .	887	100.0	28.0
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	77,523	27.1	219.6	1	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	293	33.0	9.2
2	Malignant neoplasms . . . . . (C00–C97)	61,945	21.7	175.5	2	Assault (homicide) . . . . .(X85–Y09,Y87.1)	84	9.5	2.6
3	Cerebrovascular diseases . . . . . (I60–I69)	19,221	6.7	54.4	3	Malignant neoplasms . . . . . (C00–C97)	78	8.8	2.5
4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	12,277	4.3	34.8	4	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	47	5.3	1.5
5	Diabetes mellitus . . . . . (E10–E14)	12,021	4.2	34.1	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	46	5.2	1.5
6	Assault (homicide) . . . . .(X85–Y09,Y87.1)	7,867	2.8	22.3	5	Chronic lower respiratory diseases. . . . . (J40–J47)	46	5.2	1.5
7	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	7,848	2.7	22.2	7	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	40	4.5	1.3
8	Chronic lower respiratory diseases. . . . . (J40–J47)	7,607	2.7	21.5	8	Anemias . . . . . (D50–D64)	16	1.8	*
9	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	6,911	2.4	19.6	9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	14	1.6	*
10	Influenza and pneumonia . . . . . (J10–J18)	5,990	2.1	17.0	10	Cerebrovascular diseases . . . . . (I60–I69)	13	1.5	*
...	All other causes . . . . . (Residual)	66,616	23.3	188.7	...	All other causes . . . . . (Residual)	210	23.7	6.6
Black, both sexes, 1–4 years					Black, both sexes, 15–19 years				
...	All causes . . . . .	1,248	100.0	56.1	...	All causes . . . . .	2,717	100.0	89.0
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	405	32.5	18.2	1	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1,028	37.8	33.7
2	Assault (homicide) . . . . .(X85–Y09,Y87.1)	145	11.6	6.5	2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	737	27.1	24.1
3	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	126	10.1	5.7	3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	172	6.3	5.6
4	Malignant neoplasms . . . . . (C00–C97)	70	5.6	3.1	4	Malignant neoplasms . . . . . (C00–C97)	136	5.0	4.5
5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	49	3.9	2.2	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	125	4.6	4.1
6	Influenza and pneumonia . . . . . (J10–J18)	30	2.4	1.3	6	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	56	2.1	1.8
7	Certain conditions originating in the perinatal period. . . . . (P00–P96)	27	2.2	1.2	7	Chronic lower respiratory diseases. . . . . (J40–J47)	44	1.6	1.4
8	Septicemia . . . . . (A40–A41)	26	2.1	1.2	8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	22	0.8	0.7
9	Chronic lower respiratory diseases. . . . . (J40–J47)	21	1.7	0.9	9	Anemias . . . . . (D50–D64)	16	0.6	*
10	Anemias . . . . . (D50–D64)	19	1.5	*	10	Legal intervention . . . . . (Y35,Y89.0)	15	0.6	*
...	All other causes . . . . . (Residual)	330	26.4	14.8	...	All other causes . . . . . (Residual)	366	13.5	12.0
Black, both sexes, 5–9 years					Black, both sexes, 20–24 years				
...	All causes . . . . .	756	100.0	24.5	...	All causes . . . . .	4,332	100.0	155.7
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	338	44.7	10.9	1	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1,791	41.3	64.4
2	Malignant neoplasms . . . . . (C00–C97)	72	9.5	2.3	2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	958	22.1	34.4
3	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	44	5.8	1.4	3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	308	7.1	11.1
4	Assault (homicide) . . . . .(X85–Y09,Y87.1)	40	5.3	1.3	4	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	208	4.8	7.5
5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	30	4.0	1.0	5	Malignant neoplasms . . . . . (C00–C97)	165	3.8	5.9
6	Chronic lower respiratory diseases. . . . . (J40–J47)	24	3.2	0.8	6	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	103	2.4	3.7
7	Anemias . . . . . (D50–D64)	15	2.0	*	7	Anemias . . . . . (D50–D64)	46	1.1	1.7
8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . . (D00–D48)	13	1.7	*	8	Diabetes mellitus . . . . . (E10–E14)	41	0.9	1.5
9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	9	1.2	*	9	Chronic lower respiratory diseases. . . . . (J40–J47)	37	0.9	1.3
10	Septicemia . . . . . (A40–A41)	8	1.1	*	10	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	35	0.8	1.3
...	All other causes . . . . . (Residual)	163	21.6	5.3	...	All other causes . . . . . (Residual)	640	14.8	23.0

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Black, both sexes, 25–34 years					Black, both sexes, 55–64 years				
...	All causes . . . . .	10,239	100.0	195.5	...	All causes . . . . .	39,281	100.0	1,628.6
1	Assault (homicide) . . . . . (X85–Y09,Y87.1)	2,224	21.7	42.5	1	Malignant neoplasms . . . . . (C00–C97)	12,119	30.9	502.4
2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,770	17.3	33.8	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	11,385	29.0	472.0
3	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1,432	14.0	27.3	3	Cerebrovascular diseases . . . . . (I60–I69)	2,291	5.8	95.0
4	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	937	9.2	17.9	4	Diabetes mellitus . . . . . (E10–E14)	2,015	5.1	83.5
5	Malignant neoplasms . . . . . (C00–C97)	649	6.3	12.4	5	Chronic lower respiratory diseases . . . . . (J40–J47)	1,073	2.7	44.5
6	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	476	4.6	9.1	6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	997	2.5	41.3
7	Diabetes mellitus . . . . . (E10–E14)	189	1.8	3.6	7	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	991	2.5	41.1
8	Cerebrovascular diseases . . . . . (I60–I69)	160	1.6	3.1	8	Septicemia . . . . . (A40–A41)	768	2.0	31.8
9	Anemias . . . . . (D50–D64)	124	1.2	2.4	9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	636	1.6	26.4
10	Chronic lower respiratory diseases . . . . . (J40–J47)	116	1.1	2.2	10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	633	1.6	26.2
...	All other causes . . . . . (Residual)	2,162	21.1	41.3	...	All other causes . . . . . (Residual)	6,373	16.2	264.2
Black, both sexes, 35–44 years					Black, both sexes, 65 years and over				
...	All causes . . . . .	20,557	100.0	360.2	...	All causes . . . . .	163,677	100.0	5,612.1
1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	3,305	16.1	57.9	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	53,621	32.8	1,838.5
2	Malignant neoplasms . . . . . (C00–C97)	3,108	15.1	54.5	2	Malignant neoplasms . . . . . (C00–C97)	37,387	22.8	1,281.9
3	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	3,080	15.0	54.0	3	Cerebrovascular diseases . . . . . (I60–I69)	13,979	8.5	479.3
4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	2,287	11.1	40.1	4	Diabetes mellitus . . . . . (E10–E14)	8,011	4.9	274.7
5	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1,376	6.7	24.1	5	Chronic lower respiratory diseases . . . . . (J40–J47)	5,361	3.3	183.8
6	Cerebrovascular diseases . . . . . (I60–I69)	836	4.1	14.7	6	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	4,741	2.9	162.6
8	Diabetes mellitus . . . . . (E10–E14)	462	2.2	8.1	7	Influenza and pneumonia . . . . . (J10–J18)	4,487	2.7	153.8
8	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	451	2.2	7.9	8	Septicemia . . . . . (A40–A41)	4,034	2.5	138.3
9	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	438	2.1	7.7	9	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	2,694	1.6	92.4
10	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	306	1.5	5.4	10	Alzheimer's disease . . . . . (G30)	2,692	1.6	92.3
...	All other causes . . . . . (Residual)	4,908	23.9	86.0	...	All other causes . . . . . (Residual)	26,670	16.3	914.5
Black, both sexes, 45–54 years					Black, both sexes, 65–74 years				
...	All causes . . . . .	33,289	100.0	806.1	...	All causes . . . . .	55,195	100.0	3,251.5
1	Malignant neoplasms . . . . . (C00–C97)	8,147	24.5	197.3	1	Malignant neoplasms . . . . . (C00–C97)	16,636	30.1	980.0
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	7,680	23.1	186.0	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	16,590	30.1	977.3
3	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	2,257	6.8	54.7	3	Cerebrovascular diseases . . . . . (I60–I69)	3,689	6.7	217.3
4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,988	6.0	48.1	4	Diabetes mellitus . . . . . (E10–E14)	3,118	5.6	183.7
5	Cerebrovascular diseases . . . . . (I60–I69)	1,836	5.5	44.5	5	Chronic lower respiratory diseases . . . . . (J40–J47)	2,014	3.6	118.6
6	Diabetes mellitus . . . . . (E10–E14)	1,279	3.8	31.0	6	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	1,653	3.0	97.4
7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	937	2.8	22.7	7	Septicemia . . . . . (A40–A41)	1,189	2.2	70.0
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	669	2.0	16.2	8	Influenza and pneumonia . . . . . (J10–J18)	997	1.8	58.7
9	Assault (homicide) . . . . . (X85–Y09,Y87.1)	628	1.9	15.2	9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	868	1.6	51.1
10	Chronic lower respiratory diseases . . . . . (J40–J47)	599	1.8	14.5	10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	806	1.5	47.5
...	All other causes . . . . . (Residual)	7,269	21.8	176.0	...	All other causes . . . . . (Residual)	7,635	13.8	449.8

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Black, both sexes, 75–84 years					Black, male, 1–4 years				
...	All causes . . . . .	61,444	100.0	6,826.4	...	All causes . . . . .	692	100.0	61.2
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	19,802	32.2	2,200.0	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	239	34.5	21.1
2	Malignant neoplasms . . . . . (C00–C97)	14,361	23.4	1,595.5	2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	75	10.8	6.6
3	Cerebrovascular diseases . . . . . (I60–I69)	5,399	8.8	599.8	3	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	70	10.1	6.2
4	Diabetes mellitus . . . . . (E10–E14)	3,215	5.2	357.2	4	Malignant neoplasms . . . . . (C00–C97)	34	4.9	3.0
5	Chronic lower respiratory diseases . . . . . (J40–J47)	2,152	3.5	239.1	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	24	3.5	2.1
6	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	1,789	2.9	198.8	6	Influenza and pneumonia . . . . . (J10–J18)	21	3.0	1.9
7	Septicemia . . . . . (A40–A41)	1,590	2.6	176.6	7	Certain conditions originating in the perinatal period . . . . . (P00–P96)	18	2.6	*
8	Influenza and pneumonia . . . . . (J10–J18)	1,569	2.6	174.3	8	Chronic lower respiratory diseases . . . . . (J40–J47)	14	2.0	*
9	Alzheimer's disease . . . . . (G30)	1,008	1.6	112.0	9	Septicemia . . . . . (A40–A41)	13	1.9	*
10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	982	1.6	109.1	10	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	8	1.2	*
...	All other causes . . . . . (Residual)	9,577	15.6	1,064.0	...	Anemias . . . . . (D50–D64)	8	1.2	*
Black, both sexes, 85 years and over					Black, male, 5–9 years				
...	All causes . . . . .	47,038	100.0	14,752.1	...	All causes . . . . .	431	100.0	27.5
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	17,229	36.6	5,403.4	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	209	48.5	13.3
2	Malignant neoplasms . . . . . (C00–C97)	6,390	13.6	2,004.0	2	Malignant neoplasms . . . . . (C00–C97)	42	9.7	2.7
3	Cerebrovascular diseases . . . . . (I60–I69)	4,891	10.4	1,533.9	3	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	29	6.7	1.8
4	Influenza and pneumonia . . . . . (J10–J18)	1,921	4.1	602.5	4	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	18	4.2	*
5	Diabetes mellitus . . . . . (E10–E14)	1,678	3.6	526.3	5	Assault (homicide) . . . . . (X85–Y09,Y87.1)	16	3.7	*
6	Alzheimer's disease . . . . . (G30)	1,423	3.0	446.3	6	Chronic lower respiratory diseases . . . . . (J40–J47)	14	3.2	*
7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	1,299	2.8	407.4	7	Anemias . . . . . (D50–D64)	10	2.3	*
8	Septicemia . . . . . (A40–A41)	1,255	2.7	393.6	8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	6	1.4	*
9	Chronic lower respiratory diseases . . . . . (J40–J47)	1,195	2.5	374.8	9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	5	1.2	*
10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	906	1.9	284.1	10	Septicemia . . . . . (A40–A41)	4	0.9	*
...	All other causes . . . . . (Residual)	8,851	18.8	2,775.9	...	Influenza and pneumonia . . . . . (J10–J18)	4	0.9	*
Black, male, all ages <sup>3</sup>					Black, male, 10–14 years				
...	All causes . . . . .	145,184	100.0	865.4	...	All causes . . . . .	543	100.0	33.7
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	36,740	25.3	219.0	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	205	37.8	12.7
2	Malignant neoplasms . . . . . (C00–C97)	32,817	22.6	195.6	2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	56	10.3	3.5
3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	8,531	5.9	50.9	3	Malignant neoplasms . . . . . (C00–C97)	45	8.3	2.8
4	Cerebrovascular diseases . . . . . (I60–I69)	8,026	5.5	47.8	4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	35	6.4	2.2
5	Assault (homicide) . . . . . (X85–Y09,Y87.1)	6,482	4.5	38.6	5	Chronic lower respiratory diseases . . . . . (J40–J47)	29	5.3	1.8
6	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	5,400	3.7	32.2	6	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	24	4.4	1.5
7	Diabetes mellitus . . . . . (E10–E14)	4,771	3.3	28.4	7	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	23	4.2	1.4
8	Chronic lower respiratory diseases . . . . . (J40–J47)	4,238	2.9	25.3	8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	7	1.3	*
9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	3,074	2.1	18.3	8	Anemias . . . . . (D50–D64)	7	1.3	*
10	Influenza and pneumonia . . . . . (J10–J18)	2,915	2.0	17.4	10	Meningitis . . . . . (G00,G03)	6	1.1	*
...	All other causes . . . . . (Residual)	32,190	22.2	191.9	...	All other causes . . . . . (Residual)	106	19.5	6.6

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Black, male, 15–19 years					Black, male, 35–44 years				
...	All causes . . . . .	2,045	100.0	131.6	...	All causes . . . . .	12,251	100.0	456.7
1	Assault (homicide). . . . .(X85–Y09,Y87.1)	899	44.0	57.9	1	Human immunodeficiency virus (HIV) disease . . . . .(B20–B24)	2,096	17.1	78.1
2	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	542	26.5	34.9	2	Diseases of heart . . . . .(I00–I09,I11,I13,I20–I51)	2,009	16.4	74.9
3	Intentional self-harm (suicide) . . . . .(X60–X84,Y87.0)	150	7.3	9.7	3	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	1,678	13.7	62.5
4	Malignant neoplasms . . . . .(C00–C97)	82	4.0	5.3	4	Malignant neoplasms . . . . .(C00–C97)	1,309	10.7	48.8
5	Diseases of heart . . . . .(I00–I09,I11,I13,I20–I51)	75	3.7	4.8	5	Assault (homicide). . . . .(X85–Y09,Y87.1)	1,040	8.5	38.8
6	Congenital malformations, deformations and chromosomal abnormalities. . . . .(Q00–Q99)	39	1.9	2.5	6	Cerebrovascular diseases . . . . .(I60–I69)	397	3.2	14.8
7	Chronic lower respiratory diseases. . . . .(J40–J47)	31	1.5	2.0	7	Intentional self-harm (suicide) . . . . .(X60–X84,Y87.0)	356	2.9	13.3
8	Legal intervention . . . . .(Y35,Y89.0)	15	0.7	*	8	Chronic liver disease and cirrhosis . . . . .(K70,K73–K74)	284	2.3	10.6
9	Human immunodeficiency virus (HIV) disease . . . . .(B20–B24)	11	0.5	*	9	Diabetes mellitus . . . . .(E10–E14)	254	2.1	9.5
10	Diabetes mellitus . . . . .(E10–E14)	8	0.4	*	10	Nephritis, nephrotic syndrome and nephrosis . . . . .(N00–N07,N17–N19,N25–N27)	175	1.4	6.5
...	All other causes . . . . .(Residual)	193	9.4	12.4	...	All other causes . . . . .(Residual)	2,653	21.7	98.9
Black, male, 20–24 years					Black, male, 45–54 years				
...	All causes . . . . .	3,273	100.0	237.6	...	All causes . . . . .	19,913	100.0	1,060.3
1	Assault (homicide). . . . .(X85–Y09,Y87.1)	1,602	48.9	116.3	1	Diseases of heart . . . . .(I00–I09,I11,I13,I20–I51)	4,837	24.3	257.5
2	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	719	22.0	52.2	2	Malignant neoplasms . . . . .(C00–C97)	4,192	21.1	223.2
3	Intentional self-harm (suicide) . . . . .(X60–X84,Y87.0)	265	8.1	19.2	3	Human immunodeficiency virus (HIV) disease . . . . .(B20–B24)	1,682	8.4	89.6
4	Diseases of heart . . . . .(I00–I09,I11,I13,I20–I51)	118	3.6	8.6	4	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	1,475	7.4	78.5
5	Malignant neoplasms . . . . .(C00–C97)	97	3.0	7.0	5	Cerebrovascular diseases . . . . .(I60–I69)	969	4.9	51.6
6	Human immunodeficiency virus (HIV) disease . . . . .(B20–B24)	49	1.5	3.6	6	Diabetes mellitus . . . . .(E10–E14)	654	3.3	34.8
7	Anemias . . . . .(D50–D64)	23	0.7	1.7	7	Chronic liver disease and cirrhosis . . . . .(K70,K73–K74)	639	3.2	34.0
8	Diabetes mellitus . . . . .(E10–E14)	20	0.6	1.5	8	Assault (homicide). . . . .(X85–Y09,Y87.1)	508	2.6	27.0
8	Chronic lower respiratory diseases. . . . .(J40–J47)	20	0.6	1.5	9	Nephritis, nephrotic syndrome and nephrosis . . . . .(N00–N07,N17–N19,N25–N27)	398	2.0	21.2
10	Congenital malformations, deformations and chromosomal abnormalities. . . . .(Q00–Q99)	19	0.6	*	10	Septicemia . . . . .(A40–A41)	319	1.6	17.0
...	All other causes . . . . .(Residual)	341	10.4	24.8	...	All other causes . . . . .(Residual)	4,240	21.3	225.8
Black, male, 25–34 years					Black, male, 55–64 years				
...	All causes . . . . .	6,750	100.0	271.8	...	All causes . . . . .	22,678	100.0	2,172.9
1	Assault (homicide). . . . .(X85–Y09,Y87.1)	1,911	28.3	76.9	1	Diseases of heart . . . . .(I00–I09,I11,I13,I20–I51)	6,882	30.3	659.4
2	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	1,340	19.9	54.0	2	Malignant neoplasms . . . . .(C00–C97)	6,829	30.1	654.3
3	Human immunodeficiency virus (HIV) disease . . . . .(B20–B24)	835	12.4	33.6	3	Cerebrovascular diseases . . . . .(I60–I69)	1,258	5.5	120.5
4	Diseases of heart . . . . .(I00–I09,I11,I13,I20–I51)	547	8.1	22.0	4	Diabetes mellitus . . . . .(E10–E14)	962	4.2	92.2
5	Intentional self-harm (suicide) . . . . .(X60–X84,Y87.0)	402	6.0	16.2	5	Accidents (unintentional injuries) . . . . .(V01–X59,Y85–Y86)	750	3.3	71.9
6	Malignant neoplasms . . . . .(C00–C97)	262	3.9	10.5	6	Chronic lower respiratory diseases. . . . .(J40–J47)	595	2.6	57.0
7	Diabetes mellitus . . . . .(E10–E14)	99	1.5	4.0	7	Human immunodeficiency virus (HIV) disease . . . . .(B20–B24)	501	2.2	48.0
8	Chronic lower respiratory diseases. . . . .(J40–J47)	72	1.1	2.9	8	Nephritis, nephrotic syndrome and nephrosis . . . . .(N00–N07,N17–N19,N25–N27)	489	2.2	46.9
9	Cerebrovascular diseases . . . . .(I60–I69)	71	1.1	2.9	9	Chronic liver disease and cirrhosis . . . . .(K70,K73–K74)	414	1.8	39.7
10	Septicemia . . . . .(A40–A41)	59	0.9	2.4	10	Septicemia . . . . .(A40–A41)	387	1.7	37.1
10	Influenza and pneumonia . . . . .(J10–J18)	59	0.9	2.4	...	All other causes . . . . .(Residual)	3,611	15.9	346.0
...	All other causes . . . . .(Residual)	1,093	16.2	44.0					

See footnotes at end of table.



**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Black, male, 65 years and over					Black, male, 85 years and over				
...	All causes . . . . .	71,657	100.0	6,235.7	...	All causes . . . . .	14,560	100.0	15,494.6
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	22,136	30.9	1,926.3	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	4,885	33.6	5,198.6
2	Malignant neoplasms . . . . . (C00–C97)	19,919	27.8	1,733.4	2	Malignant neoplasms . . . . . (C00–C97)	2,831	19.4	3,012.7
3	Cerebrovascular diseases . . . . . (I60–I69)	5,277	7.4	459.2	3	Cerebrovascular diseases . . . . . (I60–I69)	1,265	8.7	1,346.2
4	Chronic lower respiratory diseases . . . . . (J40–J47)	3,033	4.2	263.9	4	Influenza and pneumonia . . . . . (J10–J18)	655	4.5	697.0
5	Diabetes mellitus . . . . . (E10–E14)	2,769	3.9	241.0	5	Chronic lower respiratory diseases . . . . . (J40–J47)	601	4.1	639.6
6	Influenza and pneumonia . . . . . (J10–J18)	1,999	2.8	174.0	6	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	425	2.9	452.3
7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	1,906	2.7	165.9	7	Diabetes mellitus . . . . . (E10–E14)	392	2.7	417.2
8	Septicemia . . . . . (A40–A41)	1,610	2.2	140.1	8	Septicemia . . . . . (A40–A41)	371	2.5	394.8
9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,220	1.7	106.2	9	Alzheimer's disease . . . . . (G30)	322	2.2	342.7
10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	939	1.3	81.7	10	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	239	1.6	254.3
...	All other causes . . . . . (Residual)	10,849	15.1	944.1	...	All other causes . . . . . (Residual)	2,574	17.7	2,739.2
Black, male, 65–74 years					Black, female, all ages <sup>3</sup>				
...	All causes . . . . .	29,071	100.0	4,065.5	...	All causes . . . . .	140,642	100.0	759.1
1	Malignant neoplasms . . . . . (C00–C97)	9,321	32.1	1,303.5	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	40,783	29.0	220.1
2	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	8,672	29.8	1,212.8	2	Malignant neoplasms . . . . . (C00–C97)	29,128	20.7	157.2
3	Cerebrovascular diseases . . . . . (I60–I69)	1,835	6.3	256.6	3	Cerebrovascular diseases . . . . . (I60–I69)	11,195	8.0	60.4
4	Diabetes mellitus . . . . . (E10–E14)	1,264	4.3	176.8	4	Diabetes mellitus . . . . . (E10–E14)	7,250	5.2	39.1
5	Chronic lower respiratory diseases . . . . . (J40–J47)	1,209	4.2	169.1	5	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	3,837	2.7	20.7
6	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	716	2.5	100.1	6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	3,746	2.7	20.2
7	Influenza and pneumonia . . . . . (J10–J18)	571	2.0	79.9	7	Chronic lower respiratory diseases . . . . . (J40–J47)	3,369	2.4	18.2
8	Septicemia . . . . . (A40–A41)	555	1.9	77.6	8	Septicemia . . . . . (A40–A41)	3,341	2.4	18.0
9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	543	1.9	75.9	9	Influenza and pneumonia . . . . . (J10–J18)	3,075	2.2	16.6
10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	345	1.2	48.2	10	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	2,448	1.7	13.2
...	All other causes . . . . . (Residual)	4,040	13.9	565.0	...	All other causes . . . . . (Residual)	32,470	23.1	175.3
Black, male, 75–84 years					Black, female, 1–4 years				
...	All causes . . . . .	28,026	100.0	8,240.2	...	All causes . . . . .	556	100.0	50.8
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	8,579	30.6	2,522.4	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	166	29.9	15.2
2	Malignant neoplasms . . . . . (C00–C97)	7,767	27.7	2,283.6	2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	70	12.6	6.4
3	Cerebrovascular diseases . . . . . (I60–I69)	2,177	7.8	640.1	3	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	56	10.1	5.1
4	Chronic lower respiratory diseases . . . . . (J40–J47)	1,223	4.4	359.6	4	Malignant neoplasms . . . . . (C00–C97)	36	6.5	3.3
5	Diabetes mellitus . . . . . (E10–E14)	1,113	4.0	327.2	5	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	25	4.5	2.3
6	Influenza and pneumonia . . . . . (J10–J18)	773	2.8	227.3	6	Septicemia . . . . . (A40–A41)	13	2.3	*
7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	765	2.7	224.9	7	Anemias . . . . . (D50–D64)	11	2.0	*
8	Septicemia . . . . . (A40–A41)	684	2.4	201.1	7	Cerebrovascular diseases . . . . . (I60–I69)	11	2.0	*
9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	438	1.6	128.8	9	Influenza and pneumonia . . . . . (J10–J18)	9	1.6	*
10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	360	1.3	105.8	9	Certain conditions originating in the perinatal period . . . . . (P00–P96)	9	1.6	*
...	All other causes . . . . . (Residual)	4,147	14.8	1,219.3	...	All other causes . . . . . (Residual)	150	27.0	13.7

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Black, female, 5–9 years					Black, female, 20–24 years				
...	All causes . . . . .	325	100.0	21.4	...	All causes . . . . .	1,059	100.0	75.4
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	129	39.7	8.5	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	239	22.6	17.0
2	Malignant neoplasms . . . . . (C00–C97)	30	9.2	2.0	2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	189	17.8	13.5
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	24	7.4	1.6	3	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	90	8.5	6.4
4	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	15	4.6	*	4	Malignant neoplasms . . . . . (C00–C97)	68	6.4	4.8
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	12	3.7	*	5	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	54	5.1	3.8
6	Chronic lower respiratory diseases . . . . . (J40–J47)	10	3.1	*	6	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	43	4.1	3.1
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	7	2.2	*	7	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	32	3.0	2.3
8	Anemias . . . . . (D50–D64)	5	1.5	*	8	Anemias . . . . . (D50–D64)	23	2.2	1.6
9	Meningococcal infection . . . . . (A39)	4	1.2	*	9	Diabetes mellitus . . . . . (E10–E14)	21	2.0	1.5
9	Septicemia . . . . . (A40–A41)	4	1.2	*	10	Chronic lower respiratory diseases . . . . . (J40–J47)	17	1.6	*
9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	4	1.2	*	...	All other causes . . . . . (Residual)	283	26.7	20.1
...	All other causes . . . . . (Residual)	81	24.9	5.3	Black, female, 25–34 years				
Black, female, 10–14 years					...	All causes . . . . .	3,489	100.0	126.7
...	All causes . . . . .	344	100.0	22.1	1	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	597	17.1	21.7
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	88	25.6	5.6	2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	430	12.3	15.6
2	Malignant neoplasms . . . . . (C00–C97)	33	9.6	2.1	3	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	390	11.2	14.2
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	28	8.1	1.8	4	Malignant neoplasms . . . . . (C00–C97)	387	11.1	14.1
4	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	24	7.0	1.5	5	Assault (homicide) . . . . . (X85–Y09,Y87.1)	313	9.0	11.4
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	22	6.4	1.4	6	Diabetes mellitus . . . . . (E10–E14)	90	2.6	3.3
6	Chronic lower respiratory diseases . . . . . (J40–J47)	17	4.9	*	7	Cerebrovascular diseases . . . . . (I60–I69)	89	2.6	3.2
7	Anemias . . . . . (D50–D64)	9	2.6	*	8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	74	2.1	2.7
8	Cerebrovascular diseases . . . . . (I60–I69)	8	2.3	*	9	Anemias . . . . . (D50–D64)	69	2.0	2.5
9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	7	2.0	*	10	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	65	1.9	2.4
10	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	5	1.5	*	...	All other causes . . . . . (Residual)	985	28.2	35.8
...	All other causes . . . . . (Residual)	103	29.9	6.6	Black, female, 35–44 years				
Black, female, 15–19 years					...	All causes . . . . .	8,306	100.0	274.7
...	All causes . . . . .	672	100.0	44.8	1	Malignant neoplasms . . . . . (C00–C97)	1,799	21.7	59.5
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	195	29.0	13.0	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	1,296	15.6	42.9
2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	129	19.2	8.6	3	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	984	11.8	32.5
3	Malignant neoplasms . . . . . (C00–C97)	54	8.0	3.6	4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	609	7.3	20.1
4	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	50	7.4	3.3	5	Cerebrovascular diseases . . . . . (I60–I69)	439	5.3	14.5
5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	22	3.3	1.5	6	Assault (homicide) . . . . . (X85–Y09,Y87.1)	336	4.0	11.1
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	17	2.5	*	7	Diabetes mellitus . . . . . (E10–E14)	208	2.5	6.9
7	Chronic lower respiratory diseases . . . . . (J40–J47)	13	1.9	*	8	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	167	2.0	5.5
8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	11	1.6	*	9	Septicemia . . . . . (A40–A41)	147	1.8	4.9
9	Anemias . . . . . (D50–D64)	9	1.3	*	10	Chronic lower respiratory diseases . . . . . (J40–J47)	145	1.7	4.8
9	Cerebrovascular diseases . . . . . (I60–I69)	9	1.3	*	...	All other causes . . . . . (Residual)	2,176	26.2	72.0
...	All other causes . . . . . (Residual)	163	24.3	10.9					

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Black, female, 45–54 years					Black, female, 65–74 years				
...	All causes . . . . .	13,376	100.0	594.1	...	All causes . . . . .	26,124	100.0	2,659.0
1	Malignant neoplasms . . . . . (C00–C97)	3,955	29.6	175.7	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	7,918	30.3	805.9
2	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	2,843	21.3	126.3	2	Malignant neoplasms . . . . . (C00–C97)	7,315	28.0	744.5
3	Cerebrovascular diseases . . . . . (I60–I69)	867	6.5	38.5	3	Diabetes mellitus . . . . . (E10–E14)	1,854	7.1	188.7
4	Diabetes mellitus . . . . . (E10–E14)	625	4.7	27.8	3	Cerebrovascular diseases . . . . . (I60–I69)	1,854	7.1	188.7
5	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	575	4.3	25.5	5	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	937	3.6	95.4
6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	513	3.8	22.8	6	Chronic lower respiratory diseases . . . . . (J40–J47)	805	3.1	81.9
7	Chronic lower respiratory diseases . . . . . (J40–J47)	305	2.3	13.5	7	Septicemia . . . . . (A40–A41)	634	2.4	64.5
8	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	298	2.2	13.2	8	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	461	1.8	46.9
9	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	271	2.0	12.0	9	Influenza and pneumonia . . . . . (J10–J18)	426	1.6	43.4
10	Septicemia . . . . . (A40–A41)	256	1.9	11.4	10	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	325	1.2	33.1
...	All other causes . . . . . (Residual)	2,868	21.4	127.4	...	All other causes . . . . . (Residual)	3,595	13.8	365.9
Black, female, 55–64 years					Black, female, 75–84 years				
...	All causes . . . . .	16,603	100.0	1,213.4	...	All causes . . . . .	33,418	100.0	5,967.8
1	Malignant neoplasms . . . . . (C00–C97)	5,290	31.9	386.6	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	11,223	33.6	2,004.2
2	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	4,503	27.1	329.1	2	Malignant neoplasms . . . . . (C00–C97)	6,594	19.7	1,177.6
3	Diabetes mellitus . . . . . (E10–E14)	1,053	6.3	77.0	3	Cerebrovascular diseases . . . . . (I60–I69)	3,222	9.6	575.4
4	Cerebrovascular diseases . . . . . (I60–I69)	1,033	6.2	75.5	4	Diabetes mellitus . . . . . (E10–E14)	2,102	6.3	375.4
5	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	502	3.0	36.7	5	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	1,024	3.1	182.9
6	Chronic lower respiratory diseases . . . . . (J40–J47)	478	2.9	34.9	6	Chronic lower respiratory diseases . . . . . (J40–J47)	929	2.8	165.9
7	Septicemia . . . . . (A40–A41)	381	2.3	27.8	7	Septicemia . . . . . (A40–A41)	906	2.7	161.8
8	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	256	1.5	18.7	8	Influenza and pneumonia . . . . . (J10–J18)	796	2.4	142.1
9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	247	1.5	18.1	9	Alzheimer's disease . . . . . (G30)	686	2.1	122.5
10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	219	1.3	16.0	10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	622	1.9	111.1
...	All other causes . . . . . (Residual)	2,641	15.9	193.0	...	All other causes . . . . . (Residual)	5,314	15.9	949.0
Black, female, 65 years and over					Black, female, 85 years and over				
...	All causes . . . . .	92,020	100.0	5,206.7	...	All causes . . . . .	32,478	100.0	14,441.9
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	31,485	34.2	1,781.5	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	12,344	38.0	5,489.0
2	Malignant neoplasms . . . . . (C00–C97)	17,468	19.0	988.4	2	Cerebrovascular diseases . . . . . (I60–I69)	3,626	11.2	1,612.4
3	Cerebrovascular diseases . . . . . (I60–I69)	8,702	9.5	492.4	3	Malignant neoplasms . . . . . (C00–C97)	3,559	11.0	1,582.6
4	Diabetes mellitus . . . . . (E10–E14)	5,242	5.7	296.6	4	Diabetes mellitus . . . . . (E10–E14)	1,286	4.0	571.8
5	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	2,835	3.1	160.4	5	Influenza and pneumonia . . . . . (J10–J18)	1,266	3.9	562.9
6	Influenza and pneumonia . . . . . (J10–J18)	2,488	2.7	140.8	6	Alzheimer's disease . . . . . (G30)	1,101	3.4	489.6
7	Septicemia . . . . . (A40–A41)	2,424	2.6	137.2	7	Septicemia . . . . . (A40–A41)	884	2.7	393.1
8	Chronic lower respiratory diseases . . . . . (J40–J47)	2,328	2.5	131.7	8	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	874	2.7	388.6
9	Alzheimer's disease . . . . . (G30)	1,935	2.1	109.5	9	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	672	2.1	298.8
10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	1,755	1.9	99.3	10	Chronic lower respiratory diseases . . . . . (J40–J47)	594	1.8	264.1
...	All other causes . . . . . (Residual)	15,358	16.7	869.0	...	All other causes . . . . . (Residual)	6,272	19.3	2,788.9

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
American Indian, both sexes, all ages <sup>3</sup>					American Indian, both sexes, 10–14 years				
...	All causes . . . . .	11,363	100.0	466.4	...	All causes . . . . .	63	100.0	24.8
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	2,417	21.3	99.2	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	39	61.9	15.4
2	Malignant neoplasms . . . . . (C00–C97)	1,914	16.8	78.6	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	6	9.5	*
3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,353	11.9	55.5	3	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	4	6.3	*
4	Diabetes mellitus . . . . . (E10–E14)	616	5.4	25.3	4	Malignant neoplasms . . . . . (C00–C97)	3	4.8	*
5	Cerebrovascular diseases . . . . . (I60–I69)	572	5.0	23.5	5	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1	1.6	*
6	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	534	4.7	21.9	5	Cerebrovascular diseases . . . . . (I60–I69)	1	1.6	*
7	Chronic lower respiratory diseases . . . . . (J40–J47)	429	3.8	17.6	5	Influenza and pneumonia . . . . . (J10–J18)	1	1.6	*
8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	297	2.6	12.2	5	Complications of medical and surgical care . . . . . (Y40–Y84,Y88)	1	1.6	*
9	Influenza and pneumonia . . . . . (J10–J18)	289	2.5	11.9	...	All other causes . . . . . (Residual)	7	11.1	*
10	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	215	1.9	8.8	American Indian, both sexes, 15–19 years				
...	All other causes . . . . . (Residual)	2,727	24.0	111.9	...	All causes . . . . .	251	100.0	105.2
American Indian, both sexes, 1–4 years					1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	149	59.4	62.4
...	All causes . . . . .	91	100.0	55.8	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	44	17.5	18.4
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	39	42.9	23.9	3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	25	10.0	10.5
2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	8	8.8	*	4	Malignant neoplasms . . . . . (C00–C97)	6	2.4	*
3	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	4	4.4	*	5	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	2	0.8	*
4	Septicemia . . . . . (A40–A41)	3	3.3	*	5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	2	0.8	*
4	Malignant neoplasms . . . . . (C00–C97)	3	3.3	*	7	Meningococcal infection . . . . . (A39)	1	0.4	*
6	Chronic lower respiratory diseases . . . . . (J40–J47)	2	2.2	*	7	Septicemia . . . . . (A40–A41)	1	0.4	*
6	Certain conditions originating in the perinatal period . . . . . (P00–P96)	2	2.2	*	7	Diabetes mellitus . . . . . (E10–E14)	1	0.4	*
8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1	1.1	*	7	Influenza and pneumonia . . . . . (J10–J18)	1	0.4	*
8	Parkinson's disease . . . . . (G20–G21)	1	1.1	*	7	Chronic lower respiratory diseases . . . . . (J40–J47)	1	0.4	*
8	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1	1.1	*	7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	1	0.4	*
8	Cerebrovascular diseases . . . . . (I60–I69)	1	1.1	*	7	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	1	0.4	*
8	Diseases of appendix . . . . . (K35–K38)	1	1.1	*	7	Certain conditions originating in the perinatal period . . . . . (P00–P96)	1	0.4	*
...	All other causes . . . . . (Residual)	25	27.5	15.3	7	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	1	0.4	*
American Indian, both sexes, 5–9 years					7	Legal intervention . . . . . (Y35,Y89.0)	1	0.4	*
...	All causes . . . . .	50	100.0	23.6	...	All other causes . . . . . (Residual)	13	5.2	*
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	31	62.0	14.6					
2	Malignant neoplasms . . . . . (C00–C97)	5	10.0	*					
3	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	3	6.0	*					
4	Influenza and pneumonia . . . . . (J10–J18)	2	4.0	*					
5	Septicemia . . . . . (A40–A41)	1	2.0	*					
5	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	1	2.0	*					
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1	2.0	*					
5	Cerebrovascular diseases . . . . . (I60–I69)	1	2.0	*					
5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1	2.0	*					
5	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1	2.0	*					
...	All other causes . . . . . (Residual)	3	6.0	*					

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
American Indian, both sexes, 20–24 years					American Indian, both sexes, 45–54 years				
...	All causes . . . . .	268	100.0	133.0	...	All causes . . . . .	1,354	100.0	508.9
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	150	56.0	74.4	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	249	18.4	93.6
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	45	16.8	22.3	2	Malignant neoplasms . . . . . (C00–C97)	220	16.2	82.7
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	26	9.7	12.9	3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	197	14.5	74.0
4	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	9	3.4	*	4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	147	10.9	55.3
5	Malignant neoplasms . . . . . (C00–C97)	7	2.6	*	5	Diabetes mellitus . . . . . (E10–E14)	78	5.8	29.3
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	2	0.7	*	6	Cerebrovascular diseases . . . . . (I60–I69)	47	3.5	17.7
6	Chronic lower respiratory diseases . . . . . (J40–J47)	2	0.7	*	7	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	31	2.3	11.7
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	2	0.7	*	8	Viral hepatitis . . . . . (B15–B19)	25	1.8	9.4
9	Septicemia . . . . . (A40–A41)	1	0.4	*	9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	22	1.6	8.3
9	Diabetes mellitus . . . . . (E10–E14)	1	0.4	*	10	Septicemia . . . . . (A40–A41)	21	1.6	7.9
9	Cerebrovascular diseases . . . . . (I60–I69)	1	0.4	*	10	Influenza and pneumonia . . . . . (J10–J18)	21	1.6	7.9
9	Influenza and pneumonia . . . . . (J10–J18)	1	0.4	*	...	All other causes . . . . . (Residual)	296	21.9	111.3
9	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	1	0.4	*	American Indian, both sexes, 55–64 years				
9	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	1	0.4	*	...	All causes . . . . .	1,698	100.0	1,113.5
...	All other causes . . . . . (Residual)	19	7.1	*	1	Malignant neoplasms . . . . . (C00–C97)	417	24.6	273.5
American Indian, both sexes, 25–34 years					2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	394	23.2	258.4
...	All causes . . . . .	596	100.0	158.4	3	Diabetes mellitus . . . . . (E10–E14)	134	7.9	87.9
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	239	40.1	63.5	4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	123	7.2	80.7
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	78	13.1	20.7	5	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	94	5.5	61.6
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	59	9.9	15.7	6	Cerebrovascular diseases . . . . . (I60–I69)	79	4.7	51.8
4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	39	6.5	10.4	7	Chronic lower respiratory diseases . . . . . (J40–J47)	71	4.2	46.6
5	Malignant neoplasms . . . . . (C00–C97)	26	4.4	6.9	8	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	39	2.3	25.6
6	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	24	4.0	6.4	9	Septicemia . . . . . (A40–A41)	29	1.7	19.0
7	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	8	1.3	*	10	Influenza and pneumonia . . . . . (J10–J18)	24	1.4	15.7
8	Diabetes mellitus . . . . . (E10–E14)	7	1.2	*	...	All other causes . . . . . (Residual)	294	17.3	192.8
9	Cerebrovascular diseases . . . . . (I60–I69)	5	0.8	*	American Indian, both sexes, 65 years and over				
9	Influenza and pneumonia . . . . . (J10–J18)	5	0.8	*	...	All causes . . . . .	5,585	100.0	3,350.5
...	All other causes . . . . . (Residual)	106	17.8	28.2	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1,604	28.7	962.2
American Indian, both sexes, 35–44 years					2	Malignant neoplasms . . . . . (C00–C97)	1,120	20.1	671.9
...	All causes . . . . .	1,081	100.0	299.3	3	Cerebrovascular diseases . . . . . (I60–I69)	415	7.4	249.0
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	256	23.7	70.9	4	Diabetes mellitus . . . . . (E10–E14)	372	6.7	223.2
2	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	137	12.7	37.9	5	Chronic lower respiratory diseases . . . . . (J40–J47)	321	5.7	192.6
3	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	122	11.3	33.8	6	Influenza and pneumonia . . . . . (J10–J18)	200	3.6	120.0
4	Malignant neoplasms . . . . . (C00–C97)	105	9.7	29.1	7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	138	2.5	82.8
5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	67	6.2	18.5	7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	138	2.5	82.8
6	Assault (homicide) . . . . . (X85–Y09,Y87.1)	46	4.3	12.7	9	Alzheimer's disease . . . . . (G30)	92	1.6	55.2
7	Influenza and pneumonia . . . . . (J10–J18)	28	2.6	7.8	10	Septicemia . . . . . (A40–A41)	89	1.6	53.4
8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	24	2.2	6.6	...	All other causes . . . . . (Residual)	1,096	19.6	657.5
9	Diabetes mellitus . . . . . (E10–E14)	23	2.1	6.4					
10	Cerebrovascular diseases . . . . . (I60–I69)	22	2.0	6.1					
...	All other causes . . . . . (Residual)	251	23.2	69.5					

See footnotes at end of table.



**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
American Indian, both sexes, 65–74 years					American Indian, male, all ages <sup>3</sup>				
...	All causes . . . . .	2,141	100.0	2,314.7	...	All causes . . . . .	6,185	100.0	512.8
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	548	25.6	592.5	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1,341	21.7	111.2
2	Malignant neoplasms . . . . . (C00–C97)	539	25.2	582.7	2	Malignant neoplasms . . . . . (C00–C97)	997	16.1	82.7
3	Diabetes mellitus . . . . . (E10–E14)	186	8.7	201.1	3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	900	14.6	74.6
4	Chronic lower respiratory diseases . . . . . (J40–J47)	124	5.8	134.1	4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	298	4.8	24.7
5	Cerebrovascular diseases . . . . . (I60–I69)	108	5.0	116.8	5	Diabetes mellitus . . . . . (E10–E14)	275	4.4	22.8
6	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	65	3.0	70.3	6	Cerebrovascular diseases . . . . . (I60–I69)	250	4.0	20.7
7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	63	2.9	68.1	7	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	237	3.8	19.6
8	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	59	2.8	63.8	8	Chronic lower respiratory diseases . . . . . (J40–J47)	228	3.7	18.9
9	Influenza and pneumonia . . . . . (J10–J18)	45	2.1	48.7	9	Assault (homicide) . . . . . (X85–Y09,Y87.1)	159	2.6	13.2
10	Septicemia . . . . . (A40–A41)	33	1.5	35.7	10	Influenza and pneumonia . . . . . (J10–J18)	149	2.4	12.4
...	All other causes . . . . . (Residual)	371	17.3	401.1	...	All other causes . . . . . (Residual)	1,351	21.8	112.0
American Indian, both sexes, 75–84 years					American Indian, male, 1–4 years				
...	All causes . . . . .	2,062	100.0	3,925.7	...	All causes . . . . .	49	100.0	59.4
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	597	29.0	1,136.6	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	25	51.0	30.3
2	Malignant neoplasms . . . . . (C00–C97)	412	20.0	784.4	2	Assault (homicide) . . . . . (X85–Y09,Y87.1)	6	12.2	*
3	Cerebrovascular diseases . . . . . (I60–I69)	178	8.6	338.9	3	Septicemia . . . . . (A40–A41)	2	4.1	*
4	Diabetes mellitus . . . . . (E10–E14)	133	6.5	253.2	3	Malignant neoplasms . . . . . (C00–C97)	2	4.1	*
5	Chronic lower respiratory diseases . . . . . (J40–J47)	126	6.1	239.9	5	Cerebrovascular diseases . . . . . (I60–I69)	1	2.0	*
6	Influenza and pneumonia . . . . . (J10–J18)	71	3.4	135.2	5	Chronic lower respiratory diseases . . . . . (J40–J47)	1	2.0	*
7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	51	2.5	97.1	5	Certain conditions originating in the perinatal period . . . . . (P00–P96)	1	2.0	*
8	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	46	2.2	87.6	5	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	1	2.0	*
9	Alzheimer's disease . . . . . (G30)	39	1.9	74.2	...	All other causes . . . . . (Residual)	10	20.4	*
10	Septicemia . . . . . (A40–A41)	34	1.6	64.7	...				
...	All other causes . . . . . (Residual)	375	18.2	713.9	...				
American Indian, both sexes, 85 years and over					American Indian, male, 5–9 years				
...	All causes . . . . .	1,382	100.0	6,376.9	...	All causes . . . . .	28	100.0	26.0
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	459	33.2	2,117.9	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	16	57.1	*
2	Malignant neoplasms . . . . . (C00–C97)	169	12.2	779.8	2	Malignant neoplasms . . . . . (C00–C97)	3	10.7	*
3	Cerebrovascular diseases . . . . . (I60–I69)	129	9.3	595.2	3	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	2	7.1	*
4	Influenza and pneumonia . . . . . (J10–J18)	84	6.1	387.6	4	Septicemia . . . . . (A40–A41)	1	3.6	*
5	Chronic lower respiratory diseases . . . . . (J40–J47)	71	5.1	327.6	4	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	1	3.6	*
6	Diabetes mellitus . . . . . (E10–E14)	53	3.8	244.6	4	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1	3.6	*
7	Alzheimer's disease . . . . . (G30)	39	2.8	180.0	4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1	3.6	*
8	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	27	2.0	124.6	4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1	3.6	*
9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	24	1.7	110.7	...	All other causes . . . . . (Residual)	2	7.1	*
10	Septicemia . . . . . (A40–A41)	22	1.6	101.5	...				
...	All other causes . . . . . (Residual)	305	22.1	1,407.3	...				

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
American Indian, male, 10–14 years					American Indian, male, 25–34 years				
...	All causes . . . . .	33	100.0	25.6	...	All causes . . . . .	410	100.0	212.5
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	21	63.6	16.3	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	172	42.0	89.1
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	5	15.2	*	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	59	14.4	30.6
3	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	2	6.1	*	3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	46	11.2	23.8
4	Malignant neoplasms . . . . . (C00–C97)	1	3.0	*	4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	23	5.6	11.9
...	All other causes . . . . . (Residual)	4	12.1	*	5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	16	3.9	*
American Indian, male, 15–19 years					6	Malignant neoplasms . . . . . (C00–C97)	13	3.2	*
...	All causes . . . . .	178	100.0	148.5	7	Diabetes mellitus . . . . . (E10–E14)	6	1.5	*
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	102	57.3	85.1	8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	5	1.2	*
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	34	19.1	28.4	9	Influenza and pneumonia . . . . . (J10–J18)	3	0.7	*
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	21	11.8	17.5	9	Chronic lower respiratory diseases . . . . . (J40–J47)	3	0.7	*
4	Malignant neoplasms . . . . . (C00–C97)	4	2.2	*	...	All other causes . . . . . (Residual)	64	15.6	33.2
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	2	1.1	*	American Indian, male, 35–44 years				
6	Septicemia . . . . . (A40–A41)	1	0.6	*	...	All causes . . . . .	675	100.0	375.1
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	1	0.6	*	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	166	24.6	92.3
6	Diabetes mellitus . . . . . (E10–E14)	1	0.6	*	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	83	12.3	46.1
6	Influenza and pneumonia . . . . . (J10–J18)	1	0.6	*	3	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	78	11.6	43.3
6	Chronic lower respiratory diseases . . . . . (J40–J47)	1	0.6	*	4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	53	7.9	29.5
6	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	1	0.6	*	5	Malignant neoplasms . . . . . (C00–C97)	49	7.3	27.2
6	Legal intervention . . . . . (Y35,Y89.0)	1	0.6	*	6	Assault (homicide) . . . . . (X85–Y09,Y87.1)	32	4.7	17.8
...	All other causes . . . . . (Residual)	8	4.5	*	7	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	20	3.0	11.1
American Indian, male, 20–24 years					8	Influenza and pneumonia . . . . . (J10–J18)	18	2.7	*
...	All causes . . . . .	191	100.0	189.1	9	Diabetes mellitus . . . . . (E10–E14)	16	2.4	*
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	100	52.4	99.0	10	Cerebrovascular diseases . . . . . (I60–I69)	11	1.6	*
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	37	19.4	36.6	...	All other causes . . . . . (Residual)	149	22.1	82.8
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	25	13.1	24.7	American Indian, male, 45–54 years				
4	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	6	3.1	*	...	All causes . . . . .	858	100.0	667.0
5	Malignant neoplasms . . . . . (C00–C97)	3	1.6	*	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	179	20.9	139.2
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	2	1.0	*	2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	150	17.5	116.6
6	Chronic lower respiratory diseases . . . . . (J40–J47)	2	1.0	*	3	Malignant neoplasms . . . . . (C00–C97)	116	13.5	90.2
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	2	1.0	*	4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	91	10.6	70.7
9	Diabetes mellitus . . . . . (E10–E14)	1	0.5	*	5	Diabetes mellitus . . . . . (E10–E14)	41	4.8	31.9
...	All other causes . . . . . (Residual)	13	6.8	*	6	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	24	2.8	18.7
See footnotes at end of table.					7	Cerebrovascular diseases . . . . . (I60–I69)	22	2.6	17.1
					8	Viral hepatitis . . . . . (B15–B19)	16	1.9	*
					8	Influenza and pneumonia . . . . . (J10–J18)	16	1.9	*
					10	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	14	1.6	*
					10	Assault (homicide) . . . . . (X85–Y09,Y87.1)	14	1.6	*
					...	All other causes . . . . . (Residual)	175	20.4	136.1

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
<b>American Indian, male, 55–64 years</b>					<b>American Indian, male, 75–84 years</b>				
...	All causes . . . . .	964	100.0	1,347.3	...	All causes . . . . .	989	100.0	4,442.1
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	252	26.1	352.2	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	306	30.9	1,374.4
2	Malignant neoplasms . . . . . (C00–C97)	226	23.4	315.9	2	Malignant neoplasms . . . . . (C00–C97)	213	21.5	956.7
3	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	71	7.4	99.2	3	Chronic lower respiratory diseases . . . . . (J40–J47)	77	7.8	345.8
4	Diabetes mellitus . . . . . (E10–E14)	68	7.1	95.0	4	Cerebrovascular diseases . . . . . (I60–I69)	69	7.0	309.9
5	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	56	5.8	78.3	5	Diabetes mellitus . . . . . (E10–E14)	50	5.1	224.6
6	Cerebrovascular diseases . . . . . (I60–I69)	43	4.5	60.1	6	Influenza and pneumonia . . . . . (J10–J18)	33	3.3	148.2
7	Chronic lower respiratory diseases . . . . . (J40–J47)	41	4.3	57.3	7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	32	3.2	143.7
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	21	2.2	29.3	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	16	1.6	*
9	Influenza and pneumonia . . . . . (J10–J18)	16	1.7	*	9	Septicemia . . . . . (A40–A41)	14	1.4	*
10	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	15	1.6	*	10	Alzheimer's disease . . . . . (G30)	13	1.3	*
...	All other causes . . . . . (Residual)	155	16.1	216.6	...	All other causes . . . . . (Residual)	166	16.8	745.6
<b>American Indian, male, 65 years and over</b>					<b>American Indian, male, 85 years and over</b>				
...	All causes . . . . .	2,603	100.0	3,681.2	...	All causes . . . . .	501	100.0	7,299.0
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	797	30.6	1,127.1	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	155	30.9	2,258.2
2	Malignant neoplasms . . . . . (C00–C97)	578	22.2	817.4	2	Malignant neoplasms . . . . . (C00–C97)	74	14.8	1,078.1
3	Cerebrovascular diseases . . . . . (I60–I69)	173	6.6	244.7	3	Cerebrovascular diseases . . . . . (I60–I69)	39	7.8	568.2
4	Chronic lower respiratory diseases . . . . . (J40–J47)	163	6.3	230.5	4	Chronic lower respiratory diseases . . . . . (J40–J47)	36	7.2	524.5
5	Diabetes mellitus . . . . . (E10–E14)	142	5.5	200.8	5	Influenza and pneumonia . . . . . (J10–J18)	31	6.2	451.6
6	Influenza and pneumonia . . . . . (J10–J18)	93	3.6	131.5	6	Diabetes mellitus . . . . . (E10–E14)	22	4.4	320.5
7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	80	3.1	113.1	7	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	13	2.6	*
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	57	2.2	80.6	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	12	2.4	*
9	Septicemia . . . . . (A40–A41)	34	1.3	48.1	9	Alzheimer's disease . . . . . (G30)	9	1.8	*
9	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	34	1.3	48.1	10	Parkinson's disease . . . . . (G20–G21)	8	1.6	*
...	All other causes . . . . . (Residual)	452	17.4	639.2	...	All other causes . . . . . (Residual)	102	20.4	1,486.0
<b>American Indian, male, 65–74 years</b>					<b>American Indian, female, all ages<sup>3</sup></b>				
...	All causes . . . . .	1,113	100.0	2,676.6	...	All causes . . . . .	5,178	100.0	421.0
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	336	30.2	808.0	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	1,076	20.8	87.5
2	Malignant neoplasms . . . . . (C00–C97)	291	26.1	699.8	2	Malignant neoplasms . . . . . (C00–C97)	917	17.7	74.6
3	Diabetes mellitus . . . . . (E10–E14)	70	6.3	168.3	3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	453	8.7	36.8
4	Cerebrovascular diseases . . . . . (I60–I69)	65	5.8	156.3	4	Diabetes mellitus . . . . . (E10–E14)	341	6.6	27.7
5	Chronic lower respiratory diseases . . . . . (J40–J47)	50	4.5	120.2	5	Cerebrovascular diseases . . . . . (I60–I69)	322	6.2	26.2
6	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	36	3.2	86.6	6	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	236	4.6	19.2
7	Influenza and pneumonia . . . . . (J10–J18)	29	2.6	69.7	7	Chronic lower respiratory diseases . . . . . (J40–J47)	201	3.9	16.3
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	28	2.5	67.3	8	Influenza and pneumonia . . . . . (J10–J18)	140	2.7	11.4
9	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	21	1.9	50.5	9	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	117	2.3	9.5
10	Septicemia . . . . . (A40–A41)	15	1.3	*	10	Septicemia . . . . . (A40–A41)	88	1.7	7.2
...	All other causes . . . . . (Residual)	172	15.5	413.6	...	All other causes . . . . . (Residual)	1,287	24.9	104.6

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
American Indian, female, 1–4 years					American Indian, female, 15–19 years				
...	All causes . . . . .	42	100.0	52.1	...	All causes . . . . .	73	100.0	61.5
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	14	33.3	*	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	47	64.4	39.6
2	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	3	7.1	*	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	10	13.7	*
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	2	4.8	*	3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	4	5.5	*
4	Septicemia . . . . . (A40–A41)	1	2.4	*	4	Malignant neoplasms . . . . . (C00–C97)	2	2.7	*
4	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1	2.4	*	5	Meningococcal infection . . . . . (A39)	1	1.4	*
4	Malignant neoplasms . . . . . (C00–C97)	1	2.4	*	5	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	1	1.4	*
4	Parkinson's disease . . . . . (G20–G21)	1	2.4	*	5	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	1	1.4	*
4	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	1	2.4	*	5	Certain conditions originating in the perinatal period . . . . . (P00–P96)	1	1.4	*
4	Chronic lower respiratory diseases . . . . . (J40–J47)	1	2.4	*	5	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	1	1.4	*
4	Diseases of appendix . . . . . (K35–K38)	1	2.4	*	...	All other causes . . . . . (Residual)	5	6.8	*
4	Certain conditions originating in the perinatal period . . . . . (P00–P96)	1	2.4	*					
...	All other causes . . . . . (Residual)	15	35.7	*					
American Indian, female, 5–9 years					American Indian, female, 20–24 years				
...	All causes . . . . .	22	100.0	21.0	...	All causes . . . . .	77	100.0	76.6
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	15	68.2	*	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	50	64.9	49.7
2	Malignant neoplasms . . . . . (C00–C97)	2	9.1	*	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	8	10.4	*
2	Influenza and pneumonia . . . . . (J10–J18)	2	9.1	*	3	Malignant neoplasms . . . . . (C00–C97)	4	5.2	*
4	Cerebrovascular diseases . . . . . (I60–I69)	1	4.5	*	4	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	3	3.9	*
4	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	1	4.5	*	5	Septicemia . . . . . (A40–A41)	1	1.3	*
...	All other causes . . . . . (Residual)	1	4.5	*	5	Cerebrovascular diseases . . . . . (I60–I69)	1	1.3	*
American Indian, female, 10–14 years					American Indian, female, 25–34 years				
...	All causes . . . . .	30	100.0	24.0	...	All causes . . . . .	186	100.0	101.5
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	18	60.0	*	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	67	36.0	36.6
2	Malignant neoplasms . . . . . (C00–C97)	2	6.7	*	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	19	10.2	*
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	2	6.7	*	3	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	16	8.6	*
4	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1	3.3	*	4	Malignant neoplasms . . . . . (C00–C97)	13	7.0	*
4	Cerebrovascular diseases . . . . . (I60–I69)	1	3.3	*	4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	13	7.0	*
4	Influenza and pneumonia . . . . . (J10–J18)	1	3.3	*	6	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	8	4.3	*
4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	1	3.3	*	7	Cerebrovascular diseases . . . . . (I60–I69)	5	2.7	*
4	Complications of medical and surgical care . . . . . (Y40–Y84,Y88)	1	3.3	*	8	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	4	2.2	*
...	All other causes . . . . . (Residual)	3	10.0	*	9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	3	1.6	*
					10	Viral hepatitis . . . . . (B15–B19)	2	1.1	*
					10	Influenza and pneumonia . . . . . (J10–J18)	2	1.1	*
					...	All other causes . . . . . (Residual)	34	18.3	18.6

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
American Indian, female, 35–44 years					American Indian, female, 65 years and over				
...	All causes . . . . .	406	100.0	224.0	...	All causes . . . . .	2,982	100.0	3,106.8
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	90	22.2	49.6	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	807	27.1	840.8
2	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	59	14.5	32.5	2	Malignant neoplasms . . . . . (C00–C97)	542	18.2	564.7
3	Malignant neoplasms . . . . . (C00–C97)	56	13.8	30.9	3	Cerebrovascular diseases . . . . . (I60–I69)	242	8.1	252.1
4	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	39	9.6	21.5	4	Diabetes mellitus . . . . . (E10–E14)	230	7.7	239.6
5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	14	3.4	*	5	Chronic lower respiratory diseases . . . . . (J40–J47)	158	5.3	164.6
5	Assault (homicide) . . . . . (X85–Y09,Y87.1)	14	3.4	*	6	Influenza and pneumonia . . . . . (J10–J18)	107	3.6	111.5
7	Cerebrovascular diseases . . . . . (I60–I69)	11	2.7	*	7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	81	2.7	84.4
8	Influenza and pneumonia . . . . . (J10–J18)	10	2.5	*	8	Alzheimer's disease . . . . . (G30)	66	2.2	68.8
9	Viral hepatitis . . . . . (B15–B19)	7	1.7	*	9	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	58	1.9	60.4
9	Diabetes mellitus . . . . . (E10–E14)	7	1.7	*	10	Septicemia . . . . . (A40–A41)	55	1.8	57.3
...	All other causes . . . . . (Residual)	99	24.4	54.6	...	All other causes . . . . . (Residual)	636	21.3	662.6
American Indian, female, 45–54 years					American Indian, female, 65–74 years				
...	All causes . . . . .	496	100.0	360.9	...	All causes . . . . .	1,028	100.0	2,019.2
1	Malignant neoplasms . . . . . (C00–C97)	104	21.0	75.7	1	Malignant neoplasms . . . . . (C00–C97)	248	24.1	487.1
2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	70	14.1	50.9	2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	212	20.6	416.4
3	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	56	11.3	40.7	3	Diabetes mellitus . . . . . (E10–E14)	116	11.3	227.8
4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	47	9.5	34.2	4	Chronic lower respiratory diseases . . . . . (J40–J47)	74	7.2	145.3
5	Diabetes mellitus . . . . . (E10–E14)	37	7.5	26.9	5	Cerebrovascular diseases . . . . . (I60–I69)	43	4.2	84.5
6	Cerebrovascular diseases . . . . . (I60–I69)	25	5.0	18.2	6	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	38	3.7	74.6
7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	11	2.2	*	7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	37	3.6	72.7
8	Septicemia . . . . . (A40–A41)	9	1.8	*	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	27	2.6	53.0
8	Viral hepatitis . . . . . (B15–B19)	9	1.8	*	9	Septicemia . . . . . (A40–A41)	18	1.8	*
10	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	7	1.4	*	10	Influenza and pneumonia . . . . . (J10–J18)	16	1.6	*
...	All other causes . . . . . (Residual)	121	24.4	88.0	...	All other causes . . . . . (Residual)	199	19.4	390.9
American Indian, female, 55–64 years					American Indian, female, 75–84 years				
...	All causes . . . . .	734	100.0	906.8	...	All causes . . . . .	1,073	100.0	3,545.7
1	Malignant neoplasms . . . . . (C00–C97)	191	26.0	236.0	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	291	27.1	961.6
2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	142	19.3	175.4	2	Malignant neoplasms . . . . . (C00–C97)	199	18.5	657.6
3	Diabetes mellitus . . . . . (E10–E14)	66	9.0	81.5	3	Cerebrovascular diseases . . . . . (I60–I69)	109	10.2	360.2
4	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	52	7.1	64.2	4	Diabetes mellitus . . . . . (E10–E14)	83	7.7	274.3
5	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	38	5.2	46.9	5	Chronic lower respiratory diseases . . . . . (J40–J47)	49	4.6	161.9
6	Cerebrovascular diseases . . . . . (I60–I69)	36	4.9	44.5	6	Influenza and pneumonia . . . . . (J10–J18)	38	3.5	125.6
7	Chronic lower respiratory diseases . . . . . (J40–J47)	30	4.1	37.1	7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	30	2.8	99.1
8	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	18	2.5	*	8	Alzheimer's disease . . . . . (G30)	26	2.4	85.9
9	Septicemia . . . . . (A40–A41)	15	2.0	*	9	Septicemia . . . . . (A40–A41)	20	1.9	66.1
10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	9	1.2	*	10	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	19	1.8	*
...	All other causes . . . . . (Residual)	137	18.7	169.3	...	All other causes . . . . . (Residual)	209	19.5	690.6

See footnotes at end of table.



**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
American Indian, female, 85 years and over					Asian or Pacific Islander, both sexes, 5–9 years				
...	All causes . . . . .	881	100.0	5,949.5	...	All causes . . . . .	88	100.0	9.8
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	304	34.5	2,052.9	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	26	29.5	2.9
2	Malignant neoplasms . . . . . (C00–C97)	95	10.8	641.5	2	Malignant neoplasms . . . . . (C00–C97)	15	17.0	*
3	Cerebrovascular diseases . . . . . (I60–I69)	90	10.2	607.8	3	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	4	4.5	*
4	Influenza and pneumonia . . . . . (J10–J18)	53	6.0	357.9	3	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	4	4.5	*
5	Chronic lower respiratory diseases. . . . . (J40–J47)	35	4.0	236.4	5	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . . (D00–D48)	2	2.3	*
6	Diabetes mellitus . . . . . (E10–E14)	31	3.5	209.3	5	Influenza and pneumonia . . . . . (J10–J18)	2	2.3	*
7	Alzheimer's disease. . . . . (G30)	30	3.4	202.6	5	Complications of medical and surgical care . . . . . (Y40–Y84,Y88)	2	2.3	*
8	Septicemia . . . . . (A40–A41)	17	1.9	*	8	Septicemia . . . . . (A40–A41)	1	1.1	*
9	Essential (primary) hypertension and hypertensive renal disease. . . . . (I10,I12)	15	1.7	*	8	Cerebrovascular diseases . . . . . (I60–I69)	1	1.1	*
10	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	14	1.6	*	8	Acute bronchitis and bronchiolitis . . . . . (J20–J21)	1	1.1	*
...	All other causes . . . . . (Residual)	197	22.4	1,330.4	8	Chronic lower respiratory diseases. . . . . (J40–J47)	1	1.1	*
Asian or Pacific Islander, both sexes, all ages <sup>3</sup>					Asian or Pacific Islander, both sexes, 10–14 years				
...	All causes . . . . .	34,875	100.0	309.4	...	All causes . . . . .	119	100.0	14.1
1	Malignant neoplasms . . . . . (C00–C97)	9,221	26.4	81.8	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	33	27.7	3.9
2	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	9,101	26.1	80.7	2	Malignant neoplasms . . . . . (C00–C97)	23	19.3	2.7
3	Cerebrovascular diseases . . . . . (I60–I69)	3,288	9.4	29.2	3	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	9	7.6	*
4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,678	4.8	14.9	3	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	9	7.6	*
5	Chronic lower respiratory diseases. . . . . (J40–J47)	1,133	3.2	10.1	5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	6	5.0	*
6	Influenza and pneumonia . . . . . (J10–J18)	1,120	3.2	9.9	6	Chronic lower respiratory diseases. . . . . (J40–J47)	5	4.2	*
7	Diabetes mellitus . . . . . (E10–E14)	1,103	3.2	9.8	6	Assault (homicide). . . . . (X85–Y09,Y87.1)	5	4.2	*
8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	616	1.8	5.5	8	Cerebrovascular diseases . . . . . (I60–I69)	3	2.5	*
9	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	527	1.5	4.7	9	Septicemia . . . . . (A40–A41)	1	0.8	*
10	Certain conditions originating in the perinatal period. . . . . (P00–P96)	392	1.1	3.5	9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1	0.8	*
...	All other causes . . . . . (Residual)	6,696	19.2	59.4	9	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . . (D00–D48)	1	0.8	*
Asian or Pacific Islander, both sexes, 1–4 years					Asian or Pacific Islander, both sexes, 10–14 years				
...	All causes . . . . .	146	100.0	19.8	...	All causes . . . . .	21	17.6	2.5
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	47	32.2	6.4	9	Influenza and pneumonia . . . . . (J10–J18)	1	0.8	*
2	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	18	12.3	*	9	Nephritis, nephrotic syndrome and nephrosis . . (N00–N07,N17–N19,N25–N27)	1	0.8	*
3	Malignant neoplasms . . . . . (C00–C97)	17	11.6	*	...	All other causes . . . . . (Residual)	21	17.6	2.5
4	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	5	3.4	*					
5	Septicemia . . . . . (A40–A41)	4	2.7	*					
5	Influenza and pneumonia . . . . . (J10–J18)	4	2.7	*					
5	Certain conditions originating in the perinatal period. . . . . (P00–P96)	4	2.7	*					
5	Assault (homicide). . . . . (X85–Y09,Y87.1)	4	2.7	*					
9	Cerebrovascular diseases . . . . . (I60–I69)	2	1.4	*					
9	Complications of medical and surgical care . . . . . (Y40–Y84,Y88)	2	1.4	*					
...	All other causes . . . . . (Residual)	39	26.7	5.3					

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Asian or Pacific Islander, both sexes, 15–19 years					Asian or Pacific Islander, both sexes, 35–44 years				
...	All causes	322	100.0	38.4	...	All causes	1,664	100.0	86.0
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	138	42.9	16.4	1	Malignant neoplasms . . . . . (C00–C97)	543	32.6	28.1
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	51	15.8	6.1	2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	222	13.3	11.5
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	38	11.8	4.5	3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	207	12.4	10.7
4	Malignant neoplasms . . . . . (C00–C97)	27	8.4	3.2	4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	115	6.9	5.9
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	12	3.7	*	5	Cerebrovascular diseases . . . . . (I60–I69)	96	5.8	5.0
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	9	2.8	*	6	Assault (homicide) . . . . . (X85–Y09,Y87.1)	72	4.3	3.7
7	Septicemia . . . . . (A40–A41)	3	0.9	*	7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	38	2.3	2.0
7	Cerebrovascular diseases . . . . . (I60–I69)	3	0.9	*	8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	30	1.8	1.6
9	Influenza and pneumonia . . . . . (J10–J18)	2	0.6	*	9	Diabetes mellitus . . . . . (E10–E14)	22	1.3	1.1
9	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	2	0.6	*	10	Viral hepatitis . . . . . (B15–B19)	21	1.3	1.1
...	All other causes . . . . . (Residual)	37	11.5	4.4	10	Chronic lower respiratory diseases . . . . . (J40–J47)	21	1.3	1.1
Asian or Pacific Islander, both sexes, 20–24 years					Asian or Pacific Islander, both sexes, 45–54 years				
...	All causes	399	100.0	50.7	...	All causes	3,024	100.0	208.9
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	158	39.6	20.1	1	Malignant neoplasms . . . . . (C00–C97)	1,189	39.3	82.1
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	59	14.8	7.5	2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	560	18.5	38.7
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	50	12.5	6.3	3	Cerebrovascular diseases . . . . . (I60–I69)	214	7.1	14.8
4	Malignant neoplasms . . . . . (C00–C97)	39	9.8	5.0	4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	192	6.3	13.3
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	19	4.8	*	5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	96	3.2	6.6
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	6	1.5	*	6	Diabetes mellitus . . . . . (E10–E14)	83	2.7	5.7
7	Cerebrovascular diseases . . . . . (I60–I69)	4	1.0	*	7	Viral hepatitis . . . . . (B15–B19)	71	2.3	4.9
8	Influenza and pneumonia . . . . . (J10–J18)	3	0.8	*	8	Assault (homicide) . . . . . (X85–Y09,Y87.1)	61	2.0	4.2
9	Tuberculosis . . . . . (A16–A19)	2	0.5	*	9	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	55	1.8	3.8
9	Meningococcal infection . . . . . (A39)	2	0.5	*	10	Chronic lower respiratory diseases . . . . . (J40–J47)	51	1.7	3.5
9	Septicemia . . . . . (A40–A41)	2	0.5	*	...	All other causes . . . . . (Residual)	452	14.9	31.2
9	Chronic lower respiratory diseases . . . . . (J40–J47)	2	0.5	*					
...	All other causes . . . . . (Residual)	53	13.3	6.7					
Asian or Pacific Islander, both sexes, 25–34 years					Asian or Pacific Islander, both sexes, 55–64 years				
...	All causes	897	100.0	46.0	...	All causes	4,326	100.0	539.7
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	241	26.9	12.3	1	Malignant neoplasms . . . . . (C00–C97)	1,710	39.5	213.3
2	Malignant neoplasms . . . . . (C00–C97)	169	18.8	8.7	2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1,039	24.0	129.6
3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	154	17.2	7.9	3	Cerebrovascular diseases . . . . . (I60–I69)	347	8.0	43.3
4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	67	7.5	3.4	4	Diabetes mellitus . . . . . (E10–E14)	158	3.7	19.7
5	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	60	6.7	3.1	5	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	139	3.2	17.3
6	Cerebrovascular diseases . . . . . (I60–I69)	17	1.9	*	6	Viral hepatitis . . . . . (B15–B19)	86	2.0	10.7
7	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	14	1.6	*	7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	70	1.6	8.7
8	Chronic lower respiratory diseases . . . . . (J40–J47)	10	1.1	*	8	Chronic lower respiratory diseases . . . . . (J40–J47)	63	1.5	7.9
9	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	9	1.0	*	9	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	61	1.4	7.6
10	Diabetes mellitus . . . . . (E10–E14)	7	0.8	*	10	Influenza and pneumonia . . . . . (J10–J18)	59	1.4	7.4
10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	7	0.8	*	...	All other causes . . . . . (Residual)	594	13.7	74.1
...	All other causes . . . . . (Residual)	142	15.8	7.3					

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Asian or Pacific Islander, both sexes, 65 years and over					Asian or Pacific Islander, both sexes, 85 years and over				
...	All causes . . . . .	23,087	100.0	2,764.3	...	All causes . . . . .	6,990	100.0	9,376.8
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	7,150	31.0	856.1	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	2,504	35.8	3,359.0
2	Malignant neoplasms . . . . . (C00–C97)	5,484	23.8	656.6	2	Malignant neoplasms . . . . . (C00–C97)	898	12.8	1,204.6
3	Cerebrovascular diseases . . . . . (I60–I69)	2,598	11.3	311.1	3	Cerebrovascular diseases . . . . . (I60–I69)	894	12.8	1,199.3
4	Influenza and pneumonia . . . . . (J10–J18)	989	4.3	118.4	4	Influenza and pneumonia . . . . . (J10–J18)	441	6.3	591.6
5	Chronic lower respiratory diseases . . . . . (J40–J47)	977	4.2	117.0	5	Chronic lower respiratory diseases . . . . . (J40–J47)	304	4.3	407.8
6	Diabetes mellitus . . . . . (E10–E14)	833	3.6	99.7	6	Diabetes mellitus . . . . . (E10–E14)	180	2.6	241.5
7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	479	2.1	57.4	7	Alzheimer's disease . . . . . (G30)	164	2.3	220.0
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	421	1.8	50.4	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	140	2.0	187.8
9	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	286	1.2	34.2	10	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	140	2.0	187.8
10	Alzheimer's disease . . . . . (G30)	263	1.1	31.5	10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	100	1.4	134.1
...	All other causes . . . . . (Residual)	3,607	15.6	431.9	...	All other causes . . . . . (Residual)	1,225	17.5	1,643.3
Asian or Pacific Islander, both sexes, 65–74 years					Asian or Pacific Islander, male, all ages <sup>3</sup>				
...	All causes . . . . .	6,887	100.0	1,362.9	...	All causes . . . . .	19,018	100.0	349.2
1	Malignant neoplasms . . . . . (C00–C97)	2,386	34.6	472.2	1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	5,175	27.2	95.0
2	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	1,818	26.4	359.8	2	Malignant neoplasms . . . . . (C00–C97)	4,865	25.6	89.3
3	Cerebrovascular diseases . . . . . (I60–I69)	628	9.1	124.3	3	Cerebrovascular diseases . . . . . (I60–I69)	1,555	8.2	28.5
4	Diabetes mellitus . . . . . (E10–E14)	295	4.3	58.4	4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	1,057	5.6	19.4
5	Chronic lower respiratory diseases . . . . . (J40–J47)	254	3.7	50.3	5	Chronic lower respiratory diseases . . . . . (J40–J47)	722	3.8	13.3
6	Influenza and pneumonia . . . . . (J10–J18)	178	2.6	35.2	6	Influenza and pneumonia . . . . . (J10–J18)	592	3.1	10.9
7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	150	2.2	29.7	7	Diabetes mellitus . . . . . (E10–E14)	547	2.9	10.0
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	128	1.9	25.3	8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	452	2.4	8.3
9	Viral hepatitis . . . . . (B15–B19)	68	1.0	13.5	9	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	254	1.3	4.7
10	Septicemia . . . . . (A40–A41)	64	0.9	12.7	9	Assault (homicide) . . . . . (X85–Y09,Y87.1)	254	1.3	4.7
10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	64	0.9	12.7	...	All other causes . . . . . (Residual)	3,545	18.6	65.1
...	All other causes . . . . . (Residual)	854	12.4	169.0	...	All other causes . . . . . (Residual)	3,545	18.6	65.1
Asian or Pacific Islander, both sexes, 75–84 years					Asian or Pacific Islander, male, 1–4 years				
...	All causes . . . . .	9,210	100.0	3,607.0	...	All causes . . . . .	79	100.0	21.2
1	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	2,828	30.7	1,107.6	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	26	32.9	7.0
2	Malignant neoplasms . . . . . (C00–C97)	2,200	23.9	861.6	2	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	8	10.1	*
3	Cerebrovascular diseases . . . . . (I60–I69)	1,076	11.7	421.4	3	Malignant neoplasms . . . . . (C00–C97)	7	8.9	*
4	Chronic lower respiratory diseases . . . . . (J40–J47)	419	4.5	164.1	4	Septicemia . . . . . (A40–A41)	3	3.8	*
5	Influenza and pneumonia . . . . . (J10–J18)	370	4.0	144.9	4	Diseases of heart . . (I00–I09,I11,I13,I20–I51)	3	3.8	*
6	Diabetes mellitus . . . . . (E10–E14)	358	3.9	140.2	4	Influenza and pneumonia . . . . . (J10–J18)	3	3.8	*
7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	189	2.1	74.0	4	Certain conditions originating in the perinatal period . . . . . (P00–P96)	3	3.8	*
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	153	1.7	59.9	4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	3	3.8	*
9	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	127	1.4	49.7	9	Viral hepatitis . . . . . (B15–B19)	1	1.3	*
10	Aortic aneurysm and dissection . . . . . (I71)	92	1.0	36.0	9	Cerebrovascular diseases . . . . . (I60–I69)	1	1.3	*
...	All other causes . . . . . (Residual)	1,398	15.2	547.5	9	Complications of medical and surgical care . . . . . (Y40–Y84,Y88)	1	1.3	*
...	All other causes . . . . . (Residual)	1,398	15.2	547.5	...	All other causes . . . . . (Residual)	20	25.3	5.4

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Asian or Pacific Islander, male, 5–9 years					Asian or Pacific Islander, male, 20–24 years				
...	All causes . . . . .	43	100.0	9.3	...	All causes . . . . .	284	100.0	73.2
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	12	27.9	*	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	121	42.6	31.2
2	Malignant neoplasms . . . . . (C00–C97)	9	20.9	*	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	48	16.9	12.4
3	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	3	7.0	*	3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	39	13.7	10.0
4	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	2	4.7	*	4	Malignant neoplasms . . . . . (C00–C97)	22	7.7	5.7
4	Complications of medical and surgical care . . . . . (Y40–Y84,Y88)	2	4.7	*	5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	14	4.9	*
6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	1	2.3	*	6	Cerebrovascular diseases . . . . . (I60–I69)	2	0.7	*
6	Influenza and pneumonia . . . . . (J10–J18)	1	2.3	*	6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	2	0.7	*
6	Assault (homicide) . . . . . (X85–Y09,Y87.1)	1	2.3	*	8	Tuberculosis . . . . . (A16–A19)	1	0.4	*
...	All other causes . . . . . (Residual)	12	27.9	*	8	Meningococcal infection . . . . . (A39)	1	0.4	*
Asian or Pacific Islander, male, 10–14 years					Asian or Pacific Islander, male, 25–34 years				
...	All causes . . . . .	68	100.0	15.6	...	All causes . . . . .	590	100.0	62.9
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	20	29.4	4.6	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	178	30.2	19.0
2	Malignant neoplasms . . . . . (C00–C97)	13	19.1	*	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	114	19.3	12.2
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	5	7.4	*	3	Malignant neoplasms . . . . . (C00–C97)	79	13.4	8.4
4	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	4	5.9	*	4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	48	8.1	5.1
4	Chronic lower respiratory diseases . . . . . (J40–J47)	4	5.9	*	5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	43	7.3	4.6
4	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	4	5.9	*	6	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	13	2.2	*
7	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	3	4.4	*	6	Cerebrovascular diseases . . . . . (I60–I69)	12	2.0	*
8	Cerebrovascular diseases . . . . . (I60–I69)	2	2.9	*	8	Chronic lower respiratory diseases . . . . . (J40–J47)	6	1.0	*
9	Septicemia . . . . . (A40–A41)	1	1.5	*	8	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	6	1.0	*
9	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1	1.5	*	10	Diabetes mellitus . . . . . (E10–E14)	4	0.7	*
9	Influenza and pneumonia . . . . . (J10–J18)	1	1.5	*	10	Influenza and pneumonia . . . . . (J10–J18)	4	0.7	*
9	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	1	1.5	*	10	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	4	0.7	*
...	All other causes . . . . . (Residual)	9	13.2	*	...	All other causes . . . . . (Residual)	71	12.0	7.6
Asian or Pacific Islander, male, 15–19 years					Asian or Pacific Islander, male, 20–24 years				
...	All causes . . . . .	232	100.0	54.8	...	All causes . . . . .	284	100.0	73.2
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	106	45.7	25.0	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	121	42.6	31.2
2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	37	15.9	8.7	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	48	16.9	12.4
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	34	14.7	8.0	3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	39	13.7	10.0
4	Malignant neoplasms . . . . . (C00–C97)	16	6.9	*	4	Malignant neoplasms . . . . . (C00–C97)	22	7.7	5.7
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	10	4.3	*	5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	14	4.9	*
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	5	2.2	*	6	Cerebrovascular diseases . . . . . (I60–I69)	2	0.7	*
7	Tuberculosis . . . . . (A16–A19)	1	0.4	*	6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	2	0.7	*
7	Meningococcal infection . . . . . (A39)	1	0.4	*	8	Tuberculosis . . . . . (A16–A19)	1	0.4	*
7	Septicemia . . . . . (A40–A41)	1	0.4	*	8	Meningococcal infection . . . . . (A39)	1	0.4	*
7	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	1	0.4	*	8	Septicemia . . . . . (A40–A41)	1	0.4	*
7	Cerebrovascular diseases . . . . . (I60–I69)	1	0.4	*	8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	1	0.4	*
7	Influenza and pneumonia . . . . . (J10–J18)	1	0.4	*	8	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior . . . . . (D00–D48)	1	0.4	*
...	All other causes . . . . . (Residual)	18	7.8	*	8	Anemias . . . . . (D50–D64)	1	0.4	*

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Asian or Pacific Islander, male, 35–44 years					Asian or Pacific Islander, male, 65 years and over				
...	All causes . . . . .	993	100.0	106.8	...	All causes . . . . .	11,951	100.0	3,406.9
1	Malignant neoplasms . . . . . (C00–C97)	247	24.9	26.6	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	3,751	31.4	1,069.3
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	174	17.5	18.7	2	Malignant neoplasms . . . . . (C00–C97)	3,000	25.1	855.2
3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	138	13.9	14.8	3	Cerebrovascular diseases . . . . . (I60–I69)	1,186	9.9	338.1
4	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	85	8.6	9.1	4	Chronic lower respiratory diseases . . . . . (J40–J47)	630	5.3	179.6
5	Cerebrovascular diseases . . . . . (I60–I69)	47	4.7	5.1	5	Influenza and pneumonia . . . . . (J10–J18)	516	4.3	147.1
6	Assault (homicide) . . . . . (X85–Y09,Y87.1)	45	4.5	4.8	6	Diabetes mellitus . . . . . (E10–E14)	389	3.3	110.9
7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	31	3.1	3.3	7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	245	2.1	69.8
8	Human immunodeficiency virus (HIV) disease . . . . . (B20–B24)	25	2.5	2.7	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	192	1.6	54.7
9	Viral hepatitis . . . . . (B15–B19)	15	1.5	*	9	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	128	1.1	36.5
9	Diabetes mellitus . . . . . (E10–E14)	15	1.5	*	10	Aortic aneurysm and dissection . . . . . (I71)	118	1.0	33.6
...	All other causes . . . . . (Residual)	171	17.2	18.4	...	All other causes . . . . . (Residual)	1,796	15.0	512.0
Asian or Pacific Islander, male, 45–54 years					Asian or Pacific Islander, male, 65–74 years				
...	All causes . . . . .	1,761	100.0	260.6	...	All causes . . . . .	3,845	100.0	1,800.3
1	Malignant neoplasms . . . . . (C00–C97)	554	31.5	82.0	1	Malignant neoplasms . . . . . (C00–C97)	1,295	33.7	606.3
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	431	24.5	63.8	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	1,117	29.1	523.0
3	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	116	6.6	17.2	3	Cerebrovascular diseases . . . . . (I60–I69)	314	8.2	147.0
4	Cerebrovascular diseases . . . . . (I60–I69)	106	6.0	15.7	4	Chronic lower respiratory diseases . . . . . (J40–J47)	165	4.3	77.3
5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	72	4.1	10.7	5	Diabetes mellitus . . . . . (E10–E14)	153	4.0	71.6
6	Diabetes mellitus . . . . . (E10–E14)	49	2.8	7.3	6	Influenza and pneumonia . . . . . (J10–J18)	99	2.6	46.4
7	Viral hepatitis . . . . . (B15–B19)	45	2.6	6.7	7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	83	2.2	38.9
8	Assault (homicide) . . . . . (X85–Y09,Y87.1)	44	2.5	6.5	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	51	1.3	23.9
9	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	40	2.3	5.9	9	Aortic aneurysm and dissection . . . . . (I71)	35	0.9	16.4
10	Chronic lower respiratory diseases . . . . . (J40–J47)	34	1.9	5.0	10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	34	0.9	15.9
...	All other causes . . . . . (Residual)	270	15.3	40.0	...	All other causes . . . . . (Residual)	499	13.0	233.6
Asian or Pacific Islander, male, 55–64 years					Asian or Pacific Islander, male, 75–84 years				
...	All causes . . . . .	2,565	100.0	684.4	...	All causes . . . . .	4,834	100.0	4,510.5
1	Malignant neoplasms . . . . . (C00–C97)	915	35.7	244.1	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	1,513	31.3	1,411.7
2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	729	28.4	194.5	2	Malignant neoplasms . . . . . (C00–C97)	1,213	25.1	1,131.8
3	Cerebrovascular diseases . . . . . (I60–I69)	197	7.7	52.6	3	Cerebrovascular diseases . . . . . (I60–I69)	490	10.1	457.2
4	Diabetes mellitus . . . . . (E10–E14)	90	3.5	24.0	4	Chronic lower respiratory diseases . . . . . (J40–J47)	284	5.9	265.0
5	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	85	3.3	22.7	5	Influenza and pneumonia . . . . . (J10–J18)	203	4.2	189.4
6	Viral hepatitis . . . . . (B15–B19)	52	2.0	13.9	6	Diabetes mellitus . . . . . (E10–E14)	156	3.2	145.6
7	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	45	1.8	12.0	7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	100	2.1	93.3
8	Influenza and pneumonia . . . . . (J10–J18)	35	1.4	9.3	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	79	1.6	73.7
8	Chronic lower respiratory diseases . . . . . (J40–J47)	35	1.4	9.3	9	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	56	1.2	52.3
8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	35	1.4	9.3	10	Aortic aneurysm and dissection . . . . . (I71)	54	1.1	50.4
8	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	35	1.4	9.3	...	All other causes . . . . . (Residual)	686	14.2	640.1
...	All other causes . . . . . (Residual)	312	12.2	83.2					

See footnotes at end of table.



**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Asian or Pacific Islander, male, 85 years and over					Asian or Pacific Islander, female, 5–9 years				
...	All causes . . . . .	3,272	100.0	10,894.0	...	All causes . . . . .	45	100.0	10.3
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1,121	34.3	3,732.3	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	14	31.1	*
2	Malignant neoplasms . . . . . (C00–C97)	492	15.0	1,638.1	2	Malignant neoplasms . . . . . (C00–C97)	6	13.3	*
3	Cerebrovascular diseases . . . . . (I60–I69)	382	11.7	1,271.8	3	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	2	4.4	*
4	Influenza and pneumonia . . . . . (J10–J18)	214	6.5	712.5	4	Septicemia . . . . . (A40–A41)	1	2.2	*
5	Chronic lower respiratory diseases. . . . . (J40–J47)	181	5.5	602.6	4	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . . (D00–D48)	1	2.2	*
6	Diabetes mellitus . . . . . (E10–E14)	80	2.4	266.4	4	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1	2.2	*
7	Alzheimer's disease. . . . . (G30)	65	2.0	216.4	4	Cerebrovascular diseases . . . . . (I60–I69)	1	2.2	*
8	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	62	1.9	206.4	4	Influenza and pneumonia . . . . . (J10–J18)	1	2.2	*
8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	62	1.9	206.4	4	Acute bronchitis and bronchiolitis . . . . . (J20–J21)	1	2.2	*
10	Pneumonitis due to solids and liquids . . (J69)	49	1.5	163.1	4	Chronic lower respiratory diseases. . . . . (J40–J47)	1	2.2	*
...	All other causes . . . . . (Residual)	564	17.2	1,877.8	4	Certain conditions originating in the perinatal period. . . . . (P00–P96)	1	2.2	*
Asian or Pacific Islander, female, all ages <sup>3</sup>					4	All other causes . . . . . (Residual)	15	33.3	*
...	All causes . . . . .	15,857	100.0	272.2	Asian or Pacific Islander, female, 10–14 years				
1	Malignant neoplasms . . . . . (C00–C97)	4,356	27.5	74.8	...	All causes . . . . .	51	100.0	12.4
2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	3,926	24.8	67.4	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	13	25.5	*
3	Cerebrovascular diseases . . . . . (I60–I69)	1,733	10.9	29.7	2	Malignant neoplasms . . . . . (C00–C97)	10	19.6	*
4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	621	3.9	10.7	3	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	5	9.8	*
5	Diabetes mellitus . . . . . (E10–E14)	556	3.5	9.5	3	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	5	9.8	*
6	Influenza and pneumonia . . . . . (J10–J18)	528	3.3	9.1	5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	3	5.9	*
7	Chronic lower respiratory diseases. . . . . (J40–J47)	411	2.6	7.1	6	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior. . . . . (D00–D48)	1	2.0	*
8	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	273	1.7	4.7	6	Cerebrovascular diseases . . . . . (I60–I69)	1	2.0	*
9	Essential (primary) hypertension and hypertensive renal disease. . . . . (I10,I12)	179	1.1	3.1	6	Chronic lower respiratory diseases. . . . . (J40–J47)	1	2.0	*
10	Septicemia . . . . . (A40–A41)	170	1.1	2.9	...	All other causes . . . . . (Residual)	12	23.5	*
...	All other causes . . . . . (Residual)	3,104	19.6	53.3	Asian or Pacific Islander, female, 15–19 years				
Asian or Pacific Islander, female, 1–4 years					...	All causes . . . . .	90	100.0	21.6
...	All causes . . . . .	67	100.0	18.4	1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	32	35.6	7.7
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	21	31.3	5.8	2	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	14	15.6	*
2	Malignant neoplasms . . . . . (C00–C97)	10	14.9	*	3	Malignant neoplasms . . . . . (C00–C97)	11	12.2	*
2	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	10	14.9	*	4	Congenital malformations, deformations and chromosomal abnormalities. . . . . (Q00–Q99)	4	4.4	*
4	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	2	3.0	*	4	Assault (homicide). . . . . (X85–Y09,Y87.1)	4	4.4	*
5	Septicemia . . . . . (A40–A41)	1	1.5	*	6	Septicemia . . . . . (A40–A41)	2	2.2	*
5	Anemias . . . . . (D50–D64)	1	1.5	*	6	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	2	2.2	*
5	Cerebrovascular diseases . . . . . (I60–I69)	1	1.5	*	6	Cerebrovascular diseases . . . . . (I60–I69)	2	2.2	*
5	Influenza and pneumonia . . . . . (J10–J18)	1	1.5	*	6	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	2	2.2	*
5	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	1	1.5	*	10	Anemias . . . . . (D50–D64)	1	1.1	*
5	Certain conditions originating in the perinatal period. . . . . (P00–P96)	1	1.5	*	10	Influenza and pneumonia . . . . . (J10–J18)	1	1.1	*
5	Assault (homicide). . . . . (X85–Y09,Y87.1)	1	1.5	*	10	Chronic lower respiratory diseases. . . . . (J40–J47)	1	1.1	*
5	Complications of medical and surgical care . . . . . (Y40–Y84,Y88)	1	1.5	*	...	All other causes . . . . . (Residual)	14	15.6	*
...	All other causes . . . . . (Residual)	16	23.9	*					

See footnotes at end of table.

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Asian or Pacific Islander, female, 20–24 years					Asian or Pacific Islander, female, 45–54 years				
...	All causes	115	100.0	28.8	...	All causes	1,263	100.0	163.6
1	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	37	32.2	9.3	1	Malignant neoplasms . . . . . (C00–C97)	635	50.3	82.2
2	Malignant neoplasms . . . . . (C00–C97)	17	14.8	*	2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	129	10.2	16.7
3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	11	9.6	*	3	Cerebrovascular diseases . . . . . (I60–I69)	108	8.6	14.0
3	Assault (homicide) . . . . . (X85–Y09,Y87.1)	11	9.6	*	4	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	76	6.0	9.8
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	5	4.3	*	5	Diabetes mellitus . . . . . (E10–E14)	34	2.7	4.4
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	4	3.5	*	6	Viral hepatitis . . . . . (B15–B19)	26	2.1	3.4
7	Influenza and pneumonia . . . . . (J10–J18)	3	2.6	*	7	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	24	1.9	3.1
8	Cerebrovascular diseases . . . . . (I60–I69)	2	1.7	*	8	Chronic lower respiratory diseases . . . . . (J40–J47)	17	1.3	*
9	Tuberculosis . . . . . (A16–A19)	1	0.9	*	8	Assault (homicide) . . . . . (X85–Y09,Y87.1)	17	1.3	*
9	Meningococcal infection . . . . . (A39)	1	0.9	*	10	Septicemia . . . . . (A40–A41)	15	1.2	*
9	Septicemia . . . . . (A40–A41)	1	0.9	*	10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	15	1.2	*
9	Aortic aneurysm and dissection . . . . . (I71)	1	0.9	*	...	All other causes . . . . . (Residual)	167	13.2	21.6
9	Chronic lower respiratory diseases . . . . . (J40–J47)	1	0.9	*	Asian or Pacific Islander, female, 55–64 years				
9	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	1	0.9	*	...	All causes	1,761	100.0	412.7
...	All other causes . . . . . (Residual)	19	16.5	*	1	Malignant neoplasms . . . . . (C00–C97)	795	45.1	186.3
Asian or Pacific Islander, female, 25–34 years					2	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	310	17.6	72.6
...	All causes	307	100.0	30.3	3	Cerebrovascular diseases . . . . . (I60–I69)	150	8.5	35.2
1	Malignant neoplasms . . . . . (C00–C97)	90	29.3	8.9	4	Diabetes mellitus . . . . . (E10–E14)	68	3.9	15.9
2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	63	20.5	6.2	5	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	54	3.1	12.7
3	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	40	13.0	3.9	6	Viral hepatitis . . . . . (B15–B19)	34	1.9	8.0
4	Assault (homicide) . . . . . (X85–Y09,Y87.1)	19	6.2	*	7	Chronic lower respiratory diseases . . . . . (J40–J47)	28	1.6	6.6
5	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	17	5.5	*	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	26	1.5	6.1
6	Cerebrovascular diseases . . . . . (I60–I69)	5	1.6	*	9	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	25	1.4	5.9
6	Pregnancy, childbirth and the puerperium . . . . . (O00–O99)	5	1.6	*	10	Influenza and pneumonia . . . . . (J10–J18)	24	1.4	5.6
6	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	5	1.6	*	...	All other causes . . . . . (Residual)	247	14.0	57.9
9	Chronic lower respiratory diseases . . . . . (J40–J47)	4	1.3	*	Asian or Pacific Islander, female, 65 years and over				
10	Diabetes mellitus . . . . . (E10–E14)	3	1.0	*	...	All causes	11,136	100.0	2,298.9
...	All other causes . . . . . (Residual)	56	18.2	5.5	1	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	3,399	30.5	701.7
Asian or Pacific Islander, female, 35–44 years					2	Malignant neoplasms . . . . . (C00–C97)	2,484	22.3	512.8
...	All causes	671	100.0	66.7	3	Cerebrovascular diseases . . . . . (I60–I69)	1,412	12.7	291.5
1	Malignant neoplasms . . . . . (C00–C97)	296	44.1	29.4	4	Influenza and pneumonia . . . . . (J10–J18)	473	4.2	97.6
2	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	69	10.3	6.9	5	Diabetes mellitus . . . . . (E10–E14)	444	4.0	91.7
3	Cerebrovascular diseases . . . . . (I60–I69)	49	7.3	4.9	6	Chronic lower respiratory diseases . . . . . (J40–J47)	347	3.1	71.6
4	Diseases of heart . . . . . (I00–I09,I11,I13,I20–I51)	48	7.2	4.8	7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	234	2.1	48.3
5	Intentional self-harm (suicide) . . . . . (X60–X84,Y87.0)	30	4.5	3.0	8	Nephritis, nephrotic syndrome and nephrosis . . . . . (N00–N07,N17–N19,N25–N27)	229	2.1	47.3
6	Assault (homicide) . . . . . (X85–Y09,Y87.1)	27	4.0	2.7	9	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	158	1.4	32.6
7	Influenza and pneumonia . . . . . (J10–J18)	11	1.6	*	10	Alzheimer's disease . . . . . (G30)	154	1.4	31.8
8	Chronic lower respiratory diseases . . . . . (J40–J47)	10	1.5	*	...	All other causes . . . . . (Residual)	1,802	16.2	372.0
9	Congenital malformations, deformations and chromosomal abnormalities . . . . . (Q00–Q99)	8	1.2	*					
10	Diabetes mellitus . . . . . (E10–E14)	7	1.0	*					
10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	7	1.0	*					
...	All other causes . . . . . (Residual)	109	16.2	10.8					

**Table 1. Deaths, percent of total deaths, and death rates for the 10 leading causes of death in selected age groups, by race and sex: United States, 2000—Con.**

[Rates per 100,000 population in specified group. Data for races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys; see Technical Notes. Population denominators for 2000 death rates are based on the 1990 census population; see Technical Notes]

Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>	Rank <sup>1</sup>	Cause of death (Based on the <i>Tenth Revision, International Classification of Diseases, 1992</i> ), race, sex, and age	Number <sup>2</sup>	Percent of total deaths	Rate <sup>2</sup>
Asian or Pacific Islander, female, 65–74 years					Asian or Pacific Islander, female, 85 years and over				
...	All causes . . . . .	3,042	100.0	1,042.8	...	All causes . . . . .	3,718	100.0	8,353.0
1	Malignant neoplasms . . . . . (C00–C97)	1,091	35.9	374.0	1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1,383	37.2	3,107.1
2	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	701	23.0	240.3	2	Cerebrovascular diseases . . . . . (I60–I69)	512	13.8	1,150.3
3	Cerebrovascular diseases . . . . . (I60–I69)	314	10.3	107.6	3	Malignant neoplasms . . . . . (C00–C97)	406	10.9	912.1
4	Diabetes mellitus . . . . . (E10–E14)	142	4.7	48.7	4	Influenza and pneumonia . . . . . (J10–J18)	227	6.1	510.0
5	Chronic lower respiratory diseases . . . . . (J40–J47)	89	2.9	30.5	5	Chronic lower respiratory diseases . . . . . (J40–J47)	123	3.3	276.3
6	Influenza and pneumonia . . . . . (J10–J18)	79	2.6	27.1	6	Diabetes mellitus . . . . . (E10–E14)	100	2.7	224.7
7	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	77	2.5	26.4	7	Alzheimer’s disease . . . . . (G30)	99	2.7	222.4
8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	67	2.2	23.0	8	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	78	2.1	175.2
9	Viral hepatitis . . . . . (B15–B19)	38	1.2	13.0	8	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	78	2.1	175.2
10	Chronic liver disease and cirrhosis . . . . . (K70,K73–K74)	32	1.1	11.0	10	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	62	1.7	139.3
...	All other causes . . . . . (Residual)	412	13.5	141.2	...	All other causes . . . . . (Residual)	650	17.5	1,460.3
Asian or Pacific Islander, female, 75–84 years									
...	All causes . . . . .	4,376	100.0	2,953.5					
1	Diseases of heart . . . (I00–I09,I11,I13,I20–I51)	1,315	30.1	887.5					
2	Malignant neoplasms . . . . . (C00–C97)	987	22.6	666.2					
3	Cerebrovascular diseases . . . . . (I60–I69)	586	13.4	395.5					
4	Diabetes mellitus . . . . . (E10–E14)	202	4.6	136.3					
5	Influenza and pneumonia . . . . . (J10–J18)	167	3.8	112.7					
6	Chronic lower respiratory diseases . . . . . (J40–J47)	135	3.1	91.1					
7	Accidents (unintentional injuries) . . . . . (V01–X59,Y85–Y86)	89	2.0	60.1					
8	Nephritis, nephrotic syndrome and nephrosis . . . (N00–N07,N17–N19,N25–N27)	74	1.7	49.9					
9	Essential (primary) hypertension and hypertensive renal disease . . . . . (I10,I12)	71	1.6	47.9					
10	Septicemia . . . . . (A40–A41)	44	1.0	29.7					
...	All other causes . . . . . (Residual)	706	16.1	476.5					

... Category not applicable.

\* Figure does not meet standards of reliability or precision; see Technical Notes.

<sup>1</sup>Rank based on number of deaths; see Technical Notes.

<sup>2</sup>Figures for age not stated are included in “all ages” but not distributed among age groups.

<sup>3</sup>Includes deaths for “Under 1 year.”