List of Trend Tables		15. Low-birthweight live births, according to race and Hispanic origin of mother, geographic division, and State: United States, average annual 1995–97, 1998–2000, and	
Health Status and Determinants		2001–2003	147
Population		1973–2002	149
1. Resident population , according to age, sex, race, and Hispanic origin: United States, selected years 1950–2003	127	17. Contraceptive use among women 15–44 years of age, according to age, race, Hispanic origin, and method of contraception: United States, 1982, 1988, 1995, and	450
Persons and families below poverty level, according to selected characteristics, race, and Hispanic origin: United States, selected years 1973–2003	130	18. Breastfeeding by mothers 15–44 years of age by year of baby's birth, according to selected characteristics of mother: United States, average annual 1986–88 to 1999–2001	150 154
Fertility and Natality			
3. Crude birth rates, fertility rates, and birth rates by age of		Mortality	
mother, according to race and Hispanic origin: United States, selected years 1950–2003	132	19. Infant, neonatal, and postneonatal mortality rates, according to detailed race and Hispanic origin of mother: United States, selected years 1983–2002	155
Hispanic origin of mother: United States, selected years 1970–2003	134	20. Infant mortality rates for mothers 20 years of age and over, according to mother's education, detailed race, and	
5. Twin and higher order multiple births , according to race, Hispanic origin, and age of mother: United States, selected years 1971–2003	136	Hispanic origin: United States, selected years 1983–2002 21. Infant mortality rates according to birthweight: United States, selected years 1983–2002	157 158
6. Women 15–44 years of age who have not had at least 1 live birth, by age: United States, selected years 1960–2002	137	22. Infant mortality rates , fetal mortality rates, and perinatal mortality rates, according to race: United States, selected years 1950–2003	159
7. Prenatal care for live births, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2003	138	23. Infant mortality rates , according to race, Hispanic origin, geographic division, and State: United States, average annual 1989–91, 1997–99, and 2000–2002	160
8. Early prenatal care according to race and Hispanic origin of mother, geographic division, and State: United States, average annual 1995–97, 1998–2000, and 2001–2003	139	24. Neonatal mortality rates , according to race, Hispanic origin, geographic division, and State: United States, average annual 1989–91, 1997–99, and 2000–2002	162
9. Teenage childbearing , according to detailed race and Hispanic origin of mother: United States, selected years 1970–2003	141	25. Infant mortality rates and international rankings: Selected countries, selected years 1960–2002	164
10. Nonmarital childbearing according to detailed race and Hispanic origin of mother, and maternal age: United States, selected years 1970–2003	142	26. Life expectancy at birth and at 65 years of age, according to sex: Selected countries, selected years 1980–2001	165
11. Maternal education for live births, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2003	143	27. Life expectancy at birth, at 65 years of age, and at 75 years of age, according to race and sex: United States, selected years 1900–2003	167
12. Mothers who smoked cigarettes during pregnancy, according to mother's detailed race, Hispanic origin, age, and education: United States, selected years, 1989–2003	144	28. Age-adjusted death rates , according to race, Hispanic origin, geographic division, and State: United States, average annual 1979–81, 1989–91, and 2001–03	168
13. Low-birthweight live births, according to mother's detailed race, Hispanic origin, and smoking status: United States, selected years 1970–2003	145	29. Age-adjusted death rates for selected causes of death, according to sex, race, and Hispanic origin: United States, selected years 1950–2003	170
14. Low-birthweight live births among mothers 20 years of age and over, by mother's detailed race, Hispanic origin, and education: United States, selected years 1989–2003	146	30. Years of potential life lost before age 75 for selected causes of death, according to sex, race, and Hispanic origin: United States, selected years 1980–2003	174

Health, United States, 2005 xv

81. Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 2003	178	48. Deaths from selected occupational diseases for persons 15 years of age and over: United States, selected years 1980–2003	227
32. Leading causes of death and numbers of deaths, according to age: United States, 1980 and 2003	182	49. Occupational injury deaths and rates by industry, sex, age, race, and Hispanic origin: United States, selected years 1992–2003	228
33. Age-adjusted death rates, according to race, sex, region, and urbanization level: United States, average annual 1994–96, 1997–99, and 2000–2002.	184	Determinants and Measures of Health	220
34. Age-adjusted death rates for persons 25–64 years of age or selected causes of death, according to sex and educational attainment: Selected States, 1994–2003	187	50. Occupational injuries and illnesses with days away from work, job transfer, or restriction in the private sector, according to industry: United States, 2003	230
85. Death rates for all causes, according to sex, race, Hispanic origin, and age: United States, selected years 1950–2003	189	51. Selected notifiable disease rates , according to disease: United States, selected years 1950–2003	231
36. Death rates for diseases of heart , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2003	193	52. Acquired immunodeficiency syndrome (AIDS) cases, according to year of diagnosis and selected characteristics of persons: United States, 1999–2003	232
87. Death rates for cerebrovascular diseases , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2003	196	53. Age-adjusted cancer incidence rates for selected cancer sites, according to sex, race, and Hispanic origin: Selected geographic areas, 1990–2002	234
88. Death rates for malignant neoplasms , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2003	199	54. Five-year relative cancer survival rates for selected cancer sites, according to race and sex: Selected geographic areas, 1974–76, 1980–82, 1986–88, 1989–91, 1992–94, and 1995–2001	237
39. Death rates for malignant neoplasms of trachea , pronchus , and lung , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2003	203	55. Diabetes among adults 20 years of age and over, according to sex, age, race and Hispanic origin: United States, 1988–94 and 1999–2002	238
40. Death rates for malignant neoplasm of breast for emales, according to race, Hispanic origin, and age: United States, selected years 1950–2003	206	56. Respiratory conditions among adults 18 years of age and over, according to selected characteristics: United States, selected years 1997–2003	239
41. Death rates for chronic lower respiratory diseases , according to sex, race, Hispanic origin, and age: United States, selected years 1980–2003	208	57. Severe headache or migraine, low back pain, and neck pain among adults 18 years of age and over, according to selected characteristics: United States, selected years	
42. Death rates for human immunodeficiency virus (HIV) disease, according to sex, race, Hispanic origin, and age: United States, selected years 1987–2003	211	58. Limitation of activity caused by chronic conditions, according to selected characteristics: United States, selected	241
43. Maternal mortality for complications of pregnancy, childbirth, and the puerperium, according to race, Hispanic origin, and age: United States, selected years 1950–2003	213	years 1997–2003	243
14. Death rates for motor vehicle-related injuries , according o sex, race, Hispanic origin, and age: United States, selected years 1950–2003	214	United States, selected years 1997–2003	246
45. Death rates for homicide , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2003	218	1991–2003	248
46. Death rates for suicide , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2003	221	United States, average annual 1997–98, 2000–2001, and 2002–03	250
47. Death rates for firearm-related injuries , according to sex, race, Hispanic origin, and age: United States, selected years 1970–2003	224	62. Suicidal ideation, suicide attempts, and injurious suicide attempts among students in grades 9–12, by sex, grade level, race, and Hispanic origin: United States, selected years 1991–2003	252

Health, United States, 2005

63. Current cigarette smoking for adults 18 years of age		Utilization of Health Resources	
and over according to sex, race, and age: United States, selected years 1965–2003	254	Ambulatory Care	
64. Age-adjusted prevalence of current cigarette smoking for adults 25 years of age and over, according to sex, race, and education: United States, selected years 1974–2003	256	75. Health care visits to doctor's offices, emergency departments, and home visits within the past 12 months, according to selected characteristics: United States, selected	
65. Current cigarette smoking for adults according to sex, race, Hispanic origin, age, and education: United States, average annual 1990–92, 1995–98, and 2001–03	257	years 1997–2003	281
persons 12 years of age and over, according to age, sex, race, and Hispanic origin: United States, 2002–03 67. Use of selected substances by high school seniors, tenth-, and eighth-graders, according to sex and race:	259	characteristics: United States, selected years 1989–2003	284
United States, selected years 1980–2004	261 264	United States, 1995–2004	286
69. Hypertension (elevated blood pressure) among persons 20 years of age and over, according to sex, age, race and Hispanic origin, and poverty status: United States, 1988–94 and 1999–2002	267	79. No health care visits to an office or clinic within the past 12 months among children under 18 years of age, according to selected characteristics: United States, average annual 1997–98, 2000–2001, and 2002–03	290
70. Serum cholesterol levels among persons 20 years of age and over, according to sex, age, race and Hispanic origin, and poverty status: United States, 1960–62, 1971–74, 1976–80, 1988–94, and 1999–2002.	269	80. No usual source of health care among children under 18 years of age, according to selected characteristics: United States, average annual selected years 1993–94 through 2002–03	292
71. Mean energy and macronutrient intake among persons 20–74 years of age, according to sex and age: United States, 1971–74, 1976–80, 1988–94, and		81. Emergency department visits within the past 12 months among children under 18 years of age, according to selected characteristics: United States, selected years 1997–2003	294
1999–2000	272	82. No usual source of health care among adults 18–64 years of age, according to selected characteristics: United States, average annual 1993–94 through 2002–03	297
United States, selected years 1998–2003	273	83. Emergency department visits within the past 12 months among adults 18 years of age and over, according to selected characteristics: United States, selected years 1997–2003	299
	275	84. Dental visits in the past year according to selected characteristics: United States, selected years 1997–2003	301
	279	85. Untreated dental caries , according to age, sex, race and Hispanic origin, and poverty status: United States, 1971–74, 1988–94, and 1999–2002	303
		86. Use of mammography for women 40 years of age and over, according to selected characteristics: United States, selected years 1987–2003	305
		87. Use of Pap smears for women 18 years of age and over, according to selected characteristics: United States, selected years 1987–2003	307
		88. Visits to physician offices and hospital outpatient and emergency departments by selected characteristics: United States, selected years 1995–2003	309

Health, United States, 2005 xviii

by sex, age, and intent and mechanism of injury:		Health Care Resources	
United States, average annual 1995–96, 1998–99, and 2002–2003	312	Personnel	
90. Visits to primary care generalist and specialist physicians, according to selected characteristics and type of physician: United States, 1980, 1990, 2000, and 2003	314	104. Persons employed in health service sites, according to sex: United States, selected years 2000–2004	341
91. Prescription drug use in the past month by sex, age, race, and Hispanic origin: United States, 1988–94 and 1999–2002	316	105. Active physicians and doctors of medicine in patient care, according to geographic division and State: United States, 1975, 1985, 1995, and 2003	342
92. Selected prescription and nonprescription drugs recorded during physician office visits and hospital outpatient department visits, by age and sex: United States, 1995–96	510	106. Doctors of medicine , according to activity and place of medical education: United States and outlying U.S. areas, selected years 1975–2003	344
and 2002–03	318	107. Doctors of medicine in primary care, according to specialty: United States and outlying U.S. areas, selected years 1949–2003	345
type of service and organization: United States, selected years 1986–2002	321	108. Active health personnel according to occupation: United States, selected years 1980–2001	346
94. Home health care patients, according to age, sex, and diagnosis: United States, selected years 1992–2000	322	109. First-year enrollment and graduates of health professions schools and number of schools, according to	
95. Hospice patients, according to age, sex, and diagnosis: United States, selected years 1992–2000	323	profession: United States, selected years 1980–2003	347
Inpatient Care		health occupations, according to detailed race and Hispanic origin: United States, academic years 1980–81, 1990–91, 2001–02, and 2002–03	348
96. Discharges , days of care, and average length of stay in short-stay hospitals, according to selected characteristics: United States, selected years 1997–2003	324	111. First-year and total enrollment of women in schools for selected health occupations, according to detailed race and Hispanic origin: United States, academic years 1980–81,	
97. Discharges , days of care, and average length of stay in non-Federal short-stay hospitals, according to selected characteristics: United States, selected years 1980–2003	327	1990–91, and 2002–03 Facilities	350
98. Rates of discharges and days of care in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years 1990–2003	329	112. Hospitals , beds, and occupancy rates, according to type of ownership and size of hospital: United States, selected years 1975–2003	351
99. Discharges and average length of stay in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years		113. Mental health organizations and beds for 24-hour hospital and residential treatment according to type of organization: United States, selected years 1986–2002	352
1990–2003	332	114. Community hospital beds and average annual percent change, according to geographic division and State: United States, selected years 1960–2003	353
annual 1992–93 and 2002–03	335	115. Occupancy rates in community hospitals and average annual percent change, according to geographic division and State: United States, selected years 1960–2003	354
hospital, and percent outpatient surgery: United States, selected years 1975–2003	338	116. Nursing homes , beds, occupancy, and residents, according to geographic division and State: United States,	
102. Nursing home residents 65 years of age and over, according to age, sex, and race: United States, 1973–74, 1985, 1995, and 1999	339	1995–2003	355 357
103. Nursing home residents 65 years of age and over, according to selected functional status and age, sex, and race: United States, 1985, 1995, and 1999	340	, , , , , , , , , , , , , , , , , , , ,	

xviii Health, United States, 2005

Health Care Expenditures and Payors National Health Expenditures

118. Total health expenditures as a percent of gross domestic product and per capita health expenditures in dollars: Selected countries and years 1960–2002
119. Gross domestic product, Federal and State and local government expenditures, national health expenditures , and average annual percent change: United States, selected years 1960–2003
120. Consumer Price Index and average annual percent change for all items, selected items, and medical care components: United States, selected years 1960–2004 361
121. Growth in personal health care expenditures and percent distribution of factors affecting growth: United States, 1960–2003
122. National health expenditures , average annual percent change, and percent distribution, according to type of expenditure: United States, selected years 1960–2003
123. Personal health care expenditures , according to type of expenditure and source of funds: United States, selected years 1960–2003
124. Expenses for health care and prescribed medicine according to selected population characteristics: United States, selected years 1987–2002
125. Sources of payment for health care according to selected population characteristics: United States, selected years 1987–2002
126. Out-of-pocket health care expenses for persons with medical expenses by age: United States, selected years 1987–2002
127. Expenditures for health services and supplies and percent distribution, by type of payer: United States, selected calendar years 1987–2003
128. Employers ' costs per employee-hour worked for total compensation, wages and salaries, and health insurance , according to selected characteristics: United States, selected years 1991–2005
129. Hospital expenses , according to type of ownership and size of hospital: United States, selected years 1980–2003
130. Nursing home average monthly charges per resident and percent of residents, according to primary source of payments and selected facility characteristics: United States, 1985, 1995, and 1999
131. Mental health expenditures , percent distribution, and per capita expenditures, according to type of mental health

organization: United States, selected years 1975-2002.....

Health Care Coverage and Major Federal Programs

132. Private health insurance coverage among persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2003	. 37
133. Medicaid coverage among persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2003	. 38
134. No health insurance coverage among persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2003	. 38
135. Health insurance coverage for persons 65 years of age and over, according to type of coverage and selected characteristics: United States, selected years 1989–2003	38
136. Health maintenance organization (HMO) coverage among persons under 65 years of age by private insurance and Medicaid, according to selected characteristics: United States, 1998–2003	38
137. Health maintenance organizations (HMOs) and enrollment, according to model type, geographic region, and Federal program: United States, selected years 1976–2004	. 39
138. Medical care benefits for employees of private establishments by size of establishment and occupation: United States, selected years 1990–97	39
139. Medicare enrollees and expenditures and percent distribution, according to type of service: United States and other areas, selected years 1970–2004	39
140. Medicare enrollees and program payments among fee-for-service Medicare beneficiaries, according to sex and age: United States and other areas, 1994–2002	39
141. Medicare beneficiaries by race and ethnicity, according to selected characteristics: United States, 1992 and 2001	39
142. Medicaid recipients and medical vendor payments, according to basis of eligibility, and race and ethnicity: United States, selected fiscal years 1972–2001	. 39
143. Medicaid recipients and medical vendor payments, according to type of service: United States, selected fiscal years 1972–2001	40
144. Department of Veterans Affairs health care expenditures and use, and persons treated according to selected characteristics: United States, selected fiscal years 1970–2003	40

Health, United States, 2005 xix

State Health Expenditures and Health Insurance

45. Personal health care per capita expenditures, by geographic region and State: United States, selected years	
	403
46. Hospital care per capita expenditures, by geographic egion and State: United States, selected years 1991–98	405
47. Physician and other professional services per capita expenditures, by geographic region and State: United States, selected years 1991–98	407
48. Nursing home care and home health care per capita expenditures, by geographic region and State: United States, selected years 1991–98	408
49. Drugs and other nondurables per capita expenditures, by geographic region and State: United States, selected years 1991–98	409
50. Medicare expenditures as a percent of total personal nealth care expenditures by geographic region and State: Jnited States, 1991–98.	410
51. Medicaid expenditures as a percent of total personal nealth care expenditures by geographic region and State: Juited States, 1991–98.	411
52. State mental health agency per capita expenditures for nental health services and average annual percent change by geographic region and State: United States, selected fiscal years 1981–2002.	412
53. Medicare enrollees, enrollees in managed care, payments per enrollee, and short-stay hospital utilization by geographic region and State: United States, 1994 and 2002	414
54. Medicaid recipients, recipients in managed care, payments per recipient, and recipients per 100 persons below the poverty level by geographic region and State: United States, selected fiscal years 1989–2001	416
55. Persons enrolled in health maintenance organizations HMOs) by geographic region and State: United States,	418
Jointed States, average annual 1995–97, 1998–2000, and	410

Health, United States, 2005 xix