

ICD-10-CM Table of Neoplasms

2010

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
Neoplasm, neoplastic	C80	C80	D09.9	D36.9	D48.9	D49.9

Notes - 1. The list below gives the code numbers for neoplasms by anatomical site. For each site there are six possible code numbers according to whether the neoplasm in question is malignant, benign, in situ, of uncertain behavior, or of unspecified nature. The description of the neoplasm will often indicate which of the six columns is appropriate; e.g., malignant melanoma of skin, benign fibroadenoma of breast, carcinoma in situ of cervix uteri.

Where such descriptors are not present, the remainder of the Index should be consulted where guidance is given to the appropriate column for each morphological (histological) variety listed; e.g., Mesonephroma-see Neoplasm, malignant; Embryoma-see also Neoplasm, uncertain behavior; Disease, Bowen's-see Neoplasm, skin, in situ. However, the guidance in the Index can be overridden if one of the descriptors mentioned above is present; e.g., malignant adenoma of colon is coded to C18.9 and not to D12.6 as the adjective "malignant" overrides the Index entry "Adenoma-see also Neoplasm, benign."

2. Sites marked with the sign * (e.g., face NEC*) should be classified to malignant neoplasm of skin of these sites if the variety of neoplasm is a squamous cell carcinoma or an epidermoid carcinoma and to benign neoplasm of skin of these sites if the variety of neoplasm is a papilloma (any type).

abdomen, abdominal	C76.2	C79.89	D09.7	D36.7	D48.7	D49.89
cavity	C76.2	C79.89	D09.7	D36.7	D48.7	D49.89
organ	C76.2	C79.89	D09.7	D36.7	D48.7	D49.89
viscera	C76.2	C79.89	D09.7	D36.7	D48.7	D49.89
wall	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
connective tissue	C49.4	C79.89	-	D21.4	D48.1	D49.2
abdominopelvic	C76.7	C79.89	D09.7	D36.7	D48.7	D49.89
accessory sinus-see Neoplasm, sinus						
acoustic nerve	C72.4-	C79.49	-	D33.3	D43.3	D49.7
acromion (process)						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
adenoid (pharynx) (tissue)	C11.1	C79.89	D00.08	D10.6	D37.05	D49.0
adipose tissue (see also Neoplasm, connective tissue)	C49.9	C79.89	-	D21.9	D48.1	D49.2
adnexa (uterine)	C57.4	C79.89	D07.39	D28.7	D39.7	D49.5
adrenal						
capsule	C74.9-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
cortex	C74.0-	C79.70	D09.3	D35.00	D44.10	D49.7
gland	C74.9-	C79.70	D09.3	D35.00	D44.10	D49.7
medulla	C74.1-	C79.70	D09.3	D35.00	D44.10	D49.7
unspecified site	C74.9-	C79.70	D09.3	D35.00	D44.10	D49.7
ala nasi (external)	C44.31	C79.2	D04.39	D23.39	D48.5	D49.2
alimentary canal or tract NEC	C26.9	C78.80	D01.9	D13.9	D37.9	D49.0
alveolar	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
mucosa	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
ridge or process	C41.1	C79.51	-	D16.5	D48.0	D49.2
carcinoma	C03.9	-	-	-	-	-
lower	C03.1	-	-	-	-	-
upper	C03.0	-	-	-	-	-
lower	C41.1	C79.51	-	D16.5	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
marrow NEC	C96.9	C79.52	-	-	-	D47.9
mucosa	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sulcus	C06.1	C79.89	D00.02	D10.39	D37.09	D49.0
alveolus	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
ampulla of Vater	C24.1	C78.89	D01.5	D13.5	D37.6	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
ankle NEC*	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
anorectum, anorectal (junction)	C21.8	C78.5	D01.3	D12.9	D37.7	D49.0
antecubital fossa or space *	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
antrum (Highmore) (maxillary)	C31.0	C78.39	D02.3	D14.0	D38.5	D49.1
pyloric	C16.3	C78.89	D00.2	D13.1	D37.1	D49.0
tympanicum	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
anus, anal	C21.0	C78.5	D01.3	D12.9	D37.7	D49.0
canal	C21.1	C78.5	D01.3	D12.9	D37.7	D49.0
cloacogenic zone	C21.2	C78.5	D01.3	D12.9	D37.7	D49.0
margin	C44.51	C79.2	D04.5	D23.5	D48.5	D49.2
overlapping lesion with rectosigmoid junction or rectum	C21.8	-	-	-	-	-
skin	C44.51	C79.2	D04.5	D23.5	D48.5	D49.2
sphincter	C21.1	C78.5	D01.3	D12.9	D37.7	D49.0
aorta (thoracic)	C49.3	C79.89	-	D21.3	D48.1	D49.2
abdominal	C49.4	C79.89	-	D21.4	D48.1	D49.2
aortic body	C75.5	C79.89	-	D35.6	D44.7	D49.7
aponeurosis	C49.9	C79.89	-	D21.9	D48.1	D49.2
palmar	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
plantar	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
appendix	C18.1	C78.5	D01.0	D12.1	D37.3	D49.0
arachnoid	C70.9	C79.49	-	D32.9	D42.9	D49.7
cerebral	C70.0	C79.32	-	D32.0	D42.0	D49.7
spinal	C70.1	C79.49	-	D32.1	D42.1	D49.7
areola						
female	C50.01-	C79.81	D05.9-	D24.00	D48.6-	D49.3
male	C50.02-	C79.81	D05.9-	D24.10	D48.6-	D49.3
arm NEC*	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
artery-see Neoplasm, connective tissue						
aryepiglottic fold	C13.1	C79.89	D00.08	D10.7	D37.05	D49.0
hypopharyngeal aspect	C13.1	C79.89	D00.08	D10.7	D37.05	D49.0
laryngeal aspect	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
marginal zone	C13.1	C79.89	D00.08	D10.7	D37.05	D49.0
arytenoid (cartilage)	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
fold-see Neoplasm, aryepiglottic						
atlas	C41.2	C79.51	-	D16.6	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
atrium, cardiac	C38.0	C79.89	-	D15.1	D48.7	D49.89
auditory						
canal (external) (skin)	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
internal	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
nerve	C72.4-	C79.49	-	D33.3	D43.3	D49.7
tube	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
opening	C11.2	C79.89	D00.08	D10.6	D37.05	D49.0
auricle, ear						
left side	C44.22	C79.2	D04.22	D23.22	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
right side	C44.21	C79.2	D04.21	D23.21	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
unspecified side	C44.20	C79.2	D04.20	D23.20	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
auricular canal (external)						
left side	C44.22	C79.2	D04.22	D23.22	D48.5	D49.2
internal	C30.1	C78.39	D02.3	D14.0	D38.5	D49.2
right side	C44.21	C79.2	D04.21	D23.21	D48.5	D49.2
internal	C30.1	C78.39	D02.3	D14.0	D38.5	D49.2
unspecified side	C44.20	C79.2	D04.20	D23.20	D48.5	D49.2
internal	C30.1	C78.39	D02.3	D14.0	D38.5	D49.2
autonomic nerve or nervous system						
NEC (see also Neoplasm, nerve, peripheral)	C47.9	C79.89	-	D36.10	D48.2	D49.2
axilla, axillary	C76.1	C79.89	D09.7	D36.7	D48.7	D49.89
fold	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
back NEC*	C76.7	C79.89	D04.5	D36.7	D48.7	D49.89
Bartholin's gland	C51.0	C79.82	D07.1	D28.0	D39.7	D49.5
basal ganglia	C71.0	C79.31	-	D33.0	D43.0	D49.6
basis pedunculi	C71.7	C79.31	-	D33.1	D43.1	D49.6
bile or biliary (tract)	C24.9	C78.89	D01.5	D13.5	D37.6	D49.0
canalculi (biliferi) (intrahepatic)	C22.1	C78.7	D01.5	D13.4	D37.6	D49.0
canals, interlobular	C22.1	C78.89	D01.5	D13.4	D37.6	D49.0
overlapping lesion	C24.8	-	-	-	-	-
duct or passage (common) (cystic) (extrahepatic)	C24.0	C78.89	D01.5	D13.5	D37.6	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
interlobular	C22.1	C78.89	D01.5	D13.4	D37.6	D49.0
intrahepatic	C22.1	C78.7	D01.5	D13.4	D37.6	D49.0
and extrahepatic	C24.8	C78.89	D01.5	D13.5	D37.6	D49.0
overlapping lesion with gallbladder	C24.8	-	-	-	-	-
bladder (urinary)	C67.9	C79.11	D09.0	D30.3	D41.4	D49.4
dome	C67.1	C79.11	D09.0	D30.3	D41.4	D49.4
neck	C67.5	C79.11	D09.0	D30.3	D41.4	D49.4
orifice	C67.9	C79.11	D09.0	D30.3	D41.4	D49.4
ureteric	C67.6	C79.11	D09.0	D30.3	D41.4	D49.4
urethral	C67.5	C79.11	D09.0	D30.3	D41.4	D49.4
overlapping lesion	C67.8	-	-	-	-	-
sphincter	C67.8	C79.11	D09.0	D30.3	D41.4	D49.4
trigone	C67.0	C79.11	D09.0	D30.3	D41.4	D49.4
urachus	C67.7	-	D09.0	D30.3	D41.4	D49.4
wall	C67.9	C79.11	D09.0	D30.3	D41.4	D49.4
anterior	C67.3	C79.11	D09.0	D30.3	D41.4	D49.4
lateral	C67.2	C79.11	D09.0	D30.3	D41.4	D49.4
posterior	C67.4	C79.11	D09.0	D30.3	D41.4	D49.4
blood vessel-see Neoplasm, connective tissue						
bone (periosteum)	C41.9	C79.51	-	D16.9	D48.0	D49.2
Note-Carcinomas and adenocarcinomas, of any type other than intraosseous or odontogenic, of the sites listed under "Neoplasm, bone" should be considered as constituting metastatic spread from an unspecified primary site and coded to C79.51 for morbidity coding and to C80.1 for underlying cause of death coding.						
acetabulum	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
acromion (process)						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

ankle						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
arm NEC						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
astragalus						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
atlas	C41.2	C79.51	-	D16.6	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
axis	C41.2	C79.51	-	D16.6	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
back NEC	C41.2	C79.51	-	D16.6	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
calcaneus						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
calvarium	C41.0	C79.51	-	D16.4	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
carpus (any)						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
cartilage NEC	C41.9	C79.51	-	D16.9	D48.0	D49.2
clavicle	C41.3	C79.51	-	D16.7	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
clivus	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
coccygeal vertebra	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
coccyx	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
costal cartilage	C41.3	C79.51	-	D16.7	D48.0	D49.2
costovertebral joint	C41.3	C79.51	-	D16.7	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
cranial	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
cuboid						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
cuneiform	C41.9	C79.51	-	D16.9	D48.0	D49.2
ankle						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
wrist						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
digital						
finger						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
toe						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified site						
left side	C40.92	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.91	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.90	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
elbow						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
ethmoid (labyrinth)	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
face	C41.0	C79.51	-	D16.4	D48.0	D49.2
lower jaw	C41.1	C79.51	-	D16.5	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
marrow NEC	C96.9	C79.52	-	-	-	D47.9
femur (any part)						
left side	C40.22	C79.51	-	D16.22	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.21	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.20	C79.51	-	D16.20	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
fibula (any part)						
left side	C40.22	C79.51	-	D16.22	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.21	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.20	C79.51	-	D16.20	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
finger (any)						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
foot						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
forearm						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
frontal	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
hand						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
heel						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
hip	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
humerus (any part)						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
hyoid	C41.0	C79.51	-	D16.4	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
ilium	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
innominate	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
intervertebral cartilage or disc	C41.2	C79.51	-	D16.6	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
ischium	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
jaw (lower)	C41.1	C79.51	-	D16.5	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
upper	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
knee						
left side	C40.22	C79.51	-	D16.22	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.21	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.20	C79.51	-	D16.20	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
leg NEC						
left side	C40.22	C79.51	-	D16.22	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.21	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.20	C79.51	-	D16.20	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
limb NEC						
lower						
long bones						
left side	C40.20	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.22	C79.51	-	D16.22	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.21	C79.51	-	D16.20	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
short bones						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified site						
left side	C40.22	C79.51	-	D16.22	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.21	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.20	C79.51	-	D16.20	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified site						
left side	C40.92	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.91	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.90	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
upper						
long bones						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
short bones						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified site						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
long						
lower limbs NEC						
left side	C40.22	C79.51	-	D16.22	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.21	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.20	C79.51	-	D16.20	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified site						
left side	C40.92	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.91	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.90	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
upper limbs NEC						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
malar	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
mandible	C41.1	C79.51	-	D16.5	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
mastoid	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
maxilla, maxillary (superior)	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
inferior	C41.1	C79.51	-	D16.5	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
metacarpus (any)						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
metatarsus (any)						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
navicular						
ankle						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
hand						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified site						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
nose, nasal	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
occipital	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
orbit	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
parietal	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
patella						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
pelvic	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
phalanges						
foot						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
hand						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified site						
left side	C40.92	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.91	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.90	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
pubic	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
radius (any part)						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
rib	C41.3	C79.51	-	D16.7	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sacral vertebra	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sacrum	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
scaphoid						
of ankle						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

of hand						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified site						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
scapula (any part)						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sella turcica	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
short						
lower limb						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified site						
left side	C40.92	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.91	C79.51	-	D16.9	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.90	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
upper limb						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
shoulder						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
skeleton, skeletal NEC	C41.9	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
skull	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sphenoid	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
spine, spinal (column)	C41.2	C79.51	-	D16.6	D48.0	D49.2
coccyx	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sacrum	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sternum	C41.3	C79.51	-	D16.7	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
tarsus (any)						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
temporal	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
thumb						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
tibia (any part)						
left side	C40.22	C79.51	-	D16.22	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.21	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.20	C79.51	-	D16.20	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
toe (any)						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
trapezium						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
trapezoid						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
turbinate	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
ulna (any part)						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unciform						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
vertebra (column)	C41.2	C79.51	-	D16.6	D48.0	D49.2
coccyx	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sacrum	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
vomer	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
wrist						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
xiphoid process	C41.3	C79.51	-	D16.7	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
zygomatic	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
book-leaf (mouth) [ventral surface of tongue and floor of mouth]	C06.89	C79.89	D00.00	D10.39	D37.09	D49.0
bowel -see Neoplasm, intestine						
brachial plexus	C47.1-	C79.89	-	D36.12	D48.2	D49.2
brain NEC	C71.9	C79.31	-	D33.2	D43.2	D49.6
basal ganglia	C71.0	C79.31	-	D33.0	D43.0	D49.6
cerebellopontine angle	C71.6	C79.31	-	D33.1	D43.1	D49.6
cerebellum NOS	C71.6	C79.31	-	D33.1	D43.1	D49.6
cerebrum	C71.0	C79.31	-	D33.0	D43.0	D49.6
choroid plexus	C71.7	C79.31	-	D33.1	D43.1	D49.6
corpus callosum	C71.8	C79.31	-	D33.2	D43.2	D49.6
corpus striatum	C71.0	C79.31	-	D33.0	D43.0	D49.6
cortex (cerebral)	C71.0	C79.31	-	D33.0	D43.0	D49.6
frontal lobe	C71.1	C79.31	-	D33.0	D43.0	D49.6
globus pallidus	C71.0	C79.31	-	D33.0	D43.0	D49.6
hippocampus	C71.2	C79.31	-	D33.0	D43.0	D49.6
hypothalamus	C71.0	C79.31	-	D33.0	D43.0	D49.6
internal capsule	C71.0	C79.31	-	D33.0	D43.0	D49.6
medulla oblongata	C71.7	C79.31	-	D33.1	D43.1	D49.6
meninges	C70.0	C79.32	-	D32.0	D42.0	D49.7
midbrain	C71.7	C79.31	-	D33.1	D43.1	D49.6
occipital lobe	C71.4	C79.31	-	D33.0	D43.0	D49.6
overlapping lesion	C71.8	C79.31	-	-	-	-
parietal lobe	C71.3	C79.31	-	D33.0	D43.0	D49.6
peduncle	C71.7	C79.31	-	D33.1	D43.1	D49.6
pons	C71.7	C79.31	-	D33.1	D43.1	D49.6
stem	C71.7	C79.31	-	D33.1	D43.1	D49.6
tapetum	C71.8	C79.31	-	D33.2	D43.2	D49.6
temporal lobe	C71.2	C79.31	-	D33.0	D43.0	D49.6
thalamus	C71.0	C79.31	-	D33.0	D43.0	D49.6
uncus	C71.2	C79.31	-	D33.0	D43.0	D49.6

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

ventricle (floor)	C71.5	C79.31	-	D33.0	D43.0	D49.6
fourth	C71.7	C79.31	-	D33.1	D43.1	D49.6
branchial (cleft) (cyst) (vestiges)	C10.4	C79.89	D00.08	D10.5	D37.05	D49.0
breast (connective tissue) (glandular tissue) (soft parts)						
female						
areola	C50.01-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
axillary tail	C50.61-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
central portion	C50.11-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
inner	C50.81-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
lower	C50.81-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
lower-inner quadrant	C50.31-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
lower-outer quadrant	C50.51-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
mastectomy site (skin)	C44.52	C79.2	-	-	-	-
specified as breast tissue	C50.81-	C79.81	-	-	-	-
midline	C50.81-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
nipple	C50.01-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
outer	C50.81-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
overlapping lesion	C50.81-	-	-	-	-	-
skin	C44.52	C79.2	D04.5	D23.5	D48.5	D49.2
tail (axillary)	C50.61-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
unspecified site	C50.91-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
upper	C50.81-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
upper-inner quadrant	C50.21-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
upper-outer quadrant	C50.41-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
male						
areola	C50.02-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
axillary tail	C50.62-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
central portion	C50.12-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
inner	C50.82-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
lower	C50.82-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
lower-inner quadrant	C50.32-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
lower-outer quadrant	C50.52-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
mastectomy site (skin)	C44.52	C79.2	-	-	-	-
specified as breast tissue	C50.82-	C79.81	-	-	-	-
midline	C50.82-	C79.81	D05.9-	D24.1-	D48.6-	D49.3

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

nipple	C50.02-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
outer	C50.82-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
overlapping lesion	C50.82-	-	-	-	-	-
skin	C44.52	C79.2	D04.5	D23.5	D48.5	D49.2
tail (axillary)	C50.62-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
unspecified site	C50.92-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
upper	C50.82-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
upper-inner quadrant	C50.22-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
upper-outer quadrant	C50.42-	C79.81	D05.9-	D24.1-	D48.6-	D49.3
skin	C44.52	C79.2	D04.5	D23.5	D48.5	D49.2
broad ligament	C57.1	C79.82	D07.39	D28.2	D39.7	D49.5
bronchiogenic, bronchogenic (lung)	C34.9-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
bronchiole	C34.9-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
bronchus						
carina	C34.0-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
lower lobe of lung	C34.3-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
main	C34.0-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
middle lobe of lung	C34.2	C78.01	D02.21	D14.31	D38.1	D49.1
overlapping lesion	C34.8-	-	-	-	-	-
unspecified site	C34.9-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
upper lobe of lung	C34.1-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
brow	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
buccal (cavity)	C06.9	C79.89	D00.00	D10.39	D37.09	D49.0
commissure	C06.0	C79.89	D00.02	D10.39	D37.09	D49.0
groove (lower) (upper)	C06.1	C79.89	D00.02	D10.39	D37.09	D49.0
mucosa	C06.0	C79.89	D00.02	D10.39	D37.09	D49.0
sulcus (lower) (upper)	C06.1	C79.89	D00.02	D10.39	D37.09	D49.0
bulbourethral gland	C68.0	C79.19	D09.19	D30.4	D41.3	D49.5
bursa-see Neoplasm, connective tissue						
buttock NEC*	C76.3	C79.89	D04.5	D36.7	D48.7	D49.89
caecum - see Neoplasm, cecum						
calf *	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
calvarium	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
calyx, renal	C65.-	C79.0-	D09.19	D30.1-	D41.1-	D49.5

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

canal						
anal	C21.1	C78.5	D01.3	D12.9	D37.7	D49.0
auditory (external)	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
auricular (external)	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
canaliculi, biliary (biliferi) (intrahepatic)	C22.1	C78.7	D01.5	D13.4	D37.6	D49.0
canthus (eye) (inner) (outer)	C44.1-	C79.2	D04.1-	D23.1-	D48.5	D49.2
capillary-see Neoplasm, connective tissue						
caput coli	C18.0	C78.5	D01.0	D12.0	D37.4	D49.0
cardia (gastric)	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
cardiac orifice (stomach)	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
cardio-esophageal junction	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
cardio-esophagus	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
carina (bronchus)	C34.0-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
carotid (artery)	C49.0	C79.89	-	D21.0	D48.1	D49.2
body	C75.4	C79.89	-	D35.5	D44.6	D49.7
carpus (any bone)						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
cartilage (articular) (joint) NEC (see also Neoplasm, bone)	C41.9	C79.51	-	D16.9	D48.0	D49.2
arytenoid	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
auricular	C49.0	C79.89	-	D21.0	D48.1	D49.2
bronchi	C34.0-	C78.39	-	D14.3-	D38.1	D49.1
connective tissue-see Neoplasm, connective tissue						
costal	C41.3	C79.51	-	D16.7	D48.0	D49.2
cricoid	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
cuneiform	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
ear (external)	C49.0	C79.89	-	D21.0	D48.1	D49.2
ensiform	C41.3	C79.51	-	D16.7	D48.0	D49.2
epiglottis	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
anterior surface	C10.1	C79.89	D00.08	D10.5	D37.05	D49.0
eyelid	C49.0	C79.89	-	D21.0	D48.1	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

intervertebral	C41.2	C79.51	-	D16.6	D48.0	D49.2
larynx, laryngeal	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
nose, nasal	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
pinna	C49.0	C79.89	-	D21.0	D48.1	D49.2
rib	C41.3	C79.51	-	D16.7	D48.0	D49.2
semilunar (knee)	C40.2-	C79.51	-	D16.2-	D48.0	D49.2
thyroid	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
trachea	C33	C78.39	D02.1	D14.2	D38.1	D49.1
cauda equina	C72.1	C79.49	-	D33.4	D43.4	D49.7
cavity						
buccal	C06.9	C79.89	D00.00	D10.30	D37.09	D49.0
nasal	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
oral	C06.9	C79.89	D00.00	D10.30	D37.09	D49.0
peritoneal	C48.2	C78.6	-	D20.1	D48.4	D49.0
tympanic	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
cecum	C18.0	C78.5	D01.0	D12.0	D37.4	D49.0
central nervous system-see also Neoplasm, nervous system						
white matter	C71.0	C79.31	-	D33.0	D43.0	D49.6
cerebellopontine (angle)	C71.6	C79.31	-	D33.1	D43.1	D49.6
cerebellum, cerebellar	C71.6	C79.31	-	D33.1	D43.1	D49.6
cerebrum, cerebral (cortex) (hemisphere) (white matter)	C71.0	C79.31	-	D33.0	D43.0	D49.6
meninges	C70.0	C79.32	-	D32.0	D42.0	D49.7
peduncle	C71.7	C79.31	-	D33.1	D43.1	D49.6
ventricle	C71.5	C79.31	-	D33.0	D43.0	D49.6
fourth	C71.7	C79.31	-	D33.1	D43.1	D49.6
cervical region	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
cervix (cervical) (uteri) (uterus)	C53.9	C79.82	D06.9	D26.0	D39.0	D49.5
canal	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
endocervix (canal) (gland)	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
exocervix	C53.1	C79.82	D06.1	D26.0	D39.0	D49.5
external os	C53.1	C79.82	D06.1	D26.0	D39.0	D49.5
internal os	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
nabothian gland	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
overlapping lesion	C53.8	-	-	-	-	-
squamocolumnar junction	C53.8	C79.82	D06.7	D26.0	D39.0	D49.5

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

stump	C53.8	C79.82	D06.7	D26.0	D39.0	D49.5
cheek	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
external	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
inner aspect	C06.0	C79.89	D00.02	D10.39	D37.09	D49.0
internal	C06.0	C79.89	D00.02	D10.39	D37.09	D49.0
mucosa	C06.0	C79.89	D00.02	D10.39	D37.09	D49.0
chest (wall) NEC	C76.1	C79.89	D09.7	D36.7	D48.7	D49.89
chiasma opticum	C72.3-	C79.49	-	D33.3	D43.3	D49.7
chin	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
choana	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
cholangiole	C22.1	C78.89	D01.5	D13.4	D37.6	D49.0
choledochal duct	C24.0	C78.89	D01.5	D13.5	D37.6	D49.0
choroid	C69.3-	C79.49	D09.2-	D31.3-	D48.7	D49.81
plexus	C71.5	C79.31	-	D33.0	D43.0	D49.6
ciliary body	C69.4-	C79.49	D09.2-	D31.40	D48.7	D49.89
clavicle	C41.3	C79.51	-	D16.7	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
clitoris	C51.2	C79.82	D07.1	D28.0	D39.7	D49.5
clivus	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
cloacogenic zone	C21.2	C78.5	D01.3	D12.9	D37.7	D49.0
coccygeal						
body or glomus	C75.5	C79.89	-	D35.6	D44.7	D49.7
vertebra	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
coccyx	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
colon-see also Neoplasm, intestine, large						
and rectum	C19	C78.5	D01.1	D12.7	D37.5	D49.0
column, spinal-see Neoplasm, spine						
columnella	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
commissure						
labial, lip	C00.6	C79.89	D00.01	D10.39	D37.01	D49.0
laryngeal	C32.0	C78.39	D02.0	D14.1	D38.0	D49.1
common (bile) duct	C24.0	C78.89	D01.5	D13.5	D37.6	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

concha						
left side	C44.22	C79.2	D04.22	D23.22	D48.5	D49.2
nose	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
right side	C44.21	C79.2	D04.21	D23.21	D48.5	D49.2
nose	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
unspecified side	C44.20	C79.2	D04.20	D23.20	D48.5	D49.2
nose	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
conjunctiva	C69.0-	C79.49	D09.2-	D31.0-	D48.7	D49.89
connective tissue NEC	C49.9	C79.89	-	D21.9	D48.1	D49.2
Note-For neoplasms of connective tissue (blood vessel, bursa, fascia, ligament, muscle, synovia, tendon, etc.) or of morphological types that indicate connective tissue, code according to the list under "Neoplasm, connective tissue;" for sites that do not appear in this list, code to neoplasm of that site; e.g.,						
liposarcoma, shoulder	C49.10					
leiomyosarcoma, stomach	C16.9					
Morphological types that indicate connective tissue appear in their proper place in the alphabetic index with the instruction "see Neoplasm, connective tissue"						
abdomen	C49.4	C79.89	-	D21.4	D48.1	D49.2
abdominal wall	C49.4	C79.89	-	D21.4	D48.1	D49.2
ankle	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
antecubital fossa or space	C49.1-	C79.89	-	D21.2-	D48.1	D49.2
arm	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
auricle (ear)	C49.0	C79.89	-	D21.0	D48.1	D49.2
axilla	C49.3	C79.89	-	D21.3	D48.1	D49.2
back	C49.6	C79.89	-	D21.6	D48.1	D49.2
breast-see Neoplasm, breast						
buttock	C49.5	C79.89	-	D21.5	D48.1	D49.2
calf	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
cervical region	C49.0	C79.89	-	D21.0	D48.1	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

cheek	C49.0	C79.89	-	D21.0	D48.1	D49.2
chest (wall)	C49.3	C79.89	-	D21.3	D48.1	D49.2
chin	C49.0	C79.89	-	D21.0	D48.1	D49.2
diaphragm	C49.3	C79.89	-	D21.3	D48.1	D49.2
ear (external)	C49.0	C79.89	-	D21.0	D48.1	D49.2
elbow	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
extrarectal	C49.5	C79.89	-	D21.5	D48.1	D49.2
extremity	C49.9	C79.89	-	D21.9	D48.1	D49.2
lower	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
upper	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
eyelid	C49.0	C79.89	-	D21.0	D48.1	D49.2
face.	C49.0	C79.89	-	D21.0	D48.1	D49.2
finger	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
flank	C49.6	C79.89	-	D21.6	D48.1	D49.2
foot	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
forearm	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
forehead	C49.0	C79.89	-	D21.0	D48.1	D49.2
gastric	C49.4	C79.89		D21.4	D48.1	D49.2
gastrointestinal	C49.4	C79.89		D21.4	D48.1	D49.2
gluteal region	C49.5	C79.89	-	D21.5	D48.1	D49.2
great vessels NEC	C49.3	C79.89	-	D21.3	D48.1	D49.2
groin	C49.5	C79.89	-	D21.5	D48.1	D49.2
hand	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
head	C49.0	C79.89	-	D21.0	D48.1	D49.2
heel	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
hip	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
hypochondrium	C49.4	C79.89	-	D21.4	D48.1	D49.2
iliopsoas muscle	C49.5	C79.89	-	D21.5	D48.1	D49.2
infraclavicular region	C49.3	C79.89	-	D21.3	D48.1	D49.2
inguinal (canal) (region)	C49.5	C79.89	-	D21.5	D48.1	D49.2
intestinal	C49.4	C79.89		D21.4	D48.1	D49.2
intrathoracic	C49.3	C79.89	-	D21.3	D48.1	D49.2
ischiorectal fossa	C49.5	C79.89	-	D21.5	D48.1	D49.2
jaw	C03.9	C79.89	D00.03	D10.39	D48.1	D49.0
knee	C49.2-	C79.89	-	D21.2-	D48.1	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

leg	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
limb NEC	C49.9	C79.89	-	D21.9	D48.1	D49.2
lower	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
upper	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
nates	C49.5	C79.89	-	D21.5	D48.1	D49.2
neck	C49.0	C79.89	-	D21.0	D48.1	D49.2
orbit	C69.6-	C79.49	D09.2-	D31.6-	D48.7	D49.89
overlapping lesion	C49.8	-	-	-	-	-
pararectal	C49.5	C79.89	-	D21.5	D48.1	D49.2
para-urethral	C49.5	C79.89	-	D21.5	D48.1	D49.2
paravaginal	C49.5	C79.89	-	D21.5	D48.1	D49.2
pelvis (floor)	C49.5	C79.89	-	D21.5	D48.1	D49.2
pelvo-abdominal	C49.8	C79.89	-	D21.6	D48.1	D49.2
perineum	C49.5	C79.89	-	D21.5	D48.1	D49.2
perirectal (tissue)	C49.5	C79.89	-	D21.5	D48.1	D49.2
periurethral (tissue)	C49.5	C79.89	-	D21.5	D48.1	D49.2
popliteal fossa or space	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
presacral	C49.5	C79.89	-	D21.5	D48.1	D49.2
psoas muscle	C49.4	C79.89	-	D21.4	D48.1	D49.2
pterygoid fossa	C49.0	C79.89	-	D21.0	D48.1	D49.2
rectovaginal septum or wall	C49.5	C79.89	-	D21.5	D48.1	D49.2
rectovesical	C49.5	C79.89	-	D21.5	D48.1	D49.2
retroperitoneum	C48.0	C78.6	-	D20.0	D48.3	D49.0
sacrococcygeal region	C49.5	C79.89	-	D21.5	D48.1	D49.2
scalp	C49.0	C79.89	-	D21.0	D48.1	D49.2
scapular region	C49.3	C79.89	-	D21.3	D48.1	D49.2
shoulder	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
skin (dermis) NEC	C44.9	C79.2	D04.9	D23.9	D48.5	D49.2
stomach	C49.4	C79.89		D21.4	D48.1	D49.2
submental	C49.0	C79.89	-	D21.0	D48.1	D49.2
supraclavicular region	C49.0	C79.89	-	D21.0	D48.1	D49.2
temple	C49.0	C79.89	-	D21.0	D48.1	D49.2
temporal region	C49.0	C79.89	-	D21.0	D48.1	D49.2
thigh	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
thoracic (duct) (wall)	C49.3	C79.89	-	D21.3	D48.1	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

thorax	C49.3	C79.89	-	D21.3	D48.1	D49.2
thumb	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
toe	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
trunk	C49.6	C79.89	-	D21.6	D48.1	D49.2
umbilicus	C49.4	C79.89	-	D21.4	D48.1	D49.2
vesicorectal	C49.5	C79.89	-	D21.5	D48.1	D49.2
wrist	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
conus medullaris	C72.0	C79.49	-	D33.4	D43.4	D49.7
cord (true) (vocal)	C32.0	C78.39	D02.0	D14.1	D38.0	D49.1
false	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
spermatic	C63.1-	C79.82	D07.69	D29.7	D40.7	D49.5
spinal (cervical) (lumbar) (thoracic)	C72.0	C79.49	-	D33.4	D43.4	D49.7
cornea (limbus)	C69.1-	C79.49	D09.2-	D31.1-	D48.7	D49.89
corpus						
albicans	C56.-	C79.6-	D07.39	D27.9	D39.1-	D49.5
callosum, brain	C71.0	C79.31	-	D33.2	D43.2	D49.6
cavernosum	C60.2	C79.82	D07.4	D29.0	D40.7	D49.5
gastric	C16.2	C78.89	D00.2	D13.1	D37.1	D49.0
penis	C60.2	C79.82	D07.4	D29.0	D40.7	D49.5
striatum, cerebrum	C71.0	C79.31	-	D33.0	D43.0	D49.6
uteri	C54.9	C79.82	D07.0	D26.1	D39.0	D49.5
isthmus	C54.0	C79.82	D07.0	D26.1	D39.0	D49.5
cortex						
adrenal	C74.0-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
cerebral	C71.0	C79.31	-	D33.0	D43.0	D49.6
costal cartilage	C41.3	C79.51	-	D16.7	D48.0	D49.2
costovertebral joint	C41.3	C79.51	-	D16.7	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
Cowper's gland	C68.0	C79.19	D09.19	D30.4	D41.3	D49.5
cranial (fossa, any)	C71.9	C79.31	-	D33.2	D43.2	D49.6
meninges	C70.0	C79.32	-	D32.0	D42.0	D49.7
nerve	C72.50	C79.49	-	D33.3	D43.3	D49.7
specified NEC	C72.59	C79.49	-	D33.3	D43.3	D49.7
craniobuccal pouch	C75.2	C79.89	D09.3	D35.2	D44.3	D49.7
craniopharyngeal (duct) (pouch)	C75.2	C79.89	D09.3	D35.3	D44.4	D49.7

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

cricoid	C13.0	C79.89	D00.08	D10.7	D37.05	D49.0
cartilage	C32.3	C79.89	D02.0	D14.1	D38.0	D49.1
cricopharynx	C13.0	C79.89	D00.08	D10.7	D37.05	D49.0
crypt of Morgagni	C21.8	C78.5	D01.3	D12.9	D37.7	D49.0
crystalline lens	C69.4-	C79.49	D09.2-	D31.4-	D48.7	D49.89
cul-de-sac (Douglas')	C48.1	C78.6	-	D20.1	D48.4	D49.0
cuneiform cartilage	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
cutaneous-see Neoplasm, skin						
cutis-see Neoplasm, skin						
cystic (bile) duct (common)	C24.0	C78.89	D01.5	D13.5	D37.6	D49.0
dermis-see Neoplasm, skin						
diaphragm	C49.3	C79.89	-	D21.3	D48.1	D49.2
digestive organs, system, tube, or tract NEC	C26.9	C78.89	D01.9	D13.9	D37.9	D49.0
disc, intervertebral	C41.2	C79.51	-	D16.6	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
disease, generalized	C80.0	C80.0	D09.9	D36.9	D48.9	C80.0
disseminated	C80.0	C80.0	D09.9	D36.9	D48.9	C80.0
Douglas' cul-de-sac or pouch	C48.1	C78.6	-	D20.1	D48.4	D49.0
duodenojejunal junction	C17.8	C78.4	D01.49	D13.39	D37.2	D49.0
duodenum	C17.0	C78.4	D01.49	D13.2	D37.2	D49.0
dura (cranial) (mater)	C70.9	C79.49	-	D32.9	D42.9	D49.7
cerebral	C70.0	C79.32	-	D32.0	D42.0	D49.7
spinal	C70.1	C79.49	-	D32.1	D42.1	D49.7
ear (external)						
left side	C44.22	C79.2	D04.22	D23.22	D48.5	D49.2
auricle or auris	C44.22	C79.2	D04.22	D23.22	D48.5	D49.2
canal, external	C44.22	C79.2	D04.22	D23.22	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
external meatus	C44.22	C79.2	D04.22	D23.22	D48.5	D49.2
inner	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
lobule	C44.22	C79.2	D04.22	D23.22	D48.5	D49.2
middle	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
overlapping lesion with accessory sinuses	C31.8	-	-	-	-	-
skin	C44.22	C79.2	D04.22	D23.22	D48.5	D49.2
right side	C44.21	C79.2	D04.21	D23.21	D48.5	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

auricle or auris	C44.21	C79.2	D04.21	D23.21	D48.5	D49.2
canal, external	C44.21	C79.2	D04.21	D23.21	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
external meatus	C44.21	C79.2	D04.21	D23.21	D48.5	D49.2
inner	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
lobule	C44.21	C79.2	D04.21	D23.21	D48.5	D49.2
middle	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
overlapping lesion with accessory sinuses	C31.8	-	-	-	-	-
skin	C44.21	C79.2	D04.21	D23.21	D48.5	D49.2
unspecified side	C44.20	C79.2	D04.20	D23.20	D48.5	D49.2
auricle or auris	C44.20	C79.2	D04.20	D23.20	D48.5	D49.2
canal, external	C44.20	C79.2	D04.20	D23.20	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
external meatus	C44.20	C79.2	D04.20	D23.20	D48.5	D49.2
inner	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
lobule	C44.20	C79.2	D04.20	D23.20	D48.5	D49.2
middle	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
overlapping lesion with accessory sinuses	C31.8	-	-	-	-	-
skin	C44.20	C79.2	D04.20	D23.20	D48.5	D49.2
earlobe	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
ejaculatory duct	C63.7	C79.82	D07.69	D29.7	D40.7	D49.5
elbow NEC*	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
endocardium	C38.0	C79.89	-	D15.1	D48.7	D49.89
endocervix (canal) (gland)	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
endocrine gland NEC	C75.9	C79.89	D09.3	D35.9	D44.9	D49.7
pluriglandular NEC	C75.8	C79.89	D09.3	D35.8	D44.8	D49.7
endometrium (gland) (stroma)	C54.1	C79.82	D07.0	D26.1	D39.0	D49.5
ensiform cartilage	C41.3	C79.51	-	D16.7	D48.0	D49.2
enteric-see Neoplasm, intestine						
ependyma (brain)	C71.5	C79.31	-	D33.0	D43.0	D49.6
fourth ventricle	C71.7	C79.31	-	D33.1	D43.1	D49.6
epicardium	C38.0	C79.89	-	D15.1	D48.7	D49.89
epididymis	C63.0-	C79.82	D07.69	D29.3-	D40.7	D49.5
epidural	C72.9	C79.49	-	D33.9	D43.9	D49.7
epiglottis	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
anterior aspect or surface	C10.1	C79.89	D00.08	D10.5	D37.05	D49.0
cartilage	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
free border (margin)	C10.1	C79.89	D00.08	D10.5	D37.05	D49.0
junctional region	C10.8	C79.89	D00.08	D10.5	D37.05	D49.0
posterior (laryngeal) surface	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
suprahyoid portion	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
esophagogastric junction	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
esophagus	C15.9	C78.89	D00.1	D13.0	D37.7	D49.0
abdominal	C15.5	C78.89	D00.1	D13.0	D37.7	D49.0
cervical	C15.3	C78.89	D00.1	D13.0	D37.7	D49.0
distal (third)	C15.5	C78.89	D00.1	D13.0	D37.7	D49.0
lower (third)	C15.5	C78.89	D00.1	D13.0	D37.7	D49.0
middle (third)	C15.4	C78.89	D00.1	D13.0	D37.7	D49.0
overlapping lesion	C15.8	-	-	-	-	-
proximal (third)	C15.3	C78.89	D00.1	D13.0	D37.7	D49.0
thoracic	C15.4	C78.89	D00.1	D13.0	D37.7	D49.0
upper (third)	C15.3	C78.89	D00.1	D13.0	D37.7	D49.0
ethmoid (sinus)	C31.1	C78.39	D02.3	D14.0	D38.5	D49.1
bone or labyrinth	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
Eustachian tube	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
exocervix	C53.1	C79.82	D06.1	D26.0	D39.0	D49.5
external						
meatus (ear)	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
os, cervix uteri	C53.1	C79.82	D06.1	D26.0	D39.0	D49.5
extradural	C72.9	C79.49	-	D33.9	D43.9	D49.7
extrahepatic (bile) duct	C24.0	C78.89	D01.5	D13.5	D37.6	D49.0
overlapping lesion with gallbladder	C24.8	-	-	-	-	-
extraocular muscle	C69.6-	C79.49	D09.2-	D31.6-	D48.7	D49.89
extrarectal	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
extremity*	C76.7	C79.89	D04.8	D36.7	D48.7	D49.89
lower *	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
upper *	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
eye NEC						
left side	C69.92	C79.49	D09.22	D31.92	D48.7	D49.89

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

overlapping lesion	C69.82	-	-	-	-	-
right side	C69.91	C79.49	D09.21	D31.91	D48.7	D49.89
overlapping lesion	C69.81	-	-	-	-	-
unspecified side	C69.90	C79.49	D09.20	D31.90	D48.7	D49.89
overlapping lesion	C69.80	-	-	-	-	-
eyeball	C69.4-	C79.49	D09.2-	D31.4-	D48.7	D49.89
eyebrow	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
eyelid (lower) (skin) (upper)						
left side	C44.12	C79.2	D04.12	D23.12	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
right side	C44.11	C79.2	D04.11	D23.11	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
unspecified side	C44.10	C79.2	D04.10	D23.10	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
face NEC*	C76.0	C79.89	D04.39	D36.7	D48.7	D49.89
fallopian tube (accessory)	C57.0-	C79.82	D07.39	D28.2	D39.7	D49.5
falx (cerebella) (cerebri)	C70.0	C79.32	-	D32.0	D42.0	D49.7
fascia-see also Neoplasm, connective tissue						
palmar	C49.1-	C79.89	-	D21.1-	D48.1	D49.2
plantar	C49.2-	C79.89	-	D21.2-	D48.1	D49.2
fatty tissue-see Neoplasm, connective tissue						
fauces, faucial NEC	C10.9	C79.89	D00.08	D10.5	D37.05	D49.0
pillars	C09.1	C79.89	D00.08	D10.5	D37.05	D49.0
tonsil	C09.9	C79.89	D00.08	D10.4	D37.05	D49.0
femur (any part)						
left side	C40.22	C79.51	-	D16.22	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.21	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.20	C79.51	-	D16.20	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
fetal membrane	C58	C79.82	D07.0	D26.7	D39.2	D49.5
fibrous tissue-see Neoplasm, connective tissue						
fibula (any part)						
left side	C40.22	C79.51	-	D16.22	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.21	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.20	C79.51	-	D16.20	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
filum terminale	C72.0	C79.49	-	D33.4	D43.4	D49.7
finger NEC*	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
flank NEC*	C76.7	C79.89	D04.5	D36.7	D48.7	D49.89
follicle, nabothian	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
foot NEC*	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
forearm NEC*	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
forehead (skin)	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
foreskin	C60.0	C79.82	D07.4	D29.0	D40.7	D49.5
fornix						
pharyngeal	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
vagina	C52	C79.82	D07.2	D28.1	D39.7	D49.5
fossa (of)						
anterior (cranial)	C71.9	C79.31	-	D33.2	D43.2	D49.6
cranial	C71.9	C79.31	-	D33.2	D43.2	D49.6
ischiorectal	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
middle (cranial)	C71.9	C79.31	-	D33.2	D43.2	D49.6
piriform	C12	C79.89	D00.08	D10.7	D37.05	D49.0
pituitary	C75.1	C79.89	D09.3	D35.2	D44.3	D49.7
posterior (cranial)	C71.9	C79.31	-	D33.2	D43.2	D49.6
pterygoid	C49.0	C79.89	-	D21.0	D48.1	D49.2
pyriform	C12	C79.89	D00.08	D10.7	D37.05	D49.0
Rosenmüller	C11.2	C79.89	D00.08	D10.6	D37.05	D49.0
tonsillar	C09.0	C79.89	D00.08	D10.5	D37.05	D49.0
fourchette	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
frenulum						
labii-see Neoplasm, lip, internal						
linguae	C02.2	C79.89	D00.07	D10.1	D37.02	D49.0
frontal						
bone	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

lobe, brain	C71.1	C79.31	-	D33.0	D43.0	D49.6
meninges	C70.0	C79.32	-	D32.0	D42.0	D49.7
pole	C71.1	C79.31	-	D33.0	D43.0	D49.6
sinus	C31.2	C78.39	D02.3	D14.0	D38.5	D49.1
fundus						
stomach	C16.1	C78.89	D00.2	D13.1	D37.1	D49.0
uterus	C54.3	C79.82	D07.0	D26.1	D39.0	D49.5
gall duct (extrahepatic)	C24.0	C78.89	D01.5	D13.5	D37.6	D49.0
intrahepatic	C22.1	C78.7	D01.5	D13.4	D37.6	D49.0
gallbladder	C23	C78.89	D01.5	D13.5	D37.6	D49.0
overlapping lesion with extrahepatic bile ducts	C24.8	-	-	-	-	-
ganglia (see also Neoplasm, nerve, peripheral)	C47.9	C79.89	-	D36.10	D48.2	D49.2
basal	C71.0	C79.31	-	D33.0	D43.0	D49.6
cranial nerve	C72.50	C79.49	-	D33.3	D43.3	D49.7
Gartner's duct	C52	C79.82	D07.2	D28.1	D39.7	D49.5
gastric-see Neoplasm, stomach						
gastrocolic	C26.9	C78.89	D01.9	D13.9	D37.9	D49.0
gastroesophageal junction	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
gastrointestinal (tract) NEC	C26.9	C78.89	D01.9	D13.9	D37.9	D49.0
generalized	C80.0	C80.0	D09.9	D36.9	D48.9	C80.0
genital organ or tract						
female NEC	C57.9	C79.82	D07.30	D28.9	D39.9	D49.5
overlapping lesion	C57.8	-	-	-	-	-
specified site NEC	C57.7	C79.82	D07.39	D28.7	D39.7	D49.5
male NEC	C63.9	C79.82	D07.60	D29.9	D40.9	D49.5
overlapping lesion	C63.8	-	-	-	-	-
specified site NEC	C63.7	C79.82	D07.69	D29.7	D40.7	D49.5
genitourinary tract						
female	C57.9	C79.82	D07.30	D28.9	D39.9	D49.5
male	C63.9	C79.82	D07.60	D29.9	D40.9	D49.5
gingiva (alveolar) (marginal)	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
mandibular	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
maxillary	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
gland, glandular (lymphatic) (system)-see also Neoplasm, lymph gland						
endocrine NEC	C75.9	C79.89	D09.3	D35.9	D44.9	D49.7
salivary-see Neoplasm, salivary gland						
glans penis	C60.1	C79.82	D07.4	D29.0	D40.7	D49.5
globus pallidus	C71.0	C79.31	-	D33.0	D43.0	D49.6
glomus						
coccygeal	C75.5	C79.89	-	D35.6	D44.7	D49.7
jugularis	C75.5	C79.89	-	D35.6	D44.7	D49.7
glosso-epiglottic fold(s)	C10.1	C79.89	D00.08	D10.5	D37.05	D49.0
glossopalatine fold	C09.1	C79.89	D00.08	D10.5	D37.05	D49.0
glossopharyngeal sulcus	C09.0	C79.89	D00.08	D10.5	D37.05	D49.0
glottis	C32.0	C78.39	D02.0	D14.1	D38.0	D49.1
gluteal region*	C76.3	C79.89	D04.5	D36.7	D48.7	D49.89
great vessels NEC	C49.3	C79.89	-	D21.3	D48.1	D49.2
groin NEC	C76.3	C79.89	D04.5	D36.7	D48.7	D49.89
gum	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
hand NEC*	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
head NEC*	C76.0	C79.89	D04.4	D36.7	D48.7	D49.89
heart	C38.0	C79.89	-	D15.1	D48.7	D49.89
overlapping lesion with mediastinum or pleura	C38.8	-	-	-	-	-
heel NEC*	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
helix	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
hematopoietic, hemopoietic tissue NEC	C96.9	C79.89	-	-	-	D47.9
hemisphere, cerebral	C71.0	C79.31	-	D33.0	D43.0	D49.6
hemorrhoidal zone	C21.1	C78.5	D01.3	D12.9	D37.7	D49.0
hepatic	C22.9	C78.7	D01.5	D13.4	D37.6	D49.0
duct (bile)	C24.0	C78.89	D01.5	D13.5	D37.6	D49.0
flexure (colon)	C18.3	C78.5	D01.0	D12.3	D37.4	D49.0
primary	C22.8	-	-	-	-	-
hilus of lung	C34.0-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
hip NEC*	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
hippocampus, brain	C71.2	C79.31	-	D33.0	D43.0	D49.6
humerus (any part)						

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
hymen	C52	C79.82	D07.2	D28.1	D39.7	D49.5
hypopharynx, hypopharyngeal NEC	C13.9	C79.89	D00.08	D10.7	D37.05	D49.0
overlapping lesion	C13.8	-	-	-	-	-
postcricoid region	C13.0	C79.89	D00.08	D10.7	D37.05	D49.0
posterior wall	C13.2	C79.89	D00.08	D10.7	D37.05	D49.0
pyriform fossa (sinus)	C12	C79.89	D00.08	D10.7	D37.05	D49.0
wall	C13.9	C79.89	D00.08	D10.7	D37.05	D49.0
posterior	C13.2	C79.89	D00.08	D10.7	D37.05	D49.0
hypophysis	C75.1	C79.89	D09.3	D35.2	D44.3	D49.7
hypothalamus	C71.0	C79.31	-	D33.0	D43.0	D49.6
ileocecum, ileocecal (coil) (junction) (valve)	C18.0	C78.5	D01.0	D12.0	D37.4	D49.0
ileum	C17.2	C78.4	D01.49	D13.39	D37.2	D49.0
ilium	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
immunoproliferative NEC	C88.9	-	-	-	-	-
infraclavicular (region)*	C76.1	C79.89	D04.5	D36.7	D48.7	D49.89
inguinal (region)*	C76.3	C79.89	D04.5	D36.7	D48.7	D49.89
insula	C71.0	C79.31	-	D33.0	D43.0	D49.6
insular tissue (pancreas)	C25.4	C78.89	D01.7	D13.7	D37.7	D49.0
brain	C71.0	C79.31	-	D33.0	D43.0	D49.6
interarytenoid fold	C13.1	C79.89	D00.08	D10.7	D37.05	D49.0
hypopharyngeal aspect	C13.1	C79.89	D00.08	D10.7	D37.05	D49.0
laryngeal aspect	C32.1	C79.89	D02.0	D14.1	D38.0	D49.1
marginal zone	C13.1	C79.89	D00.08	D10.7	D37.05	D49.0
interdental papillae	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
internal						
capsule	C71.0	C79.31	-	D33.0	D43.0	D49.6

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

os (cervix)	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
intervertebral cartilage or disc	C41.2	C79.51	-	D16.6	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
intestine, intestinal	C26.0	C78.80	D01.40	D13.9	D37.7	D49.0
large	C18.9	C78.5	D01.0	D12.6	D37.4	D49.0
appendix	C18.1	C78.5	D01.0	D12.1	D37.3	D49.0
caput coli	C18.0	C78.5	D01.0	D12.0	D37.4	D49.0
cecum	C18.0	C78.5	D01.0	D12.0	D37.4	D49.0
colon	C18.9	C78.5	D01.0	D12.6	D37.4	D49.0
and rectum	C19	C78.5	D01.1	D12.7	D37.5	D49.0
ascending	C18.2	C78.5	D01.0	D12.2	D37.4	D49.0
caput	C18.0	C78.5	D01.0	D12.0	D37.4	D49.0
descending	C18.6	C78.5	D01.0	D12.4	D37.4	D49.0
distal	C18.6	C78.5	D01.0	D12.4	D37.4	D49.0
left	C18.6	C78.5	D01.0	D12.4	D37.4	D49.0
overlapping lesion	C18.8	-	-	-	-	-
pelvic	C18.7	C78.5	D01.0	D12.5	D37.4	D49.0
right	C18.2	C78.5	D01.0	D12.2	D37.4	D49.0
sigmoid (flexure)	C18.7	C78.5	D01.0	D12.5	D37.4	D49.0
transverse	C18.4	C78.5	D01.0	D12.3	D37.4	D49.0
hepatic flexure	C18.3	C78.5	D01.0	D12.3	D37.4	D49.0
ileocecum, ileocecal (coil) (valve)	C18.0	C78.5	D01.0	D12.0	D37.4	D49.0
overlapping lesion	C18.8	-	-	-	-	-
sigmoid flexure (lower) (upper)	C18.7	C78.5	D01.0	D12.5	D37.4	D49.0
splenic flexure	C18.5	C78.5	D01.0	D12.3	D37.4	D49.0
small	C17.9	C78.4	D01.40	D13.30	D37.2	D49.0
duodenum	C17.0	C78.4	D01.49	D13.2	D37.2	D49.0
ileum	C17.2	C78.4	D01.49	D13.39	D37.2	D49.0
jejunum	C17.1	C78.4	D01.49	D13.39	D37.2	D49.0
overlapping lesion	C17.8	-	-	-	-	-
tract NEC	C26.0	C78.89	D01.40	D13.9	D37.7	D49.0
intra-abdominal	C76.2	C79.89	D09.7	D36.7	D48.7	D49.89
intracranial NEC	C71.9	C79.31	-	D33.2	D43.2	D49.6
intrahepatic (bile) duct	C22.1	C78.7	D01.5	D13.4	D37.6	D49.0
intraocular	C69.4-	C79.49	D09.2-	D31.4-	D48.7	D49.89

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

intraorbital	C69.6-	C79.49	D09.2-	D31.6-	D48.7	D49.89
intrasellar	C75.1	C79.89	D09.3	D35.2	D44.3	D49.7
intrathoracic (cavity) (organs NEC)	C76.1	C79.89	D09.7	D36.7	D48.7	D49.89
iris	C69.4-	C79.49	D09.2-	D31.4-	D48.7	D49.89
ischiorectal (fossa)	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
ischium	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
island of Reil	C71.0	C79.31	-	D33.0	D43.0	D49.6
islands or islets of Langerhans	C25.4	C78.89	D01.7	D13.7	D37.7	D49.0
isthmus uteri	C54.0	C79.82	D07.0	D26.1	D39.0	D49.5
jaw	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
bone	C41.1	C79.51	-	D16.5	D48.0	D49.2
carcinoma	C03.9	-	-	-	-	-
lower	C03.1	-	-	-	-	-
upper	C03.0	-	-	-	-	-
lower	C41.1	C79.51	-	D16.5	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
marrow NEC	C96.9	C79.52	-	-	-	D47.9
upper	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
carcinoma (any type) (lower) (upper)	C76.0	-	-	-	-	-
skin	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
soft tissues	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
jejunum	C17.1	C78.4	D01.49	D13.39	D37.2	D49.0
joint NEC (see also Neoplasm, bone)	C41.9	C79.51	-	D16.9	D48.0	D49.2
acromioclavicular	C40.0-	C79.51	-	D16.0-	D48.0	D49.2
bursa or synovial membrane-see Neoplasm, connective tissue						
costovertebral	C41.3	C79.51	-	D16.7	D48.0	D49.2
sternocostal	C41.3	C79.51	-	D16.7	D48.0	D49.2
temporomandibular	C41.1	C79.51	-	D16.5	D48.0	D49.2
junction						
anorectal	C21.8	C78.5	D01.3	D12.9	D37.7	D49.0
cardioesophageal	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
esophagogastric	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
gastroesophageal	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
hard and soft palate	C05.9	C79.89	D00.00	D10.39	D37.09	D49.0
ileocecal	C18.0	C78.5	D01.0	D12.0	D37.4	D49.0
pelvirectal	C19	C78.5	D01.1	D12.7	D37.5	D49.0
pelviureteric	C65.-	C79.0-	D09.19	D30.1-	D41.1-	D49.5
rectosigmoid	C19	C78.5	D01.1	D12.7	D37.5	D49.0
squamocolumnar, of cervix	C53.8	C79.82	D06.7	D26.0	D39.0	D49.5
kidney (parenchymal)						
calyx	C65.-	C79.0-	D09.19	D30.1-	D41.1-	D49.5
hilus	C65.-	C79.0-	D09.19	D30.1-	D41.1-	D49.5
pelvis	C65.-	C79.0-	D09.19	D30.1-	D41.1-	D49.5
unspecified site	C64.-	C79.0-	D09.19	D30.0-	D41.0-	D49.5
knee NEC*	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
labia (skin)	C51.9	C79.82	D07.0	D28.0	D39.7	D49.5
majora	C51.0	C79.82	D07.0	D28.0	D39.7	D49.5
minora	C51.1	C79.82	D07.0	D28.0	D39.7	D49.5
labial-see also Neoplasm, lip						
sulcus (lower) (upper)	C06.1	C79.89	D00.02	D10.39	D37.09	D49.0
labium (skin)	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
majus	C51.0	C79.82	D07.1	D28.0	D39.7	D49.5
minus	C51.1	C79.82	D07.1	D28.0	D39.7	D49.5
lacrimal						
canaliculi	C69.5-	C79.49	D09.2-	D31.5-	D48.7	D49.89
duct (nasal)	C69.5-	C79.49	D09.2-	D31.5-	D48.7	D49.89
gland	C69.5-	C79.49	D09.2-	D31.5-	D48.7	D49.89
punctum	C69.5-	C79.49	D09.2-	D31.5-	D48.7	D49.89
sac	C69.5-	C79.49	D09.2-	D31.5-	D48.7	D49.89
Langerhans, islands or islets	C25.4	C78.89	D01.7	D13.7	D37.7	D49.0
laryngopharynx	C14.8	C79.89	D00.08	D10.7	D37.05	D49.0
larynx, laryngeal NEC	C32.9	C78.39	D02.0	D14.1	D38.0	D49.1
aryepiglottic fold	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
cartilage (arytenoid) (cricoid) (cuneiform) (thyroid)	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
commissure (anterior) (posterior)	C32.0	C78.39	D02.0	D14.1	D38.0	D49.1
extrinsic NEC	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

meaning hypopharynx	C13.9	C79.89	D00.08	D10.7	D37.05	D49.0
interarytenoid fold	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
intrinsic	C32.0	C78.39	D02.0	D14.1	D38.0	D49.1
overlapping lesion	C32.8	-	-	-	-	-
ventricular band	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
leg NEC*	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
lens, crystalline	C69.4-	C79.49	D09.2-	D31.4-	D48.7	D49.89
lid (lower) (upper)	C44.1-	C79.2	D04.1-	D23.1-	D48.5	D49.2
ligament-see also Neoplasm, connective tissue						
broad	C57.1	C79.82	D07.39	D28.2	D39.7	D49.5
Mackenrodt's	C57.7	C79.82	D07.39	D28.7	D39.7	D49.5
non-uterine-see Neoplasm, connective tissue						
round	C57.2	C79.82	-	D28.2	D39.7	D49.5
sacro-uterine	C57.3	C79.82	-	D28.2	D39.7	D49.5
uterine	C57.3	C79.82	-	D28.2	D39.7	D49.5
utero-ovarian	C57.7	C79.82	D07.39	D28.2	D39.7	D49.5
uterosacral	C57.3	C79.82	-	D28.2	D39.7	D49.5
limb*	C76.7	C79.89	D04.8	D36.7	D48.7	D49.89
lower *	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
upper *	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
limbus of cornea	C69.1-	C79.49	D09.2-	D31.1-	D48.7	D49.89
lingual NEC (see also Neoplasm, tongue)	C02.9	C79.89	D00.07	D10.1	D37.02	D49.0
lingula, lung	C34.1-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
lip	C00.9	C79.89	D00.01	D10.0	D37.01	D49.0
buccal aspect-see Neoplasm, lip, internal						
commissure	C00.6	C79.89	D00.01	D10.0	D37.01	D49.0
external	C00.2	C79.89	D00.01	D10.0	D37.01	D49.0
lower	C00.1	C79.89	D00.01	D10.0	D37.01	D49.0
upper	C00.0	C79.89	D00.01	D10.0	D37.01	D49.0
frenulum-see Neoplasm, lip, internal						
inner aspect-see Neoplasm, lip, internal						
internal	C00.5	C79.89	D00.01	D10.0	D37.01	D49.0
lower	C00.4	C79.89	D00.01	D10.0	D37.01	D49.0
upper	C00.3	C79.89	D00.01	D10.0	D37.01	D49.0
lipstick area	C00.2	C79.89	D00.01	D10.0	D37.01	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

lower	C00.1	C79.89	D00.01	D10.0	D37.01	D49.0
upper	C00.0	C79.89	D00.01	D10.0	D37.01	D49.0
lower	C00.1	C79.89	D00.01	D10.0	D37.01	D49.0
internal	C00.4	C79.89	D00.01	D10.0	D37.01	D49.0
mucosa-see Neoplasm, lip, internal						
oral aspect-see Neoplasm, lip, internal						
overlapping lesion	C00.8	-	-	-	-	-
with oral cavity or pharynx	C14.8	-	-	-	-	-
skin (commissure) (lower) (upper)	C44.0	C79.2	D04.0	D23.0	D48.5	D49.2
upper	C00.0	C79.89	D00.01	D10.0	D37.01	D49.0
internal	C00.3	C79.89	D00.01	D10.0	D37.01	D49.0
vermilion border	C00.2	C79.89	D00.01	D10.0	D37.01	D49.0
lower	C00.1	C79.89	D00.01	D10.0	D37.01	D49.0
upper	C00.0	C79.89	D00.01	D10.0	D37.01	D49.0
liver	C22.9	C78.7	D01.5	D13.4	D37.6	D49.0
primary	C22.8	-	-	-	-	-
lobe						
azygos	C34.1-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
frontal	C71.1	C79.31	-	D33.0	D43.0	D49.6
lower	C34.3-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
middle	C34.2	C78.01	D02.21	D14.31	D38.1	D49.1
occipital	C71.4	C79.31	-	D33.0	D43.0	D49.6
parietal	C71.3	C79.31	-	D33.0	D43.0	D49.6
temporal	C71.2	C79.31	-	D33.0	D43.0	D49.6
upper	C34.1-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
lumbosacral plexus	C47.5	C79.49	-	D36.16	D48.2	D49.2
lung						
azygos lobe	C34.1-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
carina	C34.0-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
hilus	C34.0-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
linqua	C34.1-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
lobe NEC	C34.9-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
lower lobe	C34.3-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
main bronchus	C34.0-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
middle lobe	C34.2	C78.01	D02.21	D14.31	D38.1	D49.1

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

overlapping lesion	C34.8-	-	-	-	-	-
unspecified site	C34.9-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
upper lobe	C34.1-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
lymph, lymphatic channel NEC (see also Neoplasm, connective tissue)	C49.9	C79.89	-	D21.9	D48.1	D49.2
gland (secondary)	-	C77.9	-	D36.0	D48.7	D49.89
abdominal	-	C77.2	-	D36.0	D48.7	D49.89
aortic	-	C77.2	-	D36.0	D48.7	D49.89
arm	-	C77.3	-	D36.0	D48.7	D49.89
auricular (anterior) (posterior)	-	C77.0	-	D36.0	D48.7	D49.89
axilla, axillary	-	C77.3	-	D36.0	D48.7	D49.89
brachial	-	C77.3	-	D36.0	D48.7	D49.89
bronchial	-	C77.1	-	D36.0	D48.7	D49.89
bronchopulmonary	-	C77.1	-	D36.0	D48.7	D49.89
celiac	-	C77.2	-	D36.0	D48.7	D49.89
cervical	-	C77.0	-	D36.0	D48.7	D49.89
cervicofacial	-	C77.0	-	D36.0	D48.7	D49.89
Cloquet	-	C77.4	-	D36.0	D48.7	D49.89
colic	-	C77.2	-	D36.0	D48.7	D49.89
common duct	-	C77.2	-	D36.0	D48.7	D49.89
cubital	-	C77.3	-	D36.0	D48.7	D49.89
diaphragmatic	-	C77.1	-	D36.0	D48.7	D49.89
epigastric, inferior	-	C77.1	-	D36.0	D48.7	D49.89
epitrochlear	-	C77.3	-	D36.0	D48.7	D49.89
esophageal	-	C77.1	-	D36.0	D48.7	D49.89
face	-	C77.0	-	D36.0	D48.7	D49.89
femoral	-	C77.4	-	D36.0	D48.7	D49.89
gastric	-	C77.2	-	D36.0	D48.7	D49.89
groin	-	C77.4	-	D36.0	D48.7	D49.89
head	-	C77.0	-	D36.0	D48.7	D49.89
hepatic	-	C77.2	-	D36.0	D48.7	D49.89
hilar (pulmonary)	-	C77.1	-	D36.0	D48.7	D49.89
splenic	-	C77.2	-	D36.0	D48.7	D49.89
hypogastric	-	C77.5	-	D36.0	D48.7	D49.89
ileocolic	-	C77.2	-	D36.0	D48.7	D49.89
iliac	-	C77.5	-	D36.0	D48.7	D49.89

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

infraclavicular	-	C77.3	-	D36.0	D48.7	D49.89
inguinal, inguinal	-	C77.4	-	D36.0	D48.7	D49.89
innominate	-	C77.1	-	D36.0	D48.7	D49.89
intercostal	-	C77.1	-	D36.0	D48.7	D49.89
intestinal	-	C77.2	-	D36.0	D48.7	D49.89
intrabdominal	-	C77.2	-	D36.0	D48.7	D49.89
intrapelvic	-	C77.5	-	D36.0	D48.7	D49.89
intrathoracic	-	C77.1	-	D36.0	D48.7	D49.89
jugular	-	C77.0	-	D36.0	D48.7	D49.89
leg	-	C77.4	-	D36.0	D48.7	D49.89
limb	-					
lower	-	C77.4	-	D36.0	D48.7	D49.89
upper	-	C77.3	-	D36.0	D48.7	D49.89
lower limb	-	C77.4	-	D36.0	D48.7	D49.89
lumbar	-	C77.2	-	D36.0	D48.7	D49.89
mandibular	-	C77.0	-	D36.0	D48.7	D49.89
mediastinal	-	C77.1	-	D36.0	D48.7	D49.89
mesenteric (inferior) (superior)	-	C77.2	-	D36.0	D48.7	D49.89
midcolic	-	C77.2	-	D36.0	D48.7	D49.89
multiple sites in categories C77.0 - C77.5	-	C77.8	-	D36.0	D48.7	D49.89
neck	-	C77.0	-	D36.0	D48.7	D49.89
obturator	-	C77.5	-	D36.0	D48.7	D49.89
occipital	-	C77.0	-	D36.0	D48.7	D49.89
pancreatic	-	C77.2	-	D36.0	D48.7	D49.89
para-aortic	-	C77.2	-	D36.0	D48.7	D49.89
paracervical	-	C77.5	-	D36.0	D48.7	D49.89
parametrial	-	C77.5	-	D36.0	D48.7	D49.89
parasternal	-	C77.1	-	D36.0	D48.7	D49.89
parotid	-	C77.0	-	D36.0	D48.7	D49.89
pectoral	-	C77.3	-	D36.0	D48.7	D49.89
pelvic	-	C77.5	-	D36.0	D48.7	D49.89
peri-aortic	-	C77.2	-	D36.0	D48.7	D49.89
peripancreatic	-	C77.2	-	D36.0	D48.7	D49.89
popliteal	-	C77.4	-	D36.0	D48.7	D49.89
porta hepatis	-	C77.2	-	D36.0	D48.7	D49.89

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

portal	-	C77.2	-	D36.0	D48.7	D49.89
preauricular	-	C77.0	-	D36.0	D48.7	D49.89
prelaryngeal	-	C77.0	-	D36.0	D48.7	D49.89
presymphysial	-	C77.5	-	D36.0	D48.7	D49.89
pretracheal	-	C77.0	-	D36.0	D48.7	D49.89
primary (any site) NEC	C96.9	-	-	-	-	-
pulmonary (hilar)	-	C77.1	-	D36.0	D48.7	D49.89
pyloric	-	C77.2	-	D36.0	D48.7	D49.89
retroperitoneal	-	C77.2	-	D36.0	D48.7	D49.89
retropharyngeal	-	C77.0	-	D36.0	D48.7	D49.89
Rosenmüller's	-	C77.4	-	D36.0	D48.7	D49.89
sacral	-	C77.5	-	D36.0	D48.7	D49.89
scalene	-	C77.0	-	D36.0	D48.7	D49.89
site NEC	-	C77.9	-	D36.0	D48.7	D49.89
splenic (hilar)	-	C77.2	-	D36.0	D48.7	D49.89
subclavicular	-	C77.3	-	D36.0	D48.7	D49.89
subinguinal	-	C77.4	-	D36.0	D48.7	D49.89
sublingual	-	C77.0	-	D36.0	D48.7	D49.89
submandibular	-	C77.0	-	D36.0	D48.7	D49.89
submaxillary	-	C77.0	-	D36.0	D48.7	D49.89
submental	-	C77.0	-	D36.0	D48.7	D49.89
subscapular	-	C77.3	-	D36.0	D48.7	D49.89
supraclavicular	-	C77.0	-	D36.0	D48.7	D49.89
thoracic	-	C77.1	-	D36.0	D48.7	D49.89
tibial	-	C77.4	-	D36.0	D48.7	D49.89
tracheal	-	C77.1	-	D36.0	D48.7	D49.89
tracheobronchial	-	C77.1	-	D36.0	D48.7	D49.89
upper limb	-	C77.3	-	D36.0	D48.7	D49.89
Virchow's	-	C77.0	-	D36.0	D48.7	D49.89
node-see also Neoplasm, lymph gland						
primary NEC	C96.9	-	-	-	-	-
vessel (see also Neoplasm, connective tissue)	C49.9	C79.89	-	D21.9	D48.1	D49.2
Mackenrodt's ligament	C57.7	C79.82	D07.39	D28.7	D39.7	D49.5
malar	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

region-see Neoplasm, cheek						
mammary gland-see Neoplasm, breast						
mandible	C41.1	C79.51	-	D16.5	D48.0	D49.2
alveolar						
mucosa	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
ridge or process	C41.1	C79.51	-	D16.5	D48.0	D49.2
carcinoma	C03.1	-	-	-	-	-
marrow NEC	C96.9	C79.52	-	-	-	D47.9
carcinoma	C03.1	-	-	-	-	-
marrow NEC	C96.9	C79.52	-	-	-	D47.9
marrow (bone) NEC	C96.9	C79.52	-	-	-	D47.9
mastectomy site (skin)	C44.52	C79.2	-	-	-	-
specified as breast tissue						
female	C50.81-	C79.81	-	-	-	-
male	C50.82-	C79.81	-	-	-	-
mastoid (air cells) (antrum) (cavity)	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
bone or process	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
maxilla, maxillary (superior)	C41.0	C79.51	-	D16.4	D48.0	D49.2
alveolar						
mucosa	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
ridge or process	C41.0	C79.51	-	D16.4	D48.0	D49.2
carcinoma	C03.0	-	-	-	-	-
marrow NEC	C96.9	C79.52	-	-	-	D47.9
antrum	C31.0	C78.39	D02.3	D14.0	D38.5	D49.1
carcinoma	C03.0	-	-	-	-	-
inferior-see Neoplasm, mandible						
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sinus	C31.0	C78.39	D02.3	D14.0	D38.5	D49.1
meatus						
external (ear)	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
Meckel's diverticulum	C17.3	C78.4	D01.49	D13.39	D37.2	D49.0
mediastinum, mediastinal	C38.3	C78.1	-	D15.2	D38.3	D49.89
anterior	C38.1	C78.1	-	D15.2	D38.3	D49.89
overlapping lesion with heart or pleura	C38.8	-	-	-	-	-

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

posterior	C38.2	C78.1	-	D15.2	D38.3	D49.89
medulla						
adrenal	C74.1-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
oblongata	C71.7	C79.31	-	D33.1	D43.1	D49.6
meibomian gland	C44.1-	C79.2	D04.1-	D23.1-	D48.5	D49.2
melanoma-see Melanoma						
meninges	C70.9	C79.49	-	D32.9	D42.9	D49.7
brain	C70.0	C79.32	-	D32.0	D42.0	D49.7
cerebral	C70.0	C79.32	-	D32.0	D42.0	D49.7
cranial	C70.0	C79.32	-	D32.0	D42.0	D49.7
intracranial	C70.0	C79.32	-	D32.0	D42.0	D49.7
spinal (cord)	C70.1	C79.49	-	D32.1	D42.1	D49.7
meniscus, knee joint (lateral) (medial)	C40.2-	C79.51	-	D16.2-	D48.0	D49.2
mesentery, mesenteric	C48.1	C78.6	-	D20.1	D48.4	D49.0
mesoappendix	C48.1	C78.6	-	D20.1	D48.4	D49.0
mesocolon	C48.1	C78.6	-	D20.1	D48.4	D49.0
mesopharynx-see Neoplasm, oropharynx						
mesosalpinx	C57.1	C79.82	D07.39	D28.2	D39.7	D49.5
mesovarium	C57.1	C79.82	D07.39	D28.2	D39.7	D49.5
metacarpus (any bone)						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
metastatic NEC-see also Neoplasm, by site, secondary		C80	-	-	-	-
metatarsus (any bone)						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
midbrain	C71.7	C79.31	-	D33.1	D43.1	D49.6

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

milk duct-see Neoplasm, breast						
mons						
pubis	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
veneris	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
motor tract	C72.9	C79.49	-	D33.9	D43.9	D49.7
brain	C71.9	C79.31	-	D33.2	D43.2	D49.6
cauda equina	C72.1	C79.49	-	D33.4	D43.4	D49.7
spinal	C72.0	C79.49	-	D33.4	D43.4	D49.7
mouth	C06.9	C79.89	D00.00	D10.30	D37.09	D49.0
floor	C04.9	C79.89	D00.06	D10.2	D37.09	D49.0
anterior portion	C04.0	C79.89	D00.06	D10.2	D37.09	D49.0
lateral portion	C04.1	C79.89	D00.06	D10.2	D37.09	D49.0
overlapping lesion	C04.8	-	-	-	-	-
overlapping lesion of						
other parts of mouth	C06.89	-	-	-	-	-
unspecified parts of mouth	C06.80	-	-	-	-	-
roof	C05.9	C79.89	D00.00	D10.39	D37.09	D49.0
specified part NEC	C06.89	C79.89	D00.00	D10.39	D37.09	D49.0
vestibule	C06.1	C79.89	D00.00	D10.39	D37.09	D49.0
mucosa						
alveolar (ridge or process)	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
lower	C03.1	C79.89	D00.03	D10.39	D37.09	D49.0
upper	C03.0	C79.89	D00.03	D10.39	D37.09	D49.0
buccal	C06.0	C79.89	D00.02	D10.39	D37.09	D49.0
cheek	C06.0	C79.89	D00.02	D10.39	D37.09	D49.0
lip-see Neoplasm, lip, internal						
nasal	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
oral	C06.0	C79.89	D00.02	D10.39	D37.09	D49.0
Müllerian duct						
female	C57.7	C79.82	D07.39	D28.7	D39.7	D49.5
male	C63.7	C79.82	D07.69	D29.7	D40.7	D49.5
multiple sites NEC	C80.0	C80.0	D09.9	D36.9	D48.9	C80.0
muscle-see also Neoplasm, connective tissue						
extraocular	C69.6-	C79.49	D09.2-	D31.6-	D48.7	D49.89
myocardium	C38.0	C79.89	-	D15.1	D48.7	D49.89

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

myometrium	C54.2	C79.82	D07.0	D26.1	D39.0	D49.5
myopericardium	C38.0	C79.89	-	D15.1	D48.7	D49.89
nabothian gland (follicle)	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
nail	C44.9	C79.2	D04.9	D23.9	D48.5	D49.2
finger	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
toe	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
nares, naris (anterior) (posterior)	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
nasal-see Neoplasm, nose						
nasolabial groove	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
nasolacrimal duct	C69.5-	C79.49	D09.2-	D31.5-	D48.7	D49.89
nasopharynx, nasopharyngeal	C11.9	C79.89	D00.08	D10.6	D37.05	D49.0
floor	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
overlapping lesion	C11.8	-	-	-	-	-
roof	C11.0	C79.89	D00.08	D10.6	D37.05	D49.0
wall	C11.9	C79.89	D00.08	D10.6	D37.05	D49.0
anterior	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
lateral	C11.2	C79.89	D00.08	D10.6	D37.05	D49.0
posterior	C11.1	C79.89	D00.08	D10.6	D37.05	D49.0
superior	C11.0	C79.89	D00.08	D10.6	D37.05	D49.0
nates	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
neck NEC*	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
nerve (ganglion)	C47.9	C79.89	-	D36.10	D48.2	D49.2
abducens	C72.59	C79.49	-	D33.3	D43.3	D49.7
accessory (spinal)	C72.59	C79.49	-	D33.3	D43.3	D49.7
acoustic	C72.4-	C79.49	-	D33.3	D43.3	D49.7
auditory	C72.4-	C79.49	-	D33.3	D43.3	D49.7
autonomic NEC (see also Neoplasm, nerve, peripheral)	C47.9	C79.89	-	D36.10	D48.2	D49.2
brachial	C47.1-	C79.89	-	D36.12	D48.2	D49.2
cranial	C72.50	C79.49	-	D33.3	D43.3	D49.7
specified NEC	C72.59	C79.49	-	D33.3	D43.3	D49.7
facial	C72.59	C79.49	-	D33.3	D43.3	D49.7
femoral	C47.2-	C79.89	-	D36.13	D48.2	D49.2
ganglion NEC (see also Neoplasm, nerve, peripheral)	C47.9	C79.89	-	D36.10	D48.2	D49.2
glossopharyngeal	C72.59	C79.49	-	D33.3	D43.3	D49.7
hypoglossal	C72.59	C79.49	-	D33.3	D43.3	D49.7

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

intercostal	C47.3	C79.89	-	D36.14	D48.2	D49.2
lumbar	C47.6	C79.89	-	D36.17	D48.2	D49.2
median	C47.1-	C79.89	-	D36.12	D48.2	D49.2
obturator	C47.2-	C79.89	-	D36.13	D48.2	D49.2
oculomotor	C72.59	C79.49	-	D33.3	D43.3	D49.7
olfactory	C47.2-	C79.49	-	D33.3	D43.3	D49.7
optic	C72.3-	C79.49	-	D33.3	D43.3	D49.7
parasympathetic NEC -						
(see also Neoplasm, nerve, peripheral)	C47.9	C79.89	-	D36.10	D48.2	D49.2
peripheral NEC	C47.9	C79.89	-	D36.10	D48.2	D49.2
abdomen	C47.4	C79.89	-	D36.15	D48.2	D49.2
abdominal wall	C47.4	C79.89	-	D36.15	D48.2	D49.2
ankle	C47.2-	C79.89	-	D36.13	D48.2	D49.2
antecubital fossa or space	C47.1-	C79.89	-	D36.12	D48.2	D49.2
arm	C47.1-	C79.89	-	D36.12	D48.2	D49.2
auricle (ear)	C47.0	C79.89	-	D36.11	D48.2	D49.2
axilla	C47.3	C79.89	-	D36.12	D48.2	D49.2
back	C47.6	C79.89	-	D36.17	D48.2	D49.2
buttock	C47.5	C79.89	-	D36.16	D48.2	D49.2
calf	C47.2-	C79.89	-	D36.13	D48.2	D49.2
cervical region	C47.0	C79.89	-	D36.11	D48.2	D49.2
cheek	C47.0	C79.89	-	D36.11	D48.2	D49.2
chest (wall)	C47.3	C79.89	-	D36.14	D48.2	D49.2
chin	C47.0	C79.89	-	D36.11	D48.2	D49.2
ear (external)	C47.0	C79.89	-	D36.11	D48.2	D49.2
elbow	C47.1-	C79.89	-	D36.12	D48.2	D49.2
extrarectal	C47.5	C79.89	-	D36.16	D48.2	D49.2
extremity	C47.9	C79.89	-	D36.10	D48.2	D49.2
lower	C47.2-	C79.89	-	D36.13	D48.2	D49.2
upper	C47.1-	C79.89	-	D36.12	D48.2	D49.2
eyelid	C47.0	C79.89	-	D36.11	D48.2	D49.2
face	C47.0	C79.89	-	D36.11	D48.2	D49.2
finger	C47.1-	C79.89	-	D36.12	D48.2	D49.2
flank	C47.6	C79.89	-	D36.17	D48.2	D49.2
foot	C47.2-	C79.89	-	D36.13	D48.2	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

forearm	C47.1-	C79.89	-	D36.12	D48.2	D49.2
forehead	C47.0	C79.89	-	D36.11	D48.2	D49.2
gluteal region	C47.5	C79.89	-	D36.16	D48.2	D49.2
groin	C47.5	C79.89	-	D36.16	D48.2	D49.2
hand	C47.1-	C79.89	-	D36.12	D48.2	D49.2
head	C47.0	C79.89	-	D36.11	D48.2	D49.2
heel	C47.2-	C79.89	-	D36.13	D48.2	D49.2
hip	C47.2-	C79.89	-	D36.13	D48.2	D49.2
infraclavicular region	C47.3	C79.89	-	D36.14	D48.2	D49.2
inguinal (canal) (region)	C47.5	C79.89	-	D36.16	D48.2	D49.2
intrathoracic	C47.3	C79.89	-	D36.14	D48.2	D49.2
ischiorectal fossa	C47.5	C79.89	-	D36.16	D48.2	D49.2
knee	C47.2-	C79.89	-	D36.13	D48.2	D49.2
leg	C47.2-	C79.89	-	D36.13	D48.2	D49.2
limb NEC	C47.9	C79.89	-	D36.10	D48.2	D49.2
lower	C47.2-	C79.89	-	D36.13	D48.2	D49.2
upper	C47.1-	C79.89	-	D36.12	D48.2	D49.2
nates	C47.5	C79.89	-	D36.16	D48.2	D49.2
neck	C47.0	C79.89	-	D36.11	D48.2	D49.2
orbit	C69.6-	C79.49	-	D31.60	D48.7	D49.2
pararectal	C47.5	C79.89	-	D36.16	D48.2	D49.2
paraurethral	C47.5	C79.89	-	D36.16	D48.2	D49.2
paravaginal	C47.5	C79.89	-	D36.16	D48.2	D49.2
pelvis (floor)	C47.5	C79.89	-	D36.16	D48.2	D49.2
pelvoabdominal	C47.8	C79.89	-	D36.17	D48.2	D49.2
perineum	C47.5	C79.89	-	D36.16	D48.2	D49.2
perirectal (tissue)	C47.5	C79.89	-	D36.16	D48.2	D49.2
periurethral (tissue)	C47.5	C79.89	-	D36.16	D48.2	D49.2
popliteal fossa or space	C47.2-	C79.89	-	D36.13	D48.2	D49.2
presacral	C47.5	C79.89	-	D36.16	D48.2	D49.2
pterygoid fossa	C47.0	C79.89	-	D36.11	D48.2	D49.2
rectovaginal septum or wall	C47.5	C79.89	-	D36.16	D48.2	D49.2
rectovesical	C47.5	C79.89	-	D36.16	D48.2	D49.2
sacrococcygeal region	C47.5	C79.89	-	D36.16	D48.2	D49.2
scalp	C47.0	C79.89	-	D36.11	D48.2	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

scapular region	C47.3	C79.89	-	D36.14	D48.2	D49.2
shoulder	C47.1-	C79.89	-	D36.12	D48.2	D49.2
submental	C47.0	C79.89	-	D36.11	D48.2	D49.2
supraclavicular region	C47.0	C79.89	-	D36.11	D48.2	D49.2
temple	C47.0	C79.89	-	D36.11	D48.2	D49.2
temporal region	C47.0	C79.89	-	D36.11	D48.2	D49.2
thigh	C47.2-	C79.89	-	D36.13	D48.2	D49.2
thoracic (duct) (wall)	C47.3	C79.89	-	D36.14	D48.2	D49.2
thorax	C47.3	C79.89	-	D36.14	D48.2	D49.2
thumb	C47.1-	C79.89	-	D36.12	D48.2	D49.2
toe	C47.2-	C79.89	-	D36.13	D48.2	D49.2
trunk	C47.6	C79.89	-	D36.17	D48.2	D49.2
umbilicus	C47.4	C79.89	-	D36.15	D48.2	D49.2
vesicorectal	C47.5	C79.89	-	D36.16	D48.2	D49.2
wrist	C47.1-	C79.89	-	D36.12	D48.2	D49.2
radial	C47.1-	C79.89	-	D36.12	D48.2	D49.2
sacral	C47.5	C79.89	-	D36.16	D48.2	D49.2
sciatic	C47.2-	C79.89	-	D36.13	D48.2	D49.2
spinal NEC	C47.9	C79.89	-	D36.10	D48.2	D49.2
accessory	C72.59	C79.49	-	D33.3	D43.3	D49.7
sympathetic NEC (see also Neoplasm, nerve, peripheral)	C47.9	C79.89	-	D36.10	D48.2	D49.2
trigeminal	C72.59	C79.49	-	D33.3	D43.3	D49.7
trochlear	C72.59	C79.49	-	D33.3	D43.3	D49.7
ulnar	C47.1-	C79.89	-	D36.12	D48.2	D49.2
vagus	C72.59	C79.49	-	D33.3	D43.3	D49.7
nervous system (central) NEC	C72.9	C79.40	-	D33.9	D43.9	D49.7
autonomic NEC (see also Neoplasm, nerve, peripheral)	C47.9	C79.89	-	D36.10	D48.2	D49.2
brain-see also Neoplasm, brain						
membrane or meninges	C70.0	C79.32	-	D32.0	D42.0	D49.7
overlapping lesion	C72.9	-	-	-	-	-
parasympathetic NEC (see also Neoplasm, nerve, peripheral)C47.9	C79.89	-	D36.10	D48.2	D49.2	
sympathetic NEC (see also Neoplasm, nerve, peripheral)	C47.9	C79.89	-	D36.10	D48.2	D49.2
nipple						
female	C50.01-	C79.81	D05.9-	D24.0-	D48.6-	D49.3
male	C50.02-	C79.81	D05.9-	D24.1-	D48.6-	D49.3

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

nose, nasal	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
ala (external) (nasi)	C44.31	C79.2	D04.39	D23.39	D48.5	D49.2
bone	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
cartilage	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
cavity	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
overlapping lesion with accessory sinuses	C31.8	-	-	-	-	-
choana	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
external (skin)	C44.31	C79.2	D04.39	D23.39	D48.5	D49.2
fossa	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
internal	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
mucosa	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
septum	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
posterior margin	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
sinus-see Neoplasm, sinus						
skin	C44.31	C79.2	D04.39	D23.39	D48.5	D49.2
turbinate (mucosa)	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
bone	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
vestibule	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
nostril	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
nucleus pulposus	C41.2	C79.51	-	D16.6	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
occipital						
bone	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
lobe or pole, brain	C71.4	C79.31	-	D33.0	D43.0	D49.6
odontogenic-see Neoplasm, jaw bone						
oesophagus-see Neoplasm, esophagus						
olfactory nerve or bulb	C72.2-	C79.49	-	D33.3	D43.3	D49.7
olive (brain)	C71.7	C79.31	-	D33.1	D43.1	D49.6
omentum	C48.1	C78.6	-	D20.1	D48.4	D49.0
overlapping lesion with retroperitoneum	C48.8	-	-	-	-	-
operculum (brain)	C71.0	C79.31	-	D33.0	D43.0	D49.6
optic nerve, chiasm, or tract	C72.3-	C79.49	-	D33.3	D43.3	D49.7

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

oral (cavity)	C06.9	C79.89	D00.00	D10.30	D37.09	D49.0
ill-defined	C14.8	C79.89	D00.00	D10.30	D37.09	D49.0
mucosa	C06.0	C79.89	D00.02	D10.39	D37.09	D49.0
overlapping lesion with lip or pharynx	C14.8	-	-	-	-	-
orbit						
autonomic nerve	C69.6-	C79.49	-	D31.6-	D48.7	D49.2
bone	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
eye	C69.6-	C79.49	D09.2-	D31.6-	D48.7	D49.89
peripheral nerves	C69.6-	C79.49	-	D31.6-	D48.7	D49.2
soft parts	C69.6-	C79.49	D09.2-	D31.6-	D48.7	D49.89
unspecified site	C69.6-	C79.49	D09.2-	D31.6-	D48.7	D49.89
organ of Zuckerkandl	C75.5	C79.89	-	D35.6	D44.7	D49.7
oropharynx	C10.9	C79.89	D00.08	D10.5	D37.05	D49.0
branchial cleft (vestige)	C10.4	C79.89	D00.08	D10.5	D37.05	D49.0
junctional region	C10.8	C79.89	D00.08	D10.5	D37.05	D49.0
lateral wall	C10.2	C79.89	D00.08	D10.5	D37.05	D49.0
overlapping lesion	C10.8	-	-	-	-	-
pillars or fauces	C09.1	C79.89	D00.08	D10.5	D37.05	D49.0
posterior wall	C10.3	C79.89	D00.08	D10.5	D37.05	D49.0
vallecula	C10.0	C79.89	D00.08	D10.5	D37.05	D49.0
os						
external	C53.1	C79.82	D06.1	D26.0	D39.0	D49.5
internal	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
ovary	C56.-	C79.6-	D07.39	D27.-	D39.1-	D49.5
oviduct	C57.0-	C79.82	D07.39	D28.2	D39.7	D49.5
palate	C05.9	C79.89	D00.00	D10.39	D37.09	D49.0
hard	C05.0	C79.89	D00.05	D10.39	D37.09	D49.0
junction of hard and soft palate	C05.9	C79.89	D00.00	D10.39	D37.09	D49.0
overlapping lesions	C05.8	-	-	-	-	-
soft	C05.1	C79.89	D00.04	D10.39	D37.09	D49.0
nasopharyngeal surface	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
posterior surface	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
superior surface	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
palatoglossal arch	C09.1	C79.89	D00.00	D10.5	D37.09	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

palatopharyngeal arch	C09.1	C79.89	D00.00	D10.5	D37.09	D49.0
pallium	C71.0	C79.31	-	D33.0	D43.0	D49.6
palpebra	C44.1-	C79.2	D04.1-	D23.1-	D48.5	D49.2
pancreas	C25.9	C78.89	D01.7	D13.6	D37.7	D49.0
body	C25.1	C78.89	D01.7	D13.6	D37.7	D49.0
duct (of Santorini) (of Wirsung)	C25.3	C78.89	D01.7	D13.6	D37.7	D49.0
ectopic tissue	C25.7	C78.89	-	D13.6	D37.7	D49.0
head	C25.0	C78.89	D01.7	D13.6	D37.7	D49.0
islet cells	C25.4	C78.89	D01.7	D13.7	D37.7	D49.0
neck	C25.7	C78.89	D01.7	D13.6	D37.7	D49.0
overlapping lesion	C25.8	-	-	-	-	-
tail	C25.2	C78.89	D01.7	D13.6	D37.7	D49.0
para-aortic body	C75.5	C79.89	-	D35.6	D44.7	D49.7
paraganglion NEC	C75.5	C79.89	-	D35.6	D44.7	D49.7
parametrium	C57.3	C79.82	-	D28.2	D39.7	D49.5
paranephric	C48.0	C78.6	-	D20.0	D48.3	D49.0
pararectal	C76.3	C79.89	-	D36.7	D48.7	D49.89
parasagittal (region)	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
parasellar	C72.9	C79.49	-	D33.9	D43.7	D49.7
parathyroid (gland)	C75.0	C79.89	D09.3	D35.1	D44.2	D49.7
paraurethral	C76.3	C79.89	-	D36.7	D48.7	D49.89
gland	C68.1	C79.19	D09.19	D30.7	D41.7	D49.5
paravaginal	C76.3	C79.89	-	D36.7	D48.7	D49.89
parenchyma, kidney	C64.-	C79.0-	D09.19	D30.0-	D41.0-	D49.5
parietal						
bone	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
lobe, brain	C71.3	C79.31	-	D33.0	D43.0	D49.6
paroophoron	C57.1	C79.82	D07.39	D28.2	D39.7	D49.5
parotid (duct) (gland)	C07	C79.89	D00.00	D11.0	D37.030	D49.0
parovarium	C57.1	C79.82	D07.39	D28.2	D39.7	D49.5
patella						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
peduncle, cerebral	C71.7	C79.31	-	D33.1	D43.1	D49.6
pelvirectal junction	C19	C78.5	D01.1	D12.7	D37.5	D49.0
pelvis, pelvic	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
bone	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
floor	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
renal	C65.-	C79.0-	D09.19	D30.1-	D41.1-	D49.5
viscera	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
wall	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
pelvo-abdominal	C76.7	C79.89	D09.7	D36.7	D48.7	D49.89
penis	C60.9	C79.82	D07.4	D29.0	D40.7	D49.5
body	C60.2	C79.82	D07.4	D29.0	D40.7	D49.5
corpus (cavernosum)	C60.2	C79.82	D07.4	D29.0	D40.7	D49.5
glans	C60.1	C79.82	D07.4	D29.0	D40.7	D49.5
skin NEC	C60.9	C79.82	D07.4	D29.0	D40.7	D49.5
periadrenal (tissue)	C48.0	C78.6	-	D20.0	D48.3	D49.0
perianal (skin)	C44.51	C79.2	D04.5	D23.5	D48.5	D49.2
pericardium	C38.0	C79.89	-	D15.1	D48.7	D49.89
perinephric	C48.0	C78.6	-	D20.0	D48.3	D49.0
perineum	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
periodontal tissue NEC	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
periosteum-see Neoplasm, bone						
peripancreatic	C48.0	C78.6	-	D20.0	D48.3	D49.0
peripheral nerve NEC	C47.9	C79.89	-	D36.10	D48.2	D49.2
perirectal (tissue)	C76.3	C79.89	-	D36.7	D48.7	D49.89
perirenal (tissue)	C48.0	C78.6	-	D20.0	D48.3	D49.0
peritoneum, peritoneal (cavity)	C48.2	C78.6	-	D20.1	D48.4	D49.0
overlapping lesion	C48.8	-	-	-	-	-
with digestive organs	C26.9	-	-	-	-	-
parietal	C48.1	C78.6	-	D20.1	D48.4	D49.0
pelvic	C48.1	C78.6	-	D20.1	D48.4	D49.0
specified part NEC	C48.1	C78.6	-	D20.1	D48.4	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

peritonsillar (tissue)	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
periurethral tissue	C76.3	C79.89	-	D36.7	D48.7	D49.89
phalanges						
foot						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
hand						
left side	C40.12	C79.51	-	D16.12	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.11	C79.51	-	D16.11	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.10	C79.51	-	D16.10	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified site						
left side	C40.92	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.91	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.90	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
pharynx, pharyngeal	C14.0	C79.89	D00.08	D10.9	D37.05	D49.0
bursa	C11.1	C79.89	D00.08	D10.6	D37.05	D49.0
fornix	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
recess	C11.2	C79.89	D00.08	D10.6	D37.05	D49.0
region	C14.0	C79.89	D00.08	D10.9	D37.05	D49.0
tonsil	C11.1	C79.89	D00.08	D10.6	D37.05	D49.0
wall (lateral) (posterior)	C14.0	C79.89	D00.08	D10.9	D37.05	D49.0
pia mater	C70.9	C79.40	-	D32.9	D42.9	D49.7
cerebral	C70.0	C79.32	-	D32.0	D42.0	D49.7
cranial	C70.0	C79.32	-	D32.0	D42.0	D49.7
spinal	C70.1	C79.49	-	D32.1	D42.1	D49.7

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
pillars of fauces	C09.1	C79.89	D00.08	D10.5	D37.05	D49.0
pineal (body) (gland)	C75.3	C79.89	D09.3	D35.4	D44.5	D49.7
pinna (ear) NEC						
left side	C44.22	C79.2	D04.22	D23.22	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
right side	C44.21	C79.2	D04.21	D23.21	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
unspecified side	C44.20	C79.2	D04.20	D23.20	D48.5	D49.2
cartilage	C49.0	C79.89	-	D21.0	D48.1	D49.2
piriform fossa or sinus	C12	C79.89	D00.08	D10.7	D37.05	D49.0
pituitary (body) (fossa) (gland) (lobe)	C75.1	C79.89	D09.3	D35.2	D44.3	D49.7
placenta	C58	C79.82	D07.0	D26.7	D39.2	D49.5
pleura, pleural (cavity)	C38.4	C78.2	-	D19.0	D38.2	D49.1
overlapping lesion with heart or mediastinum	C38.8	-	-	-	-	-
parietal	C38.4	C78.2	-	D19.0	D38.2	D49.1
visceral	C38.4	C78.2	-	D19.0	D38.2	D49.1
plexus						
brachial	C47.10	C79.89	-	D36.12	D48.2	D49.2
left side	C47.12	C79.89	-	D36.12	D48.2	D49.2
right side	C47.11	C79.89	-	D36.12	D48.2	D49.2
cervical	C47.0	C79.89	-	D36.11	D48.2	D49.2
choroid	C71.5	C79.31	-	D33.0	D43.0	D49.6
lumbosacral	C47.5	C79.89	-	D36.16	D48.2	D49.2
sacral	C47.5	C79.89	-	D36.16	D48.2	D49.2
pluri-endocrine	C75.8	C79.89	D09.3	D35.8	D44.8	D49.7
pole						
frontal	C71.1	C79.31	-	D33.0	D43.0	D49.6
occipital	C71.4	C79.31	-	D33.0	D43.0	D49.6
pons (varolii)	C71.7	C79.31	-	D33.1	D43.1	D49.6
popliteal fossa or space *	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
postcricoid (region)	C13.0	C79.89	D00.08	D10.7	D37.05	D49.0
posterior fossa (cranial)	C71.9	C79.31	-	D33.2	D43.2	D49.6
postnasal space	C11.9	C79.89	D00.08	D10.6	D37.05	D49.0
prepuce	C60.0	C79.82	D07.4	D29.0	D40.7	D49.5
prepylorus	C16.4	C78.89	D00.2	D13.1	D37.1	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
presacral (region)	C76.3	C79.89	-	D36.7	D48.7	D49.89
prostate (gland)	C61	C79.82	D07.5	D29.1	D40.0	D49.5
utricle	C68.0	C79.19	D09.19	D30.4	D41.3	D49.5
pterygoid fossa	C49.0	C79.89	-	D21.0	D48.1	D49.2
pubic bone	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
pudenda, pudendum (femae)	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
pulmonary (see also Neoplasm, lung)	C34.9-	C78.0-	D02.2-	D14.3-	D38.1	D49.1
putamen	C71.0	C79.31	-	D33.0	D43.0	D49.6
pyloric						
antrum	C16.3	C78.89	D00.2	D13.1	D37.1	D49.0
canal	C16.4	C78.89	D00.2	D13.1	D37.1	D49.0
pylorus	C16.4	C78.89	D00.2	D13.1	D37.1	D49.0
pyramid (brain)	C71.7	C79.31	-	D33.1	D43.1	D49.6
pyriform fossa or sinus	C12	C79.89	D00.08	D10.7	D37.05	D49.0
radius (any part)						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
Rathke's pouch	C75.1	C79.89	D09.3	D35.2	D44.3	D49.7
rectosigmoid (junction)	C19	C78.5	D01.1	D12.7	D37.5	D49.0
overlapping lesion with anus or rectum	C21.8	-	-	-	-	-
rectouterine pouch	C48.1	C78.6	-	D20.1	D48.4	D49.0
rectovaginal septum or wall	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
rectovesical septum	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
rectum (ampulla)	C20	C78.5	D01.2	D12.8	D37.5	D49.0
and colon	C19	C78.5	D01.1	D12.7	D37.5	D49.0
overlapping lesion with anus or rectosigmoid junction	C21.8	-	-	-	-	-
renal						
calyx	C65.-	C79.0-	D09.19	D30.1-	D41.1-	D49.5
hilus	C65.-	C79.0-	D09.19	D30.1-	D41.1-	D49.5
parenchyma	C64.-	C79.0-	D09.19	D30.0-	D41.0-	D49.5

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

pelvis	C65.-	C79.0-	D09.19	D30.1-	D41.1-	D49.5
unspecified site	C64.-	C79.0-	D09.19	D30.0-	D41.0-	D49.5
respiratory						
organs or system NEC	C39.9	C78.30	D02.4	D14.4	D38.6	D49.1
tract NEC	C39.9	C78.30	D02.4	D14.4	D38.5	D49.1
upper	C39.0	C78.30	D02.4	D14.4	D38.5	D49.1
retina	C69.2-	C79.49	D09.2-	D31.2-	D48.7	D49.81
retrobulbar	C69.6-	C79.49	-	D31.6-	D48.7	D49.89
retrocecal	C48.0	C78.6	-	D20.0	D48.3	D49.0
retromolar (area) (triangle) (trigone)	C06.2	C79.89	D00.00	D10.39	D37.09	D49.0
retro-orbital	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
retroperitoneal (space) (tissue)	C48.0	C78.6	-	D20.0	D48.3	D49.0
overlapping lesion	C48.8	-	-	-	-	-
retroperitoneum	C48.0	C78.6	-	D20.0	D48.3	D49.0
overlapping lesion	C48.8	-	-	-	-	-
retropharyngeal	C14.0	C79.89	D00.08	D10.9	D37.05	D49.0
retrovesical (septum)	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
rhinencephalon	C71.0	C79.31	-	D33.0	D43.0	D49.6
rib	C41.3	C79.51	-	D16.7	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
Rosenmüller's fossa	C11.2	C79.89	D00.08	D10.6	D37.05	D49.0
round ligament	C57.2	C79.82	-	D28.2	D39.7	D49.5
sacrococcyx, sacrococcygeal	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
region	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
sacrouterine ligament	C57.3	C79.82	-	D28.2	D39.7	D49.5
sacrum, sacral (vertebra)	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
salivary gland or duct (major)	C08.9	C79.89	D00.00	D11.9	D37.039	D49.0
minor NEC	C06.9	C79.89	D00.00	D10.39	D37.04	D49.0
overlapping lesion	C08.9	-	-	-	-	-
parotid	C07	C79.89	D00.00	D11.0	D37.030	D49.0
pluriglandular	C08.9	C79.89	D00.00	D11.9	D37.039	D49.0
sublingual	C08.1	C79.89	D00.00	D11.7	D37.031	D49.0
submandibular	C08.0	C79.89	D00.00	D11.7	D37.032	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

submaxillary	C08.0	C79.89	D00.00	D11.7	D37.032	D49.0
salpinx (uterine)	C57.0-	C79.82	D07.39	D28.2	D39.7	D49.5
Santorini's duct	C25.3	C78.89	D01.7	D13.6	D37.7	D49.0
scalp	C44.4	C79.2	D04.4	D23.4	D48.5	D49.2
scapula (any part)						
left side	C40.02	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
scapular region	C76.1	C79.89	D09.7	D36.7	D48.7	D49.89
scar NEC (see also Neoplasm, skin)	C44.9	C79.2	D04.9	D23.9	D48.5	D49.2
sciatic nerve	C47.2-	C79.89	-	D36.13	D48.2	D49.2
sclera	C69.4-	C79.49	D09.2-	D31.4-	D48.7	D49.89
scrotum (skin)	C63.2	C79.82	D07.61	D29.4	D40.7	D49.5
sebaceous gland-see Neoplasm, skin						
sell a turcica	C75.1	C79.89	D09.3	D35.2	D44.3	D49.7
bone	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
semilunar cartilage (knee)	C40.2-	C79.51	-	D16.2-	D48.0	D49.2
seminal vesicle	C63.7	C79.82	D07.69	D29.7	D40.7	D49.5
septum						
nasal	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
posterior margin	C11.3	C79.89	D00.08	D10.6	D37.05	D49.0
rectovaginal	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
rectovesical	C76.3	C79.89	D09.7	D36.7	D48.7	D49.89
urethrovaginal	C57.9	C79.82	D07.30	D28.9	D39.9	D49.5
vesicovaginal	C57.9	C79.82	D07.30	D28.9	D39.9	D49.5
shoulder NEC*	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
sigmoid flexure (lower) (upper)	C18.7	C78.5	D01.0	D12.5	D37.4	D49.0
sinus (accessory)	C31.9	C78.39	D02.3	D14.0	D38.5	D49.1
bone (any)	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
ethmoidal	C31.1	C78.39	D02.3	D14.0	D38.5	D49.1

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

frontal	C31.2	C78.39	D02.3	D14.0	D38.5	D49.1
maxillary	C31.0	C78.39	D02.3	D14.0	D38.5	D49.1
nasal, paranasal NEC	C31.9	C78.39	D02.3	D14.0	D38.5	D49.1
overlapping lesion	C31.8	-	-	-	-	-
pyriform	C12	C79.89	D00.08	D10.7	D37.05	D49.0
sphenoid	C31.3	C78.39	D02.3	D14.0	D38.5	D49.1
skeleton, skeletal NEC	C41.9	C79.51	-	D16.9	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
Skene's gland	C68.1	C79.19	D09.19	D30.7	D41.7	D49.5
skin NEC	C44.9	C79.2	D04.9	D23.9	D48.5	D49.2
abdominal wall	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
ala nasi	C44.31	C79.2	D04.39	D23.39	D48.5	D49.2
ankle	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
antecubital space	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
anus	C44.51	C79.2	D04.5	D23.5	D48.5	D49.2
arm	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
auditory canal (external)	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
auricle (ear)	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
auricular canal (external)	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
axilla, axillary fold	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
back	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
breast	C44.52	C79.2	D04.5	D23.5	D48.5	D49.2
brow	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
buttock	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
calf	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
canthus (eye) (inner) (outer)	C44.1-	C79.2	D04.1-	D23.1-	D48.5	D49.2
cervical region	C44.4	C79.2	D04.4	D23.4	D48.5	D49.2
cheek (external)	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
chest (wall)	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
chin	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
clavicular area	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
clitoris	C51.2	C79.82	D07.1	D28.0	D39.7	D49.5
columnella	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
concha	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
ear (external)	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

elbow	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
eyebrow	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
eyelid	C44.1-	C79.2	D04.1-	D23.1-	D48.5	D49.2
face NOS	C44.30	C79.2	D04.30	D23.30	D48.5	D49.2
female genital organs (external)	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
clitoris	C51.2	C79.82	D07.1	D28.0	D39.7	D49.5
labium NEC	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
majus	C51.0	C79.82	D07.1	D28.0	D39.7	D49.5
minus	C51.1	C79.82	D07.1	D28.0	D39.7	D49.5
pudendum	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
vulva	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
finger	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
flank	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
foot	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
forearm	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
forehead	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
glabella	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
gluteal region	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
groin	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
hand	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
head NEC	C44.4	C79.2	D04.4	D23.4	D48.5	D49.2
heel	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
helix	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
hip	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
infraclavicular region	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
inguinal region	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
jaw	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
knee	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
labia						
majora	C51.0	C79.82	D07.1	D28.0	D39.7	D49.5
minora	C51.1	C79.82	D07.1	D28.0	D39.7	D49.5
leg	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
lid (lower) (upper)	C44.1-	C79.2	D04.1-	D23.1-	D48.5	D49.2
limb NEC	C44.9	C79.2	D04.9	D23.9	D48.5	D49.2
lower	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

upper	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
lip (lower) (upper)	C44.0	C79.2	D04.0	D23.0	D48.5	D49.2
male genital organs	C63.9	C79.82	D07.60	D29.9	D40.7	D49.5
penis	C60.9	C79.82	D07.4	D29.0	D40.7	D49.5
prepuce	C60.0	C79.82	D07.4	D29.0	D40.7	D49.5
scrotum	C63.2	C79.82	D07.61	D29.4	D40.7	D49.5
mastectomy site (skin) specified as breast tissue	C44.52	C79.2	-	-	-	-
female	C50.81-	C79.81	-	-	-	-
male	C50.82-	C79.81	-	-	-	-
meatus, acoustic (external)	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
melanotic - see Melanoma						
nates	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
neck	C44.4	C79.2	D04.4	D23.4	D48.5	D49.2
nose (external)	C44.31	C79.2	D04.39	D23.39	D48.5	D49.2
overlapping lesion	C44.8	-	-	-	-	-
palm	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
palpebra	C44.1-	C79.2	D04.1-	D23.1-	D48.5	D49.2
penis NEC	C60.9	C79.82	D07.4	D29.0	D40.7	D49.5
perianal	C44.51	C79.2	D04.5	D23.5	D48.5	D49.2
perineum	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
pinna	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
plantar	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
popliteal fossa or space	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
prepuce	C60.0	C79.82	D07.4	D29.0	D40.7	D49.5
pubes	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
sacrococcygeal region	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
scalp	C44.4	C79.2	D04.4	D23.4	D48.5	D49.2
scapular region	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
scrotum	C63.2	C79.82	D07.61	D29.4	D40.7	D49.5
shoulder	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
sole (foot)	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
specified sites NEC	C44.8	C79.2	D04.8	D23.9	D48.5	D49.2
submammary fold	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
supraclavicular region	C44.4	C79.2	D04.4	D23.4	D48.5	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

temple	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
thigh	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
thoracic wall	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
thumb	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
toe	C44.7-	C79.2	D04.7-	D23.7-	D48.5	D49.2
tragus	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
trunk	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
umbilicus	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
vulva	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
wrist	C44.6-	C79.2	D04.6-	D23.6-	D48.5	D49.2
skull	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
soft parts or tissues-see Neoplasm, connective tissue						
specified site NEC	C76.7	C79.89	D09.7	D36.7	D48.7	D49.89
spermatic cord	C63.1-	C79.82	D07.69	D29.7	D40.7	D49.5
sphenoid	C31.3	C78.39	D02.3	D14.0	D38.5	D49.1
bone	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sinus	C31.3	C78.39	D02.3	D14.0	D38.5	D49.1
sphincter						
anal	C21.1	C78.5	D01.3	D12.9	D37.7	D49.0
of Oddi	C24.0	C78.89	D01.5	D13.5	D37.6	D49.0
spine, spinal (column)	C41.2	C79.51	-	D16.6	D48.0	D49.2
bulb	C71.7	C79.31	-	D33.1	D43.1	D49.6
coccyx	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
cord (cervical) (lumbar) (sacral) (thoracic)	C72.0	C79.49	-	D33.4	D43.4	D49.7
dura mater	C70.1	C79.49	-	D32.1	D42.1	D49.7
lumbosacral	C41.2	C79.51	-	D16.6	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
marrow NEC	C96.9	C79.52	-	-	-	D47.9
membrane	C70.1	C79.49	-	D32.1	D42.1	D49.7
meninges	C70.1	C79.49	-	D32.1	D42.1	D49.7
nerve (root)	C47.9	C79.89	-	D36.10	D48.2	D49.2
pia mater	C70.1	C79.49	-	D32.1	D42.1	D49.7

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

root	C47.9	C79.89	-	D36.10	D48.2	D49.2
sacrum	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
spleen, splenic NEC	C26.1	C78.89	D01.7	D13.9	D37.7	D49.0
flexure (colon)	C18.5	C78.5	D01.0	D12.3	D37.4	D49.0
stem, brain	C71.7	C79.31	-	D33.1	D43.1	D49.6
Stensen's duct	C07	C79.89	D00.00	D11.0	D37.030	D49.0
sternum	C41.3	C79.51	-	D16.7	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
stomach	C16.9	C78.89	D00.2	D13.1	D37.1	D49.0
antrum (pyloric)	C16.3	C78.89	D00.2	D13.1	D37.1	D49.0
body	C16.2	C78.89	D00.2	D13.1	D37.1	D49.0
cardia	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
cardiac orifice	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
corpus	C16.2	C78.89	D00.2	D13.1	D37.1	D49.0
fundus	C16.1	C78.89	D00.2	D13.1	D37.1	D49.0
greater curvature NEC	C16.6	C78.89	D00.2	D13.1	D37.1	D49.0
lesser curvature NEC	C16.5	C78.89	D00.2	D13.1	D37.1	D49.0
overlapping lesion	C16.8	-	-	-	-	-
prepylorus	C16.4	C78.89	D00.2	D13.1	D37.1	D49.0
pylorus	C16.4	C78.89	D00.2	D13.1	D37.1	D49.0
wall NEC	C16.9	C78.89	D00.2	D13.1	D37.1	D49.0
anterior NEC	C16.8	C78.89	D00.2	D13.1	D37.1	D49.0
posterior NEC	C16.8	C78.89	D00.2	D13.1	D37.1	D49.0
stroma, endometrial	C54.1	C79.82	D07.0	D26.1	D39.0	D49.5
stump, cervical	C53.8	C79.82	D06.7	D26.0	D39.0	D49.5
subcutaneous (nodule) (tissue) NEC-see Neoplasm, connective tissue						
subdural	C70.9	C79.32	-	D32.9	D42.9	D49.7
subglottis, subglottic	C32.2	C78.39	D02.0	D14.1	D38.0	D49.1
sublingual	C04.9	C79.89	D00.06	D10.2	D37.09	D49.0
gland or duct	C08.1	C79.89	D00.00	D11.7	D37.031	D49.0
submandibular gland	C08.0	C79.89	D00.00	D11.7	D37.032	D49.0
submaxillary gland or duct	C08.0	C79.89	D00.00	D11.7	D37.032	D49.0
submental	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
subpleural	C34.9-	C78.0-	-	D14.3-	D38.1	D49.1

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

substernal	C38.1	C78.1	-	D15.2	D38.3	D49.89
sudoriferous, sudoriparous gland, site unspecified	C44.9	C79.2	D04.9	D23.9	D48.5	D49.2
specified site-see Neoplasm, skin						
supraclavicular region	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
supraglottis	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
suprarenal						
capsule	C74.9-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
cortex	C74.0-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
gland	C74.9-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
medulla	C74.1-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
unspecified site	C74.9-	C79.7-	D09.3	D35.0-	D44.1-	D49.7
suprasellar (region)	C71.9	C79.31	-	D33.2	D43.2	D49.6
supratentorial (brain) NEC	C71.0	C79.31	-	D33.0	D43.0	D49.6
sweat gland (apocrine) (eccrine), site unspecified	C44.9	C79.2	D04.9	D23.9	D48.5	D49.2
specified site-see Neoplasm, skin						
sympathetic nerve or nervous system NEC	C47.9	C79.89	-	D36.10	D48.2	D49.2
symphysis pubis	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
synovial membrane-see Neoplasm, connective tissue						
tapetum, brain	C71.8	C79.31	-	D33.2	D43.2	D49.6
tarsus (any bone)						
left side	C40.32	C79.51	-	D16.32	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.31	C79.51	-	D16.31	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.30	C79.51	-	D16.30	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
temple (skin)	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
temporal						
bone	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
lobe or pole	C71.2	C79.31	-	D33.0	D43.0	D49.6
region	C76.0	C79.89	D09.7	D36.7	D48.7	D49.89
skin	C44.39	C79.2	D04.39	D23.39	D48.5	D49.2
tendon (sheath)-see Neoplasm, connective tissue						

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

tentorium (cerebelli)	C70.0	C79.32	-	D32.0	D42.0	D49.7
testis, testes						
descended	C62.1-	C79.82	D07.69	D29.2-	D40.1-	D49.5
ectopic	C62.0-	C79.82	D07.69	D29.2-	D40.1-	D49.5
retained	C62.0-	C79.82	D07.69	D29.2-	D40.1-	D49.5
scrotal	C62.1-	C79.82	D07.69	D29.2-	D40.1-	D49.5
undescended	C62.0-	C79.82	D07.69	D29.2-	D40.1-	D49.5
unspecified site	C62.9-	C79.82	D07.69	D29.2-	D40.1-	D49.5
thalamus	C71.0	C79.31	-	D33.0	D43.0	D49.6
thigh NEC*	C76.5-	C79.89	D04.7-	D36.7	D48.7	D49.89
thorax, thoracic (cavity) (organs NEC)	C76.1	C79.89	D09.7	D36.7	D48.7	D49.89
duct	C49.3	C79.89	-	D21.3	D48.1	D49.2
wall NEC	C76.1	C79.89	D09.7	D36.7	D48.7	D49.89
throat	C14.0	C79.89	D00.08	D10.9	D37.05	D49.0
thumb NEC*	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
thymus (gland)	C37	C79.89	-	D15.0	D38.4	D49.89
overlapping lesion with heart or mediastinum	C38.8	-	-	-	-	-
thyroglossal duct	C73	C79.89	D09.3	D34	D44.0	D49.7
thyroid (gland)	C73	C79.89	D09.3	D34	D44.0	D49.7
cartilage	C32.3	C78.39	D02.0	D14.1	D38.0	D49.1
tibia (any part)						
left side	C40.22	C79.51	-	D16.22	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.21	C79.51	-	D16.21	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.20	C79.51	-	D16.20	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
toe NEC*	C76.5-	C79.89	D04.7-	D36.7	D47.7	D49.98
tongue	C02.9	C79.89	D00.07	D10.1	D37.02	D49.0
anterior (two-thirds) NEC	C02.3	C79.89	D00.07	D10.1	D37.02	D49.0
dorsal surface	C02.0	C79.89	D00.07	D10.1	D37.02	D49.0
ventral surface	C02.2	C79.89	D00.07	D10.1	D37.02	D49.0
base (dorsal surface)	C01	C79.89	D00.07	D10.1	D37.02	D49.0
border (lateral)	C02.1	C79.89	D00.07	D10.1	D37.02	D49.0
dorsal surface NEC	C02.0	C79.89	D00.07	D10.1	D37.02	D49.0

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
fixed part NEC	C01	C79.89	D00.07	D10.1	D37.02	D49.0
foreamen cecum	C02.0	C79.89	D00.07	D10.1	D37.02	D49.0
frenulum linguae	C02.2	C79.89	D00.07	D10.1	D37.02	D49.0
junctional zone	C02.8	C79.89	D00.07	D10.1	D37.02	D49.0
margin (lateral)	C02.1	C79.89	D00.07	D10.1	D37.02	D49.0
midline NEC	C02.0	C79.89	D00.07	D10.1	D37.02	D49.0
mobile part NEC	C02.3	C79.89	D00.07	D10.1	D37.02	D49.0
overlapping lesion	C02.8	-	-	-	-	-
posterior (third)	C01	C79.89	D00.07	D10.1	D37.02	D49.0
root	C01	C79.89	D00.07	D10.1	D37.02	D49.0
surface (dorsal)	C02.0	C79.89	D00.07	D10.1	D37.02	D49.0
base	C01	C79.89	D00.07	D10.1	D37.02	D49.0
ventral	C02.2	C79.89	D00.07	D10.1	D37.02	D49.0
with floor of mouth [book-leaf]	C06.89					
tip	C02.1	C79.89	D00.07	D10.1	D37.02	D49.0
tonsil	C02.4	C79.89	D00.07	D10.1	D37.02	D49.0
tonsil	C09.9	C79.89	D00.08	D10.4	D37.05	D49.0
fauces, faacial	C09.9	C79.89	D00.08	D10.4	D37.05	D49.0
lingual	C02.4	C79.89	D00.07	D10.1	D37.02	D49.0
palatine	C09.9	C79.89	D00.08	D10.4	D37.05	D49.0
pharyngeal	C11.1	C79.89	D00.08	D10.6	D37.05	D49.0
pillar (anterior) (posterior)	C09.1	C79.89	D00.08	D10.5	D37.05	D49.0
tonsillar fossa	C09.0	C79.89	D00.08	D10.5	D37.05	D49.0
tooth socket NEC	C03.9	C79.89	D00.03	D10.39	D37.09	D49.0
trachea (cartilage) (mucosa)	C33	C78.39	D02.1	D14.2	D38.1	D49.1
overlapping lesion with bronchus or lung	C34.8-	-	-	-	-	-
tracheobronchial						
overlapping lesion with lung	C34.8-	-	-	-	-	-
unspecified site	C34.8-	C78.39	D02.1	D14.2	D38.1	D49.1
tragus	C44.2-	C79.2	D04.2-	D23.2-	D48.5	D49.2
trunk NEC*	C76.7	C79.89	D04.5	D36.7	D48.7	D49.89
tubo-ovarian	C57.8	C79.82	D07.39	D28.7	D39.7	D49.5
tunica vaginalis	C63.7	C79.82	D07.69	D29.7	D40.7	D49.5
turbinate (bone)	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

nasal	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
tympanic cavity	C30.1	C78.39	D02.3	D14.0	D38.5	D49.1
ulna (any part)						
left side	C40.02	C79.51	-	D16.01	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
right side	C40.01	C79.51	-	D16.02	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
unspecified side	C40.00	C79.51	-	D16.00	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
umbilicus, umbilical	C44.59	C79.2	D04.5	D23.5	D48.5	D49.2
uncus, brain	C71.2	C79.31	-	D33.0	D43.0	D49.6
unknown site or unspecified	C80	C80	D09.9	D36.9	D48.9	D49.9
urachus	C67.7	C79.11	D09.0	D30.3	D41.4	D49.4
ureter, ureteral						
orifice (bladder)	C67.6	C79.11	D09.0	D30.3	D41.4	D49.4
unspecified site	C66.-	C79.19	D09.19	D30.2-	D41.2-	D49.5
ureter-bladder (junction)	C67.6	C79.11	D09.0	D30.3	D41.4	D49.4
urethra, urethral (gland)	C68.0	C79.19	D09.19	D30.4	D41.3	D49.5
orifice, internal	C67.5	C79.11	D09.0	D30.3	D41.4	D49.4
urethrovaginal (septum)	C57.9	C79.82	D07.39	D28.9	D39.7	D49.5
urinary organ or system NEC	C68.9	C79.10	D09.10	D30.9	D41.9	D49.5
bladder-see Neoplasm, bladder						
overlapping lesion	C68.8	-	-	-	-	-
specified sites NEC	C68.8	C79.19	D09.19	D30.7	D41.7	D49.5
utero-ovarian	C57.8	C79.82	D07.39	D28.7	D39.7	D49.5
ligament	C57.1	C79.82	D07.39	D28.2	D39.7	D49.5
uterosacral ligament	C57.3	C79.82	-	D28.2	D39.7	D49.5
uterus, uteri, uterine	C55	C79.82	D07.0	D26.9	D39.0	D49.5
adnexa NEC	C57.4	C79.82	D07.39	D28.7	D39.7	D49.5
overlapping lesion	C57.8	-	-	-	-	-
body	C54.9	C79.82	D07.0	D26.1	D39.0	D49.5
overlapping lesion	C54.8	-	-	-	-	-
cervix	C53.9	C79.82	D06.9	D26.0	D39.0	D49.5
cornu	C54.9	C79.82	D07.0	D26.1	D39.0	D49.5
corpus	C54.9	C79.82	D07.0	D26.1	D39.0	D49.5

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

endocervix (canal) (gland)	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
endometrium	C54.1	C79.82	D07.0	D26.1	D39.0	D49.5
exocervix	C53.1	C79.82	D06.1	D26.0	D39.0	D49.5
external os	C53.1	C79.82	D06.1	D26.0	D39.0	D49.5
fundus	C54.3	C79.82	D07.0	D26.1	D39.0	D49.5
internal os	C53.0	C79.82	D06.0	D26.0	D39.0	D49.5
isthmus	C54.0	C79.82	D07.0	D26.1	D39.0	D49.5
ligament	C57.3	C79.82	-	D28.2	D39.7	D49.5
broad	C57.1	C79.82	D07.39	D28.2	D39.7	D49.5
round	C57.2	C79.82	-	D28.2	D39.7	D49.5
lower segment	C54.0	C79.82	D07.0	D26.1	D39.0	D49.5
myometrium	C54.2	C79.82	D07.0	D26.1	D39.0	D49.5
squamocolumnar junction	C53.8	C79.82	D06.7	D26.0	D39.0	D49.5
tube	C57.0-	C79.82	D07.39	D28.2	D39.7	D49.5
utricle, prostatic	C68.0	C79.19	D09.19	D30.4	D41.3	D49.5
uveal tract	C69.4-	C79.49	D09.2-	D31.4-	D48.7	D49.89
uvula	C05.2	C79.89	D00.04	D10.39	D37.09	D49.0
vagina, vaginal (fornix) (vault) (wall)	C52	C79.82	D07.2	D28.1	D39.7	D49.5
vaginovesical	C57.9	C79.82	D07.30	D28.9	D39.9	D49.5
septum	C57.9	C79.82	D07.30	D28.9	D39.9	D49.5
vallcula (epiglottis)	C10.0	C79.89	D00.08	D10.5	D37.05	D49.0
vascular-see Neoplasm, connective tissue						
vas deferens	C63.1-	C79.82	D07.69	D29.7	D40.7	D49.5
Vater's ampulla	C24.1	C78.89	D01.5	D13.5	D37.6	D49.0
vein, venous-see Neoplasm, connective tissue						
vena cava (abdominal) (inferior)	C49.4	C79.89	-	D21.4	D48.1	D49.2
superior	C49.3	C79.89	-	D21.3	D48.1	D49.2
ventricle (cerebral) (floor) (lateral) (third)	C71.5	C79.31	-	D33.0	D43.0	D49.6
cardiac (left) (right)	C38.0	C79.89	-	D15.1	D48.7	D49.89
fourth	C71.7	C79.31	-	D33.1	D43.1	D49.6
ventricular band of larynx	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
ventriculus-see Neoplasm, stomach						
vermillion border-see Neoplasm, lip						
vermis, cerebellum	C71.6	C79.31	-	D33.1	D43.1	D49.6
vertebra (column)	C41.2	C79.51	-	D16.6	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

coccyx	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
marrow NEC	C96.9	C79.52	-	-	-	D47.9
sacrum	C41.4	C79.51	-	D16.8	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
vesical-see Neoplasm, bladder						
vesicle, seminal	C63.7	C79.82	D07.69	D29.7	D40.7	D49.5
vesicocervical tissue	C57.9	C79.82	D07.30	D28.9	D39.9	D49.5
vesicorectal	C76.3	C79.82	D09.7	D36.7	D48.7	D49.89
vesicovaginal	C57.9	C79.82	D07.30	D28.9	D39.9	D49.5
septum	C57.9	C79.82	D07.39	D28.9	D39.7	D49.5
vessel (blood)-see Neoplasm, connective tissue						
vestibular gland, greater	C51.0	C79.82	D07.1	D28.0	D39.7	D49.5
vestibule						
mouth	C06.1	C79.89	D00.00	D10.39	D37.09	D49.0
nose	C30.0	C78.39	D02.3	D14.0	D38.5	D49.1
Virchow's gland		C77.0	-	D36.0	D48.7	D49.89
viscera NEC	C76.7	C79.89	D09.7	D36.7	D48.7	D49.89
vocal cords (true)	C32.0	C78.39	D02.0	D14.1	D38.0	D49.1
false	C32.1	C78.39	D02.0	D14.1	D38.0	D49.1
vomer	C41.0	C79.51	-	D16.4	D48.0	D49.2
marrow NEC	C96.9	C79.52	-	-	-	D47.9
vulva	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
vulvovaginal gland	C51.9	C79.82	D07.1	D28.0	D39.7	D49.5
Waldeyer's ring	C14.2	C79.89	D00.08	D10.9	D37.05	D49.0
Wharton's duct	C08.0	C79.89	D00.00	D11.7	D37.032	D49.0
white matter (central) (cerebral)	C71.0	C79.31	-	D33.0	D43.0	D49.6
windpipe	C33	C78.39	D02.1	D14.2	D38.1	D49.1
Wirsung's duct	C25.3	C78.89	D01.7	D13.6	D37.7	D49.0
wolffian (body) (duct)						
female	C57.7	C79.82	D07.39	D28.7	D39.7	D49.5
male	C63.7	C79.82	D07.69	D29.7	D40.7	D49.5
womb-see Neoplasm, uterus						
wrist NEC*	C76.4-	C79.89	D04.6-	D36.7	D48.7	D49.89
xiphoid process	C41.3	C79.51	-	D16.7	D48.0	D49.2

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain	Unspecified Behavior
--	-------------------	---------------------	------------	--------	-----------	----------------------

Zuckerkandl's organ	C75.5	C79.89	-	D35.6	D44.7	D49.7
---------------------	-------	--------	---	-------	-------	-------