

ICD-10-CM INDEX to DISEASES and INJURIES

2017 Addenda

No Change

A

- Abnormal, abnormality, abnormalities** - see also Anomaly
- diagnostic imaging
 - - urinary organs R93.4
 - - bladder R93.41
 - - kidney R93.42-
 - - renal pelvis R93.41
 - - urinary organs specified NEC R93.49
 - - ureter R93.41
- Urination** NEC R39.19
- urination NEC R39.198
 - urine (constituents) R82.90
 - - microbiological examination (culture) R82.7
 - - microbiological examination (culture) R82.79
 - - positive culture R82.7
 - - positive culture R82.79
- Abortion (complete) (spontaneous)** O03.9
- tubal O00.1
 - tubal O00.10
 - - with intrauterine pregnancy O00.11
- Abscess (connective tissue) (embolic) (fistulous) (infective) (metastatic) (multiple) (pernicious) (pyogenic) (septic)** L02.91
- areola (acute) (chronic) (nonpuerperal) N61
 - areola (acute) (chronic) (nonpuerperal) N61.1
 - breast (acute) (chronic) (nonpuerperal) N61
 - breast (acute) (chronic) (nonpuerperal) N61.1
 - gingival K05.21
 - gingival - see Peridontitis, aggressive, localized
 - gum K05.21
 - gum - see Peridontitis, aggressive, localized
- Intra-abdominal** (see also Abscess, peritoneum) K65.1
- - postoperative T81.4
 - - retroperitoneal K68.11
 - - postprocedural T81.43
 - - - retroperitoneal K68.11
 - - intra-muscular, postprocedural T81.42
- Nipple** N61
- nipple N61.1
 - - associated with
 - - - lactation - see Pregnancy, complicated by,
 - - - lactation - see Pregnancy, complicated by
- Operative wound** T81.4
- operative wound T81.40
- Parodontal** K05.21
- parodontal - see Peridontitis, aggressive, localized
 - pericemental K05.21
 - pericemental - see Peridontitis, aggressive, localized
 - pericoronal K05.21
 - pericoronal - see Peridontitis, aggressive, localized
 - periodental K05.21
 - periodental - see Peridontitis, aggressive, localized
 - periodontal (parietal) K05.21
 - periodontal (parietal) - see Peridontitis, aggressive, localized

- No Change* - peritoneum, peritoneal (perforated) (ruptured) K65.1
Revise from - - postoperative T81.4
Revise to - - postoperative T81.43
Revise from - postoperative (any site) T81.4
Revise to - postoperative (any site) T81.40
Revise from - pulp, pulpal (dental) K04.0
Revise to - pulp, pulpal (dental) K04.01
Add - - irreversible K04.02
Add - - reversible K04.01
Revise from - stitch T81.4
Revise to - stitch T81.48
No Change - subcutaneous - see also Abscess, by site
Add - - postprocedural T81.41
No Change - subphrenic K65.1
Revise from - - postoperative T81.4
Revise to - - postoperative T81.43
No Change - tooth, teeth (root) K04.7
Revise from - - supporting structures NEC K05.21
Revise to - - supporting structures NEC - see Peridontitis, aggressive, localized
Revise from - wound T81.4
Revise to - wound T81.40
No Change **Absence (of) (organ or part) (complete or partial)**
Revise from - aorta (congenital) Q25.4
Revise to - aorta (congenital) Q25.41
Revise from - transverse aortic arch, congenital Q25.4
Revise to - transverse aortic arch, congenital Q25.49
Absorption
Revise from - carbohydrate, disturbance K90.4
Revise to - carbohydrate, disturbance K90.49
Revise from - fat, disturbance K90.4
Revise to - fat, disturbance K90.49
Revise from - protein, disturbance K90.4
Revise to - protein, disturbance K90.49
Revise from - starch, disturbance K90.4
Revise to - starch, disturbance K90.49
No Change **Acne** L70.9
Delete - excoriée des jeunes filles L70.5
Add - excoriée (des jeunes filles) L70.5
Activation
Add - mast cell (disorder) (syndrome) D89.40
Add - - idiopathic D89.42
Add - - monoclonal D89.41
Add - - secondary D89.43
Add - - specified type NEC D89.49
No Change **Adenoma** - see also Neoplasm, benign, by site
No Change - microcystic
Revise from - - pancreas D13.7
Revise to - - pancreas D13.6
Revise from - - unspecified site D13.7
Revise to - - unspecified site D13.6
No Change **Adhesions, adhesive (postinfective)** K66.0
Revise from - epididymis N50.8
Revise to - epididymis N50.89
No Change - iris H21.50-
Revise from - - to corneal graft T85.89
Revise to - - to corneal graft T85.898
No Change - joint - see Ankylosis
Revise from - - temporomandibular M26.61
Revise to - - temporomandibular M26.61-
Revise from - mediastinum J98.5

- Revise to* - mediastinum J98.59
Revise from - perivesicular (seminal vesicle) N50.8
Revise to - perivesicular (seminal vesicle) N50.89
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
Revise from - spermatic cord (acquired) N50.8
Revise to - spermatic cord (acquired) N50.89
Revise from - temporomandibular M26.61
Revise to - temporomandibular M26.61-
No Change **Admission (for)** - see also Encounter (for)
No Change - adjustment (of)
No Change -- device NEC
No Change --- implanted Z45.89
No Change ---- cardiac Z45.09
Revise from ---- pacemaker Z45.018
Revise to ----- pacemaker (cardiac resynchronization therapy (CRT-P)) Z45.018
Add ----- resynchronization therapy defibrillator (CRT-D) Z45.02
Revise from -- pacemaker
Revise to -- pacemaker (cardiac resynchronization therapy (CRT-P))
No Change - counseling - see also Counseling
Add - -- gestational carrier Z31.7
Add - desensitization to allergens Z51.6
Revise from - prophylactic (measure)
Revise to - prophylactic (measure) - see also Encounter, prophylactic measures
No Change - removal of
Add -- implantable subdermal contraceptive Z30.46
No Change **Agammaglobulinemia (acquired (secondary)) (nonfamilial)** D80.1
Revise from - X-linked (with growth hormone deficiency)(Bruton) D80.0
Revise to - X-linked (with growth hormone deficiency) (Bruton) D80.0
No Change **Agenesis**
Revise from - aorta Q25.4
Revise to - aorta Q25.41
Add **AIN** - see Neoplasia, intraepithelial, anal
No Change **Alcohol, alcoholic, alcohol-induced**
Add - anxiety disorder F10.980
Add - bipolar and related disorder F10.94
Add - depressive disorder F10.94
Add - major neurocognitive disorder, amnestic-confabulatory type F10.96
Add - major neurocognitive disorder, nonamnestic-confabulatory type F10.97
Add - mild neurocognitive disorder F10.988
Add - psychotic disorder F10.959
Add - sexual dysfunction F10.981
Add - sleep disorder F10.982
No Change **Allergy, allergic (reaction) (to)** T78.40
Revise from - colitis K52.2
Revise to - colitis (see also Colitis, allergic) K52.29
Revise from - gastrointestinal K52.2
Revise to - gastrointestinal - see also specific type of allergic reaction
Add -- meaning colitis (see also Colitis, allergic) K52.29
Add -- meaning gastroenteritis (see also Gastroenteritis, allergic) K52.29
Add -- meaning other adverse food reaction not elsewhere classified T78.1
Revise from - milk protein K52.2
Revise to - milk protein (see also Allergy, food) Z91.011
Add -- anaphylactic reaction T78.07
Add -- dermatitis L27.2
Add -- enterocolitis syndrome K52.21
Add -- enteropathy K52.22
Add -- gastroenteritis K52.29
Add -- gastroesophageal reflux (see also Reaction, adverse, food) K21.9
Add --- with esophagitis K21.0

Add - - proctocolitis K52.82
Add - proctocolitis K52.82
No Change **Alteration (of), Altered**
Delete - awareness, transient R40.4
Add - awareness
Add - - transient R40.4
Add - - unintended under general anesthesia, during procedure T88.53
No Change **Amblyopia (congenital) (ex anopsia) (partial) (suppression)** H53.00-
Add - suspect H53.04-
Add **AMH (asymptomatic microscopic hematuria)** R31.21
No Change **Amnesia** R41.3
No Change - dissociative F44.0
Add - - with dissociative fugue F44.1
Add **Amphetamine (or other stimulant) -induced**
Add - anxiety disorder F15.980
Add - bipolar and related disorder F15.94
Add - delirium F15.921
Add - depressive disorder F15.94
Add - obsessive-compulsive and related disorder F15.988
Add - psychotic disorder F15.959
Add - sexual dysfunction F15.981
Add - sleep disorder F15.982
Add - stimulant withdrawal F15.23
No Change **Anesthesia, anesthetic** R20.0
No Change - complication or reaction NEC (see also Complications, anesthesia) T88.59
Add - - unintended awareness under general anesthesia during procedure T88.53
Add - - - personal history of Z92.84
No Change **Aneurysm (anastomotic) (artery) (cirsoid) (diffuse) (false) (fusiform) (multiple) (saccular)** I72.9
No Change - aorta, aortic (nonsyphilitic) I71.9
Revise from - - congenital Q25.4
Revise to - - congenital Q25.43
Add - - root Q25.43
Revise from - - sinus, congenital Q25.4
Revise to - - sinus, congenital Q25.43
Add - basilar (trunk) I72.5
No Change - congenital (peripheral) Q27.8
Add - - aorta (root) (sinus) Q25.43
Delete - precerebral, congenital (nonruptured) Q28.1
Add - precerebral
Add - - congenital (nonruptured) Q28.1
Add - - specified site, NEC I72.5
Revise from - sinus of Valsalva Q25.4
Revise to - sinus of Valsalva Q25.49
Add - vertebral artery I72.6
No Change **Angina (attack) (cardiac) (chest) (heart) (pectoris) (syndrome) (vasomotor)** I20.9
Revise from - stable I20.9
Revise to - stable I20.8
No Change **Anhedonia** R45.84
Add - sexual F52.0
Delete **Anhydration, anhydremia** E86.0
Delete - with
Delete - - hypernatremia E87.0
Delete - - hyponatremia E87.1
Add **Anhydration** E86.0
No Change **Anhydremia** E86.0
Delete - with
Delete - - hypernatremia E87.0
Delete - - hyponatremia E87.1
No Change **Ankylosis (fibrous) (osseous) (joint)** M24.60
Revise from - jaw (temporomandibular) M26.61

Revise to - jaw (temporomandibular) M26.61-
Revise from - temporomandibular M26.61
Revise to - temporomandibular M26.61-
No Change **Anomaly, anomalous (congenital) (unspecified type)** Q89.9
Revise from - aorta (arch) NEC Q25.4
Revise to - aorta (arch) NEC Q25.40
No Change - artery (peripheral) Q27.9
No Change - - subclavian Q27.8
Add - - - origin Q25.48
No Change - dentofacial M26.9
Revise from - - temporomandibular joint M26.60-
Revise to - - temporomandibular joint M26.60-
Revise from - - - adhesions M26.61
Revise to - - - adhesions M26.61-
Revise from - - - ankylosis M26.61
Revise to - - - ankylosis M26.61-
Revise from - - - arthralgia M26.62
Revise to - - - arthralgia M26.62-
Revise from - - - articular disc M26.63
Revise to - - - articular disc M26.63-
No Change - origin
No Change - - artery
Revise from - - - subclavian Q25.8
Revise to - - - subclavian Q25.48
Revise from - sinus of Valsalva Q25.4
Revise to - sinus of Valsalva Q25.49
No Change - vascular Q27.9
Revise from - - ring Q25.4
Revise to - - ring Q25.45
No Change **Anticoagulant, circulating (intrinsic) (see also - Disorder, hemorrhagic)** D68.318
Add - iatrogenic D68.32
No Change **Aphthae, aphthous** - see also condition
No Change - ulcer (oral) (recurrent) K12.0
No Change - - genital organ(s) NEC
Revise from - - male N50.8
Revise to - - - male N50.89
No Change **Aplasia** - see also Agenesis
Revise from - aorta (congenital) Q25.4
Revise to - aorta (congenital) Q25.41
No Change **Appetite**
No Change - lack or loss (see also Anorexia) R63.0
Revise from - - nonorganic origin F50.8
Revise to - - nonorganic origin F50.89
Revise from - - psychogenic F50.8
Revise to - - psychogenic F50.89
No Change **Arthralgia (allergic)** - see also Pain, joint
Revise from - temporomandibular M26.62
Revise to - temporomandibular M26.62-
No Change **Arthritis, arthritic (acute) (chronic) (nonpyogenic) (subacute)** M19.90
Revise from - gouty (acute) - see Gout, idiopathic
Revise to - gouty (acute) - see Gout
No Change - in (due to)
Revise from - - gout - see Gout, idiopathic
Revise to - - gout - see Gout
Revise from - - Mediterranean fever, familial (see also subcategory M14.8-) E85.0
Revise to - - Mediterranean fever, familial (see also subcategory M14.8-) M04.1
Revise from - uratic - see Gout, idiopathic
Revise to - uratic - see Gout
No Change **Arthropathy (see also Arthritis)** M12.9
Revise from - gouty - see also Gout, idiopathic

Revise to - gouty - see also Gout
No Change **Ataxia, ataxy, ataxic** R27.0
No Change - cerebellar (hereditary) G11.9
No Change - - in
Revise from - - - neoplastic disease (see also Neoplasm) D49.9 [G13.1]
Revise to - - - neoplastic disease (see also Neoplasm) D49.9 [G32.81]
No Change **Atresia, atretic**
Revise from - aorta (arch) (ring) Q25.2
Revise to - aorta (ring) Q25.29
No Change - aortic (orifice) (valve) Q23.0
Revise from - - arch Q25.2
Revise to - - arch Q25.21
Revise from - follicular cyst N83.0
Revise to - follicular cyst N83.0-
No Change **Atrophy, atrophic (of)**
Revise from - epididymis N50.8
Revise to - epididymis N50.89
Revise from - fallopian tube (senile) N83.32
Revise to - fallopian tube (senile) N83.32-
Revise from - - with ovary N83.33
Revise to - - with ovary N83.33-
Revise from - gum K06.0
Revise to - gum (see also Recession, gingival) K06.0
Revise from - ovary (senile) N83.31
Revise to - ovary (senile) N83.31-
Revise from - - with fallopian tube N83.33
Revise to - - with fallopian tube N83.33-
Revise from - pancreas (duct) (senile) K86.8
Revise to - pancreas (duct) (senile) K86.89
Revise from - scrotum N50.8
Revise to - scrotum N50.89
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
Revise from - spermatic cord N50.8
Revise to - spermatic cord N50.89
Revise from - tunica vaginalis N50.8
Revise to - tunica vaginalis N50.89
Revise from - vas deferens N50.8
Revise to - vas deferens N50.89
No Change **Attrition**
Revise from - gum K06.0
Revise to - gum (see also Recession, gingival) K06.0
No Change **Autism, autistic (childhood) (infantile)** F84.0
Add - spectrum disorder F84.0

B

Revise from **Bacilluria** N39.0
Revise to **Bacilluria** R82.71
Revise from **Bacteriuria, bacteruria** N39.0
Revise to **Bacteriuria, bacteruria** R82.71
Revise from - asymptomatic N39.0
Revise to - asymptomatic R82.71
Revise from **Bakwin-Krida syndrome (craniometaphyseal dysplasia)** Q78.5
Revise to **Bakwin-Krida syndrome (metaphyseal dysplasia)** Q78.5
No Change **Behavior**
Revise from - drug seeking Z72.89
Revise to - drug seeking Z76.5
No Change **Bicornate or bicornis uterus** Q51.3
Revise from - in pregnancy or childbirth O34.59-

Revise to - in pregnancy or childbirth O34.0-
No Change **Bleeding** - see also Hemorrhage
Add - pre-pubertal vaginal N93.1
No Change - vagina, vaginal (abnormal) N93.9
Add - - pre-pubertal N93.1
Revise from **Bonnevie-Ullrich syndrome** Q87.1
Revise to **Bonnevie-Ullrich syndrome (see also Turner's syndrome)** Q87.1
Borderline
Revise from - diabetes mellitus R73.09
Revise to - diabetes mellitus R73.03
No Change **Breakdown**
No Change - device, graft or implant (see also Complications, by site and type, mechanical) T85.618
No Change - - catheter NEC T85.618
Add - - - Hopkins T83.018
Add - - - ileostomy T83.018
No Change - - - infusion NEC T82.514
Add - - - - cranial T85.610
Add - - - - epidural T85.610
Add - - - - intrathecal T85.610
Revise from - - - - spinal (epidural) (subdural) T85.610
Revise to - - - - spinal T85.610
Add - - - - subarachnoid T85.610
Add - - - - subdural T85.610
Delete - - - - urinary (indwelling) T83.018
Add - - - - nephrostomy T83.012
Add - - - - urethral indwelling T83.011
Add - - - - urinary NEC T83.018
Add - - - - urostomy T83.018
No Change - - - - genital NEC T83.418
Revise from - - - - penile prosthesis T83.410
Revise to - - - - penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.410
Add - - - - testicular prosthesis T83.411
Add - - - - intrathecal infusion pump T85.615
Add - - - nervous system, specified device NEC T85.615
Add - - - subcutaneous device pocket
Add - - - nervous system prosthetic device, implant, or graft T85.890
Add - - - other internal prosthetic device, implant, or graft T85.898
Revise from - - - urinary NEC - see also Complication, genitourinary, device, urinary, mechanical
Revise to - - - urinary NEC T83.118
Add - - - sphincter, implanted T83.111
Add - - - stent (ileal conduit) (nephroureteral) T83.113
Add - - - - ureteral indwelling T83.112
Revise from **Bunion** - see Deformity, toe, hallux valgus
Revise to **Bunion** M21.61-
Add - tailor's M21.62-
Add **Bunionette** M21.62-
Revise from **Burke's syndrome** K86.8
Revise to **Burke's syndrome** K86.89
No Change **Burn (electricity) (flame) (hot gas, liquid or hot object) (radiation) (steam) (thermal)** T30.0
Revise from - hip(s) - see Burn, lower, limb
Revise to - hip(s) - see Burn, thigh
No Change **Bursitis** M71.9
Revise from - gouty - see Gout, idiopathic
Revise to - gouty - see Gout
Revise from - tibial collateral - see Bursitis, tibial collateral
Revise to - tibial collateral M76.4-

C

No Change **Cachexia** R64

No Change - dehydration E86.0
Delete - - with
Delete - - - hypernatremia E87.0
Delete - - - hyponatremia E87.1
Add
Caffeine-induced
Add - anxiety disorder F15.980
Add - sleep disorder F15.982
Calcification
Revise from - pancreas K86.8
Revise to - pancreas K86.89
Calculus, calculi, calculous
Revise from - epididymis N50.8
Revise to - epididymis N50.89
Revise from - pancreas (duct) K86.8
Revise to - pancreas (duct) K86.89
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
Revise from - tunica vaginalis N50.8
Revise to - tunica vaginalis N50.89
CALME (childhood asymmetric labium majus enlargement) N90.61
Add
Cannabis induced
Add - anxiety disorder F12.980
Add - psychotic disorder F12.959
Add - sleep disorder F12.988
Carbuncle L02.93
Revise from - breast N61
Revise to - breast N61.1
Caries
Revise from - dental K02.9
Revise to - dental (dentino enamel junction) (early childhood) (of dentine) (pre-eruptive) (recurrent) (to the pulp) K02.9
Add - - primary, cervical origin K02.52
Carrier (suspected) of
No Change - bacterial disease NEC Z22.39
No Change - - streptococcal Z22.338
No Change - - - group B Z22.330
Add - - - complicating pregnancy or delivery O99.82-
Add - gestational, pregnant Z33.1
Revise from - HAA (hepatitis Australian-antigen) Z22.59
Revise to - HAA (hepatitis Australian-antigen) B18.8
Revise from - HB (c)(s) -AG Z22.51
Revise to - HB (c)(s) -AG B18.1
Revise from - hepatitis (viral) Z22.50
Revise to - hepatitis (viral) B18.9
Revise from - - Australia-antigen (HAA) Z22.59
Revise to - - Australia-antigen (HAA) B18.8
Revise from - - B surface antigen (HBsAg) Z22.51
Revise to - - B surface antigen (HBsAg) B18.1
Revise from - - C Z22.52
Revise to - - C B18.2
Revise from - - specified NEC Z22.59
Revise to - - specified NEC B18.8
No Change - streptococci Z22.338
No Change - - group B Z22.330
Add - - - complicating pregnancy or delivery O99.82-
Celiac
Revise from - disease K90.0
Revise to - disease (with steatorrhea) K90.0
Cellulitis (diffuse) (phlegmonous) (septic) (suppurative) L03.90
Add - breast (acute) (nonpuerperal) (subacute) N61.0
Add - - nipple N61.0

- Revise from* - drainage site (following operation) T81.4
Revise to - drainage site (following operation) T81.48
Add - nipple (acute) (nonpuerperal) (subacute) N61.0
Add - periorbital L03.213
Add - preseptal L03.213
Revise from **Cesarean delivery, previous, affecting management of pregnancy** O34.21
Revise to **Cesarean delivery, previous, affecting management of pregnancy** O34.219
Add - classical (vertical) scar O34.212
Add - low transverse scar O34.211
No Change **Checking (of)**
Add - implantable subdermal contraceptive Z30.46
Cholesterolemia E78.0
Revise to **Cholesterolemia** E78.00
No Change **Cholesterol**
Revise from - elevated (high) E78.0
Revise to - elevated (high) E78.00
Revise from **Cholesterolemia (essential) (familial) (hereditary) (pure)** E78.0
Revise to **Cholesterolemia (essential) (pure)** E78.00
Add - familial E78.01
Add - hereditary E78.01
No Change **Chondrodysplasia** Q78.9
Revise from - metaphyseal (Jansen's) (McKusick's) (Schmid's) Q78.5
Revise to - metaphyseal (Jansen's) (McKusick's) (Schmid's) Q78.8
No Change **Chylocele (nonfilarial)** I89.8
Revise from - tunica vaginalis N50.8
Revise to - tunica vaginalis N50.89
No Change **Cicatrix (adherent) (contracted) (painful) (vicious) (see also Scar)** L90.5
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
Add **CINCA (chronic infantile neurological, cutaneous and articular syndrome)** M04.2
No Change **Cirrhosis, cirrhotic (hepatic) (liver)** K74.60
Revise from - pancreas (duct) K86.8
Revise to - pancreas (duct) K86.89
Revise from **Clarke-Hadfield syndrome (pancreatic infantilism)** K86.8
Revise to **Clarke-Hadfield syndrome (pancreatic infantilism)** K86.89
Delete **Claudication, intermittent** I73.9
Delete - cerebral (artery) G45.9
Delete - spinal cord (arteriosclerotic) G95.19
Delete - - syphilitic A52.09
Delete - venous (axillary) I87.8
Add **Claudication (intermittent)** I73.9
Add - cerebral (artery) G45.9
Add - spinal cord (arteriosclerotic) G95.19
Add - - syphilitic A52.09
Add - venous (axillary) I87.8
No Change **Cleft (congenital)** - see also Imperfect, closure
Add - foot Q72.7
Add - hand Q71.6
No Change **Climacteric (female)** - see also Menopause
Revise from - depression (single episode) F32.8
Revise to - depression (single episode) F32.89
Add - - recurrent episode F33.8
Add - melancholia (single episode) F32.89
Add - - recurrent episode F33.8
Revise from - male (symptoms) (syndrome) NEC N50.8
Revise to - male (symptoms) (syndrome) NEC N50.89
No Change **Clot (blood)** - see also Embolism
No Change - heart - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3

- Add* **Cocaine-induced**
- anxiety disorder F14.980
 - bipolar and related disorder F14.94
 - depressive disorder F14.94
 - obsessive-compulsive and related disorder F14.988
 - psychotic disorder F14.959
 - sleep disorder F14.982
 - sexual dysfunction F14.981
- Revise from* **Cocainism** - see Dependence, drug, cocaine
- Revise to* **Cocainism** - see Disorder, cocaine use
- Revise from* **Coitus, painful (female)** N94.1
- Revise to* **Coitus, painful (female)** N94.10
- No Change* **Colic (bilious) (infantile) (intestinal) (recurrent) (spasmodic)** R10.83
- Revise from* - pancreas K86.8
- Revise to* - pancreas K86.89
- No Change* **Colitis (acute) (catarrhal) (chronic) (noninfective) (hemorrhagic) (see also Enteritis)** K52.9
- Revise from* - allergic K52.2
- Revise to* - allergic K52.29
- Add* - - with
- Add* - - - food protein-induced enterocolitis syndrome K52.21
- Add* - - - proctocolitis K52.82
- Revise from* - collagenous K52.89
- Revise to* - collagenous K52.831
- Revise from* - dietetic K52.2
- Revise to* - dietetic (see also Colitis, allergic) K52.29
- Revise from* - food hypersensitivity K52.2
- Revise to* - food hypersensitivity (see also Colitis, allergic) K52.29
- Add* - indeterminate, so stated K52.3
- No Change* - ischemic K55.9
- Revise from* - - acute (fulminant) (subacute) K55.0
- Revise to* - - acute (subacute) (see also Ischemia, intestine, acute) K55.039
- Revise from* - fulminant (acute) K55.0
- Revise to* - - fulminant (acute) (see also Ischemia, intestine, acute) K55.039
- Revise from* - lymphocytic K52.89
- Revise to* - lymphocytic K52.832
- Revise from* - microscopic (collagenous) (lymphocytic) K52.89
- Revise to* - microscopic K52.839
- Add* - - specified NEC K52.838
- Revise from* - subacute ischemic K55.0
- Revise to* - subacute ischemic (see also Ischemia, intestine, acute) K55.039
- Revise from* - thromboulcerative K55.0
- Revise to* - thromboulcerative (see also Ischemia, intestine, acute) K55.039
- No Change* **Coma** R40.20
- Revise from* - hyperglycemic (diabetic) - see Diabetes, coma
- Revise to* - hyperglycemic (diabetic) - see Diabetes, by type, with hyperosmolarity, with coma
- Revise from* - hyperosmolar (diabetic) - see Diabetes, coma
- Revise to* - hyperosmolar (diabetic) - see Diabetes, by type, with hyperosmolarity, with coma
- Revise from* - hypoglycemic (diabetic) - see Diabetes, coma, hypoglycemic
- Revise to* - hypoglycemic (diabetic) - see Diabetes, by type, with hypoglycemia, with coma
- No Change* **Complication(s) (from) (of)**
- No Change* - anesthesia, anesthetic (see also Anesthesia, complication) T88.59
- Add* - - general, unintended awareness during procedure T88.53
- Add* - - unintended awareness under general anesthesia during procedure T88.53
- No Change* - balloon implant or device
- No Change* - - gastrointestinal T85.9
- Revise from* - - - embolism T85.81
- Revise to* - - - embolism T85.818
- Revise from* - - - fibrosis T85.82
- Revise to* - - - fibrosis T85.828
- Revise from* - - - hemorrhage T85.83

Revise to - - - hemorrhage T85.838
Revise from - - - pain T85.84
Revise to - - - pain T85.848
Revise from - - - specified type NEC T85.89
Revise to - - - specified type NEC T85.898
Revise from - - - stenosis T85.85
Revise to - - - stenosis T85.858
Revise from - - - thrombosis T85.86
Revise to - - - thrombosis T85.868
No Change - bile duct implant (prosthetic) T85.9
Revise from - - embolism T85.81
Revise to - - embolism T85.818
Revise from - - fibrosis T85.82
Revise to - - fibrosis T85.828
Revise from - - hemorrhage T85.83
Revise to - - hemorrhage T85.838
Revise from - - pain T85.84
Revise to - - pain T85.848
Revise from - - specified type NEC T85.89
Revise to - - specified type NEC T85.898
Revise from - - stenosis T85.85
Revise to - - stenosis T85.858
Revise from - - thrombosis T85.86
Revise to - - thrombosis T85.868
No Change - breast implant (prosthetic) T85.9
Revise from - - embolism T85.81
Revise to - - embolism T85.818
Revise from - - fibrosis T85.82
Revise to - - fibrosis T85.828
Revise from - - hemorrhage T85.83
Revise to - - hemorrhage T85.838
Revise from - - pain T85.84
Revise to - - pain T85.848
Revise from - - specified type NEC T85.89
Revise to - - specified type NEC T85.898
Revise from - - stenosis T85.85
Revise to - - stenosis T85.858
Revise from - - thrombosis T85.86
Revise to - - thrombosis T85.868
No Change - catheter (device) NEC - see also Complications, prosthetic device or implant
Add - - cranial infusion
Add - - - infection and inflammation T85.735
Add - - - mechanical
Add - - - - breakdown T85.610
Add - - - - displacement T85.620
Add - - - - leakage T85.630
Add - - - - malfunction T85.690
Add - - - - malposition T85.620
Add - - - - obstruction T85.690
Add - - - - perforation T85.690
Add - - - - protrusion T85.690
Add - - - - specified NEC T85.690
No Change - - cystostomy T83.9
Revise from - - - infection and inflammation T83.59
Revise to - - - infection and inflammation T83.510
No Change - - epidural infusion T85.9
Revise from - - - embolism T85.81
Revise to - - - embolism T85.810
Revise from - - - fibrosis T85.82
Revise to - - - fibrosis T85.820

Revise from - - - hemorrhage T85.83
Revise to - - - hemorrhage T85.830
Revise from - - - infection and inflammation T85.79
Revise to - - - infection and inflammation T85.735
Revise from - - - pain T85.84
Revise to - - - pain T85.840
Revise from - - - specified type NEC T85.89
Revise to - - - specified type NEC T85.890
Revise from - - - stenosis T85.85
Revise to - - - stenosis T85.850
Revise from - - - thrombosis T85.86
Revise to - - - thrombosis T85.860
No Change - - intraperitoneal dialysis T85.9
Revise from - - embolism T85.81
Revise to - - embolism T85.818
Revise from - - fibrosis T85.82
Revise to - - fibrosis T85.828
Revise from - - hemorrhage T85.83
Revise to - - hemorrhage T85.838
Revise from - - pain T85.84
Revise to - - pain T85.848
Revise from - - specified type NEC T85.89
Revise to - - specified type NEC T85.898
Revise from - - stenosis T85.85
Revise to - - stenosis T85.858
Revise from - - thrombosis T85.86
Revise to - - thrombosis T85.868
Add - - intrathecal infusion
Add - - infection and inflammation T85.735
Add - - mechanical
Add - - - breakdown T85.610
Add - - - displacement T85.620
Add - - - leakage T85.630
Add - - - malfunction T85.690
Add - - - malposition T85.620
Add - - - obstruction T85.690
Add - - - perforation T85.690
Add - - - protrusion T85.690
Add - - - specified NEC T85.690
Add - - spinal infusion
Add - - infection and inflammation T85.735
Add - - mechanical
Add - - - breakdown T85.610
Add - - - displacement T85.620
Add - - - leakage T85.630
Add - - - malfunction T85.690
Add - - - malposition T85.620
Add - - - obstruction T85.690
Add - - - perforation T85.690
Add - - - protrusion T85.690
Add - - - specified NEC T85.690
Add - - subarachnoid infusion
Add - - infection and inflammation T85.735
Add - - mechanical
Add - - - breakdown T85.610
Add - - - displacement T85.620
Add - - - leakage T85.630
Add - - - malfunction T85.690
Add - - - malposition T85.620
Add - - - obstruction T85.690

Add - - - perforation T85.690
Add - - - protrusion T85.690
Add - - - specified NEC T85.690
No Change - - subdural infusion T85.9
Revise from - - embolism T85.81
Revise to - - embolism T85.810
Revise from - - fibrosis T85.82
Revise to - - fibrosis T85.820
Revise from - - hemorrhage T85.83
Revise to - - hemorrhage T85.830
Revise from - - infection and inflammation T85.79
Revise to - - infection and inflammation T85.735
Revise from - - pain T85.84
Revise to - - pain T85.840
Revise from - - specified type NEC T85.89
Revise to - - specified type NEC T85.890
Revise from - - stenosis T85.85
Revise to - - stenosis T85.850
Revise from - - thrombosis T85.86
Revise to - - thrombosis T85.860
Delete - - urethral, indwelling T83.9
Delete - - displacement T83.028
Delete - - embolism T83.81
Delete - - fibrosis T83.82
Delete - - hemorrhage T83.83
Delete - - infection and inflammation T83.51
Delete - - leakage T83.038
Delete - - malposition T83.028
Delete - - mechanical
Delete - - breakdown T83.018
Delete - - obstruction (mechanical) T83.098
Delete - - pain T83.84
Delete - - perforation T83.098
Delete - - protrusion T83.098
Delete - - specified type NEC T83.098
Delete - - stenosis T83.85
Delete - - thrombosis T83.86
Delete - - urinary (indwelling) - see Complications, catheter, urethral, indwelling
Add - - urethral T83.9
Add - - displacement T83.028
Add - - embolism T83.81
Add - - fibrosis T83.82
Add - - hemorrhage T83.83
Add - - indwelling
Add - - - breakdown T83.011
Add - - - displacement T83.021
Add - - - infection and inflammation T83.511
Add - - - leakage T83.031
Add - - - specified complication NEC T83.091
Add - - - infection and inflammation T83.511
Add - - - leakage T83.038
Add - - - malposition T83.028
Add - - - mechanical
Add - - - breakdown T83.011
Add - - - obstruction (mechanical) T83.091
Add - - - pain T83.84
Add - - - perforation T83.091
Add - - - protrusion T83.091
Add - - - specified type NEC T83.091
Add - - - stenosis T83.85

Add - - - thrombosis T83.86
Add - - - urinary NEC
Add - - - breakdown T83.018
Add - - - displacement T83.028
Add - - - infection and inflammation T83.518
Add - - - leakage T83.038
Add - - - specified complication NEC T83.098
No Change - coronary artery (bypass) graft T82.9
Revise from - - specified type NEC T82.897
Revise to - - specified type NEC T82.898
No Change - ear procedure - see also Disorder, ear
No Change - - postoperative H95.89
Revise from - - hematoma - see Complications, postprocedural, hemorrhage (hematoma) (of), ear
Revise to - - hematoma - see Complications, postprocedural, hematoma (of), ear
Revise from - - - hemorrhage - see Complications, postprocedural, hemorrhage (hematoma) (of), ear
Revise to - - - hemorrhage - see Complications, postprocedural, hemorrhage (of), ear
Add - - - seroma - see Complications, postprocedural, seroma (of), mastoid process
No Change - electronic stimulator device
No Change - - brain T85.9
Revise from - - - embolism T85.81
Revise to - - - embolism T85.810
Revise from - - - fibrosis T85.82
Revise to - - - fibrosis T85.820
Revise from - - - hemorrhage T85.83
Revise to - - - hemorrhage T85.830
Revise from - - - infection and inflammation T85.79
Revise to - - - infection and inflammation T85.731
Revise from - - - pain T85.84
Revise to - - - pain T85.840
Revise from - - - specified type NEC T85.89
Revise to - - - specified type NEC T85.890
Revise from - - - stenosis T85.85
Revise to - - - stenosis T85.850
Revise from - - - thrombosis T85.86
Revise to - - - thrombosis T85.860
Add - - generator (brain) (gastric) (peripheral) (sacral) (spinal)
Add - - - breakdown T85.113
Add - - - displacement T85.123
Add - - - leakage T85.193
Add - - - malposition T85.123
Add - - - obstruction T85.193
Add - - - perforation T85.193
Add - - - protrusion T85.193
Add - - - specified type NEC T85.193
No Change - - nervous system T85.9
Add - - - cranial nerve - see Complications, electronic stimulator device, peripheral nerve
Revise from - - - embolism T85.81
Revise to - - - embolism T85.810
Revise from - - - fibrosis T85.82
Revise to - - - fibrosis T85.820
Add - - - gastric nerve - see Complications, electronic stimulator device, peripheral nerve
Revise from - - - hemorrhage T85.83
Revise to - - - hemorrhage T85.830
Revise from - - - infection and inflammation T85.79
Revise to - - - infection and inflammation T85.738
Revise from - - - pain T85.84
Revise to - - - pain T85.840
Add - - - sacral nerve - see Complications, electronic stimulator device, peripheral nerve
Revise from - - - specified type NEC T85.89
Revise to - - - specified type NEC T85.890

Revise from - - - stenosis T85.85
Revise to - - - stenosis T85.850
Revise from - - - thrombosis T85.86
Revise to - - - thrombosis T85.860
Add - - - vagal nerve - see Complications, electronic stimulator device, peripheral nerve
No Change - - peripheral nerve T85.9
Revise from - - - embolism T85.81
Revise to - - - embolism T85.810
Revise from - - - fibrosis T85.82
Revise to - - - fibrosis T85.820
Revise from - - - hemorrhage T85.83
Revise to - - - hemorrhage T85.830
Revise from - - - infection and inflammation T85.79
Revise to - - - infection and inflammation T85.732
Revise from - - - pain T85.84
Revise to - - - pain T85.840
Revise from - - - specified type NEC T85.89
Revise to - - - specified type NEC T85.890
Revise from - - - stenosis T85.85
Revise to - - - stenosis T85.850
Revise from - - - thrombosis T85.86
Revise to - - - thrombosis T85.860
No Change - - spinal cord T85.9
Revise from - - - embolism T85.81
Revise to - - - embolism T85.810
Revise from - - - fibrosis T85.82
Revise to - - - fibrosis T85.820
Revise from - - - hemorrhage T85.83
Revise to - - - hemorrhage T85.830
Revise from - - - infection and inflammation T85.79
Revise to - - - infection and inflammation T85.733
Revise from - - - pain T85.84
Revise to - - - pain T85.840
Revise from - - - specified type NEC T85.89
Revise to - - - specified type NEC T85.890
Revise from - - - stenosis T85.85
Revise to - - - stenosis T85.850
Revise from - - - thrombosis T85.86
Revise to - - - thrombosis T85.860
No Change - - urinary T83.9
Revise from - - - infection and inflammation T83.59
Revise to - - - infection and inflammation T83.598
No Change - esophageal anti-reflux device T85.9
Revise from - - embolism T85.81
Revise to - - embolism T85.818
Revise from - - fibrosis T85.82
Revise to - - fibrosis T85.828
Revise from - - hemorrhage T85.83
Revise to - - hemorrhage T85.838
Revise from - - pain T85.84
Revise to - - pain T85.848
Revise from - - specified type NEC T85.89
Revise to - - specified type NEC T85.898
Revise from - - stenosis T85.85
Revise to - - stenosis T85.858
Revise from - - thrombosis T85.86
Revise to - - thrombosis T85.868
No Change - eye H57.9
No Change - - implant (prosthetic) T85.9
Revise from - - - embolism T85.81

Revise to - - - embolism T85.818
Revise from - - - fibrosis T85.82
Revise to - - - fibrosis T85.828
Revise from - - - hemorrhage T85.83
Revise to - - - hemorrhage T85.838
Revise from - - - pain T85.84
Revise to - - - pain T85.848
Revise from - - - specified type NEC T85.89
Revise to - - - specified type NEC T85.898
Revise from - - - stenosis T85.85
Revise to - - - stenosis T85.858
Revise from - - - thrombosis T85.86
Revise to - - - thrombosis T85.868
No Change - - gastrointestinal K92.9
No Change - - prosthetic device or implant
No Change - - - specified type NEC
Revise from - - - embolism T85.81
Revise to - - - embolism T85.818
Revise from - - - fibrosis T85.82
Revise to - - - fibrosis T85.828
Revise from - - - hemorrhage T85.83
Revise to - - - hemorrhage T85.838
Revise from - - - pain T85.84
Revise to - - - pain T85.848
Revise from - - - specified complication NEC T85.89
Revise to - - - specified complication NEC T85.898
Revise from - - - stenosis T85.85
Revise to - - - stenosis T85.858
Revise from - - - thrombosis T85.86
Revise to - - - thrombosis T85.868
No Change - - genitourinary
No Change - - device or implant T83.9
No Change - - genital tract T83.9
Revise from - - - infection or inflammation T83.6
Revise to - - - infection or inflammation T83.69
No Change - - urinary system T83.9
Revise from - - - infection or inflammation T83.59
Revise to - - - infection or inflammation T83.598
Delete - - - indwelling urinary catheter T83.51
Add - - - indwelling urethral catheter T83.511
No Change - - - specified type NEC T83.89
Delete - - - pain T83.84
Delete - - - specified complication NEC T83.89
Delete - - - stenosis T83.85
Delete - - - thrombosis T83.86
Add - - - sphincter, implanted T83.191
Add - - - stent (ileal conduit) (nephroureteral) T83.193
Add - - - ureteral indwelling T83.192
Add - - - pain T83.84
Add - - - specified complication NEC T83.89
Add - - - stenosis T83.85
Add - - - thrombosis T83.86
No Change - - graft (bypass) (patch) - see also Complications, prosthetic device or implant
No Change - - urinary organ T83.9
Revise from - - - infection and inflammation T83.59
Revise to - - - infection and inflammation T83.598
Delete - - - indwelling urinary catheter T83.51
Add - - - indwelling urethral catheter T83.511
No Change - - - mechanical
Add - - - erosion T83.24

Add - - - exposure T83.25
No Change - hematoma
Revise from - - postprocedural - see Complication, postprocedural, hemorrhage
Revise to - - postprocedural - see Complication, postprocedural, hematoma
No Change - implant - see also Complications, by site and type
No Change - - urinary sphincter T83.9
Revise from - - - infection and inflammation T83.59
Revise to - - - infection and inflammation T83.591
No Change - intraocular lens (prosthetic) T85.9
Revise from - - embolism T85.81
Revise to - - embolism T85.818
Revise from - - fibrosis T85.82
Revise to - - fibrosis T85.828
Revise from - - hemorrhage T85.83
Revise to - - hemorrhage T85.838
Revise from - - pain T85.84
Revise to - - pain T85.848
Revise from - - specified type NEC T85.89
Revise to - - specified type NEC T85.898
Revise from - - stenosis T85.85
Revise to - - stenosis T85.858
Revise from - - thrombosis T85.86
Revise to - - thrombosis T85.868
Add - intrathecal infusion pump
Add - - infection and inflammation T85.738
Add - - mechanical
Add - - - breakdown T85.615
Add - - - displacement T85.625
Add - - - leakage T85.635
Add - - - malfunction T85.695
Add - - - malposition T85.625
Add - - - obstruction T85.695
Add - - - perforation T85.695
Add - - - protrusion T85.695
Add - - - specified NEC T85.695
No Change - intrauterine
No Change - - contraceptive device
Revise from - - - infection and inflammation T83.6
Revise to - - - infection and inflammation T83.69
No Change - joint prosthesis, internal T84.9
No Change - - mechanical
No Change - - - perforation - see Complications, joint prosthesis, mechanical, specified NEC
Add - - - osteolysis T84.059
Add - - - - hip T84.05-
Add - - - - knee T84.05-
Add - - - - other specified joint T84.058
Delete - - - periprosthetic
Delete - - - - fracture T84.049
Delete - - - - hip T84.04-
Delete - - - - knee T84.04-
Delete - - - - other specified joint T84.048
Delete - - - - osteolysis T84.059
Delete - - - - hip T84.05-
Delete - - - - knee T84.05-
Delete - - - - other specified joint T84.058
No Change - mastoid (process) procedure
No Change - - postoperative H95.89
Revise from - - - hematoma - see Complications..., postprocedural, hemorrhage (hematoma) (of), mastoid process
Revise to - - - hematoma - see Complications..., postprocedural, hematoma (of), mastoid process
Revise from - - - hemorrhage - see Complications..., postprocedural, hemorrhage (hematoma) (of), mastoid process

Revise to - - - hemorrhage - see Complications..., postprocedural, hemorrhage (of), mastoid process
Add - - - seroma - see Complications, postprocedural, seroma (of), mastoid process
No Change - musculoskeletal system - see also Complication, intraoperative (intraprocedural), by site
No Change - - post radiation M96.89
Revise from - - - kyphosis M96.3
Revise to - - - kyphosis M96.2
No Change - nervous system G98.8
No Change - - device, implant or graft - see also Complication, prosthetic device or implant, specified NEC
Add - - - specified NEC
Add - - - infection and inflammation T85.738
Add - - - mechanical T85.695
Add - - - breakdown T85.615
Add - - - displacement T85.625
Add - - - leakage T85.635
Add - - - malfunction T85.695
Add - - - malposition T85.625
Add - - - obstruction T85.695
Add - - - perforation T85.695
Add - - - protrusion T85.695
Add - - - specified NEC T85.695
No Change - orbital prosthesis T85.9
Revise from - - embolism T85.81
Revise to - - embolism T85.818
Revise from - - fibrosis T85.82
Revise to - - fibrosis T85.828
Revise from - - hemorrhage T85.83
Revise to - - hemorrhage T85.838
Revise from - - pain T85.84
Revise to - - pain T85.848
Revise from - - specified type NEC T85.89
Revise to - - specified type NEC T85.898
Revise from - - stenosis T85.85
Revise to - - stenosis T85.858
Revise from - - thrombosis T85.86
Revise to - - thrombosis T85.868
No Change - postprocedural - see also Complications, surgical procedure
Add - - hematoma (of)
Add - - - circulatory system organ or structure
Add - - - following cardiac bypass I97.631
Add - - - following cardiac catheterization I97.630
Add - - - following other circulatory system procedure I97.638
Add - - - following other procedure I97.621
Add - - digestive system
Add - - - following procedure on digestive system K91.870
Add - - - following procedure on other organ K91.871
Add - - ear
Add - - - following other procedure H95.52
Add - - - following procedure on ear and mastoid process H95.51
Add - - endocrine system
Add - - - following endocrine system procedure E89.820
Add - - - following other procedure E89.821
Add - - eye and adnexa
Add - - - following ophthalmic procedure H59.33-
Add - - - following other procedure H59.34-
Add - - genitourinary organ or structure
Add - - - following procedure on genitourinary organ or structure N99.840
Add - - - following procedure on other organ N99.841
Add - - mastoid process
Add - - - following other procedure H95.52
Add - - - following procedure on ear and mastoid process H95.51

Add - - - musculoskeletal structure
Add - - - following musculoskeletal surgery M96.840
Add - - - following non-orthopedic surgery M96.841
Add - - - following orthopedic surgery M96.840
Add - - - nervous system
Add - - - following nervous system procedure G97.61
Add - - - following other procedure G97.62
Add - - - respiratory system
Add - - - following other procedure J95.861
Add - - - following procedure on respiratory system organ or structure J95.860
Add - - - skin and subcutaneous tissue
Add - - - following dermatologic procedure L76.31
Add - - - following procedure on other organ L76.32
Add - - - spleen
Add - - - following procedure on other organ D78.32
Add - - - following procedure on the spleen D78.31
Revise from - - hemorrhage (hematoma) (of)
Revise to - - hemorrhage (of)
No Change - - circulatory system organ or structure
Delete - - - following a cardiac bypass I97.611
Delete - - - following a cardiac catheterization I97.610
Add - - - following cardiac bypass I97.611
Add - - - following cardiac catheterization I97.610
Revise from - - - following other procedure I97.62
Revise to - - - following other procedure I97.620
No Change - - nervous system
Delete - - - following a nervous system procedure G97.51
Add - - - following nervous system procedure G97.51
No Change - - skin and subcutaneous tissue
Delete - - - following a dermatologic procedure L76.21
Add - - - following dermatologic procedure L76.21
Add - - - seroma (of)
Add - - - circulatory system organ or structure
Add - - - following cardiac bypass I97.641
Add - - - following cardiac catheterization I97.640
Add - - - following other circulatory system procedure I97.648
Add - - - following other procedure I97.622
Add - - - digestive system
Add - - - following procedure on digestive system K91.872
Add - - - following procedure on other organ K91.873
Add - - - ear
Add - - - following other procedure H95.54
Add - - - following procedure on ear and mastoid process H95.53
Add - - - endocrine system
Add - - - following endocrine system procedure E89.822
Add - - - following other procedure E89.823
Add - - - eye and adnexa
Add - - - following ophthalmic procedure H59.35-
Add - - - following other procedure H59.36-
Add - - - genitourinary organ or structure
Add - - - following procedure on genitourinary organ or structure N99.842
Add - - - following procedure on other organ N99.843
Add - - - mastoid process
Add - - - following other procedure H95.54
Add - - - following procedure on ear and mastoid process H95.53
Add - - - musculoskeletal structure
Add - - - following musculoskeletal surgery M96.842
Add - - - following non-orthopedic surgery M96.843
Add - - - following orthopedic surgery M96.842
Add - - - nervous system

Add - - - following nervous system procedure G97.63
Add - - - following other procedure G97.64
Add - - - respiratory system
Add - - - following other procedure J95.863
Add - - - following procedure on respiratory system organ or structure J95.862
Add - - - skin and subcutaneous tissue
Add - - - following dermatologic procedure L76.33
Add - - - following procedure on other organ L76.34
Add - - - spleen
Add - - - following procedure on other organ D78.34
Add - - - following procedure on the spleen D78.33
No Change - prosthetic device or implant T85.9
Add - - bulking agent
Add - - - ureteral
Add - - - erosion T83.714
Add - - - exposure T83.724
Add - - - urethral
Add - - - erosion T83.713
Add - - - exposure T83.723
No Change - - genital organ or tract - see Complications, genitourinary, device or implant, genital tract
Add - - - specified NEC T83.79
No Change - - mesh
Revise from - - - erosion (to surrounding organ or tissue) T83.718
Revise to - - - erosion (to surrounding organ or tissue) T83.717
Add - - - urethral (into pelvic floor muscles) T83.712
Revise from - - - exposure (into surrounding organ or tissue) T83.728
Revise to - - - exposure (into surrounding organ or tissue) T83.727
Add - - - urethral (through urethral wall) T83.722
No Change - - penile T83.9
Revise from - - - infection and inflammation T83.6
Revise to - - - infection and inflammation T83.61
No Change - - prosthetic materials NEC
No Change - - - erosion (to surrounding organ or tissue) T83.718
Delete - - - vaginal (into pelvic floor muscles) T83.711
No Change - - - exposure (into surrounding organ or tissue) T83.728
Delete - - - vaginal (into vagina) (through vaginal wall) T83.721
No Change - - skin graft T86.829
No Change - - - artificial skin or decellularized allograft
Revise from - - - embolism T85.81
Revise to - - - embolism T85.818
Revise from - - - fibrosis T85.82
Revise to - - - fibrosis T85.828
Revise from - - - hemorrhage T85.83
Revise to - - - hemorrhage T85.838
Revise from - - - pain T85.84
Revise to - - - pain T85.848
Revise from - - - specified type NEC T85.89
Revise to - - - specified type NEC T85.898
Revise from - - - stenosis T85.85
Revise to - - - stenosis T85.858
Revise from - - - thrombosis T85.86
Revise to - - - thrombosis T85.868
Add - - sling
Add - - - urethral (female) (male)
Add - - - erosion T83.712
Add - - - exposure T83.722
No Change - - - specified NEC T85.9
Revise from - - - embolism T85.81
Revise to - - - embolism T85.818
Revise from - - - fibrosis T85.82

Revise to - - - fibrosis T85.828
Revise from - - - hemorrhage T85.83
Revise to - - - hemorrhage T85.838
Revise from - - - pain T85.84
Revise to - - - pain T85.848
Revise from - - - specified type NEC T85.89
Revise to - - - specified type NEC T85.898
Revise from - - - stenosis T85.85
Revise to - - - stenosis T85.858
Revise from - - - thrombosis T85.86
Revise to - - - thrombosis T85.868
No Change - stent
Delete - - urinary T83.9
Delete - - - embolism T83.81
Delete - - - fibrosis T83.82
Delete - - - hemorrhage T83.83
Delete - - - infection and inflammation T83.59
Delete - - - mechanical
Delete - - - - breakdown T83.112
Delete - - - - displacement T83.122
Delete - - - - leakage T83.192
Delete - - - - malposition T83.122
Delete - - - - obstruction T83.192
Delete - - - - perforation T83.192
Delete - - - - protrusion T83.192
Delete - - - - specified NEC T83.192
Delete - - - pain T83.84
Delete - - - specified type NEC T83.89
Delete - - - stenosis T83.85
Delete - - - thrombosis T83.86
Add - - ureteral indwelling
Add - - - breakdown T83.112
Add - - - displacement T83.122
Add - - - leakage T83.192
Add - - - malposition T83.122
Add - - - obstruction T83.192
Add - - - perforation T83.192
Add - - - protrusion T83.192
Add - - - specified NEC T83.192
Add - - urinary NEC (ileal conduit) (nephroureteral) T83.193
Add - - - embolism T83.81
Add - - - fibrosis T83.82
Add - - - hemorrhage T83.83
Add - - - infection and inflammation T83.593
Add - - - mechanical
Add - - - - breakdown T83.113
Add - - - - displacement T83.123
Add - - - - leakage T83.193
Add - - - - malposition T83.123
Add - - - - obstruction T83.193
Add - - - - perforation T83.193
Add - - - - protrusion T83.193
Add - - - - specified NEC T83.193
Add - - - pain T83.84
Add - - - specified type NEC T83.89
Add - - - stenosis T83.85
Add - - - thrombosis T83.86
Add - - vascular
Add - - - end stent stenosis - see Restenosis, stent
Add - - - in stent stenosis - see Restenosis, stent

No Change - stoma
Revise from - - urinary tract N99.538
Revise to - - urinary tract N99.528
Add - - - continent N99.538
Add - - - - hemorrhage N99.530
Add - - - - herniation N99.533
Add - - - - infection N99.531
Add - - - - malfunction N99.532
Add - - - - specified type NEC N99.538
Add - - - - stenosis N99.534
No Change - - - external NOS N99.528
Delete - - - - hemorrhage N99.520
Delete - - - - infection N99.521
Delete - - - - malfunction N99.522
Delete - - - - specified type NEC N99.528
Revise from - - - hemorrhage N99.530
Revise to - - - hemorrhage N99.520
Add - - - herniation N99.523
Add - - - incontinent N99.528
Add - - - - hemorrhage N99.520
Add - - - - herniation N99.523
Add - - - - infection N99.521
Add - - - - malfunction N99.522
Add - - - - specified type NEC N99.528
Add - - - - stenosis N99.524
Revise from - - - infection N99.531
Revise to - - - infection N99.521
Revise from - - - malfunction N99.532
Revise to - - - malfunction N99.522
Revise from - - - specified type NEC N99.538
Revise to - - - specified type NEC N99.528
Add - - - stenosis N99.524
No Change - surgical procedure (on) T81.9
No Change - - hematoma
Revise from - - - postprocedural - see Complication, postprocedural, hemorrhage
Revise to - - - postprocedural - see Complication, postprocedural, hematoma
Revise from - - stitch abscess T81.4
Revise to - - stitch abscess T81.48
Revise from - - wound infection T81.4
Revise to - - wound infection T81.40
No Change - suture, permanent (wire) NEC T85.9
Revise from - - embolism T85.81
Revise to - - embolism T85.818
Revise from - - fibrosis T85.82
Revise to - - fibrosis T85.828
Revise from - - hemorrhage T85.83
Revise to - - hemorrhage T85.838
Revise from - - pain T85.84
Revise to - - pain T85.848
Revise from - - specified type NEC T85.89
Revise to - - specified type NEC T85.898
Revise from - - stenosis T85.85
Revise to - - stenosis T85.858
Revise from - - thrombosis T85.86
Revise to - - thrombosis T85.868
No Change - vaccination T88.1
Revise from - - myelitis G04.89
Revise to - - myelitis G04.02
No Change - ventricular (communicating) shunt (device) T85.9
Revise from - - embolism T85.81

- Revise to* - - embolism T85.810
Revise from - - fibrosis T85.82
Revise to - - fibrosis T85.820
Revise from - - hemorrhage T85.83
Revise to - - hemorrhage T85.830
Revise from - - infection and inflammation T85.79
Revise to - - infection and inflammation T85.730
Revise from - - pain T85.84
Revise to - - pain T85.840
Revise from - - specified type NEC T85.89
Revise to - - specified type NEC T85.890
Revise from - - stenosis T85.85
Revise to - - stenosis T85.850
Revise from - - thrombosis T85.86
Revise to - - thrombosis T85.860
- No Change**
Compression
Revise from - fracture - see Fracture
Revise to - fracture
Add - - nontraumatic NOS - see Collapse, vertebra
Add - - pathological - see Fracture, pathological
Add - - traumatic - see Fracture, traumatic
- No Change**
Compulsion, compulsive
Revise from - neurosis F42
Revise to - neurosis F42.8
Revise from - states F42
Revise to - states F42.8
Revise from - swearing F42
Revise to - swearing F42.8
- No Change** **Concretion** - see also Calculus
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
- Revise from* **Concussion (brain) (cerebral) (current)** S06.0X-
Concussion (brain) (cerebral) (current) S06.0X9
Revise to - with
Add - - loss of consciousness of 30 minutes or less S06.0X1
Add - - loss of consciousness of unspecified duration S06.0X9
without loss of consciousness S06.0X0
- No Change** **Congenital** - see also condition
Revise from - aortic septum Q25.4
Revise to - aortic septum Q25.49
- No Change** **Congestion, congestive**
Revise from - pancreas K86.8
Revise to - pancreas K86.89
- No Change** **Constipation (atonic) (neurogenic) (simple) (spastic)** K59.00
Add - chronic K59.09
Add - - idiopathic K59.04
Revise from - drug-induced - see Table of Drugs and Chemicals
Revise to - drug-induced K59.03
Add - functional K59.04
- No Change** **Contraception, contraceptive**
No Change - initial prescription Z30.019
Add - - barrier Z30.018
Add - - diaphragm Z30.018
Revise from - - subdermal implantable Z30.019
Revise to - - subdermal implantable Z30.017
Add - - transdermal patch hormonal Z30.016
Add - - vaginal ring hormonal Z30.015
- No Change** - maintenance Z30.40
Add - - barrier Z30.49
Add - - diaphragm Z30.49

Revise from - - subdermal implantable Z30.49
Revise to - - subdermal implantable Z30.46
Add - - transdermal patch hormonal Z30.45
Add - - vaginal ring hormonal Z30.44
No Change **Contusion (skin surface intact) T14.8**
Add - heart (see also Injury, heart) S26.91
No Change **Convulsions (idiopathic) (see also Seizure(s)) R56.9**
Delete - benign neonatal (familial) - see Epilepsy, generalized, idiopathic
Delete - neonatal, benign (familial) - see Epilepsy, generalized, idiopathic
Revise from **Coprophagy F50.8**
Revise to **Coprophagy F50.89**
Revise from **Cornual gestation or pregnancy O00.8**
Revise to **Cornual gestation or pregnancy O00.80**
Add - with intrauterine pregnancy O00.81
No Change **Counseling (for) Z71.9**
Add - gestational carrier Z31.7
No Change **Cyclical vomiting (see also Vomiting, cyclical) G43.A0**
Revise from - psychogenic F50.8
Revise to - psychogenic F50.89
No Change **Cyst (colloid) (mucous) (simple) (retention)**
Add - aneurysmal M27.49
Revise from - cervical lateral Q18.1
Revise to - cervical lateral Q18.0
No Change - corpus
Revise from - - albicans N83.29
Revise to - - albicans N83.29-
Revise from - - luteum (hemorrhagic) (ruptured) N83.1
Revise to - - luteum (hemorrhagic) (ruptured) N83.1-
Revise from - follicle (graafian) (hemorrhagic) N83.0
Revise to - follicle (graafian) (hemorrhagic) N83.0-
Revise from - follicular (atretic) (hemorrhagic) (ovarian) N83.0
Revise to - follicular (atretic) (hemorrhagic) (ovarian) N83.0-
Revise from - graafian follicle (hemorrhagic) N83.0
Revise to - graafian follicle (hemorrhagic) N83.0-
Revise from - granulosal lutein (hemorrhagic) N83.1
Revise to - granulosal lutein (hemorrhagic) N83.1-
Add - hemorrhagic M27.49
Revise from - lutein N83.1
Revise to - lutein N83.1-
Revise from - ovary, ovarian (twisted) N83.20
Revise to - ovary, ovarian (twisted) N83.20-
Revise from - - adherent N83.20
Revise to - - adherent N83.20-
No Change - - corpus
Revise from - - - albicans N83.29
Revise to - - - albicans N83.29-
Revise from - - - luteum (hemorrhagic) N83.1
Revise to - - - luteum (hemorrhagic) N83.1-
Revise from - - due to failure of involution NEC N83.20
Revise to - - due to failure of involution NEC N83.20-
Revise from - - follicular (graafian) (hemorrhagic) N83.0
Revise to - - follicular (graafian) (hemorrhagic) N83.0-
Revise from - - hemorrhagic N83.20
Revise to - - hemorrhagic N83.20-
Revise from - - retention N83.29
Revise to - - retention N83.29-
Revise from - - serous N83.20
Revise to - - serous N83.20-
Revise from - - specified NEC N83.29
Revise to - - specified NEC N83.29-

Revise from - - theca lutein (hemorrhagic) N83.1
Revise to - - theca lutein (hemorrhagic) N83.1-
Revise from - retention (ovary) N83.29
Revise to - retention (ovary) N83.29-
No Change - sebaceous (duct) (gland) L72.3
No Change - - genital organ NEC
Revise from - - - male N50.8
Revise to - - - male N50.89
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
Revise from - serous (ovary) N83.20
Revise to - serous (ovary) N83.20-
No Change - skin L72.9
No Change - - genital organ NEC
Revise from - - - male N50.8
Revise to - - - male N50.89
Revise from - spermatic cord N50.8
Revise to - spermatic cord N50.89
Revise from - theca lutein (ovary) N83.1
Revise to - theca lutein (ovary) N83.1-
No Change - tunica
Revise from - - vaginalis N50.8
Revise to - - vaginalis N50.89
No Change **Cystic** - see also condition
Revise from - corpora lutea (hemorrhagic) N83.1
Revise to - corpora lutea (hemorrhagic) N83.1-
Revise from - ovary N83.20
Revise to - ovary N83.20-
No Change **Cystoma** - see also Neoplasm, benign, by site
Revise from - simple (ovary) N83.29
Revise to - simple (ovary) N83.29-

D

No Change **Deafness (acquired) (complete) (hereditary) (partial)** H91.9-
No Change - conductive H90.2
Delete - - and sensorineural, mixed H90.8
Delete - - - bilateral H90.6
Add - - and sensorineural
Add - - - mixed H90.8
Add - - - - bilateral H90.6
No Change - - unilateral H90.1-
Add - - - with restricted hearing on the contralateral side H90.A-
No Change - sensorineural H90.5
Delete - - and conductive, mixed H90.8
Delete - - - bilateral H90.6
Add - - and conductive
Add - - - mixed H90.8
Add - - - - bilateral H90.6
No Change - - unilateral H90.4-
Add - - - with restricted hearing on the contralateral side H90.A-
No Change **Decrease (d)**
No Change - function
Revise from - - parenchyma of pancreas K86.8
Revise to - - parenchyma of pancreas K86.89
No Change - tolerance
Revise from - - fat K90.4
Revise to - - fat K90.49
No Change **Defect, defective** Q89.9
No Change - filling

Revise from - - bladder R93.4
Revise to - - bladder R93.41
Revise from - - kidney R93.4
Revise to - - kidney R93.42-
Add - - renal pelvis R93.41
Revise from - - ureter R93.4
Revise to - - ureter R93.41
Add - - urinary organs, specified NEC R93.49
No Change **Deficiency, deficient**
Revise from - lipocaic K86.8
Revise to - lipocaic K86.89
Add - mevalonate kinase M04.1
Add - of interleukin 1 receptor antagonist [DIRA] M04.8
Add - vertical ridge K06.8
No Change **Deficit** - see also Deficiency
No Change - attention and concentration R41.840
Add - - following
Add - - - cerebral infarction I69.310
Add - - - cerebrovascular disease I69.910
Add - - - - specified disease NEC I69.810
Add - - - nontraumatic
Add - - - - intracerebral hemorrhage I69.110
Add - - - - - specified intracranial hemorrhage NEC I69.210
Add - - - - subarachnoid hemorrhage I69.010
Delete
Add - cognitive communication R41.841
Add - cognitive
Add - - communication R41.841
Add - - emotional
Add - - - following
Add - - - - cerebral infarction I69.315
Add - - - - cerebrovascular disease I69.915
Add - - - - - specified disease NEC I69.815
Add - - - - nontraumatic
Add - - - - - intracerebral hemorrhage I69.115
Add - - - - - specified intracranial hemorrhage NEC I69.215
Add - - - - subarachnoid hemorrhage I69.015
Add - - following
Add - - - cerebral infarction I69.319
Add - - - cerebrovascular disease I69.919
Add - - - - specified disease NEC I69.819
Add - - - nontraumatic
Add - - - - intracerebral hemorrhage I69.119
Add - - - - - specified intracranial hemorrhage NEC I69.219
Add - - - - subarachnoid hemorrhage I69.019
Add - - social
Add - - - following
Add - - - - cerebral infarction I69.315
Add - - - - cerebrovascular disease I69.915
Add - - - - - specified disease NEC I69.815
Add - - - - nontraumatic
Add - - - - - intracerebral hemorrhage I69.115
Add - - - - - specified intracranial hemorrhage NEC I69.215
Add - - - - subarachnoid hemorrhage I69.015
No Change - cognitive NEC R41.89
No Change - - following
Revise from - - - cerebral infarction I69.31
Revise to - - - cerebral infarction I69.318
Revise from - - - cerebrovascular disease I69.91
Revise to - - - cerebrovascular disease I69.918
Revise from - - - - specified disease NEC I69.81

Revise to - - - - specified disease NEC I69.818
Delete - - - intracerebral hemorrhage I69.11
Delete - - - nontraumatic intracranial hemorrhage NEC I69.21
Delete - - - subarachnoid hemorrhage I69.01
Add - - - nontraumatic
Add - - - intracerebral hemorrhage I69.118
Add - - - specified intracranial hemorrhage NEC I69.218
Add - - - subarachnoid hemorrhage I69.018
No Change - executive function R41.844
Add - - following
Add - - cerebral infarction I69.314
Add - - cerebrovascular disease I69.914
Add - - - specified disease NEC I69.814
Add - - nontraumatic
Add - - - intracerebral hemorrhage I69.114
Add - - - specified intracranial hemorrhage NEC I69.214
Add - - - subarachnoid hemorrhage I69.014
No Change - frontal lobe R41.844
Add - - following
Add - - cerebral infarction I69.314
Add - - cerebrovascular disease I69.914
Add - - - specified disease NEC I69.814
Add - - nontraumatic
Add - - - intracerebral hemorrhage I69.114
Add - - - specified intracranial hemorrhage NEC I69.214
Add - - - subarachnoid hemorrhage I69.014
Add - memory
Add - - following
Add - - cerebral infarction I69.311
Add - - cerebrovascular disease I69.911
Add - - - specified disease NEC I69.811
Add - - nontraumatic
Add - - - intracerebral hemorrhage I69.111
Add - - - specified intracranial hemorrhage NEC I69.211
Add - - - subarachnoid hemorrhage I69.011
No Change - psychomotor R41.843
Add - - following
Add - - cerebral infarction I69.313
Add - - cerebrovascular disease I69.913
Add - - - specified disease NEC I69.813
Add - - nontraumatic
Add - - - intracerebral hemorrhage I69.113
Add - - - specified intracranial hemorrhage NEC I69.213
Add - - - subarachnoid hemorrhage I69.013
No Change - visuospatial R41.842
Add - - following
Add - - cerebral infarction I69.312
Add - - cerebrovascular disease I69.912
Add - - - specified disease NEC I69.812
Add - - nontraumatic
Add - - - intracerebral hemorrhage I69.112
Add - - - specified intracranial hemorrhage NEC I69.212
Add - - - subarachnoid hemorrhage I69.012
No Change Deformity Q89.9
Revise from - aorta (arch) (congenital) Q25.4
Revise to - aorta (arch) (congenital) Q25.40
No Change - ejaculatory duct (congenital) Q55.4
Revise from - - acquired N50.8
Revise to - - acquired N50.89
No Change - epididymis (congenital) Q55.4

- Revise from* - - acquired N50.8
Revise to - - acquired N50.89
No Change - genitalia, genital organ(s) or system NEC
No Change - - male (congenital) Q55.9
Revise from - - - acquired N50.8
Revise to - - - acquired N50.89
No Change - pancreas (congenital) Q45.3
Revise from - - acquired K86.8
Revise to - - acquired K86.89
No Change - scrotum (congenital) - see also Malformation, testis and scrotum
Revise from - - acquired N50.8
Revise to - - acquired N50.89
No Change - seminal vesicles (congenital) Q55.4
Revise from - - acquired N50.8
Revise to - - acquired N50.89
No Change - spermatic cord (congenital) Q55.4
Revise from - - acquired N50.8
Revise to - - acquired N50.89
Revise from - transverse aortic arch (congenital) Q25.4
Revise to - transverse aortic arch (congenital) Q25.49
No Change - vas deferens (congenital) Q55.4
Revise from - - acquired N50.8
Revise to - - acquired N50.89
Degeneration, degenerative
Revise from - Kuhnt-Junius (see also Degeneration, macula) H35.32
Revise to - Kuhnt-Junius (see also Degeneration, macula) H35.32-
No Change - macula, macular (acquired) (age-related) (senile) H35.30
Revise from - - atrophic age-related H35.31
Revise to - - atrophic age-related H35.31-
Add - - dry age-related H35.31-
Revise from - - exudative H35.32
Revise to - - exudative H35.32-
Revise from - - nonexudative H35.31
Revise to - - nonexudative H35.31-
Add - - wet age-related H35.32-
No Change - ovary N83.8
Revise from - - cystic N83.20
Revise to - - cystic N83.20-
Revise from - - microcystic N83.20
Revise to - - microcystic N83.20-
Revise from - pancreas K86.8
Revise to - pancreas K86.89
No Change - retina H35.9
Revise from - - Kuhnt-Junius (see also Degeneration, macula) H35.32
Revise to - - Kuhnt-Junius (see also Degeneration, macula) H35.32-
No Change **Dehydration E86.0**
Delete - hypertonic E87.0
Delete - hypotonic E87.1
Delay, delayed
Add - ejaculation F52.32
No Change **Delirium, delirious (acute or subacute) (not alcohol- or drug-induced) (with dementia) R41.0**
No Change - due to (secondary to)
Add - - other (or unknown) substance F19.921
Delivery (childbirth) (labor)
No Change - cesarean (for)
Revise from - - placenta previa O44.1-
Revise to - - placenta previa O44.0-
Delete - - - without hemorrhage O44.0-
Add - - - complete O44.0-
Add - - - - with hemorrhage O44.1-

Revise from - - pre-eclampsia O14.9-
Revise to - - pre-eclampsia O14.94
Revise from - - - mild O14.0-
Revise to - - - mild O14.04
Revise from - - - moderate O14.0-
Revise to - - - moderate O14.04
Revise from - - - severe
Revise to - - - severe O14.14
Revise from - - - - with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.2-
Revise to - - - - with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.24
No Change - - previous
Revise from - - - cesarean delivery O34.21
Revise to - - - cesarean delivery O34.219
Add - - - - classical (vertical) scar O34.212
Add - - - - low transverse scar O34.211
No Change - - scar(s)
Revise from - - - cesarean delivery O34.21
Revise to - - - cesarean delivery O34.219
Add - - - - classical (vertical) O34.212
Add - - - - low transverse O34.211
Add - - - - transmural uterine O34.29
Delete - - streptococcus B carrier state O99.824
Add - - streptococcus group B (GBS) carrier state O99.824
Add - - transmural uterine scar O34.29
No Change - - complicated O75.9
No Change - - by
No Change - - - diabetes O24.92
No Change - - - gestational O24.429
Add - - - - oral drug controlled (antidiabetic) (hypoglycemic) O24.425
Delete - - - gestational diabetes O24.429
Delete - - - diet controlled O24.420
Delete - - - insulin (and diet) controlled O24.424
Add - - - gestational
Add - - - - diabetes O24.429
Add - - - - diet controlled O24.420
Add - - - - insulin (and diet) controlled O24.424
Add - - - - oral drug controlled (antidiabetic) (hypoglycemic) O24.425
Add - - - edema O12.04
Add - - - - with proteinuria O12.24
Add - - - - proteinuria O12.14
No Change - - - hemorrhage (uterine) O67.9
No Change - - - due to
Add - - - - low implantation of placenta O44.5-
Revise from - - - - low-lying placenta O44.1-
Revise to - - - - low lying placenta O44.5-
No Change - - - - placenta previa O44.1-
Add - - - - marginal O44.3-
Add - - - - partial O44.3-
No Change - - - laceration (perineal) O70.9
No Change - - - - anus (sphincter) O70.4
Revise from - - - - with third degree laceration O70.2
Revise to - - - - with third degree laceration (see also Delivery, complicated, by, laceration, perineum, third degree) O70.20
No Change - - - perineum, perineal O70.9
Revise from - - - - third degree O70.2
Revise to - - - - third degree O70.20
Add - - - - with
Add - - - - both external anal sphincter (EAS) and internal anal sphincter (IAS) torn (IIIC) O70.23
Add - - - - less than 50% of external anal sphincter (EAS) thickness torn (IIIA) O70.21
Add - - - - more than 50% external anal sphincter (EAS) thickness torn (IIIB) O70.22

Add ----- IIIa O70.21
Add ----- IIIb O70.22
Add ----- IIIc O70.23
No Change ----- rectovaginal (septum) (without perineal laceration) O71.4
Revise from ----- with perineum O70.2
Revise to ----- with perineum (see also Delivery, complicated, by, laceration, perineum, third degree) O70.20
No Change ----- malposition, malpresentation
Revise from ----- placenta (with hemorrhage) O44.1-
Revise to ----- placenta O44.0-
Delete ----- without hemorrhage O44.0-
Add ----- with hemorrhage O44.1-
No Change ----- placenta, placental
Revise from ----- low (implantation) O44.1-
Revise to ----- low (implantation) (lying) O44.4-
Delete ----- without hemorrhage O44.0-
Add ----- with hemorrhage O44.5-
Revise from ----- malposition O44.1-
Revise to ----- malposition O44.0-
Revise from ----- without hemorrhage O44.0-
Revise to ----- without hemorrhage O44.1-
Revise from ----- previa (central) (lateral) (low) (marginal) (partial) (total) O44.1-
Revise to ----- previa (central) (complete) (lateral) (total) O44.0-
Delete ----- without hemorrhage O44.0-
Add ----- with hemorrhage O44.1-
Add ----- marginal O44.2-
Add ----- with hemorrhage O44.3-
Add ----- partial O44.2-
Add ----- with hemorrhage O44.3-
Delete ----- streptococcus B carrier state O99.824
Add ----- streptococcus group B (GBS) carrier state O99.824
Revise from - vaginal, following previous cesarean delivery O34.21
Revise to - vaginal, following previous cesarean delivery O34.219
Add -- classical (vertical) scar O34.212
Add -- low transverse scar O34.211
No Change **Dependence (on) (syndrome)** F19.20
Revise from - PCP (phencyclidine) (see also Abuse, drug, hallucinogen) F16.20
Revise to - PCP (phencyclidine) (or related substance) - see Dependence, drug, hallucinogen
Revise from - phencyclidine (PCP) (and related substances) (see also Abuse, drug, hallucinogen) F16.20
Revise to - phencyclidine (PCP) (or related substance) - see Dependence, drug, hallucinogen
No Change **Depression (acute) (mental)** F32.9
Revise from - atypical (single episode) F32.8
Revise to - atypical (single episode) F32.89
Add -- recurrent episode F33.8
Revise from - climacteric (single episode) F32.8
Revise to - climacteric (single episode) F32.89
Add -- recurrent episode F33.8
Revise from - involutional (single episode) F32.8
Revise to - involutional (single episode) F32.89
Add -- recurrent episode F33.8
Revise from - masked (single episode) F32.8
Revise to - masked (single episode) F32.89
Revise from - menopausal (single episode) F32.8
Revise to - menopausal (single episode) F32.89
Add -- recurrent episode F33.8
Revise from - post-psychotic of schizophrenia F32.8
Revise to - post-psychotic of schizophrenia F32.89
Revise from - post-schizophrenic F32.8
Revise to - post-schizophrenic F32.89
Revise from - specified NEC (single episode) F32.8
Revise to - specified NEC (single episode) F32.89

No Change **Dermatitis (eczematous)** L30.9
- contact (occupational) L25.9
No Change - - irritant L24.9
No Change - - - due to
Revise from - - - - cement L25.3
Revise to - - - - cement L24.5
No Change - stasis I87.2
Delete - - with varicose ulcer - see Varix, leg, with ulcer, with inflammation
Add - - with
Add - - - varicose ulcer - see Varix, leg, with ulcer, with inflammation
Add - - - varicose veins - see Varix, leg, with, inflammation
No Change **Developmental** - see condition
Delete - testing, child - see Examination, child
Add - testing, infant or child - see Examination, child
No Change **Diabetes, diabetic (mellitus) (sugar)** E11.9
No Change - with
Add - - gastroparesis E11.43
Add - - osteomyelitis E11.69
No Change - - retinopathy E11.319
No Change - - - with macular edema E11.311
Add - - - resolved following treatment E11.37
No Change - - - proliferative E11.359
Delete - - - - with macular edema E11.351
Add - - - - with
- - - - combined traction retinal detachment and rhegmatogenous retinal detachment E11.354
Add - - - - macular edema E11.351
Add - - - - stable proliferative diabetic retinopathy E11.355
Add - - - - traction retinal detachment involving the macula E11.352
Add - - - - traction retinal detachment not involving the macula E11.353
Add - brittle - see Diabetes, type 1
Add - due to
Add - - autoimmune process - see Diabetes, type 1
Add - - immune mediated pancreatic islet beta-cell destruction - see Diabetes, type 1
No Change - due to drug or chemical E09.9
No Change - - with
Add - - - gastroparesis E09.43
No Change - - - retinopathy E09.319
Add - - - resolved following treatment E09.37
No Change - - - proliferative E09.359
Delete - - - - with macular edema E09.351
Add - - - - with
- - - - combined traction retinal detachment and rhegmatogenous retinal detachment E09.354
Add - - - - macular edema E09.351
Add - - - - stable proliferative diabetic retinopathy E09.355
Add - - - - traction retinal detachment involving the macula E09.352
Add - - - - traction retinal detachment not involving the macula E09.353
No Change - due to underlying condition E08.9
No Change - - with
Add - - - gastroparesis E08.43
No Change - - - retinopathy E08.319
Add - - - resolved following treatment E08.37
No Change - - - proliferative E08.359
Delete - - - - with macular edema E08.351
Add - - - - with
- - - - combined traction retinal detachment and rhegmatogenous retinal detachment E08.354
Add - - - - macular edema E08.351
Add - - - - stable proliferative diabetic retinopathy E08.355
Add - - - - traction retinal detachment involving the macula E08.352
Add - - - - traction retinal detachment not involving the macula E08.353
No Change - gestational (in pregnancy) O24.419

No Change - - in childbirth O24.429
Add - - oral drug controlled (antidiabetic) (hypoglycemic) O24.425
Add - - oral drug controlled (antidiabetic) (hypoglycemic) O24.415
No Change - - puerperal O24.439
Add - - oral drug controlled (antidiabetic) (hypoglycemic) O24.435
Add - idiopathic - see Diabetes, type 1
Revise from - latent R73.09
Revise to - latent R73.03
No Change - specified type NEC E13.9
No Change - - with
Add - - gastroparesis E13.43
No Change - - retinopathy E13.319
Add - - - resolved following treatment E13.37
No Change - - - proliferative E13.359
Delete - - - - with macular edema E13.351
Add - - - - with
Add - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E13.354
Add - - - - macular edema E13.351
Add - - - - stable proliferative diabetic retinopathy E13.355
Add - - - - traction retinal detachment involving the macula E13.352
Add - - - - traction retinal detachment not involving the macula E13.353
No Change - type 1 E10.9
No Change - - with
Add - - gastroparesis E10.43
No Change - - retinopathy E10.319
Add - - - resolved following treatment E10.37
No Change - - - proliferative E10.359
Delete - - - - with macular edema E10.351
Add - - - - with
Add - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E10.354
Add - - - - macular edema E10.351
Add - - - - stable proliferative diabetic retinopathy E10.355
Add - - - - traction retinal detachment involving the macula E10.352
Add - - - - traction retinal detachment not involving the macula E10.353
No Change - type 2 E11.9
No Change - - with
Add - - gastroparesis E11.43
No Change - - retinopathy E11.319
Add - - - resolved following treatment E11.37
No Change - - - proliferative E11.359
Delete - - - - with macular edema E11.351
Add - - - - with
Add - - - - combined traction retinal detachment and rhegmatogenous retinal detachment E11.354
Add - - - - macular edema E11.351
Add - - - - stable proliferative diabetic retinopathy E11.355
Add - - - - traction retinal detachment involving the macula E11.352
Add - - - - traction retinal detachment not involving the macula E11.353
Add - uncontrolled
Add - - meaning
Add - - hyperglycemia - see Diabetes, by type, with, hyperglycemia
Add - - hypoglycemia - see Diabetes, by type, with, hypoglycemia
No Change **Diarrhea, diarrheal (disease) (infantile) (inflammatory)** R19.7
Revise from - allergic K52.2
Revise to - allergic K52.29
Add - - due to
Add - - colitis - see Colitis, allergic
Add - - enteritis - see Enteritis, allergic
Revise from - dietetic K52.2
Revise to - dietetic (see also Diarrhea, allergic) K52.29
No Change - due to

Revise from - - food hypersensitivity K52.2
Revise to - - food hypersensitivity (see also Diarrhea, allergic) K52.29
No Change
Difficult, difficulty (in)
Add - micturition
Add - - need to immediately re-void R39.191
Add - - position dependent R39.192
Add - - specified NEC R39.198
No Change
Dilatation
No Change - aorta (focal) (general) - see Ectasia, aorta
Add - - congenital Q25.44
Revise from - colon K59.3
Revise to - colon K59.39
Add - - toxic K59.31
Revise from - pancreatic duct K86.8
Revise to - pancreatic duct K86.89
Revise from - rectum K59.3
Revise to - rectum K59.39
No Change
Dimple
Delete - parasacral, pilonidal or postanal - see Cyst, pilonidal
Add - congenital sacral Q82.6
Add - parasacral Q82.6
Add - pilonidal or postanal - see Cyst, pilonidal
DIRA (deficiency of interleukin 1 receptor antagonist) M04.8
Disease, diseased - see also Syndrome
Delete - Ayala's Q78.5
Add - Castleman (unicentric) (multicentric) D47.Z2
Add - - HHV-8-associated (see also Herpesvirus, human, 8) D47.Z2
Revise from - celiac (adult) (infantile) K90.0
Revise to - celiac (adult) (infantile) (with steatorrhea) K90.0
No Change
- colon K63.9
Revise from - - ischemic K55.0
Revise to - - ischemic (see also Ischemia, intestine, acute) K55.039
Add - colonic inflammatory bowel, unclassified (IBDU) K52.3
No Change
- gingiva K06.9
Add - - plaque induced K05.00
Revise from - mediastinum J98.5
Revise to - mediastinum J98.59
Revise from - mesenteric embolic K55.0
Revise to - mesenteric embolic (see also Ischemia, intestine, acute) K55.039
No Change
- ovary (noninflammatory) N83.9
Revise from - - cystic N83.20
Revise to - - cystic N83.20-
No Change
- pancreas K86.9
Revise from - - specified NEC K86.8
Revise to - - specified NEC K86.89
No Change
- pelvis, pelvic
No Change
- - inflammatory (female) N73.9
Add - - - chlamydial A56.11
No Change
- Pick's G31.01 [F02.80]
Add - - brain G31.01 [F02.80]
Add - - - with behavioral disturbance G31.01 [F02.81]
Add - - of pericardium (pericardial pseudocirrhosis of liver) I31.1
Revise from - Pyle (-Cohn) (craniometaphyseal dysplasia) Q78.5
Revise to - Pyle (-Cohn) (metaphyseal dysplasia) Q78.5
No Change
- supporting structures of teeth K08.9
Revise from - - specified NEC K08.8
Revise to - - specified NEC K08.89
No Change
- tooth, teeth K08.9
Revise from - - specified NEC K08.8
Revise to - - specified NEC K08.89

Add - Zika virus A92.5

No Change **Dislocation (articular)**

Revise from - jaw (cartilage) (meniscus) S03.0

Revise to - jaw (cartilage) (meniscus) S03.0-

Revise from - mandible S03.0

Revise to - mandible S03.0-

Revise from - temporomandibular (joint) S03.0

Revise to - temporomandibular (joint) S03.0-

No Change **Disorder (of) - see also Disease**

Add - alcohol use

Add -- mild F10.10

Add --- with

Add ---- alcohol-induced

Add ----- anxiety disorder F10.180

Add ----- bipolar and related disorder F10.14

Add ----- depressive disorder F10.14

Add ----- psychotic disorder F10.159

Add ----- sexual dysfunction F10.181

Add ----- sleep disorder F10.182

Add ----- alcohol intoxication F10.129

Add ----- delirium F10.121

Add -- moderate or severe F10.20

Add --- with

Add ---- alcohol-induced

Add ----- anxiety disorder F10.280

Add ----- bipolar and related disorder F10.24

Add ----- depressive disorder F10.24

Add ----- major neurocognitive disorder, amnestic-confabulatory type F10.26

Add ----- major neurocognitive disorder, nonamnestic-confabulatory type F10.27

Add ----- mild neurocognitive disorder F10.288

Add ----- psychotic disorder F10.259

Add ----- sexual dysfunction F10.281

Add ----- sleep disorder F10.282

Add ----- alcohol intoxication F10.229

Add ----- delirium F10.221

Add - amphetamine-type substance use

Add -- mild F15.10

Add -- moderate F15.20

Add -- severe F15.20

Add - amphetamine (or other stimulant) use

Add -- mild

Add --- with

Add ---- amphetamine (or other stimulant) -induced

Add ----- anxiety disorder F15.180

Add ----- bipolar and related disorder F15.14

Add ----- depressive disorder F15.14

Add ----- obsessive-compulsive and related disorder F15.188

Add ----- psychotic disorder F15.159

Add ----- sexual dysfunction F15.181

Add ----- amphetamine, cocaine, or other stimulant intoxication

Add ----- with perceptual disturbances F15.122

Add ----- without perceptual disturbances F15.129

Add ----- intoxication delirium F15.121

Add -- moderate or severe

Add --- with

Add ---- amphetamine (or other stimulant) -induced

Add ----- anxiety disorder F15.280

Add ----- obsessive-compulsive and related disorder F15.288

Add ----- sexual dysfunction F15.281

Add ----- bipolar and related disorder F15.24

Add - - - - depressive disorder F15.24
Add - - - - psychotic disorder F15.259
Add - - - - amphetamine, cocaine, or other stimulant intoxication
Add - - - - with perceptual disturbances F15.222
Add - - - - without perceptual disturbances F15.229
Add - - - - intoxication delirium F15.221
No Change - anxiety F41.9
Add - - illness F45.21
Revise from - attention-deficit without hyperactivity (adolescent) (adult) (child) F90.0
Revise to - attention-deficit without hyperactivity (adolescent) (adult) (child) F98.8
Delete - avoidant, child or adolescent F40.10
Add - autism spectrum F84.0
Add - avoidant
Add - - child or adolescent F40.10
Add - - restrictive food intake F50.89
Add - binge eating F50.81
Add - caffeine use
Add - - mild
Add - - - with
Add - - - - caffeine-induced
Add - - - - anxiety disorder F15.180
Add - - - - sleep disorder F15.182
Add - - moderate or severe
Add - - - with
Add - - - - caffeine-induced
Add - - - - anxiety disorder F15.280
Add - - - - sleep disorder F15.282
No Change - cannabis use
Delete - - due to drug abuse - see Abuse, drug, cannabis
Delete - - due to drug dependence - see Dependence, drug, cannabis
Add - - mild F12.10
Add - - - with
Add - - - - cannabis-induced
Add - - - - anxiety disorder F12.180
Add - - - - psychotic disorder F12.159
Add - - - - sleep disorder F12.188
Add - - - - cannabis intoxication delirium F12.121
Add - - - - with perceptual disturbances F12.122
Add - - - - without perceptual disturbances F12.129
Add - - moderate or severe F12.20
Add - - - with
Add - - - - cannabis-induced
Add - - - - anxiety disorder F12.280
Add - - - - psychotic disorder F12.259
Add - - - - sleep disorder F12.288
Add - - - - cannabis intoxication
Add - - - - with perceptual disturbances F12.222
Add - - - - without perceptual disturbances F12.229
Add - - - - delirium F12.221
Add - catatonia (due to known physiological condition) (with another mental disorder) F06.1
Add - cocaine use
Add - - mild F14.10
Add - - - with
Add - - - - amphetamine, cocaine, or other stimulant intoxication
Add - - - - with perceptual disturbances F14.122
Add - - - - without perceptual disturbances F14.129
Add - - - - cocaine-induced
Add - - - - anxiety disorder F14.180
Add - - - - bipolar and related disorder F14.14
Add - - - - depressive disorder F14.14

Add - - - - obsessive-compulsive and related disorder F14.188
Add - - - - psychotic disorder F14.159
Add - - - - sexual dysfunction F14.181
Add - - - - sleep disorder F14.182
Add - - - - cocaine intoxication delirium F14.121
Add - - moderate or severe F14.20
Add - - with
Add - - - - amphetamine, cocaine, or other stimulant intoxication
Add - - - - with perceptual disturbances F14.222
Add - - - - without perceptual disturbances F14.229
Add - - - - cocaine-induced
Add - - - - anxiety disorder F14.280
Add - - - - bipolar and related disorder F14.24
Add - - - - depressive disorder F14.24
Add - - - - obsessive-compulsive and related disorder F14.288
Add - - - - psychotic disorder F14.259
Add - - - - sexual dysfunction F14.281
Add - - - - sleep disorder F14.282
Add - - - - cocaine intoxication delirium F14.221
No Change - communication F80.9
Add - - social pragmatic F80.82
Revise from - conversion - see Disorder, dissociative
Revise to - conversion (functional neurological symptom disorder)
Add - - with
Add - - - abnormal movement F44.4
Add - - - anesthesia or sensory loss F44.6
Add - - - attacks or seizures F44.5
Add - - - mixed symptoms F44.7
Add - - - special sensory symptoms F44.6
Add - - - speech symptoms F44.4
Add - - - swallowing symptoms F44.4
Add - - - weakness or paralysis F44.4
No Change - depressive F32.9
Add - - persistent F34.1
Add - - specified NEC F32.89
No Change - disc (intervertebral) M51.9
No Change - - with
No Change - - - myelopathy
Revise from - - - mid-cervical region M50.02
Revise to - - - mid-cervical region M50.020
No Change - - radiculopathy
Revise from - - - mid-cervical region M50.12
Revise to - - - mid-cervical region M50.120
No Change - - cervical M50.90
No Change - - with
No Change - - - myelopathy M50.00
Delete - - - - C4-C5 M50.02
Delete - - - - C5-C6 M50.02
Revise from - - - - C6-C7 M50.02
Revise to - - - - C4-C5 M50.021
Revise from - - - - C6-C7 M50.02
Revise to - - - - C5-C6 M50.022
Revise from - - - - C6-C7 M50.02
Revise to - - - - C6-C7 M50.023
Revise from - - - - mid-cervical region M50.02
Revise to - - - - mid-cervical region M50.020
No Change - - - neuritis, radiculitis or radiculopathy M50.10
Delete - - - - C4-C5 M50.12
Delete - - - - C5-C6 M50.12
Revise from - - - - C6-C7 M50.12

Revise to ----- C4-C5 M50.121
Revise from ----- C6-C7 M50.12
Revise to ----- C5-C6 M50.122
Revise from ----- C6-C7 M50.12
Revise to ----- C6-C7 M50.123
Revise from ----- mid-cervical region M50.12
Revise to ----- mid-cervical region M50.120
Delete ----- C4-C5 M50.92
Delete ----- C5-C6 M50.92
Revise from ----- C6-C7 M50.92
Revise to ----- C4-C5 M50.921
Revise from ----- C6-C7 M50.92
Revise to ----- C5-C6 M50.922
Revise from ----- C6-C7 M50.92
Revise to ----- C6-C7 M50.923
No Change ----- degeneration M50.30
Delete ----- C4-C5 M50.32
Delete ----- C5-C6 M50.32
Revise from ----- C6-C7 M50.32
Revise to ----- C4-C5 M50.321
Revise from ----- C6-C7 M50.32
Revise to ----- C5-C6 M50.322
Revise from ----- C6-C7 M50.32
Revise to ----- C6-C7 M50.323
Revise from ----- mid-cervical region M50.32
Revise to ----- mid-cervical region M50.320
No Change ----- displacement M50.20
Delete ----- C4-C5 M50.22
Delete ----- C5-C6 M50.22
Revise from ----- C6-C7 M50.22
Revise to ----- C4-C5 M50.221
Revise from ----- C6-C7 M50.22
Revise to ----- C5-C6 M50.222
Revise from ----- C6-C7 M50.22
Revise to ----- C6-C7 M50.223
Revise from ----- mid-cervical region M50.22
Revise to ----- mid-cervical region M50.220
Revise from ----- mid-cervical region M50.92
Revise to ----- mid-cervical region M50.920
No Change ----- specified type NEC M50.80
Delete ----- C4-C5 M50.82
Delete ----- C5-C6 M50.82
Revise from ----- C6-C7 M50.82
Revise to ----- C4-C5 M50.821
Revise from ----- C6-C7 M50.82
Revise to ----- C5-C6 M50.822
Revise from ----- C6-C7 M50.82
Revise to ----- C6-C7 M50.823
Revise from ----- mid-cervical region M50.82
Revise to ----- mid-cervical region M50.820
Add ----- disruptive F91.9
Add ----- mood dysregulation F34.81
Add ----- specified NEC F91.8
Revise from ----- disruptive behavior F98.9
Revise to ----- disruptive behavior F91.9
Revise from ----- dysmorphic body F45.1
Revise to ----- dysmorphic body F45.22
No Change ----- eating (adult) (psychogenic) F50.9
Add ----- binge F50.81
Revise from ----- pica F50.8

Revise to - - pica F50.89
No Change - gender-identity or -role F64.9
Revise from - - of adolescence or adulthood (nontranssexual) F64.1
Revise to - - of adolescence or adulthood F64.0
Add - - - nontranssexual F64.8
Add - genito-pelvic pain penetration F52.6
Add - hallucinogen use
Add - - mild F16.10
Add - - - with
Add - - - - hallucinogen-induced
Add - - - - anxiety disorder F16.180
Add - - - - bipolar and related disorder F16.14
Add - - - - depressive disorder F16.14
Add - - - - psychotic disorder F16.159
Add - - - - hallucinogen intoxication delirium F16.121
Add - - - - other hallucinogen intoxication F16.129
Add - - moderate or severe F16.20
Add - - - with
Add - - - - hallucinogen-induced
Add - - - - anxiety disorder F16.280
Add - - - - bipolar and related disorder F16.24
Add - - - - depressive disorder F16.24
Add - - - - psychotic disorder F16.259
Add - - - - hallucinogen intoxication delirium F16.221
Add - - - - other hallucinogen intoxication F16.229
Add - hoarding F42.3
No Change - identity
Add - - illness anxiety F45.21
Add - inhalant use
Add - - mild F18.10
Add - - - with
Add - - - - inhalant-induced
Add - - - - anxiety disorder F18.180
Add - - - - depressive disorder F18.14
Add - - - - major neurocognitive disorder F18.17
Add - - - - mild neurocognitive disorder F18.188
Add - - - - psychotic disorder F18.159
Add - - - - inhalant intoxication F18.129
Add - - - - inhalant intoxication delirium F18.121
Add - - moderate or severe F18.20
Add - - - with
Add - - - - inhalant-induced
Add - - - - anxiety disorder F18.280
Add - - - - depressive disorder F18.24
Add - - - - major neurocognitive disorder F18.27
Add - - - - mild neurocognitive disorder F18.288
Add - - - - psychotic disorder F18.259
Add - - - - inhalant intoxication F18.229
Add - - - - inhalant intoxication delirium F18.221
No Change - jaw, developmental M27.0
Revise from - - temporomandibular - see Anomaly, dentofacial, temporomandibular joint
Revise to - - temporomandibular (see also Anomaly, dentofacial, temporomandibular joint) M26.60-
Add - major neurocognitive - see Dementia, in (due to)
Add - mast cell activation - see Activation, mast cell
Revise from - micturition NEC R39.19
Revise to - micturition NEC (see also Difficulty, micturition) R39.198
Add - mild neurocognitive G31.84
No Change - mood F39
No Change - - persistent F34.9
Revise from - - - specified type NEC F34.8

Revise to - - - specified type NEC F34.89
Add - neonatal onset multisystemic inflammatory (NOMID) M04.2
Add - neurocognitive
Add - - major
Add - - - with
Add - - - aggressive behavior F01.51
Add - - - combative behavior F01.51
Add - - - violent behavior F01.51
Add - - - due to vascular disease, with behavioral disturbance F01.51
Add - - - in (due to) (other diseases classified elsewhere) (see also Dementia, in (due to)) F02.80
Add - - - with
Add - - - aggressive behavior F02.81
Add - - - combative behavior F02.81
Add - - - violent behavior F02.81
Add - - - without behavioral disturbance F01.50
Add - - mild G31.84
Add - neurodevelopmental F89
Add - - specified NEC F88
Revise from - obsessive-compulsive F42
Revise to - obsessive-compulsive F42.9
No Change - opioid use
Add - - mild F11.10
Add - - - with
Add - - - opioid-induced
Add - - - anxiety disorder F11.188
Add - - - depressive disorder F11.14
Add - - - sexual dysfunction F11.181
Add - - - opioid intoxication
Add - - - with perceptual disturbances F11.122
Add - - - delirium F11.121
Add - - - without perceptual disturbances F11.129
Add - - moderate or severe F11.20
Add - - - with
Add - - - opioid-induced
Add - - - anxiety disorder F11.288
Add - - - anxiety disorder F11.988
Add - - - depressive disorder F11.24
Add - - - depressive disorder F11.94
Add - - - sexual dysfunction F11.281
Add - - - sexual dysfunction F11.981
Add - - - opioid intoxication
Add - - - with perceptual disturbances F11.222
Add - - - delirium F11.221
Add - - - without perceptual disturbances F11.229
No Change - pain
Add - - genito-pelvic penetration disorder F52.6
Add - - phencyclidine use
Add - - mild F16.10
Add - - - with
Add - - - phencyclidine-induced
Add - - - anxiety disorder F16.180
Add - - - bipolar and related disorder F16.14
Add - - - depressive disorder F16.14
Add - - - psychotic disorder F16.159
Add - - - phencyclidine intoxication F16.129
Add - - - phencyclidine intoxication delirium F16.121
Add - - moderate or severe F16.20
Add - - - with
Add - - - phencyclidine-induced
Add - - - anxiety disorder F16.280

Add - - - - bipolar and related disorder F16.24
Add - - - - depressive disorder F16.24
Add - - - - psychotic disorder F16.259
Add - - - - phencyclidine intoxication F16.229
Add - - - - phencyclidine intoxication delirium F16.221
Revise from - premenstrual dysphoric (PMDD) N94.3
Revise to - premenstrual dysphoric (PMDD) F32.81
No Change - psychogenic NOS (see also condition) F45.9
Revise from - - compulsive F42
Revise to - - compulsive F42.8
Revise from - - obsessive F42
Revise to - - obsessive F42.8
No Change - psychological F99
No Change - - associated with
Revise from - - - uncertainty about gender identity F66
Revise to - - - uncertainty about gender identity F64.9
Add - sedative, hypnotic, or anxiolytic use
Add - - mild F13.10
Add - - - with
Add - - - sedative, hypnotic, or anxiolytic-induced
Add - - - anxiety disorder F13.180
Add - - - - bipolar and related disorder F13.14
Add - - - - depressive disorder F13.14
Add - - - - psychotic disorder F13.159
Add - - - - sexual dysfunction F13.181
Add - - - - sedative, hypnotic, or anxiolytic intoxication F13.129
Add - - - - sedative, hypnotic, or anxiolytic intoxication delirium F13.121
Add - - moderate or severe F13.20
Add - - - with
Add - - - sedative, hypnotic, or anxiolytic-induced
Add - - - anxiety disorder F13.280
Add - - - - bipolar and related disorder F13.24
Add - - - - depressive disorder F13.24
Add - - - - major neurocognitive disorder F13.27
Add - - - - mild neurocognitive disorder F13.288
Add - - - - psychotic disorder F13.259
Add - - - - sexual dysfunction F13.281
Add - - - - sedative, hypnotic, or anxiolytic intoxication F13.229
Add - - - - sedative, hypnotic, or anxiolytic intoxication delirium F13.221
No Change - skin L98.9
Add - - picking F42.4
No Change - social
Add - - pragmatic F80.82
Add - - somatic symptom F45.1
Add - - speech-sound F80.0
Add - - stimulant use (other) (unspecified)
Add - - mild F15.10
Add - - moderate or severe F15.20
No Change - stress F43.9
Add - - acute F43.0
Add - - substance use (other) (unknown)
Add - - mild F19.10
Add - - - with substance-induced
Add - - - - anxiety disorder F19.180
Add - - - - bipolar and related disorder F19.14
Add - - - - depressive disorder F19.14
Add - - - - major neurocognitive disorder F19.17
Add - - - - mild neurocognitive disorder F19.188
Add - - - - obsessive-compulsive and related disorder F19.188
Add - - - - sexual dysfunction F19.181

Add - - - substance intoxication F19.129
Add - - - substance intoxication delirium F19.121
Add - - moderate or severe F19.20
Add - - - with substance-induced
Add - - - - anxiety disorder F19.280
Add - - - - bipolar and related disorder F19.24
Add - - - - depressive disorder F19.24
Add - - - - major neurocognitive disorder F19.27
Add - - - - mild neurocognitive disorder F19.288
Add - - - - obsessive-compulsive and related disorder F19.288
Add - - - - sexual dysfunction F19.281
Add - - - substance intoxication F19.229
Add - - - substance intoxication delirium F19.221
Revise from - temporomandibular joint - see Anomaly, dentofacial, temporomandibular joint
Revise to - temporomandibular joint M26.60-
Add - tobacco use
Add - - mild Z72.0
Add - - moderate F17.200
Add - - severe F17.200
Add - - trauma and stressor-related F43.9
Add - - other specified F43.8
No Change **Displacement, displaced**
No Change - device, implant or graft (see also Complications, by site and type, mechanical) T85.628
No Change - - catheter NEC T85.628
Revise from - - - urinary (indwelling) T83.028
Revise to - - - urinary
Add - - - Hopkins T83.028
Add - - - ileostomy T83.028
Add - - - indwelling T83.021
Add - - - nephrostomy T83.022
Add - - - specified NEC T83.028
Add - - - urostomy T83.028
No Change - - genital NEC T83.428
Revise from - - - intrauterine contraceptive device T83.32
Revise to - - - intrauterine contraceptive device (string) T83.32
Revise from - - - penile prosthesis T83.420
Revise to - - - penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.420
Add - - - testicular prosthesis T83.421
Revise from - - urinary NEC - see also Complication, genitourinary, device, urinary, mechanical
Revise to - - urinary NEC T83.128
Add - - - sphincter, implanted T83.121
Add - - - stent (ileal conduit) (nephroureteral) T83.123
Add - - - ureteral indwelling T83.122
Revise from - fallopian tube (acquired) N83.4
Revise to - fallopian tube (acquired) N83.4-
Revise from - intrauterine device T83.32
Revise to - intrauterine device (string) T83.32
Revise from - ovary (acquired) N83.4
Revise to - ovary (acquired) N83.4-
Revise from - - into hernial sac N83.4
Revise to - - into hernial sac N83.4-
Revise from - oviduct (acquired) N83.4
Revise to - oviduct (acquired) N83.4-
No Change **Dissection**
Revise from - artery
Revise to - artery I77.70
Add - - basilar (trunk) I77.75
Add - - extremity
Add - - - lower I77.77
Add - - - upper I77.76

Add - - precerebral
Add - - - congenital (nonruptured) Q28.1
Add - - - specified site NEC I77.75
No Change **Distension, distention**
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
No Change **Distress**
Revise from - acute respiratory (adult) (child) J80
Revise to - acute respiratory R06.00
Add - - syndrome (adult) (child) J80
Revise from - respiratory R06.00
Revise to - respiratory (adult) (child) R06.00
Delete - - adult J80
Delete - - child J80
No Change **Disturbance(s)** - see also Disease
No Change - absorption K90.9
Revise from - - carbohydrate K90.4
Revise to - - carbohydrate K90.49
Revise from - - fat K90.4
Revise to - - fat K90.49
Revise from - - protein K90.4
Revise to - - protein K90.49
Revise from - - starch K90.4
Revise to - - starch K90.49
No Change - perceptual due to
Revise from - - phencyclidine intoxication (acute) F19.922
Revise to - - phencyclidine intoxication (acute) F16.122
Delete - - - in
Delete - - - abuse F19.122
Delete - - - dependence F19.222
No Change **Diverticulum, diverticula (multiple)** K57.90
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
No Change **Double**
Revise from - aortic arch Q25.4
Revise to - aortic arch Q25.45
No Change **Dwarfism** E34.3
Revise from - pancreatic K86.8
Revise to - pancreatic K86.89
No Change **Dysfunction**
Add - erectile - see Dysfunction, sexual, male, erectile
No Change - sexual (due to) R37
No Change - - female N94.9
Revise from - - - dyspareunia N94.1
Revise to - - - dyspareunia N94.10
No Change - - male N53.9
No Change - - - erectile N52.9
No Change - - - - postoperative (postprocedural) N52.39
No Change - - - - following
Add - - - - - cryotherapy N52.37
Add - - - - - interstitial seed therapy N52.36
Add - - - - - prostate ablative therapy N52.37
Add - - - - - radiation therapy N52.35
Add - - - - - ultrasound ablative therapy N52.37
No Change - temporomandibular (joint) M26.69
Revise from - - joint-pain syndrome M26.62
Revise to - - joint-pain syndrome M26.62-
No Change **Dysorexia** R63.0
Revise from - psychogenic F50.8
Revise to - psychogenic F50.89

Revise from **Dyspareunia (female)** N94.1
Revise to **Dyspareunia (female)** N94.10
Add - deep N94.12
Revise from - secondary N94.1
Revise to - secondary N94.19
Add - specified NEC N94.19
Add - superficial (introital) N94.11
Delete **Dysphoria, postpartal** O90.6
Add **Dysphoria**
Add - gender
Add - - in
Add - - - adolescence and adulthood F64.0
Add - - - children F64.2
Add - postpartal O90.6
No Change **Dysplasia** - see also Anomaly
Revise from - craniometaphyseal Q78.5
Revise to - craniometaphyseal Q78.8
Revise from - metaphyseal (Jansen's) (McKusick's) (Schmid's) Q78.5
Revise to - metaphyseal Q78.5
Revise from - prostate (see also Neoplasia, intraepithelial, prostate) N42.3
Revise to - prostate (see also Neoplasia, intraepithelial, prostate) N42.30
Add - - specified NEC N42.39

E

No Change **Ear** - see also condition
Delete - tropical B36.8
Add - tropical NEC B36.9 [H62.40]
Add - - in
Add - - - aspergillosis B44.89
Add - - - candidiasis B37.84
Add - - - moniliasis B37.84
No Change **Echinococcus (infection)** B67.90
No Change - granulosus B67.4
Revise from - - thyroid B67.31 [E35]
Revise to - - thyroid B67.31
No Change - thyroid NEC B67.99
Revise from - - granulosus B67.31 [E35]
Revise to - - granulosus B67.31
No Change **Eclampsia, eclamptic (coma) (convulsions) (delirium) (with hypertension) NEC** O15.9
Delete - during labor and delivery O15.1
Delete - postpartum O15.2
Delete - pregnancy O15.0-
Delete - puerperal O15.2
Add - complicating
Add - - labor and delivery O15.1
Add - - postpartum O15.2
Add - - pregnancy O15.0-
Add - - puerperium O15.2
No Change **Eczema (acute) (chronic) (erythematous) (fissum) (rubrum) (squamous) (see also Dermatitis)** L30.9
Revise from - stasis - see Varix, leg, with, inflammation
Revise to - stasis I87.2
Add - - with varicose veins - see Varix, leg, with, inflammation
No Change **Edema, edematous (infectious) (pitting) (toxic)** R60.9
Revise from - pancreas K86.8
Revise to - pancreas K86.89
Revise from - scrotum N50.8
Revise to - scrotum N50.89
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89

- Revise from* - spermatic cord N50.8
Revise to - spermatic cord N50.89
Revise from - tunica vaginalis N50.8
Revise to - tunica vaginalis N50.89
Revise from - vas deferens N50.8
Revise to - vas deferens N50.89
No Change
Effect, adverse
No Change - anesthesia (see also Anesthesia) T88.59
Delete - - in pregnancy NEC O29.3-
No Change
Add - - local, toxic
No Change - - - in pregnancy NEC O29.3-
Ejaculation
Add - delayed F52.32
Elevated, elevation
Revise from - cholesterol E78.0
Revise to - cholesterol E78.00
Revise from - prostate specific antigen [PSA] R97.2
Revise to - prostate specific antigen [PSA] R97.20
No Change **Elongated, elongation (congenital)** - see also Distortion
Revise from - labia minora (acquired) N90.6
Revise to - labia minora (acquired) N90.69
No Change **Embolism (multiple) (paradoxical)** I74.9
No Change - artery I74.9
Revise from - - mesenteric (with gangrene) K55.0
Revise to - - mesenteric (with gangrene) (see also Ischemia, intestine, acute) K55.059
No Change - cardiac - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
No Change - due to device, implant or graft - see also Complications, by site and type, specified NEC
Revise from - - breast (implant) T85.81
Revise to - - breast (implant) T85.818
Revise from - - catheter NEC T85.81
Revise to - - catheter NEC T85.818
No Change - - - dialysis (renal) T82.818
Revise from - - - intraperitoneal T85.81
Revise to - - - intraperitoneal T85.818
No Change - - - infusion NEC T82.818
Revise from - - - spinal (epidural) (subdural) T85.81
Revise to - - - spinal (epidural) (subdural) T85.810
No Change - - electronic (electrode) (pulse generator) (stimulator)
Revise from - - - nervous system (brain) (peripheral nerve) (spinal) T85.81
Revise to - - - nervous system (brain) (peripheral nerve) (spinal) T85.810
Revise from - - gastrointestinal (bile duct) (esophagus) T85.81
Revise to - - gastrointestinal (bile duct) (esophagus) T85.818
Revise from - - ocular (corneal graft) (orbital implant) T85.81
Revise to - - ocular (corneal graft) (orbital implant) T85.818
Revise from - - specified NEC T85.81
Revise to - - specified NEC T85.818
Revise from - - ventricular intracranial shunt T85.81
Revise to - - ventricular intracranial shunt T85.810
No Change - heart (fatty) - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
Revise from - - intestine (artery) (vein) (with gangrene) K55.0
Revise to - - intestine (artery) (vein) (with gangrene) (see also Ischemia, intestine, acute) K55.039
Revise from - - mesenteric (artery) (vein) (with gangrene) K55.0
Revise to - - mesenteric (artery) (vein) (with gangrene) (see also Ischemia, intestine, acute) K55.059
No Change - obstetric (in) (pulmonary)
Revise from - - childbirth O88.82
Revise to - - childbirth O88.22

- Revise from* - - pregnancy O88.81-
Revise to - - pregnancy O88.21-
Revise from - - puerperal O88.83
Revise to - - puerperal O88.23
No Change **Encounter (with health service) (for)** Z76.89
Add - desensitization to allergens Z51.6
Add - procreative management and counseling for gestational carrier Z31.7
Add - prophylactic measures Z29.9
Add - - antivenin Z29.12
Add - - fluoride administration Z29.3
Add - - immunotherapy for respiratory syncytial virus (RSV) Z29.11
Add - - rabies immune globin Z29.14
Add - - Rho (D) immune globulin Z29.13
Add - - specified NEC Z29.8
No Change **Endocervicitis** - see also Cervicitis
Revise from - due to intrauterine (contraceptive) device T83.6
Revise to - due to intrauterine (contraceptive) device T83.69
Revise from **Endodontitis** K04.0
Revise to **Endodontitis** K04.01
Add - irreversible K04.02
Add - reversible K04.01
No Change **Enlargement, enlarged** - see also Hypertrophy
Revise from - alveolar ridge K08.8
Revise to - alveolar ridge K08.89
Add - labium majus, childhood asymmetric (CALME) N90.61
Revise from **Enteritis (acute) (diarrheal) (hemorrhagic) (noninfective) (septic)** K52.9
Revise to **Enteritis (acute) (diarrheal) (hemorrhagic) (noninfective)** K52.9
Revise from - allergic K52.2
Revise to - allergic K52.29
Add - - with
Add - - - eosinophilic gastritis or gastroenteritis K52.81
Add - - - food protein-induced enterocolitis syndrome K52.21
Add - - - food protein-induced enteropathy K52.22
Revise from - dietetic K52.2
Revise to - dietetic (see also Enteritis, allergic) K52.29
No Change - due to
Revise from - - food hypersensitivity K52.2
Revise to - - food hypersensitivity (see also Enteritis, allergic) K52.29
Revise from - fulminant K55.0
Revise to - fulminant (see also Ischemia, intestine, acute) K55.019
No Change - ischemic K55.9
Revise from - - acute K55.0
Revise to - - acute (see also Ischemia, intestine, acute) K55.019
No Change **Enterocolitis (see also Enteritis)** K52.9
Revise from - fulminant ischemic K55.0
Revise to - fulminant ischemic (see also Ischemia, intestine, acute) K55.059
Revise from - hemorrhagic (acute) K55.0
Revise to - hemorrhagic (acute) (see also Ischemia, intestine, acute) K55.059
Revise from - necrotizing
Revise to - necrotizing K55.30
Add - - with
Add - - - perforation K55.33
Add - - - pneumatosus K55.32
Add - - - and perforation K55.33
Add - - in non-newborn K55.30
Add - - - stage 1 (without pneumatosus, without perforation) K55.31
Add - - - stage 2 (with pneumatosus, without perforation) K55.32
Add - - - stage 3 (with pneumatosus, with perforation) K55.33
Add - - without pneumatosus or perforation K55.31
No Change **Enteropathy** K63.9

- Add* - food protein-induced enterocolitis K52.22
- No Change* - gluten-sensitive K90.0
- Add* - - non-celiac K90.41
- Revise from* - hemorrhagic, terminal K55.0
- Revise to* - hemorrhagic, terminal (see also Ischemia, intestine, acute) K55.059
- Revise from* - protein-losing K90.4
- Revise to* - protein-losing K90.49
- No Change* **Epilepsy, epileptic, epilepsy (attack) (cerebral) (convulsion) (fit) (seizure)** G40.909
- Revise from* - myoclonus, myoclonic (progressive) - see Epilepsy, generalized, specified NEC
- Revise to* - myoclonus, myoclonic - see Epilepsy, generalized, specified NEC
- Add* - - progressive - see Epilepsy, generalized, idiopathic
- Episode**
- No Change* - depressive F32.9
- Revise from* - - specified NEC F32.8
- Revise to* - - specified NEC F32.89
- Erosion**
- Add* - subcutaneous device pocket
- Add* - - nervous system prosthetic device, implant, or graft T85.890
- Add* - - other internal prosthetic device, implant, or graft T85.898
- No Change* **Escherichia coli (E. coli), as cause of disease classified elsewhere** B96.20
- Delete* - O157:H7 with or without confirmation of Shiga toxin-production B96.21
- No Change* - O157:H7 with or without confirmation of Shiga toxin-production B96.21
- Delete* - - specified NEC B96.22
- Excess, excessive, excessively**
- No Change* - large
- Revise from* - - colon K59.3
- Revise to* - - colon K59.39
- Delete* - skin, eyelid (acquired) - see Blepharochalasis
- Delete* - - congenital Q10.3
- Add* - skin L98.7
- Add* - - and subcutaneous tissue L98.7
- Add* - - eyelid (acquired) - see Blepharochalasis
- Add* - - - congenital Q10.3
- No Change* **Excoriation (traumatic)** - see also Abrasion
- Add* - skin picking disorder F42.4
- Exposure (to) (see also Contact, with)** T75.89
- Revise from* - prenatal (drugs) (toxic chemicals) - see Newborn, affected by (suspected to be), noxious substances transmitted via placenta or breast milk
- Revise to* - prenatal (drugs) (toxic chemicals) - see Newborn, affected by, noxious substances transmitted via placenta or breast milk

F

- No Change* **Failure, failed**
- No Change* - erection (penile) (see also Dysfunction, sexual, male, erectile) N52.9
- Delete* - - nonorganic F52.21
- Add* - - nonorganic F52.21
- No Change* **Fever (inanition) (of unknown origin) (persistent) (with chills) (with rigor)** R50.9
- No Change* - Mediterranean (see also Brucellosis) A23.9
- Revise from* - - familial E85.0
- Revise to* - - familial M04.1
- Revise from* - periodic (Mediterranean) E85.0
- Revise to* - periodic (Mediterranean) M04.1
- No Change* - postoperative R50.82
- Revise from* - - due to infection T81.4
- Revise to* - - due to infection T81.40
- Delete* - Zika (viral) A92.8
- Add* - Zika virus A92.5
- Fibrosis, fibrotic**
- Revise from* - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.82

Revise to - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.828
Revise from - - breast (implant) T85.82
Revise to - - breast (implant) T85.828
Revise from - - catheter NEC T85.82
Revise to - - catheter NEC T85.828
No Change - - - dialysis (renal) T82.828
Revise from - - - intraperitoneal T85.82
Revise to - - - intraperitoneal T85.828
No Change - - - infusion NEC T82.828
Revise from - - - spinal (epidural) (subdural) T85.82
Revise to - - - spinal (epidural) (subdural) T85.820
No Change - - - electronic (electrode) (pulse generator) (stimulator)
Revise from - - - nervous system (brain) (peripheral nerve) (spinal) T85.82
Revise to - - - nervous system (brain) (peripheral nerve) (spinal) T85.820
Revise from - - gastrointestinal (bile duct) (esophagus) T85.82
Revise to - - gastrointestinal (bile duct) (esophagus) T85.828
Revise from - - ocular (corneal graft) (orbital implant) NEC T85.82
Revise to - - ocular (corneal graft) (orbital implant) NEC T85.828
Revise from - - specified NEC T85.82
Revise to - - specified NEC T85.828
Revise from - - ventricular intracranial shunt T85.82
Revise to - - ventricular intracranial shunt T85.820
Revise from - ejaculatory duct N50.8
Revise to - ejaculatory duct N50.89
Revise from - epididymis N50.8
Revise to - epididymis N50.89
Revise from - intrascrotal N50.8
Revise to - intrascrotal N50.89
Revise from - mediastinum (idiopathic) J98.5
Revise to - mediastinum (idiopathic) J98.59
Revise from - pancreas K86.8
Revise to - pancreas K86.89
Revise from - scrotum N50.8
Revise to - scrotum N50.89
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
Revise from - spermatic cord N50.8
Revise to - spermatic cord N50.89
Revise from - tunica vaginalis N50.8
Revise to - tunica vaginalis N50.89
Revise from - vas deferens N50.8
Revise to - vas deferens N50.89
No Change **Filling defect**
Revise from - bladder R93.4
Revise to - bladder R93.41
Revise from - kidney R93.4
Revise to - kidney R93.42-
Revise from - ureter R93.4
Revise to - ureter R93.41
Add - urinary organs, specified NEC R93.49
No Change **Findings, abnormal, inconclusive, without diagnosis - see also Abnormal**
Revise from - bacteriuria N39.0
Revise to - bacteriuria R82.71
No Change - cholesterol E78.9
Revise from - - high E78.0
Revise to - - high E78.00
No Change - urine R82.90
Revise from - - bacteria N39.0
Revise to - - bacteria R82.71
Revise from - - culture positive R82.7

- Revise to - - culture positive R82.79
No Change **Fistula (cutaneous)** L98.8
Revise from - breast N61
Revise to - breast N61.0
Revise from - epididymis N50.8
Revise to - epididymis N50.89
Revise from - mammary (gland) N61
Revise to - mammary (gland) N61.0
Revise from - pancreatic K86.8
Revise to - pancreatic K86.89
Revise from - pancreaticoduodenal K86.8
Revise to - pancreaticoduodenal K86.89
Revise from - scrotum (urinary) N50.8
Revise to - scrotum (urinary) N50.89
Revise from - urethroscrota N50.8
Revise to - urethroscrota N50.89
No Change **Fitting (and adjustment) (of)**
Add - CRT-D (resynchronization therapy defibrillator) Z45.02
Add - CRT-P (cardiac resynchronization therapy pacemaker) Z45.018
Add - - pulse generator Z45.010
Revise from - pacemaker (cardiac) Z45.018
Revise to - pacemaker (cardiac) (cardiac resynchronization therapy (CRT-P)) Z45.018
Revise from **Fitz's syndrome (acute hemorrhagic pancreatitis)** K85.8
Revise to **Fitz's syndrome (acute hemorrhagic pancreatitis) (see also Pancreatitis, acute)** K85.80
Fluid
No Change - loss (acute) E86.9
Delete - - with
Delete - - - hypernatremia E87.0
Delete - - - hyponatremia E87.1
Follicle
Revise from - graafian, ruptured, with hemorrhage N83.0
Revise to - graafian, ruptured, with hemorrhage N83.0-
No Change **Folliculitis (superficial)** L73.9
Revise from - cyst N83.0
Revise to - cyst N83.0-
Revise from **Fong's syndrome (hereditary osteo-onychodysplasia)** Q78.5
Revise to **Fong's syndrome (hereditary osteo-onychodysplasia)** Q87.2
Fracture, nontraumatic, NEC
Add - atypical
Add - - femur M84.750-
Add - - - complete
Add - - - - oblique M84.759
Add - - - - left side M84.758
Add - - - - right side M84.757
Add - - - - transverse M84.756
Add - - - - left side M84.755
Add - - - - right side M84.754
Add - - - incomplete M84.753
Add - - - left side M84.752
Add - - - right side M84.751
No Change **Fracture, pathological (pathologic)** - see also Fracture, traumatic M84.40
Add - compression (not due to trauma) (see also Collapse, vertebra) M48.50-
No Change - due to
Revise from - - osteoporosis M80.80
Revise to - - osteoporosis M80.00
No Change - joint prosthesis - see Complications, joint prosthesis, mechanical, breakdown, by site
Revise from - - periprosthetic - see Complications, joint prosthesis, mechanical, periprostheses, fracture, by site
Revise to - - periprosthetic - see Fracture, pathological, periprosthetic
Add - periprosthetic M97.9
Add - - ankle M97.2-

Add - - elbow M97.4-
Add - - finger M97.8
Add - - hip M97.0-
Add - - knee M97.1-
Add - - other specified joint M97.8
Add - - shoulder M97.3-
Add - - spinal joint M97.8
Add - - toe joint M97.8
Add - - wrist joint M97.8
No Change **Fracture, traumatic (abduction) (adduction) (separation) (see also Fracture, pathological)** T14.8
Revise from - blow-out S02.3
Revise to - blow-out S02.3-
Delete - compression, not due to trauma - see Collapse, vertebra
No Change - foot S92.90-
Add - - sesamoid S92.81-
Add - - specified NEC S92.81-
No Change - humerus S42.30-
No Change - - lower end S42.40-
No Change - - - supracondylar (simple) (displaced) S42.41-
Add - - - - with intercondylar fracture - see Fracture, humerus, lower end
No Change - joint prosthesis - see Complications, joint prosthesis, mechanical, breakdown, by site
Revise from - - periprosthetic - see Complications, joint prosthesis, mechanical, periprosthetic, fracture, by site
Revise to - - periprosthetic - see Fracture, traumatic, periprosthetic
No Change - malar bone (see also Fracture, maxilla) S02.400
Add - - left side S02.40B
Add - - right side S02.40A
No Change - mandible (lower jaw (bone)) S02.609
Revise from - - alveolus S02.67
Revise to - - alveolus S02.67-
Revise from - - angle (of jaw) S02.65
Revise to - - angle (of jaw) S02.65-
No Change - - body, unspecified S02.600
Add - - - left side S02.602
Add - - - right side S02.601
Revise from - - condylar process S02.61
Revise to - - condylar process S02.61-
Revise from - - coronoid process S02.63
Revise to - - coronoid process S02.63-
Revise from - - ramus, unspecified S02.64
Revise to - - ramus, unspecified S02.64-
Revise from - - subcondylar process S02.62
Revise to - - subcondylar process S02.62-
No Change - maxilla, maxillary (bone) (sinus) (superior) (upper jaw) S02.401
Add - - left side S02.40D
Add - - right side S02.40C
No Change - metatarsal bone S92.30-
Add - - physeal S99.10-
Add - - - Salter-Harris
Add - - - - Type I S99.11-
Add - - - - Type II S99.12-
Add - - - - Type III S99.13-
Add - - - - Type IV S99.14-
Add - - - specified NEC S99.19-
No Change - neck S12.9
No Change - - cervical vertebra S12.9
No Change - - - seventh (displaced) S12.600
No Change - - - - specified type NEC (displaced) S12.690
Delete - - - - displaced S12.691
Add - - - - nondisplaced S12.691
No Change - - - sixth (displaced) S12.500

No Change - - - - specified type NEC (displaced) S12.590
Delete - - - - displaced S12.591
Add - - - - nondisplaced S12.591
No Change - - - third (displaced) S12.200
No Change - - - - specified type NEC (displaced) S12.290
Delete - - - - displaced S12.291
Add - - - - nondisplaced S12.291
Revise from - orbit, orbital (bone) (region) S02.8
Revise to - orbit, orbital (bone) (region) S02.8-
Revise from - - floor (blow-out) S02.3
Revise to - - floor (blow-out) S02.3-
Revise from - palate S02.8
Revise to - palate S02.8-
Add - periprosthetic, around internal prosthetic joint M97.9
Add - - ankle M97.2-
Add - - elbow M97.4-
Add - - finger M97.8
Add - - hip M97.0-
Add - - knee M97.1--
Add - - shoulder M97.3-
Add - - specified joint NEC M97.8
Add - - spine M97.8
Add - - toe M97.8
Add - - wrist M97.8
No Change - - sesamoid bone
Delete - - other - code by site under Fracture
Add - - foot S92.81-
Add - - other - see Fracture, traumatic, by site
No Change - - skull S02.91
Revise from - - base S02.10
Revise to - - base S02.10-
No Change - - - occiput S02.119
No Change - - - - condyle S02.113
No Change - - - - type I S02.110
Add - - - - left side S02.11B
Add - - - - right side S02.11A
No Change - - - - type II S02.111
Add - - - - left side S02.11D
Add - - - - right side S02.11C
No Change - - - - type III S02.112
Add - - - - left side S02.11F
Add - - - - right side S02.11E
Add - - - - specified NEC S02.118
Add - - - - left side S02.11H
Add - - - - right side S02.11G
Delete - - - - specified NEC S02.118
Revise from - - specified site NEC S02.8
Revise to - - specified site NEC S02.8-
No Change - - tarsal bone(s) S92.20-
No Change - - calcaneus S92.00-
Add - - - physeal S99.00-
Add - - - Salter-Harris
Add - - - Type I S99.01-
Add - - - Type II S99.02-
Add - - - Type III S99.03-
Add - - - Type IV S99.04-
Add - - - specified NEC S99.09-
No Change - - toe S92.91-
Add - - physeal
Add - - - phalanx S99.20-

Add - - - Salter-Harris
Add - - - Type I S99.21-
Add - - - Type II S99.22-
Add - - - Type III S99.23-
Add - - - Type IV S99.24-
Add - - - specified NEC S99.29-
Revise from - tuberosity (external) - code by site under Fracture
Revise to - tuberosity (external) - see Fracture, traumatic, by site
No Change - zygoma S02.402
Add - - left side S02.40F
Add - - right side S02.40E
No Change **Frederickson's hyperlipoproteinemia, type**
Revise from - IIA E78.0
Revise to - IIA E78.00
No Change **Furuncle** L02.92
Revise from - breast N61
Revise to - breast N61.1

G

Revise from **Galactophoritis** N61
Revise to **Galactophoritis** N61.0
No Change **Gangrene, gangrenous (connective tissue) (dropsical) (dry) (moist) (skin) (ulcer) (see also Necrosis)** I96
Revise from - intestine, intestinal (hemorrhagic) (massive) K55.0
Revise to - intestine, intestinal (hemorrhagic) (massive) (see also Infarct, intestine) K55.069
No Change - - with
Revise from - - mesenteric embolism K55.0
Revise to - - mesenteric embolism (see also Infarct, intestine) K55.069
Revise from - mesentery K55.0
Revise to - mesentery (see also Infarct, intestine) K55.069
No Change - - with
Revise from - - embolism K55.0
Revise to - - embolism (see also Infarct, intestine) K55.069
Revise from - pancreas K85.9
Revise to - pancreas - see Pancreatitis, acute
No Change - scrotum N49.3
Revise from - - noninfective N50.8
Revise to - - noninfective N50.89
No Change - spermatic cord N49.1
Revise from - - noninfective N50.8
Revise to - - noninfective N50.89
No Change - tunica vaginalis N49.1
Revise from - - noninfective N50.8
Revise to - - noninfective N50.89
No Change - vas deferens N49.1
Revise from - - noninfective N50.8
Revise to - - noninfective N50.89
No Change **Gastroenteritis (acute) (chronic) (noninfectious) (see also Enteritis)** K52.9
Revise from - allergic K52.2
Revise to - allergic K52.29
Add - - with
Add - - - eosinophilic gastritis or gastroenteritis K52.81
Add - - - food protein-induced enterocolitis syndrome K52.21
Add - - - food protein-induced enteropathy K52.22
Revise from - dietetic K52.2
Revise to - dietetic (see also Gastroenteritis, allergic) K52.29
Revise from - food hypersensitivity K52.2
Revise to - food hypersensitivity (see also Gastroenteritis, allergic) K52.29
No Change **Gingivitis** K05.10

Revise from - chronic (desquamative) (hyperplastic) (simple marginal) (ulcerative) K05.10
Revise to - chronic (desquamative) (hyperplastic) (simple marginal) (pregnancy associated) (ulcerative) K05.10
No Change
Glaucoma H40.9
- simple (chronic) H40.11
Revise to - simple (chronic) H40.11-
Revise from - simplex H40.11
Revise to - simplex H40.11-

No Change

H

No Change **HELLP syndrome (hemolysis, elevated liver enzymes and low platelet count)** O14.2-

Add - complicating

Add - - childbirth O14.24

Add - - puerperium O14.25

No Change **Hemangioma** D18.00

Add - intrathoracic structures D18.09

No Change **Hematocole**

No Change - female NEC N94.89

Revise from - - with ectopic pregnancy O00.9

Revise to - - with ectopic pregnancy O00.90

Add - - - with intrauterine pregnancy O00.91

Hematoma (traumatic) (skin surface intact) - see also Contusion

Revise from - postoperative (postprocedural) - see Complication, postprocedural, hemorrhage

Revise to - postoperative (postprocedural) - see Complication, postprocedural, hematoma

No Change **Hematuria** R31.9

Revise from - microscopic NEC R31.2

Revise to - microscopic NEC (with symptoms) R31.29

Add - - asymptomatic R31.21

No Change **Hemiplegia** G81.9-

Revise from - thrombotic (current episode) I63.3

Revise to - thrombotic (current episode) I63.3-

No Change **Hemorrhage, hemorrhagic (concealed)** R58

No Change - alveolar

Revise from - - process K08.8

Revise to - - process K08.89

Revise from - alveolus K08.8

Revise to - alveolus K08.89

Revise from - corpus luteum (ruptured) cyst N83.1

Revise to - corpus luteum (ruptured) cyst N83.1-

No Change - due to or associated with

Revise from - - device, implant or graft (see also Complications, by site and type, specified NEC) T85.83

Revise to - - device, implant or graft (see also Complications, by site and type, specified NEC) T85.838

Revise from - - - breast T85.83

Revise to - - - breast T85.838

Revise from - - - catheter NEC T85.83

Revise to - - - catheter NEC T85.838

No Change - - - dialysis (renal) T82.838

Revise from - - - - intraperitoneal T85.83

Revise to - - - - intraperitoneal T85.838

No Change - - - infusion NEC T82.838

Revise from - - - - spinal (epidural) (subdural) T85.83

Revise to - - - - spinal (epidural) (subdural) T85.830

No Change - - - electronic (electrode) (pulse generator) (stimulator)

Revise from - - - - nervous system (brain) (peripheral nerve) (spinal) T85.83

Revise to - - - - nervous system (brain) (peripheral nerve) (spinal) T85.830

Revise from - - - gastrointestinal (bile duct) (esophagus) T85.83

Revise to - - - gastrointestinal (bile duct) (esophagus) T85.838

Revise from - - - ocular (corneal graft) (orbital implant) NEC T85.83

Revise to - - - ocular (corneal graft) (orbital implant) NEC T85.838

Revise from - - - specified NEC T85.83

- Revise to* - - - specified NEC T85.838
Revise from - - - ventricular intracranial shunt T85.83
Revise to - - - ventricular intracranial shunt T85.830
Revise from - graafian follicle cyst (ruptured) N83.0
Revise to - graafian follicle cyst (ruptured) N83.0-
No Change - intracranial (nontraumatic) I62.9
No Change - - subarachnoid (nontraumatic) (from) I60.9
No Change - - - intracranial (cerebral) artery I60.7
Revise from - - - - anterior communicating I60.2-
Revise to - - - - anterior communicating I60.2
No Change - - - - communicating I60.7
Revise from - - - - - anterior I60.2-
Revise to - - - - - anterior I60.2
Revise from - pancreas K86.8
Revise to - pancreas K86.89
Revise from - subgaleal P12.1
Revise to - subgaleal P12.2
No Change **Hepatitis** K75.9
No Change - acute B17.9
Revise from - - infectious B15.9
Revise to - - infectious B17.9
Delete - - - with hepatic coma B15.0
Add - - non-viral K72.0
Revise from - infectious, infective (acute) (chronic) (subacute) B15.9
Revise to - infectious, infective B15.9
Delete - - with hepatic coma B15.0
Add - - acute (subacute) B17.9
Add - - chronic B18.9
No Change **Hernia, hernial (acquired) (recurrent)** K46.9
Revise from - fallopian tube N83.4
Revise to - fallopian tube N83.4-
Revise from - mediastinum J98.5
Revise to - mediastinum J98.59
Revise from - ovary N83.4
Revise to - ovary N83.4-
Revise from - oviduct N83.4
Revise to - oviduct N83.4-
No Change **Herniation** - see also Hernia
Revise from - mediastinum J98.5
Revise to - mediastinum J98.59
No Change **HGSIL (cytology finding) (high grade squamous intraepithelial lesion on cytologic smear) (Pap smear finding)**
No Change - cervix R87.613
Revise from - - biopsy (histology) finding - code to CIN II or CIN III
Revise to - - biopsy (histology) finding - see Neoplasia, intraepithelial, cervix, grade II or grade III
No Change - vagina R87.623
Revise from - - biopsy (histology) finding - code to VAIN II or VAIN III
Revise to - - biopsy (histology) finding - see Neoplasia, intraepithelial, vagina, grade II or grade III
No Change **High**
Revise from - cholesterol E78.0
Revise to - cholesterol E78.00
No Change **History**
No Change - family (of) - see also History, personal (of)
No Change - - disease or disorder (of)
Add - - - familial hypercholesterolemia Z83.42
Delete - - sudden cardiac death Z82.41
Add - - familial hypercholesterolemia Z83.42
Add - - SIDS (sudden infant death syndrome) Z84.82
Add - - sudden
Add - - - cardiac death Z82.41

- Add - - - infant death syndrome (SIDS) Z84.82
 No Change - personal (of) - see also History, family (of)
 No Change - - dysplasia
 Revise from - - - cervical Z87.410
 Revise to - - - cervical (mild) (moderate) Z87.410
 Add - - - - severe (grade III) Z86.001
 Revise from - - - vaginal Z87.411
 Revise to - - - vaginal (mild) (moderate) Z87.411
 Add - - - - severe (grade III) Z86.008
 Revise from - - - vulvar Z87.412
 Revise to - - - vulvar (mild) (moderate) Z87.412
 Add - - - - severe (grade III) Z86.008
 Revise from - - surgery NEC Z98.89
 Revise to - - surgery NEC Z98.890
 Add - - - with uterine scar Z98.891
 Add - - unintended awareness under general anesthesia Z92.84
 Add - - uterine scar from previous surgery Z98.891
No Change **Hydronephrosis (atrophic) (early) (functionless) (intermittent) (primary) (secondary) NEC N13.30**
 No Change - with
 No Change - - obstruction (by) (of)
 No Change - - - ureteropelvic junction (congenital) Q62.0
 Delete - - - - with infection N13.6
 Add - - - - acquired N13.0
 Add - - - - with infection N13.6
 No Change - congenital Q62.0
 Add - - due to acquired occlusion of ureteropelvic junction N13.0
Revise from **Hyperbetalipoproteinemia (familial) E78.0**
Revise to **Hyperbetalipoproteinemia (familial) E78.00**
Revise from **Hypercholesterolemia (essential) (familial) (hereditary) (primary) (pure) E78.0**
Revise to **Hypercholesterolemia (essential) (primary) (pure) E78.00**
 Add - familial E78.01
 Add - hereditary E78.01
No Change **Hyperfunction**
 Revise from - pancreas K86.8
 Revise to - pancreas K86.89
No Change **Hyperlipemia, hyperlipidemia E78.5**
 No Change - group
 Revise from - - A E78.0
 Revise to - - A E78.00
No Change **Hyperlipoproteinemia E78.5**
 No Change - Fredrickson's type
 Revise from - - IIa E78.0
 Revise to - - IIa E78.00
 Revise from - low-density-lipoprotein-type (LDL) E78.0
 Revise to - low-density-lipoprotein-type (LDL) E78.00
No Change **Hyperplasia, hyperplastic**
 No Change - genital
 Revise from - - male N50.8
 Revise to - - male N50.89
 Revise from - labia N90.6
 Revise to - labia N90.69
 Revise from - vulva N90.6
 Revise to - vulva N90.69
No Change **Hypersensitive, hypersensitiveness, hypersensitivity - see also Allergy**
 Revise from - gastrointestinal K52.2
 Revise to - gastrointestinal K52.29
 Add - - immediate K52.29
No Change **Hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (systemic) I10**
 No Change - complicating
 Revise from - - childbirth (labor) O10.92

Revise to - - childbirth (labor) O16.4
Delete - - - with
Delete - - - heart disease O10.12
Delete - - - - with renal disease O10.32
Delete - - - renal disease O10.22
Delete - - - - with heart disease O10.32
Delete - - - essential O10.02
Add - - - pre-existing O10.92
Add - - - with
Add - - - - heart disease O10.12
Add - - - - with renal disease O10.32
Add - - - - pre-eclampsia O11.4
Add - - - - renal disease O10.22
Add - - - - with heart disease O10.32
Add - - - - essential O10.02
No Change - - pregnancy O16.-
Revise from - - gestational (pregnancy induced) (transient) (without proteinuria) O13.-
Revise to - - gestational (pregnancy induced) (without proteinuria) O13.-
No Change - - pre-existing O10.91-
No Change - - - with
Revise from - - - pre-eclampsia O11.-
Revise to - - - - pre-eclampsia - see category O11
Add - - - transient O13.-
Revise from - - puerperium, pre-existing O10.93
Revise to - - puerperium, pre-existing O16.5
Delete - - - with
Delete - - - heart disease O10.13
Delete - - - - with renal disease O10.33
Delete - - - renal disease O10.23
Delete - - - - with heart disease O10.33
Delete - - - essential O10.03
Add - - - pre-existing
Add - - - with
Add - - - - heart disease O10.13
Add - - - - with renal disease O10.33
Add - - - - pre-eclampsia O11.5
Add - - - - renal disease O10.23
Add - - - - with heart disease O10.33
Add - - - essential O10.03
Add - - crisis I16.9
Add - - emergency I16.2
No Change - - gestational (without significant proteinuria) (pregnancy-induced) (transient) O13.-
Add - - complicating
Add - - - delivery O13.4
Add - - - puerperium O13.5
Add - - maternal O16.-
Add - - transient, of pregnancy O13.-
Add - - urgency I16.0
No Change **Hypertrophy, hypertrophic**
Revise from - - epididymis N50.8
Revise to - - epididymis N50.89
Revise from - - labium (majus) (minus) N90.6
Revise to - - labium (majus) (minus) N90.60
Revise from - - scrotum N50.8
Revise to - - scrotum N50.89
Revise from - - seminal vesicle N50.8
Revise to - - seminal vesicle N50.89
Revise from - - spermatic cord N50.8
Revise to - - spermatic cord N50.89
Revise from - - tunica vaginalis N50.8

Revise to - tunica vaginalis N50.89
Revise from - vas deferens N50.8
Revise to - vas deferens N50.89
Revise from - vulva N90.6
Revise to - vulva N90.60
Revise from - - stasis (nonfilarial) N90.6
Revise to - - stasis (nonfilarial) N90.69
No Change **Hypopituitarism (juvenile)** E23.0
Revise from - postpartum E23.0
Revise to - postpartum O99.285
No Change **Hypoplasia, hypoplastic**
Revise from - aorta, aortic Q25.4
Revise to - aorta, aortic Q25.42
Revise from - cartilage hair Q78.5
Revise to - cartilage hair Q78.8

No Change

I

Add **IBDU (colonic inflammatory bowel disease unclassified)** K52.3
No Change **Impaired, impairment (function)**
Revise from - mastication K08.8
Revise to - mastication K08.89
No Change **Incarceration, incarcerated**
Delete - exophthalmos K42.0
Delete - - gangrenous K42.1
Add - exomphalos K42.0
Add - - gangrenous K42.1
No Change **Incontinence** R32
Add - coital N39.491
Add - insensible (urinary) N39.42
Add - postural (urinary) N39.492
No Change - urine (urinary) R32
Add - - insensible N39.42
Add - - postural N39.492
No Change **Infancy, infantile, infantilism** - see also condition
Revise from - pancreatic K86.8
Revise to - pancreatic K86.89
No Change **Infarct, infarction**
Revise from - appendices epiploicae K55.0
Revise to - appendices epiploicae (see also Infarct, intestine) K55.069
Revise from - bowel K55.0
Revise to - bowel (see also Infarct, intestine) K55.069
Revise from - colon (acute) (agnogenic) (embolic) (hemorrhagic) (nonocclusive) (nonthrombotic) (occlusive) (segmental) (thrombotic) (with gangrene) K55.0
Revise to - colon (acute) (agnogenic) (embolic) (hemorrhagic) (nonocclusive) (nonthrombotic) (occlusive) (segmental) (thrombotic) (with gangrene) (see also Infarct, intestine) K55.049
Revise from - intestine (acute) (agnogenic) (embolic) (hemorrhagic) (nonocclusive) (nonthrombotic) (occlusive) (thrombotic) (with gangrene) K55.0
Revise to - intestine (acute) (agnogenic) (embolic) (hemorrhagic) (nonocclusive) (nonthrombotic) (occlusive) (thrombotic) (with gangrene) K55.069
Add - - diffuse K55.062
Add - - focal K55.061
Add - - large K55.049
Add - - - diffuse K55.042
Add - - - focal K55.041
Add - - small K55.029
Add - - - diffuse K55.022
Add - - - focal K55.021
Revise from - mesentery, mesenteric (embolic) (thrombotic) (with gangrene) K55.0
Revise to - mesentery, mesenteric (embolic) (thrombotic) (with gangrene) (see also Infarct, intestine) K55.069

- Revise from* - omentum K55.0
Revise to - omentum (see also Infarct, intestine) K55.069
Revise from - pancreas K86.8
Revise to - pancreas K86.89
Infection, infected, infective (opportunistic) B99.9
No Change - due to or resulting from
No Change -- device, implant or graft (see also Complications, by site and type, infection or inflammation) T85.79
No Change --- catheter NEC T85.79
No Change ---- infusion NEC T82.7
Add ----- cranial T85.735
Add ----- intrathecal T85.735
Revise from ----- spinal (epidural) (subdural) T85.79
Revise to ----- spinal (epidural) (subdural) T85.735
Add ----- subarachnoid T85.735
Revise from ----- urinary (indwelling) T83.51
Revise to ----- urinary T83.518
Add ----- cystostomy T83.510
Add ----- Hopkins T83.518
Add ----- ileostomy T83.518
Add ----- nephrostomy T83.512
Add ----- specified NEC T83.518
Add ----- urethral indwelling T83.511
Add ----- urostomy T83.518
No Change ----- electronic (electrode) (pulse generator) (stimulator)
Revise from ----- nervous system (brain) (peripheral nerve) (spinal) T85.79
Revise to ----- nervous system T85.738
Add ----- brain T85.731
Add ----- cranial nerve T85.732
Add ----- gastric nerve T85.732
Add ----- generator pocket T85.734
Add ----- neurostimulator generator T85.734
Add ----- peripheral nerve T85.732
Add ----- sacral nerve T85.732
Add ----- spinal cord T85.733
Add ----- vagal nerve T85.732
Revise from ----- urinary T83.59
Revise to ----- urinary T83.590
No Change ----- gastrointestinal (bile duct) (esophagus) T85.79
Add ----- neurostimulator electrode (lead) T85.732
Revise from --- genital NEC T83.6
Revise to --- genital NEC T83.69
Add --- penile (cylinder) (pump) (resevoir) T83.61
Add --- testicular T83.62
Revise from --- urinary NEC T83.59
Revise to --- urinary NEC T83.598
Add --- ileal conduit stent T83.593
Add --- implanted neurostimulation T83.590
Add --- implanted sphincter T83.591
Add --- indwelling ureteral stent T83.592
Add --- nephroureteral stent T83.593
Add --- specified stent NEC T83.593
Delete --- ventricular intracranial shunt T85.79
Add --- ventricular intracranial (communicating) shunt T85.730
Add -- pulmonary artery catheter - see Infection, due to or resulting from, central venous catheter
Revise from -- surgery T81.4
Revise to -- surgery T81.40
Add -- Swan Ganz catheter - see Infection, due to or resulting from, central venous catheter
Add - generator pocket, implanted electronic neurostimulator T85.734
Revise from - mammary gland N61
Revise to - mammary gland N61.0

- Revise from* - mediastinum J98.5
Revise to - mediastinum J98.51
Revise from - nipple N61
Revise to - nipple N61.0
Revise from - operation wound T81.4
Revise to - operation wound T81.40
Revise from - pancreas (acute) K85.9
Revise to - pancreas (acute) - see Pancreatitis, acute
Revise from - - specified NEC K85.8
Revise to - - specified NEC (see also Pancreatitis, acute) K85.80
No Change - peridental, periodontal K05.20
Revise from - - generalized K05.22
Revise to - - generalized - see Peridontitis, aggressive, generalized
Revise from - - localized K05.21
Revise to - - localized - see Peridontitis, aggressive, localized
Revise from - postoperative T81.4
Revise to - postoperative T81.40
Revise from - postoperative wound T81.4
Revise to - postoperative wound T81.40
Revise from - postprocedural T81.4
Revise to - postprocedural T81.40
Add - - deep incisional surgical site T81.42
Add - - organ and space surgical site T81.43
Add - - sepsis T81.49
Add - - specified surgical site NEC T81.48
Add - - superficial incisional surgical site T81.41
No Change - tooth, teeth K04.7
No Change - - peridental, periodontal K05.20
Revise from - - - generalized K05.22
Revise to - - - generalized - see Peridontitis, aggressive, generalized
Revise from - - - localized K05.21
Revise to - - - localized - see Peridontitis, aggressive, localized
Revise from - - pulp K04.0
Revise to - - pulp K04.01
Add - - irreversible K04.02
Add - - reversible K04.01
Add - - Zika virus A92.5
No Change **Inflammation, inflamed, inflammatory (with exudation)**
Revise from - areola N61
Revise to - areola N61.0
Revise from - breast N61
Revise to - breast N61.0
No Change - due to device, implant or graft - see also Complications, by site and type, infection or inflammation
No Change - - catheter T85.79
No Change - - - infusion T82.7
Add - - - - cranial T85.735
Add - - - - intrathecal T85.735
Revise from - - - - spinal (epidural) (subdural) T85.79
Revise to - - - - spinal (epidural) (subdural) T85.735
Add - - - - subarachnoid T85.735
Revise from - - - - urinary (indwelling) T83.51
Revise to - - - - urinary T83.518
Add - - - - cystostomy T83.510
Add - - - - Hopkins T83.518
Add - - - - ileostomy T83.518
Add - - - - nephrostomy T83.512
Add - - - - specified NEC T83.518
Add - - - - urethral indwelling T83.511
Add - - - - urostomy T83.518
No Change - - electronic (electrode) (pulse generator) (stimulator)

Revise from - - - nervous system (brain) (peripheral nerve) (spinal) T85.79
Revise to - - - nervous system T85.738
Add - - - brain T85.731
Add - - - cranial nerve T85.732
Add - - - gastric nerve T85.732
Add - - - neurostimulator generator T85.734
Add - - - peripheral nerve T85.732
Add - - - sacral nerve T85.732
Add - - - spinal cord T85.733
Add - - - vagal nerve T85.732
Revise from - - - urinary T83.59
Revise to - - - urinary T83.590
No Change - - gastrointestinal (bile duct) (esophagus) T85.79
Add - - - neurostimulator electrode (lead) T85.732
Revise from - - genital NEC T83.6
Revise to - - genital NEC T83.69
Add - - penile (cylinder) (pump) (resevoir) T83.61
Add - - testicular T83.62
Revise from - - urinary NEC T83.59
Revise to - - urinary NEC T83.598
Add - - - ileal conduit stent T83.593
Add - - - implanted neurostimulation T83.590
Add - - - implanted sphincter T83.591
Add - - - indwelling ureteral stent T83.592
Add - - - nephroureteral stent T83.593
Add - - - specified stent NEC T83.593
Delete - - ventricular intracranial shunt T85.79
Add - - ventricular intracranial (communicating) shunt T85.730
Revise from - nipple N61
Revise to - nipple N61.0
Add **Inhalant-induced**
Add - anxiety disorder F18.980
Add - depressive disorder F18.94
Add - major neurocognitive disorder F18.97
Add - mild neurocognitive disorder F18.988
Add - psychotic disorder F18.959
No Change **Injury (see also specified injury type)** T14.90
No Change - brain (traumatic) S06.9-
Delete - - traumatic - see category S06
No Change - gland
Revise from - - salivary S09.90
Revise to - - salivary S09.93
No Change **Insufficiency, insufficient**
Add - anatomic crown height K08.89
Add - clinical crown length K08.89
Revise from - pancreatic K86.8
Revise to - pancreatic K86.89
Add - - exocrine K86.81
No Change - vascular I99.8
No Change - - intestine K55.9
Revise from - - - acute K55.0
Revise to - - - acute (see also Ischemia, intestine, acute) K55.059
No Change **Interruption**
Add - aortic arch Q25.21
No Change **Intolerance**
Revise from - carbohydrate K90.4
Revise to - carbohydrate K90.49
Revise from - fat NEC K90.4
Revise to - fat NEC K90.49
Revise from - food K90.4

- Revise to* - food K90.49
Revise from - gluten K90.0
Revise to - gluten K90.41
Revise from - milk NEC K90.4
Revise to - milk NEC K90.49
Revise from - protein K90.4
Revise to - protein K90.49
Revise from - starch NEC K90.4
Revise to - starch NEC K90.49
No Change
Intoxication
Revise from - caffeine (acute) (without dependence) - see Abuse, drug, stimulant, with intoxication
Revise to - caffeine F15.929
Revise from - cannabinoids (acute) (without dependence) - see Abuse, drug, cannabis, with intoxication
Revise to - cannabinoids (acute) (without dependence) - see Use, cannabis, with intoxication
Delete - - with dependence - see Dependence, drug, cannabis, with intoxication
Add - - with
Add - - - abuse - see Abuse, drug, cannabis, with intoxication
Add - - - dependence - see Dependence, drug, cannabis, with intoxication
Revise from - phencyclidine (without dependence) - see Abuse, drug, psychoactive NEC, with intoxication
Revise to - phencyclidine (without dependence) - see Abuse, drug, hallucinogen, with intoxication
Revise from - - with dependence - see Dependence, drug, psychoactive NEC, with intoxication
Revise to - - with dependence - - see Dependence, drug, hallucinogen, with intoxication
No Change
Involution, involutorial - see also condition
Revise from - depression (single episode) F32.8
Revise to - depression (single episode) F32.89
Revise from - melancholia (recurrent episode) (single episode) F32.8
Revise to - melancholia (single episode) F32.89
Add - - recurrent episode F33.8
No Change
Iritis - see also Iridocyclitis
Revise from - gouty M10.9
Revise to - gouty (see also Gout, by type) M10.9 [H22]
No Change
Irregular, irregularity
Revise from - alveolar process K08.8
Revise to - alveolar process K08.89
No Change
Irritable, irritability R45.4
No Change
Delete - bowel (syndrome) K58.9
Add - - with diarrhea K58.0
Add - - with
Add - - - constipation K58.1
Add - - - diarrhea K58.0
Add - - mixed K58.2
Add - - specified NEC K58.8
Revise from - colon K58.9
Revise to - colon (see also Irritable, bowel) K58.9
No Change
Ischemia, ischemic I99.8
No Change
- bowel (transient)
Revise from - - acute K55.0
Revise to - - acute (see also Ischemia, intestine, acute) K55.059
No Change
- intestine (large) (small) (transient) K55.9
Revise from - - acute K55.0
Revise to - - acute K55.059
Add - - - diffuse K55.052
Add - - - focal K55.051
Add - - - large K55.039
Add - - - - diffuse K55.032
Add - - - - focal K55.031
Add - - - small K55.019
Add - - - - diffuse K55.012
Add - - - - focal K55.011
Revise from - mesenteric, acute K55.0

- Revise to* - mesenteric, acute (see also Ischemia, intestine, acute) K55.059
No Change - myocardium, myocardial (chronic or with a stated duration of over 4 weeks) I25.9
Revise from - acute, without myocardial infarction I24.0
Revise to - acute, without myocardial infarction I51.3
No Change - small bowel
Revise from - acute K55.0
Revise to - acute K55.019
Add - diffuse K55.012
Add - focal K55.011

K

- No Change* **Keratosis** L57.0
Revise from - male genital (external) N50.8
Revise to - male genital (external) N50.89
Revise from - scrotal N50.8
Revise to - scrotal N50.89
Revise from **Kuhnt-Junius degeneration (see also Degeneration, macula)** H35.32
Revise to **Kuhnt-Junius degeneration (see also Degeneration, macula)** H35.32-

L

- No Change* **Laceration**
No Change - perineum
No Change - female S31.41
No Change - - during delivery O70.9
Revise from - - - third degree O70.2
Revise to - - - third degree (see also Delivery, complicated, by, laceration, perineum, third degree) O70.20
Revise from **Laennec's cirrhosis** K74.69
Revise to **Laennec's cirrhosis** K70.30
Delete - alcoholic K70.30
Delete - - with ascites K70.31
Add - with ascites K70.31
Add - nonalcoholic K74.69
No Change **Leak, leakage**
No Change - device, implant or graft - see also Complications, by site and type, mechanical
No Change - - catheter NEC T85.638
Delete - - - urinary, indwelling T83.038
Delete - - - cystostomy T83.030
Add - - - urinary T83.038
Add - - - cystostomy T83.030
Add - - - Hopkins T83.038
Add - - - ileostomy T83.038
Add - - - indwelling T83.031
Add - - - nephrostomy T83.032
Add - - - specified NEC T83.038
Add - - - urostomy T83.038
No Change - - genital NEC T83.498
Revise from - - penile prosthesis T83.490
Revise to - - penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.490
Add - - testicular prosthesis T83.491
No Change **Lesion(s) (nontraumatic)**
Revise from - cardia K22.9
Revise to - cardia K31.9
Add - combined periodontic - endodontic K05.5
No Change **Light-for-dates (infant)** P05.00
No Change - with weight of
Add - - 2500 grams and over P05.09
Add - specified NEC P05.09
No Change **Long-term (current) (prophylactic) drug therapy (use of)**

Delete - oral contraceptive Z79.3
Add - oral
Add - - antidiabetic Z79.84
Add - - contraceptive Z79.3
Add - - hypoglycemic Z79.84
No Change **Loose** - see also condition
Add - skin and subcutaneous tissue (following bariatric surgery weight loss) (following dietary weight loss) L98.7
Revise from - tooth, teeth K08.8
Revise to - tooth, teeth K08.89
No Change **Loss (of)**
No Change - appetite (see Anorexia) R63.0
Revise from - - hysterical F50.8
Revise to - - hysterical F50.89
Revise from - - nonorganic origin F50.8
Revise to - - nonorganic origin F50.89
Revise from - - psychogenic F50.8
Revise to - - psychogenic F50.89
Add - bone - see Loss, substance of, bone
No Change - fluid (acute) E86.9
Delete - - with
Delete - - - hypernatremia E87.0
Delete - - - hyponatremia E87.1
No Change - hearing - see also Deafness
Add - - conductive H90.2
Add - - - bilateral H90.0
Add - - - unilateral
Add - - - - with
Add - - - - restricted hearing on the contralateral side H90.A1-
Add - - - - unrestricted hearing on the contralateral side H90.1-
Add - - mixed conductive and sensorineural hearing loss H90.8
Add - - - bilateral H90.6
Add - - - unilateral
Add - - - - with
Add - - - - restricted hearing on the contralateral side H90.A3-
Add - - - - unrestricted hearing on the contralateral side H90.7-
No Change - - sensorineural NOS H90.5
Add - - - bilateral H90.3
Add - - - unilateral
Add - - - - with
Add - - - - restricted hearing on the contralateral side H90.A2-
Add - - - - unrestricted hearing on the contralateral side H90.4-
No Change - substance of
No Change - - bone - see Disorder, bone, density and structure, specified NEC
Add - - - horizontal alveolar K06.3
Revise from **Low-density-lipoprotein-type (LDL) hyperlipoproteinemia** E78.0
Revise to **Low-density-lipoprotein-type (LDL) hyperlipoproteinemia** E78.00
No Change **Lymphoma (of) (malignant)** C85.90
No Change - Hodgkin C81.9
Delete - - classical C81.7-
Delete - - - lymphocyte-rich C81.4-
Delete - - - lymphocyte depleted C81.3-
Delete - - - mixed cellularity C81.2-
Delete - - - nodular sclerosis C81.1-
Delete - - - specified NEC C81.7-
Add - - lymphocyte-rich (classical) C81.4-
Add - - lymphocyte depleted (classical) C81.3-
Add - - mixed cellularity (classical) C81.2-
Add - - nodular sclerosis (classical) C81.1-
Add - - specified NEC (classical) C81.7-
No Change - - nodular

Delete - - - sclerosis classical C81.1-
Add - - - sclerosis (classical) C81.1-

No Change

M

Revise from **Macrosigmoid** K59.3
Revise to **Macrosigmoid** K59.39
No Change **Malabsorption** K90.9
Revise from - carbohydrate K90.4
Revise to - carbohydrate K90.49
Revise from - fat K90.4
Revise to - fat K90.49
Revise from - protein K90.4
Revise to - protein K90.49
Revise from - starch K90.4
Revise to - starch K90.49
Revise from **Malassez's disease (cystic)** N50.8
Revise to **Malassez's disease (cystic)** N50.89
No Change **Malformation (congenital)** - see also Anomaly
Revise from - aorta Q25.9
Revise to - aorta Q25.40
Add - - absence Q25.41
Add - - aneurysm, congenital Q25.43
Add - - aplasia Q25.41
Revise from - - atresia Q25.2
Revise to - - atresia Q25.29
Add - - - aortic arch Q25.21
Add - - - dilatation, congenital Q25.44
Add - - - hypoplasia Q25.42
Revise from - - - specified type NEC Q25.4
Revise to - - - specified type NEC Q25.49
Revise from - - - stenosis (supravalvular) Q25.3
Revise to - - - stenosis Q25.1
Add - - - supravalvular Q25.3
No Change **Malfunction** - see also Dysfunction
No Change - catheter device NEC T85.618
No Change - - infusion NEC T82.514
Add - - - cranial T85.610
Add - - - epidural T85.610
Add - - - intrathecal T85.610
Revise from - - - spinal (epidural) (subdural) T85.610
Revise to - - - spinal T85.610
Add - - - subarachnoid T85.610
Add - - - subdural T85.610
Delete - - urinary, indwelling T83.018
Add - - urinary (see also Breakdown, device, catheter) T83.018
Add - intrathecal infusion pump T85.615
Add - nervous system device, implant or graft, specified NEC T85.615
No Change **Malposition**
No Change - congenital
Revise from - - aorta Q25.4
Revise to - - aorta Q25.49
No Change - device, implant or graft (see also Complications, by site and type, mechanical) T85.628
No Change - - catheter NEC T85.628
Delete - - - urinary, indwelling T83.028
Add - - - urinary (see also Displacement, device, catheter, urinary) T83.028
No Change - - genital NEC T83.428
Revise from - - - intrauterine contraceptive device T83.32
Revise to - - - intrauterine contraceptive device (string) T83.32
Revise from - - - penile prosthesis T83.420

Revise to - - - penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.420
Add - - - testicular prosthesis T83.421
Revise from **Mammillitis** N61
Revise to **Mammillitis** N61.0
Revise from **Mastitis (acute) (diffuse) (nonpuerperal) (subacute)** N61
Revise to **Mastitis (acute) (diffuse) (nonpuerperal) (subacute)** N61.0
Add - with abscess N61.1
Revise from - infective N61
Revise to - infective N61.0
Add - without abscess N61.0
Revise from **Mediastinitis (acute) (chronic)** J98.5
Revise to **Mediastinitis (acute) (chronic)** J98.51
No Change
No Change - fever - see Brucellosis
Revise from - - familial E85.0
Revise to - - familial M04.1
Revise from **Megacolon (acquired) (functional) (not Hirschsprung's disease) (in)** K59.3
Revise to **Megacolon (acquired) (functional) (not Hirschsprung's disease) (in)** K59.39
Revise from - toxic NEC K59.3
Revise to - toxic NEC K59.31
Revise from **Megasigmoid** K59.3
Revise to **Megasigmoid** K59.39
No Change **Melancholia** F32.9
Revise from - climacteric (single episode) F32.8
Revise to - climacteric (single episode) F32.89
Revise from - - recurrent episode F33.9
Revise to - - recurrent episode F33.8
Revise from - intermittent (single episode) F32.8
Revise to - intermittent (single episode) F32.89
Revise from - - recurrent episode F33.9
Revise to - - recurrent episode F33.8
Revise from - involutional (single episode) F32.8
Revise to - involutional (single episode) F32.89
Revise from - - recurrent episode F33.9
Revise to - - recurrent episode F33.8
Revise from - menopausal (single episode) F32.8
Revise to - menopausal (single episode) F32.89
Revise from - - recurrent episode F33.9
Revise to - - recurrent episode F33.8
Revise from - puerperal F32.8
Revise to - puerperal F32.89
Revise from - stuporous (single episode) F32.8
Revise to - stuporous (single episode) F32.89
Revise from - - recurrent episode F33.9
Revise to - - recurrent episode F33.8
Revise from **Melanocytoma, eyeball** D31.4-
Revise to **Melanocytoma, eyeball** D31.9-
No Change **Meningitis (basal) (basic) (brain) (cerebral) (cervical) (congestive) (diffuse) (hemorrhagic) (infantile) (membranous) (metastatic) (nonspecific) (pontine) (progressive) (simple) (spinal) (subacute) (sympathetic) (toxic)** G03.9
No Change - in (due to)
Add - - Streptococcal pneumoniae G00.1
Delete - pneumococcal G00.1
Add - pneumococcal streptococcus pneumoniae G00.1
Revise from - streptococcal (acute) G00.2
Revise to - Streptococcal (acute) G00.2
Add - - pneumoniae G00.1
No Change **Meningoencephalitis (see also Encephalitis)** G04.90
No Change - in (due to)
Revise from - - Hemophilus influenzae (H .influenzae) G04.2

Revise to - - Hemophilus influenzae (H .influenzae) G00.0
Revise from - influenza (H. influenzae) G04.2
Revise to - influenza (H. influenzae) G00.0
Revise from - pneumococcal G00.1
Revise to - pneumococcal G04.2
No Change **Menopause, menopausal (asymptomatic) (state)** Z78.0
Revise from - depression (single episode) F32.8
Revise to - depression (single episode) F32.89
Revise from - - psychotic (single episode) F32.8
Revise to - - psychotic (single episode) F32.89
Revise from - - recurrent episode F33.9
Revise to - - recurrent episode F33.8
Revise from - melancholia (single episode) F32.8
Revise to - melancholia (single episode) F32.89
Revise from - - recurrent episode F33.9
Revise to - - recurrent episode F33.8
No Change **Metaplasia**
Revise from - esophagus
Revise to - esophagus K22.7-
No Change **Metatarsus, metatarsal** - see also condition
Add - adductus, congenital Q66.22
Revise from - varus (adductus) (congenital) Q66.2
Revise to - varus (congenital) Q66.22
Add - - primus Q66.21
Revise from **Methadone use** F11.20
Revise to **Methadone use** - see Use, opioid
No Change **Micturition**
Revise from - disorder NEC R39.19
Revise to - disorder NEC (see also Difficulty, micturition) R39.198
Add - position dependent R39.192
Revise from **Minamata disease** T26.1-
Revise to **Minamata disease** T56.1
Revise from **Missing** - see Absence
Revise to **Missing** - see also Absence
Add - string of intrauterine contraceptive device T83.32
Add **MMN (multifocal motor neuropathy)** G61.82
No Change **Mole (pigmented)** - see also Nevus
Revise from - tubal O00.1
Revise to - tubal O00.10
Add - - with intrauterine pregnancy O00.11
No Change **Monoplegia** G83.3-
Revise from - embolic (current episode) I63.4
Revise to - embolic (current episode) I63.4-
Revise from - thrombotic (current episode) I63.3
Revise to - thrombotic (current episode) I63.3-
No Change **Murmur (cardiac) (heart) (organic)** R01.1
Revise from - systolic (valvular) - see Endocarditis
Revise to - systolic R01.1
No Change **Mycosis, mycotic** B49
Revise from - ear B36.8
Revise to - ear B36.9
Add - - in
Add - - - aspergillosis B44.89
Add - - - candidiasis B37.84
Add - - - moniliasis B37.84

N

No Change **Narrow**
Add - gingival width (of periodontal soft tissue) K05.5

- No Change* **Narrowing** - see also Stenosis
- mesenteric artery K55.0
- Revise from* - mesenteric artery (see also Ischemia, intestine, acute) K55.059
- Revise to*
- No Change* **Necrosis, necrotic (ischemic)** - see also Gangrene
- Revise from* - colon K55.0
- Revise to* - colon (see also Infarct, intestine) K55.049
- Revise from* - cornea H18.40
- Revise to* - cornea H18.89-
- No Change* - fat, fatty (generalized) - see also Disorder, soft tissue, specified type NEC
- Revise from* - - pancreas K86.8
- Revise to* - - pancreas K86.89
- Revise from* - intestine (acute) (hemorrhagic) (massive) K55.0
- Revise to* - intestine (acute) (hemorrhagic) (massive) (see also Infarct, intestine) K55.069
- Revise from* - mesentery K55.0
- Revise to* - mesentery (see also Infarct, intestine) K55.069
- Revise from* - omentum (with mesenteric infarction) K55.0
- Revise to* - omentum (with mesenteric infarction) (see also Infarct, intestine) K55.069
- Revise from* - pancreas (aseptic) (duct) (fat) K86.8
- Revise to* - pancreas (aseptic) (duct) (fat) K86.89
- Revise from* - peritoneum (with mesenteric infarction) K55.0
- Revise to* - peritoneum (with mesenteric infarction) (see also Infarct, intestine) K55.069
- Revise from* - pituitary (gland) (postpartum) (Sheehan) E23.0
- Revise to* - pituitary (gland) E23.0
- Add* - - postpartum O99.285
- Add* - - Sheehan O99.285
- Revise from* - scrotum N50.8
- Revise to* - scrotum N50.89
- Revise from* - testis N50.8
- Revise to* - testis N50.89
- No Change* **Neoplasia**
- No Change* - intraepithelial (histologically confirmed)
- Revise from* - - prostate (histologically confirmed) (PIN I) (PIN II) N42.3
- Revise to* - - prostate (histologically confirmed) (PIN) N42.31
- Revise from* - - - grade I N42.3
- Revise to* - - - grade I N42.31
- Revise from* - - - grade II N42.3
- Revise to* - - - grade II N42.31
- Delete* - - - severe D07.5
- Add* - - - grade III (severe dysplasia) D07.5
- No Change* **Neuritis (rheumatoid)** M79.2
- Revise from* - gouty M10.00 [G63]
- Revise to* - gouty (see also Gout, by type) M10.9 [G63]
- No Change* **Neuroma** - see also Neoplasm, nerve, benign
- Revise from* - interdigital (toe) G58.8
- Revise to* - interdigital G58.8
- Revise from* - - lower limb G57.8-
- Revise to* - - lower limb (toe) G57.8-
- No Change* **Neuropathy, neuropathic** G62.9
- Add* - multifocal motor (MMN) G61.82
- No Change* **Neurosis, neurotic** F48.9
- Revise from* - anankastic F42
- Revise to* - anankastic F42.8
- Revise from* - compulsive, compulsion F42
- Revise to* - compulsive, compulsion F42.8
- Revise from* - obsessional F42
- Revise to* - obsessional F42.8
- Revise from* - obsessive-compulsive F42
- Revise to* - obsessive-compulsive F42.8
- No Change* **Newborn (infant) (liveborn) (singleton)** Z38.2
- Revise from* - affected by (suspected to be)

Revise to - affected by
Revise from - apnea P28.3
Revise to - apnea P28.4
Delete - - specified P28.4
Add - - sleep (central) (obstructive) (primary) P28.3
Revise from - jaundice P59.8
Revise to - jaundice P59.9
Add **NIHSS (National Institutes of Health Stroke Scale) score R29.7-**
Add **NOMID (neonatal onset multisystemic inflammatory disorder) M04.2**
No Change **Nonunion**
Add - joint, following fusion or arthrodesis M96.0

O

No Change **Obesity E66.9**
Delete - with alveolar hyperventilation E66.2
Add - with alveolar hypoventilation E66.2
Add - exogenous E66.09
Add - hypoventilation syndrome (OHS) E66.2
No Change - morbid E66.01
Delete - - with alveolar hypoventilation E66.2
Add - - with
Add - - - alveolar hypoventilation E66.2
Add - - - obesity hypoventilation syndrome (OHS) E66.2
No Change **Obliteration**
Revise from - vestibule (oral) K08.8
Revise to - vestibule (oral) K08.89
No Change **Observation (following) (for) (without need for further medical care) Z04.9**
Revise from - newborn (for suspected condition, ruled out) - see - Newborn, affected by (suspected to be), maternal (complication of) (use of)
Revise to - newborn (for)
Add - - suspected condition, related to exposure from the mother or birth process - see - Newborn, affected by, maternal
Add - - - ruled out Z05.9
Add - - - - cardiac Z05.0
Add - - - - connective tissue Z05.73
Add - - - - gastrointestinal Z05.5
Add - - - - genetic Z05.41
Add - - - - genitourinary Z05.6
Add - - - - immunologic Z05.43
Add - - - - infectious Z05.1
Add - - - - metabolic Z05.42
Add - - - - musculoskeletal Z05.72
Add - - - - neurological Z05.2
Add - - - - respiratory Z05.3
Add - - - - skin and subcutaneous tissue Z05.71
Add - - - - specified condition NEC Z05.8
No Change - suspected, ruled out - see also Suspected condition, ruled out
No Change - - condition NEC Z03.89
Revise from - - - newborn - see - Newborn, affected by (suspected to be), maternal (complication of) (use of)
Revise to - - - newborn (see also Observation, newborn (for), suspected condition, ruled out) Z05.9
Obsession, obsessional state F42
Revise to **Obsession, obsessional state F42.8**
Add - mixed thoughts and acts F42.2
Revise from **Obsessive-compulsive neurosis or reaction F42**
Revise to **Obsessive-compulsive neurosis or reaction F42.8**
Obstruction, obstructed, obstructive
No Change - artery (see also Embolism, artery) I74.9
Add - - stent - see Restenosis, stent
No Change - device, implant or graft (see also Complications, by site and type, mechanical) T85.698

No Change - - catheter NEC T85.628
Delete - - - urinary, indwelling T83.098
Add - - - Hopkins T83.098
Add - - - ileostomy T83.098
Add - - - nephrostomy T83.092
Add - - - urethral indwelling T83.091
Add - - - urinary T83.098
Add - - - urostomy T83.098
No Change - - genital NEC T83.498
Revise from - - - penile prosthesis T83.490
Revise to - - - penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.490
Add - - - testicular prosthesis T83.491
Revise from - ejaculatory duct N50.8
Revise to - ejaculatory duct N50.89
Revise from - pancreatic duct K86.8
Revise to - pancreatic duct K86.89
No Change - - pelviureteral junction N13.5
Add - - with hydronephrosis N13.0
No Change - - vessel NEC I99.8
Add - - stent - see Restenosis, stent
Occlusion, occluded
No Change - artery (see also Embolism, artery) I74.9
No Change - - brain or cerebral I66.9
Revise from - - - with infarction (due to) I63.5
Revise to - - - with infarction (due to) I63.5-
Revise from - - - - embolism I63.4
Revise to - - - - embolism I63.4-
Revise from - - - - thrombosis I63.3
Revise to - - - - thrombosis I63.3-
No Change - - cerebral I66.9
No Change - - - specified NEC I66.8
No Change - - - - with infarction I63.59
No Change - - - - due to
Revise from - - - - - embolism I63.4
Revise to - - - - - embolism I63.4-
Revise from - - - - - thrombosis I63.3
Revise to - - - - - thrombosis I63.3-
Revise from - - mesenteric (embolic) (thrombotic) K55.0
Revise to - - mesenteric (embolic) (thrombotic) (see also Infarct, intestine) K55.069
No Change - cerebrovascular - see also Occlusion, artery, cerebral
Revise from - - with infarction I63.5
Revise to - - with infarction I63.5-
Revise from - - mesenteric artery (embolic) (thrombotic) K55.0
Revise to - - mesenteric artery (embolic) (thrombotic) (see also Infarct, intestine) K55.069
Odontalgia K08.8
Revise to **Odontalgia K08.89**
Revise from **Odontomyelitis (closed) (open) K04.0**
Revise to **Odontomyelitis (closed) (open) K04.01**
Add - irreversible K04.02
Add - reversible K04.01
Revise from **Odontorrhagia K08.8**
Revise to **Odontorrhagia K08.89**
Add **OHS (obesity hypoventilation syndrome) E66.2**
Revise from **Onycho-osteodysplasia Q79.8**
Revise to **Onycho-osteodysplasia Q87.2**
Revise from **Oophorocele N83.4**
Revise to **Oophorocele N83.4-**
No Change **Opioid(s)**
Add - induced, without use disorder
Add - - anxiety disorder F11.988

Add - - delirium F11.921
Add - - depressive disorder F11.94
Add - - sexual dysfunction F11.981
Add - - sleep disorder F11.982
No Change **Osteomyelitis (general) (infective) (localized) (neonatal) (purulent) (septic) (staphylococcal) (streptococcal) (suppurative) (with periostitis)** M86.9
Add - in diabetes mellitus - see E08-E13 with .69
Osteomyelofibrosis D75.89
Revise to **Osteomyelofibrosis** D47.4
Revise from **Osteo-oncho-arthro-dysplasia** Q79.8
Revise to **Osteo-oncho-arthro-dysplasia** Q87.2
Revise from **Osteo-onychodysplasia, hereditary** Q79.8
Revise to **Osteo-onychodysplasia, hereditary** Q87.2
No Change **Otitis (acute)** H66.90
No Change - externa H60.9-
Delete - - mycotic B36.9 [H62.40]
Delete - - tropical B36.8
Add - - mycotic NEC B36.9 [H62.40]
Add - - - in
Add - - - aspergillosis B44.89
Add - - - candidiasis B37.84
Add - - - moniliasis B37.84
Add - - tropical NEC B36.9 [H62.40]
Add - - - in
Add - - - aspergillosis B44.89
Add - - - candidiasis B37.84
Add - - - moniliasis B37.84
No Change - media (hemorrhagic) (staphylococcal) (streptococcal) H66.9-
No Change - - acute, subacute H66.90
Revise from - - exudative - see Otitis, media, nonsuppurative, acute
Revise to - - exudative - see Otitis, media, suppurative, acute
Revise from - - exudative - see Otitis, media, nonsuppurative
Revise to - - exudative - see Otitis, media, suppurative
Revise from **Ovariocele** N83.4
Revise to **Ovariocele** N83.4-
No Change **Overeating** R63.2
Revise from - nonorganic origin F50.8
Revise to - nonorganic origin F50.89
Revise from - psychogenic F50.8
Revise to - psychogenic F50.89
No Change **Overriding**
Revise from - aorta Q25.4
Revise to - aorta Q25.49

P

No Change **Pain(s) (see also Painful)** R52
No Change - bladder R39.89
Add - - chronic R39.82
Revise from - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.84
Revise to - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.848
Revise from - - breast (implant) T85.84
Revise to - - breast (implant) T85.848
Revise from - - catheter NEC T85.84
Revise to - - catheter NEC T85.848
No Change - - - dialysis (renal) T82.848
Revise from - - - intraperitoneal T85.84
Revise to - - - intraperitoneal T85.848
No Change - - - infusion NEC T82.848
Revise from - - - spinal (epidural) (subdural) T85.84

Revise to - - - spinal (epidural) (subdural) T85.840
No Change - - electronic (electrode) (pulse generator) (stimulator)
Revise from - - nervous system (brain) (peripheral nerve) (spinal) T85.84
Revise to - - nervous system (brain) (peripheral nerve) (spinal) T85.840
Revise from - - gastrointestinal (bile duct) (esophagus) T85.84
Revise to - - gastrointestinal (bile duct) (esophagus) T85.848
Revise from - - infusion NEC T85.84
Revise to - - infusion NEC T85.848
Revise from - - ocular (corneal graft) (orbital implant) NEC T85.84
Revise to - - ocular (corneal graft) (orbital implant) NEC T85.848
Revise from - - specified NEC T85.84
Revise to - - specified NEC T85.848
Revise from - - ventricular intracranial shunt T85.84
Revise to - - ventricular intracranial shunt T85.840
No Change - genital organ
Revise from - - male N50.8
Revise to - - male N50.89
No Change - joint M25.50
Revise from - - finger M79.64-
Revise to - - finger M25.54-
Revise from - - hand M79.64-
Revise to - - hand M25.54-
Revise from - scrotum N50.8
Revise to - scrotum N50.82
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
Revise from - spermatic cord N50.8
Revise to - spermatic cord N50.89
Revise from - temporomandibular (joint) M26.62
Revise to - temporomandibular (joint) M26.62-
Revise from - testis N50.8
Revise to - testis N50.81-
Revise from - tooth K08.8
Revise to - tooth K08.89
No Change **Painful** - see also Pain
No Change - coitus
Revise from - - female N94.1
Revise to - - female N94.10
Revise from **Pancreatitis (annular) (apoplectic) (calcareous) (edematous) (hemorrhagic) (malignant) (recurrent) (subacute) (suppurative)** K85.9
Revise to **Pancreatitis (annular) (apoplectic) (calcareous) (edematous) (hemorrhagic) (malignant) (recurrent) (subacute) (suppurative)** K85.90
Add - with necrosis (uninfected) K85.91
Add - - infected K85.92
Revise from - acute K85.9
Revise to - acute (without necrosis or infection) K85.90
Add - - with necrosis (uninfected) K85.91
Add - - - infected K85.92
Revise from - - alcohol induced K85.2
Revise to - - alcohol induced (without necrosis or infection) K85.20
Add - - - with necrosis (uninfected) K85.21
Add - - - - infected K85.22
Revise from - - biliary K85.1
Revise to - - biliary (without necrosis or infection) K85.10
Add - - - with necrosis (uninfected) K85.11
Add - - - - infected K85.12
Revise from - - drug induced K85.3
Revise to - - drug induced (without necrosis or infection) K85.30
Add - - - with necrosis (uninfected) K85.31
Add - - - - infected K85.32

Revise from - - gallstone K85.1
Revise to - - gallstone (without necrosis or infection) K85.10
Add - - - with necrosis (uninfected) K85.11
Add - - - - infected K85.12
Revise from - - idiopathic K85.0
Revise to - - idiopathic (without necrosis or infection) K85.00
Add - - - with necrosis (uninfected) K85.01
Add - - - - infected K85.02
Revise from - - specified NEC K85.8
Revise to - - specified NEC (without necrosis or infection) K85.80
Add - - - with necrosis (uninfected) K85.81
Add - - - - infected K85.82
Revise from - gangrenous K85.8
Revise to - gangrenous - see Pancreatitis, acute
Revise from - gallstone K85.1
Revise to - gallstone (without necrosis or infection) K85.10
Add - - with necrosis (uninfected) K85.11
Add - - - infected K85.12
No Change - interstitial (chronic) K86.1
Revise from - - acute K85.8
Revise to - - acute (see also Pancreatitis, acute) K85.80
Pancreolithiasis K86.8
Revise to **Pancreolithiasis** K86.89
Add PAPA (pyogenic arthritis, pyoderma gangrenosum, and acne syndrome) M04.8
No Change Papilloma - see also Neoplasm, benign, by site
Add - basal cell L82.1
Add - - inflamed L82.0
No Change **Paralysis, paralytic (complete) (incomplete)** G83.9
Revise from - embolic (current episode) I63.4
Revise to - embolic (current episode) I63.4-
Revise from - thrombotic (current episode) I63.3
Revise to - thrombotic (current episode) I63.3-
Revise from **Parorexia (psychogenic)** F50.8
Revise to **Parorexia (psychogenic)** F50.89
No Change **Perforation, perforated (nontraumatic) (of)**
No Change - appendix K35.2
Add - - with localized peritonitis K35.3
No Change - by
No Change - device, implant or graft (see also Complications, by site and type, mechanical) T85.628
No Change - - - catheter NEC T85.698
Add - - - - urinary (see also Complications, catheter, urinary) T83.098
Delete - - - urinary, indwelling T83.098
No Change - cecum K35.2
Add - - with localized peritonitis K35.3
No Change **Pericementitis (chronic) (suppurative)** - see also Periodontitis
No Change - acute K05.20
Revise from - - generalized K05.22
Revise to - - generalized - see Peridontitis, aggressive, generalized
Revise from - - localized K05.21
Revise to - - localized - see Peridontitis, aggressive, localized
No Change **Periodontitis (chronic) (complex) (compound) (local) (simplex)** K05.30
No Change - acute K05.20
Revise from - - generalized K05.22
Revise to - - generalized K05.229
Add - - - moderate K05.222
Add - - - severe K05.223
Add - - - slight K05.221
Revise from - - localized K05.21
Revise to - - localized K05.219
Add - - - moderate K05.212

Add - - - severe K05.213
Add - - - slight K05.211
Revise from - generalized K05.32
Revise to - generalized K05.329
Add - - moderate K05.322
Add - - severe K05.323
Add - - slight K05.321
Revise from - localized K05.31
Revise to - localized K05.319
Add - - moderate K05.312
Add - - severe K05.313
Add - - slight K05.311
No Change **Peritonitis (adhesive) (bacterial) (fibrinous) (hemorrhagic) (idiopathic) (localized) (perforative) (primary) (with adhesions) (with effusion)** K65.9
No Change - with or following
Revise from - - appendicitis K35.2
Revise to - - appendicitis K35.3
No Change **Persistence, persistent (congenital)**
No Change - convolutions
Revise from - - aortic arch Q25.4
Revise to - - aortic arch Q25.46
Revise from - double aortic arch Q25.4
Revise to - double aortic arch Q25.45
No Change - left
Revise from - - root with right arch of aorta Q25.4
Revise to - - root with right arch of aorta Q25.49
Revise from - right aortic arch Q25.4
Revise to - right aortic arch Q25.47
No Change **Personality (disorder)** F60.9
Revise from - mixed (nonspecific) F60.81
Revise to - mixed (nonspecific) F60.89
No Change **Perversion, perverted**
Revise from - appetite F50.8
Revise to - appetite F50.89
Revise from - - psychogenic F50.8
Revise to - - psychogenic F50.89
Add **PFAPA (periodic fever, aphthous stomatitis, pharyngitis, and adenopathy syndrome)** M04.8
Add **Phencyclidine-induced**
Add - anxiety disorder F16.980
Add - bipolar and related disorder F16.94
Add - depressive disorder F16.94
Add - psychotic disorder F16.959
Revise from **Pica** F50.8
Revise to **Pica** F50.89
Revise from - in adults F50.8
Revise to - in adults F50.89
No Change **Pick's**
No Change - disease or syndrome (brain) G31.01 [F02.80]
Add - - brain G31.01 [F02.80]
Add - - - with behavioral disturbance G31.01 [F02.81]
Add - - pericardium (pericardial pseudocirrhosis of liver) I31.1
Add - syndrome
Add - - brain G31.01 [F02.80]
Add - - - with behavioral disturbance G31.01 [F02.81]
Add - - of heart (pericardial pseudocirrhosis of liver) I31.1
Add **PIN - see Neoplasia, intraepithelial, prostate**
No Change **Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved)** J18.9
Add - MRSA (Methicillin resistant Staphylococcus aureus) J15.212
Revise from - nitrogen dioxide J68.9
Revise to - nitrogen dioxide J68.0

No Change **Polyp, polypus**
- dental K04.0
Revise from - dental K04.01
Revise to - - irreversible K04.02
Add - - reversible K04.01
Add - pulpal (dental) K04.0
Revise from - pulpal (dental) K04.01
Revise to - - irreversible K04.02
Add - - reversible K04.01
Add **Positive**
No Change - culture (nonspecific)
No Change - - urine R82.7
Revise from - - urine R82.79
Revise to **Postoperative (postprocedural)** - see Complication, postoperative
No Change - state NEC Z98.89
Revise from - state NEC Z98.890
Revise to **Postschizophrenic depression** F32.8
Postschizophrenic depression F32.89
Revise from **Prediabetes, prediabetic** R73.09
Revise to **Prediabetes, prediabetic** R73.03
No Change **Pre-eclampsia** O14.9-
Add - complicating
Add - - childbirth O14.94
Add - - puerperium O14.95
No Change - mild O14.0-
Add - - complicating
Add - - - childbirth O14.04
Add - - - puerperium O14.05
No Change - moderate O14.0-
Add - - complicating
Add - - - childbirth O14.04
Add - - - puerperium O14.05
No Change - severe O14.1-
No Change - - with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.2-
Add - - - complicating
Add - - - - childbirth O14.24
Add - - - - puerperium O14.25
Add - - complicating
Add - - - childbirth O14.14
Add - - - puerperium O14.15
No Change **Pregnancy (single) (uterine)** - see also Delivery and Puerperal
Revise from - abdominal (ectopic) O00.0
Revise to - abdominal (ectopic) O00.00
Add - - with intrauterine pregnancy O00.01
Revise from - ampullar O00.1
Revise to - ampullar O00.10
Add - - with intrauterine pregnancy O00.11
Revise from - broad ligament O00.8
Revise to - broad ligament O00.80
Add - - with intrauterine pregnancy O00.81
Revise from - cervical O00.8
Revise to - cervical O00.80
Add - - with intrauterine pregnancy O00.81
No Change - complicated by (care of) (management affected by)
No Change - - abnormal, abnormality
No Change - - - position
Revise from - - - - placenta O44.1-
Revise to - - - - placenta O44.0-
Delete - - - - without hemorrhage O44.0-
Add - - - - with hemorrhage O44.1-

Revise from - - albuminuria O12.1-
Revise to - - albuminuria (see also Proteinuria, gestational) O12.1-
Revise from - - bicornis or bicornuate uterus O34.59-
Revise to - - bicornis or bicornuate uterus O34.0-
No Change - - disproportion (due to) O33.9
Delete - - - fetal deformities NEC O33.7
Add - - - fetal (ascites) (hydrops) (meningomyelocele) (sacral teratoma) (tumor) deformities NEC O33.7
Revise from - - double uterus O34.59-
Revise to - - double uterus O34.0-
Revise from - - placenta previa O44.1-
Revise to - - placenta previa O44.0-
Delete - - - without hemorrhage O44.0-
Add - - - complete O44.0-
Add - - - with hemorrhage O44.1-
Add - - - marginal O44.2-
Add - - - with hemorrhage O44.3-
Add - - - partial O44.2-
Add - - - with hemorrhage O44.3-
No Change - - premature rupture of membranes O42.90
Delete - - - full-term O42.92
Add - - - full-term, unspecified as to length of time between rupture and onset of labor O42.92
No Change - - - with onset of labor
No Change - - - within 24 hours O42.00
Delete - - - after 37 weeks gestation O42.02
Add - - - at or after 37 weeks gestation, onset of labor within 24 hours of rupture O42.02
No Change - - - after 24 hours O42.10
Delete - - - after 37 weeks gestation O42.12
Add - - - at or after 37 weeks gestation, onset of labor more than 24 hours following rupture O42.12
Delete - - - after 37 weeks gestation O42.92
Add - - - at or after 37 weeks gestation, unspecified as to length of time between rupture and onset of labor O42.92
Revise from - - proteinuria (gestational) O12.1-
Revise to - - proteinuria (gestational) (see also Proteinuria, gestational) O12.1-
Delete - - streptococcus B carrier state O99.820
Add - - streptococcus group B (GBS) carrier state O99.820
Add - - tobacco use disorder (smoking) O99.33-
Revise from - - cornual O00.8
Revise to - - cornual O00.80
Add - - with intrauterine pregnancy O00.81
Revise from - - ectopic (ruptured) O00.9
Revise to - - ectopic (ruptured) O00.90
Add - - with intrauterine pregnancy O00.91
Revise from - - abdominal O00.0
Revise to - - abdominal O00.00
Delete - - - with viable fetus O36.7-
Add - - - with
Add - - - intrauterine pregnancy O00.01
Add - - - viable fetus O36.7-
Revise from - - cervical O00.8
Revise to - - cervical O00.80
Add - - - with intrauterine pregnancy O00.81
Revise from - - cornual O00.8
Revise to - - cornual O00.80
Add - - - with intrauterine pregnancy O00.81
Revise from - - intraligamentous O00.8
Revise to - - intraligamentous O00.80
Add - - - with intrauterine pregnancy O00.81
Revise from - - mural O00.8
Revise to - - mural O00.80
Add - - - with intrauterine pregnancy O00.81
Revise from - - ovarian O00.2

Revise to - - ovarian O00.20
Add - - - with intrauterine pregnancy O00.21
Revise from - - specified site NEC O00.8
Revise to - - specified site NEC O00.80
Add - - - with intrauterine pregnancy O00.81
Revise from - - tubal (ruptured) O00.1
Revise to - - tubal (ruptured) O00.10
Add - - - with intrauterine pregnancy O00.11
Revise from - fallopian O00.1
Revise to - fallopian O00.10
Add - - with intrauterine pregnancy O00.11
Add - gestational carrier Z33.3
Revise from - interstitial O00.8
Revise to - interstitial O00.80
Add - - with intrauterine pregnancy O00.81
Revise from - intraligamentous O00.8
Revise to - intraligamentous O00.80
Add - - with intrauterine pregnancy O00.81
Revise from - intramural O00.8
Revise to - intramural O00.80
Add - - with intrauterine pregnancy O00.81
Revise from - intraperitoneal O00.0
Revise to - intraperitoneal O00.00
Add - - with intrauterine pregnancy O00.01
Revise from - isthmian O00.1
Revise to - isthmian O00.10
Add - - with intrauterine pregnancy O00.11
Revise from - mesometric (mural) O00.8
Revise to - mesometric (mural) O00.80
Add - - with intrauterine pregnancy O00.81
Revise from - mural O00.8
Revise to - mural O00.80
Add - - with intrauterine pregnancy O00.81
Revise from - ovarian O00.2
Revise to - ovarian O00.20
Add - - with intrauterine pregnancy O00.21
No Change - supervision of
No Change - - high-risk O09.9-
No Change - - - due to (history of)
Revise from - - - molar pregnancy O09.1-
Revise to - - - molar pregnancy O09.A-
Revise from - tubal (with abortion) (with rupture) O00.1
Revise to - tubal (with abortion) (with rupture) O00.10
Add - - with intrauterine pregnancy O00.11
Premenstrual
Revise from - dysphoric disorder (PMDD) N94.3
Revise to - dysphoric disorder (PMDD) F32.81
No Change **Prescription of contraceptives (initial)** Z30.019
Add - barrier Z30.018
Add - diaphragm Z30.018
Revise from - implantable subdermal Z30.019
Revise to - implantable subdermal Z30.017
No Change - repeat Z30.40
Add - - barrier Z30.49
Add - - diaphragm Z30.49
Revise from - - implantable subdermal Z30.49
Revise to - - implantable subdermal Z30.46
Add - - transdermal patch hormonal Z30.45
Add - - vaginal ring hormonal Z30.44
No Change - specified type NEC Z30.018

- Add* - - transdermal patch hormonal Z30.016
- Add* - - vaginal ring hormonal Z30.015
- No Change** **Presence (of)**
- No Change* - cardiac
- Add* - - resynchronization therapy
- Add* - - - defibrillator Z95.810
- Add* - - - pacemaker Z95.0
- Add* - CRT-D (cardiac resynchronization therapy defibrillator) Z95.810
- Add* - CRT-P (cardiac resynchronization therapy pacemaker) Z95.0
- Add* - cardioverter-defibrillator (ICD) Z95.810
- Add* - ICD (cardioverter-defibrillator) Z95.810
- No Change** **Pressure**
- Revise from* - mediastinum J98.5
- Revise to* - mediastinum J98.59
- Previa**
- Revise from* - placenta (low) (marginal) (partial) (total) (with hemorrhage) O44.1-
- Revise to* - placenta (total) (without hemorrhage) O44.0-
- Delete* - - without hemorrhage O44.0-
- Add* - - with hemorrhage O44.1-
- Add* - - complete O44.0-
- Add* - - - with hemorrhage O44.1-
- Add* - - low (see also Delivery, complicated, by, placenta, low) O44.4-
- Add* - - - with hemorrhage O44.5-
- Add* - - marginal O44.2-
- Add* - - - with hemorrhage O44.3-
- Add* - - partial O44.2-
- Add* - - - with hemorrhage O44.3-
- No Change** **Problem (with) (related to)**
- No Change* - behavioral (adult) F69
- Revise from* - - drug seeking Z72.89
- Revise to* - - drug seeking Z76.5
- No Change* - feeding (elderly) (infant) R63.3
- Revise from* - - nonorganic F50.8
- Revise to* - - nonorganic F50.89
- Revise from* - mastication K08.8
- Revise to* - mastication K08.89
- No Change** **Procedure (surgical)**
- Add* - converted
- Add* - - arthroscopic to open Z53.33
- Add* - - laparoscopic to open Z53.31
- Add* - - specified procedure NEC to open Z53.39
- Add* - - thoracoscopic to open Z53.32
- Proctocolitis, mucosal** - see Rectosigmoiditis, ulcerative
- Proctocolitis**
- Add* - food-induced eosinophilic K52.82
- Add* - food protein-induced K52.82
- Add* - milk protein-induced K52.82
- Add* - mucosal - see Rectosigmoiditis, ulcerative
- No Change** **Prolapse, prolapsed**
- Revise from* - fallopian tube N83.4
- Revise to* - fallopian tube N83.4-
- Revise from* - ovary N83.4
- Revise to* - ovary N83.4-
- No Change** **Proliferation(s)**
- Add* - prostate, atypical small acinar N42.32
- Proteinuria** R80.9
- Revise from* - gestational O12.1-
- Revise to* - gestational
- Delete* - - with edema O12.2-
- Add* - - complicating

Add - - - childbirth O12.14
Add - - - pregnancy O12.1-
Add - - - with edema O12.2-
Add - - - puerperium O12.15
Add - - - puerperal O12.15
Protrusion, protrusio
No Change - device, implant or graft (see also Complications, by site and type, mechanical) T85.698
No Change - - catheter NEC T85.698
Delete - - - urinary, indwelling T83.098
Add - - - urinary (see also Complications, catheter, urinary) T83.098
No Change - - genital NEC T83.498
Revise from - - - penile prosthesis T83.490
Revise to - - - penile prosthesis (cylinder) (implanted) (pump) (resevoir) T83.490
Add - - - testicular prosthesis T83.491
No Change **Pseudohermaphroditism** Q56.3
No Change - female Q56.2
Delete - - adrenal, congenital E25.0
Add - - adrenal (congenital) E25.0
Pseudotruncus arteriosus Q25.4
Pseudotruncus arteriosus Q25.49
No Change **Psychosis, psychotic** F29
Revise from - manic-depressive - see Disorder, mood
Revise to - manic-depressive - see Disorder, bipolar
No Change **Puerperal, puerperium (complicated by, complications)**
Delete - gestational diabetes O24.439
Delete - - diet controlled O24.430
Delete - - insulin (and diet) controlled O24.434
Add - gestational
Add - - diabetes O24.439
Add - - - diet controlled O24.430
Add - - - insulin (and diet) controlled O24.434
Add - - - oral drug controlled (antidiabetic) (hypoglycemic) O24.435
Add - - edema O12.05
Add - - - with proteinuria O12.25
Add - - proteinuria O12.15
No Change - infection O86.4
No Change - - maternal O98.93
Delete - - - streptococcus B carrier state O99.825
Add - - - streptococcus group B (GBS) carrier state O99.825
Revise from - necrosis, liver (acute) (subacute) (conditions in subcategory K72.0) O26.63
Revise to - necrosis, liver (acute) (subacute) (conditions in subcategory K72.0) O26.63
Revise from **Pulpitis (acute) (anachoretic) (chronic) (hyperplastic) (irreversible) (putrescent) (reversible) (suppurative) (ulcerative)** K04.0
Revise to **Pulpitis (acute) (anachoretic) (chronic) (hyperplastic) (putrescent) (suppurative) (ulcerative)** K04.01
Add - irreversible K04.02
Add - reversible K04.01

Q

No Change **Quadriplegia** G82.50
Revise from - embolic (current episode) I63.4
Revise to - embolic (current episode) I63.4-
Revise from - thrombotic (current episode) I63.3
Revise to - thrombotic (current episode) I63.3-

R

No Change **Radiculopathy** M54.10
No Change - due to
No Change - - disc disorder

Delete - - - C5 M50.12
Delete - - - C6 M50.12
Delete - - - C7 M50.12
Revise from - - - C8 M50.13
Revise to - - - C5 M50.121
Revise from - - - C8 M50.13
Revise to - - - C6 M50.122
Revise from - - - C8 M50.13
Revise to - - - C7 M50.123
Add **RAEB (refractory anemia with excess blasts) D46.2-**
No Change **Reaction** - see also Disorder
Revise from - compulsive F42
Revise to - compulsive F42.8
Revise from - obsessive-compulsive F42
Revise to - obsessive-compulsive F42.8
No Change - psychoneurotic - see also Neurosis
Revise from - - compulsive F42
Revise to - - compulsive F42.8
Revise from - - obsessive F42
Revise to - - obsessive F42.8
Revise from - toxic, to local anesthesia T81.89
Revise to - toxic, to local anesthesia T88.59
No Change **Recession, receding**
Revise from - gingival (generalized) (localized) (postinfective) (postoperative) K06.0
Revise to - gingival (generalized) (localized) (postinfective) (postoperative) K06.00
Add - - Miller Class I K06.01
Add - - Miller Class II K06.02
Add - - Miller Class III K06.03
Add - - Miller Class IV K06.04
No Change **Redundant, redundancy**
Revise from - labia N90.6
Revise to - labia N90.69
Revise from - scrotum N50.8
Revise to - scrotum N50.89
Revise from - skin (of face) L57.4
Revise to - skin L98.7
Delete - - eyelids - see Blepharochalasis
Add - - and subcutaneous tissue L98.7
Add - - of face L57.4
Add - - - eyelids - see Blepharochalasis
No Change **Refusal of**
Revise from - food, psychogenic F50.8
Revise to - food, psychogenic F50.89
Delete **Reinsertion, contraceptive device Z30.433**
Add **Reinsertion**
Add - implantable subdermal contraceptive Z30.46
Add - intrauterine contraceptive device Z30.433
No Change **Rejection**
Revise from - food, psychogenic F50.8
Revise to - food, psychogenic F50.89
No Change **Relaxation**
Revise from - scrotum N50.8
Revise to - scrotum N50.89
No Change **Removal (from) (of)**
No Change - device Z46.9
No Change - - contraceptive Z30.432
Add - - - implantable subdermal Z30.46
No Change **Residual** - see also condition
Revise from - urine R39.19
Revise to - urine R39.198

<i>No Change</i>	Resistance, resistant (to)
<i>No Change</i>	- organism(s)
<i>No Change</i>	- - to
<i>Revise from</i>	- - - drug
<i>Revise to</i>	- - - drug Z16.30
<i>Delete</i>	- - - antimycbacterial (single) Z16.341
<i>Delete</i>	- - - multiple Z16.342
<i>Add</i>	- - - antimycobacterial (single) Z16.341
<i>Add</i>	- - - multiple Z16.342
<i>No Change</i>	- - - multiple drugs (MDRO)
<i>Add</i>	- - - antimicrobial Z16.35
<i>Add</i>	- - - antimycobacterials Z16.342
Restenosis	
<i>Add</i>	- stent
<i>Add</i>	- - vascular
<i>Add</i>	- - - end stent
<i>Add</i>	- - - adjacent to stent - see Arteriosclerosis
<i>Add</i>	- - - within the stent
<i>Add</i>	- - - coronary T82.855
<i>Add</i>	- - - peripheral T82.856
<i>Add</i>	- - - in stent
<i>Add</i>	- - - coronary vessel T82.855
<i>Add</i>	- - - peripheral vessel T82.856
<i>No Change</i>	Reticuloendotheliosis
<i>Delete</i>	- malignant C96.9
<i>No Change</i>	Reticulosis (skin)
<i>Revise from</i>	- histiocytic medullary C96.9
<i>Revise to</i>	- histiocytic medullary C96.A
<i>Delete</i>	- nonlipid C96.0
<i>No Change</i>	Retraction
<i>Revise from</i>	- mediastinum J98.5
<i>Revise to</i>	- mediastinum J98.59
<i>Add</i>	Right aortic arch Q25.47
<i>No Change</i>	Ring(s)
<i>Revise from</i>	- aorta (vascular) Q25.4
<i>Revise to</i>	- aorta (vascular) Q25.45
<i>No Change</i>	- vascular (congenital) Q25.8
<i>Revise from</i>	- - aorta Q25.4
<i>Revise to</i>	- - aorta Q25.45
<i>Add</i>	Rising, PSA following treatment for malignant neoplasm of prostate R97.21
<i>No Change</i>	Rumination R11.10
<i>Revise from</i>	- neurotic F42
<i>Revise to</i>	- neurotic F42.8
<i>Revise from</i>	- obsessional F42
<i>Revise to</i>	- obsessional F42.8
<i>Revise from</i>	- psychogenic F42
<i>Revise to</i>	- psychogenic F42.8
<i>No Change</i>	Rupture, ruptured
<i>No Change</i>	- appendix (with peritonitis) K35.2
<i>Add</i>	- - with localized peritonitis K35.3
<i>Revise from</i>	- corpus luteum (infected) (ovary) N83.1
<i>Revise to</i>	- corpus luteum (infected) (ovary) N83.1-
<i>No Change</i>	- fallopian tube NEC (nonobstetric) (nontraumatic) N83.8
<i>Revise from</i>	- - due to pregnancy O00.1
<i>Revise to</i>	- - due to pregnancy O00.10
<i>Add</i>	- - - with intrauterine pregnancy O00.11
<i>Revise from</i>	- graafian follicle (hematoma) N83.0
<i>Revise to</i>	- graafian follicle (hematoma) N83.0-
<i>No Change</i>	- ovary, ovarian N83.8
<i>Revise from</i>	- - corpus luteum cyst N83.1

Revise to - - corpus luteum cyst N83.1-
Revise from - - follicle (graafian) N83.0
Revise to - - follicle (graafian) N83.0-
No Change - oviduct (nonobstetric) (nontraumatic) N83.8
Revise from - - due to pregnancy O00.1
Revise to - - due to pregnancy O00.10
Add - - - with intrauterine pregnancy O00.11
Revise from - pancreas (nontraumatic) K86.8
Revise to - pancreas (nontraumatic) K86.89
No Change - tube, tubal (nonobstetric) (nontraumatic) N83.8
Revise from - - due to pregnancy O00.1
Revise to - - due to pregnancy O00.10
Add - - - with intrauterine pregnancy O00.11

No Change

S

Add **Sagging**
Add - skin and subcutaneous tissue (following bariatric surgery weight loss) (following dietary weight loss) L98.7
Revise from **Salpingocele** N83.4
Revise to **Salpingocele** N83.4-
Add **Sarcopenia (age-related)** M62.84
No Change **Scar, scarring (see also Cicatrix)** L90.5
Add - transmural uterine, in pregnancy O34.29
No Change **Schizophrenia, schizophrenic** F20.9
Revise from - post-psychotic depression F32.8
Revise to - post-psychotic depression F32.89
No Change **Sclerosis, sclerotic**
Revise from - funicular (spermatic cord) N50.8
Revise to - funicular (spermatic cord) N50.89
Revise from - pancreas K86.8
Revise to - pancreas K86.89
No Change **Scoliosis (acquired) (postural)** M41.9
Revise from - adolescent (idiopathic) - see Scoliosis, idiopathic, juvenile
Revise to - adolescent (idiopathic) - see Scoliosis, idiopathic, adolescent
Add - infantile - see Scoliosis, idiopathic, infantile
Add **Score, NIHSS (National Institutes of Health Stroke Scale)** R29.7-
No Change **Screening (for)** Z13.9
Revise from - developmental handicap Z13.4
Revise to - developmental handicap Z13.42
Revise from - - in early childhood Z13.4
Revise to - - in early childhood Z13.42
Add - - infant Z13.41
Revise from - disability, intellectual Z13.4
Revise to - disability, intellectual Z13.42
Add - - infant Z13.41
No Change - disease or disorder Z13.9
Revise from - - developmental Z13.4
Revise to - - developmental Z13.42
Add - - - in child Z13.42
Add - - - infant Z13.41
Revise from - intellectual disability Z13.4
Revise to - intellectual disability Z13.42
Add - - infant Z13.41
Add **Sedative, hypnotic, or anxiolytic-induced**
Add - anxiety disorder F13.980
Add - bipolar and related disorder F13.94
Add - delirium F13.921
Add - depressive disorder F13.94
Add - major neurocognitive disorder F13.97
Add - mild neurocognitive disorder F13.988

- Add - psychotic disorder F13.959
- Add - sexual dysfunction F13.981
- Add - sleep disorder F13.982
- No Change **Sensitive, sensitivity** - see also Allergy
- Add - gluten (non-celiac) K90.41
- No Change **Sepsis (generalized) (unspecified organism)** A41.9
- No Change - due to device, implant or graft T85.79
- No Change -- catheter NEC T85.79
- No Change --- infusion NEC T82.7
- Revise from ---- spinal (epidural) (subdural) T85.79
- Revise to ----- spinal (cranial) (epidural) (intrathecal) (spinal) (subarachnoid) (subdural) T85.735
- Add ---- urethral indwelling T83.511
- Revise from ---- urinary (indwelling) T83.51
- Revise to ---- urinary T83.518
- No Change --- electronic (electrode) (pulse generator) (stimulator)
- Revise from --- nervous system (brain) (peripheral nerve) (spinal) T85.79
- Revise to --- nervous system T85.738
- Add ---- brain T85.731
- Add ----- neurostimulator generator T85.734
- Add ----- peripheral nerve T85.732
- Add ----- spinal cord T85.733
- Revise from ---- urinary T83.59
- Revise to ---- urinary T83.590
- No Change -- gastrointestinal (bile duct) (esophagus) T85.79
- Add --- neurostimulator electrode (lead) T85.732
- Revise from -- genital T83.6
- Revise to -- genital T83.69
- Delete -- ventricular intracranial shunt T85.79
- Add -- ventricular intracranial (communicating) shunt T85.730
- No Change - localized - code to specific localized infection
- Revise from -- in operation wound T81.4
- Revise to -- in operation wound T81.49
- Revise from - postprocedural T81.4
- Revise to - postprocedural T81.49
- No Change **Septum, septate (congenital)** - see also Anomaly, by site
- No Change - vagina Q52.10
- Revise from -- longitudinal (with or without obstruction) Q52.12
- Revise to -- longitudinal Q52.129
- Add --- micropерforate
- Add ----- left side Q52.124
- Add ----- right side Q52.123
- Add --- nonobstruction Q52.120
- Add --- obstructing Q52.129
- Add ----- left side Q52.122
- Add ----- right side Q52.121
- No Change **Sequelae (of)** - see also condition
- No Change - hemorrhage
- No Change -- subarachnoid I69.00
- Revise from --- cognitive deficits I69.01
- Revise to --- cognitive deficits - see subcategory I69.01-
- No Change **Sequestration** - see also Sequestrum
- Add - disk - see Displacement, intervertebral disk
- No Change **Seroma** - see also Hematoma
- Add - postprocedural - see Complication, postprocedural, seroma
- Serum**
- No Change - hepatitis - see also Hepatitis, viral, type B
- Revise from -- carrier (suspected) of Z22.51
- Revise to -- carrier (suspected) of B18.1
- No Change **Shock** R57.9
- No Change - anaphylactic T78.2

No Change - - due to food (nonpoisonous) T78.00
No Change - - - nuts T78.05
Add - - - multiple types T78.05
No Change - endotoxic R65.21
Revise from - - postprocedural (during or resulting from a procedure, not elsewhere classified) T81.12
Revise to - - postprocedural (resulting from a procedure, not elsewhere classified) T81.12
No Change - gram-negative R65.21
Revise from - - postprocedural (during or resulting from a procedure, not elsewhere classified) T81.12
Revise to - - postprocedural (resulting from a procedure, not elsewhere classified) T81.12
Add - liver K72.00
No Change **Sinus** - see also Fistula
Revise from - tarsi syndrome - M25.57-
Revise to - tarsi syndrome M25.57-
Revise from - testis N50.8
Revise to - testis N50.89
No Change **Sloughing (multiple) (phagedena) (skin)** - see also Gangrene
Revise from - scrotum N50.8
Revise to - scrotum N50.89
Revise from **Slowing, urinary stream** R39.19
Revise to **Slowing, urinary stream** R39.198
No Change **Small-for-dates (infant)** P05.10
No Change - with weight of
Add - - 2500 grams and over P05.19
Add - specified NEC P05.19
No Change **Softening**
No Change - brain (necrotic) (progressive) G93.89
Revise from - - embolic I63.4
Revise to - - embolic I63.4-
Revise from - - occlusive I63.5
Revise to - - occlusive I63.5-
Revise from - - thrombotic I63.3
Revise to - - thrombotic I63.3-
No Change **Spasm(s), spastic, spasticity (see also condition)** R25.2
Revise from - colon K58.9
Revise to - colon (see also Irritable, bowel) K58.9
Revise from **Spermatorrhea** N50.8
Revise to **Spermatorrhea** N50.89
No Change **Split, splitting**
Add - hand Q71.6
No Change **Spondylitis (chronic)** - see also Spondylopathy, inflammatory
Revise from - gouty M10.08
Revise to - gouty (see also Gout, by type, vertebrae) M10.08
No Change **Sprain (joint) (ligament)**
Revise from - jaw (articular disc) (cartilage) (meniscus) S03.4
Revise to - jaw (articular disc) (cartilage) (meniscus) S03.4-
Revise from - mandible (articular disc) S03.4
Revise to - mandible (articular disc) S03.4-
No Change - meniscus
Revise from - - jaw S03.4
Revise to - - jaw S03.4-
Revise from - - mandible S03.4
Revise to - - mandible S03.4-
No Change - symphysis
Revise from - - jaw S03.4
Revise to - - jaw S03.4-
Revise from - - mandibular S03.4
Revise to - - mandibular S03.4-
Revise from - temporomandibular S03.4
Revise to - temporomandibular S03.4-
No Change **Sprue (tropical)** K90.1

- Revise from* - idiopathic K90.0
Revise to - idiopathic K90.49
- Stasis**
- Revise from* - dermatitis - see Varix, leg, with, inflammation
Revise to - dermatitis I87.2
Add - - with
Add - - varicose ulcer - see Varix, leg, with ulcer, with inflammation
Add - - varicose veins - see Varix, leg, with, inflammation
Add - - due to postthrombotic syndrome - see Syndrome, postthrombotic
- No Change**
- State (of)**
- Revise from* - compulsive F42
Revise to - compulsive F42.8
Revise from - - mixed with obsessional thoughts F42
Revise to - - mixed with obsessional thoughts F42.2
Revise from - obsessional F42
Revise to - obsessional F42.8
Delete - pregnant, incidental Z33.1
Add - pregnant
Add - - gestational carrier Z33.3
Add - - incidental Z33.1
No Change
- Revise from* - transient organic psychotic NEC F06.8
Revise to - - hallucinatory type F06.30
Revise to - - hallucinatory type F06.0
- Status (post) - see also Presence (of)**
- Add* - malignancy
Add - - castrate resistant prostate Z19.2
Add - - hormone resistant Z19.2
Add - - hormone sensitive Z19.1
Revise from - postoperative (postprocedural) NEC Z98.89
Revise to - postoperative (postprocedural) NEC Z98.890
Add - - uterine scar Z98.891
Revise from - postsurgical (postprocedural) NEC Z98.89
Revise to - postsurgical (postprocedural) NEC Z98.890
- Steatorrhea (chronic) K90.4**
- Steatorrhea (chronic) K90.9**
- Revise from* - idiopathic (adult) (infantile) K90.0
Revise to - idiopathic (adult) (infantile) K90.9
- Stenosis, stenotic (cicatricial) - see also Stricture**
- Revise from* - aorta (ascending) (supraventricular) (congenital) Q25.3
Revise to - aorta (ascending) (supraventricular) (congenital) Q25.1
Add - - supravalvular Q25.3
No Change
- Revise from* - artery NEC (see also Arteriosclerosis) I77.1
Add - - stent
Add - - - coronary T82.855
Add - - - peripheral T82.856
- Revise from* - due to presence of device, implant or graft (see also Complications, by site and type, specified NEC) T85.85
Revise to - due to presence of device, implant or graft (see also Complications, by site and type, specified NEC)
T85.858
- Revise from* - - breast (implant) T85.85
Revise to - - breast (implant) T85.858
- Revise from* - - catheter T85.85
Revise to - - catheter T85.858
- No Change**
- Revise from* - - - dialysis (renal) T82.858
- Revise from* - - - - intraperitoneal T85.85
- Revise to* - - - - intraperitoneal T85.858
- No Change**
- Revise from* - - - infusion NEC T82.858
- Revise from* - - - - spinal (epidural) (subdural) T85.85
- Revise to* - - - - spinal (epidural) (subdural) T85.850
- Revise from* - - - gastrointestinal (bile duct) (esophagus) T85.85
- Revise to* - - - gastrointestinal (bile duct) (esophagus) T85.858

Revise from - - ocular (corneal graft) (orbital implant) NEC T85.85
Revise to - - ocular (corneal graft) (orbital implant) NEC T85.858
Revise from - - specified NEC T85.85
Revise to - - specified NEC T85.858
Revise from - - ventricular intracranial shunt T85.85
Revise to - - ventricular intracranial shunt T85.850
Revise from - ejaculatory duct NEC N50.8
Revise to - ejaculatory duct NEC N50.89
Add - stent
Add - - vascular
Add - - - end stent
Add - - - - adjacent to stent - see Arteriosclerosis
Add - - - - within the stent
Add - - - - coronary T82.855
Add - - - - peripheral T82.856
Add - - - in stent
Add - - - coronary vessel T82.855
Add - - - peripheral vessel T82.856
No Change
Stitch
Revise from - abscess T81.4
Revise to - abscess T81.48
No Change **Strabismus (congenital) (nonparalytic)** H50.9
Revise from - cyclotropia H50.1-
Revise to - cyclotropia H50.41
No Change **Stricture** - see also Stenosis
Revise from - aorta (ascending) (congenital) Q25.3
Revise to - aorta (ascending) (congenital) Q25.1
Revise from - ejaculatory duct N50.8
Revise to - ejaculatory duct N50.89
No Change - pelviureteric junction (congenital) Q62.11
Add - - acquired, with hydronephrosis N13.0
Revise from - spermatic cord N50.8
Revise to - spermatic cord N50.89
Revise from - tunica vaginalis N50.8
Revise to - tunica vaginalis N50.89
No Change - ureteropelvic junction (congenital) Q62.11
Add - - acquired, with hydronephrosis N13.0
No Change - urethra (organic) (spasmodic) N35.9
No Change - - postprocedural
No Change - - - male N99.114
Delete - - - - anterior urethra N99.113
Add - - - - anterior bulbous urethra N99.113
Add - - - - fossa navicularis N99.115
Revise from - vas deferens N50.8
Revise to - vas deferens N50.89
No Change **Stupor (catatonic)** R40.1
Revise from - depressive F32.8
Revise to - depressive (single episode) F32.89
Add - - recurrent episode F33.8
Add **Substance (other psychoactive) -induced**
Add - anxiety disorder F19.980
Add - bipolar and related disorder F19.94
Add - delirium F19.921
Add - depressive disorder F19.94
Add - major neurocognitive disorder F19.97
Add - mild neurocognitive disorder F19.988
Add - obsessive-compulsive and related disorder F19.988
Add - psychotic disorder F19.959
Add - sexual dysfunction F19.981
Add - sleep disorder F19.982

No Change **Sunburn L55.9**

Add - due to

Add - - tanning bed (acute) L56.8

Add - - - chronic L57.8

Add - - ultraviolet radiation (acute) L56.8

Add - - - chronic L57.8

No Change **Suppuration, suppurative** - see also condition

Revise from - breast N61

Revise to - breast N61.1

No Change - gum K05.20

Revise from - - generalized K05.22

Revise to - - generalized - see Peridontitis, aggressive, generalized

Revise from - - localized K05.21

Revise to - - localized - see Peridontitis, aggressive, localized

Revise from - mammary gland N61

Revise to - mammary gland N61.1

Revise from - pancreas, acute K85.8

Revise to - pancreas, acute (see also Pancreatitis, acute) K85.80

No Change **Suspected condition, ruled out** - see also Observation, suspected

Add - newborn (see also Observation, newborn, suspected condition ruled out) Z05.9

Swearing, compulsive F42

Swearing, compulsive F42.8

No Change **Swelling (of) R60.9**

Revise from - scrotum N50.8

Revise to - scrotum N50.89

Revise from - testis N50.8

Revise to - testis N50.89

No Change **Syndrome** - see also Disease

No Change - acute respiratory distress (adult) (child) J80

Add - - idiopathic J84.114

Add - arterial tortuosity Q87.82

Add - arteriovenous steal T82.898-

Add - autoinflammatory M04.9

Add - - specified type NEC M04.8

Revise from - Bakwin-Krida Q79.8

Revise to - Bakwin-Krida Q78.5

Add - Blau M04.8

Revise from - Burke's K86.8

Revise to - Burke's K86.89

No Change - chronic

Add - - infantile neurological, cutaneous and articular (CINCA) M04.2

Revise from - Clarke-Hadfield K86.8

Revise to - Clarke-Hadfield K86.89

Add - cryopyrin-associated periodic M04.2

Revise from - Danlos' Q79.8

Revise to - Danlos' Q79.6

Add - dialysis associated steal T82.898-

Add - familial cold autoinflammatory M04.2

Revise from - faulty bowel habit K59.3

Revise to - faulty bowel habit K59.39

Revise from - Fitz's K85.8

Revise to - Fitz's (see also Pancreatitis, acute) K85.80

Revise from - Fong's Q79.8

Revise to - Fong's Q87.2

Add - food protein-induced enterocolitis K52.21

Revise from - Hadfield-Clarke K86.8

Revise to - Hadfield-Clarke K86.89

No Change - HELLP (hemolysis, elevated liver enzymes and low platelet count) O14.2-

Add - - complicating

Add - - - childbirth O14.24

Add - - - puerperium O14.25
Add - hyperimmunoglobulin D M04.1
Add - hypoventilation, obesity (OHS) E66.2
No Change - irritable
No Change - - bowel K58.9
Delete - - - with diarrhea K58.0
Add - - - with
Add - - - constipation K58.1
Add - - - diarrhea K58.0
Add - - - mixed K58.2
Add - - - specified NEC K58.8
Delete - ischemic bowel (transient) K55.9
Delete - - chronic K55.1
Delete - - due to mesenteric artery insufficiency K55.1
Add - ischemic
Add - - bowel (transient) K55.9
Add - - - chronic K55.1
Add - - - due to mesenteric artery insufficiency K55.1
Add - - steal T82.898
Add - - Majeed M04.8
Revise from - manic-depressive - see Disorder, bipolar, affective
Revise to - manic-depressive - see Disorder, bipolar
Add - mast cell activation - see Activation, mast cell
Add - Muckle-Wells M04.2
Add - obesity hypoventilation (OHS) E66.2
Add - oral allergy T78.1
Revise from - Osterreicher-Turner Q79.8
Revise to - Osterreicher-Turner Q87.2
Add - periodic fever M04.1
Add - periodic fever, aphthous stomatitis, pharyngitis, and adenopathy [PFAPA] M04.8
Revise from - Pick's (heart) (liver) I31.1
Revise to - Pick's - see Disease, Pick's
Revise from - premenstrual dysphoric N94.3
Revise to - premenstrual dysphoric F32.89
Add - pyogenic arthritis, pyoderma gangrenosum, and acne [PAPA] M04.8
No Change - respiratory
No Change - - distress
No Change - - - acute J80
Add - - - idiopathic J84.114
Revise from - sinus tarsi - M25.57-
Revise to - sinus tarsi M25.57-
Revise from - Sotos' E22.0
Revise to - Soto's Q87.3
Add - steal
Add - - arteriovenous T82.898-
Add - - ischemic T82.898-
Add - - subclavian G45.8
Revise from - temporomandibular joint-pain-dysfunction M26.62
Revise to - temporomandibular joint-pain-dysfunction M26.62-
Add - tumor necrosis factor receptor associated periodic (TRAPS) M04.1
Synovitis - see also Tenosynovitis
Revise from **Synovitis (see also Tenosynovitis)** M65.9
Revise from - gouty - see Gout, idiopathic
Revise to - gouty - see Gout

T

Revise from **TBI (traumatic brain injury)** - see category S06
Revise to **TBI (traumatic brain injury)** S06.9
No Change **Tear, torn (traumatic)** - see also Laceration

No Change - anus, anal (sphincter) S31.831
No Change - complicating delivery
Revise from - - with third degree perineal laceration O70.2
Revise to - - - with third degree perineal laceration (see also Delivery, complicated, by, laceration, perineum, third degree) O70.20
Revise from **Temporomandibular joint pain-dysfunction syndrome M26.62**
Revise to **Temporomandibular joint pain-dysfunction syndrome M26.62-**
Thelitis N61
Revise to **Thelitis N61.0**
No Change **Threatened**
No Change - labor (without delivery) O47.9
Delete - - after 37 completed weeks of gestation O47.1
Add - - at or after 37 completed weeks of gestation O47.1
No Change **Thrombosis, thrombotic (bland) (multiple) (progressive) (silent) (vessel) I82.90**
Revise from - apoplexy I63.3
Revise to - apoplexy I63.3-
No Change - artery, arteries (postinfectional) I74.9
Revise from - - mesenteric (with gangrene) K55.0
Revise to - - mesenteric (with gangrene) (see also Infarct, intestine) K55.069
No Change - atrium, auricular - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
No Change - cardiac - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
Revise from - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.86
Revise to - due to device, implant or graft (see also Complications, by site and type, specified NEC) T85.868
Revise from - - breast (implant) T85.86
Revise to - - breast (implant) T85.868
Revise from - - catheter NEC T85.86
Revise to - - catheter NEC T85.868
No Change - - - dialysis (renal) T82.868
Revise from - - - intraperitoneal T85.86
Revise to - - - intraperitoneal T85.868
No Change - - - infusion NEC T82.868
Revise from - - - spinal (epidural) (subdural) T85.86
Revise to - - - spinal (epidural) (subdural) T85.860
No Change - - electronic (electrode) (pulse generator) (stimulator)
Revise from - - nervous system (brain) (peripheral nerve) (spinal) T85.86
Revise to - - nervous system (brain) (peripheral nerve) (spinal) T85.860
Revise from - - gastrointestinal (bile duct) (esophagus) T85.86
Revise to - - gastrointestinal (bile duct) (esophagus) T85.868
Revise from - - ocular (corneal graft) (orbital implant) NEC T85.86
Revise to - - ocular (corneal graft) (orbital implant) NEC T85.868
Revise from - - specified NEC T85.86
Revise to - - specified NEC T85.868
Revise from - - ventricular intracranial shunt T85.86
Revise to - - ventricular intracranial shunt T85.860
No Change - endocardial - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
No Change - heart (chamber) - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
Revise from - intestine (with gangrene) K55.0
Revise to - intestine (with gangrene) (see also Infarct, intestine) K55.069
No Change - intramural - see also Infarct, myocardium
Revise from - - not resulting in infarction I24.0
Revise to - - not resulting in infarction I51.3
Revise from - mesenteric (artery) (with gangrene) K55.0

- Revise to - mesenteric (artery) (with gangrene) (see also Infarct, intestine) K55.069
 No Change - mural - see also Infarct, myocardium
 Revise from - - not resulting in infarction I24.0
 Revise to - - not resulting in infarction I51.3
 Revise from - omentum (with gangrene) K55.0
 Revise to - omentum (with gangrene) (see also Infarct, intestine) K55.069
 No Change **Tic (disorder)** F95.9
 Add - provisional F95.0
 Delete **Tinnitus (audible) (aurium) (subjective)** - see subcategory H93.1
 Add **Tinnitus NOS** H93.1-
 Add - audible H93.1-
 Add - aurium H93.1-
 Add - pulsatile H93.A-
 Add - subjective H93.1-
 No Change **Tobacco (nicotine)**
 Add - abuse - see Tobacco, use
 No Change - use Z72.0
 Add - - history Z87.891
 Revise from - withdrawal state - see Dependence, drug, nicotine
 Revise to - withdrawal state (see also Dependence, drug, nicotine) F17.203
 Revise from **Toothache** K08.8
 Revise to **Toothache** K08.89
 No Change **Torsion**
 Revise from - fallopian tube N83.52
 Revise to - fallopian tube N83.52-
 No Change - hydatid of Morgagni
 Revise from - - female N83.52
 Revise to - - female N83.52-
 Revise from - ovary (pedicle) N83.51
 Revise to - ovary (pedicle) N83.51-
 No Change **Tortuous**
 Add - aortic arch Q25.46
 Revise from **Transsexualism** F64.1
 Revise to **Transsexualism** F64.0
 Add **TRAPS (tumor necrosis factor receptor associated periodic syndrome)** M04.1
 No Change **Trauma, traumatism** - see also Injury
 Add - occlusal
 Add - - primary K08.81
 Add - - secondary K08.82
 No Change **Traumatic** - see also condition
 Revise from - brain injury - see category S06
 Revise to - brain injury S06.9
 No Change **Tumor** - see also Neoplasm, unspecified behavior, by site
 No Change - stromal
 Revise from - - gastrointestinal
 Revise to - - gastrointestinal C49.A-
 Add - - - esophagus C49.A1
 Add - - - large intestine C49.A4
 Revise from - - - malignant C49.4
 Revise to - - - malignant C49.A0
 Add - - - - colon C49.A4
 Add - - - - duodenum C49.A3
 Add - - - - esophagus C49.A1
 Add - - - - ileum C49.A3
 Add - - - - jejunum C49.A3
 Add - - - - Meckel diverticulum C49.A3
 Add - - - - large intestine C49.A4
 Add - - - - omentum C49.A9
 Add - - - - peritoneum C49.A9
 Add - - - - rectum C49.A5

Add - - - small intestine C49.A3
Add - - - specified site NEC C49.A9
Add - - - stomach C49.A2
Add - - - large intestine C49.A4
Add - - - rectum C49.A5
Add - - - small intestine C49.A3
Add - - - specified site NEC C49.A9
Add - - - stomach C49.A2
No Change - - intestine
Revise from - - malignant C49.4
Revise to - - malignant
Add - - - large C49.A4
Add - - - small C49.A3
Revise from - - stomach
Revise to - - stomach C49.A2
Revise from - - malignant C16.9
Revise to - - malignant C49.A2
Revise from **Turner-Kieser syndrome** Q79.8
Revise to **Turner-Kieser syndrome** Q87.2

U

No Change **Ulcer, ulcerated, ulcerating, ulceration, ulcerative**
No Change - aphthous (oral) (recurrent) K12.0
No Change - - genital organ(s)
Revise from - - male N50.8
Revise to - - male N50.89
Revise from - breast N61
Revise to - breast N61.1
Revise from - scrotum N50.8
Revise to - scrotum N50.89
Revise from - seminal vesicle N50.8
Revise to - seminal vesicle N50.89
Revise from - spermatic cord N50.8
Revise to - spermatic cord N50.89
Revise from - testis N50.8
Revise to - testis N50.89
Revise from - tunica vaginalis N50.8
Revise to - tunica vaginalis N50.89
Revise from - vas deferens N50.8
Revise to - vas deferens N50.89
Revise from **Ullrich (-Bonnevie)(-Turner) syndrome** Q87.1
Revise to **Ullrich (-Bonnevie)(-Turner) syndrome (see also Turner's syndrome)** Q87.1
No Change **Urgency**
Revise from - urinary N39.41
Revise to - urinary R39.15
No Change **Urine**
Revise from - intermittent stream R39.19
Revise to - intermittent stream R39.198
No Change - stream
Revise from - - intermittent R39.19
Revise to - - intermittent R39.198
Revise from - - slowing R39.19
Revise to - - slowing R39.198
No Change **Urticaria** L50.9
Add - familial cold M04.2
No Change **Use (of)**
Revise from - alcohol F10.99
Revise to - alcohol Z72.89
Delete - - with sleep disorder F10.982

Add - - with
Add - - - intoxication F10.929
Add - - - sleep disorder F10.982
Revise from - methadone F11.20
Revise to - methadone - see Use, opioid

V

No Change **Virus, viral** - see also condition
Delete - swine influenza (viruses that normally cause infections in pigs) (see also Influenza, due to, identified novel influenza A virus) J09.X2
Add - swine influenza (viruses that normally cause infections in pigs) (see also Influenza, due to, identified novel influenza A virus) J09.X2
Revise from **Volvulus (bowel) (colon) (duodenum) (intestine)** K56.2
Revise to **Volvulus (bowel) (colon) (intestine)** K56.2
Add - duodenum K31.5
No Change **Vomiting** R11.10
No Change - cyclical G43.A0
Revise from - - psychogenic F50.8
Revise to - - psychogenic F50.89
No Change - following gastrointestinal surgery K91.0
Revise from - - psychogenic F50.8
Revise to - - psychogenic F50.89
Revise from - hysterical F50.8
Revise to - hysterical F50.89
Revise from - nervous F50.8
Revise to - nervous F50.89
Revise from - neurotic F50.8
Revise to - neurotic F50.89
No Change - periodic R11.10
Revise from - - psychogenic F50.8
Revise to - - psychogenic F50.89
Revise from - psychogenic F50.8
Revise to - psychogenic F50.89

W

No Change **Weight**
Add - and length below 10th percentile for gestational age P05.1-
Add - below but length above 10th percentile for gestational age P05.0-
No Change **Withdrawal state** - see also Dependence, drug by type, with withdrawal
Add - alcohol
Add - - with perceptual disturbances F10.232
Add - - without perceptual disturbances F10.239
Add - caffeine F15.93
Add - cannabis F12.288

X

No Change **Xanthoma(s), xanthomatosis (primary) (familial) (hereditary)** E75.5
Revise from - hypercholesterinemic E78.0
Revise to - hypercholesterinemic E78.00
Revise from - hypercholesterolemic E78.0
Revise to - hypercholesterolemic E78.00

Z

Add **Zika NOS** A92.5