

# ICD-10-CM INDEX to DISEASES and INJURIES

## 2018 Addenda

No Change

### A

No Change

**Abnormal, abnormality, abnormalities** - see also Anomaly

Delete

- liver

Add

- liver function test R94.5

No Change

**Abortion (complete) (spontaneous)** O03.9

No Change

- habitual or recurrent N96

Revise from

- - with current abortion - see categories O03-O06

Revise to

- - with current abortion - see categories O03-O04

Revise from

- tubal O00.10

Revise to

- tubal O00.10-

Revise from

- - with intrauterine pregnancy O00.11

Revise to

- - with intrauterine pregnancy O00.11-

No Change

**Abscess (connective tissue) (embolic) (fistulous) (infective) (metastatic) (multiple) (pernicious) (pyogenic) (septic)** L02.91

No Change

- intra-abdominal (see also Abscess, peritoneum) K65.1

Revise from

- - postprocedural T81.43

Revise to

- - postprocedural T81.4

Delete

- intra-muscular, postprocedural T81.42

Revise from

- operative wound T81.40

Revise to

- operative wound T81.4

No Change

- peritoneum, peritoneal (perforated) (ruptured) K65.1

Revise from

- - postoperative T81.43

Revise to

- - postoperative T81.4

Revise from

- postoperative (any site) T81.40

Revise to

- postoperative (any site) T81.4

Revise from

- stitch T81.48

Revise to

- stitch T81.4

No Change

- subcutaneous - see also Abscess, by site

Delete

- - postprocedural T81.41

No Change

- subphrenic K65.1

Revise from

- - postoperative T81.43

Revise to

- - postoperative T81.4

Revise from

- wound T81.40

Revise to

- wound T81.4

No Change

**Abuse**

No Change

- alcohol (non-dependent) F10.10

Add

- - in remission (early) (sustained) F10.11

No Change

- drug NEC (non-dependent) F19.10

No Change

- - cannabis F12.10

Add

- - - in remission (early) (sustained) F12.11

No Change

- - cocaine F14.10

Add

- - - in remission (early) (sustained) F14.11

No Change

- - hallucinogen F16.10

Add

- - - in remission (early) (sustained) F16.11

No Change

- - inhalant F18.10

Add

- - - in remission (early) (sustained) F18.11

Add

- - in remission (early) (sustained) F19.11

No Change

- - opioid F11.10

Add

- - - in remission (early) (sustained) F11.11

No Change

- - sedative, hypnotic or anxiolytic F13.10

Add

- - - in remission (early) (sustained) F13.11

No Change

- - stimulant NEC F15.10

Add

- - - in remission (early) (sustained) F15.11

*No Change* **Adenitis** - see also Lymphadenitis

*Revise from* - due to Pasteurella multocida (p. septica) A28.0

*Revise to* - due to Pasteurella multocida (P. septica) A28.0

*No Change* **Adhesions, adhesive (postinfective)** K66.0

*Revise from* - with intestinal obstruction K56.5

*Revise to* - with intestinal obstruction K56.50

*Add* - - complete K56.52

*Add* - - incomplete K56.51

*Add* - - partial K56.51

*No Change* - intestine - see also Adhesions, peritoneum

*Revise from* - - with obstruction K56.5

*Revise to* - - with obstruction K56.50

*Add* - - - complete K56.52

*Add* - - - incomplete K56.51

*Add* - - - partial K56.51

*Revise from* - peritoneum, peritoneal (postinfective) (postprocedural) K66.0

*Revise to* - peritoneum, peritoneal (postinfective)

*Revise from* - - with obstruction (intestinal) K56.5

*Revise to* - - with obstruction (intestinal) K56.50

*Add* - - - complete K56.52

*Add* - - - incomplete K56.51

*Add* - - - partial K56.51

*Add* - - postprocedural K66.0

*No Change* - postoperative (gastrointestinal tract) K66.0

*Revise from* - - with obstruction K91.3

*Revise to* - - with obstruction (see also Obstruction, intestine, postoperative) K91.30

*Revise from* **Adiponecrosis neonatorum** P83.8

*Revise to* **Adiponecrosis neonatorum** P83.88

*No Change* **Admission (for)** - see also Encounter (for)

*No Change* - prophylactic (measure) - see also Encounter, prophylactic measures

*No Change* - - organ removal Z40.00

*Add* - - - fallopian tube(s) Z40.03

*Add* - - - - with ovary(s) Z40.02

*Revise from* - - - ovary Z40.02

*Revise to* - - - ovary(s) Z40.02

*No Change* **Aftercare (see also Care)** Z51.89

*No Change* - following surgery (for) (on)

*Revise from* - - spinal Z48.89

*Revise to* - - spinal Z47.89

*No Change* **Akathisia (drug-induced) (treatment-induced)** G25.71

*Add* - tardive G25.71

*No Change* **Amyloidosis (generalized) (primary)** E85.9

*Add* - light chain (AL) E85.81

*Add* - senile systemic (SSA) E85.82

*Revise from* - specified NEC E85.8

*Revise to* - specified NEC E85.89

*Add* - wild-type transthyretin-related (ATTR) E85.82

*No Change* **Amyotrophy, amyotrophy, amyotrophic** G71.8

*Revise from* - spinal progressive G12.21

*Revise to* - spinal progressive G12.25

*No Change* **Antenatal**

*Revise from* - screening (encounter for) of mother Z36

*Revise to* - screening (encounter for) of mother (see also Encounter, antenatal screening) Z36.9

*No Change* **Apnea, apneic (of) (spells)** R06.81

*No Change* - sleep G47.30

*No Change* - - central (primary) G47.31

*Add* - - - idiopathic G47.31

*No Change* - - obstructive (adult) (pediatric) G47.33

*Add* - - - hypopnea G47.33

*Add* **Arch**

Add - aortic Q25.49  
 Add - bovine Q25.49  
 No Change **Arrest, arrested**  
 No Change - cardiac I46.9  
 Add - - personal history, successfully resuscitated Z86.74  
 No Change **Ascites (abdominal) R18.8**  
 Revise from - cardiac I50.9  
 Revise to - cardiac (see also Failure, heart, right) I50.810  
 Revise from - heart I50.9  
 Revise to - heart (see also Failure, heart, right) I50.810  
 No Change **At risk**  
 Delete - for falling Z91.81  
 Add - for  
 Add - - dental caries Z91.849  
 Add - - - high Z91.843  
 Add - - - low Z91.841  
 Add - - - moderate Z91.842  
 Add - - falling Z91.81  
 No Change **Atresia, atretic**  
 No Change - vein NEC Q27.8  
 Revise from - - pulmonary Q26.3  
 Revise to - - pulmonary Q26.4  
 Add - - - partial Q26.3  
 Add - - - total Q26.2  
 No Change **Atrophy, atrophic (of)**  
 Revise from - gum (see also Recession, gingival) K06.0  
 Revise to - gum - see Recession, gingival  
 No Change - muscle, muscular (diffuse) (general) (idiopathic) (primary) M62.50  
 No Change - - progressive (bulbar) G12.21  
 Revise from - - - spinal G12.9  
 Revise to - - - spinal G12.25  
 No Change - - spinal G12.9  
 Revise from - - - progressive G12.21  
 Revise to - - - progressive G12.25  
 No Change **Attrition**  
 Revise from - gum (see also Recession, gingival) K06.0  
 Revise to - gum - see Recession, gingival

No Change

## B

No Change **Band(s)**  
 No Change - obstructive  
 Revise from - - intestine K56.5  
 Revise to - - intestine K56.50  
 Add - - - complete K56.52  
 Add - - - incomplete K56.51  
 Add - - - partial K56.51  
 Revise from - - peritoneum K56.5  
 Revise to - - peritoneum K56.50  
 Add - - - complete K56.52  
 Add - - - incomplete K56.51  
 Add - - - partial K56.51  
 Revise from **Bernheim's syndrome** - see Failure, heart, congestive  
 Revise to **Bernheim's syndrome** - see Failure, heart, right  
 No Change **Bicornate or bicornis uterus Q51.3**  
 Revise from - in pregnancy or childbirth O34.0-  
 Revise to - in pregnancy or childbirth O34.00  
 Revise from **Biventricular failure (heart) I50.9**  
 Revise to **Biventricular failure (heart) I50.82**  
 No Change **Bleeding** - see also Hemorrhage

No Change - uterus, uterine NEC N93.9  
Delete - - dysfunctional of functional N93.8  
Add - - dysfunctional or functional N93.8  
Revise from **Blindness (acquired) (congenital) (both eyes) H54.0**  
Revise to **Blindness (acquired) (congenital) (both eyes) H54.0X-**  
No Change - one eye (other eye normal) H54.40  
Revise from - - left (normal vision on right) H54.42  
Revise to - - left (normal vision on right) H54.42-  
Revise from - - - low vision on right H54.12  
Revise to - - - low vision on right H54.12-  
Revise from - - right (normal vision on left) H54.41  
Revise to - - right (normal vision on left) H54.41-  
Revise from - - - low vision on left H54.11  
Revise to - - - low vision on left H54.11-  
No Change **Body, bodies**  
No Change - mass index (BMI)  
No Change - - adult  
Delete - - - 19 or less Z68.1  
Add - - - 19.9 or less Z68.1  
No Change **Breast** - see also condition  
Revise from - nodule N63  
Revise to - nodule (see also Lump, breast) N63.0  
Revise from **Bronze baby syndrome P83.8**  
Revise to **Bronze baby syndrome P83.88**  
Add **BRUE (brief resolved unexplained event) R68.13**  
No Change **Bruise (skin surface intact)** - see also Contusion  
No Change - with  
Revise from - - open wound - see Wound, open  
Revise to - - open wound - see Wound, ope  
No Change **Burn (electricity) (flame) (hot gas, liquid or hot object) (radiation) (steam) (thermal) T30.0**  
No Change - unspecified site with extent of body surface involved specified  
Revise from - - less than 10 per cent T31.0  
Revise to - - less than 10 percent T31.0  
Revise from - - 10-19 per cent (0-9 percent third degree) T31.10  
Revise to - - 10-19 percent (0-9 percent third degree) T31.10  
Revise from - - 20-29 per cent (0-9 percent third degree) T31.20  
Revise to - - 20-29 percent (0-9 percent third degree) T31.20  
Revise from - - 30-39 per cent (0-9 percent third degree) T31.30  
Revise to - - 30-39 percent (0-9 percent third degree) T31.30  
Revise from - - 40-49 per cent (0-9 percent third degree) T31.40  
Revise to - - 40-49 percent (0-9 percent third degree) T31.40  
Revise from - - 50-59 per cent (0-9 percent third degree) T31.50  
Revise to - - 50-59 percent (0-9 percent third degree) T31.50  
Revise from - - 60-69 per cent (0-9 percent third degree) T31.60  
Revise to - - 60-69 percent (0-9 percent third degree) T31.60  
Revise from - - 70-79 per cent (0-9 percent third degree) T31.70  
Revise to - - 70-79 percent (0-9 percent third degree) T31.70  
Revise from - - 80-89 per cent (0-9 percent third degree) T31.80  
Revise to - - 80-89 percent (0-9 percent third degree) T31.80  
Revise from - - 90 per cent or more (0-9 percent third degree) T31.90  
Revise to - - 90 percent or more (0-9 percent third degree) T31.90

No Change

## C

No Change **Cardiomyopathy (familial) (idiopathic) I42.9**  
No Change - amyloid E85.4 [I43]  
Add - - transthyretin-related (ATTR) familial E85.4  
No Change - due to  
Revise from - - progressive muscular dystrophy G71.0  
Revise to - - progressive muscular dystrophy G71.0 [I43]

*Add* - transthyretin-related (ATTR) familial amyloid E85.4  
*No Change* **Cellulitis (diffuse) (phlegmonous) (septic) (suppurative)** L03.90  
*Revise from* - drainage site (following operation) T81.48  
*Revise to* - drainage site (following operation) T81.4  
*No Change* **Change(s) (in) (of)** - see also Removal  
*No Change* - retina H35.9  
*Revise from* - - myopic H44.2-  
*Revise to* - - myopic (see also Myopia, degenerative) H44.2-  
*No Change* **Checking (of)**  
*Add* - wound Z48.0-  
*Add* - - due to injury - code to Injury, by site, using appropriate seventh character for subsequent encounter  
*No Change* **Chorioretinitis** - see also Inflammation, chorioretinal  
*Revise from* - progressive myopia (degeneration) H44.2-  
*Revise to* - progressive myopia (degeneration) (see also Myopia, degenerative) H44.2-  
*No Change* **Circulation**  
*Revise from* - defective (lower extremity) I99.8  
*Revise to* - defective (lower extremity) I99.9  
*Revise from* - fetal, persistent P29.3  
*Revise to* - fetal, persistent P29.38  
*No Change* **Cleft (congenital)** - see also Imperfect, closure  
*Revise from* - branchial (cyst) (persistent) Q18.2  
*Revise to* - branchial (persistent) Q18.2  
*Add* - - cyst Q18.0  
*Add* - - - fistula Q18.0  
*Add* - - - sinus Q18.0  
*No Change* **Cold J00**  
*Add* - symptoms J00  
*No Change* **Colitis (acute) (catarrhal) (chronic) (noninfective) (hemorrhagic) (see also Enteritis)** K52.9  
*Revise from* - Clostridium difficile A04.7  
*Revise to* - Clostridium difficile  
*Add* - - not specified as recurrent A04.72  
*Add* - - recurrent A04.71  
*Revise from* - pseudomembranous A04.7  
*Revise to* - pseudomembranous  
*Add* - - not specified as recurrent A04.72  
*Add* - - recurrent A04.71  
*No Change* - regional - see Enteritis, regional, large intestine  
*Add* - - infectious A09  
*No Change* - toxic NEC K52.1  
*Revise from* - - due to Clostridium difficile A04.7  
*Revise to* - - due to Clostridium difficile  
*Add* - - - not specified as recurrent A04.72  
*Add* - - - recurrent A04.71  
*No Change* **Coma R40.20**  
*No Change* - with  
*No Change* - - motor response (none) R40.231  
*Add* - - - abnormal extensor posturing to pain or noxious stimuli (< 2 years of age) R40.232  
*Add* - - - abnormal flexure posturing to pain or noxious stimuli (0-5 years of age) R40.233  
*Add* - - - extensor posturing to pain or noxious stimuli (2-5 years of age) R40.232  
*Add* - - - flexion/decorticate posturing (< 2 years of age) R40.233  
*Revise from* - - - localizes pain R40.235  
*Revise to* - - - localizes pain (2-5 years of age) R40.235  
*Add* - - - normal or spontaneous movement (< 2 years of age) R40.236  
*Revise from* - - - obeys commands R40.236  
*Revise to* - - - obeys commands (2-5 years of age) R40.236  
*Add* - - - withdraws from pain or noxious stimuli (0-5 years of age) R40.234  
*Add* - - - withdraws to touch (< 2 years of age) R40.235  
*No Change* - - verbal response (none) R40.221  
*Add* - - - cooing or babbling or crying appropriately (< 2 years of age) R40.225  
*Add* - - - inappropriate crying or screaming (< 2 years of age) R40.223

*Revise from* - - - inappropriate words R40.223  
*Revise to* - - - inappropriate words (2-5 years of age) R40.224  
*Add* - - - incomprehensible sounds (2-5 years of age) R40.222  
*Add* - - - irritable cries (< 2 years of age) R40.224  
*Add* - - - moans/grunts to pain; restless (< 2 years old) R40.222  
*Add* - - - screaming (2-5 years of age) R40.223  
*Add* - - - uses appropriate words (2- 5 years of age) R40.225  
*Add* - ketoacidotic (diabetic) - see Diabetes, by type, with ketoacidosis, with coma  
*No Change* **Complex**  
*Revise from* - Eisenmenger's (ventricular septal defect) I27.89  
*Revise to* - Eisenmenger's (ventricular septal defect) I27.83  
*No Change* **Complication(s) (from) (of)**  
*No Change* - circulatory system I99.8  
*No Change* - - postprocedural I97.89  
*Revise from* - - - following cardiac surgery I97.19-  
*Revise to* - - - following cardiac surgery (see also Infarct, myocardium, associated with revascularization procedure) I97.19-  
*No Change* - gastrointestinal K92.9  
*No Change* - - postoperative  
*Revise from* - - - obstruction K91.3  
*Revise to* - - - obstruction (see also Obstruction, intestine, postoperative) K91.30  
*No Change* - intraoperative (intraprocedural)  
*Revise from* - - cardiac arrest  
*Revise to* - - cardiac arrest - see also Infarct, myocardium, associated with revascularization procedure  
*Revise from* - - cardiac functional disturbance NEC  
*Revise to* - - cardiac functional disturbance NEC - see also Infarct, myocardium, associated with revascularization procedure  
*No Change* - postprocedural - see also Complications, surgical procedure  
*Revise from* - - cardiac arrest  
*Revise to* - - cardiac arrest - see also Infarct, myocardium, associated with revascularization procedure  
*Revise from* - - cardiac functional disturbance NEC  
*Revise to* - - cardiac functional disturbance NEC - see also Infarct, myocardium, associated with revascularization procedure  
*No Change* - prosthetic device or implant T85.9  
*No Change* - - mesh  
*Revise from* - - - erosion (to surrounding organ or tissue) T83.717  
*Revise to* - - - erosion (to surrounding organ or tissue) T83.718  
*Revise from* - - - exposure (into surrounding organ or tissue) T83.727  
*Revise to* - - - exposure (into surrounding organ or tissue) T83.728  
*No Change* - surgical procedure (on) T81.9  
*Revise from* - - intestinal obstruction K91.3  
*Revise to* - - intestinal obstruction (see also Obstruction, intestine, postoperative) K91.30  
*Revise from* - - stitch abscess T81.48  
*Revise to* - - stitch abscess T81.4  
*Revise from* - - wound infection T81.40  
*Revise to* - - wound infection T81.4  
*No Change* **Compression**  
*No Change* - cranial nerve G52.9  
*Revise from* - - seventh G52.8  
*Revise to* - - seventh G51.8  
*No Change* **Contusion (skin surface intact) T14.8**  
*No Change* - toe(s) (lesser) S90.12-  
*No Change* - - great S90.11-  
*Delete* - - - specified type NEC S90.221  
*No Change* **Cord** - see also condition  
*Revise from* - around neck (tightly) (with compression)  
*Revise to* - around neck  
*Revise from* - - complicating delivery O69.1  
*Revise to* - - complicating delivery O69.81  
*Add* - - - with compression O69.1

*No Change* **Corrosion (injury) (acid) (caustic) (chemical) (lime) (external) (internal) T30.4**

*No Change* - extent (percentage of body surface)

*Revise from* -- less than 10 per cent T32.0

*Revise to* -- less than 10 percent T32.0

*Revise from* -- 10-19 per cent (0-9 percent third degree) T32.10

*Revise to* -- 10-19 percent (0-9 percent third degree) T32.10

*Revise from* -- 20-29 per cent (0-9 percent third degree) T32.20

*Revise to* -- 20-29 percent (0-9 percent third degree) T32.20

*Revise from* -- 30-39 per cent (0-9 percent third degree) T32.30

*Revise to* -- 30-39 percent (0-9 percent third degree) T32.30

*Revise from* -- 40-49 per cent (0-9 percent third degree) T32.40

*Revise to* -- 40-49 percent (0-9 percent third degree) T32.40

*Revise from* -- 50-59 per cent (0-9 percent third degree) T32.50

*Revise to* -- 50-59 percent (0-9 percent third degree) T32.50

*Revise from* -- 60-69 per cent (0-9 percent third degree) T32.60

*Revise to* -- 60-69 percent (0-9 percent third degree) T32.60

*Revise from* -- 70-79 per cent (0-9 percent third degree) T32.70

*Revise to* -- 70-79 percent (0-9 percent third degree) T32.70

*Revise from* -- 80-89 per cent (0-9 percent third degree) T32.80

*Revise to* -- 80-89 percent (0-9 percent third degree) T32.80

*Revise from* -- 90 per cent or more (0-9 percent third degree) T32.90

*Revise to* -- 90 percent or more (0-9 percent third degree) T32.90

*No Change* - unspecified site with extent of body surface involved specified

*Revise from* -- less than 10 per cent T32.0

*Revise to* -- less than 10 percent T32.0

*Revise from* -- 10-19 per cent (0-9 percent third degree) T32.10

*Revise to* -- 10-19 percent (0-9 percent third degree) T32.10

*Revise from* -- 20-29 per cent (0-9 percent third degree) T32.20

*Revise to* -- 20-29 percent (0-9 percent third degree) T32.20

*Revise from* -- 30-39 per cent (0-9 percent third degree) T32.30

*Revise to* -- 30-39 percent (0-9 percent third degree) T32.30

*Revise from* -- 40-49 per cent (0-9 percent third degree) T32.40

*Revise to* -- 40-49 percent (0-9 percent third degree) T32.40

*Revise from* -- 50-59 per cent (0-9 percent third degree) T32.50

*Revise to* -- 50-59 percent (0-9 percent third degree) T32.50

*Revise from* -- 60-69 per cent (0-9 percent third degree) T32.60

*Revise to* -- 60-69 percent (0-9 percent third degree) T32.60

*Revise from* -- 70-79 per cent (0-9 percent third degree) T32.70

*Revise to* -- 70-79 percent (0-9 percent third degree) T32.70

*Revise from* -- 80-89 per cent (0-9 percent third degree) T32.80

*Revise to* -- 80-89 percent (0-9 percent third degree) T32.80

*Revise from* -- 90 per cent or more (0-9 percent third degree) T32.90

*Revise to* -- 90 percent or more (0-9 percent third degree) T32.90

*No Change* **Counseling (for) Z71.9**

*Delete* - genetic NEC Z31.5

*Add* - exercise Z71.82

*Add* - genetic

*Add* -- nonprocreative Z71.83

*Add* -- procreative NEC Z31.5

*No Change* **Cryptorchid, cryptorchism, cryptorchidism Q53.9**

*No Change* - bilateral Q53.20

*Revise from* -- abdominal Q53.21

*Revise to* -- abdominal Q53.211

*No Change* - unilateral Q53.10

*Revise from* -- abdominal Q53.11

*Revise to* -- abdominal Q53.111

*No Change* **Cyst (colloid) (mucous) (simple) (retention)**

*No Change* - embryonic

*Revise from* -- vagina Q51.6

*Revise to* -- vagina Q52.4

No Change

## D

No Change

**Defect, defective** Q89.9

No Change

- coagulation (factor) (see also Deficiency, factor) D68.9

Revise from

-- postpartum O72.3

Revise to

-- postpartum O99.13

Add

--- with hemorrhage O72.3

No Change

**Degeneration, degenerative**

No Change

- capillaries (fatty) I78.8

Revise from

-- amyloid E85.8 [I79.8]

Revise to

-- amyloid E85.89 [I79.8]

No Change

**Delay, delayed**

Revise from

- closure, ductus arteriosus (Botalli) P29.3

Revise to

- closure, ductus arteriosus (Botalli) P29.38

No Change

**Delivery (childbirth) (labor)**

Revise from

- obstructed - see Delivery, complicated by, obstruction

Revise to

- obstructed - see Delivery, complicated by, obstructed labor

No Change

**Dementia (degenerative (primary)) (old age) (persisting)** F03.90

No Change

- in (due to)

Revise from

-- Huntington's disease or chorea G10

Revise to

-- Huntington's disease or chorea G10 [F02.80]

Add

--- with behavioral disturbance G10 [F02.81]

No Change

**Dependence (on) (syndrome)** F19.20

No Change

- drug NEC F19.20

No Change

-- nicotine F17.200

No Change

--- with disorder F17.209

Delete

---- remission F17.201

Add

---- in remission F17.201

No Change

--- chewing tobacco F17.220

No Change

--- with disorder F17.229

Delete

---- remission F17.221

Add

---- in remission F17.221

No Change

--- cigarettes F17.210

No Change

--- with disorder F17.219

Delete

---- remission F17.211

Add

---- in remission F17.211

No Change

**Dermatomyositis (acute) (chronic)** - see also Dermatopolymyositis

Add

- adult (see also Dermatomyositis, specified NEC) M33.10

Add

- juvenile M33.00

Add

-- with

Add

--- myopathy M33.02

Add

--- respiratory involvement M33.01

Add

--- specified organ involvement NEC M33.09

Add

-- without myopathy M33.03

Add

- specified NEC M33.10

Add

-- with

Add

--- myopathy M33.12

Add

--- respiratory involvement M33.11

Add

--- specified organ involvement NEC M33.19

Add

-- without myopathy M33.13

No Change

**Dermatopolymyositis** M33.90

Add

- without myopathy M33.93

No Change

**Diabetes, diabetic (mellitus) (sugar)** E11.9

No Change

- with

Add

-- ketoacidosis E11.10

Add

--- with coma E11.11

No Change

- type 1 E10.9

No Change

-- with

Add

--- osteomyelitis E10.69

No Change - type 2 E11.9  
 No Change - - with  
 Add - - - ketoacidosis E11.10  
 Add - - - - with coma E11.11  
 Add - - - osteomyelitis E11.69  
 No Change **Diarrhea, diarrheal (disease) (infantile) (inflammatory) R19.7**  
 No Change - due to  
 Revise from - - Clostridium difficile A04.7  
 Revise to - - Clostridium difficile  
 Add - - - not specified as recurrent A04.72  
 Add - - - recurrent A04.71  
 No Change **Difficult, difficulty (in)**  
 No Change - mechanical, gastroduodenal stoma K91.89  
 Revise from - - causing obstruction K91.3  
 Revise to - - causing obstruction (see also Obstruction, intestine, postoperative) K91.30  
 No Change **Disease, diseased** - see also Syndrome  
 Add - Eisenmenger's (irreversible) I27.83  
 No Change - Huntington's G10  
 Add - - with dementia G10 [F02.80]  
 No Change - liver (chronic) (organic) K76.9  
 Add - - gestational alloimmune (GALD) P78.84  
 No Change - lung J98.4  
 No Change - - obstructive (chronic) J44.9  
 No Change - - - with  
 Revise from - - - - emphysema J44.9  
 Revise to - - - - emphysema J43.9  
 Revise from - motor neuron (bulbar) (familial) (mixed type) (spinal) G12.20  
 Revise to - motor neuron (bulbar) (mixed type) (spinal) G12.20  
 Add - - familial G12.24  
 No Change - pulmonary - see also Disease, lung  
 Revise from - - hypertensive (vascular) I27.0  
 Revise to - - hypertensive (vascular) (see also Hypertension, pulmonary) I27.20  
 Add - - - primary (idiopathic) I27.0  
 Revise from - systemic tissue mast cell C96.2  
 Revise to - systemic tissue mast cell C96.20  
 No Change **Disorder (of)** - see also Disease  
 No Change - alcohol use  
 No Change - - mild F10.10  
 Add - - - in remission (early) (sustained) F10.11  
 No Change - - moderate or severe F10.20  
 Add - - - in remission (early) (sustained) F10.21  
 No Change - amphetamine-type substance use  
 No Change - - mild F15.10  
 Add - - - in remission (early) (sustained) F15.11  
 No Change - - moderate F15.20  
 Add - - - in remission (early) (sustained) F15.21  
 No Change - - severe F15.20  
 Add - - - in remission (early) (sustained) F15.21  
 No Change - anxiety F41.9  
 No Change - - due to (secondary to)  
 No Change - - - alcohol F10.980  
 Add - - - - in  
 Add - - - - - abuse F10.180  
 Add - - - - - dependence F10.280  
 No Change - attention-deficit hyperactivity (adolescent) (adult) (child) F90.9  
 Delete - - combined type F90.2  
 Delete - - hyperactive type F90.1  
 Delete - - inattentive type F90.0  
 Add - - combined  
 Add - - - presentation F90.2

Add --- type F90.2  
 Add -- hyperactive  
 Add --- impulsive presentation F90.1  
 Add --- type F90.1  
 Add -- inattentive  
 Add --- presentation F90.0  
 Add --- type F90.0  
 Add - autoimmune D89.89  
 No Change - avoidant  
 Revise from -- restrictive food intake F50.89  
 Revise to -- restrictive food intake F50.82  
 Revise from - bipolar (I) F31.9  
 Revise to - bipolar (I) (type 1) F31.9  
 Delete -- current episode  
 Delete --- depressed F31.9  
 Delete ---- with psychotic features F31.5  
 Delete ---- without psychotic features F31.30  
 Delete ----- mild F31.31  
 Delete ----- moderate F31.32  
 Delete ----- severe (without psychotic features) F31.4  
 Delete ----- with psychotic features F31.5  
 Delete --- hypomanic F31.0  
 Delete --- manic F31.9  
 Delete ---- with psychotic features F31.2  
 Delete ---- without psychotic features F31.10  
 Delete ----- mild F31.11  
 Delete ----- moderate F31.12  
 Delete ----- severe (without psychotic features) F31.13  
 Delete ----- with psychotic features F31.2  
 Delete --- mixed F31.60  
 Delete ---- mild F31.61  
 Delete ---- moderate F31.62  
 Delete ---- severe (without psychotic features) F31.63  
 Delete ----- with psychotic features F31.64  
 Delete --- severe depression (without psychotic features) F31.4  
 Delete ---- with psychotic features F31.5  
 Add -- and related due to a known physiological condition  
 Add --- with  
 Add ---- manic features F06.33  
 Add ---- manic- or hypomanic-like episodes F06.33  
 Add ---- mixed features F06.34  
 Add -- current (or most recent) episode  
 Add --- depressed F31.9  
 Add ---- with psychotic features F31.5  
 Add ---- without psychotic features F31.30  
 Add ----- mild F31.31  
 Add ----- moderate F31.32  
 Add ----- severe (without psychotic features) F31.4  
 Add ----- with psychotic features F31.5  
 Add --- hypomanic F31.0  
 Add --- manic F31.9  
 Add ---- with psychotic features F31.2  
 Add ---- without psychotic features F31.10  
 Add ----- mild F31.11  
 Add ----- moderate F31.12  
 Add ----- severe (without psychotic features) F31.13  
 Add ----- with psychotic features F31.2  
 Add --- mixed F31.60  
 Add ---- mild F31.61  
 Add ---- moderate F31.62

Add - - - - severe (without psychotic features) F31.63  
 Add - - - - with psychotic features F31.64  
 Add - - - severe depression (without psychotic features) F31.4  
 Add - - - - with psychotic features F31.5  
 Revise from - - II F31.81  
 Revise to - - II (type 2) F31.81  
 No Change - cannabis use  
 No Change - - mild F12.10  
 Add - - - in remission (early) (sustained) F12.11  
 No Change - - moderate or severe F12.20  
 Add - - - in remission (early) (sustained) F12.21  
 No Change - cocaine use  
 No Change - - mild F14.10  
 Add - - - in remission (early) (sustained) F14.11  
 No Change - - moderate or severe F14.20  
 Add - - - in remission (early) (sustained) F14.21  
 No Change - depressive F32.9  
 Add - - due to known physiological condition  
 Add - - - with  
 Add - - - - depressive features F06.31  
 Add - - - - major depressive-like episode F06.32  
 Add - - - - mixed features F06.34  
 No Change - - major F32.9  
 No Change - - - recurrent F33.9  
 Add - - - - with psychotic features F33.3  
 Revise from - disruptive behavior F91.9  
 Revise to - disruptive behavior - see Disorder, conduct  
 Add - exhibitionistic F65.2  
 No Change - feeding (infant or child) (see also Disorder, eating) R63.3  
 Add - - or eating disorder F50.9  
 Add - - specified NEC F50.9  
 No Change - female  
 Delete - - sexual arousal F52.22  
 Add - - sexual interest/arousal F52.22  
 Add - fetishistic F65.0  
 Add - frotteuristic F65.81  
 Add - gambling F63.0  
 No Change - globe H44.9  
 No Change - - degenerative H44.30  
 Revise from - - - myopia H44.2-  
 Revise to - - - myopia (see also Myopia, degenerative) H44.2-  
 No Change - hallucinogen use  
 No Change - - mild F16.10  
 Add - - - in remission (early) (sustained) F16.11  
 No Change - - moderate or severe F16.20  
 Add - - - in remission (early) (sustained) F16.21  
 No Change - inhalant use  
 No Change - - mild F18.10  
 Add - - - in remission (early) (sustained) F18.11  
 No Change - - moderate or severe F18.20  
 Add - - - in remission (early) (sustained) F18.21  
 No Change - integument, newborn P83.9  
 Revise from - - specified NEC P83.8  
 Revise to - - specified NEC P83.88  
 No Change - learning (specific) F81.9  
 Add - - specified  
 Add - - - with impairment in  
 Add - - - - mathematics F81.2  
 Add - - - - reading F81.0  
 Add - - - - written expression F81.81

*Revise from* - neurocognitive  
*Revise to* - neurocognitive R41.9  
*Add* - non-rapid eye movement sleep arousal  
*Add* - - sleep terror type F51.4  
*Add* - - sleepwalking type F51.3  
*No Change* - obsessive-compulsive F42.9  
*Add* - - and related disorder due to a known physiological condition F06.8  
*No Change* - opioid use  
*No Change* - - mild F11.10  
*Add* - - - in remission (early) (sustained) F11.11  
*No Change* - - moderate or severe F11.20  
*Add* - - - in remission (early) (sustained) F11.21  
*Add* - paraphilic F65.9  
*Add* - - specified NEC F65.89  
*Add* - pedophilic F65.4  
*No Change* - phencyclidine use  
*No Change* - - mild F16.10  
*Add* - - - in remission (early) (sustained) F16.11  
*No Change* - - moderate or severe F16.20  
*Add* - - - in remission (early) (sustained) F16.21  
*Add* - schizophrenia spectrum and other psychotic disorder F29  
*Add* - - specified NEC F28  
*No Change* - sedative, hypnotic, or anxiolytic use  
*No Change* - - mild F13.10  
*Add* - - - in remission (early) (sustained) F13.11  
*No Change* - - moderate or severe F13.20  
*Add* - - - in remission (early) (sustained) F13.21  
*No Change* - sexual  
*Add* - - interest/arousal, female F52.22  
*Add* - - masochism F65.51  
*Add* - - sadism F65.52  
*No Change* - skin L98.9  
*No Change* - - newborn P83.9  
*Revise from* - - - specified NEC P83.8  
*Revise to* - - - specified NEC P83.88  
*No Change* - sleep G47.9  
*No Change* - - circadian rhythm G47.20  
*Add* - - - non-24-hour sleep-wake type G47.24  
*Revise from* - sleep-wake pattern or schedule - see Disorder, sleep, circadian rhythm  
*Revise to* - sleep-wake pattern or schedule (see also Disorder, sleep, circadian rhythm) G47.9  
*Add* - - specified NEC G47.8  
*No Change* - social  
*Delete* - - anxiety of childhood F40.10  
*Add* - - anxiety (of childhood) F40.10  
*Add* - - - generalized F40.11  
*No Change* - stimulant use (other) (unspecified)  
*No Change* - - mild F15.10  
*Add* - - - in remission (early) (sustained) F15.11  
*No Change* - - moderate or severe F15.20  
*Add* - - - in remission (early) (sustained) F15.21  
*No Change* - substance use (other) (unknown)  
*No Change* - - moderate or severe F19.20  
*Add* - - - in remission (early) (sustained) F19.21  
*No Change* - tobacco use  
*Add* - - chewing tobacco (mild) (moderate) (severe)  
*Add* - - - in remission (early) (sustained) F17.221  
*Add* - - cigarettes (mild) (moderate) (severe)  
*Add* - - - in remission (early) (sustained) F17.211  
*No Change* - - mild Z72.0  
*Add* - - - in remission (early) (sustained) F17.201

*No Change* -- moderate F17.200  
*Add* --- in remission (early) (sustained) F17.201  
*No Change* -- severe F17.200  
*Add* --- in remission (early) (sustained) F17.201  
*Add* -- specified product NEC (mild) (moderate) (severe)  
*Add* --- in remission (early) (sustained) F17.291  
*Add* - transvestic F65.1  
*Add* - voyeuristic F65.3  
*No Change* **Dissection**  
*Add* - precerebral artery, congenital (nonruptured) Q28.1  
*Add* -- Heartland A93.8  
*No Change* **Distress**  
*Revise from* - acute respiratory R06.00  
*Revise to* - acute respiratory R06.03  
*Add* - relationship, with spouse or intimate partner Z63.0  
*Revise from* - respiratory (adult) (child) R06.00  
*Revise to* - respiratory (adult) (child) R06.03  
*No Change* **Disturbance(s)** - see also Disease  
*No Change* - cerebral  
*No Change* -- status, newborn P91.9  
*Revise from* --- specified NEC P91.8  
*Revise to* --- specified NEC P91.88  
*No Change* - heart, functional (conditions in I44-I50)  
*No Change* -- postoperative I97.89  
*Revise from* --- cardiac surgery I97.19-  
*Revise to* --- cardiac surgery (see also Infarct, myocardium, associated with revascularization procedure) I97.19-  
*No Change* **Dysfunction**  
*No Change* - ventricular I51.9  
*Delete* -- with congestive heart failure I50.9- - left, reversible, following sudden emotional stress I51.81  
*Add* -- with congestive heart failure (see also Failure, heart) I50.9  
*Add* -- left, reversible, following sudden emotional stress I51.81  
*No Change* **Dysphagia** R13.10  
*Delete* - pharyngeal phase R13.13  
*Add* - pharyngeal phase R13.13  
*No Change* **Dysphoria**  
*Revise from* - gender  
*Revise to* - gender F64.9  
*Add* -- specified NEC F64.8

*No Change* **E**

*No Change* **Effusion**  
*No Change* - pleura, pleurisy, pleuritic, pleuropericardial J90  
*Add* -- in conditions classified elsewhere J91.8  
*No Change* **Eisenmenger's**  
*Revise from* - complex or syndrome I27.89  
*Revise to* - complex or syndrome I27.83  
*No Change* **Embolism (multiple) (paradoxical)** I74.9  
*No Change* - artery I74.9  
*Revise from* -- choroidal (anterior) I66.8  
*Revise to* -- choroidal (anterior) I65.8  
*Revise from* -- communicating posterior I66.8  
*Revise to* -- communicating posterior I65.8  
*Revise from* -- hypophyseal I66.8  
*Revise to* -- hypophyseal I65.8  
*Revise from* -- pontine I66.8  
*Revise to* -- pontine I65.8  
*No Change* **Encephalopathy (acute)** G93.40  
*Add* - neonatal P91.819  
*Add* -- in diseases classified elsewhere P91.811

*No Change* **Encounter (with health service) (for) Z76.89**

*Revise from* - antenatal screening Z36

*Revise to* - antenatal screening Z36.9

*Add* - - cervical length Z36.86

*Add* - - chromosomal anomalies Z36.0

*Add* - - congenital cardiac abnormalities Z36.83

*Add* - - elevated maternal serum alphafetoprotein level Z36.1

*Add* - - fetal growth retardation Z36.4

*Add* - - fetal lung maturity Z36.84

*Add* - - fetal macrosomia Z36.88

*Add* - - hydrops fetalis Z36.81

*Add* - - intrauterine growth restriction (IUGR) /small-for-dates Z36.4

*Add* - - isoimmunization Z36.5

*Add* - - large-for-dates Z36.88

*Add* - - malformations Z36.3

*Add* - - non-visualized anatomy on a previous scan Z36.2

*Add* - - nuchal translucency Z36.82

*Add* - - raised alphafetoprotein level Z36.1

*Add* - - risk of pre-term labor Z36.86

*Add* - - specified type NEC Z36.89

*Add* - - specified follow-up NEC Z36.2

*Add* - - specified genetic defects NEC Z36.8A

*Add* - - Streptococcus B Z36.85

*Add* - - suspected anomaly Z36.3

*Add* - - uncertain dates Z36.87

*No Change* - genetic

*Revise from* - - counseling Z31.5

*Revise to* - - counseling

*Add* - - - nonprocreative Z71.83

*Add* - - - procreative Z31.5

*No Change* - mental health services (for)

*Delete* - - spousal or partner abuse

*Delete* - - - perpetrator Z69.12

*Delete* - - - victim Z69.11

*Add* - - child neglect

*Add* - - - nonparental

*Add* - - - - perpetrator Z69.021

*Add* - - - - victim Z69.020

*Add* - - - parental

*Add* - - - - perpetrator Z69.011

*Add* - - - - victim Z69.010

*Add* - - child psychological abuse

*Add* - - - nonparental

*Add* - - - - perpetrator Z69.021

*Add* - - - - victim Z69.020

*Add* - - - parental

*Add* - - - - perpetrator Z69.011

*Add* - - - - victim Z69.010

*Add* - - child sexual abuse

*Add* - - - nonparental

*Add* - - - - perpetrator Z69.021

*Add* - - - - victim Z69.020

*Add* - - - parental

*Add* - - - - perpetrator Z69.011

*Add* - - - - victim Z69.010

*Add* - - non-spousal adult abuse (perpetrator) (victim) Z69.81

*Add* - - spousal or partner

*Add* - - - abuse

*Add* - - - - perpetrator Z69.12

*Add* - - - - victim Z69.11

Add - - - neglect  
 Add - - - - perpetrator Z69.12  
 Add - - - - victim Z69.11  
 Add - - - psychological abuse  
 Add - - - - perpetrator Z69.12  
 Add - - - - victim Z69.11  
 Add - - - violence  
 Add - - - - perpetrator (physical) (sexual) Z69.12  
 Add - - - - victim (physical) Z69.11  
 Add - - - - - sexual Z69.81  
 Add - placental sample (taken vaginally) (see also Encounter, antenatal screening) Z36.9  
 No Change **Endometriosis** N80.9  
 Add - thorax N80.8  
 No Change **Enlargement, enlarged** - see also Hypertrophy  
 Add - vestibular aqueduct Q16.5  
 No Change **Entanglement**  
 Revise from - umbilical cord(s) O69.2  
 Revise to - umbilical cord(s) O69.82  
 No Change - - with compression O69.2  
 Delete - - - without compression O69.82  
 Revise from - - around neck (with compression) O69.1  
 Revise to - - around neck (with compression) O69.81  
 Add - - - with compression O69.1  
 Add - - without compression O69.82  
 No Change **Enteritis (acute) (diarrheal) (hemorrhagic) (noninfective)** K52.9  
 No Change - Clostridium  
 Revise from - - difficile A04.7  
 Revise to - - difficile  
 Add - - - not specified as recurrent A04.72  
 Add - - - recurrent A04.71  
 No Change - infectious NOS A09  
 No Change - - due to  
 Revise from - - - Clostridium difficile A04.7  
 Revise to - - - Clostridium difficile  
 Add - - - - not specified as recurrent A04.72  
 Add - - - - recurrent A04.71  
 No Change - toxic NEC K52.1  
 Revise from - - due to Clostridium difficile A04.7  
 Revise to - - due to Clostridium difficile  
 Add - - - not specified as recurrent A04.72  
 Add - - - recurrent A04.71  
 No Change **Enterocolitis (see also Enteritis)** K52.9  
 Revise from - due to Clostridium difficile A04.7  
 Revise to - due to Clostridium difficile  
 Add - - not specified as recurrent A04.72  
 Add - - recurrent A04.71  
 No Change - necrotizing K55.30  
 Revise from - - due to Clostridium difficile A04.7  
 Revise to - - due to Clostridium difficile  
 Add - - - not specified as recurrent A04.72  
 Add - - - recurrent A04.71  
 Revise from - pseudomembranous (newborn) A04.7  
 Revise to - pseudomembranous (newborn)  
 Add - - not specified as recurrent A04.72  
 Add - - recurrent A04.71  
 No Change **Enteropathy** K63.9  
 Delete - gluten-sensitive K90.0  
 Delete - - non-celiac K90.41  
 Add - celiac-gluten-sensitive K90.0  
 Add - - non-celiac K90.41

Revise from **Enterostenosis** - see also Obstruction, intestine K56.69  
 Revise to **Enterostenosis (see also Obstruction, intestine, specified NEC) K56.699**  
 No Change **Erythema, erythematous (infectional) (inflammation) L53.9**  
 Revise from - neonatorum P83.8  
 Revise to - neonatorum P83.88  
 Revise from - rash, newborn P83.8  
 Revise to - rash, newborn P83.88  
 No Change **Erythroderma (secondary) (see also Erythema) L53.9**  
 Revise from - neonatorum P83.8  
 Revise to - neonatorum P83.88  
 No Change **Escherichia coli (E. coli), as cause of disease classified elsewhere B96.20**  
 Delete - O157:H7 with or without confirmation of Shiga toxin-production B96.21  
 No Change - O157:H7 with or without confirmation of Shiga toxin-production B96.21  
 Delete - - specified NEC B96.22  
 Delete **Event, apparent life threatening in newborn and infant (ALTE) R68.13**  
 Add **Event**  
 Add - apparent life threatening in newborn and infant (ALTE) R68.13  
 Add - brief resolved unexplained event (BRUE) R68.13

No Change **F**

No Change **Failure, failed**  
 Revise from - biventricular I50.9  
 Revise to - biventricular I50.82  
 Add - - due to left heart failure I50.814  
 Revise from - cardiorenal (chronic) I50.9  
 Revise to - cardiorenal (chronic) (see also Failure, renal, and Failure, heart) I50.9  
 No Change - heart (acute) (senile) (sudden) I50.9  
 No Change - - with  
 Revise from - - - decompensation - see Failure, heart, congestive  
 Revise to - - - decompensation (see also Failure, heart, by type as diastolic or systolic, acute and chronic) I50.9  
 Add - - - normal ejection fraction - see Failure, heart, diastolic  
 Add - - - preserved ejection fraction - see Failure, heart, diastolic  
 Add - - - reduced ejection fraction - see Failure, heart, systolic  
 Revise from - - biventricular I50.9  
 Revise to - - biventricular I50.82  
 Add - - - due to left heart failure I50.814  
 Revise from - - combined left-right sided I50.9  
 Revise to - - combined left-right sided I50.82  
 Add - - - due to left heart failure I50.814  
 Revise from - - compensated I50.9  
 Revise to - - compensated (see also Failure, heart, by type as diastolic or systolic, chronic) I50.9  
 Revise from - - congestive (compensated) (decompensated) I50.9  
 Revise to - - congestive I50.9  
 Revise from - - decompensated I50.9  
 Revise to - - decompensated (see also Failure, heart, by type as diastolic or systolic, acute and chronic) I50.9  
 Revise from - - diastolic (congestive) I50.30  
 Revise to - - diastolic (congestive) (left ventricular) I50.30  
 Add - - end stage (see also Failure, heart, by type as diastolic or systolic, chronic) I50.84  
 Revise from - - high output NOS I50.9  
 Revise to - - high output NOS I50.83  
 Revise from - - left (ventricular) - see Failure, ventricular, left  
 Revise to - - left (ventricular) - see also Failure, ventricular, left  
 Add - - - combined diastolic and systolic - see Failure, heart, diastolic, combined with systolic  
 Add - - - diastolic - see Failure, heart, diastolic  
 Add - - - systolic - see Failure, heart, systolic  
 Revise from - - right (ventricular) (secondary to left heart failure) - see Failure, heart, congestive  
 Revise to - - right (isolated) (ventricular) I50.810  
 Add - - - acute I50.811  
 Add - - - - and (on) chronic I50.813

*Add* --- chronic I50.812  
*Add* ---- and acute I50.813  
*Add* --- secondary to left heart failure I50.814  
*Delete* -- systolic (congestive) I50.20  
*Delete* --- acute (congestive) I50.21  
*Delete* ---- and (on) chronic (congestive) I50.23  
*Delete* --- chronic (congestive) I50.22  
*Delete* ---- and (on) acute (congestive) I50.23  
*Delete* --- combined with diastolic (congestive) I50.40  
*Delete* ---- acute (congestive) I50.41  
*Delete* ----- and (on) chronic (congestive) I50.43  
*Delete* ---- chronic (congestive) I50.42  
*Delete* ----- and (on) acute (congestive) I50.43  
*Delete* -- thyrotoxic (see also Thyrotoxicosis) E05.90 [I43]  
*Delete* --- with thyroid storm E05.91 [I43]  
*Delete* -- valvular - see Endocarditis  
*Add* -- specified NEC I50.89  
*Add* - Note: heart failure stages A, B, C, and D are based on the American College of Cardiology and American Heart Association stages of heart failure, which complement and should not be confused with the New York Heart Association Classification of Heart Failure, into Class I, Class II, Class III, and Class IV  
  
*Add* -- stage A Z91.89  
*Add* -- stage B (see also Failure, heart, by type as diastolic or systolic) I50.9  
*Add* -- stage C (see also Failure, heart, by type as diastolic or systolic) I50.9  
*Add* -- stage D (see also Failure, heart, by type as diastolic or systolic, chronic) I50.84  
*Add* -- systolic (congestive) (left ventricular) I50.20  
*Add* --- acute (congestive) I50.21  
*Add* ---- and (on) chronic (congestive) I50.23  
*Add* --- chronic (congestive) I50.22  
*Add* ---- and (on) acute (congestive) I50.23  
*Add* --- combined with diastolic (congestive) I50.40  
*Add* ---- acute (congestive) I50.41  
*Add* ----- and (on) chronic (congestive) I50.43  
*Add* ---- chronic (congestive) I50.42  
*Add* ----- and (on) acute (congestive) I50.43  
*Add* -- thyrotoxic (see also Thyrotoxicosis) E05.90 [I43]  
*Add* --- with  
*Add* ---- high output (see also Thyrotoxicosis) I50.83  
*Add* ---- thyroid storm E05.91 [I43]  
*Add* ----- high output (see also Thyrotoxicosis) I50.83  
*Add* -- valvular - see Endocarditis  
*No Change* - respiration, respiratory J96.90  
*No Change* -- with  
*Add* --- hypercarbia J96.02  
*No Change* -- acute J96.00  
*No Change* --- with  
*Add* ---- hypercarbia J96.02  
*No Change* -- acute and (on) chronic J96.20  
*No Change* --- with  
*Add* ---- hypercarbia J96.22  
*No Change* -- chronic J96.10  
*No Change* --- with  
*Add* ---- hypercarbia J96.12  
*No Change* - ventricular (see also Failure, heart) I50.9  
*Revise from* -- left I50.1  
*Revise to* -- left (see also Failure, heart, left) I50.1  
*Revise from* -- right (see also Failure, heart, congestive) I50.9  
*Revise to* -- right - see Failure, heart, right  
*Revise from* - vital centers, newborn P91.8  
*Revise to* - vital centers, newborn P91.88  
*No Change* **Fever (inanition) (of unknown origin) (persistent) (with chills) (with rigor) R50.9**

*No Change* - postoperative R50.82  
*Revise from* - - due to infection T81.40  
*Revise to* - - due to infection T81.4  
*No Change* - rheumatic (active) (acute) (chronic) (subacute) I00  
*No Change* - - inactive or quiescent with  
*Revise from* - - - heart failure (congestive) (conditions in I50.9) I09.81  
*Revise to* - - - heart failure (congestive) (conditions in I50.) I09.81  
*Revise from* - - - left ventricular failure (conditions in I50.1) I09.81  
*Revise to* - - - left ventricular failure (conditions in I50.1- I50.4-) I09.81  
*No Change* **Fibroid (tumor)** - see also Neoplasm, connective tissue, benign  
*Revise from* - uterus D25.9  
*Revise to* - uterus (see also Leiomyoma, uterus) D25.9  
*No Change* **Foreign body**  
*Delete* - felling of, in throat R09.89  
*Add* - feeling of, in throat R09.89  
*Revise from* **Fracture, chronic** - see Fracture, pathological  
*Revise to* **Fracture, chronic** - see Fracture, pathological, by site  
*Revise from* **Fracture, insufficiency** - see Fracture, pathologic, by site  
*Revise to* **Fracture, insufficiency** - see Fracture, pathological, by site  
*No Change* **Fracture, traumatic (abduction) (adduction) (separation) (see also Fracture, pathological) T14.8**  
*No Change* - tibia (shaft) S82.20-  
*Revise from* - - spine - see Fracture, upper end, spine  
*Revise to* - - spine - see Fracture, tibia, upper end, spine  
*No Change* - ulna (shaft) S52.20-  
*Revise from* - - head S52.00-  
*Revise to* - - head S52.60-  
*No Change* **Fuchs'**  
*Revise from* - black spot (myopic) H44.2-  
*Revise to* - black spot (myopic) (see also Myopia, degenerative) H44.2-

*No Change*

## G

*Add* **GALD (gestational alloimmune liver disease) P78.84**  
*No Change* **Glomerulonephritis (see also Nephritis) N05.9**  
*No Change* - diffuse  
*Revise from* - - sclerosing N05.8  
*Revise to* - - sclerosing N18.9  
*Revise from* - sclerosing, diffuse N05.8  
*Revise to* - sclerosing, diffuse N18.9  
*No Change* **Granuloma L92.9**  
*Add* - umbilical P83.81  
*Revise from* - umbilicus L92.9  
*Revise to* - umbilicus P83.81

*No Change*

## H

*Add* **Heartland virus disease A93.8**  
*No Change* **Hemiplegia G81.9-**  
*Revise from* - newborn NEC P91.8  
*Revise to* - newborn NEC P91.88  
*No Change* **Hemochromatosis E83.119**  
*Add* - neonatal P78.84  
*No Change* **Hernia, hernial (acquired) (recurrent) K46.9**  
*Revise from* - due to adhesions (with obstruction) K56.5  
*Revise to* - due to adhesions (with obstruction) K56.50  
*No Change* **High**  
*Add* - scrotal testis, testes  
*Add* - - bilateral Q53.23  
*Add* - - unilateral Q53.13  
*No Change* **History**

*No Change* - personal (of) - see also History, family (of)  
*No Change* -- congenital malformation (corrected) Z87.798  
*Revise from* --- ear (corrected) Z87.720  
*Revise to* --- ear (corrected) Z87.721  
*Revise from* --- eye (corrected) Z87.721  
*Revise to* --- eye (corrected) Z87.720  
*Delete* -- substance abuse NEC F10-F19 with fifth character 1  
*Add* -- substance abuse NEC F10-F19  
*No Change* **Hydronephrosis (atrophic) (early) (functionless) (intermittent) (primary) (secondary) NEC N13.30**  
*No Change* - with  
*No Change* -- obstruction (by) (of)  
*Revise from* --- ureteropelvic junction (congenital) Q62.0  
*Revise to* --- ureteropelvic junction (congenital) Q62.11  
*No Change* **Hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (systemic) I10**  
*No Change* - with  
*Add* -- heart failure (congestive) I11.0  
*Revise from* -- heart involvement (conditions in I51.4- I51.9 due to hypertension) - see Hypertension, heart  
*Revise to* -- heart involvement (conditions in I50.-, I51.4- I51.9 due to hypertension) - see Hypertension, heart  
*Revise from* - emergency I16.2  
*Revise to* - emergency I16.1  
*No Change* - newborn P29.2  
*Revise from* -- pulmonary (persistent) P29.3  
*Revise to* -- pulmonary (persistent) P29.30  
*Revise from* - pulmonary (artery) (secondary) NEC I27.2  
*Revise to* - pulmonary I27.20  
*No Change* -- with  
*Revise from* --- cor pulmonale (chronic) I27.2  
*Revise to* --- cor pulmonale (chronic) I27.29  
*Revise from* --- right heart ventricular strain/failure I27.2  
*Revise to* --- right heart ventricular strain/failure I27.29  
*Add* --- right to left shunt related to congenital heart disease I27.83  
*Add* --- unclear multifactorial mechanisms I27.29  
*Add* -- arterial (associated) (drug-induced) (toxin-induced) I27.21  
*Add* -- chronic thromboembolic I27.24  
*Add* -- due to  
*Add* --- hematologic disorders I27.29  
*Add* --- left heart disease I27.22  
*Add* --- lung diseases and hypoxia I27.23  
*Add* --- metabolic disorders I27.29  
*Add* --- specified systemic disorders NEC I27.29  
*Add* -- group 1 (associated) (drug-induced) (toxin-induced) I27.21  
*Add* -- group 2 I27.22  
*Add* -- group 3 I27.23  
*Add* -- group 4 I27.24  
*Add* -- group 5 I27.29  
*Revise from* -- of newborn (persistent) P29.3  
*Revise to* -- of newborn (persistent) P29.30  
*Add* -- secondary  
*Add* --- arterial I27.21  
*Add* --- specified NEC I27.29  
*No Change* **Hypoglycemia (spontaneous) E16.2**  
*No Change* - coma E15  
*Revise from* -- diabetic - see Diabetes, coma  
*Revise to* -- diabetic - see Diabetes, by type, with hypoglycemia, with coma  
*Add* **Hypopnea, obstructive sleep apnea G47.33**  
*No Change* **Hypothyroidism (acquired) E03.9**  
*Add* - autoimmune - see Thyroiditis, autoimmune

*No Change* |

*No Change* **Ileocolitis (see also Enteritis) K52.9**  
*Add* - ulcerative K51.0-

*No Change* **Ileus (bowel) (colon) (inhibitory) (intestine) K56.7**  
*Revise from* - mechanical NEC K56.69  
*Revise to* - mechanical NEC (see also Obstruction, intestine, specified NEC) K56.699  
*Revise from* - obstructive K56.69  
*Revise to* - obstructive (see also Obstruction, intestine, specified NEC) K56.699  
*Add* - postoperative K91.89

*No Change* **Imperfect**  
*No Change* - closure (congenital)  
*Delete* - - branchial cleft or sinus Q18.0  
*Add* - - branchial cleft NOS Q18.2  
*Add* - - - cyst Q18.0  
*Add* - - - fistula Q18.0  
*Add* - - - sinus Q18.0

*No Change* **Infarct, infarction**  
*Revise from* - myocardium, myocardial (acute) (with stated duration of 4 weeks or less) I21.3  
*Revise to* - myocardium, myocardial (acute) (with stated duration of 4 weeks or less) I21.9  
*Add* - - associated with revascularization procedure I21.A9  
*Add* - - due to  
*Add* - - - demand ischemia I21.A1  
*Add* - - - ischemic imbalance I21.A1  
*Revise from* - - intraoperative  
*Revise to* - - intraoperative - see also Infarct, myocardium, associated with revascularization procedure  
*Revise from* - - postprocedural  
*Revise to* - - postprocedural - see also Infarct, myocardium, associated with revascularization procedure  
*Delete* - - - following cardiac surgery I97.190  
*Add* - - - following cardiac surgery (see also Infarct, myocardium, type 4 or type 5) I97.190  
*Add* - - secondary to  
*Add* - - - demand ischemia I21.A1  
*Add* - - - ischemic imbalance I21.A1  
*No Change* - - subsequent (recurrent) (reinfarction) I22.9  
*Add* - - - type 1 (see also Infarction, myocardial, subsequent, by site, or by ST elevation or non-ST elevation) I22.9  
*Add* - - - type 2 I21.A1  
*Add* - - - type 3 I21.A9  
*Add* - - - type 4 I21.A9  
*Add* - - - type 5 I21.A9  
*Revise from* - - transmural I21.3  
*Revise to* - - transmural I21.9  
*Add* - - type 1 (see also Infarction, myocardial, by site, or by ST elevation or non-ST elevation) I21.9  
*Add* - - type 2 I21.A1  
*Add* - - type 3 I21.A9  
*Add* - - type 4 (a) (b) (c) I21.A9  
*Add* - - type 5 I21.A9

*No Change* **Infection, infected, infective (opportunistic) B99.9**  
*No Change* - Clostridium NEC  
*No Change* - - difficile  
*Revise from* - - - foodborne (disease) A04.7  
*Revise to* - - - foodborne (disease)  
*Add* - - - - not specified as recurrent A04.72  
*Add* - - - - recurrent A04.71  
*Revise from* - - - necrotizing enterocolitis A04.7  
*Revise to* - - - necrotizing enterocolitis  
*Add* - - - - not specified as recurrent A04.72  
*Add* - - - - recurrent A04.71  
*No Change* - due to or resulting from  
*Revise from* - - surgery T81.40  
*Revise to* - - surgery T81.4  
*Revise from* - operation wound T81.40  
*Revise to* - operation wound T81.4

*Revise from* - postoperative T81.40  
*Revise to* - postoperative T81.4  
*Revise from* - postoperative wound T81.40  
*Revise to* - postoperative wound T81.4  
*Revise from* - postprocedural T81.40  
*Revise to* - postprocedural T81.4  
*Delete* - - deep incisional surgical site T81.42  
*Delete* - - organ and space surgical site T81.43  
*Delete* - - sepsis T81.49  
*Delete* - - specified surgical site NEC T81.48  
*Delete* - - superficial incisional surgical site T81.41  
*No Change* - tooth, teeth K04.7  
*No Change* - - pulp K04.01  
*Add* - - - irreversible K04.02  
*Add* - - - reversible K04.01  
*Delete* - - irreversible K04.02  
*Delete* - - reversible K04.01  
*No Change* **Inguinal** - see also condition  
*No Change* - testicle Q53.9  
*Revise from* - - bilateral Q53.21  
*Revise to* - - bilateral Q53.212  
*Revise from* - - unilateral Q53.11  
*Revise to* - - unilateral Q53.112  
*No Change* **Insufficiency, insufficient**  
*Revise from* - myocardial, myocardium (with arteriosclerosis) I50.9  
*Revise to* - myocardial, myocardium (with arteriosclerosis) (see also Failure, heart) I50.9  
*Revise from* - valve, valvular (heart) - see Endocarditis  
*Revise to* - valve, valvular (heart) I38  
*Add* - - aortic - see Insufficiency, aortic (valve)  
*Add* - - mitral - see Insufficiency, mitral (valve)  
*Add* - - pulmonary - see Insufficiency, pulmonary, valve  
*Add* - - tricuspid - see Insufficiency, tricuspid (valve)  
*Add* **Intraabdominal testis, testes**  
*Add* - bilateral Q53.211  
*Add* - unilateral Q53.111  
*No Change* **Ischemia, ischemic** I99.8  
*No Change* - demand (coronary) (see also Angina) I24.8  
*Add* - - with myocardial infarction I21.A1  
*Add* - - resulting in myocardial infarction I21.A1

*No Change*

## L

*No Change* **Long-term (current) (prophylactic) drug therapy (use of)**  
*Revise from* - hormone replacement (postmenopausal) Z79.890  
*Revise to* - hormone replacement Z79.890  
*No Change* **Low**  
*Revise from* - vision H54.2  
*Revise to* - vision H54.2X-  
*No Change* - - one eye (other eye normal) H54.50  
*Revise from* - - - left (normal vision on right) H54.52  
*Revise to* - - - left (normal vision on right) H54.52A-  
*Revise from* - - - right (normal vision on left) H54.51  
*Revise to* - - - right (normal vision on left) H54.511-  
*Revise from* **Lump** - see Mass  
*Revise to* **Lump** - see also Mass  
*Add* - breast N63.0  
*Add* - - axillary tail  
*Add* - - - left N63.32  
*Add* - - - right N63.31  
*Add* - - left

Add - - - lower inner quadrant N63.24  
 Add - - - lower outer quadrant N63.23  
 Add - - - unspecified quadrant N63.20  
 Add - - - upper inner quadrant N63.22  
 Add - - - upper outer quadrant N63.21  
 Add - - right  
 Add - - - lower inner quadrant N63.14  
 Add - - - lower outer quadrant N63.13  
 Add - - - unspecified quadrant N63.10  
 Add - - - upper inner quadrant N63.12  
 Add - - - upper outer quadrant N63.11  
 Add - - subareolar  
 Add - - - left N63.42  
 Add - - - right N63.41  
 No Change **Lymphoma (of) (malignant) C85.90**  
 Add - blastic plasmacytoid dendritic cell neoplasm (BPDCN) C86.4

No Change

## M

No Change **Maldescent, testis Q53.9**  
 No Change - bilateral Q53.20  
 Revise from - - abdominal Q53.21  
 Revise to - - abdominal Q53.211  
 No Change - unilateral Q53.10  
 Revise from - - abdominal Q53.11  
 Revise to - - abdominal Q53.111  
 Add **Manic depression F31.9**  
 No Change **Mass**  
 Revise from - breast N63  
 Revise to - breast (see also Lump, breast) N63.0  
 No Change **Mast cell**  
 Revise from - disease, systemic tissue D47.0  
 Revise to - disease, systemic tissue D47.02  
 Add - neoplasm  
 Add - - malignant C96.20  
 Add - - - specified type NEC C96.29  
 Add - - of uncertain behavior NEC D47.09  
 Revise from - sarcoma C96.2  
 Revise to - sarcoma C96.22  
 Revise from - tumor D47.0  
 Revise to - tumor D47.09  
 Delete - - malignant C96.2  
 Revise from **Mastocytoma D47.0**  
 Revise to **Mastocytoma (extracutaneous) D47.09**  
 Revise from - malignant C96.2  
 Revise to - malignant C96.29  
 Add - solitary D47.01  
 Revise from **Mastocytosis Q82.2**  
 Revise to **Mastocytosis D47.09**  
 Revise from - aggressive systemic C96.2  
 Revise to - aggressive systemic C96.21  
 Add - cutaneous (diffuse) (maculopapular) D47.01  
 Add - - congenital Q82.2  
 Add - - of neonatal onset Q82.2  
 Add - - of newborn onset Q82.2  
 Revise from - indolent systemic D47.0  
 Revise to - indolent systemic D47.02  
 Add - isolated bone marrow D47.02  
 Revise from - malignant C96.2  
 Revise to - malignant C96.29

*Delete* - systemic, associated with clonal hematopoietic non-mast-cell disease (SM-AHNMD) D47.0  
*Add* - systemic (indolent) (smoldering)  
*Add* - - with an associated hematological non-mast cell lineage disease (SM-AHNMD) D47.02  
*No Change* **Megacolon (acquired) (functional) (not Hirschsprung's disease) (in)** K59.39  
*No Change* - toxic NEC K59.31  
*Revise from* - - due to Clostridium difficile A04.7  
*Revise to* - - due to Clostridium difficile  
*Add* - - - not specified as recurrent A04.72  
*Add* - - - recurrent A04.71  
*No Change* **Mole (pigmented)** - see also Nevus  
*Revise from* - tubal O00.10  
*Revise to* - tubal O00.10-  
*Revise from* - - with intrauterine pregnancy O00.11  
*Revise to* - - with intrauterine pregnancy O00.11-  
*No Change* **Myopia (axial) (congenital)** H52.1-  
*Revise from* - degenerative (malignant) H44.2-  
*Revise to* - degenerative (malignant) H44.20  
*Add* - - with  
*Add* - - - choroidal neovascularization H44.2A-  
*Add* - - - foveoschisis H44.2D-  
*Add* - - - macular hole H44.2B-  
*Add* - - - retinal detachment H44.2C-  
*Add* - - - specified maculopathy NEC H44.2E-  
*Add* - - bilateral H44.23  
*Add* - - left eye H44.22  
*Add* - - right eye H44.21  
*Revise from* - malignant H44.2-  
*Revise to* - malignant (see also Myopia, degenerative) H44.2-  
*Revise from* - pernicious H44.2-  
*Revise to* - pernicious (see also Myopia, degenerative) H44.2-  
*Revise from* - progressive high (degenerative) H44.2-  
*Revise to* - progressive high (degenerative) (see also Myopia, degenerative) H44.2-

*No Change*

## N

*No Change* **Necrosis, necrotic (ischemic)** - see also Gangrene  
*Revise from* - subcutaneous fat, newborn P83.8  
*Revise to* - subcutaneous fat, newborn P83.88  
*No Change* **Neoplasm, neoplastic** - see also Table of Neoplasms  
*Add* - malignant mast cell C96.20  
*Add* - - specified type NEC C96.29  
*Add* - mast cell, of uncertain behavior NEC D47.09  
*Revise from* **Nettleship's syndrome** Q82.2  
*Revise to* **Nettleship's syndrome** - see Urticaria pigmentosa  
*No Change* **Nevus** D22.9  
*Delete* - Sutton's - see Neoplasm, skin, benign  
*Add* - Sutton's benign D22.9  
*No Change* **Nodule(s), nodular**  
*Revise from* - breast NEC N63  
*Revise to* - breast NEC (see also Lump, breast) N63.0  
*Add* **Nonadherence to medical treatment** Z91.19  
*No Change* **Nondescent (congenital)** - see also Malposition, congenital  
*No Change* - testicle Q53.9  
*No Change* - - bilateral Q53.20  
*Revise from* - - - abdominal Q53.21  
*Revise to* - - - abdominal Q53.211  
*No Change* - - unilateral Q53.10  
*Revise from* - - - abdominal Q53.11  
*Revise to* - - - abdominal Q53.111  
*Add* **Non-palpable testicle(s)**

Add - bilateral R39.84  
Add - unilateral R39.83

No Change

## O

No Change

### **Obstruction, obstructed, obstructive**

Revise from - artery (see also Embolism, artery) I74.9  
Revise to - artery (see also Atherosclerosis, artery) I70.9  
Revise from - band (intestinal) K56.69  
Revise to - band (intestinal) (see also Obstruction, intestine, specified NEC) K56.699  
Revise from - intestine K56.60  
Revise to - intestine K56.609  
Add - - complete K56.601  
Add - - incomplete K56.600  
Add - - partial K56.600  
No Change - - with  
Revise from - - - adhesions (intestinal) (peritoneal) K56.5  
Revise to - - - adhesions (intestinal) (peritoneal) K56.50  
Add - - - - complete K56.52  
Add - - - - incomplete K56.51  
Add - - - - partial K56.51  
Revise from - - postoperative K91.3  
Revise to - - postoperative K91.30  
Add - - - complete K91.32  
Add - - - incomplete K91.31  
Add - - - partial K91.31  
Revise from - - specified NEC K56.69  
Revise to - - specified NEC K56.699  
Add - - - complete K56.691  
Add - - - incomplete K56.690  
Add - - - partial K56.690

No Change

### **Occlusion, occluded**

Revise from - artery (see also Embolism, artery) I74.9  
Revise to - artery (see also Atherosclerosis, artery) I70.9  
Revise from - - communicating posterior - see Occlusion, artery, cerebral, specified NEC  
Revise to - - communicating posterior - see Occlusion, artery, precerebral, specified NEC  
Revise from - - pontine - see Occlusion, artery, cerebral, specified NEC  
Revise to - - pontine - see Occlusion, artery, precerebral, specified NEC  
No Change - - precerebral I65.9  
No Change - - - specified NEC I65.8  
No Change - - - - with infarction I63.29  
No Change - - - - - due to  
Revise from - - - - - thrombosis I63.00  
Revise to - - - - - thrombosis I63.09

No Change

### **Osteoarthritis M19.90**

Revise from - knee M17.9  
Revise to - knee M17.1-

No Change

## P

Add

### **PANDAS (pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections syndrome) D89.89**

Revise from **Paragranuloma, Hodgkin** - see Lymphoma, Hodgkin, classical, specified NEC

Revise to **Paragranuloma, Hodgkin** - see Lymphoma, Hodgkin, specified NEC

No Change **Paralysis, paralytic (complete) (incomplete) G83.9**

Revise from - lateral G12.21

Revise to - lateral G12.23

Revise from **Paramyloidosis E85.8**

Revise to **Paramyloidosis E85.89**

Revise from **Paresthesia** - see also Disturbance, sensation

*Revise to* **Paresthesia (see also Disturbance, sensation, skin) R20.2**  
*No Change* **Parkinsonism (idiopathic) (primary) G20**  
*Add* - medication-induced NEC G21.19  
*No Change* **Persistence, persistent (congenital)**  
*Delete* - branchial cleft Q18.0  
*Add* - branchial cleft NOS Q18.2  
*Add* - - cyst Q18.0  
*Add* - - fistula Q18.0  
*Add* - - sinus Q18.0  
*No Change* - fetal  
*Revise from* - - circulation P29.3  
*Revise to* - - circulation P29.38  
*No Change* **Polyneuropathy (peripheral) G62.9**  
*No Change* - amyloid (Portuguese) E85.1 [G63]  
*Add* - - transthyretin-related (ATTR) familial E85.1  
*No Change* - in (due to)  
*Delete* - - triorthocresyl phosphate G62.2  
*Delete* - - - sequelae G65.2  
*Delete* - - tuberculosis A17.89  
*Delete* - - uremia N18.9 [G63]  
*Delete* - - vitamin B12 deficiency E53.8 [G63]  
*Delete* - - - with anemia (pernicious) D51.0 [G63]  
*Delete* - - - - due to dietary deficiency D51.3 [G63]  
*Delete* - - zoster B02.23  
*Add* - transthyretin-related (ATTR) familial amyloid E85.1  
*Add* - - triorthocresyl phosphate G62.2  
*Add* - - - sequelae G65.2  
*Add* - - tuberculosis A17.89  
*Add* - - uremia N18.9 [G63]  
*Add* - - vitamin B12 deficiency E53.8 [G63]  
*Add* - - - with anemia (pernicious) D51.0 [G63]  
*Add* - - - - due to dietary deficiency D51.3 [G63]  
*Add* - - zoster B02.23  
*No Change* **Pregnancy (single) (uterine) - see also Delivery and Puerperal**  
*Revise from* - ampullar O00.10  
*Revise to* - ampullar O00.10-  
*Revise from* - - with intrauterine pregnancy O00.11  
*Revise to* - - with intrauterine pregnancy O00.11-  
*No Change* - complicated by (care of) (management affected by)  
*No Change* - - abnormal, abnormality  
*Add* - - - fetal heart rate or rhythm O36.83-  
*Revise from* - - genital herpes (asymptomatic) (history of) (inactive) O98.51-  
*Revise to* - - genital herpes (asymptomatic) (history of) (inactive) O98.3-  
*No Change* - ectopic (ruptured) O00.90  
*Revise from* - - ovarian O00.20  
*Revise to* - - ovarian O00.20-  
*Revise from* - - - with intrauterine pregnancy O00.21  
*Revise to* - - - with intrauterine pregnancy O00.21-  
*Revise from* - - tubal (ruptured) O00.10  
*Revise to* - - tubal (ruptured) O00.10-  
*Revise from* - - - with intrauterine pregnancy O00.11  
*Revise to* - - - with intrauterine pregnancy O00.11-  
*Revise from* - fallopian O00.10  
*Revise to* - fallopian O00.10-  
*Revise from* - - with intrauterine pregnancy O00.11  
*Revise to* - - with intrauterine pregnancy O00.11-  
*Revise from* - isthmian O00.10  
*Revise to* - isthmian O00.10-  
*Revise from* - - with intrauterine pregnancy O00.11  
*Revise to* - - with intrauterine pregnancy O00.11-

*Revise from* - ovarian O00.20  
*Revise to* - ovarian O00.20-  
*Revise from* - - with intrauterine pregnancy O00.21  
*Revise to* - - with intrauterine pregnancy O00.21-  
*No Change* - triplet O30.10-  
*No Change* - - with  
*Delete* - - - two or more monochorionic fetuses O30.11-  
*Add* - - - two or more monochorionic fetuses O30.11-  
*Delete* - - two or more monochorionic fetuses O30.11-  
*Add* - - two or more monochorionic fetuses O30.11-  
*Revise from* - tubal (with abortion) (with rupture) O00.10  
*Revise to* - tubal (with abortion) (with rupture) O00.10-  
*Revise from* - - with intrauterine pregnancy O00.11  
*Revise to* - - with intrauterine pregnancy O00.11-  
*No Change* **Prenatal**  
*Revise from* - screening of mother Z36  
*Revise to* - screening of mother (see also Encounter, antenatal screening) Z36.9  
*No Change* **Problem (with) (related to)**  
*No Change* - psychosocial Z65.9  
*Add* - - religious or spiritual Z65.8  
*No Change* - release from prison Z65.2  
*Add* - - religious or spiritual Z65.8  
*No Change* **Prophylactic**  
*No Change* - organ removal (for neoplasia management) Z40.00  
*Add* - - fallopian tube(s) Z40.03  
*Add* - - - with ovary(s) Z40.02  
*Revise from* - - ovary Z40.02  
*Revise to* - - ovary(s) Z40.02  
*No Change* **Pseudohermaphroditism Q56.3**  
*No Change* - female Q56.2  
*Add* - - unspecified E25.9  
*No Change* - male Q56.1  
*Add* - - unspecified E25.9  
*Revise from* **Pseudosclerema, newborn P83.8**  
*Revise to* **Pseudosclerema, newborn P83.88**  
*No Change* **Psychosis, psychotic F29**  
*No Change* - schizophreniform F20.81  
*Delete* - - depressive type F25.1  
*Delete* - - manic type F25.0  
*No Change* **Puerperal, puerperium (complicated by, complications)**  
*Revise from* - coagulopathy (any) O72.3  
*Revise to* - coagulopathy (any) O99.13  
*Add* - - with hemorrhage O72.3

*No Change*

## R

*No Change* **Recession, receding**  
*Revise from* - gingival (generalized) (localized) (postinfective) (postoperative) K06.00  
*Revise to* - gingival (postinfective) (postoperative)  
*Delete* - - Miller Class I K06.01  
*Delete* - - Miller Class II K06.02  
*Delete* - - Miller Class III K06.03  
*Delete* - - Miller Class IV K06.04  
*Add* - - generalized K06.020  
*Add* - - - minimal K06.021  
*Add* - - - moderate K06.022  
*Add* - - - severe K06.023  
*Add* - - localized K06.010  
*Add* - - - minimal K06.011  
*Add* - - - moderate K06.012

*Add* - - - severe K06.013  
*Delete* **Risk, suicidal**  
*Delete* - meaning personal history of attempted suicide Z91.5  
*Delete* - meaning suicidal ideation - see Ideation, suicidal  
*Add* **Risk**  
*Add* - for  
*Add* - - dental caries Z91.849  
*Add* - - - high Z91.843  
*Add* - - - low Z91.841  
*Add* - - - moderate Z91.842  
*Add* - suicidal  
*Add* - - meaning personal history of attempted suicide Z91.5  
*Add* - - meaning suicidal ideation - see Ideation, suicidal  
*No Change* **Rupture, ruptured**  
*No Change* - fallopian tube NEC (nonobstetric) (nontraumatic) N83.8  
*Revise from* - - due to pregnancy O00.10  
*Revise to* - - due to pregnancy O00.10-  
*Revise from* - - - with intrauterine pregnancy O00.11  
*Revise to* - - - with intrauterine pregnancy O00.11-  
*No Change* - oviduct (nonobstetric) (nontraumatic) N83.8  
*Revise from* - - due to pregnancy O00.10  
*Revise to* - - due to pregnancy O00.10-  
*Revise from* - - - with intrauterine pregnancy O00.11  
*Revise to* - - - with intrauterine pregnancy O00.11-  
*No Change* - tube, tubal (nonobstetric) (nontraumatic) N83.8  
*Revise from* - - due to pregnancy O00.10  
*Revise to* - - due to pregnancy O00.10-  
*Revise from* - - - with intrauterine pregnancy O00.11  
*Revise to* - - - with intrauterine pregnancy O00.11-

*No Change*

## S

*No Change* **Sarcoma (of)** - see also Neoplasm, connective tissue, malignant  
*Revise from* - mast cell C96.2  
*Revise to* - mast cell C96.22  
*Revise from* **Scarlatina (anginosa) (maligna) (ulcerosa) A38.9**  
*Revise to* **Scarlatina (anginosa) (maligna) A38.9**  
*Add* - ulcerosa A38.8  
*No Change* **Schizophrenia, schizophrenic F20.9**  
*Add* - spectrum and other psychotic disorder F29  
*Add* - - specified NEC F28  
*No Change* **Scleroderma, sclerodermia (acrosclerotic) (diffuse) (generalized) (progressive) (pulmonary) (see also Sclerosis, systemic) M34.9-**  
*Revise from* - newborn P83.8  
*Revise to* - newborn P83.88  
*No Change* **Sclerosis, sclerotic**  
*Revise from* - lateral (amyotrophic) (descending) (primary) (spinal) G12.21  
*Revise to* - lateral (amyotrophic) (descending) (spinal) G12.21  
*Add* - - primary G12.23  
*Revise from* - primary, lateral G12.29  
*Revise to* - primary, lateral G12.23  
*No Change* - spinal (cord) (progressive) G95.89  
*Revise from* - - lateral (amyotrophic) G12.21  
*Revise to* - - lateral (amyotrophic) G12.23  
*No Change* **Screening (for) Z13.9**  
*Revise from* - antenatal, of mother Z36  
*Revise to* - antenatal, of mother (see also Encounter, antenatal screening) Z36.9  
*Revise from* - prenatal, of mother Z36  
*Revise to* - prenatal, of mother (see also Encounter, antenatal screening) Z36.9  
*No Change* **Sepsis (generalized) (unspecified organism) A41.9**

*No Change* - localized - code to specific localized infection  
*Revise from* - - in operation wound T81.49  
*Revise to* - - in operation wound T81.4  
*Revise from* - postprocedural T81.49  
*Revise to* - postprocedural T81.4  
*No Change* **Sequelae (of)** - see also condition  
*No Change* - disease  
*No Change* - - cerebrovascular I69.90  
*No Change* - - - monoplegia  
*Revise from* - - - - lower limb I69.84-  
*Revise to* - - - - lower limb I69.94-  
*No Change* **Shock** R57.9  
*Revise from* - hemorrhagic  
*Revise to* - hemorrhagic R57.8  
*No Change* **Spots, spotting (in) (of)**  
*Revise from* - Fuchs' black (myopic) H44.2-  
*Revise to* - Fuchs' black (myopic) (see also Myopia, degenerative) H44.2-  
*No Change* **Status (post)** - see also Presence (of)  
*Add* - coronary artery bypass graft Z95.1  
*No Change* **Stenosis, stenotic (cicatricial)** - see also Stricture  
*Revise from* - ileum K56.69  
*Revise to* - ileum (see also Obstruction, intestine, specified NEC) K56.699  
*Revise from* - jejunum K56.69  
*Revise to* - jejunum (see also Obstruction, intestine, specified NEC) K56.699  
*No Change* - spinal M48.00  
*Revise from* - - lumbar region M48.06  
*Revise to* - - lumbar region (NOS) (without neurogenic claudication) M48.061  
*Add* - - - with neurogenic claudication M48.062  
*No Change* **Stitch**  
*Revise from* - abscess T81.48  
*Revise to* - abscess T81.4  
*No Change* **Stricture** - see also Stenosis  
*No Change* - heart - see also Disease, heart  
*No Change* - - valve (see also Endocarditis) I38  
*Revise from* - - - mitral Q23.4  
*Revise to* - - - mitral Q23.2  
*Revise from* - ileum K56.69  
*Revise to* - ileum (see also Obstruction, intestine, specified NEC) K56.699  
*Revise from* - jejunum K56.69  
*Revise to* - jejunum (see also Obstruction, intestine, specified NEC) K56.699  
*Revise from* - rectosigmoid K56.69  
*Revise to* - rectosigmoid (see also Obstruction, intestine, specified NEC) K56.699  
*No Change* **Stroke (apoplectic) (brain) (embolic) (ischemic) (paralytic) (thrombotic)** I63.9  
*Add* - cryptogenic (see also infarction, cerebral) I63.9  
*Add* **Sundowning** F05  
*No Change* **Swelling (of)** R60.9  
*Revise from* - breast N63  
*Revise to* - breast (see also Lump, breast) N63.0  
*No Change* **Symptoms NEC** R68.89  
*Add* - cold J00  
*Add* - viral cold J00  
*No Change* **Syndrome** - see also Disease  
*Add* - antidepressant discontinuation T43.205  
*Revise from* - Bernheim's I50.9  
*Revise to* - Bernheim's - see Failure, heart, right  
*Revise from* - bronze baby P83.8  
*Revise to* - bronze baby P83.88  
*Add* - Brugada I49.8  
*Revise from* - Eisenmenger's I27.89  
*Revise to* - Eisenmenger's I27.83

*Add* - pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections (PANDAS) D89.89  
*Revise from* - Terry's H44.2-  
*Revise to* - Terry's (see also Myopia, degenerative) H44.2-  
*Revise from* - Wright's (hyperabduction) I77.89  
*Revise to* - Wright's (hyperabduction) G54.0

*No Change*

## T

*No Change* **Tabacism, tabacosis, tabagism** - see also Poisoning, tobacco  
*No Change* - meaning dependence (without remission) F17.200  
*No Change* - - with  
*No Change* - - - disorder F17.299  
*Delete* - - - - remission F17.211  
*Add* - - - - in remission F17.211  
*No Change* **Telangiectasia, telangiectasis (verrucous)** I78.1  
*Add* - macularis eruptiva perstans D47.01  
*Revise from* **Terry's syndrome** H44.2-  
*Revise to* **Terry's syndrome (see also Myopia, degenerative)** H44.2-  
*No Change* **Therapy**  
*No Change* - drug, long-term (current) (prophylactic)  
*Revise from* - - hormone replacement (postmenopausal) Z79.890  
*Revise to* - - hormone replacement Z79.890  
*No Change* **Thrombophlebitis** I80.9  
*Revise from* - leg I80.299  
*Revise to* - leg I80.3  
*No Change* **Thrombosis, thrombotic (bland) (multiple) (progressive) (silent) (vessel)** I82.90  
*No Change* - artery, arteries (postinfectious) I74.9  
*Revise from* - - choroidal (anterior) - see Occlusion, artery, cerebral, specified NEC  
*Revise to* - - choroidal (anterior) - see Occlusion, artery, precerebral, specified NEC  
*Revise from* - - communicating, posterior - see Occlusion, artery, cerebral, specified NEC  
*Revise to* - - communicating, posterior - see Occlusion, artery, precerebral, specified NEC  
*Revise from* - - hypophyseal - see Occlusion, artery, cerebral, specified NEC  
*Revise to* - - hypophyseal - see Occlusion, artery, precerebral, specified NEC  
*Revise from* - - pontine - see Occlusion, artery, cerebral, specified NEC  
*Revise to* - - pontine - see Occlusion, artery, precerebral, specified NEC  
*No Change* - atrium, auricular - see also Infarct, myocardium  
*Add* - - old I51.3  
*No Change* - cardiac - see also Infarct, myocardium  
*Add* - - old I51.3  
*No Change* - heart (chamber) - see also Infarct, myocardium  
*Add* - - old I51.3  
*No Change* - intramural - see also Infarct, myocardium  
*Add* - - old I51.3  
*No Change* - mural - see also Infarct, myocardium  
*Add* - - old I51.3  
*No Change* - ventricle - see also Infarct, myocardium  
*Add* - - old I51.3  
*No Change* **Thyrotoxicosis (recurrent)** E05.90  
*Revise from* - heart E05.90 [I43]  
*Revise to* - heart (see also Failure, heart, high-output) E05.90 [I43]  
*Revise from* - - with thyroid storm E05.91 [I43]  
*Revise to* - - with thyroid storm (see also Failure, heart, high-output) E05.91 [I43]  
*Revise from* - - failure E05.90 [I43]  
*Revise to* - - failure (see also Failure, heart, high-output) E05.90 [I43]  
*No Change* **Tinea (intersecta) (tarsi)** B35.9  
*Delete* - specified site NEC B35.8  
*Add* - specified NEC B35.8  
*No Change* **Tumor** - see also Neoplasm, unspecified behavior, by site  
*Revise from* - mast cell D47.0  
*Revise to* - mast cell D47.09

*Delete* - - malignant C96.2  
*No Change* - stromal  
*No Change* - - gastrointestinal C49.A-  
*Delete* - - - large intestine C49.A4  
*No Change* **Twin (newborn)** - see also Newborn, twin  
*Revise from* - pregnancy - see Pregnancy, twin, conjoined  
*Revise to* - pregnancy - see Pregnancy, twin

*No Change*

## U

*No Change* **Ulcer, ulcerated, ulcerating, ulceration, ulcerative**

*No Change* - back L98.429  
*No Change* - - with  
*Add* - - - bone involvement without evidence of necrosis L98.426  
*Add* - - - muscle involvement without evidence of necrosis L98.425  
*Add* - - - specified severity NEC L98.428  
*No Change* - buttock L98.419  
*No Change* - - with  
*Add* - - - bone involvement without evidence of necrosis L98.416  
*Add* - - - muscle involvement without evidence of necrosis L98.415  
*Add* - - - specified severity NEC L98.418  
*No Change* - lower limb (atrophic) (chronic) (neurogenic) (perforating) (pyogenic) (trophic) (tropical) L97.909  
*No Change* - - with  
*Add* - - - bone involvement without evidence of necrosis L97.906  
*Add* - - - muscle involvement without evidence of necrosis L97.905  
*Add* - - - specified severity NEC L97.908  
*No Change* - - ankle L97.309  
*No Change* - - - with  
*Add* - - - - bone involvement without evidence of necrosis L97.306  
*Add* - - - - muscle involvement without evidence of necrosis L97.305  
*Add* - - - - specified severity NEC L97.308  
*No Change* - - - left L97.329  
*No Change* - - - - with  
*Add* - - - - - bone involvement without evidence of necrosis L97.326  
*Add* - - - - - muscle involvement without evidence of necrosis L97.325  
*Add* - - - - - specified severity NEC L97.328  
*No Change* - - - right L97.319  
*No Change* - - - - with  
*Add* - - - - - bone involvement without evidence of necrosis L97.316  
*Add* - - - - - muscle involvement without evidence of necrosis L97.315  
*Add* - - - - - specified severity NEC L97.318  
*No Change* - - calf L97.209  
*No Change* - - - with  
*Add* - - - - bone involvement without evidence of necrosis L97.206  
*Add* - - - - muscle involvement without evidence of necrosis L97.205  
*Add* - - - - specified severity NEC L97.208  
*No Change* - - - left L97.229  
*No Change* - - - - with  
*Add* - - - - - bone involvement without evidence of necrosis L97.226  
*Add* - - - - - muscle involvement without evidence of necrosis L97.225  
*Add* - - - - - specified severity NEC L97.228  
*No Change* - - - right L97.219  
*No Change* - - - - with  
*Add* - - - - - bone involvement without evidence of necrosis L97.216  
*Add* - - - - - muscle involvement without evidence of necrosis L97.215  
*Add* - - - - - specified severity NEC L97.218  
*No Change* - - foot specified NEC L97.509  
*No Change* - - - with  
*Add* - - - - bone involvement without evidence of necrosis L97.506  
*Add* - - - - muscle involvement without evidence of necrosis L97.505

Add ----- specified severity NEC L97.508  
No Change --- left L97.529  
No Change ---- with  
Add ----- bone involvement without evidence of necrosis L97.526  
Add ----- muscle involvement without evidence of necrosis L97.525  
Add ----- specified severity NEC L97.528  
No Change --- right L97.519  
No Change ---- with  
Add ----- bone involvement without evidence of necrosis L97.516  
Add ----- muscle involvement without evidence of necrosis L97.515  
Add ----- specified severity NEC L97.518  
No Change -- heel L97.409  
No Change --- with  
Add ----- bone involvement without evidence of necrosis L97.406  
Add ----- muscle involvement without evidence of necrosis L97.405  
Add ----- specified severity NEC L97.408  
No Change --- left L97.429  
No Change ---- with  
Add ----- bone involvement without evidence of necrosis L97.426  
Add ----- muscle involvement without evidence of necrosis L97.425  
Add ----- specified severity NEC L97.428  
No Change --- right L97.419  
No Change ---- with  
Add ----- bone involvement without evidence of necrosis L97.416  
Add ----- muscle involvement without evidence of necrosis L97.415  
Add ----- specified severity NEC L97.418  
No Change -- left L97.929  
No Change --- with  
Add ----- bone involvement without evidence of necrosis L97.926  
Add ----- muscle involvement without evidence of necrosis L97.925  
Add ----- specified severity NEC L97.928  
No Change -- lower leg NOS L97.909  
No Change --- with  
Add ----- bone involvement without evidence of necrosis L97.906  
Add ----- muscle involvement without evidence of necrosis L97.905  
Add ----- specified severity NEC L97.908  
No Change --- left L97.929  
No Change ---- with  
Add ----- bone involvement without evidence of necrosis L97.926  
Add ----- muscle involvement without evidence of necrosis L97.925  
Add ----- specified severity NEC L97.928  
No Change --- right L97.919  
No Change ---- with  
Add ----- bone involvement without evidence of necrosis L97.916  
Add ----- muscle involvement without evidence of necrosis L97.915  
Add ----- specified severity NEC L97.918  
No Change --- specified site NEC L97.809  
No Change ---- with  
Add ----- bone involvement without evidence of necrosis L97.806  
Add ----- muscle involvement without evidence of necrosis L97.805  
Add ----- specified severity NEC L97.808  
No Change --- left L97.829  
No Change ---- with  
Add ----- bone involvement without evidence of necrosis L97.826  
Add ----- muscle involvement without evidence of necrosis L97.825  
Add ----- specified severity NEC L97.828  
No Change --- right L97.819  
No Change ---- with  
Add ----- bone involvement without evidence of necrosis L97.816  
Add ----- muscle involvement without evidence of necrosis L97.815

Add ----- specified severity NEC L97.818  
 No Change -- midfoot L97.409  
 No Change --- with  
 Add ---- bone involvement without evidence of necrosis L97.406  
 Add ---- muscle involvement without evidence of necrosis L97.405  
 Add ---- specified severity NEC L97.408  
 No Change --- left L97.429  
 No Change ---- with  
 Add ---- bone involvement without evidence of necrosis L97.426  
 Add ---- muscle involvement without evidence of necrosis L97.425  
 Add ---- specified severity NEC L97.428  
 No Change --- right L97.419  
 No Change ---- with  
 Add ---- bone involvement without evidence of necrosis L97.416  
 Add ---- muscle involvement without evidence of necrosis L97.415  
 Add ---- specified severity NEC L97.418  
 No Change -- right L97.919  
 No Change --- with  
 Add ---- bone involvement without evidence of necrosis L97.916  
 Add ---- muscle involvement without evidence of necrosis L97.915  
 Add ---- specified severity NEC L97.918  
 No Change -- thigh L97.109  
 No Change --- with  
 Add ---- bone involvement without evidence of necrosis L97.106  
 Add ---- muscle involvement without evidence of necrosis L97.105  
 Add ---- specified severity NEC L97.108  
 No Change --- left L97.129  
 No Change ---- with  
 Add ---- bone involvement without evidence of necrosis L97.126  
 Add ---- muscle involvement without evidence of necrosis L97.125  
 Add ---- specified severity NEC L97.128  
 No Change --- right L97.119  
 No Change ---- with  
 Add ---- bone involvement without evidence of necrosis L97.116  
 Add ---- muscle involvement without evidence of necrosis L97.115  
 Add ---- specified severity NEC L97.118  
 No Change -- toe L97.509  
 No Change --- with  
 Add ---- bone involvement without evidence of necrosis L97.506  
 Add ---- muscle involvement without evidence of necrosis L97.505  
 Add ---- specified severity NEC L97.508  
 No Change --- left L97.529  
 No Change ---- with  
 Add ---- bone involvement without evidence of necrosis L97.526  
 Add ---- muscle involvement without evidence of necrosis L97.525  
 Add ---- specified severity NEC L97.528  
 No Change --- right L97.519  
 No Change ---- with  
 Add ---- bone involvement without evidence of necrosis L97.516  
 Add ---- muscle involvement without evidence of necrosis L97.515  
 Add ---- specified severity NEC L97.518  
 No Change - skin (atrophic) (chronic) (neurogenic) (non-healing) (perforating) (pyogenic) (trophic) (tropical) L98.499  
 No Change -- specified site NEC L98.499  
 No Change --- with  
 Add ---- bone involvement without evidence of necrosis L98.496  
 Add ---- muscle involvement without evidence of necrosis L98.495  
 Add ---- specified severity NEC L98.498  
 No Change **Unicornate uterus** Q51.4  
 Add - in pregnancy or childbirth O34.00  
 No Change **Uremia, uremic** N19

*Delete* - chronic (see also Disease, kidney, chronic) N18.9  
*Delete* - - due to hypertension - see Hypertensive, kidney  
*Add* - chronic NOS (see also Disease, kidney, chronic) N18.9  
*Add* - - due to hypertension - see Hypertensive, kidney  
*No Change* **Urticaria** L50.9  
*Revise from* - neonatorum P83.8  
*Revise to* - neonatorum P83.88  
*Revise from* - pigmentosa Q82.2  
*Revise to* - pigmentosa D47.01  
*Add* - - congenital Q82.2  
*Add* - - of neonatal onset Q82.2  
*Add* - - of newborn onset Q82.2  
*Revise from* - xanthelasmaidea Q82.2  
*Revise to* - xanthelasmaidea - see Urticaria pigmentosa

*No Change*

## V

*No Change* **Varix (lower limb) (ruptured)** I83.90  
*No Change* - leg (asymptomatic) I83.90  
*No Change* - - bilateral (asymptomatic) I83.93  
*No Change* - - - with  
*Revise from* - - - - ulcer I83.009  
*Revise to* - - - - ulcer I83.0-  
*No Change* **Vasculitis** I77.6  
*Add* - systemic M31.8

*No Change*

## W

*Add* **Wound check** Z48.0-  
*Add* - due to injury - code to Injury, by site, using appropriate seventh character for subsequent encounter  
*Revise from* **Wound, open**  
*Revise to* **Wound, open** T14.8-