

DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
SAM. L. ROGERS, DIRECTOR

MORTALITY STATISTICS

1914

FIFTEENTH ANNUAL REPORT



WASHINGTON
GOVERNMENT PRINTING OFFICE
1916

CONTENTS.

TEXT.

	Page.
DEATHS AND CRUDE DEATH RATES.....	9-20
Growth of the registration area, 1880 to 1914.....	9
Extent of the registration area in 1914.....	10
Color, nativity, parent nativity, age, and sex of decedent.....	10
Death rates of the registration area.....	11
Death rates of the registration states.....	12
Death rates of large cities.....	12
Death rates of foreign countries and cities.....	13
Death rates of cities with considerable colored population.....	16
Deaths of nonresidents.....	18
CAUSES OF DEATH.....	20-33
Detailed and abridged International Lists.....	20
Changes in the detailed International List.....	21
Death rates from certain important causes of death in the registration area of the United States for each of the years 1900 to 1914.....	22
Typhoid fever.....	24
Measles.....	24
Scarlet fever.....	25
Whooping cough.....	25
Diphtheria and croup.....	26
Influenza.....	26
Other epidemic diseases.....	27
Pellagra.....	27
Tuberculosis (all forms).....	28
Tuberculosis of the lungs.....	28
Cancer.....	29
Organic diseases of the heart.....	30
Pneumonia (all forms).....	31
Diarrhea and enteritis (under 2 years).....	32
Bright's disease and nephritis.....	32
Suicide.....	33
Violent deaths (excluding suicide).....	33
ACCURACY OF STATISTICS OF CAUSES OF DEATH.....	34-36

SUMMARY AND RATE TABLES.

TABLE IA.—Population, deaths (exclusive of stillbirths) and death rates per 1,000 population, in the registration area, its main subdivisions, each registration state (by cities and rural districts), and each group of registration cities in nonregistration states: 1914.....	39
TABLE IB.—Population, deaths (exclusive of stillbirths), including and excluding deaths of nonresidents, and death rates per 1,000 population in each registration city and each rural registration unit: 1914.....	42
TABLE II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, by causes, according to the detailed International List, for the registration area: 1911 to 1914.....	62
TABLE III.—Death rates per 100,000 population in the registration area and its subdivisions, by color of decedent and cause of death: 1914.....	66
TABLE IV.—Death rates per 100,000 population in cities and rural districts of each registration state, from each cause and class of causes: 1914.....	152

GENERAL TABLES.

	Page.
TABLE 1.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by month of death: 1914.....	174
TABLE 2.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color, general nativity, and parent nativity of decedent: 1914.....	183
TABLE 3.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color and age of decedent: 1914.....	192
TABLE 4.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, each registration state, and each city of 100,000 population or over in 1910, by age and by sex, color, general nativity, and parent nativity of decedent: 1914..	218
TABLE 5.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color of decedent and cause of death: 1914.....	304
TABLE 6.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1914.....	388
TABLE 7.—Deaths (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1914.....	408
TABLE 7A.—Deaths of white persons (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1914.....	420
TABLE 7B.—Deaths of colored persons (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1914.....	432
TABLE 8.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1914.....	444
TABLE 9.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List), and by age of decedent: 1914.....	567
TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1914.....	622
TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1914.....	660

MAP.

Growth of the registration area for deaths: 1880 to 1914.....	8
---	---

DIAGRAMS.

Percentages which the population and land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1914, inclusive.....	10
Number of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age, for each of the years 1900 to 1914..	11
General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1913.....	15
Death rates from certain important causes of death in the registration area of the United States for each of the years from 1900 to 1914.....	23
INDEX.....	711

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., March 10, 1916.

SIR:

I transmit herewith the annual report on mortality statistics for 1914, which is the fifteenth annual compilation of such statistics prepared by the Bureau of the Census. It is based on transcripts from the records of the registration area, which in 1914 had an estimated population of 65,989,295, or 66.8 per cent of the total estimated population of the United States. The number of deaths registered was 898,059, corresponding to a death rate of 13.6 per 1,000 population, the lowest ever recorded for the registration area.

Kansas was admitted to the registration area for deaths for 1914, and during 1915 excellent laws for the registration of births and deaths were enacted in the states of Florida and Illinois.

This report was prepared under the direction of Mr. Richard C. Lappin, chief statistician for vital statistics, assisted by Mr. George H. Van Buren, expert chief of division.

Respectfully,

Sam. Sr. Rogers

Director of the Census.

To Hon. WILLIAM C. REDFIELD,
Secretary of Commerce.





(5)

MORTALITY. STATISTICS

1914

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880-1914.

NOTE.—In addition to the registration states (shaded in the cartograms) the registration area included certain cities in nonregistration states.



MORTALITY STATISTICS: 1914.

DEATHS AND CRUDE DEATH RATES.

The total number of deaths returned from the registration area of the United States for the year 1914 was 898,059. The estimated midyear population of this area was 65,989,295, or 66.8 per cent of the total estimated population of the United States. The death rate for the year was 13.6 per 1,000 of population, the lowest on record since the establishment of the registration area in 1880.

The following table shows the number of deaths and the death rates per 1,000 of population for the census years ended May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1914:

YEAR.	DEATHS FROM ALL CAUSES, ¹ REGISTRATION AREA.		YEAR.	DEATHS FROM ALL CAUSES, ¹ REGISTRATION AREA.	
	Number.	Rate per 1,000 population.		Number.	Rate per 1,000 population.
1914.....	898,059	13.6	1905.....	545,533	16.0
1913.....	890,848	14.1	1904.....	551,354	16.5
1912.....	838,251	13.9	1903.....	524,415	16.0
1911.....	839,284	14.2	1902.....	508,640	15.9
1910.....	805,412	15.0	1901.....	518,207	16.5
1909.....	732,538	14.4	1900.....	539,939	17.6
1908.....	691,574	14.8	1900 ²	512,669	17.8
1907.....	687,034	16.0	1890 ²	386,212	19.6
1906.....	658,105	15.7	1880 ²	169,453	19.8

¹ Exclusive of stillbirths.

² Census year ended May 31.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1914.

The series of annual reports began with the year 1900, following the series of decennial reports, which began with the report of the Seventh Census, for 1850, and terminated with that of the Twelfth Census, for the year ended May 31, 1900. The registration area was established in 1880, and then comprised the states of Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration states, the population of the entire area being 8,538,366, or 17 per cent of the total population of the United States. Connecticut, Delaware, New Hampshire, New York, Rhode Island, and Vermont, and a number of cities in nonregistration states, were added in 1890, nearly doubling the percentage of population (31.4) included. In 1900, for the census year ended May 31, two more states, Maine and Michigan, and a number of cities in nonregistration states, were brought into the area and Delaware was dropped, the percentage of population included being thereby increased to 37.9.

With the beginning of annual mortality reports and the discontinuance of the decennial series, Indiana became a registration state, and the percentage of population included in the registration area was raised to 40.5. Thereafter there was little or no increase in the area until 1906, when California, Colorado, Maryland, Pennsylvania, and South Dakota (since discontinued) were admitted, bringing the percentage up to 48.9. The next addition was in 1908, when Washington and Wisconsin became registration states, and at last over one-half of the population of the United States (52.5 per cent, according to the estimates for that year) was included in the area. The proportion continued to increase with the admission of Ohio in 1909; Minnesota, Montana, Utah, and the North Carolina municipalities, which had in 1900 a population of 1,000 or more, in 1910; Kentucky and Missouri in 1911; Virginia in 1913; and Kansas in 1914, in which year the estimated population of the registration area represented 66.8 per cent of the total for the United States.

The growth of the registration area in population and in square miles from 1880 to 1914, inclusive, is shown in the following table:

YEAR.	POPULATION AND LAND AREA OF THE UNITED STATES.		REGISTRATION AREA FOR DEATHS.			
	Population.	Land area (square miles).	Population.		Land area.	
			Number.	Per cent of total.	Square miles.	Per cent of total.
Calendar year 1914....	98,781,324	12,973,890	65,989,295	66.8	1,228,644	41.3
Calendar year 1913....	97,163,330	12,973,890	63,298,718	65.1	1,147,039	38.6
Calendar year 1912....	95,545,336	12,973,890	60,427,247	63.2	1,106,777	37.2
Calendar year 1911....	93,927,342	12,973,890	59,275,977	63.1	1,106,734	37.2
Calendar year 1910....	92,309,348	12,973,890	53,843,896	58.3	997,978	33.6
Calendar year 1909....	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
Calendar year 1908....	89,073,360	2,974,159	46,789,913	52.5	729,117	24.4
Calendar year 1907....	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
Calendar year 1906....	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
Calendar year 1905....	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
Calendar year 1904....	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
Calendar year 1903....	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
Calendar year 1902....	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
Calendar year 1901....	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
Calendar year 1900....	75,994,575	2,974,159	30,765,618	40.5	212,621	7.1
Calendar year 1900 ²	62,622,250	2,973,965	23,807,269	37.9	176,878	5.9
Calendar year 1890 ²	62,622,250	2,973,965	19,659,440	31.4	90,695	3.0
Calendar year 1880 ²	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6


¹ Net reduction of 269 square miles as compared with area stated by census of 1900, due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.

² Ended May 31.

The percentages which the population and the land area of the registration area formed of the total population and land area of the United States for the

years 1880, 1890, and 1900 to 1914, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1914, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1914.

The registration area in 1914 was composed of 25 states, the District of Columbia, and 32 cities in non-registration states. Included among the registration states, however, is North Carolina, the returns from which relate only to the municipalities having 1,000 population and over in 1910. These states and cities were admitted to the registration area only after it appeared, from such evidence as was available, that their returns were approximately complete; that is to say, that at least 90 per cent of all deaths were properly recorded under state law or municipal ordinance, and transcripts of the records were furnished the Bureau of the Census.

The following states are included in the registration area for 1914:

- | | | |
|----------------|--|---------------|
| California. | Minnesota. | Ohio. |
| Colorado. | Missouri. | Pennsylvania. |
| Connecticut. | Montana. | Rhode Island. |
| Indiana. | New Hampshire. | Utah. |
| Kansas. | New Jersey. | Vermont. |
| Kentucky. | New York. | Virginia. |
| Maine. | North Carolina (municipalities of 1,000 population or over in 1910). | Washington. |
| Maryland. | | Wisconsin. |
| Massachusetts. | | |
| Michigan. | | |

The entire area comprises the above-named states, the District of Columbia, and the following-named registration cities in nonregistration states:

- | | | |
|---------------|---------------|-----------------|
| Alabama: | Illinois: | Oregon: |
| Birmingham. | Aurora. | Portland. |
| Mobile. | Bellevue. | South Carolina: |
| Montgomery. | Chicago. | Charleston. |
| Delaware: | Decatur. | Tennessee: |
| Wilmington. | Evanston. | Chattanooga. |
| Florida: | Jacksonville. | Jackson. |
| Jacksonville. | Quincy. | Knoxville. |
| Key West. | Springfield. | Memphis. |
| Pensacola. | Louisiana: | Nashville. |
| Georgia: | New Orleans. | Texas: |
| Atlanta. | Nebraska: | El Paso. |
| Augusta. | Lincoln. | Galveston. |
| Savannah. | Omaha. | San Antonio. |
| | | West Virginia: |
| | | Wheeling. |

COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

Of the 898,059 deaths in the registration area in 1914, 491,416, or 54.7 per cent, were of males and 406,643, or 45.3 per cent, were of females; and 824,319, or 91.8 per cent, were of whites and 73,740, or 8.2 per cent, were of colored persons. Of the total deaths, 70,429, or 7.8 per cent, were of Negroes, 1,018 were of Chinese, 904 were of Japanese, and 1,369 were of Indians. Further comparisons of these groups may be made from the following table:

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES, ¹ REGISTRATION AREA: 1914.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate.....	898,059	491,416	406,643	1,000.0	1,000.0	1,000.0
White.....	824,319	452,272	372,047	917.9	920.3	914.9
Native.....	605,349	325,818	279,531	674.1	668.0	687.4
Both parents native.....	327,696	172,096	155,600	364.9	350.2	382.6
One or both parents foreign born.....	208,189	111,645	91,544	226.3	227.2	225.1
Parentage unknown.....	74,464	42,077	32,387	82.9	85.6	79.6
Foreign born.....	207,272	117,256	90,016	230.8	238.6	221.4
Unknown.....	11,698	9,198	2,500	13.0	18.7	6.1
Colored.....	73,740	39,144	34,596	82.1	79.7	85.1
Negro.....	70,429	36,846	33,583	78.4	75.0	82.6
Chinese.....	1,018	945	73	1.1	1.9	0.2
Japanese.....	904	620	284	1.0	1.3	0.7
Indian.....	1,369	716	653	1.5	1.5	1.6
Other colored ²	20	17	3	(³)	(³)	(³)

¹ Exclusive of stillbirths.
² Including 7 Hindus, 5 Hawaiians, 4 Koreans, 3 Filipinos, and 1 Malay.
³ Less than one-tenth of 1 per 1,000.

The general age distribution of the decedents is shown in the following table. As in earlier years, large proportions of the deaths reported are of infants under 1 year of age and of children under 5—155,075, or 17.3 per cent, and 214,120, or 23.8 per cent, respectively. These percentages, however, are somewhat lower than the corresponding ones for 1913—17.9 for infants under 1 year and 25.3 for children under 5 years of age.

AGE OF DECEDENT.	DEATHS FROM ALL CAUSES, ¹ REGISTRATION AREA: 1914.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
All ages.....	898,059	491,416	406,643	1,000.0	1,000.0	1,000.0
Under 1 year.....	155,075	87,086	67,989	172.7	177.2	167.2
1 year.....	30,619	16,284	14,335	34.1	33.1	35.3
2 years.....	13,527	7,105	6,422	15.1	14.5	15.8
3 years.....	8,540	4,589	3,951	9.5	9.3	9.7
4 years.....	6,359	3,311	3,048	7.1	6.7	7.5
Under 5 years.....	214,120	118,375	95,745	238.4	240.9	235.5
5 to 9 years.....	19,302	10,162	9,140	21.5	20.7	22.5
10 to 14 years.....	12,873	6,819	6,054	14.3	13.9	14.9
15 to 19 years.....	21,256	10,934	10,322	23.7	22.2	25.4
20 to 24 years.....	32,924	17,516	15,408	36.7	35.6	37.9
25 to 29 years.....	35,707	19,407	16,300	39.8	39.5	40.1
30 to 34 years.....	36,090	20,212	15,878	40.2	41.1	39.0
35 to 39 years.....	40,309	23,154	17,155	44.9	47.1	42.2
40 to 44 years.....	40,919	24,116	16,803	45.6	49.1	41.3
45 to 49 years.....	43,082	25,283	17,799	48.0	51.4	43.7
50 to 54 years.....	49,103	28,509	20,594	54.7	58.6	49.9
55 to 59 years.....	49,902	28,896	21,006	55.6	58.3	51.7
60 to 64 years.....	55,530	31,255	24,275	61.8	63.6	59.7
65 to 69 years.....	59,803	32,728	27,075	66.6	66.6	66.6
70 to 74 years.....	61,869	32,760	29,109	68.9	66.7	71.6
75 to 79 years.....	53,775	27,365	26,410	59.9	55.7	64.9
80 to 84 years.....	39,669	19,132	20,537	44.2	38.9	50.5
85 to 89 years.....	21,047	9,600	11,447	23.4	19.5	28.1
90 to 94 years.....	7,294	3,129	4,165	8.1	6.4	10.2
95 to 99 years.....	1,711	704	1,007	1.9	1.4	2.5
100 years and over.....	467	179	288	0.5	0.4	0.7
Unknown.....	1,327	881	446	1.5	1.8	1.1


¹ Exclusive of stillbirths.

The following table and diagram show, for each of the years 1900 to 1914, the number of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age:

CALENDAR YEAR.	NUMBER OF DEATHS ¹ IN THE REGISTRATION AREA.		
	All ages.	Under 1 year.	Under 5 years.
1914.....	898,059	155,075	214,120
1913.....	890,848	159,435	225,129
1912.....	838,251	147,455	204,639
1911.....	839,284	149,322	209,482
1910.....	805,412	154,373	217,319
1909.....	732,538	140,057	196,534
1908.....	691,574	136,432	189,885
1907.....	687,034	131,110	183,774
1906.....	658,105	123,105	186,978
1905.....	545,533	105,553	147,384
1904.....	551,354	102,880	145,902
1903.....	524,415	96,857	139,940
1902.....	508,640	98,575	143,515
1901.....	518,207	97,477	141,678
1900.....	539,939	111,687	164,137

¹ Exclusive of stillbirths.

NUMBER OF DEATHS IN THE REGISTRATION AREA AT ALL AGES, UNDER 1 YEAR OF AGE, AND UNDER 5 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1914.



DEATH RATES OF THE REGISTRATION AREA.

The following table shows the death rates of the registration area, with its main subdivisions, for the years 1911 to 1914 and the annual averages for the quinquennial periods 1901 to 1905 and 1906 to 1910:

AREA.	DEATH RATE FROM ALL CAUSES ¹ PER 1,000 POPULATION.					
	1914	1913	1912	1911	Annual average.	
					1906 to 1910	1901 to 1905
The registration area.....	13.6	14.1	13.9	14.2	15.1	16.2
Registration states ²	13.4	13.9	13.6	13.9	15.0	15.9
Cities in registration states ²	14.5	15.0	14.7	15.1	16.3	17.4
Rural part of registration states.....	12.3	12.7	12.4	12.7	13.4	14.1
Registration cities in other states.....	16.0	16.3	16.6	16.9	15.9	16.6
All registration cities ²	14.7	15.2	15.0	15.3	16.2	17.0

¹ Exclusive of stillbirths.

² Including District of Columbia.

The state of Kansas was added to the registration area for 1914.

For the area as a whole and for each of its main subdivisions, with the exception of registration cities in nonregistration states, the death rates for 1914 were lower than for any other year or period shown in the table.

A more satisfactory comparison, because relating to the same area throughout the entire period covered, is given in the following table, which presents, with respect to the group of registration states as constituted in 1900, for the years and periods shown in the preceding table, the crude death rates for the entire group of states and for the cities and rural portions separately.

AREA.	DEATH RATE FROM ALL CAUSES ¹ PER 1,000 POPULATION.					
	1914	1913	1912	1911	Annual average.	
					1906 to 1910	1901 to 1905
Registration states, ² 1900.....	14.4	14.7	14.6	14.9	15.5	15.9
Cities ²	14.7	15.1	14.9	15.4	16.4	17.4
Rural districts.....	14.0	14.1	13.9	14.3	14.2	14.1

¹ Exclusive of stillbirths.

² Including District of Columbia.

The group of registration states covered by the first annual mortality report, namely, that for the calendar year 1900, comprised Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, Vermont, and the District of Columbia. This group is commonly referred to as the "original registration states." Their total population, approximating 20,000,000 in 1900 and 25,800,000 in 1914, represents for each year about the same proportion—slightly over 26 per cent—of

the entire population of the United States. For this considerable portion of the country the registration of deaths should be considered to be somewhat more complete than for the registration area as a whole. The death rate of the rural districts shows but slight changes during the period to which the comparison relates, the reduction for the group of states being due entirely to the decrease of the rate in the cities which has resulted, at least in part, from the enactment and enforcement of stricter sanitary laws and from various movements and campaigns carried on for the purpose of safeguarding life and health.

DEATH RATES OF THE REGISTRATION STATES.

The following table presents the general or crude death rates for the states included in the registration area for 1914, with comparative figures for the three years preceding and for the quinquennial periods 1901 to 1905 and 1906 to 1910:

STATE.	DEATH RATE FROM ALL CAUSES ¹ PER 1,000 POPULATION.				Annual average.	
	1914	1913	1912	1911	1906 to 1910	
					1906 to 1910	1901 to 1905
Registration states ²	13.4	13.9	13.6	13.9	15.0	15.9
California.....	13.6	14.5	14.2	13.7	13.9	(3)
Colorado.....	11.2	11.5	11.6	12.9	14.3	(3)
Connecticut.....	15.1	15.0	14.9	15.4	15.6	15.7
Indiana.....	12.9	13.3	13.0	12.9	13.0	13.2
Kansas.....	9.8	(3)	(3)	(3)	(3)	(3)
Kentucky.....	12.9	13.1	12.9	13.2	(3)	(3)
Maine.....	15.6	15.3	15.5	16.1	16.2	15.9
Maryland.....	15.9	16.2	15.5	15.8	16.0	(3)
Massachusetts.....	14.7	15.0	15.0	15.3	16.1	16.6
Michigan.....	13.4	13.9	13.4	13.2	13.6	13.3
Minnesota.....	10.6	10.4	9.5	10.5	(3)	(3)
Missouri.....	12.3	12.4	12.6	13.1	(3)	(3)
Montana.....	11.2	12.0	10.1	10.2	(3)	(3)
New Hampshire.....	16.3	17.1	16.4	17.1	17.2	16.6
New Jersey.....	14.2	14.3	14.1	14.7	15.4	16.1
New York.....	14.7	15.0	15.0	15.5	16.4	17.1
North Carolina ⁶	19.0	16.8	17.3	18.3	(3)	(3)
Ohio.....	13.0	13.8	13.4	13.1	(3)	(3)
Pennsylvania.....	13.9	14.6	14.0	14.2	15.5	(3)
Rhode Island.....	14.7	15.0	15.2	15.5	16.7	17.8
Utah.....	10.1	11.0	9.9	10.3	(3)	(3)
Vermont.....	15.0	15.8	15.2	15.8	16.1	16.2
Virginia.....	14.0	13.9	(3)	(3)	(3)	(3)
Washington.....	8.1	8.5	7.9	8.9	(3)	(3)
Wisconsin.....	11.1	11.5	11.3	11.5	(3)	(3)

¹ Exclusive of stillbirths.

² Including District of Columbia.

³ Not admitted to registration area until a later date.

⁴ These rates are based on estimates of population computed on the assumption that the annual numerical increase since 1910 has been the same as the average annual numerical increase between 1900 and 1910. This method probably results, in the cases of the states and the years indicated, in an exaggeration of the estimated population and a consequent reduction of the apparent death rate below the true figure.

⁵ Figures for deaths not available for the entire period.

⁶ The figures for the years prior to 1914 relate only to municipalities having 1,000 inhabitants or more in 1900; for 1914 they relate to municipalities having 1,000 inhabitants or more in 1910.

Most of the states show, for 1914, a slight reduction as compared with the preceding year. The highest rate appearing for 1914 is that for North Carolina (19), which relates only to municipalities having 1,000 inhabitants or more in 1910; and the next highest are those for New Hampshire (16.3) and Maryland (15.9).

The lowest are those for Washington (8.1) and Kansas (9.8). The rates for these two states, and especially for the former, are probably too low, since it is likely that the estimates of population on which they are based are too high. As explained in footnote 4, census estimates of population are computed on the assumption that the annual numerical increase since 1910 has been the same as the average annual numerical increase between 1900 and 1910. This method of calculation, although it has been demonstrated to produce, in the majority of cases, closer approximations to accuracy than can be obtained by any other method which has yet been devised, necessarily results in exaggerated estimates for some areas.

It should be remembered that these are crude rates, which make no allowance for differences in the sex, age, and color distribution of the population. Care should be taken, therefore, not to give too great weight to the figures shown for certain states, especially those in which the registration laws have been in operation for only a short time. It is possible, and even probable, that the degree of completeness with which deaths are recorded varies to a considerable extent in different states; hence the inference that one state is more healthful than another should not be drawn without more thorough investigation.

DEATH RATES OF LARGE CITIES.

The following table shows the death rates per 1,000 of population in registration cities which had 100,000 inhabitants or more in 1910, for each of the four years 1911 to 1914, together with the annual averages for the five-year periods 1901 to 1905 and 1906 to 1910. For the cities in which the colored population formed 10 per cent or more of the total, the rates are shown separately for the aggregate, white, and colored populations.

As in the case of the states, caution must be exercised in comparing these crude death rates. The cities with a considerable proportion of colored population are usually found to show higher death rates than other cities. If the sex and age constitution of the population, as well as the racial constitution, were also taken into consideration, many of the differences which appear among the rates for the various cities would be accounted for in the whole or in part. Furthermore, as deaths of nonresidents are included, certain cities to which invalids resort for treatment of tuberculosis and other diseases show much higher rates than if the statistics related only to the resident population.

For 33 of the 50 registration cities which had 100,000 or more inhabitants in 1910, the rate for 1914 was lower than that for the preceding year; and for 28 of the 49 for which comparisons can be made between the two five-year periods, the rate for the later period, 1906 to 1910, was lower than for the earlier.

DEATHS AND CRUDE DEATH RATES.

CITY	DEATH RATE FROM ALL CAUSES ¹ PER 1,000 POPULATION.						CITY.	DEATH RATE FROM ALL CAUSES ¹ PER 1,000 POPULATION.					
	1914	1913	1912	1911	Annual average.			1914	1913	1912	1911	Annual average.	
					1906 to 1910	1901 to 1905						1906 to 1910	1901 to 1905
Birmingham, Ala. (total).....	17.5	17.4	17.4	18.2	(*)	(*)	Omaha, Nebr.....	13.8	13.9	13.2	14.3	13.8	11.5
White.....	13.1	12.3	13.3	14.2	(*)	(*)	Jersey City, N. J.....	13.8	14.6	14.0	15.8	17.7	19.3
Colored.....	24.2	25.2	23.6	24.3	(*)	(*)	Newark, N. J.....	14.5	14.4	14.3	14.8	17.2	18.7
Los Angeles, Cal.....	12.9	15.0	14.7	14.5	14.8	16.4	Paterson, N. J.....	13.5	13.5	14.0	14.6	15.7	16.9
Oakland, Cal.....	11.6	12.5	12.8	12.7	15.4	13.3	Albany, N. Y.....	19.4	19.8	20.1	20.4	18.6	18.4
San Francisco, Cal.....	15.5	15.9	15.6	15.2	16.1	20.3	Buffalo, N. Y.....	15.5	15.8	14.8	14.5	16.0	15.5
Denver, Colo.....	13.2	13.7	14.2	15.5	17.5	17.2	New York, N. Y.....	14.1	14.3	14.5	15.2	16.9	19.0
Bridgeport, Conn.....	15.0	14.9	13.9	13.9	15.5	16.0	Bronx Borough ⁴	13.5	13.9	13.2	13.3	17.4	20.9
New Haven, Conn.....	16.1	15.9	16.5	16.7	17.3	17.3	Brooklyn Borough ⁴	13.8	13.9	14.2	14.8	16.3	18.2
Washington, D. C. (total).....	16.6	17.3	18.3	18.7	19.6	20.5	Manhattan Borough ⁴	14.3	14.6	14.9	16.0	17.4	19.5
White.....	13.8	14.4	14.8	15.5	15.9	16.5	Queens Borough ⁴	14.4	13.8	13.4	13.7	14.9	16.1
Colored.....	23.3	24.4	26.9	26.5	28.7	29.5	Richmond Borough ⁴	16.2	16.9	16.8	16.7	18.6	19.0
Atlanta, Ga. (total).....	16.5	17.4	18.0	19.8	19.4	21.1	Rochester, N. Y.....	14.3	14.6	14.6	14.4	14.7	14.6
White.....	13.2	13.5	14.6	15.8	15.6	16.1	Syracuse, N. Y.....	14.8	15.7	15.2	14.3	15.2	14.5
Colored.....	23.0	25.2	24.7	27.8	26.8	29.6	Cincinnati, Ohio.....	16.0	16.9	16.6	16.5	18.1	19.1
Chicago, Ill.....	14.2	15.1	14.8	14.5	14.9	14.5	Cleveland, Ohio.....	12.8	14.2	13.7	13.8	14.1	14.9
Indianapolis, Ind.....	15.9	15.7	15.0	14.7	15.2	15.4	Columbus, Ohio.....	14.8	15.3	14.4	14.3	15.1	15.4
Louisville, Ky. (total).....	16.5	16.2	16.4	16.1	17.4	19.0	Dayton, Ohio.....	13.8	16.0	15.1	13.7	15.5	15.1
White.....	14.8	14.3	14.3	13.9	15.1	16.9	Toledo, Ohio.....	15.5	16.2	15.8	14.9	14.9	14.3
Colored.....	23.8	24.8	26.1	25.8	27.7	28.1	Portland, Oreg.....	9.1	9.5	9.5	10.9	10.3	10.2
New Orleans, La. (total).....	20.5	19.9	20.1	20.4	21.7	22.4	Philadelphia, Pa.....	16.1	15.7	15.3	16.6	17.7	18.1
White.....	16.5	15.6	16.1	16.6	18.0	19.2	Pittsburgh, Pa.....	15.7	17.1	15.9	14.9	18.0	19.9
Colored.....	31.6	31.9	31.4	31.2	32.1	31.0	Scranton, Pa.....	15.8	14.8	14.6	14.8	16.3	16.2
Baltimore, Md. (total).....	18.1	18.5	18.2	18.4	19.5	20.0	Providence, R. I.....	15.2	15.2	15.8	15.6	17.6	18.8
White.....	16.0	16.2	16.3	16.2	17.3	17.8	Memphis, Tenn. (total).....	20.7	20.8	21.7	21.3	20.6	19.4
Colored.....	29.5	31.0	29.2	30.8	31.5	32.0	White.....	14.8	15.9	16.7	16.7	16.1	16.5
Boston, Mass.....	16.1	16.4	16.4	17.1	17.9	18.8	Colored.....	29.5	28.2	29.1	28.3	27.0	22.9
Cambridge, Mass.....	13.2	13.5	13.0	15.2	15.1	15.1	Nashville, Tenn. (total).....	18.4	17.8	19.3	20.5	19.3	21.5
Fall River, Mass.....	17.3	17.2	16.2	17.4	19.7	20.3	White.....	14.6	14.7	14.8	16.0	15.2	17.0
Lowell, Mass.....	15.9	15.9	17.4	17.7	19.4	20.2	Colored.....	26.1	24.0	28.2	29.6	27.2	29.6
Worcester, Mass.....	15.7	16.4	16.2	15.7	17.1	16.8	Richmond, Va. (total).....	19.7	20.4	20.7	21.0	22.5	23.4
Detroit, Mich.....	15.6	17.3	15.5	14.4	14.8	15.1	White.....	15.2	16.7	16.5	16.7	17.4	18.5
Grand Rapids, Mich.....	12.9	13.3	13.0	13.6	13.3	13.5	Colored.....	27.5	26.8	27.9	28.4	29.9	31.7
Minneapolis, Minn.....	12.0	11.6	10.4	11.5	11.0	10.2	Seattle, Wash.....	8 8.1	8 8.4	8 8.1	8 8.8	9.8	9.3
St. Paul, Minn.....	11.4	11.0	10.2	10.9	11.0	10.0	Spokane, Wash.....	8 8.6	8 8.9	8 8.4	11.6	12.8	11.3
Kansas City, Mo.....	14.0	14.8	15.2	15.4	14.6	15.9	Milwaukee, Wis.....	11.8	12.7	13.0	11.9	13.7	13.2
St. Louis, Mo.....	15.0	14.9	14.9	15.4	15.6	17.9							

¹ Exclusive of stillbirths.
² Average not shown for less than five years.
³ Not admitted to registration area until 1908.
⁴ From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911, deaths which occurred in boroughs other than those of residence, were distributed to the boroughs of residence.
⁵ Includes Allegheny for the five-year period.
⁶ Including Manchester for the years 1908 to 1910.
⁷ Excluding Manchester for the years 1908 to 1910.
⁸ These rates are based on estimates of population computed on the assumption that the annual numerical increase since 1910 has been the same as the average annual numerical increase between 1900 and 1910. This method probably results, in the cases of the cities and the years indicated, in an exaggeration of the estimated population and a consequent reduction of the apparent death rate below the true figure.

DEATH RATES OF FOREIGN COUNTRIES AND CITIES.

The following tables, taken from the latest report of the Registrar-General of England and Wales, for 1913, show the average annual death rates of most of the countries and a considerable number of the large

cities of Europe, and of certain other countries and cities, for each of the six five-year periods from 1881 to 1910, together with the rates for 1912 and 1913. They also show the per cent of decrease in the average annual rates between the two five-year periods 1881 to 1885 and 1906 to 1910:

MORTALITY STATISTICS.

COUNTRY.	ANNUAL CRUDE DEATH RATE ¹ PER 1,000 PERSONS LIVING.							De-crease per cent be-tween 1881 to 1885 and 1906 to 1910.	COUNTRY.	ANNUAL CRUDE DEATH RATE ¹ PER 1,000 PERSONS LIVING.							De-crease per cent be-tween 1881 to 1885 and 1906 to 1910.	
	1913	1912	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890			1881 to 1885	1913	1912	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895		1886 to 1890
United States (regis-tration area).....	14.1	13.9	15.1	16.2	(²)	(²)	(²)	(²)	Italy.....	(²)	18.2	21.0	21.9	22.9	25.5	27.2	27.3	23.1
Australian Common-wealth.....	10.8	11.2	10.7	11.7	12.7	13.3	14.8	15.7	Jamaica.....	21.7	25.1	24.4	22.6	22.1	22.0	23.5	(²)	(²)
Austria.....	(²)	20.5	22.3	24.2	25.6	27.9	28.9	30.1	Japan.....	(²)	(²)	21.0	20.9	20.7	21.1	20.6	(²)	(²)
Belgium.....	(²)	14.8	15.9	17.0	18.1	20.1	20.2	20.6	Netherlands.....	12.3	12.3	14.3	16.0	17.2	19.6	20.5	21.4	33.2
Bulgaria.....	(²)	(²)	23.8	22.5	23.9	27.8	18.9	17.7	New Zealand.....	9.5	8.9	9.7	9.9	9.6	10.1	9.9	10.9	11.0
Ceylon.....	28.4	32.4	30.8	26.7	27.0	28.3	25.1	(²)	Norway.....	13.2	13.5	13.8	14.5	15.6	16.8	17.0	17.2	19.8
Chile.....	(²)	29.7	31.3	30.2	28.8	32.6	35.2	26.9	Ontario, Province of... ³	12.7	12.4	14.0	13.0	11.6	10.6	11.0	11.4	22.8
Denmark.....	12.5	13.0	13.7	14.8	16.4	18.6	18.7	18.4	Spain.....	(²)	15.5	17.3	19.6	21.0	22.8	24.0	25.4	31.9
England and Wales.....	13.7	13.3	14.7	16.0	17.7	18.7	18.9	19.4	Roumania.....	25.9	22.9	26.0	25.5	27.4	31.0	28.7	26.2	0.8
Finland.....	(²)	16.3	17.4	18.6	19.0	20.5	20.0	22.2	Russia (European)....	(²)	(²)	30.9	31.9	35.8	33.2	35.4	(²)	(²)
France.....	17.7	17.5	19.2	19.6	20.7	22.3	22.0	22.2	Scotland.....	15.5	15.3	16.1	17.0	18.0	19.0	18.8	19.6	17.9
German Empire.....	(²)	15.6	17.5	19.9	21.2	23.3	24.4	25.3	Servia.....	(²)	21.1	24.3	22.4	24.8	28.9	25.9	24.5	0.8
Hungary.....	(²)	23.3	25.0	26.4	27.9	31.8	32.1	33.1	Sweden.....	22.1	21.8	24.3	26.0	28.8	30.1	30.9	32.6	25.5
Ireland.....	17.1	16.5	17.3	17.6	18.1	18.5	17.9	18.0	Switzerland.....	13.6	14.2	14.3	15.5	16.1	16.6	16.4	17.5	18.3
										(²)	14.1	16.0	17.5	18.1	19.8	20.4	21.3	24.9

¹ Exclusive of stillbirths.

² Figures not available.

³ Increase.

CITY.	ANNUAL CRUDE DEATH RATE PER 1,000 PERSONS LIVING.							De-crease per cent be-tween 1881 to 1885 and 1906 to 1910.	CITY.	ANNUAL CRUDE DEATH RATE PER 1,000 PERSONS LIVING.							De-crease per cent be-tween 1881 to 1885 and 1906 to 1910.	
	1913	1912	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890			1881 to 1885	1913	1912	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895		1886 to 1890
London.....	14.3	13.6	14.9	16.4	18.5	19.8	19.7	20.9	Moscow.....	25.0	24.3	27.6	26.6	28.7	29.2	33.6	33.3	17.1
Edinburgh.....	(¹)	15.7	16.8	17.8	19.0	19.7	19.7	19.6	Berlin.....	13.7	14.4	15.5	17.0	18.1	20.5	22.5	26.6	41.7
Glasgow.....	(²)	17.6	19.0	20.1	21.2	22.8	23.1	26.0	Hamburg.....	12.8	13.6	14.8	16.3	17.3	24.2	25.3	25.2	41.3
Dublin (registration area).....	(¹)	20.5	21.6	23.3	25.6	25.7	26.6	27.5	Dresden.....	13.2	13.1	14.7	17.6	19.0	20.6	22.1	25.0	41.2
Belfast.....	(²)	18.1	19.6	20.8	23.4	25.1	24.4	24.7	Breslau.....	18.3	18.4	20.8	23.7	26.3	27.8	28.8	31.3	33.5
Melbourne.....	(¹)	14.0	12.9	14.0	15.5	16.7	21.0	20.1	Munich.....	14.6	14.7	17.5	21.0	23.9	25.8	28.3	30.4	42.4
Sydney.....	(¹)	11.4	10.5	11.4	12.1	14.3	17.9	20.8	Vienna.....	15.5	15.4	17.1	19.1	21.1	24.1	25.1	28.2	39.4
Montreal.....	(¹)	20.0	22.5	23.3	25.1	25.3	26.7	31.0	Prague.....	17.7	15.8	16.1	18.6	19.8	22.7	26.1	28.9	44.3
Toronto.....	(¹)	(¹)	18.2	16.3	14.6	15.2	20.1	20.7	Budapest.....	18.9	18.5	19.5	19.8	21.6	25.5	30.8	31.5	38.1
Paris.....	15.9	16.3	17.5	17.9	19.1	21.1	22.9	24.4	Trieste.....	21.8	21.1	24.5	26.3	27.5	29.8	30.4	31.1	21.2
Brussels.....	12.2	13.5	14.1	15.2	17.2	20.2	21.2	23.4	Milan.....	(¹)	15.8	19.3	22.1	23.2	27.4	30.4	30.3	36.3
Amsterdam.....	11.6	11.2	13.1	14.7	16.7	19.2	22.4	25.1	Turin.....	(¹)	12.9	17.5	19.6	19.8	21.6	23.5	27.2	35.7
Rotterdam.....	(¹)	11.3	13.4	15.6	18.0	20.8	22.0	24.2	Venice.....	(¹)	20.9	22.9	24.2	25.8	27.8	30.2	29.1	21.3
The Hague.....	(¹)	10.9	13.2	14.4	16.2	18.7	20.8	23.3	Bucharest.....	(¹)	(¹)	24.7	23.3	24.6	(¹)	(¹)	(¹)	(¹)
Copenhagen.....	13.7	14.1	15.1	16.1	17.6	20.2	22.3	22.3	New York.....	14.3	14.5	17.0	18.9	20.3	24.6	25.8	27.5	38.2
Stockholm.....	13.1	14.2	15.1	16.1	18.2	20.0	21.2	24.3	Chicago.....	15.1	14.8	14.5	14.2	15.2	20.6	19.5	21.5	32.6
Christiania.....	12.8	13.4	12.9	15.3	17.5	19.0	22.3	19.9	Philadelphia.....	15.7	15.3	17.7	18.1	19.2	21.1	20.6	22.3	20.6
Petrograd.....	21.4	21.9	25.6	23.7	25.8	25.6	27.0	32.9	Boston.....	16.4	16.4	17.9	18.8	21.1	23.5	23.4	24.7	27.5
									Rio de Janeiro.....	21.2	21.3	22.5	26.3	29.2	38.2	33.1	30.5	26.2

¹ Figures not available.

NOTE.—The 1913 figures for most of the foreign cities are provisional and in some cases relate to a period of 53 weeks.

The following table, also taken from the latest report of the Registrar-General of England and Wales, presents the crude death rates per 1,000 of population

for certain countries for each year from 1900 to 1913. These rates are graphically shown in the diagram on the following page.


DEATHS AND CRUDE DEATH RATES.

COUNTRY.	DEATH RATE ¹ PER 1,000 POPULATION.													
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913
United States (registration area).....	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.0	14.2	13.9	14.1
Australia.....	11.8	12.2	12.5	12.2	11.1	10.9	10.9	11.0	11.1	10.3	10.4	10.7	11.2	10.8
Austria.....	25.4	24.0	24.7	23.8	23.8	25.1	22.6	22.7	22.5	22.9	21.2	21.9	20.5	(?)
Chile.....	35.6	36.4	28.5	26.2	27.8	34.9	32.7	29.6	31.6	31.2	31.0	31.1	29.7	(?)
England and Wales.....	13.2	16.9	16.3	15.5	16.3	15.3	15.5	15.1	14.8	14.6	13.5	14.6	13.3	13.7
France.....	21.9	20.1	19.5	19.2	19.4	19.6	19.9	20.2	18.9	19.1	17.8	19.6	17.5	17.7
German Empire.....	22.1	20.7	19.4	20.0	19.6	19.8	18.2	18.0	18.1	17.2	16.2	17.3	15.6	(?)
Hungary.....	26.9	25.4	27.1	26.2	25.0	28.2	25.1	25.7	25.2	25.6	23.6	25.1	23.3	(?)
Ireland.....	19.6	17.8	17.5	17.5	18.0	17.1	16.9	17.6	17.5	17.1	17.1	16.5	16.5	17.1
Italy.....	23.8	22.0	22.2	22.4	21.2	22.0	20.9	20.9	22.8	21.7	19.9	21.4	18.2	(?)
Japan.....	20.4	20.4	20.9	20.0	21.2	22.0	19.8	20.9	21.0	21.9	21.1	(?)	(?)	(?)
New Zealand.....	9.4	9.8	10.5	10.4	9.5	9.3	9.3	10.9	9.5	9.2	9.7	9.4	8.9	9.5
Russia.....	31.1	32.1	31.5	30.0	29.9	31.1	29.8	28.1	28.0	(?)	(?)	(?)	(?)	(?)
Spain.....	23.9	27.7	26.0	25.0	25.7	25.8	26.1	24.5	23.8	24.0	23.3	23.2	21.8	22.1
Sweden.....	16.8	16.1	15.4	15.1	15.3	15.6	14.4	14.6	14.9	13.7	14.0	13.8	14.2	13.6

¹ Exclusive of stillbirths.

² Data not available.

GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 TO 1913.



MORTALITY STATISTICS.

DEATH RATES OF CITIES WITH CONSIDERABLE COLORED POPULATION.

The following table shows comparative death rates of white and colored persons for cities of 10,000 and over in which the colored population constituted at least 10 per cent of the total at the census of 1910.

The rates for two Kentucky cities, two Maryland cities, and El Paso, Tex., in which less than 10 per cent of the population was colored, are also given in order that all the registration cities in the South may be represented and in order that all the Kentucky and Maryland cities of 10,000 and over may be included.

CITY AND COLOR.	Per cent of total population, April 15, 1910.	DEATH RATE FROM ALL CAUSES, ¹ PER 1,000 POPULATION.						CITY AND COLOR.	Per cent of total population, April 15, 1910.	DEATH RATE FROM ALL CAUSES, ¹ PER 1,000 POPULATION.					
		1914	1913	1912	1911	Annual average.				1914	1913	1912	1911	Annual average.	
						1906 to 1910.	1901 to 1905.							1906 to 1910.	1901 to 1905.
Cities in this table (aggregate).....	100.0	18.4	18.3	18.8	19.4	19.9	21.1	Covington, Ky. (total).....	100.0	15.0	16.1	16.7	15.1	15.5	18.1
White.....	74.0	15.5	15.3	15.7	16.0	16.6	17.7	White.....	94.5	13.7	15.3	15.7	14.1	14.9	17.4
Colored.....	26.0	26.7	26.8	27.8	28.9	29.1	29.8	Colored ⁴	5.5	37.0	30.5	33.5	31.8	25.3	29.0
Birmingham, Ala. (total).....	100.0	17.5	17.4	17.4	18.2	(*)	(*)	Frankfort, Ky. (total).....	100.0	17.2	18.1	19.9	19.5	(*)	(*)
White.....	60.6	13.1	12.3	13.3	14.2	(*)	(*)	White.....	72.8	15.9	14.4	16.3	17.9	(*)	(*)
Colored.....	39.4	24.2	25.2	23.6	24.3	(*)	(*)	Colored.....	27.2	20.6	27.9	29.5	23.6	(*)	(*)
Mobile, Ala. (total).....	100.0	21.8	20.8	20.9	24.0	23.6	24.8	Henderson, Ky. (total).....	100.0	20.1	19.7	21.9	19.8	(*)	(*)
White.....	55.8	18.0	16.9	16.7	18.8	18.7	19.7	White.....	73.7	17.4	17.7	18.4	15.6	(*)	(*)
Colored.....	44.2	26.4	25.7	26.0	30.7	29.7	31.2	Colored.....	26.3	27.6	25.3	31.8	31.4	(*)	(*)
Montgomery, Ala. (total).....	100.0	21.4	21.7	22.9	25.1	(*)	(*)	Lexington, Ky. (total).....	100.0	26.0	23.5	24.3	22.9	(*)	(*)
White.....	49.3	16.2	15.6	16.1	16.9	(*)	(*)	White.....	68.6	22.8	20.4	21.5	18.5	(*)	(*)
Colored.....	50.7	26.4	27.6	29.6	33.0	(*)	(*)	Colored.....	31.4	33.1	30.2	30.3	32.4	(*)	(*)
Riverside, Cal. (total).....	100.0	11.8	13.2	16.0	16.2	(*)	(*)	Louisville, Ky. (total).....	100.0	16.5	16.2	16.4	16.1	17.4	19.0
White.....	88.8	12.5	13.5	16.6	16.7	(*)	(*)	White.....	81.9	14.8	14.3	14.3	13.9	15.1	16.9
Colored.....	11.2	6.3	10.7	11.7	12.2	(*)	(*)	Colored.....	18.1	23.8	24.8	26.1	25.8	27.7	23.1
Wilmington, Del. (total).....	100.0	15.9	1.5	16.5	16.3	17.0	17.0	Newport, Ky. (total).....	100.0	11.6	11.6	12.4	12.5	15.6	16.0
White.....	89.6	14.7	14.2	15.2	15.3	15.9	15.7	White.....	98.1	11.5	11.5	12.2	12.1	15.5	16.0
Colored.....	10.4	25.7	26.7	27.4	24.8	26.5	27.2	Colored ⁴	1.9	16.9	17.0	22.3	33.1	21.0	20.1
Washington, D. C. (total).....	100.0	16.6	17.3	18.3	18.7	19.6	20.5	Owensboro, Ky. (total).....	100.0	19.4	18.0	19.2	21.5	(*)	(*)
White.....	71.3	13.8	14.4	14.8	15.5	15.9	16.5	White.....	80.5	17.6	17.5	17.8	19.7	(*)	(*)
Colored.....	28.7	23.3	24.4	26.9	26.5	28.7	29.5	Colored.....	19.5	26.9	22.8	25.0	28.9	(*)	(*)
Jacksonville, Fla. (total).....	100.0	18.6	19.2	19.9	21.6	22.1	27.5	Paducah, Ky. (total).....	100.0	20.0	20.0	19.9	20.2	17.5	22.2
White.....	49.1	15.1	15.7	15.8	16.8	17.9	23.3	White.....	73.4	17.0	15.5	15.4	15.9	13.5	19.3
Colored.....	50.9	21.9	22.6	23.8	26.1	25.8	30.5	Colored.....	26.6	28.2	24.4	32.5	28.0	29.2	
Key West, Fla. (total).....	100.0	16.0	14.9	17.8	22.8	22.0	21.7	New Orleans, La. (total).....	100.0	20.5	19.9	20.1	20.4	21.7	22.4
White.....	72.2	15.5	14.0	17.0	19.5	20.1	20.4	White.....	73.6	16.5	15.6	16.1	16.6	18.0	19.2
Colored.....	27.8	17.4	17.1	20.0	31.5	26.3	24.4	Colored.....	26.4	31.6	31.9	31.4	31.2	31.0	
Pensacola, Fla. (total).....	100.0	17.3	16.2	(*)	(*)	(*)	(*)	Baltimore, Md. (total).....	100.0	18.1	18.5	18.2	18.4	19.5	20.0
White.....	55.5	13.6	11.7	(*)	(*)	(*)	(*)	White.....	84.8	16.0	16.2	16.3	16.2	17.3	17.8
Colored.....	44.5	22.0	21.8	(*)	(*)	(*)	(*)	Colored.....	15.2	29.5	31.0	29.2	30.8	31.5	32.0
Atlanta, Ga. (total).....	100.0	16.5	17.4	18.0	19.8	19.4	21.1	Cumberland, Md. (total).....	100.0	17.1	19.3	18.0	18.6	18.7	(*)
White.....	66.4	13.2	13.5	14.6	15.8	15.6	16.1	White.....	95.1	16.6	18.7	17.3	17.6	17.9	(*)
Colored.....	33.6	23.0	25.2	24.7	27.8	26.8	29.6	Colored ⁴	4.9	27.8	31.5	33.1	37.4	33.2	(*)
Augusta, Ga. (total).....	100.0	21.5	19.7	(*)	(*)	(*)	(*)	Frederick, Md. (total).....	100.0	16.4	18.9	22.0	20.8	20.1	22.0
White.....	55.2	17.6	16.7	(*)	(*)	(*)	(*)	White.....	85.9	17.2	17.9	19.9	18.5	17.8	18.4
Colored.....	44.8	26.2	23.4	(*)	(*)	(*)	(*)	Colored.....	14.1	11.7	25.0	34.6	34.3	34.0	41.1
Savannah, Ga. (total).....	100.0	25.4	25.0	26.6	29.3	24.8	27.1	Hagerstown, Md. (total).....	100.0	14.5	19.0	19.3	18.6	17.5	(*)
White.....	48.9	17.5	17.3	18.4	19.3	17.9	19.2	White.....	93.1	14.1	18.5	18.1	17.0	16.7	(*)
Colored.....	51.1	33.0	32.2	34.4	38.8	31.3	34.5	Colored ⁴	6.9	19.4	25.9	35.7	39.8	28.6	(*)
Jeffersonville, Ind. (total).....	100.0	15.2	13.5	16.3	17.9	17.1	19.9	Hannibal, Mo. (total).....	100.0	12.4	13.4	13.7	13.8	(*)	(*)
White.....	85.2	13.3	12.4	14.9	17.7	16.3	18.1	White.....	89.9	11.1	12.1	12.7	12.6	(*)	(*)
Colored.....	14.8	26.4	19.7	24.2	19.6	21.8	29.4	Colored.....	10.1	24.4	24.6	22.3	25.0	(*)	(*)
Atchison, Kans. (total).....	100.0	11.8	12.0	11.7	(*)	(*)	(*)	Jefferson City, Mo. (total).....	100.0	13.0	14.6	14.9	13.0	(*)	(*)
White.....	84.1	11.2	11.2	11.7	(*)	(*)	(*)	White.....	83.8	12.9	12.5	13.5	11.9	(*)	(*)
Colored.....	15.9	15.1	16.3	11.8	(*)	(*)	(*)	Colored.....	16.2	13.7	25.0	22.0	18.8	(*)	(*)
Coffeyville, Kans. (total).....	100.0	12.1	10.3	12.6	(*)	(*)	(*)	Sedalia, Mo. (total).....	100.0	15.0	14.4	15.0	16.9	(*)	(*)
White.....	88.7	11.6	9.7	11.6	(*)	(*)	(*)	White.....	89.5	13.2	13.5	13.2	15.0	(*)	(*)
Colored.....	11.3	16.7	15.2	19.7	(*)	(*)	(*)	Colored.....	10.5	29.7	22.5	30.0	33.1	(*)	(*)
Fort Scott, Kans. (total).....	110.0	17.1	12.9	15.9	(*)	(*)	(*)	Asbury Park, N. J. (total).....	100.0	13.9	13.8	13.9	13.1	(*)	(*)
White.....	90.0	16.6	12.7	13.4	(*)	(*)	(*)	White.....	80.9	12.3	12.7	12.2	12.4	(*)	(*)
Colored.....	10.0	21.8	15.2	38.1	(*)	(*)	(*)	Colored.....	19.1	20.5	18.1	20.9	15.9	(*)	(*)
Kansas City, Kans. (total).....	100.0	13.1	15.3	15.8	16.4	(*)	(*)	Atlantic City, N. J. (total).....	100.0	15.4	15.9	15.3	16.5	16.5	16.2
White.....	88.7	11.7	13.9	14.2	15.1	(*)	(*)	White.....	78.5	15.3	16.2	15.2	16.6	16.6	16.8
Colored.....	11.3	23.9	25.9	28.5	26.8	(*)	(*)	Colored.....	21.5	15.7	14.9	15.8	16.0	16.1	14.3
Lawrence, Kans. (total).....	100.0	14.4	14.5	12.4	(*)	(*)	(*)	Montclair, N. J. (total).....	100.0	14.0	14.1	13.6	13.8	14.1	17.6
White.....	80.3	14.4	13.1	13.0	(*)	(*)	(*)	White.....	88.4	13.9	13.7	12.7	13.4	13.7	17.1
Colored.....	19.7	14.4	20.2	10.0	(*)	(*)	(*)	Colored.....	11.6	14.9	17.6	21.1	18.6	17.4	21.7
Leavenworth, Kans. (total).....	100.0	17.0	18.0	17.6	14.2	15.7	14.8	Asheville, N. C. (total).....	100.0	24.3	21.1	21.2	17.7	(*)	(*)
White.....	87.2	16.2	17.7	16.9	12.3	14.5	13.4	White.....	71.4	22.1	20.0	20.2	17.0	(*)	(*)
Colored.....	12.8	22.9	20.2	22.5	27.2	23.9	22.5	Colored.....	28.6	28.7	23.8	23.7	19.2	(*)	(*)
Topeka, Kans. (total).....	100.0	17.4	19.4	18.6	(*)	(*)	(*)	Charlotte, N. C. (total).....	100.0	21.7	16.0	14.5	14.9	(*)	(*)
White.....	89.6	16.9	18.4	17.6	(*)	(*)	(*)	White.....	65.4	16.2	13.9	13.3	12.0	(*)	(*)
Colored.....	10.4	21.6	27.6	26.8	(*)	(*)	(*)	Colored.....	34.6	32.2	20.2	16.8	20.3	(*)	(*)

¹ Exclusive of stillbirths.
² A average not shown for less than five years.
³ Not admitted to the registration area until a later date.

⁴ Colored population less than 10 per cent of the total in 1910.
⁵ Probably does not include deaths in territory annexed in April, 1914.
⁶ Included in rural.

DEATHS AND CRUDE DEATH RATES.

CITY AND COLOR.	Per cent of total population, April 15, 1910.	DEATH RATE FROM ALL CAUSES, ¹ PER 1,000 POPULATION.						CITY AND COLOR.	Per cent of total population, April 15, 1910.	DEATH RATE FROM ALL CAUSES, ¹ PER 1,000 POPULATION.					
		1914	1913	1912	1911	Annual average.				1914	1913	1912	1911	Annual average.	
						1906 to 1910.	1901 to 1905.							1906 to 1910.	1901 to 1905.
Durham, N. C. (total).....	100.0	15.5	14.1	14.5	17.9	(²)	(²)	Nashville, Tenn. (total).....	100.0	18.4	17.8	19.3	20.5	19.3	21.5
White.....	62.3	10.7	10.0	10.7	12.7	(²)	(²)	White.....	66.9	14.6	14.7	14.8	16.0	15.2	17.0
Colored.....	37.7	23.3	20.7	20.8	26.6	(²)	(²)	Colored.....	33.1	26.1	24.0	28.2	29.6	27.2	29.6
Greensboro, N. C. (total).....	100.0	19.6	17.5	17.1	17.9	(²)	(²)	El Paso, Tex. (total).....	100.0	30.4	(²)				
White.....	64.1	12.9	15.1	12.8	14.8	(²)	(²)	White.....	95.7	30.7	(²)				
Colored.....	35.9	31.6	21.7	24.7	23.5	(²)	(²)	Colored.....	4.3	24.4	(²)				
Raleigh, N. C. (total).....	100.0	30.4	24.9	31.2	31.3	26.8	25.0	Galveston, Tex. (total).....	100.0	19.5	18.8	20.8	18.6	(²)	(²)
White.....	61.6	24.7	22.0	29.8	27.5	22.7	21.2	White.....	78.1	17.0	16.7	17.3	17.2	(²)	(²)
Colored.....	38.4	39.6	29.7	33.5	37.5	33.3	30.5	Colored.....	21.9	28.2	26.4	33.1	23.5	(²)	(²)
Wilmington, N. C. (total).....	100.0	23.5	22.5	23.7	29.5	22.7	25.6	San Antonio, Tex. (total).....	100.0	21.4	20.7	23.1	21.0	20.7	21.4
White.....	52.9	16.8	16.7	16.6	22.0	17.4	19.9	White.....	88.8	21.5	20.5	22.8	21.0	20.8	21.5
Colored.....	47.1	31.0	29.1	31.7	38.1	28.7	31.6	Colored.....	11.2	20.7	21.7	21.7	21.7	19.9	20.7
Winston-Salem, N. C. (total).....	100.0	22.1	20.8	17.2	17.9	(²)	(²)	Alexandria, Va. (total).....	100.0	19.5	17.4	18.2	20.0	21.4	21.9
White.....	60.0	16.5	13.4	11.1	12.2	(²)	(²)	White.....	72.6	15.8	13.6	13.5	15.9	17.4	18.4
Colored.....	40.0	30.5	32.0	24.5	24.7	(²)	(²)	Colored.....	27.4	29.1	27.6	30.9	31.0	31.6	30.0
Springfield, Ohio (total).....	100.0	13.4	14.1	13.0	13.0	(²)	(²)	Danville, Va. (total).....	100.0	19.6	19.2	19.9	20.6	(²)	(²)
White.....	89.5	12.5	13.4	12.5	12.7	(²)	(²)	White.....	67.4	17.0	16.6	18.2	18.4	(²)	(²)
Colored.....	10.5	21.6	20.4	16.8	15.7	(²)	(²)	Colored.....	32.6	25.0	24.5	23.6	25.0	(²)	(²)
Carlisle, Pa. (total).....	100.0	14.4	14.9	15.5	16.5	15.7	16.3	Lynchburg, Va. (total).....	100.0	18.8	19.0	18.3	18.9	17.5	20.3
White.....	89.1	12.9	13.7	14.4	15.5	14.5	15.3	White.....	67.9	15.0	14.5	14.3	15.1	13.2	15.3
Colored.....	10.9	26.9	25.3	24.6	24.8	25.0	23.7	Colored.....	32.1	26.9	28.5	26.7	27.0	25.9	28.1
Chester, Pa. (total).....	100.0	17.1	18.4	16.7	15.4	16.1	(²)	Newport News, Va. (total).....	100.0	15.6	16.4	(²)	(²)	(²)	(²)
White.....	87.5	16.0	17.3	15.5	14.9	14.4	(²)	White.....	64.0	10.6	12.1	(²)	(²)	(²)	(²)
Colored.....	12.5	25.1	26.4	25.1	18.8	27.5	(²)	Colored.....	36.0	24.3	24.1	(²)	(²)	(²)	(²)
Coatesville, Pa. (total).....	100.0	9.8	11.1	14.4	10.8	(²)	(²)	Norfolk, Va. (total).....	100.0	19.6	19.6	20.1	21.5	23.2	19.2
White.....	86.3	10.2	11.6	14.3	10.3	(²)	(²)	White.....	62.8	13.2	13.4	13.9	14.1	16.9	14.4
Colored.....	13.7	7.1	8.5	14.8	14.3	(²)	(²)	Colored.....	37.2	30.3	29.9	30.7	34.0	33.4	26.3
West Chester, Pa. (total).....	100.0	22.2	17.1	19.8	19.7	19.9	(²)	Petersburg, Va. (total).....	100.0	24.1	24.0	23.2	25.7	27.0	25.5
White.....	84.0	19.8	16.9	20.4	19.0	17.9	(²)	White.....	54.3	16.5	16.9	16.6	20.7	19.7	19.9
Colored.....	16.0	35.0	18.5	16.8	23.4	30.3	(²)	Colored.....	45.7	33.1	32.4	31.0	31.8	35.5	31.6
Charleston, S. C. (total).....	100.0	27.8	27.0	30.9	29.9	27.5	29.7	Portsmouth, Va. (total).....	100.0	13.3	13.7	(²)	(²)	(²)	(²)
White.....	47.2	17.6	15.7	19.0	18.5	17.2	19.3	White.....	65.0	9.4	9.4	(²)	(²)	(²)	(²)
Colored.....	52.8	37.0	37.2	41.4	40.0	36.5	38.2	Colored.....	35.0	20.5	21.6	(²)	(²)	(²)	(²)
Chattanooga, Tenn. (total).....	100.0	18.4	(²)	Richmond, Va. (total).....	100.0	19.7	20.4	20.7	21.0	22.5	23.4				
White.....	59.8	16.5	(²)	White.....	63.4	15.2	16.7	16.5	16.7	17.4	18.5				
Colored.....	40.2	21.3	(²)	Colored.....	36.6	27.5	26.8	27.9	28.4	29.9	31.7				
Jackson, Tenn. (total).....	100.0	18.7	(²)	Roanoke, Va. (total).....	100.0	15.2	15.4	13.9	15.4	(²)	(²)				
White.....	63.7	15.2	(²)	White.....	77.3	12.6	13.3	11.6	12.0	(²)	(²)				
Colored.....	36.3	24.8	(²)	Colored.....	22.7	23.8	22.5	21.6	26.7	(²)	(²)				
Knoxville, Tenn. (total).....	100.0	19.9	(²)	17.1	18.1	(²)	(²)	Staunton, Va. (total).....	100.0	20.1	22.6	(²)	(²)	(²)	(²)
White.....	79.0	17.5	(²)	14.9	15.1	(²)	(²)	White.....	76.6	21.5	25.4	(²)	(²)	(²)	(²)
Colored.....	21.0	29.0	(²)	25.7	29.2	(²)	(²)	Colored.....	23.4	15.5	13.4	(²)	(²)	(²)	(²)
Memphis, Tenn. (total).....	100.0	20.7	20.8	21.7	21.3	20.6	19.4								
White.....	59.9	14.8	15.9	16.7	16.7	16.1	16.5								
Colored.....	40.1	29.5	28.2	29.1	28.3	27.0	22.9								

¹ Exclusive of stillbirths.

² Average not shown for less than 5 years.

³ Not admitted to the registration area until a later date.

⁴ Census Bureau unable to procure transcripts for deaths for 1913.

⁵ Not shown by color prior to 1914.

⁶ Colored population less than 10 per cent of the total in 1910.

⁷ Population not estimated.

⁸ Including Manchester for the years 1908 to 1910.

⁹ Excluding Manchester for the years 1908 to 1910.

For the above group of cities, in which the colored population formed more than one-fourth of the total, the death rate of the colored for 1914 (26.7 per 1,000) exceeded that of the white population (15.5) by 11.2, or 72.3 per cent. The corresponding excess for the quinquennial period 1906 to 1910 was 12.5, or 75.3 per cent, and for the preceding quinquennial period, 12.1, or 68.4 per cent. When the figures for individual cities are examined it is found that in 1914, as in earlier years, the rate for the colored population in nearly every instance was higher than that for the whites. There were six exceptions: Riverside, Cal., in which the colored population consisted mainly of Chinese and Japanese; Frederick, Md.; Coatesville, Pa.; El Paso and San Antonio, Tex.; and Staunton, Va. In the last-named city is located the Western State Hospital for the Insane, and the large number

of deaths among the inmates of that institution accounts for the high death rate shown for the white population of the city. This fact does not, however, explain the low colored rate, which is considerably lower than that for any other Virginia city.

In addition to the cities shown in the preceding table, in which the colored population was at least 10 per cent of the total, there are other cities in which the colored inhabitants, although constituting less than 10 per cent of the total population, are still so numerous that their mortality statistics possess some interest. The following table shows the death rates among colored persons in all cities in which there were 10,000 or more colored inhabitants at the last census but in which the proportion of such inhabitants was less than 10 per cent of the total:

CITY AND COLOR.	Per cent of total population, April 15, 1910.	DEATH RATE FROM ALL CAUSES, ¹ PER 1,000 POPULATION.						CITY AND COLOR.	Per cent of total population, April 15, 1910.	DEATH RATE FROM ALL CAUSES, ¹ PER 1,000 POPULATION.					
						Annual average.								Annual average.	
		1914	1913	1912	1911	1906 to 1910	1901 to 1905			1914	1913	1912	1911	1906 to 1910	1901 to 1905
Cities in this table (aggregate).....	100.0	14.7	15.1	15.0	15.3	16.5	17.8	New York, N. Y.—Continued.							
White.....	96.5	14.3	14.8	14.7	15.1	16.2	17.4	Bronx Borough ⁴ (total).....	100.0	13.5	13.9	13.2	13.3	17.4	20.9
Colored.....	3.5	24.1	24.0	23.5	23.4	25.5	28.7	White.....	99.0	13.4	13.8	13.1	13.2	17.0	20.5
Los Angeles, Cal. (total).....	100.0	12.9	15.0	14.7	14.5	14.8	16.4	Colored.....	1.0	17.1	19.3	18.1	20.8	42.0	46.5
White.....	95.7	12.7	14.8	14.5	14.4	14.6	16.2	Brooklyn Borough ⁴ (total).....	100.0	13.8	13.9	14.2	14.8	16.3	18.2
Colored.....	4.3	17.1	20.3	19.5	17.2	19.8	19.6	White.....	98.5	13.6	13.8	14.1	14.6	16.2	18.1
San Francisco, Cal. (total).....	100.0	15.5	15.9	15.6	15.2	16.1	20.3	Colored.....	1.5	24.0	21.9	24.9	26.0	23.0	24.5
White.....	96.0	15.3	15.8	15.4	15.0	16.1	19.8	Manhattan Borough ⁴ (total).....	100.0	14.3	14.6	14.9	15.0	17.4	19.5
Colored.....	4.0	20.5	18.9	21.7	20.5	15.9	30.1	White.....	97.2	14.0	14.4	14.6	15.8	17.2	19.2
Chicago, Ill. (total).....	100.0	14.2	15.1	14.8	14.5	14.9	14.5	Colored.....	2.8	24.6	23.6	25.5	24.8	26.9	32.2
White.....	97.9	14.0	14.9	14.6	14.3	14.7	14.3	Queens Borough ⁴ (total).....	100.0	14.4	13.8	13.4	13.7	14.8	16.1
Colored.....	2.1	23.7	24.6	26.0	22.1	23.1	24.5	White.....	98.8	14.3	13.7	13.2	13.5	14.8	15.9
Indianapolis, Ind. (total).....	100.0	15.9	15.7	15.0	14.7	15.2	15.4	Colored.....	1.2	26.4	21.2	30.0	29.4	25.1	23.5
White.....	90.6	15.2	14.8	14.2	13.9	14.2	14.6	Richmond Borough ⁴ (total).....	100.0	16.2	16.9	16.8	16.7	18.7	19.0
Colored.....	9.4	23.6	24.5	23.1	22.3	14.2	24.6	White.....	98.6	16.1	16.8	16.7	16.5	18.5	18.9
Boston, Mass. (total).....	100.0	18.1	16.4	16.4	17.1	17.9	18.8	Colored.....	1.4	24.5	22.8	22.6	25.4	24.3	25.9
White.....	97.8	15.9	16.2	16.2	16.9	17.7	18.6	Cincinnati, Ohio (total).....	100.0	16.0	16.9	16.6	16.5	18.1	19.1
Colored.....	2.2	25.3	24.5	23.0	24.3	24.3	26.0	White.....	94.6	16.2	16.1	15.9	15.7	17.3	18.3
Kansas City, Mo. (total).....	100.0	14.0	14.8	15.2	14.4	14.6	15.9	Colored.....	5.4	29.6	30.9	29.9	29.2	31.4	34.8
White.....	90.5	13.0	13.8	14.0	14.3	13.5	14.6	Columbus, Ohio (total).....	100.0	14.8	15.3	14.4	14.3	15.1	15.4
Colored.....	9.5	23.6	23.9	26.8	23.3	24.9	27.1	White.....	92.9	14.2	14.8	13.8	13.9	14.5	14.8
St. Louis, Mo. (total).....	100.0	15.0	14.9	14.9	15.4	15.9	17.9	Colored.....	7.1	22.0	21.3	21.6	19.4	23.1	24.0
White.....	93.5	14.2	14.1	14.1	14.6	14.8	17.1	Philadelphia, Pa. (total).....	100.0	16.1	15.7	15.3	16.6	17.7	18.1
Colored.....	6.5	26.6	26.7	26.4	25.8	26.7	30.3	White.....	94.5	15.6	15.2	15.0	16.2	17.2	17.5
New York, N. Y. (total).....	100.0	14.1	14.3	14.5	15.2	16.0	19.0	Colored.....	5.5	24.9	24.5	19.2	23.2	27.8	30.1
White.....	98.0	13.9	14.1	14.2	15.0	16.7	18.8	Pittsburgh, Pa. (total).....	100.0	15.7	17.1	15.9	14.9	17.9	20.1
Colored.....	2.0	24.1	22.9	25.1	25.1	26.5	30.0	White.....	95.1	15.4	16.9	15.8	14.8	17.5	19.5
								Colored.....	4.9	21.6	21.9	18.8	16.8	24.9	31.0

¹ Exclusive of stillbirths.

² About 40 per cent of the deaths of colored persons were those of Chinese and Japanese.

³ Chiefly Chinese and Japanese.

⁴ From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911, deaths which occurred in boroughs other than those of residence were distributed to the boroughs of residence.

⁵ Excludes Allegheny for the five-year period.

Most of the cities listed in the preceding table are in the North, and therefore the colored death rates for these cities afford interesting comparisons with those for the cities given in the table on page 16, nearly all of which are in the South. For the group as a whole the death rates for both white and colored persons were lower than those for the group covered by the table on page 16. The rates for 1914 were 14.3 per 1,000 for white persons and 24.1 for colored. A reduction in the mortality for each class was shown for the five-year period 1906 to 1910 in comparison with the earlier five-year period, and this reduction was greater, proportionally, for the colored than for the white population. Since 1910 the decline in the rate for the white population has been continuous except for an increase of one-tenth of 1 per 1,000 between 1912 and 1913; but during the same time the rate for the colored population has shown a continuous, though slight, increase.

DEATHS OF NONRESIDENTS.

The death rates presented in preceding reports have been based on the inclusion of all deaths, both of residents and of nonresidents, which occurred in each area. Deaths in asylums for the insane and in other state institutions have been included with those of the minor civil divisions in which the population of such institutions is enumerated; and deaths in medical and surgical hospitals have been similarly treated, although patients temporarily resident in such hospitals for medical attention or operation are enumerated at their actual residences. Moreover, many

deaths of persons who have journeyed from other states and cities to localities renowned for climatic advantages are included in the mortality of the latter places, although their actual sojourn there may have been very brief and the diseases from which death occurred may have been contracted at the former or usual residence.

Obviously there is an injustice, which is especially apparent in some instances, in this method of statistical procedure. For the most part it may be assumed that the deaths of nonresidents added are offset to a considerable extent by the deaths of residents which occurred in other localities; but this is true only to a very slight degree for our chief health resorts. If there existed complete registration of deaths in all parts of the United States it would be possible to allocate, according to precise and uniform rules, all deaths of nonresidents to the place of residence. This is not feasible at present, and the attempt to eliminate deaths of nonresidents therefore results in an understatement of the true mortality. It was not until 1911 that deaths of nonresidents were separately compiled in England and Wales, where there has been complete registration of vital statistics for many years. Out of a total of 527,810 deaths in England and Wales in that year, there were about 40,000 "transferable deaths," that is, deaths of persons who, having a fixed or usual residence in England or Wales, died in districts other than those in which they resided.

Registration of vital statistics in the United States has not approached so far toward completeness as it

has in many other countries, and for this reason it has not heretofore been deemed practicable to compile nonresident deaths separately from those of residents. Some proposed rules on this subject were submitted to the first meeting of the Section on Vital Statistics of the American Public Health Association, Atlantic City, 1907. This organization embraces the state and municipal public health and registration officials of the United States. It has been the desire of the Bureau of the Census to cooperate with such authorities in the development of methods of statistical practice rather than to prescribe regulations. Following are the proposed rules,¹ with indication of those which have been adopted as Rules of Statistical Practice and those which are still pending:

DEATHS OF NONRESIDENTS.

10. All deaths of transients or nonresidents occurring in a State or city should be included in the tables of total deaths. [Adopted as Rule No. 11 of 1908.]

NOTE.—It is not fair to exclude nonresidents *unless* all deaths of residents occurring elsewhere can be included; this is quite impracticable in the United States under present conditions and the large extent of nonregistration territory. No rules based on duration of actual residence of transients or nature of cause of death have been generally adopted, so that deaths of a certain character would be uniformly excluded. It is evident that the death of a nonresident of a city who succumbs to typhoid fever after living there long enough for the time to include the duration and period of incubation of the disease should be properly charged to its mortality. On the other hand, a death from pulmonary tuberculosis occurring within 1, 2, 3, . . . months after arrival, may not be properly chargeable to the mortality of the state or city. As a provisional method of treatment, the following paragraph is submitted:

11. A separate column showing "Deaths of nonresidents" may be given, which should include deaths in hospitals, institutions, and of transients and nonresidents, on whose certificate of death appears a statement of "Former or usual residence," "Where was disease contracted, if not at place of death?" and "How long at place of death?" the time stated in answer to the last question being *less than six (?) months and less than the duration of the disease causing death*. [Pending, 1914.]

NOTE.—The limit of residence is suggested merely as a basis for discussion. Evidently, some line of demarkation should be fixed if it is proposed to treat deaths of nonresidents upon a uniform basis. In addition to the duration of the disease causing death, its period of incubation may be considered as a factor of the decision. But, whatever plan is adopted for the special statement of deaths of nonresidents, there should be no interference with the complete statement of total deaths, inclusive of all deaths of nonresidents, as required by paragraph 10.

DEATHS IN INSTITUTIONS.

12. Deaths of residents of a city in a hospital or institution situated within the city limits should be distributed by the local registrar to the districts of residence (borough, ward, sanitary district) as far as possible. [Adopted as Rule No. 12 of 1908.]

13. Deaths of residents of a city in an institution (*e. g.*, almshouse) situated outside of the city limits, but chiefly or entirely occupied by commitments from the city, should be included in the total deaths of the city, and be distributed by the city registrar to the districts of residence as provided in paragraph 12. [Pending, 1914.]

¹ Quarterly Publications of the American Statistical Association, December, 1907.

NOTE.—This is suggested for discussion. It apparently departs from the general principle of registering a death where it occurs, and there only. On the other hand it would relieve extra-urban districts containing city institutions from an apparently excessive mortality, enable the true death rate of the city to be known, and make the statistics more comparable with future years when, with the extension of the city limits, the institution may come to be included in the urban area. The successful accomplishment of such distribution requires cooperation of local registrars, and would evidently be undesirable and unfair unless all cities included the deaths of their dependent or defective classes on the same basis. A limit of residence might require to be considered.

14. Deaths of inmates of a state or Government institution should be included in the total deaths of the area containing them; but special columns may be employed to permit the separate statement of such deaths, as in the case of nonresidents. [Pending, 1914.]

NOTE.—The alternative plan of distributing the deaths in a state institution (*e. g.*, insane asylum) to the counties or cities from which the inmates were received may be considered, or the institution may be treated as an independent registration area. In any case, if the deaths are eliminated the constituent population should also be eliminated before computing death rates.

DEATH RATES BASED ON TOTAL DEATHS.

20. Any statement of the death rate (general, crude, or gross death rate) of a state or city should be understood to be based, unless expressly qualified, upon the *total deaths, exclusive of stillbirths*, without any omission of deaths whatsoever. [Adopted as Rule No. 15 of 1908.]

At a meeting of the American Public Health Association, Colorado Springs, September 9–14, 1913, the following resolution was adopted:

Resolved, Pending the final determination as to forms of statistical tables and the adoption of definite rules of statistical practice, it is the sense of the Section on Vital Statistics of the American Public Health Association that bulletins and reports may contain (1) a statement of mortality including deaths of all persons and from all causes with corresponding death rates, and (2) a statement of mortality based on deaths of residents only with corresponding death rates, which should be accompanied with a full explanatory note as to the exact class of cases and period of time of residence covered in the exclusions.

It is easy, of course, in the compilation of a city report to discard deaths of "nonresidents;" but by varying the definition of "nonresidents" from year to year some remarkable reductions of mortality can be indicated, especially if care be taken to include as many nonresidents as possible in local enumerations or estimates of population. At present death rates exclusive of nonresidents as published in certain city reports are of little value for comparative purposes because there is no uniform basis of exclusion.

In the present report an advance step has been taken toward the separate reporting of nonresident deaths. The death rates given in this report are based, as heretofore, in accordance with Rule of Statistical Practice No. 11, adopted by the American Public Health Association in 1908, on the inclusion of all deaths, of both residents and nonresidents, which occur in each area; but in addition there is presented a table (I B, p. 42), showing, for each registration city and rural unit, the number of deaths and the death rates, both inclusive and exclusive of nonresident deaths.

Although this matter has been receiving much attention from registration officials during the past 8 or 10 years, no precise definition of nonresident deaths has yet been agreed upon. The Bureau of the Census, therefore, adopted, for use in the compilation of the 1914 statistics, the following tentative definition of the term: "A person who dies in a hospital or other institution and whose previous residence is given on the death certificate as other than in the registration district in which death occurred." As this definition included no time limit, many decedents were excluded as nonresidents who in fact were properly residents of the registration districts in which they died.

The Bureau of the Census has therefore amended this definition to read as follows: "A person who dies in a hospital or other institution, whose previous residence is given, and who lived less than one year in the registration unit in which death is compiled." This

time limit will be effective in the compilation of the 1915 mortality statistics.

The population, deaths (exclusive of stillbirths), and death rates per 1,000 of population in each registration city and rural registration unit for 1914, both inclusive and exclusive of nonresident deaths, are shown in Table I B (p. 42). The figures in the columns giving deaths and death rates for residents—that is, total deaths and death rates less those for nonresidents—are not to be regarded as strictly accurate, but have been made as nearly correct as possible from the information at hand. In the use of this table it must be kept constantly in mind that deaths of residents of a given area occurring elsewhere are not included in the deaths shown for that area. The columns showing resident mortality, therefore, necessarily understate the true mortality in every case, although not to the same extent in all cases.

CAUSES OF DEATH.

Summary and rate Tables II to IV and General Tables 5 to 11 present the data on causes of death as follows:

Table II shows the deaths and death rates per 100,000 population, by causes according to the detailed International List, for the registration area, for each of the years 1911 to 1914, and the annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910.

Table III gives, by color and important causes, the death rates per 100,000 population for the registration area and its main and minor subdivisions in 1914.

Table IV presents for 1914 the death rates per 100,000 population in cities and rural districts of each registration state, from each cause and class of causes.

Table 5 shows for the registration area and its subdivisions, the deaths in 1914, by color of decedent and important causes of death.

Table 6 gives the deaths in the registration area, its main subdivisions, and in the cities and rural districts of each registration state, from each cause and class of causes for the year 1914.

Table 7 presents the total deaths in the registration area from each cause and class of causes, by sex and age of decedent, for 1914.

Table 7A shows for the registration area the deaths of white persons from each cause and class of causes during 1914, according to the sex and age of the decedent.

Table 7B gives, by sex and age of decedent, the deaths of colored persons in 1914 from each cause and class of causes, in the registration area.

Table 8 shows for the registration area, the registration states, and for each registration state, the deaths in 1914, from each cause and class of causes, by age of decedent.

Table 9 presents, by age of decedent and by cause of death according to the abridged International List,

the deaths which occurred during 1914 in each city of 100,000 population or over in 1910.

Table 10 gives for the registration area, the registration states, and the cities of 100,000 population or over in 1910, the deaths, by months, from important causes in 1914.

Table 11 shows for the first year of life, by days, weeks, and months, the deaths from important causes, which occurred during 1914, in the registration area, the registration states, and the cities of 100,000 or over in 1910.

DETAILED AND ABRIDGED INTERNATIONAL LISTS.

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the presentation of deaths by disease and violence in a very specific way, and (2) an abridged list in which many of the titles are consolidations of the headings of the detailed list. The first is used for tables which show separately causes of death which it is not necessary or practicable to show in similar detail in other tables.

As mentioned in the text of former reports, the distinction between these lists should always be borne in mind in connection with the use of the tables. In some instances where the title headings are identical in the two lists the causes of death included are not the same. An example of this is title No. 19 of the detailed list, "Other epidemic diseases." Used in this sense "Other epidemic diseases" includes only those epidemic maladies which are not shown separately in titles 1 to 18 of this detailed classification; but when this same expression, "Other epidemic diseases," is used in reference to the abridged list it signifies a heading of that list which includes titles 3, 11, 14, 15, 16, 17, 18, and 19 of the detailed list. Another example is furnished by the title "Tuberculosis of the lungs." This is title No. 13 of the abridged list and title No.

CAUSES OF DEATH.

28 of the detailed list. In the abridged list, however, this caption includes not only title No. 28 of the detailed list but also title No. 29, "Acute miliary tuberculosis."

In the following table are shown, for the year 1914, the number of deaths in the registration area caused by diseases and violence, grouped under each heading

of the abridged International List, the corresponding death rate per 100,000 population, and the per cent distribution. In parentheses after the name of each abridged title appear the number or numbers corresponding to the title or titles of the detailed International List which it includes.

Abridged Int. List No.	CAUSE OF DEATH ¹	DEATHS IN REGISTRATION AREA: 1914.			Abridged Int. List No.	CAUSE OF DEATH ¹	DEATHS IN REGISTRATION AREA: 1914.		
		Number.	Rate per 100,000 population.	Per cent.			Number.	Rate per 100,000 population.	Per cent.
	All causes ²	898,059	1,360.9	100.0	24	Diseases of the stomach (cancer excepted) (102, 103).....	10,537	16.0	1.2
1	Typhoid fever (1).....	10,185	15.4	1.1	25	Diarrhea and enteritis (under 2 years) (104).....	43,532	68.0	4.8
2	Typhus fever (2).....	3	(³)	(⁴)	26	Appendicitis and typhlitis (108).....	8,099	12.3	0.9
3	Malaria (4).....	1,477	2.2	0.2	27	Hernia, intestinal obstruction (109).....	7,706	11.7	0.9
4	Smallpox (5).....	212	0.3	(⁴)	28	Cirrhosis of the liver (113).....	8,526	12.9	0.9
5	Measles (6).....	4,461	6.8	0.5	29	Acute nephritis and Bright's disease (119, 120).....	67,545	102.4	7.5
6	Scarlet fever (7).....	4,340	6.6	0.5	30	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132).....	3,971	6.0	0.4
7	Whooping cough (8).....	6,816	10.3	0.8	31	Puerperal septicemia (puerperal fever, peritonitis) (137).....	4,664	7.1	0.5
8	Diphtheria and croup (9).....	11,786	17.9	1.3	32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141).....	5,854	8.9	0.7
9	Influenza (10).....	6,014	9.1	0.7	33	Congenital debility and malformations (150, 151).....	52,323	79.3	5.8
10	Asiatic cholera (12).....				34	Senility (154).....	13,033	19.8	1.5
11	Cholera nostras (13).....	306	0.5	(⁴)	35	Violent deaths (suicide excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186).....	56,617	85.8	6.3
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19).....	5,819	8.7	0.6	36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163).....	10,933	16.6	1.2
13	Tuberculosis of the lungs (28, 29).....	84,366	127.8	9.4	37	Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153).....	140,096	212.0	15.6
14	Tuberculous meningitis (30).....	5,410	8.2	0.6	38	Unknown or ill-defined diseases (187, 188, 189).....	7,964	12.1	0.9
15	Other forms of tuberculosis (31, 32, 33, 34, 35).....	7,127	10.8	0.8					
16	Cancer and other malignant tumors (39, 40, 41, 42, 43, 44, 45).....	52,420	79.4	5.8					
17	Simple meningitis (61).....	5,823	8.8	0.6					
18	Cerebral hemorrhage and softening (64, 65).....	52,420	79.4	5.8					
19	Organic diseases of the heart (79).....	93,588	141.8	10.4					
20	Acute bronchitis (89).....	6,396	9.7	0.7					
21	Chronic bronchitis (90).....	5,050	7.7	0.6					
22	Pneumonia (92).....	51,651	78.3	5.8					
23	Other diseases of the respiratory system (tuberculosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98).....	40,989	62.0	4.6					

¹ Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.
² Exclusive of stillbirths.
³ Less than one-tenth of 1 per 100,000 population.
⁴ Less than one-tenth of 1 per cent.

CHANGES IN THE DETAILED INTERNATIONAL LIST.

In the following table the first column shows the title number of the second revision of the International List, in force beginning with the year 1910; the second and third columns show the titles of the second and first revision, respectively, under which the term would have been compiled according to the rules followed during the period 1900 to 1909. In many

instances the title numbers of the second revision differ from those of the same titles in the first revision. As an example of this, tetanus, the title number of which is now 24, was, under the first revision, compiled as No. 72 and was included under an entirely separate and distinct class, Diseases of the nervous system, instead of under General diseases, as at present.

*

MORTALITY STATISTICS.

CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS (SECOND RE- VISION) UNDER WHICH INCLUDED—		Title of first revision under which former- ly in- cluded.	CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS (SECOND RE- VISION) UNDER WHICH INCLUDED—		Title of first revision under which former- ly in- cluded.
	1910 to 1919	1900 to 1909			1910 to 1919	1900 to 1909	
Tetanus.....	24	124	72	"Asthenia".....			
Beriberi (new title).....	27	19	19	"Atrophy" (under 1 year).....	151		
Tuberculosis of the larynx (old title discontinued).....	28	21	26	"Debility" (under 3 months).....		151	151
Acute miliary tuberculosis (new title).....	29	28	27	"Exhaustion" (3 months and over).....		189	179
Scrofula (old title discontinued).....	34	31	35	"Malnutrition" (1 to 69 years).....	189	189	179
Rickets (new title).....	36	146	146	"Marasmus" (70 years and over).....	154	189	179
Rheumatism (unqualified).....	47	48	48	"Weakness".....			
Purpura hemorrhagica.....	55	85	85	Atelectasis (under 3 months).....	152	151	151
Hemophilia.....	55	85	85	Injury at birth (various forms).....	152	(9)	176
Neuralgia and neuritis (new title).....	73	74	74	"Asthenia".....			
Endocarditis (unqualified, 60 years of age and over).....	79	78	78	"Atrophy".....			
Myocarditis (unqualified, 60 years of age and over).....	79	78	78	"Debility".....			
Ankylostomiasis (new title).....	106	107	107	"Exhaustion" (70 years and over).....	154	189	179
Chyluria (new title).....	121	122	122	"Inanition".....			
Placenta praevia.....	135	136	136	"Malnutrition".....			
Childbirth, parturition, etc. (not otherwise defined).....	136	140	140	"Marasmus".....			
Puerperal hemorrhage.....	136			"Weakness".....			
Other accidents of labor.....	136			Poisoning by food (new title).....	164	165	175
Puerperal plegmasia alba dolens, embolus, sudden death.....	139			Conflagration (new title; separately compiled by Bureau of the Census since 1903).....	166	168	174
Following childbirth (not otherwise defined).....	140			Traumatism by cutting or piercing instruments (new title).....	171	(7)	166
"Inanition" (from disease, under 1 year).....	151			Traumatism by fall (new title).....	172	(7)	166
(under 3 months); 1900 to 1904.....		153	153	Traumatism by other crushing (new title).....	175	(7)	166
(under 3 months); 1905 to 1909.....		151	151	Injuries by animals (new title).....	176	(7)	166
(3 months and over); 1900 to 1909.....		189	179	Electricity (lightning excepted) (new title).....	181	186	176
(from disease, 1 to 69 years).....		189	179	Homicide by firearms (new title).....	182	(9)	176
(from disease, 70 years and over).....		154	189	Homicide by cutting or piercing instruments (new title).....	183	(9)	176
				Homicide by other means (new title).....	184	(9)	176

1 Transferred from Diseases of nervous system (Class II) to General diseases (Class I), beginning with 1910.
 2 Discontinued as a separate title and included with Tuberculosis of the lungs, beginning with 1910.
 3 Discontinued as a separate title and included with Tuberculosis of other organs, beginning with 1910.
 4 In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which statistics entered under these titles for 1910 and succeeding years are not comparable with those for earlier years.
 5 Changes not effective until 1911.
 6 Formerly included under old title 176 (Other external violence). In effect, the title—not title-heading or name—has been discontinued, since the present title 186, although having the same title-heading, bears little resemblance to the former title; three out of the four subtitles of the old "Other external violence" are now classified under titles other than the present "Other external violence."
 7 Title under which formerly included (see next column) discontinued.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS 1900 TO 1914.

The death rates for certain important causes of death in the registration area of the United States for each year during the period 1900 to 1914 are shown in the following table:

CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.														
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914
Typhoid fever.....	35.9	32.3	34.3	34.1	31.7	27.8	31.3	29.5	24.3	21.1	23.5	21.0	16.5	17.9	15.4
Measles.....	12.5	7.3	9.5	9.8	11.0	7.5	12.1	10.0	9.9	9.6	12.3	10.0	7.0	12.8	6.8
Scarlet fever.....	10.2	13.1	12.6	12.2	10.8	6.7	7.7	10.0	11.9	11.4	11.6	8.8	6.7	8.7	6.6
Whooping cough.....	12.1	9.7	12.0	15.8	6.5	10.6	15.1	11.3	10.6	9.6	11.4	11.3	9.3	10.0	10.3
Diphtheria and croup.....	43.3	34.0	30.8	31.7	28.3	23.6	25.7	23.6	21.5	20.4	21.4	18.9	18.2	18.8	17.9
Tuberculosis (all forms).....	201.9	196.9	184.5	188.5	200.7	192.3	180.2	178.5	167.6	160.8	160.3	158.9	149.5	147.6	146.8
Cancer.....	63.0	64.3	65.1	68.3	70.2	71.4	69.1	70.9	71.5	73.8	76.2	74.3	77.0	78.9	79.4
Cerebral hemorrhage, apoplexy.....	67.5	68.2	68.3	68.2	71.5	71.6	70.1	73.2	69.4	71.7	73.7	74.7	75.7	74.6	77.7
Organic heart diseases, endocarditis.....	123.1	123.9	128.8	134.3	145.0	143.8	140.2	151.4	141.1	143.3	150.4	148.5	151.2	147.1	150.8
Pneumonia (all forms).....	180.5	161.4	155.7	155.1	171.4	148.8	145.5	156.5	130.9	137.6	147.7	133.7	132.3	132.4	127.0
Diarrhea and enteritis (infants under 2 years).....	108.8	90.9	84.0	81.6	90.9	97.0	101.4	96.6	95.2	87.8	100.8	77.4	70.3	75.2	66.0
Nephritis, Bright's disease.....	89.0	89.3	90.9	97.3	103.1	103.4	97.5	102.4	98.7	95.2	99.0	97.5	103.0	102.9	102.4

The rates for four of the twelve diseases listed in the above table—whooping cough, cancer, cerebral hemorrhage and apoplexy, and organic heart diseases and endocarditis—show slight increases for 1914 as compared with 1913, while in the cases of the remaining eight the rates for 1914 were lower than for the preceding year. The most pronounced decrease was in the rate for measles, which fell from 12.8 in 1913, to 6.8 in 1914, a drop of 46.9 per cent. Marked decreases were shown also for scarlet fever (from 8.7 to 6.6), and for infantile diarrhea and enteritis


(from 75.2 to 66). The five diseases which head the list in this table are epidemic in character and fluctuations in the death rates resulting from them are to be expected. When the rates for the first few years of the period are compared with those for the last few years, rather pronounced decreases are shown for typhoid fever, scarlet fever, diphtheria and croup, tuberculosis (all forms), pneumonia (all forms), and diarrhea and enteritis (infants under 2 years), while notable increases are in evidence for cancer, cerebral hemor-

rhage and apoplexy, organic heart diseases and endocarditis, and nephritis and Bright's disease. In no case is there an absolutely continuous increase or decrease from year to year throughout the entire period in the rate for a disease named in the above table, but there are several cases in which, with a few

unimportant exceptions, continuous increase or decrease is shown.

The following diagram presents graphically the rate per 100,000 population for each of the diseases included in the preceding table for each year during the period 1900 to 1914.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS FROM 1900 TO 1914.



As a general rule, the decreases among the rates for these twelve diseases during the 15-year period have been much more pronounced than the increases;

and to this cause may be attributed, in large part, the lowering of the general death rate in the latter part of the period as compared with the earlier.

TYPHOID FEVER.

There were 10,185 deaths from typhoid fever in the registration area in 1914, corresponding to a death rate of 15.4 per 100,000 population. In 1913 the deaths numbered 11,323 and the rate was 17.9. It will be noted that there was a considerable decrease in 1914, which is especially gratifying in view of the fact that the rate for 1913 was higher than that for 1912. The increase in 1913, as compared with 1912, was due partly to the fact that the state of Virginia was added to the registration area in 1913, since the rate for that state, 33.3 per 100,000 population, was nearly double that for the area as a whole. The 1914 rate for Virginia, 27.3, however, showed a marked drop as compared with that of the preceding year. The state of Kansas, which was admitted to the area in 1914, had a rate of 18.9 per 100,000 population, which was considerably in excess of that for the area as a whole. The rather pronounced decrease shown, therefore, was due entirely to the reduction of the rate in the area as constituted in 1913.

The highest rate shown, as in the preceding year, was that for North Carolina, 56.5 per 100,000 population, but this rate pertains only to municipalities which had 1,000 or more inhabitants in 1910. Kentucky had the second highest mortality (41.7), and was followed by Virginia (27.3), Maryland and Missouri (each 23.9), and Indiana (21.2). While the rates for these states are far in excess of that for the area as a whole, it is interesting to note that in each there was a decrease from the rate for the preceding year. Notably low mortality from typhoid fever prevailed in Wisconsin (6.5), Massachusetts (7.6), Rhode Island (8.1), New Jersey (8.2), and New Hampshire (8.7). When the rates for 1914 are compared with those for 1913 very few pronounced increases or decreases are shown. In Maine the rate rose from 12 in 1913 to 16 in 1914, and in Vermont it increased from 7.8 in the earlier year to 11.6 in the later. On the other hand, more or less marked decreases were shown by the following states: California, from 15.9 to 13.4; Connecticut, from 11.3 to 9.2; Indiana, from 25.1 to 21.2; Maryland, from 33.3 to 23.9; Michigan, from 18.4 to 13.3; Montana, from 22.7 to 15.3; New Hampshire, from 11.9 to 8.7; Ohio, from 24 to 18.1; Pennsylvania, from 18.1 to 13; Utah, from 22.2 to 15.9; and Virginia, from 33.3 to 27.3.

A comparison of the rates for the two years with respect to the main subdivisions of the registration area brings out the following interesting changes: In 1913, the highest rate shown was that for the rural part of the registration states (19.6), while in 1914, the rate for this subdivision, 16.9, was exceeded very considerably by that for the registration cities in other states (19.2). This last-named rate exceeds the corresponding one for the year 1913 (18.7), and

furnishes the only instance of an increase in the typhoid rate for one of the main subdivisions of the registration area. The mortality in all registration cities (14.1) showed a pronounced decrease as compared with that for the same subdivision in 1913 (16.4), and was considerably lower than that for the rural part of the registration states.

Among the registration cities of 100,000 population or over in 1910, the highest rate for typhoid fever in 1914 was that for Nashville (51.3). Very high mortality also prevailed in Atlanta (46.3), Memphis (42.6), Birmingham (39.7), and Toledo (36.9). The lowest rates among these cities were those for Cambridge (1.8), Bridgeport (3.5), Worcester (3.8), Omaha and Paterson (each 4.5), Cincinnati (6.2), New York (6.3), Oakland and Chicago (each 6.6), and Portland, Oreg. (6.9). More or less pronounced increases are shown for Atlanta (from 21.9 per 100,000 population in 1913 to 46.3 in 1914), New Orleans, Grand Rapids, Memphis, Nashville, Seattle, and Spokane; and considerable decreases appear for Los Angeles, Oakland, Denver, Bridgeport, Chicago, Cambridge (from 9.2 to 1.8), Detroit, Kansas City, Mo., St. Louis, Omaha, Paterson, Albany, Cleveland, Columbus, Dayton, Philadelphia, Pittsburgh, and Richmond. As compared with the earlier years of these annual mortality reports there has been a notable decrease in the number of municipalities in which typhoid fever reached marked epidemic prevalence. Typhoid death rates of 50 and over per 100,000 population were not infrequent in the large cities of the registration area in the earlier part of the period, but in only one of these major cities was the rate for 1914 in excess of 50, namely, Nashville (51.3).

The general decrease which has taken place in the typhoid rate during the period 1900 to 1914, also is brought out strikingly by a comparison of the earlier and later figures for the registration area as a whole. As noted in the comment on typhoid fever in mortality statistics, 1913 (p. 25), this marked decrease shows how great has been the progress made in methods of prevention and treatment of this disease.

MEASLES.

There were 4,461 deaths from measles in the registration area in 1914. The death rate, 6.8 per 100,000 of population, was only a little more than half as great as that for the preceding year (12.8). Although the 1913 rate for this disease was the highest shown for any year since and including 1900—the year to which the first of the series of annual mortality reports related—the rate for 1914 was the lowest. The 1912 rate, 7, was, however, only a little higher than that for 1914.

Comparison of the mortality in the main subdivisions of the area and in the registration states brings out the fact that this decrease was almost universal.

Each main subdivision showed a much lower death rate for 1914 than for the preceding year, and in only two states was there a pronounced increase in the rate for the later as compared with the earlier year (Colorado, with 9.3 as against 4, and Connecticut, with a rate of 12 as compared with 8.5). Small increases appear for California and New Jersey.

Among the registration states the highest mortality from this disease in 1914 was in Missouri, for which the rate was 12.2 per 100,000 population. For Connecticut it was 12; for Kentucky, 11.5; for North Carolina (for which the figures relate only to municipalities having 1,000 or more inhabitants in 1910), 10.8; and for Rhode Island, 9.6. Vermont showed the lowest death rate from measles (1.1), and was followed by Maryland (1.8), Utah (2.9), Minnesota and Washington (each 3.6), and Kansas (4.3).

Among the cities having 100,000 or more inhabitants in 1910, Bridgeport had the highest death rate from measles in 1914 (28.6 per 100,000 of population). Other notably high rates were those for New Haven (21.5), Newark, N. J. (18.2), Oakland (15.3), and Providence (15.1). Very low rates prevailed for Washington, D. C., and Seattle (each 0.3), Richmond (0.7), Baltimore (1), Kansas City, Mo. (1.1), and St. Paul (1.3). There were notable increases in the mortality from this disease in Oakland (from which no deaths were reported in 1913, whereas the rate was 15.3 per 100,000 population in 1914), San Francisco, Bridgeport, New Haven, Atlanta, Newark, N. J., Paterson, Columbus, Portland, Oreg., Scranton, and Spokane. Marked decreases were shown for Los Angeles, Washington, D. C., Chicago, New Orleans, Baltimore, Fall River (from 58.9 to 2.4), Lowell, Detroit, Grand Rapids, Minneapolis, St. Paul, Kansas City, Mo., St. Louis, Jersey City, Buffalo, Syracuse, Cincinnati (from 18.1 to 0, no deaths being reported in 1914), Cleveland, Toledo, Philadelphia, Pittsburgh, Memphis, Nashville, Richmond, and Seattle.

As noted in the section, "Accuracy of Statistics of Causes of Death" (p. 33), measles is one of those diseases from which the number of deaths is always subject to understatement, by reason of the fact that when death is caused by some terminal condition of which measles is the primary cause, the physician sometimes fails to write "measles" on the death certificate.

The effort which the bureau has been making to impress upon physicians the importance of statements of all causes involved in any death has undoubtedly brought about great improvement along these lines, and statistics of measles, like those of all causes subject to understatement on this account, will doubtless improve from year to year until the margin of error becomes practically negligible.

SCARLET FEVER.

The year 1914 showed a much smaller return of deaths from scarlet fever than the preceding year (4,340 as compared with 5,498); and the death rate decreased from 8.7 per 100,000 population in the earlier year to 6.6 in the later, a decline of over 24 per cent. Lower rates than for 1913 prevailed in 1914 in every main subdivision of the registration area and in the majority of the registration states, although there were slight increases in California, Kentucky, Maryland, New Jersey, and Wisconsin, and rather more pronounced increases in Minnesota (from 8.5 to 15), Missouri (from 4.3 to 6.3), New Hampshire (from 3 to 5.7), and Rhode Island (from 3.6 to 7.8). The highest rate that prevailed in any state in the year 1914 was that for Minnesota (15). Other rates well above the average for the registration area were those for Colorado and Pennsylvania (each 10.4), Wisconsin (8.8), New Jersey (8.6), and Rhode Island (7.8). Notably low rates were shown for North Carolina, in which the figures relate only to municipalities having 1,000 or more inhabitants in 1910 (0.6); Kansas, Virginia, and Washington (each 1.8); Maine (2.2); Kentucky (2.6); and Vermont (3.3).

The cities of 100,000 population or over in 1910 in which a high mortality prevailed for this disease in 1914 were Pittsburgh (33.3), Minneapolis (26.2), Milwaukee (22.6), St. Paul (19.4), and St. Louis (19.1). Extremely low rates appear for Washington, D. C. (0.3); New Orleans (0.6), Paterson (0.7), Seattle (1), and Los Angeles, San Francisco, Atlanta, and Toledo (each 1.1); in several other cities the mortality was considerably below the rate for all registration cities taken as a group (8). The death rate for the registration area (6.6) is the minimum since and including 1900, to which year the first of the bureau's annual mortality reports related, although this figure was closely approached in 1905 and 1912 (each 6.7). The colored population, although not immune from scarlet fever, is far less susceptible to it than the white population; and in the registration states and cities in which there are large proportions of colored inhabitants the death rates for scarlet fever are without exception lower than the rates for all registration states and all registration cities taken as groups.

WHOOPIING COUGH.

There were 6,816 deaths from whooping cough in the registration area in 1914, corresponding to a death rate of 10.3 per 100,000 population; in 1913 there were 6,332 deaths and the rate was 10. The rate for 1914 represents a very slight increase over that for the preceding year, and examination shows that the only main subdivision of the registration

area in which the 1914 rate was markedly in excess of the rate for 1913 was that comprising the registration cities in nonregistration states. In this subdivision the rate for 1914 was 10.8 per 100,000 population, as compared with 6.4 for the preceding year.

Among the registration states the highest mortality prevailed in Virginia (31.6), whose rate was almost double that of North Carolina (16.5), which was the second highest. The rate in Kentucky was 14.8; in Maryland, 14.5; and in Rhode Island, 13.9. It will be noted that in four of these five states there is, compared with the remainder of the registration area, a large colored population, and that in each of these states the rate for the colored was very much in excess of that for the whites. As will be shown by an examination of the death rates of cities in which the colored population is considerable, whooping cough is a disease whose mortality is materially higher among the colored race than it is among the white.

Among the registration states those in which the rate was notably low for this disease were Washington (4), Montana (4.2), Wisconsin (5.8), New York (7.1), and Ohio (7.5).

Among the cities of 100,000 population or over in 1900 the highest rate shown for whooping cough in 1914 was that for Richmond (51.1). The second highest rate, that for Birmingham, was 25.9; and the next in order were Nashville, with 20.9; Bridgeport, with 18.2; and Atlanta with 17.8. Among the cities in which the death rate for whooping cough was markedly low were Portland, Oreg. (1.2); Rochester (2.4); Los Angeles (2.5); Seattle (3.2); and Milwaukee (3.3).

Among the cities in which there was a pronounced increase in the 1914 rate as compared with that for 1913 were the following: Birmingham, from 15.2 to 25.9; Oakland, from 1.1 to 15.3; San Francisco, from 3.6 to 12.3; Bridgeport, from 7.1 to 18.2; Chicago, from 4 to 9.3; Baltimore, from 6.8 to 14.3; Fall River, from 11.3 to 17.5; Lowell, from 4.6 to 8.1; Worcester, from 5.8 to 8.2; Grand Rapids, from 0.8 to 4.9; Minneapolis, from 4.5 to 12.8; St. Louis, from 3.7 to 12; Omaha, from 2.3 to 7.5; Buffalo, from 6 to 16.5; Syracuse, from 4.8 to 12.7; Dayton, from 2.5 to 12.1; Philadelphia, from 6.4 to 14.8; Scranton, from 7.9 to 14.9; Nashville, from 8.8 to 20.9; and Richmond, from 11.3 to 51.1.

DIPHtheria AND CROUP.

The expression "diphtheria and croup" is used as the title heading in the International List. There are, however, comparatively few deaths now returned from "croup," which term is deservedly falling into very general disuse. Diphtheria is, of course, primarily a children's disease and the age constitution of populations must, therefore, be considered in connection with the study of these crude rates.

The number of deaths from diphtheria and croup in 1914 was 11,786, corresponding to a death rate of 17.9 per 100,000 population. This represented a slight decrease as compared with 1913, in which year there were 11,920 deaths, with a rate of 18.8. Since 1900, the year to which the first of the annual mortality reports of the Bureau of the Census related, there has been a steady decrease in the death rate for diphtheria, and the rate for 1914 was the lowest for any year during the period 1900-1914. This is particularly gratifying in view of the fact that this malady is now regarded as a preventable and curable one.

The decrease in the rate for diphtheria, although slight, was fairly general, each main subdivision of the registration area showing a lower rate for 1914 than for the preceding year. The rate for the rural part of the registration states was 13.8, as compared with 21.5, the rate for all registration cities.

Among the registration states the highest rate for the year 1914 was that for Pennsylvania (23.3). This state also showed the highest rate in 1913 (25.9), but it will be noted that the 1914 rate represents a considerable decrease from this figure. For Kentucky, the mortality was 21.9 per 100,000 population, as compared with 24.6 in 1913. New Jersey, with a rate of 21.8, showed a slight increase over the preceding year (21.3); and the rate of New York (20.6), the next highest, also represented an increase over the 1913 rate (19.5). For Missouri, the rate was 20.5, a rather pronounced increase over that for the prior year (17.5). Among the markedly low death rates for diphtheria were those for the following states: Washington, 3.3; Colorado, 7.1; Montana, 8.3; Kansas and Utah, each 9.4; and California, 9.5.

Among the cities of 100,000 population or over in 1910, the highest mortality caused by this disease in 1914 was that in Omaha (42.8). Among the other cities with abnormally high rates were the following: Minneapolis, 42.2; Bridgeport, 38.2; St. Louis, 34.7; and Milwaukee, 33.4.

The lowest rates shown were those for the following cities: Seattle, 2.2; Richmond, 3; Spokane, 3.7; Denver, 4.1; and Los Angeles, 6.8.

It is very significant that, although in the earlier years of the period 1900 to 1914, 40 per 100,000 population was the rate quoted in these reports as indicating an unusually high mortality from this disease, and often a considerable number of the large cities had death rates in excess of this figure, there were in 1914, but two, and in 1913, only three, large cities with rates in excess of 40 per 100,000 population.

INFLUENZA.

There was a pronounced decrease in the number of deaths from influenza in 1914 (6,014) as compared with 1913 (7,725), the reduction in the death rate, from 12.2 to 9.1 per 100,000 population, being more

than 25 per cent. The decrease in the rate prevailed in the main subdivisions of the registration area with but one exception, the registration cities in non-registration states, in which there was a very slight increase.

Among the registration states the highest rate for 1914 was that for Vermont (19.7). This state also showed the highest rate for 1913 (35.3), but the decrease was very great, amounting to more than 44 per cent. Other notably high rates were those for North Carolina, for which the figures relate only to municipalities having 1,000 or more inhabitants in 1910 (18.6), New Hampshire (17.1), Kentucky (14.7), and Connecticut (13.9). Especially low rates were in evidence for Washington (3.8), Minnesota (4.8), California (5), Montana (5.1), and Colorado (5.3).

Among the registration cities of 100,000 population or over in 1910, the highest rates were those for New Orleans (31.6), Nashville (21.8), Louisville (20), Richmond (18.5), and Memphis (18.2). The lowest mortality among these cities was that for Seattle (1.6), and very low rates also prevailed for Buffalo (2.4), San Francisco and Worcester (each 2.5), Lowell (2.7), Denver and Spokane (each 2.9), and a number of other cities.

OTHER EPIDEMIC DISEASES.

The causes of death covered by titles 1 to 19, under the class of "General diseases," in the detailed International List of Causes of Death are those which are known as epidemic diseases. While some of these cause many thousands of deaths each year, certain others—typhus fever, relapsing fever, miliary fever, Asiatic cholera, plague, yellow fever, and leprosy—are of extremely rare occurrence in the United States. With two exceptions, however—Asiatic cholera and yellow fever—each of these rare diseases was reported as the cause of at least two deaths in the registration area in 1914. Because of the extreme rarity of these diseases it is the practice of the bureau to make every possible effort to authenticate the returns before tabulating deaths under the titles by which they are designated. This is particularly advisable on account of the fact that one or two of the terms are rather loosely used and when inquiry is made it is sometimes found that the disease to which the physician alluded was one entirely different from that covered by the title heading in the International List. A very good example of this is "relapsing fever." This is the heading for title 3 of the International List, and relates to a fever caused by the *spirillum obermeieri*, and which is extremely rare in this country. The bureau has determined, however, on inquiry, that this is not always the sense in which the term is used on death certificates. With respect to the deaths charged to these rare diseases, therefore, it can be said that each case has been made the subject of special inquiry and that either the

existence of the disease has been verified by the attending physician, hospital, or registration office or no reply has been received to the bureau's letter. In the latter case the Bureau of the Census feels that it has taken every possible precaution and has no choice left but to classify the death as reported.

Three deaths were charged to typhus fever in 1914: 1 in Peabody, Mass., 1 in the Borough of Brooklyn, and 1 in Providence. Relapsing fever caused 4 deaths: 1 in Union County, N. J., 2 in Portsmouth, Va., and 1 in Norfolk County, Va. To miliary fever, 2 deaths were assigned: 1 in North Adams, Mass., and 1 in Columbus, Ohio. Bubonic plague caused 10 deaths, all of which occurred in New Orleans. Twelve deaths were reported from leprosy, 3 of which occurred in California (1 in Alameda County, 1 in Los Angeles, and 1 in San Francisco); 2 in Key West, Fla.; 1 in Dukes County, Mass.; 1 each in Bronx and Queens Boroughs, New York City; 1 in Pittsburgh; 2 in Charleston, S. C.; and 1 in Galveston, Tex.

The caption of title 19 of the International List of Causes of Death is "Other epidemic diseases." Under this heading are included a considerable number of diseases some of which are almost never fatal, while others are very grave indeed. In 1914, the deaths charged to these diseases numbered 293, distributed as follows: Chicken pox, 129; mumps, 119; German measles, 23; roseola, 2; filariasis, 1; dengue fever, 1 (in Butte, Mont.); foot and mouth disease 2 (1 in Buffalo and 1 in Providence); glandular fever, 3; and Rocky Mountain spotted fever, 13 (7 of which were in Montana—3 in Missoula and 4 in Ravalli County; 5 in Utah—2 in Box Elder County, 1 in Cache County, and 2 in Salt Lake City; and 1 in Washington—Pend Oreille County).

PELLAGRA.

Pellagra caused 1,550 deaths in the registration area during the year 1914. This represents a very pronounced increase over the number reported for the preceding year (1,015). The death rate increased from 1.6 per 100,000 population in 1913 to 2.3 in 1914, or by nearly 44 per cent. There were no additions to the registration area in 1914, which accounted for any considerable part of this increase in the number of deaths. In the state of Kansas, which was added for that year, there were 18 deaths from pellagra, 11 of which occurred in cities that were included in the registration area of 1913; and in the three Tennessee cities of Chattanooga, Knoxville, and Jackson, added in 1914, there were 21, 16, and 9 deaths, respectively, from this disease. Thus only 53 of the 535 deaths representing the increase from 1913 to 1914 occurred in territory added to the registration area for the latter year, leaving 482 as the actual increase in the registration area as constituted in 1913.

While this disease is more prevalent without the registration area than within it, the figures for the area are of great significance, since they show a rapid and nearly continuous increase in the death rate during the past few years. In 1910, there were 368 deaths from pellagra, corresponding to a rate of 0.7; in 1911 there were 659 deaths, with a rate of 1.1; in 1912, 674 deaths occurred, the rate remaining at 1.1; in 1913, 1,015 deaths were charged to pellagra and the rate rose to 1.6, an increase of over 45 per cent as compared with the preceding year; and in 1914 the number of deaths reached 1,550, and the rate advanced to 2.3. It is apparent, therefore, that the ravages of this disease are increasing at such a rate as to give grounds for some little apprehension.

Deaths from pellagra were distributed throughout the registration area in 1914 as follows:

In the registration states: California, 28; Colorado, 9; Connecticut, 6; District of Columbia, 14; Indiana, 2; Kansas, 18; Kentucky, 149; Maine, 9; Maryland, 7; Massachusetts, 19; Michigan, 4; Minnesota, 5; Missouri, 24; Montana, 1; New Hampshire, 10; New Jersey, 5; New York, 14; North Carolina (municipalities of 1,000 population or over in 1910), 248; Ohio, 1; Pennsylvania, 6; Rhode Island, 14; Vermont, 2; Virginia, 250; and Wisconsin, 2. Utah and Washington, it will be seen, were the only registration states in which there was no mortality from this disease.

In the registration cities in nonregistration states: Birmingham, Ala., 44; Mobile, Ala., 23; Montgomery, Ala., 38; Jacksonville, Fla., 15; Pensacola, Fla., 9; Atlanta, Ga., 110; Augusta, Ga., 46; Savannah, Ga., 54; Chicago, Ill., 7; Jacksonville, Ill., 1; New Orleans, La., 67; Portland, Oreg., 1; Charleston, S. C., 85; Chattanooga, Tenn., 21; Jackson, Tenn., 9; Knoxville, Tenn., 16; Memphis, Tenn., 107; Nashville, Tenn., 21; El Paso, Tex., 3; Galveston, Tex., 9; and San Antonio, Tex., 17.

TUBERCULOSIS (ALL FORMS).

For the year 1914 there were assigned, under the eight titles of the International List of Causes of Death covering tuberculosis of different parts of the body, 96,903 deaths, representing 10.8 per cent of the mortality charged to all causes in that year. This corresponds to a death rate of 146.8 per 100,000 population, the lowest rate shown for tuberculosis (all forms) since 1900, the year to which the first of the bureau's annual reports related. As compared with 1913, there was a slight decrease, the rate for that year being 147.6 per 100,000 population. The decrease in the death rate for all tuberculous diseases has been continuous since 1904, when it was 200.7. This was the highest rate shown for any year since 1900, in which year the mortality resulting from this cause was 201.9 per 100,000. Tubercu-

losis was not the first in importance among the causes of death in 1914, its rate being exceeded by that for organic heart diseases, including endocarditis, which increased to 150.8. This is the second time since 1900—the first being the year 1912—that the total number of deaths from these organic cardiac diseases has exceeded the number charged to tuberculosis.

In presenting rates for tuberculous diseases the Bureau of the Census desires to emphasize the fact that crude rates are to be used with extreme caution. In discussions of this subject in reports for prior years attention has been directed to the fact that there are many localities to which consumptives are attracted because of climatic conditions favorable to the treatment of tuberculosis. For this reason states and cities which show exceptionally high death rates are not always those in which conditions are most favorable to the development of tuberculous diseases, but in some instances are those to which patients resort in search of cure. Another fact which must be kept in mind is that the death rate for tuberculosis among the colored population is much higher than among the white. Naturally, therefore, in comparing rates of different localities the constitution of their populations in respect to color must be considered.

Each main subdivision of the registration area showed a decrease in the death rate for all tuberculous diseases in 1914 as compared with 1913, with the exception of the registration cities in nonregistration states. In these cities, taken as a group, there was an increase, their rate having risen from 181.9 in 1913, to 192.5 in 1914. The crude rates for the following states show, in their order, the higher mortalities that prevailed from all forms of tuberculosis in the states of the registration area: North Carolina, the figures for which relate only to municipalities having 1,000 or more inhabitants in 1910, 245.8; Kentucky, 207.8; Maryland, 202; California, 195; and Virginia, 182. Especially low rates were shown for Utah, 50.4; Kansas, 56.7; Washington, 88.5; Michigan, 93.4; and Wisconsin, 100.2.

Among the cities of 100,000 population or over in 1910 the highest rate for tuberculosis (all forms) was that for Memphis, 299.5. Other notably high rates appear for New Orleans, 293.7; Albany, 277.8; Denver, 261.5; and Cincinnati, 243.9. The lowest rate among the large registration cities was that for Spokane, 71.5; and other low rates are shown for Grand Rapids, 78.7; Portland, Oreg., 86.7; Seattle, 88.8; and Scranton, 96.2.

TUBERCULOSIS OF THE LUNGS.

Tuberculosis of the lungs, including acute miliary tuberculosis, caused 84,366 deaths in the registration area during the year 1914. This represents 87.1 per cent of the deaths due to all forms of tuber-

culosis and 9.4 per cent of the total number from all causes. The death rate per 100,000 population was 127.8, a very slight increase over the rate for 1913 (127.7). It will be noted, therefore, that while the rate for all tuberculous diseases combined showed a slight decrease in 1914 as compared with 1913, a small increase was in evidence for tuberculosis of the lungs. Each of these changes is so small, however, as to be without significance. Naturally, as deaths from pulmonary tuberculosis constitute so large a percentage of the deaths due to all forms of tubercular disease, conditions which prevailed in the various main subdivisions, states, and cities of the registration area in respect to all tuberculous affections are very apt to be practically identical with those shown in respect to tuberculosis of the lungs; that is to say, when an increase or decrease in the rate for pulmonary tuberculosis is shown, that for all forms of tuberculosis combined is almost certain to be correspondingly affected. Thus, of the five states in which the death rate for tuberculosis (all forms) was the heaviest in 1914, four showed, also, relatively high rates for tuberculosis of the lungs. For each the highest rate was shown by the North Carolina municipalities which had 1,000 or more inhabitants in 1910, and the next in order were Kentucky, Maryland, and California; but the rate for pulmonary tuberculosis in Virginia, which was the fifth state in respect to the rate for all forms of tuberculosis combined, was exceeded by that for Colorado. A similar comparison may be made of the states with low mortalities. The lowest rate per 100,000 population for tuberculosis of the lungs in 1914 was shown by Utah (40.8), which also had the lowest mortality for all forms of tuberculosis combined; and Kansas ranked second, Washington, third, and Michigan fourth in respect to each; but the rate for all forms of tuberculosis combined in Vermont, which had the fifth lowest rate for pulmonary tuberculosis, slightly exceeded the corresponding rate for Wisconsin.

Of the cities of 100,000 population or over in 1910, the following were the five which had the highest death rates from pulmonary tuberculosis in 1914: Memphis (273), New Orleans (270.5), Albany (245.7), Denver (241.5), and Cincinnati (219.8). It will be observed that these five cities rank in exactly the same order in respect to mortality from all forms of tuberculosis combined.

Among the large cities with notably low death rates for pulmonary tuberculosis were Spokane (53.8), Portland, Oreg. (61.4), Seattle (66.8), Grand Rapids (68.2), and Scranton (76.4). This is very nearly, although not precisely, the same order maintained as to prevalence of tuberculosis of all forms. There were no particularly noticeable increases or decreases in the death rate for tuberculosis of the lungs in any of the states of the registration area in 1914 as compared with the preceding year, the most pronounced

of these changes being the increases from 203.8 in 1913 to 221.7 in 1914 for the North Carolina municipalities of 1,000 or more population in 1910, and from 149.6 in 1913 to 161.8 in 1914 for Virginia.

In the cities of 100,000 or more population, however, there were a number in which noticeable changes were in evidence. Rather marked increases were shown for the following: San Francisco, from 162.8 in 1913 to 180.2 in 1914; Bridgeport, from 83.8 to 98; Louisville, from 160.8 to 185; New Orleans, from 234.3 to 270.5; Fall River, from 128.2 to 146.7; Worcester, from 104.6 to 119.2; Grand Rapids (which is one of the five large cities in which the mortality is lowest), from 54.7 to 68.2; Omaha, from 90 to 101.3; Memphis, from 243 to 273; Nashville, from 174 to 201.9; and Richmond, from 169.7 to 188.3. Among those cities in which noticeable decreases took place in the mortality from pulmonary tuberculosis, the following may be mentioned: Los Angeles, from 233.5 to 201; Washington, D. C., from 206.9 to 181.7; Atlanta, from 135.9 to 116; Paterson, from 133.1 to 113.9; Dayton, from 147.4 to 121.2; and Spokane, from 67.8 in 1913 to 53.8 in 1914. The same precaution which was enjoined in the comment on tuberculosis (all forms) should be exercised in comparing rates of states and cities for pulmonary tuberculosis. The death rate of the Negro race from this cause is markedly high, and the race composition of given populations should be studied in this connection, especially with reference to tuberculosis rates for Southern states.

CANCER.

Cancer and other malignant growths caused 52,420 deaths in the registration area in 1914. The death rate was 79.4, a very slight increase over that for the preceding year (78.9). The increase in the death rate from cancer and other malignant tumors has been continuous, except for slight declines in 1906 and 1911, since the year 1900. For Kansas, the only state added to the area for 1914, the rate was only 61.3, which was well below that for the area as a whole. This very slight increase prevailed in each of the main subdivisions of the registration area.

In the registration states the highest mortality was that for Vermont (109.9), and this state also had the maximum rate in 1913. In Maine the mortality was 107.6; in Massachusetts, 101.2; in New Hampshire, 100.8; and in California, 97.9. The same five states showed the highest rates in 1913, although not in the same order. The lowest rate among the registration states was that for Utah (45.8), which was followed very closely by Kentucky, with 46; Virginia, with 48.9; Montana, with 51.5; and North Carolina, with 57.8. In the last-named state the figures relate only to municipalities having 1,000 or more inhabitants in 1910.

Among the cities of 100,000 population or over in 1910, the highest death rates for cancer in 1914 were shown, in order, for the following five: Albany (146.7), San Francisco (128.4), Boston (118.7), New Haven (113.5), and Worcester (111.6). The lowest rates were those for Birmingham (46.3), Fall River (55.8), Atlanta (59.1), Scranton (60.1), and Milwaukee (69.4). The bureau wishes to repeat in this report the warning which it has made a part of its text comment on cancer in each preceding report, with reference to the danger in comparing the crude death rates for this disease in different localities without considering the age and color distribution of the population, as well as the fact that a relatively high mortality for a given city may be caused largely by deaths of nonresidents who come to the city for hospital treatment. Furthermore, since colored persons are less susceptible to cancer than are white persons, the states and cities in which the colored population is relatively large do not, as a rule, have as high rates for cancer and other malignant tumors as those places in which the colored population is small or negligible.

Among the 52,420 deaths caused by cancer and other malignant growths, 19,889, or 37.9 per cent, were assigned to the title heading of the International List, "Cancer of the stomach and liver," and 8,152, or 15.6 per cent, to the heading, "Cancer and other malignant tumors of the female genital organs." It will thus be seen that well over half of all deaths classified as due to malignant growths in the registration area resulted from cancers of the organs named.

Thirty-one thousand one hundred and thirty-eight (31,138) of the deaths charged to malignant growths were those of females, as compared with 21,282 deaths of males. Under four of the seven headings relating to cancer, in the International List, deaths of males

predominate; but those of females are so largely in excess among deaths which are assignable to the headings, "Cancer and other malignant tumors of the peritoneum, intestines, and rectum" and "Cancer and other malignant tumors of the breast," that taken with the 8,152 assigned to "Cancer and other malignant tumors of the female genital organs," they bring the total for females far in excess of that for males. This is a condition which prevails year after year.

As announced in the text comment on cancer in Mortality Statistics, 1913, the Bureau of the Census has been preparing special statistics of cancer in the registration area covering the year 1914, which will be published in monograph form. In these special statistics the seven titles of the detailed International List have been subdivided in order to show the seat of the malignant growth with greater precision than does the International List. In connection with this special study the bureau, at the request of the American Society for the Control of Cancer and others especially interested in this work, undertook to ascertain from the attending physician the basis of diagnosis in each case where the growth was invisible and not accessible to direct observation. This entailed a very extensive correspondence with physicians throughout the registration area. The data gathered in this way will appear in the monograph to which reference has been made above, but so much interest has been manifested in the bureau's decision to give the number of deaths in greater detail with respect to the location of malignant growths that it has been decided, in order that students of the subject may have this information for reference in the present report as well as in the monograph devoted solely to the subject of cancer, to publish the following table in this volume:

SEAT OF DISEASE.	Number of deaths in the registration area: 1914.	SEAT OF DISEASE.	Number of deaths in the registration area: 1914.
Cancer and other malignant tumors (aggregate).....	52,420	Of the female genital organs (total).....	8,152
Of buccal cavity (total).....	2,270	Ovary and fallopian tube.....	461
Lip.....	376	Uterus.....	7,470
Tongue.....	614	Vagina and vulva.....	184
Mouth.....	230	Others of this class.....	47
Jaw.....	851	Of the breast.....	5,423
Others of this class.....	199	Of the skin.....	1,957
Of the stomach, liver (total).....	19,889	Of other organs or of organs not specified (total).....	7,984
Pharynx.....	58	Larynx.....	341
Esophagus.....	605	Lung and pleura.....	371
Stomach.....	12,768	Pancreas.....	688
Liver and gall bladder.....	6,458	Kidneys and suprarenals.....	538
Of the peritoneum, intestines, rectum (total).....	6,745	Prostate.....	784
Peritoneum and mesentery.....	485	Bladder.....	1,014
Intestines.....	4,055	Brain.....	141
Rectum.....	2,171	Bones (except jaw).....	497
Others of this class.....	34	Testes.....	121
		Others of this class.....	3,491

ORGANIC DISEASES OF THE HEART.

Ninety-three thousand five hundred and eighty-eight (93,588) deaths, corresponding to a rate of 141.8 per 100,000 population, were assigned to organic dis-

eases of the heart in 1914. This was the largest number classified under any one of the titles of the International List of Causes of Death for that year. The number of deaths resulting from organic diseases of the heart exceeded the number charged to tuberculosis

of the lungs by more than 9,000, the number assigned to pneumonia (all forms) by nearly 10,000, and the number due to Bright's disease and nephritis by more than 26,000. The death rates fluctuated more or less during the period 1900-1914, but if those for the last few years are compared with the rates for the first quinquennium of the period it will be seen that a considerable increase has taken place.

In comparing the rates for 1910 and subsequent years, however, it must be borne in mind that part of the increase shown is only apparent, owing to the fact that deaths due to "Endocarditis (unqualified)" and "Myocarditis (unqualified)" were formerly compiled under title 78 (Acute endocarditis), regardless of age of decedent. In the revision of the classification, however, it was decided by the International Commission to assign deaths of persons 60 years of age and over, when reported from these diseases without qualification, to organic diseases of the heart, and this change is responsible for a part of the increase shown.

It must also be borne in mind that the great majority of deaths assignable to organic diseases of the heart are those of persons who have passed middle life. Crude death rates, therefore, for this disease should be used with caution and with due regard to the age distribution of the populations involved.

Among the registration states the highest death rate for organic diseases of the heart in 1914 was that for New Hampshire (208.1). Other notably high rates were those for Vermont (194.6), Massachusetts (185.3), Maine (181.7), and New York (175.6). The lowest rates were those for Colorado and Washington (each 79.4), Kentucky (85.5), Montana (89.5), Missouri and Utah (each 95.1), and Kansas (96.7).

Albany, with a death rate of 227.3 per 100,000 population in 1914, had the highest mortality from organic diseases of the heart shown by any city having 100,000 or more inhabitants in 1910. Other notably high rates were those for San Francisco (221.2), Boston (218.7), Worcester (218.1), and New Orleans (215.4). Those cities in which the rates were notably low were Spokane (73), Seattle (88.8), Milwaukee (92.5), Bridgeport (95.4), and Cleveland (101.8).

PNEUMONIA (ALL FORMS).

Pneumonia (all forms) caused 83,804 deaths in the registration area in 1914, the death rate being 127 per 100,000 population. In 1913 the number of deaths assigned to this cause was 83,778, and the rate was 132.4. Under the heading "Pneumonia (all forms)" were compiled, for 1914, 51,651 deaths classified under Title No. 92 of the International List of Causes of Death, the caption of which is simply "Pneumonia," together with 32,153 deaths which were assigned to International Title No. 91 (Bronchopneumonia). Among those assigned to "Pneumonia," 36,911 were definitely described as of the lobar or croupous form, while 14,740 were reported as having been caused by "Pneu-

monia," with no qualifying expression. As has been commented on before in the text of these reports, many of the deaths reported as due to "Pneumonia" and to "Bronchopneumonia" undoubtedly represented cases in which these were terminal conditions occurring in the final stages either of chronic diseases or of acute infectious or contagious conditions.

In analyzing the death rates for Pneumonia covering the period 1900 to 1914, one is impressed by the immense decrease in the rates for the later as compared with the earlier years. The rate for 1914 was the lowest for any year of the period.

It is probable, however, that much of this decrease is more apparent than real. There can be no doubt that in the earlier years of the period the practice of writing merely "Pneumonia" or "Bronchopneumonia" and of omitting the name of the disease that was the primary cause was far more prevalent than it is to-day; and it is to be expected that year by year physicians will come to realize more fully the importance of making complete statements of all known morbid conditions which had a part in any given case, and that there will result an increasing proportion of accurate statements of the primary conditions with which "Pneumonia" so frequently sets in as a complication.

During the year 1914 the Bureau of the Census received 1,743 replies to letters written to physicians who had certified "Pneumonia" as the sole cause of death on certificates, and, as the result of having in its possession the additional information thus gained, changed the classification in 658, or 37.8 per cent, of these cases, so that the deaths were compiled under titles other than Pneumonia. The majority of the changes (511), however, were to Bronchopneumonia, leaving only 147 which were assigned to titles other than those covered by Pneumonia (all forms). The bureau also received 1,035 replies to inquiries in cases where "Bronchopneumonia" was the sole cause certified, and was thereby enabled to assign 225, or 21.7 per cent, to other diseases. The results of this correspondence are discussed in more detail under the heading of "Accuracy of Statistics of Causes of Death" (p. 33).

The decrease in the death rate for Pneumonia (all forms) was general throughout the principal subdivisions of the registration area. True lobar or croupous pneumonia is a specific infectious disease, and in comparing the rates for states and cities for any given year with those for other years many fluctuations, due chiefly to climatic conditions, are to be expected.

Among the registration states Maryland had the highest death rate in 1914, 158.2 per 100,000 population. In Massachusetts and New York the rate was 155.6; in Connecticut, 154.3; in New Jersey, 153.7; and in North Carolina (municipalities of 1,000 population or over in 1910), 150.1. The five states for which the lowest rates prevailed were Washington (50.6), Kansas (67.1), Michigan (92.4), California (93.5), and Wisconsin (95.5).

Among the cities of 100,000 population or over in 1910 the highest rate in 1914 was that for Pittsburgh (240.4). This, however, represented a material decrease from the corresponding rate for 1913 (283.8). The next highest rates were those for Scranton (234.9), Fall River (233.6), Baltimore (212.4), and New Haven (193.1). The five cities for which the lowest rates appear are Seattle (54), Portland, Oreg. (60.2), Spokane (61.2), Grand Rapids (75.5), and Los Angeles (75.9).

The death rate for pneumonia is very much higher for colored persons than for white persons. As to the age incidence, its ravages are largely in the extremes of life.

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

Forty-three thousand five hundred and thirty-two (43,532) children under 2 years of age in 1914 died of the diarrheal diseases which are included under title heading No. 104 of the International List of Causes of Death, "Diarrhea and enteritis (under 2 years)." The death rate was 66 per 100,000 based on the population at all ages. In 1913 there were 47,605 deaths, corresponding to a rate of 75.2. The mortality in the registration area for these diseases was lower for 1914 than for any preceding year during the period 1900 to 1914. These are causes for which the death rates of the later years of this period show a very marked decrease from those of the earlier years. On account of their great importance as factors in the mortality of children under 2 years of age, this decrease is of very special interest, for under this heading are classified all deaths reported as having been caused by cholera infantum, colitis, diarrhea, enteritis, enterocolitis, gastroenteric catarrh, gastroenteritis, gastrointestinal catarrh, ileocolitis, intestinal indigestion, "Summer complaint," and many others. The decrease shown for the registration area as a whole was in evidence for each of its principal subdivisions, and, with three exceptions—Connecticut, North Carolina (municipalities of 1,000 population or over in 1910), and Vermont—the 1914 death rate was lower than that for the preceding year in every state in the registration area.

The North Carolina municipalities had a rate of 134 per 100,000 population, which was much the highest among the registration states. The next highest rates were those for Pennsylvania (95.4), Maryland (92.7), Connecticut (87.1), and New Jersey (85.6). Notably low death rates appear for Washington (15.7), California (30.6), Utah (30.9), Kansas (31.4), and Minnesota (33.9). In comparing these crude rates, as well as those quoted below for the large cities of the registration area, the age distribution of the populations should be given due consideration.

Among the cities of 100,000 population or over in 1910 by far the highest rate in 1914 was that for Fall River (295.8). Scranton followed with a mortality of 162.7 per 100,000, and next in order were Chicago

(131.1), Detroit (122.2), and Buffalo (117.6). The notably low rates among these cities were those for Portland, Oreg. (9.2), Seattle (11.2), Oakland (19.1), Spokane (20.6), and San Francisco (22.5). Diarrhea and enteritis are, of course, much more prevalent in urban than in rural localities. The rate for the cities in registration states in 1914 was 75.3, as compared with 50.2 for the rural part of the registration states, thus denoting a mortality 50 per cent higher in the urban than in the rural sections of these states. The mortality in the registration cities in nonregistration states was considerably higher (107.6) than that in cities in registration states, bringing the average rate for all registration cities up to 79.8.

The rates for diarrhea and enteritis among the colored population are, as a rule, higher than those for white persons, which fact should also be considered in comparing the crude rates for cities and states.

BRIGHT'S DISEASE AND NEPHRITIS.

Bright's disease and nephritis, including both the acute and chronic forms, caused 67,545 deaths in 1914, corresponding to a death rate of 102.4 per 100,000 population. This was a slight decrease from the rate for the preceding year (102.9). Of the deaths enumerated under this heading, 5,912 were reported from acute nephritis. Comparison of the rates for these diseases for the period 1900-1914 shows that those for the first four years were considerably lower than those for the two years that immediately followed (1904 and 1905), the rate for the last-named year (103.4) being the highest for the period; that in 1906 there was a rather pronounced drop, followed by another increase in 1907; that during the next four years the mortality was lower than in 1907; and that in 1912 it rose to 103 per 100,000 population, from which it showed a slight decrease to 102.9 in 1913 and a further decrease to 102.4 in 1914. It will be seen, therefore, that the mortality for this disease has not shown a continuous increase, although the rates for the last three years are higher than those for the first few years of the period 1900-1914.

Among the registration states the maximum rate for 1914 was that for Maryland (141.4), and other notably high rates were those for New York (131.6), New Jersey (126.2), Rhode Island (124.8), and the North Carolina municipalities of 1,000 population or over in 1910 (121.1). In the following six states there were correspondingly low rates: Washington (54.3), Montana (57.6), Wisconsin (62.5), Kansas and Utah (each 65.4), and Minnesota (74.3).

As in former years, it will be noted that the rates for all registration cities (119.8) and for cities in registration states (117.7) were considerably in excess of that for the rural part of the registration states (82.5). Among the cities of 100,000 population or over in 1910 the highest rate in 1914 was that for New Orleans (267.4 per 100,000 population), and next in

order were those for Albany (178.7), Memphis (178), Philadelphia (174.4), and Atlanta (172.9). The lowest rates among these large cities were: Seattle, 62; Portland, Oreg., 66.4; Milwaukee, 69.8; Detroit, 72.2; and Spokane, 77.4.

In making comparison of crude rates for Bright's disease and nephritis consideration should be given to the fact that the great majority of the deaths from this cause are of persons in middle life and old age.

SUICIDE.

The number of deaths assigned to Suicide in the registration area in 1914 was 10,933, corresponding to a death rate of 16.6 per 100,000 population. In 1913 there were 9,988 suicides and the rate was 15.8. The International List of Causes of Death devotes nine title headings to the different methods or means employed by suicides. In 1914, as in other years, in well over half of the deaths charged to this heading the means used were poison and firearms. In order that a death may be charged to suicide it must be shown definitely to be due to that cause. For this reason there are many cases each year in which, while death was, in fact, chargeable to suicide, lack of precision of statement necessitated classifying it under a less definite title. There is no question, however, that with each year our statistics of suicide are becoming more nearly complete and accurate. The increase in the rate shown for the later years of the period covered by these annual reports (1900-1914) is attributable, therefore, not entirely to an increase in the number of suicides, but in part to increased precision of statement.

Among the registration states the highest rate was that for California (33.4 per 100,000 population). Next in order were Montana, with 28.9; Washington, 21.5; Connecticut, 21; and Missouri, 20.8. The lowest rates were those for North Carolina (municipalities of 1,000 population or over in 1910), 6.6; Virginia, 7.2; Kentucky, 9.9; Kansas, 11.3; and New Hampshire 12.5.

Among the registration cities of 100,000 population or over in 1910, San Francisco had the highest rate in 1914—52.4 per 100,000. The rate for Kansas City, Mo., was 40.4; for Oakland and St. Louis, each 36.6; for Omaha, 36; and for Los Angeles, 34.2.

The lowest five rates shown by large cities of the registration area were those for Cambridge (3.6), Lowell (9), Richmond (10.4), Albany (11.7), and Buffalo (13).

VIOLENT DEATHS (EXCLUDING SUICIDE).

All forms of violence, suicide excluded, caused 56,617 deaths in the registration area during the year 1914. The death rate was 85.8 per 100,000 population, a marked decrease from that for 1913 (92.5). Among the principal causes of specified accidental violence, the one of great numerical importance was traumatism by fall, under which 9,904 deaths were compiled. Next in order were accidents on steam railroads, in which 7,062 persons lost their lives; accidental drowning, 5,703; burns (conflagration excepted), 5,021; homicide, 4,847; automobile accidents, 2,826; street-car accidents, 1,673; and injuries by "other vehicles," 2,418.

The death rate due to homicide, 7.3 per 100,000 population, showed a slight increase over the corresponding rate for 1913 (7.2). This very slight increase in the rate for definitely specified homicidal deaths is doubtless due as much to greater precision of statement of cause as to an actual increase in the number of such deaths. In the majority of deaths from homicide the means of violence were firearms.

The rate from automobile accidents was 4.3 per 100,000 population, while that from accidents caused by "other vehicles" was 3.7. Thus it is seen that for the second time—the first being the year 1913—the deaths due to automobile accidents and injuries exceeded those caused by other vehicles. The expression "other vehicles" refers principally to horse-drawn vehicles, although a few deaths due to motorcycle and bicycle accidents are included under this heading.

Among the registration states the highest rate for violent deaths (excluding suicide) was that for Montana (128.5). The rate for California was 113.4; for North Carolina (municipalities of 1,000 population or over in 1910), 108; for Utah, 103; and for Pennsylvania, 97.2. The lowest rate was that for Kansas (65.3 per 100,000 population), and the other states for which notably low rates were in evidence are Wisconsin (68.7), Maine (72.2), Rhode Island (74.4), and Massachusetts, (75.2).

Birmingham had the highest rate among the cities of 100,000 population or over in 1910 (197.4), and the mortality from these causes was also high in Memphis (171.1), Scranton (157.1), Richmond (145.3), and Atlanta (118.2). The five cities which showed the lowest mortality from violence, excluding suicide, were Fall River (48.6), Grand Rapids (50.3), Denver (55.8), Milwaukee (59.1), and Rochester (64.0.)

ACCURACY OF STATISTICS OF CAUSES OF DEATH.

The compiler of mortality statistics is dependent upon physicians for the statements of cause of death which he uses as the basis for all tables showing deaths by cause. When all is said, the statistical system used by any office, the methods of collating and presenting data in tabular form, the calculation of death rates, and other processes necessary in the reduction of data to statistical tables showing causes of death, are all secondary to the securing of correct and specific statements of cause of death—statements that describe all of the known conditions that were factors in any given case.

The obstacles that the compiler must overcome before he is able to present a table showing with reasonable accuracy the mortality chargeable to each of the diseases and forms of violence represented by the 189 titles of the International List of Causes of Death are many and serious. In the first place, it is not practicable to attempt the tabulation of each and every cause of death—that is reported on death certificates. To do so would mean the tabulation of causes of death on an alphabetical basis. It is hardly necessary to point out that such a method would be altogether impracticable for areas with hundreds of thousands of deaths, because it would involve the statement of the numbers of deaths reported as due to conditions covered by thousands of different names; and if such a compilation were published it would be necessary for each user to pick out synonymous expressions covering the same or closely related morbid conditions in order to obtain information with respect to the mortality chargeable to any disease or class of diseases.

Again, there are encountered each year in the work of this bureau several hundred thousand certificates of death on each of which the names of two or more diseases appear. All systems of classification in present use for areas where so many deaths occur annually are based upon the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate and the physician has not indicated plainly which was the chief or primary cause, the compiler must select one of them as the heading under which the death shall be classified. Unfortunately he can not depend upon the order in which the terms are written; nor can he rely upon the position of a term on the certificate with respect to its reported status as the "cause of death" or the "contributory cause," since it has been demonstrated that these terms are used with different and diametrically opposed meanings not only by physicians, but by registration officers.

It is axiomatic that the cause of death must be stated accurately before it can be classified accurately. It is not stated accurately when one or two of several

factors are omitted from the physician's report. It is not stated accurately when the physician fails to write on the death certificate a qualifying term which, if reported, would materially affect the classification of the death; for example, a death from tuberculous peritonitis reported as due to "peritonitis" represents an error of omission and one that, if not corrected, is instrumental in causing the death to be wrongly classified, not only with reference to the title of the International List of Causes of Death to which, on the basis of the incomplete description, it must be assigned, but also with reference to the class or group of causes into which the list is divided.

For years one of the spheres of activity of the Bureau of the Census has been its effort to improve the quality of the basic data upon which its statistics of cause of death depend. In this work it has received the hearty cooperation of the state and municipal registration authorities throughout the registration area. These officials, for years, have aided the bureau by obtaining information which in thousands of cases, while not a part of the description of cause of death on the original certificate, was a determining factor in classifying the cause under the proper heading of the International List. The conditions under which the Bureau of the Census works in its annual compilation of mortality statistics render this cooperation very essential, and the spirit in which these officials have given it is largely responsible for the great improvement in the quality of our cause-of-death data to-day as compared with a few years ago.

In general, in its endeavors to secure specific descriptions of causes of death, the bureau has adopted the plan of calling the attention of the registration officials to statements which were unsatisfactory on account of errors of omission or commission. The registration officials, in turn, communicate with physicians, coroners, and midwives and forward to the bureau such additional data as they are able to obtain. This work has, necessarily, been educational, and, so far as certain of the ill-defined returns, once most frequently encountered, are concerned, the efforts of the bureau and of the registration officials have had telling effect. The condition is one that is deeply rooted, and the cure, all must realize, can not be effected in a day. So many unsatisfactory statements of cause of death have been encountered that it has been altogether impracticable to attempt to correct more than a small percentage of them, since to do so would necessitate very great delay in the publication of the bureau's mortality reports. For years, therefore, the plan adopted has been that of returning only those statements which were, at the same time, frequently encountered and easily corrected. For example, a report of "cancer," "carcinoma," or "malignant tumor" was

returned with a request for statement of the seat of the disease; one of "operation," "surgical shock," "hysterectomy," etc., was returned and information sought as to the cause for the relief of which the operation was performed; a return of "gunshot wound," "drowning," etc., was sent back for information as to whether the death was assignable to the class of accidents, of suicides, or of homicides. The continual decrease from year to year in the frequency with which reports of this kind are received by the bureau is very gratifying and can be attributed to the fact that those who formerly made them are coming to realize that they will not be accepted and are now describing conditions more precisely, and also to the fact that when such reports do come in to the state and municipal registration authorities these officials often secure the clarifying data from the local registrars before sending transcripts of the certificates to this bureau.

In its effort to improve basic cause-of-death data, the Bureau of the Census, in addition to working through the medium of registration officials, has sent to the physicians of the country two pamphlets bearing on this subject, namely, "Relation of Physicians to Mortality Statistics" and "Physicians' Pocket Reference to the International List of Causes of Death." The former was published in 1903 and the first and second editions of the latter in 1911 and 1913, respectively.

The two principal objects sought by the distribution of these pamphlets were first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death and, second, to emphasize the fact that the value of statistics of cause of death depends upon the lucidity and completeness with which the profession, which is the fundamental source of the basic data, supplies the information. With these ends in view, each of these pamphlets includes an arrangement of the titles of the International List, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments state the reasons why each term is undesirable and present suggestions for more definite statement.

In 1912 the bureau decided to make a test inquiry in order to ascertain, by communicating directly with physicians who had made use of unsatisfactory terms in reporting causes of death, whether sufficient corrective data could thus be secured to justify the bureau in making use of this method. Registration officials throughout the registration area were consulted and, in nearly every instance, agreed that the project was one which would be useful from an educational standpoint and would supplement their own efforts to obtain specific statements of cause of death. Five of these undesirable terms were selected, and, in cases where they had been employed *without qualification*, circular letters were sent to the physicians

who had signed the death certificates. These letters requested any additional statement or information relative to the cause of death that would permit more satisfactory classification, and with each was inclosed a copy of the Physicians' Pocket Reference to the International List of Causes of Death, the paragraph therein devoted to the unsatisfactory nature of the term used being marked. The five terms selected for this test were "meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis." In Mortality Statistics, 1911 (pp. 36-38), is given a discussion of the results of this test. It will suffice here to say that approximately 2,000 replies were received and that as the result of the additional information the physicians supplied there was a net change in classification in 57.1 per cent of the cases involved.

In 1914 the bureau conducted a further and broader test along these lines; and in the following table are given, for each of the principal unsatisfactory terms covered, the number and per cent of changes in classification made on the basis of the information thus obtained, and the numbers of the International titles principally affected.

UNSATISFACTORY TERM.	Number of replies.	Number of changes in classification.	Per cent changed.	International titles and subtitles (detailed list) principally affected.
Septicemia—sepsis.....	70	48	68.6	137, 152 ²
Cerebral abscess.....	46	29	63.0	30, 76, 146, 172
Meningitis, cerebral.....	301	216	71.8	30, 37, 61 ³ , 76, 104, 146
Meningitis, spinal meningitis.....				
Cerebrospinal meningitis (undefined).....	187	150	80.2	30, 61 ³
Cerebral softening.....	67	38	56.7	64, 81, 82
Paralysis, hemiplegia.....	585	444	75.9	37, 63 ² , 64, 67
Convulsions, (5 years and over).....	13	11	84.6	133
Convulsions (under 5 years).....	173	81	46.8	104, 151 ¹ , 152 ²
Cerebral tumor.....	35	43	50.6	30, 37, 45
Acute cardiac dilatation.....	215	51	23.7	78, 81, 120
Bronchopneumonia.....	1,035	225	21.7	6, 8, 10, 104
Pneumonia (unqualified).....	1,743	658	37.8	6, 8, 10, 91
Pleurisy.....	50	31	62.0	28, 92
Pulmonary congestion.....	195	151	77.4	79, 91, 92, 120
Pulmonary abscess and hemorrhage.....	54	38	70.4	28, 92
Gastritis, indigestion.....	519	233	44.9	56, 79, 102, 104, 105
Acute indigestion, etc.....				
Peritonitis.....	155	109	70.3	31, 108, 132, 137
Bright's disease, acute.....	449	119	26.5	7, 10, 120, 178
Nephritis, acute.....				
Uremia.....	188	65	34.6	119, 126, 138
Salpingitis, pyosalpinx.....	96	77	80.2	38, 137
Dropsy, anasarca, ascites.....	41	34	82.9	79, 113, 120
Debility, in—Under 1 year. amition.....	742	391	52.7	37, 103, 104, 151 ¹ , 152 ² , 153
Marasmus..... 1 to 69 years..	69	42	60.9	28, 104
Malnutrition, 70 years and etc. over.....	33	13	39.4	79, 92
Heart failure.....	61	43	70.5	79, 80
Other unsatisfactory terms covered by letters of inquiry.....	355	121	34.1	37, 63 ² , 104, 120
Total.....	7,527	3,461	46.0	10, 30, 37, 38, 61 ³ , 76, 137, 153, 178, and others.

As noted in the comment on this subject in Mortality Statistics, 1911 (pp. 36-38), the effect upon the figures relating to the "definite causes" is a very important consideration in connection with work involving the gathering of corrective cause-of-death data. For example, of the 4,461 deaths charged to Measles for 1914, there were 64 classified under this title which

would have been assigned elsewhere (chiefly to Bronchopneumonia and "Pneumonia") had not replies to the bureau's letters to physicians supplied additional data. Without these 64 deaths the number charged to Measles would have been 4,397; these 64 cases, therefore, added as a result of the information the bureau secured from physicians, increased the figures that would have been published by about 1.5 per cent.

Approximately 25 per cent of all the transcripts of death certificates for 1914 were examined with a view to selecting cases for use in this test; and these cases were selected from a large number of registration units in all parts of the area, so as to make them representative of average conditions throughout the area. It seems safe to assume, therefore, that examination of the remaining 75 per cent and correspondence with the physicians in doubtful cases would have quadrupled the number of changes in classification, and that the percentages of increase given below for some of the causes of death affected would, if multiplied by 4, denote the probable increases for these causes if all of the transcripts bearing incomplete statements had been made the basis of letters of inquiry to the physicians with requests for more definite information.

For the causes of death noted below the figures given show the actual percentages of increase brought about by changes in classification made as a result of correspondence with physicians: Measles, 1.5; Whooping cough, 1.2; Influenza, 2; Tuberculous meningitis, 1.4; Syphilis, 2; Gonococcus infection, 30.4; Cerebrospinal fever, 23.4; Cerebral hemorrhage, Apoplexy, 0.6; Diseases of ears, 2.2; Ulcer of stomach, 0.7; Diarrhea and enteritis (under 2 years), 0.6; Appendicitis and

typhlitis, 0.4; Puerperal septicemia, 1.4; Puerperal albuminuria and convulsions, 0.9; Diseases of the bones, 0.5; Premature birth, 0.4; Injuries at birth, 0.8; Lack of care, 11.3; Traumatism by fall, 0.3; Excessive cold, 3.3.

In the case of bronchopneumonia, the bureau sent out a special form letter to physicians asking if the disease occurred as a complication or sequel of some other disease or abnormal condition, with a request that if this was the fact the physician state clearly the nature of the primary cause. To this letter 1,035 replies were received, on the basis of which the classification was changed in 225 cases. On the other hand, 562 additions to bronchopneumonia were made as the result of inquiries sent out in regard to other reports. The net change, therefore, indicates that this is one of the causes for which the number of deaths is understated. An estimate of the percentage of understatement is not made, however, by reason of the fact that the inquiries sent out related almost entirely to cases of decedents under 10 years of age.

The indefinite terms given in the table on page 35 do not represent all of the unsatisfactory statements encountered on certificates of death. The inquiry of 1914, however, was along somewhat broader lines than that of 1912, and it is expected that future inquiries of this character will be still further extended. It must be borne in mind, moreover, that this work is undertaken not only on account of the effect it will have upon the published figures for any given year but also on account of its educational value, supplemented as it is by the earnest cooperation of registration officials.

SUMMARY AND RATE TABLES

POPULATION, DEATHS, AND DEATH RATES.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1914.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. The term "cities" indicates municipalities of 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states." Groups with very low rates, due possibly to incomplete registration or to overestimates of population, are designated by daggers (†).]

AREA.	POPULATION.		Number of deaths, 1914.	Death rate per 1,000 population, 1914.	AREA.	POPULATION.		Number of deaths, 1914.	Death rate per 1,000 population, 1914.
	Census of April 15, 1910.	Estimated as of July 1, 1914.				Census of April 15, 1910.	Estimated as of July 1, 1914.		
SUMMARY.					SUMMARY—Continued.				
The registration area (total).....	61,392,682	65,989,295	898,059	13.6	INDIANA.				
White.....	58,267,161	62,631,566	824,319	13.2	Total.....	2,709,876	2,779,467	35,930	12.9
Colored.....	3,125,521	3,357,729	73,740	22.0	White.....	2,640,034	2,716,779	34,486	12.7
Registration states ¹ (total).....	56,999,535	61,114,200	819,880	13.4	Colored.....	60,842	62,688	1,444	23.4
White.....	54,457,281	58,408,039	763,365	13.1	Cities (total).....	819,067	901,437	12,902	14.3
Colored.....	2,542,254	2,706,161	56,515	20.9	White.....	777,934	856,953	11,871	13.9
Cities in registration states ¹ (total).....	27,293,135	30,287,640	440,461	14.5	Colored.....	41,083	44,484	1,031	23.2
White.....	26,150,927	29,029,647	409,910	14.1	Rural (total).....	1,881,809	1,878,030	23,028	12.3
Colored.....	1,142,208	1,257,993	30,551	24.3	White.....	1,852,050	1,859,826	22,595	12.1
Rural part of registration states (total).....	29,706,400	30,826,560	379,419	12.3	Colored.....	19,759	18,204	433	23.8
White.....	28,306,354	29,378,392	353,455	12.0	KANSAS.				
Colored.....	1,400,046	1,448,168	25,964	17.9	Total.....	1,690,949	1,784,897	17,497	9.8
Registration cities in other states (total).....	4,393,147	4,875,095	78,179	16.0	White.....	1,634,352	1,725,156	16,380	9.5
White.....	3,809,880	4,223,527	60,954	14.4	Colored.....	56,597	59,741	1,117	18.7
Colored.....	683,267	651,568	17,225	26.4	Cities (total).....	303,843	345,260	4,591	13.3
All registration cities ¹ (total).....	31,686,282	35,162,735	518,640	14.7	White.....	274,340	312,516	3,924	12.6
White.....	29,960,807	33,253,174	470,864	14.2	Colored.....	29,503	32,744	667	20.4
Colored.....	1,725,475	1,909,561	47,776	25.0	Rural † (total).....	1,387,106	1,439,637	12,906	9.0
ALABAMA.					White.....	1,360,012	1,412,640	12,456	8.8
Registration cities ² (total).....	222,342	263,504	5,009	19.0	Colored.....	27,094	26,997	450	16.7
White.....	127,910	152,236	2,216	14.6	KENTUCKY.				
Colored.....	94,432	111,268	2,793	25.1	Total.....	2,289,905	2,350,731	30,360	12.9
CALIFORNIA.					White.....	2,027,951	2,031,819	24,663	11.8
Total.....	2,377,549	2,757,895	37,542	13.6	Colored.....	261,954	268,912	5,692	21.2
White.....	2,259,815	2,621,161	35,495	13.5	Cities (total).....	403,294	425,563	7,325	17.2
Colored.....	117,734	136,734	2,047	15.0	White.....	333,219	351,278	5,365	15.3
Cities (total).....	1,266,930	1,546,725	21,723	14.0	Colored.....	70,075	74,290	1,960	26.4
White.....	1,211,582	1,478,748	20,493	13.9	Rural (total).....	1,886,611	1,925,168	23,035	12.0
Colored.....	55,348	67,977	1,230	18.1	White.....	1,694,732	1,730,546	19,303	11.2
Rural (total).....	1,110,619	1,211,170	15,819	13.1	Colored.....	191,879	194,622	3,732	19.2
White.....	1,043,233	1,142,413	15,002	13.1	MAINE.				
Colored.....	62,386	68,757	817	11.9	Total.....	742,371	762,787	11,925	15.6
COLORADO.					White.....	740,017	760,345	11,878	15.6
Total.....	799,024	909,537	10,166	11.2	Colored.....	2,354	2,441	47	19.3
White.....	783,539	891,769	9,380	11.1	Cities (total).....	166,433	175,127	3,163	18.1
Colored.....	15,485	17,768	286	16.1	White.....	165,750	174,404	3,146	18.0
Cities (total).....	297,058	341,257	4,424	13.0	Colored.....	683	723	22	30.4
White.....	287,722	330,537	4,211	12.7	Rural (total).....	575,938	587,660	8,757	14.9
Colored.....	9,336	10,720	213	19.9	White.....	574,267	585,942	8,732	14.9
Rural (total).....	501,966	568,280	5,742	10.1	Colored.....	1,671	1,718	25	14.6
White.....	495,817	561,232	5,669	10.1	MARYLAND.				
Colored.....	6,149	7,048	73	10.4	Total.....	1,295,346	1,341,075	21,314	15.9
CONNECTICUT.					White.....	1,062,645	1,100,153	15,759	14.3
Total.....	1,114,756	1,202,688	18,220	15.1	Colored.....	232,701	240,922	5,555	23.1
White.....	1,098,932	1,185,578	17,800	15.0	Cities (total).....	607,242	640,317	11,453	17.9
Colored.....	15,824	17,110	420	24.5	White.....	518,478	547,542	8,761	16.0
Cities (total).....	752,224	825,290	12,615	15.3	Colored.....	88,764	92,775	2,692	29.0
White.....	740,652	812,646	12,285	15.1	Rural (total).....	688,104	700,758	9,861	14.1
Colored.....	11,572	12,644	330	26.1	White.....	544,167	552,611	6,998	12.7
Rural (total).....	362,532	377,398	5,605	14.9	Colored.....	143,937	148,147	2,863	19.3
White.....	353,280	372,932	5,515	14.8	MASSACHUSETTS.				
Colored.....	4,252	4,466	90	20.2	Total.....	3,366,416	3,605,522	52,854	14.7
FLORIDA.					White.....	3,325,087	3,561,085	51,901	14.6
Registration cities ³ (total).....	100,626	116,535	2,080	17.8	Colored.....	41,329	44,437	953	21.4
White.....	55,499	63,729	947	14.9	Cities (total).....	2,606,380	2,814,233	41,133	14.6
Colored.....	45,127	52,806	1,133	21.5	White.....	2,572,003	2,776,966	40,392	14.5
GEORGIA.					Colored.....	34,372	37,272	791	21.2
Registration cities ⁴ (total).....	260,943	296,660	5,744	19.4	Rural (total).....	760,036	791,284	11,671	14.7
White.....	157,294	179,573	2,632	14.7	White.....	753,079	784,119	11,509	14.7
Colored.....	103,649	117,087	3,112	26.	Colored.....	6,957	7,165	162	22.6
ILLINOIS.					MICHIGAN.				
Registration cities ⁵ (total).....	2,395,921	2,627,143	37,379	14.2	Total.....	2,810,173	2,976,030	39,751	13.4
White.....	2,341,357	2,567,385	36,006	14.0	White.....	2,785,253	2,949,633	39,178	13.3
Colored.....	54,564	59,758	1,373	23.0	Colored.....	24,915	26,397	573	21.7

¹ Includes District of Columbia.

² Includes Birmingham, Mobile, and Montgomery.

³ Includes Jacksonville, Key West, and Pensacola.

⁴ Includes Atlanta, Augusta, and Savannah.

⁵ Includes Aurora, Belleville, Chicago, Decatur, Evanston, Jacksonville, Quincy, and Springfield.

MORTALITY STATISTICS.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1914—Continued.

[See note at head of this table.]

AREA.	POPULATION.		Number of deaths, 1914.	Death rate per 1,000 population, 1914.	AREA.	POPULATION.		Number of deaths, 1914.	Death rate per 1,000 population, 1914.
	Census of April 15, 1910.	Estimated as of July 1, 1914.				Census of April 15, 1910.	Estimated as of July 1, 1914.		
SUMMARY—Continued.					SUMMARY—Continued.				
MICHIGAN—continued.					NEW YORK—continued.				
Cities (total).....	1,043,746	1,169,668	16,939	14.5	Cities (total).....	6,771,142	7,520,670	109,356	14.5
White.....	1,032,902	1,157,410	16,690	14.4	White.....	6,652,637	7,388,358	106,198	14.4
Colored.....	10,844	12,258	249	20.3	Colored.....	118,505	132,312	3,158	23.9
Rural (total).....	1,766,427	1,806,362	22,812	12.6	Rural (total).....	2,342,472	2,379,091	36,352	15.3
White.....	1,752,356	1,792,223	22,488	12.5	White.....	2,314,284	2,351,974	35,791	15.2
Colored.....	14,071	14,139	324	22.9	Colored.....	28,188	27,117	561	20.7
MINNESOTA.					NORTH CAROLINA. ²				
Total.....	2,075,708	2,213,919	23,483	10.6	Total.....	413,041	472,295	8,966	19.0
White.....	2,059,253	2,196,341	23,079	10.5	White.....	270,463	309,636	4,765	15.4
Colored.....	16,455	17,578	404	23.0	Colored.....	142,578	162,659	4,201	25.8
Cities (total).....	654,837	732,328	8,714	11.9	Cities (total).....	154,578	176,010	3,926	22.3
White.....	648,272	724,979	8,584	11.8	White.....	96,300	109,604	1,870	17.1
Colored.....	6,565	7,347	130	17.7	Colored.....	58,278	66,406	2,056	31.0
Rural (total).....	1,420,871	1,481,593	14,769	10.0	Rural (total).....	258,463	296,285	5,040	17.0
White.....	1,410,981	1,471,362	14,495	9.9	White.....	174,163	200,032	2,895	14.5
Colored.....	9,890	10,231	274	26.8	Colored.....	84,300	96,253	2,145	22.3
MISSOURI.					OHIO.				
Total.....	3,293,335	3,372,886	41,356	12.3	Total.....	4,767,121	5,026,898	65,132	13.0
White.....	3,134,932	3,210,657	37,634	11.7	White.....	4,654,914	4,908,559	62,524	12.7
Colored.....	158,403	162,229	3,722	22.9	Colored.....	112,207	118,339	2,608	22.0
Cities (total).....	1,150,840	1,232,741	18,342	14.9	Cities (total).....	2,145,194	2,410,207	33,447	13.9
White.....	1,068,828	1,144,160	16,109	14.1	White.....	2,078,009	2,335,493	31,679	13.6
Colored.....	82,012	88,581	2,233	25.2	Colored.....	67,185	74,714	1,768	23.7
Rural (total).....	2,142,495	2,140,145	23,014	10.8	Rural (total).....	2,621,927	2,616,691	31,685	12.1
White.....	2,066,104	2,066,497	21,525	10.4	White.....	2,576,905	2,573,066	30,845	12.0
Colored.....	76,391	73,648	1,489	20.2	Colored.....	45,022	43,625	840	19.3
MONTANA.					PENNSYLVANIA.				
Total.....	376,053	432,614	4,846	11.2	Total.....	7,665,111	8,245,967	114,832	13.9
White.....	360,587	414,814	4,582	11.0	White.....	7,467,761	8,033,610	110,100	13.7
Colored.....	15,466	17,800	264	14.8	Colored.....	197,350	212,357	4,732	22.3
Cities (total).....	98,662	109,011	1,688	15.5	Cities (total).....	3,653,461	3,957,679	60,578	15.3
White.....	96,506	106,608	1,644	15.4	White.....	3,507,665	3,800,812	56,871	15.0
Colored.....	2,156	2,403	44	18.3	Colored.....	145,796	156,867	3,707	23.6
Rural (total).....	277,391	323,603	3,158	9.8	Rural (total).....	4,011,650	4,288,288	54,254	12.7
White.....	264,081	308,206	2,938	9.5	White.....	3,960,066	4,232,788	53,229	12.6
Colored.....	13,310	15,397	220	14.3	Colored.....	51,584	55,490	1,025	13.5
NEBRASKA.					RHODE ISLAND.				
Registration cities ¹ (total).....	168,069	178,917	2,388	13.3	Total.....	542,610	591,215	8,702	14.7
White.....	162,802	173,287	2,258	13.0	White.....	532,498	580,191	8,409	14.5
Colored.....	5,267	5,630	130	23.1	Colored.....	10,112	11,024	293	26.6
NEW HAMPSHIRE.					CITIES (total).....				
Total.....	430,572	438,662	7,166	16.3	White.....	437,627	479,487	7,179	15.0
White.....	429,909	437,983	7,155	16.3	White.....	429,094	470,169	6,910	14.7
Colored.....	663	679	11	16.2	Colored.....	8,533	9,318	269	28.9
Cities (total).....	174,112	184,187	3,050	16.6	Rural (total).....	104,983	111,728	1,523	13.6
White.....	173,789	183,849	3,042	16.5	White.....	103,404	110,022	1,499	13.6
Colored.....	323	338	8	23.7	Colored.....	1,579	1,706	24	14.1
Rural (total).....	256,460	254,475	4,116	16.2	TENNESSEE.				
White.....	256,120	254,134	4,113	16.2	Registration cities ⁴ (total).....	338,198	370,662	7,222	19.5
Colored.....	340	341	3	8.8	White.....	217,842	237,961	3,655	15.4
NEW JERSEY.					Colored.....	120,356	132,701	3,567	26.9
Total.....	2,537,167	2,815,663	39,901	14.2	TEXAS.				
White.....	2,445,927	2,714,371	37,867	14.0	Registration cities ⁵ (total).....	172,874	204,857	4,757	23.2
Colored.....	91,240	101,292	2,034	20.1	White.....	152,282	181,036	4,191	23.2
Cities (total).....	1,635,863	1,828,462	25,959	14.2	Colored.....	20,592	23,821	566	23.8
White.....	1,580,235	1,765,930	24,587	13.9	UTAH.				
Colored.....	55,628	62,532	1,372	21.9	Total.....	373,351	414,518	4,199	10.1
Rural (total).....	901,304	987,201	13,942	14.1	White.....	366,602	407,004	4,088	10.0
White.....	865,692	948,441	13,280	14.0	Colored.....	6,749	7,514	111	14.8
Colored.....	35,612	38,760	662	17.1	Cities (total).....	118,357	139,264	1,476	10.6
NEW YORK.					White.....	116,415	136,968	1,440	10.5
Total.....	9,113,614	9,899,761	145,708	14.7	Colored.....	1,942	2,296	36	15.7
White.....	8,966,921	9,740,332	141,989	14.6	Rural (total).....	254,994	275,254	2,723	9.9
Colored.....	146,693	159,429	3,719	23.3	White.....	250,187	270,036	2,648	9.8
					Colored.....	4,807	5,218	75	14.4

¹ Includes Lincoln and Omaha.² Includes only municipalities having a population of 1,000 or over in 1910.³ Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.⁴ Includes Chattanooga, Jackson, Knoxville, Memphis, and Nashville.⁵ Includes El Paso, Galveston, and San Antonio.

POPULATION, DEATHS, AND DEATH RATES.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1914—Continued.

[See note at head of this table.]

AREA.	POPULATION.		Number of deaths, 1914.	Death rate per 1,000 population, 1914.	AREA.	POPULATION.		Number of deaths, 1914.	Death rate per 1,000 population, 1914.
	Census of April 15, 1910.	Estimated as of July 1, 1914.				Census of April 15, 1910.	Estimated as of July 1, 1914.		
SUMMARY—Continued.					SUMMARY—Continued.				
VERMONT.					WASHINGTON.				
Total.....	355,956	361,205	5,430	15.0	Total †.....	1,141,980	1,407,865	11,448	8.1
White.....	354,298	359,523	5,425	15.1	White.....	1,109,092	1,367,331	10,973	8.0
Colored.....	1,658	1,682	5	3.0	Colored.....	32,888	40,534	475	11.7
Cities (total).....	44,748	47,370	826	17.4	Cities † (total).....	521,557	674,321	5,633	8.4
White.....	44,605	47,221	825	17.5	White.....	507,436	655,896	5,438	8.3
Colored.....	143	149	1	6.7	Colored.....	14,121	18,425	195	10.6
Rural (total).....	311,208	313,835	4,604	14.7	Rural † (total).....	620,433	733,544	5,815	7.9
White.....	309,693	312,302	4,600	14.7	White.....	601,656	711,435	5,535	7.8
Colored.....	1,515	1,533	4	2.6	Colored.....	18,777	22,109	280	12.7
VIRGINIA.					WISCONSIN.				
Total.....	2,061,612	2,150,009	30,117	14.0	Total.....	2,333,860	2,446,716	27,181	11.1
White.....	1,389,809	1,449,401	16,918	11.7	White.....	2,320,557	2,432,768	26,964	11.1
Colored.....	671,803	700,608	13,199	18.8	Colored.....	13,303	13,948	217	15.6
Cities (total).....	381,923	423,671	7,908	18.7	Cities (total).....	752,945	833,974	10,202	12.2
White.....	249,872	277,249	3,921	14.1	White.....	750,499	831,317	10,166	12.2
Colored.....	132,051	146,422	3,987	27.2	Colored.....	2,449	2,657	36	13.5
Rural (total).....	1,679,689	1,726,338	22,209	12.9	Rural (total).....	1,580,912	1,612,742	16,979	10.5
White.....	1,139,937	1,172,152	12,997	11.1	White.....	1,570,058	1,601,451	16,798	10.5
Colored.....	539,752	554,186	9,212	16.6	Colored.....	10,854	11,291	181	16.0

MORTALITY STATISTICS.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914.

[Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates, due possibly to incomplete registration, or to overestimates of population, are designated by daggers (†). Figures for white and colored are shown separately for areas (except as indicated in the footnotes) only when the colored population of the area formed at least 5 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 or more inhabitants in 1910.]

AREA.	Popula- tion esti- mated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POP- ULATION, 1914.		AREA.	Popula- tion esti- mated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POP- ULATION, 1914.	
		In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.	In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.			In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.	In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.
REGISTRATION CITIES.						REGISTRATION CITIES— Continued.					
ALABAMA. ¹						CONNECTICUT—continued.					
Birmingham (total).....	166,154	2,907	2,707	17.5	16.3	Norwalk.....	26,033	378	376	14.5	14.4
White.....	100,642	1,323	1,184	13.1	11.8	Norwich town.....	29,032	473	424	16.3	14.6
Colored.....	65,512	1,584	1,523	24.2	23.2	Orange town.....	13,094	144	(²)	11.0	(²)
Mobile (total).....	55,573	1,209	1,080	21.8	19.4	Stamford town.....	33,095	575	549	17.4	16.6
White.....	30,997	559	458	18.0	14.8	Torrington town.....	18,709	188	(²)	10.0	(²)
Colored.....	24,576	650	622	26.4	25.3	Wallingford town.....	12,072	151	144	12.5	11.9
Montgomery (total).....	41,777	893	(²)	21.4	(²)	Waterbury.....	82,517	1,174	1,140	14.2	13.8
White.....	20,597	334	(²)	16.2	(²)	Windham town.....	13,654	232	211	17.0	15.5
Colored.....	21,180	559	(²)	26.4	(²)	DELAWARE. ¹					
CALIFORNIA.						Wilmington (total).....	92,057	1,460	1,411	15.9	15.3
Alameda.....	26,330	290	281	11.0	10.7	White.....	82,471	1,214	1,176	14.7	14.3
Bakersfield (total).....	15,538	284	280	18.3	18.0	Colored.....	9,586	246	235	25.7	24.5
White.....	14,509	259	255	17.9	17.6	DISTRICT OF COLUMBIA.					
Colored.....	1,029	25	(²)	24.3	(²)	Washington (total).....	353,378	5,851	5,552	16.6	15.7
Berkeley †.....	52,105	435	411	8.3	7.9	White.....	252,039	3,488	3,262	13.8	12.9
Eureka.....	13,768	204	202	14.8	14.7	Colored.....	101,339	2,366	2,290	23.3	22.6
Fresno (total).....	29,809	431	400	14.5	13.4	FLORIDA. ¹					
White.....	27,531	379	353	13.8	12.8	Jacksonville (total).....	70,173	1,304	1,181	18.6	16.8
Colored.....	2,248	52	47	23.1	20.9	White.....	34,453	520	416	15.1	12.9
Long Beach.....	24,437	425	422	17.4	17.3	Colored.....	35,720	784	735	21.9	20.6
Los Angeles (total).....	438,914	5,643	5,425	12.9	12.4	Key West (total).....	21,150	339	(²)	16.0	(²)
White.....	419,813	5,317	5,198	12.7	12.2	White.....	15,280	237	(²)	15.5	(²)
Colored.....	19,101	326	317	17.1	16.6	Colored.....	5,870	102	(²)	17.4	(²)
Oakland (total).....	183,002	2,121	2,052	11.6	11.2	Pensacola (total).....	25,212	437	434	17.3	17.2
White.....	172,938	2,002	1,935	11.6	11.2	White.....	13,996	190	187	13.6	13.4
Colored.....	10,014	119	117	11.9	11.7	Colored.....	11,216	247	(²)	22.0	(²)
Pasadena.....	40,880	457	443	11.2	10.8	GEORGIA. ¹					
Pomona.....	12,202	144	143	11.8	11.7	Atlanta (total).....	179,292	2,956	2,760	16.5	15.4
Redlands.....	12,856	118	(²)	9.2	(²)	White.....	119,105	1,572	1,408	13.2	11.8
Riverside (total).....	18,297	216	206	11.8	11.3	Colored.....	60,187	1,384	1,352	23.0	22.5
White.....	16,245	203	193	12.5	11.9	Augusta (total).....	49,451	1,061	973	21.5	19.7
Colored.....	2,052	13	(²)	6.3	(²)	White.....	27,290	480	426	17.6	15.6
Sacramento (total).....	62,717	1,065	987	17.0	15.7	Colored.....	22,161	581	547	26.2	24.7
White.....	58,520	940	877	16.1	15.0	Savannah (total).....	67,917	1,727	1,564	25.4	23.0
Colored.....	4,197	125	110	29.8	26.2	White.....	33,178	580	498	17.5	15.0
San Bernardino.....	15,693	347	321	22.2	20.6	Colored.....	34,739	1,147	1,066	33.0	30.7
San Diego.....	43,900	943	900	19.3	18.4	ILLINOIS. ¹					
San Francisco (total).....	448,502	6,943	6,589	15.5	14.7	Aurora.....	33,022	466	430	14.1	13.0
White.....	430,324	6,571	6,233	15.3	14.5	Belleville.....	21,139	304	274	14.4	13.0
Colored.....	18,178	372	356	20.5	19.6	Chicago (total).....	2,397,600	33,959	33,280	14.2	13.9
San Jose.....	37,086	459	448	12.4	12.1	White.....	2,346,883	32,755	32,092	14.0	13.7
Santa Barbara.....	13,818	259	246	18.7	17.8	Colored.....	50,717	1,204	1,188	23.7	23.4
Santa Cruz.....	13,482	186	181	13.8	13.4	Decatur.....	37,525	480	456	12.3	12.2
Stockton* (total).....	25,702	589	580	22.9	22.6	Evanston.....	27,724	304	266	11.0	9.6
White.....	24,189	519	510	21.5	21.1	Jacksonville* (total).....	15,431	441	(²)	28.6	(²)
Colored.....	1,513	70	(²)	46.3	(²)	White.....	14,172	416	(²)	29.4	(²)
Vallejo.....	12,777	164	155	12.8	12.1	Colored.....	1,259	25	(²)	19.9	(²)
COLORADO.						Quincy.....	36,730	543	520	14.8	14.2
Colorado Springs.....	31,717	467	454	14.7	14.3	Springfield (total).....	67,972	902	782	15.6	13.5
Denver.....	245,523	3,247	3,044	13.2	12.4	White.....	54,630	821	702	15.0	12.9
Pueblo.....	51,213	538	534	10.5	10.4	Colored.....	3,342	81	80	24.2	23.9
Trinidad.....	12,799	172	(²)	13.4	(²)	INDIANA.					
CONNECTICUT.						Anderson.....	23,528	313	309	13.3	13.1
Ansonia.....	16,204	223	(²)	13.8	(²)	East Chicago.....	25,658	360	(²)	14.0	(²)
Bridgeport.....	115,289	1,729	1,677	15.0	14.5	Elkhart.....	21,028	269	262	12.8	12.5
Bristol.....	15,145	161	(²)	10.6	(²)	Elwood.....	10,211	117	(²)	11.5	(²)
Danbury town.....	25,219	363	330	14.4	13.1	Evansville (total).....	71,284	979	930	13.7	13.0
Greenwich town.....	18,290	286	272	15.6	14.9	White.....	64,867	832	785	12.8	12.1
Hartford.....	107,038	1,872	1,598	17.5	14.9	Colored.....	6,417	147	145	22.9	22.6
Manchester town †.....	14,935	132	(²)	8.8	(²)	Fort Wayne.....	72,423	841	710	11.6	9.8
Meriden town.....	33,501	573	481	17.1	14.4	Gary.....	(²)	340	337	(²)	(²)
Middletown town*.....	22,138	535	293	24.2	13.2						
Naugatuck.....	13,651	126	(²)	9.2	(²)						
New Britain.....	50,612	620	611	12.3	12.1						
New Haven.....	144,505	2,326	2,176	16.1	15.1						
New London.....	20,557	354	330	17.2	16.1						

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² No nonresidents reported.

³ Incorporated in 1906; population not estimated.

POPULATION, DEATHS, AND DEATH RATES, URBAN AND RURAL.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.					
INDIANA—continued.						KENTUCKY—continued.					
Hammond.....	24,481	376	314	15.4	12.8	Louisville (total).....	235,114	3,869	3,827	16.5	16.3
Huntington.....	10,479	138	(1)	13.2	(1)	White.....	192,551	2,854	2,816	14.8	14.6
Indianapolis (total).....	259,820	4,142	3,889	15.9	15.0	Colored.....	42,563	1,015	1,011	23.8	23.8
White.....	235,500	3,569	3,323	15.2	14.1	Newport (total).....	31,517	365	(1)	11.6	(1)
Colored.....	24,320	573	566	23.6	23.3	White.....	30,925	355	(1)	11.5	(1)
Jeffersonville (total).....	10,260	156	(1)	15.2	(1)	Colored ²	592	10	(1)	16.9	(1)
White.....	8,744	116	(1)	13.3	(1)	Owensboro (total).....	17,212	334	(1)	19.4	(1)
Colored.....	1,516	40	(1)	26.4	(1)	White.....	13,862	244	(1)	17.6	(1)
Kokomo.....	19,694	294	292	14.9	14.8	Colored.....	3,350	90	(1)	26.9	(1)
Lafayette.....	20,896	400	337	19.1	16.1	Paducah (total).....	24,170	433	430	20.0	19.9
Laporte.....	12,533	146	138	11.6	11.0	White.....	17,745	302	300	17.0	16.9
Logansport.....	20,262	314	303	15.5	15.0	Colored.....	6,425	181	180	28.2	28.0
Marion.....	19,656	312	301	15.9	15.3	LOUISIANA. ³					
Michigan City.....	20,710	273	249	13.2	12.0	New Orleans (total).....	361,221	7,417	6,669	20.5	18.5
Mishawaka.....	14,579	157	151	10.8	10.4	White.....	265,692	4,397	4,054	16.5	15.3
Muncie.....	24,969	331	326	13.3	13.1	Colored.....	95,529	3,020	2,615	31.6	27.4
New Albany (total).....	20,629	288	283	14.0	13.7	MAINE.					
White.....	19,046	255	250	13.4	13.1	Auburn.....	15,965	230	226	14.4	14.2
Colored.....	1,583	33	(1)	20.8	(1)	Augusta*.....	13,890	290	213	20.9	15.4
Peru.....	12,201	162	158	13.3	12.9	Bangor*.....	26,061	579	458	22.2	18.7
Richmond (total).....	23,932	295	(1)	12.3	(1)	Biddeford.....	17,475	277	268	15.9	15.3
White.....	22,644	271	(1)	12.0	(1)	Lewiston.....	27,305	555	510	20.3	18.7
Colored.....	1,288	24	(1)	18.6	(1)	Portland.....	62,161	1,033	989	16.6	15.9
South Bend.....	65,114	717	697	11.0	10.7	Waterville.....	12,300	204	198	16.6	16.1
Terre Haute.....	68,529	938	880	14.3	13.9	MARYLAND.					
Vincennes.....	16,759	244	230	14.6	13.7	Baltimore (total).....	579,590	10,486	10,027	18.1	17.3
KANSAS.						Baltimore.....	491,276	7,879	7,497	16.0	15.3
Atchison (total).....	16,635	196	(1)	11.8	(1)	Colored.....	88,314	2,607	2,530	29.5	28.6
White.....	13,984	156	(1)	11.2	(1)	Cumberland (total).....	25,054	429	374	17.1	14.9
Colored.....	2,651	40	(1)	15.1	(1)	White.....	23,800	395	342	16.6	14.4
Coffeyville (total).....	15,982	194	193	12.1	12.1	Colored ²	1,224	34	32	27.8	26.1
White.....	14,181	164	163	11.6	11.5	Frederick (total).....	10,886	179	167	16.4	15.3
Colored.....	1,801	30	(1)	16.7	(1)	White.....	9,349	161	149	17.2	15.9
Fort Scott (total).....	10,522	180	(1)	17.1	(1)	Colored.....	1,537	18	(1)	11.7	(1)
White.....	9,469	157	(1)	16.6	(1)	Hagerstown ⁴ (total).....	24,787	359	355	14.5	14.3
Colored.....	1,053	23	(1)	21.8	(1)	White ⁴	23,087	326	322	14.1	13.9
Hutchinson (total).....	19,339	213	212	11.0	11.0	Colored ⁴	1,700	33	(1)	19.4	(1)
White.....	18,323	200	199	10.9	10.9	MASSACHUSETTS.					
Colored.....	1,016	13	(1)	12.8	(1)	Adams town.....	13,830	179	178	12.9	12.9
Independence (total).....	13,296	145	(1)	10.9	(1)	Arlington town.....	12,287	161	161	13.3	13.1
White.....	12,351	123	(1)	10.0	(1)	Attleborough town.....	18,294	237	231	13.0	12.6
Colored.....	945	22	(1)	23.3	(1)	Beverly.....	20,679	250	233	12.1	10.8
Kansas City (total).....	94,271	1,234	1,193	13.1	12.7	Boston (total).....	733,802	11,831	10,527	16.1	14.3
White.....	83,582	979	940	11.7	11.2	White.....	717,767	11,426	10,139	15.9	14.1
Colored.....	10,689	255	253	23.9	23.7	Colored.....	16,035	405	388	25.3	24.2
Lawrence (total).....	13,018	188	(1)	14.4	(1)	Brookton.....	64,043	756	728	11.8	11.4
White.....	10,457	151	(1)	14.4	(1)	Brookline town.....	31,138	344	302	11.0	9.7
Colored.....	2,561	37	(1)	14.4	(1)	Cambridge.....	110,357	1,452	1,299	13.2	11.8
Leavenworth (total).....	18,778	320	(1)	17.0	(1)	Chelsea.....	31,765	667	481	21.0	15.1
White.....	16,371	265	(1)	16.2	(1)	Chicopee.....	28,057	405	403	14.4	14.4
Colored.....	2,407	55	(1)	22.8	(1)	Clinton town.....	12,762	170	157	13.3	12.3
Parsons (total).....	14,500	190	189	13.1	13.0	Everett.....	37,381	398	395	10.6	10.6
White.....	13,332	165	164	12.4	12.3	Fall River.....	125,443	2,167	2,148	17.3	17.1
Colored.....	1,168	25	(1)	21.4	(1)	Fitchburg.....	40,507	436	473	12.0	11.7
Pittsburg.....	16,845	251	(1)	14.9	(1)	Framingham town.....	13,648	217	175	15.9	12.8
Topeka* (total).....	47,102	820	808	17.4	17.2	Gardner town.....	16,353	235	215	14.4	13.1
White.....	42,198	714	703	16.9	16.7	Gloucester.....	23,666	313	307	13.2	13.0
Colored.....	4,904	106	105	21.6	21.4	Greenfield town.....	11,492	158	137	13.7	11.9
Wichita.....	64,972	660	640	10.2	9.9	Haverhill.....	47,071	685	663	14.6	14.1
KENTUCKY.						Holyoke.....	62,852	929	800	14.8	12.7
Covington (total).....	55,896	837	831	15.0	14.9	Lawrence.....	95,834	1,314	1,286	13.7	13.4
White.....	52,840	724	718	13.7	13.6	Leominster town.....	19,789	200	197	10.1	10.0
Colored.....	3,056	113	(1)	37.0	(1)	Lowell.....	111,004	1,769	1,725	15.9	15.5
Frankfort (total).....	10,882	187	184	17.2	16.9	Lynn.....	98,207	1,209	1,170	12.3	11.9
White.....	7,917	126	124	15.9	15.7	Malden.....	48,979	605	578	12.4	11.8
Colored.....	2,965	61	60	20.6	20.2	Marlborough.....	14,991	210	206	14.0	13.7
Henderson (total).....	11,953	240	(1)	20.1	(1)	Medford.....	25,240	301	283	11.9	11.2
White.....	8,805	153	(1)	17.4	(1)	Melrose.....	16,887	194	181	11.5	10.7
Colored.....	3,148	87	(1)	27.6	(1)	Methuen town.....	13,123	164	158	12.5	12.0
Lexington* (total).....	35,819	1,010	956	26.0	24.6	Milford town.....	13,770	218	207	15.8	15.0
White.....	26,623	607	566	22.8	21.3	New Bedford.....	111,290	1,756	1,701	15.8	15.3
Colored.....	12,191	403	390	33.1	32.0	Newburyport.....	15,147	255	240	16.8	15.8

¹ No nonresidents reported.

² Colored population less than 5 per cent of the total in 1910.

³ Nonregistration state; cities shown below only those with effective local ordinances.

⁴ Probably does not include deaths in territory annexed in April, 1914.

MORTALITY STATISTICS.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.					
MASSACHUSETTS—continued.						MISSOURI—continued.					
Newton.....	42,455	458	412	10.8	9.7	Moberly (total).....	12,162	170	167	14.0	13.7
North Adams.....	21,090	325	303	15.4	14.4	White.....	11,062	143	140	12.9	12.7
Northampton*.....	19,766	362	260	18.3	13.2	Colored.....	1,100	27	(1)	24.5	(1)
Peabody town.....	17,510	218	214	12.5	12.2	St. Joseph* (total).....	82,712	1,133	949	13.7	11.5
Pittsfield.....	36,531	600	544	16.4	14.9	White.....	78,144	1,051	877	13.4	11.2
Plymouth town.....	13,227	208	205	15.7	15.5	Colored.....	4,568	82	72	18.0	15.8
Quincy.....	36,366	458	446	12.6	12.3	St. Louis (total).....	734,667	11,052	10,707	15.0	14.6
Revere town.....	21,552	208	(1)	9.7	(1)	White.....	47,629	9,786	9,462	14.2	13.8
Salem.....	46,994	622	595	13.2	12.7	Colored.....	1,266	1,245	26.0	26.1	
Somerville.....	33,881	992	948	11.8	11.3	Sedalia (total).....	18,925	283	282	15.0	14.9
Southbridge town.....	13,685	143	(1)	10.4	(1)	White.....	16,938	224	223	13.2	13.2
Springfield.....	100,490	1,525	1,349	15.2	13.4	Colored.....	1,987	59	(1)	29.7	(1)
Taunton*.....	35,631	802	586	22.5	16.4	Springfield (total).....	38,685	630	620	16.3	16.0
Wakefield town †.....	12,305	109	(1)	8.9	(1)	White.....	36,482	563	553	15.4	15.2
Waltham.....	29,688	366	313	12.3	10.5	Colored.....	2,203	67	(1)	30.4	(1)
Watertown town.....	14,225	153	(1)	10.8	(1)	Webb City.....	13,299	172	(1)	12.9	(1)
Webster town.....	12,662	127	(1)	10.0	(1)	MONTANA.					
Westfield town.....	17,635	292	249	16.6	14.1	Anaconda.....	10,424	125	118	12.0	11.3
Weymouth town.....	13,564	191	(1)	14.1	(1)	Billings.....	13,020	140	132	10.8	10.1
Winthrop town.....	11,866	115	114	9.7	9.6	Butte.....	42,286	726	674	17.2	15.9
Woburn.....	15,755	188	182	11.9	11.6	Great Falls.....	13,531	347	326	25.6	24.1
Worcester.....	157,732	2,483	2,188	15.7	13.9	Helena (total).....	13,258	162	150	12.2	11.3
MICHIGAN.						White.....	12,453	161	149	12.9	12.0
Adrian.....	11,234	160	(1)	14.2	(1)	Colored.....	805	1	(1)	1.2	(1)
Alpena.....	13,089	130	(1)	13.8	(1)	Missoula.....	16,492	188	153	11.4	9.3
Ann Arbor.....	14,948	370	326	24.8	21.8	NEBRASKA. ³					
Battle Creek.....	28,122	436	423	15.5	15.0	Lincoln.....	45,643	551	464	12.1	10.2
Bay City.....	47,047	561	560	11.9	11.9	Omaha.....	133,274	1,837	1,572	13.8	11.8
Detroit.....	537,650	8,400	(1)	15.6	(1)	NEW HAMPSHIRE.					
Escanaba.....	14,747	203	(1)	13.8	(1)	Berlin.....	13,013	190	185	14.6	14.2
Flint.....	49,546	480	(1)	9.7	(1)	Concord*.....	22,291	456	202	20.5	13.5
Grand Rapids.....	123,227	1,593	1,585	12.9	12.9	Dover.....	13,264	255	229	19.2	17.3
Holland.....	11,639	115	(1)	9.9	(1)	Keene.....	10,451	155	148	14.8	14.2
Ironwood.....	14,147	151	150	10.7	10.6	Laconia.....	11,094	181	176	16.3	15.9
Ishpeming †.....	13,106	108	(1)	8.9	(1)	Manchester.....	75,635	1,250	1,206	16.5	15.9
Jackson.....	34,097	493	492	14.5	14.4	Nashua.....	26,901	368	353	13.7	13.1
Kalamazoo*.....	45,842	772	581	16.8	12.7	Portsmouth.....	11,538	195	191	16.9	16.6
Lansing.....	37,512	359	358	9.6	9.5	NEW JERSEY.					
Manistee.....	11,581	144	(1)	12.4	(1)	Asbury Park (total).....	12,763	177	(1)	13.9	(1)
Marquette.....	12,117	171	163	14.1	13.5	White.....	10,322	127	(1)	12.3	(1)
Menominee.....	9,522	131	125	13.8	13.1	Colored.....	2,441	50	(1)	20.5	(1)
Muskegon.....	25,442	346	336	13.6	13.2	Atlantic City (total).....	53,952	829	827	15.4	15.3
Pontiac*.....	16,560	330	253	19.9	15.3	White.....	42,356	647	645	15.3	15.2
Port Huron.....	18,738	295	294	15.7	15.7	Colored.....	11,596	182	(1)	15.7	(1)
Saginaw.....	53,988	704	698	13.0	12.9	Bayonne.....	65,271	807	805	12.4	12.3
Sault Ste. Marie.....	13,499	176	174	13.0	12.9	Bloomfield.....	17,372	182	178	10.5	10.2
Traverse City*.....	13,268	261	189	19.7	14.2	Bridgeton (total).....	14,335	242	238	16.9	16.6
MINNESOTA.						White.....	13,526	222	222	16.7	16.4
Duluth.....	89,331	1,047	866	11.7	9.7	Colored.....	809	16	(1)	19.8	(1)
Mankato.....	10,268	170	134	16.6	13.1	Camden (total).....	102,465	1,759	1,743	17.2	17.0
Minneapolis.....	343,466	4,116	3,716	12.0	10.8	White.....	95,803	1,576	1,562	16.5	16.3
St. Cloud.....	11,425	158	136	13.8	11.9	Colored.....	183	181	27.5	27.2	
St. Paul.....	236,766	2,690	2,440	11.4	10.3	East Orange (total).....	39,852	361	(1)	9.1	(1)
Stillwater.....	9,296	121	110	13.0	11.8	White.....	37,608	340	(1)	9.0	(1)
Virginia.....	13,671	134	119	9.8	8.7	Colored.....	2,244	21	(1)	9.4	(1)
Winona.....	18,103	278	256	15.4	14.1	Elizabeth.....	82,411	1,185	1,144	14.4	13.9
MISSOURI.						Garfield.....	13,071	151	(1)	11.6	(1)
Hannibal (total).....	20,710	257	(1)	12.4	(1)	Hackensack (total).....	16,011	254	230	15.9	14.4
White.....	18,622	206	(1)	11.1	(1)	White.....	15,113	232	209	15.4	13.8
Colored.....	2,088	51	(1)	24.4	(1)	Colored.....	898	22	21	24.5	23.4
Jefferson City (total).....	13,031	170	167	13.0	12.8	Harrison.....	16,160	167	(1)	10.3	(1)
White.....	10,915	141	138	12.9	12.6	Hoboken.....	74,994	1,185	1,070	15.5	14.3
Colored.....	2,116	29	(1)	13.7	(1)	Irvington.....	14,697	187	185	12.7	12.6
Joplin.....	32,848	536	534	16.3	16.3	Jersey City.....	293,321	4,042	3,932	13.8	13.5
Kansas City (total).....	281,911	3,939	3,746	14.0	13.3	Kearny.....	21,967	257	250	11.7	11.4
White.....	255,007	3,305	3,119	13.0	12.2	Long Branch (total).....	14,719	311	275	21.1	18.7
Colored.....	26,904	634	627	23.6	23.3	White.....	13,334	266	236	19.9	17.7
						Colored.....	1,385	45	39	32.5	28.2
						Millville.....	13,246	159	(1)	12.0	(1)

¹ No nonresidents reported.² Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.³ Nonregistration state; cities shown below only those with effective local ordinances.

POPULATION, DEATHS, AND DEATH RATES, URBAN AND RURAL.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.					
NEW JERSEY—continued.						NEW YORK—continued.					
Montclair (total).....	24,732	348	276	14.0	11.1	Newburgh.....	29,023	516	457	17.8	15.7
White.....	21,902	305	240	13.9	11.0	Niagara Falls.....	35,127	564	549	16.1	15.6
Colored.....	2,830	43	36	14.9	12.5	North Tonawanda.....	13,184	159	(1)	12.1	(1)
Morrisstown (total).....	15,033	266	218	20.4	16.7	Ogdensburg*.....	16,464	439	270	26.7	16.4
White.....	11,991	240	198	20.0	16.5	Olean.....	16,018	252	248	15.7	15.5
Colored.....	1,042	26	20	25.0	19.2	Ossining (total).....	12,987	188	170	14.5	13.1
New Brunswick.....	24,827	498	494	20.1	19.9	White.....	12,248	176	158	14.4	12.9
Newark.....	359,106	5,650	5,505	14.5	14.1	Colored.....	739	12	(1)	16.2	(1)
Orange (total).....	31,968	507	454	15.9	14.2	Oswego.....	23,865	432	429	18.1	18.0
White.....	29,270	436	387	14.9	13.2	Peekskill.....	17,327	255	252	14.7	14.5
Colored.....	2,698	71	67	26.3	24.8	Plattsburg.....	12,289	195	186	15.9	15.1
Passaic.....	66,276	871	861	13.1	13.0	Port Chester.....	15,095	193	187	12.8	12.4
Paterson.....	134,305	1,810	1,727	13.5	12.9	Poughkeepsie.....	29,598	519	489	17.5	16.5
Perth Amboy.....	38,265	571	561	14.9	14.7	Rensselaer.....	11,027	169	(1)	15.3	(1)
Phillipsburg.....	15,087	186	(1)	12.4	(1)	Rochester.....	245,077	3,514	3,254	14.3	13.3
Plainfield (total).....	22,755	292	263	12.8	11.6	Rome.....	22,693	527	365	23.2	16.1
White.....	20,703	254	228	12.3	11.0	Saratoga Springs.....	12,843	261	214	20.4	16.7
Colored.....	2,052	38	35	18.5	17.1	Schenectady.....	91,012	1,040	1,003	11.4	11.0
Tranton*.....	106,831	1,938	1,692	18.1	15.8	Syracuse.....	149,353	2,208	2,092	14.8	14.0
Union*.....	23,538	180	179	7.6	7.6	Troy.....	77,560	1,395	1,395	20.5	18.0
West Hoboken*.....	40,647	333	(1)	8.2	(1)	Utica*.....	82,060	1,548	1,335	18.9	16.3
West New York.....	17,093	195	194	11.4	11.3	Watertown.....	28,874	468	462	16.2	16.0
West Orange*.....	12,722	79	(1)	6.2	(1)	Watervliet.....	15,394	231	230	15.0	14.9
NEW YORK.						White Plains (total).....					
Albany.....	102,961	1,993	1,716	19.4	16.7	White.....	18,319	233	187	12.7	10.2
Amsterdam.....	35,223	495	480	14.1	13.6	Colored.....	1,060	25	24	23.6	22.6
Auburn.....	36,509	553	522	15.1	14.3	Yonkers.....	93,383	1,105	1,061	11.8	11.4
Batavia.....	12,614	223	202	17.7	16.0	NORTH CAROLINA.					
Binghamton*.....	52,191	1,017	820	19.5	15.7	Asheville (total).....	20,157	489	469	24.3	23.3
Buffalo.....	454,112	7,045	6,599	15.5	14.5	White.....	14,397	327	309	22.7	21.5
Cohoes.....	25,049	394	391	15.7	15.6	Colored.....	5,760	162	160	28.1	27.8
Corning.....	14,866	203	195	13.7	13.1	Charlotte (total).....	37,951	824	811	21.7	21.4
Cortland.....	12,565	218	216	17.3	17.2	White.....	24,835	402	389	16.2	15.7
Dunkirk.....	19,607	238	235	12.1	12.0	Colored.....	13,116	422	(1)	32.2	(1)
Elmira.....	37,816	577	543	15.3	14.4	Durham (total).....	22,863	354	347	15.5	15.2
Fulton.....	11,448	179	178	15.6	15.5	White.....	14,253	153	(1)	10.7	(1)
Geneva.....	13,303	235	215	17.7	16.2	Colored.....	8,610	201	194	23.3	22.5
Glens Falls.....	16,362	288	281	17.6	17.2	Greensboro (total).....	18,391	361	347	19.6	18.9
Gloversville.....	21,618	331	328	15.3	15.2	White.....	11,788	152	140	12.9	11.9
Hornell.....	14,341	221	217	15.4	15.1	Colored.....	6,608	209	207	31.6	31.3
Hudson.....	12,221	230	220	18.8	18.0	Raleigh* (total).....	19,833	603	512	30.4	25.8
Ithaca.....	15,510	243	238	15.7	15.3	White.....	12,225	302	234	24.7	19.1
Jamestown.....	34,878	423	412	12.3	11.8	Colored.....	7,608	301	278	39.6	36.5
Johnstown.....	10,582	133	(1)	12.6	(1)	Wilmington (total).....	27,781	653	614	23.5	22.1
Kingston.....	26,493	488	463	18.4	17.5	White.....	14,703	247	226	16.8	15.4
Lackawanna.....	19,012	321	316	16.9	16.6	Colored.....	13,078	406	388	31.0	29.7
Little Falls.....	13,077	232	(1)	17.7	(1)	Winston-Salem (total).....	29,034	642	639	22.1	22.0
Lockport.....	19,581	286	283	14.6	14.5	White.....	17,408	287	284	16.5	16.3
Middletown*.....	15,650	387	260	24.7	16.6	Colored.....	11,626	355	(1)	30.5	(1)
Mount Vernon.....	35,047	387	375	11.0	10.7	OHIO.					
New Rochelle (total).....	34,893	359	352	10.3	10.1	Akron.....	80,291	1,086	1,080	13.5	13.5
White.....	32,740	325	318	9.9	9.7	Alliance.....	17,718	199	193	11.2	10.9
Colored.....	2,153	34	(1)	15.8	(1)	Ashtabula.....	20,478	224	221	10.9	10.8
New York (total).....	5,333,539	75,020	74,332	14.1	13.9	Bellaire.....	13,896	178	(1)	12.8	(1)
Bronx Borough.....	529,198	7,136	7,067	13.5	13.4	Cambridge.....	12,844	177	173	13.8	13.5
Brooklyn Borough.....	1,833,696	25,289	25,194	13.8	13.7	Canton.....	57,426	639	638	11.1	11.1
Manhattan Borough.....	2,536,716	36,201	35,747	14.3	14.1	Chillicothe (total).....	15,169	233	232	15.4	15.3
Queens Borough.....	339,886	4,903	4,869	14.4	14.3	White.....	14,168	205	204	14.5	14.4
Richmond Borough.....	94,043	1,521	1,505	16.2	16.0	Colored.....	992	28	(1)	28.2	(1)
White.....	5,294,202	72,382	71,761	13.9	13.7	Cincinnati (total).....	402,175	6,431	6,250	16.0	15.5
Bronx Borough.....	523,753	7,043	6,976	13.4	13.3	White.....	380,415	5,787	5,617	15.2	14.8
Brooklyn Borough.....	1,806,496	24,608	24,545	13.6	13.6	Colored.....	21,760	644	633	29.6	29.1
Manhattan Borough.....	2,465,456	34,450	34,003	14.0	13.8	Cleveland.....	639,431	8,133	8,046	12.8	12.6
Queens Borough.....	335,798	4,795	4,765	14.3	14.2	Columbus (total).....	204,567	3,022	2,678	14.8	13.1
Richmond Borough.....	92,694	1,488	1,472	16.1	15.9	White.....	190,139	2,704	2,372	14.2	12.5
Colored.....	109,337	2,638	2,621	24.1	24.0	Colored.....	14,428	318	306	22.0	21.2
Bronx Borough.....	5,440	93	91	17.1	16.7	Dayton.....	123,794	1,704	1,631	13.8	13.2
Brooklyn Borough.....	27,200	653	649	24.0	23.9	East Liverpool.....	21,877	345	341	15.8	15.6
Manhattan Borough.....	71,280	1,751	1,744	24.6	24.5						
Queens Borough.....	4,088	108	104	26.4	25.4						
Richmond Borough.....	1,349	33	(1)	24.5	(1)						

1 No nonresidents reported.

MORTALITY STATISTICS.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.					
OHIO—continued.						PENNSYLVANIA—continued.					
Elyria.....	17,396	200	186	11.5	10.7	Farrell.....	(4)	156	(1)	(4)	(1)
Findlay.....	13,684	209	(1)	15.3	(1)	Greensburg.....	14,687	231	158	15.7	10.8
Hamilton.....	38,814	402	391	10.4	10.1	Harrisburg (total).....	69,493	967	904	13.9	13.0
Ironton (total).....	13,690	222	(1)	16.2	(1)	White.....	64,567	874	813	13.5	12.6
White.....	12,599	213	(1)	16.9	(1)	Colored.....	4,926	93	91	18.9	18.5
Colored.....	1,091	9	(1)	8.2	(1)	Hazleton.....	27,511	424	392	15.4	14.2
Lakewood.....	20,219	258	256	12.8	12.7	Homestead.....	21,256	259	257	12.2	12.1
Lancaster.....	14,840	188	187	12.7	12.6	Johnstown.....	64,642	949	823	14.7	12.7
Lima.....	33,904	448	432	13.2	12.7	Lancaster.....	49,685	703	645	14.1	13.0
Lorain.....	34,360	335	326	9.7	9.5	Lebanon.....	19,926	318	297	16.0	14.9
Mansfield.....	22,100	293	(1)	13.3	(1)	McKees Rocks.....	18,258	185	(1)	10.1	(1)
Marietta.....	14,742	216	214	14.7	14.5	McKeesport.....	45,965	640	559	13.9	12.2
Marion.....	22,032	276	272	12.5	12.3	Mahanoy City.....	16,971	187	(1)	11.0	(1)
Massillon.....	14,912	165	160	11.1	10.7	Meadville.....	13,472	198	184	14.7	13.7
Middletown.....	14,827	195	(1)	13.2	(1)	Monessen.....	18,752	184	(1)	9.8	(1)
Newark.....	28,271	364	357	12.9	12.6	Mount Carmel.....	19,386	212	(1)	10.9	(1)
Norwood †.....	20,320	176	(1)	8.7	(1)	Nanticoke.....	21,756	321	314	14.9	14.4
Piqua.....	13,906	179	(1)	12.9	(1)	New Castle.....	39,599	464	457	11.7	11.5
Portsmouth.....	27,511	401	390	14.6	14.2	Norristown*.....	30,265	643	377	21.2	12.5
Sandusky.....	20,127	288	273	14.3	13.6	North Braddock.....	14,076	135	(1)	9.6	(1)
Springfield (total).....	50,058	673	659	13.4	13.2	Oil City.....	18,645	248	232	13.3	12.4
White.....	44,782	559	547	12.5	12.2	Old Forge.....	13,748	199	(1)	14.5	(1)
Colored.....	5,276	114	112	21.6	21.2	Philadelphia (total).....	1,657,810	26,739	26,319	16.1	15.9
Steubenville.....	25,817	455	450	17.6	17.4	White.....	1,566,168	24,454	24,069	15.6	15.4
Tiffin.....	12,278	207	205	16.9	16.7	Colored.....	91,652	2,285	2,250	24.9	24.5
Toledo.....	184,126	2,849	2,654	15.5	14.4	Phoenixville.....	11,400	183	182	16.1	16.0
Warren.....	12,074	176	151	14.6	12.5	Pittsburgh (total).....	564,878	8,857	8,117	15.7	14.4
Youngstown.....	100,593	1,380	1,336	13.7	13.3	White.....	537,479	8,264	7,544	15.4	14.0
Zanesville (total).....	29,949	471	468	15.7	15.6	Colored.....	27,399	593	573	21.6	20.9
White.....	28,459	441	438	15.5	15.4	Pittston.....	17,847	347	337	19.4	18.9
Colored.....	1,490	30	(1)	20.1	(1)	Plymouth.....	18,422	209	(1)	11.3	(1)
OREGON. ²						Pottstown.....					
Portland (total).....	260,601	2,368	2,200	9.1	8.4	Pottsville.....	16,408	224	217	13.7	13.2
White.....	250,210	2,281	2,123	9.1	8.5	Reading.....	21,684	363	278	16.7	12.8
Colored ³	10,391	82	77	7.9	7.4	Scranton.....	103,361	1,453	1,386	14.1	13.4
PENNSYLVANIA.						Shamokin.....					
Allentown.....	60,297	907	866	15.0	14.4	Sharon.....	141,351	2,231	2,065	15.8	14.6
Altoona.....	56,553	811	744	14.3	13.2	Shenandoah.....	20,841	239	(1)	11.5	(1)
Beaver Falls.....	13,100	188	175	14.4	13.4	South Bethlehem.....	17,538	207	197	11.8	11.2
Bethlehem.....	13,721	165	(1)	12.0	(1)	Steelton (total).....	28,097	460	459	16.4	16.3
Bradock.....	20,935	366	328	17.5	15.7	White.....	22,840	286	(1)	12.5	(1)
Bradford.....	14,838	224	(1)	15.1	(1)	Colored.....	15,128	170	(1)	11.2	(1)
Butler.....	25,543	294	265	11.5	10.4	White.....	13,815	145	(1)	10.5	(1)
Carbondale.....	18,532	292	288	15.8	15.5	Colored.....	1,311	25	(1)	19.1	(1)
Carlisle (total).....	10,589	153	149	14.4	14.1	Sunbury.....	15,453	165	154	10.7	10.0
White.....	9,436	122	118	12.9	12.5	Uniontown (total).....	19,140	276	206	14.4	10.8
Colored.....	1,153	31	(1)	26.9	(1)	White.....	17,290	245	179	14.2	10.4
Carnegie.....	11,150	115	(1)	10.3	(1)	Colored.....	1,850	31	27	16.8	14.6
Chambersburg (total).....	12,192	213	208	17.5	17.1	Warren.....	14,045	161	141	11.5	10.0
White.....	11,421	189	187	16.5	16.4	Washington (total).....	20,702	303	282	14.6	13.6
Colored.....	771	24	21	31.1	27.2	White.....	19,069	271	250	14.2	13.1
Chester (total).....	40,474	693	672	17.1	16.6	Colored.....	1,633	32	(1)	19.6	(1)
White.....	35,419	566	547	16.0	15.4	West Chester (total).....	12,722	238	235	22.2	18.5
Colored.....	5,055	127	125	25.1	24.7	White.....	10,681	212	134	19.8	17.2
Coatesville (total).....	13,369	131	(1)	9.8	(1)	Colored.....	2,081	71	51	35.0	25.1
White.....	11,533	118	(1)	10.2	(1)	Wilkes-Barre.....	73,660	1,131	1,119	15.4	15.2
Colored.....	1,836	13	(1)	7.1	(1)	Wilkinsburg.....	21,701	298	242	13.7	11.2
Columbia.....	11,055	160	159	14.5	14.4	Williamsport.....	33,181	541	428	16.3	12.9
Connellsville.....	14,613	185	184	12.7	12.6	York.....	49,430	676	615	13.7	12.4
Dubois.....	14,007	145	137	10.4	9.8	RHODE ISLAND.					
Dunmore.....	19,757	333	321	16.9	16.2	Central Falls.....	24,707	297	295	12.0	11.9
Duquesne.....	18,576	213	(1)	11.5	(1)	Cranston ⁴	24,415	638	424	26.1	17.4
Easton.....	29,882	508	431	17.0	14.4	Cumberland town.....	10,608	119	(1)	11.2	(1)
Erie.....	72,401	1,057	1,020	14.6	14.1	East Providence town.....	17,369	208	(1)	11.7	(1)
						Newport (total).....					
						White.....					
						Colored.....					
						Pawtucket.....					

¹ No nonresidents reported.
² Nonregistration state; cities shown below only those with effective local ordinances.
³ Colored population less than 5 per cent of the total in 1910.
⁴ Population not estimated; name changed from South Sharon (incorporated in 1901) in 1912.
⁵ Includes state institutions.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NON-RESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
REGISTRATION CITIES—Continued.						REGISTRATION CITIES—Continued.					
RHODE ISLAND—continued.						VIRGINIA—continued.					
Providence.....	245,090	3,723	3,456	15.2	14.1	Roanoke (total).....	40,574	616	552	15.2	13.6
Warwick town ¹	28,893	496	449	17.2	15.5	White.....	31,349	396	335	12.6	10.7
Woonsocket.....	42,350	575	567	13.6	13.4	Colored.....	9,225	220	217	23.8	23.5
SOUTH CAROLINA. ²						Staunton* (total).....	11,316	227	127	20.1	11.2
Charleston (total).....	60,121	1,673	1,672	27.8	27.8	White.....	8,667	186	86	21.5	9.9
White.....	28,372	498	497	17.6	17.5	Colored.....	2,649	41	(³)	15.5	(³)
Colored.....	31,749	1,175	(³)	37.0	(³)	WASHINGTON.					
TENNESSEE. ²						Aberdeen†.....	18,220	137	136	7.5	7.5
Chattanooga (total).....	57,077	1,051	1,034	18.4	18.1	Bellingham†.....	29,937	256	248	8.6	8.3
White.....	34,115	562	547	16.5	16.0	Everett†.....	32,048	265	262	8.3	8.2
Colored.....	22,962	489	487	21.3	21.2	North Yakima†.....	18,737	169	145	9.0	7.7
Jackson (total).....	17,531	323	323	18.7	18.4	Seattle†.....	313,029	2,537	2,358	8.1	7.5
White.....	11,170	170	167	15.2	15.0	Spokane†.....	135,657	1,170	1,049	8.6	7.7
Colored.....	6,361	153	156	24.8	24.5	Tacoma†.....	103,418	914	847	8.8	8.2
Knoxville (total).....	37,924	754	740	19.9	19.5	Walla Walla†.....	23,275	185	167	7.9	7.2
White.....	29,952	523	513	17.5	17.1	WEST VIRGINIA. ²					
Colored.....	7,972	231	227	29.0	28.5	Wheeling (total).....	42,817	687	549	16.0	12.8
Memphis (total).....	143,231	2,970	2,820	20.7	19.7	White.....	41,575	659	521	15.9	12.5
White.....	85,859	1,275	1,177	14.8	13.7	Colored ⁴	1,242	28	(³)	22.5	(³)
Colored.....	57,372	1,695	1,643	29.5	28.6	WISCONSIN.					
Nashville (total).....	114,899	2,119	2,052	18.4	17.9	Appleton.....	17,492	248	244	14.2	13.9
White.....	76,865	1,125	1,071	14.6	13.9	Ashland.....	10,964	160	152	14.6	13.9
Colored.....	38,034	994	981	26.1	25.8	Beloit.....	17,122	214	213	12.5	12.4
TEXAS. ²						Eau Claire.....	18,647	300	267	16.1	14.3
El Paso (total).....	49,505	1,507	1,413	30.4	28.5	Fond du Lac.....	20,367	274	269	13.5	13.2
White.....	47,371	1,455	1,365	30.7	28.3	Green Bay.....	28,026	484	477	17.3	17.0
Colored.....	2,134	52	48	24.4	22.5	Janesville.....	14,195	189	186	13.3	13.1
Galveston (total).....	40,289	784	718	19.5	17.8	Kenosha†.....	29,062	234	(³)	8.1	(³)
White.....	31,480	536	490	17.0	15.6	La Crosse.....	31,367	423	414	13.6	13.2
Colored.....	8,809	248	228	28.2	25.9	Madison.....	29,469	373	367	12.7	12.5
San Antonio (total).....	115,063	2,466	2,254	21.4	19.6	Manitowoc.....	13,553	189	185	13.9	13.7
White.....	102,185	2,200	1,993	21.5	19.5	Marinette†.....	13,937	123	119	8.8	8.5
Colored.....	12,878	266	261	20.7	20.3	Milwaukee.....	419,589	4,959	4,864	11.8	11.6
UTAH.						Oshkosh.....	35,097	413	410	11.8	11.7
Ogden.....	29,528	343	301	11.6	10.2	Racine.....	44,528	527	526	11.8	11.8
Salt Lake City.....	109,736	1,133	954	10.3	8.7	Sheboygan.....	27,363	368	354	13.2	12.7
VERMONT.						Superior.....	44,344	480	463	10.8	10.4
Barre.....	11,706	135	(³)	11.5	(³)	Wausau.....	18,352	239	227	13.0	12.4
Burlington.....	21,247	433	(³)	20.4	(³)	RURAL PART OF REGISTRATION STATES. ⁵					
Rutland.....	14,417	258	(³)	17.9	(³)	CALIFORNIA.					
VIRGINIA.						Alameda County.....	34,101	711	638	20.8	18.7
Alexandria (total).....	15,670	305	297	19.5	19.0	Alpine County† (total).....	226	2	(³)	8.8	(³)
White.....	11,380	180	175	15.8	15.4	White.....	156	2	(³)	12.8	(³)
Colored.....	4,290	125	122	29.1	28.4	Colored.....	70				
Danville (total).....	19,697	387	361	19.6	18.3	Amador County.....	8,224	136	(³)	16.5	(³)
White.....	13,267	226	206	17.0	15.5	Butte County (total).....	31,641	340	336	10.7	10.6
Colored.....	6,430	161	155	25.0	24.1	White.....	29,744	309	305	10.4	10.3
Lynchburg (total).....	31,830	599	553	18.8	17.4	Colored.....	1,897	31	(³)	16.3	(³)
White.....	21,609	324	283	15.0	13.3	Calaveras County.....	8,309	92	91	11.1	11.0
Colored.....	10,221	275	265	26.9	25.9	Colusa County (total).....	7,889	85	(³)	10.8	(³)
Newport News (total).....	20,446	318	315	15.6	15.4	White.....	7,293	76	(³)	10.4	(³)
White.....	13,089	139	136	10.6	10.4	Colored.....	596	9	(³)	15.1	(³)
Colored.....	7,357	179	(³)	24.3	(³)	Contra Costa County (total).....	37,483	385	(³)	10.3	(³)
Norfolk (total).....	86,540	1,693	1,617	19.6	18.7	White.....	35,371	381	(³)	10.8	(³)
White.....	54,338	717	663	13.2	12.2	Colored.....	2,112	4	(³)	1.9	(³)
Colored.....	32,202	976	954	30.3	29.6	Del Norte County† (total).....	2,421	18	(³)	7.4	(³)
Petersburg (total).....	25,112	605	588	24.1	23.3	White.....	2,077	13	(³)	6.3	(³)
White.....	13,647	225	208	16.5	15.2	Colored.....	344	5	(³)	14.5	(³)
Colored.....	11,465	380	378	33.1	33.0	Eldorado County.....	6,857	169	107	15.9	15.6
Portsmouth (total).....	37,569	500	498	13.3	13.3	Fresno County (total).....	61,954	659	643	10.6	10.4
White.....	24,405	230	(³)	9.4	(³)	White.....	53,775	606	591	10.3	10.1
Colored.....	13,164	270	268	20.5	20.4	Colored.....	3,179	53	52	16.7	16.4
Richmond (total).....	134,917	2,658	2,458	19.7	18.2	Glenn County†.....	8,033	69	(³)	8.6	(³)
White.....	85,498	1,298	1,146	15.2	13.4						
Colored.....	49,419	1,360	1,312	27.5	26.5						

¹ Includes West Warwick town, organized Nov. 1, 1913.

² Nonregistration state; cities shown below only those with effective local ordinances.

³ No nonresidents reported.

⁴ Colored population less than 5 per cent of the total in 1910.

⁵ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES—Contd.						RURAL PART OF REGISTRATION STATES—Contd.					
CALIFORNIA—continued.						CALIFORNIA—continued.					
Humboldt County (total).....	22,967	209	(2)	9.1	(2)	Santa Cruz County (total).....	14,628	195	(2)	13.3	(2)
White.....	21,148	193	(2)	9.1	(2)	White.....	13,783	173	(2)	12.6	(2)
Colored.....	1,819	16	(2)	8.8	(2)	Colored.....	845	22	(2)	26.0	(2)
Imperial County (total).....	16,683	320	319	19.2	19.1	Shasta County (total).....	19,602	217	215	11.1	11.0
White.....	15,429	295	(2)	19.1	(2)	White.....	18,503	201	200	10.9	10.8
Colored.....	1,254	25	24	19.9	19.1	Colored.....	1,099	16	15	14.6	13.6
Iayo County † (total).....	8,082	41	(2)	5.1	(2)	Sierra County.....	4,132	42	(2)	10.2	(2)
White.....	6,962	39	(2)	5.6	(2)	Siskiyou County (total).....	19,584	213	204	10.9	10.4
Colored.....	1,120	2	(2)	1.8	(2)	White.....	18,120	196	187	10.8	10.3
Kern County †.....	31,226	182	(2)	5.8	(2)	Colored.....	1,464	17	(2)	11.6	(2)
Kings County (total).....	18,940	192	(2)	10.1	(2)	Solano County (total).....	16,238	183	177	11.3	10.9
White.....	17,919	175	(2)	9.8	(2)	White.....	14,482	171	165	11.8	11.4
Colored.....	1,021	17	(2)	16.7	(2)	Colored.....	1,756	12	(2)	6.8	(2)
Lake County (total).....	5,320	58	(2)	10.9	(2)	Sonoma County.....	52,618	654	617	12.4	11.7
White.....	4,861	51	(2)	10.5	(2)	Stanislaus County.....	28,048	316	311	11.3	11.1
Colored.....	459	7	(2)	15.3	(2)	Sutter County (total).....	6,515	69	68	10.6	10.4
Lassen County (total).....	4,925	66	(2)	13.4	(2)	White.....	6,186	69	(2)	11.2	(2)
White.....	4,479	64	(2)	14.3	(2)	Colored.....	329				
Colored.....	446	2	(2)	4.5	(2)	Tehama County (total).....	11,574	146	(2)	12.6	(2)
Los Angeles County.....	129,965	2,367	2,344	18.2	18.0	White.....	10,965	136	(2)	12.4	(2)
Madera County (total).....	9,222	85	(2)	9.2	(2)	Colored.....	609	10	(2)	16.4	(2)
White.....	8,421	82	(2)	9.7	(2)	Trinity County (total).....	2,842	43	(2)	15.1	(2)
Colored.....	801	3	(2)	3.7	(2)	White.....	2,495	38	(2)	15.2	(2)
Marin County.....	29,126	289	281	9.9	9.6	Colored.....	347	5	(2)	14.4	(2)
Mariposa County (total).....	3,633	33	(2)	9.1	(2)	Tulare County.....	42,712	419	417	9.8	9.8
White.....	3,371	31	(2)	9.2	(2)	Tuolumne County.....	9,474	104	(2)	11.0	(2)
Colored.....	262	2	(2)	7.6	(2)	Ventura County (total).....	20,043	259	(2)	12.9	(2)
Mendocino County* (total).....	25,405	328	325	12.9	12.8	White.....	18,699	249	(2)	13.3	(2)
White.....	23,665	315	314	13.3	13.3	Colored.....	1,344	10	(2)	7.2	(2)
Colored.....	1,740	13	12	7.5	6.9	Yolo County (total).....	14,057	193	190	13.7	13.5
Merced County.....	17,676	181	(2)	10.2	(2)	White.....	12,720	175	172	13.8	13.5
Modoc County (total).....	6,667	69	(2)	10.3	(2)	Colored.....	1,337	18	(2)	13.5	(2)
White.....	6,054	61	(2)	10.1	(2)	Yuba County (total).....	10,648	134	131	12.6	12.3
Colored.....	613	8	(2)	13.1	(2)	White.....	9,432	114	111	12.1	11.8
Mono County † (total).....	1,992	5	(2)	2.5	(2)	Colored.....	1,216	20	(2)	16.4	(2)
White.....	1,576	5	(2)	3.2	(2)	COLORADO.					
Colored.....	416					Adams County †.....	10,652	68	(2)	6.4	(2)
Monterey County (total).....	26,176	283	282	10.8	10.8	Arapahoe County.....	12,295	122	116	9.9	9.4
White.....	23,969	258	257	10.8	10.7	Archuleta County.....	3,808	37	(2)	9.7	(2)
Colored.....	2,207	25	(2)	11.3	(2)	Baca County †.....	3,266	5	(2)	1.5	(2)
Napa County*.....	21,228	496	375	23.4	17.7	Bent County.....	5,894	116	110	19.7	18.7
Nevada County.....	13,748	223	(2)	16.2	(2)	Boulder County.....	34,073	372	359	10.9	10.5
Orange County.....	40,716	608	607	14.9	14.9	Chaffee County.....	7,850	117	113	14.9	14.4
Placer County (total).....	19,281	223	222	11.6	11.5	Cheyenne County †.....	5,044	17	(2)	3.4	(2)
White.....	17,499	204	203	11.7	11.6	Clear Creek County.....	4,117	52	(2)	12.6	(2)
Colored.....	1,782	19	(2)	10.7	(2)	Conchos County †.....	18,213	131	(2)	7.2	(2)
Plumas County † (total).....	5,516	44	43	8.0	7.8	Custer County.....	1,527	19	(2)	12.4	(2)
White.....	4,847	40	39	8.3	8.0	Delta County †.....	17,182	109	(2)	6.3	(2)
Colored.....	669	4	(2)	6.0	(2)	Dolores County.....	435	12	(2)	27.6	(2)
Riverside County (total).....	23,557	221	220	9.4	9.3	Douglas County †.....	3,223	24	(2)	7.4	(2)
White.....	21,869	214	213	9.8	9.7	Eagle County †.....	2,978	8	(2)	2.7	(2)
Colored.....	1,688	7	(2)	4.1	(2)	El Paso County.....	16,597	247	241	14.9	14.5
Sacramento County (total).....	14,416	160	158	11.1	11.0	Elbert County †.....	6,281	26	(2)	4.1	(2)
White.....	10,872	124	122	11.4	11.2	Fremont County.....	19,266	245	244	12.7	12.7
Colored.....	3,544	36	(2)	10.2	(2)	Garfield County †.....	11,980	102	(2)	8.5	(2)
San Benito County.....	8,639	115	(2)	13.3	(2)	Gilpin County.....	3,042	30	(2)	9.9	(2)
San Bernardino County* (total) ..	40,510	876	480	16.7	11.8	Grand County †.....	2,339	8	(2)	3.4	(2)
White.....	38,284	862	471	17.3	12.3	Gunnison County.....	6,138	59	(2)	9.6	(2)
Colored.....	2,226	14	9	6.3	4.0	Hinsdale County.....	(4)	8	(2)	(4)	(2)
San Diego County (total).....	26,789	364	347	13.6	13.0	Huerfano County.....	15,418	200	(2)	13.0	(2)
White.....	24,265	345	334	14.2	13.8	Jackson County †.....	1,246	10	(2)	8.0	(2)
Colored.....	2,524	19	13	7.5	5.2	Jefferson County.....	16,329	233	168	14.3	10.3
San Joaquin County (total).....	31,539	475	417	15.1	13.2	Kiowa County †.....	3,334	9	(2)	2.3	(2)
White.....	28,053	422	374	15.0	13.3	Kit Carson County †.....	9,998	39	(2)	3.9	(2)
Colored.....	3,486	53	43	15.2	12.3	La Plata County.....	12,429	136	135	10.9	10.9
San Luis Obispo County.....	20,553	213	213	10.6	10.4	Lake County.....	(4)	153	(2)	(4)	(2)
San Mateo County.....	32,759	341	330	10.4	10.1	Larimer County †.....	31,053	241	(2)	7.8	(2)
Santa Barbara County † (total).....	17,670	136	(2)	7.7	(2)	Las Animas County.....	25,874	363	361	14.0	14.0
White.....	16,588	127	(2)	7.7	(2)	Lincoln County †.....	8,043	27	(2)	3.4	(2)
Colored.....	1,082	9	(2)	8.3	(2)	Logan County †.....	12,213	86	(2)	7.0	(2)
Santa Clara County* (total).....	56,391	1,018	887	18.1	15.7						
White.....	53,370	976	846	18.3	15.9						
Colored.....	3,021	42	41	13.9	13.6						

1 Exclusive of municipalities having a population of 10,000 or over in 1910.
 2 No nonresidents reported.
 3 Includes Alamosa and Costilla Counties; separate estimated populations not available.
 4 Population not estimated; decrease since 1900.

POPULATION, DEATHS, AND DEATH RATES, URBAN AND RURAL.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES ¹ —Contd.						RURAL PART OF REGISTRATION STATES ¹ —Contd.					
COLORADO—continued.						INDIANA—continued.					
Mesa County †.....	27,706	193	192	7.0	6.9	Henry County.....	31,747	383	379	12.2	11.9
Mineral County.....	953	10	(²)	10.5	(²)	Howard County.....	15,443	160	(²)	10.4	(²)
Montezuma County † (total).....	5,867	48	(²)	8.4	(²)	Huntington County.....	18,537	183	(²)	9.9	(²)
White.....	5,340	48	(²)	9.0	(²)	Jackson County.....	23,915	317	314	13.3	13.1
Colored.....	527					Jasper County.....	12,514	131	128	10.5	10.2
Montrose County †.....	12,742	67	(²)	5.3	(²)	Jay County.....	24,170	279		11.5	
Morgan County †.....	12,265	95	(²)	7.7	(²)	Jefferson County*.....	19,448	374	295	19.2	15.2
Otero County †.....	23,899	355	353	14.9	14.8	Jennings County.....	13,542	187	186	13.8	13.7
Ouray County.....	2,996	29	(²)	9.7	(²)	Johnson County.....	20,465	255	(²)	12.5	(²)
Park County.....	2,277	22	(²)	9.7	(²)	Knox County.....	25,165	283	(²)	11.2	(²)
Phillips County †.....	3,857	14	(²)	3.6	(²)	Kosciusko County.....	27,497	332	(²)	12.1	(²)
Pitkin County.....	3,522	43	(²)	12.2	(²)	Lagrange County.....	15,092	177	(²)	11.7	(²)
Prowers County †.....	11,970	101	(²)	8.4	(²)	Lake County.....	35,087	391	356	11.1	10.1
Pueblo County*.....	8,580	350	319	40.8	37.2	Laporte County.....	15,709	171	170	10.9	10.8
Rio Blanco County †.....	2,606	22	(²)	8.4	(²)	Lawrence County.....	32,709	421	420	12.9	12.8
Rio Grande County † (total).....	7,619	25	(²)	3.3	(²)	Madison County.....	29,230	361	(²)	12.3	(²)
White.....	7,200	25	(²)	3.5	(²)	Marion County.....	32,150	451	(²)	14.0	(²)
Colored.....	419					Marshall County.....	23,775	249	247	10.5	10.4
Routt County †.....	9,222	98	(²)	10.6	(²)	Martin County.....	12,201	139	(²)	11.4	(²)
Saguache County †.....	4,290	33	(²)	7.7	(²)	Miami County.....	17,576	178	177	10.1	10.1
San Juan County.....	3,370	39	(²)	11.6	(²)	Monroe County.....	24,511	325	324	13.3	13.2
San Miguel County.....	4,412	63	(²)	14.3	(²)	Montgomery County.....	29,258	371	369	12.7	12.6
Sedgwick County †.....	3,950	16	(²)	4.1	(²)	Morgan County.....	21,483	250	245	11.6	11.4
Summit County.....	1,687	25	(²)	14.8	(²)	Newton County.....	10,524	98	97	9.3	9.2
Teller County.....	8,109	183	182	22.6	22.4	Noble County.....	24,210	272	271	11.2	11.2
Washington County †.....	7,190	43	(²)	6.0	(²)	Ohio County.....	4,161	53	(²)	12.7	(²)
Weld County †.....	48,709	386	383	7.9	7.9	Orange County.....	17,334	186	(²)	10.7	(²)
Yuma County †.....	10,180	51	(²)	5.0	(²)	Owen County.....	13,586	136	(²)	10.0	(²)
CONNECTICUT.						Perry County.....					
Fairfield County.....	53,443	882	781	16.5	13.7	Pike County.....	19,343	260	259	13.4	13.4
Hartford County.....	85,763	1,220	1,112	14.2	13.0	Porter County.....	21,120	237	228	11.2	10.8
Litchfield County.....	54,359	713	699	13.1	12.9	Posey County.....	21,383	194	(²)	9.1	(²)
Middlesex County.....	25,150	364	(²)	14.5	(²)	Pulaski County.....	13,005	181	(²)	13.9	(²)
New Haven County.....	50,768	816	793	16.1	15.6	Putnam County.....	20,112	234	(²)	11.6	(²)
New London County*.....	45,284	745	644	16.5	14.2	Randolph County.....	29,164	375	374	12.9	12.8
Tolland County.....	27,285	341	335	12.5	12.3	Ripley County.....	19,271	241	(²)	12.5	(²)
Windham County.....	35,346	524	513	14.8	14.5	Rush County.....	19,009	253	252	13.3	13.3
INDIANA.						St. Joseph County.....					
Adams County.....	21,675	211	(²)	9.7	(²)	Scott County.....	15,455	222	215	14.4	13.9
Allen County.....	27,830	298	295	10.7	10.6	Shelby County.....	8,328	110	(²)	13.2	(²)
Bartholomew County.....	24,905	333	(²)	13.4	(²)	Spencer County.....	26,933	317	(²)	11.8	(²)
Benton County.....	12,503	118	(²)	9.4	(²)	Starke County.....	19,339	214	(²)	10.7	(²)
Blackford County.....	15,227	193	(²)	12.7	(²)	Stark County.....	10,624	123	(²)	11.8	(²)
Boone County.....	23,971	299	298	12.5	12.4	Steuben County.....	13,374	166	(²)	12.0	(²)
Brown County.....	7,230	86	(²)	11.9	(²)	Sullivan County.....	35,179	382	(²)	10.9	(²)
Carroll County.....	17,126	206	205	12.0	12.0	Switzerland County.....	9,093	133	132	14.6	14.5
Cass County*.....	16,379	270	189	16.0	11.2	Tipton County.....	19,765	267	230	13.5	11.6
Clark County (total).....	19,331	253	257	13.3	13.3	Union County.....	16,754	221	(²)	13.2	(²)
White.....	18,256	242	241	13.3	13.2	Vanderburg County*.....	6,054	78	(²)	12.9	(²)
Colored.....	1,075	16	(²)	14.9	(²)	Vermilion County.....	8,570	292	199	34.1	23.2
Clay County.....	31,790	391	390	12.3	12.3	Vigo County.....	20,404	320	(²)	15.7	(²)
Clinton County.....	26,026	340	(²)	13.1	(²)	Wabash County.....	35,435	415	409	11.7	11.5
Crawford County.....	11,455	110	(²)	9.6	(²)	Washington County.....	26,370	303	302	11.5	11.5
Davess County.....	26,825	295	(²)	11.0	(²)	Warren County.....	10,699	122	121	11.4	11.3
Dearborn County.....	21,057	276	(²)	13.1	(²)	Warrick County.....	21,734	273	(²)	12.6	(²)
Decatur County.....	13,486	262	256	14.2	13.8	Washington County.....	16,610	191	(²)	11.5	(²)
DeKalb County.....	24,776	285	280	11.5	11.3	Wayne County*.....	21,864	377	317	17.2	14.5
Delaware County.....	27,206	308	305	11.3	11.2	Wells County †.....	21,980	194	(²)	8.8	(²)
Dubois County †.....	19,624	184	(²)	6.8	(²)	White County.....	16,950	189	(²)	11.2	(²)
Elkhart County.....	29,662	381	377	12.8	12.7	Whitley County.....	16,707	170	(²)	10.2	(²)
Fayette County.....	14,805	171	(²)	11.6	(²)	KANSAS.					
Floyd County.....	9,738	110	109	11.3	11.2	Allen County †.....	31,105	276	(²)	8.9	(²)
Fountain County.....	20,010	238	(²)	11.9	(²)	Anderson County †.....	13,784	119	(²)	8.6	(²)
Franklin County.....	14,888	213	(²)	14.3	(²)	Atchison County.....	11,262	104	(²)	9.2	(²)
Fulton County.....	16,635	218	(²)	14.6	(²)	Barber County †.....	11,331	89	(²)	7.9	(²)
Gibson County.....	30,151	347	(²)	11.5	(²)	Barton County.....	19,619	195	187	9.9	9.5
Grant County †.....	30,379	532	513	17.5	16.9	Bourbon County †.....	13,187	96	(²)	7.3	(²)
Greene County.....	40,427	413	(²)	10.2	(²)	Brown County.....	20,867	202	(²)	9.7	(²)
Hamilton County.....	25,797	343	341	13.3	13.2	Butler County †.....	22,932	200	(²)	8.7	(²)
Hancock County.....	18,963	233	232	12.3	12.2	Chase County.....	7,223	73	(²)	10.1	(²)
Harrison County.....	19,606	224	(²)	11.4	(²)	Chautauqua County †.....	11,271	93	(²)	8.3	(²)
Hendricks County.....	20,649	233	231	11.3	11.2						

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² No nonresidents reported.

³ Includes Crowley County; separate estimated populations not available.

⁴ Includes Moffat County; separate estimated populations not available.

⁵ Includes National Military Home.

MORTALITY STATISTICS.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES—Contd.						RURAL PART OF REGISTRATION STATES—Contd.					
KANSAS—continued.						KANSAS—continued.					
Cherokee County	36,232	507	(2)	14.0	(2)	Pratt County †	12,890	108	(2)	8.4	(2)
Cheyenne County †	4,933	24	(2)	4.9	(2)	Rawlins County †	6,864	62	(2)	9.0	(2)
Clark County †	5,112	30	(2)	5.9	(2)	Reno County †	22,274	177	(2)	7.9	(2)
Clay County †	15,005	132	(2)	8.8	(2)	Republic County †	17,106	146	(2)	8.5	(2)
Cloud County	18,524	179	(2)	9.7	(2)	Rice County †	15,258	137	(2)	9.0	(2)
Coffey County	14,595	140	(2)	9.6	(2)	Riley County †	16,616	140	(2)	8.4	(2)
Comanche County	3,989	38	(2)	9.5	(2)	Rooks County †	12,696	97	(2)	7.6	(2)
Cowley County	32,485	405	(2)	12.5	(2)	Rush County †	5,546	57	(2)	6.7	(2)
Crawford County	39,603	412	(2)	10.4	(2)	Russell County †	11,785	93	(2)	7.9	(2)
Decatur County †	8,868	51	(2)	5.8	(2)	Saline County †	21,727	162	(2)	7.5	(2)
Dickinson County †	25,446	202	(2)	7.9	(2)	Scott County †	3,876	11	(2)	2.8	(2)
Doniphan County	14,145	159	(2)	11.2	(2)	Sedgwick County †	20,504	134	(2)	6.5	(2)
Douglas County †	11,550	93	(2)	8.1	(2)	Seward County †	5,484	29	(2)	5.3	(2)
Edwards County †	8,461	59	(2)	7.0	(2)	Shawnee County † (total)	15,244	138	(2)	7.6	(2)
Elk County †	9,569	85	(2)	8.9	(2)	White	17,105	130	(2)	7.6	(2)
Ellis County †	13,681	120	(2)	8.8	(2)	Colored	1,139	8	(2)	7.0	(2)
Ellsworth County	10,792	99	(2)	9.2	(2)	Sheridan County †	6,430	30	(2)	4.7	(2)
Finney County †	8,374	54	(2)	6.4	(2)	Sherman County †	5,062	35	(2)	7.5	(2)
Ford County	13,906	163	(2)	11.7	(2)	Smith County	14,931	144	(2)	9.6	(2)
Franklin County	20,687	239	237	11.6	11.5	Stafford County †	13,651	108	(2)	7.9	(2)
Geary County †	13,507	103	(2)	7.6	(2)	Stanton County †	1,333	7	(2)	5.3	(2)
Gove County †	7,580	35	(2)	4.6	(2)	Stevens County †	3,232	22	(2)	6.8	(2)
Graham County † (total)	10,203	60	(2)	5.9	(2)	Sumner County	32,793	304	303	9.3	9.2
White	9,513	55	(2)	5.8	(2)	Thomas County †	6,027	36	(2)	6.0	(2)
Colored	685	5	(2)	7.3	(2)	Trego County †	6,538	32	(2)	4.9	(2)
Grant County †	1,370	5	(2)	3.6	(2)	Wabunsee County † (total)	12,683	105	(2)	8.3	(2)
Gray County †	3,913	22	(2)	5.6	(2)	White	11,990	95	(2)	7.9	(2)
Greeley County †	1,694	6	(2)	3.5	(2)	Colored	693	10	(2)	14.4	(2)
Greenwood County †	16,004	141	(2)	8.8	(2)	Wallace County †	3,432	13	(2)	3.8	(2)
Hamilton County †	4,184	24	(2)	5.7	(2)	Washington County †	19,492	160	(2)	8.2	(2)
Harper County †	16,639	127	(2)	7.6	(2)	Wichita County †	2,351	7	(2)	3.0	(2)
Harvey County	19,887	235	218	11.8	11.0	Wilson County	21,594	209	(2)	9.7	(2)
Haskell County †	1,221	11	(2)	9.0	(2)	Woodson County	9,206	86	(2)	9.3	(2)
Hodgeman County †	3,314	22	(2)	6.6	(2)	Wyandotte County (total)	17,235	243	241	14.1	14.0
Jackson County	16,754	154	(2)	9.2	(2)	White	15,424	189	187	12.3	12.1
Jefferson County †	15,100	135	(2)	8.9	(2)	Colored	1,811	54	(2)	29.8	(2)
Jewell County †	17,608	151	(2)	8.6	(2)	KENTUCKY.					
Johnson County	18,365	205	204	11.2	11.1	Adair County (total)	17,190	207	(2)	12.0	(2)
Kearny County †	4,099	16	(2)	3.9	(2)	White	15,643	175	(2)	11.2	(2)
Kingman County †	14,546	108	(2)	7.4	(2)	Colored	1,547	32	(2)	20.7	(2)
Kiowa County †	7,796	50	(2)	6.4	(2)	Allen County (total)	14,978	174	(2)	11.6	(2)
Labette County	18,642	181	(2)	9.7	(2)	White	14,055	150	(2)	10.7	(2)
Lane County †	3,046	14	(2)	4.6	(2)	Colored	923	24	(2)	26.0	(2)
Leavenworth County † (total)	22,544	186	(2)	8.3	(2)	Anderson County (total)	10,185	139	(2)	13.6	(2)
White	20,807	174	(2)	8.4	(2)	White	9,443	116	(2)	12.3	(2)
Colored	1,737	12	(2)	6.9	(2)	Colored	742	23	(2)	31.0	(2)
Lincoln County †	10,251	81	(2)	7.9	(2)	Ballard County (total)	13,512	134	(2)	9.9	(2)
Linn County	13,903	153	(2)	11.0	(2)	White	11,812	105	(2)	8.9	(2)
Logan County † (total)	5,208	21	(2)	4.0	(2)	Colored	1,700	29	(2)	17.1	(2)
White	4,849	19	(2)	3.9	(2)	Barren County (total)	26,186	356	(2)	13.6	(2)
Colored	359	2	(2)	5.6	(2)	White	22,442	276	(2)	12.3	(2)
Lyon County	24,865	229	(2)	9.2	(2)	Colored	3,744	80	(2)	21.4	(2)
McPherson County	21,563	206	(2)	9.6	(2)	Bath County (total)	13,673	186	(2)	13.6	(2)
Marion County †	23,156	190	(2)	8.2	(2)	White	12,358	160	(2)	12.9	(2)
Marshall County	23,678	221	(2)	9.3	(2)	Colored	1,315	26	(2)	19.8	(2)
Meade County †	6,534	33	(2)	5.1	(2)	Bell County (total)	33,878	330	328	9.7	9.7
Miami County	19,344	313	267	16.2	13.8	White	30,376	300	299	9.9	9.8
Mitchell County	13,853	126	(2)	9.1	(2)	Colored	3,502	30	29	8.6	8.3
Montgomery County †	28,903	244	(2)	8.4	(2)	Boone County (total)	8,676	115	(2)	13.3	(2)
Morris County †	12,578	105	(2)	8.3	(2)	White	8,233	110	(2)	13.4	(2)
Morton County †	1,771	8	(2)	4.5	(2)	Colored	443	5	(2)	11.3	(2)
Nemaha County	18,516	172	(2)	9.3	(2)	Bourbon County (total)	17,206	289	(2)	16.8	(2)
Neosho County	25,669	257	(2)	10.0	(2)	White	11,606	172	(2)	14.8	(2)
Ness County †	6,455	38	(2)	5.9	(2)	Colored	5,600	117	(2)	20.9	(2)
Norton County †	11,736	102	(2)	8.7	(2)	Boyd County (total)	25,408	316	(2)	12.4	(2)
Osage County	18,306	187	(2)	10.2	(2)	White	24,496	305	(2)	12.5	(2)
Osborne County †	13,244	117	(2)	8.8	(2)	Colored	912	11	(2)	12.0	(2)
Ottawa County †	12,077	99	(2)	8.2	(2)	Boyle County (total)	15,031	247	(2)	16.4	(2)
Paynee County †	10,467	91	(2)	8.7	(2)	White	10,744	156	(2)	14.5	(2)
Phillips County †	14,028	101	(2)	7.2	(2)	Colored	4,287	91	(2)	21.2	(2)
Pottawatomie County †	17,118	148	(2)	8.6	(2)	Bracken County (total)	9,530	146	(2)	15.3	(2)
						White	9,215	139	(2)	15.1	(2)
						Colored	315	7	(2)	22.2	(2)

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² No nonresidents reported.
³ Colored population less than 5 per cent of the total in 1910.

POPULATION, DEATHS, AND DEATH RATES, URBAN AND RURAL.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES ¹ —Contd.						RURAL PART OF REGISTRATION STATES ¹ —Contd.					
KENTUCKY—continued.						KENTUCKY—continued.					
Breathitt County † (total).....	18,912	66	(2)	3.5	(2)	Franklin County (total).....	10,372	98	(2)	9.4	(2)
White.....	18,629	65	(2)	3.5	(2)	White.....	9,564	90	(2)	9.4	(2)
Colored ²	283	1	(2)	3.5	(2)	Colored.....	808	8	(2)	9.9	(2)
Breckinridge County (total).....	21,246	259	(2)	12.2	(2)	Fulton County (total).....	15,208	215	(2)	14.1	(2)
White.....	19,686	231	(2)	11.8	(2)	White.....	11,566	160	(2)	13.8	(2)
Colored.....	1,610	28	(2)	17.4	(2)	Colored.....	3,642	55	(2)	15.1	(2)
Bullitt County (total).....	9,442	127	(2)	13.5	(2)	Gallatin County (total).....	4,499	57	(2)	12.7	(2)
White.....	8,761	109	(2)	12.4	(2)	White.....	4,235	53	(2)	12.5	(2)
Colored.....	681	18	(2)	26.4	(2)	Colored.....	264	4	(2)	15.2	(2)
Butler County (total).....	15,768	174	(2)	11.0	(2)	Garrard County (total).....	11,831	124	(2)	10.5	(2)
White.....	15,204	160	(2)	10.5	(2)	White.....	9,543	85	(2)	8.9	(2)
Colored ²	564	14	(2)	24.8	(2)	Colored.....	2,288	39	(2)	17.0	(2)
Caldwell County (total).....	13,875	190	(2)	13.7	(2)	Grant County (total).....	9,449	121	(2)	12.8	(2)
White.....	11,371	126	(2)	11.1	(2)	White.....	9,186	115	(2)	12.5	(2)
Colored.....	2,504	64	(2)	25.6	(2)	Colored ²	263	6	(2)	22.8	(2)
Calloway County (total).....	20,819	222	(2)	10.7	(2)	Graves County (total).....	33,682	442	(2)	13.1	(2)
White.....	19,691	203	(2)	10.3	(2)	White.....	30,748	373	(2)	12.1	(2)
Colored.....	1,128	19	(2)	16.8	(2)	Colored.....	2,934	69	(2)	23.5	(2)
Campbell County (total).....	30,046	332	329	11.0	10.9	Grayson County (total).....	19,992	239	(2)	12.0	(2)
White.....	29,867	326	323	10.9	10.8	White.....	19,656	230	(2)	11.7	(2)
Colored ²	179	6	(2)	33.5	(2)	Colored ²	336	9	(2)	26.8	(2)
Carlisle County (total).....	8,561	108	(2)	12.6	(2)	Green County (total).....	11,708	111	(2)	9.5	(2)
White.....	8,186	102	(2)	12.5	(2)	White.....	10,373	94	(2)	9.1	(2)
Colored ²	375	6	(2)	16.0	(2)	Colored.....	1,335	17	(2)	12.7	(2)
Carroll County (total).....	7,383	110	(2)	14.9	(2)	Greenup County (total).....	19,771	252	(2)	12.7	(2)
White.....	6,897	97	(2)	14.1	(2)	White.....	19,483	249	(2)	12.8	(2)
Colored.....	486	13	(2)	26.7	(2)	Colored ²	288	3	(2)	10.4	(2)
Carter County (total).....	22,708	279	(2)	12.3	(2)	Hancock County (total).....	8,343	77	(2)	9.2	(2)
White.....	22,593	275	(2)	12.2	(2)	White.....	7,784	67	(2)	8.6	(2)
Colored ²	115	4	(2)	34.8	(2)	Colored.....	559	10	(2)	17.9	(2)
Casey County (total).....	15,623	189	(2)	12.1	(2)	Hardin County (total).....	22,595	268	(2)	11.9	(2)
White.....	15,340	187	(2)	12.2	(2)	White.....	20,764	234	(2)	11.3	(2)
Colored ²	283	2	(2)	7.1	(2)	Colored.....	1,831	34	(2)	18.6	(2)
Christian County * (total).....	39,221	678	645	17.3	16.4	Harlan County (total).....	10,874	130	(2)	12.0	(2)
White.....	22,993	335	312	14.6	13.6	White.....	10,290	125	(2)	12.1	(2)
Colored.....	16,228	343	333	21.1	20.5	Colored.....	584	5	(2)	8.6	(2)
Clark County (total).....	18,538	301	(2)	16.2	(2)	Harrison County (total).....	16,151	198	(2)	12.3	(2)
White.....	13,900	176	(2)	12.7	(2)	White.....	14,463	167	(2)	11.5	(2)
Colored.....	4,638	125	(2)	27.0	(2)	Colored.....	1,688	31	(2)	18.4	(2)
Clay County † (total).....	18,821	155	(2)	8.2	(2)	Hart County (total).....	18,080	180	(2)	10.0	(2)
White.....	18,284	146	(2)	8.0	(2)	White.....	16,085	151	(2)	9.4	(2)
Colored ²	527	9	(2)	17.1	(2)	Colored.....	1,995	29	(2)	14.5	(2)
Clinton County † (total).....	8,272	38	(2)	4.6	(2)	Henderson County (total).....	15,884	227	(2)	14.3	(2)
White.....	8,176	38	(2)	4.6	(2)	White.....	12,542	166	(2)	13.2	(2)
Colored ²	96	0	(2)	0	(2)	Colored.....	3,342	61	(2)	18.3	(2)
Crittenden County † (total).....	12,490	81	(2)	7.3	(2)	Henry County (total).....	13,333	150	(2)	11.3	(2)
White.....	11,934	78	(2)	6.5	(2)	White.....	11,578	111	(2)	9.6	(2)
Colored ²	556	13	(2)	23.4	(2)	Colored.....	1,755	39	(2)	22.2	(2)
Cumberland County † (total).....	10,222	85	(2)	8.3	(2)	Hickman County (total).....	11,750	142	(2)	12.1	(2)
White.....	9,151	83	(2)	9.1	(2)	White.....	9,971	114	(2)	11.4	(2)
Colored.....	1,071	22	(2)	20.5	(2)	Colored.....	1,779	28	(2)	15.7	(2)
Daviess County † (total).....	24,811	221	(2)	8.9	(2)	Hopkins County (total).....	35,694	478	(2)	13.4	(2)
White.....	22,824	197	(2)	8.6	(2)	White.....	28,802	368	(2)	12.8	(2)
Colored.....	1,987	24	(2)	12.1	(2)	Colored.....	6,892	110	(2)	16.0	(2)
Edmonson County † (total).....	10,634	95	(2)	8.9	(2)	Jackson County † (total).....	10,806	96	(2)	8.9	(2)
White.....	10,185	85	(2)	8.3	(2)	White.....	10,734	96	(2)	8.9	(2)
Colored ²	449	10	(2)	22.3	(2)	Colored ²	22	0	(2)	0	(2)
Elliott County (total).....	9,571	104	(2)	10.9	(2)	Jefferson County * (total).....	40,747	702	686	17.2	15.6
White.....	9,566	104	(2)	10.9	(2)	White.....	35,204	551	508	15.7	14.3
Colored ²	5	0	(2)	0	(2)	Colored.....	5,543	151	133	27.2	24.0
Estill County † (total).....	12,531	94	(2)	7.5	(2)	Jessamine County (total).....	12,905	161	(2)	12.5	(2)
White.....	12,422	88	(2)	7.1	(2)	White.....	9,851	111	(2)	11.3	(2)
Colored ²	109	6	(2)	55.0	(2)	Colored.....	3,054	50	(2)	16.4	(2)
Fayette County (total).....	11,300	132	130	11.7	11.5	Johnson County (total).....	19,080	208	(2)	10.9	(2)
White.....	7,822	79	78	10.1	10.0	White.....	19,029	202	(2)	10.6	(2)
Colored.....	3,478	53	52	15.2	15.0	Colored ²	51	1	(2)	0	(2)
Fleming County (total).....	15,637	228	(2)	14.6	(2)	Kenton County (total).....	17,342	194	(2)	11.2	(2)
White.....	14,630	202	(2)	13.8	(2)	White.....	17,021	184	(2)	10.8	(2)
Colored.....	1,007	26	(2)	25.8	(2)	Colored ²	321	10	(2)	31.2	(2)
Floyd County † (total).....	19,982	146	(2)	7.3	(2)	Knott County (total).....	11,679	112	(2)	9.6	(2)
White.....	19,776	146	(2)	7.4	(2)	White.....	11,506	108	(2)	9.4	(2)
Colored ²	156	0	(2)	0	(2)	Colored ²	173	4	(2)	23.1	(2)

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² No nonresidents reported.

³ Colored population less than 5 per cent of the total in 1910.

⁴ Rate not shown when population is less than 100.

MORTALITY STATISTICS.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES—Contd.						RURAL PART OF REGISTRATION STATES—Contd.					
KENTUCKY—continued.						KENTUCKY—continued.					
Knox County (total).....	24,136	294	(2)	12.2	(2)	Monroe County (total).....	13,922	166	(2)	11.9	(2)
White.....	22,965	283	(2)	12.3	(2)	White.....	13,178	160	(2)	12.1	(2)
Colored ²	1,171	11	(2)	9.4	(2)	Colored.....	744	6	(2)	8.1	(2)
Larue County (total).....	10,876	142	(2)	13.3	(2)	Montgomery County (total).....	12,881	148	(2)	11.5	(2)
White.....	9,887	125	(2)	12.6	(2)	White.....	9,661	87	(2)	9.0	(2)
Colored.....	789	17	(2)	21.5	(2)	Colored.....	3,220	61	(2)	18.9	(2)
Laurel County † (total).....	20,843	179	(2)	8.6	(2)	Morgan County (total).....	17,736	190	(2)	10.7	(2)
White.....	20,144	170	(2)	8.4	(2)	White.....	17,699	190	(2)	10.7	(2)
Colored ²	699	9	(2)	12.9	(2)	Colored ²	37	—	(2)	—	(2)
Lawrence County (total).....	20,261	228	(2)	11.3	(2)	Muhlenberg County (total).....	31,944	414	(2)	13.0	(2)
White.....	20,095	225	(2)	11.2	(2)	White.....	28,668	343	(2)	12.0	(2)
Colored ²	166	3	(2)	18.1	(2)	Colored.....	3,276	71	(2)	21.7	(2)
Lee County (total).....	10,188	103	(2)	10.1	(2)	Nelson County (total).....	16,931	260	(2)	15.4	(2)
White.....	9,936	100	(2)	10.1	(2)	White.....	13,957	187	(2)	13.4	(2)
Colored ²	252	3	(2)	11.9	(2)	Colored.....	2,974	73	(2)	24.5	(2)
Leslie County † (total).....	9,923	51	(2)	5.1	(2)	Nicholas County (total).....	10,026	154	(2)	15.4	(2)
White.....	9,776	48	(2)	4.9	(2)	White.....	9,173	141	(2)	15.4	(2)
Colored ²	147	3	(2)	20.4	(2)	Colored.....	853	13	(2)	15.2	(2)
Letcher County (total).....	11,241	140	(2)	12.5	(2)	Ohio County (total).....	27,794	344	(2)	12.4	(2)
White.....	11,223	135	(2)	12.0	(2)	White.....	26,490	315	(2)	11.9	(2)
Colored ²	18	5	(2)	(4)	(2)	Colored ²	1,304	29	(2)	22.2	(2)
Lewis County (total).....	16,470	222	(2)	13.5	(2)	Oldham County (total).....	7,320	100	(2)	13.7	13.1
White.....	16,331	219	(2)	13.4	(2)	White.....	6,223	82	(2)	13.2	12.5
Colored ²	139	3	(2)	21.6	(2)	Colored.....	1,097	18	(2)	16.4	(2)
Lincoln County (total).....	18,253	210	(2)	11.5	(2)	Owen County (total).....	12,841	153	(2)	11.9	(2)
White.....	15,217	165	(2)	10.8	(2)	White.....	11,985	138	(2)	11.5	(2)
Colored.....	3,036	45	(2)	14.8	(2)	Colored.....	856	15	(2)	17.5	(2)
Livingston County (total).....	10,319	112	(2)	10.9	(2)	Owsley County † (total).....	8,448	66	(2)	7.8	(2)
White.....	9,663	101	(2)	10.5	(2)	White.....	8,368	64	(2)	7.6	(2)
Colored.....	656	11	(2)	16.8	(2)	Colored ²	80	2	(2)	(4)	(2)
Logan County (total).....	24,544	370	(2)	15.1	(2)	Pendleton County (total).....	10,722	145	(2)	13.5	(2)
White.....	19,245	261	(2)	13.6	(2)	White.....	10,487	134	(2)	12.8	(2)
Colored.....	5,299	109	(2)	20.6	(2)	Colored ²	235	11	(2)	46.8	(2)
Lyon County (total).....	9,465	110	(2)	11.6	(2)	Perry County (total).....	12,523	125	(2)	10.0	(2)
White.....	7,644	78	(2)	10.2	(2)	White.....	12,283	119	(2)	9.7	(2)
Colored.....	1,821	32	(2)	17.6	(2)	Colored ²	240	6	(2)	25.0	(2)
McCracken County † (total).....	13,592	107	(2)	7.9	(2)	Pike County (total).....	35,510	377	(2)	10.6	(2)
White.....	11,454	94	(2)	8.2	(2)	White.....	35,135	362	(2)	10.3	(2)
Colored.....	2,138	13	(2)	6.1	(2)	Colored ²	375	15	(2)	40.0	(2)
McLean County (total).....	13,578	168	(2)	12.4	(2)	Powell County (total).....	6,194	69	(2)	11.1	(2)
White.....	12,803	152	(2)	11.9	(2)	White.....	5,859	66	(2)	11.3	(2)
Colored.....	775	16	(2)	20.6	(2)	Colored.....	335	3	(2)	9.0	(2)
Madison County (total).....	27,523	312	(2)	11.3	(2)	Pulaski County ⁵ (total).....	91,570	1,053	(2)	11.5	(2)
White.....	21,657	221	(2)	10.2	(2)	White.....	88,280	1,002	(2)	11.4	(2)
Colored.....	5,866	91	(2)	15.5	(2)	Colored ²	3,290	51	(2)	15.5	(2)
Magoffin County (total).....	14,356	143	(2)	10.0	(2)	Robertson County (total).....	3,791	60	(2)	15.8	(2)
White.....	14,201	142	(2)	10.0	(2)	White.....	3,727	58	(2)	15.6	(2)
Colored ²	155	1	(2)	6.5	(2)	Colored ²	64	2	(2)	(4)	(2)
Marion County (total).....	16,347	250	249	15.3	15.2	Rockcastle County † (total).....	15,348	138	(2)	9.0	(2)
White.....	14,063	195	194	13.9	13.8	White.....	15,214	137	(2)	9.0	(2)
Colored.....	2,284	55	(2)	24.1	(2)	Colored ²	134	1	(2)	7.5	(2)
Marshall County (total).....	16,655	165	(2)	9.9	(2)	Rowan County (total).....	9,931	130	(2)	13.1	(2)
White.....	16,511	159	(2)	9.6	(2)	White.....	9,869	129	(2)	13.1	(2)
Colored ²	144	6	(2)	41.7	(2)	Colored ²	62	1	(2)	(4)	(2)
Martin County † (total).....	7,935	52	(2)	6.6	(2)	Russell County (total).....	11,353	110	(2)	9.7	(2)
White.....	7,931	52	(2)	6.6	(2)	White.....	11,140	106	(2)	9.5	(2)
Colored ²	4	—	(2)	—	(2)	Colored ²	213	4	(2)	18.3	(2)
Mason County (total).....	17,829	271	(2)	15.2	(2)	Scott County (total).....	16,480	215	(2)	13.0	(2)
White.....	15,060	218	(2)	14.5	(2)	White.....	12,522	141	(2)	11.3	(2)
Colored.....	2,769	53	(2)	19.1	(2)	Colored.....	3,958	74	(2)	18.7	(2)
Meade County (total).....	9,463	118	(2)	12.5	(2)	Shelby County (total).....	17,915	270	(2)	15.1	(2)
White.....	8,324	110	(2)	12.5	(2)	White.....	13,923	173	(2)	12.4	(2)
Colored.....	639	8	(2)	12.5	(2)	Colored.....	3,992	97	(2)	24.3	(2)
Menifee County (total).....	5,371	60	(2)	10.2	(2)	Simpson County (total).....	11,393	131	(2)	11.5	(2)
White.....	5,333	60	(2)	10.3	(2)	White.....	9,225	89	(2)	9.6	(2)
Colored ²	38	—	(2)	—	(2)	Colored.....	2,168	42	(2)	19.4	(2)
Mercer County (total).....	13,910	202	(2)	14.5	(2)	Spencer County (total).....	7,634	83	(2)	10.9	(2)
White.....	11,747	144	(2)	12.3	(2)	White.....	6,863	76	(2)	11.1	(2)
Colored.....	2,163	58	(2)	26.8	(2)	Colored.....	771	7	(2)	9.1	(2)
Metcalfe County (total).....	10,651	132	(2)	12.4	(2)	Taylor County (total).....	12,338	155	(2)	12.6	(2)
White.....	9,836	116	(2)	11.8	(2)	White.....	10,853	131	(2)	12.1	(2)
Colored.....	815	16	(2)	19.6	(2)	Colored.....	1,485	24	(2)	16.2	(2)

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² No nonresidents reported.

³ Colored population less than 5 per cent of the total in 1910.

⁴ Rate not shown when population is less than 100.

⁵ Includes Wayne, Whitley, and McCreary Counties; separate estimated populations not available.

POPULATION, DEATHS, AND DEATH RATES, URBAN AND RURAL.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES ¹ —Contd.						RURAL PART OF REGISTRATION STATES ¹ —Contd.					
KENTUCKY—continued.						MARYLAND—continued.					
Todd County (total).....	16,113	222	(2)	13.8	(2)	Dorchester County (total).....	28,968	475	(2)	16.4	(2)
White.....	10,354	132	(2)	12.2	(2)	White.....	19,292	246	(2)	12.8	(2)
Colored.....	5,259	90	(2)	17.1	(2)	Colored.....	9,676	229	(2)	23.7	(2)
Trigg County (total).....	14,737	139	(2)	9.4	(2)	Frederick County (total).....	42,107	605	516	14.4	12.3
White.....	11,846	83	(2)	7.3	(2)	White.....	38,147	531	444	13.9	11.6
Colored.....	3,391	56	(2)	16.5	(2)	Colored.....	3,960	74	72	18.7	18.2
Trimble County † (total).....	6,189	39	(2)	6.3	(2)	Garrett County † (total).....	21,128	159	(2)	7.5	(2)
White.....	6,053	37	(2)	6.1	(2)	White.....	21,015	157	(2)	7.5	(2)
Colored *.....	136	2	(2)	14.7	(2)	Colored *.....	113	2	(2)	17.7	(2)
Union County (total).....	19,274	218	216	11.3	11.2	Harford County (total).....	27,837	358	(2)	12.7	(2)
White.....	16,917	167	166	9.9	9.8	White.....	22,661	260	(2)	11.5	(2)
Colored.....	2,357	51	50	21.6	21.2	Colored.....	5,176	98	(2)	18.0	(2)
Warren County (total).....	30,837	462	(2)	15.0	(2)	Howard County (total).....	15,848	189	(2)	11.9	(2)
White.....	24,627	313	(2)	12.7	(2)	White.....	12,074	122	(2)	10.1	(2)
Colored.....	6,210	149	(2)	24.0	(2)	Colored.....	3,774	67	(2)	17.8	(2)
Washington County (total).....	13,839	186	185	13.4	13.4	Kent County (total).....	16,178	229	(2)	14.2	(2)
White.....	12,060	155	154	12.9	12.8	White.....	10,203	108	(2)	10.6	(2)
Colored.....	1,779	31	(2)	17.4	(2)	Colored.....	5,975	121	(2)	20.3	(2)
Webster County (total).....	21,347	243	(2)	11.4	(2)	Montgomery County (total).....	32,786	360	356	11.0	10.9
White.....	18,638	210	(2)	11.3	(2)	White.....	23,188	221	217	9.5	9.4
Colored.....	2,709	33	(2)	12.2	(2)	Colored.....	9,598	139	(2)	14.5	(2)
Wolfe County (total).....	10,331	115	114	11.1	11.0	Prince Georges County (total).....	38,809	437	435	11.3	11.2
White.....	10,272	113	112	11.0	10.9	White.....	26,256	250	249	9.5	9.5
Colored *.....	59	2	(2)	(4)	(2)	Colored.....	12,553	187	186	14.9	14.8
Woodford County (total).....	12,331	174	(2)	14.1	(2)	Queen Annes County (total).....	16,191	264	(2)	16.3	(2)
White.....	8,652	104	(2)	12.0	(2)	White.....	10,508	139	(2)	13.2	(2)
Colored.....	3,679	70	(2)	19.0	(2)	Colored.....	5,683	125	(2)	22.0	(2)
MAINE.						St. Marys County (total).....					
Androscoggin County.....	18,931	270	(2)	14.3	(2)	White.....	16,967	226	(2)	13.3	(2)
Arcoctock County.....	80,695	1,037	1,034	12.9	12.8	Colored.....	9,571	112	(2)	11.7	(2)
Cumberland County.....	54,679	833	829	15.2	15.2	Colored.....	7,396	114	(2)	15.4	(2)
Franklin County.....	19,406	281	280	14.5	14.4	Somerset County (total).....	26,681	370	(2)	13.9	(2)
Hancock County.....	34,717	510	509	14.7	14.7	White.....	16,967	212	(2)	12.5	(2)
Kennebec County *.....	38,298	764	761	19.9	19.9	Colored.....	9,714	158	(2)	16.3	(2)
Knox County.....	28,526	497	493	17.4	17.3	Talbot County (total).....	19,313	318	(2)	16.5	(2)
Lincoln County.....	17,597	328	(2)	18.6	(2)	White.....	12,531	173	(2)	13.8	(2)
Oxford County.....	37,968	537	(2)	14.1	(2)	Colored.....	6,782	145	(2)	21.4	(2)
Penobscot County.....	63,075	808	806	12.8	12.8	Washington County (total).....	26,741	368	(2)	13.8	(2)
Piscataquis County.....	21,137	251	249	11.9	11.8	White.....	26,231	349	(2)	13.3	(2)
Sagadahoc County.....	17,827	327	(2)	18.3	(2)	Colored *.....	510	19	(2)	37.3	(2)
Somerset County.....	37,345	502	501	13.4	13.4	Wicomico County (total).....	28,503	440	422	15.4	14.8
Waldo County.....	23,042	363	362	15.8	15.7	White.....	21,686	317	306	14.6	14.1
Washington County.....	41,915	613	612	14.6	14.6	Colored.....	6,817	123	116	18.0	17.0
York County.....	52,602	836	833	15.9	15.8	Worcester County (total).....	22,257	339	(2)	15.2	(2)
MARYLAND.						MASSACHUSETTS.					
Allegany County (total).....	41,071	461	453	11.2	11.0	Barnstable County.....	27,423	469	(2)	17.1	(2)
White.....	40,681	452	444	11.1	10.9	Berkshire County.....	37,895	515	513	13.6	13.5
Colored.....	390	9	(2)	23.1	(2)	Bristol County.....	56,832	746	736	13.2	13.1
Anne Arundel County (total).....	39,527	725	683	18.3	17.3	Dukes County (total).....	4,482	100	96	22.3	21.4
White.....	25,149	353	348	14.0	13.8	White.....	4,141	97	93	23.4	22.5
Colored.....	14,378	372	335	25.9	23.3	Colored.....	341	3	(2)	8.8	(2)
Baltimore County* (total).....	135,813	1,974	1,714	14.5	12.6	Essex County *.....	92,103	1,361	1,189	14.8	12.9
White.....	121,581	1,733	1,459	14.3	12.2	Franklin County.....	38,127	477	468	14.4	14.1
Colored.....	14,232	241	225	16.9	15.8	Hampden County.....	46,101	677	616	14.7	13.4
Calvert County (total).....	10,368	141	(2)	13.6	(2)	Hampshire County.....	45,481	599	(2)	13.2	(2)
White.....	5,218	56	(2)	10.7	(2)	Middlesex County *.....	125,247	2,118	1,531	16.9	12.2
Colored.....	5,150	85	(2)	16.5	(2)	Nantucket County.....	2,946	70	(2)	23.8	(2)
Caroline County (total).....	20,480	282	(2)	13.8	(2)	Norfolk County *.....	105,294	1,295	1,178	12.3	11.2
White.....	15,233	190	(2)	12.4	(2)	Plymouth County *.....	80,000	1,235	1,130	15.4	14.1
Colored.....	5,187	92	(2)	17.7	(2)	Worcester County *.....	134,853	2,009	1,787	14.9	13.3
Carroll County* (total).....	33,965	527	424	15.5	12.5	MICHIGAN.					
White.....	31,917	483	380	15.1	11.9	Aleona County †.....	5,708	45	(2)	7.9	(2)
Colored.....	2,048	44	(2)	21.5	(2)	Alger County.....	8,446	114	(2)	13.5	(2)
Cecil County (total).....	23,377	346	342	14.8	14.6	Allegan County.....	40,249	488	(2)	12.1	(2)
White.....	20,044	252	249	12.6	12.4	Alpena County †.....	7,605	65	(2)	8.5	(2)
Colored.....	3,333	94	93	28.2	27.9	Antrim County.....	15,322	180	179	11.7	11.7
Charles County (total).....	15,843	273	(2)	17.2	(2)	Arenac County.....	9,565	103	(2)	10.8	(2)
White.....	7,419	92	(2)	12.4	(2)	Baraga County (total).....	6,898	65	(2)	9.4	(2)
Colored.....	8,424	181	(2)	21.5	(2)	White.....	6,238	53	(2)	8.5	(2)
						Barry County.....					
						White.....					
						Colored.....					
						22,685					
						276					

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² No nonresidents reported.

³ Colored population less than 5 per cent of the total in 1910.

⁴ Rate not shown when population is less than 100.

⁵ Includes National Military Home.

MORTALITY STATISTICS.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NON-RESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES—Contd.						RURAL PART OF REGISTRATION STATES—Contd.					
MICHIGAN—continued.						MICHIGAN—continued.					
Bay County †	23,688	211	(²)	8.9	(²)	Sanilac County	33,451	364	(²)	10.9	(²)
Benzie County	11,043	105	104	9.5	9.4	Schoolcraft County	9,018	112	(²)	12.4	(²)
Berrien County	55,521	755	754	13.6	13.6	Shiawassee County	32,983	456	(²)	13.8	(²)
Branch County	24,667	344	(²)	13.9	(²)	Tuscola County	34,497	450	(²)	13.0	(²)
Calhoun County	31,636	464	(²)	14.7	(²)	Van Buren County	33,147	466	(²)	14.1	(²)
Cass County (total)	20,520	270	(²)	13.2	(²)	Washtenaw County	28,470	347	(²)	12.2	(²)
White	18,973	243	(²)	13.1	(²)	Wayne County	71,842	1,836	1,667	25.6	23.2
Colored	1,547	22	(²)	14.2	(²)	Wexford County	22,440	259	(²)	11.5	(²)
Charlevoix County	21,373	222	(²)	10.4	(²)	MINNESOTA.					
Cheboygan County	13,875	217	(²)	11.5	(²)	Aitkin County †	11,917	87	(²)	7.3	(²)
Chippewa County †	12,308	110	(²)	8.9	(²)	Anoka County	12,955	190	158	14.6	12.2
Clare County	9,616	106	(²)	11.0	(²)	Becker County (total)	20,087	280	276	13.9	13.7
Clinton County	22,276	269	(²)	12.1	(²)	White	18,486	216	213	11.7	11.5
Crawford County	4,356	78	(²)	17.9	(²)	Colored	1,611	64	63	39.7	39.1
Delta County †	13,013	158	(²)	8.8	(²)	Beltrami County (total)	24,010	331	316	13.8	13.2
Dickinson County	21,647	208	207	9.6	9.6	White	22,391	287	252	11.9	11.3
Eaton County	30,065	395	(²)	13.3	(²)	Colored	1,619	64	(²)	39.5	(²)
Emmet County (total)	19,081	265	266	13.6	13.5	Benton County †	11,045	81	(²)	7.3	(²)
White	18,703	236	234	12.6	12.5	Big Stone County	9,637	92	89	9.5	9.2
Colored	978	32	(²)	32.7	(²)	Blue Earth County	17,824	188	(²)	10.5	(²)
Genesee County	24,705	406	404	16.4	16.4	Brown County	20,282	213	197	10.5	9.7
Gladwin County †	9,201	60	(²)	6.5	(²)	Carlton County †	20,773	183	178	8.8	8.6
Gogebic County	11,996	134	(²)	11.2	(²)	Carver County	17,418	167	165	9.6	9.5
Grand Traverse County	11,924	131	(²)	11.0	(²)	Cass County (total)	13,258	157	142	11.8	10.7
Gratiot County	28,306	329	(²)	11.6	(²)	White	11,989	145	130	12.1	10.8
Hillsdale County	29,594	365	(²)	12.3	(²)	Colored	1,269	12	(²)	9.5	(²)
Houghton County †	97,458	879	(²)	9.0	(²)	Chippewa County	13,867	144	142	10.4	10.2
Huron County	35,011	351	(²)	10.0	(²)	Chisago County	13,660	133	(²)	9.7	(²)
Ingham County	21,547	295	(²)	13.7	(²)	Clay County	20,365	209	199	10.3	9.8
Ionia County *	33,220	423	415	12.7	12.5	Clearwater County †	8,531	51	(²)	6.0	(²)
Iosco County	9,544	103	(²)	10.8	(²)	Cook County †	1,560	5	(²)	3.2	(²)
Iron County	17,794	238	237	13.4	13.3	Cottonwood County	12,899	126	125	9.8	9.7
Isabella County	23,132	242	(²)	10.5	(²)	Crow Wing County	17,972	225	204	12.5	11.4
Jackson County	21,547	334	(²)	15.5	(²)	Dakota County *	26,636	308	273	11.6	10.2
Kalamazoo County	21,453	261	(²)	12.2	(²)	Dodge County	11,564	110	(²)	9.5	(²)
Kalkaska County	8,506	94	(²)	11.1	(²)	Douglas County	17,544	204	203	11.6	11.6
Kent County	43,459	781	(²)	16.1	(²)	Faribault County	19,053	177	(²)	9.3	(²)
Keweenaw County †	8,334	60	(²)	6.8	(²)	Fillmore County	24,590	252	(²)	10.2	(²)
Lake County	4,933	50	(²)	10.1	(²)	Freeborn County	22,471	231	228	10.3	10.1
Lapeer County	25,349	368	339	14.5	13.4	Goodhue County	31,848	363	348	11.4	10.9
Leelanau County	10,629	127	(²)	11.9	(²)	Grant County †	9,190	75	(²)	8.2	(²)
Lenawee County	36,462	485	484	13.3	13.3	Hennepin County †	34,820	288	286	8.3	8.2
Livingston County	16,915	240	239	14.2	14.1	Houston County	13,829	146	(²)	10.6	(²)
Luce County *	4,438	139	103	31.3	23.2	Hubbard County †	11,216	79	(²)	7.0	(²)
Mackinac County (total)	9,906	108	(²)	10.9	(²)	Isanti County	13,015	137	(²)	10.5	(²)
White	8,848	100	(²)	11.3	(²)	Itasca County †	23,121	182	178	7.9	7.7
Colored	1,058	8	(²)	7.6	(²)	Jackson County	14,365	131	119	9.1	8.3
Macomb County	32,337	506	503	15.6	15.6	Kanabec County †	7,243	59	(²)	8.1	(²)
Manistee County	14,610	137	(²)	9.4	(²)	Kandiyohi County	19,205	195	190	10.2	9.9
Marquette County	24,859	307	(²)	12.3	(²)	Kittson County †	10,427	78	(²)	7.5	(²)
Mason County	23,086	250	(²)	10.8	(²)	Koochiching County	8,641	154	143	17.8	16.5
Mecosta County	18,944	265	263	14.0	13.9	Lacqui Parle County †	15,923	128	123	8.0	7.7
Menominee County †	15,532	116	(²)	7.5	(²)	Lake County †	9,442	74	70	7.8	7.4
Midland County	13,821	149	(²)	10.8	(²)	Le Sueur County	17,919	182	(²)	10.2	(²)
Missaukee County	11,157	102	(²)	9.1	(²)	Lincoln County †	10,260	66	(²)	6.4	(²)
Monroe County	32,984	466	(²)	14.1	(²)	Lyon County	16,202	148	141	9.1	8.7
Montcalm County	31,779	381	(²)	12.0	(²)	McLeod County	13,308	177	174	9.7	9.5
Montmorency County	3,976	42	(²)	10.6	(²)	Mahnomen County (total)	3,249	68	67	20.9	20.6
Muskegon County	16,642	216	215	13.0	12.9	White	1,743	23	23	13.2	13.2
Newaygo County	19,877	198	(²)	10.0	(²)	Colored	1,506	45	44	29.9	29.2
Oakland County	35,053	444	(²)	12.7	(²)	Marshall County	16,610	151	137	9.1	8.2
Oceana County	19,117	217	(²)	11.4	(²)	Martin County †	17,765	149	(²)	8.4	(²)
Ogemaw County	9,392	93	(²)	9.9	(²)	Meeker County	16,711	177	(²)	10.6	(²)
Ontonagon County	9,694	104	(²)	10.7	(²)	Mille Lacs County	11,829	111	104	9.4	8.8
Osceola County	17,902	206	(²)	11.5	(²)	Morrison County †	24,547	212	202	8.6	8.2
Oscoda County	2,263	22	(²)	9.7	(²)	Mower County †	22,768	199	196	8.7	8.6
Otsego County	6,712	100	99	14.9	14.7	Murray County †	11,690	81	80	6.9	6.8
Ottawa County	36,061	366	(²)	10.1	(²)	Nicollet County *	13,849	241	129	17.4	9.3
Presque Isle County	12,283	138	(²)	11.2	(²)	Nobles County †	15,323	96	94	6.3	6.1
Roscommon County †	2,480	20	(²)	8.1	(²)	Norman County †	13,446	101	(²)	7.5	(²)
Saginaw County	33,740	427	(²)	11.0	(²)	Olmsted County *	22,232	609	310	27.4	13.9
St. Clair County	32,374	411	(²)	12.7	(²)	Otter Tail County *	46,318	608	444	13.1	9.6
St. Joseph County	26,185	317	(²)	12.1	(²)						

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² No nonresidents reported.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES—Contd.						RURAL PART OF REGISTRATION STATES—Contd.					
MINNESOTA—continued.						MISSOURI—continued.					
Pennington County	10,314	117	(2)	11.3	(2)	Clinton County (total)	14,417	151	(2)	10.5	(2)
Pine County †	17,722	142	135	8.0	7.6	White	13,713	134	(2)	9.8	(2)
Pipestone County †	9,675	54	53	5.6	5.5	Colored	699	17	(2)	24.3	(2)
Polk County †	36,245	314	303	8.7	8.4	Cole County †	9,512	61	(2)	6.4	(2)
Pope County †	12,818	98	93	7.6	7.3	Cooper County (total)	19,365	230	229	11.9	11.8
Ramsey County	9,546	106	100	11.1	10.5	White	16,725	179	178	10.7	10.6
Red Lake County †	7,221	55	(2)	7.6	(2)	Colored	2,640	51	(2)	19.3	(2)
Redwood County †	18,920	150	149	7.9	7.9	Crawford County †	13,837	116	(2)	8.4	(2)
Renville County †	22,882	166	(2)	5.0	(2)	Dade County	14,544	132	(2)	9.1	(2)
Rice County	25,839	363	279	14.0	10.8	Dallas County †	12,874	89	(2)	6.9	(2)
Rock County †	10,458	89	85	8.5	8.1	Deviss County	16,022	165	164	10.3	10.2
Roseau County †	13,189	86	(2)	6.5	(2)	Dekalb County	11,727	126	(2)	10.7	(2)
St. Louis County	94,510	869	845	9.2	8.9	Dent County †	13,354	115	(2)	8.6	(2)
Scott County	14,779	166	161	11.5	10.9	Douglas County †	16,606	113	(2)	6.8	(2)
Sherburne County	7,521	78	65	10.4	8.6	Dunklin County	34,002	598	(2)	17.6	(2)
Sibley County †	14,977	113	(2)	7.5	(2)	Franklin County	29,510	329	(2)	11.1	(2)
Stearns County †	39,973	304	302	7.6	7.6	Gasconade County	13,079	121	(2)	9.3	(2)
Steele County	15,986	166	153	10.4	9.6	Gentry County	15,229	180	(2)	11.8	(2)
Stevens County	8,112	74	(2)	9.1	(2)	Greene County †	29,883	258	256	8.6	8.6
Swift County †	12,713	102	101	8.0	7.9	Grundy County	16,281	184	181	11.3	11.1
Todd County †	23,914	160	(2)	6.7	(2)	Harrison County	18,791	210	(2)	11.2	(2)
Traverse County †	8,251	54	(2)	6.5	(2)	Henry County	26,897	261	260	9.7	9.7
Wabasha County	18,398	221	212	12.0	11.5	Hickory County †	8,211	63	(2)	7.7	(2)
Wadena County	8,963	91	88	10.2	9.8	Holt County †	13,457	118	(2)	8.8	(2)
Waseca County	12,915	124	(2)	9.6	(2)	Howard County (total)	14,510	166	(2)	11.4	(2)
Washington County	15,953	154	147	9.7	9.2	White	11,699	121	(2)	10.3	(2)
Watonwan County †	11,336	85	83	7.5	7.3	Colored	2,811	45	(2)	16.0	(2)
Wilkin County	9,480	91	87	9.6	9.2	Howell County †	20,788	178	(2)	8.6	(2)
Winona County	14,322	151	149	10.5	10.4	Iron County	8,500	114	(2)	13.4	(2)
Wright County	27,625	280	279	10.1	10.1	Jackson County	39,251	435	423	11.1	10.8
Yellow Medicine County †	15,747	137	136	8.7	8.6	Jasper County	45,933	492	(2)	10.7	(2)
MISSOURI.						Jefferson County (total)					
Adair County	23,112	213	210	9.2	9.1	White	27,245	263	(2)	9.7	(2)
Andrew County	14,410	143	139	9.9	9.6	Colored	1,585	31	(2)	19.9	(2)
Atchison County †	12,370	88	(2)	7.1	(2)	Johnson County	25,640	285	284	11.1	11.1
Andrain County (total)	21,909	225	224	10.3	10.2	Knox County †	11,944	106	(2)	8.9	(2)
White	20,335	186	185	9.1	9.1	Laclede County	17,721	169	(2)	9.5	(2)
Colored	1,574	39	(2)	24.8	(2)	Lafayette County (total)	29,506	362	(2)	12.3	(2)
Barry County	23,161	256	(2)	11.1	(2)	White	26,806	313	(2)	11.7	(2)
Barton County	16,106	155	(2)	9.6	(2)	Colored	2,700	49	(2)	18.1	(2)
Bates County	24,050	273	(2)	11.4	(2)	Lawrence County	24,420	299	(2)	12.2	(2)
Benton County	14,168	141	(2)	10.0	(2)	Lewis County † (total)	15,000	130	(2)	8.4	(2)
Bollinger County †	14,545	100	(2)	6.9	(2)	White	14,277	114	(2)	8.0	(2)
Boone County (total)	31,336	360	(2)	11.5	(2)	Colored	723	16	(2)	22.1	(2)
White	27,201	281	(2)	10.3	(2)	Lincoln County (total)	16,473	187	(2)	11.4	(2)
Colored	4,135	79	(2)	19.1	(2)	White	15,206	159	(2)	10.5	(2)
Buchanan County	15,160	156	148	10.3	9.8	Colored	1,267	28	(2)	22.1	(2)
Butler County (total)	22,264	338	(2)	15.2	(2)	Linn County	25,148	274	(2)	10.9	(2)
White	20,834	311	(2)	14.9	(2)	Livingston County	18,241	229	227	12.6	12.4
Colored	1,430	27	(2)	18.9	(2)	McDonald County †	13,526	40	(2)	3.0	(2)
Caldwell County	13,732	168	(2)	12.2	(2)	Macon County	29,954	275	(2)	9.2	(2)
Callaway County* (total)	23,726	388	338	16.4	14.2	Madison County	11,824	118	(2)	10.0	(2)
White	20,439	316	277	15.5	13.6	Maries County †	10,288	89	(2)	8.7	(2)
Colored	3,287	72	61	21.9	18.6	Marion County (total)	11,667	131	(2)	11.2	(2)
Camden County †	10,929	73	(2)	6.7	(2)	White	10,723	116	(2)	10.8	(2)
Cape Girardeau County (total)	29,028	311	(2)	10.7	(2)	Colored	944	15	(2)	15.9	(2)
White	27,011	263	(2)	9.7	(2)	Mercer County †	11,325	88	(2)	7.8	(2)
Colored	2,017	48	(2)	23.8	(2)	Miller County †	17,368	109	(2)	6.3	(2)
Carroll County	21,666	222	(2)	10.2	(2)	Mississippi County (total)	15,714	179	178	11.4	11.3
Carter County	4,993	74	(2)	14.8	(2)	White	13,625	153	152	11.2	11.2
Cass County †	22,690	191	(2)	8.4	(2)	Colored	2,089	26	(2)	12.4	(2)
Cedar County	15,721	168	(2)	10.7	(2)	Moniteau County	13,714	153	(2)	11.2	(2)
Chariton County (total)	22,088	242	(2)	11.0	(2)	Monroe County (total)	17,702	169	(2)	9.5	(2)
White	20,070	205	(2)	10.2	(2)	White	16,564	157	(2)	9.5	(2)
Colored	2,018	37	(2)	18.3	(2)	Colored	1,138	12	(2)	10.5	(2)
Christian County †	15,360	120	(2)	7.8	(2)	Montgomery County (total)	15,193	175	(2)	11.5	(2)
Clark County	11,716	135	(2)	11.5	(2)	White	14,092	157	(2)	11.1	(2)
Clay County (total)	20,897	307	296	14.7	14.2	Colored	1,101	18	(2)	16.3	(2)
White	19,853	286	275	14.4	13.9	Morgan County †	13,155	100	(2)	7.6	(2)
Colored	1,044	21	(2)	20.1	(2)						

1 Exclusive of municipalities having a population of 10,000 or over in 1910.
 2 No nonresidents reported.
 3 Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.

MORTALITY STATISTICS.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Popula- tion esti- mated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POP- ULATION, 1914.		AREA.	Popula- tion esti- mated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POP- ULATION, 1914.	
		In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.	In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.			In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.	In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.
MISSOURI—continued.						MONTANA—continued.					
RURAL PART OF REGISTRATION STATES—Contd.						RURAL PART OF REGISTRATION STATES—Contd.					
New Madrid County (total).....	22,985	233	(2)	10.1	(2)	Deer Lodge County *.....	3,004	160	55	53.3	18.3
White.....	20,604	229	(2)	11.1	(2)	Fergus County *.....	74,505	698	697	9.4	9.4
Colored.....	2,381	4	(2)	1.7	(2)	Flathead County †.....	23,443	174	(2)	7.4	(2)
Newton County.....	27,192	304	(2)	11.2	(2)	Gallatin County.....	16,007	155	(2)	9.7	(2)
Nodaway County.....	27,085	251	280	10.4	10.3	Granite County.....	2,354	33	(2)	14.0	(2)
Oregon County †.....	15,009	131	(2)	8.7	(2)	Jefferson County †.....	5,716	26	(2)	4.5	(2)
Osage County †.....	14,363	118	(2)	8.2	(2)	Lewis and Clark County †.....	9,737	55	45	5.6	4.6
Ozark County †.....	11,833	85	(2)	7.2	(2)	Lincoln County.....	4,541	49	(2)	10.8	(2)
Pemiscot County (total).....	22,730	303	(2)	13.3	(2)	Madison County.....	7,032	68	(2)	9.7	(2)
White.....	21,016	287	(2)	12.7	(2)	Missoula County † †.....	12,018	104	(2)	8.7	(2)
Colored.....	1,714	36	(2)	21.0	(2)	Park County †.....	12,176	97	(2)	8.0	(2)
Perry County.....	14,798	154	(2)	10.4	(2)	Powell County.....	6,104	70	67	11.5	11.0
Pettis County † (total).....	15,615	103	(2)	6.6	(2)	Ravalli County †.....	13,304	97	(2)	7.3	(2)
White.....	14,866	94	(2)	6.3	(2)	Sanders County † (total).....	4,436	36	(2)	8.0	(2)
Colored.....	749	9	(2)	12.0	(2)	White.....	4,182	33	(2)	7.9	(2)
Phelps County.....	16,478	168	(2)	10.2	(2)	Colored.....	304	3	(2)	9.9	(2)
Pike County (total).....	21,199	242	(2)	11.4	(2)	Silver Bow County.....	18,488	287	268	15.5	14.5
White.....	18,171	194	(2)	10.7	(2)	Valley County †.....	17,582	187	(2)	10.6	(2)
Colored.....	3,028	48	(2)	15.9	(2)						
Platte County (total).....	13,679	165	(2)	12.1	(2)	NEW HAMPSHIRE.					
White.....	13,021	151	(2)	11.6	(2)	Belknap County.....	10,974	190	181	17.3	16.5
Colored.....	658	14	(2)	21.3	(2)	Carroll County.....	16,072	287	285	17.9	17.7
Polk County †.....	20,841	187	(2)	9.0	(2)	Cheshire County.....	19,927	292	(2)	14.7	(2)
Pulaski County.....	11,881	116	(2)	9.8	(2)	Coos County.....	18,288	271	262	14.8	14.3
Putnam County.....	13,294	125	(2)	9.4	(2)	Grafton County.....	41,996	643	614	15.3	14.6
Rails County †.....	13,178	90	(2)	6.8	(2)	Hillsborough County.....	29,260	571	565	19.5	19.3
Randolph County (total).....	14,761	225	(2)	15.2	(2)	Merrimack County.....	31,429	500	480	15.9	15.3
White.....	13,388	199	(2)	14.9	(2)	Rockingham County.....	41,105	538	630	15.5	15.3
Colored.....	1,373	26	(2)	18.9	(2)	Straford County.....	25,523	388	386	15.2	15.1
Ray County (total).....	20,024	232	(2)	11.6	(2)	Sullivan County.....	19,901	366	331	18.2	16.6
White.....	18,933	204	(2)	10.8	(2)						
Colored.....	1,091	28	(2)	25.7	(2)	NEW JERSEY.					
Reynolds County †.....	10,202	81	(2)	7.9	(2)	Atlantic County.....	28,806	394	385	13.7	13.4
Ripley County.....	13,063	163	(2)	12.5	(2)	Bergen County.....	134,303	1,412	1,397	10.5	10.4
St. Charles County (total).....	24,788	271	270	10.9	10.9	Burlington County (total).....	70,114	1,072	1,071	15.3	15.3
White.....	23,127	254	253	11.0	10.9	White.....	66,402	1,004	1,003	15.1	15.1
Colored.....	1,661	17	(2)	10.2	(2)	Colored.....	3,712	68	(2)	18.3	(2)
St. Clair County.....	15,776	150	(2)	9.5	(2)	Camden County (total).....	54,218	810	799	14.9	14.7
St. Francois County *.....	40,717	501	489	12.3	12.0	White.....	50,373	744	734	14.8	14.6
St. Louis County (total).....	96,212	1,354	995	14.1	10.3	Colored.....	3,845	66	65	18.9	16.9
White.....	91,417	1,200	891	13.1	9.7	Cape May County (total).....	22,532	350	(2)	15.5	(2)
Colored.....	4,795	154	104	32.1	21.7	White.....	22,866	315	(2)	15.1	(2)
Ste. Genevieve County.....	10,712	114	(2)	10.6	(2)	Colored.....	1,666	35	(2)	21.0	(2)
Saline County (total).....	27,635	350	345	12.7	12.5	Cumberland County (total).....	29,261	443	419	15.1	14.3
White.....	24,220	266	261	11.0	10.8	White.....	27,454	407	333	14.6	14.0
Colored.....	3,415	84	(2)	24.6	(2)	Colored.....	1,807	36	(2)	19.9	(2)
Schuyler County.....	8,304	79	(2)	9.5	(2)	Essex County.....	47,945	922	639	19.2	13.3
Scotland County.....	11,288	111	(2)	9.8	(2)	Gloucester County (total).....	39,696	545	544	13.7	13.7
Scott County.....	26,325	323	(2)	12.3	(2)	White.....	37,142	504	503	13.6	13.5
Shannon County †.....	11,525	77	(2)	6.7	(2)	Colored.....	2,554	41	(2)	16.1	(2)
Shelby County.....	14,308	169	(2)	11.8	(2)	Hudson County.....	48,018	1,080	850	22.5	17.7
Stoddard County.....	29,143	449	(2)	15.4	(2)	Hunterdon County.....	33,170	539	536	16.2	13.2
Stone County †.....	12,268	78	(2)	6.4	(2)	Mercer County (total).....	31,734	434	402	13.7	12.7
Sullivan County.....	17,852	195	(2)	10.9	(2)	White.....	28,801	389	362	13.5	12.6
Taney County.....	8,713	82	(2)	9.4	(2)	Colored.....	2,933	45	40	15.3	13.6
Texas County.....	21,147	195	(2)	9.2	(2)	Middlesex County.....	66,106	826	(2)	12.5	(2)
Vernon County *.....	27,639	363	301	13.1	10.9	Monmouth County (total).....	72,654	1,131	1,125	15.6	15.5
Warren County (total).....	8,786	106	(2)	12.1	(2)	White.....	67,630	1,041	1,041	15.4	15.4
White.....	8,342	90	(2)	10.8	(2)	Colored.....	5,024	87	84	17.3	16.7
Colored.....	444	16	(2)	36.0	(2)	Morris County *.....	65,739	967	816	14.7	12.4
Washington County.....	13,003	154	(2)	11.8	(2)	Ocean County.....	21,988	279	277	12.7	12.6
Wayne County.....	15,126	181	(2)	12.0	(2)	Passaic County.....	41,190	414	413	10.1	10.0
Webster County †.....	17,689	160	(2)	9.0	(2)	Salem County (total).....	27,625	395	(2)	14.3	(2)
Worth County †.....	7,230	55	(2)	7.6	(2)	White.....	24,190	323	(2)	13.4	(2)
Wright County.....	18,652	178	(2)	9.5	(2)	Colored.....	3,435	72	(2)	21.0	(2)
MONTANA.						Somerset County.....	41,321	506	503	12.2	12.2
Beaverhead County †.....	6,801	54	(2)	7.9	(2)	Sussex County.....	27,910	368	(2)	13.2	(2)
Broadwater County.....	3,854	39	(2)	10.1	(2)	Union County.....	52,438	672	633	12.8	12.1
Cascade County †.....	16,603	102	(2)	6.1	(2)	Warren County.....	30,433	383	(2)	12.6	(2)
Chouteau County †.....	31,291	353	350	11.3	11.2						
Custer County †.....	34,557	314	312	9.1	9.0						

1 Exclusive of municipalities having a population of 10,000 or over in 1910.
 2 No nonresidents reported.
 3 Includes Blaine, Hill, Teton, and Tooele Counties, the last named formed from parts of Teton and Hill Counties, May 7, 1914; separate estimated populations not available.
 4 Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available. See General Table 5 for notes.
 5 Includes Big Horn, Carbon, Meagher, Musselshell, Rosebud, Stillwater, Sweet Grass, and Yellowstone Counties; separate estimated populations not available. See General Table 5 for notes.
 6 Includes Mineral County, organized Aug. 7, 1914; separate estimated populations not available.
 7 Includes Sheridan County; separate estimated populations not available.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES ¹ —Contd.						RURAL PART OF REGISTRATION STATES ¹ —Contd.					
NEW YORK.						OHIO—continued.					
Albany County.....	33,711	515	(²)	15.3	(²)	Clark County.....	19,572	244	226	12.5	11.5
Alegany County.....	41,375	568	565	13.7	13.7	Clermont County.....	28,677	443	(²)	15.4	(²)
Broome County.....	30,735	565	559	18.4	18.2	Clinton County.....	23,459	295	(²)	12.7	(²)
Cattaraugus County.....	50,020	681	(²)	13.6	(²)	Columbiana County.....	55,163	740	734	12.7	12.6
Cayuga County.....	30,968	495	487	16.0	15.7	Coshocton County.....	30,454	346	(²)	11.4	(²)
Chautauque County.....	57,305	784	782	13.6	13.5	Crawford County.....	34,087	441	(²)	12.9	(²)
Chemung County.....	17,100	311	308	18.2	18.0	Cuyahoga County.....	62,283	755	739	12.1	11.9
Chenango County.....	35,155	555	532	15.8	15.7	Darke County.....	43,101	516	(²)	12.0	(²)
Clinton County*.....	36,283	456	448	12.5	12.3	Defiance County.....	23,694	244	(²)	10.3	(²)
Columbia County.....	31,627	473	(²)	15.0	(²)	Delaware County.....	27,514	302	300	11.0	10.9
Cortland County.....	17,396	259	(²)	14.9	(²)	Erie County.....	18,486	331	287	17.9	15.5
Delaware County.....	45,220	677	(²)	15.0	(²)	Fairfield County.....	25,465	275	273	10.4	10.3
Dutchess County*.....	60,615	1,286	971	21.2	16.0	Rayette County (total).....	21,751	272	(²)	12.5	(²)
Erie County*.....	95,473	1,211	1,143	12.6	11.8	White.....	20,519	242	(²)	11.8	(²)
Essex County.....	34,629	527	513	15.2	14.8	Colored.....	1,232	30	(²)	24.3	(²)
Franklin County.....	46,938	772	766	16.4	16.3	Franklin County.....	41,337	560	548	13.5	13.3
Fulton County.....	13,055	236	234	18.1	17.9	Fulton County.....	24,386	281	(²)	11.5	(²)
Genesee County.....	26,302	351	350	13.3	13.3	Gallia County (total).....	24,819	347	292	14.0	11.8
Greene County.....	29,676	479	478	16.1	16.1	White.....	23,007	314	259	13.6	11.3
Hamilton County.....	4,130	50	(²)	12.1	(²)	Colored.....	1,812	33	(²)	18.2	(²)
Herkimer County.....	45,540	768	767	16.9	16.8	Geauga County.....	14,640	195	194	13.3	13.3
Jefferson County.....	53,058	725	(²)	13.7	(²)	Greene County (total).....	28,983	412	(²)	14.2	(²)
Lewis County.....	23,752	395	(²)	16.6	(²)	White.....	25,064	338	(²)	13.5	(²)
Livingston County.....	38,455	650	522	16.9	13.6	Colored.....	3,899	74	(²)	19.1	(²)
Madison County.....	38,755	666	664	17.2	17.1	Guernsey County.....	33,403	328	(²)	9.8	(²)
Monroe County.....	65,987	983	927	14.9	14.0	Hamilton County (total).....	60,078	663	662	11.0	11.0
Montgomery County.....	26,638	409	408	15.4	15.3	White.....	56,470	610	(²)	10.8	(²)
Nassau County.....	96,068	1,249	1,225	13.0	12.8	Colored.....	3,608	53	52	14.7	14.4
Niagara County.....	31,421	404	391	12.9	12.4	Hancock County.....	22,417	216	214	9.6	9.5
Oneida County.....	58,506	961	(²)	16.4	(²)	Hardin County.....	30,075	373*	372	12.4	12.4
Onondaga County.....	64,396	993	992	15.4	15.4	Harrison County.....	18,476	237	(²)	12.8	(²)
Ontario County.....	40,125	566	553	14.1	13.8	Henry County.....	24,197	257	(²)	10.6	(²)
Orange County.....	76,501	1,042	1,039	13.6	13.6	Highland County.....	27,744	336	(²)	12.1	(²)
Orleans County.....	32,784	456	451	13.9	13.8	Hocking County.....	23,333	232	(²)	9.9	(²)
Oswego County.....	36,684	647	641	17.6	17.5	Holmes County.....	17,227	180	(²)	10.4	(²)
Otsego County.....	46,484	818	817	17.6	17.6	Huron County.....	35,006	422	(²)	12.1	(²)
Putnam County.....	15,039	189	(²)	12.6	(²)	Jackson County.....	23,318	345	(²)	11.8	(²)
Rensselaer County.....	33,934	484	(²)	14.3	(²)	Jefferson County.....	48,582	487	484	10.0	10.0
Rockland County.....	50,526	639	628	12.6	12.4	Knox County.....	31,208	370	366	11.9	11.7
St. Lawrence County.....	72,508	1,089	(²)	15.0	(²)	Lake County.....	23,457	287	(²)	12.2	(²)
Saratoga County.....	49,456	748	745	15.1	15.1	Lawrence County.....	25,780	349	(²)	13.5	(²)
Schenectady County.....	14,356	234	233	15.8	15.7	Licking County.....	30,949	333	(²)	10.8	(²)
Schoharie County.....	22,579	353	(²)	15.6	(²)	Logan County.....	23,941	377	376	12.6	12.6
Schuyler County.....	13,234	239	237	18.1	17.9	Lorain County.....	33,306	348	(²)	10.4	(²)
Seneca County*.....	26,487	551	393	20.8	14.8	Lucas County.....	25,292	270	(²)	10.7	(²)
Steuben County.....	54,383	965	(²)	17.7	(²)	Madison County.....	19,610	239	(²)	12.2	(²)
Suffolk County*.....	104,045	2,075	1,324	19.9	12.7	Mahoning County.....	35,169	513	512	14.6	14.6
Sullivan County.....	34,448	659	638	19.1	18.5	Marion County.....	14,195	158	155	11.1	10.9
Tioga County.....	24,634	403	(²)	16.4	(²)	Medina County.....	24,297	278	(²)	11.4	(²)
Tompkins County.....	18,061	291	(²)	16.1	(²)	Meigs County.....	24,306	327	(²)	13.5	(²)
Ulster County.....	66,702	827	824	12.4	12.4	Mercer County.....	27,330	267	(²)	9.8	(²)
Warren County.....	16,832	256	254	15.2	15.1	Miami County.....	31,967	373	372	11.7	11.6
Washington County.....	48,695	698	697	14.3	14.3	Monroe County.....	23,057	231	(²)	10.0	(²)
Wayne County.....	50,825	692	(²)	13.6	(²)	Montgomery County ²	54,284	1,084	977	20.0	18.0
Westchester County.....	97,047	1,292	1,155	13.3	11.9	Morgan County.....	15,327	184	(²)	12.0	(²)
Wyoming County.....	32,503	410	406	12.6	12.5	Morrow County.....	16,363	230	(²)	14.1	(²)
Yates County.....	17,930	276	(²)	15.4	(²)	Muskingum County.....	23,371	382	(²)	13.0	(²)
OHIO.						Noble County.....					
Adams County.....	24,087	258	(²)	10.7	(²)	Ottawa County.....	18,235	182	(²)	10.0	(²)
Allen County.....	26,343	312	309	11.8	11.7	Paulding County.....	22,422	248	(²)	11.1	(²)
Ashland County.....	23,738	301	(²)	12.7	(²)	Perry County.....	36,911	355	(²)	9.6	(²)
Ashtabula County.....	42,521	567	566	13.3	13.3	Pickaway County.....	25,793	370	369	14.3	14.3
Athens County*.....	51,662	644	561	12.5	10.9	Pike County.....	14,679	154	(²)	10.5	(²)
Auglaize County.....	31,268	347	(²)	11.1	(²)	Portage County.....	30,757	424	(²)	13.8	(²)
Belmont County.....	69,770	833	829	11.9	11.9	Preble County.....	23,885	280	(²)	10.5	(²)
Brown County (total).....	23,383	279	(²)	11.9	(²)	Putnam County.....	23,886	283	(²)	9.8	(²)
White.....	22,169	248	(²)	11.2	(²)	Richland County.....	27,006	331	330	12.3	12.2
Colored.....	1,214	31	(²)	25.5	(²)	Ross County (total).....	24,539	303	296	12.3	12.1
Butler County.....	22,342	288	286	12.9	12.8	White.....	23,169	274	267	11.8	11.5
Carroll County.....	15,316	157	(²)	10.3	(²)	Colored.....	1,370	29	(²)	21.2	(²)
Champaign County (total).....	26,230	348	(²)	13.3	(²)	Sandusky County.....	35,537	368	(²)	10.4	(²)
White.....	24,819	331	(²)	13.3	(²)	Scioto County.....	24,139	346	(²)	14.3	(²)
Colored.....	1,411	17	(²)	12.0	(²)	Seneca County.....	30,678	358	(²)	11.7	(²)
						Shelby County.....					
						Stark County*.....					

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² No nonresidents reported.

³ Includes National Military Home.

MORTALITY STATISTICS.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES ¹ —Contd.						RURAL PART OF REGISTRATION STATES ¹ —Contd.					
OHIO—continued.						PENNSYLVANIA—continued.					
Summit County.....	43,533	629	624	14.4	14.3	Somerset County.....	75,495	937	913	12.4	12.1
Trumbull County.....	43,322	526	(²)	12.1	(²)	Sullivan County †.....	10,935	97	(²)	8.9	(²)
Tuscarawas County.....	53,432	644	643	11.0	11.0	Susquehanna County.....	36,770	556	554	15.1	15.1
Union County.....	21,673	235	(²)	10.8	(²)	Tioga County.....	40,165	506	505	12.6	12.6
Van Wert County †.....	28,576	254	(²)	8.9	(²)	Union County.....	15,677	179	(²)	11.4	(²)
Vinton County.....	12,145	123	122	10.1	10.0	Venango County.....	40,572	478	430	11.8	10.6
Warren County.....	24,034	319	(²)	13.3	(²)	Warren County *.....	25,793	435	319	16.9	12.4
Washington County.....	29,478	330	(²)	11.2	(²)	Washington County.....	144,924	1,922	1,874	13.3	12.9
Wayne County.....	38,138	454	453	11.9	11.9	Wayne County.....	28,839	367	359	12.7	12.4
Williams County.....	25,301	320	(²)	12.6	(²)	Westmoreland County.....	228,177	2,668	2,571	11.7	11.3
Wood County.....	44,104	517	513	11.7	11.6	Wyoming County.....	14,810	203	(²)	13.7	(²)
Wyandot County.....	20,604	216	(²)	10.5	(²)	York County.....	95,493	983	(²)	10.3	(²)
PENNSYLVANIA.						RHODE ISLAND.					
Adams County.....	34,245	424	(²)	12.4	(²)	Bristol County.....	19,501	280	(²)	14.4	(²)
Allegheny County.....	385,396	4,795	4,203	12.4	10.9	Kent County.....	10,213	149	(²)	14.6	(²)
Armstrong County.....	74,412	825	828	11.1	11.1	Newport County.....	13,052	182	(²)	13.9	(²)
Beaver County.....	74,595	1,020	1,000	13.7	13.4	Providence County.....	43,684	556	(²)	12.7	(²)
Bedford County.....	38,632	426	(²)	11.0	(²)	Washington County.....	25,278	356	(²)	14.1	(²)
Berks County *.....	89,920	1,286	1,211	14.3	13.5	UTAH.					
Blair County.....	62,431	780	755	12.5	12.1	Beaver County.....	5,187	56	(²)	10.8	(²)
Bradford County.....	52,449	902	863	17.2	16.5	Box Elder County.....	15,549	151	(²)	9.7	(²)
Bucks County.....	78,805	1,059	(²)	13.4	(²)	Cache County †.....	25,159	218	(²)	8.7	(²)
Butler County.....	53,847	522	510	9.7	9.5	Carbon County.....	10,165	142	141	14.0	13.9
Cambria County.....	127,611	1,546	1,478	12.1	11.6	Davis County †.....	11,126	91	(²)	8.2	(²)
Cameron County †.....	7,898	65	(²)	8.2	(²)	Emery County †.....	7,642	51	(²)	6.7	(²)
Carbon County.....	56,399	829	806	14.7	14.3	Garfield County.....	3,770	48	(²)	12.7	(²)
Center County.....	43,648	550	530	12.6	12.1	Grand County †.....	1,785	10	(²)	5.6	(²)
Chester County (total).....	77,484	1,042	1,015	13.4	13.1	Iron County.....	4,098	55	(²)	13.4	(²)
White.....	70,390	922	900	13.1	12.8	Juab County †.....	10,966	85	(²)	7.8	(²)
Colored.....	7,094	120	115	16.9	16.2	Kane County †.....	1,586	12	(²)	7.6	(²)
Clarion County.....	37,641	398	(²)	10.6	(²)	Millard County.....	6,304	69	(²)	10.9	(²)
Clearfield County.....	85,368	845	844	9.9	9.9	Morgan County †.....	2,646	16	(²)	6.0	(²)
Clinton County.....	32,545	403	389	12.4	12.0	Piute County.....	1,642	15	(²)	9.1	(²)
Columbia County.....	52,121	574	559	11.0	10.7	Rich County.....	1,859	19	(²)	10.2	(²)
Crawford County.....	47,210	670	665	14.2	14.1	Salt Lake County.....	44,576	490	382	11.0	8.6
Cumberland County.....	45,651	581	568	12.7	12.4	San Juan County † (total).....	2,955	15	(²)	5.1	(²)
Dauphin County *.....	60,784	871	784	14.3	12.9	White.....	1,286	15	(²)	11.8	(²)
Delaware County (total).....	87,294	1,033	1,019	11.8	11.7	Colored.....	1,669				
White.....	79,479	931	920	11.7	11.6	Sanpete County.....	16,869	173	(²)	10.3	(²)
Colored.....	7,815	102	99	13.1	12.7	Sevier County.....	10,340	95	93	9.2	9.0
Elk County.....	37,135	358	333	9.6	9.0	Summit County.....	7,675	99	(²)	12.9	(²)
Erie County.....	50,381	704	663	14.0	13.2	Tooele County.....	8,165	82	(²)	10.0	(²)
Fayette County.....	158,002	1,897	1,883	12.0	11.9	Uinta County (total).....	7,304	91	(²)	12.5	(²)
Forest County †.....	8,754	75	(²)	8.6	(²)	White.....	6,273	56	(²)	8.9	(²)
Franklin County.....	49,659	766	567	15.4	11.4	Colored.....	1,031	35	(²)	33.9	(²)
Fulton County.....	9,611	116	(²)	12.1	(²)	Utah County *.....	40,279	413	371	10.3	9.2
Greene County.....	23,138	279	275	9.6	9.4	Wasatch County †.....	10,701	95	(²)	8.9	(²)
Huntingdon County.....	39,832	477	470	12.0	11.8	Washington County †.....	5,339	46	(²)	8.6	(²)
Indiana County.....	76,290	886	(²)	11.6	(²)	Wayne County †.....	1,682	11	(²)	6.5	(²)
Jefferson County.....	64,734	673	642	10.4	9.9	Weber County †.....	9,885	75	73	7.6	7.4
Juniata County.....	14,572	203	202	13.9	13.9	VERMONT.					
Lackawanna County.....	94,193	1,490	1,406	15.8	14.9	Addison County.....	19,201	274	(²)	14.3	(²)
Lancaster County.....	109,605	1,319	1,267	12.0	11.6	Bennington County.....	21,239	287	(²)	13.5	(²)
Lawrence County.....	35,997	421	(²)	11.7	(²)	Caledonia County.....	26,734	426	(²)	15.9	(²)
Lebanon County.....	42,084	503	500	12.0	11.9	Chittenden County.....	22,412	310	308	13.8	13.7
Lehigh County.....	64,280	1,104	993	17.2	15.5	Essex County.....	7,098	106	(²)	14.9	(²)
Luzerne County.....	220,666	3,197	3,148	14.5	14.3	Franklin County.....	29,727	447	(²)	15.0	(²)
Lycoming County.....	49,825	521	520	10.5	10.4	Grand Isle County.....	3,462	38	(²)	11.0	(²)
McKean County.....	31,551	383	375	12.1	11.9	Lamoille County.....	12,711	193	(²)	15.2	(²)
Mercer County.....	58,427	681	680	11.7	11.6	Orange County.....	18,444	291	(²)	15.8	(²)
Mifflin County.....	29,755	339	(²)	11.4	(²)	Orleans County.....	23,897	369	(²)	15.4	(²)
Monroe County.....	23,699	279	278	11.8	11.7	Rutland County.....	35,396	438	(²)	12.4	(²)
Montgomery County.....	135,954	1,657	1,616	12.2	11.9	Washington County *.....	32,168	492	(²)	15.3	(²)
Montour County *.....	14,590	275	168	18.8	11.5	Windham County.....	27,046	448	(²)	16.6	(²)
Northampton County.....	78,047	933	929	12.0	11.9	Windsor County.....	34,300	485	(²)	14.1	(²)
Northumberland County.....	64,474	870	854	13.5	13.2	VIRGINIA.					
Perry County.....	23,231	269	(²)	11.6	(²)	Accomac County (total).....	38,389	455	(²)	11.9	(²)
Pike County.....	7,722	112	(²)	14.5	(²)	White.....	24,366	247	(²)	10.1	(²)
Potter County †.....	29,350	259	(²)	8.8	(²)	Colored.....	14,023	208	(²)	14.8	(²)
Schuylkill County.....	156,044	2,235	2,116	14.3	13.6						
Snyder County.....	16,585	196	(²)	11.8	(²)						

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² No nonresidents reported.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.		AREA.	Population estimated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POPULATION, 1914.	
		Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.			Including non-residents.	Excluding non-residents.	Including non-residents.	Excluding non-residents.
RURAL PART OF REGISTRATION STATES—Contd.						RURAL PART OF REGISTRATION STATES—Contd.					
VIRGINIA—continued.						VIRGINIA—continued.					
Albemarle County (total).....	30,466	452	422	14.8	13.9	Craig County (total).....	4,889	48	(2)	9.8	(2)
White.....	20,515	258	239	12.6	11.7	White.....	4,672	47	(2)	10.1	(2)
Colored.....	9,951	194	183	19.5	18.4	Colored ²	217	1	(2)	4.6	(2)
Alexandria County (total).....	11,852	146	(2)	12.3	(2)	Culpeper County (total).....	13,196	183	(2)	12.4	(2)
White.....	8,782	92	(2)	10.5	(2)	White.....	7,988	99	(2)	12.4	(2)
Colored.....	3,090	54	(2)	17.5	(2)	Colored.....	5,198	64	(2)	12.3	(2)
Alleghany County† (total).....	14,780	131	(2)	8.9	(2)	Cumberland County (total).....	9,280	100	(2)	10.8	(2)
White.....	11,681	88	(2)	7.5	(2)	White.....	3,119	35	(2)	11.2	(2)
Colored.....	3,099	43	(2)	13.9	(2)	Colored.....	6,161	65	(2)	10.6	(2)
Amelia County (total).....	5,586	132	(2)	15.4	(2)	Dickenson County (total).....	9,819	113	(2)	11.5	(2)
White.....	3,134	28	(2)	8.9	(2)	White.....	9,812	96	(2)	9.8	(2)
Colored.....	2,452	104	(2)	19.1	(2)	Colored ²	7	17	(2)	(4)	(2)
Amherst County (total).....	19,388	287	251	13.8	12.9	Dinwiddie County* (total).....	15,470	454	224	29.3	14.5
White.....	11,670	166	150	14.2	12.9	White.....	6,004	58	58	9.7	9.7
Colored.....	7,718	101	(2)	13.1	(2)	Colored.....	9,466	396	166	41.8	17.5
Appomattox County (total).....	8,583	106	(2)	12.3	(2)	Elizabeth City County ⁵ (total).....	21,976	536	345	24.4	15.7
White.....	5,579	69	(2)	12.4	(2)	White.....	13,624	304	126	22.3	9.2
Colored.....	3,004	37	(2)	12.3	(2)	Colored.....	8,352	232	219	27.8	26.2
Augusta County (total).....	3,178	382	(2)	10.9	(2)	Essex County (total).....	8,853	109	(2)	12.3	(2)
White.....	28,503	292	(2)	10.2	(2)	White.....	3,641	32	(2)	8.8	(2)
Colored.....	4,675	70	(2)	15.0	(2)	Colored.....	5,212	77	(2)	14.8	(2)
Bath County (total).....	6,939	73	(2)	10.5	(2)	Fairfax County (total).....	21,370	229	(2)	10.7	(2)
White.....	5,680	61	(2)	10.7	(2)	White.....	16,264	170	(2)	10.5	(2)
Colored.....	1,259	12	(2)	9.5	(2)	Colored.....	5,106	59	(2)	11.6	(2)
Bedford County (total).....	29,208	320	(2)	11.0	(2)	Fauquier County (total).....	22,166	250	(2)	11.3	(2)
White.....	20,779	207	(2)	10.0	(2)	White.....	14,734	153	(2)	10.4	(2)
Colored.....	8,429	113	(2)	13.4	(2)	Colored.....	7,432	97	(2)	13.1	(2)
Bland County (total).....	5,011	57	(2)	11.4	(2)	Floyd County (total).....	13,542	151	(2)	11.2	(2)
White.....	4,851	53	(2)	10.9	(2)	White.....	12,731	135	(2)	10.6	(2)
Colored ²	130	4	(2)	30.8	(2)	Colored.....	811	16	(2)	19.7	(2)
Botetourt County (total).....	17,968	195	(2)	10.9	(2)	Fluvanna County (total).....	8,016	121	(2)	15.1	(2)
White.....	14,395	151	(2)	10.5	(2)	White.....	4,738	56	(2)	11.8	(2)
Colored.....	3,573	44	(2)	12.3	(2)	Colored.....	3,278	65	(2)	19.8	(2)
Bristol (city) (total).....	6,958	93	(2)	13.4	(2)	Franklin County (total).....	26,704	270	(2)	10.1	(2)
White.....	5,684	71	(2)	12.5	(2)	White.....	21,176	199	(2)	9.4	(2)
Colored.....	1,274	22	(2)	17.3	(2)	Colored.....	5,528	71	(2)	12.8	(2)
Brunswick County (total).....	19,638	275	(2)	14.0	(2)	Frederick County (total).....	12,597	142	141	11.3	11.2
White.....	7,958	95	(2)	11.9	(2)	White.....	11,907	135	134	11.3	11.3
Colored.....	11,725	180	(2)	15.4	(2)	Colored.....	690	7	(2)	10.1	(2)
Buchanan County (total).....	13,459	165	(2)	12.3	(2)	Fredericksburg (city) (total).....	6,215	106	105	17.1	16.9
White.....	13,455	163	(2)	12.1	(2)	White.....	4,646	74	73	15.9	15.7
Colored ²	4	2	(2)	(4)	(2)	Colored.....	1,569	32	(2)	20.4	(2)
Buckingham County (total).....	15,180	186	(2)	12.3	(2)	Giles County (total).....	11,978	127	(2)	10.6	(2)
White.....	7,557	77	(2)	10.2	(2)	White.....	11,193	118	(2)	10.5	(2)
Colored.....	7,623	109	(2)	14.3	(2)	Colored.....	785	9	(2)	11.5	(2)
Buena Vista (city) (total).....	3,609	34	(2)	9.4	(2)	Gloucester County (total).....	12,326	147	(2)	11.9	(2)
White.....	3,146	30	(2)	9.5	(2)	White.....	6,440	46	(2)	7.1	(2)
Colored.....	463	4	(2)	8.6	(2)	Colored.....	5,886	101	(2)	17.2	(2)
Campbell County (total).....	25,135	279	(2)	11.1	(2)	Goochland County (total).....	9,120	136	(2)	14.9	(2)
White.....	15,232	181	(2)	11.9	(2)	White.....	3,912	31	(2)	7.9	(2)
Colored.....	9,903	98	(2)	9.9	(2)	Colored.....	5,208	105	(2)	20.2	(2)
Caroline County (total).....	16,551	211	(2)	12.7	(2)	Grayson County† (total).....	21,136	190	(2)	9.0	(2)
White.....	7,750	78	(2)	10.1	(2)	White.....	20,127	174	(2)	8.6	(2)
Colored.....	8,801	133	(2)	15.1	(2)	Colored.....	1,009	16	(2)	15.9	(2)
Carroll County † (total).....	21,887	190	(2)	8.7	(2)	Greene County † (total).....	7,245	60	(2)	8.3	(2)
White.....	21,602	184	(2)	8.5	(2)	White.....	5,835	45	(2)	7.7	(2)
Colored ²	285	6	(2)	21.1	(2)	Colored.....	1,410	15	(2)	10.6	(2)
Charles City County (total).....	5,343	56	(2)	10.5	(2)	Greensville County (total).....	12,799	184	(2)	14.4	(2)
White.....	1,365	15	(2)	11.0	(2)	White.....	4,773	68	(2)	14.2	(2)
Colored.....	3,978	41	(2)	10.3	(2)	Colored.....	8,026	116	(2)	14.5	(2)
Charlotte County (total).....	15,973	157	(2)	9.8	(2)	Halifax County (total).....	41,257	530	529	12.8	12.8
White.....	7,467	59	(2)	7.9	(2)	White.....	20,461	215	215	10.5	10.5
Colored.....	8,506	98	(2)	11.5	(2)	Colored.....	20,796	315	314	15.1	15.1
Charlottesville (city) (total).....	6,900	108	104	15.4	15.1	Hanover County (total).....	17,024	244	(2)	14.3	(2)
White.....	4,321	70	68	16.2	15.7	White.....	9,996	108	(2)	10.8	(2)
Colored.....	2,579	36	(2)	14.0	(2)	Colored.....	7,028	136	(2)	19.4	(2)
Chesterfield County (total).....	22,361	364	(2)	16.3	(2)	Henrico County (total).....	27,381	431	424	15.8	15.5
White.....	14,390	200	(2)	13.9	(2)	White.....	19,290	259	252	13.4	13.1
Colored.....	7,971	164	(2)	20.6	(2)	Colored.....	8,041	172	(2)	21.4	(2)
Clarke County (total).....	7,275	100	(2)	13.7	(2)	Henry County (total).....	18,119	222	(2)	12.3	(2)
White.....	5,408	68	(2)	12.6	(2)	White.....	10,791	105	(2)	9.8	(2)
Colored.....	1,867	32	(2)	17.1	(2)	Colored.....	7,388	117	(2)	15.8	(2)
Clifton Forge (city) (total).....	6,670	68	60	10.2	9.0	Highland County (total).....	5,179	58	(2)	11.2	(2)
White.....	5,401	47	43	8.7	8.0	White.....	4,924	55	(2)	11.2	(2)
Colored.....	1,269	21	17	16.5	13.4	Colored ²	255	3	(2)	11.8	(2)
						Isle of Wight County (total).....	15,709	210	(2)	13.4	(2)
						White.....	7,735	86	(2)	11.1	(2)
						Colored.....	7,974	124	(2)	15.6	(2)

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² No nonresidents reported.

³ Colored population less than 5 per cent of the total in 1910.

⁴ Rate not shown when population is less than 100.

⁵ Includes National Military Home.

MORTALITY STATISTICS.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Popula- tion esti- mated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POP- ULATION, 1914.		AREA.	Popula- tion esti- mated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POP- ULATION, 1914.	
		In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.	In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.			In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.	In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.
RURAL PART OF REGISTRA- TION STATES ¹ —Contd.						RURAL PART OF REGISTRA- TION STATES ¹ —Contd.					
VIRGINIA—continued.						VIRGINIA—continued.					
James City County* (total).....	6,596	182	99	27.6	15.0	Prince Edward County (total)....	13,936	216	(2)	15.5	(2)
White.....	3,408	127	44	37.3	12.9	White.....	5,603	71	(2)	12.7	(2)
Colored.....	3,188	55	(2)	17.3	(2)	Colored.....	8,333	145	(2)	17.4	(2)
King and Queen County (total)....	9,708	129	(2)	13.3	(2)	Prince George County (total).....	7,887	140	(2)	17.8	(2)
White.....	4,214	46	(2)	10.9	(2)	White.....	3,274	33	(2)	10.1	(2)
Colored.....	5,494	83	(2)	15.1	(2)	Colored.....	4,613	107	(2)	23.2	(2)
King George County (total).....	6,151	96	(2)	15.6	(2)	Prince William County (total)....	12,413	152	(2)	12.2	(2)
White.....	3,315	36	(2)	10.8	(2)	White.....	9,471	111	(2)	11.7	(2)
Colored.....	2,833	60	(2)	21.2	(2)	Colored.....	2,942	41	(2)	13.9	(2)
King William County (total).....	8,619	120	(2)	13.9	(2)	Princess Anne County* (total)....	11,667	314	(2)	26.9	(2)
White.....	3,493	35	(2)	10.0	(2)	White.....	5,727	112	(2)	19.6	(2)
Colored.....	5,121	85	(2)	16.6	(2)	Colored.....	5,940	202	(2)	34.0	(2)
Lancaster County (total).....	10,094	125	(2)	12.4	(2)	Pulaski County (total).....	18,370	185	(2)	10.1	(2)
White.....	4,729	43	(2)	9.1	(2)	White.....	15,222	147	(2)	9.7	(2)
Colored.....	5,365	82	(2)	15.3	(2)	Colored.....	3,148	38	(2)	12.1	(2)
Lee County (total).....	25,536	273	(2)	10.7	(2)	Radford (city) (total).....	4,567	51	(2)	11.2	(2)
White.....	24,439	262	(2)	10.7	(2)	White.....	3,843	46	(2)	12.0	(2)
Colored.....	1,097	11	(2)	10.0	(2)	Colored.....	724	5	(2)	6.9	(2)
Loudoun County (total).....	20,835	291	(2)	14.0	(2)	Rappahannock County (total)....	7,704	102	(2)	13.2	(2)
White.....	15,652	202	(2)	12.9	(2)	White.....	5,629	69	(2)	12.3	(2)
Colored.....	5,183	89	(2)	17.2	(2)	Colored.....	2,075	33	(2)	15.9	(2)
Louisa County (total).....	16,603	263	(2)	15.8	(2)	Richmond County (total).....	7,554	104	(2)	13.8	(2)
White.....	8,640	117	(2)	13.5	(2)	White.....	4,398	53	(2)	12.1	(2)
Colored.....	7,963	146	(2)	18.3	(2)	Colored.....	3,156	51	(2)	16.2	(2)
Lunenburg County (total).....	13,237	158	(2)	11.9	(2)	Roanoke County (total).....	21,235	294	293	13.8	13.8
White.....	6,121	74	(2)	12.1	(2)	White.....	17,386	225	225	12.9	12.9
Colored.....	7,116	84	(2)	11.8	(2)	Colored.....	3,849	69	68	17.9	17.7
Madison County (total).....	9,988	111	(2)	11.1	(2)	Rockbridge County (total).....	20,906	208	(2)	9.9	(2)
White.....	6,718	64	(2)	9.5	(2)	White.....	17,391	167	(2)	9.6	(2)
Colored.....	3,270	47	(2)	14.4	(2)	Colored.....	3,515	41	(2)	11.7	(2)
Mathews County (total).....	9,212	110	(2)	11.9	(2)	Rockingham County (total).....	35,488	413	(2)	11.6	(2)
White.....	6,595	68	(2)	10.3	(2)	White.....	33,093	361	(2)	10.9	(2)
Colored.....	2,617	42	(2)	16.0	(2)	Colored.....	2,395	52	(2)	21.7	(2)
Mecklenburg County (total).....	29,979	356	(2)	12.9	(2)	Russell County (total).....	25,793	298	(2)	11.6	(2)
White.....	12,890	138	(2)	10.7	(2)	White.....	24,656	271	(2)	11.0	(2)
Colored.....	17,119	248	(2)	14.5	(2)	Colored.....	1,137	27	(2)	23.7	(2)
Middlesex County (total).....	9,121	112	(2)	12.3	(2)	Scott County (total).....	24,290	244	(2)	10.0	(2)
White.....	4,303	50	(2)	11.6	(2)	White.....	23,773	234	(2)	9.8	(2)
Colored.....	4,818	62	(2)	12.9	(2)	Colored.....	517	10	(2)	19.3	(2)
Montgomery County (total).....	17,870	221	(2)	12.4	(2)	Shenandoah County (total).....	21,234	251	(2)	11.8	(2)
White.....	15,445	170	(2)	11.0	(2)	White.....	20,729	246	(2)	11.9	(2)
Colored.....	2,425	51	(2)	21.0	(2)	Colored.....	505	5	(2)	9.9	(2)
Nansemond County (total).....	28,507	415	412	14.6	14.5	Smyth County* (total).....	21,690	293	243	13.5	11.2
White.....	11,892	153	152	12.9	12.8	White.....	20,634	282	232	13.7	11.2
Colored.....	16,615	262	260	15.8	15.6	Colored.....	1,056	11	(2)	10.4	(2)
Nelson County (total).....	17,137	182	(2)	10.6	(2)	Southampton County (total)....	27,773	392	(2)	14.1	(2)
White.....	11,729	115	(2)	9.8	(2)	White.....	10,635	116	(2)	10.9	(2)
Colored.....	5,408	67	(2)	12.4	(2)	Colored.....	17,138	276	(2)	16.1	(2)
New Kent County (total).....	4,606	67	(2)	14.5	(2)	Spotsylvania County (total).....	10,230	129	(2)	12.6	(2)
White.....	1,726	24	(2)	13.9	(2)	White.....	6,498	71	(2)	10.9	(2)
Colored.....	2,880	43	(2)	14.9	(2)	Colored.....	3,732	58	(2)	15.5	(2)
Norfolk County (total).....	45,706	679	(2)	14.9	(2)	Stafford County (total).....	8,059	95	(2)	11.8	(2)
White.....	17,835	203	(2)	11.4	(2)	White.....	6,328	70	(2)	11.1	(2)
Colored.....	27,821	476	(2)	17.1	(2)	Colored.....	1,733	25	(2)	14.4	(2)
Northampton County (total).....	17,908	212	(2)	11.8	(2)	Surry County (total).....	10,245	143	(2)	14.0	(2)
White.....	7,815	48	(2)	6.1	(2)	White.....	3,858	40	(2)	10.4	(2)
Colored.....	10,093	164	(2)	16.2	(2)	Colored.....	6,387	103	(2)	16.1	(2)
Northumberland County (total)....	11,173	153	(2)	14.1	(2)	Sussex County (total).....	14,337	236	(2)	16.5	(2)
White.....	6,711	82	(2)	12.2	(2)	White.....	4,853	54	(2)	11.1	(2)
Colored.....	4,462	76	(2)	17.0	(2)	Colored.....	9,484	182	(2)	19.2	(2)
Nottoway County (total).....	13,929	193	(2)	13.9	(2)	Tazewell County (total).....	25,611	302	(2)	11.8	(2)
White.....	6,262	71	(2)	11.3	(2)	White.....	22,691	245	(2)	10.8	(2)
Colored.....	7,667	122	(2)	15.9	(2)	Colored.....	2,920	57	(2)	19.5	(2)
Orange County (total).....	13,873	170	(2)	12.3	(2)	Warren County (total).....	3,484	118	(2)	13.9	(2)
White.....	8,138	86	(2)	10.6	(2)	White.....	7,356	104	(2)	14.1	(2)
Colored.....	5,735	84	(2)	14.6	(2)	Colored.....	1,128	14	(2)	12.4	(2)
Page County (total).....	14,296	174	(2)	12.2	(2)	Warwick County (total).....	6,531	119	(2)	18.2	(2)
White.....	13,108	145	(2)	11.1	(2)	White.....	1,805	30	(2)	16.6	(2)
Colored.....	1,188	29	(2)	24.4	(2)	Colored.....	4,726	89	(2)	18.8	(2)
Patriot County (total).....	17,957	171	(2)	9.5	(2)	Washington County (total).....	34,463	349	346	10.1	10.0
White.....	16,253	148	(2)	9.1	(2)	White.....	32,006	307	304	9.6	9.5
Colored.....	1,704	23	(2)	13.5	(2)	Colored.....	2,457	42	(2)	17.1	(2)
Pittsylvania County (total).....	52,721	585	(2)	11.1	(2)	Westmoreland County (total)....	9,342	133	(2)	14.2	(2)
White.....	31,571	284	(2)	9.0	(2)	White.....	4,619	59	(2)	12.8	(2)
Colored.....	21,150	301	(2)	14.2	(2)	Colored.....	4,723	74	(2)	15.7	(2)
Powhatan County (total).....	5,792	110	(2)	19.0	(2)	Winchester (city) (total).....	6,163	126	(2)	20.4	(2)
White.....	2,312	28	(2)	12.1	(2)	White.....	5,072	95	(2)	18.7	(2)
Colored.....	3,480	82	(2)	23.6	(2)	Colored.....	1,091	31	(2)	28.4	(2)

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² No nonresidents reported.

³ Colored population less than 5 per cent of the total in 1910.
⁴ Includes Norfolk City Almshouse.

POPULATION, DEATHS, AND DEATH RATES, URBAN AND RURAL.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), INCLUDING AND EXCLUDING DEATHS OF NONRESIDENTS, AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1914—Continued.

[See note at head of this table.]

AREA.	Popula- tion esti- mated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POP- ULATION, 1914.		AREA.	Popula- tion esti- mated as of July 1, 1914.	NUMBER OF DEATHS, 1914.		DEATH RATE PER 1,000 POP- ULATION, 1914.	
		In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.	In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.			In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.	In- clud- ing non- resi- dents.	Ex- clud- ing non- resi- dents.
RURAL PART OF REGISTRA- TION STATES ¹ —Contd.						RURAL PART OF REGISTRA- TION STATES ¹ —Contd.					
VIRGINIA—continued.						WISCONSIN—continued.					
Wise County (total).....	40,344	495	(2)	12.3	(2)	Bayfield County †.....	16,666	118	(2)	7.1	(2)
White.....	36,936	423	(2)	11.5	(2)	Brown County †.....	29,369	242	(2)	8.2	(2)
Colored.....	3,408	72	(2)	21.1	(2)	Buffalo County.....	15,684	163	(2)	10.4	(2)
Wythe County (total).....	20,347	189	(2)	9.3	(2)	Burnett County †.....	9,685	69	(2)	7.1	(2)
White.....	18,142	148	(2)	8.2	(2)	Calumet County.....	16,542	160	(2)	9.7	(2)
Colored.....	2,205	41	(2)	18.6	(2)	Chippewa County.....	35,336	361	314	10.2	8.9
York County (total).....	7,873	114	(2)	14.5	(2)	Clark County †.....	31,875	261	(2)	8.2	(2)
White.....	4,020	35	(2)	8.7	(2)	Columbia County.....	31,132	354	(2)	11.4	(2)
Colored.....	3,853	79	(2)	20.5	(2)	Crawford County.....	15,864	202	198	12.7	12.5
WASHINGTON.						Dane County*.....					
Adams County †.....	13,511	58	(2)	4.3	(2)	Dodge County.....	47,778	492	490	10.3	10.3
Asotin County †.....	6,881	57	(2)	8.3	(2)	Door County †.....	19,192	172	(2)	9.0	(2)
Benton County †.....	10,198	65	(2)	6.4	(2)	Douglas County †.....	7,802	51	(2)	6.5	(2)
Chehalis County †.....	26,092	212	(2)	8.1	(2)	Dunn County.....	25,354	253	(2)	10.0	(2)
Chelan County †.....	19,866	174	168	8.8	8.5	Eau Claire County †.....	14,513	115	(2)	7.9	(2)
Clallam County (total).....	7,245	115	114	15.9	15.7	Florence County †.....	3,458	17	(2)	4.9	(2)
White.....	6,291	81	80	12.9	12.7	Fond du Lac County.....	32,957	357	349	10.8	10.6
Colored.....	954	34	(2)	35.6	(2)	Forest County †.....	9,077	75	(2)	8.3	(2)
Clarke County †.....	31,526	257	254	8.2	8.1	Grant County.....	39,060	428	(2)	11.0	(2)
Columbia County.....	7,007	67	(2)	9.6	(2)	Green County.....	21,183	217	216	10.2	10.2
Cowlitz County †.....	14,557	93	(2)	6.4	(2)	Green Lake County.....	15,362	175	(2)	11.4	(2)
Douglas County †.....	12,079	59	(2)	4.9	(2)	Iowa County.....	22,237	226	(2)	10.2	(2)
Ferry County (total).....	4,902	62	(2)	12.6	(2)	Iron County.....	9,027	84	(2)	9.3	(2)
White.....	4,061	35	(2)	8.6	(2)	Jackson County.....	16,912	175	(2)	10.3	(2)
Colored.....	841	27	(2)	32.1	(2)	Jefferson County.....	34,101	403	399	11.8	11.7
Franklin County †.....	7,140	40	(2)	5.6	(2)	Juneau County.....	19,120	239	(2)	12.5	(2)
Garfield County.....	4,318	45	(2)	10.4	(2)	Kenosha County.....	8,649	113	108	13.1	12.5
Grant County †.....	11,386	57	(2)	5.0	(2)	Kewaunee County.....	16,604	176	(2)	10.6	(2)
Island County †.....	5,913	30	(2)	5.1	(2)	La Crosse County.....	13,055	122	(2)	9.3	(2)
Jefferson County † (total).....	9,455	77	76	8.1	8.0	Lafayette County.....	19,701	205	(2)	10.4	(2)
White.....	8,932	72	71	8.1	7.9	Langlade County †.....	18,982	162	(2)	8.5	(2)
Colored.....	523	5	(2)	9.6	(2)	Lincoln County.....	20,256	193	(2)	9.5	(2)
King County.....	46,009	417	388	9.1	8.4	Manitowoc County.....	32,582	324	320	9.9	9.8
Kitsap County.....	22,283	218	214	9.8	9.6	Marathon County †.....	41,728	360	359	8.6	8.6
Kittitas County †.....	22,336	198	197	8.9	8.8	Marquette County †.....	10,838	97	(2)	8.9	(2)
Klickitat County †.....	13,078	74	73	5.7	5.6	Milwaukee County ⁴	57,553	1,291	1,217	22.4	21.1
Lewis County †.....	39,358	321	(2)	8.2	(2)	Monroe County.....	28,211	333	(2)	11.4	(2)
Lincoln County †.....	19,914	136	134	6.8	6.7	Oconto County.....	27,694	271	(2)	9.8	(2)
Mason County † (total).....	5,729	37	(2)	6.5	(2)	Oneida County.....	12,523	121	(2)	9.7	(2)
White.....	5,352	33	(2)	6.2	(2)	Outagamie County.....	32,326	324	(2)	9.9	(2)
Colored.....	377	4	(2)	10.6	(2)	Ozaukee County.....	17,446	170	(2)	9.7	(2)
Okanogan County † (total).....	16,381	110	108	6.7	6.6	Pepin County.....	7,438	78	(2)	10.5	(2)
White.....	15,311	83	81	5.4	5.3	Pierce County.....	21,286	209	(2)	9.8	(2)
Colored.....	1,070	27	(2)	25.2	(2)	Polk County †.....	22,836	195	(2)	8.5	(2)
Pacific County †.....	15,323	130	129	8.5	8.4	Portage County.....	31,568	360	(2)	11.4	(2)
Pierce County*.....	45,221	463	359	10.2	7.9	Price County †.....	15,792	133	(2)	8.4	(2)
San Juan County † (total).....	3,890	27	(2)	6.9	(2)	Racine County.....	17,916	205	203	11.4	11.3
White.....	3,610	26	(2)	7.2	(2)	Richland County.....	18,523	195	(2)	10.5	(2)
Colored.....	280	1	(2)	3.6	(2)	Rock County.....	26,068	267	(2)	10.2	(2)
Skagit County †.....	35,620	272	265	7.6	7.4	Rusk County †.....	12,284	102	(2)	8.3	(2)
Skamania County †.....	3,397	22	(2)	6.5	(2)	St. Croix County.....	25,519	258	(2)	10.1	(2)
Snohomish County †.....	42,186	293	292	6.9	6.9	Sauk County.....	32,811	333	332	10.1	10.1
Spokane County*.....	38,633	390	292	10.1	7.6	Sawyer County † (total).....	7,349	61	(2)	8.3	(2)
Stevens County ²	31,585	202	(2)	6.4	(2)	White.....	5,930	40	(2)	6.7	(2)
Thurston County.....	20,843	205	197	9.8	9.5	Colored.....	1,419	21	(2)	14.8	(2)
Wahkiakum County † (total).....	3,484	11	(2)	3.2	(2)	Shawano County (total).....	33,761	311	(2)	9.2	(2)
White.....	3,245	10	(2)	3.1	(2)	White.....	31,919	285	(2)	8.9	(2)
Colored.....	239	1	(2)	4.2	(2)	Colored.....	1,842	26	(2)	14.1	(2)
Walla Walla County †.....	14,303	82	81	5.7	5.7	Sheboygan County.....	28,961	285	(2)	9.8	(2)
Whatcom County †.....	30,395	199	198	6.5	6.5	Taylor County.....	14,655	151	(2)	10.3	(2)
Whitman County †.....	36,656	286	285	7.8	7.8	Trempealeau County.....	22,350	247	(2)	10.8	(2)
Yakima County † (total).....	34,844	254	(2)	7.3	(2)	Vernon County.....	28,017	255	(2)	9.1	(2)
White.....	32,024	210	(2)	6.6	(2)	Vilas County † (total).....	6,482	45	(2)	6.9	(2)
Colored.....	2,820	44	(2)	15.6	(2)	White.....	5,872	31	(2)	5.3	(2)
WISCONSIN.						Colored.....					
Adams County.....	8,373	94	(2)	11.2	(2)	Walworth County.....	29,766	367	363	12.3	12.2
Ashland County (total).....	11,764	108	(2)	9.2	(2)	Washburn County †.....	9,334	74	(2)	7.9	(2)
White.....	10,677	75	(2)	7.0	(2)	Washington County.....	23,866	237	(2)	9.9	(2)
Colored.....	1,087	33	(2)	30.4	(2)	Waukesha County.....	37,895	491	471	13.0	12.4
Barron County †.....	31,430	275	(2)	8.7	(2)	Waupaca County.....	33,279	338	336	10.2	10.1
						Wausau County †.....					
						Waushara County †.....					
						Winnebago County*.....					
						Wood County.....					

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² No nonresidents reported.

* Includes Pend Oreille County; separate estimated populations not available.
⁴ Includes National Military Home.

MORTALITY STATISTICS.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1911 TO 1914.

[The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect Jan. 1, 1910. Changes depending upon new titles, or markedly affecting the comparability of the figures, are indicated by asterisks (*) following the titles, and reference should be made to the statements in the text (p. 22) relative to changes in classification.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.					DEATH RATE PER 100,000 POPULATION.						
		1914	1913	1912	1911	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1914	1913	1912	1911	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	All causes.....	898,059	890,848	838,251	839,284	714,933	529,630	1,360.9	1,407.4	1,387.2	1,415.9	1,511.5	1,619.7
	I.—General diseases*.....	238,094	237,400	217,317	228,602	191,161	146,137	360.8	375.0	359.6	385.7	404.1	446.9
1	Typhoid fever.....	10,185	11,323	9,987	12,451	12,120	10,458	15.4	17.9	16.5	21.0	25.6	32.0
2	Typhus fever.....	3	8	6	5	1	2	(1)	(1)	(1)	(1)	(1)	(1)
3	Relapsing fever.....	4	4	3	2	1	2	(1)	(1)	(1)	(1)	(1)	(1)
4	Malaria.....	1,477	1,565	1,848	1,802	1,206	1,568	2.2	2.5	3.1	3.0	2.6	4.8
5	Smallpox.....	212	125	165	130	108	1,119	0.3	0.2	0.3	0.2	0.2	3.4
6	Measles.....	4,461	8,108	4,240	5,922	5,092	2,951	6.8	12.8	7.0	10.0	10.8	9.0
7	Scarlet fever.....	4,340	5,498	4,038	5,243	5,030	3,608	6.6	8.7	6.7	8.8	10.6	11.0
8	Whooping cough.....	6,816	6,332	5,619	6,682	5,440	3,572	10.3	10.0	9.3	11.3	11.5	10.9
9	Diphtheria and croup.....	11,786	11,920	11,013	11,174	10,576	9,674	17.9	18.8	18.2	18.9	22.4	29.6
10	Influenza.....	6,014	7,725	6,237	9,294	7,760	6,506	9.1	12.2	10.3	15.7	16.4	19.9
11	Miliary fever.....	2				(2)	3	(1)				(1)	(1)
12	Asiatic cholera.....				2						(1)		(1)
13	Cholera nostras.....	306	399	245	350	485	460	0.5	0.6	0.4	0.6	1.0	1.4
14	Dysentery.....	3,026	3,215	2,635	3,062	3,076	2,810	4.6	5.1	4.4	5.2	6.5	8.6
15	Plague.....	10	2		1	19	18	(1)	(1)		(1)	(1)	0.1
16	Yellow fever.....				1	92	5				(1)	(1)	0.3
17	Leprosy.....	12	6	11	7	8	5	(1)	(1)	(1)	(1)	(1)	(1)
18	Erysipelas.....	2,472	2,525	2,302	2,510	1,977	1,455	3.7	4.0	3.8	4.2	4.2	4.5
19	Other epidemic diseases*.....	293	222	224	193	156	76	0.4	0.4	0.4	0.3	0.3	0.2
20	Purulent infection and septicemia.....	1,737	1,766	1,648	1,913	1,798	1,998	2.6	2.8	2.7	3.2	3.8	6.1
21	Glanders.....	10	8	12	11	7	5	(1)	(1)	(1)	(1)	(1)	(1)
22	Anthrax.....	19	25	18	14	21	23	(1)	(1)	(1)	(1)	(1)	0.1
23	Rabies.....	65	95	74	83	72	42	0.1	0.2	0.1	0.1	0.2	0.1
24	Tetanus*.....	1,354	1,362	1,303	1,336	1,276	1,150	2.1	2.2	2.2	2.3	2.7	3.5
25	Mycoses.....	28	32	27	37	29	14	(1)	0.1	(1)	0.1	0.1	(1)
26	Pellagra.....	1,550	1,015	674	659	101	1	2.3	1.6	1.1	1.1	0.2	(1)
27	Beriberi*.....	5	11	12	7	(3)	(4)	(1)	(1)	(1)	(1)	(1)	(1)
28	Tuberculosis (total).....	96,903	93,421	90,360	94,205	79,792	62,978	146.8	147.6	149.5	158.9	168.7	192.6
29	Tuberculosis of the lungs*.....	81,247	77,735	75,429	78,514	69,436	55,809	123.1	122.8	124.8	132.5	146.8	170.7
30	Acute miliary tuberculosis*.....	3,119	3,077	3,036	3,282	(2)	(4)	4.7	4.9	5.0	5.5	(3)	(4)
31	Tuberculous meningitis.....	3,410	5,467	5,098	5,237	4,289	2,905	8.2	8.6	8.4	8.8	9.1	8.0
32	Abdominal tuberculosis.....	3,648	3,651	3,525	3,680	2,837	1,946	5.5	5.8	5.3	6.2	6.0	6.0
33	Pott's disease.....	914	859	767	853	692	492	1.4	1.4	1.3	1.4	1.5	1.5
34	White swellings.....	482	435	450	438	348	234	0.7	0.7	0.7	0.7	0.7	0.7
35	Tuberculosis of other organs*.....	1,320	1,355	1,267	1,308	988	666	2.0	2.1	2.1	2.2	2.1	2.0
36	Disseminated tuberculosis.....	763	842	788	893	1,195	926	1.2	1.3	1.3	1.5	2.5	2.8
37	Ricketts*.....	530	497	455	508	(3)	(1)	0.8	0.8	0.8	0.9	(3)	(1)
38	Syphilis.....	5,195	4,589	3,941	3,821	2,550	1,335	7.9	7.2	6.5	6.4	5.4	4.1
39	Gonococcus infection.....	253	287	219	222	121	41	0.4	0.4	0.4	0.4	0.3	0.1
40	Cancer and other malignant tumors (total).....	52,420	49,928	46,531	44,024	34,320	22,214	79.4	78.9	77.0	74.3	72.6	67.9
41	Of the buccal cavity.....	2,270	1,966	1,838	1,727	1,212	677	3.4	3.1	3.0	2.9	2.6	2.1
42	Of the stomach, liver.....	19,889	19,767	18,517	17,365	13,385	8,091	30.1	31.2	30.6	29.3	28.3	24.7
43	Of the peritoneum, intestines, rectum.....	6,745	6,625	5,923	5,824	4,148	2,332	10.2	10.5	9.8	9.8	8.8	7.1
44	Of the female genital organs.....	8,152	7,706	7,089	6,707	5,118	3,263	12.4	12.2	11.7	11.3	10.8	10.0
45	Of the breast.....	5,423	4,592	4,431	4,264	3,070	1,845	8.2	7.3	7.3	7.2	6.5	5.6
46	Of the skin.....	1,657	1,725	1,743	1,619	1,268	740	3.0	2.7	2.9	2.7	2.7	2.3
47	Of other organs or of organs not specified.....	7,984	7,547	6,990	6,518	6,110	5,266	12.1	11.9	11.6	11.0	12.9	16.1
48	Other tumors (tumors of the female genital organs excepted).....	336	297	377	455	489	488	0.5	0.5	0.6	0.8	1.0	1.5
49	Acute articular rheumatism*.....	3,599	3,656	3,227	3,545	2,551	1,698	5.4	5.8	5.3	6.0	5.4	5.2
50	Chronic rheumatism and gout*.....	811	834	813	781	1,039	1,191	1.2	1.3	1.3	1.3	2.2	3.6
51	Scurvy.....	92	76	85	56	67	48	0.1	0.1	0.1	0.1	0.1	0.1
52	Diabetes.....	10,666	9,660	9,045	8,805	6,494	3,772	16.2	15.3	15.0	14.9	13.7	11.5
53	Exophthalmic goiter.....	1,006	966	908	787	512	218	1.5	1.5	1.5	1.3	1.1	0.7
54	Addison's disease.....	311	261	237	235	200	149	0.5	0.4	0.4	0.4	0.4	0.5
55	Leukemia.....	1,305	1,112	1,054	933	728	394	2.0	1.8	1.7	1.6	1.5	1.2
56	Anemia, chlorosis.....	3,326	3,136	3,078	2,813	2,293	1,578	5.0	5.0	5.1	4.7	4.8	4.8
57	Other general diseases*.....	1,455	1,190	1,048	1,182	476	158	2.2	1.9	1.7	2.0	1.0	0.5
58	Alcoholism (acute or chronic).....	3,257	3,744	3,183	2,875	2,734	2,002	4.9	5.9	5.3	4.9	5.8	6.1
59	Chronic lead poisoning.....	149	162	148	145	101	87	0.2	0.3	0.2	0.2	0.2	0.3
60	Other chronic occupation poisonings.....	10	9	8	11	5	5	(1)	(1)	(1)	(1)	(1)	(1)
61	Other chronic poisonings.....	343	283	259	309	233	166	0.5	0.4	0.4	0.5	0.5	0.5
	II.—Diseases of the nervous system and of the organs of special sense*.....	87,614	84,755	82,248	81,428	72,470	58,890	132.8	133.9	136.1	137.4	153.2	180.1
62	Encephalitis.....	711	780	756	792	517	630	1.1	1.2	1.3	1.3	1.1	1.9
63	Meningitis (total).....	5,823	6,599	6,928	7,285	9,197	10,366	8.8	10.4	11.5	12.3	19.4	31.7
	Simple meningitis.....	3,223	3,648	3,782	4,690	6,384	7,601	4.9	5.8	6.3	7.9	13.5	23.2
	Cerebrospinal meningitis (undefined).....	1,473	1,771	1,694	2,055	2,813	2,765	2.2	2.8	2.8	3.5	5.9	8.5
	Cerebrospinal fever.....	1,127	1,180	1,452	540			1.7	1.9	2.4	0.9		
64	Locomotor ataxia.....	1,699	1,674	1,588	1,624	1,249	786	2.6	2.6	2.6	2.7	2.6	2.4
65	Other diseases of the spinal cord (total).....	4,121	3,996	4,108	3,932	2,736	1,589	6.2	6.2	6.8	6.6	5.8	4.9
	Acute anterior poliomyelitis.....	720	864	1,136	1,060	2,736	1,589	1.1	1.4	1.9	1.8	5.8	4.9
	Other diseases of the spinal cord.....	3,401	3,132	2,972	2,872			5.2	4.9	4.9	4.8		
66	Cerebral hemorrhage, apoplexy.....	51,272	47,220	45,752	44,274	33,913	22,756	77.7	74.6	75.7	74.7	71.7	69.6

¹ Less than one-tenth of 1 per 100,000 population.

² Less than 1.

³ Figures for deaths not available for the entire period.

⁴ Figures for deaths not tabulated separately prior to 1910.

⁵ Exclusive of acute anterior poliomyelitis (infantile paralysis).

DEATHS AND DEATH RATES, BY CAUSES.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1911 TO 1914—Continued.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.					DEATH RATE PER 100,000 POPULATION.						
		1914	1913	1912	1911	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1914	1913	1912	1911	Annual average: 1906 to 1910	Annual average: 1901 to 1905
II.—Diseases of the nervous system and of the organs of special sense*—Contd.													
65	Softening of the brain.....	1,148	1,158	1,045	1,035	1,163	1,198	1.7	1.8	1.7	1.7	2.5	3.7
66	Paralysis without specified cause ¹	6,382	6,772	6,105	6,369	7,606	6,583	9.7	10.7	10.1	10.7	16.1	20.1
67	General paralysis of the insane ¹	4,690	4,371	4,053	3,985	2,588	2,234	7.1	6.9	6.7	6.7	5.5	6.8
68	Other forms of mental alienation.....	1,468	1,534	1,482	1,371	1,719	1,170	2.2	2.4	2.5	2.3	3.6	3.6
69	Epilepsy.....	2,582	2,632	2,476	2,329	1,811	1,452	3.9	4.2	4.1	3.9	4.2	4.4
70	Convulsions (nonpuerperal).....	118	144	157	186	256	364	0.2	0.2	0.3	0.3	0.5	1.1
71	Convulsions of infants.....	3,420	3,697	3,808	4,231	6,038	7,000	5.2	5.8	6.3	7.1	12.8	21.3
72	Chorea.....	124	118	118	116	103	87	0.2	0.2	0.2	0.2	0.2	0.4
73	Neuralgia and neuritis*.....	411	409	411	440	2,599	2,240	0.6	0.6	0.7	0.7	5.5	6.9
74	Other diseases of the nervous system*.....	2,426	2,355	2,316	2,273	2,599	2,240	3.7	3.7	3.8	3.8	0.1	0.1
75	Diseases of the eyes and their annexa.....	59	54	46	55	29	22	0.1	0.1	0.1	0.1	0.1	0.1
76	Diseases of the ears.....	1,160	1,242	1,099	1,138	776	413	1.8	2.0	1.8	1.9	1.6	1.3
III.—Diseases of the circulatory system.....													
77	Pericarditis.....	803	715	718	747	638	677	1.2	1.1	1.2	1.3	1.3	2.1
78	Acute endocarditis*.....	5,946	5,387	5,198	4,489	5,790	3,665	9.0	8.5	8.6	7.6	12.2	11.2
79	Organic diseases of the heart*.....	93,588	87,755	86,179	83,525	62,985	40,612	141.8	138.6	142.6	140.9	133.2	124.2
80	Angina pectoris.....	4,751	4,592	4,331	4,212	3,204	2,143	7.2	7.3	7.3	7.1	8.8	8.6
81	Diseases of the arteries, atheroma, aneurism, etc.....	15,044	15,324	15,481	13,789	8,394	3,066	22.8	25.2	25.6	23.3	17.7	9.4
82	Embolism and thrombosis.....	2,672	2,179	2,094	2,016	1,866	1,367	4.0	3.4	3.5	3.4	3.9	4.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	448	435	333	352	284	187	0.7	0.7	0.6	0.6	0.6	0.6
84	Diseases of the lymphatic system (lymphangitis, etc.).....	377	360	324	326	144	65	0.6	0.6	0.5	0.5	0.3	0.2
85	Hemorrhage; other diseases of the circulatory system*.....	272	298	289	374	736	915	0.4	0.5	0.5	0.6	1.6	2.8
IV.—Diseases of the respiratory system.....													
86	Diseases of the nasal fossae.....	127	104	120	133	99	71	0.2	0.2	0.2	0.2	0.2	0.2
87	Diseases of the larynx.....	314	335	790	824	781	756	1.2	1.3	1.3	1.4	1.7	2.3
88	Diseases of the thyroid body.....	339	358	297	266	183	97	0.5	0.6	0.5	0.4	0.4	0.3
89	Acute bronchitis.....	6,396	6,602	6,723	6,482	7,206	6,996	9.7	10.4	11.1	10.9	15.2	21.4
90	Chronic bronchitis.....	5,050	4,786	4,907	5,077	5,239	5,081	7.7	7.6	8.1	8.6	11.1	15.4
91	Bronchopneumonia.....	32,153	31,094	28,422	26,365	19,130	10,768	48.7	49.1	47.0	44.5	40.4	32.9
92	Pneumonia (total).....	51,651	52,684	51,495	52,868	45,713	41,044	78.3	83.2	85.2	89.2	103.0	125.5
	Lobar pneumonia.....	36,911	32,615	30,003	28,553	23,315	18,713	55.9	51.5	49.7	48.2	103.0	125.5
	Pneumonia (undefined).....	14,740	20,069	21,492	24,315	48,713	41,044	22.3	31.7	35.6	41.0	0.0	0.0
93	Pleurisy.....	2,441	2,211	1,994	2,160	1,955	1,520	3.7	3.5	3.3	3.6	4.1	4.6
94	Pulmonary congestion, pulmonary apoplexy.....	2,011	2,228	2,376	2,341	2,636	2,802	3.0	3.5	3.9	3.9	5.6	8.6
95	Gangrene of the lung.....	194	203	195	187	177	166	0.3	0.3	0.3	0.3	0.4	0.5
96	Asthma.....	1,634	1,578	1,588	1,578	1,386	1,220	2.5	2.5	2.6	2.7	2.9	3.7
97	Pulmonary emphysema.....	194	170	173	163	169	227	0.3	0.3	0.3	0.3	0.4	0.7
98	Other diseases of the respiratory system (tuberculosis excepted).....	1,082	1,126	1,130	1,206	1,302	1,398	1.6	1.8	1.9	2.0	2.8	4.3
V.—Diseases of the digestive system.....													
99	Diseases of the mouth and annexa.....	522	448	431	366	349	242	0.8	0.7	0.7	0.6	0.7	0.7
100	Diseases of the pharynx.....	1,476	1,315	1,036	952	735	473	2.2	2.1	1.8	1.6	1.6	1.4
101	Diseases of the esophagus.....	151	164	123	142	132	113	0.2	0.3	0.2	0.2	0.3	0.3
102	Ulcer of the stomach.....	2,681	2,536	2,316	2,143	1,680	964	4.1	4.0	3.8	3.6	3.6	2.9
103	Other diseases of the stomach (cancer excepted).....	7,856	8,832	9,030	8,774	7,939	5,786	11.9	14.0	14.9	14.8	16.8	17.7
104	Diarrhea and enteritis (under 2 years).....	43,532	47,605	42,482	45,868	45,516	29,094	66.0	75.2	70.3	77.4	96.2	89.0
105	Diarrhea and enteritis (2 years and over).....	8,375	9,475	8,274	8,108	7,891	6,610	13.4	15.0	13.7	13.7	16.7	20.2
106	Ankylostomiasis*.....	32	39	30	15	67	38	(²)	(²)	(²)	(²)	0.1	0.1
107	Intestinal parasites*.....	115	98	90	90	67	38	0.2	0.2	0.2	0.2	0.1	0.1
108	Appendicitis and typhlitis.....	8,099	7,648	7,022	6,896	5,306	3,589	12.3	12.1	11.6	11.6	11.2	11.0
109	Hernia, intestinal obstruction (total).....	7,706	7,342	7,192	7,061	6,089	4,256	11.7	11.6	11.9	11.9	12.9	13.0
	Hernia.....	2,646	2,424	2,348	2,369	1,927	1,364	4.0	3.8	3.9	4.0	4.1	4.2
	Intestinal obstruction.....	5,060	4,918	4,844	4,692	4,162	2,892	7.7	7.8	8.0	7.9	8.8	8.8
110	Other diseases of the intestines.....	1,899	1,642	1,705	1,785	1,311	945	2.9	2.6	2.8	3.0	2.8	2.9
111	Acute yellow atrophy of the liver.....	310	315	273	302	189	131	0.5	0.5	0.5	0.5	0.4	0.4
112	Hydatid tumor of the liver.....	24	15	25	24	16	11	(²)	(²)				
113	Cirrhosis of the liver.....	8,526	8,497	8,176	8,310	6,784	4,694	12.9	13.4	13.5	14.0	14.3	14.4
114	Biliary calculi.....	2,149	1,999	1,793	1,749	1,301	736	3.3	3.2	3.0	3.0	2.8	2.2
115	Other diseases of the liver.....	3,254	3,029	3,120	3,076	2,865	2,443	4.9	4.8	5.2	5.2	6.1	7.5
116	Diseases of the spleen.....	144	127	108	124	95	85	0.2	0.2	0.2	0.2	0.2	0.3
117	Simple peritonitis (nonpuerperal).....	1,848	1,708	1,907	2,349	2,899	3,537	2.8	2.7	3.2	4.0	6.1	10.8
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	474	442	409	467	214	88	0.7	0.7	0.7	0.8	0.5	0.3
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....													
119	Acute nephritis.....	5,912	6,568	6,402	5,956	4,773	3,138	9.0	10.4	10.6	10.0	10.1	9.6
120	Bright's disease.....	61,633	58,638	55,865	51,847	41,339	28,565	93.4	92.5	92.5	87.5	87.4	87.4
121	Chyluria*.....	3	1	1	1	1	1	(²)	(²)	(²)	(²)	2.6	2.8
122	Other diseases of the kidneys and annexa*.....	1,539	1,372	1,454	1,343	1,247	926	2.3	2.2	2.4	2.3	2.6	2.8
123	Calculi of the urinary passages.....	442	403	358	361	265	155	0.7	0.6	0.6	0.6	0.6	0.5

¹ Paresis (unqualified) transferred from List No. 66 to No. 67, beginning with 1911.

² Less than one-tenth of 1 per 100,000 population.

MORTALITY STATISTICS.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1911 TO 1914—Continued.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.					DEATH RATE PER 100,000 POPULATION.						
		1914	1913	1912	1911	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1914	1913	1912	1911	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	VI.—Nonvenereal diseases of the genitourinary system and annexa.—Con.												
124	Diseases of the bladder.....	1,451	1,474	1,504	1,532	1,484	1,415	2.2	2.3	2.5	2.6	3.1	4.3
125	Diseases of the urethra, urinary abscess, etc.....	266	264	253	285	204	136	0.4	0.4	0.4	0.5	0.4	0.4
126	Diseases of the prostate.....	2,671	2,465	2,439	2,175	1,628	862	4.0	3.9	4.0	3.7	3.4	2.6
127	Nonvenereal diseases of the male genital organs.....	91	104	82	49	49	35	0.1	0.2	0.1	0.1	0.1	0.1
128	Uterine hemorrhage (nonpuerperal).....	47	54	48	76	79	89	0.1	0.1	0.1	0.1	0.2	0.3
129	Uterine tumor (noncancerous).....	1,198	1,173	1,053	892	837	581	1.8	1.9	1.7	1.5	1.8	1.8
130	Other diseases of the uterus.....	720	721	687	770	734	564	1.1	1.1	1.1	1.3	1.6	1.7
131	Cysts and other tumors of the ovary.....	592	640	546	628	472	430	0.9	1.0	0.9	1.1	1.0	1.3
132	Salpingitis and other diseases of the female genital organs.....	1,414	1,451	1,324	1,401	1,034	671	2.1	2.3	2.2	2.4	2.2	2.1
133	Nonpuerperal diseases of the breast (cancer excepted).....	44	25	39	32	26	17	0.1	(¹)	0.1	0.1	0.1	0.1
	VII.—The puerperal state.....	10,518	10,010	9,035	9,456	7,330	4,643	15.9	15.8	15.0	16.0	15.5	14.2
134	Accidents of pregnancy.....	902	861	863	908	800	549	1.4	1.4	1.4	1.5	1.7	1.7
135	Puerperal hemorrhage*.....	1,000	983	923	851	491	337	1.5	1.6	1.5	1.4	1.0	1.0
136	Other accidents of labor*.....	926	854	842	911	629	295	1.4	1.3	1.4	1.5	1.3	0.9
137	Puerperal septicemia*.....	4,664	4,542	3,905	4,376	3,224	2,057	7.1	7.2	6.5	7.4	6.8	6.3
138	Puerperal albuminuria and convulsions*.....	2,617	2,397	2,174	2,094	1,593	911	4.0	3.8	3.6	3.5	3.4	2.8
139	Puerperal phlegmasia alba dolens, embolus, sudden death*.....	378	310	276	266	61	4	0.6	0.5	0.5	0.4	0.1	(¹)
140	Following childbirth (not otherwise defined)*.....	27	56	44	48	528	488	(¹)	1.5				
141	Puerperal diseases of the breast.....	4	2	8	2	3	1	(¹)	(¹)				
	VIII.—Diseases of the skin and of the cellular tissue.....	3,057	3,275	3,108	3,010	2,869	2,392	4.6	5.2	5.1	5.1	6.1	7.3
142	Gangrene.....	1,442	1,591	1,654	1,656	1,656	1,457	2.2	2.5	2.7	2.8	3.5	4.5
143	Furuncle.....	371	331	322	285	221	149	0.6	0.5	0.5	0.5	0.5	0.5
144	Acute abscess.....	600	667	524	456	512	473	0.9	1.1	0.9	0.8	1.1	1.4
145	Other diseases of the skin and annexa.....	644	636	608	613	450	312	1.0	1.1	1.0	1.0	1.0	1.0
	IX.—Diseases of the bones and of the organs of locomotion*.....	1,697	1,616	1,428	1,365	1,335	932	2.6	2.6	2.4	2.3	2.8	2.9
146	Diseases of the bones (tuberculosis excepted)*.....	1,478	1,399	1,242	1,187	1,190	795	2.2	2.2	2.1	2.0	2.5	2.4
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	152	166	133	121	97	75	0.2	0.3	0.2	0.2	0.2	0.2
148	Amputations.....	5	3	3	5	13	35	(¹)	0.1				
149	Other diseases of the organs of locomotion.....	62	48	50	52	36	27	0.1	0.1	0.1	0.1	0.1	0.1
	X.—Malformations.....	10,314	9,401	8,670	8,465	7,066	3,978	15.6	14.9	14.3	14.3	14.9	12.2
150	Congenital malformations (stillbirths not included) (total).....	10,314	9,401	8,670	8,465	7,066	3,978	15.6	14.9	14.3	14.3	14.9	12.2
	Hydrocephalus.....	860	820	771	736	669	527	1.3	1.3	1.3	1.2	1.4	1.6
	Congenital malformations of the heart.....	6,204	5,745	5,211	5,069	4,272	2,190	9.4	9.1	8.6	8.6	9.0	6.7
	Other congenital malformations.....	3,250	2,836	2,688	2,660	2,125	1,261	4.9	4.5	4.4	4.5	4.5	3.9
	XI.—Early infancy*.....	52,535	52,865	48,377	46,692	35,456	24,167	79.6	83.5	80.9	78.8	75.0	73.9
151	Congenital debility, icterus, and sclerema* (total).....	42,009	43,198	39,926	38,434	30,526	17,646	63.7	68.2	66.1	64.8	64.5	54.0
	Premature birth.....	28,270	27,359	25,139	23,539	16,899	10,062	42.8	43.2	41.6	39.7	35.7	30.8
	Congenital debility, "atrophy," "marasmus," etc.....	13,739	15,839	14,787	14,895	13,627	7,585	20.8	25.0	24.5	25.1	28.8	23.2
152	Other causes peculiar to early infancy* (total).....	10,280	9,486	8,801	8,087	4,765	2,499	15.6	15.0	14.6	13.6	10.1	7.6
	Injuries at birth.....	5,716	5,131	4,712	4,573	3,138	1,634	8.7	8.1	7.8	7.7	6.6	5.0
	Other causes peculiar to early infancy*.....	4,564	4,355	4,089	3,514	1,627	864	6.9	6.9	6.8	5.9	3.4	2.6
153	Lack of care*.....	246	181	150	171	165	4,022	0.4	0.3	0.2	0.3	0.3	12.3
	XII.—Old age*.....	13,033	13,914	14,362	13,974	13,715	13,400	19.8	22.0	23.8	23.6	29.0	41.0
154	Senility*.....	13,033	13,914	14,362	13,974	13,715	13,400	19.8	22.0	23.8	23.6	29.0	41.0
	XIII.—External causes*.....	67,550	68,556	63,385	63,650	51,058	33,251	102.4	103.3	104.9	107.4	107.9	101.7
155	Suicide (total).....	10,933	9,988	9,656	9,622	7,584	4,548	16.6	15.8	16.0	16.2	16.0	13.9
	By poison.....	3,000	2,824	2,788	2,927	2,281	1,549	4.5	4.5	4.6	4.9	4.8	4.7
156	By asphyxia.....	1,419	1,262	1,199	1,013	785	365	2.2	2.0	2.0	1.7	1.7	1.1
157	By hanging or strangulation.....	1,552	1,380	1,437	1,373	1,085	634	2.4	2.2	2.4	2.3	2.3	2.1
158	By drowning.....	619	568	476	536	415	231	0.9	0.9	0.8	0.9	0.9	0.7
159	By firearms.....	3,286	2,930	2,796	2,859	2,233	1,108	5.0	4.6	4.6	4.8	4.7	3.4
160	By cutting or piercing instruments.....	653	673	644	623	472	261	1.0	1.1	1.1	1.1	1.0	0.8
161	By jumping from high places.....	225	183	143	146	128	55	0.3	0.3	0.2	0.2	0.3	0.2
162	By crushing.....	89	90	101	70	67	20	0.1	0.1	0.2	0.1	0.1	0.1
163	Other suicides.....	85	78	72	75	118	275	0.1	0.1	0.1	0.1	0.3	0.8
	Accidental or undefined (total).....	51,770	54,011	49,775	50,121	40,702	27,753	78.5	85.3	82.4	84.6	86.0	84.9
	Poisoning by food*.....	689	657	573	481	451	481	1.0	1.0	0.9	0.8	3.5	4.3
165	Other acute poisonings*.....	1,538	1,453	1,348	1,399	1,655	1,412	2.3	2.3	2.2	2.4	3.5	4.3
166	Conflagration*.....	1,029	949	901	869	545	369	1.6	1.5	1.5	1.5	1.2	(²)
167	Burns (conflagration excepted).....	5,021	4,935	4,839	4,567	3,885	2,715	7.6	7.3	8.0	7.7	8.2	8.3

¹ Less than one-tenth of 1 per 100,000 population.² Exclusive of injuries at birth.³ Figures for deaths not available for the entire period.

DEATHS AND DEATH RATES, BY CAUSES.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1911 TO 1914—Continued.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1914	1913	1912	1911	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1914	1913	1912	1911	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	XIII.—External causes*—Continued.												
	Accidental or undefined—Continued.												
168	Absorption of deleterious gases (conflagration excepted)*	2,598	2,271	2,378	2,143	1,766	1,519	3.9	3.6	3.9	3.6	3.7	4.6
169	Accidental drowning	5,703	6,468	5,313	5,571	4,551	3,362	8.6	10.2	8.8	9.4	9.6	10.3
170	Traumatism by firearms	1,579	1,572	1,369	1,327	1,012	1,109	2.4	2.5	2.3	2.2	2.1	3.4
171	Traumatism by cutting or piercing instruments*	123	95	106	122	(¹)	(²)	0.2	0.2	0.2	0.2	(¹)	(²)
172	Traumatism by fall*	9,904	9,747	9,322	8,905	(¹)	(²)	15.0	15.4	15.4	15.0	(¹)	(²)
173	Traumatism in mines and quarries (total)	2,190	2,385	2,137	2,372	2,010	320	3.3	3.8	3.5	4.0	4.2	1.0
	Traumatism in mines	2,062	2,280	2,040	2,256	2,010	320	3.1	3.6	3.4	3.8	4.2	1.0
	Traumatism in quarries	128	105	97	116			0.2	0.2	0.2	0.2		
174	Traumatism by machines	1,305	1,526	1,379	1,239	1,002	285	2.0	2.4	2.3	2.1	2.1	0.9
175	Traumatism by other crushing* (total)	14,433	15,680	14,496	13,572	(¹)	(²)	21.9	24.8	24.0	22.9	(¹)	(²)
	Railroad accidents and injuries	7,062	8,212	8,209	7,696	7,076		10.7	13.0	13.6	13.0	15.0	
	Street-car accidents and injuries	1,673	1,998	1,832	1,883	1,747	4,977	2.5	3.2	3.0	3.2	3.7	15.2
	Automobile accidents and injuries	2,826	2,488	1,758	1,291	496		4.3	3.9	2.9	2.2	1.0	
	Injuries by other vehicles	2,418	2,381	2,221	2,237	1,870	848	3.7	3.8	3.7	3.8	4.0	2.6
	Landslide, other crushing*	454	601	476	465	(¹)	(²)	0.7	0.9	0.8	0.8	(¹)	(²)
176	Injuries by animals*	550	540	543	520	(¹)	(²)	0.8	0.9	0.9	0.9	(¹)	(²)
177	Starvation	57	34	50	94	36	33	0.1	0.1	0.1	0.2	0.1	0.1
178	Excessive cold	412	230	316	188	243	191	0.6	0.4	0.5	0.3	0.5	0.6
179	Effects of heat	757	1,226	779	3,165	763	1,188	1.1	1.9	1.3	5.3	1.6	3.6
180	Lightning	287	317	243	240	154	98	0.4	0.5	0.4	0.4	0.3	0.3
181	Electricity (lightning excepted)*	553	670	567	513	(¹)	(²)	0.8	1.1	0.9	0.9	(¹)	(²)
185	Fractures (cause not specified)	418	446	465	363	1,351	2,785	0.6	0.7	0.8	0.6	2.9	8.5
183	Other external violence*	2,624	2,810	2,651	2,471	8,554	6,527	4.0	4.4	4.4	4.2	18.1	20.0
	Homicide (total)	4,847	4,567	3,954	3,907	2,771	950	7.3	7.2	6.5	6.6	5.9	2.9
182	By firearms*	3,077	2,821	2,449	2,347			4.7	4.5	4.1	4.0		
183	By cutting or piercing instruments*	693	674	592	638	2,771	950	1.1	1.1	1.0	1.1	5.9	2.9
184	By other means*	1,077	1,072	913	922			1.6	1.7	1.5	1.6		
	XIV.—Ill-defined diseases*	7,964	8,893	6,946	7,213	13,907	15,633	12.1	14.0	11.5	12.2	29.4	47.8
187	Ill-defined organic disease	526	583	564	611	842	1,311	0.8	0.9	0.9	1.0	1.8	4.0
188	Sudden death	513	501	505	377	233	123	0.8	0.8	0.8	0.6	0.5	0.4
189	Not specified or ill-defined* (total)	6,925	7,809	5,877	6,225	12,833	14,199	10.5	12.3	9.7	10.5	27.1	43.4
	Ill-defined	3,057	3,323	3,156	3,512	11,224	12,580	4.6	5.3	5.2	5.9	23.7	38.5
	Not specified or unknown	3,858	4,481	2,721	2,713	1,609	1,618	5.8	7.1	4.5	4.6	3.4	4.9

¹ Figures for deaths not available for the entire period.

² Figures for deaths not tabulated separately prior to 1910.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums. Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision under causes of death correspond to those of the abridged International List (see p. 21).]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
SUMMARY.															
1 The registration area (total).....	1,360.9	15.4	2.2	0.3	6.8	6.6	10.3	17.9	9.1	3.7	127.8	8.2	10.8	6.6	79.4
2 White.....	1,316.1	14.3	1.6	0.3	6.8	6.8	9.2	18.2	8.6	3.8	115.2	8.0	9.7	6.4	80.7
3 Colored.....	2,196.1	35.9	14.8	1.5	5.8	1.5	32.0	11.0	18.8	2.0	363.8	12.2	30.9	10.0	56.7
4 Registration states ² (total).....	1,341.6	15.1	1.9	0.2	6.9	6.6	10.3	17.3	9.0	3.8	124.4	8.2	10.7	6.6	79.0
5 White.....	1,307.0	14.2	1.5	0.2	6.9	6.8	9.2	17.6	8.7	3.9	113.5	8.0	9.7	6.4	80.0
6 Colored.....	2,088.4	34.7	10.3	1.4	5.5	1.7	34.0	10.0	15.7	2.2	353.3	13.5	30.6	10.0	56.2
7 Cities in registration states ² (total).....	1,454.3	13.3	0.8	0.1	7.7	8.3	9.2	20.9	6.8	4.5	138.4	11.2	11.1	6.7	88.5
8 White.....	1,412.0	12.7	0.6	0.1	7.7	8.5	8.3	21.3	6.3	4.6	126.7	10.9	10.1	6.6	89.2
9 Colored.....	2,428.6	28.1	6.9	1.2	5.7	2.4	28.3	11.4	18.1	3.0	407.9	19.3	33.3	10.9	71.7
10 Rural part of registration states (total).....	1,230.8	16.9	2.9	0.3	6.1	4.9	11.4	13.8	11.1	3.0	110.6	5.2	10.3	6.4	69.6
11 White.....	1,203.1	15.7	2.4	0.3	6.1	5.1	10.1	14.0	11.0	3.1	100.5	5.1	9.4	6.3	71.0
12 Colored.....	1,792.9	40.5	13.3	1.5	5.4	1.0	38.9	8.8	13.7	1.5	315.2	8.4	28.2	9.2	42.7
13 Registration cities in other states (total).....	1,603.6	19.2	6.6	1.5	5.4	6.5	10.8	25.1	10.8	3.2	171.6	8.2	12.7	6.8	85.4
14 White.....	1,443.2	15.9	2.4	1.4	5.1	7.3	8.8	26.7	7.6	3.5	138.4	8.5	9.7	6.3	89.4
15 Colored.....	2,643.6	40.7	33.6	2.0	6.9	1.1	23.9	14.9	31.6	1.2	386.6	6.8	31.9	10.0	59.1
16 All registration cities ² (total).....	1,475.0	14.1	1.6	0.3	7.3	8.0	9.4	21.5	7.3	4.4	143.0	10.8	11.3	6.7	88.0
17 White.....	1,416.0	13.1	0.8	0.2	7.4	8.4	8.4	22.0	6.5	4.5	128.2	10.5	10.0	6.5	89.2
18 Colored.....	2,501.9	32.4	16.0	1.5	6.1	1.9	26.8	12.6	22.7	2.4	400.6	15.0	32.8	10.6	67.4
REGISTRATION STATES.															
19 California (total).....	1,361.3	13.4	1.9	(³)	6.1	3.4	10.6	9.5	5.0	2.0	170.3	11.2	13.5	5.1	97.9
20 White.....	1,354.2	13.2	1.8	(³)	6.2	3.6	10.7	9.6	4.8	2.1	163.1	10.7	13.0	5.0	101.1
21 Colored.....	1,497.1	17.6	4.4	3.7	0.7	8.8	7.3	8.0	310.1	20.5	21.2	5.9	38.0
22 Colorado (total).....	1,117.7	17.0	0.1	9.3	10.4	8.6	7.1	5.3	3.0	167.8	6.5	7.4	5.7	53.3
23 White.....	1,107.9	16.9	0.1	9.5	10.7	8.6	7.2	5.4	3.0	163.9	6.4	7.4	5.7	58.0
24 Colored.....	1,609.6	22.5	5.6	5.6	360.2	11.3	5.6	5.6	73.2
25 Connecticut (total).....	1,514.9	9.2	1.0	12.0	6.8	11.5	19.6	13.9	4.7	126.0	11.3	10.8	5.9	86.5
26 White.....	1,501.4	9.0	0.9	11.9	6.8	10.9	19.7	13.8	4.6	122.1	11.2	10.2	5.8	86.2
27 Colored.....	2,454.7	23.4	5.8	17.5	5.8	52.6	17.5	17.5	5.8	397.4	17.5	52.6	11.7	105.2
28 Indiana (total).....	1,292.7	21.2	2.5	0.3	5.4	4.1	10.1	14.0	9.4	3.2	125.0	8.0	14.6	6.1	79.1
29 White.....	1,268.6	20.7	2.4	0.3	5.2	4.2	9.9	14.2	9.3	3.2	117.3	7.8	13.4	6.0	79.6
30 Colored.....	2,335.4	41.5	8.0	12.8	1.6	22.3	1.6	12.8	1.6	457.8	16.0	63.8	9.6	59.0
31 Kansas (total).....	980.3	18.9	2.2	0.5	4.3	1.8	8.5	9.4	9.5	2.1	49.3	1.5	6.0	5.4	61.3
32 White.....	949.5	18.0	2.0	0.5	4.0	1.9	8.1	9.4	8.9	2.1	43.0	1.4	5.2	5.4	61.7
33 Colored.....	1,869.7	46.9	8.4	1.7	11.7	1.7	18.4	6.7	26.8	1.7	232.7	3.3	28.5	5.0	51.9
34 Kentucky (total).....	1,291.5	41.7	7.0	0.8	11.5	2.6	14.8	21.9	14.7	3.9	182.2	8.8	16.8	6.4	46.0
35 White.....	1,184.9	38.9	5.7	0.7	12.2	2.8	13.6	23.3	12.8	3.8	152.8	8.2	14.6	5.3	46.1
36 Colored.....	2,116.7	63.6	17.1	1.5	5.9	1.5	24.2	11.2	29.7	4.1	409.4	13.8	33.5	14.9	45.4
37 Maine (total).....	1,563.3	16.0	0.9	0.3	5.6	2.2	12.5	11.3	12.1	2.9	94.3	10.4	16.0	5.2	107.6
38 White.....	1,562.2	15.9	0.9	0.3	5.7	2.2	12.5	11.3	12.1	2.9	93.8	10.4	15.9	5.3	107.7
39 Colored.....	1,925.4	41.0	245.8	41.0	81.9
40 Maryland (total).....	1,589.3	23.9	1.0	0.6	1.8	5.7	14.5	13.2	11.0	2.8	181.0	6.9	14.2	6.6	81.4
41 White.....	1,432.4	21.5	0.7	0.1	1.4	6.2	9.3	14.5	10.0	3.2	141.2	6.1	10.2	6.0	86.1
42 Colored.....	2,305.7	34.9	2.5	2.9	3.7	3.3	38.6	7.1	15.8	1.2	362.8	10.4	32.4	9.1	60.2
43 Massachusetts (total).....	1,465.9	7.6	0.2	(³)	5.5	7.0	8.4	18.2	5.9	4.5	118.8	12.2	10.9	5.9	101.2
44 White.....	1,457.4	7.6	0.2	(³)	5.6	7.1	8.3	18.3	5.8	4.5	114.7	12.1	10.4	5.8	101.5
45 Colored.....	2,144.6	13.5	2.3	2.3	15.8	13.5	15.8	2.3	447.8	20.3	54.0	13.5	81.0
46 Michigan (total).....	1,335.7	13.3	0.7	(³)	5.9	6.0	9.7	17.2	10.1	4.1	79.4	4.8	9.1	6.8	80.5
47 White.....	1,328.2	13.2	0.7	(³)	5.9	6.1	9.8	17.3	10.1	4.1	77.0	4.9	8.9	6.8	80.7
48 Colored.....	2,170.7	22.7	11.4	7.6	3.8	18.9	3.8	352.3	34.1	11.4	60.6
49 Minnesota (total).....	1,060.7	10.1	0.1	0.3	3.6	15.0	8.7	16.2	4.8	2.9	89.9	8.4	9.3	6.0	76.8
50 White.....	1,050.8	10.0	0.1	0.3	3.5	15.2	7.9	16.2	4.9	2.9	86.0	8.4	9.1	6.1	77.2
51 Colored.....	2,293.3	22.8	17.1	113.8	22.8	580.3	28.4	28.4
52 Missouri (total).....	1,226.1	23.9	10.8	0.5	12.2	6.3	12.7	20.5	10.3	2.3	132.3	6.3	10.1	5.2	69.0
53 White.....	1,172.2	23.0	10.6	0.5	12.6	6.3	11.3	21.0	9.7	2.4	114.8	5.7	8.5	5.1	69.5
54 Colored.....	2,294.3	41.3	15.4	1.8	6.2	4.9	38.8	12.3	21.0	1.8	480.2	17.9	41.9	7.4	57.3
55 Montana (total).....	1,120.2	15.3	1.2	6.2	7.6	4.2	8.3	5.1	5.3	92.5	6.5	10.2	5.5	51.5
56 White.....	1,104.6	15.7	1.2	5.8	8.0	4.3	8.4	5.3	5.5	81.0	6.3	9.9	5.5	52.6
57 Colored.....	1,483.1	5.6	16.9	5.6	359.6	11.2	16.9	5.6	28.1
58 New Hampshire (total).....	1,633.6	8.7	0.9	8.4	5.7	11.9	10.3	17.1	3.4	99.8	11.6	11.9	5.5	100.8
59 White.....	1,633.6	8.7	0.9	8.4	5.7	11.9	10.3	17.1	3.4	99.8	11.6	11.9	5.5	100.5
60 Colored.....	1,620.0	147.3	294.6
61 New Jersey (total).....	1,417.1	8.2	0.3	(³)	8.1	8.6	9.5	21.8	7.3	5.4	137.2	9.4	7.9	7.7	79.0
62 White.....	1,395.1	8.1	0.3	(³)	8.1	8.9	8.6	22.3	7.3	5.5	129.9	9.1	7.3	7.6	79.7
63 Colored.....	2,008.1	11.8	8.9	2.0	33.6	7.9	7.9	3.9	330.7	17.8	24.7	8.9	59.2

¹ Exclusive of stillbirths.

² Includes District of Columbia.

DEATH RATES FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914.

are designated by asterisks (*). Areas with very low rates, due possibly to incomplete registration or to overestimates of population, are designated by daggers (†). Formed at least 5 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38	
16.2	8.8	79.4	141.8	17.3	127.0	13.4	66.0	12.3	11.7	12.9	102.4	7.1	8.9	79.3	85.8	16.6	236.8	12.1	1
16.6	8.6	79.0	138.7	16.9	122.0	12.8	64.8	12.3	11.4	12.9	98.8	6.7	8.6	78.4	83.1	17.0	228.4	9.6	2
8.1	12.2	87.8	199.3	25.8	220.8	25.0	87.8	12.1	16.2	12.9	168.5	13.2	14.8	96.7	136.6	9.3	393.8	58.3	3
16.3	8.8	80.5	141.7	17.6	124.4	13.2	62.6	11.6	11.4	12.5	99.9	6.8	8.7	80.1	84.6	16.1	232.8	12.0	4
16.6	8.7	80.3	139.3	17.1	120.3	12.7	61.6	11.7	11.2	12.6	97.6	6.6	8.5	79.2	82.6	16.4	227.5	9.9	5
8.8	12.0	85.8	194.2	27.0	212.6	24.8	84.3	10.6	15.0	11.5	151.1	12.0	14.6	98.1	126.7	9.5	348.0	57.9	6
18.3	9.1	77.7	150.3	19.6	149.5	14.2	75.3	15.6	13.5	15.3	117.7	8.2	9.2	86.8	87.7	19.4	234.3	5.0	7
18.6	8.9	76.7	146.3	18.9	143.6	13.5	74.2	15.6	13.2	15.3	114.2	7.9	9.0	85.6	85.5	19.7	227.7	4.2	8
10.8	13.3	100.8	243.7	36.8	286.6	29.7	100.5	15.1	19.7	16.4	197.6	15.8	13.0	116.1	139.3	12.6	387.2	25.3	9
14.3	8.6	83.4	133.2	15.5	99.6	12.3	50.2	7.7	9.4	9.7	82.5	5.5	8.2	73.4	81.5	12.8	231.4	18.8	10
14.6	8.4	83.9	132.4	15.4	97.2	11.9	49.2	7.7	9.3	9.8	81.1	5.3	7.9	72.9	79.8	13.1	227.3	15.5	11
7.0	10.9	72.7	151.2	18.4	148.3	20.6	70.2	6.7	10.8	7.3	110.6	8.6	16.0	82.4	115.9	6.8	313.9	86.2	12
14.8	8.7	65.5	143.2	14.6	159.8	15.2	107.6	20.6	15.2	18.1	132.9	10.2	10.7	69.7	101.4	22.6	286.7	12.8	13
16.2	8.0	60.7	131.2	13.6	145.2	13.5	108.4	20.9	14.3	18.0	116.2	8.9	10.0	66.4	89.7	24.7	240.8	5.6	14
5.5	12.9	96.4	220.4	21.0	254.6	25.8	102.2	18.3	21.5	18.6	241.1	18.4	15.5	91.2	177.3	8.6	584.3	59.9	15
17.8	9.1	76.0	149.3	18.9	151.0	14.3	79.8	16.3	13.7	15.7	119.8	8.5	9.4	84.5	89.6	19.8	241.6	6.1	16
18.3	8.8	74.7	144.4	18.2	143.8	13.5	78.6	16.3	13.3	15.6	114.4	8.0	9.2	83.1	86.0	20.3	229.3	4.4	17
9.0	13.1	99.3	235.8	31.4	275.7	28.3	101.1	16.2	20.3	17.1	212.5	16.7	13.8	107.6	152.2	11.3	454.4	37.1	18
18.6	10.0	82.8	168.0	13.6	93.5	11.4	30.6	12.6	11.7	15.8	100.5	4.6	8.5	50.6	113.4	33.4	229.5	2.1	19
19.2	9.5	85.0	169.8	13.4	91.3	11.0	29.1	12.5	11.4	15.6	101.1	4.6	8.4	49.8	112.3	32.5	230.6	2.1	20
8.0	23.5	39.5	133.1	16.8	137.5	19.7	58.5	15.4	19.0	18.3	88.5	5.9	10.2	65.1	135.3	49.7	207.7	2.2	21
11.5	9.5	40.2	79.4	7.0	113.5	13.5	39.0	15.0	11.2	6.8	75.4	6.9	5.6	71.8	91.3	18.1	194.6	0.8	22
11.7	9.6	40.3	77.8	7.1	112.6	13.7	39.1	14.9	11.1	6.8	74.5	7.1	5.7	72.2	89.4	17.9	192.8	0.8	23
5.6	-----	39.4	157.6	5.6	157.6	5.6	33.8	16.9	16.9	5.6	123.8	-----	-----	50.7	185.7	23.1	287.0	-----	24
20.0	12.6	114.2	155.8	23.1	154.3	16.7	87.1	9.7	13.5	14.0	116.5	5.1	9.6	88.2	88.4	21.0	237.7	8.2	25
20.1	12.6	112.9	154.3	23.0	154.4	16.6	86.9	9.6	13.4	13.9	115.5	4.8	9.4	87.4	87.7	21.0	236.7	8.0	26
17.5	17.5	210.4	263.0	29.2	146.1	23.4	105.2	17.5	17.5	17.5	187.0	23.4	17.5	146.1	134.4	17.5	309.8	23.4	27
14.6	7.7	86.2	139.1	14.0	105.0	9.8	57.9	11.9	12.4	13.0	97.1	8.6	7.8	70.0	79.3	17.3	237.0	1.1	28
14.6	7.5	86.1	135.9	13.8	101.7	9.6	57.5	12.0	12.4	12.8	95.6	8.4	7.9	69.8	77.6	17.3	233.5	1.1	29
12.8	16.0	83.3	277.6	22.3	248.9	19.1	75.0	8.0	16.0	22.3	159.5	16.0	6.4	79.8	151.5	17.5	387.6	1.6	30
13.1	5.7	60.8	96.7	9.9	67.1	12.8	31.4	11.8	11.1	7.5	65.4	4.2	7.7	64.9	65.3	11.3	234.9	18.1	31
13.1	5.7	59.9	93.3	9.4	63.9	11.7	31.2	11.8	10.7	7.2	62.4	4.1	7.8	65.2	62.9	11.3	228.8	17.4	32
15.1	5.0	85.4	195.8	23.4	159.0	43.5	36.8	11.7	21.8	13.4	152.3	6.7	6.7	55.2	135.6	10.0	410.1	36.8	33
7.4	18.0	46.8	85.5	16.0	108.4	15.1	47.7	6.9	9.2	8.3	79.7	7.7	7.4	73.6	76.1	9.9	237.8	50.8	34
7.4	18.2	43.3	73.3	14.0	99.9	13.5	46.6	7.2	8.6	7.9	70.8	7.2	6.8	73.6	66.1	10.5	221.3	47.9	35
7.1	16.4	74.0	180.7	31.6	174.8	27.5	56.2	5.2	13.8	11.5	148.7	11.5	11.9	73.6	153.6	5.2	363.2	72.5	36
19.8	10.2	123.0	181.7	21.4	146.7	16.9	51.9	15.6	12.3	6.8	120.0	3.8	7.6	77.2	72.2	14.0	339.9	25.0	37
19.7	10.3	122.8	181.5	21.3	146.6	17.0	52.1	15.7	12.4	6.8	119.6	3.8	7.6	77.5	71.9	14.1	339.6	25.1	38
41.0	-----	163.9	245.8	41.0	163.9	-----	-----	-----	-----	-----	245.8	-----	-----	-----	163.9	-----	450.6	-----	39
15.6	8.6	90.9	152.8	20.8	158.2	13.1	92.7	9.2	12.1	10.0	141.4	6.0	8.3	98.4	82.8	15.7	266.9	21.1	40
17.2	7.5	88.0	140.2	18.9	131.9	11.3	86.8	9.1	11.5	10.1	133.7	5.2	7.0	86.7	79.6	18.2	242.0	11.4	41
8.3	14.1	104.2	210.4	29.5	278.5	21.6	119.5	10.0	14.9	9.5	176.4	9.5	14.1	151.9	97.5	4.2	381.0	65.6	42
19.6	9.2	101.5	185.3	23.1	155.6	11.4	81.7	10.7	11.6	9.2	94.4	5.4	10.5	88.6	75.2	13.4	246.3	6.9	43
19.7	9.3	101.3	184.7	23.1	154.7	11.4	82.2	10.8	11.6	9.0	93.4	5.4	10.5	88.1	74.8	13.5	245.5	6.8	44
18.0	4.5	112.5	234.0	24.8	229.5	13.5	47.3	4.5	13.5	22.5	173.3	4.5	9.0	126.0	105.8	4.5	306.1	9.0	45
16.9	9.9	83.8	156.2	21.6	92.4	15.2	56.2	14.1	13.2	13.0	74.7	7.6	10.1	96.7	80.9	15.5	298.7	10.8	46
16.8	10.0	83.6	155.4	21.5	91.4	15.1	56.1	14.2	13.2	12.8	74.2	7.6	10.1	96.7	80.5	15.5	297.4	10.6	47
18.9	3.8	109.9	242.5	41.7	204.6	22.7	68.2	11.4	11.4	34.1	125.0	7.6	15.2	98.5	128.8	22.7	447.0	30.3	48
15.0	5.4	50.3	101.9	11.2	97.3	9.6	33.9	16.4	9.8	9.2	74.3	5.2	7.6	71.0	77.9	15.7	186.6	10.2	49
14.9	5.4	50.3	101.3	11.2	96.0	9.7	33.7	16.4	9.8	9.2	73.7	5.2	7.6	71.1	77.1	15.8	185.6	9.1	50
22.8	11.4	45.5	182.0	5.7	267.4	5.7	51.2	22.8	11.4	11.4	147.9	-----	11.4	62.6	170.7	5.7	307.2	142.2	51
13.8	7.3	59.4	95.1	18.3	108.9	10.1	54.3	10.6	9.8	13.0	99.7	8.4	7.7	60.2	77.0	20.8	212.3	16.9	52
14.0	7.3	58.6	88.5	17.6	102.8	9.5	54.5	10.5	9.4	12.7	95.2	8.1	7.7	60.0	72.2	21.3	205.1	16.1	53
8.6	6.8	76.4	226.2	32.1	229.3	22.8	51.2	12.3	17.9	17.9	188.6	14.2	8.0	62.3	171.4	10.5	355.7	33.9	54
12.0	9.7	39.5	89.5	8.8	107.3	14.1	38.6	21.3	10.2	12.5	57.6	11.3	11.8	75.1	128.5	28.9	198.6	25.7	55
12.5	9.6	40.5	90.9	8.9	102.0	14.5	37.8	21.5	10.4	12.5	57.1	11.3	12.3	76.4	128.2	29.2	199.1	20.2	56
-----	11.2	16.9	56.2	5.6	230.3	5.6	56.2	16.9	5.6	11.2	67.4	11.2	-----	44.9	134.8	22.5	185.4	151.7	57
25.3	13.4	132.0	208.1	32.6	127.9	13.9	61.3	15.0	16.2	13.0	117.6	5.5	10.3	93.7	82.3	12.5	349.5	7.5	58
25.3	13.5	132.0	207.8	32.6	128.1	13.7	61.4	15.1	16.2	13.0	117.8	5.5	10.3	93.8	82.2	12.6	349.6	7.5	59
-----	-----	147.3	441.8	-----	-----	147.3	-----	-----	-----	-----	-----	-----	-----	-----	147.3	-----	294.6	-----	60
19.1	8.8	92.9	149.5	19.0	153.7	13.4	85.6	10.0	9.7	15.3	126.2	6.5	8.3	79.9	84.1	17.8	203.3	3.5	61
19.1	8.8	92.7	147.7	18.6	149.5	13.1	85.5	9.8	9.6	15.5	124.4	6.3	8.3	78.6	83.4	18.2	199.6	3.5	62
19.7	8.9	98.																	

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
REGISTRATION STATES—Contd.																
1	New York (total).....	1,471.8	8.9	0.5	(?)	8.6	7.3	7.1	20.6	7.9	5.2	148.3	11.3	8.5	7.6	90.0
2	White.....	1,457.7	8.9	0.5	(?)	8.6	7.4	7.0	20.5	7.9	5.2	142.6	11.0	8.2	7.4	90.3
3	Colored.....	2,332.7	11.9	1.3		8.2	2.5	16.3	24.5	10.7	3.8	498.7	29.5	27.0	15.1	72.8
4	North Carolina ³ (total).....	1,898.4	56.5	21.8	2.1	10.8	0.6	16.5	18.0	18.6	3.6	221.7	4.2	19.9	6.8	57.8
5	White.....	1,538.9	44.6	12.6	1.0	12.9	0.6	12.3	20.3	15.2	4.8	160.2	4.5	16.8	5.5	61.4
6	Colored.....	2,582.7	79.3	39.3	4.3	6.8	0.6	24.6	13.5	25.2	1.2	338.7	3.7	25.8	9.2	51.0
7	Ohio (total).....	1,295.7	18.1	0.6	0.3	4.8	4.7	7.5	15.6	10.3	3.5	112.8	5.9	11.5	7.0	83.1
8	White.....	1,273.8	18.0	0.6	0.3	4.7	4.7	7.2	15.7	10.3	3.5	105.0	5.8	11.0	6.9	83.1
9	Colored.....	2,203.8	25.4	1.7	2.5	5.1	1.7	16.9	10.1	12.7	2.5	434.3	12.7	35.5	11.0	81.1
10	Pennsylvania (total).....	1,392.6	13.0	0.2	(?)	6.7	10.4	11.4	23.3	9.2	4.2	107.2	6.8	9.9	7.1	72.7
11	White.....	1,370.5	12.9	0.2	(?)	6.7	10.6	10.8	23.8	9.3	4.2	99.9	6.4	9.1	6.9	72.3
12	Colored.....	2,228.3	17.0	0.5		3.3	3.8	33.4	5.2	6.6	6.1	332.4	20.7	38.6	11.3	89.5
13	Rhode Island (total).....	1,471.9	8.1	0.8		9.6	7.8	13.9	18.3	8.3	4.2	134.6	12.9	10.8	6.1	91.2
14	White.....	1,449.4	7.6	0.9		9.7	7.6	13.8	18.6	8.4	4.1	127.7	11.9	9.8	6.2	91.3
15	Colored.....	2,657.8	36.3			9.1	18.1	18.1			9.1	498.9	63.5	63.5		81.6
16	Utah (total).....	1,013.0	15.9	0.2	0.5	2.9	3.4	11.8	9.4	6.3	5.3	40.8	1.9	7.7	9.4	45.8
17	White.....	1,004.4	16.0	0.2	0.5	2.9	3.2	10.8	9.6	6.1	5.4	37.6	1.7	6.9	9.6	45.5
18	Colored.....	1,477.2	13.3				13.3	66.5		13.3		212.9	13.3	53.2		66.5
19	Vermont (total).....	1,503.3	11.6	0.3		1.1	3.3	10.0	10.5	19.7	3.3	80.6	8.0	13.3	7.8	109.9
20	White.....	1,508.9	11.7	0.3		1.1	3.3	10.0	10.6	19.7	3.3	80.9	8.1	13.4	7.8	110.1
21	Colored.....	297.3														59.5
22	Virginia (total).....	1,400.8	27.3	7.9	0.8	5.4	1.8	31.6	15.8	12.1	2.6	161.8	6.2	14.0	7.7	48.9
23	White.....	1,167.2	23.3	3.7	0.4	6.0	2.6	18.7	18.3	11.2	3.3	108.7	6.3	10.8	6.5	52.9
24	Colored.....	1,883.9	35.5	16.4	1.7	4.1		58.4	10.7	14.0	1.0	271.6	6.1	20.8	10.1	40.5
25	Washington † (total).....	813.1	10.7	0.1	0.2	3.6	1.8	4.0	3.3	3.8	1.7	69.9	8.7	9.9	3.9	61.9
26	White.....	802.5	10.7	0.1	0.2	3.5	1.8	3.9	3.4	3.8	1.8	65.3	7.6	8.7	3.9	63.3
27	Colored.....	1,171.9	12.3			7.4		4.9		4.9		224.5	46.9	49.3	4.9	14.8
28	Wisconsin (total).....	1,110.9	6.5	0.1	0.2	6.0	8.8	5.8	13.2	7.1	3.4	35.0	6.2	9.0	6.6	81.1
29	White.....	1,108.4	6.5	0.1	0.2	5.9	8.9	5.8	13.3	7.1	3.5	33.4	6.2	8.8	6.6	81.2
30	Colored.....	1,555.8	14.3			14.3		7.2				351.3	14.3	35.8	14.3	64.5
REGISTRATION CITIES.																
ALABAMA. ⁴																
31	Registration cities (total).....	1,900.9	38.3	19.4	0.4	13.7	3.0	20.5	8.0	22.0	1.9	209.9	6.5	20.5	6.4	60.3
32	White.....	1,455.6	37.4	5.3		19.0	4.6	16.4	9.2	9.2	3.3	103.1	4.6	11.2	5.9	75.5
33	Colored.....	2,510.2	39.5	38.6	0.9	6.3	0.9	26.1	6.3	39.5		355.9	9.0	33.3	7.2	39.5
34	Birmingham (total).....	1,749.6	39.7	9.6	0.6	9.0	4.2	25.9	9.0	10.8	2.4	211.2	8.4	22.3	9.0	46.3
35	White.....	1,314.6	35.8	2.0		11.9	6.0	19.9	9.9	5.0	4.0	93.4	6.0	7.9	7.9	55.6
36	Colored.....	2,417.9	45.8	21.4	1.5	4.6	1.5	35.1	7.6	19.8		392.3	12.2	44.3	10.7	32.1
37	Mobile (total).....	2,175.5	32.4	48.6		30.6		16.2	7.2	48.6		269.9	3.6	28.8	3.6	93.6
38	White.....	1,803.4	41.9	19.4		48.4		9.7	9.7	19.4		154.9	3.2	25.8	3.2	132.3
39	Colored.....	2,644.9	20.3	85.4		8.1		24.4	4.1	85.4		415.0	4.1	32.6	4.1	44.8
40	Montgomery (total).....	2,137.5	40.7	19.1		9.6	2.4	4.8	4.8	31.1	2.4	124.5	2.4	2.4		71.8
41	White.....	1,621.6	38.8			9.7	4.9	9.7	4.9	14.6	4.9	72.8		4.9		87.4
42	Colored.....	2,639.3	42.5	37.8		9.4			4.7	47.2		174.7	4.7			56.7
CALIFORNIA.																
43	Registration cities (total).....	1,404.5	12.2	0.8		7.4	2.3	9.8	10.9	3.6	2.3	171.3	14.0	13.7	4.6	113.4
44	White.....	1,385.8	11.5	0.5		7.6	2.4	9.5	10.8	3.2	2.4	161.0	13.1	13.3	4.5	116.3
45	Colored.....	1,809.4	26.5	7.4		2.9	1.5	14.7	13.2	10.3		395.7	32.4	23.5	7.4	50.0
46	Alameda.....	1,101.4	7.6	3.8		3.8		15.2	3.8			87.4	7.6	3.8	3.8	72.2
47	Bakersfield (total).....	1,827.8	32.2	6.4			12.9	57.9	32.2			238.1	51.5	6.4	6.4	128.7
48	White.....	1,785.1	34.5	6.9			13.8	62.0	20.7			199.9	55.1	6.9	6.9	131.0
49	Colored.....	2,429.5							194.4			777.5				97.2
50	Berkeley †.....	834.9	7.7			5.8		15.4	13.4	1.9		36.5	7.7	7.7	9.6	88.3
51	Eureka.....	1,481.7	14.5			29.1		21.8				94.4	7.3	7.3	7.3	217.9
52	Fresno (total).....	1,445.9	16.8	3.4		6.7	40.3	16.8	13.4	23.5	10.1	120.8	10.1	13.4	3.4	93.9
53	White.....	1,375.1	7.3			7.3	39.9	14.5	10.9	25.4	10.9	105.2	7.3	10.9	3.6	98.0
54	Colored.....	2,313.2	133.5	44.5		44.5	44.5	44.5	44.5			311.4	44.5	44.5	2.7	92.9
55	Long Beach.....	1,739.2	12.3					16.4		8.2		98.2		12.3	12.3	159.6
56	Los Angeles (total).....	1,285.7	7.7	0.2		1.4	1.1	2.5	6.8	3.4	3.0	201.0	13.0	12.5	3.6	100.9
57	White.....	1,266.5	7.6	0.2		1.4	1.2	2.6	7.1	3.1	3.1	191.8	11.9	12.6	3.3	103.9
58	Colored.....	1,706.7	10.5							10.5		403.1	36.6	10.5	10.5	36.6
59	Oakland (total).....	1,159.0	6.6			15.3	2.7	15.3	13.1	2.7	1.1	101.1	14.2	8.2	2.7	92.9
60	White.....	1,157.3	6.9	1.1		15.6	2.9	14.5	13.3	2.3	1.2	91.3	13.9	8.1	2.3	96.5
61	Colored.....	1,188.3				10.0		30.0	10.0	10.0		269.6	20.0	10.0	10.0	30.0
62	Pasadena.....	1,117.9	4.9					2.4		2.4	2.4	151.7	2.4	9.8	7.3	129.6
63	Pomona.....	1,180.1				16.4		32.8			8.2	131.1	16.4	8.2		82.0
64	Redlands.....	917.9				7.8	7.8					243.9	7.8			62.2
65	Riverside (total).....	1,180.5	27.3			5.5		5.5		5.5	5.5	180.4	21.9	10.9		82.0
66	White.....	1,249.6	30.8			6.2		6.2		6.2	6.2	203.1	12.3	12.3		92.3
67	Colored.....	633.5											97.5			

¹ Exclusive of stillbirths.² Less than one-tenth of 1 per 100,000 population.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38	
20.9	7.9	87.3	175.6	18.3	155.6	13.1	65.5	12.7	11.7	16.4	131.6	6.6	7.9	81.1	81.6	16.6	227.5	1.9	1
21.0	7.8	87.6	174.8	18.1	153.2	13.0	64.8	12.7	11.7	16.5	130.7	6.5	7.9	80.6	81.3	16.7	225.6	1.8	2
13.2	11.9	74.6	225.2	33.2	300.4	23.2	105.4	9.4	10.7	12.5	183.2	16.9	9.4	112.9	104.7	13.2	343.1	2.5	3
10.8	14.0	82.8	133.0	15.7	150.1	17.4	134.0	19.1	15.7	5.7	121.1	9.1	24.3	112.2	108.0	6.6	359.3	100.6	4
13.6	13.6	77.8	93.7	10.3	106.6	16.5	111.7	22.3	14.5	6.8	99.5	5.5	18.1	114.3	85.3	9.0	298.4	48.8	5
5.5	14.8	92.2	207.8	25.8	233.0	19.1	176.4	12.9	17.8	8.7	162.3	16.0	36.3	108.2	151.2	1.8	475.2	199.2	6
16.5	8.5	97.4	146.6	16.1	108.1	10.7	55.9	10.9	12.3	15.4	87.8	8.1	7.8	72.4	87.2	16.1	225.1	7.4	7
16.6	8.4	97.1	143.5	16.1	104.9	10.5	55.4	11.0	12.1	15.4	86.2	7.9	7.7	72.4	85.7	16.1	223.1	7.0	8
11.0	13.5	106.5	277.2	16.1	240.8	20.3	76.1	9.3	18.6	16.1	152.1	15.2	8.5	72.7	147.0	19.4	307.6	22.8	9
14.6	8.0	76.8	137.7	19.9	146.0	17.9	95.4	9.3	11.8	12.7	100.3	8.2	9.4	99.3	97.2	12.6	223.0	10.4	10
14.7	7.9	77.0	135.5	19.4	142.4	17.5	95.0	9.2	11.7	12.8	98.3	8.1	9.3	98.9	96.5	12.7	220.0	10.4	11
11.3	10.8	71.6	221.8	39.6	281.1	30.6	110.7	13.2	12.7	10.8	178.0	11.3	13.2	116.8	120.6	7.1	338.6	10.4	12
20.6	8.1	97.1	162.9	23.5	143.1	11.8	73.6	11.7	10.8	10.3	124.8	3.7	9.8	91.8	91.8	12.9	247.5	6.8	13
21.0	8.3	96.0	159.6	22.8	139.1	11.9	73.6	11.4	11.0	10.5	124.1	3.4	9.1	90.8	74.4	12.9	246.3	6.7	14
12.1	7.7	43.4	95.1	13.8	112.7	12.1	30.9	20.3	7.5	7.2	65.4	4.8	7.2	83.2	103.0	15.2	186.2	23.9	16
12.3	7.4	44.2	95.6	14.0	110.6	12.3	30.5	20.6	7.6	7.4	65.4	4.9	7.4	83.5	101.2	14.7	185.3	23.6	17
22.4	13.6	147.8	194.6	30.7	112.7	11.1	53.4	17.7	13.0	11.6	140.7	6.6	13.0	75.3	76.7	12.7	296.5	3.6	19
22.5	13.6	148.3	195.5	30.9	113.2	11.1	53.7	17.8	13.1	11.7	141.3	6.7	13.1	75.7	76.8	12.8	297.3	3.6	20
8.2	11.3	71.3	123.3	14.3	106.0	16.3	58.5	8.2	10.4	7.3	98.1	8.3	14.3	88.8	85.3	7.2	262.5	57.3	21
9.5	11.5	62.6	105.1	10.6	79.7	9.9	49.5	7.7	8.1	7.1	87.7	6.1	11.9	83.9	70.7	9.7	221.7	41.5	22
5.6	10.8	89.2	161.0	22.0	160.3	29.4	77.1	9.4	15.0	7.6	119.8	13.0	19.3	98.9	115.6	2.1	346.8	89.9	23
12.1	4.9	47.2	79.4	5.3	50.6	7.4	15.7	10.4	6.7	6.8	54.3	4.2	6.6	50.1	85.3	21.5	150.4	10.5	24
12.4	4.8	47.9	80.4	5.3	49.0	7.4	15.7	10.5	6.7	6.7	54.5	4.2	6.6	50.0	83.6	21.4	149.7	7.7	25
4.9	7.4	24.7	44.4	4.9	106.1	7.4	14.8	7.4	7.4	12.3	46.9	2.5	7.4	56.7	143.1	24.7	172.7	106.1	26
15.6	9.0	67.1	112.2	18.6	95.5	11.6	36.4	13.8	11.5	12.1	62.5	5.1	6.8	80.3	68.7	14.6	225.4	5.1	27
15.7	8.9	67.3	112.2	18.7	94.7	11.7	36.5	13.9	11.5	12.0	62.4	5.1	6.6	80.1	68.5	14.6	225.6	5.1	28
21.5	21.5	21.5	114.7	114.7	236.6	7.2	21.5	7.2	14.3	28.7	78.9	43.0	43.0	114.7	114.7	14.3	193.6	7.2	30
4.9	16.3	78.9	135.1	11.4	152.2	14.4	77.4	30.0	17.1	15.6	161.7	15.2	16.3	92.6	171.2	17.5	396.6	45.9	31
5.9	13.1	72.3	100.5	9.2	106.4	11.2	78.8	38.1	14.5	12.5	128.7	11.2	19.0	89.3	121.5	26.3	275.2	17.1	32
3.6	20.7	88.1	182.4	14.4	214.8	18.9	75.5	18.9	20.7	19.8	206.7	20.7	12.6	97.1	239.1	5.4	562.6	85.4	33
3.6	12.0	65.6	119.8	12.0	172.1	14.4	74.0	31.3	16.2	13.8	119.2	14.4	14.4	88.5	197.4	21.7	314.8	35.5	34
3.0	8.9	47.7	83.4	8.9	116.3	9.9	73.5	35.8	12.9	9.9	99.4	11.9	16.9	92.4	129.2	29.8	235.5	18.9	35
4.6	16.8	93.1	167.9	16.8	258.0	21.4	74.8	24.4	21.4	19.8	149.6	18.3	10.7	82.4	302.2	9.2	436.6	61.1	36
9.0	18.0	106.2	158.3	9.0	99.0	12.6	88.2	25.2	21.6	12.6	262.7	16.2	25.2	99.0	117.0	12.6	478.6	21.6	37
12.9	16.1	116.1	125.8	9.7	71.0	12.9	93.6	32.3	22.6	9.7	193.6	9.7	20.0	93.6	93.6	22.6	354.9	16.1	38
4.1	20.3	93.6	199.4	8.1	134.3	12.2	81.4	16.3	20.3	16.3	349.9	24.4	20.3	105.8	146.5	-----	634.8	28.5	39
4.8	31.1	95.7	165.2	12.0	143.6	16.8	76.6	31.1	14.4	26.3	196.3	16.8	12.0	100.5	138.8	7.2	612.8	119.7	40
9.7	29.1	126.2	121.4	9.7	111.7	14.6	82.5	58.3	9.7	29.1	174.8	9.7	14.6	68.0	126.2	14.6	349.6	9.7	41
33.1	66.1	207.7	207.7	14.2	174.7	18.9	70.8	4.7	18.9	23.6	217.2	23.6	9.4	132.2	151.1	-----	368.7	226.6	42
20.2	9.6	81.3	179.2	15.1	96.3	10.4	28.1	15.3	12.7	19.4	112.8	4.7	8.5	53.0	99.0	39.2	232.8	0.5	43
20.4	8.8	82.8	179.3	14.9	93.5	9.8	26.8	15.1	12.6	18.9	112.6	4.7	8.5	51.9	97.7	38.5	232.2	0.4	44
14.7	28.0	48.5	178.0	19.1	157.4	23.5	54.4	19.1	16.2	29.4	117.7	4.4	8.2	75.0	128.0	54.4	245.7	1.5	45
30.4	15.2	94.9	151.9	15.2	87.4	15.2	3.8	7.6	19.0	15.2	117.7	3.8	19.0	15.2	57.0	30.4	193.7	-----	46
12.9	12.9	51.5	109.4	12.9	193.1	19.3	38.6	19.3	25.7	19.3	57.9	6.4	19.3	83.7	212.4	77.2	283.2	-----	47
13.8	13.8	55.1	117.2	6.9	193.0	20.7	27.6	20.7	20.7	20.7	55.1	6.9	20.7	75.8	213.7	75.8	289.5	-----	48
15.4	5.8	61.4	111.3	97.2	194.4	7.7	194.4	1.9	97.2	97.2	97.2	-----	-----	194.4	194.4	97.2	194.4	-----	49
7.3	-----	65.4	225.2	14.5	87.2	14.5	21.8	21.8	21.8	14.5	65.4	7.3	14.5	87.2	152.5	50.8	203.4	7.3	51
13.4	13.4	50.3	134.2	26.8	127.5	6.7	107.4	16.8	13.4	20.1	80.2	13.4	6.7	47.0	154.3	36.9	204.6	-----	52
14.5	14.5	54.4	134.2	25.4	119.7	-----	98.0	14.5	14.5	14.5	79.8	10.9	3.6	43.5	145.1	32.7	210.4	-----	53
53.2	16.4	122.8	138.5	44.5	222.4	89.0	222.4	44.5	44.5	44.5	89.0	44.5	44.5	89.0	266.9	89.0	133.5	-----	54
16.6	11.8	67.9	141.0	10.5	75.9	10.9	30.8	17.3	11.6	12.5	105.0	3.4	7.3	55.6	91.1	34.2	224.4	0.5	56
16.2	9.5	68.4	139.1	10.7	73.4	10.7	29.3	16.9	11.0	11.7	105.0	3.6	7.4	54.5	90.3	34.3	224.1	0.5	57
26.2	62.8	57.6	133.2	5.2	130.9	15.7	62.8	26.2	26.2	31.4	104.7	-----	5.2	78.5	109.9	31.4	230.4	-----	58
19.1	5.5	89.1	173.8	14.2	86.3	6.6	19.1	13.7	9.3	15.8	95.6	7.1	8.7	46.4	62.8	36.6	172.1	-----	59
19.7	5.8	90.8	174.0	14.5	85.6	5.2	18.5	13.9	9.2	15.0	97.7	7.5	9.2	46.8	61.9	37.0	175.2	-----	60
10.0	-----	59.9	169.8	10.0	99.9	30.0	30.0	10.0	10.0	30.0	59.9	-----	-----	39.9	79.9	30.0	119.8	-----	61
17.1	2.4	93.0	144.3	19.6	56.3	17.1	17.1	9.8	12.2	14.7	85.6	2.4	19.6	44.0	80.7	7.3	161.4	-----	62
8.2	-----	57.4	180.3	-----	82.0	16.4	32.3	16.4	32.8	-----	90.1	-----	-----	41.0	24.6	16.4	286.8	-----	63
7.8	-----	62.2	77.8	15.6	46.0	-----	31.1	7.8	15.6	15.6	31.1	-----	-----	62.2	31.1	15.6	163.3	-----	64
16.4	10.9	82.0	92.9	5.5	49.2	10.9	38.3	10.9	21.9	-----	82.0	10.9	5.5	32.8	71.0	38.3	256.9	-----	65
6.2	12.3	92.3	104.6	6.2	49.2	12.3	43.1	-----	12.3	24.6	80.0	12.3	6.2	18.5	80.0	36.9	277.0	-----	66
97.5	-----	-----	-----	-----	48.7	-----	48.7	-----	-----	-----	97.5	-----	-----	146.2	-----	48.7	97.5	-----	67

*Includes only municipalities having a population of 1,000 or over in 1910. †Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Infuenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
REGISTRATION CITIES—Contd.																
CALIFORNIA—continued.																
1	Sacramento (total).....	1,698.1	36.7	3.2	17.5	3.2	9.6	8.0	6.4	1.6	218.4	11.2	17.5	1.6	103.6
2	White.....	1,606.3	35.9	1.7	18.8	3.4	8.5	8.5	5.1	1.7	184.6	5.1	13.7	1.7	105.9
3	Colored.....	2,978.3	47.7	23.8	23.8	23.8	691.0	95.3	71.5	71.5
4	San Bernardino.....	2,223.9	57.7	25.6	6.4	551.2	6.4	38.5	160.2
5	San Diego.....	1,928.4	20.4	4.1	4.1	8.2	2.0	2.0	218.8	16.4	30.7	14.3	173.8
6	San Francisco (total).....	1,548.0	12.7	0.9	10.5	1.1	12.3	19.4	2.5	2.7	180.2	17.6	16.1	4.7	128.4
7	White.....	1,527.0	12.1	0.2	10.7	1.2	12.5	19.5	1.9	2.8	167.8	17.2	15.3	4.4	130.8
8	Colored.....	2,046.4	27.5	16.5	5.5	5.5	16.5	16.5	473.1	27.5	33.0	11.0	71.5
9	San Jose.....	1,237.7	5.4	5.4	5.4	18.9	8.1	2.7	105.2	16.2	13.5	5.4	110.6
10	Santa Barbara.....	1,874.4	7.2	7.2	14.5	188.2	14.5	21.7	144.7
11	Santa Cruz.....	1,379.6	7.4	14.8	66.8	22.3	163.2
12	Stockton* (total).....	2,291.6	46.7	3.9	256.8	15.6	19.5	3.9	108.9
13	White.....	2,145.6	28.9	4.1	232.2	16.5	20.7	4.1	107.5
14	Colored.....	4,626.6	330.5	791.1	197.2
15	Vallejo.....	1,283.6	15.7	7.8	7.8	78.3	7.8	7.8	86.1
COLORADO.																
16	Registration cities (total).....	1,296.4	10.3	5.6	8.2	4.7	5.9	4.1	3.2	241.2	9.1	8.8	5.3	85.9
17	White.....	1,274.0	9.4	5.7	8.5	4.8	5.7	4.2	3.3	232.3	8.8	9.1	5.4	85.0
18	Colored.....	1,986.9	37.3	9.3	513.1	18.7	111.9
19	Colorado Springs.....	1,472.4	6.3	9.5	3.2	6.3	6.3	3.2	479.2	12.6	6.3	9.5	94.6
20	Denver.....	1,322.5	9.0	4.1	10.6	3.7	4.1	2.9	2.9	241.5	10.6	9.4	4.5	90.4
21	Pueblo.....	1,050.4	21.5	5.9	2.0	9.8	11.7	9.8	5.9	119.1	7.3	7.8	7.8	72.2
22	Trinidad.....	1,343.9	28.4	15.6	15.6	132.8	7.8	7.8	31.3
CONNECTICUT.																
23	Registration cities (total).....	1,528.5	11.0	1.3	15.9	8.1	11.8	22.2	9.9	5.7	115.1	13.7	12.0	5.7	86.9
24	White.....	1,511.7	11.0	1.2	15.8	8.1	11.2	22.1	9.8	5.7	111.2	13.7	11.8	5.5	86.0
25	Colored.....	2,609.9	15.8	7.9	23.7	7.9	47.5	23.7	15.8	7.9	363.8	15.8	55.4	15.8	142.4
26	Ansonia.....	1,376.2	6.2	12.3	6.2	49.4	18.5	104.9	6.2	18.5
27	Bridgeport.....	1,499.7	3.5	1.7	28.6	16.5	18.2	6.1	4.3	98.0	14.7	14.7	2.6	84.1
28	Bristol.....	1,063.1	6.6	6.6	13.2	19.8	66.0	6.6	6.6	6.6	72.6
29	Danbury town.....	1,439.4	4.0	4.0	11.9	7.9	19.8	103.1	19.8	15.9	83.3
30	Greenwich town.....	1,563.7	5.5	5.5	5.5	10.9	21.9	10.9	109.3	5.5	5.5	76.5
31	Hartford.....	1,748.9	26.2	4.7	8.4	16.8	5.6	89.7	17.8	22.4	6.5	123.3
32	Manchester town †.....	883.8	6.7	33.5	6.7	33.5	13.4	6.7	80.3
33	Meriden town.....	1,710.4	9.0	3.0	11.9	41.8	23.9	26.9	9.0	397.0	11.9	6.0	3.0	104.5
34	Middletown town*.....	2,416.7	13.6	4.5	13.6	27.1	36.1	9.0	18.1	253.0	18.1	22.6	4.5	81.3
35	Naugatuck.....	923.0	14.7	7.3	14.7	7.3	73.3	7.3	7.3	22.0
36	New Britain.....	1,225.0	11.9	2.0	11.9	11.9	2.0	5.9	77.1	5.9	4.0	4.0	51.4
37	New Haven.....	1,609.6	15.2	1.4	21.5	4.8	4.8	19.4	6.2	4.8	110.7	13.7	13.8	5.5	113.5
38	New London.....	1,722.0	29.2	4.9	4.9	9.7	14.6	9.7	97.3	19.5	14.6	102.2
39	Norwalk.....	1,452.0	23.0	3.8	15.4	23.0	30.7	7.7	96.0	11.5	3.8	11.5	111.4
40	Norwich town.....	1,629.2	3.4	10.3	3.4	17.2	13.8	6.9	206.7	3.4	13.8	6.9	58.6
41	Orange town.....	1,099.7	7.6	15.3	7.6	7.6	45.8	7.6	53.5
42	Stamford town.....	1,737.4	15.1	6.0	93.7	3.0	21.2	18.1	18.1	6.0	96.7	9.1	15.1	15.1	69.5
43	Torrington town.....	1,004.9	26.7	48.1	32.1	10.7	10.7	52.5	42.8
44	Wallingford town.....	1,250.8	16.6	3.3	24.9	33.1	8.3	132.5	8.3	74.6
45	Waterbury.....	1,422.7	9.7	3.6	17.0	7.3	26.7	13.3	4.8	112.7	18.2	10.9	14.5	69.1
46	Windham town.....	1,699.1	29.3	22.0	7.3	22.0	7.3	73.2
DELAWARE. ²																
47	Wilmington (total).....	1,536.0	25.0	16.2	2.2	17.4	19.6	20.6	4.3	144.5	13.0	13.0	1.1	88.0
48	White.....	1,472.0	20.6	17.0	2.4	15.8	19.4	18.2	4.9	133.4	12.1	10.9	1.2	90.9
49	Colored.....	2,566.2	62.6	10.4	31.3	20.9	41.7	239.9	20.9	31.3	62.6
DISTRICT OF COLUMBIA.																
50	Washington (total).....	1,656.6	11.9	1.4	0.3	0.3	5.4	8.2	17.8	2.3	181.7	11.3	15.6	6.8	100.5
51	White.....	1,383.9	6.3	1.6	0.4	2.4	9.1	13.9	2.4	106.3	9.5	6.7	7.1	107.5
52	Colored.....	2,334.7	25.7	1.0	1.0	12.8	5.9	27.6	2.0	369.1	15.8	37.5	5.9	82.9
FLORIDA. ²																
53	Registration cities (total).....	1,784.9	37.8	12.0	1.7	1.7	15.4	6.9	11.2	3.4	224.8	2.6	10.3	4.3	61.8
54	White.....	1,486.0	45.5	1.6	3.1	12.6	6.3	7.8	6.3	117.7	3.1	11.0	3.1	91.0
55	Colored.....	2,145.6	28.4	26.5	1.9	18.9	7.6	15.1	354.1	1.9	9.5	5.7	26.5
56	Jacksonville (total).....	1,858.3	41.3	5.7	1.4	14.3	7.1	11.4	1.4	218.0	11.4	5.7	67.0
57	White.....	1,509.3	66.8	2.9	11.6	5.8	8.7	2.9	92.9	14.5	5.8	110.3
58	Colored.....	2,194.8	16.8	11.2	16.8	8.4	14.0	338.7	8.4	5.6	25.2
59	Key West (total).....	1,602.8	33.1	9.5	18.9	4.7	4.7	9.5	264.8	9.5	9.5	4.7	85.1
60	White.....	1,551.0	39.3	13.1	26.2	6.5	6.5	189.8	6.5	6.5	104.7
61	Colored.....	1,737.6	17.0	460.0	17.0	17.0	34.1
62	Pensacola (total).....	1,733.3	31.7	39.7	4.0	15.9	7.9	15.9	4.0	210.2	4.0	7.9	27.8
63	White.....	1,337.5	7.1	7.1	7.1	100.3	7.1	7.1	28.6
64	Colored.....	2,202.2	71.3	89.2	8.9	35.7	8.9	26.7	347.7	8.9	26.7

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38
20.7	8.0	95.7	164.2	12.8	127.6	8.0	38.3	35.1	17.5	27.1	153.1	4.8	11.2	89.3	129.2	35.1	280.6	1.6
22.2	8.5	99.1	160.6	13.7	112.8	8.5	37.3	34.2	18.8	25.6	150.4	3.4	12.0	83.7	126.5	30.8	271.7	1.7
12.8	14.3	96.1	185.9	25.6	393.6	19.2	130.6	47.7	6.4	47.7	190.6	23.8	12.8	166.8	166.8	95.3	405.1	3
16.4	14.3	137.0	245.4	20.4	147.4	10.2	38.3	22.5	6.1	25.6	57.7	19.2	8.2	89.7	243.5	25.6	326.9	4
24.3	9.6	74.9	221.2	20.3	120.2	10.9	22.5	14.7	13.4	28.8	126.0	5.1	7.6	48.2	110.6	52.4	228.1	0.4
25.1	9.1	76.0	221.2	19.5	119.0	10.5	22.8	14.9	13.0	28.4	124.1	5.1	7.9	48.1	109.5	51.4	224.9	0.2
5.5	22.0	49.5	220.0	38.5	148.5	22.0	16.5	11.0	22.0	38.5	170.5	5.5	49.5	137.5	77.0	302.6	5.5
27.0	5.4	94.4	207.6	5.4	80.9	2.7	21.6	16.2	10.8	13.5	118.6	13.5	51.2	64.7	24.3	183.4	9
14.5	7.2	152.0	282.2	7.2	94.1	7.2	36.2	21.7	28.9	28.9	166.4	7.2	14.5	94.1	115.8	57.9	325.7	10
22.3	14.8	148.3	259.6	14.8	66.8	7.4	7.4	14.8	7.4	66.8	14.8	7.4	59.3	118.7	14.8	259.6
19.5	27.2	151.7	217.9	23.3	202.3	23.3	42.8	15.6	15.6	31.1	140.1	3.9	3.9	42.8	120.6	58.4	696.4
18.5	24.8	161.2	210.8	16.5	165.4	16.5	33.1	12.4	16.5	33.1	128.2	4.1	4.1	37.2	119.9	53.7	686.3
68.1	66.1	330.5	132.2	793.1	132.2	198.3	66.1	330.5	132.2	132.2	132.2	859.2
31.3	133.1	140.9	101.7	7.8	15.7	15.7	7.8	23.5	125.2	47.0	133.1	47.0	234.8	7.8
14.4	8.2	48.6	97.0	8.2	132.2	12.3	32.5	18.5	16.1	9.1	96.7	5.6	5.3	65.6	61.2	21.7	250.3	0.9
14.8	8.5	48.4	94.1	8.2	129.2	12.4	32.7	18.2	15.7	9.4	94.4	5.7	5.4	66.3	59.0	21.2	247.2	0.9
.....	56.0	186.6	9.3	223.9	9.3	28.0	28.0	28.0	167.9	46.6	130.6	37.3	345.1
18.9	9.5	34.7	104.0	6.3	78.8	22.1	37.8	15.8	9.5	9.5	85.1	3.2	6.3	69.4	69.4	9.5	242.8	3.2
15.1	9.0	54.2	102.2	9.0	136.9	11.8	25.7	20.4	19.1	8.6	102.6	6.1	5.7	58.7	55.8	22.8	264.7	0.8
9.8	3.9	33.2	76.1	5.9	95.7	11.7	43.0	13.7	5.9	13.7	70.3	3.9	78.1	76.1	29.3	207.0
7.8	7.8	39.1	62.5	7.8	320.3	109.4	7.8	15.6	117.2	23.4	140.6	85.9	164.1
20.6	13.3	102.6	144.2	22.9	166.6	19.5	94.0	12.4	14.8	14.9	119.2	6.7	9.8	95.1	87.2	21.3	234.7	9.3
20.6	13.2	100.8	142.1	22.9	166.5	19.6	93.6	12.2	14.6	14.9	117.3	6.3	9.6	94.3	86.3	21.3	232.9	9.2
23.7	23.7	221.4	276.8	23.7	174.0	15.8	118.6	23.7	23.7	15.8	213.5	31.6	23.7	150.3	118.6	23.7	348.0	15.8
18.5	55.5	67.9	61.7	55.5	154.3	6.2	253.0	18.5	6.2	49.4	6.2	6.2	117.3	55.5	12.3	172.8	37.0
22.4	8.7	78.1	95.4	20.8	191.7	25.2	107.6	13.9	13.9	13.9	151.8	5.2	6.1	86.7	101.5	23.4	197.8	3.5
28.4	6.6	125.5	79.2	19.8	158.5	6.6	79.2	6.6	85.8	6.6	6.6	52.8	26.4	6.6	158.5	6.6
31.7	31.7	79.3	178.4	19.8	122.9	19.8	31.7	11.9	11.9	7.9	91.2	7.9	11.9	87.2	111.0	23.8	281.5	7.9
27.3	5.5	109.3	196.8	27.3	158.6	27.3	92.9	10.9	5.5	10.9	131.2	5.5	5.5	92.9	109.3	43.7	240.6	5.5
24.3	11.2	126.1	166.3	19.6	205.5	26.2	88.8	16.8	16.8	15.9	133.6	14.9	10.3	115.8	91.6	19.6	310.2	4.7
20.1	26.8	200.9	13.4	87.0	13.4	67.0	13.4	6.7	26.8	13.4	46.9	33.5	13.4	120.5
11.9	11.9	107.5	191.0	17.9	137.3	14.9	92.5	6.0	14.9	29.8	68.7	3.0	3.0	71.6	50.7	14.9	211.9	3.0
13.6	18.1	230.4	370.4	13.6	185.2	36.1	72.3	4.5	31.6	27.1	176.2	9.0	49.7	135.5	45.2	492.4	4.5
14.7	22.0	58.6	117.2	7.3	87.9	7.3	51.3	95.2	87.9	65.9	14.7	131.9
4.0	19.8	67.2	90.9	27.7	124.5	9.9	132.4	4.0	9.9	13.8	61.3	-5.9	7.9	164.0	100.8	7.9	160.0	25.7
26.3	9.7	98.3	156.4	25.6	193.1	22.1	69.2	13.1	18.0	13.1	145.3	4.8	12.5	90.7	87.2	22.8	245.7	15.2
19.5	14.6	150.8	204.3	14.6	141.1	29.2	131.3	9.7	19.5	29.2	116.7	4.9	4.9	77.8	111.9	29.2	301.6	4.9
11.5	23.0	149.8	111.4	34.6	180.5	19.2	34.6	19.2	7.7	11.5	115.2	7.7	11.5	49.9	80.7	26.9	219.0
37.9	6.9	148.1	199.8	13.8	113.7	13.8	65.4	6.9	27.6	17.2	89.6	3.4	6.9	68.9	103.3	17.2	341.0	3.4
7.6	145.1	198.6	15.3	152.7	22.9	22.9	7.6	15.3	145.1	7.6	38.2	15.3	22.9	99.3	38.2
21.2	21.2	120.9	151.1	12.1	190.4	12.1	93.7	12.1	12.1	21.2	169.2	18.1	129.9	96.7	24.2	241.7	3.0
10.7	96.2	69.5	5.3	80.2	96.2	5.3	48.1	10.7	16.0	96.2	80.2	10.7	149.7	5.3
8.3	33.1	132.5	132.5	33.1	124.3	24.9	74.6	16.6	16.6	16.6	16.6	16.6	66.3	74.6	41.4	107.7	8.3
18.2	12.1	71.5	98.2	30.3	143.0	13.3	133.3	25.4	17.0	18.2	112.7	3.6	12.1	106.6	66.7	18.2	203.6	10.9
7.3	14.6	87.9	146.5	51.3	227.0	22.0	161.1	36.6	7.3	139.2	29.3	29.3	117.2	139.2	29.3	278.3	14.6
9.8	18.5	-94.5	147.7	14.1	179.2	20.6	103.2	15.2	11.9	11.9	142.3	11.9	5.4	107.5	102.1	15.2	204.2	5.4
10.9	20.6	90.9	127.3	10.9	145.5	20.6	104.3	14.6	12.1	13.3	135.8	10.9	4.9	103.1	94.6	14.6	186.7	3.6
.....	125.2	323.4	41.7	469.4	20.9	93.9	20.9	10.4	198.2	20.9	10.4	146.0	166.9	20.9	354.7	20.9
19.0	5.9	123.1	203.7	25.8	131.0	24.9	42.7	11.6	14.1	12.5	172.3	7.9	8.2	82.1	71.9	19.0	315.5	2.0
24.2	4.4	115.1	194.4	16.7	90.9	21.4	20.6	10.3	12.7	12.3	143.6	5.6	6.7	65.9	67.1	23.0	275.4	0.4
5.9	9.9	143.1	227.0	48.4	230.9	33.6	97.7	14.8	17.8	12.8	243.7	13.8	11.8	122.4	83.9	8.9	415.4	5.9
6.9	5.1	65.2	94.4	12.9	90.1	16.3	39.2	17.2	17.2	9.4	157.0	18.9	16.3	91.0	136.4	18.0	438.5	91.0
12.6	7.5	69.0	94.1	9.4	76.9	7.8	84.7	22.0	14.1	12.6	158.5	7.8	14.1	89.4	119.3	31.4	312.3	33.0
.....	1.9	60.6	94.7	17.0	106.0	26.5	94.7	11.4	20.8	-5.7	153.3	32.2	18.9	92.8	157.2	1.9	590.8	161.0
7.1	5.7	61.3	81.2	12.8	109.7	14.3	67.0	18.5	20.0	4.3	169.6	28.5	18.5	74.1	163.9	22.8	466.0	123.3
14.5	8.7	52.2	78.4	11.6	95.8	11.6	58.1	23.2	20.3	8.7	188.7	8.7	17.4	66.8	130.6	43.5	310.6	37.7
.....	2.8	70.0	84.0	14.0	123.2	16.8	75.6	14.0	19.6	151.2	47.6	19.6	81.2	196.0	2.8	615.9	215.6
4.7	9.5	104.0	94.6	23.6	56.7	9.5	165.5	9.5	4.7	4.7	151.3	4.7	9.5	104.0	85.1	297.9	9.5
6.5	13.1	104.7	98.2	13.1	52.4	6.5	176.7	13.1	6.5	137.4	6.5	6.5	130.9	98.2	255.2	13.1
.....	102.2	85.2	51.1	68.1	17.0	136.3	17.0	187.4	17.0	34.1	51.1	408.9
7.9	43.6	130.9	4.0	63.5	27.8	87.3	19.8	19.8	27.8	126.9	4.0	15.9	126.9	103.1	19.8	479.9	55.5
14.3	71.4	128.6	57.2	50.0	28.6	7.1	35.7	107.2	7.1	14.3	100.3	114.3	35.7	378.7	42.9
.....	8.9	133.7	8.9	71.3	62.4	133.7	8.9	35.7	17.8	151.6	89.2	606.3	71.3

* Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culosis menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
REGISTRATION CITIES—Contd.																
GEORGIA. ²																
1	Registration cities (total).....	1,936.2	43.8	23.3	0.3	10.8	1.0	25.6	9.4	17.9	0.3	162.1	4.0	15.8	6.4	62.7
2	White.....	1,465.7	41.8	7.8	9.5	1.1	12.8	7.8	3.9	54.6	3.9	9.5	4.5	77.4
3	Colored.....	2,657.9	47.0	47.0	0.9	12.8	0.9	45.3	12.0	39.3	0.9	281.0	4.3	25.6	9.4	40.1
4	Atlanta (total).....	1,648.7	46.3	5.6	0.6	13.9	1.1	17.8	10.6	17.3	0.6	116.0	2.8	13.4	4.5	59.1
5	White.....	1,319.8	46.2	4.2	10.1	0.8	8.4	7.6	4.2	82.3	2.5	10.1	1.7	68.8
6	Colored.....	2,299.5	46.5	8.3	1.7	21.6	1.7	36.6	16.6	43.2	1.7	182.8	3.3	19.9	10.0	39.9
7	Augusta (total).....	2,145.6	48.5	48.5	12.1	34.4	10.1	8.1	180.0	8.1	12.1	6.1	74.8
8	White.....	1,758.9	25.7	11.0	14.7	18.3	11.0	3.7	84.3	11.0	11.0	11.0	87.9
9	Colored.....	2,621.7	76.7	94.8	9.0	54.1	9.0	13.5	297.8	4.5	13.5	58.7
10	Savannah (total).....	2,542.8	33.9	51.5	1.5	1.5	39.8	5.9	26.5	270.9	4.4	25.0	11.8	63.3
11	White.....	1,748.1	39.2	18.1	3.0	3.0	24.1	6.0	3.0	93.4	3.0	6.0	9.0	99.5
12	Colored.....	3,301.8	28.8	83.5	54.7	5.8	48.9	440.4	5.8	43.2	14.4	28.8
ILLINOIS. ²																
13	Registration cities (total).....	1,422.8	8.6	0.4	0.1	2.9	10.0	8.9	30.7	3.8	3.7	145.0	9.7	8.6	7.8	89.0
14	White.....	1,402.4	8.3	0.4	(3)	3.0	10.2	8.6	31.1	3.7	3.8	136.8	9.8	8.0	7.8	88.7
15	Colored.....	2,297.6	21.8	1.7	5.0	21.8	15.1	6.7	1.7	497.0	6.7	36.8	10.0	100.4
16	Aurora.....	1,411.2	33.3	3.0	3.0	15.1	3.0	90.8	15.1	6.1	27.3	99.9
17	Belleville.....	1,438.1	37.8	4.7	4.7	61.5	18.9	9.5	4.7	118.3	4.7	9.5	75.7
18	Chicago (total).....	1,416.4	6.6	0.4	(5)	3.2	10.1	9.3	32.2	3.9	3.8	146.1	10.2	8.6	7.8	87.9
19	White.....	1,395.7	6.5	0.4	3.2	10.2	8.9	32.5	3.8	3.8	138.1	10.3	8.0	7.8	87.7
20	Colored.....	2,374.0	13.8	2.0	5.9	25.6	17.7	7.9	2.0	516.6	7.9	39.4	9.9	94.6
21	Decatur.....	1,225.8	18.7	2.7	10.7	10.7	2.7	111.9	13.3	8.0	101.3
22	Evanson.....	1,096.5	10.8	7.2	14.4	10.8	68.5	3.6	90.2
23	Jacksonville* (total).....	2,857.9	45.4	45.4	6.5	239.8	38.9	6.5	129.6
24	White.....	2,935.4	49.4	49.4	7.1	225.8	28.2	134.1
25	Colored.....	1,985.7	397.1	158.9	79.4	79.4
26	Quincy.....	1,478.4	35.4	2.7	5.4	2.7	10.9	155.2	2.7	13.6	2.7	100.7
27	Springfield (total).....	1,555.9	29.3	8.6	6.9	17.2	1.7	1.7	169.0	5.2	3.4	5.2	106.9
28	White.....	1,502.8	23.8	9.2	7.3	18.3	1.8	1.8	150.1	5.5	3.7	5.5	100.7
29	Colored.....	2,423.7	119.7	478.8	209.5
INDIANA.																
30	Registration cities (total).....	1,431.3	25.8	1.9	0.2	5.5	4.3	7.8	17.1	6.5	4.4	135.0	9.9	16.2	7.0	84.9
31	White.....	1,385.3	24.7	1.9	0.2	5.0	4.4	6.8	17.9	6.1	4.6	119.3	9.3	13.8	6.9	86.2
32	Colored.....	2,317.7	47.2	2.2	15.7	2.2	27.0	2.2	15.7	2.2	438.4	20.2	62.9	9.0	58.4
33	Anderson.....	1,330.3	29.8	8.5	51.0	17.0	4.3	127.5	12.8	12.8	4.3	55.3
34	East Chicago.....	1,403.1	11.7	3.9	3.9	7.8	23.4	3.9	3.9	74.1	7.8	3.9	7.8	39.0
35	Elkhart.....	1,279.2	14.3	9.5	4.8	9.5	42.8	4.8	66.6	4.8	152.2
36	Elwood.....	1,145.8	19.6	9.8	39.2	9.8	9.8	127.3	19.6	19.6	29.4
37	Evansville (total).....	1,373.4	12.6	5.6	11.2	4.2	21.0	15.4	1.4	2.8	130.5	5.6	11.2	5.6	64.5
38	White.....	1,282.6	10.8	6.2	10.8	4.6	17.0	17.0	1.5	3.1	109.5	6.2	9.2	4.6	66.3
39	Colored.....	2,290.8	31.2	15.6	62.3	342.8	31.2	15.6	46.8
40	Fort Wayne.....	1,161.2	13.8	1.4	9.7	22.1	2.8	6.9	75.9	5.5	6.9	1.4	95.3
41	Gary.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
42	Hammond.....	1,535.9	49.0	4.1	4.1	8.2	12.3	8.2	98.0	8.2	16.3	49.0
43	Huntington.....	1,316.9	47.7	9.5	9.5	95.4	124.1
44	Indianapolis (total).....	1,594.2	25.8	1.2	8.1	6.5	6.2	11.2	5.8	4.6	175.5	16.2	26.6	6.2	102.0
45	White.....	1,515.5	22.5	0.8	6.8	6.8	3.8	11.9	5.5	4.7	143.1	14.4	20.4	5.9	106.2
46	Colored.....	2,356.1	57.6	4.1	20.6	4.1	28.8	4.1	8.2	4.1	489.3	32.9	86.3	8.3	61.7
47	Jeffersonville (total).....	1,520.5	9.7	9.7	9.7	9.7	9.7	214.4	19.5	9.7	68.2
48	White.....	1,326.6	11.4	11.4	11.4	11.4	11.4	171.5	11.4	11.4	45.7
49	Colored.....	2,638.5	461.7	66.0	197.9
50	Kokomo.....	1,492.8	40.6	20.3	10.2	5.1	167.6	15.2	20.3	5.1	101.6
51	Lafayette.....	1,914.2	38.3	19.1	4.8	14.4	9.6	4.8	9.6	167.5	4.8	19.1	19.1	138.8
52	Laporte.....	1,184.9	8.0	8.0	23.9	8.0	79.8	8.0	8.0	71.8
53	Logansport.....	1,549.7	177.7	19.7	4.9	19.7	123.4	9.9	4.9	9.9	108.6
54	Marion.....	1,587.3	20.4	5.1	5.1	10.2	10.2	35.6	10.2	157.7	5.1	5.1	20.4	91.6
55	Michigan City.....	1,318.2	19.3	4.8	14.5	4.8	9.7	125.5	9.7	4.8	9.7	86.9
56	Mishawaka.....	1,076.9	34.3	6.9	6.9	75.5	6.9	6.9	61.7
57	Muncie.....	1,325.6	16.0	8.0	4.0	12.0	8.0	8.0	116.1	8.0	20.0	4.0	76.1
58	New Albany (total).....	1,396.1	4.8	4.8	4.8	9.7	19.4	33.9	198.7	4.8	38.8	19.4	97.0
59	White.....	1,338.9	5.3	5.3	5.3	10.5	21.0	26.3	152.3	5.3	42.0	21.0	99.8
60	Colored.....	2,083.9	126.3	757.8	63.1
61	Peru.....	1,327.8	32.8	8.2	8.2	16.4	16.4	8.2	90.2	8.2	8.2	73.8
62	Richmond (total).....	1,232.7	8.4	12.5	4.2	16.7	8.4	117.0	12.5	8.4	4.2	50.1
63	White.....	1,196.8	8.8	13.2	4.4	17.7	8.8	101.6	13.2	4.4	4.4	53.0
64	Colored.....	1,863.4	388.2	77.6
65	South Bend.....	1,101.1	20.0	3.1	9.2	10.8	92.1	4.6	9.2	7.7	52.2
66	Terre Haute.....	1,476.5	23.6	4.7	4.7	1.6	3.1	29.9	6.3	4.7	166.9	4.7	18.9	4.7	81.9
67	Vincennes.....	1,455.9	23.9	6.0	29.8	11.9	11.9	17.9	6.0	119.3	17.9	35.8	17.9	95.5

¹ Exclusive of stillbirths.² Nonregistration state; cities shown below only those with effective local ordinances.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Undefined and unknown causes.	
(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
11.5	9.4	91.0	131.8	18.2	154.7	23.3	102.1	17.5	22.6	6.1	198.5	13.5	17.9	87.0	119.7	15.5	483.4	29.0	
15.6	8.4	73.5	95.0	8.4	99.7	21.2	72.4	21.7	19.5	7.8	175.4	10.6	19.5	83.0	95.2	22.8	334.1	14.5	
5.1	11.1	117.9	133.6	33.3	239.1	26.5	147.8	11.1	27.3	3.4	234.0	17.9	15.4	93.1	157.1	4.3	712.3	51.2	
11.2	8.9	82.5	109.3	12.3	143.3	17.8	73.6	18.4	20.6	5.0	172.9	12.3	18.4	83.1	118.2	15.6	392.7	22.9	
14.3	6.7	69.7	77.2	4.2	89.8	16.0	58.8	22.7	19.3	5.9	159.5	8.4	21.8	75.6	94.9	21.0	295.5	11.8	
5.0	13.3	108.0	172.8	28.2	249.2	21.6	103.0	10.0	23.3	3.3	199.4	19.9	11.6	98.0	164.5	5.0	584.8	44.9	
10.1	8.1	101.1	175.9	20.2	198.2	24.3	115.3	16.2	28.3	8.1	248.7	18.2	12.1	84.9	127.4	18.2	473.2	14.2	
11.0	11.0	73.3	146.6	14.7	146.6	25.7	98.9	14.7	29.3	14.7	252.8	18.3	14.7	102.6	95.3	25.7	355.4	18.3	
9.0	4.5	135.4	212.1	27.1	261.7	22.6	135.4	18.0	27.1	-----	243.7	18.0	9.0	63.2	167.0	9.0	618.2	9.0	
13.3	11.8	106.0	159.0	32.4	153.1	36.8	167.9	16.2	23.6	7.4	229.7	13.3	20.6	98.6	117.8	13.3	730.3	56.0	
24.1	12.1	87.4	132.6	18.1	96.4	36.2	99.5	24.1	12.1	9.0	168.8	12.1	15.1	93.4	96.4	27.1	455.1	21.1	
2.9	11.5	123.8	184.2	46.1	207.3	37.4	233.2	8.6	34.5	5.8	287.9	14.4	25.9	103.6	138.2	-----	993.1	89.2	
17.2	6.7	54.2	141.5	13.7	173.5	11.9	123.8	18.5	12.6	20.8	104.7	8.7	8.1	57.4	85.0	23.8	209.7	1.6	
17.2	6.5	53.9	138.4	13.8	171.5	11.9	125.1	18.6	12.4	20.4	103.1	8.7	8.1	57.7	83.6	24.1	205.5	1.5	
16.7	13.4	66.9	276.1	6.7	256.0	11.7	65.3	16.7	18.4	35.1	174.0	8.4	6.7	46.9	147.3	11.7	391.6	3.3	
18.2	24.2	133.2	118.1	6.1	136.3	15.1	63.6	24.2	6.1	24.2	84.8	3.0	6.1	81.8	75.7	18.2	275.6	-----	
18.9	23.7	141.9	89.9	66.2	66.2	9.5	33.1	9.5	9.5	23.4	99.3	-----	-----	99.3	99.3	-----	-----	4.7	
17.5	6.3	49.7	140.9	13.0	178.5	11.5	131.1	18.4	12.5	21.1	104.3	9.0	7.9	56.8	137.2	24.2	197.8	1.0	
17.5	6.1	49.3	137.5	13.2	176.5	11.5	132.6	18.4	12.3	20.8	102.6	9.0	7.9	57.1	83.5	24.5	193.4	0.9	
19.7	15.8	71.0	299.7	5.9	270.1	9.9	63.1	15.8	21.7	39.4	183.4	7.9	7.9	39.4	145.9	9.9	402.2	2.0	
16.0	2.7	64.0	114.6	24.0	77.3	16.0	40.0	10.7	2.7	5.3	157.2	10.7	5.3	66.6	87.9	10.7	223.9	10.7	
10.8	10.8	79.4	144.3	-----	104.6	10.8	32.5	21.6	21.6	10.8	72.1	3.6	10.8	43.3	79.4	3.6	230.8	23	
13.0	13.0	162.0	235.1	13.0	200.9	25.9	6.5	45.4	32.4	25.9	84.2	-----	-----	58.3	71.3	19.4	1,250.7	13.0	
14.1	14.1	169.3	296.4	14.1	204.6	28.2	-----	49.4	35.3	28.2	91.7	-----	-----	49.4	70.6	14.1	1,319.5	14.1	
-----	-----	79.4	158.9	-----	158.9	-----	79.4	-----	-----	-----	-----	-----	-----	158.9	79.4	79.4	476.6	25	
13.6	2.7	125.2	198.7	35.4	100.7	5.4	27.2	5.4	16.3	21.8	89.8	2.7	10.9	43.6	62.6	8.2	359.4	16.3	
8.6	5.2	72.4	139.7	12.1	158.7	25.9	79.3	31.0	15.5	13.8	131.1	10.3	12.1	74.2	100.0	32.8	269.1	8.6	
9.2	5.5	73.2	131.8	11.0	157.4	25.6	80.5	31.1	16.5	14.6	128.1	9.2	12.8	73.2	93.4	34.8	258.1	9.2	
-----	-----	59.8	269.3	29.9	179.5	29.9	59.8	29.9	-----	-----	179.5	29.9	-----	89.8	209.5	-----	448.8	29	
14.0	9.9	77.7	138.4	15.8	126.2	11.1	76.2	18.6	16.6	16.5	105.9	10.9	8.8	81.8	102.9	27.2	244.6	1.6	
14.4	9.2	77.5	131.3	15.1	119.8	10.5	75.8	19.1	16.8	16.2	103.6	10.6	8.8	80.9	100.8	27.5	238.8	1.5	
6.7	22.5	80.9	276.5	29.2	249.5	22.5	83.2	9.0	13.5	22.5	150.6	15.7	9.0	98.9	143.9	20.2	357.4	2.2	
8.5	4.3	59.5	102.0	12.8	136.0	12.8	51.0	17.0	12.8	21.3	72.3	12.8	8.5	80.8	97.8	38.3	259.3	-----	
11.7	11.7	3.9	31.2	3.9	187.1	15.6	389.7	3.9	15.6	15.6	70.2	3.9	3.9	136.4	109.1	19.5	175.4	3.9	
23.8	4.8	128.4	190.2	4.8	104.6	-----	28.5	9.5	4.8	9.5	99.9	4.8	9.5	38.0	85.6	42.8	176.0	4.8	
9.8	9.8	49.0	78.3	9.8	137.1	-----	29.4	19.6	29.4	29.4	49.0	19.6	9.8	68.6	58.8	-----	254.6	35	
12.6	11.2	67.3	141.7	25.3	122.0	12.6	68.7	19.6	16.8	35.1	115.0	11.2	11.2	68.7	84.2	22.4	235.7	-----	
10.8	10.8	69.4	117.2	23.1	117.4	9.2	70.9	21.6	17.0	35.5	118.7	12.3	12.3	69.4	70.9	23.1	206.6	-----	
31.3	15.6	46.8	389.6	46.8	171.4	46.8	46.8	-----	15.6	31.2	77.9	-----	-----	62.3	218.2	15.6	529.8	-----	
12.4	4.1	103.6	76.0	15.2	64.9	8.2	30.4	23.5	12.4	5.5	111.8	9.7	9.7	71.8	91.1	22.1	240.3	6.9	
(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	40
4.1	-----	36.8	53.1	16.3	192.0	4.1	171.6	32.7	49.0	20.4	94.0	16.3	12.3	102.1	232.8	49.0	192.0	-----	
57.3	-----	143.1	162.2	-----	105.0	-----	66.8	9.5	19.1	-----	28.6	19.1	9.5	76.3	76.3	9.5	229.0	-----	
10.0	12.7	78.1	169.3	12.3	140.9	13.5	60.4	21.6	19.2	20.0	101.6	11.5	7.7	81.6	100.8	29.3	307.9	-----	
11.0	10.6	79.0	156.3	11.0	130.4	12.7	56.5	23.4	20.0	20.4	97.2	10.2	7.6	79.4	101.1	29.7	306.2	-----	
-----	32.9	69.9	296.1	24.7	242.6	20.6	98.7	4.1	12.3	16.4	143.9	24.7	8.2	102.8	98.7	24.7	324.8	-----	
9.7	-----	78.0	87.7	58.5	146.2	9.7	78.0	9.7	19.5	9.7	253.4	9.7	9.7	87.7	58.5	9.7	224.2	-----	
11.4	-----	68.6	68.6	57.2	114.4	11.4	80.1	-----	22.9	-----	240.2	-----	-----	91.5	45.7	11.4	183.0	-----	
20.3	5.1	131.9	197.9	66.0	329.8	-----	66.0	66.0	-----	-----	329.8	66.0	-----	66.0	131.9	-----	461.7	-----	
33.5	4.8	90.9	205.8	23.9	148.4	4.8	62.2	47.9	10.2	5.1	177.7	10.2	10.2	81.2	60.9	10.2	213.3	-----	
-----	-----	-----	-----	-----	-----	-----	-----	-----	33.5	14.4	143.6	-----	-----	14.4	76.6	38.3	330.2	-----	
14.8	8.0	79.8	143.6	16.0	63.8	16.0	79.8	23.9	8.0	8.0	95.7	-----	8.0	79.8	39.9	8.0	271.3	-----	
10.2	4.9	133.2	103.6	24.7	93.8	9.9	44.4	9.9	29.6	4.9	123.4	4.9	9.9	64.2	88.8	19.7	281.3	-----	
10.2	10.2	142.5	173.1	20.4	117.0	5.1	45.8	10.2	-----	45.8	81.4	15.3	5.1	91.6	111.9	5.1	310.3	5.1	
27.4	9.7	29.0	144.9	9.7	91.7	4.8	86.9	9.7	24.1	19.3	115.9	14.5	4.8	169.0	91.7	19.3	183.5	-----	
-----	-----	48.0	178.3	27.4	109.7	20.6	48.0	20.6	18.7	6.9	123.5	-----	6.9	61.7	54.9	-----	130.3	-----	
28.0	12.0	104.1	156.2	16.0	76.1	12.0	44.1	20.0	12.0	20.0	116.1	16.0	12.0	72.1	80.1	32.0	216.3	-----	
19.4	4.8	116.3	140.6	43.6	63.0	9.7	58.2	9.7	9.7	14.5	97.0	-----	-----	19.4	77.6	33.9	174.5	4.8	
21.0	5.3	170.3	128.0	47.3	63.0	10.5	52.5	10.5	10.5	15.8	94.5	-----	-----	15.8	78.8	36.8	178.5	5.3	
-----	-----	189.4	315.7	-----	63.1	-----	126.3	-----	-----	-----	126.3	-----	-----	63.1	63.1	-----	126.3	-----	
41.0	8.2	114.7	213.1	-----	108.5	-----	41.0	8.2	16.4	16.4	114.7	16.4	-----	65.6	114.7	8.2	163.9	-----	
12.5	12.5	75.2	179.7	12.5	112.8	16.7	29.2	-----	-----	12.5	137.9	4.2	-----	79.4	58.5	50.1	196.4	-----	
13.2	13.2	75.1	167.8	13.2	101.6	17.7	30.9	-----	-----	8.8	136.9	4.4	-----	75.1	57.4	53.0	198.7	-----	
-----	-----	77.6	388.2	-----	310.6	-----	-----	-----	-----	77.6	153.3	-----	-----	153.3	77.6	-----	153.3	-----	
15.4	6.1	47.6	133.6	20.0	82.9	9.2	81.4	12.3	18.4	7.7	102.9	13.8	4.6	59.9	89.1	15.4	170.5	1.5	
12.6	18.9	88.1	127.5	7.9	159.0	12.6	80.3	14.2	11.0	11.0	99.2	7.9	9.4	64.5	140.1	47.2	206.2	3.1	
23.9	17.9	77.6	125.3	-----	125.3	11.9	59.7	17.9	6.0	11.9	101.4	35.8	6.0	83.5	89.5	35.8	2		

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culosis menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
REGISTRATION CITIES—Contd.																
KANSAS.																
1	Registration cities (total).....	1,329.7	23.5	3.2	0.3	6.7	5.5	9.0	11.0	12.5	2.9	84.9	1.4	9.3	6.1	81.7
2	White.....	1,255.6	20.8	2.2	5.8	6.1	8.6	11.5	10.6	3.2	68.5	1.6	7.0	6.4	84.2
3	Colored.....	2,037.0	48.9	12.2	3.1	15.3	12.2	6.1	30.5	241.3	30.5	3.1	58.0
4	Atchison (total).....	1,178.2	54.1	6.0	12.0	6.0	6.0	12.0	78.1	6.0	108.2
5	White.....	1,115.6	42.9	7.2	14.3	7.2	7.2	14.3	57.2	7.2	107.3
6	Colored.....	1,508.9	113.2	183.6	113.2
7	Coffeyville (total).....	1,213.9	12.5	25.0	12.5	6.3	31.3	50.1
8	White.....	1,158.5	14.1	14.1	14.1	7.1	28.2	56.4
9	Colored.....	1,665.7	111.0	55.5
10	Fort Scott (total).....	1,710.7	57.0	9.5	9.5	9.5	19.0	76.0	133.1
11	White.....	1,658.0	32.8	10.6	10.6	21.1	73.9	137.3
12	Colored.....	2,184.2	95.0	95.0	95.0	95.0
13	Hutchinson (total).....	1,401.4	31.0	25.9	10.3	20.7	87.9	5.2	5.2	15.5	77.6
14	White.....	1,091.5	32.7	27.3	10.9	16.4	87.3	5.5	16.4	81.9
15	Colored.....	1,279.5	98.4	98.4	98.4
16	Independence (total).....	1,090.6	30.1	30.1	37.6	15.0	60.2	45.1
17	White.....	995.9	32.4	24.3	40.5	16.2	32.4	48.6
18	Colored.....	2,328.0	105.8	423.3
19	Kansas City (total).....	1,308.0	22.3	1.1	5.3	7.4	12.7	14.9	13.8	3.2	129.4	2.1	14.9	2.1	64.7
20	White.....	1,171.3	17.9	2.4	6.0	8.4	9.6	15.6	10.3	3.6	102.9	2.4	9.6	2.4	65.8
21	Colored.....	2,385.6	56.1	9.4	9.4	37.4	9.4	37.4	336.8	56.1	56.1
22	Lawrence (total).....	1,444.2	15.4	15.4	7.7	46.1	53.8	23.0	7.7	138.3
23	White.....	1,444.0	9.6	9.6	9.6	57.4	38.3	19.1	9.6	153.0
24	Colored.....	1,444.7	39.0	39.0	117.1	39.0	78.1
25	Leavenworth (total).....	1,704.1	10.7	16.0	10.7	26.6	16.0	32.0	10.7	111.8	5.3	16.0	101.2
26	White.....	1,618.7	6.1	18.3	12.2	30.5	18.3	18.3	12.2	91.6	6.1	18.3	103.8
27	Colored.....	2,285.0	41.5	124.6	249.3	83.1
28	Parsons (total).....	1,310.3	6.9	20.7	103.4	6.9	6.9	69.0
29	White.....	1,237.6	7.5	22.5	60.0	7.5	7.5	75.0
30	Colored.....	2,140.4	599.3
31	Pittsburg.....	1,490.1	35.6	5.9	5.9	11.9	11.9	5.9	83.1	5.9	5.9	65.3
32	Topeka* (total).....	1,740.9	12.7	2.1	4.2	6.4	17.0	12.7	2.1	82.8	2.1	17.0	12.7	110.4
33	White.....	1,692.0	11.8	2.4	7.1	19.0	9.5	2.4	71.1	2.4	16.6	11.8	116.1
34	Colored.....	2,161.1	20.4	20.4	20.4	40.3	133.5	20.4	20.4	61.2
35	Wichita.....	1,015.8	26.2	1.5	1.5	7.7	1.5	4.6	4.6	36.9	4.6	6.2	77.0
KENTUCKY.																
36	Registration cities (total).....	1,721.2	32.2	5.4	0.7	8.7	5.2	7.3	11.7	19.3	4.9	220.4	12.5	18.8	8.9	77.1
37	White.....	1,527.3	28.8	0.9	0.3	7.7	6.0	6.0	12.5	13.1	4.8	174.8	13.1	17.7	7.1	82.8
38	Colored.....	2,638.3	48.5	26.9	2.7	13.5	1.3	13.5	8.1	48.5	5.4	436.1	9.4	24.2	17.5	49.8
39	Covington (total).....	1,497.4	17.9	1.8	1.8	5.4	5.4	16.1	10.7	3.6	209.3	17.9	10.7	7.2	68.0
40	White.....	1,370.2	15.1	1.9	1.9	5.7	5.7	17.0	7.6	3.8	193.0	17.0	11.4	5.7	66.2
41	Colored.....	3,697.6	65.4	65.4	490.8	32.7	32.7	98.2
42	Frankfort (total).....	1,718.4	36.8	9.2	9.2	367.6	55.1	55.1
43	White.....	1,591.5	37.9	12.6	12.6	290.5	27.3	75.8	50.5
44	Colored.....	2,057.3	33.7	33.7	573.4	33.7	67.5
45	Henderson (total).....	2,007.9	83.7	25.1	16.7	41.8	8.4	259.3	33.5	150.6
46	White.....	1,737.6	90.9	11.4	22.7	11.4	11.4	204.4	34.1	193.1
47	Colored.....	2,763.7	63.5	63.5	413.0	31.8	31.8
48	Lexington* (total).....	2,601.8	41.2	7.7	2.6	2.6	2.6	18.0	15.5	329.7	10.3	59.2	15.5	105.6
49	White.....	2,279.6	37.6	3.8	3.8	3.8	15.0	11.3	225.3	7.5	56.3	11.3	123.9
50	Colored.....	3,305.7	49.2	16.4	8.2	24.6	24.6	557.8	16.4	65.6	24.6	65.6
51	Louisville (total).....	1,645.6	25.9	3.8	8.5	5.1	7.2	7.2	20.0	5.5	185.0	12.8	14.5	6.8	79.5
52	White.....	1,482.2	23.9	8.3	5.7	7.3	8.3	12.5	5.2	142.8	14.5	14.5	5.7	37.2
53	Colored.....	2,384.7	35.2	21.1	9.4	2.3	7.0	2.3	54.0	7.0	375.9	4.7	14.1	11.7	44.6
54	Newport (total).....	1,158.1	15.9	3.2	6.3	22.2	12.7	196.7	12.7	6.3	15.9	33.9
55	White.....	1,147.9	16.2	3.2	6.5	22.6	12.9	197.3	9.7	6.5	12.9	51.7
56	Colored ²	1,689.2	168.9	168.9	168.9
57	Owensboro (total).....	1,940.5	98.8	5.8	5.8	5.8	11.6	5.8	93.0	249.8	5.8	17.4	34.9	63.9
58	White.....	1,760.2	79.4	7.2	7.2	14.4	7.2	72.1	223.6	7.2	7.2	21.6	64.9
59	Colored.....	2,686.6	179.1	29.9	179.1	358.2	59.7	89.6	59.7
60	Paducah (total).....	1,998.3	57.9	37.2	53.8	12.4	29.0	339.3	4.1	8.3	4.1	41.4
61	White.....	1,701.9	56.4	45.1	5.6	28.2	248.0	5.6	5.6	5.6	50.7
62	Colored.....	2,817.1	62.3	140.1	77.8	31.1	31.1	15.6	591.4	15.6	15.6
LOUISIANA. ³																
63	New Orleans (total).....	2,053.3	21.9	8.9	2.2	0.6	5.3	31.0	31.6	3.0	270.5	3.3	19.9	6.1	99.1
64	White.....	1,654.9	18.8	6.0	3.0	0.8	4.9	28.2	29.7	182.2	3.0	10.9	4.1	96.7
65	Colored.....	3,161.3	30.4	16.7	6.3	33.7	36.6	516.1	4.2	45.0	11.5	105.7

Exclusive of stillbirths.

² Colored population less than 5 per cent of the total in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- ditis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Il- defined and un- known causes. 38	
14.5	7.0	77.0	121.4	12.2	102.5	18.5	37.1	20.9	13.3	11.0	98.8	8.1	9.3	75.0	90.7	15.6	327.3	11.9	1
14.4	7.4	75.5	115.5	10.2	94.1	15.0	36.6	21.8	13.1	9.9	89.3	8.3	9.9	85.1	85.1	16.3	309.4	9.6	2
15.3	3.1	91.6	177.1	30.5	133.2	51.9	42.8	12.2	15.3	21.4	189.3	6.1	3.1	48.9	49.7	9.2	497.8	33.6	3
36.1	42.1	120.2	18.0	72.1	6.0	6.0	48.1	18.0	24.0	120.2	48.1	60.1	18.0	222.4	24.0	4
14.3	50.1	114.4	14.3	57.2	7.2	7.2	57.2	21.5	21.5	107.3	7.2	50.1	57.2	14.3	221.7	28.6	5
150.9	150.9	150.9	37.7	150.9	188.6	37.7	75.4	37.7	226.3	6
12.5	37.5	112.6	6.3	93.9	6.3	118.9	31.3	12.5	12.5	87.6	12.5	6.3	87.6	87.6	6.3	306.6	37.5	7
14.1	35.3	91.7	98.7	112.8	35.3	14.1	14.1	84.6	14.1	7.1	87.6	77.6	7.1	282.1	35.3	8
.....	55.5	277.6	55.5	55.5	55.5	166.6	111.0	98.7	166.6	499.7	55.5	9
28.5	19.0	114.0	114.0	9.5	133.1	19.0	28.5	19.0	9.5	9.5	104.5	19.0	76.0	114.0	9.5	541.7	28.5	10
31.7	21.1	126.7	126.7	10.6	126.7	21.1	21.1	21.1	10.6	73.9	21.1	73.9	105.6	10.6	517.5	31.7	11
20.7	5.2	103.4	56.9	10.3	189.9	15.5	95.0	95.0	379.9	95.0	189.9	759.7	12
16.4	5.5	103.7	60.0	10.9	54.6	10.9	38.2	10.9	21.8	5.5	56.9	5.2	72.4	72.4	15.5	227.5	15.5	13
98.4	98.4	98.4	98.4	196.9	60.0	5.5	76.4	70.9	16.4	229.2	10.9	14
.....	98.4	196.9	98.4	15
15.0	45.1	82.7	15.0	60.2	90.3	7.5	7.5	15.0	22.6	22.6	15.0	75.2	52.6	7.5	323.4	15.0	16
16.2	48.6	211.6	16.2	56.7	89.1	8.1	8.1	16.2	16.2	16.2	16.2	81.0	48.6	8.1	283.4	17	17
.....	105.8	105.8	105.8	105.8	105.8	105.8	846.6	211.6	18
10.6	11.7	60.5	105.0	14.9	131.5	21.2	42.4	11.7	11.7	9.5	101.8	13.8	9.5	84.9	97.6	21.2	248.2	4.2	19
12.0	13.2	52.6	98.1	12.0	117.2	15.6	43.1	9.6	8.4	9.6	82.6	15.6	9.6	87.7	84.9	22.7	215.4	4.8	20
.....	121.6	159.0	37.4	243.2	65.5	37.4	28.1	37.4	9.4	252.6	9.4	65.5	198.5	9.4	505.2	21
7.7	7.7	146.0	146.0	30.7	53.8	23.0	15.4	23.0	15.4	53.8	15.4	46.1	130.6	7.7	384.1	30.7	22
9.6	133.9	133.9	28.7	47.8	9.6	19.1	28.7	47.8	19.1	57.4	153.0	401.6	28.7	23
.....	195.2	117.1	39.0	78.1	78.1	78.1	39.0	312.4	39.0	24
10.7	5.3	122.5	165.1	16.0	133.1	53.3	21.3	10.7	16.0	10.7	127.8	10.7	106.5	101.2	10.7	404.7	21.3	25
12.2	6.1	122.2	158.8	18.3	134.4	55.0	18.3	12.2	18.3	6.1	110.0	12.2	110.0	91.6	12.2	366.5	18.3	26
.....	124.6	207.7	124.6	41.5	41.5	41.5	249.3	83.1	166.2	664.7	41.5	27
6.9	75.9	124.1	151.7	6.9	20.7	13.8	6.9	82.8	6.9	13.8	82.8	117.2	386.2	28
7.5	75.0	105.0	127.5	7.5	15.0	15.0	7.5	82.5	7.5	15.0	90.0	120.0	382.5	29
.....	85.6	342.5	423.1	85.6	85.6	85.6	428.1	30
5.9	23.7	71.2	71.2	17.8	53.4	5.9	59.4	29.7	17.8	17.8	154.3	11.9	29.7	95.0	178.1	23.7	368.1	17.8	31
19.1	4.2	114.6	229.3	12.7	159.2	29.7	12.7	27.6	14.9	12.7	127.4	4.2	10.6	76.4	82.8	23.4	488.3	8.5	32
21.3	4.7	118.5	220.4	9.5	156.4	23.7	14.2	28.4	14.2	11.8	123.2	4.7	11.8	80.6	75.8	26.1	471.6	4.7	33
.....	81.6	305.8	40.8	183.5	81.6	20.4	20.4	20.4	163.1	4.6	40.8	142.7	632.0	40.8	34
13.9	3.1	60.0	92.3	4.6	49.3	12.3	29.2	27.7	16.9	7.7	87.7	3.1	4.6	53.9	64.6	10.8	295.5	6.2	35
12.0	14.8	88.4	156.5	27.5	147.6	22.6	49.6	12.5	13.4	17.2	150.6	11.7	5.2	87.4	103.4	18.8	334.1	15.0	36
13.4	14.8	80.6	132.4	21.4	121.8	20.5	47.0	14.2	13.4	16.8	133.8	11.7	4.3	88.3	86.0	20.5	301.2	10.0	37
5.4	14.8	125.2	270.6	56.5	269.2	32.3	61.9	4.0	13.5	18.8	230.2	12.1	9.4	83.5	185.8	10.8	490.0	39.0	38
14.3	19.7	87.7	155.6	5.4	153.9	23.3	39.4	5.4	3.6	21.5	159.2	10.7	1.8	91.2	94.8	19.7	202.2	12.5	39
13.2	20.8	79.5	134.4	5.7	141.9	18.9	34.1	5.7	3.8	18.9	143.8	11.4	1.9	89.0	73.8	20.8	187.4	13.2	40
32.7	229.1	523.6	359.9	98.2	130.9	65.4	425.4	130.9	458.1	458.1	41
36.8	9.2	119.5	137.8	27.6	55.1	18.4	36.8	9.2	82.7	119.5	82.7	27.6	349.2	27.6	42
37.9	12.6	138.9	101.0	12.6	50.5	25.3	37.9	12.6	88.4	88.4	101.0	25.3	341.0	43
33.7	67.5	236.1	67.5	67.5	33.7	67.5	202.4	33.7	33.7	371.0	101.2	44
8.4	16.7	117.1	175.7	41.8	133.9	33.5	66.9	16.7	108.8	16.7	150.6	83.7	41.8	326.3	50.2	45
11.4	11.4	113.6	136.3	11.4	90.9	34.1	79.5	22.7	90.9	11.4	159.0	102.2	45.4	204.4	34.1	46
.....	31.8	127.1	285.9	127.1	254.1	31.8	31.8	158.8	31.8	127.1	31.8	31.8	667.1	95.3	47
23.2	20.6	126.2	208.7	30.9	206.1	20.6	54.1	33.5	7.7	18.0	177.7	23.2	12.9	79.9	203.5	28.3	667.2	33.5	48
26.3	22.5	93.9	184.0	18.8	187.8	30.0	48.8	48.8	11.3	18.8	157.7	18.8	11.3	86.4	131.4	33.8	619.6	11.3	49
16.4	16.4	196.9	262.5	57.4	246.1	65.6	16.4	221.5	32.8	16.4	65.6	360.9	16.4	771.1	82.0	50
10.6	10.2	88.5	158.6	29.3	149.3	26.8	43.8	12.8	17.0	17.0	160.8	11.5	5.1	83.4	91.4	16.6	328.4	2.6	51
13.0	10.4	81.5	131.9	26.0	120.0	23.9	43.1	14.5	16.1	16.1	141.3	11.9	4.7	85.2	82.6	18.2	304.3	1.6	52
.....	9.4	119.8	279.6	44.6	231.9	39.9	47.0	4.7	21.1	21.1	249.0	9.4	7.0	75.2	131.6	9.4	437.0	7.0	53
3.2	12.7	50.8	117.4	31.7	120.6	3.2	44.4	3.2	12.7	25.4	69.8	3.2	63.5	76.1	9.5	161.8	3.2	54
3.2	12.9	51.7	119.6	32.3	119.6	3.2	45.3	3.2	12.9	25.9	67.9	3.2	64.7	64.7	9.7	164.9	3.2	55
.....	168.9	168.9	675.7	56
.....	151.1	23.2	104.6	17.4	122.0	11.6	11.6	11.6	156.9	5.8	98.8	58.1	23.2	383.5	46.5	57
.....	14.4	101.0	122.6	14.4	57.7	7.2	108.2	14.4	14.4	14.4	151.5	115.4	50.5	28.9	332.3	50.5	58
.....	59.7	59.7	268.7	59.7	298.5	59.7	179.1	179.1	29.9	89.6	388.1	29.9	59
12.4	37.2	45.5	107.6	45.5	136.5	8.3	74.5	16.5	24.8	4.1	140.7	20.7	12.4	107.6	165.5	16.5	347.5	82.7	60
16.9	39.4	45.1	95.8	16.9	84.5	5.6	67.6	16.9	28.2	129.6	28.2	11.3	107.1	140.9	22.5	332.5	62.0	61
.....	31.1	46.7	140.1	124.5	280.2	15.6	93.4	15.6	15.6	15.6	171.2	15.6	108.9	233.5	389.1	140.1	62
14.9	9.4	101.9	215.4	16.6	186.9	12.5	88.3	18.8	16.6	29.1	267.4	14.9	15.8	55.4	102.4	19.4	364.3	63
17.3	9.4	94.5	187.4	13.9	118.6	8.7	73.0	18.4	15.1	25.2	213.0	11.3	15.1	47.0	80.9	23.3	290.6	64
8.4	9.4	122.5	293.1	24.1	376.8	23.0	130.9	19.9	20.9	39.8	418.7	25.1							

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
REGISTRATION CITIES—Contd.																
MAINE.																
1	Registration cities (total).....	1,809.0	23.4	0.6	0.6	5.1	5.7	9.1	14.3	3.4	5.1	111.9	12.0	17.1	8.6	121.1
2	White.....	1,803.9	22.9	0.6	0.6	5.2	5.7	9.2	14.3	3.4	5.2	110.7	12.0	16.6	8.6	121.6
3	Colored.....	3,042.9	138.3									414.9		138.3		
4	Auburn.....	1,440.7						6.3	12.5			81.4	18.8	12.5		144.1
5	Augusta*.....	2,092.4				7.2	14.4	7.2	14.4		7.2	129.9		7.2		115.4
6	Bangor*.....	2,221.7	46.0	3.8		3.8	11.5	3.8	11.5	11.5	19.2	122.8	15.3	42.2	3.8	161.2
7	Biddeford.....	1,585.1	11.4		5.7	11.4	5.7		40.1		5.7	103.0	11.4	11.4		68.7
8	Lewiston.....	2,032.6	11.0			11.0	3.7	3.7		3.7	3.7	139.2	7.3	14.6	11.0	153.8
9	Portland.....	1,661.8	33.8				4.8	19.3	16.1	1.6	1.6	107.8	14.5	14.5	16.1	104.6
10	Waterville.....	1,658.5	24.4			16.3			8.1			81.3	8.1	8.1	8.1	97.6
MARYLAND.																
11	Registration cities (total).....	1,788.6	24.1	0.6	0.5	0.9	6.7	13.1	15.9	8.9	4.1	193.2	10.5	14.4	7.7	102.0
12	White.....	1,600.1	24.1	0.5		1.1	6.6	7.7	17.2	7.3	4.2	146.5	9.5	10.4	7.1	103.6
13	Colored.....	2,901.6	23.7	1.1	3.2		7.5	45.3	8.6	18.3	3.2	468.9	16.2	37.7	10.8	92.7
14	Baltimore (total).....	1,809.2	22.6	0.7	0.5	1.0	5.5	14.3	14.8	8.8	4.3	203.2	10.7	13.8	7.8	101.6
15	White.....	1,603.7	22.2	0.6		1.2	5.1	8.3	15.9	6.9	4.5	154.1	9.6	9.8	7.1	103.8
16	Colored.....	2,952.0	24.9	1.1	3.4		7.9	47.6	9.1	19.2	3.4	476.7	17.0	36.2	11.3	89.5
17	Cumberland (total).....	1,712.3	63.9				35.9	4.0	23.9	8.0	4.0	143.7	16.0	23.9	8.0	99.8
18	White.....	1,657.6	67.1				37.8	4.2	25.2	8.4	4.2	121.7	16.8	16.8	8.4	100.7
19	Colored ²	2,777.8										571.9		163.4		81.7
20	Frederick (total).....	1,644.3	27.6							27.6		45.9		18.4	9.2	147.0
21	White.....	1,722.1	32.1							32.1		21.4		21.4	10.7	149.7
22	Colored.....	1,171.1										195.2				130.1
23	Hagerstown ³ (total).....	1,448.3	16.1				8.1		40.3	4.0		72.6	4.0	16.1	4.0	92.8
24	White ³	1,412.0	17.3				8.7		43.3	4.3		60.6	4.3	13.0	4.3	82.3
25	Colored ³	1,941.2										235.3		58.8		235.3
MASSACHUSETTS.																
26	Registration cities (total).....	1,463.4	8.7	0.2		6.3	7.5	8.6	20.7	4.7	4.2	114.2	13.6	10.3	6.0	98.8
27	White.....	1,454.5	8.6	0.2		6.3	7.5	8.5	20.8	4.5	4.2	110.1	13.5	9.9	5.9	99.0
28	Colored.....	2,122.2	16.1			2.7	2.7	13.4	13.4	16.1	2.7	418.5	21.5	42.9	16.1	85.9
29	Adams town.....	1,294.3	14.5			57.8			7.2	14.5		86.8	7.2	7.2		50.6
30	Arlington town.....	1,334.7				16.3				16.3	8.1	73.2	16.3		8.1	73.2
31	Attleborough town.....	1,295.5	16.4				21.9	10.9	10.9	5.5	10.9	54.7	10.9	5.5		125.7
32	Beverly.....	1,209.0	38.7					14.5	9.7		9.7	67.7	14.5	4.8	4.8	149.9
33	Boston (total).....	1,612.3	9.0			8.2	9.0	6.4	22.9	3.3	7.1	140.2	20.0	11.3	5.4	118.7
34	White.....	1,591.9	8.9			8.4	9.2	6.3	23.0	3.2	7.1	130.4	19.6	10.2	5.0	119.0
35	Colored.....	2,525.7	12.5					12.5	18.7	6.2	6.2	580.0	37.4	62.4	24.9	106.0
36	Brockton.....	1,180.5	7.8			3.1	3.1	12.5	21.9	10.9	3.1	89.0	6.2	4.7	4.7	85.9
37	Brookline town.....	1,104.8	3.2			3.2	3.2		3.2	3.2		48.2		9.6	12.8	144.5
38	Cambridge.....	1,315.7	1.8			10.9	1.8	9.1	15.4	5.4	4.5	167.6	13.6	7.2	12.7	100.6
39	Chelsea.....	2,099.8	18.9			6.3	6.3	3.1	22.0	3.1	6.3	141.7	22.0	3.1	6.3	141.7
40	Chicopee.....	1,443.5					10.7	14.3	85.5	3.6	7.1	139.0	7.1	3.6	3.6	53.5
41	Clinton town.....	1,332.1					7.8	7.8	15.7	7.8	7.8	101.9	7.8	7.8	7.8	86.2
42	Everett.....	1,064.7	2.7			8.0	2.7	2.7	21.4		2.7	80.3	8.0	10.7		74.9
43	Fall River.....	1,727.5	9.6			2.4	9.6	17.5	20.7	4.0	2.4	146.7	12.8	8.8	4.0	55.8
44	Fitchburg.....	1,199.8	4.9			4.9	12.3	2.5	24.7	2.5	2.5	71.6	7.4	14.8		93.8
45	Framingham town.....	1,590.0	7.3						14.7	7.3	7.3	51.3	29.3	14.7	14.7	124.6
46	Gardner town.....	1,437.0	18.3				6.1	24.5	42.8			67.3		42.8	6.1	67.3
47	Gloucester.....	1,322.6	8.5				4.2		12.7	8.5	4.2	88.7		12.7		135.2
48	Greenfield town.....	1,374.9	8.7							17.4		26.1		17.4		113.1
49	Haverhill.....	1,455.2	19.1			4.2	4.2	6.4	2.1	2.1		131.7	8.5	8.5	6.4	89.2
50	Holyoke.....	1,478.1					9.5	6.4	31.8	6.4	1.6	114.6	9.5	11.1	9.5	66.3
51	Lawrence.....	1,371.1	7.3			6.3	3.1	5.2	36.5	3.1	2.1	93.9	13.6	9.4	4.2	62.6
52	Leominster town.....	1,010.7	20.2				5.1	5.1	50.5		5.1	85.9		5.1	10.1	96.0
53	Lowell.....	1,593.6	10.8			10.8	1.8	8.1	23.4	2.7	1.8	95.5	17.1	11.7	5.4	88.3
54	Lynn.....	1,231.1	8.1			2.0	1.0	9.2	24.4	6.1	3.1	85.5	13.2	12.2	3.1	92.7
55	Malden.....	1,235.2					16.3	4.1	38.8	6.1		81.7	4.1	12.3	4.1	89.3
56	Marlborough.....	1,400.8	6.7					6.7	33.4	6.7		93.4	6.7	6.7	6.7	120.1
57	Medford.....	1,192.5	4.0				11.9	4.0	27.7	4.0		67.4	4.0	11.9		91.1
58	Melrose.....	1,148.8	11.8				17.8			11.8		59.2	11.8	5.9		118.4
59	Methuen town.....	1,249.7	7.6					7.6	22.9			61.0		45.7		91.4
60	Milford town.....	1,533.2	7.3			21.8	7.3			14.5		79.9				87.1
61	New Bedford.....	1,578.7	11.7			3.6	27.0	20.7	18.9	7.2	3.6	130.4	22.5	11.7	7.2	83.6
62	Newburyport.....	1,683.5	13.2					13.2	46.2		6.6	79.2	26.4	19.8	13.2	191.5
63	Newton.....	1,078.8	9.4				9.4		9.4	2.4	2.4	58.9	7.1	11.8	11.8	96.6
64	North Adams.....	1,541.0	47.4			9.5		14.2	19.0			58.9	4.7	14.2	14.2	123.3
65	Northampton*.....	1,831.4		5.1		10.1			15.2	15.2		106.2		10.1		131.5
66	Peabody town.....	1,245.0	5.7			11.4	17.1	11.4	17.1	5.7		62.8	5.7	17.1	5.7	40.0
67	Pittsfield.....	1,642.4	8.2	2.7			5.5	10.9	16.4	2.7	2.7	98.5	16.4	16.4	13.7	112.2
68	Plymouth town.....	1,572.5	15.1				37.8	166.3		22.7		68.0		7.6	7.6	98.3
69	Quincy.....	1,259.4	5.5			2.7	8.2	11.0	19.2	5.5	2.7	140.2	11.0	8.2	2.7	99.0
70	Revere town.....	965.1				4.6		9.3	23.2	4.6	4.6	55.7	4.6	4.6		27.8
71	Salem.....	1,323.6				6.4	2.1		8.5	8.5		110.7	21.3	8.5	4.3	93.8
72	Somerville.....	1,182.6	8.3			6.0	14.3	7.2	29.8	4.8	7.2	102.5	9.5	4.3	6.0	84.6

¹ Exclusive of stillbirths.² Colored population less than 5 per cent of the total in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Un- defined and un- known causes. 38	
25.1	13.1	109.6	153.6	18.8	212.3	18.3	73.7	28.6	18.3	6.3	149.0	8.0	9.1	98.2	87.4	14.8	403.1	23.4	1
24.7	13.2	109.5	152.5	18.3	212.7	18.3	74.0	28.7	6.3	148.5	8.0	9.2	98.6	86.0	14.9	401.9	23.5	2	
138.3	-----	138.3	414.9	138.3	138.3	-----	-----	-----	-----	-----	278.6	-----	-----	414.9	-----	-----	691.6	-----	3
18.8	-----	131.5	175.4	6.3	119.0	12.5	56.4	-----	6.3	37.6	175.4	6.3	12.5	68.9	18.8	18.8	294.4	6.3	4
21.6	-----	151.5	180.4	57.7	382.4	7.2	93.8	21.6	28.9	-----	129.9	14.4	7.2	50.5	79.4	21.6	526.7	14.4	5
26.9	15.3	107.4	176.5	15.3	299.3	34.5	23.0	26.9	11.5	7.7	122.8	15.3	-----	88.3	126.6	7.7	613.9	46.0	6
17.2	22.9	57.2	143.1	11.4	234.6	17.2	120.2	40.1	17.2	11.4	97.3	-----	-----	131.6	57.2	11.4	308.3	17.2	7
25.6	29.3	117.2	131.8	11.0	219.7	25.6	142.8	80.6	14.6	-----	142.8	11.0	22.0	139.2	91.6	14.6	417.5	33.0	8
30.6	3.2	114.2	143.2	22.5	149.6	14.5	46.7	9.7	20.9	1.6	186.6	4.8	9.7	86.9	86.9	12.9	380.4	22.5	9
16.3	40.7	73.2	162.6	8.1	227.6	8.1	97.6	40.7	32.5	-----	89.4	8.1	8.1	130.1	138.2	32.5	284.6	-----	10
19.4	10.3	95.3	183.0	22.3	200.4	15.1	99.3	15.8	17.5	12.2	164.6	8.1	7.8	110.1	86.8	22.5	290.9	4.7	11
21.4	8.9	91.9	160.2	20.3	163.6	13.3	95.9	15.2	16.8	12.1	153.6	6.9	7.3	96.2	82.6	25.2	239.9	3.1	12
7.5	18.3	115.3	318.0	34.5	417.1	25.9	119.6	19.4	21.6	12.9	223.6	15.1	10.8	191.9	112.1	6.5	474.3	14.0	13
19.8	10.2	97.0	181.7	22.9	212.4	14.8	101.5	14.7	17.3	12.6	168.9	7.4	7.4	110.6	82.5	23.5	290.7	3.6	14
22.0	8.5	98.2	156.1	20.8	172.8	12.8	97.3	13.6	16.5	12.6	156.7	5.9	6.7	95.1	77.3	26.5	288.3	1.8	15
7.9	19.2	117.8	323.8	35.1	432.5	26.0	124.6	20.4	21.5	12.5	236.7	15.9	11.3	197.0	111.0	6.8	471.0	13.6	16
20.0	12.0	75.8	239.5	12.0	103.8	20.0	91.8	39.9	20.0	8.0	59.9	16.0	16.0	95.8	167.6	16.0	251.5	16.0	17
21.0	12.6	71.3	230.8	12.6	92.3	16.8	96.5	42.0	21.0	8.4	62.9	16.8	16.8	83.9	159.5	16.8	247.6	16.8	18
-----	-----	163.4	408.5	-----	326.8	81.7	-----	-----	-----	-----	-----	-----	-----	326.8	326.8	-----	326.8	-----	19
36.7	18.4	91.9	165.3	36.7	101.0	18.4	64.3	18.4	36.7	-----	165.3	9.2	9.2	91.9	119.4	9.2	376.6	-----	20
42.8	21.4	96.3	171.1	42.8	107.0	21.4	64.2	21.4	32.1	-----	171.1	10.7	10.7	107.0	139.1	10.7	-----	-----	21
-----	-----	65.1	130.1	-----	65.1	-----	65.1	-----	65.1	-----	130.1	-----	-----	-----	-----	-----	325.3	-----	22
-----	8.1	76.7	165.4	12.1	60.5	16.1	72.6	16.1	12.1	12.1	169.4	16.1	8.1	121.0	92.8	12.1	298.5	20.2	23
-----	8.7	82.3	168.9	8.7	65.0	17.3	78.0	17.3	13.0	8.7	173.3	17.3	8.7	129.9	91.0	13.0	255.6	17.3	24
-----	-----	117.6	58.8	-----	-----	-----	-----	-----	58.8	-----	117.6	-----	-----	-----	117.6	-----	882.4	58.8	25
19.3	9.9	91.8	176.7	22.0	162.7	11.8	89.2	12.5	12.5	9.5	93.9	6.2	11.7	94.0	77.4	13.7	237.8	7.0	26
19.3	10.0	91.4	176.1	22.0	161.7	11.8	89.7	12.6	12.5	9.3	92.8	6.2	11.7	93.6	77.1	13.9	236.9	7.0	27
18.8	5.4	120.7	228.1	24.1	241.5	13.4	51.0	5.4	16.1	24.2	177.1	5.4	8.0	123.4	96.6	2.7	300.5	8.0	28
-----	7.2	57.8	144.6	21.7	101.2	-----	151.8	7.2	-----	-----	50.6	7.2	14.5	202.5	57.8	21.7	166.3	7.2	29
8.1	48.8	65.1	170.9	8.1	187.2	-----	57.0	16.3	16.3	-----	105.8	-----	8.1	97.7	39.5	32.6	195.3	-----	30
27.3	10.9	131.2	174.9	16.4	103.9	10.9	32.8	5.5	-----	-----	109.3	-----	27.3	87.5	5.5	180.4	-----	31	
29.0	-----	87.0	164.4	4.8	91.9	4.8	14.5	14.5	9.7	-----	101.6	4.8	-----	91.9	91.9	14.5	164.4	4.8	32
24.8	10.1	85.2	218.7	16.1	190.7	12.0	64.6	15.1	15.5	11.7	99.5	7.1	11.3	90.8	101.4	18.1	253.3	4.8	33
24.7	10.2	84.8	216.3	16.2	188.8	12.0	64.4	15.3	15.6	11.4	96.8	7.1	11.4	90.4	101.3	18.5	251.2	4.7	34
31.2	6.2	99.8	305.6	12.5	274.4	12.5	74.8	6.2	12.5	24.9	218.3	6.2	6.2	106.0	106.0	-----	349.2	6.2	35
12.5	7.8	87.4	123.4	10.9	76.5	25.0	25.0	14.1	10.9	1.6	85.9	6.2	6.2	95.2	64.0	17.2	243.6	14.1	36
28.9	-----	102.8	192.7	12.8	102.8	3.2	9.6	12.8	6.4	9.6	48.2	-----	9.6	57.8	25.7	19.3	228.0	3.2	37
8.2	3.6	86.1	159.5	27.2	160.4	3.6	61.6	7.2	9.1	4.5	84.3	5.4	4.5	75.2	67.1	3.6	192.1	1.8	38
22.0	15.7	182.6	305.5	9.4	188.9	9.4	119.6	22.0	12.6	15.7	122.8	15.7	22.0	132.2	138.5	34.6	318.0	28.3	39
7.1	32.1	64.2	114.1	32.1	156.8	10.7	245.9	-----	24.9	-----	78.4	-----	7.1	117.6	35.6	7.1	181.8	-----	40
23.5	31.3	125.4	172.4	31.3	172.4	15.7	31.3	-----	-----	23.5	54.9	-----	15.7	141.0	23.5	-----	211.6	-----	41
18.7	5.4	80.3	163.2	18.7	117.7	5.4	48.2	2.7	2.7	2.7	85.6	2.7	5.4	66.9	42.8	5.4	176.6	-----	42
19.1	8.8	77.3	154.7	32.7	233.6	16.7	295.8	9.6	12.8	16.8	102.8	5.6	8.8	132.3	48.6	13.6	216.8	27.1	43
14.8	2.5	59.2	200.0	17.3	133.3	2.5	86.4	12.3	4.9	2.5	32.1	9.9	24.7	74.1	71.6	14.8	190.1	4.9	44
29.3	14.7	102.6	219.8	14.7	183.2	-----	58.6	22.0	7.3	131.9	14.7	14.7	58.6	139.2	51.3	256.4	-----	45	
30.6	24.5	116.2	104.0	42.8	116.2	6.1	165.1	6.1	12.2	12.2	104.0	-----	18.3	110.1	79.5	18.3	201.8	-----	46
29.6	-----	101.4	236.6	16.9	67.6	16.9	50.7	4.2	16.9	21.1	114.1	-----	4.2	80.3	76.1	16.9	194.4	-----	47
8.7	26.1	87.0	95.7	17.4	113.1	8.7	78.3	17.4	17.4	34.8	104.4	8.7	17.4	113.1	139.2	8.7	252.3	43.5	48
27.6	6.4	123.2	233.7	8.5	131.7	4.2	61.6	21.2	17.0	4.2	82.9	14.9	10.6	85.0	72.2	19.1	231.6	17.0	49
19.1	20.7	63.6	122.5	22.3	213.2	8.0	168.6	9.5	14.3	14.3	127.3	6.4	12.7	101.8	78.0	8.0	198.9	1.6	50
15.7	23.0	58.4	105.4	27.1	179.5	7.3	167.0	12.5	16.7	5.2	74.1	12.5	12.5	93.9	60.5	4.2	216.0	32.3	51
20.2	5.1	75.8	126.3	10.1	60.0	15.2	10.1	10.1	-----	-----	131.4	15.2	5.1	50.5	55.6	-----	136.4	-----	52
9.9	15.3	80.2	149.5	61.3	150.4	14.4	140.5	16.2	16.2	14.4	89.2	5.4	12.6	118.0	73.9	9.0	336.9	2.7	53
17.3	10.2	99.8	156.8	14.3	121.2	10.2	39.7	13.2	15.3	6.1	92.7	1.0	14.3	58.0	66.2	13.2	221.0	-----	54
18.4	6.1	73.5	194.0	8.2	124.5	18.4	69.4	12.3	10.2	2.0	96.0	10.2	8.2	87.8	40.8	10.2	183.8	4.1	55
13.3	13.3	146.8	253.5	33.4	160.1	-----	33.4	-----	13.3	13.3	66.7	13.3	13.3	46.7	40.0	20.0	240.1	-----	56
27.7	4.0	130.7	182.3	23.8	118.9	11.9	23.8	-----	11.9	4.0	122.8	4.0	4.0	59.4	43.6	11.9	182.3	-----	57
7.6	15.2	118.4	177.7	11.8	88.8	5.9	29.6	23.7	11.8	-----	53.3	-----	23.7	59.2	41.5	17.8	242.8	5.9	58
14.5	43.6	130.7	121.9	-----	76.2	15.2	91.4	22.9	15.2	-----	99.1	7.6	7.6	61.0	53.3	15.2	281.9	-----	59
14.4	11.7	65.6	116.2	36.3	246.9	14.5	72.6	14.5	7.3	-----	94.4	-----	7.3	130.7	159.8	-----	261.4	14.5	60
6.6	-----	99.0	107.9	30.6	178.9	11.7	223.0	10.8	18.9	7.2	89.9	6.3	9.9	109.7	74.6	13.5	220.3	26.1	61
-----	-----	-----	237.7	26.4	178.3	13.2	46.2	19.8	13.2	13.2	171.7	13.2	-----	52.8	72.6	13.2	283.9	13.2	62
30.6	4.7	82.4	143.7	14.1	113.1	18.8	25.9	11.8	11.8	9.4	40.0	7.1	11.8	54.2	75.4	2.4	202.6	-----	63
9.5	-----	85.3	113.8	23.7	175.4	33.2	109.1	37.9	4.7	14.2	90.1	4.7	23.7						

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—															
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-ma-tism.	Cancer.	
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16		
REGISTRATION CITIES—Contd.																	
MASSACHUSETTS—continued.																	
1	Southbridge town.....	1,044.9	7.3	7.3				7.3			7.3				21.9	43.8	
2	Springfield.....	1,517.6	21.9	1.0		9.0	1.0	2.0	12.9	6.0	3.0		8.0		9.0	91.6	
3	Taunton *.....	2,250.8	5.6	5.6			19.6	19.6	8.4	5.8	11.2		8.2	22.5	14.0	129.1	
4	Wakefield town †.....	885.8	8.1						16.3	8.1			16.3	8.1	16.3	65.0	
5	Waltham.....	1,232.8	6.7					3.4	3.4	23.6	6.7		80.8	30.3	13.5	3.4	117.9
6	Watertown town.....	1,075.6	14.1			28.1		35.1	7.0	7.0			70.3	7.0		7.0	84.4
7	Webster town.....	1,003.0	7.9					7.9		7.9			71.1	15.8			39.5
8	Westfield town.....	1,655.8				22.7	11.3	5.7	17.0				323.2		11.3		124.8
9	Weymouth town.....	1,408.1									7.4		36.9		7.4		95.8
10	Winthrop town.....	969.2				8.4		14.7		8.4			8.4	16.9			75.8
11	Woburn.....	1,193.3	12.7										88.9		12.7		69.8
12	Worcester.....	1,574.2	3.8			11.4	4.4	8.2	12.0	2.5	6.3		119.2	15.8	10.1	8.9	111.6
MICHIGAN.																	
13	Registration cities (total).....	1,448.2	17.9	0.3	0.1	6.2	8.2	10.8	23.3	5.0	5.0		89.0	6.4	11.1	6.4	85.2
14	White.....	1,442.0	17.8	0.3	0.1	6.2	8.3	10.8	23.5	4.9	4.9		88.9	6.5	10.9	6.3	85.4
15	Colored.....	2,031.3	24.5			8.2		8.2	8.2	8.2	8.2		285.5		32.6	16.3	73.4
16	Adrian.....	1,424.2	17.8					8.9		62.3			62.3	8.9	8.9		97.9
17	Alpena.....	1,375.2	68.8				15.3	7.6					61.1			7.6	30.6
18	Ann Arbor.....	2,475.2	13.4				13.4	20.1	28.8		13.4		107.0	6.7	53.5		254.2
19	Battle Creek.....	1,550.4	10.7					3.6	10.7	10.7			81.8	3.6	17.8	3.6	135.1
20	Bay City.....	1,192.4	34.0			14.2	7.1	3.6	12.8	10.6	2.1		68.0	4.3	10.6	8.5	61.6
21	Detroit.....	1,562.3	14.1	0.2	0.2	7.6	9.7	15.6	29.2	3.7	5.2		103.6	9.1	9.1	6.1	78.9
22	Escanaba.....	1,376.6	6.8					20.3	6.8	13.6	6.8		88.2	6.8	20.3	13.6	61.0
23	Flint.....	968.8	26.2			8.1		10.1	24.2	4.0	4.0		52.5	2.0	10.1		50.5
24	Grand Rapids.....	1,292.7	27.6			4.1	17.9	4.9	28.8	5.7	2.4		68.2	4.9	5.7	5.7	97.4
25	Holland.....	988.1	17.2	1.6		8.6			17.2		8.6		43.0	8.6			94.5
26	Ironwood.....	1,067.4	35.3			7.1	42.4		14.1				77.8		7.1	7.1	42.4
27	Ishpeming †.....	892.1	8.3						8.3				57.8				57.8
28	Jackson.....	1,445.9	20.5			2.9			8.8	8.8			82.1	5.9	11.7	8.8	102.6
29	Kalamazoo *.....	1,684.0	4.4			15.3		17.5	4.4	4.4			100.3		24.0	10.9	106.9
30	Lansing.....	957.0	18.7				5.3	8.0	8.0	2.7	13.1		34.7	2.7	10.7	5.3	53.3
31	Manistee.....	1,243.4	8.6						69.1		8.6		120.9	8.6			77.7
32	Marquette.....	1,411.2	16.5			16.5	16.5		8.3		8.3		66.0				140.3
33	Menominee.....	1,375.7	31.5						10.5	8.3	16.5		136.5		8.3	16.5	42.0
34	Muskegon.....	1,360.0	15.7						15.7		3.9		94.3		15.7	7.9	129.7
35	Pontiac *.....	1,992.8	6.0			11.8		6.0	30.2	6.0	6.0		84.5	6.0	18.1	24.2	138.9
36	Port Huron.....	1,574.3				5.3		5.3	37.4	5.3	5.3		90.7	5.3	16.0		80.1
37	Saginaw.....	1,304.0	25.9			1.9	9.3	14.8	9.3	5.6	7.4		70.4	3.7	13.0	7.4	92.6
38	Sault Ste. Marie.....	1,303.8	29.6				7.4		51.9				59.5	14.8	7.4	14.8	44.4
39	Traverse City *.....	1,967.1				15.1			30.1		7.5		218.6		37.7	7.5	105.5
MINNESOTA.																	
40	Registration cities (total).....	1,189.9	12.3	0.1		2.2	22.9	9.1	31.1	4.5	3.1		117.2	11.9	11.1	5.7	82.6
41	White.....	1,184.0	12.3	0.1		2.2	23.2	9.2	31.0	4.6	3.2		114.5	12.0	11.0	5.8	83.3
42	Colored.....	1,769.4	13.6						40.8				381.1		13.6		13.6
43	Duluth.....	1,172.0	17.9	1.1		2.2	20.1	5.6	6.7	3.4	5.6		133.2	12.3	11.2	4.5	76.1
44	Mankato.....	1,655.6	9.7			9.7				9.7			77.9	9.7	19.5	9.7	107.1
45	Minneapolis.....	1,198.4	12.5			2.6	26.2	12.8	42.2	4.1	3.5		113.5	9.6	13.1	6.1	91.1
46	St. Cloud.....	1,382.9				8.8	17.5	35.0		26.3			96.3	26.3	8.8		113.8
47	St. Paul.....	1,136.1	11.0			1.3	19.4	3.8	29.1	4.6	2.5		113.6	15.6	8.0	5.1	70.1
48	Stillwater.....	1,301.6					21.5		10.8				161.4			10.8	75.3
49	Virginia.....	980.2	29.3						7.3	7.3			65.8	7.3	14.6	7.3	29.3
50	Winona.....	1,535.7					55.2	27.6	33.1				204.4	5.5	11.0	11.0	127.1
MISSOURI.																	
51	Registration cities (total).....	1,487.9	15.5	3.2	0.6	11.0	12.3	12.0	31.3	8.5	2.8		150.9	8.2	10.2	5.6	95.0
52	White.....	1,407.9	14.2	2.7	0.4	11.5	12.8	10.7	32.4	7.6	2.8		123.6	6.9	8.1	5.2	98.0
53	Colored.....	2,520.9	32.7	9.0	2.3	3.4	6.8	29.4	16.9	20.3	2.3		503.5	24.8	37.3	10.2	56.4
54	Hannibal (total).....	1,240.9	14.5					4.8	38.6	4.8	29.0		159.3	4.8	4.8	4.8	72.4
55	White.....	1,106.2	10.7					5.4	16.1	5.4	32.2		107.4	5.4	5.4	5.4	75.2
56	Colored.....	2,442.5	47.9					239.5					622.6				47.9
57	Jefferson City (total).....	1,304.6	38.4		7.7		23.0				7.7		283.9	38.4	7.7		69.1
58	White.....	1,291.8	27.5		9.2		27.5				9.2		238.2	45.8	9.2		82.5
59	Colored.....	1,370.5	94.5										519.8				
60	Joplin.....	1,631.8	30.4	6.1		76.1	6.1	3.0	67.0		3.0		249.6	12.2	3.0	6.1	100.5
61	Kansas City (total).....	1,397.2	16.3	2.8	1.8	1.1	1.4	11.7	24.1	7.1	1.8		136.6	5.3	9.9	6.7	90.1
62	White.....	1,296.0	12.9	2.4	1.2	1.2	1.6	10.6	25.9	5.5	2.0		99.6	5.1	9.4	6.7	94.1
63	Colored.....	2,356.5	48.3	7.4	7.4			22.3	7.4	22.3			486.9	7.4	14.9	7.4	52.0
64	Moberly (total).....	1,397.8		8.2		32.9		49.3	16.4				222.0	8.2	8.2	24.7	82.2
65	White.....	1,292.7		9.0		36.2		54.2	18.1				135.6		8.2	18.1	90.4
66	Colored.....	2,454.5															
67	St. Joseph * (total).....	1,369.8				2.4	1.2	8.5	9.7	2.4	4.8		1,090.9	90.9	90.9	90.9	
68	White.....	1,344.9	9.7	2.4		2.4	1.2	8.5	9.7	2.4	4.8		122.1	3.6	9.7	2.4	117.3
69	Colored.....	1,795.1	21.9	2.6		2.6	1.3	9.0	10.2	2.6	5.1		110.1	3.8	7.7	2.6	122.3

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Meningi- tis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (28)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Neph- ritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38	
14.6	7.3	73.1	102.3	-----	131.5	14.6	109.6	-----	7.3	-----	51.2	7.3	-----	116.9	58.5	-----	138.8	29.2	1
18.9	4.0	114.4	133.3	17.9	154.2	13.9	83.6	12.9	14.9	9.0	179.1	13.9	10.9	113.4	84.6	11.9	258.7	2.8	2
33.7	5.6	126.3	261.0	53.3	291.9	19.6	103.8	14.0	14.0	25.3	106.6	-----	11.2	93.2	73.0	11.2	541.7	24.4	3
8.1	8.1	89.4	113.8	40.6	121.9	8.1	24.4	8.1	-----	-----	40.6	-----	-----	32.5	40.6	-----	138.2	-----	4
6.7	23.6	74.1	154.9	3.4	151.6	10.1	33.7	13.5	16.8	6.7	53.9	3.4	13.8	50.5	50.5	6.7	259.4	6.7	5
21.1	7.0	84.4	154.7	21.1	105.4	-----	-----	7.0	7.0	21.1	42.2	-----	7.0	84.4	42.2	7.0	203.9	-----	6
15.8	-----	79.0	110.6	15.8	118.5	15.8	39.5	-----	-----	7.9	55.3	-----	7.9	110.6	63.2	-----	213.2	-----	7
22.7	5.7	96.4	85.1	5.7	221.2	-----	90.7	11.3	5.7	5.7	141.8	5.7	22.7	107.7	79.4	17.0	215.5	-----	8
14.7	-----	206.4	235.9	36.9	110.6	14.7	66.4	-----	22.1	132.7	-----	-----	7.4	88.5	73.7	7.4	228.5	-----	9
16.9	-----	143.3	177.0	25.3	92.7	8.4	16.9	-----	8.4	16.9	126.4	-----	3.4	33.7	42.1	8.4	126.4	-----	10
19.0	-----	63.5	133.3	25.4	152.3	6.3	38.1	12.7	19.0	6.3	101.6	-----	-----	63.5	69.8	19.0	279.3	-----	11
17.1	2.5	102.7	218.1	13.1	171.8	15.2	72.3	17.8	13.3	7.6	79.9	5.7	17.1	120.5	79.9	17.1	270.1	-----	12
15.6	14.4	75.1	141.4	21.8	124.3	16.6	79.1	20.8	17.5	15.5	75.1	8.0	10.4	119.1	85.5	16.8	309.2	7.1	13
15.6	14.5	74.9	140.1	21.8	123.6	16.4	79.5	20.8	17.6	15.1	74.5	8.1	10.5	119.0	84.6	16.6	309.1	7.2	14
16.3	-----	97.9	269.2	24.5	195.8	32.6	40.8	16.3	8.2	48.9	138.7	-----	3.2	130.5	171.3	32.6	326.3	-----	15
17.8	-----	106.8	169.1	35.6	71.2	17.8	8.9	17.8	17.8	8.9	151.3	-----	17.8	44.5	62.3	8.9	391.7	8.9	16
7.6	15.3	30.6	53.5	38.2	152.8	15.3	61.1	7.6	15.3	22.9	30.6	7.6	15.3	91.7	168.1	7.6	427.8	15.3	17
60.2	20.1	187.3	147.2	13.4	46.8	60.2	20.1	107.0	46.8	66.9	173.9	20.1	33.4	160.6	140.5	26.8	628.8	6.7	18
7.1	7.1	124.5	252.5	17.8	78.2	10.7	46.3	24.9	32.0	14.2	78.2	7.1	10.7	110.2	81.8	7.1	341.4	-----	19
8.5	8.5	61.6	138.2	17.0	95.6	23.4	40.4	29.8	27.6	10.6	34.0	6.4	10.6	102.0	63.8	4.3	284.8	10.6	20
16.2	21.4	59.7	138.2	25.1	170.7	15.8	122.2	18.4	15.8	20.6	72.2	10.2	11.7	146.2	95.6	19.0	284.4	6.5	21
13.6	13.6	122.1	105.5	33.9	105.5	20.3	81.4	47.5	20.3	47.5	61.0	-----	20.3	88.2	122.1	-----	217.0	20.3	22
12.1	6.1	52.5	68.6	16.1	76.7	14.1	32.3	14.1	8.1	4.0	60.5	10.1	4.0	100.9	58.5	12.1	218.0	8.1	23
13.8	13.8	68.2	128.2	20.3	75.5	27.6	42.2	26.0	19.5	6.5	84.4	4.9	3.2	94.9	50.3	21.9	314.9	4.1	24
8.6	8.6	68.7	171.8	25.8	25.8	25.8	77.3	-----	17.2	-----	51.6	8.6	-----	85.9	43.0	-----	163.2	-----	25
8.3	7.1	24.8	42.4	35.3	77.8	-----	99.0	7.1	14.1	-----	42.4	14.1	14.1	148.4	134.3	-----	188.8	14.1	26
8.8	8.3	143.7	123.9	16.5	115.6	16.5	-----	16.5	16.5	-----	49.6	8.3	24.8	123.9	41.3	8.3	173.5	-----	27
15.3	6.5	141.8	170.1	14.7	70.4	8.3	41.1	29.3	26.4	14.7	90.9	5.9	5.9	67.5	114.4	20.5	337.3	11.7	28
16.0	5.3	48.0	130.6	13.3	124.3	8.7	43.6	19.6	13.1	10.9	122.2	6.5	3.7	85.1	76.3	8.7	423.2	8.7	29
25.9	8.6	60.4	138.2	8.6	103.6	8.6	-----	25.9	8.6	-----	50.7	2.7	8.0	74.6	40.0	21.3	223.9	2.7	30
24.8	-----	107.3	107.3	-----	90.8	-----	82.5	8.3	24.8	-----	129.5	-----	3.3	69.1	155.4	8.6	198.6	-----	31
10.5	-----	168.0	136.5	21.0	63.0	21.0	31.5	42.0	21.0	21.0	42.0	10.5	10.5	73.5	73.5	21.0	357.1	-----	32
27.5	7.9	129.7	129.7	7.9	82.5	11.8	35.4	7.9	7.9	7.9	78.6	7.9	27.5	93.3	98.3	23.6	267.3	7.9	33
36.2	90.6	205.3	205.3	13.1	138.9	-----	48.3	6.0	36.2	-----	102.7	6.0	13.1	163.0	78.5	24.2	682.4	12.1	35
21.3	5.3	96.1	197.5	10.7	117.4	21.3	64.0	10.7	21.3	16.0	128.1	5.3	5.3	117.4	74.7	21.3	378.9	10.7	36
7.4	7.4	81.5	129.7	22.2	81.5	9.3	35.2	16.7	20.4	13.0	63.0	5.6	3.7	87.1	88.9	20.4	331.6	18.5	37
22.2	-----	44.4	155.6	29.6	118.5	7.4	59.3	22.2	14.8	7.4	22.2	-----	29.6	140.8	118.5	-----	281.5	-----	38
37.7	-----	203.5	188.4	30.1	45.2	15.1	15.1	7.5	7.5	-----	67.8	-----	-----	45.2	15.1	7.5	859.2	-----	39
16.5	6.4	49.6	108.5	9.1	117.7	8.9	40.8	22.1	11.7	10.0	81.4	6.1	6.6	76.9	85.9	21.4	197.2	1.1	40
16.4	6.3	49.7	105.1	9.2	116.8	8.8	41.1	22.1	11.7	9.9	79.7	6.2	6.6	76.8	85.8	21.5	196.6	1.1	41
27.2	13.6	40.8	245.0	-----	204.2	13.6	13.6	27.2	13.6	13.6	245.0	-----	-----	81.7	95.3	13.6	258.6	-----	42
13.4	9.0	44.8	94.0	9.0	126.5	6.7	35.8	16.8	11.2	8.4	67.2	6.7	6.7	79.5	101.9	17.9	219.4	2.2	43
58.4	-----	97.4	97.4	-----	87.7	39.0	-----	107.1	39.0	9.7	87.7	9.7	29.2	97.4	146.1	19.5	477.2	-----	44
16.3	5.5	51.2	107.4	8.4	121.7	6.1	41.1	18.9	11.1	11.1	57.9	7.8	5.2	73.4	76.9	25.3	184.6	0.9	45
26.3	-----	87.5	131.3	8.8	157.5	26.3	8.8	26.3	26.3	8.8	70.0	8.8	-----	113.8	87.5	8.8	233.8	-----	46
14.4	7.2	43.5	106.9	9.3	112.8	11.8	41.8	23.2	11.0	11.0	80.7	4.2	3.0	77.3	89.5	16.9	182.5	-----	47
32.3	21.5	86.1	161.4	21.5	53.8	10.8	10.8	32.3	32.3	10.8	75.2	-----	10.8	75.3	53.8	10.8	322.7	-----	48
14.6	-----	21.9	51.2	14.6	131.7	7.3	131.7	-----	-----	-----	36.6	-----	7.3	102.4	102.4	36.6	153.6	-----	49
27.6	5.5	71.8	149.1	16.6	77.3	5.5	38.7	55.2	11.0	16.6	77.3	-----	-----	71.8	99.4	27.6	292.8	16.6	50
18.3	5.6	67.6	123.5	24.7	140.4	12.0	59.0	17.3	12.9	21.7	148.9	9.5	7.9	61.9	99.5	36.1	250.5	3.7	51
18.8	5.6	67.6	112.2	23.5	128.6	11.4	60.0	17.3	12.1	21.6	141.0	9.1	8.9	61.7	91.7	33.2	239.2	3.4	52
11.3	5.6	67.7	268.7	40.6	293.5	19.2	45.2	16.9	23.7	23.7	250.6	14.7	6.8	64.3	200.9	9.0	396.2	6.8	53
19.3	9.7	67.6	77.3	9.7	57.9	9.7	43.5	9.7	-----	19.3	101.4	4.8	14.5	43.5	115.9	24.1	236.6	38.6	54
21.5	10.7	48.3	64.4	10.7	53.7	10.7	37.6	10.7	-----	10.7	107.4	-----	16.1	48.3	91.3	26.8	236.3	32.2	55
-----	-----	239.5	191.6	-----	95.8	-----	95.8	-----	-----	-----	47.9	47.9	-----	335.2	335.2	-----	239.5	95.8	56
15.3	7.7	53.9	98.4	7.7	107.4	15.3	38.4	23.0	-----	15.3	80.7	-----	15.3	76.7	61.4	23.0	222.5	-----	57
18.3	9.2	55.0	45.8	-----	91.6	18.3	45.8	27.5	-----	18.3	64.1	-----	18.3	91.6	73.3	23.2	235.2	-----	58
-----	-----	47.3	-----	47.3	139.0	-----	-----	-----	-----	-----	236.3	-----	-----	-----	-----	-----	141.8	-----	59
15.2	15.2	109.6	112.6	12.2	118.7	9.1	82.2	12.2	12.2	9.1	79.2	12.2	12.2	54.8	121.8	60.9	210.1	9.1	60
17.4	8.2	61.7	132.3	17.0	117.8	12.4	58.2	20.6	13.5	10.3	117.8	12.8	9.2	59.9	116.0	40.4	255.4	4.6	61
18.3	8.2	62.7	116.5	15.7	107.1	12.5	55.3	21.6	12.2	10.6	101.2	12.2	9.4	61.2	102.4	43.5	242.7	4.3	62
8.7	7.4	52.0	282.5	29.7	219.3	11.2	33.5	11.2	26.0	7.4	275.1	18.6	7.4	48.3	245.3	11.2	375.4	7.4	63
8.2	8.2	123.3	123.3	8.2	90.4	-----	32.9	16.4	16.4	8.2	41.1	8.2	-----	82.2	115.1	8.2	246.7	8.2	64
9.0	9.0	135.6	108.5	9.0	90.4	-----	9.0	18.1	18.1	9.0	45.2	9.0	-----	72.3	117.5	9.0	253.1	9.0	65
-----	-----	272.																	

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Infl-u-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-mat-ism.	Canc-er.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
REGISTRATION CITIES—Contd.																
MISSOURI—continued.																
1	St. Louis (total).....	1,504.4	12.0	3.0	9.5	19.1	12.0	34.7	9.4	2.7	145.0	8.6	10.6	5.2	95.4
2	White.....	1,424.4	12.1	2.6	9.9	19.5	10.6	35.4	8.4	2.6	120.2	6.7	7.9	4.7	97.7
3	Colored.....	2,658.0	10.5	8.4	4.2	12.6	31.5	25.2	23.1	4.2	501.8	35.7	50.4	12.6	63.0
4	Sedalia (total).....	1,495.4	52.8	10.6	52.8	15.9	5.3	148.0	5.3	15.9	5.3	89.8
5	White.....	1,322.5	29.5	5.9	53.1	11.8	5.9	106.3	11.8	5.9	88.6
6	Colored.....	2,969.3	251.6	50.3	60.3	50.3	503.3	50.3	50.3	100.7
7	Springfield (total).....	1,628.5	38.8	5.2	2.6	75.0	2.6	10.3	31.0	12.9	149.9	20.7	12.9	5.2	75.0
8	White.....	1,543.2	38.4	2.7	2.7	76.7	2.7	11.0	32.9	13.7	123.3	19.2	13.7	5.5	79.5
9	Colored.....	3,041.3	45.4	45.4	45.4	590.1	45.4
10	Webb City.....	1,293.3	45.1	15.0	7.5	60.2	15.0	330.9	7.5	45.1
MONTANA.																
11	Registration cities (total).....	1,548.5	21.1	0.9	10.1	10.1	4.6	6.4	11.9	13.8	132.1	13.8	15.6	9.2	75.2
12	White.....	1,542.1	21.6	0.9	10.3	10.3	4.7	6.6	12.2	14.1	130.4	14.1	15.9	8.4	76.0
13	Colored.....	1,831.0	208.1	41.6	41.6
14	Anaconda.....	1,199.2	9.6	9.6	9.6	9.6	38.4	9.6	19.2	19.2	57.6
15	Billings.....	1,075.3	30.7	23.0	7.7	7.7	7.7	15.4	23.0	23.0	7.7	61.4
16	Butte.....	1,716.9	7.1	2.4	4.7	4.7	4.7	4.7	9.5	224.7	16.6	21.3	11.8	66.2
17	Great Falls.....	2,564.5	66.5	44.3	51.7	7.4	29.6	14.8	44.3	155.2	37.0	14.8	140.4
18	Helena (total).....	1,221.9	37.7	30.2	7.5	67.9	7.5	7.5	45.3
19	White.....	1,292.9	40.2	32.1	8.0	72.3	8.0	8.0	48.2
20	Colored.....	124.2
21	Missoula.....	1,139.9	12.1	6.1	6.1	12.1	18.2	72.8	12.1	6.1	91.0
NEBRASKA. ²																
22	Registration cities (total).....	1,334.7	6.1	0.6	1.1	10.1	7.3	36.9	8.9	5.0	90.0	3.9	14.5	4.4	104.5
23	White.....	1,303.0	6.3	0.6	1.2	9.8	7.5	36.4	9.2	5.2	72.1	4.0	12.7	4.6	106.8
24	Colored.....	2,309.0	17.8	53.3	639.4	71.0	35.5
25	Lincoln.....	1,207.2	11.0	2.2	6.6	19.7	11.0	8.8	8.8	57.0	8.8	4.4	103.0
26	Omaha.....	1,378.4	4.5	0.8	1.5	12.8	7.5	42.8	8.3	3.8	101.3	5.3	16.5	4.5	105.0
NEW HAMPSHIRE.																
27	Registration cities (total).....	1,655.9	8.7	0.5	14.1	9.8	18.5	13.0	9.2	4.3	96.6	14.7	13.6	3.8	93.9
28	White.....	1,654.6	8.7	0.5	14.1	9.8	18.5	13.1	9.2	4.4	96.3	14.7	13.6	3.8	93.6
29	Colored.....	2,366.9	295.9	295.9
30	Berlin.....	1,460.1	7.7	38.4	61.5	23.1	69.2
31	Concord *.....	2,045.7	9.0	4.5	9.0	13.5	121.1	9.0	13.5	4.5	130.1
32	Dover.....	1,922.5	15.1	7.5	135.7	15.1	158.3
33	Keene.....	1,483.3	9.6	9.6	19.1	114.8	19.1	19.1	57.4
34	Laconia.....	1,631.5	9.0	18.0	9.0	63.1	9.0	9.0	63.1
35	Manchester.....	1,652.7	7.9	33.1	23.8	35.7	14.5	17.2	1.3	103.1	21.2	18.5	2.6	74.0
36	Nashua.....	1,308.0	11.2	3.7	7.4	3.7	11.2	70.6	14.9	11.2	78.1
37	Portsmouth.....	1,690.1	17.3	17.3	26.0	8.7	78.0	8.7	17.3	208.0
NEW JERSEY.																
38	Registration cities (total).....	1,419.7	9.5	0.2	0.1	10.1	8.4	7.5	21.9	5.7	5.6	123.6	11.1	8.1	7.6	78.0
39	White.....	1,392.3	9.4	0.2	0.1	10.0	8.6	7.1	22.4	5.5	5.7	121.9	10.6	7.6	7.6	78.4
40	Colored.....	2,194.1	12.8	12.8	1.6	19.2	8.0	9.6	3.2	319.8	24.0	20.8	8.0	67.2
41	Asbury Park (total).....	1,288.8	7.8	7.8	7.8	15.7	133.2	94.0
42	White.....	1,230.4	9.7	9.7	9.7	9.7	77.5	106.6
43	Colored.....	2,048.3	41.0	368.7	41.0
44	Atlantic City (total).....	1,536.5	18.5	1.9	1.9	1.9	1.9	1.9	118.6	11.1	1.9	9.3	72.3
45	White.....	1,527.5	21.2	2.4	2.4	2.4	2.4	89.7	14.2	2.4	9.4	85.0
46	Colored.....	1,569.5	8.6	8.6	8.6	8.6	224.2	8.6	25.9
47	Bayonne.....	1,236.4	4.6	3.1	13.8	4.6	4.6	33.7	4.6	7.7	82.7	12.3	7.7	6.1	42.9
48	Bloomfield.....	1,047.7	5.8	11.5	5.8	17.3	5.8	86.3	11.5	11.5	5.8	74.8
49	Bridgeton (total).....	1,688.2	27.9	14.0	20.9	20.9	14.0	34.9	118.6	7.0	27.9	7.0	139.5
50	White.....	1,670.9	22.2	14.8	22.2	22.2	14.8	37.0	125.7	7.4	22.2	7.4	147.9
51	Colored.....	1,977.7	123.6	123.6
52	Camden (total).....	1,716.7	14.6	5.9	2.0	19.5	23.4	6.8	7.8	165.9	8.8	10.7	7.8	72.2
53	White.....	1,645.0	14.6	6.3	2.1	16.7	25.1	7.3	8.4	142.0	7.3	7.3	8.4	71.0
54	Colored.....	2,746.9	15.0	60.0	510.4	30.0	60.0	90.1
55	East Orange (total).....	905.9	5.0	7.5	57.7	5.0	10.0	2.5	42.7
56	White.....	904.1	5.3	8.0	50.5	2.7	8.0	2.7	45.2
57	Colored.....	938.8	178.3	44.6	44.6
58	Elizabeth.....	1,437.9	4.9	19.4	6.7	15.8	20.6	2.4	7.3	89.8	21.8	6.1	7.3	92.2
59	Garfield.....	1,155.2	23.0	7.7	45.9	7.7	68.9	7.7	45.9
60	Hackensack (total).....	1,586.4	18.7	6.2	12.5	25.0	6.2	106.2	31.2	6.2	99.9
61	White.....	1,535.1	13.2	6.6	13.2	26.5	6.6	99.3	33.1	6.6	92.6
62	Colored.....	2,449.9	111.4	222.7	222.7
63	Harrison.....	1,033.4	12.4	6.2	18.6	6.2	80.4	6.2	74.3
64	Hoboken.....	1,553.5	16.0	6.7	61.3	177.3	9.3	6.7	9.3	65.3
65	Irrington.....	1,272.4	13.6	9.3	4.0	27.2	6.8	163.3	20.4	13.6	102.1
66	Jersey City.....	1,375.2	7.5	4.4	7.5	4.1	31.0	3.7	6.1	139.5	11.2	10.5	9.5	73.3
67	Kearny.....	1,169.9	4.6	9.1	9.1	4.6	27.3	4.6	59.2	13.7	4.6	9.1	45.5

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

81

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dise- ases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38		
18.6	4.4	62.1	128.6	30.6	152.9	11.7	61.3	13.3	11.6	28.6	171.8	8.2	7.2	61.1	93.2	36.6	234.1	1.4	1	
18.9	4.2	61.9	117.5	29.7	140.7	10.6	62.3	12.7	10.8	28.7	164.6	8.0	7.3	59.8	86.5	38.9	222.0	1.2	2	
14.7	6.3	65.1	289.7	44.1	327.5	27.3	46.2	23.1	23.1	27.3	275.0	10.5	6.3	79.8	191.1	4.2	409.4	4.2	3	
10.6	68.7	105.7	10.6	190.2	15.9	47.6	21.1	15.9	169.1	15.9	37.0	84.5	26.4	264.2	10.6	4	
11.8	59.0	88.6	5.9	153.5	17.7	53.1	17.7	177.1	11.8	29.5	82.7	29.5	230.3	11.8	5	
.....	151.0	251.6	50.3	503.3	100.7	50.3	100.7	100.7	533.6	6	
23.3	2.6	80.1	95.6	15.5	139.6	18.1	64.6	28.4	20.7	15.5	103.4	15.5	10.3	72.4	111.2	31.0	330.9	7.8	7	
21.9	2.7	76.7	90.5	13.7	139.8	16.4	63.0	30.2	13.7	11.0	98.7	13.7	11.0	76.7	98.7	27.4	307.0	8.2	8	
45.4	136.2	181.6	45.4	136.2	45.4	90.8	136.2	90.8	181.6	45.4	317.7	317.7	90.8	726.3	9	
.....	22.6	97.8	22.6	67.7	22.6	90.2	22.6	82.7	15.0	7.5	45.1	105.3	15.0	120.3	30.1	10	
26.6	19.3	37.6	126.6	15.6	160.5	16.5	48.6	47.7	14.7	21.1	90.8	23.9	12.8	93.6	146.8	33.0	263.3	24.8	11	
27.2	18.8	37.5	125.7	15.9	159.5	15.9	49.7	46.9	14.1	19.7	89.1	23.5	13.1	95.7	144.5	33.8	264.5	21.6	12	
.....	41.6	41.6	166.5	208.1	41.6	83.2	41.6	83.2	166.5	41.6	249.7	208.1	166.5	13	
19.2	9.6	48.0	105.5	9.6	105.5	28.8	9.6	67.2	48.0	9.6	35.4	57.6	134.3	19.2	268.6	38.4	14	
30.7	15.4	15.4	76.8	7.7	84.5	46.1	23.0	23.0	7.7	38.4	30.7	15.4	76.8	122.9	23.0	222.7	7.7	15	
26.0	33.1	42.6	111.1	21.3	177.4	21.3	61.5	54.4	16.6	28.4	113.5	30.7	9.5	82.8	179.7	37.8	279.1	11.8	16	
59.1	14.8	37.0	162.6	29.6	347.4	29.6	88.7	110.9	14.8	125.6	37.0	7.4	147.8	162.6	51.7	413.9	118.2	17	
7.5	7.5	30.2	181.0	15.1	120.7	30.2	15.1	30.2	7.5	7.5	128.2	7.5	7.5	105.6	120.7	37.7	150.9	7.5	18	
8.0	8.0	32.1	192.7	16.1	128.5	32.1	16.1	32.1	8.0	8.0	123.5	8.0	8.0	112.4	128.5	40.2	160.6	8.0	19	
.....	124.2	20
18.2	6.1	42.4	145.5	91.0	6.1	24.3	36.4	18.2	12.1	42.4	12.1	12.1	103.1	97.0	18.2	218.3	21	
15.1	8.4	65.4	102.8	10.6	115.1	8.4	47.5	36.3	29.1	11.7	91.7	8.9	8.9	72.7	91.7	31.3	281.7	3.9	22	
15.0	7.5	65.3	99.3	9.2	109.1	8.7	47.9	36.4	29.4	12.1	91.2	9.2	8.7	75.0	88.3	31.7	278.2	4.0	23	
17.8	35.5	59.3	213.1	53.3	302.0	35.5	35.5	17.8	106.6	17.8	195.4	17.8	390.8	24	
19.7	6.6	70.1	85.4	2.2	74.5	11.0	70.1	41.6	26.3	6.6	54.8	4.4	6.6	92.0	78.9	17.5	293.6	13.1	25	
13.5	9.0	63.8	108.8	13.5	129.1	7.5	39.8	34.5	30.0	13.5	104.3	10.5	9.3	66.0	96.0	36.0	277.6	0.8	26	
22.3	17.4	105.3	184.6	41.8	137.4	12.5	97.7	13.0	18.5	15.7	117.3	7.6	8.1	118.9	82.5	10.3	335.5	8.7	27	
22.3	17.4	105.0	183.8	41.9	137.6	12.5	97.9	13.1	18.5	15.8	117.5	7.6	8.2	119.1	82.1	10.3	335.1	8.7	28	
.....	295.9	591.7	295.9	295.9	591.7	29	
7.7	30.7	30.7	69.2	61.5	199.8	238.2	15.4	15.4	15.4	61.5	15.4	15.4	153.7	84.5	245.9	30	
35.9	9.0	179.4	309.5	26.9	139.1	9.0	26.9	9.0	26.9	166.0	4.5	4.5	44.9	103.2	31.4	605.6	31	
37.7	173.4	263.9	15.1	165.9	15.1	98.0	15.1	7.5	143.2	67.9	120.6	15.1	429.7	32	
57.4	38.3	220.1	47.8	105.3	19.1	19.1	47.8	28.7	229.6	28.7	76.5	67.0	19.1	229.6	15.1	33	
27.0	117.2	225.3	54.1	81.1	63.1	27.0	9.0	162.2	9.0	135.2	117.2	9.0	387.6	27.0	34	
15.9	27.8	92.5	142.8	51.6	138.8	18.5	133.5	14.5	15.9	10.8	76.7	11.9	6.6	163.9	66.1	6.6	285.6	10.6	35	
7.4	11.2	85.5	148.7	29.7	130.1	11.2	59.5	7.4	22.3	126.4	3.7	14.9	85.5	78.1	3.7	316.0	3.7	36	
34.7	17.3	147.3	263.7	26.0	121.3	52.0	34.7	17.3	156.0	86.7	95.3	8.7	225.3	17.3	37	
18.8	9.3	80.2	143.1	20.3	167.1	15.0	93.2	13.1	11.0	16.4	129.2	7.8	8.9	85.8	83.6	18.3	193.3	3.1	38	
18.9	9.2	79.6	140.4	19.6	162.2	14.6	92.8	12.7	10.8	16.6	126.3	7.5	8.9	84.0	82.7	18.6	188.7	3.1	39	
16.0	12.8	99.1	219.1	40.0	303.8	25.6	103.9	24.0	17.6	8.0	212.7	16.0	8.0	135.9	108.7	9.6	323.0	3.2	40	
23.5	141.0	164.5	23.5	109.7	7.8	47.0	7.8	180.2	7.8	94.0	54.8	7.8	250.7	41	
29.1	174.4	155.0	9.7	87.2	9.7	38.8	116.3	9.7	67.8	58.1	9.7	242.2	42	
.....	204.8	81.9	204.8	81.9	41.0	450.6	204.8	41.0	286.8	43	
37.1	7.4	87.1	176.1	16.7	135.3	18.5	61.2	11.1	20.4	13.0	196.5	13.0	9.3	98.2	90.8	25.9	276.2	1.9	44	
42.5	7.1	96.8	179.4	16.5	125.1	16.5	59.0	11.8	18.9	14.2	200.7	9.4	11.8	89.7	94.4	38.1	271.5	2.4	45	
17.2	8.6	51.7	163.8	17.2	172.5	25.9	69.0	8.6	25.9	8.6	181.1	25.9	129.4	77.6	293.2	46	
18.4	7.7	61.3	104.2	38.3	148.6	23.0	119.5	12.3	12.3	10.7	67.4	9.2	16.9	84.3	93.5	16.9	163.9	47	
40.3	11.5	92.1	86.3	23.0	63.3	5.8	57.6	11.5	120.9	5.8	5.8	63.3	5.8	5.8	201.5	11.5	48	
34.9	139.5	183.5	27.9	125.6	34.9	48.8	27.9	160.4	62.8	104.6	27.9	279.0	49	
37.0	133.1	155.3	29.6	118.3	37.0	44.4	29.6	170.0	29.6	66.5	66.5	29.6	280.9	50	
.....	247.2	123.6	247.2	123.6	741.7	247.2	51	
13.7	5.9	89.8	200.1	5.9	242.0	14.6	125.9	14.6	14.6	13.7	154.2	18.5	13.7	107.4	110.3	16.6	206.9	2.9	52	
13.6	5.2	85.6	185.8	6.3	227.5	14.6	124.2	13.6	14.6	14.6	155.5	18.8	14.6	104.4	110.6	16.7	199.4	3.1	53	
15.1	15.1	150.1	405.3	450.3	15.0	150.1	30.0	15.0	135.1	150.1	105.1	15.0	315.2	54	
20.1	2.5	110.4	178.1	7.5	87.8	15.1	22.6	2.5	17.6	105.4	35.1	32.6	10.0	128.0	55	
21.3	2.7	114.3	178.2	8.0	87.7	16.0	24.0	2.7	18.6	103.7	5.4	29.2	31.9	10.6	127.6	56	
.....	44.6	89.1	89.1	133.7	133.7	44.6	133.7	57	
21.8	4.9	98.3	163.8	23.1	152.9	19.4	128.6	12.1	8.5	15.8	97.1	4.9	13.3	66.7	108.0	7.3	195.4	2.4	58	
.....	7.7	23.0	45.9	30.6	267.8	15.3	168.3	15.3	76.5	114.8	68.9	7.7	107.1	59	
37.5	6.2	106.2	143.7	18.7	162.4	25.0	62.5	31.2	6.2	149.9	12.5	31.2	118.7	118.7	25.0	218.0	60	
39.7	6.6	99.3	132.3	19.9	165.4	26.5	52.9	26.5	6.6	145.6	13.2	33.1	112.5	123.7	26.5	205.1	61	
.....	222.7	334.1	111.4	222.7	111.4	222.7	222.7	445.4	62	
.....	18.6	30.9	92.8	18.6	99.0	160.9	6.2	18.6	86.6	6.2	61.9	49.5	24.8	154.7	63	
25.3	20.0	86.7	166.7	30.7	172.0	20.0	68.0	10.7	6.7	32.0	140.0	9.3	6.7	65.3	105.3	34.7	181.3	64	
13.6	6.8	108.9	149.7	13.6	74.8	20.4	61.2	20.4	6.8	13.6										

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culosis of menin-gitis.	Other forms of tuber-culosis.	Rheu-mat-ism.	Cancer.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
REGISTRATION CITIES—Contd.																
NEW JERSEY—continued.																
1	Long Branch (total).....	2,112.9	20.4					6.8	13.6	13.6		95.1	13.6	27.2	6.8	101.9
2	White.....	1,994.9	15.0					7.5	15.0	15.0		45.0	7.5	15.0	7.5	97.5
3	Colored.....	3,249.1	72.2									577.6	72.2	144.4		144.4
4	Millville.....	1,200.4	15.1						22.6	22.6		67.9			7.5	98.1
5	Montclair (total).....	1,404.2	4.0			8.1			4.0	20.2	4.0	117.0	12.1	12.1		84.7
6	White.....	1,392.6				4.6			4.6	18.3	4.6	109.6	13.7	13.7		86.8
7	Colored.....	1,493.1	34.7			34.7				34.7		173.6				69.4
8	Morristown (total).....	2,041.0	61.4					15.3	7.7	7.7	7.7	99.7	23.0	23.0	23.0	176.5
9	White.....	2,001.5	66.7					16.7	8.3	8.3	8.3	75.1	16.7	25.0	25.0	183.5
10	Colored.....	2,495.2										383.9	96.0			96.0
11	New Brunswick.....	2,005.9	8.1			16.1		80.6		4.0	4.0	185.3	12.1	12.1	8.1	88.6
12	Newark.....	1,452.0	7.5			18.2		6.9	5.9	11.1	5.7	157.3	13.1	7.2	7.5	87.4
13	Orange (total).....	1,586.0	15.6					6.3	6.3	9.4	3.1	112.6	28.2	12.5	3.1	125.1
14	White.....	1,439.6	17.1					6.8	6.8	6.8	3.4	105.9	20.5	10.2		126.4
15	Colored.....	2,631.6								37.1		37.1	135.3	111.2	37.1	111.2
16	Passaic.....	1,314.2	9.1		1.5	10.6		4.5	1.5	27.2	10.6	101.1	9.1	6.0	7.5	43.8
17	Paterson.....	1,347.7	4.5			9.7		0.7	5.2	15.6	3.7	113.9	5.2	4.5	6.0	92.3
18	Perth Amboy.....	1,492.2	18.3			23.7		23.5	20.9	60.1	7.8	107.1	10.5	10.5	5.2	49.7
19	Phillipsburg.....	1,235.3	19.9			6.6		46.5	19.9	19.9	13.3	73.1		19.9	13.3	39.8
20	Plainfield (total).....	1,283.2	8.8							8.8	4.4	65.9		4.4	4.4	118.7
21	White.....	1,226.9	9.7							9.7	4.8	53.1			4.8	125.6
22	Colored.....	1,851.9										194.9		48.7		48.7
23	Trenton*.....	1,814.1	17.8			2.8		26.2	21.5	22.5	9.4	13.1	151.6	14.0	10.3	11.2
24	Union†.....	763.1	4.2			4.2		17.0		12.7	4.2	63.6			8.5	42.4
25	West Hoboken†.....	819.2				4.9		7.4	4.9	34.4	9.8	98.4			7.4	46.7
26	West New York.....	1,140.8				11.7		5.9	5.9	35.1		169.7			5.9	58.5
27	West Orange†.....	621.0	7.9			15.7				15.7		55.0	7.9	7.9		47.2
NEW YORK.																
Registration cities (total).....		1,454.1	8.6	0.4	(?)	9.8		8.4	6.8	24.5	5.3	5.5	158.9	13.2	8.3	7.3
28	White.....	1,437.4	8.6	0.4	(?)	9.8		8.5	6.7	24.5	5.3	5.5	152.2	12.9	8.0	7.2
29	Colored.....	2,386.8	11.3	0.8		9.8		1.5	13.6	23.0	6.0	4.5	526.0	32.5	23.0	14.4
30																
31	Albany.....	1,935.7	17.5	1.9		1.9		7.8	4.9	12.6	13.6	4.9	245.7	17.5	14.6	7.8
32	Amsterdam.....	1,405.3	14.2					8.5		14.2	5.7	11.4	136.3	5.7	17.0	2.8
33	Auburn.....	1,514.7	11.0			8.2		5.5	2.7	11.0	5.5	2.7	106.8	5.5	11.0	13.7
34	Batavia.....	1,767.9						7.9	7.9		47.6	15.9	63.4			95.1
35	Binghamton*.....	1,948.6	13.4	1.9		30.7		3.8	7.7	19.2	15.3	9.6	126.5	9.6	17.2	7.7
36	Buffalo.....	1,551.4	16.3	0.7		2.2		5.7	16.5	14.8	2.4	5.1	142.9	12.6	10.3	10.1
37	Cohoes.....	1,572.9	20.0			8.0		4.0	24.0	24.0			131.7		12.0	8.0
38	Corning.....	1,335.5	33.6							20.2			53.8	6.7	13.5	47.1
39	Cortland.....	1,735.0	8.0							8.0	15.9		79.6	31.8	15.9	8.0
40	Dunkirk.....	1,213.8	40.8	5.1		20.4		10.2	45.9	20.4	10.2	5.1	61.2		15.3	35.7
41	Elmira.....	1,525.8	13.2			2.6		2.6	15.9	10.6	5.3	71.4	2.6	10.6	2.6	111.1
42	Fulton.....	1,563.6				8.7			26.2	17.5			69.9		17.5	26.2
43	Geneva.....	1,766.5	30.1					45.1	7.5	30.1	7.5	7.5	60.1	15.0	7.5	15.0
44	Glens Falls.....	1,760.2	30.6					6.1		12.2			134.5	18.3	6.1	128.3
45	Gloversville.....	1,531.1	18.5					4.6		18.5		4.6	111.0		9.3	18.5
46	Hornell.....	1,541.0	7.0			13.9		7.0	13.9		7.0	7.0	104.6	7.0	7.0	125.5
47	Hudson.....	1,832.0	32.7	8.2				57.3		8.2	16.4	8.2	155.5	16.4	8.2	130.9
48	Ithaca.....	1,566.7	32.2							6.4			109.6	6.4	12.9	6.4
49	Jamestown.....	1,227.1	8.6			5.7			5.7	11.5	2.9		77.4		5.7	17.2
50	Johnstown.....	1,256.9						18.9	9.5	18.9	18.9		47.3			18.9
51	Kingston.....	1,842.0	7.5	3.8		26.4		7.5		7.5	22.6	3.8	173.6	15.1	30.2	3.8
52	Lackawanna.....	1,688.4	5.3						78.9	10.5	5.3	10.5	26.3			21.0
53	Little Falls.....	1,774.1	7.6						22.9	15.3	15.3	7.6	107.1	7.6		84.1
54	Lockport.....	1,460.6	10.2						10.2	5.1	25.5		107.2		5.1	102.1
55	Middletown*.....	2,472.8	6.4			31.9				25.6		6.4	242.8	12.8	25.6	12.8
56	Mount Vernon.....	1,104.2				8.6				8.6	8.6	11.4	54.2	14.3	5.7	2.9
57	New Rochelle (total).....	1,028.9				5.7		2.9	5.7	11.5	2.9	8.6	63.0	2.9		80.2
58	White.....	992.7				6.1		3.1	6.1	12.2	3.1	9.2	39.7	3.1		3.1
59	Colored.....	1,579.2											418.0			
60	New York (total).....	1,406.6	6.3	0.3		10.8		9.1	4.9	23.3	4.2	5.8	172.6	14.3	7.3	7.1
61	Bronx Borough.....	1,348.5	5.3			7.0		7.6	3.2	34.2	6.0	4.0	174.8	12.5	6.2	7.6
62	Brooklyn Borough.....	1,377.5	6.9	0.5		6.8		6.5	4.1	25.2	4.7	5.1	150.8	12.9	7.3	9.1
63	Manhattan Borough.....	1,427.1	6.1	0.2		15.3		11.2	5.8	30.3	3.5	6.9	191.5	15.5	7.6	5.4
64	Queens Borough.....	1,442.5	6.2	0.3		6.8		12.1	5.0	25.3	4.7	2.9	147.7	15.6	6.5	6.5
65	Richmond Borough.....	1,617.3	6.4	2.1		4.3		3.2	6.4	9.6	2.1	8.5	163.8	11.7	7.4	13.8
66	White.....	1,335.5	6.3	0.3		10.8		9.3	4.7	23.2	4.2	5.8	164.9	13.9	6.9	7.0
67	Bronx Borough.....	1,344.7	5.3			7.1		7.6	3.2	34.4	6.1	4.0	172.4	12.4	6.3	7.6
68	Brooklyn Borough.....	1,362.1	6.9	0.6		6.8		6.6	3.9	25.0	4.6	5.1	146.4	12.8	7.1	9.1
69	Manhattan Borough.....	1,397.3	6.1	0.2		15.4		11.4	5.6	30.3	3.5	6.9	179.8	15.0	6.8	5.1
70	Queens Borough.....	1,427.9	6.0			6.6		12.2	4.8	25.6	4.8	3.0	144.7	15.5	6.6	6.3
71	Richmond Borough.....	1,605.3	6.5	2.2		3.2		3.2	6.5	9.7	2.2	8.6	162.9	11.9	7.6	14.0
72	Colored.....	2,412.7	7.3	0.9		11.0		0.9	12.8	30.2	4.6	5.5	537.8	29.3	26.5	11.9
73	Bronx Borough.....	1,709.6								18.4			404.4	18.4		91.9
74	Brooklyn Borough.....	2,400.7	7.4			7.4			22.1	40.4	11.0	3.7	448.5	18.4	18.4	7.4
75	Manhattan Borough.....	2,457.2	7.0			11.2		1.4	9.8	29.5	2.8	7.0	596.4	35.1	33.7	14.0
76	Queens Borough.....	2,641.9	24.5	24.5		24.5			24.5				391.4	24.5		24.5
77	Richmond Borough.....	2,446.3				74.1							222.4			222.4

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Neph- ritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
34.0	13.6	88.3	312.5	6.8	101.9	27.2	67.9	34.0	54.4	20.4	339.7	34.0	-----	54.4	312.5	6.8	292.1	13.6	1
37.5	15.0	90.0	300.0	7.5	90.0	30.0	60.0	37.5	52.5	22.5	330.0	30.0	-----	60.0	315.0	7.5	277.5	7.5	2
15.1	7.5	60.4	143.4	30.2	83.0	7.5	144.4	-----	72.2	22.6	433.2	72.2	-----	-----	288.8	-----	433.2	72.2	3
-----	-----	-----	-----	-----	-----	-----	60.4	-----	-----	-----	135.9	-----	7.5	90.6	67.9	15.1	211.4	7.5	4
12.1	8.1	92.8	125.1	24.2	149.3	12.1	104.9	8.1	-----	12.1	137.2	12.1	4.0	133.2	88.8	12.1	201.8	-----	5
9.1	9.1	82.2	127.8	27.4	146.1	9.1	109.6	9.1	-----	13.7	137.0	13.7	4.6	146.1	95.9	13.7	182.6	-----	6
34.7	-----	173.6	104.2	-----	173.6	34.7	69.4	-----	-----	-----	138.9	-----	-----	34.7	34.7	-----	347.2	-----	7
15.3	7.7	107.4	176.5	7.7	145.8	30.7	53.7	38.4	15.3	23.0	138.1	23.0	30.7	122.8	168.8	15.3	460.4	15.3	8
16.7	8.3	108.4	166.8	8.3	133.4	33.4	50.0	41.7	16.7	25.0	141.8	25.0	25.0	133.4	166.8	16.7	433.7	16.7	9
-----	-----	96.0	287.9	-----	287.9	-----	96.0	-----	-----	-----	96.0	-----	96.0	191.9	-----	-----	767.8	-----	10
16.1	16.1	141.0	193.3	4.0	153.1	12.1	173.2	28.2	8.1	8.1	128.9	4.0	20.1	181.3	141.0	20.1	306.1	4.0	11
20.8	7.2	81.7	129.0	24.2	185.3	13.1	104.3	11.8	11.3	17.5	140.6	5.7	8.2	85.8	74.5	20.6	171.9	1.8	12
21.9	18.8	118.9	206.5	31.3	200.2	9.4	28.2	12.5	6.3	25.0	175.2	9.4	3.1	90.7	78.2	18.8	203.3	3.1	13
23.9	13.7	126.4	201.6	23.9	170.8	6.8	23.9	6.8	6.8	23.9	164.0	3.4	3.4	82.0	75.2	20.5	205.0	3.4	14
-----	74.1	37.1	259.5	111.2	518.9	37.1	74.1	74.1	-----	37.1	296.5	74.1	-----	185.3	111.2	-----	185.3	-----	15
10.6	6.0	28.7	89.0	10.6	261.0	9.1	137.3	9.1	7.5	18.1	66.4	12.1	6.0	119.2	86.0	15.1	176.5	7.5	16
21.6	12.7	82.6	179.4	18.6	148.9	19.4	61.1	21.6	9.7	13.4	122.9	4.5	8.9	69.2	69.2	18.6	200.3	3.7	17
10.5	34.0	31.4	91.5	34.0	133.3	2.6	222.1	13.1	10.5	7.8	78.4	10.5	5.2	128.1	107.1	7.8	201.2	18.3	18
46.5	13.3	79.7	99.6	-----	166.0	-----	66.4	-----	-----	-----	99.6	6.6	6.6	53.1	99.6	6.6	212.5	6.6	19
17.6	22.0	96.7	158.2	8.8	87.9	26.4	70.3	43.9	-----	-----	109.9	-----	22.0	92.3	48.3	17.6	246.1	-----	20
19.3	19.3	86.9	149.7	9.7	77.3	29.0	67.6	43.5	-----	-----	96.6	-----	24.2	82.1	53.1	19.3	241.5	-----	21
-----	48.7	194.9	243.7	-----	194.9	-----	97.5	48.7	-----	-----	243.7	-----	-----	194.9	-----	-----	292.4	-----	22
12.2	2.8	111.4	178.8	19.7	220.0	17.8	97.3	14.0	19.7	10.3	167.6	14.0	10.3	108.6	110.5	21.5	280.8	4.7	23
12.7	4.2	25.4	89.0	8.5	114.5	4.2	29.7	4.2	8.5	17.0	89.0	8.5	-----	33.9	33.9	25.4	89.0	4.2	24
4.9	7.4	64.0	68.9	14.8	86.1	9.8	44.3	4.9	4.9	29.5	78.7	-----	2.5	32.0	22.1	27.1	93.5	-----	25
17.6	17.6	58.5	134.6	11.7	134.6	5.9	122.9	-----	11.7	23.4	76.1	5.9	5.9	52.7	23.4	35.1	105.3	-----	26
-----	-----	39.3	78.6	-----	78.6	-----	23.6	7.9	-----	23.6	47.2	-----	-----	47.2	31.4	15.7	70.7	-----	27
20.8	8.0	70.2	158.8	17.1	168.5	12.3	72.6	14.5	11.7	17.2	135.0	7.3	8.1	84.7	78.6	16.9	205.7	1.0	28
21.0	8.0	70.2	157.6	16.8	165.6	12.2	71.9	14.6	11.7	17.2	133.9	7.1	8.0	84.0	78.2	16.9	203.5	1.0	29
13.6	9.1	67.3	230.5	37.0	326.5	21.2	111.1	9.1	12.1	12.8	192.0	18.1	9.8	122.4	101.3	13.6	303.3	2.3	30
32.1	14.6	110.7	227.3	20.4	130.1	20.4	44.7	18.5	21.4	33.0	178.7	6.8	10.7	104.9	81.6	11.7	371.0	-----	31
11.4	17.0	90.8	136.3	28.4	93.7	-----	102.2	2.8	5.7	17.0	82.3	2.8	8.5	116.4	79.5	17.0	315.1	5.7	32
19.2	13.7	147.9	257.5	30.1	87.6	13.7	93.1	16.4	8.2	24.7	98.1	8.2	-----	87.6	79.4	19.2	232.8	-----	33
23.8	7.9	134.8	166.5	-----	150.6	23.8	63.4	47.6	15.9	15.9	182.3	23.8	7.9	182.3	182.3	7.9	293.3	-----	34
13.4	5.7	132.2	256.7	38.3	155.2	24.9	84.3	17.2	23.0	19.2	159.0	9.6	9.6	122.6	107.3	26.8	389.0	3.8	35
19.6	6.6	84.3	161.0	18.3	146.7	13.7	117.6	16.5	14.8	19.6	125.7	8.1	10.1	94.5	83.9	13.0	261.8	0.2	36
27.9	20.0	107.8	139.7	24.0	175.7	8.0	159.7	8.0	8.0	12.0	99.8	-----	12.0	75.9	87.8	16.0	263.5	-----	37
33.6	6.7	74.0	161.4	6.7	114.4	13.5	33.6	26.9	20.2	13.5	168.2	26.9	6.7	134.5	107.6	-----	242.2	-----	38
8.0	-----	143.3	159.2	23.9	127.3	8.0	79.6	15.9	23.9	8.0	159.2	8.0	15.9	87.5	127.3	39.8	437.7	8.0	39
-----	5.1	61.2	163.2	20.4	71.4	5.1	71.4	15.3	10.2	15.3	35.7	5.1	-----	86.7	132.6	10.2	234.6	-----	40
21.2	5.3	89.9	195.7	10.6	105.8	13.2	39.7	13.2	13.2	13.2	203.6	15.9	10.6	92.6	111.1	10.6	309.4	2.6	41
17.5	8.7	104.8	131.0	43.7	183.4	-----	148.5	17.5	8.7	-----	78.6	26.2	34.9	113.6	157.2	8.7	262.1	-----	42
45.1	7.5	112.8	195.4	22.6	127.8	7.5	67.7	37.6	22.6	30.1	127.8	15.0	15.0	142.8	142.8	7.5	330.8	-----	43
30.6	6.1	152.8	231.1	18.3	73.3	42.8	24.4	36.7	12.2	12.2	85.6	6.1	-----	110.0	116.1	12.2	397.3	6.1	44
13.9	9.3	157.3	212.8	18.5	106.4	13.9	23.1	9.3	4.6	32.4	143.4	9.3	18.5	111.0	82.4	13.9	323.8	-----	45
55.8	20.9	97.6	174.3	13.9	76.7	20.9	20.9	20.9	27.9	7.0	97.6	7.0	7.0	55.8	153.4	-----	369.6	13.9	46
24.5	8.2	147.3	155.5	24.5	114.6	65.5	81.8	24.5	16.4	8.2	114.6	16.4	16.4	65.5	155.5	-----	392.8	8.2	47
32.2	6.4	167.6	251.5	25.8	83.8	6.4	64.5	12.9	19.3	6.4	193.4	-----	12.9	38.7	77.4	12.9	257.9	-----	48
20.1	2.9	74.5	160.6	17.2	80.3	14.3	31.5	11.5	8.6	17.2	80.3	5.7	8.6	65.9	91.7	17.2	246.6	-----	49
18.9	-----	141.8	170.1	47.3	122.9	28.4	9.5	-----	9.5	-----	104.0	9.5	-----	56.7	28.4	9.5	255.2	-----	50
15.1	22.6	196.3	245.3	26.4	120.8	22.6	30.2	22.6	22.6	7.5	132.1	7.5	11.3	49.1	109.5	22.6	305.7	-----	51
-----	10.5	15.8	52.6	47.3	320.8	5.3	462.9	-----	-----	-----	26.3	-----	-----	163.1	84.2	-----	331.4	10.5	52
15.3	30.6	53.5	267.6	45.9	160.6	7.6	168.2	7.6	-----	30.6	137.6	-----	7.6	137.6	175.9	-----	252.4	7.6	53
10.2	20.4	112.4	275.8	10.2	107.2	-----	15.3	10.2	15.3	5.1	46.0	5.1	5.1	71.5	143.0	10.2	326.8	5.1	54
57.5	12.8	178.9	428.1	12.8	172.5	12.8	57.5	25.6	12.8	6.4	268.4	-----	12.8	44.7	108.6	25.6	472.8	-----	55
17.1	8.6	71.3	137.0	14.3	77.0	5.7	68.5	11.4	8.6	8.6	168.3	5.7	2.9	57.1	59.9	14.3	165.5	-----	56
14.3	20.1	83.1	111.8	20.1	103.2	5.7	40.1	14.3	8.6	11.5	111.8	2.9	5.7	48.7	71.6	11.5	157.6	-----	57
15.3	21.4	82.5	100.8	21.4	91.6	6.1	36.7	15.3	9.2	12.2	116.1	3.1	6.1	51.9	73.3	12.2	146.6	-----	58
-----	-----	92.9	278.7	-----	278.7	-----	92.9	-----	-----	-----	46.4	-----	-----	46.4	-----	-----	325.1	-----	59
20.9	7.1	56.7	145.8	16.1	180.1	11.8	67.1	13.5	10.3	16.7	139.0	7.0	7.4	81.7	74.5	17.6	178.0	0.7	60
23.8	8.5	60.7	138.7	8.9	154.0	11.5	50.1	12.7	12.1	12.8	129.4	8.1	9.1	73.7	63.1	22.3	182.0	1.1	61
21.1	6.3	63.3	162.3	19.7	178.0	13.2	69.8	14.9	8.8	17.5	140.0	6.3	6.7	70.8	68.9	13.9	177.1	0.4	62
20.4	7.2	47.0	133.5	15.3	190.6	11.3	66.5	11.7	11.0	15.6	133.5	6.8	6.9	90.1	78.8	19.1	178.1	0.9	63
20.0	7.6	82.1	16																

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culosis menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
REGISTRATION CITIES—Contd.																
NEW YORK—continued.																
1	Newburgh.....	1,777.9	24.1	6.9	3.4	24.1	3.4	210.2	17.2	6.9	127.5
2	Niagara Falls.....	1,605.6	14.2	2.8	2.8	2.8	17.1	39.9	5.7	5.7	93.9	11.4	11.4	2.8	74.0
3	North Tonawanda.....	1,206.0	60.7	15.2	30.3	15.2	45.5	7.6	7.6	68.3
4	Ogdensburg*.....	2,666.4	24.3	24.3	18.2	30.4	30.4	42.5	218.7	18.2	18.2	6.1	103.3
5	Olean.....	1,573.2	6.2	12.5	18.7	6.2	6.2	74.9	12.5	12.5	6.2	87.4
6	Ossining (total).....	1,447.6	7.7	7.7	7.7	7.7	138.6	7.7	15.4	15.4	115.5
7	White.....	1,437.0	8.2	8.2	114.3	8.2	8.2	16.3	122.5
8	Colored.....	1,623.8	135.3	135.3	541.3	135.3
9	Oswego.....	1,810.2	25.1	8.4	50.3	16.8	67.0	4.2	16.8	12.6	125.7
10	Peekskill.....	1,471.7	11.5	11.5	34.6	28.9	40.4	17.3	5.8	109.7	5.8	5.8	75.0
11	Plattsburg.....	1,586.8	8.1	8.1	8.1	8.1	8.1	89.5	8.1	16.3	16.3	65.1
12	Port Chester.....	1,278.6	13.2	19.9	19.9	19.9	19.9	26.5	6.6	86.1	19.9	13.2	13.2	72.9
13	Poughkeepsie.....	1,753.5	3.4	43.9	6.8	3.4	6.8	6.8	6.8	84.5	20.3	6.8	3.4	104.7
14	Rensselaer.....	1,532.6	36.3	36.3	27.2	9.1	72.5	9.1	36.3	117.9
15	Rochester.....	1,433.8	10.2	0.4	5.3	11.0	2.4	11.8	6.1	4.9	91.0	10.6	11.4	3.7	106.5
16	Rome.....	2,322.3	22.0	4.4	8.8	13.2	17.6	409.8	4.4	17.6	26.4	110.2
17	Saratoga Springs.....	2,037.0	31.2	31.2	31.2	124.9	7.8	140.5
18	Schenectady.....	1,142.7	12.1	3.3	15.4	17.6	15.4	3.3	3.3	67.0	8.8	5.5	7.7	39.6
19	Syracuse.....	1,478.4	10.0	2.7	8.0	12.7	10.7	4.7	3.3	107.8	12.7	11.4	8.0	84.4
20	Troy.....	2,051.3	33.5	6.4	6.4	14.2	24.5	19.3	7.7	220.5	5.2	12.9	3.9	175.3
21	Utica*.....	1,836.4	8.5	26.8	4.9	4.9	29.2	6.1	6.1	134.0	15.8	15.8	14.6	99.9
22	Watertown.....	1,620.8	6.9	3.5	24.2	6.9	103.9	13.9	17.3	20.8	114.3
23	Watervliet.....	1,500.6	32.5	6.5	19.5	39.0	6.5	168.9	6.5	13.0	110.4
24	White Plains (total).....	1,331.3	20.6	20.6	10.3	5.2	98.0	10.3	15.5	5.2	98.0
25	White.....	1,271.9	21.8	16.4	5.5	5.5	81.9	5.5	16.4	5.5	98.3
26	Colored.....	2,358.5	94.3	94.3	377.4	94.3	94.3
27	Yonkers.....	1,183.3	4.3	1.1	1.1	17.1	4.3	6.4	28.9	4.3	3.2	114.6	17.1	7.5	6.4	69.6
NORTH CAROLINA.																
28	Registration cities (total).....	2,230.6	52.3	13.6	1.1	9.7	1.1	16.5	21.0	22.7	4.5	267.0	8.0	19.9	5.1	70.5
29	White.....	1,706.1	36.5	9.1	1.8	13.7	0.9	13.7	21.0	11.9	7.3	205.3	9.1	13.7	4.6	69.3
30	Colored.....	3,096.1	78.3	21.1	3.0	1.5	21.1	21.1	40.7	368.9	6.0	30.1	6.0	72.3
31	Asheville (total).....	2,426.0	29.8	34.7	9.9	39.7	29.8	5.0	585.4	19.8	9.9	54.6
32	White.....	2,271.3	20.8	48.6	13.9	34.7	34.7	6.9	680.7	20.8	6.9	62.5
33	Colored.....	2,812.5	52.1	52.1	17.4	347.2	17.4	17.4	34.7
34	Charlotte (total).....	2,171.2	60.6	18.4	5.3	15.8	31.6	34.3	5.3	192.4	2.6	13.2	7.9	79.0
35	White.....	1,618.7	28.2	12.1	4.0	12.1	32.2	4.0	8.1	140.9	4.0	12.1	8.1	76.5
36	Colored.....	3,217.4	122.0	30.5	7.6	22.9	30.5	91.5	289.7	15.2	7.6	83.9
37	Durham (total).....	1,548.3	61.2	4.4	13.1	17.5	13.1	244.9	13.1	61.2
38	White.....	1,073.5	42.1	7.0	14.0	28.1	14.0	147.3	7.0	42.1
39	Colored.....	2,334.5	92.9	11.6	11.6	406.5	23.2	92.9
40	Greensboro (total).....	1,962.9	48.9	16.3	38.1	27.2	43.5	168.6	10.9	32.6	5.4	81.6
41	White.....	1,290.0	25.5	8.5	17.0	17.0	17.0	42.4	8.5	33.9	8.5	76.4
42	Colored.....	3,162.8	90.8	30.3	75.7	45.4	90.8	393.5	15.1	30.3	90.8
43	Raleigh* (total).....	3,040.4	60.5	10.1	5.0	10.1	5.0	5.0	15.1	282.4	5.0	25.2	105.9
44	White.....	2,470.3	57.3	8.2	16.4	24.5	212.7	8.2	16.4	81.8
45	Colored.....	3,956.3	65.7	26.3	13.1	13.1	394.3	39.4	144.6
46	Wilmington (total).....	2,350.5	46.8	25.2	28.8	3.6	14.4	7.2	14.4	3.6	140.4	10.8	18.0	3.6	68.4
47	White.....	1,679.9	54.4	20.4	47.6	6.8	6.8	6.8	68.0	13.6	13.6	6.8	81.6
48	Colored.....	3,104.3	38.2	30.6	7.6	22.9	15.3	30.6	221.7	7.6	22.9	53.5
49	Winston-Salem (total).....	2,211.2	51.7	13.8	3.4	3.4	17.2	17.2	17.2	3.4	334.1	10.3	31.0	13.8	48.2
50	White.....	1,648.7	34.5	11.5	5.7	17.2	23.0	17.2	5.7	172.3	11.5	11.5	5.7	63.2
51	Colored.....	3,053.5	77.4	17.2	8.6	17.2	8.6	17.2	576.3	8.6	60.2	25.8	25.8
OHIO.																
52	Registration cities (total).....	1,387.7	19.8	0.4	0.2	4.9	5.4	7.8	18.0	7.9	4.2	132.2	8.2	12.4	7.1	87.3
53	White.....	1,356.4	19.7	0.3	0.2	4.9	5.5	7.4	18.3	7.9	4.3	121.0	8.1	11.7	6.9	87.4
54	Colored.....	2,366.3	24.1	2.7	2.7	6.7	2.7	18.7	9.4	8.0	2.7	481.8	10.7	33.5	14.7	84.3
55	Akron.....	1,352.6	31.1	1.2	10.0	8.7	3.7	10.0	10.0	1.2	78.5	8.7	8.7	7.5	77.2
56	Alliance.....	1,123.2	28.2	5.6	11.3	5.6	101.6	5.6	11.3	84.7
57	Ashtabula.....	1,093.9	14.6	19.5	9.8	87.9	4.9	4.9	48.8
58	Bellaire.....	1,280.9	36.0	7.2	64.8	21.6	14.4	100.7	14.4	21.6	7.2	50.4
59	Cambridge.....	1,378.1	38.9	7.8	7.8	7.8	62.3	7.8	15.6	7.8	70.1
60	Canton.....	1,112.7	15.7	5.2	1.7	5.2	12.2	7.0	73.4	1.7	10.4	5.2	60.9
61	Chillicothe (total).....	1,536.9	33.0	6.6	6.6	13.2	6.6	13.2	145.1	19.8	98.9
62	White.....	1,446.9	28.2	7.1	14.1	7.1	14.1	148.2	14.1	91.8
63	Colored.....	2,822.6	100.8	100.8	100.8	100.8	201.6
64	Cincinnati (total).....	1,599.0	6.2	0.7	0.5	4.7	10.9	18.2	15.9	8.2	219.8	11.9	12.2	6.5	104.2
65	White.....	1,521.2	6.0	0.5	0.3	5.0	10.8	18.4	16.3	8.1	187.4	11.8	11.3	6.3	105.1
66	Colored.....	2,959.6	9.2	4.6	4.6	13.8	13.8	9.2	785.8	13.8	27.6	9.2	87.3
67	Cleveland.....	1,279.7	8.1	0.2	4.5	8.0	6.9	25.5	4.1	3.0	116.4	10.0	9.9	8.0	75.5
68	Columbus (total).....	1,477.3	13.2	11.7	1.5	6.8	8.8	7.8	3.4	137.4	8.8	20.0	6.8	107.5
69	White.....	1,422.1	12.6	11.6	1.6	4.7	8.9	7.4	3.7	121.5	9.5	19.5	7.4	109.4
70	Colored.....	2,204.0	20.8	13.9	34.7	6.9	13.9	346.5	27.7	83.2
71	Dayton.....	1,376.5	11.3	5.7	7.3	12.1	17.8	3.2	6.5	121.2	4.8	8.9	10.5	107.4
72	East Liverpool.....	1,577.0	82.3	18.3	9.1	32.0	4.6	21				

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- de- fined and un- known causes.	
(27)	17	18	19	20, 21	22, (28)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
24.1	13.8	175.7	193.0	13.8	89.6	13.8	41.3	17.2	20.7	37.9	189.5	24.1	10.3	103.4	110.3	20.7	255.0	1	
11.4	19.9	79.7	119.6	5.7	133.3	19.9	135.0	8.5	8.5	19.9	119.6	8.5	5.7	113.9	148.0	17.1	279.0	2	
22.8	30.3	68.3	68.3	37.9	98.6	22.8	136.5	15.2	15.2	75.8	91.0	7.6		91.0	83.4	15.2	227.5	3	
24.3	18.2	212.6	352.3	6.1	230.8	60.7	42.5	24.3	54.7	12.1	194.4		13.2	133.6	121.5	6.1	619.5	4	
18.7	18.7	137.3	231.0	37.5	149.8	25.0	49.9	49.9	31.2	18.7	68.7	6.2	12.5	87.4	149.8	18.7	218.5	5	
15.4	23.1	130.9	169.4	7.7	146.3		30.8	23.1	15.4	7.7	130.9	7.7	7.7	61.6	123.2	7.7	215.6	6	
16.3	24.5	138.8	179.6	8.2	147.0		32.7	24.5	16.3	8.2	130.6	8.2	8.2	49.0	130.6	8.2	220.4	7	
12.6	8.4	196.9	310.1	4.2	121.5	16.8	92.2	25.1	21.0	12.6	134.1	8.4	12.6	117.3	104.8	4.2	276.6	8	
23.1	5.8	127.0	144.3	46.2	103.9	5.8	86.6	28.9	28.9	17.3	115.4		11.5	69.3	46.2		265.5	9	
8.1		162.7	187.2	32.5	122.1	16.3	57.0	65.1	24.4	8.1	89.5	24.4	16.3	105.8	89.5	16.3	317.4	11	
6.6	13.2	66.2	106.0	46.4	185.5	13.2	66.2	6.6	13.2	19.9	106.0			39.7	112.6		152.4	12	
37.2	13.5	182.4	202.7	20.3	168.9	3.4	67.6	16.9	13.5	23.7	135.1	3.4	6.8	71.0	94.6	10.1	335.2	13	
9.1	27.2	99.8	136.0	27.2	217.6	18.1	9.1		9.1	27.2	81.6			99.8	63.5	27.2	335.5	14	
20.0	8.6	89.0	198.3	15.1	138.7	10.6	72.2	11.8	19.2	20.8	128.1	8.6	11.8	88.5	60.4	23.3	233.4	15	
22.0	13.2	145.4	295.2	4.4	180.7	13.2	48.5	17.6	4.4	26.4	193.9	13.2	26.4	83.7	132.2	26.4	440.7	16	
31.2	23.1	273.2	273.2		109.3	15.6	78.0	39.0	23.4	39.0	226.3	23.4		93.7	101.5	31.2	351.2	17	
11.0	8.8	69.2	120.9	19.8	122.0	7.7	68.1	12.1	9.9	15.4	67.0	7.7	12.1	100.0	61.5	12.1	217.6	18	
24.8	5.4	107.8	183.5	13.4	139.3	12.1	93.7	14.1	12.7	19.4	101.8	9.4	4.7	98.4	81.7	21.4	257.8	19	
29.7	15.5	123.8	299.1	27.1	215.3	21.9	67.0	29.7	15.5	23.2	133.1	6.4	6.4	89.0	112.2	10.3	243.7	20	
31.7	12.2	96.3	253.5	37.8	225.4	8.5	104.8	20.7	15.8	19.5	135.3	7.3	9.7	101.1	104.8	12.2	321.8	21	
17.3	10.4	124.7	277.1	20.8	128.1	6.9	48.5	24.2	6.9	24.2	97.0	6.9	17.3	58.9	93.5	27.7	315.2	22	
13.0		97.4	181.9		201.4	6.5	97.4		6.5	13.0	84.4		26.0	90.9	52.0	6.5	207.9	23	
15.5	10.3	67.1	206.4	10.3	134.2	15.5	41.3	15.5	15.5	5.2	103.2		15.5	72.2	77.4	15.5	227.0	24	
16.4	10.9	60.0	207.4	10.9	125.6	16.4	32.8	16.4	16.4	5.5	103.7		10.9	71.0	76.4	16.4	218.4	25	
		188.7	188.7		283.0		188.7				94.3			94.3	94.3		377.4	26	
9.6	19.3	68.5	126.4	6.4	109.2	11.8	101.7	16.1	8.6	10.7	81.4	9.6	8.6	71.7	70.7	12.9	154.2	27	
13.1	10.8	105.1	159.1	19.3	190.9	21.6	145.4	22.7	22.7	7.4	160.2	10.2	27.8	117.0	130.1	6.8	455.7	28	
17.3	10.0	92.1	91.2	13.7	110.4	18.2	106.7	26.5	16.4	9.1	133.2	4.6	19.2	113.1	104.9	10.0	360.4	29	
6.0	12.0	126.5	271.1	28.6	323.3	27.1	209.3	16.6	33.1	4.5	204.8	19.6	42.2	123.5	171.7	1.5	612.9	30	
19.8	5.0	124.0	109.1	49.6	233.2	34.7	94.3	44.6	9.9	14.9	124.0	14.9	9.9	119.1	133.6	9.9	332.0	31	
20.8	6.9	118.1	90.3	6.9	201.4	27.8	76.4	41.7	6.9	20.8	76.4	6.9	6.9	111.1	166.7	13.9	319.5	32	
17.4		138.9	156.2		312.5	52.1	138.9	52.1	17.4		243.1	34.7	17.4	138.9	225.7		538.2	33	
5.3	7.9	89.6	121.2	13.2	202.3	23.7	97.5	10.5	23.0	2.6	121.2	7.9	34.3	108.0	131.7	13.2	521.7	34	
8.1	12.1	76.5	68.5	8.1	104.7	16.1	116.8	16.1	28.2	4.0	104.7	4.0	28.2	120.8	112.7	16.1	394.6	35	
		114.4	221.1	22.9	388.8	38.1	61.0		30.5		182.5	15.2	45.7	83.9	167.7	7.6	762.4	36	
4.4	4.4	74.4	91.9	13.1	113.7	17.5	105.0	4.4	17.5		118.1	4.4	17.5	48.1	48.1	4.4	314.9	37	
7.0	7.0	63.1	56.1	14.0	56.1	14.0	112.3	7.0			84.2		7.0	56.1	35.1	7.0	175.4	38	
		92.9	151.0		209.1	23.2	92.9		46.5		174.2	11.6	34.8	34.8	69.7		545.9	39	
21.7	5.4	38.1	103.3		134.9	32.6	135.9	54.4			157.7	5.4	21.7	141.4	168.6	10.9	326.2	40	
33.9		25.5	84.9		76.4	42.4	59.4	21.5			101.8	8.5	17.0	93.4	118.8	17.0	263.1	41	
	15.1	60.5	136.2		378.3	15.1	272.4	45.4	15.1		257.3		30.3	227.0	237.3		438.9	42	
25.2	30.3	247.1	257.1	50.4	171.4	30.3	161.3	30.3	50.4	20.2	196.6	25.2	40.3	171.4	211.8		756.3	43	
24.5	32.7	245.4	147.2	65.4	65.4	24.5	81.8	24.5	32.7	24.5	204.5		16.4	122.7	147.2		768.9	44	
26.3	26.3	249.7	438.8	26.3	341.7	39.4	289.2	39.4	78.9	13.1	134.0	65.7	73.9	249.7	315.5		736.1	45	
7.2	10.8	115.2	265.4	10.8	226.8	7.2	219.6	3.6	14.4	10.8	262.8	10.8	39.6	115.2	93.6	7.2	521.9	46	
13.6		68.0	136.0	13.6	102.0	6.8	108.8	6.8	6.8	6.8	265.3	6.8	40.8	129.2	68.0	13.6	346.9	47	
	22.9	168.2	412.9	7.6	367.0	7.6	344.1		22.9	15.3	260.0		33.2	99.4	122.3		718.8	48	
17.2	13.8	72.3	161.9	10.3	189.4	13.8	199.8	31.0	17.2	6.9	148.1	6.9	24.1	130.9	110.2		344.4	49	
23.0	11.5	74.7	80.4		149.4	5.7	160.8	40.2	11.5	11.5	120.6	5.7	11.5	143.6	91.9		287.2	50	
8.6	17.2	68.8	283.8	25.8	249.4	25.8	258.0	17.2	25.8		189.2	8.6	43.0	111.8	137.6		430.1	51	
17.0	9.8	87.4	133.6	19.5	121.0	10.7	76.3	15.1	15.4	18.4	92.0	11.1	8.8	82.3	99.7	19.3	229.6	52	
17.0	9.5	86.8	129.1	19.6	115.7	10.4	76.0	15.1	15.2	18.4	89.9	10.7	8.3	82.3	97.1	19.3	227.4	53	
14.7	17.4	107.1	274.4	17.4	236.4	13.7	83.0	13.4	24.1	13.7	156.6	22.8	9.4	81.6	180.7	20.1	298.5	54	
14.9	36.1	81.0	100.9	8.7	118.3	6.2	118.3	14.9	13.7	17.4	62.3	21.2	12.5	109.6	128.3	23.7	204.3	55	
5.6	16.9	107.2	107.2	16.9	34.7	11.3	33.9	11.3	5.6	5.6	79.0	22.6	5.6	67.7	79.0	11.3	191.9	56	
9.8	9.8	97.7	122.1		92.8	4.9	29.3	14.6	34.2	9.8	59.7	14.6	9.8	92.8	92.8	4.9	210.0	57	
	23.8	64.8	129.5	14.4	194.3	21.6	158.2		7.2	7.2	64.8			43.2	86.4		122.3	58	
7.8		132.4	86.4	15.6	101.2	7.8	46.7		15.6		109.0	15.6	7.8	140.1	116.8		334.8	59	
13.9	10.4	104.5	125.4	3.5	108.0	10.4	50.5	8.7	10.4	29.6	43.5	7.0	8.7	88.8	101.0	10.4	172.4	60	
19.8		112.1	164.9	13.2	92.3	26.4	46.2	6.6	39.6	6.6	98.9	6.6		171.5	118.7	13.2	237.5	61	
7.1		120.0	162.3	14.1	84.7	28.2	42.3	7.1	35.3	7.1	84.7			133.5	91.8	14.1	232.9	62	
201.6			201.6		201.6		100.8		100.8		302.4	100.8			504.0			302.4	63
26.1	7.2	91.8	191.7	27.6	133.5	7.0	60.2	15.2	18.2	24.9	145.0	11.9	5.7	60.9	98.0	15.7	236.5	64	
26.8	6.8	91.5	183.0	28.1	120.9	7.1	58.1	15.5	17.9	25.2	140.4	11.0	5.3	58.4	90.4	16.3	229.2	65	
13.8	13.8	96.5	344.7	13.4	353.9	4.6	96.5	9.2	23.0	13.4	235.2	27.6	13.8	105.7	229.8	4.6	363.1	66	
14.9	7.4	69.3	101.8	25.5	113.1	11.7	108.1	13.6	11.7	14.9	84.5	8.9	8.9	81.3	90.5	23.0	203.1	67	
14.2	7.3	104.1	137.4	15.6	114.4	15.2	45.5	23.0	21.5	19.1	83.6	8.8	12.7	79.7	95.3	21.5	319.7	68	
14.7	6.3	102.0	123.6	15.8	101.5	13.7	40.5	23.7	22.6	19.5	81.0	10.0	12.6	78.9	93.1	22.1			

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-ma-tism.	Cancer.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(27)	16
REGISTRATION CITIES—Contd.															
OHIO—continued.															
1 Elyria.....	1,149.7	11.5					5.7	11.5			74.7	5.7	11.5	5.7	109.2
2 Findlay.....	1,527.3	21.9	7.3			7.3	7.3		7.3		116.9	7.3	14.6	7.3	135.3
3 Hamilton.....	1,035.7	12.9			5.2	5.2	20.6	15.5	7.7		69.6	7.7	12.9		79.3
4 Ironton (total).....	1,621.6	37.7					7.3		14.6	14.6	175.3		29.2	21.9	102.3
5 White.....	1,690.6	79.4					7.9		15.9	15.9	182.6			23.8	111.1
6 Colored.....	824.9	133.3									91.7				
7 Lakewood.....	1,276.0				9.9	54.4	4.9	4.9	4.9		89.0	9.9	4.9	4.9	54.4
8 Lancaster.....	1,266.8	33.7				13.5		53.9	20.2		155.0		13.5	6.7	74.1
9 Lima.....	1,321.4	35.4					2.9	2.9	11.8		97.3	2.9	17.7	5.9	118.0
10 Lorain.....	1,974.9	29.1			2.9	8.7	2.9	14.6		2.9	43.7		5.8	14.6	58.2
11 Mansfield.....	1,325.8	13.6				13.6	4.5	27.1	4.5		72.4	9.0		9.0	67.9
12 Marietta.....	1,465.2	27.1						13.6	40.7		108.5	13.6	20.4	6.8	101.8
13 Marion.....	1,252.7	22.7					18.2	9.1	18.2	4.5	63.5		9.1		99.9
14 Massillon.....	1,106.5	26.8	6.7		13.4	6.7	6.7	20.1	13.4		100.6		6.7		46.9
15 Middletown.....	1,315.2						6.7	20.2	13.5	6.7	161.9	13.5	47.2		33.7
16 Newark.....	1,287.5	35.4					3.5	10.6	24.8	7.1	88.4	3.5	10.6	10.6	60.1
17 Norwood†.....	866.1	4.9				9.8			9.8		123.0	9.8	9.8		78.7
18 Piqua.....	1,287.2	36.0	7.2		7.2		7.2	7.2	7.2		79.1	7.2	7.2	7.2	115.1
19 Portsmouth.....	1,457.6	127.2			36.3	3.6	14.5	7.3	10.9	3.6	156.3	14.5	40.0	7.3	61.8
20 Sandusky.....	1,430.9	39.7					19.9		9.9		99.4		9.9	5.0	114.3
21 Springfield (total).....	1,344.4	22.0		2.0	20.0		2.0	22.0	4.0	6.0	103.9	6.0	6.0	4.0	73.9
22 White.....	1,248.3	17.9			15.6		2.2	20.1	2.2	6.7	89.3	4.5	6.7	2.2	73.7
23 Colored.....	2,160.7	56.9		19.0	56.9		37.9	19.0			227.4	19.0		19.0	75.8
24 Steubenville.....	1,762.4	93.0				11.6	15.5	27.1	15.5	3.9	104.6	3.9	27.1		73.6
25 Tiffin.....	1,685.9	16.3					40.7				146.6	8.1	8.1	24.4	81.4
26 Toledo.....	1,547.3	36.9	0.5		3.8	1.1	7.1	17.9	4.3	2.7	159.7	4.9	13.6	4.9	99.9
27 Warren.....	1,457.7	41.4						16.6	8.3	8.3	74.5	41.4		24.8	82.8
28 Youngstown.....	1,371.9	39.8			12.9	4.0	3.0	19.9	2.0	3.0	33.5	7.0	11.9	8.0	65.6
29 Zanesville (total).....	1,572.7	36.7			3.3	6.7	10.0	3.3	16.7	6.7	103.5		20.0	13.4	130.2
30 White.....	1,549.6	35.1			3.5	7.0	10.5	3.5	17.6	7.0	87.8		14.1	14.1	130.0
31 Colored.....	2,013.4	67.1									402.7		134.2		134.2
OREGON. ²															
32 Portland (total).....	906.7	6.9			8.1	1.9	1.2	10.0	5.0	0.4	61.4	10.0	15.3	1.2	87.9
33 White.....	911.6	6.8			8.0	2.0	1.2	10.4	4.8	0.4	57.2	10.0	15.6	1.2	88.7
34 Colored ³	789.1	9.6			9.6				9.6		163.6	9.6	9.6		67.4
PENNSYLVANIA.															
35 Registration cities (total).....	1,530.6	13.4	0.3	0.1	7.0	11.8	12.3	24.4	8.5	4.8	124.6	9.5	11.5	7.4	82.0
36 White.....	1,496.3	13.3	0.3	0.1	7.2	12.2	11.3	25.2	8.5	4.7	113.2	8.9	10.5	7.2	81.7
37 Colored.....	2,363.1	16.6	0.6		3.8	2.5	37.6	5.1	7.0	7.0	401.6	23.6	36.3	12.1	89.9
38 Allentown.....	1,504.2	33.2			31.5	5.0	3.3	46.4	14.9	5.0	104.5	10.0	11.6	6.6	97.8
39 Altoona.....	1,434.1	30.1		1.8	35.4	14.1	15.9	23.0	1.8	3.5	77.8	17.7	10.6	3.5	77.8
40 Beaver Falls.....	1,435.1	22.9			7.6	15.3		22.9	30.5		114.5	22.9	22.9		84.0
41 Bethlehem.....	1,202.5	14.6			14.6		7.3	29.2		7.3	51.0	14.6	14.6	7.3	58.3
42 Braddock.....	1,748.3	14.3			9.6	33.4	9.6	19.1	4.8	4.8	76.4	14.3	14.3	9.6	28.7
43 Bradford.....	1,509.6				13.5		20.2	6.7			80.9				60.7
44 Butler.....	1,151.0	11.7					15.7	31.3	7.8	3.9	58.7	7.8	11.7	3.9	82.2
45 Carbondale.....	1,575.7	10.8					21.6	27.0	48.6		43.2	5.4	5.4		70.1
46 Carlisle (total).....	1,444.9						47.2		18.9		151.1	18.9	28.3		94.4
47 White.....	1,292.9						21.2		21.2		116.6		21.2		84.8
48 Colored.....	2,688.6						260.2				433.7		173.5		173.5
49 Carnegie.....	1,031.4	26.9				9.0	9.0	9.0	17.9		35.9	17.9		9.0	17.9
50 Chambersburg (total).....	1,747.0	41.0					41.0	32.8	16.4	16.4	49.2	8.2	16.4	16.4	131.2
51 White.....	1,654.8	43.8					35.0	26.3	17.5	17.5	43.8		17.5	17.5	131.3
52 Colored.....	3,112.8						129.7	129.7			129.7	129.7			129.7
53 Chester (total).....	1,712.2	14.8					2.5	19.3	12.4	2.5	195.2	9.9	24.7	9.9	61.8
54 White.....	1,598.0	16.9					2.8	22.6	14.1	2.8	153.1	8.5	28.2	5.6	62.1
55 Colored.....	2,512.4										455.0	19.8	28.2	39.6	59.3
56 Coatesville (total).....	979.9	15.0			7.5	7.5	29.9	15.0			82.3	7.5			37.4
57 White.....	1,023.2	17.3			8.7	8.7	34.7	17.3			60.7	8.7			43.4
58 Colored.....	708.1										217.9				
59 Columbia.....	1,447.3	18.1				9.0	27.1	36.2	27.1	9.0	153.8	27.1	18.1		153.8
60 Connellsville.....	1,266.0	13.7									109.5	6.8	6.8	6.8	102.6
61 Dubois.....	1,035.2	14.3			7.1			7.1			35.7		14.3	14.3	64.3
62 Dunmore.....	1,685.5	10.1			30.4	5.1	5.1	25.3	30.4	10.1	75.9		5.1	5.1	30.4
63 Duquesne.....	1,146.6	10.8				26.9		26.9			70.0				43.1
64 Easton.....	1,700.0	20.1			3.3	26.8	3.3	26.8			103.7	10.0	13.4	3.3	83.7
65 Erie.....	1,459.9	15.2			4.1	1.4	18.0	12.4	9.7	2.8	80.1	5.5	13.8	4.1	76.0
66 Farrell.....	(*)	(*)					(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)
67 Greensburg.....	1,572.8	34.0				6.8	47.7	27.2			61.3	6.8	13.6	27.2	47.7
68 Harrisburg (total).....	1,391.5	17.3	1.4			1.4	4.3	13.0	8.6	2.9	86.3	8.6	11.5	8.6	82.0
69 White.....	1,353.6	18.6	1.5			1.5	4.6	13.9	9.3	3.1	71.2	7.7	10.8	7.7	85.2
70 Colored.....	1,837.9										234.2	20.3	20.3	20.3	40.6

¹ Exclusive of stillbirths.

² Nonregistration state; cities shown below only those with effective local ordinances.

DEATH RATES FROM PRINCIPAL CAUSES.

87

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
11.5	5.7	46.0	126.5	5.7	63.2	11.5	63.2	11.5	23.0	17.2	63.2	17.2	11.5	57.5	149.5	28.7	201.2	1	
51.2	29.2	146.2	204.6	14.6	131.5	21.9	51.2	21.9	21.9	51.2	7.3	51.2	102.3	277.7	7.3	2	
18.0	12.9	59.3	139.1	10.3	67.0	5.2	38.6	5.2	12.9	36.1	56.7	7.7	7.7	64.4	67.0	15.5	175.2	3	
7.3	7.3	95.0	102.3	36.5	133.8	21.9	43.8	14.6	21.9	14.6	109.6	21.9	7.3	37.7	124.2	14.6	239.5	4	
7.9	7.9	103.2	95.2	39.7	150.8	23.8	47.6	15.9	23.8	15.9	103.2	23.8	7.9	95.2	119.1	15.9	325.4	5	
.....	183.3	183.3	183.3	6	
9.9	9.9	69.2	123.6	4.9	202.8	14.8	79.1	4.9	24.7	94.0	59.4	79.1	24.7	232.5	7	
13.5	13.5	67.4	134.8	80.9	27.0	13.5	13.5	128.0	6.7	37.6	87.6	276.3	8	
8.8	5.9	70.8	132.7	11.8	82.6	14.7	38.3	44.2	32.4	23.6	67.8	17.7	14.7	106.2	123.9	11.8	218.3	9	
14.6	2.9	69.8	37.8	2.9	110.6	8.7	93.1	5.8	5.8	2.9	37.8	8.7	14.6	93.1	98.9	26.2	157.2	10	
4.5	13.6	194.6	144.8	9.0	104.1	9.0	18.1	9.0	22.6	22.6	95.0	9.0	67.9	122.2	27.1	217.2	11	
20.4	20.4	115.3	196.7	74.6	13.6	20.4	27.1	40.7	81.4	74.6	108.5	20.4	318.8	12	
22.7	4.5	68.1	104.4	31.8	90.8	22.7	31.8	13.6	9.1	4.5	99.9	13.6	13.6	108.9	127.1	9.1	226.9	13	
33.5	147.5	114.0	6.7	87.2	6.7	26.8	6.7	13.4	98.9	6.7	67.1	53.6	6.7	187.8	14	
6.7	27.0	94.4	80.9	6.7	168.6	13.5	74.2	6.7	6.7	40.5	33.7	13.5	141.6	87.7	13.5	188.8	15	
17.7	3.5	127.3	134.4	28.3	106.1	7.1	38.9	14.1	17.7	7.1	81.4	3.5	74.3	109.7	10.6	240.5	16	
24.6	9.8	54.1	118.1	4.9	78.7	9.8	9.8	88.6	4.9	9.8	78.7	14.8	9.8	103.3	17	
28.8	115.1	201.4	7.2	104.7	7.2	57.5	14.4	14.4	14.4	43.1	7.2	7.2	122.2	50.3	7.2	251.7	18	
3.6	10.9	90.9	112.7	29.1	69.0	7.3	98.1	10.9	25.4	18.2	65.4	7.3	54.5	116.3	14.5	196.3	19	
29.8	14.9	84.5	168.9	9.9	84.5	14.9	29.8	19.9	5.0	34.8	94.4	9.9	119.2	188.8	19.9	293.7	20	
24.0	6.0	141.8	137.8	16.0	135.8	8.0	24.0	14.0	14.0	36.0	101.9	10.0	4.0	83.9	69.9	28.0	215.7	21	
26.8	6.7	125.1	118.4	13.4	107.2	6.7	24.6	13.4	15.6	33.5	100.5	8.9	4.5	82.6	71.5	31.3	214.4	22	
.....	284.3	303.3	37.9	379.1	19.0	19.0	19.0	56.9	113.7	19.0	94.8	56.9	227.4	23	
11.6	7.7	81.3	112.3	19.4	182.1	15.5	151.1	11.6	23.2	15.5	42.6	34.9	15.5	151.1	178.2	27.1	298.3	24	
24.4	24.4	162.9	293.2	40.7	162.9	16.3	8.1	8.1	16.3	16.3	105.9	24.4	8.1	57.0	73.3	16.3	263.8	25	
17.4	7.6	88.5	149.4	21.2	111.3	8.1	84.7	15.8	18.5	22.3	98.3	15.8	9.2	87.4	114.6	20.1	298.2	26	
16.6	99.4	107.7	33.1	182.2	24.8	66.3	24.8	24.8	8.3	124.2	16.6	16.6	33.1	132.5	24.8	223.6	27	
15.9	14.9	73.6	82.5	7.0	217.7	7.0	135.2	12.9	8.0	17.9	58.7	6.0	14.9	113.3	119.3	17.9	179.9	28	
13.4	3.3	150.3	163.6	16.7	150.3	20.0	33.4	33.4	13.4	10.0	76.8	16.7	13.4	96.8	110.2	26.7	237.1	29	
14.1	3.5	147.6	161.6	14.1	144.1	21.1	31.6	35.1	14.1	10.5	80.8	17.6	14.1	98.4	112.4	21.1	238.9	30	
.....	201.3	201.3	67.1	263.5	67.1	67.1	67.1	134.2	201.3	31	
20.7	6.1	53.7	105.5	6.5	60.2	10.0	9.2	12.7	12.3	8.4	66.4	5.0	5.0	49.5	67.2	25.3	170.4	32	
21.2	6.4	55.6	107.5	6.8	53.0	10.0	9.6	13.2	12.4	8.4	66.7	4.8	4.8	51.6	68.3	25.2	172.3	33	
9.6	9.6	57.7	115.5	9.6	9.6	9.6	57.7	9.6	9.6	38.5	28.9	125.1	34	
16.8	8.1	71.2	155.6	24.7	171.5	20.3	105.7	14.6	14.6	14.9	126.4	10.4	10.6	98.6	97.7	14.7	230.9	35	
17.0	7.9	71.5	152.4	23.8	165.4	19.8	104.9	14.5	14.6	15.0	123.7	10.3	10.4	97.5	96.8	15.0	226.0	36	
13.4	12.1	65.0	234.0	46.5	318.7	31.2	125.6	17.2	15.3	12.1	192.5	13.4	14.0	126.2	117.9	7.6	350.0	37	
18.2	11.6	159.2	132.7	8.3	116.1	13.3	71.3	18.2	6.6	14.9	87.9	21.6	11.6	124.4	82.9	19.9	189.1	38	
17.7	10.6	63.7	132.6	15.9	155.6	19.5	79.6	14.1	10.6	15.9	106.1	14.1	19.5	125.5	56.6	1.8	256.4	39	
.....	15.3	15.3	145.0	22.9	190.8	22.9	68.7	15.3	22.9	15.3	61.1	22.9	76.3	129.8	22.9	244.3	40	
43.7	123.9	123.9	14.6	153.0	7.3	80.2	14.6	7.3	30.2	80.2	7.3	7.3	109.3	14.6	36.4	160.3	41	
19.1	23.9	47.8	86.0	52.5	277.0	14.3	229.3	28.7	19.1	14.3	66.9	14.3	28.7	119.4	176.7	14.3	267.5	42	
33.7	13.5	67.4	215.7	6.7	121.3	27.0	20.2	6.7	27.0	121.3	13.5	20.2	141.5	101.1	27.0	363.9	43	
11.7	23.5	90.0	7.8	121.4	27.4	82.2	23.5	11.7	15.7	54.8	3.9	11.7	101.8	78.3	7.8	211.4	44	
10.3	97.1	107.9	43.2	232.0	16.2	97.1	21.6	5.4	10.8	145.7	16.2	16.2	113.3	129.5	16.2	259.0	45	
9.4	9.4	85.0	188.9	18.9	113.3	18.9	9.4	18.9	122.8	66.1	56.7	18.9	340.0	46	
10.6	10.6	84.8	190.8	21.2	63.6	10.6	10.6	21.2	116.6	53.0	63.6	21.2	389.1	47	
.....	80.7	173.5	26.9	520.4	86.7	86.7	173.5	173.5	84.9	346.9	48	
.....	17.9	53.8	80.7	251.1	17.9	80.7	9.0	9.0	35.9	9.0	62.8	71.7	9.0	184.5	49	
16.4	172.2	188.6	24.6	123.0	8.2	57.4	8.2	41.0	188.6	8.2	155.8	82.0	295.3	50	
17.5	165.4	175.1	17.5	113.8	8.8	61.3	8.8	35.0	166.4	8.8	140.1	87.6	288.9	51	
.....	259.4	339.1	259.4	259.4	129.7	518.8	339.1	339.1	52	
19.8	9.9	113.7	175.4	24.7	170.5	22.2	155.7	9.9	22.2	9.9	121.1	9.9	7.4	155.9	84.0	12.4	249.5	53	
22.6	8.5	115.8	169.4	16.9	149.6	22.6	141.2	11.3	25.4	8.5	127.1	5.6	8.5	118.6	81.9	14.1	225.9	54	
.....	19.8	98.9	217.6	79.1	316.5	19.8	257.2	19.8	79.1	39.6	257.2	98.9	415.4	55	
15.0	89.8	74.8	104.7	15.0	82.3	7.5	7.5	74.8	7.5	119.7	59.8	7.5	119.7	56	
17.3	104.0	69.4	86.7	17.3	86.7	8.7	8.7	78.0	8.7	130.1	69.4	8.7	153.7	57	
.....	108.9	217.9	54.5	54.5	54.5	58
27.1	18.1	90.5	199.0	27.1	9.0	54.3	9.0	9.0	18.1	108.5	18.1	18.1	81.4	90.5	18.1	171.9	59	
6.8	6.8	54.7	68.4	6.8	198.5	6.8	68.4	6.8	27.4	6.8	68.4	13.7	13.7	123.2	177.9	27.4	180.0	60	
14.3	35.7	121.4	14.3	107.1	21.4	71.4	7.1	50.0	7.1	21.4	92.8	128.5	171.3	61	
10.1	20.2	146.8	131.6	126.5	132.2	5.1	207.5	5.4	75.9	5.1	10.1	313.8	60.7	10.1	136.7	62	
.....	43.1	37.7	10.8	150.7	32.3	193.8	32.3	193.8	80.7	129.2	63	
30.1	13.4	123.8	180.6	28.8	150.6	28.8	60.2	36.8	46.9	13.4	187.4	10.0	6.7	77.0	137.4	13.4	230.9	64	
13.8	6.9	84.3	135.1	8.3	154.7	6.9	116.0	11.0	18.0	22.1	122.9	8.3	4.1	91.2	108.6	18.0	230.7	65	
27.2	(4)	47.7	(4)	13.6	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	66
20.1	7.2	110.8	128.1	3.8	90.7	13.7	31.7	13.6	13.6	6.8	81.7	6.8	13.6	81.7	354.1	27.2	279.2	67	
20.1	7.7	110.8	127.0	4.6	74.3	20.1	29.4	18.6	18.6	10.1	135.3	11.5	12.7	105.0	115.1				

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Infu-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
REGISTRATION CITIES—Cont 1																
PENNSYLVANIA—continued.																
1	Hazleton.....	1,541.2	25.4			7.3	21.8	10.9	25.4	3.6	3.6	76.3		21.8	18.2	98.1
2	Homestead.....	1,218.5	18.8			4.7	23.5	32.9	56.5			51.8	23.5		4.7	47.0
3	Johnstown.....	1,468.1	21.7			9.3	6.2	10.8	74.3	1.5	4.6	83.5	9.3	12.4	10.8	55.7
4	Lancaster.....	1,414.9	18.1					4.0	18.1	6.0	4.0	126.8	4.0	16.1	8.1	110.7
5	Lebanon.....	1,595.9	20.1					5.0	35.1	15.1	5.0	55.2	5.0	10.0	5.0	100.4
6	McKees Rocks.....	1,013.3				5.5	21.9	16.4	16.4			93.1	5.5			16.4
7	McKeesport.....	1,392.4	26.1			6.5	4.4	10.9	17.4	6.5	2.2	74.0		8.7	13.1	56.6
8	Mahanoy City.....	1,101.9	5.9			17.7	5.9	5.9	29.5	11.8		76.6			17.7	29.5
9	Meadville.....	1,469.7	29.7					22.3	7.4			81.7		7.4	7.4	141.0
10	Monessen.....	981.2	10.7					16.0	16.0		5.3	42.7				5.3
11	Mount Carmel.....	1,093.6						5.2	20.6	36.1		77.4		5.2	15.5	20.6
12	Nanticoke.....	1,487.8	13.9			4.6	9.3	4.6	32.4			92.7	13.9	4.6	13.9	27.8
13	New Castle.....	1,172.6	17.7					15.2	15.2			50.5	5.1	5.1	10.1	63.2
14	Norristown*.....	2,124.6	33.0			16.5			36.3	6.6	9.9	188.3	3.3	16.5	3.3	85.9
15	North Braddock.....	959.1				14.2	23.4	7.1	14.2	7.1		56.8		21.3	7.1	14.2
16	Oil City.....	1,330.1						5.4		16.1	5.4	80.5	5.4	5.4		59.0
17	Old Forge.....	1,447.5	7.3			29.1	7.3	7.3	21.8		14.5	43.6		7.3		29.1
18	Philadelphia (total).....	1,612.9	7.6	0.5		4.4	8.1	14.8	19.4	9.7	6.1	167.7	11.9	11.0	7.5	93.0
19	White.....	1,561.4	7.3	0.4		4.5	8.6	12.9	20.2	9.9	5.8	150.7	10.9	9.4	7.3	92.9
20	Colored.....	2,493.1	12.0	1.1		2.2		48.0	5.5	6.5	10.9	458.3	28.4	39.3	9.8	93.8
21	Phoenixville.....	1,605.3	35.1					26.3	87.7		8.8	114.0			8.8	70.2
22	Pittsburgh (total).....	1,567.9	15.0		0.2	9.4	33.3	9.0	28.0	6.2	3.7	109.2	9.7	14.9	7.3	85.2
23	White.....	1,537.5	15.6		0.2	9.1	34.4	7.8	29.0	6.3	3.9	98.2	9.5	13.6	6.9	85.6
24	Colored.....	2,164.3	3.6			14.6	10.9	32.8	7.3	3.6		324.8	14.6	40.1	14.6	76.6
25	Pittston.....	1,941.8	5.6	5.6		67.2	5.6	11.1	22.4	28.0		50.4		11.2	11.2	61.6
26	Plymouth.....	1,134.5				16.3	38.0		48.9			48.9	5.4	5.4		48.9
27	Pottstown.....	1,365.2	24.4				6.1	6.1	42.7			121.9		12.2		91.4
28	Pottsville.....	1,674.0	36.9	4.6			4.6		32.3	13.8	9.2	129.1	13.8	4.6	4.6	83.0
29	Reading.....	1,405.8	31.9				5.8	12.6	31.0	5.8	5.8	112.2	5.8	4.8	3.9	83.2
30	Seranton.....	1,578.3	9.2			7.1	2.8	14.9	22.6	5.0	4.2	76.4	9.2	10.6	9.9	60.1
31	Shamokin.....	1,146.8	4.8				38.4		48.0	14.4	4.8	81.6	4.8			67.2
32	Sharon.....	1,180.3	22.8					17.1	34.2	5.7		91.2		11.4	5.7	57.0
33	Shenandoah.....	1,637.2				10.7	14.2	3.6	74.7	7.1		71.2		3.6	10.7	21.4
34	South Bethlehem.....	1,252.2	4.4			13.1	17.5		17.5			91.9		17.5	4.4	39.4
35	Steelton (total).....	1,123.9				6.6	6.6			6.6		99.2	6.6		6.6	46.3
36	White.....	1,049.6				7.2						65.1			7.2	50.7
37	Colored.....	1,906.9						76.3				457.7	76.3			
38	Sunbury.....	1,067.4	6.5			6.5	19.4		38.8		12.9	58.2			6.5	90.6
39	Uniontown (total).....	1,442.0	52.2			5.2	5.2			5.2		83.6	5.2	5.2	10.4	94.0
40	White.....	1,417.0	52.1			5.8	5.8			5.8		52.1	5.8	5.8	11.6	86.8
41	Colored.....	1,675.7	54.1									378.4				162.2
42	Warren.....	1,146.3	7.1				7.1		14.2			85.4		7.1	21.4	85.4
43	Washington (total).....	1,463.6	38.6	4.8		29.0		33.8	14.5	14.5		115.9	4.8	29.0	4.8	58.0
44	White.....	1,421.2	42.0	5.2		31.5		36.7	15.7	10.5		83.9	5.2	26.2	5.2	52.4
45	Colored.....	1,959.6								61.2		489.9		61.2		122.5
46	West Chester (total).....	2,224.5	102.2				7.9		23.6	15.7	7.9	133.6	7.9		7.9	117.9
47	White.....	1,983.0	74.8						28.1	18.7	9.4	131.0				121.6
48	Colored.....	3,495.8	246.2									147.7	49.2		49.2	98.5
49	Wilkes-Barre.....	1,535.4	6.8	1.4		33.9	12.2	10.9	44.8	12.2	4.1	66.5	9.5	10.9	5.4	62.4
50	Wilkesburg.....	1,373.2	4.6				50.7	13.8	4.6	23.0		78.3	13.8	18.4	4.6	101.4
51	Williamsport.....	1,630.4	18.1			6.0		12.1	24.1	3.0	9.0	57.3	12.1	15.1	6.0	150.7
52	York.....	1,367.6	30.3					6.1	36.4	8.1	10.1	133.5	12.1	30.3	16.2	95.1
RHODE ISLAND.																
53	Registration cities (total).....	1,497.2	9.4	0.8		10.6	7.5	12.1	19.8	7.5	4.6	141.8	14.0	12.1	5.2	88.8
54	White.....	1,469.7	8.7	0.9		10.6	7.2	12.3	20.2	7.7	4.5	132.9	12.8	10.8	5.3	89.1
55	Colored.....	2,586.9	42.9			10.7	21.5				10.7	590.3	75.1	75.1		75.1
56	Central Falls.....	1,202.1						12.1	12.1	12.1	4.0	129.5	12.1	8.1		44.5
57	Cranston ²	2,613.1	28.7					16.4	8.2	24.6	8.2	335.9	8.2	24.6	24.6	139.3
58	Cumberland town.....	1,121.8						9.4	9.4	9.4		66.0	9.4	9.4		94.3
59	East Providence town.....	1,168.7				17.3	5.8	11.5	5.8	5.8	5.8	86.4	17.3	5.8	5.8	132.4
60	Newport (total).....	1,197.1				3.4		20.6	6.9		3.4	75.5	10.3	13.7	3.4	85.8
61	White.....	1,109.6				3.7		21.9	7.3		3.7	65.7	3.7	11.0	3.7	87.6
62	Colored.....	2,559.7										227.5	113.8	56.9		56.9
63	Pawtucket.....	1,369.0	10.5	1.8			7.0	12.3	22.8	17.6	1.8	91.4	12.3	12.3	5.3	77.3
64	Providence.....	1,519.0	11.0	1.2		15.1	8.2	9.8	24.1	6.5	6.5	121.6	17.1	11.8	4.9	92.6
65	Warwick town ³	1,716.7	10.4			3.5	13.8	24.2	27.7		3.5	408.4	6.9	10.4	6.9	107.3
66	Woonsocket.....	1,357.7	4.7			21.3	9.4	9.4	14.2	2.4		127.5	9.4	11.8		49.6
SOUTH CAROLINA. ⁴																
67	Charleston (total).....	2,782.7	68.2	26.6		6.7		26.6	6.7	34.9	1.7	216.2	1.7	8.3	3.3	58.2
68	White.....	1,755.3	81.1	10.6		10.6		14.1	7.0	24.7	3.5	105.7		3.5	3.5	81.1
69	Colored.....	3,700.9	56.7	40.9		3.1		37.8	6.3	44.1		315.0	3.1	15.7	3.1	37.8

¹ Exclusive of stillbirths.² Includes state institutions.³ Includes West Warwick town, organized Nov. 1, 1913.

DEATH RATES FROM PRINCIPAL CAUSES.

89

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral afec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38	
7.3	14.5	61.8	112.7	61.8	90.9	25.4	141.8	61.8	25.4	7.3	101.8	25.4	21.8	98.1	156.3	3.6	199.9	10.9	1
3.1	7.7	44.9	98.8	28.2	244.6	9.4	178.8	21.7	26.3	15.5	75.3	9.4	4.7	89.4	51.8	9.4	108.2	4.7	2
22.1	2.0	90.6	55.7	12.4	165.5	17.0	99.0	21.7	15.5	71.2	177.9	24.8	12.4	177.9	160.9	6.2	239.8	6.2	3
10.0	15.1	170.6	197.2	12.1	84.5	10.1	78.5	20.1	12.1	12.1	136.9	4.0	8.1	98.6	86.5	8.1	213.3	2.0	4
			115.4	15.1	185.7	25.1	30.1	5.0	20.1	5.0	120.4	10.0	10.0	115.4	65.2	25.1	361.3	30.1	5
		11.0	27.4	11.0	208.1	16.4	153.4	5.5	5.5	21.9	21.9	5.5		136.9	76.7	27.4	104.1	5.5	6
6.5	21.8	39.2	87.0	13.1	171.9	13.1	154.5	26.1	21.8	10.9	76.1	13.1	13.1	126.2	111.0	8.7	245.3	6.5	7
5.9		29.5	70.7	41.2	64.8	41.2	106.1		11.8	5.9	70.7	5.9	5.9	53.0	129.6	5.9	223.9	29.5	8
7.4	7.4	185.6	96.5		74.2	22.3	29.7	7.4	7.4	22.3	111.3	7.4	14.8	133.6	118.8	29.7	289.5	7.4	9
10.7	5.3	10.7	21.3	5.3	192.0		240.0		5.3	5.3	26.7		5.3	101.3	42.7	16.0	117.3	80.0	10
5.2	5.2	51.6	67.1	15.5	108.3	15.5	190.9		15.5	25.8	67.1	15.5		149.6	77.4		103.2		11
13.9	4.6	23.2	69.5	13.9	254.9	27.8	208.6	13.5	13.9	13.9	55.6	4.6	9.3	120.5	208.6	18.5	180.8	23.2	12
10.1	7.6	35.4	83.4	15.2	159.2	17.7	89.4	7.6	5.1	5.1	40.4	2.5	10.1	103.6	80.9	7.6	242.6	25.3	13
13.2	6.6	132.2	350.2	19.8	211.5	16.5	52.9	9.9	29.7	13.2	145.4	6.6	6.6	59.5	142.1		505.5	3.3	14
	7.1	28.4	42.6	28.4	198.9		113.7				28.4			106.6	85.3	7.1	142.1		15
5.4	37.5	85.8	128.7		139.4	21.5	37.5	21.5	26.8	10.7	59.0	10.7	10.7	112.6	160.9	10.7	252.1	21.5	16
7.3	14.5	21.8	65.5	21.8	349.1	53.2	276.4	14.5	14.5		50.9	29.1	29.1	130.9	94.6	7.3	101.8	7.3	17
19.7	5.9	66.0	136.6	27.6	167.7	21.1	107.4	12.2	13.8	16.8	174.4	10.2	9.1	82.2	74.7	16.5	226.9	2.4	18
19.9	5.8	66.1	192.8	25.9	161.1	20.2	105.2	11.9	13.5	17.3	171.4	10.0	8.8	79.7	72.8	16.9	218.4	2.6	19
17.5	7.6	63.3	261.9	56.7	280.4	36.0	144.0	17.5	17.5	8.7	224.8	14.2	14.2	124.4	105.9	8.7	373.1		20
17.5	35.1	78.9	87.7	43.9	140.4	43.9	96.5	8.8	8.8	8.8	149.1	8.8	8.8	140.4	140.4	8.8	219.3	8.8	21
14.2	9.6	63.0	118.8	29.2	240.4	24.1	103.7	16.6	14.5	16.6	88.7	11.2	9.6	112.4	109.6	16.8	234.9	3.0	22
14.3	9.3	63.8	114.6	29.0	229.6	23.3	104.6	16.7	14.7	16.2	85.8	11.5	9.1	111.8	108.3	16.9	234.8	2.4	23
10.9	14.6	47.4	200.7	32.8	452.6	40.1	87.6	14.6	10.9	25.5	146.0	3.6	18.2	124.1	124.1	14.6	237.2	14.6	24
16.8	11.2	50.4	179.1	100.7	274.2	39.2	207.1	22.4	5.6	22.4	67.2	5.6	16.8	100.7	268.6	11.2	257.4	5.6	25
5.4		21.7	81.4	21.7	119.4	16.3	152.0		10.9	10.9	48.9		5.4	81.4	86.9		255.1	5.4	26
30.5	6.1	164.6	158.5	6.1	91.4	6.1	42.7	12.2	18.3	6.1	109.7	6.1	12.2	85.3	54.9		249.9		27
13.8	9.2	106.1	170.6	9.2	133.7	18.4	60.0	32.3	13.8	32.3	156.8	9.2	4.6	96.8	226.0	13.8	226.0	4.6	28
18.4	16.4	87.1	191.6	15.5	90.9	12.6	61.0	14.5	11.6	12.6	93.8	6.8	11.6	91.9	72.6	20.3	266.1	7.7	29
19.8	7.1	82.8	147.2	28.3	234.9	16.3	162.7	21.2	19.8	9.2	85.6	8.5	18.4	89.1	157.1	14.1	222.8	1.4	30
4.8		115.2	91.2	19.2	96.0	28.8	57.6	4.8		9.6	96.0	19.2	4.8	91.2	57.6	9.6	167.9	9.6	31
39.9	11.4	57.0	85.5	5.7	102.6	5.7	34.2		28.5	11.4	11.4	22.8	17.1	108.3	108.3	11.4	268.0	5.7	32
3.6	7.1	46.3	46.3	67.6	170.8	64.1	391.5	7.1	3.6	17.8	64.1	10.7	10.7	149.5	124.6	10.7	192.2	32.0	33
4.4	4.4	39.4	43.8	13.1	144.5	35.0	192.6	6.8	8.8	17.5	91.9		4.4	179.5	70.1	17.5	175.1	4.4	34
6.6	13.2	79.3	59.5	13.2	112.4	19.8	132.2		13.2	6.6	52.9	6.6	19.8	178.5	66.1	6.6	152.1	6.6	35
7.2	14.5	79.6	36.2	14.5	108.6	21.7	130.3		7.2	7.2	57.9	7.2	21.7	181.0	72.4	7.2	152.0		36
		76.3	305.1		152.6		152.6		152.6		152.6			152.6			152.6	76.3	37
25.9	12.9	58.2	110.0	12.9	45.3	25.9	32.3	19.4	12.9	6.5	97.0	12.9	19.4	77.6	38.8	6.5	200.5	12.9	38
10.4	31.3	52.2	67.9	10.4	198.5	5.2	99.3	15.7	10.4	5.2	99.3	5.2	20.9	52.2	193.3	5.2	287.4	5.2	39
11.6	28.9	52.1	75.2	5.8	173.5	5.8	109.9	17.4	11.6		109.9	5.8	23.1	34.7	214.0	5.8	295.0	5.8	40
	54.1		432.4	54.1	432.4					54.1				216.2			216.2		41
7.1		35.6	121.0	28.5	78.3	28.5	28.5	21.4	14.2		85.4	7.1	21.4	57.0	92.6		284.8	7.1	42
9.7	14.5	67.6	140.1	29.0	144.9	19.3	24.2	19.3	24.2	14.5	43.5	19.3	9.7	96.6	154.6	4.8	280.2		43
5.2	10.5	73.4	136.3	31.5	141.6	15.7	21.0	21.0	26.2	10.5	36.5	21.0	10.5	94.4	167.8	5.2	277.9		44
61.2	61.2		183.7		183.7	61.2	61.2		61.2		122.5			122.5			306.2		45
23.6	7.9	141.5	180.8	15.7	212.2	7.9	102.2	39.3	47.2		228.0	15.7	23.6	78.6	165.1	15.7	471.6	23.6	46
28.1	9.4	140.3	159.0	18.7	159.0	9.4	56.1	28.1	46.8		224.5	9.4	18.7	56.1	168.4	18.7	430.3	9.4	47
		147.7	295.4		492.4		344.7	98.5	49.2		246.2	49.2	49.2	196.9	147.7		689.3	98.5	48
24.4	10.9	72.0	133.0	27.2	139.8	25.8	91.0	23.1	21.7	12.2	96.4	8.1	13.6	107.2	184.6	13.6	241.6	8.1	49
13.8	9.2	64.5	129.0	18.4	258.1	9.2	18.4	13.8	9.2	18.4	46.1	18.4	4.6	69.1	138.2		312.0	9.2	50
24.1	9.0	105.5	183.8	15.1	72.3	18.1	51.2	30.1	36.2	21.1	102.5	12.1	27.1	114.5	126.6	21.1	346.6		51
18.2	4.0	111.3	139.6	10.1	107.2	14.2	42.5	14.2	8.1	18.2	137.6	12.1	12.1	60.7	68.8	8.1	202.3		52
19.8	7.9	94.5	167.1	22.5	147.4	13.1	77.8	13.3	11.7	9.8	125.3	3.5	10.0	93.9	75.9	12.9	250.9	5.4	53
20.2	8.1	92.9	162.5	21.7	142.7	13.2	77.8	13.0	11.9	10.0	124.2	3.2	9.4	93.2	75.1	13.0	249.3	5.3	54
		171.7	397.1	64.4	386.3	10.7	75.1	32.2			182.4	21.5	42.9	128.8	118.1	10.7	332.7	10.7	55
16.2	4.0	48.6	137.6	44.5	133.6	12.1	137.6	4.0		8.1	85.0		20.2	113.3	44.5		153.8	4.0	56
24.6	12.3	196.6	307.2	41.0	237.6	4.1	32.8		8.2	4.1	167.9		4.1	73.7	53.2	24.6	794.6	8.2	57
		56.6	113.1	47.1	132.0		94.3	9.4	9.4		84.8			75.4	84.8	9.4	188.5	9.4	58
5.8		132.4	155.4	28.8	86.4	5.8	23.0	5.8			57.6		11.5	57.6	46.1	28.8	224.5		59
17.2	10.3	113.2	192.1	13.7	92.6		65.2	10.3	3.4	20.6	120.1		3.4	89.2	48.0	6.9	168.1		60
18.3	11.0	94.9	175.2	14.6	80.3		58.4	11.0	3.7	21.9	113.2			84.0	47.5	7.3	160.6		61
		398.2	455.1		284.4		170.6				227.5		55.9	170.6	56.9		284.4		62
26.4	8.8	121.3	154.7	21.1	131.8	7.0	66.8	14.1	29.9	7.0	133.6	1.8	5.3	80.8	80.8	3.5	196.8	5.3	63
19.2	8.6	89.8	167.7	18.8	161.6	15.1	71.8	16.7	13.1	10.6	133.4	4.5	11.8	92.6	90.2	16.3	239.5	7.3	64
24.2	6.9	69.2	138.4	20.8	107.3	24.2	93.4		3.5	3.5	148.8	3.5	6.9	110.8	72.7	6.9	249.2	3.5	65
23.6	7.1	51.9	13																

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
REGISTRATION CITIES—Contd.																
TENNESSEE. ²																
1	Registration cities (total).....	1,948.4	46.1	28.6	3.2	10.8	0.8	15.4	12.7	19.2	4.0	233.4	8.1	22.7	9.4	78.0
2	White.....	1,536.0	41.6	13.0	3.4	8.8	1.3	11.8	13.0	11.8	4.2	131.5	6.7	12.6	5.9	87.8
3	Colored.....	2,688.0	54.3	56.5	3.0	14.3	21.9	12.1	32.4	3.8	416.0	10.6	40.7	15.8	60.3
4	Chattanooga (total).....	1,841.4	36.8	17.5	19.3	26.3	17.5	8.8	22.8	3.5	217.2	3.5	22.8	12.3	70.1
5	White.....	1,647.4	44.0	11.7	20.5	20.5	14.7	14.7	26.4	5.9	158.3	5.9	14.7	5.9	93.8
6	Colored.....	2,129.6	26.1	26.1	17.4	34.8	21.8	17.4	304.9	34.8	21.8	34.8
7	Jackson (total).....	1,871.0	57.0	17.1	29.9	51.3	39.9	17.1	222.5	17.1	5.7	45.6
8	White.....	1,521.9	53.7	36.9	62.7	35.8	170.1	9.0	9.0	35.8
9	Colored.....	2,483.9	62.9	47.2	62.9	31.4	47.2	47.2	314.4	31.4	62.9
10	Knoxville (total).....	1,988.2	52.7	2.6	2.6	5.3	2.6	5.3	10.5	10.5	208.3	18.5	34.3	5.3	76.5
11	White.....	1,746.1	43.4	3.3	3.3	6.7	3.3	6.7	10.0	10.0	166.9	13.4	30.0	6.7	63.4
12	Colored.....	2,897.6	87.8	12.5	12.5	363.8	37.6	50.2	125.4
13	Memphis (total).....	2,073.6	42.6	55.2	5.6	2.1	9.1	15.4	18.2	4.2	273.0	7.7	18.9	9.1	79.6
14	White.....	1,485.0	36.1	23.3	4.7	3.5	4.7	12.8	8.2	2.3	114.1	4.7	5.8	4.7	100.2
15	Colored.....	2,954.4	52.3	102.8	7.0	15.7	19.2	33.1	7.0	510.7	12.2	38.3	15.7	48.8
16	Nashville (total).....	1,844.2	51.3	11.3	7.0	20.9	9.6	21.8	2.6	201.9	8.7	24.4	10.4	85.3
17	White.....	1,463.6	44.2	7.8	6.5	14.3	11.7	11.7	3.9	119.7	7.8	13.0	6.5	88.5
18	Colored.....	2,613.4	65.7	18.4	7.9	34.2	5.3	42.1	368.1	10.5	47.3	18.4	78.9
TEXAS. ²																
19	Registration cities (total).....	2,322.1	30.3	10.7	26.4	9.8	3.4	8.3	37.1	21.5	3.4	385.6	11.7	16.1	6.8	88.4
20	White.....	2,315.0	29.8	10.5	26.5	11.0	3.3	8.8	40.3	20.4	3.9	389.4	12.2	16.0	5.5	93.9
21	Colored.....	2,376.1	33.6	12.6	25.2	4.2	4.2	12.6	29.4	356.8	8.4	16.8	16.8	46.2
22	El Paso (total).....	3,044.1	52.5	2.0	101.0	20.2	10.1	16.2	82.8	18.2	4.0	577.7	24.2	16.2	6.1	97.0
23	White.....	3,071.5	52.8	2.1	99.2	21.1	10.6	16.9	84.4	19.0	4.2	572.1	25.3	16.9	4.2	101.3
24	Colored.....	2,436.7	46.9	140.6	46.9	702.9	46.9
25	Galveston (total).....	1,945.9	22.3	9.9	9.9	5.0	2.5	5.0	29.8	19.9	2.5	158.9	5.0	14.9	7.4	129.1
26	White.....	1,702.7	25.4	3.2	3.2	6.4	3.2	34.9	12.7	3.2	104.8	3.2	12.7	6.4	142.9
27	Colored.....	2,815.3	11.4	34.1	34.1	11.4	11.4	11.4	45.4	351.9	11.4	22.7	11.4	79.5
28	San Antonio (total).....	2,143.2	23.5	14.8	7.0	0.9	6.1	20.0	23.5	3.5	382.4	8.7	16.5	7.0	70.4
29	White.....	2,153.0	20.6	16.6	7.8	1.0	6.9	21.5	23.5	3.9	392.4	8.8	16.6	5.9	75.4
30	Colored.....	2,065.5	46.6	7.8	7.8	23.3	302.8	7.8	15.5	15.5	31.1
UTAH.																
31	Registration cities (total).....	1,059.9	10.8	3.6	5.0	5.0	12.9	3.6	4.3	48.8	2.9	10.8	8.6	66.8
32	White.....	1,051.3	10.2	3.7	5.1	5.1	13.1	3.7	4.4	46.7	2.9	10.2	8.8	64.2
33	Colored.....	1,607.9	43.6	174.2	43.6	217.8
34	Ogden.....	1,161.6	13.5	13.5	3.4	13.5	6.8	10.2	50.8	10.2	13.5	74.5
35	Salt Lake City.....	1,032.5	10.0	4.6	2.7	5.5	5.5	12.8	2.7	2.7	48.3	3.6	10.9	7.3	64.7
VERMONT.																
36	Registration cities (total).....	1,743.7	16.9	4.2	12.7	16.9	4.2	2.1	138.8	14.8	25.3	2.1	154.1
37	White.....	1,747.1	16.9	4.2	12.7	16.9	4.2	2.1	129.2	14.8	25.4	2.1	152.5
38	Colored.....	671.1	671.1
39	Barre.....	1,153.3	25.6	8.5	8.5	8.5	8.5	290.4	17.1	42.7
40	Burlington.....	2,037.9	18.8	23.5	23.5	23.5	23.5	23.5	84.7	18.8	47.1	4.7	164.7
41	Rutland.....	1,789.6	6.9	6.9	6.9	6.9	6.9	6.9	62.4	6.9	13.9	228.9
VIRGINIA.																
42	Registration cities (total).....	1,866.5	26.7	8.3	1.2	2.6	2.6	38.0	9.7	15.6	3.3	182.0	12.5	20.5	9.0	71.8
43	White.....	1,414.2	26.7	2.5	2.9	4.0	18.0	10.1	10.8	4.7	108.2	14.8	16.6	6.9	77.9
44	Colored.....	2,722.9	26.6	19.1	3.4	2.0	75.8	8.9	24.6	0.7	321.7	8.2	28.0	13.0	60.1
45	Alexandria (total).....	1,946.4	57.4	12.8	12.8	6.4	191.4	19.1	25.5	19.1	102.1
46	White.....	1,581.7	61.5	8.8	8.8	8.8	105.4	17.6	26.4	17.6	123.0
47	Colored.....	2,913.8	46.6	23.3	46.6	449.6	23.3	23.3	23.3	46.6
48	Danville (total).....	1,964.8	55.8	10.2	5.1	50.8	25.4	5.1	218.3	5.1	20.3	5.1	96.5
49	White.....	1,703.5	75.4	15.1	7.5	52.8	30.2	180.9	15.1	7.5	105.5
50	Colored.....	2,503.9	15.6	46.7	15.6	15.6	295.5	15.6	31.1	77.8
51	Lynchburg (total).....	1,881.9	40.8	3.1	9.4	9.4	15.7	6.3	3.1	163.4	31.4	22.0	3.1	84.8
52	White.....	1,499.4	50.9	13.9	4.6	13.5	9.3	4.6	97.2	41.6	13.5	92.6
53	Colored.....	2,690.5	19.6	9.8	19.6	9.8	303.3	9.8	29.4	9.8	65.5
54	Newport News (total).....	1,555.3	19.6	19.6	39.1	220.1	14.7	4.9	24.5
55	White.....	1,062.0	22.9	15.3	15.3	15.3	122.2	7.6	30.6
56	Colored.....	2,433.0	13.6	27.2	81.6	394.3	40.8	13.6
57	Norfolk (total).....	1,956.3	35.8	16.2	4.6	5.8	2.3	41.6	9.2	6.9	4.6	183.7	11.6	27.7	4.6	53.2
58	White.....	1,319.5	29.4	3.7	5.5	3.7	25.8	11.0	11.0	7.4	99.4	12.9	18.4	1.8	60.7
59	Colored.....	3,030.9	46.6	37.3	12.4	6.2	68.3	6.2	326.1	9.3	43.5	9.3	40.4
60	Petersburg (total).....	2,409.2	31.9	19.9	75.7	47.8	262.8	15.9	23.9	11.9	79.6
61	White.....	1,648.7	58.6	22.0	212.5	29.3	14.7	7.3	80.6
62	Colored.....	3,314.4	43.6	139.6	104.7	322.7	34.9	17.4	78.5
63	Portsmouth (total).....	1,330.9	16.0	24.0	5.3	2.7	13.3	5.3	18.6	5.3	119.8	2.7	10.6	8.0	47.9
64	White.....	942.4	4.1	4.1	4.1	4.1	8.2	8.2	8.2	82.0	4.1	4.1	8.2	45.1
65	Colored.....	2,051.0	38.0	60.8	7.6	38.0	38.0	189.9	22.8	7.6	53.2
66	Richmond (total).....	1,970.1	14.1	0.7	0.7	1.5	51.1	3.0	18.5	1.5	188.3	12.6	18.5	12.6	94.1
67	White.....	1,518.2	9.4	1.2	2.3	21.1	3.5	17.5	2.3	99.4	17.5	18.7	9.4	104.1
68	Colored.....	2,552.0	22.3	2.0	103.2	2.0	20.2	342.0	4.0	18.2	18.2	76.9

¹ Exclusive of stillbirths.

²

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914--Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM--																				
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill defined and un- known causes. 38		
11.3	13.8	75.5	161.3	13.2	157.3	26.4	65.0	35.3	20.2	13.5	142.2	10.3	12.7	80.9	145.7	17.0	407.1	47.2	1	
15.1	11.8	70.6	115.6	8.8	105.1	20.6	60.9	39.1	18.1	10.1	117.7	7.6	12.6	89.5	116.4	18.9	319.8	24.4	2	
4.5	17.3	84.4	243.4	21.1	250.9	36.9	72.3	28.6	24.1	19.6	186.1	15.1	12.8	198.2	198.2	13.6	563.7	88.2	3	
12.3	5.3	91.1	126.1	17.5	127.9	22.8	59.6	28.0	21.0	7.0	96.4	12.3	10.5	73.6	152.4	12.3	441.5	45.6	4	
17.6	5.9	93.8	99.7	14.7	90.9	26.4	61.6	29.3	17.6	8.8	105.5	8.8	11.7	85.0	131.9	14.7	366.4	20.5	5	
4.4	4.4	87.1	165.5	21.8	182.9	17.4	56.6	26.1	26.1	4.4	82.7	17.4	8.7	56.6	182.9	8.7	553.1	82.7	6	
17.1	5.7	34.2	125.5	11.4	131.2	17.1	97.0	22.8	11.4	17.1	125.5	5.7	11.4	114.1	125.5	5.7	325.1	154.0	7	
26.9	9.0	44.8	89.5	9.0	71.6	17.9	98.5	35.8	9.0	17.9	134.3	17.9	17.9	125.3	71.6	9.0	313.3	17.9	8	
		15.7	188.6	15.7	235.8	15.7	94.3		15.7	15.7	110.0	15.7		94.3	220.1		345.9	393.0	9	
10.5	34.3	63.3	171.4	15.8	171.4	36.9	68.6	29.0	23.7	2.6	131.8	15.8	26.4	94.9	168.8	26.4	408.4	58.0	10	
13.4	23.4	56.8	126.9	16.7	163.6	26.7	53.4	33.4	26.7	3.3	106.8	13.4	30.0	80.1	166.9	20.0	377.3	40.0	11	
	75.3	87.8	338.7	12.5	200.7	75.3	125.4	12.5	12.5		225.8	25.1	12.5	150.5	175.6	50.2	501.8	125.4	12	
10.5	14.0	60.7	134.0	14.7	155.7	28.6	60.0	38.4	20.2	14.0	178.0	10.5	11.9	69.1	171.1	18.9	466.4	56.6	13	
12.8	10.5	53.2	104.8	5.8	83.9	18.6	51.2	38.4	16.3	9.3	142.1	5.8	10.5	85.0	125.8	23.2	323.8	33.8	14	
7.0	19.2	64.5	177.8	27.9	263.2	43.6	73.2	38.3	26.1	20.9	231.8	17.4	13.9	45.3	238.8	12.2	679.8	90.6	15	
11.3	12.2	96.6	215.0	8.7	173.2	23.5	67.9	39.2	20.0	19.1	126.2	7.8	10.4	89.6	106.2	15.7	329.9	16.5	16	
15.6	11.7	83.3	134.0	6.5	117.1	18.2	69.0	46.8	18.2	13.0	97.6	7.8	7.8	95.0	85.9	16.9	273.2	10.4	17	
2.6	13.1	123.6	378.6	13.1	286.6	34.2	65.7	23.7	23.7	31.6	184.0	7.9	15.8	78.9	147.2	13.1	444.3	28.9	18	
10.3	11.7	53.2	105.9	37.6	147.9	30.8	244.6	14.2	16.6	22.5	149.4	10.3	14.6	108.9	128.9	37.6	493.5	24.4	19	
11.6	11.6	51.9	104.4	39.8	137.0	29.3	264.6	14.4	16.6	23.2	138.1	9.9	14.4	116.0	128.2	40.9	466.8	24.9	20	
	12.6	62.9	117.5	21.0	230.9	42.0	92.4	12.6	16.8	16.8	235.1	12.6	16.8	54.6	134.3	12.6	696.9	21.0	21	
4.0	10.1	50.5	107.1	54.5	208.1	34.3	341.4	16.2	24.2	30.3	97.0	16.2	18.2	133.3	183.8	36.4	636.3	14.1	22	
4.2	10.6	48.6	107.7	57.0	206.9	35.9	356.7	16.9	21.1	29.6	97.1	16.9	19.0	139.3	181.5	35.9	641.7	14.8	23	
		93.7	93.7		234.3				93.7	46.9	93.7				234.3	46.9	515.5		24	
12.4	22.3	69.5	111.7	12.4	131.5	34.7	86.9	7.4	9.9	12.4	290.4	7.4	17.4	57.1	161.3	59.6	417.0	2.5	25	
15.9	19.1	66.7	101.7	15.9	93.5	19.1	76.2	9.5	12.7	15.9	266.8	6.4	15.9	57.2	165.2	69.9	308.1	11.4	26	
	34.1	79.5	147.6		249.7	90.8	124.9				374.6	11.4	22.7	56.8	147.6	22.7	806.0		27	
12.2	8.7	48.7	103.4	39.1	127.8	27.8	258.1	15.6	15.6	22.6	122.5	8.7	12.2	116.5	93.9	30.4	458.9	36.5	28	
13.7	9.8	48.9	103.7	39.1	116.5	29.4	279.9	14.7	15.7	22.5	117.4	7.8	11.7	123.3	92.0	34.3	434.5	37.2	29	
		46.6	100.9	38.8	217.4	15.5	85.4	23.3	15.5	23.3	163.1	15.5	15.5	62.1	108.7		652.3	31.1	30	
13.6	10.1	49.5	87.6	10.8	101.2	11.5	32.3	33.0	6.5	11.5	86.9	5.7	9.3	75.4	97.7	23.7	181.7	28.7	31	
13.9	9.5	50.4	86.9	11.0	101.5	11.7	31.4	33.6	6.6	11.7	86.9	5.8	9.5	75.2	97.8	22.6	178.9	28.5	32	
	43.6	130.7	130.7		87.1		87.1				87.1			87.1	87.1	87.1	348.4	43.6	33	
10.2	20.3	50.8	128.7	20.3	108.4	13.5	33.9	30.5	6.8	23.7	57.6	3.4	23.7	91.4	98.2	27.1	109.8	3.4	34	
14.6	7.3	49.2	76.5	8.2	99.3	10.9	31.9	33.7	6.4	8.2	94.8	6.4	5.5	71.1	97.5	22.8	176.8	35.5	35	
25.3	19.0	137.2	179.4	31.7	154.1	16.9	107.7	21.1	12.7	14.8	107.7	12.7	16.9	111.9	69.7	14.8	308.1	2.1	36	
25.4	19.1	137.7	180.0	31.8	154.6	16.9	108.0	21.2	12.7	14.8	108.0	12.7	16.9	112.2	69.9	14.8	307.1	2.1	37	
																				38
	17.1	85.4	76.9	25.6	85.4	8.5	25.6	25.6	17.1		42.7	8.5	25.6	111.1	68.3	8.5	111.1		39	
28.2	28.2	103.5	221.2	47.1	193.0	14.1	174.1	23.5	9.4	14.1	117.7	18.8	9.4	155.3	61.2	23.5	400.1	4.7	40	
41.6	6.9	228.9	201.2	13.9	152.6	27.7	76.3	13.9	13.9	27.7	145.7	6.9	20.8	48.6	83.2	6.9	326.0		41	
12.3	10.6	113.3	164.0	22.2	162.6	27.9	96.5	18.4	20.3	17.0	150.1	16.3	15.6	117.3	126.7	14.2	239.0	28.6	42	
14.4	7.9	91.3	125.2	10.5	84.4	10.8	69.6	19.8	14.1	17.0	124.1	9.7	13.0	99.5	95.2	20.2	269.8	13.7	43	
8.2	15.7	155.0	237.7	44.4	310.7	60.1	147.5	15.7	32.1	17.1	199.4	28.7	20.5	150.9	186.4	2.7	441.2	56.7	44	
19.1	6.4	102.1	140.4	12.8	217.0	19.1	76.6	12.8	31.9	12.8	178.7			108.5	134.0	6.4	312.7	108.5	45	
17.6	8.8	70.3	167.0	8.8	131.8		52.7	17.6	43.9	17.6	149.4			123.0	131.3	8.8	246.0	17.6	46	
23.3		186.5	69.9	23.3	442.9	69.9	139.9				256.4			69.9	139.9		489.5	349.7	47	
	20.3	71.1	167.5	45.7	162.5	20.3	76.2	35.5	15.2	15.2	132.0	20.3	25.4	101.5	96.5	20.3	441.7		48	
	22.6	67.8	135.7	30.2	98.0	7.5	60.3	52.8			98.0	30.2	22.6	98.0	60.3	30.2	399.5		49	
	15.6	77.8	233.3	77.8	295.5	46.7	108.9		46.7	46.7	202.2		31.1	108.9	171.1		528.8		50	
22.0	25.1	163.4	175.9	22.0	106.8	22.0	157.1	6.3	31.4	12.6	91.1	15.7	15.7	141.4	81.7	18.9	351.9	28.3	51	
32.4	23.1	111.1	97.2	4.6	74.0	4.6	124.9	9.3	32.4	18.5	78.7	4.6	13.9	143.5	69.4	23.1	263.8	18.5	52	
	29.4	273.9	342.4	58.7	176.1	58.7	225.0		29.4		117.4		19.6	137.0	107.6	9.8	538.1	48.9	53	
19.6	14.7	78.3	122.3	14.7	88.0	14.7	122.3	19.6	4.9	4.9	97.8	4.9	14.7	122.3	122.3	19.6	254.3	63.6	54	
15.3	7.6	53.5	68.8		61.1	7.6	91.7	7.6			84.0		15.3	107.0	99.3	22.9	152.8	30.6	55	
27.2	27.2	122.3	217.5	40.8	135.9	27.2	176.7	40.8	13.6		122.3	13.6	13.6	149.5	168.1	13.6	435.0	122.3	56	
18.5	9.2	106.3	183.7	27.7	182.6	22.0	98.2	18.5	26.6	17.3	150.2	20.8	11.6	102.8	151.4	24.3	366.3	10.4	57	
23.9	9.2	86.5	123.3	11.0	64.4	5.5	51.5	18.4	14.7	20.2	101.2	14.7	7.4	75.5	110.4	38.6	244.8	7.4	58	
9.3	9.3	139.7	285.7	55.9	382.0	49.7	177.0	18.6	46.6	12.4	232.2	31.1	18.6	149.1	220.5		571.4	15.5	59	
15.9	4.0	163.3	163.3	23.9	227.0	27.9	195.1	15.9	19.9	19.9	278.8	19.9	31.9	159.3	163.3	15.9	286.7	8.0	60	
7.3		117.2	117.2	14.7	65.9		103.9	29.3	14.7	14.7	278.4	7.3	7.3	109.9	73.3	29.3	219.8	7.3	61	
26.2	8.7	218.1	218.1	34.9	418.7	61.1	296.6		26.2	26.2	279.1	34.9	61.1	218.1	270.4		366.3	8.7	62	
2.7	2.7	114.5	127.8	18.6	98.5	26.6	63.9	8.0	10.6	8.0	111.8	8.0	13.3	66.5	69.2	5.3	260.9	34.6	63	
		77.9	98.3	12.3	53.3	8.2	53.3	8.2	4.1	8.2	102									

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
REGISTRATION CITIES—Contd.																
VIRGINIA—continued.																
1	Roanoke (total).....	1,518.2	14.8			4.9	4.9	22.2	41.9	9.9		147.9	17.3	19.7	7.4	49.3
2	White.....	1,263.2	15.9			6.4	6.4	12.8	28.7	9.6		82.9	9.6	22.3	6.4	47.8
3	Colored.....	2,384.8	10.8					54.2	86.7	10.8		308.6	43.4	10.8	10.8	54.2
4	Staunton* (total).....	2,006.0	53.0							53.0		150.2		17.7	17.7	53.0
5	White.....	2,146.1	57.7									150.0		11.5	11.5	57.7
6	Colored.....	1,547.8	37.8							226.5		151.0		37.8	37.8	37.8
WASHINGTON.																
7	Registration cities † (total).....	835.4	9.3	0.1	0.3	1.9	1.2	3.0	3.0	2.4	1.8	69.7	10.7	11.1	5.6	74.0
8	White.....	829.1	9.1	0.2	0.3	2.0	1.2	3.0	3.0	2.1	1.8	69.1	9.0	9.9	5.6	75.8
9	Colored.....	1,058.3	16.3							10.9		92.3	70.6	54.3	5.4	10.9
10	Aberdeen †.....	751.9	11.0					27.4	11.0	5.5		60.4	5.5	16.5	11.0	54.9
11	Bellingham †.....	855.1	10.0					3.3	3.3			83.5	6.7	6.7	6.7	70.1
12	Everett†.....	826.9	12.5			6.2		6.2	6.2	9.4		71.8	21.8	18.7	6.2	59.3
13	North Yakima †.....	902.0	10.7					5.3	5.3			69.4	21.3		5.3	106.7
14	Seattle†.....	810.5	7.0	0.3	0.3	0.3	1.0	3.2	2.2	1.6	2.6	66.8	13.4	8.6	2.9	70.6
15	Spokane †.....	862.5	12.5			6.6	1.5		3.7	2.9	1.5	53.8	3.7	14.0	11.1	75.2
16	Tacoma †.....	883.8	7.7				2.9	1.0	1.9	1.0	1.0	103.5	10.6	16.4	6.8	81.2
17	Walla Walla †.....	794.8	21.5		4.3	4.3		4.3		4.3	4.3	38.7		4.3		94.5
WEST VIRGINIA. ²																
18	Wheeling (total).....	1,604.5	72.4			9.3	2.3	7.0	23.4	11.7		98.1	2.3	14.0		107.4
19	White.....	1,585.1	64.9			9.6	2.4	7.2	24.1	12.0		91.4	2.4	14.4		108.2
20	Colored.....	2,254.4	322.1									322.1				80.5
WISCONSIN.																
21	Registration cities (total).....	1,223.3	11.0		0.1	8.5	17.4	4.2	22.1	5.3	4.8	87.7	9.5	11.3	5.6	85.4
22	White.....	1,222.9	10.9		0.1	8.4	17.4	4.2	22.1	5.3	4.8	87.7	9.4	11.2	5.7	85.4
23	Colored.....	1,354.9	37.6			37.6						75.3	37.6	37.6		75.3
24	Appleton.....	1,417.8	11.4			22.9			5.7	11.4	5.7	85.8	17.2	11.4		120.1
25	Ashland.....	1,459.3	54.7							9.1		155.1	27.4	18.2	9.1	91.2
26	Beloit.....	1,249.9	5.8				46.7		29.2			29.2	5.8	23.4	11.7	87.6
27	Eau Claire.....	1,608.8	26.8				16.1	10.7	10.7	5.4	5.4	134.1	16.1	10.7		134.1
28	Fond du Lac.....	1,345.3	9.8			9.8				4.9		98.2	4.9	14.7	4.9	127.7
29	Green Bay.....	1,727.0	25.0			50.0	21.4	7.1	3.6		10.7	82.1	39.2	32.1	3.6	128.5
30	Janesville.....	1,331.5						7.0		7.0		77.5	7.0	21.1	7.0	140.9
31	Kenosha †.....	805.2	3.4					17.2		6.9		58.5	3.4	10.3		55.1
32	La Crosse.....	1,364.5	9.6		3.2			3.2	19.1	12.8	9.6	108.4	15.9	9.6	3.2	114.8
33	Madison.....	1,265.7	10.2			6.8			23.8	10.2	6.8	61.1	20.4	10.2		98.4
34	Manitowoc.....	1,394.5	29.5			7.4		36.9	29.5			95.9		7.4		125.4
35	Marinette †.....	882.5	7.2				7.2		14.4			78.9	14.4	7.2	7.2	78.9
36	Milwaukee.....	1,181.9	8.1			9.1	22.6	3.3	33.4	3.6	3.1	93.2	5.5	6.7	5.7	69.4
37	Oshkosh.....	1,176.7	19.9			19.9		2.8	22.8	8.5	11.4	85.5	14.2	8.5	5.7	108.3
38	Racine.....	1,183.5	22.5			2.2	29.2		2.2	6.7	6.7	87.6	13.5	4.5	6.7	98.8
39	Sheboygan.....	1,320.7	14.4			3.6	10.8	7.2	3.6	10.8	3.6	71.8	14.4	28.7	17.9	125.6
40	Superior.....	1,082.4	20.3			2.3	31.6	4.5	11.3	9.0	6.8	60.9	6.8	31.6	6.8	58.6
41	Wausau.....	1,302.3					10.9	5.4	5.4	5.4	21.8	81.7	5.4	16.3	10.9	87.2
RURAL PART OF REGISTRATION STATES. ⁴																
CALIFORNIA.																
42	Total.....	1,306.1	15.0	3.3	0.1	4.4	4.9	11.7	7.7	6.8	1.6	169.1	7.7	13.1	5.7	78.2
43	White.....	1,313.2	15.4	3.4	0.1	4.4	5.2	12.3	8.1	6.8	1.7	165.7	7.6	12.8	5.8	81.3
44	Colored.....	1,188.2	8.7	1.5		4.4		2.9	1.5	5.8		225.4	8.7	18.9	4.4	26.2
45	Alameda County.....	2,085.0	23.5			8.8		29.3	11.7	2.9	2.9	349.0	14.7	14.7	2.9	114.4
46	Alpine County † (total).....	885.0														
47	White.....	1,282.1														
48	Colored.....															
49	Amador County.....	1,653.7	36.5	12.2		24.3		24.3	12.2			291.8		12.2	12.2	85.1
50	Butte County (total).....	1,074.6	9.5	6.3		12.6	12.6	9.5	9.5	3.2		94.8	6.3	9.5	3.2	72.7
51	White.....	1,038.9	10.1	6.7		13.4	13.4	10.1	10.1	3.4		80.7	6.7	10.1	3.4	77.3
52	Colored.....	1,634.2										316.3				
53	Calaveras County.....	1,107.2	12.0					12.0		12.0		96.3	12.0	12.0	12.0	24.1
54	Colusa County (total).....	1,077.4	76.1					38.0		38.0		126.8		12.7		38.0
55	White.....	1,042.1	68.6					41.1		41.1		109.7		13.7		41.1
56	Colored.....	1,510.1	167.8									335.6				
57	Contra Costa County (total).....	1,027.1	24.0	5.3		26.7	8.0	10.7	21.3		5.3	96.0	5.3	2.7	8.0	48.0
58	White.....	1,077.2	25.4	5.7		28.3	8.5	11.3	22.6		5.7	99.0	5.7	2.8	8.5	50.9
59	Colored.....	189.4										47.3				
60	Del Norte County † (total).....	743.5										206.5				82.6
61	White.....	625.9										144.4				96.3
62	Colored.....	1,453.5										581.4				
63	Eldorado County.....	1,589.6	14.6					43.8		58.3		189.6		14.6		145.8

¹ Exclusive of stillbirths.

² Nonregistration state; cities shown below only those with effective local ordinances.

DEATH RATES FROM PRINCIPAL CAUSES.

93

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral infect- ions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2.5	9.9	51.8	81.3	19.7	133.1	7.4	115.8	27.1	24.6	9.9	86.3	14.8	17.3	145.4	103.4	7.4	283.4	27.1	
3.2	3.2	38.3	67.0	12.8	102.1	6.4	102.1	35.1	19.1	12.8	73.4	6.4	22.3	121.2	105.3	6.4	255.2	22.3	
17.7	32.5	97.6	130.1	43.4	238.5	10.8	162.6	17.7	43.4	-----	130.1	43.4	-----	227.6	119.2	10.8	401.1	43.4	
23.1	-----	114.9	300.5	-----	176.7	-----	8.8	-----	17.7	-----	229.8	-----	26.5	79.5	70.7	8.8	547.9	8.8	
-----	-----	138.5	323.1	-----	184.6	-----	11.5	23.1	11.5	-----	196.1	-----	23.1	69.2	80.8	11.5	703.8	11.5	
-----	-----	37.8	226.5	-----	151.0	-----	-----	-----	37.8	-----	339.8	-----	37.8	113.3	-----	-----	37.8	-----	
11.7	5.6	46.9	84.5	5.6	53.2	8.2	15.0	13.2	9.0	8.3	62.6	6.1	7.3	47.3	72.8	25.4	154.8	3.7	
12.0	5.5	47.1	84.8	5.6	52.3	8.1	15.1	13.3	8.8	7.8	62.1	6.1	7.3	46.7	71.7	25.2	153.8	3.7	
-----	10.9	38.0	76.0	5.4	86.8	10.9	10.9	10.9	16.3	27.1	81.4	5.4	5.4	70.6	114.0	32.6	190.0	5.4	
5.5	5.5	16.5	54.9	5.5	27.4	16.5	11.0	16.5	5.5	5.5	16.5	-----	5.5	43.9	164.7	32.9	109.8	5.5	
10.0	6.7	63.5	113.6	10.0	53.4	3.3	10.0	13.4	13.4	6.7	60.1	-----	13.4	53.4	50.1	6.7	173.7	3.3	
9.4	3.1	40.6	84.2	6.2	37.4	6.2	12.5	12.5	3.1	12.5	34.3	6.2	6.2	53.0	112.3	15.6	140.4	12.5	
5.3	5.3	21.2	96.1	5.3	26.7	21.3	43.0	21.3	10.7	10.7	58.7	16.0	21.3	74.7	64.0	16.0	149.4	5.3	
13.7	5.4	43.4	88.8	6.4	54.0	7.7	11.2	11.5	8.0	8.9	62.0	5.4	5.8	41.8	69.0	28.4	156.9	1.3	
10.3	5.2	59.0	73.0	3.7	61.2	5.2	20.6	14.7	14.0	7.4	77.4	8.1	7.4	56.0	64.9	28.7	158.5	0.7	
11.6	6.8	42.5	91.9	5.8	60.9	8.7	11.6	10.6	8.7	6.8	71.6	6.8	8.7	46.4	77.4	25.1	136.3	11.6	
8.6	8.6	73.0	38.7	-----	25.8	21.5	34.4	30.1	-----	8.6	25.8	4.3	4.3	38.7	60.2	4.3	223.4	4.3	
14.0	23.4	39.7	133.1	21.0	112.1	49.0	60.7	28.0	23.4	16.3	126.1	16.3	18.7	109.8	142.5	28.0	287.3	7.0	
14.4	24.1	38.5	127.5	21.6	103.4	50.5	57.7	28.9	24.1	16.8	122.7	16.8	19.2	113.0	141.9	26.5	293.4	7.2	
-----	-----	80.5	322.1	-----	402.6	-----	161.0	-----	-----	-----	241.5	-----	-----	-----	161.0	80.5	80.5	-----	
17.5	10.0	66.2	101.4	21.2	114.0	13.4	51.4	23.9	13.9	15.2	72.1	7.2	8.5	95.4	72.5	19.5	224.1	2.9	
17.6	9.9	66.4	101.3	21.3	113.7	13.4	51.6	23.8	13.8	15.2	71.8	7.2	8.5	95.6	72.4	19.5	224.3	2.9	
-----	37.6	-----	150.5	-----	225.8	-----	-----	37.6	37.6	37.6	150.5	-----	-----	37.6	112.9	37.6	150.3	2.9	
17.2	11.4	68.6	108.6	5.7	148.6	23.6	22.9	51.5	22.9	17.2	85.8	5.7	5.7	40.0	114.3	17.2	348.7	5.7	
27.4	27.4	100.3	109.4	9.1	173.3	9.1	27.4	18.2	18.2	18.2	127.7	9.1	9.1	91.2	91.2	18.2	209.8	-----	
35.0	5.8	75.9	87.6	35.0	23.4	23.4	52.6	29.2	17.5	5.8	70.1	-----	5.8	111.0	93.4	5.8	257.0	-----	
16.1	16.1	118.0	180.9	5.4	150.2	5.4	42.9	37.5	16.1	10.7	96.5	10.7	26.8	96.5	80.4	10.7	311.0	26.8	
29.5	4.9	83.5	186.9	9.8	83.5	19.6	9.8	39.3	14.7	19.6	117.8	14.7	14.7	93.3	39.3	9.8	294.6	4.9	
14.3	3.6	85.6	110.6	7.1	142.7	14.3	67.8	50.0	7.1	21.4	103.5	10.7	10.7	196.2	99.9	25.0	342.5	3.6	
-----	-----	63.4	169.1	7.0	77.5	21.1	21.1	14.1	7.0	14.1	49.3	7.0	7.0	63.4	105.7	35.2	394.5	14.1	
-----	20.6	51.6	79.1	3.4	99.8	3.4	37.9	10.3	6.9	10.3	34.4	10.3	-----	86.0	48.2	17.2	130.8	-----	
19.1	6.4	105.2	111.6	19.1	102.0	9.6	19.1	35.1	35.1	9.6	51.0	25.5	12.8	63.8	76.5	3.2	341.1	9.6	
33.9	10.2	67.9	101.8	20.4	91.6	20.4	23.8	23.8	33.9	17.0	84.8	-----	10.2	71.3	125.6	13.6	264.7	3.4	
36.9	14.8	66.4	95.9	36.9	29.5	36.9	36.9	44.3	14.8	22.1	59.0	22.1	7.4	81.2	59.0	22.1	368.9	7.4	
-----	7.2	86.1	122.0	7.2	71.8	-----	21.5	21.5	7.2	7.2	50.2	-----	-----	50.2	35.9	7.1	172.2	-----	
19.3	7.4	61.5	92.5	29.3	118.0	12.6	68.9	18.6	10.7	17.4	69.8	6.7	9.5	100.6	59.1	21.2	193.8	1.4	
14.2	2.8	62.7	111.1	19.9	99.7	11.4	19.9	19.9	28.5	11.4	65.5	2.8	8.5	85.5	65.5	17.1	239.3	2.8	
6.7	11.2	47.2	105.6	18.0	134.7	11.2	42.7	24.7	6.7	6.7	83.1	-----	2.2	87.6	85.3	20.2	208.9	-----	
21.5	32.3	89.7	104.1	10.8	104.1	14.4	61.0	32.3	10.8	21.5	79.0	-----	3.6	86.1	61.0	35.9	229.7	-----	
6.8	9.0	36.1	90.2	2.3	119.5	11.3	31.6	18.0	13.5	2.3	65.4	4.5	4.5	87.9	142.1	20.3	166.9	40	
10.9	43.6	70.8	109.0	10.9	103.5	21.8	16.3	49.0	27.2	27.2	65.4	5.4	5.4	114.4	87.2	21.8	250.7	10.9	
16.6	10.6	84.6	153.7	11.6	90.0	12.7	33.9	9.2	10.5	11.1	84.8	4.6	8.6	47.6	131.8	25.8	225.2	4.1	
17.5	10.4	87.9	157.6	11.5	88.3	12.5	32.1	9.0	9.8	11.4	86.3	4.5	8.4	47.1	131.1	24.7	228.5	4.2	
1.5	13.1	30.5	88.7	14.5	117.8	16.0	62.5	11.6	21.8	7.3	59.6	7.3	11.6	55.3	142.5	45.1	170.2	2.9	
17.6	8.8	137.8	351.9	5.9	205.3	64.5	46.9	5.9	17.6	8.8	149.6	2.9	2.9	44.0	134.9	41.1	258.1	5.9	
-----	-----	-----	442.5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	442.5	-----	-----	-----
-----	-----	-----	641.0	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	641.0	-----	-----	-----
12.2	36.5	109.4	158.1	-----	121.6	24.3	73.0	-----	12.2	12.2	145.9	-----	-----	48.6	170.2	48.6	158.1	12.2	
12.6	12.6	91.7	116.9	6.3	82.2	3.2	15.8	12.6	3.2	15.8	72.7	9.5	3.2	37.9	135.9	15.8	167.5	9.5	
13.4	13.4	87.4	114.3	6.7	77.3	3.4	16.8	13.4	3.4	13.4	70.6	10.1	3.4	37.0	124.4	13.4	161.4	10.1	
-----	-----	158.1	158.1	-----	158.1	-----	-----	-----	-----	-----	52.7	-----	-----	52.7	316.3	52.7	263.6	-----	
-----	12.0	192.6	192.6	36.1	60.2	36.1	24.1	-----	-----	-----	24.1	12.0	-----	12.0	108.3	36.1	156.5	-----	
38.0	-----	88.7	88.7	-----	50.7	12.7	12.7	-----	-----	-----	12.7	114.1	-----	25.4	76.1	12.7	215.5	-----	
41.1	-----	96.0	82.3	-----	54.8	13.7	13.7	-----	-----	-----	13.7	123.4	-----	13.7	68.6	-----	205.7	-----	
-----	-----	167.8	167.8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	167.8	167.8	-----	335.6	-----	
8.0	5.3	56.0	117.4	2.7	112.1	10.7	13.3	-----	2.7	10.7	45.4	5.3	5.3	50.7	154.7	16.0	144.1	5.3	
8.5	5.7	59.4	124.4	2.8	118.7	11.3	14.1	-----	2.8	11.3	48.1	5.7	5.7	53.7	158.3	17.0	149.8	5.7	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	94.7	-----	-----	47.3	-----	
-----	-----	41.3	82.6	-----	-----	-----	41.3	-----	-----	-----	41.3	-----	41.3	-----	82.6	-----	123.9	-----	
-----	-----	48.1	96.3	-----	-----	-----	-----	-----	-----	-----	48.1	-----	48.1	-----	48.1	-----	96.3	-----	
-----	-----	-----	290.7	-----	-----	-----	290.7	-----	-----	-----	-----	-----	-----	290.7	-----	-----	290.7	-----	
14.6	-----	102.1	277.1	14.6	72.9	-----	-----	14.6	14.6	14.6	145.8	-----	-----	145.8	-----	-----	277.1	29.2	

² Colored population less than 5 per cent of the total in 1910.

⁴ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-ma-tism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES—Continued. CALIFORNIA—continued.																
1	Fresno County (total).....	1,063.7	14.5	6.5	3.2	25.8	14.5	9.7	12.9	161.4	8.1	9.7	4.8	64.6
2	White.....	1,031.1	15.3	6.8	3.4	27.2	15.3	10.2	10.2	154.8	8.5	10.2	3.4	64.7
3	Colored.....	1,667.2	62.9	31.5	62.9
4	Glenn County †.....	859.0	24.9	24.9	12.4	12.4	24.9	49.8
5	Humboldt County (total).....	910.0	8.7	8.7	13.1	21.8	8.7	56.6	4.4	17.4	56.6
6	White.....	912.6	9.5	9.5	14.2	23.6	4.7	33.1	4.7	14.2	61.5
7	Colored.....	879.6	55.0	329.9	55.0
8	Imperial County (total).....	1,918.1	95.9	18.0	59.9	18.0	6.0	6.0	233.8	18.0	30.0	30.0
9	White.....	1,912.0	97.2	19.4	64.8	19.4	6.5	6.5	239.8	19.4	32.4	32.4
10	Colored.....	1,993.6	79.7	159.5
11	Inyo County † (total).....	507.3	24.7	12.4	61.9	24.7
12	White.....	560.2	28.7	14.4	71.8	28.7
13	Colored.....	178.6
14	Kern County †.....	582.8	6.4	9.6	9.6	6.4	3.2	51.2	12.8
15	Kings County (total).....	1,013.7	21.1	5.3	21.1	5.3	5.3	116.2	5.3	26.4	5.3	63.4
16	White.....	976.6	22.3	5.6	22.3	5.6	5.6	89.3	5.6	27.9	5.6	61.4
17	Colored.....	1,665.0	587.7	97.9
18	Lake County (total).....	1,090.2	18.8	112.8	18.8	94.0
19	White.....	1,049.2	20.6	61.7	102.9
20	Colored.....	1,525.1	653.6	217.9
21	Lassen County (total).....	1,340.1	20.3	20.3	60.9	60.9	81.2
22	White.....	1,428.9	22.3	22.3	44.7	67.0	67.0
23	Colored.....	443.4	224.2	224.2
24	Los Angeles County.....	1,321.3	9.2	8.1	2.3	5.4	16.2	7.7	0.8	342.4	12.3	12.3	8.5	123.9
25	Madera County (total).....	921.7	86.7	10.8	54.2
26	White.....	973.8	83.1	11.9	59.4
27	Colored.....	374.5	124.8
28	Marin County.....	992.2	3.4	3.4	3.4	10.3	151.1	6.9	10.3	48.1
29	Mariposa County (total).....	908.3	55.1	27.5	110.1	27.5
30	White.....	919.6	59.3	29.7	89.0	29.7
31	Colored.....	763.4	381.7
32	Mendocino County* (total).....	1,291.1	15.7	3.9	3.9	23.6	3.9	7.9	157.4	23.6	39.4
33	White.....	1,331.1	16.9	4.2	4.2	25.4	4.2	8.5	104.8	25.4	42.3
34	Colored.....	747.1	57.5
35	Merced County.....	1,024.0	11.3	5.7	5.7	17.0	118.8	22.6	11.3	62.2
36	Modoc County (total).....	1,034.9	60.0	30.0	15.0	45.0	30.0
37	White.....	1,007.6	66.1	33.0	16.5	18.5	33.0
38	Colored.....	1,305.1	326.3
39	Mono County † (total).....	251.0	50.2
40	White.....	317.3	63.5
41	Colored.....
42	Monterey County (total).....	1,081.1	3.8	7.6	22.9	7.6	19.1	3.8	61.1
43	White.....	1,076.4	8.3	25.0	8.3	16.7	4.2	62.6
44	Colored.....	1,132.8	45.3	135.9	45.3	45.3
45	Napa County*.....	2,336.5	4.7	9.4	23.6	4.7	292.1	9.4	13.8	150.7
46	Nevada County.....	1,622.1	14.5	7.3	21.8	145.5	14.5	29.1	101.8
47	Orange County.....	1,493.3	31.9	7.3	7.3	12.3	2.5	24.6	2.5	154.7	27.0	19.6	9.8	95.8
48	Placer County (total).....	1,156.6	5.2	10.4	5.2	259.3	15.6	5.2	87.4
49	White.....	1,165.8	5.7	11.4	5.7	265.6	11.4	5.7	68.6
50	Colored.....	1,066.2	168.4	56.1	56.1
51	Plumas County † (total).....	797.7	18.1	18.1	18.1	18.1	18.1	18.1
52	White.....	825.3	20.6	20.6	149.5	20.6	20.6	20.6
53	Colored.....	597.9
54	Riverside County (total).....	938.1	4.2	4.2	12.7	12.7	4.2	246.2	21.2	4.2	29.7
55	White.....	978.6	4.6	4.6	13.7	13.7	4.6	265.2	22.9	4.6	32.0
56	Colored.....	414.7
57	Sacramento County (total).....	1,109.9	6.9	6.9	6.9	131.8	34.7
58	White.....	1,140.6	9.2	9.2	9.2	110.4	36.8
59	Colored.....	1,015.8	197.5	28.2
60	San Benito County.....	1,331.2	11.6	23.2	208.4	11.6	34.7	11.6	104.2
61	San Bernardino County* (total).....	1,668.7	9.9	2.5	12.3	7.4	2.5	2.5	286.3	14.8	14.8	85.9
62	White.....	1,729.2	10.4	2.6	13.1	7.8	2.6	2.6	284.7	15.7	15.7	88.8
63	Colored.....	628.9	314.5
64	San Diego County (total).....	1,358.8	3.7	7.5	8.7	201.6	3.7	14.9	3.7	89.6
65	White.....	1,421.8	4.1	8.2	4.1	197.8	4.1	16.5	4.1	98.9
66	Colored.....	752.8	237.7
67	San Joaquin County (total).....	1,506.1	28.5	3.2	3.2	6.3	3.2	3.2	190.2	19.0	19.0	3.2	101.5
68	White.....	1,504.3	28.5	7.1	3.6	3.6	174.7	21.4	14.3	3.6	114.1
69	Colored.....	1,520.4	28.7	28.7	28.7	315.5	57.4
70	San Luis Obispo County.....	1,060.7	14.6	4.9	14.6	82.7	14.6	68.1
71	San Mateo County.....	1,040.9	6.1	3.1	27.5	3.1	106.8	18.3	9.2	6.1	70.2
72	Santa Barbara County † (total).....	769.7	11.3	5.7	5.7	79.2	5.7	28.3
73	White.....	765.6	12.1	6.0	6.0	72.3	6.0	30.1
74	Colored.....	831.8	184.8
75	Santa Clara County* (total).....	1,805.2	14.2	3.5	10.6	14.2	7.1	5.3	1.8	214.6	16.0	14.2	10.6	138.3
76	White.....	1,828.7	15.0	3.7	11.2	15.0	7.5	5.6	1.9	219.2	16.9	11.2	11.2	144.3
77	Colored.....	1,390.3	132.4	66.2	33.1

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- defined and un- known causes.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
9.7	11.3	53.3	74.2	3.2	72.6	4.8	74.2	6.5	11.3	6.5	72.6	6.5	11.3	48.4	103.3	25.8	132.4	1	
10.2	11.9	54.4	73.2	3.4	73.2	3.4	69.8	5.1	10.2	6.8	66.4	5.1	8.5	45.9	98.7	25.5	129.3	2	
	12.4	31.5	94.4		62.9	31.5	157.3	31.5	31.5		188.7	31.5	02.9	94.4	183.7	31.5	188.7	3	
		74.7	149.4	12.4	74.7	37.3	12.4			12.4	74.7			49.8	74.7		124.5	4	
13.1	21.8	65.3	108.9		43.5		13.1	4.4	8.7	4.4	47.9	4.4		91.4	143.7	13.1	113.2	5	
14.2	23.6	70.9	118.2		33.1		14.2	4.7	9.5	4.7	47.3	4.7		99.3	156.0	14.2	104.0	6	
					164.9						55.0						219.9	7	
	12.0	42.0	155.8	6.0	107.9	6.0	173.8	6.0	12.0		59.9	12.0	6.0	113.9	401.6	53.9	227.8	8	
	13.0	45.4	149.1	6.5	116.7	6.5	181.5	6.5	13.0		64.8	6.5	6.5	103.7	388.9	51.9	207.4	9	
			239.2				79.7					79.7		239.2	558.2	79.7	473.5	10	
	12.4	24.7	12.4		37.1			12.4			37.1		12.4	24.7	123.7		37.1	11	
	14.4	28.7	14.4		43.1			14.4			43.1		14.4	28.7	129.3		28.7	12	
															89.3		89.3	13	
3.2	3.2	16.0	57.6	3.2	38.4		19.2	3.6	6.4	3.2	9.6	6.4	6.4	35.2	160.1	22.4	80.1	14	
																			15
31.7	5.3	58.1	84.5	5.3	68.6	10.6	52.8	31.7	21.1	10.6	58.1		5.3	42.2	73.9	26.4	153.1	16	
33.5	5.6	55.3	83.7	5.6	67.0	11.2	44.6	33.5	16.7	11.2	55.8		5.6	39.1	78.1	27.9	150.7	17	
		97.9	97.9		97.9		195.9		97.9		97.9			97.9			195.9	18	
18.8		75.2	109.2	18.8	56.4	18.8	18.8		37.6		56.4		18.8	37.6	131.6		150.4	19	
		82.3	185.1	20.6	41.1	20.6	20.6		41.1		41.1		20.6	41.1	144.0		164.6	20	
217.9					217.9						217.9								21
	20.3	20.3	182.7	40.6	121.8	20.3		20.3			60.9		40.6	20.3	304.6	60.9	162.4	22	
	22.3	22.3	200.9	44.7	134.0	22.3		22.3			67.0		44.7	22.3	334.9	67.0	173.6	23	
26.9	7.7	127.7	234.7	16.9	115.4	17.7	39.2	6.2	9.2	10.0	130.8	2.3	12.3	73.9	139.3	25.4	280.1	24	
10.8	10.8	54.2	97.6	10.8	130.1	10.8	32.5	10.8		10.8	65.1		10.8	21.7	119.3	32.5	141.0	25	
11.9	11.9	59.4	106.9	11.9	142.5	11.9	35.6	11.9		11.9	71.3		11.9	23.8	108.9	35.6	154.4	26	
13.7	3.4	68.7	154.5	3.4	65.2	3.4	10.3	3.4		24.0	51.5	3.4	3.4	61.8	249.7	44.6	154.5	27	
															85.8			28	
		55.1	82.6		27.5						27.5				302.8	55.1	110.1	29	
		59.3	89.0		29.7						29.7				296.6	59.3	118.7	30	
23.6		98.4	110.2		106.3	7.9	15.7	3.9		23.6	114.2		3.9	39.4	153.5	23.6	248.0	31	
25.4		101.4	118.3		97.2	8.5	16.9	4.2	7.9	25.4	114.1		4.2	42.3	164.8	25.4	249.3	32	
		57.5			229.9						114.9				229.9		229.9	33	
11.3	5.7	56.6	96.2		87.9	28.3	11.3	28.3		17.0	33.9		22.6	141.4		5.7	203.7	35	
15.0		135.0	45.0	15.0	105.0			45.0	30.0	15.0	45.0		15.0	90.0	135.0		165.0	36	
16.5		148.7	33.0	16.5	115.6			16.5	33.0	16.5	49.6		16.5	99.1	148.7		132.1	37	
			183.1					328.3									489.4	38	
																50.2	150.6	39	
															63.5	190.4	190.4	40	
15.3	11.5	87.9	129.9		61.1	34.4	45.8	3.3	11.5	3.3	45.8		11.5	30.6	114.6	38.2	210.1	41	
16.7	8.3	91.8	129.3		54.2	33.4	37.5	4.2	8.3	4.2	50.1		12.5	29.2	121.0	29.2	225.3	42	
	45.3	45.3	135.9		135.9	45.3	135.9		45.3					45.3	45.3	135.9	45.3	44	
37.7	23.6	150.7	329.8	9.4	174.3	4.7	4.7	9.4	28.3	28.3	150.7		4.7	23.6	98.9	61.2	678.3	45	
29.1	7.3	130.9	312.8	29.1	101.8		21.8	29.1	14.5		72.7		14.5	58.2	116.4	7.3	327.3	46	
22.1	27.0	98.2	130.2	19.6	100.7	4.9	73.7	4.9	24.6	12.3	108.1	2.5	7.4	105.6		2.5	270.2	47	
20.7	15.6	57.1	155.6	15.6	25.9	10.4	25.9	15.6	5.2	5.2	72.6		5.2	25.9	186.7	5.2	140.0	48	
22.9	11.4	62.9	165.7	17.1	28.6	5.7	17.1	17.1	5.7	5.7	80.0		5.7	17.1	182.9	5.7	148.6	49	
	56.1		56.1			56.1	112.2		56.1				56.1	112.2	224.5		56.1	50	
			72.5		54.4									18.1	217.5	90.6	235.7	51	
			82.5		41.3									20.6	247.6	82.5	247.6	52	
			149.5		149.5										149.5	149.5	149.5	53	
4.2	29.7	29.7	59.4		63.7	12.7	42.5		8.5	4.2	46.7	12.7	4.2	50.9	89.1	4.2	135.8	54	
4.6	32.0	32.0	54.9		68.6	13.7	45.7		9.1	4.6	50.3	9.1	4.6	54.9	86.9	4.6	137.2	55	
			118.5									59.2		118.5			118.5	56	
13.9		27.7	104.1	20.8	69.4	13.9	20.8		13.9	13.9	83.2	6.9		55.5	242.8	55.5	173.4	57	
18.4		36.8	138.0	27.6	55.2	9.2	9.2		9.2	18.4	101.2	9.2		55.2	285.1	18.4	165.6	58	
					112.9	28.2	56.4		28.2		28.2			56.4	112.9	169.3	197.5	59	
34.7	11.6	127.3	173.6	11.6	104.2	11.6	34.7		23.2		46.3	11.6		34.7	69.5	11.6	219.9	60	
12.3	9.9	123.4	167.9	7.4	106.1	7.4	69.1	4.9	9.9	4.9	74.1	2.5	14.8	42.0	145.6	27.2	402.4	61	
13.1	10.4	130.6	175.0	7.8	107.1	7.8	73.1	5.2	10.4	5.2	78.4	2.6	15.7	44.4	154.1	26.1	417.9	62	
			44.9		89.8											44.9		134.8	63
7.5	7.5	104.5	112.0	11.2	93.3		14.9	3.7	14.9	11.2	160.5	11.2	11.2	33.6	164.2	33.6	235.2	64	
8.2	8.2	115.4	123.6	8.2	90.7		12.4	4.1	12.4	12.4	169.0	8.2	12.4	37.1	169.0	37.1	255.5	65	
					118.9		39.6		39.6		79.2	39.6		118.9			39.6	66	
19.0	15.9	57.1	164.9	6.3	98.3	6.3	9.5	19.0	22.2	9.5	177.6	6.3	15.9	60.2	193.4	28.5	212.4	67	
21.4	17.8	64.2	185.4	3.6	89.1	7.1	3.6	17.8	21.4	7.1	174.7	7.1	10.7	64.2	188.9	28.5	217.4	68	
					172.1		57.4		28.7		200.8		57.4	28.7	229.5	28.7	172.1	69	
14.6		43.7	194.6	9.7	53.5	4.9	24.3	9.7	9.7	34.1	43.8		9.7	116.8	4.9	209.2	70		
21.4	6.1	61.1	116.0	6.1	106.8	12.2	18.3	9.2	12.2	21.4	61.1		3.1	119.1	27.5	131.3	71		
17.0	28.3	56.6	84.9	17.0	28.3	5.7	34.0	11.3	17.0	5.7	11.3	5.7	5.7	22.6	101.9	17.0	152.8	72	
18.1	30.1	43.2	90.4	18.1	30.1	6.0	30.1	12.1	18.1	6.0	12.1	6.0	6.0	24.1	108.5	18.1	144.7	73	
		184.8					92.4										92.4	277.3	74
17.7	10.6	133.0	211.0	12.4	97.5	14.2	30.1	16.0	8.9	12.4	147.2	1.8	14.2	31.9	301.1	30.1	464.6	75	
18.7	7.5	140.5	215.5	11.2	97.4	13.1	24.4	16.9	9.4	13.1	151.8	1.9	11.2	24.4	99.3	30.0	479.7	76	
	66.2		132.4	33.1	99.3	33.1	132.4				66.2		66.2	165.5	132.4	33.1	198.6	77	

* Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.																
CALIFORNIA—continued.																
1	Santa Cruz County (total).....	1,333.1	6.8			6.8				6.8	6.8	123.1	6.8	6.8		61.5
2	White.....	1,255.2	7.3							7.3	7.3	130.6	7.3	7.3		65.3
3	Colored.....	2,603.6				118.3										
4	Shasta County (total).....	1,107.0	10.2	40.8		5.1		20.4	10.2	5.1	5.1	91.8		5.1	10.2	66.3
5	White.....	1,086.3	10.8	37.8		5.4		21.6	10.8	5.4	5.4	75.7		5.4	10.8	70.3
6	Colored.....	1,455.9		91.0								364.0				
7	Sierra County.....	1,016.5				24.2				24.2		24.2		24.2	24.2	48.4
8	Siskiyou County (total).....	1,087.6	15.3	5.1				24.2		15.3		117.4		10.2	15.3	40.8
9	White.....	1,081.7	16.6	5.5				16.6		22.1		110.4		11.0	16.6	44.2
10	Colored.....	1,161.2										204.9				
11	Solano County (total).....	1,127.0	18.5					12.3				104.7		12.3	6.2	55.4
12	White.....	1,130.8	20.7					13.8				103.6		13.8	6.9	62.1
13	Colored.....	683.4										113.9				
14	Sonoma County.....	1,242.9	19.0	3.8			1.9		5.7	5.7	3.8	106.4	13.3	17.1	9.5	119.7
15	Stanislaus County.....	1,126.6	14.3		3.6	14.3	7.1	10.7	3.6		3.6	92.7		7.1		67.7
16	Sutter County (total).....	1,059.1		15.3								107.4				76.7
17	White.....	1,115.4		16.2								113.2				80.8
18	Colored.....															
19	Tehama County (total).....	1,261.4	34.6			8.6						164.2		8.6	8.6	86.4
20	White.....	1,240.3	36.5			9.1						127.7		9.1	9.1	91.2
21	Colored.....	1,642.0										821.0				
22	Trinity County (total).....	1,513.0	35.2									105.6				70.4
23	White.....	1,523.0	40.1									80.2				80.2
24	Colored.....	1,440.9										288.2				
25	Tulare County.....	981.0	14.0	7.0			21.1	9.4	9.4	7.0	2.3	105.4	4.7	18.7	2.3	53.8
26	Tuolumne County.....	1,097.7	10.6							42.2		116.1				52.8
27	Ventura County (total).....	1,292.2	10.0	5.0				10.0	5.0	5.0		139.7	5.0	10.0	5.0	69.8
28	White.....	1,331.6	10.7	5.3				10.7	5.3	5.3		139.0	5.3	10.7	5.3	74.9
29	Colored.....	718.8										143.8				
30	Yolo County (total).....	1,373.0	42.7			7.1	7.1	7.1	21.3			106.7	7.1	14.2	7.1	85.4
31	White.....	1,375.8	47.2			7.9	7.9	7.1	23.6			94.3		15.7	7.9	94.3
32	Colored.....	1,346.3						74.8				224.4	74.8			
33	Yuba County (total).....	1,258.5	37.6	9.4						18.8		112.7		28.2	9.4	93.9
34	White.....	1,208.7	42.4	10.6						21.2		95.4		31.8	10.6	95.4
35	Colored.....	1,644.7										246.7				82.2
COLORADO.																
36	Total.....	1,010.4	21.1		0.2	11.6	11.7	10.9	7.9	6.0	2.8	123.7	4.9	6.5	6.0	41.7
37	White.....	1,010.1	21.4		0.2	11.8	11.9	10.9	8.0	6.1	2.9	123.7	5.0	6.4	5.9	42.1
38	Colored.....	1,035.8						14.2				127.7		14.2	14.2	14.2
39	Adams County†.....	633.4	9.4		9.4							150.2				28.2
40	Arapahoe County.....	992.3	8.1				24.4		8.1			292.8	8.1		8.1	32.5
41	Archuleta County.....	971.6	26.3									52.5				
42	Baca County†.....	153.1														
43	Bent County.....	1,968.1	33.9			118.8		33.9				712.6				33.9
44	Boulder County.....	1,091.8	29.3			5.9	2.9	11.7	2.9		2.9	155.5	5.9	5.9	8.8	73.4
45	Chaffee County.....	1,490.4								12.7		76.4			25.5	76.4
46	Cheyenne County†.....	337.0	19.8									39.7				19.8
47	Clear Creek County.....	1,263.1										24.3		24.3		24.3
48	Conejos County†.....	719.3	16.5			11.0	65.9	5.5	32.9			54.9		11.0	5.5	16.5
49	Custer County.....	1,244.3										65.5				65.5
50	Delta County†.....	634.4	17.5							17.5		46.6		5.8	11.6	23.3
51	Dolores County.....	2,758.6						229.9		229.9		229.9				
52	Douglas County†.....	744.6							31.0	31.0		93.1			31.0	93.1
53	Eagle County†.....	268.6	33.6												33.6	33.6
54	El Paso County.....	1,488.2				6.0	6.0				6.0	548.3	6.0	12.1		30.1
55	Elbert County†.....	413.9								15.9		26.1		31.8		15.9
56	Fremont County.....	1,271.7	31.1			46.7		36.3		5.2		171.3	10.4	5.2	10.4	36.3
57	Garfield County†.....	851.4	8.3					16.7		8.3		75.1	16.7			33.4
58	Gilpin County.....	986.2	32.9									65.7				32.9
59	Grand County†.....	342.0										42.8		42.8		
60	Gunnison County.....	961.2						16.3		16.3		16.3				
61	Hinsdale County.....	(4)	(4)													(4)
62	Huerfano County.....	1,297.2	38.9			71.3	25.9	13.0	6.5		6.5	90.8	13.0	6.5	6.5	22.4
63	Jackson County†.....	802.6														
64	Jefferson County.....	1,426.9	6.1					6.1				704.3	6.1			42.9
65	Kiowa County†.....	234.7	26.1									26.1				
66	Kit Carson County†.....	390.1	20.0									30.0		10.0		20.0
67	La Plata County.....	1,094.2	16.1									40.2		8.0	16.1	48.3
68	Lake County.....	(4)	(4)				(4)					(4)		(4)	(4)	(4)
69	Larimer County†.....	776.1	29.0			6.4	9.7	16.1	9.7	12.9		51.5	6.4	6.4	3.2	58.0
70	Las Animas County.....	1,403.0	30.9			46.4	11.6	27.1	7.7	7.7		73.4	7.7	7.7	8.9	38.6
71	Lincoln County†.....	335.7	12.4									62.2		12.4		
72	Logan County†.....	704.2						8.2		8.2		24.6		16.4		8.2
73	Mesa County†.....	696.6						7.2	3.6			75.8		10.8	8.6	50.5

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

97

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
34.2	13.7	61.5	205.1	47.9	82.0	13.7	41.0	13.7	6.8	6.8	123.1	-----	-----	61.5	123.1	20.5	246.1	6.8	
36.3	7.3	65.3	217.7	21.8	79.8	-----	7.3	14.5	7.3	7.3	116.1	-----	-----	43.5	116.1	21.8	253.9	7.3	
-----	118.3	-----	-----	473.4	118.3	236.7	591.7	-----	-----	-----	236.7	-----	-----	355.0	236.7	-----	118.3	-----	
15.3	15.3	76.5	127.5	5.1	66.3	10.2	15.3	-----	15.3	5.1	76.5	-----	15.3	147.9	35.7	-----	193.9	-----	
16.2	16.2	75.7	118.9	5.4	54.0	10.8	16.2	-----	10.8	5.4	81.1	-----	16.2	151.3	32.4	-----	200.0	-----	
-----	-----	91.0	273.0	-----	273.0	-----	-----	-----	91.0	-----	-----	-----	-----	91.0	-----	-----	91.0	-----	
-----	-----	-----	96.8	-----	24.2	24.2	-----	-----	24.2	-----	96.8	24.2	-----	24.2	121.0	48.4	314.6	24.2	
5.1	15.3	61.3	143.0	15.3	97.0	-----	10.2	5.1	5.1	20.4	35.7	15.3	5.1	46.0	102.1	20.4	234.9	10.2	
5.5	16.6	55.2	143.5	16.6	88.3	-----	11.0	5.5	5.5	22.1	38.6	16.6	5.5	49.7	104.9	16.6	231.8	5.5	
-----	-----	136.6	136.6	-----	204.9	-----	-----	-----	-----	-----	-----	-----	-----	-----	68.3	68.3	273.2	68.3	
-----	18.5	98.5	129.3	12.3	43.1	18.5	55.4	6.2	6.2	6.2	92.4	6.2	12.3	67.7	135.5	24.3	178.6	6.2	
-----	20.7	96.7	138.1	13.8	48.3	13.8	62.1	6.9	6.9	6.9	103.6	6.9	13.8	76.0	131.2	27.6	186.4	6.9	
-----	-----	113.9	56.9	-----	-----	56.9	-----	-----	56.9	-----	-----	-----	-----	-----	170.8	-----	113.9	-----	
30.4	3.8	106.4	167.2	24.7	95.0	26.6	11.4	13.3	9.5	19.0	53.2	5.7	3.8	39.9	77.9	38.0	207.2	3.8	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
28.5	14.3	99.8	99.8	21.4	96.3	17.8	17.8	17.8	21.4	3.6	74.9	3.6	14.3	64.2	108.4	17.8	185.4	-----	
15.3	15.3	46.0	138.1	30.7	153.5	-----	15.3	15.3	-----	15.3	61.4	-----	-----	15.3	138.1	30.7	163.8	-----	
16.2	16.2	48.5	145.5	32.3	161.7	-----	16.2	16.2	-----	16.2	64.7	-----	-----	16.2	145.5	32.3	177.8	-----	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
17.3	8.6	69.1	181.4	-----	69.1	8.6	25.9	17.3	-----	17.3	34.6	-----	17.3	43.2	129.6	8.6	293.8	8.6	
18.2	9.1	73.0	182.4	-----	73.0	9.1	27.4	18.2	-----	18.2	36.5	-----	18.2	36.5	136.8	-----	291.8	9.1	
-----	-----	-----	164.2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	164.2	-----	164.2	328.4	-----	
-----	-----	70.4	331.9	-----	35.2	35.2	-----	-----	35.2	-----	35.2	-----	-----	70.4	246.3	70.4	316.7	35.2	
-----	-----	80.2	360.7	-----	40.1	40.1	-----	-----	40.1	-----	-----	-----	-----	80.2	280.6	80.2	320.6	40.1	
-----	-----	-----	288.2	-----	288.2	-----	-----	-----	-----	-----	288.2	-----	-----	-----	-----	-----	288.2	-----	
9.4	9.4	63.2	89.0	9.4	74.9	4.7	51.5	9.4	4.7	4.7	58.5	2.3	4.7	42.1	91.3	14.0	180.3	2.3	
10.6	10.6	42.2	147.8	31.7	116.1	42.2	-----	-----	10.6	10.6	163.9	10.6	-----	21.1	84.4	10.6	158.3	10.6	
10.0	15.0	69.8	134.7	39.9	84.8	10.0	69.8	10.0	10.0	-----	99.8	15.0	20.0	39.9	164.6	10.0	224.5	-----	
10.7	16.0	74.9	139.0	42.8	85.6	10.7	74.9	-----	10.7	-----	101.6	16.0	21.4	42.8	160.4	10.7	240.7	-----	
-----	-----	-----	71.9	-----	71.9	-----	-----	143.8	-----	-----	71.9	-----	-----	215.6	-----	-----	-----	28	
21.3	-----	78.3	170.7	7.1	99.6	14.2	42.7	35.6	14.2	14.2	78.3	-----	7.1	49.8	213.4	35.6	170.7	14.2	
23.6	-----	70.8	180.8	7.9	110.1	15.7	39.3	39.3	15.7	15.7	86.5	-----	7.9	47.2	183.7	39.3	173.0	15.7	
-----	-----	149.6	74.8	-----	-----	-----	74.8	-----	-----	-----	-----	-----	-----	74.8	448.8	-----	149.6	-----	
-----	9.4	47.0	216.0	9.4	65.7	-----	18.8	9.4	18.8	37.6	65.7	18.8	-----	37.6	131.5	47.0	216.0	-----	
-----	10.6	58.0	212.0	10.6	83.0	-----	21.2	10.6	21.2	31.8	42.4	21.2	-----	31.8	116.6	31.8	233.2	-----	
-----	-----	246.7	164.5	-----	164.5	-----	-----	-----	-----	82.2	246.7	-----	-----	82.2	246.7	164.5	82.2	-----	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
9.9	10.2	35.2	68.8	6.3	102.2	14.3	42.9	12.8	8.3	5.5	62.6	7.7	5.8	75.5	109.3	16.0	161.2	0.7	
9.8	10.3	35.5	68.2	6.4	102.8	14.4	42.9	13.0	8.4	5.3	62.7	7.8	5.9	75.7	107.3	16.0	160.7	0.7	
14.2	-----	14.2	113.5	-----	56.8	-----	42.6	-----	-----	14.2	56.8	-----	-----	56.8	269.6	14.2	193.6	-----	
18.8	9.4	37.6	18.8	-----	75.1	-----	28.2	-----	9.4	9.4	56.3	-----	-----	28.2	65.7	18.8	75.1	-----	
8.1	-----	48.8	97.6	8.1	81.3	-----	8.1	-----	8.1	-----	48.8	-----	-----	73.2	48.3	24.4	138.3	-----	
-----	32.5	-----	-----	-----	105.0	-----	131.3	-----	-----	-----	131.3	-----	-----	131.3	157.6	-----	131.3	-----	
-----	-----	30.6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	30.6	-----	-----	91.9	-----	
-----	17.0	33.9	101.8	-----	136.6	17.0	84.8	17.0	-----	17.0	67.9	33.9	-----	84.8	84.8	33.9	254.5	-----	
5.9	11.7	61.6	93.9	14.7	85.1	11.7	26.4	14.7	11.7	2.9	82.2	5.9	2.9	67.5	96.9	8.8	182.0	-----	
25.5	-----	51.0	127.4	-----	101.9	25.5	51.0	25.5	51.0	38.2	203.8	12.7	13.7	63.7	114.6	63.7	331.2	-----	
-----	-----	59.5	19.3	-----	-----	-----	-----	-----	-----	-----	39.7	-----	-----	59.5	19.3	-----	59.5	-----	
48.6	-----	145.7	170.0	-----	97.2	170.0	-----	-----	24.3	-----	48.6	-----	-----	48.6	267.2	48.6	121.4	-----	
-----	-----	5.5	27.5	11.0	120.8	-----	78.9	11.0	5.5	5.5	32.9	5.5	5.5	32.9	32.9	11.0	115.3	-----	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	5.8	23.3	52.4	-----	196.5	-----	65.5	-----	-----	-----	196.5	-----	-----	327.4	131.0	65.5	65.5	-----	
-----	-----	689.7	459.8	-----	87.3	17.5	5.8	-----	11.6	-----	58.2	-----	-----	69.8	46.6	11.6	116.4	5.8	
-----	-----	93.1	62.1	-----	459.8	-----	31.0	31.0	-----	229.9	-----	-----	-----	689.7	93.1	-----	93.1	-----	
-----	-----	33.6	-----	-----	62.1	-----	33.6	33.6	-----	-----	33.6	-----	-----	93.1	-----	33.6	33.6	-----	
12.1	6.0	72.3	84.4	12.1	78.3	36.2	30.1	6.0	6.0	6.0	126.5	6.0	6.0	66.3	72.3	24.1	216.9	-----	
-----	-----	47.8	47.8	-----	47.8	-----	-----	-----	-----	-----	15.9	-----	-----	63.7	31.8	31.8	63.7	-----	
10.4	10.4	77.9	119.4	10.4	119.4	15.6	41.5	15.6	15.6	15.6	83.0	-----	-----	67.5	98.6	15.6	218.0	-----	
16.7	-----	35.4	66.8	-----	75.1	8.3	8.3	16.7	8.3	16.7	91.8	-----	-----	41.7	91.8	8.3	208.7	-----	
-----	-----	164.4	-----	-----	164.4	-----	-----	-----	-----	-----	32.9	-----	-----	65.7	230.1	65.7	131.5	-----	
-----	-----	-----	42.8	-----	-----	-----	-----	-----	-----	-----	42.8	-----	-----	42.8	85.5	-----	42.8	-----	
16.3	16.3	81.5	114.0	-----	130.3	-----	16.3	-----	-----	65.2	32.6	-----	16.3	32.6	146.6	16.3	211.8	-----	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	32.4	-----	45.4	13.0	155.7	-----	116.7	13.0	6.5	19.5	51.9	-----	-----	131.6	227.0	-----	97.3	-----	
-----	-----	-----	80.3	-----	80.3	-----	80.3	240.8	80.3	-----	-----	-----	-----	80.3	160.5	-----	-----	-----	
-----	-----	42.9	55.1	-----	98.0	24.5	6.1	-----	-----	12.2	67.4	-----	-----	55.1	85.7	24.5	171.5	-----	
-----	-----	-----	52.2	-----	-----	-----	-----	-----	-----	-----	26.1	-----	-----	26.1	-----	-----	78.2	-----	
20.0	-----	10.0	30.0	-----	30.0	-----	10.0	-----	10.0	-----	30.0	10.0	10.0	30.0	60.0	10.0	50.0	-----	
8.0	16.1	72.4	88.5	8.0	152.9	8.0	16.1	32.2	8.0	-----	80.5	16.1	-----	96.5	144.8	32.2	185.1	-----	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
16.1	9.7	25.8	51.5	12.9	83.7	6.4	32.2	6.4	-----	-----	38.6	6.4	3.2	90.2	54.7	9.7	119.2	-----	
3.9	30.9	11.6	42.5	-----	216.4	11.6	100.5	7.7	7.7	3.9	19.3	19.3	27.1	69.6	405.8	11.6	150.7	-----	
12.4	-----	12.4	12.4	-----	-----	-----	24.9												

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.															
COLORADO—continued.															
1 Mineral County.....	1,049.3										104.9				209.9
2 Montezuma County† (total).....	844.0	17.6						17.6			35.2	17.6			52.8
3 White.....	898.9	18.7						18.7			37.5	18.7			56.2
4 Colored.....															
5 Montrose County†.....	525.8	7.8			15.7			7.8			15.7				39.2
6 Morgan County†.....	774.6	8.2				16.3		16.3	8.2	16.3	195.7				48.9
7 Otero County.....	1,485.4	33.5			33.5	4.2	25.1	16.7	20.9		209.2	8.4	8.4		46.0
8 Ouray County.....	968.0	33.4									133.5				33.4
9 Park County.....	966.2								43.9						43.9
10 Phillips County†.....	363.0														51.9
11 Pitkin County.....	1,220.9	28.4						28.4			113.6				85.2
12 Prowers County†.....	843.8	83.5			25.1	8.4		16.7		8.4	108.6		8.4	8.4	58.5
13 Pueblo County*.....	4,079.3	46.6			35.0		58.3	23.3	11.7	23.3	244.7	23.3	35.0	23.3	151.5
14 Rio Blanco County†.....	844.2	38.4				38.4					76.7				
15 Rio Grande County† (total).....	328.1						13.1				13.1				
16 White.....	347.2						13.9				13.9				
17 Colored.....															
18 Routt County.....	1,062.7	10.8					10.8	21.7			21.7		21.7	10.8	21.7
19 Saguache County†.....	769.2										69.9				23.3
20 San Juan County.....	1,157.3	59.3									148.4				
21 San Miguel County.....	1,427.9	68.0			22.7	45.3	136.0	22.7			68.0				68.0
22 Sedgwick County†.....	405.1				25.3						50.6				50.6
23 Summit County.....	1,481.9								59.3		177.8				59.3
24 Teller County.....	2,256.7	24.7				24.7		111.0		24.7	12.3	12.3		12.3	98.7
25 Washington County†.....	598.1	13.9					13.9		13.9		55.6			27.8	13.9
26 Weld County†.....	792.5	37.0			4.1	53.4	8.2	6.2		4.1	65.7	8.2	8.2	8.2	39.0
27 Yuma County†.....	501.0	19.6					19.6		9.8	9.8	29.5	9.8			49.1
CONNECTICUT.															
28 Total.....	1,485.2	5.3	0.3		3.4	4.0	10.9	14.0	22.5	2.4	149.7	6.1	8.2	6.4	85.6
29 White.....	1,478.8	4.8	0.3		3.5	4.0	10.2	14.2	22.5	2.4	145.6	5.9	7.8	6.4	86.6
30 Colored.....	2,015.2	44.8					67.2		22.4		492.6	22.4	44.8		
31 Fairfield County.....	1,650.4	1.9	1.9		9.4		15.0	20.6	13.1		262.0	15.0	9.4	3.7	80.5
32 Hartford County.....	1,422.5	7.0			2.3	7.0	9.3	11.7	16.3	3.5	227.4	5.8	8.2	7.0	88.6
33 Litchfield County.....	1,311.6				3.7		9.2	5.5	27.6	1.8	95.7	3.7	9.2	3.7	75.4
34 Middlesex County.....	1,447.3	4.0				4.0	15.9	15.9	35.8		75.5		15.9	4.0	83.5
35 New Haven County.....	1,607.3	5.9			3.9	13.8	13.8	23.6	21.7	3.9	122.1	11.8	7.9	7.9	94.5
36 New London County*.....	1,645.2	8.8			2.2		11.0	11.0	26.5	4.4	95.0	2.2	6.6	4.4	101.6
37 Tolland County.....	1,249.8	7.3				3.7	14.7	7.3	44.0	3.7	66.0		3.7	7.3	69.6
38 Windham County.....	1,482.5	8.5			2.8			17.0	14.1		101.9	2.8	5.7	14.1	82.0
INDIANA.															
39 Total.....	1,226.2	18.9	2.8	0.3	5.3	4.0	11.3	12.5	10.8	2.6	120.1	7.1	13.8	5.6	76.4
40 White.....	1,214.9	18.8	2.6	0.3	5.3	4.1	11.3	12.6	10.8	2.6	116.4	7.1	13.3	5.6	76.5
41 Colored.....	2,378.6	27.5	22.0		5.5		11.0		5.5		505.4	5.5	65.9	11.0	60.4
42 Adams County.....	973.5	50.7	4.6				9.2	4.6	9.2		87.7	4.6	9.2	13.8	78.4
43 Allen County.....	1,070.8	7.2					10.8	7.2	21.6	3.6	79.1			14.4	75.5
44 Bartholomew County.....	1,337.1	28.1	4.0		8.0			24.1	16.1	20.1	104.4	4.0	24.1	16.1	100.4
45 Benton County.....	943.8	16.0						32.0			64.0	8.0	16.0		40.0
46 Blackford County.....	1,267.5	13.1	6.6	6.6			6.6	6.6	32.8		91.9		13.1	6.6	98.5
47 Boone County.....	1,247.3	12.5	4.2		4.2	8.3	8.3	12.5	12.5	4.2	121.0	12.5	16.7	4.2	45.9
48 Brown County.....	1,189.5	13.8	13.8					96.8	69.2	13.8	124.5		13.8	13.8	41.5
49 Carroll County.....	1,202.8	35.0	5.8		5.8			11.7	17.5		70.1	5.8	17.5	5.8	70.1
50 Cass County*.....	1,599.6	23.7				5.9	17.8	5.9	11.8	5.9	148.1		17.8	5.9	53.3
51 Clark County (total).....	1,334.6	20.7	5.2		10.3			15.5	20.7	5.2	160.4	15.5	5.2	10.3	72.4
52 White.....	1,325.6	21.9	5.5		11.0			11.0	21.9	5.5	147.9	16.4	5.5	11.0	76.7
53 Colored.....	1,488.4							93.0			372.1				
54 Clay County.....	1,229.9	12.6	6.3		18.9	15.7		12.6	3.1	18.9	97.5		15.7	3.1	75.5
55 Clinton County.....	1,306.4	23.1				11.5	7.7	19.2	7.7		92.2	3.8	7.7	3.8	123.0
56 Crawford County.....	960.3	8.7			8.7	26.2		8.7	8.7		209.5	8.7	8.7		26.2
57 Daviess County.....	1,099.7	11.2						11.2	26.1	3.7	160.3		7.5		63.4
58 Dearborn County.....	1,310.7	14.2						4.7		9.5	137.7	23.7	4.7	4.7	85.5
59 Decatur County.....	1,417.3	27.0						10.8		16.2	92.0	16.2	54.1	5.4	97.4
60 Dekalb County.....	1,150.3	28.3						12.1			64.6	16.1	12.1	4.0	92.8
61 Delaware County.....	1,132.1	14.7	7.4	3.7	3.7	7.4		3.7	3.7		102.9	7.4	29.4	3.7	69.8
62 Dubois County†.....	676.3	33.1	3.7					18.4	11.0		77.2			3.7	22.1
63 Elkhart County.....	1,284.5	20.2			6.7			16.9		20.2	70.8			10.1	141.6
64 Fayette County.....	1,155.0	6.8						6.8			135.1	6.8	6.8	13.5	123.3
65 Floyd County.....	1,129.6	20.5						10.3	10.3		195.1		10.3		92.4

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Un- de- fined and un- known causes. 38
104.9	17.6	35.2	314.8		35.2		17.6	35.2			209.9					104.9		
18.7	37.5	112.4	105.5		37.5		18.7	37.5			105.5	35.2	35.2	35.2	153.3		87.9	
			112.4								112.4	37.5	37.5	37.5	168.5		93.6	
7.8	7.8	62.8			54.9		31.4	39.2	15.7	7.8	15.7	15.7		62.8	31.4		86.3	
16.3	8.2	16.3	57.1	8.2	65.2		24.5				24.5	8.2		65.2	65.2		108.0	
12.6	25.1	54.4	87.9		167.4		100.4	8.4	16.7	8.4	71.1	8.4	4.2	142.3	133.9		122.5	
	33.4		66.8		133.5		66.8				66.8			166.9	166.9		106.9	
			263.5		131.8		43.9				43.9			87.8	219.6	43.9	43.9	
			77.8		77.8				25.9		25.9			51.9			51.9	
28.4	28.4	113.6	142.0		142.0	28.4			28.4		170.4		28.4	28.4	113.6	28.4	85.2	
25.1	8.4	8.4	25.1	8.4	83.5		66.8	25.1	8.4		50.1	8.4	25.1	66.8	8.4		50.1	
69.9	23.3	139.9	279.7	11.7	396.3	23.3	186.5	69.9	11.7		233.1		11.7	198.1	419.6	23.3	1,305.4	
			38.4		153.5			76.7	38.4					38.4	115.1	38.4	191.9	
		39.4	26.3		13.1	26.3	13.1			13.1	13.1				26.3		131.3	
		41.7	27.8		13.9	27.8	13.9			13.9	13.9				27.8		138.9	
10.8	10.8	21.7	54.2		108.4	32.5	32.5	21.7	32.5		75.9	21.7		97.6	195.2	21.7	208.0	
			46.6		186.5	46.6	46.6				23.3	23.3		116.6	23.3	23.3	139.9	
		22.7	59.3		178.0	89.0		59.3			89.0			59.3	237.4	29.7	148.4	
			113.3		226.7		22.7		22.7		90.7	22.7	22.7	45.3	226.7	45.3	138.0	
25.3	25.3	59.3	75.9		296.4	59.3					118.6		59.3	75.9	118.6	118.6	59.3	
			237.1															
12.3	37.0	111.0	111.0		407.0	24.7	61.7	49.3	12.3		160.3	24.7		135.7	357.6	24.7	407.0	
			139.1		13.9		55.6			13.9	13.9			69.5	27.8	13.9	111.3	
10.3	4.1	26.7	39.0	8.2	53.4	10.3	57.5	14.4	6.2		28.7	4.1	4.1	100.6	55.4	8.2	119.1	
9.8		9.8	49.1		49.1	19.6	19.6		9.8		19.6		9.8	49.1	19.6	9.8	78.6	
18.8	11.1	139.6	181.2	23.6	127.5	10.6	72.1	4.0	10.6	11.9	110.5	1.6	9.0	73.1	90.9	20.1	244.3	5.8
19.0	11.3	139.2	180.7	23.3	128.2	10.2	72.1	4.0	10.7	11.8	110.5	1.6	9.1	72.4	89.8	20.4	244.8	5.4
		179.1	223.9	44.8	67.2	44.8	67.2			22.4	112.0			134.3	179.1		201.5	44.8
9.4	15.0	160.9	215.2	18.7	121.6	18.7	73.0	3.7	3.7	13.1	101.0		11.2	71.1	99.2	18.7	263.8	
15.2	7.0	102.6	145.8	35.0	124.8	9.3	94.4			11.7	63.0		2.3	75.8	88.6	28.0	207.5	5.8
23.9	9.2	138.0	130.6	14.7	121.4	11.0	51.5	5.5	18.4	11.0	143.5	1.8	12.9	44.2	32.8	18.4	228.1	9.2
15.9	8.0	186.9	206.8	23.9	111.3	4.0	43.7			15.9	171.0	8.0	11.9	71.6	59.6	8.0	242.5	4.0
19.7	7.9	128.0	175.3	25.6	149.7	13.8	96.5	3.9	15.8	15.8	118.2	5.9	9.8	92.6	149.7	17.7	218.6	11.8
26.5	13.2	176.7	260.6	19.9	132.5	11.0	53.0	4.4	8.8	2.2	139.1		13.2	59.6	79.5	26.5	342.3	2.2
14.7	18.3	131.9	161.3	14.7	106.3		55.0	7.3	7.3	11.0	102.6		18.3	88.0	55.0	14.7	212.6	3.7
28.3	17.0	141.5	198.0	25.5	141.5	8.5	70.7	11.3	11.3	17.0	104.7			93.4	76.4	14.1	285.9	8.5
14.9	6.7	90.3	139.5	13.2	94.8	9.2	49.0	8.6	10.4	11.3	92.8	7.5	7.4	64.4	67.9	12.5	233.4	0.9
14.7	6.7	90.1	138.1	13.3	93.3	9.1	49.0	8.7	10.3	11.2	91.9	7.4	7.5	64.7	66.9	12.5	231.2	0.9
27.5		109.9	280.2	5.5	247.2	11.0	54.9	5.5	22.0	22.0	181.3	16.5		33.0	170.3	11.0	461.4	
4.6	9.2	78.4	60.0	41.5	27.7		18.5	4.6		4.6	101.5	4.6		60.0	73.8	4.6	189.2	
3.6	3.6	147.3	82.6	3.6	100.6	25.2	28.7		10.8	14.4	97.0	3.6		57.5	68.3	28.7	172.5	
8.0	24.1	112.4	168.6	24.1	96.4	16.0	24.1	16.0	16.0	16.0	32.1	8.0	4.0	68.3	72.3	12.0	265.0	
16.0	8.0	72.0	104.0		88.0	16.0	56.0				120.0		16.0	64.0	40.0	8.0	160.0	
6.6	6.6	105.1	177.3	6.6	59.1	6.6	65.7	6.6	6.6	13.1	98.5	6.6	13.1	118.2	59.1		233.3	
12.5	16.7	112.6	183.6	16.7	91.8	8.3	25.0	8.3	25.0	8.3	87.6	4.2	12.5	45.9	45.9	20.9	254.5	
13.8		55.3	179.8		152.1		27.7				69.2		13.8	55.3	41.5		179.8	
11.7		134.3	157.7		105.1	17.5	17.5			17.5	122.6	11.7	11.7	40.9	40.9	5.8	233.6	
23.7	5.9	124.4	183.7	11.8	124.4	5.9	41.5		11.8	23.7	106.6		5.9	47.4	118.5	17.8	450.3	
20.7	5.2	51.7	124.2	10.3	119.0	15.5	87.9	5.2	10.3	10.3	155.2	5.2		98.3	56.9	5.2	212.1	
21.9	5.5	49.3	120.5	11.0	115.0	11.0	87.6	5.5	11.0	11.0	158.9	5.5		104.1	54.8	5.5	213.6	
		93.0	186.0		186.0	93.0	93.0				93.0				93.0		186.0	
15.7	12.6	56.6	100.7	9.4	119.5	28.3	72.3	3.1	12.6	6.3	125.8	9.4	6.3	72.3	53.5	22.0	223.3	
19.2	15.4	126.8	130.6	7.7	115.3	7.7	30.7	11.5	19.2	15.4	107.6	11.5	15.4	76.8	99.9	11.5	184.4	
8.7	8.7	43.6	235.7	8.7	26.2	8.7	52.4	17.5	8.7		26.2	8.7		43.6	26.2		113.5	
18.6	11.2	82.0	89.5	22.4	59.6	18.6	63.4	3.7	14.9	3.7	67.1			78.3	63.4	3.7	205.0	
9.5	4.7	104.5	204.2	9.5	142.5	9.5	38.0	14.2		14.2	76.0	4.7	4.7	66.5	52.2	23.7	246.9	
27.0	21.6	92.0	102.8	5.4	81.1	10.8	54.1	5.4	5.4		135.2	5.4		32.5	129.8	10.8	362.4	5.4
32.3	4.0	96.9	133.2	12.1	44.4	12.1	28.3	28.3	16.1	24.2	72.7	12.1	4.0	56.5	72.7	16.1	238.1	
11.0	7.4	102.9	121.3	11.0	102.9	22.1	47.8	3.7	7.4	14.7	62.5	11.0	11.0	66.2	40.4	11.0	216.9	
3.7	3.7	22.1	55.1	14.7	44.1	11.0	36.8	11.0	11.0	3.7	47.8	7.4	3.7	40.4	40.4		128.6	
20.2	6.7	121.4	165.2	10.1	94.4	3.4	20.2	6.7	10.1	6.7	91.0	13.5	16.9	77.5	77.5	10.1	232.6	3.4
			148.6		87.8		20.3				47.3	6.8		101.3	33.8	20.3	202.6	
10.3	10.3	71.9	164.3	10.3	71.9	10.3	51.3	10.3			61.6	10.3	20.5	61.6	61.6	10.3	154.0	

³ Includes Crowley County; separate estimated populations not available.

⁴ Includes Moffat County; separate estimated populations not available.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—															
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culosis menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.	
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.																
INDIANA—continued.																
1	Fountain County	1,189.4		5.0		5.0		5.0		15.0		95.0	5.0	10.0	15.0	80.0
2	Franklin County	1,430.7	20.2				6.7	20.2		6.7		131.4			13.4	87.2
3	Fulton County	1,464.3	6.7				6.7	6.7		6.7		114.2		6.7	13.4	87.3
4	Gibson County	1,150.9	36.5	13.3		6.6		16.6		6.6		139.3	9.9	13.3	6.6	53.1
5	Grant County ^a	1,751.2	6.6			3.3		29.6		6.6	9.9	118.5	3.3	16.5	6.6	115.2
6	Greene County	1,021.6	22.3	12.4	2.5	24.7	4.9	12.4	14.8		108.8	7.4	9.9			39.6
7	Hamilton County	1,329.6	27.1	3.9	3.9		3.9	7.8	23.3	7.8	112.4	3.9	23.3		3.9	73.7
8	Hancock County	1,228.7	26.4				5.3	15.8		5.3	100.2	5.3	10.5			94.9
9	Harrison County	1,142.5	35.7				5.1		10.2	10.2	122.4		5.1	5.1		76.5
10	Hendricks County	1,128.4	19.4			4.8	4.8	14.5		9.7	125.9	4.8	9.7	4.8		48.4
11	Henry County	1,222.2	3.1			3.1	3.1		9.4	6.3	81.9	9.4	9.4	3.1		44.1
12	Howard County	1,036.1	19.4						6.5	6.5	116.6		6.5	6.5		64.8
13	Huntington County	987.2	27.0						10.8		37.8	10.8	5.4	5.4		59.3
14	Jackson County	1,325.5	33.5			16.7	4.2	33.5	20.9	12.5	175.6	20.9	37.6	4.2		54.4
15	Jasper County	1,046.8	8.0					16.0	16.0	8.0	79.9		24.0			119.9
16	Jay County	1,154.3	12.4				4.1	8.3	12.4		115.8		12.4			74.5
17	Jefferson County ^a	1,923.1	36.0					5.1	10.3	10.3	226.2		10.3	5.1		159.4
18	Jennings County	1,330.9	22.2					59.1	7.4		177.2	7.4	22.2	7.4		88.6
19	Johnson County	1,246.0	19.5		4.9		4.9	9.8	24.4	24.4	122.2	4.9	4.9	4.9		68.4
20	Knox County	1,124.6	47.7	4.0		7.9	7.9	23.8	7.9	4.0	123.2	4.0	19.9	7.9		35.8
21	Kosciusko County	1,210.0	10.9			3.6	3.6		3.6	10.9	102.1	7.3	14.6	7.3		91.1
22	Lagrange County	1,172.8	13.3					6.6	6.6	6.6	39.8	6.6	6.6			72.9
23	Lake County	1,114.4	2.9			5.7	2.9	17.1	11.4	2.9	168.2	11.4	5.7	5.7		71.3
24	Laporte County	1,088.5				6.4	12.7	19.1	25.5		89.1					82.8
25	Lawrence County	1,287.1	21.4			21.4	45.9	21.4	27.5	3.1	162.0	36.7	21.4	6.1		45.9
26	Madison County	1,234.2	6.8				6.8	10.3	37.6	3.4	143.6		13.7	3.4		68.4
27	Marion County ^a	1,402.8	6.2		3.1		9.3	6.2	15.6	6.2	174.2	6.2	46.7	6.2		80.9
28	Marshall County	1,047.3	8.4					16.8	12.6	8.4	71.5	12.6	16.8	4.2		105.2
29	Martin County	1,139.2	32.8	8.2		8.2		57.4	24.6	32.8	131.1	8.2	24.6	8.2		32.8
30	Miami County	1,012.7	11.4							5.7	85.3	17.1				79.7
31	Monroe County	1,325.9	24.5	4.1		24.5		4.1	8.2	4.1	163.2	8.2	32.6			89.8
32	Montgomery County	1,268.0	10.3			3.4	13.7	6.8	6.8	3.4	109.4		13.7	6.8		92.3
33	Morgan County	1,163.4	14.0	4.7				18.6	9.3	32.6	116.3	9.3	4.7	18.6		51.2
34	Newton County	931.2	9.5						9.5		35.0			9.5		114.0
35	Noble County	1,123.5				4.1	8.3			8.3	49.6		8.3	12.4		74.3
36	Ohio County	1,273.7		24.0							72.1					
37	Orange County	1,073.0	69.2			34.6		28.8	11.5	5.8	161.5		17.3			34.6
38	Owen County	1,001.0	36.8	7.4		7.4			7.4	36.8	110.4	22.1	14.7	7.4		81.0
39	Parke County	1,252.2	36.6					13.7	13.7	9.1	214.8	9.1	18.3	9.1		64.0
40	Ferry County	1,130.5	33.7	11.2		28.1		11.2	22.5	22.5	140.6	5.6	5.6	16.9		45.0
41	Pike County	1,244.2	36.2	5.2		72.4	5.2	25.8	20.7	25.8	175.8	15.5	31.0			62.0
42	Porter County	1,122.2	9.5					4.7	4.7	9.5	61.6	4.7				108.9
43	Posey County	1,907.0	4.7	9.4				9.4	4.7	4.7	112.2	9.4	18.7			23.4
44	Pulaski County	1,391.8	46.1	7.7				7.7	7.7		76.9	15.4	15.4			107.7
45	Putnam County	1,163.5	9.9						14.9	5.0	164.1	9.9	14.9	5.0		119.3
46	Randolph County	1,285.8					3.4	3.4	17.1	10.3	133.7	17.1	13.7	3.4		78.9
47	Ripley County	1,250.6	36.3					20.8	10.4	20.8	109.0	10.4	10.4	10.4		109.0
48	Rush County	1,330.9	26.3						5.3	5.3	152.6	15.8	15.8			78.9
49	St. Joseph County	1,436.4	25.9			6.5		19.4	6.5	6.5	135.9		19.4	6.5		116.5
50	Scott County	1,320.8	24.0			12.0		48.0	24.0	12.0	144.1	24.0	36.0	12.0		144.1
51	Shelby County	1,177.0	18.6						3.7		144.8	3.7	14.9	3.7		66.8
52	Spencer County	1,073.3	25.1	25.1				20.1	20.1	5.0	115.4	5.0	5.0	5.0		75.2
53	Starke County	1,176.6	9.4						9.4		37.7	9.4				113.0
54	Stauben County	1,196.5	7.2						7.2	21.6	50.5	7.2	7.2	14.4		100.9
55	Sullivan County	1,085.9	37.0	2.8		8.5	8.5	22.7	11.4	8.5	76.8	8.5	11.4			54.0
56	Switzerland County	1,462.7	11.0						11.0		209.0	22.0	11.0	22.0		132.0
57	Tiptecanoe County	1,350.8	5.1	5.1		5.1		5.1		5.1	86.0			5.1		106.2
58	Tipton County	1,319.1	6.0					6.0		23.9	149.2	17.9	29.8	6.0		71.6
59	Union County	1,288.4	16.5						33.0		99.1	16.5	16.5			132.1
60	Vanderburg County ^a	3,407.2	11.7	11.7				23.3	11.7	11.7	945.2		35.0			116.7
61	Vermillion County	1,568.3	4.9	9.8				14.7	9.8	4.9	132.3	4.9	19.6			73.5
62	Vigo County	1,171.2	19.8	5.6		8.5	2.8	8.5	19.8	2.8	93.8	2.8	16.9	2.8		53.6
63	Wabash County	1,149.0	11.4					3.8	3.8	3.8	53.1	3.8	3.8	3.8		75.8
64	Warren County	1,140.3	9.3	18.7		9.3		18.7	9.3		37.4		18.7	9.3		37.4
65	Warrick County	1,256.1	32.2	4.6		13.8		27.6	13.8	27.6	133.4	9.2	32.2	4.6		50.6
66	Washington County	1,149.9	12.0			6.0	6.0	12.0	24.1	18.1	138.5	6.0	6.0			48.2
67	Wayne County ^a	1,724.3	22.9	4.6			4.6	9.1	4.6	4.6	91.5		18.3			132.6
68	Wells County [†]	852.6	9.1			4.5			4.5	9.1	109.2	4.5		9.1		40.9
69	White County	1,115.0	17.7	5.9			5.9		5.9	5.9	88.5		11.8			94.4
70	Whitley County	1,017.5						18.0	35.9		107.7	12.0	6.0			65.8

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

101

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
20.0	20.0	90.0	184.9	10.0	65.0	20.0	50.0		35.0	20.0	85.0	10.0		65.0	60.0	15.0	204.9	1
13.4	6.7	60.5	241.3	13.4	94.0		40.3				120.9	13.4		100.8	73.9		335.8	2
53.7		100.8	134.3		127.6	20.2	60.5	13.4		6.7	141.1	6.7		67.2	94.0	20.2	302.7	3
16.6		49.7	136.0	19.9	59.7	3.3	79.6	16.6	13.3	19.9	73.0	16.6	23.2	63.0	49.7	6.6	132.4	4
16.5		167.9	256.8	46.1	135.0	3.3	39.5	6.6	13.2	23.0	168.0	13.2	3.3	88.9	75.7	19.8	308.7	5
7.4	4.9	34.6	84.1	2.5	94.0	7.4	89.0	14.8	4.9	9.9	56.9	12.4	7.4	71.7	44.5	9.9	178.1	6
27.1	7.8	131.3	138.8	15.5	73.7	3.9	58.1	11.6	7.8	7.8	120.2		3.9	62.0	38.8	11.6	236.5	7
21.1		79.1	142.4		100.2	5.3	42.2	5.3	10.5	142.4			5.3	79.1	42.2	15.8	203.7	8
10.2		78.5	132.6		76.5	15.3	45.9		15.3	25.5	56.1	10.2		51.0	40.8	20.4	249.9	9
14.5	9.7	96.9	140.4	14.5	111.4		29.1	14.5	4.8	9.7	87.2	9.7	4.8	48.4	48.4	4.8	227.6	10
22.0	3.1	75.6	116.5	12.6	91.3	6.3	66.1	25.2	12.6	12.6	103.9		3.1	75.6	63.0	25.2	333.9	11
6.5	6.5	38.9	110.1	13.0	103.6	6.5	25.9	6.5	6.5	25.9	103.6	6.5		45.3	64.8		213.7	12
5.4		86.3	205.0		91.7		10.8		5.4		30.9	10.8		27.0	30.9	16.2	205.0	13
12.5	4.2	71.1	125.4	25.1	146.4	4.2	71.1	16.7	16.7	8.4	58.5	4.2	12.5	63.9	62.7	12.5	192.3	14
16.0		47.3	63.9	16.0	71.9		63.9		24.0	8.0	127.9			63.9	40.0	16.0	199.8	15
33.1	8.3	111.7	120.0	16.5	86.9	12.4	49.6		16.5	12.4	86.9	4.1	20.7	82.7	45.5	12.4	194.5	16
10.3	10.3	138.8	185.1	15.4	37.4	15.4	30.9	10.3	5.1	46.3	130.6	15.4	5.1	20.6	138.8	30.9	529.6	17
14.8	7.4	110.8	140.3	7.4	73.8	14.8	29.5	14.8			110.8	7.4		65.5	103.4	14.8	231.1	18
9.8		102.8	107.5		92.8	14.7	73.3	19.5			97.7	4.9	14.7	83.1	44.0	4.9	233.3	19
15.9	15.9	59.6	37.4	11.9	111.3	4.0	59.6		15.9	7.9	402.1	7.9	11.9	99.3	37.4	27.8	166.9	20
25.5		83.8	178.6	18.2	69.2	7.3	14.6	10.9	3.6	7.3	102.7	3.6	10.9	65.6	102.1	7.3	240.6	21
6.6		178.9	192.2	19.9	33.1	19.9	26.5	26.5	13.3	13.3	33.0	13.3	6.6	26.5	59.6	6.6	273.3	22
5.7	2.9	48.5	119.7	37.1	91.2		111.2	2.9	8.6	14.3	68.4	2.9	5.7	59.9	79.8	5.7	145.4	23
31.8	6.4	57.3	171.9	25.5	108.2	6.4	25.5	6.4	19.1	6.4	114.6	6.4		50.9	89.1	6.4	120.9	24
9.2	3.1	76.4	140.6	9.2	107.0	3.1	85.6	6.1			79.5		9.2	94.8	58.1	12.2	174.3	25
10.3	10.3	75.2	95.7	3.4	92.3	6.8	44.4	17.1		6.8	102.6	10.3	20.5	92.3	65.0	10.3	273.5	26
3.1	15.6	80.9	115.1	15.6	146.2	9.3	52.9	6.2	24.9	18.7	77.8	9.3	12.4	49.8	102.6	18.7	233.0	27
4.2		155.6	117.8	4.2	67.3	21.0	16.8	8.4	21.0	21.0	50.5	4.2	4.2	58.9	42.1	12.6	180.9	28
	8.2	57.4	122.9		82.0		106.5	8.2	8.2	24.6	41.0	16.4	16.4	65.6	24.6	8.2	180.3	29
11.4	5.7	119.5	113.8	17.1	56.9	11.4	34.1	11.4		5.7	45.5	11.4		45.5	39.8	11.4	261.7	30
16.3	12.2	85.7	151.0	4.1	110.2	8.2	73.4	12.2	8.2	4.1	89.8	12.2		89.8	39.8	8.2	183.6	31
10.3		126.5	194.8	10.3	102.5	27.3	23.9	13.7	3.4	17.1	78.6	6.8		47.9	68.4	13.7	249.5	32
37.2	9.3	102.4	172.2	4.7	121.0	4.7	32.6				116.3		14.0	46.5	51.2	14.0	158.2	33
		47.5	114.0	9.5	76.0		66.5		9.5	19.0	57.0		9.5	57.0	9.5	28.5	237.6	34
24.8		169.4	161.1	8.3	57.8	4.1	20.7		8.3	4.1	82.6		4.1	74.3	57.8	12.4	260.2	35
		98.1	144.2		120.2		48.1		24.0		216.3	24.0		120.2	144.2		240.3	36
11.5	11.5	63.5	126.9	17.3	98.1	5.8	5.8	5.8		5.8	40.4	11.5		69.2	46.2	5.8	178.8	37
14.7		51.5	154.6	22.1	103.0	7.4	14.7		7.4	81.0	81.0	7.4	22.1	29.4	29.4		154.6	38
22.9	9.1	82.3	141.7	13.7	59.4	18.3	59.4		9.1	9.1	73.1	13.7		73.1	36.8	4.6	187.4	39
5.6		28.1	73.1	16.9	118.1	22.5	56.2	5.6	11.2	11.2	73.1		5.6	56.2	39.4		264.3	40
15.5	5.2	56.9	113.7	20.7	98.2	5.2	82.7	10.3	5.2	5.2	82.7	10.3		103.4	36.2	5.2	206.8	41
28.4		90.0	146.8	4.7	104.2		33.1		4.7	14.2	47.3		9.5	42.6	123.1	14.2	236.7	42
14.0	4.7	23.4	98.2	9.4	70.1	4.7	42.1	4.7	14.0	4.7	65.5		9.4	42.1	65.5	18.7	191.7	43
15.4		53.8	161.5		161.5	7.7	84.6	7.7	15.4	7.7	107.7	15.4		53.8	92.3	15.4	276.8	44
24.9	5.0	104.4	109.4	5.0	49.7		19.9		9.9	19.9	124.3		5.0	64.6	69.6	5.0	193.9	45
27.4	3.4	108.3	192.0	20.6	96.0	3.4	37.7	20.6	10.3	6.9	102.9	10.2	13.7	51.4	68.6	20.6	212.6	46
		109.0	124.5	10.4	72.6	15.6	31.1	5.2	10.4	20.8	77.8		10.4	46.7	41.5	10.4	321.7	47
10.5	5.3	163.1	131.5	26.3	89.4		26.3	42.1	10.5	10.5	94.7			21.0	68.4	15.8	315.6	48
6.5	19.4	90.6	291.2		71.2	6.5	38.8		19.4		122.9			77.6	116.5	12.9	213.5	49
	12.0	60.0	120.1		72.0		84.1	24.0			144.1		12.0	72.0	72.0	24.0	144.1	50
11.1	11.1	78.0	89.1	18.6	111.4	18.6	37.1	11.1	14.9	29.7	122.5		11.1	55.7	48.3	3.7	248.8	51
10.0		50.2	95.3	20.1	45.1	15.0	40.1	15.0	10.0	10.0	85.3		5.0	50.2	75.2	20.1	210.6	52
18.8		122.4	197.7	28.2	94.1	9.4	94.1	28.2	9.4	9.4	94.1			103.5	56.5		131.8	53
28.8	21.6	151.4	216.2	7.2	36.0	14.4		7.2		28.8	50.5	14.4	28.8	64.9	57.7	21.6	230.6	54
14.2	2.8	45.5	76.8	5.7	93.8	5.7	99.5	11.4	14.2	8.5	99.5	14.2	2.8	73.9	85.3	2.8	176.2	55
		44.0	296.9		154.0		11.0	11.0			154.0	22.0		44.0	99.0		198.0	56
35.4	15.2	161.9	177.1	10.1	116.4	5.1	25.3		15.2	10.1	101.2		5.1	35.4	65.8	15.2	323.9	57
17.9		83.6	131.3	11.9	125.3	17.9	35.8		17.9	17.9	119.4	17.9		83.6	89.5	17.9	214.9	58
		132.1	231.3	49.6	33.0						115.6			33.0	115.6		264.3	59
	11.7	175.0	163.4	11.7	221.7	23.3	140.0	23.3	23.3	23.3	175.0	11.7	11.7	140.0	81.7	11.7	991.8	60
4.9	9.8	102.9	132.3	24.5	127.4	14.7	161.7	4.9	14.7	19.6	107.8	19.6	14.7	112.7	127.4	19.6	250.0	61
5.6	8.5	50.8	115.7	11.3	141.1		84.7	5.6	5.6	2.8	73.4	8.5	2.8	76.2	93.1	11.3	211.7	62
26.5	11.4	136.5	132.7	7.6	83.4	3.8	15.2	19.0	11.4	7.6	140.3	11.4	7.6	53.1	83.4	15.2	193.4	63
9.3		56.1	177.6	18.7	56.1	18.7	102.8		9.3	28.0	121.5		9.3	37.4	65.4	37.4	224.3	64
4.6	9.2	55.2	101.2	27.6	188.6	9.2	92.0		9.2	13.8	87.4	4.6	4.6	55.2	55.2	18.4	170.2	65
6.0	6.0	108.4	96.3	12.0	96.3	6.0	30.1		6.0		132.5	18.1	12.0	54.2	42.1	18.1	216.7	66
32.0	4.6	180.1	228.7	18.3	118.9	9.1	32.0		9.1	27.4	118.9	9.1	9.1	54.9	141.8	18.3	425.4	67
27.3	4.5	59.1	54.6	4.5	63.7		18.2	4.5	9.1		100.1	4.5	4.5	40.9	72.8	13.6	209.3	68
11.8	5.9	53.1	133.4	11.8	112.1	5.9	41.3	5.9	11.8	17.7	135.7		17.7	88.5	35.4	11.8	166.2	69
18.0	12.0	71.8	149.6	18.0														

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
RURAL PART OF REGISTRATION STATES—Continued.																
KANSAS.																
1	Total†.....	896.5	17.9	1.9	0.6	3.7	1.0	8.3	9.0	8.8	1.9	40.8	1.5	5.2	5.3	56.5
2	White.....	881.8	17.3	1.9	0.6	3.6	0.9	8.0	9.0	8.5	1.8	37.3	1.3	4.8	5.2	56.7
3	Colored.....	1,006.8	44.4	3.7	7.4	3.7	25.9	7.4	22.2	3.7	222.2	7.4	25.9	7.4	44.4
4	Allen County †.....	887.3	32.1	3.2	6.4	3.2	22.5	9.6	3.2	70.7	3.2	3.2	3.2	61.1
5	Anderson County †.....	863.3	29.0	7.3	7.3	14.5	7.3	14.5	21.8	7.3	65.3
6	Atchison County.....	923.5	17.8	17.8	26.6	8.9	17.8
7	Barber County †.....	785.5	17.7	8.8	8.8	35.3	8.8	44.1
8	Barton County.....	993.9	30.6	5.1	20.4	10.2	15.3	25.5	5.1	5.1	56.0
9	Bourbon County †.....	728.0	22.7	7.6	7.6	60.7	7.6	75.8
10	Brown County.....	968.0	33.5	4.8	4.8	4.8	14.4	9.6	9.6	28.8	4.8	47.9
11	Butler County †.....	872.1	17.4	4.4	17.4	13.1	30.5	4.4	78.5
12	Chase County.....	1,010.7	13.8	27.7	13.8	96.9	41.5
13	Chautauqua County †.....	825.1	17.7	8.9	26.6	35.5	8.9	53.2
14	Cherokee County.....	1,399.3	16.6	16.6	16.6	11.0	11.0	11.0	2.8	99.4	5.5	5.5	11.0	49.7
15	Cheyenne County †.....	486.5	20.3	20.3	40.5
16	Clark County †.....	586.9	19.6	19.6	39.1
17	Clay County †.....	879.7	20.0	6.7	13.3	6.7	46.7	6.7	6.7	60.0
18	Cloud County.....	966.3	5.4	10.8	10.8	10.8	27.0	5.4	5.4	70.2
19	Coffey County.....	959.2	27.4	6.9	6.9	13.7	34.3	75.4	6.9	34.3
20	Comanche County.....	952.6	25.1	15.4	50.1	25.1
21	Cowley County.....	1,246.7	33.9	3.1	3.1	35.4	9.2	58.5	3.1	6.2	77.0
22	Crawford County.....	1,040.3	45.5	5.1	2.5	2.5	22.7	12.6	27.8	2.5	5.1	10.1	50.5
23	Decatur County †.....	875.1	11.3	22.6	11.3	33.8
24	Dickinson County †.....	793.8	15.7	3.9	7.9	3.9	55.0	3.9	7.9	47.2
25	Doniphan County.....	1,124.1	28.3	21.2	7.1	7.1	14.1	49.5	7.1	63.6
26	Douglas County †.....	805.2	8.7	8.7	26.0	8.7	60.6
27	Edwards County †.....	697.3	11.8	11.8	11.8	35.5	11.8	59.1
28	Ellis County †.....	888.3	31.4	10.5	10.5	20.9	104.5
29	Ellis County †.....	877.1	7.3	14.6	7.3	36.5	7.3	65.8
30	Ellsworth County.....	917.3	18.5	9.3	37.1	64.9
31	Finney County †.....	644.9	23.9	11.9	11.9	11.9	11.9	83.6	11.9
32	Ford County.....	1,172.2	36.0	7.2	11.9	21.6	36.0	14.4	57.5
33	Franklin County.....	1,155.3	48.3	14.5	4.8	48.3	9.7	67.7
34	Geary County †.....	762.6	14.8	7.4	7.4	7.4	29.6	7.4	66.6
35	Gove County †.....	401.7	13.2	26.4	13.2	26.4	13.2
36	Graham County † (total).....	588.1	9.8	9.8	19.6	9.8	29.4
37	White.....	577.9	10.5	10.5	10.5	10.5	31.5
38	Colored.....	729.9	146.0
39	Grant County †.....	365.0
40	Gray County †.....	562.2	51.1	25.6	25.6	25.6
41	Greeley County †.....	354.2	59.0	59.0
42	Greenwood County †.....	881.2	25.0	12.5	6.2	6.2	48.7	6.2	6.2	75.0
43	Hamilton County †.....	573.6	23.9	23.9	71.7	71.7	23.9	23.9
44	Harper County †.....	763.3	6.0	18.0	6.0	6.0	12.0	6.0	48.1
45	Harvey County.....	1,181.7	25.1	5.0	15.1	18.0	10.1	30.2	6.0	10.1	90.5
46	Haskell County †.....	900.9
47	Hodgeman County †.....	663.9
48	Jackson County.....	919.2	11.9	6.0	11.9	77.6	6.0	17.9	83.6
49	Jefferson County †.....	894.0	26.5	6.6	6.6	19.9	13.2	79.5
50	Jewell County †.....	857.6	22.7	5.7	5.7	6.6	17.0	5.7	73.8
51	Johnson County.....	1,116.3	27.2	5.4	5.4	5.4	65.3	10.9	5.4	92.6
52	Kearny County †.....	390.3	73.2	24.4	24.4	24.4
53	Kingman County †.....	742.5	6.9	13.7	48.1	13.7	48.1
54	Kiowa County †.....	641.4	12.8	12.8	12.8	38.5	12.8
55	Labette County.....	970.9	5.4	59.0	5.4	5.4	37.5	10.7	48.3	10.7	5.4	69.7
56	Lane County †.....	459.6	32.8	32.8	32.8
57	Leavenworth County † (total).....	825.1	17.7	4.4	13.3	17.7	4.4	71.0
58	White.....	836.3	14.4	4.8	14.4	19.2	4.8	72.1
59	Colored.....	690.8	57.6	57.6
60	Lincoln County †.....	790.2	19.5	29.3	9.8	9.8	19.5	19.5
61	Linn County.....	1,100.5	36.0	7.2	7.2	36.0	7.2	93.5	165.4
62	Logan County † (total).....	403.2	19.2	19.2	19.2	38.4
63	White.....	391.8	20.6	20.6	41.2
64	Colored.....	557.1	278.6
65	Lyon County.....	921.0	8.0	8.0	8.0	4.0	44.2	8.0	4.0	84.5
66	McPherson County.....	955.3	4.6	4.6	4.6	37.1	4.6	4.6	83.5
67	Marion County †.....	820.5	8.6	8.6	4.3	30.2	4.3	13.0	4.3	43.2
68	Marshall County.....	933.4	12.7	4.2	4.2	4.2	16.9	18.0	16.9	8.4	42.2
69	Meade County †.....	505.0	15.3	15.3	35.3	15.3	30.6
70	Miami County.....	1,618.1	10.3	5.2	5.2	10.3	82.7	5.2	10.3	5.2	62.0
71	Mitchell County.....	909.5	21.7	7.2	57.7

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing suic- ide). 35	Suic- ide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38		
12.8	5.4	56.9	90.8	9.4	53.6	11.4	30.1	9.6	10.6	6.6	57.4	3.3	7.4	62.4	59.3	10.2	212.8	19.6	1	
12.7	5.4	56.5	83.3	9.3	57.2	11.0	30.1	9.6	10.2	6.7	56.5	3.2	7.3	62.4	58.0	10.2	211.0	19.2	2	
14.8	7.4	77.8	218.5	14.8	129.6	33.3	29.6	11.6	29.6	3.7	107.4	7.4	11.1	63.0	125.9	11.1	303.7	40.7	3	
3.2	6.4	61.1	77.2	6.4	83.6	19.3	25.7	12.9	19.3	3.2	19.3	7.3	12.9	35.4	41.8	6.4	212.2	19.3	4	
21.8	7.3	43.5	94.3	14.5	58.0	21.8	7.3	7.3	7.3	50.8	7.3	50.8	36.3	7.3	232.2	21.8	5	
8.9	79.9	44.4	17.8	97.7	8.9	8.9	17.8	79.9	71.0	89.8	17.8	243.6	26.6	6	
8.8	79.4	44.1	44.1	8.8	17.7	61.8	114.7	35.3	211.8	35.3	7	
15.3	10.2	25.5	71.4	5.1	66.3	10.2	61.2	25.5	15.3	15.3	40.8	10.2	40.8	96.8	10.2	239.6	61.2	8	
22.7	30.3	45.5	45.5	15.2	7.6	37.9	60.7	53.1	7.6	212.3	9	
14.4	9.6	43.1	71.9	19.2	67.1	14.4	71.9	14.4	9.6	4.8	81.5	9.6	52.7	57.5	28.8	206.1	28.8	10	
4.4	61.0	109.0	13.1	39.2	4.4	43.6	13.1	4.4	8.7	43.6	4.4	74.1	52.3	8.7	218.0	4.4	11	
.....	13.8	41.5	166.1	27.7	13.8	27.7	13.8	96.9	55.4	138.4	193.8	13.8	12	
17.7	17.7	8.9	53.2	26.6	35.5	8.9	17.7	71.0	88.7	44.4	35.5	212.9	13	
13.8	5.5	74.5	96.6	19.3	110.4	19.3	69.0	8.3	5.5	8.3	121.4	11.0	8.3	93.8	115.9	16.6	292.6	52.4	14	
.....	40.5	60.8	20.3	20.3	60.8	40.5	182.2	
.....	39.1	19.6	19.6	39.1	136.9	19.6	19.6	176.1	15	
10.8	6.7	33.3	100.0	20.0	46.7	13.3	20.0	26.7	86.6	13.3	86.6	53.3	6.7	179.9	6.7	16	
.....	64.8	75.6	10.8	48.6	5.4	59.4	21.6	21.6	21.6	54.0	5.4	10.8	54.0	86.4	16.2	253.7	10.8	17	
6.9	6.9	68.5	116.5	13.7	95.9	20.6	20.6	13.7	6.9	48.0	41.1	54.8	13.7	205.5	20.6	18	
.....	50.1	100.3	50.1	175.5	25.1	50.1	25.1	25.1	100.3	150.4	100.3	19	
15.4	73.9	147.8	6.2	61.6	15.4	24.6	9.2	9.2	3.1	92.4	3.1	12.3	61.6	104.7	15.4	375.6	6.2	20	
10.1	2.5	50.5	53.0	20.2	58.1	15.2	50.5	10.1	15.2	15.2	30.8	5.1	7.6	53.0	131.3	12.6	191.9	35.4	22	
11.3	78.9	33.8	78.9	22.6	11.3	22.6	22.6	33.8	146.6	33.8	23	
7.9	7.9	47.2	78.6	11.8	39.3	7.9	23.6	3.9	15.7	11.8	62.9	3.9	3.9	74.7	27.5	19.6	172.9	27.5	24	
.....	7.1	63.6	120.2	14.1	84.8	28.3	28.3	35.3	7.1	84.8	7.1	91.9	49.5	296.9	7.1	25	
26.0	26.0	69.3	51.9	17.3	8.7	34.6	34.6	8.7	86.6	8.7	43.3	34.6	8.7	199.1	34.6	26	
.....	23.6	35.5	35.5	35.5	11.8	23.6	23.6	47.3	23.6	94.6	47.3	153.6	27	
10.5	31.4	94.1	10.5	52.3	10.5	41.8	20.9	10.5	10.5	94.1	20.9	52.3	52.3	198.6	28	
7.3	14.6	21.9	51.2	7.3	87.7	7.3	43.9	36.5	7.3	21.9	43.9	14.6	95.0	51.2	7.3	190.0	29.2	29	
13.5	13.5	46.3	74.1	9.3	27.8	9.3	27.8	18.5	9.3	9.3	74.1	55.6	111.2	9.3	231.7	9.3	30	
11.9	11.9	83.6	35.8	23.9	23.9	23.9	59.7	11.9	35.8	23.9	35.8	83.6	23.9	31	
28.8	21.6	79.1	50.3	21.6	36.0	43.1	14.4	14.4	14.4	14.4	79.1	100.7	107.9	373.9	14.4	32	
29.0	9.7	91.8	130.5	19.3	91.8	14.5	48.3	14.5	9.7	106.3	48.3	48.5	19.3	251.4	19.3	33	
.....	74.0	81.4	111.1	14.8	14.8	7.4	7.4	59.2	51.8	44.4	7.4	125.9	22.2	34	
.....	39.6	13.2	39.6	13.2	79.2	13.3	26.4	39.6	13.2	66.0	26.4	35	
9.8	9.8	78.4	19.6	9.8	9.8	68.6	19.6	9.8	49.0	49.0	9.8	156.8	9.8	36	
10.5	10.5	73.5	10.5	10.5	10.5	73.5	21.0	10.5	52.5	52.5	10.5	147.1	10.5	37	
.....	146.0	146.0	292.0	38	
.....	73.0	73.0	219.0	39	
.....	25.6	25.6	25.6	25.6	51.1	25.6	25.6	76.7	127.8	25.6	40	
18.7	113.1	113.1	75.0	118.1	41	
.....	106.2	137.5	47.8	6.2	43.7	6.2	12.5	25.0	6.2	12.5	56.2	18.7	143.7	31.2	42	
.....	47.8	23.9	47.8	47.8	47.8	95.6	23.9	43	
6.0	6.0	54.1	84.1	66.1	6.0	18.0	6.0	18.0	30.0	6.0	12.0	30.0	48.1	12.0	216.4	24.0	44	
25.1	15.1	105.6	115.7	5.0	80.5	15.1	30.2	15.1	35.2	15.1	70.4	10.1	80.5	110.6	5.0	246.4	15.1	45	
.....	245.7	81.9	81.9	81.9	81.9	327.6	46	
29.8	30.2	30.2	30.2	30.2	6.0	30.2	29.8	11.9	30.2	30.2	181.1	60.4	181.1	47	
.....	77.6	119.4	17.9	59.7	6.0	41.8	83.6	35.8	161.2	23.9	48	
6.6	6.6	72.8	99.3	26.5	53.0	13.2	33.1	13.2	46.4	6.6	99.3	72.8	6.6	172.2	6.6	49	
23.4	62.5	58.8	5.7	68.2	5.7	22.7	11.4	17.0	17.0	56.8	11.4	73.8	22.7	5.7	227.2	28.4	50	
32.7	76.2	168.8	10.9	81.7	21.8	38.1	5.4	54.5	5.4	27.2	87.1	10.9	272.3	51	
.....	48.8	24.4	24.4	73.2	48.8	24.4	52	
13.7	55.0	63.7	13.7	75.6	6.9	61.9	6.9	6.9	6.9	20.6	61.9	13.7	13.7	171.9	13.7	53	
.....	51.3	25.7	64.1	25.7	12.8	12.8	25.7	77.0	38.5	141.1	38.5	54	
21.5	48.3	69.7	10.7	37.5	37.5	26.8	16.1	5.4	59.0	69.7	59.0	214.6	16.1	55	
.....	98.5	98.5	65.7	32.8	32.8	98.5	56	
8.9	4.4	71.0	115.3	8.9	71.0	4.4	8.9	8.9	22.2	4.4	31.1	4.4	57.7	48.8	22.2	190.7	13.3	57	
9.6	4.8	72.1	115.3	9.6	87.3	4.8	9.6	9.6	24.0	4.8	33.6	4.8	57.7	48.1	24.0	201.9	4.8	58	
.....	57.6	115.1	115.1	57.6	57.6	57.6	115.1	59	
19.5	48.8	117.1	68.3	9.8	9.8	29.3	19.5	58.5	9.8	9.8	78.0	58.5	136.6	9.8	60	
.....	86.3	129.5	28.8	57.5	21.6	14.4	14.4	7.2	7.2	36.0	28.8	37.5	7.2	230.2	21.6	61	
.....	62
.....	19.2	19.2	19.2	19.2	57.6	153.6	19.2	62	
.....	20.6	20.6	20.6	20.6	41.2	165.0	20.6	63	
8.0	80.4	104.6	8.0	84.5	12.1	32.2	12.1	4.0	88.5	48.3	40.2	4.0	209.1	4.0	64	
9.3	4.6	129.9	69.6	4.6	60.3	4.6	9.3	13.9	27.8	9.3	55.7	4.6	64.9	32.5	4.6	255.1	4.6	65	
4.3	4.3	43.2	77.7	4.3	43.2	13.0	25.9	8.6	17.3	13.0	30.2	8.6	64.8	86.4	8.6	198.7	51.8	67	
8.4	8.4	63.3	130.9	16.9	42.2	12.7	29.6	16.9	4.2	101.4	92.9	54.9	8.4	173.2	21.1	68	
.....	15.3	15.3	30.6	30.6	15.3	30.						

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—															
	All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.	
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.																
KANSAS—continued.																
1	Montgomery County †.....	844.2	27.7	3.5	3.5	34.6	6.9	3.5	13.8	3.5	62.3	3.5	13.8	10.4	45.0	
2	Morris County †.....	834.8	8.0					8.0		63.6	8.0	39.8	8.0	8.0	23.9	
3	Morton County †.....	451.7	169.4												56.5	
4	Nemaha County.....	928.9	10.8			5.4	5.4			21.6	54.0		5.4	5.4	37.8	
5	Neosho County.....	1,001.2	35.1	15.6				3.9	19.5	7.8	39.0	3.9	3.9	3.9	70.1	
6	Ness County †.....	588.7						15.5	15.5	15.5	15.5				15.5	
7	Norton County †.....	869.1					8.5	59.6			17.0			8.5	68.2	
8	Osage County.....	1,021.5	5.5	5.5					5.5	10.9	21.9	10.9	16.4	5.5	71.0	
9	Osborne County †.....	883.4	15.1					15.1		22.7			7.6	7.6	90.6	
10	Ottawa County †.....	819.7	16.6								33.1		8.3	8.3	58.0	
11	Pawnee County †.....	869.4	66.9	9.6							28.7		9.6	9.6	57.3	
12	Phillips County †.....	720.0	7.1						7.1	14.3	42.8			7.1	14.3	
13	Pottawatomie County †.....	864.6				5.8		5.8		35.1	5.8		5.8		52.6	
14	Pratt County †.....	837.9	23.3	15.5					7.8	23.3	46.5		15.5		7.8	
15	Rawlins County †.....	903.3	29.1								14.6			14.6	43.7	
16	Reno County †.....	794.6	13.5					26.9	4.5	18.0	4.5			4.5	49.4	
17	Republic County †.....	853.5	5.8		5.8	11.7		5.8		5.8					93.5	
18	Rice County †.....	897.9	26.2					26.2	6.6		26.2		6.6		32.8	
19	Riley County †.....	842.6	6.0							12.0	24.1			24.1	72.2	
20	Rooks County †.....	764.0	7.9					7.9		7.9	15.8		7.9	7.9	39.4	
21	Rush County †.....	667.0	35.1					23.4					11.7	11.7	23.4	
22	Russell County †.....	789.1						17.0		8.5	50.9				84.9	
23	Saline County †.....	745.6	13.8			4.6		4.6		4.6	59.8	4.6	9.2	9.2	50.6	
24	Scott County †.....	283.8						25.8			25.8				25.8	
25	Sedgwick County †.....	653.5	9.8					9.8	4.9	4.9	29.3		9.8		24.4	
26	Seward County †.....	528.8						18.2			54.7			18.2		
27	Shawnee County † (total).....	756.4	11.0					5.5	5.5	5.5	54.8	5.5	11.0		65.8	
28	White.....	760.0	11.7					5.8	5.8	5.8	52.6	5.8	11.7		70.2	
29	Colored.....	702.4									87.8					
30	Sheridan County †.....	466.6								15.6	31.1				31.1	
31	Sherman County †.....	750.7						19.8			19.8				59.3	
32	Smith County.....	964.4	20.1		6.7			33.5		20.1	33.5			13.4	46.9	
33	Stafford County †.....	791.2	29.3			7.3			7.3	7.3	58.6			14.7	29.3	
34	Stanton County †.....	525.1														
35	Stevens County †.....	680.7	61.9							30.9						
36	Sumner County.....	927.0	15.2			6.1		6.1		9.1	3.0		3.0	3.0	51.8	
37	Thomas County †.....	597.3	16.6							16.6					16.6	
38	Trego County †.....	489.4	15.3							15.3	15.3					
39	Wabaunsee County † (total).....	827.9				7.9				7.9	63.1				71.0	
40	White.....	792.3				8.3					50.0				66.7	
41	Colored.....	1,443.0								144.3	288.6				144.3	
42	Wallace County †.....	378.9						29.1							87.4	
43	Washington County †.....	820.8	10.3								56.4			5.1	41.0	
44	Wichita County †.....	297.7														
45	Wilson County.....	987.9	32.4	9.3				9.3		32.4	9.3	18.5	9.3	9.3	74.1	
46	Woodson County.....	934.2	32.6					32.6		21.7	76.0				43.4	
47	Wyandotte County (total).....	1,409.9	23.2			5.8		17.4	17.4	5.8	75.4	11.6	23.2	5.8	92.8	
48	White.....	1,225.4	13.0			6.5		19.5	13.0	6.5	64.8	13.0	13.0		84.3	
49	Colored.....	2,981.8	110.4							55.2	165.7		110.4	55.2	165.7	
KENTUCKY.																
50	Total.....	1,196.5	43.8	7.4	0.8	12.2	2.1	16.5	24.2	13.7	3.6	173.7	8.1	16.3	5.9	39.1
51	White.....	1,115.4	40.9	6.7	0.8	13.2	2.1	15.2	25.5	12.7	3.6	148.3	7.2	14.0	5.0	38.6
52	Colored.....	1,917.6	69.4	13.4	1.0	3.1	1.5	28.3	12.3	22.6	3.6	399.2	15.4	37.0	13.9	43.7
53	Adair County (total).....	1,204.2	17.5	11.6				5.8	29.1	11.6	180.3		29.1	17.5	23.3	
54	White.....	1,118.7	12.8	12.8					19.2	12.8	172.6		19.2	12.8	25.6	
55	Colored.....	2,068.5	64.6					64.6	129.3		258.6		129.3	64.6		
56	Allen County (total).....	1,161.7	46.7	20.0					20.0	40.1	207.0	13.4	26.7		46.7	
57	White.....	1,067.2	42.7	21.3					44.2	35.6	163.6	14.2	21.3		42.7	
58	Colored.....	2,600.2	108.3					108.3	108.3		866.7		108.3		108.3	
59	Anderson County (total).....	1,364.8	58.9	9.8				19.6		9.8	147.3		19.6	9.8	9.8	
60	White.....	1,228.4	52.9					10.6		10.6	127.1		21.2	10.6	10.6	
61	Colored.....	3,099.7	134.8	134.8				134.8			470.3					
62	Ballard County (total).....	991.7	37.0	51.8				29.6	7.4		170.2	14.8	7.4	7.4	14.8	
63	White.....	888.9	42.3	33.9				8.5	8.5		143.9	16.9	8.5	8.5	16.9	
64	Colored.....	1,705.9	176.5					176.5			352.9					
65	Barren County (total).....	1,359.5	57.3	15.3					26.7	19.1	263.5	15.3	30.6	19.1	34.4	
66	White.....	1,229.8	40.1	8.9					22.3	22.3	249.5	17.8	17.8	4.5	40.1	
67	Colored.....	2,136.8	160.3	53.4					53.4		347.2		106.8	106.8		
68	Bath County (total).....	1,360.3	14.6					7.3	29.3	14.6	197.5	7.3	14.6		29.3	
69	White.....	1,294.7	16.2					8.1	32.4	16.2	161.8	8.1	16.2		32.4	
70	Colored.....	1,977.2									532.3					
71	Bell County (total).....	974.1	50.2			29.5	3.0	29.5	26.6	17.7	85.6	3.0	11.8		17.7	
72	White.....	987.6	49.4			32.9	3.3	32.9	29.6	19.8	82.3	3.3	13.2		16.5	
73	Colored.....	856.7	57.1								114.2				28.6	
74	Boone County (total).....	1,325.5	11.5			11.5	11.5		11.5	23.1	138.3	11.5	11.5		57.6	
75	White.....	1,336.1	12.1			12.1	12.1		12.1	12.1	145.8	12.1	12.1		60.7	
76	Colored.....	1,128.7								225.7						

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

105

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Un- defined and un- known causes. 38	
13.8	3.5	41.5	65.7	3.5	38.1	3.5	31.1	8.0	13.8	10.4	41.5	3.5	3.5	69.2	65.7	183.4	20.8	1	
23.9	5.4	37.5	71.6	8.0	55.7	8.0	8.0	39.8	8.0	63.6	8.0	8.0	37.5	39.8	127.2	127.2	15.9	2	
10.8	3.9	48.6	56.5	3.9	27.0	19.5	56.5	21.6	10.8	15.6	75.6	5.4	7.8	81.0	54.0	112.9	27.0	3	
31.2	8.5	58.4	91.8	3.9	35.1	19.5	32.4	3.9	15.6	15.6	62.3	7.8	50.6	81.8	16.2	275.4	27.3	4	
25.6	5.5	46.5	62.0	8.5	46.5	16.4	46.5	15.5	15.5	15.5	15.5	10.9	15.5	46.5	10.9	185.9	31.0	5	
16.4	8.3	59.6	119.3	21.9	51.1	7.6	17.0	8.5	10.9	10.9	59.6	5.5	8.5	34.1	54.6	221.5	8.5	6	
7.6	9.6	71.0	136.6	15.1	54.6	16.4	38.2	5.5	10.9	10.9	76.5	7.6	10.9	60.1	22.7	267.7	5.5	7	
9.6	7.1	68.0	98.2	8.3	60.4	7.6	22.7	37.8	17.5	17.5	52.9	5.5	15.1	52.9	7.6	196.3	15.1	8	
28.5	8.3	99.4	107.6	8.3	41.4	16.6	16.6	37.8	17.5	17.5	33.1	33.1	49.7	24.8	8.3	198.7	66.2	9	
5.8	9.6	76.4	66.9	9.6	38.2	9.6	38.2	9.6	9.6	9.6	38.2	19.1	18.0	86.0	9.6	172.0	14.3	10	
15.5	7.1	14.3	128.3	7.1	42.8	7.1	14.3	7.1	11.7	11.7	71.3	7.1	35.6	42.8	10.9	185.3	5.8	11	
9.0	13.1	52.6	70.1	17.5	70.1	17.5	17.5	7.8	17.5	17.5	40.9	5.8	75.9	52.6	5.8	286.2	5.8	12	
11.7	6.0	46.5	85.3	12.0	15.5	14.6	46.5	7.8	7.8	7.8	31.0	23.3	108.6	35.3	31.0	178.4	43.7	13	
19.7	13.1	29.1	131.1	12.0	87.4	14.6	43.7	14.6	14.6	14.6	14.6	14.6	102.0	43.7	43.7	218.5	43.7	14	
23.6	6.0	53.9	71.8	6.6	33.9	7.9	26.9	4.5	9.0	9.0	49.4	18.0	67.3	44.9	9.0	224.5	23.4	15	
23.4	8.5	40.9	87.7	12.0	76.0	17.5	23.4	9.0	11.7	11.7	35.1	11.7	40.9	58.5	29.2	126.3	6.6	16	
23.0	6.0	45.9	72.1	6.6	104.9	52.4	26.2	26.2	26.2	26.2	59.0	6.6	52.4	52.4	6.6	216.3	6.6	17	
24.4	14.6	54.2	120.4	12.0	54.2	18.1	6.0	6.0	6.0	6.0	42.1	7.9	48.1	66.1	18.1	234.7	18.1	18	
5.5	11.0	55.1	78.8	12.0	39.4	7.9	31.5	7.9	7.9	7.9	94.5	7.9	70.9	55.1	18.1	165.4	31.5	19	
5.8	11.7	81.9	81.9	17.0	23.4	23.4	93.6	8.5	8.5	8.5	25.5	11.7	81.9	70.2	11.7	128.7	42.4	20	
6.7	7.3	33.9	67.9	13.8	67.9	17.0	17.0	9.2	9.2	9.2	27.6	9.2	59.8	32.2	13.8	184.1	9.2	21	
14.7	7.3	64.4	73.6	13.8	41.4	13.8	41.4	25.8	25.8	25.8	25.8	25.8	92.7	34.1	4.9	151.2	4.9	22	
39.5	15.6	34.1	63.4	4.9	24.4	4.9	24.4	4.9	4.9	4.9	53.6	18.2	127.6	34.1	4.9	151.2	4.9	23	
6.7	7.3	36.5	51.6	4.9	54.7	11.0	36.5	4.9	4.9	4.9	54.7	18.2	127.6	34.1	4.9	151.2	4.9	24	
14.7	7.3	58.5	128.6	5.8	52.6	11.7	23.4	5.8	5.8	5.8	46.8	18.2	127.6	34.1	4.9	151.2	4.9	25	
14.7	7.3	175.6	175.6	5.8	175.6	11.7	175.6	5.8	5.8	5.8	87.8	18.2	127.6	34.1	4.9	151.2	4.9	26	
39.5	15.6	77.8	77.8	14.7	46.7	39.5	15.6	19.8	15.6	15.6	15.6	15.6	31.1	31.1	46.7	18.2	18.2	27	
6.7	7.3	59.3	59.3	14.7	59.3	39.5	59.3	33.5	15.6	15.6	59.3	19.8	100.5	39.5	11.0	148.0	11.0	28	
14.7	7.3	33.5	113.9	14.7	98.8	11.7	23.4	7.3	15.6	15.6	73.7	6.7	80.6	40.2	11.0	146.2	11.0	29	
15.2	6.1	75.0	30.9	6.1	75.0	6.1	30.9	7.3	15.6	15.6	65.9	7.3	80.6	36.6	11.0	175.6	11.0	30	
15.3	15.3	51.8	82.3	6.1	54.9	6.1	48.8	21.3	9.1	9.1	97.6	3.0	6.1	76.2	12.2	204.3	12.2	31	
7.9	15.3	16.6	83.0	6.1	33.2	6.1	48.8	21.3	16.6	16.6	83.0	6.1	6.1	182.5	12.2	83.0	16.6	32	
144.3	15.3	107.1	107.1	14.7	15.3	14.7	44.0	14.7	15.3	15.3	15.3	15.3	45.9	30.6	15.3	107.1	15.3	33	
25.7	10.3	55.2	110.4	14.7	55.2	7.9	7.9	15.8	15.3	15.3	31.5	15.8	71.0	47.3	15.8	205.0	7.9	34	
29.0	32.6	58.4	144.3	14.7	50.0	7.9	8.3	16.7	8.3	8.3	33.4	16.7	75.1	41.7	16.7	208.5	8.3	35	
29.0	32.6	107.7	144.3	15.4	144.3	14.7	14.7	14.7	15.3	15.3	33.4	16.7	75.1	41.7	16.7	208.5	8.3	36	
6.4	18.7	25.7	107.7	15.4	35.9	5.1	46.2	10.3	5.1	5.1	30.8	5.1	51.3	10.3	10.3	277.0	25.7	37	
6.2	17.0	74.1	60.2	18.5	85.1	13.9	46.3	18.5	4.6	4.6	32.4	10.9	32.6	42.5	10.3	127.6	42.5	38	
7.7	17.0	65.2	43.4	18.5	74.1	13.9	46.3	18.5	4.6	4.6	32.4	10.9	32.6	42.5	10.3	127.6	42.5	39	
17.5	17.5	87.0	203.1	17.4	116.0	11.6	23.2	5.8	11.6	11.6	116.0	5.8	11.6	69.6	23.2	295.9	11.6	40	
12.8	19.2	87.0	188.0	19.5	84.3	13.0	25.9	5.8	11.6	11.6	84.3	6.5	77.8	77.8	25.9	233.4	13.0	41	
64.6	6.7	33.4	106.8	6.7	84.3	13.0	25.9	5.8	11.6	11.6	84.3	6.5	77.8	77.8	25.9	233.4	13.0	42	
7.1	7.1	35.6	99.6	7.1	85.4	13.0	25.9	5.8	11.6	11.6	84.3	6.5	77.8	77.8	25.9	233.4	13.0	43	
19.6	58.9	68.7	216.7	7.1	325.0	108.3	108.3	55.2	55.2	55.2	386.5	55.2	55.2	165.7	25.9	828.3	13.0	44	
21.2	52.9	52.9	269.5	21.2	148.3	10.6	31.8	7.6	7.6	7.6	49.6	7.6	64.9	61.1	3.8	305.5	68.7	45	
7.4	14.8	66.6	66.6	59.3	125.8	11.6	29.6	7.6	7.6	7.6	49.6	7.6	64.9	61.1	3.8	305.5	68.7	46	
8.5	8.5	59.3	117.6	117.6	117.6	11.6	29.6	7.6	7.6	7.6	49.6	7.6	64.9	61.1	3.8	305.5	68.7	47	
38.2	38.2	49.6	49.6	22.9	57.3	15.3	49.6	8.9	8.9	8.9	72.6	7.6	3.8	64.9	3.8	305.5	68.7	48	
31.2	35.6	49.0	49.0	13.4	49.0	13.4	44.6	8.9	8.9	8.9	75.8	8.9	4.5	71.3	4.5	280.7	62.4	49	
80.1	53.4	53.4	65.8	80.1	106.8	26.7	80.1	14.6	14.6	14.6	109.7	14.6	7.3	80.5	7.3	212.1	102.4	50	
51.2	51.2	72.8	72.8	72.8	241.4	7.3	14.6	16.2	16.2	16.2	89.0	16.2	8.1	80.9	72.8	186.1	72.8	51	
56.6	56.6	72.8	72.8	72.8	241.4	7.3	14.6	16.2	16.2	16.2	89.0	16.2	8.1	80.9	72.8	186.1	72.8	52	
3.0	23.6	14.8	23.6	5.9	59.0	5.9	73.8	5.9	3.0	3.0	32.5	8.9	17.7	47.2	3.0	197.8	70.8	53	
3.3	23.0	16.5	19.8	6.6	62.5	5.9	79.0	6.6	3.3	3.3	36.2	6.6	13.2	49.4	3.3	207.4	69.1	54	
23.1	23.1	92.2	115.3	34.6	149.8	11.5	34.6	23.1	11.5	11.5	69.2	8.9	57.6	115.3	11.5	253.6	34.6	55	
24.3	24.3	97.2	109.3	36.4	157.9	12.1	36.4	24.3	12.1	12.1	72.9	8.9	60.7	109.3	12.1	242.9	36.4	56	
225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7	225.7

* Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.																
KENTUCKY—continued.																
1	Bourbon County (total).....	1,679.6	58.1		11.6			5.8	5.8	5.8	5.8	162.7	29.1	11.6	11.6	87.2
2	White.....	1,482.0	68.9		17.2			8.6		8.6	8.6	129.2	34.5	8.6		77.5
3	Colored.....	2,089.3	35.7					17.9				232.1	17.9	17.9	35.7	107.1
4	Boyd County (total).....	1,243.7	35.4				3.9	35.4	31.5	11.8	7.9	133.8	7.9	19.7	3.9	39.4
5	White.....	1,245.1	32.7				4.1	32.7	32.7	12.2	8.2	134.7	8.2	20.4	4.1	40.8
6	Colored ³	1,204.9	109.5					109.5				109.5				
7	Boyle County (total).....	1,643.3	33.3			20.0	6.7	13.3	20.0		6.7	252.8	20.0	6.7	13.3	46.6
8	White.....	1,452.0	27.9			27.9	9.3	18.6	18.6		9.3	167.5	9.3		18.6	37.2
9	Colored.....	2,122.7	46.7					23.3				466.5	46.7	23.3		70.0
10	Breckin County (total).....	1,532.0	31.5					21.0			31.5	304.3	10.5	10.5	10.5	73.0
11	White.....	1,508.4	32.6					21.7			32.6	282.1	10.9	10.9	10.9	76.0
12	Colored ³	2,222.2										952.4				
13	Breathitt County † (total).....	349.0	10.6			10.6			15.9	5.3		37.0		10.6		5.3
14	White.....	348.9	10.7			10.7			16.1	5.4		37.6		10.7		5.4
15	Colored ³	353.4														
16	Breckinridge County (total).....	1,219.1	56.5		4.7	14.1		28.2	4.7		28.2	197.7		42.4		51.8
17	White.....	1,176.4	56.0		5.1	15.3		25.5			25.5	163.0		40.7		45.8
18	Colored.....	1,739.1	62.1					62.1	62.1	62.1		62.1		62.1		124.2
19	Bullitt County (total).....	1,345.1	42.4			31.8		10.6	10.6			201.2	21.2	53.0		
20	White.....	1,244.2	45.7			34.2		11.4	11.4			171.2	22.8	57.1		
21	Colored.....	2,643.2										587.4				
22	Butler County (total).....	1,103.5	69.8		12.7	6.3		25.4	12.7	19.0	6.3	228.3	6.3	38.1	6.3	44.4
23	White.....	1,052.4	72.3		13.2	6.6		26.3	13.2	13.2	6.6	203.9	6.6	26.3	6.6	46.0
24	Colored ³	2,482.3								177.3		886.5		354.6		
25	Caldwell County (total).....	1,369.4	86.5	21.6				7.2		21.6	7.2	295.5	14.4		14.4	14.4
26	White.....	1,108.1	96.7	17.6				8.8		26.4	8.8	211.1	8.8		17.6	8.8
27	Colored.....	2,555.9	39.9	39.9								678.9	39.9			39.9
28	Calloway County (total).....	1,066.3	57.6	9.6		19.2		4.8	19.2	19.2	4.8	139.3	4.8	9.6	9.6	43.2
29	White.....	1,030.9	60.9	10.2		20.3		5.1	20.3	20.3	5.1	121.9	5.1	5.1	10.2	45.7
30	Colored.....	1,634.4										443.3		88.7		
31	Campbell County (total).....	1,105.0	3.3					3.3		16.6	3.3	139.8	3.3	10.0	13.3	79.9
32	White.....	1,091.5						3.3		16.7	3.3	137.3	3.3	10.0	13.4	80.4
33	Colored ³	3,352.0	558.7									558.7				
34	Carlisle County (total).....	1,261.5	23.4	46.7		11.7		23.4	70.1		11.7	163.5	11.7			11.7
35	White.....	1,246.0	24.4	48.9		12.2		12.2	73.3		12.2	171.0	12.2			12.2
36	Colored ³	1,600.0						266.7								
37	Carroll County (total).....	1,489.9	27.1			13.5			40.6		13.5	216.7		13.5	13.5	94.8
38	White.....	1,406.4	29.0			14.5			43.5		14.5	217.5		14.5		87.0
39	Colored.....	2,674.9										205.8		205.8	205.8	
40	Carter County (total).....	1,228.6	52.8			4.4		48.4	39.6	8.8	4.4	149.7	8.8	17.6	13.2	17.6
41	White.....	1,217.2	48.7			4.4		48.7	39.8	8.9	4.4	146.1	8.9	17.7	13.3	17.7
42	Colored ³	3,478.3	899.6									899.6				
43	Casey County (total).....	1,209.8	44.8			12.8		32.0	12.8		6.4	185.6	12.8		12.8	25.6
44	White.....	1,219.0	45.6			13.0		32.6	13.0		6.5	189.0	13.0		13.0	26.1
45	Colored ³	706.7														
46	Christian County* (total).....	1,728.7	48.4	2.5		7.6		2.5	12.7	22.9		318.7	15.3	40.8	5.1	66.3
47	White.....	1,457.0	47.8			4.3			13.0	13.0		256.6	13.0	26.1		73.9
48	Colored.....	2,113.6	49.3	6.2		12.3		6.2	12.3	37.0		406.7	18.5	61.6	12.3	55.5
49	Clark County (total).....	1,623.7	53.9		5.4	5.4		16.2	5.4			151.0	10.8	16.2	5.4	86.3
50	White.....	1,266.2	43.2		7.2	7.2			7.2			129.5	14.4	7.2	7.2	100.7
51	Colored.....	2,695.1	86.2					64.7				215.6		43.1		43.1
52	Clay County † (total).....	823.5	26.6			42.5	5.3	15.9	47.8	5.3		132.8	5.3	15.9	5.3	42.5
53	White.....	798.1	27.3			43.7	5.5	16.4	49.2	5.5		131.2	5.5	16.4	5.5	38.3
54	Colored ³	1,707.8										189.8				189.8
55	Clinton County † (total).....	459.4	36.3				12.1				12.1	145.1				
56	White.....	464.8	36.7				12.2				12.2	146.8				
57	Colored ³															
58	Crittenden County † (total).....	728.6	48.0	8.0				16.0			16.0	144.1	24.0			16.0
59	White.....	653.6	50.3					16.8			16.8	108.9	25.1			16.8
60	Colored ³	2,338.1		179.9								899.3				
61	Cumberland County † (total).....	831.5	19.6			9.8	9.8	39.1	48.9	9.8	9.8	68.5		19.6	9.8	9.8
62	White.....	688.4				10.9	10.9	32.8	32.8	10.9	10.9	32.8		10.9		10.9
63	Colored.....	2,054.2	186.7					93.4	186.7			373.5		93.4	93.4	
64	Davess County † (total).....	890.7	24.2	16.1		4.0	4.0	16.1	12.1	28.2		124.9		8.1		16.1
65	White.....	863.1	26.3	13.1		4.4	4.4	17.5	13.1	30.7		109.5		8.8		17.5
66	Colored.....	1,207.9		50.3		50.3						302.0				
67	Edmonson County † (total).....	893.4	84.6	18.8					18.8			159.9	9.4			18.8
68	White.....	834.6	78.5	19.6					19.6			108.0	9.8			19.6
69	Colored ³	2,227.2	222.7									1,336.3				
70	Elliott County (total).....	1,086.6	10.4					31.3	62.7		10.4	114.9	83.6	31.3		20.9
71	White.....	1,087.2	10.5					31.4	62.7		10.5	115.0	83.6	31.4		20.9
72	Colored ³															

¹ Exclusive of stillbirths.² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

107

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Nep- hritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38		
11.6	11.6	58.1	186.0	11.6	139.5	29.1	81.4	5.8	5.8	5.8	209.2	17.4	-----	52.3	151.1	17.4	267.3	23.2	1	
17.2	8.6	51.7	120.6	8.6	112.0	25.8	103.4	-----	-----	-----	172.3	8.6	-----	68.9	137.9	25.8	241.3	17.2	2	
-----	17.9	71.4	321.4	17.9	196.4	35.7	35.7	17.9	17.9	17.9	285.7	35.7	-----	178.6	178.6	-----	321.4	35.7	3	
3.9	35.4	63.0	74.8	7.9	125.9	19.7	39.4	3.9	3.9	19.7	90.5	11.8	3.9	86.6	98.4	15.7	173.2	35.4	4	
4.1	36.7	61.2	77.6	8.2	118.4	16.3	40.8	4.1	4.1	20.4	89.8	12.2	4.1	85.7	102.1	12.2	179.6	36.7	5	
-----	-----	109.5	-----	-----	328.6	109.5	-----	-----	-----	-----	109.5	-----	-----	109.5	-----	109.5	-----	-----	6	
20.0	6.7	79.8	66.5	33.3	113.1	20.0	53.2	20.0	13.3	20.0	173.0	13.3	6.7	86.5	126.4	13.3	292.7	46.6	7	
18.6	9.3	74.5	65.2	27.9	130.3	18.6	55.8	18.6	18.6	18.6	145.9	18.6	9.3	93.1	102.4	9.3	251.3	18.6	8	
23.3	-----	93.3	70.0	46.7	70.0	23.3	46.7	23.3	23.3	23.3	233.3	-----	-----	70.0	186.6	23.3	396.5	116.6	9	
10.5	21.0	115.4	146.9	10.5	63.0	10.5	10.5	-----	-----	-----	52.5	21.0	-----	42.0	94.4	73.5	314.8	42.0	10	
10.9	10.9	108.5	151.9	10.9	65.1	10.9	10.9	-----	-----	-----	54.3	-----	21.7	43.4	86.8	65.1	325.6	43.4	11	
-----	-----	317.5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	317.5	-----	317.5	-----	-----	12	
-----	10.6	5.3	-----	-----	42.3	-----	10.6	-----	-----	-----	5.3	-----	5.3	21.2	31.7	-----	42.3	79.3	13	
-----	10.7	5.4	-----	-----	42.9	-----	10.7	-----	-----	-----	5.4	-----	5.4	21.5	32.2	-----	37.6	80.5	14	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	353.4	-----	15	
9.4	9.4	47.1	70.6	14.1	103.5	4.7	56.5	9.4	4.7	9.4	89.4	4.7	9.4	61.2	51.8	14.1	202.4	18.8	16	
10.2	10.2	50.9	71.3	15.3	112.0	5.1	61.1	10.2	5.1	10.2	96.8	5.1	10.2	56.0	45.8	15.3	193.5	15.3	17	
-----	-----	-----	62.1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	124.2	124.2	-----	310.6	62.1	18	
-----	-----	74.1	158.9	10.6	84.7	21.2	31.8	-----	10.6	-----	63.5	-----	10.6	116.5	84.7	21.2	264.8	21.2	19	
-----	-----	68.5	159.8	11.4	91.3	22.8	22.8	-----	11.4	-----	68.5	-----	-----	102.7	68.5	22.8	216.9	22.8	20	
-----	-----	146.8	146.8	-----	-----	-----	146.8	-----	-----	-----	-----	-----	146.8	293.7	293.7	-----	881.1	-----	21	
-----	12.7	25.4	38.1	6.3	69.8	6.3	50.7	-----	12.7	6.3	44.4	-----	-----	57.1	38.1	19.0	164.9	63.4	22	
-----	13.2	19.7	32.9	6.6	72.3	-----	46.0	-----	13.2	6.6	46.0	-----	-----	39.5	19.7	-----	171.0	65.8	23	
-----	-----	177.3	-----	-----	-----	177.3	-----	-----	-----	-----	-----	-----	354.6	-----	-----	-----	-----	-----	24	
7.2	14.4	14.4	86.5	7.2	115.3	36.0	36.0	21.6	14.4	-----	79.3	-----	-----	28.8	57.7	14.4	273.9	79.3	25	
-----	-----	8.8	70.4	8.8	79.1	17.6	35.2	26.4	17.6	-----	61.6	-----	-----	35.2	61.6	17.6	219.9	44.0	26	
39.9	79.9	39.9	159.7	-----	279.6	119.8	39.9	-----	-----	-----	159.7	-----	-----	-----	39.9	-----	519.2	239.6	27	
4.8	9.6	33.6	38.4	4.8	115.3	24.0	33.6	-----	9.6	4.8	43.2	-----	9.6	91.3	43.2	9.6	225.8	24.0	28	
5.1	10.2	30.5	30.5	5.1	116.8	25.4	25.4	-----	10.2	5.1	45.7	-----	10.2	91.4	35.5	10.2	218.4	25.4	29	
-----	-----	88.7	177.3	-----	88.7	-----	177.3	-----	-----	-----	-----	-----	-----	88.7	177.3	-----	354.6	-----	30	
10.0	36.6	56.6	116.5	16.6	113.2	10.0	13.3	6.7	13.3	10.0	96.5	3.3	10.0	33.3	76.5	13.3	189.7	6.7	31	
10.0	36.8	56.9	113.8	16.7	113.8	6.7	13.4	6.7	13.4	10.0	93.7	3.3	10.0	33.5	77.0	13.4	187.5	6.7	32	
-----	-----	558.7	-----	-----	-----	558.7	-----	-----	-----	-----	558.7	-----	-----	-----	-----	-----	558.7	-----	33	
23.4	35.0	35.0	81.8	-----	116.8	-----	116.8	-----	-----	-----	70.1	11.7	11.7	93.4	70.1	11.7	198.6	11.7	34	
12.2	36.6	36.6	73.3	-----	109.9	-----	122.2	-----	-----	-----	73.3	12.2	12.2	97.7	61.1	12.2	195.5	12.2	35	
266.7	-----	-----	266.7	-----	266.7	-----	-----	-----	-----	-----	-----	-----	-----	266.7	266.7	-----	266.7	-----	36	
-----	-----	94.8	203.2	-----	94.8	-----	13.5	-----	13.5	-----	54.2	-----	-----	162.5	27.1	27.1	325.1	40.6	37	
-----	-----	101.5	217.5	-----	72.5	-----	205.8	-----	14.5	-----	58.0	-----	-----	145.0	29.0	29.0	290.0	29.0	38	
4.4	30.8	35.2	96.9	26.4	411.5	8.8	66.1	4.4	13.2	-----	48.4	4.4	17.6	127.7	74.9	-----	823.0	205.8	39	
4.4	31.0	35.4	97.4	26.6	92.5	4.4	66.4	4.4	13.3	-----	48.7	4.4	17.7	128.4	70.8	-----	149.7	61.0	40	
-----	-----	-----	-----	-----	889.6	-----	-----	-----	-----	-----	-----	-----	-----	889.6	-----	-----	150.5	62.0	41	
6.4	44.8	25.6	32.0	-----	160.0	6.4	25.6	6.4	6.4	-----	70.4	6.4	12.8	70.4	70.4	-----	211.2	108.8	42	
6.5	45.6	26.1	32.6	-----	163.0	6.5	26.1	6.5	6.5	-----	71.7	6.5	13.0	71.7	71.7	-----	208.6	110.8	43	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	353.4	-----	-----	353.4	-----	44	
7.6	15.3	81.6	140.2	15.3	130.0	22.9	45.9	7.6	15.3	2.5	94.3	7.6	10.2	68.8	10.2	-----	390.1	48.4	45	
8.7	17.4	91.3	73.9	21.7	121.8	26.1	30.4	4.3	8.7	-----	91.3	3.7	4.3	47.8	30.4	17.4	378.4	26.1	46	
6.2	12.3	67.8	234.2	6.2	141.7	18.5	67.8	12.3	24.6	6.2	95.6	6.2	18.5	104.8	123.2	-----	406.7	30.1	47	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	48
5.4	53.9	37.8	86.3	113.3	134.9	16.2	43.2	-----	16.2	16.2	140.3	10.8	5.4	102.5	151.0	5.4	291.3	37.8	49	
7.2	43.2	36.0	43.2	28.8	64.7	7.2	43.2	-----	14.4	21.6	107.9	7.2	7.2	129.5	107.9	7.2	251.8	14.4	50	
-----	86.2	43.1	215.6	366.5	345.0	43.1	43.1	-----	21.6	-----	237.2	21.6	-----	21.6	280.3	-----	409.7	107.8	51	
-----	-----	21.3	37.2	5.3	42.5	5.3	21.3	15.9	10.6	5.3	26.6	-----	5.3	31.9	42.5	-----	95.6	111.6	52	
-----	-----	21.9	27.3	5.5	43.7	5.5	21.9	16.4	10.9	5.5	27.3	-----	5.5	32.8	38.3	-----	92.9	98.4	53	
-----	-----	379.5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	189.8	189.8	-----	189.8	569.3	54	
-----	36.3	-----	-----	-----	24.2	-----	24.2	-----	12.1	-----	-----	24.2	12.1	60.4	24.2	-----	24.2	12.1	55	
-----	36.7	-----	-----	-----	24.5	-----	24.5	-----	12.2	-----	-----	24.5	12.2	61.2	24.5	-----	24.5	12.2	56	
8.0	8.0	24.0	40.0	-----	40.0	8.0	16.0	-----	8.0	-----	24.0	-----	8.0	45.0	24.0	16.0	152.1	32.0	57	
8.4	8.4	8.4	41.9	-----	41.9	-----	16.8	-----	-----	-----	25.1	-----	8.4	50.3	8.4	16.8	150.8	33.5	58	
-----	-----	359.7	-----	-----	-----	179.9	-----	-----	179.9	-----	-----	-----	-----	359.7	359.7	-----	179.9	-----	59	
-----	39.1	-----	-----	9.8	88.0	9.8	58.7	-----	9.8	-----	9.8	-----	9.8	29.3	68.5	-----	176.1	68.5	61	
-----	43.7	-----	-----	10.9	54.6	-----	54.6	-----	10.9	-----	-----	-----	10.9	32.8	76.5	-----	163.9	65.6	62	
-----	-----	-----	-----	-----	373.5	93.4	93.4	-----	-----	-----	93.4	-----	-----	-----	-----	-----	280.1	93.4	63	
-----	4.0	16.1	48.4	4.0	96.7	8.1	48.4	4.0	4.0	8.1	32.2	8.1	-----	80.6	44.3	4.0	189.4	36.3	64	
-----	4.4	13.1	39.4	4.4	96.4	8.8	48.2	4.4	4.4	8.8	30.7	8.8	-----	87.6	43.8	4.4	179.6	39.4	65	
-----	-----	50.3	151.0	-----	100.7	-----	50.3	50.3	-----	-----	50.3	-----	-----	50.3	-----	-----	302.0	-----	66	
-----	9.4	-----	9.4	9.4	112.8	9.4	37.6	9.4	9.4	9.4	18.8	9.4	-----	37.6	37.6	-----	169.3	94.0	67	
-----	9.8	-----	9.8	9.8	117.8	9.8	39.3	9.8	9.8	9.8	19.6	9.8	-----	39.3	29.5	-----	157.1	98.0	68	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	222.7	73.1	-----	445.4	-----	69	
-----	41.8	41.8	41.8	-----	167.2	-----	41.8	10.4	10.4	-----	52.2	-----	-----	135.8	73.1	-----	83.6	20.9	70	
-----	41.																			

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(17)	16
RURAL PART OF REGISTRATION STATES ² —Continued.																
KENTUCKY—continued.																
1	Estill County † (total)	750.1	23.9					23.9			103.7			8.0		16.0
2	White	703.4	24.2					24.2			96.6			8.1		16.1
3	Colored ³	5,504.6									917.4					
4	Fayette County (total)	1,168.1	8.8					8.8	17.7	17.7	8.8			26.5		35.4
5	White	1,010.0							12.8	25.6	12.8			38.4		51.1
6	Colored	1,523.9	28.8					28.8	28.8		460.0					
7	Fleming County (total)	1,458.1	44.8			6.4	12.8	19.2	12.8	19.2	204.6			44.8		70.3
8	White	1,380.7	34.2			6.8	13.7	20.5	13.7	20.5	184.6			41.0		75.2
9	Colored	2,581.9	198.6								496.5			99.3		
10	Floyd County † (total)	732.5	55.2					10.0	35.1	15.1	5.0			15.1		10.0
11	White	733.3	55.6					10.1	35.4	15.2	5.1			15.2		10.1
12	Colored ³										111.2					
13	Franklin County (total)	944.9	38.6	9.6				9.6	9.6	9.6	192.8	19.3				57.8
14	White	941.0	31.4	10.5				10.5	10.5	10.5	198.7	20.9				52.3
15	Colored	990.1	123.8								123.8					123.8
16	Fulton County (total)	1,413.7	52.6	105.2		6.6		6.6	32.9	6.6	157.8	6.6		26.3		39.5
17	White	1,383.4	60.5	103.8		8.6		8.6	43.2		138.3			25.9		51.9
18	Colored	1,510.2	27.5	109.8						27.5	219.7	27.5		27.5		
19	Gallatin County (total)	1,266.9	22.2	22.2					22.2		177.8	22.2				44.5
20	White	1,251.5	23.6	23.6					23.6		165.3	23.6				47.2
21	Colored	1,515.2									378.8					
22	Garrard County (total)	1,048.1	25.4				8.5		25.4		194.4	8.5	8.5	16.9		42.3
23	White	890.7	31.4				10.5		31.4		94.3			10.5		41.9
24	Colored	1,704.5									611.9	43.7	43.7	43.7		43.7
25	Grant County (total)	1,280.6	21.2					42.3	21.2	31.7	190.5	10.6	10.6	10.6		21.2
26	White	1,251.9	21.8					43.5	21.8	32.7	195.9	10.9	10.9	10.9		21.8
27	Colored ³	2,281.4														
28	Graves County (total)	1,312.3	86.1	32.7		26.7	5.9	11.9	35.6	14.8	5.9	213.8	3.0	29.7	17.8	32.7
29	White	1,213.1	65.0	35.8		29.3	6.5	13.0	39.0	13.0	6.5	182.1	3.3	16.3	16.3	32.5
30	Colored	2,351.7	306.7							34.1		545.3		170.4	34.1	34.1
31	Grayson County (total)	1,195.5	60.0	50.0		40.0		10.0	20.0	25.0	230.1			10.0	10.0	40.0
32	White	1,170.1	56.0	5.1		40.7		10.2	20.4	25.4	213.7			10.2	5.1	40.7
33	Colored ³	2,678.6	297.6								1,190.5			297.6		
34	Green County (total)	948.1		17.1		17.1		17.1	34.2	8.5	94.0			25.6	8.5	51.2
35	White	906.2		19.3		9.6		9.6	28.9	9.6	67.5			19.3		48.2
36	Colored	1,273.4				74.9		74.9	74.9		299.6			74.9		74.9
37	Greenup County (total)	1,274.6	30.3	20.2		10.1	15.2	35.4	45.5	25.3	161.9	5.1		10.1		45.5
38	White	1,278.0	30.8	20.5		10.3	15.4	35.9	46.2	25.7	164.2	5.1		10.3		46.2
39	Colored ³	1,041.7														
40	Hancock County (total)	922.9	47.9							12.0	143.8			12.0		24.0
41	White	860.7	38.5							12.8	128.5			12.8		25.7
42	Colored	1,788.9	178.9								357.8					
43	Hardin County (total)	1,186.1	35.4		8.9	17.7		4.4	26.6	8.9	172.6	13.3	8.9	8.9		39.8
44	White	1,127.0	38.5		9.6	19.3		4.8	28.9	4.8	158.9	4.8	4.8			28.9
45	Colored	1,856.9								54.6	327.7	109.2		54.6	109.2	163.8
46	Harlan County (total)	1,195.5	64.4			46.0		64.4	27.6	9.2	101.2			18.4		18.4
47	White	1,214.8	68.0			48.6		68.0	29.2	9.7	87.5			9.7		19.4
48	Colored	856.2									342.5			171.2		
49	Harrison County (total)	1,225.9	43.3					6.2	6.2	6.2	241.5	12.4	12.4	12.4		61.9
50	White	1,154.7	41.5					6.9	6.9	6.9	221.3	13.8	13.8			62.2
51	Colored	1,836.2	59.2			59.2					414.6			59.2		59.2
52	Hart County (total)	995.6	60.8	5.5					33.2	22.1	149.3			22.1	5.5	16.6
53	White	938.8	43.5	6.2					37.3	12.4	136.8			18.7	6.2	18.7
54	Colored	1,453.6	200.5							100.3	250.6			50.1		
55	Henderson County (total)	1,429.1	50.4	44.1		6.3		37.8	12.6	6.3	176.3			31.5	12.6	56.7
56	White	1,323.6	47.8	55.8		8.0		8.0	15.9	8.0	127.6			31.9	8.0	55.8
57	Colored	1,825.3	59.8					149.6			359.1			29.9	29.9	59.8
58	Henry County (total)	1,125.0	7.5	7.5			22.5	7.5	15.0	37.5	165.0			7.5		75.0
59	White	958.7	8.6				25.9	8.6	17.3	25.9	120.9			8.6		60.5
60	Colored	2,222.2		57.0						114.0	455.8					170.9
61	Hickman County (total)	1,208.5	85.1	17.0		8.5		17.0	17.0		144.7			17.0	17.0	51.1
62	White	1,143.3	100.3	10.0		10.0		10.0	20.1		140.4			10.0	20.1	50.1
63	Colored	1,573.9		56.2				56.2			168.6			56.2		56.2
64	Hopkins County (total)	1,339.2	42.0	16.8	2.8	5.6		16.8	5.6	14.0	196.1	14.0		19.6	16.8	56.0
65	White	1,277.7	34.7	10.4		6.9		6.9	6.9	13.9	201.4	10.4		17.4	17.4	45.1
66	Colored	1,596.1	72.5	43.5	14.5			58.0		14.5	174.1	29.0		29.0	14.5	101.6
67	Jackson County † (total)	888.4	9.3		9.3			46.3	9.3	18.5	9.3	92.5	9.3			27.8
68	White	890.2	9.3		9.3			46.4	9.3	18.5	9.3	92.7	9.3			27.8
69	Colored ³															
70	Jefferson County * (total)	1,722.8	31.9	2.5		2.5		7.4	14.7	7.4	9.8	451.6	12.3	4.9		27.0
71	White	1,565.2	25.6	2.8		2.8		8.5	17.0	5.7	5.7	343.7	14.2	11.4	2.8	31.2
72	Colored	2,724.2	72.2							18.0	36.1	1,136.6		18.0	18.0	
73	Jessamine County (total)	1,247.6	15.5					15.5			69.7	7.7		23.2	7.7	77.5
74	White	1,126.8						20.3			10.2	60.9	10.2	10.2	10.2	81.2
75	Colored	1,637.2	65.5								98.2			65.5		65.5
76	Johnson County (total)	1,063.9	52.4				5.2	26.2	41.9	5.2	131.0			5.2		26.2
77	White	1,061.5	52.6				5.3	26.3	42.0	5.3	131.4			5.3		26.3
78	Colored ³	(¹)														

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- de- fined and un- known causes.		
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38		
23.9	23.9	31.9	8.0	-----	39.9	-----	39.9	-----	-----	16.0	55.9	8.0	16.0	47.9	55.9	-----	95.8	111.7	1	
24.2	24.2	32.2	8.1	-----	40.3	-----	40.3	-----	-----	16.1	56.4	8.1	16.1	48.3	40.3	-----	38.6	96.6	2	
8.8	-----	44.2	35.4	8.8	88.5	44.2	26.5	-----	-----	8.8	61.9	-----	8.8	35.4	1,834.9	-----	917.4	1,834.9	3	
12.8	-----	63.9	12.8	12.8	89.5	51.1	38.4	-----	-----	12.8	25.6	-----	12.8	51.1	88.5	26.5	283.2	26.5	4	
-----	-----	86.3	-----	-----	86.3	28.8	-----	-----	-----	-----	143.8	-----	-----	-----	172.5	38.4	217.3	25.6	5	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	431.3	28.8	6	
12.8	19.2	32.0	127.9	19.2	134.3	12.8	89.5	19.2	6.4	12.8	108.7	-----	6.4	51.2	25.6	6.4	300.6	38.4	7	
13.7	20.5	34.2	123.0	13.7	143.5	13.7	75.2	20.5	6.8	13.7	32.0	-----	-----	47.8	20.5	6.8	233.9	41.0	8	
-----	-----	-----	198.6	99.3	-----	-----	297.9	-----	-----	-----	496.5	-----	99.3	99.3	99.3	-----	397.2	-----	9	
-----	25.1	5.0	25.1	-----	45.2	5.0	60.2	-----	-----	5.0	20.1	10.0	5.0	30.1	75.3	5.0	75.3	85.3	10	
-----	25.3	5.1	25.3	-----	45.5	5.1	60.7	-----	-----	5.1	20.2	10.1	5.1	30.3	75.8	5.1	75.8	86.0	11	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	12
9.6	19.3	19.3	57.8	28.9	67.5	19.3	28.9	9.6	-----	-----	38.6	-----	-----	9.6	67.5	-----	192.8	28.9	13	
-----	20.9	20.9	62.7	31.4	73.2	20.9	31.4	10.5	-----	-----	31.4	-----	-----	10.5	52.3	-----	198.7	31.4	14	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	123.8	-----	-----	-----	247.5	-----	123.8	-----	15	
-----	6.6	39.5	39.5	32.9	92.1	26.3	98.6	6.6	6.6	6.6	98.6	6.6	13.2	39.5	118.4	19.7	263.0	59.2	16	
-----	8.6	51.9	17.3	34.6	103.8	94.6	86.5	8.6	8.6	8.6	103.8	8.6	17.3	51.9	86.5	25.9	259.4	25.9	17	
-----	-----	-----	109.8	27.5	54.9	-----	137.3	-----	-----	-----	82.4	-----	-----	-----	219.7	-----	274.6	164.7	18	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	19
-----	-----	111.1	133.4	22.2	155.6	-----	44.5	44.5	22.2	-----	44.5	-----	-----	155.6	22.2	44.5	133.4	22.2	20	
-----	-----	118.1	141.7	23.6	141.7	-----	23.6	47.2	23.6	-----	47.2	-----	-----	165.3	23.6	47.2	118.1	23.6	21	
-----	-----	-----	-----	-----	378.8	-----	378.8	-----	-----	-----	-----	-----	-----	-----	-----	-----	378.8	-----	-----	22
-----	16.9	101.4	42.3	16.9	135.2	16.9	8.5	8.5	-----	16.9	67.6	16.9	-----	50.7	50.7	8.5	126.8	33.8	23	
-----	21.0	33.8	41.9	21.0	115.3	10.5	10.5	10.5	-----	10.5	62.9	21.0	-----	52.4	62.9	10.5	104.8	31.4	24	
-----	-----	174.8	43.7	-----	218.5	43.7	-----	-----	-----	43.7	87.4	-----	-----	43.7	-----	-----	218.5	43.7	25	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	26
-----	-----	63.5	95.2	-----	137.6	31.7	31.7	21.2	-----	-----	95.2	10.6	21.2	21.2	116.4	10.6	222.2	42.3	27	
-----	-----	65.3	98.0	-----	130.6	10.9	32.7	21.8	-----	-----	98.0	10.9	21.8	21.8	87.1	10.9	228.6	43.5	28	
-----	-----	-----	-----	-----	380.2	760.5	-----	-----	-----	-----	-----	-----	-----	-----	1,140.7	-----	-----	-----	-----	29
3.0	23.8	29.7	41.6	23.8	95.0	8.9	68.3	5.9	8.9	8.9	44.5	-----	3.0	98.0	65.3	5.9	234.5	26.7	30	
3.3	22.8	29.3	39.0	19.5	94.3	6.5	61.8	6.5	9.8	9.8	45.5	-----	3.3	97.6	52.0	6.5	221.2	26.0	31	
-----	34.1	34.1	68.2	68.2	102.2	34.1	136.3	-----	-----	-----	34.1	-----	-----	102.2	204.5	-----	374.9	34.1	32	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	33
5.0	40.0	35.0	50.0	5.0	80.0	20.0	40.0	-----	-----	10.0	80.0	5.0	5.0	65.0	60.0	5.0	210.1	30.0	34	
5.1	40.7	35.6	50.9	5.1	81.4	20.4	40.7	-----	-----	10.2	81.4	5.1	5.1	61.1	61.1	5.1	213.7	20.4	35	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	36
-----	-----	25.6	102.5	8.5	94.0	25.6	8.5	-----	17.1	-----	85.4	-----	17.1	34.2	8.5	-----	222.1	25.6	37	
-----	-----	28.9	96.4	9.6	77.1	28.9	9.6	-----	19.3	-----	96.4	-----	19.3	38.6	9.6	-----	231.4	28.9	38	
-----	-----	149.8	-----	-----	224.7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	149.8	-----	39	
-----	30.3	45.5	30.3	30.3	131.5	15.2	91.0	5.1	5.1	-----	40.5	5.1	10.1	80.9	106.2	-----	172.0	70.8	40	
-----	30.8	46.2	30.8	30.8	133.4	15.4	92.4	5.1	5.1	-----	35.9	5.1	10.3	82.1	107.8	-----	169.4	66.7	41	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	347.2	-----	-----	-----	-----	-----	347.2	347.2	42	
12.0	-----	47.9	59.9	12.0	36.0	-----	47.9	-----	36.0	24.0	59.9	-----	35.0	24.0	36.0	12.0	227.7	12.0	43	
12.8	-----	51.4	64.2	-----	38.5	-----	25.7	-----	38.5	25.7	64.2	-----	25.7	25.7	25.7	12.8	218.4	12.8	44	
-----	-----	-----	-----	178.9	-----	-----	357.8	-----	-----	-----	-----	-----	178.9	-----	178.9	-----	357.8	-----	45	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	46
4.4	8.9	53.1	57.5	26.6	97.4	13.3	44.3	4.4	8.9	13.3	88.5	4.4	8.9	75.2	88.5	17.7	203.6	22.1	47	
4.8	4.8	53.0	57.8	24.1	101.1	9.6	43.3	-----	9.6	14.4	81.9	4.8	9.6	81.9	77.1	19.3	207.1	19.3	48	
-----	54.6	54.6	54.6	54.6	54.6	54.6	54.6	54.6	-----	-----	163.8	-----	-----	-----	218.5	-----	163.8	54.6	49	
-----	-----	-----	27.6	9.2	73.6	27.6	82.8	9.2	-----	9.2	27.6	-----	27.6	82.8	55.2	9.2	220.7	174.7	50	
-----	-----	-----	29.2	9.7	77.7	29.2	87.5	9.7	-----	9.7	19.4	-----	29.2	87.5	58.3	9.7	223.5	184.6	51	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	171.2	-----	-----	-----	-----	-----	171.2	-----	-----	52
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	53
-----	12.4	99.1	68.1	12.4	105.3	12.4	37.1	12.4	6.2	12.4	92.9	6.2	-----	55.7	80.5	12.4	185.7	18.6	54	
-----	13.8	89.9	48.4	13.8	83.0	13.8	27.7	13.8	6.9	13.8	89.9	6.9	-----	55.3	89.9	13.8	179.8	20.7	55	
-----	-----	177.7	236.9	-----	296.2	-----	118.5	-----	-----	-----	118.5	-----	-----	59.2	-----	-----	236.9	-----	56	
-----	-----	44.2	94.0	5.5	83.0	5.5	16.6	5.5	-----	-----	49.8	-----	11.1	94.0	38.7	11.1	165.9	33.2	57	
11.1	11.1	43.5	93.3	6.2	62.2	-----	18.7	6.2	-----	-----	56.0	-----	12.4	105.7	37.3	12.4	155.4	24.9	58	
12.4	12.4	50.1	100.3	-----	250.6	50.1	-----	-----	-----	-----	-----	-----	-----	-----	50.1	-----	250.6	100.3	59	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	60
12.6	18.9	6.3	119.6	6.3	107.0	31.5	75.5	18.9	25.2	6.3	100.7	18.9	6.3	125.9	81.8	6.3	201.5	25.2	61	
15.9	23.9	-----	127.6	8.0	111.6	39.9	87.7	8.0	8.0	8.0	87.7	-----	8.0	135.5	87.7	8.0	183.4	8.0	62	
-----	-----	29.9	89.8	-----	89.8	-----	29.9	59.8	-----	-----	149.6	89.8	-----	89.8	59.8	-----	269.3	89.8	63	
-----	7.5	45.0	82.5	7.5	60.0	22.5	60.0	-----	-----	15.0	90.0	-----	15.0	75.0	52.5	7.5	165.0	22.5	64	
-----	25.9	25.9	95.0	8.6	51.8	25.9	60.5	-----	8.6	8.6	77.7	-----	17.3	51.8	43.2	8.6	155.5	17.3	65	
57.0	57.0	170.9	-----	-----	114.0	-----	57.0	-----	114.0	57.0	170.9	-----	-----	227.9	114.0	-----	227.9	57.0	66	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	67
25.5	17.0	51.1	25.5	-----	110.6	-----	25.5	8.5	8.5	8.5	17.0	17.0	8.5	110.6	85.1	8.5	221.3	85.1	68	
30.1	20.1	50.1	30.1	-----	120.3	-----	20.1	10.0	-----	10.0	20.1	10.0	-----	120.3	60.2	10.0	200.6	60.2	69	
-----	-----	56.2	-----	-----	56.2	-----	56.2	-----	-----	-----	56.2	-----	56.2	56.2	224.8	-----	337.3	224.8	70	
11.2	8.4	33.6	67.2	8.4	123.3	5.6	75.6	2.8	2.8	2.8	64.4	11.2	2.8	98.1	81.2	5.6	249.3	58.8	71	
13.9	10.4	27.8	66.0	10.4	128.5	6.9	7													

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Can-cer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.																
KENTUCKY—continued.																
1	Kenton County (total).....	1,118.7	11.5					5.8	11.5	11.5	115.3	11.5	5.8		57.7	
2	White.....	1,051.0	11.8					5.9	11.8	11.8	117.5	11.8	5.9		58.8	
3	Colored ²	3,115.3														
4	Knott County (total).....	959.0	17.1				8.6	34.2	8.6	17.1	68.5		42.8		17.1	
5	White.....	938.6	17.4				8.7	26.1	8.7	17.4	69.5		43.5		17.4	
6	Colored ²	2,312.1						578.0								
7	Knox County (total).....	1,218.1	111.9			16.6		29.0	16.6		95.3		16.6	12.4	37.3	
8	White.....	1,232.3	104.5			17.4		30.5	17.4		95.8		17.4	13.1	39.2	
9	Colored ²	939.4	256.2								85.4					
10	Larue County (total).....	1,330.1	84.3		9.4	18.7		28.1	28.1		140.5	18.7	28.1	9.4	56.2	
11	White.....	1,264.3	60.7		10.1	20.2		30.3	30.3		151.7	20.2	30.3	10.1	60.7	
12	Colored ²	2,154.6	380.2													
13	Laurel County † (total).....	858.8	33.6			14.4		4.8	24.0	38.4	76.8		14.4		24.0	
14	White.....	843.9	29.8			14.9		5.0	24.8	39.7	79.4		14.9		19.9	
15	Colored ²	1,237.6	143.1												143.1	
16	Lawrence County (total).....	1,125.3	54.3					29.6	44.4	9.9	153.0	9.9	9.9	4.9	24.7	
17	White.....	1,119.7	54.7					29.9	44.8	10.0	149.3	10.0	10.0	5.0	24.9	
18	Colored ²	1,807.2									602.4					
19	Lee County (total).....	1,011.0	49.1					49.1	29.4	19.6	78.5			9.8	9.8	
20	White.....	1,006.4	50.3					50.3	30.2	20.1	80.5			10.1	10.1	
21	Colored ²	1,190.5														
22	Leslie County † (total).....	514.0	10.1						20.2		90.7				10.1	
23	White.....	491.0	10.2						20.5		92.1				10.2	
24	Colored ²	2,040.8														
25	Letcher County (total).....	1,245.4	44.5		8.9	26.7		26.7	62.3	8.9	97.9		8.9	8.9	8.9	
26	White.....	1,202.9	35.6		8.9	26.7		26.7	62.4	8.9	39.1		8.9	8.9	8.9	
27	Colored ²	(4)	(4)								(4)					
28	Lewis County (total).....	1,347.9	54.6		6.1	6.1		24.3	12.1		151.8		30.4	12.1	48.6	
29	White.....	1,341.0	55.1		6.1	6.1		24.5	12.2		140.8		30.6	12.2	49.0	
30	Colored ²	2,158.3									1,438.8					
31	Lincoln County (total).....	1,150.5	43.8			11.0		5.5	11.0		126.0		11.0	16.4	49.3	
32	White.....	1,084.3	52.6			13.1		6.6	13.1	6.6	92.0		13.1	6.6	52.6	
33	Colored ²	1,482.2									296.4			65.9	32.9	
34	Livingston County (total).....	1,085.4	38.8	38.8		48.5		19.4	9.7	9.7	184.1		9.7	9.7	29.1	
35	White.....	1,045.2	41.4	41.4		51.7		10.3	10.3		124.2		10.3	10.3	31.0	
36	Colored ²	1,676.8						152.4			1,087.1					
37	Logan County (total).....	1,507.5	61.1	12.2		12.2	4.1	8.1	16.3	20.4	4.1	236.3	16.3	16.3	4.1	57.0
38	White.....	1,356.2	52.0	15.6		15.6	5.2	10.4	20.8	20.8	5.2	192.3	20.8	15.6	57.2	
39	Colored ²	2,057.0	94.4							18.9	396.3		18.9	18.9	56.6	
40	Lyon County (total).....	1,162.2	31.7	31.7		31.7	21.1		31.7		221.9		31.7	10.6	21.1	
41	White.....	1,020.4	39.2	39.2		39.2	13.1		26.2		117.7		13.1	13.1	13.1	
42	Colored ²	1,757.3					54.9		54.9		659.0		109.8		54.9	
43	McCracken County † (total).....	787.2	22.1	36.8		14.7			14.7		103.0	7.4			36.8	
44	White.....	820.7	26.2	34.9		17.5			17.5		96.0				43.7	
45	Colored ²	608.0		46.8							46.8	46.8				
46	McLean County (total).....	1,237.3	29.5	14.7				29.5	22.1	14.7	220.9	7.4	14.7		14.7	
47	White.....	1,187.2	23.4	15.6				15.6	23.4	15.6	195.3	7.8	15.6		15.6	
48	Colored ²	2,064.5	129.0					258.1			645.2					
49	Madison County (total).....	1,133.6	43.6					3.6	21.8	10.9	228.9	3.6	10.9	3.6	47.2	
50	White.....	1,020.5	41.6					4.6	27.7	9.2	170.8		4.6		55.4	
51	Colored ²	1,551.3	51.1							17.0	443.2	17.0	34.1	17.0	17.0	
52	Magoffin County (total).....	996.1	41.8	7.0				27.9	76.6		90.6		20.9	7.0	13.9	
53	White.....	999.9	42.3	7.0				28.2	77.5		84.5		21.1	7.0	14.1	
54	Colored ²	645.2									645.2					
55	Marion County (total).....	1,529.3	79.5			30.6		12.2	12.2	12.2	18.4	18.4		18.4	85.6	
56	White.....	1,386.6	85.3			28.4		14.2	14.2	14.2	135.1	7.1		21.3	85.3	
57	Colored ²	2,408.1	43.8			43.8				43.8	306.5	37.6			37.6	
58	Marshall County (total).....	990.7	42.0	60.0		48.0		18.0	36.0	18.0	114.1		6.0	6.0	12.0	
59	White.....	963.0	42.4	60.6		48.5		18.2	36.3	12.1	103.0		6.1	6.1	12.1	
60	Colored ²	4,166.7								694.4	1,388.9					
61	Martin County † (total).....	655.3	25.2						12.6	12.6	126.0		25.2			
62	White.....	655.7	25.2						12.6	12.6	126.1		25.2			
63	Colored ²															
64	Mason County (total).....	1,520.0	44.9			11.2	11.2	33.7	18.8	16.8	230.0	11.2	33.7	5.6	50.5	
65	White.....	1,447.5	46.5			13.3	13.3	33.2	13.3	6.6	199.2	13.3	39.8	6.6	53.1	
66	Colored ²	1,914.0	36.1					36.1	36.1	72.2	397.3				36.1	
67	Meade County (total).....	1,247.0	52.8			10.6		10.6	21.1	42.3	200.8	10.6	21.1	10.6	63.4	
68	White.....	1,246.6	56.7			11.3		11.3	22.7	45.3	170.0	11.3	22.7	11.3	68.0	
69	Colored ²	1,252.0									626.0					
70	Menifee County (total).....	1,022.0							51.1	34.1	136.3				17.0	
71	White.....	1,028.6							51.4	34.3	137.2				17.1	
72	Colored ²															

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

111

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Un- defined and un- known causes. 38	
5.8	5.8	69.2	80.7	5.8	161.5	17.3	11.5	5.8	11.5	11.5	63.4	5.8	11.5	109.6	86.5	5.8	213.4	5.8	
5.9	5.9	64.6	70.5	5.9	153.6	17.6	11.8	5.9	11.8	11.8	64.6	5.9	11.8	105.8	70.5	5.9	205.6	5.9	
	17.1	311.5	623.1		311.5									311.5	934.6		623.1		
	17.4	8.6	17.1		51.4		51.4		8.6		42.8	8.6		77.1	51.4		145.6	171.2	
		8.7	17.4		43.5		52.1		8.7		43.5	8.7		60.8	52.1		147.7	173.8	
					578.0									1,156.1					
16.6	12.4	24.9	41.4	12.4	99.4	12.4	78.7	12.4	4.1	8.3	12.4	16.6	8.3	82.9	99.4	4.1	273.4	58.0	
17.4	8.7	26.1	43.5	13.1	100.2	13.1	82.7	13.1	4.4	4.4	13.1	17.4	8.7	87.1	100.2	4.4	274.3	61.0	
	85.4				85.4					85.4					85.4		256.2		
9.4		28.1	103.0	9.4	140.5	18.7	28.1	9.4			131.1	9.4		65.6	84.3	9.4	243.5	18.7	
10.1		20.2	91.0	10.1	151.7	20.2	20.2	10.1			111.3	10.1		60.7	50.6	10.1	242.7	20.2	
		126.7	253.5				126.7				380.2			126.7	507.0		253.5		
14.4	4.8	28.8	38.4	9.6	100.8	4.8	52.8			4.8	28.8		9.6	43.2	57.6		191.9	38.4	
14.9	5.0	19.9	29.8	9.9	104.2	5.0	54.6			5.0	29.8		9.9	44.7	44.7		198.6	39.7	
		236.1	286.1												429.2				
4.9	34.5	24.7	64.2		74.0	4.9	39.5	4.9	9.9	14.8	74.0	9.9	9.9	88.8	59.2	9.9	202.4	54.3	
5.0	34.8	24.9	64.7		74.6	5.0	39.8	5.0	10.0	14.9	74.6	10.0	5.0	84.6	59.7	10.0	204.0	54.7	
												632.4		602.4					
9.8	58.9	39.3	68.7	9.8	78.5	9.8				9.8	29.4	29.4		49.1	58.9		196.3	117.8	
10.1	60.4	40.3	60.4	10.1	80.5	10.1				10.1	30.2	30.2		50.3	60.4		191.2	110.7	
			396.8														396.8	396.8	
	20.2		10.1	10.1	30.2	10.1					10.1	30.2	10.1	20.2	50.4	10.1	70.5	100.8	
	20.5		10.2	10.2	30.2	10.2					30.2	30.7	10.2	10.2	51.1	10.2	71.6	102.3	
					680.3						680.3			680.3					
	35.6		35.6		71.2		71.2			17.8	35.6		36.7	97.9	258.0		160.1	133.4	
	35.6		35.6		71.3		71.3			8.9	35.6		36.7	98.0	240.6		160.4	133.7	
										(*)					(*)				
	12.1	78.9	72.9		127.5		78.9	6.1	12.1	12.1	48.6	6.1		78.9	54.6	6.1	285.4	121.4	
	12.2	79.6	73.5		128.6		79.6	6.1	12.2	12.2	49.0	6.1		79.6	49.0	6.1	287.8	122.5	
															719.4				
16.4	16.4	49.3	93.1	27.4	104.1	16.4	54.8	5.5	11.0	5.5	71.2	5.5	5.5	49.3	54.8	5.5	224.6	54.8	
19.7	19.7	39.4	59.1	32.9	105.1	19.7	59.1	6.6	13.1	6.6	72.3	6.6	6.6	52.6	46.0		216.9	46.0	
		98.8	263.5		98.8		32.9				65.9			32.9	98.8	32.9	98.8	98.8	
9.7	29.1	29.1	48.5		145.4		29.1	19.4	9.7	9.7	48.5	9.7		77.5	19.4	9.7	96.9	96.9	
10.3	31.0	31.0	51.7		144.9		31.0	20.7	10.3	10.3	41.4	10.3		82.8	20.7	10.3	103.5	103.5	
					152.4						152.4								
12.2	28.5	36.7	105.9	36.7	126.3	4.1	53.0		8.1	20.4	65.2	12.2	16.3	73.3	85.6	12.2	297.4	44.8	
15.6	26.0	31.2	83.5	36.4	114.3	5.2	45.8		5.2	20.8	41.6	5.2	20.8	72.7	52.0	15.6	285.8	36.4	
	37.7	56.6	151.0	37.7	169.8		75.5		18.9	18.9	151.0	37.7		75.5	207.6		339.7	75.5	
	21.1	63.4	31.7		74.0		31.7				52.8	10.6	10.6	63.4	74.0		264.1	31.7	
	26.2	52.3	39.2		78.5		26.2				39.2	13.1	13.1	65.4	65.4		261.6	26.2	
		109.8			54.9		54.9				109.8			54.9	109.8		274.6	54.9	
	22.1	29.4	44.1		95.6	29.4	51.5	7.4			44.1		7.4	36.8	66.2		80.9	14.7	
	26.2	26.2	43.7		113.5	34.9	61.1	8.7			52.4		8.7	17.5	69.8		87.3	17.5	
		46.8	46.8											140.3	46.8				
	44.2	36.8	51.6	22.1	184.1	7.4	81.0		7.4	7.4	81.0	7.4	7.4	44.2	58.9		176.8	44.2	
	39.1	31.2	46.9	15.6	195.3	7.8	85.9		7.8	7.8	70.3	7.8	7.8	46.9	62.5		187.5	31.2	
	129.0	129.0		129.0							238.1						238.1		
7.3	21.8	40.0	72.7	10.9	87.2	10.9	32.7	10.9	7.3	14.5	87.2	3.6	7.3	54.5	76.3	14.5	188.9	10.9	
4.6	27.7	36.9	73.9	13.9	69.3	9.2	36.9	13.9	9.2	13.9	60.0	4.6	4.6	60.0	69.3	13.9	166.2	13.9	
17.0		51.1	63.2		153.4	17.0	17.0			17.0	187.5			34.1	162.3		272.8		
	20.9	7.0	55.7	7.0	41.8	13.9	20.9	7.0	7.0	7.0	20.9	13.9	7.0	20.9	62.7		181.1	215.9	
	21.1	7.0	56.3	7.0	42.3	14.1	21.1	7.0	7.0	7.0	21.1	14.1	7.0	21.1	63.4		183.1	218.3	
12.2	18.4	36.7	55.1	42.8	122.3	12.2	97.9	6.1		12.2	104.0	12.2	18.4	104.0	55.1	6.1	318.1	48.9	
14.2	14.2	28.4	35.6	49.8	78.2	7.1	85.3	7.1		14.2	85.3	7.1	14.2	99.6	49.8	7.1	320.0	49.8	
	43.8	87.6	175.1		394.0	43.8	175.1				218.9	43.8	43.8	131.3	87.6		306.5	43.8	
18.0	30.0	24.0	18.0	6.0	120.1	18.0	66.0	6.0	6.0	6.0	30.0	6.0	6.0	45.0	18.0		156.1	36.0	
18.2	30.3	24.2	18.2	6.1	121.1	18.2	66.6	6.1	6.1	6.1	30.3	6.1	6.1	45.5	12.1		151.4	30.3	
															694.4			694.4	
	37.8		37.8		25.2		50.4				50.4			25.2	37.8		113.4	75.6	
	37.8		37.8		25.2		50.4				50.4			25.2	37.8		113.5	75.7	
5.6		67.3	108.6	11.2	106.6	28.0	67.3	11.2	11.2		50.5	11.2	5.6	84.1	61.7	16.8	359.0	44.9	
6.6		73.0	119.5	13.3	99.6	26.6	53.1	13.3	13.3		39.8	6.6	6.6	73.0	66.4	19.9	338.6	33.2	
		36.1	36.1		144.5	36.1	144.5				108.3	36.1		144.5	36.1		469.5	108.3	
21.1	10.6	31.7	63.4	21.1	137.4		42.3			10.6	116.2		10.6	137.4	31.7	10.6	147.9	10.6	
22.7	11.3	34.0	68.0	22.7	136.0		45.3			11.3	113.3			136.0	34.0	11.3	158.7	11.3	
					156.5						156.5		153.5	156.5					
					119.2		68.1				51.1			68.1	85.2	17.0	187.4	85.2	
	51.1			17.0	120.0		68.6				51.4		34.3	68.6	85.7	17.1	188.6	85.7	

* Colored population less than 5 per cent of the total in 1910.

* Rate not shown when population is less than 100.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.																
KENTUCKY—continued.																
1	Mercer County (total).....	1,452.2	35.9				57.5		28.8		301.9	14.4	21.6	14.4	43.1	
2	White.....	1,225.8	25.5				59.6		17.0		212.8	17.0	8.5	17.0	42.6	
3	Colored.....	2,681.5	92.5				46.2		92.5		785.9		92.5		46.2	
4	Metcalfe County (total).....	1,239.3	18.8	9.4			9.4				253.5	37.6	46.9		65.7	
5	White.....	1,179.3	20.3	10.2			10.2				264.3	30.5	30.5		50.8	
6	Colored.....	1,963.2									122.7	122.7	245.4		245.4	
7	Monroe County (total).....	1,192.4	57.5	7.2				64.6	21.5		150.8	7.2	28.7		28.7	
8	White.....	1,214.1	60.7	7.6				68.3	22.8		144.2	7.6	30.4		30.4	
9	Colored.....	808.5									268.8					
10	Montgomery County (total).....	1,149.0	46.6				62.1	7.8	7.8		178.6	15.5	15.5	7.8	69.9	
11	White.....	900.5	51.8				10.4	10.4	10.4		134.6			10.4	62.1	
12	Colored.....	1,894.4	31.1				217.4				310.6	62.1	62.1		93.2	
13	Morgan County (total).....	1,071.3	28.2	5.6		11.3	5.6	39.5	39.5		180.4	11.3	16.9	5.6	33.8	
14	White.....	1,073.5	28.3	5.7		11.3	5.7	39.6	39.6		180.8	11.3	17.0	5.7	33.9	
15	Colored ³															
16	Muhlenberg County (total).....	1,296.0	53.2	18.8		6.3	31.3	18.8	3.1	9.4	206.6	3.1	25.0		40.7	
17	White.....	1,196.5	52.3	14.0		7.0	27.9	17.4	3.5	10.5	170.9	3.5	24.4		38.4	
18	Colored.....	2,167.3	61.1	61.1			61.1	30.5			513.9		30.5		61.1	
19	Nelson County (total).....	1,535.6	100.4			35.4	47.3	5.9	11.8		177.2	5.9	11.8	5.9	94.5	
20	White.....	1,339.8	100.3			43.0	28.7		14.3		107.5	7.2	14.3	7.2	93.1	
21	Colored.....	2,454.6	100.9				134.5	33.6			504.4				100.9	
22	Nicholas County (total).....	1,536.0	69.8	10.0			10.0	29.9			179.5	19.9	19.9		69.8	
23	White.....	1,537.1	76.3	10.9			10.9	32.7			196.2	21.8	21.8		76.3	
24	Colored.....	1,524.0														
25	Ohio County (total).....	1,237.7	39.6	7.2		21.6	21.6	21.6	18.0	7.2	183.5	7.2	10.8	7.2	39.6	
26	White.....	1,189.1	34.0	7.6		22.7	7.6	22.7	18.9	3.8	177.4	7.6	7.6	7.6	41.5	
27	Colored ³	2,223.9	153.4							76.7	306.7		76.7			
28	Oldham County (total).....	1,366.1	27.3				13.7				177.6		27.3		27.3	
29	White.....	1,317.7	32.1				16.1				160.7		32.1		32.1	
30	Colored.....	1,640.8									273.5					
31	Owen County (total).....	1,191.5	15.6				15.6	38.9		7.8	101.2	15.6	7.8	15.6	46.7	
32	White.....	1,151.4	16.7				8.3	41.7		8.3	91.8	8.3	8.3	8.3	50.1	
33	Colored.....	1,752.3					116.8				233.6	116.8		116.8		
34	Owsley County † (total).....	731.3	11.8				11.8	23.7	11.8	11.8	142.0				35.5	
35	White.....	764.8	12.0				12.0	23.9	12.0	12.0	143.4				35.9	
36	Colored ³	(⁴)														
37	Pendleton County (total).....	1,352.4	9.3				9.3	9.3	18.7		186.5	37.3		9.3	56.0	
38	White.....	1,277.3	9.5				9.5	9.5	19.1		171.6	33.1		9.5	57.2	
39	Colored ³	4,630.9									851.1					
40	Perry County (total).....	988.2	47.9		8.0	151.7		39.9	16.0		71.9	8.0	8.0		8.0	
41	White.....	963.8	40.7		8.1	154.7		40.7	16.3		73.3	8.1	8.1		8.1	
42	Colored ³	2,500.0	416.7													
43	Pike County (total).....	1,061.7	33.8	2.8		2.8	42.2	143.6	2.8	14.1	118.3		5.6	5.6	8.4	
44	White.....	1,030.3	34.2	2.8		2.8	37.0	145.2		11.4	116.7		5.7	5.7	8.5	
45	Colored ³	4,000.0					533.3		266.7	266.7	266.7					
46	Powell County (total).....	1,114.0	32.3	16.1			48.4				129.2					
47	White.....	1,128.5	34.1	17.1			51.2				136.5					
48	Colored.....	895.5														
49	Pulaski County ⁶ (total).....	1,149.9	39.3	2.2	1.1	43.7	1.1	10.9	28.4	10.9	125.6	10.9	17.5	4.4	37.1	
50	White.....	1,135.0	37.4	2.3	1.1	45.3	1.1	10.2	29.5	10.2	118.9	10.2	15.9	4.5	37.4	
51	Colored ³	1,550.2	91.2				30.4		30.4		304.0	30.4	60.8		30.4	
52	Robertson County (total).....	1,532.7	79.1				26.4		26.4		342.9				26.4	
53	White.....	1,556.2	80.5				26.8				348.8				26.8	
54	Colored ³	(⁴)														
55	Rockcastle County † (total).....	899.1	45.6		6.5	52.1	6.5	13.0		13.0	149.9		26.1		32.6	
56	White.....	990.5	39.4		6.6	52.6	6.6	13.1		13.1	151.2		26.3		32.9	
57	Colored ³	746.3	746.3													
58	Rowan County (total).....	1,309.0	50.3			10.1	40.3	50.3		10.1	151.0	10.1	40.3		20.1	
59	White.....	1,307.1	50.7			10.1	40.5	40.5		10.1	152.0	10.1	40.5		20.3	
60	Colored ³	(⁴)														
61	Russell County (total).....	963.5	17.6			17.6		17.6	35.2		211.3	17.6	44.0	8.8	35.2	
62	White.....	951.5	18.0			18.0		18.0	35.9		206.5	18.0	44.9		35.9	
63	Colored ³	1,834.9									458.7		458.7			
64	Scott County (total).....	1,304.6	24.3			6.1	6.1	24.3		30.3	157.8	6.1	6.1	12.1	48.5	
65	White.....	1,126.0	24.0			8.0		24.0		8.0	111.8	8.0	8.0	16.0	55.9	
66	Colored.....	1,869.6	25.3				25.3	25.3		101.1	303.2				25.3	
67	Shelby County (total).....	1,507.1	89.3				11.2	5.6	16.7	5.6	240.0	27.9	16.7	5.6	44.7	
68	White.....	1,242.5	57.5				14.4	7.2	14.4	7.2	186.7	28.7	7.2	7.2	57.5	
69	Colored.....	2,429.9	200.4						25.1		425.9	25.1	50.1			
70	Simpson County (total).....	1,149.8	87.8	8.8					8.8	8.8	237.0	17.6			43.9	
71	White.....	964.8	65.0						10.8	10.8	162.6	10.8			54.2	
72	Colored.....	1,937.3	184.5	46.1							533.5	46.1				

¹ Exclusive of still births.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

³ Colored population less than 5 per cent of the total in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.		
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38		
14.4	21.6	57.5	107.8	21.6	143.8	7.2	21.6	7.2	14.4	7.2	86.3	-----	7.2	64.7	57.5	14.4	266.0	14.4	1	
17.0	17.0	68.1	42.6	25.5	127.7	8.5	17.0	8.5	8.5	8.5	93.6	-----	-----	42.6	42.6	17.0	272.4	8.5	2	
46.2	46.2	462.3	462.3	231.2	231.2	46.2	46.2	46.2	46.2	46.2	46.2	-----	46.2	184.9	138.7	-----	231.2	46.2	3	
18.8	18.8	56.3	103.3	9.4	46.9	9.4	56.3	-----	-----	9.4	93.9	9.4	-----	18.8	56.3	-----	225.3	75.1	4	
10.2	10.2	61.0	91.5	10.2	40.7	10.2	50.8	-----	10.2	10.2	91.5	10.2	-----	20.3	30.5	-----	233.8	81.3	5	
-----	122.7	-----	245.4	-----	122.7	-----	122.7	-----	-----	-----	122.7	-----	-----	-----	368.1	-----	122.7	-----	6	
7.2	-----	50.3	64.6	21.5	43.1	14.4	57.5	14.4	14.4	-----	28.7	14.4	7.2	71.8	57.5	7.2	280.1	71.8	7	
7.6	-----	45.5	68.3	22.8	45.5	15.2	53.1	7.6	7.6	-----	30.4	15.2	7.6	75.9	60.7	7.6	295.9	75.9	8	
-----	134.4	-----	-----	-----	-----	-----	134.4	134.4	134.4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	9
23.3	46.6	-----	15.5	-----	132.0	15.5	15.5	-----	-----	-----	124.2	15.5	7.8	69.9	33.8	-----	186.3	46.6	10	
20.7	41.4	-----	10.4	-----	113.9	10.4	-----	-----	-----	-----	113.9	20.7	-----	62.1	31.1	-----	155.3	31.1	11	
31.1	62.1	-----	31.1	-----	186.3	31.1	62.1	-----	-----	-----	155.3	-----	31.1	93.2	62.1	-----	279.5	93.2	12	
-----	-----	22.6	16.9	-----	22.6	16.9	67.7	-----	-----	5.6	5.6	-----	-----	90.2	33.8	5.6	197.3	157.9	13	
-----	50.9	22.6	17.0	-----	22.6	17.0	67.8	-----	-----	5.7	5.7	-----	-----	90.4	33.9	5.7	197.8	158.2	14	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	15
21.9	21.9	-----	53.2	12.5	112.7	6.3	81.4	6.3	18.8	6.3	53.2	9.4	6.3	100.2	115.8	3.1	231.7	18.8	16	
24.4	20.9	-----	45.3	10.5	115.1	7.0	80.2	7.0	20.9	7.0	48.8	7.0	7.0	104.6	97.7	3.5	205.8	14.0	17	
-----	30.5	-----	122.1	30.5	91.6	-----	91.6	-----	-----	-----	91.6	30.5	-----	61.1	274.7	-----	457.9	61.1	18	
-----	-----	47.3	88.6	5.9	141.8	47.3	59.1	-----	-----	17.7	106.3	5.9	11.8	82.7	65.0	5.9	277.6	65.0	19	
7.2	43.0	-----	64.5	7.2	114.6	50.2	57.3	-----	-----	14.3	78.8	7.2	-----	86.0	64.5	7.2	272.3	50.2	20	
33.6	67.2	-----	201.7	-----	269.0	33.6	67.2	-----	-----	33.6	235.4	-----	67.2	67.2	67.2	-----	302.6	134.5	21	
19.9	29.9	-----	119.7	10.0	119.7	49.9	29.9	-----	-----	-----	139.6	10.0	19.9	79.8	79.8	19.9	299.2	59.8	22	
21.8	32.7	-----	109.0	10.9	119.9	43.6	32.7	-----	-----	-----	130.8	10.9	21.8	87.2	54.5	21.8	283.4	65.4	23	
-----	-----	-----	234.5	-----	117.2	117.2	-----	-----	-----	-----	234.5	-----	-----	-----	351.7	-----	468.9	-----	24	
7.2	14.4	43.2	64.8	32.4	115.1	14.4	39.6	3.6	7.2	-----	39.6	3.6	10.8	111.5	39.6	-----	251.9	46.8	25	
3.8	15.1	45.3	56.6	30.2	113.3	15.1	41.5	3.8	7.6	-----	34.0	3.8	7.6	109.5	30.2	-----	241.6	49.1	26	
76.7	13.7	54.6	230.1	76.7	153.4	-----	-----	-----	-----	-----	153.4	-----	76.7	153.4	230.1	-----	460.1	-----	27	
27.3	16.1	64.3	123.0	41.0	150.3	-----	13.7	-----	-----	-----	95.6	-----	13.7	27.3	123.0	27.3	341.5	13.7	28	
32.1	-----	-----	112.5	32.1	176.8	-----	-----	-----	-----	-----	96.4	-----	16.1	32.1	96.4	32.1	305.3	-----	29	
-----	-----	-----	182.3	91.2	-----	-----	91.2	-----	-----	-----	91.2	-----	-----	-----	273.5	-----	546.9	91.2	30	
-----	-----	70.1	124.6	-----	109.0	15.6	7.8	7.8	7.8	7.8	62.3	-----	15.6	77.9	46.7	7.8	295.9	46.7	31	
-----	25.0	58.4	108.5	-----	103.5	8.3	8.3	8.3	8.3	8.3	66.8	-----	16.7	68.8	50.1	8.3	308.7	50.1	32	
-----	-----	283.6	350.5	-----	116.8	116.8	-----	-----	-----	-----	-----	-----	-----	233.6	116.8	-----	116.8	-----	33	
-----	-----	-----	11.3	94.7	59.2	47.3	-----	-----	-----	-----	11.8	-----	-----	59.2	59.2	11.8	47.3	59.2	34	
-----	-----	-----	12.0	95.6	59.8	47.8	(4)	-----	(4)	-----	12.0	-----	-----	59.8	59.8	12.0	47.8	59.8	35	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	36
28.0	9.3	74.6	121.2	28.0	65.3	-----	37.3	9.3	9.3	-----	65.3	-----	-----	111.9	102.6	28.0	289.1	37.3	37	
28.6	9.5	76.3	95.4	28.6	66.7	-----	38.1	9.5	9.5	-----	57.2	-----	-----	104.9	85.8	28.6	276.5	38.1	38	
-----	-----	-----	1,276.6	-----	-----	-----	-----	-----	-----	-----	425.5	-----	-----	425.5	851.1	-----	851.1	-----	39	
-----	8.0	-----	31.9	-----	103.8	-----	55.9	-----	8.0	-----	8.0	8.0	16.0	47.9	111.8	8.0	151.7	79.9	40	
-----	8.1	-----	32.6	-----	105.8	-----	48.8	-----	8.1	-----	8.1	8.1	16.3	40.7	89.6	8.1	154.7	81.4	41	
-----	-----	-----	-----	-----	-----	-----	416.7	-----	-----	-----	-----	-----	-----	416.7	1,250.0	-----	-----	-----	42	
-----	19.7	11.3	36.6	-----	62.0	8.4	53.5	2.8	5.6	-----	14.1	14.1	5.6	84.5	112.6	11.3	123.9	115.5	43	
-----	19.9	8.5	34.2	-----	56.9	8.5	51.2	2.8	5.7	-----	14.2	14.2	5.7	85.4	102.5	11.4	125.2	113.3	44	
-----	266.7	-----	266.7	-----	533.3	-----	266.7	-----	-----	-----	-----	-----	-----	1,066.7	-----	-----	266.7	-----	45	
16.1	-----	-----	32.3	-----	48.4	48.4	64.6	16.1	-----	-----	48.4	-----	32.3	16.1	113.0	16.1	371.3	64.6	46	
17.1	-----	-----	34.1	-----	51.2	51.2	68.3	17.1	-----	-----	51.2	-----	34.1	17.1	85.3	17.1	375.5	68.3	47	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	597.0	597.0	-----	295.5	-----	48	
4.4	20.7	18.6	68.8	4.4	134.3	13.1	40.4	9.8	3.3	5.5	51.3	5.5	7.6	73.2	72.1	10.9	173.6	96.1	49	
4.5	20.4	18.1	64.6	3.4	132.5	10.2	41.9	10.2	3.4	4.5	48.7	5.7	7.9	75.9	72.5	11.3	174.4	97.4	50	
-----	30.4	30.4	182.4	30.4	182.4	91.2	-----	-----	-----	-----	30.4	-----	-----	60.8	-----	-----	152.0	60.8	51	
-----	-----	105.5	131.9	26.4	237.4	-----	26.4	26.4	-----	-----	79.1	-----	26.4	79.1	131.9	26.4	153.3	-----	52	
-----	-----	107.3	107.3	26.8	241.5	-----	26.8	26.8	-----	-----	80.5	-----	26.8	80.5	134.2	26.8	161.0	-----	53	
-----	-----	-----	(4)	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	54
-----	6.5	26.1	45.6	6.5	52.1	13.0	13.0	6.5	6.5	6.5	52.1	-----	-----	52.1	45.6	-----	156.4	65.2	55	
-----	6.6	26.3	46.0	6.6	52.6	13.1	13.1	6.6	6.6	6.6	52.6	-----	-----	52.6	46.0	-----	157.7	65.7	56	
-----	50.3	10.1	40.3	10.1	191.3	20.1	40.3	-----	20.1	-----	20.1	10.1	-----	30.2	90.6	-----	171.2	221.5	57	
-----	50.7	10.1	40.5	10.1	192.5	20.3	40.5	-----	20.3	-----	20.5	10.1	-----	30.4	91.2	-----	172.3	222.9	58	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	59
-----	8.8	44.0	26.4	26.4	44.0	-----	35.2	-----	17.6	-----	26.4	-----	8.8	70.4	17.6	-----	202.5	35.2	61	
-----	9.0	44.9	26.9	26.9	44.9	-----	35.9	-----	18.0	-----	26.9	-----	9.0	71.8	18.0	-----	185.5	35.9	62	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	63
18.2	30.3	42.5	133.5	30.3	97.1	6.1	36.4	12.1	18.2	-----	48.5	18.2	-----	91.0	85.0	-----	917.4	60.7	64	
16.0	24.0	39.9	95.8	39.9	79.9	8.0	31.9	16.0	16.0	-----	55.9	16.0	-----	95.8	63.9	-----	254.9	60.7	65	
25.3	50.5	50.5	252.7	-----	151.6	-----	50.5	-----	25.3	-----	25.3	25.3	-----	75.8	151.6	-----	247.6	16.0	66	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	277.9	202.1	66
22.3	11.2	44.7	139.5	5.6	145.1	22.3	16.7	-----	11.2	11.2	78.1	22.3	11.2	44.7	67.0	11.2	318.2	61.4	67	
14.4	7.2	50.3	79.0	7.2	122.1	7.2	14.4	-----	7.2	14.4	64.6	21.5	7.2	50.3	64.6	7.2	265.7	50.3	68	
59.1	25.1	25.1	350.7	-----	225.5	75.2	25.1	-----	25.1	-----	1									

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—															
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culosis men-nigitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.	
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(17)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.																	
KENTUCKY—continued.																	
1	Spencer County (total).....	1,087.2	13.1			13.1		13.1		26.2	13.1	209.6	13.1			52.4	
2	White.....	1,107.4	14.6			14.6		14.6		29.1	14.6	213.6	14.6			58.3	
3	Colored.....	1,007.9										129.7					
4	Taylor County (total).....	1,256.3	24.3			8.1				24.3	24.3	194.5				40.5	
5	White.....	1,207.0	27.6			9.2				27.6	27.6	165.9				46.1	
6	Colored.....	1,616.2										404.0					
7	Todd County (total).....	1,377.8	62.1		6.2			6.2	12.4	6.2		254.5	12.4	31.0		74.5	
8	White.....	1,216.1	46.1						9.2			119.8	9.2	36.9		73.7	
9	Colored.....	1,711.4	95.1		19.0			19.0	19.0	19.0		532.4	19.0	19.0		76.1	
10	Trigg County (total).....	943.2	27.1	6.8					13.6	6.8		190.0	6.8	13.6		40.7	
11	White.....	731.5	26.4	8.8					17.6			105.8				52.9	
12	Colored.....	1,651.4	29.5							29.5		471.8	29.5	59.0			
13	Trimble County † (total).....	630.2				16.2		16.2				32.3					
14	White.....	611.3				16.5		16.5				33.0					
15	Colored ²	1,470.6															
16	Union County (total).....	1,131.1	31.1	10.4		5.2		25.9	10.4	36.3		88.2		20.8		46.7	
17	White.....	987.2	35.5	5.9		5.9		17.7	5.9	23.6		76.8		11.8		41.4	
18	Colored.....	2,163.8		42.4				54.9	42.4	42.4		169.7		34.9		34.9	
19	Warren County (total).....	1,498.2	74.6	3.2		3.2			22.7	22.7	3.2	243.2	16.2	6.5	3.2	64.9	
20	White.....	1,271.0	60.9						24.4	16.2	4.1	158.4	8.1	4.1	4.1	75.1	
21	Colored.....	2,599.4	128.8	16.1		16.1			16.1	48.3		579.7	48.3	16.1		32.2	
22	Washington County (total).....	1,844.4	57.8			21.7		43.4	7.2	79.5	7.2	231.2	14.5	14.5	7.2	33.1	
23	White.....	1,285.2	58.0			24.9		49.8	8.3	74.6	8.3	223.9	8.3	16.6	8.3	33.2	
24	Colored.....	1,742.6	56.2						112.4			281.1	56.2			56.2	
25	Webster County (total).....	1,138.3	93.7	4.7		51.5		18.7	32.8			178.0		14.1		28.1	
26	White.....	1,126.7	85.8	5.4		59.0		10.7	32.2			171.7		10.7		32.2	
27	Colored.....	1,218.2	147.7					73.8	36.9			221.5		36.9			
28	Wolfe County (total).....	1,113.2	49.4	9.7				38.7	174.2		9.7	77.4		19.4		9.7	
29	White.....	1,100.1	48.7	9.7				35.9	175.2		9.7	58.4		19.5		9.7	
30	Colored ³	(⁴)										(⁴)					
31	Woodford County (total).....	1,411.1	24.3	8.1		8.1	8.1	16.2		8.1		235.2		32.4	8.1	48.7	
32	White.....	1,202.0	34.7			11.6	11.6	11.6		11.6		138.7		11.6		34.7	
33	Colored.....	1,902.7		27.2				27.2				462.1		81.5	27.2	81.5	
MAINE.																	
34	Total.....	1,490.1	13.8	1.0	0.2	5.8	1.2	13.4	10.4	14.6	2.2	89.0	9.9	15.7	4.3	103.6	
35	White.....	1,490.2	13.8	1.0	0.2	5.8	1.2	13.5	10.4	14.7	2.2	88.7	9.9	15.7	4.3	103.6	
36	Colored.....	1,455.2										174.6				116.4	
37	Androscoggin County.....	1,426.2	21.1					10.6	5.3	21.1		116.2		26.4	5.3	126.8	
38	Aroostook County.....	1,288.7	32.3			12.4	3.7	17.4	26.1	28.5		62.0	8.2	12.4	2.5	57.1	
39	Cumberland County.....	1,523.4	5.5			3.7		12.8	7.3	12.8		82.3	11.0	9.1	9.1	109.7	
40	Franklin County.....	1,448.0	10.3					5.2		5.2		118.5		5.2	5.2	103.1	
41	Hancock County.....	1,469.0	5.8	2.9					5.8	20.2	2.9	80.7	8.6	23.0	5.8	106.6	
42	Kennebec County ⁶	1,994.9	7.8	2.6		2.6		10.4	5.2	15.7	2.6	130.6	5.2	10.4	2.6	143.6	
43	Knox County.....	1,742.3	14.0					3.5	3.5	21.0		105.2	14.0	17.5	7.0	112.2	
44	Lincoln County.....	1,864.0	5.7	5.7		5.7		39.8	5.7	11.4	5.7	58.8		34.1	5.7	227.3	
45	Oxford County.....	1,414.3	7.9			5.3	2.6	15.8	7.9	15.8	2.6	55.3	21.1	2.6	5.3	76.4	
46	Penobscot County.....	1,281.0	9.5			7.9	3.2	15.9	6.3	6.3	4.8	84.0	12.7	22.2	1.6	35.6	
47	Piscataquis County.....	1,187.5	33.1						4.7	9.5		80.4	14.2	4.7	4.7	30.4	
48	Sagadahoc County.....	1,834.3	11.2					22.4	44.9	5.6		106.6	5.6	11.2		106.6	
49	Somerset County.....	1,344.2	2.7					8.0	5.4	26.8		83.0	10.7	18.7		117.8	
50	Waldo County.....	1,575.4	26.0	4.3					4.3			73.8	8.7	21.7	4.3	78.1	
51	Washington County.....	1,462.5	7.2	2.4		23.9		33.2				133.6	19.1	21.5	7.2	128.8	
52	York County.....	1,539.3	15.2	1.9	1.9	5.7	1.9	7.6	22.8	7.6	3.8	97.0	7.6	17.1	3.8	114.1	
MARYLAND.																	
53	Total.....	1,407.2	23.8	1.4	0.7	2.6	4.7	15.8	10.7	13.0	1.7	169.8	3.6	14.0	5.6	62.6	
54	White.....	1,266.4	19.0	0.9	0.2	1.6	5.3	10.9	11.9	12.7	2.2	135.9	2.7	10.0	4.9	68.8	
55	Colored.....	1,932.5	41.9	3.4	2.7	6.1	0.7	34.4	6.1	14.2		296.3	6.8	28.0	8.1	39.8	
56	Allegany County (total).....	1,122.4	43.8					14.6	34.1	12.2	7.3	70.6		4.9	4.9	56.0	
57	White.....	1,111.1	44.2					14.7	34.4	12.3	7.4	68.8		4.9	4.9	56.5	
58	Colored ⁸	2,307.7										256.4					
59	Anne Arundel County (total).....	1,834.2	17.7	7.6	10.1	2.5		27.8	15.2	25.3		189.7	2.5	20.2	10.1	86.0	
60	White.....	1,403.6	8.0	4.0	4.0			19.9	19.9	27.8		107.4		8.0		115.3	
61	Colored.....	2,537.3	34.8	13.9	20.9	7.0		41.7	7.0	20.9		337.8	7.0	55.6	13.9	34.8	
62	Baltimore County* (total).....	1,453.5	13.3					9.6	11.8	16.9	11.0	3.7	194.4	4.4	14.7	5.2	81.7
63	White.....	1,425.4	14.8					10.7	9.0	18.9	10.7	4.1	179.3	4.9	11.5	5.8	85.5
64	Colored.....	1,603.4							35.1		14.1	323.2		42.2		49.2	
65	Calvert County (total).....	1,360.0	135.0	9.6				9.6				144.7		28.9		19.3	
66	White.....	1,073.2	95.8									134.2		19.2		19.2	
67	Colored.....	1,650.5	174.8	19.4					19.4			155.3		38.8		19.4	

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

115

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory diseases.	Diar- rhea and enter- itis (under 2 years).	Append- icitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.		
(37)	17	18	19	20, 21	22, (23)	(28)	25	26	27	28	29	31	32	33	35	36	(37)	38		
		13.1	13.1	52.4	78.6		13.1	13.1	13.1	13.1	78.6		13.1	39.3	78.6	13.1	222.7	78.6	1	
		14.6	14.6	58.3	58.3		14.6	14.6	14.6	14.6	87.4		14.6	43.7	72.9	14.6	218.6	72.9	2	
					259.4										129.7		259.4	129.7	3	
	8.1	32.4	113.5	16.2	139.7		40.5			24.3	24.3			97.3	56.7	8.1	348.5	40.5	4	
	9.2	36.9	92.1	18.4	199.0		38.9			18.4	18.4			110.6	46.1	9.2	340.9	36.9	5	
			269.4		134.7		67.3			67.3					134.7		404.0	67.3	6	
		43.4	80.7	105.5	37.2	99.3	6.2	43.4	12.4	6.2	55.9	12.4	12.4	62.1	55.9	6.2	198.6	74.5	7	
		64.5	55.3	119.8	46.1	82.9	9.2	36.9	9.2		46.1	9.2	9.2	64.5	55.3	9.2	221.1	73.7	8	
			133.1	76.1	19.0	133.1		57.0	19.0		76.1	19.0	19.0	57.0	57.0		152.1	76.1	9	
	27.1	13.6	20.4	54.3	6.8	33.9	13.6		13.6		27.1	13.6		67.9	27.1	6.8	133.2	132.1	10	
	26.4	17.6	26.4	35.3	8.8	26.4	17.6		8.8		8.8	17.6		79.3	17.6	8.8	149.8	70.5	11	
	29.5			118.0		59.0		29.5		29.5				29.5	59.0		294.9	294.9	12	
			32.3	96.9	48.5	48.5	32.3				64.6		16.2	48.5	32.3	16.2	113.1		13	
			33.0	82.6	49.6	33.0	33.0				66.1		16.5	49.6	33.0	16.5	115.6		14	
				735.3		735.3													15	
	15.6	10.4	36.3	57.1	20.8	62.3	31.1	83.0		5.2	51.9	5.2	10.4	88.2	103.8	15.6	202.3	51.9	16	
	17.7	11.8	35.5	59.1	23.6	41.4	29.6	94.6			41.4	5.9	11.8	82.8	76.8	17.7	171.4	41.4	17	
			42.4	42.4		212.1	42.4		42.4	42.4	127.3			127.3	297.0		424.3	127.3	18	
	9.7	6.5	45.4	120.0	13.0	37.6	25.9	55.1	9.7	6.5	129.7	9.7	6.5	90.8	37.6	3.2	232.1	38.9	19	
	12.2	8.1	44.7	117.8	12.2	69.0	24.4	52.8	12.2	8.1	101.5	8.1		81.2	60.9	4.1	268.0	28.4	20	
			48.3	123.8	16.1	161.0	32.2	64.4			241.5	16.1	32.2	123.8	198.2		338.2	80.5	21	
	14.5	14.5	72.3	72.3		159.0	21.7	38.1	7.2	21.7	79.5		14.5	28.9	43.4		187.9	50.6	22	
	8.3	16.6	58.0	74.6		157.5	16.6	24.9	8.3	24.8	74.6		16.6	33.2	33.2		182.4	58.0	23	
	56.2		168.6	56.2		168.6	56.2	112.4			112.4			112.4	112.4		224.8		24	
	4.7	18.7	18.7	23.4		37.5	14.1	65.6	4.7	4.7	65.6	14.1		60.9	70.3		248.3	60.9	25	
	5.4	21.5	16.1	26.8		42.9	16.1	69.7	5.4	5.4	64.4	10.7		59.0	59.0		252.2	59.0	26	
			36.9					36.9			73.8	36.9		73.8	147.7		221.5	73.8	27	
			38.7	19.4	19.4	87.1		38.7			19.4	9.7		48.4	77.4		154.9	174.2	28	
			33.9	19.5	19.5	87.6		33.9			19.5	9.7		48.7	77.9		155.8	175.2	29	
																			30	
		24.3	24.3	154.1	8.1	113.5	16.2	97.3	8.1	16.2	113.5		16.2	89.2	56.8	16.2	210.9	40.5	31	
		23.1	11.6	92.5		127.1	23.1	127.1	11.6	11.6	150.3		11.6	57.8	34.7	23.1	196.5	34.7	32	
		27.2	54.4	299.0	31.5			27.2	27.2	27.2	27.2		27.2	163.1	108.7		244.6	54.4	33	
	18.2	9.4	126.9	190.1	22.1	127.1	16.5	45.4	11.7	10.6	111.3	2.6	7.1	71.0	67.7	13.8	321.1	25.5	34	
	18.3	9.4	126.8	190.1	22.2	127.0	16.6	45.6	11.8	10.6	110.9	2.6	7.2	71.2	67.8	13.8	321.0	25.6	35	
			174.6	174.6		174.6					232.8			58.2			349.2		36	
	10.6	10.6	121.5	179.6	31.7	153.2	15.3	21.1	5.3	10.6	79.2		10.6	74.0	42.3	21.1	280.0	15.8	37	
	9.9	16.1	52.1	86.9	12.4	129.0	16.1	160.1	9.9	5.0	3.7	6.2	13.6	91.8	62.0	7.4	228.3	67.0	38	
	21.9	7.3	146.3	203.5	21.9	128.0	12.8	25.6	12.8	14.6	7.3		11.0	84.1	49.4	12.8	360.3	16.5	39	
	20.6		180.4	139.1	20.6	92.8	15.5	25.8	10.3	20.6	5.2			72.1	87.6	30.9	324.6	25.8	40	
	11.5	2.9	106.6	195.9	28.8	141.1	14.4	17.3	20.2	2.9	8.6	2.9	5.8	49.0	69.1	5.8	377.3	23.0	41	
	7.8	10.4	177.6	351.2	33.9	120.1	13.1	36.6	5.2	13.1	242.8		5.2	63.3	73.1	5.2	443.9	10.4	42	
	14.0	10.5	213.8	220.9	35.1	157.8	10.5	17.5	17.5	10.4	129.7		3.5	39.6	98.2	10.5	399.6	35.1	43	
	17.0	5.7	181.8	301.2	22.7	136.4	34.1	11.4	5.7	11.4	28.4		11.4	11.4	90.9	22.7	466.0	22.7	44	
	15.8	10.5	131.7	171.2	13.2	163.6	13.2	31.6	7.9	7.9	102.7		2.6	105.4	68.5	10.5	300.3	29.0	45	
	22.2	7.9	103.1	157.0	20.6	128.4	22.2	30.1	12.7	3.2	72.9	4.8	3.2	74.5	84.0	11.1	245.9	12.7	46	
	23.7	14.2	61.5	127.7	13.9	118.3	14.2	9.5	14.2		99.4		4.7	71.0	108.8	23.7	217.6	18.9	47	
	44.9		207.6	241.2	22.4	101.0	16.8	23.0	11.2	5.6	151.5	5.6		84.1	117.8	16.8	448.8	11.2	48	
	24.1	8.0	120.5	147.3	21.4	112.5	18.7	24.1	5.4	13.4	2.7			42.8	69.6	24.1	291.9	21.4	49	
	34.7	4.3	199.6	269.1	30.4	95.5	21.7	17.4	13.0	21.7	4.3		8.7	39.1	56.4	26.0	355.9	21.7	50	
	14.3	16.7	74.0	193.2	16.7	109.7	14.3	33.2	19.1	9.5	2.4		11.9	64.4	42.9	14.3	326.9	23.9	51	
	20.9	7.6	154.0	209.1	24.7	121.7	17.1	39.9	15.2	11.4	19.0		9.5	85.5	38.0	13.3	319.4	9.5	52	
	12.1	7.1	86.9	125.1	19.4	119.7	11.3	86.6	3.3	7.1	8.0		8.7	87.8	79.2	9.4	245.0	36.1	53	
	13.0	6.0	84.1	120.3	17.6	100.4	9.2	77.8	3.1	6.2	8.1		6.7	77.3	76.7	11.2	224.2	19.5	54	
	8.8	11.5	97.2	143.1	26.3	191.7	18.9	119.5	4.1	10.8	7.4		16.2	126.9	88.4	2.7	322.7	97.9	55	
	14.6	14.6	70.6	87.7	53.6	82.8	21.9	53.6		7.3	7.3			63.3	133.9	7.3	182.6	9.7	56	
	14.7	14.7	71.3	86.0	54.1	81.1	22.1	51.6		7.4	7.4			68.9	135.2	7.4	174.5	9.8	57	
				256.4		256.4		256.4												
	12.6	7.6	129.0	144.2	27.8	169.5	10.1	144.2	5.1	7.6	20.2		15.2	111.3	141.7	10.1	1,025.6	43.0	58	
	11.9	4.0	115.3	107.4	8.0	107.4	4.0	151.1			147.1	4.0	15.9	88.5	151.1	11.9	131.2	8.0	59	
	13.9	13.9	153.0	208.7	62.6	278.2	20.9	132.1	13.9	20.9	7.0		13.9	160.0	125.2	7.0	417.3	104.3	61	
	17.7	5.9	85.4	134.0	17.7	123.1	10.3	86.9	1.5	8.1	10.3		5.2	75.1	81.7	9.6	252.6	20.6	62	
	18.9	4.1	89.7	138.2	18.1	126.7	10.7	83.1	1.6	9.0	10.7		4.9	72.4	76.5	10.7	244.3	12.3	63	
	7.0	21.1	49.2	98.4	14.1	140.5	7.0	119.4			7.0		7.0	93.4	128.5		323.2	91.3	64	
	19.3	28.9	86.8	19.3		96.5	9.6	67.5		9.6	57.9	9.6		19.2	67.5		241.1	154.3	65	
	38.3	38.3	85.8			88.3		38.3		19.2	76.7	19.2		19.2	37.5		134.2	95.8	66	
											38.8			116.5	77.7		349.5	213.6	67	

* Colored population less than 5 per cent of the total in 1910.

† Rate not shown when population is less than 100.

‡ Includes National Military Home.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Erysipe-las.	Tuber-culosis of the lungs.	Tuber-culosis menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
RURAL PART OF REGISTRATION STATES ² —Continued.															
MARYLAND—continued.															
1 Caroline County (total).....	1,377.0	9.8					29.3	19.5	14.6		166.0		24.4	14.6	39.1
2 White.....	1,242.4	13.1					19.6	19.6	13.1		117.7		26.2	6.5	39.2
3 Colored.....	1,773.7						57.8	19.3	19.3		308.5		19.3	38.6	38.6
4 Carroll County* (total).....	1,551.6	8.8					2.9	11.8	26.5	2.9	159.0		5.9		58.9
5 White.....	1,513.3	9.4					3.1	9.4	28.2	3.1	159.8		6.3		59.5
6 Colored.....	2,148.4							48.8			146.5				48.8
7 Cecil County (total).....	1,480.1	17.1				12.8	25.7		21.4	4.3	145.4	12.8	25.7	25.7	77.0
8 White.....	1,257.2	15.0				15.0			20.0	5.0	114.7	15.0	5.0	10.0	69.8
9 Colored.....	2,820.3	30.0					150.0		30.0		330.0		5.0	120.0	120.0
10 Charles County (total).....	1,723.2	37.9	6.3					25.2	50.5		258.8		150.0	18.9	6.3
11 White.....	1,240.1	13.5						40.4	40.4		94.4		40.4	13.5	27.0
12 Colored.....	2,148.6	59.4	11.9					11.9	59.4		403.6				28.7
13 Dorchester County (total).....	1,689.7	41.4			41.4	10.4	38.0	6.9	13.8		217.5	6.9	17.3		55.2
14 White.....	1,275.1	41.5			25.9	15.6	15.6	5.2	15.6		103.7				62.2
15 Colored.....	2,366.7	41.3			72.3		82.7	10.3	10.3		444.4	20.7	51.7		41.3
16 Frederick County (total).....	1,436.8	21.4					2.4	4.7	9.5	2.4	325.4	2.4	7.1	2.4	57.0
17 White.....	1,392.0	10.5					2.6	5.2	7.9	2.6	332.9	2.6	5.2	2.6	52.4
18 Colored.....	1,868.7	126.3							25.3		252.5		25.3		101.0
19 Garrett County † (total).....	752.6	23.4					9.5			4.7	52.1		9.5	9.5	47.3
20 White.....	747.1	23.6					9.5			4.8	52.3		9.5	9.5	47.6
21 Colored.....	1,769.9														
22 Harford County (total).....	1,268.1	21.6					14.4	7.2	7.2	7.2	115.0	3.6	14.4	3.6	46.7
23 White.....	1,147.3	17.7					8.8	8.8	8.8	8.8	83.3		13.2	4.4	57.4
24 Colored.....	1,796.8	38.6					38.6				251.6	19.3	19.3		
25 Howard County (total).....	1,192.6	12.6				6.3	31.5	6.3	12.6		75.7			12.6	50.5
26 White.....	1,010.4					8.3	24.8	8.3	8.3		41.4			16.6	38.0
27 Colored.....	1,775.3	53.0					53.0		26.5		185.5				26.5
28 Kent County (total).....	1,415.5	24.7					12.4		6.2		136.0	6.2	6.2		49.4
29 White.....	1,058.5	19.6							9.8		49.0	9.8			39.2
30 Colored.....	2,025.1	33.5					33.5				284.5		16.7		66.9
31 Montgomery County (total).....	1,098.0	9.2		3.1			6.1	12.2			140.3	6.1	12.2		33.6
32 White.....	953.1	8.6					4.3	12.9			103.5		8.6		43.1
33 Colored.....	1,448.2	10.4		10.4			10.4	10.4			229.2	20.8	20.8		10.4
34 Prince Georges County (total).....	1,126.0	20.6					7.7	7.7	18.0		154.6	2.6	10.3	5.2	46.4
35 White.....	952.2	26.7					3.8	7.6	19.0		91.4		3.8	3.8	60.9
36 Colored.....	1,489.7	8.0					15.9	8.0	15.9		286.8	8.0	23.9	8.0	15.9
37 Queen Annes County (total).....	1,630.5	37.1				24.7			18.5		185.3	6.2	24.7	18.5	55.6
38 White.....	1,322.8	9.5				38.1			19.0		133.2	9.5	28.5	9.5	76.1
39 Colored.....	2,199.5	88.0							17.6		281.5		17.6	35.2	17.6
40 St. Marys County (total).....	1,322.0	17.7	5.9		5.9				17.7		188.6	5.9	23.6		29.5
41 White.....	1,170.2	10.4	10.4		10.4				31.3		125.4		20.9		52.2
42 Colored.....	1,541.4	27.0							13.5		270.4	13.5	27.0		
43 Somerset County (total).....	1,386.8	30.0			3.7	3.7	15.0	15.0	7.5		161.2		7.5	7.5	97.4
44 White.....	1,249.5	23.6			5.9	5.9	17.7	23.6			100.2			5.9	112.0
45 Colored.....	1,626.5	41.2					10.3		20.6		267.7		20.6	10.3	72.1
46 Talbot County (total).....	1,646.6	31.1	10.4				20.7	15.5	5.2	5.2	196.8	5.2	25.9		88.0
47 White.....	1,380.6	23.9	16.0				16.0	16.0	8.0	8.0	95.8		23.9		95.8
48 Colored.....	2,138.0	44.2					29.5	14.7			383.4	14.7	29.5		73.7
49 Washington County (total).....	1,376.2	15.0	3.7			3.7	11.2	11.2	18.7		115.9	3.7	7.5	11.2	82.3
50 White.....	1,300.5	15.2	3.8			3.8	11.4	11.4	19.1		106.7	3.8	7.6	11.4	83.9
51 Colored.....	3,725.5										533.2				
52 Wicomico County (total).....	1,543.7	31.6			3.5	3.5	10.5	7.0	10.5		168.4	3.5	24.6		35.1
53 White.....	1,461.8	13.8			4.6	4.6	4.6	4.6	13.8		156.8		27.7		41.5
54 Colored.....	1,804.3	88.0				14.7	29.3	14.7			205.4	14.7	14.7		14.7
55 Worcester County (total).....	1,523.1	40.4	4.5		9.0		53.9		4.5		175.2	9.0	9.0		98.8
56 White.....	1,268.4	28.7			6.7		26.7		6.7		133.5	13.4	13.4		100.1
57 Colored.....	2,047.3	68.7	13.7		13.7		109.9				261.1				96.2
MASSACHUSETTS.															
58 Total.....	1,474.9	3.9	0.3	0.1	2.9	5.4	7.7	9.4	10.2	5.4	135.5	7.0	13.1	5.3	109.7
59 White.....	1,467.8	4.0	0.3	0.1	2.9	5.5	7.5	9.3	10.2	5.5	131.2	6.9	12.2	5.4	110.2
60 Colored.....	2,261.0						27.9	14.0	14.0		600.1	14.0	111.7		55.8
61 Barnstable County.....	1,710.2					7.3	3.6	18.2	21.9	7.3	65.6	3.6	7.3	14.6	134.9
62 Berkshire County.....	1,359.0	5.3			7.9	2.6	15.8	26.4	2.6	2.6	76.5	13.2	2.6	5.3	110.8
63 Bristol County.....	1,324.3	10.7	1.8			21.3	8.9	16.0	8.9	5.3	60.4	5.3	7.1	1.8	99.4
64 Dukes County (total).....	2,231.1				22.3	22.3		22.3	22.3			22.3		44.6	200.8
65 White.....	2,342.4				24.1	24.1		24.1	24.1			24.1		48.3	217.3
66 Colored.....	879.8														
67 Essex County*.....	1,477.7	2.2				1.1	13.0	5.4	6.5	5.4	92.3	7.6	9.8	3.3	114.0
68 Franklin County.....	1,439.9						6.0	15.1	3.0	3.0	99.6		15.1	6.0	99.6
69 Hampden County.....	1,408.5	4.3			2.2	2.2	2.2	8.7	10.8	15.2	91.1	6.5	10.8	8.7	75.9
70 Hampshire County.....	1,317.0					6.6	6.6	6.6	13.2		66.0	4.4	11.0	8.8	72.6
71 Middlesex County*.....	1,691.1	5.6			3.2	5.6	3.2	5.6	7.2	5.6	281.0	6.4	29.5	4.0	138.1
72 Nantucket County.....	2,376.1							33.9		33.9	101.8				305.5
73 Norfolk County*.....	1,229.9	2.8			5.7	5.7	9.5	10.4	9.5	6.6	82.6	5.7	11.4	3.8	94.0
74 Plymouth County*.....	1,543.8	5.0			1.3	5.0	11.3	6.3	13.8	5.0	200.0	8.8	11.3	6.3	123.8
75 Worcester County*.....	1,489.8	3.7	0.7	0.7	5.2	3.7	9.6	8.9	8.2	3.7	147.6	8.9	11.1	4.4	102.3

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910

DEATH RATES FROM PRINCIPAL CAUSES.

117

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Dia- betes.	Meningi- tis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enteri- tis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing suic- ide).	Suic- ide.	All other defined causes.	Ill- defined and un- known causes.		
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38		
4.9	4.9	68.4	117.2	14.6	131.8	19.5	78.1		9.8	14.6	97.7		24.4	146.5	39.1	4.9	229.5	53.7	1	
19.3	19.3	78.5	111.2	19.6	98.1	19.6	71.9		13.1	13.1	98.1		13.1	130.8	32.7	6.5	248.5	32.7	2	
26.5	5.9	88.6	135.0		231.3	19.3	96.4		5.9	19.3	96.4		57.8	192.8	57.8		173.5	115.7	3	
28.2	6.3	114.8	235.5	17.7	126.6	11.8	53.0		6.3	8.8	176.7		6.3	73.6	50.0	8.8	335.6	11.8	4	
		119.1	235.0	103.4	103.4	6.3	53.3		6.3	9.4	181.7		48.8	75.2	47.0	9.4	329.0	6.3	5	
		48.8	244.1	97.7	488.3	97.7	48.8				97.7			48.8	146.5		439.5	97.7	6	
8.6		81.3	175.4	8.6	128.3	12.8	77.0	12.8	4.3		145.4	17.1	4.3	68.4	98.4	17.1	235.3	17.1	7	
10.0		70.8	154.7	10.0	114.7	15.0	74.8	5.0	5.0		129.7	15.0		49.8	109.8	20.0	189.6	5.0	8	
		90.0	300.0		210.0		90.0	60.0			240.0	30.0	30.0	180.0	30.0		510.1	90.0	9	
		88.4	138.9	31.6	170.4	12.6	113.6	6.3	12.6	12.6	107.3	6.3		107.3	94.7	12.6	258.8	119.9	10	
		80.9	94.4	13.5	134.8		80.9	13.5			67.4			121.3	94.4	27.0	161.7	80.9	11	
		95.0	178.1	47.5	201.8		142.4		23.7	23.7	142.4	11.9		95.0	95.0		344.3	154.3	12	
6.9	3.5	51.8	107.0	13.8	117.4	13.8	158.8	10.4	6.9	10.4	100.1	3.5	13.8	127.7	82.8	13.8	293.4	55.2	13	
5.2		41.5	72.6	15.6	82.9		129.6	5.2	5.2	5.2	82.9	5.2	15.6	93.3	72.6	20.7	285.1	51.8	14	
10.3	10.3	72.3	175.7	10.3	186.0	41.3	217.0	20.7	10.3	20.7	134.4		10.3	196.4	103.3		310.0	62.0	15	
11.9	2.4	104.5	106.9	14.2	87.9	4.7	45.1	4.7	2.4	4.7	116.4	11.9	9.5	92.6	73.6	4.7	277.9	26.1	16	
13.1	2.6	107.5	104.9	15.7	70.8	2.6	39.3	5.2	2.6	5.2	112.7	13.1	7.9	94.4	68.2	5.2	277.9	18.4	17	
		75.8	126.3		252.5	25.3	101.0				151.5		25.3	75.8	126.3		277.8	101.0	18	
4.7	4.7	47.3	56.8	4.7	47.3		37.9	14.2	9.5		33.1		9.5	80.5	61.5	9.5	142.0	28.4	19	
4.8	4.8	47.6	57.1	4.8	47.6		38.1	14.3	9.5		28.6		9.5	80.9	57.1	9.5	142.8	28.6	20	
21.6	10.8	122.1	132.9	21.6	75.4	7.2	50.3			3.6	85.0		7.2	79.0	85.0	7.2	244.3	28.7	21	
22.1	8.8	123.0	132.4	13.2	66.2	8.8	39.7			4.4	111.4			104.2	104.2	8.8	225.1	8.8	22	
19.3	19.3	96.6	135.2	58.0	115.9		96.6				101.5		38.6	61.8	105.9	8.8	328.4	115.9	23	
6.3		82.0	157.7	12.6	138.8		88.3			12.6	88.3		6.3	119.9	69.4	6.3	189.3	6.3	25	
8.3		58.0	116.0	16.6	107.7		82.8			16.6	99.4		8.3	99.4	74.5	8.3	140.8	8.3	26	
		159.0	291.5		238.5		106.0				53.0			185.5	53.0		344.5		27	
6.2	12.4	92.7	86.5	30.9	129.8	30.9	111.3	6.2		24.7	154.5		6.2	123.6	55.6		272.0	30.9	28	
	19.6	98.0	68.6	39.2	98.0	29.4	58.8	9.8		29.4	117.6			49.0	68.6		225.4	19.6	29	
16.7		83.7	117.2	16.7	184.1	33.5	200.8			16.7	217.6		16.7	251.0	33.5		351.5	50.2	30	
12.2	6.1	67.1	122.0	9.2	146.4	3.1	61.0	3.1	6.1	6.1	100.7	9.2	9.2	54.9	58.0	15.3	164.7	21.4	31	
17.3		47.4	112.1	8.6	112.1		43.1	4.3	4.3	8.6	94.9	4.3	4.3	56.1	56.1	21.6	159.6	11.8	32	
	20.8	114.6	145.9	10.4	229.2	10.4	104.2		10.4		114.6	20.8	20.8	52.1	62.5		177.1	31.3	33	
	10.3	59.3	92.8	15.5	108.2	5.2	64.4	2.6	5.2	2.6	92.8		7.7	67.0	72.1	10.3	188.1	46.4	34	
	3.8	33.1	80.0	15.2	87.6		60.9	3.8	7.6	3.8	110.5	3.8	3.8	38.1	76.2	7.6	171.4	22.9	35	
	23.9	103.6	119.5	15.9	151.4	15.9	71.7				55.8		15.9	127.5	63.7	15.9	223.1	95.6	36	
12.4	24.7	92.6	142.1	12.4	185.3	12.4	123.5		12.4	6.2	172.9			117.3	24.7	12.4	265.6	43.2	37	
	28.5	104.7	114.2	19.0	114.2	19.0	104.7				133.2			123.7	19.0	19.0	199.8		38	
35.2	17.6	70.4	193.6		316.7		158.4		35.2	17.6	246.3			105.6	35.2		387.1	123.2	39	
		129.7	70.7	41.3	106.1	17.7	94.3				94.3	5.9	11.8	76.6	41.3		282.9	47.2	40	
		83.6	83.6	20.9	94.0	10.4	94.0				73.1	10.4	10.4	83.6	62.7		250.8	10.4	41	
		189.3	54.1	67.6	121.7	27.0	94.6				121.7		13.5	67.6	13.5		324.5	94.6	42	
22.5	7.5	37.5	119.9	3.7	97.4	15.0	138.7		11.2	7.5	142.4		18.7	101.2	33.7		251.1	30.0	43	
23.6	5.9	35.4	117.9		82.5	17.7	153.2		11.8	11.8	117.9		17.7	100.2	5.9		241.6	11.8	44	
20.6	10.3	41.2	123.5	10.3	123.5	10.3	113.2		10.3		185.3		20.6	102.9	82.4		267.7	61.8	45	
10.4		155.3	134.6	13.1	72.5	10.4	113.9	5.2	20.7		160.5		15.5	108.7	88.0	5.2	284.8	25.9	46	
8.0		135.7	143.6	16.0	55.9	8.0	95.8	8.0	16.0		167.6		8.0	95.8	71.8	8.0	231.4	8.0	47	
14.7		191.7	118.0	59.0	103.2	14.7	147.4		29.5		147.4		29.5	132.7	118.0		383.4	59.0	48	
3.7	22.4	93.5	187.0	11.2	123.4	11.2	59.8	3.7	7.5	7.5	97.2		3.7	71.1	89.7	29.9	223.1	41.1	49	
3.8	22.9	87.7	186.8	7.6	122.0	11.4	61.0	3.8	3.8	7.6	91.5		3.8	72.4	83.9	30.5	213.5	38.1	50	
		392.2	196.1	196.1	196.1		196.1		196.1		392.2			392.2	392.2		980.4	196.1	51	
14.0		70.2	63.2	21.1	129.8	24.6	122.8	7.0	10.5		161.4	7.0	10.5	91.2	91.2	17.5	343.8	59.6	52	
13.8		69.2	64.6	23.1	119.9	18.4	142.9	9.2	4.6		156.3		13.8	78.4	78.4	18.4	336.6	46.1	53	
14.7		73.3	58.7	14.7	161.4	44.0	58.7		29.3		176.0	29.3		132.0	132.0	14.7	366.7	102.7	54	
4.5	4.5	89.9	143.8	22.5	152.8	4.5	103.3		9.0	13.5	89.9	4.5	13.5	85.4	49.4		229.1	98.8	55	
6.7		100.1	133.5	20.0	120.2		100.1		6.7	6.7	93.5		13.4	73.4	26.7		200.3	40.1	56	
	13.7	68.7	164.9	27.5	219.8	13.7	109.9		13.7	27.5	82.4	13.7	13.7	109.9	96.2		288.5	219.8	57	
20.9	6.8	135.7	215.9	26.8	130.2	10.1	55.1	4.3	8.5	8.3	96.0	2.4	6.3	69.3	67.5	12.3	276.5	6.2	58	
20.9	6.9	136.3	215.4	26.8	129.8	10.1	55.3	4.3	8.5	8.3	95.5	2.4	6.2	68.6	66.7	12.2	276.0	6.1	59	
14.0		69.8	265.2	27.9	167.5	14.0	27.9			14.0	153.5		14.0	139.6	153.5	14.0	335.0	14.0	60	
25.5		200.6	299.0	32.8	91.2	14.6	47.4	7.3	32.8	7.3	138.6	3.6	3.6	40.1	102.1	7.3	368.3	3.6	61	
39.6	2.6	113.5	216.4	15.8	129.3	7.9	58.1	2.6	2.6	13.2	118.7	2.6	10.6	76.5	55.4	5.3	219.0		62	
8.9	8.9	106.5	172.2	23.1	143.8	14.2	72.8	10.7	8.9	8.9	85.2		3.6	90.5	81.7	8.9	227.2	10.7	63	
22.3		334.7	245.4	44.6	178.5	22.3	44.6	22.3	44.6	22.3	133.9			66.9	66.9	22.3	602.4		64	
24.1		362.2	265.6	48.3	193.2	24.1	48.3	24.1	48.3	24.1	144.9			72.4	24.1		652.0		65	
															586.5	293.3				66
21.7	4.3	149.8	248.6	31.5	142.2	5.4	21.7	4.3	11.9	7.6	99.9	2.2	4.3	61.9	70.6	18.5	301.8	8.7	67	
15.1	3.0	151.1	186.0	18.1	132.8	9.1	72.4	6.0		12.1	73.5		9.1	105.7	120.7	18.1	226.4	18.1	68	
23.9	6.5	112.8	184.4	23.9	156.2	6.5	153.3	2.2	13.1	6.										

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.																
MICHIGAN.																
1	Total.....	1,262.9	10.4	1.1	5.8	4.6	9.1	13.2	13.5	3.5	73.2	3.8	7.9	7.1	77.4
2	White.....	1,254.8	10.3	1.1	5.7	4.6	9.1	13.3	13.4	3.6	70.6	3.8	7.6	7.1	77.6
3	Colored.....	2,291.5	21.2	14.1	7.1	28.3	410.2	35.4	7.1	49.5
4	Alcona County †.....	788.4	17.5	52.6	17.5
5	Alger County.....	1,346.6	35.4	11.8	11.8	70.9	11.8	23.6
6	Allegan County.....	1,212.5	9.9	5.0	9.9	14.9	47.2	7.5	2.5	74.5
7	Alpena County †.....	854.7	26.3	13.1	26.3	26.3	26.3	118.3
8	Antrim County.....	1,174.8	19.6	13.1	13.1	13.1	6.5	71.8	84.8
9	Arenac County.....	1,076.8	20.9	20.9	52.3	10.5	41.8
10	Baraga County (total).....	942.3	14.5	14.5	14.5	72.5	43.5
11	White.....	849.6	16.0	16.0	16.0	48.1	48.1
12	Colored.....	1,818.2	303.0
13	Barry County.....	1,216.7	13.2	4.4	22.0	26.4	13.2	4.4	8.8	4.4	105.8
14	Bay County †.....	890.7	4.2	4.2	8.4	33.8	4.2	8.4	50.7	8.4	4.2	59.1
15	Benzie County.....	950.8	9.1	45.3	9.1	90.6	9.1	9.1	72.4
16	Berrien County.....	1,359.8	18.0	3.6	7.2	1.8	14.4	3.6	12.6	3.6	66.6	14.4	18.0	104.5
17	Branch County.....	1,394.6	12.2	4.1	4.1	4.1	4.1	44.6	16.2	64.9	4.1	8.1	93.2
18	Calhoun County.....	1,466.7	9.5	3.2	3.2	3.2	9.5	22.1	6.3	47.4	3.2	9.5	3.2	110.6
19	Cass County (total).....	1,315.8	14.6	4.9	9.7	4.9	9.7	63.4	4.9	9.7	141.3
20	White.....	1,307.1	15.8	5.3	10.5	5.3	5.3	47.4	5.3	10.5	147.6
21	Colored.....	1,422.1	258.6	64.6
22	Charlevoix County.....	1,038.7	18.7	4.7	4.7	18.7	4.7	9.4	70.2	4.7	9.4	9.4	60.8
23	Cheboygan County.....	1,149.7	5.3	5.3	5.3	84.8	53.0
24	Chippewa County †.....	893.7	16.2	16.2	8.1	56.9	8.1	24.4	56.9
25	Clare County.....	1,102.3	10.4	31.2	31.2	10.4	31.2
26	Clinton County.....	1,207.6	4.5	4.5	4.5	4.5	18.0	31.4	9.0	9.0	80.8
27	Crawford County.....	1,790.6	23.0	23.0	23.0	23.0	23.0	114.3
28	Delta County †.....	877.1	16.7	5.6	5.6	11.1	11.1	38.9	5.6	72.2	5.6	16.7	22.2
29	Dickinson County.....	960.9	4.6	18.5	4.6	37.0	13.9	4.6	92.4	4.6	64.7
30	Eaton County.....	1,328.5	16.7	3.3	3.3	6.7	3.3	16.7	6.7	43.3	10.0	83.3
31	Emmet County (total).....	1,361.7	15.2	5.1	15.2	5.1	25.4	15.2	15.2	66.1	5.1	10.2	76.2
32	White.....	1,261.8	5.3	5.3	16.0	5.3	26.7	16.0	16.0	26.7	5.3	10.7	80.2
33	Colored.....	3,272.0	204.5	518.0
34	Genesee County.....	1,643.4	4.0	4.0	8.1	20.2	48.6	4.0	4.0	4.0	97.1
35	Gladwin County †.....	652.1	10.9	10.9	10.9	32.6
36	Gogebic County.....	1,117.0	8.3	33.3	16.7	8.3	91.7	8.3	16.7
37	Grand Traverse County.....	1,098.6	8.4	8.4	8.4	50.3	41.9	33.5
38	Grafton County.....	1,139.8	7.1	10.6	10.6	3.5	7.1	7.1	50.9	17.6	74.0
39	Hillsdale County.....	1,233.4	3.4	3.4	10.1	10.1	27.0	3.4	57.4	13.5	3.4	94.6
40	Houghton County †.....	901.6	6.2	1.0	4.1	1.0	17.4	10.3	2.1	3.1	103.6	13.3	13.3	4.1	46.2
41	Huron County.....	1,002.5	22.8	14.3	2.9	22.8	45.7	2.9	2.9	2.9	80.0
42	Ingham County.....	1,369.1	4.6	4.6	4.6	4.6	18.6	9.3	55.7	4.6	23.2	9.3	143.9
43	Ionia County*.....	1,273.3	3.0	3.0	3.0	15.1	60.2	3.0	42.1
44	Iosco County.....	1,079.2	21.0	73.3	31.4	21.0	73.3
45	Iron County.....	1,337.5	16.9	16.9	16.9	22.5	16.9	80.9	5.6	5.6	5.6	16.9
46	Isabella County.....	1,046.2	4.3	8.6	8.6	8.6	21.6	4.3	51.9	4.3	8.6	30.3
47	Jackson County.....	1,550.1	4.6	4.6	9.3	4.6	23.2	32.5	4.6	4.6	116.0
48	Kalamazoo County.....	1,216.6	14.0	14.0	18.6	32.6	4.7	4.7	79.2
49	Kalkaska County.....	1,105.1	58.8	11.8	11.8	11.8	47.0	11.8	23.5	105.8
50	Kent County.....	1,611.7	16.5	8.3	10.3	37.1	6.2	16.5	18.6	10.3	130.0	6.2	10.3	4.1	103.2
51	Keweenaw County †.....	679.2	11.3	11.3	11.3	22.6	11.3	34.0
52	Lake County.....	1,013.6	20.3	60.8	20.3
53	Lapeer County.....	1,451.7	23.7	23.7	7.9	11.8	10.7	75.0	7.9	31.6	71.0
54	Leelanau County.....	1,194.8	37.6	94.1	9.4	112.9
55	Lenawee County.....	1,330.2	2.7	2.7	2.7	11.0	8.2	27.4	5.5	63.1	2.7	2.7	107.0
56	Livingston County.....	1,418.9	11.8	5.9	5.9	5.9	5.9	112.3	11.8	124.2
57	Luce County*.....	3,132.0	22.5	22.5	22.5	315.5	45.1	112.7
58	Mackinac County (total).....	1,090.2	80.8	30.3	10.1	20.2
59	White.....	1,130.2	67.8	33.9	11.3	22.6
60	Colored.....	756.1	189.0
61	Macomb County.....	1,564.8	9.3	3.1	3.1	3.1	30.9	9.3	3.1	64.9	3.1	6.2	12.4	105.1
62	Manistee County.....	937.7	6.8	6.8	20.5	13.7	6.8	82.1	6.8	6.8	61.6
63	Marquette County.....	1,235.0	20.1	20.1	4.0	12.1	8.0	4.0	120.7	12.1	8.0	4.0	32.2
64	Mason County.....	1,082.9	13.0	4.3	4.3	21.7	17.3	17.3	69.3	13.0	8.7	52.0
65	Mecosta County.....	1,393.9	5.3	10.6	5.3	42.2	5.3	10.6	132.0
66	Menominee County †.....	746.8	6.4	6.4	12.9	6.4	12.9	109.5	6.4	38.6
67	Midland County.....	1,078.1	21.7	72.4	7.2	50.6
68	Missaukee County.....	914.2	17.9	17.9	62.7
69	Monroe County.....	1,412.8	9.1	12.1	3.0	6.1	9.1	15.2	57.6	6.1	9.1	84.9
70	Montcalm County.....	1,193.9	6.3	9.4	6.3	6.3	6.3	3.3	6.3	28.3	3.1	3.1	18.9	110.1
71	Montmorency County.....	1,056.3	50.3	50.3	25.2	50.3
72	Muskegon County.....	1,297.9	12.0	12.0	18.0	6.0	73.1	12.0	12.0	6.0	90.1
73	Newaygo County.....	996.1	5.0	10.1	5.0	40.2	5.0	45.3
74	Oakland County.....	1,266.7	2.9	11.4	14.3	17.1	2.9	39.9	8.6	71.8
75	Oceana County.....	1,125.1	15.7	15.7	5.2	10.5	26.2					

DEATH RATES FROM PRINCIPAL CAUSES.

119

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- ditis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Un- defined and un- known causes. 38	
17.7	7.1	89.5	165.8	21.5	71.8	14.3	41.4	9.9	10.4	11.5	74.3	7.4	9.9	82.2	78.0	14.7	291.9	13.1	
17.7	7.1	89.2	165.4	21.3	70.7	14.3	41.0	9.9	10.4	11.4	74.0	7.3	9.8	82.3	77.9	14.7	289.9	12.8	
21.2	7.1	120.2	219.3	56.6	212.2	14.1	91.9	7.1	14.1	21.2	113.2	14.1	21.2	70.7	91.9	14.1	551.7	58.6	
17.5	11.8	87.6	122.6	23.6	87.6	35.4	52.6	11.8	17.5	11.8	70.1	11.8	11.8	17.5	52.6	7.5	175.2	4	
17.4	5.0	109.3	171.4	14.9	59.1	22.4	94.5	9.9	23.6	11.8	35.4	7.5	11.8	106.3	259.9	7.5	283.5	5	
26.3	13.1	26.3	78.9	13.1	57.1	26.3	19.9	13.1	9.9	14.9	106.8	13.1	13.1	77.0	54.7	13.1	323.0	6	
6.5	91.4	91.4	169.7	32.6	65.7	6.5	26.3	6.5	13.1	6.5	71.8	19.6	32.6	104.4	65.7	6.5	184.1	7	
20.9	14.5	62.7	240.5	20.9	62.7	43.5	41.8	10.5	10.5	20.9	73.2	14.5	10.5	52.3	83.6	14.5	230.0	9	
14.5	14.5	29.0	101.5	112.2	58.0	48.1	14.5	14.5	14.5	16.0	29.0	16.0	16.0	29.0	188.5	16.0	14.5	10	
16.0	16.0	32.1	112.2	112.2	32.1	48.1	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	192.4	16.0	16.0	11	
17.6	4.4	127.8	246.9	17.6	303.0	17.6	22.0	4.4	8.8	8.8	61.7	8.8	8.8	151.5	151.5	8.8	757.6	12	
9.1	8.4	54.9	71.8	4.2	76.0	12.7	38.0	8.4	4.2	4.2	46.4	8.4	12.7	67.5	46.4	8.4	228.0	13	
18.0	9.0	99.1	203.5	14.4	45.3	9.1	90.6	9.1	9.1	9.1	27.2	9.1	18.1	54.3	72.4	27.2	199.2	14	
44.6	4.1	141.9	194.6	32.4	61.2	12.6	19.8	5.4	23.4	5.4	99.1	9.0	1.8	77.4	97.3	23.4	284.6	15	
15.8	3.2	139.1	275.0	34.8	52.7	8.1	20.3	12.6	12.6	12.6	68.9	4.1	20.3	64.9	77.0	12.2	368.9	16	
24.4	117.0	117.0	165.7	24.4	48.7	9.7	34.1	4.9	9.7	9.7	131.6	24.4	9.5	34.1	39.0	14.6	316.8	17	
21.1	128.5	128.5	173.9	26.4	47.4	10.5	31.6	5.3	5.3	5.3	126.5	21.1	21.1	36.9	42.2	15.8	395.7	18	
64.6	4.7	79.5	64.6	18.7	64.6	37.4	4.7	14.0	4.7	4.7	193.9	64.6	9.4	60.8	107.6	9.4	201.2	19	
4.7	4.7	79.5	140.4	18.7	56.1	37.4	4.7	14.0	4.7	4.7	42.1	18.7	9.4	60.8	107.6	9.4	201.2	20	
5.3	5.3	63.6	143.0	15.9	47.7	10.6	31.8	5.3	10.6	26.5	58.3	21.2	26.5	111.3	100.7	5.3	275.5	23	
26.9	85.3	85.3	197.6	22.4	48.7	32.5	24.4	32.5	32.5	8.1	8.1	16.2	16.2	73.1	73.1	10.4	162.5	24	
23.0	45.9	68.9	197.7	18.7	48.7	31.2	52.0	20.8	20.8	10.4	52.0	31.2	10.4	52.0	52.0	10.4	249.6	25	
16.7	5.6	55.5	27.8	18.7	48.7	31.2	52.0	20.8	20.8	10.4	52.0	31.2	10.4	52.0	52.0	10.4	300.8	26	
9.2	41.6	41.6	64.7	87.8	46.2	4.6	50.8	13.9	13.9	4.6	60.1	4.6	4.6	87.8	69.3	4.6	147.8	27	
30.0	3.3	100.0	253.3	30.0	86.7	13.3	10.0	3.3	10.0	13.3	33.3	10.0	10.0	56.7	76.7	16.7	323.3	28	
10.2	5.1	35.6	147.4	35.6	101.6	20.3	20.5	45.7	20.3	10.2	96.5	10.2	15.2	121.9	50.8	15.2	315.0	31	
10.7	5.3	28.7	144.4	37.4	80.2	21.4	26.7	48.1	21.4	5.3	101.6	5.3	10.7	128.3	53.5	16.0	294.1	32	
36.4	8.1	97.1	204.5	24.3	511.2	24.3	102.2	8.1	102.2	102.2	113.3	4.0	4.0	85.0	93.1	12.1	461.4	33	
10.9	65.2	65.2	331.9	24.3	64.8	24.3	24.3	10.9	10.9	24.3	113.3	4.0	4.0	85.0	93.1	12.1	461.4	34	
25.2	16.8	100.6	134.2	33.5	75.0	41.7	50.0	8.3	8.3	8.3	41.7	15.0	15.0	200.1	16.7	191.7	97.8	36	
21.2	3.5	102.2	183.3	17.6	33.5	16.8	25.2	16.8	16.8	7.1	75.5	8.4	8.4	75.5	50.3	16.8	301.9	37	
33.8	84.5	84.5	253.4	16.9	56.4	10.6	38.8	7.1	7.1	7.1	105.8	7.1	14.1	67.0	28.2	14.1	278.5	38	
15.4	9.2	33.9	62.6	9.2	77.7	3.4	13.5	6.8	16.9	20.3	81.1	10.1	6.8	60.8	23.7	6.8	290.6	39	
13.9	4.6	153.2	153.2	4.6	48.2	6.2	45.1	16.4	3.1	11.8	42.1	8.2	6.2	73.9	101.6	7.2	165.1	40	
21.1	15.1	132.5	222.8	15.1	71.4	14.3	54.3	14.3	14.3	14.3	65.7	11.4	11.4	97.1	57.1	5.7	211.4	41	
16.9	33.7	28.1	56.2	50.6	60.3	23.2	41.8	4.6	9.3	4.6	69.6	13.6	13.6	83.5	51.1	9.3	375.9	42	
8.6	17.3	112.4	108.1	25.9	105.4	21.1	15.1	3.0	15.1	9.0	57.2	3.0	3.0	84.3	42.1	15.1	364.2	43	
37.1	9.3	153.2	264.5	9.3	52.4	10.5	52.4	10.5	10.5	10.5	73.3	21.0	6.8	157.2	94.3	10.5	167.6	44	
18.6	4.7	130.5	247.1	14.0	103.0	16.9	95.5	5.6	22.5	11.2	33.7	11.2	16.9	146.1	179.8	28.1	168.6	45	
23.5	105.8	105.8	70.5	23.5	82.1	13.0	21.6	13.0	4.3	8.6	34.6	4.3	8.6	73.5	69.2	21.6	242.1	46	
24.8	4.1	115.6	286.8	33.0	46.4	9.3	32.5	18.6	4.6	4.6	143.5	13.9	9.3	37.1	139.2	46.4	338.8	47	
11.3	84.0	84.0	22.6	45.3	53.9	28.0	13.6	4.7	4.7	18.6	90.6	4.7	4.7	37.3	69.9	9.3	284.3	48	
20.3	20.3	101.4	243.3	60.8	41.3	26.8	37.1	2.1	14.4	4.1	58.8	11.8	11.8	117.6	47.0	11.8	258.6	49	
11.8	75.0	75.0	197.2	31.6	82.1	13.0	21.6	13.0	4.3	8.6	34.6	4.3	8.6	73.5	69.2	21.6	242.1	50	
9.4	47.0	47.0	197.5	11.0	60.8	11.3	22.6	22.6	22.6	22.6	34.0	20.3	20.3	56.6	124.5	11.3	135.8	51	
27.4	134.4	134.4	197.5	11.0	71.0	27.6	19.7	7.9	15.8	20.3	60.8	20.3	7.9	101.4	20.3	20.3	162.2	52	
23.6	11.8	76.9	236.5	41.4	47.0	18.8	28.2	18.8	8.2	24.7	106.5	7.9	7.9	71.0	59.2	11.8	441.8	53	
10.1	10.1	70.7	111.0	20.2	68.6	13.7	11.0	8.2	24.7	24.7	65.9	9.4	13.3	131.7	94.1	18.8	329.3	54	
11.3	11.3	79.1	124.3	22.6	118.2	35.5	11.8	5.9	17.7	17.7	101.5	5.5	8.2	74.0	49.4	16.5	323.6	55	
30.9	15.5	133.0	136.1	18.6	157.7	15.5	49.5	6.2	15.5	24.7	53.2	22.5	22.5	35.5	53.2	11.8	390.2	56	
6.8	6.8	41.1	109.5	13.7	135.2	20.2	50.5	20.2	20.2	20.2	10.1	20.2	20.2	157.7	360.5	11.8	1,171.7	57	
20.1	17.3	81.0	129.9	17.3	40.4	22.6	45.2	22.6	22.6	22.6	94.5	22.6	22.6	30.3	111.0	50.5	292.7	58	
21.1	5.3	89.7	237.5	33.0	45.2	22.6	94.5	22.6	22.6	22.6	94.5	22.6	22.6	33.9	113.0	56.5	305.2	59	
6.4	12.9	32.2	77.3	25.8	89.7	15.5	49.5	6.2	15.5	24.7	160.8	16.1	15.8	99.0	80.4	34.0	389.6	61	
44.8	21.7	123.0	144.7	25.8	82.1	13.7	27.4	4.0	6.8	8.0	68.4	8.0	16.1	68.4	41.1	6.8	225.9	62	
15.2	9.1	87.9	200.1	27.3	100.6	24.1	72.4	4.0	4.0	8.0	52.3	8.0	16.1	132.7	160.9	24.1	173.0	63	
9.4	122.7	122.7	151.0	3.1	52.0	4.3	21.7	13.0	8.7	13.0	117.0	13.0	15.8	69.3	78.0	17.3	190.6	64	
18.0	6.0	84.1	50.3	18.0	51.5	7.2	19.3	7.2	7.2	14.5	95.0	5.3	15.8	84.5	58.1	21.1	316.7	65	
20.1	2.9	55.3	186.1	25.2	79.6	9.0	36.2	7.2	7.2	14.5	12.9	6.4	12.9	96.6	45.1	12.9	122.3	66	
8.6	5.2	97.0	205.4	8.6	107.6	15.2	60.6	6.1	15.2	18.9	72.4	14.5	7.2	36.2	36.2	14.5	253.2	67	
31.4	5.2	136.0	172.6	5.2	87.9	9.4	25.2	25.2	25.2	18.9	72.4	3.1	6.3	62.7	71.7	9.0	134.4	68	
					50.3	25.2	50.3				25.2	75.5	251.5	25.2	103.1	18.2	388.1	3.0	69
					72.1	12.0	54.1	6.0	24.0	6.0	120.2	12.0	84.1	102.2	18.0	5.0	234.3	17.1	71
					50.3	20.1	10.1	10.1	30.2	25.2	65.4	15.1	50.3	25.2	5.0	251.5	20.1	251.5	72
					79.9	11.4	31.4	11.4	11.4	20.0	65.6	8.6	77.0	85.6	14.3	333.8	17.1	333.8	73
					88.7	5.2	26.2	10.5	10.5	26.2	62.8	10.5	15.7	36.6	36.6	5.2			

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes, ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-ma-tism.	Cancer.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES—Continued.															
MICHIGAN—continued.															
1 Ogemaw County.....	990.2	10.6	10.6	21.3	21.3	21.3	10.6	95.8
2 Ontonagon County.....	1,072.8	10.3	30.9	51.6	10.3	51.6
3 Osceola County.....	1,150.7	16.8	55.9	67.0
4 Osceoda County.....	972.2	44.2	88.4
5 Otsego County.....	1,489.9	14.9	14.9	44.7	44.7	29.8	44.7
6 Ottawa County.....	1,014.9	8.3	8.3	5.5	8.3	8.3	5.5	2.8	38.8	2.8	5.5	2.8	61.0
7 Presque Isle County.....	1,123.5	8.1	65.1	8.1	8.1	73.3	16.3	40.7
8 Roscommon County †.....	806.5	40.3	40.3	40.3
9 Saginaw County.....	1,102.2	5.2	2.6	7.7	7.7	5.2	43.9	12.9	7.7	54.2
10 St. Clair County.....	1,269.5	15.4	3.1	6.2	18.5	9.3	6.2	49.4	3.1	6.2	3.1	92.7
11 St. Joseph County.....	1,210.6	3.8	11.5	3.8	3.8	45.8	7.6	3.8	15.3	95.5
12 Sanilac County.....	1,088.2	3.0	17.9	9.0	3.0	56.8	6.0	3.0	17.9	86.7
13 Schoolcraft County.....	1,242.0	44.4	11.1	99.8	11.1	99.8
14 Shiawassee County.....	1,382.5	3.0	3.0	3.0	9.1	9.1	24.3	6.1	48.5	6.1	9.1	9.1	97.0
15 Tuscola County.....	1,304.5	2.9	2.9	20.3	5.8	14.5	49.3	6.8	5.8	84.1
16 Van Buren County.....	1,405.9	9.1	6.0	3.0	15.1	21.1	15.1	102.6	3.0	12.1	129.7
17 Washtenaw County.....	1,218.8	3.5	7.0	3.5	14.0	10.5	7.0	49.2	3.5	14.0	7.0	84.3
18 Wayne County.....	2,555.6	36.2	1.4	9.7	8.4	12.5	54.3	11.1	9.7	327.1	4.2	18.1	19.5	87.7
19 Wexford County.....	1,154.2	26.7	13.4	8.9	4.5	53.5	8.9	44.6	4.5	8.9	66.8
MINNESOTA.															
20 Total.....	996.8	9.0	0.1	0.5	4.3	11.1	8.5	8.8	5.0	2.8	76.4	6.6	8.4	6.1	74.0
21 White.....	985.1	8.9	0.1	0.5	4.1	11.2	7.2	8.8	5.0	2.8	71.9	6.7	8.2	6.2	74.2
22 Colored.....	2,678.1	29.3	29.3	195.5	9.8	723.3	39.1	39.1
23 Aitkin County †.....	730.0	25.2	16.8	25.2	8.4	58.7	16.8	58.7
24 Anoka County *.....	1,462.1	46.2	7.7	61.6	15.4	115.4	23.1	7.7	61.6
25 Becker County (total).....	1,393.2	5.0	10.0	69.7	139.3	14.9	5.0	5.0	49.8
26 White.....	1,168.5	32.5	59.5	16.2	5.4	43.3
27 Colored.....	3,972.7	62.1	124.1	496.6	1,055.2	62.1	124.1
28 Beltrami County (total).....	1,378.6	20.8	41.6	33.3	29.2	4.2	8.3	154.1	8.3	4.2	37.5
29 White.....	1,192.4	17.9	44.7	4.5	31.3	4.5	8.9	71.5	8.9	4.5	40.2
30 Colored.....	3,952.8	61.8	432.3	1,297.0
31 Benton County †.....	733.4	9.1	9.1	9.1	9.1	27.2	54.3
32 Big Stone County.....	954.6	10.4	10.4	62.3	10.4	83.0
33 Blue Earth County.....	1,054.8	22.4	5.6	16.8	11.2	5.6	33.7	11.2	11.2	95.4
34 Brown County.....	1,050.2	14.8	9.9	9.9	9.9	4.9	59.2	9.9	24.7	4.9	98.6
35 Carlton County †.....	881.0	14.4	9.6	38.5	19.3	4.8	96.3	4.8	48.1
36 Carver County.....	958.8	11.5	11.5	5.7	5.7	63.2	5.7	5.7	5.7	57.4
37 Cass County (total).....	1,184.2	7.5	22.6	52.8	7.5	165.9	98.1
38 White.....	1,209.4	8.3	25.0	50.0	8.3	166.8	108.4
39 Colored.....	945.6	78.8	157.6
40 Chippewa County.....	1,038.4	7.2	7.2	14.4	64.9	21.6	7.2	108.2
41 Chisago County.....	973.6	7.3	7.3	51.2	7.3	7.3	102.5
42 Clay County.....	1,026.3	19.6	4.9	14.7	4.9	44.2	24.6	4.9	4.9	83.5	14.7	14.7	14.7	54.0
43 Clearwater County †.....	597.8	82.1	11.7	23.4
44 Cook County †.....	320.5	64.1	64.1	64.1
45 Cottonwood County.....	976.8	38.8	15.5	7.8	15.5	54.3	62.0
46 Crow Wing County.....	1,251.9	33.4	11.1	27.8	5.6	5.6	66.8	5.6	94.6
47 Dakota County *.....	1,156.3	7.5	3.8	37.5	3.8	11.3	7.5	90.1	7.5	7.5	52.6
48 Dodge County.....	951.2	17.3	8.6	8.6	8.6	25.9	8.6	129.7
49 Douglas County.....	1,162.8	11.4	5.7	5.7	5.7	5.7	85.5	5.7	11.4	131.1
50 Faribault County.....	929.0	10.5	5.2	10.5	10.5	5.2	42.0	5.2	42.0
51 Fillmore County.....	1,024.8	8.1	8.1	4.1	8.1	48.8	4.1	4.1	4.1	101.7
52 Freeborn County.....	1,028.0	17.8	22.3	13.4	26.7	4.5	75.7	22.3	8.9	124.6
53 Goodhue County.....	1,139.8	9.4	3.1	15.7	3.1	9.4	3.1	109.9	15.7	3.1	9.4	97.3
54 Grant County †.....	816.1	10.9	10.9	43.5	21.8	21.8	97.9
55 Hennepin County †.....	827.1	2.9	20.1	5.7	14.4	8.6	34.5	2.9	57.4
56 Houston County.....	1,055.8	14.5	14.5	7.2	7.2	101.2	7.2	14.5	14.5	94.0
57 Hubbard County †.....	704.4	17.8	8.9	26.7	17.8	17.8	17.8
58 Isanti County.....	1,052.6	38.4	23.1	61.5	99.9
59 Itasca County †.....	787.2	4.3	17.3	8.7	4.3	33.9	4.3	38.9
60 Jackson County.....	911.9	7.0	34.8	20.9	27.8	7.0	69.6
61 Kanabec County †.....	814.0	13.8	69.0	41.4
62 Kandiyohi County.....	1,015.4	5.2	5.2	10.4	10.4	15.6	10.4	109.3	5.2	10.4	10.4	72.9
63 Kirtson County †.....	748.1	19.2	9.6	45.0	28.8	76.7
64 Koochiching County.....	1,782.2	46.3	34.7	34.7	11.6	11.6	46.3	23.1	46.3
65 Lac qui Parle County †.....	803.9	12.6	6.3	6.3	56.5	6.3	6.3	56.5
66 Lake County †.....	783.7	63.5	10.6	42.4	42.4
67 Le Sueur County.....	1,015.7	11.2	5.6	5.0	11.2	33.5	5.6	11.2	44.6
68 Lincoln County †.....	643.3	9.7	39.0	9.7	48.7
69 Lyon County.....	913.5	6.2	18.5	6.2	12.3	43.2	24.7	12.3	86.4
70 McLeod County.....	966.8	5.5	16.4	5.5	54.6	5.5	10.9	76.5

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

121

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
21.3		53.2	95.8	21.3	53.2	10.6	63.9	21.3	10.6		74.5			53.2	53.2	10.6	255.5	1	
30.9		20.8	32.5	72.2	20.6	20.6	113.5			20.6		20.6		113.5	113.5	20.6	247.6	2	
5.6		72.8	178.8	39.1	73.2	16.8	39.1	22.3	5.6	11.2	122.9	5.6	16.8	72.6	50.3	5.6	251.4	3	
	44.2	44.2	178.8		178.8	44.2				44.2	44.2	44.2	44.2	44.2	132.6		88.4	4	
	14.9	89.4	163.9	59.6	119.2	14.9	104.3		14.9		119.2	44.7	44.7	89.4	104.3	14.9	268.2	5	
13.9	5.5	91.5	155.3	30.5	47.1	11.1	38.8		11.1	13.9	77.6		5.5	49.9	55.5	16.6	230.2	6	
24.4	16.3	114.0	89.6		73.3	8.1	65.1		8.1		32.6		40.7	130.3	73.3		162.8	7	
40.3		40.3	121.0		161.3		80.6						40.3	121.0			40.3	8	
18.1	7.7	77.4	136.8	25.8	56.8	12.9	12.9	2.6	7.7	12.9	59.4	10.3		108.4	59.4	25.8	286.5	9	
18.5	9.3	86.5	157.5	27.8	61.8	18.5	24.7	9.3	18.5	15.4	58.7	3.1	18.5	52.5	98.8	6.2	364.5	10	
3.8		156.6	198.6	7.6	72.6	11.5	19.1	3.8	7.6	3.8	129.8		19.1	45.8	53.5	19.1	263.5	11	
29.9	17.9	89.7	137.5	23.9	32.9	6.0	32.9	14.9	9.0		58.8	3.0	12.0	107.6	77.7	9.0	218.2	12	
44.4		33.3	77.6	33.3	144.2	11.1	110.9			22.2	66.5	22.2	11.1	66.5	110.9		199.6	13	
30.3	9.1	91.0	194.0	30.3	54.6	21.2	36.4	15.2	9.1	18.2	78.8	6.1	9.1	72.8	69.7	18.2	379.0	14	
20.3	2.9	107.3	197.1	5.8	63.8	20.3	58.0	31.9	5.8	8.7	68.8	5.8	14.5	98.6	87.0	14.5	295.7	15	
15.1	3.0	111.6	280.6	21.1	63.4	6.0	9.1	6.0	18.1	12.1	99.6	3.0	3.0	66.4	45.3	33.2	283.6	16	
21.1	7.0	154.5	168.6	21.1	73.8	7.0	14.0	3.5	3.5	10.5	98.3	10.5		31.6	77.3	3.5	295.0	17	
18.1	19.5	94.7	185.1	39.0	193.5	23.7	210.2	7.0	13.9	19.5	105.8		13.9	204.6	140.6	20.9	615.2	18	
8.9		89.1	120.3	8.9	93.6	17.8	13.4	22.3	13.4	4.5	80.2	8.9	17.8	84.7	75.8	13.4	227.3	19	
14.2	4.9	50.6	99.7	12.2	87.3	10.0	30.4	13.6	8.9	8.8	70.8	4.7	8.1	68.1	73.9	12.8	181.4	20	
14.1	4.9	50.6	99.4	12.2	85.7	10.1	30.1	13.6	8.9	8.8	70.8	4.8	8.0	68.2	72.9	12.9	180.2	21	
19.5	9.8	48.9	136.8	9.8	312.8		78.2	19.5	9.8	9.8	78.2		19.5	48.9	224.8		342.1	22	
		67.1	83.9	16.8	92.3								25.2	42.0	50.3	8.4	100.7	23	
		77.0	233.9	7.7	100.0	7.7	30.8			7.7	146.2		7.7	92.3	92.3	23.1	277.0	24	
10.0	5.0	74.6	109.5	10.0	129.4	19.9	44.8	5.0	14.9		94.5	14.9	29.9	89.6	139.3	10.0	228.9	25	
5.4	5.4	75.7	108.2	10.8	97.4	21.6	43.3	5.4	16.2		97.4	16.2	27.0	86.6	113.6	10.8	216.4	26	
62.1		62.1	124.1		496.6		62.1				62.1		62.1	124.1	434.5		372.4	27	
4.2	8.3	45.8	91.6	8.3	187.4	12.5	79.1	33.3	4.2	4.2	50.0	12.5	16.7	91.6	174.9	12.5	179.1	28	
4.5	8.9	35.7	89.3	4.5	165.2	13.4	62.5	35.7	4.5	4.5	31.3	13.4	13.4	98.3	174.2	13.4	165.2	29	
		185.3	128.5	61.8	494.1		308.8		61.8		308.8		61.8	185.3			370.6	30	
9.1		45.3	72.4	9.1	72.4	9.1	45.3	9.1	9.1	36.2	27.2		9.1	63.4	54.3		144.9	31	
31.1		20.8	103.8	10.4	72.6		31.1	31.1	10.4		62.3			124.5	93.4		166.0	32	
39.3	5.6	50.5	140.3	16.8	78.5		16.8	5.6			117.8			101.0	50.5	11.2	207.6	33	
34.5	9.9	39.4	78.9	14.8	74.0	4.9	19.7	34.5	14.8	4.9	74.0	9.9		74.0	69.0	19.7	221.9	34	
14.4	14.4	38.5	81.8	14.4	57.8	9.6	48.1	14.4	4.8		45.1	4.8	9.6	57.8	101.1	4.8	110.7	35	
23.0	11.5	51.7	86.1	34.4	80.4	28.7	28.7		17.2	17.2	34.4	5.7		40.2	57.4	11.5	241.1	36	
		30.2	98.1	15.1	173.5	7.5	60.3	15.0		7.5	37.7		7.5	75.4	98.1	30.2	165.9	37	
		33.4	108.4	16.7	150.1	8.3	58.4	16.7		8.3	41.7		8.3	83.4	100.1	33.4	166.8	38	
					394.0		78.8								78.8			157.6	39
7.2		79.3	151.4	14.4	108.2	7.2	21.6	14.4	14.4	7.2	57.7	7.2	14.4	108.2	64.9	21.6	101.0	40	
	7.3	58.6	102.5		139.1	7.3	22.0	14.6	7.3	22.0	51.2	7.3		36.6	80.5		226.9	41	
4.9	4.9	29.5	73.7		73.7	9.8	49.1	14.7		9.8	39.3	9.8	9.8	63.8	98.2	14.7	186.6	42	
11.7		11.7	23.4	11.7	23.4		11.7	11.7			23.4	11.7		11.7	82.1	11.7	175.8	43	
		64.1													64.1				44
		31.0	62.0		155.1	23.3	38.8	15.5	15.5	7.8	85.3	7.8		54.3	77.5	7.8	186.1	45	
22.3		66.8	116.8	5.6	150.2	11.1	22.3	16.7	11.1	11.1	128.0	5.6	11.1	94.6	105.7	16.7	189.2	46	
22.5	3.8	48.8	120.1	3.8	93.9	7.5	63.8	3.8	15.0	18.8	97.6			97.6	112.6	22.5	191.5	47	
8.6		69.2	155.7	8.6	121.1	17.3	8.6	8.6	17.3	8.6	51.9			51.9			155.7	48	
22.8	17.1	79.8	125.4	22.8	125.4	5.7	39.9	11.4	5.7	17.1	136.8	5.7	5.7	85.5	68.4	11.4	108.3	49	
15.7	21.0	36.7	136.5	5.2	99.7	5.2	5.2	5.2	15.7		136.5	5.2	15.7	78.7	42.0	10.5	147.0	50	
12.2		69.1	158.6	8.1	69.1	12.2		8.1		4.1	122.0	4.1	4.1	69.1	81.3	4.1	195.2	51	
13.4		84.6	111.3	17.8	71.2	13.4	17.8	8.9	8.9	8.9	44.5		13.4	84.6	35.6	8.9	155.8	52	
15.7		56.5	163.3	3.1	103.6	12.6	15.7	12.6	9.4		125.6	3.1	12.6	50.2	56.5	3.1	201.0	53	
10.9	21.8	76.2	87.1	10.9	43.5	10.9	10.9			10.9	32.6		10.9	32.6	54.4	10.9	141.5	54	
8.6		40.2	123.5	20.1	60.3	14.4	23.0		5.7	20.1	80.4	2.9		54.6	86.2	20.1	114.9	55	
21.7		65.1	144.6	21.7	101.2	21.7	21.7	7.2		7.2	57.8		7.2	86.8	21.7		188.0	56	
8.9	17.8	26.7	71.3		80.2	8.9	17.8	26.7	17.8		35.7	8.9	8.9	53.5	53.5	8.9	151.6	57	
23.1	15.4	30.7	115.3	15.4	107.6	15.4	61.5				115.3		7.7	53.8	61.5	23.1	184.4	58	
4.3	4.3	8.7	26.0	17.3	99.5	4.3	30.3	13.0	8.7	4.3	26.0	13.0	8.7	73.5	142.7	13.0	134.1	59	
13.9		34.8	69.6	13.9	69.6		13.9	62.7		7.0	48.7		13.9	69.6	34.8	13.9	243.6	60	
13.8		55.2	27.6	13.8	124.2	13.8	27.6	13.8	13.8		69.0			82.8	69.0		124.2	61	
15.6	5.2	46.9	171.8	26.0	46.9	15.6	15.6	10.4	5.2	26.0	72.9		10.4	98.9	20.8	10.4	151.0	62	
9.6		43.0	86.3		86.3		19.2	10.4		9.6	19.2	9.6		38.4	38.4		211.0	63	
11.6	11.6	11.6	185.2		185.2	11.6	81.0		11.6	11.6	23.1	11.6	23.1	162.0	254.6	92.6	300.9	64	
12.6		50.2	100.5		56.5		44.0	6.3		6.3	69.1		6.3	50.2	69.1		169.6	65	
		31.8	95.3		42.4		42.4				42.4			84.7	137.7	21.2	116.5	66	
11.2	11.2	67.0	145.1	27.9	83.7	5.6		5.6	16.7	5.6	61.4	5.6	5.6	89.3	94.9	22.3	217.6	67	
9.7		29.2	97.5	29.2	29.2		19.5	9.7	39.0		9.7		9.7	29.2	78.0	9.7	107.2	68	
30.9	6.2	80.2	61.7	37.0	30.9	6.2	24.7		24.7		43.2	18.5		61.7	55.5	12.3	197.5	69	
21.8	5.5	92.9	109.2	16.4	65.5	38.2	21.8		5.5		87.4		5.5	21.8	49.2	16.4	180.2	70	

* Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Infl-u-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-ma-tism.	Cancer.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
RURAL PART OF REGISTRATION STATES—Continued.															
MINNESOTA—continued.															
1 Mahnomon County (total).....	3,093.0				30.8		153.9				523.2		30.8		92.3
2 White.....	1,319.6						57.4				57.4				172.1
3 Colored.....	2,988.0				66.4		265.6				1,062.4		66.4		77.4
4 Marshall County.....	999.1	30.1				6.0	6.0	18.1			84.3			12.0	78.3
5 Martin County †.....	838.7					11.3	5.6	5.6	16.9		39.4	5.6		5.6	78.8
6 Meeker County.....	1,059.2					6.0	6.0	23.9			107.7	23.9	6.0		107.7
7 Mille Lacs County.....	938.4			8.5	8.5			16.9		8.5	42.3		8.5		67.6
8 Morrison County †.....	863.6	8.1			4.1	8.1	8.1			4.1	57.0	16.3	8.1	12.2	77.4
9 Mower County †.....	874.0	8.8		4.4	4.4	17.6	22.0	8.8	8.8		39.5		8.8		26.4
10 Murray County †.....	692.9	8.6									51.3	8.6			85.5
11 Nicollet County*.....	1,740.2				7.2				7.2	7.2	209.4	7.2	14.4	21.7	144.4
12 Nobles County †.....	826.3	6.5				19.6						6.5		6.5	39.1
13 Norman County †.....	751.2	14.9		7.4				7.4		7.4	59.5	14.9			74.4
14 Olmsted County*.....	2,739.3	4.5								4.5	99.0	4.5	36.0	9.0	445.3
15 Otter Tail County*.....	1,312.7	13.0				2.2	6.5	4.3	8.6	4.3	177.0	13.0	17.3	4.3	92.8
16 Pennington County.....	1,134.4	9.7					48.5	19.4			126.0		19.4	9.7	58.2
17 Pine County †.....	801.3					5.6			11.3		135.4	22.6	5.6	11.3	50.8
18 Pipestone County †.....	558.1					51.7	10.3		10.3						62.0
19 Polk County †.....	866.3	24.8				13.8	16.6	2.8		2.8	104.8	13.8	16.6	5.5	66.2
20 Pope County †.....	764.5	15.6							7.8		62.4	7.8	7.8	7.8	31.2
21 Ramsey County.....	1,110.4					31.4	21.0		10.5		125.7		10.5	31.4	62.9
22 Red Lake County †.....	761.7	13.8					27.7		13.8		55.4		13.8	13.8	13.8
23 Redwood County †.....	792.8				37.0		5.3	5.3	15.9	5.3	37.0	5.3	10.6	5.3	26.4
24 Renville County †.....	504.8				6.1	6.1	3.0				66.9	15.2	6.1		42.6
25 Rice County.....	1,404.8	31.0			3.9	7.7	3.9	15.5	27.1	7.7	104.5		23.2	11.6	108.4
26 Rock County †.....	851.0	19.1					19.1				47.8			19.1	105.2
27 Roseau County †.....	652.1										98.6			15.2	30.3
28 St. Louis County.....	919.5	10.6			9.5	14.8		6.3	6.3	3.2	81.5	10.6	7.4	4.2	33.9
29 Scott County.....	1,146.6	6.9				6.9	6.9		6.9		110.5			6.9	55.3
30 Sherburne County.....	1,037.1					13.2	13.2		26.6		66.5	13.3			93.1
31 Sibley County †.....	754.5	6.7			6.7			6.7			33.4		6.7	6.7	80.1
32 Stearns County †.....	700.5					7.5		7.5	5.0		57.5	5.0	10.0	5.0	42.5
33 Steele County.....	1,038.4	6.3				6.3	6.3	6.3	6.3	12.5	68.8	12.5	12.5	12.5	62.6
34 Stevens County.....	912.2	12.3			24.7			12.3	12.3		74.0		12.3	12.3	61.6
35 Swift County †.....	802.3	39.3		7.9	7.9		15.7	15.7			55.1		15.7		47.2
36 Todd County †.....	669.1	4.2			4.2	8.4	8.4	8.4	4.2	4.2	25.1	4.2		4.2	33.5
37 Traverse County †.....	654.5	12.1			12.1	24.2					24.2		12.1		12.1
38 Wabasha County.....	1,201.2					16.3		16.3			54.4		10.9	5.4	135.9
39 Wadena County.....	1,015.3						22.3	22.3		11.2	89.3	11.2		11.2	89.3
40 Waseca County.....	930.1					15.5					77.4	15.5	7.7		85.2
41 Washington County.....	975.3				6.3	12.5	6.3	12.5	6.3	6.3	81.5	6.3	18.8		50.1
42 Watonwan County †.....	749.8										52.9			8.8	52.9
43 Wilkin County.....	959.9	10.5	10.5	10.5		21.1		10.5			42.2		10.5	31.6	31.6
44 Winona County.....	1,054.3	20.9			7.0	14.0	14.0	7.0			62.3	7.0	7.0		104.7
45 Wright County.....	1,013.6					10.9	14.5	18.1	7.2		72.4	10.9	18.1	7.2	101.4
46 Yellow Medicine County †.....	870.0	25.4			19.1		6.4		6.4	6.4	127.0	6.4	12.7	12.7	63.5
MISSOURI.															
47 Total.....	1,075.3	28.7	15.2	0.5	13.0	2.8	13.0	14.3	11.3	2.1	121.7	5.1	10.0	5.0	54.0
48 White.....	1,041.6	27.9	15.0	0.5	13.1	2.8	11.7	14.6	10.9	2.1	109.9	5.0	8.7	5.0	53.8
49 Colored.....	2,021.8	51.6	23.1	1.4	9.5	2.7	50.2	6.8	21.7	1.4	452.2	9.5	47.5	4.1	58.4
50 Adair County.....	921.6	4.3			4.3		4.3		4.3	4.3	90.9	4.3	17.3	4.3	56.2
51 Andrew County.....	992.4		13.9		6.9		20.8				69.4		6.9	6.9	118.0
52 Atchison County †.....	711.4	8.1						16.2	16.2	8.1	80.8	8.1		8.1	16.2
53 Audrain County (total).....	1,027.0	13.7	4.6				13.7	9.1	13.7		105.0	4.6	13.7		95.9
54 White.....	914.7	9.8	4.9	4.6			14.8	9.3	14.8		73.8	4.9	4.9		88.5
55 Colored.....	2,477.8	63.5	4.9								508.3		127.1		190.6
56 Barry County.....	1,105.3	194.3	13.0		17.3		4.3	13.0	17.3		99.3	13.0		4.3	34.5
57 Barton County.....	962.4	12.4				6.2	12.4	6.2	6.2		37.3	6.2	12.4	6.2	31.0
58 Bates County.....	1,135.1	29.1			4.2		33.3	8.3	16.6	4.2	70.7	8.3	20.8	4.2	54.1
59 Benton County.....	995.2	63.5	14.1		7.1			21.2		14.1	91.8	7.1	14.1	7.1	56.5
60 Bollinger County †.....	687.5	41.3	20.6					27.5	13.8		61.9			6.9	20.6
61 Boone County (total).....	1,148.8	16.0	3.2		6.4	3.2	31.9		12.8	6.4	121.3		12.8	3.2	47.9
62 White.....	1,033.1	11.0	3.7		7.4	3.7	18.4		11.0	7.4	91.9		11.0	3.7	44.1
63 Colored.....	1,910.5	48.4					120.9				314.4		24.2		72.6
64 Buchanan County.....	1,029.0		6.6	6.6	6.6				6.6	6.6	98.9		6.6		52.8
65 Butler County (total).....	1,518.1	53.9	44.9		94.3	9.0	9.0	26.9		13.5	121.3	18.0	62.9		31.4
66 White.....	1,492.8	52.8	48.0		100.8	9.6	9.6	28.8		14.4	110.4	14.4	52.3		28.8
67 Colored.....	1,888.1	69.9									279.7	69.9	209.8		69.9
68 Caldwell County.....	1,223.4	29.1				29.1					116.5	14.6	21.8		145.6
69 Callaway County* (total).....	1,635.3	25.2	16.9			4.2	46.4	4.2	21.1	4.2	227.6		16.9	8.4	42.1
70 White.....	1,546.1	24.5	9.8				44.0	4.9	19.6	4.9	185.9		9.8	9.8	39.1
71 Colored.....	2,190.4	30.4	60.8			30.4	60.8		30.4		486.8		60.8		60.8
72 Camden County †.....	667.9	27.4	45.7						18.3		54.9		9.1		54.9

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- ditis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38	
			61.6		277.0			30.8						30.8	153.9		554.0	61.6	1
			132.8		172.1									57.4	114.7		401.6		2
6.0	6.0	12.0	84.3		398.4			66.4						60.2	66.4		730.4	132.8	3
	5.6	45.0	101.3	6.0	78.3		6.0	18.1		84.3	18.1			6.0	60.2		174.6	42.1	4
				5.6	67.5	5.6	11.3	33.8		5.6	50.7	22.5		5.6	78.8	11.3	135.1	16.9	5
6.0		83.8	113.7	6.0	137.6	18.0	12.0	6.0	6.0	12.0	95.7	6.0		53.9	65.8	12.0	143.6		6
16.9	8.5	67.6	76.1	8.5	109.9	8.5	16.9	25.4	25.4	16.9	33.8			34.5	76.1		202.9		7
	8.1	69.3	77.4	4.1	61.1		24.4	24.4	12.2	12.2	65.2			53.0	53.0	8.1	158.9	12.2	8
39.5		87.8	136.2	13.2	83.5		13.2	13.2	8.8	22.0	57.1		8.1	39.5	57.1	17.6	128.0	4.4	9
8.6		8.6	59.9		94.1	8.6	8.6	25.7	8.6		68.4		8.6	59.9	42.8	17.1	119.8		10
28.9	7.2	65.0	151.6	7.2	115.5	36.1	28.9	14.4			259.9	7.2	14.4	43.7	28.9	36.1	469.3	7.2	11
6.5	6.5	39.1	58.7		53.7		32.6	13.0	6.5		53.7			71.8	97.9	6.5	91.3		12
		22.3	44.6	14.9	66.9	14.9	14.9	7.4	14.9	7.4	59.5			52.1	66.9		143.7	22.3	13
27.0	13.5	125.9	188.9	18.0	206.9	49.5	27.0	90.0	13.5	31.5	296.9	7.4		72.0	67.5	31.5	854.6	9.0	14
25.9	2.2	103.6	142.5	19.4	95.0	6.5	32.4	10.8	19.4	6.5	125.2	10.8	19.4	58.3	73.4	8.6	192.1	17.3	15
		67.9	58.2		106.7	29.1	29.1	19.4		9.7	58.2	29.1	9.7	97.0	67.9	9.7	213.3	38.8	16
11.3		22.6	22.6	22.6	90.3		33.9				39.5			45.1	73.4	22.6	158.0	11.3	17
20.7		10.3	62.0		31.0		10.3	10.3			51.7			72.4	51.7		103.4		18
5.5	5.5	41.4	80.0	11.0	57.9		8.3	22.1			38.6			77.3	38.6		146.2	13.8	19
31.2	7.8	62.4	62.4		78.0	15.6	23.4	31.2			62.4			46.8	46.8		132.6	15.6	20
21.0		73.3	94.3	10.5	73.3	21.0	10.5				146.7			21.0	157.1	21.0	167.6		21
13.8	13.8	41.5	27.7		83.1		41.5				27.7			83.1	55.4	13.8	166.2	13.8	22
10.6		47.6	52.9	10.6	42.3	15.9	31.7	10.6		5.3	105.7			79.3	63.4	21.1	121.6	5.3	23
9.1	8.0	18.2	45.6	9.1	42.6		21.3			12.2	15.2			18.2	18.2	6.1	121.6	3.0	24
27.1		65.8	170.3	15.5	100.6	3.9	31.0	15.5	11.6	19.4	139.3			54.2	69.7	11.6	294.1	7.7	25
		38.2	76.5		47.8		38.2	38.2		19.1	47.8			9.6	66.9	9.6	143.4	9.6	26
15.2		7.6	22.7	15.2	45.5	7.6	30.3	15.2	15.2	7.6	37.9			75.8	60.7		113.7	30.3	27
6.3	2.1	13.8	44.4	6.3	103.7	3.2	84.6	5.3		6.3	37.0			100.5	129.1	21.2	124.9	19.0	28
6.9		82.9	96.7	48.3	89.8	48.3	6.9	6.9		13.8	34.5	6.9		62.2	76.0	13.8	269.4	20.7	29
13.3	13.3	53.2	133.0		79.8	13.3	26.6			13.3				13.3	79.8	13.3	226.0	13.3	30
20.0		40.1	100.2	20.0	80.1	6.7	13.4	13.4		6.7	66.8			60.1	33.4		133.5	13.4	31
10.0	15.0	35.0	82.6	12.5	47.5	5.0	25.0	20.0		2.5	55.0			65.0	42.5	5.0	162.6	5.0	32
12.5	6.3	75.1	143.9	18.8	93.8	12.5	37.5	6.3		12.5	56.3			62.6	62.6	12.5	193.9	6.3	33
37.0	12.3	37.0	86.3		123.3		27.5	12.3		12.3	61.6	12.3		86.3	61.6	12.3	98.6	12.3	34
7.9	7.9	62.9	39.3	7.9	15.7	23.6	7.9	23.6		15.7	39.3			86.5	39.3	7.9	188.8	7.9	35
8.4	12.5	50.2	79.5		50.2	4.2	33.5			4.2	58.5			33.5	37.6		146.4	37.6	36
24.2		72.7	24.2		72.7		24.2			12.1	48.5			84.8	24.2	24.2	212.2	24.2	37
21.7		65.2	206.5	27.2	87.0		38.0	16.3		27.2	92.4			54.4	87.0	21.7	173.9	5.4	38
22.3		22.3	66.9	22.3	33.5		66.9			22.3	22.3			89.3	78.1		245.5	22.3	39
23.2	7.7	46.5	77.4	23.2	77.4	7.7	23.2			23.2	31.0	23.2		116.1	38.7	7.7	201.3	7.7	40
12.5		43.9	175.5	25.1	75.2	6.3	12.5			6.3	62.7			25.1	75.2	6.3	169.2	18.8	41
35.3	8.8	70.6	52.9	8.8	97.0	8.8		35.3			70.6			61.8	52.9	8.8	79.4	17.6	42
31.6	21.1	42.2	31.6	31.6	31.6	10.5	73.8	31.6			52.7	10.5		84.4	147.7	31.6	126.6	21.1	43
34.9	14.0	62.8	195.5	7.0	69.8	14.0	27.9			20.9	7.0			55.9	20.9	27.9	202.5		44
8.6		72.4	101.4	18.1	126.7	7.2	32.6	10.9		7.2	38.2			39.8	65.2	21.7	191.9	3.6	45
19.1	6.4	31.8	63.5	12.7	63.5	19.1	25.4	12.7		25.4	50.8			38.1	50.8		146.1	12.7	46

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
RURAL PART OF REGISTRATION STATES—Continued.															
MISSOURI—continued.															
1 Cape Girardeau County (total).....	1,071.4	34.4	10.3	48.2	6.9	13.8	6.9	96.5	6.9	10.3	34.4
2 White.....	973.7	22.2	7.4	44.4	3.7	14.8	7.4	62.9	7.4	7.4	37.0
3 Colored.....	2,379.8	198.3	49.6	99.2	49.6	545.4	49.6	78.5
4 Carroll County.....	1,024.6	18.5	9.2	36.9	4.6	23.1	73.8	4.6	9.2	4.6	40.1
5 Carter County.....	1,482.1	20.0	80.1	100.1	20.0	160.2	20.0
6 Cass County †.....	841.8	22.0	13.2	17.6	57.3	8.8	8.8	4.4	39.7
7 Cedar County.....	1,068.6	44.5	6.4	31.8	6.4	120.9	6.4	12.7	95.4
8 Chariton County (total).....	1,095.6	13.6	9.1	27.2	18.1	4.5	113.2	13.6	9.1	4.5	49.3
9 White.....	1,021.4	14.9	10.0	24.9	14.9	5.0	89.7	14.9	10.0	5.0	44.8
10 Colored.....	1,833.5	49.6	49.6	346.9	99.1
11 Christian County †.....	781.3	26.0	26.0	26.0	6.5	110.7	6.5	26.0	39.1
12 Clark County.....	1,152.3	34.1	8.5	17.1	34.1	8.5	93.9
13 Clay County (total).....	1,469.1	28.7	4.8	4.8	19.1	9.6	9.6	105.3	14.4	14.4	76.6
14 White.....	1,440.6	20.1	5.0	5.0	20.1	5.0	10.1	70.5	10.1	15.1	80.6
15 Colored.....	2,011.5	191.6	95.8	768.3	95.8
16 Clinton County (total).....	1,047.4	13.9	13.9	138.7	20.8	6.9	83.2
17 White.....	976.8	14.6	14.6	131.2	14.6	7.3	80.2
18 Colored.....	2,432.0	286.1	143.1	143.1
19 Cole County †.....	641.3	31.5	10.5	10.5	21.0	10.5	94.6
20 Cooper County (total).....	1,187.7	31.0	10.3	10.3	15.5	15.5	123.9	15.5	10.3	5.2	103.3
21 White.....	1,070.3	17.9	12.0	17.9	12.0	77.7	12.0	6.0	107.6
22 Colored.....	1,931.8	113.6	75.8	37.9	416.7	37.9	75.8	75.8
23 Crawford County †.....	838.3	21.7	7.2	7.2	7.2	28.9	108.4	14.5	50.6
24 Dade County.....	907.6	41.3	6.9	6.9	6.9	27.5	103.1	6.9	68.8
25 Dallas County †.....	691.3	15.5	15.5	7.8	15.5	77.7	7.8	7.8	23.3
26 Daviess County.....	1,029.8	49.9	18.7	6.2	43.7	6.2	6.2	6.2	87.4
27 Dekalb County.....	1,074.4	17.1	17.1	17.1	35.3	8.5	8.5	85.3
28 Dent County †.....	861.2	59.9	15.0	7.5	7.5	44.9	59.9	15.0	15.0
29 Douglas County †.....	680.5	18.1	18.1	6.0	24.1	30.1	66.2	6.0	36.1
30 Dunklin County.....	1,758.7	61.8	247.0	35.3	32.4	52.9	14.7	144.1	2.9	8.8	23.5
31 Franklin County.....	1,114.9	20.3	3.4	6.8	3.4	33.9	16.9	98.3	6.8	10.2	6.8	74.6
32 Gasconade County.....	925.1	22.9	22.9	15.3	7.6	114.7	22.9	22.9	52.9
33 Gentry County.....	1,182.0	19.7	6.6	6.6	19.7	6.6	137.9	19.7	13.1	6.6	52.5
34 Greene County †.....	863.4	30.1	6.7	30.1	3.3	16.7	6.7	3.3	103.7	6.7	10.0	6.7	46.8
35 Grundy County.....	1,130.2	30.7	6.1	6.1	6.1	104.4	6.1	12.3	36.9
36 Harrison County.....	1,117.6	31.9	5.3	5.3	10.6	10.6	5.3	79.8	16.0	5.3	63.9
37 Henry County.....	970.4	11.2	18.6	3.7	26.0	11.2	85.5	7.4	7.4	7.4	44.6
38 Hickory County †.....	767.3	24.4	12.2	12.2	12.2	73.1	12.2	60.9
39 Holt County †.....	876.9	7.4	22.3	7.4	29.7	7.4	29.7	89.2
40 Howard County (total).....	1,144.0	41.4	34.5	6.9	6.9	172.3	6.9	13.8	103.4
41 White.....	1,034.3	42.7	25.6	8.5	8.5	85.5	8.5	8.5	128.2
42 Colored.....	1,600.9	35.6	71.1	533.6	35.6
43 Howell County †.....	858.3	28.9	14.5	14.5	4.8	9.6	9.6	9.6	86.8	4.8	9.6	43.4
44 Iron County.....	1,341.2	23.5	23.5	70.6	11.8	141.2	11.8	82.4
45 Jackson County.....	1,108.3	12.7	5.1	7.6	5.1	22.9	22.9	81.5	7.6	10.2	5.1	61.1
46 Jasper County.....	1,071.1	32.7	8.7	30.5	8.7	21.8	6.5	154.6	2.2	4.4	6.5	32.7
47 Jefferson County (total).....	1,020.8	24.3	17.4	3.5	3.5	24.3	13.9	128.5	13.9	10.4	6.9	38.2
48 White.....	965.3	22.0	14.7	3.7	3.7	25.7	14.7	110.1	11.0	11.0	7.3	33.0
49 Colored.....	1,993.6	64.3	64.3	450.2	64.3	128.6
50 Johnson County.....	1,111.5	23.4	3.9	3.9	7.8	11.7	19.5	11.7	7.8	120.9	11.7	19.5	11.7	105.3
51 Knox County †.....	887.5	16.7	8.4	8.4	25.1	75.4	8.4	67.0
52 Laclede County.....	953.7	33.9	5.6	16.9	16.9	11.3	5.6	107.2	5.6	11.3	22.6
53 Lafayette County (total).....	1,226.9	13.6	10.2	10.2	3.4	13.6	16.9	91.5	6.8	10.2	115.2
54 White.....	1,167.6	11.2	11.2	11.2	3.7	14.9	18.7	67.1	7.5	11.2	123.1
55 Colored.....	1,814.8	37.0	333.3	37.0
56 Lawrence County.....	1,224.4	94.2	4.1	4.1	45.0	4.1	20.5	126.9	4.1	8.2	45.0
57 Lewis County † (total).....	843.1	19.5	6.5	6.5	6.5	19.5	103.8	38.9
58 White.....	798.5	21.0	7.0	7.0	7.0	21.0	70.0	42.0
59 Colored.....	2,213.0	829.9
60 Lincoln County (total).....	1,135.2	12.1	6.1	54.6	12.1	24.3	121.4	6.1	24.3	12.1	60.7
61 White.....	1,045.6	13.2	6.6	26.3	13.2	26.3	85.5	6.6	19.7	13.2	59.2
62 Colored.....	2,209.9	394.6	552.5	78.9	78.9
63 Linn County.....	1,089.5	27.8	11.9	11.9	23.9	8.0	79.5	4.0	4.0	8.0	47.7
64 Livingston County.....	1,255.4	38.4	5.5	11.0	11.0	5.5	5.5	93.2	5.5	5.5	5.5	93.2
65 McDonald County †.....	295.7	14.8	7.4	7.4	7.4	44.4	22.2
66 Macon County.....	918.1	13.4	3.3	6.7	3.3	3.3	10.0	3.3	33.5	10.0	6.7	73.4
67 Madison County.....	998.0	84.6	8.5	16.9	135.3	33.8
68 Maries County.....	865.1	29.2	9.7	9.7	9.7	87.5	9.7	19.4	77.8
69 Marion County (total).....	1,122.8	25.7	25.7	25.7	8.6	111.4	8.6	8.6	102.9
70 White.....	1,081.8	28.0	28.0	9.3	74.6	9.3	9.3	111.9
71 Colored.....	1,589.0	529.7
72 Mercer County †.....	777.0	8.8	8.8	17.7	61.8	17.7	59.0

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

125

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enteri- tis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
6.9	6.9	41.3	34.4	13.8	113.7	17.2	110.2	6.9	20.7	6.9	34.4	6.9	10.3	55.1	58.6	13.8	213.6	31.0	1
7.4	3.7	44.4	11.1	11.1	122.2	14.8	100.0	7.4	18.5	3.7	37.0	7.4	7.4	51.8	62.9	14.3	203.6	29.6	2
49.6	13.8	73.8	347.0	49.6	60.0	49.6	247.9	9.2	49.6	49.6	115.4	4.6	49.6	99.2	50.8	18.5	347.0	49.6	3
80.1	80.1	80.1	40.1	20.0	120.2	20.0	60.1	20.0	20.0	20.0	100.1	20.0	20.0	40.1	100.1	20.0	260.4	100.1	5
4.4	8.8	61.7	92.6	13.2	52.9	8.8	39.7	4.4	4.4	4.4	97.0	8.8	30.9	35.3	17.6	171.9	17.6	6	
19.1	76.3	76.3	70.0	38.2	63.6	6.4	25.4	12.7	19.1	6.4	76.3	19.1	57.2	31.8	12.7	190.8	38.2	7	
18.1	4.5	63.4	108.7	13.6	108.7	9.1	40.7	4.5	9.1	4.5	77.0	4.5	18.1	67.9	22.6	185.6	9.1	8	
19.9	49.6	69.8	99.7	14.9	104.6	5.0	39.9	10.0	10.0	5.0	69.8	5.0	10.0	64.8	24.9	174.4	5.0	9	
32.6	32.6	32.6	198.2	198.2	148.7	49.6	49.6	49.6	49.6	49.6	148.7	49.6	99.1	99.1	49.6	297.3	49.6	10	
34.1	68.3	68.3	26.0	19.5	84.6	8.5	19.5	4.4	4.4	4.4	104.2	6.5	52.1	32.6	26.0	110.7	17.6	11	
57.4	4.8	110.1	153.6	34.1	76.8	19.1	42.7	25.6	25.6	25.6	128.0	8.5	68.3	34.1	25.6	230.5	17.1	12	
60.4	5.0	115.9	95.7	19.1	90.9	19.1	23.9	19.1	19.1	33.5	191.4	19.1	71.8	124.4	47.9	224.9	19.1	13	
13.9	6.9	83.2	55.5	55.5	55.5	27.7	27.7	6.9	13.9	7.3	90.2	286.1	69.4	41.6	13.9	263.6	27.7	16	
14.6	7.3	72.9	51.0	51.0	58.3	29.2	29.2	7.3	7.3	7.3	80.2	286.1	58.3	29.2	14.6	262.4	21.9	17	
10.5	10.5	286.1	143.1	143.1	21.0	21.0	21.0	143.1	143.1	10.5	286.1	21.0	286.1	286.1	10.5	286.1	143.1	18	
15.5	98.1	93.0	73.6	10.5	21.0	21.0	21.0	10.5	10.5	10.5	42.1	21.0	21.0	42.1	10.5	84.1	143.1	19	
17.9	83.7	95.7	189.4	189.4	151.5	6.0	35.9	12.0	12.0	6.0	71.7	12.0	23.9	71.7	17.9	191.3	12.0	20	
6.9	14.5	43.4	50.6	7.2	115.6	13.8	43.4	37.9	37.9	6.9	151.5	14.5	6.0	37.9	37.9	340.9	37.9	22	
23.3	81.1	81.1	23.3	7.8	108.7	15.5	23.3	15.5	7.8	7.8	31.1	7.8	46.6	38.8	7.8	130.1	7.8	23	
25.6	17.1	102.3	68.7	12.5	87.4	18.7	43.7	8.5	8.5	25.6	81.1	8.5	6.2	81.1	18.7	237.2	8.5	24	
22.5	7.5	15.0	162.0	59.9	85.3	8.5	42.6	8.5	8.5	7.5	34.1	8.5	8.5	51.2	42.6	179.1	8.5	25	
6.0	24.1	54.2	59.9	12.0	127.3	97.3	97.3	7.5	7.5	7.5	37.4	12.0	59.9	30.0	6.0	134.8	22.5	26	
2.9	20.6	26.5	54.2	20.6	42.2	6.0	6.0	18.1	18.1	24.1	18.1	24.1	66.2	30.1	6.0	114.4	42.2	27	
27.1	10.2	50.8	38.2	20.6	170.6	14.7	202.9	5.9	5.9	5.9	44.1	8.8	35.3	135.3	79.4	241.2	70.6	28	
22.9	7.6	61.2	88.1	13.6	57.6	10.2	74.6	3.4	13.6	3.4	91.5	6.8	3.4	33.9	13.6	196.5	16.9	29	
3.3	6.7	111.6	137.9	6.6	151.0	6.6	6.6	6.6	6.6	6.6	61.2	13.1	13.1	91.8	7.6	191.1	6.6	30	
18.4	73.7	79.8	189.4	6.7	103.7	6.7	23.4	6.7	6.7	6.7	91.9	6.7	13.1	72.2	13.1	180.4	6.6	31	
10.6	5.3	53.2	79.8	42.6	101.1	26.6	53.2	5.3	5.3	16.0	49.1	6.1	67.6	73.7	43.0	233.4	43.0	32	
14.9	3.7	59.5	85.5	3.7	59.5	22.3	29.7	11.2	11.2	11.2	70.6	14.9	3.7	44.6	11.2	234.2	22.3	33	
24.4	60.9	24.4	60.9	24.4	73.1	12.2	24.4	24.4	24.4	12.2	12.2	12.2	60.9	24.4	24.4	121.8	36.5	34	
7.4	22.3	59.4	66.9	14.9	66.9	29.7	29.7	7.4	7.4	7.4	81.7	7.4	44.6	22.3	7.4	193.2	44.6	35	
13.8	20.7	89.6	82.7	48.2	48.2	41.4	41.4	27.6	13.8	13.8	82.7	6.9	13.8	75.8	13.8	199.9	20.7	36	
17.1	25.6	94.0	51.3	42.7	42.7	35.6	35.6	17.1	17.1	17.1	68.4	8.5	8.5	51.3	17.1	205.1	17.1	37	
9.6	4.8	19.3	213.4	213.4	71.1	35.6	35.6	142.3	142.3	142.3	142.3	8.5	8.5	177.9	177.9	177.9	35.6	38	
11.8	11.8	70.6	53.0	4.8	82.0	9.6	33.8	4.8	4.8	4.8	19.3	19.3	14.5	33.8	4.8	202.5	43.4	39	
17.8	5.1	94.3	35.3	28.0	164.7	23.5	58.8	11.8	11.8	47.1	47.1	47.1	56.0	129.4	5.1	235.3	82.4	40	
4.4	8.7	50.1	114.6	15.2	84.1	10.2	25.5	10.2	7.6	2.5	79.0	6.5	56.0	91.7	13.1	221.6	5.1	41	
13.9	34.7	62.5	104.5	15.2	69.7	4.4	34.8	6.5	8.7	15.2	54.4	6.5	56.6	78.4	13.1	217.7	8.7	42	
14.7	36.7	66.1	27.8	27.8	72.9	17.4	86.8	13.9	17.4	13.9	52.1	6.9	48.6	100.7	10.4	128.5	27.8	43	
15.6	66.3	35.5	128.6	128.6	257.2	64.3	64.3	7.8	7.8	15.6	55.1	3.7	128.6	84.4	11.0	128.5	29.4	44	
25.1	50.2	67.0	11.7	8.4	62.4	3.9	23.4	7.8	7.8	15.6	97.5	3.9	128.6	385.9	11.7	128.6	29.4	45	
5.6	50.8	67.7	5.6	5.6	84.6	16.9	16.9	11.3	11.3	5.6	58.6	5.6	92.1	25.1	5.6	206.7	39.0	46	
10.2	61.0	132.2	23.7	23.7	94.9	28.7	40.7	3.4	3.4	13.6	61.0	6.8	47.4	101.7	20.3	264.4	27.1	47	
11.2	67.1	123.1	22.4	22.4	82.1	22.4	37.3	3.7	3.7	11.2	48.5	3.7	48.5	93.3	22.4	264.9	27.1	48	
32.8	4.1	45.0	276.6	276.6	77.8	24.6	28.7	12.3	12.3	32.8	73.7	4.1	12.3	185.2	37.0	259.3	74.1	49	
12.1	6.1	48.6	121.4	24.3	115.3	36.4	36.4	6.1	6.1	12.1	78.8	18.2	18.2	30.4	60.7	18.2	188.2	6.1	50
13.2	6.6	32.9	111.8	26.3	111.8	39.5	39.5	6.6	6.6	13.2	72.3	19.7	19.7	26.3	19.7	190.7	6.6	51	
8.0	11.9	236.3	236.3	8.0	157.9	11.9	11.9	8.0	8.0	8.0	78.9	5.5	78.9	157.9	11.9	157.9	15.9	52	
21.9	120.6	95.4	139.2	11.0	51.7	11.0	39.8	23.9	8.0	8.0	87.5	4.0	79.5	95.4	11.0	175.0	15.9	53	
7.4	7.4	37.0	22.2	37.0	22.2	22.2	22.2	7.4	7.4	7.4	93.2	5.5	54.8	87.7	11.0	197.4	5.5	54	
8.5	3.3	66.3	80.8	18.7	56.8	3.3	16.7	6.7	6.7	8.5	90.1	6.7	16.7	56.8	6.7	193.6	13.4	55	
8.5	9.7	25.4	84.6	25.4	83.0	8.5	59.2	16.9	16.9	8.5	59.2	9.7	8.5	42.3	25.4	177.6	59.2	56	
8.6	17.1	60.0	120.0	17.1	85.7	8.6	85.7	8.6	8.6	8.6	68.0	9.7	48.6	77.8	17.1	184.7	9.7	57	
9.3	18.7	56.0	121.2	18.7	85.3	9.3	85.3	9.3	9.3	9.3	25.7	42.9	51.4	60.0	18.7	265.7	34.3	58	
79.5	79.5	79.5	44.2	8.8	132.5	35.3	35.3	8.8	8.8	8.8	414.9	26.5	26.5	56.0	65.3	423.7	105.9	59	

* Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Malaria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Erysipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES—Continued.																
MISSOURI—continued.																
1	Miller County.....	627.6	17.3	17.3				17.3	11.5		40.3		5.8	11.5	28.8	
2	Mississippi County (total).....	1,139.1	44.5	31.8		70.4		12.7	6.4	12.7	140.0	6.4	12.7	6.4	19.1	
3	White.....	1,122.9	51.4	36.7		73.4		14.7	7.3	7.3	132.1		7.3	7.3	22.0	
4	Colored.....	1,244.6				95.7				47.9	191.5	47.9	47.9			
5	Moniteau County.....	1,115.6	29.2					36.5	7.3	21.9	7.3	87.5	7.3		58.3	
6	Monroe County (total).....	954.7	5.6					5.6			5.6	79.1	5.6	5.6	79.1	
7	White.....	947.8	6.0					6.0			6.0	66.4	6.0	6.0	84.5	
8	Colored.....	1,054.5									263.6					
9	Montgomery County (total).....	1,151.8	13.2			26.3	6.6	19.7	32.9	6.6	105.3			6.6	111.9	
10	White.....	1,114.1	14.2			28.4	7.1	14.2	35.5	7.1	71.0			7.1	113.5	
11	Colored.....	1,634.9						90.8			545.0				90.8	
12	Morgan County†.....	780.2	30.4						7.6	22.8	7.6	98.8	7.6	15.2	15.2	
13	New Madrid County (total).....	1,013.7	21.8	108.8		26.1		17.4	43.5	13.1	4.4	91.4		13.1	4.4	
14	White.....	1,111.4	24.3	121.3		29.1		19.4	48.5	14.6	4.9	92.2		14.6	19.4	
15	Colored.....	168.0										84.0			42.0	
16	Newton County.....	1,118.0	22.1	11.0	3.7	7.4	11.0	7.4	18.4	14.7	3.7	147.1	7.4	3.7	11.0	
17	Nodaway County.....	1,037.5	14.8				7.4	29.5	11.1	3.7	44.3	7.4	14.8	7.4	66.5	
18	Oregon County.....	872.8	13.3	13.3			26.7		46.6	33.3	99.9				53.3	
19	Osage County†.....	821.6	41.8						34.8	7.0	90.5	7.0	7.0		55.7	
20	Ozark County†.....	718.3	67.6	16.9		8.5			8.5	8.5	93.5	8.5	8.5	16.9	16.9	
21	Pemiscot County (total).....	1,333.0	52.8	162.8		30.8		26.4	26.4	8.8	4.4	162.8	4.4	17.6	8.8	
22	White.....	1,270.5	52.3	142.7		33.3		28.5	28.5	9.5	4.8	138.0	4.8	19.0	9.5	
23	Colored.....	2,100.4	53.3	408.4								466.7				
24	Perry County.....	1,040.7	27.0	13.5				27.0	20.3	20.3		108.1			6.8	
25	Pettis County† (total).....	659.6	12.8	6.4		25.6		6.4	19.2	12.8	32.0			6.4	57.6	
26	White.....	632.3	13.5	6.7		26.9		6.7	20.2	13.5	26.9			6.7	60.5	
27	Colored.....	1,201.6									133.5					
28	Phelps County.....	1,019.5	24.3			18.2	12.1	12.1	6.1	6.1	48.5				36.4	
29	Pike County (total).....	1,141.6	9.4	4.7				18.9		18.9	122.6	9.4	18.9	4.7	56.6	
30	White.....	1,067.6	11.0					11.0		11.0	83.1	11.0	16.5	5.5	66.0	
31	Colored.....	1,585.2		33.0				66.0		66.0	330.2		33.0		145.7	
32	Platte County (total).....	1,206.2	36.6	7.3		14.6		43.9		7.3	95.0			7.3	43.9	
33	White.....	1,159.7	23.0	7.7		15.4		46.1		7.7	69.1			7.7	46.1	
34	Colored.....	2,127.7	304.0								607.9					
35	Folk County†.....	897.3	24.0	4.8		14.4		8.4	8.4	14.4	9.6	4.8			52.8	
36	Fulsaski County.....	976.3	16.8	8.4		16.8			25.3	16.8	109.4	8.4		8.4	50.5	
37	Futnam County.....	940.3	67.7								90.3	7.5		7.5	22.6	
38	Ralls County†.....	683.0	15.2				7.6	7.6	7.6	15.2	53.1				22.8	
39	Randolph County (total).....	1,524.3	6.8			33.9		47.4	6.8	13.5	162.6			6.8	88.1	
40	White.....	1,436.4				22.4		37.3	7.5	14.9	149.4			7.5	82.2	
41	Colored.....	1,893.7	72.8			145.7		145.7			291.3				145.7	
42	Ray County (total).....	1,153.6	44.9	5.0				5.0	15.0		114.9				54.9	
43	White.....	1,077.5	37.0	5.3				5.3	15.8		95.1				58.1	
44	Colored.....	2,566.5	183.3								453.3					
45	Reynolds County†.....	794.0	39.2	29.4		29.4			19.6	9.8	49.0	9.8	19.6		9.8	
46	Ripley County.....	1,247.3	99.5	53.6		7.7		7.7	45.9	15.3	84.2	7.7		7.7		
47	St. Charles County (total).....	1,093.3	12.1			4.0	4.0	36.3	23.2	16.1	104.9			8.1	80.7	
48	White.....	1,093.3	13.0			4.3	4.3	34.6	30.3	17.3	103.8			8.6	86.5	
49	Colored.....	1,023.5						60.2			120.4					
50	St. Clair County.....	950.8	19.0			6.3	6.3			12.7	88.7	6.3	19.0	12.7	50.7	
51	St. Francois County*.....	1,230.4	54.0	4.9		19.6		31.9	24.6	4.9	132.6	9.8	2.5	12.3	36.8	
52	St. Louis County (total).....	1,407.3	2.1	3.1		8.3	10.4	17.7	7.3	4.2	532.2	3.1	8.3	5.2	50.9	
53	White.....	1,312.7	2.2	2.2		8.8	10.9	17.5	7.7	4.4	480.2	2.2	5.5	4.4	49.2	
54	Colored.....	3,211.7		20.9				20.9			1,522.4	20.9	62.6	20.9	83.4	
55	Ste. Genevieve County.....	1,064.2						29.0			140.0			9.3	28.0	
56	Saline County (total).....	1,266.5	32.6	3.6	3.6		3.6	23.9	21.7	18.1	101.3	14.5	25.3	7.2	79.6	
57	White.....	1,098.3	20.6	4.1			4.1	8.3	24.8	12.4	70.2	16.5	16.5	4.1	86.7	
58	Colored.....	2,459.7	117.1		29.3			175.7		58.6	322.1		87.8	29.3	29.3	
59	Schuyler County.....	951.3							24.1		60.2				96.3	
60	Scotland County.....	983.3							8.9	17.7	70.9	17.7	8.9		53.2	
61	Scott County.....	1,227.0	19.0	45.6		57.0		15.2	34.2	3.8	110.2	11.4	11.4	7.6	22.8	
62	Shannon County†.....	683.1	69.4	17.4				8.7	17.4	8.7	95.4			17.4	8.7	
63	Shelby County.....	1,181.2	14.0					21.0	7.0	14.0	146.8			41.9	69.9	
64	Stoddard County.....	1,540.7	41.2	137.3		65.2		27.5	27.5	6.9	157.8			10.3	37.7	
65	Stone County†.....	635.8		8.2				32.6	8.2		57.1	8.2			8.2	
66	Sullivan County.....	1,090.5	28.0	5.6		5.6		5.6	11.2	5.6	78.3	5.6	5.6		95.1	
67	Taney County.....	941.1	23.0	57.4				23.0			91.8	23.0	11.5		45.9	
68	Texas County.....	922.1	18.9			37.8			4.7	4.7	94.6			4.7	28.4	
69	Vernon County*.....	1,313.4	18.1	7.2			10.9	7.2	23.9	7.2	108.5			7.2	10.9	
70	Warren County (total).....	1,206.5	45.5			11.4			11.4		34.1			11.4	34.1	
71	White.....	1,078.9	48.0			12.0					24.0			12.0	36.0	
72	Colored.....	3,608.6							225.2		225.2					
73	Washington County.....	1,184.3	76.9						23.1	15.4	184.6			7.7	92.3	

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- ditis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38		
11.5	5.8	23.0	74.9	5.8	69.1	28.8	5.8	5.8			92.1	17.3	5.8	40.3	23.0		63.3	5.8	1	
12.7	19.1	31.8	23.5	6.4	114.5	140.0	12.7	6.4			31.8	6.4	12.7	33.2	63.6		184.5	33.2	2	
14.7	22.0	29.4	29.4	7.3	117.4	154.1	7.3	7.3			29.4	7.3	14.7	36.7	58.7		168.8	29.4	3	
		47.9			95.7	47.9	47.9				47.9			47.9	95.7		237.2	95.7	4	
14.6	29.2	36.5	102.1	7.3	58.3	36.5	43.8	7.3	7.3	7.3	131.3	14.6		58.3	51.0	29.2	218.8		5	
28.2	5.6	73.4	45.2		113.0	11.3	45.2	5.6			96.0	16.9	5.6	50.8	45.2	28.2	175.1	22.6	6	
30.2	6.0	66.4	48.3		108.7	6.0	48.3	6.0			96.6	12.1	6.0	54.3	48.3	24.1	181.1	24.1	7	
		175.7			175.7	87.9					87.9	87.9				87.9		87.9		8
13.2		65.8	65.8	6.6	105.3	13.2	19.7	13.2	19.7		59.2	13.2	19.7	59.2	79.0	6.6	237.0	26.3	9	
14.2		63.9	71.0	7.1	92.3	14.2	21.3	14.2	21.3		56.8	14.2	21.3	56.8	56.8	7.1	255.5	28.4	10	
		90.8			272.5						90.8			90.8	363.3					11
18.2		22.8	45.6	7.6	68.4	7.6	22.8	15.2	7.6	15.2	68.4		15.2	60.8	53.2	22.8	91.2	15.2	12	
	4.4	17.4	13.1	4.4	60.9	4.4	165.3	4.4	4.4	8.7	21.8	13.1	21.8	87.0	69.6		117.5	34.8	13	
	4.9	19.4	14.8	4.9	67.9	4.9	184.4	4.9	4.9	9.7	24.3	14.6	24.3	97.1	72.8		131.0	38.8	14	
11.0	11.0	44.1	88.3	18.4	80.9	3.7	25.7	7.4	3.7	11.0	44.1		11.0	88.3	42.0		147.1	29.4	15	
															187.6					16
14.8		70.1	107.1	11.1	103.4	7.4	33.2	18.5	7.4	7.4	84.9	3.7	7.4	70.1	73.8	11.1	180.9	11.1	17	
20.0		40.0	40.0	6.7	73.3	6.7	46.6	6.7	14.8		33.3	13.3	13.3	60.0	68.6		139.9	20.0	18	
7.0		20.9	76.6	20.9	76.6	7.0	34.8			7.0	20.9		13.9	48.7	69.6	7.0	153.2	13.9	19	
	16.9	8.5	50.7		50.7		25.4	8.5	8.5	8.5	25.4	8.5	25.4	50.7	42.3		118.3	25.4	20	
4.4	17.6	8.8	48.4	4.4	136.4	13.2	154.0	4.4	8.8		13.2	13.2	8.8	79.2	83.6	8.8	136.4	83.6	21	
4.8	19.0		47.6	4.8	142.7	14.3	161.8	4.8	9.5		9.5	9.5	9.5	85.6	76.1	9.5	142.7	47.6	22	
		116.7	58.3		58.3		58.3				58.3				175.0			58.3	525.1	23
13.5		81.1	47.3	27.0	94.6	13.5	54.1	13.5		13.5	33.8	6.8		54.1	60.8		216.2	20.3	24	
6.4		32.0	70.4	6.4	57.6		6.4	6.4		6.4	115.3		12.8	19.2	32.0		96.1	12.3	25	
6.7		33.6	53.8	6.7	53.8		6.7	6.7		6.7	114.4		6.7	20.2	33.6		94.2	6.7	26	
		400.5			133.5						133.5		133.5				133.5	133.5	133.5	27
6.1	12.1	54.6	72.8	18.2	133.5	12.1	85.0	6.1		6.1	127.4			54.6	42.5	6.1	200.3	12.1	28	
28.3	18.9	56.6	76.5	14.2	61.3	4.7	37.7	4.7	9.4	14.2	141.5		4.7	51.9	84.9	28.3	212.3	28.3	29	
33.0	16.5	66.0	66.0	11.0	60.5	5.5	33.0	5.5	11.0	5.5	121.1		5.5	60.5	82.5	33.0	203.6	27.5	30	
	33.0		132.1	33.0	66.0		66.0			66.0	264.2			99.1			264.2	33.0	31	
14.6	14.6	80.4	95.0	7.3	131.6	21.9	29.2	21.9	7.3	7.3	43.9	14.6	7.3	58.5	109.7	7.3	241.2	7.3	32	
15.4	15.4	76.8	76.8	7.7	122.9	15.4	30.7	23.0	7.7	7.7	46.1	15.4	7.7	61.4	115.2	7.7	245.8	7.7	33	
		152.0	455.9		304.0	152.0											152.0		34	
14.4	4.8	52.8	43.2	33.6	67.2	14.4	28.8		9.6	4.8	91.2	9.6	4.8	62.4	33.6	9.6	167.9	14.4	35	
	8.4	33.7	67.3		134.7	8.4	25.3		8.4		92.6		8.4	84.2	50.5		151.5	25.3	36	
15.0	30.1	45.1	120.4	15.0	45.1		30.1	15.0		7.5	67.7	15.0	22.6	52.7	30.1	7.5	165.5	60.2	37	
15.2		68.3	98.6	7.6	75.9		15.2		7.6	7.6	30.4			68.3	30.4	7.6	113.8	15.2	38	
6.8	13.5	101.6	149.0	6.8	115.2		74.5			13.5	88.1	27.1	13.5	74.5	142.3	20.3	291.3	20.3	39	
7.5	97.1	97.1	149.4	7.5	127.0		74.5			14.9	97.1	29.9	14.9	82.2	141.9	14.9	283.8	14.9	40	
	72.8	145.7	145.7		72.8		72.8							145.7	72.8		364.2	72.8	41	
5.0	15.0	44.9	109.9	15.0	134.8	5.0	69.9	10.0	15.0	15.0	44.9	20.0	10.0	79.9	64.9	20.0	199.8	40.0	42	
5.3	15.8	37.0	89.8	15.8	137.3	5.3	68.7	10.6	10.6	15.8	42.3	21.1	10.6	84.5	63.4	21.1	179.6	26.4	43	
		183.3	458.3		91.7		91.7		91.7		91.7			91.7			550.0	275.0	44	
29.4			39.2	9.8	49.0	9.8	29.4		9.8	9.8		9.8	9.8	58.8	58.8		186.2	68.6	45	
23.0	15.3	7.7	45.9	23.0	199.0	15.3	53.6	15.3		15.3	61.2	15.3	23.0	122.5	53.6		214.3	7.7	46	
20.2	8.1	60.5	113.0	20.2	76.6	20.2	36.3	8.1	12.1	20.2	80.7	16.1		28.2	72.6	8.1	197.7		47	
21.6	4.3	60.5	103.8	21.6	82.2	13.0	38.9	8.6	13.0	17.3	86.5	17.3		30.3	69.2	8.6	198.9		48	
	60.2		240.8		120.4					60.2					120.4		180.6		49	
	6.3	69.7	63.4	12.7	76.1	6.3	38.0		6.3	6.3	82.4	6.3		63.4	31.7	6.3	228.2	25.4	50	
7.4	14.7	49.1	49.1	34.4	127.7	7.4	147.4	2.5	12.3		93.3	7.4	7.4	73.7	66.3	4.9	152.3	31.9	51	
8.3	4.2	49.9	28.1		78.0	8.3	43.7	2.1	9.4	6.2	84.2	5.2		42.6	36.3	26.0	174.6	6.2	52	
8.8	4.4	51.4	86.4	24.1	71.1	7.7	41.6	2.2	8.8	6.6	84.2	5.5		40.5	80.9	23.0	165.0	6.6	53	
		20.9	166.8	104.3	208.6	20.9	83.4		20.9		83.4			83.4	187.7	83.4	396.2		54	
9.3	37.3	46.7	56.0	18.7	121.4	18.7	37.3		9.3	9.3	74.7	28.0		112.0	56.0	9.3	196.0		55	
21.7	7.2	57.9	137.5	14.5	76.0	18.1	39.8	3.6	7.2	18.1	61.5		14.5	61.5	72.4	7.2	275.0	32.6	56	
24.8	4.1	53.7	111.5	8.3	61.9	16.5	37.2	4.1	8.3	20.6	53.7		12.4	57.8	82.6	8.3	247.7	16.5	57	
	29.3	87.8	322.1	58.6	175.7	29.3	58.6				117.1		29.3	87.8			468.5	146.4	58	
24.1	24.1	60.2	72.3	12.0	72.3		36.1		12.0		132.5			48.2	48.2	24.1	168.6	24.1	59	
8.9		88.6	115.2		62.0	8.9	62.0	26.6	8.9		53.2	8.9		26.6	62.0	17.7	239.2	17.7	60	
3.8	7.6	41.8	15.2	11.4	110.2	11.4	178.5	3.8	3.8		53.2	7.6	19.0	136.8	60.8	15.2	189.9	19.0	61	
	8.7		60.7	8.7	17.4		60.7		8.7	17.4	8.7			69.4	8.7	8.7	112.8	17.4	62	
21.0	14.0	83.9	90.9		111.8	14.0	28.0			111.8	7.0	7.0		28.0	55.9	28.0	244.6	14.0	63	
6.9	20.6	34.3	61.8	30.9	209.3	3.4	137.3		10.3	6.9	30.9	10.3	17.2	89.2	72.1	3.4	185.3	96.1	64	
	8.2	24.5	48.9	8.2	48.9		32.6		24.5	8.2	24.5		8.2	89.7	32.6		122.3	32.6	65	
5.6		61.5	117.4	22.4	72.7	5.6	39.1		16.8		89.5	5.6		67.1	72.7	16.8	223.7	28.0	66	
11.5	23.0	45.9	23.0	11.5	80.3		57.4	11.5	11.5	23.0	34.4		45.9	45.9	45.9	23.0	126.2	45.9	67	
23.6		33.1	61.5	9.5	118.2	9.5	61.5	4.7	4.7	4.7	66.2	4.7	9.5	42.6	52.0	4.7	160.8	47.3	68	
14.5	7.2	76.0	166.4	10.9	72.4	10.9	25.3	3.6	3.6	3.6	133.9		3.6	54.3	76.0	21.7	314.8	7.2	69	
	11.4	68.3	204.9		91.1	34.1	63.3			11.4	79.7	22.8	11.4	68.3	68.3	45.5	227.6	45.5	70	
	12.0	71.9	167.8		71.9	36.0	48.0		</											

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Malaria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
RURAL PART OF REGISTRATION STATES ² —Continued.															
MISSOURI—continued.															
1 Wayne County.....	1,196.6	33.1	46.3		26.4			26.4	13.2		185.1	13.2	13.2		59.5
2 Webster County †.....	904.5	39.6			56.5			17.0	5.7		113.1	5.7	5.7	11.3	50.9
3 Worth County †.....	760.7	13.8									27.7			13.8	55.3
4 Wright County.....	954.3	37.5			42.9			16.1	10.7		155.5	5.4	10.7	10.7	21.4
MONTANA.															
5 Total.....	975.9	13.3		1.2	4.9	6.8	4.0	9.0	2.8	2.5	79.1	4.0	8.3	4.3	43.6
6 White.....	953.3	13.6		1.3	4.2	7.1	4.2	9.1	2.9	2.6	63.9	3.6	7.8	4.5	44.5
7 Colored.....	1,428.8	6.5			19.5			6.5			383.2	13.0	19.5		26.0
8 Beaverhead County †.....	794.0						14.7				29.4		14.7	14.7	29.4
9 Broadwater County.....	1,011.9												25.9		77.8
10 Cascade County †.....	614.3					30.1		12.0			24.1	6.0		6.0	54.2
11 Chouteau County †.....	1,128.1	47.9			6.4	6.4	3.2	9.6	3.2	6.4	60.7		6.4	9.6	54.3
12 Custer County †.....	908.6	8.7			5.8	2.9	5.8	14.5			57.9	5.8	8.7	5.8	66.6
13 Deer Lodge County *.....	5,326.2										1,065.2				33.3
14 Fergus County †.....	936.8	10.7		1.3	9.4	8.1	2.7	5.4	2.7		73.8	5.4	8.1	2.7	22.8
15 Flathead County †.....	742.2	21.3				4.3		4.3			72.5			4.3	59.7
16 Gallatin County.....	968.3	13.7		6.2	12.5		13.7	12.5	6.2	6.2	31.2	6.2			25.0
17 Granite County.....	1,401.9										42.5				42.5
18 Jefferson County †.....	454.9	17.5									70.0				
19 Lewis and Clark County †.....	561.9										10.3		10.3		30.8
20 Lincoln County.....	1,079.1	44.0					22.0	22.0	22.0		44.0				22.0
21 Madison County.....	967.0	23.4							14.2		42.7				28.4
22 Missoula County †.....	865.4				16.6		8.3		8.3		124.8	16.6	25.0		33.3
23 Park County †.....	796.6					16.4		8.2		8.2	32.9		8.2		65.7
24 Powell County.....	1,146.8									16.4	49.1		16.4		65.5
25 Ravalli County †.....	729.1	15.0							7.5		30.1			7.5	67.6
26 Sanders County † (total).....	802.5										22.3				22.3
27 White.....	739.1														23.9
28 Colored.....	986.8										328.9				
29 Silver Bow County.....	1,552.3			5.4		27.0	5.4	10.8		5.4	243.4	16.2	37.9	16.2	70.3
30 Valley County †.....	1,063.6	11.4		5.7	5.7		5.7	45.5		11.4	108.1		5.7		28.4
NEW HAMPSHIRE.															
31 Total.....	1,617.4	8.6	1.2		4.3	2.8	7.1	8.3	22.8	2.8	102.2	9.4	10.6	6.7	105.7
32 White.....	1,618.4	8.7	1.2		4.3	2.8	7.1	8.3	22.8	2.8	102.3	9.4	10.6	6.7	105.5
33 Colored.....	879.8														293.3
34 Belknap County.....	1,731.4	9.1						9.1	27.3		154.9			9.1	127.6
35 Carroll County.....	1,785.7	12.4						12.4	68.1	6.2	69.4	6.2	6.2	12.4	149.3
36 Cheshire County.....	1,465.3	5.0			5.0	10.0	5.0	50.2	5.0	5.0	75.3	10.0	10.0	15.1	115.4
37 Coos County.....	1,481.8	5.5					5.5	10.9			93.0	10.9	16.4		103.9
38 Grafton County.....	1,531.1	2.4						2.4	21.4	2.4	88.1	9.5	9.5	9.5	102.4
39 Hillsborough County.....	1,951.5	3.4			6.8	6.8	3.4	20.5	23.9	3.4	167.5	20.5	3.4	3.4	88.9
40 Merrimack County.....	1,590.9	3.2				3.2	12.7	3.2	15.9		117.7	3.2	19.1		95.5
41 Rockingham County.....	1,552.1	17.0			4.9	2.4	17.0	7.3	17.0		94.9	12.2	17.0	2.4	124.1
42 Strafford County.....	1,320.2	23.5	3.9		23.5		11.8	15.7	7.8	3.9	74.4		11.8	7.8	74.4
43 Sullivan County.....	1,688.4	5.0	10.0			5.0		10.0	20.1	10.0	95.5	15.1		15.1	100.5
NEW JERSEY.															
44 Total.....	1,412.3	5.8	0.6		4.6	9.1	13.2	21.7	10.3	5.1	153.0	6.4	7.6	7.8	80.7
45 White.....	1,400.2	5.6	0.6		4.6	9.4	11.4	22.2	10.5	5.1	145.0	6.3	6.6	7.7	82.1
46 Colored.....	1,707.9	10.3			2.6	2.6	56.8	7.7	5.2	5.2	348.3	7.7	31.0	10.3	46.4
47 Atlantic County.....	1,367.8	6.9			3.5	3.5	3.5	6.9	6.9		90.3	3.5		13.9	72.9
48 Bergen County.....	1,051.4	2.2			3.7	2.2	7.4	15.6	8.2	3.0	99.0	5.2	7.4	3.7	75.2
49 Burlington County (total).....	1,528.9	12.8					21.4	20.0	15.7	10.0	114.1	1.4	7.1	2.9	85.6
50 White.....	1,512.0	13.6					22.6	16.6	21.1	16.6	108.9	1.5	4.5	3.0	88.9
51 Colored.....	1,851.9						107.8			26.9	242.5		53.9		26.9
52 Camden County (total).....	1,494.0	7.4			5.5		16.6	14.8	3.7		186.3	7.4	7.4	20.3	60.9
53 White.....	1,477.0	6.0			6.0		13.9	15.9	4.0		178.7	7.9	7.9	19.9	61.5
54 Colored.....	1,893.8	28.7					57.4				344.3			28.7	57.4
55 Cape May County (total).....	1,553.3	8.9			8.9		44.4	13.3			79.9	4.4	13.3		88.8
56 White.....	1,513.3	9.6			4.3		43.2	14.4			72.1	4.8	9.6		86.5
57 Colored.....	2,100.8				60.0		60.0				180.1		60.0		120.0
58 Cumberland County (total).....	1,514.0	6.8				3.4	23.9	6.8	10.3	13.7	153.8	6.8	10.3	6.8	116.2
59 White.....	1,482.5	7.3				3.6	18.2	7.3	7.3	14.6	142.1	7.3	3.6	7.3	116.6
60 Colored.....	1,992.3						110.7		55.3		332.0		110.7		110.7
61 Essex County.....	1,923.0				6.3	70.9	8.3	135.6	4.2	4.2	454.7	6.3	8.3	2.1	75.1

¹ Exclusive of stillbirths.² Exclusive of municipalities having a population of 10,000 or over in 1910.³ Includes Blaine, Hill, Teton, and Tooele Counties; the last named formed from parts of Teton and Hill Counties, May 7, 1914, separate estimated populations not available.⁴ Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available. See General Table 5 for notes.

DEATH RATES FROM PRINCIPAL CAUSES.

129

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes.	Menin- gitis.	Cere- bral hemor- rage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- defined and un- known causes.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
6.6	6.6	19.8	13.2	33.1	152.1	-----	79.3	13.2	6.6	-----	59.5	13.2	13.2	92.6	59.5	6.6	178.5	26.4	
11.3	11.3	45.2	45.2	11.3	113.1	-----	28.3	5.7	11.3	-----	50.9	5.7	11.3	55.5	45.2	5.7	107.4	33.9	
13.8	-----	96.8	86.8	13.8	69.2	13.8	27.7	-----	13.8	13.8	27.7	-----	13.8	41.5	13.8	13.8	179.8	-----	
5.4	10.7	21.4	64.3	5.4	123.3	5.4	16.1	-----	5.4	5.4	69.7	5.4	5.4	69.7	48.3	-----	166.2	16.1	
7.1	6.5	40.2	76.9	6.5	89.3	13.3	35.2	12.4	8.7	9.6	46.4	7.1	11.4	68.9	122.4	27.5	176.8	26.0	
7.5	6.5	41.5	78.3	6.5	82.1	14.0	33.7	12.7	9.1	10.1	46.1	7.1	12.0	69.8	122.6	27.6	178.5	19.3	
-----	6.5	13.0	39.0	6.5	233.8	-----	64.9	6.5	-----	-----	52.0	6.5	-----	52.0	116.9	26.0	181.9	149.4	
-----	-----	29.4	58.8	-----	205.9	-----	-----	-----	-----	14.7	58.8	14.7	14.7	-----	176.4	14.7	102.9	-----	
-----	25.9	77.8	77.8	-----	51.9	25.9	25.9	-----	-----	25.9	103.8	-----	-----	103.8	181.6	-----	181.6	25.9	
-----	18.1	43.2	42.2	-----	66.3	-----	36.1	-----	-----	12.0	30.1	-----	6.0	72.3	6.0	90.3	90.3	18.1	
6.4	3.2	41.5	57.5	6.4	121.4	12.8	57.5	25.6	12.8	6.4	35.2	12.8	19.2	79.9	169.4	28.3	188.6	28.3	
11.6	2.9	26.0	63.7	2.9	69.5	20.3	20.3	37.6	8.7	2.9	43.4	11.6	23.9	69.5	121.5	14.5	144.7	26.0	
33.3	-----	299.6	233.0	-----	233.0	199.7	33.3	66.6	33.3	66.6	66.6	-----	-----	33.3	299.6	33.3	2,563.2	99.9	
6.7	8.1	22.8	68.5	1.3	112.7	10.7	45.6	6.7	10.7	4.0	34.9	5.4	8.1	89.9	111.4	38.9	151.7	45.6	
-----	-----	34.1	68.3	-----	46.9	4.3	25.6	8.5	8.5	-----	46.9	8.5	12.8	72.5	81.0	17.1	128.0	8.5	
25.0	-----	56.2	81.2	12.5	106.2	25.0	25.0	25.0	12.5	-----	81.2	-----	6.2	68.7	100.0	56.2	143.7	25.0	
-----	-----	42.5	169.9	127.4	42.5	127.4	-----	-----	-----	-----	-----	-----	-----	85.0	212.4	85.0	382.3	42.5	
17.5	-----	17.5	52.5	-----	35.0	-----	35.0	-----	-----	-----	35.0	-----	-----	35.0	70.0	-----	70.0	-----	
-----	-----	92.4	20.5	-----	51.4	10.3	20.5	-----	-----	-----	102.7	-----	10.3	41.1	51.4	10.3	92.4	10.3	
-----	-----	88.1	88.1	-----	110.1	22.0	-----	44.0	22.0	-----	22.0	-----	22.0	44.0	294.3	68.1	66.1	44.0	
-----	14.2	42.7	184.9	14.2	28.4	-----	28.4	-----	56.9	-----	42.7	-----	-----	56.9	113.8	28.4	227.5	14.2	
-----	8.2	49.9	83.2	8.3	33.3	16.6	41.6	8.3	8.3	8.3	8.3	16.6	-----	74.9	141.5	16.6	91.5	16.6	
-----	8.2	57.5	73.9	-----	65.7	8.2	-----	16.4	-----	-----	24.6	8.2	16.4	49.3	106.8	16.4	172.5	-----	
-----	-----	180.2	147.4	-----	81.9	-----	49.1	-----	-----	-----	16.4	-----	-----	65.5	93.3	32.8	163.8	65.5	
7.5	-----	37.6	82.7	15.0	37.6	-----	7.5	7.5	7.5	-----	30.1	-----	7.5	60.1	67.6	37.6	172.9	7.5	
22.3	-----	44.6	44.6	-----	22.3	-----	-----	-----	-----	22.3	66.9	-----	-----	44.6	245.2	66.9	178.3	-----	
23.9	-----	47.8	47.8	-----	23.9	-----	-----	-----	-----	23.9	71.7	-----	-----	23.9	263.0	71.7	167.4	-----	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	323.9	-----	-----	323.9	-----	
10.8	16.2	48.7	102.8	27.0	162.3	37.9	70.3	-----	5.4	32.5	113.6	10.8	10.8	70.3	156.9	16.2	210.9	10.8	
5.7	17.1	17.1	85.3	5.7	73.9	5.7	56.9	5.7	17.1	11.4	28.4	17.1	11.4	68.3	136.5	28.4	216.1	28.4	
27.5	10.6	151.3	225.2	25.9	121.0	14.9	35.0	16.5	14.5	11.0	117.9	3.9	11.8	75.4	82.1	14.1	359.6	6.7	
27.5	10.6	151.5	225.1	26.0	121.2	14.6	35.0	16.5	14.6	11.0	118.0	3.9	11.8	75.6	82.2	14.2	360.0	6.7	
-----	-----	293.3	293.3	-----	293.3	-----	293.3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
45.6	-----	209.6	282.5	27.3	127.6	-----	18.2	9.1	-----	9.1	145.8	-----	9.1	18.2	91.1	9.1	391.8	-----	
49.8	6.2	180.4	242.7	6.2	190.1	6.2	18.7	6.2	12.4	-----	112.0	-----	18.7	62.2	74.7	37.3	392.0	18.7	
20.1	15.1	125.5	215.8	20.1	130.5	15.1	35.1	5.0	10.0	20.1	120.4	5.0	10.0	85.3	65.2	5.0	250.9	5.0	
21.9	10.9	98.4	229.7	10.9	136.7	27.3	27.3	33.3	32.8	5.5	76.6	10.9	5.5	82.0	114.8	16.4	284.3	5.5	
21.4	7.1	116.7	157.2	19.9	123.8	23.8	21.4	16.7	16.7	7.1	135.7	7.1	9.5	78.6	73.8	9.5	421.5	11.9	
23.9	6.8	153.8	252.9	44.4	78.6	23.9	41.0	17.1	17.1	20.5	150.4	-----	6.8	119.6	92.3	17.1	526.3	6.8	
25.5	12.7	171.8	286.4	31.8	130.5	9.5	44.5	3.2	25.5	22.3	89.1	3.2	15.9	60.5	60.5	9.5	303.6	6.4	
26.8	14.6	165.4	189.8	34.1	104.6	12.2	43.8	9.7	7.3	9.7	102.2	4.9	9.7	70.6	99.7	14.6	316.3	-----	
47.0	15.7	137.1	219.4	23.5	125.4	3.9	43.1	11.8	3.9	3.9	137.1	-----	15.7	62.7	82.3	11.8	309.5	7.8	
10.0	10.0	196.0	271.3	25.1	100.5	15.1	40.2	50.2	15.1	5.0	110.5	5.0	20.1	80.4	70.3	20.1	351.7	5.0	
19.9	7.8	116.4	161.4	16.7	129.1	10.3	71.4	4.4	7.3	13.4	120.5	4.1	7.1	68.9	85.0	16.8	221.8	4.4	
19.6	8.0	117.1	161.3	16.9	125.7	10.2	71.9	4.5	7.4	13.3	120.9	4.0	7.1	68.5	84.8	17.3	220.0	4.3	
25.8	2.6	98.0	162.5	12.9	211.6	12.9	59.3	-----	5.2	15.5	110.9	5.2	7.7	77.4	90.3	5.2	265.7	5.2	
6.9	17.4	100.7	152.7	24.3	111.1	3.5	90.3	-----	6.9	10.4	138.9	-----	3.5	48.6	111.1	13.9	309.0	6.9	
19.4	8.2	91.6	131.0	14.9	99.8	8.2	47.7	6.7	4.5	19.4	76.7	3.7	8.9	52.9	68.5	17.9	136.3	2.2	
20.0	4.3	151.2	175.4	8.6	142.6	5.7	89.9	-----	12.8	10.0	135.5	7.1	2.9	92.7	85.6	21.4	248.2	2.9	
21.1	4.5	155.1	176.2	9.0	129.5	6.0	88.9	-----	13.6	9.0	134.0	6.0	3.0	94.9	82.8	22.6	248.5	3.0	
-----	-----	80.8	161.6	-----	377.2	-----	107.8	-----	-----	26.9	161.6	26.9	-----	53.9	134.7	-----	242.5	-----	
18.4	3.7	119.9	188.1	14.8	149.4	3.7	86.7	1.8	5.5	12.9	140.2	7.4	5.5	75.6	86.7	18.4	219.5	5.5	
17.9	4.0	125.1	182.6	13.9	154.8	2.0	85.4	2.0	6.0	9.9	133.0	7.9	6.0	71.5	87.3	19.9	222.3	6.0	
28.7	-----	57.4	286.9	28.7	86.1	28.7	114.3	-----	-----	57.4	258.2	-----	-----	143.5	36.1	-----	200.9	-----	
39.9	8.9	182.0	190.8	-----	97.6	13.3	48.3	4.4	4.4	17.8	213.0	4.4	4.4	31.1	150.9	13.3	261.8	4.4	
38.4	9.6	192.2	197.0	-----	81.7	14.4	43.2	4.8	4.8	19.2	211.4	-----	4.8	28.8	163.3	14.4	240.2	4.8	
60.0	-----	60.0	120.0	-----	300.1	-----	120.0	-----	60.0	-----	240.1	60.0	-----	69.0	-----	-----	540.2	-----	
13.7	10.3	126.4	188.0	10.3	140.1	13.7	30.8	3.4	10.3	13.7	102.5	10.3	10.3	83.9	51.3	10.3	317.8	3.4	
10.9	7.3	123.8	200.3	10.9	127.5	14.6	29.1	3.6	10.9	14.6	102.0	10.9	7.3	91.1	51.0	10.9	316.9	3.6	
55.3	55.3	166.0	-----	-----	332.0	-----	55.3	-----	-----	-----	110.7	-----	55.3	55.3	55.3	-----	332.0	-----	
22.9	12.5	89.7	194.0	20.9	168.5	14.6	50.1	4.2	6.3	18.8	131.4	-----	3.3	73.0	37.5	8.3	296.2	-----	

⁵ Includes Big Horn, Carbon, Meagher, Musselshell, Rosebud, Stillwater, Sweet Grass, and Yellowstone Counties; separate estimated populations not available. See General Table 5 for notes.

⁶ Includes Mineral County, organized Aug. 7, 1914; separate estimated populations not available.

⁷ Includes Sheridan County; separate estimated populations not available.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culosis menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
RURAL PART OF REGISTRATION STATES ² —Continued.															
NEW JERSEY—continued.															
1 Gloucester County (total).....	1,372.9	10.1	2.5	2.5	2.5	27.7	5.0	12.6	2.5	115.9	5.0	12.6	2.5	95.7
2 White.....	1,356.9	8.1	2.7	2.7	2.7	26.9	5.4	13.5	2.7	96.9	5.4	10.8	99.6
3 Colored.....	1,605.3	39.2	39.2	391.5	39.2	39.2
4 Hudson County.....	2,249.2	12.5	12.5	6.2	8.3	35.4	6.2	6.2	501.9	18.7	8.3	18.7	75.0
5 Hunterdon County.....	1,625.0	6.0	3.0	3.0	9.0	30.1	18.1	6.0	132.6	3.0	12.1	9.0	111.5
6 Mercer County (total).....	1,367.6	6.3	3.2	18.9	15.8	3.2	9.5	9.5	245.8	6.3	6.3	6.3	53.6
7 White.....	1,350.6	6.9	3.5	20.8	6.9	3.5	10.4	10.4	239.2	6.9	6.9	6.9	55.6
8 Colored.....	1,534.3	102.3	409.1	34.1
9 Middlesex County.....	1,249.5	7.6	7.6	15.1	7.6	27.2	9.1	7.6	77.1	7.6	6.1	10.6	57.5
10 Monmouth County (total).....	1,556.7	15.1	1.4	1.4	6.9	15.1	17.9	5.5	104.6	5.5	11.0	15.1	118.4
11 White.....	1,543.7	14.8	1.5	1.5	7.4	16.3	19.2	4.4	94.6	4.4	10.4	14.8	121.2
12 Colored.....	1,731.7	19.9	19.9	238.9	19.9	19.9	19.9	79.6
13 Morris County*.....	1,471.0	3.0	4.6	3.0	22.8	9.1	24.3	7.6	94.3	4.6	6.1	9.1	76.1
14 Ocean County.....	1,268.9	4.5	4.5	4.5	18.2	9.1	13.6	4.5	127.3	4.5	9.1	4.5	63.7
15 Passaic County.....	1,005.1	4.9	2.4	4.9	21.8	2.4	2.4	97.1	2.4	9.7	4.9	51.0
16 Salem County (total).....	1,429.9	3.6	10.9	36.2	7.2	7.2	86.9	7.2	7.2	3.6	112.2
17 White.....	1,335.3	4.1	12.4	24.8	8.3	8.3	66.1	4.1	4.1	119.9
18 Colored.....	2,096.1	116.4	232.9	58.2	29.1	58.2
19 Somerset County.....	1,224.6	2.4	2.4	4.8	4.8	2.4	19.4	7.3	4.8	67.8	4.8	7.3	89.5
20 Sussex County.....	1,318.5	17.9	14.3	10.7	7.2	7.2	93.2	7.2	7.2	3.6	57.3
21 Union County.....	1,281.5	3.8	9.5	5.7	9.5	13.3	1.9	232.7	15.3	9.5	3.8	91.5
22 Warren County.....	1,258.5	6.6	6.6	3.3	6.6	23.0	3.3	3.3	75.6	6.6	9.9	75.6
NEW YORK.															
23 Total.....	1,523.0	9.9	0.8	(³)	4.7	4.0	8.2	7.9	16.2	4.1	115.2	5.0	9.2	8.4	96.1
24 White.....	1,521.7	9.9	0.7	(³)	4.8	3.9	8.0	8.0	16.0	4.2	112.3	4.9	9.1	8.3	96.2
25 Colored.....	2,068.8	14.8	3.7	7.4	29.5	7.4	33.2	365.1	14.8	22.1	18.4	84.8
26 Albany County.....	1,527.7	5.9	3.0	3.0	3.0	35.6	23.7	8.9	86.0	8.9	11.9	14.8	83.1
27 Allegany County.....	1,372.8	16.9	2.4	26.6	2.4	24.2	9.7	7.3	101.5
28 Broome County.....	1,838.3	9.8	16.3	6.5	6.5	9.8	29.3	9.8	65.1	9.8	9.8	9.8	110.6
29 Cattaraugus County.....	1,361.5	6.0	6.0	4.0	10.0	4.0	22.0	4.0	74.0	4.0	6.0	12.0	106.0
30 Cayuga County.....	1,598.4	12.9	3.2	6.5	9.7	9.7	58.1	3.2	9.7	122.7
31 Chautauqua County.....	1,356.3	5.2	1.7	3.5	1.7	3.5	17.3	8.6	60.5	3.5	8.6	6.9	100.3
32 Chemung County.....	1,313.7	5.8	5.8	5.8	163.7	17.5	134.5
33 Chenango County.....	1,578.7	8.5	2.8	2.8	2.8	2.8	71.1	5.7	5.7	17.1	68.3
34 Clinton County*.....	1,254.0	5.5	2.8	8.3	8.3	19.3	82.7	5.5	8.3	8.3	46.9
35 Columbia County.....	1,495.6	9.5	3.2	6.3	15.8	19.0	6.3	88.5	6.3	6.3	12.6	72.7
36 Cortland County.....	1,488.8	11.5	11.5	11.5	5.7	28.7	5.7	63.2	5.7	103.5
37 Delaware County.....	1,497.1	13.3	28.7	2.2	2.2	11.1	4.4	57.5	2.2	6.6	22.1	132.7
38 Dutchess County*.....	2,121.6	6.6	3.3	8.2	9.9	4.9	9.9	13.2	4.9	250.8	6.6	33.0	9.9	103.9
39 Erie County*.....	1,255.3	8.3	3.1	1.0	16.6	4.1	14.5	2.1	72.6	3.1	4.1	10.4	73.6
40 Essex County.....	1,521.8	8.7	17.3	17.3	170.4	5.8	14.4	8.7	112.6
41 Franklin County.....	1,644.7	10.7	8.5	34.1	4.3	21.3	2.1	364.3	12.8	17.0	10.7	104.4
42 Fulton County.....	1,807.7	7.7	33.3	122.6	23.0	107.2
43 Genesee County.....	1,334.5	7.6	3.8	7.6	3.8	30.4	3.8	60.8	11.4	3.8	121.7
44 Greene County.....	1,614.1	13.5	3.4	13.5	16.8	10.1	131.4	10.1	13.5	91.0
45 Hamilton County.....	1,210.7	24.2	169.5	48.4
46 Herkimer County.....	1,686.4	11.0	24.2	26.4	17.6	19.8	8.8	8.8	136.1	8.8	4.4	2.2	94.4
47 Jefferson County.....	1,366.4	5.7	1.9	17.0	3.8	20.7	1.9	60.3	1.9	11.3	9.4	79.2
48 Lewis County.....	1,663.0	25.3	4.2	4.2	8.4	8.4	33.7	4.2	92.6	12.6	12.6	92.6
49 Livingston County.....	1,690.3	41.6	5.2	7.8	2.6	7.8	13.0	2.6	106.6	10.4	10.4	5.2	83.2
50 Madison County.....	1,718.5	15.5	12.9	7.7	2.6	20.6	2.6	72.2	12.9	12.9	123.9
51 Monroe County.....	1,489.7	4.5	1.5	6.1	6.1	6.1	10.6	6.1	244.0	3.0	9.1	10.6	75.8
52 Montgomery County.....	1,535.4	15.0	7.5	7.5	3.8	3.8	67.6	11.3	101.4
53 Nassau County.....	1,300.1	2.1	2.1	6.2	2.1	9.4	14.6	6.2	1.0	74.9	11.5	7.3	10.4	81.2
54 Niagara County.....	1,285.8	6.4	6.4	3.2	3.2	9.5	9.5	82.7	9.5	95.5
55 Oneida County.....	1,642.6	1.7	15.4	3.4	13.7	13.7	13.7	3.4	85.5	6.8	8.5	8.5	126.5
56 Onondaga County.....	1,542.0	9.3	1.6	1.6	14.0	19.9	14.0	6.2	119.6	3.1	4.7	9.3	96.3
57 Ontario County.....	1,410.6	2.5	5.0	5.0	5.0	37.4	5.0	62.3	15.0	2.5	139.6
58 Orange County.....	1,362.1	15.7	7.8	2.6	10.5	10.5	23.5	3.9	134.6	5.2	9.2	3.9	71.9
59 Orleans County.....	1,390.9	9.2	3.1	3.1	12.2	3.1	9.2	51.9	9.2	3.1	15.3	94.6
60 Oswego County.....	1,763.7	13.6	2.7	2.7	8.2	27.3	5.5	68.1	5.5	15.4	8.2	106.3
61 Otsego County.....	1,759.7	15.1	10.8	4.3	2.2	21.5	10.8	43.0	4.3	6.5	12.9	105.4
62 Putnam County.....	1,256.7	6.6	19.9	6.6	13.3	106.4	6.6	73.1
63 Rensselaer County.....	1,426.3	17.7	2.9	2.9	14.7	17.7	2.9	126.7	8.8	73.7
64 Rockland County.....	1,264.7	11.9	2.0	5.9	13.9	13.9	2.0	114.8	7.9	7.9	9.9	100.9
65 St. Lawrence County.....	1,501.9	13.8	1.4	5.5	9.7	1.4	8.3	4.1	78.6	8.3	5.5	5.5	69.0
66 Saratoga County.....	1,512.4	14.2	2.0	4.0	24.3	12.1	10.1	14.2	113.2	2.0	10.1	4.0	78.9
67 Schenectady County.....	1,575.1	6.7	6.7	40.4	20.2	23.2	235.6	13.5	67.3
68 Schoharie County.....	1,563.4	8.9	4.4	17.7	4.4	53.1	8.9	13.3	150.6
69 Schuyler County.....	1,806.0	7.6	7.6	7.6	15.1	15.1	30.2	158.7
70 Seneca County*.....	2,080.3	18.9	11.3	7.6	26.4	7.6	169.9	11.3	124.6

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

131

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Un- defined and un- known causes. 38	
15.1	-----	118.4	163.7	20.2	105.8	10.1	70.5	-----	2.5	7.6	131.0	2.5	7.6	83.1	98.2	12.6	221.7	5.0	1
16.2	-----	121.2	169.6	18.8	102.3	8.1	72.7	-----	2.7	8.1	131.9	2.7	3.1	78.1	102.3	13.5	218.1	5.4	2
41.7	10.4	78.3	78.3	39.2	156.6	39.2	39.2	-----	-----	-----	117.5	-----	-----	156.6	39.2	-----	274.1	-----	3
24.1	15.1	95.8	214.5	25.0	185.3	10.4	89.5	18.7	10.4	37.5	183.3	-----	14.6	68.7	116.6	43.7	368.6	4.2	4
-----	-----	220.1	226.1	24.1	105.5	9.0	36.2	6.0	12.1	15.1	183.9	-----	9.0	63.3	84.4	6.0	235.2	6.0	5
22.1	-----	122.9	176.5	9.5	116.6	9.5	56.7	3.2	12.6	-----	78.8	3.2	6.3	56.7	107.1	3.2	198.5	-----	6
24.3	-----	125.0	184.0	10.4	104.2	10.4	59.0	3.5	13.9	-----	83.3	3.5	6.9	52.1	93.7	3.5	204.9	-----	7
10.6	10.6	102.3	102.3	-----	238.7	-----	34.1	-----	-----	-----	34.1	-----	-----	102.3	238.7	-----	136.4	-----	8
-----	-----	72.6	92.3	19.7	134.6	6.1	217.8	-----	4.5	9.1	62.0	1.5	6.1	78.7	96.8	15.1	164.9	6.1	9
19.3	8.3	178.9	166.5	27.5	117.0	13.8	52.3	6.9	9.6	15.1	170.7	5.5	6.9	82.6	78.5	19.3	254.6	5.5	10
19.2	8.9	181.9	165.6	29.6	107.9	14.8	51.8	7.4	8.9	16.3	173.0	5.9	5.9	85.8	72.5	19.2	252.8	5.9	11
19.9	-----	139.3	179.1	-----	238.9	-----	59.7	-----	19.9	-----	139.3	-----	19.9	39.8	159.2	19.9	278.7	-----	12
15.2	9.1	115.6	162.8	7.6	184.1	28.9	51.7	4.6	10.6	9.1	129.3	3.0	6.1	77.6	76.1	13.7	293.6	7.6	13
9.1	4.5	81.9	122.8	27.3	86.4	4.5	40.9	13.6	13.2	13.6	204.7	4.5	9.1	63.7	81.9	31.8	172.8	9.1	14
12.1	9.7	51.0	109.2	19.4	150.5	-----	53.4	2.4	2.4	7.3	109.2	4.9	2.4	34.0	87.4	26.7	111.7	7.3	15
25.3	3.6	123.1	188.2	14.5	141.2	10.9	65.2	2.4	7.2	7.2	86.9	-----	4.6	76.0	76.0	14.5	296.8	7.2	16
24.8	4.1	132.3	190.2	16.5	119.9	8.3	62.0	-----	8.3	4.1	78.5	-----	4.1	62.0	78.5	12.4	272.8	4.1	17
29.1	-----	58.2	174.7	-----	291.1	29.1	87.3	-----	-----	29.1	145.6	-----	-----	174.7	58.2	29.1	465.8	29.1	18
29.0	4.8	125.8	188.8	16.9	106.5	19.4	60.5	7.3	12.1	82.3	2.4	-----	41.1	94.4	16.9	196.0	2.4	19	
21.5	7.2	121.8	164.8	17.9	164.8	7.2	50.2	10.7	7.2	7.2	111.1	14.3	21.5	50.2	86.0	14.3	207.8	7.2	20
19.1	5.7	99.2	129.7	7.6	101.1	-----	76.3	3.8	3.8	7.6	87.7	1.9	7.6	85.8	91.5	11.4	141.1	3.8	21
19.7	9.9	115.0	174.2	26.3	88.7	26.3	52.6	-----	-----	13.1	111.7	13.1	6.6	92.0	88.7	6.6	193.9	-----	22
21.2	7.5	141.7	228.7	22.2	115.0	15.7	42.8	7.0	11.9	14.0	121.1	4.4	7.6	69.6	91.1	15.8	296.4	4.6	23
21.3	7.3	142.1	229.1	22.3	114.3	15.5	42.4	7.0	12.0	14.0	120.5	4.3	7.6	69.6	90.8	15.8	295.2	4.6	24
11.1	25.8	110.6	199.1	14.8	173.3	33.2	77.4	11.1	3.7	11.1	169.6	11.1	7.4	66.4	121.7	11.1	405.6	3.7	25
20.8	5.9	148.3	178.0	20.8	136.5	14.8	89.0	5.9	3.0	20.8	145.4	3.0	8.9	65.3	100.9	14.8	252.1	5.9	26
26.6	7.3	147.4	234.4	21.8	82.2	4.8	19.3	9.7	4.8	14.5	118.4	9.7	4.8	43.5	67.7	2.4	348.0	14.5	27
19.5	9.8	201.7	250.5	22.8	130.1	16.3	65.1	19.5	9.8	9.8	162.7	9.8	16.3	104.1	94.4	19.5	338.9	-----	28
32.0	8.0	108.0	225.9	22.0	80.0	12.0	32.0	12.0	10.0	12.0	92.0	4.0	4.0	88.0	104.0	18.0	335.9	4.0	29
32.3	-----	193.7	264.8	42.0	100.1	9.7	25.8	6.5	-----	6.5	125.9	3.2	6.5	38.7	119.5	35.5	352.0	-----	30
17.3	1.7	124.6	226.6	24.2	65.7	10.4	13.8	6.9	13.8	19.0	95.1	-----	8.6	74.4	95.1	13.8	316.6	6.9	31
-----	5.8	175.4	280.7	11.7	163.7	11.7	52.6	5.8	5.8	29.2	187.1	5.8	-----	99.4	111.1	23.4	309.9	5.8	32
31.3	8.5	179.2	238.9	34.1	142.2	11.4	14.2	5.7	17.1	25.6	147.9	2.8	14.2	62.6	91.0	19.9	341.3	2.8	33
19.3	2.8	99.2	217.7	13.8	113.0	19.3	66.1	8.3	2.8	13.8	71.7	5.5	16.5	66.1	49.6	-----	248.0	2.8	34
19.0	-----	136.0	208.7	3.2	117.0	12.6	25.3	6.3	9.5	12.6	173.9	-----	15.8	63.2	113.8	9.5	316.2	6.3	35
23.0	-----	184.0	275.9	40.2	92.0	5.7	34.5	17.2	-----	11.5	97.7	-----	5.7	63.2	63.2	17.2	298.9	11.5	36
17.7	17.7	181.3	241.0	15.5	90.7	13.3	26.5	11.1	11.1	19.9	92.9	6.6	11.1	79.6	77.4	11.1	285.3	4.4	37
21.4	3.3	179.8	295.3	11.5	179.8	34.6	42.9	16.5	23.1	13.2	138.6	6.6	11.5	85.8	100.6	9.9	483.4	3.3	38
8.3	7.3	90.2	204.2	14.5	107.8	16.6	68.4	9.3	7.3	23.8	77.7	3.1	6.2	54.9	94.3	11.4	233.2	3.1	39
11.6	-----	144.4	190.6	20.2	83.7	11.6	31.8	8.7	14.4	14.4	95.3	11.6	8.7	112.6	101.1	8.7	288.8	8.7	40
23.4	8.5	81.0	174.7	23.4	119.3	14.9	81.0	2.1	8.5	8.5	72.4	10.7	14.9	110.8	61.8	14.9	219.4	4.3	41
33.3	7.7	130.2	321.7	23.0	176.2	7.7	53.6	7.7	30.6	7.7	222.1	-----	23.0	68.9	84.3	7.7	291.1	7.7	42
26.6	11.4	144.5	171.1	22.8	95.0	7.6	26.6	3.8	19.0	26.6	91.2	-----	11.4	60.8	76.0	7.6	273.7	3.8	43
33.7	6.7	229.1	246.0	16.8	107.8	20.2	33.7	3.4	10.1	6.7	124.7	6.7	6.7	47.2	111.2	23.6	266.2	10.1	44
24.2	-----	121.1	96.9	-----	72.6	-----	24.2	-----	-----	-----	145.3	-----	-----	121.1	72.6	24.2	169.5	-----	45
17.6	13.2	171.3	252.5	22.0	131.8	24.2	37.4	13.2	11.0	11.0	116.4	4.4	4.4	85.6	155.9	28.5	224.0	-----	46
28.3	7.5	143.2	196.0	28.3	105.5	15.1	47.1	3.8	5.7	7.5	96.1	3.8	5.7	60.3	69.7	22.6	309.4	3.8	47
29.5	8.4	181.0	227.3	29.5	88.4	8.4	37.9	8.4	21.1	12.6	151.6	4.2	21.1	54.7	92.6	21.1	366.3	4.2	48
23.4	5.2	132.6	288.6	20.8	161.2	15.6	46.8	5.2	20.8	2.6	91.0	2.6	15.6	52.0	104.0	18.2	387.5	-----	49
36.1	7.7	149.7	283.8	38.7	105.8	25.8	18.1	7.7	12.9	23.2	98.1	2.6	12.9	82.6	98.1	15.5	412.8	2.6	50
13.6	13.6	106.1	190.9	15.2	90.9	15.2	107.6	3.0	9.1	7.6	81.8	-----	7.6	77.3	104.6	21.2	239.4	1.5	51
30.0	7.5	217.7	221.5	26.3	82.6	3.8	18.8	11.3	15.0	7.5	153.9	-----	3.8	52.6	153.9	15.0	292.8	7.5	52
15.6	6.2	106.2	167.6	14.6	122.8	7.3	69.7	5.2	20.8	14.6	107.2	4.2	5.2	87.4	101.0	9.4	203.0	3.1	53
28.6	6.4	76.4	245.1	23.6	92.3	15.9	25.5	6.4	6.4	15.9	73.2	-----	-----	66.8	79.6	22.3	267.3	3.2	54
23.9	8.5	123.1	264.9	23.9	174.3	17.1	54.7	8.5	13.7	15.4	138.4	1.7	6.8	90.6	65.0	17.1	290.6	3.4	55
18.6	7.8	122.7	281.1	40.4	122.7	15.5	46.6	1.6	18.6	6.2	102.5	3.1	1.6	76.1	119.6	24.8	240.7	1.6	56
17.4	5.0	144.5	241.7	22.4	52.3	17.4	24.9	15.0	12.5	22.4	134.6	2.5	5.0	72.3	52.3	17.4	269.2	2.5	57
14.4	3.9	117.6	167.3	24.8	98.0	11.8	39.2	6.5	13.1	15.7	129.4	6.5	6.5	57.5	103.3	15.7	230.1	1.3	58
36.6	9.2	152.5	216.6	12.2	76.3	21.4	33.6	6.1	12.2	9.2	115.9	15.3	12.2	76.3	109.8	12.2	250.1	-----	59
38.2	5.5	185.4	313.5	60.0	136.3	13.6	40.9	5.5	21.8	19.1	109.0	8.2	8.2	98.1	84.5	5.5	340.7	5.5	60
34.4	4.3	146.3	301.2	8.6	114.0	19.4	25.8	10.8	30.1	32.3	170.0	8.6	6.5	77.4	133.4	15.1	382.9	2.2	61
33.2	6.6	139.6	232.7	33.2	59.8	13.3	26.6	6.6	6.6	6.6	133.0	-----	-----	73.1	66.5	13.3	152.9	19.9	62
26.5	5.9	173.9	221.0	17.7	114.9	11.8	32.4	-----	5.9	2.9	156.2	2.9	5.9	41.3	91.4	14.7	212.2	-----	63
21.8	9.9	138.5	154.4	23.8	106.9	13.9	33.6	9.9	13.9	11.9	83.1								

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Infu-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culosis of menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.															
NEW YORK—continued.															
1 Steuben County.....	1,774.4	14.7	3.7	5.5	7.4	5.5	7.4	49.6	1.8	5.5	3.7	126.9
2 Suffolk County*.....	1,994.3	2.9	1.0	1.0	2.9	2.9	8.7	20.2	8.7	192.2	5.8	11.5	5.8	88.4
3 Sullivan County.....	1,913.0	14.5	2.9	8.7	2.9	2.9	5.8	554.5	3.7	11.6	2.9	75.5
4 Tioga County.....	1,636.0	20.3	4.1	4.1	20.3	44.7	4.1	8.1	16.2	113.7
5 Tompkins County.....	1,611.2	5.5	5.5	5.5	5.5	49.8	5.5	11.1	116.3
6 Ulster County.....	1,239.8	19.5	1.5	4.5	7.5	12.0	12.0	3.0	148.4	1.5	3.0	7.5	67.5
7 Warren County.....	1,520.9	17.8	5.9	5.9	5.9	106.9	5.9	5.9	112.9
8 Washington County.....	1,433.4	8.2	6.2	8.2	37.0	2.1	71.9	2.1	12.3	2.1	71.9
9 Wayne County.....	1,361.5	9.8	2.0	5.9	11.8	15.7	3.9	59.0	3.9	7.9	3.9	116.1
10 Westchester County.....	1,331.3	4.1	1.0	12.4	7.2	14.4	11.3	8.2	3.1	170.0	9.3	8.2	11.3	109.2
11 Wyoming County.....	1,261.4	3.1	8.1	24.6	3.1	46.1	12.3	6.2	6.2	113.8
12 Yates County.....	1,539.3	5.6	61.3	55.8	16.7	22.3	122.7
NORTH CAROLINA. ³															
13 Total.....	1,701.1	59.1	26.7	2.7	11.5	0.3	16.5	16.2	16.2	3.0	194.7	2.0	19.9	7.8	50.3
14 White.....	1,447.3	49.0	14.5	0.5	12.5	0.5	11.5	20.0	17.0	3.5	135.5	2.0	18.5	6.0	57.0
15 Colored.....	2,223.5	80.0	51.9	7.3	9.4	27.0	8.3	14.5	2.1	317.9	2.1	22.9	11.4	36.4
OHIO.															
16 Total.....	1,210.9	16.6	0.8	0.4	4.6	3.9	7.2	13.3	12.6	2.8	94.9	3.9	10.8	6.8	79.2
17 White.....	1,193.8	16.4	0.8	0.3	4.6	4.0	7.1	13.3	12.4	2.8	90.6	3.7	10.3	6.9	79.2
18 Colored.....	1,923.5	27.5	2.3	2.3	13.8	11.5	20.6	2.3	353.0	16.0	39.0	4.6	75.6
19 Adams County.....	1,071.1	33.2	8.3	4.2	12.5	12.5	4.2	137.0	4.2	37.4	4.2	24.9
20 Allen County.....	1,134.4	19.0	3.8	3.8	3.8	3.8	131.8	15.2	15.2	11.4	49.3
21 Ashland County.....	1,263.0	8.4	21.1	4.2	4.2	8.4	16.9	96.9	4.2	4.2	109.5
22 Ashtabula County.....	1,333.5	11.8	18.8	4.7	9.4	11.8	89.4	7.1	18.8	91.7
23 Athens County*.....	1,246.6	9.7	5.8	21.3	9.7	3.9	1.9	120.0	1.9	7.7	11.6	61.9
24 Auglaize County.....	1,109.8	6.4	3.2	9.6	9.6	3.2	6.4	76.8	19.2	3.2	83.2
25 Belmont County.....	1,193.9	18.6	17.2	10.0	8.6	21.5	11.5	2.9	97.5	2.9	10.0	2.9	68.8
26 Brown County (total).....	1,193.2	4.3	4.3	17.1	4.3	154.0	8.6	8.6	8.6	81.3
27 White.....	1,118.7	4.5	4.5	18.0	4.5	121.8	4.5	9.0	81.2
28 Colored.....	2,553.5	741.4	164.7	82.4	82.4
29 Butler County.....	1,239.1	9.0	4.5	22.4	17.9	134.3	4.5	9.0	9.0	80.6
30 Carroll County.....	1,023.1	19.6	19.6	6.5	19.6	6.5	45.7	6.5	6.5	91.4
31 Champaign County (total).....	1,326.7	22.9	15.2	7.6	3.8	19.1	11.4	76.2	3.8	11.4	7.6	80.1
32 White.....	1,333.7	16.1	16.1	8.1	4.0	20.1	12.1	72.5	4.0	12.1	8.1	84.6
33 Colored.....	1,204.8	141.7	141.7
34 Clark County.....	1,246.7	5.1	15.3	10.2	5.1	5.1	173.7	15.3	15.3	81.7
35 Clermont County.....	1,544.8	20.9	17.4	31.4	3.5	122.0	7.0	17.4	3.5	104.6
36 Clinton County.....	1,270.3	8.5	8.5	25.6	17.1	81.0	4.3	12.8	17.1	123.6
37 Columbiana County.....	1,272.3	25.8	1.7	6.9	15.5	18.9	17.2	5.2	82.5	3.4	8.6	8.6	79.1
38 Coshocton County.....	1,136.1	19.7	3.3	23.0	13.1	3.3	69.0	9.9	9.9	9.9	75.5
39 Crawford County.....	1,293.7	17.6	5.9	5.9	5.9	2.9	5.9	2.9	102.7	2.9	8.8	5.9	90.9
40 Cuyahoga County.....	1,212.2	12.8	1.6	4.8	8.0	9.6	3.2	104.4	4.8	4.8	9.6	78.7
41 Darke County.....	1,197.2	16.2	4.6	11.6	7.0	16.2	16.2	85.8	4.6	20.9	4.6	104.4
42 Defiance County.....	1,029.8	4.2	4.2	4.2	16.9	3.4	88.6	12.7	4.2	59.1
43 Delaware County.....	1,097.6	14.5	3.6	21.8	3.6	13.2	10.9	87.2	3.6	10.9	72.7
44 Erie County.....	1,790.5	5.4	32.5	16.2	21.6	10.3	75.7	10.8	5.4	124.4
45 Fairfield County.....	1,039.1	3.8	30.2	3.8	79.3	7.6	7.6	34.0
46 Fayette County (total).....	1,250.5	18.4	23.0	13.8	4.6	32.2	137.9	4.6	4.6	4.6	73.2
47 White.....	1,179.4	9.7	24.4	9.7	4.9	34.1	121.8	4.9	4.9	4.9	78.0
48 Colored.....	2,434.9	162.3	31.2	405.8	81.2
49 Franklin County.....	1,354.7	4.8	9.7	2.4	9.7	4.8	9.7	222.6	7.3	7.3	2.4	87.1
50 Fulton County.....	1,152.3	20.5	4.1	4.1	8.2	57.4	20.5	4.1	102.5
51 Gallia County (total).....	1,398.1	24.2	8.1	32.2	12.1	153.1	16.1	4.0	56.4
52 White.....	1,364.8	21.7	8.7	34.8	13.0	143.4	17.4	4.3	56.5
53 Colored.....	1,821.2	55.2	275.9	55.2
54 Geauga County.....	1,332.0	6.8	27.3	6.8	6.8	34.2	13.7	54.6
55 Greene County (total).....	1,424.0	38.0	6.9	6.9	20.7	20.7	3.5	141.7	3.5	31.1	3.5	76.0
56 White.....	1,348.5	39.9	8.0	8.0	19.9	12.0	4.0	135.7	4.0	16.0	4.0	71.8
57 Colored.....	1,912.6	25.8	25.8	77.5	180.9	129.2	103.4
58 Guernsey County.....	981.9	15.0	9.0	6.0	3.0	21.0	9.0	47.9	6.0	3.0	74.8
59 Hamilton County (total).....	1,103.6	3.3	1.7	3.3	10.0	13.3	11.7	6.7	121.5	15.0	21.6	11.7	89.9
60 White.....	1,080.2	3.5	1.8	3.5	10.6	14.2	12.4	7.1	111.6	15.9	19.5	12.4	90.3
61 Colored.....	1,469.0	277.2	55.4	83.1
62 Hancock County.....	963.6	8.9	4.5	4.5	8.9	89.2	13.4	8.9	71.4
63 Hardin County.....	1,240.2	16.6	3.3	6.7	16.6	20.0	3.3	96.4	3.3	23.3	6.7	89.8
64 Harrison County.....	1,282.7	16.2	10.8	10.8	5.4	37.9	5.4	97.4	5.4	16.2	97.4
65 Henry County.....	1,062.1	12.4	4.1	8.3	78.5	4.1	62.0
66 Highland County.....	1,211.1	21.6	3.6	36.0	10.8	97.3	3.6	18.0	14.4	90.1
67 Hocking County.....	994.3	4.3	4.3	12.9	12.9	4.3	111.4	4.3	12.9	4.3	60.0
68 Holmes County.....	1,044.9	11.6	5.8	11.6	17.4	63.9	11.6	17.4	52.2

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other per- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
14.7	9.2	183.9	402.7	11.0	101.1	20.2	20.2	7.4	18.4	20.2	182.0	3.7	3.7	66.2	95.6	16.5	364.1	1.8	1
21.1	5.8	143.2	294.5	13.5	137.4	19.2	30.8	7.7	13.5	13.5	212.4	6.7	2.9	55.7	86.5	21.1	563.2	3.8	2
29.0	11.6	127.7	304.8	37.7	119.0	23.2	23.2	11.6	14.5	31.9	66.8	8.7	5.8	61.0	69.7	17.4	249.7	8.7	3
8.1	4.1	263.9	215.1	16.2	146.1	16.2	20.3		4.1		146.1		8.1	36.5	117.7	20.3	373.5	4.1	4
11.1	5.5	199.3	221.5	33.2	88.6	11.1	33.2	11.1	11.1	5.5	121.8	5.5	5.5	99.7	105.2	16.6	393.1		5
6.0	18.0	130.4	182.9	15.0	76.5	12.0	28.5	9.0	6.0	16.5	101.9	4.5	6.0	45.0	66.0	10.5	211.4	6.0	6
28.8		106.9	178.2	35.6	118.8	11.9	35.6		5.9	29.7	77.2	11.9	11.9	71.3	89.1	11.9	427.8	5.9	7
14.4	8.2	176.6	215.6	14.4	96.5	24.6	65.7		8.2	10.3	172.5	2.1	4.1	69.8	76.0	18.5	232.1	2.1	8
25.6	9.8	143.6	179.0	23.6	78.7	23.6	49.2	3.9	7.9	21.6	106.2	2.0	5.9	72.8	74.8	21.6	269.6	2.0	9
21.6	11.3	72.1	163.8	30.6	113.3	21.6	53.6	5.2	52.	9.3	136.0	2.1	4.1	49.5	79.3	17.5	170.0	5.2	10
12.3	3.1	129.2	184.6	30.8	89.2	6.2	24.6	15.4	12.3		92.3	6.2	6.2	49.2	61.5	9.2	310.7		11
5.6		189.6	356.9	39.0	72.5	11.2	33.5	5.6	5.6	22.3	133.9			55.8	50.2	27.9	245.4		12
9.5	15.9	69.5	117.5	13.5	125.9	14.9	127.2	16.9	11.5	4.7	97.9	8.4	22.3	109.4	94.8	6.4	302.1	106.0	13
11.5	15.5	70.0	95.0	8.5	104.5	15.5	114.5	20.0	13.5	5.5	81.0	6.0	17.5	115.0	74.5	8.5	264.5	53.5	14
5.2	16.6	68.6	164.1	23.9	170.4	13.5	153.8	10.4	7.3	3.1	133.0	13.5	32.2	97.7	137.1	2.1	380.2	204.7	15
16.0	7.3	106.5	158.6	12.9	96.1	10.8	37.1	7.1	9.4	12.6	83.9	5.4	6.8	63.2	75.7	13.2	221.0	9.6	16
16.2	7.3	106.5	156.5	12.9	95.0	10.6	36.6	7.2	9.4	12.6	82.9	5.4	6.8	63.3	75.4	13.1	219.3	9.3	17
4.6	6.9	105.4	281.9	13.8	162.8	22.9	64.2	2.3	9.2	11.5	144.4	2.3	6.9	57.3	89.4	18.3	323.2	29.8	18
12.5	4.2	41.5	141.2	29.1	116.2	12.5	24.9	7.6	4.2		91.3		4.2	58.1	37.4	12.5	166.1	33.2	19
30.4	7.6	33.5	148.0	22.8	79.7	3.8	26.6	8.4	16.9	34.2	60.7	3.8	7.6	94.9	110.1	7.6	178.4		20
21.1		168.5	176.9	4.2	101.1	16.9	16.9	9.4	14.1	12.6	54.8	8.4		75.8	75.3	16.9	210.6	4.2	21
23.5	11.8	112.9	195.2	9.4	94.1	7.1	16.5	14.1	16.5	61.1	61.1	16.5	11.8	87.0	56.4	14.1	308.1	4.7	22
17.4	7.7	102.6	116.1	3.9	141.3	9.7	58.1	11.6	7.7	19.4	65.8	7.7	7.7	75.5	63.9	13.5	249.7	11.6	23
19.2	6.4	95.9	99.1	6.4	51.2	22.4	44.8	12.8	16.0	16.0	95.9	9.6	9.6	54.4	64.0	12.8	239.9	12.8	24
7.2	11.5	33.1	146.2	15.8	129.0	7.2	81.7	2.9	12.9	10.0	33.0	7.2	7.2	76.0	104.6	10.0	164.8	11.5	25
17.1		94.1	209.6	12.8	154.0	8.6	25.7		4.3		77.0	4.3	4.3	38.5	42.8	21.4	175.3	12.8	26
18.0		94.7	194.0	13.5	144.3	9.0	22.6				67.7	4.5	4.5	40.6	45.1	22.6	175.9	13.5	27
		82.4	494.2		329.5		82.4		82.4		247.1						164.7		28
17.9	17.9	111.9	170.1	22.4	76.1	9.0	44.8	4.5	9.0	31.3	125.3	4.5	4.5	26.9	98.5	22.4	188.0	13.4	29
19.6		117.5	163.2	13.1	78.3	6.5	13.1	13.1	6.5		71.8	13.1		13.1	39.2	8.5	202.4	19.6	30
22.9	7.6	114.4	202.1	22.9	87.7	15.2	30.5	11.4	19.1	7.6	144.9	11.4	11.4	83.9	53.4	19.1	194.4	7.6	31
24.2	8.1	116.8	201.5	20.1	88.6	12.1	32.2	12.1	20.1	8.1	149.1	12.1	12.1	88.6	52.4	20.1	189.4	8.1	32
		70.9	212.6	70.9	70.9	70.9					70.9				70.9		283.5		33
20.4	15.3	143.1	148.2	5.1	71.5	15.3	40.9	5.1	15.3	10.2	86.9	5.1	15.3	40.9	35.8	15.3	219.7	10.2	34
17.4	3.5	94.2	348.7	3.5	104.6	13.9	48.8		7.0	17.4	143.0	13.9	17.4	38.4	34.9	13.9	285.9	10.5	35
17.1		179.0	174.8	17.1	68.2		17.1	12.8	12.8	8.5	68.2			29.8	55.4	29.8	264.3	17.1	36
13.8	6.9	96.3	147.9	30.9	103.2	10.3	29.2	8.6	3.4	3.4	134.1	10.3	6.9	73.9	65.3	17.2	225.2	12.0	37
16.4	3.3	121.5	170.7	3.3	111.6	13.1	19.7	16.4	23.0	13.1	75.5	3.3		46.0	46.0	3.3	203.6	9.9	38
26.4	11.7	105.6	108.5	5.9	93.9	17.6	23.5	8.8	8.8	26.4	117.3	11.7		99.7	82.1	17.6	267.0	2.9	39
11.2	6.4	86.7	163.8	14.5	101.2	8.0	41.7	6.4	3.2	25.7	138.1	6.4	4.8	54.6	78.7	17.7	197.5	3.2	40
13.9	2.3	81.2	148.5	7.0	41.8	11.6	41.8	9.3	4.6	11.6	67.3	7.0	2.3	99.8	69.6	25.5	252.9	7.0	41
8.4	12.7	126.6	105.5		97.1	16.9	38.0	21.1	25.3		54.9	12.7	4.2	29.5	46.4	12.7	198.4	16.9	42
10.9	3.6	123.6	167.2	14.5	94.5	10.9	25.4	14.5	18.2	14.5	65.4		18.2	32.7	43.6	3.6	178.1	10.9	43
27.0		183.9	389.5	32.5	54.1	5.4	10.8	10.8		16.2	129.8		10.8	43.3	151.5	16.2	400.3	5.4	44
22.7		117.1	188.9	11.3	79.3	15.1			7.6	11.3	56.7			79.3	68.0	7.6	204.0		45
13.8	9.2	87.4	137.9	9.2	91.9	4.6	69.0	4.6	18.4	9.2	64.4	9.2	4.6	101.1	55.2	9.2	225.3	4.6	46
14.6	9.7	92.6	121.8	9.7	78.0		63.4	4.9	19.5	9.7	48.7	9.7	4.9	102.3	58.5	9.7	219.3	4.9	47
		405.8			324.6	81.2	162.3				324.6			81.2			324.6		48
26.6	12.1	99.2	135.5	12.1	75.0	12.1	38.7	9.7	12.1	4.8	89.5	2.4		65.3	79.8	21.8	280.6	9.7	49
24.6	8.2	86.1	123.0	8.2	106.6	4.1	32.8	8.2	8.2	4.1	61.5	16.4	4.1	61.5	41.0	8.2	307.6	16.4	50
8.1	16.1	116.8	213.5	4.0	153.1	4.0	24.2	8.1	12.1	12.1	60.4	8.1	4.0	32.2	48.4		350.5	16.1	51
8.7	17.4	113.0	204.3		152.1	4.3	26.1	8.7	13.0		56.5	8.7		34.8	52.2		343.4	13.0	52
		165.6	331.1	55.2	165.6					55.2	110.4		55.2				441.5	55.2	53
13.7		184.4	280.1		150.3	6.8	6.8	20.5	20.5	20.5	34.2		13.7	13.7	68.3	54.6	280.1	13.7	54
6.9	3.5	100.2	259.2	10.4	148.6	10.4	48.4	6.9	6.9	3.5	48.4		6.9	76.0	89.9	6.9	228.1	10.4	55
8.0	4.0	99.7	267.3	8.0	119.7	8.0	39.9	8.0	8.0	4.0	43.9		8.0	79.8	95.8	4.0	207.5	12.0	56
		103.4	206.8	25.8	336.0	25.8	103.4				77.5			51.7	51.7	25.8	361.8		57
6.0	6.0	101.8	83.8	9.0	95.8	9.0	47.9	3.0	15.0	6.0	65.9	6.0	3.0	71.8	65.9	6.0	182.6	3.0	58
28.3	8.3	101.5	131.5	11.7	74.9	8.3	48.3	3.3	8.3	20.0	86.6	6.7	1.7	35.0	86.6	10.0	116.5	6.7	59
23.3	8.9	99.2	118.6	12.4	76.1	5.3	47.8	3.5	8.9	17.7	86.8	7.1	1.8	33.6	86.8	10.6	116.9	7.1	60
27.7		138.6	332.6		55.4	55.4				55.4	83.1			55.4	83.1		110.9		61
4.5		66.9	107.1	8.9	89.2	4.5	26.8		4.5	26.8	80.3	4.5	8.9	84.8	53.5	4.5	174.0	4.5	62
13.3	10.0	113.1	123.0	10.0	43.2	13.3	39.9	13.3		6.7	113.1	3.3	10.0	59.9	106.4	23.3	242.7	10.0	63
21.6		64.9	157.0	10.8	162.4	5.4	27.1		10.8	5.4	64.9	5.4		59.5	75.8	16.2	281.4	10.8	64
24.8	4.1	107.5	115.7	8.3	86.8	8.3	16.5	24.8	24.8	12.4	86.8	16.5	4.1	53.7	70.3	4.1	219.0	4.1	65
	10.8																		

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Malaria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Erysipelas.	Tuber-culosis of the lungs.	Tuber-culosis meningitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(17)	16
RURAL PART OF REGISTRATION STATES ² —Continued.															
OHIO—continued.															
1 Huron County	1,205.5	11.4						5.7	11.4	5.7	91.4		8.6	2.9	97.1
2 Jackson County	1,176.8	17.1				3.4	13.6	44.3	20.5		112.6	3.4	20.5	3.4	102.3
3 Jefferson County	1,002.4	28.8				4.1	24.7	12.4	6.2	4.1	39.1		6.2	4.1	63.8
4 Knox County	1,185.6	3.2		3.2		3.2	3.2	9.6	12.8		73.7	3.2	12.8	6.4	80.1
5 Lake County	1,223.5	21.3				4.3		8.5	34.1	4.3	98.1			12.8	119.4
6 Lawrence County	1,353.8	54.3		3.9	15.5		38.8	23.3	15.5	3.9	131.9		3.9	27.2	54.3
7 Licking County	1,076.0	16.2	3.2				3.2	6.5	19.4	6.5	71.1	3.2	12.9	3.2	61.4
8 Logan County	1,259.1	20.0			23.4			3.3	6.7		83.5	3.3	10.0	3.3	96.9
9 Lorain County	1,044.9	24.0			3.0			6.0	15.0	3.0	57.0	3.0	3.0	12.0	93.1
10 Lucas County	1,067.5	11.9		4.0		4.0	4.0	11.9	4.0		51.4		4.0	4.0	59.3
11 Madison County	1,218.8	30.6	5.1		5.1			10.2	10.2		96.9		10.2	10.2	81.6
12 Mahoning County	1,453.7	19.9				5.7	11.4	11.4	17.1	8.5	119.4	5.7	11.4		68.2
13 Marion County	1,113.1	14.1				21.1	7.0	28.2	7.0	7.0	84.5	7.0		7.0	77.5
14 Medina County	1,144.2	12.3				8.2		4.1			53.5		16.5	12.3	98.8
15 Meigs County	1,345.3	32.9		4.1		4.1	24.7	16.5	4.1	4.1	115.2	4.1	12.3	8.2	78.2
16 Mercer County	976.9	22.0					11.0	18.3	11.0		73.2	3.7	18.3	7.3	51.2
17 Miami County	1,165.8	3.1			12.5		3.1	6.3	9.4	3.1	84.5	3.1	9.4		81.3
18 Monroe County	1,001.9	8.7					17.3	13.0	21.7		73.7		4.3	4.3	69.4
19 Montgomery County	1,996.5	9.2			9.2	3.7	5.5	16.6	12.9	9.2	149.2	3.7	7.4	7.4	82.9
20 Morgan County	1,200.5	6.5							32.6	6.5	110.9		13.0	6.5	71.8
21 Morrow County	1,405.6	24.4						12.2	18.3	6.1	103.9		12.2		122.2
22 Muskingum County	1,300.6	6.8						17.0	20.4	3.4	98.7	3.4	17.0	6.8	102.1
23 Noble County	998.1	11.0					5.5	5.5	16.5		49.4	5.5	5.5	5.5	60.3
24 Ottawa County	1,106.1	17.8			4.5	8.9		13.4			120.4	4.5			71.4
25 Paulding County	918.5	19.3	4.8				9.7	9.7	9.7		67.7		9.7		72.5
26 Perry County	961.8	2.7			5.4	5.4	5.4	5.4	16.3	2.7	70.4	2.7	5.4	5.4	51.5
27 Pickaway County	1,434.5	23.3			23.3	3.9		7.8	15.5	7.8	116.3	7.8	23.3	15.5	30.4
28 Pike County	1,049.1	40.9			6.8		6.8	6.8	6.8		149.9	6.8		6.8	47.7
29 Portage County	1,378.5	13.0	9.8			6.5		6.5	19.5	6.5	81.3		3.3	13.0	117.0
30 Preble County	1,046.7	8.4				4.2		8.4	8.4		62.8		4.2	8.4	104.7
31 Putnam County	979.7	27.7	3.5		6.9	3.5	10.4	3.5	13.8	3.5	72.7	3.5	13.8	3.5	55.4
32 Richland County	1,225.7	7.4	3.7			7.4	3.7	7.4	3.7		70.4	11.1	14.8	18.5	118.5
33 Ross County (total)	1,234.8	36.7			24.5		16.3	24.5	12.2		142.6	8.2	4.1	8.2	77.4
34 White	1,182.6	38.8			25.9		17.3	21.6	12.9		125.2	8.6	4.3	8.6	77.7
35 Colored	2,116.8							73.0			433.0				73.0
36 Sandusky County	1,035.5	31.0	2.8			2.8	14.1	5.6	11.3		56.3		11.3	2.8	81.6
37 Scioto County	1,433.4	58.0		4.1	4.1		29.0	41.4	12.4	8.3	153.3	12.4	8.3	12.4	62.1
38 Seneca County	1,167.0	9.8			3.3		6.5	29.3	9.8	3.3	61.9	6.5	9.8	6.5	71.7
39 Shelby County	1,110.3	20.3			8.1	24.3			8.1		113.5	12.2		4.1	101.3
40 Stark County	1,490.1	11.1		2.2				24.5	17.8		104.5	2.2	4.4	6.7	84.5
41 Summit County	1,444.9	32.2	2.3		9.2	2.3	2.3	13.4	11.5	4.6	114.9	13.8	13.8	2.3	82.7
42 Trumbull County	1,214.2	23.1				2.3	2.3	11.5	16.2	2.3	48.5		9.2	6.9	69.2
43 Tuscarawas County	1,102.1	20.5	1.7	1.7	15.4	5.1	1.7	12.0	13.7	3.4	63.3	6.8	13.7	13.7	95.8
44 Union County	1,084.3							18.5	18.5		133.4		18.5	4.6	55.4
45 Van Wert County	835.9	28.0	3.5		3.5	3.5	3.5	14.0	7.0	3.5	49.0	3.5	7.0	3.5	70.0
46 Vinton County	1,012.8	8.2	8.2		8.2	8.2	24.7	8.2	8.2		115.3	8.2	16.5		16.5
47 Warren County	1,327.3	4.2						25.0	33.3		129.0	8.3	8.3	4.2	74.9
48 Washington County	1,119.5	10.2	3.4	3.4	3.4		3.4	10.2	6.8		61.1		3.4	3.4	57.7
49 Wayne County	1,190.4	13.1	2.6			13.1	2.6	13.1	15.7	5.2	76.0		13.1	2.6	36.5
50 Williams County	1,264.8	4.0				4.0	7.9	7.9	27.7	4.0	83.0		7.9	7.9	114.6
51 Wood County	1,172.2	22.7	2.3		4.5		20.4	2.3	11.3		77.1		4.5	4.5	74.8
52 Wyandot County	1,048.3	24.3						19.4	19.4	4.9	58.2	4.9	4.9	14.6	67.9
PENNSYLVANIA.															
53 Total	1,265.2	12.6	0.2	(4)	6.3	9.2	10.5	22.4	9.9	3.8	94.1	4.2	8.4	6.8	64.2
54 White	1,257.5	12.5	0.2	(4)	6.4	9.2	10.4	22.6	10.0	3.8	88.0	4.1	7.9	6.7	63.9
55 Colored	1,847.2	18.0			1.8	7.2	21.6	5.4	5.4	3.6	328.0	12.6	45.1	9.0	88.3
56 Adams County	1,233.1	2.9					14.6	11.7	11.7		113.9	5.8	11.7	5.8	105.1
57 Allegheny County	1,244.2	10.6			3.4	15.8	10.6	19.2	5.4	3.9	134.4	4.2	9.3	5.7	57.9
58 Armstrong County	1,108.7	32.3			2.7	10.8	24.2	26.9	4.0	5.4	57.8	2.7	12.1	5.4	51.1
59 Beaver County	1,367.4	17.4			1.3	17.2	8.0	28.2	12.1	2.7	92.5	2.7	14.7	5.4	60.3
60 Bedford County	1,102.7	15.5					10.4	5.2	10.4	2.6	51.8	5.2	7.8	2.6	54.4
61 Berks County*	1,430.1	20.0		1.1		1.1	14.5	27.8	11.1		150.1	8.9	10.0	5.6	73.4
62 Blair County	1,249.4	20.8			6.4	11.2	3.2	12.8	8.0	1.6	70.5	1.6	4.8	11.2	70.5
63 Bradford County	1,719.3	30.5			9.5	3.8	1.9	13.3	28.7		93.4	5.7	13.3	3.8	129.6
64 Bucks County	1,343.8	12.7	1.3			15.2	17.8	8.9	20.3	6.3	118.0	6.3	8.9	5.1	96.4
65 Butler County	969.4	9.3				5.6	5.6	16.7	5.6		61.3	1.9	11.1	1.9	61.3
66 Cambria County	1,211.5	12.5			17.2	12.5	22.7	50.2	0.8	5.5	123.0	6.3	7.8	2.4	36.0
67 Cameron County†	823.0	12.7			12.7	12.7	12.7		12.7						50.6
68 Carbon County	1,469.9	8.9			14.2	7.1	10.6	39.0	17.7	7.1	94.0	1.8	5.3	10.6	67.4
69 Center County	1,260.1	18.3			9.2	6.9	2.3	22.9	9.2	2.3	41.2	4.6	13.7	13.7	71.0

¹ Exclusive of stillbirths.² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Dia- betes.	Meningi- tis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory diseases.	Diar- rhea and enteri- tis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.		
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38		
20.0	2.9	117.1	134.3	17.1	105.7	5.7	20.0	5.7	14.3	8.6	108.6		14.3	40.0	120.0	5.7	222.8	8.6	1	
6.8	6.8	81.9	150.1	13.6	78.5	6.8	51.2	6.8	13.6	13.6	34.1	6.8	3.4	64.8	61.4	3.4	218.3	13.6	2	
10.3	4.1	37.1	67.9	6.2	146.1	12.4	76.2	6.2	6.2	10.3	59.7	4.1	4.1	80.3	88.5	12.4	160.6	16.5	3	
16.0	3.2	141.0	166.6	6.4	99.3	12.8	16.0	12.8	6.4	12.8	83.3		9.6	60.9	41.7	25.6	243.5	16.0	4	
8.5	12.8	115.1	132.2	8.5	106.6	8.5	38.4	8.5	12.8		46.9	4.3		59.7	149.2	12.8	183.3	12.8	5	
11.6	11.6	62.1	104.7	3.9	116.4	11.6	81.5	3.9	3.9	7.8	77.6	3.9	7.8	112.5	85.3	23.3	201.7	38.8	6	
12.9	9.7	135.7	174.5	12.9	67.9	22.6	12.9	3.2		3.2	90.5		9.7	48.5	77.5	12.9	164.8	9.7	7	
20.0	10.0	76.8	108.4	10.0	106.9	20.0	3.3	23.4	16.7	10.0	113.6	3.3	3.3	83.5	56.8	13.4	250.5	6.7	8	
21.0	3.0	87.1	126.1	15.0	81.1	9.0	24.0		3.0	12.0	72.1		6.0	54.0	96.1	12.0	204.2		9	
15.8	7.9	47.4	110.7	19.8	138.4	4.0	51.4	4.0	4.0	23.7	59.3		15.8	39.5	138.4	11.9	213.5	4.0	10	
20.4	5.1	76.5	142.8	15.3	51.0		35.7		15.3	10.2	112.2	15.3	20.4	91.8	71.4	15.3	219.3	30.6	11	
19.9	2.8	91.0	125.1	8.5	230.3		110.9	2.8	8.5	19.9	48.3	2.8	14.2	96.7	136.5	25.6	233.2	2.8	12	
14.1	7.0	63.4	126.8	7.0	63.4	7.0	14.1	14.1	21.1	21.1	98.6			63.4	63.4	14.1	239.5	14.1	13	
16.5	4.1	148.2	156.4	12.3	82.3	8.2	12.3	12.3	16.5	20.6	82.3		16.5	37.0	49.4	16.5	238.7	8.2	14	
12.3	16.5	152.2	123.4	16.5	98.7	24.7	45.3	4.1	8.2	8.2	82.3	8.2	16.5	57.6	78.2	8.2	263.3	12.3	15	
7.3	11.0	76.8	102.5	14.6	58.5	29.3	14.6	7.3	11.0	7.3	73.2	3.7	11.0	69.5	43.9	7.3	190.3	22.0	16	
15.6	12.5	115.7	200.2	9.4	81.3	3.1	18.8	9.4		3.1	75.1	6.3	9.4	87.6	40.7	18.8	244.0		17	
17.3	4.3	52.0	177.8	17.3	69.4	4.3	17.3	4.3	4.3	13.0	82.4	8.7		52.0	30.4	13.0	195.2	26.0	18	
14.7	7.4	171.3	419.9	11.1	110.5	23.9	47.9	1.8	18.4	3.7	294.7	3.7	5.5	40.5	81.0	22.1	401.5		19	
6.5		110.9	247.9	13.0	78.3		26.1	6.5	6.5		39.1	13.0		65.2	124.0	39.1	156.6	19.6	20	
24.4	6.1	228.1	152.8		140.6	12.2	6.1	6.1	12.2	24.4	116.1		12.2	79.4	91.7		195.6		21	
27.2	6.8	148.4	190.7	10.2	115.8	10.2	37.5	3.4	3.4	10.2	64.7	10.2	3.4	68.1	81.7	3.4	211.1	20.4	22	
21.0	5.5	54.8	184.5	21.9	93.2	11.0	65.8	11.0	11.0	5.5	54.8	5.5	16.5	60.3	49.4	11.0	170.0		23	
4.5	4.5	84.7	30.3	13.4	120.4	17.8	40.1	4.5	8.9	8.9	44.6		8.9	71.4	124.9	13.4	205.2	8.9	24	
24.2	9.7	72.5	91.8	24.2	111.2		33.8		4.8		82.2		4.8	72.5	24.2	4.8	140.2	14.5	25	
13.5	8.1	105.7	92.1	13.5	92.1	19.0	13.5	2.7		27.1	37.9	2.7	10.8	86.7	89.4	8.1	146.3	13.5	26	
27.1	11.6	131.8	166.7	7.8	127.9	11.6	38.8		7.8	11.6	108.6	7.8	3.9	103.6	96.9	3.9	259.8	7.8	27	
13.6		81.7	129.4	13.6	54.5	13.6	47.7	6.8	6.8	6.8	68.1			81.7	68.1		170.3	6.8	28	
32.5		149.6	175.6	16.3	97.5	6.5	32.5		6.5	19.5	84.5	13.0		87.8	110.5	19.5	230.8	16.3	29	
12.6	4.2	96.3	175.8	12.6	67.0	4.2	8.4	3.3	8.4	16.7	92.1			50.2	46.1	29.3	205.1	4.2	30	
24.2	20.8	45.0	141.9	8.5	90.0	6.9	55.4	10.4	13.8	13.8	55.4		3.5	48.5	72.7	10.4	138.5	3.5	31	
11.1	3.7	144.4	166.6	11.1	55.5	18.5	22.2	7.4	14.8	18.5	111.1	7.4	7.4	51.8	88.9	7.4	200.0	11.1	32	
4.1	8.2	73.4	133.6	20.4	101.9		36.7		8.2	12.2	97.8		4.1	69.3	77.4	8.2	203.8	16.3	33	
4.3	4.3	60.4	133.1	21.6	86.3		17.3		8.6	12.9	95.0		4.3	73.4	82.0	8.6	207.2	17.3	34	
	73.0	292.0	146.0		365.0		365.0		8.6		146.0				146.0			146.0		35
19.7	2.8	129.4	152.0	8.4	36.6	11.3	36.6	5.6	11.3	11.3	78.8	2.8	8.4	45.0	45.0	16.9	182.9	8.4	36	
8.3	8.3	37.3	120.1	24.9	157.4	16.6	111.9	4.1	16.6	16.6	103.6	4.1	4.1	95.3	70.4	4.1	203.0	20.7	37	
16.3	6.5	182.5	208.6	22.8	101.0	13.0	9.8	3.3	6.5	22.8	71.7		6.5	58.7	65.2	9.8	140.2	3.3	38	
12.2	24.3	97.3	133.7	12.2	77.0	12.2	28.4		16.2	8.1	81.0		12.2	48.6	56.7	16.2	182.3		39	
17.8	8.9	160.1	200.2	15.6	68.9	11.1	51.2	6.7	6.7	6.7	57.8		2.2	60.0	77.8	11.1	451.5	6.7	40	
	13.8	121.7	167.7	11.5	137.8	16.1	87.3	4.6	6.9	2.3	66.6	16.1	4.6	96.5	140.1	13.8	227.4		41	
9.2	13.8	94.6	147.7	25.4	147.7	13.8	64.6		9.2	11.5	60.0	2.3	6.9	71.6	117.7	16.2	200.8	9.2	42	
17.1	5.1	106.1	109.5	15.4	77.0	6.8	22.2	3.4	8.6	13.7	89.0	6.8	10.3	53.1	80.4	6.8	196.8	5.1	43	
9.2	4.6	124.0	124.6	9.2	64.6		23.1	4.6		13.8	96.9	4.6	9.2	55.4	46.1	9.2	232.4	9.2	44	
21.0	7.0	77.0	115.5	3.5	52.5	3.5	10.5	10.5	7.0	14.0	73.5		3.5	63.0	63.0	3.5	185.5	3.5	45	
24.7		57.6	131.7	16.5	57.6	32.9	49.4	8.2	8.2		49.4		8.2	41.2	82.3		205.3	8.2	46	
8.3	12.5	129.0	191.4	20.8	74.9	20.8	54.1	8.3	8.3	20.8	104.0		12.5	58.3	79.1	16.6	220.5		47	
	3.4	111.9	173.0	13.6	78.0	10.2	33.9	6.8			64.5	6.8	3.4	47.5	88.2	20.4	264.6	23.7	48	
26.2	5.2	141.6	170.4	7.9	102.3	10.5	10.5	13.1	5.2	18.4	52.4	5.2	13.1	55.1	68.2	2.6	233.4	5.2	49	
15.8	15.8	130.4	134.4	19.8	55.3	11.9	35.6	11.9	11.9	39.5	75.1	4.0	4.0	67.2	87.0	11.9	256.9	7.9	50	
20.4	4.5	120.2	172.3	11.3	72.6	11.3	45.3	24.9	13.6	18.1	72.6	4.5	13.6	59.0	93.0	11.3	176.9	2.3	51	
24.3	4.9	72.8	140.7	19.4	82.5	4.9	14.6		14.6	19.4	53.4	4.9		63.1	38.8	29.1	233.0	9.7	52	
12.6	7.8	82.0	121.2	15.6	122.4	15.6	85.9	4.4	9.1	10.8	76.2	6.1	8.3	100.0	96.7	10.6	215.7	14.7	53	
12.7	7.8	81.9	120.3	15.5	121.7	15.5	86.2	4.4	9.1	10.8	75.4	6.1	8.2	100.1	96.3	10.7	214.5	14.6	54	
5.4	7.2	90.1	187.4	19.8	174.8	28.8	68.5	1.8	5.4	7.2	137.0	5.4	10.8	90.1	128.0	5.4	306.4	21.6	55	
14.6	2.9	151.8	172.3	8.8	134.3	23.4	40.9		5.8	2.9	78.8	2.9	5.8	55.5	49.6	2.9	192.7	8.8	56	
8.6	8.6	50.1	101.7	18.2	161.7	15.8	103.0	5.4	8.6	15.3	54.5	6.0	4.7	105.3	86.1	10.4	196.4	3.4	57	
9.4	5.4	51.1	92.7	20.2	110.2	10.8	79.3	1.3	13.4	10.8	56.4	4.0	9.4	106.2	90.0	12.1	172.0	18.8	58	
5.4	18.8	57.6	108.6	16.1	185.0	10.7	115.3	6.7	10.7	9.4	68.4	2.7	4.0	123.3	104.6	14.7	234.6	8.0	59	
5.2	5.2	85.4	106.1	7.8	101.0	10.4	56.9	2.6	10.4	10.4	111.3	2.6	5.2	85.4	59.5	10.4	248.5	12.9	60	
14.5	8.9	145.7	176.8	15.6	100.1	17.8	42.3	1.1	7.8	18.9	86.7	2.2	3.9	105.6	83.4	26.7	228.0	15.6	61	
9.6	8.0	94.5	113.7	8.0	99.3	17.6	52.9	1.6	14.4	14.4	104.1	9.6	9.6	131.3	67.3	8.0	253.1	9.6	62	
22.9		156.3	249.8	24.8	85.8	15.3	34.3	15.3	11.4	13.3	167.8	5.7	3.8	89.6	101.1	13.3	362.3	15.3	63	
16.5		100.2	152.3	20.3	107.9	25.4	36.8	5.1	11.4	12.7	121.8	3.8	10.2	66.0	85.0	22.8	208.1	20.3	64	
11.1	9.3	83.																		

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—																
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.		
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16		
RURAL PART OF REGISTRATION STATES ² —Continued.																	
PENNSYLVANIA—continued.																	
1	Chester County (total).....	1,344.8	14.2			5.2		15.5	20.6	5.2	123.9	9.0	11.6	3.9	83.9		
2	White.....	1,309.8	11.4			5.7		17.0	21.3	4.3	109.4	8.5	7.1	2.8	85.2		
3	Colored.....	1,691.6	42.3						14.1	14.1	267.8	14.1	56.4	14.1	70.5		
4	Clarion County.....	1,057.4	8.0			2.7	13.3	15.9	18.6	2.7	39.9	2.7	5.3	10.6	63.8		
5	Clearfield County.....	989.8	10.5			3.5	3.5	22.3	9.4	5.9	4.7	56.2		3.5	9.4	58.6	
6	Clinton County.....	1,238.3	15.4					6.1	12.3	15.4		73.7	9.2	6.1	9.2	122.9	
7	Columbia County.....	1,101.3	7.7					13.4	28.8	7.7	1.9	40.3		3.8	3.8	57.6	
8	Crawford County.....	1,419.2	12.7				4.2	12.7	8.5	10.6	4.2	82.6	4.2	2.1	4.2	101.7	
9	Cumberland County.....	1,272.7	8.8					15.3	21.9	17.5	2.2	81.0	6.6	13.1	6.6	72.3	
10	Dauphin County*.....	1,432.9	8.2			4.9	4.9	6.6	31.3	11.5	4.9	126.7	6.6	16.5	8.2	64.2	
11	Delaware County (total).....	1,183.4	13.7					4.6	6.9	14.9	4.6	3.4	103.1	8.0	10.3	4.6	84.8
12	White.....	1,171.4	13.8					5.0	7.5	15.1	5.0	3.8	104.4	7.5	6.3	2.5	90.6
13	Colored.....	1,305.2	12.8							12.8			89.6	12.8	51.2	25.6	25.6
14	Elk County.....	964.0	8.1			16.2	5.4	5.4	13.5		16.2		53.9		5.4		56.6
15	Erie County.....	1,397.3	6.0			2.0	2.0	2.0	19.8	35.7	13.9		65.5	6.0	2.0	9.9	133.0
16	Fayette County.....	1,200.6	19.6			8.9	20.9	12.0	11.4	3.2	5.1	67.7	1.9	10.1	6.3	42.4	
17	Forest County †.....	856.7								11.4		34.3			11.4	80.0	
18	Franklin County.....	1,542.5	12.1					8.1	26.2	16.1		569.9	6.0	20.1	2.0	62.4	
19	Fulton County.....	1,206.9	10.4					10.4	10.4		20.8		176.9			72.8	
20	Greene County.....	957.5	10.3			27.5	3.4	27.5	10.3		13.7		78.9		6.9	13.7	61.8
21	Huntingdon County.....	1,196.6	17.6			5.0	2.5	7.5	12.5	2.5		60.2		5.0	7.5	75.3	
22	Indiana County.....	1,161.4	13.1			11.8	11.8	31.5	7.9	5.2		36.7	1.3	6.6	6.6	40.6	
23	Jefferson County.....	1,038.8	9.3			4.6	9.3	13.9	13.9	3.1	7.7	32.4	4.6	7.7	6.2	78.7	
24	Juniata County.....	1,393.1	13.7				6.9	6.9	61.8			89.2			13.7	34.3	
25	Lackawanna County.....	1,581.8	3.2			7.4	3.2	20.2	21.2	14.9	5.3	79.6	4.2	6.4	2.1	35.0	
26	Lancaster County.....	1,203.4	18.2					3.6	3.6	13.7	7.3	1.8	73.0	4.6	5.5	9.1	82.1
27	Lawrence County.....	1,169.5	13.9					8.3	5.6	22.2	13.9		61.1	5.6	5.6	58.3	
28	Lebanon County.....	1,195.2	4.8		2.4			4.8	7.1	21.4		71.3	7.1	2.4	4.8	35.6	
29	Lehigh County.....	1,718.0	18.7			26.5	3.1	3.1	14.0	6.2	3.1	155.6	7.8	17.1	7.8	70.0	
30	Luzerne County.....	1,448.8	4.1	0.5		20.8	15.0	10.4	42.1	5.9	5.9	83.4	3.6	7.3	9.5	44.9	
31	Lycoming County.....	1,045.7	10.0					4.0	4.0	20.1	6.0	2.0	46.2		6.0	12.0	70.2
32	McKean County.....	1,213.9	15.8			6.3	3.2		3.2	6.3	6.3	73.9	9.5		3.2	60.2	
33	Mercer County.....	1,165.6	30.8			6.8	8.6	12.0	13.7	18.8	3.4	54.8	3.4	12.0	8.6	80.4	
34	Mifflin County.....	1,139.3	6.7	3.4		3.4	6.7		50.4	3.4		84.0	3.4	10.1	3.4	50.4	
35	Monroe County.....	1,177.3	4.2			8.4		4.2	16.9	12.7	8.4	101.3		8.4	8.4	84.4	
36	Montgomery County.....	1,218.8	16.2	0.7		1.5	2.9	5.9	13.2	16.2	5.1	139.0	5.1	9.6	8.8	69.9	
37	Montour County *.....	1,884.9	6.9					34.3	13.7	41.1	34.3	123.4		13.7	6.9	116.5	
38	Northampton County.....	1,195.4	7.7			17.9	6.4	3.8	11.5	11.5	1.3	92.3	7.7	7.7	7.7	69.2	
39	Northumberland County.....	1,349.4	12.4	1.6		1.6	14.0	4.7	29.5	4.7		83.8	3.1	4.7	7.8	54.3	
40	Perry County.....	1,157.9	4.3					12.9	34.4	4.3	8.6	60.3		8.6	12.9	73.2	
41	Pike County.....	1,450.4				25.9		13.0		64.8	13.0	38.9		13.0	51.8	64.8	
42	Potter County †.....	882.5				3.4		17.0		17.0		37.5		13.6	6.8	68.1	
43	Schuylkill County.....	1,432.3	12.2	0.6		3.8	19.2	7.0	45.5	8.3	5.1	85.2	4.5	4.5	9.0	57.0	
44	Snyder County.....	1,181.8	6.0				6.0	6.0	30.1	6.0		54.3	6.0		18.1	96.5	
45	Somerset County.....	1,241.1	11.9						7.9	5.3		50.3		4.0	2.6	42.4	
46	Sullivan County †.....	887.1							9.1	27.4		45.7		9.1	18.3	64.0	
47	Susquehanna County.....	1,512.1	13.6			24.5	2.7	13.6	21.8	10.9	2.7	68.0	2.7	13.6	10.9	62.6	
48	Tioga County.....	1,259.8	10.0				5.0	12.4	2.5	17.4	5.0	52.3	2.5	7.5	2.5	97.1	
49	Union County.....	1,141.8	6.4					12.8	12.8	6.4		82.9	6.4			108.4	
50	Venango County.....	1,178.2	19.7				12.3	9.9	4.9	12.3		83.8	4.9	9.9	4.9	83.8	
51	Warren County *.....	1,686.5	11.6					7.8		27.1	11.6	81.4	3.9	11.6	15.5	73.7	
52	Washington County.....	1,326.2	13.1			15.9	34.5	23.5	18.6	4.1	2.8	65.6	2.1	10.4	2.8	51.8	
53	Wayne County.....	1,272.6	3.5			3.5		6.9	24.3	13.9		93.6		3.5	10.4	79.8	
54	Westmoreland County.....	1,169.3	11.4			2.6	10.5	11.0	23.2	7.9	3.5	53.9	8.3	9.2	8.3	48.2	
55	Wyoming County.....	1,370.7	13.5			6.8		6.8		6.8		87.8		6.8	6.8	101.3	
56	York County.....	1,029.4	13.6	1.0				5.2	15.7	7.3	1.0	85.9	3.1	6.3	7.3	67.0	
RHODE ISLAND.																	
57	Total.....	1,363.1	2.7	0.9		5.4	9.0	21.5	11.6	11.6	2.7	103.8	8.1	5.4	9.8	101.1	
58	White.....	1,362.5	2.7	0.9		5.5	9.1	20.0	11.8	11.8	2.7	105.4	8.2	5.5	10.0	100.9	
59	Colored.....	1,406.8						117.2								117.2	
60	Bristol County.....	1,435.8	5.1				20.5	15.4	25.6	20.5		92.3	10.3		5.1	133.3	
61	Kent County.....	1,458.9				9.8	19.6	9.8	19.6		9.8	127.3		19.6	19.6	117.5	
62	Newport County.....	1,394.4						23.0		15.3		69.0	15.3	7.7	7.7	61.3	
63	Providence County.....	1,272.8	4.6			6.9	4.6	32.0	6.9	13.7	4.6	125.9	11.4	6.9	9.2	68.7	
64	Washington County.....	1,408.3		4.0		7.9	7.9	11.9	11.9	4.0		83.1			11.9	146.4	
UTAH.																	
65	Total.....	989.3	18.5	0.4	0.7	2.5	2.5	15.3	7.6	7.6	5.8	36.7	1.5	6.2	9.8	35.2	
66	White.....	980.6	18.9	0.4	0.7	2.6	2.2	13.7	7.8	7.4	5.9	33.0	1.1	5.2	10.0	35.9	
67	Colored.....	1,437.3						19.2	95.8			230.0	19.2	57.5			
68	Beaver County.....	1,079.6	57.8						38.6	19.3		19.3				57.8	
69	Box Elder County.....	971.1	25.7			6.4				6.4		38.6			6.4	32.2	
70	Cache County †.....	866.5	19.9						4.0		11.9	4.0			19.9	39.7	
71	Carbon County.....	1,396.9	39.4			9.8	9.8	59.0	9.8	9.8		19.7			19.7	59.0	
72	Davis County †.....	817.9	18.0	9.0				62.9		9.0		9.0		9.0		36.0	

¹ Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory diseases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Neph- ritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38	
16.8	5.2	120.0	196.2	14.2	85.2	7.7	67.1	1.3	7.7	6.5	126.5	2.6	7.7	74.9	82.6	9.0	205.2	15.5	1
18.5	5.7	120.8	194.6	12.8	83.8	4.3	71.0	1.4	8.5	7.1	126.4	2.8	8.5	68.2	78.1	9.9	197.5	17.0	2
13.3	5.3	85.0	211.4	25.2	98.7	42.3	28.2	8.0	8.0	18.6	126.9	5.3	2.7	141.0	126.9	8.0	281.9	13.3	3
8.2	7.0	68.8	114.2	15.9	69.1	18.6	58.4	8.2	10.5	5.9	74.4	9.4	11.7	63.8	116.9	5.9	170.0	21.1	4
24.6	15.4	89.1	95.3	6.1	64.5	12.3	27.7	24.6	6.1	9.2	98.3	3.1	9.2	92.2	119.8	3.1	252.0	15.4	6
21.1	5.8	122.8	147.7	5.8	84.4	17.3	59.5	7.7	9.6	11.5	63.3	9.6	11.6	90.2	69.1	1.9	189.9	7.7	7
27.5	10.6	161.0	173.7	29.7	65.7	8.5	38.1	14.8	16.9	112.3	2.1	4.2	57.2	65.7	16.9	353.7	12.7	8	
17.5	4.4	116.1	166.5	21.9	81.0	24.1	21.9	2.2	11.0	11.0	96.4	4.4	11.0	103.0	57.0	4.4	265.1	8.8	9
16.5	8.2	108.6	157.9	19.7	90.5	26.3	47.7	3.3	11.5	6.6	92.1	4.4	4.9	102.0	83.9	16.5	337.3	4.9	10
14.9	3.4	71.0	136.3	16.0	83.6	14.9	51.5	4.6	5.7	13.7	123.7	3.4	3.4	67.6	65.3	12.6	229.1	3.4	11
15.1	2.5	71.7	139.7	15.1	78.0	12.6	49.1	5.0	6.3	15.1	119.5	3.8	3.8	70.5	64.2	12.6	221.4	3.8	12
12.8	2.8	64.0	102.4	25.6	140.8	38.4	76.8	5.4	8.1	16.2	166.3	2.7	2.7	38.4	76.8	12.8	307.1	13	13
19.8	6.0	127.0	184.6	11.9	87.3	6.0	29.8	4.0	17.9	11.9	40.4	10.2	11.9	121.2	96.2	2.7	177.7	13.5	14
4.4	11.4	32.9	67.1	15.8	164.6	10.1	145.6	1.9	9.5	3.2	48.1	7.6	16.5	129.7	112.7	13.3	174.7	22.2	16
34.3	8.1	91.4	68.5	10.1	45.7	11.4	45.7	11.4	11.4	45.7	45.7	4.0	10.0	91.4	91.4	6.0	171.3	11.4	17
20.8	52.0	52.0	124.9	10.4	135.3	10.4	20.8	6.9	13.7	10.4	72.8	10.4	10.3	41.6	52.0	10.4	249.7	31.2	19
30.9	6.9	75.5	75.5	6.9	65.2	20.6	30.9	6.9	13.7	3.4	58.3	10.3	10.3	54.9	41.2	6.9	161.3	24.0	20
15.1	5.0	95.3	80.3	17.6	110.4	17.6	55.2	7.5	7.5	10.0	97.8	5.0	12.5	87.8	122.9	-----	243.3	10.0	21
15.7	6.6	51.1	94.4	14.4	128.5	9.2	104.9	3.9	6.6	7.9	69.5	3.9	10.5	114.0	102.2	6.6	212.3	14.4	22
23.2	4.6	58.7	94.2	15.4	94.2	26.2	55.6	10.8	17.0	9.3	60.2	3.1	6.2	86.4	81.8	1.5	189.9	9.3	23
20.6	27.4	151.0	343.1	6.9	89.2	13.7	13.7	6.9	6.9	34.3	109.8	6.9	13.7	61.8	89.2	6.9	144.1	27.2	24
8.5	14.9	51.0	127.4	41.4	220.8	20.2	216.6	5.3	9.6	13.8	103.0	8.5	17.0	121.0	144.4	13.8	239.9	2.1	25
15.5	6.4	139.6	157.8	10.0	84.9	11.9	36.5	0.9	9.1	9.1	112.2	1.8	5.5	79.4	52.9	7.3	234.5	5.5	26
2.8	8.3	61.1	86.1	16.7	136.1	19.4	66.7	8.3	13.9	19.4	53.3	2.8	8.3	111.1	122.2	-----	213.9	19.4	27
7.1	149.7	99.8	7.1	130.7	16.6	38.0	-----	4.8	23.8	80.8	11.9	9.5	73.7	54.7	16.6	259.0	23.8	28	
12.4	12.4	182.1	155.6	23.3	119.3	18.7	101.2	7.8	7.8	12.4	98.0	12.4	12.4	88.7	157.2	21.8	322.1	18.7	29
7.7	5.4	51.2	85.2	31.3	184.4	28.5	186.7	2.7	5.9	10.4	58.1	6.8	6.8	122.8	144.1	9.1	232.5	15.9	30
12.0	4.0	98.3	142.5	8.0	90.3	4.0	20.1	-----	6.0	8.0	106.4	6.0	12.0	78.3	66.2	10.0	190.7	2.0	31
12.7	9.5	79.2	136.3	9.5	104.6	15.8	50.7	25.4	31.7	9.5	95.1	9.5	9.5	91.9	93.3	6.3	221.9	9.5	32
18.8	10.3	85.6	152.3	12.0	73.6	13.7	35.9	1.7	5.1	10.3	97.6	3.4	6.8	53.1	94.1	6.8	208.8	23.2	33
20.2	6.7	100.8	147.9	63.9	63.9	26.9	53.8	-----	3.4	16.8	94.1	10.1	10.1	110.9	53.8	-----	181.5	13.4	34
-----	-----	130.8	130.8	8.4	97.1	12.7	33.8	4.2	-----	-----	76.0	-----	4.2	92.8	59.1	8.4	240.5	21.1	35
11.8	6.6	108.9	148.6	14.7	91.2	11.8	39.7	2.2	9.6	14.7	89.0	2.9	3.7	84.6	84.6	9.6	187.6	2.9	36
27.4	-----	239.9	246.7	75.4	13.7	48.0	-----	27.4	20.6	54.8	-----	6.9	6.9	89.1	109.7	6.9	514.1	13.7	37
17.9	3.8	91.0	116.6	24.3	108.9	10.3	82.0	1.3	3.8	6.4	64.1	6.4	7.7	103.8	84.6	12.8	185.8	19.2	38
12.4	6.2	80.7	116.3	10.9	150.4	18.6	131.8	9.3	7.8	7.8	74.4	9.3	10.9	131.8	122.5	10.9	204.7	10.9	39
12.9	4.3	129.1	185.1	4.3	111.9	8.6	17.2	4.3	4.3	4.3	99.0	-----	12.9	73.2	64.6	17.2	172.2	17.2	40
27.3	17.0	71.6	220.2	13.0	142.5	25.9	-----	13.0	25.9	38.9	155.4	13.0	13.0	38.9	129.5	38.9	155.4	-----	41
11.5	7.7	72.4	88.6	3.4	68.1	17.0	20.4	6.8	3.4	-----	51.1	-----	10.2	57.9	68.1	3.4	170.4	17.0	42
24.1	18.1	90.4	109.6	10.9	142.9	33.3	132.7	6.4	8.3	10.9	75.0	6.4	9.6	123.0	150.0	9.0	239.7	10.9	43
-----	-----	-----	168.8	-----	84.4	18.1	24.1	36.2	12.1	138.7	6.0	18.1	66.3	60.3	-----	-----	138.7	48.2	44
13.2	5.3	41.1	78.2	10.6	135.1	5.3	109.9	1.3	6.6	6.6	60.9	17.2	13.2	133.8	120.5	10.6	208.0	22.5	45
9.1	9.1	82.3	118.9	-----	82.3	-----	64.0	-----	9.1	36.6	18.3	-----	9.1	73.2	54.9	-----	146.3	-----	46
13.6	10.9	136.0	206.7	13.6	146.9	5.4	59.8	5.4	16.3	5.4	89.7	2.7	10.9	65.3	103.3	13.6	353.5	5.4	47
12.4	7.5	132.0	184.2	2.5	79.7	14.9	10.0	-----	17.4	12.4	114.5	7.5	10.0	59.8	52.3	12.4	303.7	12.4	48
19.1	6.4	102.1	274.3	25.5	25.5	6.4	25.5	-----	12.8	6.4	82.9	-----	6.4	57.4	51.0	6.4	178.6	19.1	49
32.0	9.9	83.8	140.5	7.4	76.4	27.1	22.2	2.5	14.8	17.3	69.0	2.5	7.4	56.7	66.5	7.4	271.1	17.3	50
31.0	3.9	151.2	259.8	15.5	127.9	19.4	15.5	-----	7.8	7.8	112.4	-----	7.8	65.9	116.3	31.0	469.1	7.8	51
4.1	14.5	52.4	81.4	20.0	148.4	11.7	163.5	-----	6.2	9.7	41.4	5.5	9.7	131.1	158.0	8.3	200.8	14.5	52
9.2	-----	90.2	166.4	20.8	128.3	-----	34.7	6.9	6.9	17.3	159.5	10.4	6.9	62.4	83.2	10.4	187.2	17.3	53
24.3	12.3	49.1	76.7	14.9	130.2	11.8	131.5	3.5	9.6	9.6	34.6	7.0	6.6	108.2	117.0	14.0	160.8	64.4	54
20.3	-----	101.3	202.6	13.5	114.8	-----	54.0	13.5	6.8	13.5	60.8	13.5	-----	81.0	135.0	13.5	290.3	-----	55
10.5	4.2	90.1	139.3	5.2	90.1	5.2	36.7	1.0	5.2	8.4	80.6	3.1	5.2	82.7	49.2	7.3	184.3	7.3	56
24.2	9.0	108.3	145.0	27.7	124.4	6.3	55.5	4.5	7.2	12.5	122.6	4.5	9.0	83.2	68.0	12.5	232.7	12.5	57
24.5	9.1	109.1	147.2	27.3	123.6	6.4	55.4	4.5	7.3	12.7	123.6	4.5	8.2	80.9	64.5	12.7	233.6	12.7	58
-----	-----	58.6	-----	58.6	175.8	-----	58.6	-----	-----	-----	58.6	-----	58.6	234.5	293.1	-----	175.8	-----	59
10.3	10.3	143.6	107.7	10.3	138.5	5.1	102.6	10.3	-----	10.3	117.9	10.3	5.1	117.9	71.8	-----	230.8	5.1	60
9.8	-----	166.5	137.1	19.6	127.3	9.8	29.4	-----	19.6	9.8	97.9	-----	9.8	127.3	39.2	9.8	293.7	-----	61
38.3	23.0	137.9	122.6	38.3	199.2	7.7	69.0	2.3	6.9	7.7	76.6	-----	-----	107.3	84.3	38.3	214.5	30.6	62
22.9	11.4	71.0	148.8	43.5	105.3	4.6	52.7	-----	18.3	119.0	2.3	9.2	54.9	59.5	16.0	215.2	13.7	63	
35.6	-----	106.8	182.0	11.9	106.8	7.9	27.7	7.9	11.9	7.9	166.2	7.9	15.8	75.2	83.1	4.0	249.2	11.9	64
11.3	6.5	40.3	98.8	15.3	118.4	12.4	30.2	13.8	8.0	5.1	54.5	4.4	6.2	87.2	105.7	10.9	188.6	21.4	65
11.5	6.3	41.1	100.0	15.6	115.2	12.6	30.0	14.1	8.1	5.2	54.4	4.4	6.3	87.8	102.9	10.7	185.5	21.1	66
-----	19.2	-----	38.3	-----	287.5	-----	38.3	-----	-----	-----	57.5	-----	-----	57.5	249.1				

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes ¹	Ty-phoid fever.	Malari-a.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Infu-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gititis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.															
UTAH—continued.															
1 Emery County †	667.4	26.2					13.1		13.1	13.1					13.1
2 Garfield County	1,273.2	79.6				26.5		26.5	26.5		53.1			53.1	26.5
3 Grand County	560.2													56.0	
4 Iron County	1,342.1					24.4			48.8		48.8				
5 Juab County †	775.1	9.1								9.1	54.7			9.1	
6 Kane County †	756.6														63.1
7 Millard County	1,094.5	15.9					15.9		15.9	31.7	15.9		15.9		63.5
8 Morgan County †	604.7													37.8	
9 Piute County	913.5	60.9					182.7								
10 Rich County	1,022.1	53.8					53.8			53.8				53.8	
11 Salt Lake County	1,099.2	13.5		2.2	9.0	4.5		20.2		2.2	96.5	2.2	6.7	9.0	49.4
12 San Juan County † (total)	507.6														
13 White	1,184.8														
14 Colored															
15 Sanpete County	1,025.5	17.8			5.9		5.9				17.8		11.9	23.7	29.6
16 Sevier County	918.8	19.3					29.0			9.7	19.3		9.7	9.7	48.4
17 Summit County	1,289.9	39.1					65.1			26.1	26.1		26.1	26.1	13.0
18 Tooele County	1,004.3						12.2					12.2	12.2		
19 Uinta County (total)	1,245.9	41.1					68.5		68.5	13.7	136.9	13.7	41.1		54.8
20 White	892.7	47.8					15.9		79.7	15.9					63.8
21 Colored	3,394.8						388.0				969.9	97.0	291.0		
22 Utah County *	1,025.3			2.5	2.5		14.9	7.4	7.4		27.3	2.5	5.0	5.0	47.2
23 Wasatch County †	887.8	65.4					18.7	9.3			18.7				9.3
24 Washington County †	861.6							18.7	56.2	18.7	37.5				37.5
25 Wayne County †	654.0													59.5	
26 Weber County †	758.7						10.1	20.2		10.1	40.5				40.5
VERMONT.															
27 Total	1,467.0	10.8	0.3		1.3	3.2	9.6	9.6	22.0	3.5	73.3	7.0	11.5	8.6	103.2
28 White	1,472.9	10.9	0.3		1.3	3.2	9.6	9.6	22.1	3.5	73.6	7.0	11.5	8.6	103.7
29 Colored	260.9														
30 Addison County	1,427.0	10.4						10.4	26.0		46.9			5.2	99.0
31 Bennington County	1,351.3						4.7		33.0		75.3	14.1	14.1	18.8	84.7
32 Caledonia County	1,593.5	15.0				18.7		3.7	37.4		82.3	11.2	18.7	15.0	93.5
33 Chittenden County	1,383.2	13.4			4.5	4.5	8.9	17.8	4.5		84.8	13.4	4.5	4.5	98.2
34 Essex County	1,493.4						14.1	14.1	28.2		84.5		28.2		70.4
35 Franklin County	1,503.7	20.2					20.2	20.2	20.2		53.8	6.7	13.5	10.1	107.6
36 Grand Isle County	1,097.6				57.8		28.9				86.7				28.9
37 Lamoille County	1,518.4	15.7					7.9		31.5	15.7	62.9	15.7			133.7
38 Orange County	1,577.7						10.8	10.8	32.5	5.4	48.8	5.4	10.8	16.3	173.5
39 Orleans County	1,544.1	8.4	4.2			4.2	8.4	8.4	12.6	4.2	71.1		16.7	8.4	138.1
40 Rutland County	1,237.4	17.0			2.8	2.8	2.8	2.8	25.4	2.8	73.5	11.3	5.7	11.3	73.5
41 Washington County *	1,529.5	6.2					9.3	9.3	12.4	15.5	127.5		24.9	9.3	102.6
42 Windham County	1,656.4	18.5				3.7	14.8	7.4	22.2		62.9	11.1	14.8	3.7	92.4
43 Windsor County	1,414.0	5.8				2.9		17.5	17.5	2.9	61.2	2.9	2.9	2.9	105.0
VIRGINIA.															
44 Total	1,286.5	27.4	7.8	0.8	6.1	1.6	30.1	17.3	11.3	2.4	156.8	4.7	12.5	7.4	43.3
45 White	1,103.8	22.4	4.0	0.5	6.7	2.3	18.9	20.2	11.3	3.0	108.8	4.3	9.4	6.4	47.0
46 Colored	1,662.3	37.9	15.7	1.3	4.7		53.8	11.2	11.2	1.1	258.4	5.6	18.9	9.4	35.4
47 Accomac County (total)	1,185.2	31.3			31.3	2.6	23.4	7.8	5.2	2.6	164.1		10.4	2.6	57.3
48 White	1,013.7	20.5			23.7	4.1	8.2	8.2	4.1		119.0		16.4	4.1	53.4
49 Colored	1,483.3	49.9			35.7		49.9	7.1	7.1	7.1	242.5				64.2
50 Albemarle County (total)	1,483.6	19.7		3.3	6.6		16.4	13.1	16.4	3.3	147.7	13.1	26.3	6.6	62.4
51 White	1,257.6	19.5		4.9	4.9		14.6	14.6	14.6	4.9	107.2	14.6	14.6		63.4
52 Colored	1,949.5	20.1			10.0		20.1	10.0	20.1		231.1	10.0	50.2	20.1	60.3
53 Alexandria County (total)	1,231.9	16.9						25.3	8.4		126.6		8.4		50.6
54 White	1,050.0	11.4							11.4		102.7				68.5
55 Colored	1,747.6	32.4						97.1			194.2		32.4		
56 Alleghany County † (total)	886.3	20.3					27.1		20.3	13.5	67.7	6.8	13.5		60.9
57 White	753.4	17.1					17.1		25.7	17.1	34.2		8.6		68.5
58 Colored	1,387.5	32.3					64.5				193.6	32.3	32.3		32.3
59 Amelia County (total)	1,537.4	23.3					116.5				221.3			11.6	81.5
60 White	893.4										31.9			31.9	127.6
61 Colored	1,907.5	36.7					183.4				330.2				55.0
62 Amherst County (total)	1,377.1	46.4				20.6	20.6	46.4	10.3		128.9		15.5	10.3	20.6
63 White	1,422.5	51.4				34.3	17.1	42.8	8.6		137.1		17.1	17.1	8.6
64 Colored	1,308.6	38.9					25.9	51.8	13.0		116.6		13.0		38.9
65 Appomattox County (total)	1,235.0	23.3			11.7		11.7	35.0	11.7		233.0	11.7	23.3		35.0
66 White	1,236.8	35.8			17.9		17.9	17.9	17.9		179.2		17.9		53.8
67 Colored	1,231.7							66.6			332.9	33.3	33.3		
68 Augusta County (total)	1,091.1	6.0			3.0		27.1	12.1	3.0		90.4	9.0	15.1	12.1	51.2
69 White	1,024.5	3.5					24.6	14.0	3.5		80.7	7.0	14.0	14.0	56.1
70 Colored	1,497.3	21.4			21.4		42.8				149.7	21.4	21.4		21.4

¹ Exclusive of stillbirths.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.															
VIRGINIA—continued.															
1 Bath County (total).....	1,052.0						28.8		14.4		72.1			14.4	57.6
2 White.....	1,073.9						35.2		17.6		52.8				70.4
3 Colored.....	953.1										158.9			79.4	
4 Bedford County (total).....	1,095.6	6.8				6.8	6.8	27.4	13.7	3.4	119.8	6.8	17.1	3.4	37.7
5 White.....	996.2	4.8				9.6	4.8	28.9	19.3	4.8	77.0	9.6	9.6	4.8	33.7
6 Colored.....	1,340.6	11.9					11.9	23.7			225.4		35.6		47.5
7 Bland County (total).....	1,137.5	20.0							20.0		159.6				20.0
8 White.....	1,085.8	20.5							20.5		143.4				20.5
9 Colored ³	3,076.9										769.2				
10 Botetourt County (total).....	1,085.3	5.6			5.6		39.0	22.3		5.6	144.7		11.1	16.7	33.4
11 White.....	1,049.0				6.9		48.6	27.8		6.9	104.2		6.9	13.9	34.7
12 Colored.....	1,231.5	28.0									307.9		28.0	28.0	28.0
13 Bristol (city) (total).....	1,336.6	14.4			14.4		28.7		14.4		186.8		28.7		71.9
14 White.....	1,249.1	17.6					35.2				140.7		17.6		52.8
15 Colored.....	1,726.8				78.5						392.5		78.5		187.0
16 Brunswick County (total).....	1,397.1	40.6	5.1				61.0	15.2	15.2		167.7	5.1	20.3	15.2	55.9
17 White.....	1,193.8	25.1					37.7	25.1	25.1		125.7		12.6	12.6	50.3
18 Colored.....	1,535.2	51.2	8.5				76.8	8.5	8.5		196.2	8.5	25.6	17.1	59.7
19 Buchanan County (total).....	1,225.9	22.3			22.3		52.0	89.2	22.3		104.0	14.9	14.9		
20 White.....	1,211.4	14.9			22.3		52.0	89.2	22.3		104.1	14.9	14.9		
21 Colored ³	(*)	(*)													
22 Buckingham County (total).....	1,225.3	19.8	6.6					19.8	6.6		151.5		6.6	6.6	32.9
23 White.....	1,018.9	13.2						39.7	13.2		92.6				26.5
24 Colored.....	1,429.9	26.2	13.1								209.9		13.1	13.1	39.4
25 Buena Vista (city) (total).....	942.1								27.7		138.5	27.7	55.4		
26 White.....	953.6								31.8		127.1	31.8	63.6		
27 Colored.....	863.9										216.0				
28 Campbell County (total).....	1,110.0	19.9	8.0				4.0	8.0	11.9		147.2		8.0	4.0	19.9
29 White.....	1,188.3	26.3	6.6				6.6	13.1	19.7		131.3		13.1	6.6	32.8
30 Colored.....	989.6	10.1	10.1						10.1		171.7				
31 Caroline County (total).....	1,274.8	12.1						157.1	6.0	6.0	157.1			6.0	36.3
32 White.....	1,006.4	12.9						64.5		12.9	141.9				25.8
33 Colored.....	1,511.2	11.4						238.6	11.4		170.4			11.4	45.4
34 Carroll County † (total).....	868.1	13.7			4.6			32.0	36.6	9.1	86.8		9.1	4.6	27.4
35 White.....	851.8	13.9			4.6			32.4	37.0	9.3	88.0		9.3	4.6	27.8
36 Colored ³	2,105.3														
37 Charles City County (total).....	1,048.1		37.4					56.1			131.0				18.7
38 White.....	1,098.9														73.3
39 Colored.....	1,030.7		50.3					75.4			176.0				
40 Charlotte County (total).....	982.9	12.5						25.0	12.5	6.3	169.0		6.3	12.5	31.3
41 White.....	790.1	26.8						13.4	26.8		160.7			26.8	26.8
42 Colored.....	1,152.1							35.3		11.8	176.3		11.8		35.3
43 Charlottesville (city) (total).....	1,536.2	14.5						29.0		14.5	144.9				72.5
44 White.....	1,620.0	23.1						23.1		23.1	115.7				115.7
45 Colored.....	1,395.9							38.8			193.9				
46 Chesterfield County (total).....	1,627.8	44.7	13.4		4.5	4.5		40.2	4.5	4.5	237.0	13.4	13.4	13.4	53.7
47 White.....	1,389.9	34.7	6.9			6.9		41.7	6.9	6.9	180.7	13.9		6.9	83.4
48 Colored.....	2,057.4	62.7	25.1		12.5			37.6			338.7	12.5	37.6	25.1	
49 Clarke County (total).....	1,374.6	27.5							13.7		206.2		27.5		82.5
50 White.....	1,257.4	37.0							18.5		147.9		18.5		55.5
51 Colored.....	1,714.0										374.9		53.6		160.7
52 Clifton Forge (city) (total).....	1,019.5	60.0						15.0		15.0	119.9	30.0			15.0
53 White.....	870.2	18.5									111.1	37.0			18.5
54 Colored.....	1,654.8	236.4						78.8		78.8	157.6				
55 Craig County (total).....	981.8				40.9			61.4		20.5	81.8	20.5			40.9
56 White.....	1,006.0				42.8			64.2		21.4	85.6	21.4			42.8
57 Colored ³	460.8														
58 Culpeper County (total).....	1,235.2	22.7			7.6			7.6		45.5	144.0	15.2		7.6	75.8
59 White.....	1,237.8							12.5		75.0	112.5			12.5	87.5
60 Colored.....	1,231.2	57.7			19.2						192.4	38.5			57.7
61 Cumberland County (total).....	1,077.6	10.8			10.8			53.9	10.8	10.8	150.9	21.6		10.8	21.6
62 White.....	1,122.2										256.5	32.1			32.1
63 Colored.....	1,055.0	16.2			16.2			81.2	16.2	16.2	97.4	16.2		16.2	16.2
64 Dickenson County (total).....	1,150.8	40.7	10.2	20.4				50.9			101.8				10.2
65 White.....	978.4	40.8	10.2	20.4				51.0			101.9				10.2
66 Colored ³	(*)														
67 Dinwiddie County * (total).....	2,934.7	64.6		6.5	6.5			45.2	12.9	12.9	400.8	6.5	32.3		25.9
68 White.....	966.0	50.1			16.7			16.7	16.7		99.9	16.7			50.0
69 Colored.....	4,183.4	73.9		10.6				63.4	10.6	21.1	591.6		52.8		10.6
70 Elizabeth City County † (total).....	2,439.0	45.5	13.7					45.5	4.6	9.1	150.2	13.7	4.6	13.7	109.2
71 White.....	2,231.4	44.0	14.7					14.7	7.3		80.7	22.0			146.8
72 Colored.....	2,777.8	47.9	12.0					95.8		23.9	283.4	12.0	35.9		47.9

¹ Exclusive of stillbirths. ² Exclusive of municipalities having a population of 10,000 or over in 1910. ³ Colored population less than 5 per cent of the total in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38		
	14.4	43.2	72.1	28.8	43.2	28.8		28.8	14.4		100.9	28.8	14.4	72.1	72.1		273.8	28.8	1	
	17.6	35.2	83.0	17.6	35.2	35.2		35.2	17.6		123.2	17.6	17.6	70.4	88.0		231.7	17.6	2	
		79.4		79.4	79.4							79.4		79.4			238.3	79.4	3	
6.8	6.8	47.9	160.9	6.8	71.9	3.4	34.2	3.4	10.3		68.5	3.4	17.1	61.6	78.7	3.4	232.8	27.4	4	
9.6	4.8	38.5	154.0	4.8	72.2	4.8	38.5		14.4		72.2	4.8	24.1	48.1	52.9	4.8	216.6	24.1	5	
	11.9	71.2	178.0	11.9	71.2		28.7	11.9			59.3			94.9	142.4		272.9	35.6	6	
39.9	20.0	59.9	139.7	20.0	139.7		20.0			20.0		20.0					279.4	39.9	7	
41.0	20.5	61.5	143.4	20.5	122.9		20.5			20.5		20.5		39.9			245.9	41.0	8	
					789.2									41.0			1,538.5		9	
11.1	11.1	50.1	128.0	16.7	77.9		50.1		5.6		89.0	5.6		66.8	83.5	5.6	189.2	11.1	10	
6.9	13.9	48.6	138.9	20.8	69.5		48.6		6.9		83.4	6.9		69.5	76.4	6.9	187.6	13.9	11	
23.0		56.0	84.0		112.0		56.0				112.0			56.0	112.0		195.9		12	
		43.1	86.2	14.4	158.1		100.6		14.4		100.6			43.1	71.9	28.7	287.4	28.7	13	
		52.8	105.6	17.6	175.9		105.6		17.6		105.6			35.2	52.8	35.2	263.9	17.6	14	
					78.5		78.5				78.5			78.5	157.0		392.5	78.5	15	
5.1	10.2	71.1	71.1	5.1	66.0	15.2	40.6				50.8	10.2	30.5	96.5	66.0	10.2	345.5	96.5	16	
12.6	12.6	113.1	75.4	12.6	75.4	12.6	37.7		5.1		50.3			75.4	12.6	25.1	301.6	62.8	17	
		42.6	68.2		59.7	17.1	42.6		8.5		51.2	17.1	51.2	110.9	102.3		375.3	119.4	18	
	7.4	7.4	96.6	7.4	44.6	7.4	44.6		14.9		7.4		7.4	89.2	148.6		163.5	237.8	19	
	7.4	7.4	96.6	7.4	44.6	7.4	44.6		14.9		7.4		7.4	89.2	148.6		156.1	237.8	20	
																	(4)			21
13.2	6.6	46.1	171.3		125.2	19.8	79.1	6.6		6.6	32.9		6.6	46.1	46.1		263.5	105.4	22	
	13.2	26.5	158.8		105.9		79.4				26.5		13.2	52.9	39.7		251.4	66.2	23	
26.2		65.6	183.7		144.3	33.4	78.7	13.1		13.1	39.4			39.4	52.5		275.5	144.3	24	
	27.7		55.4		83.1		27.7				55.4	27.7	27.7	194.0	55.4		138.5		25	
	31.8		63.6		95.4		31.8				63.6	31.8	31.8	190.7	31.8		127.1		26	
		47.7	67.6	23.9	55.7	19.9	59.7		4.0		67.6	11.9	4.0	216.0	216.0		216.0		27	
		46.0	72.2	26.3	39.4	19.7	85.3		6.6		85.3	13.1	6.6	75.6	95.5		262.6	71.6	28	
		50.5	60.6	20.2	80.8	20.2	20.2				40.4	10.1		91.9	105.0		249.5	72.2	29	
														50.5	80.8		282.7	70.7	30	
18.1	24.2	60.4	132.9	6.0	60.4	18.1	6.0	12.1	18.1		66.5		6.0	60.4	66.5	6.0	271.9	60.4	31	
25.8	12.9	77.4	77.4	12.9	38.7		73.3				90.3			51.6	25.8		245.2	38.7	32	
11.4	34.1	45.4	181.8		79.5	34.1	11.4	11.4			45.4		11.4	63.2	102.3	11.4	295.4	79.5	33	
4.6	18.3	50.3	59.4	9.1	118.8	22.8	9.1	4.6			22.8		13.7	77.7	64.0		114.2	50.3	34	
4.6	18.5	50.9	50.9	9.3	115.7	23.1	4.6	4.6			23.1		18.9	60.2			111.1	50.9	35	
			701.8		350.9		350.9							78.7	350.9		350.9		36	
56.1		18.7	74.9		74.9	18.7	74.9				131.0		18.7	18.7			131.0	168.4	37	
73.3		73.3	146.5		73.3		73.3				219.8						146.5	219.8	38	
50.3			50.3		75.4	25.1	75.4				100.6		25.1	25.1			125.7	150.8	39	
6.3	6.3	37.6	81.4		75.1		31.3	12.5	6.3	6.3	68.9	6.3		18.8	75.1		194.1	81.4	40	
		26.8	40.2		67.0		26.8		13.4		80.4			26.8	40.2		160.7	26.8	41	
		47.0	117.6		82.3		35.3	23.5		11.8	58.8	11.8		11.8	105.8		223.5	129.3	42	
14.5	14.5	130.4	275.4	14.5	115.9	14.5	43.5		14.5		159.4			101.4	72.5	29.0	246.4	14.5	43	
23.1	23.1	162.0	254.6	23.1	115.7		46.3				162.0			92.6	69.4	46.3	300.9		44	
		77.5	310.2		116.3	38.8	38.8			38.8	155.1			116.3	77.5		155.1	38.8	45	
8.9	8.9	58.1	116.3	22.4	102.9	17.9	98.4		4.5		246.0		13.4	111.8	58.1	31.3	187.8	89.4	46	
13.9	6.9	34.7	97.3	6.9	82.5	6.9	125.1		6.9		222.4		18.9	111.2	41.7	34.7	166.8	48.6	47	
	12.5	100.4	150.5	50.2	175.6	37.6	60.2				288.5	12.5	12.5	112.9	87.8	25.1	225.8	163.1	48	
		55.0	123.7	55.0	110.0	13.7		13.7	27.5	27.5	151.2			27.5	55.0	13.7	329.9	13.7	49	
		55.5	92.5	18.5	110.9	18.5			37.0	37.0	129.4			37.0	55.5	18.5	369.8		50	
		53.6	214.2	160.7	107.1			53.6			214.2			53.6			214.2	53.6	51	
15.0	60.0	30.0	75.0	15.0	45.0	15.0	15.0		30.0	15.0	90.0	15.0	30.0	75.0	104.9		104.9	30.0	52	
18.5	74.1	18.5	37.0	18.5	37.0	18.5	18.5		18.5	18.5	74.1	18.5	37.0	92.6	55.5		111.1	37.0	53	
		78.8	286.4		78.8				157.6		157.6			315.2			78.8		54	
		61.4	102.3	20.5	61.4		20.5	20.5			81.8			40.9	20.5		245.4	40.9	55	
		64.2	107.0	21.4	64.2		21.4	21.4			85.6			42.8	21.4		235.4	42.8	56	
30.3		106.1	98.5	7.6	128.8	7.6	22.7				30.3	7.6	22.7	45.5	63.2		460.8		57	
50.0		175.0	125.0	12.5	87.5		25.0				50.0		25.0	75.0	25.0		265.2	60.6	58	
			57.7		192.4	19.2	19.2					19.2	19.2		134.7		225.1	50.0	59	
		10.8	118.5	32.3	64.7	10.8	53.9		10.8		64.7		10.8	32.3	32.3		327.0	77.0	60	
		32.1	128.2		64.1		96.2				64.1		32.1	96.2			258.6	75.4	61	
			113.6	48.7	64.9	16.2	32.5		16.2		64.9			48.7			259.7	32.1	62	
10.2	20.4	20.4	61.1	10.2	61.1		10.2	10.2			30.6		10.2	71.3	244.4	10.2	142.6	203.7	63	
10.2	20.4	20.4	51.0	10.2	30.6	(4)	10.2	10.2			30.6		10.2	71.3	122.3	10.2	142.7	193.6	64	
															(4)			(4)		66
	6.5	245.6	219.8	6.5	116.4	19.4	58.2		6.5		193.9	6.5	25.9	64.6	58.2	19.4	1,124.8	142.2	67	
		33.3	50.0		66.6	16.7	16.7		16.7		99.9	16.7	33.3	16.7	66.6	33.3	166.6	66.6	68	
	10.6	380.3	327.5	10.6	147.9	21.1	84.5				253.5		21.1	95.1	52.8	10.6	1,732.5	190.2	69	
13.7	9.1	186.6	400.4	9.1	100.1	13.7	36.4	27.3		45.5	377.7	13.7	18.2	100.1	182.0	13.7	450.5	4.6	70	
22.0		183.5	455.1	7.3	73.4		7.3	29.4		29.4	462.4	7.3		88.1	154.1	22.0	330.3		71	
	23.9	191.6	311.3	12.0	143.7	35.9	83.8	23.9		71.8	239.5	23.9	47.9	119.7	227.5		646.5	12.0	72	

⁴ Rate not shown when population is less than 100.

⁵ Includes National Military Home.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Infu-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(87)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.																
VIRGINIA—continued.																
1	Essex County (total).....	1,231.2	33.9	11.3				45.2	11.3	11.3		203.3	11.3	22.6	11.3	11.3
2	White.....	878.9	54.9						27.5			27.5				
3	Colored.....	1,477.4	19.2	19.2				76.7		19.2		326.2	19.2	38.4	19.2	19.2
4	Fairfax County (total).....	1,071.6	4.7						9.4	18.7		84.2	9.4	18.7		42.1
5	White.....	1,045.3	6.1						12.3	24.6		49.2	12.3	18.4		43.0
6	Colored.....	1,155.5										195.8		19.6		39.2
7	Fauquier County (total).....	1,127.9	9.0			9.0			13.5	9.0		117.3	9.0	9.0	4.5	58.6
8	White.....	1,038.4	6.8			13.6			6.8	13.6		61.1	6.8	13.6	6.8	54.3
9	Colored.....	1,305.2	13.5					26.9				228.7	13.5			67.3
10	Floyd County (total).....	1,115.0	22.2			7.4			7.4	22.2	7.4	118.2		22.2	7.4	66.5
11	White.....	1,060.4	23.6			7.9			7.9	23.6	7.9	102.1		7.9	7.9	70.7
12	Colored.....	1,972.9										369.9		246.6		
13	Fluvanna County (total).....	1,509.5	12.5					62.4			12.5	212.1		25.0	25.0	87.3
14	White.....	1,181.9	21.1					84.4			21.1	128.6		21.1		126.6
15	Colored.....	1,982.9						30.5				335.6		30.5	61.0	30.5
16	Franklin County (total).....	1,011.1	22.5		3.7	7.5		26.2		11.2		161.0	7.5	18.7	7.5	44.9
17	White.....	939.7	28.3			4.7		14.2		14.2		108.6	4.7	14.2	4.7	47.2
18	Colored.....	1,284.4			18.1	18.1		72.4				361.8	18.1	36.2	18.1	36.2
19	Frederick County (total).....	1,127.3	15.9					47.6	15.9	31.8		186.7		15.9	15.9	47.6
20	White.....	1,133.8	16.8					50.4	16.8	33.6		142.8		16.8	16.8	50.4
21	Colored.....	1,014.5										579.7				
22	Fredericksburg (city) (total).....	1,705.6	48.3									193.1	16.1	16.1		64.4
23	White.....	1,592.8	21.5									172.2				86.1
24	Colored.....	2,039.5	127.5									254.9	63.7	63.7		
25	Giles County (total).....	1,060.3	33.4			41.7		33.4	16.7	16.7	8.3	108.5	8.3		8.3	66.8
26	White.....	1,054.2	35.7			44.7		17.9	17.9	17.9	8.9	98.3	8.9		8.9	62.5
27	Colored.....	1,146.5						254.8				254.8				127.4
28	Gloucester County (total).....	1,192.6	16.2					40.6		8.1		227.2	8.1	8.1	8.1	24.3
29	White.....	714.3	15.5									93.8				15.5
30	Colored.....	1,715.9	17.0					84.9		17.0		373.2	17.0	17.0	17.0	34.0
31	Goochland County (total).....	1,491.2	32.9					21.9				285.1		11.0	21.9	54.8
32	White.....	792.4	25.6									51.1				51.1
33	Colored.....	2,016.1	38.4					38.4				460.8		19.2	38.4	57.6
34	Grayson County † (total).....	898.9	33.1						4.7		42.6	104.1		28.4	4.7	37.9
35	White.....	864.5	34.8						5.0			94.4		19.9	5.0	39.7
36	Colored.....	1,585.7										297.3		198.2		
37	Greene County † (total).....	828.2	13.8					55.2	27.6		13.8	69.0			13.8	13.8
38	White.....	771.2	17.1					34.3	34.3		17.1	17.1			17.1	17.1
39	Colored.....	1,063.8						141.8				283.7				
40	Greensville County (total).....	1,437.6	62.5	148.4				156.3	31.3	7.8	7.8	171.9		7.8	7.8	7.8
41	White.....	1,424.7	41.9	146.7				83.8	21.0		21.0	209.5			21.0	
42	Colored.....	1,445.3	74.8	149.5				199.4	37.4	12.5		149.5		12.5		12.5
43	Halifax County (total).....	1,284.6	24.2	9.7		7.3		19.4	17.0	24.2		145.4	12.1	14.5	7.3	55.7
44	White.....	1,050.8	29.3					14.7	19.5	24.4		83.1	14.7	9.8		48.9
45	Colored.....	1,514.7	19.2	19.2		14.4		24.0	14.4	24.0		206.8	9.6	19.2	14.4	62.5
46	Hanover County (total).....	1,433.3	17.6	11.7				35.2	5.9	23.5	5.9	199.7	5.9	11.7	11.7	35.2
47	White.....	1,080.4	30.0	10.0				20.0	10.0	10.0		100.0			10.0	10.0
48	Colored.....	1,935.1		14.2				56.9		42.7	14.2	341.5	14.2	28.5	14.2	71.1
49	Henrico County (total).....	1,577.0	14.6	7.3				58.5	14.6	3.7	7.3	248.8		11.0		40.2
50	White.....	1,342.7	5.2	5.2				36.3	20.7	5.2	10.4	259.2		10.4		46.7
51	Colored.....	2,139.0	37.3	12.4				111.9				223.9		12.4		24.9
52	Henry County (total).....	1,225.2	77.3			16.6	5.5	22.1	16.6	22.1		143.5		22.1	11.0	49.7
53	White.....	978.5	46.6			18.6	9.3	18.6	18.6	28.0		74.6			9.3	65.2
54	Colored.....	1,583.6	121.8			13.5		27.1	13.5	13.5		243.6		54.1	13.5	27.1
55	Highland County (total).....	1,119.9	19.3							19.3	19.3	212.4		19.3		38.6
56	White.....	1,117.0	20.3							20.3	20.3	223.4		20.3		40.6
57	Colored.....	1,176.5														
58	Isle of Wight County (total).....	1,336.8	44.6					89.1	31.8		6.4	184.6		6.4		12.7
59	White.....	1,111.8	64.7					77.6	38.8			116.4				25.9
60	Colored.....	1,555.0	25.1					100.3	25.1		12.5	250.8		12.5		
61	James City County * (total).....	2,759.2						30.3		30.3		470.0				60.6
62	White.....	3,726.5						29.3		29.3		498.8				117.4
63	Colored.....	1,725.2						31.4		31.4		439.1				
64	King and Queen County (total).....	1,328.8	30.9	10.3				41.2				216.3				51.5
65	White.....	1,091.6						23.7				94.9				71.2
66	Colored.....	1,510.7	54.6	18.2				54.6				309.4				36.4
67	King George County (total).....	1,560.7	48.8					16.3	32.5			211.3			32.5	48.8
68	White.....	1,085.0	30.1					30.1	30.1			90.4		60.3		30.1
69	Colored.....	2,117.9	70.6						35.3			353.0				70.6
70	King William County (total).....	1,392.3	11.6	23.2				34.8	11.6	11.6		208.8		11.6		34.8
71	White.....	1,000.6							28.6	28.6		57.2				
72	Colored.....	1,659.8	19.5	39.1				58.6				312.4			19.5	58.6
73	Lancaster County (total).....	1,238.4	29.7	9.9		9.9				49.5		128.8		9.9		19.8
74	White.....	909.3	21.1							42.3		63.4		21.1		42.3
75	Colored.....	1,528.4	37.3	18.6		18.6				37.3		186.4				
76	Lee County (total).....	1,069.1	19.6			11.7		31.3	58.7	7.8	3.9	144.9		7.8	15.7	23.5
77	White.....	1,072.1	20.5			12.3		32.7	61.4	8.2	4.1	147.3		8.2	16.4	24.6
78	Colored.....	1,002.7										91.2				

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

143

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory diseases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Ill- defined and un- known causes. 38
11.3	45.2	79.1	11.3	113.0	11.3	45.2	22.6	11.3	45.2	11.3	45.2	67.8	11.3	248.5	79.1	1		
19.2	82.4	54.9	19.2	82.4	19.2	27.5	27.5	19.2	54.9	19.2	54.9	82.4	27.5	274.6	54.9	2		
18.7	19.2	95.9	18.7	134.3	18.7	57.6	19.2	19.2	38.4	18.7	38.4	57.6	19.2	230.2	95.9	3		
24.6	102.9	159.1	18.7	56.2	4.7	51.5	6.1	6.1	102.9	4.7	102.9	74.9	9.4	191.9	14.0	4		
	86.1	166.0	12.3	36.9	6.1	61.5	19.6		104.5	6.1	104.5	73.8	12.3	202.9	12.3	5		
	156.7	137.1	39.2	117.5		19.6			97.9		97.9	78.3		156.7	19.6	6		
4.5	13.5	76.7	148.9	4.5	76.7	4.5	18.0		13.5	18.0	13.5	72.2	58.6	18.0	203.0	40.6	7	
6.8	13.6	61.1	156.1	6.8	38.2		13.6	13.6	61.1	27.1	6.8	74.7	54.3	27.1	190.0	27.1	8	
	13.5	107.6	134.6		53.8	13.5	26.9		134.6		26.9	67.3	67.3		228.7	67.3	9	
7.4	22.2	44.3	147.7	7.4	118.2		7.4	7.4	22.2	7.4		125.5	51.7	7.4	192.0	44.3	10	
7.9	23.6	39.3	141.4	7.9	117.8		7.9	7.9	23.6	7.9		133.5	47.1	7.9	180.7	23.6	11	
	123.3	246.6			123.3								123.3		369.9	369.9	12	
	12.5	49.9	162.2	12.5	99.8		25.0	25.0	12.5	74.9	25.0	12.5	74.9	49.9		374.3	62.4	13
	21.1	42.2	84.4	21.1	126.6		21.1	21.1	21.1	63.3		42.2	21.1		21.1		21.1	14
	11.2	11.2	61.0		61.0		30.5	30.5		91.5	61.0	30.5	122.0	91.5		518.6	122.0	15
14.2	33.1	30.0	74.9	3.7	52.4	3.7	37.4	11.2	59.9	11.2	7.5	67.4	59.9	11.2	183.5	59.9	16	
	18.1	8.9	33.1	4.7	42.5		42.5	14.2	56.7	14.2	9.4	75.6	51.9	9.4	193.6	51.9	17	
	15.9	71.4	127.4		90.4	18.1	18.1	18.1	72.4			36.2	90.4	18.1	144.7	90.4	18	
	16.8	75.6		15.9	95.3	23.8	39.7	7.9		15.9		7.9	47.6		214.3	39.7	19	
	16.1	32.2	144.8	16.8	100.8	16.8	42.0	8.4		16.8		8.4	50.4		218.4	42.0	20	
	21.5	43.0	144.9		144.9		32.2	16.1		128.7	16.1		112.6	48.3	32.2	466.6		21
	16.7	8.3	50.1	8.3	83.5	16.7	16.7	8.3	16.7	50.1			91.8	66.8		217.1	66.8	22
	8.9	8.9	53.6	8.9	89.3	17.9	8.9	8.9	17.9	53.6			98.3	62.5		223.4	71.5	23
	127.4						127.4							127.4		227.4		24
	121.7	78.0			56.8	16.2	56.8	8.1		89.2		16.2	40.6	40.6	8.1	210.9	113.6	25
	46.6	62.1			46.6		31.1	15.5		77.6		15.5	31.1	15.5		201.9	31.1	26
	203.9	84.9			68.0	34.0	84.9			101.9		17.0	51.0	68.0		220.9	203.9	27
11.0	21.9	43.9	164.5	21.9	11.0	21.9	21.9		11.0	175.4		11.0	43.9	98.7		318.0	87.7	28
19.2	38.4	102.2	102.2	25.6	25.6		51.1		19.2	102.2			51.1	51.1		153.4	51.1	29
	9.5	23.7	211.2	19.2	38.4		47.3	4.7		230.4		19.2	76.8	134.4		441.6	115.2	30
	9.9	19.9	33.1	37.9	52.0	14.2	44.7	5.0		33.1	9.5	9.5	99.4	42.6		146.7	66.2	31
	99.1	34.8	39.7	54.7	54.7	14.9	99.1			19.9	9.9	9.9	99.4	39.7		154.0	54.7	32
										297.3			99.1	99.1		297.3	297.3	33
13.8		41.4	124.4		82.8	13.8	41.4			27.6			41.4	55.2		96.6	82.8	34
17.1		34.3	85.7		102.8	17.1	51.4			34.3			34.3	51.4		102.8	85.7	35
		70.9	283.7										70.9	70.9		70.9	70.9	36
7.8		7.8	31.3		109.4		54.7	7.8		164.1	7.8	7.8	132.8	7.8	7.8	234.4	46.9	37
			41.9		104.8		62.9			230.5	21.0		125.7	21.0		272.4		38
12.5		12.5	24.9		112.1		49.8	12.5		124.6		12.5	137.1	12.5		211.8	74.8	39
4.8	9.7	75.1	84.8	7.3	118.8	12.1	46.1	4.8	4.8	38.8	2.4	19.4	82.4	60.6		264.2	97.0	40
	19.5	68.4	83.1	4.9	88.0	4.9	53.8	4.9	4.9	29.3		19.5	88.0	44.0	19.5	229.7	44.0	41
9.6		81.7	86.6	9.6	149.1	19.2	38.5	9.6	4.8	48.1	4.8	19.2	76.9	76.9		298.1	149.1	42
11.7	17.6	76.4	176.2		105.7	17.6	58.7	5.9	5.9	76.4	5.9	17.6	94.0	82.2		235.0	76.4	43
20.0	10.0	90.0	130.1		110.0	10.0	40.0	10.0	10.0	70.0	20.0	20.0	90.0	40.0		160.1	70.0	44
	28.5	56.9	241.9		99.6	28.5	85.4		14.2	85.4	14.2	14.2	99.6	142.3		341.5	85.4	45
3.7	7.3	93.8	150.0	18.3	98.8	29.3	58.5	3.7	11.0	131.7	3.7	14.6	135.4	84.2	11.0	267.1	25.6	46
5.2	5.2	88.1	145.2	5.2	41.5	5.2	51.8		10.4	134.8		15.6	119.2	62.2	15.6	191.8	20.7	47
	12.4	124.4	161.7	49.7	236.3	37.1	74.6	12.4	12.4	124.4	12.4	12.4	174.1	136.8		447.7	37.3	48
5.5	22.1	44.2	82.8	22.1	121.4	16.6	33.1		10.3	16.6	5.5	5.5	93.8	33.1		242.8	93.8	49
9.3	18.6	46.6	93.2	18.6	65.2	18.6	23.0		23.7	28.0	9.3		65.2	23.0		167.7	93.2	50
	27.1	40.6	67.7	27.1	203.0	13.5	40.6					13.5	155.4	40.6		351.9	94.7	51
		38.6	77.2	19.3	57.9	19.3	19.3			96.5		19.3	96.5	77.2		251.0	19.3	52
		40.6	81.2		60.9	20.3	20.3			101.5		20.3	101.5	81.2		223.4	20.3	53
			392.2													784.3		54
6.4	12.7	114.6	101.9	6.4	89.1	19.1	89.1		12.7	50.9		19.1	95.5	57.3	6.4	216.4	63.7	55
12.9	12.9	77.6	64.6	12.9	64.6	25.9	64.6		12.9	25.9		25.9	51.7	51.7		193.9	90.5	56
	12.5	150.5	137.9		112.9	12.5	112.9		12.5	75.2		12.5	137.9	62.7	12.5	238.3	37.6	57
15.2		303.2	379.0	15.2	106.1	30.3	60.6			181.9	15.2	15.2	45.5	75.8	15.2	864.2	45.5	58
29.3		469.5	557.5		58.7	29.3	29.3			264.1			29.3	29.3		1,525.8		59
		125.5	188.2	31.4	156.8	31.4	94.1			94.1	31.4	31.4	62.7	125.5		156.8	94.1	60
10.3		51.5	51.5	10.3	92.7	10.3	20.6	10.3	10.3	103.0		20.6	92.7	113.3		288.4	92.7	61
23.7		23.7	71.2		166.1	23.7	23.7		23.7	142.4		23.7	71.2	71.2		189.8	47.5	62
		72.8	36.4	18.2	36.4		18.2		18.2	72.8		18.2	109.2	145.6		364.0	127.4	63
		146.3	162.6	48.8	81.3	32.5			16.3	65.0			97.5	48.8		243.9	211.3	64
		180.8	90.4	80.3	90.4				35.3	90.4			30.1	30.1		120.6	120.6	65
		211.8	141.2	35.3	70.6		70.6		35.3	35.3			176.5	70.6		388.3	317.7	66
		104.4	104.4		92.8	34.8	46.4		11.6	139.2			127.6	69.6		220.4	92.8	67
		114.4	114.4		57.2				28.6	257.3			114.4	57.2		114.4	28.6	68
		97.6	97.6		117.2	58.6	78.1			58.6			136.7	78.1		292.9	136.7	69
	9.9	19.8	49.5	19.8	109.0	19.8				168.4	19.8	9.9	59.4	89.2		227.9	148.6	70
	21.1	21.1	63.4		105.7	21.1				84.6	21.1		111.8	63.4		232.6	21.1	71
		18.6	37.3	37.3	111.8	18.6		18.6		242.3	18.6	18.6	111.8	111.8		223.7	261.0	72
11.7	31.3	19.6	50.9	15.7	54.8	11.7	66.6	3.9	3.9	23.5	7.8	3.9	94.0	50.9	3.9	168.4	121.4	73
12.3	32.7	20.5	58.2	16.4	49.1	12.3	65.5	4.1	4.1	20.5	8.2	4.1	98.2	40.9	4.1	171.9	118.7	74
					182.3		91.2			91.2				273.5		91.2	182.3	75

* Colored population less than 5 per cent of the total in 1910.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culosis menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.																
VIRGINIA—continued.																
1	Loudoun County (total)	1,396.7	9.6			4.8		9.6	24.0	4.8		139.2		9.6		67.2
2	White	1,290.6	6.4					6.4	31.9	6.4		146.9		6.4		57.5
3	Colored	1,717.1	19.3			19.3		19.3				115.8		19.3		96.5
4	Louisa County (total)	1,584.0	42.2	12.0				36.1	12.0	12.0		234.9	6.0	24.1		78.3
5	White	1,354.2	23.1	11.6				11.6		23.1		150.5		11.6		104.2
6	Colored	1,333.5	62.8	12.6				62.8	25.1			326.5	12.6	37.7		50.2
7	Lunenburg County (total)	1,193.6		15.1				75.5	7.6	30.2		105.8		7.6	30.2	52.9
8	White	1,208.9		16.3				65.3	16.3	32.7		32.7		16.3	16.3	98.0
9	Colored	1,180.4		14.1				84.3		28.1		168.6		42.2	42.2	14.1
10	Madison County (total)	1,111.3	30.0					10.0				210.3	10.0	10.0	10.0	120.1
11	White	952.7	29.8					14.9				119.1		14.9	14.9	148.9
12	Colored	1,437.3	30.6									397.6	30.6	30.6		61.2
13	Mathews County (total)	1,194.1	32.6					10.9		10.9		173.7			10.9	65.1
14	White	1,031.1	30.3					15.2		15.2		45.5			15.2	91.0
15	Colored	1,604.9	38.2									496.8				
16	Mecklenburg County (total)	1,287.6	26.7	13.3				66.7	10.0	16.7	6.7	133.4	3.3	3.3	13.3	46.7
17	White	1,073.1	31.1	23.3				70.0	7.8	23.3	7.8	62.2			15.6	46.7
18	Colored	1,448.7	23.4	5.8				64.3	11.7	11.7	5.8	136.9	5.8	5.8	11.7	46.7
19	Middlesex County (total)	1,227.9	65.8	21.9						11.0		109.6	11.0	11.0		54.8
20	White	1,162.0	93.0									93.0				46.5
21	Colored	1,286.8	41.5	41.5						20.8		124.5	20.8	20.8		62.3
22	Montgomery County (total)	1,236.7	22.4						11.2	16.8	5.6	128.7	5.6	28.0	11.2	39.2
23	White	1,100.7	25.9						6.5	12.9	6.5	123.0	6.5	12.9	6.5	45.3
24	Colored	2,103.1						41.2	41.2			164.9		123.7	41.2	
25	Nansemond County (total)	1,455.8	35.1	35.1	3.5	7.0		49.1	21.0	3.5		217.5	3.5	14.0		38.6
26	White	1,286.6	25.2	58.9				16.8	25.2			109.3	8.4	8.4		58.9
27	Colored	1,576.9	42.1	18.1	6.0	12.0		72.2	18.1	6.0		294.9		18.1		24.1
28	Nelson County (total)	1,062.0	11.7					5.8	5.8	29.2	5.8	128.4	5.8	11.7	5.8	40.8
29	White	980.5	17.1					8.5	8.5	25.6	8.5	68.2	8.5		8.5	42.6
30	Colored	1,238.9							37.0			258.9		37.0		37.0
31	New Kent County (total)	1,454.6						130.3				195.4		21.7	21.7	65.1
32	White	1,390.5													57.9	57.9
33	Colored	1,493.1						208.3				312.5		34.7	34.7	69.4
34	Norfolk County (total)	1,485.6	45.9	39.4		8.8		45.9	10.9	21.9		142.2	2.2	30.6	2.2	21.9
35	White	1,135.0	11.2	11.2		16.8		44.7	16.8	5.6		67.1		28.0		33.5
36	Colored	1,710.9	68.3	57.5		3.6		46.7	7.2	32.3		190.5	3.6	32.3	3.6	14.4
37	Northampton County (total)	1,183.8	33.5	5.6	5.6			11.2	22.3	16.8	5.6	111.7		11.2		44.7
38	White	614.2							12.8			38.4				89.6
39	Colored	1,624.9	59.4	9.9	9.9			19.8	29.7	29.7	9.9	168.4		19.8		9.9
40	Northumberland County (total)	1,414.1	44.8					17.9				196.9				80.6
41	White	1,221.9	44.7					29.8				163.9				134.1
42	Colored	1,703.3	44.8									246.5				
43	Nottoway County (total)	1,385.6	50.3					7.2	50.3	7.2	7.2	165.1			21.5	57.4
44	White	1,133.8	63.9					16.0				127.8				79.8
45	Colored	1,591.2	39.1						91.3	13.0	13.0	195.6			39.1	39.1
46	Orange County (total)	1,225.4	14.4						21.6	7.2		108.1	7.2	14.4		50.5
47	White	1,056.8	24.6						12.3	12.3		61.4	12.3	12.3		24.6
48	Colored	1,464.7						34.9				174.4		17.4		87.2
49	Page County (total)	1,217.1	35.0					63.0	7.0			153.9		7.0		49.0
50	White	1,106.2	30.5					53.4	7.6			106.8				58.4
51	Colored	2,441.1	84.2					168.4				673.4		84.2		
52	Patrick County (total)	952.3	16.7					11.1	5.6	22.3	22.3	94.7	11.1	11.1	16.7	5.6
53	White	910.6	18.5					12.3	6.2	24.6	24.6	80.0	6.2	12.3	18.5	6.2
54	Colored	1,349.8										234.7	58.7			
55	Pittsylvania County (total)	1,109.6	36.0	11.4		7.6		17.1	15.2	3.8		129.0	5.7	3.8	5.7	24.7
56	White	899.6	25.3	9.5		12.7		15.8	19.0	3.2		69.7	3.2	3.2	6.3	19.0
57	Colored	1,423.2	52.0	14.2				18.9	9.5	4.7		217.5	9.5	4.7	4.7	33.1
58	Powhatan County (total)	1,899.2						17.3		17.3		362.6		17.3		17.3
59	White	1,211.1										173.0				43.3
60	Colored	2,356.3						28.7		28.7		488.5		28.7	28.7	28.7
61	Prince Edward County (total)	1,549.9	28.7	14.4				21.5	21.5	21.5		229.6	14.4	14.4		28.7
62	White	1,267.2	17.8	35.7				17.8	17.8	17.8		107.1	17.8	17.8		17.8
63	Colored	1,740.1	36.0					24.0	24.0	24.0		312.0	12.0	12.0		36.0
64	Prince George County (total)	1,775.1	25.4	12.7	12.7	25.4		76.1	12.7	12.7		240.9		12.7	12.7	28.0
65	White	1,007.9						30.5	30.5	30.5		61.1		30.5	30.5	30.5
66	Colored	2,319.5	43.4	21.7	21.7	43.4		108.4				368.5				43.4
67	Prince William County (total)	1,224.5	32.2	16.1						8.1		137.0		8.1	8.1	96.7
68	White	1,172.0	42.2	21.1						10.6		84.5		10.6	10.6	105.6
69	Colored	1,393.6										305.9				68.0
70	Princess Anne County ³ (total)	2,691.4	77.1	77.1	8.6			51.4	17.1	60.0		505.7		34.3	8.6	42.9
71	White	1,955.6	17.5	17.5					17.5	34.9		296.8		34.9		
72	Colored	3,400.7	134.7	134.7	16.8			101.0	16.8	84.2		707.1		33.7	16.8	84.2

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- dicitis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Nep- hritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Un- defined and un- known causes. 38	
24.0	14.4	144.0	139.2	19.2	81.6	14.4	52.8	9.6	4.8		144.0		19.2	62.4			350.4	9.6	1
25.6	12.8	140.6	121.4	25.6	51.1	19.2	63.9	6.4	6.4		146.9		6.4	57.5		4.8	313.1	6.4	2
19.3	19.3	154.4	192.9		173.6		19.3	19.3			135.1		57.9	77.2	19.3		463.1	19.3	3
12.0	24.1	126.5	132.5	30.1	60.2	24.1	48.2	12.0		24.1	90.3		12.0	48.2			307.2	120.5	4
11.6	34.7	127.3	115.7	34.7	34.7	23.1	34.7	11.6		34.7	92.6			46.3			300.9	69.4	5
12.6	12.6	125.6	150.7	25.1	87.9	25.1	62.8	12.6		12.6	87.9		25.1	50.2			314.0	175.8	6
		22.7	105.8		37.8		83.1				90.7			113.3	7.6		287.1	37.8	7
		32.7	114.4		49.0		81.7				114.4			16.3	16.3		277.7	32.7	8
		14.1	98.4		28.1		84.3				70.3			14.1			295.1	42.2	9
		50.1	90.1		80.1	20.0	10.0		10.0		20.0			50.1			280.3	20.0	10
		59.5	44.7		59.5	29.8	14.9		14.9		29.8			44.7			223.3	14.9	11
		30.6	183.5		122.3									61.2			397.6	30.6	12
	10.9	65.1	86.8	21.7	54.3	10.9	32.6	10.9	10.9		130.3			76.0			304.0	43.4	13
	15.2	60.7	106.1	15.2	30.3		45.5		15.2		121.3			75.8			257.8	45.5	14
		76.4	38.2	38.2	114.6	38.2	40.0	38.2			152.3			76.4			420.3	38.2	15
	3.3	86.7	103.4	6.7	76.7	6.7	54.4	6.7	13.3		23.3	6.7	16.7	70.0			313.6	123.4	16
	5.8	77.8	116.6		38.9	5.8	29.2	5.8	23.4		15.6		15.6	77.8			279.9	70.0	17
		93.5	93.5	11.7	105.1						29.2	11.7	17.5	64.3	70.1		338.8	163.6	18
21.9	11.0		120.6	11.0	76.7	43.9	32.9			11.0	87.7	21.9	21.9	32.9	65.8	11.0	241.2	131.6	19
46.5			139.4	23.2	69.7	46.5	26.2			23.2	93.0			23.2	116.2	23.2	209.2	69.7	20
	20.8		103.8		83.0	41.5	41.5				83.0	41.5	20.8	41.5	20.8		269.8	186.8	21
5.6	23.0	39.2	117.5	22.4	106.3	16.8	28.0	5.6	11.2	11.2	89.5	11.2		56.0			279.8	67.2	22
	25.9	33.8	110.1	19.4	90.6	19.4	32.4	6.5	12.9	12.9	77.7	12.9		58.3			207.2	64.7	23
41.2	41.2	41.2	164.9	41.2	206.2						164.9			41.2			742.3	82.5	24
7.0	17.5	59.6	101.7	3.5	93.2	14.0	154.3	17.5	7.0		66.7	7.0	17.5	91.2	52.6		245.6	63.1	25
	25.2	75.7	92.5		100.9	16.8	151.4	8.4			100.9		8.4	92.5	25.2	8.4	243.9	25.2	26
12.0	12.0	48.1	108.3	6.0	96.3	12.0	156.5	24.1	12.0		42.1	12.0		24.1			246.8	90.3	27
11.7	5.8	46.7	70.0	23.3	75.9		58.4	17.5	5.8		52.5	23.3		70.0			221.7	52.5	28
17.1		59.7	51.2	25.6	76.7		59.7	25.6	17.1		51.2	17.1		51.2	42.6		204.6	42.6	29
	18.5	18.5	110.9	18.5	74.0		55.5		18.5	18.5	55.5	37.0		37.0	74.0		253.9	74.0	30
21.7		108.6	130.3		173.7		65.1			21.7	108.6			65.1	108.6		173.7	43.4	31
57.9		115.9	173.8		231.7		57.9			57.9	173.8			115.9			263.8	57.9	32
		104.2	104.2		138.9		69.4				69.4			34.7	38.9		173.6	34.7	33
4.4	13.1	72.2	96.3	32.8	142.2	35.0	113.8	6.6	10.9	6.6	76.6	10.9	17.5	96.3			240.7	32.8	34
11.2	11.2	50.3	73.3	11.2	72.7	16.8	106.2	5.6	11.2	5.6	73.3		16.8	134.2	111.8	10.9	134.2	22.4	35
	14.4	86.3	107.8	46.7	186.9	46.7	118.6	7.2	10.8	7.2	75.5	18.0	18.0	71.9	93.5	28.0	309.1	39.5	36
		39.1	78.2	33.5	89.3		67.0			16.8	106.1	5.6	16.8	33.5	72.6		217.8	139.6	37
		12.8	25.6	25.6	38.4		25.6			12.8	38.4			38.4	51.2		123.0	76.8	38
		59.4	118.9	39.6	128.8		99.1			19.8	158.5	9.9		29.7			287.3	188.2	39
	26.9	44.8	161.1	62.7	62.7	17.9	98.5	17.9			98.5	17.9		143.2	98.5		205.9	80.6	40
	44.7	29.8	149.0	44.7	44.7	14.9	29.8	14.9			74.5	14.9		119.2	39.4		178.8	44.7	41
		67.2	179.3		89.6	22.4	201.7	22.4			134.5		22.4	179.3	112.1		246.5	134.5	42
21.5	23.7	57.4	150.8		71.8	7.2	43.1	7.2	7.2		93.3	21.5	21.5	64.6	50.3		294.3	79.0	43
31.9		63.9	127.8		47.9		31.9	16.0			127.8			70.8	16.0		255.5	31.9	44
13.0	52.2	52.2	169.6		91.3	13.0	52.2		13.0		65.2	39.1		52.2	78.3		326.3	117.4	45
14.4	14.4	57.7	216.2	14.4	79.3	7.2	43.2		7.2		64.9	7.2		14.4	79.3		259.5	36.0	46
24.6		86.0	184.3	12.3	24.6		61.4		12.3		49.2	12.3		98.3	98.3		196.6	12.3	47
	34.9	17.4	261.6	17.4	156.9	17.4	17.4				87.2			52.3	52.3		343.7	69.7	48
	14.0	42.0	104.9		97.9	28.0	56.0				90.9		28.0	56.0	49.0	7.0	265.8	63.0	49
	15.3	45.8	91.5		83.9	30.5	53.4				61.0		22.9	53.4	53.4	7.6	274.6	61.0	50
			252.5		252.5		84.2				420.9		84.2	84.2			163.4	84.2	51
11.1	5.6	22.3	55.7		83.5	22.3	22.3		5.6	5.6	16.7	11.1	5.6	66.8	61.3		194.9	133.7	52
12.3	6.2	24.6	55.4		67.7	18.5	24.6		6.2	6.2	18.5	12.3		67.7	61.5	11.1	190.7	116.9	53
			58.7		234.7	58.7							58.7	58.7	58.7		234.7	293.4	54
	17.1	47.4	98.6	11.4	111.9	7.6	36.0	5.7	9.5	5.7	74.0	3.8	26.6	70.2	66.4	1.9	203.6	47.4	55
	19.0	60.2	50.7	6.3	82.4	3.2	34.8	3.2	3.2	3.2	72.9	3.2	22.2	69.7	50.7	3.2	180.5	38.0	56
	14.2	28.4	170.2	18.9	156.0	14.2	37.8	9.5	9.5	9.5	75.7	4.7	33.1	70.9	89.8		250.6	61.5	57
	17.3	69.1	138.1	51.8	138.1	51.8	17.3	17.3	17.3		103.6		86.3	207.2	120.9	17.3	293.5	69.1	58
		43.3	173.0	43.3	129.8		28.7		43.3		173.0		86.5	86.5	86.5		129.8	129.8	59
	28.7	86.2	114.9	57.5	143.7	86.2	28.7	28.7			57.5		86.2	287.4	143.7	28.7	343.7	114.9	60
21.5	7.2	71.8	157.9		129.2	28.7	35.9	7.2	14.4	14.4	71.8		14.4	78.9	100.5		315.7	86.1	61
53.5	17.8	71.4	124.9		142.8	17.8	35.7		17.8		142.8		17.8	35.7	107.1		196.3	17.8	62
		72.0	180.0		120.0	36.0	36.0	12.0	12.0	12.0	24.0		12.0	108.0	96.0		396.0	132.0	63
	12.7	63.4	202.9	12.7	152.1		126.8		12.7	12.7	101.4	25.4	25.4	63.4	63.4		273.9	139.5	64
		30.5	91.6		61.1		61.1				152.7			91.6	61.1		183.3	91.6	65
	21.7	86.7	281.8	21.7	260.1		173.4		21.7	21.7	65.0	43.4	43.4	43.4	65.0		346.8	173.4	66
	8.1	120.8	80.6	16.1	128.9		96.7				112.8	8.1	16.1	56.4	43.3	8.1	193.3	24.2	67
	10.6	84.5	73.9	21.1	137.3		105.6				137.3	10.6	10.6	52.8	42.2	10.6	179.5	10.6	68
		237.9	102.0		102.0		68.0				34.0		34.0	68.0	68.0		237.9	68.0	69
8.6	8.6	145.7	308.6	25.7	197.1	25.7	120.0	8.6	17.1	17.1	205.7	17.1	8.6	60.0	145.7	8.6	420.0	60.0	70
17.5		209.5	209.5	17.5	69.8	34.9	209.5				157.1			52.4	157.1	17.5	331.8	34.9	71
	16.8	84.2	404.0	33.7	319.9	16.8	33.7	16.8	33.7	16.8	252.5	33.7	16.8	67.8	134.7		505.1	84.2	72

* Includes Norfolk City Almshouse

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
RURAL PART OF REGISTRATION STATES—Continued.															
VIRGINIA—continued.															
1 Pulaski County (total).....	1,007.1	16.3			10.9		16.3	32.7	5.4	5.4	125.2		10.9	38.1	16.3
2 White.....	965.7	19.7			13.1		13.1	39.4	6.6	6.6	92.0		13.1	32.8	19.7
3 Colored.....	1,207.1						31.8				285.9			63.5	
4 Radford (city) (total).....	1,116.7	43.8							21.9		109.5				65.7
5 White.....	1,197.0	26.0							26.0		104.1				78.1
6 Colored.....	690.6	138.1									138.1				
7 Rappahannock County (total).....	1,324.0						118.8	13.0			168.7				51.9
8 White.....	1,225.8						71.1	17.8			53.3				35.5
9 Colored.....	1,590.4						241.0				481.9				96.4
10 Richmond County (total).....	1,376.8	13.2	13.2					13.2			132.4		13.2	26.5	26.5
11 White.....	1,205.1	22.7									181.9		22.7	45.5	22.7
12 Colored.....	1,615.9		31.7					31.7			63.4				31.7
13 Roanoke County (total).....	1,384.5	61.2			9.4		23.5	33.0	4.7		197.8		18.8	4.7	47.1
14 White.....	1,294.1	69.0			11.5		28.8	40.3			201.3		17.3		40.3
15 Colored.....	1,792.7	26.0							26.0		151.9		26.0	26.0	77.9
16 Rockbridge County (total).....	994.9	4.8	4.8			4.8	9.6	14.3			119.6		28.7	4.8	9.6
17 White.....	960.3	5.8	5.8			5.8	11.5	11.5			97.8		28.3	11.5	74.8
18 Colored.....	1,166.4							28.4			227.6		28.4		
19 Rockingham County (total).....	1,163.8	5.6			5.6		5.6	5.6	28.2	5.6	143.7		8.5	8.5	95.8
20 White.....	1,090.9	6.0			6.0		6.0	6.0	30.2	6.0	114.8		3.0	9.1	93.7
21 Colored.....	2,171.2										542.8		83.5		125.3
22 Russell County (total).....	1,155.4	27.1			69.8			15.5	15.5	3.9	77.5		7.8	3.9	23.3
23 White.....	1,099.1	24.3			68.9			16.2	12.2	4.1	77.1		8.1	4.1	24.3
24 Colored.....	2,374.7	88.0			88.0				88.0		88.0				
25 Scott County (total).....	1,004.5	32.9			4.1	8.2	8.2	41.2	8.2		102.9	4.1	12.4	12.4	32.9
26 White.....	954.3	33.7			4.2	8.4	8.4	42.1	8.4		96.7	4.2	12.6	12.6	33.7
27 Colored.....	1,934.2										386.8				
28 Shenandoah County (total).....	1,182.1	23.5		4.7		4.7	4.7	4.7	18.8		122.4		28.3	4.7	47.1
29 White.....	1,186.7	24.1		4.8		4.8	4.8	4.8	19.3		120.6		28.9	4.8	48.2
30 Colored.....	990.1										198.0				
31 Smyth County* (total).....	1,350.9	23.1			18.4		13.8	27.7	18.4	13.8	119.9	13.8	13.8	4.6	41.5
32 White.....	1,366.7	14.5			19.4		4.8	29.1	19.4	14.5	121.2	14.5	14.5	4.8	38.8
33 Colored.....	1,041.7	189.4					189.4				94.7				94.7
34 Southampton County (total).....	1,411.4	50.4	39.6				46.8	39.6	3.6	3.6	244.8		7.2	14.4	18.0
35 White.....	1,090.7	9.4	37.6					37.6	9.4	9.4	169.3				9.4
36 Colored.....	1,610.5	75.9	40.8				75.9	40.8			291.7		11.7	23.3	23.3
37 Spotsylvania County (total).....	1,261.0	9.8			9.8			19.6	9.8		146.6			9.8	
38 White.....	1,092.6				15.4			30.8			123.1			15.4	
39 Colored.....	1,554.1	26.8							26.8		187.6				
40 Stafford County (total).....	1,178.8		12.4						12.4	24.8	111.7	12.4	12.4	24.8	62.0
41 White.....	1,106.5		15.8						15.8	31.6	94.8	15.8	15.8		63.2
42 Colored.....	1,442.6										173.1			115.4	57.7
43 Surry County (total).....	1,395.8	19.5	48.8				48.8	19.5			205.0	9.8			29.3
44 White.....	1,036.8		77.8				51.8	25.9			51.8				77.8
45 Colored.....	1,612.7	31.3	31.3				47.0	15.7			297.5	15.7			
46 Sussex County (total).....	1,646.1	69.7	13.9	7.0			76.7	13.9	7.0		286.0		20.9	7.0	13.9
47 White.....	1,112.7	20.6									103.0		20.6		41.2
48 Colored.....	1,919.0	94.9	21.1	10.5			116.0	21.1	10.5		379.6		21.1	10.5	
49 Tazewell County (total).....	1,179.2	31.2	3.9		19.5	7.8	43.0	35.1	15.6	11.7	105.4	7.8	11.7		23.4
50 White.....	1,079.7	26.4			17.6	8.8	30.8	39.7	13.2	13.2	79.3	8.8	13.2		22.0
51 Colored.....	1,952.1	68.5	34.2		34.2		137.0		34.2		308.2				34.2
52 Warren County (total).....	1,390.8	58.9				23.6	11.8	11.8	35.4		212.2		23.6		47.1
53 White.....	1,413.8	54.4				27.2	13.6	13.6	40.8		231.1		27.2		54.4
54 Colored.....	1,241.1	88.7									88.7				
55 Warwick County (total).....	1,822.1	76.6	15.3				76.6				321.5		15.3		30.6
56 White.....	1,662.0										443.2				55.4
57 Colored.....	1,883.2	105.8	21.2				105.8				275.1		21.2		21.2
58 Washington County (total).....	1,012.7	14.5		5.8	2.9	5.8	11.6	14.5	2.9		119.0		11.6	2.9	40.6
59 White.....	959.2	15.6		6.2	3.1	6.2	12.5	15.6	3.1		109.4		9.4	3.1	27.5
60 Colored.....	1,709.4										244.2		40.7		81.4
61 Westmoreland County (total).....	1,423.7	21.4	10.7								128.5		42.8		32.1
62 White.....	1,277.3		21.6								64.9				43.3
63 Colored.....	1,566.8	42.3									190.6		84.7		21.2
64 Winchester (city) (total).....	2,044.5						129.8	32.5	16.2		275.8	16.2	16.2	16.2	81.1
65 White.....	1,873.0						118.3	39.4	19.7		236.6		19.7		98.6
66 Colored.....	2,841.4						183.3				458.3	91.7		91.7	
67 Wise County (total).....	1,226.9	44.6			14.9	2.5	27.3	34.7	12.4	5.0	104.1	7.4	5.0	9.9	32.2
68 White.....	1,145.2	48.7			16.2	2.7	21.7	37.9	10.8	5.4	81.2	5.4	5.4	10.8	29.8
69 Colored.....	2,112.7						88.0		29.3		352.1	29.3			58.7
70 Wytke County (total).....	928.9	34.4			9.8	4.9	29.5		9.8	9.8	98.3	9.8	14.7		49.1
71 White.....	815.8	33.1			5.5	5.5	27.6		11.0	11.0	71.7	5.5	11.0		38.6
72 Colored.....	1,859.4	45.4			45.4		45.4				317.5	45.4	45.4		136.1
73 York County (total).....	1,448.0	38.1	76.2				38.1				292.1		12.7	12.7	38.1
74 White.....	870.6	49.8	24.9								149.3		24.9		49.8
75 Colored.....	2,050.4	28.0	129.8					77.9			441.2		26.0		26.0

¹ Exclusive of stillbirths.² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

147

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Undefined and unknown causes.	
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
21.8	21.8	38.1	59.9	10.9	103.4	16.3	21.8	5.4	5.4	5.4	54.4	5.4	10.9	119.8	32.7		163.3	32.7	1
25.3	26.3	39.4	52.6	6.6	118.2	19.7	19.7		6.6	6.6	45.0	6.6	13.1	111.7	39.4		138.0	32.8	2
		31.8	95.3	31.8	31.8		31.8	31.8			95.3			158.8			285.9	31.8	3
		21.9	43.8		197.1	21.9	87.6		21.9		109.5			131.4	21.9		219.0		4
		26.0	26.0		234.2	26.0	104.1				130.1			156.1	26.0		234.2		5
		138.1							138.1								138.1		6
		38.9	142.8		155.8	13.0	26.0				129.8		23.0	129.8	38.9	26.0	220.7	26.0	7
		35.5	159.9		159.9		35.5				159.9		33.5	124.4	35.5	17.8	248.7	35.5	8
		48.2	96.4		144.6	48.2					48.2			144.6	48.2	48.2	144.6		9
		53.0	92.7		79.4	26.5	53.0		13.2		225.0	13.2	13.2	132.4	119.1		185.3	132.4	10
		45.5	159.2		45.5		45.5				181.9	22.7	23.7	68.2	68.2		181.9	68.2	11
		63.4			126.7	63.4	63.4		31.7		285.2			221.8	190.1		190.1	221.8	12
4.7	18.8	42.4	94.2	9.4	136.6	23.5	84.8	4.7		4.7	56.5	4.7	13.8	127.1	94.2	4.7	235.5	18.8	13
5.8	17.3	46.0	80.5	11.5	132.3	5.8	92.0			5.8	40.3			103.5	97.8	5.8	212.8	17.3	14
	26.0	26.0	155.9		155.9	103.9	52.0	26.0			129.9	26.0		233.8	77.9		337.7	26.0	15
9.6		19.1	86.1	4.8	67.0	9.6	23.7				100.4	4.8		105.2	38.3		186.5	52.6	16
5.8		23.0	86.3	5.8	63.3	11.5	28.8			5.8	74.8	5.8		97.8	46.0		184.0	51.8	17
28.4			85.3		85.3		28.4				227.6			142.2			199.1	56.9	18
5.6	2.8	70.4	109.9	14.1	78.9	5.6	33.8	2.8	5.6	11.3	93.0	2.8	11.3	107.1	50.7	5.6	225.4	14.1	19
6.0	3.0	60.4	102.7	12.1	75.5	3.0	30.2	3.0	6.0	9.1	90.7	3.0	9.1	111.8	45.3	6.0	217.6	15.1	20
		208.8	208.8	41.8	125.3	41.8	83.5			41.8	125.3			41.8	125.3		334.0		21
3.9	15.5	31.0	38.8	11.6	100.8	15.5	58.2	7.8	7.8	3.9	31.0	15.5	11.6	73.7	228.7	3.9	170.6	81.4	22
4.1	16.2	28.4	36.5	8.1	105.5	12.2	60.8	4.1	4.1	4.1	32.4	16.2	12.2	78.0	202.8	4.1	158.2	77.1	23
		88.0	88.0	88.0		88.0		88.0	88.0					88.0	791.6		439.8	175.9	24
4.1	16.5	45.3	37.1	12.4	61.8	4.1	28.8	8.2	8.2	8.2	32.9	12.4	24.7	57.6	70.0	4.1	197.6	102.9	25
4.2	12.6	42.1	33.7	12.6	58.9		25.2	8.4	8.4	8.4	33.7	12.6	26.2	58.9	71.5	4.2	193.5	105.2	26
	193.4	193.4	193.4		193.4	193.4	193.4										386.8		27
9.4		89.5	150.7	14.1	75.4	14.1	37.7			9.4	122.4	4.7	4.7	65.9	37.7	4.7	249.6	28.3	28
9.6		91.7	149.5	14.5	77.2	14.5	38.6			4.8	125.4	4.8	4.8	67.5	38.6	4.8	246.0	28.9	29
			198.0							198.0							396.0		30
4.6	18.4	41.5	189.0	4.6	87.6	13.8	46.1		13.8	4.6	41.5	9.2	32.3	129.1	46.1		318.1	41.5	31
4.8	19.4	43.6	184.2	4.8	87.2	14.5	48.5		14.5	4.8	43.6	9.7	33.9	130.9	48.5		334.4	43.6	32
			284.1		94.7									94.7					33
3.6	10.8	25.2	57.6	7.2	104.4	21.6	61.2	10.8	10.8	10.8	97.2		18.0	93.6	64.8		216.0	129.6	34
9.4	9.4	37.6	56.4		94.0	9.4	56.4	10.8	9.4	18.8	169.3			94.0	9.4		169.3	65.8	35
	11.7	17.5	58.3	11.7	110.9	29.2	64.2	17.5	11.7	5.8	52.5		28.2	93.4	99.2		245.1	169.2	36
9.8	9.8	58.7	146.6	29.3	9.8	29.3	39.1		9.8		48.9		19.6	146.6	146.6		322.6	29.3	37
15.4	15.4	61.6	138.5		15.4	30.8	46.2		15.4		61.6			123.1	76.9		277.0	30.8	38
		53.6	160.8	80.4	26.8	26.8					26.8			187.6	268.0		401.9	26.8	39
12.4		99.3	111.7	12.4	99.3	12.4	24.8		12.4		111.7	12.4		37.2	12.4		248.2	62.0	40
15.8		110.7	110.7	15.8	79.0	15.8	31.6		15.8		110.7	15.8		47.4	15.8		189.7	63.2	41
		57.7	115.4		173.1						115.4		115.4				461.6	57.7	42
9.8		39.0	117.1		87.8	9.8	78.1		19.5		117.1	9.8	19.5	58.6	107.4	19.5	224.5	97.6	43
25.9		25.9	103.7		51.8		103.7		25.9		77.8			25.9	25.9	51.8	207.4	51.8	44
		47.0	125.3		109.6	15.7	62.6		15.7		140.9	15.7	31.3	93.9	156.6		234.9	125.3	45
		62.8	139.5	7.0	104.6	13.9	111.6	13.9	7.0	13.9	132.5	13.9	62.8	97.6	69.7		146.5	132.5	46
		82.4	82.4		41.2	61.8	20.6			20.6	226.7			82.4	82.4		123.6	41.2	47
		52.7	168.7	10.5	137.1	21.1	137.1	10.5	10.5	10.5	84.4	21.1	52.7	116.0	63.3		158.2	179.2	48
3.9	19.5	35.1	85.9	15.6	97.6	3.9	31.2	11.7	3.9	7.8	62.5	3.9	28.4	121.0	128.9		136.7	70.3	49
4.4	22.0	30.8	74.9	17.6	101.4		35.3	13.2			52.9	4.4	26.4	127.8	101.4		127.8	66.1	50
		68.5	171.2		68.5	34.2			34.2	68.5	137.0			68.5	342.5		205.5	102.7	51
		153.2	153.2	11.8	129.7		23.6				82.5		11.8	70.7	58.9	11.8	176.8	82.5	52
		149.5	163.1	13.6	122.3		27.2				68.0		13.6	81.6	54.4	13.6	163.1	81.6	53
		177.3	88.7		177.3						177.3			88.7			266.0	88.7	54
	15.3	122.5	122.5		183.7	45.9	137.8	15.3			122.5			122.5	137.8		214.4	45.9	55
	55.4	110.8	110.8		277.0		55.4				55.4			110.8	166.2		221.6		56
		127.9	127.0		148.1	63.5	169.3	21.2			148.1			127.0	127.0		211.6	63.5	57
		26.1	34.8	11.6	84.1	8.7	20.3	17.4	8.7	2.9	69.6	2.9	5.8	69.6	75.4	5.8	197.3	66.7	58
		28.1	34.4	12.5	75.0	9.4	21.9	15.6	6.2	3.1	71.9	3.1	6.2	65.6	65.6	6.2	178.1	65.6	59
		40.7	122.1		203.5		40.7		40.7		40.7			122.1	203.5		447.7	81.4	60
	21.4	42.8	128.5	21.4	53.5	21.4	42.8				256.9		21.4	85.6	117.7	21.4	310.4	42.8	61
	43.3	43.3	129.9		64.9	21.6	43.3				235.1		21.6	151.5	64.9	43.3	259.8	21.6	62
		42.3	127.0	42.3	42.3	21.2	42.3				275.2		21.2	21.2	169.4		359.9	63.5	63
32.5	16.2	64.9	113.6		129.8	16.2		16.2	16.2		324.5	32.5	16.2	64.9	113.6	16.2	470.5	16.2	64
39.4	19.7	59.1	78.9		157.7	19.7		19.7			216.9	39.4		78.9	138.0	19.7	433.8	19.7	65
		91.7	275.0						91.7		824.9		91.7				641.6		66
5.0	42.1	9.9	47.1	9.9	114.0	12.4	59.5	7.4	9.9	7.4	49.6	9.9	12.4	123.9	171.0	5.0	166.1	64.4	67
5.4	46.0	10.8	35.2	8.1	102.9	13.5	56.9	8.1	8.1	5.4	48.7	8.1	13.5	116.4	157.0	5.4	154.3	65.0	68
			176.1	29.3	234.7		88.0	29.3	29.3	5.8	58.7	29.3		205.4	322.8		293.4	58.7	69
4.9	9.8	49.1	63.9	19.7	83.6		9.8	19.7	19.7	4.9	49.1	4.9		63.9	59.0	4.9	172.0	19.7	70
	11.0	55.1	66.1	5.5	66.1		5.5	16.5	11.0	5.5	33.6	5.5		60.6	55.1	5.5	165.4	22.0	71
45.4			45.4	136.1	226.8		45.4	45.4	90.7		136.1			90.7	90.7		226.8		72
	12.7	76.2	139.7		76.2	12.7			12.7		101.6	12.7		63.5	63.5		228.6	63.5	73
		49.8	174.1		24.9		99.5				49.8								

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—														
		All causes. ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influ-enza.	Ery-sipe-las.	Tuber-culosis of the lungs.	Tuber-culous meningitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
RURAL PART OF REGISTRATION STATES ² —Continued.																
WASHINGTON.																
1	Total†	792.7	12.0		0.1	5.2	2.3	4.9	3.7	5.2	1.6	70.1	7.0	8.7	2.3	50.7
2	White	778.0	12.1		0.1	4.9	2.4	4.8	3.8	5.3	1.7	61.8	6.3	7.6	2.2	51.7
3	Colored	1,266.5	9.0			13.6		9.0				334.7	27.1	45.2	4.5	18.1
4	Adams County †	429.3	29.6			7.4						14.8				22.2
5	Asotin County †	328.4	58.1						14.5			58.1	14.5	29.1		72.7
6	Benton County †	637.4	9.8									39.2		9.8	9.8	39.2
7	Chehalis County †	812.5	3.8			3.8	3.8	7.7	3.8			57.5	7.7	3.8		49.8
8	Chelan County †	875.9	20.1									85.6	5.0	15.1		35.2
9	Clallam County (total)	1,587.3	13.8			13.8	13.8		13.8			193.2	41.4	27.6	13.8	41.4
10	White	1,287.6	15.9			15.9	15.9		15.9			63.6	31.8	15.9	15.9	47.7
11	Colored	3,563.9										1,048.2	104.8	104.8		
12	Clarke County †	815.2	12.7				9.5	6.3	3.2	3.2		95.2	12.7	6.3	3.2	53.9
13	Columbia County	956.2	28.5			14.3						42.8	14.3	14.3		85.6
14	Cowlitz County †	638.9				13.7			34.3		6.9	41.2		6.9		41.2
15	Douglas County †	483.5	24.8			16.6	33.1					41.4	8.3	8.3		16.6
16	Ferry County (total)	1,264.8	40.8					61.2		8.3		204.0	40.8	20.4		61.2
17	White	861.9	24.6					73.9				49.2	24.6	24.6		73.9
18	Colored	3,210.5	118.9									951.2	118.9			
19	Franklin County †	560.2						14.0				56.0				14.0
20	Garfield County	1,042.1	46.3									139.0	23.2	23.2		69.5
21	Grant County †	500.6	8.8			26.3									17.6	43.9
22	Island County †	507.4										50.7				84.6
23	Jefferson County † (total)	814.4	31.7									31.7		10.6		21.2
24	White	806.1	33.6									33.6		11.2		22.4
25	Colored	956.0													265.3	
26	King County	906.3	4.3			2.2		6.5		2.2	10.9	136.9	4.3	4.3	2.2	58.7
27	Kitsap County	978.3							9.0	9.0		62.8	13.5	22.4	4.5	76.3
28	Kittitas County †	886.5	9.0			31.3	13.4	22.4				58.2	9.0	4.5		44.8
29	Klickitat County †	565.8	7.6						15.3	7.6		30.6			7.6	53.5
30	Lewis County †	815.6	35.6				7.6	17.8		2.5	2.5	76.2	12.7	10.2		43.2
31	Lincoln County †	682.9	10.0						5.0	5.0		70.3		10.0	5.0	40.2
32	Mason County † (total)	645.8	17.5									87.3			17.5	34.9
33	White	616.6	18.7									74.7				37.4
34	Colored	1,061.0										265.3			265.3	
35	Okanogan County † (total)	671.5	12.2				6.1	18.2		6.1		109.9		6.1		12.2
36	White	542.1	6.5				6.5	13.1		6.5		52.3				13.1
37	Colored	2,523.4	93.5					93.5				934.6		93.5		
38	Pacific County †	848.4				6.5	6.5		6.5			78.3	6.5	19.6		65.3
39	Pierce County *	1,023.9	11.1						2.2	6.6	2.2	79.6	11.1	13.3		66.3
40	San Juan County † (total)	694.1										51.4		25.7		51.4
41	White	720.2										27.7		27.7		55.4
42	Colored	357.1										357.1				
43	Skagit County †	763.6	14.0									61.8	25.3	11.2		89.8
44	Skamania County †	647.6														29.4
45	Snohomish County †	694.5	7.1			4.7		4.7	4.7	7.1	4.7	52.1	11.9	4.7	2.4	47.4
46	Spokane County *	1,009.5	2.6			7.8		5.2		2.6	5.2	119.1		10.4	5.2	75.1
47	Stevens County † ²	639.5	9.5							6.3		34.8		12.7	6.3	31.7
48	Thurston County	983.5	24.0						4.8	4.8	4.8	57.6	4.8	9.6		57.6
49	Wahkiakum County † (total)	315.7														
50	White	308.2														
51	Colored	418.4														
52	Walla Walla County †	573.3	7.0			7.0						14.0	7.0			41.9
53	Whatcom County †	654.7	6.6			3.3			3.3	6.6		36.2		6.6	3.3	62.5
54	Whitman County †	780.2	10.9			16.4		5.5			5.5	46.4	5.5		2.7	33.2
55	Yakima County † (total)	729.0	8.6			17.2				5.7		80.4		11.5		34.4
56	White	655.8	9.4			9.4				6.2		53.1		9.4		37.5
57	Colored	1,560.3				106.4						390.1		35.5		
WISCONSIN.																
58	Total	1,052.8	4.2	0.2	0.2	4.7	4.4	6.6	8.6	8.0	2.7	83.6	4.5	7.8	7.1	78.9
59	White	1,043.9	4.1	0.2	0.2	4.6	4.4	6.6	8.7	8.1	2.7	81.2	4.5	7.6	7.1	79.1
60	Colored	1,603.0	8.9			8.9		8.9				416.3	8.9	35.4	17.7	62.0
61	Adams County	1,122.0							11.9	35.8		83.6			35.8	119.4
62	Ashland County (total)	918.1										85.0		8.5	8.5	17.0
63	White	702.4										46.8		9.4	9.4	154.0
64	Colored	3,035.9										460.0		92.0		184.0
65	Barron County †	875.0				3.2	22.3		19.1	12.7	3.2	41.4	6.4	15.9	6.4	70.0
66	Bayfield County †	708.0										42.0		6.0	6.0	36.0
67	Brown County †	824.0				17.0	6.8	10.2	10.2			73.3	6.8	13.6	6.8	37.5
68	Buffalo County	1,039.3						19.1		6.4		51.0		12.8	6.4	78.5
69	Burnett County †	712.4							10.3	10.3		31.0		10.3		51.6
70	Calumet County	967.2						30.2	6.0	12.1	6.0	30.2	6.0	12.1	6.0	66.5

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

149

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Dia- betes. (37)	Menin- gitis. 17	Cere- bral hemor- rhage and soften- ing. 18	Organic diseases of the heart. 19	Bron- chitis. 20, 21	Pneu- monia (all forms). 22, (23)	Other respira- tory dis- eases. (23)	Diar- rhea and enter- itis (under 2 years). 25	Appen- ditis. 26	Hernia, intes- tinal obstruc- tion. 27	Cir- rhosis of the liver. 28	Ne- phritis, Bright's disease. 29	Puer- peral fever. 31	Other puer- peral affec- tions. 32	Con- genital debility and mal- forma- tions. 33	Violent deaths (ex- clud- ing sui- cide). 35	Sui- cide. 36	All other defined causes. (37)	Un- defined and un- known causes. 38
12.5	4.2	47.6	74.7	5.0	48.3	6.7	16.4	7.9	4.5	5.5	46.6	2.5	6.0	52.8	96.8	18.0	146.3	16.8
12.7	4.2	48.6	76.5	5.1	46.0	6.7	16.3	8.0	4.6	5.6	47.5	2.5	5.9	53.0	94.6	18.0	145.9	11.4
9.0	4.5	13.6	18.1	4.5	122.1	4.5	18.1	4.5			18.1		9.0	45.2	167.4	18.1	158.3	190.0
7.4	7.4	22.2	14.8	7.4	37.0	7.4		14.8		7.4	22.2			22.2	59.2	14.8	111.0	4
14.5		58.1	72.7		58.1	43.6	29.1		14.5		87.2			29.1	29.1		116.3	29.1
9.8		58.8	78.4		9.8	9.8	9.8		9.8		49.0			58.8	117.7	9.8	88.3	6
23.0	3.8	46.0	49.8		69.0	3.8	15.3		11.5		46.0		3.8	80.5	149.5	19.2	118.8	15.3
20.1		70.5	55.4		20.1		25.2		10.1		55.4	10.1	5.0	95.6	120.8		146.0	40.3
27.6		55.2	179.4	13.8	96.6	13.8	13.8				69.0			110.4	165.6	69.0	207.0	193.2
31.8		63.6	206.6	15.9	79.5	15.9	15.9				79.5			127.2	159.0	79.5	174.9	15.9
					209.6	104.8									209.6		419.3	1,362.7
19.0	12.7	38.1	92.0		60.3	9.5	9.5	3.2	6.3		47.6	3.2		31.7	104.7	19.0	149.1	3.2
14.3	14.3	71.4	85.6	14.3	57.1	28.5		28.5			57.1		14.3	57.1	71.4		228.3	14.3
6.9	6.9	27.5	82.4	27.5	27.5						20.6	6.9		20.6	123.7	6.9	137.4	
8.3	8.3	24.8	49.7		8.3		33.1			8.3	41.4		16.6	24.8	16.6		74.5	
20.4		20.4	81.6		40.8	20.4	40.8	40.8			20.4			122.4	163.2	20.4	224.4	20.4
24.6		24.6	73.9		24.6	24.6	24.6	24.6			24.6			123.1	123.1		98.5	24.6
			118.9		118.9		237.8	118.9						118.9	356.7	118.9	832.3	
					28.0	14.0	28.0			14.0	14.0				168.1	14.0	70.0	
			23.2		69.5	23.2		23.2			69.5		23.2	69.5	92.6	23.2	231.6	46.3
			17.6	8.8	35.1	8.8	17.6			17.6	35.1	17.6	8.8	43.9	26.3	17.6	52.7	
16.9		33.8	101.4		16.9	16.9		26.3					16.9	33.9	50.7	16.9	67.6	16.9
	21.2	126.9	126.9		31.7			10.6	10.6	10.6	105.8		10.6		137.5	21.2	95.2	10.6
	22.4	134.3	123.2		33.6			11.2	11.2	11.2	112.0		11.2		123.2	11.2	100.8	
			191.2												352.4	191.2	191.2	
26.1	8.7	23.9	95.6	4.3	60.9	8.7	28.3	4.3	2.2	4.3	41.3			45.6	150.0	26.1	139.1	4.3
26.9		58.3	161.6	22.4	40.4		4.5	4.5	9.0	13.1	67.3			40.4	40.4	17.9	246.8	31.4
26.9		4.5	85.1	4.5	67.2	9.0	13.4	9.0		7.6	98.5		9.0	67.2	152.2	17.9	111.9	4.5
30.6	7.6	38.2	53.5	7.6	22.9		15.3	15.3		5.1	30.6		15.3	7.6	76.5	38.2	68.8	7.6
12.7		45.7	50.8		50.8	5.1	17.8	12.7		5.1	27.9	2.5	15.2	61.0	94.0	17.8	157.5	17.8
15.1		75.3	35.2	10.0	50.2	5.0	15.1			5.0	50.2	5.0	15.1	45.2	55.2	20.1	130.6	
17.5	34.9	17.5	52.4												192.0		87.3	34.9
18.7	37.4	18.7	56.1												205.5		74.7	18.7
																	265.3	265.3
18.3		18.3	54.9	6.1	54.9		18.3			18.3	18.3	12.2	6.1	61.0	79.4	6.1	85.5	42.7
19.6		19.6	58.8	6.5	32.7		19.6			19.6	13.1	13.1	6.5	58.8	84.9	6.5	65.3	26.1
					373.8						93.5		93.5	93.5	93.5		373.8	280.4
13.1		39.2	91.4	6.5	58.7	6.5	32.6			13.1	32.6		19.6	39.2	137.0	32.6	117.5	19.6
11.1	2.2	88.5	73.0	6.6	53.1		17.7	11.1	8.8	4.4	64.1		2.2	44.2	99.5	31.0	294.1	13.3
			25.7				25.7				102.8		25.7	77.1	77.1		231.4	
			27.7				27.7				110.8		27.7	83.1	83.1		249.3	
5.6	8.4	33.7	70.2	5.6	50.5	5.6	5.6	11.2		5.6	39.3	2.8	5.6	64.6	103.9	11.2	117.9	11.2
			176.6		29.4	29.4	58.9				29.4			29.4	176.6		58.9	29.4
9.5	4.7	47.4	71.1		38.2	4.7	4.7	14.2	7.1	2.4	37.9		7.1	56.9	92.4	9.5	130.4	9.5
10.4	5.2	59.5	108.7	10.4	69.9	7.8	12.9	2.6		10.4	62.1	7.8	2.6	44.0	75.1	18.1	251.1	18.1
		28.5	50.7	6.3	31.7	15.8	12.7	15.8	12.7	12.7	44.3		6.3	88.6	69.7	15.8	114.0	12.7
9.6		86.4	96.0		52.8	4.8	4.8	9.6	4.8		67.2	9.6	19.2	67.2	129.5	48.0	167.9	38.4
		28.7	57.4				28.7				28.7				28.7		143.5	
		30.8	61.6				30.8							30.8	30.8		154.1	
7.0	7.0	55.9	48.9		48.9		14.0			7.0	418.4			35.0	21.0	21.0	139.8	7.0
											28.0							
6.6	6.6	46.1	62.5	3.3	42.8	9.9	9.9	3.3	3.3	9.9	36.2	3.3	3.3	55.9	62.5	16.5	131.6	13.2
2.7	2.7	57.3	68.2	8.2	70.9	5.5	43.6	13.6	2.7		40.9	2.7		60.0	106.4	19.1	141.9	2.7
8.6		57.4	71.7	2.9	54.5	8.6	28.7	2.9	2.9	14.3	51.7	2.9	5.7	54.5	77.5	2.9	71.7	51.7
6.2		62.5	78.1	3.1	50.0	9.4	31.2	3.1	3.1	15.6	56.2	3.1	6.2	53.1	78.1		68.7	3.1
35.5					106.4									70.9	70.9	35.5	106.4	602.8
14.6	8.4	67.5	117.7	17.2	85.9	10.7	28.6	8.6	10.3	10.5	57.5	4.0	5.9	72.4	66.8	12.1	226.1	6.3
14.7	8.4	67.8	117.8	17.3	84.8	10.8	28.6	8.7	10.3	10.4	57.4	4.1	5.6	72.0	66.4	12.1	226.2	6.3
	17.7	26.6	106.3		239.1		26.6		8.9	26.6	62.0		53.1	132.8	115.1	8.9	203.7	8.9
8.5	23.9	59.7	95.5		155.2		23.9				47.7			107.4	59.7		262.6	
9.4		8.5	93.5	8.5	93.5		17.0				17.0			127.5	119.0	8.5	238.0	25.5
			74.9	9.4	65.6		18.7				18.7			84.3	121.8	9.4	178.0	28.1
					368.0						92.0			552.0	92.0		828.0	
28.6	6.4	19.1	60.5	6.4	117.7	9.5	28.6	19.1	15.9	3.2	54.1	3.2	6.4	60.5	66.8	15.9	143.2	9.5
18.0	6.0	60.0	78.0		66.0		18.0	6.0	6.0	6.0	12.0	6.0	18.0	66.0	84.0	24.0	108.0	6.0
10.2	6.8	61.3	44.3	27.2	57.9	10.2	27.2		3.4	3.4	57.9	3.4	3.4	68.1	30.6	6.8	207.7	28.0
25.5		102.0	146.6	38.3	82.9	12.8	44.6	12.8	12.8	6.4	31.9	6.4		63.8	44.6	12.8	210.4	6.4
					20.7				10.3		92.9			41.3	31.0		175.5	10.3
42.3	10.3	41.3	134.2	6.0	54.4	6.0	36.3	6.0	12.1		90.7	6.0		114.9	30.2		211.6	
	6.0	72.5	96.7															

* Includes Pend Oreille County; separate estimated populations not available.

MORTALITY STATISTICS.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
	All causes ¹	Ty-phoid fever.	Mala-ria.	Small-pox.	Measles.	Scar-let fever.	Whoop-ing cough.	Diph-theria and croup.	Influenza.	Ery-sipelas.	Tuber-culosis of the lungs.	Tuber-culous menin-gitis.	Other forms of tuber-culosis.	Rheu-matism.	Cancer.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16	
RURAL PART OF REGISTRATION STATES ² —Continued.															
WISCONSIN—continued.															
1 Chippewa County.....	1,021.6	8.5			2.8		8.5		5.7	2.8	96.2	8.5	5.7	5.7	70.7
2 Clark County †.....	818.8	6.3	3.1		9.4		9.4	9.4		6.3	53.3	6.3		3.1	75.3
3 Columbia County.....	1,137.1	9.6		8.2	12.8	3.2			22.5		102.8	3.2	3.2	3.2	106.0
4 Crawford County.....	1,273.3	12.6			31.5	6.3	6.3		18.9		75.6	6.3	12.6	12.6	81.9
5 Dane County*.....	1,165.9				1.9	1.9	3.9	15.6	3.9		101.2	7.8	15.6	7.8	81.8
6 Dodge County.....	1,029.8				4.2		6.3	12.6	16.7		60.7	10.5	12.6	6.3	94.2
7 Door County †.....	896.2	10.4				5.2		15.6	10.4	5.2	83.4				46.9
8 Douglas County †.....	653.7	12.8				12.8		12.8			128.2				64.1
9 Dunn County.....	997.9	8.9				7.9	3.9	15.8	3.9	3.9	63.1		3.9	3.9	71.0
10 Eau Claire County †.....	792.4							6.9	6.9		41.3	6.9			68.9
11 Florence County †.....	491.6	28.9										28.9			57.8
12 Fond du Lac County.....	1,083.2				6.1	3.0	9.1	9.1	3.0		69.8	6.1	9.1	3.0	133.5
13 Forest County †.....	826.3				44.1	11.0		11.0			44.1		11.0	11.0	44.1
14 Grant County.....	1,095.7		2.6		7.7				7.7		53.8	5.1	2.6		81.9
15 Green County.....	1,024.4	14.2				9.4	4.7		9.4		51.9	4.7	14.2		132.2
16 Green Lake County.....	1,139.2				13.0	6.5			19.5		123.7		13.0	13.0	156.2
17 Iowa County.....	1,016.3				22.5		4.5	4.5	4.5		49.5			4.5	72.0
18 Iron County.....	930.5	11.1				11.1		11.1		11.1	88.6				44.3
19 Jackson County.....	1,034.8	5.9				5.9		17.7			82.8		11.8	11.8	76.9
20 Jefferson County.....	1,181.8	2.9		2.9	2.9	5.9	14.7	2.9	11.7	2.9	79.2	8.8	5.9	2.9	134.9
21 Juneau County.....	1,250.0	5.2				10.5	10.5	15.7	20.9		73.2	10.5	10.5	5.2	125.5
22 Kenosha County.....	1,306.5						46.2	18.1	23.1		92.5		11.6	11.6	80.9
23 Kewaunee County.....	1,060.0				30.1	12.0		6.0			102.4		6.0	6.0	126.5
24 La Crosse County.....	934.5									7.7	46.0			30.6	107.2
25 Lafayette County.....	1,040.6	5.1			5.1			5.1	5.1		71.1	5.1		5.1	50.8
26 Langlade County †.....	853.4	5.3			5.3	5.3		26.3	5.3		63.2		5.3	10.5	68.5
27 Lincoln County.....	952.8	14.8				4.9	14.8	9.9	9.9	4.9	54.3		14.8	4.9	74.1
28 Manitowoc County.....	994.4	3.1			6.1	3.1	18.4	6.1	6.1		89.0		6.1	3.1	52.2
29 Marathon County †.....	862.7	4.8			2.4	2.4	14.4	26.4	14.4	4.8	50.3		7.2	9.6	71.9
30 Marinette County †.....	747.1							14.2	4.7	4.7	52.0	9.5	9.5	9.5	37.8
31 Marquette County †.....	895.0	9.2							9.2		73.8		9.2	9.2	55.4
32 Milwaukee County ³	2,242.8	13.9			3.5	6.9	6.9	22.6	6.9	13.9	458.6	17.4	12.2	3.5	102.5
33 Monroe County.....	1,140.0		3.4				13.7	10.3	10.3	3.4	75.3	3.4	10.3	13.7	71.9
34 Oconto County.....	978.6	3.6			25.3		21.7	7.2	14.4		43.3		3.6	3.6	79.4
35 Oneida County.....	966.2	24.0			8.0		8.0	8.0			55.9		16.0		39.9
36 Outagamie County.....	987.0	6.1		3.0	6.1	9.1		12.2			109.7		6.1	6.1	60.9
37 Ozaukee County.....	974.4	5.7				5.7	5.7	5.7	11.5	11.5	51.6	11.5	17.2	17.2	80.2
38 Pepin County.....	1,048.7					13.4	26.9		13.4		13.4		26.9		80.7
39 Pierce County.....	981.9	4.7				23.5			9.4	4.7	65.8	4.7	9.4	4.7	61.1
40 Polk County †.....	852.0	4.4					4.4	8.7	8.7		65.5		13.1	8.7	69.9
41 Portage County.....	1,140.4	3.2				3.2	3.2	22.2	9.5	3.2	110.9		3.2	12.7	66.5
42 Price County †.....	842.2					6.3		12.7			38.0				69.7
43 Racine County.....	1,144.2	5.6				16.7	16.7		11.2		128.4		11.2	5.6	106.1
44 Richland County.....	1,052.7				21.6		5.4		5.4		54.0		10.8		81.0
45 Rock County.....	1,024.2						3.8	3.8	7.7		46.0		3.8		69.1
46 Rusk County †.....	830.3	16.3			8.1		8.1	16.3	8.1		40.7		8.1		48.8
47 St. Croix County.....	1,011.0	11.8			3.9		7.8	15.7		3.9	74.5	11.8	11.8	7.8	62.7
48 Sauk County.....	1,014.9	6.1					3.0	3.0	12.2	9.1	51.8		9.1	12.2	85.3
49 Sawyer County † (total).....	830.0										122.5		13.6	27.2	54.4
50 White.....	674.5										16.9		16.9		50.6
51 Colored.....	1,479.9										563.8			140.9	70.5
52 Shawano County (total).....	921.2	5.9			3.0	11.8	11.8	8.9	3.0		65.2		8.9	5.9	59.2
53 White.....	892.9	3.1				12.5	9.4	9.4	3.1		53.3	9.4	6.3	6.3	62.7
54 Colored.....	1,411.5	54.3			54.3		54.3				271.4		54.3		72.5
55 Sheboygan County.....	984.1	3.5				6.9	17.3	6.9	3.5	3.5	55.2	3.5	6.9	10.4	72.5
56 Taylor County.....	1,030.4	6.8				13.6		13.6			34.1			13.6	75.1
57 Trempealeau County.....	1,081.0						4.4	7.1	3.6		91.9		8.8	4.4	65.6
58 Vernon County.....	910.2				7.1	3.6		7.1	3.6	17.8	46.4	7.1		7.1	35.7
59 Vilas County † (total).....	694.2										169.7			15.4	15.4
60 White.....	527.9										17.0			17.0	17.0
61 Colored.....	2,295.1										1,639.3				
62 Walworth County.....	1,232.9						3.4	3.4	6.7	3.4	60.5		6.7	10.1	117.6
63 Washburn County †.....	732.8										53.6				85.7
64 Washington County.....	993.0			4.2			4.2	4.2	8.4	8.4	67.0	12.6		4.2	71.2
65 Waukesha County.....	1,295.7				2.6	7.9		4.2	5.3	5.3	139.9	2.6	15.8	13.2	89.7
66 Waupaca County.....	1,015.7						6.0		3.0	3.0	60.1	3.0	3.0	21.0	108.2
67 Waushara County †.....	819.8					5.0	9.9	5.0	14.9	5.0	34.8			5.0	49.7
68 Winnebago County*.....	1,311.2	7.0			3.5			7.0	3.5	13.9	80.2		17.4	7.0	104.6
69 Wood County.....	1,030.9	12.3			9.2	6.1	12.3	15.3	3.1	3.1	39.9	12.3	6.1	12.3	92.0

¹ Exclusive of stillbirths.

² Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																				
Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.		
(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38		
5.7	2.8	34.0	93.4	8.5	99.0	8.5	25.5	17.0	14.1	5.7	42.4	8.5	-----	82.1	70.7	8.5	274.5	5.7	1	
9.4	9.4	43.9	87.8	15.7	62.7	12.5	18.8	-----	12.5	3.1	43.9	3.1	15.7	56.5	72.2	9.4	180.0	-----	2	
22.5	16.1	73.9	131.7	12.8	64.2	9.6	3.2	6.4	9.6	9.6	70.7	-----	6.4	54.6	61.0	6.4	301.9	6.4	3	
-----	12.6	75.6	189.1	12.6	100.9	12.6	50.4	44.1	6.3	18.9	75.6	8.3	-----	63.0	145.0	12.6	170.2	12.6	4	
19.5	3.9	95.4	120.7	19.5	91.5	21.4	33.1	7.8	9.7	19.5	68.1	1.9	-----	62.3	46.7	9.7	292.0	1.9	5	
18.8	6.3	77.4	108.8	44.0	79.5	10.5	33.5	2.1	-----	12.6	52.3	6.3	12.6	56.5	54.4	12.6	215.6	2.1	6	
10.4	10.4	31.3	156.3	20.8	72.9	5.2	15.6	5.2	-----	-----	52.1	15.6	5.2	52.1	62.5	5.2	187.6	10.4	7	
-----	-----	12.8	25.6	-----	12.8	25.6	51.3	-----	-----	-----	25.6	-----	-----	64.1	128.2	25.6	38.5	12.8	8	
31.6	7.9	102.5	90.7	15.8	102.5	3.9	11.8	3.9	15.8	7.9	43.4	7.9	3.9	90.7	63.1	3.9	209.0	-----	9	
20.7	6.9	55.1	62.0	13.8	68.9	-----	6.9	-----	13.8	-----	62.0	-----	6.9	96.5	68.9	13.8	151.6	13.8	10	
28.9	-----	-----	115.7	-----	28.9	-----	-----	-----	-----	-----	-----	-----	-----	28.9	28.9	-----	144.6	-----	11	
12.1	12.1	66.8	157.8	12.1	118.3	18.2	27.3	3.0	6.1	6.1	45.5	-----	6.1	78.9	45.5	15.2	185.1	15.2	12	
-----	-----	33.1	11.0	-----	88.1	-----	66.1	-----	-----	-----	22.0	11.0	-----	110.2	143.2	-----	154.2	11.0	13	
28.2	5.1	94.7	174.1	5.1	61.4	5.1	30.7	15.4	17.9	12.8	81.9	5.1	5.1	87.0	25.6	20.5	248.3	7.7	14	
18.9	4.7	80.3	94.4	4.7	56.6	18.9	14.2	4.7	4.7	18.9	37.8	-----	-----	42.5	42.5	33.0	297.4	9.4	15	
6.5	6.5	65.1	136.7	28.0	78.1	6.5	32.5	13.0	6.5	6.5	71.6	13.0	-----	52.1	71.6	6.5	169.2	28.0	16	
13.5	13.5	45.0	134.9	31.5	67.5	9.0	31.5	-----	9.0	-----	45.0	-----	9.0	89.9	30.9	13.5	242.8	18.0	17	
-----	11.1	11.1	66.5	33.2	144.0	11.1	66.5	-----	11.1	11.1	55.4	11.1	11.1	66.5	110.8	-----	132.9	11.1	18	
17.7	-----	65.0	118.3	17.7	76.9	5.9	29.6	5.9	11.8	5.9	76.9	-----	5.9	88.7	82.8	-----	207.0	5.9	19	
11.7	5.9	96.8	158.4	32.3	55.7	11.7	29.3	20.6	20.6	8.8	61.6	-----	-----	41.1	52.8	17.6	272.7	5.9	20	
5.2	-----	62.8	141.2	26.2	78.5	10.5	10.5	10.5	-----	15.7	52.3	-----	10.5	78.5	99.4	26.2	319.0	15.7	21	
-----	23.1	69.4	104.1	46.2	127.2	23.1	11.6	11.6	-----	11.6	69.4	-----	-----	115.6	115.6	23.1	265.9	23.1	22	
24.1	-----	48.2	54.2	36.1	90.3	-----	42.2	6.0	6.0	18.1	78.3	-----	12.0	66.2	54.2	-----	210.8	6.0	23	
15.3	-----	48.0	114.9	15.3	137.9	7.7	15.3	7.7	-----	23.0	68.9	7.7	15.3	84.3	38.3	7.7	137.9	-----	24	
10.2	5.1	96.4	132.0	20.3	96.4	-----	35.5	10.2	-----	5.1	55.8	5.1	10.2	81.2	60.9	15.2	238.6	10.2	25	
5.3	15.8	26.3	42.1	-----	47.4	15.8	42.1	5.3	10.5	21.1	52.7	-----	5.3	89.6	79.0	-----	200.2	-----	26	
14.8	19.7	93.8	69.1	9.9	103.7	4.9	44.4	9.9	9.9	9.9	59.2	14.8	-----	64.2	59.2	9.9	143.2	4.9	27	
15.3	9.2	89.0	125.8	18.4	61.4	6.1	33.8	-----	6.1	12.3	46.0	3.1	9.2	110.5	39.9	12.3	196.4	6.1	28	
4.8	4.8	38.3	86.3	9.6	59.9	9.6	43.1	-----	9.6	4.8	47.9	2.4	7.2	64.7	69.5	4.8	182.1	4.8	29	
18.9	23.6	4.7	94.6	9.5	66.2	4.7	52.0	4.7	9.5	4.7	23.6	4.7	14.2	70.9	47.3	4.7	141.9	4.7	30	
18.5	27.7	73.8	129.2	18.5	110.7	9.2	18.5	18.5	-----	-----	9.2	18.5	-----	18.5	27.7	9.2	212.2	9.2	31	
12.2	13.9	112.9	236.3	27.8	161.6	20.8	33.0	10.4	13.9	34.7	104.2	-----	-----	109.4	128.6	41.7	509.0	3.5	32	
20.5	6.8	71.9	150.6	20.5	143.8	13.7	20.5	13.7	6.8	6.8	44.5	-----	3.4	75.3	71.9	6.8	246.5	-----	33	
10.8	10.8	61.4	65.0	21.7	104.7	10.8	39.7	-----	10.8	7.2	54.2	10.8	-----	86.7	57.8	7.2	198.6	7.2	34	
8.0	16.0	8.0	103.8	8.0	119.8	-----	47.9	16.0	24.0	8.0	63.9	-----	16.0	79.9	87.8	8.0	191.6	-----	35	
18.3	6.1	51.8	118.8	3.0	85.3	3.0	33.5	12.2	12.2	3.0	33.5	6.1	12.2	76.2	51.8	6.1	216.3	12.2	36	
22.9	5.7	51.6	74.5	22.9	74.5	-----	57.3	11.5	11.5	17.2	97.5	-----	5.7	57.3	91.7	11.5	137.6	-----	37	
13.4	-----	94.1	134.4	26.9	121.0	26.9	13.4	-----	-----	13.4	107.6	-----	-----	40.3	53.8	-----	228.6	-----	38	
14.1	9.4	103.4	178.5	18.8	47.0	-----	14.1	4.7	-----	-----	79.9	-----	4.7	47.0	42.3	14.1	216.1	-----	39	
13.1	4.4	43.7	135.5	4.4	48.1	13.1	35.0	4.4	8.7	13.1	83.0	4.4	8.7	83.0	48.1	-----	118.0	-----	40	
9.5	15.8	50.7	136.2	12.7	95.0	6.3	82.4	3.2	19.0	25.3	44.3	-----	6.3	110.9	57.0	6.3	212.2	9.5	41	
6.3	6.3	44.3	82.3	12.7	76.0	12.7	37.2	19.0	-----	-----	57.0	6.3	12.7	114.0	76.0	19.0	114.0	19.0	42	
16.7	11.2	72.6	128.4	22.3	72.6	5.6	61.4	5.6	-----	5.6	78.1	-----	-----	39.1	67.0	16.7	240.0	-----	43	
10.8	-----	91.8	140.4	5.4	86.4	10.8	21.6	10.8	21.6	-----	97.2	-----	5.4	108.0	70.2	5.4	172.8	10.8	44	
7.7	7.7	69.1	126.6	38.4	92.1	15.3	26.9	7.7	19.2	11.5	46.0	3.8	7.7	53.7	69.1	15.3	264.7	3.8	45	
-----	24.4	32.6	81.4	8.1	65.1	8.1	32.6	8.1	8.1	-----	32.6	8.1	16.3	114.0	97.7	-----	133.4	-----	46	
7.8	19.6	54.9	125.4	3.9	78.4	15.7	7.8	-----	7.8	11.8	50.9	7.8	11.8	66.6	78.4	11.8	231.2	7.8	47	
18.3	-----	91.4	112.8	15.2	73.1	12.2	21.3	21.3	3.0	9.1	51.8	3.0	6.1	54.9	82.3	6.1	228.6	12.2	48	
13.6	-----	-----	122.5	-----	108.9	-----	-----	-----	-----	-----	27.2	13.6	13.6	40.8	54.4	13.6	190.5	-----	49	
16.9	-----	-----	151.8	-----	33.7	-----	-----	16.9	-----	-----	16.9	16.9	-----	33.7	67.5	16.9	219.2	-----	50	
-----	-----	-----	-----	-----	422.8	-----	-----	-----	-----	-----	70.5	-----	70.5	70.5	-----	-----	70.5	-----	51	
11.8	14.8	71.1	71.1	14.8	115.5	17.8	23.7	8.9	5.9	3.0	47.4	3.0	-----	74.0	59.2	-----	186.6	-----	52	
12.5	12.5	68.9	75.2	15.7	103.4	18.8	18.8	9.4	6.3	3.1	47.0	3.1	-----	75.2	53.3	-----	194.2	-----	53	
-----	54.3	108.6	-----	-----	325.7	-----	108.6	-----	-----	-----	54.3	-----	-----	54.3	162.9	-----	54.3	-----	54	
10.4	6.9	89.8	110.5	34.5	62.2	24.2	17.3	3.5	10.4	3.5	31.1	3.5	3.5	69.1	51.8	13.8	245.2	3.5	55	
6.8	6.8	20.5	95.5	20.5	116.0	27.3	13.6	6.8	13.6	20.5	34.1	6.8	6.8	88.7	116.0	27.3	245.6	-----	56	
13.1	4.4	61.3	166.3	17.5	87.5	13.1	35.0	8.8	21.9	21.9	65.6	4.4	13.1	83.2	35.0	17.5	201.3	3.5	57	
10.7	14.3	89.2	85.7	10.7	82.1	3.6	17.8	14.3	-----	-----	60.7	-----	3.6	71.4	67.8	14.3	221.3	7.1	58	
15.4	-----	15.4	46.3	-----	30.9	-----	15.4	-----	-----	-----	30.9	-----	30.9	61.7	123.4	-----	77.1	46.3	59	
17.0	-----	17.0	51.1	-----	34.1	-----	17.0	-----	-----	-----	34.1	-----	-----	34.1	136.2	-----	68.1	34.1	60	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	327.9	-----	-----	163.9	163.9	-----	61
13.4	-----	84.0	208.3	26.9	84.0	6.7	10.1	6.7	10.1	23.5	70.6	3.4	-----	43.7	87.3	16.8	322.5	3.4	62	
21.4	-----	21.4	75.0	-----	21.4	10.7	10.7	-----	10.7	-----	64.3	10.7	-----	64.3	75.0	10.7	235.7	-----	63	
29.3	8.4	129.9	71.2	12.6	96.4	12.6	33.5	12.6	16.8	-----	46.1	4.2	4.2	50.3	58.7	12.6	184.4	-----	64	
34.3	5.3	113.7	153.1	15.8	79.2	10.6	23.7	13.2	23.7	13.2	108.2	5.3	-----	68.3	95.0	31.7	216.4	2.6	65	
6.0	18.0	66.1	129.2	18.0	93.2	21.0	9.0	6.0												

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes ¹	1,404.5	1,306.1	1,296.4	1,010.4	1,528.6	1,485.2	1,431.3	1,226.2	1,329.7	896.5
	I.—General diseases.....	424.5	381.8	460.6	287.4	373.9	371.0	387.3	341.2	320.3	204.7
1	Typhoid fever.....	12.2	15.0	10.3	21.1	11.0	5.3	25.8	18.9	23.5	17.9
2	Typhus fever.....										
3	Relapsing fever.....										
4	Malaria.....	0.8	3.3			1.3	0.3	1.9	2.8	3.2	1.9
5	Smallpox.....		0.1		0.2			0.2	0.3	0.3	0.6
6	Measles.....	7.4	4.4	5.6	11.6	15.9	3.4	5.5	5.3	6.7	3.7
7	Scarlet fever.....	2.3	4.9	8.2	11.8	8.1	4.0	4.3	4.0	5.5	1.0
8	Whooping cough.....	9.8	11.7	4.7	10.9	11.8	10.9	7.8	11.3	9.0	8.3
9	Diphtheria and croup.....	10.9	7.7	5.9	7.9	22.2	14.0	17.1	12.5	11.0	9.0
10	Influenza.....	3.6	6.8	4.1	6.0	9.9	22.5	6.5	10.8	12.5	8.8
11	Miliary fever.....										
12	Asiatic cholera.....										
13	Cholera nostras.....		0.2		0.2	0.5	0.5	0.6	0.3		0.5
14	Dysentery.....	1.7	3.8	0.6	2.6	3.5	7.7	5.8	9.5	8.7	7.9
15	Plague.....										
16	Yellow fever.....										
17	Leprosy.....	0.1	0.1								
18	Erysipelas.....	2.3	1.6	3.2	2.8	5.7	2.4	4.4	2.6	2.9	1.9
19	Other epidemic diseases.....	0.1	0.4		0.2	0.5	0.3	0.6	0.3	0.3	0.2
20	Purulent infection and septicemia.....	2.2	1.6	9.2	2.1	3.6	2.1	1.8	1.8	5.2	3.5
21	Glanders.....		0.1								
22	Anthrax.....		0.1				0.3				
23	Rabies.....	0.1	0.2							0.3	0.1
24	Tetanus.....	1.6	2.1	1.8	0.5	1.6	1.9	3.1	1.7	2.3	1.8
25	Mycoses.....	0.1									0.1
26	Pellagra.....	0.9	1.2	1.5	0.7	0.5	0.5	0.1	0.1	3.2	0.5
27	Beriberi.....	0.1	0.2								
	Tuberculosis (total).....	199.0	189.9	259.0	135.1	140.8	164.0	161.1	141.0	95.6	47.4
28	Tuberculosis of the lungs.....	166.8	164.4	237.9	122.7	108.8	145.7	129.1	116.6	79.4	39.9
29	Acute miliary tuberculosis.....	4.5	4.7	3.2	1.1	6.3	4.0	5.9	3.6	5.5	0.9
30	Tuberculous meningitis.....	14.0	7.7	9.1	4.9	13.7	6.1	9.9	7.1	1.4	1.5
31	Abdominal tuberculosis.....	8.3	6.4	2.9	3.0	5.0	4.2	10.0	7.2	4.6	2.2
32	Pott's disease.....	1.6	1.5	2.3	0.9	1.8	1.9	1.6	1.0	1.7	0.4
33	White swellings.....	0.7	0.5	0.3	0.2	0.6	0.3	0.9	0.3	0.3	0.3
34	Tuberculosis of other organs.....	2.3	3.1	1.5	1.4	3.4	1.6	2.0	3.4	1.2	1.6
35	Disseminated tuberculosis.....	0.8	1.6	1.8	1.1	1.2	0.3	2.3	1.4	1.4	0.7
36	Ricketts.....	0.5	0.1	0.9	0.4	1.3	1.1	0.6	0.6	0.3	0.3
37	Syphilis.....	10.9	6.9	19.0	3.7	5.3	2.1	13.0	5.6	6.1	2.2
38	Gonococcus infection.....	0.7	0.3	1.2		0.2		0.9	0.3	0.9	
	Cancer and other malignant tumors (total).....	113.4	78.2	85.9	41.7	86.9	85.6	84.9	76.4	81.7	56.5
39	Of the buccal cavity.....	5.0	4.6	5.0	0.9	3.8	4.5	2.7	3.9	2.6	3.5
40	Of the stomach, liver.....	42.7	31.5	34.6	22.3	28.1	26.2	30.0	31.6	30.1	23.5
41	Of the peritoneum, intestines, rectum.....	14.6	9.7	9.4	4.6	13.0	13.5	10.4	7.0	11.3	5.4
42	Of the female genital organs.....	16.3	9.4	14.9	5.3	14.2	10.9	16.6	10.9	13.6	6.6
43	Of the breast.....	12.9	8.2	10.0	3.3	8.8	12.7	9.3	7.7	7.2	5.9
44	Of the skin.....	3.3	4.0	2.3	1.1	2.5	3.2	2.9	6.0	2.9	2.5
45	Of other organs or of organs not specified.....	13.6	10.7	9.7	4.2	16.5	14.6	13.0	9.2	13.9	9.1
46	Other tumors (tumors of the female genital organs excepted).....	0.3	0.4	0.9	0.7	0.7	0.8	0.4	0.2	0.3	1.3
47	Acute articular rheumatism.....	3.3	4.3	4.4	4.4	5.0	4.2	6.0	4.1	5.2	4.2
48	Chronic rheumatism and gout.....	1.3	1.4	0.9	1.6	0.7	2.1	1.0	1.5	0.9	1.1
49	Scurvy.....	0.1	0.1		0.2	0.4	0.3	0.1	0.1		0.1
50	Diabetes.....	20.2	16.6	14.4	9.9	20.6	18.8	14.0	14.9	14.5	12.8
51	Exophthalmic goiter.....	1.2	1.1	1.5	0.4	1.1	1.3	3.2	2.3	2.0	1.2
52	Addison's disease.....	0.6	0.3	1.5	0.5	0.1	0.5	0.2	0.8		0.4
53	Leukemia.....	2.2	1.8	1.5	0.4	2.4	2.1	1.8	2.3	3.5	1.6
54	Anemia, chlorosis.....	6.6	3.4	10.0	2.3	4.2	5.3	5.4	4.7	7.5	3.6
55	Other general diseases.....	1.7	2.0	1.8	0.5	2.4	1.6	2.1	1.7	3.2	3.3
56	Alcoholism (acute or chronic).....	5.7	8.9	10.3	6.3	5.1	4.8	6.3	2.1	2.9	0.8
57	Chronic lead poisoning.....	0.6	0.3	0.6	0.4	0.1	0.3	0.3		0.3	0.1
58	Other chronic occupation poisonings.....		0.1					0.1			
59	Other chronic poisonings.....	0.3	0.5	0.3	0.4	0.4		0.3	0.6	1.2	0.4
	II.—Diseases of the nervous system and of the organs of special sense.....	130.9	145.9	81.2	74.1	149.3	201.9	126.6	145.7	152.1	106.9
60	Encephalitis.....	1.3	1.2	0.3	0.4	0.4	0.8	1.9	1.5	2.3	1.0
61	Meningitis (total).....	9.6	10.6	8.2	10.2	13.3	11.1	9.9	6.7	7.0	5.4
	Simple meningitis.....	4.8	6.2	2.3	4.8	8.5	7.7	3.8	2.8	3.2	4.0
	Cerebrospinal meningitis (undefined).....	2.4	2.3	2.9	2.8	2.7	2.4	1.6	1.3	2.0	1.0
	Cerebrospinal fever.....	2.4	2.1	2.9	2.6	2.2	1.1	4.5	2.5	1.7	0.4

¹ Exclusive of stillbirths.

URBAN AND RURAL DEATH RATES, BY CAUSES.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914.

inhabitants in 1910, smaller places being included with the "rural districts.")

DEATH RATE PER 100,000 POPULATION,														Detailed Int. List No.			
KENTUCKY.						MAINE.		MARYLAND.				MASSACHUSETTS.					
Total.		White.		Colored.		Cities.	Rural districts.	Total.		White.		Colored.			Cities.	Rural districts.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.				Cities.
1,721.2	1,196.5	1,527.3	1,115.4	2,638.3	1,917.6	1,809.0	1,490.1	1,788.6	1,407.2	1,600.1	1,266.4	2,901.6	1,932.5	1,463.4	1,474.9		
506.6	416.7	441.8	380.9	813.0	734.8	412.8	332.0	470.9	378.3	402.9	329.0	872.0	562.3	361.8	373.1		
32.2	43.8	28.8	40.9	48.5	69.4	23.4	13.8	24.1	23.8	24.1	19.0	23.7	41.9	8.7	3.9	1	
5.4	7.4	0.9	6.7	26.9	13.4	0.6	1.0	0.6	1.4	0.5	0.9	1.1	3.4	0.2	0.3	2	
0.7	0.8	0.3	0.8	2.7	1.0	0.6	0.2	0.5	0.7	0.2	0.2	3.2	2.7	(?)	0.1	3	
8.7	12.2	7.7	13.2	13.5	3.1	5.1	5.8	0.9	2.6	1.1	1.6	6.1	6.1	6.3	2.9	4	
5.2	2.1	6.0	2.1	1.3	1.5	5.7	1.2	6.7	4.7	6.6	5.8	7.5	0.7	7.5	5.4	5	
7.8	16.5	6.0	15.2	13.5	23.3	9.1	13.4	13.1	15.8	7.7	10.9	45.3	34.4	8.6	7.7	6	
11.7	24.2	12.5	25.5	8.1	12.3	14.3	10.4	15.9	10.7	17.2	11.9	8.6	6.1	20.7	9.4	7	
19.3	13.7	13.1	12.7	48.5	22.6	3.4	14.6	8.9	13.0	7.3	12.7	18.3	14.2	4.7	10.2	8	
														(?)			9
																	10
																	11
0.5	1.3	0.6	1.3		1.0	1.7	1.4		1.0		0.9		1.4	0.3	0.4	12	
9.2	14.0	8.0	13.6	14.8	18.0	3.4	2.6	1.9	5.4	1.6	4.7	3.2	8.1	3.1	4.3	13	
																	14
																	15
																	16
4.9	3.6	4.8	3.6	5.4	3.6	5.1	2.2	4.1	1.7	4.2	2.2	3.2	0.7	4.2	5.4	17	
0.2	0.6	0.3	0.6		0.5		0.7	1.1	0.3	0.9	0.2	2.2		0.4	0.4	18	
7.0	3.8	5.1	3.9	16.1	3.6	5.7	3.9	4.4	2.3	4.7	1.8	2.2	4.1	2.8	2.8	19	
														0.1			20
																	21
0.2	0.2		0.2	1.3										0.1	0.3		22
																	23
3.3	2.0	2.3	1.8	8.1	3.6	1.1	0.9	2.7	3.4	1.5	2.7	9.7	6.1	1.0	0.8	24	
	0.1		0.1											(?)			25
4.2	6.8	4.6	7.0	2.7	4.6	2.3	0.9	0.6	0.4	0.7	0.5			0.5	0.8	26	
																	27
251.7	198.1	205.5	169.5	469.8	451.6	141.0	114.5	218.0	137.4	166.4	148.6	522.8	332.1	138.1	155.6	28	
214.5	169.9	170.2	145.6	424.0	386.4	107.9	85.9	183.8	164.5	142.1	132.1	430.1	285.5	109.8	132.1	29	
5.9	3.8	4.6	2.8	12.1	12.8	4.0	3.1	9.4	5.3	4.4	3.8	38.8	10.8	4.4	3.4	30	
12.5	8.1	13.1	7.2	9.4	15.4	12.0	9.9	10.5	3.6	9.5	2.7	16.2	6.8	13.6	7.0	31	
12.0	9.3	11.7	8.0	13.5	21.1	8.0	8.5	7.3	7.8	4.9	5.2	21.6	17.6	5.8	3.4	32	
1.2	2.0	0.9	1.7	2.7	5.1	0.6	0.9	1.4	1.3	1.1	1.3	3.2	1.4	1.2	2.1	33	
0.9	0.7	0.9	0.7	1.3	0.5	1.1	0.3	1.6	1.1	1.3	1.1	3.2	1.4	0.5	1.3	34	
2.3	3.3	2.0	2.7	4.0	9.2	3.4	2.6	3.0	2.3	2.2	1.1	7.5	6.8	2.1	1.4	35	
2.3	1.0	2.3	1.0	2.7	1.0	4.0	3.4	1.1	1.4	0.9	1.3	2.2	2.0	0.7	4.9	36	
																	37
0.9	0.6	0.3	0.6	4.0	1.0		0.9	2.2	1.0	0.4	0.2	12.9	4.1	1.0	0.9	38	
13.4	4.4	9.7	2.6	31.0	20.0	4.6	2.2	19.4	8.1	9.1	3.8	79.8	24.3	5.5	7.1	39	
0.5	0.1	0.6	0.1			2.3	0.3	0.8	0.6	0.7	0.4	1.1	1.4	0.3	0.1	40	
77.1	39.1	82.8	38.6	49.8	43.7	121.1	103.6	102.0	62.6	103.6	68.8	92.7	39.8	98.8	109.7	41	
3.1	2.3	3.1	2.5	2.7	0.5	2.3	4.9	3.6	3.0	3.8	3.4	2.2	1.4	4.1	4.3	42	
23.0	12.8	30.5	12.8	18.2	13.4	42.8	38.3	37.2	21.5	33.4	23.9	30.2	12.8	30.6	36.5	43	
7.3	3.6	8.8	3.6		4.1	18.8	16.3	12.2	7.3	13.0	8.9	7.5	1.4	18.4	18.7	44	
17.2	7.4	17.1	6.6	17.5	14.9	23.0	15.8	18.3	9.8	16.1	8.9	31.3	13.5	16.0	15.9	45	
8.0	4.3	8.5	4.4	5.4	3.1	14.3	11.6	11.2	8.6	11.1	9.4	11.9	5.4	11.7	13.6	46	
2.8	2.4	2.8	2.5	2.7	1.0	2.3	4.1	1.7	3.4	1.6	4.3	2.2	2.2	2.1	4.3	47	
10.8	6.2	12.0	6.2	5.4	6.7	12.6	12.6	17.8	9.0	19.5	10.0	7.5	5.4	15.9	16.3	48	
																	49
1.2	0.5	1.4	0.5		0.5	1.1	0.7	0.6	0.3	0.5	0.4	1.1		0.6	0.5	50	
8.0	5.4	6.0	4.4	17.5	13.9	6.3	2.7	6.2	3.6	5.5	3.3	10.8	4.7	4.9	4.0	51	
0.9	0.5	1.1	0.5			2.3	1.5	1.4	2.0	1.6	1.6		3.4	1.1	1.3	52	
0.2	0.2	0.3	0.2					0.2	0.2	0.2	0.2			0.2		53	
12.0	6.4	13.4	6.2	5.4	7.7	25.1	18.2	19.4	12.1	21.4	13.0	7.5	8.8	19.3	20.9	54	
																	55
1.2	0.3	1.4	0.3		0.5	2.3	0.3	1.2	0.9	1.3	1.1	1.1		0.7	1.0	56	
0.2	0.4	0.3	0.3		0.5		0.3	0.2	0.3	0.2	0.4			0.9	0.6	57	
2.1	0.5	2.3	0.6	1.3		2.9	1.2	1.4	1.3	1.6	1.4			2.1	1.4	58	
3.1	1.7	2.3	1.8	6.7	1.0	12.6	6.5	3.7	3.9	3.8	4.2	3.2	2.7	6.9	8.2	59	
4.0	2.7	3.7	2.8	5.4	2.1	2.9	1.5	1.9	2.7	2.0	2.2	1.1	4.7	2.9	1.4	60	
																	61
8.7	2.0	8.3	1.7	10.8	5.1	5.1	2.9	6.2	4.3	5.8	3.8	8.6	6.1	8.5	4.9	62	
0.2	0.2	0.3	0.1		0.5		0.9	0.3		0.4				0.2	0.3	63	
																	64
1.2	0.7	1.4	0.8			1.1	0.5	0.3		0.2		1.1		0.4	0.1	65	
																	66
159.1	99.8	144.6	95.4	227.5	139.2	189.0	187.7	156.5	162.8	147.6	153.6	209.1	197.1	140.2	196.4	67	
3.3	1.9	2.6	6.7	2.6	2.6	0.6	1.2	0.8	0.6	0.5	0.4	2.2	1.4	0.9	1.0	68	
14.8	18.7	14.8	18.9	14.8	17.0	13.1	9.4	10.3	7.1	8.9	6.0	18.3	11.5	9.9	6.8	69	
8.9	10.6	8.8	10.5	9.4	11.3	9.1	7.0	5.8	4.7	5.3	3.6	8.6	8.8	5.6	4.7	70	
2.8	4.5	2.8	4.7	2.7	2.6	2.3	1.7	2.5	1.1	2.0	0.9	5.4	2.0	2.9	1.4	71	
3.1	3.6	3.1	3.7	2.7	3.1	1.7	0.7	2.0	1.3	1.6	1.4	4.3	2.7	1.4	0.8	72	

* Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Contd.										
62	Locomotor ataxia.....	3.9	2.1	0.6	1.8	1.2	4.5	2.6	3.2	4.3	1.3
63	Other diseases of the spinal cord (total).....	7.4	7.4	3.8	3.5	5.0	7.4	6.0	7.6	4.3	4.8
	Acute anterior poliomyelitis.....	1.2	1.2	0.9	0.9	0.6	0.3	1.1	1.2	0.6	0.8
	Other diseases of the spinal cord ¹	6.3	6.2	2.9	2.6	4.4	7.2	4.9	6.4	3.8	4.0
64	Cerebral hemorrhage, apoplexy.....	79.8	81.7	47.5	34.5	101.7	137.3	75.9	87.5	74.4	54.3
65	Softening of the brain.....	1.5	3.0	1.2	0.7	1.0	2.4	1.8	2.8	2.6	2.6
66	Paralysis without specified cause.....	7.6	8.6	4.4	5.5	3.6	7.9	7.1	12.8	17.7	20.1
67	General paralysis of the insane.....	5.8	16.2	4.7	5.3	7.8	5.8	7.8	7.8	13.6	3.4
68	Other forms of mental alienation.....	1.6	3.2	1.8	3.5	1.3	2.6	1.7	3.1	2.3	2.9
69	Epilepsy.....	2.6	3.4	2.1	5.1	3.0	5.8	4.9	6.8	9.0	2.8
70	Convulsions (nonpuerperal).....	0.1	0.3	0.2	0.3	0.3
71	Convulsions of infants.....	1.1	1.6	1.5	0.9	4.8	4.8	2.1	0.7	7.5	2.4
72	Chorea.....	0.2	0.3	0.2	0.4	0.3	0.2	0.2	0.3	0.3
73	Neuralgia and neuritis.....	0.4	0.8	1.2	0.2	0.5	0.8	0.7	0.7	0.5
74	Other diseases of the nervous system.....	5.8	4.3	2.3	1.2	3.8	8.2	2.1	2.6	5.5	3.6
75	Diseases of the eyes and their annexe.....	0.1	0.2	0.1	0.1
76	Diseases of the ears.....	2.3	1.3	1.5	1.2	1.3	2.1	1.9	1.5	0.9	1.0
	III.—Diseases of the circulatory system.....	236.1	197.1	147.7	92.2	200.1	238.7	186.3	186.7	170.9	115.3
77	Pericarditis.....	1.4	1.3	0.6	1.8	1.0	1.1	1.6	1.5	2.0	1.2
78	Acute endocarditis.....	11.8	6.4	8.2	4.6	14.4	6.1	8.4	3.1	9.6	1.9
79	Organic diseases of the heart.....	179.2	153.7	97.0	68.8	144.2	181.2	138.4	139.5	121.4	90.8
80	Angina pectoris.....	8.1	8.3	8.8	4.2	7.1	12.7	7.5	11.2	5.5	5.6
81	Diseases of the arteries, atheroma, aneurism, etc.	29.3	22.3	22.9	10.6	24.6	30.5	25.7	25.9	28.5	12.7
82	Embolism and thrombosis.....	4.7	3.8	7.9	2.1	6.7	5.3	3.0	4.4	7.0	2.0
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	0.7	0.7	0.6	1.2	0.8	1.1	0.5	0.9	0.3
84	Diseases of the lymphatic system (lymphangitis, etc.).....	0.5	0.1	1.2	0.7	0.3	0.2	0.3	0.2
85	Hemorrhage; other diseases of the circulatory system.....	0.3	0.4	0.6	0.2	0.1	0.8	0.2	0.3	1.2	0.6
	IV.—Diseases of the respiratory system.....	121.9	114.4	152.7	122.8	209.0	161.6	153.1	117.2	133.2	79.3
86	Diseases of the nasal fossae.....	0.1	0.2	0.2	0.1	0.1	0.1	0.6	0.6
87	Diseases of the larynx.....	0.8	0.7	0.3	2.3	1.5	0.8	2.1	1.4	1.2	0.6
88	Diseases of the thyroid body.....	0.5	0.4	0.3	0.2	0.7	1.1	0.6	2.0	0.4
89	Acute bronchitis.....	6.8	5.9	4.4	4.0	13.9	13.2	8.2	6.6	4.9	4.0
90	Chronic bronchitis.....	8.3	5.7	3.8	2.3	9.0	10.3	7.5	6.6	7.2	5.4
91	Bronchopneumonia.....	36.9	29.4	34.9	36.1	58.4	38.7	56.6	34.5	29.3	12.3
92	Pneumonia (total).....	59.5	60.6	97.3	66.2	108.2	88.8	69.7	60.4	73.3	46.3
	Lobar pneumonia.....	46.3	40.7	88.8	64.6	68.5	50.6	60.2	46.2	37.4	14.0
	Pneumonia (undefined).....	13.2	19.9	8.5	1.6	39.7	38.2	9.4	14.2	35.9	32.2
93	Pleurisy.....	3.0	2.2	3.2	1.4	5.3	3.4	1.9	1.9	2.9	1.8
94	Pulmonary congestion, pulmonary apoplexy.....	2.5	4.4	1.5	2.3	7.8	2.9	0.9	1.3	3.5	2.8
95	Gangrene of the lung.....	0.7	0.2	0.2	0.4	0.3	0.4	0.2
96	Asthma.....	1.5	2.6	4.4	2.8	2.9	1.3	3.9	2.2	4.1	2.2
97	Pulmonary emphysema.....	0.1	0.2	0.9	0.2	0.2	0.3	0.5	0.3	0.4
98	Other diseases of the respiratory system (tuberculosis excepted).....	1.2	1.8	1.8	4.8	0.6	1.6	0.7	1.0	4.1	2.6
	V.—Diseases of the digestive system.....	120.3	107.6	119.6	101.2	181.5	140.2	184.2	138.9	156.7	108.4
99	Diseases of the mouth and annexe.....	0.8	0.5	0.3	0.4	1.3	0.4	0.6	0.3	0.4
100	Diseases of the pharynx.....	1.9	1.4	2.6	2.5	1.6	1.6	2.3	2.7	2.3	1.6
101	Diseases of the esophagus.....	0.1	0.5	0.6	0.3	0.1	0.2	0.6	0.3
102	Ulcer of the stomach.....	7.2	4.4	9.4	2.3	4.7	3.2	4.5	3.2	5.5	3.1
103	Other diseases of the stomach (cancer excepted).....	7.5	11.4	3.8	3.2	10.9	11.9	13.5	16.2	17.7	13.1
104	Diarrhea and enteritis (under 2 years).....	28.1	33.9	32.5	42.9	94.0	72.1	76.2	49.0	37.1	30.1
105	Diarrhea and enteritis (2 years and over).....	11.1	11.3	13.5	12.1	11.1	13.8	12.9	17.5	16.5	15.6
106	Ankylostomiasis.....
107	Intestinal parasites.....	0.3	0.2	0.2	0.4	0.2
108	Appendicitis and typhlitis.....	15.3	9.2	18.5	12.8	12.4	4.0	18.6	8.6	20.9	9.6
109	Hernia, intestinal obstruction (total).....	12.7	10.5	16.1	8.3	14.8	10.6	16.6	10.4	13.3	10.6
	Hernia.....	4.9	2.8	5.0	2.6	5.5	2.1	5.8	3.2	2.0	2.8
	Intestinal obstruction.....	7.8	7.7	11.1	5.6	9.3	8.5	10.9	7.2	11.3	7.7
110	Other diseases of the intestines.....	3.5	3.4	2.9	0.7	3.3	2.1	3.8	4.3	5.8	3.5
111	Acute yellow atrophy of the liver.....	0.6	0.7	0.3	0.7	0.5	0.8	0.6	0.3	0.7
112	Hydatid tumor of the liver.....	0.1
113	Cirrhosis of the liver.....	19.4	11.1	9.1	5.5	14.9	11.9	16.5	11.3	11.0	6.6
114	Biliary calculi.....	3.4	1.9	2.9	3.5	2.4	1.6	5.3	4.1	5.8	2.8

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

URBAN AND RURAL DEATH RATES, BY CAUSES.

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION—																Detailed Int. List No.
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		
Total.		White.		Colored.		Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			
2.3	1.7	2.3	1.8	2.7	1.0	2.9	3.7	2.3	1.6	2.2	2.0	3.2	2.3	3.9	62	
4.5	4.4	4.0	4.3	6.7	4.6	9.1	9.7	5.0	7.6	5.1	7.6	4.3	7.1	9.5	63	
0.9	1.2	1.1	1.3	0.5	0.5	1.7	0.9	0.8	1.4	0.9	0.5	4.7	1.4	1.3		
3.5	3.2	2.8	3.1	6.7	4.1	7.4	8.8	4.2	6.1	4.2	7.1	4.3	2.7	5.6		
85.1	35.5	76.6	33.7	125.2	51.4	107.4	123.9	93.5	84.5	90.0	81.6	114.3	95.2	133.8	64	
3.3	2.2	4.0	2.1	3.1	2.3	3.1	3.1	1.7	2.4	1.8	2.5	1.1	2.0	1.2	65	
17.4	17.3	12.2	16.5	41.7	24.1	15.4	12.1	17.5	26.8	15.0	24.4	32.3	35.8	5.3	66	
10.3	3.6	10.0	3.6	12.1	4.1	14.3	2.7	4.4	9.8	3.8	10.5	7.5	7.4	6.3	67	
2.8	2.1	2.6	1.3	4.0	8.7	6.3	3.2	1.1	1.7	1.3	1.8	1.4	1.9	1.1	68	
4.9	4.2	5.7	3.8	1.3	7.7	4.0	4.9	3.7	6.1	3.3	6.0	6.5	6.8	2.1	69	
0.2	0.3	0.3	1.3	0.3	0.2	0.2	0.2	0.7	0.7	0.5	0.5	1.4	1.4	0.1	70	
4.0	4.2	2.8	3.4	9.4	10.8	1.1	4.9	8.7	9.3	8.2	5.8	11.9	22.3	4.1	71	
0.2	0.1	0.3	0.1	1.0	0.6	0.6	0.3	0.3	0.1	0.2	0.2	1.1	0.7	0.4	72	
0.2	0.3	0.3	0.2	1.0	1.1	1.1	1.0	0.6	0.1	0.5	0.2	1.1	0.4	0.9	73	
3.3	2.5	3.7	2.6	1.3	2.1	9.1	6.3	4.1	3.3	4.2	3.3	3.2	3.4	4.9	74	
0.1	0.1	0.1	0.1	1.0	1.0	1.7	1.0	0.3	0.3	0.2	0.2	0.7	0.7	0.1	75	
2.3	1.0	2.8	1.0	1.0	1.7	1.0	1.0	2.3	0.7	2.4	0.7	2.2	0.7	3.1	76	
231.0	90.5	201.0	80.8	372.9	176.8	244.4	263.2	245.3	156.4	218.1	151.8	406.4	173.5	246.0	308.6	
4.0	2.2	2.3	2.1	12.1	2.6	1.7	1.0	1.6	0.6	0.9	0.4	5.4	1.4	1.0	77	
18.6	2.8	12.0	2.1	49.8	8.7	12.6	6.0	17.2	4.1	13.7	3.3	37.7	7.4	14.1	78	
156.5	69.9	132.4	61.3	270.6	146.4	153.6	190.1	133.0	125.2	160.2	120.3	318.0	143.1	176.7	79	
9.2	4.3	8.8	4.4	10.8	3.6	11.4	16.0	8.9	7.1	10.0	7.4	2.2	6.1	8.5	80	
38.3	9.1	41.3	8.7	24.2	12.3	50.2	40.7	29.5	15.6	28.5	16.3	35.6	12.8	37.5	81	
3.1	1.1	2.6	1.2	5.4	1.0	13.7	8.2	3.3	2.7	3.3	2.9	3.2	2.0	5.6	82	
0.7	0.2	0.9	0.2	0.2	0.5	0.6	0.3	0.9	0.6	0.7	0.7	2.2	0.7	0.7	83	
0.2	0.4	0.3	0.3	0.5	0.6	0.6	0.2	0.5	0.6	0.4	0.5	1.1	0.7	1.4	84	
0.5	0.5	0.6	0.4	1.0	0.6	0.9	0.9	0.5	0.6	0.4	0.5	1.1	0.7	0.4	85	
197.6	126.7	163.7	120.0	353.1	186.5	249.5	165.7	237.9	150.4	197.2	127.2	477.5	236.9	196.6	167.1	
0.2	0.4	0.5	1.3	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	1.4	0.1	0.4	86	
2.1	1.7	2.3	1.6	1.3	2.6	1.7	2.6	1.1	0.4	0.9	0.4	2.2	0.7	1.1	87	
0.5	0.2	0.6	0.2	22.9	6.2	10.3	13.8	0.6	0.6	0.4	0.4	2.2	0.5	0.1	88	
11.7	5.5	9.4	5.4	33.7	15.9	8.6	8.3	14.2	11.0	11.5	8.1	30.2	21.6	12.0	89	
15.7	7.9	12.0	7.0	33.7	15.9	8.6	8.3	8.1	8.4	8.8	9.4	4.3	4.7	10.1	90	
48.4	23.0	41.0	27.7	33.5	31.3	79.4	38.1	91.8	52.4	77.4	42.2	176.8	90.5	66.3	91	
99.2	71.7	80.8	67.7	135.8	107.4	133.0	89.0	103.5	67.4	86.2	53.3	240.4	101.3	96.4	92	
53.8	35.9	45.3	34.5	94.2	43.8	75.9	38.8	103.1	52.1	81.8	46.7	228.5	72.2	82.7	93	
45.4	35.8	35.6	33.2	91.5	53.6	57.1	50.2	5.5	15.3	4.4	11.6	11.9	29.0	13.8	94	
4.7	1.9	4.3	1.6	6.7	4.1	1.7	2.7	4.4	1.6	3.5	0.9	9.7	4.1	4.4	95	
6.1	2.5	6.0	2.5	6.7	3.1	7.4	6.0	4.4	4.4	4.7	4.7	2.2	3.4	3.0	96	
0.5	0.1	0.6	0.1	6.7	9.8	2.3	2.0	2.8	2.3	2.6	1.8	4.3	4.1	0.2	97	
4.5	3.6	4.0	2.9	6.7	9.8	2.3	2.0	2.8	2.3	2.6	1.8	4.3	4.1	1.6	98	
0.2	0.5	0.5	1.3	0.5	0.5	0.6	0.9	0.3	0.1	0.2	0.2	1.1	1.1	0.1	99	
3.8	2.6	2.8	2.2	8.1	6.2	2.9	1.7	1.4	2.0	0.9	1.3	4.3	4.7	0.9	100	
161.7	125.8	150.9	121.9	212.7	160.3	212.4	130.7	192.7	156.1	183.7	143.7	245.8	202.5	162.9	116.0	
0.2	0.9	0.9	1.3	0.5	0.5	0.5	0.5	1.1	1.4	0.5	0.9	4.3	3.4	0.3	101	
3.1	2.1	1.7	2.3	9.4	0.5	2.3	2.0	1.4	3.3	1.1	2.5	3.2	6.1	3.3	102	
0.2	0.1	0.3	0.1	2.7	5.7	3.4	3.1	0.2	0.2	0.2	0.2	2.7	2.7	0.3	103	
4.5	2.5	4.8	2.2	37.7	23.3	27.4	19.9	3.4	3.3	3.3	3.4	4.3	2.7	4.2	104	
16.9	17.2	12.5	16.0	37.7	23.3	27.4	19.9	13.6	16.6	11.7	15.2	24.8	21.6	7.4	105	
49.6	47.3	47.0	46.5	61.9	54.0	73.7	45.4	99.3	86.6	95.9	77.8	119.6	119.5	89.2	106	
17.9	18.1	15.4	18.0	29.6	19.5	20.0	14.8	12.8	16.8	11.5	15.7	20.5	20.9	10.5	107	
1.2	1.4	1.4	1.4	2.7	1.0	0.2	0.2	0.2	0.3	0.2	0.2	0.7	0.7	0.1	108	
0.5	0.6	5.7	5.7	4.0	5.7	28.6	11.7	15.8	3.3	15.2	3.1	19.4	4.1	12.5	109	
13.4	8.3	13.4	7.6	13.5	13.9	18.3	10.6	17.5	7.1	16.8	6.2	21.6	10.8	12.5	110	
3.1	1.6	2.8	1.3	4.0	4.6	4.6	2.0	5.3	1.7	5.3	1.4	5.4	2.7	4.8	111	
10.3	6.6	10.5	6.4	9.4	9.2	13.7	8.5	12.2	5.4	11.5	4.7	16.2	8.1	7.7	112	
3.8	2.8	2.8	2.6	8.1	4.1	6.9	3.6	3.4	2.4	2.9	2.7	6.5	1.4	3.0	113	
0.5	0.3	0.6	0.3	0.5	0.6	0.6	0.3	0.5	0.3	0.5	0.4	0.7	0.7	0.5	114	
0.1	0.1	0.1	0.1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	115	
17.2	6.3	16.8	6.1	18.8	8.7	6.3	7.0	12.2	8.0	12.1	8.1	12.9	7.4	9.5	116	
4.0	1.8	4.6	2.0	1.3	4.6	5.1	1.4	4.8	2.1	5.5	2.5	1.1	0.7	3.8	117	

^a Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	V.—Diseases of the digestive system—Con.										
115	Other diseases of the liver	4.5	4.5	5.3	4.4	5.3	3.2	8.3	6.8	11.0	6.0
116	Diseases of the spleen	0.3	0.3	0.3	0.4	0.4	2.2	0.3	0.2	0.4
117	Simple peritonitis (nonpuerperal)	2.3	2.0	1.5	0.9	3.4	2.4	2.9	2.6	8.7	3.2
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1.4	0.4	0.5	1.0	1.1	0.9	0.2	0.7
	VI.—Nonvenereal diseases of the genitourinary system and annexa.....	132.5	97.8	119.6	71.4	136.4	124.0	128.7	105.6	132.9	70.0
119	Acute nephritis	7.2	5.9	10.0	4.2	11.1	7.4	13.1	8.1	8.1	3.5
120	Bright's disease	105.6	78.8	86.7	58.4	108.1	103.1	92.9	84.7	90.7	54.0
121	Chyluria
122	Other diseases of the kidneys and annexa	2.7	2.0	2.1	0.5	2.9	3.2	2.4	1.6	7.5	3.4
123	Calculi of the urinary passages.....	0.9	0.5	1.2	0.4	1.0	0.3	1.3	0.6	0.9	0.3
124	Diseases of the bladder.....	2.2	3.2	1.5	1.2	2.4	3.2	2.0	3.0	2.9	2.4
125	Diseases of the urethra, urinary abscess, etc.....	0.5	0.3	0.3	0.8	0.3	0.1	0.3
126	Diseases of the prostate.....	5.9	3.8	6.2	3.3	4.1	4.2	4.9	3.6	9.3	3.8
127	Nonvenereal diseases of the male genital organs.....	0.3	0.1	0.4	0.1	0.1
128	Uterine hemorrhage (nonpuerperal).....	0.1	0.1
129	Uterine tumor (noncancerous).....	2.3	1.4	3.5	0.7	1.2	0.8	3.1	0.9	4.3	0.3
130	Other diseases of the uterus.....	1.1	0.4	2.6	0.5	1.3	0.3	2.2	0.4	3.2	1.0
131	Cysts and other tumors of the ovary.....	1.0	0.6	2.1	0.4	0.8	0.5	2.0	0.9	1.4	0.3
132	Salpingitis and other diseases of the female genital organs.....	2.8	0.7	3.2	1.8	1.9	1.1	4.3	1.5	4.3	0.7
133	Nonpuerperal diseases of the breast (cancer excepted).....	0.3	0.2	0.1	0.1
	VII.—The puerperal state.....	13.1	13.2	10.8	13.5	16.5	10.6	19.6	14.9	17.4	10.6
134	Accidents of pregnancy.....	1.6	1.5	1.2	1.1	2.3	1.1	2.1	1.3	2.3	1.3
135	Puerperal hemorrhage.....	1.2	1.7	0.9	1.2	1.9	1.6	1.4	0.8	2.0	1.0
136	Other accidents of labor.....	0.6	1.1	0.5	1.2	1.6	0.9	1.0	2.0	1.7
137	Puerperal septicemia.....	4.7	4.6	5.6	7.7	6.7	1.6	10.9	7.5	8.1	3.3
138	Puerperal albuminuria and convulsions.....	4.6	3.2	2.1	2.5	4.0	4.2	3.8	3.9	2.6	3.0
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	0.5	1.0	1.2	0.5	0.4	0.5	0.4	0.3	0.3	0.3
140	Following childbirth (not otherwise defined).....	0.1	0.2	0.1	0.1	0.1
141	Puerperal diseases of the breast.....
	VIII.—Diseases of the skin and of the cellular tissue.....	3.3	3.2	1.8	1.8	6.1	4.5	3.8	3.4	4.9	3.4
142	Gangrene.....	1.3	2.4	0.9	1.4	2.5	1.6	1.6	2.1	2.0	1.7
143	Furuncle.....	0.6	0.1	0.7	0.3	0.6	0.5	0.6	0.6
144	Acute abscess.....	0.5	0.7	0.6	1.0	0.5	0.7	0.2	0.6	0.5
145	Other diseases of the skin and annexa.....	1.0	0.1	0.3	0.4	1.8	2.1	1.0	0.5	1.7	0.6
	IX.—Diseases of the bones and of the organs of locomotion.....	3.0	1.4	2.9	1.1	3.2	1.6	3.7	2.2	2.3	1.5
146	Diseases of the bones (tuberculosis excepted).....	2.5	1.3	2.3	1.1	2.5	0.8	3.2	2.1	2.0	1.5
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	0.3	0.6	0.6	0.3	0.3	0.3	0.1
148	Amputations.....
149	Other diseases of the organs of locomotion.....	0.1	0.1	0.5	0.1	0.1
	X.—Malformations.....	12.1	10.7	16.7	12.8	15.3	17.2	19.6	17.6	12.2	11.0
150	Congenital malformations (stillbirths not included) (total).....	12.1	10.7	16.7	12.8	15.3	17.2	19.6	17.6	12.2	11.0
	Hydrocephalus.....	1.2	0.8	0.6	0.5	1.1	2.6	0.6	1.4	1.7	1.2
	Congenital malformations of the heart.....	7.4	7.3	11.7	9.3	7.3	7.9	15.3	10.9	5.8	6.2
	Other congenital malformations.....	3.6	2.6	4.4	3.0	6.9	6.6	3.8	5.2	4.6	3.7
	XI.—Early infancy.....	52.6	48.7	60.7	79.5	106.1	72.1	78.5	60.6	71.3	60.6
151	Congenital debility, icterus, and sclerema (total).....	40.9	36.9	48.9	62.6	79.9	55.9	62.1	46.8	62.9	51.4
	Premature birth.....	33.7	27.0	30.5	45.0	52.6	37.9	51.8	39.5	39.1	31.8
	Congenital debility, "atrophy," "marasmus," etc.....	7.1	9.9	18.5	17.6	27.3	18.0	10.3	7.3	23.8	19.6
152	Other causes peculiar to early infancy (total).....	11.4	11.6	10.5	16.5	26.1	16.2	16.2	13.6	8.1	9.2
	Injuries at birth.....	5.8	7.0	3.5	7.0	14.3	8.7	9.2	6.5	4.3	5.3
	Other causes peculiar to early infancy ¹	5.6	4.6	7.0	9.5	11.8	7.4	7.0	7.1	3.8	3.9
153	Lack of care.....	0.4	0.2	1.2	0.4	0.2	0.2	0.2	0.3	0.1
	XII.—Old age.....	15.3	22.6	38.4	26.6	13.3	24.9	8.3	10.8	37.4	35.5
154	Senility.....	15.3	22.6	38.4	26.6	13.3	24.9	8.3	10.8	37.4	35.5

¹ Exclusive of injuries at birth.

URBAN AND RURAL DEATH RATES, BY CAUSES.

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

inhabitants in 1910, smaller places being included with the "rural districts.")

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		
Total.		White.		Colored.		Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			
8.0	5.0	8.5	4.7	5.4	7.7	13.1	6.1	4.2	3.1	4.2	3.3	4.3	2.7	3.9	2.7	115
0.2	0.1	0.3	0.1				0.2	0.3		0.4				0.2		116
8.9	5.2	7.7	4.7	14.3	9.8	4.6	3.1	1.2	1.4	0.9	1.6	3.2	0.7	2.0	2.1	117
0.5	0.1	0.3	0.1	1.3		1.7	0.7	0.8		0.9				1.2	0.4	118
173.7	74.2	152.6	66.6	273.3	142.3	179.9	129.0	131.0	127.7	168.9	120.9	252.2	153.2	103.4	106.2	
14.1	5.6	10.2	5.4	32.3	7.2	16.6	8.3	20.9	10.0	15.2	7.8	55.0	13.2	7.5	5.2	119
136.5	58.4	123.6	52.5	197.9	110.5	132.5	103.0	143.7	110.2	138.4	106.2	174.6	124.9	36.5	90.9	120
4.0	1.7	4.0	1.7	4.0	2.1	5.7	3.9	4.4	1.6	4.4	1.4	4.3	2.0	2.0	1.8	121
0.7	0.2	0.9	0.2		0.5	0.6	0.2	1.4	0.1	1.6			0.7	0.7	0.5	122
2.6	2.4	2.3	2.0	4.0	6.7	4.0	4.8	1.4	1.0	1.5	1.1	1.1	0.7	1.3	4.2	124
0.2	0.2	0.3	0.1	1.0	1.0	1.1	0.5	0.6		0.2	3.2			0.5	0.1	125
2.8	2.6	3.1	2.4	1.3	5.1	5.1	4.1	3.4	2.0	3.7	2.0	2.2	2.0	3.7	2.3	126
	0.1		0.1		0.5	0.6	0.2	0.2				1.1		0.1		127
	0.1													0.2		128
4.5	0.5	2.6	0.2	13.5	3.1	6.9	1.4	2.7	0.7	2.2	0.7	5.4	0.7	2.0	0.4	129
1.2	1.0	0.6	0.9	4.0	2.1	2.3	1.0	0.8	0.7	0.7	0.5	1.1	1.4	1.0	0.1	130
2.1	0.7	1.7	0.6	4.0	1.5	0.7	0.7	0.8	0.4	0.9	0.5			1.2	0.5	131
4.5	0.6	3.1	0.5	10.8	2.1	4.0	1.0	0.8	0.9	0.2	0.4	4.3	2.7	1.8	0.3	132
0.5	0.1	0.3	0.1	1.3		0.6			0.1		0.2					133
16.9	14.6	15.9	13.6	21.5	24.1	17.1	9.7	15.9	12.7	14.2	10.1	25.9	22.3	17.8	8.7	
1.2	1.5	0.6	1.3	4.0	3.1	1.7	0.3	1.4	0.4	1.1	0.4	3.2	0.7	1.3	0.9	134
0.2	1.2		1.3	1.3	1.0	1.1	1.5	2.7	2.1	2.4	1.4	4.3	4.7	2.1	0.9	135
0.9	1.6	0.9	1.4	1.3	3.1		1.2	0.9	1.1	1.1	1.3		0.7	2.2	1.0	136
11.7	6.8	11.7	6.3	12.1	11.3	8.0	2.6	8.1	4.0	6.9	3.4	15.1	6.1	6.2	2.4	137
2.6	3.1	2.8	2.8	1.3	5.7	5.7	3.4	2.7	4.3	2.6	2.9	3.2	9.5	5.2	2.7	138
0.2	0.4		0.4	1.3		0.6	0.7	0.2	0.7	0.2	0.7		0.7	0.8	0.9	139
	0.1		0.1													140
																141
5.4	3.4	5.1	3.3	6.7	4.1	6.3	9.2	9.4	4.6	8.0	3.8	17.2	7.4	4.2	4.7	
3.3	1.4	3.1	1.4	4.0	1.0	4.6	6.8	2.8	2.7	1.5	2.0	10.8	5.4	1.4	2.3	142
0.2	0.3	0.3	0.3			1.1	0.7	2.0	0.4	2.4	0.5			0.6	0.3	143
1.4	0.7	1.1	0.6	2.7	1.5		0.5	2.0	0.7	2.2	0.7	1.1	0.7	1.2	0.5	144
0.5	1.0	0.6	0.9		1.5	0.6	1.2	2.5	0.7	2.0	0.5	5.4	1.4	0.9	1.6	145
2.3	1.2	2.6	1.2	1.3	1.0	2.9	1.7	4.8	2.0	4.9	1.8	4.3	2.7	4.0	0.9	
2.1	1.0	2.3	1.1	1.3	0.5	2.9	1.2	4.5	1.1	4.6	0.7	4.3	2.7	3.4	0.5	146
0.2	0.1	0.3	0.1				0.5	0.2	0.7	0.2	0.9			0.6	0.4	147
																148
	0.1				0.5			0.2	0.1	0.2	0.2					149
9.6	8.7	10.5	9.4	5.4	3.1	14.8	8.7	15.6	13.7	16.1	15.2	12.9	8.1	20.2	16.9	
9.6	8.7	10.5	9.4	5.4	3.1	14.8	8.7	15.6	13.7	16.1	15.2	12.9	8.1	20.2	16.9	150
0.2	0.9	0.3	1.0			0.6	1.0	1.1	1.7	1.1	1.8	1.1	1.4	1.6	1.9	
5.6	4.2	6.5	4.5	1.3	1.5	8.0	4.3	11.6	8.4	12.1	9.2	8.6	5.4	12.1	9.9	
3.8	3.6	3.7	3.9	4.0	1.5	6.3	3.4	3.0	3.6	2.9	4.2	3.2	1.4	6.5	5.2	
85.5	72.4	85.4	71.8	86.1	78.1	103.4	73.7	118.4	91.0	102.8	78.4	210.2	138.4	94.6	66.1	
77.8	61.9	77.7	61.3	78.1	66.8	83.4	62.3	94.5	74.1	80.2	62.1	178.9	118.8	73.8	52.3	151
43.0	43.1	43.6	43.0	40.4	43.7	42.8	35.2	56.1	41.5	48.4	37.5	101.3	56.7	52.2	36.6	
34.8	18.8	34.2	18.3	37.7	23.1	40.5	27.1	38.4	32.5	31.8	24.6	77.6	62.1	21.5	15.7	
7.5	10.0	7.4	10.0	8.1	9.8	20.0	11.1	23.0	15.4	22.3	15.6	26.9	14.9	20.4	13.4	152
4.2	4.6	4.3	4.7	4.0	3.6	13.1	5.1	11.1	7.4	11.9	8.5	6.5	3.4	12.5	6.8	
3.3	5.4	3.1	5.3	4.0	6.2	6.9	6.0	11.9	8.0	10.4	7.1	20.5	11.5	7.9	6.6	
0.2	0.6	0.3	0.5		1.5		0.3	0.9	1.6	0.4	0.7	4.3	4.7	0.5	0.4	153
34.5	25.8	36.7	24.4	24.2	37.5	50.8	71.8	26.2	26.7	24.7	23.3	35.6	39.2	8.5	24.4	
34.5	25.8	36.7	24.4	24.2	37.5	50.8	71.8	26.2	26.7	24.7	23.3	35.6	39.2	8.5	24.4	154

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes.....	138.3	157.6	82.9	125.3	108.6	111.0	130.1	80.5	106.3	69.5
	Suicide (total).....	39.2	25.8	21.7	16.0	21.3	20.1	27.2	12.5	15.6	10.2
155	By poison.....	7.8	3.4	6.7	4.0	8.6	3.4	16.1	4.3	6.1	3.1
156	By asphyxia.....	8.0	0.6	0.9	0.2	3.3	1.1	1.1	0.2	0.3	0.1
157	By hanging or strangulation.....	3.1	4.6	1.5	1.6	2.9	3.4	1.1	2.7	1.7	1.9
158	By drowning.....	1.4	2.0	1.5	1.3	4.5	1.2	0.9	1.4	0.7
159	By firearms.....	16.0	12.5	10.3	8.4	3.3	6.1	6.2	3.7	5.2	3.7
160	By cutting or piercing instruments.....	2.1	1.9	0.3	1.4	1.5	1.6	0.6	0.6
161	By jumping from high places.....	0.5	0.1	0.9	0.2	0.1	0.1
162	By crushing.....	0.2	0.5	0.2	0.2	0.6	0.1	0.1
163	Other suicides.....	0.3	0.2	0.3	0.2	0.1	0.1	0.3	0.1
	Accidental or undefined (total).....	86.4	117.1	51.6	90.8	83.8	88.0	99.3	64.3	78.2	54.7
164	Poisoning by food.....	1.2	2.1	0.6	1.2	0.4	1.6	1.6	1.4	1.7	1.0
165	Other acute poisonings.....	3.9	3.1	3.5	3.7	2.7	2.4	3.7	2.7	5.2	2.0
166	Conflagration.....	1.7	3.6	4.0	1.0	1.9	1.9	0.9	0.9	0.8
167	Burns (conflagration excepted).....	5.2	6.9	5.0	3.2	10.7	5.8	6.4	5.0	6.1	3.2
168	Absorption of deleterious gases (conflagration excepted).....	6.5	2.7	2.1	1.6	6.9	1.6	5.2	1.8	4.9	1.7
169	Accidental drowning.....	8.9	20.1	2.9	10.0	9.3	20.9	6.3	5.5	4.1	5.1
170	Traumatism by firearms.....	1.8	7.0	0.9	5.8	1.0	1.1	2.4	2.1	3.2	2.5
171	Traumatism by cutting or piercing instruments.....	0.1	0.4	0.3	0.2	0.1	0.3	0.9	0.1
172	Traumatism by fall.....	17.5	13.7	9.7	6.5	20.5	17.8	16.3	14.4	12.5	10.3
173	Traumatism in mines and quarries (total).....	0.2	4.0	2.3	23.6	0.1	0.3	1.6	2.0	2.6	2.6
	Traumatism in mines.....	0.1	3.6	2.3	23.6	1.6	1.8	2.6	2.6
	Traumatism in quarries.....	0.1	0.4	0.1	0.3	0.2
174	Traumatism by machines.....	2.2	1.7	1.2	1.4	2.1	1.1	2.8	1.4	1.7	1.7
175	Traumatism by other crushing (total).....	31.0	39.5	19.9	20.9	21.2	21.5	32.9	19.0	24.3	14.9
	Railroad accidents and injuries.....	7.8	16.3	7.9	10.7	9.1	9.5	17.4	10.3	11.9	7.5
	Street-car accidents and injuries.....	7.4	2.3	2.6	0.2	3.2	2.6	6.4	1.9	1.4	0.6
	Automobile accidents and injuries.....	10.2	10.5	5.6	1.9	5.6	6.6	4.7	2.2	4.9	1.7
	Injuries by other vehicles.....	4.3	8.6	2.9	6.5	3.2	2.1	3.9	3.7	4.6	4.6
	Landslide, other crushing.....	1.4	1.7	0.9	1.6	0.2	0.5	0.6	0.8	1.4	0.5
176	Injuries by animals.....	0.6	1.2	0.6	1.6	0.4	0.8	0.8	1.7	0.9	1.9
177	Starvation.....	0.2	0.3	0.3	0.7	0.1	0.3	0.7	0.6	0.1
178	Excessive cold.....	0.5	0.6	1.2	1.3	3.2	1.3	1.7	0.1
179	Effects of heat.....	0.2	1.6	0.3	0.7	0.3	2.1	0.7	1.7	1.1
180	Lightning.....	2.8	0.1	0.3	0.2	0.7	0.3	0.6
181	Electricity (lightning excepted).....	0.8	2.1	0.3	1.1	1.2	1.6	1.6	0.8	1.4	0.6
185	Fractures (cause not specified).....	0.6	0.1	1.0	0.3	0.1	2.3	0.2
186	Other external violence.....	3.9	6.6	1.2	1.2	3.3	5.6	4.3	2.8	2.9	3.2
	Homicide (total).....	12.6	14.7	9.7	18.5	3.4	2.9	12.6	3.6	12.5	4.6
182	By firearms.....	9.2	10.8	6.4	15.1	1.8	1.1	7.8	2.9	9.6	3.5
183	By cutting or piercing instruments.....	1.2	1.6	2.3	1.4	0.5	1.3	0.2	1.4	0.7
184	By other means.....	2.2	2.3	0.9	1.9	1.1	1.9	3.1	0.6	1.4	0.4
	XIV.—Ill-defined diseases.....	0.5	4.1	0.9	0.7	9.3	5.8	1.6	0.9	11.9	19.6
187	Ill-defined organic disease.....	0.1	0.4	0.3	0.1	0.1	0.2	2.0	2.4
188	Sudden death.....	0.1	0.3	0.3	1.5	0.3	0.6	1.0
189	Not specified or ill-defined (total).....	0.4	3.6	0.3	0.7	7.8	5.6	1.4	0.7	9.3	16.2
	Ill-defined.....	0.3	2.6	0.3	0.7	5.5	2.4	0.4	0.2	5.2	8.1
	Not specified or unknown.....	0.1	1.0	2.3	3.2	1.0	0.5	4.1	8.1

¹ Less than one-tenth of 1 per 100,000 population.

URBAN AND RURAL DEATH RATES, BY CAUSES.

159

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION—																Detailed Int. List No.
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		
Total.		White.		Colored.		Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			
122.2	78.1	106.5	70.6	196.5	144.4	102.2	81.5	109.3	88.6	107.8	87.9	118.6	91.1	91.1	79.7	
18.8	7.9	20.5	8.5	10.8	3.1	14.8	13.8	22.5	9.4	25.2	11.2	6.5	2.7	13.7	12.3	
7.3	2.8	8.3	3.0	2.7	1.0	2.9	1.2	9.8	1.7	11.3	2.2	1.1	1.1	1.7	1.9	155
1.9	1.4	2.0	1.5	1.3	0.5	1.1	0.2	5.5	0.2	6.2	1.1	1.1	1.1	3.7	0.8	156
1.4	0.4	1.7	0.4	1.7	0.5	3.4	2.2	1.9	1.9	2.0	2.4	1.1	1.1	1.6	2.9	157
6.6	2.4	7.4	2.6	2.7	1.0	1.7	1.9	0.5	0.6	0.5	0.4	0.4	1.4	1.6	1.6	158
1.2	0.6	1.1	0.6	1.3	0.5	4.1	6.8	4.1	4.1	4.4	4.9	2.2	1.4	3.3	3.7	159
						1.1	1.2	0.6	0.7	0.7	0.9	0.4	1.1	1.2	1.1	160
						0.2		0.2	0.3		0.4			0.5		161
	0.1		0.1				0.2							0.1	0.3	162
0.5	0.3		0.3	2.7		0.6	0.2		0.1		0.2					163
79.0	59.0	74.0	55.1	102.3	93.5	85.7	65.7	79.5	75.2	78.4	74.0	86.2	79.7	73.9	65.1	
1.6	0.5	0.6	0.6	6.7	3.6	1.1	0.5	1.7	1.3	2.0	1.6	1.1	1.1	0.6	0.9	164
1.9	2.2	1.7	2.0	2.7	3.6	4.0	1.7	1.2	2.1	1.3	2.0	1.1	2.7	1.5	2.0	165
0.7	1.2	0.3	1.0	2.7	3.1	2.3	2.9	1.4	0.9	0.7	0.7	2.2	1.4	2.0	0.5	166
11.3	10.8	8.3	10.3	25.6	14.9	4.0	7.3	11.6	8.0	11.3	6.5	12.9	13.5	9.1	5.3	167
3.8	2.4	4.6	2.1	5.1	5.1	3.4	0.7	5.2	1.6	4.6	1.6	8.6	1.4	5.8	1.8	168
8.0	4.1	7.1	3.9	12.1	5.1	12.6	15.8	8.1	14.1	6.8	12.1	16.2	21.6	6.9	13.3	169
2.8	5.7	2.6	5.0	4.0	12.3	1.7	3.7	1.1	3.7	0.9	2.9	2.2	6.8	0.4	1.5	170
	0.2	0.3	0.2	0.5	0.5	0.6	0.2	0.3		0.2	0.5	1.1		0.1		171
1.9	7.3	15.4	7.2	9.4	7.7	19.4	10.4	15.1	9.1	16.1	2.2	9.7	5.4	19.7	12.1	172
20.4	3.9	0.6	3.6	6.2	6.2		0.5	0.2	3.6	0.2	21.4		1.4	0.1	0.5	173
10.8	3.8	0.6	3.6	5.7	5.7			2.9	2.9		13.4					
0.2	0.1		0.1	0.5	0.5		0.5	0.2	0.7	0.2			1.4	0.1	0.5	174
14.3	1.1	2.3	1.2	0.5	0.5	4.6	0.5	2.2	2.0	2.2	10.1	2.2	1.4	2.1	0.9	175
0.5	11.1	19.6	10.1	24.2	20.0	15.4	10.9	21.2	19.4	22.1	4.2	16.2	12.2	19.0	18.8	
2.8	8.4	10.8	7.2	10.8	15.4	8.6	4.4	9.2	11.8	9.5	3.6	7.5	6.1	6.4	10.0	
3.8	0.7	0.3	0.3	6.7	0.5	1.7	0.9	5.3	1.1	5.3	1.1	5.4	1.4	2.9	1.1	
2.6	1.7	2.8	0.6	4.0	1.0	2.9	1.5	3.9	2.9	4.6	3.4	2.7	0.7	5.3	5.6	
0.5	0.4	0.3	1.6	1.3	2.6	2.3	4.1	2.7	2.9	2.6	2.7	3.2	3.4	3.9	2.1	
			0.3	0.5	0.5			0.2	0.7	0.2	0.7		0.7	0.6		
	0.6		0.6	1.0	1.0	0.6	0.9	0.8	1.0	0.9	1.1		0.7	0.3	0.4	176
	0.2		0.1	0.5	0.5		0.2	0.8	0.8				1.4			177
0.5	0.6	0.3	0.3	1.3	3.6	0.6	0.7	0.9	0.9	0.5	0.5		2.0	(¹)	1.5	178
3.5	0.9	3.1	0.8	5.4	1.5	0.6	0.7	3.7	1.1	3.1	0.7	7.5	2.7	0.6	0.5	179
0.5	0.7	0.6	0.6	1.5	1.5		0.3		0.9		0.7		1.4		0.1	180
1.4	0.2	1.7	0.2			1.7	1.4	0.5	0.3	0.4	0.4	1.1		(¹)	0.8	181
0.9	1.1	1.1	1.0		2.1	4.0	1.0	1.4	0.9	1.6	1.1		0.5	0.3	0.3	182
4.7	4.2	4.0	4.2	8.1	4.1	9.1	5.4	3.7	4.1	3.5	4.2	5.4	4.1	3.7	3.8	183
24.4	11.2	12.0	7.0	83.5	47.8	1.7	2.0	7.3	4.0	4.2	2.7	25.9	8.8	3.5	2.4	
16.0	8.9	7.1	5.3	57.9	40.6	1.1	0.9	3.7	2.7	1.8	1.8	15.1	6.1	1.3	0.6	182
4.7	0.9	2.0	0.7	17.5	2.6	0.6	0.2	1.4	0.4	0.9	0.2	4.3	1.4	0.9	0.3	183
3.8	1.4	2.8	1.0	8.1	4.6		1.0	2.2	0.9	1.5	0.7	6.5	1.4	1.3	1.5	184
15.0	58.6	10.0	55.6	39.0	85.3	23.4	25.5	4.7	36.1	3.1	19.5	14.0	97.9	7.0	6.2	
0.7	4.8	0.3	4.2	2.7	10.8	0.6	0.9		0.7		0.4		2.0		0.1	187
0.2	1.6	0.3	1.4	3.1	3.1	4.0	2.4		1.9		1.4		3.4		0.1	188
14.1	52.2	9.4	50.0	36.3	71.4	18.8	22.3	4.4	33.5	2.7	17.7	14.0	92.5	6.4	5.9	189
8.5	14.9	6.0	13.9	20.2	23.1	14.3	8.8	3.1	14.6	1.8	8.1	10.8	38.5	4.6	5.4	
5.6	37.3	3.4	36.1	16.2	48.3	4.6	13.4	1.2	19.0	0.9	9.6	3.2	54.0	1.8	0.5	

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes ¹	1,446.2	1,262.9	1,189.9	996.8	1,487.9	1,075.3	1,548.5	975.9	1,655.9	1,617.4	1,419.7	1,412.3
	I.—General diseases.....	341.0	285.4	370.5	265.9	433.3	342.7	417.4	223.1	371.4	356.4	351.0	372.0
1	Typhoid fever.....	17.9	10.4	12.3	9.0	15.5	28.7	21.1	13.3	8.7	8.6	9.5	5.8
2	Typhus fever.....												
3	Relapsing fever.....												0.1
4	Malaria.....	0.3	1.1	0.1	0.1	3.2	15.2			0.5	1.2	0.2	0.6
5	Smallpox.....	0.1			0.5	0.6	0.5	0.9	1.2			0.1	
6	Measles.....	6.2	5.8	2.2	4.3	11.0	13.0	10.1	4.9	14.1	4.3	10.1	4.6
7	Scarlet fever.....	8.2	4.6	22.9	11.1	12.3	2.3	10.1	6.3	9.8	2.8	8.4	9.1
8	Whooping cough.....	10.8	9.1	9.1	8.5	12.0	13.0	4.6	4.0	18.5	7.1	7.5	13.2
9	Diphtheria and croup.....	23.3	13.2	31.1	8.8	31.3	14.3	6.4	9.0	13.0	8.3	21.9	21.7
10	Influenza.....	5.0	13.5	4.5	5.0	8.5	11.3	11.9	2.8	9.2	22.8	5.7	10.3
11	Miliary fever.....												
12	Asiatic cholera.....												
13	Cholera nostras.....	0.6	0.7	0.3	0.6	0.3	0.4		0.6		1.6	0.2	0.8
14	Dysentery.....	3.0	3.8	2.7	2.2	2.8	14.0	0.9	1.5	3.3	1.2	2.5	3.0
15	Plague.....												
16	Yellow fever.....												
17	Leprosy.....												
18	Erysipelas.....	5.0	3.5	3.1	2.8	2.8	2.1	13.8	2.5	4.3	2.8	5.6	5.1
19	Other epidemic diseases.....	0.3	0.1	0.4	0.5	0.3	0.5	3.7	1.5		0.4	0.4	0.5
20	Purulent infection and septicemia.....	5.4	2.5	2.0	2.4	1.9	1.9	1.8	2.2	3.3	2.8	1.9	2.2
21	Glanders.....												
22	Anthrax.....											0.1	
23	Rabies.....	0.1		0.1	0.1	0.2	0.1			0.5		0.1	0.1
24	Tetanus.....	2.1	0.8	1.6	1.9	3.4	2.2	0.9	0.6	0.5	2.0	1.6	1.4
25	Mycoses.....	0.1	0.1			0.1						0.1	
26	Pellagra.....	0.2	0.1	0.3	0.2	1.1	0.5		0.3	4.9	0.4	0.2	0.1
27	Beriberi.....												
	Tuberculosis (total).....	106.5	84.9	140.1	91.4	169.3	136.8	161.5	91.5	124.9	122.2	147.8	106.9
28	Tuberculosis of the lungs.....	85.7	71.7	114.2	73.2	145.4	118.4	126.6	77.3	93.9	99.8	121.7	147.1
29	Acute miliary tuberculosis.....	3.3	1.5	3.0	3.2	5.4	3.3	5.5	1.9	2.7	2.4	6.9	5.9
30	Tuberculous meningitis.....	6.4	3.8	11.9	6.6	8.2	5.1	13.8	4.0	14.7	9.4	11.1	6.4
31	Abdominal tuberculosis.....	5.2	3.7	5.5	3.8	5.8	6.1	8.3	3.4	7.6	5.5	3.3	3.2
32	Pott's disease.....	1.6	0.8	1.5	1.6	1.9	1.0	1.8	0.6	1.1	1.6	1.5	0.9
33	White swellings.....	1.1	0.6	0.5	0.4	0.7	0.5			1.1	0.8	0.5	0.9
34	Tuberculosis of other organs.....	2.1	1.2	2.9	1.6	1.4	1.5	2.8	0.9	1.1	2.0	1.7	1.3
35	Disseminated tuberculosis.....	1.0	1.6	0.7	0.9	0.4	0.8	2.8	3.4	2.7	0.8	1.1	1.2
36	Rickets.....	1.4	1.3	0.4	0.5	0.7	0.4		0.3		1.6	1.0	0.9
37	Syphilis.....	9.8	3.7	10.1	3.4	17.2	4.1	13.8	3.4	6.5	1.2	5.4	3.5
38	Gonococcus infection.....	0.5	0.2	1.0	0.2	0.8	0.3	1.8	0.6	1.6		0.3	0.1
	Cancer and other malignant tumors (total).....	85.2	77.4	82.6	74.0	95.0	54.0	75.2	43.6	93.9	105.7	78.0	80.7
39	Of the buccal cavity.....	3.5	4.3	4.4	2.6	5.0	2.7	4.6	2.8	1.1	4.3	2.8	2.8
40	Of the stomach, liver.....	34.2	31.8	34.1	37.4	32.6	22.4	29.4	18.9	26.1	33.0	29.9	30.6
41	Of the peritoneum, intestines, rectum.....	11.0	7.9	10.8	9.0	10.7	4.5	10.1	5.3	20.6	18.9	11.9	11.9
42	Of the female genital organs.....	14.2	10.7	12.2	7.0	19.3	6.5	11.9	5.6	17.9	19.6	11.7	10.4
43	Of the breast.....	7.2	7.2	7.2	4.5	8.8	5.2	4.6	4.0	14.1	11.0	7.4	9.7
44	Of the skin.....	2.6	4.7	2.0	2.8	3.7	5.2	0.9	1.9	2.7	4.7	1.7	3.5
45	Of other organs or of organs not specified.....	12.6	10.9	11.9	10.7	14.8	7.4	13.8	5.3	11.4	14.1	12.5	11.8
46	Other tumors (tumors of the female genital organs excepted).....	1.3	1.2		0.1	0.3	0.2	0.9			1.2	0.3	0.8
47	Acute articular rheumatism.....	5.2	5.4	4.5	4.7	4.6	3.7	8.3	4.0	2.2	4.7	6.8	6.3
48	Chronic rheumatism and gout.....	1.2	1.7	1.2	1.5	1.0	1.3	0.9	0.3	1.6	2.0	0.8	1.5
49	Scurvy.....	0.3	0.6			0.1						0.2	0.1
50	Diabetes.....	15.6	17.7	16.5	14.2	18.3	11.2	26.6	7.1	22.3	27.5	18.8	19.9
51	Exophthalmic goiter.....	2.1	1.8	2.6	1.6	2.0	1.3	2.8	1.2	0.5	2.0	1.0	0.5
52	Addison's disease.....	0.9	0.4	0.3	0.7	0.4	0.2		0.6	0.5	1.2	0.2	0.4
53	Leukemia.....	2.0	2.0	2.6	2.3	2.6	1.6	4.6	1.2	1.1	3.1	2.5	2.0
54	Anemia, chlorosis.....	11.0	11.3	6.0	6.0	3.2	2.9	5.5	3.1	11.9	8.3	3.8	2.5
55	Other general diseases.....	3.9	2.7	1.4	1.8	1.9	1.4	0.9	1.5	4.9	1.6	1.7	2.5
56	Alcoholism (acute or chronic).....	5.2	3.0	7.9	5.3	6.4	2.0	24.8	12.1	6.5	5.9	5.9	4.1
57	Chronic lead poisoning.....			0.1	0.1	0.6	0.2				1.6	0.4	0.1
58	Other chronic occupation poisonings.....	0.1										0.1	
59	Other chronic poisonings.....	0.4	0.8	0.1	0.2	1.5	0.5	3.7	1.2	2.2	0.8	0.1	0.4
	II.—Diseases of the nervous system and of the organs of special sense.....	150.0	158.5	83.4	86.8	116.2	101.4	81.6	86.5	198.7	215.3	121.1	188.1
60	Encephalitis.....	2.0	1.2	0.3	0.6	0.7	0.9	2.8	0.3	1.6	2.0	0.8	1.0
61	Meningitis (total).....	14.4	7.1	6.4	4.9	5.6	8.2	19.3	6.5	17.4	10.6	9.3	7.8
	Simple meningitis.....	8.3	4.5	2.5	2.4	1.5	3.5	9.2	2.5	7.1	6.7	5.5	6.2
	Cerebrospinal meningitis (undefined).....	4.5	2.4	1.6	0.9	0.8	2.0	5.5	2.5	3.8	2.4	2.8	1.0
	Cerebrospinal fever.....	1.5	0.2	2.3	1.7	3.2	2.7	4.6	1.5	6.5	1.6	1.0	0.6

¹ Includes only municipalities having a population of 1,000 or over in 1910.

URBAN AND RURAL DEATH RATES, BY CAUSES.

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.			
NEW YORK.		NORTH CAROLINA. ¹						OHIO.		PENNSYLVANIA.		RHODE ISLAND.			UTAH.		
Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.		Cities.	Rural districts.	
		Cities.	Rural districts. ²	Cities.	Rural districts. ²	Cities.	Rural districts. ²										
1,454.1	1,528.0	2,230.6	1,701.1	1,706.1	1,447.3	3,230.1	2,228.5	1,337.7	1,210.9	1,530.6	1,265.2	1,497.2	1,363.1	1,059.9	989.3		
402.1	348.1	697.7	536.0	544.7	441.9	1,060.1	731.4	376.1	306.6	366.1	288.4	395.4	344.6	232.7	189.6		
8.6	9.9	52.3	59.1	36.5	49.0	116.0	80.0	19.8	16.6	13.4	12.6	9.4	2.7	10.8	18.5	1	
0.4	0.8	15.6	26.7	9.1	14.5	75.3	51.9	0.4	0.8	0.3	0.2	0.8	0.9		0.4	2	
		1.1	2.7	1.8	0.5	10.5	7.3	0.2	0.4	0.1					0.7	3	
9.8	4.7	9.7	11.5	13.7	12.5	13.6	9.4	4.9	4.6	7.0	6.3	10.6	5.4	3.6	2.5	6	
8.4	4.0	1.1	0.3	0.9	0.5			5.4	3.9	11.8	9.2	7.5	9.0	5.0	2.5	7	
6.8	3.2	16.5	16.5	13.7	11.5	39.2	27.0	7.8	7.2	12.3	10.5	12.1	21.5	5.0	15.3	8	
24.5	7.9	21.0	16.2	21.0	20.0	12.0	8.3	13.0	13.3	24.4	22.4	19.8	11.6	12.9	7.6	9	
5.3	16.2	22.7	16.2	11.9	17.0	21.1	14.5	7.9	12.6	8.5	9.9	7.5	11.6	3.6	7.6	10	
0.1	0.5	1.7	1.4	1.8	1.5	1.5	1.0	0.5	0.2	0.6	0.7	0.2				11	
1.6	3.3	29.5	23.0	15.5	13.5	46.7	32.2	3.1	5.2	1.8	3.5	4.0	3.6	1.4	4.4	12	
																	13
																	14
																	15
																	16
5.5	4.1	4.5	3.0	7.3	3.5	3.0	2.1	4.2	2.8	4.8	3.8	4.6	2.7	4.3	5.8	17	
0.5	0.5	1.1	1.0	0.9	1.5			0.2	0.4	0.5	0.5	1.3		1.4	2.2	18	
2.0	2.4	5.1	4.1	2.7	3.5	7.5	5.2	3.7	2.6	2.3	2.4	1.7	3.6	2.2	2.2	19	
																	20
0.1								0.1		0.1	0.1						21
																	22
1.2	1.5	15.9	11.8	3.6	5.0	37.6	26.0	2.1	1.8	1.3	1.5	0.2		1.4	0.7	24	
0.2	0.1	83.5	34.1	57.5	35.5	45.2	31.2			0.1							25
										0.1		2.7	0.9				26
																	27
180.4	129.4	294.9	216.7	228.1	156.0	496.9	342.8	152.8	109.6	145.7	103.7	167.9	117.2	62.5	44.3		
152.4	110.8	255.1	186.3	199.8	131.0	436.7	301.3	127.2	92.0	118.5	87.6	137.6	100.2	43.1	33.1	28	
6.4	4.3	11.9	8.4	5.5	4.5	24.1	16.6	5.0	2.9	6.2	3.6	4.2	3.6	5.7	3.6	29	
13.2	5.0	8.0	2.0	9.1	2.0	3.0	2.1	3.2	3.9	9.5	4.2	14.0	8.1	2.9	1.5	30	
4.0	4.0	11.9	13.8	8.2	13.5	21.1	14.5	6.6	5.7	5.6	3.7	5.8		5.7	1.5	31	
1.3	1.3	2.8		3.6				1.2	1.1	2.1	1.1	1.9		1.4	1.5	32	
0.7	0.7	0.6	1.4		1.5	1.5	1.0	1.2	0.7	1.0	0.8	0.8	0.9	2.2	0.4	33	
1.6	1.8	2.8	2.4	0.9	2.5	3.0	2.1	2.2	2.0	2.0	1.9	1.9	2.7	0.7	1.3	34	
0.6	1.4	1.7	2.4	0.9	1.0	7.5	5.2	1.2	1.2	0.7	0.8	1.7	1.8	0.7	1.1	35	
																	36
0.7	0.8	4.0	0.7	0.9		3.0	2.1	0.5	0.3	0.7	0.6	1.9		0.7	0.7	37	
11.4	3.7	14.8	11.1	10.9	2.0	43.7	30.1	11.3	4.7	8.1	3.6	8.1	6.3	3.6	2.2	38	
0.5	0.1	0.6	0.7	0.9	0.5	1.5	1.0	0.5	0.1	0.4	0.1	0.4		0.7	0.4	39	
																	40
88.0	96.1	70.5	50.3	69.3	57.0	52.7	36.4	87.3	79.2	82.0	64.2	88.8	101.1	68.8	35.2	41	
3.2	4.0	0.6	1.0	0.9	1.0	1.5	1.9	3.2	3.7	3.5	3.6	4.8	4.5	1.4	0.4	42	
32.2	35.0	21.0	16.2	24.6	18.5	16.6	11.4	33.3	31.8	30.4	26.6	26.1	32.2	22.3	20.7	43	
13.7	12.1	5.1	6.1	7.3	8.5	1.5	1.0	10.8	8.7	9.9	7.7	13.6	13.8	5.7	1.3	44	
12.8	12.7	24.4	14.9	13.7	15.0	21.1	14.5	15.6	9.9	14.5	8.7	16.7	13.4	10.3	4.4	45	
9.6	13.0	5.7	4.4	6.4	4.5	6.0	4.2	8.5	3.6	9.3	6.5	11.3	16.1	3.6	2.9	46	
1.6	5.2	4.0	1.7	6.4	2.0	1.5	1.0	2.7	5.1	2.0	3.3	2.5	2.7	3.6	3.6	47	
14.9	14.1	9.7	6.1	10.0	7.5	4.5	3.1	13.2	11.4	12.4	7.7	14.0	13.4	9.3	5.1	48	
																	49
0.3	0.8							0.3	0.5	0.4	0.2	1.0		0.7	0.4	50	
6.2	6.3	3.4	4.7	1.8	4.5	7.5	5.2	6.3	4.7	6.4	5.7	4.0	5.4	7.2	8.4	51	
1.1	2.1	1.7	3.0	2.7	1.5	9.0	6.2	0.8	2.2	0.9	1.1	1.3	4.5	1.4	1.5	52	
0.1	0.2							0.2		0.2	0.1		1.8		0.4	53	
20.8	21.2	13.1	9.5	17.3	11.5	7.5	5.2	17.0	16.0	16.8	12.6	19.8	24.2	13.6	11.3	54	
																	55
1.5	2.2		0.7		0.5	1.5	1.0	3.1	2.7	1.3	0.6	0.8		0.7	1.8	56	
0.5	1.0	0.6	0.3		0.5			0.4	0.7	0.4	0.3	0.2		1.4	0.4	57	
2.4	2.1	1.7	0.7	1.8	1.0			2.5	2.1	2.0	1.5	1.7		4.3		58	
4.2	8.2	2.8	3.7	2.7	4.5	3.0	2.1	5.5	5.2	3.9	4.4	4.4	2.7	2.9	2.2	59	
2.0	2.1	6.2	1.0	6.4	1.0	1.5	1.0	1.8	1.8	2.7	2.1	5.2	1.8	1.5	1.5	60	
																	61
6.1	4.6	3.4	4.1	2.7	5.5	1.5	1.0	5.7	3.4	3.9	3.7	6.5	6.3	11.5	5.1	62	
0.2	0.3							0.4	0.1	0.3	0.2	0.2		1.4	2.9	63	
																	64
0.5	0.8	0.6	1.0	0.9	1.5			1.0	1.0	0.3	0.2	0.6		1.4	0.7	65	
																	66
110.6	213.2	202.8	145.5	177.0	137.5	234.9	162.1	136.2	159.3	121.3	142.0	149.3	162.9	81.1	84.6	67	
0.7	0.7	2.3	2.4	0.9	3.0	1.5	1.0	1.1	0.8	1.8	1.1	0.2	0.9	1.4	1.1	68	
3.0	7.5	10.8	15.9	10.0	15.5	24.1	16.6	9.8	7.3	8.1	7.8	7.9	9.0	10.1	6.5	69	
3.4	5.1	4.5	11.5	4.6	12.0	15.1	10.4	4.1	3.7	6.2	6.2	4.8	7.2	0.7	2.2	70	
3.4	2.1	5.7	4.1	5.5	3.5	7.5	5.2	2.2	2.3	1.4	1.2	2.3	1.8	3.6	1.1	71	
1.2	0.3	0.6	0.3			1.5	1.0	3.4	1.3	0.5	0.4	0.8		5.7	3.3	72	

¹ Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

² Exclusive of stillbirths.

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
62	Locomotor ataxia.....	2.9	2.9	2.7	1.3	4.0	1.8	1.8	-----	3.8	6.3	2.1	2.3
63	Other diseases of the spinal cord (total).....	6.4	6.2	5.6	4.5	7.0	8.7	3.7	3.1	16.3	9.0	4.6	7.7
	Acute anterior poliomyelitis.....	1.5	0.9	0.7	0.7	0.3	1.6	-----	1.2	3.3	1.2	0.5	1.0
	Other diseases of the spinal cord ¹	5.0	5.3	4.9	3.8	6.7	7.1	3.7	1.9	13.0	7.9	4.2	6.7
64	Cerebral hemorrhage, apoplexy.....	74.6	88.0	48.6	50.1	65.9	52.9	38.7	40.2	104.8	148.5	78.6	113.7
65	Softening of the brain.....	0.5	1.4	1.0	0.5	1.7	1.9	0.9	-----	0.5	2.8	1.6	2.7
66	Paralysis without specified cause.....	11.9	21.4	2.9	4.8	5.4	9.9	2.8	5.3	12.5	8.6	5.4	14.1
67	General paralysis of the insane.....	8.7	6.1	3.0	3.8	12.6	3.2	1.8	11.7	15.7	6.7	4.2	16.2
68	Other forms of mental alienation.....	2.3	1.7	1.1	2.6	1.2	1.9	-----	5.9	4.9	3.1	0.8	6.7
69	Epilepsy.....	3.7	5.1	1.9	3.8	3.7	4.8	0.9	6.2	3.8	5.5	1.8	5.7
70	Convulsions (nonpuerperal).....	0.5	0.4	0.1	-----	0.1	0.1	-----	0.3	-----	-----	0.4	-----
71	Convulsions of infants.....	12.9	10.0	3.4	5.0	1.3	2.1	3.7	4.3	13.0	2.4	5.8	4.6
72	Chorea.....	0.1	0.3	0.1	0.3	0.1	-----	-----	0.3	-----	0.4	0.3	0.2
73	Neuralgia and neuritis.....	0.7	1.5	-----	0.4	0.6	0.5	-----	-----	-----	2.4	0.7	0.4
74	Other diseases of the nervous system.....	6.8	3.8	3.7	2.4	3.9	2.6	5.5	1.2	2.7	6.7	2.8	4.1
75	Diseases of the eyes and their annexa.....	0.2	0.1	0.3	-----	0.1	0.1	-----	-----	-----	-----	0.1	-----
76	Diseases of the ears.....	1.5	1.3	2.3	1.9	2.4	1.6	1.8	1.2	1.6	0.4	1.9	1.0
	III.—Diseases of the circulatory system.....	191.2	211.8	143.9	127.7	185.2	106.4	169.7	98.6	253.5	333.2	186.2	205.6
77	Pericarditis.....	1.4	1.3	1.1	0.7	2.1	1.4	0.9	0.3	1.6	0.8	1.3	1.2
78	Acute endocarditis.....	8.9	4.8	8.9	5.0	9.4	1.7	16.5	4.9	10.9	7.9	14.5	9.4
79	Organic diseases of the heart.....	141.4	165.8	106.5	99.7	123.5	78.8	126.6	76.9	184.6	225.2	143.1	161.4
80	Angina pectoris.....	5.0	9.7	3.7	5.1	5.9	6.0	3.7	2.2	9.2	18.9	5.7	7.4
81	Diseases of the arteries, atheroma, aneurism, etc.	26.8	24.0	17.8	12.8	39.4	16.1	11.0	9.3	36.9	67.6	15.4	19.2
82	Embolism and thrombosis.....	5.6	4.5	3.8	3.0	3.7	1.7	7.3	2.2	7.1	12.2	4.4	5.5
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	0.4	0.6	1.1	0.5	0.6	0.4	2.8	0.9	0.5	0.4	0.7	0.7
84	Diseases of the lymphatic system (lymphangitis, etc.).....	0.8	0.7	1.0	0.4	0.5	0.1	-----	0.3	1.6	0.4	0.7	0.4
85	Hemorrhage; other diseases of the circulatory system.....	0.9	0.6	0.1	0.5	0.2	0.1	0.9	1.5	1.1	-----	0.4	0.4
	IV.—Diseases of the respiratory system.....	162.7	107.6	135.7	109.5	177.2	114.4	192.6	109.1	191.7	161.9	202.4	156.1
86	Diseases of the nasal fossae.....	-----	0.2	0.4	0.2	0.2	0.1	-----	-----	-----	-----	0.1	0.1
87	Diseases of the larynx.....	2.3	1.6	0.3	0.7	1.0	1.4	1.8	2.5	1.6	2.0	1.3	1.0
88	Diseases of the thyroid body.....	1.3	0.6	0.5	0.7	0.4	0.4	-----	0.6	-----	-----	0.2	0.1
89	Acute bronchitis.....	13.5	12.7	3.3	5.5	13.3	6.7	7.3	2.8	32.6	12.2	12.9	8.5
90	Chronic bronchitis.....	8.3	8.8	5.9	6.7	11.4	7.9	8.3	3.7	9.2	13.8	7.4	8.2
91	Broncho-pneumonia.....	49.2	17.3	45.3	29.7	51.3	33.6	40.4	23.2	51.0	31.4	62.7	38.1
92	Pneumonia (total).....	75.1	54.5	57.6	57.6	89.2	57.1	120.2	66.1	86.3	89.6	104.3	91.0
	Lobar pneumonia.....	47.0	17.7	63.9	41.6	86.0	52.1	88.1	36.8	48.9	47.5	71.9	52.7
	Pneumonia (undefined).....	28.0	36.8	8.5	16.0	3.2	5.0	32.1	29.4	37.5	42.0	32.4	38.3
93	Pleurisy.....	3.7	3.3	3.8	2.5	5.5	1.9	3.7	1.2	3.8	4.3	5.6	2.6
94	Pulmonary congestion, pulmonary apoplexy.....	3.2	3.0	1.8	1.9	1.1	1.4	0.9	2.5	3.8	4.3	3.7	3.2
95	Gangrene of the lung.....	0.2	0.3	-----	0.1	0.2	0.2	-----	-----	-----	0.4	0.4	0.2
96	Asthma.....	3.0	3.3	1.9	2.8	2.3	2.6	5.5	2.2	2.2	2.0	2.4	1.2
97	Pulmonary emphysema.....	0.3	0.2	0.1	0.5	0.1	0.1	-----	0.3	-----	0.8	0.2	0.4
98	Other diseases of the respiratory system (tuberculosis excepted).....	2.7	1.8	0.1	0.9	0.7	1.0	4.6	4.0	1.1	1.2	1.2	1.4
	V.—Diseases of the digestive system.....	193.4	130.3	127.8	96.4	159.4	121.5	179.8	105.7	200.3	137.5	175.6	137.5
99	Diseases of the mouth and annexa.....	1.1	0.7	1.1	0.8	0.5	1.1	1.8	0.6	-----	0.8	0.6	0.5
100	Diseases of the pharynx.....	2.5	2.3	3.6	1.6	2.1	2.0	1.8	3.4	1.6	2.8	2.1	1.2
101	Diseases of the esophagus.....	0.3	0.3	0.1	0.2	0.3	0.1	-----	-----	-----	0.4	0.3	0.2
102	Ulcer of the stomach.....	5.4	4.3	5.3	3.9	4.9	3.0	6.4	4.3	6.5	3.1	4.9	2.8
103	Other diseases of the stomach (cancer excepted).....	18.0	16.6	5.2	7.2	7.5	10.9	4.6	6.5	15.7	19.6	8.4	12.9
104	Diarrhea and enteritis (under 2 years).....	79.1	41.4	40.8	30.4	59.0	51.7	48.6	35.2	97.7	35.0	93.2	71.4
105	Diarrhea and enteritis (2 years and over).....	11.9	15.2	11.9	9.5	14.1	15.3	11.9	9.0	17.9	16.9	12.3	14.4
106	Ankylostomiasis.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	0.4	0.1	-----
107	Intestinal parasites.....	0.1	-----	0.1	0.1	0.2	0.2	-----	-----	-----	16.5	13.1	4.4
108	Appendicitis and typhlitis.....	20.8	9.9	22.1	13.6	17.3	6.7	47.7	12.4	13.0	-----	-----	-----
109	Hernia, intestinal obstruction (total).....	17.5	10.4	11.7	8.9	12.9	8.0	14.7	8.7	18.5	14.5	11.0	7.3
	Hernia.....	4.8	3.3	5.1	3.4	5.9	2.0	7.3	2.2	6.5	3.1	5.2	2.0
	Intestinal obstruction.....	12.7	7.1	6.7	5.5	7.0	6.0	7.3	6.5	11.9	11.4	5.8	5.3
110	Other diseases of the intestines.....	2.8	2.8	2.6	3.5	3.8	2.7	4.6	2.2	1.6	3.1	3.8	2.5
111	Acute yellow atrophy of the liver.....	0.7	0.4	0.3	0.3	0.6	0.7	-----	0.3	-----	0.4	0.4	0.3
112	Hydatid tumor of the liver.....	0.1	-----	0.1	0.1	-----	-----	-----	-----	-----	-----	0.1	0.1
113	Cirrhosis of the liver.....	15.5	11.5	10.0	8.8	21.7	7.9	21.1	9.6	15.7	11.0	16.4	13.4
114	Biliary calculi.....	3.4	3.0	5.6	3.0	5.4	2.8	4.6	3.4	2.7	2.0	3.0	1.3

¹ Includes only municipalities having a population of 1,000 or over in 1910.

URBAN AND RURAL DEATH RATES, BY CAUSES.

EACH REGISTRATION STATE. FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.	
NEW YORK.		NORTH CAROLINA. ¹						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.			
Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.		
		Cities.	Rural districts. ²	Cities.	Rural districts. ²	Cities.	Rural districts. ²										
2.5	3.2	2.8	1.4	3.6	1.0	3.0	2.1	3.0	3.2	3.1	2.5	2.7	5.4	1.4	0.4	62	
5.3	9.0	10.2	7.8	8.2	5.5	18.1	12.5	6.6	9.1	4.8	5.0	5.4	8.1	4.3	6.9	63	
0.8	1.2	2.8	2.4	1.8	2.0	4.5	3.1	1.0	1.3	0.7	0.9	1.5	1.8	1.4	1.1		
4.5	7.9	7.4	5.4	6.4	3.5	13.6	9.4	5.5	7.9	4.1	4.1	4.0	6.3	2.9	5.8		
69.4	138.2	100.6	66.5	84.9	66.0	97.9	67.5	86.0	102.5	69.8	80.0	93.6	108.3	47.4	39.6	64	
0.8	3.5	4.5	3.0	7.3	4.0	1.5	1.0	1.4	4.0	1.4	2.0	0.8	-----	2.2	0.7	65	
3.7	13.1	33.0	24.6	21.9	23.5	39.2	27.0	3.0	8.6	7.3	11.5	6.9	9.0	2.2	5.8	66	
5.9	18.7	10.8	2.4	13.7	2.0	4.5	3.1	9.7	7.2	5.7	7.8	11.3	1.8	1.4	1.8	67	
1.4	2.9	8.5	3.0	11.9	2.0	7.5	5.2	3.0	2.8	0.8	2.6	1.5	0.9	-----	2.9	68	
2.4	6.6	2.8	4.7	0.9	3.0	12.0	8.3	3.3	5.2	2.8	4.5	5.8	4.5	3.6	7.3	69	
0.1	0.1	1.1	0.3	0.9	-----	1.5	1.0	0.1	0.1	0.2	0.3	0.2	-----	-----	0.4	70	
3.4	3.3	5.1	6.4	3.6	4.5	15.1	10.4	3.2	3.0	8.9	11.9	6.9	7.2	0.7	6.9	71	
0.1	0.3	-----	0.7	-----	0.5	1.5	1.0	0.1	0.2	0.3	0.2	-----	0.9	-----	-----	72	
0.6	1.3	2.8	1.0	1.8	1.5	-----	-----	0.3	0.9	0.4	0.6	0.4	0.9	-----	-----	73	
3.4	3.9	6.2	3.7	6.4	4.0	4.5	3.1	3.5	2.8	3.6	2.9	3.3	3.6	1.4	2.9	74	
0.1	0.1	-----	-----	-----	-----	-----	-----	0.2	0.1	0.1	0.1	0.2	0.2	-----	0.4	75	
2.7	1.0	1.1	1.7	0.9	1.5	3.0	2.1	1.9	1.6	2.3	1.2	2.1	2.7	5.0	1.1	76	
208.8	301.7	203.4	138.7	132.3	117.0	266.5	183.9	180.0	201.7	201.3	155.9	224.8	194.2	121.4	122.1		
0.7	1.0	1.1	1.0	-----	0.5	3.0	2.1	1.4	1.2	1.2	1.0	0.2	2.7	1.4	0.4	77	
16.3	5.6	7.4	2.0	2.7	2.5	1.5	1.0	7.7	3.1	14.0	4.7	9.6	1.8	7.9	9.1	78	
158.8	228.7	159.1	117.5	91.2	95.0	237.9	164.2	133.6	158.6	155.6	131.2	167.1	145.0	87.6	98.8	79	
5.4	14.4	12.5	4.1	11.9	3.5	7.5	5.2	7.1	10.3	5.7	7.6	7.5	12.5	3.6	3.6	80	
21.6	43.2	18.7	9.8	21.0	10.5	12.0	8.3	25.3	24.0	18.4	17.1	33.4	26.9	14.4	4.4	81	
4.1	6.6	3.4	2.0	3.6	2.5	1.5	1.0	3.4	3.1	4.3	2.9	5.2	2.7	2.9	3.3	82	
1.0	1.0	0.6	0.3	0.9	0.5	-----	-----	0.8	0.5	0.8	0.5	0.8	0.9	2.9	1.1	83	
0.7	0.5	0.6	0.7	0.9	1.0	-----	-----	0.6	0.3	0.9	0.5	0.6	0.9	0.7	1.1	84	
0.2	0.6	-----	1.4	-----	1.0	3.0	2.1	0.2	0.5	0.4	0.3	0.4	0.9	-----	0.4	85	
197.9	152.9	231.8	154.2	142.3	128.5	301.2	207.8	151.2	119.8	216.5	133.6	183.1	158.4	123.5	146.0		
0.1	0.3	-----	0.7	-----	1.0	-----	-----	0.2	0.2	0.1	0.1	-----	-----	-----	-----	86	
0.7	1.5	0.6	3.4	2.0	2.0	9.0	6.2	0.8	1.4	1.6	2.0	1.9	-----	1.4	1.8	87	
0.4	0.5	2.3	0.3	2.7	0.5	-----	-----	0.6	0.6	0.9	0.2	0.2	-----	1.4	-----	88	
11.3	10.9	10.8	6.1	4.6	4.0	15.1	10.4	11.8	5.8	16.2	9.4	14.8	15.2	5.0	9.8	89	
5.8	11.3	8.5	7.4	9.1	4.5	19.6	13.5	7.7	7.1	8.5	6.1	7.7	12.5	5.7	5.4	90	
73.9	38.6	64.2	40.2	42.9	33.0	79.8	55.1	52.2	38.4	73.8	50.9	54.9	41.2	46.0	50.9	91	
94.6	76.4	126.7	85.7	67.5	71.5	167.2	115.3	68.8	57.7	97.7	71.5	92.6	83.2	55.3	67.6	92	
79.0	48.5	100.0	41.5	48.8	29.5	96.4	68.5	66.3	51.3	67.3	34.1	52.3	33.1	48.1	53.8		
15.5	32.8	26.7	44.2	23.7	42.0	70.8	48.8	2.5	6.4	30.4	37.4	40.3	50.1	7.2	13.8		
6.0	4.7	4.5	2.4	5.5	3.0	1.5	1.0	3.5	2.0	6.2	2.8	5.0	1.8	2.2	1.8	93	
2.2	4.7	4.5	4.4	3.6	5.5	3.0	2.1	1.4	2.6	5.3	4.1	2.9	2.7	2.9	1.1	94	
0.4	0.5	-----	0.3	-----	0.5	-----	-----	0.2	0.2	0.4	0.1	0.6	-----	-----	-----	95	
1.6	1.5	1.7	2.0	1.8	1.5	4.5	3.1	2.4	1.9	3.3	3.2	1.7	1.8	2.2	2.9	96	
0.2	0.6	0.6	-----	-----	-----	-----	-----	0.5	0.5	0.4	0.2	-----	-----	-----	0.4	97	
0.8	1.4	7.4	1.4	4.6	1.5	1.5	1.0	1.0	1.3	2.1	2.9	0.8	-----	1.4	4.4	98	
151.4	134.5	281.2	231.5	236.3	222.5	362.9	250.4	170.8	113.2	201.7	163.0	153.5	126.2	125.7	95.2		
0.8	0.8	-----	0.7	-----	0.5	1.5	1.0	0.5	0.7	1.1	0.9	0.8	-----	0.7	1.1	99	
2.4	3.1	2.8	3.0	2.7	3.0	4.5	3.1	2.6	2.4	1.9	1.8	1.5	1.8	6.5	1.1	100	
0.2	0.4	1.1	-----	1.8	-----	-----	-----	0.2	0.1	0.3	0.3	-----	-----	-----	0.4	101	
4.8	4.9	3.4	2.4	2.7	2.0	4.5	3.1	4.7	3.9	4.1	2.3	2.5	1.8	7.9	6.9	102	
5.2	17.2	23.9	24.6	11.9	21.0	46.7	32.2	9.5	12.5	14.5	19.1	10.6	17.9	5.7	5.8	103	
72.6	42.8	145.4	127.2	106.7	114.5	222.9	153.8	76.3	37.1	105.7	85.9	77.8	55.5	32.3	30.2	104	
9.1	16.2	27.3	21.6	29.2	24.0	24.1	16.6	11.9	12.2	14.0	15.6	14.4	14.3	8.6	10.9	105	
0.1	0.1	-----	0.7	-----	0.5	1.5	1.0	-----	0.2	0.2	0.1	-----	0.9	0.7	0.4	106	
14.5	7.0	22.7	16.9	26.5	20.0	15.1	10.4	15.1	7.1	14.6	4.4	13.3	4.5	33.0	13.8	108	
11.7	11.9	22.7	11.5	16.4	13.5	10.5	7.3	15.4	9.4	14.6	9.1	11.7	7.2	6.5	8.0	109	
5.5	4.0	4.5	1.0	2.7	1.5	-----	-----	6.4	2.2	5.2	2.8	6.3	3.6	2.2	2.2		
6.1	7.9	18.2	10.5	13.7	12.0	10.5	7.3	9.0	7.1	9.4	6.3	5.4	3.6	4.3	5.8		
2.8	3.2	5.7	3.7	5.5	3.0	7.5	5.2	2.6	2.9	1.9	1.8	2.5	1.8	2.2	2.5	110	
0.4	0.8	1.7	0.7	2.7	1.0	-----	-----	0.3	0.6	0.5	0.4	0.4	-----	-----	0.4	111	
0.1	-----	-----	-----	-----	-----	-----	-----	0.1	-----	0.1	-----	-----	-----	-----	-----	-----	112
17.2	14.0	7.4	4.7	9.1	5.5	4.5	3.1	18.4	12.6	14.9	10.8	9.8	12.5	11.5	5.1	113	
3.6	2.4	6.8	2.4	10.0	3.5	-----	-----	4.9	3.1	3.4	1.9	2.9	0.9	3.6	4.4	114	

¹ Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

² Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	V.—Diseases of the digestive system—Continued.												
115	Other diseases of the liver.....	7.1	5.9	4.4	2.8	5.8	4.5	6.4	3.7	4.9	5.5	3.3	2.9
116	Diseases of the spleen.....	0.5	0.2	0.3	0.3	0.2	0.1	0.3	0.1
117	Simple peritonitis (nonpuerperal).....	5.3	5.0	1.5	0.9	2.5	3.2	5.5	6.5	2.2	3.5	1.5	1.6
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	1.4	0.5	1.1	0.4	0.6	0.4	2.2	1.2	1.1	0.3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	96.3	88.6	101.7	84.0	172.5	83.0	124.8	55.6	136.3	134.4	143.0	131.6
119	Acute nephritis.....	8.0	6.5	6.7	3.8	12.7	8.1	7.3	4.0	13.0	5.5	14.4	11.0
120	Bright's disease.....	67.2	67.9	74.7	67.0	136.2	63.3	83.5	42.3	104.2	112.4	114.8	109.5
121	Chyluria.....	0.1
122	Other diseases of the kidneys and annexa.....	2.5	2.0	1.1	2.7	2.0	1.9	6.4	0.9	1.6	0.8	3.0	1.4
123	Calculi of the urinary passages.....	1.1	0.6	1.1	0.3	1.0	0.4	0.9	1.2	0.5	0.9	0.9
124	Diseases of the bladder.....	2.1	3.7	1.4	1.9	1.3	2.9	2.8	0.6	3.8	5.5	0.9	2.7
125	Diseases of the urethra, urinary abscess, etc.....	1.0	0.1	0.4	0.1	0.8	0.1	0.6	1.6	0.4	0.4	0.1
126	Diseases of the prostate.....	4.5	4.5	7.9	5.2	4.9	3.5	4.6	2.8	6.0	3.5	2.6	3.1
127	Nonvenereal diseases of the male genital organs.....	0.1	0.2	1.1	0.1	0.2	0.1	0.9	0.3	0.2	0.1
128	Uterine hemorrhage (nonpuerperal).....	0.1	0.2	0.1	0.1	0.4	0.1
129	Uterine tumor (noncancerous).....	3.1	0.9	2.2	0.9	3.7	0.7	4.6	0.3	2.2	2.4	1.1	0.7
130	Other diseases of the uterus.....	2.8	0.9	1.0	0.6	1.1	0.7	4.6	0.6	1.1	1.2	1.1	0.4
131	Cysts and other tumors of the ovary.....	0.9	0.5	1.2	0.7	1.9	0.4	0.9	0.2	0.8	1.1	0.1
132	Salpingitis and other diseases of the female genital organs.....	2.9	0.6	3.8	0.6	6.7	0.9	8.3	1.5	2.2	0.8	2.2	1.2
133	Nonpuerperal diseases of the breast (cancer excepted).....	0.1	0.1	0.1	0.8	0.1	0.2
	VII.—The puerperal state.....	18.5	17.3	12.7	12.8	17.4	15.4	36.7	18.5	15.7	15.7	16.7	11.1
134	Accidents of pregnancy.....	1.2	1.2	1.2	1.6	1.6	1.2	2.8	1.5	1.1	2.0	1.9	0.9
135	Puerperal hemorrhage.....	1.5	1.6	1.1	1.7	1.1	1.4	0.9	4.6	3.3	1.6	1.3	0.9
136	Other accidents of labor.....	2.8	1.8	1.2	1.0	1.2	1.0	2.8	1.9	2.0	1.1	0.8
137	Puerperal septicaemia.....	8.0	7.4	6.1	4.7	9.5	7.8	23.9	7.1	7.6	3.9	7.8	4.1
138	Puerperal albuminuria and convulsions.....	3.9	4.7	2.2	2.7	3.4	3.7	4.6	2.8	2.7	5.1	3.9	3.8
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	0.9	0.7	0.8	0.9	0.6	0.3	1.8	0.6	1.1	1.2	0.7	0.4
140	Following childbirth (not otherwise defined).....	0.1	0.1	0.2
141	Puerperal diseases of the breast.....
	VIII.—Diseases of the skin and of the cellular tissue.....	4.2	6.0	2.9	4.0	4.7	3.6	2.8	0.9	8.7	9.8	3.6	4.8
142	Gangrene.....	2.0	3.7	1.8	2.0	1.9	1.9	4.3	6.3	1.0	2.6
143	Furuncle.....	0.6	0.3	0.1	0.3	1.2	0.4	0.9	0.6	0.6	0.6
144	Acute abscess.....	0.8	1.0	0.3	0.7	0.9	0.3	0.9	2.2	1.6	1.3	0.5
145	Other diseases of the skin and annexa.....	0.9	0.9	0.7	0.9	0.7	1.0	0.9	0.3	2.2	2.0	0.7	1.0
	IX.—Diseases of the bones and of the organs of locomotion.....	4.2	1.8	3.0	1.8	3.9	1.3	4.6	0.6	4.9	1.6	2.8	2.1
146	Diseases of the bones (tuberculosis excepted).....	3.4	1.3	2.9	1.5	3.3	1.0	3.7	0.6	4.3	1.6	2.8	1.7
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	0.4	0.4	0.1	0.3	0.4	0.1	0.5	0.3
148	Amputations.....	0.1	0.1
149	Other diseases of the organs of locomotion.....	0.3	0.1	0.1	0.2	0.1	0.9	0.1	0.1
	X.—Malformations.....	19.6	17.7	17.8	13.6	12.7	9.8	21.1	17.3	13.6	14.9	16.3	17.2
150	Congenital malformations (stillbirths not included) (total).....	19.6	17.7	17.8	13.6	12.7	9.8	21.1	17.3	13.6	14.9	16.3	17.2
	Hydrocephalus.....	1.7	2.1	2.0	1.9	1.0	0.9	1.8	1.2	0.5	2.4	0.8	1.1
	Congenital malformations of the heart.....	11.5	9.6	9.4	6.8	7.4	5.6	13.8	11.4	6.0	9.4	9.9	12.9
	Other congenital malformations.....	6.3	6.0	6.3	4.9	4.3	3.4	5.5	4.6	7.1	3.1	5.6	3.2
	XI.—Early infancy.....	116.8	80.5	72.9	69.3	62.5	59.1	96.3	66.7	129.8	72.7	87.6	63.5
151	Congenital debility, icterus, and sclerema (total).....	99.5	64.5	59.1	54.5	49.2	49.3	72.5	51.6	105.3	60.5	69.5	51.7
	Premature birth.....	56.4	41.2	46.7	39.6	40.3	40.3	57.8	37.4	69.0	37.7	46.4	32.4
	Congenital debility, "atrophy," "marasmus," etc.....	43.1	23.3	12.4	14.9	8.9	9.1	14.7	14.2	36.4	22.8	23.1	19.2
152	Other causes peculiar to early infancy (total).....	16.9	16.0	13.8	14.2	13.1	9.6	23.9	15.1	22.3	12.2	17.9	11.4
	Injuries at birth.....	9.7	7.1	7.6	8.0	6.8	4.8	12.8	8.0	7.6	4.3	11.0	5.8
	Other causes peculiar to early infancy ¹	7.2	8.9	6.1	6.3	6.2	4.8	11.0	7.1	14.7	7.9	6.8	5.7
153	Lack of care.....	0.3	0.1	0.5	0.2	0.2	2.2	0.2	0.4
	XII.—Old age.....	41.0	51.4	9.1	23.8	3.7	16.1	16.5	17.3	29.9	60.9	8.5	16.5
154	Senility.....	41.0	51.4	9.1	23.8	3.7	16.1	16.5	17.3	29.9	60.9	8.5	16.5

¹ Includes only municipalities having a population of 1,000 or over in 1910.

URBAN AND RURAL DEATH RATES, BY CAUSES.

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."}]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.
NEW YORK.		NORTH CAROLINA. ¹						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		
Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
		Cities.	Rural districts. ²	Cities.	Rural districts. ²	Cities.	Rural districts. ²									
3.7	5.4	6.8	5.4	8.2	6.0	6.0	4.2	4.4	5.2	5.1	4.6	2.9	3.6	3.6	3.6	115
0.1	0.2	0.6	0.3	0.9	0.6	0.6	0.3	0.1	0.3	0.3	0.3	0.4	3.6	3.6	3.6	116
1.3	3.3	2.8	5.7	1.8	4.5	12.0	8.3	3.0	2.5	3.6	3.1	1.3	3.6	2.2	0.4	117
1.1	0.8	0.3	0.3	1.8	4.5	1.5	1.0	0.7	0.2	1.1	0.4	0.6	0.6	0.7	0.4	118
150.6	137.2	192.0	114.4	156.9	92.5	231.9	160.0	111.8	98.3	146.0	56.2	138.1	131.6	107.7	66.5	
9.6	8.9	22.2	11.1	8.2	10.0	19.6	13.5	10.0	6.8	12.4	7.6	13.8	3.6	7.9	5.8	119
125.3	112.2	138.1	86.7	125.0	71.0	173.2	119.5	81.9	77.1	114.1	58.7	111.6	119.0	79.0	48.7	120
2.2	2.0	4.5	0.7	4.6	0.5	1.5	1.0	1.6	2.2	2.6	1.8	2.5	3.6	2.2	2.5	121
0.8	0.6	1.1	1.0	1.8	1.0	1.5	1.0	0.8	0.4	0.6	0.4	0.6	0.6	2.2	0.7	122
1.0	3.6	2.8	1.4	0.9	1.5	1.5	1.0	1.4	3.6	2.0	2.3	1.7	1.8	2.2	1.8	124
0.4	0.2	3.4	0.3	1.8	0.5	7.5	5.2	0.4	0.1	0.5	0.6	0.6	1.8	0.7	0.7	125
3.8	5.7	5.1	5.1	7.3	5.0	7.5	5.2	4.5	4.9	4.7	2.8	2.9	1.8	6.5	2.9	126
0.2	0.2	0.3	0.3	7.3	5.0	7.5	5.2	0.2	0.1	0.2	0.2	0.2	1.8	0.7	0.7	127
	0.1									0.1	0.1					128
2.5	1.5	4.0	2.7	1.8	0.5	10.5	7.3	3.0	0.7	2.8	0.8	0.8	1.8	0.7	0.7	129
1.3	0.7	1.7	2.0	1.8	2.0	3.0	2.1	1.8	0.3	1.6	0.5	0.6	0.6	0.4	0.4	130
0.9	0.9	1.7	1.4	1.8	0.5	6.0	4.2	1.3	1.2	1.1	0.3	0.8	0.9	2.2	2.2	131
2.4	0.6	7.4	2.0	1.8	0.5	7.5	5.2	4.9	0.8	3.3	0.7	1.9	0.9	4.3	2.2	132
0.1											0.1	0.2	0.9	0.7		133
15.4	11.9	38.1	30.7	23.7	23.5	66.3	45.7	19.9	12.2	21.0	14.3	13.6	13.4	15.1	10.5	
1.2	0.5	5.1	2.4	0.9	2.0	4.5	3.1	2.2	1.2	1.2	1.2	1.0	1.8	0.7	0.7	134
1.3	1.1	1.7	4.4	1.8	3.5	9.0	6.2	1.5	1.3	2.1	1.2	1.9	1.8	2.2	1.5	135
1.5	1.1	2.3	4.1	1.8	2.5	10.5	7.3	1.2	1.0	1.4	1.3	0.8	0.9	0.7	2.5	136
7.3	4.4	10.2	8.4	4.6	6.0	19.6	13.5	11.1	5.4	10.4	6.1	3.5	4.5	5.7	4.4	137
3.4	4.0	17.6	10.8	13.7	9.0	21.1	14.5	3.4	2.6	5.3	4.1	4.8	5.4	5.0	1.1	138
0.5	0.9	1.1	0.3	0.9	0.5			0.5	0.6	0.5	0.5	1.5	0.9	0.7	0.4	139
			0.3			1.5	1.0	0.1								140
																141
4.1	6.6	6.2	3.4	3.6	4.5	1.5	1.0	4.5	4.4	6.6	6.4	6.3	5.4	1.4	2.9	
1.0	3.7	3.4	1.7	1.8	2.0	1.5	1.0	1.9	3.0	2.8	3.5	2.5	2.7	0.7	2.2	142
0.7	0.6	0.7	0.7	0.9	1.0			0.8	0.3	0.8	0.6	1.0	1.0	0.4	0.4	143
1.4	0.8	1.7	0.7	0.9	1.0			0.8	0.2	2.0	1.1	1.0	1.8	0.7	0.4	144
1.0	1.5	1.1	0.3	0.9	0.5			1.0	0.8	1.0	1.3	1.7	0.9			145
3.9	1.4	2.3	1.0	1.8	1.0	1.5	1.0	2.6	1.8	3.7	1.8	2.1	1.8	2.2	0.7	
3.5	1.1	2.3	1.0	1.8	1.0	1.5	1.0	2.4	1.6	3.2	1.5	1.5	1.8	2.2	0.7	146
0.3	0.2							0.2		0.4	0.1	0.6				147
0.1	0.1								0.2		0.2					148
14.5	16.4	11.9	11.1	16.4	16.0	1.5	1.0	19.3	16.5	21.8	22.1	17.3	19.7	15.8	18.5	149
14.5	16.4	11.9	11.1	16.4	16.0	1.5	1.0	19.3	16.5	21.8	22.1	17.3	19.7	15.8	18.5	150
1.3	1.1	0.7	0.7	1.0	1.0			1.4	1.2	1.6	1.3	1.0	1.8	2.9	1.8	
8.5	10.6	7.4	6.4	9.1	9.5			12.3	10.5	14.3	14.9	9.2	13.4	8.6	10.9	
4.6	4.7	4.5	4.1	7.3	5.5	1.5	1.0	5.5	4.8	5.8	5.9	7.1	4.5	4.3	5.8	
90.6	69.0	119.3	109.7	105.8	108.0	164.1	113.2	81.7	60.0	95.5	92.9	100.9	80.6	73.2	78.5	
70.2	53.1	105.1	98.2	95.7	99.0	140.0	96.6	63.1	46.7	76.9	77.9	76.5	63.5	59.6	68.7	151
44.5	37.1	76.7	64.5	69.3	71.5	72.3	49.9	51.2	34.4	48.2	45.7	40.7	33.1	48.1	62.5	
25.7	16.0	28.4	33.8	27.4	27.5	67.8	46.8	11.8	12.3	28.7	32.2	35.9	30.4	11.5	6.2	
20.2	15.7	13.1	10.8	9.1	9.0	21.1	14.5	17.7	12.9	18.3	14.7	23.6	15.2	13.6	9.4	152
11.7	10.3	7.4	5.1	6.4	4.5	9.0	6.2	10.6	7.3	10.9	8.0	17.3	12.5	7.9	4.4	
8.5	5.4	5.7	5.7	2.7	4.5	12.0	8.3	7.1	5.7	7.5	6.7	6.3	2.7	5.7	5.1	
0.1	0.2	1.1	0.7			3.0	2.1	0.9	0.4	0.2	0.3	0.8	1.8		0.4	153
7.6	25.5	15.3	17.6	19.2	13.0	39.2	27.0	9.8	18.8	11.2	16.5	18.6	31.3	10.1	36.0	
7.6	25.5	15.3	17.6	19.2	13.0	39.2	27.0	9.8	18.8	11.2	16.5	18.6	31.3	10.1	36.0	154

¹ Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

² Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes.....	102.3	92.7	107.3	86.7	135.6	76.0	179.8	149.9	92.8	96.3	101.9	101.8
	Suicide (total).....	16.8	14.7	21.4	12.8	36.1	12.0	33.0	27.5	10.3	14.1	18.3	16.8
155	By poison.....	6.5	3.9	5.5	2.4	20.5	4.7	11.0	7.7	1.6	3.1	3.9	2.5
156	By asphyxia.....	1.3	0.2	3.0	0.1	3.2	0.1	1.1	4.8	2.2
157	By hanging or strangulation.....	2.5	2.8	2.6	4.0	1.5	1.3	2.8	1.9	1.6	4.3	2.5	3.5
158	By drowning.....	1.3	0.9	1.5	0.7	0.5	0.5	0.9	2.2	2.0	1.0	1.5
159	By firearms.....	3.6	5.5	6.1	4.0	7.9	4.9	15.6	13.3	2.2	3.1	4.5	5.3
160	By cutting or piercing instruments.....	1.2	1.1	1.9	0.8	1.6	0.4	1.8	2.5	1.1	1.6	1.1	1.0
161	By jumping from high places.....	0.3	0.1	0.5	0.1	0.6	0.1	1.8	0.3	0.3
162	By crushing.....	0.1	0.2	0.1	0.5	0.1	0.9	0.5	0.3
163	Other suicides.....	0.1	0.2	0.1	0.2	0.2	0.3	0.1	0.1
	Accidental or undefined (total).....	80.4	75.7	80.4	69.9	82.3	59.4	129.3	110.3	78.7	79.4	79.0	82.2
164	Poisoning by food.....	0.9	1.4	1.4	1.2	0.7	2.0	0.6	1.1	3.1	0.8	0.6
165	Other acute poisonings.....	2.3	2.8	1.5	1.8	3.0	2.1	8.3	3.1	1.6	1.2	1.7	1.6
166	Conflagration.....	2.8	1.9	1.2	2.5	4.6	1.1	1.8	1.5	5.4	0.4	0.9	1.0
167	Burns (conflagration excepted).....	8.2	3.8	4.5	3.1	6.1	5.2	3.7	3.7	6.5	5.1	11.0	7.4
168	Absorption of deleterious gases (conflagration excepted).....	4.1	2.8	11.3	1.8	2.9	1.9	3.7	3.7	4.3	2.0	6.2	4.6
169	Accidental drowning.....	6.6	12.3	8.7	12.8	3.4	5.5	0.9	18.2	11.4	16.1	9.2	17.8
170	Traumatism by firearms.....	1.5	3.6	2.0	4.3	2.6	3.4	6.4	8.0	2.8	1.0	1.8
171	Traumatism by cutting or piercing instruments.....	0.2	0.4	0.2	0.3	0.9	0.8	0.1
172	Traumatism by fall.....	12.7	12.2	14.6	8.5	18.0	9.9	19.3	8.0	16.3	15.7	16.6	12.6
173	Traumatism in mines and quarries (total).....	1.2	4.9	1.1	2.3	1.9	2.0	22.9	7.7	0.1	0.9
	Traumatism in mines.....	0.9	4.9	0.8	2.2	1.5	2.0	22.0	7.7	0.5
	Traumatism in quarries.....	0.3	0.3	0.1	0.4	0.9	0.1	0.4
174	Traumatism by machines.....	1.9	1.5	1.9	2.2	2.8	0.8	6.4	0.9	3.3	1.6	2.2	0.8
175	Traumatism by other crushing (total).....	26.2	16.5	23.9	19.2	25.0	15.7	37.6	34.6	21.2	21.6	21.4	24.9
	Railroad accidents and injuries.....	10.3	8.8	11.7	10.1	10.7	10.5	13.8	14.8	13.0	11.4	10.8	16.5
	Street-car accidents and injuries.....	5.1	1.5	2.0	0.3	4.2	0.2	1.8	0.6	0.5	0.8	2.1	1.5
	Automobile accidents and injuries.....	7.0	2.2	5.6	3.2	5.0	1.4	6.4	5.9	4.3	4.3	5.1	3.6
	Injuries by other vehicles.....	3.2	3.2	4.2	5.1	4.2	3.3	14.7	10.8	3.3	3.5	2.8	2.9
	Landslide, other crushing.....	0.6	0.8	0.3	0.5	0.8	0.4	0.9	2.5	1.6	0.5	0.3
176	Injuries by animals.....	0.6	1.7	0.7	2.2	0.5	1.4	2.8	2.2	1.2	0.2	0.4
177	Starvation.....	0.1	0.1	0.1	0.1	0.1
178	Excessive cold.....	0.1	1.0	0.5	0.9	0.3	0.4	2.8	2.2	1.6	2.0	0.8	0.9
179	Effects of heat.....	2.0	1.4	0.5	0.7	4.6	1.5	0.9	1.2	0.8	1.5	1.4
180	Lightning.....	0.1	0.7	0.3	1.4	0.1	0.9	3.4	0.8	0.1	0.6
181	Electricity (lightning excepted).....	1.1	0.6	1.2	0.7	0.8	0.2	2.8	1.9	0.5	0.7	0.5
185	Fractures (cause not specified).....	2.4	0.7	0.4	0.1	1.2	1.2	1.8	0.3	1.1	0.4	0.8	1.2
186	Other external violence.....	2.7	5.8	4.1	3.8	3.6	3.9	7.3	8.0	4.3	3.9	3.6	2.9
	Homicide (total).....	5.1	2.3	5.5	4.0	17.3	4.6	17.4	12.1	3.8	2.8	4.6	2.8
182	By firearms.....	3.3	1.4	3.8	2.6	11.7	3.2	12.8	9.3	2.2	2.0	1.8	1.9
183	By cutting or piercing instruments.....	0.3	0.2	0.5	0.2	2.4	0.6	4.6	1.5	0.5	0.6	0.1
184	By other means.....	1.5	0.7	1.1	1.1	3.2	0.7	1.2	1.1	0.8	2.2	0.8
	XIV.—Ill-defined diseases.....	7.1	13.1	1.1	14.6	3.7	24.6	24.8	26.0	8.7	6.7	3.1	4.4
187	Ill-defined organic disease.....	1.1	2.0	0.5	0.1	0.6	1.8	0.6	1.6	0.8	0.1	0.2
188	Sudden death.....	0.1	0.7	0.3	1.0	1.6	2.8	1.9	0.5	1.6	0.1	0.2
189	Not specified or ill-defined (total).....	5.9	10.4	0.8	13.2	3.6	22.4	20.2	23.5	6.5	4.3	2.8	4.0
	Ill-defined.....	4.4	5.6	0.4	3.6	1.8	4.2	3.7	7.7	4.9	3.5	2.5	3.1
	Not specified or unknown.....	1.5	4.8	0.4	9.6	1.8	18.2	16.5	15.8	1.6	0.8	0.4	0.8

1 Includes only municipalities having a population of 1,000 or over in 1910.

URBAN AND RURAL DEATH RATES, BY CAUSES.

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.		
NEW YORK.		NORTH CAROLINA. ¹						OHIO.		PENNSYLVANIA.		RHODE ISLAND.			UTAH.	
Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.		Cities.	Rural districts.
		Cities.	Rural districts. ²	Cities.	Rural districts. ²	Cities.	Rural districts. ²									
95.5	106.9	136.9	101.3	115.0	83.0	201.8	139.2	119.0	88.9	112.3	107.3	88.8	80.6	121.4	116.6	
16.9	15.8	6.8	6.4	10.0	8.5	3.0	2.1	19.3	13.2	14.7	10.6	12.9	12.5	23.7	10.9	
2.9	2.9	1.1	1.7	1.8	2.5			8.1	3.9	4.4	2.1	1.5	0.9	4.3	2.2	155
5.8	0.6							0.2		2.8	0.2	3.5		1.4		156
2.1	4.3	1.1		1.8				3.0	3.4	1.7	2.7	1.9	1.8	0.7	1.8	157
0.7	1.5	1.1	1.4	0.9	1.5	1.5	1.0	1.1	0.6	0.6	0.6	0.8	4.5	0.7		158
2.9	4.6	3.4	2.4	5.5	3.5			5.0	4.0	3.9	3.9	4.0	5.4	11.5	5.1	159
1.0	1.4		1.0	1.0	1.0	1.5	1.0	1.0	0.8	0.8	0.7	1.0		4.3	1.5	160
1.2	0.2							0.5	0.1	0.3	0.2			0.7		161
0.1	0.2							0.3	0.2	0.1						162
0.1	0.1							0.1	0.2	0.1	0.2	0.2			0.4	163
73.4	89.0	101.1	78.3	92.1	67.5	146.1	100.8	90.3	72.9	92.4	92.3	71.5	68.0	83.3	98.5	
0.4	1.3		2.7		3.5	1.5	1.0	1.4	1.5	0.7	1.2	0.6		3.6	1.1	164
1.7	2.3	2.8	4.4	1.8	4.5	6.0	4.2	2.9	1.8	2.2	2.4	2.3		1.4	2.9	165
1.5	1.7	0.6	0.7	0.9	0.5	1.5	1.0	1.6	1.6	1.1	1.4	0.4		0.7	0.7	166
8.7	4.2	13.1	14.2	13.7	10.0	33.1	22.9	8.8	5.5	12.4	8.1	8.3	4.5	3.6	5.3	167
6.6	2.7	4.0	6.4	3.6	6.0	10.5	7.3	3.7	2.2	3.3	1.8	5.4	5.4	2.2	1.5	168
8.2	14.6	2.8	4.7	0.9	4.0	9.0	6.2	6.5	6.7	5.0	7.5	8.1	18.8	3.6	8.4	169
0.4	2.0	9.7	9.1	7.3	5.5	24.1	16.6	1.1	2.1	1.3	1.7	1.3	5.4	3.6	6.2	170
0.2	0.3		0.3		0.5			0.3	0.2	0.2	0.1	0.2		0.7		171
18.7	17.7	11.9	7.4	12.8	7.5	10.5	7.3	20.4	16.3	20.6	15.8	17.7	10.7	16.5	14.2	172
0.1	0.6							0.5	2.6	10.5	18.0	0.4	0.9	8.6	20.7	173
0.1	0.4							0.4	2.4	10.1	17.4			8.6	20.7	
	0.3							0.1	0.2	0.3	0.6	0.4				
1.7	1.5	6.2	1.7	6.4	1.5	3.0	2.1	3.9	1.9	2.7	1.8	2.1	0.9	1.4	1.1	174
19.1	29.2	33.5	16.2	31.0	15.0	27.1	18.7	30.2	23.1	23.3	24.1	19.8	18.8	33.7	24.0	175
5.0	17.2	24.4	10.5	20.1	8.0	22.6	15.6	16.1	14.3	12.3	17.2	5.2	7.2	13.6	11.3	
3.6	1.7	0.6	0.3		0.5			4.8	2.1	3.1	1.3	6.0	4.5	3.6	1.1	
5.9	5.1	4.5	2.0	4.6	2.5	1.5	1.0	5.0	2.6	4.4	2.6	5.4	0.9	9.3	2.5	
4.1	4.3	2.8	2.4	4.6	2.5	3.0	2.1	3.6	2.9	2.9	2.6	2.9	4.5	5.7	6.9	
0.5	0.5	1.1	1.0	1.8	1.5			0.8	0.7	0.6	0.4	0.2	1.8	1.4	2.2	
0.2	1.3	0.6	0.7	0.9	0.5	1.5	1.0	0.6	1.2	0.6	0.8	0.4	0.9		1.1	176
0.1	0.2	1.1	0.3			1.5	1.0		0.1	0.1	0.2					177
0.3	1.4	1.1	0.3			1.5	1.0	0.1	0.5	0.6	0.9	0.4	3.6		0.4	178
0.7	0.4		0.3		0.5			2.2	0.9	1.8	1.1	0.8				179
0.1	0.9	0.6	0.7		1.0			0.1	0.8	0.1	0.4				1.8	180
0.7	0.9	2.3	1.0	3.6	1.5			1.2	0.5	1.0	0.8	0.4		1.4	2.2	181
1.0	1.3	1.1	1.4	0.9	1.0	3.0	2.1	0.2	0.5	0.2	0.1	0.2			1.1	185
3.0	3.6	9.7	5.7	8.2	4.5	12.0	8.3	4.4	2.8	4.6	4.0	2.5	2.7	2.2	5.4	186
5.2	3.1	29.0	16.5	12.8	7.0	52.7	36.4	9.4	2.8	5.2	4.4	4.4		14.4	7.3	
2.9	1.9	21.6	12.5	8.2	5.0	40.7	23.1	4.6	1.7	2.6	2.8	1.9		10.8	5.8	182
0.8	0.4	3.4	1.4	1.8	0.5	4.5	3.1	1.6	0.4	0.8	0.7	0.6		1.4	0.7	183
1.5	0.8	4.0	2.7	2.7	1.5	7.5	5.2	3.2	0.7	1.8	0.9	1.9		2.2	0.7	184
1.0	4.6	91.5	106.0	31.0	58.5	296.7	204.7	4.9	9.6	5.6	14.7	5.4	12.5	28.7	21.4	
	0.3	1.1	3.0			13.6	9.4	0.1	0.2	0.3	1.2		0.9		1.5	187
	0.2	6.2	6.8	4.6	5.0	15.1	10.4	0.3	0.9	0.2	2.6	0.8	0.9		1.5	188
1.0	4.1	34.1	96.2	26.5	53.5	263.0	194.9	4.5	8.5	5.1	11.0	4.6	10.7	23.7	18.5	189
0.8	2.9	13.6	19.6	8.2	16.5	37.6	26.0	1.9	2.8	4.5	8.0	2.5	9.0	26.6	9.1	
0.2	1.3	70.5	76.6	18.2	37.0	230.4	159.0	2.7	5.7	0.6	2.9	2.1	1.8	2.2	9.4	

² Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

MORTALITY STATISTICS.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.
				Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.				
	All causes ¹	1,743.7	1,467.0	1,866.5	1,286.5	1,414.3	1,108.8	2,723.0	1,662.3	835.4	792.7	1,223.3	1,052.8
	I.—General diseases.....	443.3	320.2	504.9	381.0	389.5	307.1	723.3	537.2	241.1	205.8	325.2	265.1
1	Typhoid fever.....	16.9	10.8	26.7	27.4	26.7	22.4	26.6	37.9	9.3	12.0	11.0	4.2
2	Typhus fever.....			0.5	0.1			1.4	0.2				
3	Relapsing fever.....			8.3	7.8	2.5	4.0	19.1	15.7	0.1			0.2
4	Malaria.....		0.3	1.2	0.8		0.5	3.4	1.3	0.3	0.1	0.1	0.2
5	Smallpox.....												
6	Measles.....		1.3	2.6	6.1	2.9	6.7	2.0	4.7	1.9	5.2	8.5	4.7
7	Scarlet fever.....	4.2	3.2	2.6	1.6	4.0	2.3			1.2	2.3	17.4	4.4
8	Whooping cough.....	12.7	9.6	38.0	30.1	18.0	18.9	75.8	53.8	3.0	4.9	4.2	6.6
9	Diphtheria and croup.....	16.9	9.6	9.7	17.3	10.1	20.2	8.9	11.2	3.0	3.7	22.1	8.6
10	Influenza.....	4.2	22.0	15.6	11.3	16.8	11.3	24.6	11.2	2.4	5.2	5.3	8.0
11	Miliary fever.....												
12	Asiatic cholera.....												
13	Cholera nostras.....		1.0	0.7	0.9		0.9	2.0	0.9			0.2	0.9
14	Dysentery.....	2.1	1.9	10.6	11.9	9.4	9.0	13.0	18.0	0.6	0.5	1.7	3.4
15	Plague.....												
16	Yellow fever.....												
17	Leprosy.....												
18	Erysipelas.....	2.1	3.5	3.3	2.4	4.7	3.0	0.7	1.1	1.8	1.6	4.8	2.7
19	Other epidemic diseases.....			0.2	0.6	0.4	0.3		1.3	0.4	0.7	0.8	0.1
20	Purulent infection and septicæmia.....	8.4	1.6	3.5	2.2	3.2	2.3	4.1	2.0	1.8	0.8	3.0	2.2
21	Glanders.....		0.3							0.1			0.1
22	Anthrax.....			0.2		0.4							0.1
23	Rabies.....				0.1		0.1		0.2				
24	Tetanus.....	2.1	0.6	7.6	1.8	2.5	1.3	17.1	2.9	0.9	0.7	2.3	1.6
25	Mycoses.....				0.1		0.1					0.1	
26	Pellagra.....		9.6	22.2	9.0	24.2	6.3	18.4	14.8				0.1
27	Beriberi.....									0.1			
28	Tuberculosis (total).....	168.9	91.8	215.9	174.0	139.6	122.4	357.9	282.9	91.5	85.7	108.4	95.9
29	Tuberculosis of the lungs.....	128.7	70.7	175.4	152.1	105.0	106.2	305.7	249.0	66.4	68.0	83.3	81.0
30	Acute miliary tuberculosis.....	2.1	2.5	6.6	4.7	3.2	2.6	13.0	9.4	3.3	2.0	4.3	2.6
31	Tuberculous meningitis.....	14.8	7.0	12.5	4.7	14.8	4.3	8.2	5.6	10.7	7.0	9.5	4.5
32	Abdominal tuberculosis.....	23.2	4.8	15.3	6.8	11.9	4.9	21.9	10.8	6.4	4.1	4.9	3.6
33	Pott's disease.....	2.1	1.3	0.9	1.3	0.4	1.1	2.0	1.6	1.0	1.0	1.8	1.2
34	White swellings.....		0.6	0.5	0.8	0.4	0.8	0.7	0.7	0.7	0.5	1.1	0.7
35	Tuberculosis of other organs.....		3.5	2.6	2.5	2.2	2.0	3.4	3.6	1.8	1.5	2.0	1.7
35	Disseminated tuberculosis.....		1.3	1.2	1.0	1.8	0.5		2.2	1.2	1.6	1.4	0.7
36	Ricketts.....	2.1	0.3	2.4	0.8	0.7	0.4	5.5	1.6	0.6	0.5	1.6	0.6
37	Syphilis.....	4.2	3.2	21.5	7.8	10.8	3.1	41.7	17.9	7.4	2.3	3.7	2.0
38	Gonococcus infection.....		0.3	0.9	0.3	0.7	0.2	1.4	0.5	0.6	0.3	0.1	0.1
39	Cancer and other malignant tumors (total).....	154.1	103.2	71.8	43.3	77.9	47.0	60.1	35.4	74.0	50.7	85.4	78.9
40	Of the buccal cavity.....	6.3	4.5	1.7	1.9	2.5	2.4		0.9	1.9	2.7	3.2	3.3
41	Of the stomach, liver.....	59.1	32.8	18.4	14.4	22.0	16.2	11.6	10.5	31.4	23.7	38.5	40.4
42	Of the peritoneum, intestines, rectum.....	25.3	14.3	6.8	2.8	8.7	3.2	3.4	2.0	9.6	4.8	10.8	8.9
43	Of the female genital organs.....	21.1	19.1	21.5	9.2	17.7	7.7	28.7	12.3	10.1	5.9	12.0	7.4
44	Of the breast.....	14.8	7.3	6.6	4.5	7.2	4.8	5.5	3.8	6.2	4.2	7.2	6.3
45	Of the skin.....	2.1	4.8	2.1	3.2	2.2	4.4	2.0	0.9	1.6	2.2	1.8	3.5
45	Of other organs or of organs not specified.....	25.3	20.4	14.6	7.3	17.7	8.4	8.9	5.1	13.0	7.2	11.9	9.1
46	Other tumors (tumors of the female genital organs excepted).....			0.7	0.6	0.4	0.3	1.4	1.3	0.3	0.7	1.1	0.7
47	Acute articular rheumatism.....	2.1	6.7	7.6	6.0	5.4	4.9	11.6	3.3	4.7	1.9	4.9	5.6
48	Chronic rheumatism and gout.....		1.9	1.4	1.3	1.4	1.5	1.4	1.1	0.9	0.4	0.7	1.6
49	Scurvy.....			0.2	0.1		0.1	0.7				0.2	0.2
50	Diabetes.....	25.3	22.0	12.3	7.2	14.4	8.4	8.2	4.9	11.7	12.5	17.5	14.6
51	Exophthalmic goiter.....	4.2	1.9	1.4	0.7	1.8	0.6	0.7	0.9	3.0	1.4	3.0	2.3
52	Addison's disease.....		1.6	1.2	0.1	1.8	0.2			0.9	0.1	0.7	0.5
53	Leukemia.....	2.1	1.3	1.7	1.0	1.8	1.1	1.4	0.7	1.8	0.8	2.6	1.7
54	Anæmia, chlorosis.....	4.2	11.5	3.5	2.0	4.0	2.5	2.7	1.1	4.6	3.5	5.6	6.8
55	Other general diseases.....	2.1	2.2	2.1	1.6	2.2	1.7	2.0	1.3	2.2	1.6	2.9	2.0
56	Alcoholism (acute or chronic).....	4.2	4.8	6.8	2.5	5.8	2.6	8.9	2.2	9.6	5.3	5.2	3.5
57	Chronic lead poisoning.....		0.6	0.2	0.1	0.4	0.1						
58	Other chronic occupation poisonings.....												
59	Other chronic poisonings.....		0.6	0.7	0.4	0.7	0.5	0.7	0.2	0.3	0.1		0.1
	II.—Diseases of the nervous system and of the organs of special sense.....	213.2	216.7	180.3	133.3	147.9	121.4	241.8	158.4	73.4	83.4	118.5	122.1
60	Encephalitis.....	2.1	1.3	1.9	1.1	2.2	0.8	1.4	1.8	0.3	0.3	1.4	0.6
61	Meningitis (total).....	19.0	12.7	10.6	11.5	7.9	12.4	15.7	9.6	5.6	4.2	10.0	8.4
	Simple meningitis.....	16.9	10.8	7.6	6.5	7.2	6.9	8.2	5.6	3.4	2.3	3.5	2.8
	Cerebrospinal meningitis (undefined).....	2.1	1.3	1.2	3.1	0.7	3.2	2.0	2.9	1.8	1.5	1.8	1.2
	Cerebrospinal fever.....		0.6	1.9	1.9		2.2	5.5	1.1	0.4	0.4	4.7	4.5

¹ Exclusive of stillbirths.

URBAN AND RURAL DEATH RATES, BY CAUSES.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.
				Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.				
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
62	Locomotor ataxia.....	6.3	3.2	3.5	1.0	5.0	1.2	0.7	0.7	2.1	1.6	1.4	2.5
63	Other diseases of the spinal cord (total).....	16.9	21.7	7.1	5.7	5.4	5.5	10.2	6.1	3.4	3.8	7.3	6.2
	Acute anterior poliomyelitis.....	12.7	15.3	1.2	2.1	0.4	2.0	2.7	2.5	0.6	1.0	1.0	0.7
	Other diseases of the spinal cord ¹	4.2	6.4	5.9	3.6	5.0	3.6	7.5	3.6	2.8	2.9	6.4	5.5
64	Cerebral hemorrhage, apoplexy.....	130.9	145.9	111.2	58.7	88.7	53.9	153.7	68.9	46.9	47.6	66.1	66.5
65	Softening of the brain.....	6.3	3.5	2.1	2.2	2.5	1.9	1.4	2.9			1.1	1.0
66	Paralysis without specified cause.....	10.6	6.7	16.5	28.0	14.8	23.8	19.8	36.8	3.7	7.5	4.6	6.3
67	General paralysis of the insane.....	4.2	3.5	2.8	3.8	4.0	4.6	0.7	2.2	1.8	6.5	1.9	6.5
68	Other forms of mental alienation.....	4.2	3.8	1.7	2.7	1.1	2.9	2.7	2.3	0.3	3.7	1.2	3.7
69	Epilepsy.....		6.4	4.0	6.2	4.0	5.3	4.1	8.1	1.5	3.0	3.5	4.3
70	Convulsions (nonpuerperal).....			0.2	0.5	0.4	0.3		0.9	0.1	0.1		0.2
71	Convulsions of infants.....	10.6	3.2	11.3	6.7	4.7	4.1	23.9	12.3	1.3	1.5	14.3	10.0
72	Chorea.....			0.2	0.2		0.3	0.7		0.1	0.1	0.1	0.1
73	Neuralgia and neuritis.....		1.6	0.7	0.6	1.1	0.3		1.1	0.3	0.8	0.1	0.8
74	Other diseases of the nervous system.....	2.1	2.5	5.4	3.6	4.7	3.2	6.8	4.5	3.3	1.2	4.8	3.7
75	Diseases of the eyes and their annexa.....		0.3		0.1		0.1			0.1	0.1	0.1	
76	Diseases of the ears.....		0.3	0.9	0.6	1.4	0.9		0.2	2.5	1.2	1.6	1.1
	III.—Diseases of the circulatory system.....	255.4	275.6	205.1	135.4	155.8	121.2	298.5	165.5	110.0	97.9	136.3	156.0
77	Pericarditis.....		1.6	0.5	1.7		1.5	1.4	2.3	0.7	1.1	0.4	1.1
78	Acute endocarditis.....	6.3	5.7	10.6	2.7	4.0	2.0	23.2	4.2	6.4	3.1	10.0	5.6
79	Organic diseases of the heart.....	179.4	196.9	164.0	113.3	125.2	100.2	237.7	140.7	84.5	74.7	101.4	117.7
80	Angina pectoris.....	29.6	20.1	6.1	4.3	6.9	4.9	4.8	2.9	4.3	4.4	3.8	5.7
81	Diseases of the arteries, atheroma, aneurism, etc.....	33.8	43.3	17.2	10.1	13.0	9.8	25.3	10.6	10.7	11.2	15.1	21.6
82	Embolism and thrombosis.....	4.2	7.0	5.0	1.6	5.4	1.6	4.1	1.4	3.0	2.9	3.5	3.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....		0.6	1.2	0.1	1.4	0.2	0.7		0.1		1.0	0.6
84	Diseases of the lymphatic system (lymphangitis, etc.).....		0.3	0.2	0.4		0.3	0.7	0.5	0.1	0.5	1.2	0.1
85	Hemorrhage; other diseases of the circulatory system.....	2.1		0.2	1.3		0.6	0.7	2.7	0.1			0.4
	IV.—Diseases of the respiratory system.....	202.7	147.2	212.7	117.9	105.7	99.0	415.2	157.9	67.0	60.0	148.7	113.8
86	Diseases of the nasal fossae.....		0.3	0.5	1.3	0.4	0.5	0.7	2.9	0.1	0.3	0.2	0.1
87	Diseases of the larynx.....	4.2	1.0	0.7	0.9	0.4	1.0	1.4	0.7	0.1	0.5	1.2	1.1
88	Diseases of the thyroid body.....			0.2	0.4		0.3	0.7	0.7	0.4	0.4	0.5	0.4
89	Acute bronchitis.....	21.1	14.3	12.0	6.1	4.7	4.3	26.0	9.9	2.5	1.9	10.8	8.1
90	Chronic bronchitis.....	10.6	16.3	10.1	6.3	5.8	6.4	18.4	6.1	3.1	3.1	10.4	9.1
91	Bronchopneumonia.....	44.3	15.6	59.5	22.6	26.7	21.2	121.6	25.6	21.5	25.5	39.9	23.4
92	Pneumonia (total).....	109.8	90.8	103.1	69.5	57.7	57.4	159.2	94.9	31.7	23.3	74.1	62.5
	Lobar pneumonia.....	16.9	11.8	63.0	22.9	35.3	19.6	129.3	36.0	31.0	20.7	52.5	38.0
	Pneumonia (undefined).....	92.9	79.0	35.2	46.5	22.4	37.8	59.4	65.0	0.7	2.0	21.6	24.5
93	Pleurisy.....	6.3	1.9	3.5	1.4	2.9	1.1	4.8	2.2	2.4	1.5	4.3	2.2
94	Pulmonary congestion, pulmonary apoplexy.....	6.3	3.8	9.7	3.0	3.2	2.8	21.9	3.2	1.2	1.0	3.2	3.0
95	Gangrene of the lung.....			0.5	0.2	0.4	0.3	0.7	0.2	0.7		0.4	0.5
96	Asthma.....		1.6	5.7	3.0	1.1	1.8	14.3	5.6	1.5	1.6	2.0	2.1
97	Pulmonary emphysema.....			1.9	0.1	0.7		4.1	0.4	0.6	0.1	0.1	0.4
98	Other diseases of the respiratory system (tuberculosis excepted).....		1.6	5.2	3.1	1.8	2.0	11.6	5.4	1.0	1.2	1.4	0.9
	V.—Diseases of the digestive system.....	234.3	135.4	228.0	114.5	181.4	102.5	316.2	139.7	77.9	60.8	148.8	93.9
99	Diseases of the mouth and annexa.....	4.2	0.6	1.9	2.0	1.1	1.1	3.4	4.0	1.0		0.4	0.6
100	Diseases of the pharynx.....	2.1	1.9	1.7	1.6	2.2	1.2	0.7	2.5	2.1	1.4	1.6	2.3
101	Diseases of the esophagus.....	2.1		0.2	0.1		0.1	0.7			0.1	0.1	0.2
102	Ulcer of the stomach.....	12.7	9.5	5.2	1.9	4.0	1.6	7.5	2.5	4.0	1.8	5.4	2.4
103	Other diseases of the stomach (cancer excepted).....	14.8	3.2	16.8	14.5	9.4	12.5	30.7	18.3	4.9	6.5	10.6	10.5
104	Diarrhea and enteritis (under 2 years).....	107.7	45.2	96.5	49.2	69.6	44.8	147.5	58.5	15.0	16.4	51.4	28.6
105	Diarrhea and enteritis (2 years and over).....	19.0	12.7	22.0	13.7	18.4	13.0	28.7	15.3	6.7	9.5	9.8	9.5
106	Ankylostomiasis.....			0.2			0.2		0.4				
107	Intestinal parasites.....			0.8			0.5		1.3	0.1			0.2
108	Appendicitis and typhilitis.....	21.1	17.2	18.4	5.7	19.8	4.8	15.7	7.8	13.2	7.9	23.9	8.6
109	Hernia, intestinal obstruction (total).....	12.7	13.1	20.3	7.9	14.1	6.7	32.1	10.5	9.0	4.5	13.9	10.3
	Hernia.....	6.3	4.5	5.2	1.9	2.9	1.3	9.6	3.2	2.7	1.4	4.1	2.5
	Intestinal obstruction.....	6.3	8.6	15.1	6.0	11.2	5.5	22.5	7.2	6.4	3.1	9.8	7.8
110	Other diseases of the intestines.....	4.2	2.2	6.8	2.7	5.4	2.0	9.6	4.2	2.1	1.4	2.6	2.2
111	Acute yellow atrophy of the liver.....	2.1	1.0	0.2	0.3	0.4	0.3		0.5	0.1	0.5	0.4	0.1
112	Hydatid tumor of the liver.....			0.2	0.1		0.1	0.7					
113	Cirrhosis of the liver.....	14.8	11.2	17.0	4.9	17.0	4.8	17.1	5.1	8.3	5.5	15.2	10.5
114	Biliary calculi.....	4.2	3.8	2.6	2.1	3.2	2.5	1.4	1.3	4.6	2.9	4.6	2.2

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.
				Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.				
	V.—Diseases of the digestive system—Continued.												
115	Other diseases of the liver.....	4.2	6.7	10.4	3.4	10.1	3.4	10.9	3.2	5.2	1.2	5.9	3.6
116	Diseases of the spleen.....	0.3	0.2	0.3	0.3	0.4	0.1	0.7	0.7	0.1	0.3	0.2	0.2
117	Simple peritonitis (nonpuerperal).....	4.2	6.4	6.4	2.7	5.4	2.6	8.2	2.9	0.4	1.0	1.3	1.6
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	4.2	0.3	1.2	0.3	1.1	0.3	1.4	0.4	0.9	1.6	0.4
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	122.4	130.0	176.8	96.6	147.9	87.7	231.5	115.5	76.1	53.6	87.9	69.3
119	Acute nephritis.....	19.0	11.5	19.1	7.5	10.8	5.8	34.8	11.2	0.5	7.7	3.7
120	Bright's disease.....	88.7	99.7	131.0	77.9	113.3	73.3	164.6	87.5	62.6	46.1	64.4	53.8
121	Chyluria.....
122	Other diseases of the kidneys and annexa.....	2.2	5.2	3.1	5.4	2.9	4.8	3.6	2.4	1.5	2.2	2.2
123	Calculi of the urinary passages.....	0.7	0.4	1.1	0.3	0.5	0.1	0.3	0.7	0.4
124	Diseases of the bladder.....	2.1	5.7	1.2	1.7	1.1	1.6	1.4	1.8	0.9	1.8	3.8	3.6
125	Diseases of the urethra, urinary abscess, etc.	1.7	0.2	1.4	0.2	2.0	0.4	0.4	0.1
126	Diseases of the prostate.....	6.3	5.7	5.7	2.6	6.1	2.0	4.8	4.0	4.2	1.8	3.5	3.7
127	Nonvenereal diseases of the male genital organs.....	0.3	0.2	0.1	0.4	0.4	0.1	0.1
128	Uterine hemorrhage (nonpuerperal).....	0.1	0.1	0.1	0.1	0.1	0.1
129	Uterine tumor (noncancerous).....	1.3	4.0	0.7	3.6	0.3	4.8	1.4	1.2	0.4	1.6	0.5
130	Other diseases of the uterus.....	2.1	0.6	3.1	0.8	1.8	0.4	5.5	1.6	1.9	0.3	1.1	0.5
131	Cysts and other tumors of the ovary.....	4.2	2.5	0.7	0.6	0.7	0.3	0.7	1.1	0.4	0.3	0.5	0.6
132	Salpingitis and other diseases of the female genital organs.....	0.3	4.2	0.9	2.2	0.4	8.2	2.0	1.6	0.4	2.3	0.3
133	Nonpuerperal diseases of the breast (cancer excepted).....	0.1
	VII.—The puerperal state.....	29.6	18.2	31.9	20.4	22.7	16.9	49.2	27.8	13.3	8.5	15.7	9.9
134	Accidents of pregnancy.....	2.2	1.9	1.5	1.4	1.5	2.7	1.4	2.1	1.2	1.4	0.7
135	Puerperal hemorrhage.....	6.3	1.9	2.1	2.0	1.1	1.8	4.1	2.5	0.7	1.4	1.6	1.6
136	Other accidents of labor.....	2.1	1.9	0.9	3.4	0.4	2.4	2.0	5.4	1.8	1.0	1.8	0.9
137	Puerperal septicæmia.....	12.7	5.7	16.3	6.4	9.7	5.2	28.7	8.8	6.1	2.5	7.2	4.0
138	Puerperal albuminuria and convulsions.....	8.4	4.1	10.4	6.7	10.1	5.5	10.9	9.2	2.4	2.2	3.0	1.9
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	2.2	0.2	0.3	0.4	0.7	0.2	0.1	0.3	0.7	0.7
140	Following childbirth (not otherwise defined).....	0.1	0.1	0.1	0.2	0.1	0.1
141	Puerperal diseases of the breast.....
	VIII.—Diseases of the skin and of the cellular tissue.....	4.2	6.1	8.0	3.6	4.7	3.3	14.3	4.3	2.4	2.7	2.4	5.5
142	Gangrene.....	2.1	4.1	4.2	1.8	1.8	1.9	8.9	1.6	1.5	1.1	1.1	3.3
143	Furuncle.....	0.3	0.7	0.1	1.1	0.2	0.1	0.7	0.4	0.4
144	Acute abscess.....	1.0	1.2	0.4	0.7	0.5	2.0	0.2	0.6	0.4	0.4	0.6
145	Other diseases of the skin and annexa.....	2.1	0.6	1.9	1.3	1.1	0.8	3.4	2.5	0.1	0.5	0.6	1.1
	IX.—Diseases of the bones and of the organs of locomotion.....	2.1	2.9	2.6	1.9	3.2	2.0	1.4	1.8	2.1	1.0	3.4	1.4
146	Diseases of the bones (tuberculosis excepted).....	2.1	1.9	2.6	1.6	3.2	1.9	1.4	1.1	1.9	0.7	3.1	1.4
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	0.3	0.1	0.4	0.1	0.3	0.2	0.1
148	Amputations.....	0.1	0.2
149	Other diseases of the organs of locomotion.....	0.6	0.1	0.1	0.2
	X.—Malformations.....	21.1	17.5	14.9	11.3	18.8	14.1	7.5	5.4	9.6	10.6	13.9	13.2
150	Congenital malformations (stillbirths not included) (total).....	21.1	17.5	14.9	11.3	18.8	14.1	7.5	5.4	9.6	10.6	13.9	13.2
	Hydrocephalus.....	6.3	1.6	1.4	1.4	1.8	1.8	0.7	0.7	0.4	0.7	1.0	1.2
	Congenital malformations of the heart.....	10.6	9.6	8.3	5.0	10.1	6.9	4.8	1.1	5.3	6.4	6.8	6.4
	Other congenital malformations.....	4.2	6.4	5.2	4.8	6.9	5.4	2.0	3.6	3.9	3.5	6.1	5.6
	XI.—Early infancy.....	107.7	63.1	117.5	82.7	93.1	77.7	163.9	93.3	48.0	52.5	100.0	72.0
151	Congenital debility, icterus, and sclerema (total).....	90.8	52.3	102.4	70.5	80.8	66.1	143.4	79.8	37.7	42.1	81.5	59.2
	Premature birth.....	67.5	39.5	62.8	41.8	55.2	44.0	77.2	37.2	28.3	31.4	52.2	39.6
	Congenital debility, "atrophy," "marasmus," etc.....	23.2	12.7	39.7	28.7	25.6	22.1	66.2	42.6	9.3	10.8	29.4	19.6
152	Other causes peculiar to early infancy (total).....	14.8	10.5	14.4	11.4	12.3	11.2	18.4	11.9	9.9	9.8	18.5	12.6
	Injuries at birth.....	12.7	5.4	7.6	5.7	7.9	6.1	6.8	4.9	5.6	4.2	10.9	6.1
	Other causes peculiar to early infancy ¹	2.1	5.1	6.8	5.7	4.3	5.0	11.6	7.0	4.3	5.6	7.6	6.4
153	Lack of care.....	2.1	0.3	0.7	0.8	0.4	2.0	1.6	0.4	0.5	0.2
	XII.—Old age.....	21.1	40.1	14.4	42.8	14.4	35.7	14.3	57.9	12.5	24.4	27.6	45.5
154	Senility.....	21.1	40.1	14.4	42.8	14.4	35.7	14.3	57.9	12.5	24.4	27.6	45.5

¹ Exclusive of injuries at birth.

URBAN AND RURAL DEATH RATES, BY CAUSES.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	Cities.	Rural districts.
				Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.				
	XIII.—External causes.....	84.4	90.2	140.9	80.7	115.4	72.1	189.2	98.9	98.2	114.8	92.1	78.9
	Suicide (total).....	14.8	12.4	14.2	5.5	20.2	7.2	2.7	2.0	25.4	18.0	19.5	12.1
155	By poison.....	6.3	3.8	5.2	1.2	7.6	1.5	0.7	0.5	7.1	3.8	7.3	2.7
156	By asphyxia.....			1.7	0.1	2.5	0.1			2.4	0.3	1.3	0.3
157	By hanging or strangulation.....	2.1	2.5	0.7	0.5	1.1	0.5		0.4	1.9	3.0	3.4	3.6
158	By drowning.....	2.1		0.5	0.5	0.4	0.5	0.7	0.5	2.1	1.1	1.0	0.7
159	By firearms.....	4.2	4.5	5.2	2.9	7.2	4.0	1.4	0.5	9.3	7.9	5.2	3.7
160	By cutting or piercing instruments.....		1.0	0.7	0.3	1.1	0.5			1.9	1.1	1.0	0.6
161	By jumping from high places.....			0.2		0.4				0.4	0.3	0.2	0.1
162	By crushing.....		0.3							0.1	0.1	0.1	0.2
163	Other suicides.....		0.3		0.1		0.1			0.1	0.4	0.1	0.1
	Accidental or undefined (total).....	69.7	75.5	104.8	65.7	89.8	58.5	133.2	81.0	63.5	88.6	67.7	64.7
164	Poisoning by food.....	2.1	2.2	0.2	1.1		1.2	0.7	0.9	1.0	2.0	0.6	0.7
165	Other acute poisonings.....		7.0	3.3	2.4	2.9	2.0	4.1	3.2	1.6	2.6	1.4	2.0
166	Conflagration.....		1.3	1.9	2.0	1.1	1.1	3.4	4.0	1.9	2.5	0.6	2.5
167	Burns (conflagration excepted).....	6.3	4.5	14.6	12.2	10.1	9.5	23.2	17.9	4.9	3.0	5.0	4.1
168	Absorption of deleterious gases (conflagration excepted).....	2.1	0.6	5.9	2.9	4.3	1.5	8.9	6.0	4.4	2.2	3.2	1.3
169	Accidental drowning.....	2.1	12.4	10.6	6.8	7.9	6.0	15.7	3.7	3.7	18.9	12.4	11.2
170	Traumatism by firearms.....	4.2	1.6	5.2	4.5	3.6	2.8	8.2	7.9	1.9	5.7	1.9	3.7
171	Traumatism by cutting or piercing instruments.....			0.2	0.2		0.2	0.7	0.2	0.3		0.2	0.3
172	Traumatism by fall.....	21.1	18.5	16.8	8.2	19.1	9.3	12.3	6.0	11.7	8.2	11.9	10.3
173	Traumatism in mines and quarries (total).....	2.1	3.5	0.5	3.8		4.5	1.4	2.3	0.4	1.9		0.5
	Traumatism in mines.....				3.6		4.4		2.0	0.4	1.5		0.4
	Traumatism in quarries.....	2.1	3.5	0.5	0.2		0.1	1.4	0.4	0.4	0.4		0.1
174	Traumatism by machines.....	2.1	2.5	6.4	1.4	5.8	1.7	7.5	0.9	3.3	2.7	2.0	1.2
175	Traumatism by other crushing (total).....	12.7	14.3	26.4	11.1	26.7	11.0	26.0	11.4	18.2	27.4	21.8	16.5
	Railroad accidents and injuries.....	2.1	6.1	15.8	7.6	15.5	7.1	16.4	8.8	5.5	13.6	9.6	8.2
	Street-car accidents and injuries.....			3.3	0.5	3.6	0.5	4.1	0.4	2.5	0.3	2.5	0.6
	Automobile accidents and injuries.....	4.2	3.2	3.5	0.6	4.3	0.7	2.0	0.5	5.3	4.2	5.3	1.9
	Injuries by other vehicles.....	2.1	4.8	2.6	2.1	2.2	2.4	3.4	1.4	2.5	4.1	4.1	4.7
	Landslide, other crushing.....	4.2	0.3	0.7	0.3	1.1	0.3		0.2	2.4	5.2	0.4	1.1
176	Injuries by animals.....	2.1	1.3	0.7	0.9	0.7	1.1	0.7	0.4	0.4	1.1	0.7	2.2
177	Starvation.....			0.2	0.3		0.1	0.7	0.9			0.1	0.6
178	Excessive cold.....	4.2	1.3	0.9	1.2		0.7	2.7	2.2		0.4	0.5	0.6
179	Effects of heat.....		0.3	1.9	0.5	1.4	0.3	2.7	0.7		0.3	0.4	1.0
180	Lightning.....		0.3		1.5		1.3		2.0		0.3		0.8
181	Electricity (lightning excepted).....	2.1	1.9	0.2	0.4	0.4	0.3		0.5	0.3	1.1	1.0	0.8
185	Fractures (cause not specified).....			0.5	0.6		0.7	1.4	0.5	0.3	0.3	0.1	0.8
186	Other external violence.....	6.3	1.9	8.3	3.6	5.8	3.2	13.0	4.5	3.9	8.0	3.8	5.0
	Homicide (total).....		2.2	22.0	9.4	5.4	6.4	53.3	15.9	9.3	8.2	4.8	2.0
182	By firearms.....		1.6	12.3	6.8	4.0	5.4	28.0	9.7	5.2	5.6	2.3	0.9
183	By cutting or piercing instruments.....			3.5	1.1	0.4	0.2	9.6	3.1	1.3	0.5	1.0	0.6
184	By other means.....		0.6	6.1	1.6	1.1	0.9	15.7	3.1	2.8	2.0	1.6	0.6
	XIV.—Ill-defined diseases.....	2.1	3.8	28.6	64.4	13.7	48.1	56.7	98.7	3.7	16.8	2.9	6.3
187	Ill-defined organic disease.....			1.4	5.6		2.6	4.1	11.9	0.6	0.7	0.7	0.9
188	Sudden death.....			1.4	4.2		0.7	3.9	2.7	0.1	0.3	0.4	0.5
189	Not specified or ill-defined (total).....	2.1	3.8	25.7	54.6	13.0	41.6	49.9	82.1	3.0	15.8	1.8	4.9
	Ill-defined.....	2.1	0.3	19.6	18.2	9.7	15.7	38.2	23.5	1.2	4.6	1.0	2.9
	Not specified or unknown.....		3.5	6.1	36.4	3.2	25.9	11.6	58.6	1.8	11.2	0.8	2.0

GENERAL TABLES

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1914.

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SUMMARY.													
The registration area.....	898,059	82,700	77,744	89,870	81,172	76,483	67,044	70,044	71,621	68,258	68,358	69,496	75,269
Registration states ¹	819,880	75,772	70,979	81,993	74,009	69,619	60,693	63,954	65,677	62,710	62,464	63,462	68,548
Cities in registration states ¹	440,461	41,088	38,414	44,344	39,872	37,866	32,325	34,337	35,117	33,082	33,012	33,539	37,165
Rural part of registration states.....	379,419	34,684	32,565	37,649	34,137	31,753	28,368	29,617	30,560	29,628	29,452	29,923	31,383
Registration cities in other states.....	78,179	6,928	6,765	7,877	7,163	6,864	6,351	6,090	5,944	5,548	5,894	6,034	6,721
All registration cities ¹	518,640	48,016	45,179	52,221	47,035	44,730	38,676	40,427	41,061	38,630	38,906	39,873	43,886
REGISTRATION STATES.													
California.....	37,542	3,384	3,114	3,298	3,156	3,083	3,073	2,929	2,821	2,818	2,934	3,220	3,712
Colorado.....	10,166	923	1,876	982	954	818	738	702	828	765	785	784	915
Connecticut.....	18,220	1,677	1,627	1,845	1,650	1,507	1,235	1,438	1,596	1,523	1,323	1,324	1,475
Indiana.....	35,930	3,177	3,038	3,068	3,402	3,086	2,655	2,877	2,906	2,791	2,795	2,675	2,862
Kansas.....	17,497	1,621	1,398	1,097	1,426	1,422	1,300	1,477	1,399	1,284	1,431	1,429	1,613
Kentucky.....	30,360	2,866	2,591	3,109	2,639	2,354	2,371	2,630	2,447	2,077	2,358	2,415	2,563
Maine.....	11,925	1,087	1,042	1,139	1,092	1,103	849	865	899	1,003	1,000	920	926
Maryland.....	21,314	1,937	1,867	2,130	1,801	1,712	1,503	1,790	1,828	1,672	1,594	1,700	1,780
Massachusetts.....	52,854	5,056	4,594	5,152	4,819	4,545	3,841	3,802	4,138	4,178	4,178	4,041	4,510
Michigan.....	39,751	3,536	3,515	4,047	3,695	3,443	2,986	2,943	3,217	3,032	3,034	3,053	3,250
Minnesota.....	23,483	2,228	2,012	2,289	2,225	2,132	1,903	1,894	1,735	1,794	1,694	1,857	1,820
Missouri.....	41,356	3,827	3,529	4,279	3,593	3,247	3,205	3,517	3,228	2,938	3,279	3,272	3,442
Montana.....	4,846	439	417	423	447	417	399	350	395	389	395	338	406
New Hampshire.....	7,166	687	645	658	586	611	565	528	583	609	574	538	532
New Jersey.....	39,901	3,728	3,573	4,064	3,426	3,354	2,813	3,210	3,331	3,030	2,893	3,041	3,388
New York.....	145,708	13,512	13,008	14,855	13,322	12,925	10,626	10,957	11,581	11,056	10,755	10,979	12,132
North Carolina ²	8,966	804	651	797	648	785	859	737	689	689	669	696	729
Ohio.....	65,132	6,059	5,655	6,762	6,029	5,672	4,783	5,052	5,178	4,837	4,910	4,949	5,196
Pennsylvania.....	114,832	10,736	9,825	11,634	10,735	9,469	7,916	8,581	9,568	9,240	8,311	8,891	9,426
Rhode Island.....	8,702	872	759	833	753	779	585	653	722	679	694	675	698
Utah.....	4,199	421	337	363	317	368	294	288	309	346	349	378	429
Vermont.....	5,430	482	400	543	479	467	412	390	421	474	454	432	416
Virginia.....	30,117	2,756	2,603	2,996	2,651	2,364	2,555	2,743	2,419	2,165	2,159	2,291	2,415
Washington.....	11,448	987	972	1,032	993	1,000	845	891	949	869	901	929	1,080
Wisconsin.....	27,181	2,468	2,342	2,786	2,643	2,479	2,021	2,011	2,013	1,909	2,071	2,146	2,292
REGISTRATION CITIES.													
ALABAMA.³													
Registration cities.....	5,009	431	404	515	434	470	454	404	364	334	374	401	424
Birmingham.....	2,907	233	247	300	249	267	257	256	205	126	206	242	259
Mobile.....	1,209	106	105	131	107	116	121	70	90	77	100	96	90
Montgomery.....	893	92	52	84	78	87	76	78	69	71	68	63	75
CALIFORNIA.													
Registration cities.....	21,723	2,018	1,867	1,952	1,841	1,763	1,744	1,644	1,582	1,592	1,668	1,908	2,144
Alameda.....	290	19	20	31	23	18	29	30	21	18	24	26	31
Bakersfield.....	284	23	28	23	25	17	19	22	25	23	24	27	28
Berkeley.....	435	43	35	30	45	35	38	33	34	27	34	43	38
Eureka.....	204	10	17	18	17	18	19	12	20	17	20	11	25
Fresno.....	431	56	42	39	28	32	32	29	40	17	28	42	46
Long Beach.....	425	50	38	44	33	39	44	35	31	29	23	33	26
Los Angeles.....	5,643	547	481	521	471	464	469	441	425	389	428	486	521
Oakland.....	2,121	207	164	188	165	183	181	163	161	165	162	175	207
Pasadena.....	457	48	43	44	41	38	36	26	27	32	36	40	46
Pomona.....	144	10	16	17	18	10	8	8	6	11	10	17	13
Redlands.....	118	13	9	10	11	15	11	9	7	2	10	12	9
Riverside.....	216	19	18	24	19	18	19	17	22	12	7	23	18
Sacramento.....	1,065	112	101	79	78	86	83	91	70	84	84	96	101
San Bernardino.....	347	29	28	27	40	39	30	25	19	22	22	24	42
San Diego.....	943	75	87	74	80	64	64	78	78	70	79	75	94
San Francisco.....	6,943	613	588	640	608	542	545	509	473	536	543	627	719
San Jose.....	459	38	36	39	35	39	41	38	38	31	38	40	46
Santa Barbara.....	259	18	26	22	33	24	22	17	18	17	14	18	30
Santa Cruz.....	186	19	18	13	16	21	9	21	11	8	13	16	21
Stockton.....	589	58	59	37	39	33	34	32	42	65	55	68	67
Vallejo.....	164	11	13	13	22	12	11	12	14	17	14	9	16
COLORADO.													
Registration cities.....	4,424	436	392	425	395	360	354	316	346	302	348	341	409
Colorado Springs.....	467	39	56	32	34	34	43	43	44	30	36	28	48
Denver.....	3,247	332	285	314	299	262	261	223	243	218	267	254	289
Pueblo.....	538	48	37	59	39	49	36	33	47	43	40	51	56
Trinidad.....	172	17	14	20	23	15	14	17	12	11	5	8	16

¹ Includes District of Columbia.

² Includes only municipalities having a population of 1,000 or over in 1910.

³ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1914—Continued.

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
CONNECTICUT.													
Registration cities.....	12,615	1,157	1,165	1,303	1,166	1,033	854	1,005	1,061	1,075	908	897	991
Ansonia.....	223	23	27	24	19	18	9	19	29	19	17	11	8
Bridgeport.....	1,729	171	159	182	159	132	99	147	165	128	141	118	128
Bristol.....	161	9	15	19	15	17	10	12	8	11	23	10	12
Danbury town.....	363	30	26	40	36	27	24	25	30	39	31	32	23
Greenwich town.....	286	28	27	26	21	21	17	24	30	26	17	22	27
Hartford.....	1,872	161	179	203	185	163	136	151	147	134	114	136	163
Manchester town.....	132	9	10	13	6	16	4	15	7	14	9	11	18
Meriden town.....	573	64	41	57	60	44	46	48	45	44	41	37	46
Middletown town.....	535	50	60	46	50	44	27	40	44	56	45	45	28
Naugatuck.....	126	12	14	9	8	8	10	5	16	10	12	9	13
New Britain.....	620	55	50	54	46	51	43	69	56	55	46	54	41
New Haven.....	2,326	239	213	234	227	182	165	183	159	187	152	170	215
New London.....	354	30	36	41	33	30	24	23	31	39	20	21	26
Norwalk.....	378	40	36	45	38	40	23	24	36	31	26	20	19
Norwich town.....	473	35	37	48	44	34	43	41	41	43	37	29	41
Orange town.....	144	12	14	16	9	10	13	10	19	19	7	8	7
Stamford town.....	575	41	62	70	65	55	40	34	52	44	39	34	39
Torrington town.....	188	16	24	21	14	14	16	11	13	14	18	13	14
Wallingford town.....	151	17	13	15	9	12	10	9	15	18	8	13	12
Waterbury.....	1,174	100	105	122	103	98	77	87	93	115	87	91	96
Windham town.....	232	15	17	18	19	17	18	28	25	29	18	13	15
DELAWARE.¹													
Wilmington.....	1,460	139	125	128	133	115	110	109	115	99	131	121	135
DISTRICT OF COLUMBIA.													
Washington.....	5,854	562	529	612	528	477	418	451	429	443	425	489	491
FLORIDA.¹													
Registration cities.....	2,080	189	168	217	184	166	187	149	157	157	164	167	175
Jacksonville.....	1,304	120	105	134	115	105	110	92	107	98	98	109	111
Key West.....	339	30	29	41	28	35	37	28	16	27	21	21	26
Pensacola.....	437	39	34	42	41	26	40	29	34	32	45	37	38
GEORGIA.¹													
Registration cities.....	5,744	486	452	535	498	558	572	457	419	417	445	449	456
Atlanta.....	2,956	241	229	301	244	285	289	249	210	210	236	224	238
Augusta.....	1,061	92	74	100	93	104	102	76	86	81	87	78	88
Savannah.....	1,727	153	149	134	161	169	181	132	123	126	122	147	130
ILLINOIS.¹													
Registration cities.....	37,379	3,382	3,441	3,941	3,619	3,299	2,653	2,942	2,959	2,683	2,643	2,783	3,034
Aurora.....	466	39	34	45	64	38	39	40	32	32	35	33	35
Belleville.....	304	34	34	38	24	26	24	16	18	17	29	24	20
Chicago.....	33,959	3,065	3,142	3,601	3,298	2,996	2,393	2,670	2,710	2,426	2,380	2,516	2,762
Decatur.....	460	45	36	37	49	48	41	33	33	31	27	46	34
Evanston.....	304	29	26	39	24	34	28	22	19	16	25	20	22
Jacksonville.....	441	41	41	40	29	33	34	48	33	34	39	34	35
Quincy.....	543	51	42	49	58	54	31	45	53	47	39	39	35
Springfield.....	902	78	86	92	73	70	63	68	61	80	69	71	91
INDIANA.													
Registration cities.....	12,902	1,100	1,108	1,304	1,205	1,097	948	1,054	1,021	1,004	1,074	985	1,052
Anderson.....	313	34	30	39	36	27	16	14	24	24	26	22	21
East Chicago.....	360	31	32	37	19	32	36	40	25	21	22	33	32
Elkhart.....	269	24	25	23	34	29	13	16	18	22	16	25	24
Elwood.....	117	12	15	15	7	11	6	7	5	7	8	10	14
Evansville.....	979	74	84	87	96	70	90	99	76	79	77	81	66
Fort Wayne.....	841	61	72	84	77	73	62	65	72	67	77	48	63
Gary.....	340	37	29	35	22	19	31	40	22	32	31	23	19
Hammond.....	376	38	28	44	40	31	18	47	26	27	23	22	32
Huntington.....	138	7	6	10	6	19	8	9	18	14	16	13	12
Indianapolis.....	4,142	350	342	413	398	393	314	339	325	307	349	284	328
Jeffersonville.....	156	13	17	21	17	10	12	16	12	9	8	10	11
Kokomo.....	294	29	17	41	36	22	22	25	26	19	24	19	14
Lafayette.....	460	35	39	42	38	33	26	32	38	29	28	33	27
Laporte.....	146	14	6	17	13	11	7	8	17	23	8	14	10
Logansport.....	314	35	30	30	26	33	21	23	19	23	34	26	23
Marion.....	312	29	32	26	24	23	19	28	31	29	33	20	18
Michigan City.....	273	17	32	32	19	16	13	23	26	17	23	28	28
Mishawaka.....	157	10	13	15	11	13	15	10	10	14	12	15	14
Muncie.....	331	24	29	35	36	27	32	17	27	27	21	25	31
New Albany.....	288	29	25	27	25	21	24	28	13	21	24	19	32

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1914—Continued.

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
INDIANA—continued.													
Peru.....	162	19	14	16	13	11	6	15	12	12	18	10	16
Richmond.....	295	25	35	28	39	20	19	12	21	24	27	17	28
South Bend.....	717	60	47	68	70	57	46	44	64	60	75	64	62
Terre Haute.....	938	73	83	100	84	73	64	75	73	81	75	64	83
Vincennes.....	244	20	25	19	19	23	23	22	21	18	20	15	19
KANSAS.													
Registration cities.....	4,501	406	353	444	368	395	335	418	357	344	359	383	429
Atchison.....	196	11	19	11	11	22	11	16	16	21	14	23	21
Coffeyville.....	194	12	16	18	16	18	11	21	18	10	18	18	18
Fort Scott.....	180	11	16	18	12	17	21	20	15	12	14	10	14
Hutchinson.....	213	17	18	20	14	28	16	21	23	19	11	11	15
Independence.....	145	11	11	14	9	20	9	14	16	11	9	7	14
Kansas City.....	1,234	133	83	119	98	87	98	107	106	77	100	112	114
Lawrence.....	188	10	20	18	15	18	10	15	18	13	12	17	22
Leavenworth.....	320	37	30	41	43	20	18	22	18	24	15	27	25
Parsons.....	190	7	14	14	14	10	13	19	13	18	27	21	20
Pittsburg.....	251	23	16	32	17	23	22	26	13	18	13	26	22
Topeka.....	320	34	65	82	72	74	57	72	54	60	60	62	78
Wichita.....	600	50	45	57	47	58	49	65	47	61	66	49	65
KENTUCKY.													
Registration cities.....	7,325	641	601	797	655	641	555	627	593	498	538	547	632
Covington.....	837	82	68	95	93	63	69	72	54	62	53	56	70
Frankfort.....	187	26	18	26	22	18	18	10	14	5	12	10	8
Henderson.....	240	27	34	22	23	13	12	19	22	15	14	19	20
Lexington.....	1,010	88	60	101	88	107	79	99	79	76	81	76	76
Louisville.....	3,809	329	337	436	321	338	277	326	317	249	278	304	357
Newport.....	365	19	33	43	45	28	23	22	40	24	25	31	32
Owensboro.....	334	38	21	29	21	39	32	28	29	21	27	20	29
Paducah.....	483	32	30	45	42	35	45	51	38	46	48	31	40
LOUISIANA.¹													
New Orleans.....	7,417	676	624	742	605	595	574	526	517	527	682	638	761
MAINE.													
Registration cities.....	3,168	295	258	301	299	299	194	229	260	282	262	247	242
Auburn.....	230	19	19	33	26	21	9	23	16	19	16	17	12
Augusta.....	290	18	23	23	26	27	17	31	25	23	25	23	24
Bangor.....	579	42	37	50	66	55	35	46	42	56	48	49	53
Biddeford.....	277	27	13	34	25	37	17	15	20	29	21	19	20
Lewiston.....	555	57	57	53	41	52	30	37	46	60	41	40	41
Portland.....	1,033	107	90	84	99	90	72	65	95	74	90	87	80
Waterville.....	204	25	19	24	14	17	14	12	16	18	21	12	12
MARYLAND.													
Registration cities.....	11,453	1,085	1,033	1,179	995	965	828	990	915	850	783	888	942
Baltimore.....	10,486	1,007	946	1,109	924	870	756	913	832	785	715	793	836
Cumberland.....	429	37	33	32	32	47	31	44	38	28	36	37	39
Frederick.....	179	17	13	14	16	20	10	12	19	14	10	19	15
Hagerstown.....	359	24	41	29	23	28	31	21	26	23	22	39	52
MASSACHUSETTS.													
Registration cities.....	41,183	3,942	3,558	3,966	3,800	3,547	3,028	2,987	3,222	3,199	3,219	3,165	3,550
Adams town.....	179	9	15	19	10	12	13	18	15	20	18	14	16
Arlington town.....	164	19	12	28	12	10	9	18	9	10	14	13	10
Attleborough town.....	237	21	19	22	12	21	20	18	20	23	20	17	24
Beverly.....	250	26	24	16	13	24	16	19	23	22	26	19	22
Boston.....	11,831	1,168	998	1,143	1,118	983	966	785	874	886	929	929	1,052
Brockton.....	756	73	69	91	69	64	55	47	49	56	61	54	67
Brookline town.....	344	37	23	40	35	33	19	23	25	19	26	23	41
Cambridge.....	1,452	140	126	145	142	118	97	94	111	107	124	118	130
Chelsea.....	607	76	57	73	61	51	44	52	59	57	44	52	41
Chicopee.....	405	29	26	33	29	46	25	39	47	29	46	24	32
Clinton town.....	170	18	16	11	15	24	12	16	12	12	10	15	9
Everett.....	398	49	43	34	29	41	17	28	26	35	26	31	39
Fall River.....	2,167	230	158	194	179	153	144	228	189	192	158	158	159
Fitchburg.....	480	50	38	38	42	45	47	33	42	36	41	25	56
Framingham town.....	217	20	14	16	22	21	15	21	22	21	17	23	12
Gardner town.....	235	23	14	27	26	16	13	18	25	21	17	21	14
Gloucester.....	313	27	21	26	29	26	15	32	40	32	24	21	20
Greenfield town.....	158	12	17	11	11	16	16	15	6	12	16	11	15
Haverhill.....	685	76	65	64	57	67	50	51	56	42	59	43	37
Holyoke.....	929	67	64	74	74	74	72	78	103	64	76	86	97

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY MONTH OF OCCURRENCE.

177

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1914—Continued.

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
MASSACHUSETTS—continued.													
Lawrence.....	1,314	109	112	108	113	105	97	108	120	114	120	101	107
Leominster town.....	200	22	15	23	11	23	13	12	12	15	17	17	20
Lowell.....	1,769	153	170	182	155	146	111	114	141	145	162	143	147
Lynn.....	1,209	109	113	129	108	99	91	81	77	99	100	88	115
Malden.....	605	63	46	74	50	54	34	46	34	45	48	51	60
Marlborough.....	210	21	25	19	25	18	12	12	15	22	17	10	14
Medford.....	301	27	26	23	30	34	19	19	17	28	21	25	32
Melrose.....	194	26	21	27	25	14	9	13	14	8	12	11	14
Methuen town.....	164	14	17	10	13	17	9	15	15	17	13	12	12
Milford town.....	218	17	19	25	24	21	23	14	12	17	14	14	18
New Bedford.....	1,756	150	164	162	170	149	123	137	152	145	136	141	127
Newburyport.....	255	33	29	30	26	12	21	11	21	16	14	13	24
Newton.....	458	46	47	40	43	54	39	28	29	34	28	29	41
North Adams.....	325	25	20	24	30	31	18	26	31	30	24	26	40
Northampton.....	362	23	38	21	26	39	33	22	24	35	23	42	36
Peabody town.....	218	17	16	25	20	11	11	16	22	24	23	16	17
Pittsfield.....	600	51	56	55	61	60	39	38	57	52	43	45	43
Plymouth town.....	208	17	25	18	19	20	18	16	15	10	12	12	20
Quincy.....	458	46	48	47	41	43	32	34	33	35	34	30	35
Revere town.....	208	21	17	18	23	17	14	12	20	25	12	12	17
Salem.....	622	71	60	75	60	76	38	43	43	31	38	37	50
Somerville.....	992	74	97	99	110	93	74	50	65	77	66	75	112
Southbridge town.....	143	18	13	7	11	9	12	10	20	8	16	13	6
Springfield.....	1,525	149	117	156	140	117	111	122	105	119	130	129	130
Taunton.....	802	74	73	83	77	59	61	64	59	69	52	51	80
Wakefield town.....	109	18	6	14	13	10	7	7	4	4	9	10	7
Waltham.....	366	36	31	33	44	34	28	25	25	23	27	35	25
Watertown town.....	153	16	23	13	14	13	15	8	14	8	3	16	13
Webster town.....	127	12	10	12	10	16	11	11	8	8	11	13	10
Westfield town.....	292	34	21	26	32	30	15	21	29	16	21	25	22
Weymouth town.....	191	18	18	22	16	15	13	14	12	11	13	23	16
Winthrop town.....	115	11	9	17	13	8	6	6	5	9	8	12	11
Woburn.....	188	18	10	22	18	13	13	10	12	18	22	18	14
Worcester.....	2,483	233	227	221	244	212	199	196	212	182	183	173	201
MICHIGAN.													
Registration cities.....	16,939	1,474	1,510	1,671	1,549	1,460	1,312	1,294	1,428	1,317	1,267	1,255	1,402
Adrian.....	160	16	14	19	14	11	14	14	7	12	11	13	15
Alpena.....	180	19	23	14	21	24	14	11	11	13	8	10	12
Ann Arbor.....	370	34	35	26	39	28	33	35	31	27	29	26	27
Battle Creek.....	436	34	33	47	41	36	37	35	31	36	41	29	36
Bay City.....	561	50	43	50	51	50	44	38	47	43	44	49	52
Detroit.....	8,400	702	752	873	724	721	640	667	738	659	616	590	718
Escanaba.....	203	17	20	23	23	17	13	14	17	18	12	21	14
Flint.....	480	42	34	47	44	43	42	39	35	34	45	44	31
Grand Rapids.....	1,593	144	166	150	148	147	111	106	137	109	114	129	132
Holland.....	115	6	16	11	11	12	5	10	7	12	7	10	8
Ironwood.....	151	16	12	13	14	14	10	15	18	10	12	5	12
Ishpeming.....	108	9	8	16	4	8	9	8	8	9	12	9	8
Jackson.....	493	46	37	49	32	56	37	36	42	43	36	33	46
Kalamazoo.....	772	54	65	76	81	57	58	69	60	66	55	61	70
Lansing.....	359	33	33	35	25	27	24	32	34	22	23	38	28
Manistee.....	144	13	8	14	24	12	7	9	12	13	12	12	8
Marquette.....	171	18	23	10	18	19	13	11	12	18	14	9	6
Manominee.....	121	6	11	20	23	3	8	4	13	11	9	10	13
Muskegon.....	346	38	24	39	30	26	23	22	31	26	23	28	36
Pontiac.....	330	30	27	33	31	31	34	21	23	25	29	16	30
Port Huron.....	295	29	27	27	29	23	28	22	21	24	21	21	20
Saginaw.....	704	65	63	67	82	54	55	52	58	51	54	58	45
Sault Ste. Marie.....	176	21	13	6	18	15	22	9	17	17	10	15	13
Traverse City.....	261	31	21	17	22	26	26	15	18	19	25	19	22
MINNESOTA.													
Registration cities.....	8,714	848	726	832	813	801	654	750	677	634	642	703	634
Duluth.....	1,047	96	104	90	120	100	89	94	85	64	66	79	60
Mankato.....	170	12	13	22	10	17	14	14	13	13	12	16	13
Minneapolis.....	4,116	420	324	397	389	390	284	353	293	303	313	329	316
St. Cloud.....	153	12	13	16	9	8	12	12	16	9	25	13	13
St. Paul.....	2,690	261	225	257	242	241	220	226	219	201	176	231	191
Stillwater.....	121	7	13	14	12	12	7	5	4	12	11	11	13
Virginia.....	134	9	11	11	8	7	13	11	18	14	14	11	6
Winona.....	278	31	22	25	23	26	15	35	23	18	25	13	22
MISSOURI.													
Registration cities.....	18,342	1,711	1,533	1,903	1,636	1,505	1,448	1,488	1,434	1,262	1,410	1,470	1,542
Hannibal.....	257	23	20	21	22	26	27	31	21	12	14	19	21
Jefferson City.....	170	14	21	19	21	17	8	11	11	9	11	16	12
Joplin.....	536	49	52	71	37	49	46	34	38	33	48	43	36
Kansas City.....	3,939	356	302	367	332	311	312	342	353	277	315	344	328
Moberly.....	170	21	12	17	11	15	20	4	19	13	15	9	14

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1914—Continued.

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
MISSOURI—continued.													
St. Joseph.....	1,133	89	105	112	102	93	73	88	100	83	92	88	108
St. Louis.....	11,052	1,063	930	1,172	1,016	932	872	870	813	769	825	874	916
Sedalia.....	283	28	21	29	24	12	19	26	23	18	29	26	28
Springfield.....	630	49	51	33	59	38	59	63	43	42	45	38	60
Webb City.....	172	19	19	12	12	12	12	19	13	6	16	13	19
MONTANA.													
Registration cities.....	1,683	186	158	165	162	136	131	114	129	137	123	106	141
Anaconda.....	125	14	15	12	16	11	8	10	5	7	9	10	8
Billings.....	140	14	13	13	16	11	4	9	14	10	12	9	15
Butte.....	726	90	57	73	63	55	66	51	63	65	51	47	45
Great Falls.....	347	41	46	33	31	31	28	23	25	25	19	13	32
Helena.....	162	13	10	20	18	12	9	10	10	15	18	10	17
Missoula.....	188	14	17	14	18	16	16	11	12	15	14	17	24
NEBRASKA. ¹													
Registration cities.....	2,388	202	197	228	214	198	178	214	180	172	195	214	196
Lincoln.....	551	42	43	60	59	26	45	41	33	40	59	52	58
Omaha.....	1,837	160	154	168	162	172	133	173	147	132	136	162	138
NEW HAMPSHIRE.													
Registration cities.....	3,050	318	275	257	257	274	234	214	253	252	255	231	230
Berlin.....	190	11	16	21	13	17	15	8	25	20	17	13	14
Concord.....	456	48	43	38	39	31	36	26	35	39	44	41	36
Dover.....	255	36	22	14	17	26	22	18	16	24	22	19	19
Keene.....	155	19	13	12	14	15	17	12	3	12	16	8	14
Laconia.....	181	19	22	15	22	19	14	12	14	11	14	11	8
Manchester.....	1,250	133	111	116	89	123	88	97	114	98	92	98	91
Nashua.....	368	34	31	31	37	27	29	30	26	31	38	25	29
Portsmouth.....	195	18	17	10	26	16	13	11	20	17	12	16	19
NEW JERSEY.													
Registration cities.....	25,959	2,489	2,318	2,662	2,198	2,220	1,796	2,087	2,115	1,966	1,853	1,992	2,263
Asbury Park.....	177	11	14	12	16	11	13	17	33	13	16	8	13
Atlantic City.....	829	62	54	71	76	55	69	97	94	59	64	54	74
Bayonne.....	807	89	65	73	64	62	47	65	59	71	70	66	76
Bloomfield.....	182	27	17	12	15	9	18	17	19	14	7	14	13
Bridgeton.....	242	20	24	25	23	26	16	18	16	23	16	17	18
Camden.....	1,759	138	170	188	153	152	142	176	122	117	116	136	149
East Orange.....	361	29	35	37	31	39	23	19	22	32	20	24	50
Elizabeth.....	1,185	108	110	128	105	104	88	92	89	89	81	91	100
Garfield.....	151	13	13	15	11	10	8	16	10	13	13	16	13
Hackensack.....	254	37	18	24	21	15	15	25	23	17	19	15	25
Harrison.....	167	14	19	25	8	14	17	11	23	11	10	9	6
Hoboken.....	1,105	113	102	134	100	98	78	80	79	78	86	108	114
Irvington.....	187	21	15	17	9	19	15	23	14	16	11	18	9
Jersey City.....	4,042	391	334	420	317	348	256	312	334	303	306	321	400
Kearny.....	257	21	24	22	24	28	13	18	26	21	18	18	24
Long Branch.....	311	25	27	20	28	21	29	34	22	40	24	18	23
Millville.....	159	18	12	20	13	14	10	6	12	11	8	18	17
Mountclair.....	348	33	30	48	32	31	25	27	37	22	24	17	22
Morristown.....	266	30	19	34	23	23	17	17	24	19	25	19	16
New Brunswick.....	498	49	41	43	49	33	36	37	48	40	41	42	39
Newark.....	5,650	516	551	605	464	513	400	442	446	426	387	410	490
Orange.....	507	39	56	57	57	41	40	39	35	43	30	32	40
Passaic.....	871	96	85	87	80	69	56	79	57	69	70	67	56
Paterson.....	1,810	194	156	183	147	152	111	148	142	134	130	141	172
Perth Amboy.....	571	47	53	47	42	45	44	53	56	48	48	45	48
Phillipsburg.....	186	36	20	15	10	12	10	14	17	12	11	14	15
Plainfield.....	292	26	25	30	33	22	22	18	24	25	20	27	20
Trenton.....	1,938	223	152	209	168	175	128	127	171	140	134	164	147
Union.....	180	16	22	18	14	23	7	13	14	8	6	20	19
West Hoboken.....	333	24	33	33	36	33	17	29	27	23	22	26	30
West New York.....	195	14	14	10	16	16	17	14	16	26	12	18	22
West Orange.....	79	9	8	2	13	7	9	4	4	3	8	4	8
NEW YORK.													
Registration cities.....	109,356	10,202	9,828	11,167	10,011	9,788	7,924	8,273	8,700	8,144	7,979	8,174	9,166
Albany.....	1,993	190	174	208	194	140	155	148	148	153	164	149	170
Amsterdam.....	495	55	40	43	48	45	31	51	40	38	34	35	35
Auburn.....	553	53	47	45	61	59	26	39	37	44	53	48	41
Batavia.....	223	27	21	18	16	24	15	17	15	14	18	19	19
Binghamton.....	1,017	89	84	92	84	107	80	67	70	72	87	105	80

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY MONTH OF OCCURRENCE.

179

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1914—Continued.

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
NEW YORK—continued.													
Buffalo.....	7,045	614	586	737	672	627	546	571	556	549	523	489	575
Cohoes.....	394	42	34	32	34	27	21	37	37	30	35	34	31
Corning.....	203	20	21	25	14	16	12	15	16	15	12	15	22
Cortland.....	218	24	15	22	22	16	19	18	19	18	24	14	7
Dunkirk.....	288	20	10	31	25	16	13	23	25	20	20	14	16
Elmira.....	577	45	66	75	56	42	33	45	41	48	42	41	43
Fulton.....	179	15	13	19	16	12	5	9	16	18	20	18	18
Geneva.....	235	23	22	17	17	26	17	12	30	23	16	15	17
Glens Falls.....	283	29	27	30	28	25	16	18	23	23	18	27	24
Gloversville.....	331	30	30	36	39	31	21	24	22	21	28	24	25
Hornell.....	221	21	17	23	16	20	16	9	17	17	27	20	18
Hudson.....	230	13	17	28	19	20	16	14	17	15	24	18	29
Ithaca.....	243	26	18	15	15	29	16	19	23	30	14	23	15
Jamestown.....	423	47	37	49	31	38	32	32	32	32	36	27	35
Johnstown.....	133	13	13	13	16	11	12	8	7	13	7	14	6
Kingston.....	488	39	46	42	48	50	39	31	46	29	33	40	45
Lackawanna.....	321	18	31	41	23	22	18	25	35	33	31	27	17
Little Falls.....	232	18	13	21	30	20	13	25	19	21	15	21	16
Lockport.....	286	34	16	30	26	26	30	21	18	18	20	24	23
Middletown.....	387	35	29	40	31	50	28	25	38	26	29	32	24
Mount Vernon.....	387	44	39	38	39	33	27	23	38	38	25	22	27
New Rochelle.....	359	28	43	36	26	30	28	26	31	19	33	32	27
New York.....	75,020	6,998	6,888	7,724	6,854	6,797	5,404	5,662	5,966	5,468	5,291	5,563	6,405
Bronx Borough.....	7,136	616	674	731	636	646	514	525	547	550	561	557	579
Brooklyn Borough.....	25,259	2,385	2,230	2,567	2,295	2,245	1,797	1,973	2,080	1,857	1,761	1,876	2,193
Manhattan Borough.....	36,201	3,418	3,409	3,837	3,343	3,396	2,623	2,648	2,770	2,521	2,500	2,653	3,083
Queens Borough.....	4,903	445	429	456	438	393	349	390	428	408	370	366	431
Richmond Borough.....	1,521	134	146	133	142	117	121	126	141	132	99	111	119
Newburgh.....	516	53	44	44	42	37	29	40	51	34	48	47	47
Niagara Falls.....	564	48	48	41	48	49	46	45	54	51	42	36	56
North Tonawanda.....	159	8	15	13	12	20	16	12	11	13	15	13	11
Ogdensburg.....	439	47	32	31	46	36	35	27	32	40	34	39	40
Olean.....	252	18	19	28	28	23	20	14	24	15	20	20	23
Ossining.....	188	18	24	19	21	26	9	12	11	16	12	11	9
Oswego.....	432	39	31	53	47	32	32	39	39	40	21	28	31
Peekskill.....	255	24	20	23	13	17	26	21	19	20	22	20	25
Plattsburg.....	195	15	18	21	12	20	13	10	12	25	19	19	11
Port Chester.....	193	12	16	21	18	20	10	14	19	9	17	17	20
Poughkeepsie.....	519	58	54	66	38	39	34	43	32	20	45	41	49
Rensselaer.....	169	21	13	15	10	16	10	10	15	21	13	9	16
Rochester.....	3,514	301	319	345	325	336	305	233	260	272	278	271	269
Rome.....	527	65	44	46	51	45	37	39	48	36	48	31	37
Saratoga Springs.....	261	20	15	18	19	21	29	21	32	28	21	32	15
Schenectady.....	1,040	100	98	105	88	75	71	80	89	89	81	78	86
Syracuse.....	2,208	217	174	199	215	187	158	203	192	157	170	167	169
Troy.....	1,591	165	125	167	139	126	108	102	131	136	120	126	146
Utica.....	1,548	155	131	166	149	141	101	119	117	127	109	115	118
Watertown.....	468	35	41	62	43	24	29	35	30	36	46	42	45
Watervliet.....	231	31	18	23	19	20	12	25	18	12	17	16	20
White Plains.....	258	21	22	32	24	27	17	22	24	21	14	17	17
Yonkers.....	1,105	121	110	99	99	92	83	89	73	76	88	79	96
NORTH CAROLINA.													
Registration cities.....	3,926	364	283	364	292	348	395	375	302	289	288	299	327
Asheville.....	489	42	29	51	47	32	61	35	41	42	40	35	34
Charlotte.....	824	82	58	74	57	79	76	74	57	60	68	64	73
Durham.....	354	35	20	33	26	29	24	36	28	33	28	27	35
Greensboro.....	361	39	29	36	24	31	31	41	20	34	20	30	26
Raleigh.....	603	40	49	63	40	57	66	62	45	47	43	48	43
Wilmington.....	653	54	56	46	54	67	64	62	61	33	45	53	58
Winston-Salem.....	642	72	42	61	44	53	71	65	50	40	44	42	58
OHIO.													
Registration cities.....	33,447	3,072	2,896	3,488	3,068	2,917	2,433	2,676	2,687	2,461	2,536	2,506	2,707
Akron.....	1,086	92	94	109	100	86	97	80	93	79	90	75	91
Alliance.....	199	21	17	20	19	16	12	19	13	19	14	11	18
Ashtabula.....	224	23	21	19	18	13	17	21	14	20	15	24	19
Bellaire.....	178	15	22	11	23	19	11	14	15	16	12	6	14
Cambridge.....	177	14	14	16	18	14	13	8	18	13	17	19	13
Canton.....	639	55	71	74	65	54	35	47	62	46	47	50	33
Chillicothe.....	233	21	17	23	17	18	22	18	24	17	23	16	17
Cincinnati.....	6,431	634	574	722	578	562	454	527	431	443	492	488	526
Cleveland.....	8,183	739	714	795	756	687	584	689	707	602	624	622	664
Columbus.....	3,022	249	251	326	277	285	229	235	260	211	213	218	268
Dayton.....	1,704	141	149	185	178	146	113	135	144	122	117	137	137
East Liverpool.....	345	30	20	44	31	36	17	25	14	26	38	31	33
Elyria.....	200	19	13	22	16	16	15	18	12	14	22	16	17
Findlay.....	209	19	17	20	14	20	10	16	26	13	19	20	15
Hamilton.....	402	43	39	40	30	26	34	33	31	35	29	34	28

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1914—Continued.

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
OHIO—continued.													
Ironton.....	222	31	29	24	8	26	19	14	17	14	17	11	12
Lakewood.....	258	19	28	36	11	13	26	21	17	30	25	16	16
Laicester.....	188	13	13	16	22	15	13	9	20	26	14	12	15
Lima.....	448	36	43	49	35	48	35	39	27	36	33	29	38
Lorain.....	335	27	25	33	45	26	24	26	26	28	18	28	29
Mansfield.....	293	26	23	25	29	33	22	26	24	20	17	17	31
Marietta.....	216	21	20	17	24	14	23	18	14	16	13	23	13
Marion.....	276	17	27	24	32	26	23	18	24	18	26	26	16
Massillon.....	165	14	9	15	14	21	13	17	12	12	12	14	12
Middletown.....	195	16	23	29	13	18	13	15	14	19	14	14	7
Newark.....	364	47	27	42	30	31	23	28	28	22	29	26	31
Norwood.....	176	21	15	22	11	23	12	7	12	9	18	8	18
Piqua.....	179	14	15	15	14	16	16	14	13	15	24	8	15
Portsmouth.....	401	31	35	60	38	34	36	36	21	27	30	32	21
Sandusky.....	288	36	22	27	26	21	27	28	28	24	16	11	22
Springfield.....	673	68	53	70	56	57	55	54	40	60	50	54	56
Staubenville.....	455	38	30	46	32	44	33	42	37	41	35	32	45
Tiffin.....	207	20	21	23	27	13	21	11	11	14	9	16	21
Toledo.....	2,849	259	229	270	285	261	197	204	264	210	206	220	244
Warren.....	176	13	7	18	13	21	14	16	14	16	16	16	12
Youngstown.....	1,380	129	123	150	125	110	91	112	132	93	101	105	109
Zanesville.....	471	61	46	51	38	48	34	36	28	35	41	22	31
OREGON. ¹													
Portland.....	2,363	213	216	211	227	205	216	158	176	184	169	162	226
PENNSYLVANIA.													
Registration cities.....	60,578	5,674	5,235	6,285	5,669	4,947	4,204	4,748	5,004	4,517	4,516	4,696	5,083
Allentown.....	907	72	80	96	74	84	66	68	78	72	68	76	73
Altoona.....	811	84	72	80	82	62	57	55	63	57	76	57	66
Beaver Falls.....	188	18	13	21	18	18	19	16	18	11	11	12	13
Bethlehem.....	165	20	16	9	16	14	14	11	16	11	9	15	14
Braddock.....	366	29	33	46	43	30	24	19	39	29	22	22	30
Bradford.....	224	19	17	15	25	20	18	13	13	19	22	18	25
Butler.....	294	29	25	17	18	29	22	20	27	32	30	23	22
Carbondale.....	292	18	38	29	29	24	22	22	27	26	26	19	12
Carlisle.....	153	19	16	13	11	8	6	15	13	13	11	9	19
Carnegie.....	115	13	13	13	11	5	4	9	11	10	9	14	3
Chambersburg.....	213	15	25	24	22	16	21	10	15	20	14	11	20
Chester.....	693	73	47	68	62	53	50	56	75	55	54	45	55
Coatesville.....	131	10	11	14	10	7	9	10	8	10	13	8	11
Columbia.....	160	13	18	11	7	19	7	16	15	10	15	16	13
Connellsville.....	185	18	16	23	20	14	15	10	18	11	11	12	17
Dubois.....	145	24	12	13	12	10	11	6	10	8	13	10	16
Dunmore.....	333	22	31	22	27	25	23	35	41	27	23	21	36
Duquesne.....	213	16	9	20	27	12	16	32	12	15	20	19	15
Easton.....	508	40	43	52	40	50	30	45	40	42	39	45	42
Erie.....	1,057	96	66	111	99	111	77	88	87	80	76	81	85
Farrell.....	156	14	9	21	20	5	8	15	10	10	20	13	11
Greensburg.....	231	18	24	19	19	19	16	20	16	25	21	15	19
Harrisburg.....	967	96	69	107	109	77	58	67	77	75	78	76	78
Hazleton.....	424	37	35	35	45	43	29	30	41	38	25	31	35
Homestead.....	259	12	27	32	24	20	17	11	26	23	29	19	19
Johnstown.....	949	84	77	92	86	88	65	80	82	85	66	68	76
Lancaster.....	703	64	45	78	61	66	46	64	51	52	50	60	66
Lebanon.....	318	28	26	37	31	34	18	27	24	20	27	21	25
McKees Rocks.....	185	14	20	20	12	10	9	20	18	21	15	8	18
McKeesport.....	640	54	54	64	61	53	46	65	58	47	43	48	47
Mahanoy City.....	187	14	9	15	18	18	15	18	18	15	15	16	16
Meadville.....	198	25	22	12	20	13	17	12	16	22	13	17	9
Monessen.....	184	14	10	17	9	11	14	22	21	23	20	14	9
Mount Carmel.....	212	22	19	13	14	17	15	17	19	23	20	19	14
Nanticoke.....	321	24	27	32	33	19	18	20	40	30	29	34	15
New Castle.....	464	35	32	58	45	34	34	33	52	26	44	30	41
Norristown.....	643	59	58	77	60	57	54	42	58	42	42	49	45
North Braddock.....	135	11	8	16	14	8	8	6	16	13	11	16	8
Oil City.....	248	23	22	21	26	25	17	22	16	21	18	16	21
Old Forge.....	199	18	18	23	24	12	18	16	19	11	12	14	14
Philadelphia.....	26,739	2,634	2,365	2,857	2,566	2,171	1,823	2,082	2,107	1,827	1,864	2,099	2,344
Phoenixville.....	183	21	10	15	9	13	9	10	20	21	20	13	19
Pittsburgh.....	8,857	848	836	951	783	719	600	678	696	684	713	664	685
Pittston.....	347	21	22	29	41	26	21	31	40	29	27	22	38
Plymouth.....	209	17	13	27	15	14	13	28	19	14	20	14	15
Pottstown.....	224	18	15	23	14	13	15	14	21	22	20	25	19
Pottsville.....	363	35	22	30	35	30	28	30	24	28	34	29	38
Reading.....	1,453	135	125	144	135	116	106	126	122	109	116	107	112
Seranton.....	2,231	157	177	201	178	190	170	199	216	189	172	170	222
Shamokin.....	239	27	18	20	29	17	13	16	18	23	16	22	20

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1914—Continued.

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
PENNSYLVANIA—continued.													
Sharon.....	207	18	22	23	28	11	15	15	13	15	10	23	14
Shenandoah.....	460	33	36	40	33	34	38	38	49	43	44	41	31
South Bethlehem.....	286	27	22	21	28	32	22	20	21	29	18	28	18
Steelton.....	170	17	11	22	17	8	11	20	17	17	14	11	9
Sunbury.....	165	16	18	8	15	14	10	13	12	14	14	19	12
Uniontown.....	276	21	19	30	30	25	28	20	27	22	11	19	24
Warren.....	161	13	14	16	15	15	10	15	12	13	19	7	12
Washington.....	303	25	32	37	31	22	17	19	27	20	28	20	25
West Chester.....	283	28	17	23	37	22	17	26	19	25	28	18	23
Wilkes-Barre.....	1,131	95	92	93	97	105	82	86	105	102	70	90	114
Wilkesburg.....	298	31	31	43	32	25	21	19	24	15	24	19	14
Williamsport.....	541	56	45	61	47	43	49	41	33	37	34	54	41
York.....	676	67	61	77	70	52	53	39	56	45	40	55	61
RHODE ISLAND.													
Registration cities.....	7,179	723	620	681	625	637	484	533	614	551	575	548	588
Central Falls.....	297	30	27	34	19	34	20	19	29	26	13	21	25
Cranston.....	249	23	20	31	19	20	15	27	27	20	24	21	13
State institutions.....	359	45	37	43	34	42	31	19	22	31	33	27	25
Cumberland town.....	119	10	13	11	7	9	7	7	12	8	16	9	10
East Providence town.....	203	18	26	22	18	21	21	10	17	13	12	10	15
Newport.....	349	35	26	25	29	33	21	20	36	39	28	34	23
Pawtucket.....	779	71	70	63	69	70	55	63	74	61	53	58	72
Providence.....	3,723	381	310	356	338	319	233	284	308	277	308	290	319
Warwick town.....	257	21	19	24	27	24	22	29	21	14	15	22	19
West Warwick town.....	239	38	19	21	18	20	16	20	13	17	15	22	20
Woonsocket.....	575	51	53	51	47	45	42	47	55	45	58	34	47
SOUTH CAROLINA.¹													
Charleston.....	1,673	131	129	154	131	147	161	136	130	120	127	158	149
TENNESSEE.¹													
Registration cities.....	7,222	599	565	697	616	582	696	580	542	530	615	568	632
Chattanooga.....	1,051	88	74	118	92	77	99	85	98	78	75	74	93
Jackson.....	328	26	29	30	22	38	31	25	28	24	28	21	26
Knoxville.....	754	67	77	69	72	53	65	64	50	54	52	72	59
Memphis.....	2,970	244	225	258	252	230	315	217	221	219	266	245	273
Nashville.....	2,119	174	160	222	178	184	186	189	145	155	194	156	176
TEXAS.¹													
Registration cities.....	4,757	412	388	437	434	461	475	379	335	284	347	330	475
El Paso.....	1,507	121	119	123	151	138	152	131	103	90	114	107	158
Galveston.....	784	77	55	80	51	62	64	66	67	62	56	52	92
San Antonio.....	2,466	214	214	234	232	261	259	182	165	132	177	171	225
UTAH.													
Registration cities.....	1,476	151	127	122	123	145	95	111	113	127	117	124	121
Ogden.....	343	30	28	25	33	28	24	31	29	31	32	33	19
Salt Lake City.....	1,133	121	99	97	90	117	71	80	84	96	85	91	102
VERMONT.													
Registration cities.....	826	66	76	77	70	60	54	58	76	84	73	62	70
Barre.....	135	10	26	11	13	5	10	7	7	15	6	10	15
Burlington.....	433	35	33	39	34	35	24	33	52	37	40	32	39
Rutland.....	258	21	17	27	23	20	20	18	17	32	27	20	16
VIRGINIA.													
Registration cities.....	7,908	727	636	786	712	634	703	736	592	587	588	573	634
Alexandria.....	305	28	19	44	34	24	16	29	22	26	23	20	20
Danville.....	387	26	24	34	32	25	39	30	38	38	32	41	28
Lynchburg.....	599	47	47	61	46	51	63	62	42	35	49	49	47
Newport News.....	318	29	27	27	21	28	37	33	19	23	26	22	26
Norfolk.....	1,693	158	134	180	164	150	132	167	117	124	130	98	139
Petersburg.....	605	55	48	51	50	54	57	55	52	39	41	41	62
Portsmouth.....	500	44	47	41	50	40	45	37	49	31	34	35	47
Richmond.....	2,658	264	219	268	247	207	247	239	186	185	192	203	201
Roanoke.....	616	53	47	61	56	32	53	60	51	63	45	50	45
Staunton.....	227	23	24	19	12	23	14	24	16	23	16	14	19
WASHINGTON.													
Registration cities.....	5,633	507	456	543	472	458	400	449	451	445	437	479	536
Aberdeen.....	137	17	8	11	12	21	13	12	6	8	9	11	9
Bellingham.....	256	28	23	27	21	22	15	20	20	20	8	26	26
Everett.....	265	23	27	27	23	21	19	18	16	26	16	19	30
North Yakima.....	169	11	12	11	13	10	13	11	17	14	17	22	18

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1914—Continued.

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Contd.													
WASHINGTON—continued.													
Seattle.....	2,537	226	213	235	222	202	174	218	212	186	197	208	244
Spokane.....	1,170	102	91	116	86	91	83	88	87	97	113	108	108
Tacoma.....	914	90	69	100	84	70	72	64	76	72	63	72	82
Walla Walla.....	185	10	13	16	11	21	11	18	17	22	14	13	19
WEST VIRGINIA. ¹													
Wheeling.....	687	68	56	72	68	68	75	36	50	41	52	43	58
WISCONSIN.													
Registration cities.....	10,202	934	873	1,058	963	959	800	710	756	720	769	821	839
Appleton.....	248	20	29	19	17	28	16	22	18	16	21	16	26
Ashland.....	160	14	13	18	21	16	8	14	11	8	16	13	8
Beloit.....	214	22	16	21	20	12	15	12	24	22	18	20	12
Eau Claire.....	300	23	27	27	32	32	30	25	29	26	19	15	15
Fond du Lac.....	274	19	19	27	26	31	25	19	20	24	16	17	31
Green Bay.....	484	38	28	46	48	42	57	41	42	29	33	42	38
Janesville.....	189	19	18	21	15	21	11	14	15	10	11	17	19
Kenosha.....	234	20	21	21	21	23	20	22	20	20	24	11	11
La Crosse.....	428	46	38	41	37	42	45	20	41	26	26	37	29
Madison.....	373	36	38	35	25	23	27	37	28	29	34	29	32
Manitowoc.....	189	23	14	11	16	13	18	10	17	16	16	15	20
Marinette.....	123	13	3	15	7	12	7	6	15	10	11	11	13
Milwaukee.....	4,959	456	433	534	483	446	359	346	339	336	380	418	429
Oshkosh.....	413	41	33	50	45	41	29	23	29	31	29	35	27
Racine.....	527	38	48	59	43	63	41	33	31	41	37	49	44
Sheboygan.....	368	33	35	36	33	36	35	20	32	29	17	26	36
Superior.....	480	45	39	46	50	59	34	28	32	31	45	34	37
Wausau.....	239	28	21	31	24	19	23	18	15	16	16	16	12

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY. 183

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914.

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.					Both parents un-known.	Foreign born.	Nativity un-known.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent un-known, the other—						
							Native.				Foreign born.		
SUMMARY.													
The registration area.....	898,059	824,319	605,349	327,696	149,378	47,271	27,890	6,540	46,574	207,272	11,698	70,429	3,311
Registration states ¹	819,880	763,365	564,173	310,318	135,600	43,855	26,270	6,073	42,057	188,462	10,730	53,333	3,182
Cities in registration states ¹	440,461	409,910	279,061	126,521	95,512	26,242	10,425	3,458	17,903	125,675	5,174	29,282	1,269
Rural part of registration states.....	379,419	353,455	285,112	184,797	40,088	17,613	15,845	2,615	24,154	62,787	5,556	24,051	1,913
Registration cities in other states.....	78,179	60,954	41,176	17,878	13,778	3,416	1,620	467	4,517	18,810	968	17,096	129
All registration cities ¹	518,640	470,864	320,237	142,899	109,290	29,658	12,045	3,925	22,420	144,485	6,142	46,378	1,398
REGISTRATION STATES.													
California.....	37,542	35,495	23,316	10,019	4,645	2,090	1,590	497	4,475	11,138	1,041	570	1,477
Colorado.....	10,166	9,880	7,482	3,510	1,272	523	524	180	1,198	2,083	335	256	30
Connecticut.....	18,220	17,800	12,297	4,306	4,633	967	637	126	1,028	5,259	244	415	5
Indiana.....	35,930	34,466	30,443	21,028	2,811	1,853	2,271	268	2,712	3,689	334	1,457	7
Kansas.....	17,497	16,380	13,464	8,363	1,008	741	1,101	174	2,077	2,465	451	1,095	22
Kentucky.....	30,360	24,668	23,017	18,617	852	417	1,337	93	1,701	1,268	383	5,692
Maine.....	11,925	11,878	9,992	7,103	1,052	391	304	27	610	1,776	110	30	17
Maryland.....	21,314	15,759	13,138	8,563	1,815	727	580	149	1,201	2,422	199	5,547	3
Massachusetts.....	52,554	51,901	34,818	14,932	12,384	3,574	1,674	497	1,737	16,735	348	897	56
Michigan.....	39,751	39,178	27,363	13,541	6,815	3,206	1,338	413	2,000	11,163	652	392	181
Minnesota.....	23,483	23,079	13,471	5,308	4,786	2,018	448	213	698	9,186	422	151	253
Missouri.....	41,356	37,634	31,302	20,255	3,665	1,600	2,238	308	3,236	5,465	887	3,705	17
Montana.....	4,846	4,582	2,967	1,365	707	306	139	58	332	1,847	263	38	226
New Hampshire.....	7,166	7,155	5,534	2,817	973	449	361	52	832	1,403	213	11
New Jersey.....	39,901	37,867	26,553	13,432	9,221	1,918	640	370	1,072	10,927	387	2,027	7
New York.....	145,708	141,989	93,891	42,141	35,448	9,025	2,606	778	3,893	47,084	1,014	3,549	170
North Carolina ²	8,966	4,765	4,607	3,891	42	61	300	7	306	73	85	4,198	3
Ohio.....	65,132	62,524	49,518	29,734	9,461	3,187	2,630	542	3,964	12,023	983	2,601	7
Pennsylvania.....	114,332	110,100	85,593	47,726	23,541	6,212	2,894	919	4,211	23,532	1,015	4,695	37
Rhode Island.....	8,702	8,409	5,515	2,470	2,203	563	91	41	147	2,332	62	287	6
Utah.....	4,199	4,088	2,698	1,515	518	395	63	21	136	1,299	91	20	91
Vermont.....	5,430	5,425	4,403	2,694	585	393	284	44	403	955	67	4	1
Virginia.....	30,117	16,918	16,166	13,207	303	254	1,021	40	1,336	520	232	13,184	15
Washington.....	11,448	10,973	7,490	3,863	1,176	709	586	154	1,002	2,992	491	91	384
Wisconsin.....	27,181	26,964	16,375	6,980	5,352	2,102	541	243	1,157	10,199	390	61	156
REGISTRATION CITIES.													
ALABAMA.³													
Registration cities.....	5,009	2,216	1,935	1,329	140	72	89	11	294	216	65	2,791	2
Birmingham.....	2,907	1,323	1,162	842	91	37	55	6	131	116	45	1,584
Mobile.....	1,209	559	471	293	40	27	25	4	77	87	1	648	2
Montgomery.....	893	334	302	189	9	8	9	1	86	13	19	559
CALIFORNIA.													
Registration cities.....	21,723	20,493	13,018	5,413	2,993	1,236	881	300	2,195	6,934	541	414	816
Alameda.....	290	274	158	83	36	16	5	5	13	113	3	1	15
Bakersfield.....	284	259	188	72	18	15	12	5	66	53	13	11	14
Berkeley.....	435	425	314	169	54	39	15	4	33	109	2	2	8
Eureka.....	204	204	115	29	18	7	6	8	47	87	2
Fresno.....	431	379	287	140	56	20	26	6	39	89	3	5	47
Long Beach.....	425	420	329	164	22	16	43	7	77	82	9	1	4
Los Angeles.....	5,643	5,317	3,618	1,664	589	309	317	105	694	1,536	163	190	136
Oakland.....	2,121	2,002	1,271	530	321	163	85	19	153	703	28	59	60
Pasadena.....	457	448	356	173	40	22	40	11	70	80	12	5	4
Pomona.....	144	143	119	73	10	7	10	3	16	24	1
Redlands.....	115	115	95	56	10	5	11	13	19	1	3
Riverside.....	216	203	151	89	24	11	9	2	16	51	1	7
Sacramento.....	1,065	940	625	237	130	60	32	12	154	293	22	26	99
San Bernardino.....	347	338	220	74	47	13	21	8	57	105	13	5	4
San Diego.....	943	919	610	306	99	47	52	12	94	277	32	14	10
San Francisco.....	6,943	6,571	3,553	1,134	1,358	409	129	70	453	2,832	186	56	316
San Jose.....	459	436	292	129	68	21	28	8	38	140	4	5	18
Santa Barbara.....	259	248	176	115	15	16	8	2	20	65	7	3	3
Santa Cruz.....	186	179	131	62	15	3	14	4	28	48	1	6
Stockton.....	589	519	308	86	42	25	10	4	141	180	31	13	57
Vallejo.....	164	154	102	28	21	7	8	5	33	48	4	6	4
COLORADO.													
Registration cities.....	4,424	4,211	3,096	1,409	574	242	254	62	555	953	162	200	13
Colorado Springs.....	467	435	367	220	58	27	22	6	34	60	8	31	1
Denver.....	3,247	3,104	2,210	907	405	180	208	50	460	767	127	133	10
Pueblo.....	538	505	202	91	390	26	13	5	53	93	22	32	1
Trinidad.....	172	167	129	80	20	9	11	1	8	33	5	4	1

¹ Includes District of Columbia.

² Includes only municipalities having a population of 1,000 or over in 1910.

³ Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other —						
							Native.	Foreign born.					
REGISTRATION TITLES—Contd.													
CONNECTICUT.													
Registration cities.....	12,615	12,285	8,232	2,861	3,600	680	369	85	637	3,899	154	326	4
Ansonia.....	223	216	154	27	108	14	4	1	62	7
Bridgeport.....	1,729	1,682	1,136	249	572	115	28	12	60	519	27	45	2
Bristol.....	161	161	120	58	40	8	2	41
Danbury town.....	363	361	262	125	67	19	18	3	93	6	2
Greenwich town.....	286	282	202	96	72	20	5	9	79	1	4
Hartford.....	1,872	1,815	1,178	383	439	90	74	18	174	608	29	55	2
Manchester town.....	132	131	76	25	33	7	2	9	55	1
Meriden town.....	573	566	332	123	154	28	10	2	228	6	7
Middletown town.....	535	521	350	151	125	21	10	7	163	8	14
Naugatuck.....	126	126	83	34	37	7	1	4	42	1
New Britain.....	620	619	408	83	274	33	8	3	207	4	1
New Haven.....	2,326	2,220	1,427	453	640	111	91	14	118	767	26	106	1
New London.....	354	344	250	124	70	21	10	2	83	11	10
Norwalk.....	378	365	275	150	69	23	18	1	14	84	6	13
Norwich town.....	473	447	275	123	104	25	12	3	20	155	5	26
Orange town.....	144	144	110	58	22	8	6	2	14
Stamford town.....	575	562	407	128	193	27	22	7	30	11	13
Torrington town.....	188	184	126	39	66	4	4	1	12	57	1	4
Wallingford town.....	151	150	109	34	48	14	5	1	7
Waterbury.....	1,174	1,158	767	229	415	64	21	6	32	385	8	16
Windham town.....	232	231	173	69	52	21	8	3	20	6	1
DELAWARE. ¹													
Wilmington.....	1,460	1,214	967	594	215	81	31	6	40	242	5	246
DISTRICT OF COLUMBIA.													
Washington.....	5,854	3,488	2,870	1,933	314	169	32	9	413	572	46	2,360	6
FLORIDA. ¹													
Registration cities.....	2,080	947	720	367	96	64	68	10	115	196	31	1,131	2
Jacksonville.....	1,304	520	435	244	37	19	47	6	82	68	17	783	1
Key West.....	339	237	130	35	51	37	2	3	97	10	101	1
Pensacola.....	437	190	155	88	8	8	19	2	30	31	4	247
GEORGIA. ¹													
Registration cities.....	5,744	2,632	2,410	1,531	71	51	176	8	573	192	30	3,111	1
Atlanta.....	2,956	1,572	1,478	1,133	55	30	166	8	86	73	21	1,384
Augusta.....	1,061	480	448	389	16	21	10	12	26	6	580	1
Savannah.....	1,727	580	484	9	475	93	3	1,147
ILLINOIS. ¹													
Registration cities.....	37,379	36,006	21,927	6,352	10,516	2,236	618	287	1,918	13,736	343	1,333	40
Aurora.....	466	457	314	148	101	29	7	4	25	139	4	9
Bellefonte.....	304	303	202	88	50	15	1	48	99	2	1
Chicago.....	33,959	32,755	19,549	5,271	10,078	2,108	497	268	1,327	12,923	283	1,164	40
Decatur.....	460	445	371	236	81	13	41	4	46	70	4	15
Evanston.....	304	290	193	98	46	21	15	2	11	92	5	14
Jacksonville.....	441	416	317	110	28	12	10	2	10	65	34	25
Quincy.....	543	519	346	114	47	2	1	182	170	3	24
Springfield.....	902	821	635	287	135	36	46	7	124	178	8	81
INDIANA.													
Registration cities.....	12,902	11,871	9,778	5,921	1,681	627	620	113	816	1,946	147	1,026	5
Anderson.....	313	306	278	199	17	10	28	1	23	26	2	7
East Chicago.....	360	359	263	26	214	13	4	5	89	7	1
Elkhart.....	269	267	230	152	17	14	13	3	31	34	3	2
Elwood.....	117	117	93	6	3	3	2	1	5
Evansville.....	979	832	682	383	108	50	43	9	89	140	10	147
Fort Wayne.....	841	824	625	378	111	63	32	1	40	194	5	17
Gary.....	340	329	237	60	140	16	7	8	6	87	5	11
Hammond.....	376	372	243	99	100	28	4	5	7	118	11	4
Huntington.....	138	138	118	70	17	9	7	1	14
Indianapolis.....	4,142	3,569	3,022	1,949	379	189	234	40	231	506	41	571	2
Jeffersonville.....	156	116	101	77	8	1	8	7	14	1	40
Kokomo.....	294	285	262	195	16	9	15	2	25	21	2	9
Lafayette.....	400	387	306	198	50	15	12	3	28	76	5	13
Laporte.....	146	143	103	58	29	9	2	1	4	37	3
Logansport.....	314	307	248	157	28	16	12	4	31	50	9	7

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY. 185

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other —				Both parents unknown.		
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
INDIANA—continued.													
Marion.....	312	295	280	199	7	7	26	5	36	13	2	17	
Michigan City.....	273	262	185	85	65	21	6	3	5	75	2	11	
Mishawaka.....	157	156	124	56	29	9	15	4	11	32		1	
Muncie.....	331	312	299	228	14	19	22	3	13	12	1	18	1
New Albany.....	288	255	213	133	32	13	10	5	20	40	2	33	
Peru.....	162	157	133	88	12	7	14		12	19	5	4	1
Richmond.....	295	271	237	163	31	14	8		21	34		24	
South Bend.....	717	710	520	235	159	41	23	1	61	186	4	6	1
Terre Haute.....	938	869	749	491	75	45	55	8	75	98	22	69	
Vincennes.....	244	233	210	149	17	6	18	4	16	20	3	11	
KANSAS.													
Registration cities.....	4,591	3,924	3,209	1,864	290	200	285	44	526	602	113	666	1
Atchison.....	196	156	115	71	13	3	6	2	20	39	2	40	
Coffeyville.....	194	164	153	109	7	5	14	1	17	10	1	30	
Fort Scott.....	180	157	144	90	4	10	13	1	26	11	2	23	
Hutchinson.....	213	200	182	124	6	7	16	2	27	14	4	13	
Independence.....	145	123	110	77	3	6	8	1	15	11	2	22	
Kansas City.....	1,234	979	759	425	112	50	55	9	108	205	15	255	
Lawrence.....	188	151	128	86	7	9	7	1	18	23		37	
Leavenworth.....	320	265	188	69	26	13	19	2	59	64	13	54	1
Parsons.....	190	165	142	84	7	11	16		24	20	3	25	
Pittsburg.....	234	234	184	118	18	17	14	1	16	43	7	17	
Topeka.....	820	714	562	300	56	37	48	19	102	104	48	106	
Wichita.....	660	616	542	311	31	32	69	5	94	58	16	44	
KENTUCKY.													
Registration cities.....	7,325	5,365	4,425	2,800	618	236	241	62	468	849	91	1,960	
Covington.....	837	724	567	333	110	50	30	14	30	142	15	113	
Frankfort.....	187	126	115	78	2	2	4	1	28	7	4	61	
Henderson.....	240	153	135	101	7	8	7	3	9	13	5	87	
Lexington.....	1,010	607	548	397	28	16	37	4	66	44	15	403	
Louisville.....	3,869	2,854	2,277	1,348	394	125	109	30	271	537	40	1,015	
Newport.....	365	355	264	154	63	25	10	4	8	89	2	10	
Owensboro.....	334	244	234	187	4	5	15	4	19	6	4	90	
Paducah.....	483	302	285	202	10	5	29	2	37	11	6	181	
LOUISIANA.¹													
New Orleans.....	7,417	4,397	3,335	2,012	907	263	22	14	117	1,049	13	3,011	9
MAINE.													
Registration cities.....	3,168	3,146	2,351	1,388	500	251	64	7	141	764	31	18	4
Auburn.....	230	230	195	156	19	14	3		3	35			
Augusta.....	290	288	232	151	22	31	3		25	54	2	2	
Bangor.....	579	573	427	266	79	33	12	2	35	134	12	4	2
Biddeford.....	277	276	193	79	72	34	3	1	4	82	1	1	
Lewiston.....	555	553	396	213	120	49	4	1	9	154	3	2	
Portland.....	1,033	1,022	753	433	161	64	35	2	58	256	13	9	2
Waterville.....	204	204	155	90	27	26	4	1	7	49			
MARYLAND.													
Registration cities.....	11,453	8,761	6,902	3,992	1,374	452	217	105	762	1,754	105	2,685	7
Baltimore.....	10,486	7,879	6,090	3,379	1,314	410	172	97	718	1,697	92	2,600	7
Cumberland.....	429	395	345	228	42	26	16	4	29	41	9	34	
Frederick.....	179	161	155	135	7	5	7	1	3	3	3	18	
Hagerstown.....	359	326	312	250	11	11	22	3	15	13	1	33	
MASSACHUSETTS.													
Registration cities.....	41,183	40,392	26,356	10,122	10,587	2,864	1,177	413	1,193	13,758	278	749	42
Adams town.....	179	179	121	24	72	15	6		4	57	1		
Arlington town.....	164	164	117	60	30	9	10	2	6	47			
Attleborough town.....	237	233	172	92	45	18	8	2	7	60	1	4	
Beverly.....	250	249	180	105	39	14	6	4	12	69		1	
Boston.....	11,831	11,426	6,893	2,403	2,977	768	321	146	278	4,407	126	369	36
Brockton.....	756	747	552	265	161	60	27	11	28	192	3	8	1
Brookline town.....	344	342	238	141	52	12	14	1	18	99	5	2	
Cambridge.....	1,452	1,364	833	306	385	81	24	13	24	526	5	88	
Chelsea.....	687	654	443	172	191	34	22	6	18	203	8	13	
Chicopee.....	405	405	291	64	171	38	8	3	7	114			

¹ Non registration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other —						
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
MASSACHUSETTS—continued.													
Clinton town.....	170	170	104	39	45	10	6	4	66	1	15		
Everett.....	398	383	262	120	73	37	15	5	12	120	4	5	
Fall River.....	2,167	2,162	1,380	282	855	192	27	16	8	778	4		
Fitchburg.....	486	486	317	108	131	34	17	7	20	164	5		
Framingham town.....	217	217	153	83	40	13	9	3	5	62	2		
Gardner town.....	235	234	172	56	80	14	4	2	16	61	1	1	
Gloucester.....	313	313	195	120	42	21	6	4	2	115	3		
Greenfield town.....	158	157	127	71	19	9	12	2	14	29	1	1	
Haverhill.....	685	673	498	264	115	46	39	6	28	171	4	1	
Holyoke.....	929	926	579	101	280	73	41	43	41	340	7	11	
Lawrence.....	1,314	1,310	789	161	495	97	13	8	15	512	9	4	
Leominster town.....	200	198	139	71	34	12	11		11	56	3	2	
Lowell.....	1,769	1,767	1,111	325	582	123	32	10	39	649	7	2	
Lynn.....	1,209	1,193	826	381	236	100	56	4	49	364	3	16	
Malden.....	605	594	401	188	113	52	24	7	17	192	1	10	
Marlborough.....	210	209	123	65	32	16	5	2	3	86	1	1	
Medford.....	301	291	204	129	33	18	10		14	86	1	9	
Melrose.....	194	192	148	92	23	21	6	3	3	44	2	2	
Methuen town.....	164	164	97	38	30	18	5	1	5	86	1		
Milford town.....	218	217	137	45	77	6	5		4	60	1		
New Bedford.....	1,756	1,688	1,150	316	595	143	29	21	46	528	10	67	
Newburyport.....	255	253	195	141	28	15	5	2	4	56	2	2	
Newton.....	458	453	321	184	86	32	14	6	8	130	2	5	
North Adams.....	325	321	229	102	58	30	13	5	21	90	2	4	
Northampton.....	362	358	247	129	64	26	15	1	12	108	3	4	
Peabody town.....	218	218	161	67	69	15	7	1	2	55	2		
Pittsfield.....	600	592	438	214	131	41	21	2	29	148	6	3	
Plymouth town.....	208	205	166	88	54	13	6		5	39	5	3	
Quincy.....	458	458	300	122	115	37	10	2	14	157	1	3	
Revere town.....	208	205	141	60	47	15	4	8	7	61	3	3	
Salem.....	622	617	437	176	159	55	16	10	21	178	2	5	
Somerville.....	992	991	657	328	181	58	28	7	25	330	4	1	
Southbridge town.....	143	143	94	31	42	13	5		3	49			
Springfield.....	1,525	1,485	1,040	453	362	83	52	12	78	439	6	39	
Taunton.....	802	795	529	253	177	47	29	5	18	258	8	7	
Wakefield town.....	109	109	72	38	19	7	4		4	37			
Waltham.....	366	363	253	122	67	32	13	1	23	104	1	3	
Watertown town.....	153	153	101	38	43	11	2		5	51	1		
Webster town.....	127	127	83	28	40	9	3		3	44			
Westfield town.....	292	291	220	77	75	23	13	4	28	65	6	1	
Weymouth town.....	191	190	156	101	21	17	10		7	34		1	
Winthrop town.....	115	114	79	36	20	13	4		6	35		1	
Woburn.....	188	182	107	56	31	10	4		6	75		6	
Worcester.....	2,483	2,462	1,573	591	645	137	81	13	106	872	17	21	
MICHIGAN.													
Registration cities.....	16,939	16,690	11,123	4,517	3,783	1,429	483	193	718	5,258	309	238	
Adrian.....	160	160	132	83	16	10	7	2	14	28			
Alpena.....	180	180	112	52	32	20	1	5	2	66			
Ann Arbor.....	370	356	278	143	58	24	19	8	26	75	3	14	
Battle Creek.....	436	426	367	246	40	24	30	2	25	51	8	9	
Bay City.....	561	558	347	141	87	80	14	7	18	207	4	3	
Detroit.....	8,400	8,241	5,300	1,663	2,351	701	195	100	290	2,757	184	158	
Escanaba.....	203	202	110	41	44	14	2		7	81	11	1	
Flint.....	480	475	339	221	60	42	29	10	27	86		5	
Grand Rapids.....	1,593	1,585	1,072	482	306	167	66	8	43	504	9	8	
Holland.....	115	115	72	33	22	12	2		3	43			
Ironwood.....	151	151	96	11	70	13	1	1		55			
Ishpeming.....	108	108	54	15	31	7			1	54			
Jackson.....	493	482	390	223	84	32	18	2	31	83	9	11	
Kalamazoo.....	772	761	566	320	109	48	17	1	71	171	24	11	
Lansing.....	359	350	282	174	35	21	24	3	25	62	6	9	
Manistee.....	144	143	74	27	33	11	1		2	69		1	
Marquette.....	171	170	86	33	34	11	2		5	82	2	1	
Menominee.....	131	130	70	22	32	7	3		3	58			
Muskegon.....	346	346	212	84	71	29	9	4	15	133	1	1	
Pontiac.....	330	326	233	138	49	30	5		10	89	4	4	
Port Huron.....	295	295	167	70	55	32		3	7	127	1		
Saginaw.....	704	699	440	184	98	62	22	24	50	243	10	5	
Sault Ste. Marie.....	171	171	101	23	42	22	2	5	7	61	9		
Traverse City.....	261	260	173	88	24	10	14	1	36	67	20	1	

DEATHS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY. 187

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other —				Both parents unknown.		
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
MINNESOTA.													
Registration cities.....	8,714	8,584	5,289	2,029	1,972	743	205	99	241	3,123	172	123	7
Duluth.....	1,047	1,038	554	168	231	97	13	11	34	458	26	6	3
Mankato.....	170	170	98	42	30	17	3		69	69	3		
Minneapolis.....	4,116	4,052	2,619	1,087	920	326	116	45	125	1,333	100	62	2
St. Cloud.....	158	158	103	46	36	13	4		4	51	4		
St. Paul.....	2,690	2,634	1,604	583	618	251	59	35	58	998	32	54	2
Stillwater.....	121	120	70	21	25	11	6	2	5	49	1	1	
Virginia.....	134	134	71	16	44	9		1	1	62	1		
Winona.....	278	278	170	66	68	19	4	5	1	103	5		
MISSOURI.													
Registration cities.....	18,342	16,109	11,877	6,132	2,669	949	758	179	1,190	3,854	378	2,219	14
Hannibal.....	257	206	165	115	8	8	17	1	16	30	11	51	
Jefferson City.....	170	141	114	75	7	9	8	1	14	19	8	28	1
Joplin.....	536	518	471	315	14	17	48	10	67	25	22	18	
Kansas City.....	3,939	3,305	2,663	1,629	333	183	210	33	275	527	115	631	3
Moberly.....	170	143	127	104	4	7	2	1	9	16		26	1
St. Joseph.....	1,133	1,051	809	447	83	46	68	8	157	172	70	82	
St. Louis.....	11,052	9,786	6,654	2,816	2,187	648	326	122	555	3,007	125	1,257	9
Sedalia.....	233	224	187	127	7	11	13	3	21	24	13	59	
Springfield.....	630	563	523	393	20	15	43		52	30	10	67	
Webb City.....	172	172	164	111	6	5	18		24	4	4		
MONTANA.													
Registration cities.....	1,688	1,644	945	388	297	107	29	15	109	610	89	19	25
Anaconda.....	125	119	62	18	28	7	2		7	56	1	5	1
Billings.....	140	138	104	57	15	10	4	3	15	26	8	28	2
Butte.....	726	711	347	117	139	52	9	5	25	341	23	7	8
Great Falls.....	347	332	195	79	67	18	5	2	24	100	37	5	10
Helena.....	162	161	116	55	26	10	2	3	20	35	10	1	
Missoula.....	188	183	121	62	22	10	7	2	18	52	10	1	4
NEBRASKA. ¹													
Registration cities.....	2,388	2,253	1,565	764	345	108	47	18	283	635	58	126	4
Lincoln.....	551	536	420	212	84	20	21	5	78	104	12	15	
Omaha.....	1,837	1,722	1,145	552	261	88	26	13	205	531	46	111	4
NEW HAMPSHIRE.													
Registration cities.....	3,050	3,042	2,155	850	682	250	98	29	246	830	57	8	
Berlin.....	190	189	123	18	73	22	2	3	5	61	5	1	
Concord.....	456	455	344	197	43	26	27	1	50	103	8	1	
Dover.....	255	254	174	88	37	11	5	1	32	73	7	1	
Keene.....	155	155	119	72	9	13	9		16	30	6		
Laconia.....	181	181	141	65	15	15	13	2	31	31	9		
Manchester.....	1,250	1,249	859	227	397	126	24	10	75	379	11	1	
Nashua.....	368	367	254	107	79	30	7	10	21	105	8	1	
Portsmouth.....	195	192	141	76	29	7	11	2	16	48	3	3	
NEW JERSEY.													
Registration cities.....	25,959	24,587	16,440	7,009	6,949	1,285	344	182	671	7,874	273	1,367	5
Asbury Park.....	177	127	100	69	13	9	4		5	26	1	50	
Atlantic City.....	829	847	518	339	105	47	5	2	20	126	3	182	
Bayonne.....	807	793	502	148	282	53	3		16	287	4	13	1
Bloomfield.....	182	175	127	78	31	7	4	2	5	48		7	
Bridgeton.....	242	226	203	166	15	5	10	2	5	20	3	16	
Camden.....	1,759	1,576	1,250	742	287	93	57	11	60	305	21	183	
East Orange.....	361	340	257	172	58	17	3	1	6	82	1	21	
Elizabeth.....	1,185	1,139	735	285	347	61	10	7	25	396	8	46	
Garfield.....	151	150	97	6	82	4		5		53		1	
Hackensack.....	254	232	154	87	50	12	2	2	1	75	3	22	
Harrison.....	167	165	97	27	57	7	2	1	3	67	1	2	
Hoboken.....	1,165	1,163	646	177	391	49	6	4	19	504	13	2	
Irvington.....	187	184	124	68	35	10	5		6	60		3	
Jersey City.....	4,042	3,928	2,454	861	1,197	230	35	38	93	1,389	85	114	
Kearny.....	257	255	178	51	56	21	2	2	46	73	4	2	
Long Branch.....	311	266	207	133	48	11	6	1	8	56	3	45	
Millville.....	159	158	150	119	15	6	5		5	8		1	
Montclair.....	348	305	249	140	60	23	7	4	15	49	7	43	
Morristown.....	266	240	189	108	57	8	6		10	48	3	25	1
New Brunswick.....	498	481	341	150	145	15	11	4	16	134	6	17	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other —						
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
NEW JERSEY—continued.													
Newark.....	5,650	5,330	3,471	1,341	1,601	248	70	41	170	1,812	47	318	2
Orange.....	507	436	293	141	112	24	6	2	8	142	1	71	
Passaic.....	871	855	547	91	406	28	4	10	8	304	4	16	
Paterson.....	1,810	1,776	1,066	414	424	113	17	15	23	754	16	34	
Perth Amboy.....	571	568	393	68	287	24	3	4	7	169	6	3	
Phillipsburg.....	186	185	146	92	40	4	4	2	4	36	3	1	
Plainfield.....	292	254	197	125	50	11	4	1	6	54	3	38	
Trenton.....	1,938	1,848	1,364	672	472	89	47	15	69	459	25	89	1
Union.....	180	179	98	28	49	17	2	2	81	1
West Hoboken.....	333	333	172	53	92	15	3	2	2	159	2
West New York.....	195	194	124	36	67	17	1	2	1	70	1
West Orange.....	79	79	51	22	18	7	2	2	28
NEW YORK.													
Registration cities.....	109,356	106,198	65,511	24,082	30,995	6,908	1,192	524	1,810	40,048	639	3,051	107
Albany.....	1,993	1,955	1,428	680	462	145	47	21	73	510	17	38
Amsterdam.....	495	491	337	121	169	28	10	1	8	148	6	4
Auburn.....	553	543	406	210	137	40	5	1	13	136	1	9	1
Batavia.....	223	223	165	94	49	9	5	8	55	3
Binghamton.....	1,017	1,005	826	455	206	48	37	2	78	167	12	12
Buffalo.....	7,045	6,985	4,477	1,581	2,019	630	123	57	67	2,461	47	53	7
Cohoes.....	394	393	264	88	121	40	3	5	7	127	2	1
Corning.....	203	203	176	94	40	12	13	1	16	26	1
Cortland.....	218	218	180	126	27	4	6	1	16	35	3
Dunkirk.....	238	238	151	49	70	21	1	3	7	84	3
Elmira.....	577	563	451	294	82	35	20	3	17	108	4	14
Fulton.....	179	179	148	90	35	11	6	1	5	30	1
Geneva.....	235	228	184	121	47	8	4	1	3	42	2	7
Glens Falls.....	288	288	236	146	56	14	7	3	10	47	5
Gloversville.....	331	331	279	146	49	16	29	5	34	49	3
Hornell.....	221	220	196	119	36	15	12	2	12	20	4	1
Hudson.....	230	219	166	87	44	10	6	2	17	48	5	11
Ithaca.....	243	235	199	138	22	7	14	3	15	32	4	8
Jamestown.....	428	424	273	141	77	29	15	2	9	150	1	3	1
Johnstown.....	133	132	109	63	23	5	5	13	21	2	1
Kingston.....	488	469	351	230	79	26	6	3	7	116	2	17	2
Lackawanna.....	321	317	270	63	134	19	24	4	26	39	8	4
Little Falls.....	232	231	167	72	78	8	4	5	62	2	1
Lockport.....	286	283	186	87	39	27	13	6	14	88	9	3
Middletown.....	387	381	297	197	47	21	9	6	17	80	4	6
Mount Vernon.....	387	360	221	100	88	30	1	2	139	27
New Rochelle.....	359	325	211	87	83	33	4	3	1	109	5	34
New York.....	75,020	72,382	41,714	13,175	22,643	4,443	391	262	800	30,335	333	2,546	92
Bronx Borough.....	7,136	7,043	3,918	1,164	2,197	477	26	16	38	3,115	10	91	2
Brooklyn Borough.....	25,259	24,606	14,887	5,202	7,734	1,669	67	57	158	9,626	93	637	16
Manhattan Borough.....	36,201	34,450	19,049	5,265	11,001	1,780	264	176	563	15,189	212	1,680	71
Queens Borough.....	4,903	4,795	2,965	1,143	1,347	413	24	9	29	1,820	10	1,055	3
Richmond Borough.....	1,521	1,488	895	401	364	104	10	4	12	585	8	33
Newburgh.....	516	501	369	235	88	23	7	4	12	128	4	15
Niagara Falls.....	564	558	353	94	193	50	4	2	10	194	11	6
North Tonawanda.....	159	159	101	21	54	23	1	1	1	56	2
Ogdensburg.....	439	436	293	127	68	62	7	4	25	132	11	2	1
Olean.....	252	247	180	96	35	6	23	4	16	62	5	4	1
Ossining.....	188	176	131	69	25	8	7	1	21	41	4	12
Oswego.....	432	432	281	125	76	40	13	11	16	146	5
Peekskill.....	255	247	200	121	49	11	8	3	8	47	8
Plattsburg.....	195	193	150	91	27	10	4	5	13	39	4	2
Port Chester.....	193	184	120	36	68	11	1	4	63	1	9
Poughkeepsie.....	519	504	393	221	89	24	25	11	23	103	8	15
Rensselaer.....	169	169	126	76	23	14	8	1	4	41	2
Rochester.....	3,514	3,483	2,318	936	949	260	52	17	104	1,139	26	31
Rome.....	527	517	367	171	118	32	11	6	29	138	12	9	1
Saratoga Springs.....	261	247	182	103	33	18	9	5	14	61	4	14
Schenectady.....	1,040	1,033	764	350	296	66	17	4	31	257	12	7
Syracuse.....	2,208	2,183	1,626	810	489	162	84	21	60	545	12	24	1
Troy.....	1,591	1,572	1,064	458	395	102	36	8	65	503	5	19
Utica.....	1,548	1,536	1,061	467	438	88	27	9	32	461	14	12
Watertown.....	468	467	338	218	54	48	12	2	4	127	2	1
Watervliet.....	231	230	173	82	62	20	3	6	57	1
White Plains.....	258	233	162	79	57	17	4	1	4	71	25
Yonkers.....	1,105	1,070	691	242	347	79	9	6	8	373	6	35

DEATHS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY. 189

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Native.							Foreign born.	Nativity un-known.			
		Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent un-known, the other —		Both parents un-known.					
						Native.	Foreign born.						
REGISTRATION CITIES—Contd.													
NORTH CAROLINA.													
Registration cities.....	3,926	1,870	1,773	1,408	24	35	140	5	161	44	53	2,054	2
Asheville.....	489	327	299	231	13	12	26	2	15	18	10	161	1
Charlotte.....	824	402	392	325	3	6	29	1	28	4	6	422
Durham.....	354	153	150	130	11	9	3	201
Greensboro.....	361	152	143	114	4	3	11	1	10	6	3	209
Raleigh.....	603	302	271	189	2	3	26	51	4	27	301
Wilmington.....	653	247	236	188	2	8	17	21	9	2	405	1
Winston-Salem.....	642	287	282	231	3	20	1	27	5	355
OHIO.													
Registration cities.....	33,447	31,679	22,902	11,625	6,720	1,886	911	285	1,475	8,274	503	1,763	5
Akron.....	1,086	1,073	826	464	229	61	28	6	38	240	7	13
Alliance.....	199	194	144	92	21	2	12	5	12	47	3	5
Ashtabula.....	224	223	160	81	52	11	8	3	5	60	3	1
Bellaire.....	178	173	142	83	40	4	6	1	8	30	1	5
Cambridge.....	177	172	158	125	10	9	2	1	11	12	2	5
Canton.....	639	631	484	272	118	31	31	4	28	136	11	8
Chillicothe.....	233	205	177	121	28	7	13	1	7	26	2	28
Cincinnati.....	6,431	5,787	4,011	1,950	1,324	367	114	50	206	1,718	58	642	2
Cleveland.....	8,183	7,976	4,880	1,494	2,457	498	115	81	235	2,926	170	207
Columbus.....	3,022	2,704	2,204	1,317	319	139	124	22	283	451	49	316	2
Dayton.....	1,704	1,589	1,278	803	238	83	75	10	69	296	15	115
East Liverpool.....	345	339	286	207	31	19	12	2	15	50	3	5	1
Elyria.....	200	197	131	67	36	17	4	7	60	6	3
Findley.....	209	205	186	152	10	7	8	2	7	19	2	4
Hamilton.....	402	385	307	194	58	23	11	5	16	77	1	17
Ironton.....	222	213	196	137	23	8	15	1	12	17	9
Lakewood.....	258	237	187	80	84	16	5	1	1	70	1
Lancaster.....	188	183	171	134	9	8	8	1	11	12	5
Lima.....	448	429	378	277	40	20	20	3	18	46	5	19
Lorain.....	335	330	224	68	121	25	6	1	3	104	2	5
Mansfield.....	293	291	233	171	44	8	6	1	8	52	1	2
Marietta.....	216	214	184	109	21	9	15	3	27	29	1	2
Marion.....	276	273	232	171	19	14	19	1	8	39	2	3
Massillon.....	165	163	117	48	35	10	9	5	10	45	1	2
Middletown.....	195	190	168	132	22	2	7	1	4	19	3	5
Newark.....	364	357	313	213	34	15	19	5	27	39	5	7
Norwood.....	176	175	136	90	25	16	3	2	39	1
Piqua.....	179	172	141	101	8	8	10	14	31	7
Portsmouth.....	401	375	347	243	27	11	32	4	30	25	3	26
Sandusky.....	288	282	179	69	63	28	7	12	98	5	6
Springfield.....	673	550	461	313	55	22	22	3	46	82	16	114
Steubenville.....	455	434	325	162	110	16	17	3	17	105	4	21
Tiffin.....	207	207	160	99	27	17	5	2	10	46	1
Toledo.....	2,849	2,773	1,925	909	507	230	68	29	182	753	95	76
Warren.....	176	175	143	93	13	17	9	3	8	29	3	1
Youngstown.....	1,380	1,333	914	327	414	82	20	19	52	396	23	47
Zanesville.....	471	441	389	257	48	26	26	6	26	50	2	30
OREGON. ¹													
Portland.....	2,363	2,281	1,548	818	321	133	46	14	216	662	71	17	65
PENNSYLVANIA.													
Registration cities.....	60,578	56,871	41,403	20,434	13,336	3,660	1,289	492	2,192	14,960	508	3,673	34
Allentown.....	907	905	776	570	148	22	23	3	10	125	4
Altoona.....	811	793	702	512	126	32	10	3	19	89	2	18
Beaver Falls.....	188	183	138	85	35	7	3	1	7	42	3	5
Bethlehem.....	165	164	150	129	4	7	3	1	6	13	1	1
Braddock.....	366	354	250	78	146	14	7	1	4	98	6	12
Bradford.....	224	223	170	95	34	13	11	2	15	46	7	1
Butler.....	294	292	226	137	62	17	2	3	5	63	3	2
Carbondale.....	292	292	207	93	78	24	8	3	1	84
Carlisle.....	153	122	110	91	1	3	4	4	7	7	5	30	1
Carnegie.....	115	106	85	32	41	10	1	1	21	9
Chambersburg.....	213	189	179	139	12	2	13	3	10	9	1	24
Chester.....	693	566	431	216	140	35	17	6	17	133	2	127
Costesville.....	131	118	114	72	30	5	3	1	3	4	13
Columbia.....	160	151	133	98	14	11	3	1	6	18	9
Connellsville.....	185	169	134	100	20	4	5	1	4	33	2	16

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other —						
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
PENNSYLVANIA—continued.													
Dubois.....	145	144	101	56	33	9	1	1	1	43	5	1	
Dunmore.....	333	333	248	82	90	15	2	4	68	80	1	4	
Duquesne.....	213	209	158	24	116	11	2	3	2	50	7	8	
Easton.....	508	500	407	291	63	24	13	5	11	86	7	8	
Erie.....	1,057	1,048	755	308	273	74	20	6	74	284	9	9	
Farrell.....	156	151	103	11	85	5	1	1	1	48	5	5	
Greensburg.....	231	227	185	95	30	11	11	1	17	62	4	4	
Harrisburg.....	987	874	789	618	75	38	29	2	29	83	2	93	
Hazleton.....	424	424	305	112	133	48	3	4	5	119	4	4	
Homestead.....	259	241	184	43	126	11	1	1	3	54	3	18	
Johnstown.....	949	937	679	325	278	51	13	3	9	256	2	12	
Lancaster.....	703	685	602	431	41	37	22	3	18	82	1	18	
Lebanon.....	318	317	291	246	21	4	12	1	7	24	2	1	
McKees Rocks.....	185	183	148	39	95	10	2	2	2	31	4	2	
McKeesport.....	640	611	428	157	200	44	9	4	14	180	3	29	
Mahanoy City.....	187	187	130	47	69	10	1	2	1	57	1	3	
Meadville.....	198	195	157	109	20	7	10	7	4	37	1	3	
Monessen.....	184	179	145	18	118	7	1	1	1	34	1	5	
Mount Carmel.....	212	212	160	44	80	29	3	1	3	52	2	2	
Nanticoke.....	321	321	200	41	122	27	2	1	2	119	2	2	
New Castle.....	464	455	372	174	126	33	15	1	23	78	5	9	
Norristown.....	643	601	437	266	95	30	13	6	27	152	12	42	
North Braddock.....	135	130	101	35	45	16	5	2	2	27	2	5	
Oil City.....	248	240	195	102	47	25	6	3	12	41	4	8	
Old Forge.....	199	199	135	14	99	14	1	8	3	63	1	1	
Philadelphia.....	26,739	24,454	16,976	7,694	5,523	1,596	608	217	1,338	7,244	234	2,261	
Phoenixville.....	183	179	142	65	59	10	6	2	2	37	4	4	
Pittsburgh.....	8,857	8,264	5,596	2,276	2,221	654	162	98	185	2,567	101	585	
Pittston.....	347	345	226	78	119	25	3	2	1	116	3	2	
Plymouth.....	209	209	148	41	81	21	2	2	1	61	1	1	
Pottstown.....	224	217	206	165	16	8	9	1	8	11	1	7	
Pottsville.....	363	357	266	149	68	32	11	4	2	87	4	6	
Reading.....	1,453	1,439	1,284	1,027	175	37	23	7	15	151	4	14	
Scranton.....	2,231	2,223	1,469	538	692	169	22	10	38	745	9	8	
Shamokin.....	239	237	191	128	40	15	1	3	4	46	1	2	
Sharon.....	207	204	149	72	51	13	6	1	6	55	3	3	
Shenandoah.....	460	460	336	66	223	33	2	7	5	121	3	3	
South Bethlehem.....	236	285	211	53	127	9	3	4	15	74	1	1	
Steelton.....	170	145	116	50	51	6	1	4	4	29	1	25	
Sunbury.....	165	165	159	141	5	3	6	4	4	5	1	1	
Uniontown.....	276	245	184	120	30	17	8	1	8	56	5	31	
Warren.....	161	161	113	58	28	10	4	2	11	42	6	6	
Washington.....	303	271	228	170	23	11	10	1	14	42	1	32	
West Chester.....	283	212	177	134	14	12	10	1	6	32	3	71	
Wilkes-Barre.....	1,131	1,119	750	319	299	88	19	9	16	351	18	12	
Wilkesburg.....	298	284	222	137	29	28	10	8	10	60	2	14	
Williamsport.....	541	526	450	300	50	42	24	5	29	71	5	14	
York.....	676	640	604	490	41	25	22	4	22	30	6	36	
RHODE ISLAND.													
Registration cities.....	7,179	6,910	4,399	1,815	1,891	481	75	40	97	2,461	50	264	
Central Falls.....	297	297	179	38	99	32	3	4	3	117	1	1	
Cranston.....	249	249	190	105	55	16	8	4	2	58	1	1	
State institutions.....	389	369	165	65	57	12	10	2	19	196	8	20	
Cumberland town.....	119	119	74	28	35	11	1	1	1	45	1	1	
East Providence town.....	203	194	134	82	34	13	2	1	3	59	1	9	
Newport.....	349	304	207	109	65	16	1	2	14	93	4	44	
Fawtucket.....	779	775	453	193	183	68	3	1	5	320	2	2	
Providence.....	3,723	3,540	2,314	975	1,015	218	46	24	36	1,199	27	181	
Warwick town.....	257	249	165	90	55	13	1	1	6	81	3	8	
West Warwick town.....	239	239	153	45	75	31	1	1	1	86	1	1	
Woonsocket.....	575	575	365	85	218	51	1	3	8	207	3	3	
SOUTH CAROLINA. ¹													
Charleston.....	1,673	498	401	207	43	16	15	7	113	60	37	1,175	
TENNESSEE. ¹													
Registration cities.....	7,222	3,655	3,239	2,220	120	77	322	35	465	265	151	3,567	
Chattanooga.....	1,051	562	523	374	21	15	45	2	66	22	17	489	
Jackson.....	328	170	163	144	2	2	9	2	6	4	3	158	
Knoxville.....	754	523	488	345	10	8	60	1	64	17	18	231	
Memphis.....	2,970	1,275	1,038	600	53	21	115	23	226	142	95	1,695	
Nashville.....	2,119	1,125	1,027	757	34	33	93	7	103	80	18	994	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY. 191

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other —						
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
TEXAS. ¹													
Registration cities.....	4,757	4,191	2,636	939	878	274	157	43	345	1,396	159	560	6
El Paso.....	1,507	1,455	817	211	376	42	43	13	132	564	74	48	4
Galveston.....	784	536	314	117	87	33	22	8	47	179	43	247	1
San Antonio.....	2,466	2,200	1,505	611	415	199	92	22	166	653	42	265	1
UTAH.													
Registration cities.....	1,476	1,440	950	469	210	149	31	6	85	451	39	15	21
Ogden.....	343	322	223	116	55	26	10	1	15	89	10	10	11
Salt Lake City.....	1,133	1,118	727	353	155	123	21	5	70	362	29	5	10
VERMONT.													
Registration cities.....	826	825	613	325	129	68	32	8	51	209	3	1
Barre.....	135	135	90	42	29	11	1	7	45
Burlington.....	433	433	328	180	54	40	23	3	28	102	3
Rutland.....	258	257	195	103	46	17	8	5	16	62	1
VIRGINIA.													
Registration cities.....	7,908	3,921	3,605	2,774	160	89	198	12	372	258	58	3,985	2
Alexandria.....	305	180	165	111	11	10	17	2	14	15	125
Danville.....	387	226	218	179	2	1	19	17	6	2	161
Lynchburg.....	599	324	320	279	5	7	16	1	12	2	2	275
Newport News.....	318	139	111	81	11	6	4	9	24	4	179
Norfolk.....	1,693	717	633	537	30	15	11	1	39	71	13	975	1
Petersburg.....	605	225	218	181	6	6	16	1	8	7	380
Portsmouth.....	500	230	211	164	11	3	15	1	17	18	1	269	1
Richmond.....	2,658	1,298	1,174	877	69	33	72	4	119	95	29	1,360
Roanoke.....	616	396	379	296	12	6	18	2	45	11	6	220
Staunton.....	227	186	176	69	3	2	10	92	9	1	41
WASHINGTON.													
Registration cities.....	5,633	5,438	3,544	1,723	658	353	263	30	467	1,657	237	70	125
Aberdeen.....	137	135	74	33	16	10	6	3	6	44	17	2
Bellingham.....	256	251	171	85	32	21	13	1	19	74	6	5
Everett.....	265	259	177	90	26	19	5	4	33	66	16	4	2
North Yakima.....	169	161	132	83	11	9	9	2	18	25	4	4	4
Seattle.....	2,537	2,418	1,483	673	303	150	117	37	203	819	116	26	93
Spokane.....	1,170	1,149	810	439	142	80	52	18	79	305	34	15	6
Tacoma.....	914	884	552	247	111	54	50	11	79	293	39	20	10
Walla Walla.....	185	181	145	73	17	10	11	4	30	31	5	1	3
WEST VIRGINIA. ¹													
Wheeling.....	687	659	493	245	126	41	29	14	38	161	5	28
WISCONSIN.													
Registration cities.....	10,202	10,166	6,295	2,238	2,506	893	237	109	312	3,733	138	28	8
Appleton.....	248	248	147	67	52	17	6	2	3	101
Ashland.....	160	156	72	28	29	7	1	5	73	11	4
Beloit.....	214	213	176	92	40	9	10	11	14	36	1	1
Eau Claire.....	300	300	174	76	49	23	8	3	15	114	12
Fond du Lac.....	274	274	179	82	47	28	9	4	9	90	5
Green Bay.....	484	481	343	136	67	39	61	10	30	131	7	3
Janesville.....	189	188	123	65	29	13	6	5	7	62	3	1
Kenosha.....	234	234	147	47	83	11	2	1	3	83	4
La Crosse.....	428	428	255	89	88	31	11	6	30	164	9
Madison.....	373	365	240	109	77	28	10	4	12	121	4	7	1
Manitowoc.....	189	188	97	41	39	12	1	4	89	2	1
Marinette.....	123	123	69	25	29	8	3	4	53	1
Milwaukee.....	4,959	4,948	3,117	970	1,405	497	87	40	118	1,795	36	10	1
Oshkosh.....	413	412	261	119	78	29	7	8	20	148	3	1
Racine.....	527	527	291	88	144	39	5	1	14	229	7
Sheboygan.....	368	367	200	65	93	29	2	5	6	167	1
Superior.....	480	475	249	75	116	42	5	4	7	195	31	4	1
Wausau.....	239	239	155	66	41	31	4	2	11	82	2

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
SUMMARY.													
1	The registration area (total).....	898,059	155,075	30,619	13,527	8,540	6,359	214,120	19,302	12,873	21,256	32,924	35,707
2	White.....	824,319	142,946	27,876	12,253	7,803	5,838	196,721	17,707	11,452	18,112	28,150	30,797
3	Colored.....	73,740	12,129	2,743	1,274	732	521	17,399	1,595	1,421	3,144	4,774	4,910
4	Registration states ¹ (total).....	819,880	141,912	27,770	12,195	7,733	5,740	195,350	17,554	11,777	19,077	28,891	31,314
5	White.....	763,365	132,054	25,530	11,241	7,149	5,336	181,310	16,287	10,630	16,665	25,494	27,837
6	Colored.....	56,515	9,858	2,240	954	584	404	14,040	1,267	1,147	2,412	3,397	3,477
7	Cities in registration states ¹ (total).....	440,461	78,976	15,554	6,594	4,341	3,215	108,680	9,753	5,901	9,872	16,205	18,561
8	White.....	409,910	73,926	14,407	6,144	4,029	3,015	101,521	9,139	5,398	8,751	14,382	16,484
9	Colored.....	30,551	5,050	1,147	450	312	200	7,159	614	503	1,121	1,823	2,077
10	Rural part of registration states (total).....	379,419	62,936	12,216	5,601	3,392	2,525	86,670	7,801	5,876	9,205	12,686	12,753
11	White.....	353,455	58,128	11,123	5,097	3,120	2,321	79,789	7,148	5,232	7,914	11,112	11,353
12	Colored.....	25,964	4,808	1,093	504	272	204	6,881	653	644	1,291	1,574	1,400
13	Registration cities in other states.....	78,179	13,163	2,849	1,332	807	619	18,770	1,748	1,096	2,179	4,033	4,393
14	White.....	60,954	10,892	2,346	1,012	659	502	15,411	1,420	822	1,447	2,656	2,960
15	Colored.....	17,225	2,271	503	320	148	117	3,359	328	274	732	1,377	1,433
16	All registration cities ¹ (total).....	518,640	92,139	18,403	7,926	5,148	3,834	127,450	11,501	6,997	12,051	20,238	22,954
17	White.....	470,864	84,818	16,753	7,156	4,688	3,517	116,932	10,559	6,220	10,198	17,038	19,444
18	Colored.....	47,776	7,321	1,650	770	460	317	10,518	942	777	1,853	3,200	3,510
REGISTRATION STATES.													
19	California (total).....	37,542	3,956	771	421	260	184	5,592	641	435	716	1,417	1,818
20	White.....	35,495	3,611	718	403	247	173	5,152	607	412	666	1,331	1,680
21	Colored.....	2,047	345	53	18	13	11	440	34	23	50	86	138
22	Colorado (total).....	10,166	1,521	350	144	101	91	2,207	229	203	279	492	628
23	White.....	9,880	1,492	347	141	98	89	2,167	227	201	269	479	602
24	Colored.....	286	29	3	3	3	2	40	2	2	10	13	26
25	Connecticut (total).....	18,220	3,478	621	241	169	146	4,655	340	200	328	517	607
26	White.....	17,800	3,403	605	235	166	146	4,555	333	193	309	503	587
27	Colored.....	420	75	16	6	3	100	100	7	7	19	14	20
28	Indiana (total).....	35,930	5,430	1,162	533	272	188	7,585	741	533	875	1,277	1,288
29	White.....	34,466	5,235	1,124	511	260	182	7,312	713	499	813	1,191	1,195
30	Colored.....	1,464	195	38	22	12	6	273	28	34	62	86	93
31	Kansas (total).....	17,497	2,652	590	252	169	110	3,773	350	286	408	579	560
32	White.....	16,380	2,511	560	235	161	108	3,570	322	267	366	510	481
33	Colored.....	1,117	141	30	17	8	7	203	28	19	42	69	79
34	Kentucky (total).....	30,360	5,311	1,436	650	370	281	8,048	744	589	1,067	1,554	1,451
35	White.....	24,668	4,574	1,238	563	318	245	6,938	619	452	758	1,176	1,054
36	Colored.....	5,692	737	198	87	52	36	1,110	125	137	309	378	397
37	Maine (total).....	11,925	1,680	256	136	73	57	2,202	206	138	225	315	306
38	White.....	11,878	1,680	255	135	73	56	2,199	206	138	224	312	303
39	Colored.....	47	1	1	1	1	1	3	1	1	1	3	3
40	Maryland (total).....	21,314	4,070	769	295	169	113	5,416	400	299	569	792	818
41	White.....	15,759	2,821	527	199	108	78	3,733	278	198	320	486	545
42	Colored.....	5,555	1,249	242	96	61	35	1,683	122	101	249	306	273
43	Massachusetts (total).....	52,854	9,802	1,686	655	427	350	12,920	1,004	592	1,022	1,473	1,702
44	White.....	51,901	9,666	1,653	639	418	350	12,726	990	574	988	1,425	1,634
45	Colored.....	953	136	33	16	9	10	194	14	18	34	48	68
46	Michigan (total).....	39,751	7,350	1,153	574	345	235	9,657	816	595	869	1,339	1,414
47	White.....	39,178	7,276	1,129	565	342	232	9,544	809	579	844	1,315	1,378
48	Colored.....	573	74	24	9	3	3	113	7	16	25	24	36
49	Minnesota (total).....	23,483	3,872	630	370	233	188	5,293	610	436	650	1,066	983
50	White.....	23,079	3,822	605	360	227	183	5,197	594	476	629	1,044	965
51	Colored.....	404	50	25	10	6	5	96	16	10	21	22	18
52	Missouri (total).....	41,356	6,352	1,599	770	426	358	9,505	990	675	1,116	1,708	1,742
53	White.....	37,634	5,918	1,503	708	399	325	8,853	918	597	980	1,451	1,464
54	Colored.....	3,722	434	96	62	27	33	652	72	78	156	257	278
55	Montana (total).....	4,846	834	133	89	42	33	1,131	128	84	140	217	281
56	White.....	4,582	790	120	76	37	31	1,054	118	75	128	210	267
57	Colored.....	264	44	13	13	5	2	77	10	9	12	7	14
58	New Hampshire (total).....	7,166	1,106	163	75	51	56	1,451	106	65	126	176	197
59	White.....	7,155	1,106	163	75	51	56	1,451	106	65	126	176	197
60	Colored.....	11	1	1	1	1	1	1	1	1	1	1	1
61	New Jersey (total).....	39,901	7,389	1,497	641	411	322	10,260	966	529	858	1,290	1,404
62	White.....	37,867	7,002	1,397	607	396	305	9,707	910	490	779	1,191	1,321
63	Colored.....	2,034	387	100	34	15	17	553	56	39	79	99	83
64	New York (total).....	145,708	23,733	5,012	1,992	1,381	991	33,109	2,939	1,784	3,042	4,552	5,392
65	White.....	141,989	23,112	4,829	1,931	1,331	953	32,156	2,857	1,716	2,923	4,337	5,109
66	Colored.....	3,719	621	183	61	50	38	953	82	68	119	215	283
67	North Carolina ² (total).....	8,966	1,886	547	188	99	71	2,791	244	172	332	555	496
68	White.....	4,765	941	306	111	52	42	1,452	122	74	131	224	216
69	Colored.....	4,201	945	241	77	47	29	1,339	122	98	201	331	280

¹ Includes District of Columbia.

DEATHS, BY COLOR AND AGE OF DECEDENT.

193

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1914.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions of 10,000 inhabitants or over in 1910 are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
36,090	40,309	40,919	43,062	49,103	49,902	55,530	59,808	61,869	53,775	39,669	21,047	7,294	1,711	467	1,327	1
31,397	35,089	36,325	38,738	44,428	46,539	52,113	56,969	59,292	52,066	38,453	20,357	6,867	1,508	252	987	2
4,693	5,220	4,594	4,324	4,675	3,363	3,417	2,834	2,577	1,709	1,216	690	427	203	215	340	3
31,718	35,585	36,414	38,329	43,910	45,485	51,136	55,886	58,334	51,003	37,850	20,084	6,947	1,604	409	1,223	4
28,428	31,868	33,086	35,259	40,451	42,806	48,433	53,532	56,179	49,545	36,804	19,502	6,589	1,436	233	941	5
3,290	3,717	3,328	3,070	3,459	2,679	2,703	2,304	2,155	1,458	1,046	532	358	168	176	282	6
19,194	22,117	23,005	24,227	27,036	26,269	27,969	27,838	26,707	21,461	14,814	7,475	2,451	579	130	217	7
17,106	19,677	20,503	22,186	24,896	24,708	26,473	26,753	25,789	20,895	14,480	7,313	2,372	521	84	179	8
2,088	2,440	2,202	2,041	2,140	1,561	1,496	1,085	913	566	334	162	79	58	46	38	9
12,524	13,468	13,409	14,102	16,874	19,216	23,167	23,048	31,627	29,542	23,036	12,609	4,496	1,025	279	1,006	10
11,322	12,191	12,283	13,073	15,555	18,098	21,960	26,829	30,330	28,650	22,324	12,189	4,217	915	149	762	11
1,202	1,277	1,126	1,029	1,319	1,118	1,207	1,219	1,237	892	712	420	279	110	130	244	12
4,372	4,724	4,505	4,733	5,193	4,417	4,394	3,917	3,535	2,772	1,819	963	347	107	58	104	13
2,969	3,221	3,239	3,479	3,977	3,733	3,680	3,387	3,113	2,521	1,649	855	278	72	19	46	14
1,403	1,508	1,266	1,254	1,216	684	714	530	422	251	170	108	69	35	39	58	15
23,566	26,841	27,510	28,960	32,229	30,686	32,363	31,755	30,242	24,233	16,633	8,438	2,798	686	188	321	16
20,075	22,898	24,042	25,665	28,873	28,441	30,153	30,140	28,902	23,416	16,129	8,168	2,650	593	103	225	17
3,491	3,943	3,468	3,295	3,356	2,245	2,210	1,615	1,340	817	504	270	148	93	85	96	18
1,959	2,091	2,157	2,132	2,449	2,368	2,652	2,742	2,833	2,462	1,829	860	298	60	15	16	19
1,794	1,972	2,000	2,027	2,292	2,224	2,457	2,630	2,765	2,431	1,802	848	290	60	10	15	20
165	119	157	105	157	144	165	112	68	31	27	12	8	8	5	1	21
590	589	562	571	600	574	591	561	556	407	292	170	46	12	5	2	22
562	555	537	544	577	562	579	553	546	403	289	169	44	9	3	2	23
28	34	25	27	23	12	12	8	10	3	3	1	2	3	2	2	24
611	731	823	929	964	1,009	1,147	1,254	1,330	1,182	820	494	181	45	10	43	25
591	702	799	908	933	991	1,122	1,232	1,303	1,166	813	488	179	44	8	2	26
20	29	24	21	31	18	25	22	27	16	7	6	2	1	2	41	27
1,315	1,350	1,364	1,439	1,763	2,055	2,307	2,693	2,980	2,731	2,117	1,066	337	68	19	27	28
1,208	1,242	1,275	1,343	1,748	1,985	2,232	2,638	2,915	2,690	2,090	1,055	328	62	11	21	29
107	108	89	96	115	70	75	55	65	41	27	11	9	6	8	6	30
594	612	600	621	777	950	1,092	1,378	1,544	1,417	1,148	562	181	38	14	13	31
541	539	544	557	712	891	1,026	1,332	1,486	1,374	1,116	538	163	31	6	8	32
53	73	56	64	65	59	66	46	48	43	32	24	18	7	8	5	33
1,259	1,360	1,200	1,204	1,388	1,355	1,535	1,774	1,774	1,621	1,244	607	221	47	44	274	34
623	975	878	887	1,034	1,085	1,255	1,539	1,547	1,467	1,135	547	171	31	15	182	35
336	385	322	317	354	270	280	235	227	154	109	60	50	16	29	92	36
323	365	375	444	515	637	781	1,029	1,186	1,217	857	524	197	44	4	35	37
319	362	373	440	513	633	779	1,024	1,180	1,216	856	524	196	44	3	34	38
4	3	2	4	2	4	2	5	6	1	1	1	1	1	1	1	39
756	910	997	1,028	1,152	1,241	1,302	1,404	1,474	1,209	833	434	144	41	14	81	40
529	598	697	743	818	984	1,054	1,187	1,239	1,067	725	380	112	28	2	36	41
227	312	300	285	334	257	248	217	235	142	108	54	32	13	12	45	42
1,764	2,076	2,357	2,588	2,945	3,112	3,527	3,896	3,886	3,367	2,519	1,409	529	122	20	24	43
1,709	2,008	2,290	2,509	2,878	3,046	3,477	3,863	3,860	3,336	2,505	1,397	527	118	17	24	44
55	68	67	79	67	66	50	33	26	31	14	12	2	4	3	24	45
1,339	1,435	1,409	1,549	1,869	2,093	2,514	2,932	3,162	2,816	2,141	1,219	372	96	28	87	46
1,310	1,403	1,364	1,520	1,840	2,068	2,492	2,900	3,133	2,783	2,124	1,207	363	95	24	83	47
29	32	45	29	29	25	22	32	29	33	17	12	9	1	4	4	48
996	995	980	1,038	1,220	1,285	1,293	1,382	1,521	1,402	1,236	694	274	62	7	10	49
972	967	955	1,014	1,201	1,258	1,278	1,369	1,502	1,389	1,230	691	272	60	7	9	50
24	23	25	24	19	27	15	13	19	13	6	3	2	2	2	1	51
1,788	1,894	1,951	1,852	2,249	2,177	2,423	2,625	2,806	2,449	1,835	978	331	81	24	167	52
1,511	1,593	1,697	1,646	1,992	1,997	2,241	2,495	2,660	2,350	1,759	937	303	67	8	135	53
277	291	254	206	257	180	182	130	146	99	76	41	28	14	16	32	54
303	319	273	283	324	247	249	238	209	199	131	62	15	3	10	55	55
289	309	257	272	311	237	237	220	198	190	123	61	14	3	9	56	56
14	10	16	11	13	10	12	18	11	9	8	1	1	1	1	1	57
208	193	253	277	376	416	471	559	624	672	503	288	117	35	5	48	58
203	193	250	277	375	415	471	558	624	670	502	288	117	35	5	46	59
		3		1	1		1		2						2	60
1,575	1,851	1,874	2,095	2,347	2,248	2,528	2,611	2,626	2,153	1,557	774	274	60	11	10	61
1,449	1,699	1,769	1,967	2,220	2,146	2,441	2,512	2,543	2,106	1,523	758	265	54	8	9	62
126	152	105	128	127	102	87	99	83	47	34	16	9	6	3	1	63
5,789	6,954	7,512	7,896	8,828	8,931	9,751	9,944	10,038	8,487	6,114	3,208	1,066	243	37	92	64
5,503	6,650	7,242	7,697	8,602	8,743	9,611	9,839	9,929	8,409	6,069	3,184	1,057	232	35	89	65
286	304	270	199	226	188	140	105	105	78	45	24	9	11	2	3	66
404	482	378	359	439	370	456	437	369	261	215	89	38	23	8	48	67
180	240	212	185	236	206	296	292	254	196	142	57	20	8	2	22	68
224	242	166	174	203	164	160	145	115	65	32	18	15	15	8	26	69

² Includes only municipalities having a population of 1,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed sions (counties, exclusive of municipalities of

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION STATES—Contd.												
1 Ohio (total).....	65,132	10,130	1,712	786	534	374	13,536	1,318	909	1,388	2,269	2,380
2 White.....	62,524	9,798	1,649	759	507	364	13,077	1,279	858	1,298	2,113	2,199
3 Colored.....	2,608	332	63	27	27	10	459	39	51	90	156	181
4 Pennsylvania (total).....	114,832	25,146	4,775	2,014	1,345	928	34,208	2,757	1,654	2,509	3,704	4,086
5 White.....	110,100	24,261	4,575	1,930	1,304	894	32,904	2,657	1,559	2,340	3,482	3,790
6 Colored.....	4,732	885	200	84	41	34	1,244	100	95	169	222	296
7 Rhode Island (total).....	8,702	1,674	331	127	79	54	2,265	154	113	170	244	298
8 White.....	8,409	1,628	314	123	77	50	2,190	149	112	162	218	285
9 Colored.....	293	48	17	4	2	4	75	5	1	8	26	13
10 Utah (total).....	4,199	857	145	71	38	29	1,140	132	111	128	159	213
11 White.....	4,088	832	141	69	37	27	1,106	128	109	127	155	206
12 Colored.....	111	25	4	2	1	2	34	4	2	1	4	7
13 Vermont (total).....	5,430	729	108	55	35	30	957	81	83	94	126	150
14 White.....	5,425	729	108	55	35	30	957	81	83	94	126	150
15 Colored.....	5											
16 Virginia (total).....	30,117	5,898	1,226	549	336	220	8,229	682	546	1,067	1,470	1,296
17 White.....	16,918	3,280	649	290	172	116	4,507	356	261	440	605	602
18 Colored.....	13,199	2,618	577	259	164	104	3,722	326	285	627	865	694
19 Washington (total).....	11,448	1,540	256	145	94	99	2,134	254	171	318	471	589
20 White.....	10,973	1,461	236	127	84	93	2,001	239	157	298	450	549
21 Colored.....	475	79	20	18	10	6	133	15	14	20	21	40
22 Wisconsin (total).....	27,181	4,804	742	372	242	200	6,360	633	463	637	887	965
23 White.....	26,964	4,764	736	369	238	197	6,304	620	454	621	880	953
24 Colored.....	217	40	6	3	4	3	56	13	9	16	7	12
REGISTRATION CITIES.												
ALABAMA. ¹												
25 Registration cities (total).....	5,009	663	196	98	53	30	1,040	116	96	192	371	380
26 White.....	2,216	330	111	35	29	14	519	62	39	54	112	128
27 Colored.....	2,793	333	85	63	24	16	521	54	57	138	259	252
28 Birmingham (total).....	2,907	405	127	59	38	18	647	75	56	113	246	232
29 White.....	1,323	219	77	19	22	12	349	42	21	33	75	83
30 Colored.....	1,584	186	50	40	16	6	298	33	35	80	171	149
31 Mobile (total).....	1,209	160	33	22	6	5	226	21	18	46	69	89
32 White.....	559	79	18	13	4	2	116	13	9	11	24	31
33 Colored.....	650	81	15	9	2	3	110	8	9	35	45	58
34 Montgomery (total).....	893	98	36	17	9	7	167	20	22	33	56	59
35 White.....	334	32	16	3	3	3	54	7	9	10	13	14
36 Colored.....	559	66	20	14	6	4	113	13	13	23	43	45
CALIFORNIA.												
37 Registration cities (total).....	21,723	2,203	438	253	147	99	3,140	349	212	387	801	1,077
38 White.....	20,493	2,028	407	243	140	89	2,907	331	207	357	740	987
39 Colored.....	1,230	175	31	10	7	10	233	18	5	30	61	90
40 Alameda.....	290	23	6	2	3	2	34	3	3	7	8	13
41 Bakersfield (total).....	284	44	7	5	3	2	61	7	4	12	10	24
42 White.....	259	36	7	5	3	2	53	6	4	9	9	24
43 Colored.....	25	8					8	1		3	1	
44 Berkeley.....	435	59	10	9	2	2	82	7	5	5	13	16
45 Eureka.....	204	21	6	1	1	1	29	2	1	4	9	9
46 Fresno (total).....	431	67	19	9	7	2	104	15	5	6	18	23
47 White.....	379	60	16	8	7	1	92	14	5	5	13	18
48 Colored.....	52	7	3	1	1	1	12	1	1	1	5	5
49 Long Beach.....	425	30	5	4	2		41	5	2	7	8	13
50 Los Angeles (total).....	5,643	614	99	45	38	27	823	88	52	112	239	328
51 White.....	5,317	564	88	44	36	25	757	85	50	107	223	289
52 Colored.....	326	50	11	1	2	2	66	3	2	5	16	39
53 Oakland (total).....	2,121	227	60	38	15	11	351	39	22	34	87	77
54 White.....	2,002	214	56	37	14	10	331	35	22	29	80	72
55 Colored.....	119	13	4	1	1	1	20	4		5	7	5
56 Pasadena.....	457	32	5	1		1	39	3	4	7	18	16
57 Pomona.....	144	17	4	4	1	1	27	1	1	1	7	5
58 Redlands.....	118	18	1		1		20	2		2	3	4
59 Riverside (total).....	216	24	5	5		1	35	2	6	7	9	9
60 White.....	203	21	5	5		1	32	2	5	5	9	9
61 Colored.....	13	3					3		1	2		
62 Sacramento (total).....	1,065	126	19	7	7	4	163	11	12	25	39	53
63 White.....	940	105	15	6	7	2	135	10	11	20	33	44
64 Colored.....	125	21	4	1		2	28	1	1	5	6	9
65 San Bernardino.....	347	33	13	5	1		52	4	8	11	27	19
66 San Diego.....	943	88	12	8	4	2	114	11	10	18	33	52

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY COLOR AND AGE OF DECEDENT.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1914—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
2,375	2,645	2,741	2,909	3,358	3,601	4,231	4,932	5,433	4,762	3,503	1,967	695	131	23	21	1
2,225	2,441	2,568	2,746	3,178	3,464	4,103	4,803	5,293	4,676	3,447	1,922	671	124	18	21	2
150	204	173	163	180	137	128	129	140	86	56	45	24	7	10	4	3
4,124	4,726	4,784	5,060	5,608	5,916	6,708	7,433	7,470	6,419	4,485	2,245	715	158	34	29	4
3,836	4,390	4,436	4,715	5,317	5,703	6,476	7,254	7,331	6,313	4,423	2,212	699	151	27	25	5
288	336	348	345	291	213	232	179	139	106	62	33	16	7	7	4	6
306	384	381	423	504	493	633	607	622	495	334	208	56	15	1	6	7
292	360	362	410	488	470	616	594	608	487	326	205	55	14	1	5	8
14	24	19	13	16	13	17	13	14	8	8	3	1	1	1	1	9
190	199	159	170	197	184	203	214	216	243	200	90	40	7	3	1	10
181	192	152	160	190	180	201	209	215	240	198	90	40	7	1	1	11
9	7	7	10	7	4	2	5	1	3	2	2	2	7	2	1	12
149	168	170	215	240	300	351	466	560	563	410	220	95	23	4	5	13
149	168	170	215	239	300	349	466	559	562	410	220	95	23	4	5	14
				1		2		1	1						5	15
1,239	1,354	1,246	1,175	1,372	1,411	1,660	1,821	1,862	1,501	1,146	599	244	85	58	54	16
575	634	609	578	647	857	1,042	1,263	1,344	1,122	853	425	141	38	9	10	17
664	720	637	597	725	554	618	558	518	379	293	174	103	47	49	44	18
601	609	589	653	744	680	766	742	723	619	446	198	56	10	4	71	19
566	580	557	637	718	652	752	729	714	609	443	196	54	10	1	61	20
35	29	32	16	26	28	14	13	9	10	3	2	2	10	3	20	21
878	963	980	1,087	1,279	1,496	1,534	1,758	2,047	1,987	1,707	1,035	392	83	11	49	22
869	952	917	1,079	1,272	1,486	1,524	1,750	2,043	1,977	1,701	1,033	388	83	10	48	23
9	11	13	8	7	10	10	8	4	10	6	2	4		1	1	24
347	374	315	321	325	202	212	209	199	143	84	37	20	9	3	14	25
118	133	124	115	132	118	119	133	123	99	53	18	7	3	3	2	26
220	241	191	206	193	84	93	76	71	44	31	19	13	6	6	12	27
220	216	196	173	167	111	112	107	104	62	32	17	3	3	1	14	28
73	83	78	65	74	67	64	74	64	44	23	8	1	1	1	2	29
147	133	118	108	93	44	48	33	40	18	9	2	3	3	1	12	30
82	101	68	92	71	47	55	57	56	49	34	14	9	5			31
28	33	28	27	33	27	31	34	39	38	23	7	4	3			32
54	68	40	65	38	20	24	23	17	11	11	7	5	2			33
45	57	51	56	87	44	45	45	39	32	18	6	8	1	2		34
17	17	18	23	25	24	24	25	25	17	7	3	2	2			35
28	40	33	33	62	20	21	20	14	15	11	3	6	1	2		36
1,138	1,257	1,349	1,326	1,578	1,474	1,636	1,562	1,567	1,340	943	409	142	29	4	3	37
1,035	1,184	1,248	1,251	1,463	1,372	1,526	1,504	1,535	1,329	933	407	141	29	4	3	38
103	73	101	75	115	102	110	58	32	11	10	2	1	29	4	3	39
8	11	8	18	18	20	27	21	30	29	20	8	4				40
14	17	16	18	25	13	16	12	12	10	9	3	1				41
13	17	15	18	23	11	12	12	10	10	9	3	1				42
1		1	2	2	2	2	2	2	2	2	2	2				43
15	16	16	17	24	34	32	41	37	35	26	10	4				44
13	8	10	8	18	15	14	10	17	15	16	5	1				45
19	29	18	28	34	25	19	26	20	18	11	8	4	1			46
16	25	14	24	33	23	14	24	18	17	11	8	4	1			47
3	4	4	4	1	2	5	2	2	1	2	2	2				48
9	16	15	13	34	30	36	50	56	49	31	6	3	1			49
357	355	372	323	413	370	409	372	389	305	209	91	29	4	3		50
325	334	344	297	386	344	395	361	385	304	204	91	29	4	3		51
32	21	28	26	27	26	14	11	4	1	5						52
84	109	105	96	130	126	160	153	170	170	120	64	20	4			53
78	103	97	89	115	117	146	150	167	166	118	64	19	4			54
6	6	8	7	15	9	14	3	3	4	2		1				55
22	16	22	20	24	41	35	41	51	46	33	10	8	1			56
4	2	6	8	6	9	12	12	10	14	9	8	1	1			57
8	8	5	3	7	10	7	13	6	10	6	2	1	1			58
11	20	10	7	12	14	22	19	14	12	6	1					59
11	20	8	7	11	12	21	19	14	11	6	1					60
		2		1	2	1		1	1							61
73	58	66	68	72	82	84	76	62	46	43	24	4	3		1	62
55	53	56	62	65	79	77	67	54	45	42	24	4	3		1	63
18	5	10	6	7	3	7	9	8	8	1						64
37	18	23	18	16	19	28	17	15	16	15	3	1				65
47	47	43	54	63	71	82	67	73	75	52	20	8	3			66

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.													
CALIFORNIA—continued.													
1	San Francisco (total).....	6,943	630	146	95	52	38	961	124	64	98	222	341
2	White.....	6,571	586	141	91	50	36	904	119	63	95	202	326
3	Colored.....	372	44	5	4	2	2	57	5	1	3	20	15
4	San Jose.....	459	48	9	1	7	4	69	9	4	8	12	19
5	Santa Barbara.....	259	33	4	3	2	42	3	4	4	15	12
6	Santa Cruz.....	186	18	2	4	1	25	3	4	3	1	3
7	Stockton (total).....	589	37	5	4	3	1	50	6	1	10	11	37
8	White.....	519	26	4	4	3	1	38	6	1	10	10	28
9	Colored.....	70	11	1	12	1	9
10	Vallejo.....	164	14	1	3	18	4	6	12	4
COLORADO.													
11	Registration cities (total).....	4,424	509	95	48	31	27	710	72	63	100	217	293
12	White.....	4,211	492	92	45	28	25	682	70	61	93	205	274
13	Colored.....	213	17	3	3	3	2	28	2	2	7	12	19
14	Colorado Springs.....	467	48	5	4	1	2	60	3	6	11	36	39
15	Denver.....	3,247	327	64	28	19	16	454	46	49	70	156	211
16	Pueblo.....	538	85	14	11	6	8	124	20	8	15	19	33
17	Trinidad.....	172	49	12	5	5	1	72	3	4	6	10
CONNECTICUT.													
18	Registration cities (total).....	12,615	2,622	484	177	128	111	3,522	261	136	236	350	452
19	White.....	12,285	2,561	471	173	125	111	3,441	257	130	221	339	436
20	Colored.....	330	61	13	4	3	81	4	6	15	11	16
21	Ansonia.....	223	89	16	7	4	4	120	4	1	5	2	8
22	Bridgeport.....	1,729	408	93	36	22	19	578	43	17	29	55	53
23	Bristol.....	161	34	3	2	1	1	41	4	1	3	6	4
24	Danbury town.....	363	53	7	1	4	1	66	6	6	6	11	11
25	Greenwich town.....	286	47	11	7	3	68	6	7	3	8	8
26	Hartford.....	1,872	369	40	18	12	12	451	28	20	37	56	69
27	Manchester town.....	132	23	8	1	32	1	1	3	2	3
28	Meriden town.....	573	92	25	6	6	3	132	9	4	8	15	32
29	Middletown town.....	535	60	15	3	2	3	83	6	7	5	11	20
30	Naugatuck.....	126	28	7	1	1	2	39	6	2	2	3	1
31	New Britain.....	620	226	22	18	7	3	276	19	6	12	18	21
32	New Haven.....	2,326	410	106	31	23	21	591	48	24	44	61	92
33	New London.....	354	65	6	2	2	4	79	4	3	6	13	12
34	Norwalk.....	378	59	12	3	2	3	79	9	8	11	10	13
35	Norwich town.....	473	65	6	4	4	5	84	7	5	14	18	20
36	Orange town.....	144	23	3	2	28	3	1	3	5
37	Stamford town.....	575	119	40	6	13	8	186	15	5	12	9	16
38	Torrington town.....	188	52	11	2	5	5	75	7	5	2	4
39	Wallingford town.....	151	31	3	3	39	5	4	5	4	8
40	Waterbury.....	1,174	310	43	23	11	15	402	26	12	22	38	45
41	Windham town.....	232	59	7	2	4	1	73	5	2	4	5	7
DELAWARE. ¹													
42	Wilmington (total).....	1,460	314	62	31	14	14	435	23	11	38	52	62
43	White.....	1,214	261	54	23	12	13	363	21	8	18	42	54
44	Colored.....	246	53	8	8	2	1	72	2	3	20	10	8
DISTRICT OF COLUMBIA.													
45	Washington (total).....	5,854	712	100	50	32	32	926	89	62	144	242	250
46	White.....	3,488	343	43	25	11	16	438	49	31	52	104	105
47	Colored.....	2,366	369	57	25	21	16	488	40	31	92	138	145
FLORIDA. ¹													
48	Registration cities (total).....	2,080	326	66	27	10	12	441	33	19	62	139	161
49	White.....	947	145	31	11	6	5	198	15	8	11	43	37
50	Colored.....	1,133	181	35	16	4	7	243	18	11	51	91	124
51	Jacksonville (total).....	1,304	174	35	19	2	6	236	18	12	43	99	125
52	White.....	520	61	13	8	1	1	84	9	4	9	29	25
53	Colored.....	784	113	22	11	1	5	152	9	8	34	70	100
54	Key West (total).....	339	75	14	2	5	1	97	6	4	2	12	16
55	White.....	237	57	10	1	4	72	4	3	7	9
56	Colored.....	102	18	4	1	1	1	25	2	1	2	5	7
57	Pensacola (total).....	437	77	17	6	3	5	108	9	3	17	28	20
58	White.....	190	27	8	2	1	4	42	2	1	2	12	3
59	Colored.....	247	50	9	4	2	1	66	7	2	15	16	17

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY COLOR AND AGE OF DECEDENT.

197

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1914—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions of 10,000 inhabitants or over in 1910 are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.
80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
351	452	513	525	565	476	527	524	461	354	246	98	33	7	1	1
327	428	481	498	515	435	481	505	454	354	245	98	33	7	1	2
24	24	32	27	50	41	46	19	7	1	1	17	8	1	1	3
14	19	22	21	31	31	36	29	43	41	24	17	3	1	1	4
11	7	9	14	17	16	13	13	27	24	17	10	1	1	1	5
1	8	3	7	11	10	14	14	23	23	22	4	5	2	1	6
34	37	53	47	42	54	51	42	36	34	22	16	5	1	1	7
27	32	47	45	41	47	44	35	34	32	21	15	5	1	1	8
7	5	6	2	1	7	7	7	2	2	1	7	1	1	1	9
6	4	14	13	16	8	12	10	15	14	6	1	1	1	1	10
288	282	270	292	332	278	278	256	254	185	133	84	27	5	3	11
268	252	252	274	311	272	269	252	247	184	130	84	26	2	1	12
20	30	18	13	21	6	9	4	7	1	3	3	1	3	2	13
44	38	26	38	28	24	25	26	23	14	13	7	4	1	1	14
204	205	208	203	266	219	225	188	196	149	103	67	21	3	2	15
31	38	30	38	32	26	18	35	29	19	14	7	1	1	1	16
9	1	6	13	6	9	10	7	6	3	3	3	1	1	1	17
455	542	622	711	719	717	802	774	810	678	427	267	84	27	6	17
443	517	602	691	692	702	783	761	787	668	423	262	83	27	5	18
12	25	20	20	27	15	19	13	23	10	4	5	1	1	1	19
6	6	9	7	6	8	12	7	11	7	2	2	2	1	1	20
61	86	107	112	97	87	90	88	62	34	32	32	1	1	1	21
5	4	6	8	8	4	14	14	12	7	5	1	1	1	1	22
15	10	13	21	24	29	28	22	31	18	10	10	1	1	1	23
9	12	15	15	13	13	19	15	23	14	13	2	3	1	1	24
80	80	96	120	115	116	132	120	102	121	63	46	11	5	1	25
5	3	8	6	9	4	8	15	5	10	7	4	1	1	1	26
30	29	33	32	33	38	36	35	37	30	26	10	3	1	1	27
17	19	31	40	31	35	44	48	51	36	32	13	5	1	1	28
3	4	5	9	8	4	8	10	9	5	5	2	1	1	1	29
17	26	20	26	22	32	22	27	30	23	14	6	2	1	1	30
80	93	117	130	169	141	173	126	161	129	77	51	12	5	2	31
10	17	22	18	14	22	20	25	32	30	10	11	3	1	1	32
10	15	16	19	25	19	25	22	35	25	20	9	3	2	2	33
12	17	28	23	22	22	29	42	49	29	23	16	10	3	1	34
4	3	4	3	7	13	3	12	20	14	16	4	1	1	1	35
22	31	19	32	33	31	33	40	32	32	10	10	2	1	1	36
6	5	8	6	3	11	15	13	7	5	9	5	2	1	1	37
2	5	5	7	6	11	7	15	11	8	2	3	4	1	1	38
54	65	55	66	60	59	65	60	54	39	31	13	4	2	2	39
7	12	5	11	14	18	18	12	17	10	7	4	1	1	1	40
48	67	56	69	83	70	91	87	90	77	53	32	6	4	3	41
35	52	45	55	72	63	77	78	67	67	46	31	4	3	2	42
13	15	11	14	11	7	14	9	12	10	7	1	2	1	1	43
253	340	349	332	403	346	431	454	483	362	228	84	33	12	1	44
137	144	176	183	220	223	292	331	388	315	200	70	25	5	1	45
146	196	173	149	183	123	139	123	95	47	28	14	8	7	1	46
126	177	132	150	124	116	97	85	77	57	41	26	9	4	2	47
50	67	53	66	67	71	61	52	58	39	26	14	2	2	2	48
76	110	79	84	57	45	36	33	19	18	15	12	7	2	2	49
94	128	83	101	77	69	58	41	43	24	25	18	7	2	1	50
37	46	27	36	37	43	39	24	35	12	13	9	2	1	1	51
57	82	56	65	40	26	19	17	8	12	12	9	5	2	1	52
13	17	18	23	25	19	19	25	14	14	10	2	1	1	1	53
8	10	13	16	19	13	13	14	12	12	8	2	1	1	1	54
5	7	5	7	6	6	6	11	2	2	2	1	1	1	1	55
19	32	31	26	22	28	20	19	20	19	6	6	1	1	1	56
5	11	13	14	15	15	9	14	11	15	5	3	1	1	1	57
14	21	18	12	11	13	11	5	9	4	1	3	1	1	1	58

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed divisions (counties, exclusive of municipalities of

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.												
GEORGIA. ¹												
1 Registration cities (total).....	5,744	857	210	130	59	42	1,298	107	88	190	397	384
2 White.....	2,632	381	109	46	26	20	552	47	33	80	131	125
3 Colored.....	3,112	476	101	84	33	22	746	60	55	110	266	259
4 Atlanta (total).....	2,956	420	100	71	30	24	645	53	51	96	218	198
5 White.....	1,572	230	60	34	16	9	349	25	23	51	80	76
6 Colored.....	1,384	190	40	37	14	15	296	28	28	45	138	122
7 Augusta (total).....	1,061	136	51	22	15	6	230	30	16	35	64	65
8 White.....	480	69	27	6	7	4	113	12	6	15	20	19
9 Colored.....	581	67	24	16	8	2	117	18	10	20	44	46
10 Savannah (total).....	1,727	301	59	37	14	12	423	24	21	59	115	121
11 White.....	580	82	22	6	3	7	120	10	4	14	31	30
12 Colored.....	1,147	219	37	31	11	5	303	14	17	45	84	91
ILLINOIS. ¹												
13 Registration cities (total).....	37,379	7,204	1,498	659	442	330	10,223	895	490	812	1,524	1,762
14 White.....	36,006	7,158	1,449	633	436	319	10,000	873	481	773	1,460	1,665
15 Colored.....	1,373	136	49	21	6	11	223	22	9	39	64	97
16 Aurora.....	466	72	8	6	2	88	14	8	6	22	18
17 Belleville.....	304	35	6	3	3	2	49	14	3	7	11	11
18 Chicago (total).....	33,959	6,878	1,428	616	422	309	9,653	826	460	729	1,397	1,628
19 White.....	32,755	6,767	1,387	595	417	299	9,465	807	451	695	1,340	1,534
20 Colored.....	1,204	111	41	21	5	10	188	19	9	34	57	94
21 Decatur.....	460	68	12	5	2	3	90	6	4	10	14	15
22 Evanston.....	304	35	3	8	1	4	51	3	2	10	12	9
23 Jacksonville (total).....	441	22	3	4	2	2	33	7	1	9	4	11
24 White.....	416	19	2	4	2	2	29	6	1	9	4	11
25 Colored.....	25	3	1	4	1
26 Quincy.....	543	52	6	4	4	2	68	8	5	13	20	23
27 Springfield (total).....	902	132	32	13	8	6	191	17	7	28	44	47
28 White.....	821	121	28	13	8	6	176	17	7	26	40	45
29 Colored.....	81	11	4	15	2	4	2
INDIANA.												
30 Registration cities (total).....	12,902	2,160	416	194	101	70	2,941	315	196	318	559	576
31 White.....	11,871	2,011	384	179	92	67	2,733	294	172	275	498	505
32 Colored.....	1,031	149	32	15	9	3	208	21	24	43	61	71
33 Anderson.....	313	44	9	5	5	3	66	9	4	10	17	4
34 East Chicago.....	360	181	32	12	7	2	234	9	3	7	7	13
35 Elkhart.....	269	28	3	4	1	36	10	4	9	8
36 Elwood.....	117	22	4	2	2	2	32	4	1	4	2	5
37 Evansville (total).....	979	145	35	14	10	8	212	25	13	29	46	36
38 White.....	832	126	30	9	9	8	182	21	10	21	35	28
39 Colored.....	147	19	5	5	1	30	4	3	8	11	8
40 Fort Wayne.....	841	129	16	10	4	3	162	21	13	21	35	47
41 Gary.....	340	141	25	12	3	2	183	15	5	2	17	18
42 Hammond.....	376	100	14	9	1	6	130	19	6	3	23	21
43 Huntington.....	138	17	6	24	3	1	2	5	4
44 Indianapolis (total).....	4,142	558	122	46	28	27	781	97	84	114	191	190
45 White.....	3,569	476	102	37	22	24	661	82	68	90	160	147
46 Colored.....	573	82	20	9	6	3	120	15	16	24	31	43
47 Jeffersonville (total).....	156	26	8	3	1	1	39	1	4	4	5	8
48 White.....	116	18	6	3	1	28	1	4	2	5	4
49 Colored.....	40	8	2	1	11	2	4
50 Kokomo.....	294	50	10	10	4	1	75	6	4	8	11	9
51 Lafayette.....	400	40	11	2	1	54	7	6	9	18	10
52 Laporte.....	146	22	6	1	1	30	2	2	4	6	7
53 Logansport.....	314	28	4	4	2	2	40	1	4	7	13	20
54 Marion.....	312	42	9	8	1	1	61	11	3	6	14	15
55 Michigan City.....	273	77	4	3	85	5	3	10	11	7
56 Mishawaka.....	157	26	6	4	1	1	38	2	4	6	9
57 Muncie.....	331	47	9	4	6	65	5	3	6	11	18
58 New Albany (total).....	288	36	5	2	1	44	3	6	7	11	9
59 White.....	255	32	5	2	1	40	3	4	5	5	7
60 Colored.....	33	4	4	2	2	6	2
61 Peru.....	162	22	4	2	28	3	2	2	10	3
62 Richmond (total).....	295	45	5	3	5	1	50	6	5	12	6	13
63 White.....	271	41	5	3	5	1	55	6	5	10	5	12
64 Colored.....	24	4	4	2	1	1
65 South Bend.....	717	162	26	12	10	4	214	12	4	14	34	35
66 Terre Haute.....	938	136	33	19	7	2	197	31	16	25	44	55
67 Vincennes.....	244	36	10	4	1	1	52	10	3	4	7	12
KANSAS.												
68 Registration cities (total).....	4,591	654	118	49	36	29	836	92	60	114	186	201
69 White.....	3,924	565	103	40	31	25	764	75	48	97	144	151
70 Colored.....	667	89	15	9	5	4	122	17	12	17	42	50
71 Atchison (total).....	196	19	1	2	1	23	6	3	3	5	10
72 White.....	156	15	1	2	1	19	5	3	3	5	8
73 Colored.....	40	4	4	1	1	2
74 Coffeyville (total).....	194	38	11	5	2	1	57	5	2	7	6	7
75 White.....	164	31	11	5	2	1	50	5	2	6	4	5
76 Colored.....	30	7	7	1	2	2

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY COLOR AND AGE OF DECEDENT.

199

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1914—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions of 10,000 inhabitants or over in 1910 are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
400	419	318	340	395	271	312	266	213	157	101	52	18	4	12	2	1
133	157	121	125	149	158	192	191	149	132	77	37	10	1	12	2	2
267	262	197	215	246	113	120	75	64	25	24	15	8	3	12	2	3
206	210	148	163	195	144	166	141	119	91	58	35	9	2	7	1	4
90	95	64	71	85	89	117	111	91	77	45	26	6	3	7	1	5
116	115	84	92	110	55	49	30	28	14	13	9	2	2	7	1	6
63	71	78	62	68	59	66	52	29	36	21	8	4	2	1	1	7
15	29	34	17	22	34	36	33	20	29	17	5	2	1	1	1	8
48	42	44	45	46	25	30	19	9	7	4	3	2	1	1	1	9
131	138	92	115	132	68	80	73	65	30	22	9	5	1	4	10	10
28	33	23	37	42	35	39	47	38	26	15	6	2	2	4	11	11
103	105	69	78	90	33	41	26	27	4	7	3	3	3	4	12	12
1,779	1,943	2,047	2,258	2,519	2,307	2,186	1,918	1,736	1,378	900	475	168	47	6	6	13
1,655	1,805	1,920	2,145	2,403	2,219	2,110	1,849	1,704	1,367	890	467	165	44	5	6	14
124	138	127	113	116	88	76	69	32	11	10	8	3	3	1	6	15
18	16	27	26	36	26	33	28	29	30	27	8	4	2	1	16	16
15	17	15	13	14	19	21	14	24	27	13	13	3	1	1	17	17
1,639	1,785	1,867	2,062	2,293	2,073	1,962	1,686	1,476	1,129	729	376	141	40	5	3	18
1,525	1,664	1,755	1,957	2,193	1,993	1,897	1,634	1,450	1,119	722	371	139	37	4	3	19
114	121	100	105	100	80	65	52	26	10	7	5	2	3	1	20	20
15	21	25	23	29	34	33	27	41	25	31	14	3	1	1	21	21
14	9	15	19	15	26	18	24	25	22	15	10	3	1	1	22	22
18	21	34	21	41	43	32	34	42	41	24	17	6	1	1	23	23
18	17	33	21	38	42	29	30	41	41	22	16	6	1	1	24	24
4	4	1	3	3	1	3	4	1	1	2	1	1	1	1	25	25
13	24	24	34	30	39	36	48	47	51	31	20	5	3	1	26	26
47	50	40	60	61	47	51	57	52	53	30	17	2	1	1	27	27
43	41	30	56	55	41	47	48	48	52	30	17	1	1	1	28	28
4	9	10	4	6	6	4	9	4	1	1	1	1	1	1	29	29
602	649	626	665	752	771	811	810	761	706	501	236	73	20	6	8	30
519	563	559	596	667	719	764	778	736	685	485	231	69	16	2	5	31
83	86	67	69	85	52	47	32	25	21	16	5	4	4	4	3	32
12	10	14	19	17	28	21	22	18	18	12	8	2	1	2	33	33
11	15	12	13	12	8	6	3	2	3	16	8	1	1	1	34	34
10	11	8	15	13	25	24	23	23	25	8	6	1	1	1	35	35
5	4	4	5	4	4	3	12	14	8	6	6	1	1	1	36	36
43	52	48	54	67	68	61	55	57	59	37	10	2	3	2	37	37
38	43	40	47	47	57	55	50	55	57	33	10	2	1	1	38	38
5	9	8	7	20	11	6	5	2	2	4	4	2	2	2	39	39
32	44	37	36	46	63	54	58	50	47	40	19	12	2	2	40	40
18	19	16	7	7	5	10	7	3	4	3	1	1	1	1	41	41
21	29	26	21	11	17	13	16	4	4	2	5	1	1	1	42	42
2	7	4	7	11	14	7	12	10	9	11	3	1	1	1	43	43
195	215	234	240	262	256	294	272	249	203	149	67	13	2	4	44	44
149	174	194	196	242	233	270	256	233	196	139	64	12	2	1	45	45
46	41	40	44	50	23	24	18	16	7	10	3	1	1	3	46	46
5	8	11	7	6	2	10	7	12	17	5	5	1	1	1	47	47
4	3	7	4	3	2	9	6	11	13	5	5	1	1	1	48	48
1	5	4	3	3	1	1	1	1	4	1	1	1	1	1	49	49
12	18	9	13	15	16	11	28	17	17	16	5	4	4	1	50	50
16	20	21	31	30	30	20	30	23	37	21	15	3	3	1	51	51
3	8	1	6	5	7	9	10	16	11	7	8	4	4	1	52	52
22	17	18	12	4	21	23	19	30	25	21	8	6	2	1	53	53
25	13	13	11	14	14	29	22	23	19	10	6	1	2	1	54	54
13	16	10	13	11	15	11	9	16	18	15	5	1	1	1	55	55
9	6	9	5	7	6	10	11	13	10	7	4	1	1	1	56	56
26	16	13	16	18	18	35	21	18	21	17	6	1	1	1	57	57
16	15	12	12	23	23	14	20	26	27	12	7	1	1	1	58	58
13	12	11	10	22	21	14	19	25	24	12	7	1	1	1	59	59
3	3	1	2	1	2	1	3	1	3	1	1	1	1	1	60	60
5	7	7	4	11	11	15	10	13	18	8	2	2	2	1	61	61
4	11	12	14	9	15	18	28	21	19	19	15	7	2	1	62	62
4	10	11	10	8	13	16	27	19	18	19	14	7	2	1	63	63
31	1	1	4	2	2	2	1	2	1	1	1	1	1	1	64	64
57	25	25	38	40	40	44	45	39	31	23	16	5	2	2	65	65
12	55	49	50	64	50	50	47	49	48	33	12	3	3	3	66	66
12	8	13	16	15	15	14	23	15	8	11	2	3	1	1	67	67
207	233	221	224	243	293	290	354	325	269	239	103	34	7	5	5	68
182	188	179	174	203	254	253	324	295	244	224	93	27	1	1	3	69
25	45	42	50	40	39	37	30	30	25	15	10	7	6	4	2	70
8	8	7	12	9	16	13	18	13	21	11	4	5	1	1	71	71
4	4	6	10	5	13	8	16	12	16	10	4	5	1	1	72	72
4	4	1	2	3	3	5	2	1	5	1	1	1	1	1	73	73
5	10	4	13	4	9	12	20	6	12	7	7	1	1	1	74	74
5	6	4	11	3	7	10	18	6	12	7	4	1	1	1	75	75
4	4	2	2	1	2	2	2	2	1	3	1	1	1	1	76	76

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed sions (counties, exclusive of municipalities of

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.												
KANSAS—continued.												
1 Fort Scott (total).....	180	22	5	1	2	1	31	5	5	4	8	8
2 White.....	157	19	5	1	1	1	26	3	3	3	7	6
3 Colored.....	23	3	1	1	1	5	2	2	1	1	1	2
4 Hutchison (total).....	213	33	6	3	1	1	44	4	5	5	8	5
5 White.....	200	31	5	3	1	1	41	4	5	4	8	4
6 Colored.....	13	2	1	1	1	3	1	1	1	1	1	1
7 Independence (total).....	145	29	10	2	1	2	44	1	1	1	6	5
8 White.....	123	22	8	2	1	2	35	1	1	1	3	3
9 Colored.....	22	7	2	1	1	9	1	1	1	1	3	2
10 Kansas City (total).....	1,234	206	31	15	14	12	278	28	17	40	65	77
11 White.....	979	174	29	10	13	9	235	23	11	31	46	51
12 Colored.....	255	32	2	5	1	3	43	5	6	9	19	26
13 Lawrence (total).....	188	18	5	3	1	1	28	5	3	3	7	3
14 White.....	151	15	3	2	1	1	21	3	2	3	5	1
15 Colored.....	37	3	2	1	1	7	3	2	3	2	2	2
16 Leavenworth (total).....	320	42	10	3	4	2	61	5	5	2	10	11
17 White.....	265	36	9	3	4	2	54	5	4	2	6	10
18 Colored.....	55	6	1	1	1	7	7	1	1	1	4	1
19 Parsons (total).....	190	26	3	1	1	1	31	7	1	12	7	13
20 White.....	165	22	2	1	1	1	26	7	1	9	7	10
21 Colored.....	25	4	1	1	1	5	5	1	1	3	3	3
22 Pittsburg.....	251	45	6	5	1	2	59	3	2	8	11	15
23 Topeka (total).....	820	88	20	7	5	3	123	9	4	8	27	21
24 White.....	714	77	18	5	3	3	106	6	4	8	21	15
25 Colored.....	106	11	2	2	2	17	3	1	1	2	6	6
26 Wichita.....	660	88	10	3	4	2	107	14	11	21	26	26
KENTUCKY.												
27 Registration cities (total).....	7,325	908	220	95	57	36	1,316	148	104	228	361	414
28 White.....	5,365	698	164	70	42	31	1,005	106	75	141	240	273
29 Colored.....	1,960	210	56	25	15	5	311	42	29	87	121	141
30 Covington (total).....	837	111	18	7	6	7	149	18	14	21	40	42
31 White.....	724	100	16	4	5	6	131	14	13	21	26	34
32 Colored.....	113	11	2	3	1	1	18	4	1	1	14	8
33 Frankfort (total).....	187	23	2	2	1	1	27	5	3	17	8	11
34 White.....	126	13	2	2	1	1	17	4	3	11	6	8
35 Colored.....	61	10	1	1	1	10	1	1	1	6	2	3
36 Henderson (total).....	240	43	11	2	1	1	58	5	3	13	14	13
37 White.....	153	28	5	1	1	1	34	4	3	8	10	10
38 Colored.....	87	15	6	2	1	1	24	1	1	5	4	3
39 Lexington (total).....	1,010	77	29	15	5	3	129	20	13	37	66	54
40 White.....	607	44	18	10	2	2	76	9	5	10	39	27
41 Colored.....	403	33	11	5	3	1	53	11	8	27	27	27
42 Louisville (total).....	3,869	496	102	49	32	16	695	73	45	100	171	215
43 White.....	2,854	388	81	37	27	14	547	57	31	67	116	141
44 Colored.....	1,015	108	21	12	5	2	148	16	14	33	55	74
45 Newport (total).....	365	52	8	4	4	1	69	8	6	11	12	27
46 White.....	355	52	8	4	4	1	69	6	6	11	11	23
47 Colored.....	10	1	1	1	1	1	1	2	1	1	1	4
48 Owensboro (total).....	334	41	24	8	4	3	80	6	7	10	13	13
49 White.....	244	32	19	6	2	3	62	4	5	4	11	8
50 Colored.....	90	9	5	2	2	1	18	2	2	6	2	5
51 Paducah (total).....	483	65	26	8	5	5	109	13	13	19	37	39
52 White.....	302	41	15	7	2	4	69	8	9	9	21	22
53 Colored.....	181	24	11	1	3	1	40	5	4	10	16	17
LOUISIANA. ²												
54 New Orleans (total).....	7,417	883	170	88	61	50	1,252	153	105	212	381	417
55 White.....	4,397	517	98	46	35	32	728	88	57	88	163	210
56 Colored.....	3,020	366	72	42	26	18	524	65	48	124	218	207
MAINE.												
57 Registration cities (total).....	3,168	494	73	34	23	18	642	53	35	59	102	120
58 White.....	3,146	494	72	34	23	17	640	53	35	58	102	117
59 Colored.....	22	1	1	1	1	1	2	1	1	1	1	3
60 Auburn.....	230	31	4	3	1	1	39	3	1	4	5	3
61 Augusta.....	290	33	9	3	1	2	48	5	3	5	9	8
62 Bangor.....	579	50	4	7	1	4	66	11	5	12	22	24
63 Biddeford.....	277	78	13	4	5	2	102	8	2	3	10	10
64 Lewiston.....	555	117	15	7	6	2	147	4	10	9	26	23
65 Portland.....	1,033	142	19	10	6	6	183	17	8	21	22	42
66 Waterville.....	204	43	9	3	3	2	57	5	6	5	8	9

¹ Colored population less than 5 per cent of the total.

DEATHS, BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1914—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions of 10,000 inhabitants or over in 1910 are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3	12	5	4	9	14	14	17	11	15	11	1	2			1	1
3	11	4	4	8	14	13	17	9	14	10	1				1	2
1	1	1		1		1		2	1	1		2				3
9	13	20	6	8	14	14	15	19	10	9	2	1	1			4
9	13	19	6	8	11	13	14	19	10	9	2	1				5
		1			3	1	1					1		1		6
5	7	5	6	8	8	11	9	10	10	4	4					7
5	5	3	6	8	8	10	7	10	10	4	4					8
2	2					1	2									9
73	66	63	61	75	83	69	59	71	45	36	19	6	1	1	1	10
58	53	44	38	56	69	61	49	60	40	31	17	5			1	11
15	13	19	23	19	14	8	10	11	5	5	2	1	1	1		12
3	5	4	10	6	13	12	22	17	15	22	7	3				13
3	4	2	8	5	10	8	19	15	13	20	6	3				14
	1	2	2	1	3	4	3	2	2	2	1					15
12	13	16	12	20	8	20	26	35	24	28	10	1	1			16
11	8	14	6	15	5	14	21	31	22	28	9					17
1	5	2	6	5	3	6	5	4	2		1	1	1			18
7	12	10	8	9	14	11	8	17	9	7	5	1			1	19
7	9	8	6	9	10	11	8	17	8	6	5	1				20
	3	2	2		4			1	1	1					1	21
24	13	18	11	14	13	12	15	13	8	8	3			1		22
28	48	44	47	44	55	58	84	66	58	62	20	7	4	1	2	23
26	38	37	37	40	50	53	80	59	51	58	18	5	1	1	1	24
2	10	7	10	4	5	5	4	7	7	4	2	2	3	1	1	25
30	26	25	34	37	46	44	61	47	42	34	21	7		1		26
421	462	426	427	486	438	443	495	392	324	257	109	38	7	9	20	27
260	278	286	274	333	332	335	419	331	294	233	99	34	4	1	12	28
161	184	140	153	153	106	108	76	61	30	24	10	4	3	8	8	29
52	49	51	57	44	43	50	57	43	39	43	16	8	1			30
37	41	43	47	39	41	46	52	40	35	41	14	8	1			31
15	8	8	10	5	2	4	5	3	4	2	2					32
9	10	14	9	14	9	11	11	8	4	3	5	2	1		6	33
4	4	10	5	8	5	8	10	6	4	2	4	2			5	34
5	6	4	4	6	4	3	1	2		1	1		1		1	35
10	16	7	11	18	14	11	13	7	7	11	4	1		2	2	36
5	8	3	6	9	9	7	9	5	7	9	4	1			2	37
5	8	4	5	9	5	4	4	2		2				2		38
54	74	68	53	61	55	80	67	66	51	36	14	4	1		7	39
32	34	35	34	26	33	50	54	52	45	29	13	2	1		1	40
22	40	33	19	35	22	30	13	14	6	7	1	2			6	41
228	250	231	233	278	257	228	270	216	168	130	53	19	3	6		42
134	148	153	133	198	197	172	229	185	156	121	50	17	1	1		43
94	102	78	100	80	60	56	41	31	12	9	3	2	2	5		44
23	20	15	22	18	19	22	28	19	19	14	9	3			1	45
22	19	15	22	17	19	22	28	19	19	14	9	3			1	46
1	1			1						14	9	3			1	47
14	16	18	18	19	19	15	22	19	24	9	6	1	1	1	3	48
10	8	14	9	14	15	13	18	14	19	7	5	1	1		2	49
4	8	4	9	5	4	2	4	5	5	2	1			1	1	50
31	27	22	24	34	22	26	27	14	12	11	2				1	51
16	16	13	18	22	13	17	19	10	9	10					1	52
15	11	9	6	12	9	9	8	4	3	1	2					53
471	502	520	487	524	420	457	453	390	286	213	107	41	16	4	6	54
252	244	285	248	326	278	303	326	295	214	169	87	26	5	1	4	55
219	258	235	239	198	142	154	127	95	72	44	20	15	11	3	2	56
120	140	145	162	174	191	206	227	268	241	159	83	27	5		9	57
116	138	143	160	173	190	204	226	268	241	159	83	27	5		8	58
4	2	2	2	1	1	2	1								1	59
5	13	3	8	15	15	16	21	29	23	16	4	1	1			60
12	12	8	16	23	19	19	22	19	16	31	9	3	2		1	61
30	32	36	29	34	38	42	47	47	49	29	9	12	1		4	62
7	7	12	11	6	13	11	17	19	14	13	8	4				63
20	24	24	33	31	31	48	35	31	22	15	15	4			3	64
36	42	50	58	54	65	58	72	119	97	49	34	3	1		1	65
10	10	12	7	10	10	12	13	4	15	6	4					66

* Nonregistration state; cities shown below only those with effective local ordinances

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed sions (counties, exclusive of municipalities of

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.												
MARYLAND.												
1 Registration cities (total).....	11,453	2,101	427	140	100	69	2,837	218	137	257	443	465
2 White.....	8,761	1,596	299	102	64	51	2,112	161	109	165	293	315
3 Colored.....	2,692	505	128	38	36	18	725	57	28	92	150	150
4 Baltimore (total).....	10,486	1,949	395	126	94	64	2,628	194	121	226	405	427
5 White.....	7,879	1,457	269	88	58	46	1,918	138	94	135	251	282
6 Colored.....	2,607	492	126	38	36	18	710	56	27	91	154	145
7 Cumberland (total).....	429	71	13	7	3	3	97	10	12	12	17	24
8 White.....	395	63	13	7	3	3	89	10	11	12	15	21
9 Colored ¹	34	8					8		1		2	3
10 Frederick (total).....	179	23	8	2			33	2	2	6	6	3
11 White.....	161	20	6	2			28	2	2	6	5	3
12 Colored.....	18	3	2				5				1	
13 Hagerstown (total).....	359	58	11	5	3	2	79	12	2	13	15	11
14 White.....	326	56	11	5	3	2	77	11	2	12	12	9
15 Colored.....	33	2					2	1		1	3	2
MASSACHUSETTS.												
16 Registration cities (total).....	41,183	8,231	1,472	557	352	294	10,906	856	504	823	1,194	1,365
17 White.....	40,392	8,117	1,445	544	343	294	10,743	843	488	799	1,157	1,319
18 Colored.....	791	114	27	13	9		163	13	16	24	37	46
19 Adams town.....	179	69	12	3			84	3	1	5	3	4
20 Arlington town.....	164	29	3	2	2		36	3		1	5	6
21 Attleborough town.....	237	39	4	2	2	3	50	4	5	2	2	7
22 Beverly.....	250	33	5	3	2	1	44	3	4	5	8	14
23 Boston (total).....	11,831	2,007	401	164	107	97	2,776	272	144	252	369	417
24 White.....	11,426	1,959	390	160	104	97	2,710	263	137	242	348	393
25 Colored.....	405	48	11	4	3		66	9	7	10	21	24
26 Brockton.....	756	157	16	12	5	8	198	15	9	15	19	31
27 Brookline town.....	344	37	1	2	1	1	42	2	2	5	5	11
28 Cambridge.....	1,452	243	60	18	12	7	340	20	26	33	43	49
29 Chelsea.....	667	110	34	9	8	4	165	10	5	11	15	22
30 Chicopee.....	405	149	28	6	8	5	196	12	6	8	8	12
31 Clinton town.....	170	42	3		1		46	3	1	3	4	8
32 Everett.....	398	81	6	2	5	4	98	9	5	11	6	15
33 Fall River.....	2,167	748	140	38	22	11	959	43	22	37	61	54
34 Fitchburg.....	486	95	17	6	5	5	128	13	11	9	11	18
35 Framingham town.....	217	26	5	1	3		35	4	4	3	9	3
36 Gardner town.....	235	59	11	11	4	3	88	5	3	1	11	9
37 Gloucester.....	313	41	7	1	1		50	5	4	7	9	5
38 Greenfield town.....	158	31	3	1	1	1	37	1	3	4	4	2
39 Haverhill.....	685	110	13	5	3	4	135	9	9	14	23	19
40 Holyoke.....	929	291	31	16	6	16	360	20	16	19	28	39
41 Lawrence.....	1,314	359	98	29	17	5	533	29	14	23	50	33
42 Leominster town.....	200	26	1	3	2	1	33	9		7	4	6
43 Lowell.....	1,769	431	79	25	15	16	566	41	23	35	46	57
44 Lynn.....	1,209	184	32	14	5	9	244	26	18	27	34	42
45 Malden.....	605	120	18	5	4	4	151	10	6	15	7	15
46 Marlborough.....	210	24	4	2			31	5	1	1	8	3
47 Medford.....	301	25	7	3	3	2	40	9	3	5	8	4
48 Melrose.....	194	22		1	3	1	27	6	3	1	3	5
49 Methuen town.....	164	32	2	2	2	2	40	5	1	2	1	4
50 Milford town.....	218	47	12	4	3		67	6	1	1	7	4
51 New Bedford.....	1,756	538	83	35	28	12	696	33	21	35	60	67
52 Newburyport.....	255	24	7	2	2	3	38	14	4	6	7	6
53 Newton.....	458	52	11	2	1	5	71	11	5	11	17	15
54 North Adams.....	325	65	11	6	4	4	90	10	8	6	12	6
55 Northampton.....	362	56	5	6	1	1	69	3	3	1	12	7
56 Peabody town.....	213	54	7	2	3		66	4	4	6	5	3
57 Pittsfield.....	600	120	15	8	6	6	155	6	10	18	23	28
58 Plymouth town.....	208	53	10	1		2	66	1	4	4	2	8
59 Quincy.....	458	75	15	9	3	4	106	10	5	10	13	23
60 Revere town.....	208	44	8	3	2	2	59	4	4	5	4	5
61 Salem.....	622	118	31	8	4	1	162	11	5	16	21	20
62 Somerville.....	992	148	31	9	8	11	207	25	7	17	20	28
63 Southbridge town.....	143	42	8	1	1		52	3	2	3	1	6
64 Springfield.....	1,525	285	46	16	8	5	360	25	24	31	43	62
65 Taunton.....	802	119	19	11	6	1	156	10	6	14	20	35
66 Wakefield town.....	109	17	1				18	1	1	3	2	2
67 Waltham.....	366	39	6	6	6	4	61	10	11	19	7	16
68 Watertown town.....	153	32	4	3		1	40	1	2	2	1	3
69 Webster town.....	127	33	6	1	2		43	3	1	3	1	3
70 Westfield town.....	292	64	5	5	1	1	76	3	6	11	15	10
71 Weymouth town.....	191	28	3	1		1	33	1	2		3	
72 Winthrop town.....	115	11	2				14	1			2	5
73 Woburn.....	188	29	4	2	2	1	38	5	1	2	3	5
74 Worcester.....	2,483	488	81	29	12	16	626	51	16	38	82	87

¹ Colored population less than 5 per cent of the total.

DEATHS, BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1914—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions of 10,000 inhabitants or over in 1910 are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
462	566	615	653	705	716	768	722	708	553	362	186	62	13	2	3	1
317	364	418	460	516	583	635	625	624	498	331	175	57	10	1	2	2
145	202	197	193	189	133	133	97	84	55	31	11	5	3	1	1	3
422	515	565	601	682	653	710	654	656	487	332	161	52	12	2	1	4
280	322	376	412	474	526	584	560	576	436	302	153	48	10	1	1	5
142	193	189	189	188	127	126	94	80	51	30	8	4	2	1	1	6
23	29	23	23	20	28	27	30	17	12	13	7	4			1	7
23	23	19	22	20	26	23	29	16	12	13	6	4			1	8
	6	4	1		2	4	1	1			1					9
5	5	8	11	11	12	9	20	11	17	4	9	4	1			10
4	4	7	9	10	10	8	20	11	17	4	7	4				11
1	1	1	2	1	2	1					2		1			12
12	17	19	18	12	23	22	18	24	37	13	9	2			1	13
10	15	16	17	12	21	20	16	21	33	12	9	1				14
2	2	3	1		2	2	2	3	4	1		1			1	15
1,427	1,685	1,886	2,079	2,339	2,456	2,732	2,915	2,777	2,306	1,648	865	318	70	16	16	16
1,381	1,629	1,828	2,007	2,281	2,395	2,687	2,839	2,755	2,283	1,637	859	316	66	14	16	17
46	56	58	72	58	61	45	26	22	23	11	6	2	4	2	18	18
4	4	5	6	3	14	6	6	13	12	2	2	2				19
4	6	5	6	5	14	14	9	13	21	7	6	3				20
8	9	11	11	8	13	24	14	16	16	16	6	2				21
10	7	5	12	12	20	21	15	23	25	15	6	1				22
463	588	673	748	803	786	815	802	700	543	391	192	68	20	3	1	23
441	559	635	698	767	753	795	793	692	534	388	189	68	19	1	1	24
27	29	38	50	36	33	20	9	8	9	3	3		1	2		25
22	29	30	40	43	43	54	55	56	40	32	16	6	1	1	1	26
8	8	19	20	21	30	34	30	28	32	18	18	9	2			27
62	58	56	90	83	73	107	109	110	72	66	33	18	4			28
20	37	32	26	26	27	37	58	72	56	32	11	4	1			29
13	13	10	13	15	11	12	20	18	16	12	7	3				30
3	3	10	2	9	15	12	15	17	8	4	6			1		31
13	18	14	22	21	27	12	32	35	25	17	13	1	4			32
75	69	66	77	98	84	115	135	108	91	48	15	5	3	2		33
18	24	15	20	22	25	36	34	25	31	30	6	8	2	2		34
7	11	6	11	9	16	16	20	22	18	13	7	2				35
7	7	9	11	10	14	11	11	13	12	6	4	1			1	36
9	14	9	12	19	25	33	25	34	23	19	7	4				37
6	11	1	6	8	10	14	11	12	12	7	5	4				38
33	26	39	29	40	34	47	53	57	54	40	19	3	2			39
19	47	47	48	37	49	39	64	61	37	10	14	6	2			40
39	43	62	57	67	54	71	85	44	46	31	21	3			1	41
5	6	8	11	12	11	14	10	13	21	10	16	2			4	42
45	63	87	87	98	103	113	120	108	78	58	29	10	2			43
36	45	57	58	87	91	89	102	83	80	59	20	10	1			44
22	17	22	43	34	37	33	40	41	39	36	15	2	1			45
8	8	9	8	11	19	21	17	15	20	16	5	2	2			46
7	8	12	9	19	17	32	34	28	34	18	13	4	1			47
6	8	6	7	5	16	15	27	15	17	19	5	3				48
6	9	11	4	10	13	9	13	11	10	6	5	3	1			49
8	5	6	13	10	12	17	17	21	10	8	6	3				50
59	59	77	67	66	77	91	103	89	69	47	28	10	1			51
8	3	9	10	17	19	15	21	17	19	21	14	5				52
13	15	23	18	17	33	42	33	44	31	33	14	8	4			53
10	13	10	18	19	18	25	24	11	24	9	9	2				54
10	13	17	18	29	23	29	26	32	33	19	16	6				55
9	8	5	10	10	13	10	9	15	17	15	6	1				56
19	26	28	35	30	38	29	34	38	24	32	16	9	1			57
2	3	8	4	8	13	8	22	15	19	9	8	2				58
16	11	19	23	30	29	31	36	28	30	20	14	3	2			59
2	5	9	11	5	5	17	20	22	8	9	5	4				60
21	25	22	26	31	37	30	44	43	52	26	20	9			1	61
32	39	27	33	56	56	73	82	104	85	63	25	10	1		2	62
5	2	4	4	6	6	10	11	8	6	4	7	3				63
62	81	72	81	83	96	94	112	112	79	71	25	10	1			64
36	36	42	39	56	42	55	57	68	61	42	20	5			1	65
3	4	3	2	4	6	11	15	7	9	6	9	2				66
12	12	13	17	23	18	26	31	29	21	18	15	6	1			67
6	9	8	4	4	8	14	10	10	10	10	1	3				68
3	4	2	5	5	13	10	9	8	8	4	3	4				69
8	20	8	10	20	13	13	17	28	15	11	5	2				70
4	4	11	6	8	13	15	13	22	25	16	12	1	2			71
1	5	5	7	7	9	14	13	14	11	11	1	1				72
9	7	11	7	12	9	17	17	22	8	10	1	2			1	73
80	109	111	119	144	159	179	170	135	145	96	64	16	3		3	74

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed divisions (counties, exclusive of municipalities of

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.												
MICHIGAN.												
1 Registration cities (total).....	16,939	3,661	569	284	176	110	4,800	364	254	367	657	745
2 White.....	16,690	3,631	558	280	175	109	4,733	359	250	355	648	725
3 Colored.....	249	30	11	4	1	1	47	5	4	12	9	20
4 Adrian.....	160	13	1	14	1	4	5	3
5 Alpena.....	180	38	6	6	4	4	58	8	4	7	3	11
6 Ann Arbor.....	370	44	6	3	2	2	57	10	3	11	17	21
7 Battle Creek.....	436	65	6	5	5	3	84	7	6	6	15	17
8 Bay City.....	561	103	16	7	7	5	138	18	11	17	20	25
9 Detroit.....	8,400	2,313	347	164	98	62	2,984	189	120	180	363	411
10 Escanaba.....	203	39	8	49	2	7	2	15	14
11 Flint.....	480	108	24	12	10	6	160	10	6	10	14	19
12 Grand Rapids.....	1,593	239	48	29	17	10	343	37	23	46	51	51
13 Holland.....	115	22	5	2	2	1	32	6	2	2	1	2
14 Ironwood.....	151	51	15	5	3	1	75	8	6	1	7	10
15 Ishpeming.....	108	25	6	2	33	2	3	4	5	1
16 Jackson.....	493	69	10	4	3	86	5	8	4	14	14
17 Kalamazoo.....	772	86	16	10	5	2	119	8	6	12	19	24
18 Lansing.....	359	68	11	3	5	1	88	5	5	11	19	14
19 Manistee.....	144	16	1	1	1	1	20	6	6	7	7	8
20 Marquette.....	171	31	7	3	42	1	2	4	2	10
21 Menominee.....	131	16	2	1	1	20	2	2	8	5	10
22 Muskegon.....	346	53	9	8	2	72	4	7	5	20	13
23 Pontiac.....	330	53	3	4	3	1	64	2	1	2	5	7
24 Port Huron.....	295	43	8	1	2	54	12	6	4	13	7
25 Saginaw.....	704	110	3	8	6	1	128	13	12	14	28	33
26 Sault Ste. Marie.....	176	44	6	3	3	58	8	6	2	6	7
27 Traverse City.....	261	12	6	3	1	22	1	1	4	3	13
MINNESOTA.												
28 Registration cities (total).....	8,714	1,390	235	151	107	83	1,966	242	162	231	488	434
29 White.....	8,584	1,380	232	151	107	83	1,953	241	159	231	484	427
30 Colored.....	130	10	3	13	1	4	7
31 Duluth.....	1,047	184	43	14	10	10	261	25	20	29	61	63
32 Mankato.....	170	13	2	1	1	1	18	4	5	8	7
33 Minneapolis.....	4,116	659	119	73	50	42	943	115	78	96	231	206
34 St. Cloud.....	158	28	6	5	2	2	43	3	1	4	8	5
35 St. Paul.....	2,690	412	56	49	34	25	576	83	50	82	149	126
36 Stillwater.....	121	14	2	1	1	18	3	1	2	5	10
37 Virginia.....	134	45	4	2	4	2	57	1	7	11	5
38 Winona.....	278	35	3	6	5	1	50	12	8	6	15	12
MISSOURI.												
39 Registration cities (total).....	18,342	2,471	550	282	174	149	3,626	451	257	429	788	926
40 White.....	18,109	2,241	498	241	157	130	3,267	413	216	359	636	736
41 Colored.....	2,233	230	52	41	17	19	359	38	41	70	152	190
42 Hannibal (total).....	257	29	10	5	1	2	47	3	3	5	12	15
43 White.....	206	23	8	3	2	36	3	2	2	9	9
44 Colored.....	51	6	2	2	1	11	1	3	3	6
45 Jefferson City (total).....	170	27	5	2	4	1	39	3	3	5	13	14
46 White.....	141	24	5	2	3	1	35	3	2	4	9	10
47 Colored.....	29	3	1	4	1	1	4	4
48 Joplin.....	536	67	21	10	11	8	117	25	8	11	22	28
49 Kansas City (total).....	3,939	536	95	51	36	27	745	77	54	91	177	222
50 White.....	3,305	478	80	44	31	21	654	67	48	72	132	159
51 Colored.....	634	58	15	7	5	6	91	10	6	19	45	63
52 Moberly (total).....	170	20	8	4	1	1	34	5	5	6	11	10
53 White.....	143	15	6	3	1	1	26	4	4	5	9	7
54 Colored.....	27	5	2	1	8	1	1	1	2	3
55 St. Joseph (total).....	1,133	131	23	9	4	2	169	23	20	30	47	62
56 White.....	1,051	124	23	8	4	2	161	23	17	26	40	58
57 Colored.....	82	7	1	8	3	4	7	4
58 St. Louis (total).....	11,052	1,508	346	179	112	96	2,241	284	145	248	452	514
59 White.....	9,786	1,372	315	153	102	85	2,027	258	120	211	371	417
60 Colored.....	1,266	136	31	26	10	11	214	26	25	37	81	97
61 Sedalia (total).....	283	33	5	3	1	42	14	3	7	15	14
62 White.....	224	25	3	2	30	13	3	4	11	10
63 Colored.....	59	8	2	1	1	12	1	3	4	4
64 Springfield (total).....	630	93	30	17	4	8	152	14	13	21	34	32
65 White.....	563	88	30	14	4	7	143	14	10	19	29	24
66 Colored.....	67	5	3	3	1	9	3	2	5	8
67 Webb City.....	172	27	7	2	1	3	40	3	3	5	5	15
MONTANA.												
68 Registration cities (total).....	1,688	266	35	19	12	12	344	41	24	48	72	100
69 White.....	1,644	264	33	17	11	12	337	40	24	46	72	97
70 Colored.....	44	2	2	2	1	7	1	2	3
71 Anaconda.....	125	26	3	29	2	1	4	5	4
72 Billings.....	140	20	4	4	1	29	6	3	3	10	11
73 Butte.....	726	105	11	4	6	4	130	13	9	13	31	56
74 Great Falls.....	347	58	11	6	5	7	87	13	5	14	14	19
75 Helena (total).....	162	24	4	2	1	31	4	3	7	7	3
76 White.....	161	24	4	2	1	31	4	3	7	7	3
77 Colored.....	1
78 Missoula.....	188	33	2	3	38	3	3	7	5	7

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed divisions (counties, exclusive of municipalities of

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.												
NEBRASKA. ¹												
1 Registration cities (total).....	2,388	303	68	31	20	18	440	70	35	67	105	128
2 White.....	2,253	296	63	30	20	17	426	69	34	59	97	117
3 Colored.....	130	7	5	1	1	1	14	1	1	8	8	11
4 Lincoln.....	551	92	21	10	6	7	136	14	9	10	21	22
5 Omaha.....	1,837	211	47	21	14	11	304	56	26	57	84	106
NEW HAMPSHIRE.												
6 Registration cities (total).....	3,050	667	102	42	30	24	865	52	32	46	82	82
7 White.....	3,042	667	102	42	30	24	865	52	32	46	82	82
8 Colored.....	8											
9 Berlin.....	190	73	13	6	5	1	98	6	2	1	9	8
10 Concord.....	456	35	3	1	1	3	43	4	4	2	11	7
11 Dover.....	255	29	2	2	1	1	34	8	2	2	4	6
12 Keene.....	155	17	1	2			20	3	4	5	5	4
13 Laconia.....	181	32	4		4	1	41	1	1	4	7	3
14 Manchester.....	1,250	380	73	26	17	18	514	18	16	19	31	40
15 Nashua.....	368	73	3	4			80	9	2	8	12	8
16 Portsmouth.....	195	28	3	1	2	1	35	3	1	5	3	6
NEW JERSEY.												
17 Registration cities (total).....	25,959	5,215	1,081	463	295	211	7,265	690	364	551	866	950
18 White.....	24,587	4,955	1,006	437	283	201	6,882	651	339	500	806	896
19 Colored.....	1,372	260	75	26	12	10	383	39	25	51	60	54
20 Asbury Park (total).....	177	34	1		1		36	2	2	1	3	4
21 White.....	127	23	1				24	2	2		1	3
22 Colored.....	50	11			1		12			1	2	1
23 Atlantic City (total).....	829	125	20	6	7	5	163	18	10	8	28	31
24 White.....	647	90	14	4	7	5	120	14	6	2	22	18
25 Colored.....	182	35	6	2			43	4	4	6	6	13
26 Bayonne.....	807	218	40	20	13	8	299	26	16	21	37	41
27 Bloomfield.....	182	29	11	1	1	2	44	5	1	4	4	7
28 Bridgeton (total).....	242	34	1	2	1	3	41	7	3	6	6	7
29 White.....	226	31	1	2	1	1	36	5	2	5	6	6
30 Colored.....	16	3				2	5	2	1	1		1
31 Camden (total).....	1,759	385	70	30	18	8	511	40	30	37	74	65
32 White.....	1,576	351	59	28	18	8	464	33	26	28	61	58
33 Colored.....	183	34	11	2			47	7	4	9	13	7
34 East Orange (total).....	361	47	9	2	3	4	65	5	6	8	6	5
35 White.....	340	43	8	1	3	2	57	5	6	7	4	5
36 Colored.....	21	4	1	1		2	8			1	2	
37 Elizabeth.....	1,185	254	54	31	15	8	362	39	17	23	42	37
38 Garfield.....	151	63	12	2	1	2	80	3	2	2	6	6
39 Hackensack (total).....	254	50	5	6	3	1	65	8	3	8	5	13
40 White.....	232	43	4	6	3	1	57	8	2	7	3	12
41 Colored.....	22	7	1				8		1	1	2	1
42 Harrison.....	167	50	4	4	2		60	2	1	2	6	6
43 Hoboken.....	1,165	165	46	19	23	10	263	45	16	30	51	51
44 Irvington.....	187	28	6	2		1	37	5	4	2	1	13
45 Jersey City.....	4,042	750	153	89	45	42	1,079	118	64	100	140	161
46 Kearny.....	257	49	7	6	2	2	66	7	5	7	4	5
47 Long Branch (total).....	311	32	4	1	1	2	40	9	9	12	16	14
48 White.....	266	27	4	1		2	34	8	5	9	12	10
49 Colored.....	45	5			1		6	1	4	3	4	4
50 Millville.....	159	24	3	1	3	1	32	3	2	3	1	5
51 Montclair (total).....	348	101	13	3	3	1	121	10	3	8	13	14
52 White.....	305	91	11	3	2	1	108	8	3	6	8	13
53 Colored.....	43	10	2				13	2		2	5	1
54 Morristown (total).....	266	39	5	3	3	1	51	6	3	5	13	5
55 White.....	240	35	4	1	2	1	43	6	2	4	13	5
56 Colored.....	26	4	1	2	1		8		1	1		
57 New Brunswick.....	498	116	24	7	11	5	163	13	6	19	19	19
58 Newark.....	5,650	1,139	291	106	72	41	1,649	139	68	95	175	200
59 Orange (total).....	507	69	18	8	6	6	107	9	4	7	16	20
60 White.....	436	57	14	5	6	5	87	7	3	4	15	18
61 Colored.....	71	12	4	3		1	20	2	1	3	1	2
62 Passaic.....	871	298	63	17	16	10	404	25	12	16	33	36
63 Paterson.....	1,810	302	48	21	13	7	391	42	28	50	55	58
64 Perth Amboy.....	571	200	50	22	6	14	292	25	8	13	16	16
65 Phillipsburg.....	186	38	8	4	3	2	55	7	2	7	4	4
66 Plainfield (total).....	292	49	8	3	1	2	63	5	5	8	4	4
67 White.....	254	42	7	2	1	2	54	4	4	7	4	4
68 Colored.....	38	7	1	1			9	1	1	1		
69 Trenton.....	1,938	398	72	30	15	14	523	36	22	33	64	80
70 Union.....	180	28	5	5		2	40	6	3	5	5	4
71 West Hoboken.....	333	49	18	7	3	4	81	13	5	7	12	13
72 West New York.....	195	41	9	3	3	3	59	9	2	3	4	4
73 West Orange.....	79	11	3	2			17	3	2	1	3	2

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY COLOR AND AGE OF DECEDENT.

207

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1914—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
112	146	129	143	175	154	145	151	150	105	70	41	16	4	2	1
101	126	116	136	161	151	137	146	149	103	70	40	15	3	2	2
11	20	13	7	14	3	8	5	1	2		1	1	1		3
21	17	22	24	32	33	32	39	47	23	25	16	6		2	4
91	129	107	119	143	121	113	112	103	82	45	25	10	4		5
99	94	136	122	166	180	170	213	218	216	132	82	33	13	1	6
99	94	134	122	165	179	170	212	218	215	132	82	33	13	1	7
		2		1	1		1	218	215	132	82	33	13	1	8
4	6	5	7	8	7	2	11	3	6		1	1		5	9
14	28	36	15	29	29	41	55	40	47	25	16	5	3	1	10
6	5	9	12	19	27	22	15	26	24	13	12	2	1	6	11
5	5	3	2	12	11	9	15	15	17	14	5	1	1	1	12
4	5	9	4	7	12	11	11	20	19	9	9	3		1	13
46	30	37	49	54	63	54	68	72	59	45	19	10	5	1	14
16	10	26	17	30	21	22	20	21	28	15	12	9		2	15
4	5	11	16	7	10	9	18	21	16	11	8	3	3		16
1,085	1,286	1,299	1,454	1,627	1,465	1,615	1,572	1,501	1,081	750	376	113	36	6	17
994	1,168	1,224	1,359	1,540	1,395	1,556	1,503	1,456	1,059	736	370	111	32	4	18
91	118	75	95	87	70	59	69	45	22	14	6	2	4	2	19
5	6	6	6	12	18	10	18	12	12	14	4	2	3	1	20
3	3	4	4	7	13	7	14	7	11	14	4	2	2		21
2	3	2	2	5	5	3	4	5	1				1	1	22
38	61	41	51	61	62	57	61	60	25	30	12	6	5	1	23
23	43	31	35	50	52	49	52	57	23	29	11	6	3	1	24
15	18	10	16	11	10	8	9	3	2	1	1	6	2		25
32	38	49	39	38	34	47	28	33	18	8	2		1		26
5	4	7	10	10	9	13	11	14	14	12	3	4	1		27
7	8	5	16	17	11	26	12	19	17	22	8	4			28
7	7	5	15	17	11	25	12	17	17	20	8	4			29
	1		1			1	2	1	1	2					30
72	77	44	97	115	98	128	116	86	80	51	25	9	2	1	31
65	58	41	86	98	92	119	103	82	76	50	24	8	2	1	32
7	19	3	11	17	6	9	13	4	4	1	1	1			33
7	17	12	11	25	26	21	32	35	36	22	18	3	1		34
7	16	10	10	24	25	21	29	35	36	21	18	3	1		35
	1	2	1	1	1		3			1					36
38	52	52	58	81	70	67	57	80	52	28	19	9		2	37
5	2	8	6	8	6	4	5	4	1	1	2				38
9	9	13	12	15	17	22	11	13	14	8	6	3			39
9	8	12	12	13	16	19	11	13	13	8	6	3			40
	1	1	2	2	1	3		1		1					41
7	9	6	9	15	8	8	14	7	4	1	2				42
62	64	89	75	72	69	96	67	48	29	21	15	2			43
6	10	7	12	6	9	12	8	13	22	12	6	2			44
202	238	237	257	238	232	238	231	226	132	90	34	13	9	3	45
3	6	7	10	9	10	12	17	34	28	14	10	3			46
11	19	23	21	14	16	31	21	20	11	14	5	3	2		47
8	16	19	16	13	14	30	19	20	11	12	5	3	2		48
3	3	4	5	1	2	1	2	2		2					49
6	6	6	8	4	16	6	12	19	12	9	5	3	1		50
8	13	10	10	13	13	20	22	23	21	19	5	2			51
5	12	9	8	12	11	20	18	19	19	19	5	2			52
3	1	1	2	2	2	2	4	4	2						53
8	21	13	22	13	10	15	19	18	17	14	10	3			54
5	19	10	22	12	8	13	17	17	17	14	10	3			55
3	2	3	1	2	2	2	2	1							56
17	17	20	19	36	12	34	42	22	13	14	10	2		1	57
235	303	309	326	395	332	329	331	315	220	132	71	20	5	1	58
26	36	33	24	29	36	39	42	28	20	19	9	2	1		59
21	28	25	19	25	32	35	39	28	20	18	9	2	1		60
5	5	8	5	4	4	4	3	3		1					61
37	31	32	45	49	26	33	27	15	23	16	11				62
87	78	79	114	124	126	133	129	118	94	64	30	3	1	1	63
20	25	29	21	14	21	15	16	13	13	9	5				64
9	4	10	10	8	6	7	14	11	11	11	4	2			65
16	19	15	19	20	15	22	16	23	19	13	5		1		66
14	14	12	15	15	13	20	16	21	19	12	5		1		67
2	5	3	4	5	2	2		2		1					68
76	80	94	102	133	114	117	133	129	92	62	27	12	2		69
2	7	13	9	15	11	13	18	17	5	4	3				70
13	13	17	14	19	20	24	24	31	12	9	5		1		71
11	11	11	16	19	9	9	11	7	6	6	2				72
5	2	2	5	5	3	2	7	8	8	1	3				73

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.													
NEW YORK.													
1	Registration cities (total).....	109,356	19,502	4,391	1,722	1,190	848	27,653	2,440	1,420	2,410	3,679	4,395
2	White.....	106,198	18,959	4,226	1,667	1,143	815	26,810	2,367	1,361	2,317	3,489	4,146
3	Colored.....	3,158	543	165	55	47	33	843	73	59	93	190	249
4	Albany.....	1,993	267	33	17	13	6	336	24	17	41	63	70
5	Amsterdam.....	495	117	16	4	4	4	145	9	4	8	21	26
6	Auburn.....	553	86	18	3	3	6	116	9	3	14	18	18
7	Batavia.....	223	49	5	1	1	1	57	1	1	4	6	7
8	Binghamton.....	1,017	165	21	12	15	7	220	18	15	14	37	26
9	Buffalo.....	7,045	1,525	220	96	55	41	1,937	149	106	155	261	304
10	Cohoes.....	394	96	19	5	5	5	130	4	5	5	8	8
11	Corning.....	203	34	4	1	39	1	4	8	6	6
12	Cortland.....	218	31	5	4	1	1	41	2	2	3	2	3
13	Dunkirk.....	238	54	10	6	3	2	75	7	3	4	5	9
14	Elmira.....	577	82	9	3	7	101	8	3	10	13	24
15	Fulton.....	179	46	10	2	1	1	60	5	2	4	7	5
16	Geneva.....	235	40	5	2	4	2	53	10	2	7	8	5
17	Glens Falls.....	288	38	4	3	1	46	4	4	4	8	7
18	Gloversville.....	331	43	7	1	1	2	54	7	2	6	6	8
19	Hornell.....	221	18	5	2	1	26	3	2	5	3	13
20	Hudson.....	230	32	6	4	1	43	7	5	5	8	11
21	Ithaca.....	243	20	2	1	2	25	2	2	6	9	8
22	Jamestown.....	428	58	12	7	3	5	85	7	2	10	14	17
23	Johnstown.....	133	14	3	1	18	2	4	1	2
24	Kingston.....	488	41	14	3	4	2	64	9	5	18	15	21
25	Lackawanna.....	321	241	21	3	3	288	2	2	2	5	6
26	Little Falls.....	232	67	5	4	3	79	3	1	4	4	10
27	Lockport.....	286	37	3	3	1	44	6	3	1	10	7
28	Middletown.....	387	28	7	5	3	43	4	4	5	6	16
29	Mount Vernon.....	387	71	12	2	5	3	93	4	6	5	4	13
30	New Rochelle (total).....	359	57	9	4	3	4	77	9	9	9	13	6
31	White.....	325	53	8	4	3	3	71	8	6	7	11	6
32	Colored.....	34	4	1	1	6	1	3	2	2
33	New York (total).....	75,020	13,342	3,410	1,321	892	628	19,593	1,792	995	1,699	2,622	3,121
34	Bronx Borough.....	7,136	1,127	252	134	102	61	1,676	203	109	171	300	347
35	Brooklyn Borough.....	25,259	4,330	1,049	428	291	215	6,313	598	394	631	845	1,009
36	Manhattan Borough.....	36,201	6,793	1,863	670	424	297	10,047	819	414	744	1,236	1,522
37	Queens Borough.....	4,903	870	192	72	60	50	1,244	143	69	118	187	197
38	Richmond Borough.....	1,521	222	54	17	15	5	1,313	29	9	35	54	46
39	White.....	72,382	12,885	3,268	1,271	855	601	18,880	1,727	954	1,625	2,462	2,910
40	Bronx Borough.....	7,043	1,113	248	133	100	58	1,652	200	109	169	298	339
41	Brooklyn Borough.....	24,606	4,220	1,016	412	283	208	6,139	585	380	615	813	965
42	Manhattan Borough.....	34,450	6,487	1,766	638	398	282	9,571	774	391	693	1,120	1,371
43	Queens Borough.....	4,795	846	186	71	59	49	1,211	140	65	113	179	192
44	Richmond Borough.....	1,488	219	52	17	15	4	1,307	28	9	35	52	43
45	Colored.....	2,638	457	142	50	37	27	713	65	41	74	160	211
46	Bronx Borough.....	93	14	4	1	2	3	24	3	2	2	8
47	Brooklyn Borough.....	653	110	33	16	8	7	174	13	14	16	32	44
48	Manhattan Borough.....	1,731	306	97	32	26	15	476	45	23	51	116	151
49	Queens Borough.....	108	24	6	1	1	1	33	3	4	5	8	5
50	Richmond Borough.....	33	3	2	1	6	1	2	3
51	Newburgh.....	516	57	12	6	3	78	14	4	11	14	27
52	Niagara Falls.....	564	170	23	6	4	3	206	18	2	21	15	20
53	North Tonawanda.....	159	55	7	1	2	67	4	3	4	4	2
54	Ogdensburg.....	439	55	6	4	1	66	8	11	8	10	12
55	Olean.....	252	34	12	2	2	50	5	10	7	9	7
56	Ossining (total).....	188	15	5	2	22	2	4	3	12	11
57	White.....	176	13	3	2	18	2	3	3	11	10
58	Colored.....	12	2	2	4	1	1	1
59	Oswego.....	432	78	7	2	4	1	92	9	4	6	13	13
60	Peekskill.....	255	43	11	5	4	5	68	6	5	5	10	4
61	Plattsburg.....	195	30	3	1	1	35	3	1	6	4	10
62	Port Chester.....	193	36	16	6	1	4	63	4	3	4	5	9
63	Poughkeepsie.....	519	72	15	12	10	6	115	8	4	9	8	21
64	Rensselaer.....	169	29	3	3	2	1	38	2	2	6	1	2
65	Rochester.....	3,514	559	93	34	31	18	735	66	43	75	97	132
66	Rome.....	527	56	3	5	6	2	72	15	12	17	30	34
67	Saratoga Springs.....	261	29	3	3	3	3	41	4	2	2	7	13
68	Schenectady.....	1,040	229	37	14	9	12	301	32	18	13	40	39
69	Syracuse.....	2,208	418	55	21	26	16	536	38	18	43	64	89
70	Troy.....	1,591	183	42	16	17	4	262	26	23	31	49	57
71	Utica.....	1,548	289	63	25	13	12	402	24	13	29	48	42
72	Watertown.....	468	60	7	5	3	3	78	9	7	18	12	10
73	Watervliet.....	231	41	10	2	6	3	62	2	8	2	5
74	White Plains (total).....	258	41	7	5	2	55	2	6	1	13	8
75	White.....	233	33	4	3	2	42	2	5	2	2
76	Colored.....	25	8	3	2	13	1	1	2	2
77	Yonkers.....	1,105	224	56	31	15	15	341	31	13	27	29	51

DEATHS, BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1914—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions, 10,000 inhabitants or over in 1910, are omitted.]

DEATHS AT AGE OF—															Deaths at un- known age.		
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
4,705	5,757	6,252	6,501	7,074	6,836	7,082	6,653	6,257	4,818	3,211	1,569	498	114	17	15	1	
4,449	5,488	6,011	6,321	6,892	6,692	6,967	6,581	6,170	4,763	3,182	1,558	493	110	16	15	2	
256	269	241	180	182	144	115	72	87	55	29	11	5	4	1	15	3	
74	121	124	115	125	142	156	165	168	114	87	37	12	2			4	
20	22	23	24	31	34	20	25	35	18	13	14	2				5	
18	21	24	26	33	42	41	45	49	29	27	15	5				6	
5	16	12	13	5	13	16	16	22	10	8	8	4				7	
36	47	60	57	55	69	58	80	76	72	48	14	8				8	
259	331	378	371	456	438	413	417	348	328	236	118	34	5	1		9	
12	17	27	15	28	28	27	20	29	10	14	5	2				10	
10	9	13	7	17	11	19	16	12	14	5	3	2				11	
7	6	6	13	15	22	15	12	19	22	12	10	5				12	
11	10	10	10	10	10	19	12	11	10	8	13	1				13	
21	22	22	18	37	49	52	66	65	29	19	12	3	1	1		14	
4	5	4	4	8	10	7	12	9	10	14	7	1	1			15	
10	12	18	6	14	12	15	12	18	16	10	4	2				16	
10	13	16	21	19	18	16	21	34	17	16	12	2				17	
10	11	15	14	19	19	31	39	32	20	20	16	2				18	
8	14	8	15	10	19	26	19	11	17	12	8		1			19	
4	8	9	11	14	14	13	15	23	11	18	5	6				20	
4	8	14	11	15	15	21	20	23	18	18	7	7				21	
12	18	14	29	18	32	27	37	37	25	29	10	4				22	
1	2	1	11	10	9	15	13	15	8	11	7	2				23	
21	17	24	30	25	44	43	32	42	31	28	13	3				24	
6	8	2	4	4	4	5	2	1								25	
6	14	2	11	12	11	16	19	9	13	10	4	3				26	
11	9	13	16	12	13	19	25	27	29	24	11	5				27	
19	17	18	19	25	36	31	41	37	23	26	15	2				28	
7	16	23	18	24	15	22	32	27	34	21	16	6				29	
19	19	27	17	19	23	13	23	24	25	14	11	2				30	
15	18	19	2	18	21	13	23	23	25	13	11	2				31	
4	8	8	2	1	2			1	1	1		2				32	
3,461	4,192	4,527	4,723	5,046	4,643	4,745	4,275	3,870	2,777	1,788	823	251				33	
342	393	405	457	473	493	483	403	360	260	169	75	29				34	
1,129	1,283	1,459	1,530	1,660	1,565	1,598	1,481	1,464	1,105	723	308	91				35	
1,721	2,132	2,304	2,315	2,525	2,221	2,231	2,000	1,646	1,123	688	329	100				36	
196	259	278	285	305	284	326	287	294	205	129	70	19				37	
73	72	81	105	83	85	107	104	106	84	79	41	12				38	
3,237	3,966	4,323	4,562	4,896	4,536	4,648	4,215	3,805	2,741	1,764	817	246				39	
337	384	399	454	463	488	478	401	355	259	167	75	28				40	
1,083	1,237	1,405	1,533	1,617	1,529	1,567	1,458	1,448	1,092	717	307	91				41	
1,556	2,025	2,172	2,205	2,432	2,153	2,179	1,967	1,608	1,106	673	326	97				42	
188	251	269	282	303	281	320	286	291	203	128	69	18				43	
73	69	78	103	81	85	104	103	103	81	79	40	12				44	
224	226	204	161	150	112	97	60	65	36	24	6	5				45	
5	6	6	3	10	5	5	2	5	1	2		1				46	
46	49	54	42	43	36	31	23	16	13	6						47	
165	157	132	110	93	68	52	33	38	17	15						48	
8	8	9	4	2	3	6	1	3	2	1						49	
	3	3	2	2	3	3	1	3	3	1						50	
24	26	28	44	25	35	36	37	44	29	22	14	4				51	
24	30	20	24	29	28	22	27	28	25	11	13	1				52	
2	4	7	4	11	7	7	4	6	11	9	2					53	
14	21	15	26	29	26	40	34	42	33	20	13	3				54	
17	8	13	6	13	17	19	18	18	19	9	4	1				55	
10	11	10	5	8	11	12	17	26	8	9	5	1				56	
8	10	9	5	8	10	12	17	26	8	9	5	1				57	
2	1	1															58
12	10	19	25	21	28	32	32	33	36	26	11	8				59	
5	8	11	15	9	10	17	17	25	21	7	8	3				60	
11	8	8	7	6	11	15	17	16	20	7	4	3				61	
5	5	12	7	12	11	11	12	11	8	6	4	1				62	
12	15	28	24	30	40	37	41	54	28	16	5	5				63	
3	6	10	8	9	12	10	10	17	19	6	3	1				64	
120	152	197	207	196	225	253	257	231	234	143	70	25				65	
27	29	22	28	36	29	28	41	30	39	19	15	2				66	
7	13	9	12	15	20	25	25	26	18	12	7	2				67	
44	50	52	57	48	54	71	65	51	53	38	8	4				68	
66	92	98	114	148	121	172	150	143	155	93	46	16				69	
61	86	87	94	114	134	134	134	122	86	46	31	12				70	
60	77	75	61	82	95	116	77	109	98	79	41	16				71	
19	18	17	26	30	26	35	41	40	30	29	14	8				72	
8	10	7	9	22	19	17	14	9	18	14	3	2				73	
7	17	13	15	16	19	12	10	17	18	9	10					74	
7	16	13	14	15	19	11	20	17	17	8	10					75	
1	1		1	1	1	1	1	1	1	1						76	
61	56	60	54	65	68	55	56	49	42	33	9	3				77	

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed sions (counties, exclusive of municipalities of

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.												
NORTH CAROLINA.												
1 Registration cities (total).....	3,926	761	197	63	43	26	1,080	101	76	181	256	237
2 White.....	1,870	320	93	20	21	14	477	45	28	63	89	91
3 Colored.....	2,056	441	104	34	22	12	613	56	48	118	167	146
4 Asheville (total).....	489	70	19	9	5	4	107	24	8	26	33	43
5 White.....	327	36	12	6	2	4	60	15	5	13	23	28
6 Colored.....	162	34	7	3	3	3	47	9	3	13	10	15
7 Charlotte (total).....	824	142	38	13	20	5	218	20	13	35	56	57
8 White.....	402	73	22	9	11	1	116	10	3	12	26	16
9 Colored.....	422	69	16	4	9	4	102	10	10	23	30	41
10 Durham (total).....	354	69	17	1	2	3	92	9	6	20	30	22
11 White.....	153	34	8	1	1	1	44	3	2	6	10	9
12 Colored.....	201	35	9	1	1	2	48	6	4	14	20	13
13 Greensboro (total).....	361	83	22	6	3	4	118	9	7	13	31	17
14 White.....	152	28	8	2	2	2	42	3	1	4	7	5
15 Colored.....	209	55	14	4	1	2	76	6	6	9	24	12
16 Raleigh (total).....	603	105	19	6	4	1	135	10	8	25	33	32
17 White.....	302	41	8	4	2	2	55	4	3	9	7	11
18 Colored.....	301	64	11	2	2	1	80	6	5	16	26	21
19 Wilmington (total).....	653	141	48	15	5	1	210	15	11	26	27	28
20 White.....	247	39	21	7	2	2	69	3	5	6	3	8
21 Colored.....	406	102	27	8	3	1	141	12	6	20	24	20
22 Winston-Salem (total).....	642	151	34	13	4	8	210	14	23	36	46	58
23 White.....	287	69	14	1	1	6	91	7	9	13	13	14
24 Colored.....	355	82	20	12	3	2	119	7	14	23	33	24
OHIO.												
25 Registration cities (total).....	33,447	5,873	968	445	293	223	7,802	703	460	746	1,383	1,514
26 White.....	31,679	5,646	933	429	273	216	7,497	676	427	687	1,266	1,376
27 Colored.....	1,768	227	35	16	20	7	305	27	33	59	117	138
28 Akron.....	1,086	266	50	26	12	10	364	20	18	20	60	57
29 Alliance.....	199	29	7	4	2	1	40	3	1	7	7	10
30 Ashtabula.....	224	55	12	2	2	1	58	4	5	6	11	6
31 Bellaire.....	178	46	17	3	1	1	68	5	4	1	2	6
32 Cambridge.....	177	36	11	4	3	2	56	6	1	4	4	3
33 Canton.....	639	124	12	16	5	2	159	5	8	21	29	28
34 Chillicothe (total).....	233	37	3	1	1	1	42	6	3	5	13	7
35 White.....	205	34	3	1	1	1	39	6	3	2	10	6
36 Colored.....	28	3	3	1	1	1	3	3	3	3	3	1
37 Cincinnati (total).....	6,431	750	134	65	54	30	1,033	116	63	124	244	321
38 White.....	5,787	675	123	60	44	23	930	108	56	107	194	254
39 Colored.....	644	75	11	5	10	2	103	8	7	17	50	67
40 Cleveland.....	8,183	1,854	296	126	89	67	2,432	187	117	164	320	375
41 Columbus (total).....	3,022	401	58	33	27	17	536	43	38	67	131	145
42 White.....	2,704	348	51	30	20	16	465	39	33	58	115	129
43 Colored.....	318	53	7	3	7	1	71	4	5	9	16	16
44 Dayton.....	1,704	268	45	23	11	16	363	35	22	31	73	70
45 East Liverpool.....	345	73	16	7	3	1	100	19	8	10	19	14
46 Elyria.....	200	35	3	1	2	2	43	2	1	6	9	10
47 Findlay.....	209	21	4	3	2	2	30	3	2	7	4	5
48 Hamilton.....	402	63	12	4	5	1	84	10	7	8	15	12
49 Ironton (total).....	222	27	11	4	1	1	43	4	9	12	9	11
50 White.....	213	27	11	4	1	1	43	4	8	12	8	10
51 Colored.....	9	1	1	1	1	1	1	1	1	1	1	1
52 Lakewood.....	258	47	10	9	7	7	80	13	3	4	9	7
53 Lancaster.....	188	11	7	8	4	3	33	9	6	4	9	2
54 Lima.....	448	74	11	3	1	1	90	8	6	14	27	23
55 Lorain.....	335	99	15	6	4	4	128	1	4	16	15	14
56 Mansfield.....	293	43	5	3	2	2	53	9	5	9	8	11
57 Marietta.....	216	22	6	4	2	2	34	3	5	5	2	12
58 Marion.....	276	47	11	2	1	1	61	3	4	6	10	11
59 Massillon.....	165	21	5	2	1	1	30	2	2	2	4	7
60 Middletown.....	195	60	7	2	2	2	73	4	3	5	13	11
61 Newark.....	364	51	8	4	1	1	64	11	5	5	8	19
62 Norwood.....	176	21	1	1	1	4	26	3	5	4	10	7
63 Piqua.....	179	28	3	1	1	1	32	2	1	6	10	6
64 Portsmouth.....	401	60	25	5	5	5	100	14	9	20	27	17
65 Sandusky.....	288	45	3	3	2	2	53	3	3	8	16	15
66 Springfield (total).....	673	95	14	9	3	5	126	21	10	9	24	23
67 White.....	559	77	12	8	3	5	105	18	6	8	18	19
68 Colored.....	114	18	2	1	1	1	21	3	4	1	6	4
69 Steubenville.....	455	111	15	8	1	6	140	11	7	15	19	23
70 Tiffin.....	207	16	3	2	2	2	23	7	4	3	14	10
71 Toledo.....	2,849	469	71	22	27	16	605	67	38	68	131	125
72 Warren.....	176	24	3	4	2	1	34	3	4	3	5	10
73 Youngstown.....	1,380	380	64	25	10	8	487	35	25	34	52	66
74 Zanesville (total).....	471	64	5	6	2	2	79	4	8	13	20	15
75 White.....	441	59	4	6	2	2	73	4	7	12	16	12
76 Colored.....	30	5	1	1	1	1	6	1	1	1	4	3

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed counties, exclusive of municipalities of

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.												
OREGON. ¹												
1 Portland (total).....	2,363	265	45	27	16	13	366	44	30	57	103	109
2 White.....	2,281	257	43	24	16	13	353	43	30	57	97	108
3 Colored ²	82	8	2	3			13	1			6	1
PENNSYLVANIA.												
4 Registration cities (total).....	60,578	12,519	2,514	1,048	712	504	17,297	1,459	850	1,331	2,102	2,370
5 White.....	56,871	11,811	2,360	986	675	477	16,309	1,381	779	1,209	1,930	2,132
6 Colored.....	3,707	708	154	62	37	27	988	78	71	122	172	238
7 Allentown.....	907	183	41	14	14	13	265	25	7	24	24	47
8 Altoona.....	811	187	36	20	7	4	254	30	12	21	27	33
9 Beaver Falls.....	188	36	8	3	1	1	49	8	4	6	7	8
10 Bethlehem.....	165	35	9	4	1		49	3	1	3	1	4
11 Braddock.....	366	105	28	15	1	3	152	13	7	10	13	28
12 Bradford.....	224	34	3	3			40		2	4	8	10
13 Butler.....	294	65	12	6	1	3	87	9	9	8	7	13
14 Carbondale.....	292	65	8	2	2	6	83	7	5	4	11	11
15 Carlisle (total).....	153	11	3	3	1	1	19	2	2	6	2	5
16 White.....	122	9	1				10	1	1	2	2	3
17 Colored.....	31	2	2	3	1	1	9	1	1	4	1	2
18 Carnegie.....	115	42	5	3	1	2	53	5	3	3	3	4
19 Chambersburg (total).....	213	35	5	3	4		47	2	8	4	5	3
20 White.....	189	32	4	2	3		41	2	6	4	4	2
21 Colored.....	24	3	1	1	1		6		2		1	1
22 Chester (total).....	693	163	33	6	8	7	217	8	7	23	23	32
23 White.....	566	131	26	4	8	7	176	7	5	19	15	23
24 Colored.....	127	32	7	2			41	1	2	4	8	9
25 Coatesville (total).....	131	42	5	4	1	2	54	3		3	1	6
26 White.....	118	38	5	3	1	2	49	3		2	1	4
27 Colored.....	13	4		1			5			1		2
28 Columbia.....	160	26	6	4	3	1	40	2	2	4	4	7
29 Connellsville.....	185	35	7	3	2	1	48	5	6	4	8	9
30 Dubois.....	145	30	8		1		39	1	6	4	9	2
31 Dunmore.....	333	140	22	7	3	4	176	2	4	7	6	5
32 Duquesne.....	213	93	20	4	1	1	119	8	2	4	6	7
33 Easton.....	508	70	10	5	10	7	102	21	4	12	19	28
34 Erie.....	1,057	247	35	12	11	9	314	10	18	14	29	38
35 Farrell.....	156	73	10	1	3	2	89	9		6	9	7
36 Greensburg.....	231	38	10	3	3	1	55	5	9	9	11	19
37 Harrisburg (total).....	967	139	26	7	7	2	181	22	17	29	35	43
38 White.....	874	131	25	6	7	1	170	21	16	27	26	34
39 Colored.....	93	8	1	1			11	1	1	2	9	9
40 Hazleton.....	424	98	16	8	12	6	140	16	9	21	23	17
41 Homestead.....	259	105	23	6	7	1	142	12	5	7	7	7
42 Johnstown.....	949	289	50	20	20	10	389	37	8	21	43	49
43 Lancaster.....	703	108	20	7	2	5	142	11	8	15	20	27
44 Lebanon.....	313	59	10	1	3	3	76	6	3	5	13	10
45 McKees Rocks.....	185	89	12	5	5	3	114	5	2	5	3	5
46 McKeesport.....	640	184	38	10	9	9	250	10	10	20	29	37
47 Mahanoy City.....	187	53	14	3	2	2	74	8	3	4	10	8
48 Meadville.....	198	31	4	3	2	1	41	1	1	8	7	4
49 Monessen.....	184	92	22	5	1		120	9	4	3	8	2
50 Mount Carmel.....	212	77	15	7		7	106	12	5	3	4	9
51 Nanticoke.....	321	94	25	13	2	3	137	18	6	13	16	9
52 New Castle.....	464	122	21	6	7	4	160	9	9	16	20	10
53 Norristown.....	643	68	12	5	6	4	95	5	7	14	13	27
54 North Braddock.....	135	51	7	6	4	1	69	6	1	4	4	5
55 Oil City.....	248	47	8	1	2		58	4	1	6	8	10
56 Old Forge.....	199	76	30	7	2	2	117	3	8	4	3	8
57 Philadelphia (total).....	26,739	4,870	1,001	444	236	197	6,798	539	301	506	843	958
58 White.....	24,454	4,420	903	403	262	180	6,168	500	267	438	739	803
59 Colored.....	2,285	450	98	41	24	17	630	39	34	68	104	155
60 Phoenixville.....	183	44	6	3	2	2	57	6	5	5	2	5
61 Pittsburgh (total).....	8,857	1,868	399	167	129	96	2,659	233	157	184	362	386
62 White.....	8,284	1,763	377	157	124	90	2,511	258	138	162	334	358
63 Colored.....	593	105	22	10	5	6	148	25	19	22	28	28
64 Pittston.....	347	89	30	8	1	6	134	11	8	7	17	10
65 Plymouth.....	209	79	17	4	2	5	107	7	1	4	2	5
66 Pottstown.....	224	30	3	5	3		41	6	5	3	10	9
67 Pottsville.....	363	58	2	3	2	3	68	9	4	9	19	25
68 Reading.....	1,453	271	56	29	19	5	380	28	23	40	67	45
69 Scranton.....	2,231	550	114	43	27	19	753	52	35	65	93	89
70 Shamokin.....	239	61	7	3	2	3	76	12	1	3	7	8
71 Sharon.....	207	45	6	3		1	55	6	6	4	5	12
72 Shenandoah.....	460	194	44	17	11	1	267	10	2	13	14	13
73 South Bethlehem.....	286	116	19	8	1	3	147	4	3	7	10	10
74 Steelton (total).....	170	65	10	4	2		81	7	1		7	7
75 White.....	145	58	7	4	1		70	5	1		5	6
76 Colored.....	25	7	3		1		11	2			2	1
77 Sunbury.....	165	24	6	4	2	2	38	10	1	6	3	9

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY COLOR AND AGE OF DECEDENT.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1914—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions of 10,000 inhabitants or over in 1910 are omitted.

DEATHS AT AGE OF—																Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
141	130	114	141	183	179	167	153	147	143	94	45	12	1	2	2	1	
135	122	109	135	173	170	156	150	145	142	94	45	12	1	2	2	2	
6	8	5	6	10	9	11	3	2	1							3	
2,473	2,835	2,935	3,095	3,350	3,415	3,618	3,769	3,591	2,867	1,883	942	269	72	17	8	4	
2,223	2,569	2,655	2,813	3,115	3,241	3,451	3,641	3,492	2,792	1,847	918	290	66	12	6	5	
250	266	280	282	235	174	167	128	99	75	36	24	9	6	5	2	6	
26	43	33	31	46	45	44	57	65	56	46	20	2		1		7	
46	29	31	33	30	37	53	49	37	51	21	14	2		1		8	
5	8	7	2	11	11	15	14	8	14	8	3					9	
3	3	4	7	4	15	14	13	18	10	7	5					10	
16	17	21	20	16	13	11	11	7	4	3	2	2				11	
9	10	10	11	10	10	17	24	19	17	12	9	1				12	
16	12	16	8	17	15	16	14	17	9	15	4	2	1			13	
13	18	13	8	19	14	16	25	23	10	5	5	1				14	
6	6	7	11	7	7	12	17	12	19	5	5	1	2			15	
6	6	6	8	6	6	11	15	10	17	5	5	1	1			16	
1	5	1	3	1	1	1	2	2	2	2	1		1			17	
5	5	9	9	7	9	22	18	20	20	12	7	1				18	
5	4	6	9	6	8	20	16	20	17	12	7					19	
1	3	3	1	1	2	2	2	3	3			1				20	
25	22	30	41	29	30	36	47	52	32	20	15	4				21	
15	13	23	35	21	24	30	44	48	31	19	14	4				22	
10	9	7	6	8	6	6	3	4	1	1	1	4				23	
5	4	3	3	1	3	11	9	9	9	4	2	1				24	
5	4	2	3	1	2	8	9	9	9	4	2	1				25	
3	1	1	1	1	1	3	3	3	3	4	2	1				26	
11	5	11	11	6	6	8	9	14	16	5	5	2				27	
5	11	4	5	5	17	13	9	11	6	5	7	1				28	
5	11	6	5	5	17	13	9	11	6	5	7	1				29	
5	11	6	5	5	17	13	9	11	6	5	7	1				30	
8	4	9	8	14	17	15	13	21	7	10	6	1				31	
9	6	8	8	8	7	7	5	2	3	2	2					32	
22	23	25	13	26	24	28	39	40	42	24	13	2	1			33	
35	42	45	47	52	63	53	77	87	56	51	20	6				34	
4	6	7	2	8	4	3	1	1	6	11	4	1				35	
15	20	11	10	7	9	10	11	8	1	11	4	1				36	
38	57	36	45	54	67	75	69	71	66	35	19	8				37	
33	50	30	39	49	61	62	66	68	64	33	18	7				38	
5	7	6	6	5	6	13	3	3	2	2	1	1				39	
20	17	22	25	19	23	18	10	16	17	6	1	2				40	
9	7	9	12	8	10	6	8	9	3	1	3	2				41	
39	53	44	33	37	44	29	36	37	18	18	7	4	2			42	
21	33	38	35	37	43	55	55	51	51	39	15	5	2	1		43	
12	16	11	16	19	18	17	27	22	22	14	9	1				44	
7	10	6	6	3	6	8	3	1	1	1	9					45	
32	30	31	33	27	23	30	32	20	11	9	5		1			46	
5	6	9	10	9	10	10	8	6	2	3	2					47	
6	4	10	4	15	13	12	13	19	18	9	12		1			48	
5	7	3	1	5	4	5	2	3	1	1	1					49	
5	6	7	10	13	7	2	9	5	4	5						50	
12	20	8	14	18	10	9	9	13	6	4						51	
21	21	16	17	12	20	20	30	25	29	16	9	4				52	
19	34	32	41	46	48	47	54	47	41	39	21	8	1			53	
10	1	1	7	4	6	2	6	4	2	3						54	
9	14	12	13	19	14	12	16	23	15	8	4	1				55	
11	5	4	5	8	6	6	7	2	1	1						56	
1,087	1,221	1,444	1,510	1,636	1,702	1,790	1,807	1,691	1,360	892	440	163	33	10	1	55	
913	1,059	1,261	1,347	1,487	1,597	1,691	1,740	1,635	1,313	870	426	159	33	6	3	57	
174	162	183	163	149	105	99	67	56	47	22	14	4	5	4	1	58	
8	3	8	13	5	6	8	15	13	14	6	3	1				59	
389	502	449	492	477	471	495	462	433	315	199	105	1	10	1	1	60	
359	449	401	431	444	443	471	441	422	307	197	102	24	10	1	1	61	
30	53	48	61	33	28	24	21	11	8	2	3	1				62	
16	17	17	15	20	15	15	12	11	9	9	4					63	
7	3	8	8	10	9	9	11	10	4	2	2					64	
9	7	9	7	10	12	16	22	19	22	10	6	1				65	
22	17	19	18	30	14	22	27	27	14	16	5					66	
54	60	68	70	63	92	98	92	101	80	53	24	12	3			67	
95	109	105	104	127	104	125	123	97	86	44	17	6	2			68	
8	8	6	9	15	12	13	19	21	6	9	3					69	
10	12	10	10	11	7	11	3	15	14	8	3					70	
13	16	12	18	17	12	12	18	13	7	1	1					71	
12	14	6	5	13	9	12	19	7	4	2	1					72	
7	8	4	5	2	7	9	5	6	9	2	2					73	
4	6	3	5	1	5	9	5	6	9	2	2					74	
3	2	1	5	1	2	2	5	6	9	2	2					75	
6	5	7	7	8	7	13	10	14	10	5	4	2				76	
																	77

2 Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed divisions (counties, exclusive of municipalities of

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.												
PENNSYLVANIA—continued.												
1 Uniontown (total).....	276	45	10	4	3	1	63	4	3	12	13	24
2 White.....	245	37	9	4	3	1	54	4	2	10	13	21
3 Colored.....	31	8	1	—	—	—	9	—	1	2	—	3
4 Warren.....	161	20	2	1	1	2	26	5	—	4	4	8
5 Washington (total).....	303	53	7	5	8	3	76	10	9	4	12	14
6 White.....	271	47	7	5	7	2	68	9	7	3	10	13
7 Colored.....	32	6	—	—	1	1	8	1	2	1	2	1
8 West Chester (total).....	283	40	9	4	4	1	58	1	6	8	11	6
9 White.....	212	22	4	4	2	1	33	—	3	4	9	4
10 Colored.....	71	18	5	—	2	—	25	1	3	4	2	2
11 Wilkes-Barre.....	1,131	242	50	29	17	13	351	41	30	30	44	48
12 Wilkesburg.....	298	42	10	5	3	4	64	4	6	5	11	13
13 Williamsport.....	541	86	18	1	8	4	117	7	7	13	18	25
14 York.....	676	90	11	9	7	2	119	21	11	24	26	28
RHODE ISLAND.												
15 Registration cities (total).....	7,179	1,403	280	111	69	48	1,911	127	86	140	208	266
16 White.....	6,910	1,362	266	107	67	44	1,846	122	85	133	183	253
17 Colored.....	269	41	14	4	2	4	65	5	1	7	25	13
18 Central Falls.....	297	96	14	5	6	1	122	5	2	11	8	16
19 Cranston (exclusive of).....	249	52	7	5	1	1	66	4	5	3	2	7
20 State institutions.....	389	2	3	—	—	—	5	—	—	4	9	14
21 Cumberland town.....	119	35	2	2	2	—	41	1	3	1	3	2
22 East Providence town.....	203	34	7	2	2	1	46	3	4	4	3	3
23 Newport (total).....	349	60	12	2	1	—	75	6	2	5	13	18
24 White.....	304	53	10	2	1	—	66	5	1	5	13	16
25 Colored.....	45	7	2	—	—	—	9	1	—	—	—	2
26 Pawtucket.....	779	156	22	15	13	2	208	20	11	11	16	27
27 Providence.....	3,723	699	164	63	35	34	995	69	42	71	115	133
28 Warwick town.....	257	21	5	2	—	2	30	2	4	9	23	22
29 West Warwick town.....	239	81	14	5	2	1	103	7	2	8	1	6
30 Woonsocket.....	575	167	30	10	7	6	220	10	11	13	15	18
SOUTH CAROLINA. ¹												
31 Charleston (total).....	1,673	321	66	34	21	11	453	25	14	50	104	107
32 White.....	498	81	16	6	5	2	110	7	2	9	21	24
33 Colored.....	1,175	240	50	28	16	9	343	18	12	41	83	83
TENNESSEE. ¹												
34 Registration cities (total).....	7,222	947	200	110	71	59	1,387	148	135	301	537	522
35 White.....	3,655	539	114	56	36	29	774	73	63	121	204	192
36 Colored.....	3,567	408	86	54	35	30	613	75	72	180	333	330
37 Chattanooga (total).....	1,051	147	36	22	6	12	223	31	18	41	81	70
38 White.....	562	84	24	9	4	3	124	18	10	20	32	32
39 Colored.....	489	63	12	13	2	9	99	13	8	21	49	38
40 Jackson (total).....	328	54	24	10	5	4	97	9	12	19	18	21
41 White.....	170	31	14	6	2	1	54	2	7	6	11	8
42 Colored.....	158	23	10	4	3	3	43	7	5	13	7	13
43 Knoxville (total).....	754	101	31	13	11	9	165	12	17	30	56	43
44 White.....	523	70	25	10	8	8	121	9	9	21	32	27
45 Colored.....	231	31	6	3	3	1	44	3	8	9	24	16
46 Memphis (total).....	2,970	317	61	39	24	19	460	53	49	131	246	266
47 White.....	1,275	160	29	16	10	10	225	23	16	31	71	79
48 Colored.....	1,695	157	32	23	14	9	235	30	33	100	175	187
49 Nashville (total).....	2,119	328	48	26	25	15	442	43	39	80	136	122
50 White.....	1,125	194	22	15	12	7	250	21	21	43	88	46
51 Colored.....	994	134	26	11	13	8	192	22	18	37	78	76
TEXAS. ¹												
52 Registration cities (total).....	4,757	881	247	87	36	38	239	116	62	178	284	320
53 White.....	4,191	822	237	87	34	36	1,216	106	56	158	245	263
54 Colored.....	566	59	10	—	2	2	73	10	6	20	39	57
55 El Paso (total).....	1,507	307	107	45	15	13	497	49	26	58	94	122
56 White.....	1,455	304	107	45	15	13	484	48	26	55	90	117
57 Colored ²	52	3	—	—	—	—	3	1	—	3	4	5
58 Galveston (total).....	784	86	11	4	5	2	108	15	5	19	45	51
59 White.....	536	64	7	4	3	2	80	10	2	16	28	25
60 Colored.....	248	22	4	—	—	—	28	5	3	3	17	26
61 San Antonio (total).....	2,466	488	129	38	16	23	694	52	31	101	145	147
62 White.....	2,200	454	123	38	16	21	652	48	28	87	127	121
63 Colored.....	266	34	6	—	—	2	42	4	3	14	18	26
UTAH.												
64 Registration cities (total).....	1,476	237	37	19	14	8	315	51	41	50	66	95
65 White.....	1,440	232	37	19	14	8	310	51	41	50	65	94
66 Colored.....	36	5	—	—	—	—	5	—	—	—	1	1
67 Ogden.....	343	64	8	3	4	3	82	12	10	13	8	29
68 Salt Lake City.....	1,133	173	29	16	10	5	233	39	31	37	58	66
VERMONT.												
69 Registration cities (total).....	826	157	21	13	7	7	205	12	14	14	26	31
70 White.....	825	157	21	13	7	7	205	12	14	14	26	31
71 Colored.....	1	—	—	—	—	—	—	—	—	—	—	—
72 Barre.....	135	23	3	5	1	—	32	3	3	4	4	9
73 Burlington.....	433	102	12	7	5	4	130	6	9	8	14	17
74 Rutland.....	258	32	6	1	1	3	43	3	2	2	8	5

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS, BY COLOR AND AGE OF DECEDENT.

215

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1914—Continued.

atleast 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at un- known age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
20	15	9	11	12	14	7	17	16	16	12	7	1			1
18	15	7	9	12	12	4	17	14	14	11	7	1			2
2	7	2	2	2	2	3	2	2	2	1	1				3
7	7	12	9	9	12	11	13	17	9	3	4	1			4
18	15	14	21	18	10	8	18	17	17	17	4	1			5
14	12	12	19	17	8	7	17	16	17	17	4	1			6
4	3	2	2	1	2	1	1	1	1	1	4	1			7
7	13	7	11	18	10	20	33	23	18	17	9	4	3		8
4	9	5	8	11	8	20	26	20	17	16	8	4	3		9
3	4	2	3	7	2	2	7	3	1	1	1	4	3		10
47	61	53	60	72	57	55	57	47	40	22	11	2	1	1	11
19	16	15	11	18	18	17	19	20	17	12	8	4	1		12
23	22	24	31	28	26	34	40	50	44	20	9	2	1		13
20	33	16	31	38	44	39	54	67	49	39	12	5			14
262	335	326	384	416	403	512	483	490	384	236	156	38	11	1	4
249	312	308	372	401	390	496	472	478	377	228	154	37	10	1	8
13	23	18	12	15	15	16	11	12	7	8	2	1			17
7	15	10	14	9	10	17	16	15	11	9	10	1			18
6	6	9	14	13	10	16	24	18	24	10	10	2			19
12	28	29	31	47	24	41	41	45	25	20	11	2			20
4	5	1	3	7	11	5	9	10	4	3	3	3			21
5	10	7	10	8	6	16	19	23	18	9	7	1			22
10	14	8	15	23	18	30	20	29	20	25	13	5			23
8	8	4	14	19	17	26	18	28	18	22	11	5			24
2	6	4	4	1	4	4	2	1	2	3	2				25
20	26	39	40	45	48	57	62	56	44	24	20	4		1	26
147	183	184	218	223	218	263	240	234	180	105	74	19	9		27
12	16	17	13	14	17	16	11	16	13	10	3	2	1		28
12	9	6	6	9	14	14	8	13	10	8	3				29
27	23	16	20	18	28	37	33	31	30	13	11	1			30
107	98	125	111	129	79	74	57	52	49	21	13	4	1		31
25	17	23	25	39	38	33	33	31	36	13	9	3			32
82	81	102	86	90	41	41	24	21	13	8	4	1			33
517	509	426	418	458	373	395	307	293	206	107	62	32	7	16	34
192	190	178	188	217	246	260	222	204	162	84	40	15	4	1	25
325	319	248	230	241	127	135	85	89	44	23	22	17	3	15	41
58	85	66	57	75	45	53	36	54	29	11	9	6		2	37
27	39	22	27	39	33	33	25	42	24	8	6	1			38
31	46	44	30	36	12	20	11	12	5	3	3	5		1	39
19	9	16	14	14	20	12	11	19	8	1	1	1		2	40
8	4	7	8	6	12	5	7	11	7	6	1				41
11	5	9	8	8	8	7	4	8	1	1	1			2	42
51	48	35	41	44	42	45	32	26	25	15	10	5		3	9
33	29	22	28	24	32	38	25	23	20	14	8	3		5	44
18	19	13	13	20	10	7	7	3	5	1	2	2		3	45
246	259	191	185	185	144	155	118	96	57	36	25	4	5	6	53
69	79	80	77	91	89	102	79	59	45	25	12	1	3	1	18
177	180	111	108	94	55	53	39	37	12	11	13	3	2	5	48
143	108	118	121	140	122	130	110	98	87	39	17	16	2	3	3
55	39	47	48	57	80	82	86	69	66	31	13	10	1		2
88	69	71	73	83	42	48	24	29	21	8	4	6	1	3	1
287	323	275	249	239	210	214	197	163	136	114	62	18	10	8	3
233	273	219	200	202	185	190	173	148	125	106	57	16	6	6	3
49	50	56	49	37	25	24	24	15	11	8	5	2	4	2	54
97	107	72	59	62	50	53	49	39	31	25	11	8	1	5	2
96	99	64	57	59	45	53	44	38	30	24	11	8		5	2
1	8	8	2	3	5	5	5	1	1	1			1		56
58	69	55	52	54	46	55	39	38	23	23	17	3	4		53
37	45	28	28	36	34	43	33	31	28	20	13	2	2		59
21	24	27	24	18	12	12	6	7	5	3	4	1	2		60
132	147	148	138	123	114	106	109	86	77	66	34	7	5	3	1
105	129	127	115	107	106	94	96	79	72	62	33	6	4	1	1
27	18	21	23	16	8	12	13	7	5	4	1	1	1	2	63
78	88	67	63	84	81	75	91	65	72	64	22	7	1		64
72	84	63	59	81	79	74	88	64	71	64	22	7	1		65
6	4	4	4	3	2	1	3	1	1						66
14	20	12	18	17	18	17	22	9	14	15	11	2			67
64	68	55	45	67	63	53	69	56	58	49	11	5	1		68
17	31	37	40	53	46	49	58	67	62	35	19	6	2	1	1
17	31	37	40	53	46	49	58	66	62	35	19	6	2	1	1
3	6	11	9	11	5	5	6	9	8	6	1				72
7	14	14	17	29	26	21	23	26	36	16	16	2	1		73
7	11	12	14	13	15	23	29	32	18	13	2	4	1	1	74

* Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed sions (counties, exclusive of municipalities of

AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES—Continued.												
VIRGINIA.												
1 Registration cities (total).....	7,908	1,495	278	105	65	52	1,995	155	120	271	424	457
2 White.....	3,921	666	117	44	24	25	876	83	57	96	151	186
3 Colored.....	3,987	829	161	61	41	27	1,119	72	63	175	273	271
4 Alexandria (total).....	305	61	5	1	1	1	69	7	4	10	19	16
5 White.....	180	29	3	2	1	1	34	7	2	4	12	6
6 Colored.....	125	32	2	1	1	1	35	2	2	6	7	10
7 Danville (total).....	387	65	15	8	9	3	100	12	12	16	20	27
8 White.....	226	41	10	6	3	1	61	9	6	7	8	18
9 Colored.....	161	24	5	2	6	2	39	3	6	9	12	9
10 Lynchburg (total).....	599	126	31	5	2	3	167	15	12	29	37	29
11 White.....	324	64	23	2	2	3	94	9	4	14	19	13
12 Colored.....	275	62	8	3	3	3	73	6	8	15	18	16
13 Newport News (total).....	318	77	10	3	3	2	95	7	5	11	16	17
14 White.....	138	36	4	1	2	2	43	3	1	5	5	3
15 Colored.....	179	41	6	2	3	2	52	4	4	6	11	14
16 Norfolk (total).....	1,693	290	57	27	11	16	401	25	29	55	107	117
17 White.....	717	101	15	10	4	5	135	16	15	13	36	43
18 Colored.....	976	189	42	17	7	11	266	9	14	42	71	74
19 Petersburg (total).....	605	125	25	9	2	2	168	14	10	20	40	36
20 White.....	225	35	7	2	2	2	48	4	3	4	13	10
21 Colored.....	380	90	18	7	5	2	120	10	7	16	27	26
22 Portsmouth (total).....	500	72	14	3	9	1	99	13	6	16	19	28
23 White.....	230	36	6	1	4	1	47	3	3	3	3	12
24 Colored.....	270	36	8	2	5	1	52	10	3	13	16	16
25 Richmond (total).....	2,658	510	85	37	16	12	660	40	26	85	132	152
26 White.....	1,298	225	25	13	5	4	272	16	12	28	36	60
27 Colored.....	1,360	285	60	24	11	8	388	24	14	57	96	92
28 Roanoke (total).....	616	152	31	10	5	11	209	21	16	25	29	29
29 White.....	396	90	23	7	2	6	128	15	11	16	15	16
30 Colored.....	220	62	8	3	3	5	81	6	5	9	14	13
31 Staunton (total).....	227	17	5	2	2	1	27	1	1	4	5	6
32 White.....	186	9	1	1	2	1	14	1	1	2	4	5
33 Colored.....	41	8	4	1	2	1	13	1	1	2	1	1
WASHINGTON.												
34 Registration cities (total).....	5,633	712	92	65	40	41	950	106	66	155	249	308
35 White.....	5,438	681	85	63	36	40	905	104	64	151	240	293
36 Colored.....	195	31	7	2	4	1	45	2	2	4	9	15
37 Aberdeen.....	137	20	3	5	1	1	28	5	3	3	14	11
38 Bellingham.....	256	33	4	4	4	1	42	7	2	8	9	13
39 Everett.....	265	31	8	3	3	3	48	12	8	8	11	23
40 North Yakima.....	169	27	2	6	1	1	36	6	1	6	5	7
41 Seattle.....	2,537	303	41	22	19	14	399	37	28	44	113	125
42 Spokane.....	1,170	163	14	13	6	10	206	23	11	48	49	68
43 Tacoma.....	914	111	12	14	4	12	153	14	13	33	41	54
44 Walla Walla.....	185	24	8	2	3	1	38	2	2	5	7	7
WEST VIRGINIA. ¹												
45 Wheeling (total).....	687	109	21	10	4	2	146	18	11	20	36	41
46 White.....	659	105	21	10	4	2	142	16	11	19	36	37
47 Colored.....	28	4	1	1	1	1	4	2	1	1	4	4
WISCONSIN.												
48 Registration cities (total).....	10,202	2,053	361	165	107	84	2,770	308	166	236	404	438
49 White.....	10,166	2,049	360	164	107	84	2,764	303	166	236	403	437
50 Colored.....	36	4	1	1	1	1	6	5	1	1	1	1
51 Appleton.....	248	30	4	1	1	1	36	7	7	7	11	16
52 Ashland.....	160	24	3	1	1	1	28	7	3	3	8	7
53 Beloit.....	214	43	6	8	3	2	62	8	3	4	9	6
54 Eau Claire.....	300	37	7	6	1	1	51	11	3	12	6	19
55 Fond du Lac.....	274	36	4	2	3	1	46	5	6	6	13	7
56 Green Bay.....	484	130	23	7	2	2	164	11	13	17	12	19
57 Janesville.....	189	22	3	2	1	1	25	1	1	4	7	6
58 Kenosha.....	234	65	13	6	2	1	87	3	1	5	14	9
59 La Crosse.....	428	46	4	5	4	1	60	9	2	18	16	20
60 Madison.....	373	48	10	3	3	3	67	10	8	10	16	16
61 Manitowoc.....	189	29	3	2	1	1	35	5	7	6	9	9
62 Marinette.....	123	13	2	3	1	1	19	5	4	4	4	9
63 Milwaukee.....	4,959	1,159	217	91	66	55	1,588	169	74	103	195	204
64 Oshkosh.....	413	71	19	4	4	3	101	8	9	4	18	10
65 Racine.....	527	94	10	11	7	6	128	11	6	7	22	18
66 Sheboygan.....	368	69	9	7	4	1	89	10	5	8	14	18
67 Superior.....	480	88	19	4	5	7	123	18	7	11	21	33
68 Wausau.....	239	49	5	4	1	2	61	8	7	6	9	12

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
CITIES IN REGISTRATION STATES.¹												
1 Total.....	440,461	78,976	15,554	6,594	4,341	3,215	108,680	9,753	5,901	9,872	16,205	18,561
2 Males.....	239,724	44,345	8,292	3,498	2,330	1,680	60,145	5,093	3,108	5,055	8,660	10,144
3 Females.....	200,737	34,631	7,262	3,096	2,011	1,535	48,535	4,660	2,793	4,817	7,545	8,417
4 White.....	409,910	73,926	14,407	6,144	4,029	3,015	101,521	9,139	5,398	8,751	14,382	16,484
5 Males.....	223,193	41,541	7,696	3,264	2,174	1,586	56,261	4,810	2,864	4,566	7,718	9,030
6 Females.....	186,717	32,385	6,711	2,880	1,855	1,429	45,260	4,329	2,534	4,185	6,664	7,454
7 Native.....	279,061	73,398	14,043	5,941	3,844	2,850	100,076	8,514	4,809	7,037	10,215	10,742
8 Males.....	150,162	41,258	7,492	3,166	2,071	1,494	55,481	4,475	2,573	3,636	5,195	5,575
9 Females.....	128,899	32,140	6,551	2,775	1,773	1,356	44,595	4,039	2,236	3,401	5,020	5,167
10 Both parents native.....	M.. 65,635	16,477	2,591	1,286	838	638	21,830	2,134	1,241	1,812	2,523	2,528
11 One or both parents foreign.....	F.. 59,886	12,574	2,350	1,057	686	576	17,243	1,903	1,139	1,699	2,416	2,519
12 Parentage unknown.....	M.. 68,686	22,915	4,756	1,838	1,199	831	31,539	2,275	1,284	1,712	2,380	2,580
13 Foreign.....	F.. 56,526	18,010	4,074	1,677	1,057	759	25,577	2,088	1,057	1,575	2,303	2,258
14 Males.....	M.. 15,841	1,866	145	42	34	25	2,112	66	48	112	292	467
15 Females.....	F.. 12,487	1,556	127	41	30	21	1,775	48	40	127	301	390
16 Unknown.....	5,174	183	25	11	3	5	227	12	11	50	160	269
17 Males.....	4,126	108	14	3	1	2	128	6	8	33	133	235
18 Females.....	1,048	75	11	8	2	3	99	6	3	17	27	34
19 Colored.....	30,551	5,050	1,147	450	312	200	7,159	614	503	1,121	1,823	2,077
20 Males.....	16,531	2,804	596	234	156	94	3,884	283	244	489	942	1,114
21 Females.....	14,020	2,246	551	216	156	106	3,275	331	259	632	881	963
22 Negro.....	M.. 15,501	2,705	580	220	148	88	3,741	274	240	477	913	1,054
23 Indian.....	F.. 13,781	2,166	534	212	153	101	3,166	322	257	623	862	944
24 Chinese.....	M.. 45	3	2	3	2	1	10	1	2	5	2	4
25 Japanese.....	F.. 37	1	4	5	3	1	6	3	3	3	1	2
26 Other colored.....	M.. 637	20	2	5	3	2	32	2	5	5	15	19
27 Males.....	F.. 63	17	2	2	1	1	23	5	1	2	8	8
28 Japanese.....	M.. 337	76	12	6	3	4	101	6	1	2	10	35
29 Females.....	F.. 137	62	10	2	2	3	79	1	1	4	10	17
30 Males.....	M.. 11	1	1	1	1	1	1	1	1	1	2	2
31 Females.....	F.. 2	1	1	1	1	1	1	1	1	1	2	2
RURAL PART OF REGISTRATION STATES.												
32 Total.....	379,419	62,936	12,216	5,601	3,392	2,525	86,670	7,801	5,876	9,205	12,686	12,753
33 Males.....	208,432	35,336	6,496	2,919	1,818	1,321	47,890	4,157	3,132	4,840	6,728	6,883
34 Females.....	170,987	27,600	5,720	2,682	1,574	1,204	38,780	3,644	2,744	4,365	5,958	5,870
35 White.....	353,455	58,128	11,123	5,097	3,120	2,321	79,789	7,148	5,232	7,914	11,112	11,353
36 Males.....	194,769	32,754	5,946	2,666	1,702	1,222	44,290	3,835	2,843	4,244	5,939	6,169
37 Females.....	158,686	25,374	5,177	2,431	1,418	1,099	35,499	3,313	2,389	3,670	5,173	5,184
38 Native.....	285,112	57,902	10,976	5,019	3,047	2,261	79,205	6,936	4,988	7,167	9,264	8,841
39 Males.....	153,039	32,623	5,874	2,634	1,667	1,195	43,993	3,711	2,696	3,784	4,643	4,400
40 Females.....	132,073	25,279	5,102	2,385	1,380	1,066	35,212	3,225	2,292	3,383	4,621	4,441
41 Both parents native.....	M.. 97,127	21,920	4,012	1,858	1,146	823	29,759	2,596	1,944	2,648	3,066	2,798
42 One or both parents foreign.....	F.. 87,670	16,958	3,537	1,655	952	734	23,836	2,300	1,667	2,437	3,273	2,998
43 Parentage unknown.....	M.. 33,192	10,004	1,757	717	484	347	13,309	1,025	669	953	1,192	1,153
44 Foreign.....	F.. 27,124	7,735	1,451	684	407	308	10,585	849	549	789	1,032	1,069
45 Males.....	M.. 22,720	699	105	59	37	25	925	90	83	183	355	449
46 Females.....	F.. 17,279	586	114	46	21	24	791	76	76	157	311	374
47 Unknown.....	62,787	160	135	73	60	57	485	195	218	673	1,652	2,240
48 Males.....	37,444	89	65	29	30	25	238	112	132	407	1,127	1,530
49 Females.....	25,343	71	70	44	30	32	247	83	86	266	525	710
50 Unknown.....	5,556	66	12	5	13	3	99	17	26	74	196	272
51 Males.....	4,286	42	7	3	5	2	59	12	15	53	169	239
52 Females.....	1,270	24	5	2	8	1	40	5	11	21	27	33
53 Colored.....	25,964	4,808	1,093	504	272	204	6,881	653	644	1,291	1,574	1,400
54 Males.....	13,663	2,582	550	253	116	99	3,600	322	289	596	789	714
55 Females.....	12,301	2,226	543	251	156	105	3,281	331	355	695	785	686
56 Negro.....	M.. 12,513	2,359	508	228	103	92	3,200	201	265	542	746	645
57 Indian.....	F.. 11,538	2,061	489	220	141	94	2,995	296	315	656	753	646
58 Chinese.....	M.. 667	115	34	18	12	6	185	27	23	53	83	87
59 Japanese.....	F.. 615	93	44	27	13	10	137	30	34	36	25	30
60 Other colored.....	M.. 216	3	2	1	1	1	187	3	1	1	3	1
61 Males.....	F.. 8	2	1	1	1	1	2	1	1	1	1	1
62 Japanese.....	M.. 262	105	8	7	1	1	122	4	5	6	7	29
63 Females.....	F.. 139	79	10	4	2	1	96	5	5	2	10	10
64 Other colored.....	M.. 5	1	1	1	1	1	1	1	1	1	1	2
65 Females.....	F.. 1	1	1	1	1	1	1	1	1	1	1	1

¹ Includes District of Columbia. The term "cities" includes all municipalities of 10,000 population or over in 1910.

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
REGISTRATION CITIES IN OTHER STATES.												
1 Total.....	78,179	13,163	2,849	1,332	807	619	18,770	1,748	1,096	2,179	4,033	4,393
2 Males.....	43,260	7,405	1,496	688	441	310	10,340	912	579	1,039	2,128	2,330
3 Females.....	34,919	5,758	1,353	644	366	309	8,430	836	517	1,140	1,905	2,013
4 White.....	60,954	10,892	2,346	1,012	659	502	15,411	1,420	822	1,447	2,656	2,960
5 Males.....	34,310	6,159	1,245	526	365	248	8,543	760	451	723	1,445	1,632
6 Females.....	26,644	4,733	1,101	486	294	254	6,868	660	371	724	1,211	1,328
7 Native.....	41,176	10,803	2,275	969	635	466	15,148	1,322	708	1,181	1,909	2,048
8 Males.....	22,617	6,110	1,216	500	354	232	8,412	714	391	536	1,016	1,095
9 Females.....	18,559	4,693	1,059	469	281	234	6,736	608	317	595	893	953
10 Both parents native.....	(M.. 9,334	2,425	462	210	147	104	3,348	332	189	235	479	478
11 One or both parents foreign.....	(F.. 8,044	1,827	387	198	109	103	2,624	280	133	290	396	432
12 Parentage unknown.....	(M.. 9,767	3,358	717	282	204	125	4,686	365	180	263	435	459
13 Foreign.....	(F.. 7,894	2,592	639	255	163	121	3,770	309	172	260	397	386
14 Males.....	(M.. 3,516	327	37	8	3	3	378	17	22	38	102	158
15 Females.....	(F.. 2,621	274	33	16	9	10	342	19	12	45	100	135
16 Unknown.....	965	25	3	6	1	3	38	5	3	11	35	56
17 Males.....	786	15	2	-----	-----	1	18	-----	2	10	28	46
18 Females.....	182	10	1	6	1	2	20	5	1	1	7	10
19 Colored.....	17,225	2,271	503	320	148	117	3,359	328	274	732	1,377	1,433
20 Males.....	8,950	1,246	251	162	76	62	1,797	152	128	316	683	748
21 Females.....	8,275	1,025	252	158	72	55	1,562	176	146	416	694	685
22 Negro.....	(M.. 8,832	1,240	250	159	76	62	1,787	151	128	315	680	747
23 Indian.....	(F.. 8,264	1,022	252	157	72	55	1,558	175	146	416	691	684
24 Chinese.....	(M.. 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
25 Japanese.....	(F.. 2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
26 Other colored.....	(M.. 21	5	1	2	-----	-----	8	-----	-----	-----	2	-----
27 Total.....	518,640	92,139	18,403	7,926	5,148	3,834	127,450	11,501	6,997	12,051	20,238	22,954
28 Males.....	282,984	51,750	9,738	4,186	2,771	1,990	70,485	6,005	3,687	6,094	10,788	12,524
29 Females.....	235,656	40,389	8,615	3,740	2,377	1,844	56,965	5,496	3,310	5,957	9,450	10,430
30 White.....	470,864	84,818	16,753	7,156	4,688	3,517	116,932	10,559	6,220	10,198	17,038	19,444
31 Males.....	257,503	47,700	8,941	3,790	2,539	1,834	64,804	5,570	3,315	5,289	9,163	10,662
32 Females.....	213,361	37,118	7,812	3,366	2,149	1,683	52,128	4,989	2,905	4,909	7,875	8,782
33 Native.....	320,237	84,201	16,318	6,910	4,479	3,316	115,224	9,836	5,517	8,218	12,124	12,790
34 Males.....	172,779	47,363	8,708	3,666	2,425	1,726	63,893	5,189	2,964	4,222	6,211	6,670
35 Females.....	147,458	36,833	7,610	3,244	2,054	1,590	51,331	4,647	2,533	3,996	5,913	6,120
36 Both parents native.....	(M.. 74,969	18,902	3,053	1,496	985	742	25,178	2,466	1,430	2,097	3,002	3,006
37 One or both parents foreign.....	(F.. 67,930	14,401	2,737	1,255	795	679	19,867	2,183	1,272	1,989	2,812	2,951
38 Parentage unknown.....	(M.. 78,453	26,273	5,473	2,120	1,403	966	36,225	2,640	1,464	1,975	2,815	3,039
39 Foreign.....	(F.. 64,420	20,602	4,713	1,932	1,220	880	29,347	2,397	1,229	1,835	2,700	2,644
40 Males.....	(M.. 19,357	2,193	182	50	37	28	2,490	83	70	150	394	625
41 Females.....	(F.. 15,108	1,830	160	57	39	31	2,117	67	52	172	401	525
42 Unknown.....	144,485	409	407	229	205	193	1,443	706	689	1,919	4,719	6,329
43 Males.....	79,812	209	217	121	113	105	765	375	341	1,024	2,791	3,711
44 Females.....	64,673	200	190	108	92	88	678	331	348	895	1,928	2,618
45 Colored.....	47,776	7,321	1,650	770	460	317	10,518	942	777	1,853	3,200	3,510
46 Males.....	25,481	4,050	847	396	232	156	5,681	435	372	805	1,625	1,862
47 Females.....	22,295	3,271	803	374	228	161	4,837	507	405	1,048	1,575	1,648
48 Negro.....	(M.. 24,333	3,945	830	379	224	150	5,528	425	368	792	1,593	1,801
49 Indian.....	(F.. 22,045	3,188	786	369	225	156	4,724	497	403	1,039	1,553	1,628
50 Chinese.....	(M.. 49	3	2	3	2	-----	10	1	2	5	2	4
51 Japanese.....	(F.. 38	1	4	-----	-----	-----	6	3	-----	3	1	3
52 Other colored.....	(M.. 729	21	2	6	3	2	34	3	-----	6	16	20
53 Males.....	(F.. 65	17	2	2	1	1	23	5	1	2	9	-----
54 Females.....	(M.. 358	81	13	8	3	4	109	6	1	2	12	35
55 Japanese.....	(F.. 145	65	10	3	2	3	83	2	1	4	12	17
56 Other colored.....	(M.. 12	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----
57 Females.....	(F.. 2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

¹ Includes District of Columbia. The term "cities" includes all municipalities of 10,000 population or over in 1910.

DEATHS, BY AGE AND SEX, COLOR, AND NATIVITY.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,959	2,091	2,157	2,132	2,449	2,368	2,652	2,742	2,833	2,462	1,829	860	298	60	15	16	1
1,292 667	1,355 736	1,442 715	1,366 766	1,620 829	1,516 852	1,729 923	1,692 1,050	1,732 1,101	1,476 986	1,089 740	485 375	152 146	25 35	11 4	14 2	2 3
1,794	1,972	2,000	2,027	2,292	2,224	2,487	2,630	2,765	2,431	1,802	848	290	60	10	15	4
1,172 622	1,271 701	1,322 678	1,284 743	1,485 807	1,388 836	1,577 910	1,591 1,039	1,681 1,084	1,448 983	1,073 729	477 371	150 140	25 35	7 3	13 2	5 6
1,180	1,214	1,255	1,181	1,331	1,361	1,379	1,392	1,413	1,326	993	491	164	35	5	3	7
722 458	717 497	760 495	681 500	790 541	787 574	822 557	781 611	832 581	775 551	609 384	273 218	90 74	16 19	3 2	1 2	8 9
279 208 239 152 204 98	251 203 256 195 210 99	257 183 268 192 235 120	200 189 243 183 238 128	269 217 242 180 279 144	290 228 205 164 292 182	343 245 115 128 325 184	304 285 115 104 362 222	325 273 106 94 401 214	339 264 96 76 340 211	250 190 57 41 302 153	119 98 17 20 187 100	35 36 4 9 51 29	6 2 4 2 8 13	2 2 2 1 1	1 1 1 1	10 11 12
535	661	655	714	855	789	997	1,157	1,297	1,062	785	346	124	25	4	2	13
379 156	468 193	479 176	433 283	596 259	535 254	656 341	738 419	806 491	642 420	448 337	197 149	58 66	9 16	3 1	2 1	14 15
79	97	90	132	106	74	111	81	55	43	24	11	2	1	1	10	16
71 8	86 11	83 7	120 12	99 7	66 8	99 12	72 9	43 12	31 12	16 8	7 4	2	1	1	10	17 18
165	119	157	105	157	144	165	112	68	31	27	12	8	5	1	19	19
120 45	84 35	120 37	82 23	135 22	123 16	152 13	101 11	51 17	28 3	16 11	8 4	2 6	1 1	1 1	1 1	20 21
32 29 7 3 19 2 61 10 1 1	19 18 7 2 21 6 36 9 1	39 26 8 3 25 4 47 4 1	29 15 1 2 36 2 16 4	25 13 3 6 87 3 20	28 11 3 1 90 4 1	17 9 4 1 128 3 3	17 6 7 3 74 2 3	10 7 4 3 8 2	10 3 5 4 14 8	3 5 2 2 8	3 2 3 4	1 2 1 4	1 2 3 1	1 1 1	1 1 1	22 23 24 25 26
590	589	562	571	600	574	591	561	556	407	292	170	46	12	5	2	27
348 242	383 206	365 197	347 224	399 201	386 188	389 202	353 208	324 232	222 185	156 136	89 81	19 27	8 4	1 4	1 2	28 29
562	555	537	544	577	562	579	553	546	404	289	169	44	9	3	2	30
331 231	360 195	351 186	332 212	383 194	379 183	383 196	350 203	318 228	221 183	154 135	89 80	18 26	7 2	1 2	1 2	31 32
405	371	365	350	353	360	362	363	337	262	189	106	24	5	2	2	33
224 181	221 150	223 142	182 168	225 128	231 129	232 130	216 147	195 142	135 127	93 91	55 51	8 16	4 1	1 1	1 2	34 35
109 91 70 47 45 43	97 88 57 30 67 32	85 62 37 76 43	77 70 43 48 62 50	85 54 52 41 88 33	92 50 54 35 85 44	104 67 34 14 94 49	87 67 40 24 89 56	78 69 19 15 98 58	48 57 16 12 71 58	45 42 5 13 48 36	22 20 8 3 25 28	3 8 2 1 3 8	2 1 1 2	1 1 1	1 1	36 37 38
132	157	134	159	183	170	189	164	185	133	94	58	18	3	1	1	39
85 47	119 38	98 36	115 44	122 61	121 49	127 62	110 54	107 78	79 54	52 42	29 29	9 9	2 1	1 1	1 1	40 41
25	27	38	35	41	32	28	26	24	9	6	5	2	1	1	1	42
22 3	20 7	30 8	35	36 5	27 5	24 4	24 2	16 8	7 2	4 2	5	1 1	1 1	1 1	1 1	43 44
28	34	25	27	23	12	12	8	10	3	3	1	2	3	2	1	45
17 11	23 11	14 11	15 12	16 7	7 5	6 6	3 5	6 4	1 2	2 1	1	1 1	1 2	1 2	1 2	46 47
11 11	18 11	13 11	13 12	16 7	7 5	6 6	2 5	5 4	1 2	2 1	1	1 1	1 2	1 2	1 2	48 49
5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	51
																52

DEATHS, BY AGE AND SEX, COLOR, AND NATIVITY.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
303	319	273	283	324	247	249	238	209	199	131	62	15	3	10	1
196	228	203	206	229	178	178	165	138	134	88	35	7	1	10	2
107	91	70	77	95	69	71	73	71	65	43	27	8	2	2	3
289	309	257	272	311	237	237	220	198	190	123	61	14	3	9	4
187	221	192	199	220	173	168	153	132	130	85	35	7	1	9	5
102	88	65	73	91	64	69	67	66	60	38	26	7	2	6	6
162	150	119	130	144	113	125	102	93	92	61	36	7	1	1	7
92	98	84	89	92	74	80	65	62	60	41	18	4	1	1	8
70	52	35	41	52	39	45	37	31	32	20	18	3	1	9	9
34	31	35	28	29	25	22	24	26	26	13	8	1	1	10	10
25	20	13	19	21	16	22	15	16	20	11	8	2	1	11	11
41	40	26	25	29	18	20	9	9	6	6	1	1	1	12	12
27	25	13	15	22	15	10	8	1	3	2	2	1	1	13	13
17	27	23	36	34	31	38	32	27	28	9	9	3	1	14	14
18	7	9	7	9	8	13	14	14	9	7	10	10	1	15	15
98	127	125	114	131	103	92	93	92	90	58	22	7	3	16	16
68	96	96	83	93	84	69	65	58	62	41	14	3	1	17	17
30	31	29	31	38	24	23	28	34	28	17	8	4	2	18	18
29	32	13	28	36	16	20	25	13	8	4	3	1	1	19	19
27	27	12	27	35	15	19	23	12	8	3	3	1	1	20	20
2	5	1	1	1	1	1	2	1	1	1	1	1	1	21	21
14	10	16	11	13	10	12	18	11	9	8	1	1	1	22	22
9	7	11	7	9	5	10	12	6	4	3	1	1	1	23	23
5	3	5	4	4	5	2	6	5	5	5	1	1	1	24	24
2	3	6	1	3	2	2	2	2	2	3	1	1	1	25	25
2	1	2	1	1	1	1	1	1	1	3	1	1	1	26	26
6	1	3	3	3	1	3	6	5	4	3	1	1	1	27	27
3	2	3	3	1	5	2	5	5	5	2	1	1	1	28	28
1	2	1	1	1	2	1	4	1	1	2	1	1	1	29	29
208	193	253	277	376	416	471	559	624	672	503	288	117	35	48	30
101	100	143	143	193	227	263	315	304	329	227	114	33	8	34	31
107	93	110	134	183	189	208	244	320	343	276	174	84	27	14	32
208	193	250	277	375	415	471	558	624	670	502	288	117	35	46	33
101	100	143	143	192	227	263	314	304	327	227	114	33	8	32	31
107	93	107	134	183	188	208	244	320	343	275	174	84	27	14	32
138	114	145	160	240	290	343	402	472	527	414	241	98	28	7	33
66	57	80	84	124	164	199	230	236	254	186	91	25	7	3	34
72	57	65	76	116	126	144	172	236	273	228	150	73	21	4	35
30	31	41	40	63	103	116	140	137	151	113	47	7	4	2	36
33	32	37	42	68	76	84	111	151	167	126	85	44	16	1	37
22	19	23	27	27	29	20	16	9	7	3	7	1	1	1	37
27	18	17	18	23	20	15	9	14	11	3	7	1	1	2	38
14	7	16	17	34	32	63	74	90	96	70	44	18	2	2	38
12	7	11	16	25	30	45	52	71	95	99	58	29	5	1	39
67	70	89	109	119	111	112	143	128	130	76	37	16	6	12	39
34	37	53	54	56	52	55	75	56	65	36	17	6	1	8	40
33	33	36	55	63	59	57	68	72	65	40	20	10	5	4	41
3	9	16	8	16	14	16	13	24	13	12	10	3	1	27	42
1	6	10	5	12	11	9	9	12	8	5	6	2	1	21	43
2	3	6	3	4	3	7	4	12	5	7	4	1	1	6	44
3	3	3	1	1	1	1	1	1	2	1	1	1	1	2	45
3	3	3	1	1	1	1	1	1	2	1	1	1	1	2	46
3	3	3	1	1	1	1	1	1	2	1	1	1	1	2	47
3	3	3	1	1	1	1	1	1	2	1	1	1	1	2	48
3	3	3	1	1	1	1	1	1	2	1	1	1	1	2	49
3	3	3	1	1	1	1	1	1	2	1	1	1	1	2	50
3	3	3	1	1	1	1	1	1	2	1	1	1	1	2	51
3	3	3	1	1	1	1	1	1	2	1	1	1	1	2	52

DEATHS, BY AGE AND SEX, COLOR, AND NATIVITY.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at un-known age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
404	482	378	359	439	370	456	437	369	261	215	89	38	23	8	48	1
175	225	184	169	235	204	255	242	183	118	98	44	16	11	5	22	2
229	257	194	190	204	166	201	195	181	143	117	45	22	12	3	26	3
180	240	212	185	236	206	296	292	254	196	142	57	20	8		22	4
78	122	103	96	125	120	165	165	121	83	70	24	5	5		13	5
102	118	109	89	111	86	131	127	133	113	72	33	15	3		9	6
169	233	200	176	226	197	281	284	239	183	128	55	20	7		13	7
69	116	93	89	119	113	155	159	111	73	58	23	5	4		7	8
100	117	107	87	107	84	126	125	128	110	70	32	15	3		6	9
57	100	73	68	92	83	103	110	79	53	42	15	4	1		5	10
85	93	93	67	88	73	95	98	87	75	53	20	12	3		4	
4	3	5	4	3	5	8	3	4	1	2	1					
2	3	4	1	4	2	5	3	3	5	3						
8	13	15	17	24	25	44	46	28	19	14	7	1	3		2	11
10	21	10	19	15	9	26	24	38	30	14	12	3			2	12
4	3	7	7	6	6	9	5	8	3	4	2					13
4	2	5	5	3	6	7	3	5	1	3	1					14
	1	2	2	3	2	2	2	3	2	1	1					15
7	4	5	2	4	3	6	3	7	10	10			1		9	16
5	4	5	2	3	1	3	3	5	9	9			1		6	17
2			1	1	2	3		2	1	1					3	18
224	242	166	174	203	164	160	145	115	65	73	32	18	15	8	26	19
97	103	81	73	110	84	90	77	67	35	28	20	11	6	5	9	20
127	139	85	101	93	80	70	68	48	30	45	12	7	9	3	17	21
97	102	81	73	110	84	90	77	67	35	28	20	11	6	5	9	22
126	139	85	101	92	80	70	68	48	30	45	12	7	9	3	17	23
1				1												24
	1															25
																26
																27
2,375	2,645	2,741	2,909	3,358	3,601	4,231	4,932	5,433	4,762	3,503	1,967	695	131	28	21	28
1,300	1,533	1,557	1,684	1,914	2,053	2,359	2,704	2,939	2,455	1,715	907	298	60	10	15	29
1,075	1,107	1,184	1,225	1,444	1,543	1,872	2,228	2,494	2,307	1,788	1,060	397	71	13	6	30
2,225	2,441	2,568	2,746	3,178	3,464	4,103	4,803	5,293	4,676	3,447	1,922	671	124	13	21	31
1,204	1,401	1,447	1,582	1,800	1,968	2,278	2,634	2,846	2,409	1,683	883	285	59	8	15	32
1,021	1,040	1,121	1,164	1,378	1,496	1,825	2,169	2,447	2,267	1,764	1,039	386	65	10	6	33
1,716	1,787	1,972	1,979	2,350	2,623	3,013	3,449	3,753	3,175	2,324	1,252	465	80	12	6	34
857	928	1,041	1,070	1,243	1,443	1,621	1,869	1,983	1,615	1,143	566	190	37	4	3	35
859	859	931	909	1,107	1,185	1,392	1,580	1,770	1,560	1,181	686	275	43	8	3	36
497	511	505	519	603	753	894	1,052	1,136	939	667	331	110	16	1	1	37
563	535	548	492	595	622	783	974	1,131	948	731	423	162	23	3	1	38
260	325	404	415	448	453	390	334	284	231	120	44	20	5			
213	233	270	310	353	395	379	253	286	243	129	78	23	5	1	2	
100	92	132	136	192	222	337	453	563	445	356	191	60	16	3	2	
78	91	113	107	159	168	225	348	353	369	321	185	90	15	4		
453	550	516	668	743	765	1,023	1,277	1,471	1,434	1,078	649	190	41	5	3	
300	380	336	425	484	472	608	712	817	752	517	302	89	20	4	3	40
158	170	180	243	259	293	415	565	654	632	561	347	101	21	1	1	41
51	104	80	99	85	71	67	77	69	67	45	21	16	3	1	12	42
47	93	70	87	73	53	49	53	46	42	23	15	6	2		9	43
4	11	10	12	12	18	18	24	23	25	22	6	10	1		3	44
150	204	173	163	180	137	128	129	140	86	56	45	24	7	10		45
96	137	110	102	114	90	81	70	93	46	32	24	13	1	2		46
54	67	63	61	66	47	47	59	47	40	24	21	11	6	8		47
96	137	110	102	113	89	81	70	93	46	32	24	13	1	2		48
54	67	62	61	66	47	47	59	47	40	23	21	11	6	8		49
		1								1						50
				1	1											51
																52

DEATHS, BY AGE AND SEX, COLOR, AND NATIVITY.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
357	355	372	323	413	370	409	372	389	305	209	91	29	4	3	1
227	224	241	187	244	218	247	195	217	189	127	59	16	2	2	2
130	131	131	136	169	152	162	177	172	116	82	32	13	2	1	3
325	334	344	297	386	344	395	361	385	304	204	91	29	4	3	4
205	214	220	170	225	194	235	188	214	188	124	59	16	2	2	5
120	120	124	127	161	150	160	173	171	116	80	32	13	2	1	6
190	205	219	173	231	224	244	224	221	188	133	65	16	1	2	7
112	114	124	93	123	116	131	103	109	114	75	37	8	1	1	8
78	91	95	80	108	108	113	121	112	74	58	28	8	1	1	9
50	49	67	41	45	47	55	47	44	50	37	19	3			10
35	44	36	37	52	45	50	57	51	32	27	12	4			11
33	32	30	28	30	29	21	20	19	18	8	2	1		1	12
27	31	26	24	26	19	23	14	19	9	5	1	2		1	13
29	33	27	24	48	40	55	36	46	46	30	16	4	1		14
16	16	33	19	30	44	40	50	42	33	26	15	2			15
116	109	105	112	141	110	134	126	152	110	68	23	13	3	1	16
76	82	76	66	92	71	91	78	95	70	46	20	8	1	1	17
40	27	29	46	49	39	43	48	57	40	22	3	5	2		18
19	20	20	12	14	10	17	11	12	6	3	3				19
17	18	20	11	10	7	13	7	10	4	3	2				20
2	2		1	4	3	4	4	2	2		1				21
32	21	28	26	27	26	14	11	4	1	5					22
22	10	21	17	19	24	12	7	3	1	3					23
10	11	7	9	8	2	2	4	1		2					24
6	5	13	10	6	12	4	6	1	1	2					25
8	10	7	6	7	2	2	3	1		2					26
2		4	4	10	11	8	1	2		1					27
14	5	4	3	3	1										28
2	1		1												29
84	109	105	96	130	126	160	153	170	170	120	64	20	4		30
48	58	69	45	76	82	96	91	86	77	54	28	12	1		31
36	51	36	51	54	44	64	62	84	93	66	36	8	3		32
78	103	97	89	115	117	146	150	167	166	118	64	19	4		33
47	53	64	40	64	74	83	88	85	74	53	28	12	1		34
31	50	33	49	51	43	63	62	82	92	65	36	7	3		35
55	72	63	54	57	69	69	62	76	77	52	29	9	1		36
35	38	37	20	30	41	35	34	29	35	24	10	5			37
20	34	26	34	27	28	34	28	47	42	28	19	4	1		38
9	9	12	7	13	16	10	13	14	15	13	7	1			39
11	13	11	12	12	9	17	10	28	20	14	9	2			40
23	23	17	8	9	10	9	6	4	4	4	1	1			41
2	17	11	13	11	9	10	11	9	4	5	4	3			42
3	6	8	5	8	15	16	15	11	16	7	2	3			43
7	4	4	9	4	10	7	7	10	18	9	6	2	1		44
20	27	31	31	57	47	73	86	88	89	66	34	10	3		45
10	12	24	16	33	33	45	52	54	39	29	17	7	1		46
10	15	7	15	24	14	28	34	34	50	37	17	3	2		47
3	4	3	4	1	1	4	2	3			1				48
2	3	3	4	1		3	2	2			1				49
1	1				1	1	1	1							50
6	6	8	7	15	9	14	3	3	4	2		1			51
1	5	5	5	12	8	13	3	1	3	1	1				52
5	1	3	2	3	1	1		2	1	1		1			
	3	3	4	3	1	2	1	1	2	1		1			
		3	2	3		1			1						
1	2	1	1	8	6	10	2		1	1					
	1			1	1	1		1							

MORTALITY STATISTICS.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

AREA AND SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—											
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
BRIDGEPORT, CONN.														
1	Total.....	1,729	408	93	36	22	19	578	43	17	29	55	53	
2	Males.....	922	214	50	22	11	6	303	25	8	17	28	29	
3	Females.....	807	194	43	14	11	13	275	18	9	12	27	24	
4	White.....	1,682	396	91	36	22	19	564	43	16	23	53	52	
5	Males.....	897	205	50	22	11	6	294	25	7	15	27	29	
6	Females.....	785	191	41	14	11	13	270	18	9	8	26	23	
7	Native.....	1,136	393	88	36	20	16	553	41	16	14	23	26	
8	Males.....	580	204	48	22	10	5	289	23	7	9	8	12	
9	Females.....	556	189	40	14	10	11	264	18	9	5	15	14	
10	Both parents native.....	M. 174 F. 175	34 38	10 6	5 1	1 2	1 2	51 47	7 5	3 2	3 3	4 6	3 5	
11	One or both parents foreign.....	M. 364 F. 335	168 142	37 34	17 13	9 10	3 9	234 208	16 13	4 7	6 5	4 8	8 9	
12	Parentage unknown.....	M. 42 F. 46	2 9	1			1	4 9					1 1	
13	Foreign.....	519	2			2	3	7	2		9	30	25	
14	Males.....	297				1	1	2			6	19	16	
15	Females.....	222	2			1	2	5	2		3	11	9	
16	Unknown.....	27	1	3				4					1	
17	Males.....	20	1	2				3					1	
18	Females.....	7		1				1						
19	Colored.....	47	12	2				14		1	6	2	1	
20	Males.....	25	9					9		1	2	1		
21	Females.....	22	3	2				5			4	1	1	
22	Negro.....	M. 23 F. 22	3 3	2				9 5		1	2	1		
23	Indian.....	M. 2 F. 2												
24	Chinese.....	M. 2 F. 2												
25	Japanese.....	M. 2 F. 2												
26	Other colored.....	M. 2 F. 2												
NEW HAVEN, CONN.														
27	Total.....	2,326	410	106	31	23	21	591	48	24	44	61	92	
28	Males.....	1,182	232	56	18	12	11	329	16	11	29	28	49	
29	Females.....	1,144	178	50	13	11	10	262	32	13	15	33	43	
30	White.....	2,220	390	102	29	22	21	564	48	21	41	58	86	
31	Males.....	1,125	219	55	17	12	11	314	16	9	27	27	49	
32	Females.....	1,095	171	47	12	10	10	250	32	12	14	31	37	
33	Native.....	1,427	386	99	29	21	19	554	45	21	31	39	46	
34	Males.....	738	216	53	17	12	10	308	15	9	22	19	22	
35	Females.....	689	170	46	12	9	9	246	30	12	9	20	24	
36	Both parents native.....	M. 235 F. 218	64 40	8 7		6 1	2 1	80 50	4 9	5 4	10 3	7 9	8 9	
37	One or both parents foreign.....	M. 382 F. 383	148 129	45 39	17 11	6 8	7 8	223 195	9 21	2 8	9 6	12 11	13 13	
38	Parentage unknown.....	M. 121 F. 88	4 1					5 1	2 2	2 3			3 2	
39	Foreign.....	767	3	3		1	2	9	3		10	18	40	
40	Males.....	372	2	2				5			5	7	27	
41	Females.....	395	1	1		1	1	4	1		2	11	13	
42	Unknown.....	26	1					1					1	
43	Males.....	15	1					1					1	
44	Females.....	11												
45	Colored.....	106	20	4	2	1		27		3	3	3	6	
46	Males.....	57	13	1	1			15		2	2	1		
47	Females.....	49	7	3	1	1		12		1	1	2	6	
48	Negro.....	M. 57 F. 49	13 7	1 3	1 1			15 12		2 1	2 1	1 2		
49	Indian.....	M. 57 F. 49												
50	Chinese.....	M. 57 F. 49												
51	Japanese.....	M. 57 F. 49												
52	Other colored.....	M. 57 F. 49												

DEATHS, BY AGE AND SEX, COLOR, AND NATIVITY.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF--															Deaths at unknown age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
61	86	107	112	97	87	90	88	88	62	34	32	9	1		1
35	52	73	64	50	44	43	49	44	33	15	9	1			2
26	34	34	48	47	43	47	39	44	29	19	23	8	1		3
61	82	107	106	95	82	89	86	87	61	34	31	9	1		4
35	50	73	61	49	42	42	47	44	32	15	9	1			5
26	32	34	45	46	40	47	39	43	29	19	22	8	1		6
39	42	43	45	46	42	40	40	38	38	22	22	5	1		7
23	24	24	21	25	19	20	19	20	20	9	7	1			8
16	18	19	24	21	23	20	21	18	18	13	15	4	1		9
5	11	7	7	7	7	9	12	11	14	7	5	1			10
6	6	7	6	7	8	9	11	12	11	8	15	4			11
17	12	10	11	14	8	8	4	5	2		1				12
9	8	11	15	12	12	7	6	3	1				1		13
1	1	7	3	4	4	3	3	4	4	2	1				14
1	4	1	3	2	3	4	4	3	6	5					15
22	38	61	58	44	38	47	45	48	22	11	9	3			16
12	25	46	37	20	21	21	27	24	12	5	2				17
10	13	15	21	24	17	26	18	24	10	6	7	3			18
	2	3	3	5	2	2	1	1	1	1		1			19
	1	3	3	4	2	1	1		1	1					20
	1			1		1		1				1			21
	4		6	2	5	1	2	1	1		1				22
	2		3	1	2	1	2		1						23
	2		3	1	3		2		1						24
	2		3	1	3		2	1	1		1				25
				1		1									26
															27
80	93	117	130	169	141	173	126	161	129	77	51	12	5	2	28
40	56	65	62	93	74	86	57	68	56	36	23	1	2	1	29
40	37	52	68	76	67	87	69	93	73	41	28	11	3	1	30
78	86	112	121	157	136	167	123	155	124	75	50	12	5	1	31
39	50	62	60	85	72	83	54	64	54	34	23	1	2		32
39	36	50	61	72	64	84	69	91	70	41	27	11	3	1	33
46	53	55	64	68	58	72	51	70	67	43	31	9	3	1	34
24	31	32	30	34	31	37	25	32	33	18	13	1	2		35
22	22	23	34	34	27	35	26	38	34	25	18	8	1	1	36
7	8	5	8	9	10	18	7	17	17	10	5		1		37
5	4	5	6	6	9	11	14	16	16	17	12	5	1	1	38
14	18	22	15	17	11	9	4	4	4	1					39
16	17	15	23	20	14	15	7	1	1	1					40
3	5	5	7	8	10	10	14	15	12	7	8	1	1		41
1	1	3	5	8	4	9	5	16	17	7	6	3	1		42
32	33	54	54	86	76	93	72	82	55	29	17	3	1		43
15	19	28	27	49	39	44	29	31	21	15	10				44
17	14	26	27	37	37	49	43	51	34	14	7	3	1		45
		3	3	3	2	2		3	2	3	2		1		46
		2	3	2	2	2		1	2	2	2		1		47
		1	1	1				2		1					48
2	7	5	9	12	5	6	3	6	5	2	1			1	49
1	6	3	2	8	2	3	3	4	2	2				1	50
1	1	2	7	4	3	3		2	3		1				51
1	6	3	2	8	2	3	8	4	2	2				1	52
1	1	2	7	4	3	3		2	3		1				

DEATHS, BY AGE AND SEX, COLOR, AND NATIVITY.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
233	340	349	332	403	346	431	454	483	362	228	84	33	12	1	1
169	183	207	207	213	188	216	265	268	181	112	39	17	9	2	2
114	157	142	125	190	158	215	189	215	181	116	45	16	3	1	3
137	144	176	183	220	223	292	331	338	315	200	70	25	5	4	4
84	77	115	116	123	128	151	207	216	163	101	30	13	3	5	5
53	67	61	67	97	95	141	124	172	152	99	40	12	2	2	6
114	121	147	153	188	185	227	260	277	244	143	44	17	4	7	7
67	65	93	93	103	108	118	165	152	119	69	20	8	2	8	8
47	56	54	60	85	77	109	95	125	125	74	24	9	2	9	9
39	40	49	45	65	70	83	95	89	78	47	13	6	1	10	10
29	35	36	42	51	51	30	67	92	97	61	20	5	1	11	11
12	14	25	31	19	23	20	20	12	15	4	2	1	1	12	12
11	14	11	14	20	16	23	14	19	18	5	2	1	1	13	13
16	11	19	17	19	15	15	50	51	26	18	5	1	1	14	14
7	7	7	4	14	10	6	14	14	10	8	2	3	1	15	15
22	20	23	25	30	35	64	66	106	66	56	26	8	1	16	16
17	9	16	18	19	18	32	37	59	41	31	10	5	1	17	17
5	11	7	7	11	17	32	29	47	25	25	16	3	3	18	18
1	3	6	5	2	3	1	5	5	5	1	1	1	1	19	19
1	3	6	5	1	2	1	5	5	3	1	1	1	1	20	20
146	196	173	149	183	123	139	123	95	47	28	14	8	7	1	21
85	106	92	91	90	60	65	58	52	18	11	9	4	6	22	22
61	90	81	53	93	63	74	65	43	29	17	5	4	1	23	23
84	106	91	89	89	59	65	58	52	18	11	9	4	6	24	24
61	90	81	53	93	63	74	65	43	29	17	5	4	1	25	25
1	1	1	2	1	1	1	1	1	1	1	1	1	1	26	26
206	210	148	163	195	144	166	141	119	91	58	35	9	2	7	27
104	106	64	81	100	73	79	75	60	44	21	16	2	2	1	28
102	104	34	82	95	71	87	66	59	47	37	19	7	2	7	29
90	95	64	71	85	89	117	111	91	77	45	26	6	6	1	30
41	48	33	40	49	52	58	58	43	38	14	11	1	1	31	31
49	47	31	31	36	37	59	53	48	39	31	15	5	5	32	32
84	89	54	65	77	84	112	102	81	68	41	22	5	5	33	33
27	42	26	38	41	48	55	50	37	32	13	8	1	1	34	34
47	47	28	27	36	36	57	52	44	36	28	14	4	4	35	35
26	35	18	24	27	35	38	31	23	23	8	3	2	2	36	36
36	40	24	22	26	24	37	35	33	30	19	9	2	2	37	37
5	2	5	3	4	4	4	3	2	1	1	1	1	1	38	38
1	2	2	3	3	3	3	4	3	2	2	1	1	1	39	39
6	5	3	14	14	9	13	16	12	8	5	5	1	1	40	40
10	5	2	2	7	9	17	13	8	6	7	4	2	2	41	41
3	3	6	6	6	5	4	9	9	8	4	3	1	1	42	42
2	3	5	2	6	4	2	8	5	5	1	3	3	1	43	43
1	1	1	4	1	1	2	1	4	3	3	1	1	1	44	44
3	3	4	2	2	1	1	1	1	1	1	1	1	1	45	45
2	3	2	2	2	2	1	1	1	1	1	1	1	1	46	46
1	1	2	2	2	2	1	1	1	1	1	1	1	1	47	47
116	115	84	92	110	55	49	30	28	14	13	9	3	2	7	48
63	58	31	41	51	21	21	17	17	6	7	5	1	2	7	49
53	57	53	51	59	34	28	13	11	8	6	4	2	2	7	50
63	58	31	41	51	21	21	17	17	6	7	5	1	2	7	51
53	57	53	51	59	34	28	13	11	8	6	4	2	2	7	52

DEATHS, BY AGE AND SEX, COLOR, AND NATIVITY.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
228	250	231	233	278	257	228	270	216	168	130	53	19	3	6	1
137	155	126	137	172	136	112	140	104	78	46	20	8	3	1	2
91	95	105	96	106	121	116	130	112	90	84	33	11	3	5	3
134	148	153	133	198	197	172	229	185	156	121	50	17	1	1	4
82	87	81	78	123	103	75	116	86	72	43	19	6	1	1	5
52	61	72	55	75	94	97	113	99	84	78	31	11	1	1	6
122	138	141	118	160	156	117	140	93	77	45	30	8	1	1	7
75	78	74	66	96	79	53	72	48	41	13	8	1	1	1	8
47	60	67	52	64	77	64	68	45	36	32	22	7	1	1	9
54	34	25	26	35	25	26	31	21	26	9	6	1	1	1	10
29	33	23	25	19	25	27	40	30	18	13	11	5	1	1	11
13	35	37	29	46	28	8	14	12	6	1	2	2	1	1	12
10	21	26	17	32	27	23	19	8	7	2	2	1	1	1	13
8	9	12	11	15	15	19	27	15	9	3	2	1	1	1	14
8	6	18	10	13	25	14	9	7	11	17	9	2	1	1	15
9	8	11	13	32	38	49	87	90	79	74	20	9	1	1	16
4	7	6	10	24	23	20	42	36	31	29	11	5	1	1	17
5	1	5	3	8	15	29	45	54	48	45	9	4	1	1	18
3	2	1	2	6	3	6	2	2	2	2	1	1	1	1	19
3	2	1	2	3	1	2	2	2	2	1	1	1	1	1	20
94	102	78	100	80	60	56	41	31	12	9	3	2	2	5	21
55	68	45	59	49	33	37	24	18	6	3	1	2	2	1	22
39	34	33	41	31	27	19	17	13	6	6	2	2	2	4	23
55	68	45	59	49	33	37	24	18	6	3	1	2	2	1	24
39	34	33	41	31	27	19	17	13	6	6	2	2	2	4	25
															26
															27
471	502	520	487	524	420	457	453	390	286	213	107	41	16	4	28
275	280	315	289	331	245	270	225	185	115	83	32	14	4	2	29
196	222	205	198	193	175	187	228	205	171	125	75	27	12	2	30
252	244	285	248	326	278	303	326	295	214	169	87	26	5	1	31
156	140	184	162	222	176	187	168	137	79	69	24	8	2	1	32
96	104	101	86	104	102	116	158	158	135	100	63	18	3	1	33
214	218	242	204	271	210	208	173	136	80	57	28	7	1	1	34
131	124	155	128	180	130	124	91	65	24	21	8	3	1	1	35
83	94	87	76	91	80	84	82	71	56	36	20	4	1	1	36
93	75	80	44	73	47	50	40	35	10	9	1	2	1	1	37
55	53	50	22	32	27	33	34	36	28	16	14	3	1	1	38
35	44	70	78	99	77	65	40	20	10	5	2	1	1	1	39
28	39	35	53	56	51	40	44	25	19	12	3	1	1	1	40
3	5	5	6	8	6	9	11	10	4	7	5	1	1	1	41
	2	2	1	3	2	6	4	10	9	8	3	1	1	1	42
38	25	43	41	54	67	95	152	158	133	112	59	19	4	1	43
25	15	29	31	41	45	63	76	71	54	48	16	5	2	1	44
13	10	14	10	13	22	32	76	87	79	64	43	14	2	1	45
	1		3	1	1		1	1	1						46
	1		3	1	1		1	1	1						47
219	258	235	239	198	142	154	127	95	72	44	20	15	11	3	48
119	140	131	127	109	69	83	57	48	36	19	8	6	2	1	49
100	118	104	112	89	73	71	70	47	36	25	12	9	9	2	50
118	140	131	127	107	69	81	57	46	35	18	8	6	2	1	51
100	118	104	112	89	73	71	70	47	36	25	12	9	9	2	52
1				2		2		2	1	1					

DEATHS, BY AGE AND SEX, COLOR, AND NATIVITY.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
248	254	237	262	273	258	220	234	203	167	136	54	21	6		1	
139	150	147	157	168	171	135	140	94	79	63	28	13	2		2	
109	104	90	105	105	87	85	94	109	88	73	26	8	4		3	
193	178	177	222	224	222	197	216	180	162	129	50	19	4		4	
106	104	108	132	136	149	122	131	85	76	63	27	13			5	
87	74	69	90	88	73	75	85	95	86	66	23	6	4		6	
156	139	140	174	158	173	146	144	117	108	86	40	11	2		7	
77	79	80	95	90	111	84	88	48	53	43	20	6			8	
79	60	60	79	68	62	62	56	69	55	43	20	5	2		9	
43	43	44	42	41	47	47	52	25	33	23	12	5			10	
48	40	38	46	38	36	39	35	38	34	25	12	2	1		10	
23	21	22	27	28	30	20	7	4	3	4	2				11	
19	14	15	16	14	12	11	10	9	5	4	2				11	
11	15	14	26	21	34	17	29	19	17	7	1				11	
12	6	7	17	16	14	12	11	22	16	11	3	1			12	
25	28	30	34	51	39	42	67	58	49	41	10	8	1		13	
19	18	23	27	32	29	30	38	33	19	19	7	7			14	
6	10	7	7	19	10	12	29	25	30	22	3	1	1		15	
12	11	7	14	15	10	9	5	5	5	2			1		16	
10	7	5	10	14	9	8	5	4	4	1					17	
2	4	2	4	1	1	1	1	1	1	1			1		18	
55	76	60	40	49	36	23	18	23	5	7	4	2	2		19	
33	46	39	25	32	22	13	9	9	3		1		2		20	
22	30	21	15	17	14	10	9	14	2	7	3	2			21	
33	46	39	25	32	21	13	9	9	3		1		2		22	
22	30	21	15	17	14	10	9	14	2	7	3	2			22	
					1										23	
															24	
															25	
															26	
569	644	685	664	779	661	731	705	636	492	373	170	43	8	6	2	27
339	417	436	425	510	387	411	411	329	235	161	60	17	5	2		28
230	227	249	239	269	274	320	294	307	257	212	110	26	3	4	2	29
457	525	532	575	690	605	656	669	595	459	357	164	37	8	1	2	30
274	342	370	378	454	356	381	386	306	224	155	58	17	5	1		31
183	183	212	197	236	249	275	283	289	235	202	106	20	3	2		32
360	420	441	389	437	368	310	260	203	131	93	39	7				33
211	269	275	235	282	212	176	152	101	65	39	13	3				34
149	151	166	154	155	156	134	108	102	66	54	26	4				35
78	72	65	54	72	50	54	65	38	22	14	7					36
61	47	50	39	31	50	40	45	25	24	31	14					36
113	164	178	142	161	122	79	52	27	16	5						37
72	80	94	100	101	86	65	46	38	22	7	3					37
20	33	32	39	49	40	43	35	36	27	20	6	3				38
16	24	22	15	23	20	29	17	19	20	16	9	3				38
87	95	130	172	234	228	334	400	388	325	260	125	30	8	1	2	39
56	65	87	129	156	138	193	227	201	157	114	45	14	5	1		40
31	30	43	43	78	90	141	173	187	168	146	30	16	3	2		41
10	10	11	14	19	9	12	9	4	3	4						42
7	8	8	14	16	6	12	7	4	2	2						43
3	2	3		3	3		2		1	2						44
112	119	103	89	89	56	75	36	41	33	16	6	6		5		45
65	75	68	47	56	31	30	25	23	11	6	2			1		46
47	44	37	42	33	25	45	11	18	22	10	4	6		4		47
64	74	66	47	55	27	30	24	22	11	6	2			1		48
47	44	37	42	33	25	45	11	13	22	10	4	6		4		48
1				1	4		1	1								49
	1															50
																51
																52

DEATHS, BY AGE AND SEX, COLOR, AND NATIVITY.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
319	355	385	405	456	441	493	418	450	387	240	133	41	4	2	1	1
182	209	235	251	279	257	278	223	234	171	88	54	17	2	1	1	2
137	146	150	154	177	184	215	195	216	216	152	79	24	2	1	1	3
280	295	326	348	402	411	462	396	435	380	234	126	38	4	1	1	4
155	171	202	214	241	236	257	210	225	168	85	51	16	2	1	1	5
125	124	124	134	161	175	205	186	210	212	149	75	22	2	1	1	6
227	249	276	258	281	286	270	183	185	122	60	32	14	2	1	1	7
121	141	173	156	156	154	147	103	93	51	24	16	4	1	1	1	8
106	108	103	102	125	132	123	80	92	71	36	16	10	1	1	1	9
58	55	63	35	35	43	41	30	46	27	15	12	3	1	1	1	10
59	52	39	27	32	35	35	28	54	33	26	12	5	1	1	1	11
55	82	101	109	107	97	79	43	29	14	5	3	1	1	1	1	11
43	45	56	67	85	87	73	40	32	23	5	1	1	1	1	1	12
8	4	9	12	14	14	27	30	18	10	4	1	1	1	1	1	12
4	11	8	8	8	10	15	12	6	15	5	4	5	1	1	1	13
51	43	44	84	112	120	184	207	245	257	173	94	24	2	1	1	13
32	29	25	53	77	78	103	102	127	116	61	35	12	1	1	1	14
19	14	19	31	35	42	81	105	118	141	112	59	12	1	1	1	15
2	3	6	6	9	5	8	6	5	1	1	1	1	1	1	1	16
2	1	4	5	8	4	7	5	5	1	1	1	1	1	1	1	17
1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	18
39	60	59	57	54	30	31	22	15	7	6	7	3	2	1	1	19
27	38	33	37	38	21	21	13	9	3	3	3	1	1	1	1	20
12	22	26	20	16	9	10	9	6	4	3	4	2	1	1	1	21
27	38	33	37	38	21	21	13	9	3	3	3	1	1	1	1	22
12	22	25	20	16	9	10	9	6	4	3	4	2	1	1	1	23
1																24
																25
																26
372	397	424	491	477	437	485	442	408	313	195	96	39	8	1	3	27
226	254	279	291	312	255	270	237	198	142	88	37	17	1	1	2	28
146	143	145	200	165	182	215	205	210	171	107	59	22	7	1	1	29
356	379	409	481	461	427	475	433	402	305	193	93	39	7	1	3	30
218	243	269	282	301	249	263	232	195	139	87	37	17	1	1	2	31
138	136	140	199	160	178	212	201	207	166	105	56	22	6	1	1	32
178	174	192	194	188	164	182	145	114	118	69	37	13	1	1	1	33
105	93	118	109	114	96	94	77	42	51	27	10	4	1	1	1	34
73	81	74	85	74	65	88	68	72	67	42	27	9	1	1	1	35
37	23	33	34	39	26	38	42	22	28	22	6	2	1	1	1	36
25	25	25	35	24	25	33	38	41	40	26	18	6	1	1	1	37
57	63	72	60	60	54	30	17	13	14	1	2	1	1	1	1	37
43	48	45	39	39	39	39	21	17	18	7	2	1	1	1	1	38
11	7	13	15	15	16	26	18	7	9	4	4	2	1	1	1	38
5	8	4	11	11	4	16	9	14	9	7	4	2	1	1	1	38
167	181	195	262	251	252	278	282	282	182	122	55	26	6	1	2	39
103	128	132	151	169	145	159	149	148	87	58	25	13	1	1	2	40
64	53	63	111	82	107	119	133	134	95	64	29	13	5	1	1	41
11	24	22	25	22	11	15	6	6	5	2	1	1	1	1	1	42
10	22	19	22	18	8	10	6	5	1	2	1	1	1	1	1	43
1	2	3	3	4	3	5	1	1	4	1	1	1	1	1	1	44
16	18	15	10	16	10	10	9	6	8	2	3	1	1	1	1	45
8	11	10	9	11	6	7	5	3	3	1	1	1	1	1	1	46
8	7	5	1	5	4	3	4	3	5	1	3	1	1	1	1	47
8	11	10	9	11	6	7	5	3	3	1	1	1	1	1	1	48
8	7	5	1	5	4	3	4	3	5	1	3	1	1	1	1	49
																50
																51
																52

DEATHS, BY AGE AND SEX, COLOR, AND NATIVITY.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.
80 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
144	182	179	165	206	198	208	201	200	178	112	65	23	1		1
87	105	97	92	119	117	113	103	97	76	51	31	11			2
57	77	82	73	87	81	95	98	103	102	61	34	12	1		3
125	153	150	145	188	183	194	183	182	172	106	63	20	1		4
73	82	76	81	108	106	107	98	84	75	49	30	9			5
52	71	74	64	80	77	87	85	98	97	57	33	11	1		6
113	126	129	121	151	142	153	135	118	105	65	37	13			7
63	64	62	67	84	82	82	70	52	43	30	14	6			8
50	62	67	54	67	60	71	65	66	62	35	23	7			9
41	34	19	29	40	44	43	29	22	15	17	7	5			10
35	43	44	25	29	38	37	37	41	35	17	12	6			11
9	17	33	20	27	24	21	13	12	3	3	1	1			12
7	12	12	15	23	14	17	9	13	9	4	6	1			13
13	10	10	18	17	14	18	28	18	16	10	6	1			14
8	7	11	14	15	8	17	19	12	18	14	5				15
11	21	17	20	33	37	34	45	63	64	38	26	7	1		16
9	14	11	11	22	22	22	27	32	30	19	16	3			17
2	7	6	9	11	15	12	18	31	34	19	10	4	1		18
1	6	4	4	4	4	7	3	1	3	3					19
1	4	3	3	2	2	3	1	2	2						20
	2	1	1	2	2	4	2	1	1	3					21
19	29	29	20	18	15	14	18	18	6	6	2	3			22
14	23	21	11	11*	11	6	5	13	1	2	1	2			23
5	6	8	9	7	4	8	13	5	5	4	1	1			24
14	23	21	11	11	10	6	5	13	1	2	1	2			25
5	6	8	9	7	4	8	13	5	5	4	1	1			26
					1										27
74	79	86	95	104	102	116	116	125	93	73	37	5	3	1	28
36	45	46	43	54	63	61	66	72	36	25	15	2	1		29
38	34	40	52	50	39	55	50	53	57	48	22	3	2	1	30
66	69	79	86	92	99	111	113	118	92	73	37	5	3		31
30	39	43	38	47	61	58	65	66	36	25	15	2	1		32
36	30	36	48	45	38	53	48	52	56	48	22	3	2		33
60	50	65	73	79	83	87	77	78	48	41	14	3	3		34
27	24	35	31	39	51	46	41	45	17	10	5	1	1		35
33	26	30	42	40	32	41	36	33	31	31	9	2	2		36
18	12	17	16	16	21	28	30	29	8	7	3	1			37
13	17	18	24	19	20	24	25	17	18	21	6	2	1		38
7	7	15	13	18	20	11	4	5	3	2					39
9	7	9	17	18	6	11	6	5	3	1	3				40
2	5	3	2	5	10	7	7	11	6	1	2		1		41
6	2	3	1	3	6	6	5	11	10	9			1		42
5	18	14	12	12	16	23	32	37	44	32	23	1			43
2	14	8	6	7	10	11	21	18	19	15	10	1			44
3	4	6	6	5	6	12	11	19	25	17	13				45
1	1		1	1		1	4	3				1			46
1	1		1	1		1	3	3							47
							1	1				1			48
8	10	7	9	12	3	5	3	7	1					1	49
6	6	3	5	7	2	3	1	6							50
2	4	4	4	5	1	2	2	1	1						51
6	6	3	5	7	2	3	1	6							52
2	4	4	4	5	1	2	2	1	1						

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision under causes of death correspond to those of

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
SUMMARY.														
1 The registration area (total).....	898,059	10,185	1,477	212	4,461	4,340	6,816	11,786	6,014	2,472	84,366	5,410	7,127	4,350
2 White.....	824,319	8,980	979	162	4,266	4,288	5,741	11,418	5,382	2,404	72,151	5,001	6,091	4,015
3 Colored.....	73,740	1,205	498	50	195	52	1,075	368	632	68	12,215	409	1,036	335
4 Registration states ¹ (total).....	819,880	9,249	1,157	141	4,200	4,025	6,290	10,563	5,487	2,316	76,002	5,009	6,509	4,018
5 White.....	763,365	8,309	878	104	4,050	3,980	5,371	10,292	5,061	2,256	66,308	4,644	5,681	3,748
6 Colored.....	56,515	940	279	37	150	45	919	271	426	60	9,696	365	828	270
7 Cities in registration states ¹ (total).....	440,461	4,036	255	40	2,318	2,511	2,773	6,320	2,054	1,376	41,904	3,394	3,348	2,040
8 White.....	409,910	3,683	168	25	2,246	2,481	2,417	6,176	1,826	1,338	36,773	3,151	2,929	1,903
9 Colored.....	30,551	353	87	15	72	30	356	144	228	38	5,131	243	419	137
10 Rural part of registration states (total).....	379,419	5,213	902	101	1,882	1,514	3,517	4,243	3,433	940	34,098	1,615	3,161	1,978
11 White.....	353,455	4,626	710	79	1,804	1,499	2,954	4,116	3,235	918	29,533	1,493	2,752	1,845
12 Colored.....	25,964	587	192	22	78	15	563	127	198	22	4,565	122	409	133
13 Registration cities in other states (total).....	78,179	936	320	71	261	315	526	1,223	527	156	8,364	401	618	332
14 White.....	60,954	671	101	58	216	308	370	1,126	321	148	5,845	357	410	267
15 Colored.....	17,225	265	219	13	45	7	156	97	206	8	2,519	44	208	65
16 All registration cities ¹ (total).....	518,640	4,972	575	111	2,579	2,826	3,299	7,543	2,581	1,532	50,268	3,795	3,966	2,372
17 White.....	470,864	4,354	269	83	2,462	2,789	2,787	7,302	2,147	1,486	42,618	3,508	3,339	2,170
18 Colored.....	47,776	618	306	28	117	37	512	241	434	46	7,650	287	627	202
REGISTRATION STATES.														
19 California (total).....	37,542	370	52	1	168	95	203	262	137	55	4,698	309	371	140
20 White.....	35,495	346	46	1	163	94	281	252	126	55	4,274	281	342	132
21 Colored.....	2,047	24	6		5	1	12	10	11		424	28	29	8
22 Colorado (total).....	10,166	155		1	85	95	78	65	48	27	1,526	59	67	52
23 White.....	9,880	151		1	85	95	77	64	48	27	1,462	57	66	51
24 Colored.....	286	4					1	1			64	2	1	1
25 Connecticut (total).....	18,220	111	12		144	82	138	236	107	56	1,515	136	130	71
26 White.....	17,800	107	11		141	81	129	233	164	55	1,447	133	121	69
27 Colored.....	420	4	1		3	1	9	3	3	1	68	3	9	2
28 Indiana (total).....	35,930	588	69	8	150	115	282	388	261	89	3,473	222	405	169
29 White.....	34,466	562	64	8	142	114	268	387	253	88	3,186	212	365	163
30 Colored.....	1,464	26	5		8	1	14	1	8	1	287	10	40	6
31 Kansas (total).....	17,497	338	39	9	76	33	151	167	169	37	880	26	107	97
32 White.....	16,830	310	34	8	69	32	140	163	153	36	741	24	90	94
33 Colored.....	1,117	28	5	1	7	1	11	4	16	1	139	2	17	3
34 Kentucky (total).....	30,360	980	165	18	271	62	349	515	346	91	4,282	208	394	151
35 White.....	24,068	809	119	14	255	58	284	485	266	80	3,181	171	304	111
36 Colored.....	5,692	171	46	4	16	4	65	30	80	11	1,101	37	90	40
37 Maine (total).....	11,925	122	7	2	43	17	95	86	92	22	719	79	122	40
38 White.....	11,878	121	7	2	43	17	95	86	92	22	713	79	121	40
39 Colored.....	47	1									6		1	
40 Maryland (total).....	21,314	321	14	8	24	76	195	177	118	38	2,427	92	190	88
41 White.....	15,759	237	8	1	15	68	102	160	110	35	1,553	67	112	66
42 Colored.....	5,555	84	6	7	9	8	93	17	38	3	874	25	78	22
43 Massachusetts (total).....	52,854	275	8	1	199	253	302	656	213	161	4,285	439	394	212
44 White.....	51,991	269	8	1	198	252	295	650	206	160	4,086	430	370	206
45 Colored.....	953	6			1	1	7	6	7	1	199	9	24	6
46 Michigan (total).....	39,751	396	22	1	177	179	290	512	202	122	2,364	144	272	203
47 White.....	39,178	390	22	1	174	179	288	511	207	121	2,271	144	263	200
48 Colored.....	573	6			3		2	1	5	1	93		9	3
49 Minnesota (total).....	23,483	224	3	7	79	333	193	359	107	64	1,990	185	205	133
50 White.....	23,079	220	3	7	76	333	173	355	107	64	1,838	185	200	133
51 Colored.....	404	4			3		20	4			102		5	
52 Missouri (total).....	41,356	805	365	18	413	211	427	693	347	79	4,464	211	340	176
53 White.....	37,634	738	340	15	403	203	384	673	313	76	3,685	182	272	164
54 Colored.....	3,722	67	25	3	10	8	63	20	34	3	779	29	68	12
55 Montana (total).....	4,846	66			27	33	18	36	22	23	400	28	44	24
56 White.....	4,582	65			24	33	18	35	22	23	336	26	41	23
57 Colored.....	264	1			3			1			64	2	3	1
58 New Hampshire (total).....	7,166	38	4		37	25	52	45	75	15	438	51	52	24
59 White.....	7,155	38	4		37	25	52	45	75	15	437	51	52	24
60 Colored.....	11										1			
61 New Jersey (total).....	39,901	231	9	1	229	243	267	614	206	153	3,862	266	223	216
62 White.....	37,867	219	9	1	220	241	233	606	198	149	3,527	248	198	207
63 Colored.....	2,034	12			9	2	34	8	8	4	335	18	25	9
64 New York (total).....	145,708	884	50	3	852	724	706	2,085	782	514	14,682	1,116	845	749
65 White.....	141,989	865	48	3	839	720	680	1,966	765	508	13,887	1,069	802	725
66 Colored.....	3,719	19	2		13	4	26	39	17	6	795	47	43	24
67 North Carolina ² (total).....	8,966	267	103	10	51	3	78	85	88	17	1,047	20	94	32
68 White.....	4,765	128	39	3	40	2	38	63	47	15	496	14	52	17
69 Colored.....	4,201	139	64	7	11	1	40	22	41	2	551	6	42	15

¹ Includes District of Columbia.

DEATHS FROM PRINCIPAL CAUSES.

305

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914.

formed at least 5 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers the abridged International List. (See p. 21.)

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diphtheria and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
52,420	10,666	5,823	52,420	93,588	11,446	83,804	8,836	43,532	8,099	7,706	8,526	67,545	4,664	5,854	52,323	56,617	10,933	156,277	7,964	
50,515	10,393	5,414	49,471	86,897	10,579	76,391	7,997	40,585	7,693	7,161	8,094	61,836	4,220	5,258	49,075	52,032	10,620	143,958	6,007	
1,905	273	409	2,949	6,691	867	7,413	839	2,947	406	545	432	5,659	444	496	3,248	4,585	313	13,224	1,957	
48,259	9,946	5,400	49,227	86,809	10,735	76,013	8,097	38,288	7,097	6,964	7,645	61,066	4,168	5,331	48,926	51,674	9,333	142,298	7,338	
46,739	9,709	5,075	46,908	81,354	10,005	70,259	7,426	36,007	6,810	6,559	7,334	56,978	3,844	4,936	46,272	48,244	9,576	132,881	5,771	
1,520	237	325	2,321	5,255	730	5,754	671	2,281	287	405	311	4,088	324	395	2,654	3,430	257	9,417	1,567	
26,795	5,544	2,764	23,533	45,535	5,946	45,295	4,292	22,809	4,727	4,077	4,647	35,636	2,480	2,788	26,302	26,558	5,872	70,963	1,529	
25,893	5,408	2,597	22,265	42,469	5,483	41,689	3,919	21,545	4,537	3,829	4,441	33,150	2,281	2,625	24,841	24,806	5,713	66,092	1,211	
902	136	167	1,268	3,066	463	3,606	373	1,264	190	248	206	2,486	199	163	1,461	1,752	159	4,871	318	
21,464	4,402	2,636	25,694	41,074	4,789	30,718	3,805	15,479	2,370	2,887	2,998	25,430	1,688	2,543	22,624	25,116	3,961	71,335	5,809	
20,846	4,301	2,478	24,641	38,885	4,522	28,570	3,507	14,462	2,273	2,730	2,893	23,828	1,563	2,311	21,431	23,438	3,863	66,789	4,560	
618	101	158	1,053	2,189	267	2,148	298	1,017	97	157	105	1,602	125	232	1,193	1,678	98	4,546	1,249	
4,161	720	423	3,193	6,979	711	7,791	739	5,244	1,002	742	881	6,479	496	523	3,397	4,943	1,100	13,979	626	
3,776	684	339	2,565	5,543	574	6,132	571	4,578	883	760	760	4,908	376	422	2,803	3,788	1,044	10,172	236	
385	36	84	628	1,436	137	1,659	168	666	119	140	121	1,571	120	101	594	1,155	56	3,807	390	
30,956	6,264	3,187	26,726	52,514	6,657	53,086	5,031	23,053	5,729	4,819	5,528	42,115	2,976	3,311	29,699	31,501	6,972	84,942	2,155	
29,669	6,092	2,936	24,830	48,012	6,057	47,821	4,490	22,123	5,420	4,431	5,201	38,058	2,657	3,047	27,644	28,594	6,757	76,264	1,447	
1,287	172	251	1,896	4,502	600	5,265	541	1,930	309	388	327	4,057	319	264	2,055	2,907	215	8,678	708	
2,701	513	277	2,283	4,633	375	2,580	315	844	348	324	435	2,772	128	235	1,395	3,128	920	6,328	57	
2,649	502	249	2,229	4,451	352	2,392	288	764	327	298	410	2,651	120	221	1,306	2,943	852	6,044	54	
52	11	28	54	182	23	188	27	80	21	26	25	121	8	14	89	185	68	284	3	
530	105	86	366	722	64	1,032	123	355	136	102	62	686	63	51	653	830	165	1,770	7	
517	104	86	359	694	63	1,004	122	349	133	99	61	664	63	51	644	797	160	1,719	7	
13	1	7	7	28	1	28	1	6	3	3	1	22	22	9	9	33	5	51	24	
1,040	241	152	1,374	1,874	278	1,856	201	1,048	117	162	168	1,401	61	115	1,061	1,063	252	2,859	99	
1,022	238	149	1,338	1,829	273	1,831	197	1,030	114	159	165	1,369	57	112	1,036	1,040	249	2,806	95	
18	3	3	36	45	5	25	4	18	3	3	3	32	4	3	25	23	3	53	4	
2,199	405	214	2,396	3,867	390	2,919	272	1,608	330	346	361	2,698	239	218	1,946	2,204	480	6,588	31	
2,162	397	204	2,940	3,693	376	2,763	260	1,561	325	336	347	2,598	229	214	1,896	2,109	469	6,345	30	
37	8	10	56	174	14	156	12	47	5	10	14	100	10	4	50	95	11	243	1	
1,095	234	102	1,085	1,726	177	1,197	228	561	210	198	133	1,168	75	138	1,158	1,166	201	4,193	323	
1,064	225	99	1,034	1,609	163	1,102	202	539	203	185	125	1,077	71	134	1,125	1,085	195	3,948	301	
31	9	3	51	117	14	95	26	22	7	13	8	91	4	4	33	81	6	245	22	
1,081	174	423	1,101	2,011	376	2,549	355	1,121	163	216	195	1,873	181	173	1,731	1,790	233	5,589	1,193	
959	155	379	902	1,525	291	2,079	281	970	149	179	164	1,473	150	141	1,533	1,377	219	4,607	998	
122	19	44	199	486	85	470	74	151	14	37	31	400	31	32	198	413	14	982	195	
821	151	78	938	1,386	163	1,119	129	396	119	94	52	915	29	58	589	551	107	2,593	191	
819	150	78	934	1,380	162	1,115	129	396	119	94	52	909	29	58	589	547	107	2,582	191	
2	1	4	4	6	1	4	4	6	3	3	3	6	6	6	4	4	4	11	39	
1,092	209	116	1,219	2,049	279	2,122	176	1,243	124	162	134	1,896	80	111	1,320	1,111	210	3,580	283	
947	189	82	968	1,452	208	1,451	124	955	100	126	111	1,471	57	77	954	876	200	2,962	125	
145	20	34	251	507	71	671	52	288	24	36	23	425	23	34	366	235	10	913	158	
3,649	708	333	3,658	6,682	832	5,610	412	2,947	385	420	332	3,403	193	378	3,193	2,712	483	8,879	247	
3,613	700	331	3,608	6,578	821	5,508	406	2,926	383	414	322	3,326	191	374	3,137	2,665	481	8,743	243	
36	8	2	50	104	11	102	6	21	2	6	10	77	2	4	56	47	2	136	4	
2,395	502	296	2,495	4,649	644	2,751	452	1,672	421	393	388	2,222	227	301	2,873	2,409	462	8,890	320	
2,379	497	295	2,466	4,585	633	2,697	446	1,654	418	390	379	2,189	225	297	2,852	2,375	456	8,772	312	
16	6	1	29	64	11	54	6	18	3	3	9	33	2	4	26	34	6	113	8	
1,701	331	120	1,113	2,257	248	2,155	213	750	364	218	204	1,645	115	168	1,572	1,724	347	4,131	225	
1,696	327	118	1,105	2,225	247	2,103	212	741	360	216	202	1,619	115	166	1,561	1,694	346	4,077	220	
5	4	2	8	32	1	47	1	9	4	2	2	26	2	2	11	30	1	54	25	
2,328	465	245	2,005	3,208	617	3,674	341	1,833	357	330	438	3,362	284	261	2,029	2,597	702	7,162	571	
2,233	451	234	1,981	2,841	565	3,302	304	1,750	337	301	409	3,056	261	248	1,928	2,319	685	6,585	516	
93	14	11	124	367	52	372	37	83	20	29	29	306	23	13	101	278	17	577	55	
223	52	42	171	387	38	464	61	167	92	44	54	249	49	51	325	556	125	859	111	
218	52	40	168	377	37	423	60	157	89	43	52	237	47	51	317	532	121	826	84	
5	2	3	10	31	1	41	1	10	3	1	2	12	2	2	8	24	4	33	27	
442	111	59	579	913	143	561	61	269	66	71	57	516	24	45	411	361	55	1,533	33	
440	111	59	578	910	143	561	60	269	66	71	57	516	24	45	411	360	55	1,531	33	
2	1	3	3	3	1	3	1	3	1	1	1	3	1	1	1	1	1	2	2	60
2,223	539	247	2,616	4,210	536	4,329	376	2,409	282	273	431	3,553	183	233	2,249	2,368	501	5,724	99	
2,163	519	238	2,516	4,010	506	4,057	355	2,321	267	260	420	3,377	171	225	2,134	2,265	493	5,419	95	
60	20	9	100	200	30	272	21	88	15	13	11	176	12	8	115	103	8	305	4	
8,907	2,071	781	8,647	17,388	1,815	15,406	1,300	6,480	1,255	1,160	1,623	13,031	656	786	8,026	8,083	1,645	22,522		

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION STATES—Contd.														
1 Ohio (total).....	65,132	912	30	16	239	234	375	783	520	174	5,670	299	580	350
2 White.....	62,524	882	28	13	233	232	355	771	505	171	5,156	284	538	337
3 Colored.....	2,608	30	2	3	6	2	20	12	15	3	514	15	42	13
4 Pennsylvania (total).....	114,832	1,071	20	4	549	860	939	1,925	760	349	8,841	557	814	582
5 White.....	110,100	1,035	19	4	542	852	863	1,914	746	336	8,029	513	732	558
6 Colored.....	4,732	36	1	7	8	71	11	14	13	812	44	82	24
7 Rhode Island (total).....	8,702	48	5	57	46	82	108	49	25	796	76	64	36
8 White.....	8,409	44	5	56	44	80	108	49	24	741	69	57	36
9 Colored.....	293	4	1	2	2	1	55	7	7
10 Utah (total).....	4,199	66	1	2	12	14	49	39	26	22	169	8	32	39
11 White.....	4,088	65	1	2	12	13	44	39	25	22	153	7	28	39
12 Colored.....	111	1	5	16	1	4
13 Vermont (total).....	5,430	42	1	4	12	36	38	71	12	291	29	48	28
14 White.....	5,425	42	1	4	12	36	38	71	12	291	29	48	28
15 Colored.....	5
16 Virginia (total).....	30,117	586	169	18	116	38	680	340	261	48	3,478	134	302	165
17 White.....	16,918	337	54	6	87	38	271	265	163	48	1,575	91	156	94
18 Colored.....	13,199	249	115	12	29	409	75	98	7	1,903	43	146	71
19 Washington (total).....	11,448	151	1	3	51	25	56	47	54	24	984	123	139	55
20 White.....	10,973	146	1	3	48	25	54	47	52	24	893	104	119	53
21 Colored.....	475	5	3	2	2	91	19	20	2
22 Wisconsin (total).....	27,181	159	3	5	146	216	141	323	173	84	2,079	152	220	162
23 White.....	26,964	157	3	5	144	216	140	323	173	84	2,030	150	215	160
24 Colored.....	217	2	2	1	49	2	5	2
REGISTRATION CITIES.														
ALABAMA. ¹														
25 Registration cities (total).....	5,009	101	51	1	36	8	54	21	58	5	553	17	54	17
26 White.....	2,216	57	8	29	7	25	14	14	5	157	7	17	9
27 Colored.....	2,793	44	43	1	7	1	29	7	44	396	10	37	8
28 Birmingham (total).....	2,907	66	16	1	15	7	43	15	18	4	351	14	37	15
29 White.....	1,323	36	2	12	6	20	10	5	4	94	6	8	8
30 Colored.....	1,584	30	14	1	3	1	23	5	13	257	8	29	7
31 Mobile (total).....	1,209	18	27	17	9	4	27	150	2	16	2
32 White.....	559	13	6	15	3	3	6	48	1	8	1
33 Colored.....	650	5	21	2	6	1	21	102	1	8	1
34 Montgomery (total).....	893	17	8	4	1	2	2	13	1	52	1	1
35 White.....	334	8	2	1	2	1	3	1	15	1
36 Colored.....	559	9	8	2	1	10	37	1
CALIFORNIA.														
37 Registration cities (total).....	21,723	188	12	115	36	151	169	55	36	2,650	216	212	71
38 White.....	20,493	170	7	113	35	141	160	48	36	2,381	194	196	66
39 Colored.....	1,230	18	5	2	1	10	9	7	269	22	16	5
40 Alameda.....	290	2	1	1	4	1	23	2	1	1
41 Bakersfield (total).....	284	5	1	2	9	5	37	8	1	1
42 White.....	259	5	1	9	3	29	8
43 Colored.....	25	8
44 Berkeley.....	435	4	3	8	7	1	19	4	4	5
45 Eureka.....	204	2	4	3	13	1	1	1
46 Fresno (total).....	431	5	1	2	12	5	4	7	3	36	3	4	1
47 White.....	379	2	2	11	4	3	7	3	29	2	3	1
48 Colored.....	52	3	1	1	1	1	7	1	1
49 Long Beach.....	425	3	4	2	24	3	3
50 Los Angeles (total).....	5,643	34	1	6	5	11	30	15	13	882	57	55	16
51 White.....	5,317	32	1	6	5	11	30	13	13	805	50	53	14
52 Colored.....	326	2	2	77	7	2	2
53 Oakland (total).....	2,121	12	2	28	5	28	24	5	2	185	26	15	5
54 White.....	2,002	12	2	27	5	25	23	4	2	153	24	14	4
55 Colored.....	119	1	3	1	1	27	2	1	1
56 Pasadena.....	457	2	1	1	62	1	4	3
57 Pomona.....	144	2	4	16	2	1
58 Redlands.....	118	1	1	32	1	4
59 Riverside (total).....	216	5	1	1	1	1	33	4	2
60 White.....	203	5	1	1	1	1	33	2	2
61 Colored.....	13	2
62 Sacramento (total).....	1,065	23	2	11	2	6	5	4	1	137	7	11	1
63 White.....	940	21	1	11	2	5	5	3	1	108	3	8	1
64 Colored.....	125	2	1	1	1	29	4	3
65 San Bernardino.....	347	9	4	1	86	1	6
66 San Diego.....	943	10	2	2	4	1	1	107	8	15	7
67 San Francisco (total).....	6,943	57	4	47	5	55	87	11	12	808	79	72	21
68 White.....	6,571	52	1	46	5	54	84	8	12	722	74	66	19
69 Colored.....	372	5	3	1	1	3	3	86	5	6	2
70 San Jose.....	459	2	2	2	7	39	6	5	2
71 Santa Barbara.....	259	1	1	2	26	2	3	2

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

307

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Can- cer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis	Hern- ia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(28)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4,176	828	428	4,894	7,370	807	5,432	539	2,808	550	617	774	4,412	408	390	3,639	4,383	811	11,316	370	1
4,080	815	410	4,768	7,042	788	5,147	515	2,718	539	595	755	4,232	390	380	3,553	4,209	788	10,952	343	2
96	13	16	126	323	19	285	24	90	11	22	19	180	18	10	86	174	23	364	27	3
5,997	1,206	656	6,335	11,355	1,644	12,088	1,474	7,868	768	969	1,051	8,272	673	773	8,192	8,012	1,035	18,389	854	4
5,807	1,182	633	6,183	10,884	1,560	11,441	1,409	7,633	740	942	1,028	7,894	649	745	7,944	7,756	1,020	17,670	832	5
190	24	23	152	471	84	597	65	235	28	27	23	378	22	23	248	256	15	719	22	6
539	122	48	574	963	139	846	70	435	69	64	61	738	22	58	543	440	76	1,463	40	7
530	122	48	557	926	132	807	69	427	66	64	61	720	20	53	527	424	75	1,429	39	8
9			17	37	7	39	1	8	3			18	2	5	16	16	1	34	1	9
190	50	32	180	394	57	487	50	128	84	31	30	271	20	30	345	427	63	772	99	10
185	50	30	180	389	57	450	50	124	84	31	30	266	20	30	340	412	60	754	96	11
5		2		5		17		4				5			5	15	3	18	3	12
397	81	49	534	703	111	407	40	193	64	47	42	400	24	47	272	277	46	1,071	13	13
396	81	49	533	703	111	407	40	193	64	47	42	400	24	47	272	276	46	1,069	13	14
1			1												1	1		2		15
1,051	177	243	1,532	2,651	308	2,278	350	1,258	177	223	156	2,110	179	308	1,909	1,835	155	5,643	1,232	16
767	138	167	1,523	1,523	154	1,155	144	718	111	118	103	1,271	88	173	1,216	1,025	140	3,213	602	17
284	39	76	1,128	154	154	1,123	206	540	66	105	53	899	91	135	693	810	15	2,430	630	18
871	171	69	665	1,118	75	713	104	221	147	94	96	764	59	93	706	1,201	303	2,117	148	19
865	169	66	655	1,100	73	670	101	215	144	91	91	745	58	90	683	1,143	293	2,047	105	20
6	2	3	10	18	2	43	3	6	3	3	5	10	1	3	23	58	10	70	43	21
1,985	382	219	1,641	2,745	454	2,336	285	890	338	282	297	1,528	125	166	1,964	1,682	358	5,515	126	22
1,976	382	216	1,638	2,729	454	2,303	284	887	337	280	293	1,517	125	160	1,948	1,666	356	5,488	125	23
9		3	8	16		33	1	3	1	2	4	11		6	16	16	2	27	1	24
159	13	43	203	356	30	401	38	204	79	45	41	426	40	43	244	451	46	1,045	121	25
115	9	20	110	153	14	162	17	120	58	22	19	196	17	29	136	185	40	410	26	26
44	4	23	98	203	16	239	21	84	21	22	22	280	23	14	108	266	6	626	95	27
77	6	20	109	199	20	286	24	123	52	27	23	198	24	24	147	328	36	523	59	28
56	3	9	48	89	9	117	10	74	36	13	10	100	12	17	93	130	30	287	19	29
21	3	11	61	110	11	169	14	49	16	14	13	98	12	7	54	198	6	286	40	30
52	5	10	88	88	5	55	7	49	14	12	7	146	9	14	55	65	7	266	12	31
41	4	5	36	33	3	22	4	29	10	7	3	60	3	9	29	29	7	110	5	32
11	1	5	23	49	2	33	3	20	4	5	4	86	6	5	26	36	7	156	7	33
30	2	13	40	69	5	60	7	32	13	6	11	32	7	5	42	58	3	256	50	34
18	2	6	26	25	2	23	3	17	12	2	6	36	2	3	14	26	3	72	2	35
12		7	14	44	3	37	4	15	1	4	5	46	5	2	28	32	3	134	48	36
1,754	312	149	1,258	2,772	234	1,490	161	434	237	197	300	1,745	72	131	819	1,532	607	3,601	7	37
1,720	302	130	1,225	2,651	221	1,383	145	397	224	186	280	1,665	69	125	768	1,445	570	3,434	6	38
34	10	19	33	121	13	107	16	37	13	11	20	80	3	6	51	87	37	167	1	39
19	8	4	25	4	4	23	4	1	2	5	4	31	1	5	4	15	8	51		40
20	2	2	8	17	2	30	3	6	3	4	3	9	1	3	13	33	12	44		41
19	2	2	8	17	1	28	3	4	3	3	3	8	1	3	11	31	11	42		42
1					1	2		2	2	1	1	1			2	2	1	2		43
46	8	3	32	58	5	29	4	7	1	3	6	40		3	21	21	6	87		44
30	1		9	31	2	12	2	3	3	3	2		1	2	12	21	7	28	1	45
28	4		15	40	8	38	2	32	5	4	6	9	4	2	14	46	11	61		46
27	4	4	15	37	7	33		27	4	4	5	24	3	1	12	40	9	58		47
1					1	5	2	5	1	1	1	2	1	1	2	6	2	3		48
39	13	4	30	72	6	14	3	7	1	7	3	56	1	3	13	24	7	83		49
443	73	52	298	619	46	333	48	135	76	51	55	461	15	32	244	400	150	985	2	50
436	68	40	287	584	45	308	45	123	71	46	49	441	15	31	229	379	144	941	2	51
7	5	12	11	35	1	25	3	12	5	5	6	20		1	15	21	6	44		52
170	35	10	163	318	26	158	12	35	25	17	29	175	13	16	85	115	67	315		53
167	34	10	157	301	25	148	9	32	24	16	26	169	13	16	81	107	64	303		54
3	1		6	17	1	10	3	3	1	1	3	6			4	8	3	12		55
53	7	1	38	59	8	23	7	7	4	5	6	35	1	8	18	33	3	66		56
10	1		7	22		10	2	4	2	4	4	11			5	3	2	35		57
8	1		8	10	2	6		4	1	2	2	4			8	4	2	21		58
15	3	2	15	17	1	9	2	7		2	4	15	2	1	6	13	7	47		59
15	1	2	15	17	1	8	2	7		2	4	12	2	1	3	13	6	45		60
						1						3			3		1	2		61
65	13	5	60	103	8	80	5	24	22	11	17	96	3	7	56	81	22	176	1	62
62	13	5	58	94	8	66	5	16	20	11	15	88	2	7	49	74	18	159	1	63
3			2			14		8	2		2	8	1		7	7	4	17		64
25	2		15	29	4	23	3	13		1	4	9	3	2	14	38	4	51		65
85	8	7	67	120	10	46	5	21	11	3	9	77		4	33	85	24	171		66
576	109	43	336	992	91	539	49	101	66	60	129	565	23	34	216	496	235	1,023	2	67
563	108	39	327	952	84	512	45	98	64	56	122	534	22	34	207	471	221	968	1	68
13	1	4	9	40	7	27	4	3	2	4	7	31	1		9	25	9	55		69
41	10	2	35	77	2	30	1	8	6	4	5	44		5	19	24	9	68		70
20	2	1	21	39	1	13	1	5	3	4	4	23	1	2	13	16	8	45		71

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
REGISTRATION CITIES—Contd.														
CALIFORNIA—continued.														
1 Santa Cruz.....	186						1		2		9		3	
2 Stockton (total).....	589	12							1		66	4	5	1
3 White.....	519	7							1		54	4	5	1
4 Colored.....	70	5									12			
5 Vallejo.....	164				2			1	1		10		1	1
COLORADO.														
6 Registration cities (total).....	4,424	35			19	28	16	20	14	11	823	31	30	18
7 White.....	4,211	31			19	28	16	19	14	11	793	29	30	18
8 Colored.....	213	4						1			55	2		
9 Colorado Springs.....	467	2			3	1		2	2	1	152	4	2	3
10 Denver.....	3,247	22			10	26		10	7		593	26	23	11
11 Pueblo.....	538	11			3	1	9	6	5	3	61		4	4
12 Trinidad.....	172				3		2	2			17	1	1	1
CONNECTICUT.														
13 Registration cities (total).....	12,615	91	11		131	67	97	183	82	47	950	113	99	47
14 White.....	12,285	89	10		128	66	91	180	80	46	904	111	92	45
15 Colored.....	330	2	1		3	1	6	3	2	1	46	2	7	2
16 Ansonia.....	223		1		2		1	8	3		17		1	
17 Bridgeport.....	1,729	4	2		33	19	21	44	7	5	113	17	17	3
18 Bristol.....	161					1		2	3		10	1	1	1
19 Danbury town.....	363	1					1	3	2	5	26	5	4	
20 Greenwich town.....	286	1	1		1		2	4	2		20	1	1	
21 Hartford.....	1,872	28			5	5	9	18	5	6	96	19	24	7
22 Manchester town.....	132	1				5			1		5	2		1
23 Meriden town.....	573	3	1		4		14	8	9	3	133	4	2	1
24 Middletown town.....	535	3	1		3		6	8	2	4	56	4	5	1
25 Naugatuck.....	126					2		2	1	1	10	1		1
26 New Britain.....	620				6	1	6	6	1	3	39	3	2	2
27 New Haven.....	2,326	22	2		31	7	7	28	9	7	160	27	20	8
28 New London.....	354	6			1		1	2	3	2	20	4	3	
29 Norwalk.....	378	6			1		4	6	8	2	25	3	1	3
30 Norwich town.....	473		1			3	1	5	4	2	60	1	4	2
31 Orange town.....	144	1						2	1	1	6	1		
32 Stamford town.....	575	5	2		31	1	7	6	6	2	32	3	5	5
33 Torrington town.....	188				5	9	6	2	2		10			
34 Wallingford town.....	151	2			1		3	4	1		16	1		
35 Waterbury.....	1,174	8			3	14	6	22	11	4	93	15	9	12
36 Windham town.....	232				4			3	1		3	1		
DELAWARE. ¹														
37 Wilmington (total).....	1,460	23			15	2	16	18	19	4	133	12	12	1
38 White.....	1,214	17			14	2	13	16	15	4	110	10	9	1
39 Colored.....	246	6			1		3	2	4		23	2	3	
DISTRICT OF COLUMBIA.														
40 Washington (total).....	5,854	42	5		1	1	19	29	63	8	642	40	55	24
41 White.....	3,488	16	4			1	6	23	35	6	288	24	17	18
42 Colored.....	2,366	26	1		1		13	6	28	2	374	16	38	6
FLORIDA. ¹														
43 Registration cities (total).....	2,080	44	14		2	2	18	8	13	4	262	3	12	5
44 White.....	947	29			1	2	8	4	5	4	75	2	7	2
45 Colored.....	1,133	15	14		1		10	4	8		187	1	5	3
46 Jacksonville (total).....	1,304	29	4		1		10	5	8	1	153		8	4
47 White.....	520	23			1		4	2	3	1	32		5	2
48 Colored.....	784	6	4				6	3	5		121		3	2
49 Key West (total).....	339	7				2	4	1	1	2	56	2	2	1
50 White.....	237	6				2	4	1	1	2	29	1	1	
51 Colored.....	102	1									27	1	1	1
52 Pensacola (total).....	437	8	10		1		4	2	4	1	53	1	2	
53 White.....	190							1	1	1	14	1	1	
54 Colored.....	247	8	10		1		4	1	3		39		1	
GEORGIA. ¹														
55 Registration cities (total).....	5,744	130	69	1	32	3	76	28	53	1	481	12	47	19
56 White.....	2,632	75	14		17	2	23	14	7		152	7	17	8
57 Colored.....	3,112	55	55	1	15	1	53	14	46	1	329	5	30	11
58 Atlanta (total).....	2,956	83	10	1	25	2	32	19	31	1	208	5	24	8
59 White.....	1,572	55	5		12	1	10	9	5		98	3	12	2
60 Colored.....	1,384	28	5	1	13	1	22	10	26	1	110	2	12	6
61 Augusta (total).....	1,061	24	24		6		17	5	4		89	4	6	3
62 White.....	480	7	3		4		5	3	1		23	3	3	3
63 Colored.....	581	17	21		2		12	2	3		66	1	3	
64 Savannah (total).....	1,727	23	35		1	1	27	4	18		134	3	17	8
65 White.....	580	13	6		1	1	8	2	1		31	1	2	3
66 Colored.....	1,147	10	29				19	2	17		153	2	15	5

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

309

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Undefined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
22	3	2	20	35	2	9	1	1		2	1	9			8	16	2	35	1
28	5	7	39	56	6	52	6	11	4	4	8	36	2	1	11	31	15	179	3
26	4	6	39	51	4	40	4	8	3	4	8	31	1	1	11	29	13	166	3
2	1	1		5	2	12	2	3	1			5			2	2	2	13	1
11	4		17	18		13	1	2	2	1	3	16			6	17	6	30	5
293	49	28	166	331	23	451	42	111	63	55	31	330	19	18	224	209	74	854	6
281	49	28	160	311	27	427	41	108	60	52	31	312	19	18	219	195	70	817	7
12			6	20	1	24	1	3	3	3		18			5	14	4	37	8
30	6	3	11	33	2	25	7	12	5	3	3	27	1	2	22	22	3	77	9
222	37	22	133	251	22	336	29	63	50	47	21	252	15	14	144	137	56	650	10
37	5	2	17	39	3	49	6	22	7	3	7	36		2	40	39	15	106	11
4	1	1	5	8	1	41		14	1	2		15	3		18	11		21	12
717	170	110	847	1,190	189	1,375	161	776	102	122	123	984	55	81	735	720	176	1,937	13
699	167	107	819	1,155	186	1,353	159	761	99	119	121	957	51	78	766	705	173	1,893	14
18	3	3	28	35	3	22	2	15	3	3	2	27	4	3	19	15	3	44	15
3	3	9	10	10	9	25	1	41		3	1	8	1	1	19	9	2	28	6
97	27	10	11	24	24	221	29	124	16	16	16	175	6	7	100	117	27	228	4
11	1	1	19	12	3	24	1	12				13	1	1	8	4	1	24	17
21	8	8	20	45	5	31	5	8	3	3	2	23	2	3	22	28	6	71	18
14	5	1	20	36	5	29	5	17	2	1	2	24	1	1	17	20	8	44	19
132	26	12	135	178	21	220	28	95	18	18	17	143	16	11	124	98	21	332	21
12	3		4	80	2	13	2	10		2	1	4		2	7	5	2	18	22
35	4	4	36	64	6	46	5	31	2	5	10	23	1	1	24	17	5	71	23
18	4		4	82	3	41	8	16	1	7	6	39	2		11	30	10	109	24
3	2	3	51	16	1	12	1	7				13			12	9	2	18	25
26	2	10	34	46	14	63	5	67	2	5	7	31	3	4	83	51	4	81	26
164	38	14	142	226	37	279	32	100	19	26	19	210	7	18	131	126	33	355	27
21	4	3	31	42	3	29	6	27	2	4	6	24	1	1	16	23	6	62	28
29	3	6	39	29	9	47	5	9	5	2	3	30	2	3	13	21	7	57	29
17	11	2	43	58	4	33	4	19	2	8	5	26	1	2	20	30	5	99	30
7	7		19	26	2	20	3	3		1	2	19		1	5	2	3	13	31
23	1	7	40	50	4	63	4	31	4	4	7	56		6	43	32	8	80	32
8	2		18	13	1	15		18			1	9	2	3	18	15	2	28	33
9	1	4	16	16	4	15	3	9		2	2	2	2	2	8	9	5	13	34
57	15	10	59	81	25	118	11	110	21	14	15	93	3	10	88	55	15	168	35
10	1	2	12	20	7	31	3	22	5	1		19	4	4	16	19	4	38	36
81	9	17	87	136	13	165	19	95	14	11	11	131	11	5	99	94	14	188	37
75	9	17	75	105	9	120	17	86	12	10	11	112	9	4	85	78	12	154	38
6			12	31	4	45	2	9	2	1		19	2	1	14	16	2	34	39
355	67	21	435	720	91	463	88	151	41	50	44	609	28	29	290	254	67	1,115	7
271	61	11	290	490	42	229	54	52	26	32	31	362	14	17	166	169	58	694	41
84	6	10	145	230	49	234	34	99	15	18	13	247	14	12	124	85	9	421	42
72	8	6	76	110	15	105	19	104	20	20	11	183	22	19	106	159	21	511	43
58	8	5	44	60	6	49	5	54	14	9	8	101	5	9	57	76	20	199	44
14		1	32	50	9	56	14	50	6	11	3	82	17	10	49	83	1	312	45
47	5	4	43	57	9	77	10	47	13	14	3	119	20	13	52	115	16	327	46
38	5	3	18	27	4	33	4	20	8	7	3	65	3	6	23	45	15	107	47
9		1	25	30	5	44	6	27	5			54	17	7	29	70	1	220	48
18	1	2	22	20	5	12	2	35	2	1	1	32	1	2	18			63	49
16	1	2	16	15	2	8	1	27	2	1		21	1	1	20	15		39	50
2			6	5	3	4	1	8			1	11		1	2	3		24	51
7	2		11	33	1	16	7	22	5	5	7	32	1	4	32	26	5	121	52
4	2		10	18		8		7	4	1	5	15	1	2	14	16		53	53
3			1	15	1	8		15	1	4	2	17		2	18	10		68	54
186	34	28	270	391	54	459	69	303	52	67	18	589	40	53	258	355	46	1,434	55
139	28	15	132	176	15	179	38	130	39	35	14	315	19	35	149	171	41	600	56
47	6	13	138	215	39	280	31	173	13	32	4	274	21	18	109	184	5	834	57
106	20	16	148	196	22	257	32	132	33	37	9	310	22	33	149	212	28	704	41
82	17	8	83	92	5	107	19	70	27	23	7	190	10	26	90	113	25	352	58
24	3	8	65	104	17	150	13	62	6	14	2	120	12	7	59	99	3	352	59
37	5	4	50	87	10	98	12	57	8	14	4	123	9	6	42	63	9	234	60
24	3	3	20	40	4	40	7	27	4	3	4	69	5	4	28	26	7	37	61
13	2	1	30	47	6	58	5	30	4	6		54	4	2	14	37	2	137	62
43	9	8	72	108	22	104	25	114	11	16	5	156	9	14	67	80	9	496	63
33	8	4	29	44	6	32	12	33	8	4	3	56	4	5	31	32	9	151	64
10	1	4	43	64	16	72	13	81	3	12	2	100	5	9	36	48		345	65

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
ILLINOIS. ¹															
1	Registration cities (total).....	37,379	225	10	2	77	264	234	807	100	98	3,810	256	227	206
2	White.....	36,006	212	10	1	77	261	221	798	96	97	3,513	252	205	200
3	Colored.....	1,373	13		1		3	13	9	4	1	297	4	22	6
4	Aurora.....	466	11				1	1	5		1	30	5	2	9
5	Belleville.....	304	8	1		1	13		4	2	1	25	1		2
6	Chicago (total).....	33,959	159	9	1	76	242	223	772	93	90	3,502	245	207	187
7	White.....	32,755	152	9		76	239	210	763	89	89	3,240	241	187	182
8	Colored.....	1,204	7		1		3	13	9	4	1	262	4	20	5
9	Decatur.....	460	7				1	4	4		1	42		5	3
10	Evanston.....	304	3				2		4		3	19	1		
11	Jacksonville (total).....	441	7						7		1	37		6	1
12	White.....	416	7						7		1	32		4	
13	Colored.....	25										5		2	1
14	Quincy.....	543	13		1			2	1	4		57	1	5	1
15	Springfield (total).....	902	17				5	4	10	1	1	98	3	2	3
16	White.....	821	13				5	4	10	1	1	82	3	2	3
17	Colored.....	81	4									16			
INDIANA.															
18	Registration cities (total).....	12,902	233	17	2	50	39	70	154	59	40	1,217	89	146	63
19	White.....	11,871	212	16	2	43	38	58	153	52	39	1,022	80	118	59
20	Colored.....	1,031	21	1		7	1	12	1	7	1	195	9	28	4
21	Anderson.....	313	7				2		12	4	1	30	3	3	1
22	East Chicago.....	260	3			1	1	2	6	1	1	19	2	1	2
23	Elkhart.....	269	3			2	1	2	9	1		14		1	
24	Elwood.....	117	2				1		4	1	1	13	2	2	
25	Evansville (total).....	979	9	4		8	3	15	11	1	2	93	4	8	4
26	White.....	832	7	4		7	3	11	11	1	2	71	4	6	3
27	Colored.....	147	2			1		4				22		2	1
28	Fort Wayne.....	841	10				1	7	16	2	5	55	4	5	1
29	Gary.....	340	5	1		1	1	5	3			15	3	2	2
30	Hammond.....	376	12		1		1	2	3	2		24		2	4
31	Huntington.....	138	5				1		1	1		10			2
32	Indianapolis (total).....	4,142	67	3		21	17	16	29	15	12	456	42	69	16
33	White.....	3,569	53	2		16	16	9	28	13	11	337	34	48	14
34	Colored.....	573	14	1		5	1	7	1	2	1	119	8	21	2
35	Jeffersonville (total).....	156	1					1	1	1	1	22	2	1	
36	White.....	116	1					1	1	1	1	15	1	1	
37	Colored.....	40										7	1		
38	Kokomo.....	294	8						4	2	1	33	3	4	1
39	Lafayette.....	400	8			4	1	3	2	1	2	35	1	4	4
40	Laporte.....	146	1					1	3	1		10	1	1	
41	Logansport.....	314	36					4	1	4		25	2	1	2
42	Marion.....	312	4	1		1	2	2	7	2		31	1	1	4
43	Michigan City.....	273	4			1	3	1	2			26	2	1	2
44	Mishawaka.....	157	5			1			1			11	1		1
45	Muncie.....	331	4	2				1	3	2	2	29	2	5	1
46	New Albany (total).....	288	1	1	1	2			4	7		41	1	8	4
47	White.....	255	1	1	1	2			4	5		29	1	8	4
48	Colored.....	33								2		12			
49	Peru.....	162	4	1				1	2	2	1	11	1	1	
50	Richmond (total).....	295	2				3	1	4	2		28	3	2	1
51	White.....	271	2				3	1	4	2		23	3	1	1
52	Colored.....	24										5			
53	South Bend.....	717	13					2	6		7	60	3	6	5
54	Terre Haute.....	938	15	3		3	1	2	19	4	3	106	3	12	3
55	Vincennes.....	244	4	1		5		2	2	3	1	20	3	6	3
KANSAS.															
56	Registration cities (total).....	4,591	81	11	1	23	19	31	33	43	10	293	5	32	21
57	White.....	3,924	65	7		18	19	27	36	33	10	214	5	22	20
58	Colored.....	667	16	4	1	5		4	2	10		79		10	1
59	Atchison (total).....	196	9			1	2	1	1	2		13			1
60	White.....	156	6			1	2	1	1	2		8			1
61	Colored.....	40	3									5			
62	Coffeyville.....	194	2			4		2	1			5			
63	White.....	164	2			2		2	1			4			
64	Colored.....	30				2						1			
65	Fort Scott (total).....	180	6	1			1		1	2		8			
66	White.....	157	5				1		1	2		7			
67	Colored.....	23	1	1								1			
68	Hutchinson (total).....	213	6				5		2	4	1	17	1	1	3
69	White.....	200	6				5		2	3	1	16	1		3
70	Colored.....	13								1		1		1	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

311

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Can- cer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intest- inal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(28)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2,338 2,278 60	451 441 10	175 167 8	1,425 1,385 40	3,718 3,553 165	359 355 4	4,557 4,404 153	313 306 7	3,252 3,213 39	487 477 10	330 319 11	546 525 21	2,751 2,647 104	229 224 5	212 208 4	1,509 1,481 28	2,234 2,146 88	626 619 7	5,510 5,276 234	41 39 2	1 2 3
33 16 2,107 2,059 48	6 4 420 410 10	8 5 152 144 8	44 30 1,192 1,156 36	39 19 3,379 3,227 152	2 14 312 309 3	45 14 4,280 4,143 137	5 2 276 271 5	21 7 3,143 3,111 32	8 2 440 432 8	2 2 299 288 11	8 6 507 487 20	28 21 2,501 2,408 93	1 2 216 212 4	2 2 190 186 4	27 16 1,361 1,341 20	25 29 2,033 1,959 74	6 10 580 575 5	91 48 4,742 4,538 204	4 1 23 22 1	4 5 6 7 8
38 25 20 19 1	6 3 2 2 2	1 3 2 2 2	24 22 25 24 2	43 40 44 42 2	9 ----- 2 2 -----	29 29 31 29 2	6 3 4 4 -----	15 9 1 ----- 1	4 6 7 7 -----	1 6 5 5 -----	2 3 4 4 -----	59 4 1 13 13	4 1 4 4 -----	2 3 4 4 -----	25 12 9 10 2	33 22 11 10 1	4 1 3 2 1	84 64 193 187 6	4 ----- 2 2 -----	9 10 11 12 13
37 62 55 7	5 5 5 -----	1 3 3 -----	46 42 40 2	73 81 72 9	13 7 6 1	37 92 86 6	2 15 14 1	10 46 44 2	18 17 ----- 1	6 9 9 -----	8 8 8 -----	33 76 70 6	1 6 5 1	4 7 7 -----	16 43 40 3	23 58 51 7	3 19 19 -----	132 156 141 15	6 5 5 -----	14 15 16 17
765 739 26	126 123 3	89 79 10	700 664 36	1,248 1,125 123	142 129 13	1,138 1,027 111	100 90 10	687 650 37	168 164 4	150 144 6	149 139 10	955 838 67	98 91 7	79 75 4	737 693 44	928 864 64	245 236 9	2,205 2,046 159	14 13 1	18 19 20
13 10 32 3	2 3 5 1	1 3 1 1	14 1 27 5	24 8 40 8	3 1 1 1	32 48 22 14	3 4 ----- 3	12 100 6 3	4 1 2 2	3 4 1 3	5 4 2 3	17 18 21 5	3 1 1 2	2 1 2 1	19 35 8 7	23 28 18 6	9 5 9 -----	61 45 37 26	----- 1 ----- -----	21 22 23 24
46 43 3 69 8	9 7 2 9 2	8 7 1 3 4	48 45 3 75 4	101 76 25 55 7	18 15 3 11 5	87 76 11 47 47	9 6 3 6 2	49 46 3 22 55	14 14 1 17 8	12 11 1 9 2	25 23 2 4 1	82 77 5 81 12	8 8 ----- 7 3	8 8 ----- 7 4	49 45 4 52 41	60 46 14 66 48	16 15 1 16 6	168 134 84 174 43	----- ----- 5 ----- -----	25 26 27 28 29
12 13 265 250 15	1 6 26 26 -----	----- ----- 33 25 8	9 15 203 186 17	13 17 440 368 72	4 ----- 32 26 6	47 11 366 307 59	1 ----- 35 30 5	42 7 157 133 24	8 1 56 55 1	12 1 50 47 3	5 ----- 52 48 4	23 3 264 229 35	4 2 30 24 6	3 20 18 2 2	25 8 212 187 25	57 8 262 238 24	12 1 76 70 6	47 24 800 721 79	----- ----- ----- ----- -----	30 31 32 33 34
7 4 3 20 29	1 1 ----- 4 7	----- ----- 1 1	8 6 2 11 43	9 6 3 27 43	6 5 1 4 5	15 10 5 38 31	1 1 ----- 4 1	7 8 11 11 13	1 2 1 4 10	2 2 ----- 2 7	1 1 ----- 1 3	26 21 5 35 30	1 ----- 1 2 -----	1 1 ----- 2 3	9 4 1 16 16	6 4 2 12 39	1 1 ----- 2 8	23 16 84 69 -----	----- ----- 1 ----- -----	35 36 37 38 39
9 22 18 18 9	----- 3 2 ----- 4	1 1 2 2 -----	10 28 35 30 26	18 21 4 2 4	2 5 2 2 4	8 19 23 19 16	2 2 1 1 3	10 9 9 18 7	3 2 2 2 3	1 6 ----- 5 2	1 1 9 4 1	12 25 16 24 18	----- 1 3 1 1	1 2 1 1 1	10 13 18 35 9	5 18 22 8 -----	1 4 1 4 -----	34 37 61 38 19	----- ----- 1 ----- -----	40 41 42 43 44
19 20 19 1	7 4 4 -----	3 1 1 -----	26 24 21 3	39 29 24 5	4 9 9 -----	19 13 12 1	3 2 2 -----	11 12 10 2	5 2 2 -----	3 3 2 -----	5 3 3 -----	29 20 18 -----	4 ----- 4 -----	3 4 3 -----	18 16 15 1	20 13 12 1	8 7 7 -----	54 36 34 2	----- 1 1 -----	45 46 47 48
12 12	3 3	3 3	18 17	43 38	3 3	27 23	4 4	7 7	----- -----	----- -----	3 2	33 31	1 1	----- -----	19 17	14 13	12 12	47 45	----- -----	50 51
34 52 16	10 8 4	4 12 3	31 56 13	87 81 21	13 5	54 101 21	6 8 2	53 51 10	8 9 3	12 7 1	----- ----- -----	67 63 17	9 5 6	3 6 1	39 41 14	58 89 15	10 30 6	111 131 38	1 2 1	53 54 55
282 263 19	50 45 5	24 23 1	266 236 30	419 361 58	42 32 10	354 294 60	64 47 17	128 114 14	72 68 4	46 41 5	38 31 7	341 279 62	28 26 2	32 31 1	259 243 16	313 266 47	54 51 3	1,130 967 163	41 30 11	56 57 58
18 15 3 8 8	6 2 4 2 2	----- ----- ----- -----	7 7 ----- 6 5 1	20 16 4 18 14 5	3 2 1 1 -----	12 8 4 15 14 1	1 1 ----- 1 1 -----	1 1 ----- 10 16 3	8 8 ----- 5 5 -----	3 3 ----- 2 2 -----	4 3 ----- 2 2 -----	20 15 5 14 12 2	----- ----- ----- 2 2 -----	1 1 ----- 1 1 -----	8 7 1 14 14 3	10 8 2 14 11 3	3 2 1 1 1 -----	37 31 6 49 40 9	4 4 ----- 6 5 1	59 60 61 62 63 64
14 13 1 15 15	3 3 ----- 4 3	2 2 ----- 1 1	12 12 ----- 20 19 1	12 12 ----- 11 11	1 1 ----- 2 2	14 12 2 11 10	2 2 ----- 3 2 -----	3 2 ----- 1 9 7	2 2 ----- 2 2 -----	1 1 ----- 4 4 -----	1 1 ----- 1 1 -----	11 7 4 11 11	2 2 ----- 1 1 -----	----- ----- ----- -----	8 7 1 14 14	12 10 2 14 13	1 1 ----- 3 3 -----	57 49 8 44 42	3 3 ----- 3 2 -----	65 66 67 68 69

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis of the meninges.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
KANSAS—continued.															
1	Independence (total).....	145	4	4		5		2			8				
2	White.....	123	4	3		5		2			4				
3	Colored.....	22		1							4				
4	Kansas City (total).....	1,234	21	3	1	5	7	12	14	13	3	122	2	14	
5	White.....	979	15	2		5	7	8	13	9	3	86	2	8	
6	Colored.....	255	6	1	1			4	1	4		36		6	
7	Lawrence (total).....	188	2			2		1		6		7		3	
8	White.....	151	1			1		1		6		4		2	
9	Colored.....	37	1			1						3		1	
10	Leavenworth (total).....	320	2			3	2	5	3	6	2	21		1	
11	White.....	265	1			3	2	5	3	3	2	15		3	
12	Colored.....	55	1							3		6			
13	Parsons (total).....	190		1					3			15		1	
14	White.....	165		1					3			8		1	
15	Colored.....	25										7			
16	Pittsburg.....	251	6	1			1	2	2	1		14	1	1	
17	Topeka (total).....	820	6	1		2		3	8	6	1	39	1	8	
18	White.....	714	5			1		3	8	4	1	30	1	7	
19	Colored.....	106	1	1		1				2		9		1	
20	Wichita.....	660	17			1	1	5	1	3	3	24		3	
KENTUCKY.															
21	Registration cities (total).....	7,325	137	23	3	37	22	31	50	82	21	938	53	80	
22	White.....	5,365	101	3	1	27	21	21	44	46	17	614	46	62	
23	Colored.....	1,960	36	20	2	10	1	10	6	36	4	324	7	18	
24	Covington (total).....	837	10	1		1	3	3	9	6	2	117	10	6	
25	White.....	724	8	1		1	3	3	9	4	2	102	9	6	
26	Colored.....	113	2						2	2		15	1	1	
27	Frankfort (total).....	187	4				1		1	2		40	3	6	
28	White.....	126	3				1		1	1		23	2	6	
29	Colored.....	61	1							1		17	1		
30	Henderson (total).....	240	10	3			2	5	1			31		4	
31	White.....	153	8	1			2	1	1			18		3	
32	Colored.....	87	2	2				4				13		1	
33	Lexington (total).....	1,010	16		3	1	1	1	7	6	6	128	4	23	
34	White.....	607	10		1	1	1	1	4	3	5	60	2	15	
35	Colored.....	403	6		2			1	3	3	1	68	2	8	
36	Louisville (total).....	3,869	61	9		20	12	17	17	47	13	435	30	34	
37	White.....	2,854	46			16	11	14	16	24	10	275	28	28	
38	Colored.....	1,015	15	9		4	1	3	1	23	3	160	2	6	
39	Newport (total).....	365	5			1	2		7	4		62	4	2	
40	White.....	355	5			1	2		7	4		61	3	2	
41	Colored ¹	10										1	1	1	
42	Owensboro (total).....	334	17	1		1	1	2	1	16		43	1	3	
43	White.....	244	11	1			1	2	1	10		31	1	1	
44	Colored.....	90	6							6		12		2	
45	Paducah (total).....	483	14	9		13		3	7	1		82	1	2	
46	White.....	302	10			8		1	5			44	1	1	
47	Colored.....	181	4	9		5		2	2	1		38		1	
LOUISIANA. ²															
48	New Orleans (total).....	7,417	79	32		8	2	19	112	114	11	977	12	72	
49	White.....	4,397	50	16		8	2	13	75	79	10	484	8	29	
50	Colored.....	3,020	29	16				6	37	35	1	493	4	43	
MAINE.															
51	Registration cities (total).....	3,168	41	1	1	9	10	16	25	6	9	196	21	30	
52	White.....	3,146	40	1	1	9	10	16	25	6	9	193	21	29	
53	Colored.....	22	1									3		1	
54	Auburn.....	230						1	2			13	3	2	
55	Augusta.....	290				1	2	1	2		1	18		1	
56	Bangor.....	579	12	1		1	3	1	3	3	5	32	4	11	
57	Biddeford.....	277	2		1	2	1		7		1	18	2	2	
58	Lewiston.....	555	3			3	1	1		1	1	38	2	4	
59	Portland.....	1,033	21				3	12	10	1	1	67	9	9	
60	Waterville.....	204	3			2			1	1		10	1	1	
MARYLAND.															
61	Registration cities (total).....	11,453	154	4	3	6	43	84	102	57	26	1,237	67	92	
62	White.....	8,761	132	3		6	36	42	94	40	23	802	52	57	
63	Colored.....	2,692	22	1	3		7	42	8	17	3	435	15	35	
64	Baltimore (total).....	10,486	131	4	3	6	32	83	86	51	25	1,178	62	80	
65	White.....	7,879	109	3		6	25	41	78	34	22	757	47	45	
66	Colored.....	2,607	22	1	3		7	42	8	17	3	421	15	32	
67	Cumberland (total).....	429	16				9	1	6	2		36	4	6	
68	White.....	395	16				9	1	6	2		29	4	4	
69	Colored ¹	34										7		2	

¹ Colored population less than 5 per cent of the total.

DEATHS FROM PRINCIPAL CAUSES.

313

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Hernia, intest- inal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral afec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
6	2		6	11	2	8		12	1	1	2	3	3	2	10	7	1	43	2
6	2		6	9	2	7		11	1	1	2	2	2	2	10	6	1	35	2
				2				1				1	1			1		8	3
61	10	11	57	99	14	124	20	40	11	11	9	96	13	9	80	92	20	234	4
55	10	11	44	82	10	98	13	36	8	7	8	69	13	8	73	71	19	180	4
6			13	17	4	26	7	4	3	4	1	27		1	7	21	1	54	6
18		1	19	19	4	7	3	2	3		2	7		2	6	17	1	50	4
16	1		14	16	3	5	1	2	3			5		2	6	16		42	3
2		1	5	3	1	2	2				2	2				1		8	9
19	2	1	23	31	3	25	10	4	2	3	2	24		2	20	19	1	76	10
17	2	1	20	26	3	22	9	3	2	3	1	18		2	18	15	2	60	4
2			3	5		3	1	1			1	6			2	4		16	12
10	1		11	18		22	1	3	2		1	12	1	2	12	17		56	13
10	1		10	14		17	1	2	2		1	11	1	2	12	16		51	14
			1	4		5		1				1				1		5	15
11	1	4	12	12	3	9	1	10	5	3	3	26	2	5	16	30	4	62	16
52	9	2	54	108	6	75	14	6	13	7	6	60	2	5	36	39	11	230	4
49	9	2	50	93	4	66	10	6	12	6	5	52	2	5	32	32	11	199	18
3			4	15	2	9	4	4	1	1	1	8			2	7		31	2
50	9	2	39	60	3	32	8	19	18	11	5	57	2	3	35	42	7	192	20
328	51	63	376	666	117	628	96	211	53	57	73	641	50	22	372	440	80	1,422	21
291	47	52	283	465	75	428	72	165	50	47	59	470	41	15	310	302	72	1,058	22
37	4	11	93	201	42	200	24	46	3	10	14	171	9	7	62	138	8	364	23
38	8	11	49	87	3	86	13	22	3	2	12	89	6	1	51	53	11	113	7
35	7	11	42	71	3	75	10	18	3	2	10	76	6	1	47	39	11	99	25
6	1		7	16		11	3	4			2	13			4	14		14	26
3	4	1	13	15	3	6	2	4			1	9			13	9	3	38	27
4	3	1	11	8	1	4	2	3	3		1	7			7	8	2	27	28
2	1		2	7	2	2		1				2			6	1	1	11	29
18	1	2	14	21	5	16	4	8			2	13	2		18	10	5	39	6
17	1		10	12	1	8	3	7			2	5	1		14	9	4	18	3
1	1	1	4	9	4	8	1	1				8	1		4	1	1	21	3
41	9	8	49	81	12	80	8	21	13	3	7	69	9	5	31	79	11	259	13
33	7	6	25	49	5	50	8	13	13	3	5	42	5	3	23	35	9	165	33
8	2	2	24	32	7	30		8			2	27	4	2	8	44	2	94	34
187	25	24	208	373	69	351	63	103	30	40	40	378	27	12	196	215	39	772	6
168	25	20	157	254	50	231	46	83	28	31	31	272	23	9	164	159	35	586	3
19		4	51	119	19	120	17	20	2	9	9	106	4	3	32	56	4	186	3
17	1	4	16	37	10	38	1	14	1	4	8	22	1		20	24	3	51	1
16	1	4	16	37	10	37	1	14	1	4	8	21	1		20	20	3	51	40
1												1			4	4			41
11		4	16	26	4	18	3	21	2	2	2	27		1	17	10	4	66	8
9		2	14	17	2	8	1	15	2	2	2	21			16	7	4	53	7
2		2	2	9	2	10	2	6				6		1	1	3		13	43
10	3	9	11	26	11	33	2	18	4	6	1	34	5	3	26	40	4	84	20
9		7	8	17	3	15	1	12	3	5		23	5	2	19	25	4	59	46
1		2	3	9	8	18	1	6	1	1	1	11		1	7	15		25	47
358	54	34	368	778	60	675	45	319	68	60	105	966	54	57	200	370	70	1,316	48
257	46	25	251	498	37	315	23	194	49	40	67	566	30	40	125	215	62	772	49
101	8	9	117	280	23	360	22	125	19	20	38	400	24	17	75	155	8	544	50
212	44	23	192	269	33	372	32	129	50	32	11	261	14	16	172	153	26	706	51
212	43	23	191	266	32	371	32	129	50	32	11	259	14	16	172	150	26	701	52
	1		1	3	1	1						2			3	3		5	53
23	3		21	28	1	19	2	9		1	6	28	1	2	11	3	3	47	1
16	3		21	25	8	53	1	13	3	4		18	2	1	7	11	3	73	2
42	7	4	28	46	4	78	9	6	7	3	2	32	4		23	33	2	160	12
12	3	4	10	25	2	41	3	21	7	3	2	17			23	10	2	53	3
42	7	8	32	36	3	60	7	39	22	4		39	3	6	38	25	4	114	9
65	19	2	71	89	14	93	9	29	6	13	1	116	3	6	54	54	8	224	14
12	2	5	9	20	1	28	1	12	5	4		11	1	1	16	17	4	85	59
653	124	66	610	1,172	143	1,233	97	636	101	112	78	1,054	52	50	705	556	144	1,863	30
567	117	49	503	877	111	896	73	525	83	92	66	841	38	40	527	462	138	1,423	17
86	7	17	107	295	32	387	24	111	18	20	12	213	14	10	178	104	6	440	63
589	115	59	562	1,053	133	1,231	86	588	85	100	73	979	43	43	641	478	136	1,685	21
510	108	42	453	767	102	849	63	478	67	81	62	770	29	33	467	380	130	1,269	9
79	7	17	104	286	31	352	23	110	18	19	11	209	14	10	174	98	6	416	12
25	5	3	10	60	3	26	5	23	10	5	2	15	4	4	24	42	4	63	4
24	5	3	17	55	3	22	4	23	10	5	2	15	4	4	20	38	4	59	68
1			2	5		4	1								4	4		4	69

* Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
MARYLAND—continued.															
1	Frederick (total).....	179	3								5		2	1	
2	White.....	161	3							3			2	1	
3	Colored.....	18									3				
4	Hagerstown (total).....	359	4					2		10	1		4	1	
5	White.....	326	4					2		10	1		3	1	
6	Colored.....	33									4		1		
MASSACHUSETTS.															
7	Registration cities (total).....	41,183	244	6		176		210	241	582	132	118	3,213	384	
8	White.....	40,392	233	6		175		209	236	577	126	117	3,057	376	
9	Colored.....	791	6			1		1	5	5	6	1	156	8	
10	Adams town.....	179	2			8		1	2	4		12	1	1	
11	Arlington town.....	104				2				2	1	9	2	1	
12	Attleborough town.....	237	3					4	2	2	1	10	2	1	
13	Beverly.....	250	8						3	2		14	3	1	
14	Boston (total).....	11,831	66			60		66	47	168	24	52	1,029	147	
15	White.....	11,426	64			60		66	45	165	23	51	936	141	
16	Colored.....	405	2						2	3	1	1	93	6	
17	Brockton.....	756	5			2		2	8	14	7	2	57	4	
18	Brookline town.....	344	1			1		1		1	1		15	4	
19	Cambridge.....	1,452	2			12		2	10	17	6	5	185	15	
20	Chelsea.....	667	6			2		2	1	7	1	2	45	7	
21	Chicopee.....	405						3	4	24	1	2	39	2	
22	Clinton town.....	170						1	1	2	1	1	13	1	
23	Everett.....	398	1			3		1	1	8		1	30	3	
24	Fall River.....	2,167	12			3		12	22	26	5	3	184	16	
25	Fitchburg.....	486	2			2		5	1	10	1	1	29	3	
26	Framingham town.....	217	1							2	1	1	7	4	
27	Gardner town.....	235	3					1	4	7			11	7	
28	Gloucester.....	313	2					1		3	2	1	21	3	
29	Greenfield town.....	153	1								2		3	2	
30	Haverhill.....	685	9			2		2	3	1	1		62	4	
31	Holyoke.....	929						6	4	20	4	1	72	6	
32	Lawrence.....	1,314	7			6		3	5	35	3	2	90	13	
33	Leominster town.....	200	4					1	1	10			17	1	
34	Lowell.....	1,769	12			12		2	9	26	3	2	106	19	
35	Lynn.....	1,209	8			2		1	9	24	6	3	84	13	
36	Malden.....	605						8	2	19	3		40	2	
37	Marlborough.....	210	1					1	1	5	1		14	1	
38	Medford.....	301	1					3	1	7	1		17	3	
39	Melrose.....	194	2					3			2		10	2	
40	Methuen town.....	164	1						1	3			8	6	
41	Milford town.....	218				3		1			2		11		
42	New Bedford.....	1,750	13			4		30	23	21	8	4	145	25	
43	Newburyport.....	255	2						2	7		1	12	4	
44	Newton.....	458	4					4		4	1	1	25	3	
45	North Adams.....	325	10			2			3	4			12	1	
46	Northampton.....	362		1		2			3	3	3		21	1	
47	Pesbody town.....	318	1			2			2	3	1		11	1	
48	Pittsfield.....	600	3	1				3	2	6	1	1	36	6	
49	Plymouth town.....	208	2					5	22		3		9	1	
50	Quincy.....	458	2			1		3	4	7	2		51	7	
51	Revere town.....	208						1	2	5	1	1	12	1	
52	Salem.....	622				3		1	1	4	4		52	10	
53	Somerville.....	992	7			5		12	6	25	4	6	86	8	
54	Southbridge town.....	143	1	1					1			1	12		
55	Springfield.....	1,525	22	1				9	1	13		3	97	6	
56	Taunton.....	802	2	2					7	3	2		74	3	
57	Wakefield town.....	109	1							2	1		6	2	
58	Waltham.....	366	2					1	1	7	2		24	9	
59	Watertown town.....	153	2					4	5	1	1		10	1	
60	Webster town.....	127	1						1	1	1		9	2	
61	Westfield town.....	292				4		2		3			57		
62	Weymouth town.....	191							2		1		5	1	
63	Winthrop town.....	115				1					1		1	2	
64	Woburn.....	188	2										14	2	
65	Worcester.....	2,483	6			18		7	13	19	4	10	188	25	
MICHIGAN.															
66	Registration cities (total).....	16,939	209	3	1	73		96	126	273	58	58	1,041	75	
67	White.....	16,690	206	3	1	72		96	125	272	57	57	1,006	75	
68	Colored.....	249	3			1			1	1	1	1	35	4	
69	Adrian.....	160	2						1		7		7	1	
70	Alpena.....	180	9						1				8		
71	Ann Arbor.....	370	2						3			2	16	1	
72	Battle Creek.....	436	3			4		2	1	3	3		23	1	
73	Bay City.....	561	16						1	6	5	1	32	5	

DEATHS FROM PRINCIPAL CAUSES.

315

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Undefined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
16	4	2	10	18	4	11	2	7	2	4		18	1	1	10	13	41		1
14	4	2	9	16	4	10	2	6	2	3		16	1	1	10	13	36		2
23			1	2		1		1		1		2					5		3
23		2	19	41	2	15	4	18	4	3	3	42	4	2	30	23	74	5	4
19		2	19	39	2	15	4	18	4	3	2	40	4	2	30	21	59	4	5
4				2	1						1	2			2		15		6
2,781	543	279	2,584	4,974	620	4,580	332	2,511	351	353	266	2,643	174	328	2,645	2,178	386	6,691	198
2,749	536	277	2,539	4,889	611	4,490	327	2,492	349	347	257	2,577	172	325	2,599	2,142	385	6,579	195
32	7	2	45	85	9	90	5	19	2	6	9	66	2	3	46	36	1	112	8
7		1	8	20	3	14		21	1	2		7	1	2	28	8	3	23	1
9	1	6	8	21	1	23		7	2	2		13		1	11	4	4	24	11
23	5	2	24	32	3	19	2	6	1	1	2	20		5	16	16	35	16	12
31	6		18	34	1	19	1	3	3	2		21	1		19	3	34	1	13
871	182	74	625	1,605	118	1,399	88	474	111	114	86	730	52	83	666	744	133	1,859	35
854	177	73	609	1,556	116	1,355	86	462	110	112	82	695	51	82	649	727	133	1,808	34
17	5	1	16	44	2	44	2	12	1	2	4	35	1	1	17	17	56	1	15
55	8	5	56	79	7	49	16	16	9	7	1	55	4	4	61	41	156	9	17
45	9		32	60	4	32	1	3	4	2	3	15		3	18	8	71	1	18
111	9	4	95	176	30	177	4	68	8	10	5	93	6	5	83	74	4	212	2
45	7	5	58	98	3	60	3	38	7	4	5	39	5	7	42	44	11	101	9
15	2	9	18	32	9	44	3	69			7	22		2	33	10	2	51	20
11	3	4	16	22	4	22	2	4	3	3	1	7		2	18	3	27		21
28	7	2	30	61	7	44	2	18	1	1	1	32	1	2	25	16	2	66	22
70	24	11	97	194	41	293	21	371	12	16	21	129	7	11	166	61	17	272	34
38	6	1	24	81	7	54	1	35	5	2	1	13	4	10	30	29	6	77	2
17	4	2	14	30	2	25		8	3	1	1	18	2	2	8	19	7	35	26
11	5	4	19	17	7	19	1	27	1	1	1	17		3	18	13	35		27
32	7		24	56	4	16	4	12	4	2	5	27		1	19	18	4	46	28
13	1	3	10	11	2	13	1	9	2	2	4	39	1	2	13	16	1	29	29
42	13	3	58	110	4	62	2	29	10	8	2	39	7	5	40	34	9	109	8
42	12	13	40	77	14	134	5	106	6	9	9	80	4	3	64	45	5	125	31
60	15	22	56	101	26	172	7	160	12	16	5	71	12	12	90	58	4	207	32
19	4	1	15	25	2	12	3	2	2			26	3	1	10	11		27	33
98	11	17	89	166	68	167	16	156	18	18	16	99	6	14	131	82	10	374	3
91	17	10	98	154	14	119	10	39	13	15	6	91	1	14	57	65	13	217	2
44	9	3	98	95	4	61	9	34	6	3	2	47	5	4	43	20	6	96	36
18	2	2	22	38	5	24	3	5	2	2	1	10	2	1	6	6	3	30	37
23	7	1	32	46	5	30	3	6	3	2	2	31	1	1	15	11	3	46	38
20			20	30	2	15	1	5	4	2		9		4	10	7	3	41	39
12	1	2	16	16		10	2	12	3	2		13	1		8	7		37	40
12	2	6	13	16	5	34	2	10	2	2		13		1	18	22	15	36	41
93	16	13	73	120	34	199	13	248	12	21	2	100	7	11	122	83	245	29	42
29	1		15	36	4	27	2	7	3	2		26	2		8	11	43	2	43
41	13	2	35	61	6	48	8	11	5	5	4	17	3	5	23	32	1	86	44
26	2		18	24	5	37	7	23	8	1	3	19	1	5	24	26	6	51	45
26	4	4	53	36	7	28	5	18	2	2	1	13	2	2	24	19	4	81	2
7		3	13	30	11	18	2	10	5	1	1	10	1	6	20	11	1	41	47
41	8	7	35	62	7	52	10	29	5	5	7	47	3	7	47	54	5	96	48
13	7	2	16	28	4	11	3	14	2	3	1	12		1	12	10		26	49
36	4	1	27	57	7	50	2	15	1	3	3	24	1	8	39	28	9	62	50
6	2	4	21	29		26	4	16				18		1	14	9	2	32	51
44	7	7	53	93	9	78	3	32	6	5	2	32	1	5	46	27	4	86	52
71	21	2	89	125	13	117	6	34	6	2	1	63	3	10	53	27	8	172	53
6	2	1	10	14		18	2	15		1		7	1		16	8		19	54
92	19	4	115	134	18	155	14	84	13	15	9	180	14	11	114	85	12	260	55
46	12	2	45	93	19	104	7	37	5	5	9	38		4	35	26	4	193	56
8	1	1	11	14	5	15	1	3	1			5			4	5		17	57
35	2	7	22	46	1	45	3	10	4	5	2	16	1	5	15	15	2	77	58
12	3	1	12	22	3	15		5	1	1	3	6		1	12	6	1	29	59
5	2		10	14	2	15	2	2	2	1	1	7		1	14	8		27	60
22	4	1	17	15	1	39		16	2	1	1	25	1	4	19	14	3	38	61
13	2		28	32	5	15	2	9			3	18		1	12	10	1	31	62
9	2		17	21	3	11	1	2		1	2	15		1	4	5	1	15	63
11	3		10	21	4	24	1	6	2	3	1	16			10	11	3	44	64
176	27	4	162	344	49	271	24	114	28	21	12	126	9	27	190	126	27	426	65
997	182	168	879	1,654	255	1,454	194	925	243	205	131	879	94	122	1,393	1,009	196	3,617	83
988	180	168	867	1,621	252	1,430	190	920	241	204	175	862	94	121	1,377	979	192	3,577	83
9	2		12	33	3	24	4	5	2	1	6	17		1	16	21	4	40	68
11	2		12	19	4	8	2	1	2	2	1	17		2	5	7	1	44	69
4	1	2	4	7	5	20	2	8	1	2	3	4	1	2	12	22	4	56	70
38	9	3	28	22	2	7	9	3	16	7	10	26	3	5	24	21	4	94	71
38	2	2	35	71	5	22	3	13	7	9	5	22	2	3	31	23	2	96	72
29	4	4	29	65	8	45	11	19	14	13	4	16	3	5	48	30	2	134	73

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.														
MICHIGAN—continued.														
1 Detroit.....	8,400	76	1	1	41	52	84	157	20	28	557	49	49	33
2 Escanaba.....	203	1					3	1	2	1	13	1	3	2
3 Flint.....	480	13			4		5	12	2	2	26	1	5	
4 Grand Rapids.....	1,593	34	2		5	22	6	33	7	3	84	6	7	7
5 Holland.....	115	2			1			2		1	5	1	1	
6 Ironwood.....	151	5			1	6		2			11		1	1
7 Ishpeming.....	108	1						1			7			
8 Jackson.....	493	7			1			3	3		28	2	4	3
9 Kalamazoo.....	772	2			7			4	2	6	46		11	5
10 Lansing.....	359	7				2	3	3	1	3	13	1	4	2
11 Manistee.....	144	1						8		1	14	1		
12 Marquette.....	171	2			2	2		1	1	2	8	2	1	2
13 Menominee.....	131	3						1			13		4	1
14 Muskegon.....	346	4			3			4		1	24		4	2
15 Pontiac.....	330	1					1	5	1	1	14	1	3	4
16 Port Huron.....	295				1		1	7	1	1	17	1	3	
17 Saginaw.....	704	14			1	5	8	5	3	4	38	2	7	4
18 Sault Ste. Marie.....	176	4				1		7			8	2	1	2
19 Traverse City.....	261				2			4		1	29		5	1
MINNESOTA.														
20 Registration cities (total).....	8,714	90	1		16	168	67	228	33	23	858	87	81	42
21 White.....	8,584	89	1		16	168	67	225	33	23	830	87	80	42
22 Colored.....	130	1						3			28		1	
23 Duluth.....	1,047	16	1		2	18	5	6	3	5	119	11	10	4
24 Mankato.....	170	1			1				1		8	1	2	1
25 Minneapolis.....	4,116	43			9	90	44	145	14	12	390	33	45	21
26 St. Cloud.....	158				1	2	4	4	3		11	3	1	
27 St. Paul.....	2,690	26			3	46	9	69	11	6	260	37	19	12
28 Stillwater.....	121					2		1			15		1	1
29 Virginia.....	134	4						1	1		9	1	2	1
30 Winona.....	278					10	5	6			37	1	2	2
MISSOURI.														
31 Registration cities (total).....	18,342	191	39	7	135	152	148	386	105	34	1,860	101	126	69
32 White.....	16,109	162	31	5	132	146	122	371	87	32	1,414	79	93	60
33 Colored.....	2,233	29	8	2	3	6	26	15	18	2	446	22	33	9
34 Hannibal (total).....	257	3				1	3	1	6		33	1	1	1
35 White.....	206	2				1	3	1	6		20	1	1	1
36 Colored.....	51	1					5				13			
37 Jefferson City (total).....	170	5		1		3				1	37	5	1	
38 White.....	141	3		1		3				1	26	5	1	
39 Colored.....	29	2									11			
40 Joplin.....	536	10	2		25	2	1	22		1	82	4	1	2
41 Kansas City (total).....	3,939	46	8	5	3	4	33	68	20	5	385	15	28	19
42 White.....	3,805	33	6	3	3	4	27	66	14	5	254	13	24	17
43 Colored.....	634	13	2	2		4	6	2	6		131	2	4	2
44 Moberly (total).....	170		1		4		6	2			27	1	1	3
45 White.....	143		1		4		6	2			15		1	2
46 Colored.....	27										12		1	1
47 St. Joseph (total).....	1,133	8	2		2	1	7	8	2	4	101	3	8	2
48 White.....	1,051	7	2		2	1	7	8	2	4	86	3	6	2
49 Colored.....	82	1									15		2	
50 St. Louis (total).....	11,052	88	22		70	140	88	255	69	20	1,065	63	78	38
51 White.....	9,786	83	18		68	134	73	243	58	18	826	46	54	32
52 Colored.....	1,266	5	4		2	6	15	12	11	2	239	17	24	6
53 Sedalia (total).....	263	10	2					10	3	1	23	1	3	1
54 White.....	224	5	1					9	2	1	18		2	1
55 Colored.....	59	5	1					1	1		10	1	1	
56 Springfield (total).....	630	15	2	1	29	1	4	12	5		58	8	5	2
57 White.....	563	14	1	1	28	1	4	12	5		45	7	5	2
58 Colored.....	67	1	1		1						13	1		
59 Webb City.....	172	6			2		1	8		2	44			1
MONTANA.														
60 Registration cities (total).....	1,688	23		1	11	11	5	7	13	15	144	15	17	10
61 White.....	1,644	23		1	11	11	5	7	13	15	139	15	17	9
62 Colored.....	44										5			1
63 Anaconda.....	125				1		1		1	1	4	1	2	2
64 Billings.....	140	4			3		1	1	2		3		3	1
65 Butte.....	726	3			1		2	2	2	4	95	7	9	5
66 Great Falls.....	347	9			6		7	1	4		21	5	2	
67 Helena (total).....	162	5							4	1	9		1	1
68 White.....	161	5							4	1	9		1	1
69 Colored.....	1													
70 Missoula.....	188	2		1		1			2	3	12	2		1

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
NEBRASKA. ¹															
1	Registration cities (total).....	2,388	11		1	2	18	13	66	16	9	161	7	26	8
2	White.....	2,253	11		1	2	17	13	63	16	9	125	7	22	8
3	Colored.....	130					1		3			36		4	
4	Lincoln.....	551	5			1	3	9	5	4	26		4	2	
5	Omaha.....	1,837	6		1	2	17	10	57	11	135	7	22	6	
NEW HAMPSHIRE.															
6	Registration cities (total).....	3,050	16	1		26	18	34	24	17	178	27	25	7	
7	White.....	3,042	16	1		26	18	34	24	17	177	27	25	7	
8	Colored.....	8									1				
9	Berlin.....	190						1	5		8	3			
10	Concord.....	456	2					1	2	3	27	2	3	1	
11	Dover.....	255	2	1							18		2		
12	Keene.....	155	1					1	2		12		2	2	
13	Laconia.....	181				1		2		1	7	1	1		
14	Manchester.....	1,250	6			25	18	27	11	13	78	16	14	2	
15	Nashua.....	368	3					1	2	1	19	4	3		
16	Portsmouth.....	195	2					2	3	1	9	1		2	
NEW JERSEY.															
17	Registration cities (total).....	25,959	174	3	1	184	153	137	400	104	103	2,352	203	148	139
18	White.....	24,587	166	3	1	176	152	125	395	98	101	2,152	188	135	134
19	Colored.....	1,372	8			8	1	12	5	6	200	15	13	5	
20	Asbury Park (total).....	177	1			1			1	2	17				
21	White.....	127	1			1			1		8				
22	Colored.....	50									9				
23	Atlantic City (total).....	829	10				1	1	1	1	64	6	1	5	
24	White.....	647	9				1	1	1	1	38	6	1	4	
25	Colored.....	182	1								26			1	
26	Bayonne.....	807	3	2		9	3	3	22	3	54	8	5	4	
27	Bloomfield.....	152		1		2	1	3		1	15	2	2	1	
28	Bridgeton (total).....	242	4			2	3	3	2	5	17	1	4	1	
29	White.....	226	3			2	3	3	2	5	17	1	3	1	
30	Colored.....	16	1										1		
31	Camden (total).....	1,759	15			6	2	20	24	7	8	170	9	11	8
32	White.....	1,576	14			6	2	16	24	7	8	186	7	7	8
33	Colored.....	183	1					4				34	2	4	
34	East Orange (total).....	361	2			3						23	2	4	
35	White.....	340	2			3						19	1	3	
36	Colored.....	21										4	1	1	
37	Elizabeth.....	1,185	4			16	5	13	17	2	6	74	18	5	6
38	Garfield.....	151				3	1		6	1		9	1		
39	Hackensack (total).....	254	3			1	2	2	4		1	17	5	1	
40	White.....	232	2			1	2	2	4		1	15	5		
41	Colored.....	22	1									2			
42	Harrison.....	167	2			1			3	1		13	1		
43	Hoboken.....	1,165	12			5	7	3	46		4	133	7	5	7
44	Irvington.....	187				2			4	1		24	3	2	
45	Jersey City.....	4,042	22			13	22	12	91	11	18	410	33	31	28
46	Kearny.....	257	1			2	2	1	6	1		13	3	1	2
47	Long Branch (total).....	311	3					1	2	2		14	2	4	1
48	White.....	266	2					1	2	2		6	1	2	1
49	Colored.....	45	1									8	1	2	
50	Millville.....	159	2					3		3		9		1	
51	Montclair (total).....	348	1			2			1	5	1	29	3	3	
52	White.....	305				1			1	4	1	24	3	3	
53	Colored.....	43	1			1						5			
54	Morristown (total).....	266	8					2	1	1	1	13	3	3	
55	White.....	240	8					2	1	1	1	9	2	3	
56	Colored.....	26										4	1		
57	New Brunswick.....	498	2			4	20		7	1	1	46	3	3	2
58	Newark.....	5,650	29			71	27	23	43	22	35	612	51	28	29
59	Orange (total).....	507	5			2	2	2	3	1	1	36	9	4	1
60	White.....	436	5			2	2	2	2	1		31	6	3	
61	Colored.....	71							1		1	5	3	1	
62	Passaic.....	871	6		1	7	3	1	18	7	4	67	6	4	5
63	Paterson.....	1,810	6			13	1	7	21	5		153	7	6	8
64	Perth Amboy.....	571	7			11	9	8	23	3	1	41	4	4	2
65	Phillipsburg.....	186	3			1	7	3	3	2		11		3	2
66	Plainfield (total).....	292	2						2	1		15		1	1
67	White.....	254	2						2	1		11		1	
68	Colored.....	38										4			
69	Trenton.....	1,938	19			3	28	23	24	10	14	162	15	11	12
70	Union.....	180	1			1	4		3	1	1	15			2
71	West Hokoken.....	333				2	3		14	4	1	40		3	3
72	West New York.....	195				2	1	1	6			29		1	1
73	West Orange.....	79	1			2			2			7	1	1	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

319

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914--Continued.

[See note at head of this table.]

DEATHS FROM--																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
187	27	15	117	184	19	206	15	85	65	52	21	164	16	16	130	184	56	504	7
185	26	13	114	172	16	189	15	83	63	51	21	153	16	15	130	153	55	482	7
2	1	2	3	12	3	17	2	2	6	11	1	22
47	9	3	32	39	1	34	5	32	19	12	3	25	2	3	42	36	8	134	6
140	18	12	85	145	18	172	10	53	46	40	18	139	14	13	88	128	48	370	1
173	41	32	194	340	77	253	23	180	24	34	29	216	14	15	219	152	19	618	16
172	41	32	193	338	77	253	23	180	24	34	29	216	14	15	219	151	19	616	16
1	1	2	2
9	1	4	4	9	3	26	31	2	2	2	8	2	2	20	11	32
29	8	2	40	69	6	31	2	2	2	6	37	1	1	10	23	7	135
21	5	23	35	2	22	2	13	2	1	1	19	9	2	57
6	6	4	23	5	11	2	2	5	3	24	3	8	2	24
7	3	13	25	9	7	3	12	18	1	15	13	43	3
56	12	21	70	103	39	105	14	101	11	11	15	58	9	5	124	50	5	216	8
21	2	3	23	40	3	35	3	16	2	3	6	34	1	4	23	21	1	85	1
24	4	2	17	31	3	14	6	4	2	18	10	1	26	15
1,426	343	170	1,467	2,617	371	3,055	274	1,704	239	201	299	2,363	143	163	1,569	1,529	335	3,534	56
1,384	333	162	1,405	2,480	346	2,865	258	1,639	224	190	294	2,230	133	158	1,484	1,461	329	3,332	54
42	10	8	62	137	25	190	16	65	15	11	5	133	10	5	85	68	6	202	2
12	3	18	21	3	14	1	6	1	23	1	12	7	32
11	3	18	16	1	9	4	11	1	7	6	25
1	5	2	5	2	1	11	5	7
39	20	4	47	95	9	73	10	33	6	11	7	106	7	5	53	49	14	149	1
36	18	3	41	76	7	53	7	25	5	3	6	85	4	5	38	40	14	115	1
3	2	1	6	19	2	20	3	8	21	3	15	9	34
28	12	5	40	68	25	97	15	78	8	3	7	44	6	11	55	61	11	107
13	7	2	16	15	4	11	1	10	2	21	1	1	11	1	1	35	2
20	5	20	22	4	18	5	17	4	23	4	9	15	4	40	27
20	5	18	21	4	16	5	6	4	23	4	9	9	4	38	28
.....	2	1	1	6	6	2
74	14	6	92	205	6	248	15	129	15	15	14	158	19	14	110	113	17	212	3
68	13	5	82	178	6	218	14	119	13	14	14	149	18	14	100	106	16	191	3
6	1	1	10	27	30	1	10	2	1	9	1	10	7	1	21
17	8	1	44	69	3	35	6	9	1	7	42	2	14	13	4	51
17	8	1	43	67	3	33	6	9	1	7	39	2	11	12	4	48
.....	1	2	2	3	3	1	3
76	18	4	81	135	19	126	16	106	10	7	13	80	4	11	55	89	6	161	2
6	1	1	3	6	4	35	2	22	2	10	15	9	1	14
16	6	1	17	23	3	26	4	10	5	24	2	5	19	19	4	35
14	6	15	20	3	25	4	8	4	22	2	5	17	19	4	31
2	2	3	1	2	1	2	2	4
12	3	5	15	3	16	26	1	3	14	10	8	25
49	19	15	65	129	23	129	15	51	8	5	24	105	7	5	49	79	26	136
15	2	1	16	22	2	11	3	9	3	1	2	19	9	8	4	24
217	50	31	193	370	64	493	43	252	39	45	57	394	22	22	246	227	45	533	8
10	3	1	19	32	4	19	5	10	2	3	15	1	23	22	3	52	1
15	5	2	13	46	1	15	4	10	5	8	3	50	5	8	46	1	43	2
13	12	40	1	12	4	3	5	7	3	44	4	8	42	1	37	1
2	6	6	3	2	1	6	1	9	4	6
13	2	1	8	19	4	11	1	8	18	1	12	9	2	28	1
21	3	2	23	31	6	37	3	26	2	3	34	3	1	33	22	3	50
19	2	2	18	28	6	32	2	24	2	3	30	3	1	32	21	3	40
2	1	5	3	5	1	2	4	1	1	10
23	2	1	14	23	1	19	4	7	5	2	3	18	3	4	16	22	2	60	2
22	2	1	13	20	1	16	4	6	5	2	3	17	3	3	16	20	2	52	2
1	3	3	3	1	1	1	2	3
22	4	4	35	48	1	38	3	43	7	2	2	32	1	5	45	35	5	76	1
340	81	28	318	502	94	721	51	406	46	44	68	547	22	32	334	290	80	669	7
40	7	6	38	66	10	64	3	9	4	2	8	56	1	1	29	25	6	65	1
37	7	2	37	59	7	50	2	2	2	2	7	48	1	1	24	22	6	60	1
3	14	7	3	14	2	1	8	2	5	5
29	7	4	19	59	7	173	6	91	6	5	12	44	8	4	79	57	10	117	5
124	29	17	111	241	25	200	26	82	29	13	18	165	6	12	93	93	25	269	5
19	4	13	12	35	13	51	1	85	5	4	3	30	4	2	49	41	3	77	7
6	7	2	12	15	10	15	1	1	8	15	1	32	1
27	4	5	22	36	2	20	6	16	10	25	5	21	11	4	56
26	4	4	18	31	2	16	6	14	9	20	5	17	11	4	50
1	4	5	4	2	1	5	4	6
98	13	3	119	191	21	235	19	104	15	21	11	179	15	11	116	118	23	300	5
10	3	1	6	21	2	27	1	7	1	2	4	21	2	8	8	6	21	1
19	2	3	26	28	6	35	4	18	2	2	12	32	1	13	9	11	38
10	3	3	5	23	2	23	1	21	2	4	13	1	1	9	4	6	18
6	5	10	10	3	1	3	6	6	4	2	9

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
NEW YORK.															
1	Registration cities (total).....	109,356	648	32	2	740	630	511	1,846	396	416	11,942	996	626	549
2	White.....	106,198	633	31	2	727	628	493	1,809	388	410	11,246	953	589	530
3	Colored.....	3,158	15	1		13	2	18	37	8	6	696	43	37	19
4	Albany.....	1,993	18	2		2	8	5	13	14	5	253	18	15	3
5	Amsterdam.....	495	5				3		5	2	4	48	2	6	1
6	Auburn.....	553	4				3	2	4	2	1	39	2	4	5
7	Batavia.....	223					1	1		6	2	8			
8	Binghamton.....	1,017	7	1		16	2	4	10	8	5	66	5	9	4
9	Buffalo.....	7,045	74	3		10	26	75	67	11	23	649	57	47	46
10	Cohoes.....	394	5			2	1	6	6			33		3	2
11	Corning.....	203	5						3			8	1	2	
12	Cortland.....	218	1						1	2		10	4	2	1
13	Dunkirk.....	238	8	1		4	2	9	4	2	1	12		3	
14	Elmira.....	577	5			1		1	6	4	2	27	1	4	1
15	Fulton.....	179				1		3		2		8		2	3
16	Geneva.....	235	4				6	1	4	1	1	8	2	1	2
17	Glens Falls.....	288	5					1		2		22	3	1	
18	Gloversville.....	331	4				1	1	4		1	24		2	4
19	Hornell.....	221	1			2		2		1	1	15	1	1	
20	Hudson.....	230	4	1			7		1	2	1	19	2		
21	Ithaca.....	243	5						1	1		17	1	2	1
22	Jamestown.....	428	3			2		2	4	2		27		2	6
23	Johnstown.....	133					2	1	2	2		5			2
24	Kingston.....	488	2	1		7	2		2	2	1	46	4	8	1
25	Lackawanna.....	321	1					15	2	1	2	5			
26	Little Falls.....	232	1				3		2	2	1	14	1		
27	Lockport.....	286	2					2	1	5		21		1	
28	Middletown.....	387	1			5		4		4	1	38	2	4	2
29	Mount Vernon.....	387							3	3	4	19	5	2	1
30	New Rochelle (total).....	359				3		2	4	1	3	22	1		1
31	White.....	325				2		2	4	1	3	13	1		1
32	Colored.....	34										9			
33	New York (total).....	75,020	337	18		576	486	282	1,507	225	308	9,204	760	387	377
34	Bronx Borough.....	7,136	28			37	40	17	181	32	21	925	66	33	40
35	Brooklyn Borough.....	25,259	128	10		125	119	76	463	87	93	2,766	226	133	166
36	Manhattan Borough.....	36,201	156	5		387	283	146	768	88	176	4,857	394	192	136
37	Queens Borough.....	4,903	21	1		23	41	3	86	16	10	502	33	22	22
38	Richmond Borough.....	1,521	6	2		4	3	6	9	2	8	154	11	7	13
39	White.....	72,382	329	17		564	485	248	1,474	220	302	8,616	728	358	364
40	Bronx Borough.....	7,043	28			37	40	17	180	32	21	903	65	33	40
41	Brooklyn Borough.....	24,806	124	10		123	119	70	452	84	92	2,644	221	128	164
42	Manhattan Borough.....	34,450	151	5		379	282	139	747	86	171	4,432	369	168	126
43	Queens Borough.....	4,795	20			22	41	16	86	16	10	486	52	22	21
44	Richmond Borough.....	1,488	6	2		3	3	6	9	2	8	151	11	7	13
45	Colored.....	2,638	8	1		12	1	14	33	5	6	588	32	29	13
46	Bronx Borough.....	93							1			22	1		
47	Brooklyn Borough.....	653	2			2		6	11	3	1	122	5	5	2
48	Manhattan Borough.....	1,751	5			8	1	7	21	2	5	425	25	24	10
49	Queens Borough.....	108	1	1		1		1				6	1		1
50	Richmond Borough.....	33				1						3			
51	Newburgh.....	516	7			2	1		7		1	61	5	2	2
52	Niagara Falls.....	564	5		1	1	1	6	14	2	2	33	4	4	1
53	North Tonawanda.....	159	8			2		4	2			6	1	1	
54	Ogdensburg.....	439	4			4	3	5	5	7		36	3	3	1
55	Olean.....	252	1			2		3	1		1	12	2	2	1
56	Ossining (total).....	188				1				1	1	18	1	2	2
57	White.....	176								1	1	14	1	1	2
58	Colored.....	12	1			1						4		1	
59	Oswego.....	432	6			2				4		16	1	4	3
60	Peskskill.....	255	2	2		6		5	7	3	1	19	1	1	
61	Plattsburg.....	195	1			1			1	1	1	11	1	2	2
62	Port Chester.....	193	2			3	3		3	4	1	13	3	2	2
63	Poughkeepsie.....	519	1			13	2	1	2	2	2	25	6	2	1
64	Rensselaer.....	169						4	4	3	1	8	1		4
65	Rochester.....	3,514	25	1		13	27	6	29	15	12	223	26	28	9
66	Rome.....	527	5			1			2	3	4	93	1	4	6
67	Saratoga Springs.....	261	4						4	4		16	1		7
68	Schenectady.....	1,040	11			3	14	16	14	3	3	61	8	5	7
69	Syracuse.....	2,208	15			4	12	19	16	7	5	161	19	17	12
70	Troy.....	1,591	26			5	5	11	19	15	6	171	4	10	3
71	Utica.....	1,548	7			22	4	4	24	5	5	110	13	13	12
72	Watertown.....	468	2					1	7	2		30	4	5	6
73	Watervliet.....	231	5	1		3			6	1		26	1		2
74	White Plains (total).....	258	4					4	2	1		19	2	3	1
75	White.....	233	4					3	1	1		15	1	3	1
76	Colored.....	25							1			4			
77	Yonkers.....	1,105	4	1	1	16	4	6	27	4	3	107	16	7	6

DEATHS FROM PRINCIPAL CAUSES.

321

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Dia- betes.	Meningi- tis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Hern- ia, intest- inal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
6,621	1,566	603	5,276	11,946	1,287	12,670	927	5,462	1,088	877	1,291	10,150	552	606	6,371	5,915	1,270	15,470	74	
6,528	1,543	591	5,187	11,641	1,238	12,238	899	5,315	1,076	861	1,274	9,896	528	593	6,209	5,781	1,252	15,033	71	
93	18	12	89	305	49	432	28	147	12	16	17	254	24	13	162	134	437	3	3	
151	33	15	114	234	21	134	21	46	19	22	34	184	7	11	108	84	12	382	2	4
20	4	6	32	48	10	33	33	36	1	2	6	29	1	3	41	28	7	111	5	5
36	7	5	54	94	11	32	5	34	6	3	9	34	3	3	32	29	7	85	6	6
12	3	1	17	21	19	3	8	8	6	2	2	23	3	1	28	23	14	37	7	7
46	7	3	69	134	20	81	13	44	9	12	10	83	5	5	64	56	14	203	2	8
435	89	30	383	731	83	666	62	534	75	67	89	571	37	46	429	381	59	1,189	1	9
24	7	5	27	35	6	44	2	40	2	2	2	25	3	1	19	22	4	66	10	10
7	5	1	11	24	1	17	2	5	5	3	3	25	4	2	20	16	5	36	11	11
11	1	1	18	24	3	16	1	10	2	2	2	20	1	2	11	16	5	55	12	12
7	1	1	12	32	4	14	1	14	3	2	3	7	1	1	17	26	2	46	13	13
42	2	2	34	74	4	40	5	15	5	5	5	77	6	4	35	42	4	117	14	14
6	2	1	12	15	5	21	1	17	2	1	1	17	3	2	13	18	1	30	15	15
11	6	1	15	26	3	17	1	9	9	2	2	14	1	2	19	19	1	44	16	16
21	5	1	25	46	3	12	7	4	6	3	4	14	2	1	18	19	2	65	17	17
19	3	2	34	46	4	23	3	5	2	1	2	31	2	4	24	7	3	70	18	18
18	3	3	14	25	2	11	3	3	3	4	1	14	2	2	8	22	6	53	19	19
16	3	1	18	18	4	14	8	10	3	2	2	14	2	2	8	19	2	48	20	20
19	5	1	26	39	3	13	1	10	2	3	1	30	2	2	6	12	2	40	21	21
48	7	1	26	56	6	28	5	11	4	3	1	28	2	3	23	32	6	86	22	22
12	2	1	15	18	5	13	3	1	1	1	1	11	1	1	6	3	1	27	23	23
45	4	6	52	65	7	9	6	8	6	2	2	35	2	3	13	29	6	81	24	24
4	2	2	3	10	9	61	1	88	1	6	4	5	1	1	31	16	2	63	25	25
11	2	4	7	35	6	21	1	22	2	3	4	18	1	1	18	23	2	33	26	26
20	2	4	22	54	2	21	2	3	1	3	2	9	1	1	14	28	2	64	27	27
27	9	2	28	67	2	27	2	9	4	2	1	42	1	2	17	17	4	74	28	28
31	6	3	25	48	5	27	2	24	4	3	3	59	2	1	20	21	5	58	29	29
28	5	7	29	39	7	36	2	14	5	3	3	39	1	2	17	25	4	55	30	30
28	5	7	27	33	7	30	2	12	5	3	4	38	1	2	17	24	4	48	31	31
28	5	7	2	6	6	6	2	2	5	3	4	1	2	2	1	1	4	7	32	32
4,452	1,116	378	3,025	7,776	861	9,604	630	3,379	722	549	890	7,412	375	396	4,360	3,973	939	9,496	40	33
516	126	45	321	734	47	815	61	265	67	64	68	685	43	48	390	334	118	963	34	34
1,439	386	115	1,161	2,977	362	3,294	242	1,280	273	162	321	2,568	115	123	1,298	1,264	255	3,247	35	35
2,124	517	182	1,191	3,386	388	4,834	237	1,636	238	279	396	3,386	173	174	2,285	1,999	485	4,519	36	36
277	68	26	279	50	50	549	27	285	66	38	84	501	36	36	299	259	68	589	37	37
96	19	10	73	128	14	142	13	63	18</											

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—														
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis of the meninges.	Other forms of tuberculosis.	Rheumatism.	
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)		
REGISTRATION CITIES—Contd.															
NORTH CAROLINA.															
1	Registration cities (total).....	3,926	92	24	2	17	2	29	37	40	8	470	14	35	9
2	White.....	1,870	40	10	2	15	1	15	23	13	8	225	10	15	5
3	Colored.....	2,056	52	14	2	1	14	14	27	245	4	20	4
4	Asheville (total).....	489	6	7	2	8	6	1	118	4	2
5	White.....	327	3	7	2	5	5	1	98	3	1
6	Colored.....	162	3	3	1	20	1	1
7	Charlotte (total).....	824	23	7	2	6	12	13	2	73	1	5	3
8	White.....	402	7	3	1	3	8	1	2	35	1	3	2
9	Colored.....	422	16	4	1	3	4	12	38	2	1
10	Durham (total).....	354	14	1	3	4	3	56	3
11	White.....	153	6	1	2	4	2	21	1
12	Colored.....	201	8	1	1	35	2
13	Greensboro (total).....	361	9	3	7	5	8	31	2	6	1
14	White.....	152	3	1	2	2	2	5	1	4	1
15	Colored.....	209	6	2	5	3	6	26	1	2
16	Raleigh (total).....	603	12	2	1	2	1	1	56	1	5
17	White.....	302	7	1	2	26	1	2
18	Colored.....	301	5	2	1	1	30	3
19	Wilmington (total).....	653	13	7	8	4	2	4	39	3	5	1
20	White.....	247	8	3	7	1	1	10	2	2	1
21	Colored.....	406	5	4	1	3	2	4	29	1	3
22	Winston-Salem (total).....	642	15	4	1	5	5	5	97	3	9	4
23	White.....	297	6	2	1	3	4	3	30	2	2	1
24	Colored.....	355	9	2	2	1	2	67	1	7	3
OHIO.															
25	Registration cities (total).....	33,447	478	9	6	119	131	187	435	191	102	3,186	198	293	171
26	White.....	31,679	460	7	4	114	129	173	428	185	100	2,826	190	273	160
27	Colored.....	1,768	18	2	2	5	2	14	7	6	2	360	8	25	11
28	Akron.....	1,086	25	1	8	7	3	8	8	1	63	7	7	6
29	Alliance.....	199	5	1	2	1	18	1	2
30	Ashabula.....	224	3	4	2	18	1	1
31	Bellaire.....	178	5	1	9	3	2	14	2	3	1
32	Cambridge.....	177	5	1	1	1	1	8	1	2	1
33	Canton.....	639	9	3	3	7	4	45	1	6	3
34	Chillicothe (total).....	233	5	1	1	2	1	2	22	3
35	White.....	205	4	1	2	1	2	21	2
36	Colored.....	28	1	1	1	1
37	Cincinnati (total).....	6,431	25	3	2	19	44	73	64	33	884	48	49	26
38	White.....	5,787	23	2	1	19	41	70	62	31	713	45	43	24
39	Colored.....	644	2	1	1	3	3	2	2	171	3	6	2
40	Cleveland.....	8,183	52	1	29	51	44	163	26	19	744	64	63	51
41	Columbus (total).....	3,022	27	24	3	14	18	16	7	281	18	41	14
42	White.....	2,704	24	22	3	9	17	14	7	231	18	37	14
43	Colored.....	318	3	2	5	1	2	50	4
44	Dayton.....	1,704	14	7	9	15	22	4	8	150	6	11	13
45	East Liverpool.....	345	18	4	2	7	1	46	3	2
46	Elyria.....	200	2	1	2	13	1	2	1
47	Findlay.....	209	3	1	1	1	1	16	1	2	1
48	Hamilton.....	402	5	2	2	8	6	3	27	3	5
49	Ironton (total).....	222	12	1	2	2	24	4	3
50	White.....	213	10	1	2	2	23	4	3
51	Colored.....	9	2	1
52	Lakewood.....	258	2	11	1	1	1	18	2	1	1
53	Lancaster.....	188	5	2	2	8	3	23	2
54	Lima.....	448	12	1	1	4	33	1	6	2
55	Lorain.....	335	10	1	3	1	5	1	15	2	5
56	Mansfield.....	293	3	3	1	6	16	2	2
57	Marietta.....	216	4	2	6	16	2	3	1
58	Marion.....	276	5	4	2	4	1	14	2
59	Massillon.....	165	4	1	2	1	1	3	2	15	1
60	Middletown.....	195	1	3	2	1	24	2	7
61	Newark.....	364	10	1	3	7	2	25	1	3	3
62	Norwood.....	176	1	2	2	25	2	2
63	Piqua.....	179	5	1	1	1	1	11	1	1
64	Portsmouth.....	401	35	10	1	4	2	3	1	43	4	11	2
65	Sandusky.....	288	8	4	2	20	2	1
66	Springfield (total).....	673	11	1	10	1	11	2	3	52	3	3	2
67	White.....	559	8	7	1	9	1	3	40	2	3	1
68	Colored.....	114	3	1	3	2	1	12	1	1
69	Staubenville.....	455	24	3	4	7	4	1	27	1	7
70	Tiffin.....	207	2	5	5	18	1	1	3
71	Toledo.....	2,840	68	1	7	2	13	33	8	5	294	9	25	9
72	Warren.....	176	5	2	2	1	1	9	5	3

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pend- icitis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(28)	25	26	27	28	29	31	32	33	35	36	(37)	38
124	23	19	185	280	34	336	38	256	40	40	13	282	18	49	206	229	12	802	161
78	19	11	101	100	15	121	20	117	29	18	10	146	5	21	124	115	11	395	34
48	4	8	84	180	19	215	18	139	11	22	3	136	13	28	82	114	1	407	127
11	4	1	25	22	10	47	7	19	9	9	3	25	3	3	24	37	2	77	5
9	3	1	17	13	1	29	4	11	6	1	3	11	1	1	16	24	2	46	3
2	1	1	8	9	1	18	3	8	3	1	1	14	2	1	8	13	2	31	2
30	2	3	34	46	5	77	9	37	4	11	1	46	3	13	41	50	5	198	62
19	2	3	19	17	2	26	4	29	4	7	1	28	1	7	30	7	4	98	7
11	2	3	15	29	3	51	5	8	4	4	1	20	2	6	11	22	1	100	53
14	1	1	17	21	3	26	4	24	1	4	2	27	1	4	11	11	1	72	27
6	1	1	9	8	2	8	2	16	1	1	1	12	1	1	8	5	1	25	10
8	1	1	8	13	1	18	2	8	4	4	4	19	1	3	3	6	2	47	17
15	4	1	7	19	1	34	6	25	10	4	4	25	1	4	26	31	2	60	11
9	4	1	3	10	1	9	5	5	7	3	3	12	1	2	11	14	2	31	1
6	1	1	4	9	1	25	1	18	3	3	1	17	1	2	15	17	1	29	10
21	5	6	49	51	10	34	6	32	6	10	4	39	5	8	34	42	1	150	7
10	3	4	30	18	8	8	3	10	3	4	3	25	2	2	15	18	1	94	2
11	2	2	19	33	2	26	3	22	3	6	1	14	5	6	19	24	2	56	5
19	2	3	32	74	3	63	2	61	1	4	3	73	3	11	32	26	2	145	6
12	2	3	10	20	2	15	1	16	1	1	1	39	1	6	19	10	2	51	2
7	2	3	22	54	1	48	1	45	1	3	2	34	2	5	13	16	2	94	4
14	5	4	21	47	3	55	4	58	9	5	2	43	2	7	38	32	1	100	43
11	4	2	13	33	3	26	1	28	7	2	2	21	1	2	25	16	1	50	7
3	1	2	8	33	3	29	3	30	2	3	2	22	1	5	13	16	1	50	36
2,104	409	235	2,107	3,219	470	2,917	257	1,838	363	372	444	2,217	267	213	1,984	2,403	466	5,533	118
2,041	398	222	2,027	3,014	457	2,703	243	1,776	353	354	430	2,100	250	206	1,923	2,268	451	5,310	104
63	11	13	80	205	13	214	14	62	10	18	14	117	17	7	61	135	15	223	14
62	12	29	65	81	7	95	5	95	12	11	14	50	17	10	88	103	19	164	3
15	1	3	19	19	3	15	2	6	2	1	1	14	4	1	12	14	2	34	1
10	2	2	20	25	2	19	1	6	3	7	2	11	3	2	19	19	1	43	30
7	4	4	9	18	2	27	3	22	1	1	1	9	2	1	6	12	1	17	31
9	1	1	17	12	2	13	1	6	2	2	2	14	2	1	18	15	1	43	32
35	8	6	60	72	2	62	6	29	5	6	17	25	4	5	51	58	6	99	1
15	3	3	17	25	2	14	4	7	1	6	1	15	1	1	26	18	2	36	3
13	1	1	17	23	2	12	4	6	1	5	1	12	1	1	26	13	2	33	1
2	2	2	2	2	2	2	2	1	1	1	1	3	1	1	5	5	2	3	2
419	105	29	369	771	111	537	28	242	61	73	100	583	48	23	245	394	63	951	9
400	102	26	348	696	107	460	27	221	59	68	96	534	42	20	222	344	62	872	7
19	3	3	21	75	4	77	1	21	2	5	4	49	6	3	23	50	1	79	2
483	95	47	443	651	163	723	75	691	87	75	95	540	57	57	520	579	147	1,299	49
220	29	15	213	281	32	234	31	98	47	44	39	171	20	26	163	195	44	654	8
208	28	12	194	235	30	198	26	77	45	43	37	154	19	24	150	177	42	611	3
12	1	3	19	46	2	41	5	16	2	1	2	17	1	2	13	18	2	43	5
133	15	19	101	196	23	131	19	69	26	22	15	134	16	11	103	114	32	265	1
13	1	5	16	25	1	34	2	25	5	3	3	10	4	2	25	21	2	64	1
19	2	1	8	22	1	11	2	11	2	4	3	11	3	2	10	26	5	35	46
19	7	4	20	28	2	18	3	7	2	3	3	7	1	2	7	14	7	38	1
31	7	5	23	54	4	26	2	15	2	5	14	22	3	3	25	26	6	68	48
14	1	1	13	14	5	19	3	6	2	3	2	15	3	1	12	17	2	41	49
14	1	1	13	12	5	19	3	6	2	3	2	13	3	1	12	15	2	41	50
11	2	2	14	2	1	41	3	16	1	1	5	19	2	1	12	2	5	47	51
11	2	2	10	20	1	12	4	4	2	2	2	19	1	1	4	13	4	41	52
40	3	2	24	45	4	28	5	13	15	11	8	23	6	5	36	42	4	74	54
20	5	1	24	13	1	38	3	32	2	2	1	13	3	5	32	34	9	54	55
15	1	3	43	32	2	23	2	4	2	5	5	21	2	2	15	27	6	48	3
15	3	3	17	29	11	11	2	2	3	4	6	12	2	1	11	16	3	47	57
22	5	1	15	23	7	20	5	7	3	2	1	22	3	3	24	28	2	50	58
7	5	1	22	17	1	13	1	4	1	2	1	14	1	1	10	8	1	28	59
5	4	4	14	12	1	25	2	11	1	1	1	6	5	2	21	13	2	28	60
17	5	1	36	38	8	30	2	11	4	5	2	23	2	1	21	31	3	68	61
16	5	2	11	24	1	16	2	2	2	2	2	18	1	2	16	3	2	21	62
16	4	1	16	28	1	9	1	8	2	2	2	6	1	1	17	7	1	35	63
17	1	3	25	31	8	30	2	27	3	7	5	18	2	2	15	32	4	54	64
23	6	3	17	34	2	17	3	6	4	1	7	19	2	2	24	38	4	41	65
37	12	3	71	69	8	68	4	12	7	7	18	51	5	2	42	35	14	103	66
33	12	3	56	53	6	48	3	11	6	7	15	45	4	2	37	32	14	96	67
4	1	1	15	16	2	20	1	1	1	1	3	6	1	1	5	3	1	12	68
19	3	2	21	29	5	47	4	39	3	6	4	11	9	4	39	46	7	77	69
10	3	3	20	36	5	20	2	2	1	2	2	13	3	1	7	9	2	33	70
184	32	14	163	275	39	205	15	156	29	34	41	181	29	17	161	211	37	549	71
10	2	12	13	13	4	22	3	8	3	3	1	15	2	2	4	16	3	27	72

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
OHIO—continued.															
1	Youngstown.....	1,380	40			13	4	3	20	2	3	84	7	12	8
2	Zanesville (total).....	471	11			1	2	3	1	5	2	31		6	4
3	White.....	441	10			1	2	3	1	5	2	25		4	4
4	Colored.....	30	1									6		2	
OREGON. ¹															
5	Portland (total).....	2,363	18			21	5	3	26	13	1	160	26	40	3
6	White.....	2,281	17			20	5	3	26	12	1	143	25	39	3
7	Colored ²	82	1			1				1		17	1	1	
PENNSYLVANIA.															
8	Registration cities (total).....	60,578	532	13	2	279	466	487	966	335	188	4,933	377	455	292
9	White.....	56,871	506	12	2	273	462	428	958	324	177	4,303	340	398	273
10	Colored.....	3,707	26	1		6	4	59	8	11	11	630	37	57	19
11	Allentown.....	907	20			19	3	2	28	9	3	63	6	7	4
12	Altoona.....	811	17		1	20	8	9	13	1	2	44	10	6	2
13	Beaver Falls.....	188	3			1	2		3	4		15	3	3	
14	Bethlehem.....	165	2			2		1	4		1	7	2	2	1
15	Braddock.....	366	3			2	7	2	4	1	1	16	3	3	2
16	Bradford.....	224						3	1			12			
17	Butler.....	294	3			2		4	8	2	1	15	2	3	1
18	Carbondale.....	292	2					4	5	9		8	1	1	
19	Carlisle (total).....	153						5	2	2		16	2	3	
20	White.....	122						2	2	2		11	2	2	
21	Colored.....	31						3				5	2	1	
22	Carnegie.....	115	3				1	1	1	2		4	2		1
23	Chambersburg (total).....	213	5					5	4	2	2	6	1	2	2
24	White.....	189	5					4	3	2	2	5		2	2
25	Colored.....	24						1	1			1	1		
26	Chester (total).....	693	6						1	8	5	79	4	10	4
27	White.....	586	6						1	8	5	56	3	10	2
28	Colored.....	127										23	1		2
29	Coatesville (total).....	131	2			1	1	4	2			11	1		2
30	White.....	118	2			1	1	4	2			7	1		
31	Colored.....	13										4			
32	Columbia.....	160	2				1	3	4	3	1	17	3	2	
33	Connellsville.....	185	2									16	1	1	1
34	Dubois.....	145	2			1				1		5		2	2
35	Dunmore.....	333	2			6	1	1	5	6	2	15		1	1
36	Duquesne.....	213	2				5		5		2	13			
37	Easton.....	508	6			1	8	1	8			31	3	4	1
38	Erie.....	1,057	11			3	1	13	9	7	2	58	4	10	3
39	Farrell.....	156	4					2	6	1	1	11		2	1
40	Greensburg.....	231	5			1	7	4	4			9	1	2	4
41	Harrisburg (total).....	967	12	1			1	3	9	6	2	60	6	8	6
42	White.....	874	12	1			1	3	9	6	2	46	5	7	5
43	Colored.....	93										14	1	1	1
44	Hazleton.....	424	7			2	6	3	7	1	1	21		6	5
45	Homestead.....	259	4			1	5	7	12			11	5		1
46	Johnstown.....	949	14			6	4	7	48	1	3	54	6	8	7
47	Lancaster.....	703	9					2	9	3	2	63	2	8	4
48	Lebanon.....	318	4				1	1	7	3	1	11	1	2	1
49	McKees Rocks.....	185				1	4	3	3			17	1		
50	McKeesport.....	640	12			3	2	5	8	3	1	34		4	6
51	Mahanoy City.....	187	1			3	1	1	5	2		13			3
52	Meadville.....	198	4					3	1			11		1	1
53	Monessen.....	184	2					3	3		1	8			
54	Mount Carmel.....	212						4	7			15		1	3
55	Nanticoke.....	321	3			1	2	1	7			20	3	1	3
56	New Castle.....	464	7					10	6	6		20	2	2	4
57	Norristown.....	643	10			5			11	2	3	57	1	5	1
58	North Braddock.....	135				2	4	1	2	1		8		3	1
59	Oil City.....	248						1		3		15	1	1	
60	Old Forge.....	199	1			4	1	1	3		2	6		1	
61	Philadelphia (total).....	26,739	128	8		73	135	246	322	161	101	2,780	197	183	124
62	White.....	24,454	115	7		71	135	202	317	155	91	2,360	171	147	115
63	Colored.....	2,285	11	1		2		44	5	6	10	420	26	36	9
64	Phoenixville.....	183	4					3	10			13			1
65	Pittsburgh (total).....	8,857	85		1	53	188	51	158	35	21	617	55	84	41
66	White.....	8,264	84		1	49	185	42	156	34	21	528	51	73	37
67	Colored.....	593	1			4	3	9	2	1		89	4	11	4
68	Pittston.....	347	1	1		12	1	2	4	5		9		2	2
69	Plymouth.....	209				3	7		9			9	1	1	
70	Pottstown.....	224	4				1	1	7			20		2	
71	Pottsville.....	363	8	1			1		7	3	2	28	3	1	1
72	Reading.....	1,453	33				6	13	32	6	6	116	6	5	4
73	Scranton.....	2,231	13			10	4	21	32	7	6	108	13	15	14
74	Shamokin.....	239	1				8		10	3	1	17	1		

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

325

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Dia- betes.	Meningi- tis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	App- endi- citis.	Hern- ia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
66	16	15	74	83	7	219	7	136	13	8	18	59	6	15	114	120	18	181	9	1
39	4	1	45	49	5	45	6	10	10	4	3	23	5	4	29	33	8	71	11	2
37	4	1	42	46	4	41	6	9	10	4	3	23	5	4	28	32	6	68	11	3
2			3	3	1	4		1							1	1	2	3		4
229	54	16	140	275	17	157	26	24	33	32	22	173	13	13	129	175	66	444	9	5
222	53	16	139	269	17	145	25	24	33	31	21	167	12	12	129	171	63	431	7	6
7	1		1	6		12	1			1	1	6	1	1		4	8	13	2	7
3,245	666	321	2,819	6,159	977	6,788	803	4,183	579	579	588	5,004	413	419	3,904	3,865	581	9,133	222	8
3,104	645	302	2,717	5,792	904	6,288	754	3,986	552	555	569	4,702	392	397	3,706	3,680	569	8,589	212	9
141	21	19	102	367	73	500	49	197	27	22	19	302	21	22	198	185	12	549	10	10
59	11	7	96	80	5	70	8	43	11	4	9	53	13	7	75	50	12	114	16	11
44	10	6	36	75	9	88	11	45	8	6	9	60	8	11	71	32	1	145	3	12
11	2	2	2	19	3	25	3	9	2	3	2	8	3		10	17	3	32		13
8	6		17	17	2	21	1	11	2	2	1	11	1	1	15	2	5	22		14
6	4	5	10	18	11	58	3	48	6	4	3	14	3	6	25	37	3	56	2	15
9	5	2	10	32	1	18	4		3	1	4	18	2	3	21	15	4	54		16
21	3		6	23	2	31	7	21	6	3	4	14	1	3	26	20	2	54	8	17
13	2		18	20	2	43	3	18	4	3	2	27	3	3	21	24	3	48	1	18
10	1	1	9	20	2	12	2	1	1	1	2	13			7	6	2	36	1	19
8	1	1	8	18	2	6	2		1		2	11			5	6	2	32	1	20
2			1	2		6	1		1		2	2			2			4		21
2		2	6	9	3	28	2	9		1	1	4	1		7	8	1	15	1	22
16	2		21	23	3	15	1	7	1	5		23	1		19	10		36	1	23
15	2		19	20	2	13	1	7	1	4		19	1		16	10		33	1	24
1			2	3	1	2				1		4			3			3		25
25	8	4	46	71	10	69	9	63	4	9	4	49	4	3	55	34	5	101	2	26
22	8	3	41	60	6	53	8	50	4	9	3	45	2	3	42	29	5	80	1	27
3	1	1	5	11	4	16	1	13			1	4	2		13	5		21	1	27
5	2		12	10		14	2	11			1	10		1	16	8	1	16		28
5	2		12	8		10	2	10			1	9			15	8		16		29
			2	2		4		1			1	1			1	1		16		30
															1			1		31
17	3	2	10	22		3	1	6	1	1	2	12		2	10	2	2	19	2	32
15	1	1	8	10	1	29	1	10	1	4	1	10	2	2	18	26	4	19	1	33
9	2		5	17	2	15	3	10	1			7	1	3	13	18		24	2	34
6	2	4	29	26	25	36	1	41				15	1	2	62	12	2	27	2	35
8			8	7	28	6	6	36		1	4	6		2	36	15		24	3	36
25	9	4	37	48	7	45	5	18	11	14	4	56	3	2	23	56	4	69	2	37
55	10	5	61	134	6	112	5	84	16	13	16	89	6	3	66	75	13	167		38
1		4	3	8		21	2	19	2	2		3	2	2	21	8		27	4	38
7			7	14	2	22		6		1	1	12	1	2	12	52	4	41	7	40
57	14	5	77	89	4	63	13	22	14	12	7	94	8	13	73	80	13	192	3	41
55	13	5	71	82	3	48	13	19	12	12	7	87	8	11	70	73	13	172	3	42
2	1		6	7	1	15	3	3				7		2	7	7		20		43
27	2	4	17	31	17	25	7	39	17	7	2	28	7	6	27	43	1	55	3	44
10		3	6	21	6	52	2	38				16	2	1	19	11	2	23	3	45
36	2	5	29	36	8	107	11	64	14	17	10	46	16	8	115	104	4	155	4	46
55	11	1	45	98	6	42	5	39	10	6	6	68	2	4	49	43	4	106	1	47
20	2	3	34	23	3	37	6	6	1	4	1	24	2	2	23	13	5	72	6	48
3			2	5		38	3	28	1	1	1	4			25	14		19	1	49
26	3	10	18	40	6	79	6	71	12	10	5	35	6	6	58	51	4	113	3	50
5	1		5	12	7	11	7	18		2	1	12	1	1	9	22	1	38	5	51
19	1	1	25	13		10	3	4	1	1	1	15	1	2	18	16	4	39	1	52
1	2	1	2	4	1	36		45		1		5		1	19	8	3	22	15	53
4	1	1	10	13	3	21	3	37		3		13	3		29	15		20		54
6	3	1	5	15	3	55	6	45	4		3	12	1	2	26	45	4	39	5	55
25	4	3	14	33	6	63	7	33	3	5	2	16	1	4	41	32	3	96	10	56
26	4	2	40	106	6	64	5	16	3	9	4	44	2	2	18	43		153		57
2		1	4	6	4	28		16				4			15	12	1	20		58
11	1	7	16	24		26	4	7	4	5	2	11	2	2	21	30	2	47	4	59
4	1	3	9	9	3	48	8	38				7	4	4	18	13	1	14		60
1,541	327	98	1,094	458	458	2,780	340	1,780	202	228	279	2,891	169	151	1,363	1,238	273	3,762	40	61
1,455	311	81	1,036	3,020	406	2,523	316	1,648	186	212	271	2,685	156	138	1,249	1,140	265	3,420	40	62
86	16	7	58	240	52	257	33	132	16	16	8	206	13	13	114	98	8	342		63
8	2	4	9	10	5	16	5	11	1	1	1	17	1	1	16	16	1	25		64
481	80	54	356	671	165	1,358	136	586	94	82	94	501	63	54	635	619	95	1,827	17	65
460	77	50	343	616	156	1,234	125	562	90	79	87	461	62	49	601	585	91	1,262	13	66
21	3	4	13	55	9	124	11	24	4	3	7	40	1	5	34	34	4	65	4	67
11	3	2	9	32	18	49	7	37	4	1	4	12	1	3	18	48	2	46	1	68
9	1	4	4	15	4	22	3	28		2	2	9		1	15	16		47	1	69
15	5	1	27	26	1	15	1	7	2	3	1	18	1	2	14	9		41		70
18	3	2	23	37	2	29	4	13	7	3	7	34	2	1	21	49	3	49	1	71
86	19	17	90	198	16	94	13	63	15	12	13	97	7	12	95	75	21	275	8	72
85	28	10	117	208	40	332	23	230	30	28	13	121	12	26	126	222	20	315	2	73
14	1		24	19	4	20	6	12	1	2	2	20	4	1	19	12	2	35	2	74

* Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
PENNSYLVANIA—continued.															
1	Sharon.....	207	4					3	6	1		16		2	1
2	Shenandoah.....	460				3	4	1	21	2		20		1	3
3	South Bethlehem.....	286	1			3	4		4			21		4	1
4	Steelton (total).....	170				1	1		4	1		15	1		1
5	White.....	145				1						9			1
6	Colored.....	25						1		1		6	1		
7	Sunbury.....	165	1			1	3		6		2	9			1
8	Uniontown (total).....	276	10			1	1			1		16	1	1	2
9	White.....	245	9			1	1			1		9	1	1	2
10	Colored.....	31	1									7			
11	Warren.....	161	1					1		2		12		1	3
12	Washington (total).....	303	8	1		6		7	3	3		24	1	6	1
13	White.....	271	8	1		6		7	3	2		16	1	5	1
14	Colored.....	32								1		8		1	
15	West Chester (total).....	283	13					1	3	2	1	17	1		1
16	White.....	212	8					1	3	2	1	14			
17	Colored.....	71	5									3	1		1
18	Wilkes-Barre.....	1,131	5	1		25	9	8	33	9	3	49	7	8	4
19	Wilkesburg.....	298	1				11	3	1	5		17	3	4	1
20	Williamsport.....	541	6			2		4	8	1	3	19	4	5	2
21	York.....	676	15					3	18	4	5	66	6	15	8
RHODE ISLAND.															
22	Registration cities (total).....	7,179	45	4		51	36	58	95	36	22	680	67	58	25
23	White.....	6,910	41	4		50	34	58	95	36	21	625	60	51	25
24	Colored.....	269	4			1	2				1	55	7	7	
25	Central Falls.....	207						3	3	1		32	3	2	
26	Cranston (exclusive of State institutions).....	219							4	2		16	1	2	4
27	State institutions.....	389	7							5	2	66	1	4	2
28	Cumberland town.....	119						1	1	1		7	1	1	
29	East Providence town.....	203				3	1	2	1	1	1	15	3	1	1
30	Newport (total).....	349				1		6	2		1	22	3	4	1
31	White.....	304				1		6	2		1	18	1	3	1
32	Colored.....	45										4	2	1	
33	Pawtucket.....	779	6	1				7	13	10	1	52	7	7	3
34	Providence.....	3,723	27	3		37	20	24	59	16	16	298	42	29	12
35	Warwick town.....	257	1					1	3		1	100		2	1
36	West Warwick town ¹	239	2			1	4	6	5			18	2	1	1
37	Woonsocket.....	575	2			9	4	4	6	1		54	4	5	
SOUTH CAROLINA. ²															
38	Charleston (total).....	1,673	41	16		4		16	4	21	1	130	1	5	2
39	White.....	493	23	3		3		4	2	7	1	30			1
40	Colored.....	1,175	18	13		1		12	2	14		100	1	5	1
TENNESSEE. ²															
41	Registration cities (total).....	7,222	171	106	12	40	3	57	47	71	15	865	30	84	35
42	White.....	3,655	99	31	8	21	3	28	31	28	10	313	16	30	14
43	Colored.....	3,567	72	75	4	19		29	16	43	5	552	14	54	21
44	Chattanooga (total).....	1,051	21	10	11	15		10	5	13	2	124	2	13	7
45	White.....	562	15	4	7	7		5	5	9	2	54	2	5	2
46	Colored.....	489	6	6	4	8		5		4		70		8	5
47	Jackson (total).....	328	10	3		7		9	7	3		39		3	1
48	White.....	170	6			3		7	4			19		1	1
49	Colored.....	158	4	3		4		2	3	3		20		2	
50	Knoxville (total).....	754	20	1	1	2		1	2	4	4	79	7	13	2
51	White.....	523	13	1	1	2		1	2	3	3	50	4	9	2
52	Colored.....	231	7							1	1	29	3	4	
53	Memphis (total).....	2,970	61	79		8	3	13	22	26	6	391	11	27	13
54	White.....	1,275	31	20		4	3	4	11	7	2	98	4	5	4
55	Colored.....	1,695	30	59		4		9	11	19	4	293	7	22	9
56	Nashville (total).....	2,119	59	13		8		24	11	25	3	232	10	28	12
57	White.....	1,125	34	6		5		11	9	9	3	92	6	10	5
58	Colored.....	994	25	7		3		13	2	16		140	4	18	7
TEXAS. ²															
59	Registration cities (total).....	4,757	62	22	54	20	7	17	76	44	7	790	24	33	14
60	White.....	4,191	54	19	48	20	6	16	73	37	7	705	22	29	10
61	Colored.....	566	8	3	6		1	1	3	7		85	2	4	4
62	El Paso (total).....	1,507	26	1	50	10	5	8	41	9	2	286	12	8	3
63	White.....	1,455	25	1	47	10	5	8	40	9	2	271	12	8	2
64	Colored ³	52	1		3				1			15			1
65	Galveston (total).....	784	9	4	4	2	1	2	12	8	1	64	2	6	3
66	White.....	536	8	1	1	2		1	11	4	1	33	1	4	2
67	Colored.....	248	1	3	3			1	1	4		31	1	2	1
68	San Antonio (total).....	2,466	27	17		8	1	7	23	27	4	440	10	19	8
69	White.....	2,200	21	17		8	1	7	22	24	4	401	9	17	6
70	Colored.....	266	6						1	3		39	1	2	2

¹ Organized Nov. 1, 1913.

² Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

327

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Dia- betes.	Meningi- tis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
10	7	2	10	15	1	18	1	6	5	2	2	4	3	19	19	2	47	1
6	1	2	13	10	19	48	18	110	2	5	18	3	3	42	35	3	54	2
9	1	2	9	10	3	33	8	44	2	4	21	1	1	41	16	4	40	3
7	1	2	12	9	2	17	3	20	2	1	8	1	3	27	10	1	23	4
7	1	2	11	5	2	15	3	18	2	1	8	1	3	25	10	1	21	5
1	1	2	1	4	2	2	2	2	1	2	2	1	2	2	6
14	4	2	9	17	2	7	4	5	1	15	2	3	12	6	1	31	2	7
18	2	6	10	13	2	33	1	19	2	19	1	4	10	37	1	55	1	8
15	2	5	9	13	1	30	1	19	2	19	1	4	6	37	1	51	1	9
3	1	1	1	1	1	8	4	4	10
12	1	1	5	17	4	11	4	4	2	8	40	11
12	2	3	14	29	6	30	4	5	3	9	1	2	20	13
10	1	2	14	26	6	27	3	4	2	7	4	2	18	32	1	58	12
2	1	1	3	3	3	4	5	2	4	2	18	32	1	53	13
15	3	1	18	23	2	27	1	13	6	1	2	3	2	10	2	5	14
13	3	1	15	17	2	17	1	6	5	2	2	3	10	21	2	60	3	15
2	3	6	10	7	2	4	18	46	1	16
.....	4	14	17
46	18	8	53	98	20	103	19	67	16	9	6	10	79	136	10	178	6	18
22	3	2	14	28	4	66	2	4	4	10	4	1	15	30	7	46	2	19
50	8	3	35	61	5	24	6	17	2	10	4	9	38	42	115	20
47	9	2	55	69	5	53	7	21	4	9	6	6	30	34	4	100	21
426	95	38	453	801	108	707	63	373	64	56	601	17	48	450	364	62	1,203	26	22
419	95	38	437	764	102	671	62	366	61	56	584	15	44	438	353	61	1,172	25	23
7	16	37	6	36	1	7	17	2	4	12	11	1	31	1	24
11	4	1	12	34	11	33	3	34	1	21	5	28	11	38	25
24	5	3	29	22	7	26	1	8	2	24	17	9	2	39	1	26
10	1	19	53	3	32	1	17	1	1	4	4	155	27
10	6	12	5	14	10	1	1	9	8	9	1	20	28
23	23	27	5	15	1	4	10	2	10	8	5	39	29
25	5	3	33	56	4	27	19	3	1	35	1	26	14	2	49	30
24	5	3	26	48	4	22	16	3	1	31	23	13	2	44	31
1	7	8	3	3	4	1	3	3	1	5	32
44	15	5	69	88	12	75	4	38	8	17	76	1	3	46	46	2	112	3	33
227	47	21	220	411	46	396	37	176	41	32	327	11	29	227	221	40	587	18	34
18	6	1	9	24	1	7	7	7	1	20	5	12	35	35
13	1	1	11	16	5	24	10	20	2	23	27	9	2	37	36
21	10	3	22	58	9	58	6	57	9	2	39	4	5	55	21	4	92	37
35	1	4	96	159	9	132	13	90	12	6	209	5	20	152	76	3	384	23	38
23	1	2	37	40	3	28	2	26	7	2	65	1	6	41	25	2	111	1	39
12	2	59	119	6	104	11	64	5	4	144	4	14	111	51	1	273	22	40
289	42	51	280	598	49	583	98	241	131	75	527	38	47	300	540	63	1,509	175	41
209	36	28	168	275	21	250	49	145	98	43	280	18	30	213	277	45	761	58	42
80	6	23	112	323	28	333	49	96	38	32	247	20	17	87	263	18	748	117	43
40	7	3	52	72	10	73	13	34	16	12	55	7	6	42	87	7	252	26	44
32	6	2	32	34	5	31	9	21	10	4	36	3	4	29	45	5	125	7	45
8	1	1	20	38	5	42	4	13	6	2	19	4	2	13	42	2	127	19	46
8	3	1	6	22	2	23	3	17	4	1	22	1	2	20	22	1	57	27	47
4	3	1	5	10	1	8	11	15	14	8	1	35	2	48
4	1	12	1	15	2	6	1	7	6	14	22	49
29	4	13	24	65	6	65	14	26	11	1	50	6	10	36	64	10	153	22	50
19	4	7	17	38	5	49	8	16	10	8	32	4	9	24	50	6	113	12	51
114	15	20	87	192	21	223	6	10	1	1	18	2	1	12	14	4	40	10	52
86	11	9	60	90	5	72	16	42	33	20	255	15	17	99	245	27	668	81	53
28	4	11	37	102	16	151	25	44	22	15	133	10	8	73	108	20	273	29	54
98	13	14	111	247	10	199	27	78	45	23	145	9	12	26	137	7	390	52	55
68	12	9	64	103	5	90	14	53	36	14	75	6	6	103	122	18	379	19	56
30	1	5	47	144	5	109	13	25	9	9	70	3	6	30	56	5	169	11	58
181	21	24	109	217	77	303	63	501	29	34	306	21	30	223	264	77	1,011	50	59
170	21	21	94	189	72	248	53	479	26	30	250	18	26	210	232	74	845	45	60
11	3	15	28	5	55	10	22	3	4	56	3	4	13	32	3	166	5	61
48	2	5	25	53	27	108	17	169	8	12	48	8	9	66	91	18	315	7	62
48	2	5	23	51	27	98	5	169	8	10	46	8	9	66	86	17	304	7	63
52	5	9	28	45	5	53	14	35	3	4	117	3	7	28	65	24	163	1	64
45	5	6	21	32	5	31	6	24	3	4	84	2	5	18	52	22	97	65
7	3	3	7	13	22	8	11	33	1	2	5	13	2	71	66
81	14	10	56	119	45	147	32	297	18	18	141	10	14	134	108	35	528	42	68
77	14	10	50	106	40	119	30	286	15	16	120	8	12	126	94	35	444	38	69
4	6	13	5	28	2	11	3	2	21	2	2	8	14	84	4	70

* Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
UTAH.															
1	Registration cities (total).....	1,476	15			5	7	7	18	5	6	68	4	15	12
2	White.....	1,440	14			5	7	7	18	5	6	64	4	14	12
3	Colored.....	36	1									4		1	
4	Ogden.....	343	4				4	1	4	2	3	15		3	4
5	Salt Lake City.....	1,133	11			6	3	6	14	3	3	53	4	12	8
VERMONT.															
6	Registration cities (total).....	826	8				2	6	8	2	1	61	7	12	1
7	White.....	825	8				2	6	8	2	1	61	7	12	1
8	Colored.....	1													
9	Barre.....	135	3				1		1	1	1	34	2		
10	Burlington.....	433	4				5	6	6			18	4	10	1
11	Rutland.....	258	1				1	1	1	1		9	1	2	
VIRGINIA.															
12	Registration cities (total).....	7,908	113	35	5	11	11	161	41	66	14	771	53	87	38
13	White.....	3,921	74	7		8	11	50	28	30	13	300	41	46	19
14	Colored.....	3,987	39	28	5	3		111	13	36	1	471	12	41	19
15	Alexandria (total).....	305	9					2		2	1	30	3	4	3
16	White.....	180	7					1			1	12	2	3	2
17	Colored.....	125	2					1		2		18	1	1	1
18	Danville (total).....	387	11	2		1		10	5		1	43	1	4	1
19	White.....	226	10	2				7	4			24	1	2	1
20	Colored.....	161	1			1		3	1		1	19	1	2	
21	Lynchburg (total).....	599	13		1		3	3	5	2	1	52	10	7	1
22	White.....	324	11				3	1	4	2	1	21	9	4	
23	Colored.....	275	2		1			2	1			31	1	3	1
24	Newport News (total).....	318	4	4				1	2	2		45		3	1
25	White.....	139	3	2				2	2			16		3	1
26	Colored.....	179	1	2				6				29		3	
27	Norfolk (total).....	1,693	31	14	4	5	2	36	8	6	4	159	10	24	4
28	White.....	717	16	2		3	2	14	6	6	4	54	7	10	1
29	Colored.....	976	15	12	4	2		22	2			105	3	14	3
30	Petersburg (total).....	605	8	5				19		12		66	4	6	3
31	White.....	225	8					3				29	4	2	1
32	Colored.....	380		5				16		12		37		4	2
33	Portsmouth (total).....	500	6	9		2	1	5	2	7	2	45	1	4	3
34	White.....	230	1	1		1	1	2	2	2	2	20	1	1	2
35	Colored.....	270	5	8				3	5	5		25		3	1
36	Richmond (total).....	2,658	19	1		1	2	69	4	25	2	254	17	25	17
37	White.....	1,298	8			1	2	18	3	15	2	85	15	16	8
38	Colored.....	1,360	11	1				51	1	10		169	2	9	9
39	Roanoke (total).....	616	6			2	2	9	17	4		60	7	8	3
40	White.....	396	5			2	2	4	9	3		26	3	7	2
41	Colored.....	220	1					5	8	1		34	4	1	1
42	Staunton (total).....	227	6					1		6	3	17		2	2
43	White.....	186	5				1				3	13		1	1
44	Colored.....	41	1							6		4		1	1
WASHINGTON.															
45	Registration cities (total).....	5,633	63	1	2	13	8	20	20	16	12	470	72	75	38
46	White.....	5,438	60	1	2	13	8	20	20	14	12	453	59	65	37
47	Colored.....	195	3							2		17	13	10	1
48	Aberdeen.....	137	2					5	2	1		11	1	3	2
49	Bellingham.....	256	3					1	1			25	2	2	2
50	Everett.....	265	4			2		2	2	3		23	7	6	2
51	North Yakima.....	169	2					1	1			13	4		1
52	Seattle.....	2,537	22	1	1	1	3	10	7	5	8	209	42	27	9
53	Spokane.....	1,170	17			9	2	5	5	4	2	73	5	19	15
54	Tacoma.....	914	8				3	1	2	1	1	107	11	17	7
55	Walla Walla.....	185	5		1	1		1		1	1	9		1	
WEST VIRGINIA. ¹															
56	Wheeling (total).....	687	31			4	1	3	10	5		42	1	6	
57	White.....	659	27			4	1	3	10	5		38	1	6	
58	Colored ²	28	4									4			
WISCONSIN.															
59	Registration cities (total).....	10,202	92		1	71	145	35	184	44	40	731	79	94	47
60	White.....	10,166	91		1	70	145	35	184	44	40	729	78	93	47
61	Colored.....	36	1			1						2	1	1	
62	Appleton.....	248	2			4			1	2		15	3	2	
63	Ashland.....	160	6								1	17	3	2	1
64	Beloit.....	214	1					8		5		5	1	4	2
65	Eau Claire.....	300	5				3	2	2	1		25	3	2	
66	Fond du Lac.....	274	2			2				1		20	1	3	1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

DEATHS FROM PRINCIPAL CAUSES.

329

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Undefined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
93	19	14	69	122	15	141	16	45	46	9	16	121	8	13	105	136	33	253	40
88	19	13	69	119	15	139	16	43	46	9	16	119	8	13	103	134	31	245	39
5		1		3		2		2				2			2	2	2	8	1
22	3	6	15	38	6	32	4	10	9	2	7	17	1	7	27	29	8	59	1
71	16	8	54	84	9	109	12	35	37	7	9	104	7	6	78	107	25	194	39
73	12	9	65	85	15	73	8	51	10	6	7	51	6	8	53	33	7	145	1
72	12	9	65	85	15	73	8	51	10	6	7	51	6	8	53	33	7	145	1
1																			
5		2	10	9	3	10	1	3	3	2		5	1	3	13	8	1	13	
35	6	6	22	47	10	41	3	37	5	2	3	25	4	2	33	13	5	85	1
33	6	1	33	29	2	22	4	11	2	2	4	21	1	3	7	12	1	47	
304	52	45	480	695	94	689	118	409	78	86	72	636	69	66	497	537	60	1,394	121
216	40	22	283	347	20	234	30	193	55	39	47	344	27	36	276	264	56	748	38
88	12	23	227	348	65	455	88	216	23	47	25	292	42	30	221	273	4	646	83
16	3	1	16	22	2	34	3	12	2	5	2	28			17	21	1	49	17
14	2	1	8	19	1	15	2	6	2	5	2	17			14	15	1	28	2
2	1		8	3	1	19	3	6	7	3	3	11			3	6		21	15
19		4	14	33	9	32	4	15	7	3	3	26	4	5	20	19	4	87	18
14		3	18	13	4	13	1	8	7			13	4	3	13	8	4	53	19
5		1	9	15	5	19	3	7		3	3	13		2	7	11		34	20
27	7	8	52	56	7	34	7	50	2	10	4	29	5	5	45	26	6	112	9
20	7	5	24	21	1	16	1	27	2	7	4	17	1	3	31	15	5	57	4
7		3	28	35	6	18	6	23	3	3	3	12	4	2	14	11	1	55	5
4	4	3	16	25	3	18	3	25	4	1	1	20	1	3	25	25	4	52	13
5	2	2	7	9		8	1	12	1	1	1	11		2	14	13	3	20	4
1	2	2	9	16	3	10	2	13	3	1	1	9	1	1	11	12	1	32	9
46	16	8	92	159	24	158	19	85	16	23	15	130	18	10	89	131	21	317	9
33	13	5	47	67	6	35	3	28	10	8	11	55	8	4	41	60	21	133	4
13	3	3	45	92	18	123	16	57	6	15	4	75	10	6	48	71		184	5
20	4	1	41	41	6	57	7	49	4	5	5	70	5	8	40	41	4	72	2
11	1		16	16	2	9		15	4	2	2	38	1	1	15	10	4	30	1
9	3		25	25	4	48	7	34	3	3	3	32	4	7	25	31		42	1
18	1	1	43	43	7	37	10	24	3	4	3	42	3	5	25	26	2	98	13
11			19	24	3	13	2	13	2	1	2	25	1	3	11	12	1	49	4
7	1	1	24	24	4	24	8	11	1	3	1	17	2	2	14	14	1	49	9
127	14	15	172	244	28	245	62	101	27	23	35	230	27	20	168	196	14	428	46
89	12	6	99	124	8	77	20	51	14	9	21	128	10	11	93	91	14	237	11
38	2	9	73	120	20	168	42	50	13	14	14	102	17	9	75	105		191	35
20	1	4	21	33	8	54	3	47	11	10	4	35	6	7	59	44	3	117	11
15	1	1	12	21	4	32	2	32	11	6	4	23	2	7	38	33	2	80	7
5		3	9	12	4	22	1	15	4	4	4	12	4		21	11	1	37	4
6	2		13	34		20		1	2	2	2	26		3	9	8	1	62	1
5	2		12	28		16		1	2	1	1	17		2	6	7	1	61	1
1			1	6		4				1		9		1	3	1		1	44
499	79	38	316	570	38	359	55	101	89	61	56	422	41	49	319	491	171	1,044	25
497	79	36	309	556	37	343	53	99	87	58	51	407	40	48	306	470	165	1,009	24
2		2	7	14	1	16	2	2	2	3	5	15	1	1	13	21	6	35	1
10	1	1	3	10	1	5	3	2	3	1	1	3		1	8	30	6	20	1
21	3	2	19	34	3	16	1	1	3	4	2	18		4	16	15	2	52	1
19	3	1	13	27	2	12	2	4	4	1	4	11	2	2	17	36	5	45	4
20	1	1	4	18	1	5	4	9	4	2	2	11	3	4	14	12	3	28	1
221	43	17	136	278	20	169	24	35	36	25	28	194	17	18	131	216	39	491	4
102	14	7	80	99	5	83	7	28	20	19	10	105	11	10	76	88	89	215	1
84	12	7	44	95	6	63	9	12	11	9	7	74	7	9	48	80	25	141	12
22	2	2	17	9		6	5	8	7		2	6	1	1	9	14	1	52	1
46	6	10	17	57	9	48	21	26	12	10	7	54	7	8	47	61	12	123	3
45	6	10	16	53	9	43	21	24	12	10	7	51	7	8	47	59	11	122	3
1			1	4		5		2				3			2	2	1	1	58
712	146	83	552	846	177	951	112	429	199	116	127	601	60	71	796	605	163	1,869	24
710	146	82	552	842	177	945	111	429	198	115	125	597	60	71	795	602	162	1,865	24
2		1	4	4		6	1		1	1	1	4			1	3	1	4	4
21	3	2	12	19	1	26	5	4	9	4	3	15	1	1	7	20	3	61	1
10	3	3	11	12	1	19	1	3	2	2	2	14	1	1	10	10	2	23	3
15	6	1	13	15	6	17	4	4	9	5	3	12		1	19	16	1	44	4
25	3	3	22	30	1	28	1	8	7	8	2	18	2	5	18	15	2	58	5
26	6	1	17	34	2	17	4	2	8	3	4	24	3	3	19	8	2	60	1

* Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
REGISTRATION CITIES—Contd.															
WISCONSIN—continued.															
1	Green Bay.....	484	7		14	6	2	1	2	3	23	11	9	1	
2	Janesville.....	189									11	1	3	1	
3	Kenosha.....	234	1						1		17	1	3		
4	La Crosse.....	428	3	1				1	6	4	34	5	5	1	
5	Madison.....	373	3			2			7	3	18	6	3		
6	Manitowoc.....	189	4			1	5	4			13		1		
7	Marinette.....	123	1						2		11	2	1	1	
8	Milwaukee.....	4,959	34			38	95	14	140	15	391	23	28	24	
9	Oshkosh.....	413	7			1		1	8	3	30	5	3	2	
10	Racine.....	527	10			1	13		1	3	3	6	2	3	
11	Sheboygan.....	368	4			1	3	2	1	3	20	4	3	5	
12	Superior.....	480	9			1	14	2	5	1	27	3	14	3	
13	Wausau.....	239					2	1	1	4	15	1	3	2	
RURAL PART OF REGISTRATION STATES. ¹															
CALIFORNIA.															
14	Total.....	15,819	182	40	1	53	59	142	93	82	2,048	93	159	69	
15	White.....	15,002	176	39	1	50	59	140	92	78	1,893	87	146	66	
16	Colored.....	817	6	1		3		2	1	4	155	6	13	3	
17	Alameda County.....	711	8			3		10	4	1	119	5	5	1	
18	Alpine County (total).....	2													
19	White.....	2													
20	Colored.....														
21	Amador County.....	136	3	1		2		2	1		24		1	1	
22	Butte County (total).....	340	3	2		4	4	3	3	1	30	2	3	1	
23	White.....	309	3	2		4	4	3	3		24	2	3	1	
24	Colored.....	31									6				
25	Calaveras County.....	92	1					1		1	8	1	1	1	
26	Colusa County (total).....	85	6					3		3	10		1		
27	White.....	76	5					3		3	8		1		
28	Colored.....	9	1								2				
29	Contra Costa County (total).....	385	9	2		10	3	4	8		36	2	1	3	
30	White.....	381	9	2		10	3	4	8		35	2	1	3	
31	Colored.....	4									1				
32	Del Norte County (total).....	18									5				
33	White.....	13									3				
34	Colored.....	5									2				
35	Eldorado County.....	109	1					3		4	13		1		
36	Fresno County (total).....	659	9	4		2	16	9	6		100	5	6	3	
37	White.....	606	9	4		2	16	9	6		91	5	6	2	
38	Colored.....	53									9			1	
39	Glenn County.....	69	2	2				1			2				
40	Humboldt County (total).....	209	2			2		3	5	2	13	1	4		
41	White.....	193	2			2		3	5	1	7	1	3		
42	Colored.....	16									6		1		
43	Imperial County (total).....	320	16			3		10	3	1	39	3	5		
44	White.....	295	15			3		10	3	1	37	3	5		
45	Colored.....	25	1								2				
46	Inyo County (total).....	41	2							1	5				
47	White.....	39	2							1	5				
48	Colored.....	2													
49	Kern County.....	182	2	3				3	2		16				
50	Kings County (total).....	192	4	1				4		1	22	1	5	1	
51	White.....	175	4	1				4		1	16	1	5	1	
52	Colored.....	17									6				
53	Lake County (total).....	58					1				6		1		
54	White.....	51					1				3				
55	Colored.....	7									3		1		
56	Lassen County (total).....	66	1	1							3		3		
57	White.....	64	1	1							2		3		
58	Colored.....	2									1				
59	Los Angeles County.....	2,367	12			4	3	7	21	10	445	16	16	11	
60	Madera County (total).....	85									8			1	
61	White.....	82									7			1	
62	Colored.....	3									1				
63	Marin County.....	289				1		1	1	3	44	2	3		
64	Mariposa County (total).....	33	2							1	4				
65	White.....	31	2							1	3				
66	Colored.....	2									1				
67	Mendocino County (total).....	328	4			1	1	6	1	2	40		6		
68	White.....	315	4			1	1	6	1	2	39		6		
69	Colored.....	13									1		6		
70	Merced County.....	181	2	1			1	3			21		4	2	
71	Modoc County (total).....	69					4	2		1	3				
72	White.....	61					4	2		1	1				
73	Colored.....	8									2				

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
36	4	1	24	31	2	40	4	19	14	2	6	29	3	3	55	28	7	96	1
20			9	24	1	11	3	3	2	1	2	7	1	1	9	15	5	56	2
16		6	15	23	1	29	1	11	3	2	3	10	3	3	25	14	5	38	3
36	6	2	33	35	6	32	3	6	11	11	3	16	8	4	20	24	1	107	3
29	10	3	20	30	6	27	6	7	7	10	5	25	3	3	21	37	4	78	4
17	5	2	9	13	5	4	5	5	6	2	3	8	3	1	11	8	3	50	1
11	1	1	12	17	1	10	3	3	3	1	1	7	28	40	7	5	24	7	
291	81	31	258	388	123	495	53	289	78	45	73	293	28	40	422	248	89	815	6
38	5	1	22	39	7	35	4	7	7	10	4	23	1	3	30	23	6	84	1
44	3	5	21	47	8	60	5	19	11	3	3	37	3	1	39	38	9	93	10
35	6	9	25	29	3	29	4	17	9	3	6	22	3	1	24	17	10	64	11
26	3	4	16	40	1	53	5	14	8	6	1	29	2	2	39	63	9	74	12
16	2	8	13	20	2	19	4	3	9	5	5	12	1	1	21	16	4	46	13
947	201	128	1,025	1,861	141	1,090	154	410	111	127	135	1,027	56	104	576	1,596	313	2,727	50
929	200	119	1,004	1,800	131	1,009	143	367	103	112	130	986	51	96	538	1,498	282	2,610	48
18	1	9	21	61	10	81	11	43	8	15	5	41	5	8	38	98	31	117	16
39	6	3	47	120	2	70	22	16	2	6	3	51	1	1	15	46	14	88	2
			1	1													1		17
																			18
																			19
																			20
7	1	3	9	13		10	2	6		1	1	12			4	14	4	13	21
23	4	4	29	37	2	26	1	5	4	1	5	23	3	1	12	43	5	53	22
23	4	4	26	34	2	23	1	5	4	1	4	21	3	1	11	37	4	48	23
			3	3		3		2			1	2			1	6	1	5	24
2		1	16	16	3	5	3	2		2		1	1		1	9	3	18	25
3	3		7	7		4	1	1			1	9			2	6	1	17	26
3	3		7	6		4	1	1			1	9			1	5		15	27
			1	1											1	1		2	28
18	3	2	21	44	1	42	4	5		1	4	17	2	2	19	58	6	54	29
18	3	2	21	44	1	42	4	5		1	4	17	2	2	19	58	6	53	30
															2	2		1	31
2			1	2				1				1		1		2		3	32
2			1	2								1		1		1		2	33
								1								1		1	34
10	1		7	19	1	5			1	1	1	10			10		19	2	35
40	6	7	33	46	2	45	3	46	4	7	4	45	4	7	30	64	16	82	36
38	6	7	32	43	2	42	2	41	3	6	4	39	3	5	27	58	15	76	37
2			1	2		2		5	1	1		6	1	2	3	6	1	6	38
4		1	6	12	1	6	3	1			1	6			4	6		10	39
13	3	5	15	25		10		3	1	2	1	11	1		21	33	3	26	40
13	3	5	15	25		7		3	1	2	1	10	1		21	33	3	22	41
						3		1				1						4	42
5		2	7	26	1	18	1	29	1	2		10	2	1	19	67	9	38	43
5		2	7	23	1	18	1	28	1	2		10	1	1	16	60	8	32	44
			3	3				1					1		3	7	1	6	45
2		1	2	1		3			1			3		1	2	10		3	46
2		1	2	1		3			1			3		1	2	9		2	47
																1		1	48
4	1	1	5	18	1	12		6	3	2	1	3	2	2	11	50	7	25	49
12	6	1	11	16	1	13	2	10	6	4	2	11		1	8	14	5	29	50
11	6	1	10	15	1	12	2	8	6	3	2	10		1	7	14	5	27	51
1			1	1		1		2		1		1			1			2	52
5	1		4	9	1	3	1	1	1		2	3		1	2	7		8	53
5			4	9	1	2	1	1			2	2		1	2	7		8	54
						1						1						8	55
4		1	1	9	2	6	1		1			3		2	1	15	3	8	56
3		1	1	9	2	6	1		1			3		2	1	15	3	8	57
161	35	10	166	305	22	150	23	51	8	12	13	170	3	16	96	181	33	364	2
5	1	1	5	9	1	12	1	3	1	1	1	6		1	2	11	3	13	60
5	1	1	5	9	1	12	1	3	1	1	1	6		1	2	9	3	13	61
																2			62
14	4	1	20	45	1	19	1	3	1		7	15	1	1	18	25	13	45	63
1			2	3		1						1	1			11	2	4	64
1			2	3		1						1	1			10	2	4	65
																1			66
10	6		25	28	4	27	2	4	1	2	6	29	3	1	10	39	6	63	67
10	6		24	28	3	23	2	4	1	2	6	27	3	1	10	39	6	59	68
			1	1		4						2						4	69
11	2	1	10	17		12	5	2	5	3	3	6		4	4	25	1	36	70
2	1		9	3	1	7			3	2	1	3		1	9	9		11	71
2	1		9	2	1	7			1	2	1	3		1	9	9		8	72
				1		7			2						6			3	73

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
CALIFORNIA—continued.															
1	Mono County (total).....	5									1				
2	White.....	5									1				
3	Colored.....														
4	Monterey County (total).....	283	1			2		6			25	1	5	1	
5	White.....	258				2		6			22	1	4	1	
6	Colored.....	25	1								3		1		
7	Napa County.....	496	1					2	5		62		2	4	
8	Nevada County.....	223		2		1		1	3		20		2	4	
9	Orange County.....	608	13					5	1	10	63	11	8	4	
10	Placer County (total).....	223						1	2		50		3	1	
11	White.....	204						1	2		47		2	1	
12	Colored.....	19									3		1		
13	Plumas County (total).....	44		1						1			1	1	
14	White.....	40		1						1			1	1	
15	Colored.....	4													
16	Riverside County (total).....	221	1					3	3		58		5	1	
17	White.....	214	1					3	3	1	58		5	1	
18	Colored.....	7													
19	Sacramento County (total).....	160	1	1				1			19				
20	White.....	124	1	1				1			12				
21	Colored.....	36									7				
22	San Benito County.....	115	1					2			18	1	3	1	
23	San Bernardino County (total).....	676	4			1	5	3	1		116	6	6		
24	White.....	662	4			1	5	3	1		109	6	6		
25	Colored.....	14									7				
26	San Diego County (total).....	364						2	1		54	1	4	1	
27	White.....	345						2	1		48	1	4	1	
28	Colored.....	19									6				
29	San Joaquin County (total).....	475	9			1		1	2	1	60	6	6	1	
30	White.....	422	8						2	1	49	6	4	1	
31	Colored.....	53	1			1		1			11		2		
32	San Luis Obispo County.....	218	3					1		3	17		3		
33	San Mateo County.....	341	2			1		9	2	1	35	6	3	2	
34	Santa Barbara County (total).....	136	2					1	1		14	1			
35	White.....	127	2					1	1		12	1			
36	Colored.....	9									2				
37	Santa Clara County (total).....	1,018	8	2		6		8	4	3	121	9	8	6	
38	White.....	976	8	2		6		8	4	3	117	9	6	6	
39	Colored.....	42									4		2		
40	Santa Cruz County (total).....	195	1			1				1	18	1	1		
41	White.....	173	1							1	18	1	1		
42	Colored.....	22				1									
43	Shasta County (total).....	217	2	8		1		4	2	1	18		1	2	
44	White.....	201	2	7		1		4	2	1	14		1	2	
45	Colored.....	16		1							4				
46	Sierra County.....	42				1		1			1		1	1	
47	Siskiyou County (total).....	213	3	1				3		4	23		2	3	
48	White.....	196	3	1				3		4	20		2	3	
49	Colored.....	17									3				
50	Solano County (total).....	183	3					2			17		2	1	
51	White.....	171	3					2			15		2	1	
52	Colored.....	12									2				
53	Sonoma County.....	654	10	2			1		3	3	56	7	9	5	
54	Stanislaus County.....	316	4		1	4	2	3	1		26		2		
55	Sutter County (total).....	69		1							7				
56	White.....	69		1							7				
57	Colored.....														
58	Tehama County (total).....	146	4			1					19		1	1	
59	White.....	136	4			1					14		1	1	
60	Colored.....	10									5				
61	Trinity County (total).....	43	1								3				
62	White.....	38	1								2				
63	Colored.....	5									1				
64	Tulare County.....	419	6	3			9	4	4	3	45	2	8	1	
65	Tuolumne County.....	104	1							4	11				
66	Ventura County (total).....	259	2	1				2	1		28	1	2	1	
67	White.....	249	2	1				2	1		26	1	2	1	
68	Colored.....	10									2				
69	Yolo County (total).....	193	6			1	1	1	3		15	1	2	1	
70	White.....	175	6			1	1	1	3		12		2	1	
71	Colored.....	18									3	1			
72	Yuba County (total).....	134	4	1							12		3	1	
73	White.....	114	4	1							9		3	1	
74	Colored.....	20									3				

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
COLORADO.															
1	Total.....	5,742	120	1	66	67	62	45	34	16	703	28	37	34	
2	White.....	5,669	120	1	66	67	61	45	34	16	694	28	36	33	
3	Colored.....	73					1				9	1	1	1	
4	Adams County.....	68	1	1							16				
5	Alamosa County.....	60	1			5	1				4			1	
6	Arapahoe County.....	122	1			3		1			36	1		1	
7	Archuleta County.....	37	1								2				
8	Baca County.....	5													
9	Bent County.....	116	2		7		2				42				
10	Boulder County.....	372	10		2	1	4	1		1	53	2	2	3	
11	Chaffee County.....	117							1		6			2	
12	Cheyenne County.....	17	1								2			2	
13	Clear Creek County.....	52									1		1		
14	Conejos County.....	28	2								3		1		
15	Costilla County.....	43			2	7		6			3		1		
16	Crowley County.....	53	4			1	1		1		5				
17	Custer County.....	19				1					1				
18	Delta County.....	109	3						3		8		1	2	
19	Dolores County.....	12					1		1		1				
20	Douglas County.....	24						1	1		3			1	
21	Eagle County.....	8	1											1	
22	El Paso County.....	247			1	1		1		1	91	1	2	1	
23	Elbert County.....	26							1		1		2		
24	Fremont County.....	245	6		9		7		1		33	2	1	2	
25	Garfield County.....	102	1				2		1		9	2			
26	Gilpin County.....	30	1								2				
27	Grand County.....	8									1		1		
28	Gunnison County.....	59				1	1				1	1			
29	Hinsdale County.....	8	1												
30	Huerfano County.....	200	6		11	4	2	1		1	14	2	1	1	
31	Jackson County.....	10													
32	Jefferson County.....	233	1				1		3		115	1			
33	Kiowa County.....	9	1								1				
34	Kit Carson County.....	39	2								3		1	2	
35	La Plata County.....	136	2								5	1		4	
36	Lake County.....	153	1			1	5			1	1		1	1	
37	Larimer County.....	241	9		2	3	5	3	4		16	2	2	1	
38	Las Animas County.....	363	8		12	3	7	2	2		19	2	2	1	
39	Lincoln County.....	27	1								5		1		
40	Logan County.....	86						1			3				
41	Mesa County.....	193				2	1	1	3	1	21		3	1	
42	Mineral County.....	10									1				
43	Moñat County.....	21	1										1		
44	Montezuma County (total).....	48	1					1			2	1			
45	White.....	48	1					1			2	1			
46	Colored.....														
47	Montrose County.....	67	1		2			1			2				
48	Morgan County.....	95	1			2		2	1	2	24				
49	Otero County.....	302	4		8		5	4	4		45	2	2		
50	Oury County.....	29	1								4				
51	Park County.....	22							1						
52	Phillips County.....	14													
53	Pitkin County.....	43	1					1			4				
54	Prowers County.....	101	10		3	1		2		1	13		1	1	
55	Pueblo County.....	350	4		3		5	2	1	2	21	2	3	2	
56	Rio Blanco County.....	22	1			1					2				
57	Rio Grande County (total).....	25									1				
58	White.....	25						1			1				
59	Colored.....														
60	Routt County.....	77				1	2				2		1	1	
61	Saguache County.....	33									3				
62	San Juan County.....	39	2								5				
63	San Miguel County.....	63	3		1	2	6	1			3				
64	Sedgwick County.....	16			1						2				
65	Summit County.....	25							1		3				
66	Teller County.....	183	2			2		9		2	1	1		1	
67	Washington County.....	43	1				1		1		4			2	
68	Weld County.....	356	13		2	26	4	3		2	32	4	4	4	
69	Yuma County.....	51	2				2	2	1	1	3	1			
CONNECTICUT.															
70	Total.....	5,605	20	1	13	15	41	53	85	9	565	23	31	24	
71	White.....	5,515	18	1	13	15	38	53	84	9	543	22	29	24	
72	Colored.....	90	2				3		1		22	1	2		

Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Hern- ia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
237 236 1	56 55 1	58 58	200 199 1	391 383 8	36 36	581 577 4	81 81	244 241 3	73 73	47 47	31 30 1	356 352 4	44 44	33 33	429 425 4	621 602 19	91 90 1	916 902 14	4 4	1 2 3
3 3 4	2 1	1 2	4 6 1	2 12 1		8 7 10 4		3 1 1 5	1 1		1	6 5 6 5			3 3 9 5 1	7 1 6 5 1	2 1 3	8 14 17 7 3	4 5 6 7 8	
2 25 6 1 1	2 2 2	1 4	2 21 4 3 6	6 32 10 7	5	11 29 8	1 4 2	5 9 4	1 5 2		1 1 3	4 28 16 2 2	2 2 1	1 1	5 23 5 3 2	5 33 9 1 11	2 3 5	15 62 26 3 5	9 10 11 12 13	
			1	1	1	8 7 3 3 15		5 1 4 1 1	1	1	1	1 3 3 3 10		1 1	1 2 7 12	2 2 3 3 2 8	1 1 1 1 2	3 4 9 1 20	14 15 16 17 18	
3 15 1		1	3 12 3	1 14 3	2	2 13 3	2 6	1 5	1 1	1	1	2 21 1		1 1		3 12 2	1 4 2	3 36 4	19 20 21 22 23	
7 4 1	2 2	2	15 4	23 8 5 1 7	2	23 9	3 1 5	8 1	3 2	3 1	2	16 11 1 1 2		1 1	13 5 2 1 2	19 11 7 2 9	3 1 2	42 25 4 1 13	24 25 26 27 28	
2 5		5		7	2	24 1	1	18 1	2 3	1 1	3	8		2 1	28 1	2 35 2		2 15	29 30	
7			7	9 2		16	4	1 1	3	1	2	11 1		1 1	9	14 1	4	28 3	31 32 33	
2 6 4 18 10	2 1 5 1	2 3 8	1 9 3 8 3	3 11 11 16 11	1 5 4	3 19 15 26 56	3 1 2 3	1 2 8 10 26	2 4 2 2	1 1 2 2	1 2 2 1	3 10 10 12 5	1 5 5	1 1 7	3 12 28 18	6 18 18 17 105	1 4 3 3 3	5 23 34 37 39	34 35 36 37 38	
1 14 2 1	1 4 1	3 1 1	1 3 6	1 12 3 3	2 3	7 15 2	7 1	2 7 4	1 4	1 1	2	5 12 21 2	2 2	2 2	1 10 15	1 6 19	2 2 4 1	4 12 32 3	39 40 41 42 43	
3 3		1 1	2 2	6 6		2 2		1 1	2 2			6 6	2 2	2 2	2 2	9 9		5 5	44 45	
5 6	2	1 1	1 2	7 8	1	7 8		4 3	5	2 1	1	2 3	2 1	2 1	8 8	4 8		11 13	46 47 48	
11 1 1 2 3	2	2 1	12	18 2 6 3 5		37 4 3 3 5	4 2	20 1	2 1	4 1	2	14 2 1 1 6	1 2	1 1	27 2	29 5 5	5	37 5 1 2 3	49 50 51 52 53	
7 13	3 6	1 2	1 12	3 24 4 2 2	1 1	10 34 4 1 1	2 2	8 16 2 1	3 6 2	1 1 1		6 20 1 1	1 1	3 1	6 17 1	8 36 3 2	1 2 1	6 112 5 10 10	54 55 56 57 58 59	
1 1			2	2 2 2		10 8 6 10	3 2 3	2 2	2 2	2 2		3 1 3 4	2 1 1	2 1	6 5 2 2 3	17 1 8 10	2 1 1 2	16 6 5 6 2	60 61 62 63 64	
1 8 1 19 5	1 5 1	1 3 2	1 9 13 1	4 10 19 5		5 33 1 26 5	2	1 5 4 28 2	4 1	1 3	1	2 13 1 14 2	2 2 2	1 1	11 5 49 5	2 29 2 27 2	2 2 1 4 1	1 33 8 58 8	65 66 67 68 69	
323 323	71 71	42 42	527 519 8	684 674 10	89 87 2	481 478 3	40 38 2	272 269 3	15 15	40 40	45 44 1	417 412 5	6 6	34 34	276 270 6	343 335 8	76 76	922 913 9	22 20 2	70 71 72

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
CONNECTICUT—continued.															
1	Fairfield County.....	882	1	1		5		8	11	7	140	8	5	2	
2	Hartford County.....	1,220	6			2	6	8	10	14	195	5	7	6	
3	Litchfield County.....	713				2		5	3	15	52	2	5	2	
4	Middlesex County.....	364	1				1	4	4	9	19		4	1	
5	New Haven County.....	816	3			2	7	7	12	11	62	6	4	4	
6	New London County.....	745	4			1		5	5	12	43	1	3	2	
7	Tolland County.....	341	2				1	4	2	12	18		1	2	
8	Windham County.....	524	3			1			6	5	36	1	2	5	
INDIANA.															
9	Total.....	23,028	355	52	6	100	76	212	234	202	2,256	133	259	106	
10	White.....	22,595	350	48	6	99	76	210	234	201	2,164	132	247	104	
11	Colored.....	433	5	4		1		2	1	1	92	1	12	2	
12	Adams County.....	211	11	1			2	1	2	4	19	1	2	3	
13	Allen County.....	298	2				3	2	6	1	22			4	
14	Bartholomew County.....	333	7	1		2		6	4	5	28	1	6	4	
15	Benton County.....	113	2					4			8	1	2	2	
16	Blackford County.....	193	2	1	1		1	1	1	5	14		2	1	
17	Boone County.....	299	3	1		1	2	2	3	3	29	3	4	1	
18	Brown County.....	86	1	1				7	5	1	9		1	1	
19	Carroll County.....	206	6	1		1		2	3	3	12	1	3	1	
20	Cass County.....	270	4				1	3	1	2	25		3	1	
21	Clark County (total).....	258	4	1		2		3	4	1	31	3	1	2	
22	White.....	242	4	1		2		2	4	1	27	3	1	2	
23	Colored.....	16						1			4				
24	Clay County.....	391	4	2		6	5	4	1	6	31		5	1	
25	Clinton County.....	340	6				3	2	5	2	24	1	2	1	
26	Crawford County.....	110	1			1	3	1	1	1	24	1	1		
27	Daviess County.....	295	3					3	7	1	43		2		
28	Dearborn County.....	276	3					1	2	2	29	5	1	1	
29	Decatur County.....	262	5			2		2	3	3	17	3	10	3	
30	Dekalb County.....	285	7					3		4	16	4	3	1	
31	Delaware County.....	308	4	2	1	1	2	1	1	1	28	2	8	1	
32	Dubois County.....	184	9	1				5	3	6	21			1	
33	Elkhart County.....	381	6			2		5	6	3	21			3	
34	Fayette County.....	171	1					1	1		20	1	1	2	
35	Floyd County.....	110	2						1	1	19		1		
36	Fountain County.....	238		1		1		1		3	19	1	2	3	
37	Franklin County.....	213	3					1	3		27			2	
38	Fulton County.....	218	1				1	1	1	1	17		1	2	
39	Gibson County.....	347	11	4		2		5	5	2	42	3	4	2	
40	Grant County (exclusive of) National Military Home.....	365	2			1			9	2	32	1	5	1	
41	Greene County.....	413	9	5	1	10	2	5	11	6	44	3	4	1	
42	Hamilton County.....	343	7	1	1		1	2	8	6	29	1	6	1	
43	Hancock County.....	233	5				1	3		2	19	1	2		
44	Harrison County.....	224	7				1		2	5	24		1	1	
45	Hendricks County.....	233	4			1	1	3	1	2	26	1	2	1	
46	Henry County.....	338	1			1	1		3	2	26	3	3	1	
47	Howard County.....	160	3						1	1	18	3	1	3	
48	Huntington County.....	183	5						2	2	7	2	1	1	
49	Jackson County.....	317	8			4	1	8	5	3	42	5	9	1	
50	Jasper County.....	131	1					2	2	2	10		3		
51	Jay County.....	279	3				1	2		3	28		3		
52	Jefferson County.....	374	7					1		2	44		2	1	
53	Jennings County.....	187	3					8	1	3	24	1	3	1	
54	Johnson County.....	255	4		1	1	1	2	5	5	25	1	1	2	
55	Knox County.....	283	12	1		2		6	2	1	31	1	5	2	
56	Kosciusko County.....	332	3			1	1	1	1	3	23	2	4	2	
57	Lagrange County.....	177	2					1	1	1	6	1	1	3	
58	Lake County.....	391	1			2	1	6	4	1	59	4	2	2	
59	Laporte County.....	171				1	2	3	4		14				
60	Lawrence County.....	421	7			7	15	7	9	1	53	12	7	2	
61	Madison County.....	361	2				2	3	11		42		4	1	
62	Marion County.....	451	2		1			2	5	2	56	2	15	2	
63	Marshall County.....	249	2					4	3	2	17	3	4	1	
64	Martin County.....	139	4	1		1		7	3	4	16	1	3	1	
65	Miami County.....	178	2							1	15	3			
66	Monroe County.....	325	6	1		6		1	2	1	40	2	8		
67	Montgomery County.....	371	3			1	4	2	2	2	32		4	2	
68	Morgan County.....	250	3	1				4	2	7	25	2	1	4	
69	Newton County.....	98	1						1		4			1	
70	Noble County.....	272				1	2			2	12		2	3	
71	Ohio County.....	53		1							3				
72	Orange County.....	186	12			6		5	2	1	23		3		
73	Owen County.....	136	5	1					1	5	15	3	2	1	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Hern- ia, intest- inal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- de- fined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
43	5	8	86	115	10	65	10	39	2	2	7	54	-----	6	38	53	10	141	-----	1
76	13	6	88	125	30	107	8	81	-----	10	10	73	-----	2	65	76	24	178	-----	2
41	13	5	75	71	8	66	6	28	3	10	6	54	1	7	24	45	10	124	5	3
21	4	2	47	52	6	28	1	11	-----	-----	4	43	2	3	18	15	2	61	1	4
48	10	4	65	89	13	76	7	49	2	3	8	60	3	5	47	76	9	111	6	5
46	12	6	80	118	9	60	5	24	2	4	1	63	-----	6	27	36	12	155	1	6
19	4	5	38	44	4	29	-----	15	2	2	3	28	-----	5	24	15	4	58	1	7
29	10	6	50	70	9	50	3	25	4	4	6	37	-----	-----	33	27	5	94	3	8
1,434	279	125	1,696	2,619	248	1,781	172	921	162	196	212	1,743	141	139	1,209	1,276	235	4,383	17	9
1,423	274	125	1,676	2,568	247	1,736	170	911	161	192	208	1,710	138	139	1,203	1,245	233	4,299	17	10
11	5	-----	20	51	1	45	2	10	-----	4	4	33	3	-----	6	31	2	84	-----	11
17	1	2	17	13	9	6	-----	4	1	-----	1	22	1	-----	13	16	1	41	-----	12
21	1	1	41	23	1	28	7	7	-----	3	4	27	1	-----	16	19	8	48	-----	13
25	2	6	23	42	6	24	4	8	4	4	4	8	2	1	17	18	3	66	-----	14
5	2	1	9	13	-----	11	2	1	-----	-----	-----	15	2	2	8	5	1	20	-----	15
15	1	1	16	27	1	9	1	10	1	1	2	15	1	2	18	9	-----	34	-----	16
11	3	4	27	44	4	22	2	6	2	6	2	21	1	3	11	11	5	61	-----	17
3	1	-----	4	13	-----	11	3	2	-----	-----	-----	5	-----	1	4	3	-----	13	-----	18
12	2	-----	23	27	2	18	3	2	-----	3	3	21	2	2	7	7	1	40	-----	19
9	4	1	21	31	2	21	1	7	-----	2	4	18	-----	1	8	20	3	76	-----	20
14	4	1	10	24	2	23	3	17	1	2	2	30	1	-----	19	11	1	41	-----	21
14	4	1	9	22	2	21	2	16	1	2	2	29	1	-----	19	10	1	39	-----	22
-----	-----	-----	1	2	-----	1	1	1	-----	-----	-----	1	-----	-----	2	1	-----	2	-----	23
24	5	4	18	32	3	38	9	23	1	4	2	40	3	2	23	17	7	71	-----	24
32	5	4	33	34	2	30	2	8	3	5	4	28	3	4	20	26	3	48	-----	25
3	1	1	5	27	1	6	5	6	2	1	4	3	1	-----	5	3	-----	13	-----	26
17	5	3	22	24	6	16	17	17	2	1	1	18	-----	-----	21	17	1	55	-----	27
18	2	1	22	43	2	30	8	10	3	3	3	16	1	1	14	11	5	52	-----	28
18	5	4	17	19	1	15	2	2	1	1	-----	25	1	-----	6	24	2	67	-----	29
23	8	1	24	33	3	11	3	7	7	4	6	18	3	1	14	18	4	59	-----	30
19	3	2	28	33	3	28	6	13	1	2	4	17	3	3	18	11	3	59	-----	31
6	1	2	6	15	4	12	3	6	3	3	2	13	2	1	11	11	-----	35	-----	32
42	6	2	38	49	3	28	1	6	2	3	2	27	4	5	23	23	3	69	-----	33
19	-----	2	18	22	2	13	-----	3	-----	1	4	7	1	2	15	5	3	30	-----	34
9	1	4	7	16	1	7	1	5	1	-----	-----	6	-----	-----	6	6	1	15	-----	35
16	4	4	18	37	2	13	4	10	-----	7	4	17	2	-----	13	12	3	41	-----	36
10	2	1	9	36	2	14	-----	6	-----	-----	-----	18	2	-----	15	11	-----	50	-----	37
13	5	-----	15	20	-----	19	3	9	-----	-----	-----	21	-----	1	10	14	3	54	-----	38
16	5	-----	15	41	6	18	1	24	5	4	6	22	5	7	19	15	2	55	-----	39
27	4	-----	28	42	12	33	1	12	1	2	7	28	4	1	27	20	6	55	-----	40
8	1	-----	23	36	2	8	-----	-----	1	-----	-----	20	-----	-----	3	3	-----	37	-----	41
16	3	2	14	34	1	38	3	36	6	3	4	23	5	3	28	18	4	73	-----	42
19	7	2	34	50	4	19	2	15	2	2	2	31	-----	-----	16	10	-----	61	-----	43
18	4	-----	15	27	-----	19	1	8	-----	1	2	27	-----	1	15	8	3	50	-----	44
15	2	-----	15	26	-----	15	3	9	-----	3	5	11	2	1	8	10	4	40	-----	45
10	3	2	20	29	3	23	-----	6	3	1	2	18	2	1	10	10	1	47	-----	46
14	7	1	24	37	4	29	2	21	8	4	4	33	-----	1	24	20	8	106	-----	47
10	1	1	6	17	2	16	-----	4	1	1	4	16	1	-----	7	10	-----	33	-----	48
11	1	-----	16	38	-----	17	-----	2	-----	1	-----	15	2	1	5	15	3	38	-----	49
13	3	1	17	30	6	35	1	17	4	4	2	14	1	3	16	15	3	46	-----	50
15	2	-----	6	8	2	9	-----	8	-----	3	1	16	-----	-----	8	5	2	25	-----	51
18	8	2	27	29	4	21	3	12	6	4	3	21	1	5	20	11	3	47	-----	52
31	2	2	27	36	3	17	3	6	2	1	9	35	3	1	4	25	6	103	-----	53
12	2	1	15	19	1	10	2	4	2	-----	-----	15	1	-----	9	14	2	34	-----	54
14	2	-----	21	22	-----	19	3	15	4	-----	1	20	1	3	17	9	1	55	-----	55
9	4	4	15	22	3	28	1	15	-----	4	2	11	2	3	25	22	7	42	-----	56
25	7	-----	23	49	5	19	2	4	3	1	2	28	1	3	18	28	2	66	-----	57
11	1	-----	27	29	3	5	3	4	4	4	2	8	2	1	4	9	-----	42	-----	58
25	2	1	17	42	13	32	-----	39	1	3	5	24	1	2	21	28	2	51	-----	59
13	5	1	9	27	4	17	1	4	1	3	1	18	1	-----	8	14	1	19	-----	60
15	3	1	25	46	3	35	1	28	2	-----	2	26	-----	3	31	19	4	57	-----	61
20	3	3	22	28	1	27	2	13	5	-----	2	30	3	6	27	19	3	80	-----	62
26	1	5	26	37	5	17	2	17	2	8	6	25	3	4	16	33	6	91	-----	63
25	1	-----	37	28	1	47	3	4	2	5	5	12	1	1	14	10	3	43	-----	64
4	1	1	7	15	-----	10	-----	13	1	1	3	5	2	2	8	3	1	22	-----	65
14	2	1	21	20	3	10	2	6	2	-----	1	8	-----	2	8	7	2	46	-----	66
22	4	3	21	37	1	27	2	18	3	2	1	22	3	-----	22	22	2	45	-----	67
27	3	-----	37	57	3	30	8	7	4	-----	5	23	2	-----	14	20	4	73	-----	68
11	8	2	22	37	1	28	1	7	-----	-----	-----	25	-----	3	10	11	3	34	-----	69
12	-----	-----	5	12	1	8	-----	7	-----	1	2	6	-----	1	6	1	3	25	-----	70
18	6	-----	41	30	2	14	1	5	-----	2	1	20	-----	1	18	14	3	63	-----	71
-----	-----	-----	4	6	-----	15	-----	2	-----	1	-----	9	-----	-----	5	6	-----	10	-----	72
6	2	2	11	22	3	7	1	1	1	-----	1	7	1	-----	12	8	1	31	-----	73
11	-----	-----	7	21	3	14	1	2	-----	-----	1	11	1	3	4	-----	-----	21	-----	74

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.														
INDIANA—Continued.														
1 Parke County.....	274	8					3	3	2		47	2	4	2
2 Perry County.....	201	6	2		5		2	4	4		25	1	1	3
3 Pike County.....	260	7	1		14	1	5	4	5	1	34	3	6	
4 Porter County.....	237	2					1	1		2	13	1		
5 Posey County.....	194	1	2			2	1	1	2		24	2	4	
6 Pulaski County.....	181	6	1			1	1		2	1	10	2	2	
7 Putnam County.....	234	2						3	1		33	2	3	1
8 Randolph County.....	375					1	1	5	3		39	5	4	1
9 Ripley County.....	241	7					4	2	4	1	21	2	2	2
10 Rush County.....	253	5						1	1		29	3	3	
11 St. Joseph County.....	222	4			1			3	1	1	21		3	1
12 Scott County.....	110	2			1		4		2	1	12	2	3	1
13 Shelby County.....	317	5						4	1		39	1	4	1
14 Spencer County.....	214	5	5				4	4	1	1	23	1	1	1
15 Starke County.....	125	1						1			4	1		
16 Steuben County.....	166	1						1	3		7	1	1	2
17 Sullivan County.....	382	13	1		3	3	8	4	3	1	27	3	4	
18 Switzerland County.....	133	1						1	1		19	2	1	2
19 Tippecanoe County.....	267	1	1		1		1	1	1	1	17			1
20 Tipton County.....	221	1					1	4			25	3	5	1
21 Union County.....	78	1						2			6	1	1	
22 Vanderburg County.....	292	1	1				2	1	1		81		3	
23 Vermilion County.....	320	1	2				3	2	4	1	27	1	4	
24 Vigo County.....	415	7	2		3	1	3	7	7	1	35	1	6	1
25 Wabash County.....	303	3				1	1	1	5		14	1	1	1
26 Warren County.....	122	1	2		1		2	1			4		2	1
27 Warrick County.....	273	7	1		3		6	3	6		29	2	7	1
28 Washington County.....	191	2			1	1	2	4	3	2	23	1	1	
29 Wayne County.....	377	5	1			1	2	1	1		20		4	
30 Wells County.....	194	2			1			1	2		24	1		2
31 White County.....	189	3	1			1			1		15		2	
32 Whitley County.....	179						3	6		2	18	2	1	
KANSAS.														
33 Total.....	12,906	257	28	8	53	14	120	129	126	27	587	21	75	76
34 White.....	12,456	245	27	8	51	13	113	127	120	26	527	19	68	74
35 Colored.....	450	12	1		2	1	7	2	6	1	60	2	7	2
36 Allen County.....	276	10		1	2		1	7	3	1	22	1	1	1
37 Anderson County.....	119	4	1		1			2	1	2	3			1
38 Atchison County.....	164	2						2			3	1		
39 Barber County.....	89	2					1	1	1		4			1
40 Barton County.....	195	6		1			4	2	3		5	1	1	
41 Bourbon County.....	96					1	3	1	1		8		1	
42 Brown County.....	202	7			1	1	1	3	2	2	6		1	
43 Butler County.....	200	4			1		4	3			7		1	
44 Chase County.....	73				1	1	4	2	1	1	7			
45 Chautauqua County.....	93	2	1					3	4		4		1	
46 Cherokee County.....	507	6	6		6		4	4	4	1	36	2	2	4
47 Cheyenne County.....	24	1							1		1			
48 Clark County.....	30				1						1			
49 Clay County.....	132	3					1	2	1		7		1	1
50 Cloud County.....	179	1						2	2		5		1	1
51 Coffey County.....	140	4	1	1			2		5		11		1	
52 Comanche County.....	38	1									2			
53 Cowley County.....	405	11	1				1	5	3		19	1	2	
54 Crawford County.....	412	18	2		1	1	9	14	5		11	1	2	4
55 Decatur County.....	51							1			2		1	
56 Dickinson County.....	202	4				1	1	2	1		14		1	2
57 Doniphan County.....	159	4					3	1	1	2	7			1
58 Douglas County.....	93						1	1	1		3		1	
59 Edwards County.....	59	1					1	1	1		3			1
60 Elk County.....	85	3						1	1		1			2
61 Ellis County.....	120	1					2	1	1		5			1
62 Ellsworth County.....	99	2					1	1			4			
63 Finney County.....	54	2	1	1		1		1			7			
64 Ford County.....	163	5			1		3				5		2	
65 Franklin County.....	239	10						3	1		10		2	
66 Geary County.....	103				2			1	1		4			1
67 Gore County.....	35	1					2			1				2
68 Graham County (total).....	60						1		1		2			1
69 White.....	55						1				1			1
70 Colored.....	5										1			
71 Grant County.....	5													
72 Gray County.....	22	2									1			1
73 Greeley County.....	6	1									1			
74 Greenwood County.....	141	4					2	1	1		7		1	1
75 Hamilton County.....	24	1					1		3		3			1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

339

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- de- fined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
14	5	2	18	31	3	13	4	13	1	2	2	16	3	16	19	1	41	1	
8	1	1	5	13	3	21	4	10	1	2	2	13	1	10	7	1	47	2	
12	3	1	11	22	4	19	1	16	2	1	1	16	2	20	7	1	40	3	
23	6	1	19	31	1	22	1	7	1	1	3	10	4	9	26	3	50	4	
5	3	1	5	21	2	15	1	9	1	3	1	14	4	9	14	4	41	5	
14	2	1	7	21	1	21	1	11	1	2	1	14	2	7	12	2	36	6	
24	5	1	21	22	1	10	1	4	2	2	4	25	1	13	14	2	39	7	
23	8	1	31	56	6	28	1	11	6	3	2	30	3	15	20	6	62	8	
21	2	1	21	24	2	14	3	6	1	2	4	15	2	9	8	2	62	9	
15	2	1	31	25	5	17	1	5	8	2	2	18	1	4	13	3	60	10	
18	1	3	14	45	11	11	1	6	2	3	19	12	1	12	18	2	33	11	
12	1	1	5	10	6	6	1	7	1	1	12	6	1	6	6	2	32	12	
18	3	3	21	24	5	30	5	10	3	4	8	33	3	15	13	1	67	13	
15	2	1	10	19	4	9	3	8	3	3	2	17	1	10	15	4	42	14	
12	2	1	13	21	3	10	1	10	3	1	1	10	1	11	6	1	14	15	
14	4	3	21	30	1	5	2	1	1	1	4	7	2	9	8	3	32	16	
19	5	1	16	27	2	33	2	35	4	5	3	35	5	26	30	1	62	17	
12	1	1	4	27	1	14	1	1	1	1	1	14	2	4	9	1	18	18	
21	7	3	32	35	2	23	1	5	1	3	2	20	1	7	13	3	65	19	
12	3	1	14	22	2	21	3	6	3	2	3	20	2	14	15	3	36	20	
8	1	1	8	14	3	2	1	12	2	2	2	15	1	2	7	1	16	21	
10	1	2	15	14	1	19	2	12	1	2	2	12	1	12	7	1	85	22	
15	1	2	21	27	5	26	3	33	1	3	4	22	4	23	26	4	71	23	
19	2	3	18	41	4	50	4	30	2	2	2	26	3	27	33	4	55	24	
20	7	3	36	35	2	22	1	4	5	3	2	37	3	14	22	4	51	25	
4	1	1	6	19	2	6	2	11	1	1	3	13	1	4	7	4	24	26	
11	1	2	12	22	2	41	2	20	2	3	1	19	1	12	12	4	37	27	
8	1	1	18	16	2	16	1	5	1	1	1	22	3	9	7	3	36	28	
29	7	1	35	50	4	26	2	7	2	6	3	26	2	12	31	4	93	29	
9	6	1	13	12	1	14	1	4	1	2	2	22	1	9	16	3	46	30	
16	2	1	9	26	2	19	1	7	1	2	3	23	1	15	6	2	28	31	
11	3	2	12	25	3	15	1	2	1	3	1	14	1	8	5	3	30	32	
813	184	78	819	1,307	135	843	164	433	138	152	95	827	47	899	853	147	3,063	282	33
801	180	76	798	1,248	131	808	155	425	135	144	94	798	45	882	819	144	2,981	271	34
12	4	2	21	59	4	35	9	8	3	8	1	29	2	17	34	3	82	11	35
19	1	2	19	24	2	26	6	8	4	6	1	6	1	11	13	2	66	6	36
9	3	1	6	13	2	8	3	1	1	1	1	7	1	7	5	1	32	3	37
2	1	1	9	5	2	11	1	1	2	1	2	9	1	8	10	2	28	3	38
5	1	1	9	5	1	5	1	2	1	1	1	7	1	4	4	1	24	4	39
11	3	2	5	14	1	13	2	12	5	3	3	8	1	13	19	2	47	12	40
10	3	1	4	6	1	6	1	2	1	1	1	5	1	8	7	1	28	1	41
10	3	2	9	15	4	14	3	15	3	2	1	17	1	11	12	6	43	8	42
18	1	1	14	25	3	9	1	10	3	1	2	10	1	17	12	2	50	1	43
3	1	1	3	12	1	2	1	2	1	1	1	7	1	4	10	1	14	1	44
6	2	2	1	6	1	3	1	4	1	1	2	8	1	10	5	4	24	1	45
18	5	2	27	35	7	40	7	25	3	2	3	44	4	34	42	6	106	19	46
2	1	1	1	2	1	3	1	1	1	1	1	2	1	3	2	1	8	1	47
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	48
9	1	1	5	15	3	7	2	2	3	4	1	13	1	13	8	1	27	1	49
13	2	1	12	14	2	9	1	11	4	4	4	10	1	10	16	3	47	2	50
5	1	1	10	17	2	14	3	3	2	1	1	7	1	6	8	2	30	3	51
1	1	1	2	4	1	2	1	7	1	1	1	1	1	1	1	1	6	1	52
25	5	1	24	48	2	20	5	8	3	3	1	30	1	20	34	5	122	2	53
20	4	1	20	21	8	23	6	20	4	6	6	32	2	21	52	5	76	14	54
3	1	1	7	3	1	7	2	1	1	1	1	2	1	2	3	3	13	3	55
12	2	2	12	20	3	10	2	6	1	4	3	16	1	19	7	5	44	7	56
9	1	1	9	17	2	12	4	4	4	5	1	12	1	13	7	1	42	1	57
7	3	3	6	6	2	1	4	4	1	1	1	10	1	5	4	1	23	4	58
5	2	2	3	3	3	3	1	2	2	2	1	4	2	8	4	1	13	1	59
10	1	1	9	9	1	5	1	4	2	1	1	9	1	5	5	1	19	1	60
9	1	2	3	7	1	12	1	6	5	1	3	6	2	13	7	1	26	4	61
7	1	1	3	3	1	3	1	3	2	1	1	8	1	6	6	1	25	1	62
8	1	1	11	7	1	5	2	5	1	1	1	3	1	3	2	1	7	2	63
14	6	2	19	27	3	19	3	10	2	3	2	11	2	14	15	4	52	2	64
9	1	1	10	11	1	15	2	2	1	1	1	8	1	7	6	1	17	3	66
1	1	1	3	1	1	3	1	1	1	1	1	6	1	2	3	1	5	1	67
3	1	1	1	8	2	1	1	7	1	1	1	2	1	5	5	1	16	1	68
3	1	1	1	7	1	1	1	7	1	1	1	2	1	5	5	1	14	1	69
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	70
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	71
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	1	72
12	3	1	17	22	1	7	1	2	1	4	1	12	1	2	9	3	23	5	73
1	1	1	1	2	1	2	1	1	1	1	1	1	1	2	2	1	4	1	74
1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	75

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
KANSAS—continued.															
1	Harper County	127						3	1	3	1	2	1		
2	Harvey County	235	5					1	3		2	6		2	
3	Haskell County	11									1				
4	Hodgeman County	22				1									
5	Jackson County	154	2			1				2		13		1	3
6	Jefferson County	135	4				1		1	1		3		2	
7	Jewell County	151	4					1	1			3			1
8	Johnson County	205	5	1		1					1	12		2	1
9	Kearny County	16	3					1				1			
10	Kingman County	108			1	2						7	2		
11	Kiowa County	50						1	1	1		3			
12	Labette County	181	1			11	1	1	7	2		9		2	1
13	Lane County	14										1			1
14	Leavenworth County (total)	186	4					1		3		4			1
15	White	174	3					1		3		4			1
16	Colored	12	1												
17	Lincoln County	81					2	3	1		1				2
18	Linn County	153	5	1				1	5	1		13			
19	Logan County (total)	21	1					1				1			
20	White	19	1									1			
21	Colored	2						1							
22	Lyon County	229						2	2	2	1	11		2	1
23	McPherson County	206						1	1	1		8			1
24	Marion County	190						2		2	1	7	1	3	1
25	Marshall County	221	3	1			1		1	4		9		4	2
26	Meade County	33						1				1	1		
27	Miami County	313	2	1		1				2		16	1	2	1
28	Mitchell County	126										3			1
29	Montgomery County	244	8	1	1	10	2	1	4	1		18	1	4	3
30	Morris County	105	1					1				5		1	1
31	Morton County	8	3												
32	Nemaha County	172	2			1	1					10		1	1
33	Neosho County	257	9	4				1	5	2		10	1	1	1
34	Ness County	38						1	1	1		1			
35	Norton County	102					1	7				2			1
36	Osage County	187	1	1					1	2		4	2	3	1
37	Osborne County	117	2					2		3				1	1
38	Ottawa County	99	2									4		1	1
39	Pawnee County	91	7	1								3		1	1
40	Phillips County	101	1						1	2	1	6			1
41	Pottawatomie County	148				1		1		6		1		1	
42	Pratt County	108	3	2					1	3		6		2	
43	Rawlins County	62	2									1			1
44	Reno County	177	3					6	1	4	1	7			1
45	Republic County	146	1		1	2		1		1		7			
46	Rice County	137	4					4	1			4		1	
47	Riley County	140	1							2		4			4
48	Rooks County	97	1					1		1		2		1	1
49	Rush County	57	3					2						1	1
50	Russell County	93						2		1		6			
51	Saline County	162	3			1		1		1		13	1	2	2
52	Scott County	11						1		1		1			
53	Sedgwick County	134	2					2	1	1		6		2	
54	Seward County	29						1				3			1
55	Shawnee County (total)	138	2					1	1	1	1	10	1	2	
56	White	130	2					1	1	1	1	9	1	2	
57	Colored	8										1			
58	Sheridan County	30								1		2			
59	Sherman County	38						1				1			
60	Smith County	144	3		1			5	3	1		5			2
61	Stafford County	108	4			1			1	1		8			2
62	Stanton County	7													
63	Stevens County	22	2						1						
64	Sumner County	304	5			2		2	3	1		16		1	1
65	Thomas County	36	1						1						
66	Trego County	32	1						1			1			
67	Wabanssee County (total)	105				1						1			
68	White	95				1						6			
69	Colored	10										2			
70	Wallace County	13													
71	Washington County	160	2									11			1
72	Wichita County	7													
73	Wilson County	209	7	2				2	7	2	4	8		2	2
74	Woodson County	86	3						3	2		7			
75	Wyandotte County (total)	243	4			1		3	3	1	1	13	2	4	1
76	White	189	2			1		3	2	1	1	10	2	2	
77	Colored	54	2						1			3		2	1

¹Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

341

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																					
Can- cer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years)	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- defined and un- known causes.		
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38		
8	1	1	9	14			11	3	1	3		5	1	2	5	8	2	36	4	1	
18	5	3	21	23	1		16	6	3	7		14		2	16	22	1	49	3	2	
			1	1			3	1							6	3		6	4	3	
14	5		13	20	3		10	5		2	1	7	1		14	6		27	4	5	
12	5	1	11	15	4		8	2	5	2		7		1	15	11	1	26	1	6	
13	5		11	10	1		12	1	4	3	3	10	1	2	13	4	1	40	5	7	
17	6		14	31	2		15	4	7	1		10	1	1	16	16	2	50	1	8	
1				2						1					5	3		2	1	9	
7	2		8	10	2		11	1	9	1	1		3		9	2	2	25	2	10	
1			4	9			5	2	1			2			6	3		11	3	11	
13	4		9	13	2		7	5	3			11		3	13	11		40	3	12	
1				3			2	2		1					1	1		3	3	13	
15	2	1	16	28	2		16	1	2	5	1	7	1	1	13	11	5	43	3	14	
1			15	24	2		14	1	2	5	1	7	1		12	10	5	42	1	15	
2	2		5	12			7	1	1	3	2	6	1	1	8	6		14	1	17	
23			12	18	4		8	3	2	1	1	5			4	8	1	32	3	18	
2							1	1	2	3		1	1			3		8	1	19	
2							1	1	1			1	1			2		8	1	20	
																1			1	21	
21	2		20	26	2		21	3	8	1		22		3	12	10	1	52	1	22	
18	1	1	23	15	1		13	1	2	6	2	12	1	2	14	7	1	55	10	23	
10	1	1	10	18	1		10	3	6	4	3	7		2	15	20	2	46	12	24	
10	2	2	15	31	4		10	3	7	4	1	24			22	13	2	41	5	25	
2			1	1			2	2	2	2	1	1		1	2	5		9	26	26	
12	5	1	21	58	4		34	5	2	1	2	16		3	6	11	2	99	3	27	
8	2	1	10	21			4	1	3	1	1	2	1	2	7	12	1	42	2	28	
13	4	1	12	19	1		11	1	9	4	3	12	1	1	20	19		53	6	29	
3	3		11	9	1		7	1	1	5	1	8	1	1	11	5		16	2	30	
1				1			1	1	1							2		2	31	31	
7	2	1	9	17			5	6	4	2		14	1		15	10	3	51	5	32	
18	8	1	15	19	1		9	5	3	1	4	16		2	13	21	5	69	7	33	
1			3	4			3	3	1	3	1	1			1	3		12	2	34	
8	3	1	7	14	1		6	2	4	1		7		1	5	4		26	1	35	
13	3	1	13	25	4		10	3	7	1	2	14	1	2	11	10	2	49	1	36	
12	1		9	13	2		8	1	3	5		7	1	2	7	3	1	26	2	37	
7		1	12	13	1		5	2	4	1		4		4	6	3	1	24	8	38	
6	1	1	8	7	1		4	1	1		1	4	2		9	9	1	18		39	
2	4	1	2	18	1		6	1	1	1		10	1		5	6		26	2	40	
9	1		9	12	3		12	3	3	2	3	7	1		13	9	1	49	1	41	
1	2		6	11			2	2	6	1		4		3	14	11	4	23		42	
3			2	9			6	1	3	1		1		1	7	3	3	15	3	43	
11	2		12	16			12	3	6	1	2	11			15	10	2	50	4	44	
16	2		7	15			13	4	4		2	6		2	7	10	5	37	4	45	
5	3	2	7	11	1		16	8	4	1	4	9	1		8	8	1	33	1	46	
12		1	9	20	2		9	3	1	1		7			8	11	3	39	3	47	
5	3		7	10			5	1	4		1	12		1	9	7	1	21	4	48	
2			1	7			2	2	8						7	6	1	11		49	
10		1	4	8	2		8	2	2	1	1		1	2	10	6	2	15	5	50	
11	5		14	16	3		9	3	2	2		3	2		13	7	3	40	2	51	
1			2	2			2		1	1		1			1	7		1	2	52	
5	5	3	7	13	1		5	1	5	1	3	11			19	7	1	31	1	53	
				2			3	2	2			3		1	7	1		4	1	54	
12	1	2	10	24	1		11	2	4		1	9			9	4	2	27		55	
12	1	2	10	22	1		9	2	4		1	8			9	4	2	25		56	
			2	2			2					1			2			2		57	
2		1	5	5			3	1	1		1	1		1	2			3		58	
3	2	1	3	3			3	2	3		1	3			3			7		59	
7	1	1	17	17			14	4	5	1		11		1	15	6		35	2	60	
4	2	1	5	10	2		6	2	2	1	2	9	1	1	11	5		26	4	61	
			1	1			1		1			4	1		2	2		3	1	62	
17	5	2	17	27	2		18	2	16	3	3	32	1	2	3	19	4	5		63	
1		1	1	5			2		7	1		5			1	11		5	1	65	
		1	1	7			1	3	1	1	1	1		1	3	2		7		66	
9	1	1	7	14			7	1	1	2	2	4	2		9	6	2	26	1	67	
8			7	13			6	1	1	1	2	4	2		9	5	2	25	1	68	
1	1			1			1		1						1	1		1		69	
3																					70
8	5	2	5	21	3		7	1	9	2	1	6		1	10	4	2	5		71	
16		1	16	13	4		2	3	10	4	1	7			20	11	5	3	1	72	
4		3	6	4			4		3	1		8	1		3	5	3	21	5	74	
16	5		15	35	3		20	2	4	1	2	20	1	2	12	15	4	51	2	75	
13	5		14	29	3		13	2	4	1	1	13	1	1	12	12	4	36	2	76	
3			1	6			7		1	1		7		1	3	3	4	15		77	

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
KENTUCKY.															
1	Total.....	23,035	843	142	15	234	40	318	465	264	70	3,344	155	314	113
2	White.....	19,303	708	116	13	228	37	263	441	220	63	2,567	125	242	86
3	Colored.....	3,732	135	26	2	6	3	55	24	44	7	777	30	72	27
4	Adair County (total).....	207	3	2				1	5	2		31		5	3
5	White.....	175	2	2					3	2		27		3	2
6	Colored.....	32	1					1	2			4		2	1
7	Allen County (total).....	174	7	3					3	6		31	2	4	
8	White.....	150	6	3					2	5		23	2	3	
9	Colored.....	24	1						1	1		8		1	
10	Anderson County (total).....	139	6	1				2		1		15		2	1
11	White.....	116	5					1		1		12		2	1
12	Colored.....	23	1	1								3			
13	Ballard County (total).....	134	5	7				4	1			23	2	1	1
14	White.....	105	5	4				1	1			17	2	1	1
15	Colored.....	29		3				3				6			
16	Barren County (total).....	356	15	4					7	5	1	69	4	8	5
17	White.....	276	9	2					5	5		56	4	4	1
18	Colored.....	80	6	2					2		1	13		4	4
19	Bath County (total).....	186	2					1	4	2	1	27	1	2	
20	White.....	160	2					1	4	2	1	20	1	2	
21	Colored.....	26										7			
22	Bell County (total).....	330	17			10	1	10	9	6	1	29	1	4	
23	White.....	300	15			10	1	10	9	6	1	25	1	4	
24	Colored.....	30	2									4			
25	Boone County (total).....	115	1			1	1		1	2		12	1	1	
26	White.....	110	1			1	1		1	1		12	1	1	
27	Colored.....	5													
28	Bourbon County (total).....	289	10		2			1	1	1	1	28	5	2	2
29	White.....	172	8		2			1	1	1	1	15	4	1	
30	Colored.....	117	2						1			13	1	1	2
31	Boyd County (total).....	316	9					9	8	3	2	34	2	5	1
32	White.....	305	8					8	8	3	2	33	2	5	1
33	Colored.....	11	1					1				1			
34	Boyle County (total).....	247	5			3	1	2	3		1	38	3	1	2
35	White.....	156	3			3	1	2	2		1	18	1	1	2
36	Colored.....	91	2						1			20	2	1	
37	Bracken County (total).....	146	3					2		3		29	1	1	1
38	White.....	139	3					2		3		26	1	1	1
39	Colored.....	7										3			
40	Breathitt County (total).....	66	2			2			3	1		7		2	
41	White.....	65	2			2			3	1		7		2	
42	Colored.....	1													
43	Breckinridge County (total).....	259	12		1	3		6	1	6		42		9	
44	White.....	231	11		1	3		5	1	5		32		8	
45	Colored.....	28	1					1	1	1		10		1	
46	Bullitt County (total).....	127	4			3		1	1			19	2	5	
47	White.....	109	4			3		1	1			15	2	5	
48	Colored.....	18										4			
49	Butler County (total).....	174	11	2		1		4	2	3	1	36	1	6	1
50	White.....	160	11	2		1		4	2	2	1	31	1	4	1
51	Colored.....	14								1		5		2	
52	Caldwell County (total).....	190	12	3				1		3	1	41	2		2
53	White.....	126	11	2				1		3	1	24	1		2
54	Colored.....	64	1	1								17	1		
55	Calloway County (total).....	222	12	2		4		1	4	4	1	29	1	2	2
56	White.....	203	12	2		4		1	4	4	1	24	1	1	2
57	Colored.....	19										5		1	
58	Campbell County (total).....	332	1					1		5	1	42	1	3	4
59	White.....	326								5	1	41	1	3	4
60	Colored.....	6	1					2				1			
61	Carlisle County (total).....	108	2	4		1		2	6		1	14	1		
62	White.....	102	2	4		1		1	6		1	14	1		
63	Colored.....	6						1							
64	Carroll County (total).....	110	2			1			3		1	16		1	1
65	White.....	97	2			1			3		1	15		1	
66	Colored.....	13										1			1
67	Carter County (total).....	279	12			1		11	9	2	1	34	2	4	3
68	White.....	275	11			1		11	9	2	1	33	2	4	3
69	Colored.....	4	1									1			
70	Casey County (total).....	189	7			2		5	2		1	29	2		2
71	White.....	187	7			2		5	2		1	29	2		2
72	Colored.....	2													
73	Christian County (total).....	678	19	1		3		1	5	9		125	6	16	2
74	White.....	335	11			1		1	3	3		59	3	6	
75	Colored.....	343	8	1		2		1	2	6		66	3	10	2

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Dia- betes.	Meningi- tis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diarr- hea and enter- itis (under 2 years).	Ap- pendi- citis.	Hern- ia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
753 688 85	123 103 15	360 327 33	725 619 106	1,345 1,060 285	259 216 43	1,921 1,651 270	259 209 50	910 805 105	110 99 11	159 132 27	122 105 17	1,232 1,003 229	131 109 22	151 126 25	1,359 1,223 136	1,350 1,075 275	153 147 6	4,167 3,549 618	1,129 963 166	1 2 3
4 4 7 6 1	----- ----- ----- ----- -----	3 2 1 1 1	3 3 5 5 5	22 17 16 14 2	2 2 1 1 2	12 9 3 15 12 3	4 2 2 7 6 1	5 4 1 1 1 1	----- ----- ----- ----- ----- -----	2 2 1 1 1 1	----- ----- ----- ----- ----- -----	16 16 8 8 8	1 1 2 2 1 1	----- ----- ----- ----- ----- -----	11 11 6 5 1 1	4 4 4 4 4 4	----- ----- ----- ----- ----- -----	41 35 6 33 31 2	25 22 3 10 8 2	4 5 6 7 8 9
1 1 2 2	----- ----- ----- -----	2 2 1 1	6 5 2 2 1	7 5 2 2 7	2 2 ----- ----- ----- -----	18 14 4 17 15 2	1 1 ----- ----- ----- -----	3 3 ----- ----- ----- -----	----- ----- ----- ----- ----- -----	1 1 3 3 1 2	3 1 2 ----- ----- -----	11 10 1 5 5 5	----- ----- ----- ----- ----- -----	----- ----- ----- ----- ----- -----	8 7 1 14 13 1	6 5 1 6 5 1	----- ----- ----- ----- ----- -----	34 29 5 18 13 5	5 5 ----- ----- ----- -----	10 11 12 13 14 15
9 9 4 4	----- ----- ----- -----	10 7 3 7 7	10 8 2 2 7	13 11 2 9 9	6 3 3 ----- ----- -----	15 11 4 33 30 3	4 3 1 1 1 1	13 10 3 2 4 2	2 2 ----- ----- ----- -----	2 2 ----- ----- ----- -----	----- ----- ----- ----- ----- -----	19 17 2 15 11 4	2 2 ----- ----- ----- -----	1 1 ----- ----- ----- -----	17 16 1 11 10 1	16 10 6 9 9 9	1 1 ----- ----- ----- -----	80 63 17 29 23 6	18 14 4 14 9 5	16 17 18 19 20 21
6 5 1 5 5	1 1 ----- ----- -----	8 7 1 2 2	5 5 8 8 8	8 6 2 10 9 1	2 2 ----- ----- ----- -----	20 19 1 13 13 1	2 2 ----- ----- ----- -----	25 24 1 3 3 3	2 2 ----- ----- ----- -----	----- ----- ----- ----- ----- -----	1 1 ----- ----- ----- -----	11 11 ----- ----- ----- -----	3 2 ----- ----- ----- -----	6 4 ----- ----- ----- -----	16 15 1 5 5 5	34 29 5 10 9 1	1 1 ----- ----- ----- -----	67 63 4 22 20 2	24 21 3 3 3 3	22 23 24 25 26 27
15 9 6 10 10	2 2 ----- ----- -----	2 1 1 9 9	10 6 4 16 15 1	32 14 18 19 19	2 1 1 2 2	24 13 11 32 29 3	5 3 2 5 4 1	14 12 2 10 10 1	1 1 ----- ----- ----- -----	1 1 ----- ----- ----- -----	1 1 ----- ----- ----- -----	36 20 16 22 23 1	3 1 ----- ----- ----- -----	----- ----- ----- ----- ----- -----	9 8 1 22 21 1	28 16 10 25 25 3	----- ----- ----- ----- ----- -----	46 28 18 44 44 4	4 2 2 9 9 9	28 29 30 31 32 33
7 4 3 7 7	3 2 1 1 1	1 1 ----- ----- -----	12 8 4 11 10 1	10 7 3 14 14 1	5 3 2 2 1 1	17 14 3 6 6 6	3 2 1 1 1 1	8 6 2 1 1 1	3 2 1 ----- ----- -----	2 2 ----- ----- ----- -----	3 2 ----- ----- ----- -----	28 18 10 5 5 5	2 2 ----- ----- ----- -----	1 1 ----- ----- ----- -----	13 10 3 4 8 4	19 11 8 9 8 1	2 1 ----- ----- ----- -----	44 27 17 30 30 30	7 2 5 4 4 4	34 35 36 37 38 39
1 1	----- -----	2 2	1 1	----- -----	----- -----	8 8	----- -----	2 2	----- -----	----- -----	----- -----	1 1	----- -----	1 1	4 4	6 6	----- -----	8 7 1	15 15	40 41 42
11 9 2	2 2 -----	2 2 -----	10 10 -----	15 14 1	3 3 -----	22 22 -----	1 1 -----	12 12 -----	2 2 -----	1 1 -----	2 2 -----	19 19 -----	1 1 -----	2 2 -----	13 11 2	11 9 2	3 3 -----	43 38 5	4 3 1	43 44 45
7 7	----- -----	2 2	7 6 1 1 4 3 1	15 14 6 5 1	1 1 ----- ----- ----- -----	8 8 11 11 -----	2 2 1 ----- ----- -----	3 2 1 8 7 1	----- ----- ----- ----- ----- -----	1 1 ----- ----- ----- -----	----- ----- ----- ----- ----- -----	6 6 7 7 -----	----- ----- ----- ----- ----- -----	1 1 ----- ----- ----- -----	11 9 2 9 7 2	8 6 2 2 6 6	----- ----- ----- ----- ----- -----	25 19 6 26 26 26	2 2 ----- ----- ----- -----	46 47 48 49 50 51
2 1 1 9 9	1 1 ----- ----- -----	2 2 ----- ----- -----	2 1 1 7 6 1	12 8 4 8 6 2	1 1 ----- ----- ----- -----	16 9 7 24 23 1	5 2 3 5 5 2	5 4 1 7 5 2	3 3 ----- ----- ----- -----	2 2 ----- ----- ----- -----	----- ----- ----- ----- ----- -----	11 7 4 9 9 9	----- ----- ----- ----- ----- -----	----- ----- ----- ----- ----- -----	4 4 ----- ----- ----- -----	8 7 1 9 7 2	2 2 ----- ----- ----- -----	38 25 13 47 43 4	11 5 6 5 5 5	52 53 54 55 56 57
24 24	3 3 -----	11 11 -----	17 17 -----	35 34 1	5 5 -----	34 34 -----	3 2 1	4 4 -----	2 2 -----	4 4 -----	3 3 -----	29 28 1	1 1 -----	3 3 -----	10 10 -----	23 23 -----	4 4 -----	57 56 1	2 2 -----	58 59 60
1 1	2 1 -----	3 3 -----	3 3 -----	7 6 1	----- ----- -----	10 9 1	----- ----- -----	10 10 -----	----- ----- -----	----- ----- -----	----- ----- -----	6 6 -----	1 1 -----	1 1 -----	8 8 -----	6 5 1	----- ----- -----	17 16 1	1 1 -----	61 62 63
7 6 1 4 4	----- ----- ----- ----- -----	----- ----- ----- ----- -----	7 7 -----	15 15 -----	----- ----- -----	7 5 2	----- ----- -----	1 1 -----	----- ----- -----	1 1 -----	1 1 -----	4 4 -----	----- ----- -----	----- ----- -----	12 10 2	2 2 -----	2 2 -----	24 20 4 34 34	3 2 1 14 14	64 65 66 67 68 69
4 4	1 1 -----	7 7 -----	4 4 -----	5 5 -----	----- ----- -----	25 25 -----	1 1 -----	4 4 -----	1 1 -----	1 1 -----	1 1 -----	11 11 -----	1 1 -----	2 2 -----	11 10 1	11 11 -----	----- ----- -----	33 32 1	17 17 -----	70 71 72
26 17 9	3 2 1	6 4 2	32 21 11	55 17 38	6 5 1	51 28 23	9 6 3	18 7 11	3 2 -----	6 4 -----	1 2 -----	37 21 16	3 2 1	4 1 3	11 11 17	27 7 20	4 4 -----	153 87 66	19 6 13	73 74 75

* Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(87)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
KENTUCKY—continued.															
1	Clark County (total).....	301	10		1	1		3			28	2	3	1	
2	White.....	176	6		1	1		1			18	2	1	1	
3	Colored.....	125	4					3			10		2		
4	Clay County (total).....	155	5		8	1		3	1		25	1	3	1	
5	White.....	146	5			8		3	1		24	1	3	1	
6	Colored ?.....	9									1				
7	Clinton County (total).....	38	3			1			1		12				
8	White.....	38	3			1			1		12				
9	Colored ?.....														
10	Crittenden County (total).....	91	6	1				2		2	18	3			
11	White.....	78	6					2		2	13	3			
12	Colored ?.....	13		1							5				
13	Cumberland County (total).....	85	2		1	1	4	5	1	1	7		2	1	
14	White.....	63			1	1	3	3	1	1	3		1		
15	Colored.....	22	2				1	2			4		1	1	
16	Daviess County (total).....	221	6	4	1	1	4	3	7		31		2	1	
17	White.....	197	6	3		1	4	3	7		25		2		
18	Colored.....	24		1	1						6				
19	Edmonson County (total).....	95	9	2				2			17	1			
20	White.....	85	8	2				2			11	1			
21	Colored ?.....	10	1								6				
22	Elliott County (total).....	104	1					3	6	1	11	8	3		
23	White.....	104	1					3	6	1	11	8	3		
24	Colored ?.....														
25	Estill County (total).....	94	3				3				13		1		
26	White.....	88	3				3				12		1		
27	Colored ?.....	6									1				
28	Fayette County (total).....	132	1				1	2	2	1	23		3		
29	White.....	79						1	2	1	12		3		
30	Colored.....	53	1				1	1			16				
31	Fleming County (total).....	228	7		1	2	3	2	3		32		7		
32	White.....	202	5		1	2	3	2	3		27		6		
33	Colored.....	26	2								5		1		
34	Floyd County (total).....	146	11				2	7	3	1	22		3		
35	White.....	146	11				2	7	3	1	22		3		
36	Colored ?.....														
37	Franklin County (total).....	98	4	1		1	1		1		20	2			
38	White.....	90	3	1		1	1		1		19	2			
39	Colored.....	8	1								1				
40	Fulton County (total).....	215	8	16		1	1	5	1		24	1	4		
41	White.....	160	7	12		1	1	5			16		3		
42	Colored.....	55	1	4					1		8	1	1		
43	Gallatin County (total).....	57	1	1				1			8	1			
44	White.....	53	1	1				1			7	1			
45	Colored.....	4									1				
46	Garrard County (total).....	124	3			1		3			23	1	1	2	
47	White.....	85	3			1		3			9		1	1	
48	Colored.....	39									14	1	1	1	
49	Grant County (total).....	121	2				4	2	3		18	1	1	1	
50	White.....	115	2				4	2	3		18	1	1	1	
51	Colored ?.....	6													
52	Graves County (total).....	442	29	11		9	2	4	12	5	72	1	10	6	
53	White.....	373	20	11		9	2	4	12	4	56	1	5	5	
54	Colored.....	69	9							1	16		5	1	
55	Grayson County (total).....	239	12	1		8		2	4	5	46		2	2	
56	White.....	230	11	1		8		2	4	5	42		2	1	
57	Colored ?.....	9	1								4			1	
58	Green County (total).....	111		2		2		2	4	1	11		3	1	
59	White.....	94		2		1		1	3	1	7		2	1	
60	Colored.....	17				1		1	1		4		1		
61	Greenup County (total).....	252	6	4		2	3	7	9	5	32	1		2	
62	White.....	249	6	4		2	3	7	9	5	32	1		2	
63	Colored ?.....	3													
64	Hancock County (total).....	77	4						1		12			1	
65	White.....	67	3						1		10			1	
66	Colored.....	10	1								2				
67	Hardin County (total).....	268	8		2	4		1	6	2	39	3	2	2	
68	White.....	234	8		2	4		1	6	1	33	1	1	1	
69	Colored.....	34								1	6	2	1	2	
70	Harlan County (total).....	130	7			5		7	3	1	11		2		
71	White.....	125	7			5		7	3	1	9		1		
72	Colored.....	5									2		1		
73	Harrison County (total).....	198	7				1	1		1	39	2	2		
74	White.....	167	6				1	1		1	32	2	2		
75	Colored.....	31	1				1				7				
76	Hart County (total).....	180	11	1					6	4	27		4	1	
77	White.....	151	7	1					6	2	22		3	1	
78	Colored.....	29	4								5		1		

¹Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
16	1	10	7	16	21	25	3	8	3	3	26	2	1	19	28	1	54	7	1
14	1	6	5	6	4	9	1	6	2	3	15	1	1	18	15	1	35	2	2
2	2	4	2	10	17	16	2	2	2	2	11	1	1	1	13	8	19	5	3
8	4	4	4	7	1	8	1	4	3	2	5	1	1	6	8	18	18	21	4
7	4	4	4	5	1	8	1	4	3	2	5	5	1	6	7	17	18	18	5
1	4	4	2	2	1	8	1	4	3	2	5	5	1	6	7	1	17	18	6
2	3	3	3	3	2	2	2	2	2	1	2	2	2	1	5	2	2	1	7
2	1	1	3	5	5	5	1	2	2	1	3	3	2	1	6	3	19	4	8
2	1	1	1	5	5	5	1	2	2	1	3	3	2	1	6	3	18	1	9
1	4	4	2	1	1	9	1	6	1	1	1	1	1	1	3	7	18	7	13
1	4	4	4	1	1	5	1	5	1	1	1	1	1	1	3	7	15	6	14
4	1	1	4	12	1	24	2	12	1	1	2	8	2	2	20	11	47	1	15
4	1	1	3	9	1	22	2	11	1	1	2	7	2	2	20	10	47	9	16
4	1	1	1	3	1	2	2	1	1	1	2	1	2	2	1	1	41	9	17
2	1	1	1	1	1	12	1	4	1	1	1	2	1	4	4	18	10	19	18
2	1	1	1	1	1	12	1	4	1	1	1	2	1	4	4	16	10	20	19
2	4	4	4	4	4	16	4	4	1	1	5	5	1	13	7	2	22	2	21
2	4	4	4	4	4	16	4	4	1	1	5	5	1	13	7	2	22	2	22
2	3	3	4	1	5	5	5	5	2	2	7	7	1	2	6	7	12	14	25
2	3	3	4	1	5	5	5	5	2	2	7	7	1	2	6	5	11	12	26
4	1	5	4	1	1	10	5	3	1	1	7	7	1	1	4	10	32	2	27
4	1	5	5	3	1	7	4	3	1	1	2	2	1	1	4	4	17	3	28
4	1	5	5	3	1	3	1	3	1	1	2	2	1	1	4	4	15	2	29
11	2	3	5	20	3	21	2	14	3	1	2	17	1	1	8	4	47	6	31
11	2	3	5	18	2	21	2	11	3	1	2	12	5	1	7	3	43	6	32
2	5	5	1	2	1	9	1	3	3	1	1	5	2	1	1	1	4	4	33
2	5	5	1	5	1	9	1	12	3	1	1	4	2	1	6	15	15	17	34
6	1	2	2	6	3	7	2	3	1	1	4	3	1	1	1	7	20	3	35
5	2	2	2	6	3	7	2	3	1	1	3	1	1	1	1	5	19	3	36
1	1	1	6	6	5	14	4	15	1	1	15	1	2	6	18	3	40	9	37
6	1	1	6	2	4	12	4	10	1	1	12	1	1	2	6	10	30	6	38
6	1	1	6	2	4	12	4	5	1	1	3	1	1	2	6	8	40	9	39
2	5	5	5	6	1	7	2	2	2	1	2	2	2	7	7	6	30	3	41
2	5	5	5	6	1	7	2	2	2	1	2	2	2	7	7	6	30	3	42
5	2	2	12	5	2	16	2	1	1	1	8	2	2	6	6	1	15	4	43
4	2	2	8	4	2	11	1	1	1	1	6	2	2	5	5	1	10	3	44
1	4	4	4	1	2	5	1	1	1	1	2	2	2	6	6	1	15	4	45
1	4	4	4	1	2	5	1	1	1	1	2	2	2	6	6	1	10	3	46
2	2	2	6	9	9	13	3	3	2	2	9	9	1	2	2	11	21	4	47
2	2	2	6	9	9	12	3	3	2	2	9	9	1	2	2	8	21	4	48
11	1	8	10	14	8	32	2	23	2	3	15	1	1	33	22	1	79	9	49
10	1	7	9	12	6	29	2	19	2	3	14	1	1	30	16	2	68	8	50
1	1	1	1	2	2	3	1	4	2	3	1	1	1	3	6	11	5	51	52
8	1	8	7	10	1	16	4	8	1	1	16	1	1	13	12	1	42	6	53
8	1	8	7	10	1	16	4	8	1	1	16	1	1	12	12	1	42	6	54
6	3	3	12	11	1	11	3	1	2	2	10	1	2	4	4	26	2	4	55
5	3	3	10	10	1	8	3	1	1	2	10	1	2	4	4	24	3	5	56
1	2	2	2	2	6	3	3	3	1	1	10	1	2	2	1	2	2	3	57
9	6	6	9	6	6	26	3	18	1	1	8	1	2	16	21	34	14	61	62
9	6	6	9	6	6	26	3	18	1	1	7	1	2	16	21	33	13	61	63
2	1	4	5	1	1	3	3	4	2	3	5	5	3	2	3	1	19	1	64
2	1	4	5	1	1	3	3	2	2	3	5	5	2	2	2	1	17	1	65
9	1	2	13	6	6	22	3	10	1	2	20	1	2	17	20	4	46	5	66
6	1	1	11	12	5	21	2	9	1	2	17	1	2	17	16	4	43	4	67
3	1	1	1	1	1	1	1	1	1	1	3	3	3	9	4	3	3	1	68
2	1	1	3	3	1	8	3	9	1	1	2	3	3	3	6	1	24	19	69
2	1	1	3	3	1	8	3	9	1	1	2	3	3	3	6	1	23	19	70
10	2	2	16	11	2	17	2	6	2	1	15	1	1	9	13	2	30	3	71
9	2	2	13	7	2	12	2	4	2	1	13	1	1	8	13	2	26	3	72
1	3	3	3	5	1	5	1	3	1	1	2	2	2	1	1	4	4	4	73
3	2	2	8	17	1	15	1	3	1	1	9	1	2	17	7	2	30	6	74
3	2	2	7	15	1	10	1	3	1	1	9	1	2	17	6	2	25	4	75
3	2	2	1	2	2	5	1	1	1	1	9	1	2	17	6	2	20	4	76
3	2	2	1	2	2	5	1	1	1	1	9	1	2	17	6	2	20	4	77

* Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.														
KENTUCKY—continued.														
1 Henderson County (total).....	227	8	7		1		6	2	1		28		5	2
2 White.....	166	6	7		1		1	2	1		16		4	1
3 Colored.....	61	2					5				12		1	1
4 Henry County (total).....	150	1	1			3	1	2	5		22		1	
5 White.....	111	1				3	1	2	3		14		1	
6 Colored.....	39		1						2		8			
7 Hickman County (total).....	142	10	2		1		2	2			17		2	2
8 White.....	114	10	1		1		1	2			14		1	2
9 Colored.....	28		1				1				3		1	
10 Hopkins County (total).....	478	15	6	1	2		6	2	5		70	5	7	6
11 White.....	368	10	3		2		2	2	4		68	3	5	5
12 Colored.....	110	5	3	1			4		1		12	2	2	1
13 Jackson County (total).....	96	1		1			5	1	2	1	10	1		
14 White.....	96	1		1			5	1	2	1	10	1		
15 Colored ²														
16 Jefferson County (total).....	702	13	1			1	3	6	3	4	184	5	5	2
17 White.....	551	9	1			1	3	6	2	2	121	5	4	1
18 Colored.....	151	4							1	2	63		1	1
19 Jessamine County (total).....	161	2					2			1	9	1	3	1
20 White.....	111						2			1	6	1	1	1
21 Colored.....	50	2									3		2	
22 Johnson County (total).....	203	10				1	5	8	1		25		1	
23 White.....	202	10				1	5	8	1		25		1	
24 Colored ²	1													
25 Kenton County (total).....	194	2						1	2	2	20		1	
26 White.....	184	2						1	2	2	20		1	
27 Colored ²	10													
28 Knott County (total).....	112	2				1	4	11	1	2	8		5	
29 White.....	108	2				1	3	11	1	2	8		5	
30 Colored ²	4						1							
31 Knox County (total).....	294	27			4		7	4		1	23		4	3
32 White.....	283	24			4		7	4		1	22		4	3
33 Colored ²	11	3									1			
34 Laclede County (total).....	142	9		1	2			3	3		15	2	3	1
35 White.....	125	6		1	2			3	3		15	2	3	1
36 Colored.....	17	3												
37 Laurel County (total).....	179	7			3		1	5	8		16		3	
38 White.....	170	6			3		1	5	8		16		3	
39 Colored ²	9	1												
40 Lawrence County (total).....	228	11					6	9	2		31	2	2	1
41 White.....	225	11					6	9	2		30	2	2	1
42 Colored ²	3										1			
43 Lee County (total).....	103	5					5	3	2		8			1
44 White.....	100	5					5	3	2		8			1
45 Colored ²	3													
46 Leslie County (total).....	51	1						2			9			
47 White.....	48	1						2			9			
48 Colored ²	3													
49 Letcher County (total).....	140	5		1	3		3	7	1		11		1	1
50 White.....	135	4		1	3		3	7	1		10		1	1
51 Colored ²	5	1									1			
52 Lewis County (total).....	222	9		1	1	2	4	2			25		5	2
53 White.....	219	9		1	1	2	4	2			23		5	2
54 Colored ²	3										2			
55 Lincoln County (total).....	210	8			2		1	2	1		23		2	3
56 White.....	165	8			2		1	2	1		14		2	2
57 Colored.....	45										9			1
58 Livingston County (total).....	112	4	4		5		2	1	1		19		1	1
59 White.....	101	4	4		5		1	1	1		12		1	1
60 Colored.....	11						1				7			
61 Logan County (total).....	370	15	3		3	1	2	4	5	1	58	4	4	1
62 White.....	261	10	3		3	1	2	4	4	1	37	4	3	
63 Colored.....	109	5									21		1	1
64 Lyon County (total).....	110	3	3		3	2			3		21		3	1
65 White.....	78	3	3		3	1			2		9		1	1
66 Colored.....	32					1			1		12		2	
67 McCracken County (total).....	107	3	5		2			2		3	14	1		
68 White.....	94	3	4		2			2		2	11			
69 Colored.....	13		1								3	1		
70 McCreary County (total).....	144	2			7		1	9			9		2	
71 White.....	144	2			7		1	9			9		2	
72 Colored.....														
73 McLean County (total).....	168	4	2				4	3	2	1	30	1	2	
74 White.....	152	3	2				2	3	2	1	25	1	2	
75 Colored.....	16	1					2				5			
76 Madison County (total).....	312	12					1	6	3		63	1	3	1
77 White.....	221	9					1	6	2		37		1	
78 Colored.....	91	3							1		26	1	2	1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

347

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Undefined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
9	2	3	1	19	1	17	5	12	3	4	1	16	3	1	20	13	1	32	4	1
7	2	3	1	16	1	14	5	11	1	1	1	11	1	1	17	11	1	23	1	2
2																				
10	1	4	6	11	1	3	3	1	2	3	2	5	3	2	3	2	9	3	3	3
7		3	3	11	1	8	3	8	3	3	1	12	7	2	10	7	1	22	3	4
3	1	1	3	11	1	6	3	7	1	1	1	9	3	2	6	5	1	18	2	5
6	3	2	6	3		13		3	1	1	1	2	2	1	13	10	1	26	10	7
5	3	2	5	3		12		2	1	1	1	2	1	1	12	6	1	20	6	8
1			1	1		1		1	1	1	1	1	1	1	1	4	1	6	4	9
20	4	3	12	24	3	44	2	27	1	8	1	23	4	1	35	29	2	89	21	10
13	4	3	8	19	3	37	2	23	1	7	1	18	1	1	27	20	2	71	14	11
7			4	5		7		4		1		5	3	1	8	9		18	7	12
3		1	3	4	2	7		4	1	1		2	1		10	1	14	20	13	13
3		1	3	4	2	7		4	1	1		2	1		10	1	14	20	13	14
11	4	3	24	59	6	43	7	21		7	5	55	1	1	34	35	4	151	4	15
11	4	2	22	48	4	39	7	18		7	4	42	1	1	31	27	4	122	2	16
		1	2	11	2	4		3		1	1	13			3	8		29	2	17
10	3		12	12	5	8	7	6	1		1	11		2	11	15	1	34	3	19
8	2		12	6	4	5	4	5			1	7		1	11	9	1	22	1	20
2	1			1	1	3	3	1	1		1	1		1	6	6		12	2	21
5		7	3	7	1	16		18	1	4	3	6	1	1	19	15		38	7	22
5		7	3	6	1	16		18	1	4	3	6	1	1	19	15		38	7	23
				1				18	1	4	3	6	1	1	19	15		38	7	24
10	1	1	12	14	1	28	3	2	1	2	2	11	1	2	19	15	1	37	1	25
10	1	1	11	12	1	27	3	2	1	2	2	11	1	2	18	12	1	35	1	26
			1	2		1		1				1			1	3		2		27
2		2	1	2		6		6		1		5	1		9	6		17	20	28
2		2	1	2		5		6		1		5	1		7	6		17	20	29
						1		1							2					30
9	4	3	6	10	3	24	3	19	3	1	2	3	4	2	20	24	1	66	14	31
9	4	2	6	10	3	23	3	19	3	1	1	3	4	2	20	23	1	63	14	32
		1	3	1	1	1	1	1	1			14	1		7	1		3		33
6	1		2	11	1	15	2	2	1			11	1		6	9	1	26	2	34
6	1		1	9	1	15	2	2	1			11	1		6	5	1	24	2	35
				2				1				3			1	4		2		36
5	3	1	6	8	2	21	1	11			1	6		2	9	12		40	8	37
4	3	1	4	6	2	21	1	11			1	6		2	9	9		40	8	38
1			2	2																
5		7	5	13		15	1	8	1	2	3	15	2	2	18	12	2	41	11	39
5		7	5	13		15	1	8	1	2	3	15	2	1	17	12	2	41	11	40
															1					41
1	1	6	4	7	1	8	1				1	3	3		5	6		20	12	43
1	1	6	4	6	1	8	1				1	3	3		5	6		19	11	44
1		2	1	1	1	3	1					1	3	1	2	5	1	7	10	46
1		2	1	1	1	3	1					1	3	1	1	5	1	7	10	47
1		4	4	4		8		8		2		4		3	11	29		18	15	49
1		4	4	4		8		8		1		4		3	11	27		18	15	50
8		2	13	12		21		13	1	2		8	1		13	9	1	47	20	52
8		2	13	12		21		13	1	2		8	1		13	8	1	47	20	53
9	3	3	9	17	5	19	3	10	1	2	1	13	1	1	9	10	1	41	10	55
3	3	3	6	8	5	16	3	9	1	2	1	11	1	1	8	7	1	33	7	56
3	1	3	3	5		15		3				2			1	3	1	10	10	57
3	1	3	3	5		14		3	2	1	1	5	1		8	2	1	10	10	58
						1		1				1			8	2	1	10	10	59
14	3	7	9	26	9	31	1	13		2	5	16	3	4	18	21	3	78	11	61
11	3	5	6	18	7	22	1	9		1	4	8	1	4	14	10	3	55	7	62
3		2	2	8		7		4		1	1	5		1	6	11		13	4	63
2		2	2	3		6		2				3		1	4	7		13	3	64
1			2	3		1		1				2		1	5	5		20	2	65
1			2	3		1		1				2		1	5	5		20	2	66
5		3	4	6		13	4	7	1			6		1	5	9		11	2	67
5		3	3	5		13	4	7	1			6		1	5	8		10	2	68
			1	1											3	1		1		69
2			5	5		31		7				7	1		18	12	4	17	9	70
2			5	5		31		7				7	1		18	12	4	17	9	71
2		6	5	7	3	25	1	11		1	1	11	1	1	6	8		24	6	73
2		6	4	6	1	25	1	11		1	1	9	1	1	6	8		24	4	74
			1	1								2								
13	2	6	11	20	3	24	3	9	3	2	4	24	1	2	15	21	4	52	3	76
12	1	6	8	16	3	15	2	8	3	2	3	13	1	2	13	15	4	36	3	77
1	1	6	8	4	3	9	1	1	3	2	3	11	1	1	2	6		16	1	78

* Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
KENTUCKY—continued.															
1	Magoffin County (total)	143	6	1			4	11		1	13			3	1
2	White	142	6	1			4	11		1	12			3	1
3	Colored ¹	1									1				
4	Marion County (total)	230	13			5		2	2	3	26	3			3
5	White	195	12			4		2	2	2	19	1			3
6	Colored	55	1			1				1	7	2			
7	Marshall County (total)	165	7	10		8		3	6	3	19			1	1
8	White	159	7	10		8		3	6	2	17			1	1
9	Colored ²	6								1	2				
10	Martin County (total)	52	2					1	1		10			2	
11	White	52	2					1	1		10			2	
12	Colored ²														
13	Mason County (total)	271	8			2	2	6	3	3	41	2		6	1
14	White	218	7			2	2	5	2	1	36	2		6	1
15	Colored	53	1					1	1	2	11				
16	Meade County (total)	118	5			1		1	2	4	19	1		2	1
17	White	110	5			1		1	2	4	13	1		2	1
18	Colored	8									4				
19	Menifee County (total)	60							3	2	8				
20	White	60							3	2	8				
21	Colored ²														
22	Mercer County (total)	202	5					8		4	42	2		3	2
23	White	144	3					7		2	25	2		1	2
24	Colored	58	2					1		2	17			2	
25	Metcalfe County (total)	132	2	1				1			27	4		5	
26	White	116	2	1				1			26	3		3	
27	Colored	16									1	1		2	
28	Monroe County (total)	166	8	1					9	3	21	1		4	
29	White	160	8	1					9	3	19	1		4	
30	Colored	6									2				
31	Montgomery County (total)	148	6					8	1	1	23	2		2	1
32	White	87	5					1	1	1	13				1
33	Colored	61	1					7			10	2		2	
34	Morgan County (total)	190	5	1		2		1	7	7	32	2		3	1
35	White	190	5	1		2		1	7	7	32	2		3	1
36	Colored ²														
37	Muhlenberg County (total)	414	17	6		2		10	6	1	66	1		8	
38	White	343	15	4		2		8	5	1	49	1		7	
39	Colored	71	2	2				2	1		17			1	
40	Nelson County (total)	260	17			6		8	1	2	30	1		2	1
41	White	187	14			6		4	1	2	15	1		2	1
42	Colored	73	3					4			15				
43	Nicholas County (total)	154	7	1				1	3		18	2		2	
44	White	141	7	1				1	3		18	2		2	
45	Colored	13													
46	Ohio County (total)	344	11	2		6	2	6	6	5	51	2		3	2
47	White	315	9	2		6	2	6	6	5	47	2		2	2
48	Colored ²	29	2							1	4			1	
49	Oldham County (total)	100	2				1			2	13			2	
50	White	82	2				1			2	10			2	
51	Colored	18									3				
52	Owen County (total)	153	2					2			13	2		1	2
53	White	138	2					1	5		11	1		1	1
54	Colored	15						1			2	1			1
55	Owsley County (total)	66	1					1	2	1	12				
56	White	64	1					1	2	1	12				
57	Colored ²	2													
58	Pendleton County (total)	145	1					1	1	2	20	4			1
59	White	134	1					1	1	2	18	4			1
60	Colored ²	11									2				
61	Perry County (total)	125	6		1	19			5	2	9	1		1	
62	White	119	5		1	19			5	2	9	1		1	
63	Colored ²	6	1												
64	Pike County (total)	377	12	1		1		15	51	1	42			2	2
65	White	362	12	1		1		13	51	1	41			2	2
66	Colored ²	15						2			1				
67	Powell County (total)	69	2	1				3			8				
68	White	66	2	1				3			8				
69	Colored	3													
70	Pulaski County (total)	417	16		1	9	1	3	7	3	54	9		8	1
71	White	386	13		1	9	1	3	7	3	48	9		6	1
72	Colored ²	31	3								6			2	
73	Robertson County (total)	60	3					1	1		13				
74	White	58	3					1			13				
75	Colored ²	2							1						
76	Rockcastle County (total)	138	7		1	8		1	2		23			4	
77	White	137	6		1	8		1	2		23			4	
78	Colored ²	1	1												

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

349

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nial intes- tinal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Fever- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2		3	1	8	1	6	2	3	1	1		3	2	1	3	9		26	31	1
2		3	1	8	1	6	2	3	1	1		3	2	1	3	9		26	31	2
14	2	3	6	9	7	20	2	16	1		2	17	2	3	17	9	1	52	8	3
12	2	2	4	5	7	11	1	12	1		2	12	1	2	14	7	1	45	7	4
2		1	2	4		9	1	4				5	1	1	3	2		7	1	5
2	3	5	4	3	1	20	3	11	1	1	1	5	1	1	8	3		26	6	7
2	3	5	4	3	1	20	3	11	1	1	1	5	1	1	8	3		25	5	8
		3		3		2		4				4			2	3		1	1	9
		3		3		2		4				4			2	3		9	6	10
															2	3		9	6	11
															2	3		9	6	12
9	1		12	19	2	19	5	12	2	2		9	2	1	15	11	3	64	8	13
8	1		11	18	2	15	4	8	2	2		6	1	1	11	10	3	51	5	14
1			1	4		4	1	4				3	1		4	4		13	3	15
6	2	1	3	6	2	13		4		1		10		1	13	3	1	14	1	16
6	2	1	3	6	2	13		4		1		11		1	12	3	1	14	1	17
						1		1				1			1			14	1	18
1		3			1	7		4				3		2	4	5	1	11	5	19
1		3			1	7		4				3		2	4	5	1	11	5	20
6	2	3	8	15	3	20	1	3	1	2	1	12		1	9	8	2	37	2	21
5	2	2	8	5	3	15	1	2	1	1	1	11		1	5	5	2	32	1	22
1		1	10	10		5		1				1		1	4	3		5	1	23
7		2	6	11	1	5	1	6		1	1	10	1		2	6		24	8	25
5		1	6	9	1	4	1	5		1	1	9	1		2	3		23	8	26
2		1	7	2		1		1				1			1	1		1		27
4	1		7	9	3	6	2	3	2	2		4	2	1	10	8	1	39	10	28
4	1		7	9	3	6	2	3	2	2		4	2	1	10	8	1	39	10	29
			1		3			1		1										30
9		3	6	2		17	2	2				16	2	1	9	5		24	6	31
6		2	4	1		11	1	11				11	2		6	3		15	3	32
3		1	2	1		6		2				5		1	3	2		9	3	33
6		9	4	3		4	3	12				1			16	6	1	35	28	34
6		9	4	3		4	3	12				1			16	6	1	35	28	35
																				36
13		7	7	17	4	36	2	26	2	6	2	17	3	2	32	37	1	74	6	37
11		7	6	13	3	33	2	23	2	6	2	14	2	2	30	28	1	59	4	38
2			1	4		3		3				3	1		2	2		15	2	39
16	2		8	15	1	24	8	10				18	1	2	14	11	1	47	11	40
13	1		6	9	1	16	7	8				11	1		12	9	1	38	7	41
3	1		2	6		8	1	2			1	7		2	2	2		9	4	42
7	2	3	4	12	1	12	5	3				14	1	2	8	8		30	6	43
7	2	3	4	10	1	11	4	3				12	1	2	8	5	2	26	6	44
				2		1		1				1			1	1		4		45
11	2	4	12	18	9	32	4	11	1	2		11	1	3	31	11		70	13	46
11	1	4	12	15	8	30	4	11	1	2		9	1	2	29	8		64	13	47
				3	1	2						2		1	2	3		6	18	48
2	2	1	4	9	3	11		1				7		1	2	9	2	25	1	49
2	2	1	4	7	2	11		1				6		1	2	6	2	19		50
6		3	9	16	1	14	2	1	1	1	1	8		2	10	6	1	38	6	51
6		3	9	13		13	1	1	1	1	1	8		2	8	6	1	37	6	52
			2	3		1									2			1		53
3				1	8	5	5	4		1		1			5	5	1	4	5	54
3				1	8	5	5	4				1			5	5	1	4	5	55
6	3	1	8	13	3	7		4	1	1		7			12	11	3	31	4	56
6	3	1	8	10	3	7		4	1	1		6			11	9	3	29	4	57
																2		2		58
1	1	1	4	4		13		7		1		1	1	2	6	14	1	19	10	61
1	1	1	4	4		13		6		1		1	1	2	5	11	1	19	10	62
3		7	4	13		22	3	10	1	2		5		2	1	3		44	41	63
3		7	3	12		20	3	18	1	2		5		2	30	40	4	44	41	64
			1			2		1							30	36	4	44	40	65
															4	4			1	66
	1			2		3	3	4	1			3		2	1	7	1	23	4	67
	1			2		3	3	4	1			3		2	1	5	1	22	4	68
20	3	9	9	37	1	38	8	11	5	2	2	22	3	1	23	25	1	62	21	69
20	3	8	8	32	1	36	6	11	5	2	2	19	3	1	23	23	1	59	21	70
		1	1	5		2						3		1	2	2		3		71
1			4	5	1	9		1	1		1	3		1	3	5	1	6		72
1			4	4	1	9		1	1		1	3		1	3	5	1	6		73
5		1	4	1	1	8	2	2	1	1	1	8			8	7		24	10	74
5		1	4	7	1	8	2	2	1	1	1	8			8	7		24	10	75
				7		8									8	7		24	10	76
				7		8									8	7		24	10	77

² Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
KENTUCKY—continued.															
1	Rowan County (total).....	130	5		1		4	5		1	15	1	4		
2	White.....	129	5				4	4		1	15	1	4		
3	Colored ²	1						1							
4	Russell County (total).....	110	2		2			2	4		24	2	5	1	
5	White.....	106	2		2			2	4		23	2	5		
6	Colored ²	4									1			1	
7	Scott County (total).....	215	4		1	1	4		5		26	1	1	2	
8	White.....	141	3		1		3		1		14	1	1	2	
9	Colored.....	74	1			1	1		4		12				
10	Shelby County (total).....	270	16			2	1	3	1		43	5	3	1	
11	White.....	173	8			2	1	2	1		26	4	1	1	
12	Colored.....	97	8					1			17	1	2		
13	Simpson County (total).....	131	10	1				1	1		27	2			
14	White.....	89	6					1	1		15	1			
15	Colored.....	42	4	1							12	1			
16	Spencer County (total).....	83	1		1		1		2	1	16	1			
17	White.....	76	1		1		1		2	1	15	1			
18	Colored.....	7									1				
19	Taylor County (total).....	155	3		1			3	3		24				
20	White.....	131	3		1			3	3		18				
21	Colored.....	24									6				
22	Todd County (total).....	222	10	1			1	2	1		41	2	5		
23	White.....	132	5					1	1		13	1	4		
24	Colored.....	90	5	1			1	1	1		28	1	1		
25	Trigg County (total).....	139	4	1				2	1		28	1	2		
26	White.....	83	3	1				2			12				
27	Colored.....	56	1						1		16	1	2		
28	Trimble County (total).....	39			1	1				1	2				
29	White.....	37			1	1				1	2				
30	Colored ²	2													
31	Union County (total).....	218	6	2		1	5	2	7		17		4		
32	White.....	167	6	1		1	3	1	4		13		2		
33	Colored.....	51		1			2	1	3		4		2		
34	Warren County (total).....	462	23	1		1	7	7	1		75	5	2	1	
35	White.....	313	15				6	4	1		39	2	1	1	
36	Colored.....	149	8	1		1	1	3			36	3	1		
37	Washington County (total).....	186	8		3		6	1	11	1	32	2	2	1	
38	White.....	155	7		3		6	1	9	1	27	1	2	1	
39	Colored.....	31	1						2		5	1			
40	Wayne County (total).....	159	5		16		2	2	2	1	20		4	1	
41	White.....	154	5		16		2	2	2	1	18		4	1	
42	Colored ²	5									2				
43	Webster County (total).....	243	20	1	11		4	7			38		3		
44	White.....	210	16	1	11		2	6			32		2		
45	Colored.....	33	4				2	1			6		1		
46	Whitley County (total).....	338	13	2	8		4	8	5		32	1	2	2	
47	White.....	318	13	2	8		3	8	4		30		2	2	
48	Colored ²	15					1		1		2	1			
49	Wolfe County (total).....	115	5	1			4	18	1		8		2		
50	White.....	113	5	1			4	18	1		6		2		
51	Colored ²	2									2				
52	Woodford County (total).....	174	3	1	1	1	2		1		29		4	1	
53	White.....	104	3		1	1	1		1		12		1		
54	Colored.....	70		1			1				17		3	1	
MAINE.															
55	Total.....	8,757	81	6	1	34	7	79	61	86	13	523	58	92	25
56	White.....	8,732	81	6	1	34	7	79	61	86	13	520	58	92	25
57	Colored.....	25										3			
58	Androscoggin County.....	270	4				2	1	4		22		5	1	
59	Aroostook County.....	1,037	26		10	3	14	21	23		50	5	10	2	
60	Cumberland County.....	833	3		2		7	4	7	1	45	6	5	5	
61	Franklin County.....	281	2				1		1	1	23		1	1	
62	Hancock County.....	510	2	1			2	7	1	1	28	3	8	2	
63	Kennebec County (exclusive of)	609	3	1	1		4	2	6	1	40	1	3	1	
64	National Military Home.....	155									10	1	1		
65	Knox County.....	497	4				1	1	6		30	4	5	2	
66	Lincoln County.....	328	1	1	1		7	1	2	1	10		6	1	
67	Oxford County.....	537	3		2	1	6	3	6	1	21	8	1	2	
68	Penobscot County.....	808	6		5	2	10	4	4	3	53	8	14	1	
69	Piscataquis County.....	251	7						1	2	17	3	1	1	
70	Sagadahoc County.....	327	2				4	8	1		19	1	2		
71	Somerset County.....	502	1				3	2	10		31	4	7		
72	Waldo County.....	363	6	1					1		17	2	5	1	
73	Washington County.....	613	3	1	10		16		3		56	8	9	3	
74	York County.....	836	8	1	1	3	1	4	12	4	51	4	9	2	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

351

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—

Cancer.	Dia- betes.	Meningi- tis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Hernia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2		5	1	4	1	19	2	4		2		2	1		3	9		17	22	1
2		5	1	4	1	19	2	4		2		2	1		3	9		17	22	2
4		1	5	3	2	5		4		2		3		1	8	2		23	4	3
4		1	5	3	3	5		4		2		3		1	8	2		21	4	4
																		2		5
8	3	5	7	22	5	16	1	6	2	3		8	3		15	14		42	10	7
7	2	3	5	12	5	10	1	4	2	2		7	2		12	8		31	2	8
1	1	2	2	10		6		2		1		1	1		6	6		11	8	9
8	4	2	8	25	1	26	4	3		2		14	4		8	12	2	57	11	10
8	2	1	7	11	1	17	1	2		1		9	3		9	9		37	7	11
	2	1	1	14		9	3	1		1		5	1		3	3	1	20	4	12
5	1	2	3	11	1	8	4	5		3		10		1	4	3		24	3	13
5	1	1	2	10	1	6	4	5		2		6		1	1	1		16	8	14
4		1	1	1		2		1		1		4			2	2		8	3	15
4		1	1	1	4	6		1		1		6			6	6		17	6	16
					4	4		1		1		6			3	5		15	5	17
					4	4		1		1		6			3	5		2	1	18
5	1		4	14	2	16		5			3	3			12	7		43	7	19
5	1		4	10	2	14		4			2				12	5		37	5	20
				4		4		1			1				2	2		6	1	21
12		7	13	17	6	16	1	7	2		1	9	2		10	9		32	12	22
8		7	6	13	5	9	1	4	1		1	5	1		7	6		24	8	23
4		7	7	4	1	7		3	1		1	4	1		3	3		8	4	24
6	4	3	3	8	1	5	2	1		2		4	2		10	4		27	18	25
6	3	2	3	4	1	3	2			1		1	2		9	2		17	8	26
	1			4		2		1				3			1	2		10	10	27
			2	6	3	2						4			3	2		7	7	28
			2	5	3	2						4			3	2		7	7	29
			1	1	2	1						4			3	2		1	7	30
9	3	2	7	11	4	12	6	16		1	1	10	1	2	17	20		39	10	31
7	3	2	6	10	4	7	5	16				7	1	2	14	13		29	7	32
20			1	1		5	1			1	1	3			3	7		10	3	33
18	3	2	14	37	4	27	8	17	3	2	2	40	3	2	28	27		87	12	34
2	3	2	11	29	3	17	6	13	3	2	2	25	2		20	15		66	7	35
			3	8	1	10	2	4			1	15	1	2	8	12		21	5	36
5	2	2	10	10		22	3	5	1			11			4	6		26	7	37
4	1	2	7	9		19	2	3	1	3		9		2	2	4		22	7	38
	1	2	3	1	2	3	1	2				2			2	2		4	4	39
		2	2	5	2	11	1	3		1		7			4	6		22	7	38
		2	2	5	2	10	1	2		1		7			4	6		22	7	38
						10						7			4	6		22	7	38
6	1	4	4	5		8	3	14	1	1	1	14	3		13	15		53	13	42
6	1	4	3	5		8	3	13	1	1	1	12	2		11	11		47	11	44
12	1	8	1	16	1	43	3	19	3		3	2	2		2	4		6	2	45
11	1	8	6	15	1	40	2	19	3		2	11	1	5	22	23		57	20	46
1			1	1		3	1				1	10		5	22	23		56	19	47
												1						1	1	48
1			4	2	2	9		4	2		2	2	1		5	8		16	18	49
			4	2	2	9		4	2		2	2	1		5	8		16	18	50
6		3	3	19	1	14	2	12	1	2	1	14		2	11	7		26	5	51
3		1	2	11	1	11	2	11	1	1	1	13		1	5	3		17	3	52
						3		1				1			6	4		9	2	54
609	107	55	746	1,117	130	747	97	267	69	62	41	654	15	42	417	398	81	1,887	150	65
607	107	55	743	1,114	130	744	97	267	69	62	41	650	15	42	417	397	81	1,881	150	56
2			3	3		3						4				1		6		57
24	2	2	23	34	6	29	3	4	1	2	2	15		2	14	8		53	3	58
46	8	13	42	70	10	104	13	129	8	4	3	39	5	11	74	50	4	184	54	59
69	12	4	30	114	12	70	7	14	7	8	4	64		6	46	27	7	197	9	60
20	4		35	27	4	18	3	5	2	4	1	23			14	17	6	63	5	61
37	4	1	37	68	10	49	5	6	7	1	3	43	1	2	17	24	2	131	8	62
46	3	4	66	91	13	41	4	14	2	4	3	32		2	25	28	2	162	4	63
9			2	55		5	1			1	1	61						8		64
32	4	3	61	83	10	45	3	5	5	7	2	37		1	11	28	3	114	10	65
40	3	3	32	53	4	24	6	2	2	2	5	14		2	2	16	4	82	4	66
29	6	4	50	65	5	64	5	12	3	3	2	39		1	40	26	4	114	11	67
54	14	5	65	99	13	81	14	19	8	2	2	46	3	2	47	53	7	157	8	68
17	5	3	37	27	4	25	3	2	3	3	3	21		1	15	23	5	46	4	69
19	8		13	48	4	18	3	5	2	1	1	27	1		15	21	3	80	2	70
44	9	3	45	55	8	7	7	9	2	5	1	43	3		16	26	9	109	8	71
18	8	1	46	82	7	42	5	4	3	5	1	31		2	9	13	6	82	5	72
54	6	7	31	81	7	46	6	16	8	4	1	34		5	27	18	6	137	10	73
60	11	4	81	110	13	64	9	21	8	6	10	85	2	5	45	20	7	168	5	74

* Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
MARYLAND.															
1	Total.....	9,861	167	10	5	18	33	111	75	91	12	1,190	25	98	39
2	White.....	6,998	105	5	1	9	32	60	66	70	12	751	15	55	27
3	Colored.....	2,863	62	5	4	9	1	51	9	21		439	10	43	12
4	Allegany County (total).....	461	13				6	14	5	3		29		2	2
5	White.....	452	18				6	14	5	3		28		2	2
6	Colored ¹	9										1			
7	Anne Arundel County (total).....	725	7	3	4	1		11	6	10		75	1	8	4
8	White.....	353	2	1	1			5	5	7		27		2	2
9	Colored.....	372	5	2	3	1		6	1	3		48	1	8	2
10	Baltimore County (total).....	1,974	18				13	16	23	15	5	264	6	20	7
11	White.....	1,733	18				13	11	23	13	5	218	6	14	7
12	Colored.....	241						5		2		46		6	
13	Calvert County (total).....	141	14	1				1				15		3	
14	White.....	56	5									7		1	
15	Colored.....	85	9	1				1				8		2	
16	Caroline County (total).....	282	2					6	4	3		34		5	3
17	White.....	190	2					3	3	2		18		4	1
18	Colored.....	92						3	1	1		16		1	2
19	Carroll County (total).....	527	3					1	4	9	1	54		2	
20	White.....	453	3					1	3	9	1	51		2	
21	Colored.....	44						1	1			3			
22	Cecil County (total).....	346	4				3	6		5	1	34	3	6	6
23	White.....	252	3				3			4	1	23	3	1	2
24	Colored.....	94						6				11		5	4
25	Charles County (total).....	273	6	1					4	8		41		3	1
26	White.....	92	1						3	3		7		3	1
27	Colored.....	181	5	1					1	5		34		3	1
28	Dorchester County (total).....	475	12					11	2	4		63	2	5	
29	White.....	246	8			12	3	3	1	3		20			
30	Colored.....	229	4			5		8	1	1		43	2	5	
31	Frederick County (total).....	605	9			7		1	1	4	1	137	1	3	1
32	White.....	531	4					1	2	3	1	127	1	2	1
33	Colored.....	74	5							1		10		1	
34	Garrett County (total).....	159	6					2			1	11		2	2
35	White.....	157	6					2			1	11		2	2
36	Colored ¹	2													
37	Harford County (total).....	353	6					4	2	2	2	32	1	4	1
38	White.....	260	4					2	2	2	2	19		3	1
39	Colored.....	93	2					2				13	1	1	
40	Howard County (total).....	189	2				1	5	1	2		12			2
41	White.....	122					1	3	1	1		5			
42	Colored.....	67	2					2		1		7			2
43	Kent County (total).....	229	4					2		1		22	1	1	
44	White.....	108	2					2		1		5	1		
45	Colored.....	121	2									17		1	
46	Montgomery County (total).....	360	3	1				2	4			46	2	4	
47	White.....	221	2					1	3			24		2	
48	Colored.....	139	1	1				1	1			22	2	2	
49	Prince Georges County (total).....	437	8					3	3	7		60	1	4	2
50	White.....	250	7					1	2	5		24	1	1	1
51	Colored.....	187	1					2	1	2		36	1	3	1
52	Queen Annes County (total).....	264	6				4			3		30	1	4	3
53	White.....	139	1				4			2		14	1	3	1
54	Colored.....	125	5							1		16		1	2
55	St. Marys County (total).....	226	3	1		1			3	3		32	1	4	
56	White.....	112	1	1		1			3	2		12		2	
57	Colored.....	114	2							1		20	1	2	
58	Somerset County (total).....	370	8			1	1	4	4	2		43		2	2
59	White.....	212	4			1	1	3	4			17			1
60	Colored.....	158	4					1		2		26		2	
61	Talbot County (total).....	318	6	2				4	3	1	1	38	1	5	1
62	White.....	173	3	2				2	2	1	1	12		3	
63	Colored.....	145	3					2	1			26	1	2	
64	Washington County (total).....	368	4	1			1	3	3	5		31	1	2	3
65	White.....	349	4	1			1	3	3	5		28	1	2	3
66	Colored ²	19										3			
67	Wicomico County (total).....	440	9			1	1	3	2	3		48	1	7	
68	White.....	317	3			1		1	1	3		34		6	
69	Colored.....	123	6				1	2	1			14	1	1	
70	Worcester County (total).....	339	9	1		2		12		1		39	2	2	
71	White.....	190	4			1		4		1		20	2	2	
72	Colored.....	149	5	1		1		8				19			
MASSACHUSETTS.															
73	Total.....	11,671	31	2	1	23	43	61	74	81	43	1,072	55	104	42
74	White.....	11,509	31	2	1	23	43	59	73	80	43	1,029	54	96	42
75	Colored.....	162						2	1	1		43	1	8	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

353

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intes- tinal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- form- ations.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
439	85	50	609	877	136	339	79	607	23	50	56	342	28	61	615	555	66	1,717	253
380	72	33	465	665	97	555	51	430	17	34	45	630	19	37	427	424	62	1,239	108
59	13	17	144	212	39	284	28	177	6	16	11	212	9	24	188	131	4	478	145
23	6	6	29	36	22	34	9	22	3	3	25	1	26	55	3	75	4
23	6	6	29	35	22	33	9	21	3	3	24	1	26	55	3	71	4
34	5	3	51	57	11	67	4	57	2	3	8	70	3	6	44	56	4	93	17
29	3	1	29	27	2	27	1	38	37	1	4	21	38	3	33	2
5	2	2	22	30	9	40	3	19	2	3	1	33	2	2	23	18	1	60	15
111	24	8	116	182	24	174	14	118	2	11	14	131	4	7	102	111	13	343	28
104	23	5	109	168	22	154	13	101	2	11	13	164	4	6	88	93	13	297	15
7	1	3	7	14	2	20	1	17	17	1	14	18	46	13
2	2	3	9	2	10	1	7	6	1	2	13	7	25	16
1	2	2	5	2	2	2	2	4	1	1	7	3	7	14
1	1	4	2	8	1	5	2	1	6	4	18	15
8	1	1	14	24	3	27	4	16	2	3	20	5	30	8	1	47	11
6	12	17	3	15	3	11	2	2	15	2	2	20	5	1	38	5
2	1	1	2	7	12	1	5	1	1	5	3	10	3	9	17
20	9	2	39	80	6	43	4	18	2	3	60	3	3	25	18	3	114	4
19	9	2	38	75	4	33	2	17	2	3	58	2	2	24	15	3	105	2
1	1	5	2	10	2	1	2	1	1	3	9	21
18	2	19	41	2	30	3	18	3	1	34	4	1	16	23	4	55	4
14	2	16	31	2	23	3	15	1	1	26	3	10	22	4	38	1
4	3	10	7	3	2	8	1	6	1	17	3
4	14	22	5	27	2	18	1	2	2	17	1	17	15	2	41	19
2	8	6	1	10	6	1	5	8	7	12	6
2	8	15	4	17	2	12	2	2	12	1	8	8	29	13
16	2	1	15	31	4	34	4	46	3	2	3	29	1	4	37	24	4	85	16
12	1	8	14	3	16	25	1	1	1	16	1	3	13	14	4	55	10
4	1	1	7	17	1	18	4	21	2	2	2	13	1	19	10	30	6
24	5	1	44	45	6	37	2	19	2	1	49	5	4	39	31	2	117	11
20	5	1	41	40	6	27	1	15	2	2	2	43	5	3	86	26	2	106	7
4	3	5	10	1	4	6	1	3	5	11	4
10	1	1	10	12	1	10	8	3	2	7	2	17	13	2	30	6
10	1	1	10	12	1	10	8	3	2	6	2	17	12	2	30	6
13	6	3	34	37	6	21	2	14	1	31	2	22	1	68	8
13	5	2	29	30	3	15	2	9	1	23	2	14	29	2	51	2
.....	1	1	5	7	3	6	5	8	2	8	5	17	6
8	1	13	25	2	22	14	2	14	1	19	11	1	30	1
7	1	7	14	2	13	10	2	12	1	12	9	1	17	1
1	6	11	9	4	2	7	2	13	4
8	1	2	15	14	5	21	5	18	1	25	1	20	9	43	5
4	10	7	4	10	3	6	1	12	5	7	23	2
4	1	5	7	1	11	2	12	1	13	1	15	2	21	3
11	4	2	22	40	3	48	1	20	1	2	2	33	3	3	18	19	5	54	7
10	4	11	26	2	26	10	1	1	2	11	1	2	13	13	5	37	4
1	11	14	1	22	10	11	5	17	17	3
18	23	36	6	42	2	25	1	2	1	36	1	5	26	28	73	18
16	10	21	4	23	16	1	2	1	29	1	1	10	20	4	45	6
2	13	19	2	19	2	9	7	2	16	8	28	12
9	2	4	15	23	2	30	2	20	2	1	28	19	4	2	43	7
8	3	11	12	2	12	2	11	14	13	2	2	21
1	2	1	4	4	18	9	2	1	14	6	2	22	7
5	22	12	7	18	3	16	16	1	13	6	48	8
.....	8	8	2	9	1	9	7	1	8	6	24	1
.....	14	4	5	9	2	7	9	1	5	1	24	7
26	6	2	10	32	1	26	4	37	3	2	38	27	9	67	8
19	4	1	6	20	14	3	26	2	2	20	3	17	1	41	2
7	2	1	4	12	12	1	11	1	15	2	10	3	10	59
17	2	30	26	1	14	2	22	1	4	31	3	21	8	26	60
12	1	17	18	2	7	1	12	1	2	21	1	12	9	55	61
5	1	13	8	4	7	1	10	10	2	9	8	29	62
.....	26	4
22	1	6	25	50	3	33	3	16	1	2	2	26	1	19	24	8	61	11
22	1	6	23	49	2	32	3	16	1	1	2	24	1	19	22	8	56	10
.....	2	1	1	2	2	2	5	1
10	4	20	18	5	37	7	35	2	3	46	2	3	26	17	5	98	17
9	3	15	14	5	26	4	31	2	2	34	3	17	17	4	73	10
1	1	5	4	1	11	3	4	2	12	9	9	1	25	7
22	1	1	20	32	5	34	1	23	2	3	20	1	3	19	11	51	22
15	15	20	3	18	15	1	1	14	2	11	4	30	6
7	5	12	2	16	1	8	2	6	1	8	7	21	16
868	165	54	1,074	1,708	212	1,030	80	436	34	67	66	760	19	50	548	534	97	2,188	49
364	164	54	1,069	1,689	210	1,018	79	434	34	67	65	749	19	49	538	523	96	2,164	48
4	1	5	19	2	12	1	2	1	11	1					

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.														
MASSACHUSETTS—continued.														
1 Barnstable County	469					2	1	5	6	2	18	1	2	4
2 Berkshire County	515	2			3	1	1	6	10	1	29	5	1	2
3 Bristol County	746	6	1			12	5	9	5	3	34	3	4	1
4 Dukes County (total)	100				1	1		1	1			1		2
5 White	97				1	1		1	1			1		2
6 Colored	3													
7 Essex County	1,361	2				1	12	5	6	5	85	7	9	3
8 Franklin County	477						2	5	1	1	33		5	2
9 Hampden County	677	2			1	1	1	4	5	7	42	3	5	4
10 Hampshire County	599					3	3	3	6		30	2	5	4
11 Middlesex County	2,118	7			4	7	4	7	9	7	352	8	37	5
12 Nantucket County	70							1		1	3			
13 Norfolk County	1,295	3			6	6	10	11	10	7	87	6	12	4
14 Plymouth County	1,235	4			1	4	9	5	11	4	160	7	9	5
15 Worcester County	2,009	5	1	1	7	5	13	12	11	5	199	12	15	6
MICHIGAN.														
16 Total	22,812	187	19		104	83	164	239	244	64	1,323	69	142	128
17 White	22,488	184	19		102	83	163	239	240	64	1,295	69	137	127
18 Colored	324	3			2		1		4		28		5	1
19 Alcona County	45						1				3			
20 Alger County	114				3		1	1		1	6	1		
21 Allegan County	483	4			2			4	6		19	3	1	
22 Alpena County	65							2	1	1	2		2	
23 Antrim County	180	3			2		2		2	1	11			
24 Arenac County	103	2						2			5			1
25 Baraga County (total)	65						1	1	1		5			
26 White	62						1	1	1		3			
27 Colored	12										2			
28 Barry County	276	3			1			5	6		3	1	2	1
29 Bay County	211	1				1	2	8	1	2	12	2	1	
30 Benzie County	105	1			5	1	1	1			10		1	1
31 Berrien County	755	10	2		4	1	8	2	7	2	37		8	10
32 Branch County	344		1		1	1	1	1	11	4	16	1		2
33 Calhoun County	464	3			1	1	1	3	7	2	15	1	3	1
34 Cass County (total)	270	3				1	2	1	2		13		1	2
35 White	243					1	2	1	1		9		1	2
36 Colored	22	3									4			
37 Charlevoix County	222	4			1		1	4	1	2	15	1	2	2
38 Cheboygan County	217				1	1		5		1	16			
39 Chippewa County	110	2						2		1	7	1		3
40 Clare County	106				1						3		3	1
41 Clinton County	269	1			1		1	1	4		7		2	2
42 Crawford County	78	1			1			1	1		1			
43 Delta County	158	3			1	1	2	2	7	1	13	1	3	
44 Dickinson County	208	1			4	1	8	3	1		20		1	
45 Eaton County	398	5	1		1	2		1	5	2	13		3	
46 Emmet County (total)	268	3	1		3		1	5	3	3	13		1	2
47 White	236	1	1		3		1	5	3	3	5		1	2
48 Colored	32	2									8			
49 Genesee County	406	1				1	2		5	2	12	1	1	1
50 Gladwin County	60		1					2		1	4		1	
51 Gogebic County	134	1					4	2		1	11		1	
52 Grand Traverse County	131	1			1			1	6		5			
53 Gratiot County	329	2			3	3	1	2	2		17			5
54 Hillsdale County	365	1			1		3	3	8	1	17		4	1
55 Houghton County	879	6	1		4	1	17	10	2	3	101	13	13	4
56 Huron County	351	8				5	1	8		1	16	1	1	1
57 Ingham County	295		1		1	1		1	4	2	12	1	5	2
58 Ionia County	423				1	1	1	1	5		20			1
59 Iosco County	103							2			7		3	2
60 Iron County	238	3				3	3	4	3	1	16	1	1	1
61 Isabella County	242	1			2	2		2	5	1	12	1	1	2
62 Jackson County	334	1	1			1	2	1	5		7	1	1	
63 Kalamazoo County	261	3					3		4		7		1	1
64 Kalkaska County	94	5	1				1	1			4		1	2
65 Kent County	781	8	4		5	18	3	8	9	5	63	3	5	2
66 Keweenaw County	60				1	1	1	1			2			1
67 Lake County	50							1			3			
68 Lapeer County	368	6				6	2	3	5	1	19	2	8	
69 Leelanau County	127				4						10		1	
70 Lenawee County	485	1			1	1	4	3	10	2	23	1	1	
71 Livingston County	240	2	1				1	1	1		19	2		
72 Luce County	139	1			1		1	1	1		14			2

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
37	7		55	82	9	25	4	13	2	9	2	38	1	1	11	28	2	101	1	
42	15	1	43	82	6	49	8	22		1	5	45	1	4	29	21	2	83	2	
56	5	5	60	97	13	81	8	41		6	5	48		2	51	46	5	128	3	
9	1		15	11	2	8	1	2	1	2	1	6			3	3	1	27	4	
9	1		15	11	2	8	1	2	1	2	1	6			3	1		27	5	
																2	1		6	
105	20	4	138	229	29	131	5	20	4	11	7	92	2	4	57	65	17	278	8	
33	5	3	60	55	6	44	3	24	2		4	26		3	35	40	6	75	6	
35	11	3	52	85	11	72	3	73	1	6	3	48	1	4	45	33	4	110	2	
33	12	3	51	87	11	68	5	31	3	2	6	59		3	36	37	4	89	3	
173	32	9	164	278	32	167	11	65	8	9	5	109	3	11	94	70	14	412	5	
																			10	
9	2		8	8		4					1	12	1	1	3	3	1	12	12	
99	12	6	136	220	18	126	9	27	3	7	5	83	2	7	48	49	16	256	4	
99	16	4	133	187	31	81	10	35	2	6	9	66	2	4	43	49	9	224	13	
138	27	18	159	287	44	174	18	83	8	8	13	128	6	6	93	90	16	393	14	
																			15	
1,398	320	128	1,616	2,995	389	1,297	253	747	178	188	207	1,343	133	179	1,485	1,409	266	5,273	16	
1,391	317	127	1,599	2,964	381	1,287	256	734	177	186	204	1,327	131	176	1,475	1,396	264	5,195	17	
7	3	1	17	31	8	30	2	13	1	2	3	16	2	3	10	13	2	78	18	
1	1		5	7		5		3		1		4			1	3		10	19	
2	1	4	1	5	2	9	3	8	1	2	1	3			9	22		24	20	
30	7	2	44	69	6	23	9	8	4	4	6	43	1	1	31	22		130	21	
9	2	1	2	6	1	5	2	2	1	1					2	5	3	14	22	
13			14	26	5	6	1	3	1	1					16	16	1	31	23	
4	2		6	23	2	6		4		1	2				5	8		22	24	
3	1	1	2	7		4	3		1			2		1	2	13		16	25	
3	1	1	2	7		2	3		1			1		1	1	12		11	26	
																			1	27
24	4	1	29	56	4	8	4	5		1	2	14		2	10	13	2	72	28	
																			3	29
14		2	13	17	1	18	3	9		2	1	11	2	3	16	11		54	30	
8			2	9	2	5	1	10		1		3	1	2	6	8		22	31	
58	10	5	55	113	8	34	7	11	2	3	13	55	5	1	43	54	3	158	32	
23	11	1	35	48	8	13	2	2	2	4	3	17	1	5	16	19	3	91	33	
35	5	1	44	87	11	22	2	5	3	4	4	18	1	3	32	29	10	102	34	
																			5	35
29	5		24	34	5	10	2	7	3	1	2	27	5	4	7	8		65	36	
28	4		24	33	5	9	2	6	3	1	1	24	4	4	7	8		58	37	
1	1	1	1	1		1		1				3			3	7		7	38	
13	1	1	17	30	4	12		8	1	3		9		2	13	23		43	39	
10	1	1	12	27	3	9	2	6	1	2	5	11	4	5	21	19	1	52	40	
																			1	41
7			7	19		6	4	3		4	1	1	2	2	9	9		20	42	
3			7	19	5	5	3	5	2		1	5	3	1	5	5		24	43	
18	6		19	52	5	16		3	4	3	3	19	2	5	16	7	2	67	44	
5	1	2	3	6		6	2	6	3	1		3		2	7	7	1	17	45	
4	3	1	10	5	3	15		9	3			3	3	1	21	8	4	29	46	
																			2	47
14	2		9	14	19	10	1	11	3		1	13		1	19	15		32	48	
25	9	1	30	76	9	26	4	3	1	3	4	25		3	17	23	5	97	49	
15	2	1	7	29	7	20	4	6	9	4	2	19	2	3	24	10	3	62	50	
15	2	1	5	27	7	15	4	5	9	4	1	19	1	2	24	10	3	55	51	
																		7	2	47
24	9	2	24	32	6	16	6	6	2	2	6	23	1	1	21	23	3	114	52	
3	1		6	8		2	2	1		1		4		2	5	3		9	53	
2		1	6	6	5	9	5	6	1			1	5		18	24	2	23	54	
4	3	2	12	16	4	4	2	3	3	2		9	2	1	9	6	2	36	55	
21	6	1	29	52	5	16	3	11		2	2	30	1	4	19	8	4	79	56	
																			1	57
28	10		25	75	5	23	1	4	2	5	6	24	3	2	18	7	2	86	58	
45	15	9	33	61	9	47	6	44	16	3	11	41	8	6	72	99	7	161	59	
28			15	31	3	25	5	19	5	5	5	23	4	4	34	20	2	74	60	
31	3	1	33	33	1	13	5	9	1	2	1	15		4	18	11	2	81	61	
14	7	5	44	74	5	35	7	5	1	5	3	19	1		28	14	5	121	62	
																			1	63
7	2		8	9		5		5	1		1	7	2		15	9	1	16	64	
3	3	6	5	10	9	29	3	17	1	4	2	6	2	3	26	32	5	30	65	
7	2	4	26	25	6	19	3	5	3	1	2	8	1	2	17	16	5	56	66	
25	8	2	33	57	2	10	2	7	4	4	1	32	3	2	30	30	10	73	67	
17	4	1	28	53	3	18	6	4	1	1	4	13	1	1	15	15	2	61	68	
																			1	69
9	2		9	6	2	3	1	2				5	1	1	10	4	1	22	70	
50	12	2	56	139	16	20	13	18	1	7	2	40	1	5	36	35	9	133	71	
3		1	3	2	4	4	1	2	2			3			5	11	1	12	72	
1	1	1	5	12		3	3	3	3		1	3	1		5	1	1	8	73	
18	3		19	50	8	18	7	5	2	4		27	2	2	18	15	3	112	74	
																			1	67
12	1		5	8		5	2	3	2			7	1	2	14	10	2	35	69	
39	10		49	72	4	25	5	4	4	3	9	37	2	3	27	18	6	118	70	
21	4	2	13	40	7	20	6	2	2	1	3	40	2	3	6	9	2	66	71	
5		1	5	16	2	7		6		1		1			7	16		52	72	

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Infuenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
MICHIGAN—continued.															
1	Mackinac County (total)	108							6		8		3	1	
2	White	100							6		6		3	1	
3	Colored	8									2				
4	Macomb County	506	3			1	1	10	3	1	21	1	2	4	
5	Manistee County	137	1			1	3	2	1		12	1	1	1	
6	Marquette County	307	5			5	1	3	2	1	30	3	2	1	
7	Mason County	250	3			1	1	5	4	4	16	3	2		
8	Mecosta County	265	1				2	1	2	2	8		1	2	
9	Menominee County	116	1			1	2		2	2	17		1	1	
10	Midland County	149	3					2			10	1	1	1	
11	Missaukee County	102	2			1		2		8	2	2	2	2	
12	Monroe County	466	3			4	1	2	3	5	19	1	2	3	
13	Montcalm County	381	2			3	2	2	2	9	9	1	1	6	
14	Montmorency County	42	2								2		2	1	
15	Muskegon County	216				2		2	3	1	13	2	2	1	
16	Newaygo County	198	1			2		1	3	1	8		1		
17	Oakland County	444	3				4	5	5	6	14	1	2	3	
18	Oceana County	217	1			3	1	2	1	5	11		2	2	
19	Ogemaw County	93	1					3	2		2		2	1	
20	Ontonagon County	104	1				3	5				1			
21	Osceola County	206							3		10				
22	Oscoda County	22								1					
23	Otsego County	100	1			1		3	3		2			1	
24	Ottawa County	366	3			3	2	3	3	2	14	1	2	2	
25	Presque Isle County	138				1		3	3	1	9			1	
26	Roscommon County	20							1		1				
27	Saginaw County	427	2	1				3	3	2	17		5	3	
28	St. Clair County	411	5			1		2	6	3	16	1	2	1	
29	St. Joseph County	317	1					3	1	1	12	2	1	4	
30	Sanilac County	364						1	6	3	19	2	1	6	
31	Schoolcraft County	112				4		1	1		9		1		
32	Shiawassee County	456	1			1		3	3	2	16	2	3	3	
33	Tuscola County	450	1				1	7	2	5	17		2	2	
34	Van Buren County	466	3	2			1	5	7	5	34	1	4		
35	Washtenaw County	347	1			2		4	3	2	14	1	4	2	
36	Wayne County	1,836	26	1		7	6	9	39	8	235	3	13	14	
37	Wexford County	259	6			3		2	1	12	10		1	2	
MINNESOTA.															
38	Total	14,769	134	2	7	63	165	126	131	74	1,122	98	124	91	
39	White	14,495	131	2	7	60	165	106	130	74	1,058	98	120	91	
40	Colored	274	3			3		20	1		74		4		
41	Aitkin County	87	3					2	3	1	7	2			
42	Anoka County	190					6	1	8		15		3	1	
43	Becker County (total)	280	1			2		14			28	3	1	1	
44	White	216						6			11	3		1	
45	Colored	64	1			2		8			17		1		
46	Beltrami County (total)	331	5				10	8	7	1	37	2		1	
47	White	287	4				10	1	7	1	16	2		1	
48	Colored	64	1					7			21				
49	Benton County	81	1			1				1	3				
50	Big Stone County	92	1					1			6	1			
51	Blue Earth County	188				4	1		3	2	6	2		2	
52	Brown County	213	3			2	2		2	1	12	2	5	1	
53	Carlton County	183	3			2	8		4		20			1	
54	Carver County	167	2				2			1	11	1	1	1	
55	Cass County (total)	157				1	3		7		22				
56	White	145					1	3	6		20				
57	Colored	12							1		2				
58	Chippewa County	144	1				1		2		9	3	1		
59	Chisago County	133					1		1		7		1	1	
60	Clay County	209	4	1		3	1	9	5	1	17	3	3	3	
61	Clearwater County	51									7		1		
62	Cook County	5									1				
63	Cottonwood County	126	5				2		1		7				
64	Crow Wing County	225	6				2	5	1		12			1	
65	Dakota County	308	2			1	10	1	3	2	24		2	2	
66	Dodge County	110				2		1	1	1	3			1	
67	Douglas County	204	2				1	1	1	1	15	1	2		
68	Faribault County	177	2				1	2	2	1	8		1		
69	Fillmore County	252	2			2			1	2	12	1	1	1	
70	Freeborn County	231	4				5	3	6	1	17	5		2	
71	Goodhue County	363	3			1		5	1	3	35	5	1	3	
72	Grant County	75	1					1	1		4		2	2	
73	Hennepin County	288	1				7	2	5	3	12			1	
74	Houston County	146				2	2		1	1	14	1	2	2	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

357

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pend- icitis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2	1	1	7	11	2	4	2	5	-----	2	-----	1	-----	2	3	11	5	29	2	1
2	1	1	7	11	2	4	2	4	-----	2	-----	1	-----	2	3	10	5	27	1	2
34	10	5	43	44	6	29	5	16	2	5	8	52	-----	-----	32	26	11	126	4	3
9	1	1	6	16	2	12	2	4	4	1	-----	10	-----	-----	10	6	1	33	1	5
8	5	-----	9	25	7	25	6	18	1	1	2	13	2	4	33	40	6	43	6	6
12	1	4	21	30	4	12	1	5	3	2	3	27	3	-----	16	18	4	44	7	8
25	4	1	17	45	6	10	1	6	6	6	3	18	1	3	16	11	4	60	5	9
6	1	2	5	12	4	8	-----	3	-----	-----	-----	2	1	2	15	7	2	19	2	9
7	-----	3	17	20	-----	11	1	5	1	1	2	10	2	1	5	5	2	35	3	10
7	5	-----	7	7	-----	12	1	3	-----	-----	-----	4	1	-----	7	8	1	15	4	11
28	5	3	29	66	9	29	5	20	2	-----	-----	24	4	2	23	34	6	128	1	12
35	3	-----	39	48	1	17	3	8	8	5	6	23	1	2	20	13	7	97	6	13
2	-----	-----	2	2	2	3	1	2	2	2	1	1	1	3	10	10	-----	9	-----	14
15	3	1	14	30	2	12	2	9	1	4	1	20	1	-----	14	17	3	39	-----	15
9	4	-----	11	37	5	10	4	2	2	6	5	13	-----	3	10	5	1	50	4	16
25	3	1	34	72	3	23	4	11	4	4	7	23	-----	3	27	30	5	117	6	17
11	6	1	26	33	1	16	5	5	5	2	5	12	2	3	11	7	1	43	1	18
9	2	-----	5	9	2	5	1	6	2	1	-----	7	-----	5	5	5	1	24	-----	19
5	3	-----	2	8	7	2	2	11	2	-----	2	2	2	-----	11	11	2	24	-----	20
12	1	-----	13	32	7	14	3	7	4	1	2	22	1	3	13	9	1	45	3	21
2	-----	1	4	4	-----	4	1	1	-----	-----	-----	1	-----	3	3	3	-----	-----	-----	22
3	-----	1	6	11	4	8	-----	7	-----	1	-----	8	3	-----	6	7	1	18	-----	23
22	5	2	33	56	11	17	4	14	4	4	5	28	-----	2	18	20	6	83	1	24
5	3	2	14	11	-----	9	1	8	-----	1	-----	8	4	-----	16	9	-----	20	-----	25
1	1	-----	1	3	-----	4	-----	2	-----	-----	5	-----	-----	1	3	-----	-----	11	1	26
21	7	3	30	53	10	22	5	5	1	3	6	23	4	-----	42	23	10	111	13	27
30	6	3	28	51	9	20	6	8	3	3	5	17	1	6	17	32	2	118	2	28
25	1	-----	41	52	2	19	3	5	1	2	1	34	-----	5	12	14	5	69	1	29
29	10	6	30	46	3	11	2	11	5	3	-----	19	1	4	36	26	3	73	2	30
9	4	-----	3	7	-----	13	-----	10	-----	-----	2	6	2	1	6	10	-----	18	-----	31
32	10	3	30	64	10	18	7	12	5	3	-----	26	2	3	24	23	6	125	1	32
29	7	1	37	68	2	22	-----	20	11	2	3	22	-----	5	34	30	5	102	4	33
43	5	1	37	93	7	21	2	3	2	6	4	33	1	1	22	15	11	94	3	34
24	6	2	44	48	6	21	2	4	1	1	3	28	-----	-----	9	22	1	84	4	35
62	13	14	68	133	28	139	17	151	5	10	14	76	3	10	147	101	15	442	19	36
15	2	-----	20	27	2	21	4	3	5	3	1	18	2	4	19	17	3	51	3	37
1,096	210	73	750	1,477	181	1,293	148	451	202	132	131	1,049	70	120	1,009	1,095	190	2,687	217	38
1,092	208	72	745	1,463	180	1,261	148	443	200	131	130	1,041	70	118	1,004	1,072	190	2,652	192	39
4	2	1	5	14	1	32	-----	8	2	1	1	8	-----	2	5	23	-----	35	25	40
7	-----	-----	8	10	2	11	1	4	-----	-----	-----	19	-----	3	5	6	1	12	4	41
8	-----	-----	10	33	1	13	-----	4	-----	-----	1	19	-----	1	12	3	-----	36	-----	42
10	2	1	15	22	2	26	4	9	1	3	-----	19	3	6	18	28	2	46	13	43
8	1	1	14	20	2	18	4	8	1	3	-----	18	3	5	16	21	2	40	10	44
2	-----	-----	1	2	-----	8	-----	1	-----	-----	-----	1	-----	1	2	7	-----	6	3	45
9	1	2	11	22	2	45	3	10	8	1	1	12	3	4	22	42	3	43	5	46
9	1	2	8	20	1	37	3	14	8	1	1	7	3	3	22	39	3	37	5	47
6	1	-----	3	2	1	8	-----	5	-----	-----	-----	5	-----	1	7	3	-----	6	-----	48
8	3	-----	5	8	1	8	1	5	1	1	-----	3	-----	-----	6	6	-----	16	-----	49
8	3	-----	2	10	1	7	-----	3	3	1	4	6	-----	1	12	9	-----	16	-----	50
17	7	1	9	25	3	14	3	3	1	-----	-----	21	-----	-----	18	9	2	37	-----	51
20	7	2	8	16	3	15	1	4	7	3	1	15	2	-----	15	14	4	45	1	52
10	3	3	8	17	3	12	2	10	3	1	-----	10	1	2	12	21	1	23	2	53
10	4	2	9	15	6	14	5	5	-----	3	-----	6	1	-----	7	10	2	42	3	54
13	-----	-----	4	13	2	23	1	8	2	-----	1	5	-----	1	10	13	4	22	1	55
13	-----	-----	4	13	2	18	1	7	2	-----	1	5	-----	1	10	12	4	20	1	56
15	-----	-----	-----	5	-----	5	-----	1	-----	-----	-----	1	-----	-----	1	1	-----	2	-----	57
14	1	-----	11	21	2	15	1	3	2	2	1	8	1	2	15	9	3	14	1	58
14	-----	-----	8	19	1	19	1	3	2	1	3	7	1	-----	5	11	-----	31	1	59
11	1	1	6	15	-----	15	2	10	3	-----	2	8	2	2	13	20	3	38	6	60
2	1	-----	1	2	1	2	-----	1	1	-----	-----	2	1	-----	1	7	1	15	5	61
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	62
8	-----	-----	4	8	-----	20	3	5	2	2	1	11	1	-----	7	10	1	24	2	63
17	4	-----	12	21	1	27	2	4	3	2	2	23	1	2	17	19	3	34	3	64
14	6	1	13	32	1	25	2	17	1	4	5	26	-----	-----	26	30	6	51	1	65
15	1	-----	8	18	1	14	2	1	1	2	1	6	-----	-----	6	12	-----	18	-----	66
23	4	3	14	22	4	22	1	7	2	1	3	24	1	1	15	6	2	19	-----	67
8	3	4	7	26	1	19	1	1	1	3	-----	26	1	3	15	8	2	28	3	68
25	3	-----	17	39	2	17	-----	-----	2	-----	1	30	1	1	17	20	1	48	3	69
28	3	-----	19	25	4	16	3	4	2	2	2	10	-----	3	19	8	2	35	3	70
31	5	-----	18	52	1	33	4	5	4	3	-----	40	1	4	16	18	1	64	5	71
9	1	2	7	8	1	4	-----	1	-----	-----	-----	3	-----	1	3	5	1	13	4	72
20	3	-----	14	43	7	21	5	8	-----	2	7	28	1	-----	19	30	7	40	2	73
13	3	-----	9	20	3	14	3	3	1	-----	1	8	-----	1	12	3	-----	26	1	74

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
MINNESOTA—continued.															
1	Hubbard County.....	79					2	1			3		2	2	
2	Isanti County.....	137					5	3			8				
3	Itasca County.....	182		1			4	2		1	9	1			
4	Jackson County.....	131	1				5			3	4			1	
5	Kanabec County.....	59				1					5				
6	Kandiyohi County.....	195	1		1	2		2	3	2	21	1	2	2	
7	Kittson County.....	78	2						1		5		3		
8	Koochiching County.....	154	4				3	3	1		4		2		
9	Lac qui Parle County.....	128							2	1	1		1	1	
10	Lake County.....	74					6	1			4				
11	Le Sueur County.....	182				2				1	2	6	1	2	
12	Lincoln County.....	66							1		2	4			
13	Lyon County.....	148	1				3	1		2	7		4	2	
14	McLeod County.....	177	1							3	1	10	1	2	
15	Mahnomen County (total).....	68				1		5			17		1		
16	White.....	23						1			1				
17	Colored.....	45				1		4			16		1		
18	Marshall County.....	151	5				1	1	3		14			2	
19	Martin County.....	149					2	1	1	3	7	1		1	
20	Meeker County.....	177					1	1	4		18	4	1		
21	Mille Lacs County.....	111		1	1				2		5		1		
22	Morrison County.....	212	2		1	2		2		1	14	4	2	3	
23	Mower County.....	199	2		1	1	4	5	2	2	9		2		
24	Murray County.....	81	1								6	1			
25	Nicollet County.....	241				1				1	29	1	2	3	
26	Nobles County.....	96	1				3				8			1	
27	Norman County.....	101	2		1				1		8	2			
28	Olmsted County.....	609	1							1	22	1	8	2	
29	Otter Tail County.....	603	6				1	3	2	4	82	6	8	2	
30	Pennington County.....	117	1					5	2		13		2	1	
31	Pine County.....	142					1			2	24	4	1	2	
32	Pipestone County.....	54					5	1		1					
33	Polk County.....	314	9				5	6	1	1	38	5	6	2	
34	Pope County.....	98	2							1	8	1	1	1	
35	Ramsey County.....	106								1	12		1	3	
36	Red Lake County.....	55	1					2		1	4		1	1	
37	Redwood County.....	150				7		1	1	3	7	1	2	1	
38	Renville County.....	166				2	2	1			22	5	2		
39	Rice County.....	363	8			1	2	1	4	7	27		6	3	
40	Rock County.....	89	2					2			5			2	
41	Roseau County.....	86									13			2	
42	St. Louis County.....	869	10			9	14		6	6	77	10	7	4	
43	Scott County.....	166	1				1	1		1	16			1	
44	Sherburne County.....	78					1	1		2	5	1			
45	Sibley County.....	113	1			1			1		5		1	1	
46	Stearns County.....	304					3	3	3	2	23	2	4	2	
47	Steele County.....	166	1				1	1	1	2	11	2	2	2	
48	Stevens County.....	74	1			2		1	1		6		1	1	
49	Swift County.....	102	5		1	1		2	2		7		2		
50	Todd County.....	160	1			1	2	2	2	1	6	1		1	
51	Traverse County.....	54	1			1	2	2			2		1		
52	Wabasha County.....	221					3		3		10		2	1	
53	Wadena County.....	91						2	2		8			1	
54	Waseca County.....	124					2				10	2	1		
55	Washington County.....	154				1	2	1	2	1	13	1	3		
56	Watonwan County.....	85									6			1	
57	Wilkin County.....	91	1	1	1		2		1		4		1	3	
58	Winona County.....	151	3			1	2	2	1		9	1	1		
59	Wright County.....	280					3	4	5	2	20	3	5	2	
60	Yellow Medicine County.....	137	4			3		1		1	20	1	2	2	
MISSOURI.															
61	Total.....	23,014	614	326	11	278	59	279	307	242	45	2,604	110	214	107
62	White.....	21,525	576	309	10	271	57	242	302	226	44	2,271	103	179	104
63	Colored.....	1,489	38	17	1	7	2	37	5	16	1	333	7	35	3
64	Adair County.....	213	1			1		1		1	21	1	4	1	
65	Andrew County.....	143		2		1		3			10		1	1	
66	Atchison County.....	88	1						2	1	10	1		1	
67	Andrain County (total).....	225	3	1	1			3	2	3	23	1	3		
68	White.....	186	2	1	1			3	2	3	15	1	1		
69	Colored.....	39	1								8		2		
70	Barry County.....	256	45	3		4		1	3	4	23	3		1	
71	Barton County.....	155	2				1	2	1	1	6	1	2	1	
72	Bates County.....	273	7			1		8	2	4	17	2	5	1	
73	Benton County.....	141	9	2		1			3		13	1	2	1	
74	Bollinger County.....	100	6	3					4	2	9		2	1	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congen- ital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2			3	8		9	1	2	3	2		4			6	6		17		1
13	1	2	4	15	2	14	2	3				15	1	1	7	7	1	24		2
9	3	2	2	6	4	23	1	7	3	2	1	6	3	2	17	33	3	31	9	3
10	1		5	10	2	10	2	2	9		1	7		2	10	5	2	35	5	4
3			4	2	1	9	1	2	1	1		5			6	5		9	3	5
14	3	1	9	33	5	9	3	3	2	1	5	14		2	19	4	2	29		6
8	1			5		9		2	2	1	1	2	1	1	4	9	2	22		7
4	1	1	1	16		16	1	7	1	1	1	2	1	2	14	22	8	22	1	8
9	2		8	16		9		7	1	1	1	11		2	11	11		27	12	9
4			3	9		4		4	1			4		1	13	13	2	11	2	10
8	2	2	12	26	5	15	1		1	3	1	11	1	1	16	17	4	39	2	11
5	1		3	10	3	3		2	1	4		1		1	3	8	4	11	1	12
14	5	1	13	10	6	5	1	1	4		4	7	3		10	9	2	32	1	13
14	4	1	17	20	3	12	7	4	4	1	3	16		1	4	9	3	33	3	14
3				2		9			1						5	3		33	2	15
3				2		3									5	2		7		16
13	1	1	2	14	1	13		1	2	3		14	3	1	10	10		29	2	17
14			8	18	1	12	1	2	6	1	1	9	4	1	12	12	2	24	7	18
13	1		14	19	1	23	3	2	1	1	2	16	1		9	11	2	24		20
8	2	1	8	9	1	13	1	2	3	3	3	4			10	9	2	24		21
19		2	17	19	1	15	6	2	6	3	2	16	2	2	13	13	2	24		22
6	9		20	31	3	19	1	3	3	2	5	13		1	13	5	4	39	3	23
10	1		1	7		11	1	1	3	1		8		1	9	5	2	28	1	23
20	4	1	9	21	1	16	5	4	2			36	1	2	6	4	5	65	1	25
6	1	1	6	9		9		5	2	1		9			11	15	1	14		26
10			3	6	2	9	2	2	1	2	1	8	1		7	9		20	3	27
99	6	3	28	42	4	46	11	6	20	3	7	66	2	1	16	15	7	190	8	28
43	12	1	48	66	9	44	3	15	5	9	3	58	5	9	27	34	4	89	8	29
6			7	6		11	3	3	2			6			10	7	1	22	4	30
9	2		4	4	4	16	1	6			1	7	3	1	8	13	4	28	2	31
6	2		1	6		3		1		1		5			7	6		10		32
24	2	2	15	29	4	21	3	8	7		3	14	2	1	28	14	6	53	5	33
4	4	1	8	8		10	2	3	4			8		1	6	6		17	2	34
6	2		7	9	1	7	2	1				14			2	15	2	16		35
1	1	1	3	2		6		3		2		2			4	4		12	1	36
5	2		9	10	2	8	3	2	2	1	1	20	1	1	15	12	4	23	1	37
14	3	1	6	15	3	14	3	7	1	1	4	5		1	6	6	2	40	1	38
28	7		17	44	4	26	1	8	4	3	5	36	2	4	14	18	3	76	2	39
11			4	8		5		4	4		2	5			10	7	1	15		40
4	2		1	3	2	1	1	4	2	2	1	1		1	10	8	1	15	4	41
32	6	2	13	42	6	98	3	30	5	6	6	35	2	14	10	122	20	118	18	42
8	1		12	14	7	13	7	1	1	2	5	8		1	95	9	11	39	3	43
7	1	1	4	10		6		2	2	1		1		1	11	6	2	39	1	43
12	3		6	15	3	12	1	2	2		1	10			8	5	1	20	2	45
17	4	6	14	33	5	19	2	10	8	4	1	22		8	26	17	2	65	2	46
10	2	1	12	23	3	15	2	6	1	2	2	9			10	10	2	31	1	47
5	3	1	3	7		10		2		1		5	1	1	7	5	1	8	1	48
6	1	1	8	5	1	2	3	1	3	2	1	5	1		11	5	1	24	1	49
8	2	3	12	19		12	1	8			1	14			8	9		35	9	50
25	4		6	2		6		7	2		5	17	2	2	10	2	2	10		51
8	2		2	6	2	3		6		2	2	3			8	16	4	32	1	52
11	3	1	6	10	3	10	1	3		2	3	4		1	7	7		22		53
8	2		7	28	4	12	1	2	1	6	1	10	3	2	15	12	1	26	1	54
6	4	1	8	6	1	11	1	1	4	1		8		2	7	6	1	27	3	55
3	3	2	4	3	3	3	1	7	3			5	1		4	3	1	9	2	56
15	5	2	9	28	1	10	2	4		3	1	6		1	8	14	3	12	2	57
28	1		20	28	5	35	2	9	3	2	2	10		1	11	3	4	29		58
10	3	1	5	10	2	10	3	4	2	4		8		1	8	18	6	53	2	59
1,155	240	176	1,172	1,686	312	1,943	193	1,106	144	171	170	1,527	167	163	1,266	1,370	257	4,074	526	61
1,112	236	170	1,108	1,557	296	1,831	173	1,063	139	163	162	1,443	157	156	1,222	1,270	248	3,848	477	62
43	4	6	64	129	16	112	20	43	5	8	8	84	10	7	44	100	9	226	49	63
13	1	1	5	26	1	11	1	7	3	1		20		3	22	16	2	41	5	64
17	2		9	20	1	5	1	7	1		1	12	2		9	13	2	24	1	65
2	2		7	5		6		2		1		11		1	2	4	2	18		66
21	4	1	12	20	4	21	4	5	3	5	4	21		1	8	8	3	40	5	67
18	4	1	8	18	4	20	2	5	1	5	4	18			5	5	3	32	1	68
3			4	2		1	2		2			3			3	8	3	8		69
8			4					16		2		12			3	14		45	7	70
5	3	2	13	10	4	11		6	2	3	2	12	3	1	10	6	4	38	2	71
13	3	2	15	20		9		13	1	1	1	12	1	1	12	10	1	54	7	72
8	1	3	19	23	5	22	2	8	1	1	1	21	2	1	10	6	4	26	3	73
3			9	4	4	6		8				12		2	2	6	2	26	3	74

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	2	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES ¹ —Continued.														
MISSOURI—continued.														
1 Boone County (total).....	360	5	1	2	1	10	4	2	38	4	1
2 White.....	281	3	1	2	1	5	3	2	25	3	1
3 Colored.....	79	2	5	1	13	1
4 Buchanan County.....	156	1	1	1	1	1	15	1
5 Butler County (total).....	338	12	10	21	2	2	6	3	27	4	14
6 White.....	311	11	10	21	2	2	6	3	23	3	11
7 Colored.....	27	1	4	1	3
8 Caldwell County.....	168	4	4	16	2	3
9 Callaway County (total).....	388	6	4	1	11	1	5	1	54	4	2
10 White.....	316	5	2	9	1	4	1	38	2	2
11 Colored.....	72	1	2	1	2	1	16	2
12 Camden County.....	73	3	5	2	6	1
13 Cape Girardeau County (total).....	311	10	3	14	2	4	2	28	2	3
14 White.....	263	6	2	12	1	4	2	17	2	2
15 Colored.....	48	4	1	2	1	11	1
16 Carroll County.....	222	4	2	8	1	5	16	1	2
17 Carter County.....	74	1	4	5	1	8	1
18 Cass County.....	191	5	3	4	13	2	2	1
19 Cedar County.....	168	7	1	5	1	19	1	2
20 Chariton County (total).....	242	3	2	6	4	1	25	3	2	1
21 White.....	205	3	2	5	3	1	18	3	2	1
22 Colored.....	37	1	7
23 Christian County.....	120	4	4	4	1	17	1	4
24 Clark County.....	135	4	1	4	1
25 Clay County (total).....	307	6	1	1	4	2	2	22	3	3
26 White.....	286	4	1	1	4	1	2	14	2	3
27 Colored.....	21	2	8	1
28 Clinton County (total).....	151	2	2	20	3	1
29 White.....	134	2	2	18	2	1
30 Colored.....	17	2	1
31 Cole County.....	61	3	1	2
32 Cooper County (total).....	230	6	2	2	3	3	24	3	2	1
33 White.....	179	3	2	3	2	13	2	1
34 Colored.....	51	3	2	1	11	1	2
35 Crawford County.....	116	3	1	1	1	4	15	2
36 Dade County.....	132	6	1	1	1	4	15	1
37 Dallas County.....	89	2	2	1	2	10	1	1
38 Daviess County.....	165	3	3	1	7	1	1	1
39 Dekalb County.....	126	2	2	2	10	1	1
40 Dent County.....	115	3	2	1	1	6	8	2
41 Douglas County.....	113	3	3	1	4	5	11	1
42 Dunklin County.....	598	21	84	12	11	18	5	49	1	3
43 Franklin County.....	329	6	3	1	1	10	5	29	2	3	2
44 Gasconade County.....	121	3	3	2	1	15	3	3
45 Gentry County.....	180	3	1	3	1	21	3	2	1
46 Greene County.....	258	9	2	9	1	5	2	1	31	2	3	2
47 Grundy County.....	184	5	1	1	1	17	1	2
48 Harrison County.....	210	6	1	1	2	2	2	1	15	3	1
49 Henry County.....	261	3	5	1	7	3	23	2	2	2
50 Hickory County.....	63	2	1	1	1	1	6	1
51 Holt County.....	118	1	3	1	4	1	4
52 Howard County (total).....	166	6	5	1	1	25	1	2
53 White.....	121	5	3	1	1	10	1	1
54 Colored.....	45	1	2	15	1
55 Howell County.....	178	6	3	3	1	2	2	2	18	1	2
56 Iron County.....	114	2	2	2	1	12	1
57 Jackson County.....	435	5	2	3	2	9	9	32	3	4	2
58 Jasper County.....	492	15	4	14	4	10	3	71	1	2	3
59 Jefferson County (total).....	294	7	5	1	1	7	4	37	4	3	2
60 White.....	263	6	4	1	1	7	4	30	3	3	2
61 Colored.....	31	1	1	7	1
62 Johnson County.....	285	6	1	1	2	3	5	3	2	31	3	5	3
63 Knox County.....	106	2	1	1	3	9	1
64 Laclede County.....	169	6	1	3	3	2	19	1	2
65 Lafayette County (total).....	362	4	3	3	1	4	5	1	27	2	3
66 White.....	313	3	3	3	1	4	5	18	2	3
67 Colored.....	49	1	9
68 Lawrence County.....	299	23	1	1	11	1	5	31	1	2
69 Lewis County (total).....	130	3	1	1	1	3	16
70 White.....	114	3	1	1	3	10
71 Colored.....	16	6
72 Lincoln County (total).....	187	2	1	9	2	4	20	1	4	2
73 White.....	159	2	1	4	2	4	13	1	3	2
74 Colored.....	28	5	7	1
75 Linn County.....	274	7	3	3	6	2	20	1	1	2
76 Livingston County.....	229	7	1	2	2	1	1	17	1	1	1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral aflec- tions.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
15	2	1	15	34	3	45	2	15	4	3	3	17	2	5	24	18	3	73	8	1
12	2	1	11	25	3	32	1	12	4	2	2	15	2	5	19	14	3	63	7	2
3	2	4	4	9	2	13	1	3	2	1	1	2	1	2	5	4	1	10	1	3
8	2	4	16	19	2	16	2	2	2	1	1	21	1	2	2	11	1	30	1	4
7	2	2	7	8	1	40	2	21	1	1	2	15	6	6	21	16	2	51	28	5
6	2	2	7	5	1	36	2	21	1	1	2	12	5	6	21	14	2	48	27	6
1	2	2	7	3	3	4	2	2	2	2	2	3	1	2	2	2	2	3	3	7
20	3	2	22	6	6	19	2	12	3	3	3	11	2	2	5	3	1	32	1	8
10	6	4	28	32	6	23	5	9	4	4	4	31	2	2	11	17	5	94	4	9
8	5	4	25	28	6	17	4	6	4	3	4	29	1	2	8	15	5	78	2	10
2	1	3	3	4	4	6	1	3	1	1	1	2	1	2	3	2	2	16	2	11
6	2	2	2	1	1	6	2	2	3	2	2	7	1	2	2	4	3	11	6	12
10	2	2	12	10	4	33	5	32	2	6	2	10	2	3	16	17	4	62	9	13
10	2	1	12	3	3	33	4	27	2	5	1	10	2	2	14	17	4	55	8	14
17	1	1	7	7	1	1	1	5	1	1	1	2	1	1	2	2	1	7	1	15
2	3	3	16	20	4	13	1	9	2	1	1	25	1	2	12	11	4	38	2	16
7	4	4	4	2	1	6	1	3	1	1	1	5	1	1	2	5	5	13	5	17
9	1	2	14	21	3	12	2	9	1	1	1	22	2	2	7	8	4	39	4	18
15	3	1	12	11	6	10	1	10	2	3	1	12	1	1	9	5	2	30	6	19
11	4	1	14	24	3	24	2	9	1	2	1	17	1	4	15	14	5	41	2	20
9	4	1	14	20	3	21	1	8	1	2	1	14	1	2	13	13	5	35	1	21
2	1	1	4	4	3	3	1	1	1	1	1	3	1	2	2	1	1	6	1	22
6	4	2	5	4	3	13	3	3	3	3	3	16	1	2	8	5	4	17	2	23
11	12	1	8	18	4	9	1	5	1	4	7	15	4	1	8	4	3	27	2	24
16	4	1	23	20	4	19	4	5	1	3	7	40	4	1	15	26	10	47	4	25
16	12	1	23	20	4	18	4	4	1	3	7	39	3	1	15	25	9	45	4	26
12	2	1	12	8	3	8	2	4	1	2	1	13	1	1	10	6	2	38	4	28
11	2	1	10	7	3	8	1	4	1	1	1	11	2	2	8	4	2	36	3	29
1	1	1	2	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	30
9	1	1	7	7	1	2	2	2	2	1	1	4	2	2	2	4	1	8	3	31
20	3	3	19	18	3	23	1	6	3	3	1	16	2	1	4	13	4	41	3	32
18	3	3	14	16	3	19	1	6	2	2	1	12	2	1	4	12	3	32	2	33
2	2	2	5	2	2	4	4	4	1	1	4	4	2	1	1	1	1	9	1	34
7	2	2	6	7	1	16	2	6	2	2	2	8	2	1	10	2	2	18	3	35
10	1	1	3	11	2	14	2	7	2	2	2	10	1	1	6	5	2	23	7	36
3	3	3	3	4	1	14	2	3	2	1	1	4	1	1	6	5	1	18	1	37
14	1	4	13	11	2	14	3	7	1	1	1	13	3	1	13	13	3	38	3	38
10	3	2	12	19	2	10	1	5	1	1	3	4	1	1	5	5	2	21	1	39
2	3	1	2	8	3	17	3	13	1	1	1	5	1	1	8	4	3	18	3	40
6	1	4	4	9	2	7	7	1	3	3	3	3	4	2	11	5	1	19	7	41
8	1	7	9	13	7	58	5	69	2	2	2	15	3	12	46	27	2	82	24	42
22	8	3	15	26	4	17	3	2	1	4	8	27	2	1	10	25	4	58	5	43
3	3	1	8	4	3	3	3	22	1	2	2	8	2	2	12	9	1	25	3	44
8	3	1	17	21	1	23	1	1	1	1	2	14	2	2	11	9	2	29	1	45
14	1	2	10	18	2	31	2	7	2	2	2	21	2	2	15	9	1	49	3	46
6	3	2	12	13	1	20	3	5	4	2	3	8	1	1	11	12	7	38	7	47
12	2	1	10	15	8	19	5	10	1	3	3	16	2	1	10	14	3	39	6	48
12	4	1	16	23	2	16	6	8	2	3	3	19	4	1	12	12	3	63	6	49
5	2	2	2	5	1	6	1	2	2	2	1	1	1	1	5	2	2	10	3	50
12	1	3	8	9	2	9	9	4	1	1	1	11	1	1	6	3	1	26	6	51
15	2	3	13	12	2	7	2	6	4	2	2	12	1	1	2	11	2	29	3	52
15	2	3	11	6	2	5	5	5	4	2	2	8	1	1	2	6	2	24	2	53
9	2	1	4	11	1	17	2	7	1	1	1	4	4	3	7	12	1	5	1	54
7	1	1	6	3	3	14	2	5	1	1	4	4	4	3	3	11	1	42	9	55
24	7	2	37	45	11	33	4	10	4	3	1	31	2	1	22	36	2	87	2	57
15	2	4	23	48	7	32	2	16	3	4	7	25	3	2	26	36	6	100	4	58
11	4	4	10	18	8	21	5	25	4	5	4	15	2	2	14	29	3	37	8	59
9	4	4	10	18	6	17	4	24	4	5	4	15	1	1	12	23	3	35	8	60
2	2	2	2	2	2	4	1	1	1	1	1	1	1	1	2	6	2	2	2	61
27	4	4	17	15	3	16	1	6	2	2	4	25	5	1	19	7	3	53	10	62
8	3	1	6	8	1	6	1	2	1	1	1	7	7	1	11	3	3	31	3	63
4	1	1	9	12	1	15	3	3	2	2	2	10	2	1	5	38	1	24	4	64
34	3	3	18	39	7	28	7	12	1	1	4	18	2	1	14	30	6	78	8	65
33	3	3	18	33	6	22	6	10	1	1	3	13	1	1	13	25	6	71	6	66
1	6	1	6	6	1	6	1	2	2	1	1	5	1	1	1	5	2	7	2	67
11	8	1	11	16	7	19	6	7	3	3	3	18	1	3	30	13	5	60	1	68
6	8	8	8	14	2	10	6	4	2	2	1	13	2	2	7	4	2	28	2	69
6	8	8	8	12	2	10	4	4	2	2	1	10	2	2	6	3	2	27	4	70
10	2	1	8	20	4	19	2	6	1	3	3	12	3	3	5	10	3	31	1	72
9	2	1	5	17	4	17	2	6	1	3	3	11	3	3	4	8	3	29	1	73
1	3	3	3	3	3	3	3	3	3	3	3	2	3	3	1	2	2	2	2	74
12	2	3	24	35	2	13	3	10	6	2	2	22	1	1	24	24	4	44	4	75
17	4	2	22	22	2	26	2	9	4	4	4	17	1	1	10	16	2	36	1	76

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
RURAL PART OF REGISTRATION STATES—Continued.															
MISSOURI—continued.															
1	McDonald County.....	40	2				1		1	1	6				
2	Macon County.....	275	4		1	2	1		1	3	25		3	2	
3	Madison County.....	118	10					1	1	2	16				
4	Maries County.....	89	3	1				1	1		9		1	2	
5	Marion County (total).....	131	3					3		3	13		1	1	
6	White.....	116	3					3		3	8		1	1	
7	Colored.....	15								1	5				
8	Mercer County.....	88	1				1			1	7				
9	Miller County.....	109	3	3				2		2	7		2	2	
10	Mississippi County (total).....	179	7	5		12		2	1	2	22	1	2	1	
11	White.....	153	7	5		10		2	1	2	18		1	1	
12	Colored.....	26				2					4	1	1		
13	Moniteau County.....	153	4					5	1	3	12	1		1	
14	Monroe County (total).....	169	1					1			14		1		
15	White.....	157	1					1			11	1	1		
16	Colored.....	12									3				
17	Montgomery County (total).....	175	2			4	1	3	5	1	16			1	
18	White.....	157	2			4	1	2	5	1	10			1	
19	Colored.....	18						1			6				
20	Morgan County.....	100	4						1	3	13	1	2		
21	New Madrid County (total).....	233	5	25		6		4	10	3	21		3	1	
22	White.....	229	5	25		6		4	10	3	19		3		
23	Colored.....	4									2			1	
24	Newton County.....	304	6	3	1	2	3	2	5	4	40	2	1	3	
25	Nodaway County.....	281	4								12	2	4	2	
26	Oregon County.....	131	2	2				4	7	5	15				
27	Osage County.....	118	6						5	1	13	1	1		
28	Ozark County.....	85	8	2		1			1	1	11	1		2	
29	Pemiscot County (total).....	303	12	37		7		6	6	2	37	1	4		
30	White.....	267	11	30		7		6	6	2	29	1	4		
31	Colored.....	36	1	7							8				
32	Perry County.....	154	4	2				4	3	3	16			1	
33	Pettis County (total).....	103	2	1				1	3	2	5			1	
34	White.....	94	2	1		4		1	3	2	4			1	
35	Colored.....	9									1				
36	Phelps County.....	168	4			3	2	2	1	1	8				
37	Pike County (total).....	242	2	1				4		4	26	2	4	1	
38	White.....	194	2					2		2	16	2	3	1	
39	Colored.....	48		1							10		1		
40	Platte County (total).....	165	5	1		2		6		1	13		4	1	
41	White.....	151	3	1		2		6		1	9		4	1	
42	Colored.....	14	2								4				
43	Polk County.....	187	5	1		3			3	2	21		1		
44	Pulaski County.....	116	2	1		2	1	1	3	2	13	1		1	
45	Putnam County.....	125	9								12	1		1	
46	Ralls County.....	90	2				1	1	1	2	7				
47	Randolph County (total).....	225	1			5		7	1	2	24			1	
48	White.....	199				3		5	1	2	20			1	
49	Colored.....	26	1			2		2			4				
50	Ray County (total).....	232	9	1		2		1	3		23				
51	White.....	204	7	1				1	3		18				
52	Colored.....	28	2								5				
53	Reynolds County.....	81	4	3		3			2	1	5	1	2		
54	Ripley County.....	163	13	7		1		1	6	2	11	1		1	
55	St. Charles County (total).....	271	3			1	1	9	7	4	26		2		
56	White.....	254	3			1	1	8	7	4	24		2		
57	Colored.....	17						1			2				
58	St. Clair County.....	150	3			1	1		2		14	1	3	2	
59	St. Francois County.....	501	22	2		8		13	10	2	54	4	1	5	
60	St. Louis County (total).....	1,354	2	3		8	10	17	7	4	512	3	8	5	
61	White.....	1,200	2	2		8	10	16	7	4	439	2	5	4	
62	Colored.....	154		1				1			73	1	3	1	
63	Ste. Genevieve County.....	114						3			15		1		
64	Saline County (total).....	350	9	1	1		1	8	6	5	28	4	7	2	
65	White.....	286	5	1			1	2	6	3	17	4	4	1	
66	Colored.....	84	4		1			6		2	11		3	1	
67	Schuyler County.....	79							2		5				
68	Scotland County.....	111				1			1	2	8	2	1	2	
69	Scott County.....	323	5	12		15		4	9		29	3	3	2	
70	Shannon County.....	77	8	2				1	2	1	11		2		
71	Shelby County.....	169	2					3	1	2	21		6	1	
72	Stoddard County.....	449	12	40		19		8	8	2	46		3	1	

¹ Exclusive of municipalities having a population of 10,000 or more in 1910.

DEATHS FROM PRINCIPAL CAUSES.

363

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
3	1		1		1	5		3				2	1		3			9	1
22		1	20	26	5	17	1	5	2		2	7	2	5	17	16	2	58	2
4	1		3	10	3	11	1	7	2			7		1	5	3		21	7
8		1	1	9		4	1	5	2	2		7	1		5	8		19	4
12	1	2	7	14	2	10			1	1	3				6	7		31	4
12	1	2	6	13	2	7			1	1	3				6	7		27	5
			1	1		3												4	7
6			9	5	1	15		4	1		1	7	3		3	4		14	8
5	2	1	4	13	1	12		5	1	1		16	3	1	7	4		11	9
3	2	3	5	4	1	18	4	22	2	1		5	1	2	6	10		29	6
3	2	3	4	4	1	16	4	21	1	1		4	1	2	5	8		23	11
			1	4		2		1	1			1			1	2		6	12
8	2	4	5	14	1	8	5	6	1	1	1	18	2		8	7		30	13
14	5	1	13	8		20	2	8	1			17	3	1	9	8	5	31	14
14	5	1	11	8		18	1	8	1			16	2	1	9	8	4	30	15
			2			2	1					1	1		1	1		1	16
17	2		10	10	1	16	2	3	2	3		9	2	3	9	12	1	36	17
16	2		9	10	1	13	2	3	2	3		8	2	3	8	8	1	36	18
1			1			3						1			1	4			19
2	2		3	6	1	9	1	3	2	1	2	9		2	8	7	3	12	20
4		1	4	3	1	14	1	38	1	1	2	5	3	5	20	16		27	21
4		1	4	3	1	14	1	38	1	1	2	5	3	5	20	15		27	22
															1	1			23
7	3	3	12	24	5	22	1	7	2	1	3	12		3	24	51	3	40	24
18	4		19	29	3	28	2	9	5	4	2	23	1	2	19	20	3	49	25
8	3		6	6	1	11	1	7	1			5	2	2	9	10		21	26
8	1		3	11	3	11	1	5	1		1	3	1	2	7	10	1	22	27
2	2		1	6		6		3		1	1	3	1	3	6	5		14	28
2	1	4	2	11	1	31	3	35	1	2		3	3	2	18	19	2	31	29
2	1	4	2	10	1	30	3	34	1	2		2	2	2	18	16	2	30	30
			2	1		1		1				1	1		3	3		1	31
10	2		12	7	4	14	2	8	2		2	5	1		8	9		32	32
9	1		5	11	1	9		1	1		1	18		2	3	5		15	33
9	1		5	8	1	8		1	1		1	17		1	3	5		14	34
6	1	2	9	12	3	22	2	14	1		1	21		1	9	7	1	33	35
12	6	4	12	16	3	13	1	8	1	2	3	30		1	11	18	6	45	37
12	6	3	12	12	2	11	1	6	1	2	3	22		1	11	15	6	37	38
		1	4	4	1	2		2		2	1	8			3	8		8	39
6	2	2	11	13	1	18	3	4	3	1	1	6		1	8	15	1	33	40
6	2	2	10	10	1	16	2	4	3	1	1	6	2	1	8	15	1	32	41
			1	3		2	1											1	42
11	3	1	11	9	7	14	3	6		2	1	19	2	1	13	7	2	35	43
6		1	4	8		16	1	3		1		11		1	6	6		18	44
3	2	4	6	16	2	6		4	2		1	9	2	3	7	4	1	22	45
3	2		9	13	1	10		2			1	4		9	4	1	15	15	46
13	1	2	15	22	1	17		11			2	13	4	2	11	21	3	43	47
11	1	1	13	20	1	17		10			2	13	4	2	11	19	2	38	48
2		1	2	2				1							2	2	1	5	49
11	1	3	9	22	3	27	1	14	2	3	3	9	4	2	16	13	4	40	50
11	1	3	7	17	3	26	1	13	2	2	3	8	4	2	16	12	4	34	51
			2	5		1		1		1		1			1			6	52
1		3		4	1	5	1	3		1	1		1	1	6	6		19	53
	3		1	6	3	26	2	7	2		2	8	2	3	16	7		28	54
20	5	2	15	28	5	19	5	9	2	3	5	20	4		7	18	2	49	55
20	5	1	14	24	5	19	3	9	2	3	4	20	4		7	16	2	46	56
		1	1	4		2					1				2			3	57
8		1	11	10	2	12	1	6		1	1	13	1		10	5	1	36	58
15	3	6	20	20	14	52	3	60	1	5		38	3	3	30	27	2	62	59
49	8	4	48	87	27	75	8	42	2	9	6	81	5		41	83	25	168	60
45	8	4	47	79	22	65	7	38	2	8	6	77	5		37	74	21	149	61
4			1	8	5	10	1	4		1		4			4	9	4	19	62
3	1	4	5	6	2	13	2	4		3	1	8	3		12	6	1	21	63
22	6	2	16	38	4	21	5	11	1	2	5	17		4	20	2	2	76	64
21	6	1	13	27	2	15	4	9	1	2	5	13		3	14	20	2	60	65
1		1	3	11	2	6	1	2				4		1	3			16	66
8	2	2	5	6	1	6		3			1	11	1		4		2	14	67
6	1		10	13		7	1	7	3	1		6			3	7	2	27	68
6	1	2	11	4	3	29	3	47	1	1		14	2	5	36	16	4	50	69
1		1	7	7	1	2	2	7		1	2	1	1		8		1	13	70
10	3	2	12	13		16	2	4				16	1	1	4	8	4	35	71
11	2	6	10	18	9	61	1	40		3	2	9	3	5	26	21	1	54	72

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(87)	
RURAL PART OF REGISTRATION STATES—Continued.														
MISSOURI—continued.														
1 Stone County.....	78		1				4	1			7	1		
2 Sullivan County.....	195	5	1		1		1	2	1		14	1	1	
3 Taney County.....	82	2	5				2				8	2	1	
4 Texas County.....	195	4			8			1	1	1	20		1	1
5 Vernon County.....	363	5	2			3	2	8	2	3	30		2	3
6 Warren County (total).....	106	4			1			1			3		1	
7 White.....	90	4			1						2		1	
8 Colored.....	16										1			
9 Washington County.....	154	10						3	2		24		1	1
10 Wayne County.....	181	5	7		4			4	2		28	2	2	
11 Webster County.....	160	7			10			3	1		20	1	1	2
12 Worth County.....	55	1									2			1
13 Wright County.....	178	7			8			3	2		29	1	2	2
MONTANA.														
14 Total.....	3,158	43		4	16	22	13	29	9	8	256	13	27	14
15 White.....	2,938	42		4	13	22	13	28	9	8	197	11	24	14
16 Colored.....	220	1			3			1			59	2	3	
17 Beaverhead County.....	54						1				2		1	1
18 Big Horn County.....	73										21			
19 Blaine County.....	52	3			1		1				1			1
20 Broadwater County.....	39												1	
21 Carbon County.....	123	3			4	2					7	1	1	1
22 Cascade County.....	102					2								
23 Chouteau County (total).....	71	2				5		2			4	1		1
24 White.....	69	2									2		2	
25 Colored.....	2										2			
26 Custer County.....	126	2			2			3			8		1	1
27 Dawson County.....	133	1				1	2	2			9	2	1	1
28 Deer Lodge County.....	160										32			
29 Fallon County ²	17										2			
30 Fergus County.....	154	3		1	1		1		1		4	1	1	
31 Flathead County.....	174	5				1		1	1		17			1
32 Gallatin County.....	155	3		1	2		3	2	1	1	5	1		
33 Granite County.....	33										1			
34 Hill County.....	125	6			1	1		2		1	15			
35 Jefferson County.....	26	1									4			
36 Lewis and Clark County.....	55										1			
37 Lincoln County.....	49	2					1	1	1		2			
38 Madison County.....	68	2							1		3			
39 Meagher County.....	63					2		2						1
40 Mineral County ³	7										1			
41 Missoula County (total).....	97				2		1		1		14	2	3	
42 White.....	60						1		1		4			
43 Colored.....	37				2						10	2	3	
44 Musselshell County.....	75					1			1		4	2		
45 Park County.....	97							1		1	4		1	
46 Powell County.....	70							1		1	3		1	
47 Ravalli County.....	97	2							1		4			1
48 Richland County ⁴	34										1		1	
49 Rosebud County (total).....	76	1						1			14		1	
50 White.....	52	1						1			4		1	
51 Colored.....	24										10			
52 Sanders County (total).....	36										1			
53 White.....	33										1			
54 Colored.....	3													
55 Sheridan County.....	84	2			1			4		1	8		1	
56 Silver Bow County.....	287			1		5	1	2		1	45	3	7	3
57 Stillwater County.....	31	1											1	
58 Sweet Grass County.....	29					1					1			
59 Teton County (total).....	87	2						1	1	1				2
60 White.....	84	2						1	1	1				2
61 Colored.....	3					1								
62 Toole County ⁵	18	2									1			
63 Valley County (total).....	103			1			1	4		1	11			
64 White.....	71			1			1	3		1	2			
65 Colored.....	32							1			9			
66 Wibaux County ⁶	4													
67 Yellowstone County.....	74				2		1	1			4		2	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Formed from part of Custer County, Dec. 9, 1913.

³ Formed from part of Missoula County, Aug. 7, 1914.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
1		1	3	6	1	6		4		3	1	3		1	11	4		15	4	1
17			11	21	4	13	1	7		3		16			12	13	3	40	5	2
4	1		4	2	1	7		5	1	3	2	3	1	4	4	4	2	11	4	3
6	5		7	13	2	25	2	13	1	1	1	14	1	2	9	11	1	34	10	4
25	4	2	21	46	3	20	3	7	1	1	1	37		1	15	21	6	87	2	5
3		1	6	18		3	3	6				7			6	6	4	20	4	6
3		1	6	14		6	3	2				5		1	5	6	4	13	2	7
			4	4	4	2		4				2		2	1	6	4	18	3	8
12	2	4	10	7	4	17		16			1	7			5	4	1	17	1	9
9	1	1	3	2	5	23		12	2	1		9	2	2	14	9	1	27	4	10
9	2	2	3	8	2	20		5	1	2		9	1	2	10	8	1	19	6	11
4	1		7	7	1	5		2		1		2		1	3	1	1	13	1	12
4	1	2	4	12	1	23	1	3		1	1	13	1	1	13	9	1	31	3	13
141	23	21	130	249	21	289	43	114	40	28	31	150	22	37	223	396	89	572	84	14
137	23	20	128	243	20	253	43	104	39	28	31	142	23	37	215	378	85	544	61	15
4		1	2	6	1	36		10	1			8	1	37	8	4	28	23	15	16
2			2	4		14		5			1	4	1	1		12	1	7		17
2			2	2		22	2	7				3				7	1	6		18
1			3	3		7	1	1		1		2		1	5	7	4	8		19
2		1	3	7	1	16	2	6	1	2	3	4			15	11	5	28	2	20
9		3	8	7		11		6			2	5		1	6	12	1	15	3	22
5			2	3		8		6	2		1	3	1	2	2	18		11	1	23
5			2	3		8		6	2		1	3	1	2	17	10		10	1	24
			2	3		8		6	2			10	2	2	1	1	1	1	1	25
16	1		5	6	1	7	2	4	3			8	2	6	8	19	1	11	4	26
6	2	1	3	14		13		1	3		1	5	1	3	10	14	1	30	4	27
1	1		9	7		7		2	1		2	2			1	9	1	77	3	28
1			1	1		2		2		3	1	1			1	2	2	1	1	29
7		3	2	11		16	2	6	1		3	10	2	2	17	16	4	29	13	30
14			8	16		11	1	6	2	2		11	2	3	17	19	4	30	2	31
4	4		9	13	2	17		4	4	2		13		1	11	16	9	23	4	32
1			1	4	3	9	3	2				2			2	5	2	9	1	33
6	1		5	4	2	9	2	6	1	1		6		3	12	17	3	16	5	34
	1		1	3		2		2	2			2			2	4		4		35
3			1	9	2	5	1	2				10		1	4	5	1	9	1	36
1			4	4		5	1	2	2	1		1		1	2	12	3	3	2	37
2		1	3	13	1	2		2	3		4	3			4	3	2	16	1	38
3		1	3	6		7		7	3	1		3	1		8	8	5	8	1	39
			1	1		1		1				1			2	1		1		40
4		1	5	9	1	4	2	5	1	1	1	1	2		7	16	2	10	2	41
2		1	4	8		3	2	3		1	1	1	1		14	14	2	7	1	42
2			1	1	1	1		2	1			1	1		2	2		3	1	43
1		1	2	5		9		8		1		1		2	7	14	5	11		44
8	1	1	7	9		8	1	1	2		3	3	1	2	6	13	2	21		45
4			11	9		5		3			1	6			4	6	2	10	4	46
9	1		5	11	2	5		1	1	1	2	4		1	8	9	5	23	1	47
			1	1		2	3	2	2			1	1	1	4	7	1	6		48
			2	5		5		1				4			3	12	3	10	13	49
			2	5		4		1				4			3	12	2	10	1	50
			2	2		1						3			1	1		1	12	51
1	1	1	2	2		1					1	3			2	11	3	8		52
1	1	1	2	2		1					1	3			1	11	3	7		53
												3			1			1		54
3			1	8	1	4	1	3		2			2	1	9	15		16		55
13	2	3	9	19	5	30	7	13		1	6	21	2	2	13	29	3	39	2	56
			1	4		2		2				1			5	4		8	2	57
1		1	2	6		2	1			3		2			1	1	1	6		58
5	1		7	7		9	2	4	4	2			3		5	9	1	24	3	59
5	1		7	7		9	2	4	4	2			3		4	8	1	23	3	60
															1	1		1		61
															1	2	1			62
2	1	3	2	7		9		7	1	1	2	5	1	1	3	9	5	22	4	63
2	1	2	2	7		4		6	1	1	2	4	1	1	1	8	5	15		64
						5		1				1			2	1		7	4	65
1	2	1	3	5		5	1	6		1		2	1	2	11	10	5	7	1	67

4 Formed from part of Dawson County, May 27, 1914.
 5 Formed from parts of Teton and Hill Counties, May 7, 1914.
 6 Formed from parts of Dawson, Fallon, and Richland Counties, Aug. 17, 1914.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
NEW HAMPSHIRE.															
1	Total.....	4,116	22	3		11	7	18	21	58	7	260	24	27	17
2	White.....	4,113	22	3		11	7	18	21	58	7	260	24	27	17
3	Colored.....	3													
4	Belknap County.....	190	1						1	3		17			1
5	Carroll County.....	287	2						2	11	1	11	1	1	2
6	Cheshire County.....	292	1			1	2			10	1	15	2	2	3
7	Coos County.....	271	1					1				17	2	3	
8	Grafton County.....	643	1					1		9	1	37	4	4	4
9	Hillsborough County.....	571				2	2	1	6	7	1	49	6	1	1
10	Merrimack County.....	500						1	4	1	5	37	1	6	
11	Rockingham County.....	638	7			2	1	7	3	7		39	5	7	1
12	Strafford County.....	388	6	1		6		3	4	2	1	19		3	2
13	Sullivan County.....	336	1	2			1		2	4		19	3		3
NEW JERSEY.															
14	Total.....	13,942	57	6		45	90	130	214	102	50	1,510	63	75	77
15	White.....	13,280	53	6		44	89	108	211	100	48	1,375	60	63	73
16	Colored.....	662	4			1	1	22	3	2		135	3	12	4
17	Atlantic County.....	394	2			1	1	1	2	2		26	1		4
18	Bergen County.....	1,412	3			5	3	10	21	11	4	133	7	10	5
19	Burlington County (total).....	1,072	9					15	15	11	7	80	1	5	2
20	White.....	1,004	9					15	11	14	11	71	1	3	2
21	Colored.....	68							4			9		2	
22	Camden County (total).....	810	4			3		9	8	2		101	4	4	11
23	White.....	744	3			3		7	8	2		89	4	4	10
24	Colored.....	66	1					2				12			1
25	Cape May County (total).....	350	2			2		10	3			18	1	3	
26	White.....	315	2			1		9	3			15	1	2	
27	Colored.....	35				1		1				3		1	
28	Cumberland County (total).....	443	2				1	7	2	3	4	45	2	3	2
29	White.....	407	2				1	5	2	2	4	39	2	1	2
30	Colored.....	36						2		1		6		2	
31	Essex County.....	922				3	34	4	65	2	2	218	3	4	1
32	Gloucester County (total).....	545	4	1		1	1	11	2	5	1	46	2	5	1
33	White.....	504	3	1		1	1	10	2	5	1	36	2	4	
34	Colored.....	41	1					1				10		1	1
35	Hudson County.....	1,080	6			6	3	4	17	3	3	241	9	4	9
36	Hunterdon County.....	539	2	1			1	3	10	6	2	44	1	4	3
37	Mercer County (total).....	434	2			1	6	5	1	3	3	78	2	2	2
38	White.....	389	2			1	6	2	1	3	3	66	2	2	2
39	Colored.....	45						3				12			
40	Middlesex County.....	826	5			5	10	5	18	6	5	51	5	4	7
41	Monmouth County (total).....	1,131	11			1	1	5	11	13	4	76	4	8	11
42	White.....	1,044	10			1	1	5	11	13	3	64	3	7	10
43	Colored.....	87	1								1	12	1	1	1
44	Morris County.....	967	2			3	2	15	6	16	5	12	3	4	6
45	Ocean County.....	279	1	1		1		4	2	3	1	28	1	2	1
46	Passaic County.....	414				2	1	2	9	1	1	40	1	4	2
47	Salem County (total).....	395	1				3	10		2	2	24	2	2	1
48	White.....	323	1				3	6		2	2	16		1	1
49	Colored.....	72						4				8	2	1	
50	Somerset County.....	506	1	1		2	2	1	8	3	2	28	2		3
51	Sussex County.....	368				5		3	3	2	2	26		2	1
52	Union County.....	672				2	5	3	5	7	1	122	8	5	2
53	Warren County.....	383		2		2	1	2	7	1	1	23	2		3
NEW YORK.															
54	Total.....	36,352	236	18	1	112	94	195	189	386	98	2,740	120	219	200
55	White.....	35,791	232	17	1	112	92	187	187	377	98	2,641	116	213	195
56	Colored.....	561	4	1			2	8	2	9		99	4	6	5
57	Albany County.....	515	2	1		1	1	12	8	3		29	3	4	5
58	Alegany County.....	568	7					1		11	1	10		4	3
59	Broome County.....	565	3			5	2	2	3	9	3	20	3	3	3
60	Cattaraugus County.....	681	3			3	2	5	2	11	2	37	2	3	6
61	Cayuga County.....	495	4			1			2	3	3	18	1	3	
62	Chautauqua County.....	784	3		1			2	1	2		35	2	5	4
63	Chemung County.....	311	1			1				1	1	28		3	
64	Chenango County.....	555	3	1						1	1	25	2	2	6
65	Clinton County.....	455	2				1	3	3	7		30	2	3	3
66	Columbia County.....	473	3			1		2	5	6	2	28	2	2	4
67	Cortland County.....	259	2					2	2	1	5	11		1	
68	Delaware County.....	677	6			13		1	1	5	2	26	1	3	10
69	Dutchess County.....	1,286	4	2		5	6	6	3	6	8	152	4	20	6
70	Erie County.....	1,211	8			3	1	16	4	14	2	70	3	4	10
71	Essex County.....	527	3						6	6		59	2	5	3

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intes- tinal obstruc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
269	70	27	385	573	66	308	38	89	42	37	28	300	10	30	192	209	36	915	17
263	70	27	385	572	66	308	37	89	42	37	28	300	10	30	192	209	36	915	17
1				1			1												
14	5	-----	23	31	3	14	-----	2	1	-----	1	16	-----	1	2	10	1	43	-----
24	8	1	29	39	1	32	1	3	3	2	-----	18	-----	3	10	12	6	63	-----
23	4	2	25	43	4	26	3	7	1	2	-----	24	-----	2	17	13	1	50	-----
19	4	3	18	42	2	25	5	5	7	6	4	14	-----	2	15	21	3	52	-----
43	9	3	49	66	8	52	10	9	9	7	3	57	-----	4	33	31	4	177	-----
26	7	2	45	74	13	23	7	12	5	5	6	44	-----	2	35	27	5	154	-----
30	8	4	54	90	10	41	3	14	1	8	7	28	-----	1	19	19	3	97	-----
51	11	6	68	78	14	43	5	18	4	3	4	42	-----	4	29	41	6	130	-----
19	12	4	35	56	6	32	1	11	3	1	1	35	-----	4	16	21	3	79	-----
20	2	2	39	54	5	20	3	8	10	3	1	22	-----	1	16	14	4	70	-----
797	196	77	1,149	1,593	165	1,274	102	705	43	72	132	1,190	40	70	680	839	166	2,190	43
779	186	76	1,111	1,530	160	1,192	97	682	43	70	126	1,147	38	67	650	804	164	2,087	41
18	10	1	38	63	5	82	5	23	-----	2	6	43	2	3	30	35	2	103	2
21	2	5	29	44	7	32	1	26	-----	2	3	40	-----	1	14	32	4	89	2
101	26	11	123	176	20	134	11	64	9	6	26	103	5	12	71	92	24	183	3
60	14	3	106	123	6	100	4	63	-----	9	7	85	5	2	65	60	15	174	2
59	14	3	103	117	6	86	4	59	-----	9	6	99	4	2	63	55	15	165	2
1	-----	-----	3	6	-----	14	-----	4	-----	-----	1	6	1	-----	2	5	-----	9	-----
33	10	2	65	102	8	81	2	47	1	3	7	76	4	3	41	47	10	119	3
31	9	2	63	92	7	78	1	43	1	3	5	67	4	3	36	44	10	112	3
2	1	-----	2	10	1	3	1	4	-----	2	2	9	-----	-----	5	3	-----	7	-----
20	9	2	41	43	-----	22	3	11	1	1	4	4	1	1	7	34	3	59	1
18	8	2	40	41	-----	17	3	9	1	-----	4	44	-----	1	6	34	3	50	1
2	1	-----	1	2	-----	5	-----	2	-----	1	-----	4	1	-----	1	-----	-----	9	-----
34	4	3	37	55	3	41	4	9	1	3	4	30	3	3	26	15	3	93	1
32	3	2	34	55	3	35	4	8	1	3	4	28	3	2	25	14	3	87	1
2	1	1	3	-----	-----	6	-----	1	-----	-----	-----	2	-----	1	1	-----	-----	6	-----
36	11	6	43	98	10	76	7	24	2	3	9	63	-----	4	35	18	4	142	-----
38	6	-----	47	65	8	42	4	28	-----	1	3	52	1	3	33	39	5	88	2
31	6	-----	45	63	7	38	3	27	-----	1	3	49	1	3	29	38	5	81	2
1	-----	-----	2	2	1	4	1	4	-----	-----	-----	3	-----	-----	4	4	-----	7	-----
36	20	5	46	103	12	39	5	43	9	5	18	88	-----	7	33	56	21	177	2
37	8	5	73	75	8	35	3	12	2	4	5	61	-----	3	21	28	2	78	2
17	7	-----	39	56	3	37	3	18	1	4	-----	25	1	1	18	34	1	63	-----
16	7	-----	36	53	3	30	3	17	1	4	-----	24	1	2	15	27	1	59	-----
1	-----	-----	3	3	-----	7	-----	7	-----	-----	-----	1	-----	-----	3	3	-----	4	-----
38	7	7	48	61	13	39	4	144	-----	3	6	41	1	4	52	64	10	109	4
86	14	6	130	121	20	85	10	38	5	7	11	124	4	5	60	57	14	185	4
82	13	6	123	112	20	78	10	35	5	6	11	117	4	4	58	49	13	171	4
4	-----	-----	7	9	-----	12	-----	3	-----	-----	-----	7	-----	-----	2	8	-----	14	-----
50	10	6	76	107	5	121	19	34	3	7	6	85	2	4	51	50	9	193	5
14	2	1	18	27	6	19	1	9	3	4	3	45	1	2	14	18	7	38	2
21	5	4	21	45	8	62	-----	22	1	1	3	45	2	1	14	36	11	46	3
31	7	1	34	52	4	39	3	18	-----	2	2	24	-----	1	21	21	4	82	2
29	6	1	32	46	4	29	2	15	-----	2	1	19	-----	1	15	19	3	66	1
2	1	-----	2	6	-----	10	1	3	-----	-----	1	5	-----	-----	6	2	1	16	1
37	12	2	52	78	7	44	8	25	-----	3	5	34	1	-----	17	39	7	81	1
16	6	2	34	46	5	46	2	14	3	2	2	31	4	6	14	24	4	58	2
48	10	3	52	68	4	53	-----	40	2	2	4	46	1	4	45	48	6	74	2
23	6	3	35	53	8	27	8	16	-----	-----	4	34	4	2	28	27	2	59	-----
2,286	505	178	3,371	5,442	528	2,736	373	1,018	167	283	332	2,881	104	180	1,655	2,168	375	7,052	110
2,263	502	171	3,341	5,388	524	2,689	364	997	164	282	329	2,835	101	178	1,637	2,135	372	6,942	109
23	3	7	30	54	4	47	9	21	3	1	3	46	3	2	18	33	3	110	56
28	7	2	50	60	7	46	5	30	2	1	7	49	1	3	22	34	5	85	2
42	11	3	61	97	9	34	2	8	4	2	6	49	4	2	18	28	1	144	6
34	6	3	62	77	7	40	5	20	6	3	3	50	3	5	32	29	6	118	-----
53	16	4	54	113	11	40	6	16	6	5	6	46	2	2	44	52	9	118	2
38	10	-----	60	82	13	31	3	8	2	-----	2	39	1	2	12	37	11	109	-----
58	10	1	72	131	14	38	6	8	4	8	11	55	-----	5	43	55	8	183	4
23	-----	1	30	48	2	28	2	9	1	1	5	32	1	-----	17	19	4	53	1
24	11	3	63	84	12	50	4	5	2	6	9	52	1	5	22	32	7	120	1
17	7	1	36	79	5	41	7	24	3	1	5	26	-----	6	24	18	-----	90	6
23	6	-----	43	66	1	37	4	8	2	3	4	55	-----	5	20	36	3	100	2
18	4	-----	32	48	7	16	1	6	3	-----	2	47	-----	1	11	11	3	52	2
60	8	8	82	109	7	41	6	12	5	5	9	36	3	5	36	35	5	129	2
63	13	2	109	179	7	109	21	26	10	14	8	84	4	7	52	61	6	293	2
71	8	7	87	197	14	104	16	66	9	7	23	75	3	6	53	91	11	225	3
39	4	-----	50	66	7	29	4	11	3	5	5	33	4	3	39	35	3	100	3

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.														
NEW YORK—continued.														
1 Franklin County.....	772	5				4	16	2	10	1	171	6	8	5
2 Fulton County.....	236	1							5		16	3		1
3 Genesee County.....	351	2			1	2	1			1	16		3	3
4 Greene County.....	479	4				1	4	5	3		39		3	4
5 Hamilton County.....	50	1									7			
6 Herkimer County.....	768	5			11	12	8	9	4	4	62	4	2	1
7 Jefferson County.....	725	3			1		9	2	11	1	32	1	6	5
8 Lewis County.....	395	6	1		1		2	2	8	1	22		3	3
9 Livingston County.....	650	16			2	3	1	3	5	1	41	4	4	2
10 Madison County.....	666	6			5		3	1	8	1	28		5	5
11 Monroe County.....	983	3			1	4	4	4	7	4	161	2	6	7
12 Montgomery County.....	409	4						2	2	1	18		3	
13 Nassau County.....	1,249	2	2		6	2	9	14	6	1	72	11	7	10
14 Niagara County.....	404	2	2			1	1	3	3		26		4	3
15 Oneida County.....	961		1		9	2	8	8	8	2	50	4	5	5
16 Onondaga County.....	993	6			1	1	9	7	9	4	77	2	3	6
17 Ontario County.....	566	1				2	2	2	15	2	25		6	
18 Orange County.....	1,042	12			6	2	8	8	18	3	103	4	7	3
19 Orleans County.....	456	3			1	1		4	1	3	17	3	1	5
20 Oswego County.....	647	5			1	1	3		10	2	25	2	6	3
21 Otsego County.....	818	7			5	2		1	10	5	20	2	3	6
22 Putnam County.....	189		1				3	1	1		16	1		
23 Rensselaer County.....	484	6			1	1	6	5	6	1	43	1	3	
24 Rockland County.....	639	6			1		3	7	7	1	58	4	4	5
25 St. Lawrence County.....	1,089	10			1	4	7	1	6	3	57	6	4	4
26 Saratoga County.....	748	7	1		2	12	6	5	7		56	1	5	2
27 Schenectady County.....	234	1				1	6	3	3		35		2	
28 Schoharie County.....	353	2	1			1			4	1	12		2	3
29 Schuyler County.....	239		1		1				1		2	2	2	4
30 Seneca County.....	551	5					3	2	7	2	45		3	
31 Steuben County.....	965	8			2		3	4	3	4	27	1	3	2
32 Suffolk County.....	2,075	3	1		1	3	3	9	21	9	200	6	12	6
33 Sullivan County.....	659	5	1		3	1		1	2		191	3	4	1
34 Tioga County.....	403	5				1		1	5		11	1	2	4
35 Tompkins County.....	291	1						1	1	1	9	1	2	5
36 Ulster County.....	827	13	1		3	5		8	8	2	99	1	2	5
37 Warren County.....	256	3			1		1	1	1		18	1		1
38 Washington County.....	698	4					3	4	18	1	35	1	6	1
39 Wayne County.....	692	5			1		3	6	8	2	30	2	4	2
40 Westchester County.....	1,292	4	1		12	7	14	11	8	3	165	9	8	11
41 Wyoming County.....	410					1		1	8	1	15	4	2	2
42 Yates County.....	276						1		11		10		3	4
NORTH CAROLINA. ²														
43 Total.....	5,040	175	79	8	34	1	49	48	48	9	577	6	59	23
44 White.....	2,895	98	29	1	25	1	23	40	34	7	271	4	37	12
45 Colored.....	2,145	77	50	7	9		26	8	14	2	306	2	22	11
OHIO.														
46 Total.....	31,685	434	21	10	120	103	188	348	329	72	2,484	101	282	179
47 White.....	30,845	422	21	9	119	103	182	343	320	71	2,330	94	265	177
48 Colored.....	840	12		1	1		6	5	9	1	154	7	17	2
49 Adams County.....	258	8			2		1	3	3	1	33	1	9	1
50 Allen County.....	312	5				1	1		1	1	40	4	4	3
51 Ashland County.....	301	2			5	1	1	2	4		23	1		1
52 Ashtabula County.....	567	5				8	2	4	5		38		3	8
53 Athens County.....	644	5			3		11	5	2	1	62	1	4	6
54 Auglaize County.....	347	2			1	3		3	1	2	24		6	1
55 Belmont County.....	833	13			12	7	6	15	8	2	68	2	7	2
56 Brown County (total).....	279	1					1		4	1	36	2	2	2
57 White.....	248	1					1		4	1	27		1	2
58 Colored.....	31										9	2	1	
59 Butler County.....	288	2					1	5	4		30	1	2	2
60 Carroll County.....	157	3			3	1		3	1		7		1	1
61 Champaign County (total).....	348	6			4	2		1	5	3	20	1	3	2
62 White.....	331	4			4	2		1	5	3	18	1	3	2
63 Colored.....	17	2									2			
64 Clark County.....	244	1			3	2			1	1	34		3	3
65 Clermont County.....	443	6						5	9	1	35	1	3	1
66 Clinton County.....	298	2						6	4		19	1	3	4
67 Columbiana County.....	740	15	1				4	11	10	3	48	1	5	5
68 Coshocton County.....	346	6				1		7	4	1	21	3	3	3
69 Crawford County.....	441	6			2	2	2	1	2	1	35	1	3	2
70 Cuyahoga County.....	755	8			1	3	5	6	2		65	3	3	6
71 Darke County.....	516	7			2	5	3	7	7		37	2	9	2
72 Defiance County.....	244	1			1	1	1	4		2	21		3	1
73 Delaware County.....	302	4			1	6	1	5	3		24	1	3	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pen- dicitis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congen- ital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
49	11	4	38	82	11	56	7	38	1	4	4	34	5	7	52	29	7	103	2	1
14	5	1	17	42	3	23	1	7	1	4	1	29	-----	3	9	11	1	38	1	2
32	7	3	38	45	6	25	2	7	1	5	7	37	-----	3	16	20	2	72	1	3
27	10	2	68	73	5	32	6	10	1	3	2	24	-----	2	14	33	7	79	3	4
2	1	-----	5	4	-----	3	-----	-----	1	-----	-----	6	-----	-----	5	3	1	7	4	5
43	8	6	78	115	10	60	11	17	6	5	5	53	2	2	39	71	13	102	-----	6
42	15	4	76	104	15	56	8	25	2	3	2	51	2	3	32	37	12	161	-----	7
22	7	2	43	54	7	21	2	9	2	5	3	36	1	5	13	22	5	87	-----	8
32	9	2	51	111	8	62	6	18	2	8	1	35	1	6	20	40	7	149	-----	9
48	14	3	58	110	15	41	10	7	3	5	9	38	1	5	32	38	6	160	-----	10
50	9	9	70	126	10	60	10	71	2	6	5	54	-----	5	51	69	14	158	1	11
27	8	2	58	59	7	22	1	5	3	4	2	41	-----	1	14	41	4	78	2	12
78	15	6	102	161	14	118	7	67	5	20	14	103	-----	5	84	97	9	195	3	13
30	9	2	24	77	9	29	5	8	2	2	5	23	-----	7	21	25	7	84	1	14
74	14	5	72	155	14	102	10	32	5	8	9	81	-----	4	53	38	10	170	2	15
62	12	5	79	181	26	79	10	30	1	12	4	66	2	1	49	77	16	155	1	16
56	7	2	58	97	9	21	7	10	6	5	9	54	1	2	29	21	7	108	1	17
55	11	3	90	128	19	75	9	30	5	10	12	99	5	5	44	79	12	176	1	18
31	12	3	50	71	4	25	7	11	2	4	3	38	5	4	25	36	4	82	-----	19
39	14	2	68	115	22	50	5	15	2	8	7	40	3	3	36	31	2	125	-----	20
49	16	2	68	140	4	53	9	12	5	14	15	79	4	3	36	62	7	178	1	21
11	5	1	21	35	5	9	2	4	1	1	1	20	-----	2	11	10	2	23	3	22
25	9	2	59	75	6	39	4	11	-----	2	1	53	1	2	14	31	5	72	-----	23
51	11	5	70	78	12	54	7	17	-----	5	7	42	1	3	23	45	5	101	-----	24
50	21	5	87	159	20	95	13	49	-----	8	3	55	2	12	76	57	13	251	-----	25
39	6	3	73	100	17	69	6	28	-----	2	-----	67	3	3	37	42	5	141	3	26
10	1	2	19	31	1	23	3	7	-----	1	3	10	1	2	12	23	1	33	-----	27
34	5	2	46	52	3	25	2	2	-----	3	4	35	-----	1	11	19	-----	80	2	28
21	9	1	24	42	4	11	2	1	-----	1	2	18	3	1	9	10	2	63	-----	29
33	5	4	66	92	4	61	5	4	-----	2	7	50	1	3	14	24	8	96	1	30
69	8	5	100	219	6	55	11	11	4	10	11	99	2	2	36	52	9	198	1	31
92	22	6	149	244	14	195	20	32	8	14	14	221	7	3	58	90	22	586	4	32
26	10	4	44	105	13	41	8	8	4	5	11	23	3	2	21	24	6	86	3	33
28	2	1	65	53	4	36	4	5	-----	1	-----	36	-----	2	9	29	5	92	1	34
21	2	1	36	40	6	16	2	6	2	2	1	22	1	1	18	19	3	71	-----	35
45	4	12	87	122	10	51	3	19	6	4	11	68	3	4	30	44	7	141	4	36
19	4	-----	18	30	6	20	2	6	-----	1	5	13	2	2	12	15	2	72	1	37
35	7	4	86	105	7	47	12	32	-----	4	5	84	1	2	34	37	9	113	1	38
59	13	5	73	91	12	40	12	25	2	4	11	54	1	3	37	38	11	137	1	39
37	4	1	70	159	20	110	21	52	5	5	9	132	2	4	48	77	17	165	5	40
22	1	-----	42	60	10	29	2	8	5	4	-----	30	2	2	16	20	3	101	-----	41
-----	-----	-----	34	64	7	13	2	6	1	1	4	24	-----	-----	10	9	5	44	-----	42
149	28	47	206	348	40	373	44	377	50	34	14	290	25	66	324	281	19	895	314	43
114	23	31	140	190	17	209	31	229	40	27	11	162	12	35	230	149	17	529	117	44
35	5	16	66	158	23	164	13	148	10	7	3	128	13	31	94	132	2	366	197	45
2,072	419	191	2,787	4,151	337	2,515	282	970	187	245	330	2,195	141	177	1,655	1,980	345	5,783	252	46
2,039	417	188	2,741	4,028	331	2,444	272	942	186	241	325	2,132	140	174	1,630	1,941	337	5,642	239	47
33	2	3	46	123	6	71	10	28	1	1	5	63	1	3	25	89	8	141	13	48
6	3	1	10	34	7	28	3	6	-----	1	-----	22	-----	1	14	9	3	40	-----	49
13	8	2	22	39	6	21	1	7	2	-----	9	16	1	2	25	29	2	47	-----	50
26	5	-----	40	42	1	24	4	4	-----	4	3	13	2	-----	18	18	4	50	-----	51
39	10	5	48	83	4	40	3	7	4	6	7	26	7	5	37	24	6	131	1	52
32	9	4	53	60	2	73	5	30	6	4	10	34	4	4	39	33	7	129	2	53
26	6	2	30	31	2	16	7	14	4	5	5	30	3	3	17	20	4	75	4	54
48	5	8	58	102	11	90	5	57	2	9	7	23	5	5	53	73	7	115	8	55
19	4	-----	22	49	3	36	2	6	-----	1	-----	18	1	1	9	10	5	41	-----	56
18	4	-----	21	43	3	32	2	5	-----	1	-----	15	1	1	9	10	5	39	-----	57
1	-----	-----	6	-----	-----	-----	-----	-----	-----	-----	-----	3	-----	-----	-----	-----	-----	2	-----	58
13	4	4	25	38	5	17	2	10	1	2	7	28	1	1	6	22	5	42	3	59
14	3	-----	18	25	2	12	1	2	2	1	-----	11	3	-----	2	6	1	31	-----	60
21	6	2	30	53	6	23	4	8	3	5	2	38	3	3	22	14	5	51	3	61
21	6	2	29	50	5	22	3	8	3	5	2	37	3	3	22	13	5	47	2	62
-----	-----	-----	3	3	1	1	1	-----	-----	-----	-----	1	-----	-----	1	-----	-----	4	-----	63
16	4	3	28	29	1	14	3	8	1	3	2	17	1	3	8	7	3	43	2	64
30	5	1	27	100	1	30	4	14	-----	2	5	41	4	5	11	10	4	82	3	65
29	4	-----	42	41	4	16	-----	4	3	3	2	16	-----	-----	7	13	7	62	4	66
46	8	4	56	86	18	60	6	17	5	2	2	78	6	4	43	38	10	131	7	67
23	5	1	37	52	1	34	4	6	5	7	4	23	1	-----	14	14	1	62	3	68
31	9	4	36	37	2	32	6	8	3	3	9	40	4	-----	34	28	6	91	1	69
49	7	4	54	102	9	63	5	26	4	2	16	86	4	3	34	49	11	123	2	70
45	6	1	35	64	3	18	5	18	4	2	5	29	3	1	43	30	11	109	3	71
14	2	3	30	25	-----	23	4	9	5	6	-----	13	3	1	7	11	3	47	4	72
20	3	1	34	46	4	26	3	7	4	5	4	18	-----	5	9	12	1	49	3	73

* Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	2	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
OHIO—continued.															
1	Erie County.....	331	1				6	3	4	2	14		2	1	
2	Fairfield County.....	275					1	8	1		21		2	2	
3	Fayette County (total).....	272	4			5	3	1	7		30	1	1	1	
4	White.....	242				5	2	1	7		25	1	1	1	
5	Colored.....	30	2				1				5				
6	Franklin County.....	560	2			4	4	2	4		92	3	3	1	
7	Fulton County.....	281	5		1		1		2		14		5	1	
8	Gallia County (total).....	347	6				2	8	3		38		4	1	
9	White.....	314	5				2	8	3		33		4	1	
10	Colored.....	33	1								5		4		
11	Geauga County.....	195					4		1	1	5			2	
12	Greene County (total).....	412	11			2	2	6	6	1	41	1	9	1	
13	White.....	338	10			2	2	5	3	1	34	1	4	1	
14	Colored.....	74	1					1	3		7		5		
15	Guernsey County.....	328	5			3	2	1	7	3	16		2	1	
16	Hamilton County (total).....	663	2	1			2	6	8	7	73	9	13	7	
17	White.....	610	2	1			2	6	7	4	63	9	11	7	
18	Colored.....	53									10		2		
19	Hancock County.....	216	2	1		1		2			20		3	2	
20	Hardin County.....	373	5		1		2	5	6	1	29	1	7	2	
21	Harrison County.....	237	3			2	2	1	7	1	18	1	3		
22	Henry County.....	257	3				1	2			19	1			
23	Highland County.....	336	6				1	10	3		27	1	5	4	
24	Hocking County.....	232	1	1				3	3	1	26	1	3	1	
25	Holmes County.....	180	2	1				2	3		11	2		3	
26	Huron County.....	422	4					2	4	2	32		3	1	
27	Jackson County.....	345	5				1	4	13	6	33	1	6	1	
28	Jefferson County.....	487	14				2	12	6	3	19		3	2	
29	Knox County.....	370	1		1		1	1	3	4	23	1	4	2	
30	Lake County.....	287	5				1		8	1	23			3	
31	Lawrence County.....	349	14		1	4		10	6	4	34	1	7	3	
32	Licking County.....	333	5	1				1	2	6	22	1	4	1	
33	Logan County.....	377	6			7			1	2	25	1	3	1	
34	Lorain County.....	348	8			1		2	5	1	19	1	1	4	
35	Lucas County.....	270	3		1		1	1	3	1	13		1	1	
36	Madison County.....	239	6	1		1	2	2	2	2	19		2	2	
37	Mahoning County.....	513	7				2	4	4	6	42	2	4		
38	Marion County.....	158	2				3	1	4	1	12	1		1	
39	Medina County.....	278	3				2	2	1	1	13		4	3	
40	Meigs County.....	327	8		1		1	6	4	1	28	1	3	2	
41	Mercer County.....	267	6					3	5	3	20	1	5	2	
42	Miami County.....	373	1			4		1	2	3	27	1	3		
43	Monroe County.....	231	2				4	3	3	5	17		1	1	
44	Montgomery County (exclusive of	689	5			5	2	3	9	7	72	2	4	4	
45	National Military Home.....	395								2	9				
46	Morgan County.....	184	1						5	1	17		2	1	
47	Morrow County.....	230	4						3	1	17		2		
48	Muskingum County.....	382	2					5	6	1	29	1	5	2	
49	Noble County.....	182	2				1	1	3		9	1	1	1	
50	Ottawa County.....	248	4			1	2	3	3		27	1			
51	Paulding County.....	190	4	1			2	2	2		14		2		
52	Perry County.....	355	1			2	2	2	6	1	26	1	2	2	
53	Pickaway County.....	370	6			6	1	2	4	2	30	2	6	4	
54	Pike County.....	154	6			1		1	1	1	22	1		1	
55	Portage County.....	424	4	3			2	2	6	2	25		1	4	
56	Preble County.....	250	2				1		2	2	15		1	2	
57	Putnam County.....	283	8	1		2	1	3	1	4	21	1	4	1	
58	Richland County.....	331	2	1			2	1	2	1	19	3	4	5	
59	Ross County (total).....	303	9				6	4	6	3	35	2	1	2	
60	White.....	274	9				6	4	5	3	29	2	1	2	
61	Colored.....	29							1		6				
62	Sandusky County.....	368	11	1			1	5	2	4	20	1	4	1	
63	Scioto County.....	346	14		1			7	10	3	37	3	2	3	
64	Seneca County.....	358	3			1		2	9	3	19	2	3	2	
65	Shelby County.....	274	5				6		2	2	28	3		1	
66	Stark County.....	670	5		1	1			11	8	47	1	2	3	
67	Summit County.....	629	14	1		4	1	1	8	5	50	6	6	3	
68	Trumbull County.....	526	10				1	1	5	7	21		4	1	
69	Tuscarawas County.....	644	12	1	1	9	3	1	7	8	37	4	8	8	
70	Union County.....	235							4	4	30		4	1	
71	Van Wert County.....	254	8	1		1	1	1	4	2	14	1	2	1	
72	Vinton County.....	123	1	1		1	1	3	1	1	14	1	2		
73	Warren County.....	319	1						6	8	31	2	2	1	
74	Washington County.....	330	3	1	1	1		1	3	2	18		1	1	
75	Wayne County.....	454	5	1			5	1	5	6	29		5	1	
76	Williams County.....	320	1					2	2	1	21		2	2	
77	Wood County.....	517	10	1		2		2	7	5	34		2	2	
78	Wyandot County.....	216	5					9	4	4	12	1	1	3	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

371

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Can- cer.	Dia- betes.	Meningi- tis.	Cerebral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respir- atory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
23	5		34	72	6	10	1	2	2		3	24		2	8	28	3	74	1
9	6		31	50	3	21	4				3	15		1	21	18	54		2
17	3	2	19	30	2	20	1	15	1	2	2	14	2	1	22	12	49	1	3
16	3	2	19	25	2	16		13	1	4	2	10	2	1	21	12	45	1	4
1				5		4	1	2				4			1		4		5
36	11	5	41	56	5	31	5	16	4	5	2	37	1		15	33	116	4	6
25	6	2	21	30	2	26	1	8	2	2	1	15	4		10	10	75	4	7
14	2	4	29	53	1	38	1	6	2	3	3	15	2	1	12	2	87	4	8
13	2	4	26	47		35	1	6	2	3	2	13	2		8		79	3	9
1			3	6	1	3		6	2	3	1	2	2	1	12		8	1	10
8	2		27	41		22	1	1	3	3	3	5		2	10	8	41	2	11
22	2	1	29	75	3	43	3	14	2	2	1	14		2	26	2	66	3	12
18	2	1	25	67	2	30	2	10	2	2	1	11		2	24	1	52	3	13
4			4	8	1	13	1	4				3		2	2	1	14		14
25	2	2	34	28	3	32	3	16	1	5	2	22	2	1	24	2	61	1	15
54	17	5	61	79	7	45	5	29	2	5	12	52	4	1	21	52	6	70	16
51	16	5	56	67	7	43	3	27	2	5	10	49	4	1	19	49	6	66	17
3	1	5	12	12	2	2	2	2	2	2	2	3		2	2	3	4	4	18
16	1		15	24	2	20	1	6			6	18	1	2	19	12	39	1	19
27	4	3	34	37	3	13	4	12	4		2	34	1	3	18	32	73	3	20
18			12	29	2	30	1	5		2	1	12	1		11	14	3	52	2
15	4	1	26	28	2	21	2	4	6	6	3	21	4	1	13	17	1	53	21
25		3	35	46	4	19	2	4	2	1	1	41	1	1	6	15	2	68	3
14	4	2	18	19	8	19	2	6	1	2	1	18	1		16	14	2	39	6
9	3	1	16	39	1	12	4	2	4	1	4	14	2		10	6	24	2	25
34	7	1	41	47	6	37	2	7	2	5	3	38		5	14	42	2	78	3
30	2	2	24	44	4	23	2	15	2	4	4	10	2	1	19	18	1	64	26
31	5	2	18	33	3	71	6	37	3	3	5	29	2	2	39	43	6	78	8
25	5	1	44	52	2	31	4	5	4	2	4	26		3	19	13	8	76	28
28	2	3	27	31	2	25	2	9	2	3		11	1		14	35	3	43	30
14	3	3	16	27	1	30	3	21	1	1	2	20	1	2	29	22	6	52	10
19	4	3	42	54	4	21	4	4	1		1	28		3	15	24	4	51	3
29	6	1	23	54	3	32	6	7	7	5	3	34	1	1	25	17	4	75	2
31	7	3	29	42	5	27	3	8	1	1	4	24		2	18	32	4	68	3
15	4	2	12	28	5	35	1	13	1	1	6	15		4	10	35	54	1	34
16	4	1	15	28	3	10		7		3	2	22	3		18	14	3	43	6
11	1		32	44	3	81		39	1	3	7	17	1	5	34	48	3	82	1
24	2	1	18	18	1	9	1	2	2	3	3	14			9	9	2	34	2
19	4	4	36	38	3	20	2	3	3	4	3	20		4	9	12	4	58	2
14	3	3	37	30	4	24	6	11	1	2	2	20	2	4	14	19	64	2	39
14	2	3	21	28	3	6		11				20		4	14	19	64	3	40
26	5	4	37	64	4	16	8	4	2	3	2	20	1	3	19	12	2	52	6
16	4	1	12	41	3	26	1	6	3	3	1	24	2	3	28	13	6	78	4
31	7	4	64	95	5	16	1	1	1	1	3	19	2	3	12	7	152	6	43
14	1		29	132	1	45	5	26	1	9	1	50	2	3	22	41	10	44	4
11			17	132		8		8		1	2	110			3	3	66	1	45
11			38	38		12		4	1	1	4	6	2		10	19		24	3
20	1	1	37	25	2	23		1	1	2	4	19		2	13	15	32	3	46
30	8	2	43	56	3	54		11	1	1	3	19	3	1	20	24	62	6	47
11	4	1	10	30	4	17		12	2	2	1	10	1	3	11	9	31	1	48
16	1		19	18	3	27		9	1	2	2	10		2	16	28	46	2	49
15	5	2	15	19	5	23		7	7	1	1	17		1	15	5	29	3	50
19	5	3	39	34	5	34	7	5	1		10	14	1	4	32	33	54	5	51
13	5	3	34	43	2	33	3	10		2	3	28	2	1	28	25	67	2	52
7	2		12	19	2	8	2	7	1	1	1	10			12	10	25	1	53
36	10		46	54	5	30	2	10	1	2	6	26	4		27	34	71	5	54
25	3		23	42	3	16	1	2	1	2	4	22			12	11	49	1	56
16	7	6	13	41	1	26	2	16	3	4	4	16		1	14	21	40	1	57
32	3	1	39	45	3	15	5	9	2	4	5	30	2		14	24	54	3	58
19	1	2	18	34	5	25		9	2	2	3	24		1	17	19	50	4	59
18	1	1	14	32	5	20		4	4	2	3	22		1	17	19	48	4	60
1			4	2		5		5				2			2	2	2	2	61
29	7	1	46	54	3	13	4	13	2	4	4	28	1	3	16	16	65	3	62
15	2		9	29	6	38	4	27	1	4	4	25	1	1	23	17	49	5	63
22	5	2	56	64	7	31	4	31	3	2	7	22		2	18	20	43	1	64
25	3	6	24	33	3	19	3	7	4	4	2	20		3	12	14	4	4	65
38	8	4	72	98	7	31	5	23	3	3	3	26	1	4	27	35	203	3	66
36	6	6	53	73	5	60	7	38	2	3	1	29	7	2	42	61	99		67
30	4	6	41	64	11	64	6	28	2	4	5	26	1	3	31	37	87	4	68
56	10	3	62	64	9	45	4	13	2	5	8	52	4	6	31	47	115	3	69
12	2	1	26	27	2	14		5			3	21	1	2	12	10	49	2	70
20	6	2	22	33	1	15	1	7	3	2	4	21		1	10	18	53	1	71
2	3		7	16	2	7	4	6	1	1	1	6		1	10	10	25	1	72
18	2	3	31	46	5	18	5	13	2	2	5	5		3	14	19	53	4	73
17		1	33	51	4	23	3	10			1	19		1	14	26	79	7	74
33	10	2	54	65	3	39	4	4	5	2	7	20	2	5	21	26	89	2	75
29	4	4	33	34	5	14	3	9	3	3	10	19	1	1	17	22	65	2	76
33	9	2	53	76	5	32	5	20	11	6	8	19	2	6	26	41	78	1	77
14	5	1	15	29	4	17	1	3		3	4	11			13	8	48	2	78

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
PENNSYLVANIA.															
1	Total.....	54,254	539	7	2	270	394	452	959	425	161	3,903	180	359	290
2	White.....	53,229	529	7	2	269	390	440	956	422	159	3,726	173	334	285
3	Colored.....	1,025	10			1	4	12	3	3	2	182	7	25	5
4	Adams County.....	424	1					5	4	4		39		4	2
5	Allegheny County.....	4,795	41			13	61	41	74	21	15	518	16	36	22
6	Armstrong County.....	825	24			2	8	18	20	3	4	43	2	9	4
7	Beaver County.....	1,020	13			1	13	6	21	9	2	69	2	11	4
8	Bedford County.....	426	6					4	2	4	1	20	2	3	1
9	Berks County.....	1,286	18		1			13	25	10		135	8	9	5
10	Blair County.....	780	13			4	7	2	8	5	1	44	1	3	7
11	Bradford County.....	902	16			5	2	1	7	14		49	3	7	2
12	Bucks County.....	1,059	10	1				12	14	7	16	93	5	7	4
13	Butler County.....	522	5					3	3	3		33	1	6	1
14	Cambria County.....	1,546	16			22	16	29	64	1	7	157	8	10	3
15	Cameron County.....	65	1			1	1	1		1					
16	Carbon County.....	829	5			8	4	6	22	10	4	53	1	3	6
17	Center County.....	550	8			4	3	1	10	4	1	18	2	6	6
18	Chester County (total).....	1,042	11					4	12	16	4	96	7	9	3
19	White.....	922	8					4	12	15	3	77	6	5	2
20	Colored.....	120	3						1	1	1	19	1	4	1
21	Clarion County.....	398	3			1	5	6	2	7	1	15	1	2	4
22	Clearfield County.....	845	9			3	3	19	8	5	4	48		3	8
23	Clinton County.....	403	5					2	4	5		24	3	2	3
24	Columbia County.....	574	4					7	15	4	1	21		2	2
25	Crawford County.....	670	6				2	6	4	5	2	39	2	1	2
26	Cumberland County.....	581	4					7	10	8	1	37	3	6	3
27	Dauphin County.....	871	5			3	3	4	19	7	3	77	4	10	5
28	Delaware County (total).....	1,033	12					4	6	13	4	90	7	9	4
29	White.....	931	11					4	6	12	4	83	6	5	2
30	Colored.....	102	1						1	1		7	1	4	2
31	Elk County.....	358	3			6	2	2	5	6		20		2	
32	Erle County.....	704	3			1	1	1	10	18	7	33	3	1	5
33	Fayette County.....	1,897	31			14	33	19	18	5	8	107	3	16	10
34	Forest County.....	75							1			3			1
35	Franklin County.....	766	6					4	13	8		283	3	10	1
36	Fulton County.....	116	1					1	1		2	17			
37	Greene County.....	279	3			8	1	8	3	4		23		2	4
38	Huntingdon County.....	477	7			2	1	3	5	1		24		2	3
39	Indiana County.....	886	10			9	9	9	24	6	4	28	1	5	5
40	Jefferson County.....	673	6			3	6	9	9	2	5	21	3	5	4
41	Juniata County.....	203	2			1	1	1	9	1		13			2
42	Lackawanna County.....	1,490	3			7	3	19	20	14	5	75	4	6	2
43	Lancaster County.....	1,319	20					4	4	15	8	80	5	6	10
44	Lawrence County.....	421	5					3	2	8	5	22	2	2	
45	Lebanon County.....	503	2		1			2	3	9		30	3	1	2
46	Lehigh County.....	1,104	12			17	2	2	9	4	2	100	5	11	5
47	Luzerne County.....	3,197	9	1		46	33	23	93	13	13	184	8	16	21
48	Lycoming County.....	521	5					2	2	10	3	23		3	6
49	McKean County.....	333	5			2	1		1	2	2	23	3		1
50	Mercer County.....	681	18			4	5	7	8	11	2	32	2	7	5
51	Mifflin County.....	339	2	1		1	2		15	1		25	1	3	1
52	Monroe County.....	279	1			2		1	4	3	2	24		2	2
53	Montgomery County.....	1,657	22	1		2	4	8	18	22	7	189	7	13	12
54	Montour County.....	275	1					5	2	6	5	18		2	1
55	Northampton County.....	933	6			14	5	3	9	9	1	72	6	6	6
56	Northumberland County.....	870	8	1		1	9	3	19	3		54	2	3	5
57	Perry County.....	269	1					3	8	1	2	14		2	3
58	Pike County.....	112				2		1		5	1	3		1	4
59	Potter County.....	259				1		5	5	5		11		4	2
60	Schuylkill County.....	2,235	19	1		6	30	11	71	13	8	133	7	7	14
61	Snyder County.....	196	1				1	1	5	1		9	1		3
62	Somerset County.....	937	9			15	2	8	63	6	4	38		3	2
63	Sullivan County.....	97							1	3		5		1	2
64	Susquehanna County.....	556	5			9	1	5	8	4	1	25	1	5	4
65	Tioga County.....	506	4				2	5	1	7	2	21	1	3	1
66	Union County.....	179	1					2	2	1		13	1		
67	Venango County.....	478	8					5	4	2	5	34	2	4	2
68	Warren County.....	435	3					2	2	7	3	21	1	3	4
69	Washington County.....	1,922	19			23	50	34	27	6	4	95	3	15	4
70	Wayne County.....	367	1			1		2	7	4		27		1	3
71	Westmoreland County.....	2,668	26			6	24	25	53	18	8	123	19	21	19
72	Wyoming County.....	203	2			1		1	1	1		13		1	1
73	York County.....	983	13	1				5	15	7	1	82	3	6	7

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

373

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
2,752	540	335	3,516	5,196	667	5,250	671	3,685	189	390	463	3,268	260	354	4,288	4,147	454	9,251	632
2,703	537	331	3,466	5,092	656	5,153	655	3,647	188	387	459	3,192	257	348	4,238	4,076	451	9,081	620
49	3	4	50	104	11	97	16	38	1	3	4	76	3	6	50	71	3	170	12
36	5	1	52	59	3	46	8	14	-----	2	1	27	1	2	19	17	1	66	3
223	33	33	193	392	70	623	61	397	21	33	59	210	23	18	406	332	40	757	13
38	7	4	38	69	15	82	8	59	10	8	8	42	3	7	79	67	9	128	14
45	4	14	43	31	12	138	8	86	5	8	7	51	2	3	92	78	11	175	6
21	2	2	33	41	3	39	4	22	1	4	4	43	1	2	33	23	4	96	5
66	13	8	131	159	14	90	16	38	1	7	17	78	2	8	95	75	24	205	14
44	6	5	59	71	5	62	11	33	1	9	9	65	6	6	82	42	5	158	6
68	12	-----	82	131	13	45	8	13	8	6	6	83	3	3	47	53	7	190	8
76	13	-----	79	120	16	85	20	29	4	9	10	96	3	8	52	67	18	164	16
33	6	5	45	66	12	44	6	30	1	7	3	24	-----	4	35	38	6	84	9
46	6	8	28	105	9	207	16	152	11	5	10	60	11	10	210	116	11	184	8
4	1	-----	4	7	1	2	-----	7	-----	-----	1	8	-----	-----	9	8	1	9	1
38	9	4	38	43	11	94	18	72	4	6	7	53	15	6	70	75	6	131	7
31	8	1	52	67	8	43	11	23	7	6	6	25	5	3	48	48	1	97	3
65	13	4	93	152	11	66	6	52	1	6	5	98	2	6	58	64	7	159	12
60	13	4	85	137	9	59	3	50	1	6	5	89	2	6	48	55	7	139	12
5	-----	-----	8	15	2	7	3	2	-----	-----	-----	9	-----	-----	10	2	-----	20	-----
24	5	2	32	43	6	26	7	22	3	3	7	28	2	1	24	44	3	64	5
50	7	6	57	56	8	85	10	61	7	9	5	42	8	10	86	58	5	147	18
40	8	5	29	31	2	21	4	9	8	2	3	32	1	3	39	39	1	82	5
30	11	3	64	77	3	44	9	31	4	5	6	33	5	6	47	47	1	99	4
48	13	5	76	82	14	31	4	18	7	7	8	53	2	2	27	31	8	167	6
33	8	2	53	76	10	10	11	10	1	5	5	44	2	5	47	26	2	121	4
39	10	5	66	96	12	57	16	29	2	7	4	56	3	3	62	51	10	205	3
74	13	3	62	119	14	73	13	45	4	5	12	108	3	3	59	57	11	200	3
72	12	2	57	111	12	62	10	39	4	5	12	93	3	3	56	57	10	176	3
2	1	-----	5	8	2	11	3	6	-----	-----	-----	13	-----	-----	3	3	-----	24	-----
21	-----	-----	17	30	1	37	3	22	2	3	6	15	-----	-----	45	36	1	66	5
67	10	3	64	93	6	44	3	15	2	9	6	51	6	8	33	53	13	129	6
67	7	18	52	106	25	260	16	230	3	15	5	76	12	26	205	178	21	276	35
7	3	-----	8	6	-----	4	1	4	-----	-----	-----	4	-----	-----	8	8	-----	15	-----
31	4	4	58	55	5	39	6	23	2	3	6	48	2	-----	13	15	3	95	1
7	2	5	12	1	1	13	1	2	-----	-----	-----	7	1	5	36	15	1	95	1
18	9	2	22	2	2	19	6	9	2	4	1	17	3	3	16	12	2	24	3
30	6	2	38	32	7	44	7	22	3	3	4	39	2	5	35	49	-----	97	4
31	12	5	39	72	11	98	7	80	3	5	6	53	3	8	87	78	5	162	11
51	15	3	38	61	10	61	17	36	7	11	6	39	2	4	56	53	1	123	6
5	3	4	22	50	1	2	2	2	-----	-----	-----	16							

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
RHODE ISLAND.															
1	Total.....	1,523	3	1		6	10	24	13	13	3	116	9	6	11
2	White.....	1,499	3	1		6	10	22	13	13	3	116	9	6	11
3	Colored.....	24						2							
4	Bristol County.....	280	1				4	3	5	4		18	2		1
5	Kent County.....	149				1	2	1	2		1	13		2	2
6	Newport County.....	182						3	1	2		9	2	1	1
7	Providence County.....	556	2			3	2	14	3	6	2	55	5	3	4
8	Washington County.....	356		1		2	2	3	3	1		21			3
UTAH.															
9	Total.....	2,723	51	1	2	7	7	42	21	21	16	101	4	17	27
10	White.....	2,648	51	1	2	7	6	37	21	20	16	89	3	14	27
11	Colored.....	75					1	5		1		12	1	3	
12	Beaver County.....	56	3									1			
13	Box Elder County.....	151	4			1			1	1		6			1
14	Cache County.....	218	5						1		3	1			5
15	Carbon County.....	142	4			1	1	6	1	1	1	2			2
16	Davis County.....	91	2	1				7				1		1	
17	Emery County.....	51	2					1		1	1				1
18	Garfield County.....	48	3				1		1	1		2		2	1
19	Grand County.....	10										2		1	
20	Iron County.....	55					1			2		2			
21	Juab County.....	85	1								1	6			1
22	Kane County.....	12													
23	Millard County.....	69	1					1		1	2	1		1	
24	Morgan County.....	16													1
25	Piute County.....	15	1					3							
26	Rich County.....	19	1					1			1				1
27	Salt Lake County.....	490	6		1	4	2		9		1	43	1	3	4
28	San Juan County (total).....	15													
29	White.....	15													
30	Colored.....														
31	Sanpete County.....	173	3			1		1				3		2	4
32	Sevier County.....	95	2					3			1	2		1	1
33	Summit County.....	99	3					5			2	2			2
34	Tooele County.....	82					1			1				1	1
35	Uinta County (total).....	91	3					5		5	1	10	1	3	
36	White.....	56	3					1		5	1				
37	Colored.....	35						4				10	1	3	
38	Utah County.....	413			1		1	6	3	3		11	1	2	2
39	Wasatch County.....	95	7					2	1			2			
40	Washington County.....	46							1	3	1	2			
41	Wayne County.....	11													1
42	Weber County.....	75						1	2		1	4			
VERMONT.															
43	Total.....	4,604	34	1		4	10	30	30	69	11	230	22	36	27
44	White.....	4,600	34	1		4	10	30	30	69	11	230	22	36	27
45	Colored.....	4													
46	Addison County.....	274	2						2	5		9			1
47	Bennington County.....	287						1		7		16	3	3	4
48	Caledonia County.....	426	4				5	6	1	10		22	3	5	4
49	Chittenden County.....	310	3			1	1	2	4	1		19	3	1	1
50	Essex County.....	106						1	1	2		6		2	
51	Franklin County.....	447	6					6	6	6		16	2	4	3
52	Grand Isle County.....	38				2		1				3			
53	Lamoille County.....	193	2					1		4	2	8	2		
54	Orange County.....	291						2	2	6	1	9	1	2	3
55	Orleans County.....	369	2	1			1	2	2	3	1	17		4	2
56	Rutland County.....	438	6			1	1	1	1	9	1	26	4	2	4
57	Washington County.....	492	2					3	3	4	5	41		8	3
58	Windham County.....	448	5				1	4	2	6		17	3	4	1
59	Windsor County.....	485	2				1		6	6	1	21	1	1	1
VIRGINIA.															
60	Total.....	22,209	473	134	13	105	27	519	299	195	41	2,707	81	215	127
61	White.....	12,997	263	47	6	79	27	221	237	133	35	1,275	50	110	75
62	Colored.....	9,212	210	87	7	26		298	62	62	6	1,432	31	105	52
63	Accomac County (total).....	455	12			12	1	9	3	2	1	63		4	1
64	White.....	247	5			7	1	2	2	1		29		4	1
65	Colored.....	208	7			5		7	1	1	1	34			
66	Albemarle County (total).....	452	6		1	2		5	4	5	1	45	4	8	2
67	White.....	258	4		1	1		3	3	3	1	22	3	3	
68	Colored.....	194	2			1		2	1	2		23	1	5	2

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
113	27	10	121	162	31	139	7	62	5	8	14	137	5	10	93	76	14	260	14
111	27	10	120	162	30	138	7	61	5	8	14	136	5	9	89	71	14	257	14
2			1		1	3		1				1		1	4		3		
26	2	2	28	21	2	27	1	20	2		2	23	2	1	23	14		45	1
12	1		17	14	2	13	1	3		2	1	10		1	13	4	1	30	4
8	5	3	18	16	5	28	1	9			1	10			14	11	5	28	5
30	10	5	31	65	19	46	2	23	1	3	8	52	1	4	24	26	7	94	6
37	9		27	46	3	27	2	7	2	3	2	42	2	4	19	21	1	63	7
97	31	18	111	272	42	326	34	83	33	22	14	150	12	17	240	291	30	519	59
97	31	17	111	270	42	311	34	81	33	22	14	147	12	17	237	278	29	509	57
		1		2		15		2				3			3	13	1	10	2
3			1	9	2	7				1		2	1		4	6	1	11	1
5		1	12	21	1	19		5				5		1	17	11		26	3
10	4		14	25	6	14	1	6	5	3	2	10		2	19	15	1	61	5
6	1		2	4		17	2	9	2		1	2	2		11	43	2	16	4
4		1		5	3	12	3	5	2			4		3	10	11	1	14	15
				4		4	1	5	4			2	1		11	3	1	7	2
1			1	5	1	7						3		1	8	2	1	7	18
			1	1				1				1			3	3	1	2	19
	3		3	3		9	1	1	2	1	3	5		2	5	3	3	12	20
				3		15	1	1		3		7	1	1	6	19	1	17	21
1			1			1	1								1	4		3	22
4	2		2	8	6	6		2	1	2		3	1		10	6		13	23
			1	3	3	2		1				4			1	1		4	24
				2		3									1	2		4	25
						3									5			4	26
22	6	6	16	42	3	61	2	14	2	4	4	34	1	1	34	72	7	75	10
						4						1	1		1	3		4	27
						4						1	1		1	3		1	28
												1	1		1	3		1	28
															1			4	29
															5			4	30
																		4	31
5	1		13	22	8	24	1	4	1	3	1	11		1	23	13	2	20	6
5	3		2	16	2	12			2		2	7	1	1	9	4	2	19	32
1	1		5	6	4	17	9	4	2	1	1	3		1	4	12	1	14	2
4	1	1	1	8		9	2	4				2	1		9	9	2	20	4
				8		13		3	4			2		1	9	4	1	12	35
				7		3		3	4					1	9	4	1	9	36
				1		10						2				3		3	37
19	5	3	25	44	8	47	5	13	6	3	2	31	2	2	24	33	4	99	8
1	2	1	3	14	1	14		3	1	3		9			7	3	2	19	3
2		1	1	7	1	3	1					1			7	3		12	40
				1		1		1							1	1		5	41
4		2	7	12	2	5	1	3		1	1				4	5		19	42
324	69	40	469	618	96	334	32	142	54	41	35	349	18	39	219	244	39	926	12
324	69	40	468	618	96	334	32	142	54	41	35	349	18	39	219	243	39	924	12
			1												1	1		2	45
19	2	3	32	54	4	22	4	5	3	4	1	19	1	1	13	21	3	44	46
18	3		31	46	3	21	4	8	1	1	4	33	1	5	9	15	2	48	47
25	4	4	47	69	8	32		5	7	3	2	29	2	3	16	19	4	36	48
22	3	7	18	27	10	26	5	21	9	6	3	28	1	1	17	14		56	49
5	3		10	15	2	4		3	2	1		6			9	10	2	19	50
32	7	2	39	44	9	37	1	30	2	4	4	30	1	4	23	27	4	98	51
1			1	5		5				2		3			2	1		12	52
17	1		19	31	4	21	1	3	1	1	1	15		3	11	7	5	33	53
32	3		37	44	6	23	3	5	2	2	1	21		2	13	13	2	55	54
33	12	6	37	55	10	20	5	11	4	2	4	25	3	3	21	13	1	69	55
26	10	5	35	50	12	26	4	26	8	4	2	30	1	5	23	26	1	86	56
33	5	6	52	49	12	24	3	8	5	5	4	19	3	6	19	34	7	127	57
25	6	4	57	55	13	28	1	9	6	1	5	46	2	2	24	21	5	93	58
36	10	3	54	74	3	45	1	8	4	5	4	45	2	4	19	23	3	100	59
747	125	198	1,052	1,956	214	1,589	232	849	99	137	84	1,474	110	242	1,412	1,298	95	4,249	60
551	98	145	654	1,176	125	921	114	525	56	79	56	927	61	137	940	761	84	2,465	61
196	27	53	398	780	89	668	118	324	43	58	28	547	49	105	472	537	11	1,784	62
22	3	2	23	32	1	27	2	29	2	2		31	2	6	29	17	1	67	63
13			16	20	1	13	1	17		1		18		4	13	16		44	64
9		2	7	28		14	1	12	2	1		13		2	16	9	1	23	65
19	5	2	18	44	4	33	4	12	7	7	2	31	3	7	28	25	5	99	66
13	3	2	11	24	3	19	1	7	3	3	2	12	1	4	21	9	9	60	67
6	2		7	20	1	14	2	5	1	4		19	2	3	16	16	5	39	68

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.	DEATHS FROM—													
	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.														
VIRGINIA—continued.														
1 Alexandria County (total).....	146	2						3	1		15		1	
2 White.....	92	1							1		9			
3 Colored.....	54	1						3			6		1	
4 Alleghany County (total).....	131	3					4		3	2	10	1	2	
5 White.....	88	2					2		3	2	4		1	
6 Colored.....	43	1					2				6	1	1	
7 Amelia County (total).....	132	2					10	2			19			1
8 White.....	28							2			1			1
9 Colored.....	104	2					10				18			
10 Amherst County (total).....	267	9				4	4	9	2		25		3	2
11 White.....	166	6					2	5	1		16		2	2
12 Colored.....	101	3					2	4	1		9		1	
13 Appomattox County (total).....	106	2			1		1	3	1		20	1	2	
14 White.....	69	2			1		1	1	1		10		1	
15 Colored.....	37							2			10	1	1	
16 Augusta County (total).....	362	2			1		9	4	1		30	3	5	4
17 White.....	292	1					7	4	1		23	2	4	4
18 Colored.....	70	1			1		2	4			7	1	1	
19 Bath County (total).....	73						2		1		5			1
20 White.....	61						2		1		3			
21 Colored.....	12										2			1
22 Bedford County (total).....	320	2					2	8	4	1	35	2	5	1
23 White.....	207	1					2	6	4	1	16	2	2	1
24 Colored.....	113	1					1	2			19		3	
25 Bland County (total).....	57	1							1		8			
26 White.....	53	1							1		7			
27 Colored ²	4										1			
28 Botetourt County (total).....	195	1			1		7	4		1	26		2	3
29 White.....	151				1		7	4		1	15		1	2
30 Colored.....	44	1									11		1	1
31 Bristol (city) (total).....	93	1			1		2		1		13			
32 White.....	71	1					2				8		1	
33 Colored.....	22				1				1		5		1	
34 Brunswick County (total).....	275	3	1				12	3	3		33	1	4	3
35 White.....	95	2					3	2	2		10		1	1
36 Colored.....	180	6	1				9	1	1		23	1	3	2
37 Buchanan County (total).....	165	3			3		7	12	3		14	2	2	
38 White.....	163	2			3			12	3		14	2	2	
39 Colored ²	2	1												
40 Buckingham County (total).....	186	3	1					3	1		23		1	1
41 White.....	77	1						3	1		7			
42 Colored.....	109	2	1					3			16		1	1
43 Buena Vista (city) (total).....	34								1		5	1	2	
44 White.....	30								1		4	1	2	
45 Colored.....	4										1			
46 Campbell County (total).....	279	5	2			1	2	3	3		37		2	1
47 White.....	181	4	1			1	2	3	2		20		2	1
48 Colored.....	98	1	1						1		17			
49 Caroline County (total).....	211	2					26	1	1		26			1
50 White.....	78	1					5		1		11			
51 Colored.....	133	1					21	1	1		15			1
52 Carroll County (total).....	190	3			1		7	3	2	1	19		2	1
53 White.....	184	3			1		7	3	2	1	19		2	1
54 Colored ²	6													
55 Charles City County (total).....	56		2				3				7			
56 White.....	15										7			
57 Colored.....	41		2				3							
58 Charlotte County (total).....	157	2					4	2	1		27		1	2
59 White.....	59	2					1	2			12			2
60 Colored.....	98						3		1		15		1	
61 Charlottesville (city) (total).....	106	1					2			1	10			
62 White.....	70	1					1			1	5			
63 Colored.....	36						1				5			
64 Chesterfield County (total).....	364	10	3		1	1	9	1	1		53	3	3	3
65 White.....	200	5	1			1	6	1	1		26	2	3	1
66 Colored.....	164	5	2		1		3				27	1	3	2
67 Clarke County (total).....	100	2						1			15		2	
68 White.....	68	2						1			8		1	
69 Colored.....	32										7		1	
70 Clifton Forge (city) (total).....	68	4					1		1		8	2	1	
71 White.....	47	1									6	2		
72 Colored.....	21	3					1		1		2			
73 Craig County (total).....	48				2		3			1	4	1		
74 White.....	47				2		3			1	4	1		
75 Colored ²	1													
76 Culpeper County (total).....	163	3			1		1		6		19	2		1
77 White.....	99						1		6		9			1
78 Colored.....	64	3			1						10	2		

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 5. --DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM--													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ --Continued.															
VIRGINIA--continued.															
1	Cumberland County (total).....	100	1			1		5	1	1		14	2	1	
2	White.....	35										8	1		
3	Colored.....	65	1			1		5	1	1		6	1	1	
4	Dickenson County (total).....	113	4	1	2							10			
5	White.....	96	4	1	2							10			
6	Colored ²	17													
7	Dinwiddie County (total).....	454	10		1	1		7	2	2	1	62	1	5	
8	White.....	58	3			1		1	1	1		6	1		
9	Colored.....	396	7		1			6	1	2	1	56		5	
10	Elizabeth City County ³ (total).....	346	10	3				10	1	2		32	3	1	
11	White.....	128	6	2				2	1			10	3		
12	Colored.....	218	4	1				8		2		22		1	
13	National Military Home (total).....	190										1			
14	White.....	176										1			
15	Colored.....	14													
16	Essex County (total).....	109	3	1				4	1	1		18	1	2	
17	White.....	32	2						1			1			
18	Colored.....	77	1	1				4		1		17	1	2	
19	Fairfax County (total).....	229	1						2	4		18	2	4	
20	White.....	170	1						2	4		8	2	3	
21	Colored.....	59										10		1	
22	Fauquier County (total).....	250	2			2		3	2	2		26	2	2	
23	White.....	153	1			2		1	2	2		9	1	2	
24	Colored.....	97	1					2				17	1	1	
25	Floyd County (total).....	151	3			1		1	3	1	1	16		3	
26	White.....	135	3			1		1	3	1	1	13		1	
27	Colored.....	16										3		2	
28	Fluvanna County (total).....	121	1					5			1	17		2	
29	White.....	56	1					4			1	6		1	
30	Colored.....	65						1				11		1	
31	Franklin County (total).....	270	6		1	2		7	3			43	2	2	
32	White.....	199	6			1		3	3			23	1	1	
33	Colored.....	71			1	1		4				20	1	1	
34	Frederick County (total).....	142	2					6	2	4		21		2	
35	White.....	135	2					6	2	4		17		2	
36	Colored.....	7										4			
37	Fredericksburg (city) (total).....	106	3									12	1	1	
38	White.....	74	1									8			
39	Colored.....	32	2									4	1	1	
40	Giles County (total).....	127	4			5		4	2	2	1	13	1	1	
41	White.....	118	4			5		2	2	2	1	11	1	1	
42	Colored.....	9						2				2			
43	Gloucester County (total).....	147	2					5		1		28	1	1	
44	White.....	46	1									6		1	
45	Colored.....	101	1					5		1		22	1	1	
46	Goochland County (total).....	136	3					2				26		2	
47	White.....	31	1									2			
48	Colored.....	105	2					2				24		1	
49	Grayson County (total).....	190	7					1	9	3		22		6	
50	White.....	174	7						8	3		19		4	
51	Colored ²	16							1			3		2	
52	Greene County (total).....	60	1					4	2		1	5		1	
53	White.....	45	1					2	2		1	1		1	
54	Colored.....	15						2				4			
55	Greensville County (total).....	184	8	19				20	4	1	1	22		1	
56	White.....	68	2	7				4	1	1	1	10		1	
57	Colored.....	116	6	12				16	3		1	12		1	
58	Halifax County (total).....	530	10	4		3		8	7	10		60	5	6	
59	White.....	215	6					3	4	5		17	3	2	
60	Colored.....	315	4	4		3		5	3	5		43	2	4	
61	Hanover County (total).....	244	3	2				6	1	4	1	34	1	2	
62	White.....	108	3	1				2	1	1	1	10		1	
63	Colored.....	136		1				4		3	1	24	1	1	
64	Henrico County (total).....	431	4	2				16	4	1	2	68		3	
65	White.....	259	1	1				7	4	1	2	50		2	
66	Colored.....	172	3	1				9				18		1	
67	Henry County (total).....	222	14			3		4	3	4		26		4	
68	White.....	105	5			2		2	2	3		8		1	
69	Colored.....	117	9			1		2	1	1		18		4	
70	Highland County (total).....	58	1						1	1		11		1	
71	White.....	55	1						1	1		11		1	
72	Colored ²	3													
73	Isle of Wight County (total).....	210	7					14	5		1	29		1	
74	White.....	86	5					6	3			9			
75	Colored.....	124	2					8	2		1	20		1	
76	James City County (total).....	182						2		2		31			
77	White.....	127						1		1		17			
78	Colored.....	55						1		1		14			
79	King and Queen County (total).....	129	3	1				4		1		21		4	
80	White.....	46						1				4			
81	Colored.....	83	3	1				3				17			

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Colored population less than 5 per cent of the total.

DEATHS FROM PRINCIPAL CAUSES.

379

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Apen- dicitis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
2			1	11	3	6	1	5		1		6		1	3	3			1
1			1	4	2	2	2	3				2		1	1			8	7
1			1	7	3	4	1	2				4			3			16	6
1	1	2	2	6	1	6	6	1	1			3		1	7	24	1	20	4
			5	1	1	3	3	1	1			3		1	7	12	1	19	5
			1	3		3									12			1	6
4		1	38	34	1	18	3	9		1		30	1	4	10	9	3	174	7
3			2	3		4	1	1		1		6	1	2	1	4	2	10	4
1		1	36	31	1	14	2	8				24		2	9	5	1	164	8
9	1	2	22	35	2	13	3	8	6	10	3	29	3	4	22	34	2	72	1
5	1		10	12	1	2	2	1	4	4	1	12	1		12	16	2	20	11
4		2	12	23	1	11	3	7	2	6	2	17	2	4	10	18	2	52	12
15	2		19	53		9						54				6	1	27	13
15	2		15	50		8						51				5	1	25	14
			4	3		1						3				1		2	15
1		1	4	7	1	10	1	4	2	1		4		1	4	6	1	22	16
			3	2		3		1	1			2				3	1	10	17
1		1	1	5	1	7	1	3	3	1		2		1	4	3	2	12	18
9	4		22	34	4	12	1	11	1	1		22			16	16	2	41	19
7	4		14	27	2	6	1	10			1	17			12	12	2	33	20
2			8	7	2	6		1				5			4	4		8	21
13	1	3	17	33	1	17	1	4		2	3	19	4	3	16	13	4	45	9
8	1	2	9	23	1	13		2		2	2	9	4	1	11	8	4	28	22
5		1	8	10		4	1	2		2	1	10		2	5	5		17	23
9	1	3	6	20	1	16		1	1	2	3	3	1		17	7	1	26	24
9	1	3	5	18	1	15		1	1	2	2	3	1		17	6	1	23	25
			1	2		1						1			1	1		3	26
7		1	4	13	1	8		2		2	1	6	2	1	6	4		30	28
6		1	2	4	1	6		1		1	1	3			2	1		13	29
1			2	4		2		1				3			4			17	30
12	3	3	8	20	1	14	1	10	1	3		16	2	1	18	3		49	31
10	3	2	7	16	1	9		9		3		12	3	2	16	11		16	32
2		1	4	4		5	1	1	1	3		4			5	2		8	33
6		2	9	16	2	12	3	5	1			2		1	6	6		27	34
6		2	9	15	2	12	2	5	1			2		1	6	6		26	35
			1	1		1	1	1										1	36
4		1	9	9	3	15		2	1			8	1		7	3	2	29	37
4		1	2	6	3	12	2	2	1			6			2	2	2	23	38
			3	3		3		2				2	1		5	1		6	39
8		2	1	6	1	10	2	2		1	2	6			11	8		26	40
7		1	1	6	1	10	2	1		1	2	6			11	7		25	41
1		1																1	42
3			15	9		7	2	7				11		2	5	5	1	26	43
1			3	4		3		2	1			5		1	2	1	1	13	44
2			5	4		4	2	5				6			4	4		18	45
5	1	2	4	15	2	1	2	2		1		16		1	9	9		29	46
2			4	4		1		4				4			2	2		6	47
3	1	2	11	11	1	11	2	10		1		12		1	7	7		23	48
8		2	5	7		11	3	9	1			7	2	2	21	9		31	49
8		2	4	7		11	3	9	1			4	2	2	20	8		31	50
			1					1				3			1	1		3	51
1	1	3	3	9		6	1	3				2			3	4		7	52
1	1		2	5		6	1	3				2			2	3		6	53
			1	4											1	1		1	54
1			1	4		14		7	1			21	1	1	17	1	1	30	55
			2	2		5		3				11			6			13	56
1			1	2		9		4	1			10		1	11	1		17	57
23	2	4	31	35	3	49	5	19	2	2	2	16	1	8	34	25		109	58
10		4	14	17	1	18		11	1	1	1	6		4	18	9	4	47	59
13			17	18	2	31	4	8	2	1	1	10	1	4	16	16		62	60
6	2	3	13	30		18	3	10	1	1	1	13	1	3	16	14		40	61
1	2	1	9	13		11	1	4	1		1	7		2	9	4		16	62
5		2	4	17		7	2	6		1		6	1		7	10		24	63
11	1	2	27	41	5	27	8	16	1	3	5	36	1	4	37	23	3	73	64
9	1	1	17	28	1	8	1	10		2	5	26		3	23	12	3	37	65
2		1	10	13	4	19	7	6	1	1		10	1	1	14	11		36	66
9		1	8	15	4	22	3	6				3	1	1	17	6		44	67
7	1	2	5	10	2	7	2	3				3	1		7	3		18	68
2		2	3	5	2	15	1	3						1	10	3		26	69
2			2	4	1	3	1	1				5		1	5	4		13	70
2			2	4		3		1				5		1	5	4		11	71
			1		1													2	72
2	1	2	18	16		14	3	14		2		8		3	15	9	1	34	73
2	1	1	6	5	1	5	2	5		1		2		2	4	4		15	74
			12	11		9	1	9		1		6		1	11	5		19	75
4	1		20	25	1	7	2	4				12	1	1	3	5	1	57	76
4	1		16	19		2	1	1				9		1	1	1		52	77
			4	6	1	5		3				3	1	1	2	4		2	78
5	1		5	5	1	9	1	2	1	1		10		2	9	11		28	79
3	1		1	3	1	7	1	1	1	1		6		1	3	3		8	80
2			4	2	1	2		1	1	1		4		1	6	8		20	81

* Exclusive of National Military Home.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
VIRGINIA—continued.															
1	King George County (total).....	96	3				1	2			13			2	
2	White.....	36	1				1	1			3			2	
3	Colored.....	60	2					1			10				
4	King William County (total).....	120	1	2			3	1	1		18			1	
5	White.....	35						1	1		2				
6	Colored.....	85	1	2			3				16			1	
7	Lancaster County (total).....	125	3	1		1		2	5		13		1		
8	White.....	43	1					2	3		3		1		
9	Colored.....	82	2	1		1			2		10				
10	Lee County (total).....	273	5			3		8	15	2	37		2	4	
11	White.....	262	5			3		8	15	2	36		2	4	
12	Colored.....	11									1				
13	Loudoun County (total).....	291	2			1		2	5	1	29		2		
14	White.....	202	1					1	5	1	23		1		
15	Colored.....	89	1			1		1			6		1		
16	Louisa County (total).....	263	7	2				6	2	2	39		1	4	
17	White.....	117	2	1				1	2	2	13		1		
18	Colored.....	146	5	1				5	2		26		1	3	
19	Lunenburg County (total).....	158		2				10	1	4	14		1	4	
20	White.....	74		1				4	1	2	2		1	1	
21	Colored.....	84		1				6		2	12			3	
22	Madison County (total).....	111	3					1			21		1	1	
23	White.....	64	2					1			8			1	
24	Colored.....	47	1								13		1		
25	Mathews County (total).....	110	3					1		1	16			1	
26	White.....	68	2					1		1	3			1	
27	Colored.....	42	1								13				
28	Mecklenburg County (total).....	386	8	4				20	3	5	40		1	4	
29	White.....	138	4	3				9	1	3	8			2	
30	Colored.....	248	4	1				11	2	2	32		1	2	
31	Middlesex County (total).....	112	6	2					1		10		1		
32	White.....	50	4								4				
33	Colored.....	62	2	2					1		6		1		
34	Montgomery County (total).....	221	4					2	3	1	23		1	2	
35	White.....	170	4					1	2	1	19		1	1	
36	Colored.....	51						1	1		4		3	1	
37	Nansemond County (total).....	415	10	10	1	2		14	6	1	62		1	4	
38	White.....	153	3	7				2	3		13		1	1	
39	Colored.....	262	7	3	1	2		12	3	1	49			3	
40	Nelson County (total).....	182	2					1	5	1	22		1	1	
41	White.....	115	2					1	3	1	8				
42	Colored.....	67							2		14			2	
43	New Kent County (total).....	67						6			9		1	1	
44	White.....	24													
45	Colored.....	43						6			9		1	1	
46	Norfolk County (total).....	679	21	18		4		21	5	10	65		1	14	
47	White.....	203	2	2		3		8	3	1	12		5	5	
48	Colored.....	476	19	16		1		13	2	9	53		1	9	
49	Northampton County (total).....	212	6	1	1			2	4	3	20			2	
50	White.....	48							1		3				
51	Colored.....	164	6	1	1			2	3	3	17			2	
52	Northumberland County (total).....	158	5					2			22				
53	White.....	82	3					2			11				
54	Colored.....	76	2								11				
55	Nottoway County (total).....	193	7				1	7	1	1	23			3	
56	White.....	71	4								8				
57	Colored.....	122	3					7	1	1	15			3	
58	Orange County (total).....	170	2					3	1		15		1	2	
59	White.....	86	1					1	1		5		1	1	
60	Colored.....	84	2					2			10			1	
61	Page County (total).....	174	5					9	1		22			1	
62	White.....	145	4					7	1		14				
63	Colored.....	29	1					2			8			1	
64	Patrick County (total).....	171	3				2	1	4	4	17		2	3	
65	White.....	148	3				2	1	4	4	13		2	3	
66	Colored.....	23									4		1		
67	Pittsylvania County (total).....	585	19	6		4		9	8	2	68		3	3	
68	White.....	284	8	3		4		5	6	1	22		1	2	
69	Colored.....	301	11	3				4	2	1	46		2	1	
70	Powhatan County (total).....	110						1		1	21			2	
71	White.....	28									4			1	
72	Colored.....	82						1		1	17		1	1	
73	Prince Edward County (total).....	216	4	2				3	3	3	32		2	2	
74	White.....	71	1	2				1	1	1	6		1	1	
75	Colored.....	145	3					2	2	2	26		1	1	
76	Prince George County (total).....	140	2	1	1	2		6	1	1	19		1	1	
77	White.....	83						1	1	1	2			1	
78	Colored.....	107	2	1	1	2		5			17		1	1	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
3			9	10	3	5	2			1	1	4			6	3		15	13
1			3	6	2	3						3			1	1		4	4
2			6	4	1	2						1			5	2		11	9
3			9	4		3				1	1				6	6		19	4
3			4	5		2						12			11	4		4	5
3			5	5		6				1		3			7	4		15	6
2		1	2	5	2	11	2		1			17	2	1	6	9		23	15
2		1	1	3	2	5						4	1		11	1		11	7
6	3	3	8	2	2	6	1					13	1	1	6	6		12	14
6	3	3	5	13	4	14	3					6	2	1	24	13	1	43	10
6	3	3	5	13	4	12	3					5	2	1	24	10	1	42	11
6	3	3	5	13	4	2	3					1	2	1	3	8		1	2
14	5	3	30	29	4	17	3	11	2	1		30		4	13	7	1	73	2
9	4	2	22	19	4	8	3	10	1	1		23		1	9	4		49	1
5	1	1	8	10		9		1	1	1		7		3	4		1	24	1
13	2	4	21	22	5	10	4	8	2			15		2	8	9		51	20
9	1	3	11	10	3	3	2	3	3			8		4	4	4		26	6
4	1	1	10	12	2	7	2	5	1			7		2	4	5		25	14
7			3	14		5		11				12		2	15	9	1	38	5
6			2	7		3		5				7		1	7	4	1	17	2
12			1	7		2		6				5		1	8	5		21	3
12			5	9		8	2	1		1		2		1	7	1		23	2
10			4	3		4	2	1		1		2		1	5	1		15	1
2			6	6		4		1				2		1	2	2		13	1
6		1	6	8	2	5	1	3	1	1		12			7	3		28	4
6		1	4	7	1	2		3		1		8			5	2		17	3
14		1	2	1	1	3	1	4	1			4			2	1		11	1
6		1	26	31	2	23	2	12	2	4		7	2	5	21	15		94	37
8		1	10	15		5	1	7	2			2		2	10	3		36	9
8		1	16	16	2	18	1	5	1	4		5	2	3	11	12		58	28
5	2	1	11	6	1	7	4	3				4	2	2	3	6	1	22	12
3	2		5	3	1	3	2	1				8		1	1	5		9	3
7	1	5	7	21	4	19	3	2	1	2		16	2		10	13		50	12
7	1	4	6	17	3	14	3	5	1	2		12	2		9	10		32	10
7	1	1	1	4	1	15		4		2		4			3	3		18	2
11	2	5	17	29	1	28	4	44	5	2		19	2	5	26	15	1	70	18
7	3	3	9	11		12		18	1			12		1	11	3	1	29	3
4	2	2	8	18	1	16	2	26	4	2		7	2	4	15	12		41	15
5	2	1	7	12	4	13		10	3	3		9	4	1	12	9		38	9
7	2		8	6	3	9		7	3	2		6	2	1	10	5		24	5
2		1	1	6	1	4		3		1		3	2		4	4		14	4
3	1		5	6		8		3				5			3	5		8	2
1	1		2	3		1		1				3			2	1		1	44
2			3	4		4		2				2			1	4		5	1
10	2	6	33	44	15	65	16	52		3	5	35	5	8	44	46	5	110	15
6	2	2	9	14	2	13	3	19	1	2		14		3	24	20	5	24	4
4		4	24	30	13	52	13	33		2		21	5	5	20	26		86	11
8			7	14	6	16		12				19	1	3	6	13		39	25
7	1		1	2	2	3		2				3			4	4		10	6
1			6	12	4	13		10		2		16	1	3	3	9		29	19
9		3	18	7		7	2	11		2		11		2	16	11		23	9
9		3	10	3		3	1	2		1		5		1	8	6		12	3
9		3	8	8		4	1	9		1		6		1	8	5		11	6
8	3	4	8	21		10	1	6	1			13	3	3	9	7		41	11
5	2		4	3		3		2				8		1	5	1		16	2
3	1	4	4	8		7	1	4		1		5	3		2	4		25	9
3	4	4	4	13		3		2		1		9	1		11	11		36	5
7	2	2	8	30	2	11	1	6		1		9	1	2	11	8	1	16	1
2	2		15	15	1	2		5		1		4	1		8	8		16	1
5		2	1	15	1	9		1				5		1	3	3		20	4
7		2	6	15		14	4	8				13		4	8	7	1	38	9
7		2	6	12		11	4	7				8		3	7	7	1	36	8
1			3	3		3		1				5		1	1			2	1
1	2	1	4	10		15	4	4		1	1	3	2	1	12	11	2	35	24
1	2	1	4	9		11	3	4		1	1	3	2		11	10	2	31	19
1			1	1		4		1				1		1	1	1		4	5
13		9	25	52	6	59	4	19	3	5	3	39	2	14	37	35	1	110	25
6		6	19	16	2	26	1	11	1	3	1	23	1	7	22	16	1	57	12
7		3	6	36	4	33	3	8	2	2	2	16	1	7	15	19		53	13
1		1	4	8	3	3	3	1	1	1	1	6		5	12	7	1	17	4
1		1	4	4	1	3		1		1	1	4		2	2	2		3	3
4	3	1	10	22		18	4	5	1	2	2	10		2	11	14		44	12
3	3	1	4	7		8		2		1	1	8		1	6	6		11	1
3			6	15		10	3	3	1	1	2	2		1	9	8		33	11
1		1	16	16	1	12		10		1	1	8	2	2	5	5		22	11
3			3	3		2		2		1	1	5		2	3	2		6	3
2		1	4	13	1	12		8		1	1	3		2	3	3		16	8

* Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
VIRGINIA—continued.															
1	Prince William County (total).....	152	4	2						1		17		1	1
2	White.....	111	4	2								8		1	1
3	Colored.....	41									9				
4	Princess Anne County (total).....	314	9	9	1			2		7		59		4	1
5	White.....	112	1	1				1		2		17		2	1
6	Colored.....	202	8	8	1			6		5		42		2	
7	Fulaski County (total).....	185	3			2		3	6	1	1	23		2	7
8	White.....	147	3			2		2	6	1	1	14		2	5
9	Colored.....	38						1				9			2
10	Radford (city) (total).....	51	2							1		5			
11	White.....	46	1							1		4			
12	Colored.....	5	1									1			
13	Rappahannock County (total).....	102						9	1			13			
14	White.....	69						4	1			3			
15	Colored.....	33						5				10			
16	Richmond County (total).....	104	1	1					1			10		1	2
17	White.....	53	1									8		1	2
18	Colored.....	51		1					1			2			
19	Roanoke County (total).....	294	13			2		5	7	1		42		4	1
20	White.....	225	12			2		5	7			35		3	
21	Colored.....	69	1							1		7		1	1
22	Rockbridge County (total).....	208	1	1				2	3			25		6	2
23	White.....	167	1	1				1	2			17		5	2
24	Colored.....	41							1			8		1	
25	Rockingham County (total).....	413	2			2		2	2	10	2	51		3	3
26	White.....	361	2			2		2	2	10	2	38		1	3
27	Colored.....	52										13		2	
28	Russell County (total).....	298	7			18			4	4	1	20		2	1
29	White.....	271	6			17			4	3	1	19		2	1
30	Colored.....	27	1			1				1		1			
31	Scott County (total).....	244	8			1	2	2	10	2		25	1	3	3
32	White.....	234	8			1	2	2	10	2		23	1	3	3
33	Colored.....	10										2			
34	Shenandoah County (total).....	251	5			1		1	1	4		26		6	1
35	White.....	246	5			1		1	1	4		25		6	1
36	Colored.....	5										1			
37	Smyth County (total).....	293	5			4		3	6	4	3	26	3	3	1
38	White.....	282	3			4		1	6	4	3	25	3	3	1
39	Colored.....	11	2					2				1			
40	Southampton County (total).....	392	14	11				13	11	1	1	68		2	4
41	White.....	116	1	4					4	1	1	18			
42	Colored.....	276	13	7				13	7			50		2	4
43	Spotsylvania County (total).....	129	1			1			2	1		15			1
44	White.....	71				1			2			8			1
45	Colored.....	58	1							1		7			
46	Stafford County (total).....	95		1						1	2	9	1	1	2
47	White.....	70		1						1	2	6	1	1	
48	Colored.....	25										3			2
49	Surry County (total).....	143	2	5				5	2			21	1		
50	White.....	40		3				2	1			2			
51	Colored.....	103	2	2				3	1			19	1		
52	Sussex County (total).....	236	10	2	1			11	2	1		41		3	1
53	White.....	54	1									5		1	
54	Colored.....	182	9	2	1			11	2	1		36		2	1
55	Tazewell County (total).....	302	8	1		5	2	11	9	4	3	27	2	3	
56	White.....	245	6			4	2	7	9	3	3	18	2	3	
57	Colored.....	57	2	1		1		4		1		9			
58	Warren County (total).....	118	5			1		2	1	1	3	18		2	
59	White.....	104	4					2	1	1	3	17		2	
60	Colored.....	14	1									1			
61	Warwick County (total).....	119	5	1				5				21		1	
62	White.....	30										8			
63	Colored.....	89	5	1				5				13		1	
64	Washington County (total).....	349	5		2	1	2	4	5	1		41		4	1
65	White.....	307	5		2	1	2	4	5	1		35		3	1
66	Colored.....	42										6		1	
67	Westmoreland County (total).....	133	2	1								12		4	
68	White.....	59		1								3			
69	Colored.....	74	2									9		4	
70	Winchester City (total).....	126						8	2	1		17	1	1	1
71	White.....	95						6	2			12		1	
72	Colored.....	31						2				5			1
73	Wise County (total).....	495	18			6	1	11	14	5	2	42	3	2	4
74	White.....	423	18			6	1	8	14	4	2	30	2	2	4
75	Colored.....	72						3		1		12	1		
76	Wythe County (total).....	189	7			2	1	6		2	2	20	2	3	
77	White.....	148	6			1	1	5		2	2	13	1	2	
78	Colored.....	41	1			1		1				7	1	1	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Vio- lent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
12		1	15	10	2	16		12				14	1	2	7	6	1	24	3	1
10		1	8	7	2	13		10				13	1	1	5	4	1	17	2	2
2			7	3		3		2				1			2	2		7	1	3
5		1	17	36	3	23	3	14	1	2		24	2	1	7	17	1	49	2	4
			12	12	1	4	2	12			1	15			3	9	1	19	7	5
5		1	5	24	2	19	1	2	1	2	1		2	1	4			30	2	6
3	4	4	7	11	2	19	3	4	1	1	1	10	1	2	22			30	6	7
3	4	4	6	8	1	18	3	3				7	1	2	17	6		21	5	8
			1	3		1		1	1			3			5			9	1	9
3			1	2		9		4		1		5			6			10		10
3			1	1			1	4							6			9		11
								4		1					6			9		12
4			3	11		12	1	2				10		2	10		2	17	2	13
2			2	9		9		2				9		2	7	3	2	14	2	14
2			1	2		3	1	1				1			3	1	1	14	3	15
2			4	2		6	2	2			1	18		1	10			14	3	16
1			2	7		4	2	2				8		1	3			12	8	17
1			2	7		2	2	2			1	9		1	7			8	6	18
			2	7		4	2	2							7			7	7	
10	1	4	9	20	2	29	5	18	1		1	12	1	4	27	20	1	50	4	19
7	1	3	8	14	2	23	1	16				7		2	18	17	1	37	3	20
3		1	6	6		6	2	2	1			2		2	9	3		13	1	21
13	2		4	18	1	14	2	6			1	21		3	22	8		39	11	22
13	1		4	15	1	11	2	5			1	13		3	17	5		32	9	23
			3	3		3		1				8		3	5			7	2	24
34	2	1	25	39	5	28	2	12	1	2	4	33	1	4	38	18	2	80	5	25
31	2	1	34	54	4	33	1	10	1	2	3	30	1	3	37	15	2	72	5	26
3			5	5		3	2	2				3		1	1	3		8		27
6	1	4	10	19	3	28	1	15	2	2	4	8	4	3	19	59	1	44	21	28
6	1	4	7	10	2	26	3	15	1	1	1	8	4	3	18	50	1	39	19	29
			1	1			1								1			5	2	30
8	1	4	11	9	3	15	1	7	2	2	2	8	3	6	14	17	1	48	25	31
8	1	3	10	8	3	14		6	2	2	2	8	3	6	14	17	1	46	25	32
		1	1	1		1	1	1										2		33
10	2		19	32	3	16	3	8				26	1	1	14	8	1	53	6	34
10	2		19	31	3	16	3	8				26	1	1	14	8	1	51	6	35
				1							1							2		36
9	1	4	9	41	1	19	3	10		3	1	9	2	7	28	10		69	9	37
1	1		9	38	1	18	3	10		3	1	9	2	7	27	10		69	9	38
1	1		7	3		1									1					39
5	1	3	7	16	2	29	6	17	3	3	3	27		5	26	18		60	36	40
4	1	2	4	6	2	10	1	6		1	2	18		5	10	1		18	7	41
			3	10		19	5	11	3	2	1	9		5	16	17		42	29	42
			6	15	3	1	3	4		1		5		2	15	15		33	3	43
			4	9		1	2	3		1		4		2	8	5		18	2	44
			2	6	3	1	1	1				1		1	7	1		15	1	45
			8	9		5	1	2				9		3	10	1		20	5	46
			7	7	1	3	1	2				7		3	3	3		12	4	47
			1	7		3	1	2				2		2	3	1		12	4	47
			1	9		3	1	2				2		2	3	1		8	1	48
3	1		4	12		9	1	8		2		12	1	2	6	11	2	23	10	49
3	1		1	4		7		4		1		3		2	3	1	2	8	2	50
2			3	8		7	1	16		1		9		2	6	10		15	8	51
2			4	20	1	15	2	4		2		19		2	14	10		21	19	52
2			4	4		2	3	3		1		11		4	3	4		6	2	53
			5	16	1	13	2	13		1		8		5	11	6		15	17	54
6	1	5	9	22	4	25	1	8	3	1	2	16	1	6	31	33		35	18	55
5	1	5	7	17	4	23		8	3			12	1	6	29	23		29	15	56
1			2	5		2	1			1	2	4		1	2	10		6	3	57
4			13	13	1	11		2				7		1	6	5	1	15	7	58
4			11	12	1	9		2				5		1	4	4	1	12	6	59
			2	1		2						2				1		3	1	60
2		1	8	8		12	3	9	1			8			8	9		14	3	61
1		1	2	1		5		1				1			2	3		4		62
14			6	6		7	3	8				7			6	6		10	3	63
12		9	12	25	4	29	3	7	6	3	1	24	1	2	24	26	2	68	23	64
2		9	11	22	4	24	3	7	5	2	1	23	1	2	21	21	2	57	21	65
			1	3		5			1	1					3	5		11	2	66
3		2	4	12	2	5	2	4				24		2	8	11	2	29	4	67
2		2	2	6		3	1	2				13		1	7	3	2	12	1	68
2		2	2	6	2	2	1	2				11		1	1	8		17	3	69
5	2	1	4	7		8	1	1		1		20		1	4	7	1	29	1	70
5	2	1	3	4		8	1	1		1		11	2	1	4	7	1	22	1	71
			1	3								9		1				7		72
13	2	17	4	19	4	46	5	24	3	4	3	20	4	5	50	69	2	67	26	73
11	2	17	4	13	3	38	5	21	3	3	2	18	3	5	43	58	2	57	24	74
2				6	1	8		3		1	1	2		1	7	11		10	2	75
10	1	2	10	13	4	17		2	4	4	1	10	1		13	12	1	35	4	76
7		2	10	12	1	12		1	3	2	1	7	1		11	10	1	30	4	77
3	1		10	1	3	5		1	1	2		3			2	2		5		78

*Colored population less than 5 per cent of the total.

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES ¹ —Continued.															
VIRGINIA—continued.															
1	York County (total).....	114	3	6			3				23		1	1	
2	White.....	35	2	1							6		1		
3	Colored.....	79	1	5			3				17			1	
WASHINGTON.															
4	Total.....	5,815	88		1	38	17	36	27	38	12	514	51	64	17
5	White.....	5,835	86		1	35	17	34	27	38	12	440	45	54	16
6	Colored.....	280	2			3		2				74	6	10	1
7	Adams County.....	58	4			1					2				
8	Asotin County.....	57	4					1			4	1	2		
9	Benton County.....	65	1						2		4	1	1	1	
10	Chehalis County.....	212	1		1	1	2	1	1		15	2	1	3	
11	Cheelan County.....	174	4						3	1	17	1			
12	Clallam County (total).....	115	1		1	1		1			14	3	2	1	
13	White.....	81	1		1	1		1			4	2	1	1	
14	Colored.....	34									10	1	1		
15	Clarke County.....	257	4			3	2	1	1		30	4	2	1	
16	Columbia County.....	67	2		1						3	1	1		
17	Cowlitz County.....	93			2			5		1	6		1		
18	Douglas County.....	59	3		2	4			1		5	2	1		
19	Ferry County (total).....	62	2					3			10	2	1		
20	White.....	35	1					3			2	1	1		
21	Colored.....	27	1								8	1			
22	Franklin County.....	40					1				4				
23	Garfield County.....	45	2						1		6	1	1		
24	Grant County.....	57	1		3									2	
25	Island County.....	30									3				
26	Jefferson County (total).....	77	3								3		1		
27	White.....	72	3								3		1		
28	Colored.....	5													
29	King County.....	417	2		1		3	1	5		63	2	2	1	
30	Kitsap County.....	218						2	2		14	3	5	1	
31	Kittitas County.....	198	2		7	3	5		2	1	13	2	1		
32	Klickitat County.....	74	1					2	1		4			1	
33	Lewis County.....	321	14			3	7	5	1	1	30	5	4		
34	Lincoln County.....	136	2					1	1		14		2	1	
35	Mason County (total).....	37	1								5			1	
36	White.....	33	1								4				
37	Colored.....	4									1			1	
38	Okanogan County (total).....	110	2			1	3		1		18		1		
39	White.....	83	1			1	2		1		8				
40	Colored.....	27	1				1				10		1		
41	Pacific County.....	130			1	1		1			12	1	3		
42	Pend Oreille County.....	36									2		1	1	
43	Pierce County.....	463	5				3	1	3	1	36	5	6		
44	San Juan County (total).....	27									2		1		
45	White.....	26									1		1		
46	Colored.....	1									1				
47	Skagit County.....	272	5					1			22	9	4		
48	Skamania County.....	22													
49	Snohomish County.....	293	3		2		2	2	3	2	22	5	2	1	
50	Spokane County.....	390	1		3		2		2		46		4	2	
51	Stevens County.....	166	3						1	2	9		3	1	
52	Thurston County.....	205	5				1	1	1		12	1	2		
53	Wahkiakum County (total).....	11													
54	White.....	10													
55	Colored.....	1													
56	Walla Walla County.....	82	1	1					2	1	8				
57	Whatcom County.....	199	2		1			1	2		11		2	1	
58	Whitman County.....	286	4		6		2			2	17	2			
59	Yakima County (total).....	254	3		6				2		28		4		
60	White.....	210	3		3				2		17		3		
61	Colored.....	44			3						11		1		
WISCONSIN.															
62	Total.....	16,979	67	3	4	75	71	106	139	129	44	1,348	73	126	115
63	White.....	16,798	66	3	4	74	71	105	139	129	44	1,301	72	122	113
64	Colored.....	181	1			1		1			47	1	4	2	
65	Adams County.....	94							1	3	7			3	
66	Ashland County (total).....	108									10		1	1	
67	White.....	75									5			1	
68	Colored.....	33									5		1		
69	Barron County.....	275			1	7		6	4	1	13	2	5	2	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Dia- betes.	Menin- gitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	App- endi- citis.	Her- nia, intesti- nal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Un- defined and un- known causes.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
3	-----	1	6	11	-----	6	1	6	-----	1	-----	8	1	-----	5	5	-----	18	5
2	-----	-----	2	7	-----	1	-----	4	-----	-----	-----	-----	-----	-----	2	2	-----	4	-----
1	-----	1	4	4	-----	5	1	2	-----	1	-----	8	-----	-----	3	3	-----	14	5
372	92	31	349	548	37	354	49	120	58	33	40	342	18	44	387	710	132	1,073	123
368	90	30	346	544	36	327	48	116	57	33	40	338	18	42	377	673	128	1,038	81
4	2	1	3	4	1	27	1	4	1	33	40	4	18	2	10	37	4	35	42
3	1	1	3	2	1	5	1	-----	2	-----	1	3	-----	-----	3	8	-----	15	7
5	1	-----	4	5	-----	4	3	-----	-----	1	-----	6	-----	-----	2	2	-----	8	-----
4	1	-----	6	8	-----	1	1	-----	-----	-----	-----	5	-----	-----	6	12	-----	9	9
13	6	1	12	13	-----	13	1	-----	3	3	-----	12	-----	-----	21	39	5	31	10
7	4	-----	14	11	-----	4	-----	5	2	3	1	11	2	1	19	24	-----	29	11
3	2	-----	4	13	1	7	1	1	-----	-----	-----	5	-----	-----	8	12	5	15	13
3	2	-----	4	13	1	5	-----	1	-----	-----	-----	5	-----	-----	8	10	5	11	14
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
17	6	4	12	29	-----	19	3	3	1	2	-----	15	1	-----	10	33	6	47	15
6	1	1	5	6	1	4	2	-----	2	-----	-----	4	-----	-----	4	5	-----	16	1
6	1	1	4	12	4	4	-----	4	-----	-----	-----	3	-----	-----	3	18	1	20	17
2	1	1	3	6	-----	1	-----	2	-----	-----	-----	5	-----	-----	3	2	-----	9	18
3	1	-----	1	4	-----	1	1	-----	-----	-----	-----	1	-----	-----	6	8	-----	11	19
3	1	-----	1	3	-----	1	-----	1	-----	-----	-----	1	-----	-----	5	5	-----	4	20
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	-----	-----	2	3	-----	2	1	2	-----	-----	1	1	-----	-----	4	12	1	5	22
3	-----	-----	1	1	-----	3	-----	-----	-----	-----	-----	3	-----	-----	3	4	-----	10	-----
5	1	1	2	7	1	4	-----	2	3	-----	2	4	2	1	5	3	2	6	23
5	-----	-----	2	6	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	2	3	-----	4	24
2	-----	-----	12	12	-----	3	-----	-----	-----	-----	-----	10	-----	-----	-----	13	-----	9	26
2	-----	-----	12	11	-----	3	-----	-----	-----	-----	-----	10	-----	-----	-----	11	-----	9	27
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
27	12	4	11	44	2	28	4	13	2	1	2	19	-----	-----	21	69	12	64	28
17	6	-----	13	36	5	9	-----	1	-----	-----	-----	15	-----	-----	9	9	4	55	29
10	6	-----	1	19	1	15	2	3	2	-----	-----	4	-----	-----	15	34	4	25	31
7	4	1	5	7	-----	3	-----	2	-----	-----	-----	2	-----	-----	10	10	-----	9	32
17	5	-----	18	20	2	20	2	7	5	-----	1	11	-----	-----	24	37	-----	62	33
8	3	-----	15	7	-----	10	1	3	-----	-----	-----	10	-----	-----	9	11	-----	26	34
2	1	2	1	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	11	-----	5	35
2	1	2	1	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	11	-----	4	36
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
2	3	-----	3	9	1	9	-----	3	-----	-----	-----	3	-----	-----	10	13	-----	14	37
2	3	-----	3	9	1	5	-----	3	-----	-----	-----	2	-----	-----	9	13	-----	10	38
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
10	2	-----	6	14	1	9	1	5	-----	-----	2	5	-----	3	6	21	5	18	41
-----	-----	-----	2	2	-----	2	-----	-----	-----	-----	-----	3	-----	-----	4	8	-----	5	42
30	5	1	40	33	3	24	-----	8	3	4	2	29	-----	-----	20	45	14	133	43
2	-----	-----	3	1	-----	-----	-----	1	-----	-----	-----	4	-----	-----	3	3	-----	9	44
2	-----	-----	3	1	-----	-----	-----	1	-----	-----	-----	4	-----	-----	3	3	-----	9	45
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
32	2	3	12	25	2	18	2	2	4	-----	2	14	1	2	23	37	4	42	47
1	-----	-----	6	6	-----	1	-----	2	-----	-----	-----	1	-----	-----	1	6	-----	2	48
20	4	2	20	30	-----	14	2	2	6	3	-----	16	-----	3	24	39	4	55	49
29	4	2	23	42	4	27	3	5	1	4	-----	24	3	1	17	29	7	97	50
10	-----	-----	7	14	2	8	-----	4	2	4	3	11	-----	2	24	14	4	31	51
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
12	2	-----	18	20	-----	11	1	1	2	1	-----	14	2	4	14	27	10	35	52
-----	-----	-----	1	2	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	1	-----	5	53
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
6	1	1	8	7	-----	7	-----	2	-----	-----	1	1	-----	-----	5	3	-----	20	55
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
19	2	2	14	19	1	13	3	3	1	1	3	11	1	1	17	19	5	40	57
14	1	1	21	25	3	26	2	16	5	1	-----	15	1	1	22	39	7	52	58
12	3	-----	20	25	1	19	3	10	1	1	-----	18	1	2	19	27	1	25	59
12	2	-----	20	25	1	16	3	10	1	1	-----	18	1	2	17	25	-----	22	60
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1,273	236	136	1,089	1,899	277	1,385	173	461	139	166	170	927	65	95	1,168	1,077	195	3,646	102
1,266	236	134	1,086	1,887	277	1,358	173	453	139	165	167	920	65	89	1,153	1,064	194	3,623	101
7	-----	2	3	12	-----	27	-----	3	-----	1	3	7	-----	6	15	13	-----	23	64
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
10	-----	2	5	8	-----	13	-----	2	-----	-----	-----	4	-----	-----	9	5	-----	22	65
2	1	-----	1	11	1	11	-----	2	-----	-----	2	2	-----	-----	15	14	1	28	66
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
2	1	-----	1	8	1	7	-----	2	-----	-----	1	2	-----	-----	9	13	1	19	67
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
22	9	2	6	19	2	37	3	9	6	5	1	17	1	2	19	21	5	45	68

MORTALITY STATISTICS.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

AREA AND COLOR.		DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculosis meningitis.	Other forms of tuberculosis.	Rheumatism.
		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	
RURAL PART OF REGISTRATION STATES—Continued.															
WISCONSIN—continued.															
1	Bayfield County.....	118						2			7		1	1	
2	Brown County.....	242				5	2	3			23	2	4	2	
3	Buffalo County.....	163						3		1			2	1	
4	Burnett County.....	69						1		1			1	2	
5	Calumet County.....	160						5		1			5	1	
6	Chippewa County.....	361	3			1		3		2	1	34	3	2	
7	Clark County.....	261	2	1		3		3			2	17	2	1	
8	Columbia County.....	354	3		1	4		1		7		32	1	1	
9	Crawford County.....	202	2			5		1		3		12	1	2	
10	Dane County.....	599				1		2		8		52	4	8	
11	Dodge County.....	492				2		3		6	8	29	5	6	
12	Door County.....	172	2					1		3	2	16			
13	Douglas County.....	51	1					1		1		10			
14	Dunn County.....	253	1					2		1	4	16		1	
15	Eau Claire County.....	115								1	1	6	1		
16	Florence County.....	17	1										1	3	
17	Fond du Lac County.....	357				2		1		3	1	23	2	1	
18	Forest County.....	75				4		1		1		4	1	1	
19	Grant County.....	428		1		3				1	3	21	2	3	
20	Green County.....	217	3					2		1		11	1		
21	Green Lake County.....	175				2		1			3	19		2	
22	Iowa County.....	226				5		1		1		11		1	
23	Iron County.....	84	1					1		1		8		2	
24	Jackson County.....	175	1					1		1		14		2	
25	Jefferson County.....	403	1		1	1		2		5	1	27	3	2	
26	Juneau County.....	239	1					2		2	3	14	2	2	
27	Kenosha County.....	113						4		2		8		1	
28	Kewaunee County.....	176				5		2		3		17		1	
29	La Crosse County.....	122										6		4	
30	Lafayette County.....	205	1			1				1		14	1	1	
31	Langlade County.....	162	1			1		1		5	1	12		1	
32	Lincoln County.....	193	3					1		3		11		3	
33	Manitowoc County.....	324	1			2		1		6	2	29		2	
34	Marathon County.....	360	2			1		1		6	11	21		3	
35	Marinette County.....	158								3		11	2	2	
36	Marquette County.....	97	1							1		8		1	
37	Milwaukee County (exclusive of National Military Home).....	1,096	8			2		4		4	13	4	5	7	
38	Monroe County.....	195										6	10	2	
39	Oconto County.....	333		1				4		3		22	1	3	
40	Ontonagon County.....	271	1			7		6		2	4	12		1	
41	Oneida County.....	121	3			1		1		1		7		2	
42	Outagamie County.....	324	2		1	2		3		3		36	2	2	
43	Ozaukee County.....	170	1					1		1		9	2	3	
44	Pepin County.....	78						1		2		1		2	
45	Pierce County.....	209	1					5				14	1	2	
46	Polk County.....	195	1							1		15		3	
47	Portage County.....	360	1					1		1		7		1	
48	Price County.....	133								7		3		4	
49	Racine County.....	205	1					3		3		23		2	
50	Richland County.....	195				4		1		1		10	1	2	
51	Rock County.....	267						1		1		12		1	
52	Rusk County.....	102	2			1		1		2		5			
53	St. Croix County.....	258	3			1		2		4		19	3	3	
54	Sauk County.....	333	2					1		1		17		3	
55	Sawyer County (total).....	61										9		1	
56	White.....	40										1		1	
57	Colored.....	21										8		2	
58	Shawano County (total).....	311	2			1		4		4		22	3	3	
59	White.....	285	1					4		3		17	3	2	
60	Colored.....	26	1			1		1		1		5		1	
61	Sheboygan County.....	285	1					2		5		16	1	2	
62	Taylor County.....	151	1					2		2		5		2	
63	Trempealeau County.....	247						1		1		21		2	
64	Vernon County.....	255				2		1		2		13	2	2	
65	Vilas County (total).....	45										11		1	
66	White.....	31										1		1	
67	Colored.....	14										10			
68	Walworth County.....	367								1		18		2	
69	Washburn County.....	74										5			
70	Washington County.....	237			1			1		1		16	3	1	
71	Waukesha County.....	491				1		3				53	1	6	
72	Waupaca County.....	338						2				20	1	1	
73	Waushara County.....	165						1		2		7		1	
74	Winnebago County.....	376	2			1		1		2		23		5	
75	Wood County.....	336	4			3		2		4		13	4	2	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1914—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Can- cer.	Dia- betes.	Meni- ngitis.	Cere- bral hemor- rhage and soften- ing.	Organic dis- eases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respi- ratory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Ap- pendi- citis.	Her- nia, intes- tinal ob- struc- tion.	Cirrho- sis of the liver.	Nephri- tis, Bright's disease.	Fuer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- form- ations.	Viol- ent deaths (ex- clud- ing sui- cide).	Sui- cide.	All other defined causes.	Ill- defined and un- known causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
6	3	1	10	13		11		3	1	1	1	2			11	14		18	4	
11	3	2	18	13	8	17	3	3		1	1	17	1	3	20	9	4	61	2	
12	4		16	23	6	13	2	7	2	2	1	5	1	1	10	7	2	33	3	
5		1	4	13	2	2	1	2		1	1	9			4	3		17	1	
11	7	1	12	16	1	9	1	6	1	2		15	1		19	5		35	4	
25	2	1	12	33	3	35	3	9	6	5	2	15	3		29	25	3	97	2	
24	3	3	14	28	5	20	4	6		4	1	14	1	5	18	23	3	51	7	
33	7	5	23	41	4	20	3	1	2	3	3	22		2	17	19	2	94	8	
13		2	12	30	2	16	2	8	7	1	3	10	1		23	23	2	27	9	
42	10	2	49	62	10	47	11	17	4	5	10	35	1		32	24	5	150	10	
45	9	3	37	52	21	38	5	16	1		6	25	3	6	27	26	6	103	11	
9	2	2	6	30	4	14	1	3	1			10	3	1	10	12	1	36	12	
5			1	1		1	2	4				2			5	10	2	3	13	
18	8	2	26	23	4	26	1	3	1	4	2	11	2	1	23	16	1	53	14	
10	3	1	8	9	2	10		1		2		9		1	14	10	2	22	15	
2	1			4		1									1			5	16	
44	4	4	22	52	4	39	6	9	1	2	2	15		2	26	15	5	61	17	
4			3	1		8		6				2	1		10	13		14	18	
32	11	2	37	68	2	24	2	12	6	7	5	32	2	2	34	10	8	97	19	
28	4	1	17	20	1	12	4	3	1	1	4	8	2		9	9	7	63	20	
24	1	1	10	21	4	12	1	5	2	1	1	11	2		8	11	1	26	21	
16	3	3	10	30	7	15	2	7		2		10		2	20	18	3	54	22	
4		1	1	6	3	13	1	6			1	5	1	1	6	10		12	23	
13	3	3	11	20	3	13	1	5	1	2	1	13		1	15	14		35	24	
46	4	2	33	54	11	19	4	10	7	7	3	21			14	18	6	93	25	
24	1		12	27	5	15	2	2	2	2	3	10		2	15	19	5	61	26	
7		2	6	11	4	11	2	1	1		1	6			10	10	2	23	27	
21	4		8	15	6	15		2	1	1	3	13		2	11	9		35	28	
14	2		6	18	2	18	1	7	2	1	3	9	1	2	11	5	1	18	29	
10	2	1	19	26	4	19		7	2		1	11	1	2	16	12	3	47	30	
13	1	3	5	8		9	3	8	1	2	4	10		1	17	15		38	31	
15	3	4	19	14	2	21	1	9	2	2	2	12	3		13	12	2	29	32	
17	5	2	29	41	6	20	2	11		2	4	15	1	3	36	13	4	64	33	
30	2	2	16	36	4	25	4	18		4	2	20	1	3	27	29	2	76	34	
8	4	5	1	20	2	14	1	11	1	2	1	5	1	3	15	10	1	30	35	
6	2	3	8	14	2	12	1	2	2			1	2		2	3		23	36	
53	7	8	50	93	10	83	11	19	6	7	16	43			63	61	24	223	37	
6			15	43	6	10	1	4	4	2	4	17			13	13		70	38	
21	6	2	21	44	6	42	4	6	4	2	2	13		1	22	21	2	72	39	
22	3	3	17	18	6	29	3	11	3	3	2	15	3	3	24	16	2	55	40	
5	1	2	1	13	1	15		6	2	3	1	8		2	10	11	1	24	41	
20	6	2	17	39	1	23	1	11	4	4	3	11	2	4	25	17	2	71	42	
14	4	1	9	13	4	13		10	2	2	1	17		1	10	16	2	24	43	
6	1		7	10	2	9	2	1		2	3	8			3	4		17	44	
13	3	2	22	38	4	10		3	1			17		1	9		3	46	45	
16	3	1	10	31	1	11	3	3	1	2	3	19		2	19	11		27	46	
21	3	5	16	43	4	30	2	26	6	6	8	14	1	2	35	18	2	67	47	
11	1	1	7	13	2	12	2	6	3			9	1	2	18	12	3	18	48	
19	3	2	13	23	4	13	1	11	1		1	14			7	12	3	43	49	
15	2		17	26	1	16	2	4	2	4		18		1	20	13	1	32	50	
18	2	2	18	33	10	24	4	7	2	5	3	12	1	2	14	18	4	69	51	
6	3	4	4	10	1	8	1	4	1	1		4	1	2	14	12		17	52	
16	2	5	14	32	1	20	4	2	2	2	3	17	2	3	17	20	3	59	53	
28	6		30	37	5	24	4	7	7	1	3	17	1	2	18	27	2	75	54	
4	1			9		8			1			2	1	1	3	4		14	55	
3	1		9			2			1			1	1		2	4		13	56	
20	4	5	24	24	5	39	6	8	3	2	1	16	1		25	20		63	58	
20	4	4	22	24	5	33	6	6	3	2	1	15	1		24	17		62	59	
21	1	1	2	32	10	18	7	5	1	3	1	1	1	1	1	15	4	1	60	60
11	1	2	26	14	3	17	4	2	1	2	3	9	1	1	20	15	4	71	61	
15	3	1	14	38	4	20	3	8	2	5	5	15	1	3	19	8	4	46	63	
10	3	4	25	24	3	23	1	5	4			17		1	20	19	4	62	64	
1	1		1	3		2		1				2		2	4	8		5	65	65
1	1		1	3		2		1				2		2	2	8		4	2	66
35	4		25	62	8	25	2	2	2	3	7	21	1		13	26	5	96	68	
8	2		2	7		2	1	3	1	1		6			6	7	1	22	69	69
17	7	2	31	17	3	23	3	8	3	4	6	11	1	1	12	14	3	44	70	70
34	13	2	45	58	6	30	4	9	5	9	5	41	2		24	36	12	82	71	71
36	2	6	22	43	6	31	7	7	2	7	7	21	2		12	20	4	73	72	72
10	2	4	7	15	9	14	3	3			1	5	2	2	14	9	1	48	73	73
30	3		28	46	2	29	6	6	5	3	4	16	3	1	21	16	3	113	74	74
30	6	3	15	27	2	32	2	10	9	13	5	16	3	4	25	25	3	63	75	75

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	Regis- tration area.	REGISTRATION STATES.			Regis- tration cities in other states.	All regis- tration cities. ¹	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total. ¹	Cities. ¹	Rural dis- tricts.			Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	All causes	898,059	819,880	440,461	379,419	78,179	518,640	21,723	15,819	4,424	5,742	12,615	5,605
	I.—General diseases	238,094	215,709	116,966	98,803	22,325	139,291	6,566	4,624	1,572	1,633	3,086	1,400
1	Typhoid fever	10,185	9,249	4,036	5,213	936	4,972	188	182	35	120	91	20
2	Typhus fever	3	3	2	2	2	2						
3	Relapsing fever	4	4	2	2								
4	Malaria	1,477	1,157	255	902	320	575	12	40			11	1
5	Smallpox	212	141	40	101	71	111		1				
6	Measles	4,461	4,200	2,318	1,882	261	2,579	115	53	19	66	131	13
7	Scarlet fever	4,340	4,025	2,511	1,514	315	2,826	36	59	28	67	67	15
8	Whooping cough	6,816	6,280	2,773	3,517	526	3,299	151	142	16	62	97	41
9	Diphtheria and croup	11,786	10,563	6,320	4,243	1,223	7,543	169	93	20	45	183	53
10	Influenza	6,014	5,487	2,054	3,433	527	2,581	55	32	14	34	82	85
11	Miliary fever	2	2	2			2						
12	Asiatic cholera												
13	Cholera nostras	306	284	94	190	22	116		2		1	4	2
14	Dysentery	3,026	2,728	831	1,897	298	1,129	27	46	2	15	29	29
15	Plague	10					10						
16	Yellow fever												
17	Leprosy	12	7	5	2	5	10	2	1				
18	Erysipelas	2,472	2,316	1,376	940	156	1,532	36	19	11	16	47	9
19	Other epidemic diseases	293	275	136	139	18	154	1	5		1	4	1
20	Purulent infection and septicæmia	1,737	1,558	810	748	179	989	34	19	4	12	30	8
21	Glanders	10	10	5	5		5		1				
22	Anthrax	19	16	11	5	3	14		1				1
23	Rabies	65	56	34	22	9	43	1	2				
24	Tetanus	1,354	1,068	543	525	286	820	24	25	6	3	13	7
25	Mycoses	28	19	12	7	9	21	1					
26	Fellagra	1,550	847	391	456	703	1,094	14	14	5	4	4	2
27	Beriberi	5	5	2	3		2	1	3				
	Tuberculosis (total)	96,903	87,520	48,646	38,874	9,383	58,029	3,078	2,300	884	768	1,162	619
28	Tuberculosis of the lungs	91,247	81,247	40,173	33,052	8,022	48,195	2,580	1,991	812	697	898	550
29	Acute miliary tuberculosis	3,119	2,777	1,731	1,046	342	2,073	70	57	11	6	52	15
30	Tuberculosis meningitis	5,410	5,009	3,394	1,615	401	3,795	216	93	31	28	113	23
31	Abdominal tuberculosis	3,648	3,314	1,743	1,571	334	2,077	129	78	10	17	41	16
32	Pott's disease	914	827	462	365	87	549	24	18	8	5	15	7
33	White swellings	482	445	241	204	37	278	11	6	1	1	5	1
34	Tuberculosis of other organs	1,320	1,239	609	630	81	690	36	38	5	8	28	6
35	Disseminated tuberculosis	763	684	293	391	79	372	12	19	6	6	10	1
36	Rickets	530	464	270	194	66	336	7	1	3	2	11	4
37	Syphilis	5,195	4,361	3,046	1,315	834	3,880	168	83	65	21	44	8
38	Gonococcus infection	253	218	162	56	35	197	11	4	4		2	
	Cancer and other malignant tumors (total)	52,420	48,259	26,795	21,464	4,161	30,956	1,754	947	293	237	717	323
39	Of the buccal cavity	2,270	2,090	1,060	1,030	180	1,240	77	56	17	5	31	17
40	Of the stomach, liver	19,889	18,370	9,739	8,631	1,519	11,258	660	332	118	127	232	99
41	Of the peritoneum, intestines, rectum	6,745	6,261	3,775	2,486	484	4,259	226	117	32	26	107	51
42	Of the female genital organs	8,152	7,334	4,428	2,906	818	5,246	252	114	51	30	117	41
43	Of the breast	5,423	5,075	2,830	2,245	348	3,178	200	99	34	19	73	48
44	Of the skin	1,957	1,850	666	1,184	107	773	51	49	8	6	21	12
45	Of other organs or of organs not specified	7,984	7,279	4,297	2,982	705	5,002	288	130	33	24	136	55
46	Other tumors (tumors of the female genital organs excepted)	336	302	141	161	34	175	5	5	3	4	6	3
47	Acute articular rheumatism	3,539	3,252	1,724	1,528	287	2,011	51	52	15	25	41	16
48	Chronic rheumatism and gout	811	766	316	450	45	361	20	17	3	9	6	8
49	Scurvy	92	86	48	38	6	54	2	1		1	3	1
50	Diabetes	10,666	9,946	5,544	4,402	720	6,264	312	201	49	56	170	71
51	Exophthalmic goiter	1,006	920	500	420	86	586	18	13	5	2	9	5
52	Addison's disease	311	299	151	148	12	163	9	4	5	3	1	2
53	Leukemia	1,305	1,183	684	499	122	806	34	22	5	2	20	8
54	Anemia, chlorosis	3,326	3,088	1,556	1,532	238	1,794	102	41	34	13	35	20
55	Other general diseases	1,455	1,326	711	615	129	840	27	24	6	3	20	6
56	Alcoholism (acute or chronic)	3,257	3,021	1,868	1,153	236	2,104	88	108	35	36	42	18
57	Chronic lead poisoning	149	137	80	57	12	92	9	4	2	2	1	1
58	Other chronic occupation poisonings	10	8	5	3	2	7						
59	Other chronic poisonings	343	303	155	148	40	195	4	6	1	2	3	
	II.—Diseases of the nervous system and of the organs of special sense	87,614	81,907	38,217	43,690	5,707	43,924	2,025	1,767	277	421	1,232	762
60	Encephalitis	711	646	331	315	65	396	20	15	1	2	3	3
61	Meningitis (total)	5,823	5,400	2,764	2,636	423	3,187	149	128	28	58	110	42
	Simple meningitis	3,223	3,017	1,444	1,573	206	1,650	75	75	8	27	70	29
	Cerebrospinal meningitis (undefined)	1,473	1,371	774	597	102	876	37	28	10	16	22	9
	Cerebrospinal fever	1,127	1,012	546	466	115	661	37	25	10	15	18	4
62	Locomotor ataxia	1,699	1,554	819	735	145	964	61	26	2	10	10	17
63	Other diseases of the spinal cord (total)	4,121	3,872	1,764	2,108	249	2,013	115	90	13	20	41	28
	Acute anterior poliomyelitis	720	677	280	397	43	323	18	15	3	5	5	1
	Other diseases of the spinal cord ²	3,401	3,195	1,484	1,711	206	1,690	97	75	10	15	36	27
64	Cerebral hemorrhage, apoplexy	51,272	48,157	23,152	25,005	3,115	26,267	1,235	989	162	196	839	518

¹Includes District of Columbia.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.			Detailed Int. List No.		
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.					
							Total.	White.	Colored.	Total.	White.	Colored.			Total.	White.	Colored.			
5,854	3,488	2,366	12,902	23,028	4,591	12,906	7,325	5,365	1,960	23,035	19,303	3,732	3,168	8,757	11,453	8,761	2,692			
1,539	841	698	3,491	6,408	1,106	2,947	2,156	1,552	604	8,022	6,592	1,430	723	1,951	3,015	2,205	809			
42	16	26	233	355	81	257	137	101	36	843	708	135	41	81	154	132	22	1		
5	4	1	17	52	11	28	23	3	20	142	116	26	1	6	4	3	1	2		
			2	6	1	8	3	1	2	15	13	2	1	1	3		3	3		
1		1	50	100	23	53	37	27	10	234	228	6	9	34	6	6		6		
1	1		39	76	19	14	22	21	1	40	37	3	10	7	43	36	7	7		
19	6	13	70	212	31	120	31	21	10	318	263	55	16	79	84	42	42	8		
29	23	6	154	294	38	129	50	44	6	465	441	24	25	61	102	94	8	9		
63	35	28	59	202	43	126	82	46	36	264	220	44	6	86	57	40	17	10		
																			11	
			5	5		7	2			25	23	2	3	8					12	
4	3	1	52	179	30	114	39	28	11	270	235	35	6	15	12	9	3		13	
																				14
																				15
																				16
8	6	2	40	49	10	27	21	17	4	70	63	7	9	13	26	23	3		17	
2	1	1	5	5	1	3	1	1		12	11	1		4	7	5	2		18	
																				19
7	4	3	16	34	18	50	30	18	12	74	67	7	10	23	28	26	2		20	
																				21
1	1				1	1	1			3	3		1							22
																				23
15	11	4	28	32	8	26	14	8	6	38	31	7	2	5	17	8	9		24	
										1	1			1						25
14	2	12	1	1	11	7	18	16	2	131	122	9	4	5	4	4			26	
																				27
737	309	428	1,452	2,648	330	683	1,071	722	349	3,813	2,934	879	247	673	1,396	911	485		28	
582	255	327	1,164	2,189	274	574	913	598	315	3,271	2,519	752	189	505	1,177	778	399		29	
60	13	47	53	67	19	13	25	16	9	73	48	25	7	18	60	24	36		30	
40	24	16	89	133	5	21	53	46	7	155	125	30	21	58	67	52	15		31	
25	6	19	90	135	16	32	51	41	10	179	138	41	14	50	47	27	20		32	
7	2	6	14	18	6	6	5	3	2	39	29	10	1	5	9	6	3		33	
4	1	2	3	16	1	4	4	3	1	13	12	1	2	2	10	7	3		34	
15	5	10	18	64	4	23	10	7	3	64	46	18	6	15	19	12	7		35	
4	3	1	21	26	5	10	10	8	2	19	17	2	7	20	7	5	2		36	
																				37
10		10	5	12	1	4	4	1	3	12	10	2		5	14	2	12		38	
70	26	44	117	105	21	31	57	34	23	84	45	39	8	13	124	50	74		39	
3		3	8	6	3	6	2	2		2	2		4	2	5	4	1		40	
																				41
355	271	84	765	1,434	282	813	323	291	37	753	668	85	212	609	653	567	86		42	
18	14	4	24	74	9	50	13	11	2	45	44	1	4	29	23	21	28		43	
112	79	33	270	594	104	338	119	107	12	247	221	26	75	225	238	210	25		44	
48	39	9	94	132	39	78	31	31		70	62	8	33	96	78	71	7		45	
54	34	20	150	205	47	95	73	60	13	143	114	29	49	93	117	88	29		46	
36	29	7	84	145	25	85	34	30	4	82	76	6	25	68	72	61	11		47	
9	9		26	112	10	36	12	10	2	46	44	2	4	24	11	9	2		48	
78	67	11	117	172	48	131	46	42	4	120	107	13	22	74	114	107	7		49	
																				50
			4	3	1	19	5	5		10	9	1	2	4	4	3	1		51	
15	13	2	54	77	18	60	34	21	13	104	77	27	11	16	40	30	10		52	
9	5	4	9	29	3	16	4	4		9	9		4	9	9	9			53	
			1	1	1	1	1	1		3	3				1	1			54	
67	61	6	126	279	50	184	51	47	4	123	108	15	44	107	124	117	7		55	
																				56
6	4	2	29	43	7	17	5	5		6	5	1	4	2	8	7	1		57	
2	2		2	14		6	1	1		7	6			2	1	1			58	
7	6	1	16	45	12	23	9	8		10	10		5	7	9	9			59	
16	12	4	49	88	26	52	13	8	5	33	31	2	22	38	24	21	3		60	
6	2	4	19	31	11	48	17	13	4	52	48	4	5	9	12	11	1		61	
																				62
20	14	6	57	40	10	12	37	29	8	39	29	10	9	17	40	32	8		63	
2	2		3	1	1	1	1	1		3	2			5	2	2			64	
																				65
3	1	2	1	3																66
																				67
659	446	213	1,141	2,737	525	1,539	677	508	169	1,922	1,651	271	331	1,103	1,002	808	194		68	
																				69
4	1	3	17	29	8	15	14	9	5	36	31	5	1	7	5	3	2		70	
21	11	10	89	125	24	78	68	52	11	360	327	33	23	55	66	49	17		71	
13	8	5	34	53	11	58	38	31	7	204	182	22	16	41	37	29	3		72	
5	2	4	14	25	7	14	12	10	2	86	81	5	4	10	16	11	5		73	
3		1	41	47	6	6	13	11		70	64	6	3	4	13	9	4		74	
																				75
15	14	1	23	60	15	19	10	8	2	33	31	2	5	22	15	12	3		76	
20	17	3	54	143	15	69	19	14	5	84	75	9	16	57	32	28	5		77	
1			10	23	2	11	4	4		23	22	1	3	5	5	5			78	
19	17	2	44	120	13	58	15	10	5	61	53	8	13	27	52	27	23		79	
428	287	141	684	1,644	257	782	362	269	93	683	583	100	188							

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1914—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	Regis-tration area.	REGISTRATION STATES.					All regi-stration cities. ¹	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total. ¹	Cities. ¹	Rural dis-tricts.	Regis-tration cities in other states.	Cities.		Rural dis-tricts.	Cities.	Rural dis-tricts.	Cities.	Rural dis-tricts.	
II.—Diseases of the nervous system and of the organs of special sense—Continued.														
65	Softening of the brain.....	1,148	1,070	381	689	78	459	23	36	4	4	8	9	
66	Paralysis without specified cause.....	6,382	5,885	1,903	3,982	497	2,400	117	104	15	31	30	30	
67	General paralysis of the insane.....	4,690	4,389	2,033	2,356	301	2,334	89	196	16	30	64	22	
68	Other forms of mental alienation.....	1,468	1,348	482	866	120	602	25	39	-6	20	11	10	
69	Epilepsy.....	2,582	2,437	882	1,555	145	1,027	40	41	7	29	25	22	
70	Convulsions (nonpuerperal).....	118	109	41	68	9	50	2	4			2		
71	Convulsions of infants.....	3,420	3,224	1,552	1,672	196	1,748	17	19	5	5	40	18	
72	Chorea.....	124	114	50	64	10	60		2	1	1	3	1	
73	Neuralgia and neuritis.....	411	376	149	227	35	184	6	10	4	1	4	3	
74	Other diseases of the nervous system.....	2,426	2,204	1,191	1,013	222	1,413	89	52	8	7	31	31	
75	Diseases of the eyes and their annexa.....	59	55	32	23	4	36	1						
76	Diseases of the ears.....	1,160	1,067	691	376	93	784	36	16	5	7	11	8	
III.—Diseases of the circulatory system.....														
		123,901	114,630	61,089	53,541	9,271	70,360	3,652	2,387	504	524	1,651	901	
77	Pericarditis.....	803	733	348	385	70	418	22	16	2	10	8	4	
78	Acute endocarditis.....	5,946	5,292	3,936	1,356	654	4,590	182	78	28	26	119	23	
79	Organic diseases of the heart.....	93,588	86,609	45,535	41,074	6,979	62,514	2,772	1,861	331	391	1,190	684	
80	Angina pectoris.....	4,751	4,480	1,936	2,544	271	2,207	126	101	30	24	59	48	
81	Diseases of the arteries, atheroma, aneurism, etc.....	15,044	14,062	7,398	6,664	982	8,380	453	270	78	60	208	115	
82	Embolism and thrombosis.....	2,672	2,455	1,358	1,097	217	1,575	73	46	27	12	55	20	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	448	406	251	155	42	293	11	9	2		10	3	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	377	348	230	118	29	269	8	1	4		6	1	
85	Hemorrhage; other diseases of the circulatory system.....	272	245	97	148	27	124	5	5	2	1	1	3	
IV.—Diseases of the respiratory system.....														
		104,086	94,845	55,533	39,312	9,241	64,774	1,885	1,385	521	698	1,725	610	
86	Diseases of the nasal fossae.....	127	118	36	82	9	45	1	2		1	1		
87	Diseases of the larynx.....	814	763	340	423	51	391	13	9	1	13	12	3	
88	Diseases of the thyroid body.....	339	297	182	115	42	224	7	5	1	1	6		
89	Acute bronchitis.....	6,396	6,010	3,559	2,451	386	3,945	105	72	15	23	115	50	
90	Chronic bronchitis.....	5,050	4,725	2,387	2,338	325	2,712	129	69	13	13	74	39	
91	Bronchopneumonia.....	32,153	29,025	18,526	10,499	3,123	21,654	570	356	119	205	482	146	
92	Pneumonia (total).....	51,651	46,988	26,769	20,219	4,663	31,432	920	734	332	376	893	335	
	Lobar pneumonia.....	36,911	33,189	21,049	12,140	3,722	24,771	716	493	303	367	565	191	
	Pneumonia (undefined).....	14,740	13,799	5,720	8,079	941	6,661	204	241	29	9	328	144	
93	Pleurisy.....	2,441	2,205	1,465	740	236	1,701	46	27	11	8	44	13	
94	Pulmonary congestion, pulmonary apoplexy.....	2,011	1,890	944	946	121	1,065	39	53	5	13	64	11	
95	Gangrene of the lung.....	194	188	105	63	26	131	11	3		1	3	1	
96	Asthma.....	1,634	1,479	715	764	155	870	23	31	15	16	24	5	
97	Pulmonary emphysema.....	1,094	179	83	96	15	98	2	2	3	1	2	1	
98	Other diseases of the respiratory system (tuberculosis excepted).....	1,882	998	422	576	84	506	19	22	6	27	5	6	
V.—Diseases of the digestive system.....														
		99,673	88,806	49,998	38,808	10,867	60,865	1,861	1,303	498	575	1,498	529	
99	Diseases of the mouth and annæa.....	522	475	230	245	47	277	13	6	1	2	11		
100	Diseases of the pharynx.....	1,476	1,359	710	649	117	827	30	17	9	14	13	6	
101	Diseases of the esophagus.....	151	132	70	62	19	89	1	6	2			1	
102	Ulcer of the stomach.....	2,681	2,452	1,456	996	229	1,685	111	53	32	13	39	12	
103	Other diseases of the stomach (cancer excepted).....	7,856	7,233	2,897	4,336	623	3,520	116	138	13	18	90	45	
104	Diarrhea and enteritis (under 2 years).....	43,532	38,288	22,809	15,479	5,244	28,053	434	410	111	244	776	272	
105	Diarrhea and enteritis (2 years and over).....	8,875	7,991	3,577	4,414	884	4,461	171	137	46	69	92	52	
106	Ankylostomiasis.....	32	29		29	3	3							
107	Intestinal parasites.....	115	100	30	70	15	45	4	3		1			
108	Appendicitis and typhlitis.....	8,099	7,097	4,727	2,370	1,002	5,729	237	111	63	73	102	15	
109	Hernia, intestinal obstruction (total).....	7,706	6,964	4,077	2,887	742	4,819	197	127	55	47	122	40	
	Hernia.....	2,646	2,381	1,574	807	265	1,839	76	34	17	15	45	8	
	Intestinal obstruction.....	5,060	4,583	2,503	2,080	477	2,980	121	93	38	32	77	32	
110	Other diseases of the intestines.....	1,899	1,711	864	847	188	1,052	54	41	10	4	27	8	
111	Acute yellow atrophy of the liver.....	310	280	130	150	30	160	9	8	1	4		2	
112	Hydatid tumor of the liver.....	24	22	15	7	2	17	1						
113	Cirrhosis of the liver.....	8,526	7,645	4,647	2,998	881	5,528	300	135	31	31	123	45	
114	Biliary calculi.....	2,149	1,940	1,171	769	209	1,380	53	23	10	20	20	6	
115	Other diseases of the liver.....	3,254	2,887	1,464	1,423	367	1,831	69	55	18	25	44	12	
116	Diseases of the spleen.....	144	124	61	63	20	81	4	4	1	2	3		
117	Simple peritonitis (nonpuerperal).....	1,843	1,651	755	896	197	952	35	24	5	5	28	9	
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	474	426	308	118	48	356	22	5		3	8	4	

¹Includes District of Columbia.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES:
Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.			Detailed Int. List No.	
Total.	White.	Colored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.			Rural districts.			Cities.	Rural dis- tricts.	Cities.				
							Total.	White.	Colored.	Total.	White.	Colored.			Total.	White.	Colored.		
7	3	4	16	52	9	37	14	14	31	42	36	6	4	18	11	10	1	65	
30	23	7	64	240	61	289	74	43	31	333	286	47	27	71	112	82	30	66	
63	46	17	70	146	47	49	44	35	9	70	62	8	25	16	28	21	7	67	
10	7	3	15	59	8	42	12	9	3	40	23	17	11	19	7	7	68		
22	10	12	44	128	31	40	21	20	1	81	66	15	7	29	24	18	6	69	
16	9	7	19	14	1	4	1	5	1	5	5	2	2	1	56	45	11	70	
1	1	2	2	3	1	5	1	1	7	1	1	2	1	2	2	1	1	71	
3	2	1	6	14	19	7	1	1	1	5	3	2	2	6	4	3	1	72	
13	10	3	19	49	19	52	14	13	1	49	45	4	16	37	26	23	3	73	
6	5	1	17	29	3	14	10	10	1	19	17	2	3	6	15	13	2	74	
996	666	330	1,679	3,506	590	1,660	983	706	277	1,742	1,398	344	428	1,547	1,571	1,194	377	75	
8	4	4	14	28	7	17	17	8	9	42	37	5	3	6	10	5	5	77	
95	46	49	76	59	33	28	79	42	37	54	37	17	22	35	110	75	35	78	
720	490	230	1,248	2,619	419	1,307	666	465	201	1,345	1,060	285	269	1,117	1,172	877	295	79	
31	24	7	68	211	19	80	39	31	8	83	76	7	20	94	57	55	2	80	
100	74	26	232	486	81	183	163	145	18	176	151	25	83	239	189	156	33	81	
31	21	10	27	83	24	29	13	9	4	22	20	2	24	48	21	18	3	82	
5	2	3	10	10	3	4	3	3	3	4	4	2	2	6	6	4	2	83	
4	3	1	2	5	3	3	1	1	1	7	6	1	1	1	3	2	1	84	
2	2	2	2	5	4	9	2	2	2	9	7	2	1	5	3	2	1	85	
642	325	317	1,380	2,201	460	1,142	841	575	266	2,439	2,076	363	437	974	1,523	1,080	443	86	
1	1	1	1	1	2	9	1	1	1	8	8	5	3	1	1	1	1	87	
8	7	1	19	27	4	8	9	8	2	33	28	5	3	15	7	5	2	87	
1	1	1	10	11	7	6	2	2	2	3	3	3	2	2	4	2	2	88	
49	15	34	74	124	17	57	50	33	17	106	94	12	13	81	91	63	28	89	
42	27	15	68	124	25	78	67	42	25	153	122	31	15	49	52	48	4	90	
192	88	104	510	647	101	177	206	144	62	540	479	61	139	224	588	424	164	91	
271	141	130	628	1,134	253	666	422	284	138	1,381	1,172	209	233	523	695	472	223	92	
226	113	113	543	868	129	202	229	159	70	692	597	95	133	228	660	448	212	93	
45	28	17	85	266	124	464	193	125	68	689	575	114	100	295	35	24	11	93	
28	16	12	17	35	10	26	20	15	5	36	28	8	3	16	28	19	9	94	
16	15	1	8	25	12	40	26	21	5	49	43	6	13	35	28	26	2	94	
4	3	1	4	4	2	2	2	2	2	2	2	2	1	1	1	1	1	95	
13	5	8	35	41	14	32	19	14	5	69	50	19	4	12	18	14	4	96	
2	1	1	10	10	1	6	1	1	1	9	9	2	1	5	2	2	1	97	
15	5	10	6	18	14	37	16	10	6	50	38	12	1	10	9	5	4	98	
475	257	218	1,660	2,609	541	1,561	688	530	158	2,421	2,109	312	372	768	1,234	1,006	228	99	
3	1	2	4	11	1	6	1	1	1	17	16	1	3	3	7	3	4	100	
8	5	3	21	50	8	23	13	6	7	41	40	1	4	12	9	6	3	101	
2	2	4	1	3	2	5	1	1	1	2	2	2	1	1	1	1	1	101	
16	12	4	41	61	19	44	19	17	2	49	38	11	6	18	22	18	4	102	
61	34	27	122	305	61	188	72	44	28	332	277	55	48	117	87	64	23	103	
151	52	99	687	921	128	433	211	165	46	910	805	105	129	267	636	525	111	104	
53	35	18	116	329	57	224	76	54	22	349	311	38	35	87	82	63	19	105	
41	26	15	168	162	72	138	53	50	3	110	99	11	50	69	101	83	18	106	
50	32	18	150	196	46	152	57	47	10	159	132	27	32	62	112	92	20	109	
10	6	4	52	60	7	41	13	10	3	31	22	9	8	12	34	29	5	110	
40	26	14	98	136	39	111	44	37	7	128	110	18	24	50	78	63	15	111	
6	4	2	34	80	20	50	16	10	6	53	45	8	12	21	22	16	6	112	
44	31	13	149	212	38	95	73	59	14	122	105	17	11	41	78	66	12	112	
8	5	3	48	77	20	41	17	16	1	34	34	3	9	8	31	30	1	113	
17	10	7	75	128	38	87	34	30	4	96	81	15	23	36	27	23	4	114	
12	6	6	26	48	30	46	33	27	11	100	81	19	3	18	8	5	3	115	
3	2	1	8	4	10	10	2	1	1	2	2	2	3	4	5	5	5	3	116
3	2	1	8	4	10	10	2	1	1	2	2	2	3	4	5	5	5	3	117
3	2	1	8	4	10	10	2	1	1	2	2	2	3	4	5	5	5	3	118

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1914—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	Regis- tration area.	REGISTRATION STATES.			Regis- tration cities in other states.	All regis- tration cities. ¹	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total. ¹	Cities. ¹	Rural dis- tricts.			Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	VI.—Nonvenereal diseases of the genito- urinary system and annexa.	78,023	70,358	41,157	29,201	7,665	48,822	2,050	1,185	408	406	1,126	468
119	Acute nephritis.....	5,912	5,270	3,198	2,072	642	3,840	111	72	34	24	92	28
120	Bright's disease.....	61,633	55,796	32,438	23,358	5,837	38,275	1,634	955	296	332	892	389
121	Chyluria.....	3	3	3	3								
122	Other diseases of the kidneys and annexa.....	1,539	1,396	761	635	143	904	42	24	7	3	24	12
123	Calculi of the urinary passages.....	442	392	257	135	50	307	14	6	4	2	8	1
124	Diseases of the bladder.....	1,451	1,343	477	866	108	585	34	39	5	7	20	12
125	Diseases of the urethra, urinary abscess, etc.....	266	202	164	38	64	228	8	4	1		7	
126	Diseases of the prostate.....	2,671	2,455	1,316	1,139	216	1,532	91	46	21	19	34	16
127	Nonvenereal diseases of the male genital organs.....	91	80	48	32	11	59	5	1			3	
128	Uterine hemorrhage (nonpuerperal).....	47	41	21	20	6	27	1					
129	Uterine tumor (noncancerous).....	1,198	1,015	760	255	183	943	35	17	12	4	10	3
130	Other diseases of the uterus.....	720	631	440	191	89	529	17	5	9	3	11	1
131	Cysts and other tumors of the ovary.....	592	525	334	191	67	401	15	7	7	2	7	2
132	Salpingitis and other diseases of the female genital organs.....	1,414	1,168	919	249	246	1,165	43	9	11	10	16	4
133	Nonpuerperal diseases of the breast (cancer ex- cepted).....	44	41	24	17	3	27			1		2	
	VII.—The puerperal state.....	10,518	9,499	5,268	4,231	1,019	6,287	203	160	37	77	136	40
134	Accidents of pregnancy.....	902	816	461	355	86	547	25	18	4	6	19	4
135	Puerperal hemorrhage.....	1,000	908	471	437	92	563	18	20	3	7	16	6
136	Other accidents of labor.....	926	852	434	418	74	508	9	13		3	10	6
137	Puerperal septicemia.....	4,664	4,168	2,430	1,688	496	2,976	72	56	19	44	55	6
138	Puerperal albuminuria and convulsions.....	2,617	2,369	1,235	1,134	248	1,483	71	39	7	14	33	16
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	378	358	176	182	20	196	7	12	4	3	3	2
140	Following childbirth (not otherwise defined).....	27	25	9	16	2	11	1	2				
141	Puerperal diseases of the breast.....	4	3	2	1	1	3						
	VIII.—Diseases of the skin and of the cellular tissue.....	3,057	2,843	1,398	1,445	214	1,612	51	39	6	10	50	17
142	Gangrene.....	1,442	1,356	529	827	86	615	20	29	3	8	21	6
143	Furuncle.....	371	336	211	125	35	246	9	1			6	1
144	Acute abscess.....	600	553	361	192	47	408	7	8	2		8	2
145	Other diseases of the skin and annexa.....	644	598	297	301	46	343	15	1	1	2	15	8
	IX.—Diseases of the bones and of the organs of locomotion.....	1,697	1,548	1,050	498	149	1,199	46	17	10	6	26	6
146	Diseases of the bones (tuberculosis excepted).....	1,478	1,342	928	414	136	1,064	39	16	8	6	21	3
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	152	142	96	46	10	106	5		2		5	1
148	Amputations.....	5	5	1	4		1						
149	Other diseases of the organs of locomotion.....	62	59	25	34	3	28	2	1				2
	X.—Malformations.....	10,314	9,637	5,020	4,617	677	5,697	187	129	57	73	126	65
150	Congenital malformations (stillbirths not included) (total).....	10,314	9,637	5,020	4,617	677	5,697	187	129	57	73	126	65
	Hydrocephalus.....	860	789	390	399	71	461	18	10	2	3	9	10
	Congenital malformations of the heart.....	6,204	5,838	3,053	2,785	366	3,419	114	88	40	53	60	30
	Other congenital malformations.....	3,250	3,010	1,577	1,433	240	1,817	55	31	15	17	57	25
	XI.—Early infancy.....	52,535	48,881	26,794	22,087	3,654	30,448	814	590	207	452	876	272
151	Congenital debility, icterus, and sclerema (total).....	42,009	39,289	21,282	18,007	2,720	24,002	632	447	167	356	659	211
	Premature birth.....	28,270	26,404	14,275	12,129	1,866	16,141	522	327	104	256	434	143
	Congenital debility, "atrophy," "marasmus," etc.....	13,739	12,885	7,007	5,878	854	7,861	110	120	63	100	225	68
152	Other causes peculiar to early infancy (total).....	10,280	9,381	5,408	3,973	899	6,307	176	141	36	94	215	61
	Injuries at birth.....	5,716	5,209	3,122	2,087	507	3,629	89	85	12	40	118	33
	Other causes peculiar to early infancy ²	4,564	4,172	2,286	1,886	392	2,678	87	56	24	54	97	28
153	Lack of care.....	246	211	104	107	35	139	6	2	4	2	2	
	XII.—Old age.....	13,033	12,312	4,012	8,300	721	4,733	237	274	131	151	110	94
154	Senility.....	13,033	12,312	4,012	8,300	721	4,733	237	274	131	151	110	94
	XIII.—External causes.....	67,550	61,507	32,430	29,077	6,043	38,473	2,139	1,909	283	712	896	419
	Suicide (total).....	10,933	9,833	5,872	3,961	1,100	6,972	607	313	74	91	176	76
155	By poison.....	3,000	2,664	1,731	933	336	2,067	120	41	23	23	71	13
156	By asphyxia.....	1,419	1,177	1,096	81	242	1,338	124	7	3	1	27	4
157	By hanging or strangulation.....	1,552	1,470	641	829	82	723	48	56	3	9	24	13
158	By drowning.....	619	583	304	279	36	340	21	24	5		11	17
159	By firearms.....	3,286	2,963	1,514	1,449	323	1,837	247	152	35	48	27	23
160	By cutting or piercing instruments.....	658	610	342	268	48	390	32	23	1	8	12	6
161	By jumping from high places.....	225	201	171	30	24	195	8	1	3		1	
162	By crushing.....	89	85	39	46	4	43	3	6			1	
163	Other suicides.....	85	80	34	46	5	39	4	3	1	1	1	

¹ Includes District of Columbia.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES:
Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.			Detailed Int. List No.
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.			
							Total.	White.	Colored.	Total.	White.	Colored.			Total.	White.	Colored.	
691	407	284	1,160	1,983	459	1,008	739	536	203	1,429	1,152	277	315	758	1,159	925	234	
62	21	41	118	152	28	50	60	36	24	108	94	14	29	49	134	83	51	119
547	341	206	887	1,591	313	777	581	434	147	1,124	909	215	232	605	920	758	162	120
14	11	3	22	30	26	49	17	14	3	33	29	4	10	23	28	24	4	121
6	6		12	12	3	5	3	3		4	3	1	1	1	9	9		122
7	2	5	18	56	10	35	11	8	3	47	34	13	7	28	9	8	1	124
5	1	4	3	2	2		1	1		3	1	2	2	3	4	1	3	125
19	13	6	44	68	32	55	12	11	1	51	41	10	9	24	22	20	2	126
3	1	2		1		2				1	1		1		1		1	127
2	1					1				2	1			1				128
11	4	7	28	16	15	5	19	9	10	10	4	6	12	8	17	12	5	129
4	2	2	20	8	11	14	5	2	3	19	15	4	4	6	5	4	1	130
3	1	2	18	17	5	5	9	6	3	14	11	3		3	5	5		131
8	3	5	39	29	15	10	19	11	8	12	8	4	7	6	5	1	4	132
			1	1			2	1	1	1	1		1					133
57	31	26	177	280	60	153	72	56	16	282	235	47	30	57	102	78	24	
8	4	4	19	24	8	18	5	2	3	28	22	6	3	2	9	6	3	134
2	2		13	15	7	15	1		1	24	22	2	2	9	17	13	4	135
5	3	2	8	18	7	24	4	3	1	31	25	6		7	6	6		136
28	14	14	98	141	28	47	50	41	9	131	109	22	14	15	52	38	14	137
11	6	5	34	74	9	43	11	10	1	60	49	11	10	20	17	14	3	138
3	2	1	4	6	1	5	1		1	7	7		1	4	1	1		139
			1	2		1				1	1							140
																		141
21	14	7	34	63	17	49	23	18	5	65	57	8	11	54	60	44	16	
9	6	3	14	40	7	25	14	11	3	27	25	2	8	40	18	8	10	142
4	3	1	5	10	2	9	1	1		5	5		2	4	13	13		143
4	2	2	6	4	2	7	6	4	2	14	11	3		3	13	12	1	144
4	3	1	9	9	6	8	2	2		19	16	3	1	7	16	11	5	145
12	5	7	33	41	8	22	10	9	1	23	21	2	5	10	31	27	4	
9	5	4	29	39	7	21	9	8	1	20	19	1	5	7	29	25	4	146
2		2	3		1	1	1	1		2	2			3	1	1		147
1		1	1	2						1		1			1	1		148
																		149
37	29	8	177	330	42	159	41	37	4	168	162	6	26	51	100	88	12	
37	29	8	177	330	42	159	41	37	4	168	162	6	26	51	100	88	12	150
2	2		5	27	6	17	1	1		17	17		1	6	7	6	1	
18	12	6	138	205	20	89	24	23	1	81	78	3	14	25	74	66	8	
17	15	2	34	98	16	53	16	13	3	70	67	3	11	20	19	16	3	
301	171	130	708	1,139	246	873	364	300	64	1,394	1,242	152	181	433	758	563	195	
253	137	116	560	879	217	740	321	273	58	1,191	1,061	130	146	366	605	439	166	151
178	89	89	467	741	135	458	183	153	30	829	744	85	75	207	359	265	94	
75	48	27	93	138	82	282	148	120	28	362	317	45	71	159	246	174	72	
48	34	14	146	256	28	132	32	26	6	192	173	19	35	65	147	122	25	152
19	14	5	83	122	15	76	18	15	3	88	81	7	23	30	71	65	6	
29	20	9	63	134	13	56	14	11	3	104	92	12	12	35	76	57	19	
			2	4	1	1	1	1		11	8	3		2	6	2	4	153
96	68	28	75	203	129	511	147	129	18	496	423	73	89	422	168	135	33	
96	68	28	75	203	129	511	147	129	18	496	423	73	89	422	168	135	33	154
321	227	94	1,173	1,511	367	1,000	520	374	146	1,503	1,222	281	179	479	700	590	110	
67	58	9	245	235	54	147	80	72	8	153	147	6	26	81	144	138	6	155
16	13	3	145	80	21	45	31	29	2	54	52	2	5	7	63	62	1	156
17	16	1	10	3	1	1							2	1	35	34	1	157
4	3	1	10	50	6	27	8	7	1	27	26	1	6	13	12	11	1	158
1		1	11	17	5	10	6	6		7	7		3	11	3	3		158
24	23	1	56	69	18	53	28	26	2	47	45	2	7	40	26	24	2	159
2	2		7	13	2	8	5	4	1	11	10	1	2	7	4	4		160
2	1	1	1	1											1			161
			5	1		1				1	1			1				162
1		1		1	1	2	2	2	2	6	6		1	1				163

* Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1914—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	Regis- tration area.	REGISTRATION STATES.			Regis- tration cities in other states.	All regis- tration cities. ¹	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total. ¹	Cities. ¹	Rural dis- tricts.			Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	XIII.—External causes—Continued.												
	Accidental or undefined (total).....	51,770	47,798	24,326	23,472	3,972	28,298	1,337	1,418	176	516	692	332
164	Poisoning by food.....	689	641	248	393	48	296	19	25	2	7	3	6
165	Other acute poisonings.....	1,538	1,401	678	723	137	815	60	38	12	21	22	9
166	Conflagration.....	1,029	990	480	510	39	519	27	44	23	8	7
167	Burns (conflagration excepted).....	5,021	4,571	2,670	1,901	450	3,120	81	84	17	18	88	22
168	Absorption of deleterious gases (conflagration excepted).....	2,598	2,273	1,597	676	325	1,922	101	33	7	9	57	6
169	Accidental drowning.....	5,703	5,340	2,223	3,117	363	2,586	137	244	10	57	77	79
170	Traumatism by firearms.....	1,579	1,414	389	1,025	165	554	28	85	2	33	8	4
171	Traumatism by cutting or piercing instruments.....	123	118	57	61	5	62	2	5	1	1
172	Traumatism by fall.....	9,904	9,215	5,396	3,819	689	6,085	271	166	33	37	169	67
173	Traumatism in mines and quarries (total).....	2,190	2,141	565	1,576	49	614	3	48	8	134	1	1
	Traumatism in mines.....	2,062	2,016	524	1,492	46	570	1	43	8	134
	Traumatism in quarries.....	128	125	41	84	3	44	2	5	1	1
174	Traumatism by machines.....	1,305	1,195	729	466	110	839	34	20	4	8	17	4
175	Traumatism by other crushing (total).....	14,433	13,231	6,914	6,317	1,202	8,116	479	478	68	119	175	81
	Railroad accidents and injuries.....	7,062	6,523	2,824	3,699	539	3,363	120	198	27	61	75	36
	Street-car accidents and injuries.....	1,673	1,468	1,128	340	205	1,333	114	28	9	1	26	10
	Automobile accidents and injuries.....	12,826	2,571	1,675	896	255	1,930	158	127	19	11	46	25
	Injuries by other vehicles.....	2,418	2,241	1,094	1,147	177	1,271	66	104	10	37	26	8
	Landslide, other crushing.....	454	428	193	235	26	219	21	21	3	9	2	2
176	Injuries by animals.....	550	519	135	384	31	166	9	14	2	9	3	3
177	Starvation.....	57	55	15	40	2	17	1	4	1	1
178	Excessive cold.....	412	394	130	264	18	148	6	2	7	11	12
179	Effects of heat.....	757	698	401	297	59	460	3	19	1	6	1
180	Lightning.....	287	279	32	247	8	40	16	1	1
181	Electricity (lightning excepted).....	553	503	271	232	50	321	12	26	1	6	10	6
185	Fractures (cause not specified).....	418	379	219	160	39	258	10	1	8	1
186	Other external violence.....	2,624	2,441	1,177	1,264	183	1,360	61	80	4	7	27	21
	Homicide (total).....	4,847	3,876	2,232	1,644	971	3,203	195	178	33	105	28	11
182	By firearms.....	3,077	2,441	1,288	1,153	636	1,924	142	131	22	86	15	4
183	By cutting or piercing instruments.....	693	521	343	178	172	515	19	19	8	8	4
184	By other means.....	1,077	914	601	313	163	764	34	28	3	11	9	7
	XIV.—Ill-defined disease.....	7,964	7,338	1,529	5,809	626	2,155	7	50	3	4	77	22
187	Ill-defined organic disease.....	526	474	69	405	52	121	1	5	1	1
188	Sudden death.....	513	490	95	395	23	118	1	1	12	1
189	Not specified or ill-defined (total).....	6,925	6,374	1,365	5,009	551	1,916	6	44	1	4	64	21
	Ill-defined.....	3,067	2,804	875	1,929	263	1,138	4	32	1	4	45	9
	Not specified or unknown.....	3,858	3,570	490	3,080	288	778	2	12	19	12

¹ Includes District of Columbia.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES:
Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.			Detailed Int. List No.
Total.	White.	Colored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.			Rural districts.			Cities.	Rural dis- tricts.	Cities.			
							Total.	White.	Colored.	Total.	White.	Colored.			Total.	White.	Colored.	
224	156	68	814	1,208	270	787	336	260	76	1,135	953	182	150	386	509	429	80	
7	4	3	14	26	6	14	7	2	5	10	10	-----	2	3	11	11	-----	165
5	3	2	33	50	18	29	8	6	2	42	35	7	7	10	8	7	1	166
2	1	1	17	16	3	12	3	1	2	24	18	6	4	17	9	7	2	167
34	17	17	58	93	21	46	48	29	19	207	178	29	7	43	74	62	12	168
22	15	7	47	33	17	24	16	16	-----	47	37	10	6	4	33	25	8	169
27	17	10	57	104	14	73	34	25	9	78	68	10	22	93	52	37	15	170
1	1	-----	22	40	11	36	12	9	3	110	86	24	3	22	7	5	2	171
50	40	10	147	270	3	2	1	1	-----	4	3	1	1	1	2	1	1	172
-----	-----	-----	14	37	9	37	2	2	-----	75	63	12	-----	3	1	1	-----	173
-----	-----	-----	14	34	9	37	2	2	-----	73	62	11	-----	3	1	1	-----	174
7	4	3	25	27	6	25	8	8	-----	22	21	1	8	3	14	12	2	175
53	42	11	297	356	84	214	87	69	18	214	175	39	27	64	136	121	15	176
6	4	2	157	193	41	108	46	38	8	154	124	30	15	26	59	52	7	177
19	15	4	58	36	5	8	12	7	5	7	6	1	3	5	34	29	5	178
20	19	1	42	42	17	25	16	13	3	13	11	2	5	9	25	25	-----	179
6	4	2	35	70	16	66	11	10	1	33	28	5	4	24	17	14	3	180
2	-----	2	5	15	5	7	2	1	-----	7	6	1	-----	1	1	1	-----	181
1	1	-----	7	32	3	27	-----	-----	-----	12	10	2	1	5	5	5	-----	182
1	-----	1	-----	14	2	2	-----	-----	-----	3	2	1	-----	1	-----	-----	-----	183
3	3	-----	19	24	6	24	15	11	4	12	5	7	1	4	-----	-----	-----	184
2	2	-----	2	14	1	16	2	2	-----	17	14	3	1	2	24	17	7	185
8	6	-----	14	15	5	8	6	6	-----	13	10	3	-----	3	-----	-----	-----	186
1	-----	1	1	5	3	3	4	4	-----	3	3	-----	3	8	3	2	1	187
8	6	-----	39	52	10	46	20	14	6	21	17	4	7	6	9	9	-----	188
30	13	17	114	68	43	66	104	42	62	81	73	8	16	32	24	19	5	189
12	8	4	70	54	33	50	68	25	43	-----	-----	-----	-----	-----	-----	-----	-----	-----
8	1	7	16	3	5	10	20	7	13	215	122	93	3	12	47	23	24	182
10	4	6	28	11	5	6	16	10	6	171	92	79	2	5	24	10	14	183
7	1	6	14	17	41	282	64	35	29	17	12	5	1	1	9	5	4	184
2	-----	2	1	4	7	34	3	1	2	27	18	9	-----	6	14	8	6	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	93	72	21	1	5	-----	-----	-----	187
5	1	4	13	13	2	15	1	1	-----	31	25	6	7	14	2	2	-----	188
4	-----	4	13	13	32	233	60	33	27	1,005	866	139	33	131	28	15	13	189
1	1	-----	9	10	13	116	36	21	15	286	241	45	25	52	20	10	10	-----
-----	-----	-----	-----	-----	14	117	24	12	12	719	625	94	8	79	8	5	3	-----

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1914—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	MARYLAND—continued.			MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.	
		Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.										
	All causes.....	9,861	6,998	2,863	41,183	11,671	16,939	22,812	8,714	14,769	18,342	23,014	1,688	3,158
	I.—General diseases.....	2,651	1,818	833	10,181	2,952	3,989	5,155	2,713	3,939	5,341	7,334	455	722
1	Typhoid fever.....	167	105	62	244	31	209	187	90	134	191	614	23	43
2	Typhus fever.....				1									
3	Relapsing fever.....													
4	Malaria.....	10	5	5	6	2	3	19	1	2	39	326		
5	Smallpox.....	5	1	4			1		7		7	11	1	4
6	Measles.....	18	9	9	176	23	73	104	16	63	135	278	11	16
7	Scarlet fever.....	33	32	1	210	43	96	83	168	165	152	59	11	22
8	Whooping cough.....	111	60	51	241	61	126	164	67	126	148	279	5	13
9	Diphtheria and croup.....	75	66	9	582	74	273	239	228	131	386	307	7	29
10	Influenza.....	91	70	21	132	81	58	244	33	74	105	242	13	9
11	Miliary fever.....				1									
12	Asiatic cholera.....													
13	Cholera nostras.....	7	5	2	8	3	7	13	2	9	4	9		2
14	Dysentery.....	38	26	12	87	34	35	68	20	32	34	299	1	5
15	Plague.....													
16	Yellow fever.....													
17	Leprosy.....				1									
18	Erysipelas.....	12	12		118	43	58	64	23	41	34	45	15	8
19	Other epidemic diseases.....	2	1	1	12	3	3	1	3	8	4	10	4	5
20	Purulent infection and septicemia.....	16	10	6	79	22	63	46	15	35	24	41	2	7
21	Glanders.....				3									
22	Anthrax.....													
23	Rabies.....				3	2	1		1	1	2	3		
24	Tetanus.....	24	15	9	27	6	24	14	12	28	42	48	1	2
25	Mycoses.....				1		1	2			1			
26	Pellagra.....	3	3		13	6	2	2	2	3	14	10		1
27	Beriberi.....													
	Tuberculosis (total).....	1,313	821	492	3,887	1,231	1,246	1,534	1,026	1,354	2,087	2,928	176	296
28	Tuberculosis of the lungs.....	1,153	730	423	3,089	1,045	1,002	1,296	836	1,085	1,783	2,533	138	250
29	Acute miliary tuberculosis.....	37	21	16	124	27	39	27	22	47	67	71	6	6
30	Tuberculous meningitis.....	25	15	10	384	55	75	69	87	98	101	110	15	13
31	Abdominal tuberculosis.....	55	29	26	163	27	61	67	40	57	71	131	9	11
32	Pott's disease.....	9	7	2	33	17	19	15	11	24	24	22	2	2
33	White swellings.....	8	6	2	15	10	13	10	4	6	9	11		
34	Tuberculosis of other organs.....	16	6	10	59	11	25	22	21	23	17	33	3	3
35	Disseminated tuberculosis.....	10	7	3	20	39	12	28	5	14	5	17	3	11
36	Rickets.....	7	1	6	28	7	16	23	3	8	9	9		1
37	Syphilis.....	57	21	36	155	56	115	66	74	50	212	87	15	11
38	Gonococcus infection.....	4	2	2	8	1	6	4	7	3	10	6	2	2
	Cancer and other malignant tumors (total).....	439	380	59	2,781	868	997	1,398	605	1,096	1,171	1,155	82	141
39	Of the buccal cavity.....	21	19	2	116	34	41	77	32	38	62	58	5	9
40	Of the stomach, liver.....	151	132	19	862	289	400	574	250	554	402	480	32	61
41	Of the peritoneum, intestines, rectum.....	51	49	2	518	148	129	143	79	134	132	96	11	17
42	Of the female genital organs.....	69	49	20	450	126	166	194	89	104	238	140	13	18
43	Of the breast.....	60	52	8	328	108	84	130	53	66	109	112	5	13
44	Of the skin.....	24	24		60	34	30	84	15	42	45	111	1	6
45	Of other organs or of organs not specified.....	63	55	8	447	129	147	196	87	158	183	158	15	17
46	Other tumors (tumors of the female genital organs excepted).....	2	2		18	4	15	22		2	4	5	1	
47	Acute articular rheumatism.....	25	18	7	139	32	61	98	33	69	57	80	9	13
48	Chronic rheumatism and gout.....	14	9	5	31	10	14	30	9	22	12	27	1	1
49	Scurvy.....				7		4	10			1			
50	Diabetes.....	85	72	13	543	165	182	320	121	210	225	240	29	23
51	Exophthalmic goiter.....	6	6		21	8	25	33	19	24	25	27	3	4
52	Addison's disease.....	2	2		25	5	10	8	2	10	5	4		2
53	Leukemia.....	9	8	1	60	11	23	37	19	34	32	35	5	4
54	Anemia, chlorosis.....	27	23	4	195	65	129	204	44	89	40	62	6	10
55	Other general diseases.....	19	12	7	82	11	46	49	10	26	23	30	1	5
56	Alcoholism (acute or chronic).....	30	21	9	240	39	61	55	58	78	79	43	27	39
57	Chronic lead poisoning.....				5	2			1	2	8	5		
58	Other chronic occupation poisonings.....						1							
59	Other chronic poisonings.....				12	1	5	14	1	3	19	10	4	4
	II. Diseases of the nervous system and of the organs of special sense.....	1,141	849	292	3,946	1,554	1,755	2,863	611	1,286	1,432	2,171	89	280
60	Encephalitis.....	4	2	2	24	8	23	22	2	9	9	20	3	1
61	Meningitis (total).....	50	33	17	279	54	168	128	47	73	69	176	21	21
	Simple meningitis.....	33	20	13	158	37	97	82	18	35	19	75	10	8
	Cerebrospinal meningitis (undefined).....	8	5	3	82	11	53	43	12	13	10	43	6	8
	Cerebrospinal fever.....	9	8	1	39	6	18	3	17	25	40	58	5	5
62	Locomotor ataxia.....	11	11		64	31	34	53	20	19	49	38	2	
63	Other diseases of the spinal cord (total).....	53	42	11	199	75	75	112	41	66	86	187	4	10
	Acute anterior poliomyelitis.....	10	3	7	40	10	17	17	5	10	4	34		4
	Other diseases of the spinal cord.....	43	39	4	159	65	58	95	36	56	82	153	4	6
64	Cerebral hemorrhage, apoplexy.....	592	451	141	2,551	1,059	873	1,590	356	742	812	1,132	40	130

¹ Includes only municipalities having a population of 1,000 or over in 1910.

² Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA. ¹						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		Detailed Int. List No.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts. ²			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.		
						Total.	White.	Colored.	Total.	White.	Colored.										
3,050	4,116	25,959	13,942	109,356	36,352	3,926	1,870	2,056	5,040	2,895	2,145	33,447	31,685	60,578	54,254	7,179	1,523	1,476	2,723		
684	907	6,417	3,672	30,241	8,234	1,228	597	631	1,588	884	704	9,065	8,022	14,491	12,368	1,896	385	324	522		
16	22	174	57	648	236	92	40	52	175	98	77	478	434	532	539	45	3	15	51	1	
1	3	3	1	32	18	24	10	14	79	29	50	9	21	13	7	4	1			2	
26	11	184	45	740	112	17	15	2	34	25	9	119	120	279	270	51	6	5	7	6	
18	7	153	90	630	94	2	1	1	1	1	1	131	103	466	394	36	10	7	7	7	
34	18	137	130	511	195	29	15	14	49	23	26	187	188	487	452	58	24	7	42	8	
24	21	400	214	1,846	189	37	23	14	48	40	8	435	348	966	959	95	13	18	21	9	
17	58	104	102	396	386	40	13	27	48	34	14	191	329	335	425	36	13	5	21	10	
												1									11
												13	5	23	32	1					12
6	4	45	30	118	79	52	17	35	68	37	31	74	135	73	151	19	4	2	12	13	
																					14
																					15
																					16
8	7	103	50	416	98	8	8		9	7	2	102	72	188	161	22	3	6	16	17	
1	1	8	5	36	13	2	1	1	3	3		4	11	20	23	6		2	6	18	
6	7	34	22	152	57	9	3	6	12	7	5	90	67	92	101	8	4	3	6	19	
												1	1	5	1						20
1		1	1	10	1							3		8	6						21
1	5	30	14	87	35	28	4	24	35	10	25	51	48	52	64	1		2	2	22	
9	1	4	1	12	2	147	63	84	101	71	30	1		5	1	13	1			23	
																					24
230	311	2,703	1,648	13,564	3,079	519	250	269	642	312	330	3,682	2,867	5,765	4,447	805	131	87	122	25	
173	254	2,226	1,452	11,458	2,637	449	219	230	552	262	290	3,065	2,408	4,689	3,755	660	112	60	91	26	
5	6	126	58	484	103	21	6	15	25	9	16	121	76	244	153	20	4	8	10	27	
27	24	203	63	996	120	14	10	4	6	4	2	198	101	377	180	67	9	4	4	28	
14	14	61	32	304	96	21	9	12	41	27	14	158	148	222	160	28		4	4	29	
2	4	27	9	97	30	5	4	1	4	3	1	30	30	85	49	9		2	4	30	
2	2	9	9	54	17	1	1	1	4	3	1	30	19	40	33	4	1	3	1	31	
2	5	31	13	124	43	5	5	4	7	5	2	52	53	79	82	9	3	1	5	32	
5	2	20	12	47	33	3	1	2	7	2	5	28	32	29	35	8	2	1	3	33	
																					34
	4	19	9	55	20	7	1	6	2		2	11	8	29	26	9		1	2	35	
12	3	99	35	854	87	26	12	14	33	4	29	273	122	319	156	39	7	5	6	36	
3		6	1	36	2	1	1		2	1	1	13	3	16	4	2		1	1	37	
																					38
173	269	1,426	797	6,621	2,286	124	76	48	149	114	35	2,104	2,072	3,245	2,752	426	113	93	97	39	
2	11	52	28	243	96	1	1		3	3	1	76	98	189	155	23	5	2	1	40	
48	84	547	302	2,418	832	37	27	10	48	37	11	802	833	1,204	1,141	125	36	45	57	41	
38	48	218	117	1,032	287	9	8	1	18	17	1	260	227	392	331	65	21	8	5	42	
33	50	214	103	961	301	43	15	23	44	30	14	375	258	572	371	80	15	15	12	43	
26	28	136	96	725	310	10	7	3	13	9	4	206	224	369	280	54	18	5	8	44	
5	12	31	35	121	124	7	7		5	4	1	66	133	80	142	12	3	5		45	
21	36	228	116	1,121	336	17	11	6	18	15	3	319	299	489	332	67	15	13	14	46	
																					47
	3	6	8	23	18							8	13	16	9	5		1	1	48	
4	12	125	62	469	150	6	2	4	14	9	5	152	122	255	243	19	6	10	23	49	
3	5	14	15	80	50	3	3		9	3	6	19	57	37	47	6	5	2	4	50	
41	70	343	196	1,566	505	23	19	4	28	23	5	409	419	666	540	95	27	19	31	51	
1	5	18	5	111	52				2	1	1	75	70	53	26	4		1	5	52	
1	3	4	4	35	24	1		1	1	1		10	19	17	11	1		2	1	53	
2	3	45	20	132	50	3	2	1	2	2		60	54	80	63	8		6		54	
22	21	70	25	317	194	5	3	2	11	9	2	133	136	154	188	21	3	4	6	55	
9	4	31	25	152	49	11	7	4	3	2	1	43	46	106	90	25	2		4	56	
																					57
12	15	108	40	462	110	6	3	3	12	11	1	137	89	154	158	31	7	16	14	58	
	4	7	1	14	6				1			10	3	10	7	1		2	8	59	
4	2	1	4	35	18	1	1		3	3		25	27	11	7	3		2	2	60	
366	548	2,214	1,857	8,317	5,073	357	194	163	431	275	156	3,283	4,169	4,801	6,089	716	182	113	233	61	
																					62
3	5	14	10	52	17	4	1	3	7	6	1	26	20	72	46	1	1	2	3	63	
32	17	170	77	603	178	19	11	8	47	31	16	235	191	321	335	38	10	14	18	64	
7	6	100	61	258	121	8	5	3	34	24	10	99	97	246	264	23	8	1	6		
12	4	52	10	258	50	10	6	4	12	7	5	54	59	54	53	11	2	5	3		
		18	6	87	7	1		1	1		1	82	35	21	18	4		8	9		
7	16	39	23	190	75	5	4	1	4	2	2	73	84	121	106	13	6	2	1		
30	23	85	76	400	215	18	9	9	23	11	12	158	239	189	215	26	9	6	19		
6	3	9	10	60	28	5	2	3	7	7	3	25	33	26	39	7	2	2	3		
24	20	76	66	340	187	13	7	6	16	7	9	133	206	163	176	19	7	4	16		
193	373	1,437	1,122	5,217	3,287	177	93	84	197	132	65	2,073	2,682	2,762	3,430	449	121	66	109		

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1914—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. Lists, No.	CAUSE OF DEATH.	MARYLAND—continued.			MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.	
		Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.										
	II.—Diseases of the nervous system and of the organs of special sense—Continued.													
65	Softening of the brain.....	17	14	3	33	15	6	26	7	8	21	40	1
66	Paralysis without specified cause.....	188	135	53	148	60	139	386	21	71	67	212	3	17
67	General paralysis of the insane.....	69	58	11	176	98	102	110	22	56	155	69	2	38
68	Other forms of mental alienation.....	12	10	2	53	9	27	30	8	38	15	40	19
69	Epilepsy.....	43	33	10	58	58	43	92	14	56	46	103	1	20
70	Convulsions (nonpuerperal).....	5	3	2	3	1	6	8	1	1	3	1
71	Convulsions of infants.....	65	32	33	116	32	151	180	25	74	16	46	4	14
72	Chorea.....	1	1	1	3	1	5	1	5	1	1	1
73	Neuralgia and neuritis.....	1	1	11	7	8	27	6	7	11
74	Other diseases of the nervous system.....	23	18	5	138	39	80	68	27	35	48	56	6	4
75	Diseases of the eyes and their annexa.....	2	1	1	4	1	2	2	2	1	2
76	Diseases of the ears.....	5	4	1	88	4	17	24	17	28	29	35	2	4
	III.—Diseases of the circulatory system.....	1,096	839	257	6,923	2,442	2,236	3,826	1,054	1,892	2,283	2,277	185	319
77	Pericarditis.....	4	2	2	28	11	16	23	8	11	26	30	1	1
78	Acute endocarditis.....	29	18	11	398	73	104	86	65	74	116	36	18	16
79	Organic diseases of the heart.....	877	665	212	4,974	1,708	1,654	2,995	780	1,477	1,522	1,686	138	249
80	Angina pectoris.....	50	41	9	240	112	59	175	27	76	73	129	4	7
81	Diseases of the arteries, atheroma, aneurism, etc.....	109	90	19	1,055	463	314	433	130	190	486	345	12	30
82	Embolism and thrombosis.....	19	16	3	159	59	65	81	28	44	45	37	8	7
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	4	4	19	3	5	10	8	7	7	9	3	3
84	Diseases of the lymphatic system (lymphangitis, etc.).....	40	11	9	13	7	6	6	3	1
85	Hemorrhage; other diseases of the circulatory system.....	4	3	1	10	2	10	10	1	7	2	2	1	5
	IV.—Diseases of the respiratory system.....	1,054	703	351	5,532	1,322	1,903	1,944	994	1,622	2,184	2,448	210	353
86	Diseases of the nasal fossae.....	2	2	3	3	4	3	3	2	2
87	Diseases of the larynx.....	3	2	1	31	5	27	29	2	11	12	30	2	8
88	Diseases of the thyroid body.....	13	1	15	11	4	10	5	8	2
89	Acute bronchitis.....	77	45	32	337	110	158	230	24	82	164	143	8	9
90	Chronic bronchitis.....	59	52	7	283	102	97	159	43	99	141	169	9	12
91	Bronchopneumonia.....	367	233	134	1,866	418	576	312	332	440	632	720	44	75
92	Pneumonia (total).....	472	322	150	2,714	612	878	985	530	853	1,099	1,223	131	214
	Lobar pneumonia.....	365	258	107	2,326	576	550	320	468	616	1,060	1,115	96	119
	Pneumonia (undefined).....	107	64	43	388	36	328	665	62	237	39	108	35	95
93	Pleurisy.....	11	5	6	123	17	43	60	28	37	68	40	4	4
94	Pulmonary congestion, pulmonary apoplexy.....	31	26	5	84	30	37	54	13	28	14	30	1	8
95	Gangrene of the lung.....	1	1	6	2	2	5	1	3	4
96	Asthma.....	16	10	6	44	17	35	60	14	42	28	56	6	7
97	Pulmonary emphysema.....	1	1	2	3	3	2	6	2	1
98	Other diseases of the respiratory system (tuberculosis excepted).....	14	7	7	26	5	32	32	1	14	9	21	5	13
	V.—Diseases of the digestive system.....	1,094	794	300	4,585	918	2,262	2,354	936	1,428	1,965	2,600	196	342
99	Diseases of the mouth and annexa.....	10	5	5	9	4	13	13	8	12	6	24	2	2
100	Diseases of the pharynx.....	23	14	9	92	17	29	42	26	24	26	42	2	11
101	Diseases of the esophagus.....	9	1	4	6	1	3	4	2
102	Ulcer of the stomach.....	23	19	4	118	31	63	77	39	58	60	65	7	14
103	Other diseases of the stomach (cancer excepted).....	116	84	32	207	76	210	300	38	106	92	234	5	21
104	Diarrhea and enteritis (under 2 years).....	607	430	177	2,511	436	925	747	299	451	727	1,106	53	114
105	Diarrhea and enteritis (2 years and over).....	118	87	31	296	108	139	274	87	141	174	328	13	29
106	Ankylostomiasis.....
107	Intestinal parasites.....	2	1	1	3	1	1	1	3	5
108	Appendicitis and typhlitis.....	23	17	6	351	34	243	178	162	202	213	144	52	40
109	Hernia, intestinal obstruction (total).....	50	34	16	353	67	205	188	86	132	159	171	16	28
	Hernia.....	12	8	4	136	23	56	60	37	50	73	43	8	7
	Intestinal obstruction.....	38	26	12	217	44	149	128	49	82	86	128	8	21
110	Other diseases of the intestines.....	17	15	2	44	24	33	50	19	52	47	57	5	7
111	Acute yellow atrophy of the liver.....	2	2	13	8	8	2	4	7	15	1
112	Hydatid tumor of the liver.....	2	1	1	2	1
113	Cirrhosis of the liver.....	56	45	11	266	66	181	207	73	131	268	170	23	31
114	Biliary calculi.....	15	14	1	107	13	40	54	41	44	67	59	5	11
115	Other diseases of the liver.....	22	18	4	109	21	83	107	32	42	72	97	7	12
116	Diseases of the spleen.....	6	6	3	2	4	2	2
117	Simple peritonitis (nonpuerperal).....	10	9	1	55	17	62	91	11	13	31	68	6	21
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	34	3	16	9	8	6	7	9

¹ Includes only municipalities having a population of 1,000 or over in 1910.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA. ¹						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		Detailed Int. List No.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts. ²			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
						Total.	White.	Colored.	Total.	White.	Colored.									
1	7	30	27	59	84	8	8	34	9	8	1	34	105	57	86	4	3	2	65	
23	22	99	139	281	312	58	24	34	73	47	26	73	224	287	493	33	10	16	66	
29	17	77	160	446	445	19	15	4	7	4	3	234	188	227	333	54	2	5	67	
9	8	14	66	104	68	15	13	2	9	4	5	73	72	31	111	7	1	8	68	
7	14	32	56	177	156	5	1	4	14	6	3	80	136	109	194	28	5	20	69	
24	6	106	45	257	78	2	1	1	1	1	1	2	3	9	15	1	1	1	70	
5	1	5	2	11	6	9	4	5	19	9	10	77	78	354	509	33	8	19	71	
6	12	4	44	31	5	2	2	3	3	3	3	8	23	16	27	2	1	73	73	
17	52	40	259	93	11	7	4	11	11	8	3	34	74	142	126	16	4	2	74	
3	1	34	10	206	24	2	1	1	5	3	2	46	42	90	51	10	3	7	75	
467	848	3,404	2,030	15,704	7,178	358	145	213	411	234	177	4,339	5,273	7,966	6,687	1,073	217	169	336	76
3	2	23	12	55	24	2	2	2	3	1	2	33	31	49	45	1	3	1	77	
20	20	265	93	1,223	134	13	3	10	6	5	1	185	80	554	202	46	2	11	78	
340	573	2,617	1,593	11,946	5,442	280	100	180	348	190	158	3,219	4,151	6,159	5,196	801	162	122	272	79
17	48	104	73	405	342	22	13	9	12	7	5	170	270	224	324	36	14	5	80	
68	172	282	190	1,627	1,028	33	23	10	29	21	8	610	629	727	735	160	30	20	12	81
13	31	80	54	307	158	6	4	2	6	5	1	32	81	169	126	25	3	4	9	82
1	1	13	7	72	23	1	1	1	1	1	1	19	14	31	23	4	1	4	3	83
3	1	12	4	55	12	1	1	1	2	2	1	15	9	37	21	3	1	1	3	84
2	8	4	4	14	15	4	2	2	4	2	2	6	13	16	15	2	1	1	85	85
353	412	3,700	1,541	14,884	3,637	408	156	252	457	257	200	3,644	3,134	8,568	6,588	873	177	172	402	86
3	5	1	1	5	7	1	1	1	2	2	1	4	5	4	4	9	2	2	5	87
60	31	235	84	848	259	19	3	14	18	8	10	285	152	641	404	71	17	7	27	88
17	35	136	81	439	269	15	10	5	22	9	13	185	185	336	263	37	14	8	15	89
94	80	1,147	376	5,557	919	113	47	66	119	66	53	1,259	1,006	2,921	2,183	263	46	64	140	91
159	228	1,908	898	7,113	1,817	223	74	149	254	143	111	1,658	1,509	3,867	3,067	444	93	77	186	92
90	121	1,315	520	5,944	1,036	176	48	123	123	59	64	1,597	1,342	2,662	1,463	251	37	67	148	93
69	107	593	373	1,169	781	47	26	21	131	84	47	61	167	1,205	1,604	193	56	10	38	94
7	11	102	26	448	111	8	6	2	7	6	1	84	52	246	119	24	2	3	5	95
7	11	67	32	162	113	8	4	4	13	11	2	33	69	210	177	14	3	4	3	96
4	5	44	12	27	13	3	2	1	6	3	3	6	5	16	4	3	2	3	8	97
2	2	4	4	15	14	1	1	1	6	3	3	58	50	131	138	8	2	3	9	98
2	3	22	14	63	33	13	5	8	4	3	1	24	35	83	124	4	2	12	98	98
369	350	3,210	1,357	11,389	3,200	495	259	236	686	445	241	4,117	2,961	7,983	6,988	736	141	175	262	99
3	2	11	5	58	19	5	3	2	2	1	1	13	18	44	40	4	2	1	3	100
7	7	38	12	183	73	2	2	2	9	6	3	63	64	77	76	7	2	9	3	101
12	1	5	1	17	10	2	2	2	4	2	2	4	2	10	11	1	1	1	1	102
29	50	153	127	353	117	6	3	3	7	4	3	113	401	162	100	12	2	11	19	103
180	89	1,704	705	5,462	1,018	256	117	139	377	229	148	1,838	970	4,183	3,685	373	62	45	83	104
33	43	225	142	683	385	48	32	16	64	48	16	288	320	553	668	69	16	12	30	105
24	42	239	43	1,088	3	40	29	11	2	1	1	363	187	579	189	64	5	46	38	106
34	37	201	72	877	283	40	18	22	34	27	7	372	245	579	390	56	8	9	22	107
12	8	95	20	417	96	8	3	5	3	3	3	154	53	306	119	30	4	3	6	108
22	29	106	52	460	187	32	15	17	31	24	7	218	187	373	271	26	4	6	16	109
3	8	70	25	212	77	10	6	4	11	6	5	63	77	75	76	12	2	3	7	110
1	3	1	3	31	19	3	3	3	2	2	2	8	17	18	19	2	2	1	1	111
29	28	299	132	1,291	322	13	10	3	14	11	3	44	330	588	463	47	14	16	14	112
5	5	54	13	268	57	12	11	1	7	7	7	119	82	136	82	14	1	5	12	113
9	14	61	29	276	129	12	9	3	16	12	4	106	137	203	198	14	4	5	10	114
4	2	27	16	97	5	1	2	3	17	9	8	3	7	10	13	2	4	3	1	115
4	3	20	3	79	18	5	5	5	1	1	1	73	66	142	135	6	4	1	1	116
												16	5	43	16	3	3	1	1	117

²Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1914—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	MARYLAND—continued.			MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.	
		Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.										
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	895	668	227	3,050	840	1,126	1,601	745	1,244	2,127	1,776	136	180
119	Acute nephritis.....	70	43	27	210	41	93	117	49	57	156	173	8	13
120	Bright's disease.....	772	587	185	2,433	719	786	1,226	547	992	1,679	1,354	91	137
121	Chyluria.....									1				
122	Other diseases of the kidneys and annexa.....	11	8	3	56	14	29	36	8	40	25	40	7	3
123	Calculi of the urinary passages.....	1		1	21	4	13	10	8	5	12	8	1	4
124	Diseases of the bladder.....	7	6	1	36	33	24	66	10	28	16	61	3	2
125	Diseases of the urethra, urinary abscess, etc.....				14	1	12	1	3	1	10	2		2
126	Diseases of the prostate.....	14	11	3	104	18	53	82	58	77	61	74	5	9
127	Nonvenereal diseases of the male genital organs.....				2		1	4	1	1	2	3	1	1
128	Uterine hemorrhage (nonpuerperal).....				5		1	3	1	1				
129	Uterine tumor (noncancerous).....	5	4	1	57	3	36	17	16	13	46	14	5	1
130	Other diseases of the uterus.....	5	3	2	27	1	33	17	7	9	14	16	5	2
131	Cysts and other tumors of the ovary.....	3	3		34	4	10	9	9	10	24	9	1	1
132	Salpingitis and other diseases of the female genital organs.....	6	2	4	51	2	34	11	28	9	32	20	9	5
133	Nonpuerperal diseases of the breast (cancer excepted).....	1	1				1	2				2		
	VII.—The puerperal state.....	89	56	33	502	69	216	312	93	190	215	330	40	60
134	Accidents of pregnancy.....	3	2	1	37	7	14	21	9	24	20	26	3	5
135	Puerperal hemorrhage.....	15	8	7	60	7	13	29	8	25	13	22	1	15
136	Other accidents of labor.....	8	7	1	63	8	33	32	9	15	15	22	3	6
137	Puerperal septicemia.....	28	19	9	174	19	94	133	45	70	117	167	26	23
138	Puerperal albuminuria and convulsions.....	30	16	14	145	21	46	85	16	40	42	79	5	9
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	5	4	1	23	7	11	12	6	14	8	7	2	2
140	Following childbirth (not otherwise defined).....									2				
141	Puerperal diseases of the breast.....													
	VIII.—Diseases of the skin and of the cellular tissue.	32	21	11	117	37	49	108	21	59	58	77	3	3
142	Gangrene.....	19	11	8	40	18	23	67	13	30	23	41		
143	Furuncle.....	3	3		18	2	7	6	1	4	15	9	1	2
144	Acute abscess.....	5	4	1	35	4	9	18	2	11	11	6	1	
145	Other diseases of the skin and annexa.....	5	3	2	24	13	10	17	5	14	9	21	1	1
	IX.—Diseases of the bones and of the organs of locomotion.	14	10	4	113	7	49	33	22	27	48	28	5	2
146	Diseases of the bones (tuberculosis excepted).....	8	4	4	96	4	40	23	21	22	41	22	4	2
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	5	5		17	3	5	7	1	4	5	2		
148	Amputations.....						1	1				1		
149	Other diseases of the organs of locomotion.....	1	1				3	2		1	2	3	1	
	X.—Malformations.....	96	84	12	569	134	229	320	130	201	156	210	23	56
150	Congenital malformations (stillbirths not included) (total).....	96	84	12	569	134	229	320	130	201	156	210	23	56
	Hydrocephalus.....	12	10	2	46	15	20	38	15	28	12	19	2	4
	Congenital malformations of the heart.....	59	51	8	341	78	135	173	69	101	91	119	15	37
	Other congenital malformations.....	25	23	2	182	41	74	109	46	72	53	72	6	15
	XI.—Early infancy.....	638	433	205	2,663	523	1,366	1,455	534	1,027	770	1,265	105	216
151	Congenital debility, icterus, and sclerema (total).....	519	343	176	2,076	414	1,164	1,165	433	808	607	1,056	79	167
	Premature birth.....	291	207	84	1,470	290	660	744	342	587	497	882	63	121
	Congenital debility, "atrophy," "marasmus," etc.....	228	136	92	606	124	504	421	91	221	110	194	16	46
152	Other causes peculiar to early infancy (total).....	108	86	22	574	106	198	289	101	211	161	205	26	49
	Injuries at birth.....	52	47	5	351	54	114	129	56	118	84	103	14	26
	Other causes peculiar to early infancy ²	56	39	17	223	52	84	160	45	93	77	102	12	23
153	Lack of care.....	11	4	7	13	3	4	1		8	2	4		
	XII.—Old age.....	187	129	58	240	193	480	929	67	352	46	345	18	56
154	Senility.....	187	129	58	240	193	480	929	67	352	46	345	18	56
	XIII.—External causes.....	621	486	135	2,564	631	1,196	1,675	786	1,285	1,672	1,627	196	485
	Suicide (total).....	66	62	4	386	97	196	266	157	190	445	257	36	89
155	By poison.....	12	12		49	15	76	70	40	36	253	100	12	25
156	By asphyxia.....				103	6	15	3	22	1	40	2		
157	By hanging or strangulation.....	13	13		45	23	29	51	19	60	19	28	3	6
158	By drowning.....	4	2	2	44	13	15	16	11	10	6	10		3
	By firearms.....	29	27	2	93	29	42	99	45	60	97	105	17	43
160	By cutting or piercing instruments.....	5	5		35	9	14	19	14	12	20	8	2	8
161	By jumping from high places.....	2	2		13		3	1	4	1	7	2	2	
162	By crushing.....				4	2	1	3	1	7	1	1		3
163	Other suicides.....	1	1				1	4	1	3	2	1		1

¹ Includes only municipalities having a population of 1,000 or over in 1910.

² Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES:
Continued.

more inhabitants in 1910, smaller places being included with the "rural districts.")

NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA. ¹						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		Detailed Int. List No.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts. ²			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.		
						Total.	White.	Colored.	Total.	White.	Colored.										
251	342	2,615	1,299	11,325	3,263	338	172	166	339	185	154	2,694	2,571	5,778	3,697	662	147	150	183		
24	14	264	109	724	211	39	9	30	33	20	13	242	178	490	324	66	4	11	16	119	
192	286	2,099	1,081	9,426	2,670	243	137	106	257	142	115	1,975	2,017	4,514	2,944	535	133	110	134	120	
3	2	55	14	167	47	8	5	3	2	1	1	39	57	103	77	12	4	3	7	121	
1		17	9	68	15	2	2		3	2	1	19	11	24	17	3		3	2	122	
7	14	16	27	73	86	5	1	4	4	3	1	33	94	78	97	8		3	5	124	
3	1	7	1	33	4	6	2	4	1	1		10	3	21	2	3				125	
11	9	47	31	284	135	9	8	1	15	10	5	108	128	185	122	14	2	9	8	126	
		3	1	14	4							1	2	8	7					127	
	1	1		3	3							1		4	6					128	
4	6	21	7	185	36	7	2	5	8	1	7	72	18	109	33	4	2	1	2	129	
2	3	21	4	95	17	3	2	1	6	4	2	43	7	65	21	3			1	130	
	2	21	1	68	21	3	2	1	4	4		32	31	44	14	4	1	3		131	
4	2	41	12	181	14	13	2	11	6	1	5	118	22	132	28	9	1	6	6	132	
	2	2	2	9									1	1	1	5	1		1		133
29	40	306	110	1,158	284	67	26	41	91	47	44	480	318	832	614	65	15	21	29		
2	5	34	9	92	12	9	1	8	7	4	3	53	31	48	50	5		1	2	134	
6	4	23	9	100	26	3	2	1	13	7	6	35	35	83	52	9	2	3	4	135	
	5	21	8	116	25	4	2	2	12	5	7	28	26	56	55	4	1	1	7	136	
14	10	143	40	552	104	18	5	13	25	12	13	267	141	413	260	17	5	8	12	137	
5	13	72	38	258	94	31	15	16	32	18	14	82	68	211	175	23	6	7	3	138	
2	3	12	4	37	22	2	1	1	1	1		13	17	19	20	7	1	1	1	139	
		1	2	2	1							2		1	2					140	
				1		1			1		1			1						141	
16	25	66	47	309	157	11	4	7	10	9	1	109	114	262	275	30	6	2	8		
8	16	19	26	76	88	6	2	4	5	4	1	46	78	110	149	12	3	1	6	142	
		11	6	52	14				2	2		19	8	33	24	5			1	143	
4	4	23	5	109	19	3	1	2	2	2		19	6	79	48	5	2	1	1	144	
4	5	13	10	72	36	2	1	1	1	1		25	22	40	54	8	1			145	
9	4	52	21	292	34	4	2	2	3	2	1	62	47	146	77	10	2	3	2		
8	4	51	17	264	26	4	2	2	3	2	1	57	41	125	65	7	2	3	2	146	
1			3	23	4							4	1	14	4	3				147	
					1																148
		1	1	5	3							1	5	7	8					149	
25	38	298	170	1,092	391	21	18	3	33	32	1	464	432	861	947	83	22	22	51		
25	38	298	170	1,092	391	21	18	3	33	32	1	464	432	861	947	83	22	22	51	150	
1	6	15	11	101	27				2	2		34	32	64	54	5	2	4	5		
11	24	181	127	643	252	13	10	3	19	19		287	275	566	638	44	15	12	30		
13	8	102	32	348	112	8	8		12	11	1	133	125	231	255	34	5	6	16		
239	185	1,602	627	6,811	1,641	210	116	94	325	216	109	1,968	1,571	3,778	3,983	484	90	102	216		
194	154	1,271	510	5,279	1,264	185	106	79	291	198	93	1,520	1,223	3,043	3,341	367	71	83	189	151	
127	96	849	320	3,347	883	135	76	59	191	143	48	1,235	900	1,907	1,959	195	37	67	172		
67	58	422	190	1,932	381	50	30	20	100	55	45	285	323	1,136	1,382	172	34	16	17		
41	31	327	113	1,521	373	23	10	13	32	18	14	426	338	726	629	113	17	19	26	152	
14	11	202	57	879	244	13	7	6	15	9	6	255	190	431	342	83	14	11	12		
27	20	125	56	642	129	10	8	7	17	9	8	171	148	295	287	30	3	8	14		
4		4	4	11	4	2		2	2		2	22	10	9	13	4	2		1	153	
55	155	155	163	575	607	27	21	6	52	26	26	235	491	444	708	89	35	14	99		
55	155	155	163	575	607	27	21	6	52	26	26	235	491	444	708	89	35	14	99	154	
171	245	1,864	1,005	7,185	2,543	241	126	115	300	166	134	2,869	2,325	4,446	4,601	426	90	169	321		
19	36	335	166	1,270	375	12	11	1	19	17	2	466	345	581	454	62	14	33	30	155	
3	8	71	25	215	69	2	2		5	5		195	102	173	92	7	1	6	6	156	
2		88	22	436	14							6	1	112	7	17	2	2		157	
3	11	45	35	158	102	2	2		2			73	88	69	114	9	2	1	5	158	
4	5	19	15	56	36	2	1	1	4	3	1	26	16	25	27	4	5	1			
4	8	83	52	221	109	6	6		7	7		120	105	153	169	19	6	16	14	159	
2	4	21	10	75	32				3	2		24	22	33	28	5		6	4	160	
		6	3	90	5							12	3	11	7			1		161	
1			2	10	4							7	4	3	2			1		162	
		2	1	9	3							3	4	2	8			1		163	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1914—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	MARYLAND—continued.			MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.	
		Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.										
	XIII.—External causes—Continued.													
	Accidental or undefined (total).....	527	409	118	2,080	515	940	1,367	589	1,036	1,014	1,272	141	357
164	Poisoning by food.....	9	9	18	7	10	25	10	18	9	42	2
165	Other acute poisonings.....	15	11	4	43	16	27	50	11	28	37	46	9	10
166	Conflagration.....	6	4	2	57	4	33	35	9	37	57	23	2	5
167	Burns (conflagration excepted).....	56	36	20	255	42	96	68	33	46	75	112	4	12
168	Absorption of deleterious gases (conflagration excepted).....	11	9	2	163	14	48	51	83	26	36	40	4	12
169	Accidental drowning.....	99	67	32	195	105	77	222	64	190	42	117	1	59
170	Traumatism by firearms.....	26	16	10	10	12	17	65	15	64	32	73	7	26
171	Traumatism by cutting or piercing instruments.....	4	3	3	3	3
172	Traumatism by fall.....	64	56	8	554	96	148	220	107	126	222	211	21	26
173	Traumatism in mines and quarries (total).....	25	23	2	2	4	14	88	8	34	24	43	25	25
	Traumatism in mines.....	20	20	11	88	6	33	19	43	24	25
	Traumatism in quarries.....	5	3	2	2	4	3	2	1	5	1
174	Traumatism by machines.....	14	12	2	60	7	22	27	14	33	35	17	7	3
175	Traumatism by other crushing (total).....	136	118	18	535	149	307	298	175	285	308	337	41	112
	Railroad accidents and injuries.....	83	74	9	179	79	121	159	86	149	132	225	15	48
	Street-car accidents and injuries.....	8	6	2	82	9	60	27	15	5	52	4	2	2
	Automobile accidents and injuries.....	20	19	1	148	44	82	39	41	47	62	29	7	19
	Injuries by other vehicles.....	20	15	5	110	17	37	58	31	76	52	70	16	35
	Landslide, other crushing.....	5	4	1	16	7	15	2	8	10	9	1	8
176	Injuries by animals.....	7	6	1	8	3	7	30	5	33	6	30	3	7
177	Starvation.....	2	2	1	1	1	2
178	Excessive cold.....	6	3	3	19	12	1	18	4	14	4	8	3	7
179	Effects of heat.....	8	4	4	16	4	23	25	4	11	57	33	1	4
180	Lightning.....	6	4	2	1	1	1	13	2	21	1	19	11
181	Electricity (lightning excepted).....	2	2	22	7	13	11	9	10	10	4	3	6
185	Fractures (cause not specified).....	6	6	14	2	28	13	3	1	15	25	2	1
186	Other external violence.....	29	23	6	103	30	67	105	30	57	44	83	8	26
	Homicide (total).....	28	15	13	98	19	60	42	40	59	213	98	19	39
182	By firearms.....	19	10	9	37	5	39	26	28	39	144	69	14	30
183	By cutting or piercing instruments.....	3	1	2	24	2	4	4	4	3	29	13	5	5
184	By other means.....	6	4	2	37	12	17	12	8	17	40	16	4
	XIV.—Ill-defined diseases.....	253	108	145	193	49	83	237	8	217	45	526	27	84
187	Ill-defined organic disease.....	5	2	3	1	13	36	7	1	13	2	2
188	Sudden death.....	13	8	5	19	1	1	13	2	15	34	3	6
189	Not specified or ill-defined (total).....	235	98	137	179	47	69	188	6	195	44	479	22	76
	Ill-defined.....	102	45	57	129	43	52	102	3	53	22	90	4	25
	Not specified or unknown.....	133	53	80	50	4	17	86	3	142	22	389	18	51

¹ Includes only municipalities having a population of 1,000 or over in 1910.

CAUSES OF DEATH, URBAN AND RURAL.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES:
Continued.

more inhabitants in 1910, smaller places being included with the "rural districts.")

NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA. ¹						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		Detailed Int. List No.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts. ²			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
						Total.	White.	Colored.	Total.	White.	Colored.									
145	202	1,445	811	5,522	2,094	178	101	77	232	135	97	2,177	1,907	3,658	3,957	343	76	116	271	
2	8	15	6	30	31	5	2	3	8	7	1	33	39	28	52	3	-----	5	3	164
3	3	31	16	130	55	5	2	3	13	9	4	70	46	89	105	11	-----	2	8	165
10	1	17	10	110	41	1	1	1	2	1	1	39	41	43	62	2	-----	1	2	166
12	13	202	73	656	99	23	15	8	42	20	22	212	144	489	348	40	5	5	16	167
8	5	114	45	498	64	7	4	3	19	12	7	88	58	130	76	26	6	3	4	168
21	41	168	176	613	347	5	1	4	14	8	6	156	176	199	322	39	21	5	23	169
-----	7	19	18	33	48	17	8	9	27	11	16	27	56	53	71	6	2	5	5	170
-----	2	1	-----	15	7	-----	-----	-----	1	1	-----	7	6	9	3	1	-----	1	-----	171
30	40	303	124	1,410	420	21	14	7	22	15	7	492	427	816	677	85	12	23	39	172
-----	-----	1	9	6	15	-----	-----	-----	-----	-----	-----	13	68	414	773	2	1	12	57	173
-----	-----	5	4	4	9	-----	-----	-----	-----	-----	-----	10	63	401	748	-----	-----	12	57	-----
6	4	40	8	129	36	11	7	4	5	3	2	95	49	108	78	10	1	2	3	174
39	55	392	246	1,436	694	59	34	25	48	30	18	729	605	922	1,035	95	21	47	66	175
24	29	197	163	378	410	43	22	21	31	16	15	387	388	487	737	25	8	19	31	-----
1	2	39	15	269	34	1	-----	1	1	1	-----	115	54	124	56	29	5	5	3	-----
8	11	94	36	446	122	8	5	3	6	5	1	120	69	175	112	26	1	13	7	-----
6	9	52	29	308	115	5	5	-----	7	5	2	87	76	114	112	14	5	8	19	-----
-----	4	10	3	35	13	2	2	-----	3	3	-----	20	18	22	18	1	2	2	6	-----
-----	3	4	4	15	30	1	1	-----	2	1	1	15	32	25	35	2	1	-----	3	176
-----	1	1	1	5	5	2	-----	2	1	1	-----	2	2	1	7	-----	-----	-----	-----	177
3	5	15	9	20	33	2	-----	2	1	1	-----	3	14	25	39	2	4	-----	1	178
-----	2	28	14	53	10	-----	-----	-----	1	1	-----	54	23	72	46	4	-----	-----	-----	179
-----	2	2	6	10	21	1	-----	1	2	2	-----	3	20	5	16	-----	-----	-----	5	180
1	-----	13	5	53	22	4	4	-----	3	3	-----	30	14	41	36	2	-----	2	6	181
2	1	14	12	73	30	2	1	1	4	2	2	6	13	6	4	1	-----	-----	3	185
8	10	65	29	227	86	17	9	8	17	9	8	105	74	183	172	12	3	3	15	186
7	7	84	28	393	74	51	14	37	49	14	35	226	73	207	190	21	-----	20	20	-----
4	5	33	19	217	45	38	9	29	37	10	27	112	44	104	121	9	-----	15	16	182
1	-----	11	1	62	9	6	2	4	4	1	3	38	10	32	32	3	-----	2	2	183
2	2	40	8	114	20	7	3	4	8	3	5	76	19	71	37	9	-----	3	2	184
16	17	56	43	74	110	161	34	127	314	117	197	118	252	222	632	26	14	40	59	-----
3	2	2	2	-----	8	2	-----	2	9	-----	9	2	6	11	52	-----	1	-----	4	187
1	4	2	2	2	4	11	5	6	20	10	10	7	24	8	110	-----	1	-----	4	188
12	11	52	39	72	98	148	29	119	285	107	178	109	222	203	470	22	12	40	51	189
9	9	45	31	58	68	24	9	15	53	33	25	45	72	178	344	12	10	37	25	-----
3	2	7	8	14	30	124	20	104	227	74	153	64	150	25	126	10	2	3	26	-----

¹ Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
				Total.	White.	Colored.	Total.	White.	Colored.				
	All causes.....	826	4,604	7,908	3,921	3,987	22,209	12,997	9,212	5,633	5,815	10,202	16,979
	I.—General diseases.....	210	1,005	2,139	1,080	1,059	6,577	3,600	2,977	1,626	1,510	2,712	4,275
1	Typhoid fever.....	8	34	113	74	39	473	263	210	63	88	92	67
2	Typhus fever.....												
3	Relapsing fever.....			2		2	1		1				
4	Malaria.....		1	35	7	28	134	47	87	1			3
5	Smallpox.....			5		5	13	6	7		1	1	4
6	Measles.....		4	11	8	3	105	79	26	13	38	71	75
7	Scarlet fever.....	2	10	11	11		27	27		8	17	145	71
8	Whooping cough.....	6	30	161	50	111	519	221	298	20	36	35	106
9	Diphtheria and croup.....	8	30	41	28	13	299	237	62	20	27	184	139
10	Influenza.....	2	69	66	30	36	195	133	62	16	38	44	129
11	Miliary fever.....												
12	Asiatic cholera.....												
13	Cholera nostras.....		3	3		3	15	10	5			2	14
14	Dysentery.....	1	6	45	26	19	206	106	100	4	4	14	55
15	Plague.....												
16	Yellow fever.....												
17	Leprosy.....												
18	Erysipelas.....	1	11	14	13	1	41	35	6	12	12	40	44
19	Other epidemic diseases.....			1	1		10	3	7	3	5	7	2
20	Purulent infection and septicemia.....	4	5	15	9	6	38	27	11	12	6	25	36
21	Glanders.....		1							1			1
22	Anthrax.....			1	1								1
23	Rabies.....						2	1	1				
24	Tetanus.....	1	2	32	7	25	31	15	16	6	5	19	26
25	Mycoses.....						1	1				1	
26	Pellagra.....		2	94	67	27	156	74	82				2
27	Beriberi.....									1			
28	Tuberculosis (total).....	80	288	911	387	524	3,003	1,435	1,568	617	629	904	1,547
	Tuberculosis of the lungs.....	60	222	743	291	452	2,625	1,245	1,380	448	499	695	1,306
29	Acute miliary tuberculosis.....	1	8	28	9	19	82	30	52	22	15	36	42
30	Tuberculous meningitis.....	7	22	53	41	12	81	50	31	72	51	79	73
31	Abdominal tuberculosis.....	11	15	65	33	32	118	58	60	43	30	41	58
32	Pott's disease.....	1	4	4	1	3	22	13	9	7	7	15	19
33	White swellings.....	1	2	2	1	1	13	9	4	5	4	9	11
34	Tuberculosis of other organs.....		11	11	6	5	44	24	20	12	11	17	27
35	Disseminated tuberculosis.....		4	5	5		18	6	12	8	12	12	11
36	Rickets.....	1	1	10	2	8	14	5	9	4	4	13	9
37	Syphilis.....	2	10	91	30	61	135	36	99	50	17	31	32
38	Gonococcus infection.....		1	4	2	2	5	2	3	4	2	1	1
39	Cancer and other malignant tumors (total).....	73	324	304	216	88	747	551	196	499	372	712	1,273
	Of the buccal cavity.....	3	14	7	7		33	28	5	13	20	27	53
40	Of the stomach, liver.....	28	103	78	61	17	248	190	58	212	174	321	652
41	Of the peritoneum, intestines, rectum.....	12	45	29	24	5	49	33	11	65	35	90	144
42	Of the female genital organs.....	10	60	91	49	42	158	90	68	68	43	100	119
43	Of the breast.....	7	23	28	20	8	77	56	21	42	31	60	102
44	Of the skin.....	1	15	9	6	3	56	51	5	11	16	15	57
45	Of other organs or of organs not specified.....	12	64	62	49	13	126	98	28	88	53	99	146
46	Other tumors (tumors of the female genital organs excepted).....			3	1	2	10	3	7	2	5	9	11
47	Acute articular rheumatism.....	1	21	32	15	17	104	58	46	32	14	41	90
48	Chronic rheumatism and gout.....		6	6	4	2	23	17	6	6	3	6	25
49	Scurvy.....		1	1			1	1				2	3
50	Diabetes.....	12	69	52	40	12	125	98	27	79	92	146	236
51	Exophthalmic goiter.....	2	6	6	5	1	12	7	5	20	10	25	37
52	Addison's disease.....		5	5	5		2	2		6	1	6	8
53	Leukemia.....	1	4	7	5	2	17	13	4	12	6	22	28
54	Anemia, chlorosis.....	2	36	15	11	4	35	29	6	31	26	47	109
55	Other general diseases.....	1	7	9	6	3	27	20	7	15	12	24	33
56	Alcoholism (acute or chronic).....	2	15	29	16	13	43	31	12	65	39	43	57
57	Chronic lead poisoning.....		2	1	1		1	1					
58	Other chronic occupation poisonings.....												
59	Other chronic poisonings.....		2	3	2	1	7	6	1	2	1		1
	II.—Diseases of the nervous system and of the organs of special sense.....	101	680	764	410	354	2,301	1,423	878	495	612	988	1,969
60	Encephalitis.....	1	4	8	6	2	19	9	10	2	2	12	10
61	Meningitis (total).....	9	40	45	22	23	198	145	53	38	31	83	136
	Simple meningitis.....	8	34	32	20	12	112	81	31	23	17	29	45
	Cerebrospinal meningitis (undefined).....	1	4	5	2	3	54	38	16	12	11	15	19
	Cerebrospinal fever.....		2	8		8	32	26	6	3	3	39	72
62	Locomotor ataxia.....	3	10	15	14	1	18	14	4	14	12	12	41
63	Other diseases of the spinal cord (total).....	8	68	30	15	15	99	65	34	23	28	61	100
	Acute anterior poliomyelitis.....	6	48	5	1	4	37	23	14	4	7	8	12
	Other diseases of the spinal cord ¹	2	20	25	14	11	62	42	20	19	21	53	88
64	Cerebral hemorrhage, apoplexy.....	62	458	471	246	225	1,014	632	382	316	349	543	1,073

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, URBAN AND RURAL.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
				Total.	White.	Colored.	Total.	White.	Colored.				
II.—Diseases of the nervous system and of the organs of special sense—Contd.													
65	Softening of the brain.....	3	11	9	7	2	38	22	16			9	16
66	Paralysis without specified cause.....	5	21	70	41	29	483	279	204	25	55	38	102
67	General paralysis of the insane.....	2	11	12	11	1	66	54	12	12	48	16	105
68	Other forms of mental alienation.....	2	12	7	3	4	47	34	13	2	27	10	60
69	Epilepsy.....		20	17	11	6	107	62	45	10	22	29	69
70	Convulsions (nonpuerperal).....		1	1	1		9	4	5	1	1		4
71	Convulsions of infants.....	5	10	48	13	35	116	48	68	9	11	119	162
72	Chorea.....		1			1	3	3		1	1	1	2
73	Neuralgia and neuritis.....		5	3	3		10	4	6	2	6	1	13
74	Other diseases of the nervous system.....	1	8	23	13	10	62	37	25	22	9	40	59
75	Diseases of the eyes and their annexa.....		1				1	1		1	1	1	
76	Diseases of the ears.....		1	4	4		11	10	1	17	9	13	17
III.—Diseases of the circulatory system.....		121	865	869	432	437	2,338	1,421	917	742	718	1,137	2,516
77	Pericarditis.....		5	2		2	30	17	13	5	8	3	18
78	Acute endocarditis.....	3	18	45	11	34	46	23	23	43	23	83	90
79	Organic diseases of the heart.....	85	618	695	347	348	1,956	1,176	780	570	548	846	1,899
80	Angina pectoris.....	14	63	26	19	7	74	58	16	29	32	32	92
81	Diseases of the arteries, atheroma, aneurism, etc.....	16	136	73	36	37	174	115	59	72	82	126	348
82	Embolism and thrombosis.....	2	22	21	15	6	27	19	8	20	21	29	52
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....		2	5	4	1	2	2		1		8	10
84	Diseases of the lymphatic system (lymphangitis, etc.).....		1	1		1	7	4	3	1	4	10	1
85	Hemorrhage; other diseases of the circulatory system.....	1		1		1	22	7	15	1			6
IV.—Diseases of the respiratory system.....		96	462	901	293	608	2,035	1,160	875	452	440	1,240	1,835
86	Diseases of the nasal fossae.....		1	2	1	1	22	6	16	1	2	2	2
87	Diseases of the larynx.....	2	3	3	1	1	16	12	4	1	4	10	18
88	Diseases of the thyroid body.....		1	1		1	7	3	4	3	3	4	6
89	Acute bronchitis.....	10	45	51	13	38	105	50	55	17	14	90	131
90	Chronic bronchitis.....	5	51	43	16	27	109	75	34	21	23	87	146
91	Bronchopneumonia.....	21	49	252	74	178	390	248	142	145	187	333	377
92	Pneumonia (total).....	52	285	437	160	277	1,199	673	526	214	167	618	1,008
	Lobar pneumonia.....	8	37	288	98	190	396	230	166	209	152	438	613
	Pneumonia (undefined).....	44	248	149	62	87	803	443	360	5	15	180	395
93	Pleurisy.....	3	6	15	8	7	25	13	12	16	11	36	35
94	Pulmonary congestion, pulmonary apoplexy.....	3	12	41	9	32	51	33	18	8	7	27	48
95	Gangrene of the lung.....		2	1	1	1	4	3	1	5		3	8
96	Asthma.....		5	24	3	21	52	21	31	10	12	17	34
97	Pulmonary emphysema.....			8	2	6	2		2	4	1	1	7
98	Other diseases of the respiratory system (tuberculosis excepted).....		5	22	5	17	53	23	30	7	9	12	15
V.—Diseases of the digestive system.....		111	425	966	503	463	1,976	1,202	774	525	446	1,241	1,514
99	Diseases of the mouth and annexa.....	2	2		3	5	35	13	22	7		3	9
100	Diseases of the pharynx.....	1	6	7	6	1	28	14	14	14		13	37
101	Diseases of the esophagus.....	1		1		1	1	1				1	4
102	Ulcer of the stomach.....	6	11	22	11	11	33	19	14	27	13	45	39
103	Other diseases of the stomach (cancer excepted).....	7	29	71	26	45	251	147	104	33	48	88	169
104	Diarrhea and enteritis (under 2 years).....	51	142	409	193	216	849	525	324	101	120	429	461
105	Diarrhea and enteritis (2 years and over).....	9	40	93	51	42	237	152	85	45	70	82	154
106	Ankylostomiasis.....						4	2	2				
107	Intestinal parasites.....						13	6	7	1			3
108	Appendicitis and typhlitis.....	10	54	78	55	23	99	56	43	89	58	199	139
109	Hernia, intestinal obstruction (total).....	6	41	86	39	47	137	79	58	61	33	116	166
	Hernia.....	3	14	22	8	14	33	15	18	18	10	34	40
	Intestinal obstruction.....	3	27	64	31	33	104	64	40	43	23	82	126
110	Other diseases of the intestines.....	2	7	29	15	14	47	24	23	14	10	22	36
111	Acute yellow atrophy of the liver.....	1	3		1		6	3	3	1	4	3	2
112	Eydatid tumor of the liver.....		1	1		1	1	1					
113	Cirrhosis of the liver.....	7	35	72	47	25	84	56	28	56	40	127	170
114	Biliary calculi.....	2	12	11	9	2	36	29	7	31	21	38	36
115	Other diseases of the liver.....	2	21	44	28	16	58	40	18	35	9	49	58
116	Diseases of the spleen.....		1	4	1		5	1	4	1	2	2	
117	Simple peritonitis (nonpuerperal).....	2	20	27	15	12	47	31	16	3	7	11	25
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	2	1	5	3	2	5	3	2	6		13	6

MORTALITY STATISTICS.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
				Total.	White.	Colored.	Total.	White.	Colored.				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	58	408	749	410	339	1,668	1,028	640	513	393	733	1,118
119	Acute nephritis.....	9	36	81	30	51	130	68	62	4	4	64	59
120	Bright's disease.....	42	313	555	314	241	1,344	859	485	422	338	537	868
121	Chyluria.....												
122	Other diseases of the kidneys and annexa.....		7	22	15	7	54	34	20	16	11	18	35
123	Calculi of the urinary passages.....			3	3		7	4	3	1	2	6	6
124	Diseases of the bladder.....	1	18	5	3	2	29	19	10	6	13	32	58
125	Diseases of the urethra, urinary abscess, etc.....			7	4	3	4	2	2	3			1
126	Diseases of the prostate.....	3	18	24	17	7	45	23	22	28	13	29	60
127	Nonvenereal diseases of the male genital organs.....		1	1	1		2		2	1	1		
128	Uterine hemorrhage (nonpuerperal).....						1	1		1	1	1	
129	Uterine tumor (noncancerous).....		4	17	10	7	12	4	8	8	3	13	8
130	Other diseases of the uterus.....	1	2	13	5	8	14	5	9	13	2	9	8
131	Cysts and other tumors of the ovary.....	2	8	3	2	1	10	4	6	3	2	4	10
132	Salpingitis and other diseases of the female genital organs.....		1	18	6	12	16	5	11	11	3	19	5
133	Nonpuerperal diseases of the breast (cancer excepted).....											1	
	VII.—The puerperal state.....	14	57	135	63	72	352	198	154	90	62	131	160
134	Accidents of pregnancy.....		7	8	4	4	26	18	8	14	9	12	11
135	Puerperal hemorrhage.....	3	6	9	3	6	35	21	14	5	10	13	25
136	Other accidents of labor.....	1	6	4	1	3	58	28	30	12	7	15	15
137	Puerperal septicaemia.....	6	18	69	27	42	110	61	49	41	18	60	65
138	Puerperal albuminuria and convulsions.....	4	13	44	28	16	115	64	51	16	16	25	31
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....		7	1		1	6	5	1	1	2	6	12
140	Following childbirth (not otherwise defined).....						2	1	1	1			1
141	Puerperal diseases of the breast.....												
	VIII.—Diseases of the skin and of the cellular tissue.....	2	19	34	13	21	63	39	24	16	20	20	88
142	Gangrene.....	1	13	18	5	13	31	22	9	10	8	9	54
143	Furuncle.....			3	3		2			1	5	3	6
144	Acute abscess.....		3	5	2	3	7	6	1	4	3	3	10
145	Other diseases of the skin and annexa.....	1	2	8	3	5	23	9	14	1	4	5	18
	IX.—Diseases of the bones and of the organs of locomotion.....	1	9	11	9	2	33	23	10	14	7	28	23
146	Diseases of the bones (tuberculosis excepted).....	1	6	11	9	2	28	22	6	13	5	26	22
147	Diseases of the joints (tuberculosis and rheumatism excepted).....		1				2		2	1	2	2	1
148	Amputations.....						1		1				
149	Other diseases of the organs of locomotion.....		2				2	1	1				
	X.—Malformations.....	10	55	63	52	11	195	165	30	65	78	116	213
150	Congenital malformations (stillbirths not included) (total).....	10	55	63	52	11	195	165	30	65	78	116	213
	Hydrocephalus.....	3	5	6	5	1	25	21	4	3	5	8	19
	Congenital malformations of the heart.....	5	30	35	28	7	87	81	6	36	47	57	103
	Other congenital malformations.....	2	20	22	19	3	83	63	20	26	26	51	91
	XI.—Early infancy.....	51	198	498	258	240	1,428	911	517	324	385	834	1,161
151	Congenital debility, icterus, and sclerema (total).....	43	164	434	224	210	1,217	775	442	254	309	680	955
	Premature birth.....	32	124	266	153	113	722	516	206	191	230	435	639
	Congenital debility, "atrophy," "marasmus," etc.....	11	40	168	71	97	495	259	236	63	79	245	316
152	Other causes peculiar to early infancy (total).....	7	33	61	34	27	197	131	66	67	72	154	203
	Injuries at birth.....	6	17	32	22	10	99	72	27	38	31	91	99
	Other causes peculiar to early infancy ¹	1	16	29	12	17	98	59	39	29	41	63	104
153	Lack of care.....	1	1	3		3	14	5	9	3	4		3
	XII.—Old age.....	10	126	61	40	21	739	418	321	84	179	230	733
154	Senility.....	10	126	61	40	21	739	418	321	84	179	230	733
	XIII.—External causes.....	40	283	597	320	277	1,393	845	548	662	842	768	1,272
	Suicide (total).....	7	39	60	56	4	95	84	11	171	132	163	195
155	By poison.....	3	12	22	21	1	20	17	3	48	28	61	44
156	By asphyxia.....			7	7		1	1		16	2	11	5
157	By hanging or strangulation.....	1	8	3	3		8	6	2	13	22	28	58
158	By drowning.....	1		2	1	1	9	6	3	14	8	8	12
159	By firearms.....	2	14	22	20	2	50	47	3	63	58	43	60
160	By cutting or piercing instruments.....		3	3	3		6	6		13	8	8	10
161	By jumping from high places.....			1	1					3	2	2	3
162	By crushing.....			1			1	1		1	1	1	1
163	Other suicides.....		1							1	3	1	1

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, URBAN AND RURAL.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1914—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
				Total.	White.	Colored.	Total.	White.	Colored.				
	XIII.—External causes—Continued.												
	Accidental or undefined (total).....	33	237	444	249	195	1,135	686	449	428	650	565	1,044
164	Poisoning by food.....	1	7	1	1	19	14	5	7	15	5	11
165	Other acute poisonings.....	22	14	8	6	42	24	18	11	19	12	32
166	Conflagration.....	4	8	3	5	35	13	22	13	18	5	41
167	Burns (conflagration excepted).....	3	14	62	28	34	210	111	99	33	22	42	66
168	Absorption of deleterious gases (conflagration excepted).....	1	2	25	12	13	50	17	33	30	16	27	21
169	Accidental drowning.....	1	39	45	22	23	118	70	48	59	139	103	181
170	Traumatism by firearms.....	2	5	22	10	12	77	33	44	13	42	16	59
171	Traumatism by cutting or piercing instruments.....	1	1	3	2	1	2	2	5
172	Traumatism by fall.....	10	58	71	53	18	142	109	33	79	60	99	166
173	Traumatism in mines and quarries (total).....	1	11	2	2	66	53	13	3	14	8
	Traumatism in mines.....	63	52	11	3	11	6
	Traumatism in quarries.....	1	11	2	2	3	1	2	3	2
174	Traumatism by machines.....	1	8	27	16	11	25	20	5	22	20	17	20
175	Traumatism by other crushing (total).....	6	45	112	74	38	192	129	63	123	201	182	266
	Railroad accidents and injuries.....	1	19	67	43	24	132	83	49	37	100	80	132
	Street-car accidents and injuries.....	16	10	6	8	6	2	17	2	21	10
	Automobile accidents and injuries.....	2	10	15	12	3	11	8	3	36	31	44	30
	Injuries by other vehicles.....	1	15	11	6	5	36	23	8	17	30	34	76
	Landslide, other crushing.....	2	1	3	3	5	4	1	16	38	3	13
176	Injuries by animals.....	1	4	3	2	1	15	13	2	3	8	6	35
177	Starvation.....	1	1	6	1	5	1
178	Excessive cold.....	2	4	4	4	20	8	12	3	4	10
179	Effects of heat.....	8	4	4	8	4	4	2	3	16
180	Lightning.....	26	15	11	13
181	Electricity (lightning excepted).....	1	6	1	1	7	4	3	2	8	8	13
185	Fractures (cause not specified).....	2	2	11	8	3	2	2	1
186	Other external violence.....	3	6	35	16	19	63	38	25	26	59	32	81
	Homicide (total).....	7	93	15	78	163	75	88	63	60	40	33
182	By firearms.....	5	52	11	41	117	63	54	35	41	19	14
183	By cutting or piercing instruments.....	15	1	14	19	2	17	9	4	8	9
184	By other means.....	2	26	3	23	27	10	17	19	15	13	10
	XIV.—Ill-defined diseases.....	1	12	121	38	83	1,111	564	547	25	123	24	102
187	Ill-defined organic disease.....	6	6	96	30	66	4	5	6	15
188	Sudden death.....	6	2	4	72	46	26	1	2	3	8
189	Not specified or ill-defined (total).....	1	12	109	36	73	943	488	455	20	116	15	79
	Ill-defined.....	1	1	83	27	56	314	184	130	8	34	8	46
	Not specified or unknown.....	11	26	9	17	629	304	325	12	82	7	33

CAUSES OF DEATH, BY SEX AND AGE.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1914.

DEATHS AT AGE OF--															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
36,090	40,309	40,919	43,062	49,103	49,902	55,530	59,803	61,869	53,775	39,669	21,047	7,294	1,711	467	1,327	
20,212 15,878	23,154 17,155	24,116 16,803	25,283 17,779	28,809 20,294	28,896 21,006	31,255 24,275	32,728 27,075	32,760 29,109	27,365 26,410	19,132 20,537	9,600 11,447	3,129 4,165	704 1,007	179 288	881 446	
15,576	16,133	15,605	15,083	15,737	14,964	14,296	12,963	11,105	7,676	4,286	1,829	547	104	28	302	
8,699 6,877	9,161 6,972	8,844 6,761	8,209 6,874	8,412 7,325	7,808 7,156	7,303 6,993	6,371 6,592	5,344 5,761	3,470 4,206	1,905 2,381	780 1,049	223 324	33 71	15 13	163 139	
573 302	512 254	383 195	304 173	251 132	200 90	141 72	98 58	61 37	26 27	11 13	2 1		1		12 8	1
			1					1								2
																3
34 40 11 4	47 25 14 4	33 33 6	40 26 10 2	38 45 3 3	34 29 9 1	32 34 3 1	31 26 3 2	38 37 2 3	33 25 1 1	24 16 2 1	7 9 3		1 1	1	5 3	4
9 28 27 26	11 30 12 15	14 16 9 7	12 4 3 2	9 12 2 4	4 11 3 3	6 3 1 4	3 3 1 1	2 7	2 1	1 1	1 2					5
2 25 44 70 59	4 29 35 68 74	2 29 27 82 92	2 16 27 93 107	2 14 16 132 145	1 7 10 166 180	2 2 9 168 175	1 2 8 205 255	3 4 4 284 392	1 2 341 440	2 1 258 393	1 2 153 234	2 62 91	9 18	6 6	4 4	6
					1											11
																12
2 23 25	3 4 36 27 1	5 29 30 1	6 31 32 1	3 4 51 37 1	5 3 54 52	8 6 70 76	8 12 86 106	10 12 112 133	8 19 99 166	14 16 84 106	3 5 55 67	2 2 20 26	2 4 6		1 2 4	13
																14
																15
																16
1 56 30 3	1 32 33 1	2 95 42 1	1 91 50 3 2	1 77 50 4	1 81 48 2 1	2 91 60 3 1		79 58 82	64 52 1 5	44 36 2	20 18 2	8 8 2	1 3		2 2	17
																18
																19
41 42	69 38	49 41 2	85 32 2	80 45	81 37 1	79 28 2	54 28	51 18	35 25	19 17	16 10	3 5	1		2 2	20
																21
1 3	1 2 1 1	2 2 1 2	2 3 2	3 2	2 2	1 2	2	1 1								22
																23
45 15 2 2	51 17 2	55 12 4	30 9 1	41 11	37 17 2 1	23 9 1 1	16 6 3	9 6 3	1 2 2		1					24
																25
32 139	47 164	33 127	39 113 1	47 90	41 67	43 59	39 36	16 23	17 8	3 3	2				2 7	26
																27
6,466 4,701 5,915 4,191 184 147 81 57 130 191	6,428 3,922 5,908 3,504 195 110 71 54 103 160	5,761 2,950 5,317 2,610 161 70 54 36 113 132	4,640 2,172 4,241 1,889 117 62 40 31 105 106	3,853 1,679 3,523 1,481 79 38 32 20 99 85	2,905 1,388 2,658 1,185 47 25 22 11 78 102	2,139 1,217 1,960 1,046 27 22 15 15 72 81	1,460 966 1,272 839 27 15 8 5 4 60	929 777 821 667 9 8 4 3 4 54	515 465 448 396 8 3 1 3 23 34	188 205 170 169 1 3 5 11	48 16 7 49 1 3 1 4	9 3 5 3	6 3 5 3	1 2 1 2	71 57 60 50	28
																29
																30
																31
																32
																33
																34
																35
2	2		1			1	1	1								36
242 129 8	278 114 3	265 110 4	264 101 6	209 77 3	178 53 1	123 27 3	72 17 4	43 11 5	21 10 1	3 5 2	3 1	2			7 4	37
23	19	8	6	1	1	3	1	1	2	1	2					38

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
I.—General diseases—Continued.													
	Cancer and other malignant tumors (total).	21,282	21	20	33	27	17	118	70	54	86	147	222
	M.	31,138	28	22	28	16	25	119	52	38	88	147	365
	F.	1,878	1	1	1	1	2	3	4	6	5	3	12
39	Of the buccal cavity.....	392	2	1	1	1	2	3	4	2	5	4	3
	M.	10,122	2	2	3	4	1	13	7	4	6	15	57
	F.	9,767	5	5	4	1	3	18	5	2	11	20	72
40	Of the stomach, liver.....	2,903	1	3	2	3	2	11	10	9	13	31	53
	M.	3,842	3	2	3	1	3	12	7	1	6	29	52
	F.	8,152	1	1	1	1	1	3	2	5	6	47	134
42	Of the female genital organs.....	88	1	1	1	1	1	1	1	1	1	1	1
43	Of the breast.....	5,335	1	1	1	2	2	7	1	1	4	8	48
	M.	1,242	1	1	1	2	2	7	1	1	4	8	48
	F.	715	4	2	2	1	3	10	3	3	2	2	5
44	Of the skin.....	5,049	17	14	27	17	10	85	49	32	55	96	94
	M.	2,935	14	14	19	12	13	72	35	27	56	41	53
	F.	85	6	1	1	1	1	8	1	1	3	2	3
46	Other tumors (tumors of the female genital organs excepted).	251	4	1	2	1	1	9	3	1	3	4	7
47	Acute articular rheumatism.....	1,698	17	11	19	20	27	94	212	172	135	85	73
	M.	1,841	14	7	15	31	23	90	195	201	113	93	109
	F.	317	2	1	1	1	1	2	1	1	1	1	6
48	Chronic rheumatism and gout.....	494	1	1	1	1	1	1	2	2	3	2	2
	M.	53	28	6	2	1	1	38	2	2	3	3	5
	F.	39	23	6	2	1	1	32	1	1	1	1	2
49	Scurvy.....	4,952	11	16	13	16	18	74	79	118	169	184	187
	M.	5,714	6	6	15	18	10	55	100	146	105	113	128
	F.	101	1	1	1	1	1	1	1	2	11	3	5
51	Exophthalmic goiter.....	905	1	1	1	1	1	1	1	1	31	81	75
	M.	147	1	1	1	1	1	1	1	1	8	6	8
	F.	164	1	1	1	1	1	2	1	1	7	4	8
52	Addison's disease.....	747	16	12	17	15	12	72	41	35	35	52	55
	M.	558	11	10	10	8	8	44	24	22	36	40	51
	F.	1,505	98	15	8	11	5	140	30	17	26	32	33
54	Anemia, chlorosis.....	1,821	83	20	10	6	4	123	20	32	42	50	67
	M.	784	401	37	19	14	16	487	32	23	19	23	13
	F.	671	293	23	29	11	15	376	35	16	24	12	14
55	Other general diseases.....	2,881	1	1	1	1	1	1	1	1	6	50	172
	M.	376	1	1	1	1	1	1	2	1	1	13	33
	F.	148	1	1	1	1	1	1	1	1	2	6	13
56	Alcoholism (acute or chronic).....	1	1	1	1	1	1	1	1	1	1	1	2
	M.	9	1	1	1	1	1	1	1	1	1	1	2
	F.	1	1	1	1	1	1	1	1	1	1	1	2
57	Chronic lead poisoning.....	179	1	1	1	1	1	1	1	1	1	1	2
	M.	164	1	1	1	1	1	1	1	1	1	1	2
	F.	164	1	1	1	1	1	1	1	1	1	1	2
58	Other chronic occupation poisonings.....	179	1	1	1	1	1	1	1	1	1	1	2
	M.	164	1	1	1	1	1	1	1	1	1	1	2
	F.	164	1	1	1	1	1	1	1	1	1	1	2
59	Other chronic poisonings.....	164	1	1	1	1	1	1	1	1	1	1	2
	M.	164	1	1	1	1	1	1	1	1	1	1	2
	F.	164	1	1	1	1	1	1	1	1	1	1	2
II.—Diseases of the nervous system and of the organs of special sense.....													
	Males.....	87,614	5,655	1,561	811	500	353	8,880	1,242	747	971	1,041	1,275
	Females.....	46,853	3,228	866	433	267	194	4,988	662	422	558	602	736
	M.	40,761	2,427	695	378	233	159	3,892	580	325	413	439	539
	F.	422	58	16	12	10	4	100	27	14	18	25	33
60	Encephalitis.....	289	52	21	12	9	3	97	23	10	9	16	19
	M.	3,301	948	445	250	143	96	1,832	317	171	150	118	111
	F.	2,522	711	354	213	135	83	1,496	237	125	114	75	62
61	Meningitis (total).....	1,781	579	230	132	71	42	1,054	142	78	49	52	54
	M.	1,442	441	201	124	61	39	866	104	57	56	36	34
	F.	844	218	138	74	40	27	497	138	51	45	30	26
	M.	629	168	101	54	35	33	391	104	30	34	19	16
	F.	676	151	77	44	32	27	331	71	52	56	36	31
	M.	451	102	52	35	39	11	239	69	34	24	20	12
	F.	1,285	1	1	1	1	1	1	1	3	3	6	5
62	Locomotor ataxia.....	414	1	1	1	1	1	1	1	1	1	1	3
	M.	2,119	89	34	35	37	13	283	69	39	52	43	53
	F.	2,002	75	67	46	22	22	232	71	24	27	37	40
63	Other diseases of the spinal cord (total).....	397	73	69	31	31	16	220	53	30	19	12	12
	M.	323	57	61	42	19	17	196	50	16	9	13	4
	F.	1,722	16	15	4	6	2	43	16	9	33	31	41
	M.	1,679	18	6	4	3	5	36	21	8	18	24	36
	F.	26,212	108	33	13	7	9	170	30	26	52	93	165
64	Cerebral hemorrhage, apoplexy.....	25,060	88	25	8	11	4	136	26	21	44	80	116
	M.	604	1	1	1	1	1	1	1	1	1	1	2
	F.	544	1	1	1	1	1	1	1	1	1	1	2
65	Softening of the brain.....	3,077	28	10	6	5	2	51	10	7	14	10	19
	M.	3,305	14	8	6	4	1	33	5	7	12	17	14
	F.	3,405	14	8	6	4	1	33	5	7	12	17	14
66	Paralysis without specified cause.....	1,285	1	1	1	1	1	1	1	1	1	1	4
	M.	833	1	1	1	1	1	1	1	1	1	1	4
	F.	635	1	1	1	1	1	1	1	1	1	1	4
67	General paralysis of the insane.....	833	1	1	1	1	1	1	1	1	1	1	4
	M.	1,515	53	15	5	10	12	95	49	73	136	143	147
	F.	1,067	42	10	4	8	4	68	43	57	85	82	115
68	Other forms of mental alienation.....	40	1	1	1	1	1	1	1	1	1	1	2
	M.	78	1	1	1	1	1	1	1	1	1	1	2
	F.	1,947	1,695	161	53	22	16	1,947	26	3	8	10	4
70	Convulsions (nonpuerperal).....	1,473	1,255	143	41	20	14	1,473	7	3	6	7	7
	M.	44	5	1	1	1	1	4	5	3	18	4	7
	F.	80	2	1	1	1	1	4	7	14	18	7	7
71	Convulsions of infants.....	186	3	1	2	1	1	8	1	1	4	4	7
	M.	225	1	1	1	1	1	1	1	1	1	1	10
	F.	225	1	1	1	1	1	1	1	1	1	1	10

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY SEX AND AGE.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
323	566	967	1,502	2,323	2,741	3,071	3,134	2,754	1,757	966	352	94	9	4	22	39
741	1,553	2,358	3,130	3,808	3,922	3,838	3,646	3,139	2,276	1,247	476	131	25	4	35	
17	37	70	115	190	246	253	287	263	183	123	46	14	1	1	10	41
7	10	23	20	28	24	48	41	54	63	37	16	6	1	1	14	
113	264	458	758	1,248	1,421	1,590	1,566	1,300	788	386	96	22	6	1	1	43
133	284	439	722	1,037	1,233	1,415	1,472	1,298	939	469	141	33	6	1	1	
70	93	165	220	295	369	424	401	356	230	101	38	8	2	2	3	45
101	158	207	307	407	475	523	513	486	329	160	49	15	2	2	5	
311	652	977	1,134	1,240	1,108	879	668	474	298	139	49	15	3	3	8	47
2	3	5	7	14	8	13	14	10	7	2	1	1	1	1	7	
108	323	497	696	714	703	568	546	453	322	212	97	23	6	2	6	49
8	11	16	64	89	101	126	166	190	173	142	92	33	4	2	1	
5	5	17	18	47	36	65	66	96	115	112	73	30	6	3	1	51
113	158	253	338	487	596	665	700	635	376	212	79	16	4	1	1	
76	121	198	233	335	338	340	340	278	210	118	51	9	2	2	2	53
8	3	6	6	10	9	9	11	4	3	2	13	5	1	1	1	
61	91	101	92	83	91	108	74	96	63	37	23	5	1	1	2	55
79	104	78	91	83	91	108	108	110	86	49	36	14	3	2	3	
8	14	10	16	26	23	29	33	47	39	30	17	2	1	1	1	57
5	20	11	35	30	39	55	64	76	67	35	30	3	1	1	1	
1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	59
195	172	221	306	484	533	632	570	487	323	163	54	8	2	2	3	
138	156	210	328	590	714	788	860	680	374	168	58	8	2	2	3	61
14	7	12	10	10	11	7	6	2	1	1	3	1	1	1	1	
73	82	106	94	117	85	76	33	22	12	3	3	1	1	1	1	63
15	17	17	16	15	11	12	14	3	2	2	1	1	1	1	1	
10	12	20	21	21	10	16	18	5	5	2	1	1	1	1	1	65
36	52	56	44	60	57	48	54	24	11	2	5	2	4	4	1	
45	38	41	38	43	35	34	29	21	13	5	5	6	3	3	1	67
40	60	83	125	181	182	192	138	138	29	15	5	2	4	4	1	
36	101	105	162	187	187	226	177	128	73	30	15	6	3	3	1	69
14	21	15	13	15	13	22	20	20	10	15	6	3	1	1	1	
18	22	22	15	20	23	8	15	11	15	16	5	3	2	2	2	71
277	438	444	365	346	289	203	124	86	42	9	3	2	2	2	23	
51	76	71	50	29	19	13	7	6	6	1	1	1	1	1	1	73
12	9	25	13	17	16	17	8	8	6	1	1	1	1	1	1	
1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	75
19	9	24	17	13	10	9	17	10	3	4	1	1	2	1	1	
10	12	15	17	18	14	17	20	12	11	1	1	1	1	1	1	77
1,721	2,535	3,291	4,149	5,906	6,635	8,211	10,012	10,733	9,410	6,492	3,139	906	167	40	111	
1,037	1,538	1,956	2,288	3,313	3,711	4,476	5,360	5,559	4,689	3,076	1,365	364	81	10	62	79
684	997	1,335	1,861	2,593	2,924	3,735	4,632	5,174	4,721	3,416	1,774	542	86	30	49	
25	28	33	20	27	16	14	13	11	8	5	3	1	1	1	1	81
13	17	10	10	13	8	11	7	13	8	3	2	1	1	1	1	
39	107	76	83	49	52	31	20	17	15	8	3	1	1	1	1	83
58	47	46	52	40	32	22	23	20	8	6	3	1	5	5	1	
47	66	43	46	36	35	26	11	13	7	7	3	1	4	4	1	85
34	32	31	35	26	20	19	20	18	7	5	3	1	4	4	1	
18	21	12	19	5	5	5	5	4	4	1	1	1	1	1	1	87
11	8	7	8	8	8	2	2	2	1	1	1	1	1	1	1	
24	20	16	18	8	8	1	1	1	1	1	1	1	1	1	1	89
13	7	8	9	8	4	1	4	1	1	1	1	1	1	1	1	
34	59	108	135	215	192	133	157	102	57	19	6	1	2	2	1	91
16	23	31	38	50	62	61	54	44	18	6	3	2	2	2	2	
48	59	80	89	147	162	195	254	239	174	108	28	13	2	1	2	93
37	55	73	108	134	184	187	216	236	174	91	42	9	2	1	2	
6	10	5	4	6	7	5	5	3	2	2	2	2	2	2	2	95
42	49	75	85	141	157	190	249	236	172	108	28	13	2	1	2	
52	54	70	105	128	177	183	214	234	172	91	42	9	2	1	2	97
282	448	734	1,118	1,966	2,485	3,249	3,927	4,212	3,532	2,312	1,059	259	67	7	39	
212	377	647	1,196	1,764	2,072	2,826	3,506	3,932	3,634	2,615	1,341	407	59	18	31	99
7	6	6	12	17	26	57	98	114	111	89	33	18	2	2	1	
7	4	11	12	17	26	42	74	109	94	83	40	18	2	2	1	101
24	51	53	88	155	219	319	443	544	493	368	151	44	9	2	3	
24	48	84	100	175	209	302	437	537	518	429	250	74	12	8	10	103
250	445	524	465	427	310	209	212	157	175	89	38	13	3	7	7	
55	122	141	95	113	113	101	122	117	127	85	43	15	3	1	1	105
54	57	65	66	66	61	39	52	43	26	12	4	4	1	1	2	
70	65	76	86	98	74	63	70	48	29	20	6	5	2	2	2	107
138	138	111	81	96	79	65	62	40	32	14	9	1	2	6	6	
95	111	85	60	64	40	35	36	30	35	14	5	3	2	1	1	109
3	1	1	1	4	3	3	3	2	2	2	1	1	1	1	1	
7	6	2	2	3	1	1	1	1	1	2	1	1	1	1	1	111
1	2	2	2	2	1	5	2	3	3	1	1	1	1	1	1	
9	19	9	12	17	17	18	17	21	10	9	3	1	1	1	1	113
11	16	10	10	14	19	23	25	21	20	17	12	4	2	2	1	

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.					
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
74	Other diseases of the nervous system. M. 1,352	114	37	28	19	15	213	70	43	59	58	60						
	F. 1,074	71	33	18	11	11	144	40	32	38	43	41						
75	Diseases of the eyes and their annexa. M. 29	5	1	3	3	1	13	2			2							
	F. 30	4	2		1	2	9			2								
76	Diseases of the ears. M. 680	122	63	26	9	19	239	68	38	38	45	34						
	F. 480	113	32	29	11	12	197	52	26	29	22	21						
	III.—Diseases of the circulatory system.	123,901	1,151	206	143	155	160	1,815	1,281	1,513	1,565	1,799	2,273					
	Males.....	66,540	601	118	82	85	81	1,057	576	678	765	865	1,099					
	Females.....	57,361	460	88	61	70	79	758	705	835	800	934	1,174					
77	Pericarditis. M. 433	10	3	3	4	5	25	16	11	13	19	20						
	F. 370	5	3	2	1	6	17	15	11	12	19	16						
78	Acute endocarditis. M. 3,116	132	20	18	22	20	212	115	108	108	122	167						
	F. 2,830	101	16	14	21	20	172	175	167	117	165	176						
79	Organic diseases of the heart. M. 49,248	358	61	46	53	50	568	417	541	609	660	820						
	F. 44,340	238	47	35	42	51	413	494	640	641	671	865						
80	Angina pectoris. M. 3,007				1	1		6	2	2	10	20						
	F. 1,744	4					4	2	2	8	16	25						
81	Diseases of the arteries, atheroma, aneurism, etc. M. 8,886	2	1				3		2	6	16	32						
	F. 6,158	3	1				4	2	2	5	9	11						
82	Embolism and thrombosis. M. 1,280	30	3	1			34	10	7	10	25	29						
	F. 1,392	23	2	3	3	1	32	4	7	11	43	60						
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.). M. 177	2		1	2		5	2		6	6	3						
	F. 271	3		2			5	1	3	1	9	7						
84	Diseases of the lymphatic system (lymphangitis, etc.). M. 238	122	30	11	2	3	168	7	4	9	4	5						
	F. 139	65	19	5	3	1	93	9	2	3	1	4						
85	Hemorrhage; other diseases of the circulatory system. M. 155	35		2	1	2	40	3	3	2	3	3						
	F. 117	18					18	3	1	2	1	10						
	IV.—Diseases of the respiratory system.	104,086	25,093	8,403	3,090	1,602	962	39,150	2,169	1,033	1,588	2,116	2,434					
	Males.....	56,902	14,009	4,461	1,600	868	511	21,509	1,145	494	908	1,271	1,458					
	Females.....	47,184	11,024	3,942	1,490	734	451	17,641	1,024	539	680	845	976					
86	Diseases of the nasal fossae. M. 76	36	3	1	1		41	3			2	6	3					
	F. 51	20	3	2	1		26	4	2									
87	Diseases of the larynx. M. 476	103	60	53	37	28	281	60	5	6	5	11						
	F. 338	85	46	35	23	23	212	42	12	4	1	11						
88	Diseases of the thyroid body. M. 48	8		2			10		4	3	3	2						
	F. 291	6	1	1			8		4	16	12	2						
89	Acute bronchitis. M. 3,189	1,915	329	102	45	30	2,421	42	12	5	9	16						
	F. 3,207	1,543	315	118	57	26	2,059	34	11	13	12	14						
90	Chronic bronchitis. M. 2,355	45	16	7	4	2	74	25	4	14	19	27						
	F. 2,695	33	17	6	4		60	24	15	18	33	24						
91	Bronchopneumonia. M. 16,784	7,664	2,447	807	393	195	11,506	361	93	83	109	132						
	F. 15,369	5,989	2,213	755	347	216	9,520	344	108	88	112	121						
92	Pneumonia (total). M. 29,682	3,907	1,442	553	342	221	6,465	584	339	716	1,006	1,118						
	F. 21,969	3,018	1,239	505	271	170	5,203	517	342	484	586	688						
	Lobar pneumonia. M. 21,683	2,058	887	349	221	154	3,669	414	226	530	829	938						
	F. 15,228	1,559	755	332	167	113	2,926	351	242	352	457	543						
	Pneumonia (undefined). M. 7,999	1,849	555	204	121	67	2,796	170	113	186	177	180						
	F. 6,741	1,459	484	173	104	57	2,277	166	100	132	129	145						
93	Pleurisy. M. 1,455	74	115	63	35	21	308	45	21	55	61	81						
	F. 986	77	69	43	21	9	221	36	19	31	45	41						
94	Pulmonary congestion, pulmonary apoplexy. M. 1,001	250	34	5	7	5	301	16	5	5	12	16						
	F. 1,010	197	23	11	7	4	242	11	9	5	11	11						
95	Gangrene of the lung. M. 135			1	2		3		4	2	3	6						
	F. 59			1			2		3		2	7						
96	Asthma. M. 858	20	7	3	2	6	38	4			9	9						
	F. 776	20	5	4	3	1	33	7	3	5	12	12						
97	Pulmonary emphysema. M. 123	2					3	2	1	1	3	5						
	F. 71	3	3	1			7	1	1	3	1	1						
98	Other diseases of the respiratory system (tuberculosis excepted). M. 720	45	8	3	3		58	3	6	13	26	33						
	F. 362	33	8	6	1		48	4	10	13	18	25						
	V.—Diseases of the digestive system.	99,673	39,684	9,108	2,342	1,080	700	52,974	2,025	1,458	1,569	1,996	2,308					
	Males.....	54,147	22,167	4,933	1,266	572	387	29,345	1,046	824	882	1,029	1,163					
	Females.....	45,526	17,517	4,215	1,076	508	313	23,629	979	634	707	967	1,145					
99	Diseases of the mouth and annexa. M. 295	121	17	6	3	2	149	11	5	3	11	9						
	F. 227	87	13	7	4	4	115	16	5	5	4	8						
100	Diseases of the pharynx. M. 815	104	50	41	38	26	259	103	52	34	58	48						
	F. 661	57	23	44	48	21	193	98	55	36	41	34						
101	Diseases of the esophagus. M. 105	6	1	2	2	3	14	2	1	1	1	3						
	F. 46	1	2	3			10	2			1	1						
102	Ulcer of the stomach. M. 1,571	4	6	2			16	2	4	19	53	106						
	F. 1,110	6	5	1			14	9	5	28	53	81						
103	Other diseases of the stomach (cancer excepted). M. 4,007	1,430	146	79	41	25	1,731	68	23	20	38	69						
	F. 3,849	1,116	163	66	37	30	1,412	54	17	27	61	71						
104	Diarrhea and enteritis (under 2 years). M. 24,074	19,557	4,517				24,074											
	F. 19,458	15,623	3,835				19,458											
105	Diarrhea and enteritis (2 years and over). M. 4,378			978	350	191	1,519	256	79	44	60	88						
	F. 4,497			824	318	158	1,300	261	56	57	95	100						
106	Ankylostomiasis. M. 14			1			1	3	1	1	2	1						
	F. 18	1		1	2		4	4	4	2	1	1						

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
V.—Diseases of the digestive system—Continued.													
107	Intestinal parasites.....	M. 55 F. 60	4 3	6 10	12 20	5 2	3 6	30 41	6 8	1 1	5 1	1 1	1 1
108	Appendicitis and typhlitis.....	M. 4,762 F. 3,337	17 9	21 16	30 19	51 34	62 41	181 119	374 362	489 371	586 382	520 339	452 324
109	Hernia, intestinal obstruction (total).....	M. 3,973 F. 3,733	651 394	124 78	56 45	47 29	33 23	191 569	108 59	65 38	86 46	120 99	109 139
	Hernia.....	M. 1,432 F. 1,214	137 49	17 2	7 4	3 4	4 4	164 55	6 6	4 3	11 7	27 9	22 13
	Intestinal obstruction.....	M. 2,541 F. 2,519	514 345	107 76	49 45	44 29	33 19	747 514	97 59	61 35	75 46	93 90	87 126
110	Other diseases of the intestines.....	M. 989 F. 960	101 82	24 21	12 12	8 8	7 5	152 128	24 19	17 13	22 19	34 40	42 55
111	Acute yellow atrophy of the liver.....	M. 127 F. 183	16 12	2 2	2 1	1 1	4 4	16 17	3 3	2 1	4 6	8 23	6 22
112	Hydatid tumor of the liver.....	M. 13 F. 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
113	Cirrhosis of the liver.....	M. 5,845 F. 2,681	6 8	5 5	5 2	5 3	3 3	24 18	14 3	13 11	14 13	18 23	76 56
114	Biliary calculi.....	M. 601 F. 1,548	1 1	1 1	1 1	1 1	1 1	1 1	2 2	1 1	5 2	5 22	9 39
115	Other diseases of the liver.....	M. 1,489 F. 1,765	71 47	15 17	21 13	5 8	12 5	124 90	24 22	21 15	19 21	45 38	59 73
116	Diseases of the spleen.....	M. 75 F. 69	2 3	1 2	1 1	1 1	1 5	4 3	1 3	1 2	4 4	6 5	1 3
117	Simple peritonitis (nonpuerperal).....	M. 753 F. 1,095	76 62	19 21	19 17	15 11	10 11	139 127	50 52	47 34	44 73	35 111	43 117
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	M. 256 F. 218	1 4	1 2	1 2	2 2	2 8	7 8	3 2	3 3	5 2	12 11	16 19
VI.—Nonvenereal diseases of the genito-urinary system and annexa													
	Males.....	43,263	540	144	123	97	79	988	261	201	353	507	761
	Females.....	34,760	315	159	81	81	72	708	262	260	478	945	1,294
119	Acute nephritis.....	M. 3,198 F. 2,719	221 135	71 70	74 43	55 45	47 41	468 334	116 126	70 78	95 120	115 163	167 194
120	Bright's disease.....	M. 34,643 F. 26,990	153 94	64 66	48 34	37 34	27 28	329 256	129 126	123 157	231 246	339 407	530 615
121	Chyluria.....	M. 2 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
122	Other diseases of the kidneys and annexa.....	M. 899 F. 640	95 62	4 14	2 3	1 1	2 1	104 81	8 9	4 9	17 14	25 24	25 34
123	Calculi of the urinary passages.....	M. 306 F. 136	2 1	2 1	2 1	2 1	2 2	2 2	1 1	1 1	4 1	7 4	11 7
124	Diseases of the bladder.....	M. 1,198 F. 253	20 12	2 4	3 1	4 1	3 1	32 18	7 2	4 2	7 3	13 3	13 3
125	Diseases of the urethra, urinary abscess, etc.....	M. 253 F. 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
126	Diseases of the prostate.....	M. 2,671	13	1	1	1	1	1	1	1	1	1	1
127	Nonvenereal diseases of the male genital organs.....	M. 91 F. 47	44 3	3 1	1 1	1 1	1 1	48 48	2 1	2 7	2 1	3 3	3 3
129	Uterine tumor (noncancerous).....	F. 1,198	2	2	2	2	2	2	2	2	2	2	2
130	Other diseases of the uterus.....	F. 720	1	1	1	1	1	1	1	1	1	1	1
131	Cysts and other tumors of the ovary.....	F. 592	1	1	1	1	1	1	1	1	1	1	1
132	Salpingitis and other diseases of the female genital organs.....	F. 1,414	6	2	2	2	2	2	2	2	2	2	2
133	Nonpuerperal diseases of the breast (cancer excepted).....	M. 7 F. 37	4 5	4 1	4 1	4 1	4 1	4 6	4 6	4 6	4 6	4 6	4 6
VII.—The puerperal state.....													
	Males.....	10,518	607	44	23	16	16	706	32	24	45	55	55
	Females.....	1,776 1,281	331 276	17 27	11 12	7 9	11 5	377 329	16 16	17 7	27 18	32 23	38 17
134	Accidents of pregnancy.....	F. 902	1	1	1	1	1	1	1	1	1	1	1
135	Puerperal hemorrhage.....	F. 1,000	1	1	1	1	1	1	1	1	1	1	1
136	Other accidents of labor.....	F. 926	3	3	3	3	3	3	3	3	3	3	3
137	Puerperal septicemia.....	F. 4,664	7	7	7	7	7	7	7	7	7	7	7
138	Puerperal albuminuria and convulsions.....	F. 2,617	5	5	5	5	5	5	5	5	5	5	5
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	F. 378	18	18	18	18	18	18	18	18	18	18	18
140	Following childbirth (not otherwise defined).....	F. 27	1	1	1	1	1	1	1	1	1	1	1
141	Puerperal diseases of the breast.....	F. 4	1	1	1	1	1	1	1	1	1	1	1
VIII.—Diseases of the skin and of the cellular tissue.....													
	Males.....	3,057	607	44	23	16	16	706	32	24	45	55	55
	Females.....	1,776 1,281	331 276	17 27	11 12	7 9	11 5	377 329	16 16	17 7	27 18	32 23	38 17
142	Gangrene.....	M. 819 F. 623	21 13	4 3	6 6	3 4	5 4	39 30	8 5	5 2	3 3	3 2	5 2
143	Furuncle.....	M. 253 F. 118	38 34	3 6	4 1	4 1	4 5	38 41	2 2	2 1	8 4	7 6	7 4
144	Acute abscess.....	M. 388 F. 212	112 90	10 11	2 2	4 2	5 1	133 106	5 6	7 3	14 6	18 7	22 9
145	Other diseases of the skin and annexa.....	M. 316 F. 328	160 139	3 7	3 3	3 3	1 3	167 152	3 3	3 1	2 5	4 8	4 2

CAUSES OF DEATH, BY SEX AND AGE.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Death at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1	3	1	1	3	3		1	1	2						1	107
2	2			1											4	108
376	354	342	295	252	212	131	106	58	29	12	7	1	1		3	109
275	235	195	190	164	118	107	67	48	24	19	10	5			1	110
130	136	161	219	243	254	304	287	310	251	179	82	21	1		1	111
162	212	204	231	284	263	315	302	315	242	171	60	19	1	1	1	112
44	46	67	106	108	117	147	145	148	119	90	47	13	1			113
26	55	64	116	148	135	169	140	123	88	49	17	4				114
86	90	94	113	135	137	157	142	162	132	89	35	8				115
136	157	140	115	136	128	146	162	192	154	122	43	15	1	1	1	116
46	42	58	47	65	63	63	56	58	48	52	39	9	2			117
69	60	44	47	45	60	55	53	75	74	54	32	15	1			118
10	8	6	9	4	9	9	7	11	12	5					1	119
20	13	10	11	8	8	13	6	7	7	7	1					120
1	1			4	1	1		1	1	1						121
227	371	523	659	849	716	708	638	501	302	147	32	4	3		6	122
89	168	227	260	293	257	270	329	278	209	112	49	9	1	3	3	123
20	38	35	64	72	72	101	57	38	49	28	8	3				124
64	75	106	166	180	218	191	156	155	93	49	18	3	1		3	125
70	115	101	107	143	108	126	132	117	81	57	29	8	1		2	126
84	109	87	132	165	169	143	190	149	144	79	40	12	3			127
7	5	5	6	8	6	5	11	4	4						1	128
4	3	6	8	3	7	8	1	2	4	1						129
49	34	40	36	41	39	44	37	30	26	13	4	1			1	130
103	90	69	56	53	28	42	36	43	26	21	8	3			3	131
21	33	28	29	32	24	12	9	10	8	4		3				132
9	23	21	15	28	27	22	13	7	4	3	1					133
2,694	3,654	4,484	5,160	6,403	6,822	7,778	8,714	9,037	7,736	5,093	2,486	691	143	30	80	
1,079	1,611	2,059	2,648	3,576	4,021	4,694	5,271	5,446	4,657	3,088	1,482	414	81	16	49	134
1,615	2,043	2,425	2,512	2,827	2,801	3,084	3,443	3,591	3,079	2,005	1,004	277	62	14	31	135
177	232	242	245	246	196	191	175	175	124	90	45	15	4	1	4	136
183	199	192	167	167	159	155	132	121	120	58	35	13	3			137
814	1,253	1,698	2,231	3,132	3,541	4,046	4,427	4,380	3,642	2,338	1,054	291	60	15	40	138
825	1,183	1,599	1,775	2,282	2,405	2,751	3,140	3,325	2,800	1,846	908	246	58	14	26	139
27	54	46	45	58	50	69	86	100	85	58	24	12	1		1	140
41	51	45	43	36	51	41	40	34	44	29	11	3				141
18	19	14	26	29	29	29	33	36	32	9	4	1			1	142
11	16	6	16	10	15	15	11	7	6	4	4					143
14	17	17	25	30	41	64	127	169	228	210	137	46	10			144
10	14	6	9	20	7	14	15	25	34	33	27	12	1			145
18	22	30	32	22	27	31	16	13	9	10	3					146
2	2	10	1	1	1	2	2	1	1							147
7	14	2	39	56	136	255	402	566	535	373	213	49	6		3	148
4		2	4	3	1	8	4	7	2		1					149
6	7	5	6	3	2	2			1	1	2					150
108	165	247	251	149	62	44	40	34	28	15	5					151
84	102	90	72	57	33	19	16	16	12	3	3				2	152
46	68	68	68	52	46	33	41	26	29	13	7	2			1	153
292	236	162	103	48	16	6	5	2	4	3	1				2	154
7	2	3	1	1	4	4	1		1		1	1				155
2,162	1,801	742	103	4	1										16	
216	193	65	16	1											2	156
230	244	120	12	1	1										1	157
206	176	100	17												2	158
912	668	248	33	1											7	159
487	436	187	17	1											4	160
104	79	21	8													161
6	5	1														162
1																163
57	73	85	109	124	129	137	215	269	324	312	191	84	25	4	2	164
36	51	56	68	84	83	87	126	164	193	173	96	43	7	2		165
21	22	29	41	40	46	50	89	105	131	139	95	41	18	2	2	166
7	8	21	17	20	33	40	73	123	140	146	84	39	5			167
5	6	12	14	12	27	28	60	75	105	115	75	31	12			168
10	9	12	20	36	16	14	22	22	20	5	5				1	169
1	6	5	4	8	6	11	6	5	1	2	3				1	170
16	23	18	24	18	26	17	13	9	18	5	2					171
4	6	6	14	6	1	5	9	5	8	5	5					172
3	11	5	7	10	8	16	18	10	15	17	4				2	173
11	4	6	9	14	12	6	14	20	17	17	12	8	6	1		174

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int- List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	IX.—Diseases of the bones and of the organs of locomotion.....	1,697	137	62	47	34	33	313	153	161	108	107	89
	Males.....	1,016	69	41	25	15	16	166	84	100	75	66	64
	Females.....	681	68	21	22	19	17	147	69	61	33	41	25
146	Diseases of the bones (tuberculosis ex- cepted). (M.....)	898	66	38	24	14	15	157	80	92	70	64	55
	(F.....)	580	59	20	19	17	17	132	65	56	33	36	19
147	Diseases of the joints (tuberculosis and rheumatism excepted). (M.....)	79	3	2	1	1	1	6	2	5	4	2	7
	(F.....)	73	9	1	3	1	1	14	4	3	3	4	5
148	Amputations..... (M.....)	2											
	(F.....)	3										1	
149	Other diseases of the organs of locomo- tion. (M.....)	37		1			1	3	2	3	1		2
	(F.....)	25					1	1	2	2			1
	X.—Malformations.....	10,314	9,663	271	91	61	38	10,124	88	32	30	15	13
	Males.....	5,813	5,464	141	47	39	22	5,713	43	18	16	8	8
	Females.....	4,501	4,199	130	44	22	16	4,411	45	14	14	7	5
150	Congenital malformations (stillbirths not included) (total). (M.....)	5,813	5,464	141	47	39	22	5,713	43	18	16	8	8
	(F.....)	4,501	4,199	130	44	22	16	4,411	45	14	14	7	5
	Hydrocephalus..... (M.....)	451	329	58	19	11	8	425	14	2	4	4	1
	(F.....)	409	298	56	16	10	4	384	15	4	3	1	
	Congenital malformations of the heart. (M.....)	3,600	3,455	51	21	16	6	3,549	18	13	9	4	3
	(F.....)	2,604	2,490	39	20	5	8	2,562	16	9	9	3	3
	Other congenital malformations..... (M.....)	1,762	1,680	32	7	12	8	1,739	11	3	3		4
	(F.....)	1,483	1,411	35	8	7	4	1,465	14	1	2	3	2
	XI.—Early infancy.....	52,535	52,535					52,535					
	Males.....	29,915	29,915					29,915					
	Females.....	22,620	22,620					22,620					
151	Congenital debility, icterus, and scler- ema (total). (M.....)	23,642	23,642					23,642					
	(F.....)	18,367	18,367					18,367					
	Premature birth..... (M.....)	15,881	15,881					15,881					
	(F.....)	12,389	12,389					12,389					
	Congenital debility, "atrophy," "marasmus," etc. (M.....)	7,761	7,761					7,761					
	(F.....)	5,978	5,978					5,978					
152	Other causes peculiar to early infancy (total). (M.....)	6,141	6,141					6,141					
	(F.....)	4,139	4,139					4,139					
	Injuries at birth..... (M.....)	3,563	3,563					3,563					
	(F.....)	2,153	2,153					2,153					
	Other causes peculiar to early in- fancy. ¹ (M.....)	2,578	2,578					2,578					
	(F.....)	1,986	1,986					1,986					
153	Lack of care..... (M.....)	132	132					132					
	(F.....)	114	114					114					
	XII.—Old age.....	13,033											
	Males.....	5,732											
	Females.....	7,301											
154	Senility..... (M.....)	5,732											
	(F.....)	7,301											
	XIII.—External causes.....	67,550	1,926	1,421	1,314	1,065	917	6,643	2,769	2,153	3,665	5,965	6,084
	Males.....	51,701	1,058	816	766	587	504	3,731	1,847	1,762	2,883	4,926	5,186
	Females.....	15,849	868	605	548	478	413	2,912	922	391	782	1,039	898
	Suicide (total)..... (M.....)	8,366								19	176	622	798
	(F.....)	2,567								14	246	354	311
155	By poison..... (M.....)	1,896								1	41	168	228
	(F.....)	1,104								7	162	218	163
156	By asphyxia..... (M.....)	965								1	14	59	77
	(F.....)	454								3	22	35	58
157	By hanging or strangulation..... (M.....)	1,261								7	27	48	63
	(F.....)	291									8	9	26
158	By drowning..... (M.....)	385								1	3	19	30
	(F.....)	234									11	21	11
159	By firearms..... (M.....)	3,010								8	83	288	345
	(F.....)	276								4	32	50	31
160	By cutting or piercing instruments. (M.....)	577									4	18	30
	(F.....)	81									1	6	8
161	By jumping from high places..... (M.....)	147									2	10	11
	(F.....)	78									6	12	7
162	By crushing..... (M.....)	77									2	11	13
	(F.....)	12										3	3
163	Other suicides..... (M.....)	48								1		1	1
	(F.....)	37									4	3	2

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY SEX AND AGE.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
66	83	76	82	88	84	65	66	60	43	28	18	5	1	1		
38 28	61 22	52 24	50 32	55 33	57 27	35 30	38 28	30 30	24 19	14 14	5 13	2 3	1	1		
35 20 2 6	55 19 5 1 1	46 20 3 4	42 30 5 2	46 29 7 2	46 23 8 3	30 21 3 4	29 23 7 2	28 19 2 1	15 13 6 4	7 10 5 3	5 9 2 4	1 2 1	1	1	146	
1 2	2	3	3	2 2	3 1	1 2 4	2 3	4 5	1 3 1	2 1		1			147	
4	1	3	1	1											148	
3 1	1	1 2	1	1											149	
3 1	1	1 2 1 1	1	1											150	
2	1	1	1	1												
1 1				1												
															151	
															152	
															153	
		1	2	15	45	192	429	1,398	2,309	3,563	2,859	1,527	498	174	16	
		1	1	2	21	78	197	670	1,037	1,604	1,227	638	185	65	7	
			1	13	24	114	232	728	1,272	1,964	1,632	889	313	109	9	
			1	2	21	78	197	670	1,037	1,604	1,227	638	185	65	7	
		1	1	13	24	114	232	728	1,272	1,964	1,632	889	313	109	9	154
5,463	5,516	4,757	4,555	4,028	3,371	2,914	2,428	2,087	1,833	1,515	947	355	90	22	390	
4,656 807	4,715 801	4,105 632	3,911 644	3,393 635	2,771 600	2,297 617	1,762 666	1,330 757	984 869	616 899	352 595	114 241	27 63	9 13	344 46	
840	890	842	923	927	751	605	415	271	163	63	28	5	1	1	26	
292	284	202	194	202	176	114	76	51	27	12	4	1			7	
220	224	193	225	184	145	112	70	47	19	11	2	1			5	
132	110	72	54	51	49	33	22	18	6	3	1				3	
60	108	106	114	118	118	81	67	25	12	4	1					
58	55	41	48	51	31	19	16	11	3	2	1					
90	113	119	154	162	132	121	79	66	51	17	5	2	1		4	
17	24	27	29	44	40	29	16	9	9	2	1				1	
30	37	34	42	58	34	34	17	20	14	6	4				2	
24	34	16	24	27	23	15	12	7	5	2	1				1	
325	300	285	291	314	251	206	145	77	49	18	13				12	
35	40	25	25	12	14	4	1		1						2	
76	71	73	67	66	50	37	32	26	14	5	3				2	
6	9	9	8	8	7	7	6	2	2	1						
21	21	13	20	13	14	10	3	4	4	1						
11	9	8	4	4	7	6	1	2								
14	11	10	5	6	1	3	1	1								
2	5	1	3	3	2	1	1									
4	8	9	5	6	6	1	2	5	1	1						
7	3	3	2	2	3	2	2	2	1	1						

MORTALITY STATISTICS.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
XIII.—External causes—Continued.													
	Accidental or undefined (total).....	M. 39,447	975	812	764	582	501	3,634	1,830	1,711	2,496	3,652	3,648
	F. 12,323	820	601	542	474	409	2,846	904	355	436	524	428	
164	Poisoning by food.....	M. 363	54	26	21	16	17	134	26	11	11	15	15
	F. 326	41	25	32	10	17	125	21	11	15	21	12	
165	Other acute poisonings.....	M. 897	65	121	73	27	24	310	32	13	23	44	69
	F. 641	59	101	57	26	12	255	22	10	25	67	59	
166	Conflagration.....	M. 700	32	17	21	25	20	115	42	12	18	36	42
	F. 329	15	17	12	25	18	87	27	8	5	20	19	
167	Burns (conflagration excepted).....	M. 2,192	111	321	373	249	163	1,217	171	39	32	78	75
	F. 2,829	95	226	269	275	231	1,096	382	87	116	103	96	
168	Absorption of deleterious gases (conflagration excepted).....	M. 1,736	381	8	12	3	411	23	26	39	116	136	
	F. 862	353	9	1	2	4	369	18	12	26	47	35	
169	Accidental drowning.....	M. 5,161	23	91	71	62	62	309	417	524	682	695	490
	F. 542	16	66	33	19	13	147	43	43	55	65	39	
170	Traumatism by firearms.....	M. 1,368	4	7	12	6	15	44	111	224	273	194	135
	F. 211	3	3	6	6	6	24	43	23	26	23	18	
171	Traumatism by cutting or piercing instruments.....	M. 105	1	1	1	1	1	5	6	9	6	12	16
	F. 18							3	6	6		3	
172	Traumatism by fall.....	M. 6,047	76	90	85	50	34	335	168	160	154	266	306
	F. 3,857	74	59	40	34	37	244	73	38	22	34	39	
173	Traumatism in mines and quarries (total).....	M. 2,186				1		1	4	4	169	329	377
	F. 4							1			1	1	
	Traumatism in mines.....	M. 2,059				1		1	4	4	164	316	366
	F. 3							1			5	13	11
	Traumatism in quarries.....	M. 127											
	F. 1												
174	Traumatism by machines.....	M. 1,264			3	3	7	13	18	17	113	146	190
	F. 41			1		1	1	2	4	4	5	5	4
175	Traumatism by other crushing (total).....	M. 12,722	37	43	63	92	125	360	663	507	718	1,308	1,380
	F. 1,711	16	27	52	54	56	205	206	83	113	113	85	
	Railroad accidents and injuries.....	M. 6,582	3	12	7	10	8	40	109	138	388	853	872
	F. 480	2	7	8	4	5	5	26	33	30	34	41	30
	Street-car accidents and injuries.....	M. 1,377	2	9	12	24	19	66	66	56	64	98	134
	F. 296	2	7	9	10	12	40	30	4	20	13	13	
	Automobile accidents and injuries.....	M. 2,237	8	3	13	23	45	92	307	218	131	176	161
	F. 589	2	4	14	20	25	65	92	36	35	47	32	
	Injuries by other vehicles.....	M. 2,090	21	19	30	33	51	154	169	88	111	130	140
	F. 328	7	9	20	18	14	68	48	13	23	11	7	
	Landslide, other crushing.....	M. 436	3		1	2	2	8	12	7	24	46	73
	F. 18	3		1	2		6	3		1	1	3	
176	Injuries by animals.....	M. 496	2	5	1	8	3	19	42	28	37	23	34
	F. 54	3		8	3	2	16	12	2	1			
177	Starvation.....	M. 33	8	2	1			11					
	F. 24	11	1					13	1				
178	Excessive cold.....	M. 339	5					5	3	3	6	13	16
	F. 73	4						4		1	1	2	2
179	Effects of heat.....	M. 566	63	9	5	1	3	81	9	7	7	21	29
	F. 191	53	9	3			2	67		3	1	4	9
180	Lightning.....	M. 253		2	1		2	5	6	18	39	39	29
	F. 34				1			5	5	4	7	5	3
181	Electricity (lightning excepted).....	M. 543			1		1	2	10	15	47	111	101
	F. 10							1	1	1	3	2	
185	Fractures (cause not specified).....	M. 243	2	2	1	1	2	8	1	5	2	14	15
	F. 175	1		1				2	2	3	3	1	1
186	Other external violence.....	M. 2,233	111	67	24	23	19	249	78	88	120	197	193
	F. 391	76	58	27	18	9	188	40	16	11	9	6	
	Homicide (total).....	M. 3,888	83	4	2	5	3	97	17	32	211	652	740
	F. 959	48	4	6	4	4	66	18	22	100	161	159	
182	By firearms.....	M. 2,527	3	1	1	1	1	6	9	17	154	467	517
	F. 550	1	3	2			7	8	14	61	97	107	
183	By cutting or piercing instruments.....	M. 567	3	1		1		5	1	6	30	108	133
	F. 126	3	1				4	2	2	11	20	20	
184	By other means.....	M. 794	77	2	1	3	3	86	7	9	27	77	90
	F. 283	44		4	4	3	55	8	6	28	44	32	
	XIV.—Ill-defined diseases.....	7,964	2,064	668	172	70	47	3,921	118	45	85	128	132
	Males.....	4,467	1,628	356	98	36	23	2,141	62	20	41	68	79
	Females.....	3,497	1,336	312	74	34	24	1,780	56	25	44	60	53
187	Ill-defined organic disease.....	M. 245	6	2	2	2	1	13	3		2	5	4
	F. 281	5	1	1	1			8	1	2	4	8	6
188	Sudden death.....	M. 297	68	6	5	1		80	2		3	4	5
	F. 216	69	3	2	1		2	77	3		3	2	5
189	Not specified or ill-defined (total).....	M. 3,925	1,554	348	91	33	22	2,048	57	20	36	59	70
	F. 3,000	1,262	308	71	32	22	1,695	52	21	37	50	42	
	Ill-defined.....	M. 1,755	313	269	61	18	11	672	29	5	15	22	28
	F. 1,312	238	243	50	20	12	563	28	8	15	22	21	
	Not specified or unknown.....	M. 2,170	1,241	79	30	15	11	1,376	28	15	21	37	42
	F. 1,688	1,024	65	21	12	10	1,132	24	13	22	28	21	

CAUSES OF DEATH, BY SEX AND AGE.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3,243	3,313	2,922	2,736	2,300	1,909	1,617	1,306	1,041	790	550	322	109	26	8	284	164
389	412	377	406	407	408	493	584	701	836	885	589	240	63	13	27	
12	14	15	20	16	15	15	14	13	10	3	4				1	165
20	18	8	12	7	10	14	9	11	4	4	3				2	
57	67	56	62	37	38	25	23	18	9	5	2				10	166
37	40	21	23	22	11	8	13	5	7	2					7	
52	50	55	54	45	35	33	26	28	23	10	3	3	2	1	10	167
12	15	13	15	12	16	16	18	17	12	11	4	1	1	1	7	
95	88	81	53	46	43	31	40	32	27	23	8	2	1	3	1	168
93	79	88	72	91	71	73	79	76	88	76	35	15	6		1	
125	113	119	123	110	115	91	70	43	39	22	14				1	169
28	26	32	42	41	31	38	33	31	28	12	11	2			69	
354	385	311	294	204	145	105	78	48	31	15	4	1			1	170
34	26	17	18	11	11	7	10	5	3	5	2				1	
86	88	62	35	37	28	17	13	8	2	1	1				7	171
14	13	5	8	5	1	5	5	3							1	
4	3	12	3	6	3	6	7	2	2			1			1	172
415	405	490	478	429	379	385	337	367	337	307	213	86	17	3	10	
54	67	74	74	93	119	192	272	425	591	695	487	198	51	12	3	173
304	319	215	196	106	76	47	24	5							10	
	1															174
289	296	197	179	95	69	42	23	5							9	
15	23	18	17	11	7	5	1								1	175
135	135	127	106	94	71	44	34	12	7						2	
3	3	1	1	3	1	1	3	2								176
1,223	1,232	1,015	970	861	683	573	434	328	195	97	39	5	2		134	
74	90	93	107	94	102	97	96	69	37	23	9	3			12	177
786	759	563	525	453	297	246	187	118	69	41	12	3	1		122	
22	27	32	36	37	30	27	28	18	9	6	3				11	178
118	122	104	100	105	89	96	53	42	37	16	3				3	
14	10	15	13	19	26	24	18	15	15	4	2					179
147	162	146	137	142	124	87	76	70	32	15	8				4	
27	38	32	30	28	29	31	27	20	9	10	1		1			180
115	138	160	160	141	150	129	109	95	56	25	16				3	
11	13	14	27	10	17	15	22	16	4	3	4				1	181
57	51	42	48	20	23	15	1	3	1						2	
																182
25	33	28	31	34	40	44	23	32	13	6	4					
	2	2	3	1	3	5	5	1	2							183
	1	1	4	1	3	2	2	3	3							
	1	2	1	1	1	1	1	1	1							184
21	33	25	29	27	36	33	33	20	14	10	5	2			5	
1	3	3	4	5	8	6	8	7	9	5	3					185
27	54	47	42	41	37	42	42	22	23	20	10				4	
2	6	5	3	7	2	10	12	16	16	12	9		2	1		186
30	15	21	12	12	11	4	4	6	1	1						187
2	2	1	1	1	1	3	3	1	1							
85	60	48	28	12	15	6	2	1								188
	2	1														
15	16	23	11	26	23	18	14	10	11	14	8	3			3	189
4	2	2	5	1	8	13	12	24	26	29	19	15	3		19	
173	201	171	185	156	115	95	81	43	43	16	7	2			3	190
11	14	10	13	13	12	10	10	8	9	4	4				19	
																191
573	512	341	252	166	111	75	41	18	11	3	2				34	
126	105	73	44	26	16	10	6	5	2	2	2				12	192
373	348	214	160	102	64	44	16	11	1	1	1				18	
68	70	47	29	18	9	9	4	2	1	1					2	193
98	68	40	23	24	10	5	6	1	1	1					3	
17	15	16	7	4	4	4	4	1	1	1					4	194
102	96	87	64	40	37	26	19	7	1	1	1				13	
41	20	10	8	6	3	5	2	2	2	1	2				6	
145	204	212	233	200	330	389	432	377	331	252	145	59	12	14	110	
72	107	126	148	203	199	228	259	218	182	135	61	31	7	5	75	195
73	97	86	85	87	131	161	173	159	149	117	84	28	5	9	35	
3	1	6	11	14	10	23	33	34	34	29	13	3	1	2	1	196
10	6	12	10	13	24	21	34	32	32	35	18	1	2	1	1	
7	10	16	9	18	29	22	25	25	16	17	4	2			3	197
2	8	5	10	6	10	17	15	12	15	10	9				4	
62	96	104	128	171	160	183	201	159	132	89	44	26	6	3	71	198
61	83	69	65	68	97	123	124	115	102	72	44	27	3	7	30	
28	55	59	74	115	105	117	127	97	96	57	20	14	1		19	199
31	49	44	38	41	67	83	89	70	64	39	27	9			4	
34	41	45	54	56	55	66	74	62	36	32	24	12	5	3	52	200
30	34	25	27	27	30	40	35	45	38	33	30	18	3	7	26	

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	All causes	824,319	142,946	27,876	12,253	7,808	5,838	106,721	17,707	11,452	18,112	28,150	30,797
	Males	452,272	80,454	14,887	6,456	4,241	3,056	109,094	9,405	6,158	9,533	15,102	16,831
	Females	372,047	62,492	12,989	5,797	3,567	2,782	87,627	8,302	5,294	8,579	13,048	13,966
	I.—General diseases	214,239	13,020	7,731	4,820	3,459	2,781	31,811	8,079	4,411	8,032	13,300	14,002
	Males	111,187	6,955	3,991	2,428	1,865	1,391	16,630	4,045	1,954	3,685	6,839	7,589
	Females	103,052	6,065	3,740	2,392	1,594	1,390	15,181	4,034	2,457	4,347	6,461	6,413
1	Typhoid fever	(M. 5,427 F. 3,553)	26	43	73	65	49	256	278	308	640	863	719
2	Typhus fever	(M. 3 F. 3)	26	48	53	59	62	248	291	354	558	502	368
3	Relapsing fever	(M. 1 F. 1)											
4	Malaria	(M. 533 F. 446)	55	32	18	14	13	132	26	14	20	28	24
5	Smallpox	(M. 95 F. 67)	18	4	2			28	3	1	7	6	4
6	Measles	(M. 2,171 F. 2,095)	544	740	259	134	107	1,784	183	49	38	28	19
7	Scarlet fever	(M. 2,170 F. 2,118)	104	278	286	262	218	1,148	623	171	83	53	35
8	Whooping cough	(M. 2,591 F. 3,150)	1,635	539	177	98	43	2,492	74	9	2		
9	Diphtheria and croup	(M. 5,841 F. 5,577)	482	1,014	868	795	593	3,752	1,472	260	104	53	44
10	Influenza	(M. 2,452 F. 2,980)	255	54	34	14	14	371	34	24	42	42	42
11	Miliary fever	(M. 1 F. 1)											
12	Asiatic cholera	(M. 1 F. 1)											
13	Cholera nostras	(M. 148 F. 187)	41	7	5	4	4	61	8	4		2	1
14	Dysentery	(M. 1,305 F. 1,308)	253	190	85	34	12	574	31	6	4	12	21
15	Plague	(M. 2 F. 1)											
16	Yellow fever	(M. 8 F. 2)										3	
18	Erysipelas	(M. 1,363 F. 1,041)	366	30	9	4	2	411	8	6	17	31	33
19	Other epidemic diseases	(M. 155 F. 115)	59	20	15	6	8	108	17	2	2	4	2
20	Purulent infection and septicemia	(M. 983 F. 621)	108	17	15	12	7	159	40	37	41	50	46
21	Glanders	(M. 10 F. 10)										2	1
22	Anthrax	(M. 12 F. 5)	1					1					1
23	Rabies	(M. 43 F. 14)	1		1	2	2	6	8	7	1	3	4
24	Tetanus	(M. 755 F. 292)	141	11	3	9	14	178	110	80	50	42	36
25	Mycoses	(M. 22 F. 5)											
26	Pellagra	(M. 283 F. 575)	2	1	1		1	5	5		5	6	7
27	Beriberi	(M. 1 F. 1)		2		1		4	2	4	15	32	40
28	Tuberculosis (total)	(M. 48,288 F. 34,955)	1,248	785	446	290	201	2,970	651	520	2,101	4,960	5,661
29	Tuberculosis of the lungs	(M. 41,108 F. 28,594)	356	161	79	44	39	679	152	243	1,712	4,416	5,131
30	Acute miliary tuberculosis	(M. 1,132 F. 1,132)	42	27	14	8	11	106	30	27	102	189	173
31	Tuberculous meningitis	(M. 2,703 F. 2,298)	613	480	265	194	109	1,651	314	126	102	115	87
32	Abdominal tuberculosis	(M. 1,369 F. 1,670)	125	69	50	30	17	291	63	31	71	96	102
33	Pott's disease	(M. 499 F. 321)	17	10	16	9	8	60	34	40	42	38	60
34	White swellings	(M. 273 F. 162)	7	3	3	1	6	45	29	27	17	30	21
35	Tuberculosis of other organs	(M. 666 F. 491)	51	16	14	9	8	27	24	13	24	30	19
36	Disseminated tuberculosis	(M. 353 F. 287)	38	12	5	1	2	14	11	11	19	36	30
37	Rickets	(M. 231 F. 179)	143	56	8	5	3	215	2		3	3	2
38	Syphilis	(M. 2,512 F. 1,453)	898	55	12	11	5	981	12	8	27	64	105
39	Gonococcus infection	(M. 70 F. 130)	21	1				22	14	12	29	41	69

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—											
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
I.—General diseases—Continued.														
	Cancer and other malignant tumors (total).	M. 20,717 F. 29,798	21 26	19 22	32 28	27 15	16 24	115 115	69 49	48 36	86 81	140 129	211 330	
39	Of the buccal cavity.....	M. 1,842 F. 376	1 1	1 1	1 3	2 4	2 1	3 4	3 1	5 1	5 4	3 4	12 3	
40	Of the stomach, liver.....	M. 9,818 F. 9,470	2 5	2 5	3 4	4 1	1 3	12 18	7 3	4 2	6 11	14 16	54 63	
41	Of the peritoneum, intestines, rectum.	M. 2,851 F. 3,733	1 3	3 2	2 3	3 1	1 3	10 12	10 7	8 1	18 6	30 25	52 50	
42	Of the female genital organs.....	F. 7,544	1			1	1	3	2	5	6	40	115	
43	Of the breast.....	M. 87 F. 5,136											1	
44	Of the skin.....	M. 1,229 F. 696	1 3	1 1	1 2	2 2	2 3	7 9		2	2	2	4	
45	Of other organs or of organs not specified.	M. 4,890 F. 2,843	17 13	13 14	26 19	17 11	10 12	83 69	49 33	29 26	55 50	91 40	88 52	
46	Other tumors (tumors of the female genital organs excepted).	M. 81 F. 227	6 3	1 1	1 2	1 1	1 1	8 8		1 2		2 3	3 5	
47	Acute articular rheumatism.....	M. 1,567 F. 1,685	15 13	11 5	17 15	20 29	26 23	89 85	208 185	165 193	126 112	82 85	64 104	
48	Chronic rheumatism and gout.....	M. 294 F. 469	2 1					2 1	1 2	5 1	1 3	7 9	6 4	
49	Scurvy.....	M. 51 F. 39	26 23	6 6	2 2	1 1	1 1	36 32	2 1	3	2	1	2	
50	Diabetes.....	M. 4,818 F. 5,575	10 6	15 6	13 15	16 18	17 10	71 55	78 100	117 145	165 104	176 106	184 120	
51	Exophthalmic goiter.....	M. 100 F. 873								2 9	11 29	3 77	5 71	
52	Addison's disease.....	M. 143 F. 163	1	1	1			1 2	1	1 3	8 7	6 4	7 8	
53	Leukemia.....	M. 717 F. 542	15 11	12 9	17 10	14 8	12 5	70 43	39 23	34 22	44 31	51 39	52 48	
54	Anemia, chlorosis.....	M. 1,469 F. 1,779	86 77	15 19	7 9	11 6	7 4	126 115	30 20	17 27	24 41	30 49	33 59	
55	Other general diseases.....	M. 728 F. 636	373 277	35 28	19 28	14 11	16 14	457 358	29 33	21 15	16 23	20 11	13 13	
56	Alcoholism (acute or chronic).....	M. 2,715 F. 334							1	1	4	41	160	
57	Chronic lead poisoning.....	M. 139 F. 1							2		2	6	12	
58	Other chronic occupation poisonings.....	M. 8 F. 1									1		2	
59	Other chronic poisonings.....	M. 168 F. 160								1	5	16	19	
	II.—Diseases of the nervous system and of the organs of special sense.....		81,917	5,200	1,439	759	468	323	8,189	1,151	682	879	931	1,122
	Males.....	43,983	2,962	795	399	255	180	4,591	607	385	512	532	654	
	Females.....	37,934	2,238	644	360	213	143	3,598	544	297	367	399	468	
60	Encephalitis.....	M. 383 F. 266	54 47	15 19	10 12	10 9	4 3	93 90	24 23	11 8	15 7	22 14	32 19	
61	Meningitis (total).....	M. 3,060 F. 2,354	892 675	423 337	234 203	140 123	92 80	1,781 1,418	287 268	158 113	136 101	102 68	96 55	
	Simple meningitis.....	M. 1,655 F. 1,351	544 421	215 193	123 117	69 58	41 38	992 827	127 73	53 46	45 31	45 31	47 30	
	Cerebrospinal meningitis (undefined). F. 590	M. 736 F. 590	421 180	193 94	117 69	58 40	38 26	827 474	128 95	73 40	46 39	31 25	22 16	
	Cerebrospinal fever.....	M. 619 F. 413	144 94	73 50	42 33	31 36	25 11	315 224	65 62	45 32	52 22	32 19	27 9	
62	Locomotor ataxia.....	M. 1,238 F. 394					1	1		1	2	4	5	
63	Other diseases of the spinal cord (total). Acute anterior poliomyelitis.....	M. 2,005 F. 1,890	81 70	76 58	32 43	34 19	15 19	238 209	63 66	39 23	51 26	33 37	45 36	
	Other diseases of the spinal cord.....	M. 367 F. 294	67 53	63 52	29 40	29 16	14 14	202 175	48 46	30 16	19 9	11 13	12 3	
	Other forms of mental alienation.....	M. 1,638 F. 1,596	14 17	13 6	3 3	5 5	1 5	36 34	15 20	9 7	32 17	27 24	33 33	
64	Cerebral hemorrhage, apoplexy.....	M. 24,868 F. 23,508	104 76	30 22	13 8	7 9	9 4	163 119	28 25	23 19	47 35	78 72	140 92	
65	Softening of the brain.....	M. 577 F. 518							2		1	2	3	
66	Paralysis without specified cause.....	M. 2,741 F. 2,864	28 14	9 8	6 6	4 3	1 1	48 32	4 4	6 6	12 8	7 13	12 10	
67	General paralysis of the insane.....	M. 3,207 F. 1,192									7	7	50	
68	Other forms of mental alienation.....	M. 578 F. 778								1	14	25	22	
	Other forms of mental alienation.....	F. 778								1	20	35	49	
69	Epilepsy.....	M. 1,384 F. 984	51 35	14 9	4 4	10 8	12 4	91 60	42 38	62 52	121 77	130 73	136 105	
70	Convulsions (nonpuerperal).....	M. 36 F. 67							13 24	2		1	1	
71	Convulsions of infants.....	M. 1,733 F. 1,326	1,520 1,138	136 124	46 36	19 19	12 9	1,733 1,326					3	
72	Chorea.....	M. 40 F. 78	4 2			1 1	1 1	6 4	5 7	3	8	2	5	
73	Neuralgia and neuritis.....	M. 177 F. 208	2 1	1 2	1 1	1 1	1 1	7 1		14	3	4	7	

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY SEX AND AGE.

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
304	528	919	1,441	2,232	2,666	2,995	3,077	2,714	1,736	960	351	92	9	4	20		
672	1,407	2,210	2,932	3,606	3,788	3,713	3,552	3,074	2,228	1,225	465	129	22	3	32		
16	36	67	112	184	237	251	282	261	182	122	46	14	1				
5	9	23	19	26	22	45	40	53	62	37	16	6			39		
105	242	428	727	1,190	1,380	1,541	1,533	1,286	779	384	96	20		1	9		
123	260	425	678	996	1,206	1,376	1,444	1,277	923	461	139	32	5		12		
67	89	161	212	290	361	420	397	352	227	100	38	8			1		
93	142	197	298	396	465	508	504	479	325	158	48	15	1		3		
273	576	887	1,030	1,141	1,047	830	643	454	281	138	48	15	3		7		
2	3	5	7	14	8	13	14	10	6	2	1	1			42		
100	301	477	669	678	682	556	522	443	318	208	93	23	5		7		
8	11	15	61	87	99	125	166	189	172	142	92	33	4	2	6		
5	4	16	16	46	36	63	65	94	115	107	72	29	6	3	1		
106	147	243	322	467	581	645	685	616	370	210	78	16	4	1	4		
73	115	185	222	323	330	335	334	274	204	116	49	9	2		2		
6	3	5	6	10	8	9	11	4	3	2					46		
6	11	17	12	16	23	30	20	21	15	17	13				1		
53	77	88	84	71	81	100	71	84	61	36	21	5		1	47		
72	86	67	76	78	77	91	100	100	81	48	33	12			47		
7	12	9	15	23	22	27	32	44	37	23	14	2			48		
5	14	11	34	28	38	52	60	75	65	34	29	3	1		48		
1	1	1	2	2	1	1	1		1						49		
192	162	212	292	464	516	617	559	480	319	150	54	7			3		
132	149	201	319	573	690	774	847	671	370	155	51	8	2		3		
14	7	12	10	10	11	7	5	2		1					51		
71	80	98	93	114	83	74	31	22	12	3	3				3		
15	17	14	15	15	11	12	14	3			1				52		
10	12	20	21	21	10	15	18	5	5		1				2		
32	48	52	42	60	56	45	53	24	11	2					53		
45	36	40	37	43	34	34	28	21	13	5					3		
38	59	81	124	178	180	190	135	138	49	27	5	2			54		
33	96	102	161	187	186	223	177	128	73	29	15	5	3		55		
13	17	15	9	14	11	21	20	18	10	15	6	3			55		
17	20	21	13	19	22	8	15	11	15	15	4	3			55		
262	409	416	347	332	277	192	116	84	41	9	2	2			19		
44	71	65	46	28	17	12	5	6	6	1					56		
9	9	22	12	16	16	17	8	8							57		
1			1	1	2		1								58		
18	9	21	16	13	8	9	16	8	3	4	1				1		
10	12	14	17	18	14	17	20	12	11	1	1	2			59		
1,521	2,201	2,941	3,723	5,286	6,160	7,713	9,555	10,282	9,134	6,316	3,037	845	152	16	81		
921	1,357	1,788	2,087	3,008	3,467	4,228	5,159	5,325	4,560	3,008	1,326	343	74	4	44		
600	844	1,153	1,636	2,278	2,693	3,485	4,396	4,954	4,574	3,308	1,711	502	78	12	37		
22	26	31	19	25	14	11	12	9	7	5	3	1	1		60		
12	14	10	10	6	6	10	7	13	8	2	3				61		
74	92	72	46	47	29	29	20	16	15	8	3				1		
52	42	43	48	32	30	24	11	12	7	6	3	1	5		1		
41	61	45	43	35	30	24	11	12	13	7	3	1			1		
33	28	30	32	21	19	16	20	18	6	5	3		4		1		
16	17	11	18	4	5	5	3	2	2	1					2		
10	8	6	7	5	7	2	2	2	1						2		
17	14	7	16	7	8	4	4	1							2		
9	6	16	9	6	4	1	1			1			1		2		
22	57	103	133	208	181	179	151	99	57	19	6	1			62		
15	21	27	34	50	61	57	52	44	18	6	3				63		
45	57	71	84	131	155	187	250	231	172	107	25	13	1		2		
52	48	63	104	126	180	176	204	230	170	87	41	8	2		2		
6	10	4	3	5	4	4	2	3	2						2		
4	1	3	3	5	7	2	1	2	2						2		
39	47	67	81	126	151	183	246	228	170	107	25	13	1		2		
48	47	60	101	121	173	172	202	229	168	87	41	8	2		2		
227	366	656	986	1,778	2,334	3,090	3,800	4,063	3,449	2,268	1,037	246	63	3	28		
176	296	547	1,040	1,552	1,912	2,650	3,345	3,791	3,530	2,542	1,296	352	54	8	25		
6	4	11	11	14	25	55	94	109	108	87	32	16	2		1		
7	4	11	11	17	23	38	70	105	91	80	39	17	1		1		
21	33	39	71	113	186	280	406	496	461	355	140	39	7		6		
15	32	53	65	120	165	261	380	483	491	406	235	65	11	3	6		
229	412	494	445	404	290	190	205	147	173	87	38	12			7		
49	112	121	87	102	105	98	114	112	123	84	42	14	2		1		
44	51	62	56	61	57	38	50	40	24	11	11	4		1	1		
63	58	73	79	94	72	61	68	46	29	19	6	4		1	1		
121	129	101	78	87	72	62	56	40	30	14	8	1			3		
84	104	82	57	57	38	33	34	27	34	13	5	3	2		1		
3	1	1		4	2	2	3	2		2	1				70		
7	5	2	2	1	1	1	1	1	1	2					71		
1	2	2	2	2	1	3	2	1	3		1				72		
9	17	7	11	16	17	18	17	21	10	9	3	1			1		
11	14	10	9	11	19	22	22	20	20	16	12	4			73		

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
			V.—Diseases of the digestive system—Continued.										
107	Intestinal parasites.....	M. 46 F. 42	2	5	9	3	3	23	6	4	1	1	
108	Appendicitis and typhlitis.....	M. 4,527 F. 3,166	16	20	27	51	62	176	363	470	510	492	
109	Hernia, intestinal obstruction (total).....	M. 3,678 F. 3,483	614	116	55	46	30	861	99	57	78	103	
	Hernia.....	M. 1,306 F. 1,156	123	14	7	3	3	147	5	2	9	23	
	Intestinal obstruction.....	M. 2,372 F. 2,327	491	102	48	43	30	714	94	53	69	80	
110	Other diseases of the intestines.....	M. 857 F. 875	89	20	11	8	7	135	23	16	21	31	
111	Acute yellow atrophy of the liver.....	M. 125 F. 167	16	2	2	1	1	16	3	2	3	8	
112	Hydatid tumor of the liver.....	M. 11 F. 10	1	1	1	1	1	1	1	1	1	1	
113	Cirrhosis of the liver.....	M. 5,641 F. 2,553	4	5	4	4	3	20	13	9	10	17	
114	Biliary calculi.....	M. 684 F. 1,514	1	1	1	1	1	1	2	1	5	4	
115	Other diseases of the liver.....	M. 1,355 F. 1,674	65	14	19	5	10	113	19	17	16	34	
116	Diseases of the spleen.....	M. 70 F. 67	2	1	1	1	1	87	21	14	16	34	
117	Simple peritonitis (nonpuerperal).....	M. 676 F. 953	73	19	19	13	10	134	46	44	39	31	
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	M. 247 F. 208	1	1	1	2	2	117	48	30	63	91	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	71,343	790	267	187	154	137	1,535	489	427	716	1,268	
	Males.....	39,778	501	130	113	83	73	900	244	191	308	442	
	Females.....	31,565	289	137	74	71	64	635	245	236	408	826	
119	Acute nephritis.....	M. 2,800 F. 2,381	201	60	66	47	44	418	108	66	77	98	
120	Bright's disease.....	M. 31,909 F. 24,796	145	62	41	32	25	305	121	117	208	302	
121	Chyluria.....	M. 2 F. 1	1	1	1	1	1	1	1	1	1	1	
122	Other diseases of the kidneys and annexa.....	M. 821 F. 607	88	4	2	1	1	96	8	4	15	21	
123	Calculi of the urinary passages.....	M. 290 F. 132	2	1	1	1	1	76	8	8	13	23	
124	Diseases of the bladder.....	M. 1,121 F. 228	18	2	3	3	3	29	6	2	2	7	
125	Diseases of the urethra, urinary abscess, etc.....	M. 196 F. 9	1	4	1	1	1	17	1	2	2	3	
126	Diseases of the prostate.....	M. 2,553	1	1	1	1	1	1	1	1	1	4	
127	Nonvenereal diseases of the male genital organs.....	M. 80	42	2	1	1	1	45	2	2	1	1	
128	Uterine hemorrhage (nonpuerperal).....	F. 42	1	1	1	1	1	1	1	1	1	3	
129	Uterine tumor (noncancerous).....	F. 971	1	1	1	1	1	1	1	1	1	6	
130	Other diseases of the uterus.....	F. 642	1	1	1	1	1	1	1	1	1	26	
131	Cysts and other tumors of the ovary.....	F. 534	1	1	1	1	1	3	4	19	74	85	
132	Salpingitis and other diseases of the female genital organs.....	F. 6	1	1	1	1	1	1	3	5	27	41	
133	Nonpuerperal diseases of the breast (cancer excepted).....	M. 1,189 F. 33	5	2	1	1	1	7	1	2	44	189	
	VII.—The puerperal state.....	9,578	5	1	1	1	1	6	1	1	1	2	
134	Accidents of pregnancy.....	F. 829	1	1	1	1	1	1	1	1	1	1	
135	Puerperal hemorrhage.....	F. 925	1	1	1	1	1	1	1	1	1	189	
136	Other accidents of labor.....	F. 833	1	1	1	1	1	1	1	1	1	215	
137	Puerperal septicemia.....	F. 4,220	1	1	1	1	1	1	1	1	1	195	
138	Puerperal albuminuria and convulsions.....	F. 2,383	1	1	1	1	1	1	1	1	1	1,151	
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	F. 360	1	1	1	1	1	1	1	1	1	486	
140	Following childbirth (not otherwise defined).....	F. 25	1	1	1	1	1	1	1	1	1	79	
141	Puerperal diseases of the breast.....	F. 3	1	1	1	1	1	1	1	1	1	9	
	VIII.—Diseases of the skin and of the cellular tissue.....	2,841	580	42	23	15	15	675	28	21	38	51	
	Males.....	1,646	315	17	11	6	10	359	13	14	23	30	
	Females.....	1,195	265	25	12	9	5	316	15	7	15	21	
142	Gangrene.....	M. 758 F. 574	19	4	6	2	4	35	6	3	2	2	
143	Furuncle.....	M. 245 F. 116	36	5	1	1	1	29	4	2	3	7	
144	Acute abscess.....	M. 362 F. 203	106	10	2	4	5	127	5	6	12	17	
145	Other diseases of the skin and annexa.....	M. 281 F. 302	154	3	3	3	1	161	2	3	5	6	

CAUSES OF DEATH, BY SEX AND AGE.

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
															1	107
1	3	1	1	3	3											108
351	325	323	280	240	205	128	101	57	29	12	7	1	1		3	108
258	220	182	184	158	118	104	63	46	24	19	10	5			3	109
120	114	137	195	224	236	282	275	291	243	176	77	20	1			109
143	191	177	214	270	253	303	296	310	235	168	59	19	1	1		109
40	38	58	95	97	110	135	137	134	114	87	44	12	1			110
23	52	60	109	140	131	168	137	123	83	49	16	4				110
80	76	79	100	127	126	147	138	157	129	89	33	8				110
120	139	117	105	130	122	135	159	187	152	119	43	15	1	1		110
40	40	52	40	55	58	60	49	56	47	50	34	9	2			110
58	53	39	43	41	54	53	51	69	71	52	32	15	1			110
																111
10	7	6	9	4	9	9	7	11	12	5					1	111
16	12	8	11	7	7	12	4	7	7	7	1					111
																112
1	1															112
208	335	485	634	800	685	681	623	482	290	143	32	4	3		4	113
73	152	212	242	287	250	258	322	274	204	110	48	9		1	3	113
19	36	34	60	69	71	98	56	38	49	28	8	3				114
58	71	103	163	178	215	189	155	153	90	49	17	3	1		3	114
																115
61	100	92	92	133	102	118	124	112	80	56	29	7	1		2	115
75	97	82	121	155	161	139	185	149	143	79	39	12	3		1	115
6	3	5	6	8	8	5	10		4							116
4	2	6	8	3	7	8	1	2	4	1						116
38	24	32	32	35	37	40	35	30	25	13	2	1			1	117
81	79	60	48	45	26	40	34	42	25	21	8	3				117
20	33	28	28	31	22	12	9	10	8	4						118
9	22	20	15	26	27	22	13	7	4	3	1					118
2,264	3,103	3,906	4,512	5,668	6,225	7,187	8,194	8,566	7,432	4,895	2,380	640	117	18	42	
																119
927	1,382	1,809	2,306	3,145	3,681	4,348	4,950	5,143	4,475	2,973	1,414	388	65	12	29	119
1,337	1,721	2,097	2,523	2,523	2,544	2,839	3,244	3,423	2,957	1,922	966	252	52	6	13	119
																120
149	196	207	210	207	169	171	156	160	118	87	44	12	3	1	2	120
150	166	159	138	140	136	133	126	114	113	55	33	13	3		24	120
708	1,074	1,502	1,954	2,767	3,255	3,757	4,159	4,137	3,493	2,241	999	272	49	11	11	120
699	1,020	1,405	1,553	2,037	2,193	2,540	2,956	3,169	2,687	1,772	873	223	48	6	11	120
																121
24	50	39	40	50	46	65	75	94	81	57	21	11	1		1	121
37	47	41	41	34	50	39	40	34	44	28	11	3				122
17	17	14	24	26	28	27	32	35	31	9	4	1				123
10	15	5	16	10	15	15	11	7	6	4	4					123
																124
11	15	16	17	27	36	57	120	158	221	204	133	46	7			124
9	12	4	9	16	7	12	15	22	33	29	26	10	1			124
10	17	21	24	15	25	27	14	11	6	10	3					125
2		2	1	1	1	1	1	1	1	1	1					126
5	13	9	32	51	121	235	391	542	523	365	208	46	5		1	126
																127
3		1	4	2	1	8	3	6	2	1	1					127
5	6	4	5	3	2	1	1	1	1	1						128
																129
69	115	197	218	136	49	40	37	33	24	15	5					129
72	92	76	70	50	29	19	16	15	11	3	3				1	130
42	57	61	62	48	42	31	37	26	29	13	7	2			1	131
																132
236	190	141	92	46	16	5	5	2	4	2	1					132
																133
6	1	2	1	2	4	4	1				1	1				133
2,016	1,680	686	93	4	1											13
																134
208	180	58	16	1												2
212	231	107	10	1	1											1
191	160	89	15													2
849	617	228	28	1												6
																137
																138
456	411	182	17	1												2
																139
95	76	21	7													140
																141
5	5	1														141
																142
50	68	77	90	110	113	127	197	255	305	296	188	81	22	3	2	142
																143
32	48	51	57	75	75	81	118	156	182	160	95	41	4	2		143
18	20	26	33	35	38	46	79	99	123	136	93	40	18	1	2	143
																144
5	8	19	11	17	30	39	69	119	130	136	84	37	3			144
4	6	10	9	8	22	25	50	70	99	113	73	31	12			144
10	9	12	19	13	13	11	11	22	22	5	5	1				144
1	6	5	3	6	6	6	6	5	5	2	3					144
14	22	16	23	16	24	16	12	9	13	5	5					144
4	6	6	13	6	1	4	9	5	8	5	5					144
3	9	4	4	7	8	13	15	14	14	14	4	1	1	2		144
9	2	4	8	13	9	6	14	19	15	16	12	7	6	1		145

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
		IX.—Diseases of the bones and of the organs of locomotion	1,007	130	58	44	34	31	297	145	155	102	104	83
		Males.....	971	66	38	23	15	14	156	80	97	73	65	60
		Females.....	636	64	20	21	19	17	141	65	58	29	39	23
146		Diseases of the bones (tuberculosis excepted).....	863	63	37	22	14	13	149	77	89	68	63	53
		M.....	543	55	19	18	17	17	126	61	53	29	35	17
147		Diseases of the joints (tuberculosis and rheumatism excepted).....	73	3	1	1	1	1	4	1	5	4	2	6
		M.....	70	9	1	3	1	1	14	4	3	3	4	5
148		Amputations.....	2											
		M.....	2											
149		Other diseases of the organs of locomotion.....	33		1		1	1	3	2	3	1		1
		M.....	33		1		1	1	3	2	3	1		1
		F.....	21						1					
		X.—Malformations	10,029	9,411	252	88	57	38	9,846	86	29	30	15	12
		Males.....	5,648	5,320	131	45	35	22	5,553	42	16	16	8	7
		Females.....	4,381	4,091	121	43	22	16	4,293	44	13	14	7	5
150		Congenital malformations (stillbirths not included) (total).....	5,648	5,320	131	45	35	22	5,553	42	16	16	8	7
		M.....	4,381	4,091	121	43	22	16	4,293	44	13	14	7	5
		F.....	433	322	53	18	9	8	410	14	1	4	1	2
		Hydrocephalus.....	394	289	51	16	10	4	370	15	3	4	1	3
		Congenital malformations of the heart.....	3,504	3,364	49	21	15	6	3,455	17	12	9	4	3
		M.....	2,538	2,427	38	19	5	8	2,497	15	9	9	3	3
		F.....	1,711	1,634	29	6	11	8	1,688	11	3	3	1	4
		Other congenital malformations.....	1,449	1,375	32	8	7	4	1,426	14	1	2	3	2
		M.....	1,449	1,375	32	8	7	4	1,426	14	1	2	3	2
		F.....												
		XI.—Early infancy	49,020	49,020					49,020					
		Males.....	27,948	27,948					27,948					
		Females.....	21,072	21,072					21,072					
151		Congenital debility, icterus, and sclerema (total).....	21,999	21,999					21,999					
		M.....	17,047	17,047					17,047					
		F.....	14,949	14,949					14,949					
		Premature birth.....	11,575	11,575					11,575					
		Congenital debility, "atrophy," "marasmus," etc.....	7,050	7,050					7,050					
		M.....	5,472	5,472					5,472					
		F.....												
152		Other causes peculiar to early infancy (total).....	5,846	5,846					5,846					
		M.....	3,927	3,927					3,927					
		F.....	3,453	3,453					3,453					
		Injuries at birth.....	2,078	2,078					2,078					
		Other causes peculiar to early infancy. ¹	2,393	2,393					2,393					
		M.....	1,849	1,849					1,849					
		F.....	103	103					103					
153		Lack of care.....	98	98					98					
		M.....	98	98					98					
		F.....												
		XII.—Old age	12,055											
		Males.....	5,316											
		Females.....	6,739											
154		Senility.....	5,316											
		M.....	5,316											
		F.....	6,739											
		XIII.—External causes	62,652	1,660	1,342	1,212	993	841	6,048	2,598	1,991	3,323	5,331	5,442
		Males.....	47,973	912	771	710	555	472	3,420	1,769	1,637	2,614	4,422	4,643
		Females.....	14,679	748	571	502	438	369	2,628	829	354	709	909	799
		Suicide (total).....	8,133								18	170	595	757
		M.....	2,487								14	234	332	232
		F.....	1,839								1	35	161	212
155		By poison.....	1,058								7	154	205	148
		M.....	956								1	14	59	76
		F.....	453								3	22	35	58
156		By asphyxia.....	453								3	22	35	58
		M.....	1,220								7	25	45	60
		F.....	284								1	8	8	24
157		By hanging or strangulation.....	371								1	3	15	28
		M.....	226									10	19	11
		F.....												
159		By firearms.....	2,926								7	82	277	328
		M.....	265								4	32	44	31
		F.....	559									4	17	28
160		By cutting or piercing instruments.....	79									1	6	7
		M.....	140									2	9	11
		F.....	77									6	12	7
162		By crushing.....	76									2	11	13
		M.....	12											3
		F.....	45											1
163		Other suicides.....	33								1		3	3
		M.....												
		F.....												

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—											
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	
XIII.—External causes—Continued.														
	Accidental or undefined (total).....	M. 37,097	845	767	708	551	471	3,342	1,753	1,593	2,319	3,395	3,398	
		F. 11,465	707	567	496	434	365	2,569	812	319	405	476	392	
164	Poisoning by food.....	M. 336	51	24	21	15	16	127	26	8	10	13	13	
		F. 305	39	24	30	10	17	120	19	11	15	18	10	
165	Other acute poisonings.....	M. 832	56	113	61	25	19	274	23	13	21	43	64	
		F. 595	56	96	51	24	11	238	20	10	21	63	57	
166	Conflagration.....	M. 639	26	15	19	22	17	99	33	9	16	35	39	
		F. 283	12	14	8	23	15	72	22	7	4	18	16	
167	Burns (conflagration excepted).....	M. 2,002	95	303	346	231	146	1,121	153	38	30	70	66	
		F. 2,503	82	215	246	245	202	990	329	77	101	87	88	
168	Absorption of deleterious gases (conflagration excepted).....	M. 1,625	326	7	5	12	2	352	23	26	38	111	124	
		F. 792	300	7	1	2	3	313	18	12	25	43	34	
169	Accidental drowning.....	M. 4,827	20	87	69	61	62	299	408	490	626	630	454	
		F. 511	15	62	32	18	13	140	41	39	54	62	38	
170	Traumatism by firearms.....	M. 1,202	4	6	10	6	15	41	96	198	239	167	115	
		F. 166	3	3	4	5	4	19	36	15	22	17	13	
171	Traumatism by cutting or piercing instruments.....	M. 98	1	1	1	1	1	5	6	8	6	11	13	
		F. 14						1	2	4		3		
172	Traumatism by fall.....	M. 5,814	60	84	82	48	32	306	163	157	152	250	284	
		F. 3,757	62	56	38	32	34	222	68	35	19	31	33	
173	Traumatism in mines and quarries (total).....	M. 2,110				1		1	3	4	166	321	362	
		F. 3									1		1	
	Traumatism in mines.....	M. 1,993				1		1	3	4	161	309	352	
		F. 2									1		1	
	Traumatism in quarries.....	M. 117									5	12	10	
		F. 1												
174	Traumatism by machines.....	M. 1,191			3	3	7	13	18	16	108	137	175	
		F. 39			1		1	2	4	4	5	4	4	
175	Traumatism by other crushing (total).....	M. 12,047	34	43	61	90	125	353	645	472	669	1,215	1,299	
		F. 1,639	16	26	51	52	52	197	196	79	112	107	81	
	Railroad accidents and injuries.....	M. 6,170	3	12	7	10	8	40	103	124	355	787	820	
		F. 443	2	7	8	3	4	24	28	29	33	35	28	
	Street-car accidents and injuries.....	M. 1,309	2	9	12	22	19	64	63	51	58	94	123	
		F. 284	2	6	9	9	11	37	28	4	20	13	13	
	Automobile accidents and injuries.....	M. 2,172	8	3	12	23	45	91	302	210	127	167	156	
		F. 578	2	4	13	20	25	64	91	34	35	47	30	
	Injuries by other vehicles.....	M. 1,996	18	19	29	33	51	150	165	83	108	126	133	
		F. 316	7	9	20	18	12	66	46	12	23	11	7	
	Landslide, other crushing.....	M. 400	3		1	2	2	8	12	4	21	41	67	
		F. 18	3		1	2		6	3		1	1	3	
176	Injuries by animals.....	M. 478	2	5	1	7	3	18	40	28	35	21	34	
		F. 51	2		7	3	2	14	12	1				
177	Starvation.....	M. 27	6	2				8						
		F. 14	4	1			1	6						
178	Excessive cold.....	M. 293	4					4	3	2	5	10	10	
		F. 56	4					4			1	2	2	
179	Effects of heat.....	M. 511	58	7	3	1	3	72	8	7	7	18	26	
		F. 168	45	7	2		2	56		2		4	8	
180	Lightning.....	M. 234		2	1		1	4	6	17	36	35	28	
		F. 30				1		1	5	4	7	5	2	
181	Electricity (lightning excepted).....	M. 533			1		1	2	10	14	46	109	99	
		F. 10							1	1	3	2		
185	Fractures (cause not specified).....	M. 227	2	2		1	2	7	1	5	2	13	12	
		F. 165	1					1	2	3	3	1	1	
186	Other external violence.....	M. 2,071	100	66	24	27	19	236	73	80	107	186	181	
		F. 364	66	56	25	18	8	173	37	15	11	9	4	
	Homicide (total).....	M. 2,743	67	4	2	4	1	78	16	26	125	432	488	
		F. 727	41	4	6	4	4	59	17	21	70	101	115	
182	By firearms.....	M. 1,761	3	1	1	1		6	8	13	92	313	345	
		F. 416	1	3	2		1	7	8	14	43	57	79	
183	By cutting or piercing instruments.....	M. 346	2	1		1		4	1	5	13	62	81	
		F. 70	2	1				3	2	2	4	7	12	
184	By other means.....	M. 636	62	2	1	2	1	68	7	8	20	57	62	
		F. 241	38		4	4	3	49	7	5	23	37	24	
	XIV.—Ill-defined diseases.....		6,007	2,203	503	107	48	33	2,894	79	28	50	75	85
	Males.....		3,449	1,223	269	64	29	17	1,602	42	14	24	40	55
	Females.....		2,558	980	234	43	19	16	1,292	37	14	26	35	30
187	Ill-defined organic disease.....	M. 165	4	1	1	2	1	9	2			2	2	
		F. 202	5					5		1	3	4	2	
188	Sudden death.....	M. 266	64	5	4	1		74	1		3	4	3	
		F. 169	57	3	1	1	2	64	2	1	1	1	4	
189	Not specified or ill-defined (total).....	M. 3,018	1,155	263	59	26	16	1,519	39	14	21	34	50	
		F. 2,187	918	231	42	18	14	1,223	35	12	22	29	24	
	Ill-defined.....	M. 1,459	248	221	45	15	8	537	23	5	11	12	22	
		F. 1,048	178	195	36	13	11	433	23	6	10	16	13	
	Not specified or unknown.....	M. 1,559	907	42	14	11	8	932	16	9	10	22	28	
		F. 1,139	740	36	6	5	3	790	12	6	12	13	11	

CAUSES OF DEATH, BY SEX AND AGE.

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.			
3,016	3,097	2,750	2,589	2,180	1,842	1,554	1,285	1,004	763	537	316	105	25	2	253	164	
350	373	343	373	369	354	469	558	683	815	864	551	234	61	11	24		
10	9	13	20	15	14	14	14	13	10	3	4				1	165.	
15	5	5	11	7	10	14	9	11	4	3	3				2		
55	62	52	60	35	33	24	28	17	9	5	2				9	166.	
34	38	20	25	18	11	8	12	4	3	6					2		
55	48	51	50	41	33	29	26	25	21	10	2				1	167	
10	15	13	11	14	14	11	15	15	12	11	2				1		
85	69	75	48	39	40	29	37	31	27	22	7				4	168.	
79	69	78	60	76	64	67	70	71	78	65	34				7		
117	105	115	120	106	112	89	69	42	39	22	14				1	169.	
28	25	31	40	38	30	38	33	31	28	11	2				61		
324	358	292	283	192	198	104	76	46	27	14	4				4	170.	
32	23	16	16	10	10	6	10	5	3	1	1				1		
76	74	57	32	34	28	17	13	7	1	1					5	171	
11	4	4	7	5	3	3	5	2	2						1		
3	2	12	3	6	1	5	7	1	2						3	172.	
391	385	469	451	415	370	373	330	362	329	304	210				8		
50	62	69	73	88	114	187	268	420	584	690	483				3		
293	310	206	186	101	75	45	23	4							10	173.	
278	288	190	171	92	68	41	22	4							9		
15	22	16	15	9	7	4	1								1	174.	
127	128	121	98	88	66	42	34	12	7						1		
2	3	1	1	3	1	1	3	2									
1,137	1,165	955	918	823	661	557	416	314	189	97	39				117	175.	
72	81	87	103	89	97	94	94	68	36	23	9				11		
731	711	530	489	429	289	241	177	117	68	41	12				108		
20	22	29	35	34	23	25	27	17	68	9	3				11		
112	116	100	102	102	87	90	56	39	37	16	3				2		
137	159	140	134	141	121	85	18	15	15	4	2				4		
27	31	28	27	27	29	74	27	69	30	15	8				4		
105	131	147	154	132	143	126	105	91	53	10	1				2		
11	14	27	27	16	15	15	21	16	3	3	16				2		
52	48	38	45	19	21	15	4	3	1		4				1		
24	32	26	31	31	37	43	23	32	13	6						176.	
	2	2	3	1	3	3	5	1	2								
	1	1	4	1	1	1	1	2	3							177	
	1	1	1	1	1	1	1	1	1								
18	31	23	24	26	33	30	32	16	10	2	1				5	178.	
1	2	2	3	4	6	4	5	6	8	4	3						
23	47	45	37	35	33	38	39	22	28	16	10				4	179.	
1	5	4	2	6	2	10	9	16	15	12	9						
29	14	17	11	10	11	4	4	6	1	1						180.	
	1				1												
82	60	47	28	12	15	6	2	1								181.	
	2																
10	15	21	11	25	22	17	14	10	11	14	8				3	185.	
3	2	1	5	1	7	13	11	22	26	28	17						
157	180	152	174	145	111	87	76	40	41	16	7				19	186.	
9	13	8	13	12	12	10	10	8	9	4	4				3		
389	361	261	208	123	92	68	34	15	9	3	1				19	182.	
94	76	57	40	24	15	9	6	5	5	2	2				9		
232	237	186	130	75	55	36	13	9	5	1					5		
51	52	41	26	17	9	4	4	2	1	1						183.	
61	46	21	22	14	5	3	5								2		
7	7	10	6	1	4										3		
76	78	74	56	34	32	24	16	1	1	1	1				12	184.	
36	17	6	8	6	2	5	2	2	3	1	2				6		
101	142	152	161	215	269	304	362	311	287	227	128				83		
52	76	94	112	159	171	183	225	185	153	122	51				61	187.	
49	66	58	49	56	98	121	137	126	134	105	77				22		
3	1		4	12	6	16	22	28	22	24	9				1	188.	
6	2		4	7	15	14	27	21	30	32	13				1		
4	9		6	16	19	19	25	21	15	16	4				3		
	4		6	5	10	11	13	11	12	9	9				1		
45	66	82	102	131	136	148	173	136	116	82	28				57	189.	
43	60	46	39	44	73	86	97	94	92	64	50				21		
21	39	46	61	91	91	103	119	87	90	53	13				16		
26	40	33	25	30	55	72	74	60	59	38	9				3		
24	27	36	41	40	45	45	45	49	26	29	6				41		
17	20	13	14	14	18	24	23	34	33	26	12				18		

MORTALITY STATISTICS.

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	All causes.....	73,740	12,129	2,743	1,274	732	521	17,399	1,595	1,421	3,144	4,774	4,910
	Males.....	39,144	6,632	1,397	649	348	255	9,281	757	661	1,401	2,414	2,576
	Females.....	34,596	5,497	1,346	625	334	266	8,118	838	760	1,743	2,360	2,334
	I.—General diseases.....	23,855	1,785	731	465	320	201	3,552	823	818	1,852	2,694	2,486
	Males.....	12,104	971	380	221	151	92	1,815	375	329	761	1,303	1,226
	Females.....	11,751	814	401	244	169	109	1,737	448	489	1,091	1,391	1,260
1	Typhoid fever.....	623	2	1	9	9	10	31	49	58	82	111	82
	M.....	582	4	7	13	18	6	48	70	74	112	95	53
2	Typhus fever.....												
3	Relapsing fever.....	3							1				
4	Malaria.....	224	30	11	6	5	4	56	14	8	4	16	17
	M.....	274	22	15	17	5	3	62	19	11	10	18	23
	F.....	35	6		1		1	8				2	3
5	Smallpox.....	15	4					4				1	4
6	Measles.....	98	34	23	8	9	2	76	9	5	1	2	1
	M.....	97	19	28	16	6	6	75	9	2	2	3	2
	F.....	21	1	4	1	2	5	13	5	2			
7	Scarlet fever.....	31	2	2	1	3	2	10	10	5		5	
	M.....	503	259	120	53	33	8	473	23	6			
	F.....	572	258	146	63	46	23	534	26	6	3	2	
8	Whooping cough.....	180	40	23	23	19	10	115	40	14	4	3	1
	M.....	188	27	19	23	20	18	107	50	8	6	4	2
	F.....	288	26	11	4	3		44	2	5	7	12	14
10	Influenza.....	344	33	13	6	4		58	10	5	10	12	15
11	Miliary fever.....	1											1
12	Asiatic cholera.....												
13	Cholera nostras.....	14	3	1	1			5	2				
	M.....	9	1	1				2	2				
	F.....	203	49	21	14	1	3	88	2	1	1	4	8
14	Dysentery.....	210	45	18	4	4	1	72	3	1	4	8	8
15	Plague.....	4							1				
	M.....	3											
	F.....												
16	Yellow fever.....												
17	Leprosy.....	2											
18	Erysipelas.....	41	7	1	1			9				2	3
	M.....	27	6	1	1			8	1	1	2		3
	F.....	14	10	1				11		2			
19	Other epidemic diseases.....	9	3	2	1		1	7	1		1		
20	Purulent infection and septicemia.....	77	4	2				6	3	2	1	7	3
	M.....	56	1		1	1		3	2	3	3	7	7
21	Glanders.....												
22	Anthrax.....	2											
23	Rabies.....	4			1		1	2	1	1	1		
	M.....	4											
	F.....												
24	Tetanus.....	191	81		2	2	1	86	12	16	7	11	9
	M.....	116	74	1		2	3	80	10		2	7	7
25	Mycoses.....	1											
26	Pellagra.....	160		1	1	1	1	3	11	8	5	13	16
	M.....	532		4	1	1		6	8	7	28	61	62
	F.....	3	1	4				1				1	
27	Beriberi.....	2	1					1					1
	M.....												
	F.....												
	Tuberculosis (total).....	7,436	171	104	74	58	39	446	181	182	618	1,042	973
	M.....	6,224	116	99	80	51	42	388	201	345	861	1,067	957
	F.....	6,327	92	49	36	28	17	222	108	134	515	912	863
	M.....	5,218	57	51	37	23	22	190	127	270	744	961	838
	F.....	359	10	6	6	2	5	29	10	11	43	54	47
29	Acute miliary tuberculosis.....	311	5	7	8	14	5	39	16	26	53	46	37
	M.....	229	46	29	21	20	5	121	27	15	12	16	13
	F.....	180	24	27	19	11	9	90	27	14	8	7	9
30	Tuberculous meningitis.....	282	7	10	3	5	6	31	19	14	26	33	28
	M.....	327	9	8	8	2	4	31	18	25	40	34	54
	F.....												
32	Pott's disease.....	57		1	2	1	2	6	5	1	5	12	7
	M.....	37	2		4			6	5	2	2	3	2
	F.....	30			1			1	2			2	
33	White swellings.....	17	1	1	1			1		2	4	5	5
	M.....	91	5	4	4	2		15	7	5	9	5	8
	F.....	72	7	1	1	1	1	11	6	3	2	6	11
34	Tuberculosis of other organs.....	61	11	5	1		4	21	3	2	4	8	8
	M.....	62	11	4	2			17	2	3	4	10	9
	F.....												
35	Disseminated tuberculosis.....												
36	Rickets.....	59	25	20	10	3	1	59					
	M.....	61	31	21	4	3		59	1		1		
	F.....	735	171	32	10	4	3	220	9	4	8	43	56
37	Syphilis.....	495	141	18	10	4	1	172	7	2	19	51	31
	M.....	14				1		6				1	
	F.....	39	2					2			2	4	6

MORTALITY STATISTICS.

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
I.—General diseases—Continued.													
	Cancer and other malignant tumors (total).	565		1	1		1	3	1			7	11
	(total).	1,340	2			1	1	4	3	6	7	18	35
39	Of the buccal cavity	36							1				
	Of the stomach, liver	16							1				
40	Of the stomach, liver	304										1	3
	Of the peritoneum, intestines, rectum.	297										4	9
41	Of the peritoneum, intestines, rectum.	52					1	1		1		1	2
	Of the female genital organs.	109										4	
42	Of the female genital organs.	608										7	19
	Of the breast.	1											
43	Of the breast.	199										2	4
	Of the skin.	13								1			1
44	Of the skin.	19	1					1					
	Of other organs or of organs not specified.	159		1	1			2		3		5	6
45	Of other organs or of organs not specified.	92	1			1	1	3		2	1	6	1
	Other tumors (tumors of the female genital organs excepted).	4											
46	Other tumors (tumors of the female genital organs excepted).	24	1					1	1		2	1	2
	Acute articular rheumatism.	131	2		2		1	5	4		9	3	9
47	Acute articular rheumatism.	156	1	2		2		5	10	8	6	8	5
	Chronic rheumatism and gout.	23											
48	Chronic rheumatism and gout.	25								2			1
	Scurvy.	2	2					2					
49	Scurvy.	2	2										
	Diabetes.	134	1	1			1	3	1	1		4	3
50	Diabetes.	139									1	7	8
	Exophthalmic goiter.	1									2		
51	Exophthalmic goiter.	32										4	4
	Addison's disease.	4											
52	Addison's disease.	1											
	Leukemia.	30	1			1		2	2	1	2	1	3
53	Leukemia.	16						1	1		4	1	3
	Anemia, chlorosis.	36	12	1	1		1	14			2	2	2
54	Anemia, chlorosis.	42	6	1	1			8		5	1	1	8
	Other general diseases.	56	28	2				30	3	2	3	3	1
55	Other general diseases.	35	16		1		1	18	2	1	1	1	1
	Alcoholism (acute or chronic).	166									2	9	12
56	Alcoholism (acute or chronic).	42									1	4	9
	Chronic lead poisoning.	9											1
57	Chronic lead poisoning.	9											1
	Other chronic occupation poisonings.	1											
58	Other chronic occupation poisonings.	1											
	Other chronic poisonings.	11											1
59	Other chronic poisonings.	4										1	2
II.—Diseases of the nervous system and of the organs of special sense.													
	Males.	5,697	455	122	52	32	30	691	91	65	92	110	153
	Females.	2,870	266	71	34	12	14	397	55	37	46	70	82
		2,827	189	51	18	20	16	294	36	28	46	40	71
	Encephalitis.	39	4	1	2			7	3	3	3	3	1
60	Encephalitis.	23	5	2				7	2	2	2	2	
	Meningitis (total).	241	56	22	16	3	4	101	30	13	14	16	15
61	Meningitis (total).	168	26	17	10	12	3	78	19	12	13	7	7
	Simple meningitis.	126	35	15	9	2	1	62	15	5	4	7	7
	Cerebrospinal meningitis (undefined).	91	20	3	7	3	1	39	10	4	10	5	4
	Cerebrospinal meningitis (undefined).	58	14	3	5	1	1	23	9	1	6	5	4
	Cerebrospinal fever.	29	7	4	1	2	2	24	2	6	1	1	4
		38	8	2	2	3		15	7	2	4	4	3
62	Locomotor ataxia.	47								2	1	2	
	Other diseases of the spinal cord (total).	114	3	3	3	3	3	25	6		1	5	8
63	Other diseases of the spinal cord (total).	112	3	3	3	3	3	23	5	1	1	4	4
	Acute anterior poliomyelitis.	30	3	6	2	2	2	18	5			1	
	Other diseases of the spinal cord ¹ .	29	4	9	2	3	3	21	4				1
		84	2	2	1	1	1	7	1		1	4	8
		33	1		1			2	1		1		3
	Cerebral hemorrhage, apoplexy.	1,344	4	3				7	2	3	5	15	25
64	Cerebral hemorrhage, apoplexy.	1,552	12	3		2		17	1	2	9	8	24
	Softening of the brain.	27											
65	Softening of the brain.	336		1				3	2	1	2	3	1
	Paralysis without specified cause.	441				1	1	1	1	1	4	4	4
66	Paralysis without specified cause.	198										1	9
	General paralysis of the insane.	93										1	4
67	General paralysis of the insane.	57										1	4
	Other forms of mental alienation.	55					1	1		1	2	2	10
68	Other forms of mental alienation.	55											
	Epilepsy.	131	2	1	1			4	7	11	15	13	11
69	Epilepsy.	83	7	1				8	5	5	8	5	10
	Convulsions (nonpuerperal).	4											
70	Convulsions (nonpuerperal).	11								2		2	1
	Convulsions of infants.	214	175	25	7	3	4	214					
71	Convulsions of infants.	147	117	19	5	1	5	147					
	Chorea.	4						1			1		
72	Chorea.	2											2
	Neuralgia and neuritis.	17	1					1			1	1	2
73	Neuralgia and neuritis.	17									1	1	2

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Inf. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	IX.—Diseases of the bones and of the organs of locomotion.....	90	7	4	3	2	16	8	6	6	3	6
	Males.....	45	3	3	2	2	10	4	3	2	1	4
	Females.....	45	4	1	1	6	4	3	4	2	2
146	Diseases of the bones (tuberculosis excepted).....	35	3	1	2	2	8	3	3	2	1	2
	Males.....	37	4	1	1	6	4	3	4	1	2
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	6	2	1	2	1	1
	Males.....	3
148	Amputations.....	1	1
	Males.....	1
149	Other diseases of the organs of locomotion.....	4	1
	Males.....	4
	Females.....	4
	X.—Malformations.....	285	252	19	3	4	278	2	3	1
	Males.....	165	144	10	2	4	160	1	2	1
	Females.....	120	108	9	1	118	1	1
150	Congenital malformations (stillbirths not included) (total).....	165	144	10	2	4	160	1	2	1
	Males.....	120	108	9	1	118	1	1
	Females.....	45	36	1	1	42	1
	Hydrocephalus.....	18	7	5	1	2	15	1	1
	Males.....	15	9	14
	Females.....	3
	Congenital malformations of the heart.....	96	81	2	1	94	1	1
	Males.....	66	63	1	65
	Females.....	30	18	1	29
	Other congenital malformations.....	51	46	3	1	1	51
	Males.....	39	36	3	39
	Females.....	12	10	12
	XI.—Early infancy.....	3,515	3,515	3,515
	Males.....	1,967	1,967	1,967
	Females.....	1,548	1,548	1,548
151	Congenital debility, icterus, and sclerema (total).....	1,643	1,643	1,643
	Males.....	1,320	1,320	1,320
	Females.....	323	323	323
	Premature birth.....	932	932	932
	Males.....	814	814	814
	Females.....	118	118	118
	Congenital debility, "atrophy," "marasmus," etc.....	711	711	711
	Males.....	506	506	506
	Females.....	205	205	205
152	Other causes peculiar to early infancy (total).....	295	295	295
	Males.....	212	212	212
	Females.....	83	83	83
	Injuries at birth.....	110	110	110
	Males.....	75	75	75
	Females.....	35	35	35
	Other causes peculiar to early infancy. ¹	185	185	185
	Males.....	137	137	137
	Females.....	48	48	48
153	Lack of care.....	29	29	29
	Males.....	16	16	16
	Females.....	13	13	13
	XII.—Old age.....	978
	Males.....	416
	Females.....	562
154	Senility.....	416
	Males.....	562
	Females.....
	XIII.—External causes.....	4,898	266	79	102	72	76	595	171	162	342	634	642
	Males.....	3,728	146	45	56	32	32	311	78	125	269	504	543
	Females.....	1,170	120	34	46	40	44	284	93	37	73	130	99
	Suicide (total).....	233	1	6	27	41
	Males.....	80	12	22	19
	Females.....	153
155	By poison.....	57	3	7	16
	Males.....	46
	Females.....	11
156	By asphyxia.....	9	1
	Males.....	1
	Females.....	8
157	By hanging or strangulation.....	41	2	3	3
	Males.....	7
	Females.....	34
158	By drowning.....	14	1	2	2
	Males.....	8
	Females.....	6
159	By firearms.....	84	1	1	11	17
	Males.....	11
	Females.....	73
160	By cutting or piercing instruments.....	18	1	2
	Males.....	2
	Females.....	16
161	By jumping from high places.....	7	1	1
	Males.....	1
	Females.....	6
162	By crushing.....	1
	Males.....	1
	Females.....
163	Other suicides.....	2
	Males.....	2
	Females.....

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
XIII.—External causes—Continued.													
	Accidental or undefined (total).....	(M. 2,350 F. 858)	130	45	56	31	30	292	77	118	177	257	250
164	Poisoning by food.....	(M. 27 F. 21)	3	2	2	1	1	7	2	3	1	2	2
165	Other acute poisonings.....	(M. 65 F. 46)	9	8	12	2	5	36	4	2	2	1	2
166	Conflagration.....	(M. 61 F. 46)	6	3	2	4	3	17	2	3	4	4	3
167	Burns (conflagration excepted).....	(M. 190 F. 326)	16	18	27	18	17	96	13	1	2	8	8
168	Absorption of deleterious gases (conflagration excepted).....	(M. 111 F. 70)	55	1	2	30	29	59	53	10	15	16	8
169	Accidental drowning.....	(M. 334 F. 31)	3	4	2	1	1	10	9	34	56	65	36
170	Traumatism by firearms.....	(M. 166 F. 45)	1	1	2	1	2	7	2	4	1	3	1
171	Traumatism by cutting or piercing instruments.....	(M. 7 F. 4)	1	2	2	1	2	5	7	8	4	1	3
172	Traumatism by fall.....	(M. 233 F. 100)	16	6	3	2	2	29	5	2	2	16	22
173	Traumatism in mines and quarries (total).....	(M. 1 F. 66)	1	1	1	1	1	1	1	1	3	7	14
	Traumatism in mines.....	(M. 1 F. 10)	1	1	1	1	1	1	1	1	1	1	1
174	Traumatism by machines.....	(M. 73 F. 2)	1	1	1	1	1	1	1	1	5	9	15
175	Traumatism by other crushing (total).....	(M. 675 F. 72)	3	1	2	2	4	7	18	35	49	88	81
	Railroad accidents and injuries.....	(M. 412 F. 37)	1	1	1	1	1	2	6	14	33	66	52
	Street-car accidents and injuries.....	(M. 68 F. 12)	1	1	1	1	1	3	5	5	6	4	11
	Automobile accidents and injuries.....	(M. 65 F. 11)	1	1	1	1	1	3	5	5	4	9	5
	Injuries by other vehicles.....	(M. 94 F. 12)	3	1	1	1	2	4	4	2	3	4	7
	Landslide, other crushing.....	(M. 36 F. 2)	1	1	1	1	2	2	2	3	3	5	6
176	Injuries by animals.....	(M. 18 F. 3)	1	1	1	1	1	2	2	1	2	2	2
177	Starvation.....	(M. 6 F. 10)	2	1	1	1	3	7	1	1	1	3	6
178	Excessive cold.....	(M. 46 F. 17)	1	1	1	1	1	1	1	1	1	3	6
179	Effects of heat.....	(M. 55 F. 23)	5	2	2	1	9	11	1	1	1	3	3
180	Lightning.....	(M. 19 F. 4)	1	1	1	1	1	1	1	1	3	4	1
181	Electricity (lightning excepted).....	(M. 10 F. 10)	1	1	1	1	1	1	1	1	1	2	2
185	Fractures (cause not specified).....	(M. 16 F. 10)	1	1	1	1	1	1	1	1	1	1	3
186	Other external violence.....	(M. 162 F. 27)	11	1	2	1	13	15	5	8	13	11	12
	Homicide (total).....	(M. 1,145 F. 232)	16	7	1	2	19	7	1	6	86	220	252
182	By firearms.....	(M. 766 F. 134)	1	1	1	1	1	1	1	4	62	154	172
183	By cutting or piercing instruments.....	(M. 221 F. 56)	1	1	1	1	1	1	1	1	17	46	52
184	By other means.....	(M. 158 F. 42)	15	6	1	2	18	6	1	1	7	20	28
	XIV.—Ill-defined diseases.....	1,957	761	165	65	22	14	1,027	39	17	35	53	47
	Males.....	1,018	405	87	34	7	6	539	20	6	17	28	24
	Females.....	939	356	78	31	15	8	488	19	11	18	25	23
187	Ill-defined organic disease.....	(M. 80 F. 79)	2	1	1	1	4	3	1	1	2	3	2
188	Sudden death.....	(M. 31 F. 47)	4	1	1	1	6	1	1	1	1	1	4
189	Not specified or ill-defined (total).....	(M. 907 F. 813)	399	85	32	7	6	529	18	6	15	25	20
	Ill-defined.....	(M. 296 F. 264)	65	48	16	3	3	135	6	2	4	10	6
	Not specified or unknown.....	(M. 611 F. 549)	334	37	16	4	3	394	12	6	11	15	14
			284	29	15	7	7	342	12	7	10	15	10

CAUSES OF DEATH, BY SEX AND AGE.

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1914—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
227	216	172	147	120	68	63	41	37	27	13	6	4	1	6	31	164
39	39	34	33	38	24	24	26	18	21	21	8	6	2	2	3	
2	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	165
2	3	3	3	2	2	1	1	1	1	1	1	1	1	1	1	
2	5	4	4	4	4	4	4	4	4	4	4	4	4	4	4	166
2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	167
10	19	6	5	7	7	7	7	7	7	7	7	7	7	7	7	
14	10	10	12	15	15	15	15	15	15	15	15	15	15	15	15	168
8	8	4	3	3	3	3	3	3	3	3	3	3	3	3	3	
30	27	19	11	12	12	12	12	12	12	12	12	12	12	12	12	169
2	3	1	2	3	3	3	3	3	3	3	3	3	3	3	3	
10	14	5	3	3	3	3	3	3	3	3	3	3	3	3	3	170
3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	171
24	20	21	27	14	9	12	7	5	8	5	3	1	1	1	2	
4	5	5	1	5	5	5	4	5	7	5	4	1	1	2	2	172
11	9	9	10	5	1	2	1	1	1	1	1	1	1	1	1	
11	8	7	8	3	1	1	1	1	1	1	1	1	1	1	1	173
1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
8	7	6	8	6	5	2	2	2	2	2	2	2	2	2	2	174
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
86	67	60	52	38	22	16	13	14	6	1	1	1	1	1	17	175
2	9	6	4	5	5	3	2	1	1	1	1	1	1	1	1	
55	48	33	36	24	22	22	10	6	1	1	1	1	1	1	14	
2	4	4	4	3	2	2	2	2	2	2	2	2	2	2	1	
6	6	2	2	1	1	1	1	1	1	1	1	1	1	1	1	
10	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
10	7	13	13	7	7	1	4	4	3	1	1	1	1	1	1	
5	2	4	3	1	2	1	1	1	1	1	1	1	1	1	1	
1	1	2	3	3	3	1	1	1	1	1	1	1	1	1	1	176
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	2	2	5	1	3	3	3	4	4	4	1	1	1	1	1	177
4	7	2	1	6	2	2	2	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	178
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	4	1	2	2	2	2	3	3	3	3	3	3	3	3	179
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	180
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	181
5	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
16	21	19	11	11	4	8	5	3	2	1	2	2	2	2	2	185
2	1	2	1	1	4	4	4	4	4	4	4	4	4	4	4	
184	151	80	44	43	19	12	7	3	2	1	1	1	1	1	15	182
32	29	16	4	2	1	1	1	1	1	1	1	1	1	1	3	
121	111	48	30	27	9	8	3	2	2	2	2	2	2	2	13	
17	18	6	3	1	1	1	1	1	1	1	1	1	1	1	2	
37	22	19	6	10	5	2	1	1	1	1	1	1	1	1	1	
10	8	6	1	1	1	1	1	1	1	1	1	1	1	1	1	
26	18	13	8	6	5	2	3	1	1	1	1	1	1	1	1	
5	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	
44	62	60	72	75	61	85	70	66	44	25	17	14	4	13	27	
20	31	32	36	44	23	45	34	33	29	13	10	8	2	5	14	187
24	31	28	36	31	33	40	36	33	15	12	7	6	2	8	13	
4	4	6	7	2	4	7	11	6	12	5	4	1	1	2	1	188
3	1	4	6	6	9	7	7	11	2	3	1	1	1	1	3	
2	4	4	3	2	2	3	3	4	1	1	1	1	1	1	1	189
17	30	22	26	40	24	35	23	23	16	7	6	7	1	3	14	
18	23	23	26	24	24	27	27	21	10	8	7	6	1	7	9	
7	16	13	13	24	14	14	8	10	6	4	2	1	1	1	3	
5	9	11	13	11	11	11	15	10	5	1	4	4	1	4	1	
10	14	9	13	16	10	21	15	13	10	3	4	6	1	3	11	
13	14	12	13	13	12	16	12	11	5	7	3	6	1	7	8	

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.		
THE REGISTRATION AREA.																				
	All causes.....	898,059	155,075	30,619	13,527	8,540	6,359	19,302	34,129	68,631	76,399	83,981	99,005	115,333	115,644	60,716	9,005	467	1,327	
	I.—General diseases.....	238,094	14,805	8,512	5,285	3,779	2,982	8,902	15,113	32,482	31,709	30,688	30,701	27,259	18,781	6,115	651	28	302	
1	Typhoid fever.....	10,185	58	99	148	151	127	688	2,184	2,793	1,641	1,055	673	369	151	27	1	20	
2	Typhus fever.....	3	
3	Relapsing fever.....	4	
4	Malaria.....	1,477	161	93	57	29	29	83	101	174	146	132	146	123	133	56	5	1	8	
5	Smallpox.....	212	47	7	10	2	5	9	14	28	33	18	16	9	7	6	1	
6	Measles.....	4,461	1,041	1,483	562	289	189	368	200	116	78	51	36	21	18	5	3	
7	Scarlet fever.....	4,340	204	525	587	489	438	1,200	524	190	80	23	14	6	6	
8	Whooping cough.....	6,816	3,899	1,549	583	299	150	243	46	5	6	7	5	5	5	2	
9	Diphtheria and croup.....	11,786	977	1,868	1,719	1,456	1,233	3,091	908	214	133	99	47	21	10	4	2	4	
10	Influenza.....	6,014	481	142	71	39	27	101	170	221	271	374	623	803	1,457	1,038	180	12	4
11	Miliary fever.....	2	
12	Asiatic cholera.....	
13	Cholera nostras.....	306	75	15	11	5	8	15	4	6	12	14	15	34	42	43	6	1	
14	Dysentery.....	3,026	573	382	157	61	33	52	32	87	111	122	194	338	510	312	56	6	
15	Plague.....	10	
16	Yellow fever.....	
17	Leprosy.....	12	
18	Erysipelas.....	2,472	740	66	19	6	8	15	55	127	201	3	256	288	271	118	20	4	
19	Other epidemic diseases.....	293	108	45	24	9	13	30	16	10	7	8	7	6	6	2	2	
20	Purulent infection and septicemia.....	1,737	204	37	28	21	10	66	124	213	190	207	243	189	129	62	9	1	4	
21	Glanders.....	10	
22	Anthrax.....	19	1	
23	Rabies.....	65	
24	Tetanus.....	1,354	368	18	16	15	29	175	181	137	128	106	106	54	18	2	1	
25	Mycoses.....	23	
26	Pellagra.....	1,550	3	8	2	3	2	26	72	237	382	312	245	177	64	8	9	
27	Beriberi.....	5	2	
	Tuberculosis (total).....	96,903	2,449	1,684	980	658	477	1,710	8,457	24,492	21,517	15,523	9,825	5,782	2,686	498	34	3	128	
28	Tuberculosis of the lungs.....	81,247	783	405	236	146	123	610	6,663	21,839	19,518	14,057	8,847	5,117	2,332	430	26	3	110	
29	Acute miliary tuberculosis.....	3,119	98	70	42	34	32	92	462	927	636	410	189	91	29	4	3	
30	Tuberculous meningitis.....	5,410	1,118	970	545	374	227	671	529	404	263	161	85	46	8	7	2	
31	Abdominal tuberculosis.....	3,648	218	145	85	59	38	150	393	689	584	456	364	285	152	19	4	
32	Pott's disease.....	914	29	17	30	21	20	73	136	173	126	106	76	56	40	8	1	
33	White swellings.....	482	11	11	6	4	14	39	72	80	67	51	49	44	26	6	
34	Tuberculosis of other organs.....	1,320	100	34	25	16	15	52	127	212	206	174	156	98	80	20	2	
35	Disseminated tuberculosis.....	763	90	32	11	4	8	23	75	163	117	108	59	45	19	4	
36	Rickets.....	530	307	126	37	16	6	7	5	4	3	1	6	3	1	1	
37	Syphilis.....	5,195	1,982	144	47	29	12	42	109	460	763	740	517	239	85	12	3	11	
38	Gonococcus infection.....	253	60	2	1	1	12	75	53	24	6	8	9	
	Cancer and other malignant tumors (total).....	52,420	49	42	61	43	42	122	266	881	3,183	7,957	12,794	13,689	9,926	3,041	259	8	57	
39	Of the buccal cavity.....	2,270	1	1	1	4	6	17	18	71	228	483	629	563	222	21	
40	Of the stomach, liver.....	19,889	7	7	7	5	4	10	23	164	794	2,377	4,944	6,043	4,325	1,092	61	2	24	
41	Of the peritoneum, intestines, rectum.....	6,745	4	5	5	4	5	17	34	165	422	899	1,861	1,401	948	25	
42	Of the female genital organs.....	8,152	1	1	1	2	11	181	963	2,111	2,348	1,547	772	188	18	8	
43	Of the breast.....	5,423	4	57	436	1,205	1,439	1,141	792	312	30	7	
44	Of the skin.....	1,957	5	1	3	3	5	3	7	12	29	115	273	423	574	419	73	5	7	
45	Of other organs or of organs not specified.....	7,984	31	28	40	29	23	84	170	284	468	1,022	1,756	2,045	1,499	460	31	1	7	
46	Other tumors (tumors of the female genital organs excepted).....	336	10	2	3	1	1	3	5	16	29	49	65	72	45	34	1	
47	Acute articular rheumatism.....	3,539	31	18	34	51	50	407	626	360	335	362	348	391	355	145	23	1	2	
48	Chronic rheumatism and gout.....	811	3	12	27	47	72	118	181	229	112	7	
49	Scurvy.....	92	51	12	4	2	1	2	6	5	2	2	2	
50	Diabetes.....	10,666	17	22	28	34	28	179	538	612	661	1,065	2,321	2,850	1,864	423	18	6	
51	Exophthalmic goiter.....	1,006	53	164	176	222	223	122	36	7	3	
52	Addison's disease.....	311	1	1	19	25	54	74	57	60	15	2	
53	Leukemia.....	1,305	27	22	27	23	17	65	138	198	171	179	195	165	69	7	2	
54	Anemia, chlorosis.....	3,326	181	35	18	17	12	50	117	182	287	475	737	733	388	79	12	3	
55	Other general diseases.....	1,455	694	65	48	25	31	67	82	62	75	65	71	65	56	42	6	
56	Alcoholism (acute or chronic).....	3,237	8	208	842	930	683	347	140	13	2	23	
57	Chronic lead poisoning.....	149	2	19	21	38	34	25	8	
58	Other chronic occupation poisonings.....	10	1	2	1	4	
59	Other chronic poisonings.....	343	6	50	50	73	55	69	36	7	2	1	
	II.—Diseases of the nervous system and of the organs of special sense.....	57,614	5,655	1,561	811	500	353	1,242	1,718	2,316	4,256	7,440	12,541	18,223	20,143	9,631	1,073	40	111	
60	Encephalitis.....	711	110	37	24	19	7	50	51	93	83	73	64	45	40	13	2	
61	Meningitis (total).....	5,823	1,659	799	463	278	179	604	560	366	301	257	173	96	60	20	6	2	
	Simple meningitis.....	3,223	1,020	431	236	132	81	280	240	176	179	160	117	76	50	18	5	2	
	Cerebrospinal meningitis (undefined).....	1,473	386	239	123	75	60	184	154	91	58	46	29	14	9	1	
	Cerebrospinal fever.....	1,127	253	129	79	71	38	140	166	99										

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
THE REGISTRATION AREA—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	2,582	95	25	9	18	16	92	351	488	482	337	279	198	137	42	6	7	
70	Convulsions (nonpuerperal).....	118						39	14	18	17	5	11	5	4	5			
71	Convulsions of infants.....	3,420	2,950	304	94	42	30												
72	Chorea.....	124	7			2		12	44	16	3	6	7	11	9	5			
73	Neuralgia and neuritis.....	411	3	1	3	1	1		8	29	55	41	67	83	72	41	5	1	
74	Other diseases of the nervous system.....	2,426	185	70	46	30	26	110	172	202	292	394	314	268	195	107	13	1	
75	Diseases of the eyes and their annexa.....	59	3	3	3	4	3	2	4	2	3	1	3	6	7	9			
76	Diseases of the ears.....	1,160	235	95	55	20	31	120	131	122	81	94	84	56	23	11	1	1	
III.—Diseases of the circulatory system.																			
		123,901	1,151	206	143	155	160	1,281	3,078	4,072	6,847	10,938	17,260	27,461	31,997	16,795	2,129	93	135
77	Pericarditis.....	803	15	6	5	5	11	31	47	74	77	84	99	135	141	62	10	1	
78	Acute endocarditis.....	5,946	233	36	32	43	40	290	500	630	906	1,208	1,581	211	138	33	11	3	
79	Organic diseases of the heart.....	93,588	596	108	81	95	101	911	2,431	3,016	5,150	8,283	13,126	22,270	24,498	11,521	1,244	54	
80	Angina pectoris.....	4,751	4			1	1	8	14	71	185	435	846	1,418	1,285	434	40	1	
81	Diseases of the arteries, atheroma, aneurism, etc.....	15,044	5	2				2	15	68	253	522	1,077	2,724	5,241	4,297	786	37	
82	Embolism and thrombosis.....	2,672	53	5	4	3	1	14	35	157	202	283	397	566	576	340	32	4	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	448	5		3	2		3	10	25	38	86	92	85	69	27	2	1	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	377	187	49	16	5	4	16	18	14	9	11	13	16	11	7	1		
85	Hemorrhage; other diseases of the circulatory system.....	272	53		2	1	2	6	8	17	27	26	29	36	38	24	3		
IV.—Diseases of the respiratory system.																			
		104,086	25,093	8,403	3,090	1,602	962	2,169	2,621	4,550	6,244	7,669	9,247	11,177	12,349	7,556	1,216	41	97
86	Diseases of the nasal fossae.....	127	56	6	3	2		7	4	9	10	7	3	3	4	11	2		
87	Diseases of the larynx.....	814	188	106	88	60	51	102	27	28	29	28	36	28	21	17	5		
88	Diseases of the thyroid body.....	339	14	1	3				30	38	68	56	57	41	27	2	1		
89	Acute bronchitis.....	6,396	3,458	644	220	102	56	76	41	51	51	78	139	241	557	546	128	4	
90	Chronic bronchitis.....	5,050	78	33	13	8	2	49	51	103	136	221	403	820	1,569	1,309	246	7	
91	Bronchopneumonia.....	32,153	13,653	4,660	1,562	740	411	705	372	474	604	824	1,232	1,985	2,798	1,811	294	12	
92	Pneumonia (total).....	51,651	6,925	2,631	1,058	613	391	1,101	1,381	3,398	4,775	5,725	6,413	6,945	6,193	3,067	402	13	
	Lobar pneumonia.....	36,911	3,617	1,642	681	388	267	765	1,350	2,767	3,855	4,652	5,076	5,281	4,357	1,946	221	5	
	Pneumonia (undefined).....	14,740	3,308	1,039	377	225	124	336	531	631	920	1,073	1,342	1,664	1,836	1,121	181	8	
93	Fleurisy.....	2,441	151	184	108	56	30	81	126	228	275	267	303	295	221	96	14	6	
94	Pulmonary congestion, pulmonary apoplexy.....	2,011	447	57	16	14	9	27	24	50	65	90	115	186	384	419	105	3	
95	Gangrene of the lung.....	194			2	2	1		9	17	27	36	40	30	23	7			
96	Asthma.....	1,634	40	12	7	5	7	11	8	42	86	151	280	387	378	205	13	1	
97	Pulmonary emphysema.....	194	5	3	1		1	3	6	10	7	17	24	44	52	21			
98	Other diseases of the respiratory system (tuberculosis excepted).....	1,082	78	16	9		3	7	42	102	111	169	197	172	122	45	6	3	
V.—Diseases of the digestive system.																			
		99,673	39,634	9,168	2,342	1,080	700	2,025	3,027	4,304	5,420	6,641	7,521	7,454	6,570	3,205	446	20	66
99	Diseases of the mouth and annexa.....	522	203	30	13	7	6	27	18	32	41	52	21	28	26	10	2	1	
100	Diseases of the pharynx.....	1,476	161	73	85	86	47	201	177	181	111	71	69	59	35	7			
101	Diseases of the esophagus.....	151	7	3	5	2	7	4	2	6	6	15	23	30	30	11			
102	Ulcer of the stomach.....	2,681	10	11	3		6	11	59	293	423	517	502	415	313	113	4	1	
103	Other diseases of the stomach (cancer excepted).....	7,856	2,546	309	145	78	55	122	87	239	377	539	661	807	1,012	717	145	5	
104	Diarrhea and enteritis (under 2 years).....	43,532	35,180	8,352															
105	Diarrhea and enteritis (2 years and over).....	8,875			1,802	668	349	517	236	338	490	546	640	939	1,275	884	160	11	
106	Ankylostomiasis.....	32	1		2	2	3	7	8	4	2	2		1					
107	Intestinal parasites.....	115	7	16	32	7	9	14	7	3	6	2	7	1	3			1	
108	Appendicitis and typhlitis.....	8,099	26	37	49	85	103	736	1,753	1,635	1,240	1,022	746	411	159	43	7	7	
109	Hernia, intestinal obstruction (total).....	7,706	1,045	202	101	76	56	162	235	467	640	815	1,044	1,208	1,118	492	42	1	
	Hernia.....	2,646	186	19	7	3	4	6	13	71	171	353	508	601	478	208	18		
	Intestinal obstruction.....	5,060	859	183	94	73	52	156	217	396	469	462	536	607	640	289	24	1	
110	Other diseases of the intestines.....	1,899	183	45	24	16	12	43	71	171	217	196	233	227	255	177	27	2	
111	Acute yellow atrophy of the liver.....	310	28	2	2	1		3	13	59	51	36	29	35	37	13		1	
112	Hydatid tumor of the liver.....	24			1				1	4	5		6	2	3				
113	Cirrhosis of the liver.....	8,526	14	10	7	5	6	17	51	173	855	1,669	2,115	1,945	1,290	340	17	3	
114	Biliary calculi.....	2,149	1					4	6	75	197	371	542	505	335	103	7	3	
115	Other diseases of the liver.....	3,254	118	32	34	13	17	46	76	215	378	427	555	591	491	205	24	2	
116	Diseases of the spleen.....	144	5	3			1	4	11	15	19	25	24	25	10			1	
117	Simple peritonitis (nonpuerperal).....	1,848	139	40	36	30	21	102	198	306	276	201	161	159	125	46	4	4	
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	474	5	3	1	4	2	5	13	58	86	93	111	56	29	8			
VI.—Nonvenereal diseases of the genito-urinary system and annexa.																			
		78,023	855	303	209	178	151	523	1,292	3,507	6,348	9,644	13,225	16,492	16,773	7,879	834	30	80
119	Acute nephritis.....	5,912	356	141	117	100	83	242	363	639	791	846	768	653	540	228	35	1	
120	Bright's disease.....	61,633	247	130	82	71	55	255	757	1,891	4,075	7,303	11,360	14,364	14,147	6,146	655	29	
121	Chyluria.....	3						1						1					
122	Other diseases of the kidneys and annexa.....	1,539	157	18	5	2	3	17	44	108	178	178	195	236	283	122	16	1	
123	Calculi of the urinary passages.....	442	3	1				1	7	29	64	62	83	88	81	21	1	1	

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
THE REGISTRATION AREA—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
124	Diseases of the bladder.....	1,451	32	6	4	4	4	7	6	26	55	57	98	220	456	407	69
125	Diseases of the urethra, urinary abscess, etc.....	266	1						3	20	42	64	51	49	23	13	
	Diseases of the prostate.....	2,671								7	21	49	192	657	1,101	588	55
126	Nonvenereal diseases of the male genital organs.....	91	44	3	1				2	5	4	6	4	12	9	1	
128	Uterine hemorrhage (nonpuerperal).....	47							8	4	13	11	5	2	1	3	
129	Uterine tumor (noncancerous).....	1,198							2	48	273	498	211	84	62	20	
130	Other diseases of the uterus.....	720	1		1	1			30	178	186	162	90	35	28	6	2
131	Cysts and other tumors of the ovary.....	592							9	83	114	136	98	74	55	20	2
132	Salpingitis and other diseases of the female genital organs.....	1,414	6	2					60	466	528	265	64	11	6	4	2
133	Nonpuerperal diseases of the breast (cancer excepted).....	44	9	1					1	3	9	6	6	6	1	1	1
	VII.—The puerperal state.....	10,518							932	4,757	3,963	845	5				16
134	Accidents of pregnancy.....	902							43	366	409	81	1				2
135	Puerperal hemorrhage.....	1,000							33	358	474	132	2				1
136	Other accidents of labor.....	926							68	357	382	117					2
137	Puerperal septicemia.....	4,664							426	2,369	1,580	281	1				7
138	Puerperal albuminuria and convulsions.....	2,617							343	1,142	923	204	1				4
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	378							18	148	183	29					
140	Following childbirth (not otherwise defined).....	27							1	14	11	1					
141	Puerperal diseases of the breast.....	4								3	1						
	VIII.—Diseases of the skin and of the cellular tissue.....	3,057	607	44	23	16	16	32	69	110	130	194	253	352	593	503	109
142	Gangrene.....	1,442	34	7	12	7	9	13	13	12	26	64	92	201	443	420	87
143	Furuncle.....	371	73	6	1			2	15	24	26	41	66	53	48	15	1
144	Acute abscess.....	600	202	21	4	6	6	11	30	56	49	62	51	44	40	17	1
145	Other diseases of the skin and annexa.....	644	299	10	6	3	1	6	11	18	28	27	44	54	62	51	20
	IX.—Diseases of the bones and of the organs of locomotion.....	1,697	137	62	47	34	33	153	269	196	149	153	172	131	103	46	6
146	Diseases of the bones (tuberculosis excepted).....	1,478	125	58	43	31	32	145	251	174	129	138	144	103	70	31	4
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	152	12	3	4	1		6	12	18	14	14	20	16	18	12	1
148	Amputations.....	5								1	1			1	2		
149	Other diseases of the organs of locomotion.....	62	1		2	1	2	6	3	5	6	8	11	13	3	1	
	X.—Malformations.....	10,314	9,663	271	91	61	38	88	62	28	5	4	1				2
150	Congenital malformations (stillbirths not included) (total).....	10,314	9,663	271	91	61	38	88	62	28	5	4	1				2
	Hydrocephalus.....	860	627	114	35	21	12	29	13	6	1	2					
	Congenital malformations of the heart.....	6,204	5,945	90	41	21	14	34	40	13	2	2					2
	Other congenital malformations.....	3,250	3,091	67	15	19	12	25	9	9	2		1				
	XI.—Early infancy.....	52,535	52,535														
151	Congenital debility, icterus, and sclerema (total).....	42,009	42,009														
	Premature birth.....	28,270	28,270														
	Congenital debility, "atrophy," "marasmus," etc.....	13,739	13,739														
152	Other causes peculiar to early infancy (total).....	10,280	10,280														
	Injuries at birth.....	5,716	5,716														
	Other causes peculiar to early infancy ¹	4,564	4,564														
153	Lack of care.....	246	246														
	XII.—Old age.....	13,033										3	60	621	3,707	6,427	2,025
154	Senility.....	13,033										3	60	621	3,707	6,427	2,025
	XIII.—External causes.....	67,550	1,926	1,421	1,314	1,065	917	2,769	5,818	12,049	10,979	9,312	7,399	5,342	3,920	2,462	445
	Suicide (total).....	10,933							455	2,085	2,306	2,161	2,056	1,210	512	107	7
	By poison.....	3,000							211	777	686	544	429	237	90	17	1
155	By asphyxia.....	1,419							40	229	281	309	318	183	51	8	
156	By hanging or strangulation.....	1,552							42	146	244	329	378	245	135	25	3
157	By drowning.....	619							15	81	125	116	142	78	46	13	
158	By firearms.....	3,286							127	714	700	626	591	356	127	31	
159	By cutting or piercing instruments.....	653							8	62	162	157	131	82	44	9	
160	By jumping from high places.....	225							3	40	62	45	38	20	10	2	
161	By crushing.....	89							2	27	27	16	12	4	1		
162	Other suicides.....	85							5	9	19	19	17	5	8		1
163	Accidental or undefined (total).....	51,770	1,795	1,413	1,306	1,056	910	2,734	4,998	8,252	7,357	6,441	5,024	4,000	3,368	2,346	438
	Poisoning by food.....	689	95	51	53	26	34	47	48	63	64	55	48	52	38	14	
164	Other acute poisonings.....	1,538	124	222	130	53	36	54	71	239	201	167	108	74	41	16	
165	Conflagration.....	1,029	47	34	33	50	38	69	43	117	134	137	108	93	80	28	7
166	Burns (conflagration excepted).....	5,021	206	547	642	524	394	553	274	352	355	294	251	223	223	142	24
167																	3

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
THE REGISTRATION AREA—Continued.																		
168	XIII.—External causes—Continued. Accidental or undefined—Continued. Absorption of deleterious gas (conflagration excepted)	2,598	734	17	8	14	7	41	103	334	292	316	297	232	141	59	2	1
169	Accidental drowning	5,703	39	157	104	81	75	460	1,304	1,289	799	640	371	200	37	26	1	70
170	Traumatism by firearms	1,579	7	10	18	12	21	154	546	370	201	110	71	35	18	2	1	7
171	Traumatism by cutting or piercing instruments	123	1	1	1	2	1	9	21	31	11	15	10	13	5	1	1	1
172	Traumatism by fall	9,904	150	149	125	84	71	241	374	645	941	1,116	1,020	1,186	1,720	1,702	352	15
173	Traumatism in mines and quarries (total)	2,190						5	174	707	624	411	182	71	5			
	Traumatism in mines	2,062						5	169	683	585	376	164	65	5			
	Traumatism in quarries	128							5	24	39	35	18	6				
174	Traumatism by machines	1,305			4	3	8	22	139	345	276	235	168	82	21			
175	Traumatism by other crushing (total)	14,433	53	70	115	146	181	869	1,421	2,881	2,619	2,185	1,740	1,200	629	168	10	146
	Railroad accidents and injuries	7,062	5	19	15	14	13	142	590	1,796	1,594	1,156	817	488	214	62	4	133
	Street-car accidents and injuries	1,673	4	16	21	34	31	96	144	258	264	222	239	196	109	25	1	3
	Automobile accidents and injuries	2,826	10	7	27	43	70	399	420	416	374	345	323	221	131	33	3	4
	Injuries by other vehicles	2,418	28	28	50	51	65	217	235	288	277	361	318	275	171	48	2	4
	Landslide, other crushing	454	6		2	4	2	15	32	123	110	91	43	20	4			2
176	Injuries by animals	550	5	5	9	11	5	54	68	57	60	64	78	75	48	10	1	
177	Starvation	57	19	3	1		1	1	1		2	7	4	6	7	3	2	
178	Excessive cold	412	9					3	11	33	58	61	76	80	50	23	3	5
179	Effects of heat	757	116	18	8	1	5	9	18	63	89	97	87	106	77	51	7	4
180	Lightning	287		2	1	1	2	11	68	76	48	34	24	11	8	1		
181	Electricity (lightning excepted)	553			1		1	11	66	214	147	77	27	8	1			
185	Fractures (cause not specified)	418	3	2	2	1	2	3	13	31	37	41	58	57	71	70	24	3
186	Other external violence	2,624	187	125	51	46	28	118	235	405	399	379	296	196	103	31	3	22
	Homicide (total)	4,847	131	8	8	9	7	35	365	1,712	1,316	710	319	132	40	9		46
182	By firearms	3,077	4	4	3	1	1	17	246	1,188	859	450	193	69	19	3		20
183	By cutting or piercing instruments	693	6	2	1	1	3	49	281	198	91	40	11	3	1			7
184	By other means	1,077	121	2	5	7	6	15	70	243	259	169	86	52	18	5		19
	XIV.—Ill-defined diseases	7,964	2,964	668	172	70	47	118	130	260	349	445	620	821	708	397	71	14
187	Ill-defined organic disease	526	11	3	3	3	1	4	8	23	20	39	61	111	132	95	7	2
188	Sudden death	513	137	9	7	2	2	5	8	16	27	40	63	79	68	40	2	7
189	Not specified or ill-defined (total)	6,925	2,816	656	162	65	44	109	114	221	302	366	496	631	508	262	62	101
	Ill-defined	3,067	551	512	111	38	23	57	43	93	163	215	328	416	327	143	24	23
	Not specified, or unknown	3,858	2,265	144	51	27	21	52	71	128	139	151	168	215	181	119	38	78

REGISTRATION STATES.¹

	All causes	819,880	141,912	27,770	12,195	7,733	5,740	17,554	30,854	60,205	67,303	74,743	89,395	107,022	109,337	57,934	8,551	409	1,223
	I.—General diseases	215,769	13,462	7,807	4,792	3,435	2,704	8,065	13,699	28,549	28,114	27,472	27,859	25,287	17,752	5,857	624	22	269
1	Typhoid fever	9,249	55	92	139	136	121	626	1,987	2,459	1,476	989	628	355	143	26	1		16
2	Typhus fever	3							1	1			1						
3	Relapsing fever	4										1		1					
4	Malaria	1,157	149	80	48	25	25	68	76	113	99	84	103	103	121	52	4	1	6
5	Smallpox	141	42	1	6	2	2	3	6	13	18	15	12	7	7	6	1		
6	Measles	4,200	978	1,412	512	273	177	341	194	108	74	50	34	20	18	5		1	3
7	Scarlet fever	4,025	181	474	540	448	403	1,183	498	181	75	22	14	6					
8	Whooping cough	6,290	3,612	1,432	530	269	134	228	44	4	6	7	5	5	5				2
9	Diphtheria and croup	10,563	886	1,636	1,535	1,296	1,101	2,745	820	195	123	82	45	20	10	3	2		4
10	Influenza	5,487	450	119	61	33	25	91	153	185	231	312	538	741	1,369	994	173	8	4
11	Miliary fever	2								1			1						
12	Asiatic cholera																		
13	Cholera nostras	284	71	12	9	5	8	14	4	6	12	11	14	32	38	41	6		1
14	Dysentery	2,728	535	347	144	57	28	48	26	60	81	97	164	300	481	295	54		5
15	Plague																		
16	Yellow fever	7									3	2		2					
17	Leprosy																		
18	Erysipelas	2,316	690	61	17	6	8	12	51	117	189	255	241	274	287	116	19		3
19	Other epidemic diseases	275	101	42	24	9	12	25	16	10	7	8	6	5	6	2	2		
20	Purulent infection and septicemia	1,558	192	35	28	18	9	59	113	187	163	176	209	175	122	59	8	1	4
21	Glanders	10							2	3		4	1	2					
22	Anthrax	16									3	4	5	1					
23	Rabies	56	1		2	3	2	10	13	8	5	5	4	2	1				
24	Tetanus	1,068	245	14	15	13	25	139	157	105	102	92	90	50	18	2	1		
25	Mycoses	19							2	2	4	4	3	4					
26	Pellagra	847	1	4		1	1	12	36	108	204	181	-153	103	36	3			6
27	Berberi	5	2						2			1							
	Tuberculosis (total)	87,520	2,261	1,553	903	622	435	1,581	7,628	21,733	19,246	13,967	8,966	5,409	2,579	486	33	2	116
28	Tuberculosis of the lungs	73,225	726	371	212	142	106	558	6,000	19,364	17,447	12,659	8,075	4,778	2,242	418	25	2	100
29	Acute miliary tuberculosis	2,777	81	55	35	33	29	83	420	815	574	354	176	87	28	4			3
30	Tuberculous meningitis	5,009	1,042	904	511	350	213	630	483	867	234	144	72	43	8				1
31	Abdominal tuberculosis	3,814	208	135	81	54	37	139	350	604	520	411	328	271	146	19	4		7
32	Pott's disease	827	29	15	26	20	17	64	124	159	113	92	68	53	37	8	1		1
33	White swellings	445	11	11	5	4	11	37	64	74	63	46	48	39	24	6	1		1
34	Tuberculosis of other organs	1,239	97	33	25	15	14	49	117	199	188	163	145	93	76	20	2		3
35	Disseminated tuberculosis	684	67	29	8	4	8	21	70	151	107	98	54	45	18	4			

¹ Includes District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
REGISTRATION STATES —Continued.																			
I.—General diseases—Continued.																			
36	Rickets.....	464	266	112	31	14	6	5	7	5	3	3	1	6	3	1	1	
37	Syphilis.....	4,361	1,715	119	40	24	10	37	90	339	623	607	442	214	78	12	1	
38	Gonococcus infection.....	218	48	2	1	1	11	67	44	20	5	8	9	2	10	
Cancer and other malignant tumors (total).																			
39	Of the buccal cavity.....	2,090	1	1	1	4	6	17	15	63	211	430	579	527	214	21	
40	Of the stomach, liver.....	18,370	7	6	5	4	4	9	23	146	701	2,138	4,508	5,611	4,078	1,050	53	
41	Of the peritoneum, intestines, rectum.....	6,261	4	5	4	2	5	17	30	146	370	822	1,415	1,743	1,336	333	25	
42	Of the female genital organs.....	7,334	1	1	1	2	11	153	839	1,867	2,106	1,428	718	182	18	
43	Of the breast.....	5,075	4	50	402	1,108	1,339	1,084	752	301	29	
44	Of the skin.....	1,850	5	1	3	2	5	3	7	9	27	100	252	402	549	403	70	
45	Of other organs or of organs not specified.....	7,279	27	26	44	27	21	74	162	241	419	909	1,584	1,872	1,401	435	30	
46	Other tumors (tumors of the female genital organs excepted).....	302	10	2	3	1	1	3	5	13	24	39	56	67	45	32	1	
47	Acute articular rheumatism.....	3,252	27	16	32	47	48	367	585	313	310	333	318	356	337	138	22	
48	Chronic rheumatism and gout.....	766	2	3	12	26	45	66	115	168	216	107	6	
49	Scurvy.....	86	50	12	4	2	1	2	4	1	2	1	2	
50	Diabetes.....	9,946	17	20	26	33	28	174	517	561	603	982	2,143	2,651	1,765	403	17	
51	Exophthalmic goiter.....	920	49	146	154	205	204	116	36	7	3	
52	Addison's disease.....	299	1	1	1	19	24	53	68	57	15	2	1	
53	Leukemia.....	1,183	24	22	25	20	16	64	123	166	150	160	179	160	65	7	
54	Anemia, chlorosis.....	3,088	170	33	16	17	11	46	108	165	262	442	680	679	371	75	11	
55	Other general diseases.....	1,326	635	56	45	23	26	63	71	55	71	57	65	62	52	38	6	
56	Alcoholism (acute or chronic).....	3,021	1	8	238	767	870	639	325	138	12	2	
57	Chronic lead poisoning.....	137	2	2	17	19	34	31	24	8	
58	Other chronic occupation poisonings.....	8	1	2	3	2	
59	Other chronic poisonings.....	303	6	45	43	60	48	55	36	7	2	
II.—Diseases of the nervous system and of the organs of special sense.																			
60	Encephalitis.....	646	103	35	23	16	7	42	45	83	71	69	57	40	40	13	2	
61	Meningitis (total).....	5,400	1,586	755	430	262	167	567	501	306	267	226	161	88	58	19	5	
	Simple meningitis.....	3,017	974	406	237	123	74	264	226	153	161	147	111	69	48	17	5	
	Cerebrospinal meningitis (undefined).....	1,371	371	232	120	71	56	175	135	76	51	37	24	13	9	1	
	Cerebrospinal fever.....	1,012	241	117	73	68	37	128	140	77	55	42	26	6	1	
62	Locomotor ataxia.....	1,554	1	7	11	120	272	471	425	209	34	3	
63	Other diseases of the spinal cord (total).....	3,872	153	143	76	54	38	131	136	156	197	326	575	813	790	253	26	
	Acute anterior poliomyelitis.....	677	121	123	70	45	33	98	71	41	19	14	19	15	8	
	Other diseases of the spinal cord ²	3,195	32	20	6	9	5	33	65	115	178	312	556	798	782	253	26	
64	Cerebral hemorrhage, apoplexy.....	48,157	185	55	21	16	9	52	135	401	1,131	3,281	7,584	12,769	14,644	7,042	748	
65	Softening of the brain.....	1,070	2	1	6	22	39	74	248	406	235	36	
66	Paralysis without specified cause.....	5,885	41	17	10	8	3	12	38	52	115	268	665	1,396	1,970	1,135	133	
67	General paralysis of the insane.....	4,389	8	97	822	1,141	879	601	556	247	21	
68	Other forms of mental alienation.....	1,348	1	37	146	219	258	275	211	139	49	8	
69	Epilepsy.....	2,437	89	19	7	15	15	89	333	456	449	322	263	101	134	42	6	
70	Convulsions (nonpuerperal).....	109	37	12	16	15	4	11	5	4	5	
71	Convulsions of infants.....	3,224	2,779	292	89	40	24	
72	Chorea.....	114	7	1	2	11	39	15	3	6	7	10	9	4	
73	Neuralgia and neuritis.....	376	3	1	3	1	1	8	28	46	34	62	77	69	37	5	
74	Other diseases of the nervous system.....	2,204	172	64	41	29	22	102	153	182	255	347	285	250	182	106	13	
75	Diseases of the eyes and their annexa.....	55	3	2	3	4	2	2	4	1	3	1	3	6	7	9	
76	Diseases of the ears.....	1,067	221	87	51	16	28	110	121	111	73	86	77	51	22	11	1	
III.—Diseases of the circulatory system.																			
77	Pericarditis.....	733	13	6	4	4	10	27	40	64	68	77	89	128	137	56	9	
78	Acute endocarditis.....	5,292	218	32	31	36	35	261	442	543	800	1,083	1,405	194	127	72	10	
79	Organic diseases of the heart.....	86,609	558	103	72	84	89	833	2,230	2,634	4,483	7,286	11,850	20,805	23,270	10,989	1,178	
80	Angina pectoris.....	4,480	4	1	1	5	14	63	169	405	779	1,337	1,236	420	38	
81	Diseases of the arteries, atheroma, aneurism, etc.....	14,062	5	2	2	13	56	202	448	965	2,540	4,963	4,079	737	
82	Embolism and thrombosis.....	2,455	48	5	4	3	1	13	32	138	178	247	360	522	543	329	29	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	406	5	3	2	2	9	23	35	78	80	75	66	26	1	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	348	175	47	16	4	2	14	15	12	9	11	11	15	9	7	1	
85	Hemorrhage; other diseases of the circulatory system.....	245	46	2	1	2	6	8	12	22	22	28	34	36	23	3	
IV.—Diseases of the respiratory system.																			
86	Diseases of the nasal fossae.....	118	53	6	3	1	6	4	8	9	7	1	3	4	11	2	
87	Diseases of the larynx.....	763	182	96	82	55	49	94	25	23	26	26	34	28	21	17	5	
88	Diseases of the thyroid body.....	297	13	1	3	27	30	59	45	49	40	27	2	
89	Acute bronchitis.....	6,010	3,259	589	202	91	50	70	35	44	46	68	125	229	539	531	124	
90	Chronic bronchitis.....	4,725	71	29	10	8	2	45	43	87	118	197	365	767	1,490	1,246	240	
91	Bronchopneumonia.....	29,025	12,154	4,187	1,379	657	360	623	335	413	532	747	1,117	1,865	2,636	1,722	273	
92	Pneumonia (total).....	45,988	6,421	2,404	956	539	341	996	1,687	2,922	4,172	5,111	5,792	6,393	5,803	2,909	381	
	Lobar pneumonia.....	33,189	3,285	1,505	603	337	235	689	1,203	2,367	3,338	4,130	4,545	4,815	4,046	1,841	210	
	Pneumonia (undefined).....	13,799	3,136	989	353	202	106	307	484	555	834	981	1,247	1,578	1,757	1,068	171	
93	Pleurisy.....	2,205	142	167	92	53	20	71	113	189	247	245	267	268	210	94	13	

¹ Includes District of Columbia.

² Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

449

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
REGISTRATION STATES—Continued.																			
94	IV.—Diseases of the respiratory system—Continued.																		
94	Pulmonary congestion, pulmonary apoplexy.....	1,890	423	55	12	13	9	27	18	46	62	78	111	175	359	403	97	2	
95	Gangrene of the lung.....	168			2	2	1		7	13	24	30	34	27	21	7			
96	Asthma.....	1,479	39	11	6	4	7	11	6	37	73	130	243	343	362	190	11	1	
97	Pulmonary emphysema.....	179	3	3	1		1	2	6	8	6	16	21	43	49	20			
98	Other diseases of the respiratory system (tuberculosis excepted).....	998	70	14	6		3	7	39	86	102	148	184	170	116	45	6	2	
	V.—Diseases of the digestive system.....	88,806	35,184	8,097	2,065	976	625	1,839	2,686	3,674	4,601	5,737	6,692	6,845	6,212	3,070	428	18	57
99	Diseases of the mouth and annexe.....	475	191	27	12	7	6	24	13	28	39	45	19	28	23	10	2		1
100	Diseases of the pharynx.....	1,359	148	69	81	78	45	181	162	162	103	102	66	63	58	34	7		
101	Diseases of the esophagus.....	132	6	2	4	2	5	3	2	4	6	15	20	25	29	9			
102	Ulcer of the stomach.....	2,452	10	11	3		6	10	55	262	383	459	460	385	296	107	4		1
103	Other diseases of the stomach (cancer excepted).....	7,233	2,433	281	138	72	50	113	80	187	286	433	583	759	965	698	141	4	10
104	Diarrhea and enteritis (under 2 years).....	38,288	30,942	7,346															
105	Diarrhea and enteritis (2 years and over).....	7,991			1,568	605	307	466	211	287	429	467	567	862	1,199	840	154	11	18
106	Ankylostomiasis.....	29	1		2	2	3	7	8	4	1			1					
107	Intestinal parasites.....	100	5	13	29	6	6	14	6	3	5	2	6	1	3				1
108	Appendicitis and typhlitis.....	7,097	22	33	44	75	39	669	1,561	1,435	1,046	887	651	372	154	45	7		7
109	Hernia, intestinal obstruction (total).....	6,964	969	186	89	67	52	143	208	397	535	706	947	1,099	1,063	463	37	1	2
	Hernia.....	2,381	170	16	5	3	4	6	17	65	141	298	454	546	451	188	17		
	Intestinal obstruction.....	4,583	799	170	84	64	48	137	191	332	394	408	493	553	612	275	20	1	2
110	Other diseases of the intestines.....	1,711	180	43	21	13	11	38	61	142	185	171	197	210	237	175	26		1
111	Acute yellow atrophy of the liver.....	280	26	1	2	1		3	11	51	45	30	28	34	35	12			1
112	Hydatid tumor of the liver.....	22			1				1	4	5		6	2	2				
113	Cirrhosis of the liver.....	7,645	11	9	5	5	5	17	42	138	726	1,471	1,879	1,774	1,210	327	16	2	8
114	Biliary calculi.....	1,940						3	5	71	164	328	488	454	319	97	7		3
115	Other diseases of the liver.....	2,887	106	31	32	13	17	41	62	176	314	351	513	550	459	198	23		1
116	Diseases of the spleen.....	124	3	3			1	4	9	11	16	24	18	23	10	1			1
117	Simple peritonitis (nonpuerperal).....	1,651	126	39	33	27	20	98	176	261	233	167	147	150	123	45	4		2
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	426	4	3	1	3	2	5	13	51	80	79	97	53	27	8			
	VI.—Nonvenereal diseases of the genito-urinary system and annexe.....	70,358	771	266	186	150	134	478	1,153	2,988	5,403	8,428	11,761	14,999	15,642	7,141	768	22	68
119	Acute nephritis.....	5,270	322	125	103	85	80	222	319	563	668	751	686	585	507	218	32	1	3
120	Bright's disease.....	55,796	224	113	75	59	47	231	681	1,621	3,530	6,396	10,124	13,067	13,177	5,776	598	21	56
121	Chyluria.....	3						1						1					
122	Other diseases of the kidneys and annexe.....	1,396	141	15	4	1	3	17	42	94	146	156	170	220	253	117	16		1
123	Calculi of the urinary passages.....	392	3	1				1	7	21	54	51	72	83	76	21	1		1
124	Diseases of the bladder.....	1,343	25	6	3	4	3	6	5	24	43	49	82	206	428	391	68		
125	Diseases of the urethra, urinary abscess, etc.....	202	1						3	10	29	48	37	40	22	12			
126	Diseases of the prostate.....	2,455							7	17	40	169	592	1,023	554	50			3
127	Nonvenereal diseases of the male genital organs.....	80	40	3	1			1	2	4	4	4	11	9	1	3			
128	Uterine hemorrhage (nonpuerperal).....	41						8	4	11	7	5	2	1	1	3			
129	Uterine tumor (noncancerous).....	1,015						2	40	215	424	180	75	59	20				2
130	Other diseases of the uterus.....	631				1	1	24	154	159	145	79	33	27	6				1
131	Cysts and other tumors of the ovary.....	525						6	68	96	122	91	68	53	18	2			2
132	Salpingitis and other diseases of the female genital organs.....	1,168	6	2				54	378	422	229	57	11	6	2				1
133	Nonpuerperal diseases of the breast (cancer excepted).....	41	9	1				1	2	9	6	5	5	1	1	1			
	VII.—The puerperal state.....	9,499						812	4,251	3,622	794	5							15
134	Accidents of pregnancy.....	816						38	331	366	78	1							2
135	Puerperal hemorrhage.....	908						30	322	428	125	2							1
136	Other accidents of labor.....	852						60	323	354	113								2
137	Puerperal septicemia.....	4,168						365	2,105	1,432	259	1							6
138	Puerperal albuminuria and convulsions.....	2,369						300	1,018	857	189	1							4
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	358						18	138	173	29								
140	Following childbirth (not otherwise defined).....	25						1	12	11	1								
141	Puerperal diseases of the breast.....	3						2	1										
	VIII.—Diseases of the skin and of the cellular tissue.....	2,843	571	42	20	13	13	28	63	85	119	174	228	329	564	481	108	3	2
142	Gangrene.....	1,356	31	7	10	6	8	11	11	7	22	57	82	191	423	403	86		1
143	Furuncle.....	336	66	5	1			2	15	18	24	37	61	48	44	13	1		1
144	Acute abscess.....	553	193	20	4	4	4	11	27	45	46	55	46	41	39	17	1		
145	Other diseases of the skin and annexe.....	598	281	10	5	3	1	4	10	15	27	25	39	49	58	48	20	3	
	IX.—Diseases of the bones and of the organs of locomotion.....	1,548	133	56	45	31	31	140	243	178	130	137	148	124	99	46	6	1	
146	Diseases of the bones (tuberculosis excepted).....	1,342	121	52	41	28	30	132	226	158	112	121	122	97	67	31	4		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	142	12	3	4	1		6	11	16	12	12	19	15	17	12	1	1	
148	Amputations.....	5						1	1	1	1			1	2				
149	Other disease of the organs of locomotion.....	59		1		2	1	2	6	3	5	4	7	11	13	3	1		

1 Includes District of Columbia.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.		
CALIFORNIA.																				
	All causes.....	37,542	3,956	771	421	280	184	641	1,151	3,235	4,050	4,289	4,817	5,394	5,295	2,689	358	15	16	
	I.—General diseases.....	11,190	509	291	185	117	95	301	559	1,548	1,773	1,626	1,590	1,373	959	242	19	2	1	
1	Typhoid fever.....	370	1	7	5	4	5	20	58	100	77	50	23	9	11					
2	Typhus fever.....																			
3	Relapsing fever.....																			
4	Malaria.....	52	5	2				3	2	1	5	10	10	2	11					
5	Smallpox.....	1																		
6	Measles.....	163	36	60	24	9	4	15	9	7	1	1	1		1					
7	Scarlet fever.....	95	2	5	15	10	14	27	17	3	1	1								
8	Whooping cough.....	293	166	67	28	14	6	9	1											
9	Diphtheria and croup.....	262	9	30	35	25	27	92	26	10	1	4	3							
10	Influenza.....	137	12	1	1	1	1	4	3	6	7	9	15	19	36	17	4	1		
11	Miliary fever.....																			
12	Asiatic cholera.....																			
13	Cholera nostras.....	2																		
14	Dysentery.....	73	18	4	3	1		2		5	5	5	2	7	13	8				
15	Plague.....																			
16	Yellow fever.....																			
17	Leprosy.....	3									1			2						
18	Erysipelas.....	55	11	4	1	2				4	6	9	3	5	7	3				
19	Other epidemic diseases.....	6	2	1			2	1												
20	Purulent infection and septicemia.....	53	3	1			1	2	4	5	5	7	10	11	2	1		1		
21	Glanders.....	1												1						
22	Anthrax.....	1													1					
23	Rabies.....	3				1		1						1						
24	Tetanus.....	49	13	1			2	4	4	6	5	6	3	3	2					
25	Mycoses.....	1												1						
26	Pellagra.....	28								1	4	9	5	8	1					
27	Beriberi.....	4	1							2		1								
	Tuberculosis (total).....	5,378	120	88	61	40	27	99	364	1,236	1,339	885	559	362	171	26	1			
28	Tuberculosis of the lungs.....	4,571	44	20	10	9	5	34	286	1,089	1,234	819	516	328	154	22	1			
29	Acute miliary tuberculosis.....	127	2	3	1	2	3	4	23	40	24	14	3	4	3	1				
30	Tuberculous meningitis.....	309	52	56	38	23	16	42	21	28	18	9	2	4						
31	Abdominal tuberculosis.....	207	16	8	9	3	1	8	19	48	35	24	15	14	5	2				
32	Fott's disease.....	42			1	2	1	1	8	8	7	5	6	2	1					
33	White swellings.....	17			1	1	1	4	2	1	3	2	1	2						
34	Tuberculosis of other organs.....	74	4	1	2			4	3	14	10	11	12	7	5	1				
35	Disseminated tuberculosis.....	31	2					2	2	8	8	1	4	3	1					
36	Rickets.....	8	2	4		2														
37	Syphilis.....	251	77	9	1	1	2	1	7	18	24	48	45	13	5					
38	Gonococcus infection.....	15	2						1	10	1			1						
	Cancer and other malignant tumors (total).....	2,701		1	6	3		2	9	46	172	418	650	706	534	140	13		1	
39	Of the buccal cavity.....	133							1	3	3	12	32	35	38	8	1			
40	Of the stomach, liver.....	1,042				1				8	44	123	245	310	237	48	6			
41	Of the peritoneum, intestines, rectum.....	343			1				2	5	27	45	74	101	70	16	1		1	
42	Of the female genital organs.....	366								8	45	81	104	76	37	4				
43	Of the breast.....	239								6	20	76	85	61	37	14				
44	Of the skin.....	100									3	12	15	20	27	21	2			
45	Of other organs or of organs not specified.....	418		1	5	2		2	6	16	30	59	95	103	68	29	2			
46	Other tumors (tumors of the female genital organs excepted).....	10						2				1	1	3	2	1				
47	Acute articular rheumatism.....	103	1		1			3	20	9	10	9	15	10	19	6				
48	Chronic rheumatism and gout.....	37							1	1	3	3	5	13	5	6				
49	Scurvy.....	3	2																	
50	Diabetes.....	513					2	10	23	34	26	50	120	119	103	26				
51	Exophthalmic goiter.....	31							1	4	4	8	3	3	3					
52	Addison's disease.....	13								3	4	3	3	1	2					
53	Leukemia.....	56	1	1	2	2		1	4	8	4	6	10	13	3	1				
54	Anemia, chlorosis.....	143	5	3		1		1	2	3	15	23	41	33	13	3				
55	Other general diseases.....	51	20	1	2	1		2	2	5	6	4	2	1	4	1				
56	Alcoholism (acute or chronic).....	196								19	42	52	51	23	8			1		
57	Chronic lead poisoning.....	13							1		3	5	3	1						
58	Other chronic occupation poisonings.....	1												1						
59	Other chronic poisonings.....	10								2	2	1	2	1	2					
	II.—Diseases of the nervous system and of the organs of special sense.....	3,792	124	45	31	21	6	46	62	113	248	361	590	794	828	473	47		3	
60	Encephalitis.....	35	3			1		1	1	6	9	4		3	4	3				
61	Meningitis (total).....	277	66	31	18	12	4	21	27	32	24	17	13	5	6	1				
	Simple meningitis.....	150	43	17	9	3	1	6	13	15	14	11	9	4	4	1				
	Cerebrospinal meningitis (undefined).....	65	11	11	5	4	1	10	9	4	4	2	2	2	2					
	Cerebrospinal fever.....	62	12	3	4	5	2	5	5	13	6	4	2	1						
62	Locomotor ataxia.....	37									9	18	25	21	11	3				
63	Other diseases of the spinal cord (total).....	205	3	4	4	3		8	11	7	12	18	35	43	40	16	1			
	Acute anterior poliomyelitis.....	33	1	4	4	3		7	6	3	1	1	1	1	2					
	Other diseases of the spinal cord ¹	172	2					1	5	4	11	18	34	42	38	16	1			
64	Cerebral hemorrhage, apoplexy.....	2,224	10	3				1	2	19	60	150	395	571	627	356	27		3	
65	Softening of the brain.....	69						1		1	2	1	4	14	21	10	5			
66	Paralysis without specified cause.....	221	1			1			2	2	6	10	21	51	70	50	7			
67	General paralysis of the insane.....	285							1	6	62	85	45	43	28	17	3			
68	Other forms of mental alienation.....	64							1	10	12	14	14	7	3	3				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
			CALIFORNIA—Continued.																
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy.....	81	3					7	3	11	19	13	8	9	7	1			
70	Convulsions (nonpuerperal).....	6								1	3		1		1				
71	Convulsions of infants.....	36	28	3	3		2												
72	Chorea.....	2						1		1									
73	Neuralgia and neuritis.....	16								1	2	2	5	3	3				
74	Other diseases of the nervous system.....	141	6	3	5	2		2	7	11	22	19	21	11	8	4			
75	Diseases of the eyes and their annexa.....	1									1								
76	Diseases of the ears.....	52	4	1	1	2		4	7	5	7	10	6	2	2	1			
	III.—Diseases of the circulatory system.....	6,039	32	5	6	4	2	32	68	160	324	557	853	1,436	1,602	839	113	5	1
77	Pericarditis.....	38	2				1		1	4	3	7	3	12	5				
78	Acute endocarditis.....	260	7	1	1	3	1	12	20	28	45	51	65	10	11	4	1		
79	Organic diseases of the heart.....	4,633	19	3	3			20	47	115	249	410	650	1,175	1,240	625	75	1	1
80	Angina pectoris.....	227								2	7	31	40	55	73	18	1		
81	Diseases of the arteries, atheroma, aneurism, etc.....	723	1							2	12	36	76	148	239	170	35	4	
82	Embolism and thrombosis.....	119				1				8	5	12	16	31	27	18	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	20									1	9	1	3	3	3			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	9	2	1	2					1			2		1				
85	Hemorrhage: other diseases of the circulatory system.....	10	1								2	1		2	3	1			
	IV.—Diseases of the respiratory system.....	3,270	644	174	80	42	33	62	63	151	216	308	318	368	484	287	38	2	
86	Diseases of the nasal fossae.....	3	1									1				1			
87	Diseases of the larynx.....	22	3	1	2	2	1	3		1			2	3	1				
88	Diseases of the thyroid body.....	12								1	1	4	5						
89	Acute bronchitis.....	177	64	19	8	3	6	4		3	1	6	5	8	27	19	4		
90	Chronic bronchitis.....	198	2	2	1	1				2	2	9	18	29	73	50	7	1	
91	Bronchopneumonia.....	926	332	83	36	20	15	20	11	18	29	46	48	68	115	73	12		
92	Pneumonia (total).....	1,654	231	66	33	13	9	33	40	110	163	208	201	215	209	110	12	1	
	Lobar pneumonia.....	1,209	126	44	25	8	6	25	25	86	127	165	168	169	154	77	4		
	Pneumonia (undefined).....	445	105	22	8	5	3	8	15	24	36	43	33	46	55	33	8	1	
93	Pleurisy.....	73		2		2	1	1	7	6	10	13	13	10	6	2			
94	Pulmonary congestion, pulmonary apoplexy.....	92	11	1		1	1	1		1		3	3	12	32	23	3		
95	Gangrene of the lung.....	14								3	3	5	3						
96	Asthma.....	54							1	1	3	3	12	10	15	9			
97	Pulmonary emphysema.....	4											1	2	1				
98	Other diseases of the respiratory system (tuberculosis excepted).....	41							1	5	4	8	7	11	5				
	V.—Diseases of the digestive system.....	3,164	835	176	60	37	19	56	91	187	246	330	359	330	289	129	18	1	1
99	Diseases of the mouth and annexa.....	19	3				1	1	1	1	1	4	1	2	2	1	1		
100	Diseases of the pharynx.....	47	5	1	1	3	2	5	8	8	4	4	3	2	1				
101	Diseases of the esophagus.....	7											2	1	3				
102	Ulcer of the stomach.....	164							2	15	32	33	31	26	18	7			
103	Other diseases of the stomach (cancer excepted).....	254	75	9	5	1	1	4	1	5	15	26	21	26	28	31	6		
104	Diarrhea and enteritis (under 2 years).....	844	694	150															
105	Diarrhea and enteritis (2 years and over).....	308			43	24	12	15	4	12	26	24	32	35	51	26	4		
106	Ankylostomiasis.....																		
107	Intestinal parasites.....	7						1	1			2	2						1
108	Appendicitis and typhlitis.....	343	3	2	2	3	2	20	51	77	47	70	35	21	13	1	1		
109	Hernia, intestinal obstruction (total).....	324	40	9	6	2	1	3	7	14	27	36	50	52	53	23	1		
	Hernia.....	110	5	1				1		3	7	14	24	25	22	8			
	Intestinal obstruction.....	214	35	8	6	2	1	2	7	11	20	22	26	27	31	15	1		
110	Other diseases of the intestines.....	95	4	3	1	2		3	2	11	11	9	8	16	12	10	3		
111	Acute yellow atrophy of the liver.....	17	1					1	1	6	4	2	1	1					
112	Hydatid tumor of the liver.....	1																	
113	Cirrhosis of the liver.....	435	1	1				1	2	11	38	82	116	106	60	16		1	
114	Biliary calculi.....	76								4	10	10	21	9	18	4			
115	Other diseases of the liver.....	124	2		1	1			5	10	14	15	25	23	18	7	2		
116	Diseases of the spleen.....	8								2	3	1	2						
117	Simple peritonitis (nonpuerperal).....	59	7	1	1			1	6	8	6	8	5	6	8	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	27								2	6	6	4	4	4	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	3,285	32	6	7	4	5	25	41	147	259	400	546	691	713	332	26		1
119	Acute nephritis.....	183	9	5	5	2	2	12	8	31	31	18	21	19	9	10	1		
120	Bright's disease.....	2,589	15	1	2	2	3	9	32	83	176	315	477	610	592	255	16		1
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	66	6					3	1	2	6	8	11	9	15	5			
123	Calculi of the urinary passages.....	20								1	1	5	5	4	2	2			

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
CALIFORNIA—Continued.																			
VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																			
124	Diseases of the bladder.....	73						1			1	4	5	14	24	20	4		
125	Diseases of the urethra, urinary abscess, etc.....	12									1	1	3	3	2	2			
126	Diseases of the prostate.....	137									3	8	24	63	34	5			
127	Nonvenereal diseases of the male genital organs.....	6	2								1	1	1	1	1				
128	Uterine hemorrhage (nonpuerperal).....	1																	
129	Uterine tumor (noncancerous).....	52								4	11	23	6	5	1	2			
130	Other diseases of the uterus.....	22								7	3	3	5	1	3				
131	Cysts and other tumors of the ovary.....	22								3	7	7	2	1	1	1			
132	Salpingitis and other diseases of the female genital organs.....	52									16	22	12	2					
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
VII.—The puerperal state.....																			
		363							29	169	133	32							
134	Accidents of pregnancy.....	43							2	18	21	2							
135	Puerperal hemorrhage.....	38							1	11	20	6							
136	Other accidents of labor.....	22								8	9	3							
137	Puerperal septicemia.....	128							5	72	44	7							
138	Puerperal albuminuria and convulsions.....	110							16	50	32	12							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	19								3	8	6	2						
140	Following childbirth (not otherwise defined).....	3									2	1							
141	Puerperal diseases of the breast.....																		
VIII.—Diseases of the skin and of the cellular tissue.....																			
		90	9	2						4	5	7	5	16	22	15	4	1	
142	Gangrene.....	49								1	1	2	1	10	16	14	4		
143	Furuncle.....	10									1	2	1	3	3				
144	Acute abscess.....	15	2							3	2	3	2	2	2				
145	Other diseases of the skin and annexa.....	16	7	2							2	1	1	1	1			1	
IX.—Diseases of the bones and of the organs of locomotion.....																			
		63	9	1	2		2	4	7	4	6	4	6	10	4	4			
146	Diseases of the bones (tuberculosis excepted).....	55	8	1	2		2	3	7	4	5	4	5	8	3	3			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	5	1								1			1	1	1			
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....	3					1						1	1					
X.—Malformations.....																			
		316	293	9	2	2	1	6	1	1	1								
150	Congenital malformations (stillbirths not included) (total).....	316	293	9	2	2	1	6	1	1	1								
	Hydrocephalus.....	28	21	3		1		2		1									
	Congenital malformations of the heart.....	202	192	5	2		1				1								
	Other congenital malformations.....	86	80	1		1		4											
XI.—Early infancy.....																			
		1,404	1,404																
151	Congenital debility, icterus, and sclerema (total).....	1,079	1,079																
	Premature birth.....	849	849																
	Congenital debility, "atrophy," "marasmus," etc.....	230	230																
152	Other causes peculiar to early infancy (total).....	317	317																
	Injuries at birth.....	174	174																
	Other causes peculiar to early infancy.....	143	143																
153	Lack of care.....	8	8																
XII.—Old age.....																			
		511											3	22	164	254	65	3	
154	Senility.....	511											3	22	164	254	65	3	
XIII.—External causes.....																			
		4,048	64	60	48	33	20	107	230	747	835	659	540	345	222	104	28	1	5
155	Suicide (total).....	920							18	158	216	194	179	110	37	7			1
	By poison.....	161							4	44	37	32	22	13	6	3			
156	By asphyxia.....	131							1	16	27	27	36	16	7	1			
157	By hanging or strangulation.....	104								9	24	25	22	18	4	2			
158	By drowning.....	45								1	10	8	9	8	2				
159	By firearms.....	399							12	73	98	71	77	52	14	1			1
160	By cutting or piercing instruments.....	55								6	12	23	11	2	1				
161	By jumping from high places.....	9								1	2	2	1	1	2				
162	By crushing.....	9								2	3	3	1						
163	Other suicides.....	7									3	3							
	Accidental or undefined (total).....	2,755	60	59	47	33	20	105	201	479	496	391	334	220	182	95	28	1	4
164	Poisoning by food.....	44	4	1	2	1	1	2		5	7		5	10	5	1			
165	Other acute poisonings.....	98	3	10	7	4	1	5		28	15	6	12	2	3	2			
166	Conflagration.....	71	4	1	2	1		4	4	6	8	11	14	7	6	3			
167	Burns (conflagration excepted).....	165	5	16	11	9	9	19	9	12	21	16	13	10	6	6	3		

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
CALIFORNIA—Continued.																	
168	XIII.—External causes—Continued. Accidental or undefined—Continued. Absorption of deleterious gases (conflagration excepted).....	134	21	1	2			3	3	23	21	19	14	13	11	3	
169	Accidental drowning.....	381	1	16	7	8	4	15	54	82	64	56	42	20	9	2	1
170	Traumatism by firearms.....	113		2	1	1		9	35	29	16	7	6	3			1
171	Traumatism by cutting or piercing instruments.....	7						1	1	1	1		1	1			
172	Traumatism by fall.....	437	10	5	5	2		10	18	34	52	64	43	46	66	58	24
173	Traumatism in mines and quarries (total).....	51							1	10	17	13	7	3			
	Traumatism in mines.....	44							1	9	14	13	5	2			
	Traumatism in quarries.....	7								1	3		2	1			
174	Traumatism by machines.....	54			1	1		2	7	8	14	10	8	3			
175	Traumatism by other crushing (total).....	957	3	4	6	4	5	34	54	183	218	149	134	85	62	12	1
	Railroad accidents and injuries.....	318		1	1			4	13	71	99	57	31	25	10	2	1
	Street-car accidents and injuries.....	142		1	2	1		7	22	28	17	25	20	15	4		
	Automobile accidents and injuries.....	285	1	1	2	1	2	16	21	55	51	42	48	25	19	1	
	Injuries by other vehicles.....	170	1	1	1	2	3	13	12	22	28	25	26	14	17	5	
	Landslide, other crushing.....	42	1					1	1	13	12	8	4	1	1		
176	Injuries by animals.....	23			2			4	2		2	2	6	2	1	2	
177	Starvation.....	2	1												1		
178	Excessive cold.....	6							1	1	1	1	1	1	1		
179	Effects of heat.....	22	1			1			3	4	5	2	3	2	1		
180	Lightning.....																
181	Electricity (lightning excepted).....	88							1	18	14	3	2				
185	Fractures (cause not specified).....	11	1						1	1			1	1	3	3	
186	Other external violence.....	141	6	3	1	1		2	6	35	21	29	23	10	3	1	
	XIV.—Ill-defined diseases.....	57	1	2			1	2		4	4	5	7	9	8	10	
187	Ill-defined organic disease.....	6	1							1					2	2	
188	Sudden death.....	1													1		
189	Not specified or ill-defined (total).....	50		2			1	2		3	4	5	7	9	6	7	
	Ill-defined.....	30		2			1	1		3	3	4	3	6	6	7	
	Not specified, or unknown.....	14						1		1	1	1	4	3			

COLORADO.

	All causes.....	10,166	1,521	350	144	101	91	229	482	1,120	1,179	1,133	1,174	1,152	963	462	58	5	2
	I.—General diseases.....	3,205	152	85	50	47	44	94	193	607	599	493	387	259	149	44	2		
1	Typhoid fever.....	155		3	2	5	1	13	45	40	15	17	7	3	4				
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....																		
5	Smallpox.....	1											1						
6	Measles.....	85	16	30	11	12	8	3	3	1	1								
7	Scarlet fever.....	95	7	8	11	11	14	26	12	2	3	1							
8	Whooping cough.....	78	47	11	7	6	3	2	1				1						
9	Diphtheria and croup.....	65	5	7	5	5	7	25	8		2	1							
10	Influenza.....	48	4	1			1	1	1	1	4	6	7	6	9	7			
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	1								1									
14	Dysentery.....	17	1	1	2					1	1	2	3	3	2	1			
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	27	12						2	2	2	3		4	1	1			
19	Other epidemic diseases.....	1																	
20	Purulent infection and septicemia.....	16						2	2	5	1	4	2						
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....																		
24	Tetanus.....	9	3				1	2	1		1		1						
25	Mycoses.....																		
26	Pellagra.....	9							1	2	2	3	1						
27	Beriberi.....																		
	Tuberculosis (total).....	1,652	16	20	7	7	4	8	91	521	475	288	134	60	18	3			
28	Tuberculosis of the lungs.....	1,509	6	3	1	3		1	74	496	455	275	123	56	14	2			
29	Acute miliary tuberculosis.....	17							3	2	5	2	2	1					
30	Tuberculous meningitis.....	59	8	16	5	3	2	4	6	6	4	3	1		1				
31	Abdominal tuberculosis.....	27	1	1		1	1	1	1	8	4	2	3	2	2				
32	Pott's disease.....	13					1	1	1	2	3	2	3						
33	White swellings.....	2							1	1									
34	Tuberculosis of other organs.....	13	1						3	2	3	3			1				
35	Disseminated tuberculosis.....	12							2	4	1	1	2	1					

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
COLORADO—Continued.																		
I.—General diseases—Continued.																		
36	Rickets.....	5	5															
37	Syphilis.....	36	29	2							4	18	13	13	5	1	1	
38	Gonococcus infection.....	4									2	1	1					
Cancer and other malignant tumors (total)																		
39	Of the buccal cavity.....	530		1			1	2	8	37	102	143	123	86	25	2		
40	Of the stomach, liver.....	22					1			2	5	1	6	5	1	1		
41	Of the peritoneum, intestines, rectum.....	245							3	12	42	69	67	37	14	1		
42	Of the female genital organs.....	58		1					1	6	9	13	13	14	1			
43	Of the breast.....	81							1	5	24	28	16	7	1			
44	Of the skin.....	53							1	6	17	16	6	7	1			
45	Of other organs or of organs not specified.....	14							1		1	1	4	5	3			
		57						2	2	6	5	15	11	11	5			
46	Other tumors (tumors of the female genital organs excepted).....	7								3		2	1	1				
47	Acute articular rheumatism.....	40		1	2		2	7	3	2	5	4	3	2	4			
48	Chronic rheumatism and gout.....	12								1	1	1	3	4	1	2		
49	Scurvy.....	1																
50	Diabetes.....	105		1			2	3	11	6	4	15	25	20	15	3		
51	Exophthalmic goiter.....	7							1	2	1	1	2					
52	Addison's disease.....	8							1		1	4	2	2				
53	Leukemia.....	7		1					1	2	1	2	2					
54	Anemia, chlorosis.....	47		1		1	1		2	6	5	16	10	5				
55	Other general diseases.....	9	6		1				1				1					
56	Alcoholism (acute or chronic).....	71								3	15	20	18	12	2	1		
57	Chronic lead poisoning.....	4										2	2					
58	Other chronic occupation poisonings.....																	
59	Other chronic poisonings.....	3								1	1		1					
II.—Diseases of the nervous system and of the organs of special sense.....																		
		698	31	18	6	7	6	16	33	28	40	65	109	136	147	50	5	1
60	Encephalitis.....	3		1	1								1					
61	Meningitis (total).....	36	19	10	4	3	4	11	17	6	4	4	2	1	1			
	Simple meningitis.....	35	9	5	2	3	3	3	4	2	2	3	1	1				
	Cerebrospinal meningitis (undefined).....	26	7	2	3	1	5	5	2	1	1	1						
	Cerebrospinal fever.....	25	3	3	1		1	3	8	2	1	1	2					
62	Locomotor ataxia.....	12									1	4	2	3	1	1		
63	Other diseases of the spinal cord (total).....	33		1	1	2	1	1	1		2	5	4	6	6	3		
	Acute anterior poliomyelitis.....	8		1	1	1	1	1	1		1	1	1	1				
	Other diseases of the spinal cord ¹	25				1					1	5	3	6	6	3		
64	Cerebral hemorrhage, apoplexy.....	358	2	1			1	3	6	9	24	59	98	116	35	3	1	
65	Softening of the brain.....	8									1	1	2	2	2			
66	Paralysis without specified cause.....	46						1		3	3	11	6	13	7	2		
67	General paralysis of the insane.....	46								8	12	13	8	4	1			
68	Other forms of mental alienation.....	26						2	3	2	7	11	1					
69	Epilepsy.....	36			1		1	6	7	7	2	3	5	4				
70	Convulsions (nonpuerperal).....																	
71	Convulsions of infants.....	10	8	2														
72	Chorea.....	2							1	1								
73	Neuralgia and neuritis.....	5							1	1	2	1	1					
74	Other diseases of the nervous system.....	15		1		1	1	1	4	1	2		3		1			
75	Diseases of the eyes and their annexa.....																	
76	Diseases of the ears.....	12	2	2		1	1	1		1	1	2	1					
III.—Diseases of the circulatory system.....																		
		1,028	7	4	1	1	5	20	55	53	76	117	194	214	194	84	2	1
77	Pericarditis.....	12		1						2	1	1	3	2		2		
78	Acute endocarditis.....	54		2		1	2	2	8	2	7	12	15	2	1	2		
79	Organic diseases of the heart.....	722	5	1	1		2	18	42	43	56	88	143	158	119	43	2	
80	Angina pectoris.....	54					1				1	5	13	18	13	3		
81	Diseases of the arteries, atheroma, aneurism, etc.....	138						1		3	7	17	27	55	28			
82	Embolism and thrombosis.....	39	1					2	5	7	4	1	6	5	8			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	2											1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.).....	4						2	1	1								
85	Hemorrhage, other diseases of the circulatory system.....	3	1									2						
IV.—Diseases of the respiratory system.....																		
		1,219	245	107	31	15	12	24	29	77	79	107	142	156	121	67	6	1
86	Diseases of the nasal fossae.....	1								1								
87	Diseases of the larynx.....	14	2		2	2	1		1	2	2		1		1			
88	Diseases of the thyroid body.....	2																
89	Acute bronchitis.....	38	18	7	1	1	1					1	3	1	5			
90	Chronic bronchitis.....	26								1		1	5	4	11	4		
91	Bronchopneumonia.....	324	161	70	13	7	3	7	3	1	3	7	10	12	14	12	1	
92	Pneumonia (total).....	708	59	27	14	5	6	17	24	63	67	77	111	115	81	38	4	
	Lobar pneumonia.....	670	57	26	14	5	5	16	22	61	66	73	105	108	76	33	3	
	Pneumonia (undefined).....	38	2	1			1	1	2	2	1	4	6	7	5	1		
93	Pleurisy.....	19		2	1				6	3	3	1	2	1				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
. COLORADO—Continued.																	
	X.—Malformations.....	130	125	3		1	1										
150	Congenital malformations (stillbirths not included) (total).....	130	125	3		1	1										
	Hydrocephalus.....	5	5														
	Congenital malformations of the heart.....	93	91	1			1										
	Other congenital malformations.....	32	29	2		1											
	XI.—Early infancy.....	659	659														
151	Congenital debility, icterus, and sclerema (total).....	523	523														
	Premature birth.....	360	360														
	Congenital debility, "atrophy," "marasmus," etc.....	163	163														
152	Other causes peculiar to early infancy (total).....	130	130														
	Injuries at birth.....	52	52														
	Other causes peculiar to early infancy ¹	78	78														
153	Lack of care.....	6	6														
	XII.—Old age.....	282										1	26	100	117	34	3
154	Senility.....	282										1	26	100	117	34	3
	XIII.—External causes.....	995	23	19	18	11	17	41	96	201	182	162	111	66	32	15	1
	Suicide (total).....	165							11	31	27	28	40	19	7	2	
	By poison.....	46							4	11	8	7	10	4	1	1	
156	By asphyxia.....	4								1	1	1					
157	By hanging or strangulation.....	12							1	2	4	2	3				
158	By drowning.....	5									2	3					
159	By firearms.....	83							5	14	11	15	22	12	3	1	
160	By cutting or piercing instruments.....	9							1	3	1	1		1	2		
161	By jumping from high places.....	3									2			1			
162	By crushing.....	1									2			1			
163	Other suicides.....	2												1	1		
	Accidental or undefined (total).....	692	19	19	18	11	17	39	76	128	111	107	67	42	24	13	1
164	Poisoning by food.....	9				1	1				1	2	2		1		
165	Other acute poisonings.....	33	2	3	6	2	5	1	5	3	4	1				1	
166	Conflagration.....	23	3			3	3	5	1	1	2	2		2		1	
167	Burns (conflagration excepted).....	35	2	2	3	5	6	4	2	3	2	2	2	1		1	
168	Absorption of deleterious gases (conflagration excepted).....	16	9							2	1	1	3				
169	Accidental drowning.....	67	1	7	5	1	1	6	18	16	3	2	4	2	1		
170	Traumatism by firearms.....	36			1		2	4	15	8	3	1	1		1		
171	Traumatism by cutting or piercing instruments.....	2							1	1							
172	Traumatism by fall.....	70	2					4	6	8	5	11	7	9	10	7	1
173	Traumatism in mines and quarries (total).....	142							3	41	51	29	11	6	1		
	Traumatism in mines.....	142							3	41	51	29	11	6	1		
	Traumatism in quarries.....																
174	Traumatism by machines.....	12							2	3	2	4	1				
175	Traumatism by other crushing (total).....	187		3	2	1	2	6	16	33	34	36	29	15	8	2	
	Railroad accidents and injuries.....	88		1	1	1		4	7	19	18	18	14	2	3		
	Street-car accidents and injuries.....	10		1						1	1	3		1	1	2	
	Automobile accidents and injuries.....	30						1	4	5	6	3	5	5	1		
	Injuries by other vehicles.....	47		1	1		2	1	5	5	5	9	8	7	3		
	Landslide, other crushing.....	12								3	4	3	2				
176	Injuries by animals.....	11				1		3	3			2	1		1		
177	Starvation.....	5										1	1	1	1		
178	Excessive cold.....	9							1	1	1	1	2	3	1		
179	Effects of heat.....	1											1				
180	Lightning.....	16							7	3	2	2	1	1			
181	Electricity (lightning excepted).....	7								3		4					
182	Fractures (cause not specified).....																
183	Other external violence.....	11		3	1			1			1	3		2			
	Homicide (total).....	138	4					2	9	42	44	27	4	5	1		
182	By firearms.....	108						1	6	35	37	21	3	4	1		
183	By cutting or piercing instruments.....	16						2	6	4	4						
184	By other means.....	14	4					1	1	1	3	2	1	1			
	XIV.—Ill-defined diseases.....	7	1	3	1									1		1	
187	Ill-defined organic disease.....	1														1	
188	Sudden death.....	1												1			
189	Not specified or ill-defined (total).....	5	1	3	1												
	Ill-defined.....	5	1	3	1												
	Not specified, or unknown.....																

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CONNECTICUT.																			
	All causes.....	18,220	3,478	621	241	169	146	340	528	1,124	1,342	1,752	1,973	2,401	2,512	1,314	226	10	43
	I.—General diseases.....	4,486	336	214	92	83	64	166	227	548	512	619	589	490	405	119	17	5
1	Typhoid fever.....	111	1	1	2	1	6	15	34	19	16	10	3	2	1
2	Typhus fever.....
3	Relapsing fever.....
4	Malaria.....	12	5	1	2	1	1	2
5	Smallpox.....
6	Measles.....	144	27	62	16	17	8	9	1	1	1	1	1
7	Scarlet fever.....	32	5	11	9	8	9	25	6	2	4	1	2
8	Whooping cough.....	138	89	33	8	4	1	3
9	Diphtheria and croup.....	236	16	41	30	35	30	63	10	4	4	1	1
10	Influenza.....	167	16	2	3	1	1	4	4	7	2	7	22	28	36	26	8
11	Miliary fever.....
12	Asiatic cholera.....
13	Cholera nostras.....	6	2	1	2	1
14	Dysentery.....	58	17	2	4	2	1	1	1	1	2	3	5	12	7
15	Plague.....
16	Yellow fever.....
17	Leprosy.....
18	Erysipelas.....	56	20	2	1	1	2	6	5	4	11	4
19	Other epidemic diseases.....	5	3	1	1
20	Purulent infection and septicemia.....	38	9	1	1	2	5	2	6	6	4	2
21	Glanders.....
22	Anthrax.....	1	1
23	Rabies.....
24	Tetanus.....	20	5	1	3	3	2	4	2
25	Mycoses.....
26	Fellegra.....	6	1	4	1
27	Beriberi.....
28	Tuberculosis (total).....	1,781	62	50	16	13	10	34	144	438	371	330	184	86	35	7	1
29	Tuberculosis of the lungs.....	1,448	12	8	3	1	12	108	394	336	299	160	78	30	7
30	Acute miliary tuberculosis.....	67	5	2	8	13	16	13	6	3
31	Tuberculous meningitis.....	136	31	34	10	8	6	13	14	7	4	3	3	3
32	Abdominal tuberculosis.....	57	8	5	2	4	3	4	6	10	3	7	4	1
33	Pott's disease.....	22	1	1	4	4	4	3	3	1	1
34	White swellings.....	6	1	1	1	1	1	1	1
35	Tuberculosis of other organs.....	34	5	1	2	1	6	5	3	6	3	1	1
35	Disseminated tuberculosis.....	11	1	1	3	3	2	1	1
36	Rickets.....	15	13	1	1
37	Syphilis.....	52	26	2	1	5	10	5	2	1
38	Gonococcus infection.....	2	1	1
39	Cancer and other malignant tumors (total).....	1,040	2	1	1	3	3	17	42	151	261	265	225	59	7	3
40	Of the buccal cavity.....	48	1	3	10	15	17	1	1
41	Of the stomach, liver.....	331	2	9	37	87	95	75	23	2	1
42	Of the peritoneum, intestines, rectum.....	158	1	1	7	6	21	41	40	33	7	1
43	Of the female genital organs.....	158	2	13	44	50	24	21	3	1
44	Of the breast.....	121	2	4	21	28	29	29	6	2
45	Of the skin.....	33	2	1	3	5	6	4	10	2
45	Of other organs or of organs not specified.....	191	1	1	1	2	4	9	22	40	56	46	9
46	Other tumors (tumors of the female genital organs excepted).....	9	1	1	1	2	3	1
47	Acute articular rheumatism.....	57	1	1	2	5	11	4	9	5	3	7	7	2
48	Chronic rheumatism and gout.....	14	1	4	3	5	1
49	Scurvy.....	4	2	1	1
50	Diabetes.....	241	1	2	18	12	15	31	51	56	47	7	1
51	Exophthalmic goiter.....	14	3	3	4	1	2	1
52	Addison's disease.....	3	1	1	1
53	Leukemia.....	28	1	2	3	4	6	3	3	5	1
54	Anemia, chlorosis.....	55	4	1	5	4	13	8	13	6	1
55	Other general diseases.....	26	11	1	3	3	1	2	1	2	1
56	Alcoholism (acute or chronic).....	60	2	12	24	12	6	4
57	Chronic lead poisoning.....	2	2
58	Other chronic occupation poisonings.....
59	Other chronic poisonings.....	3	1	1	1
II.—Diseases of the nervous system and of the organs of special sense.....																			
		1,994	110	27	22	7	10	24	19	43	76	177	287	415	502	234	40	1
60	Encephalitis.....	6	1	1	1	1	1
61	Meningitis (total).....	182	47	16	15	5	6	16	8	11	5	7	6	4	1
	Simple meningitis.....	99	31	10	8	5	3	10	3	8	4	3	5	4	2	1
	Cerebrospinal meningitis (undefined).....	31	12	3	3	2	2	3	3	1	1	1
	Cerebrospinal fever.....	22	4	3	4	1	4	2
62	Locomotor ataxia.....	27	2	5	9	4
63	Other diseases of the spinal cord (total).....	69	1	3	2	2	1	2	7	8	8	16	14	5
	Acute anterior poliomyelitis.....	6	1	3	1	1
	Other diseases of the spinal cord.....	63	1	1	2	7	8	8	16	14	5
64	Cerebral hemorrhage, apoplexy.....	1,357	1	1	1	1	7	21	102	221	349	420	201	31	1
65	Softening of the brain.....	17	10	4	1
66	Paralysis without specified cause.....	60	1	1												

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.
CONNECTICUT—Continued.																		
II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy.....	47	1					2	9	7	8	3	12	4	1			
70	Convulsions (nonpuerperal).....	2					1		1									
71	Convulsions of infants.....	58	50	5	2	1												
72	Chorea.....	4									2	1	1					
73	Neuralgia and neuritis.....	7								2	1	1	2		1			
74	Other diseases of the nervous system.....	62	5				3	1	5	3	6	15	12	4	6	2		
75	Diseases of the eyes and their annexa.....																	
76	Diseases of the ears.....	19	3	1	2			3	1	3	1		4	1				
III.—Diseases of the circulatory system.....																		
		2,552	21	4	3	5	3	21	60	60	108	230	343	556	687	389	53	2
77	Pericarditis.....	12									2	1	1	3	3	2		
78	Acute endocarditis.....	142	6	1	2		2	5	17	14	16	36	36	2	4	1		
79	Organic diseases of the heart.....	1,874	6	1	1	5	1	16	42	44	80	173	260	433	508	267	31	2
80	Angina pectoris.....	107								2	8	21	33	34	6			1
81	Diseases of the arteries, atheroma, aneurism, etc.....	318									2	4	12	64	114	100	20	2
82	Embolism and thrombosis.....	75	2					1			3	4	11	18	21	13	2	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	13	1								3	3	1	3	2			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	7	5	2														
85	Hemorrhage; other diseases of the circulatory system.....	4	1								1	1		1				
IV.—Diseases of the respiratory system.....																		
		2,335	566	183	58	29	20	29	53	71	143	174	209	294	300	165	37	1
86	Diseases of the nasal fossae.....	1															1	
87	Diseases of the larynx.....	15	2	1	3	1		2			2	2		1	1	1		
88	Diseases of the thyroid body.....	6							2				1					
89	Acute bronchitis.....	165	95	15	4		1	1	2		1	4	5	18	14	4		1
90	Chronic bronchitis.....	113	2	1		1		3	1	2	2	5	10	22	32	26	6	
91	Bronchopneumonia.....	628	281	99	29	13	10	8	3	6	16	9	27	34	54	31	8	
92	Pneumonia (total).....	1,228	160	63	20	12	8	13	40	58	112	139	147	209	159	74	12	1
	Lobar pneumonia.....	766	66	24	11	6	7	11	25	48	79	97	101	141	95	38	7	1
	Pneumonia (undefined).....	472	94	39	9	6	1	2	15	10	33	42	46	68	64	36	5	1
93	Pleurisy.....	57	3	2	2	1	1	1	4	3	6	8	9	3	10	3		1
94	Pulmonary congestion, pulmonary apoplexy.....	75	21	1		1					2	4	1	10	17	13	5	
95	Gangrene of the lung.....	4									2		1		3			
96	Asthma.....	29		1				1		2	1	2	7	6	6	2	1	
97	Pulmonary emphysema.....	3												2	1			
98	Other diseases of the respiratory system (tuberculosis excepted).....	11	2					1				2	2	3		1		
V.—Diseases of the digestive system.....																		
		2,027	995	146	33	14	16	24	36	59	94	121	125	158	134	59	10	1
99	Diseases of the mouth and annexa.....	11	3	1	1				2	1	3							
100	Diseases of the pharynx.....	19	3	2	1	2	1	3	1	1	2			1	1			
101	Diseases of the esophagus.....	1	1															
102	Ulcer of the stomach.....	51					1			6	12	4	11	8	7	2		
103	Other diseases of the stomach (cancer excepted).....	135	37	2	4			2	2	10	10	13	23	20	10	1		1
104	Diarrhea and enteritis (under 2 years).....	1,048	915	133														
105	Diarrhea and enteritis (2 years and over).....	144		24	9	8	6	1	3	6	14	10	17	20	20	5	1	
106	Ankylostomiasis.....																	
107	Intestinal parasites.....																	
108	Appendicitis and typhlitis.....	117		1		1	3	5	22	22	22	18	7	12	4			
109	Hernia, intestinal obstruction (total).....	162	28	5	2	1	1	7	4	6	9	12	13	29	30	13	2	
	Hernia.....	53	3	1				1	1	1	3	7	6	14	13	4		
	Intestinal obstruction.....	109	25	4	2	1	1	7	3	5	6	5	7	15	17	9	2	
110	Other diseases of the intestines.....	35	3					1	2	5	3	5	5	5	5	1		
111	Acute yellow atrophy of the liver.....	2	1												1			
112	Hydatid tumor of the liver.....																	
113	Cirrhosis of the liver.....	168								4	16	30	48	40	24	5		1
114	Biliary calculi.....	26										3	6	5	3			
115	Other diseases of the liver.....	56		1	1				2	1	8	9	9	13	8	4		
116	Diseases of the spleen.....	3										2		1				
117	Simple peritonitis (nonpuerperal).....	37	4	1		1	2	2	6	3	4	2	2	5	1	2		
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	12								1	2	6	1	2				
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																		
		1,594	23	5	6	2	3	9	20	65	127	217	250	336	323	187	17	1
119	Acute nephritis.....	120	7	1	2	2	3	3	4	15	18	19	16	18	6	5		1
120	Bright's disease.....	1,281	8	4	4		6	15	38	89	172	221	281	273	152	15		3
121	Chyluria.....																	
122	Other diseases of the kidneys and annexa.....	36	2							3	2	5	12	9	3			
123	Calculi of the urinary passages.....	9								1	1	2	3	2				

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
CONNECTICUT—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
124	Diseases of the bladder.....	32	2								1	4		5	12	8		
125	Diseases of the urethra, urinary abscess, etc.	7									2	2		3				
126	Diseases of the prostate.....	50											2	11	18	17	2	
127	Nonvenereal diseases of the male genital organs.....	3	2												1			
128	Uterine hemorrhage (nonpuerperal).....	13									3	4		3	1		2	
129	Uterine tumor (noncancerous).....	12									2	7						
130	Other diseases of the uterus.....	9									3	1						
131	Cysts and other tumors of the ovary.....	9									1	3			2			
132	Salpingitis and other diseases of the female genital organs.....	20	2							1	8	4	4		1			
133	Nonpuerperal diseases of the breast (cancer excepted).....	2												1				
	VII.—The puerperal state.....	176						12	73	70	21							
134	Accidents of pregnancy.....	23								9	13	1						
135	Puerperal hemorrhage.....	22								9	8	5						
136	Other accidents of labor.....	16								1	6	4	5					
137	Puerperal septicemia.....	61								6	26	23	6					
138	Puerperal albuminuria and convulsions.....	49								4	23	18	4					
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	5										4						
140	Following childbirth (not otherwise defined).....									1								
141	Puerperal diseases of the breast.....																	
	VIII.—Diseases of the skin and of the cellular tissue.....	67	17					3		4	2	5	9	13	7	7		
142	Gangrene.....	27								1		3	4	8	6	5		
143	Furuncle.....	7								1	1	2	2	1				
144	Acute abscess.....	10	3					3		1			1	2				
145	Other diseases of the skin and annexa.....	23	14							1	1		2	2	1	2		
	IX.—Diseases of the bones and of the organs of locomotion.....	32	4	1	1			2	1	4	4	3	3	5	1			
146	Diseases of the bones (tuberculosis excepted).....	24	4	1	1			2	1	4	2	3	1	3	1	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	6									1		2	3				
148	Amputations.....																	
149	Other diseases of the organs of locomotion.....	2								1				1				
	X.—Malformations.....	191	185	1	1	1		1		2								
150	Congenital malformations (stillbirths not included) (total).....	191	185	1	1	1		1		2								
	Hydrocephalus.....	19	16					1		1								
	Congenital malformations of the heart.....	90	88		1					1								
	Other congenital malformations.....	82	81	1														
	XI.—Early infancy.....	1,148	1,148															
151	Congenital debility, icterus, and sclerema (total).....	870	870															
	Premature birth.....	577	577															
	Congenital debility, "atrophy," "marasmus," etc.....	293	293															
152	Other causes peculiar to early infancy (total).....	276	276															
	Injuries at birth.....	151	151															
	Other causes peculiar to early infancy ¹	125	125															
153	Lack of care.....	2	2															
	XII.—Old age.....	204												15	52	99	33	5
154	Senility.....	204												15	52	99	33	5
	XIII.—External causes.....	1,315	38	26	21	27	28	62	97	196	202	181	150	119	85	52	11	20
	Suicide (total).....	252							12	34	60	51	46	36	6	3		4
155	By poison.....	84							7	20	17	18	10	9	2			1
156	By asphyxia.....	31							1	5	9	5	6	3	1	1		
157	By hanging or strangulation.....	37								1	8	7	10	7	1	1		2
158	By drowning.....	28							2	2	9	4	7	3	1			
159	By firearms.....	50							2	4	11	8	10	12	1	1		1
160	By cutting or piercing instruments.....	18								2	5	7	2	2				
161	By jumping from high places.....	1									1							
162	By crushing.....	2										2						
163	Other suicides.....	1											1					
	Accidental or undefined (total).....	1,024	34	26	20	26	28	62	85	151	133	123	101	82	79	49	11	14
164	Poisoning by food.....	9							1	1			1	1				
165	Other acute poisonings.....	31	5	3	2		1	1	1	2	6	4	3	2		1		
166	Conflagration.....	15								3	1	4		2				3
167	Burns (conflagration excepted).....	110	5	12	9	14	13	15	4	7	6	5	4	3	8	5		

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
CONNECTICUT—Continued.																	
168	XIII.—External causes—Continued.																
	Accidental or undefined—Continued.																
	Absorption of deleterious gases (conflagration excepted)	63	8			1		1	15	9	6	12	6	4			4
169	Accidental drowning	156		2	4	4	3	20	32	36	20	16	10	3	2		
170	Traumatism by firearms	12						2	4	5	1						
171	Traumatism by cutting or piercing instruments																
172	Traumatism by fall	236	8	4	2	1	2	2	7	11	21	24	32	28	46	37	11
173	Traumatism in mines and quarries (total)	2									2						
	Traumatism in mines	2									2						
	Traumatism in quarries	2									3	1	3	1	1		
174	Traumatism by machines	21				1			4	7	3	1	3	1			
175	Traumatism by other crushing (total)	111		3	2	3	7	17	23	49	45	44	27	20	9	1	
	Railroad accidents and injuries	36		2		1		2	3	9	29	17	7	6	6	1	
	Street-car accidents and injuries	71		1				2	3	5	4	4	8	6	1	2	
	Automobile accidents and injuries	34				2	3	11	7	12	12	9	6	9	4	1	
	Injuries by other vehicles	4					2	1	1	4	3	9	8	4	1		
	Landslide, other crushing	6						1		1	1	1					
176	Injuries by animals	2						1		1	1			2		1	
177	Starvation	23								1		5	4	5	3	3	1
178	Excessive cold	7										1		1	2	1	
179	Effects of heat	2		2										1	2	1	
180	Lightning	16						1		2	7	6	1				
181	Electricity (lightning excepted)	9										4	1	3		1	
185	Fractures (cause not specified)	48	6			2		1	5	8	7	7	4	5	2	1	
186	Other external violence	39	4		1	1				11	9	7	3	1			
	Homicide (total)	19								7	5	5	2				
182	By firearms	4								2	2	2	2				
183	By cutting or piercing instruments	16	4		1	1				2	2	2	1	1			
184	By other means	99	35	14	4	1	2	2		3	2	7	12	6	6	2	1
	XIV.—Ill-defined diseases	13												1			
187	Ill-defined organic disease	13												1			
188	Sudden death	85	32	14	4	1	1	2		3	2	4	9	4	4	2	1
189	Not specified or ill-defined (total)	54	10	12	4		1	2		2	2	3	7	4	4	2	1
	Ill-defined	31	22	2		1				1		1	2				
	Not specified, or unknown																2

INDIANA.

All causes	35,930	5,430	1,162	533	272	188	741	1,408	2,565	2,665	2,803	3,818	5,000	5,711	3,183	405	19	27
I.—General diseases	9,899	565	300	205	109	105	377	624	1,304	1,178	1,037	1,295	1,310	1,019	377	39	1	4
1 Typhoid fever	588	2	10	13	7	12	47	109	145	85	65	47	28	14	4			
2 Typhus fever																		
3 Relapsing fever																		
4 Malaria	69	4	2		1	2	3	2	8	10	4	5	9	11	7	1		
5 Smallpox	8	3					1		1	1			1					
6 Measles	150	33	37	23	9	5	16	8	3	9	5	1			1			
7 Scarlet fever	115	3	16	14	7	10	40	16	5	4								
8 Whooping cough	282	158	64	22	11	6	17	2	1						1			
9 Diphtheria and croup	388	26	44	56	34	40	137	40	2	4		2		3				
10 Influenza	261	22	5	1		1	4	9	12	6	6	22	43	68	57	4	1	
11 Miliary fever																		
12 Asiatic cholera																		
13 Cholera nostras	10	1	1							1		2		1	2	2		
14 Dysentery	231	30	31	16	6	1	2		2	5	6	7	35	42	39	9		
15 Plague																		
16 Yellow fever																		
17 Leprosy																		
18 Erysipelas	89	25		1			1	3	5	5	7	14	15	5	5	3		
19 Other epidemic diseases	10	4	2	1			1	1		1								
20 Purulent infection and septicemia	50	7	2	2	1		1	5	3	2	7	6	6	4	3	1		
21 Glanders																		
22 Anthrax																		
23 Rabies																		
24 Tetanus	60	13				1	11	7	3	8	7	7	2	1				
25 Mycoses																		
26 Pellagra	2											1	1					
27 Beriberi																		
Tuberculosis (total)	4,100	108	74	47	27	17	65	340	991	789	524	465	370	227	48	6		2
28 Tuberculosis of the lungs	3,353	45	15	12	3	9	23	266	875	695	449	413	316	187	40	4		1
29 Acute miliary tuberculosis	120		1	2	5	1	1	17	41	22	11	8	6	4	1			
30 Tuberculous meningitis	222	39	50	22	13	5	28	16	20	15	6	4	2		2			
31 Abdominal tuberculosis	225	13	6	7	4	2	8	18	29	30	35	24	27	19	2			1
32 Pott's disease	32	1	1	2			1	6	5	2	3	3	4	2	2			
33 White swellings	19	1					4	2	1	5	2	1		3				
34 Tuberculosis of other organs	82	3		2	2		7	7	11	13	12	8	11	10	3			
35 Disseminated tuberculosis	47	6	1					8	9	7	6	4	4	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.		
INDIANA—Continued.																				
I.—General diseases—Continued.																				
36	Rickets.....	17	9	1	1	2	1				1				1					
37	Syphilis.....	222	77	6	2			5	5	14	39	31	26	14	10	2				
38	Gonococcus infection.....	14	2						1	5	3	1	1							
Cancer and other malignant tumors (total)																				
39	Of the buccal cavity.....	2,199	1	2	3	1	3	1	9	32	120	298	501	581	477	160	8		2	
40	Of the stomach, liver.....	98									2	7	19	34	24	11	1			
41	Of the peritoneum, intestines, rectum.....	864					1		1	9	26	83	192	266	222	64				
42	Of the female genital organs.....	226							1	7	10	31	34	69	58	15	1			
43	Of the breast.....	353							1	10	46	84	108	64	37	5				
44	Of the skin.....	229								2	16	58	59	45	39	9			1	
45	Of other organs or of organs not specified.....	138							1		1	7	26	29	39	30	4		1	
46	Other tumors (tumors of the female genital organs excepted).....	289	1	2	3	1	2	1	5	4	19	28	63	74	58	26	2			
47	Acute articular rheumatism.....	7	1								2			1	2	1				
48	Chronic rheumatism and gout.....	131	1		1			7	31	12	10	15	8	14	20	10	2			
49	Scurvy.....	38								4	1	1	7	9	11	5				
50	Diabetes.....	2		1																
51	Exophthalmic goiter.....	405			2	2	3	1	9	21	24	33	30	79	97	80	24	1		
52	Adison's disease.....	72							5	8	13	12	17	12	5					
53	Leukemia.....	16							1	1	2	2	4	5	5					
54	Anemia, chlorosis.....	61	2	2			2	3	5	4	5	7	10	11	5	1				
55	Other general diseases.....	137	11				1	1	1	4	11	19	31	37	15	5	2			
56	Alcoholism (acute or chronic).....	50	22			1	1	4	3	2	1	3	7	3	2	1				
57	Chronic lead poisoning.....	97								7	19	31	23	6	11					
58	Other chronic poisonings.....	3								1				2						
58	Other chronic poisonings.....	14										3	2	5	4					
II.—Diseases of the nervous system and of the organs of special sense																				
		3,878	137	57	30	25	6	37	81	99	190	275	520	831	980	548	47	2	3	
60	Encephalitis.....	46	5	3	2	3		3	2	7	3	7	5	2	2	2				
61	Meningitis (total).....	214	65	30	18	14	2	13	24	10	17	8	8	1	2	2				
	Simple meningitis.....	87	23	13	13	3		4	4	4	8	5	5	1	2	2				
	Cerebrospinal meningitis (undefined).....	39	12	9	4	3		2	2	2	2	2	2							
	Cerebrospinal fever.....	88	30	8	1	8	2	7	18	4	6	1	3							
62	Locomotor ataxia.....	83							2		11	7	22	24	15	2				
63	Other diseases of the spinal cord (total).....	197	8	10	2	5		5	6	5	12	35	52	34	18					
	Acute anterior poliomyelitis.....	33	6	10	2	5		3	3	2		1	1							
	Other diseases of the spinal cord ¹	164	2					2	2	4	5	12	34	51	34	18				
64	Cerebral hemorrhage, apoplexy.....	2,328	7	3	1	1	2	9	13	53	138	337	599	737	391	34			2	
65	Softening of the brain.....	68								1	2	4	18	24	14	5				
66	Paralysis without specified cause.....	304	1	2	1				7	7	23	65	99	88	7	1			1	
67	General paralysis of the insane.....	216							1	4	27	49	39	32	42	21	1			
68	Other forms of mental alienation.....	74						3	8	11	14	11	15	10	1				1	
69	Epilepsy.....	172	3	1	1		1	3	20	38	48	17	19	10	1					
70	Convulsions (nonpuerperal).....																			
71	Convulsions of infants.....	33	30	1	1	1														
72	Chorea.....	5	1						3						1					
73	Neuralgia and neuritis.....	20	3	1						2		2	4	4	1	3				
74	Other diseases of the nervous system.....	68	1	1	1	1	4	5	7	3	9	10	9	11	5					
75	Diseases of the eyes and their annexa.....	4	2		1			1	1											
76	Diseases of the ears.....	46	11	5	2		1	7	6	2	4	3	3		2					
III.—Diseases of the circulatory system																				
		5,185	35	8	2	2	3	35	84	133	195	348	643	1,096	1,612	895	87	6	1	
77	Pericarditis.....	42	1				1	3	1	5	4	2	6	8	7	4				
78	Acute endocarditis.....	135	5				2	6	14	17	23	18	32	6	6					
79	Organic diseases of the heart.....	3,867	23	6	2	2	24	65	98	146	278	503	878	1,215	575	48			1	
80	Angina pectoris.....	279						2	7	10	22	38	79	84	35	2				
81	Diseases of the arteries, atheroma, aneurism, etc.....	718							1	7	18	38	97	263	254	37	3			
82	Embolism and thrombosis.....	110	1	1			1	1	4	4	9	19	24	29	17					
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	20								1	1	1	6	2	7	2				
84	Diseases of the lymphatic system (lymphangitis, etc.).....	7	3	1			1	1						1						
85	Hemorrhage; other diseases of the circulatory system.....	7	2										1	1	1	2				
IV.—Diseases of the respiratory system																				
		3,581	810	219	87	51	24	81	116	114	152	189	289	454	532	389	70	2	2	
86	Diseases of the nasal fossae.....	2																		
87	Diseases of the larynx.....	46	1	3	5	2		9	5	3	3	1	2		1	1				
88	Diseases of the thyroid body.....	21	2	1				4	2	3	3	2	3							
89	Acute bronchitis.....	198	100	9	9	2		1	2	1	1	4	5	8	24	25	7			
90	Chronic bronchitis.....	192	3					2	2	3	10	4	13	29	64	49	13			
91	Bronchopneumonia.....	1,157	461	124	41	26	14	25	17	7	18	21	42	102	122	117	17	2	1	
92	Pneumonia (total).....	1,762	226	80	28	19	10	39	81	89	105	139	192	271	282	171	29		1	
	Lobar pneumonia.....	1,411	154	51	25	16	9	32	63	77	91	126	156	229	233	128	20		1	
	Pneumonia (undefined).....	351	72	29	3	3	1	7	18	12	14	13	36	42	49	43	9			
93	Pleurisy.....	52	3	1	4	1		3	3	4	6	3	7	11	5	1				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
INDIANA—Continued.																			
	IV.—Diseases of the respiratory system—Continued.																		
94	Pulmonary congestion, pulmonary apoplexy	33	4			1				1		2	3	1	7	12	2		
95	Gangrene of the lung	8								1		2	1	1	3				
96	Asthma	76		1				1		1	4	5	18	18	19	8	1		
97	Pulmonary emphysema	10	1					1				1		3	1	3			
98	Other diseases of the respiratory system (tuberculosis excepted)	24							2	2	1	4	4	5	4	2			
	V.—Diseases of the digestive system.	4,269	1,413	492	150	40	23	92	146	145	198	261	320	357	406	196	25	4	1
99	Diseases of the mouth and annexa	15	5	2			2	1	1	1			2	1					
100	Diseases of the pharynx	71	8	2	3	4	1	12	11	9	4	5	2	3	4	3			
101	Diseases of the esophagus	4																	
102	Ulcer of the stomach	102		1	1			1	3	8	8	17	14	24	15	9	1		
103	Other diseases of the stomach (cancer excepted)	427	166	20	13	5	2	8	5	10	14	16	26	38	58	40	5	1	
104	Diarrhea and enteritis (under 2 years)	1,608	1,165	443															
105	Diarrhea and enteritis (2 years and over)	445			119	21	6	20	10	11	21	25	27	39	82	50	11	3	
106	Ankylostomiasis																		
107	Intestinal parasites	7		2	1	1			1		1			1					
108	Appendicitis and typhlitis	330		1	1	1	5	31	77	64	59	39	24	13	9	4	1		1
109	Hernia, intestinal obstruction (total)	346	48	14	5	5	4	9	13	10	27	38	43	46	59	22	3		
	Hernia	112	7					1	1	4	5	15	21	21	25	12	1		
	Intestinal obstruction	234	41	14	5	5	4	8	13	6	22	23	22	25	34	10	2		
110	Other diseases of the intestines	114	8	5	1	2		3	3	3	8	12	14	10	27	18	1		
111	Acute yellow atrophy of the liver	18	1					1		1	1	4	1	5	3	1			
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	361						1	3	5	24	46	79	94	82	26	1		
114	Biliary calculi	125						1	5	10	20	30	30	26	26	6	1		
115	Other diseases of the liver	203	5	1	3		2	3	7	9	16	27	39	46	34	10	1		
116	Diseases of the spleen	7						1	1	1		1	1	3					
117	Simple peritonitis (nonpuerperal)	74	7	1	2	1	1	2	11	6	5	7	14	7	6	4			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12			1					2		2	4	1	1	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,143	28	14	10	6	6	18	44	106	184	268	458	646	845	458	47	1	4
119	Acute nephritis	270	15	6	7	3	4	7	12	20	26	30	38	34	46	19	3		
120	Bright's disease	2,428	4	5	2	3	1	11	26	45	95	186	384	543	699	355	35	1	3
121	Chyluria																		
122	Other diseases of the kidneys and annexa	52	5							3	6	3	7	15	10	3			
123	Calculi of the urinary passages	24	1						1		4	2	2	7	4	2			1
124	Diseases of the bladder	74	2	1	1					1	3	2	5	11	19	22	6		
125	Diseases of the urethra, urinary abscess, etc.	5								1	1	1		1	1				
126	Diseases of the prostate	112								1	1	2	3	25	52	25	3		
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	44									12	17	4	6	5				
130	Other diseases of the uterus	28						2	7	5	7	3	1	2	1				
131	Cysts and other tumors of the ovary	35						1	5	5	4	9	3	7	1				
132	Salpingitis and other diseases of the female genital organs	68		2					2	23	24	14	3						
133	Nonpuerperal diseases of the breast (cancer excepted)	2									2								
	VII.—The puerperal state	457						58	215	153	31								
134	Accidents of pregnancy	43						2	26	13	2								
135	Puerperal hemorrhage	28						5	10	10	3								
136	Other accidents of labor	26						3	7	11	5								
137	Puerperal septicemia	239						31	126	68	14								
138	Puerperal albuminuria and convulsions	108						16	42	44	6								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	10						1	3	5	1								
140	Following childbirth (not otherwise defined)	3								1	2								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	97	12				1	2	3	5	3	5	10	10	19	22	4		1
142	Gangrene	54					1	2				1	4	8	16	19	2		1
143	Furuncle	15							1	2	1	2	5	2	2				
144	Acute abscess	10	3						1	2	1	1	1						
145	Other diseases of the skin and annexa	18	9						1	1	1	1			1	2	2		
	IX.—Diseases of the bones and of the organs of locomotion	74	4	1	1	3	3	6	13	6	4	5	9	9	8	1	1		
146	Diseases of the bones (tuberculosis excepted)	63	4	1	1	3	3	6	11	6	4	5	8	8	6	1	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3							1				1	1					
148	Amputations																		
149	Other diseases of the organs of locomotion	3							1						2				

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
INDIANA—Continued.																		
	X.—Malformations.....	507	486	9	2	2	2	5	1									
150	Congenital malformations (stillbirths not included) (total).....	507	486	9	2	2	2	5	1									
	Hydrocephalus.....	32	24	3	1	1		2	1									
	Congenital malformations of the heart.....	343	333	5	1	1	1	2										
	Other congenital malformations.....	132	129	1			1	1										
	XI.—Early infancy.....	1,847	1,847															
151	Congenital debility, icterus, and sclerema (total).....	1,439	1,439															
	Premature birth.....	1,208	1,208															
	Congenital debility, "atrophy," "marasmus," etc.....	231	231															
152	Other causes peculiar to early infancy (total).....	402	402															
	Injuries at birth.....	205	205															
	Other causes peculiar to early infancy ¹	197	197															
153	Lack of care.....	6	6															
	XII.—Old age.....	278										3	15	53	152	53	2	
154	Senility.....	278										3	15	53	152	53	2	
	XIII.—External causes.....	2,684	79	61	46	34	15	88	237	435	408	333	270	269	223	144	30	1
	Suicide (total).....	480							26	87	102	78	87	67	25	7		1
155	By poison.....	225							20	52	48	39	28	29	8	1		
156	By asphyxia.....	13								3	4	1	2	1	2			
157	By hanging or strangulation.....	60							1	2	12	12	15	9	6	3		
158	By drowning.....	28							1	2	4	3	8	5	3	2		
159	By firearms.....	125							4	25	21	20	29	20	4	1		1
160	By cutting or piercing instruments.....	20									9	2	4	3	2			
161	By jumping from high places.....	2										1	1					
162	By crushing.....	6								3	3							
163	Other suicides.....	1									1							
	Accidental or undefined (total).....	2,022	76	61	46	34	15	87	201	295	251	221	165	196	198	136	30	1
164	Poisoning by food.....	40	5	3	4	3	1		6	3	4		5	3	2	1		
165	Other acute poisonings.....	83	4	22	12	2	1	5	3	11	5	6	3	4	4			
166	Conflagration.....	33	1	2		1	1	2	3	4	4	5	5	1	3			1
167	Burns (conflagration excepted).....	151	2	17	18	13	2	12	9	14	13	19	10	8	13	1		
168	Absorption of deleterious gases (conflagration excepted).....	80	39		1	1		2	6	11	3	6	1	4	4	1	1	
169	Accidental drowning.....	161	2	4	1	1	1	14	51	35	17	15	5	7	4	2		2
170	Traumatism by firearms.....	62	1		2		3	5	25	11	6	3	3	1	1			1
171	Traumatism by cutting or piercing instruments.....	6							1	1				1	2		1	
172	Traumatism by fall.....	417	5	4	1	5	3	6	14	14	21	23	28	54	99	114	26	
173	Traumatism in mines and quarries (total).....	51							2	16	11	14	2	5	1			
	Traumatism in mines.....	48							2	15	11	13	2	4	1			
	Traumatism in quarries.....	3								1				1				
174	Traumatism by machines.....	52						2	3	16	14	5	8	3	1			
175	Traumatism by other crushing (total).....	653	3	3	4	2	3	29	58	132	119	98	78	67	40	10	1	6
	Railroad accidents and injuries.....	350		1				8	26	83	73	58	45	31	14	4	1	6
	Street-car accidents and injuries.....	94		1		1		5	10	11	14	16	11	16	9			
	Automobile accidents and injuries.....	84			1		2	9	10	17	16	7	7	7	7	1		
	Injuries by other vehicles.....	105	3	1	3	1	1	6	11	17	11	12	13	11	10	5		
	Landslide, other crushing.....	20						1	1	4	5	5	2	2				
176	Injuries by animals.....	39	1	1	1	1		4	3	2	5	2	4	11	3	1		
177	Starvation.....																	
178	Excessive cold.....	14	1								1	4	1	4	3			
179	Effects of heat.....	43	5						2	4	6	4	1	8	8	4	1	
180	Lightning.....	16		1		1		1	2	3		3		3	2			
181	Electricity (lightning excepted).....	29						1	3	7	10	5	2	1				
185	Fractures (cause not specified).....	1									1							
186	Other external violence.....	91	7	3	2	4		4	10	11	11	9	9	11	8	2		
	Homicide (total).....	182	3					1	10	53	55	34	18	6		1		1
182	By firearms.....	124						1	8	44	33	22	13	3				1
183	By cutting or piercing instruments.....	19	1						1	4	9	2		1				
184	By other means.....	39	2						1	5	13	10	5	2		1		
	XIV.—Ill-defined diseases.....	31	14	1					1	3		1	1	3	4	1	2	
187	Ill-defined organic disease.....	5	1							1					1	1	1	
188	Sudden death.....																	
189	Not specified or ill-defined (total).....	26	13	1					1	2		1	1	3	3		1	
	Ill-defined.....	7	1	1						1		1	1	2	2			
	Not specified, or unknown.....	19	12						1	1				3	1		1	

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

465

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
KANSAS.																			
	All causes.....	17,497	2,652	590	252	169	110	350	694	1,139	1,206	1,221	1,727	2,470	2,961	1,710	219	14	13
	I.—General diseases.....	4,053	245	129	80	61	49	151	252	450	428	383	505	627	496	171	12	2	2
1	Typhoid fever.....	338	4	5	6	3	5	19	65	107	44	30	19	13	14	4			
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	39	2	2		1		1	3	5	5		3	8	8	1			
5	Smallpox.....	9	2		1				1	1	1		1	1	1				
6	Measles.....	76	16	20	6	7	5	7	5	4	3	2	1						
7	Scarlet fever.....	33	1	5	2	2	2	12	5	2	1	1							
8	Whooping cough.....	151	87	33	17	5	2	3	3		1								
9	Diphtheria and croup.....	167	9	23	17	24	24	43	19	5	1	1	1						
10	Influenza.....	169	13	1		1	2	6	4	3	6	5	17	25	48	32	5	1	
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	7												3	2	2			
14	Dysentery.....	144	19	22	10	4	2	4	2	1	1	3	7	19	34	14	1		1
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	37	19	1					5	2	1	1	2	3	2	1			
19	Other epidemic diseases.....	4	2		1			1											
20	Purulent infection and septicemia.....	68	7	1	1		2	5	9	9	12	7	5	4	5	1			
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....	2						2											
24	Tetanus.....	34	2	1				9	5	4	1	3	3	4	2				
25	Mycoses.....	1													1				
26	Pellagra.....	18									5	7	4	1	1				
27	Beriberi.....																		
28	Tuberculosis (total).....	1,013	11	8	5	8	2	5	83	259	250	142	107	83	43	6			1
	Tuberculosis of the lungs.....	848	6	1	1	2	4	64	231	224	118	89	67	37	4				1
29	Acute miliary tuberculosis.....	32		1				8	9	5	4		4	1					
30	Tuberculous meningitis.....	26	4	5	1	5	1	1	2	2	2	1	2						
31	Abdominal tuberculosis.....	48		1		1		1	5	8	8	10	6	8					
32	Pott's disease.....	12	1		2				3	1	1	1	1	3					
33	White swellings.....	5					1		2	1	1	1							
34	Tuberculosis of other organs.....	27			1			4	1	6	5	5	1	2	2				
35	Disseminated tuberculosis.....	15		1				1	3	4	2	4							
36	Ricketts.....	5	3		2														
37	Syphilis.....	52	13	2					8	10	4	10	2	2	1				
38	Gonococcus infection.....	3	1						1		1								
39	Cancer and other malignant tumors (total).....	1,095	2	1	3	1		3	4	17	48	125	233	331	239	82	5	1	
	Of the buccal cavity.....	59										3	7	22	18	8	1		
40	Of the stomach, liver.....	442	2					1	2	16	38	89	162	107	25				
41	Of the peritoneum, intestines, rectum.....	117			1				3	5	16	26	36	27	2				
42	Of the female genital organs.....	142							5	11	26	42	35	20	3				
43	Of the breast.....	110							1	6	23	29	19	13	13	1			
44	Of the skin.....	46								3	1	3	9	14	13	2	1		
45	Of other organs or of organs not specified.....	179		1	2	1		2	3	6	7	13	37	48	40	18	1		
46	Other tumors (tumors of the female genital organs excepted).....	20			1							3	3	6	4	3			
47	Acute articular rheumatism.....	78	2		2		1	7	15	5	2	3	4	8	25	4			
48	Chronic rheumatism and gout.....	19	1						2	1	1	3	2	7	2				
49	Scurvy.....	1																	
50	Diabetes.....	234		1	1	3	1	15	13	13	10	15	39	70	41	12			
51	Exophthalmic goiter.....	24							1	3	5	4	5	5	1				
52	Addison's disease.....	6											1	2	1				
53	Leukemia.....	35	1			1		2	6	4	2	5	5	8	1				
54	Anemia, chlorosis.....	78	12	1	2				4	2	3	7	22	17	7	1			
55	Other general diseases.....	59	15	2	3	1	1	7	4	1	5	5	2	7	3	3			
56	Alcoholism (acute or chronic).....	22									4	5	7	4	2				
57	Chronic lead poisoning.....	2											1	1					
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....	10									4	2	2	1	1				
	II.—Diseases of the nervous system and of the organs of special sense.....	2,064	117	30	10	10	6	35	41	47	96	145	268	434	523	273	27	2	
60	Encephalitis.....	23	4	1				1	4	2	5	3	2						
61	Meningitis (total).....	102	32	15	6	4	4	12	11	3	4	2	6		1	2			
	Simple meningitis.....	69	27	9	2	1	2	8	7	1	4	1	4		1	2			
	Cerebrospinal meningitis (undefined).....	21	5	4	3			3	3	1			2						
	Cerebrospinal fever.....	12		2	1	3	2	1	1										
62	Locomotor ataxia.....	34									1	5	15	7	5	1			
63	Other diseases of the spinal cord (total).....	84	8	2		1	2	2	5	3	6	3	9	18	19	6			
	Acute anterior poliomyelitis.....	13	6	1		1	2	2	1	1	2	3	9	18	10				
	Other diseases of the spinal cord ¹	71	2						4	2	4	3	9	18	19	6			
64	Cerebral hemorrhage, apoplexy.....	1,039	6					4	3	13	21	58	149	293	317	158	15	2	
65	Softening of the brain.....	46								1	2	2	3	9	18	10	1		
66	Paralysis without specified cause.....	350	3	1				1	2	2	3	17	36	66	130	79	10		
67	General paralysis of the insane.....	96								2	24	22	16	10	14	8			
68	Other forms of mental alienation.....	50							1	5	11	11	10	7	4	1			

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
KANSAS—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	71	2			2		3	10	8	12	10	10	7	5	2			
70	Convulsions (nonpuerperal).....	5						1	1				1	2					
71	Convulsions of infants.....	61	50	9	1	1													
72	Chorea.....	6	2											1	1				
73	Neuralgia and neuritis.....	7			1	1								1	1	2	1		
74	Other diseases of the nervous system.....	71	8	2				6	5	3	7	9	9	11	5	5	1		
75	Diseases of the eyes and their annexa.....	2			1										1				
76	Diseases of the ears.....	17	2		1	1		4	2	3	2	1		1					
III.—Diseases of the circulatory system.....																			
		2,250	25	6	2	1	5	15	33	66	105	163	275	495	679	350	25	3	2
77	Pericarditis.....	24							1	1	1	4	3	3	7	4			
78	Acute endocarditis.....	61	1	2				2	2	7	10	12	20	3	1	1			
79	Organic diseases of the heart.....	1,726	20	3	1	1	5	12	27	43	81	119	208	399	536	252	16	1	2
80	Angina pectoris.....	99								3	3	6	20	34	22	10	1		
81	Diseases of the arteries, atheroma, aneurism, etc.....	264		1					2	5	4	10	12	47	100	74	7	2	
82	Embolism and thrombosis.....	53	1					1		5	4	10	8	6	9	8	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	7							1		1	1			3				
84	Diseases of the lymphatic system (lymphangitis, etc.).....	3	1							1		1							
85	Hemorrhage; other diseases of the circulatory system.....	13	2		1					1	1		3	3	1	1			
IV.—Diseases of the respiratory system.....																			
		1,602	311	105	31	25	15	29	52	52	89	87	143	201	251	185	26		
86	Diseases of the nasal fossae.....	11	2		3								2		1	2	1		
87	Diseases of the larynx.....	12	3	3	1	1		1			1					1			
88	Diseases of the thyroid body.....	13	1							1	1	2	2	4	2				
89	Acute bronchitis.....	74	35	6	1	1	1	2	1	1	2	1	4	5	7	6	1		
90	Chronic bronchitis.....	103	1			1		1	1	1	2	4	6	15	35	27	9		
91	Bronchopneumonia.....	278	98	30	5	5	4	3	7	3	7	8	15	17	40	34	2		
92	Pneumonia (total).....	919	153	61	21	16	8	20	39	34	52	61	96	136	136	77	9		
	Lobar pneumonia.....	331	33	12	3	8	4	7	15	17	26	35	46	54	50	19	2		
	Pneumonia (undefined).....	588	120	49	18	8	4	13	24	17	26	26	50	82	86	58	7		
93	Pleurisy.....	36	1	1			1		3	2	4	4	3	4	8	3	2		
94	Pulmonary congestion, pulmonary apoplexy.....	52	12	4				2			4	1		1	9	19			
95	Gangrene of the lung.....																		
96	Asthma.....	46	2			1				1	4		9	13	8	7	1		
97	Pulmonary emphysema.....	7										1	2	1	2	1			
98	Other diseases of the respiratory system (tuberculosis excepted).....	51	3						1	8	13	3	6	5	3	8	1		
V.—Diseases of the digestive system.....																			
		2,102	476	240	92	47	16	61	107	95	107	118	173	205	210	142	11		
99	Diseases of the mouth and annexa.....	7	2							2	2	1							
100	Diseases of the pharynx.....	31	3	2	2	1		5	5	3	1	4	1	2	1	1			
101	Diseases of the esophagus.....	7				1	1				1	1	1	2	1				
102	Ulcer of the stomach.....	63							4	4	8	7	14	11	11	4			
103	Other diseases of the stomach (cancer excepted).....	249	72	10	3	6		3		4	5	14	25	26	39	38	3	1	
104	Diarrhea and enteritis (under 2 years).....	561	349	212															
105	Diarrhea and enteritis (2 years and over).....	281			77	26	10	11	5	9	7	7	12	30	41	43	3		
106	Ankylostomiasis.....														1				
107	Intestinal parasites.....	3			1			1											
108	Appendicitis and typhlitis.....	210		1	2	3		25	64	34	35	18	16	6	4	1			
109	Hernia, intestinal obstruction (total).....	198	26	7	2	3	3	3	6	12	15	20	21	27	32	19	1		
	Hernia.....	48	3					1	1	1	2	4	7	11	11	8			
	Intestinal obstruction.....	150	23	7	2	3	3	3	5	11	13	16	14	16	21	11	1		
110	Other diseases of the intestines.....	70	15	3	1	1	1	3	1	2	6	5	3	12	9	6	2		
111	Acute yellow atrophy of the liver.....	11				1				1	1	1	1	3	3				
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	133	1		1	1			1	3	7	12	30	32	35	10			
114	Biliary calculi.....	61							1	3	3	10	15	19	6	7			
115	Other diseases of the liver.....	125	2	3	3	2		5	2	8	11	9	20	25	22	11	2		
116	Diseases of the spleen.....	6						1	1		1	2			1				
117	Simple peritonitis (nonpuerperal).....	78	6	2		2		3	17	12	5	5	10	9	3	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	10						1		1	1	3	2	1	1				
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		1,467	24	7	5	3	3	11	34	64	83	122	194	309	411	186	11		
119	Acute nephritis.....	78	5	2	3		1	4	5	5	9	9	8	16	7	4			
120	Bright's disease.....	1,090	11	4	1	3	1	6	25	31	51	81	168	249	310	141	8		
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	75	8	1	1		1	1	1	4	2	6	7	10	22	9	2		
123	Calculi of the urinary passages.....	8								1		1	1	1	4				

CAUSES OF DEATH, BY AGE.

467

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
			KANSAS—Continued.																
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
124	Diseases of the bladder.....	45								2	2		3	7	15	15	1		
125	Diseases of the urethra, urinary abscess, etc.....	1										1							
126	Diseases of the prostate.....	87									1		1	22	47	16			
127	Nonvenereal diseases of the male genital organs.....	2										1			1				
128	Uterine hemorrhage (nonpuerperal).....	1																	
129	Uterine tumor (noncancerous).....	20								1	6	8	3		2				
130	Other diseases of the uterus.....	25						2	6	4	9	1		2	1				
131	Cysts and other tumors of the ovary.....	10								3	1			1	2				
132	Salpingitis and other diseases of the female genital organs.....	25						1	11	7	5	1				1			
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
	VII.—The puerperal state.....	213						15	88	92	17	1							
134	Accidents of pregnancy.....	26						1	11	12	2								
135	Puerperal hemorrhage.....	22						1	7	9	4	1							
136	Other accidents of labor.....	31						2	16	12	1								
137	Puerperal septicemia.....	75						6	36	27	6								
138	Puerperal albuminuria and convulsions.....	52						5	18	25	4								
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	6								6									
140	Following childbirth (not otherwise defined).....	1									1								
141	Puerperal diseases of the breast.....																		
	VIII.—Diseases of the skin and of the cellular tissue.....	66	9	3	1			1	4	1	5	5	8	16	9	4			
142	Gangrene.....	32								1		1	1	6	11	8	4		
143	Furuncle.....	11	1							2		3	2		3				
144	Acute abscess.....	9	3	2				1	1	1				1	1				
145	Other diseases of the skin and annexa.....	14	5	1	1						1	2	2	1	1				
	IX.—Diseases of the bones and of the organs of locomotion.....	30	1		1	1		2	9	4	1	3	3	4	1				
146	Diseases of the bones (tuberculosis excepted).....	28	1		1	1		2	9	3	1	3	3	3	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2								1				1					
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....																		
	X.—Malformations.....	201	187	5	1	1	1	2	2	2									
150	Congenital malformations (stillbirths not included (total).....	201	187	5	1	1	1	2	2	2									
	Hydrocephalus.....	23	20	1	1			1											
	Congenital malformations of the heart.....	109	101	3		1		2	2										
	Other congenital malformations.....	69	66	1			1	1											
	XI.—Early infancy.....	1,119	1,119																
151	Congenital debility, icterus, and sclerema (total).....	957	957																
	Premature birth.....	593	593																
	Congenital debility, "atrophy," "marasmus," etc.....	364	364																
152	Other causes peculiar to early infancy (total).....	160	160																
	Injuries at birth.....	91	91																
	Other causes peculiar to early infancy ¹	69	69																
153	Lack of care.....	2	2																
	XII.—Old age.....	640										1	25	214	304	91	5		
154	Senility.....	640																	
	XIII.—External causes.....	1,367	56	46	25	17	13	41	141	244	189	167	124	121	111	58	9	1	4
	Suicide (total).....	201							9	37	33	47	37	23	15				
155	By poison.....	66							7	15	9	13	11	8	3				
156	By asphyxia.....	2										1		1					
157	By hanging or strangulation.....	33									4	5	6	7	5				
158	By drowning.....	15									1	5	4	2	2				
159	By firearms.....	71							2	15	13	22	11	4	4				
160	By cutting or piercing instruments.....	10									4		4	1	1				
161	By jumping from high places.....	1																	
162	By crushing.....	1																	
163	Other suicides.....	3								1	1			1					
	Accidental or undefined (total).....	1,057	53	46	24	17	13	41	129	170	123	102	79	96	93	58	9	1	3
164	Poisoning by food.....	20	5	3	2			2	2	1	1		1	2	2				
165	Other acute poisonings.....	47	3	13	1	1	3	1	1	6	6	4	3	2	2				
166	Conflagration.....	15				1	1	1	1	2	2	1	2	2	3		1		
167	Burns (conflagration excepted).....	67	3	8	8	7	3	5	4	6	5	5	3	2	5	3			

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.
KANSAS—Continued.																	
	XIII.—External causes—Continued.																
	Accidental or undefined—Continued.																
168	Absorption of deleterious gases (conflagration excepted).....	41	25	1				1		4	1	3	3		3		
169	Accidental drowning.....	87		9	5	2		7	30	15	8	3	4	1	2		1
170	Traumatism by firearms.....	47		1	1	1		1	14	14	7	4	2	1			1
171	Traumatism by cutting or piercing instruments.....	5			1			1	1					2			
172	Traumatism by fall.....	191	8	2	1	2		8	12	10	11	10	9	25	46	38	8
173	Traumatism in mines and quarries (total).....	46						2	3	17	16	5	1	2			
	Traumatism in mines.....	46						2	3	17	16	5	1	2			
	Traumatism in quarries.....																
174	Traumatism by machines.....	31						2	11	4	9	3	1	1			
175	Traumatism by other crushing (total).....	298	1	2	2	3	4	8	37	60	47	44	29	36	20	5	
	Railroad accidents and injuries.....	149		1				1	22	39	28	19	13	17	7	2	
	Street-car accidents and injuries.....	13							1	3	2	2	1	1	2	1	
	Automobile accidents and injuries.....	42			1	1		2	4	6	5	7	6	4	4	2	
	Injuries by other vehicles.....	82	1	1	1	2	4	4	10	9	7	14	9	13	7		
	Landslide, other crushing.....	12						1		3	5	2		1			
176	Injuries by animals.....	30						2	6	3	3	2	8	2	4		
177	Starvation.....	2	1	1													
178	Excessive cold.....	3									1	1					1
179	Effects of heat.....	30	1	1				2	3	2	3	3	5	6	4		
180	Lightning.....	17						3	8	3	1	1	1				
181	Electricity (lightning excepted).....	13						4	5	2		2					
185	Fractures (cause not specified).....	11			1				1				2	4	3		
186	Other external violence.....	56	6	5	2		2	2	8	6	5	7	4	0	1	2	
	Homicide (total).....	109	3		1				3	37	33	18	8	2	3		1
182	By firearms.....	83	1						3	26	23	18	6	2	3		1
183	By cutting or piercing instruments.....	15								8	6		1				
184	By other means.....	11	2		1				3	4			1				
	XIV.—Ill-defined diseases.....	323	82	19	4	3	2	3	7	13	15	11	35	41	49	32	3
187	Ill-defined organic disease.....	41	1			1		1	3	2	2	2	5	6	10	9	
188	Sudden death.....	17	5	1				2					1	2	1	4	
189	Not specified or ill-defined (total).....	265	76	18	4	2	2	2	4	10	13	9	29	33	38	19	3
	Ill-defined.....	134	13	16	3	1			1	5	6	6	15	23	31	13	1
	Not specified, or unknown.....	131	63	2	1	1	2	2	3	5	7	3	14	10	7	6	3

KENTUCKY (TOTAL).

	All causes.....	30,360	5,311	1,436	650	370	281	744	1,656	3,005	2,619	2,404	2,743	3,309	3,395	1,851	268	44	274
	I.—General diseases.....	10,178	730	439	264	177	132	386	957	1,770	1,310	1,054	986	943	700	227	29	4	90
1	Typhoid fever.....	980	6	11	14	20	14	76	254	229	117	94	74	43	18	3			7
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	165	16	12	11	3	1	9	13	13	13	10	17	15	19	9		1	3
5	Smallpox.....	18	3						1	3	2	4		2	3				
6	Measles.....	271	50	39	27	17	12	31	34	16	11	13	7	7	4			1	2
7	Scarlet fever.....	62	2	9	5	8	6	21	9	2									
8	Whooping cough.....	349	189	78	32	17	13	13	4	1	1								
9	Diphtheria and croup.....	515	100	95	78	62	53	96	19	6		3							3
10	Influenza.....	346	26	10	4	3	1	3	8	15	18	24	46	49	85	45	6	1	2
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	27	4	1				2	1	1		1	4	4	6	2			1
14	Dysentery.....	309	53	46	20	6	2	6	2	11	8	11	22	33	57	23	8		1
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	91	21	3				1		8	8	15	6	10	11	7	1		
19	Other epidemic diseases.....	13	6	1				2	1	2				1					
20	Purulent infection and septicemia.....	104	5	4		4		1	8	22	13	9	5	10	10	10	2		1
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....	4				1		1	1		1								
24	Tetanus.....	52	12	1	3	2	1	4	13	3	3	1	5	4					
25	Mycoses.....	1																	
26	Pellagra.....	149	1	3				1		15	41	27	34	15	7	1			3
27	Beriberi.....																		
	Tuberculosis (total).....	4,884	143	105	58	29	17	81	520	1,347	901	593	448	335	222	39	3		43
28	Tuberculosis of the lungs.....	4,184	60	46	22	12	7	39	439	1,238	822	525	409	293	199	34	2		37
29	Acute miliary tuberculosis.....	98	1	3				3	20	35	12	16	4	1		1			2
30	Tuberculous meningitis.....	208	57	40	27	13	5	23	15	10	8	4	4	1		1			
31	Abdominal tuberculosis.....	230	7	9	3	2	3	6	24	30	42	30	22	28	19	1			4
32	Pott's disease.....	44	9	3	3		1	5	8	5	2	6		2					
33	White swellings.....	17		1					1	4	4	3	1	3					
34	Tuberculosis of other organs.....	74	8	3	3	2	1	5	12	16	7	3	5	4	2	2	1		
35	Disseminated tuberculosis.....	29	1						1	9	4	6	3	3	2				

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
KENTUCKY (TOTAL)—Continued.																			
I.—General diseases—Continued.																			
36	Rickets.....	16	6	6	3										1				
37	Syphilis.....	141	51	7	4		1	7	8	20	17	10	11	2				3	
38	Gonococcus infection.....	4								1		1	2						
Cancer and other malignant tumors (total)																			
39	Of the buccal cavity.....	1,081	2	1	1	2	3	10	21	85	164	223	292	186	68	3		17	
40	Of the stomach, liver.....	58					1		2	2	8	11	19	5	10			5	
41	Of the peritoneum, intestines, rectum.....	366	1					1	7	24	33	78	120	78	19			5	
42	Of the female genital organs.....	101				2		1	1	8	15	21	30	22	1			2	
43	Of the breast.....	216	1				1		4	31	58	56	48	11		1		3	
44	Of the skin.....	116							3	8	24	25	24	17	11	1		3	
45	Of other organs or of organs not specified.....	58									4	3	6	30	11	1		3	
46	Other tumors (tumors of the female genital organs excepted).....	166		1	1	2		2	8	4	12	22	29	45	23	14		3	
47	Acute articular rheumatism.....	15	1		1				2	1	4		4	1	1			1	
48	Chronic rheumatism and gout.....	138			1	2	2	7	24	8	14	12	16	19	23	5	3	1	
49	Scurvy.....	13	1						1	1	2		2	5	2				
50	Diabetes.....	4		1			1		1	1	1		2	2				2	
51	Exophthalmic goiter.....	11						1	4	2	3		1						
52	Addison's disease.....	8						1	1	1	1	1	3	3					
53	Leukemia.....	19		1	1		1	2	1	3	1	3	3	3					
54	Anemia, chlorosis.....	46	6	1			1	3	3	2	4	4	5	8	4	4	1		
55	Other general diseases.....	69	26	4			4	3	4	5	6	2	4	2	4	3	2		
56	Alcoholism (acute or chronic).....	76						1	9	20	22	11	6	5	1			1	
57	Chronic lead poisoning.....	4									1	1	1	1					
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....	19						2	1	2	4	3	7						
II.—Diseases of the nervous system and of the organs of special sense.....																			
60	Encephalitis.....	2,599	290	122	42	29	21	62	72	97	144	187	323	461	485	216	22	5	21
61	Meningitis (total).....	50	10	8	1		1	4	5	3	3	2	6	3	3	1			1
	Simple meningitis.....	423	153	73	29	21	16	37	29	24	14	12	6	2	6				1
	Cerebrospinal meningitis (undefined).....	242	88	37	19	12	7	15	18	15	10	9	4	2	5				1
	Cerebrospinal fever.....	98	42	22	3	3	6	7	4	6	1	1	2	1	1				
62	Locomotor ataxia.....	83	23	14	7	6	3	15	7	3	2	5							
63	Other diseases of the spinal cord (total).....	43						1	1	2	5	15	15	5					
	Acute anterior poliomyelitis.....	103	10	12	2	1	1	5	1	3	6	4	15	17	20	4	1	1	
	Other diseases of the spinal cord.....	27	7	10	2	1	1	4	1		3	6	4	1	1				
64	Cerebral hemorrhage, apoplexy.....	76	3	2				4			6	4	15	16	20	4	1	1	
65	Softening of the brain.....	1,045	16	7	1	1	1	3	9	24	60	94	180	251	256	119	11		12
66	Paralysis without specified cause.....	56								2	3	2	17	21	8	2			1
67	General paralysis of the insane.....	407	3	2	1	1		3	2	9	15	23	50	99	123	64	6	2	4
68	Other forms of mental alienation.....	114							1	10	16	19	28	27	12	1			1
69	Epilepsy.....	52						1	2	6	9	11	6	12	2				1
70	Convulsions (nonpuerperal).....	102	4				4	15	22	16	12	10	6	9	1	1			2
71	Convulsions of infants.....	6					1		2	1		1	1						
72	Chorea.....	97	80	10	4	3													
73	Neuralgia and neuritis.....	2						1	1	1		1	2	2					
74	Other diseases of the nervous system.....	6																	
75	Diseases of the eyes and their annexa.....	63	5	6	2	1	1	3	5	5	8	5	7	11	2	2			2
76	Diseases of the ears.....	1																	
	Diseases of the ears.....	29	9	4	2	1	1	2	3	1	2		3	1					
III.—Diseases of the circulatory system.....																			
77	Pericarditis.....	2,725	29	5	1	5	3	29	58	112	177	265	372	607	662	331	38	5	26
78	Acute endocarditis.....	59				2	1	2	1	6	6	7	6	10	15	2			1
79	Organic diseases of the heart.....	133	7				1	4	7	22	24	24	37	2	2				
80	Angina pectoris.....	2,011	13	3	1	3	1	20	48	78	126	204	276	480	495	214	21	3	25
81	Diseases of the arteries, atheroma, aneurism, etc.....	122	1					1	1	4	11	20	40	31	13				
82	Embolism and thrombosis.....	339		1						4	9	8	25	66	113	95	17	2	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc).....	35						2		1	3	10	4	5	4				
84	Diseases of the lymphatic system (lymphangitis, etc).....	7									2	1	1	2	1				
85	Hemorrhage; other diseases of the circulatory system.....	8	5	1				1		1									
IV.—Diseases of the respiratory system.....																			
86	Diseases of the nasal fossae.....	3,280	716	232	112	59	44	88	132	154	197	193	273	331	418	274	31	4	22
87	Diseases of the larynx.....	9	7							1					1				
88	Diseases of the thyroid body.....	42	14	5	3	3	4	5	2	1	1	1	3						
89	Acute bronchitis.....	5											1	1					
90	Chronic bronchitis.....	156	93	17	6	1	1	4	3	3	4	5	2	5	11				1
	Chronic bronchitis.....	220	3		1	1		1	3	12	10	17	21	31	66	47	7		
91	Bronchopneumonia.....	746	265	104	45	18	16	21	13	20	13	24	33	43	67	58	3	1	2
92	Pneumonia (total).....	1,803	308	97	52	32	21	51	97	105	149	122	178	207	229	123	14	2	16
	Lobar pneumonia.....	921	103	32	26	16	5	37	52	66	87	81	98	121	124	61	3	1	8
	Pneumonia (undefined).....	882	205	65	26	16	16	14	45	39	62	41	80	86	105	62	11	1	8
93	Pleurisy.....	56	1		1	2		3	6	3	6	4	10	10	6				2

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
KENTUCKY (TOTAL)—Continued.																	
	X.—Malformations.....	209	189	10	3	2	1	1	2								1
150	Congenital malformations (stillbirths not included) (total).....	209	189	10	3	2	1	1	2								1
	Hydrocephalus.....	18	12	3	1	1	1										
	Congenital malformations of the heart.....	105	99	2	1	1		1									1
	Other congenital malformations.....	86	78	5	1				2								
	XI.—Early infancy.....	1,758	1,758														
151	Congenital debility, icterus, and sclerema (total).....	1,522	1,522														
	Premature birth.....	1,012	1,012														
	Congenital debility, "atrophy," "marasmus," etc.....	510	510														
152	Other causes peculiar to early infancy (total).....	224	224														
	Injuries at birth.....	106	106														
	Other causes peculiar to early infancy ¹	118	118														
153	Lack of care.....	12	12														
	XII.—Old age.....	643										4	21	184	325	85	16
154	Senility.....	643										4	21	184	325	85	16
	XIII.—External causes.....	2,023	93	55	51	42	34	90	226	407	291	217	156	122	120	67	12
	Suicide (total).....	233							16	44	49	31	45	30	15	1	1
155	By poison.....	85							6	23	23	15	9	7	2		
156	By asphyxia.....										3	4	13	7	3		
157	By hanging or strangulation.....	35							3	2	2	1	4	2	2		
158	By drowning.....	13							1	1	2	1	4	7	2		
159	By firearms.....	75							4	16	17	9	13	9	5	1	1
160	By cutting or piercing instruments.....	16							1	2	1		3	5	3		
161	By jumping from high places.....	1															
162	By crushing.....	1															
163	Other suicides.....	8							1		3	1	3				
	Accidental or undefined (total).....	1,471	92	55	50	42	34	88	187	248	156	138	89	84	104	66	11
164	Poisoning by food.....	17	2	1	2	1	1		2	1	3	3					
165	Other acute poisonings.....	50	5	8	5	1	1		3	1	4	3					
166	Conflagration.....	27	2	2	4	2	1	2	2	3	2	1	2	2	1	1	
167	Burns (conflagration excepted).....	255	16	29	31	28	23	33	24	14	10	10	8	10	9	6	1
168	Absorption of deleterious gases (conflagration excepted).....	63	43	1				1	1	4	4	4		3	2		
169	Accidental drowning.....	112	2	2	1	2	2	11	31	26	11	7	5	4	4		4
170	Traumatism by firearms.....	122	2		1	1	11	47	28	16	6	4	5				1
171	Traumatism by cutting or piercing instruments.....	5						3				1					
172	Traumatism by fall.....	201	4	3	5	1		6	7	10	12	26	16	17	42	42	9
173	Traumatism in mines and quarries (total).....	77							7	27	16	16	7	2			
	Traumatism in mines.....	75							7	27	16	15	6	2			
	Traumatism in quarries.....	2										1	1				
174	Traumatism by machines.....	30					1		5	13	4	3	2	1			1
175	Traumatism by other crushing (total).....	301	2			2	2	12	36	86	54	25	26	23	19	2	12
	Railroad accidents and injuries.....	200					3	21	63	40	22	15	12	12	1		11
	Street-car accidents and injuries.....	19						3	6	2		4	3	1			
	Automobile accidents and injuries.....	29				1		2	4	10	4	1	2	3	2		
	Injuries by other vehicles.....	44	2			1	1	5	6	4	7	2	5	5	4	1	1
	Landslide, other crushing.....	9				1	2		3	1							
176	Injuries by animals.....	12						1	5	1		2	1			1	
177	Starvation.....	3	1	1												1	
178	Excessive cold.....	14	1							2	2	1	1	2	2		1
179	Effects of heat.....	32	1					1	2	4	5	2	6	7	4		
180	Lightning.....	15							5	4	1	3	1				
181	Electricity (lightning excepted).....	9						1	1	4	3						
185	Fractures (cause not specified).....	25							1	1	1	4	3	1	10	4	1
186	Other external violence.....	101	11	8	1	5	2	6	10	12	9	17	8	5	6	1	
	Homicide (total).....	319	1		1			2	23	115	86	48	22	8	1		12
182	By firearms.....	239						2	15	97	62	36	11	6			9
183	By cutting or piercing instruments.....	37							4	11	10	6	5				1
184	By other means.....	43	1		1				4	7	14	6	2				2
	XIV.—Ill-defined diseases.....	1,193	575	62	21	12	2	21	26	31	52	42	69	100	93	53	7
187	Ill-defined organic disease.....	96			1	2	1	1	4	4	6	9	12	20	23	11	1
188	Sudden death.....	7			2					3	1	1	2	5	4		
189	Not specified or ill-defined (total).....	1,065	568	62	18	10	1	19	22	24	45	32	55	75	66	36	6
	Ill-defined.....	322	78	41	10	2		6	7	10	25	21	34	40	32	10	2
	Not specified, or unknown.....	743	490	21	8	8		13	15	14	20	11	21	35	34	26	4

¹ Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.		100 years and over.
KENTUCKY (WHITE).																			
	All causes.....	24,608	4,574	1,238	563	318	245	619	1,210	2,230	1,898	1,765	2,119	2,794	3,014	1,382	202	15	182
	I.—General diseases.....	8,144	605	365	227	152	119	307	657	1,329	1,003	826	802	813	632	206	23	3	75
1	Typhoid fever.....	809	6	11	11	15	11	63	197	189	101	80	63	37	16	3			6
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	119	14	8	9	3	1	7	11	9	7	6	10	8	16	7			2
5	Smallpox.....	14	3							2	2	2	1	3					
6	Measles.....	255	45	34	27	17	12	29	32	16	10	13	7	7	4				2
7	Scarlet fever.....	58	2	8	5	8	6	21	7	1									
8	Whooping cough.....	284	157	61	26	13	10	11	4		1								
9	Diphtheria and croup.....	485	90	87	75	60	51	91	19	6		3							3
10	Influenza.....	266	21	9	3	2	1	3	5	9	15	15	28	40	70	38	6	1	2
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	25	4	1				2	1	1		1	2	4	5	2			1
14	Dysentery.....	263	42	46	17	5	2	6	2	7	5	9	14	27	52	20	8		1
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	80	19	3				1	7	5	13	4	10	11	7				
19	Other epidemic diseases.....	12	5	1				2	1	2			1						
20	Purulent infection and septicemia.....	85	4	3		4		1	7	17	10	6	4	8	9	10	2		
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....	3				1			1		1								
24	Tetanus.....	39	8	1	3	2	1	4	9	2	2	1	4	2					
25	Mycoses.....	1																	
26	Pellagra.....	138	1	2					1	14	39	23	32	15	7				3
27	Beriberi.....																		
	Tuberculosis (total).....	3,656	114	75	41	18	13	51	311	991	677	449	357	282	204	35	2		26
28	Tuberculosis of the lungs.....	3,117	45	28	15	4	6	18	258	911	610	401	331	247	181	31	1		30
29	Acute miliary tuberculosis.....	64		2				2	12	24	10	10	1	1	1				2
30	Tuberculosis meningitis.....	171	48	33	23	11	4	19	10	7	7	4	3	1					3
31	Abdominal tuberculosis.....	179	7	7	1	2	1	5	13	24	34	19	17	25	19	1			4
32	Pott's disease.....	32	8	3				1	4	2	2	4	4	1					
33	White swellings.....	15							7	4	4	3	3	3					
34	Tuberculosis of other organs.....	53	5	1	2	1	1	3	11	11	7	3	2	2	1	1			
35	Disseminated tuberculosis.....	25	1							8	3	3	3	3	2				
36	Rickets.....	11	5	3	2									1					
37	Syphilis.....	79	36	5	3				3	3	11	10	5	1	1				1
38	Gonococcus infection.....	4									1			2					
	Cancer and other malignant tumors (total).....	959	2	1	1	2	2	3	8	16	66	139	195	267	172	66	3		16
39	Of the buccal cavity.....	55				1				2	2	6	11	18	5	10			
40	Of the stomach, liver.....	328	1						1	7	20	27	68	109	78	18			4
41	Of the peritoneum, intestines, rectum.....	93							1	1	8	15	21	27	18	1			
42	Of the female genital organs.....	174	1						1	1	21	45	49	41	9	2			3
43	Of the breast.....	106								2	6	23	20	23	17	11	1		3
44	Of the skin.....	54										3	2	6	29	10	1		3
45	Of other organs or of organs not specified.....	149		1	1	2		2	6	3	9	20	24	43	21	14			3
46	Other tumors (tumors of the female genital organs excepted).....	14	1		1					2	1	3		4	1	1			
47	Acute articular rheumatism.....	98			1	1	2	5	14	5	8	9	14	16	17	5			1
48	Chronic rheumatism and gout.....	13	1									2		5	2	2			
49	Scurvy.....	4			1	1		1		1									
50	Diabetes.....	155					1		13	12	10	11	32	46	25	3			2
51	Exophthalmic goiter.....	10							1	3	2	3		1					
52	Addison's disease.....	7							1	1	1		1	3					
53	Leukemia.....	18		1	1			1	1	3	1	3	3	3					
54	Anemia, chlorosis.....	39	2	1			1	3	3	2	4	4	5	7	4	3			
55	Other general diseases.....	61	23	4			4	2	2	5	4	2	4	2	4	3	2		
56	Alcoholism (acute or chronic).....	58							1	4	17	16	10	5	4	1			
57	Chronic lead poisoning.....	3											1	1	1				
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....	19							2	1	2	4	3	7					
	II.—Diseases of the nervous system and of the organs of special sense.....	2,159	253	111	38	27	18	51	56	80	109	135	250	388	422	191	16	1	13
60	Encephalitis.....	40	8	6	1		1	3	3	3	2	2	4	3	3	1			
61	Meningitis (total).....	379	147	69	26	20	14	29	22	20	14	9	3	2	4				
	Simple meningitis.....	213	89	35	17	12	6	11	13	12	10	6	2	2	4				
	Cerebrospinal meningitis (undefined).....	91	42	21	3	3	5	6	3	3	1	1							
	Cerebrospinal fever.....	75	22	13	6	5	3	12	6	3	3								
62	Locomotor ataxia.....	39									1	5	14	14	5				
63	Other diseases of the spinal cord (total).....	89	9	10	2	1	1	5	1	3	3	3	13	13	20	4	1		
	Acute anterior poliomyelitis.....	26	7	9	2	1	1	4	1					1					
	Other diseases of the spinal cord.....	63	2	1				1		3	3	3	13	12	20	4	1		
64	Cerebral hemorrhage, apoplexy.....	852	14	7	1		1	3	7	20	45	62	136	212	221	106	8		9
65	Softening of the brain.....	50									2	1	2	16	20	6	2		1
66	Paralysis without specified cause.....	329	3	1	1			3	1	7	10	16	37	84	102	56	4		3
67	General paralysis of the insane.....	97									9	12	17	22	26	11			

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
KENTUCKY (WHITE)—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																
68	Other forms of mental alienation.....	32								1	2	7	7	3	10	1	1
69	Epilepsy.....	86	4					3	14	19	11	11	9	4	9	1	1
70	Convulsions (nonpuerperal).....	5						1		1	1		1				
71	Convulsions of infants.....	69	55	8	3	3											
72	Chorea.....	2							1	1							
73	Neuralgia and neuritis.....	4									1			1		2	
74	Other diseases of the nervous system.....	58	4	6	2	1	1	3	4	4	8	5	7	10	1	2	
75	Diseases of the eyes and their annexa.....	1													1		
76	Diseases of the ears.....	27	9	4	2	1		1	3	1		2		3	1		
	III.—Diseases of the circulatory system.....	2,104	24	4	1	5	3	22	49	68	97	165	248	502	580	298	28
77	Pericarditis.....	45				2	1	2	1	5	3	6	3	7	13	2	
78	Acute endocarditis.....	79	5				1	3	4	12	11	14	24	1	2		
79	Organic diseases of the heart.....	1,523	11	3	1	3	1	14	42	47	69	124	180	391	427	188	14
80	Angina pectoris.....	107	1					1	1	1	3	8	14	36	30	13	
81	Diseases of the arteries, atheroma, aneurism, etc.....	296								2	5	4	19	60	102	90	14
82	Embolism and thrombosis.....	29		1				2		1	2	3	4	3	5	3	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	7									2	1	1	2	1		
84	Diseases of the lymphatic system (lymphangitis, etc.).....	7	5						1		1						
85	Hemorrhage; other diseases of the circulatory system.....	9	2					1			1		3	2			
	IV.—Diseases of the respiratory system.....	2,651	598	187	90	49	35	73	100	99	126	132	206	276	384	258	24
86	Diseases of the nasal fossæ.....	8	6							1					1		
87	Diseases of the larynx.....	36	12	4	2	3	3	5	2	1		1	3				
88	Diseases of the thyroid body.....	5									1				1		
89	Acute bronchitis.....	127	79	10	3	1	1	3	2	1		3	5	2	5	11	
90	Chronic bronchitis.....	164	3			1		1			3	6	10	28	60	46	5
91	Bronchopneumonia.....	623	224	92	40	16	13	17	7	15	8	12	27	34	60	55	3
92	Pneumonia (total).....	1,456	254	73	41	25	16	42	79	73	96	94	141	173	215	114	10
	Lobar pneumonia.....	756	91	27	20	10	5	31	40	49	54	64	81	103	118	57	3
	Pneumonia (undefined).....	700	163	46	21	15	11	11	39	24	42	30	60	70	97	57	7
93	Pleurisy.....	43	1		1	2		2	4	3	5	2	6	9	4	2	
94	Pulmonary congestion, pulmonary apoplexy.....	64	11	4	1	1	2	1	2		6	1		8	8	15	4
95	Gangrene of the lung.....	4							1			1		1			
96	Asthma.....	64	6	3	1			2	2	1	3	4	3	11	14	12	2
97	Pulmonary emphysema.....	9	1		1						1			5	1		
98	Other diseases of the respiratory system (tuberculosis excepted).....	48	1	1					1	3	3	6	10	10	10	2	
	V.—Diseases of the digestive system.....	2,639	744	428	123	33	30	61	83	135	121	137	184	217	223	96	10
99	Diseases of the mouth and annexa.....	16	5	5								3		3			
100	Diseases of the pharynx.....	46	5	2	5	4	1	5	6	5	2	2	3	2	2		
101	Diseases of the esophagus.....	3												1	2		
102	Ulcer of the stomach.....	55	1	1	1			1	1	5	5	9	14	7	5	4	
103	Other diseases of the stomach (cancer excepted).....	321	101	15	12	1	6	5	6	21	16	14	27	38	36	17	4
104	Diarrhea and enteritis (under 2 years).....	970	580	390													
105	Diarrhea and enteritis (2 years and over).....	365			84	20	8	13	4	13	14	14	29	54	66	34	6
106	Ankylostomiasis.....	24			2	2	3	7	5	4	1						
107	Intestinal parasites.....	10		2	6	1		1									
108	Appendicitis and typhlitis.....	149	1			1	3	16	31	31	21	22	18	4	5	1	
109	Hernia, intestinal obstruction (total).....	179	28	3	5	3	4	5	9	16	10	11	20	26	29	10	
	Hernia.....	32	3					1	1	2	3	3	5	9	7	2	
	Intestinal obstruction.....	147	25	3	5	3	4	5	9	15	8	8	15	17	22	8	
110	Other diseases of the intestines.....	55	9	2	4			2	6	2	2	2	7	6	7	8	
111	Acute yellow atrophy of the liver.....	7	1								1	2			2		
112	Hydatid tumor of the liver.....																
113	Cirrhosis of the liver.....	164		2			1			4	15	26	41	29	36	8	
114	Biliary calculi.....	50								2	5	9	11	13	7	2	
115	Other diseases of the liver.....	111	8	2	1	1	2	2	5	5	12	9	14	23	19	7	
116	Diseases of the spleen.....	3						1		1		1					
117	Simple peritonitis (nonpuerperal).....	108	6	3	3		1	6	13	23	16	13	4	10	7	3	
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	3									1		1	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	1,688	29	23	15	5	9	14	18	78	96	146	232	336	400	210	10
119	Acute nephritis.....	130	12	8	7	2	4	4	5	11	12	14	11	16	15	7	2
120	Bright's disease.....	1,343	8	12	8	2	5	9	10	47	62	116	199	337	331	174	16
121	Chyluria.....																
122	Other diseases of the kidneys and annexa.....	43	6	2		1			1	2	4	3	3	9	6	5	1
123	Calculi of the urinary passages.....	6										1		2	2	1	

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.
KENTUCKY (WHITE)—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
124	Diseases of the bladder.....	42	2	1			1		1	2		2	8	14	11		
125	Diseases of the urethra, urinary abscess, etc.....	2													2		
126	Diseases of the prostate.....	52								2	1	10	30	9			
127	Nonvenereal diseases of the male genital organs.....	1	1														
128	Uterine hemorrhage (nonpuerperal).....	1										1					
129	Uterine tumor (noncancerous).....	13							2	2	4	1	3	1			
130	Other diseases of the uterus.....	17							5	4	3	4	1				
131	Cysts and other tumors of the ovary.....	17							1	2	4	2	5	1	1		
132	Salpingitis and other diseases of the female genital organs.....	19						1	8	6		4				1	
133	Nonpuerperal diseases of the breast (cancer excepted).....	2									1	1					
	VII.—The puerperal state.....	291						32	128	96	28					7	
134	Accidents of pregnancy.....	24							9	9	4					2	
135	Puerperal hemorrhage.....	22						1	8	10	3						
136	Other accidents of labor.....	28						2	13	8	3					2	
137	Puerperal septicemia.....	150						11	75	48	13					3	
138	Puerperal albuminuria and convulsions.....	59						16	20	18	5						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	7						2	2	3							
140	Following childbirth (not otherwise defined).....	1							1								
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	75	14	1	3	1	1		2	7	2	7	9	13	12	1	1
142	Gangrene.....	36	1	1	2	1				2	2	4	4	8	10	1	
143	Furuncle.....	6								1		3		1			1
144	Acute abscess.....	15	1				1			4			2	3	2		
145	Other diseases of the skin and annexa.....	18	12		1								3	1		1	
	IX.—Diseases of the bones and of the organs of locomotion.....	30	5	2	1		1	3	5	3	1	2	4	1	2		
146	Diseases of the bones (tuberculosis excepted).....	27	5	2	1		1	3	5	3		2	3	1	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	3									1		1				
148	Amputations.....																
149	Other diseases of the organs of locomotion.....																
	X.—Malformations.....	199	180	9	3	2	1		1	2							1
150	Congenital malformations (stillbirths not included) (total).....	199	180	9	3	2	1		1	2							1
	Hydrocephalus.....	18	12	3	1	1	1										
	Congenital malformations of the heart.....	101	95	2	1	1		1									1
	Other congenital malformations.....	80	73	4	1				2								
	XI.—Early infancy.....	1,542	1,542														
151	Congenital debility, icterus, and sclerema (total).....	1,334	1,334														
	Premature birth.....	897	897														
	Congenital debility, "atrophy," "marasmus," etc.....	437	437														
152	Other causes peculiar to early infancy (total).....	199	199														
	Injuries at birth.....	96	96														
	Other causes peculiar to early infancy ¹	103	103														
153	Lack of care.....	9	9														
	XII.—Old age.....	552										2	16	165	299	63	3
154	Senility.....	552										2	16	165	299	63	3
	XIII.—External causes.....	1,596	75	53	44	34	26	73	189	287	206	164	132	106	110	62	12
	Suicide (total).....	219							15	36	47	31	43	29	15	1	1
155	By poison.....	81							6	19	23	15	9	7	2		
156	By asphyxia.....																
157	By hanging or strangulation.....	33							3	2	3	4	12	6	3		
158	By drowning.....	13							1	1	2	1	4	2	2		
159	By firearms.....	71							4	13	16	9	13	9	5	1	1
160	By cutting or piercing instruments.....	14							1	1	1		2	5	3	1	
161	By jumping from high places.....																
162	By crushing.....	1															
163	Other suicides.....	6									1	3					
	Accidental or undefined (total).....	1,213	74	53	43	34	26	72	157	202	117	103	74	72	94	61	11
164	Poisoning by food.....	12	2	1	2				1	1	2	1			1		
165	Other acute poisonings.....	41	5	7	4	1	1	3	1	8	3	3	1	1	1		2
166	Conflagration.....	19	2	2	4	2		2	1	2	2			1	1		
167	Burns (conflagration excepted).....	207	13	28	26	22	16	26	21	13	5	6	6	9	7	5	1

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.
KENTUCKY (WHITE)—Continued.																		
168	XIII.—External causes—Continued.																	
	Accidental or undefined—Continued.																	
	Absorption of deleterious gases (conflagration excepted).....	53	33	1				1	1	4	4	4		3	2			
169	Accidental drowning.....	93	2	2	1	2	2	9	26	20	7	4	5	4	3		3	
170	Traumatism by firearms.....	95	2		1		1	3	40	21	10	4	4	4				
171	Traumatism by cutting or piercing instruments.....	4							2			1	1					
172	Traumatism by fall.....	179	2	3	5			5	6	9	9	20	13	14	42	41	9	
173	Traumatism in mines and quarries (total).....	65							7	20	15	15	4	2			2	
	Traumatism in mines.....	64							7	20	15	14	4	2			2	
	Traumatism in quarries.....	1										1						
174	Traumatism by machines.....	29				1			5	12	4	3	2	1			1	
175	Traumatism by other crushing (total).....	244	2		2	2	9	28	71	42	18	23	23	15	2		7	
	Railroad accidents and injuries.....	162					2	18	52	31	16	13	12	10	1		7	
	Street-car accidents and injuries.....	13						1	5	1		3	3					
	Automobile accidents and injuries.....	24			1		1	3	9	3	1	2	3	1				
	Injuries by other vehicles.....	33	2		1	1	4	5	3	6	1	5	5	4	1			
	Landslide, other crushing.....	7				1	2	1	2	1				4				
176	Injuries by animals.....	10					1	5			2	1			1			
177	Starvation.....	2		1														
178	Excessive cold.....	6	1							1		1	1	1			1	
179	Effects of heat.....	25	1				1		1	2	4	2	4	7	3			
180	Lightning.....	12						4	3	1	2	1		1				
181	Electricity (lightning excepted).....	9					1	1	4	3								
185	Fractures (cause not specified).....	21								1	2	3	1	9	4	1		
186	Other external violence.....	37	9	8		5	2	6	8	12	7	11	7	5	6	1		
	Homicide (total).....	164	1		1		1	17	49	42	30	15	5	1			2	
182	By firearms.....	117					1	10	41	29	24	7	4	1				
183	By cutting or piercing instruments.....	19						3	6	4	2	3					1	
184	By other means.....	28	1		1			4	2	9	4	5	1				1	
	XIV.—Ill-defined diseases.....	998	505	55	18	10	2	15	20	19	36	28	52	80	83	50	6	19
187	Ill-defined organic disease.....	73			1	2	1	1	4	3	4	5	7	15	18	10	1	1
188	Sudden death.....	26	7		2				2	1			2	2	4	6		
189	Not specified or ill-defined (total).....	899	498	55	15	8	1	14	16	14	31	23	43	63	61	34	5	18
	Ill-defined.....	262	69	38	9	2		4	5	3	16	14	24	34	30	9	1	4
	Not specified, or unknown.....	637	429	17	6	6	1	10	11	11	15	9	19	29	31	25	4	14

KENTUCKY (COLORED).

	All causes.....	5,692	737	198	87	52	36	125	446	775	721	639	624	515	381	169	66	29	92
	I.—General diseases.....	2,034	125	74	37	25	18	59	300	441	307	228	184	130	68	21	6	1	15
1	Typhoid fever.....	171			3	5	3	13	57	40	16	14	11	6	2				1
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	46	2	4	2			2	4	6	4	7	7	3	2				1
5	Smallpox.....	4								1			2	1					
6	Measles.....	16	5	5				2	2		1								1
7	Scarlet fever.....	4							2	1									
8	Whooping cough.....	65	32	17	6	4	3	2		1									
9	Diphtheria and croup.....	30	10	8	3	2	2	5											
10	Influenza.....	80	5	1	1	1			3	6	5	9	18	9	15	7			
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	2											1		1				
14	Dysentery.....	46	11		3	1				4	3	2	8	6	5	3			
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	11	2							1	3	2	2						1
19	Other epidemic diseases.....	1	1																
20	Purulent infection and septicemia.....	19	1	1					1	5	3	3	1	2	1				1
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....	1						1											
24	Tetanus.....	13	4						4	1	1		1	2					
25	Mycoses.....																		
26	Pellagra.....	11		1						1	2	4	2			1			
27	Beriberi.....																		
	Tuberculosis (total).....	1,228	29	30	17	11	4	30	209	356	224	144	91	53	18	4	1		7
28	Tuberculosis of the lungs.....	1,067	15	18	7	8	1	21	181	327	212	124	78	46	18	3	1		7
29	Acute miliary tuberculosis.....	34	1	1				1	8	11	2	6	3	1					
30	Tuberculous meningitis.....	37	9	7	4	2	1	4	5	3	1	1	1						
31	Abdominal tuberculosis.....	51		2	2		2	1	11	6	8	11	5	3					
32	Pott's disease.....	12	1		3				1	3		2		1					
33	White swellings.....	2							1				1						
34	Tuberculosis of other organs.....	21	3	2	1	1		2	1	5		2	3	2		1			
35	Disseminated tuberculosis.....	4							1	1	1	1							

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
KENTUCKY (COLORED)—Continued.																	
I.—General diseases—Continued.																	
36	Rickets.....	5	1	3	1												
37	Syphilis.....	62	15	2	1		1	4	5	9	7	5	10	1			2
38	Gonococcus infection.....																
Cancer and other malignant tumors (total)..... 122																	
39	Of the buccal cavity.....	3					1	2	5	19	25	28	25	14	2		1
40	Of the stomach, liver.....	38								4	6	10	11	5	1		1
41	Of the peritoneum, intestines, rectum.....	8					1										
42	Of the female genital organs.....	42							3	10	13	7	3	4	2		
43	Of the breast.....	10							1	2	1	5	7				
44	Of the skin.....	4									1	1		1	1		
45	Of other organs or of organs not specified.....	17						2	1	3	2	5	2	2			
46	Other tumors (tumors of the female genital organs excepted).....	1									1						
47	Acute articular rheumatism.....	40			1		2	10	3	6	3	2	3	6		3	1
48	Chronic rheumatism and gout.....																
49	Scurvy.....																
50	Diabetes.....	19		1				1	2	3	2	4	4	1	1		
51	Exophthalmic goiter.....	1								1							
52	Addison's disease.....	1									1						
53	Leukemia.....	1									1						
54	Anemia, chlorosis.....	7	4												1	1	
55	Other general diseases.....	8	3				1	2		2							
56	Alcoholism (acute or chronic).....	18							5	3	6	1	1	1			1
57	Chronic lead poisoning.....	1									1						
58	Other chronic occupation poisonings.....																
59	Other chronic poisonings.....																
II.—Diseases of the nervous system and of the organs of special sense..... 440																	
60	Encephalitis.....	10	2	2			1	2		1		2					
61	Meningitis (total).....	44	6	4	3	1	2	8	7	4	3	3		2			1
	Simple meningitis.....	29	5	2	2		1	4	5	3	3	2		1			1
	Cerebrospinal meningitis (undefined).....	7		1			1	1	1			1		1			
	Cerebrospinal fever.....	8	1	1	1	1	1	1	1								
62	Locomotor ataxia.....	4						1		1		1	1				
63	Other diseases of the spinal cord (total).....	14	1	2						3	1	2	4				1
	Acute anterior poliomyelitis.....	1															
	Other diseases of the spinal cord ¹	13	1	1						3	1	2	4				1
64	Cerebral hemorrhage, apoplexy.....	193	2			1		2	4	15	32	44	39	35	13	3	3
65	Softening of the brain.....	6									2		1	1	2		
66	Paralysis without specified cause.....	78		1				1	2	5	7	13	15	21	8	2	2
67	General paralysis of the insane.....	17							1	1	4	2	6	1	1	1	
68	Other forms of mental alienation.....	20						1	1	4	2	4	3	2	1		1
69	Epilepsy.....	16					1	1	3	5	1	1	2				2
70	Convulsions (nonpuerperal).....	1							1								
71	Convulsions of infants.....	28	25	2	1												
72	Chorea.....	2															
73	Neuralgia and neuritis.....	2										1	1				
74	Other diseases of the nervous system.....	5	1					1	1				1	1			
75	Diseases of the eyes and their annexa.....																
76	Diseases of the ears.....	2				1	1										
III.—Diseases of the circulatory system..... 621																	
77	Pericarditis.....	14							1	3	1	3	3	2			1
78	Acute endocarditis.....	54	2				1	3	10	13	10	13	1				
79	Organic diseases of the heart.....	486	2				6	6	31	57	80	96	89	68	26	7	2
80	Angina pectoris.....	15								1	3	6	4	1			
81	Diseases of the arteries, atheroma, aneurism, etc.....	43							2	4	4	6	6	11	5	3	2
82	Embolism and thrombosis.....	6								1	2		2		1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....																
84	Diseases of the lymphatic system (lymphangitis, etc.).....	1		1													
85	Hemorrhage: other diseases of the circulatory system.....	2	1								1						
IV.—Diseases of the respiratory system..... 629																	
86	Diseases of the nasal fossae.....	1	1														
87	Diseases of the larynx.....	6	2	1	1		1				1						
88	Diseases of the thyroid body.....																
89	Acute bronchitis.....	29	14	7	3		1	1	2		1						
90	Chronic bronchitis.....	56						3	11	7	11	11	3	6	1	2	
91	Bronchopneumonia.....	123	41	12	5	2	3	4	6	5	5	12	6	9	7	3	1
92	Pneumonia (total).....	347	54	24	11	7	5	9	18	32	53	28	37	34	14	9	4
	Lobar pneumonia.....	165	12	5	6	6	6	6	12	17	33	17	18	6	4	4	1
	Pneumonia (undefined).....	182	42	19	5	1	5	3	6	15	20	11	20	8	5	4	1
93	Pleurisy.....	13						1	2		1	2	4	1	2		

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
KENTUCKY (COLORED)—Continued.																			
	X.—Malformations.....	10	9	1															
150	Congenital malformations (stillbirths not included) (total).....	10	9	1															
	Hydrocephalus.....																		
	Congenital malformations of the heart.....	4	4																
	Other congenital malformations.....	6	5	1															
	XI.—Early infancy.....	216	216																
151	Congenital debility, icterus, and scleroma (total).....	188	188																
	Premature birth.....	115	115																
	Congenital debility, "atrophy," "marasmus," etc.....	73	73																
152	Other causes peculiar to early infancy (total).....	25	25																
	Injuries at birth.....	10	10																
	Other causes peculiar to early infancy ¹	15	15																
153	Lack of care.....	3	3																
	XII.—Old age.....	91										2	5	19	26	22	13	4	
154	Senility.....	91										2	5	19	26	22	13	4	
	XIII.—External causes.....	427	18	2	7	8	8	17	37	120	85	53	24	16	10	5		17	
	Suicide (total).....	14							1	8	2		2	1					
155	By poison.....	4								4									
156	By asphyxia.....																		
157	By hanging or strangulation.....	2											1	1					
158	By drowning.....																		
159	By firearms.....	4								3	1								
160	By cutting or piercing instruments.....	2								1			1						
161	By jumping from high places.....																		
162	By crushing.....																		
163	Other suicides.....	2							1		1								
	Accidental or undefined (total).....	258	18	2	7	8	8	16	30	46	39	35	15	12	10	5		7	
164	Poisoning by food.....	5				1			1		1	2							
165	Other acute poisonings.....	9		1	1				2	1	1	1	1	1					
166	Conflagration.....	8							1	1	1	2	2	2					
167	Burns (conflagration excepted).....	48	3	1	5	6	7	7	3	1	5	4	2	1	2	1			
168	Absorption of deleterious gases (conflagration excepted).....	10	10																
169	Accidental drowning.....	19						2	5	6	4				1			1	
170	Traumatism by firearms.....	27						3	7	7	6	2			1			1	
171	Traumatism by cutting or piercing instruments.....	1							1										
172	Traumatism by fall.....	22	2			1		1	1	1	3	6	3	3		1			
173	Traumatism in mines and quarries (total).....	12								7	1	1	3						
	Traumatism in mines.....	11								7	1	1	2						
	Traumatism in quarries.....	1											1						
174	Traumatism by machines.....	1								1									
175	Traumatism by other crushing (total).....	57						3	8	15	12	7	3		4			5	
	Railroad accidents and injuries.....	38						1	3	11	9	6	2		2			4	
	Street-car accidents and injuries.....	6							2	1	1				1				
	Automobile accidents and injuries.....	5						1	1	1	1				1				
	Injuries by other vehicles.....	6						1	1	1	1				1			1	
	Landslide, other crushing.....	2							1	1									
176	Injuries by animals.....	2								1				1					
177	Starvation.....	1	1																
178	Excessive cold.....	8								2	1	1		1	1	2			
179	Effects of heat.....	7								1	2	1		2		1			
180	Lightning.....	3							1	1		1							
181	Electricity (lightning excepted).....	4																	
185	Fractures (cause not specified).....										1	2			1				
186	Other external violence.....	14	2		1				2		2	6	1						
	Homicide (total).....	155						1	6	66	44	18	7	3				10	
182	By firearms.....	122						1	5	56	33	12	4	2				9	
183	By cutting or piercing instruments.....	18							1	5	6	4	2					1	
184	By other means.....	15								5	5	2	1	1					
	XIV.—Ill-defined diseases.....	195	70	7	3	2		6	6	12	16	14	17	20	10	3	1	1	7
187	Ill-defined organic disease.....	23						1		1	2	4	5	5	5	1			
188	Sudden death.....	6								1					3				
189	Not specified or ill-defined (total).....	166	70	7	3	2		5	6	10	14	9	12	12	5	2	1	1	7
	Ill-defined.....	60	9	3	1			2	2	7	9	7	10	6	2	1	1		
	Not specified, or unknown.....	106	61	4	2	2		3	4	3	5	2	2	6	3	1		1	

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

479

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
MAINE.																			
	All causes.....	11,925	1,680	256	136	73	57	206	363	621	688	819	1,152	1,810	2,403	1,381	241	4	35
	I.—General diseases.....	2,674	172	61	51	25	18	88	161	307	270	294	341	399	350	122	11		4
1	Typhoid fever.....	122		1	3	1	2	7	18	36	26	14	11	2	1				
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	7									1				4	2			
5	Smallpox.....	2	1									1							
6	Measles.....	43	15	7	6	3	1	3	3	1	1	2		1					
7	Scarlet fever.....	17	1	4	2	2		4	2	2									
8	Whooping cough.....	95	57	17	7	4	3	6						1					
9	Diphtheria and croup.....	86	8	9	14	8	6	30	6	2	2				1				
10	Influenza.....	92	16	6	1			3	2	2	1	2	7	9	25	17	1		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	11	5			1			1					1	1				
14	Dysentery.....	21	4	1	2	1	1		1	1		3	3	1	1	1	1		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	22	2							4	5	2	2	2	4	3			
19	Other epidemic diseases.....	4						2	2										
20	Purulent infection and septicemia.....	33	1					1	3		6	4	5	5	5	2	1		
21	Glanders.....	1											1						
22	Anthrax.....	1											1						
23	Rabies.....																		
24	Tetanus.....	7						2	1	1	1		1	1					
25	Mycoses.....	1												1					
26	Pellagra.....	9						1		1		3	3	1					
27	Beriberi.....																		
	Tuberculosis (total).....	920	32	13	12	4	4	24	103	231	162	119	85	76	43	9	1		2
28	Tuberculosis of the lungs.....	694	9	3	1			4	73	192	135	97	68	66	36	7	1		2
29	Acute miliary tuberculosis.....	25							5	9	6	3	1	1					
30	Tuberculous meningitis.....	79	13	8	10	3	1	17	6	5	3	4	7	2					
31	Abdominal tuberculosis.....	64	4	2			1	3	11	13	10	7	6	3	4				
32	Pott's disease.....	6	1	2					1	2		1				1			
33	White swellings.....	4				1			1		1	1							
34	Tuberculosis of other organs.....	21	2			1	1		2	3	3	5	2	1	2	1			
35	Disseminated tuberculosis.....	27	3		1				4	7	4	2	2	3	1				
36	Rickets.....	5	4	1					2	1	2								
37	Syphilis.....	21	11						1	2	2		4	1					
38	Gonococcus infection.....	6	1						1	2	2								
	Cancer and other malignant tumors (total).....	821		1	2			2	11	36	102	160	228	195	75	7			2
39	Of the buccal cavity.....	33									3	6	12	7					
40	Of the stomach, liver.....	300									27	60	93	78	25	3			1
41	Of the peritoneum, intestines, rectum.....	129									10	16	39	44	11	2			
42	Of the female genital organs.....	142									5	14	35	34	16	10			
43	Of the breast.....	93									1	5	20	22	14	4	1		
44	Of the skin.....	28											5	3	6	12	1		1
45	Of other organs or of organs not specified.....	96		1	2			2	1	1	7	17	27	30	8				
46	Other tumors (tumors of the female genital organs excepted).....	6						1			1	1	1	2					
47	Acute articular rheumatism.....	27				1	1	2	3	3	1	3	4	3	4	2			
48	Chronic rheumatism and gout.....	13										1	2	2	5	3			
49	Scurvy.....																		
50	Diabetes.....	151	1		1				6	6	9	14	25	43	42	4			
51	Exophthalmic goiter.....	6												1		1			
52	Addison's disease.....	2											1						
53	Leukemia.....	12		1							2	3	3						
54	Anemia, chlorosis.....	60	6		1				4	3	5	7	11	12	10	1			
55	Other general diseases.....	14	7					1	2		1	1	2	2	2				
56	Alcoholism (acute or chronic).....	26								3	6	6	7	2	2				
57	Chronic lead poisoning.....	5						1					3		1				
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....	5											2	3					
	II.—Diseases of the nervous system and of the organs of special sense.....	1,434	57	18	9	5	3	20	26	25	35	79	194	310	431	191	26	1	4
60	Encephalitis.....	8		1				2	1			2			2				
61	Meningitis (total).....	78	22	10	6	4	1	10	6	2	4	7	4	2	5				
	Simple meningitis.....	57	19	8	4	3		7	2		3	7	3	1					
	Cerebrospinal meningitis (undefined).....	14	2	1	2	1	1	3	2					1					
	Cerebrospinal fever.....	7	1	1				2	1				1						
62	Locomotor ataxia.....	27									3	1	10	9	4				
63	Other diseases of the spinal cord (total).....	73	2	1	1			1	6	2	3	8	9	13	23	4			
	Acute anterior poliomyelitis.....	8						1	2	2	1	1							
	Other diseases of the spinal cord ¹	65	1	1					4		3	7	9	13	23	4			
64	Cerebral hemorrhage, apoplexy.....	916	3					1	1	7	3	30	127	233	333	157	18		3
65	Softening of the brain.....	22									2	1	1	6	7	5			
66	Paralysis without specified cause.....	98	1						2	1	2	5	10	18	39	15	4	1	
67	General paralysis of the insane.....	41									5	11	8	4	7	4	2		
68	Other forms of mental alienation.....	30							1	5	4	6	9	4	1				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Inf. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
MAINE—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	36	1			1		1	6	9	3	3	4	2	2	3		1	
70	Convulsions (nonpuerperal).....	1						1											
71	Convulsions of infants.....	31	24	4	1		2												
72	Chorea.....	3					2						1						
73	Neuralgia and neuritis.....	8							1		1	1	2	1	1		1		
74	Other diseases of the nervous system.....	53	2	1				1	1	3	3	6	12	13	8	2	1		
75	Diseases of the eyes and their annexa.....																		
76	Diseases of the ears.....	9	2	1	1			1	2		1				1				
III.—Diseases of the circulatory system.....																			
		1,975	15	1	2		1	10	19	30	72	100	186	446	724	328	36		5
77	Pericarditis.....	9					1		1		1			2	4				
78	Acute endocarditis.....	57					4	2	5	12	14	11	5	2	2				
79	Organic diseases of the heart.....	1,380	9		2		5	13	17	39	66	142	340	517	211	22			3
80	Angina pectoris.....	114	1					2	1	8	5	14	28	46	8	1			
81	Diseases of the arteries, atheroma, aneurism, etc.....	327								2	6	11	60	137	97	12			1
82	Embolism and thrombosis.....	72	2						7	8	8	7	11	17	10	1			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.....)	2										1		1					
84	Diseases of the lymphatic system (lymphangitis, etc.).....	2		1				1											
85	Hemorrhage; other diseases of the circulatory system.....	6	3					1		1	1								
IV.—Diseases of the respiratory system.....																			
		1,411	252	82	29	12	17	20	26	46	66	90	115	165	265	192	29		5
86	Diseases of the nasal fossae.....	1																1	
87	Diseases of the larynx.....	18	6	1			1	1	2				3					3	
88	Diseases of the thyroid body.....	4								1			1						
89	Acute bronchitis.....	99	34	5		3	1			1		4	2	18	27	4			
90	Chronic bronchitis.....	64	1	1						1	2	2	12	22	20	1			
91	Bronchopneumonia.....	363	101	44	13	6	6	3	3	3	11	9	35	67	49	6			1
92	Pneumonia (total).....	756	97	30	15	3	8	11	18	33	55	64	86	105	130	81	16		4
	Lobar pneumonia.....	361	26	12	10	1	4	2	11	23	26	37	46	57	59	41	4		2
	Pneumonia (undefined).....	395	71	18	5	2	4	9	7	10	29	27	40	48	71	40	12		2
93	Pleurisy.....	19	1					1		4	1	7	2	2	1				
94	Pulmonary congestion, pulmonary apoplexy.....	48	10	1					2	1	2	2	5	5	10	8	2		
95	Gangrene of the lung.....	2										1			1				
96	Asthma.....	16	1								1		3	10	1				
97	Pulmonary emphysema.....	6									1	1		3	1				
98	Other diseases of the respiratory system (tuberculosis excepted).....	15	1				1		1	3	1	2	2	1	2	1			
V.—Diseases of the digestive system.....																			
		1,140	413	61	23	18	6	35	39	48	62	55	91	116	112	53	6		2
99	Diseases of the mouth and annexa.....	3	1					1				1							
100	Diseases of the pharynx.....	16	4						2	1	3		1		3	2			
101	Diseases of the esophagus.....	2										1			1				
102	Ulcer of the stomach.....	24									5	4	6	4	4	1			
103	Other diseases of the stomach (cancer excepted).....	165	50	3		3			2	4	7	2	18	24	27	22	3		
104	Diarrhea and enteritis (under 2 years).....	396	342	54															
105	Diarrhea and enteritis (2 years and over).....	123		21	11	3	13	2	1	9	4	10	16	21	8	2			1
106	Ankylostomiasis.....	1																	
107	Intestinal parasites.....	1		1															
108	Appendicitis and typhlitis.....	119	1		1	3	1	14	22	26	17	15	12	5	2				
109	Hernia, intestinal obstruction (total).....	94	6	1	1		1	2	1	7	6	6	13	19	22	9			
	Hernia.....	20								1			4	8	5	2			
	Intestinal obstruction.....	74	6	1	1		1	2	1	6	6	6	9	11	17	7			
110	Other diseases of the intestines.....	33	1			1		2	4	2	2	4	3	6	4	3	1		
111	Acute yellow atrophy of the liver.....	3							1			1		1					
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	52						1		2	2	2	7	23	11	3			1
114	Biliary calculi.....	17								2	2	4	8	2	1				
115	Other diseases of the liver.....	59	8	1					2	2	5	10	7	10	10	4			
116	Diseases of the spleen.....	1										1							
117	Simple peritonitis (nonpuerperal).....	26		1			1	2	3	3	4		3	4	5				
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	7											3	2	2				
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		1,073	9	5		1	1	5	11	32	56	97	138	251	299	144	21		3
119	Acute nephritis.....	78	3	3				3	5	8	10	19	7	11	14	2	1		1
120	Bright's disease.....	837	2	2			1	2	4	14	34	65	115	219	248	117	12		2
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	33	3					1	1	3	4	6	4	7	4				
123	Calculi of the urinary passages.....	2										1	1						

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.
MAINE—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
124	Diseases of the bladder.....	35				1				1			3	6	12	7	5	
125	Diseases of the urethra, urinary abscess, etc.....	5						1					1	2		1		
126	Diseases of the prostate.....	33										1	3	14	12	3		
127	Nonvenereal diseases of the male genital organs.....	1												1				
128	Uterine hemorrhage (nonpuerperal).....	1								1								
129	Uterine tumor (noncancerous).....	20								3	9	2	3	2	1			
130	Other diseases of the uterus.....	10							2	2	3	1	2					
131	Cysts and other tumors of the ovary.....	4							1		1			2				
132	Salpingitis and other diseases of the female genital organs.....	13							4	4	4	1						
133	Nonpuerperal diseases of the breast (cancer excepted).....	1	1															
	VII.—The puerperal state.....	87						8	38	35	6							
134	Accidents of pregnancy.....	5							2	3								
135	Puerperal hemorrhage.....	11							4	6	1							
136	Other accidents of labor.....	7						1	1	4	1							
137	Puerperal septicemia.....	29						4	14	10	1							
138	Puerperal albuminuria and convulsions.....	30						2	15	10	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	5						1	2	2								
140	Following childbirth (not otherwise defined).....																	
141	Puerperal diseases of the breast.....																	
	VIII.—Diseases of the skin and of the cellular tissue.....	65	7					3	1		1	1	7	20	20	5		
142	Gangrene.....	48	1										7	18	19	3		
143	Furuncle.....	6						2	1		1	1		1				
144	Acute abscess.....	3	1					1										
145	Other diseases of the skin and annexa.....	8	5												1	2		
	IX.—Diseases of the bones and of the organs of locomotion.....	15							1	2	2	3	2	2	3			
146	Diseases of the bones (tuberculosis excepted).....	12							1	2	1	1	2	2	3			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	3									1	2						
148	Amputations.....																	
149	Other diseases of the organs of locomotion.....																	
	X.—Malformations.....	77	73		1			1	1								1	
150	Congenital malformations (stillbirths not included) (total).....	77	73		1			1	1								1	
	Hydrocephalus.....	7	6		1													
	Congenital malformations of the heart.....	39	36					1	1								1	
	Other congenital malformations.....	31	31															
	XI.—Early infancy.....	614	614															
151	Congenital debility, icterus, and sclerema (total).....	512	512															
	Premature birth.....	282	282															
	Congenital debility, "atrophy," "marasmus," etc.....	230	230															
152	Other causes peculiar to early infancy (total).....	100	100															
	Injuries at birth.....	53	53															
	Other causes peculiar to early infancy ¹	47	47															
153	Lack of care.....	2	2															
	XII.—Old age.....	511										2	22	118	271	95	3	
154	Senility.....	511										2	22	118	271	95	3	
	XIII.—External causes.....	658	11	20	20	8	10	26	65	88	86	79	69	59	56	42	12	7
	Suicide (total).....	107							5	13	15	23	24	16	6	4		1
155	By poison.....	12							1	3	4	2	2					
156	By asphyxia.....	3									1	1	1					
157	By hanging or strangulation.....	19							2	2	2	7	4	2				
158	By drowning.....	14							3	2	1	6	1	1	2			
159	By firearms.....	47							1	5	7	8	9	9	2	3		1
160	By cutting or piercing instruments.....	9							3	1		4	3	1				
161	By jumping from high places.....																	
162	By crushing.....	1									1							
163	Other suicides.....	2										1				1		
	Accidental or undefined (total).....	538	10	20	20	8	10	25	57	73	66	55	44	43	49	38	12	6
164	Poisoning by food.....	5		1			1			1	1							
165	Other acute poisonings.....	17	2	5	2			1		3	1	2	1					
166	Conflagration.....	21	1	1	2	1	1	4		2	2	2		1	2	1		1
167	Burns (conflagration excepted).....	50	2	7	12	1	3	2	2	3	2	2	2	3	1	5	2	1

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MAINE—Continued.																	
	XIII.—External causes—Continued.																
	Accidental or undefined—Continued.																
168	Absorption of deleterious gases (conflagration excepted).....	10	2	1					1	1	1	1	1	1	1		
169	Accidental drowning.....	115	1		2	4	2	11	27	25	19	7	4	1	4		1
170	Traumatism by firearms.....	25				1			3	4	6		5	1			
171	Traumatism by cutting or piercing instruments.....	2							1					1			
172	Traumatism by fall.....	95		1	2			1	2	1	5	7	9	13	26	20	8
173	Traumatism in mines and quarries (total).....	3							1				1	1			
	Traumatism in mines.....	3							1				1	1			
	Traumatism in quarries.....	3							2	2	4	3					
174	Traumatism by machines.....	11							2	2	4	3					
175	Traumatism by other crushing (total).....	41				1	3	5	5	20	11	17	8	9	6	4	
	Railroad accidents and injuries.....	41							3	13	7	7	3	2	5		
	Street-car accidents and injuries.....	8					1		1	1	2	1	2			1	
	Automobile accidents and injuries.....	14					2		1	2	3	2	1	1			
	Injuries by other vehicles.....	28				1		3	1	4	1	6	3	4	1	3	
	Landslide, other crushing.....																
176	Injuries by animals.....	6							2		2	1		1			
177	Starvation.....	1													1		
178	Excessive cold.....	5							1					1			
179	Effects of heat.....	5												2		1	1
180	Lightning.....	2									2						
181	Electricity (lightning excepted).....	11							2	2	3	1	2	1			
185	Fractures (cause not specified).....	13		1					1	1			1	1	4	5	1
186	Other external violence.....	48	2	3				1	4	7	5	11	9	2	3		
	Homicide (total).....	15	1					1	3	2	5	1	1		1		
	By firearms.....	7							1		5		1				
183	By cutting or piercing instruments.....	2								2							
184	By other means.....	6	1					1	2						1		
	XIV.—Ill-defined diseases.....	191	57	8	2	3	1	2	4	4	4	16	12	33	28	15	
187	Ill-defined organic disease.....	6												1	2	2	1
188	Sudden death.....	21	2						1				1	9	4	2	
189	Not specified or ill-defined (total).....	164	55	8	2	3	1	2	3	4	3	16	10	22	20	12	
	Ill-defined.....	77	5	3	2	2			3	1	2	11	8	17	12	9	
	Not specified, or unknown.....	87	50	5		1	1	2	3	3	1	5	2	5	8	3	

MARYLAND (TOTAL).

	All causes.....	21,314	4,070	769	295	163	113	400	868	1,610	1,666	2,025	2,393	2,706	2,683	1,267	185	14	81
	I.—General diseases.....	5,666	354	182	106	71	50	164	431	876	752	795	725	634	379	116	17	2	12
1	Typhoid fever.....	321	1	2	6	7	4	15	81	85	47	40	17	8	7				1
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	14	1	2	1	1			1			1	1	3	3				
5	Smallpox.....	8	4							2		2							
6	Measles.....	24	5	7	1	2		2	5	2									
7	Scarlet fever.....	76	3	9	12	9	4	25	10	3		1							
8	Whooping cough.....	195	114	50	13	7	3	7	1										
9	Diphtheria and croup.....	177	13	26	34	18	20	43	13	4	2	4							
10	Influenza.....	148	10	7	1	1		2	1	4	5	6	16	25	43	23	4		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	7	1	1											3	2			
14	Dysentery.....	50	11	2	1						1	5	6	7	11	5	1		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	38	7	1	1			1	1	1	3	3	5	7	3	5			
19	Other epidemic diseases.....	9	3	3				1			1				1				
20	Purulent infection and septicemia.....	44	6	2				1	4	6	3	4	9	4	4	1			
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....																		
24	Tetanus.....	41	11					6	3	5	3	4	6	3					
25	Mycoses.....																		
26	Pellagra.....																		
27	Beriberi.....									2		1	2	1	1				
	Tuberculosis (total).....	2,709	56	48	27	20	12	47	233	690	551	439	274	163	76	14	2		7
28	Tuberculosis of the lungs.....	2,330	20	17	15	3	3	21	236	631	505	402	249	145	64	12	2		5
29	Acute miliary tuberculosis.....	97	4					6	16	22	20	11	7	3					
30	Tuberculosis meningitis.....	92	19	20	8	11	6	11	5	3	2	2	2	2					
31	Abdominal tuberculosis.....	102	7	2	1	1	1	5	13	23	14	12	10	7	5	1			
32	Pott's disease.....	18	1					1	5	2	1	1	1	1	2				
33	White swellings.....	18						2	3	2	1	3	3	2	1				
34	Tuberculosis of other organs.....	35	4	3	1	1		1	3	4	5	5	2	3	2				
35	Disseminated tuberculosis.....	17	1	3					2	3	3	1	1	1					

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
MARYLAND (TOTAL)—Continued.																			
I.—General diseases—Continued.																			
36	Rickets.....	21	10	7	1	2		1											
37	Syphilis.....	181	70	12	5		1	2	2	22	18	22	13	9	4			1	
38	Gonococcus infection.....	9	2							4	2	1							
Cancer and other malignant tumors (total)																			
	Of the buccal cavity.....	1,092		1	2	1	1	2	6	14	71	174	275	306	177	54	6	1	
39	Of the stomach, liver.....	44						1					9	11	15				
40	Of the peritoneum, intestines, rectum.....	389								3	18	39	97	142	68	20	1	1	
41	Of the female genital organs.....	129								2	9	21	33	37	21	6			
42	Of the breast.....	186								6	27	42	53	34	21	3			
43	Of the skin.....	132			2	1					6	34	41	28	18	5			
44	Of other organs or of organs not specified.....	35									1	2	5	7	9	6	2		
45	Other tumors (tumors of the female genital organs excepted).....	177		1			1	2	5	3	10	32	37	47	25	10	3	1	
46	Acute articular rheumatism.....	6	1									1		4					
47	Chronic rheumatism and gout.....	65					1	5	7	3	10	11	9	9	4	3	3		
48	Scurvy.....	23								1	2		4	8	5	3			
49	Diabetes.....	1	2		1	1			4	15	8	34	55	55	29	4	1		
50	Exophthalmic goiter.....	209																	
51	Addison's disease.....	14									1	1	4	5	2	1			
52	Leukemia.....	2											1	2	2				
53	Anemia, chlorosis.....	13	1					3	2	2	2	5	3	3	1	1			
54	Other general diseases.....	51	3	2		1	1	3	3	2	4	7	10	10	4	1			
55	Alcoholism (acute or chronic).....	31	18					3	4	2	1	1	2	1					
56	Chronic lead poisoning.....	70						1	1	7	17	21	16	4	2			2	
57	Other chronic occupation poisonings.....	2										1							
58	Other chronic poisonings.....	2										2							
II.—Diseases of the nervous system and of the organs of special sense.....																			
		2,143	160	42	12	5	3	33	35	44	104	176	337	452	492	204	27	1	7
60	Encephalitis.....	9	1					1	2	1			3	1					
61	Meningitis (total).....	116	33	23	6	3	1	17	9	7	7	1	7	2					
	Simple meningitis.....	70	25	12	2	1	1	10	4	2	6	1	5	1					
	Cerebrospinal meningitis (undefined).....	24	6	6	3	1		3	3	3	1		1	1					
	Cerebrospinal fever.....	22	7	5	1	1		4	2				1	1					
62	Locomotor ataxia.....	28								2	1	4	13	6					
63	Other diseases of the spinal cord (total).....	85	3	5	2	1		2	3	4	7	5	13	19	17	3	1		
	Acute anterior poliomyelitis.....	15	3	4	2	1		2	3	1	1	1	1	1					
	Other diseases of the spinal cord ¹	70	1	1				3	3	3	6	5	12	19	17	3	1		
64	Cerebral hemorrhage, apoplexy.....	1,191	2	1				4	2	7	28	97	235	310	335	144	19	1	6
65	Softening of the brain.....	23								1	1	7	2	5	13	7			
66	Paralysis without specified cause.....	300	2		1			1		1	7	16	40	80	101	45	6		
67	General paralysis of the insane.....	97								1	20	32	19	11	9	4	1		
68	Other forms of mental alienation.....	19						1	1	1	4	4	4	3	2				
69	Epilepsy.....	67	3					1	10	16	16	10	2	5	2	1		1	
70	Convulsions (nonpuerperal).....	5						2	1	1									
71	Convulsions of infants.....	121	103	9	2	1													
72	Chorea.....	3										1							
73	Neuralgia and neuritis.....	5										1	1	3					
74	Other diseases of the nervous system.....	49	6	2				4	4	4	9	7	6	2	5				
75	Diseases of the eyes and their annexe.....	2			1					1									
76	Diseases of the ears.....	20	6	2			1	1	3	2	3	1	1						
III.—Diseases of the circulatory system.....																			
		2,667	16	8	1	4	3	27	67	99	149	275	419	610	645	296	33	2	13
77	Pericarditis.....	14		1				1	3	2		2	2	3					
78	Acute endocarditis.....	139	2		1	2		7	6	15	22	30	43	6	1			2	
79	Organic diseases of the heart.....	2,049	13	6		2	3	17	55	77	115	214	320	492	489	216	18	2	
80	Angina pectoris.....	107						2		1	3	10	17	37	29	7	1	10	
81	Diseases of the arteries, atheroma, aneurism, etc.....	298								3	4	11	29	61	114	62	13	1	
82	Embolism and thrombosis.....	40							1	1	2	5	4	8	11	7	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	10									2	3	2	1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.).....	3	1	1							1								
85	Hemorrhage; other diseases of the circulatory system.....	7							2				2	2		1			
IV.—Diseases of the respiratory system.....																			
		2,577	603	243	91	43	21	60	75	113	137	176	227	267	320	170	26	2	3
86	Diseases of the nasal fossae.....	3	2					1											
87	Diseases of the larynx.....	10	3	2	2		2					1							
88	Diseases of the thyroid body.....	4											1	1					
89	Acute bronchitis.....	163	94	16	7	4	1	3	3	4	1	4	7	10	12	2			
90	Chronic bronchitis.....	111	1	2				1	1		5	4	7	18	35	31	4	2	
91	Bronchopneumonia.....	955	372	157	56	22	10	24	10	15	16	27	50	63	38	35	9	1	
92	Pneumonia (total).....	1,167	118	63	24	17	6	29	53	86	100	124	143	157	161	67	7	2	
	Lobar pneumonia.....	1,025	82	49	16	16	5	24	53	81	93	118	135	145	143	57	7	1	
	Pneumonia (undefined).....	142	36	14	8	1	1	5	5	5	6	13	12	12	10			1	
93	Pleurisy.....	39	1	2				1	2	2	7	6	11	5	7				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MARYLAND (TOTAL)—Continued.																	
	IV.—Diseases of the respiratory system—Continued.																
94	Pulmonary congestion, pulmonary apoplexy.	59	10		2		1			1	2	4	3	6	8	18	4
95	Gangrene of the lung.	1											1				
96	Asthma.	34	1				1	1		1	3	1	5	5	10	6	
97	Pulmonary emphysema.	3													1		
98	Other diseases of the respiratory system (tuberculosis excepted).	23	1	1					1	4	2	4	3	6		1	
	V.—Diseases of the digestive system.	2,328	1,124	223	48	21	9	30	60	85	97	111	151	152	149	61	5
99	Diseases of the mouth and annexe.	17	9			1		1				4	1	1			
100	Diseases of the pharynx.	32	4	1	4		1	6	2	3	2	1		3	1	4	
101	Diseases of the esophagus.	1															
102	Ulcer of the stomach.	45		1				1	3	7	7	8	9	2	7		
103	Other diseases of the stomach (cancer excepted).	203	42	9	2	8	2	2		9	12	21	18	24	36	14	3
104	Diarrhea and enteritis (under 2 years).	1,243	1,038	205													
105	Diarrhea and enteritis (2 years and over).	200			37	10	3	4	9	10	7	18	16	28	31	25	1
106	Ankylostomiasis.	3															
107	Intestinal parasites.	3			1			1					1				
108	Appendicitis and typhlitis.	124					1	4	27	32	18	12	18	9	3		
109	Hernia, intestinal obstruction (total).	162	22	3	2	2	1	4	12	12	16	15	14	19	36	4	
	Hernia.	46	5					1	1	2	2	6	5	11	13		
	Intestinal obstruction.	116	17	3	2	2	1	3	11	10	14	9	9	8	23	4	
110	Other diseases of the intestines.	39	5	2	1				1	2	5	4	4	5	4	5	1
111	Acute yellow atrophy of the liver.	5	1								1	1		2			
112	Hydatid tumor of the liver.																
113	Cirrhosis of the liver.	134	1						4	2	16	18	39	31	17	6	
114	Biliary calculi.	46							1	2	4	4	15	15	6	3	
115	Other diseases of the liver.	49	1	1	1			3	2	2	5	3	15	11	5	3	
116	Diseases of the spleen.	2												1			
117	Simple peritonitis (nonpuerperal).	18	1					4		4	4	2		1	2		
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	5					1			1	2		1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexe.	2,054	25	3	5	5	3	15	35	78	158	267	359	445	453	186	10
119	Acute nephritis.	204	14	1	3	4	1	9	13	21	25	41	32	20	15	5	
120	Bright's disease.	1,692	7	2	2		2	5	18	40	117	199	310	408	399	166	10
121	Chyluria.																
122	Other diseases of the kidneys and annexe.	39	2						3	5	3	6	6	5	7	2	
123	Calculi of the urinary passages.	10								1	1	2	1	1	2	2	
124	Diseases of the bladder.	16	1			1					1		1	1	8	2	
125	Diseases of the urethra, urinary abscess, etc.	4										3		1			
126	Diseases of the prostate.	36										1	3	6	18	8	
127	Nonvenereal diseases of the male genital organs.	1													1		
128	Uterine hemorrhage (nonpuerperal).																
129	Uterine tumor (noncancerous).	22								1	6	11	1	1	2		
130	Other diseases of the uterus.	10								4	2	2	2				
131	Cysts and other tumors of the ovary.	8								1		1	2	2	1	1	
132	Salpingitis and other diseases of the female genital organs.	11							1	5	3	1	1				
133	Nonpuerperal diseases of the breast (cancer excepted).	1	1														
	VII.—The puerperal state.	191							24	79	68	19					1
134	Accidents of pregnancy.	12								8	3	1					
135	Puerperal hemorrhage.	32								12	12	8					
136	Other accidents of labor.	14							1	4	6	3					
137	Puerperal septicemia.	80							10	35	30	5					
138	Puerperal albuminuria and convulsions.	47							13	17	14	2					1
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	6								3	3						
140	Following childbirth (not otherwise defined).																
141	Puerperal diseases of the breast.																
	VIII.—Diseases of the skin and of the cellular tissue.	92	30	2			1	2	1		3	5	10	9	18	8	3
142	Gangrene.	37	2				1	2	1		1	3	4	3	11	6	3
143	Furuncle.	16	15										1				
144	Acute abscess.	18	4	2							2	2	3	4	1		
145	Other diseases of the skin and annexe.	21	9										2	2	6	2	
	IX.—Diseases of the bones and of the organs of locomotion.	45	3	2	3			2	9	2	2	8	3	4	5	2	
146	Diseases of the bones (tuberculosis excepted).	37	3	2	2			2	9	2	2	7	3	2	2	1	
147	Diseases of the joints (tuberculosis and rheumatism excepted).	6			1							1		2	2		
148	Amputations.																
149	Other diseases of the organs of locomotion.	2													1	1	

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MARYLAND (TOTAL)—Continued.																	
	X.—Malformations.....	196	183	7	2	1	1	1	1								
150	Congenital malformations (stillbirths not included) (total).....	196	183	7	2	1	1	1	1								
	Hydrocephalus.....	19	12	4	2												
	Congenital malformations of the heart.....	133	129	1		1		1	1								
	Other congenital malformations.....	44	42	2													
	XI.—Early infancy.....	1,396	1,396														
151	Congenital debility, icterus, and sclerema (total).....	1,124	1,124														
	Premature birth.....	650	650														
	Congenital debility, "atrophy," "marasmus," etc.....	474	474														
152	Other causes peculiar to early infancy (total).....	255	255														
	Injuries at birth.....	123	123														
	Other causes peculiar to early infancy ¹	132	132														
153	Lack of care.....	17	17														
	XII.—Old age.....	355									1	3	18	118	154	58	7
154	Senility.....	355									1	3	18	118	154	58	7
	XIII.—External causes.....	1,321	43	31	23	18	22	63	126	228	191	176	135	92	88	53	4
	Suicide (total).....	210							11	39	52	45	32	21	7	1	
	By poison.....	75							8	19	18	16	9	4			
155	By asphyxia.....	35							2	13	8	8	3	1			
156	By hanging or strangulation.....	25							1	3	3	4	5	7	2		
157	By drowning.....	7								1	2	1	1	1			
158	By firearms.....	55							2	13	13	13	7	6	1		
159	By cutting or piercing instruments.....	9								3	2	2	2	1	1		
160	By jumping from high places.....	3									1			1	1		
161	By crushing.....	9															
162	Other suicides.....	1								1							
163	Accidental or undefined (total).....	1,036	42	31	23	18	21	61	109	161	119	125	98	70	79	51	4
	Poisoning by food.....	23	1	5				4		3	1	2	2	1			
164	Other acute poisonings.....	23	3	3	1		1		2	1	5	4	2		1		
165	Conflagration.....	15	1	2		3		1	1	1	3	2	1				
166	Burns (conflagration excepted).....	130	4	16	17	11	12	20	4	12		9	7	9	3	5	
167	Absorption of deleterious gases (conflagration excepted).....	44	12		1				2	7	5	3	4	6	3	1	
168	Accidental drowning.....	151	1				2	9	30	40	20	25	11	6	2		
169	Traumatism by firearms.....	33						4	14	7	2	4		1			
170	Traumatism by cutting or piercing instruments.....	2								2							
171	Traumatism by fall.....	161	8	2	1		1	1	11	12	13	10	18	15	34	31	4
172	Traumatism in mines and quarries (total).....	26							3	3	6	7	6				
	Traumatism in mines.....	20							3	1	5	4	6				
	Traumatism in quarries.....	6								2	1	3					
173	Traumatism by machines.....	28						1	1	7	4	5	5	1	3		
174	Traumatism by other crushing (total).....	272		1		3	4	17	34	53	45	40	29	18	14	2	
	Railroad accidents and injuries.....	142				1	1	2	11	41	30	25	11	7	3	1	
	Street-car accidents and injuries.....	42		1		1	1	4	5	4	6	3	7	3	5		
	Automobile accidents and injuries.....	45				1		9	11	4	2	4	6	4	2	1	
	Injuries by other vehicles.....	37					2	2	5	4	7	8	3	2	4		
	Landslide, other crushing.....	6							2			2	2				
175	Injuries by animals.....	12			1			1	2		2	3		1	2		
176	Starvation.....	2	1											1			
177	Excessive cold.....	6												1		3	
178	Effects of heat.....	32	6	3			1	1	1	1	2		4	5	5	3	
179	Lightning.....	6							1	2	3						
180	Electricity (lightning excepted).....	5								4	1						
181	Fractures (cause not specified).....	15								1	3	3	3	1	4	3	
182	Other external violence.....	53	5	1		1		2	3	7	7	7	5	4	7	2	
183	Homicide (total).....	75	1				1	2	6	28	20	6	5	1	2	1	
	By firearms.....	43					1	1	3	18	11	3	3		1		
	By cutting or piercing instruments.....	12							2	5	3	2					
184	By other means.....	20	1					1	1	5	6	1	2	1	1		
	XIV.—Ill-defined diseases.....	283	124	26	4	1		3	4	6	5	16	24	23	21	17	2
185	Ill-defined organic disease.....	5										1		1	2		
186	Sudden death.....	15	9									1	1	2			
187	Not specified or ill-defined (total).....	263	115	26	4	1		3	4	6	5	14	23	20	19	15	2
	Ill-defined.....	122	26	20	3			1	1	3	3	9	17	17	12	8	
188	Not specified, or unknown.....	141	89	6	1	1		2	3	3	2	5	6	3	7	7	2

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
MARYLAND (WHITE).																			
	All causes.....	15,759	2,821	527	199	108	78	278	518	1,031	1,127	1,440	1,802	2,241	2,306	1,105	140	2	36
	I.—General diseases.....	4,024	207	111	74	48	37	119	208	540	510	579	586	552	336	99	12	1	5
1	Typhoid fever.....	237	1	2	4	5	3	15	45	60	39	35	16	7	5				
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	8		2						1			1	2	2				
5	Smallpox.....	1	1																
6	Measles.....	15	1	5		2			4	1									
7	Scarlet fever.....	68	3	8	12	8	4	21	10	1		1							
8	Whooping cough.....	102	64	25	8	2	1	2											
9	Diphtheria and croup.....	160	12	24	33	16	18	39	10	2	2	4							
10	Influenza.....	110	7	4	1			1		1	2	5	11	20	37	18	3		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	5	1	1											1	2			
14	Dysentery.....	35	6	1							1	4	5	3	10	4	1		
15	Plague.....																		
16	Yellow fever.....																		
17	Leptosy.....																		
18	Erysipelas.....	35	6	1	1		1		1	1	3	3	5	6	2	5			
19	Other epidemic diseases.....	6	2	2							1				1				
20	Purulent infection and septicemia.....	36	6	2			1		3	5	2	4	6	3	4				
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....																		
24	Tetanus.....	23	8					6	1			2	3	3					
25	Mycoses.....																		
26	Pellagra.....	7								2		1	2	1	1				
27	Beriberi.....																		
28	Tuberculosis (total).....	1,732	33	29	12	10	6	20	113	421	366	296	214	136	65	9			2
29	Tuberculosis of the lungs.....	1,508	29	26	5			7	95	392	338	274	196	121	53	8			1
30	Acute miliary tuberculosis.....	45	2	2					4	4	12	5	5	1					
31	Tuberculous meningitis.....	67	16	14	5	9	4	6	4	3	2	2	2	2	1	1			
32	Abdominal tuberculosis.....	56	4	2	1	1	1	2	3	10	7	7	8	5	2				
33	Pott's disease.....	13	1					2	2	2		1	1	1	2				1
34	White swellings.....	13						1	2	1	2	1	1	2	1				
35	Tuberculosis of other organs.....	18	1	1				1	2	2	3	3	1	2	2				
36	Disseminated tuberculosis.....	12		1					2	1	3	3	1	1	1				
37	Ricketts.....	3	2			1													
38	Syphilis.....	71	31	2			1			5	7	11	7	5	2				
39	Gonococcus infection.....	6	2							1	1	1							
40	Cancer and other malignant tumors (total).....	947		1	2	1	1	2	5	11	54	140	234	275	164	50	5	1	1
41	Of the buccal cavity.....	40							1				8	9	4				
42	Of the stomach, liver.....	342								3	16	30	83	129	62	13			1
43	Of the peritoneum, intestines, rectum.....	120								2	8	20	31	32	21	6			
44	Of the female genital organs.....	137								3	16	31	37	28	19	3			
45	Of the breast.....	113									5	26	37	25	15	5			
46	Of the skin.....	33		2	1						1	2	4	7	9	5	2		
47	Of other organs or of organs not specified.....	162		1			1	2	4	3	8	27	34	45	24	9	3	1	
48	Other tumors (tumors of the female genital organs excepted).....	5										1		4					
49	Acute articular rheumatism.....	48					1	4	7	3	8	6	6	5	3	3	2		
50	Chronic rheumatism and gout.....	18								1			3	8	4	2			
51	Scurvy.....	1	1																
52	Diabetes.....	189	2		1	1			4	15	6	29	47	52	27	4	1		
53	Exophthalmic goiter.....	13								1		4	5	2	1				
54	Addison's disease.....	3												2					
55	Leukemia.....	17	1					3	1	2		5	3	1	1				
56	Anemia, chlorosis.....	44	2	2		1		3	2	1	4	6	8	10	4	1			
57	Other general diseases.....	23	15			1			2	2		1	1	1					
58	Alcoholism (acute or chronic).....	53							2	14		17	12	4	2				2
59	Chronic lead poisoning.....	2						1				1							
60	Other chronic occupation poisonings.....																		
61	Other chronic poisonings.....	1										1							
62	II.—Diseases of the nervous system and of the organs of special sense.....	1,657	113	25	8	4	2	22	26	31	70	130	238	365	423	181	18		1
63	Encephalitis.....	5						1	1	1			2						
64	Meningitis (total).....	82	27	15	4	3	1	10	6	2	6	1	5		2				
65	Simple meningitis.....	40	17	8	1	1	1	5	3	2	6	1	3		1				
66	Cerebrospinal meningitis (undefined).....	16	4	4	2	1		1	2				1		1				
67	Cerebrospinal fever.....	17	6	3	1	1		4	1				1						
68	Locomotor ataxia.....	23									1	1	4	11	6				
69	Other diseases of the spinal cord (total).....	70	1	3	1			1	3	2	5	4	12	17	3	1			
70	Acute anterior poliomyelitis.....	8	1	2	1			1	1	1	1	1	1						
71	Other diseases of the spinal cord.....	62		1					3	1	4	4	11	17	3	1			
72	Cerebral hemorrhage, apoplexy.....	944	2					4	2	4	10	67	170	255	288	129	12		1
73	Softening of the brain.....	24								1			1	3	13	6			
74	Paralysis without specified cause.....	217	2		1			1			6	9	15	60	81	38	4		
75	General paralysis of the insane.....	79								1	15	25	16	9	8	4	1		
76	Other forms of mental alienation.....	17									4	4	4	3	2				

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
MARYLAND (WHITE)—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	51	2							6	14	12	10	1	3	2	1		
70	Convulsions (nonpuerperal).....	3						1	1				1						
71	Convulsions of infants.....	77	69	5	2	1							1						
72	Chorea.....	2											1						
73	Neuralgia and neuritis.....	4											1						
74	Other diseases of the nervous system.....	41	4	1				3	4	3	8	7	6	1	3	4			
75	Diseases of the eyes and their annexa.....	1									1								
76	Diseases of the ears.....	17	6	1			1	1	3	2	2		1						
III.—Diseases of the circulatory system.....																			
		2,033	12	7	1	3	3	20	56	63	85	167	236	491	553	259	24	3	
77	Pericarditis.....	7										1	1	2					
78	Acute endocarditis.....	93	1		1	2		3	8	12	14	17	27	6	1	2		2	
79	Organic diseases of the heart.....	1,542	11	6		1	3	16	45	46	63	126	217	390	416	189	12	1	
80	Angina pectoris.....	96						1		1	2	8	14	34	23	7			
81	Diseases of the arteries, atheroma, aneurism, etc.....	246								3	1	8	23	49	98	54	10		
82	Embolism and thrombosis.....	34						1	1	2	4	2	7	10	6	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	8									2	3	1	1		1			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	2		1							1								
85	Hemorrhage; other diseases of the circulatory system.....	5						2				1	2						
IV.—Diseases of the respiratory system.....																			
		1,783	377	146	59	23	11	37	42	60	73	103	162	211	291	161	24	1	2
86	Diseases of the nasal fossae.....	1						1											
87	Diseases of the larynx.....	7	2	1	2		2												
88	Diseases of the thyroid body.....	2																	
89	Acute bronchitis.....	108	53	11	4	2	1	3	1	2		1	2	5	10	12	2		
90	Chronic bronchitis.....	100	1					1			3	3	6	17	34	30	4		
91	Bronchopneumonia.....	657	245	96	36	12	4	12	5	8	7	15	39	50	82	34	8	1	
92	Pneumonia (total).....	794	61	36	16	9	2	18	36	47	55	73	105	124	141	63	7	1	
	Lobar pneumonia.....	706	46	30	11	8	1	15	34	43	51	70	94	116	125	54	7	1	
	Pneumonia (undefined).....	88	15	6	5	1	1	3	2	4	4	3	11	8	16	9			
93	Pleurisy.....	24	1	2				1		1	4	5	3	1	6				
94	Pulmonary congestion, pulmonary apoplexy.....	52	10		1		1			2	3	2	5	8	17	3			
95	Gangrene of the lung.....	2						1	1		1	3	4	9	4				
96	Asthma.....	24						1			1	3	4	9	4				
97	Pulmonary emphysema.....	2									1	1	3	1	1				
98	Other diseases of the respiratory system (tuberculosis excepted).....	12	1							2	3	1	4		1				
V.—Diseases of the digestive system.....																			
		1,800	837	187	34	13	7	18	40	66	70	81	124	133	129	56	5		
99	Diseases of the mouth and annexa.....	8	4			1						3							
100	Diseases of the pharynx.....	20	1	1	2		1	3	1	3	2	1	2	1	2				
101	Diseases of the esophagus.....	1													1				
102	Ulcer of the stomach.....	37		1				3	6	4	5	9	2	7					
103	Other diseases of the stomach (cancer excepted).....	148	30	8		6	1	1		6	8	13	9	19	31	13	3		
104	Diarrhea and enteritis (under 2 years).....	955	781	174															
105	Diarrhea and enteritis (2 years and over).....	150			27	5	2	2	4	8	4	12	11	24	27	23	1		
106	Ankylostomiasis.....	2																	
107	Intestinal parasites.....	2			1								1						
108	Appendicitis and typhlitis.....	100				1	2	21	26	12	9	18	8	3					
109	Hernia, intestinal obstruction (total).....	126	15		2	1	1	4	7	10	12	11	13	16	30	4			
	Hernia.....	37	3				1	1	1	1	5	4	11	10					
	Intestinal obstruction.....	89	12		2	1	1	3	6	9	11	6	9	5	20	4			
110	Other diseases of the intestines.....	31	3	2	1			1	2	5	4	4	5	2	5	1			
111	Acute yellow atrophy of the liver.....	5	1								1	1		2					
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	111	1					2	1	9	15	34	27	16	6				
114	Biliary calculi.....	44							1	2	3	14	15	6	3				
115	Other diseases of the liver.....	41	1		1		2	1		5	2	14	11	4					
116	Diseases of the spleen.....	2		1									1						
117	Simple peritonitis (nonpuerperal).....	14					4		2	4	2		1	1					
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	5				1				1	2		1						
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		1,593	18	3	3	4	1	11	23	45	109	195	262	373	385	151	8		2
119	Acute nephritis.....	126	9	1	1	4		5	10	12	14	23	17	15	12	3			
120	Bright's disease.....	1,345	6	2	2		1	5	9	25	85	153	229	344	340	134	8		
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	32	1					3	2	2	5	6	5	7	1				
123	Calculi of the urinary passages.....	9									1	2	1	2	2				

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MARYLAND (WHITE)—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
124	Diseases of the bladder.....	14	1					1			1		1	1	7	2	
125	Diseases of the urethra, urinary abscess, etc.....	1									1						
126	Diseases of the prostate.....	31										3	5	15	8		
127	Nonvenereal diseases of the male genital organs.....																
128	Uterine hemorrhage (nonpuerperal).....																
129	Uterine tumor (noncancerous).....	16								1	4	9	1		1		
130	Other diseases of the uterus.....	7								3	2	1	1	1			
131	Cysts and other tumors of the ovary.....	8								1		1	2	2	1	1	
132	Sarcoma and other diseases of the female genital organs.....	3															
133	Nonpuerperal diseases of the breast (cancer excepted).....	1	1						1	1			1				
	VII.—The puerperal state.....	134							11	58	50	15					
134	Accidents of pregnancy.....	8								5	3						
135	Puerperal hemorrhage.....	21								8	7	6					
136	Other accidents of labor.....	13								4	6	3					
137	Puerperal septicaemia.....	57							6	26	21	4					
138	Puerperal albuminuria and convulsions.....	30							5	13	10	2					
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	5								2	3						
140	Following childbirth (not otherwise defined).....																
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	65	27	2							2	4	8	6	8	5	3
142	Gangrene.....	19	1									2	3	2	5	3	3
143	Furuncle.....	16	15										1				
144	Acute abscess.....	16	3	2							2	2	4	1			
145	Other diseases of the skin and annexa.....	14	8									2		2	2		
	IX.—Diseases of the bones and of the organs of locomotion.....	37	2	2	3			1	9	2		6	2	4	4	2	
146	Diseases of the bones (tuberculosis excepted).....	29	2	2	2			1	9	2		5	2	2	1	1	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	6			1							1		2	2		
148	Amputations.....																
149	Other diseases of the organs of locomotion.....	2													1	1	
	X.—Malformations.....	172	160	7	2		1	1	1								
150	Congenital malformations (stillbirths not included) (total).....	172	160	7	2		1	1	1								
	Hydrocephalus.....	16	9	4	2		1										
	Congenital malformations of the heart.....	117	114	1				1	1								
	Other congenital malformations.....	39	37	2													
	XI.—Early infancy.....	996	996														
151	Congenital debility, icterus, and sclerema (total).....	782	782														
	Premature birth.....	472	472														
	Congenital debility, "atrophy," "marasmus," etc.....	310	310														
152	Other causes peculiar to early infancy (total).....	208	208														
	Injuries at birth.....	112	112														
	Other causes peculiar to early infancy ¹	96	96														
153	Lack of care.....	6	6														
	XII.—Old age.....	264											2	7	85	128	42
154	Senility.....	264											2	7	85	128	42
	XIII.—External causes.....	1,076	28	28	14	13	16	49	100	164	155	150	122	84	80	50	4
	Suicide (total).....	200							9	37	50	44	31	20	6	1	
155	By poison.....	74							8	18	18	16	9	4			2
156	By asphyxia.....	34								2	12	8	8	3	1		1
157	By hanging or strangulation.....	24								3	3	4	5	7	2		
158	By drowning.....	5								1	2	4			1		1
159	By firearms.....	51							1	12	12	13	7	6			
160	By cutting or piercing instruments.....	9									3	2	2		1	1	
161	By jumping from high places.....	2										1			1		
162	By crushing.....																
163	Other suicides.....	1								1							
	Accidental or undefined (total).....	838	27	28	14	13	15	47	88	117	95	102	86	64	73	48	4
164	Poisoning by food.....	20	1	5			4			3	1	2	1	1		1	
165	Other acute poisonings.....	18	2	3					2	1	4	4	1		1		
166	Conflagration.....	11				3			1		1	3	1	1			
167	Burns (conflagration excepted).....	98	4	15	11	6	8	13	4	9		6	7	8	2	5	

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
MARYLAND (COLORED)—Continued.																			
I.—General diseases—Continued.																			
36	Rickets.....	18	8	7	1	1		1											
37	Syphilis.....	110	39	10	5			2	2	17	11	11	6	4	2			1	
38	Gonococcus infection.....	3								2	1								
Cancer and other malignant tumors (total).....																			
39	Of the buccal cavity.....	145						1	3	17	34	41	31	13	4	1			
40	Of the stomach, liver.....	4								2	9	14	13	6	2	1			
41	Of the peritoneum, intestines, rectum.....	9								1	1	2	5			1			
42	Of the female genital organs.....	49							3	11	11	16	6	2					
43	Of the breast.....	19								1	8	4	3	3					
44	Of the skin.....	2										1			1				
45	Of other organs or of organs not specified.....	15						1		2	5	3	2	1	1				
46	Other tumors (tumors of the female genital organs excepted).....	1	1																
47	Acute articular rheumatism.....	17					1			2	5	3	4	1		1			
48	Chronic rheumatism and gout.....	5								2		1		1	1				
49	Scurvy.....																		
50	Diabetes.....	20								2	5	8	3	2					
51	Exophthalmic goiter.....	1									1								
52	Addison's disease.....																		
53	Leukemia.....	1									1								
54	Anemia, chlorosis.....	7	1			1				1		1	2						
55	Other general diseases.....	8	3					2		1		1						1	
56	Alcoholism (acute or chronic).....	17						1	5	3	4	4							
57	Chronic lead poisoning.....											4							
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....	1									1								
II.—Diseases of the nervous system and of the organs of special sense.....																			
60	Encephalitis.....	486	56	17	4	1	1	11	9	13	34	46	99	87	69	23	9	1	6
61	Meningitis (total).....	4	1						1				1	1					
	Simple meningitis.....	34	11	8	2			7	3				2						
	Cerebrospinal meningitis (undefined).....	21	8	4	1			5	1				2						
	Cerebrospinal fever.....	8	2	2	1			2	1										
	Other diseases of the spinal cord (total).....	5	1	2				1			1								
62	Locomotor ataxia.....	3									1			2					
63	Acute anterior poliomyelitis.....	15	2	2	1	1		1		2	2	1	1	2					
	Other diseases of the spinal cord ¹	7	2	2	1	1		1		2	2	1	1	2					
64	Cerebral hemorrhage, apoplexy.....	8																	
65	Softening of the brain.....	247		1						3	18	30	65	55	47	15	7	1	5
66	Paralysis without specified cause.....	4											1	2					
67	General paralysis of the insane.....	83								1	1	7	25	20	20	7	2		
68	Other forms of mental alienation.....	18								5	7	3	2	1					
69	Epilepsy.....	2						1	1										
70	Convulsions (nonpuerperal).....	16	1					1	4	2	4		1	2					1
71	Convulsions of infants.....	2								1									
72	Chorea.....	44	39	4		1													
73	Neuralgia and neuritis.....	1									1								
74	Other diseases of the nervous system.....	1								1	1			1	1				
75	Diseases of the eyes and their annexa.....	8	2	1				1		1	1			1	1				
76	Diseases of the ears.....	1			1														
	Diseases of the ears.....	3		1							1	1							
III.—Diseases of the circulatory system.....																			
77	Pericarditis.....	634	4	1		1		7	11	36	64	108	133	119	92	37	9	2	10
78	Acute endocarditis.....	7		1				1		2		1	1	1					
79	Organic diseases of the heart.....	46	1					4	1	3	8	13	16						
80	Angina pectoris.....	507	2			1		1	10	31	52	88	103	102	73	27	6	2	9
81	Diseases of the arteries, atheroma, aneurism, etc.....	11									1	2	3	3	1				
82	Embolism and thrombosis.....	52									3	3	6	12	16	8	3		1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	6										1	2	1	1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	2											1						
85	Hemorrhage; other diseases of the circulatory system.....	1	1																
	Hemorrhage; other diseases of the circulatory system.....	2											1			1			
IV.—Diseases of the respiratory system.....																			
86	Diseases of the nasal fossae.....	794	226	97	32	20	10	23	33	53	64	73	65	56	29	9	2	1	1
87	Diseases of the larynx.....	2	2																
88	Diseases of the thyroid body.....	3	1	1															
89	Acute bronchitis.....	2																	
90	Chronic bronchitis.....	60	41	5	3	2			2	2	1		2	2					
	Chronic bronchitis.....	11		2					1		2	1	1	1	1	1			1
91	Bronchopneumonia.....	298	124	61	20	10	6	12	5	7	9	12	11	13	6	1	1		
92	Pneumonia (total).....	373	57	27	8	8	4	11	22	39	45	51	43	33	20	4			1
	Lobar pneumonia.....	319	36	19	5	8	4	9	19	38	42	48	41	29	18	3			
	Pneumonia (undefined).....	54	21	8	3			2	3	1	3	3	2	4	2	1			1
93	Pleurisy.....	15						2	2	1	2	6	2	1	1				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.
MARYLAND (COLORED)—Continued.																	
	X.—Malformations.....	24	23			1											
150	Congenital malformations (stillbirths not included) (total).....	24	23			1											
	Hydrocephalus.....	3	3														
	Congenital malformations of the heart.....	16	15			1											
	Other congenital malformations.....	5	5														
	XI.—Early infancy.....	400	400														
151	Congenital debility, icterus, and sclerema (total).....	342	342														
	Premature birth.....	178	178														
	Congenital debility, "atrophy," "marasmus," etc.....	164	164														
152	Other causes peculiar to early infancy (total).....	47	47														
	Injuries at birth.....	11	11														
	Other causes peculiar to early infancy ¹	36	36														
153	Lack of care.....	11	11														
	XII.—Old age.....	91									1	1	11	28	26	16	7
154	Senility.....	91									1	1	11	28	26	16	7
	XIII.—External causes.....	245	15	3	9	5	6	14	26	64	36	26	13	8	8	3	9
	Suicide (total).....	10							2	2	2	1	1	1			
155	By poison.....	1								1							
156	By asphyxia.....	1								1							
157	By hanging or strangulation.....	1							1								
158	By drowning.....	2									1	1					
159	By firearms.....	4							1	1	1				1		
160	By cutting or piercing instruments.....	1													1		
161	By jumping from high places.....	1													1		
162	By crushing.....	1															
163	Other suicides.....	1															
	Accidental or undefined (total).....	198	15	3	9	5	6	14	21	44	24	23	12	6	6	3	7
164	Poisoning by food.....	5	1		1		1										
165	Other acute poisonings.....	4	1		1		1										
166	Conflagration.....	32		1	6	5	4	7		3		3	1	1	1		1
167	Burns (conflagration excepted).....	10	4		1					2	1	2					
168	Absorption of deleterious gases (conflagration excepted).....	47	1					3	7	18	8	5	1		1		3
169	Accidental drowning.....	12						1	5	5				1			
170	Traumatism by firearms.....	1								1							
171	Traumatism by cutting or piercing instruments.....	17	3							3	2		2	1	2	1	
172	Traumatism by fall.....	2								1		1					
173	Traumatism in mines and quarries (total).....	2								1		1					
	Traumatism in mines.....	2								1		1					
174	Traumatism in quarries.....	4									1	2					1
175	Traumatism by other crushing (total).....	33				1	1	4	8	5	8	3			1		2
	Railroad accidents and injuries.....	16						2	7	3	3	1					1
	Street-car accidents and injuries.....	7						2	1	1	1	1					1
	Automobile accidents and injuries.....	1						1									
	Injuries by other vehicles.....	8				1	1			1	4				1		
	Landslide, other crushing.....	1									1						
176	Injuries by animals.....	2							1								
177	Starvation.....	3	1											1			
178	Excessive cold.....	11	2	2					1	1				1			
179	Effects of heat.....	1						1					2	1		2	
180	Lightning.....	1									2						
181	Electricity (lightning excepted).....	1								1							
185	Fractures (cause not specified).....	11	2							2	2	2	2	1			
180	Other external violence.....	37							3	18	10	2			1	1	
182	Homicide (total).....	23							1	12	7	1					
183	By firearms.....	6							2	2	1	1					
184	By cutting or piercing instruments.....	8								4	2				1	1	
	By other means.....	1															
	XIV.—Ill-defined diseases.....	158	80	17	3	1		3	2	4	2	6	14	8	9	4	2
187	Ill-defined organic disease.....	3											1		1		
188	Sudden death.....	5	3										1				1
189	Not specified or ill-defined (total).....	150	77	17	3	1		3	2	4	2	5	13	8	3	2	2
	Ill-defined.....	67	19	14	3	1		1	1	1	1	5	9	5	5	2	1
	Not specified, or unknown.....	83	58	3				2	1	3	1		4	3	3	1	1

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
MASSACHUSETTS.																			
	All causes.....	52,854	9,802	1,686	655	427	350	1,004	1,614	3,175	3,840	4,945	6,057	7,423	7,253	3,928	651	20	24
	I.—General diseases.....	13,133	841	499	279	191	167	452	691	1,546	1,594	1,782	1,858	1,655	1,141	384	51	2
1	Typhoid fever.....	275	1	4	3	5	13	49	70	57	45	21	5	1	1
2	Typhus fever.....	1	1
3	Relapsing fever.....	1
4	Malaria.....	3
5	Smallpox.....	1
6	Measles.....	199	68	76	23	10	7	8	2	4	1
7	Scarlet fever.....	253	13	40	25	26	25	77	23	14	8	1	1
8	Whooping cough.....	302	185	68	30	5	4	5	2	1	1	1
9	Diphtheria and croup.....	656	51	110	75	84	78	181	52	7	14	14	3	3	1
10	Influenza.....	213	16	2	1
11	Miliary fever.....	1
12	Asiatic cholera.....
13	Cholera nostras.....	11
14	Dysentery.....	121	42	10	4
15	Plague.....
16	Yellow fever.....
17	Leprosy.....	1
18	Erysipelas.....	161	50	5	1	1	1
19	Other epidemic diseases.....	15	6	1	2
20	Purulent infection and septicemia.....	101	10	2	2
21	Glanders.....	3
22	Anthrax.....
23	Rabies.....	5
24	Tetanus.....	33	3	1	1
25	Mycoses.....	1
26	Pellagra.....	19
27	Beriberi.....
28	Tuberculosis (total).....	5,118	183	156	92	44	35	103	432	1,236	1,090	837	522	259	112	17
29	Tuberculosis of the lungs.....	4,134	38	34	16	7	3	24	328	1,095	997	771	479	232	95	15
30	Acute miliary tuberculosis.....	151	11	5	5	2	1	5	25	42	24	19	7	4
31	Tuberculous meningitis.....	439	103	83	54	28	28	53	29	27	22	6	4	1
32	Abdominal tuberculosis.....	190	19	25	13	3
33	Pott's disease.....	50	1	1	1
34	White swellings.....	25
35	Tuberculosis of other organs.....	70	4	6	2
35	Disseminated tuberculosis.....	59	7	2	1	1	1	3	17	8	8	6	6	2
36	Rickets.....	35	22	7	1	2
37	Syphilis.....	211	109	7	1	3
38	Gonococcus infection.....	9	4
39	Cancer and other malignant tumors (total).....	3,649	2	1	6	2	2	4	17	54	175	539	877	974	719	246	31
40	Of the buccal cavity.....	150
41	Of the stomach, liver.....	1,151
42	Of the peritoneum, intestines, rectum.....	666
43	Of the female genital organs.....	576
44	Of the breast.....	436
45	Of the skin.....	94
45	Of other organs or of organs not specified.....	576	1	6	2	3	10	23	31	68	137	151	115	26	3
46	Other tumors (tumors of the female genital organs excepted).....	22	1
47	Acute articular rheumatism.....	171	2
48	Chronic rheumatism and gout.....	41
49	Scurvy.....	7
50	Diabetes.....	708	1	3	1	2	3	8	30	36	44	65	158	182	139	35	1
51	Exophthalmic goiter.....	29
52	Addison's disease.....	30
53	Leukemia.....	71	4	1	1
54	Anemia, chlorosis.....	260	4	3
55	Other general diseases.....	93	57	3	5	2	1	4	3	1	4	4	4	4
56	Alcoholism (acute or chronic).....	279
57	Chronic lead poisoning.....	7
58	Other chronic occupation poisonings.....
59	Other chronic poisonings.....	13
	II.—Diseases of the nervous system and of the organs of special sense.....	5,500	317	110	40	25	27	74	96	104	206	475	758	1,214	1,342	638	71	1	2
60	Encephalitis.....	32	6	3	2
61	Meningitis (total).....	333	102	65	25	13	14	40	23	10	10	17	5	6	2	1
	Simple meningitis.....	195	73	42	8	8	7	14	10	3	8	11	4	4	2
	Cerebrospinal meningitis (undefined).....	93	16	18	12	4	6	17	9	4	1	4
	Cerebrospinal fever.....	45	13	5	5	1	1	9	4	3	1	2
62	Locomotor ataxia.....	95
63	Other diseases of the spinal cord (total).....	274	11	8	2	4	1	7	12	12	13	28	39	61	63	12
	Acute anterior poliomyelitis.....	50	9	8	2	4	1	6	9	4	1	4	1	1
	Other diseases of the spinal cord.....	224	2
64	Cerebral hemorrhage, apoplexy.....	3,610	11	5
65	Softening of the brain.....	48
66	Paralysis without specified cause.....	208	2														

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
MASSACHUSETTS—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	116	6	2	1	1	3	6	15	14	21	14	15	9	7	2			
70	Convulsions (nonpuerperal).....	4						2		1						1			
71	Convulsions of infants.....	148	131	15			2												
72	Chorea.....	4							1	1				1	1				
73	Neuralgia and neuritis.....	18			1				1	3	3	1	3	3	2				
74	Other diseases of the nervous system.....	177	16	2	3	4	3	8	13	14	18	37	24	17	13	5			
75	Diseases of the eyes and their annexa.....	5		1		1	1	1				1							
76	Diseases of the ears.....	92	32	9	5		2	4	13	7	4	7		3		1			
III.—Diseases of the circulatory system.....																			
		9,365	102	14	7	7	4	73	233	234	420	744	1,306	2,093	2,461	1,436	223	8	
77	Pericarditis.....	39	1		1	1		3	4	2	4	2	3	4	8	5	1		
78	Acute endocarditis.....	471	38	4	1	1	2	19	51	40	64	92	133	14	6	5	1		
79	Organic diseases of the heart.....	6,682	24	2	5	4	2	47	171	172	317	558	996	1,623	1,776	869	113	3	
80	Angina pectoris.....	352						1	1	2	13	31	45	95	111	48	5		
81	Diseases of the arteries, atheroma, aneurism, etc.....	1,518							1	2	9	29	86	306	501	478	101	5	
82	Embolism and thrombosis.....	218	5	1		1			2	12	10	27	35	44	53	27	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	22								2	2	3	7	3	4		1		
84	Diseases of the lymphatic system (lymphangitis, etc.).....	51	32	7				3	3	2				2		2			
85	Hemorrhage; other diseases of the circulatory system.....	12	2								1	2	1	2	2	2			
IV.—Diseases of the respiratory system.....																			
		6,854	1,636	542	153	79	42	89	103	212	388	543	646	841	878	588	111	2	1
86	Diseases of the nasal fossae.....	6	4								1					1			
87	Diseases of the larynx.....	36	10	5	4	2	2	1		1	2	2	3	2	1	1			
88	Diseases of the thyroid body.....	14	1		1				1	1	2	2	2	4					
89	Acute bronchitis.....	447	243	52	14	7	1	2	1	3	4	2	9	24	36	37	12		
90	Chronic bronchitis.....	385	5	2	1			2	3	4	7	16	20	84	123	89	28	1	
91	Bronchopneumonia.....	2,284	965	312	71	40	19	31	11	34	48	53	82	161	237	190	30		
92	Pneumonia (total).....	3,326	373	157	52	22	15	43	84	143	297	436	483	514	439	237	29	1	
	Lobar pneumonia.....	2,902	290	127	39	21	14	35	77	126	256	383	425	478	405	206	19	1	
	Pneumonia (undefined).....	424	83	30	13	1	1	8	7	17	41	53	58	36	34	31	10	1	
93	Pleurisy.....	140	10	9	8	7	4	7	2	13	14	16	20	14	8	7	1		
94	Pulmonary congestion, pulmonary apoplexy.....	114	18	4	1	1	1	3	1	6	4	4	9	17	17	17	11		
95	Gangrene of the lung.....	8								1	2	2	3						
96	Asthma.....	61	4	1						2	2	5	11	17	11	8			
97	Pulmonary emphysema.....	2											1		1				
98	Other diseases of the respiratory system (tuberculosis excepted).....	31	3		1					4	5	5	3	4	5	1			
V.—Diseases of the digestive system.....																			
		5,503	2,819	391	75	53	33	106	129	179	213	330	372	336	293	144	29	1	
99	Diseases of the mouth and annexa.....	13	5		1						2	1		1	3				
100	Diseases of the pharynx.....	109	14	3	6	4	3	17	13	15	13	7	6	2	4	2			
101	Diseases of the esophagus.....	10	2						1	2	2	3		2					
102	Ulcer of the stomach.....	149	1	1					6	15	23	35	28	20	15	4	1		
103	Other diseases of the stomach (cancer excepted).....	283	120	14	4	3	2	2	2	6	9	16	18	21	29	31	5	1	
104	Diarrhea and enteritis (under 2 years).....	2,947	2,590	357															
105	Diarrhea and enteritis (2 years and over).....	404			53	37	16	31	9	17	24	35	27	50	57	38	10		
106	Ankylostomiasis.....																		
107	Intestinal parasites.....	3			1			1											
108	Appendicitis and typhlitis.....	385	1	3	4	6	4	40	72	58	52	52	43	23	19	7	1		
109	Hernia, intestinal obstruction (total).....	420	64	8	5	1	3	3	8	25	26	44	65	77	60	28	3		
	Hernia.....	159	7	4	1		1		1	14	22	35	31	29	11	3			
	Intestinal obstruction.....	261	57	4	4	1	2	3	8	24	12	22	30	46	31	17			
110	Other diseases of the intestines.....	68	7	2		1		3	5	6	3	4	12	12	5	6	2		
111	Acute yellow atrophy of the liver.....	13	3						1	4	2	1		2					
112	Hydatid tumor of the liver.....	2								1									
113	Cirrhosis of the liver.....	332	1				1	2	1	5	30	74	89	64	51	12	2		
114	Biliary calculi.....	130								5	7	24	33	27	20	4			
115	Other diseases of the liver.....	120	5	1			2	2	3	10	7	15	29	20	22	8	5		
116	Diseases of the spleen.....	6							2			2	1						
117	Simple peritonitis (nonpuerperal).....	72	6	2	1		2	5	6	8	9	9	5	13	4	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	37								4	4	11	11	3	2	2			
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		3,890	49	13	9	5	11	26	75	166	318	502	671	896	771	344	32	1	1
119	Acute nephritis.....	251	26	5	7	3	5	11	17	28	34	41	23	24	21	5	1		
120	Bright's disease.....	3,152	15	7	2	2	6	13	47	102	232	383	601	802	661	256	21	1	
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	70	5	1				2	3	7	7	5	5	12	12	11			
123	Calculi of the urinary passages.....	25							1	2	1	1	5	9	5				

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MASSACHUSETTS—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
124	Diseases of the bladder	69								1	1	2	5	7	18	27	8
125	Diseases of the urethra, urinary abscess, etc.	15							1	1	2	5	1	3	1	1	
126	Diseases of the prostate	122							1	1	1	2	11	26	41	39	1
127	Nonvenereal diseases of the male genital organs	2	2														
128	Uterine hemorrhage (nonpuerperal)	5							1		1	1	1	1	1	1	
129	Uterine tumor (noncancerous)	60							1	1	10	31	10	1	4	3	
130	Other diseases of the uterus	28							2	7	7	4	5	1	2		
131	Cysts and other tumors of the ovary	38							3	3	7	10	3	9	5	1	
132	Salpingitis and other diseases of the female genital organs	53	1						3	13	16	17	1	1	1		
133	Nonpuerperal diseases of the breast (cancer excepted)																
	VII.—The puerperal state	571							24	267	225	53	2				
134	Accidents of pregnancy	44							3	17	19	5					
135	Puerperal hemorrhage	67							2	25	29	10	1				
136	Other accidents of labor	71							6	28	36	7					
137	Puerperal septicemia	193							6	107	67	13					
138	Puerperal albuminuria and convulsions	166							13	77	59	16	1				
139	Puerperal phlegmasia alba dolens, embolus, sudden death	30								13	15	2					
140	Following childbirth (not otherwise defined)																
141	Puerperal diseases of the breast																
	VIII.—Diseases of the skin and of the cellular tissue	154	26	4	1			2	6	5	13	9	11	20	31	19	7
142	Gangrene	58	2						2		3	2	3	12	20	12	5
143	Furuncle	20	2	1					3	1	3	2	3	2	2	1	
144	Acute abscess	39	14	2	1				1	2	6	4	4	1	3	1	
145	Other diseases of the skin and annexa	37	8	1				2	1	2	4	1	1	5	6	5	2
	IX.—Diseases of the bones and of the organs of locomotion	120	11	9	8	1	3	11	19	16	5	13	8	5	4	6	1
146	Diseases of the bones (tuberculosis excepted)	100	9	9	8	1	3	11	17	15	4	11	5	4	1	2	
147	Diseases of the joints (tuberculosis and rheumatism excepted)	20	2						2	1	1	2	3	1	3	4	1
148	Amputations																
149	Other diseases of the organs of locomotion																
	X.—Malformations	703	646	21	10	7	4	8	5	2							
150	Congenital malformations (stillbirths not included) (total)	703	646	21	10	7	4	8	5	2							
	Hydrocephalus	61	45	8	2	2		2	1	1							
	Congenital malformations of the heart	419	397	5	5	1	1	5	4	1							
	Other congenital malformations	223	204	8	3	4	3	1									
	XI.—Early infancy	3,186	3,186														
151	Congenital debility, icterus, and sclerema (total)	2,490	2,490														
	Premature birth	1,760	1,760														
	Congenital debility, "atrophy," "marasmus," etc.	730	730														
152	Other causes peculiar to early infancy (total)	680	680														
	Injuries at birth	405	405														
	Other causes peculiar to early infancy ¹	275	275														
153	Lack of care	16	16														
	XII.—Old age	433											4	15	112	219	78
154	Senility	433											4	15	112	219	78
	XIII.—External causes	3,195	99	64	67	56	57	160	231	442	444	467	396	311	201	141	45
	Suicide (total)	483								13	80	101	82	117	57	24	5
155	By poison	64								4	19	13	4	16	4		
156	By asphyxia	109									13	20	24	28	21	3	
157	By hanging or strangulation	68								2	9	10	13	17	8	5	3
158	By drowning	57								1	6	11	7	21	7	2	1
159	By firearms	122								5	20	33	19	25	13	5	
160	By cutting or piercing instruments	44									7	13	7	8	4	1	
161	By jumping from high places	13									4	1	6	1			
162	By crushing	6									1	2		1			
163	Other suicides																
	Accidental or undefined (total)	2,595	87	64	67	55	57	158	209	323	321	365	272	252	176	136	45
164	Poisoning by food	25	4	1	1	1		2	3	1	2	5	2	1	1	1	
165	Other acute poisonings	59	6	7	3	6	2	4	2	7	5	4	9	3	1		
166	Conflagration	61	2	1				4	4	13	12	7	8	7	3	4	
167	Burns (conflagration excepted)	297	10	31	39	25	23	24	12	13	17	19	20	24	26	12	2

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MASSACHUSETTS—Continued.																	
168	XIII.—External causes—Continued. Accidental or undefined—Continued. Absorption of deleterious gases (conflagration excepted).....	177	40	1
169	Accidental drowning.....	300	2	1	6	8	7	44	64	57	37	36	18	15	2	3	1
170	Traumatism by firearms.....	22	2	1	2	6
171	Traumatism by cutting or piercing instruments.....	4	1	1	1	1
172	Traumatism by fall.....	650	4	15	7	4	8	5	19	31	65	88	76	86	98	99	42
173	Traumatism in mines and quarries (total).....	6	1	1	3	1
	Traumatism in mines.....
	Traumatism in quarries.....	6	1	1	3	1
174	Traumatism by machines.....	67	1	1	10	14	10	15	10	3	3
175	Traumatism by other crushing (total).....	684	2	2	7	6	15	64	74	129	104	112	78	65	16	8
	Railroad accidents and injuries.....	258	1	1	9	25	63	43	55	32	20	6	1
	Street-car accidents and injuries.....	91	1	1	1	6	3	9	19	13	13	12	10	1	2
	Automobile accidents and injuries.....	192	2	1	7	39	28	24	24	22	17	22	3	3
	Injuries by other vehicles.....	127	1	1	4	3	2	12	12	21	17	20	14	12	6	2
	Landslide, other crushing.....	16	1	2	7	2	3	1
176	Injuries by animals.....	11	1	1	1	3	1	1	2	1
177	Starvation.....	1
178	Excessive cold.....	31	1	1	2	5	6	4	6	4	1
179	Effects of heat.....	20	6	1	1	1	3	2	2	2	1	1
180	Lightning.....	2
181	Electricity (lightning excepted).....	29	1	1	10	7	8	2
185	Fractures (cause not specified).....	16	2	3	2	4
186	Other external violence.....	133	9	4	4	7	5	17	20	28	17	13	6	2
	Homicide (total).....	117	12	1	2	9	39	22	20	7	2	1
182	By firearms.....	42	1	6	16	7	8	4
183	By cutting or piercing instruments.....	26	12	7	4	2
184	By other means.....	49	11	1	2	3	11	8	8	1	2	1
	XIV.—Ill-defined diseases.....	247	70	19	6	3	2	3	2	14	27	25	37	19	9	3
187	Ill-defined organic disease.....	1
188	Sudden death.....	20	4	3	6	3	1	2	1
189	Not specified or ill-defined (total).....	226	66	19	6	3	2	3	2	2	11	21	22	36	17	8
	Ill-defined.....	172	35	18	5	2	2	3	1	1	8	17	21	33	15	8
	Not specified, or unknown.....	54	31	1	1	1	1	1	3	4	1	3	2	1

MICHIGAN.

	All causes.....	39,751	7,350	1,153	574	345	235	816	1,464	2,753	2,774	2,958	3,962	5,446	5,978	3,360	468	28	87
	I.—General diseases.....	9,144	606	280	214	130	100	369	612	1,144	1,034	1,005	1,165	1,219	942	268	37	2	17
1	Typhoid fever.....	396	1	2	8	3	6	27	101	107	62	35	22	15	4	2	1
2	Typhus fever.....
3	Relapsing fever.....
4	Malaria.....	22	3	1	3	2	1	2	5	3	2
5	Smallpox.....	1	1
6	Measles.....	177	54	51	19	15	4	14	10	4	2	2	2
7	Scarlet fever.....	179	9	14	24	15	17	62	26	8	2
8	Whooping cough.....	290	181	61	24	13	3	5	2	1
9	Diphtheria and croup.....	512	35	55	79	47	41	148	63	18	10	9	6	1
10	Influenza.....	302	23	7	4	1	3	10	7	6	13	23	32	93	65	15
11	Miliary fever.....
12	Asiatic cholera.....
13	Cholera nostras.....	20	7	1	1	1	2	2	4
14	Dysentery.....	103	20	9	6	2	1	3	3	3	3	4	1	20	21	6	1
15	Plague.....
16	Yellow fever.....
17	Leprosy.....
18	Erysipelas.....	122	29	2	4	2	2	9	13	10	14	15	15	7
19	Other epidemic diseases.....	4	1	1	1
20	Purulent infection and septicemia.....	109	12	2	3	1	1	2	9	21	14	11	17	7	6	1	2
21	Glanders.....
22	Anthrax.....
23	Rabies.....	1	1
24	Tetanus.....	38	3	3	1	1	1	8	8	5	4	2	1	1
25	Mycoses.....	3	2
26	Pellagra.....	4	1	1	2
27	Beriberi.....
	Tuberculosis (total).....	2,780	62	43	27	17	10	47	269	805	618	381	257	154	73	12	4
28	Tuberculosis of the lungs.....	2,298	21	14	7	5	14	212	705	558	334	220	132	61	10	4
29	Acute miliary tuberculosis.....	66	3	1	2	2	10	22	10	8	5	3
30	Tuberculous meningitis.....	144	30	22	15	9	3	23	9	14	8	6	3	1
31	Abdominal tuberculosis.....	128	3	4	1	2	15	34	21	16	17	6	7
32	Pott's disease.....	34	2	1	3	1	2	5	10	4	1	3	2
33	White swellings.....	23	1	1	1	6	5	6	2	1
34	Tuberculosis of other organs.....	47	1	1	8	5	7	9	8	4	2
35	Disseminated tuberculosis.....	40	2	1	3	1	2	4	10	4	6	2	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
MICHIGAN—Continued.																		
	IV.—Diseases of the respiratory system—Continued.																	
94	Pulmonary congestion, pulmonary apoplexy	91	29	3		1	1			1	4	4	2	6	10	14	13	3
95	Gangrene of the lung	7								1				3		2	1	
96	Asthma	95	4		1	1	1	2		3	2	4	15	24	24	14		
97	Pulmonary emphysema	6	1											3				
98	Other diseases of the respiratory system (tuberculosis excepted)	64	4	1			1	1	2	6	5	14	11	9	7	3		
	V.—Diseases of the digestive system	4,616	1,662	371	105	53	35	109	165	245	233	278	355	404	383	188	24	
99	Diseases of the mouth and annexe	26	13	1					2		3	2	2	1	2			
100	Diseases of the pharynx	71	7	2	6	1	1	4	13	11	8	2	4	7	3	2		
101	Diseases of the esophagus	10										1	2	3	2			
102	Ulcer of the stomach	140		1			1	1	3	7	15	31	25	32	17	7		
103	Other diseases of the stomach (cancer excepted)	510	207	15	9	4	3	4	7	12	11	27	30	49	72	47	12	
104	Diarrhea and enteritis (under 2 years)	1,672	1,352	320														
105	Diarrhea and enteritis (2 years and over)	413			77	36	20	29	15	18	20	24	34	39	47	46	7	
106	Ankylostomiasis	1																
107	Intestinal parasites	1																
108	Appendicitis and typhlitis	421	3	2	2	2	8	51	93	100	55	36	37	23	5	3		
109	Hernia, intestinal obstruction (total)	393	49	18	4	6	1	5	9	25	4	11	9	18	26	27	10	1
	Hernia	116	8	1		1												
	Intestinal obstruction	277	41	17	4	5	1	5	9	21	21	19	35	36	47	15	1	
110	Other diseases of the intestines	83	9	1				2	2	10	8	5	5	13	12	14	1	
111	Acute yellow atrophy of the liver	16	4					1	1	1	2	1	3		2	1		
112	Hydatid tumor of the liver	1																
113	Cirrhosis of the liver	388							3	7	29	63	86	103	77	17	1	
114	Biliary calculi	94								5	4	17	21	24	17	6		
115	Other diseases of the liver	190	6	3	1			3	3	13	20	16	34	32	41	17	1	
116	Diseases of the spleen	9	1							1	1	1	1	3	2			
117	Simple peritonitis (nonpuerperal)	153	10	7	5	3	1	8	14	28	21	22	15	10	7	1	1	
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	25	1	1		1		1		7	4	2	3	3	2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexe	2,727	44	8	7	12	4	16	53	139	186	288	424	538	683	294	27	2
119	Acute nephritis	210	14	4	3	6	1	7	12	23	32	26	28	22	24	7	1	
120	Bright's disease	2,012	15	4	4	4	2	9	35	71	90	213	345	450	530	216	20	2
121	Chyluria	65	11						1	5	5	6	4	7	16	8	2	
122	Other diseases of the kidneys and annexe	23								2	3	1	7	5	4	1		
123	Calculi of the urinary passages	90	1			1	1			3	1	2	4	15	84	26	2	
124	Diseases of the bladder	13							1		3	3	2	3	1			
125	Diseases of the urethra, urinary abscess, etc.	135								1	2	9	26	63	32	2		
126	Diseases of the prostate	5	2											1	2			
127	Nonvenereal diseases of the male genital organs	4							1	1	2							
128	Uterine hemorrhage (nonpuerperal)	53								1	13	16	12	3	4	4		
129	Uterine tumor (noncancerous)	50				1			1	12	17	10	4	2	3			
130	Other diseases of the uterus	19								4	4	4	3	2	2			
131	Cysts and other tumors of the ovary	45							2	17	14	5	6	1				
132	Salpingitis and other diseases of the female genital organs	3	1								1			1				
133	Nonpuerperal diseases of the breast (cancer excepted)	528							41	239	209	39						
	VII.—The puerperal state																	
134	Accidents of pregnancy	35							5	14	15	1						
135	Puerperal hemorrhage	47							1	19	24	3						
136	Other accidents of labor	65							4	30	25	6						
137	Puerperal septicemia	227							20	119	74	14						
138	Puerperal albuminuria and convulsions	131							11	51	56	13						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	23								6	15	2						
140	Following childbirth (not otherwise defined)																	
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	157	28	3					3	3	5	9	8	22	29	40	7	
142	Gangrene	90	2	1								5	2	14	22	38	6	
143	Furuncle	13	2								2	2	3	1	2	1		
144	Acute abscess	27	9	2					3	2	3	1	1	5	1			
145	Other diseases of the skin and annexe	27	15							1		1	2	2	4	1	1	
	IX.—Diseases of the bones and of the organs of locomotion	82	5		2	2	1	2	12	10	10	9	6	11	7	5		
146	Diseases of the bones (tuberculosis excepted)	63	5		2	1	1	2	9	9	8	8	3	10	5			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	12				1			1	1	1	1	3		1	3		
148	Amputations	2												1	1			
149	Other diseases of the organs of locomotion	5							2		1				2			

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
MICHIGAN—Continued.																		
	X.—Malformations.....	549	514	18	4	4	5	2	2	
150	Congenital malformations (stillbirths not included) (total).....	549	514	18	4	4	5	2	2	
	Hydrocephalus.....	58	43	8	2	2	1	1	1	
	Congenital malformations of the heart.....	308	291	9	2	2	2	1	1	
	Other congenital malformations.....	183	180	1	2	
	XI.—Early infancy.....	2,821	2,821	
151	Congenital debility, icterus, and sclerema (total).....	2,329	2,329	
	Premature birth.....	1,404	1,404	
	Congenital debility, "atrophy," "marasmus," etc.....	925	925	
152	Other causes peculiar to early infancy (total).....	487	487	
	Injuries at birth.....	243	243	
	Other causes peculiar to early infancy ¹	244	244	
153	Lack of care.....	5	5	
	XII.—Old age.....	1,409	3	49	442	707	192	16	
154	Senility.....	1,409	3	49	442	707	192	16	
	XIII.—External causes.....	2,871	102	71	63	43	25	109	241	514	424	350	291	249	206	129	22	32
	Suicide (total).....	462	24	90	80	84	38	54	29	7	1	5
155	By poison.....	146	17	28	33	24	20	14	4	4	2
156	By asphyxia.....	18	7	4	2
157	By hanging or strangulation.....	80	3	11	8	14	20	11	12
158	By drowning.....	31	1	3	4	5	9	6	3
159	By firearms.....	141	3	35	20	29	26	15	7	3	3
160	By cutting or piercing instruments.....	33	5	7	5	7	7	2
161	By jumping from high places.....	4	1	1	1	1	1
162	By crushing.....	4	1	2	1	1
163	Other suicides.....	5	1	2	2
	Accidental or undefined (total).....	2,307	98	71	63	43	25	109	212	378	323	257	195	191	175	122	21	24
164	Poisoning by food.....	35	7	3	4	4	1	2	1	3	3	1	3	3
165	Other acute poisonings.....	77	3	12	9	3	4	4	6	10	11	4	5	4	2
166	Conflagration.....	68	2	3	4	2	5	2	6	12	9	8	3	7	2	2	1
167	Burns (conflagration excepted).....	164	6	21	19	15	7	13	11	11	15	12	10	6	9	8	1
168	Absorption of deleterious gases (conflagration excepted).....	99	44	2	4	5	16	5	6	9	4	4
169	Accidental drowning.....	299	3	9	7	2	3	29	69	77	40	22	17	10	4	2	5
170	Traumatism by firearms.....	82	3	1	1	6	24	26	9	5	2	4	1
171	Traumatism by cutting or piercing instruments.....	3	1	1
172	Traumatism by fall.....	368	3	7	6	4	2	6	12	24	28	30	28	45	74	84	14	1
173	Traumatism in mines and quarries (total).....	102	2	41	25	19	8	5	2
	Traumatism in mines.....	99	2	41	22	19	8	5
	Traumatism in quarries.....	3	3
174	Traumatism by machines.....	49	1	1	8	10	10	11	5	3
175	Traumatism by other crushing (total).....	605	3	7	9	7	5	33	56	121	102	92	62	51	40	8	9
	Railroad accidents and injuries.....	280	1	1	2	1	4	24	63	61	48	29	22	12	4	8
	Street-car accidents and injuries.....	87	1	1	1	1	3	8	17	17	13	11	5	7	1
	Automobile accidents and injuries.....	121	1	4	3	3	16	16	28	10	9	11	8	10	2
	Injuries by other vehicles.....	95	1	4	2	3	9	7	7	11	16	9	14	10	2
	Landslide, other crushing.....	22	1	1	6	3	6	2	2	1
176	Injuries by animals.....	37	2	2	3	3	6	3	4	8	4	2
177	Starvation.....	1
178	Excessive cold.....	19	1	1	1	4	5	5	1	1
179	Effects of heat.....	48	7	1	1	2	1	5	7	3	4	10	5	1	1
180	Lightning.....	14	1	2	5	4	1
181	Electricity (lightning excepted).....	24	1	3	10	7	3
185	Fractures (cause not specified).....	41	1	1	1	2	2	8	9	8	6	3
186	Other external violence.....	172	19	8	4	6	10	24	26	22	21	14	11	2	5
	Homicide (total).....	102	4	5	46	21	9	8	4	2	3
182	By firearms.....	65	3	36	10	5	7	2	2
183	By cutting or piercing instruments.....	8	4	2	1
184	By other means.....	29	4	2	6	9	3	1	2	1
	XIV.—Ill-defined diseases.....	320	72	35	7	2	4	3	10	20	14	29	60	38	18	7
187	Ill-defined organic disease.....	49	1	1	2	2	4	14	11	13	1
188	Sudden death.....	14	2
189	Not specified or ill-defined (total).....	257	69	35	7	2	4	3	7	18	11	23	43	23	5	7
	Ill-defined.....	154	14	34	6	1	3	1	5	7	9	18	32	19	3	2
	Not specified, or unknown.....	103	55	1	2	11	2	5	11	4	2	5

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
MINNESOTA.																			
	All causes.....	23,433	3,872	630	370	233	188	610	1,136	2,049	1,991	2,018	2,505	2,675	2,923	1,930	336	7	10
	I.—General diseases.....	6,652	386	164	156	108	93	311	514	958	838	743	878	744	538	199	21	1
1	Typhoid fever.....	224	1	7	2	8	34	77	48	18	20	7	2
2	Typhus fever.....
3	Relapsing fever.....
4	Malaria.....	3	1	1	1
5	Smallpox.....	7	2	1	1	2	1
6	Measles.....	79	12	21	7	6	9	8	9	1	3	1	1
7	Scarlet fever.....	333	14	31	46	27	26	82	67	31	8	1
8	Whooping cough.....	193	123	35	14	5	6	7	2	1
9	Diphtheria and croup.....	359	29	22	42	42	30	97	56	22	8	6	5
10	Influenza.....	107	6	1	3	1	4	7	3	3	5	10	10	28	21	5
11	Miliary fever.....
12	Asiatic cholera.....
13	Cholera nostras.....	11	4	2	1	1	2	1
14	Dysentery.....	52	10	5	5	1	1	2	1	1	5	8	6	4	3
15	Plague.....
16	Yellow fever.....
17	Leprosy.....
18	Erysipelas.....	64	27	1	1	3	3	3	7	4	8	3	3	1
19	Other epidemic diseases.....	11	3	1	1	1	1	1	1	1	1
20	Purulent infection and septicemia.....	50	4	2	2	1	3	2	6	3	9	10	2	5	1
21	Glanders.....
22	Anthrax.....
23	Rabies.....	2	1	1
24	Tetanus.....	40	9	3	1	2	3	5	3	7	5	1	1
25	Mycoses.....
26	Pellagra.....	5	1	1	2	1
27	Beriberi.....
28	Tuberculosis (total).....	2,330	58	33	19	17	15	56	242	680	526	319	237	119	47	11	1
29	Tuberculosis of the lungs.....	1,921	16	9	1	4	2	20	175	598	465	279	201	103	39	8	1
30	Acute miliary tuberculosis.....	69	2	1	3	1	4	14	22	9	8	3	2
31	Tuberculous meningitis.....	185	37	20	14	8	11	21	30	21	10	8	5
32	Abdominal tuberculosis.....	97	2	1	1	1	5	14	26	15	9	13	7	2	1
33	Pott's disease.....	35	2	1	1	2	4	11	2	3	4	4	1
34	White swellings.....	10	1	1	1	1	1	2	1	2
35	Tuberculosis of other organs.....	44	1	1	1	2	4	4	12	7	10	2
36	Disseminated tuberculosis.....	19	1	2	2	4	3	4	1	1	1
37	Ricketts.....	11	6	4	1	3	11	19	25	11	6
38	Syphilis.....	124	48	1
39	Gonococcus infection.....	10	2	5	3
40	Cancer and other malignant tumors (total).....	1,701	1	1	1	2	11	13	23	94	229	389	448	361	118	10
41	Of the buccal cavity.....	70	1	2	6	12	15	23	11
42	Of the stomach, liver.....	804	2	7	27	94	185	230	192	64	3
43	Of the peritoneum, intestines, rectum.....	213	1	2	16	31	49	53	47	9	3
44	Of the female genital organs.....	193	2	4	26	44	61	35	19	2
45	Of the breast.....	119	1	9	26	31	33	12	6	1
46	Of the skin.....	57	1	2	5	10	9	16	11	3
47	Of other organs or of organs not specified.....	245	1	1	1	2	9	6	9	12	23	41	73	52	15
48	Other tumors (tumors of the female genital organs excepted).....	2	1	1
49	Acute articular rheumatism.....	102	2	1	9	25	8	12	6	12	7	7	1
50	Chronic rheumatism and gout.....	31	1	2	3	4	3	6	7	5
51	Scurvy.....
52	Diabetes.....	331	1	16	25	29	25	37	62	64	51	20	1
53	Exophthalmic goiter.....	43	2	13	7	7	9	4	1
54	Addison's disease.....	12	2	2	2	2	3	1
55	Leukemia.....	53	1	1	3	1	6	9	8	7	12	5	4
56	Anemia, chlorosis.....	133	3	1	2	1	6	8	10	15	44	25	14	4
57	Other general diseases.....	36	22	1	1	3	2	1	1	1	1	1	2
58	Alcoholism (acute or chronic).....	136	14	40	30	38	11	2	1
59	Chronic lead poisoning.....	3	1	2
60	Other chronic occupation poisonings.....
61	Other chronic poisonings.....	4	1	1	1	1
62	II.—Diseases of the nervous system and of the organs of special sense.....	1,897	139	32	18	11	6	38	58	63	99	147	254	354	411	228	38	1
63	Encephalitis.....	11	1	1	1	2	1	2	2	1
64	Meningitis (total).....	120	28	13	10	8	4	11	19	8	5	6	4	3	1
65	Simple meningitis.....	53	9	7	4	4	2	6	7	3	2	2	3	3
66	Cerebrospinal meningitis (undefined).....	25	9	3	3	1	2	1	3	1	1	2	1
67	Cerebrospinal fever.....	42	10	3	3	3	4	9	4
68	Locomotor ataxia.....	39	14	9	4	1
69	Other diseases of the spinal cord (total).....	107	3	4	1	1	4	4	7	6	11	23	24	16	2	1
70	Acute anterior poliomyelitis.....	15	3	4	1	1	3	1	1	1
71	Other diseases of the spinal cord ¹	92	1	4	7	6	11	22	23	15	2	1
72	Cerebral hemorrhage, apoplexy.....	1,098	5	2	1	5	9	28	77	154	271	328	185	32	1
73	Softening of the brain.....	15	2	2	6</

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.
MINNESOTA—Continued.																		
II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy.....	70	2			1		5	13	14	15	5	9	3	2	1		
70	Convulsions (nonpuerperal).....	1							1									
71	Convulsions of infants.....	99	89	7	2	1												
72	Chorea.....	6						1	2				1		2			
73	Neuralgia and neuritis.....	6											1	2	2	1		
74	Other diseases of the nervous system.....	62	3	2	1		1	7	5	12	9	7	6	2	4	2	1	
75	Diseases of the eyes and their annexa.....	2											1			1		
76	Diseases of the ears.....	45	8	3	3	1		8	7	4	2	1	2	5		1		
III.—Diseases of the circulatory system.....																		
		2,946	25	2	4	3	7	45	85	113	160	242	378	552	740	512	77	1
77	Pericarditis.....	19					1	2	1	1	1	1	3	4	4	1		
78	Acute endocarditis.....	139	3				1	10	15	13	24	37	7	10	4			
79	Organic diseases of the heart.....	2,257	11	1	3	3	5	33	66	90	132	178	277	456	587	365	49	1
80	Angina pectoris.....	103	1										11	15	22	38	14	1
81	Diseases of the arteries, atheroma, aneurism, etc.....	320								2	7	12	28	42	85	119	25	
82	Embolism and thrombosis.....	72	3						2	3	4	7	15	16	13	8	1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	15			1					1	1	6		3	2	1		
84	Diseases of the lymphatic system (lymphangitis, etc.).....	13	7	1						1	2	1	1					
85	Hemorrhage; other diseases of the circulatory system.....	8								1	1	1	2	1	1		1	
IV.—Diseases of the respiratory system.....																		
		2,616	558	159	63	40	22	45	76	125	165	198	220	276	343	280	42	1
86	Diseases of the nasal fossae.....	6	3							1		1				1		
87	Diseases of the larynx.....	13	3	4	1	1		2							1			
88	Diseases of the thyroid body.....	14	2						2		1	2	3	2				
89	Acute bronchitis.....	106	43	11	1	2	1	3	1	1	1	2	3	15	15	5	1	
90	Chronic bronchitis.....	142	1	4						2	2	6	10	16	46	45	9	
91	Bronchopneumonia.....	772	351	92	35	14	9	11	7	6	11	22	22	33	73	75	11	
92	Pneumonia (total).....	1,383	144	46	25	19	10	25	59	102	142	155	169	188	167	121	11	
	Lobar pneumonia.....	1,084	85	34	20	10	9	18	43	92	132	130	146	160	122	76	7	
	Pneumonia (undefined).....	299	59	12	5	9	1	7	16	10	10	25	23	28	45	45	4	
93	Pleurisy.....	65	3	1	3	4	1		6	12	5	8	2	9	7	2	2	
94	Pulmonary congestion, pulmonary apoplexy.....	41	7	1	1			1				2	1	4	11	9	4	
95	Gangrene of the lung.....	1											1					
96	Asthma.....	56						1		1	1	1	7	16	18	11		
97	Pulmonary emphysema.....	2											1		1			
98	Other diseases of the respiratory system (tuberculosis excepted).....	15	1					1	1		2		2	5	2	1		
V.—Diseases of the digestive system.....																		
		2,364	705	200	75	37	25	59	130	143	127	159	211	181	182	116	14	
99	Diseases of the mouth and annexa.....	20	4		1	1			1	3	1	3	1	1	2	2		
100	Diseases of the pharynx.....	50	7	5	3	1	1	6	7	10	1	4	3	2				
101	Diseases of the esophagus.....	4			1						2				1			
102	Ulcer of the stomach.....	97							4	11	10	14	24	19	13	2		
103	Other diseases of the stomach (cancer excepted).....	144	68	5	4	2	3	1	1	1		5	4	11	19	17	3	
104	Diarrhea and enteritis (under 2 years).....	750	572	178														
105	Diarrhea and enteritis (2 years and over).....	228			59	28	16	7	4	8	7	15	11	17	25	26	5	
106	Ankylostomiasis.....	2																
107	Intestinal parasites.....	364	1	6	2	4	2	37	94	70	52	40	32	17	6	1		
108	Appendicitis and typhlitis.....	218	32	5	1	1	3	3	10	9	13	16	35	27	37	23	3	
109	Hernia, intestinal obstruction (total).....	87	5			2					2	9	24	17	14	13	1	
	Hernia.....	131	27	5	1	1	1	3	10	9	11	7	11	10	23	10	2	
	Intestinal obstruction.....	71	14		2				3	7	6	7	6	8	6	11	1	
110	Other diseases of the intestines.....	6								1		1	1			1		
111	Acute yellow atrophy of the liver.....	3			1										1			
112	Hydatid tumor of the liver.....	204	1	1					2	7	15	25	47	41	45	19	1	
113	Cirrhosis of the liver.....	85								4	5	11	21	22	15	7		
114	Biliary calculi.....	74	1						2	6	7	12	15	12	11	7	1	
115	Other diseases of the liver.....	6	1					1		2		1		1				
116	Diseases of the spleen.....	24	3		1			3	2	1	6	2	5	1				
117	Simple peritonitis (nonpuerperal).....	14								2	1	3	6	1	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	1,989	16	4	2	2	2	15	39	89	141	228	293	365	496	261	36	
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																		
		1,539	16	4	2	2	2	15	39	89	141	228	293	365	496	261	36	
119	Acute nephritis.....	106	4	3	1			3	4	12	17	14	17	15	8	7	1	
120	Bright's disease.....	1,539	6		1	2	2	9	31	50	83	179	247	309	397	198	25	
121	Chyluria.....	1												1				
122	Other diseases of the kidneys and annexa.....	48	4	1				3		6	5	8	2	9	6	3	1	
123	Calculi of the urinary passages.....	13								1	1		1	4	4	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MINNESOTA—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
124	Diseases of the bladder.....	38	2								2	2	1	2	12	16	1
125	Diseases of the urethra, urinary abscess, etc.....	4									1	2	1				
126	Diseases of the prostate.....	135									1		2	10	20	61	34
127	Nonvenereal diseases of the male genital organs.....	2							1				1				
128	Uterine hemorrhage (nonpuerperal).....	2									1						
129	Uterine tumor (noncancerous).....	29								1	7	8	6				
130	Other diseases of the uterus.....	16								3	5	4	1	1	5	1	
131	Cysts and other tumors of the ovary.....	19								3	4	3	4	3	1		1
132	Salpingitis and other diseases of the female genital organs.....	37							3	11	14	7	2				
133	Nonpuerperal diseases of the breast (cancer excepted).....																
	VII.—The puerperal state.....	283						13	129	123	18						
134	Accidents of pregnancy.....	33						1	12	17	3						
135	Puerperal hemorrhage.....	33						1	12	15	5						
136	Other accidents of labor.....	24						1	6	14	3						
137	Puerperal septicemia.....	115						8	59	46	2						
138	Puerperal albuminuria and convulsions.....	56						2	30	20	4						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	20							9	10	1						
140	Following childbirth (not otherwise defined).....	2							1	1							
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	80	15	1	1		1	1	2	2	5	6	6	15	19	5	
142	Gangrene.....	43	2				1			1	4	3	5	11	13	3	
143	Furuncle.....	5	2					1		1				1			
144	Acute abscess.....	13	1				1				1			2	1		
145	Other diseases of the skin and annexa.....	19	4	1	1				1	1		3	1	1	5	2	
	IX.—Diseases of the bones and of the organs of locomotion.....	49		2	2	1		7	10	5	6	4	5	3	1	3	
146	Diseases of the bones (tuberculosis excepted).....	43		2	2	1		5	8	5	6	4	4	2	1	3	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	5						2	1				1	1			
148	Amputations.....	1							1								
149	Other diseases of the organs of locomotion.....	1							1								
	X.—Malformations.....	331	304	7	7	1	2	5	3	1		1					
150	Congenital malformations (stillbirths not included) (total).....	331	304	7	7	1	2	5	3	1		1					
	Hydrocephalus.....	43	33	4	2		2	1				1					
	Congenital malformations of the heart.....	170	182	2	3			2									
	Other congenital malformations.....	118	109	1	2	1		3	1	1							
	XI.—Early infancy.....	1,561	1,561														
151	Congenital debility, icterus, and sclerema (total).....	1,241	1,241														
	Premature birth.....	929	929														
	Congenital debility, "atrophy," "marasmus," etc.....	312	312														
152	Other causes peculiar to early infancy (total).....	312	312														
	Injuries at birth.....	174	174														
	Other causes peculiar to early infancy ¹	138	138														
153	Lack of care.....	8	8														
	XII.—Old age.....	419									1		20	78	229	87	4
154	Senility.....	419									1		20	78	229	87	4
	XIII.—External causes.....	2,071	42	52	38	27	28	78	203	414	322	266	253	153	102	73	13
	Suicide (total).....	347							12	73	75	68	70	26	14	7	1
155	By poison.....	76							5	16	18	16	15	3	2		1
156	By asphyxia.....	23								9	4	2	5	2	1		
157	By hanging or strangulation.....	79							3	13	14	15	16	8	6	3	1
158	By drowning.....	21								1	5	2	8	3	1	1	
159	By firearms.....	105							3	26	22	23	20	7	2	2	
160	By cutting or piercing instruments.....	26								3	8	6	5	2	1	1	
161	By jumping from high places.....	5								1	1	1	1	1	1		
162	By crushing.....	8								3	2	1					
163	Other suicides.....	4								1	1	2					
	Accidental or undefined (total).....	1,625	40	52	38	26	28	77	184	316	219	181	172	124	86	66	12
164	Poisoning by food.....	28	1	2	3	1	3	1	1	1	4	4	1	5	1		
165	Other acute poisonings.....	37		6	7	1	1	1	1	6	5	3	5		1		
166	Conflagration.....	46	2	2	2	2	5	3	3	8	1	2	3	8	2	3	
167	Burns (conflagration excepted).....	79	5	12	14	7	3	3	6	10	11	3	3	1		1	

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.
MINNESOTA—Continued.																	
168	XIII.—External causes—Continued.																
	Accidental or undefined—Continued.																
	Absorption of deleterious gases (contamination excepted).....	109	17	1	2	1	3	5	16	12	11	13	14	11	3		
169	Accidental drowning.....	254	3	12	6	2	5	17	58	78	31	17	15	4	2	1	1
170	Traumatism by firearms.....	79		1	1	1		6	30	15	14	5	5	1			
171	Traumatism by cutting or piercing instruments.....	6							1	2	2	2					
172	Traumatism by fall.....	233	2	5	1	3	1	10	5	20	22	25	26	19	29	55	10
173	Traumatism in mines and quarries (total).....	42							2	22	13	5					
	Traumatism in mines.....	39							1	22	12	4					
	Traumatism in quarries.....	3							1	1	1	1					
174	Traumatism by machines.....	47		1		1	1	5	15	6	8	5	5				
175	Traumatism by other crushing (total).....	460	3	2	3	5	7	19	39	87	75	78	63	50	27	2	
	Railroad accidents and injuries.....	235				1	6	15	54	55	40	29	26	9			
	Street-car accidents and injuries.....	20			1			3	4	3	3	4	2	1			
	Automobile accidents and injuries.....	88	1	1	1	2	5	5	9	18	5	20	10	5	7		
	Injuries by other vehicles.....	107	2	2	1	3	1	8	8	9	10	14	19	18	10	2	
	Landslide, other crushing.....	10						4	2	2	1	1					
176	Injuries by animals.....	38				1	1	6	7	2	2	4	5	3	7		
177	Starvation.....	1	1														
178	Excessive cold.....	18							3	2	1	6	5	1			
179	Effects of heat.....	15	1					2	1	3	2	4	2				
180	Lightning.....	23					1	7	3	2	4	3	1	2			
181	Electricity (lightning excepted).....	19						3	9	5	5	2	1				
185	Fractures (cause not specified).....	4						9	1	7	7	12	5	3	1	1	
186	Other external violence.....	87	5	9	2	1		6	9	18	9	12	5	3	1		
	Homicide (total).....	99	2			1		1	7	25	17	11	3	2	2		2
182	By firearms.....	67						1	6	16	21	12	8	2	1		
183	By cutting or piercing instruments.....	7	1						1	2	1	1	1				1
184	By other means.....	25	1			1		1	3	5	4	2	1	1			1
	XIV.—Ill-defined diseases.....	225	121	7	1	3	2	6	4	7	8	6	7	21	17	10	3
187	Ill-defined organic disease.....	7	1	1									2	1	2		
188	Sudden death.....	17	2	1			1			1	1	3	5	2	1		
189	Not specified or ill-defined (total).....	201	118	5	1	3	1	6	4	7	7	5	4	14	14	7	3
	Ill-defined.....	56	14	2	1	3		4	1	2	3	2	10	9	4	1	
	Not specified, or unknown.....	145	104	3			1	2	4	6	5	2	2	4	3	2	

MISSOURI.

	All causes.....	41,356	6,352	1,599	770	426	358	990	1,791	3,450	3,672	3,803	4,426	5,048	5,255	2,813	412	24	167	
	I.—General diseases.....	12,675	874	536	351	238	208	543	870	1,734	1,585	1,507	1,512	1,284	989	353	47		44	
1	Typhoid fever.....	805	7	10	21	13	20	61	202	182	103	77	57	32	15	3			2	
2	Typhus fever.....																			
3	Relapsing fever.....																			
4	Malaria.....	365	62	43	18	8	12	24	23	34	25	20	29	25	22	14	3		3	
5	Smallpox.....	18	9		3					2	1	1	2							
6	Measles.....	413	76	100	47	33	22	46	32	22	16	7	6	5		1				
7	Scarlet fever.....	211	10	30	30	30	25	58	19	5	1	2		1						
8	Whooping cough.....	427	233	95	38	21	9	24	4			2							1	
9	Diphtheria and croup.....	693	50	87	100	93	91	204	43	10	4	6	2	3						
10	Influenza.....	347	33	7	9	3	1	9	7	10	15	21	32	39	80	68	12		1	
11	Miliary fever.....																			
12	Asiatic cholera.....																			
13	Cholera nostras.....	13	3	1										1	2	3	2			
14	Dysentery.....	333	62	64	25	8	3	2	2	3	3	6	19	29	54	44	6		3	
15	Plague.....																			
16	Yellow fever.....																			
17	Leprosy.....																			
18	Erysipelas.....	79	23	1		1		7	5	5	5	5	10	11	3	1			1	
19	Other epidemic diseases.....	14	5	2	4		1	1						1						
20	Purulent infection and septicemia.....	65	10	3	2			10	2	8	5	7	6	8	3				1	
21	Glanders.....																			
22	Anthrax.....																			
23	Rabies.....	5						2	1	1	1									
24	Tetanus.....	90	30	1	2		3	7	13	9	5	6	7	5	1				1	
25	Mycoses.....	1																		
26	Pellagra.....	24								5	5	8	5		1					
27	Beriberi.....																			
	Tuberculosis (total).....	5,015	109	75	34	20	12	64	418	1,263	1,097	811	512	345	194	32	3		21	
28	Tuberculosis of the lungs.....	4,326	50	22	13	8	4	25	344	1,155	1,001	720	456	306	171	29	2		20	
29	Acute miliary tuberculosis.....	138	4	1	1		1	5	22	35	26	24	12	7						
30	Tuberculous meningitis.....	211	42	41	17	11	5	22	21	18	10	15	4	3	1					
31	Abdominal tuberculosis.....	202	8	7	2			6	14	34	38	32	30	15	13	2			1	
32	Pott's disease.....	46	2	2		1	1	2	7	7	9	6		5	3				1	
33	White swellings.....	20			1		1	1	2	6		3	2	3	1					
34	Tuberculosis of other organs.....	50	1	1				3	5	9	9	8	7	3	4					
35	Disseminated tuberculosis.....	22	2	1				3	3	4	4	3	1	3	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MISSOURI—Continued.																	
I.—General diseases—Continued.																	
36	Rickets.....	18		9	5	1				1		1				1	
37	Syphilis.....	299	105	4	4	2	1		6	16	47	37	48	18	8		3
38	Gonococcus infection.....	16	1						1	4	4	1		2	2	1	
Cancer and other malignant tumors (total)		2,326	1	2	4	2	2	7	14	53	132	333	572	598	452	138	13
39	Of the buccal cavity.....	120						1	1	3	5	13	31	27	10	2	
40	Of the stomach, liver.....	882	1					3	1	14	27	86	228	244	213	59	4
41	Of the peritoneum, intestines, rectum.....	228		1	1				2	8	18	27	59	56	43	13	
42	Of the female genital organs.....	378							1	10	45	104	100	82	30	6	
43	Of the breast.....	221							1	2	17	53	65	43	27	11	1
44	Of the skin.....	156					1			1	1	11	24	44	44	25	5
45	Of other organs or of organs not specified.....	341		1	3	2	1	3	8	15	19	39	65	102	68	14	1
46	Other tumors (tumors of the female genital organs excepted).....	9							2			3	1		1	2	
47	Acute articular rheumatism.....	137		2	2	2	2	16	21	15	10	13	13	13	8	1	1
48	Chronic rheumatism and gout.....	39							1	1		6	4	6	11	9	
49	Scurvy.....	1		1													
50	Diabetes.....	465	4		2	2	2	6	33	33	27	40	114	102	78	19	2
51	Exophthalmic goiter.....	52							2	14	7	13	10	4		1	1
52	Addison's disease.....	9									3	3	1				
53	Leukemia.....	67	1		1		1	2	5	11	11	12	8	11	2	1	1
54	Anemia, chlorosis.....	102	6	1	2			5	6	6	5	18	22	16	17	3	1
55	Other general diseases.....	53	25	2	2			4	4		5	2	1	4	2	1	
56	Alcoholism (acute or chronic).....	122							1	6	35	35	32	2	9		2
57	Chronic lead poisoning.....	13							1	5	3	3	1				
58	Other chronic occupation poisonings.....																
59	Other chronic poisonings.....	29							2	7	8	8	6	2	1		
II.—Diseases of the nervous system and of the organs of special sense.....																	
		3,603	174	69	48	34	16	55	92	101	210	283	506	722	848	381	48
60	Encephalitis.....	29	9	4	1				1	2	6	3	1	1		1	
61	Meningitis (total).....	245	58	37	27	14	8	23	27	8	13	17	6	4	2	1	
	Simple meningitis.....	94	30	12	13	1	3	10	9	1	3	6	3	1	1	1	
	Cerebrospinal meningitis (undefined).....	53	10	10	4	5	2	4	5	2	3	4	1	2	1		
	Cerebrospinal fever.....	98	18	15	10	8	3	9	13	5	7	7	2	1			
62	Locomotor ataxia.....	87								1	9	10	28	24	14	1	
63	Other diseases of the spinal cord (total).....	273	13	14	5	8	1	6	5	5	9	21	31	52	71	24	8
	Acute anterior poliomyelitis.....	38	9	12	4	8		4	1								
	Other diseases of the spinal cord ¹	235	4	2	1		1	2	4	5	9	21	31	52	71	24	8
64	Cerebral hemorrhage, apoplexy.....	1,944	8	3	2	1	2	3	17	25	59	115	312	504	588	272	25
65	Softening of the brain.....	61							2	4	7	13	20	11	4		
66	Paralysis without specified cause.....	279	4		2	3		1	3	2	7	10	27	61	100	50	7
67	General paralysis of the insane.....	224							5	49	58	43	33	22	9	1	1
68	Other forms of mental alienation.....	55							1	5	10	9	11	7	3	2	
69	Epilepsy.....	149	5	1	1	1	1	10	16	24	32	17	16	10	9	3	1
70	Convulsions (nonpuerperal).....	4							1	1			1				
71	Convulsions of infants.....	62	52	3	2	4	1										
72	Chorea.....	2							2								
73	Neuralgia and neuritis.....	18							1	3	2	1	6	1	3	1	
74	Other diseases of the nervous system.....	104	10	2	3	2	1	5	12	14	9	12	11	10	10	3	
75	Diseases of the eyes and their annexa.....	3							1						1	1	
76	Diseases of the ears.....	64	15	5	5	1	2	6	5	6	3	6	6	2	1	1	
III.—Diseases of the circulatory system.....																	
		4,560	40	5	7	4	3	36	93	155	306	404	623	942	1,170	664	92
77	Pericarditis.....	56	2	1					4	7	5	7	12	8	9	1	
78	Acute endocarditis.....	152	8		1	1		4	9	19	34	19	38	11	3	4	
79	Organic diseases of the heart.....	3,208	27	3	4	1	3	29	82	110	229	307	467	697	828	370	42
80	Angina pectoris.....	202				1			2	10	23	33	61	53	17	1	1
81	Diseases of the arteries, atheroma, aneurism, etc.....	831						2	1	14	20	39	60	136	259	249	46
82	Embolism and thrombosis.....	82	1		1					4	6	8	14	16	17	13	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	16				1			1	1		2	3	6	1	1	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	9	2	1	1			1				1	1	1	1		
85	Hemorrhage; other diseases of the circulatory system.....	4							1					2		1	
IV.—Diseases of the respiratory system.....																	
		4,632	918	296	118	58	55	100	138	208	287	323	424	571	656	400	61
86	Diseases of the nasal fossae.....	5	2									1		1	1		
87	Diseases of the larynx.....	42	13	5	5	1	1	5	1	2	1	1	1	3			
88	Diseases of the thyroid body.....	13								2	5	2	2	1			1
89	Acute bronchitis.....	307	141	32	6	5	5	7	1	4	5	2	12	21	30	33	3
90	Chronic bronchitis.....	310	2					1	1	5	9	15	12	50	99	98	17
91	Bronchopneumonia.....	1,352	504	166	69	33	23	32	22	30	35	36	45	107	147	83	16
92	Pneumonia (total).....	2,322	232	89	36	16	21	53	104	153	209	236	318	345	327	148	23
	Lobar pneumonia.....	2,175	205	83	31	14	21	48	94	144	199	226	308	331	305	133	22
	Pneumonia (undefined).....	147	27	6	5	2	2	5	10	9	10	10	14	22	15	1	1
93	Pleurisy.....	108	9	4	2	2	3	2	6	7	16	16	11	14	10	5	

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MISSOURI—Continued.																	
	IV.—Diseases of the respiratory system—Continued.																
94	Pulmonary congestion, pulmonary apoplexy	44	11					2	2	1		4	4	8	11	1	
95	Gangrene of the lung	7									1	2	1	1	2		
96	Asthma	84	4		1	2			1	3	7	7	15	26	17	1	
97	Pulmonary emphysema	8						1			1	1	4				
98	Other diseases of the respiratory system (tuberculosis excepted)	30							2	3	5	9	5	3	3		
	V.—Diseases of the digestive system.	4,565	1,488	593	160	45	35	106	147	218	222	303	326	365	339	187	24
99	Diseases of the mouth and annexe	30	16	1	2	2		2	2		2	1	1	1			
100	Diseases of the pharynx	68	10	6	7	5	3	13	7	6	1	3	2	2		1	2
101	Diseases of the esophagus	6	1	1												1	
102	Ulcer of the stomach	125	2		1			1	2	7	16	23	18	21	21	13	
103	Other diseases of the stomach (cancer excepted)	326	116	14	8		5	9	2	13	11	12	22	34	38	34	7
104	Diarrhea and enteritis (under 2 years)	1,833	1,278	555													
105	Diarrhea and enteritis (2 years and over)	502			121	31	12	23	17	20	22	20	35	46	67	74	11
106	Ankylostomiasis	1												1			
107	Intestinal parasites	8		4				2	1	1							
108	Appendicitis and typhlitis	357	1	2	1	3	8	38	81	83	40	42	28	20	6	3	
109	Hernia, intestinal obstruction (total)	330	45	8	5	2	2	5	15	26	26	41	40	52	45	16	2
	Hernia	116	8	1	1		1	1	2	6	8	18	20	25	19	8	
	Intestinal obstruction	214	37	7	5	2	1	5	13	20	18	23	20	27	26	8	2
110	Other diseases of the intestines	104	6	1	1		3	3	4	10	10	12	12	18	15	6	2
111	Acute yellow atrophy of the liver	22	3					1	2	4	5	2	2	2	1		
112	Hydatid tumor of the liver	1															
113	Cirrhosis of the liver	438	1					1	1	9	39	86	98	95	84	23	1
114	Biliary calculi	126								13	15	20	30	30	16	1	
115	Other diseases of the liver	169	2	2	7		1	3	1	13	15	26	28	30	31	10	
116	Diseases of the spleen	4												1			
117	Simple peritonitis (nonpuerperal)	99	6	3	3	2	1	6	10	12	17	9	7	13	3		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	16							2	2	3	1	3	3	1	1	
	VI.—Nonvenereal diseases of the genito-urinary system and annexe	3,903	50	15	11	6	4	23	55	163	292	428	609	842	885	459	48
119	Acute nephritis	329	21	11	4	4	4	9	11	30	34	43	49	44	36	26	3
120	Bright's disease	3,033	13	4	6	2		13	33	83	178	304	506	727	748	370	33
121	Chyluria	63	14						1	5	4	7	8	11	10	4	1
122	Other diseases of the kidneys and annexe	20								1	1	2	3	7	5	1	
123	Calculi of the urinary passages	77	2					1			2	4	7	4	28	22	7
124	Diseases of the bladder	12								1	4	2	3			2	
125	Diseases of the urethra, urinary abscess, etc.	135								1			10	34	52	34	4
126	Diseases of the prostate	5			1						1		1	2			
127	Nonvenereal diseases of the male genital organs	60							1	3							
128	Uterine hemorrhage (nonpuerperal)	30							3	6	9	25	10	7	3		
129	Uterine tumor (noncancerous)	33							1	5	8	12	3	3	1		
130	Other diseases of the uterus	102							4	28	40	22	6	2			
131	Cysts and other tumors of the ovary	2							1					1			
132	Salpingitis and other diseases of the female genital organs	545							62	237	199	44					3
133	Nonpuerperal diseases of the breast (cancer excepted)	46							7	21	15	3					
134	Accidents of pregnancy	42							2	13	21	6					
135	Puerperal hemorrhage	37							1	17	16	3					
136	Other accidents of labor	284							27	131	103	21					2
137	Puerperal septicemia	121							24	48	38	10					1
138	Puerperal albuminuria and convulsions	15							1	7	6	1					
139	Puerperal phlegmasia alba dolens, embolus, sudden death																
140	Following childbirth (not otherwise defined)																
141	Puerperal diseases of the breast																
	VIII.—Diseases of the skin and of the cellular tissue	135	23	1	2			1	5	8	4	12	12	16	27	18	5
142	Gangrene	64	1	1	1			1	1	1		3	7	9	20	15	4
143	Furuncle	24	3						2	3		4	3	3	5	1	
144	Acute abscess	17	4							2	1	4	2	2	2		
145	Other diseases of the skin and annexe	30	15		1				2	2	3	1		2		2	1
	IX.—Diseases of the bones and of the organs of locomotion	76	9	2	1	2	3	5	12	8	9	5	7	6	5	2	
146	Diseases of the bones (tuberculosis excepted)	63	9	2		1	3	2	11	8	6	4	7	5	3	2	
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7			1			2	1		2	1					
148	Amputations	1									1						
149	Other diseases of the organs of locomotion	5				1		1						1	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
MISSOURI—Continued.																			
	X.—Malformations.....	366	333	15	4	4	5	2	1	2	
150	Congenital malformations (stillbirths not included) (total).....	366	333	15	4	4	5	2	1	2	
	Hydrocephalus.....	31	19	3	2	1	3	1	1	1	
	Congenital malformations of the heart.....	210	200	5	1	1	2	1	
	Other congenital malformations.....	125	114	7	1	2	1	
	XI.—Early infancy.....	2,035	2,035	
151	Congenital debility, icterus, and sclerema (total).....	1,663	1,663	
	Premature birth.....	1,359	1,359	
	Congenital debility, "atrophy," "marasmus," etc.....	304	304	
152	Other causes peculiar to early infancy (total).....	366	366	
	Injuries at birth.....	187	187	
	Other causes peculiar to early infancy ¹	179	179	
153	Lack of care.....	6	6	
	XII.—Old age.....	391	1	10	105	203	60	10	2
154	Senility.....	391	1	10	105	203	60	10	2
	XIII.—External causes.....	3,299	117	52	59	34	30	109	308	597	537	470	370	230	190	119	22	2	53
	Suicide (total).....	702	31	187	141	145	118	61	29	8	2
	By poison.....	353	17	102	66	68	54	35	8	3
155	By asphyxia.....	42	1	5	12	12	6	5
156	By hanging or strangulation.....	47	3	3	9	11	7	7
157	By drowning.....	16	1	8	3	2
158	By firearms.....	202	10	53	38	41	38	10	7	3	2
159	By cutting or piercing instruments.....	28	1	5	7	7	3	5
160	By jumping from high places.....	9	2	3	1	2	1
161	By crushing.....	2	1	1
162	Other suicides.....	3	1	1
163	Accidental or undefined (total).....	2,286	115	51	59	34	30	108	258	320	317	274	226	154	157	111	22	2	48
	Poisoning by food.....	51	11	3	3	3	5	4	2	2	3	1
164	Other acute poisonings.....	33	10	9	9	1	1	4	6	13	9	8	3	5	4	1
165	Conflagration.....	80	4	1	3	2	2	5	1	11	20	15	5	4	5	2
166	Burns (conflagration excepted).....	187	12	18	20	15	11	14	16	20	14	11	9	10	9	4	2	1	1
167	Absorption of deleterious gases (conflagration excepted).....	76	44	1	3	3	5	7	3	4	3	3
168	Accidental drowning.....	159	4	3	1	9	49	28	26	18	9	2	2	1	3
169	Traumatism by firearms.....	105	1	1	12	44	22	11	4	3	3
170	Traumatism by cutting or piercing instruments.....	7	1	2	1	2
171	Traumatism by fall.....	433	11	10	8	1	2	14	29	28	33	38	39	45	76	80	16	1	2
172	Traumatism in mines and quarries (total).....	67	5	16	27	5	12	2
	Traumatism in mines.....	62	4	16	26	4	10	2
	Traumatism in quarries.....	5	1	1	1	1	2
173	Traumatism by machines.....	52	1	3	13	9	14	9	2	2
174	Traumatism by other crushing (total).....	645	5	1	5	4	2	31	69	111	114	97	84	46	30	7	39
	Railroad accidents and injuries.....	357	2	1	1	9	34	69	71	55	45	22	9	1	38
	Street-car accidents and injuries.....	56	2	4	7	9	8	6	11	7	2
	Automobile accidents and injuries.....	91	7	15	17	16	13	10	6	5	1
	Injuries by other vehicles.....	122	4	1	1	2	1	9	13	13	15	17	15	11	14	6
	Landslide, other crushing.....	19	1	2	3	4	6	3
175	Injuries by animals.....	36	1	4	6	6	5	2	4	3	4	1
176	Starvation.....	2	1
177	Excessive cold.....	12	1	1	1	2	1	4	1	1
178	Effects of heat.....	90	10	1	1	10	10	18	16	11	7	5	1
179	Lightning.....	20	3	9	2	3	3
180	Electricity (lightning excepted).....	14	1	5	5	3
181	Fractures (cause not specified).....	40	2	3	3	4	5	4	7	8	2	1
182	Other external violence.....	127	7	3	4	4	4	6	15	15	13	24	14	9	5	3	1
183	Homicide (total).....	311	2	1	1	19	110	79	51	26	15	4	3
	By firearms.....	213	1	1	15	82	51	34	18	10	1
	By cutting or piercing instruments.....	42	2	14	13	6	4	1	1	1
184	By other means.....	56	2	2	14	15	11	4	4	3	1
	XIV.—Ill-defined diseases.....	571	291	15	9	1	4	7	7	20	19	24	36	60	41	27	5	5
187	Ill-defined organic disease.....	14	1	2	1	1	4	2	2	3
188	Sudden death.....	34	12	1	4	6	6	3
189	Not specified or ill-defined (total).....	523	278	15	9	1	4	7	7	18	18	22	28	52	33	21	5	5
	Ill-defined.....	112	28	7	4	1	1	3	2	6	7	11	21	13	7	1
	Not specified, or unknown.....	411	250	8	5	1	3	6	4	16	12	15	17	31	20	14	5	4

¹ Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
MONTANA—Continued.																		
II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy.....	21	1					1	3	6	2	2	3	3				
70	Convulsions (nonpuerperal).....	1									1							
71	Convulsions of infants.....	18	13	2	2	1												
72	Chorea.....	1							1									
73	Neuralgia and neuritis.....																	
74	Other diseases of the nervous system.....	10	2	1				1	2	1		1	2					
75	Diseases of the eyes and their annexa.....																	
76	Diseases of the ears.....	6	3					1					1				1	
III.—Diseases of the circulatory system.....																		
		504	3		1	2	2	9	24	25	48	58	85	104	101	37	4	1
77	Pericarditis.....	2									1			1				
78	Acute endocarditis.....	34			1			2	3	4	4	8	10	1	1			
79	Organic diseases of the heart.....	387	2		1	1	2	7	18	18	36	42	60	91	79	27	2	1
80	Angina pectoris.....	11									1		4	2	3	1		
81	Diseases of the arteries, atheroma, aneurism, etc.....	42								1	2	5	7	3	14	9	1	
82	Embolism and thrombosis.....	15							2	2	1	2	1	3	3		1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	6									1		3	2				
84	Diseases of the lymphatic system (lymphangitis, etc.).....	1						1										
85	Hemorrhage; other diseases of the circulatory system.....	6	1								2	1		1	1			
IV.—Diseases of the respiratory system.....																		
		563	119	33	16	4	3	15	17	39	48	64	57	62	60	24	2	
86	Diseases of the nasal fossae.....																	
87	Diseases of the larynx.....	10	3	2	1		1			1				1				
88	Diseases of the thyroid body.....	2									2							
89	Acute bronchitis.....	17	10	1	1			1					1	1		2		
90	Chronic bronchitis.....	21											3	3	10	4	1	
91	Bronchopneumonia.....	119	57	15	7	1	1	5	1	3	5	5	2	9	6	2		
92	Pneumonia (total).....	345	46	15	7	3	1	6	14	32	36	47	45	42	37	14		
	Lobar pneumonia.....	215	11	7	4	2	1	5	12	25	26	38	33	21	21	9		
	Pneumonia (undefined).....	130	35	8	3	1		1	2	7	10	9	12	21	16	5		
93	Pleurisy.....	8						2	2		1	2	1					
94	Pulmonary congestion, pulmonary apoplexy.....	9	1										2	2	3		1	
95	Gangrene of the lung.....																	
96	Asthma.....	13	1							1		5	1	2	2	1		
97	Pulmonary emphysema.....	1									1							
98	Other diseases of the respiratory system (tuberculosis excepted).....	18	1							2	4	4	2	2	2	1		
V.—Diseases of the digestive system.....																		
		538	155	38	18	8	6	17	26	42	57	55	50	35	21	7		
99	Diseases of the mouth and annexa.....	4		1				1							1			
100	Diseases of the pharynx.....	13	1			1		1	4	3								
101	Diseases of the esophagus.....																	
102	Ulcer of the stomach.....	21							1	6	4	4	2	3	1			
103	Other diseases of the stomach (cancer excepted).....	26	6	3	1		1				3	2	3	4	2	1		
104	Diarrhea and enteritis (under 2 years).....	167	134	33														
105	Diarrhea and enteritis (2 years and over).....	42			14	4	3	3		3	2	2	6	1	3	1		
106	Ankylostomiasis.....																	
107	Intestinal parasites.....																	
108	Appendicitis and typhlitis.....	92				1	1	8	17	20	17	12	9	7				
109	Hernia, intestinal obstruction (total).....	44	8	1	1	1	1	3		2	5	7	9	4	1	1		
	Hernia.....	15	2					2		3	4	4	2	1	1			
	Intestinal obstruction.....	29	6	1	1	1	1	3		2	3	4	5	2				
110	Other diseases of the intestines.....	12	4								4	1	2		1			
111	Acute yellow atrophy of the liver.....	1	1															
112	Hydatid tumor of the liver.....																	
113	Cirrhosis of the liver.....	54									11	14	12	8	5	4		
114	Biliary calculi.....	16								2	2	4	3	2	3			
115	Other diseases of the liver.....	19	1		1	1				1		3	3	6	3			
116	Diseases of the spleen.....																	
117	Simple peritonitis (nonpuerperal).....	27	3		1			1	4	5	9	2	1		1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....																	
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																		
		316	3		2	1		2	10	24	41	42	55	47	63	23	3	
119	Acute nephritis.....	21			2			1	3	3	4	4	2	1	1			
120	Bright's disease.....	228	1		1				6	13	19	29	46	42	47	22	2	
121	Chyluria.....																	
122	Other diseases of the kidneys and annexa.....	10	2					1	1		2	2			2			
123	Calculi of the urinary passages.....	5									3							

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MONTANA—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
124	Diseases of the bladder.....	5						1		1					2		1
125	Diseases of the urethra, urinary abscess, etc.....	2												1			
126	Diseases of the prostate.....	14											2	4	1		
127	Nonvenereal diseases of the male genital organs.....	2								1					1		
128	Uterine hemorrhage (nonpuerperal).....	6								1	4	1					
129	Uterine tumor (noncancerous).....	7							3	2	1	1					
130	Other diseases of the uterus.....	2							1			1					
131	Cysts and other tumors of the ovary.....	14							2	9	2	1					
132	Salpingitis and other diseases of the female genital organs.....																
133	Nonpuerperal diseases of the breast (cancer excepted).....																
	VII.—The puerperal state.....	100						5	44	40	11						
134	Accidents of pregnancy.....	8							1	5	2						
135	Puerperal hemorrhage.....	16							10	3	3						
136	Other accidents of labor.....	9							4	4	1						
137	Puerperal septicemia.....	49						5	21	21	2						
138	Puerperal albuminuria and convulsions.....	14							4	7	3						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	4							4								
140	Following childbirth (not otherwise defined).....																
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	6	3							2				1			
142	Gangrene.....																
143	Furuncle.....	3								2				1			
144	Acute abscess.....	1	1														
145	Other diseases of the skin and annexa.....	2	2														
	IX.—Diseases of the bones and of the organs of locomotion.....	7	1	1						2			1		1		
146	Diseases of the bones (tuberculosis excepted).....	6	1	1						2			1			1	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....																
148	Amputations.....																
149	Other diseases of the organs of locomotion.....	1												1			
	X.—Malformations.....	79	77	1	1												
150	Congenital malformations (stillbirths not included) (total).....	79	77	1	1												
	Hydrocephalus.....	6	5	1													
	Congenital malformations of the heart.....	52	51		1												
	Other congenital malformations.....	21	21														
	XI.—Early infancy.....	321	321														
151	Congenital debility, icterus, and sclerema (total).....	246	246														
	Premature birth.....	184	184														
	Congenital debility, "atrophy," "marasmus," etc.....	62	62														
152	Other causes peculiar to early infancy (total).....	75	75														
	Injuries at birth.....	40	40														
	Other causes peculiar to early infancy ¹	35	35														
153	Lack of care.....																
	XII.—Old age.....	74										1	14	21	35	3	
154	Senility.....	74										1	14	21	35	3	
	XIII.—External causes.....	681	14	9	9	3	5	19	45	167	150	100	85	41	16	12	1
	Suicide (total).....	125							4	33	26	19	26	12	3	1	
155	By poison.....	37							3	13	9	5	4	2	1		
156	By asphyxia.....	9															
157	By hanging or strangulation.....	3								3							
158	By drowning.....	60							1	15	9	9	15	10	1		
159	By firearms.....	10								1							
160	By cutting or piercing instruments.....	2								1							
161	By jumping from high places.....	3								1							
162	By crushing.....	1															
163	Other suicides.....	1															
	Accidental or undefined (total).....	498	14	9	9	3	5	19	40	116	107	67	54	28	11	11	1
164	Poisoning by food.....	2								1							
165	Other acute poisonings.....	19	3	3		1		3		5	2	1	1				
166	Conflagration.....	7	2			1				1				2			
167	Burns (conflagration excepted).....	16		1	4		1	1	2	1	2	2	2				

¹ Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
MONTANA—Continued.																	
	XIII.—External causes—Continued.																
168	Accidental or undefined—Continued.																
	Absorption of deleterious gases (conflagration excepted).....	16	4					2	4		4	2					
169	Accidental drowning.....	60		5	2		1	3	8	19	6	6	1	3	2	1	3
170	Traumatism by firearms.....	33				1		1	8	9	5	5	1	2			1
171	Traumatism by cutting or piercing instruments.....	3								2	1						
172	Traumatism by fall.....	47	1		2		1	1	3	4	7	9	4	5	4	5	1
173	Traumatism in mines and quarries (total).....	50								19	17	9	3	2			
	Traumatism in mines.....	49								19	17	8	3	2			
	Traumatism in quarries.....	1										1					
174	Traumatism by machines.....	10						1	1	4	2	2					
175	Traumatism by other crushing (total).....	153	2			2	6	8	29	41	22	30	7	4	2		
	Railroad accidents and injuries.....	63						4	19	18	8	8	3	5			
	Street-car accidents and injuries.....	4							1	1	3	2					
	Automobile accidents and injuries.....	26						1	7	11	10	12	2	1	2		
	Injuries by other vehicles.....	51	2			2	3	2	2	3	1	1					
	Landslide, other crushing.....	9						2	2	3	1	1					
176	Injuries by animals.....	10			1			2	2	2	2	1					
177	Starvation.....	10							2	3	1	1				2	
178	Excessive cold.....	10							2	3	1	1				1	
179	Effects of heat.....	5	1						1	2							
180	Lightning.....	11						2	5	4							
181	Electricity (lightning excepted).....	9						1	1	4		2	1				
185	Fractures (cause not specified).....	3							1	1		1					
186	Other external violence.....	34						1	3	6	9	4	5	5	1		
	Homicide (total).....	58						1	18	17	14	5	1	2			
	By firearms.....	44						1	15	13	9	3	1	2			
183	By cutting or piercing instruments.....	10							1	3	5	1					
184	By other means.....	4							2	1	1	1					
	XIV.—Ill-defined diseases.....	111	33	6	4			5	3	4	8	6	15	14	7	4	
187	Ill-defined organic disease.....	4											1	3			
188	Sudden death.....	9	2	1						1		2	1	2			
189	Not specified or ill-defined (total).....	98	31	5	4			5	3	4	7	6	12	10	5	4	
	Ill-defined.....	29	4	1						2	5	3	5	3	4	2	
	Not specified, or unknown.....	69	27	4	4			5	3	2	2	3	7	7	1	2	

NEW HAMPSHIRE.

	All causes.....	7,166	1,106	163	75	51	56	106	191	373	401	530	792	1,030	1,296	791	152	5	43
	I.—General diseases.....	1,591	106	51	28	16	25	33	80	162	165	181	231	215	196	82	9		11
1	Typhoid fever.....	38					1	1	10	8	5	6	4	2	1				
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	4							1	1		1			1				
5	Smallpox.....																		
6	Measles.....	37	13	13	4	2	1	1		1		1	1						
7	Scarlet fever.....	25	1	6	5	3	4	3	2				1						
8	Whooping cough.....	52	36	8	3	1	4						1						
9	Diphtheria and croup.....	45	3	8	5	4	8	9	7		1								
10	Influenza.....	75	7	1	1			2	3	3		2	3	7	24	18	4		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	4	2		1							1							
14	Dysentery.....	9	2				1	1				1	2		1	1			
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	15	5							1			1	2	4	2			
19	Other epidemic diseases.....	1				1													
20	Purulent infection and septicemia.....	13			1				1		1	3	3	2	1	1			
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....	1								1									
24	Tetanus.....	6						1	1			1	2		1				
25	Mycoses.....																		
26	Pellagra.....	10									5	2	1	1	1				
27	Beriberi.....																		
	Tuberculosis (total).....	541	18	14	6	4	4	9	45	130	111	80	49	45	15	10			1
28	Tuberculosis of the lungs.....	427	1	1	1	1		5	34	115	93	76	44	35	13	7			1
29	Acute miliary tuberculosis.....	11		1			1		1	3	5								
30	Tuberculous meningitis.....	51	14	11	3	3	2	3	5	4	3	1	1	1					
31	Abdominal tuberculosis.....	28	1	1	2			1	4	3	6	1	3	5	1				
32	Pott's disease.....	6					1		1	1			1	1		2			
33	White swellings.....	4										1	1	1		1			
34	Tuberculosis of other organs.....	7	2							1	1	1	1	1	1	1			
35	Disseminated tuberculosis.....	7								2	3	1		1					

CAUSES OF DEATH, BY AGE.

511

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
NEW HAMPSHIRE—Continued.																		
I.—General diseases—Continued.																		
36	Rickets.....	4	2			1											1	
37	Syphilis.....	15	7															
38	Gonococcus infection.....	3							1	1		5	1	1		1		
39	Cancer and other malignant tumors (total).....	442						2	1	2	21	56	101	102	111	40	4	
40	Of the buccal cavity.....	13									1	2	1	2	5			
41	Of the stomach, liver.....	132								1	3	12	26	33	41	15		
42	Of the peritoneum, intestines, rectum.....	86									4	10	22	19	26	3	2	
43	Of the female genital organs.....	83								1	7	17	25	16	10	5	1	
44	Of the breast.....	54									5	10	8	14	11	6		
45	Of the skin.....	17									2	4	3	4	4			
45	Of other organs or of organs not specified.....	57						2	1		1	3	15	15	14	5	1	
46	Other tumors (tumors of the female genital organs excepted).....	3											1			1		
47	Acute articular rheumatism.....	16					2	3	1			1	2	3	2	2		
48	Chronic rheumatism and gout.....	8										1	2	1	3	1		
49	Scurvy.....																	
50	Diabetes.....	111			1				4	6	6	7	29	28	23	5		
51	Exophthalmic goiter.....	6							1	1	1	2	1					
52	Addison's disease.....	4										2	1					
53	Leukemia.....	10					1		1	1		4	1		1		1	
54	Anemia, chlorosis.....	43	4		1					1	3	4	12	13	4	1		
55	Other general diseases.....	13	6	1			2	1		1		1	1	1				
56	Alcoholism (acute or chronic).....	27								2	4	7	6	3	1			
57	Chronic lead poisoning.....	4										2		2				
58	Other chronic occupation poisonings.....																	
59	Other chronic poisonings.....	6								1	1			3			1	
II.—Diseases of the nervous system and of the organs of special sense.....																		
		914	56	7	7	4	4	11	12	21	32	55	124	191	250	117	16	7
60	Encephalitis.....	8	1							1			1		2	2		
61	Meningitis (total).....	59	24	3	2	1	4	8	5	6	3		2					1
	Simple meningitis.....	30	10	1	2	1	4	3	3	3			2					1
	Cerebrospinal meningitis (undefined).....	13	1	2		1	2	3	2	2								
	Cerebrospinal fever.....	16	13			1		1		1								
62	Locomotor ataxia.....	23								1	1	3	7	6	5			
63	Other diseases of the spinal cord (total).....	53	1	1	2	1		1	1	4	1	4	7	10	16	4		1
	Acute anterior poliomyelitis.....	9	1	1	2	1		1	1	1				2				
	Other diseases of the spinal cord ¹	44						1		3		4	7	8	16	4		1
64	Cerebral hemorrhage, apoplexy.....	571		1	1				1	4	6	30	90	143	187	88	15	5
65	Softening of the brain.....	8												3	2			3
66	Paralysis without specified cause.....	45		1								4	3	7	19	10	1	
67	General paralysis of the insane.....	46									11	9	6	12	6	2		
68	Other forms of mental alienation.....	17								1		1	7	1	4	3		
69	Epilepsy.....	21					1	3	3	3	3	3	1	2	4	1		
70	Convulsions (nonpuerperal).....																	
71	Convulsions of infants.....	30	27	1	1	1												
72	Chorea.....	1												1				
73	Neuralgia and neuritis.....	6										1		2	2	1		
74	Other diseases of the nervous system.....	22	2		1	1			1		6		1	4	2	4		
75	Diseases of the eyes and their annexa.....																	
76	Diseases of the ears.....	4	1							1	1	1						
III.—Diseases of the circulatory system.....																		
		1,315	9	2	1	3	1	8	10	29	29	66	158	298	422	242	28	1
77	Pericarditis.....	5										1		1	3			1
78	Acute endocarditis.....	40				2		3	2	7	7	6	8	4				1
79	Organic diseases of the heart.....	913	7	1	1	1		5	7	21	18	50	116	223	317	129	13	3
80	Angina pectoris.....	65										5	10	15	24	7	1	3
81	Diseases of the arteries, atheroma, aneurism, etc.....	240							1			2	13	42	70	98	13	1
82	Embolism and thrombosis.....	44									3	3	10	13	7	7	1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	2											1			1		
84	Diseases of the lymphatic system (lymphangitis, etc.).....	4	2	1														
85	Hemorrhage; other diseases of the circulatory system.....	2					1								1			
IV.—Diseases of the respiratory system.....																		
		765	156	54	14	10	4	11	7	22	33	45	66	91	134	98	16	1
86	Diseases of the nasal fossae.....	8	4	2										1	1			
87	Diseases of the larynx.....																	
88	Diseases of the thyroid body.....																	
89	Acute bronchitis.....	91	48	8	4	1	2	2		1			1	3	10	10	1	
90	Chronic bronchitis.....	52		1								1	3	6	15	21	4	1
91	Bronchopneumonia.....	174	60	24	4	2		5	1	4		5	6	15	19	23	6	
92	Pneumonia (total).....	337	41	18	4	7	2	3	5	13	23	31	49	62	81	36	5	2
	Lobar pneumonia.....	211	17	9	1	4	2	1	3	7	17	14	32	39	42	17	4	2
	Pneumonia (undefined).....	176	24	9	3	3		2	2	6	11	17	17	23	39	19	1	
93	Pleurisy.....	18		1	2				1	4		2		2				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.
NEW HAMPSHIRE—Continued.																		
	X.—Malformations.....	63	58	1	1	2				1								
150	Congenital malformations (stillbirths not included) (total).....	63	58	1	1	2				1								
	Hydrocephalus.....	7	4		1	2												
	Congenital malformations of the heart.....	35	33	1						1								
	Other congenital malformations.....	21	21															
	XI.—Early infancy.....	424	424															
151	Congenital debility, icterus, and sclerema (total).....	348	348															
	Premature birth.....	223	223															
	Congenital debility, "atrophy," "marasmus," etc.....	125	125															
152	Other causes peculiar to early infancy (total).....	72	72															
	Injuries at birth.....	25	25															
	Other causes peculiar to early infancy ¹	47	47															
153	Lack of care.....	4	4															
	XII.—Old age.....	210											3	45	103	56	3	
154	Senility.....	210											3	45	103	56	3	
	XIII.—External causes.....	416	9	8	8	3	12	21	41	60	48	59	42	32	26	29	7	11
	Suicide (total).....	55								9	10	8	11	10	6	1		
155	By poison.....	11								2	2	1	2	3	1			
156	By asphyxia.....	2								1	1	1	1	1				
157	By hanging or strangulation.....	14								2	2	3	4	4				
158	By drowning.....	9								2	2	2	2	1				
159	By firearms.....	12								1	5	1	2	2				
160	By cutting or piercing instruments.....	6								2	1	1	2	1				
161	By jumping from high places.....	1								1								
162	By crushing.....	1								1								
163	Other suicides.....	1								1								
	Accidental or undefined (total).....	347	7	8	8	3	12	21	40	48	35	46	31	22	20	28	7	11
164	Poisoning by food.....	10	2	2	1	1		2		1	1	1	1			1		
165	Other acute poisonings.....	6	2	2						1	1	1	1					
166	Conflagration.....	11								1	2	4	2	1				1
167	Burns (conflagration excepted).....	25		1	4	1	5	1	2	2	5	5	2	2				2
168	Absorption of deleterious gases (conflagration excepted).....	13	3			1	2	3	2				1		1			
169	Accidental drowning.....	62			3	1	4	8	15	14	5	6	3		1	1		1
170	Traumatism by firearms.....	7				1	1	2		1	1	1						
171	Traumatism by cutting or piercing instruments.....	2								1		1						
172	Traumatism by fall.....	70		2				1	1	1	2	4	7	9	12	24	7	
173	Traumatism in mines and quarries (total).....																	
	Traumatism in mines.....																	
	Traumatism in quarries.....																	
174	Traumatism by machines.....	10							2	3	3			1	1			
175	Traumatism by other crushing (total).....	94				1	6	12	13	15	17	12	6	3	2			7
	Railroad accidents and injuries.....	53						8	11	11	9	6	1		1			6
	Street-car accidents and injuries.....	3						1	1	1	1	1						
	Automobile accidents and injuries.....	19			1	2		2	1	3	5	1	3	1				1
	Injuries by other vehicles.....	15					3	1	1	3	2	3	2	2	1			
	Landslide, other crushing.....	4					1		1		1	1						
176	Injuries by animals.....	3								2					1			
177	Starvation.....	8								1	2	1	1	3				
178	Excessive cold.....	2								1	1	1						
179	Effects of heat.....	2								1	1	1						
180	Lightning.....	2							1			1						
181	Electricity (lightning excepted).....	1							1									
185	Fractures (cause not specified).....	3							1		2							
186	Other external violence.....	18		1						6	1	6	3		1			
	Homicide (total).....	14	2					1	3	3	5							
182	By firearms.....	9						1	3	1	4							
183	By cutting or piercing instruments.....	1								1	1							
184	By other means.....	4	2							1	1							
	XIV.—Ill-defined diseases.....	33	4	4	3					1	4	2	6	5		1		3
187	Ill-defined organic disease.....	5										1	2	2				1
188	Sudden death.....	5										1	3					
189	Not specified or ill-defined (total).....	23	4	4	3					1	4	1	3	1	3	1		2
	Ill-defined.....	18	3	4	3					1	3	1	2	2				1
	Not specified, or unknown.....	5	1								1		1	1		1		1

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
NEW JERSEY—Continued.																			
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy.....	88	3	1	2	2	5	12	13	10	15	13	7	5	2				
70	Convulsions (nonpuerperal).....	7						3	1	2	1								
71	Convulsions of infants.....	151	136	9	3	3													
72	Chorea.....	7	1				1	2	1				1	1					
73	Neuralgia and neuritis.....	16							2	5	3		1	5					
74	Other diseases of the nervous system.....	92	7	2	1	1		6	6	8	11	7	11	10	11	9	2		
75	Diseases of the eyes and their annexa.....	1											1						
76	Diseases of the ears.....	44	11	3	3	2	4	4	2	6	4	3	1	1					
	III.—Diseases of the circulatory system.....	5,434	73	12	8	8	8	79	181	203	309	553	770	1,190	1,317	638	79	3	3
77	Pericarditis.....	35			1			3	1	1	2	9	3	11	2	1	1		
78	Acute endocarditis.....	358	12	5	3	1	4	20	26	31	60	64	95	19	10	8			
79	Organic diseases of the heart.....	4,210	44	5	4	7	3	54	151	154	215	415	587	939	1,067	460	50	3	2
80	Angina pectoris.....	177						1	5	9	18	29	59	43	12	1			
81	Diseases of the arteries, atheroma, aneurism, etc.....	472	1						1		6	22	33	79	173	130	26		1
82	Embolism and thrombosis.....	134	4					1		9	14	18	15	29	18	25	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	20								3	2	4	6	3	2				
84	Diseases of the lymphatic system (lymphangitis, etc.).....	16	10	2			1	1			2								
85	Hemorrhage; other diseases of the circulatory system.....	12	2						1		1	1	2	1	2	2			
	IV.—Diseases of the respiratory system.....	5,241	1,421	520	181	97	43	133	136	202	318	380	447	528	496	292	45	2	
86	Diseases of the nasal fossae.....	2							1	1									
87	Diseases of the larynx.....	33	7	5	1	1	6	5	1	1	1	2	1	1	1				
88	Diseases of the thyroid body.....	5								1	1	1	1						
89	Acute bronchitis.....	319	189	29	16	3	1	4	2	3	1	1	7	10	25	20	10		
90	Chronic bronchitis.....	217	6	1	1			2	2	4	9	9	24	42	59	51	7		
91	Bronchopneumonia.....	1,523	708	258	81	51	19	35	27	22	27	32	45	64	91	53	9	1	
92	Pneumonia (total).....	2,806	475	209	79	38	15	75	96	154	259	303	328	363	269	126	16	1	
	Lobar pneumonia.....	1,835	234	117	45	23	9	44	72	121	200	231	233	247	172	83	4		
	Pneumonia (undefined).....	971	241	92	34	15	6	31	24	33	59	72	95	116	97	43	12	1	
93	Pleurisy.....	128	11	15	3	4	2	7	4	11	13	13	15	14	12	4			
94	Pulmonary congestion, pulmonary apoplexy.....	99	22	1				4	2		1	1	7	11	19	28	3		
95	Gangrene of the lung.....	9									1	1	4	2	1				
96	Asthma.....	56	1	1				1		2	2	8	7	12	14	8			
97	Pulmonary emphysema.....	8									1	1	1	3	2	1			
98	Other diseases of the respiratory system (tuberculosis excepted).....	36	2	1					3	3	3	8	7	6	2	1			
	V.—Diseases of the digestive system.....	4,567	2,196	401	74	32	33	82	94	144	232	299	325	305	226	101	22		1
99	Diseases of the mouth and annexa.....	16	7					1	2	1	1		1	1	2				
100	Diseases of the pharynx.....	50	5	4	3	2	3	10	4	5	2	7	3	1			1		
101	Diseases of the esophagus.....	6					1					2	1	1	1				
102	Ulcer of the stomach.....	118	1				1		1	20	26	34	20	8	6	1			
103	Other diseases of the stomach (cancer excepted).....	280	87	6	3	3	1	5	2	6	16	27	33	37	25	24	5		
104	Diarrhea and enteritis (under 2 years).....	2,409	2,025	384															
105	Diarrhea and enteritis (2 years and over).....	367			60	25	17	25	14	18	21	15	31	41	58	32	10		
106	Ankylostomiasis.....	1																	
107	Intestinal parasites.....	1						1											
108	Appendicitis and typhlitis.....	282	3		1	1	8	31	59	47	40	39	22	24	7				
109	Hernia, intestinal obstruction (total).....	273	51	3	2	1		2	5	12	25	27	45	49	38	11	2		
	Hernia.....	115	8	1				1	5	10	17	19	32	15	5	2			
	Intestinal obstruction.....	158	43	2	2	1		2	4	7	15	10	26	17	23	6			
110	Other diseases of the intestines.....	95	9	2	2		1	3	2	8	15	5	16	13	13	5	1		
111	Acute yellow atrophy of the liver.....	11								3	5		3						
112	Hydatid tumor of the liver.....	3													1	1			
113	Cirrhosis of the liver.....	431						2	8	52	101	114	91	49	12	2			
114	Biliary calculi.....	67						1	3	8	13	11	16	11	4				
115	Other diseases of the liver.....	90	6	1	1		2		5	8	16	12	18	12	8	1			
116	Diseases of the spleen.....	2									1								1
117	Simple peritonitis (nonpuerperal).....	43	1		2		1	2	1	8	8	9	4	3	2	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	23	1	1					1		4	5	8	2	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	3,914	38	10	6	18	10	33	63	168	321	525	754	809	788	340	36		
119	Acute nephritis.....	373	15	3	4	7	9	15	28	41	50	55	54	44	35	11	2		
120	Bright's disease.....	3,180	12	5	2	6	1	16	32	90	211	421	665	720	672	297	30		
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	69	7	1				1	2	4	11	13	7	8	10	3	2		
123	Calculi of the urinary passages.....	26						1	1		3	6	5	1	8	1			

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
NEW JERSEY—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
124	Diseases of the bladder	43									2	4	2	8	15	10	2
125	Diseases of the urethra, urinary abscess, etc.	8									1	1	1	4	1		
126	Diseases of the prostate	78									1	6	18	37	16		
127	Nonvenereal diseases of the male genital organs	4	3	1													
128	Uterine hemorrhage (nonpuerperal)	1								1							
129	Uterine tumor (noncancerous)	28								1	8	9	6	2	2		
130	Other diseases of the uterus	25								9	9	2	1	2	2		
131	Cysts and other tumors of the ovary	22								2	3	6	4	2	3	2	
132	Salpingitis and other diseases of the female genital organs	53								20	22	7	2		2		
133	Nonpuerperal diseases of the breast (cancer excepted)	4	1								1		1		1		
	VII.—The puerperal state	416							31	183	169	33					
134	Accidents of pregnancy	43								19	20	4					
135	Puerperal hemorrhage	32							1	14	13	4					
136	Other accidents of labor	29							4	7	15	3					
137	Puerperal septicemia	183							14	89	70	10					
138	Puerperal albuminuria and convulsions	110							11	46	43	10					
139	Puerperal phlegmasia alba dolens, embolus, sudden death	16							1	6	8	1					
140	Following childbirth (not otherwise defined)	3								2		1					
141	Puerperal diseases of the breast																
	VIII.—Diseases of the skin and of the cellular tissue	113	17	1					2	6	6	8	12	11	31	14	5
142	Gangrene	45	1									2	3	22	12	5	
143	Furuncle	17		1					1		4	1	3	5	2		
144	Acute abscess	28	9						1	5	1	6	4	1	1		
145	Other diseases of the skin and annexa	23	7						1	1	1	1	3	2	6	2	
	IX.—Diseases of the bones and of the organs of locomotion	73	10	3	2	1	1	7	12	9	3	7	9	4	3	2	
146	Diseases of the bones (tuberculosis excepted)	68	10	3	2	1	1	7	12	8	1	7	9	3	2	2	
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3								1	1		1				
148	Amputations										1						
149	Other diseases of the organs of locomotion	2													1		
	X.—Malformations	468	443	10	2	2	3	3	5								
150	Congenital malformations (stillbirths not included) (total)	468	443	10	2	2	3	3	5								
	Hydrocephalus	26	21	1		1	1	1	1								
	Congenital malformations of the heart	308	294	7	1	1	1	1	3								
	Other congenital malformations	134	128	2	1		1	1	1								
	XI.—Early infancy	2,229	2,229														
151	Congenital debility, icterus, and sclerema (total)	1,781	1,781														
	Premature birth	1,169	1,169														
	Congenital debility, "atrophy," "marasmus," etc.	612	612														
152	Other causes peculiar to early infancy (total)	440	440														
	Injuries at birth	259	259														
	Other causes peculiar to early infancy ¹	181	181														
153	Lack of care	8	8														
	XII.—Old age	318											2	24	88	149	53
154	Senility	318											2	24	88	149	53
	XIII.—External causes	2,869	67	58	72	52	58	135	249	447	429	440	343	223	163	107	19
	Suicide (total)	501							18	83	93	110	115	57	22	2	1
155	By poison	96							10	25	14	24	17	4	2		
156	By asphyxia	110							2	13	19	26	26	18	6		
157	By hanging or strangulation	80							4	7	12	17	20	13	7		
158	By drowning	34								3	10	6	8	2	3	2	
159	By firearms	135							2	31	29	27	28	16	2		
160	By cutting or piercing instruments	31								3	6	6	11	2	2		
161	By jumping from high places	9										3	4	2			
162	By crushing	3									2		1				
163	Other suicides	3							1	1	1						
	Accidental or undefined (total)	2,256	56	58	72	52	58	133	222	325	309	315	227	163	141	105	18
164	Poisoning by food	21	2		1	1	2	1	2	1	3	2	1	2	3		
165	Other acute poisonings	47	6	4	2	2		1	2	5	7	10	3	3	2		
166	Conflagration	27								1	4	9	3	5	4	1	
167	Burns (conflagration excepted)	275	8	35	43	29	31	35	16	161	131	14	8	11	12	4	

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.
NEW JERSEY—Continued.																	
168	XIII.—External causes—Continued.																
	Accidental or undefined—Continued.																
	Absorption of deleterious gases (con-	159	22	4	1	1	7	17	18	25	22	18	16	7	1		
169	flagration excepted).....	344	1	5	2	7	5	31	76	81	49	45	22	14	2		
170	Accidental drowning.....	37						8	9	6	2						
171	Traumatism by firearms.....																
172	Traumatism by cutting or piercing instruments.....	1							1								
173	Traumatism by fall.....	427	6	6	12	2	6	9	17	33	45	59	46	46	63	67	10
173	Traumatism in mines and quarries (total).....	10								2	3	3	2				
	Traumatism in mines.....	5								2	1	1					
	Traumatism in quarries.....	5								2	2	2					
174	Traumatism by machines.....	48						7	6	12	10	13					
175	Traumatism by other crushing (total).	638	2	10	8	10	43	66	118	122	102	82	44	22	8	1	
	Railroad accidents and injuries.....	360	1	4	1	1	15	29	84	71	63	57	21	10	3		
	Street-car accidents and injuries.....	54		1		2	4	5	10	10	8	6	4	1			
	Automobile accidents and injuries.....	130	1	2	4	5	14	24	11	23	17	11	5	1	1		
	Injuries by other vehicles.....	81		3	3	2	10	8	10	14	10	6	8	6	1		
	Landslide, other crushing.....	13							3	4	4	2					
176	Injuries by animals.....	8						2	2		1	2	1				
177	Starvation.....	2										2					
178	Excessive cold.....	24	1					1	3	3	5	1	5				
179	Effects of heat.....	42	7	1			1	1	2	2	2	7	4	5	2	7	1
180	Lightning.....	8						1	3	1	2				1		
181	Electricity (lightning excepted).....	18					1	2	3	3	2	2					
185	Fractures (cause not specified).....	26					2	2	2	3	1	1	3	5	6	2	
186	Other external violence.....	94	1	3	2	2	2	11	15	15	13	4	5	1	2		1
182	Homicide (total).....	112	11				2	9	39	27	15	6	3				
	By firearms.....	52	1				2	5	27	10	6	1					
183	By cutting or piercing instruments.....	12						1	4	4	2	1					
184	By other means.....	48	10					3	8	13	7	4	3				
	XIV.—Ill-defined diseases.....	99	19	29	5	2	3	2	1	5	2	7	15	4	4		1
187	Ill-defined organic disease.....	4										3	1				
188	Sudden death.....	4										1	1				
189	Not specified or ill-defined (total).....	91	19	29	5	2	3	2	1	5	2	3	13	4	2		1
	Ill-defined.....	76	10	29	5	2	3	2	1	5	1	2	11	3	2		
	Not specified, or unknown.....	15	9								1	1	2	1			1

NEW YORK.

	All causes.....	145,708	23,733	5,012	1,992	1,381	991	2,939	4,826	9,944	12,743	15,408	17,759	19,695	18,525	9,322	1,309	37	92
	I.—General diseases.....	38,475	2,192	1,512	856	651	489	1,262	2,064	4,669	5,484	5,723	5,427	4,455	2,734	861	78	1	17
1	Typhoid fever.....	894	3	6	8	9	5	33	174	227	178	116	67	46	9	2			1
2	Typhus fever.....	1								1									
3	Relapsing fever.....																		
4	Malaria.....	50	5	1	1			1	4	5	7	2	6	8	8	2			
5	Smallpox.....	3							1				2						
6	Measles.....	852	198	382	107	48	26	46	13	8	6	7	5	1	3	2			
7	Scarlet fever.....	724	27	89	116	103	81	190	64	28	17	3	6						
8	Whooping cough.....	706	404	163	81	26	14	27	3	1		1	2	1	2				
9	Diphtheria and croup.....	2,035	188	462	320	269	206	434	83	29	19	9	5	7	2	2			
10	Influenza.....	782	58	14	6		4	6	23	27	36	54	76	106	190	157	22		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	23	5	1	1		1	2			1			5	4	3			
14	Dysentery.....	197	42	13	5	2	3	2	2	6	10	8	13	21	33	33	4		
15	Plague.....																		
16	Yellow fever.....	2										1	1						
17	Leprosy.....																		
18	Erysipelas.....	514	177	11			2	1	10	27	41	50	62	64	48	19	2		
19	Other epidemic diseases.....	49	21	10	1	1	4	2		4	2		2	1	1	1			
20	Purulent infection and septicemia.....	209	33	1	4		3	3	21	24	27	23	24	23	13	9	1		
21	Glanders.....	1								1									
22	Anthrax.....	1											1						
23	Rabies.....	11						1	5	1	1				1				
24	Tetanus.....	122	23			1	3	14	17	11	16	14	15	6	1	1			
25	Mycoses.....	3									2	1							
26	Pellagra.....	14								2	2	4	3	1	1				
27	Beriberi.....																		
	Tuberculosis (total).....	16,643	389	301	184	145	105	338	1,297	3,700	3,939	3,188	1,829	881	281	56	4		6
28	Tuberculosis of the lungs.....	14,095	82	36	30	27	28	113	1,029	3,322	3,637	2,965	1,713	801	250	54	3		5
29	Acute miliary tuberculosis.....	587	25	11	15	6	12	7	69	183	128	100	32	15	4				
30	Tuberculous meningitis.....	1,116	232	222	115	91	50	153	108	62	42	22	11	7					
31	Abdominal tuberculosis.....	400	25	22	12	16	6	27	51	74	63	30	32	24	8	1			1
32	Pott's disease.....	127	1	1	7	2	3	16	15	23	17	16	11	10	4				
33	White swellings.....	71	3	1	1	1	1	8	11	11	6	7	12	6					
34	Tuberculosis of other organs.....	167	12	4	3	2	3	10	6	34	30	25	13	14	10		1		
35	Disseminated tuberculosis.....	80	9	4	1		2	4	8	11	16	14	5	4	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
NEW YORK—Continued.																	
I.—General diseases—Continued.																	
36	Rickets.....	75	46	16	2	1	2	2	2	1	2	1	1	1	1	1	1
37	Syphilis.....	941	415	14	6	5	1	8	20	62	130	123	96	47	8	3	1
38	Gonococcus infection.....	38	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cancer and other malignant tumors (total)																	
39	Of the buccal cavity.....	8,907	8	5	8	4	5	16	58	164	584	1,453	2,277	2,278	1,568	436	37
40	Of the stomach, liver.....	339	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
41	Of the peritoneum, intestines, rectum.....	3,250	1	1	2	1	1	4	11	44	98	190	312	345	246	63	5
42	Of the female genital organs.....	1,319	1	1	1	1	1	1	3	26	156	325	364	241	112	30	3
43	Of the breast.....	1,262	1	1	1	1	1	1	1	9	98	242	249	211	160	54	10
44	Of the skin.....	1,035	1	1	1	1	1	1	2	4	14	34	61	70	48	8	1
45	Of other organs or of organs not specified.....	245	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
46	Other tumors (tumors of the female genital organs excepted).....	1,457	7	4	6	2	4	9	36	59	80	202	358	364	255	67	3
47	Acute articular rheumatism.....	41	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
48	Chronic rheumatism and gout.....	619	5	2	5	16	16	92	111	65	60	67	55	56	46	22	1
49	Scurvy.....	130	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
50	Diabetes.....	15	8	3	1	1	1	1	1	1	1	1	1	1	1	1	1
51	Exophthalmic goiter.....	2,071	1	1	6	7	2	21	78	86	95	203	512	626	368	63	2
52	Addison's disease.....	163	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
53	Leukemia.....	59	1	3	5	6	4	9	6	4	9	14	13	10	1	1	1
54	Anemia, chlorosis.....	232	1	3	5	6	4	9	23	28	28	36	33	36	10	1	1
55	Other general diseases.....	511	20	5	2	2	7	7	21	30	43	76	113	112	67	10	3
56	Alcoholism (acute or chronic).....	201	102	8	6	3	2	9	12	10	9	10	11	8	4	7	1
57	Chronic lead poisoning.....	572	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
58	Other chronic occupation poisonings.....	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
59	Other chronic poisonings.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
II.—Diseases of the nervous system and of the organs of special sense.....																	
13,390																	
60	Encephalitis.....	69	6	2	3	2	2	2	2	16	8	6	10	5	5	1	1
61	Meningitis (total).....	781	220	105	59	30	23	93	71	50	33	36	25	21	12	3	1
	Simple meningitis.....	379	115	41	31	13	8	38	23	21	18	20	18	11	2	1	1
	Cerebrospinal meningitis (undefined).....	308	86	49	20	14	11	46	31	19	12	11	5	2	1	1	1
	Cerebrospinal fever.....	94	19	15	8	3	4	9	17	10	3	5	1	1	1	1	1
62	Locomotor ataxia.....	265	14	17	13	6	8	25	18	25	42	55	95	126	125	44	2
63	Other diseases of the spinal cord (total).....	615	14	17	13	6	8	25	18	25	42	55	95	126	125	44	2
	Acute anterior poliomyelitis.....	88	5	12	11	4	7	15	12	5	4	2	2	3	2	1	1
	Other diseases of the spinal cord ¹	527	5	5	2	2	1	10	6	20	38	53	93	123	123	44	2
64	Cerebral hemorrhage, apoplexy.....	8,504	25	8	3	1	3	4	14	44	172	609	1,439	2,256	2,561	1,222	135
65	Softening of the brain.....	143	3	3	1	1	1	1	1	1	2	5	15	40	44	32	4
66	Paralysis without specified cause.....	593	3	3	1	1	1	1	2	4	9	21	67	133	210	124	15
67	General paralysis of the insane.....	891	1	1	1	1	1	1	1	30	172	259	186	101	93	42	7
68	Other forms of mental alienation.....	172	1	1	1	1	1	1	1	3	30	28	30	25	13	2	3
69	Epilepsy.....	333	11	3	1	1	6	50	60	57	54	30	37	13	8	3	3
70	Convulsions (nonpuerperal).....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
71	Convulsions of infants.....	335	232	36	13	3	1	1	1	1	1	1	1	1	1	1	1
72	Chorea.....	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
73	Neuralgia and neuritis.....	75	1	1	1	1	1	1	1	7	12	9	15	11	15	4	1
74	Other diseases of the nervous system.....	352	27	16	8	6	7	14	24	33	40	61	52	33	16	14	1
75	Diseases of the eyes and their annexa.....	12	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1
76	Diseases of the ears.....	230	39	21	7	4	6	21	20	39	17	18	16	14	5	3	1
III.—Diseases of the circulatory system.....																	
22,832																	
77	Pericarditis.....	79	3	1	1	1	1	3	7	10	8	8	10	10	13	5	1
78	Acute endocarditis.....	1,357	62	7	7	16	9	63	110	141	200	313	350	45	24	7	3
79	Organic diseases of the heart.....	17,388	74	20	10	22	24	207	482	544	929	1,551	2,434	4,266	4,388	2,184	235
80	Angina pectoris.....	747	1	1	1	1	1	1	1	5	21	75	146	219	201	73	5
81	Diseases of the arteries, atheroma, aneurism, etc.....	2,655	1	1	1	1	1	1	2	7	39	89	214	500	958	710	126
82	Embolism and thrombosis.....	465	7	1	1	1	2	4	21	26	39	68	111	119	60	6	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	95	1	1	1	1	1	1	2	6	12	22	20	14	4	4	1
84	Diseases of the lymphatic system (lymphangitis, etc.).....	67	33	8	4	3	2	2	2	2	1	2	2	4	2	2	2
85	Hemorrhage; other diseases of the circulatory system.....	20	11	1	1	1	1	1	1	1	1	2	4	3	4	2	1
IV.—Diseases of the respiratory system.....																	
18,521																	
86	Diseases of the nasal fossae.....	12	2	1	1	1	1	3	2	1	1	1	1	1	1	1	1
87	Diseases of the larynx.....	88	17	12	5	6	2	15	1	4	8	5	7	3	2	1	1
88	Diseases of the thyroid body.....	44	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
89	Acute bronchitis.....	1,107	666	101	20	15	6	7	2	3	7	19	23	37	79	91	31
90	Chronic bronchitis.....	708	9	3	1	1	1	2	4	10	15	33	56	105	212	220	38
91	Bronchopneumonia.....	6,476	2,691	1,163	310	144	61	116	64	83	100	187	250	415	541	299	50
92	Pneumonia (total).....	8,930	866	512	166	89	35	157	304	304	626	959	1,211	1,248	1,228	1,029	414
	Lobar pneumonia.....	6,380	546	397	128	69	56	130	237	518	823	1,044	1,044	958	731	244	22
	Pneumonia (undefined).....	1,950	320	115	38	20	10	27	67	78	136	167	204	270	298	170	28
93	Pleurisy.....	559	53	71	39	16	9	11	20	21	74	49	65	56	52	22	1

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

519

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
NEW YORK—Continued.																			
94	IV.—Diseases of the respiratory system—Continued.																		
	Pulmonary congestion, pulmonary apoplexy	275	37	5	2			2	2	6	9	5	11	24	58	97	17		
95	Gangrene of the lung	40							3	1	5	7	6	11	6	1			
96	Asthma	157	2	2	1				1	4	7	19	27	37	38	19			
97	Pulmonary emphysema	29							1	1	1	2	4	8	9	3			
98	Other diseases of the respiratory system (tuberculosis excepted)	96	10		1			1	5	7	9	15	26	9	9	3	1		
99	V.—Diseases of the digestive system	14,589	6,023	1,060	219	139	86	282	387	557	875	1,164	1,256	1,131	908	420	79	2	1
100	Diseases of the mouth and annexa	77	27	1		1			7	1	6	13	5	4	6	3	3		
101	Diseases of the pharynx	256	25	16	13	22	8	31	20	25	24	26	14	12	12	8			
102	Diseases of the esophagus	27	1						1	1			3	9	4	7	1		
103	Ulcer of the stomach	475	4	2				2	11	49	85	94	87	64	58	18	1		
	Other diseases of the stomach (cancer excepted)	800	256	25	9	8	3	11	7	14	37	46	69	82	129	79	24	1	
104	Diarrhea and enteritis (under 2 years)	6,480	5,512	968															
105	Diarrhea and enteritis (2 years and over)	1,068			164	83	45	57	28	45	86	69	81	123	149	105	31	1	1
106	Ankylostomiasis																		
107	Intestinal parasites	8	1	1		1		2				1	1						
108	Appendicitis and typhlitis	1,255	3	4	14	13	17	122	251	231	178	183	129	75	26	8	1		
109	Hernia, intestinal obstruction (total)	1,160	150	30	9	5	7	22	25	52	81	143	173	193	185	77	8		
	Hernia	513	35	2	1	1		2	4	15	30	76	102	103	102	36	4		
110	Intestinal obstruction	647	115	28	8	4	7	20	21	37	51	67	71	90	83	41	4		
	Other diseases of the intestines	289	15	6	1	2	2	8	11	27	40	33	47	34	33	25	5		
111	Acute yellow atrophy of the liver	50	3	1	1				2	12	8	5	6	5	5	2			
112	Hydatid tumor of the liver	4								1			1						
113	Cirrhosis of the liver	1,623	2	1	2	1		4	4	24	191	398	431	344	179	40	2		
114	Biliary calculi	325							1	8	24	70	91	73	37	19	2		
115	Other diseases of the liver	405	9	1	2	2		2	4	29	54	56	68	83	61	29	5		
116	Diseases of the spleen	14		1						1		5	4	1	1	1			
117	Simple peritonitis (nonpuerperal)	176	15	3	4	1	3	14	18	21	26	14	21	16	15	5			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	97							3	11	27	13	20	15	8				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	14,588	122	31	25	28	19	72	205	592	1,223	2,020	2,768	3,139	2,967	1,241	128	4	4
119	Acute nephritis	935	58	16	15	18	12	38	60	113	120	154	133	96	75	26	1		
120	Bright's disease	12,096	26	5	7	10	7	32	121	357	863	1,613	2,457	2,811	2,609	1,061	110	4	3
121	Chyluria																		
122	Other diseases of the kidneys and annexa	214	21	7	2			2	8	16	32	28	23	30	28	14	3		
123	Calculi of the urinary passages	73	2	1					1	3	25	11	14	10	10	1			
124	Diseases of the bladder	159	2		1					4	7	6	12	22	53	44	8		
125	Diseases of the urethra, urinary abscess, etc.	37								2	5	9	8	10	3				
126	Diseases of the prostate	419								1	4	7	41	114	159	86	6		1
127	Nonvenereal diseases of the male genital organs	18	10	1						1		1	1	3	1				
128	Uterine hemorrhage (nonpuerperal)	6							1	1	1								
129	Uterine tumor (noncancerous)	221							1	9	41	94	41	17	13	5	5		
130	Other diseases of the uterus	112							1	21	30	26	17	10	5	2			
131	Cysts and other tumors of the ovary	89							2	6	14	30	14	13	9	1			
132	Salpingitis and other diseases of the female genital organs	195	1						10	53	78	36	6	3	2	1			
133	Nonpuerperal diseases of the breast (cancer excepted)	9	2	1							3	3							
	VII.—The puerperal state	1,442						79	676	589	98								
134	Accidents of pregnancy	104							2	41	55	6							
135	Puerperal hemorrhage	126							2	38	70	16							
136	Other accidents of labor	141							5	60	63	13							
137	Puerperal septicemia	656							42	349	231	34							
138	Puerperal albuminuria and convulsions	352							24	160	143	25							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	59							3	26	26	4							
140	Following childbirth (not otherwise defined)	3							1	1	1								
141	Puerperal diseases of the breast	1								1									
	VIII.—Diseases of the skin and of the cellular tissue	466	113	7	3	2	1	6	14	17	28	36	46	37	72	73	11		
142	Gangrene	164	4	1	1	1		2	2		6	8	9	12	53	56	9		
143	Furuncle	66	17	2				1	1	3	4	8	11	11	5	3			
144	Acute abscess	128	47	3	2	1	1	2	7	11	8	13	16	9	5	3			
145	Other diseases of the skin and annexa	108	45	1				1	4	3	10	7	10	5	9	11	2		
	IX.—Diseases of the bones and of the organs of locomotion	326	30	10	10	7	4	26	59	44	31	33	32	20	14	5	1		
146	Diseases of the bones (tuberculosis excepted)	290	25	9	9	7	4	26	56	38	29	28	28	17	9	4	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	27	5	1	1				2	6	2	4	1	1	3	1			
148	Amputations	1													1				
149	Other diseases of the organs of locomotion	8							1			1	3	2	1				

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
NEW YORK—Continued.																			
	X.—Malformations.....	1,483	1,380	51	14	7	6	13	7	3		2							
150	Congenital malformations (stillbirths not included) (total).....	1,483	1,380	51	14	7	6	13	7	3		2							
	Hydrocephalus.....	128	83	28	6	2	2	5	1	3		1							
	Congenital malformations of the heart.....	895	859	12	5	2	2	7	5	2		1							
	Other congenital malformations.....	460	438	11	3	3	2	1	1	1									
	XI.—Early infancy.....	8,452	8,452																
151	Congenital debility, icterus, and sclerema (total).....	6,543	6,543																
	Premature birth.....	4,230	4,230																
	Congenital debility, "atrophy," "marasmus," etc.....	2,313	2,313																
152	Other causes peculiar to early infancy (total).....	1,894	1,894																
	Injuries at birth.....	1,123	1,123																
	Other causes peculiar to early infancy ¹	771	771																
153	Lack of care.....	15	15																
	XII.—Old age.....	1,182											4	54	313	589	211	11	
154	Senility.....	1,182											4	54	313	589	211	11	
	XIII.—External causes.....	9,728	211	175	189	176	158	515	768	1,527	1,452	1,440	1,166	857	593	399	61	2	39
	Suicide (total).....	1,645							68	254	321	363	330	200	91	17		1	
155	By poison.....	254							17	55	74	57	42	22	16				
156	By asphyxia.....	450							19	74	68	109	100	59	18	3			
157	By hanging or strangulation.....	260							9	15	33	62	74	42	22	3			
158	By drowning.....	92							3	11	19	21	19	14	4	1			
159	By firearms.....	330							12	59	68	65	55	42	23	1	6		
160	By cutting or piercing instruments.....	108							1	10	17	30	25	15	6	3			1
161	By jumping from high places.....	95							7	24	34	15	9	5	1				
162	By crushing.....	14								6	4	1	3						
163	Other suicides.....	12									4	3	3		1				
	Accidental or undefined (total).....	7,616	196	175	189	176	156	505	682	1,104	1,021	1,016	803	639	498	381	61	1	34
164	Poisoning by food.....	61	11	2	3		2	4	6	11	3	6	4	7	2				
165	Other acute poisonings.....	185	9	17	10	11	6	5	10	41	29	24	8	9	3	3			
166	Conflagration.....	151	2	5	3	3	5	8	7	22	19	23	22	13	13	4	2		
167	Burns (conflagration excepted).....	755	29	85	100	82	62	98	26	39	51	48	36	39	35	22	2		1
168	Absorption of deleterious gases (conflagration excepted).....	562	95	1		2	2	12	23	88	55	90	83	62	29	20			
169	Accidental drowning.....	960	2	13	7	11	10	76	173	190	164	156	85	39	18	2			14
170	Traumatism by firearms.....	81					1	3	39	19	9	5	3	2					
171	Traumatism by cutting or piercing instruments.....	22		1			1	2	3	6	2	3	2	2					
172	Traumatism by fall.....	1,830	12	22	27	29	22	64	71	122	203	243	231	212	256	270	43		3
173	Traumatism in mines and quarries (total).....	21							1	8	8	2	2	2					
	Traumatism in mines.....	13								5	5	2		1					
	Traumatism in quarries.....	8							1	3	3			1					
174	Traumatism by machines.....	165				1	5	22	38	45	28	12	12	2					
175	Traumatism by other crushing (total).....	2,130	6	18	30	33	39	205	237	401	328	237	237	176	89	29	2		13
	Railroad accidents and injuries.....	788	1	3	1	3		10	67	209	172	121	85	68	23	12			13
	Street-car accidents and injuries.....	303		4	4	5	4	20	27	50	55	37	39	34	21	2	1		
	Automobile accidents and injuries.....	568	3	3	9	9	19	115	101	73	57	59	60	31	19	10			
	Injuries by other vehicles.....	423	2	8	16	16	16	59	38	51	35	59	51	41	25	5	1		
	Landslide, other crushing.....	48						1	4	18	9	11	2	2	1				
176	Injuries by animals.....	45				1	2	2	2	7	7	6	5	8	3	1	1		
177	Starvation.....	10	4							2	2	2	2	1					
178	Excessive cold.....	53							1	6	3	13	14	10	4				1
179	Effects of heat.....	63	10	1				2	1	7	7	11	6	4	6	7			1
180	Lightning.....	31						2	4	9	9	4	3						
181	Electricity (lightning excepted).....	75						1	7	30	20	15	2						
185	Fractures (cause not specified).....	103	1	1		1	1	2	3	7	9	7	16	14	17	14	10		
186	Other external violence.....	313	15	9	9	2	2	13	27	58	45	55	33	24	14	5			2
	Homicide (total).....	467	15			1	2	10	38	169	110	61	33	18	4	1			5
182	By firearms.....	262	1			1		3	27	116	59	30	15	7	1	1			1
183	By cutting or piercing instruments.....	71	1					1	5	23	21	9	3	3					
184	By other means.....	134	13			2	6	6	25	30	22	15	8	3					4
	XIV.—Ill-defined diseases.....	184	32	51	4	5		1		5	8	10	11	21	20	8	3		5
187	Ill-defined organic disease.....	8												1	5	2			
188	Sudden death.....	6				1								2		2			
189	Not specified or ill-defined (total).....	170	31	51	4	4		1		5	8	10	11	18	15	4	3		5
	Ill-defined.....	126	8	49	4	4		1		3	4	7	10	16	14	3	3		
	Not specified, or unknown.....	44	23	2						2	4	3	1	2	1	1			5

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
NORTH CAROLINA¹ (TOTAL).																			
	All causes.....	8,966	1,886	547	188	99	71	244	504	1,051	886	737	809	893	630	304	61	8	48
	I.—General diseases.....	2,816	236	119	61	39	31	116	246	594	412	320	243	222	116	37	10	14
1	Typhoid fever.....	267	2	8	3	5	5	33	46	83	41	16	16	5	1	1	2
2	Typhus fever.....
3	Relapsing fever.....
4	Malaria.....	103	27	10	5	3	2	9	5	10	11	6	2	4	7	2
5	Smallpox.....	10	2	1	1	2	2	1	1
6	Measles.....	51	11	10	11	4	2	5	4	4
7	Scarlet fever.....	3	1	1	1
8	Whooping cough.....	78	47	15	7	3	3	2	1
9	Diphtheria and croup.....	85	11	19	18	9	7	16	5
10	Influenza.....	88	8	3	2	1	4	1	6	11	7	9	11	19	2	4
11	Miliary fever.....
12	Asiatic cholera.....
13	Cholera nostras.....	7	1	1	1	1	1	1
14	Dysentery.....	120	31	25	2	1	4	4	1	6	2	2	6	7	19	8	2
15	Plague.....
16	Yellow fever.....
17	Leprosy.....
18	Erysipelas.....	17	4	1	1	1	1	2	2	3	1	1
19	Other epidemic diseases.....	5	1	1	2	1
20	Purulent infection and septicemia.....	21	2	3	3	3	3	1	2	3	1
21	Glanders.....
22	Anthrax.....
23	Rabies.....
24	Tetanus.....	63	43	5	8	3	1	1	2
25	Mycoses.....
26	Pellagra.....	248	1	1	2	15	42	63	44	36	32	8	1	3
27	Beriberi.....
	Tuberculosis (total).....	1,161	23	16	7	7	6	26	143	403	222	152	70	49	28	3	2	4
28	Tuberculosis of the lungs.....	1,001	11	10	6	2	2	21	125	364	198	132	57	41	23	3	2	4
29	Acute miliary tuberculosis.....	46	2	1	1	4	9	14	6	3	3	3
30	Tuberculous meningitis.....	20	4	1	1	2	2	1	4	3	1	1	1
31	Abdominal tuberculosis.....	62	2	3	1	4	13	12	13	8	4	2
32	Pott's disease.....	5	1	1	1	2
33	White swellings.....	5	1	1	1	1	1
34	Tuberculosis of other organs.....	12	1	1	5	2	3
35	Disseminated tuberculosis.....	10	2	1	3	2	1	1
36	Rickets.....	9	5	3	1
37	Syphilis.....	59	10	2	2	3	9	12	9	5	4	1	2
38	Gonococcus infection.....	3	1	1
	Cancer and other malignant tumors (total).....	273	1	1	2	9	22	58	70	79	19	11	1
39	Of the buccal cavity.....	4	1	1
40	Of the stomach, liver.....	85	1	2	18	19	37	6	2
41	Of the peritoneum, intestines, rectum.....	27	1	1	3	3	7	12	1	1
42	Of the female genital organs.....	87	3	14	32	23	12	2	1
43	Of the breast.....	23	2	2	10	4	6	1
44	Of the skin.....	12	1	2	1	2	3	1
45	Of other organs or of organs not specified.....	35	1	1	4	2	3	8	12	2	2
46	Other tumors (tumors of the female genital organs excepted).....
47	Acute articular rheumatism.....	20	2	3	4	2	2	2	3	1	1
48	Chronic rheumatism and gout.....	12	2	1	1	5	1	2
49	Scurvy.....
50	Diabetes.....	51	1	2	8	5	5	11	11	5	3
51	Exophthalmic goiter.....	2	1	1
52	Addison's disease.....	2	1
53	Leukemia.....	5	1	1	1
54	Anemia, chlorosis.....	16	3	1	1	1	2	4	3	1
55	Other general diseases.....	14	6	2	1	3	1	1
56	Alcoholism (acute or chronic).....	18	1	6	3	5	1	1	1
57	Chronic lead poisoning.....
58	Other chronic occupation poisonings.....	1	1
59	Other chronic poisonings.....	4	3	1
	II.—Diseases of the nervous system and of the organs of special sense.....	788	70	17	8	6	5	17	16	27	44	79	144	182	118	46	2	1	6
60	Encephalitis.....	11	2	1	1	1	1	2
61	Meningitis (total).....	66	27	7	7	3	2	7	6	1	2	2	2
	Simple meningitis.....	42	16	5	6	1	2	3	4	2
	Cerebrospinal meningitis (undefined).....	22	11	2	1	2	3	2	1
	Cerebrospinal fever.....	2	1
62	Locomotor ataxia.....	9	1	3	3	1	1
63	Other diseases of the spinal cord (total).....	41	4	5	1	1	1	1	2	3	4	4	7	4	3
	Acute anterior poliomyelitis.....	12	4	4	1	1	3	1	1
	Other diseases of the spinal cord ²	29	1	1	2	4	4	6	3	3	1
64	Cerebral hemorrhage, apoplexy.....	374	4	2	4	4	22	53	84	105	70	21	1	1	3
65	Softening of the brain.....	17	2	2	6	5	2
66	Paralysis without specified cause.....	131	1	1	6	2	10	26	45	25	13	1	1
67	General paralysis of the																		

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
NORTH CAROLINA¹ (TOTAL)—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	19	5					3		4	3		3	1					
70	Convulsions (nonpuerperal).....	3						1		1	1								
71	Convulsions of infants.....	28	22	4		2													
72	Chorea.....	2								1				1					
73	Neuralgia and neuritis.....	8								1	1		2	3	1				
74	Other diseases of the nervous system.....	22	5					1	1	3	2	3	3	3	1				
75	Diseases of the eyes and their annexa.....																		
76	Diseases of the ears.....	7	1					2	1	1	1		1						
III.—Diseases of the circulatory system.																			
		769	9			2	3	4	20	53	87	91	110	178	134	66	9	1	2
77	Pericarditis.....	5							1	1		1			1	1			
78	Acute endocarditis.....	19				1			2	1	8	2	4						
79	Organic diseases of the heart.....	628	6			1	3	4	17	45	72	75	84	156	112	45	5	1	2
80	Angina pectoris.....	34									4	5	8	8	6	1	2		
81	Diseases of the arteries, atheroma, aneurism, etc.....	62								1	3	6	11	8	14	17	2		
82	Embolism and thrombosis.....	12								4			2	5		1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	2								1			1						
84	Diseases of the lymphatic system (lymphangitis, etc.).....	3	2										1						
85	Hemorrhage; other diseases of the circulatory system.....	4	1									1		1	1				
IV.—Diseases of the respiratory system.																			
		865	246	76	41	20	11	30	48	82	54	55	57	58	52	31	3		1
86	Diseases of the nasal fossae.....	2												1	1				
87	Diseases of the larynx.....	11	3	2	5			1											
88	Diseases of the thyroid body.....	5											2	2	1				
89	Acute bronchitis.....	37	25	5	1			1	1	1	1		1	2					
90	Chronic bronchitis.....	37	5	1	1			1	3	5	4	1	1	3	6	6			
91	Bronchopneumonia.....	232	121	36	18	9	4	7	4	6	6	2	3	8	7	1			
92	Pneumonia (total).....	477	84	29	16	11	7	19	38	59	40	41	45	34	31	19	3		1
	Lobar pneumonia.....	299	40	14	8	5	3	7	26	42	36	33	32	22	18	12	1		
	Pneumonia (undefined).....	178	44	15	8	6	4	12	12	17	4	8	13	12	13	7	2		1
93	Pleurisy.....	15						1	2	2	2	2	1	3	2				
94	Pulmonary congestion, pulmonary apoplexy.....	21	7	2						2		2	2	1	2	3			
95	Gangrene of the lung.....	1									1								
96	Asthma.....	9								2		1		3	2	1			
97	Pulmonary emphysema.....	1														1			
98	Other diseases of the respiratory system (tuberculosis excepted).....	17	1	1				1		5		4	2	3					
V.—Diseases of the digestive system.																			
		1,181	447	267	43	13	6	40	36	41	63	52	59	53	29	26	2		4
99	Diseases of the mouth and annexa.....	2	1	1															
100	Diseases of the pharynx.....	14	2	1	1	2		4	1		1	1	1						
101	Diseases of the esophagus.....	2									1				1				
102	Ulcer of the stomach.....	13								3	4	2	2			2			
103	Other diseases of the stomach (cancer excepted).....	115	44	8	1	2		4	2	5	10	10	14	8	2	3	1		1
104	Diarrhea and enteritis (under 2 years).....	633	383	250															
105	Diarrhea and enteritis (2 years and over).....	112			34	6	2	9	3	3	3	7	8	12	14	10	1		
106	Ankylostomiasis.....																		
107	Intestinal parasites.....	2			2														
108	Appendicitis and typhlitis.....	90	1			1		13	23	15	18	7	5	5		1			1
109	Hernia, intestinal obstruction (total).....	74	8	5	2	2	3	6	3	8	7	8	7	6	4	5			
	Hernia.....	11	1	1							1	4	1	1	1	2			
	Intestinal obstruction.....	63	7	4	2	2	3	6	3	8	7	7	3	5	3	3			
110	Other diseases of the intestines.....	21	6	1	2						1	1	2	2	3	3			
111	Acute yellow atrophy of the liver.....	5	1							1	3								
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	27								1	3	4	10	6	3				
114	Biliary calculi.....	19								1	1	7	1	6	1	1			1
115	Other diseases of the liver.....	28	1		1		1	2	2	1	3	2	6	8		1			
116	Diseases of the spleen.....	1											1						
117	Simple peritonitis (nonpuerperal).....	22		1				2	2	2	8	3	2		1				1
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	1								1									
VI.—Nonvenereal diseases of the genito-urinary system and annexa.																			
		677	5	9	7	2	3	5	16	49	78	74	126	132	111	44	11	2	3
119	Acute nephritis.....	72	2	3	1	2	2	5	5	9	12	10	13	5	5	2	1		
120	Bright's disease.....	500	2	6	5			5	9	25	40	54	100	107	94	38	10	2	3
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	10			1			1	2	3			1	1					
123	Calculi of the urinary passages.....	5									1		2	2					

¹ Includes only municipalities having a population of 1,000 or over in 1910.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
NORTH CAROLINA ¹ (TOTAL)—Continued.																			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
124	Diseases of the bladder.....	9	1								2	2		1	1	1	1		
125	Diseases of the urethra, urinary abscess, etc.....	7										2	1	2	1	1			
126	Diseases of the prostate.....	24											1	10	10	3			
127	Nonvenereal diseases of the male genital organs.....																		
128	Uterine hemorrhage (nonpuerperal).....																		
129	Uterine tumor (noncancerous).....	15									2	6	4	2	1				
130	Other diseases of the uterus.....	9									1	2	1	2	2				
131	Cysts and other tumors of the ovary.....	7									2	1	2	1	1				
132	Salpingitis and other diseases of the female genital organs.....	19								1	6	9	2		1				
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
	VII.—The puerperal state.....	158							27	67	48	13					3		
134	Accidents of pregnancy.....	16								8	5	3							
135	Puerperal hemorrhage.....	16								4	9	3							
136	Other accidents of labor.....	16							2	6	5	3							
137	Puerperal septicemia.....	43							7	23	11	1					1		
138	Puerperal albuminuria and convulsions.....	63								18	24	16	3				2		
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	3									2	1							
140	Following childbirth (not otherwise defined).....																		
141	Puerperal diseases of the breast.....	1									1								
	VIII.—Diseases of the skin and of the cellular tissue.....	21	3	1					2		1	1	1	2	4	3	3		
142	Gangrene.....	11		1					1				1	2	2	3	1		
143	Furuncle.....	2																	
144	Acute abscess.....	5	2						1		1	1							
145	Other diseases of the skin and annexa.....	3	1														2		
	IX.—Diseases of the bones and of the organs of locomotion.....	7				2	1		1	1	2								
146	Diseases of the bones (tuberculosis excepted).....	7				2	1		1	1	2								
147	Diseases of the joints (tuberculosis and rheumatism excepted).....																		
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....																		
	X.—Malformations.....	54	54																
150	Congenital malformations (stillbirths not included) (total).....	54	54																
	Hydrocephalus.....	2	2																
	Congenital malformations of the heart.....	32	32																
	Other congenital malformations.....	20	20																
	XI.—Early infancy.....	535	535																
151	Congenital debility, icterus, and sclerema (total).....	476	476																
	Premature birth.....	326	326																
	Congenital debility, "atrophy," "marasmus," etc.....	150	150																
152	Other causes peculiar to early infancy (total).....	55	55																
	Injuries at birth.....	28	28																
	Other causes peculiar to early infancy ²	27	27																
153	Lack of care.....	4	4																
	XII.—Old age.....	79											9	22	33	12	3		
154	Senility.....	79											9	22	33	12	3		
	XIII.—External causes.....	541	40	13	15	12	7	25	84	121	79	35	39	24	23	10	4	1	9
	Suicide (total).....	31								13	7	4	5		2				
	By poison.....	7								5	1				1				
156	By asphyxia.....																		
157	By hanging or strangulation.....	2									1		1						
158	By drowning.....	6								3	1		1						
159	By firearms.....	13								4	3	4	2						
160	By cutting or piercing instruments.....	3								1	1		1						
161	By jumping from high places.....																		
162	By crushing.....																		
163	Other suicides.....																		
	Accidental or undefined (total).....	410	37	13	15	12	7	25	70	59	57	24	25	24	19	10	4	1	8
164	Poisoning by food.....	8		1				1	1	1	2	2	2						
165	Other acute poisonings.....	18		4	2		1	1	3	2	2	1	1	1					
166	Conflagration.....	3		1					1	1									
167	Burns (conflagration excepted).....	65	5	5	11	7	5	5	3	6	5		3	4	3	1	1	1	

¹ Includes only municipalities having a population of 1,000 or over in 1910.

² Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NORTH CAROLINA¹ (TOTAL)—Continued.																			
168	XIII.—External causes—Continued. Accidental or undefined—Continued. Absorption of deleterious gases (conflagration excepted)	26	21					2					2	1					
169	Accidental drowning	19			1			1	11	2	1	1	1					1	
170	Traumatism by firearms	44	1	2		1		4	16	9	8	2	1						
171	Traumatism by cutting or piercing instruments	1						1											
172	Traumatism by fall	43	1		1			2	3	3	2	1	1	8	12	5	3	1	
173	Traumatism in mines and quarries (total)																		
174	Traumatism in mines																		
174	Traumatism in quarries																		
174	Traumatism by machines	16							3	6	2	2	2	1					
175	Traumatism by other crushing (total)	107	1					5	20	18	25	13	10	8	2			5	
	Railroad accidents and injuries	74						3	15	15	16	9	6	3	2			5	
	Street-car accidents and injuries	2							1	1									
	Automobile accidents and injuries	14						2	3	2	5	1		1					
	Injuries by other vehicles	12							1		3	3	4	3					
	Landslide, other crushing	5	1								3			1					
176	Injuries by animals	3						1	1		1								
177	Starvation	3	3																
178	Excessive cold	3														2			
179	Effects of heat	1																	
180	Lightning	3							1				1	1					
181	Electricity (lightning excepted)	7							3	3	1								
185	Fractures (cause not specified)	6							5	1	1				1	2		1	
186	Other external violence	34	6	1				2	7	5	2	2	2	1	1				
	Homicide (total)	100	3						14	49	15	7	9		2			1	
182	By firearms	75							11	37	13	4	8		2				
183	By cutting or piercing instruments	10							1	7	2								
184	By other means	15	3						2	5	3	1						1	
	XIV.—Ill-defined diseases	475	241	45	13	3	4	7	8	16	18	17	30	33	21	8	5	6	
187	Ill-defined organic disease	11		1				1				3		4		1		1	
188	Sudden death	31	11	1	1				1	2	4	2	4	4	1				
189	Not specified or ill-defined (total)	433	230	43	12	3	4	6	8	15	16	10	28	25	17	6	5	5	
	Ill-defined	82	23	17	1		1	4	4	3	4	6	7	7	5	1		3	
	Not specified, or unknown	351	207	26	11	3	3	2	8	12	12	4	21	18	12	5	5	2	

NORTH CAROLINA¹ (WHITE).

	All causes	4,765	941	306	111	52	42	122	205	440	420	397	442	588	450	199	28	22
I.—General diseases	1,481	93	67	42	22	22	51	95	254	210	193	152	151	92	24	7		6
1 Typhoid fever	138	2	4		1	4	12	20	41	28	9	11	4	1				1
2 Typhus fever																		
3 Relapsing fever																		
4 Malaria	39	6	3	3	3	1	5	2	3	1	3		2	7				
5 Smallpox	3								1	1					1			
6 Measles	40	7	9	11		2	4	4	3									
7 Scarlet fever	2		1	1														
8 Whooping cough	38	26	5	5		1	1											
9 Diphtheria and croup	63	8	16	14	6	7	11	1										
10 Influenza	47	3			2	1	2		1	7	3	2	6	15	2	3		
11 Miliary fever																		
12 Asiatic cholera																		
13 Cholera nostras	5		1			1				1				1	1			
14 Dysentery	54	8	14	1	1	2	2		2	1		3	3	12	4	1		
15 Plague																		
16 Yellow fever																		
17 Leprosy																		
18 Erysipelas	15	3	1	1				1			2		2	3	1	1		
19 Other epidemic diseases	4	1		2									1					
20 Purulent infection and septicemia	10				2		2			1		2	1					
21 Glanders																		
22 Anthrax																		
23 Rabies																		
24 Tetanus	14	6					3	3		1	1							
25 Mycoses																		
26 Pellagra	134				1			7	18	29	25	23	21	7				3
27 Beriberi																		
Tuberculosis (total)	562	10	10	2	5	3	4	47	173	112	102	44	26	22	1	1		
28 Tuberculosis of the lungs	481	5	6	2	1		3	41	157	104	86	36	21	17	1	1		
29 Acute miliary tuberculosis	15	1					1	2	7	2	1	1						
30 Tuberculous meningitis	14	3	1		2	2		2	2	1	1	1						
31 Abdominal tuberculosis	36	1	2	1				1	4	4	12	6	3	2				
32 Pott's disease	4		1						1		2							
33 White swellings	3				1			1		1								
34 Tuberculosis of other organs	6					1			2					3				
35 Disseminated tuberculosis	3									1	1		1					

¹Includes only municipalities having a population of 1,000 or over in 1910.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
NORTH CAROLINA¹ (WHITE)—Continued.																		
I.—General diseases—Continued.																		
36	Rickets.....	1	1															
37	Syphilis.....	16	4	1				1		1	2	4	2	1				
38	Gonococcus infection.....	2								1	1			1				
	Cancer and other malignant tumors (total).....	190			1		1	1	5	12	31	45	68	15	10	1		
39	Of the buccal cavity.....	3								1	1							
40	Of the stomach, liver.....	64								11	12	33	6	2				
41	Of the peritoneum, intestines, rectum.....	25			1				1	2	7	11	1	1				
42	Of the female genital organs.....	45								7	14	13	10	1				
43	Of the breast.....	16								2	6	3	4	1				
44	Of the skin.....	11								2	2	1	2	2	3	1		
45	Of other organs or of organs not specified.....	26					1	1	4	1	2	5	9	2	1			
46	Other tumors (tumors of the female genital organs excepted).....							2	3	1	1	1	1	1	1			
47	Acute articular rheumatism.....	11								1	1	1	1	1	1			
48	Chronic rheumatism and gout.....	6								1	1	1	2	1				
49	Scurvy.....																	
50	Diabetes.....	42	1					2	6	4	2	10	9	5	3			
51	Exophthalmic goiter.....	1															1	
52	Addison's disease.....	1											1					
53	Leukemia.....	4		1			1	2										
54	Anemia, chlorosis.....	12	3							1	4	3	1					
55	Other general diseases.....	9	4	2	1					1			1					
56	Alcoholism (acute or chronic).....	14								5	2	4	1	1			1	
57	Chronic lead poisoning.....																	
58	Other chronic occupation poisonings.....																	
59	Other chronic poisonings.....	4								3			1					
II.—Diseases of the nervous system and of the organs of special sense.....																		
		469	47	8	7	3	2	5	3	11	19	41	83	122	83	32		3
60	Encephalitis.....	7	2	1		1				1			1	1				
61	Meningitis (total).....	42	20	5	6	2	1	3	1	1	2	1	1					
	Simple meningitis.....	29	14	3	5	1	1	2	1	1	1	1						
	Cerebrospinal meningitis (undefined).....	13	6	2	1	1		1		1								
	Cerebrospinal fever.....																	
62	Locomotor ataxia.....	6										2	3	1				
63	Other diseases of the spinal cord (total).....	20	3	2	1			1		1	3	2	4	2			1	
	Acute anterior poliomyelitis.....	6	3	1	1							1	3	2			1	
	Other diseases of the spinal cord ²	14		1				1		1	3	2	3	2				
64	Cerebral hemorrhage, apoplexy.....	225	4							8	25	49	77	47	13		2	
65	Softening of the brain.....	16								1	2	6	5	2				
66	Paralysis without specified cause.....	71							2	4	13	21	20	11				
67	General paralysis of the insane.....	19							2	2	5	5	3	4				
68	Other forms of mental alienation.....	17							2	2	3	6	1	2	1			
69	Epilepsy.....	7	3						1	1	1	1	1	1				
70	Convulsions (nonpuerperal).....	1							1									
71	Convulsions of infants.....	13	12		1													
72	Chorea.....	1							1									
73	Neuralgia and neuritis.....	5								1	1		1	2				
74	Other diseases of the nervous system.....	15	3					1	3	1	2	2	2	1				
75	Diseases of the eyes and their annexa.....																	
76	Diseases of the ears.....	4					2		1	1								
III.—Diseases of the circulatory system.....																		
		379	7		1	2	3	11	14	20	21	51	109	95	41	3		1
77	Pericarditis.....	1								2	1							
78	Acute endocarditis.....	8			1			2		2	1	2	2	1				
79	Organic diseases of the heart.....	290	5			2	3	9	10	15	15	34	92	76	27	1		
80	Angina pectoris.....	20								1	1	3	8	5	1	1		
81	Diseases of the arteries, atheroma, aneurism, etc.....	44								2	2	10	4	13	12	1		
82	Embolism and thrombosis.....	9							3			1	5					
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	2							1		1							
84	Diseases of the lymphatic system (lymphangitis, etc.).....	3	2									1						
85	Hemorrhage; other diseases of the circulatory system.....	2									1			1				
IV.—Diseases of the respiratory system.....																		
		413	104	33	22	8	5	15	14	32	20	24	31	45	38	20	2	
86	Diseases of the nasal fossae.....	2											1	1				
87	Diseases of the larynx.....	4		1	3													
88	Diseases of the thyroid body.....	4									1	2	1					
89	Acute bronchitis.....	13	9		1								1	2				
90	Chronic bronchitis.....	19	1		1					1	3		2	5	6			
91	Bronchopneumonia.....	113	58	17	8	3	2	3		3	3	1	2	7	5	1		
92	Pneumonia (total).....	217	30	14	9	5	3	11	13	23	13	16	23	25	20	10	2	
	Lobar pneumonia.....	107	9	3	4			3	9	15	10	10	14	15	11	4		
	Pneumonia (undefined).....	110	21	11	5	5	3	8	4	8	3	6	9	10	9	6	2	
93	Pleurisy.....	12						1	1	2		2	1	3	2			

¹ Includes only municipalities having a population of 1,000 or over in 1910.

² Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
NORTH CAROLINA¹ (WHITE)—Continued.																	
	IV.—Diseases of the respiratory system—Continued.																
94	Pulmonary congestion, pulmonary apoplexy.....	15	6	1						1		1	1	1	2	2	
95	Gangrene of the lung.....	1									1						
96	Asthma.....	5											2	2	1		
97	Pulmonary emphysema.....																
98	Other diseases of the respiratory system (tuberculosis excepted).....	8								2		3	1	2			
	V.—Diseases of the digestive system.	704	226	167	27	8	4	25	26	21	38	37	41	39	26	17	
99	Diseases of the mouth and annexe.....	1	1														
100	Diseases of the pharynx.....	9	1	1	1	1		2			1	1	1				
101	Diseases of the esophagus.....	2									1				1		
102	Ulcer of the stomach.....	7								1	3	1	1			1	
103	Other diseases of the stomach (cancer excepted).....	55	24	6		1		1	1	2	2	4	7	4	1	2	
104	Diarrhea and enteritis (under 2 years).....	346	191	155													
105	Diarrhea and enteritis (2 years and over).....	80			21	3	1	5	2	2	2	7	7	10	13	7	
106	Ankylostomiasis.....																
107	Intestinal parasites.....	1			1												
108	Appendicitis and typhilitis.....	69	1			1		10	17	11	14	6	3	4		1	1
109	Hernia, intestinal obstruction (total).....	45	4	4	2	2	2	5	2	2	4	6	3	4	3	2	
	Hernia.....	6	1									1	2	1	1		
	Intestinal obstruction.....	39	3	4	2	2	2	5	2	2	4	5	1	3	2	2	
110	Other diseases of the intestines.....	12	3		1								2	1	3	2	
111	Acute yellow atrophy of the liver.....	5	1							1	3						
112	Hydatid tumor of the liver.....																
113	Cirrhosis of the liver.....	21									1	2	10	5	3		
114	Biliary calculi.....	18								1		7	1	6	1	1	1
115	Other diseases of the liver.....	21			1		1	1	2	1	3	2	4	5		1	
116	Diseases of the spleen.....	1															
117	Simple peritonitis (nonpuerperal).....	11		1				1	2		4	1	1		1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....																
	VI.—Nonvenereal diseases of the genito-urinary system and annexe.....	357	2	3	5	1	1	3	5	16	33	40	53	86	74	30	4
119	Acute nephritis.....	29	1	1	1	1	1			4	4	2	5	6	3	3	1
120	Bright's disease.....	279	1	2	3			3	4	10	24	30	41	68	63	25	4
121	Chyluria.....																
122	Other diseases of the kidneys and annexe.....	6			1			1	1	2				1			
123	Calculi of the urinary passages.....	4									1		1	2			
124	Diseases of the bladder.....	4									1		1		1	1	
125	Diseases of the urethra, urinary abscess, etc.....	3										1	1	1			
126	Diseases of the prostate.....	18												8	7	3	
127	Nonvenereal diseases of the male genital organs.....																
128	Uterine hemorrhage (nonpuerperal).....																
129	Uterine tumor (noncancerous).....	3									2	1					
130	Other diseases of the uterus.....	6									1	1	2	2			
131	Cysts and other tumors of the ovary.....	2											1	1			
132	Salpingitis and other diseases of the female genital organs.....	3								1		2					
133	Nonpuerperal diseases of the breast (cancer excepted).....																
	VII.—The puerperal state.....	73							8	30	26	8					1
134	Accidents of pregnancy.....	5									1	2	2				
135	Puerperal hemorrhage.....	9										2	5	2			
136	Other accidents of labor.....	7							1	4	2						
137	Puerperal septicemia.....	17							1	10	5	1					
138	Puerperal albuminuria and convulsions.....	33							6	12	11	3					1
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	2									1	1					
140	Following childbirth (not otherwise defined).....																
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	13	3	1								1			4	2	2
142	Gangrene.....	6		1													
143	Furuncle.....	2													2	2	1
144	Acute abscess.....	3	2								1			2			
145	Other diseases of the skin and annexe.....	2	1													1	
	IX.—Diseases of the bones and of the organs of locomotion.....	4				2				1	1						
146	Diseases of the bones (tuberculosis excepted).....	4				2				1	1						
147	Diseases of the joints (tuberculosis and rheumatism excepted).....																
148	Amputations.....																
149	Other diseases of the organs of locomotion.....																

¹ Includes only municipalities having a population of 1,000 or over in 1910.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.
NORTH CAROLINA ¹ (WHITE)—Continued.																		
	X.—Malformations.....	50	50															
150	Congenital malformations (stillbirths not included) (total).....	50	50															
	Hydrocephalus.....	2	2															
	Congenital malformations of the heart.....	29	29															
	Other congenital malformations.....	19	19															
	XI.—Early infancy.....	332	332															
151	Congenital debility, icterus, and sclerema (total).....	304	304															
	Premature birth.....	219	219															
	Congenital debility, "atrophy," "marasmus," etc.....	85	85															
152	Other causes peculiar to early infancy (total).....	28	28															
	Injuries at birth.....	16	16															
	Other causes peculiar to early infancy ²	12	12															
153	Lack of care.....																	
	XII.—Old age.....	47											7	13	21	6		
154	Senility.....	47											7	13	21	6		
	XIII.—External causes.....	292	18	7	7	7	4	16	40	56	43	25	22	18	14	7	3	5
	Suicide (total).....	28								11	6	4	5		2			
155	By poison.....	7								5	1				1			
156	By asphyxia.....																	
157	By hanging or strangulation.....	2									1							
158	By drowning.....	4								1					1			
159	By firearms.....	13								4	3	4	2					
160	By cutting or piercing instruments.....	2								1					1			
161	By jumping from high places.....									1								
162	By crushing.....																	
163	Other suicides.....																	
	Accidental or undefined (total).....	236	18	7	7	4	16	39	35	30	16	14	18	11	7	3		4
164	Poisoning by food.....	7		1			1	1	1	1								
165	Other acute poisonings.....	11				1	1	3	2	2	1		1					
166	Conflagration.....	2			1				1									
167	Burns (conflagration excepted).....	35	3	5	6	4	3	2	1	3			1	3	1	1		
168	Absorption of deleterious gases (conflagration excepted).....	16	12					2				1	1					
169	Accidental drowning.....	19			1			6	1			1						
170	Traumatism by firearms.....	19						9	4	2		1						
171	Traumatism by cutting or piercing instruments.....	1						1										
172	Traumatism by fall.....	29						2	2	2	1			4	9	5	3	1
173	Traumatism in mines and quarries (total).....																	
	Traumatism in mines.....																	
	Traumatism in quarries.....																	
174	Traumatism by machines.....	10						2	2	2	2	2						
175	Traumatism by other crushing (total).....	64	1				3	8	13	15	8	6	8					2
	Railroad accidents and injuries.....	38					2	6	11	7	4	3	3					2
	Street-car accidents and injuries.....	1							1									
	Automobile accidents and injuries.....	10					1	2	1	4	1		1					
	Injuries by other vehicles.....	10							1	1	3	3	3					
	Landslide, other crushing.....	5	1							3			1					
176	Injuries by animals.....	2						1		1								
177	Starvation.....																	
178	Excessive cold.....																	
179	Effects of heat.....	1									1							
180	Lightning.....	2											1	1				
181	Electricity (lightning excepted).....	7						3	3	1								
185	Fractures (cause not specified).....	3													1	1		
186	Other external violence.....	18	2	1		1		2	3	3	2	2	1	1				1
	Homicide (total).....	28						1	10	7	5	3		1				1
182	By firearms.....	19							8	5	3	2		1				
183	By cutting or piercing instruments.....	3							1	2								
184	By other means.....	6						1	1		2	1						1
	XIV.—Ill-defined diseases.....	151	59	20	1		2	4	2	5	10	8	9	11	11	5	1	3
187	Ill-defined organic disease.....																	
188	Sudden death.....	15	7								1	3	2		2			3
189	Not specified or ill-defined (total).....	136	52	20	1		2	4	2	5	9	5	7	11	9	5	1	3
	Ill-defined.....	42	7	10			1	3		2	3	4	2	3	4			3
	Not specified, or unknown.....	94	45	10	1		1	1	2	3	6	1	5	8	5	1		

¹ Includes only municipalities having a population of 1,000 or over in 1910.

² Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
NORTH CAROLINA¹ (COLORED).																			
	All causes.....	4,201	945	241	77	47	29	122	299	611	466	340	367	305	180	105	33	8	26
	I.—General diseases.....	1,335	143	52	19	17	9	65	151	340	202	127	91	71	24	13	3		8
1	Typhoid fever.....	129		4	3	4	1	21	26	42	13	7	5	1			1		1
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	64	21	7	2		1	4	3	7	10	3	2	2			2		
5	Smallpox.....	7	2		1						1	2	1						
6	Measles.....	11	4	1		4		1		1									
7	Scarlet fever.....	1				1													
8	Whooping cough.....	40	21	10	2	3	2	1											1
9	Diphtheria and croup.....	22	3	3	4	3		5	4										
10	Influenza.....	41	5	3		3		2	1	5	4	4	7	5	4			1	
11	Miliary fever.....																		
12	Asiatic cholera.....							1											
13	Cholera nostras.....	2	1																
14	Dysentery.....	66	23	11	1		2	2	1	4	1	2	3	4	7	4	1		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....									1									
18	Erysipelas.....	2	1																
19	Other epidemic diseases.....	1		1															
20	Purulent infection and septicemia.....	11						1	1	3	2	1		2	1				
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....																		
24	Tetanus.....	49	37					2	5	3			2						
25	Mycoses.....																		
26	Pellagra.....	114		1				2	8	24	34	19	13	11	1	1			
27	Beriberi.....																		
	Tuberculosis (total).....	599	13	6	5	2	3	22	96	230	110	50	26	23	6	2	1		4
28	Tuberculosis of the lungs.....	520	6	4	4	1	2	18	84	207	94	46	21	20	6	2	1		4
29	Acute miliary tuberculosis.....	31	1			1	1	3	7	7	4	3	2	2					
30	Tuberculous meningitis.....	6	1		1			1		1									
31	Abdominal tuberculosis.....	26	1	1				2	9	8	1	2	1						
32	Pott's disease.....	1								1									
33	White swellings.....	2	1									1							
34	Tuberculosis of other organs.....	6	1							3	2								
35	Disseminated tuberculosis.....	7	2	1						3	1								
36	Rickets.....	8	4	3	1														
37	Syphilis.....	43	6	1				1	3	8	10	5	3	3	1				2
38	Gonococcus infection.....	1																	
	Cancer and other malignant tumors (total).....	83							1	4	10	27	25	11	4	1			
39	Of the buccal cavity.....	1																	
40	Of the stomach, liver.....	21								1	2	7	7	4					
41	Of the peritoneum, intestines, rectum.....	2																	
42	Of the female genital organs.....	42								3	7	18	10	2	2				
43	Of the breast.....	7										4	1	2					
44	Of the skin.....	1							1										
45	Of other organs or of organs not specified.....	9									1	1	3	3		1			
46	Other tumors (tumors of the female genital organs excepted).....																		
47	Acute articular rheumatism.....	9								4	1	1	1	2					
48	Chronic rheumatism and gout.....	6									1			3		2			
49	Scurvy.....																		
50	Diabetes.....	9								2	1	3	1	2					
51	Exophthalmic goiter.....	1												1					
52	Addison's disease.....	1																	
53	Leukemia.....	1								1									
54	Anemia, chlorosis.....	4		1						1	1								
55	Other general diseases.....	5	2								2		1						
56	Alcoholism (acute or chronic).....	4							1		1	1	1						
57	Chronic lead poisoning.....																		
58	Other chronic occupation poisonings.....	1												1					
59	Other chronic poisonings.....																		
	II.—Diseases of the nervous system and of the organs of special sense.....	319	23	9	1	3	3	12	13	16	25	38	61	60	35	14	2	1	3
60	Encephalitis.....	4											2		1				
61	Meningitis (total).....	24	7	2	1	1	1	4	5		2		1						
	Simple meningitis.....	13	2	2	1	1	1	1	3		2		1						
	Cerebrospinal meningitis (undefined).....	9	5			1		2	1										
	Cerebrospinal fever.....	2						1	1										
62	Locomotor ataxia.....	3								1			1						1
63	Other diseases of the spinal cord (total).....	21	1	3		1	1			2	2	1	2	3	2	3			
	Acute anterior poliomyelitis.....	6	1	3			1								1	3			
	Other diseases of the spinal cord ²	15								2	2	1	2	3	1	1	3		
64	Cerebral hemorrhage, apoplexy.....	149						2	4	4	14	28	35	28	23	8	1	1	1
65	Softening of the brain.....	1										1							
66	Paralysis without specified cause.....	60						1	1	4	2	6	13	24	5	2	1		1
67	General paralysis of the insane.....	7									1		4		2				
68	Other forms of mental alienation.....	7					1			2	1	1		1	1				

¹ Includes only municipalities having a population of 1,000 or over in 1910.

² Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.
NORTH CAROLINA¹ (COLORED)—Continued.																		
II. Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy.....	12	2					3		3	2		2					
70	Convulsions (nonpuerperal).....	2						1		1								
71	Convulsions of infants.....	15	10	4		1												
72	Chorea.....	1												1				
73	Neuralgia and neuritis.....	3												1	1	1		
74	Other diseases of the nervous system.....	7	2					1			1	1	1	1				
75	Diseases of the eyes and their annexa.....	3												1				
76	Diseases of the ears.....	3	1					1						1				
III.—Diseases of the circulatory system.....																		
		390	2			1	1	1	9	39	67	70	59	69	39	25	6	1
77	Pericarditis.....	4						1	1	1				1	1			
78	Acute endocarditis.....	11							1	6	2	2						
79	Organic diseases of the heart.....	338	1			1	1	1	8	35	57	60	50	64	36	18	4	1
80	Angina pectoris.....	14								3	4	5						
81	Diseases of the arteries, atheroma, aneurism, etc.....	18								1	1	4	1	4	1	5	1	
82	Embolism and thrombosis.....	3								1			1			1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....															1		
84	Diseases of the lymphatic system (lymphangitis, etc.).....																	
85	Hemorrhage; other diseases of the circulatory system.....	2	1											1				
IV.—Diseases of the respiratory system.....																		
		452	142	43	19	12	6	15	34	50	34	31	26	13	14	11	1	1
86	Diseases of the nasal fossae.....	7	3	1	2			1										
87	Diseases of the larynx.....	1																
88	Diseases of the thyroid body.....	1										1						
89	Acute bronchitis.....	24	16	5				1	1	1								
90	Chronic bronchitis.....	18	4	1				1	3	4	1	1	1	1	2			
91	Bronchopneumonia.....	119	63	19	10	6	2	4	4	3	3	1	1	1	2			
92	Pneumonia (total).....	260	54	15	7	6	4	8	25	36	27	25	22	9	11	9	1	1
	Lobar pneumonia.....	192	31	11	4	5	3	4	17	27	26	23	18	7	7	8	1	
	Pneumonia (undefined).....	68	23	4	3	1	1	4	8	9	1	2	4	2	4	1		1
93	Pleurisy.....	3						1		2								
94	Pulmonary congestion, pulmonary apoplexy.....	6	1	1						1		1				1		
95	Gangrene of the lung.....	4												1				
96	Asthma.....	4								2		1						
97	Pulmonary emphysema.....	1														1		
98	Other diseases of the respiratory system (tuberculosis excepted).....	9	1	1				1	3		1	1	1					
V.—Diseases of the digestive system.....																		
		477	221	100	16	5	2	15	10	20	25	15	18	14	3	9	2	2
99	Diseases of the mouth and annexa.....	1		1														
100	Diseases of the pharynx.....	5	1			1		2	1									
101	Diseases of the esophagus.....	1																
102	Ulcer of the stomach.....	6								2	1	1	1			1		
103	Other diseases of the stomach (cancer excepted).....	60	20	2	1	1		3	1	3	8	6	7	4	1	1	1	1
104	Diarrhea and enteritis (under 2 years).....	287	192	95														
105	Diarrhea and enteritis (2 years and over).....	32			13	3	1	4	1	1			1	2	1	3	1	
106	Ankylostomiasis.....	1																
107	Intestinal parasites.....	1			1													
108	Appendicitis and typhlitis.....	21						3	6	4	4	1	2	1				
109	Hernia, intestinal obstruction (total).....	29	4	1		1	1	1	6	3	2	4	2	2	1	3		
	Hernia.....	5		1												2		
	Intestinal obstruction.....	24	4			1	1	1	6	3	2	2	2	2	1	1		
110	Other diseases of the intestines.....	9	3	1	1					1	1		1			1		
111	Acute yellow atrophy of the liver.....																	
112	Hydatid tumor of the liver.....									1	2	2		1				
113	Cirrhosis of the liver.....	6																
114	Biliary calculi.....	1								1								
115	Other diseases of the liver.....	7	1					1					2	3				
116	Diseases of the spleen.....																	
117	Simple peritonitis (nonpuerperal).....	11						1		2	4	2	1					1
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	1								1								
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																		
		320	3	6	2	1	2	2	11	33	45	34	73	46	37	14	7	2
119	Acute nephritis.....	43	1	2		1		5	5	10	5	7	2	2	1	1		
120	Bright's disease.....	221	1	4	2	1		2	5	1	16	24	59	39	31	13	6	2
121	Chyluria.....																	
122	Other diseases of the kidneys and annexa.....	4								1	1		1					
123	Calculi of the urinary passages.....	1											1					

¹ Includes only municipalities having a population of 1,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
NORTH CAROLINA¹ (COLORED)—Continued.																			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
124	Diseases of the bladder.....	5	1							2	1			1					
125	Diseases of the urethra, urinary abscess, etc.....	4								2			1		1				
126	Diseases of the prostate.....	6											1	2	3				
127	Nonvenereal diseases of the male genital organs.....																		
128	Uterine hemorrhage (nonpuerperal).....																		
129	Uterine tumor (noncancerous).....	12								2	4	3	2	1					
130	Other diseases of the uterus.....	3								1	1		1						
131	Cysts and other tumors of the ovary.....	5								2	1	2							
132	Salpingitis and other diseases of the female genital organs.....	16								1	5	9		1					
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
	VII.—The puerperal state.....	85							19	37	22	5							
134	Accidents of pregnancy.....	11								7	3	1							
135	Puerperal hemorrhage.....	7								2	4	1							
136	Other accidents of labor.....	9							1	2	3	3							
137	Puerperal septicemia.....	26							6	13	6					1			
138	Puerperal albuminuria and convulsions.....	30								12	12	5				1			
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	1									1								
140	Following childbirth (not otherwise defined).....																		
141	Puerperal diseases of the breast.....	1									1								
	VIII.—Diseases of the skin and of the cellular tissue.....	8							2		1	1	2		1	1			
142	Gangrene.....	5								1			1	2		1			
143	Furuncle.....																		
144	Acute abscess.....	2								1			1						
145	Other diseases of the skin and annexa.....	1														1			
	IX.—Diseases of the bones and of the organs of locomotion.....	3																	
146	Diseases of the bones (tuberculosis excepted).....	3																	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....																		
148	Amputations.....																		
149	Other diseases of the organs of locomotion.....																		
	X.—Malformations.....	4	4																
150	Congenital malformations (stillbirths not included) (total).....	4	4																
	Hydrocephalus.....																		
	Congenital malformations of the heart.....	3	3																
	Other congenital malformations.....	1	1																
	XI.—Early infancy.....	203	203																
151	Congenital debility, icterus, and sclerema (total).....	172	172																
	Premature birth.....	107	107																
	Congenital debility, "atrophy," "marasmus," etc.....	65	65																
152	Other causes peculiar to early infancy (total).....	27	27																
	Injuries at birth.....	12	12																
	Other causes peculiar to early infancy ²	15	15																
153	Lack of care.....	4	4																
	XII.—Old age.....	32											2	9	12	6	3		
154	Senility.....	32											2	9	12	6	3		
	XIII.—External causes.....	249	22	6	8	5	3	9	44	65	36	10	17	6	9	3	1	1	4
	Suicide (total).....	3								2	1								
155	By poison.....																		
156	By asphyxia.....																		
157	By hanging or strangulation.....																		
158	By drowning.....	2								2									
159	By firearms.....																		
160	By cutting or piercing instruments.....	1									1								
161	By jumping from high places.....																		
162	By crushing.....																		
163	Other suicides.....																		
	Accidental or undefined (total).....	174	19	6	8	5	3	9	31	24	27	8	11	6	8	3	1	1	4
164	Poisoning by food.....	1										1							
165	Other acute poisonings.....	7		4	2														
166	Conflagration.....	1		1															
167	Burns (conflagration excepted).....	30	2		5	3	2	3	2	3	3		2	1	2		1	1	

¹ Includes only municipalities having a population of 1,000 or over in 1910.

² Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
NORTH CAROLINA: (COLORED)—Continued.																	
168	XIII.—External causes—Continued. Accidental or undefined—Continued. Absorption of deleterious gases (conflagration excepted)	10	9														
169	Accidental drowning	10															
170	Traumatism by firearms	25		1	1		1	2	5	7	5	6	1	1			1
171	Traumatism by cutting or piercing instruments																
172	Traumatism by fall	14	1			1			1	1	1	1	1	4	3		
173	Traumatism in mines and quarries (total)																
	Traumatism in mines																
	Traumatism in quarries																
174	Traumatism by machines	6							1	4				1			
175	Traumatism by other crushing (total)	43						2	12	5	10	5	4		2		3
	Railroad accidents and injuries	36						1	9	4	9	5	3		2		3
	Street-car accidents and injuries	1							1								
	Automobile accidents and injuries	4						1	1	1	1						
	Injuries by other vehicles	2							1				1				
	Landslide, other crushing																
176	Injuries by animals	1						1									
177	Starvation	3	3														
178	Excessive cold	3															
179	Effects of heat																
180	Lightning	1							1								
181	Electricity (lightning excepted)	3															
185	Fractures (cause not specified)	7							1	1							
186	Other external violence	16	4			1			2	4	3		1		1		
	Homicide (total)	72	3						13	39	8	2	6		1		
	By firearms	56							11	29	8	1	6		1		
	By cutting or piercing instruments	7							1	6							
	By other means	9	3						1	4							
	XIV.—Ill-defined diseases	324	182	25	12	3	2	3	6	11	8	9	21	22	10	3	4
187	Ill-defined organic disease	11		1				1				3		4		1	1
188	Sudden death	16	4	1					1	1	1	1		4	2	1	
189	Not specified or ill-defined (total)	297	178	23	11	3	2	2	6	10	7	5	21	14	8	1	4
	Ill-defined	40	16	7	1		1	1	1	1	2	5	4	1	1		
	Not specified, or unknown	257	162	16	10	3	2	1	6	9	6	3	16	10	7	4	

OHIO.

All causes	65,132	10,130	1,712	786	534	374	1,318	2,297	4,649	5,020	5,650	6,959	9,163	10,195	5,470	826	28	21
I.—General diseases	17,087	908	443	300	211	182	612	1,084	2,171	2,083	2,155	2,279	2,272	1,731	596	60	2	3
1 Typhoid fever	912	7	8	14	15	10	70	200	232	135	102	70	35	11	3			
2 Typhus fever																		
3 Relapsing fever																		
4 Malaria	30	3			1		1	4	2	3	4	2	2	7	1			
5 Smallpox	16	5				1	1	1	1	3	1	1	1	1	2			
6 Measles	239	49	72	27	18	13	25	10	6	5	4	4	3	3				
7 Scarlet fever	234	16	27	32	19	26	66	36	7	3		1	1					
8 Whooping cough	375	205	87	31	26	5	16	1				1	1	2				
9 Diphtheria and croup	783	51	102	99	82	81	221	98	19	13	11	4	1	1				
10 Influenza	520	38	11	8	3	2	8	15	12	14	33	52	64	143	98	18	1	
11 Miliary fever	1								1									
12 Asiatic cholera																		
13 Cholera nostras	18	3		1	1	1	1	1		2		3	2	3				
14 Dysentery	209	35	22	6	3	1	3	1	4	2	3	11	23	51	39	5		
15 Plague																		
16 Yellow fever																		
17 Leprosy																		
18 Erysipelas	174	43	3	1	1			5	4	17	16	19	19	38	6	2		
19 Other epidemic diseases	15	5	5	1				1			1							
20 Purulent infection and septicemia	157	19	2	3			8	8	19	10	17	24	25	16	6			
21 Glanders	1								1									
22 Anthrax	2											1	1					
23 Rabies	3					1		1		1								
24 Tetanus	99	14	1	4		2	12	17	15	8	8	8	6	4				
25 Mycoses	1													1				
26 Pellagra	1											1						
27 Beriberi																		
Tuberculosis (total)	6,549	168	69	50	31	23	100	539	1,609	1,358	1,012	707	526	291	61	4		1
28 Tuberculosis of the lungs	5,473	59	18	9	6	3	33	412	1,430	1,215	911	614	460	251	49	2		1
29 Acute miliary tuberculosis	197	5	4	1	1	1	5	33	54	42	16	24	7	4				
30 Tuberculous meningitis	299	59	40	34	19	13	36	36	26	11	14	6	4		1			
31 Abdominal tuberculosis	306	22	3	5	2	2	13	30	53	52	38	28	32	20	4	2		
32 Pott's disease	60			1	1		3	7	14	9	10	7	3	5				
33 White swellings	49	1	1		1	2	5	9	6	4	9	3	4	2				
34 Tuberculosis of other organs	105	9	1		1	2	5	8	15	19	11	15	10	6	3			
35 Disseminated tuberculosis	60	13	2				3	8	8	4	8	4	7	1	2			

1 Includes only municipalities having a population of 1,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	
OHIO—Continued.																		
I.—General diseases—Continued.																		
36	Rickets.....	19	12	6	1													
37	Syphilis.....	395	148	8	3	2	3	4	12	25	51	71	33	21	12	1	1	
38	Gonococcus infection.....	16	5	1					1	2	2	3		2				
Cancer and other malignant tumors (total).....																		
39	Of the buccal cavity.....	4,176	6	5	4	4	4	5	13	58	244	581	970	1,100	858	299	24	
40	Of the stomach, liver.....	174				1	1					13	32	53	44	24	1	
41	Of the peritoneum, intestines, rectum.....	1,635		3					3	15	54	179	360	510	398	108	8	
42	Of the female genital organs.....	487				1		1		8	31	57	124	129	97	37	2	
43	Of the breast.....	633								72	171	185	122	62	14	1		
44	Of the skin.....	430								5	35	75	124	89	78	27	2	
45	Of other organs or of organs not specified.....	199			1					2	7	23	48	64	51	8		
46	Other tumors (tumors of the female genital organs excepted).....	618	6	2	3	2	2	4	10	24	45	79	122	154	125	38	2	
47	Acute articular rheumatism.....	21	1								2	2	7	3	4	2		
48	Chronic rheumatism and gout.....	274	1		3	2	2	36	31	32	26	28	37	29	13	2		
49	Scurvy.....	76						2	2	3	4	5	10	14	22	13	1	
50	Diabetes.....	5	3										1	1				
51	Exophthalmic goiter.....	828	1	4	2	1	2	15	46	45	53	93	145	239	141	39	2	
52	Addison's disease.....	145							6	21	19	35	36	21	6		1	
53	Leukemia.....	29							1	3	6	7	5	2				
54	Anemia, chlorosis.....	114	5	3	3	1	2	10	16	15	14	11	12	13	9			
55	Other general diseases.....	269	20	3	2	1	1	3	9	10	17	35	59	61	40	9		
56	Alcoholism (acute or chronic).....	89	40	4	4	1	2	3	7		7	2	5	5	7	1		
57	Chronic lead poisoning.....	228								17	48	57	47	36	18	2	1	
58	Other chronic occupation poisonings.....	13								2	4	2	3	1	1			
59	Other chronic poisonings.....	1							1	5	6	11	11	8	8	1	1	
II.—Diseases of the nervous system and of the organs of special sense.....																		
60	Encephalitis.....	7,452	329	85	64	30	25	86	130	179	371	599	958	1,607	1,928	941	116	2
61	Meningitis (total).....	46	8	2	2	2			2	10	5	4	7	3	1			
	Simple meningitis.....	428	106	42	40	17	11	42	46	30	29	21	21	11	8	2		
	Cerebrospinal meningitis (undefined).....	196	55	18	14	7	4	12	15	12	16	14	13	8	2			
	Cerebrospinal fever.....	113	34	18	15	5	2	12	10	6	2	1	4	2	2			
62	Locomotor ataxia.....	117	17	6	11	5	5	18	21	12	11	6	4	1				
63	Other diseases of the spinal cord (total).....	157					1			12	24	51	45	18	4	2		
	Acute anterior poliomyelitis.....	397	18	10	9	1	5	10	12	11	18	34	61	78	94	32	4	
	Other diseases of the spinal cord ¹	58	15	8	9	1	5	8	6	1	1	1	2	3	32	4		
64	Cerebral hemorrhage, apoplexy.....	339	3	2				2	6	10	17	33	59	77	94	32	4	
65	Softening of the brain.....	4,755	15	2	3	2		8	16	46	116	286	622	1,251	1,530	760	85	
66	Paralysis without specified cause.....	139								4	4	5	8	28	52	34	6	
67	General paralysis of the insane.....	297	2	1					1	1	3	13	18	77	109	62	10	
68	Other forms of mental alienation.....	422							2	9	35	122	90	46	46	17	5	
	Epilepsy.....	145							3	15	34	32	24	21	13	3		
69	Convulsions (nonpuerperal).....	216	12	1		2	2	8	26	40	41	22	25	11	21	4	1	
70	Convulsions of infants.....	5						3		1			1					
71	Chorea.....	155	134	15	4	1	1											
72	Neuralgia and neuritis.....	9							4	2	1		1	1				
73	Other diseases of the nervous system.....	31				1				2	1	3	2	9	8	5		
74	Diseases of the eyes and their annexa.....	158	11	2		1	3	6	8	7	17	28	21	25	12	15	2	
75	Diseases of the ears.....	6				1								2	2			
76	Diseases of the ears.....	89	23	9	6	2	2	9	10	4	5	4	6	3	4	1		
III.—Diseases of the circulatory system.....																		
77	Pericarditis.....	9,617	61	8	13	8	10	78	178	211	399	655	1,187	2,151	2,875	1,564	210	8
78	Acute endocarditis.....	64	1	1		1	1	2	5	6	8	13	5	15	6			
79	Organic diseases of the heart.....	265	6	2	2	3	13	26	30	32	62	58	13	10	7	1		
80	Angina pectoris.....	7,370	32	6	8	6	62	139	157	311	489	934	1,756	2,270	1,080	109	4	
81	Diseases of the arteries, atheroma, aneurism, etc.....	440						5	9	20	30	78	135	111	49	3		
82	Embolism and thrombosis.....	1,239	1							2	14	41	69	201	417	394	96	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	163	4						2	6	11	18	30	27	42	22	1	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	33							2	1	2	5	4	10	5	4		
85	Hemorrhage; other diseases of the circulatory system.....	24	15	1	3		2		1					1		1		
86	Diseases of the nasal fossae.....	19	2						2		3	2	1	3	5	1		
87	Diseases of the larynx.....	9	4					1			2					2		
88	Diseases of the thyroid body.....	56	7	6		8	4	15	1		2			2	1	2		
89	Acute bronchitis.....	34	2							7		8	7	5	3			
90	Chronic bronchitis.....	437	192	35	12	7	6	3	5	2	2	6	10	19	66	54	17	
	Pneumonia (total).....	370	5	2		1		4	3	8	10	21	65	140	89	18	1	
91	Bronchopneumonia.....	2,285	896	240	91	42	19	52	23	29	50	51	90	163	282	197	39	
92	Pneumonia (total).....	3,167	361	124	42	35	17	69	78	100	234	341	398	479	481	278	39	
	Lobar pneumonia.....	2,939	323	111	40	35	17	63	70	179	221	318	379	452	439	256	35	
	Pneumonia (undefined).....	228	38	13	2	2		6	8	11	13	23	19	27	42	22	4	
93	Pleurisy.....	136	6	5	2	2		5	10	21	8	19	14	19	13	10	2	

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
OHIO—Continued.																		
IV.—Diseases of the respiratory system—Continued.																		
94	Pulmonary congestion, pulmonary apoplexy	102	20	2		1		3	2	1	2	3	4	10	29	19	6	
95	Gangrene of the lung	11				1	1		1		2		2	1	3			
96	Asthma	108	2			1		2	1		7	20	25	30	11		1	
97	Pulmonary emphysema	24								2		3	5	4				
98	Other diseases of the respiratory system (tuberculosis excepted)	59	5		1				2	3	4	8	7	11	16	2		
V.—Diseases of the digestive system.																		
		7,078	2,558	592	157	83	42	133	203	292	362	445	568	656	626	317	40	2
99	Diseases of the mouth and annexa	31	16	2	1			1	1	1		4	1		1	1	1	1
100	Diseases of the pharynx	127	5	6	3	9	7	22	15	16	12	6	8	7	5	4	2	
101	Diseases of the esophagus	6								1	1			2	2			
102	Ulcer of the stomach	214		2			3	1	4	23	30	26	32	46	34	12	1	
103	Other diseases of the stomach (cancer excepted)	558	167	16	13	3	2	7	8	10	14	25	45	61	101	73	13	2
104	Diarrhea and enteritis (under 2 years)	2,808	2,263	545														
105	Diarrhea and enteritis (2 years and over)	608			122	40	20	31	8	15	20	28	49	62	128	74	10	1
106	Ankylostomiasis	5		1	1													
107	Intestinal parasites	5	2	1	1													
108	Appendicitis and typhlitis	550		1	4	10	4	39	123	127	81	62	50	31	13	5		
109	Hernia, intestinal obstruction (total)	617	70	13	9	11	3	17	18	37	54	68	80	110	85	38	3	1
	Hernia	212	13	1					3	7	7	29	42	57	36	16	1	
	Intestinal obstruction	405	57	12	9	11	3	17	15	30	47	39	38	53	49	22	2	1
110	Other diseases of the intestines	140	12	1	1	1	1	4	5	9	13	13	10	16	28	25	1	
111	Acute yellow atrophy of the liver	25	2						1	3	4	1	3	5	3	3		
112	Hydatid tumor of the liver	1																
113	Cirrhosis of the liver	774							1	13	62	133	176	194	146	46	3	
114	Biliary calculi	201						1		7	16	28	49	54	34	8	3	1
115	Other diseases of the liver	243	8	4	2	1	2	3	2	5	31	29	51	44	38	21	2	
116	Diseases of the spleen	10							1	1	3	1	1	1	2			
117	Simple peritonitis (nonpuerperal)	139	13	1	1	7		6	15	21	16	18	7	21	6	6	1	
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	21				1		1	1	2	5	3	5	2		1		
VI.—Nonvenereal diseases of the genito-urinary system and annexa																		
		5,265	51	21	10	14	2	29	81	210	325	556	756	1,110	1,337	670	89	2
119	Acute nephritis	420	30	13	9	8	2	14	20	40	50	47	44	46	54	36	7	
120	Bright's disease	3,992	10	7	1	6		10	42	89	177	333	633	947	1,107	508	63	2
121	Chyluria	2						1								1		
122	Other diseases of the kidneys and annexa	96	7					3	9	3	7	12	6	12	20	15	2	
123	Calculi of the urinary passages	30						3	1	3	2	4	8	4	5	3		
124	Diseases of the bladder	127		1				1		3	4	3	25	37	46	6		
125	Diseases of the urethra, urinary abscess, etc.	13							1		4	2	3	2	1			
126	Diseases of the prostate	236								3	4	19	48	101	55	6		
127	Nonvenereal diseases of the male genital organs	3	2											1				
128	Uterine hemorrhage (nonpuerperal)	1						1										
129	Uterine tumor (noncancerous)	90							4	4	15	42	18	9	2			
130	Other diseases of the uterus	50							4	10	11	16	5	3	1			
131	Cysts and other tumors of the ovary	63								8	11	11	11	10	8	4		
132	Salpingitis and other diseases of the female genital organs	140	2						4	50	46	29	6	2		1		
133	Nonpuerperal diseases of the breast (cancer excepted)	2								1			1					
VII.—The puerperal state																		
		798						56	379	295	67	1						
134	Accidents of pregnancy	84							2	32	41	9						
135	Puerperal hemorrhage	70							1	26	34	9						
136	Other accidents of labor	54							5	26	16	7						
137	Puerperal septicemia	408							35	208	141	23	1					
138	Puerperal albuminuria and convulsions	150							13	68	53	16						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	30								17	10	3						
140	Following childbirth (not otherwise defined)	2								2								
141	Puerperal diseases of the breast																	
VIII.—Diseases of the skin and of the cellular tissue																		
		223	48	1	2	1	4	2	3	5	3	10	22	27	46	41	8	
142	Gangrene	124	2		2	1	2	2	1	1		4	14	18	35	35	7	
143	Furuncle	27							1		2	1	5	6	3	2		
144	Acute abscess	25	11			1			1	3	1	4	1	4	2	1		
145	Other diseases of the skin and annexa	47	28	1						1		1	2	3	6	3	1	
IX.—Diseases of the bones and of the organs of locomotion																		
		109	10	4	1	1	4	17	12	13	6	6	10	12	11	2		
146	Diseases of the bones (tuberculosis excepted)	98	9	4	1	1	4	17	11	11	6	4	8	10	10	2		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5	1								1	1	1					
148	Amputations																	
149	Other diseases of the organs of locomotion	6							1	1		1	1	1	1			

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																	Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.		
OHIO—Continued.																				
	X.—Malformations.....	896	844	26	4	4	1	11	5	1										
150	Congenital malformations (stillbirths not included) (total).....	896	844	26	4	4	1	11	5	1										
	Hydrocephalus.....	66	46	14	2	1		3												
	Congenital malformations of the heart.....	572	551	7	2	2	1	4	4	1										
	Other congenital malformations.....	258	247	5		1		4	1											
	XI.—Early infancy.....	3,539	3,539																	
151	Congenital debility, icterus, and sclerema (total).....	2,743	2,743																	
	Premature birth.....	2,135	2,135																	
	Congenital debility, "atrophy," "marasmus," etc.....	608	608																	
152	Other causes peculiar to early infancy (total).....	764	764																	
	Injuries at birth.....	445	445																	
	Other causes peculiar to early infancy ¹	319	319																	
153	Lack of care.....	32	32																	
	XII.—Old age.....	726										3	31	185	385	116	6			
154	Senility.....	726										3	31	185	385	116	6			
	XIII.—External causes.....	5,194	151	99	77	83	56	193	416	919	845	684	562	447	330	263	58	3	8	
	Suicide (total).....	811							36	149	179	166	138	95	36	11	1			
155	By poison.....	297							20	62	84	51	48	22	9	1				
156	By asphyxia.....	7							1	4	1	1								
157	By hanging or strangulation.....	161							2	19	21	40	33	29	12	4	1			
158	By drowning.....	42							5	7	13	7	5	4	1					
159	By firearms.....	225							13	52	53	42	37	22	5	1				
160	By cutting or piercing instruments.....	46							3	5	16	7	10	3	2					
161	By jumping from high places.....	15							3	1	1	3	4	1	2					
162	By crushing.....	11							5	3	1	2	2							
163	Other suicides.....	7							1	1	1	2	1	2						
	Accidental or undefined (total).....	4,084	144	99	76	83	56	191	368	667	578	471	401	341	291	252	57	3	6	
164	Poisoning by food.....	72	8	5	4	3	5	6	10	4	4	4	6	5	7	1				
165	Other acute poisonings.....	116	12	18	8	2		3	5	18	18	11	9	9	4	1				
166	Conflagration.....	80	2	3	3	4	4	5	2	12	5	10	8	11	9	2				
167	Burns (conflagration excepted).....	356	8	28	34	37	23	31	15	35	32	27	24	25	17	16	4			
168	Absorption of deleterious gases (conflagration excepted).....	146	53			1		3	5	18	21	11	17	11	3	3				
169	Accidental drowning.....	332	2	12	9	11	1	33	82	85	39	25	12	12	5	1			3	
170	Traumatism by firearms.....	83		1		1	1	13	30	19	7	6	2	2	1					
171	Traumatism by cutting or piercing instruments.....	13						1	2	3	2	3	2	2						
172	Traumatism by fall.....	919	14	11	11	6	4	21	36	61	79	74	76	107	169	202	45	3		
173	Traumatism in mines and quarries (total).....	81						1	10	22	24	10	9	2	2				1	
	Traumatism in mines.....	73						1	10	18	23	8	8	2	2					
	Traumatism in quarries.....	8								4	1	2	1							
174	Traumatism by machines.....	144				1		3	6	39	26	33	23	10	3					
175	Traumatism by other crushing (total).....	1,334	4	4	4	12	13	57	123	294	286	211	167	107	54	15	1		2	
	Railroad accidents and injuries.....	775	1	2		3	14	63	143	214	183	125	88	44	27	8	1		2	
	Street-car accidents and injuries.....	169		1	2	5	5	11	24	23	22	29	26	14	2					
	Automobile accidents and injuries.....	189	1			6	2	26	26	22	29	31	26	13	7					
	Injuries by other vehicles.....	163		1	2	1	2	11	21	24	19	27	21	23	6	5				
	Landslide, other crushing.....	38	2				1	1	2	10	12	6	3	1						
176	Injuries by animals.....	47				2		4	5	7	5	8	8	5	3					
177	Starvation.....	2	1	1																
178	Excessive cold.....	17	1							2	2	4	3	2	1	1	1			
179	Effects of heat.....	77	16	1				1		4	11	9	12	11	8	1	3			
180	Lightning.....	23							10	3	4	2	2	2						
181	Electricity (lightning excepted).....	44						2	6	18	9	6	1	2						
185	Fractures (cause not specified).....	19								1	1	4	1	2	2	6	2			
186	Other external violence.....	179	23	17	3	3	4	8	21	22	23	13	21	14	3	3	1			
	Homicide (total).....	299	7		1			2	12	103	88	47	23	11	3				2	
182	By firearms.....	156			1			2	9	58	50	19	11	6						
183	By cutting or piercing instruments.....	48							1	18	18	7	3	1						
184	By other means.....	95	7						2	27	20	21	9	5	2				2	
	XIV.—Ill-defined diseases.....	370	136	19	3	1	1	3	3	9	9	17	34	47	54	25	6		3	
187	Ill-defined organic disease.....	8										1	1	2	1	3			1	
188	Sudden death.....	31	6									3	5	7	6	2	1		1	
189	Not specified or ill-defined (total).....	331	130	19	3	1	1	3	3	9	6	16	28	38	47	20	5		2	
	Ill-defined.....	117	12	15	3	1	1	1	1	4	7	17	19	19	27	6	3		2	
	Not specified, or unknown.....	214	118	4				2	2	5	6	9	11	19	20	14	2		2	

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
PENNSYLVANIA.																			
	All causes.....	114,832	25,146	4,775	2,014	1,345	928	2,757	4,163	7,790	8,850	9,844	11,524	14,141	13,389	6,730	873	34	29
	I.—General diseases.....	26,859	1,879	1,224	725	590	403	1,264	1,671	3,315	3,292	3,309	3,315	3,093	2,075	632	63	2	7
1	Typhoid fever.....	1,071	5	5	4	19	6	62	217	327	191	107	63	47	16	1	1		
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	20							1	4	1	2	5	3	3	1			
5	Smallpox.....	4	1										1	1					
6	Measles.....	549	138	210	75	30	20	39	19	7	4	1	1	1	3	1			
7	Scarlet fever.....	860	34	104	111	102	77	262	108	43	12	3		4					
8	Whooping cough.....	939	509	239	88	40	20	32	7		1		2		1				
9	Diphtheria and croup.....	1,925	128	338	289	270	193	474	151	27	33	12	6	2				2	
10	Influenza.....	760	61	14	4	5	1	15	18	29	33	47	80	114	190	129	20		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	55	13	1	2	1	3	4	1	2	2	5	1	3	7	9	1		
14	Dysentery.....	224	51	37	11	9	3	8	4	7	8	11	14	15	33	12	1		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....	1									1								
18	Erysipelas.....	349	98	14	2		2	2	6	16	29	49	37	42	36	15	1		
19	Other epidemic diseases.....	43	13	8	6	2	2	5	4	1	1	1							
20	Purulent infection and septicemia.....	193	34	6	3	4	1	8	9	15	26	10	26	26	20	4	1		
21	Glanders.....																		
22	Anthrax.....	6							1		3	1		1					
23	Rabies.....	14	1			1	1	2	1	3		2	2	1					
24	Tetanus.....	116	16	4		2	3	24	18	15	8	13	10		3				
25	Mycoses.....	2									1	1							
26	Fellagra.....	6										2	2	1	1				
27	Beriberi.....																		
	Tuberculosis (total).....	10,212	342	190	102	73	46	178	873	2,479	2,197	1,622	1,078	666	307	56	1		2
28	Tuberculosis of the lungs.....	8,444	134	50	23	25	14	54	650	2,195	1,966	1,454	963	593	271	50			2
29	Acute miliary tuberculosis.....	397	8	12	5	3	3	7	61	122	88	51	19	8	7	1			
30	Tuberculous meningitis.....	557	131	91	57	37	18	73	60	32	28	14	8	7	1				
31	Abdominal tuberculosis.....	382	7	20	6	3	4	12	44	58	62	58	47	26	9	2			
32	Pott's disease.....	134	3	3	3	3	3	8	23	26	15	12	13	9	5	1			
33	White swellings.....	73	3	3	3	3	3	8	10	10	10	5	7	8	6	1			
34	Tuberculosis of other organs.....	161	21	5	6	1	3	19	19	21	19	18	19	14	8	2			
35	Disseminated tuberculosis.....	64	7	6	1	1	1	5	6	15	9	10	2						
36	Rickets.....	55	35	14	2		1						1	2					
37	Syphilis.....	475	236	16	5	2	1	1	4	35	59	61	36	14	5	1			
38	Gonococcus infection.....	20	8				1		2	3	2	3							
	Cancer and other malignant tumors (total).....	5,997	9	7	6	5	6	20	30	97	391	945	1,443	1,567	1,119	316	29	2	5
39	Of the buccal cavity.....	234						1	2	4	13	31	51	92	72	24	3		
40	Of the stomach, liver.....	2,345							1	18	110	320	585	697	499	101	8		3
41	Of the peritoneum, intestines, rectum.....	723	2					3	18	47	101	172	186	150	37	4			
42	Of the female genital organs.....	943						1		26	117	235	255	192	84	29	2		1
43	Of the breast.....	649								4	55	126	154	83	37	3			
44	Of the skin.....	222	2	1			3	1	1		2	13	30	51	60	49	7	2	
45	Of other organs or of organs not specified.....	821	5	5	6	3	2	13	23	27	47	119	168	195	166	39	2		1
46	Other tumors (tumors of the female genital organs excepted).....	25		1						1	5	1	7	5	2	3			
47	Acute articular rheumatism.....	498	6	4	2	8	7	67	99	52	41	56	43	49	44	17	3		
48	Chronic rheumatism and gout.....	84						1	1	6	7	15	19	28	6				
49	Scurvy.....	14	8	1					2	1		1							
50	Diabetes.....	1,206	4	2	2	6	21	43	64	81	131	257	356	198	41				
51	Exophthalmic goiter.....	79							6	13	18	16	13	9	4				
52	Addison's disease.....	28							3	3	5	9	3	3	1				
53	Leukemia.....	143	3	3	1	3	2	11	16	20	17	28	16	14	9				
54	Anemia, chlorosis.....	342	30	2	4	3	1	10	20	16	33	50	74	68	22	8	1		
55	Other general diseases.....	196	96	4	6	4	7	17	7	6	5	9	7	11	7	8	2		
56	Alcoholism (acute or chronic).....	312								22	76	95	65	41	11	2			
57	Chronic lead poisoning.....	17										3	5	5	2				
58	Other chronic occupation poisonings.....	1										1	1						
59	Other chronic poisonings.....	18							4	2	4	2	2	3	1				
	II.—Diseases of the nervous system and of the organs of special sense.....	10,890	1,073	238	103	60	39	153	193	233	432	811	1,407	2,262	2,584	1,195	104	3	
60	Encephalitis.....	118	24	6	4	2	1	11	6	9	18	11	7	11	7	1			
61	Meningitis (total).....	656	206	96	45	34	21	79	48	30	38	29	14	11	3				
	Simple meningitis.....	510	174	69	39	26	15	50	36	23	26	24	12	11	3				
	Cerebrospinal meningitis (undefined).....	107	21	24	4	3	5	21	9	4	10	4	2						
	Cerebrospinal fever.....	39	11	3	2	5	1	8	3	3	2	1							
62	Locomotor ataxia.....	227							1	4	18	42	75	59	21	7			
63	Other diseases of the spinal cord (total).....	404	15	14	8	2	5	11	12	18	16	38	63	97	79	25	1		
	Acute anterior poliomyelitis.....	65	13	12	7	1	4	9	5	3	2	4	3	1	1				
	Other diseases of the spinal cord.....	339	2	2	1	1	1	2	7	15	14	34	60	96	78	25	1		
64	Cerebral hemorrhage, apoplexy.....	6,192	30	5	4	3	1	4	10	39	128	383	909	1,687	1,978	933	76	2	
65	Softening of the brain.....	143						1	1	1	3	9	31	57	37	3			
66	Paralysis without specified cause.....	780	7	4	1	2	1	1	7	4	8	29	94	202	278	128	13	1	
67	General paralysis of the insane.....	560							1	11	35	123	122	87	92	36	3		
68	Other forms of mental alienation.....	142							1	9	26	28	27	18	20	10	3		

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PENNSYLVANIA—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	303	12	2	4	2	1	11	52	60	48	49	35	18	8	1			
70	Convulsions (nonpuerperal).....	24						9	2	3	1	1	4	1					
71	Convulsions of infants.....	863	734	89	27	9	4												
72	Chorea.....	21					2	2	10	2		2			1	2			
73	Neuralgia and neuritis.....	43								2	3	4	8	10	10	4	2		
74	Other diseases of the nervous system.....	268	22	9	5	4		7	22	22	35	47	33	24	27	10	1		
75	Diseases of the eyes and their annexa.....	5	1			1			1			1	1						
76	Diseases of the ears.....	141	22	13	5	1	3	17	20	19	7	21	6	6	1				
III.—Diseases of the circulatory system.....																			
		14,653	196	40	27	14	24	206	486	507	812	1,281	1,987	3,341	3,705	1,806	207	9	5
77	Pericarditis.....	94	2	1	1		2	6	6	6	10	12	8	15	14	7	4		
78	Acute endocarditis.....	756	40	7	8	3	6	50	53	75	101	164	202	23	17	6	1		
79	Organic diseases of the heart.....	11,355	112	22	11	11	14	137	410	387	633	984	1,512	2,764	2,917	1,299	134	4	4
80	Angina pectoris.....	548						1		12	20	43	109	189	127	43	4		
81	Diseases of the arteries, atheroma, aneurism, etc.....	1,462							2	7	18	37	89	280	555	411	57	5	1
82	Embolism and thrombosis.....	295	9	1	1		1	5	7	12	23	28	50	55	64	32	7		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	54	2		2			2	2	3	4	10	11	9	5	4			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	58	26	9	4			2	5	2	1	1	4	1	2	1			
85	Hemorrhage; other diseases of the circulatory system.....	31	5				1	3	1	3	2	2	2	5	4	3			
IV.—Diseases of the respiratory system.....																			
		15,156	4,484	1,315	568	282	160	342	320	555	800	1,057	1,330	1,533	1,485	781	133	4	6
86	Diseases of the nasal fossae.....	8	3	1				1	1	2									
87	Diseases of the larynx.....	150	40	18	23	13	10	19	3	2	4	5	3	3	3	3	1		
88	Diseases of the thyroid body.....	45	2						5	4	9	7	7	7	3	1			
89	Acute bronchitis.....	1,045	610	116	48	16	5	11	4	4	13	11	14	40	83	55	14		
90	Chronic bronchitis.....	599	10	2	3	2		10	6	14	16	28	62	118	177	123	28		
91	Bronchopneumonia.....	5,104	2,297	687	293	127	81	120	66	79	144	235	319	362	197	32	2		
92	Pneumonia (total).....	6,934	1,346	430	177	109	54	161	215	414	594	745	830	839	682	298	37	1	
	Lobar pneumonia.....	4,125	492	195	86	47	29	87	139	327	452	568	608	558	384	133	19		
	Pneumonia (undefined).....	2,809	854	235	91	62	25	74	76	87	142	177	222	281	298	165	18	1	
93	Pleurisy.....	365	31	36	14	9	6	12	15	26	35	33	50	48	33	16	1		
94	Pulmonary congestion, pulmonary apoplexy.....	387	126	20	5	5	2	8	2	3	11	24	30	27	58	46	19	1	
95	Gangrene of the lung.....	20			1	1			1	3	3	4	3	3		1			
96	Asthma.....	269	4		2				1	3	19	26	53	70	58	32			
97	Pulmonary emphysema.....	23		1					1	2		2		8	5	3			
98	Other diseases of the respiratory system (tuberculosis excepted).....	207	15	4	2			1	6	12	17	28	43	51	21	6	1		
V.—Diseases of the digestive system.....																			
		14,971	7,279	1,505	290	157	113	279	351	461	589	758	874	954	873	427	60	1	
99	Diseases of the mouth and annexa.....	84	33	7	3	2	2	2	7	7	6	2	7	2	2				
100	Diseases of the pharynx.....	153	21	7	5	5	8	20	19	22	8	14	4	10	8	2			
101	Diseases of the esophagus.....	21	1	1	1		2	1			5	1	7	2					
102	Ulcer of the stomach.....	282	1	1					3	33	43	54	53	39	27	8			
103	Other diseases of the stomach (cancer excepted).....	1,392	504	62	22	18	11	27	11	28	48	87	109	152	172	119	22		
104	Diarrhea and enteritis (under 2 years).....	7,868	6,495	1,373															
105	Diarrhea and enteritis (2 years and over).....	1,221			230	102	60	113	43	30	58	76	70	114	179	120	25	1	
106	Ankylostomiasis.....																		
107	Intestinal parasites.....	13	2		4	2	4								1				
108	Appendicitis and typhlitis.....	768	2	1	2	10	9	60	194	159	126	88	77	25	12	2	1		
109	Hernia, intestinal obstruction (total).....	969	144	32	15	9	4	23	28	52	80	82	133	169	129	65	4		
	Hernia.....	325	29	3	1			1	4	7	20	34	61	86	52	24	3		
	Intestinal obstruction.....	644	115	29	14	9	4	22	24	45	60	48	72	83	77	41	1		
110	Other diseases of the intestines.....	151	19	6		2		1	3	17	13	19	14	15	21	18	3		
111	Acute yellow atrophy of the liver.....	37	2		1				1	5	3	4	3	4	11	3			
112	Hydatid tumor of the liver.....	3											1	1					
113	Cirrhosis of the liver.....	1,051	1	1	1	1	2	4	10	19	90	212	244	247	170	46	3		
114	Biliary calculi.....	218							1	4	20	33	56	54	43	7			
115	Other diseases of the liver.....	401	28	6	1	2	5	7	9	28	44	39	68	72	63	27	2		
116	Diseases of the spleen.....	23						2	2	1	5	1	4	6	2				
117	Simple peritonitis (nonpuerperal).....	277	24	7	5	4	5	19	21	50	35	26	22	24	27	8			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	59	2	1			1		4	6	8	12	13	8	4				
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		9,475	114	50	31	27	29	85	171	377	743	1,183	1,584	2,057	2,066	857	98	1	2
119	Acute nephritis.....	814	50	24	16	17	22	48	60	75	85	123	103	80	80	25	6		
120	Bright's disease.....	7,458	33	23	14	9	5	37	88	192	510	882	1,334	1,792	1,736	718	83	1	
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	180	12	2			1		4	14	17	25	38	26	34	7			
123	Calculi of the urinary passages.....	41							1	4	3	6	3	12	9	3			

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.
PENNSYLVANIA—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
124	Diseases of the bladder.....	175	3	1	1	1	1	3	8	6	14	33	55	44	5
125	Diseases of the urethra, urinary abscess, etc.....	23	1	1	4	7	3	5	2
126	Diseases of the prostate.....	307	1	4	5	19	89	181	55	3
127	Nonvenereal diseases of the male genital organs.....	15	13	1	1
128	Uterine hemorrhage (nonpuerperal).....	10	2	3	3	1
129	Uterine tumor (noncancerous).....	142	5	27	57	36	10	7
130	Other diseases of the uterus.....	86	1	4	28	20	15	10	4	3	1
131	Cysts and other tumors of the ovary.....	58	1	8	10	17	11	6	3	2
132	Salpingitis and other diseases of the female genital organs.....	160	10	46	55	40	8	1
133	Nonpuerperal diseases of the breast (cancer excepted).....	6	2	2	1	1
	VII.—The puerperal state.....	1,446	125	636	557	126	1	1
134	Accidents of pregnancy.....	98	4	43	38	12	1
135	Puerperal hemorrhage.....	135	2	51	66	15	1
136	Other accidents of labor.....	111	4	32	51	24
137	Puerperal septicemia.....	673	62	329	248	34
138	Puerperal albuminuria and convulsions.....	386	51	168	130	37
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	39	2	11	22	4
140	Following childbirth (not otherwise defined).....	3	1	2
141	Puerperal diseases of the breast.....	1	1
	VIII.—Diseases of the skin and of the cellular tissue.....	537	131	11	4	6	3	11	6	13	18	30	32	70	104	84	14
142	Gangrene.....	259	9	1	1	2	3	2	2	4	15	10	42	81	74	11
143	Furuncle.....	57	13	1	1	1	1	4	2	3	9	10	8	3	1
144	Acute abscess.....	127	54	6	1	2	7	3	6	9	9	8	7	5	1
145	Other diseases of the skin and annexa.....	94	55	3	1	2	1	3	3	4	10	8	2	1
	IX.—Diseases of the bones and of the organs of locomotion.....	223	21	12	6	5	4	28	35	20	20	19	16	19	13	3	1
146	Diseases of the bones (tuberculosis excepted).....	190	18	10	6	4	3	27	34	15	18	18	14	11	9	2	1
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	18	3	1	1	1	4	1	1	2	2	1	1
148	Amputations.....	1	1	1	1	6	2
149	Other diseases of the organs of locomotion.....	15	1	1	1	1
	X.—Malformations.....	1,808	1,721	33	14	8	6	12	11	2	1
150	Congenital malformations (stillbirths not included) (total).....	1,808	1,721	33	14	8	6	12	11	2	1
	Hydrocephalus.....	118	91	12	4	3	1	4	3
	Congenital malformations of the heart.....	1,204	1,161	12	8	3	5	6	7	1	1
	Other congenital malformations.....	486	469	9	2	2	2	1	1
	XI.—Early infancy.....	7,761	7,761
151	Congenital debility, icterus, and sclerema (total).....	6,384	6,384
	Premature birth.....	3,866	3,866
	Congenital debility, "atrophy," "marasmus," etc.....	2,518	2,518
152	Other causes peculiar to early infancy (total).....	1,355	1,355
	Injuries at birth.....	773	773
	Other causes peculiar to early infancy ¹	582	582
153	Lack of care.....	22	22
	XII.—Old age.....	1,152	5	60	350	579	148
154	Senility.....	1,152	5	60	350	579	148
	XIII.—External causes.....	9,047	266	225	216	185	138	362	783	1,655	1,544	1,221	894	671	530	310	36
	Suicide (total).....	1,035	58	222	214	183	186	108	53	10	1
155	By poison.....	265	24	51	60	45	32	18	4	1
156	By asphyxia.....	119	7	13	28	20	36	12	3
157	By hanging or strangulation.....	133	3	19	29	38	49	26	17	2
158	By drowning.....	52	12	2	8	6	13	5	6	2
159	By firearms.....	322	22	91	67	51	42	33	13	3
160	By cutting or piercing instruments.....	61	4	17	15	9	9	5	1	1
161	By jumping from high places.....	18	1	3	5	1	4	4
162	By crushing.....	5	1	1	1	1
163	Other suicides.....	10	1	1	1	2	2	1	1
	Accidental or undefined (total).....	7,615	248	222	215	185	138	359	696	1,294	1,208	987	639	554	475	300	35
164	Poisoning by food.....	80	10	3	8	4	7	5	6	8	6	3	4	5	6	4
165	Other acute poisonings.....	194	31	28	12	9	2	7	13	28	22	16	12	8	4	2
166	Conflagration.....	105	6	2	7	6	4	9	4	7	13	15	10	10	10	2
167	Burns (conflagration excepted).....	837	37	112	124	121	72	99	42	43	48	36	34	24	27	18

¹ Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
RHODE ISLAND—Continued.																			
I.—General diseases—Continued.																			
36	Rickets.....	9																	
37	Syphilis.....	46	5	4															
38	Gonococcus infection.....	2	2	1															
	Cancer and other malignant tumors (total)	539		1			2	4	5	28	83	145	145	99	26	1			
	Of the buccal cavity.....	28																	
39	Of the stomach, liver.....	161																	
40	Of the peritoneum, intestines, rectum.....	86																	
41	Of the female genital organs.....	95																	
42	Of the breast.....	72																	
43	Of the skin.....	15																	
44	Of other organs or of organs not specified.....	82		1			1	3		3	11	16	24	19	3	1			
45	Other tumors (tumors of the female genital organs excepted).....	5								1			4						
46	Acute articular rheumatism.....	25		1			1	9	2	4	5	1		1	1				
47	Chronic rheumatism and gout.....	11						1	1					6	2				
48	Scurvy.....	2																	
49	Diabetes.....	122					3	4	9	12	30	36	21	7					
50	Exophthalmic goiter.....	4								2	1					1			
51	Addison's disease.....	1						1											
52	Leukemia.....	8		1					2	1	2	2							
53	Anemia, chlorosis.....	24	3			1		1	2	4	5	3	3	2					
54	Other general diseases.....	27	14	4	4		1		2				1						
55	Alcoholism (acute or chronic).....	38							6	8	9	10	2	2	1				
56	Chronic lead poisoning.....	1										1							
57	Other chronic occupation poisonings.....	1																	
58	Other chronic poisonings.....	3						1	1				1						
59	II.—Diseases of the nervous system and of the organs of special sense.....	898	51	26	10	3	1	10	15	16	50	89	131	232	182	76	5	1	
60	Encephalitis.....	2												2					
61	Meningitis (total).....	48	12	8	5	2	1	5	4	3	1	2	3	2					
	Simple meningitis.....	31	8	4	3		1	4	2	2	1	2	2	2					
	Cerebrospinal meningitis (undefined).....	13	3	4	1	2		1	1										
	Cerebrospinal fever.....	4	1		1			1					1						
62	Locomotor ataxia.....	19								4	3	6	4	2					
63	Other diseases of the spinal cord (total).....	35	1	3	2	1		1	1		2	8	11	3	2				
	Acute anterior poliomyelitis.....	9	1	3	2	1			1					1	1				
	Other diseases of the spinal cord ¹	26						1				2	8	11	2	2			
64	Cerebral hemorrhage, apoplexy.....	570	2	1	1		1		1	16	43	91	183	161	64	5		1	
65	Softening of the brain.....	4											2	1	1				
66	Paralysis without specified cause.....	43	1								1	6	5	14	11	5			
67	General paralysis of the insane.....	56								12	20	10	10	2	2				
68	Other forms of mental alienation.....	8							2	3	1	2							
69	Epilepsy.....	33	1	2				7	6	8	5	2	2						
70	Convulsions (nonpuerperal).....	1																	
71	Convulsions of infants.....	41	31	9	1														
72	Chorea.....	1											1						
73	Neuralgia and neuritis.....	3									1			1					
74	Other diseases of the nervous system.....	20	1	2			2	1	2	3	7		1		1				
75	Diseases of the eyes and their annexa.....	1													1				
76	Diseases of the ears.....	13	2	1	1		1	2	1	1		3			1				
	III.—Diseases of the circulatory system.....	1,295	8		1	1	1	5	30	44	65	107	177	313	347	172	23	1	
77	Pericarditis.....	4											1	1	2				
78	Acute endocarditis.....	48	2				2	5	4	6	13	15	1						
79	Organic diseases of the heart.....	963	4			1	1	3	23	36	54	74	137	246	262	109	12	1	
80	Angina pectoris.....	50									2	6	7	20	12	3			
81	Diseases of the arteries, atheroma, aneurism, etc.....	190							1			6	12	38	67	56	10		
82	Embolism and thrombosis.....	28								3	2	6	3	7	3	3	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	5							1			1	2			1			
84	Diseases of the lymphatic system (lymphangitis, etc.).....	4	2		1				1										
85	Hemorrhage; other diseases of the circulatory system.....	3									1	1			1				
	IV.—Diseases of the respiratory system.....	1,055	272	129	29	19	10	19	15	50	55	54	83	119	121	68	10	1	
86	Diseases of the nasal fossae.....	1																	
87	Diseases of the larynx.....	9	1	3	2	1		1						1					
88	Diseases of the thyroid body.....	1																	
89	Acute bronchitis.....	88	61	8		5	1	1	1	1		1	4	2	5		1		
90	Chronic bronchitis.....	51	1	3				1	1	1	1	1	9	6	13	11	3		
91	Bronchopneumonia.....	309	115	69	13	9	5	4	2	6	6	4	7	26	28	18	3		
92	Pneumonia (total).....	537	92	44	13	4	4	11	9	38	42	46	62	71	68	29	3	1	
	Lobar pneumonia.....	288	29	20	10	2	2	5	6	23	28	29	40	43	35	14	1	1	
	Pneumonia (undefined).....	249	63	24	3	2	2	6	3	15	14	17	22	28	33	15	2		
93	Pleurisy.....	26		2	1		2	2	5	3		1	5	4	1				

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.
RHODE ISLAND—Continued.																	
	X.—Malformations.....	105	101	2	2												
150	Congenital malformations (stillbirths not included) (total).....	105	101	2	2												
	Hydrocephalus.....	7	4	2	1												
	Congenital malformations of the heart.....	59	58		1												
	Other congenital malformations.....	39	39														
	XI.—Early infancy.....	574	574														
151	Congenital debility, icterus, and sclerema (total).....	438	438														
	Premature birth.....	232	232														
	Congenital debility, "atrophy," "marasmus," etc.....	206	206														
152	Other causes peculiar to early infancy (total).....	130	130														
	Injuries at birth.....	97	97														
	Other causes peculiar to early infancy ¹	33	33														
153	Lack of care.....	6	6														
	XII.—Old age.....	124											11	32	63	17	1
154	Senility.....	124											11	32	63	17	1
	XIII.—External causes.....	516	20	8	11	10	9	36	39	71	72	75	54	50	31	24	6
	Suicide (total).....	76							4	16	13	18	10	14	1		
155	By poison.....	8									3	3		2			
156	By asphyxia.....	17								4	5	4	2	2			
157	By hanging or strangulation.....	11								1	3	3	2	2			
158	By drowning.....	9								2	1	2	2	3			
159	By firearms.....	25							2	5	2	6	4	5	1		
160	By cutting or piercing instruments.....	5								1	2	2					
161	By jumping from high places.....										2	2					
162	By crushing.....										1	2					
163	Other suicides.....	1								1							
	Accidental or undefined (total).....	419	19	8	11	8	9	36	33	49	54	54	43	35	30	24	6
164	Poisoning by food.....	3			1	1		1									
165	Other acute poisonings.....	11	1	1	1					2	3	1	1	1			
166	Conflagration.....	2									1				1		
167	Burns (conflagration excepted).....	45	2	2	5	5	4	10	2	4	2	3	3		2	1	
168	Absorption of deleterious gases (conflagration excepted).....	32	7	1						2	4	5	8	1	3	1	
169	Accidental drowning.....	60		1	1		1	5	13	15	10	10	3	1			
170	Traumatism by firearms.....	3							2	2		3				1	
171	Traumatism by cutting or piercing instruments.....	4															
172	Traumatism by fall.....	97	1		1		2	1	4	2	9	12	11	16	12	21	5
173	Traumatism in mines and quarries (total).....	3									2	1					
	Traumatism in mines.....																
	Traumatism in quarries.....	3									2	1					
174	Traumatism by machines.....	10								4	5	1					
175	Traumatism by other crushing (total).....	116	2	1	2	2	1	16	11	12	16	15	13	12	12		1
	Railroad accidents and injuries.....	33							2	4	9	4	6	3	5		
	Street-car accidents and injuries.....	34		1	2			6	2	4	4	3	2	7	3		
	Automobile accidents and injuries.....	27				1		7	4	3	2	3	3	3	3	1	
	Injuries by other vehicles.....	19	2		2			3	2	1	1	4	1	2	1		
	Landslide, other crushing.....	3							1		3	1	1				
176	Injuries by animals.....	3								2				1			
177	Starvation.....																
178	Excessive cold.....	6	1							1			2	1			
179	Effects of heat.....	4	3										1				
180	Lightning.....																
181	Electricity (lightning excepted).....	2								1		1					
185	Fractures (cause not specified).....	1								1							
186	Other external violence.....	15	2	2			1	3	1	1	2		1	2			
	Homicide (total).....	21	1		2				2	6	5	3	1	1			
182	By firearms.....	9							2	4	2	1					
183	By cutting or piercing instruments.....	3								2			1				
184	By other means.....	9	1		2						3	2		1			
	XIV.—Ill-defined diseases.....	40	15	2	2		1		1	4	3	3	3	3	1	2	
187	Ill-defined organic disease.....	1															1
188	Sudden death.....	5	2							1	1						1
189	Not specified or ill-defined (total).....	34	13	2	2		1		1	3	2	3	3	3	1		
	Ill-defined.....	22	7	2	1		1		1	2	2	1	2	3	1		
	Not specified, or unknown.....	12	6		1					2		2	1				

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
UTAH.																			
	All causes.....	4,199	857	145	71	38	29	132	239	372	389	329	381	417	459	290	47	3	1
	I.—General diseases.....	846	79	38	20	10	14	41	57	100	101	101	119	92	52	22			
1	Typhoid fever.....	66	1	2	1	1	1	5	13	18	10	8	5	1					
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	1								1									
5	Smallpox.....	2						1		1									
6	Measles.....	12	5	2	3		2												
7	Scarlet fever.....	14	1	2	1	3	2	3	2										
8	Whooping cough.....	49	34	12		1		2											
9	Diphtheria and croup.....	39	6	2	5	1	4	14	7										
10	Influenza.....	26	7	3			1	1	2				3			2	7		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....																		
14	Dysentery.....	14	3	6	2						1					2			
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	22	11	2	1						2	2	1	2				1	
19	Other epidemic diseases.....	8		1	1							2	1	3					
20	Purulent infection and septicemia.....	9	3					1				1	1	2	1				
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....																		
24	Tetanus.....	4							2		1	1							
25	Mycoses.....																		
26	Pellagra.....																		
27	Beriberi.....																		
	Tuberculosis (total).....	209	1	2	4	2	3	6	8	55	53	29	29	11	4	2			
28	Tuberculosis of the lungs.....	151			3			2	4	40	41	24	24	9	2	2			
29	Acute miliary tuberculosis.....	18						1	2	6	1	1	1						
30	Tuberculous meningitis.....	8	1	2		1	1	1	1	3	2	2	1	1					
31	Abdominal tuberculous.....	12			1			2		3	2	1	1						
32	Pott's disease.....	6							1	2	1	1			1				
33	White swellings.....	4							1	1			2						
34	Tuberculosis of other organs.....	6				1			1	1			2		1				
35	Disseminated tuberculosis.....	4					1		2	1			2						
36	Rickets.....	3		2	1														
37	Syphilis.....	11	3						3	4	1								
38	Gonococcus infection.....	2	1						1										
	Cancer and other malignant tumors (total).....	190		1					5	4	10	31	56	47	29	7			
39	Of the buccal cavity.....	3										1	1	1	1				
40	Of the stomach, liver.....	102							2		2	16	32	30	18	2			
41	Of the peritoneum, intestines, rectum.....	13										1	4	4	4				
42	Of the female genital organs.....	27								1	4	9	8	3	2				
43	Of the breast.....	13								1	1	1	6	3		1			
44	Of the skin.....	5										1	1	3	1				
45	Of other organs or of organs not specified.....	27		1					3	2	3	2	6	6	1	3			
46	Other tumors (tumors of the female genital organs excepted).....	2								1		1							
47	Acute articular rheumatism.....	33				1		6	9	3	1	2	3	3	3	2			
48	Chronic rheumatism and gout.....	6								1		1	1	1	1				
49	Scurvy.....	1		1															
50	Diabetes.....	50					1	1	6	6	6	1	9	13	6	1			
51	Exophthalmic goiter.....	6							2			2	2						
52	Addison's disease.....	3							1										
53	Leukernia.....	6			1	1					1		1	1	1				
54	Anemia, chlorosis.....	10						1		1		2	1	3	2				
55	Other general diseases.....	4	3								1								
56	Alcoholism (acute or chronic).....	30								3	7	12	4	4					
57	Chronic lead poisoning.....	10								2	3	1	2	1	1				
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....	4									1	1	1						
	II.—Diseases of the nervous system and of the organs of special sense.....	346	28	7	4		2	10	16	23	23	16	40	60	70	42	5		
60	Encephalitis.....	5	1					2		2									
61	Meningitis (total).....	32	6	1	4		1	4	7	4	4		1						
	Simple meningitis.....	7	3		2				1										
	Cerebrospinal meningitis (undefined).....	8	2		1				3	1	1								
	Cerebrospinal fever.....	17	1	1	1		1	4	3	3	2		1						
62	Locomotor ataxia.....	3											3						
63	Other diseases of the spinal cord (total).....	25	2	1						3	2	2	6	3	4	2			
	Acute anterior poliomyelitis.....	5	2	1						2									
	Other diseases of the spinal cord.....	20								1	2	2	6	3	4	2			
64	Cerebral hemorrhage, apoplexy.....	175							1	4	5	10	24	43	55	29	4		
65	Softening of the brain.....	5											1	1	3				
66	Paralysis without specified cause.....	19											1	6	5	6	1		
67	General paralysis of the insane.....	7										3	2	1	1				
68	Other forms of mental alienation.....	8								1	1	2		1	2				

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.
UTAH—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																	
124	Diseases of the bladder.....	8	1										1		3	3		
125	Diseases of the urethra, urinary abscess, etc.....	2										1			1			
126	Diseases of the prostate.....	17										2	3	6	4	2		
127	Nonvenereal diseases of the male genital organs.....																	
128	Uterine hemorrhage (nonpuerperal).....																	
129	Uterine tumor (noncancerous).....	3								1		2						
130	Other diseases of the uterus.....	1								1								
131	Cysts and other tumors of the ovary.....	3									1					1		
132	Salpingitis and other diseases of the female genital organs.....	12								5	5	1	1					
133	Nonpuerperal diseases of the breast (cancer excepted).....	1											1					
	VII.—The puerperal state.....	50						5	25	13	7							
134	Accidents of pregnancy.....	3							2	1								
135	Puerperal hemorrhage.....	7						1	2	3	1							
136	Other accidents of labor.....	8						1	3	3	1							
137	Puerperal septicemia.....	20						1	10	5	4							
138	Puerperal albuminuria and convulsions.....	10						1	7	1	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	2						1	1									
140	Following childbirth (not otherwise defined).....																	
141	Puerperal diseases of the breast.....																	
	VIII.—Diseases of the skin and of the cellular tissue.....	10						1	1	1	1	2	1	1	2			
142	Gangrene.....	7										1	2	1	1	2		
143	Furuncle.....	1						1										
144	Acute abscess.....	2							1	1								
145	Other diseases of the skin and annexa.....																	
	IX.—Diseases of the bones and of the organs of locomotion.....	5				1		1	2						1			
146	Diseases of the bones (tuberculosis excepted).....	5				1		1	2						1			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....																	
148	Amputations.....																	
149	Other diseases of the organs of locomotion.....																	
	X.—Malformations.....	73	67	2	2	1	1											
150	Congenital malformations (stillbirths not included) (total).....	73	67	2	2	1	1											
	Hydrocephalus.....	9	8	1														
	Congenital malformations of the heart.....	42	38	1	2	1												
	Other congenital malformations.....	22	21			1												
	XI.—Early infancy.....	318	318															
151	Congenital debility, icterus, and sclerema (total).....	272	272															
	Premature birth.....	239	239															
	Congenital debility, "atrophy," "marasmus," etc.....	33	33															
152	Other causes peculiar to early infancy (total).....	45	45															
	Injuries at birth.....	23	23															
	Other causes peculiar to early infancy ¹	22	22															
153	Lack of care.....	1	1															
	XII.—Old age.....	113											2	28	64	18	1	
154	Senility.....	113											2	28	64	18	1	
	XIII.—External causes.....	490	10	21	11	4	3	14	61	101	110	54	43	28	15	11	4	
	Suicide (total).....	63							3	17	23	7	11	1	1			
155	By poison.....	12							1	6	3	1	1					
156	By asphyxia.....	2								1	1							
157	By hanging or strangulation.....	6									2	1	2		1			
158	By drowning.....	1																
159	By firearms.....	30							1	9	9	4	7					
160	By cutting or piercing instruments.....	10							1	1	7			1				
161	By jumping from high places.....	1									1							
162	By crushing.....																	
163	Other suicides.....	1																
	Accidental or undefined (total).....	387	10	21	11	4	3	14	53	71	73	41	31	27	13	11	4	
164	Poisoning by food.....	8			1				1	1	2			2				
165	Other acute poisonings.....	10	1	1	2				1	1	1	1	1					
166	Conflagration.....	3																
167	Burns (conflagration excepted).....	21	1	4	5			1	4	2	2	1				1		

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
UTAH—Continued.																	
168	XIII.—External causes—Continued.																
	Accidental or undefined—Continued.																
	Absorption of deleterious gases (conflagration excepted).....	7	4						1		2						
169	Accidental drowning.....	28	1	11	2	1		2	4	1	4		1		1		
170	Traumatism by firearms.....	22							10	6	1	2	1	1	1		
171	Traumatism by cutting or piercing instruments.....	1								1							
172	Traumatism by fall.....	62	1	2		2		5	7	4	6	3	3	9	9	7	4
173	Traumatism in mines and quarries (total).....	69							3	25	26	10	4	1			
	Traumatism in mines.....	69							3	25	26	10	4	1			
	Traumatism in quarries.....																
174	Traumatism by machines.....	5							1		2	1	1				
175	Traumatism by other crushing (total).....	113		3	1		3	4	12	20	23	17	16	9	2	3	
	Railroad accidents and injuries.....	50		2				1	1	8	16	10	7	3		2	
	Street-car accidents and injuries.....	8							2	3	3	1			1		
	Automobile accidents and injuries.....	20						1	3	4	3	2	3	4			
	Injuries by other vehicles.....	27		1	1		3	2	4	1	1	5	6	2	1		
	Landslide, other crushing.....	8							2	4	2						
176	Injuries by animals.....	3								1			1				
177	Starvation.....																
178	Excessive cold.....	1											1				
179	Effects of heat.....																
180	Lightning.....	5							2		1		2				
181	Electricity (lightning excepted).....	8							4	3	1						
185	Fractures (cause not specified).....	3								1			1	2			
186	Other external violence.....	18	2			1		2	3	5	1	2	1	1			
	Homicide (total).....	40							5	13	14	6	1		1		
182	By firearms.....	31							5	11	12	2	1				
183	By cutting or piercing instruments.....	4								1	1	2					
184	By other means.....	5								1	1	2			1		
	XIV.—Ill-defined diseases.....	99	30	2				4		5	6	10	7	13	10	5	5
187	Ill-defined organic disease.....	4												1	2		1
188	Sudden death.....	4		1										1	1		
189	Not specified or ill-defined (total).....	91	29	2				4		5	6	10	6	12	7	4	5
	Ill-defined.....	62	13					3		4	6	8	5	12	3	3	2
	Not specified, or unknown.....	29	16	2				1		1		2	1	2	2	1	1

VERMONT.

	All causes.....	5,430	729	103	55	35	30	81	177	276	317	385	540	817	1,123	630	118	4	5
	I.—General diseases.....	1,215	53	30	18	11	11	29	67	123	101	126	171	197	183	85	8		2
1	Typhoid fever.....	42		2				3	9	14	6	4	3	1					
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	1															1		
5	Smallpox.....																		
6	Measles.....	4	1	1					2										
7	Scarlet fever.....	12		3	1	1		4	3										
8	Whooping cough.....	36	21	7	4	1	1	1					1						
9	Diphtheria and croup.....	38		2	7	7	5	12	2			1	1	1					
10	Influenza.....	71	6	1					2	4	4	2	3	10	17	18	4		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	3									1			1		1			
14	Dysentery.....	7	1											5	1				
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	12	2							1	1		2	3	2	1			
19	Other epidemic diseases.....																		
20	Purulent infection and septicemia.....	9	1	1	1					2		1	1	2					
21	Glanders.....	1																	
22	Anthrax.....																		
23	Rabies.....																		
24	Tetanus.....	3						1	1										
25	Mycoses.....																		
26	Pellagra.....	2										1	1						
27	Beriberi.....																		
	Tuberculosis (total).....	368	10	11	2	1	3	4	29	37	55	66	49	37	11	3			
28	Tuberculosis of the lungs.....	282							20	73	49	55	42	32	10	1			
29	Acute miliary tuberculosis.....	9		1					1	4	1	1							
30	Tuberculous meningitis.....	29	8	8	2		1	3	3	2	1			1					
31	Abdominal tuberculosis.....	26	1			1	1		3	3	3	6	3	4			1		
32	Pott's disease.....	5					1		1	1						1			
33	White swellings.....	2		1															
34	Tuberculosis of other organs.....	11		1					3	1	2	3			1				
35	Disseminated tuberculosis.....	4	1						1		2								

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
VERMONT—Continued.																	
I.—General diseases—Continued.																	
36	Rickets.....	2	1		1												
37	Syphilis.....	12	3							1	2	3	1	2			
38	Gonococcus infection.....	1								1							
Cancer and other malignant tumors (total)																	
	Of the buccal cavity.....	397	2			1			6	3	15	23	81	92	112	56	4
39	Of the stomach, liver.....	17										1	2	3	5	6	
40	Of the peritoneum, intestines, rectum.....	131						1		1	6	28	34	41	20		
41	Of the female genital organs.....	57				1			1	1	4	2	11	12	18	5	
42	Of the breast.....	70								1	5	8	21	15	15	4	1
43	Of the skin.....	30								1	1	2	4	5	9	8	
44	Of other organs or of organs not specified.....	16											1	5	4	5	1
45	Other tumors (tumors of the female genital organs excepted).....	76	2						4		4	4	14	18	20	8	2
46	Acute articular rheumatism.....	22			1			1	2	2	2	2	3	3	6		
47	Chronic rheumatism and gout.....	6									1	3		2			
48	Scurvy.....	6															
49	Diabetes.....	81		1		1		1	9	4	5	8	6	19	23	4	
50	Exophthalmic goiter.....	8							1	1		1	4	1			
51	Addison's disease.....	5									1	1	2	1			
52	Leukemia.....	5			1						1		1		2		
53	Anemia, chlorosis.....	38	2				1		1	2		7	6	12	7		
54	Other general diseases.....	8	3	1					2		1		1				
55	Alcoholism (acute or chronic).....	17								1	5	3	3	2	2	1	
56	Chronic lead poisoning.....	2											1	1			
57	Other chronic occupation poisonings.....	2															
58	Other chronic poisonings.....	2								1				1			
59	Other chronic poisonings.....	2															
II.—Diseases of the nervous system and of the organs of special sense																	
	Encephalitis.....	781	40	15	6	7	5	12	23	23	22	36	79	161	237	101	14
60	Meningitis (total).....	5	1						1	1	1	1	1	1			
61	Simple meningitis.....	49	22	6	3	1	3	1	4	3	2	2	2	1		1	
	Cerebrospinal meningitis (undefined).....	42	20	4	2	1	3	1	3	3	1	2		1		1	
	Cerebrospinal fever.....	5	2	1					1		1						
	Locomotor ataxia.....	2		1	1												
62	Other diseases of the spinal cord (total).....	13							1	1	1	2	4	3	1	1	
63	Acute anterior poliomyelitis.....	76	2	4	3	6	2	8	14	7	7	3	3	6	9	2	
	Other diseases of the spinal cord ¹	54	2	4	3	6	2	8	13	7	6	1	1	1			
	Cerebral hemorrhage, apoplexy.....	22							1		1	2	2	5	9	2	
64	Softening of the brain.....	520	1					1	1	6	6	22	55	127	202	85	14
65	Paralysis without specified cause.....	14										1		3	6	4	
66	General paralysis of the insane.....	26												3	6	11	6
67	Other forms of mental alienation.....	13										1	4	5	2	1	
68	Epilepsy.....	14								1	1	1	4	3	3	1	
69	Convulsions (nonpuerperal).....	20	1	1			1	3	5	3	1	3	2				
70	Convulsions of infants.....	70															
71	Chorea.....	15	12	3													
72	Neuralgia and neuritis.....	5											2	3			
73	Other diseases of the nervous system.....	9		1				1			1	2	1	1	2		
74	Diseases of the eyes and their annexa.....	1													1		
75	Diseases of the ears.....	1	1												1		
76	Diseases of the ears.....	1	1												1		
III.—Diseases of the circulatory system																	
	Pericarditis.....	986	9	2		1		2	8	15	37	67	104	203	336	170	30
77	Acute endocarditis.....	5										1	1	3			
78	Organic diseases of the heart.....	21	2					1	1	4	3	8			1		
79	Angina pectoris.....	703	7	1		1		2	7	11	27	47	71	147	243	117	20
80	Diseases of the arteries, atheroma, aneurism, etc.....	77								2	1	13	15	22	18	5	1
81	Embolism and thrombosis.....	152									2	2	6	28	63	43	8
82	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	24								1	2		3	6	7	5	
83	Diseases of the lymphatic system (lymphangitis, etc.).....	2													1		
84	Hemorrhage, other diseases of the circulatory system.....	1		1													
85	Diseases of the respiratory system.....	558	94	21	14	3	2	10	16	10	23	37	39	66	111	89	17
86	Diseases of the nasal fossae.....	1															1
87	Diseases of the larynx.....	5	2					1							2		
88	Diseases of the thyroid body.....	55	18	4	4			2	2	1		1	1	2	8	10	2
89	Acute bronchitis.....	56						1				1	5	6	18	21	4
90	Chronic bronchitis.....	70	27	4	5	1		2	2		1	2	2	6	11	7	
91	Pneumonia (total).....	337	44	13	5	2	2	4	12	8	24	28	29	46	66	46	8
92	Lobar pneumonia.....	45	2	1	1			3	4	5	3	3	3	8	13	2	
	Pneumonia (undefined).....	292	42	12	4	2	2	4	9	4	19	25	26	38	53	44	8
93	Pleurisy.....	6								1	3	2		1	1	1	

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
VERMONT—Continued.																	
IV.—Diseases of the respiratory system—Continued.																	
94	Pulmonary congestion, pulmonary apoplexy.....	15	1									4		2	2	3	3
95	Gangrene of the lung.....																
96	Asthma.....	5										1		2	2		
97	Pulmonary emphysema.....																
98	Other diseases of the respiratory system (tuberculosis excepted).....	5	2									1		1	1		
V.—Diseases of the digestive system.																	
		536	193	31	13	6	6	15	22	19	29	32	46	44	42	34	3
99	Diseases of the mouth and annexa.....	4			1			1				1			1		
100	Diseases of the pharynx.....	7			1	1			2			1		1			
101	Diseases of the esophagus.....	1					1										
102	Ulcer of the stomach.....	17								2	1	6	4	4			
103	Other diseases of the stomach (cancer excepted).....	36	13	2				1		2		2		3	4	7	2
104	Diarrhea and enteritis (under 2 years).....	193	168	25													
105	Diarrhea and enteritis (2 years and over).....	49			9	5	2	2		1	6	4	2	3	7	8	
106	Ankylostomiasis.....																
107	Intestinal parasites.....																
108	Appendicitis and typhlitis.....	64		2	2		3	8	15	7	7	7	8	2		1	1
109	Hernia, intestinal obstruction (total).....	47	7	1						2	2	1	10	7	7	10	
	Hernia.....	17	1										3	3	3	3	
	Intestinal obstruction.....	30	6	1						2	2	1	3	4	4	7	
110	Other diseases of the intestines.....	9	1	1									2	3	1	1	
111	Acute yellow atrophy of the liver.....	4								3				1			
112	Hydatid tumor of the liver.....																
113	Cirrhosis of the liver.....	42										5	6	5	12	13	1
114	Biliary calculi.....	14										1	2	7	2	2	
115	Other diseases of the liver.....	23							1	1	1	4	3	6	3	4	
116	Diseases of the spleen.....	1													1		
117	Simple peritonitis (nonpuerperal).....	22	4				3	4	1	2		3			3	2	
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	3										2		1			
VI.—Nonvenereal diseases of the genito-urinary system and annexa.																	
		466	3	1			1	5	5	15	27	35	62	101	140	63	8
119	Acute nephritis.....	45	1				2	2	6	8	6	4	4	9	4	2	1
120	Bright's disease.....	355		1		1	3	2	8	15	23	49	82	116	49	6	
121	Chyluria.....																
122	Other diseases of the kidneys and annexa.....	7	1									2	1	2	1		
123	Calculi of the urinary passages.....																
124	Diseases of the bladder.....	19	1						1				1	3	6	6	1
125	Diseases of the urethra, urinary abscess, etc.....																
126	Diseases of the prostate.....	21											2	5	11	3	
127	Nonvenereal diseases of the male genital organs.....	1														1	
128	Uterine hemorrhage (nonpuerperal).....																
129	Uterine tumor (noncancerous).....	4										1	3				
130	Other diseases of the uterus.....	3										2	1				
131	Cysts and other tumors of the ovary.....	10								1	1	1	4	1	1	1	
132	Salpingitis and other diseases of the female genital organs.....	1											1				
133	Nonpuerperal diseases of the breast (cancer excepted).....																
VII.—The puerperal state.																	
		71						9	25	30	7						
134	Accidents of pregnancy.....	7								1	4	2					
135	Puerperal hemorrhage.....	9							1	3	5						
136	Other accidents of labor.....	7							1	3	3						
137	Puerperal septicemia.....	24							4	11	7	2					
138	Puerperal albuminuria and convulsions.....	17							3	6	7	1					
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	7								1	4	2					
140	Following childbirth (not otherwise defined).....																
141	Puerperal diseases of the breast.....																
VIII.—Diseases of the skin and of the cellular tissue.																	
		21	5									2		1	3	6	3
142	Gangrene.....	14	1									1		3	5	3	1
143	Furuncle.....	1													1		
144	Acute abscess.....	3	1									1					
145	Other diseases of the skin and annexa.....	3	3														
IX.—Diseases of the bones and of the organs of locomotion.																	
		10		1				2		1			2	1	2		1
146	Diseases of the bones (tuberculosis excepted).....	7		1				2		1			1	1	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	1											1				
148	Amputations.....																
149	Other diseases of the organs of locomotion.....	2													1		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.
VERMONT—Continued.																		
	X.—Malformations.....	65	64	1														
150	Congenital malformations (stillbirths not included) (total).....	65	64	1														
	Hydrocephalus.....	8	8															
	Congenital malformations of the heart.....	35	34	1														
	Other congenital malformations.....	22	22															
	XI.—Early infancy.....	249	249															
151	Congenital debility, icterus, and sclerema (total).....	207	207															
	Premature birth.....	156	156															
	Congenital debility, "atrophy," "marasmus," etc.....	51	51															
152	Other causes peculiar to early infancy (total).....	40	40															
	Injuries at birth.....	23	23															
	Other causes peculiar to early infancy ¹	17	17															
153	Lack of care.....	2	2															
	XII.—Old age.....	136										1	5	35	61	31	3	
154	Senility.....	136										1	5	35	61	31	3	
	XIII.—External causes.....	323	10	6	3	7	5	6	26	45	40	45	34	36	31	23	5	1
	Suicide (total).....	46							3	8	4	10	12	4	5			
	By poison.....	15							1	4	3	3	4					
156	By asphyxia.....	9									1	2	2	2				
157	By hanging or strangulation.....	1																
158	By drowning.....	1								1								
159	By firearms.....	16						2	3			4	4	1	2			
160	By cutting or piercing instruments.....	3										1	1	1				
161	By jumping from high places.....	1																
162	By crushing.....	1											1					
163	Other suicides.....	1													1			
	Accidental or undefined (total).....	270	10	6	3	7	5	6	23	35	35	35	20	30	26	23	5	1
164	Poisoning by food.....	8	4		1	1						1	1		1			
165	Other acute poisonings.....	22		2	1	1	1			2	4	5	2	4				
166	Conflagration.....	4						1			1	1				1	1	
167	Burns (conflagration excepted).....	17	1	3	1	4	2		2	1	1				1	1		
168	Absorption of deleterious gases (conflagration excepted).....	3	1								1		1					
169	Accidental drowning.....	40				2	4	12	12	4	4			1	1			
170	Traumatism by firearms.....	7					1	4	1		4	4	1					
171	Traumatism by cutting or piercing instruments.....	68	2					1	4	3	4	3	8	17	21	5		
172	Traumatism by fall.....	12						1		5	3	2	1					
173	Traumatism in mines and quarries (total).....	12						1		5	3	2	1					
	Traumatism in mines.....	12						1		5	3	2	1					
	Traumatism in quarries.....	9						1	2	2	2	1	3					
174	Traumatism by machines.....	51	1		1	1		3	7	10	9	8	8	2				1
	Railroad accidents and injuries.....	20						1	6	4	4	2	3					
	Street-car accidents and injuries.....	12				1		1		2	4	3	1					
	Automobile accidents and injuries.....	16	1		1			1	1	4	3	5	1					
	Injuries by other vehicles.....	3						1		1	1	3	1					1
	Landslide, other crushing.....	5									1		3	1				
176	Injuries by animals.....	6											1	1				
177	Starvation.....	1																
178	Excessive cold.....	6							1	1	2		1	1				
179	Effects of heat.....	1								1								
180	Lightning.....	7										1						
181	Electricity (lightning excepted).....	9	1	1					2	2	2				1			
185	Fractures (cause not specified).....	7							2	1	1	1	1					
186	Other external violence.....	5							2	1	2							
	Homicide (total).....	7							2	1		2	2					
182	By firearms.....	5							2	1		2	2					
183	By cutting or piercing instruments.....	2																
184	By other means.....	13	9		1			1				1			1			
	XIV.—Ill-defined diseases.....	13	9		1			1				1			1			
187	Ill-defined organic disease.....																	
188	Sudden death.....	13	9		1			1				1			1			
189	Not specified or ill-defined (total).....	2			1			1										
	Ill-defined.....	11	9		1			1				1			1			
	Not specified, or unknown.....																	

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
VIRGINIA (TOTAL).																			
	All causes.....	30,117	5,898	1,226	549	336	220	682	1,613	2,766	2,593	2,421	2,783	3,481	3,363	1,745	329	58	54
	I.—General diseases.....	8,716	826	379	222	159	93	346	793	1,412	1,166	886	814	770	597	213	27	3	10
1	Typhoid fever.....	587	7	7	10	11	7	62	146	137	75	57	33	28	4	2			1
2	Typhus fever.....	3						1				1			1				
3	Relapsing fever.....	169	16	5	12	6	5	16	14	22	15	14	15	14	9	6			
4	Malaria.....	18	7							2	2	1	2	1	1	1			
5	Smallpox.....	116	25	26	18	7	5	11	10	2	4	6	1	1					
6	Measles.....	383	4	4	2	6	3	15	3	1									
7	Scarlet fever.....	679	357	162	60	44	14	28	11			1	1						
8	Whooping cough.....	340	77	44	53	34	31	70	26	3									
9	Diphtheria and croup.....	261	23	12	6	1	1	3	8	13	11	15	18	42	57	40	7	3	1
10	Influenza.....																		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	18	7	1				2					2	2	3	1			
14	Dysentery.....	251	44	36	13	2	1	1	5	11	18	11	17	31	36	20	5		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	55	20	1		1		1	1	2	4	8	2	10	4				
19	Other epidemic diseases.....	11	7		1	1		2											
20	Purulent infection and septicemia.....	53	3		2			4	5	7	8	7	4	7	4	2			
21	Glanders.....																		
22	Anthrax.....	1											1						
23	Rabies.....	2						2											
24	Tetanus.....	63	24		2	2	2	8	8	3	6	2	5	1					
25	Mycoses.....	1												1					
26	Pellagra.....	250						7	16	33	63	46	42	29	13	1			
27	Beriberi.....																		
28	Tuberculosis (total).....	3,914	103	55	33	32	14	89	484	1,069	777	473	319	258	167	32	3		6
29	Tuberculosis of the lungs.....	3,368	50	25	20	13	8	53	424	949	697	436	283	227	147	28	3		5
30	Acute miliary tuberculosis.....	110	3	2	2	2		5	15	37	30	9	5	2					
31	Tuberculous meningitis.....	134	30	19	8	11	4	16	14	15	10	1	3	3					
32	Abdominal tuberculosis.....	183	14	7	4	3	2	9	18	33	21	17	17	19	18	1			
33	Pott's disease.....	26				2		3	3	8	5	2	3						
34	White swellings.....	15						2	4	6	3	1	4		1				
35	Tuberculosis of other organs.....	55	4	1	1	1		2	4	12	8	6	7	4	2	2			1
36	Disseminated tuberculosis.....	23	2	1				1	2	9	3	1	1	3					
37	Rickets.....	24	13	4	1	2	2	2											
38	Syphilis.....	226	67	10	4	3		3	6	36	34	30	19	9	3	2			
39	Gonococcus infection.....	9	1			1		1		1	2	3		1					
40	Cancer and other malignant tumors (total).....	1,051			4	1	2	3	6	19	75	158	229	263	212	70	8		1
41	Of the buccal cavity.....	40						1	1	1	3	3	3	8	12	8			
42	Of the stomach, liver.....	326			1		1	1	1	6	14	28	76	98	84	14	1		1
43	Of the peritoneum, intestines, rectum.....	78						1		1	5	12	18	28	11	2			
44	Of the female genital organs.....	249								3	29	78	67	39	24	9			
45	Of the breast.....	105								2	13	13	19	32	16	10			
46	Of the skin.....	65						1	1		1	8	13	24	12	5			
47	Of other organs or of organs not specified.....	188			3	1	1		3	5	11	23	33	45	41	15	2		
48	Other tumors (tumors of the female genital organs excepted).....	13							1	1	1	2	4	2		2			
49	Acute articular rheumatism.....	136	2	3		2	2	10	19	13	16	10	14	17	16	9	3		
50	Chronic rheumatism and gout.....	29									2		6	4	13	4			
51	Scurvy.....	2	2																
52	Diabetes.....	177		1		1	3	6	11	14	19	17	37	34	25	9			
53	Exophthalmic goiter.....	18								1	2	6	4	4	1				
54	Addison's disease.....	7	1								2	2	3	1					
55	Leukemia.....	24			1			5	2	3	2	1	6	1	3				
56	Anemia, chlorosis.....	50	3	3				1	2	5	8	4	6	8	7	3			
57	Other general diseases.....	36	13	5		2	1		2	4		1	2	1	3	2			
58	Alcoholism (acute or chronic).....	72							1	10	21	12	14	7	5	1			1
59	Chronic lead poisoning.....	2										1	1						
60	Other chronic occupation poisonings.....										1	3	1	1	2				
61	Other chronic poisonings.....	10																	
62	II.—Diseases of the nervous system and of the organs of special sense.....	3,065	266	75	41	20	14	46	86	91	163	279	426	646	604	263	33	6	6
63	Encephalitis.....	27	8		2			1	4		4	3	1	1	3				
64	Meningitis (total).....	243	77	40	22	10	8	24	28	14	11	8	2	3	1				
65	Simple meningitis.....	144	47	27	16	3	2	11	14	7	7	7	1	2					
66	Cerebrospinal meningitis (undefined).....	59	15	8	5	5	3	7	5	6	1	1	1	1					
67	Cerebrospinal fever.....	40	15	5	1	2	3	6	4	1	3								
68	Locomotor ataxia.....	33							1		2	7	2	12	9				
69	Other diseases of the spinal cord (total).....	129	15	6	7	2	1	9	3	7	3	5	17	25	17	7			
70	Acute anterior poliomyelitis.....	42	14	5	7	1	1	7	1	2	1	1	2						
71	Other diseases of the spinal cord ¹	87	1	1		1		2	2	5	7	4	15	25	17	7			
72	Cerebral hemorrhage, apoplexy.....	1,485	8	7	1	1		1	8	29	58	165	275	413	350	144	18	4	3
73	Softening of the brain.....	47									3	2	1	12	23	6			
74	Paralysis without specified cause.....	553	4	1	1		1	1	6	4	13	33	82	134	170	85	13	2	3
75	General paralysis of the insane.....	78									1	13	18	14	11	13	7	1	
76	Other forms of mental alienation.....	54							1	3	9	8	10	14	3	6			

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
VIRGINIA (TOTAL)—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	124	2	3			1	3	26	23	26	18	8	7	5	2			
70	Convulsions (nonpuerperal).....	10						1	4	1	2	1	1						
71	Convulsions of infants.....	164	137	16	5	3	3												
72	Chorea.....	4	1						1		1			1					
73	Neuralgia and neuritis.....	13							2	1	3		2	3		1	1		
74	Other diseases of the nervous system.....	85	7	1	2	3		4	5	8	10	10	11	10	10	4	1		
75	Diseases of the eyes and their annexa.....	1														1			
76	Diseases of the ears.....	15	7	1	1	1		2	2		1								
III.—Diseases of the circulatory system.																			
		3,207	29	4	5	9	6	19	67	123	239	327	510	770	722	317	49	3	8
77	Pericarditis.....	32					1		1	4	2	1	6	6	8	2	1		
78	Acute endocarditis.....	91		1	1	1		2	13	10	16	16	24	4	2	1			
79	Organic diseases of the heart.....	2,651	21	3	3	5	4	17	53	95	190	268	423	660	607	252	39	3	8
80	Angina pectoris.....	100								4	7	11	17	35	17	9			
81	Diseases of the arteries, atheroma, aneurism, etc.....	247								3	17	19	28	48	78	46	8		
82	Embolism and thrombosis.....	48								3	3	7	10	13	6	5	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	7				1				1	1	2	2						
84	Diseases of the lymphatic system (lymphangitis, etc.).....	8	3			1	1					1	1	1					
85	Hemorrhage; other diseases of the circulatory system.....	23	5		1	1				3	3	2		3	3	2			
IV.—Diseases of the respiratory system.																			
		2,936	715	250	98	47	23	69	149	198	207	191	212	283	292	161	29	2	5
86	Diseases of the nasal fossae.....	24	13	3		1					1					1			
87	Diseases of the larynx.....	19	6	1	3	1	3			2			1		1	1			
88	Diseases of the thyroid body.....	8								2									
89	Acute bronchitis.....	156	80	28	8	6	1	4	8	9	6	6	5	1	4	6	1		
90	Chronic bronchitis.....	152	6					3	8	4	9	7	16	22	45	22	4	1	
91	Bronchopneumonia.....	642	262	100	48	16	8	15	16	18	16	13	16	29	47	35	3		
92	Pneumonia (total).....	1,636	312	110	37	23	14	45	106	136	142	134	138	192	150	76	15	1	5
	Lobar pneumonia.....	684	53	23	11	7	6	18	55	80	83	72	77	88	73	32	3	1	2
	Pneumonia (undefined).....	952	259	87	26	16	8	27	51	56	59	62	61	104	77	44	12		3
93	Pleurisy.....	40			1			1	8	4	8	4	4	6	2	1	1		
94	Pulmonary congestion, pulmonary apoplexy.....	92	23	3			1		2	14	3	8	9	8	11	9	1		
95	Gangrene of the lung.....	6								2	1	1	1	1	1	1			
96	Asthma.....	76	1	2	1					5	6	11	13	15	16	5	1		
97	Pulmonary emphysema.....	10		1				2	1	1	2			1	2				
98	Other diseases of the respiratory system (tuberculosis excepted).....	75	7	2			1	1	7	5	11	6	9	8	11	4	3		
V.—Diseases of the digestive system.																			
		2,942	1,164	325	92	28	21	57	112	161	154	159	184	210	182	79	12	1	1
99	Diseases of the mouth and annexa.....	43	33	3	1			1			1	2		1	1				
100	Diseases of the pharynx.....	35	7	2	2	1	1		3	6	3		1	1	5	1	1		
101	Diseases of the esophagus.....	2			2														
102	Ulcer of the stomach.....	55							1	10	10	11	11	7	5				
103	Other diseases of the stomach (cancer excepted).....	322	76	15	10	3	2	8	9	16	19	22	37	42	39	18	6		
104	Diarrhea and enteritis (under 2 years).....	1,258	975	283															
105	Diarrhea and enteritis (2 years and over).....	330			65	15	8	14	9	16	20	22	27	49	48	33	2	1	1
106	Ankylostomiasis.....	4	1						3										
107	Intestinal parasites.....	13		4	4	1	1	2	1										
108	Appendicitis and typhlitis.....	177					1	17	50	40	21	21	13	6	7	1			
109	Hernia, intestinal obstruction (total).....	223	44	8	3	3	4	8	11	25	19	23	18	21	22	13	1		
	Hernia.....	55	10							1	5	5	9	13	5	6	1		
	Intestinal obstruction.....	168	34	8	3	3	4	8	11	24	14	18	9	8	17	7			
110	Other diseases of the intestines.....	76	21	5			1	1	5	4	11	5	5	6	7	5			
111	Acute yellow atrophy of the liver.....	7							1	2	1		1	1	1				
112	Hydatid tumor of the liver.....	2							1				1						
113	Cirrhosis of the liver.....	156	1	1					1	5	16	29	37	37	27	1	1		
114	Biliary calculi.....	47						1		2	6	5	10	13	8	2			
115	Other diseases of the liver.....	102	4	1	4	2	2		3	10	13	10	15	21	12	4	1		
116	Diseases of the spleen.....	6								1	2	1	1	1					
117	Simple peritonitis (nonpuerperal).....	74	2	3	1	3	1	4	14	21	10	7	4	4					
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....		10							3	2	1	3			1			
VI.—Nonvenereal diseases of the genito-urinary system and annexa.																			
		2,417	30	16	10	6	7	17	42	106	202	262	402	540	519	222	28	2	6
119	Acute nephritis.....	211	13	8	5	3	5	8	11	22	27	36	31	22	14	5			1
120	Bright's disease.....	1,899	8	7	5	3	2	8	22	54	131	190	336	466	455	184	22	2	4
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	76	8					1	2	5	11	7	6	14	14	6	2		
123	Calculi of the urinary passages.....	10								1	1	1	4	2		1			

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
VIRGINIA (TOTAL)—Continued.																			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
124	Diseases of the bladder.....	34									1		3		4	12	11	3	
125	Diseases of the urethra, urinary abscess, etc.....	11											2	3	3	1	1		
126	Diseases of the prostate.....	69								1		2	2	5	25	22	12	1	
127	Nonvenereal diseases of the male genital organs.....	3	1	1						1									
128	Uterine hemorrhage (nonpuerperal).....	1																	
129	Uterine tumor (noncancerous).....	29								1	12	10	2		3		1		
130	Other diseases of the uterus.....	27								1	6	7	8	4			1		
131	Cysts and other tumors of the ovary.....	13								1	1	3	7		1	1			
132	Salpingitis and other diseases of the female genital organs.....	34								6	15	9	3	1					
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
	VII.—The puerperal state.....	487							80	206	157	44							
134	Accidents of pregnancy.....	34							3	11	16	4							
135	Puerperal hemorrhage.....	44							3	16	17	8							
136	Other accidents of labor.....	62							11	22	17	12							
137	Puerperal septicemia.....	179							28	85	50	16							
138	Puerperal albuminuria and convulsions.....	159							35	72	48	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	7									7								
140	Following childbirth (not otherwise defined).....	2									2								
141	Puerperal diseases of the breast.....																		
	VIII.—Diseases of the skin and of the cellular tissue.....	97	10	1	2	2		4	1	4	10	12	14	15	17	5			
142	Gangrene.....	49	1		2					2	2	5	10	12	10	5			
143	Furuncle.....	5						1			1	1			1				
144	Acute abscess.....	12	3	1		1			1	1	3		2						
145	Other diseases of the skin and annexa.....	31	6			1		3		1	4	6	2	2	6				
	IX.—Diseases of the bones and of the organs of locomotion.....	44	5	1	1	2	1	3	6	9	3	1	8	1	2	1			
146	Diseases of the bones (tuberculosis excepted).....	39	5		1	2	1	2	6	7	3	1	7	1	2	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2		1				1											
148	Amputations.....	1								1									
149	Other diseases of the organs of locomotion.....	2								1			1						
	X.—Malformations.....	258	239	9	2	1	1	6											
150	Congenital malformations (stillbirths not included) (total).....	258	239	9	2	1	1	6											
	Hydrocephalus.....	31	21	7				3											
	Congenital malformations of the heart.....	122	117	1	2	1		1											
	Other congenital malformations.....	105	101	1			1	2											
	XI.—Early infancy.....	1,926	1,926																
151	Congenital debility, icterus, and sclerema (total).....	1,651	1,651																
	Premature birth.....	988	988																
	Congenital debility, "atrophy," "marasmus," etc.....	663	663																
152	Other causes peculiar to early infancy (total).....	258	258																
	Injuries at birth.....	131	131																
	Other causes peculiar to early infancy ¹	127	127																
153	Lack of care.....	17	17																
	XII.—Old age.....	800										4	39	239	358	127	33		
154	Senility.....	800										4	39	239	358	127	33		
	XIII.—External causes.....	1,990	129	79	48	55	42	103	246	411	268	201	136	102	89	59	8	3	11
	Suicide (total).....	155							4	38	27	37	24	17	8				
155	By poison.....	42							2	15	8	7	5	3	2				
156	By asphyxia.....	8								2	2	2	2						
157	By hanging or strangulation.....	11								2	2	3	2						
158	By drowning.....	11								4	1	1		4	1				
159	By firearms.....	72							2	13	12	22	14	7	2				
160	By cutting or piercing instruments.....	9								1	1	2	1	3	1				
161	By jumping from high places.....	1								1									
162	By crushing.....	1									1								
163	Other suicides.....										1								
	Accidental or undefined (total).....	1,579	114	79	48	54	40	102	201	274	191	135	101	82	80	58	8	3	9
164	Poisoning by food.....	20	5	3	1	2	1	1		4	1	2							
165	Other acute poisonings.....	56	4	12	9	1	3	5	2	2	4	7		3	3	1			
166	Conflagration.....	43	7	4	3	5	2	5	1	2	4	2	2	2	4				
167	Burns (conflagration excepted).....	272	14	36	23	39	23	37	10	16	16	13	11	11	10	7	2		4

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
VIRGINIA (TOTAL)—Continued.																	
168	XIII.—External causes—Continued. Accidental or undefined—Continued. Absorption of deleterious gases (conflagration excepted)	75	53				1		1	5	7	5	3				2
169	Accidental drowning	163	3	7	3		1	6	49	45	19	14	9	3	1	1	1
170	Traumatism by firearms	99	2			1		14	42	24	6	7	1				1
171	Traumatism by cutting or piercing instruments	4							2	1			1				
172	Traumatism by fall	213	11	5	3	3	3	5	9	15	17	17	17	20	39	41	4
173	Traumatism in mines and quarries (total)	68						1	13	25	12	14	1				1
	Traumatism in mines	63						1	13	25	11	11	1				1
	Traumatism in quarries	5									1	3	6	6			
174	Traumatism by machines	52					1	3	2	15	11	6	6	2			
175	Traumatism by other crushing (total)	304	2	1		2	3	12	45	85	61	25	29	22	13	3	1
	Railroad accidents and injuries	199				1		1	31	70	47	17	18	11	1	2	
	Street-car accidents and injuries	24		1			1	5	2	4	4	4	2	1			
	Automobile accidents and injuries	26					2	5	5	5	1		4	2	2		
	Injuries by other vehicles	47	2			1		1	5	4	6	4	5	8	9	1	1
	Landslide, other crushing	8							2	2	3			1			
176	Injuries by animals	18		3	1			2	4	1	1	1	3	1	1		
177	Starvation	7	4					1									
178	Excessive cold	24							1	4	2	5	2	4	3	2	
179	Effects of heat	16	2						1	1	2	3	4	4			
180	Lightning	26		1	1		2	1	6	9	2	3	1				
181	Electricity (lightning excepted)	8						1	1	3	2	1					
185	Fractures (cause not specified)	13			1			1	1	1	2	2	1	2	1	3	1
186	Other external violence	98	7	7	3	1		8	12	16	22	10	9	2	1		
	Homicide (total)	236	15			1	2	1	41	99	50	29	11	3	1	1	
182	By firearms	169						1	28	72	34	23	7	3			
183	By cutting or piercing instruments	34							7	12	11	2	2				
184	By other means	53	15			1	2		6	15	5	4	2		1	1	
	XIV.—Ill-defined diseases	1,232	559	87	28	7	7	16	28	48	30	61	75	106	102	55	11
187	Ill-defined organic disease	102	2	1	2				2	11	1	4	10	25	26	15	3
188	Sudden death	78	17	1	1			2	2	3	4	3	8	11	12	6	
189	Not specified or ill-defined (total)	1,052	540	85	25	7	7	14	24	34	25	49	56	70	64	34	6
	Ill-defined	397	104	61	15	2	2	9	12	16	20	28	40	40	37	13	1
	Not specified, or unknown	655	436	34	10	5	5	5	12	18	5	21	16	30	27	16	5

VIRGINIA (WHITE).

	All causes	3,280	649	230	172	116	356	701	1,207	1,209	1,187	1,504	2,305	2,466	1,278	179	9	10
	I.—General diseases	4,650	398	192	121	80	60	172	305	594	574	470	503	539	484	170	18	
1	Typhoid fever	337	2	4	4	5	5	27	77	86	50	33	21	20	3			
2	Typhus fever																	
3	Relapsing fever																	
4	Malaria	54	3	2	2	2	1	3	5	5	6	8	5	6	5	1		
5	Smallpox	6	4										1		1			
6	Measles	87	15	16	15	5	4	9	9	2	4	6	1	1				
7	Scarlet fever	38	4	4	2	6	3	15	3	1								
8	Whooping cough	271	160	64	22	8	4	9	2			1			1			
9	Diphtheria and croup	265	53	36	42	29	29	54	17	3				1	1			
10	Influenza	163	9	4	2	1	1	1	5	6	2	7	10	28	49	35	3	
11	Miliary fever																	
12	Asiatic cholera																	
13	Cholera nostras	10	5										1	3	1			
14	Dysentery	132	17	23	7		1	1	3	6	1	7	19	28	17	2		
15	Plague																	
16	Yellow fever																	
17	Leprosy																	
18	Erysipelas	48	17	1		1			1	2	4	7	1	10	4			
19	Other epidemic diseases	4	2		1	1												
20	Purulent infection and septicemia	36	1		1			2	4	3	6	7	3	4	3	2		
21	Glanders																	
22	Anthrax	1											1					
23	Rabies	1							1									
24	Tetanus	22	4		1		1	3	5	1	4	1	2					
25	Mycoses	1												1				
26	Pellagra	141						3	6	14	35	29	28	16	9	1		
27	Berberi																	
	Tuberculosis (total)	1,822	57	28	16	17	5	26	135	418	367	237	187	176	130	21	2	
28	Tuberculosis of the lungs	1,536	16	7	7	6	2	10	114	366	333	219	165	158	114	19	2	
29	Acute miliary tuberculosis	39	2	2				1	2	13	15	1	2	1				
30	Tuberculous meningitis	91	25	15	4	7	2	10	7	10	7	2	2	2				
31	Abdominal tuberculosis	91	9	4	4	2	1	2	3	12	6	9	11	10	15	1		
32	Pott's disease	14				1		2	3	2	2	2	2					
33	White swellings	10						4	3	3	2	1	1					
34	Tuberculosis of other organs	30	3		1	1		1		1	5	4	4	1	1			
35	Disseminated tuberculosis	11	2						4	1		1	3					

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
VIRGINIA (WHITE)—Continued.																			
I.—General diseases—Continued.																			
36	Rickets.....	7	4	1			1		1										
37	Syphilis.....	66	26	1	1	1		1	2	7	7	9	6	3	1	1			
38	Gonococcus infection.....	4	1							1	1	1							
	Cancer and other malignant tumors (total).	767			4		1	2	3	12	35	91	157	203	186	65	8		
39	Of the buccal cavity.....	35								1	2	3	3	7	12	7			
40	Of the stomach, liver.....	251			1		1	1	1	3	7	21	52	75	75	13	1		
41	Of the peritoneum, intestines, rectum.....	62								1	3	8	15	25	7	2			
42	Of the female genital organs.....	139								2	11	36	37	27	17	9			
43	Of the breast.....	78								1	6	9	14	24	13	9			
44	Of the skin.....	57								1			5	11	24	11	5		
45	Of other organs or of organs not specified.....	147			3			2	3	6	14	31	54	38	14	2			
46	Other tumors (tumors of the female genital organs excepted).....	4								1			1	2					
47	Acute articular rheumatism.....	73	2	1		1	1	8	14	7	5	3	3	14	5	6	3		
48	Chronic rheumatism and gout.....	21									1		5	3	10	2			
49	Scurvy.....	1	1																
50	Diabetes.....	138		1		1	2	5	10	9	16	12	30	24	22	6			
51	Exophthalmic goiter.....	12								1	2	3	3	2	1				
52	Addison's disease.....	7	1									2	3	1					
53	Leukemia.....	18			1			2	2	2	2	1	5		3				
54	Anemia, chlorosis.....	40	1	3				1	2	2	7	4	5	6	7	2			
55	Other general diseases.....	28	9	3		2	1		1	3		1	1	1	2	2			
56	Alcoholism (acute or chronic).....	47							1	6	13	7	9	5	5	1			
57	Chronic lead poisoning.....	2										1	1						
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....	8								1	2	1	1	2	1				
II.—Diseases of the nervous system and of the organs of special sense.....																			
		1,833	141	45	31	11	11	25	43	44	81	130	200	429	426	194	21	1	
60	Encephalitis.....	15	6		1				1		2	2	1		2				
61	Meningitis (total).....	167	54	31	17	4	8	13	13	9	8	5	2	2	1				
	Simple meningitis.....	101	35	21	13	2	2	6	7	4	5	4	1	1					
	Cerebrospinal meningitis (undefined).....	40	10	6	3	1	3	4	3	5	1	1	1	1					
	Cerebrospinal fever.....	26	9	4	1	1	3	3	3		2								
62	Locomotor ataxia.....	28							1		1	5	2	10	9				
63	Other diseases of the spinal cord (total).....	80	10	3	5	1		4	3	4	3	3	10	15	14	5			
	Acute anterior poliomyelitis.....	24	9	2	5			4	1		1	1	1						
	Other diseases of the spinal cord ¹	56	1	1		1			2	4	2	2	9	15	14	5			
64	Cerebral hemorrhage, apoplexy.....	878	6	4	1	1		1	3	8	20	68	128	278	247	101	11	1	
65	Softening of the brain.....	29							2	2	2	2	7	14	4				
66	Paralysis without specified cause.....	320	4	1	1				2	1	4	6	28	82	116	66	9		
67	General paralysis of the insane.....	65							1	12	14	10	11	11	6				
68	Other forms of mental alienation.....	37							2	4	4	7	13	2	5				
69	Epilepsy.....	73	1	2			1	1	12	15	18	12	4	3	3	1			
70	Convulsions (nonpuerperal).....	5							1		1	1							
71	Convulsions of infants.....	61	51	3	3	2	2												
72	Chorea.....	3							1		1			1					
73	Neuralgia and neuritis.....	7									1		2	2		1	1		
74	Other diseases of the nervous system.....	50	2	1	2	2		3	3	4	4	7	6	5	7	4			
75	Diseases of the eyes and their annexa.....	1														1			
76	Diseases of the ears.....	14	7		1	1		2	2			1							
III.—Diseases of the circulatory system.....																			
		1,853	16		1	4	2	9	34	35	77	126	250	498	543	231	26	1	
77	Pericarditis.....	17							1		1	1	3	3	8				
78	Acute endocarditis.....	34			1			1	6	3	8	4	8	2	1				
79	Organic diseases of the heart.....	1,523	12			3	1	8	27	58	101	205	420	458	183	19			
80	Angina pectoris.....	77							3	3	7	14	29	15	6				
81	Diseases of the arteries, atheroma, aneurism, etc.....	151								1	4	5	12	32	54	37	6		
82	Embolism and thrombosis.....	34									1	5	6	12	5	4	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	6				1				1		2	2						
84	Diseases of the lymphatic system (lymphangitis, etc.).....	4	2									1							
85	Hemorrhage; other diseases of the circulatory system.....	7	2							2			2	1					
IV.—Diseases of the respiratory system.....																			
		1,453	323	113	42	20	10	31	52	68	72	77	93	175	221	129	20	1	
86	Diseases of the nasal fossae.....	7	5	1												1			
87	Diseases of the larynx.....	13	3	1	3	1	2			1			1		1				
88	Diseases of the thyroid body.....	3										3			3				
89	Acute bronchitis.....	63	27	13	1	3	1	3		1	2	2	2	1	3	5	1		
90	Chronic bronchitis.....	91	2							2	2	2	5	13	41	19	4		
91	Bronchopneumonia.....	322	140	30	21	6	4	8	2	4	6	8	3	24	36	29	1		
92	Pneumonia (total).....	835	135	64	16	10	3	19	44	56	53	58	68	121	114	60	11		
	Lobar pneumonia.....	323	22	10	4	1	1	7	19	25	24	34	39	60	54	25	3		
	Pneumonia (undefined).....	505	113	54	12	9	2	12	25	31	29	24	29	61	60	35	8		
93	Pleurisy.....	21			1			1	4	1	4	3	2	3	1		1		

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
VIRGINIA (WHITE)—Continued.																	
	IV.—Diseases of the respiratory system—Continued.																
94	Pulmonary congestion, pulmonary apoplexy.....	42	12	3					1	1		1		5	11	5	1
95	Gangrene of the lung.....	4									1		1		1	1	
96	Asthma.....	24		1						1			5	4	8	5	
97	Pulmonary emphysema.....	2													2		
98	Other diseases of the respiratory system (tuberculosis excepted).....	28	4						1	2	2	3	4	4	4	3	1
	V.—Diseases of the digestive system.....	1,705	641	207	50	16	9	35	64	72	69	90	95	144	137	66	10
99	Diseases of the mouth and annexa.....	16	11	1				1				2		1			
100	Diseases of the pharynx.....	20	6		1			1	1	3	1		1		4	1	1
101	Diseases of the esophagus.....	1															
102	Ulcer of the stomach.....	30							1	3	6	9	4	5	2		
103	Other diseases of the stomach (cancer excepted).....	173	47	9	6	1	1	3	6	4	4	7	12	24	28	15	6
104	Diarrhea and enteritis (under 2 years).....	718	537	181													
105	Diarrhea and enteritis (2 years and over).....	203			36	10	3	8	4	6	10	10	13	35	41	25	2
106	Ankylostomiasis.....	2									2						
107	Intestinal parasites.....	6		3	1			1		1							
108	Appendicitis and typhilitis.....	111					1	13	31	22	13	13	9	3	5	1	
109	Hernia, intestinal obstruction (total).....	118	28	6	2	1	2	6	6	10	7	8	5	10	14	12	1
	Hernia.....	23	4							2	1	3	4	2	6	6	1
	Intestinal obstruction.....	95	24	6	2	1	2	6	6	10	5	7	2	6	12	6	
110	Other diseases of the intestines.....	39	8	2			1		3	3	5	2	3	4	4	4	
111	Acute yellow atrophy of the liver.....	4								2			1		1		
112	Hydatid tumor of the liver.....	1															
113	Cirrhosis of the liver.....	103		1						6	19	23	30	23	23	1	
114	Biliary calculi.....	38						1		2	3	5	9	11	5	2	
115	Other diseases of the liver.....	68	2	1	2	2	1		4	6	8	9	19	10	4		
116	Diseases of the spleen.....	2									1	1					
117	Simple peritonitis (nonpuerperal).....	46	2	3	1	2		1	9	12	6	5	3	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	6								1	2	1	1			1	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.....	1,438	19	4	2	3	4	10	20	39	87	116	218	354	389	159	13
119	Acute nephritis.....	98	8	3	1	2	2	4	7	8	9	14	17	12	8	3	
120	Bright's disease.....	1,173	5	1	1	1	2	6	11	20	57	84	181	310	348	134	11
121	Chyluria.....																
122	Other diseases of the kidneys and annexa.....	49	6							3	8	5	3	8	10	5	1
123	Calculi of the urinary passages.....	7								1		1	3	1		1	
124	Diseases of the bladder.....	22											2	3	9	7	1
125	Diseases of the urethra, urinary abscess, etc.....	6								1			2			1	
126	Diseases of the prostate.....	40									1	1	3	16	13	6	
127	Nonvenereal diseases of the male genital organs.....	1									1						
128	Uterine hemorrhage (nonpuerperal).....	1									1						
129	Uterine tumor (noncancerous).....	14									5	5	1	2		1	
130	Other diseases of the uterus.....	10								1	2	4	2			1	
131	Cysts and other tumors of the ovary.....	6								1		1	3		1		
132	Salpingitis and other diseases of the female genital organs.....	11							2	4	3	1	1				
133	Nonpuerperal diseases of the breast (cancer excepted).....																
	VII.—The puerperal state.....	261							41	106	88	26					
134	Accidents of pregnancy.....	22							2	3	13	4					
135	Puerperal hemorrhage.....	24							2	10	7	5					
136	Other accidents of labor.....	29							6	10	6	7					
137	Puerperal septicemia.....	88							14	42	25	7					
138	Puerperal albuminuria and convulsions.....	92							17	41	31	3					
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	5										5					
140	Following childbirth (not otherwise defined).....	1										1					
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	52	6	1	2	2			2			4	4	10	10	8	3
142	Gangrene.....	27	1		2								1	7	8	5	3
143	Furuncle.....	5										1	1		1	1	
144	Acute abscess.....	8	2	1		1								2		2	
145	Other diseases of the skin and annexa.....	12	3			1			1			1	2	1	1	2	
	IX.—Diseases of the bones and of the organs of locomotion.....	32	4		1	2	1	2	4	5	3		7	1	1	1	
146	Diseases of the bones (tuberculosis excepted).....	31	4		1	2	1	2	4	4	3		7	1	1	1	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....																
148	Amputations.....																
149	Other diseases of the organs of locomotion.....	1										1					

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
VIRGINIA (WHITE)—Continued.																			
	X.—Malformations.....	217	203	5	2	1	1	5											
150	Congenital malformations (stillbirths not included) (total).....	217	203	5	2	1	1	5											
	Hydrocephalus.....	26	19	4				3											
	Congenital malformations of the heart.....	109	105	1	2	1													
	Other congenital malformations.....	82	79				1	2											
	XI.—Early infancy.....	1,169	1,169																
151	Congenital debility, icterus, and sclerema (total).....	999	999																
	Premature birth.....	669	669																
	Congenital debility, "atrophy," "marasmus," etc.....	330	330																
152	Other causes peculiar to early infancy (total).....	165	165																
	Injuries at birth.....	94	94																
	Other causes peculiar to early infancy ¹	71	71																
153	Lack of care.....	5	5																
	XII.—Old age.....	458										2	20	136	235	59	6		
154	Senility.....	458										2	20	136	235	59	6		
	XIII.—External causes.....	1,165	46	52	29	30	16	60	126	225	146	127	96	81	65	52	6	1	7
	Suicide (total).....	140							4	32	24	34	23	17	6				
155	By poison.....	38							2	13	6	7	5	3	2				
156	By asphyxia.....	8								2	2	2	2						
157	By hanging or strangulation.....	9								1	2	3	2		1				
158	By drowning.....	7								2	1			4					
159	By firearms.....	67							2	12	11	20	13	7	2				
160	By cutting or piercing instruments.....	9								1	1	2	1	3	1				
161	By jumping from high places.....	1								1									
162	By crushing.....	1									1								
163	Other suicides.....	1									1								
	Accidental or undefined (total).....	935	42	52	29	30	16	59	111	159	104	82	67	61	59	51	6	1	6
164	Poisoning by food.....	14	4	2	1	2	1	1		2		1							
165	Other acute poisonings.....	32	3	10	6			1	1	2	4		3	1	1				
166	Conflagration.....	16	1	1		2		2	1	1	1	1		4	1				
167	Burns (conflagration excepted).....	139	4	21	15	21	9	18	4	8	10	6	5	6	6	3			3
168	Absorption of deleterious gases (conflagration excepted).....	29	21					1	2	1	4								
169	Accidental drowning.....	92		5	3		1	6	28	22	10	7	6	2					2
170	Traumatism by firearms.....	43	2					8	12	14	2	5							
171	Traumatism by cutting or piercing instruments.....	2							1				1						
172	Traumatism by fall.....	162	1	2	1	2		3	9	10	9	13	15	16	36	40	4	1	
173	Traumatism in mines and quarries (total).....	53						1	12	20	9	8	1	1					1
	Traumatism in mines.....	52						1	12	20	9	8	1	1					1
	Traumatism in quarries.....	1																	
174	Traumatism by machines.....	36				1	3	1	8	7	5	3	6	2					
175	Traumatism by other crushing (total).....	202	1	1		2	3	10	25	55	37	18	23	16	8	3	1		
	Railroad accidents and injuries.....	126				1		16	45	27	12	14	8	1	2				
	Street-car accidents and injuries.....	16		1				2	1	2	3	1	1	1					
	Automobile accidents and injuries.....	20				1	2	5	2	3	1	2	4	2	1				
	Injuries by other vehicles.....	34	1			1		1	4	4	4	3	4	5	5	1	1		
	Landslide, other crushing.....	7						1	2	3	1								
176	Injuries by animals.....	15		3				2	3	1	1	1	2	1	1				
177	Starvation.....	1																	
178	Excessive cold.....	8									1	1	2						
179	Effects of heat.....	8	2									1	1						
180	Lightning.....	15		1	1		1	4	4	1	1		1						
181	Electricity (lightning excepted).....	5						1	2	2									
185	Fractures (cause not specified).....	8						1	1	1						3	1		
186	Other external violence.....	54	2	6	2	1		3	7	8	10	6	7	1	1				
	Homicide (total).....	90	4					1	11	34	18	11	6	3		1			1
182	By firearms.....	74						1	9	30	16	9	6	3					
183	By cutting or piercing instruments.....	3							1	1		1							
184	By other means.....	13	4						1	3	2	1							1
	XIV.—Ill-defined diseases.....	602	309	30	9	3	2	7	10	19	12	21	36	54	54	33	3		
187	Ill-defined organic disease.....	30								1	1	1	2	8	10	7			
188	Sudden death.....	48	11	1						3	2	1	8	8	8	5			
189	Not specified or ill-defined (total).....	524	298	29	9	3	2	6	10	15	9	19	26	38	36	21	3		
	Ill-defined.....	211	64	18	7			5	5	6	8	10	21	28	24	14	1		
	Not specified, or unknown.....	313	234	11	2	3	2	1	5	9	1	9	5	10	12	7	2		

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
VIRGINIA (COLORED).																			
	All causes.....	13,199	2,618	577	259	164	104	326	912	1,559	1,384	1,234	1,279	1,176	897	467	150	49	44
	I.—General diseases.....	4,036	428	187	101	79	33	174	488	818	592	416	311	231	113	43	9	3	10
1	Typhoid fever.....	249	5	3	6	5	2	35	69	51	25	24	12	8	1	2			1
2	Typhus fever.....	3						1											
3	Relapsing fever.....	3																	
4	Malaria.....	115	13	3	10	4	4	13	9	17	9	6	10	8	4	5			
5	Smallpox.....	12	3						2	2	1	1	1	1		1			
6	Measles.....	29	10	10	3	2	1	2	1										
7	Scarlet fever.....																		
8	Whooping cough.....	409	197	98	38	37	10	19	9				1						
9	Diphtheria and croup.....	75	24	8	11	5	2	16	9										
10	Influenza.....	98	14	8	4			2	3	7	9	8	8	14	8	5	4	3	1
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....	8	2	1				2					2	1					
14	Dysentery.....	119	27	13	6	2			5	8	12	10	10	12	8	3	3		
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	7	3					1	1				1	1					
19	Other epidemic diseases.....	7	5						2										
20	Purulent infection and septicemia.....	17	2		1			2	1	4	2		1	3	1				
21	Glanders.....																		
22	Anthrax.....																		
23	Rabies.....	1							1										
24	Tetanus.....	41	20		1	2	1	5	3	2	2	1	3	1					
25	Mycoses.....																		
26	Pellagra.....	109						4	10	19	28	17	14	13	4				
27	Beriberi.....																		
28	Tuberculosis (total).....	2,092	46	27	17	15	9	63	349	651	410	236	132	82	37	11	1		6
	Tuberculosis of the lungs.....	1,822	34	18	13	7	6	43	310	583	364	217	118	71	33	9	1		5
29	Acute miliary tuberculosis.....	71	1			2		13	24	15	8	3	1						
30	Tuberculous meningitis.....	43	5	4	4	2	6	7	5	3	1	1	1						
31	Abdominal tuberculosis.....	92	5	3		1	1	7	13	21	15	8	6	9	3				
32	Pott's disease.....	12				1		1		6	3		1						
33	White swellings.....	5							3	1									
34	Tuberculosis of other organs.....	25	1	1				1	4	4	1	3			1				1
35	Disseminated tuberculosis.....	12		1				1	2	5	2	1							
36	Rickets.....	17	9	3	1	2	1		1										
37	Syphilis.....	180	41	9	3	2		2	4	29	27	21	13	6	2	1			
38	Gonococcus infection.....	5				1					1	2			1				
	Cancer and other malignant tumors (total).....	284				1	1	1	3	7	40	67	72	60	26	5			1
39	Of the buccal cavity.....	5						1	1										
40	Of the stomach, liver.....	75								3	7	7	24	23	9	1			1
41	Of the peritoneum, intestines, rectum.....	16									2	4	3	3	4				
42	Of the female genital organs.....	110								1	18	42	30	12	7				
43	Of the breast.....	29								1	7	4	5	8	3	1			
44	Of the skin.....	8										1	3	2		1			
45	Of other organs or of organs not specified.....	41				1	1		1	2	5	9	7	11	3	1			
46	Other tumors (tumors of the female genital organs excepted).....	9							1	1		2	3			2			
47	Acute articular rheumatism.....	63		2		1	1	2	5	6	11	7	11	3	11	3			
48	Chronic rheumatism and gout.....	8									1		1	1	3	2			
49	Scurvy.....	1	1																
50	Diabetes.....	39					1	1	1	5	3	5	7	10	3	3			
51	Exophthalmic goiter.....	6										3	1	2					
52	Addison's disease.....																		
53	Leukemia.....	6						3		1			1	1					
54	Anemia, chlorosis.....	10	2							3	1		1	2		1			
55	Other general diseases.....	10	4	2					1	1			1			1			
56	Alcoholism (acute or chronic).....	25								4	8	5	5	2					1
57	Chronic lead poisoning.....																		
58	Other chronic occupation poisonings.....																		
59	Other chronic poisonings.....	2									1				1				
	II.—Diseases of the nervous system and of the organs of special sense.....	1,232	125	30	10	9	3	21	43	47	82	149	226	217	176	69	12	6	5
60	Encephalitis.....	12	2		1			1	3		2	1		1	1				
61	Meningitis (total).....	76	23	9	5	6		11	10	5	3	3		1					
	Simple meningitis.....	43	12	6	3	4		5	7	3	2	3		1					
	Cerebrospinal meningitis (undefined).....	19	5	2	2	1		3	2	1									
	Cerebrospinal fever.....	14	6	1		1		3	1	1									
62	Locomotor ataxia.....	5									1	2		2					
63	Other diseases of the spinal cord (total).....	49	5	3	2	1	1	5		3	5	2	7	10	3	2			
	Acute anterior poliomyelitis.....	18	5	3	2	1	1	3		2			1						
	Other diseases of the spinal cord ¹	31						2		1	5	2	6	10	3	2			
64	Cerebral hemorrhage, apoplexy.....	607	2	3					5	21	38	97	147	135	103	43	7	4	2
65	Softening of the brain.....	18								1			1	5	9	2			
66	Paralysis without specified cause.....	233					1	1	4	3	9	27	54	52	54	19	4	2	3
67	General paralysis of the insane.....	13									1	4	4		2	1	1		
68	Other forms of mental alienation.....	17						1	1		5	4	3	1	1				

¹Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
VIRGINIA (COLORED)—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	51	1	1				2	14	8	8	6	4	4	2	1			
70	Convulsions (nonpuerperal).....	5							2	1	1		1						
71	Convulsions of infants.....	103	86	13	2	1	1												
72	Chorea.....	1	1																
73	Neuralgia and neuritis.....	6							2	1	2		1						
74	Other diseases of the nervous system.....	35	5			1		1	2	4	6	3	5	5	3				
75	Diseases of the eyes and their annexa.....																		
76	Diseases of the ears.....	1		1															
III.—Diseases of the circulatory system																			
		1,354	13	4	4	5	4	10	33	88	162	201	260	272	179	86	23	3	7
77	Pericarditis.....	15					1			4	1		3	3		2	1		
78	Acute endocarditis.....	57		1		1		1	7	7	8	12	16	4					
79	Organic diseases of the heart.....	1,128	9	3	3	2	3	9	26	68	132	167	218	240	149	69	20	3	7
80	Angina pectoris.....	23								1	4	4	3	6	2	3			
81	Diseases of the arteries, atheroma, aneurism, etc.....	96								2	13	14	16	16	24	9	2		
82	Embolism and thrombosis.....	14									3	2	2	4	1	1	1		
83	Diseases of the veins, (varices, hemorrhoids, phlebitis, etc.).....	1									1								
84	Diseases of the lymphatic system (lymphangitis, etc.).....	4	1			1								1	1				
85	Hemorrhage; other diseases of the circulatory system.....	16	3		1	1				3	1	2		1	2	2			
IV.—Diseases of the respiratory system																			
		1,433	387	137	56	27	18	38	97	130	135	114	119	108	71	32	9	1	4
86	Diseases of the nasal fossae.....	17	13	2		1					1								
87	Diseases of the larynx.....	6	3							1					1				
88	Diseases of the thyroid body.....	5									3				2				
89	Acute bronchitis.....	93	53	15	7	3		1		4	1	4	3		1	1			
90	Chronic bronchitis.....	61	4					3	8	7	7	5	11	9	4	3			
91	Bronchopneumonia.....	320	122	70	27	10	4	7	14	14	10	5	13	5	11	6	2		
92	Pneumonia (total).....	803	177	46	21	13	11	26	62	80	89	76	70	71	36	16	4	1	4
	Lobar pneumonia.....	356	31	13	7	6	5	11	36	55	59	38	38	23	19	7		1	2
	Pneumonia (undefined).....	447	146	33	14	7	6	15	26	25	30	38	32	43	17	9	4		
	Pleurisy.....	19							4	3	4	1	2	3	1	1			
93	Pulmonary congestion, pulmonary apoplexy.....	50	11				1		1	13	3	7	7	3		4			
94	Gangrene of the lung.....	2								1	1			1					
95	Asthma.....	52	1	1	1					4	6	11	8	11	8		1		
96	Pulmonary emphysema.....	8		1					2	1	1	2		1					
97	Other diseases of the respiratory system (tuberculosis excepted).....	47	3	2			1	1	6	3	9	3	5	4	7	1	2		
98		23																	
V.—Diseases of the digestive system																			
		1,237	523	118	42	12	12	22	48	89	85	69	89	66	45	13	2	1	1
99	Diseases of the mouth and annexa.....	27	22	2	1						1				1				
100	Diseases of the pharynx.....	15	1	2	1	1	1		2	3	2				1	1			
101	Diseases of the esophagus.....	1			1														
102	Ulcer of the stomach.....	25								7	4	2	7	2	3				
103	Other diseases of the stomach (cancer excepted).....	149	29	6	4	2	1	5	3	12	15	15	25	18	11	3			
104	Diarrhea and enteritis (under 2 years).....	540	438	102															
105	Diarrhea and enteritis (2 years and over).....	127		29	5	5	6	5	10	10	12	14	14	7	8		1	1	
106	Ankylostomiasis.....	2	1						1										
107	Intestinal parasites.....	7	1	3	1	1	1												
108	Appendicitis and typhlitis.....	66					4	19	18	8	8	4	3	2					
109	Hernia, intestinal obstruction (total).....	105	16	2	1	2	2	2	5	15	12	15	13	11	8	1			
	Hernia.....	32	6						1	3	4	6	9	3					
	Intestinal obstruction.....	73	10	2	1	2	2	2	5	14	9	11	7	2	5	1			
110	Other diseases of the intestines.....	37	13	3			1	2	1	6	3	2	2	2	3	1			
111	Acute yellow atrophy of the liver.....	3							1		1			1					
112	Hydatid tumor of the liver.....	1																	
113	Cirrhosis of the liver.....	53	1						1	5	10	10	14	7	4		1		
114	Biliary calculi.....	9								3	3		1	2	3				
115	Other diseases of the liver.....	34	2		2		1		3	6	7	2	6	2	2		1		
116	Diseases of the spleen.....	4								1	2			1					
117	Simple peritonitis (nonpuerperal).....	28				1	1	3	5	9	4	2	1	2					
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	4								2			2						
VI.—Nonvenereal diseases of the genito-urinary system and annexa																			
		979	11	12	8	3	3	7	22	67	115	146	134	186	130	63	15	1	6
119	Acute nephritis.....	113	5	5	4	1	3	4	4	14	18	22	14	10	6	2			1
120	Bright's disease.....	726	3	6	4	2		2	11	34	74	106	155	107	50	11		1	4
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	27	2				1	2	2	3	2	3	6	4	1	1			
123	Calculi of the urinary passages.....	31								1			1	1					

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.
VIRGINIA (COLORED)—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
124	Diseases of the bladder.....	12									1		1	1	3	4	2
125	Diseases of the urethra, urinary abscess, etc.....	5											2	1	1	1	
126	Diseases of the prostate.....	28										1	2	9	9	6	1
127	Nonvenereal diseases of the male genital organs.....	2	1	1													
128	Uterine hemorrhage (nonpuerperal).....																
129	Uterine tumor (noncancerous).....	15								1	7	5	1	1			
130	Other diseases of the uterus.....	17							1	5	5	4	2				
131	Cysts and other tumors of the ovary.....	7										2	4	1			
132	Salpingitis and other diseases of the female genital organs.....	23							4	11	6	2					
133	Nonpuerperal diseases of the breast (cancer excepted).....																
	VII.—The puerperal state.....	226							39	100	69	18					
134	Accidents of pregnancy.....	12								1	8	3					
135	Puerperal hemorrhage.....	20								1	6	10	3				
136	Other accidents of labor.....	33								5	12	11	5				
137	Puerperal septicemia.....	91								14	43	25	9				
138	Puerperal albuminuria and convulsions.....	67								18	31	17	1				
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	2										2					
140	Following childbirth (not otherwise defined).....	1										1					
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	45	4							2	1	4	6	8	4	5	9
142	Gangrene.....	22										2	2	4	3	4	5
143	Furuncle.....																2
144	Acute abscess.....	4	1								1	1	1				
145	Other diseases of the skin and annexa.....	19	3							2		1	3	4	1	1	4
	IX.—Diseases of the bones and of the organs of locomotion.....	12	1	1					1	2	4		1	1			
146	Diseases of the bones (tuberculosis excepted).....	8	1							2	3		1			1	
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	2		1					1								
148	Amputations.....	1									1						
149	Other diseases of the organs of locomotion.....	1												1			
	X.—Malformations.....	41	36	4					1								
150	Congenital malformations (stillbirths not included) (total).....	41	36	4					1								
	Hydrocephalus.....	5	2	3													
	Congenital malformations of the heart.....	13	12					1									
	Other congenital malformations.....	23	22	1													
	XI.—Early infancy.....	757	757														
151	Congenital debility, icterus, and sclerema (total).....	652	652														
	Premature birth.....	319	319														
	Congenital debility, "atrophy," "marasmus," etc.....	333	333														
152	Other causes peculiar to early infancy (total).....	93	93														
	Injuries at birth.....	37	37														
	Other causes peculiar to early infancy ¹	56	56														
153	Lack of care.....	12	12														
	XII.—Old age.....	342											2	19	103	123	68
154	Senility.....	342											2	19	103	123	68
	XIII.—External causes.....	825	83	27	19	25	26	43	120	186	122	74	40	21	24	7	2
	Suicide (total).....	15															
155	By poison.....	4								6	3	3	1		2		
156	By asphyxia.....	2								2	2						
157	By hanging or strangulation.....	2								1					1		
158	By drowning.....	4								2					1		
159	By firearms.....	5								1	1	2	1				
160	By cutting or piercing instruments.....																
161	By jumping from high places.....																
162	By crushing.....																
163	Other suicides.....																
	Accidental or undefined (total).....	644	72	27	19	24	24	43	90	115	87	53	34	21	21	7	2
164	Poisoning by food.....	6	1	1						2	1	1					3
165	Other acute poisonings.....	24	1	2	3	1	3	5	1	1	2	3			2		
166	Conflagration.....	27	6	3	3	3	2	3		1	2	1	1	2			
167	Burns (conflagration excepted).....	133	10	15	8	18	14	19	6	8	6	7	6	5	4	4	2

¹ Exclusive of injuries at birth.

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
VIRGINIA (COLORED)—Continued.																			
168	XIII.—External causes—Continued.																		
	Accidental or undefined—Continued.																		
	Absorption of deleterious gases (conflagration excepted).....	46	32			1				3	6	1	3						
169	Accidental drowning.....	71	3	2					21	23	9	7	3	1	1	1			
170	Traumatism by firearms.....	56				1		6	30	10	4	2	1				1		
171	Traumatism by cutting or piercing instruments.....	2							1	1									
172	Traumatism by fall.....	51	10	3	2	1	3	2		5	8	4	2	4	3	1	2		
173	Traumatism in mines and quarries (total).....	15							1	5	3	6							
	Traumatism in mines.....	11							1	5	2	3							
	Traumatism in quarries.....	4								1	1	3							
174	Traumatism by machines.....	16							1	7	4	1	3						
175	Traumatism by other crushing (total).....	101	1				2	20	30	24	7	6	6	5					
	Railroad accidents and injuries.....	73					1	15	25	20	5	4	3						
	Street-car accidents and injuries.....	8					1		3	2	1	1							
	Automobile accidents and injuries.....	6						3	2					1					
	Injuries by other vehicles.....	13	1					1	2	2	1	1	3	4					
	Landslide, other crushing.....	1						1											
176	Injuries by animals.....	3		1				1				1							
177	Starvation.....	6	3					1						1					
178	Excessive cold.....	16							4	1	4	1	2	3	1				
179	Effects of heat.....	8							1	2	2	3							
180	Lightning.....	11				1			2	5	1	2							
181	Electricity (lightning excepted).....	3							1	1	1	1							
185	Fractures (cause not specified).....	5		1					1	1	2	1			1				
186	Other external violence.....	44	5	1	1		5	5	8	12	4	2	1						
	Homicide (total).....	166	11		1	2		30	65	32	13	5		1			1		
182	By firearms.....	95						19	42	18	14	5			1		1		
183	By cutting or piercing instruments.....	31						6	11	11	1	2							
184	By other means.....	40	11		1	2		5	12	3	3	2		1					
	XIV.—Ill-defined diseases.....	630	250	57	19	4	5	9	13	29	18	40	39	52	48	22	8	5	7
187	Ill-defined organic disease.....	72	2	1	2			2	10		3	8	17	16	8	3			
188	Sudden death.....	30	6		1		1	2	2	2	7	1	3	4	1			2	
189	Nor specified or ill-defined (total).....	528	242	56	16	4	5	8	14	19	16	30	30	32	28	13	5	5	
	Ill-defined.....	186	40	33	8	2	4	7	7	10	12	18	19	12	13	4	5	5	
	Not specified, or unknown.....	342	202	23	8	2	3	4	7	9	4	12	11	20	15	9	5	3	

WASHINGTON.

	All causes.....	11,448	1,540	256	145	94	99	254	489	1,060	1,210	1,242	1,424	1,508	1,342	644	66	4	71
	I.—General diseases.....	3,136	137	68	41	38	39	112	213	457	444	412	458	396	229	79	3		10
1	Typhoid fever.....	151				3	2	11	23	47	29	16	9	6					
2	Typhus fever.....																		
3	Relapsing fever.....																		
4	Malaria.....	1																	
5	Smallpox.....	3							1			1			1				
6	Measles.....	51	14	13	1	2	6	12	1	2									
7	Scarlet fever.....	25		1	5	4	3	8	4										
8	Whooping cough.....	56	34	12	4	1	3	2											
9	Diphtheria and croup.....	47	1	4	6	4	6	14	5	4	2	1							
10	Influenza.....	54	3		2	1		2	3	1	5	4	2	6	13	11	1		
11	Miliary fever.....																		
12	Asiatic cholera.....																		
13	Cholera nostras.....																		
14	Dysentery.....	8									2	1		1	2	2			
15	Plague.....																		
16	Yellow fever.....																		
17	Leprosy.....																		
18	Erysipelas.....	24	8	2	1				2		2	3	3	1	1			1	
19	Other epidemic diseases.....	8	3		2		1		1	1									
20	Purulent infection and septicemia.....	18	1						1	6		4	3	2		1			
21	Glanders.....	1										1							
22	Anthrax.....																		
23	Rabies.....																		
24	Tetanus.....	11	1	1		1		1	2	2	3								
25	Mycoses.....																		
26	Pellagra.....																		
27	Beriberi.....	1	1																
	Tuberculosis (total).....	1,246	28	25	18	15	10	39	126	342	266	172	98	78	23	2			4
	Tuberculosis of the lungs.....	947	8	3	3	3	2	9	80	235	229	143	82	65	20	2			3
28	Acute miliary tuberculosis.....	37	1	3		1			8	8	5	5	4	2					
29	Tuberculous meningitis.....	123	17	13	11	10	4	23	16	16	7	6							
30	Abdominal tuberculosis.....	73	2	1	3		3	4	5	17	16	7	7	6	2				
31	Pott's disease.....	14					1	2	2	4	1	1	1	1					
32	White swellings.....	9		1					1	1	3	1	1	1					
33	Tuberculosis of other organs.....	23		1	1	1		1	3	3	3	5	2	3					
34	Disseminated tuberculosis.....	20		2					1	8	2	4	2		1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
WASHINGTON—Continued.																		
I.—General diseases—Continued.																		
36	Rickets.....	8	2	3	1				2									
37	Syphilis.....	67	20	1				1	1	6	16	10	7	2				
38	Gonococcus infection.....	6	1					1	2	2								
Cancer and other malignant tumors (total).....																		
39	Of the buccal cavity.....	871		2		1	1	5	4	10	56	133	239	224	143	49	1	3
40	Of the stomach, liver.....	33									2	2	10	5	9	5		
41	Of the peritoneum, intestines, rectum.....	386		1					1		16	47	106	119	73	20	1	2
42	Of the female genital organs.....	100						2	1	3	6	12	26	32	14	4		
43	Of the breast.....	111									15	36	33	17	10			
44	Of the skin.....	73								3	6	21	22	10	8	3		1
45	Of other organs or of organs not specified.....	27										7	4	7	8			
		141		1		1	1	3	2	4	11	15	35	37	22	9		
46	Other tumors (tumors of the female genital organs excepted).....	7											1	3	1	1		
47	Acute articular rheumatism.....	46		1		1	2	8	9	5	2	3	7	1	4	2		
48	Chronic rheumatism and gout.....	9									2	1		3	3			
49	Scurvy.....																	
50	Diabetes.....	171		1			3	9	14	9	13	15	37	34	25	9	1	
51	Exophthalmic goiter.....	30							3	8	9	6	2	2				
52	Addison's disease.....	7									2	4		1				
53	Leukemia.....	18			1		3		1	2	3	3	2	2	1			
54	Anemia, chlorosis.....	57		2					1	4	9	8	19	9	5			
55	Other general diseases.....	27		15	2		2		3	1	2	1	1					
56	Alcoholism (acute or chronic).....	104								5	19	23	27	18	4	1		2
57	Chronic lead poisoning.....																	
58	Other chronic occupation poisonings.....																	
59	Other chronic poisonings.....	3								1	1				1			
II.—Diseases of the nervous system and of the organs of special sense.....																		
		1,107	39	11	11	5	6	22	25	39	62	118	197	248	220	94	6	4
60	Encephalitis.....	4			1				1	1			1					
61	Meningitis (total).....	69	17	4	4	3	2	12	7	5	6	2	5	2				
	Simple meningitis.....	40	12	3	3	1		5	5	3	4	1	2	1				
	Cerebrospinal meningitis (undefined).....	23	4	1	1	2		6	2	1	2		2	1				
	Cerebrospinal fever.....	6	1			1		1		1		1	1					
62	Locomotor ataxia.....	26								1	2	4	8	8	2	1		
63	Other diseases of the spinal cord (total).....	51		3	1	1	2	1	2	5	5	3	6	8	10	3	1	
	Acute anterior poliomyelitis.....	11		3	1	1	2		2	2	2	3	6	8	10	3	1	
	Other diseases of the spinal cord ¹	40						1		3	5	3	6	8	10	3	1	
64	Cerebral hemorrhage, apoplexy.....	665						2	2	8	21	67	132	185	170	71	5	2
65	Softening of the brain.....																	
66	Paralysis without specified cause.....	80							1	1		3	10	18	30	17		
67	General paralysis of the insane.....	60							2	1	8	16	18	11	3	1		
68	Other forms of mental alienation.....	29							1	1	8	8	4	4	1	1		1
69	Epilepsy.....	32		1					2	8	5	5	5	4	1			1
70	Convulsions (nonpuerperal).....	2							1	1								
71	Convulsions of infants.....	20		14	2	3												
72	Chorea.....	2							1	1								
73	Neuralgia and neuritis.....	8							1		2	1		1	3			
74	Other diseases of the nervous system.....	31		5	1	1		2	2	2	3	7	6	2				
75	Diseases of the eyes and their annexa.....	2												1				
76	Diseases of the ears.....	26		2	1	1		1	5	2	4	2	2	4				
III.—Diseases of the circulatory system.....																		
		1,460	13	1	1	1	1	12	40	49	78	147	234	353	366	152	11	1
77	Pericarditis.....	13								1	1		1	5	4	1		
78	Acute endocarditis.....	66		1		1			4	3	9	17	29	2				
79	Organic diseases of the heart.....	1,118		6	1		1	12	34	39	58	111	174	292	283	100	5	1
80	Angina pectoris.....	61									2	7	8	20	4			
81	Diseases of the arteries, atheroma, aneurism, etc.....	154		1							3	8	14	28	51	44	5	
82	Embolism and thrombosis.....	41		2					2	6	4	4	6	6	8	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	1											1					
84	Diseases of the lymphatic system (lymphangitis, etc.).....	5		3							1					1		
85	Hemorrhage; other diseases of the circulatory system.....	1											1					
IV.—Diseases of the respiratory system.....																		
		892	209	59	26	9	4	26	18	38	55	74	79	95	127	60	7	6
86	Diseases of the nasal fossae.....	3			1						2							
87	Diseases of the larynx.....	5		1		1		1	1						1			
88	Diseases of the thyroid body.....	6		1						1	1	2		1				
89	Acute bronchitis.....	31		16	2	3									5	5		
90	Chronic bronchitis.....	44				1						6	4	7	18	8		
91	Bronchopneumonia.....	332	149	40	11	6	2	11	3	7	4	5	13	22	39	16	3	1
92	Pneumonia (total).....	381	36	12	10	2	1	11	11	25	39	55	47	55	50	19	4	4
	Lobar pneumonia.....	361	33	7	9	2	1	10	11	25	39	54	43	54	48	18	4	3
	Pneumonia (undefined).....	20	3	5	1			1	1	2		1	4	1	2	1	1	1
93	Pleurisy.....	27		1	2	1		1	2	2	4	2	3	3	3	1		1

¹ Exclusive of acute anterior poliomyelitis (infantile paralysis).

CAUSES OF DEATH, BY AGE.

561

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
			WASHINGTON—Continued.																
	IV.—Diseases of the respiratory system—Continued.																		
94	Pulmonary congestion, pulmonary apoplexy.....	15	2	2							2		2	1	1	5			
95	Gangrene of the lung.....	5									1	2	1	1					
96	Asthma.....	22									1	1	5	4	8	3			
97	Pulmonary emphysema.....	5									1		1	1		1			
98	Other diseases of the respiratory system (tuberculosis excepted).....	16	3					1	2	2		1	3		2	2			
	V.—Diseases of the digestive system..	971	198	75	35	17	18	28	49	69	86	82	108	101	70	31	1	3	
99	Diseases of the mouth and annexe.....	7						1		2	3								
100	Diseases of the pharynx.....	24	3	1	1		3	3	4	2	2	2	2	1					
101	Diseases of the esophagus.....	1						1											
102	Ulcer of the stomach.....	40						1	1	2	8	4	9	7	9				
103	Other diseases of the stomach (cancer excepted).....	81	23	4	1			2	3	3	2	3	7	8	15	10			
104	Diarrhea and enteritis (under 2 years).....	221	156	65															
105	Diarrhea and enteritis (2 years and over).....	115			30	16	12	5	3	4	6	7	6	8	8	9		1	
106	Ankylostomiasis.....																		
107	Intestinal parasites.....	1									1								
108	Appendicitis and typhlitis.....	147	1	1	1		2	12	32	32	24	19	12	9	1			1	
109	Hernia, intestinal obstruction (total).....	94	11	1	2	1	1	3	2	9	11	13	15	11	11	3			
	Hernia.....	28	1							1	2	5	4	8	6	1			
	Intestinal obstruction.....	66	10	1	2	1	1	3	2	8	9	8	11	3	5	2			
110	Other diseases of the intestines.....	24	1					1	1	5	2	6	3	2	2	1			
111	Acute yellow atrophy of the liver.....	5								2	2		1						
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	96		1					2	1	8	11	23	31	11	1		1	
114	Biliary calculi.....	52									7	5	12	15	9	3	1		
115	Other diseases of the liver.....	44	1						1	5	7	6	11	6	4	3			
116	Diseases of the spleen.....	3		1							1		1	1					
117	Simple peritonitis (nonpuerperal).....	10	2	1						2	2		2	2		1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	6								1	2	2	1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexe.....	906	10	7	1		1	4	17	52	81	125	163	189	178	70	6	2	
119	Acute nephritis.....	4	1					1	1	1	1								
120	Bright's disease.....	760	7	6	1		1	4	9	37	61	109	145	166	154	54	5	1	
121	Chyluria.....																		
122	Other diseases of the kidneys and annexe.....	27							1	3	5	3	4	5	3	2		1	
123	Calculi of the urinary passages.....	3											1	2					
124	Diseases of the bladder.....	19	2	1					1		1		2	2	6	3	1		
125	Diseases of the urethra, urinary abscess, etc.....	3										1	1		1				
126	Diseases of the prostate.....	41									1	4	11	14	11				
127	Nonvenereal diseases of the male genital organs.....	2												1					
128	Uterine hemorrhage (nonpuerperal).....	2									2								
129	Uterine tumor (noncancerous).....	11									3	6	2						
130	Other diseases of the uterus.....	15						3	4	3	2	2	3						
131	Cysts and other tumors of the ovary.....	5								1	2			2					
132	Salpingitis and other diseases of the female genital organs.....	14							2	6	2	3	1						
133	Nonpuerperal diseases of the breast (cancer excepted).....																		
	VII.—The puerperal state.....	152						10	60	71	11								
134	Accidents of pregnancy.....	23							1	6	14	2							
135	Puerperal hemorrhage.....	15							1	4	9	1							
136	Other accidents of labor.....	19							3	8	5	3							
137	Puerperal septicemia.....	59							1	29	25	4							
138	Puerperal albuminuria and convulsions.....	32						4	9	18	1								
139	Puerperal plegmasia alba dolens, embolus, sudden death.....	3								3									
140	Following childbirth (not otherwise defined).....	1								1									
141	Puerperal diseases of the breast.....																		
	VIII.—Diseases of the skin and of the cellular tissue.....	36	5					1	1	1		4	6	2	10	6			
142	Gangrene.....	18											2	1	10	5			
143	Furuncles.....	6										2	3			1			
144	Acute abscess.....	7	1					1	1			2	1	1					
145	Other diseases of the skin and annexe.....	5	4							1									
	IX.—Diseases of the bones and of the organs of locomotion.....	21	1		2	1			2	3	3	4		3		2			
146	Diseases of the bones (tuberculosis excepted).....	18	1		1	1			2	3	3	4		1		2			
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	3			1									2					
148	Arthropodations.....																		
149	Other diseases of the organs of locomotion.....																		

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Death at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.
WASHINGTON—Continued.																	
	X.—Malformations.....	143	137	2	1	1			1	1							
150	Congenital malformations (stillbirths not included) (total).....	143	137	2	1	1			1	1							
	Hydrocephalus.....	8	5	1	1				1								
	Congenital malformations of the heart.....	83	81	1	1												
	Other congenital malformations.....	52	51						1								
	XI.—Early infancy.....	709	709														
151	Congenital debility, icterus, and sclerema (total).....	563	563														
	Premature birth.....	421	421														
	Congenital debility, "atrophy," "marasmus," etc.....	142	142														
152	Other causes peculiar to early infancy (total).....	139	139														
	Injuries at birth.....	69	69														
	Other causes peculiar to early infancy ¹	70	70														
153	Lack of care.....	7	7														
	XII.—Old age.....	263										4	21	87	120	27	1
154	Senility.....	263										4	21	87	120	27	1
	XIII.—External causes.....	1,504	39	26	25	20	29	44	112	287	325	255	156	82	40	23	4
	Suicide (total).....	303							7	54	80	72	40	31	9	2	1
155	By poison.....	76							2	17	21	18	6	8	1	1	
156	By asphyxia.....	18							1	3	4	5	4	1			
157	By hanging or strangulation.....	35							1	6	10	6	4	3	2	1	1
158	By drowning.....	22							1	3	3	5	2	6	1		1
159	By firearms.....	121							1	24	28	31	20	11	5		1
160	By cutting or piercing instruments.....	21								11	4	2	2				1
161	By jumping from high places.....	5									3	1	1				
162	By crushing.....	1										1					1
163	Other suicides.....	4							1		1	1					1
	Accidental or undefined (total).....	1,078	38	26	24	20	29	43	101	202	200	161	104	48	31	21	3
164	Poisoning by food.....	22	4	1	3		3	1		2	2	1	3		1	1	
165	Other acute poisonings.....	30	1	5	2	2	2	1		3	4	4	4	2			
166	Conflagration.....	31	2	2	2	1	5	3	3	1	3	1	5	1	2		
167	Burns (conflagration excepted).....	55		6	8	3	7	3	3	5	10	4	1	2	1	2	
168	Absorption of deleterious gases (conflagration excepted).....	46	23							5	7	8	1	1			1
169	Accidental drowning.....	198		8	6	4	3	13	48	45	27	21	9	1	1	2	
170	Traumatism by firearms.....	55	1		1		1	7	14	11	12	5	3				10
171	Traumatism by cutting or piercing instruments.....	2							1	1							
172	Traumatism by fall.....	139	1	1	1	1		7	5	11	15	27	23	12	17	13	3
173	Traumatism in mines and quarries (total).....	17								5	3	7	1				1
	Traumatism in mines.....	14								4	3	6	1				
	Traumatism in quarries.....	3								1		1					1
174	Traumatism by machines.....	42					1		3	17	8	5	4	3	1		
175	Traumatism by other crushing (total).....	324	2	1	1	7	2	6	18	73	79	60	39	21	6	1	8
	Railroad accidents and injuries.....	137					1	1	3	33	44	27	11	6	3		8
	Street-car accidents and injuries.....	19				3				1	2	3	4	1	1		
	Automobile accidents and injuries.....	67		1	1	1		3	7	15	16	8	12	3	1		
	Injuries by other vehicles.....	47	1	1		1	1	2	6	7	5	11	6	5	1		
	Landslide, other crushing.....	54				2		2	2	17	12	11	6	3			
176	Injuries by animals.....	11			1	1				2	1	2	1	2	1		
177	Starvation.....																
178	Excessive cold.....	3									1		1				
179	Effects of heat.....	2	1										1				
180	Lightning.....	2							1	1							
181	Electricity (lightning excepted).....	10					1		1	3	3	1	1				
185	Fractures (cause not specified).....	4										4					
186	Other external violence.....	85	3	2		1	3	2	4	18	24	11	8	2		2	5
	Homicide (total).....	123	1		1			1	4	31	45	22	12	3			3
182	By firearms.....	76							2	17	32	16	7	1			1
183	By cutting or piercing instruments.....	13								3	3	3	2	1			1
184	By other means.....	34	1					1	2	11	10	3	3	1			1
	XIV.—Ill-defined diseases.....	148	43	7	2	2	1	5	1	4	5	10	19	18	15	7	1
187	Ill-defined organic disease.....	9									1		2	1	2	2	1
188	Sudden death.....	3	1						1					1			
189	Not specified or ill-defined (total).....	136	42	7	2	2	1	4	1	4	4	10	17	17	12	5	1
	Ill-defined.....	42	7	3						2	1	3	11	11	2	2	
	Not specified, or unknown.....	94	35	4	2	2	1	4	1	2	3	7	6	6	10	3	1

¹ Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
WISCONSIN—Continued.																			
II.—Diseases of the nervous system and of the organs of special sense—Continued.																			
69	Epilepsy.....	98	2	1	1	2	5	12	21	15	13	12	2	7	5				
70	Convulsions (nonpuerperal).....	4																	
71	Convulsions of infants.....	281	258	16	4	2	1								1				
72	Chorea.....	3																	
73	Neuralgia and neuritis.....	14	1																
74	Other diseases of the nervous system.....	99	7	4	5	1		9	11	8	13	15	7	3	1	5			
75	Diseases of the eyes and their annexa.....	1																	
76	Diseases of the ears.....	30	4		4		3	1	5	1	2	3	4		2	1			
III.—Diseases of the circulatory system.....																			
		3,653	23	11	1	4	3	34	100	100	145	220	462	714	1,100	636	93	2	
77	Pericarditis.....	21				1		1	2	2		1	2	4	5	3			
78	Acute endocarditis.....	173	7	1	1	1	1	10	13	19	26	26	38	6	11	8			
79	Organic diseases of the heart.....	2,745	13	4		2	2	22	76	68	99	171	364	602	840	424	56	2	
80	Angina pectoris.....	124								2	7	8	21	28	44	9	4	1	
81	Diseases of the arteries, atheroma, aneurism, etc.....	474								1	5	5	20	52	179	181	31		
82	Embolism and thrombosis.....	81	2						4	9	7	8	11	16	14	8	1	1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	18								1			4	3	7	2		1	
84	Diseases of the lymphatic system (lymphangitis, etc.).....	11		6				1						3					
85	Hemorrhage; other diseases of the circulatory system.....	6	1									1	2			1	1		
IV.—Diseases of the respiratory system.....																			
		3,075	708	220	72	26	42	72	76	118	133	167	219	329	448	384	64	1	2
86	Diseases of the nasal fossae.....	4	1	1						1		1							
87	Diseases of the larynx.....	28	6	5	2	3	4	2	1	1		1		1		1	1		
88	Diseases of the thyroid body.....	10	1						3		3				2				
89	Acute bronchitis.....	221	111	13	12		6	2	2	1	3	2	1	10	19	36	1	1	
90	Chronic bronchitis.....	233	3	2	1			4	1	2	1	9	11	23	65	89	22		
91	Bronchopneumonia.....	710	299	100	26	12	14	24	6	11	15	7	22	40	75	53	6		
92	Pneumonia (total).....	1,626	255	93	28	10	17	33	59	89	96	123	166	214	248	167	27	1	
	Lobar pneumonia.....	1,051	133	60	16	3	7	19	39	67	77	88	115	153	161	96	16	1	
	Pneumonia (undefined).....	575	122	33	12	7	10	14	20	22	19	35	51	61	87	71	11		
93	Fleurisy.....	71	4	4	2	1		5	3	7	8	6	6	13	3	8	1		
94	Pulmonary congestion, pulmonary apoplexy.....	75	21	1				1		1	3	2	2	5	15	19	5		
95	Gangrene of the lung.....	11			1					2	1	2	2	3					
96	Asthma.....	51	2				1			1		2	6	14	16	8	1		
97	Pulmonary emphysema.....	8						1			1	1		3	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted).....	27	5	1					1	2	2	5	3	2	4	2			
V.—Diseases of the digestive system.....																			
		2,755	933	178	83	40	26	77	121	135	155	186	213	224	245	122	16	1	
99	Diseases of the mouth and annexa.....	12	5	1				2					2	1		1			
100	Diseases of the pharynx.....	50	1	2	5	6	1	4	7	5	4	5	2	1	5	2			
101	Diseases of the esophagus.....	5								1				2	1	1			
102	Ulcer of the stomach.....	84		1				1	1	13	10	14	14	17	9	4			
103	Other diseases of the stomach (cancer excepted).....	257	123	14	4		2	6	2	2	5	12	4	11	32	33	7		
104	Diarrhea and enteritis (under 2 years).....	890	738	152															
105	Diarrhea and enteritis (2 years and over).....	236			65	22	13	13	8	8	9	10	10	23	31	18	5	1	
106	Ankylostomiasis.....																		
107	Intestinal parasites.....	3						1	1										
108	Appendicitis and typhlitis.....	338	2		2	8	2	38	83	74	42	35	27	14	6	5			
109	Hernia, intestinal obstruction (total).....	282	43	5	4	2	4	4	9	14	14	26	35	42	51	22	2		
	Hernia.....	74	6							1	1	10	14	14	24	4			
	Intestinal obstruction.....	208	42	5	4	2	4	4	9	13	13	16	21	28	27	18	2		
110	Other diseases of the intestines.....	58	7	1					1	4	9	7	7	3	14	1	2		
111	Acute yellow atrophy of the liver.....	5	1								2	1			1				
112	Hydatid tumor of the liver.....																		
113	Cirrhosis of the liver.....	297	1	1			1	1	2	5	25	45	62	79	52	23			
114	Biliary calculi.....	74								1	9	13	20	11	14	6			
115	Other diseases of the liver.....	107	5		1			2	3	5	17	12	21	14	22	5			
116	Diseases of the spleen.....	2	1										1						
117	Simple peritonitis (nonpuerperal).....	36	1	1	2	1	1	3	3	1	5	1	6	3	7	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted).....	19				1		2	1	2	4	4	2	3					
VI.—Nonvenereal diseases of the genito-urinary system and annexa.....																			
		1,851	32	4	7	2	6	27	45	87	123	169	274	340	439	267	28	1	
119	Acute nephritis.....	123	11	2	3		2	13	12	16	19	5	10	11	12	7			
120	Bright's disease.....	1,405	9	1	4	2	4	14	30	47	86	131	235	278	364	179	20	1	
121	Chyluria.....																		
122	Other diseases of the kidneys and annexa.....	53	10						1	1	2	1	14	8	7	9			
123	Calculi of the urinary passages.....	12								1		2	2	3	4				

CAUSES OF DEATH, BY AGE.

565

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
WISCONSIN—Continued.																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																
124	Diseases of the bladder.....	90	2	1				1	2	2	4	2	13	27	32	4	
125	Diseases of the urethra, urinary abscess, etc.....	1									1						
126	Diseases of the prostate.....	39									2	2	23	23	35	4	
127	Nonvenereal diseases of the male genital organs.....																
128	Uterine hemorrhage (nonpuerperal).....	1														1	
129	Uterine tumor (noncancerous).....	21							1	2	13	4			1		
130	Other diseases of the uterus.....	17							4	4	3	3	1		2		
131	Cysts and other tumors of the ovary.....	14							4	1	2	1	3	2	1		
132	Salpingitis and other diseases of the female genital organs.....	24						1	10	7	5	1					
133	Nonpuerperal diseases of the breast (cancer excepted).....	1							1								
	VII.—The puerperal state.....	291						21	129	115	26						
134	Accidents of pregnancy.....	23						1	7	11	4						
135	Puerperal hemorrhage.....	38						2	12	21	3						
136	Other accidents of labor.....	30						2	8	16	4						
137	Puerperal septicemia.....	125						11	67	37	10						
138	Puerperal albuminuria and convulsions.....	56						4	27	23	2						
139	Puerperal phlegmasia alba dolens, embolus, sudden death.....	18						1	8	6	3						
140	Following childbirth (not otherwise defined).....	1									1						
141	Puerperal diseases of the breast.....																
	VIII.—Diseases of the skin and of the cellular tissue.....	108	20	2			1	3	2	2	5	5	7	24	32	5	
142	Gangrene.....	63		1				1	1	2	1	2	3	20	27	5	
143	Furuncle.....	9	3								2	2	1	1			
144	Acute abscess.....	13	3	1			1	2	1		1	1	1	1	2		
145	Other diseases of the skin and annexa.....	23	14								1	1	2	2	3		
	IX.—Diseases of the bones and of the organs of locomotion.....	51	1	2		1	3	6	11	6	4	4	5	2	4	1	1
146	Diseases of the bones (tuberculosis excepted).....	48	1	2		1	3	6	11	6	3	3	5	2	4		1
147	Diseases of the joints (tuberculosis and rheumatism excepted).....	3									1	1			1		
148	Amputations.....																
149	Other diseases of the organs of locomotion.....																
	X.—Malformations.....	329	309	8	4		1	6		1							
150	Congenital malformations (stillbirths not included) (total).....	329	309	8	4		1	6		1							
	Hydrocephalus.....	27	21	2	2		1	1									
	Congenital malformations of the heart.....	160	150	3	2			4		1							
	Other congenital malformations.....	142	138	3				1									
	XI.—Early infancy.....	1,995	1,995														
151	Congenital debility, icterus, and sclerema (total).....	1,635	1,635														
	Premature birth.....	1,074	1,074														
	Congenital debility, "atrophy," "marasmus," etc.....	561	561														
152	Other causes peculiar to early infancy (total).....	357	357														
	Injuries at birth.....	190	190														
	Other causes peculiar to early infancy ¹	167	167														
153	Lack of care.....	3	3														
	XII.—Old age.....	963										3	20	220	534	182	4
154	Senility.....	963										3	20	220	534	182	4
	XIII.—External causes.....	2,040	50	45	44	30	18	77	201	334	257	268	268	177	149	85	10
	Suicide (total).....	358							10	57	65	74	75	44	28	3	2
155	By poison.....	105							3	25	18	20	23	9	6		1
156	By asphyxia.....	16								5	3	4	4				
157	By hanging or strangulation.....	86							2	6	11	22	21	13	10	1	
158	By drowning.....	20							1	2	4	5	3	2	2	1	
159	By firearms.....	103							4	18	24	18	18	12	7	1	1
160	By cutting or piercing instruments.....	18									4	5	3	3			
161	By jumping from high places.....	4									1		3				
162	By crushing.....	4									1	2	1				
163	Other suicides.....	2									1						
	Accidental or undefined (total).....	1,609	45	45	44	30	18	77	186	254	179	179	188	130	120	80	10
164	Poisoning by food.....	16	2	1	3	1		3	1	1	1	1	1	1	1	1	
165	Other acute poisonings.....	44	1	12	4		1	2	2	5	4	6	7	1	1		
166	Conflagration.....	46	3	3	2	6	1	6	3	1	4	6	2	3	4		2
167	Burns (conflagration excepted).....	108	8	13	19	8	2	9	5	7	9	5	4	3	9	4	1

¹ Exclusive of injuries at birth.

MORTALITY STATISTICS.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1914—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	
WISCONSIN—Continued.																	
168	XIII.—External causes—Continued.																
	Accidental or undefined—Continued.																
	Absorption of deleterious gases (conflagration excepted).....	48	20			1			2	3	3	4	6	2	3	4	
169	Accidental drowning.....	284	1	8	8	3	5	20	71	72	29	24	20	13	7	2	1
170	Traumatism by firearms.....	75		1		1	2	7	32	12	6	6	5	3			
171	Traumatism by cutting or piercing instruments.....	7	1						2	2							
172	Traumatism by fall.....	265		1	2	1	2	3	7	15	23	28	26	33	58	57	8
173	Traumatism in mines and quarries (total).....	8								1	4	2	1				
	Traumatism in mines.....	6								1	3	1	1				
	Traumatism in quarries.....	2								1	1	1					
174	Traumatism by machines.....	37							3	8	8	8	5	4	1		
175	Traumatism by other crushing (total).....	448	2	1	3	6	5	19	40	86	63	62	74	40	24	9	14
	Railroad accidents and injuries.....	212		1	1	1		4	12	49	35	26	37	20	9	5	12
	Street-car accidents and injuries.....	31				3	1		3	6	6	4	4	2	2		
	Automobile accidents and injuries.....	74						6	15	12	10	5	13	5	5	2	1
	Injuries by other vehicles.....	110	1		2	2	4	8	9	14	9	20	18	12	8	2	1
	Landslide, other crushing.....	21	1					1	1	5	3	7	2	1			
176	Injuries by animals.....	41		1		1		3	4	3	2	3	10	8	6		
177	Starvation.....	1		1													
178	Excessive cold.....	14						1	1			4	5	1	1	1	
179	Effects of heat.....	19		1				1	2	2	1	2	2	4	2	2	
180	Lighting.....	13						2	4	3	1	2	1				
181	Electricity (lightning excepted).....	21						1	1	13	3	1	1	1			
185	Fracture (cause not specified).....	1							1								
186	Other external violence.....	113	6	3	3	2		2	6	19	18	16	18	13	3		4
	Homicide (total).....	73	5						5	23	13	15	5	3	1	2	1
182	By firearms.....	33							2	11	9	7	3	1			
183	By cutting or piercing instruments.....	17							2	8	3	2		1		1	
184	By other means.....	23	5						1	4	1	6	2	1	1	1	1
	XIV.—Ill-defined diseases.....	126	28	11	1	2		2	1	4	4	12	15	14	11	14	3
187	Ill-defined organic disease.....	21										1	2	5	5	7	1
188	Sudden death.....	11										1	2	1			
189	Not specified or ill-defined (total).....	94	22	11	1	1		2	1	4	4	10	11	8	6	7	2
	Ill-defined.....	54	8	9		1		1		1	2	5	7	7	4	6	2
	Not specified, or unknown.....	40	14	2	1			1	1	3	2	5	4	1	1	1	3

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
BIRMINGHAM, ALA. (TOTAL).																				
	All causes.....	2,907	405	127	59	38	18	75	169	478	436	369	278	219	166	49	6	1	14	
1	Typhoid fever.....	66			3	2	1	8	11	30	7	1	1	2						
2	Typhus fever.....																			
3	Malaria.....	16		2			1	1	1	4	3	1	2	1						
4	Smallpox.....	1									1									
5	Measles.....	15	2	2	3	2	3	1	1	1										
6	Scarlet fever.....	7		2		1		4												
7	Whooping cough.....	43	19	14	3	3	2	2												
8	Diphtheria and croup.....	15	4	2	1	2		4		1			1							
9	Influenza.....	18		1							2	1	6	3	4			1		
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	32	2	5	2	1	1		1	2	3	3	3	5	3	1				
13	Tuberculosis of the lungs.....	351	1	2	2	1		8	49	106	82	48	26	19	4	1				2
14	Tuberculous meningitis.....	14	3	1	1	1	2	1		3		1								1
15	Other forms of tuberculosis.....	37	1	1			1		5	13	6	6	3		1					
16	Cancer and other malignant tumors.....	77							1	8	7	18	20	14	5	3				1
17	Meningitis.....	20	1	1		1	1	2	2	6	3	3								
18	Cerebral hemorrhage and softening.....	109								1	14	21	25	23	20	4			1	
19	Organic diseases of the heart.....	199			1			3	3	16	28	39	29	31	36	13				
20	Acute bronchitis.....	7	6		1															
21	Chronic bronchitis.....	13							2	1	2	1		2	3	1				
22	Pneumonia.....	197	8	3	3	5		6	13	43	31	31	24	14	13	2				1
23a	Bronchopneumonia.....	89	37	18	7	5	1	1	1	3	3	3	2	4	2	4				
23b	Other diseases of the respiratory system.....	24	2	2	1			2	3	5	4	4	3	1	1					
24	Diseases of the stomach.....	32	9	1						3	2	9	4	4	4					
25(37)	Diarrhea and enteritis.....	143	74	49	12	1		1	2	1	2	2	2	2	1			1		
26	Appendicitis and typhlitis.....	52						4	15	13	7	6	5	5	1					
27	Hernia, intestinal obstruction.....	27	3		1			4		6	4	5	4	3	2	1				
28	Cirrhosis of the liver.....	23							1	2	2	2	5	4	2	1				
29	Acute nephritis and Bright's disease.....	198	2	1		4	1	2	7	12	28	38	30	30	35	6		1		2
30	Diseases of the female genital organs.....	37								7	15	13	1	1						
31	Puerperal fever.....	24								16	7	7								
32	Other puerperal affections.....	24							1	12	7	2								
33	Congenital debility and malformations.....	147	143	1	1			1	1											
34	Senility.....	20												3	8	6		3		
35	Violent deaths (excluding suicide).....	328	18	3	7	5	2	15	30	92	80	33	18	13	6					4
36	Suicide.....	36							2	15	9	7	3							
(37)	Other defined diseases.....	402	51	11	7	4	2	8	13	52	69	58	59	38	20	7		1		2
38	Diseases ill-defined or unknown.....	59	18	5	3			1	1	3	7	11	5	3	1					

BIRMINGHAM, ALA. (WHITE).

Abridged Int. List No.	All causes.....	1,323	DEATHS AT AGE OF—														Deaths at unknown age.			
			219	77	19	22	12	42	54	158	156	143	141	138	108	31		1	2
1	Typhoid fever.....	36			1	1	1	4	4	16	5	1	1	2						
2	Typhus fever.....																			
3	Malaria.....	2					1													
4	Smallpox.....																			
5	Measles.....	12	2	2	1	2	2	1	1	1										
6	Scarlet fever.....	6		1		1		4		1										
7	Whooping cough.....	20	8	8	1	1		2												
8	Diphtheria and croup.....	10	1	2	1	2		4												
9	Influenza.....	5									1				4					
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	14		4	1	1	1		1				1	3	1	1				
13	Tuberculosis of the lungs.....	94	1	1	1			1	5	23	16	14	16	12	4	1				
14	Tuberculous meningitis.....	6	1	1	1			1		1		1								
15	Other forms of tuberculosis.....	8								3	1	2	1		1					
16	Cancer and other malignant tumors.....	56							1	6	3	10	17	11	4	3				1
17	Meningitis.....	9	1	1		1	1	2	1	1	1	4								
18	Cerebral hemorrhage and softening.....	48										5	10	18	10	1				
19	Organic diseases of the heart.....	89						2	2	6	11	9	10	16	24	9				
20	Acute bronchitis.....	2	2																	
21	Chronic bronchitis.....	7	1											2	3	1				
22	Pneumonia.....	78	4	2	2	5		2	3	8	8	11	14	9	8	2				
23a	Bronchopneumonia.....	39	17	9	2	2	1			1	1	1	1	2	2					
23b	Other diseases of the respiratory system.....	10	1	2				1		2	1			1	1					
24	Diseases of the stomach.....	12	6	1						1		2		2						
25(37)	Diarrhea and enteritis.....	85	41	33	4	1			1	1	1	1	1	1	1					
26	Appendicitis and typhlitis.....	36						3	10	9	4	3	5	1	1					
27	Hernia, intestinal obstruction.....	13			1					2	4	2	3	1	1					
28	Cirrhosis of the liver.....	10								2	2	1	4	3						
29	Acute nephritis and Bright's disease.....	100	1	1		1	1		2	4	9	22	13	21	23	2				
30	Diseases of the female genital organs.....	11								2	4	5								
31	Puerperal fever.....	12							1	7	4									
32	Other puerperal affections.....	17							1	8	6	2								
33	Congenital debility and malformations.....	93	92					1												
34	Senility.....	11													6	4		1		
35	Violent deaths (excluding suicide).....	130	7	1	2	2	1	10	11	33	35	12	8	4	3					1
36	Suicide.....	30							2	10	8	7	3							
(37)	Other defined diseases.....	193	27	6	2	2	2	5	7	13	25	30	31	27	12	4				
38	Diseases ill-defined or unknown.....	19	6	2					1	1	2	2	3	1	1					

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
DENVER, COLO.																			
	All causes.....	3,247	327	64	28	19	16	46	119	367	409	411	485	413	345	170	24	2	2
1	Typhoid fever.....	22						1	8	8	1	2	2						
2	Typhus fever.....																		
3	Malaria.....																		
4	Smallpox.....																		
5	Measles.....	10	3	3	2		1	1	7										
6	Scarlet fever.....	26	4	3	4	3	4	3	7	4	1								
7	Whooping cough.....	9	5	1	1	2													
8	Diphtheria and croup.....	10	2		2		1		3	2									
9	Influenza.....	7								1	1	2	1		2				
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	9	3								1	2		1	1	1			
13	Tuberculosis of the lungs.....	593	2		2			1	22	187	195	105	53	20	5	1			
14	Tuberculous meningitis.....	26	6	6	2	2		2	2	2	2				1				
15	Other forms of tuberculosis.....	23					1		1	11	6	1	1	2					
16	Cancer and other malignant tumors.....	222						1	1	5	14	39	66	57	26	12	1		
17	Meningitis.....	22	3	2		1	1	4	5	2	2	1	1						
18	Cerebral hemorrhage and softening.....	133						1	1	3	4	7	23	34	43	15	3		
19	Organic diseases of the heart.....	251	2		1		1	2	13	12	15	32	59	48	45	20	1		
20	Acute bronchitis.....	11	6	1		1							1	1	1				
21	Chronic bronchitis.....	11								1				3	5				
22	Pneumonia.....	261	17	4	2		3	3	4	20	19	30	47	53	37	21	1		
23a	Bronchopneumonia.....	75	25	16	4	1		1	1	1	6	7	6	3	3	1			
23b	Other diseases of the respiratory system.....	29		2				1	3	2	10	3	2	3	1	1	1		1
24	Diseases of the stomach.....	32		1				1	2	1	6	8	5	5	2		1		
25(37)	Diarrhea and enteritis.....	91	49	14	4	1		3	1	1	1	7	3	7					
26	Appendicitis and typhlitis.....	50		2				3	7	8	11	6	7	5					
27	Hernia, intestinal obstruction.....	47	2					2	2	4	10	6	8	7	4	2			
28	Cirrhosis of the liver.....	21								1	2	10	6	2					
29	Acute nephritis and Bright's disease.....	252		1				2	6	9	28	36	50	57	42	20	1		
30	Diseases of the female genital organs.....	28							1	4	9	7	6						
31	Puerperal fever.....	15							2	8	3	2	2						
32	Other puerperal affections.....	14							1	6	5	2							
33	Congenital debility and malformations.....	144	141	1		1	1												
34	Senility.....	105											1	12	38	39	12	2	1
35	Violent deaths (excluding suicide).....	137	4	1	3	3	3	5	9	21	22	34	13	6	7	5	1		
36	Suicide.....	56							3	13	8	8	14	7	2				
(37)	Other defined diseases.....	503	59	3	4	1		7	21	34	47	64	95	76	67	24	1		
38	Diseases ill-defined or unknown.....	2												1					

BRIDGEPORT, CONN.

All causes.....			1,720	408	93	36	22	19	43	46	108	147	219	184	178	150	66	10	
1	Typhoid fever.....	4										2	2						
2	Typhus fever.....																		
3	Malaria.....	2	1										1						
4	Smallpox.....																		
5	Measles.....	33	6	18	3	1	2	2				1							
6	Scarlet fever.....	19	4		2	2	1	8				1		1					
7	Whooping cough.....	21	10	7	2	2													
8	Diphtheria and croup.....	44	1	9	10	9	3	10				2							
9	Influenza.....	7											1	1	2	1	1	1	
10	Asiatic cholera.....																		
11	Cholera nostras.....	1												1					
12	Other epidemic diseases.....	8	5	1					1	8	1					1			
13	Tuberculosis of the lungs.....	113	5		1			1	1	1	28	26	26	9	8	1			
14	Tuberculous meningitis.....	17	4	4	3			2	1	2	1	5	1	1		1			
15	Other forms of tuberculosis.....	17	2	1				1	1	2	5	2	1	1		10	1	1	
16	Cancer and other malignant tumors.....	97						1	1	1	1	8	17	24	30	10	1	1	
17	Meningitis.....	10	5		1			1	1	1	1	1	10	14	27	21	13	2	
18	Cerebral hemorrhage and softening.....	90			1			1	2	2	2	7	24	18	21	27	7	1	
19	Organic diseases of the heart.....	110												18	21	27	2		
20	Acute bronchitis.....	19	13	2			1						1	2		1	1		
21	Chronic bronchitis.....	5											1	2		1	1		
22	Pneumonia.....	137	24	14		3		4	7	9	10	20	20	6	14	10	2		
23a	Bronchopneumonia.....	84	44	11	6	1	4	2	2	2	1	1	2	1	5	1	1		
23b	Other diseases of the respiratory system.....	23	13	2		1		1			2	2	3	2	2	1	1		
24	Diseases of the stomach.....	13			1			2					1	1	1	1			
25(37)	Diarrhea and enteritis.....	133	108	16	3		1	2	1	3	3	2	3	2	1	1			
26	Appendicitis and typhlitis.....	16					1	1			3	2	2	1	1	5	1		
27	Hernia, intestinal obstruction.....	16	2								3	3	8	3	2	3			
28	Cirrhosis of the liver.....	16																	
29	Acute nephritis and Bright's disease.....	175	1	2		1	3			9	19	33	37	30	29	11			
30	Diseases of the female genital organs.....	5								1	1	3	2						
31	Puerperal fever.....	7							1		2	3							
32	Other puerperal affections.....	6								2	3		2						
33	Congenital debility and malformations.....	100	100																
34	Senility.....	5																	
35	Violent deaths (excluding suicide).....	117	7	4	2	1	2	2	11	14	25	21	14	7	3	4	1		
36	Suicide.....	27							2	5	7	4	4	4	1				
(37)	Other defined diseases.....	222	53	2	1	2	2	2	7	14	21	31	21	21	26	16	3		
38	Diseases ill-defined or unknown.....	4					1						1	1		1			

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
NEW HAVEN, CONN.																		
	All causes.....	2,326	410	106	31	23	21	48	68	153	173	247	310	299	290	128	17	2
1	Typhoid fever.....	22		1				2		10	2	4	2	1				
2	Typhus fever.....																	
3	Malaria.....	2	1												1			
4	Smallpox.....																	
5	Measles.....	31	3	15	7	4	1	1										
6	Scarlet fever.....	7	1	1		1	2	1	1	1								
7	Whooping cough.....	7	3	3				1										
8	Diphtheria and croup.....	28	1	4	3	2	5	10	3									
9	Influenza.....	9	1		1			1						4		1		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	13	3	1									3	1	2	3		
13	Tuberculosis of the lungs.....	180	1	2				3	13	36	33	29	26	9	6	2		
14	Tuberculous meningitis.....	27	5	10		3		2	2	7	2	2	3	1	1			
15	Other forms of tuberculosis.....	20	2		1				1	2	2	2	2	1	1			
16	Cancer and other malignant tumors.....	164	1						1	2	6	33	39	40	33	9		
17	Meningitis.....	14	3	1	2			2	2	2	1	1	1	3	1			
18	Cerebral hemorrhage and softening.....	142								1	2	12	32	38	35	21	1	
19	Organic diseases of the heart.....	226	2	1		1		4	7	8	10	22	46	51	41	28	3	2
20	Acute bronchitis.....	24	17	2					1			1	1	2	1	1		
21	Chronic bronchitis.....	13				1						1	1	3	5	1		
22	Pneumonia.....	194	22	14	4	2	2	5	10	23	21	27	29	21	13	1		
23a	Bronchopneumonia.....	85	36	23	2	2	4			2	1	3	4	1	8	2	1	
23b	Other diseases of the respiratory system.....	32	3		2	1	1	2	1	2	2	3	6	4	3	2	2	
24	Diseases of the stomach.....	19	4		1		1		1	1	2	2	2	3	3	2		
25(37)	Diarrhea and enteritis.....	115	87	13	2							6	1	2	2	2		
26	Appendicitis and typhlitis.....	19					1	1		3	6	5	2	1	1			
27	Hernia, intestinal obstruction.....	26	3			1		2		1	2	4	2	8	3			
28	Cirrhosis of the liver.....	19							1	1	3	3	4	4	4			
29	Acute nephritis and Bright's disease.....	210	2		1		1		3	12	17	39	38	42	41	11	3	
30	Diseases of the female genital organs.....	12							1	1	4	5			1			
31	Puerperal fever.....	7								4	3							
32	Other puerperal affections.....	18							1	11	4	2						
33	Congenital debility and malformations.....	131	131															
34	Senility.....	20												4	6	9	1	
35	Violent deaths (excluding suicide).....	126	7	5	2	5	1	10	11	18	12	14	13	9	14	4	1	
36	Suicide.....	33							1	7	8	4	9	3	4	1		
(37)	Other defined diseases.....	329	66	7	2		1	6	11	17	26	29	49	36	55	20	4	
38	Diseases ill-defined or unknown.....	22	6	3			1					3	4	3	2			

WASHINGTON, D. C. (TOTAL).

	All causes.....	5,854	712	100	50	32	32	89	206	492	623	681	749	885	845	312	45	1
1	Typhoid fever.....	42			2	1	1	3	7	17	7	3			1			
2	Typhus fever.....																	
3	Malaria.....	5										1	2	1		1		
4	Smallpox.....																	
5	Measles.....	1				1												
6	Scarlet fever.....	1					1											
7	Whooping cough.....	19	13	5				1										
8	Diphtheria and croup.....	29	3	3	5	3	4	8	1		1	1						
9	Influenza.....	63	1		1		1		3	3	4	6	12	5	17	8	2	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	14	4									2	1	4	1	1		
13	Tuberculosis of the lungs.....	642	3		2	2	2	5	64	183	156	105	62	38	14	1		
14	Tuberculous meningitis.....	40	2	7	4	4	4	4	5	5	2	2	1					
15	Other forms of tuberculosis.....	55	4	1	1				8	11	9	6	5	4	2			
16	Cancer and other malignant tumors.....	355		1		1		1	1	9	28	60	80	88	71	15		
17	Meningitis.....	21	5	2	1	1	1	1	2	4	2	2						
18	Cerebral hemorrhage and softening.....	435								4	8	38	86	143	114	33	5	
19	Organic diseases of the heart.....	720	2	1	1		4		3	24	47	74	101	191	181	75	11	
20	Acute bronchitis.....	42	28	3	1	3			1	2			1	1	7			
21	Chronic bronchitis.....	21											1	3	10	15	8	
22	Pneumonia.....	271	23	8	2	1	4	9	14	15	35	35	47	33	28	14	2	1
23a	Bronchopneumonia.....	192	54	24	11	5	2	6	3	3	6	9	17	12	28	11	1	
23b	Other diseases of the respiratory system.....	88	10	2	1	1	1	2	2	5	9	15	15	6	14	4	2	
24	Diseases of the stomach.....	77	7	1	1	1		2	4	4	9	14	14	7	7	8	6	
25(37)	Diarrhea and enteritis.....	204	135	16	5		1	4	3	4	8	5	4	3	2	1		
26	Appendicitis and typhlitis.....	41					1	1	3	13	7	7	6	7	9	0	6	
27	Hernia, intestinal obstruction.....	50	3	2	1			1	3	3	4	4	7	9	0	1		
28	Cirrhosis of the liver.....	44								3	7	8	14	7	6	2		
29	Acute nephritis and Bright's disease.....	609	4	2	1	1	1	3	8	27	51	91	104	155	121	34	6	
30	Diseases of the female genital organs.....	28							1	7	9	8			1			
31	Puerperal fever.....	28							2	18	5	3						
32	Other puerperal affections.....	29							5	7	15	2						
33	Congenital debility and malformations.....	290	288	1		1												
34	Senility.....	96										1		11	33	43	8	
35	Violent deaths (excluding suicide).....	254	16	6	4	4	4	13	26	48	29	28	28	15	22	13		
36	Suicide.....	67							5	15	18	10	14	3	1	1		
(37)	Other defined diseases.....	946	100	13	6	3	4	18	27	60	137	147	121	132	139	33	6	
38	Diseases ill-defined or unknown.....	7	2	2									2	1	1			

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
WASHINGTON, D. C. (WHITE).																			
	All causes.....	3,488	343	43	25	11	16	49	83	209	281	359	443	623	708	270	30		
1	Typhoid fever.....	16			1			1	2	4	4	3			1				
2	Typhus fever.....																		
3	Malaria.....	4											2	1		1			
4	Smallpox.....																		
5	Measles.....																		
6	Scarlet fever.....	1																	
7	Whooping cough.....	6	4	2															
8	Diphtheria and croup.....	23	3	3	4	1	3	7	1		1								
9	Influenza.....	35	1		1		1				2		2	3	16	7	2		
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	10	3								2	1		2	1	1			
13	Tuberculosis of the lungs.....	268	1						12	72	51	57	36	27	11				
14	Tuberculous meningitis.....	24	1	5	3	1	2	3	2	3	2	2							
15	Other forms of tuberculosis.....	17	2						2	1	6	2	1	3					
16	Cancer and other malignant tumors.....	271		1		1		1	1	5	17	41	50	73	66	15			
17	Meningitis.....	11	4		1		1		1	1	2	1							
18	Cerebral hemorrhage and softening.....	290						1	2	2	3	16	51	93	91	28	3		
19	Organic diseases of the heart.....	490	2	1	1			4	5	8	17	32	54	144	149	66	7		
20	Acute bronchitis.....	15	5											1	7	1			
21	Chronic bronchitis.....	27											2	4	12	8	1		
22	Pneumonia.....	141	7	5	1	1	1	4	5	8	11	22	23	19	21	12	1		
23a	Bronchopneumonia.....	88	14	8	2	1	2		1	2	3	5	7	9	25	9			
23b	Other diseases of the respiratory system.....	54	9	2	1		1		3	1	4	4	9	3	11	4	2		
24	Diseases of the stomach.....	46	5	1				2		1	7	6	7	5	6	6			
25(37)	Diarrhea and enteritis.....	87	48	4	2			2		3	3	3	2	5	8	6			
26	Appendicitis and typhlitis.....	26						1		7	5	1	6	2	2	1			
27	Hernia, intestinal obstruction.....	32	3	2	1			2	2	3	5	4	4	2	6				
28	Cirrhosis of the liver.....	31								1	3	13	6	6	2				
29	Acute nephritis and Bright's disease.....	362	2	1		1		4	10	18	38	58	106	93	27	4			
30	Diseases of the female genital organs.....	11						1	3	1	4	1		1					
31	Puerperal fever.....	14							8	4	2								
32	Other puerperal affections.....	17						1	3	11	2								
33	Congenital debility and malformations.....	166	165	1										6	23	33	6		
34	Senility.....	68												6	23	33	6		
35	Violent deaths (excluding suicide).....	169	8	2	3	3	2	9	18	24	16	19	20	13	19	13			
36	Suicide.....	58							4	11	16	9	14	2	1	1			
37	Other defined diseases.....	609	55	4	4	3	1	12	15	30	71	81	81	92	127	29	4		
38	Diseases ill-defined or unknown.....	1	1																

WASHINGTON, D. C. (COLORED).

WASHINGTON, D. C. (COLORED).																			
All causes.....			2,366	369	57	25	21	16	40	123	283	342	322	306	262	142	42	15	1
1	Typhoid fever.....	26			1	1	1	2	5	13	3								
2	Typhus fever.....																		
3	Malaria.....	1											1						
4	Smallpox.....																		
5	Measles.....	1				1													
6	Scarlet fever.....																		
7	Whooping cough.....	13	9	3				1											
8	Diphtheria and croup.....	6			1	2	1	1				1							
9	Influenza.....	28							3	3	2	6	10	2	1	1			
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	4												1	2				
13	Tuberculosis of the lungs.....	374	7		2	2	2	4	52	111	105	48		26	11	3	1		
14	Tuberculous meningitis.....	16	1	2	1	3	2	1	3	2	3	4		1					
15	Other forms of tuberculosis.....	38	2	1	1			4	6	10	3	4		4	1	2			
16	Cancer and other malignant tumors.....	84								4	11	19	30	15	5				
17	Meningitis.....	10	1	2				1	1	3	3	1							
18	Cerebral hemorrhage and softening.....	145								3	5	22	35	50	23	5	2		
19	Organic diseases of the heart.....	230								3	16	30	42	47	32	9	4		
20	Acute bronchitis.....	34	23	2	1	3				1	2		1	1	1				
21	Chronic bronchitis.....	15								1				6	3				
22	Pneumonia.....	130	16	3	1	3	5	9	7	24	13	24	24	14	7	2			
23a	Bronchopneumonia.....	104	40	16	9	4	6	9	1	3	4	10	10	3	3	2			
23b	Other diseases of the respiratory system.....	34	1					1		4	11	6	7	3	3	2			
24	Diseases of the stomach.....	31	2		1			2		4	5	2	2	2	2	1			
25(37)	Diarrhea and enteritis.....	117	87	12	3		1	1	1	1	2	3	2	1	1				
26	Appendicitis and typhlitis.....	15							2	1	6	2	3	3	1				
27	Hernia, intestinal obstruction.....	18							1	1	1	5	5	3	3				
28	Cirrhosis of the liver.....	13								1	6	5	5	1	1				
29	Acute nephritis and Bright's disease.....	247	2	1	1	1		3	4	17	38	53	46	49	28	7	2		
30	Diseases of the female genital organs.....	17							4	4	8	4	1						
31	Puerperal fever.....	14							2	10	4	1							
32	Other puerperal affections.....	12							4	4									
33	Congenital debility and malformations.....	124	123			1								5	10	10	2		
34	Senility.....	28												8	2				
35	Violent deaths (excluding suicide).....	85	8	4	1	1	2	4	8	24	13	7	8	5	3				
36	Suicide.....	9							1	4	2	1	1	1	1				
37	Other defined diseases.....	337	45	9	2		3	6	12	30	66	66	40	40	12	4	2		
38	Diseases ill-defined or unknown.....	6	1	2									2		1				

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
ATLANTA, GA. (TOTAL).																			
	All causes.....	2,956	420	100	71	30	24	53	147	416	416	311	339	307	210	93	11	7	1
1	Typhoid fever.....	83	1	1	1	1	5	19	34	13	4	2	2
2	Typhus fever.....	36
3	Malaria.....	10	1	2	2	3	2
4	Smallpox.....	1
5	Measles.....	25	4	4	4	3	2	5	1	1	1
6	Scarlet fever.....	2	1
7	Whooping cough.....	32	18	6	4	1	2	1
8	Diphtheria and croup.....	19	1	2	4	6	3	1	1
9	Influenza.....	31	6	1	2	3	3	3	5	2	3	1	1	1
10	Asiatic cholera.....
11	Cholera nostras.....	1	1
12	Other epidemic diseases.....	36	8	4	2	1	1	2	2	4	1	3	2	2	4
13	Tuberculosis of the lungs.....	208	2	1	21	90	53	19	10	11	1
14	Tuberculous meningitis.....	5	1	1	2
15	Other forms of tuberculosis.....	24	1	4	7	4	1	3	1	3
16	Cancer and other malignant tumors.....	106	2	5	17	18	27	22	12	3
17	Meningitis.....	16	1	1	1	1	2	6	2	40	35	18	8	1	1
18	Cerebral hemorrhage and softening.....	148	1	1	2	3	16	22	40	35	18	8	1	1
19	Organic diseases of the heart.....	196	2	17	25	34	41	41	27	7	1	1
20	Acute bronchitis.....	12	2	1	1	2	2	1	2
21	Chronic bronchitis.....	10	4	1	1	1
22	Pneumonia.....	150	22	8	4	3	1	2	9	22	20	10	20	12	13	4
23a	Bronchopneumonia.....	107	50	10	10	2	4	4	1	6	4	4	5	4	3
23b	Other diseases of the respiratory system.....	32	3	2	1	4	1	4	7	5	2	2	1
24	Diseases of the stomach.....	72	6	4	1	1	1	1	11	11	16	10	4	4	2
25(37)	Diarrhea and enteritis.....	173	90	42	14	2	3	4	4	4	6	2	5	1
26	Appendicitis and typhlitis.....	33	10	9	6	5	2
27	Hernia, intestinal obstruction.....	37	5	1	2	1	7	5	3	6	4	2	1
28	Cirrhosis of the liver.....	9	1	1	3	2
29	Acute nephritis and Bright's disease.....	310	4	1	1	2	21	41	52	47	72	44	22	1	1
30	Diseases of the female genital organs.....	33	6	18	8	1
31	Puerperal fever.....	22	7	10	5
32	Other puerperal affections.....	33	2	16	13	2
33	Congenital debility and malformations.....	149	144	1	1	1	1	1
34	Senility.....	28	2	9	12	4	1
35	Violent deaths (excluding suicide).....	212	9	4	9	3	4	6	25	49	46	17	10	14	5	10	1
36	Suicide.....	28	3	4	6	5	6	2	2
(37)	Other defined diseases.....	522	40	4	6	7	3	9	24	67	83	71	75	66	51	13	2	1
38	Diseases ill-defined or unknown.....	41	6	4	2	1	1	5	3	7	5	5	1

ATLANTA, GA. (WHITE).

	All causes.....	1,572	230	60	34	16	9	25	74	156	185	135	174	228	168	71	6	1
1	Typhoid fever.....	55	1	1	2	13	23	11	2	1	1
2	Typhus fever.....
3	Malaria.....	5	1	2	1	1
4	Smallpox.....
5	Measles.....	12	1	3	3	1	1	2	1
6	Scarlet fever.....	1	1
7	Whooping cough.....	10	4	4	1	1
8	Diphtheria and croup.....	9	2	2	4	1
9	Influenza.....	5	1	1	2	1
10	Asiatic cholera.....
11	Cholera nostras.....
12	Other epidemic diseases.....	19	5	3	1	1	2	1	2	4
13	Tuberculosis of the lungs.....	98	8	39	27	8	6	9	1
14	Tuberculous meningitis.....	3
15	Other forms of tuberculosis.....	12	1	1	2	2	1	3
16	Cancer and other malignant tumors.....	82	2	1	10	12	20	22	12	3
17	Meningitis.....	8	1	1	1	3	1
18	Cerebral hemorrhage and softening.....	83	1	1	1	4	7	24	26	14	5	1
19	Organic diseases of the heart.....	92	1	3	6	9	16	27	24	6
20	Acute bronchitis.....	2	1
21	Chronic bronchitis.....	3
22	Pneumonia.....	53	9	6	1	1	1	4	5	3	8	9	2
23a	Bronchopneumonia.....	54	28	8	5	1	2	2	2	3	4	3	2
23b	Other diseases of the respiratory system.....	19	3	4	4	2	2	1
24	Diseases of the stomach.....	17	2	2	3	3	1	4	2
25(37)	Diarrhea and enteritis.....	90	50	20	9	1	1	1	1	1	2	4	1
26	Appendicitis and typhlitis.....	27	9	7	4	5	2
27	Hernia, intestinal obstruction.....	23	3	1	1	1	1	4	1	5	4	2
28	Cirrhosis of the liver.....	7	1	1	2	1	2
29	Acute nephritis and Bright's disease.....	190	3	1	1	9	18	24	28	54	36	14	1
30	Diseases of the female genital organs.....	9	3	2	4
31	Puerperal fever.....	10	2	4	4
32	Other puerperal affections.....	26	2	11	11	2
33	Congenital debility and malformations.....	90	87	1	1	1
34	Senility.....	20																

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
ATLANTA, GA. (COLORED).																		
	All causes.....	1,384	190	40	37	14	15	28	73	260	231	176	165	79	42	22	5	7
1	Typhoid fever.....	28			1		1	3	6	11	2	2	1	1				
2	Typhus fever.....	1																
3	Malaria.....	5									2		2	1				
4	Smallpox.....	1								1								
5	Measles.....	13	3	1	1	2	1	3	1	1								
6	Scarlet fever.....	1						1										
7	Whooping cough.....	22	14	2	3			2		1								
8	Diphtheria and croup.....	10	1		2			3		1						1		
9	Influenza.....	26	6	1					2	3	3	3	4	1	1		1	1
10	Asiatic cholera.....																	
11	Cholera nostras.....	1			1													
12	Other epidemic diseases.....	17	3	1	2	1		2		1	2	1	3	1				
13	Tuberculosis of the lungs.....	110			2			1	13	51	28	11	4	2				
14	Tuberculous meningitis.....	2			1			1										
15	Other forms of tuberculosis.....	12							2	5	4	1						
16	Cancer and other malignant tumors.....	24							4	7	4	6	7					
17	Meningitis.....	8					1		1	3	1	2	2					
18	Cerebral hemorrhage and softening.....	65						2	3	12	15	16	9	4	3		1	1
19	Organic diseases of the heart.....	104						1	14	19	25	25	14	3	1	1	1	1
20	Acute bronchitis.....	10	1		1			1	2	2	1	2						
21	Chronic bronchitis.....	7							4	1	1	1						1
22	Pneumonia.....	97	13	2	3	2	1	5	17	17	10	16	4	4	2			
23a	Bronchopneumonia.....	53	22	2	5	2	3	2	1	6	2	1	5	1	1			
23b	Other diseases of the respiratory system.....	13			2	1			4	5	1	1						
24	Diseases of the stomach.....	55	4	4	1	1	1	1	9	8	13	10	3					
25(37)	Diarrhea and enteritis.....	83	40	22	5	1		2		3	4	5		1				
26	Appendicitis and typhlitis.....	6					1		1	2	2							
27	Hernia, intestinal obstruction.....	14	2				1		6	1	2	1			1			
28	Cirrhosis of the liver.....	2								1	1	1						
29	Acute nephritis and Bright's disease.....	120	1				1	1	12	23	19	18	8	8				1
30	Diseases of the female genital organs.....	24							3	16	4	1						
31	Puerperal fever.....	12						5	6	1								
32	Other puerperal affections.....	7						5	2									
33	Congenital debility and malformations.....	59	57				1	1										
34	Senility.....	8												2	3	1	1	1
35	Violent deaths (excluding suicide).....	99	5		5		3	1	11	36	24	7	2	3	1	1	1	1
36	Suicide.....	3							1	1		1						
(37)	Other defined diseases.....	236	16	2	1	2	1	3	15	46	44	33	35	16	16	4	1	1
38	Diseases ill-defined or unknown.....	27	2	3	1			1	1	4	2	6	3	3	1			

CHICAGO, ILL. (TOTAL).

	All causes.....	6,878	1,428	616	422	309	826	1,189	3,025	3,424	3,929	4,366	3,648	2,605	1,105	181	5	3
1	Typhoid fever.....	159			1	2	2	5	36	54	28	20	9	1	1			
2	Typhus fever.....																	
3	Malaria.....	9							2	2	1	2	2					
4	Smallpox.....	1										1						
5	Measles.....	76	30	23	13	3	2	5										
6	Scarlet fever.....	242	20	42	43	35	28	45	21	5	3							
7	Whooping cough.....	223	131	52	16	13	5	6										
8	Diphtheria and croup.....	772	48	125	126	102	85	205	58	8	6	8	1					
9	Influenza.....	93	4	4	2	1		4		10	5	13	20	8	12	9	1	
10	Asiatic cholera.....																	
11	Cholera nostras.....	6	1		1							1			3			
12	Other epidemic diseases.....	117	41	5	1		1	4	1	8	7	16	9	9	13	2		
13	Tuberculosis of the lungs.....	3,502	28	28	16	3	9	16	232	1,012	922	698	380	125	30	3		
14	Tuberculous meningitis.....	245	47	43	20	17	10	28	31	16	15	9	9					
15	Other forms of tuberculosis.....	207	5	7	5	4	4	9	21	46	41	24	28	9	4			
16	Cancer and other malignant tumors.....	2,107	3	2	3	4	2	5	2	49	143	417	597	523	285	66	6	
17	Meningitis.....	152	32	21	11	9	6	11	21	12	8	15	4	2				
18	Cerebral hemorrhage and softening.....	1,192	2	1		1	1	2	2	15	46	125	266	314	268	122	27	
19	Organic diseases of the heart.....	3,379	18	2	5	10	8	57	136	172	288	443	626	743	570	267	32	2
20	Acute bronchitis.....	181	105	29	6	6	3	3	1	1		3	4	5	6	7	2	
21	Chronic bronchitis.....	131	5	2	2			2	3	2	6	7	19	21	39	21	2	
22	Pneumonia.....	2,253	194	98	46	31	23	45	61	183	284	332	354	305	212	73	10	1
23a	Bronchopneumonia.....	2,027	1,047	330	104	50	34	47	20	25	37	36	72	67	94	50	12	2
23b	Other diseases of the respiratory system.....	276	12	19	12	3	1	6	9	29	19	31	47	40	25	17	6	
24	Diseases of the stomach.....	172	15	2	2	1		2	9	20	18	33	29	23	18	9		
25(37)	Diarrhea and enteritis.....	3,436	2,684	459	91	31	14	21	9	12	16	23	16	16	28	13	3	
26	Appendicitis and typhlitis.....	440	3	3	4	5	4	33	71	100	84	75	40	13	3	2		
27	Hernia, intestinal obstruction.....	299	39	7	8	3	1	7	10	18	34	43	36	52	27	10	4	
28	Cirrhosis of the liver.....	507	2	1	1				3	18	75	124	142	92	42	5	1	
29	Acute nephritis and Bright's disease.....	2,501	27	15	8	14	8	29	45	123	200	360	563	515	392	173	28	1
30	Diseases of the female genital organs.....	222							3	59	73	58	21	10	2			
31	Puerperal fever.....	216							9	126	73	7						1
32	Other puerperal affections.....	190							15	88	78	9						
33	Congenital debility and malformations.....	1,361	1,336	6	5	4	2	1	4	2			1					
34	Senility.....	43											2	12	22	6		
35	Violent deaths (excluding suicide).....	2,033	39	39	38	34	31	116	168	353	347	328	249	168	94	25	4	
36	Suicide.....	580							20	122	142	112	100	64	16	4		
(37)	Other defined diseases.....	4,586	951	62	26	36	24	112	174	334	421	557	720	520	409	203	37	
38	Diseases ill-defined or unknown.....	23	9	1					1	4		4	2		1			

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
INDIANAPOLIS, IND. (TOTAL).			4,142	558	122	46	28	27	97	198	381	410	474	548	566	452	216	15	4	
	All causes.....	4,142	558	122	46	28	27	97	198	381	410	474	548	566	452	216	15	4		
1	Typhoid fever.....	67		1			1	5	12	17	15	8	6	2						
2	Typhus fever.....																			
3	Malaria.....	3									1			2						
4	Smallpox.....																			
5	Measles.....	21	4	5	4	2	1	3	1	1										
6	Scarlet fever.....	17	4	4	1		1	8	2		1									
7	Whooping cough.....	16	6	4	1	1	1	2	1											
8	Diphtheria and croup.....	29	1	4	3	4	3	11	3											
9	Influenza.....	15	1						1			1	2	4	4					
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	25	7	2	1				1	2	2		4	3	3					
13	Tuberculosis of the lungs.....	456	7	2	1	2	3	8	41	145	106	62	48	24	6	1				
14	Tuberculous meningitis.....	42	3	7	6	4	1	4	4	6	2	2	1	2						
15	Other forms of tuberculosis.....	69	4	2	2	2	1	1	8	15	4	11	9	4	6					
16	Cancer and other malignant tumors.....	265							2	5	22	39	73	73	37	13	1			
17	Meningitis.....	33	5	3	1	2		3	10	1	5	2								
18	Cerebral hemorrhage and softening.....	203	2		1				1	1	4	16	35	62	53	27				
19	Organic diseases of the heart.....	440	1	2				4	13	14	33	67	82	96	93	32		1	2	1
20	Acute bronchitis.....	14	4	2					1	1		1	1	1	5					
21	Chronic bronchitis.....	18	1						1	1	4		2	6	4					
22	Pneumonia.....	179	19	8	2			5	5	10	22	22	29	22	22	8			2	
22a	Bronchopneumonia.....	187	68	21	8	2	5	5	2	2	7	7	6	22	15	13			1	1
23b	Other diseases of the respiratory system.....	35	2	1				2	3	2	2	4	6	7	5					
24	Diseases of the stomach.....	44	6	1		1		3	4	4	2	3	5	7	3	3				
25(37)	Diarrhea and enteritis.....	184	120	37	8	3			2	1	2	3	7	2	5	2				
26	Appendicitis and typhlitis.....	56						6	15	12	9	7	5	9	1					
27	Hernia, intestinal obstruction.....	50	6	1			1		3	2	2	4	13	8	10	3			1	
28	Cirrhosis of the liver.....	52							1	1	1	13	13	10	1				1	
29	Acute nephritis and Bright's disease.....	264		2	1	1	1	1	6	8	24	32	60	58	5	20				
30	Diseases of the female genital organs.....	38		1					4	6	10	13	2	3						
31	Puerperal fever.....	30							4	15	9	6	2							
32	Other puerperal affections.....	20							1	11	6	2								
33	Congenital debility and malformations.....	212	211	1																
34	Senility.....	27												1	3	20			3	
35	Violent deaths (excluding suicide).....	282	6	3	1	3	2	18	19	40	38	42	35	32	15	6			1	1
36	Suicide.....	76							5	18	13	13	10	11	6					
(37)	Other defined diseases.....	693	74	8	5	1	6	7	23	40	60	96	100	100	100	64			3	1
38	Diseases ill-defined or unknown.....																			

INDIANAPOLIS, IND. (WHITE).

INDIANAPOLIS, IND. (WHITE).			3,569	476	102	37	22	24	82	158	307	323	390	475	526	429	203	14	1	
	All causes.....	3,569	476	102	37	22	24	82	158	307	323	390	475	526	429	203	14	1		
1	Typhoid fever.....	53		1			1	4	8	12	14	7	4	2						
2	Typhus fever.....																			
3	Malaria.....	2												2						
4	Smallpox.....																			
5	Measles.....	16	3	2	4	1	1	3	1	1										
6	Scarlet fever.....	16		4	1		1	8	1		1									
7	Whooping cough.....	9	3	3	1		1	1	1											
8	Diphtheria and croup.....	28	1	3	3	4	3	11	3											
9	Influenza.....	13	1						1			1	1	3	4					
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	24	6	2	1				1	2	2		4	3	3					
13	Tuberculosis of the lungs.....	337	3	1		1	1	4	25	109	84	45	40	19	5					
14	Tuberculous meningitis.....	34	3	7	5	3	1	3	3	4	1	2	1	1						
15	Other forms of tuberculosis.....	48	3	2		2			4	11	3	8	6	4	5					
16	Cancer and other malignant tumors.....	250							2	5	21	38	67	70	34	12			1	
17	Meningitis.....	25	3	3	1	2		2	9	2	2	1								
18	Cerebral hemorrhage and softening.....	186	1		1				1	1	2	13	30	58	53	25				
19	Organic diseases of the heart.....	368	1	2				3	11	13	23	43	62	88	90	30			2	
20	Acute bronchitis.....	11	2	2						1		1	1	1	3					
21	Chronic bronchitis.....	15	1							4		1	1	5	4					
22	Pneumonia.....	151	16	8				4	7	9	16	18	25	19	20	8			1	
22a	Bronchopneumonia.....	156	56	17	8	1	5	4	2	1	5	4	5	20	14	13			1	
23b	Other diseases of the respiratory system.....	30	2	1				2	3	1	2	3	5	6	5					
24	Diseases of the stomach.....	40	6	1		1		2	4	1	5	6	8	4	2					
25(37)	Diarrhea and enteritis.....	152	102	31	5	3			1		2	2	2	1	4	1				
26	Appendicitis and typhlitis.....	55						6	15	11	9	7	5	1	1					
27	Hernia, intestinal obstruction.....	47	6	1			1		2	2	1	5	9	11	6	3				
28	Cirrhosis of the liver.....	48							1	1	3	13	12	7	9	1			1	
29	Acute nephritis and Bright's disease.....	229			1	1	1	1	5	6	16	25	54	56	46	17				
30	Diseases of the female genital organs.....	30		1					5	8	8	2	3	3						
31	Puerperal fever.....	24							3	13	6	2								
32	Other puerperal affections.....	18							1	10	5									
33	Congenital debility and malformations.....	187	186	1																
34	Senility.....	27												1	3	20			3	
35	Violent deaths (excluding suicide).....	238	6	3	1	2	2	17	17	37	29	40	32	31	14	6			1	
36	Suicide.....	70							5	16	12	11	9	11	6					
(37)	Other defined diseases.....	632	65	6	5	1	6	7	25	32	52	85	91	95	96	62			3	1
38	Diseases ill-defined or unknown.....																			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.		
All causes.....			573	82	20	9	6	3	15	40	74	87	84	73	40	23	13	1	3	
1	Typhoid fever.....	14							1	4	5	1	1	2						
2	Typhus fever.....																			
3	Malaria.....	1										1								
4	Smallpox.....																			
5	Measles.....	5	1	3		1														
6	Scarlet fever.....	1								1										
7	Whooping cough.....	7	3	1		1			2											
8	Diphtheria and croup.....	1		1																
9	Influenza.....	2												1	1					
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	1	1																	
13	Tuberculosis of the lungs.....	119	4	1	1	1	2	4	16	36	22	17	8	5	1	1				
14	Tuberculous meningitis.....	8			1	1		1	1	2	1	3	3	1						
15	Other forms of tuberculosis.....	21	1		2	1	1	1	4	4		1	3	3		1				
16	Cancer and other malignant tumors.....	15										1	1	6	3	3	1			
17	Meningitis.....	8	2					1	1	1	3	1	1	3						
18	Cerebral hemorrhage and softening.....	17	1								2	2	5	4						
19	Organic diseases of the heart.....	72						1	2	1	10	24	20	8	3	2				1
20	Acute bronchitis.....	3	2						1											
21	Chronic bronchitis.....	3								1				1						
22	Pneumonia.....	28	3		2			1	1	1	6	4	4	3	1				1	
23a	Bronchopneumonia.....	31	12	4		1		1	1	1	2	3	1	4	1					1
23b	Other diseases of the respiratory system.....	5							1		1			1						
24	Diseases of the stomach.....	4										1								1
25(37)	Diarrhea and enteritis.....	32	18	6	3				1	1		1			1	1				
26	Appendicitis and typhilitis.....	1								1										
27	Hernia, intestinal obstruction.....	3								1						1				
28	Cirrhosis of the liver.....	4												1	1					
29	Acute nephritis and Bright's disease.....	35		2						1	2	1	7	6	2	4	3			
30	Diseases of the female genital organs.....	8									1	2	3	5						
31	Puerperal fever.....	6								1	2	3	1							
32	Other puerperal affections.....	2									1	1								
33	Congenital debility and malformations.....	25	25																	
34	Senility.....																			
35	Violent deaths (excluding suicide).....	24				1		1	2	3	9	2	3	1	1					1
36	Suicide.....	6								2	2	1	2	1						
(37)	Other defined diseases.....	61	9	2					3	8	8	11	9	5	4	2				
38	Diseases ill-defined or unknown.....																			

LOUISVILLE, KY. (TOTAL).

All causes.....		3,809	496	102	49	32	16	73	145	386	478	464	535	498	384	183	22	6		
1	Typhoid fever.....	61			1	1	1	5	10	15	16	3	4	3	2					
2	Typhus fever.....																			
3	Malaria.....	9								1	3	1	2	2						
4	Smallpox.....																			
5	Measles.....	20	4	4	5	2	1	3	1											
6	Scarlet fever.....	12		1	2		1	6	1	1										
7	Whooping cough.....	17	10	4		1	1	1	1											
8	Diphtheria and croup.....	17		2	5	2	1	3	3	1										
9	Influenza.....	47	2		1					4	3	4	16	6	8	3				
10	Asiatic cholera.....																			
11	Cholera nostras.....	2							1											
12	Other epidemic diseases.....	34	9	3					4	3	6	2	4	3						
13	Tuberculosis of the lungs.....	435	5	1	1		1	4	41	127	118	69	49	15	4					
14	Tuberculous meningitis.....	30	7	10	5	1		3	1	1	2									
15	Other forms of tuberculosis.....	34	3	2				1	4	6	5	4	4	1	4					
16	Cancer and other malignant tumors.....	187							1	1	22	42	49	44	23	4				
17	Meningitis.....	24		2	1	2		4	2	2	5	3	2		1					
18	Cerebral hemorrhage and softening.....	208	2						1	3	20	21	47	57	40	15	2			
19	Organic diseases of the heart.....	373	2	1		1		4	12	17	35	59	69	88	55	23	1	1		
20	Acute bronchitis.....	33	16	3	3			1	1	2		1	3		1	2				
21	Chronic bronchitis.....	36							3	3	2	3	4	7	10	7				
22	Pneumonia.....	232	36	9	7	3	2	4	8	21	22	33	28	28	22	8		1		
23a	Bronchopneumonia.....	119	52	13	6	3	1	3	2	1	3	6	6	10	9	4				
23b	Other diseases of the respiratory system.....	63	3	4	6	3	1		2	1	8	7	9	10	6	7	2			
24	Diseases of the stomach.....	48	1	2				1		8	7	7	8	7	6	1				
25(37)	Diarrhea and enteritis.....	142	78	25	4	2	1	1	2	2	2	4	4	10	4	3	1	1		
26	Appendicitis and typhilitis.....	30							2	11	7	3	2	1						
27	Hernia, intestinal obstruction.....	40	5	1		1		4	2	12	4	4	2	6	2	1				
28	Cirrhosis of the liver.....	40								1	7	7	13	7	5					
29	Acute nephritis and Bright's disease.....	378	2	3	1	2	1	1	7	21	47	53	81	72	59	24	4			
30	Diseases of the female genital organs.....	32							2	2	7	8	5	2						
31	Puerperal fever.....	27							4	12	10	1								
32	Other puerperal affections.....	12							1	5	3	3								
33	Congenital debility and malformations.....	196	196																	
34	Senility.....	81											1	4	26	40	7	3		
35	Violent deaths (excluding suicide).....	215	3	3	3	6	2	10	22	41	40	33	25	10	11	4	2			
36	Suicide.....	39							2	5	10	9	5	6	2					
(37)	Other defined diseases.....	580	58	8	4	2	2	11	13	49	67	70	95	97	79	32	2	1		
38	Diseases ill-defined or unknown.....	6	2	1				1		1					1					

CAUSES OF DEATH, BY AGE.

583

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
NEW ORLEANS, LA. (COLORED).			3,020	366	72	42	26	18	65	172	425	477	474	340	231	167	64	26	3	2
1	All causes.....	3,020	366	72	42	26	18	65	172	425	477	474	340	231	167	64	26	3	2	
1	Typhoid fever.....	29						1	7	15	3	2	1							
2	Typhus fever.....																			
3	Malaria.....	16							1	3	4	5	2	1						
4	Smallpox.....																			
5	Measles.....																			
6	Scarlet fever.....	6	2		1	3														
7	Whooping cough.....	37	3	1	4	8	2	13	3	1		2								
8	Diphtheria and croup.....	35	1	1	1				3	2	4	7	4	6	3	2	1			
9	Influenza.....																			
10	Asiatic cholera.....	2						1					1							
11	Cholera nostras.....	21	1	1				1		1	4	5	4	1						
12	Other epidemic diseases.....	493	4	1	1		1	7	47	174	123	80	33	15	7					
13	Tuberculosis of the lungs.....	4	1						1			1								
14	Tuberculous meningitis.....	43	15	1	2	1	1	1	6	4	5	4	2	1						
15	Other forms of tuberculosis.....	101	1						2	2	1	17	23	35	17	7	1			
16	Cancer and other malignant tumors.....	9	1		1	1			2	2	2	2	3	5	4					
17	Meningitis.....	117						1	1	3	14	20	33	25	12	11	2			
18	Cerebral hemorrhage and softening.....	230							3	14	48	54	49	57	36	14	4			
19	Organic diseases of the heart.....	16	13	1	1				1											
20	Acute bronchitis.....	7	1						1					1	1					
21	Chronic bronchitis.....	271	39	14	8	3	4	5	22	42	43	36	25	17	6	6	1			
22	Pneumonia.....	89	47	9	6		1	8	4	4	2	2	3	1	1	2	1			
23a	Bronchopneumonia.....	22	1		1	1			2	4	4	3	1	2	1	2	1			
23b	Other diseases of the respiratory system.....	22	3						1	1	7	4	3	1	1	1				
24	Diseases of the stomach.....	164	98	27	5	1	1	1	2	5	6	5	3	5	4	1				
25(37)	Diarrhea and enteritis.....	19						3	4	1	7	2	1	1	1					
26	Appendicitis and typhlitis.....	20	1	1					2	2	1	5	3	3	2	2				
27	Hernia, intestinal obstruction.....	38							2	2	4	12	8	4	5				1	
28	Cirrhosis of the liver.....	400	4	2	1	1	2	1	10	23	50	93	68	81	42	12	7	1		2
29	Acute nephritis and Bright's disease.....	37							1	9	11	10	4							
30	Diseases of the female genital organs.....	24							11	10	3									
31	Puerperal fever.....	17							1	7	8	1								
32	Other puerperal affections.....	75	72	2	1															
33	Congenital debility and malformations.....	21													14	2	4	1		
34	Senility.....	155	1	5	5	1	4	7	24	40	34	14	11	7	1					
35	Violent deaths (excluding suicide).....	8							1	3	1	2	1							
36	Suicide.....	422	59	5	4	5	2	13	12	54	73	80	45	34	23	8	5			
(37)	Other defined diseases.....																			
38	Diseases ill-defined or unknown.....																			

BALTIMORE, MD. (TOTAL).

Abridged Int. List No.	All causes.....	10,486	DEATHS AT AGE OF—														Deaths at unknown age.			
			1,949	395	126	94	64	194	347	832	937	1,166	1,315	1,364	1,143	493		64	2	1
1	All causes.....	10,486	1,949	395	126	94	64	194	347	832	937	1,166	1,315	1,364	1,143	493	64	2	1	
1	Typhoid fever.....	181	1	2	2	3	2	7	17	41	20	21	7	6	2					
2	Typhus fever.....																			
3	Malaria.....	3	1	1							1	1		2						
4	Smallpox.....	6																		
5	Measles.....	3	1	2				1			1									
6	Scarlet fever.....	32	2	4	3	7	1	10	3	1		1								
7	Whooping cough.....	83	46	25	3	5	1	2	1											
8	Diphtheria and croup.....	86	10	14	21	9	8	15	2	2	2	3	3	6	10	10	10	1		
9	Influenza.....	51	2	2		1			1	2	3	3								
10	Asiatic cholera.....																			
11	Cholera nostras.....	42	10	4			2		1	1	4	6	3	5	3	3				
12	Other epidemic diseases.....	1,178	9	11	5	4	2	14	85	323	273	223	129	64	25	5				
13	Tuberculosis of the lungs.....	62	12	15	3	8	4	11	3	2		2	1	3	1	1				
14	Tuberculous meningitis.....	80	3	5	3	2	2	6	12	13	10	12	5	3	3	1				
15	Other forms of tuberculosis.....	539							10	46	110	149	176	68	25					
16	Cancer and other malignant tumors.....	59	19	8	3	1	1	7	7	1	5	1	6							
17	Meningitis.....	562	2	1				2	2	6	11	57	122	151	141	63	4			
18	Cerebral hemorrhage and softening.....	1,053	7	3		1	3	14	30	49	77	130	188	241	215	89	6			
19	Organic diseases of the heart.....	87	47	7	3	3	1	1	3	3	1	4	2	5	5	2				
20	Acute bronchitis.....	46									3	1	5	8	13	13	1			
21	Chronic bronchitis.....	688	54	42	12	12	3	11	26	53	68	80	94	98	81	32	2			
22	Pneumonia.....	563	217	90	31	11	8	14	5	7	9	16	32	42	56	20	5			
23a	Bronchopneumonia.....	86	7	4			2	3	1	5	9	13	11	9	11	2				
23b	Other diseases of the respiratory system.....	100	17	5		1	2	3	1	6	10	15	12	11	14	6				
24	Diseases of the stomach.....	661	495	93	12	5	1	1	2	4	6	9	9	6	15	2	1			
25(37)	Diarrhea and enteritis.....	85							17	25	12	8	11	4	3					
26	Appendicitis and typhlitis.....	100	16	1				2	10	7	12	11	8	10	20	2				
27	Hernia, intestinal obstruction.....	73							2	1	13	11	27	15	3	1				
28	Cirrhosis of the liver.....	979	9	2	3	2	1	5	20	33	93	162	191	221	174	57	6			
29	Acute nephritis and Bright's disease.....	27							6	8	9	2								
30	Diseases of the female genital organs.....	43							5	19	17	2								
31	Puerperal fever.....	43							2	21	15	5								
32	Other puerperal affections.....	641	636	2	1	1	1													
33	Congenital debility and malformations.....	144											1	12	57	51	22	1		
34	Senility.....	478	16	12	5	9	12	33	41	74	64	61	50	33	43	22	3			
35	Violent deaths (excluding suicide).....	136							7	30	38	26	18	12	3	1				
36	Suicide.....	1,484	304	29	12	7	5	28	41	87	107	161	224	219	178					

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
BOSTON, MASS. (TOTAL).																				
	All causes.....	11,831	2,007	401	164	107	97	272	396	786	1,056	1,421	1,539	1,617	1,243	583	88	3	1	
1	Typhoid fever.....	66			1	1	3	1	10	21	10	13	5	1						
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....																			
5	Measles.....	60	17	19	8	8	3	2	1	2										
6	Scarlet fever.....	66	3	11	6	5	7	17	6	7	4									
7	Whooping cough.....	47	22	12	7	2	1	2												
8	Diphtheria and croup.....	168	13	36	23	25	10	45	10	2	1	2	1							
9	Influenza.....	24	3						1		1	4	3	2	7	2	1			
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	82	37	4	2	1		1		1	8	8	9	4	4	2	1			
13	Tuberculosis of the lungs.....	1,029	19	15	5	2	1	10	81	229	243	219	181	56	16	2				
14	Tuberculous meningitis.....	147	32	20	20	7	13	20	10	15	7	2	1							
15	Other forms of tuberculosis.....	83	10	6	6	3	1	6	15	12	5	8	7	2	2					
16	Cancer and other malignant tumors.....	871	2		3			1	21	47	138	235	232	150	33	8				
17	Meningitis.....	74	24	15	4	3	6	7	3	1	2	7	2							
18	Cerebral hemorrhage and softening.....	625	2					1	11	16	55	104	192	156	75	13				
19	Organic diseases of the heart.....	1,605	2	1	1	1		13	51	52	84	182	281	390	352	167	22	1		
20	Acute bronchitis.....	60	29	7					1	1	1	4	5	6	6	1				
21	Chronic bronchitis.....	58	1						1	2	4	6	13	15	12	2	1			
22	Pneumonia.....	971	133	55	15	5	7	11	22	53	110	158	147	116	83	47	9	1		
22a	Bronchopneumonia.....	428	185	56	7	7	3	6	2	7	17	16	20	29	38	27	8			
22b	Other diseases of the respiratory system.....	88	8	4	7	3	5	3	1	8	11	9	11	4	5					
24	Diseases of the stomach.....	72	16	3					2	5	4	16	8	7	2					
25(37)	Diarrhea and enteritis.....	544	400	74	12	6	2	9	2	1	4	9	6	8	5	6				
26	Appendicitis and typhlitis.....	111						12	21	21	14	17	13	6	4					
27	Hernia, intestinal obstruction.....	114	15	3	1		1	1	2	6	11	17	23	21	10	3				
28	Cirrhosis of the liver.....	86							1	12	18	30	12	9	2	2				
29	Acute nephritis and Bright's disease.....	730	8	3	2	1	3	8	15	20	56	107	145	180	137	43	2			
30	Diseases of the female genital organs.....	64							1	8	16	20	10	5	3	1				
31	Puerperal fever.....	52							2	23	26	1								
32	Other puerperal affections.....	83							5	35	30	13								
33	Congenital debility and malformations.....	666	648	7	3	2	1	2	3											
34	Senility.....	24											1	4	14	5				
35	Violent deaths (excluding suicide).....	744	24	17	17	16	17	38	48	94	111	123	100	66	45	22	5			1
36	Suicide.....	133							5	23	32	29	29	12	2	1				
(37)	Other defined diseases.....	1,821	344	30	14	7	11	52	73	106	167	219	257	240	181	111	9			
38	Diseases ill-defined or unknown.....	35	10	3					1	3	6		5	3	4					

BOSTON, MASS. (WHITE).

BOSTON, MASS. (WHITE).																				
	All causes.....	11,426	1,959	390	160	104	97	263	379	741	1,000	1,333	1,520	1,588	1,226	577	87	1	1	
1	Typhoid fever.....	64			1	1	3	1	10	20	10	13	4	1						
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....																			
5	Measles.....	60	17	19	8	8	3	2	1	2										
6	Scarlet fever.....	66	3	11	6	5	7	17	6	7	4									
7	Whooping cough.....	45	21	12	6	2	1	2												
8	Diphtheria and croup.....	165	13	36	23	25	10	43	10	2	1	2	1							
9	Influenza.....	23	3						1		1	3	3	2	7	2	1			
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	80	36	4	2	1		1		1	8	7	9	4	4	2	1			
13	Tuberculosis of the lungs.....	936	19	13	4	2	1	8	73	202	223	198	123	54	14	2				
14	Tuberculous meningitis.....	141	31	20	19	6	13	18	10	14	7	2	1							
15	Other forms of tuberculosis.....	73	10	6	6	3	1	4	13	10	3	6	7	2	2					
16	Cancer and other malignant tumors.....	854	2		3			1	20	44	133	231	230	150	31	8				
17	Meningitis.....	73	24	14	4	3	6	7	3	1	2	7	2							
18	Cerebral hemorrhage and softening.....	609	2					1	11	15	53	97	190	153	74	13				
19	Organic diseases of the heart.....	1,556	2	1	1	1		18	50	51	81	166	269	383	345	166	22			
20	Acute bronchitis.....	59	28	7					1	1	1	4	5	6	6	1				
21	Chronic bronchitis.....	57	1						1	2	3	6	13	15	12	2	1			
22	Pneumonia.....	939	132	54	15	4	7	11	20	50	104	151	139	115	82	47	8			
22a	Bronchopneumonia.....	416	180	63	7	7	3	6	2	7	16	16	18	29	37	27	8			
22b	Other diseases of the respiratory system.....	36	8	4	7	3	5	3	1	7	11	9	10	4	5					
24	Diseases of the stomach.....	72	16	3					2	5	4	16	8	7	2					
25(37)	Diarrhea and enteritis.....	531	390	72	11	6	2	9	2	1	4	9	6	8	5	6				
26	Appendicitis and typhlitis.....	110						11	21	21	14	17	13	6	4					
27	Hernia, intestinal obstruction.....	112	15	2	1		1	1	2	6	10	17	23	21	10	3				
28	Cirrhosis of the liver.....	82							1	12	16	28	12	9	2	2				
29	Acute nephritis and Bright's disease.....	695	8	3	2	1	3	8	15	20	52	97	133	174	134	43	2			
30	Diseases of the female genital organs.....	60							1	7	14	19	10	5	3	1				
31	Puerperal fever.....	51							2	23	25	1								
32	Other puerperal affections.....	82							5	35	29	13								
33	Congenital debility and malformations.....	649	631	7	3	2	1	2	3											
34	Senility.....	23											1	4	13	5				
35	Violent deaths (excluding suicide).....	727	24	16	17	15	17	38	47	90	107	119	99	65	45	22	5			1
36	Suicide.....	133							5	23	32	29	29	12	2	1				
(37)	Other defined diseases.....	1,763	333	30</																

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
	All causes.....	405	48	11	4	3	9	17	45	56	88	69	29	17	6	1	2	
1	Typhoid fever.....	2								1			1							
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....																			
5	Measles.....																			
6	Scarlet fever.....																			
7	Whooping cough.....	2	1		1															
8	Diphtheria and croup.....	3						2			1									
9	Influenza.....	1									1									
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	2	1									1								
13	Tuberculosis of the lungs.....	93		2	1			2	8	27	20	21	8	2	2					
14	Tuberculous meningitis.....	6	1		1	1		2	2	1	2	2								
15	Other forms of tuberculosis.....	10						2	2	2	2	2								
16	Cancer and other malignant tumors.....	17								1	3	5	4	2			2			
17	Meningitis.....	1		1																
18	Cerebral hemorrhage and softening.....	16								1	2	7	2	3			1			
19	Organic diseases of the heart.....	49							1	1	3	16	12	7	7	1			1	
20	Acute bronchitis.....	1	1																	
21	Chronic bronchitis.....	1										1								
22	Pneumonia.....	32	1	1		1			2	3	6	7	8	1					1	1
23a	Bronchopneumonia.....	12	5	3							1				1					
23b	Other diseases of the respiratory system.....	2									1				1					
24	Diseases of the stomach.....																			
25(37)	Diarrhoea and enteritis.....	13	10	2	1															
26	Appendicitis and typhlitis.....	1						1												
27	Hernia, intestinal obstruction.....	2		1							1									
28	Cirrhosis of the liver.....	4										2	2							
29	Acute nephritis and Bright's disease.....	33									4	10	12	6	3					
30	Diseases of the female genital organs.....	4								1	2	1								
31	Puerperal fever.....	1									1	1								
32	Other puerperal affections.....	1									1									
33	Congenital debility and malformations.....	17	17																	
34	Senility.....	1																		
35	Violent deaths (excluding suicide).....	17		1		1			1	4	4	4	1	1					1	
36	Suicide.....	4																		
(37)	Other defined diseases.....	58	11						3	3	6	15	11	7	1	1				
38	Diseases ill-defined or unknown.....	1											1							

CAMBRIDGE, MASS.

	All causes.....	1,452	243	60	18	12	7	20	50	92	120	146	156	216	182	99	22	
1	Typhoid fever.....	2											1	1					
2	Typhus fever.....																		
3	Malaria.....																		
4	Smallpox.....																		
5	Measles.....	12	4	7		1													
6	Scarlet fever.....	2				2													
7	Whooping cough.....	10	7		2			1											
8	Diphtheria and croup.....	17	2	4	2	1	2	3	2	1									
9	Influenza.....	6									2			1	1	1	1		
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	6	2			1			1					1	1				
13	Tuberculosis of the lungs.....	185	1		1				20	47	48	30	21	13	3	1			
14	Tuberculous meningitis.....	15	4	3	1	1	1	2	2		1								
15	Other forms of tuberculosis.....	8	1	1				1	1	1	2	1							
16	Cancer and other malignant tumors.....	111								1	7	18	24	34	16	11			
17	Meningitis.....	4	1					1	1										
18	Cerebral hemorrhage and softening.....	95								1	1	9	13	25	33	13			
19	Organic diseases of the heart.....	176	2					1	4	3	12	9	24	53	36	27	5		
20	Acute bronchitis.....	14	6	3	1				1					1	2				
21	Chronic bronchitis.....	16								1			1	6	4	3	1		
22	Pneumonia.....	100	14	8		1		1	3	5	8	14	15	16	14	1			
23a	Bronchopneumonia.....	77	35	17	5		1	1	4	4		3	2	5	2	1	1		
23b	Other diseases of the respiratory system.....	4										2	1		1				
24	Diseases of the stomach.....	9	3							1		2		3					
25(37)	Diarrhoea and enteritis.....	83	59	9	1					2	2	1	2	3	2	2			
26	Appendicitis and typhlitis.....	8				1			3	1			1			1	1		
27	Hernia, intestinal obstruction.....	10	1	1	1				2		2	1	1	1					
28	Cirrhosis of the liver.....	5										2		1	2				
29	Acute nephritis and Bright's disease.....	93	1	2			1		3	4	8	14	13	24	15	8			
30	Diseases of the female genital organs.....	3								1	1				1				
31	Puerperal fever.....	6								3	3				1				
32	Other puerperal affections.....	5								2	2	1							
33	Congenital debility and malformations.....	83	82					1											
34	Senility.....	4																	
35	Violent deaths (excluding suicide).....	74	1	4	2	2	2	7	5	5	9	15	4	2	8	7	1		
36	Suicide.....	4								1	1		2						
(37)	Other defined diseases.....	203	17		2	2		1	11	8	12	21	30	26	41	21	11		
38	Diseases ill-defined or unknown.....	2		1										1					

CAUSES OF DEATH, BY AGE.

587

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.			
	All causes.....	2,167	748	140	33	22	11	43	59	115	144	143	182	250	199	63	8	2		
1	Typhoid fever.....	12							4	4	2	2									
2	Typhus fever.....																				
3	Malaria.....																				
4	Smallpox.....																				
5	Measles.....	3	1	1	1																
6	Scarlet fever.....	12	2	3		1		4	2												
7	Whooping cough.....	22	17	4		1															
8	Diphtheria and croup.....	26	3	5	1	4	4	8	1												
9	Influenza.....	5							1	1			1		2						
10	Asiatic cholera.....																				
11	Cholera nostras.....	2	2																		
12	Other epidemic diseases.....	11	4			1	1	1						1	1	2					
13	Tuberculosis of the lungs.....	184	4	3	3			14	50	47	26	18	11	4							
14	Tuberculous meningitis.....	16	2	2	2	2	1	5	1	1											
15	Other forms of tuberculosis.....	11		3	1		1		1	2	1			2							
16	Cancer and other malignant tumors.....	70						1	4	4	11	22	16	9	3						
17	Meningitis.....	11	2	4	1			2	1												
18	Cerebral hemorrhage and softening.....	97							2	1	8	22	29	26	9						
19	Organic diseases of the heart.....	194	1		1			2	4	10	14	15	26	53	57	9			2		
20	Acute bronchitis.....	20	18	1																	
21	Chronic bronchitis.....	21									2		7	6	1	6					
22	Pneumonia.....	99	10	6	3		1	2	2	4	12	11	12	20	11	6					
23	Bronchopneumonia.....	194	109	44	8	4	3	2	1	1	3	3	5	5	6	5					
23b	Other diseases of the respiratory system.....	21		4	2	2			2	1	1	1	6	2	2	1					
24	Diseases of the stomach.....	19	2	2	2	1			1	2	4	2	1	2							
25(37)	Diarrhea and enteritis.....	389	326	45	5	4			1	1	2	1	1	3							
26	Appendicitis and typhlitis.....	12			1			1	4		1	3	2								
27	Hernia, intestinal obstruction.....	16	3					2		2	1	1	4	2	1						
28	Cirrhosis of the liver.....	21									3	8	1	2	4						
29	Acute nephritis and Bright's disease.....	129		1	1	1		1	2	7	16	19	21	31	25	3			1		
30	Diseases of the female genital organs.....	5								1	1		1	1	2						
31	Puerperal fever.....	7								4	3										
32	Other puerperal affections.....	11						1	1	9											
33	Congenital debility and malformations.....	166	164	2																	
34	Senility.....	18											2	10	4	2					
35	Violent deaths (excluding suicide).....	61	4	4	1	2		6	6	2	6	6	3	15	4	2					
36	Suicide.....	17						1	2	3	2	6	4	1	1						
(37)	Other defined diseases.....	231	57	3	3	2		2	12	18	13	20	31	38	22	13			2		
38	Diseases ill-defined or unknown.....	34	17	3	2					1	3		1	3	1						2

LOWELL, MASS.

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.		
	All causes.....	1,769	431	79	25	15	16	41	58	103	108	174	201	233	186	87	12	
1	Typhoid fever.....	12						1	3	1	2	2	3							
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....																			
5	Measles.....	12	5	5		1				1										
6	Scarlet fever.....	2						2												
7	Whooping cough.....	9	6		1	1		1												
8	Diphtheria and croup.....	26	2	3	2	3	6	6	2		1			1						
9	Influenza.....	3										1	1	1						
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	7	3					1					1	1	1					
13	Tuberculosis of the lungs.....	106	3	1	1			15	30	27	19	6	1	3						
14	Tuberculous meningitis.....	19	8	4	3	1		1	1			1								
15	Other forms of tuberculosis.....	13	3	1	2					2										
16	Cancer and other malignant tumors.....	98						1	1	2	7	13	25	28	16	5				
17	Meningitis.....	17	6	2	1	1	1	2	2	2										
18	Cerebral hemorrhage and softening.....	89	1								1	10	21	24	21	9				
19	Organic diseases of the heart.....	166				1		2	3	9	11	15	24	53	35	12	1			
20	Acute bronchitis.....	52	30	16	4									1	1					
21	Chronic bronchitis.....	16											2	10	2	1				
22	Pneumonia.....	93	13	3	3			3	2	3	7	15	12	13	13	6				
23	Bronchopneumonia.....	74	27	14	5		2	1	2	2	2	2	2	6	7	3	1			
23b	Other diseases of the respiratory system.....	16	1					2		2	4	1	3	1	2					
24	Diseases of the stomach.....	15	3							2	2	2	2	2						
25(37)	Diarrhea and enteritis.....	169	138	18		5	1	1	3	5	4		2	2	1					
26	Appendicitis and typhlitis.....	18		1				1	3			2	1	1						
27	Hernia, intestinal obstruction.....	18	4			1	1				3	3	3	2	1					
28	Cirrhosis of the liver.....	16						1			7	3	4	1						
29	Acute nephritis and Bright's disease.....	99	2		1			1	2	4	12	21	17	17	16	6				
30	Diseases of the female genital organs.....	4							1			2	1							
31	Puerperal fever.....	6								5	1									
32	Other puerperal affections.....	14						1	6	5	2									
33	Congenital debility and malformations.....	131	130	1									2	2	5	9	1			
34	Senility.....	19																		
35	Violent deaths (excluding suicide).....	82		4	1		3	4	5	14	11	15	8	6	7	4				
36	Suicide.....	10								2	1	1	5	1						
(37)	Other defined diseases.....	335	45	6	1	1	1	7	12	16	13	34	54	55	28	7				
38	Diseases ill-defined or unknown.....	3										2		1						

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
WORCESTER, MASS.																		
	All causes.....	2,483	488	81	29	12	16	51	54	169	189	230	303	349	330	160	19	3
1	Typhoid fever.....	6							2		2	2						
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	18	8	5	3		1	1										
6	Scarlet fever.....	7	1	4				2										
7	Whooping cough.....	13	7	4	2													
8	Diphtheria and croup.....	19	2	1			3	4	6	1	1		1					
9	Influenza.....	4	1													1		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	17	3	1			1				1	1	2	2	4	1	1	
13	Tuberculosis of the lungs.....	188	2	3	2			3	5	51	46	34	26	8	5			
14	Tuberculous meningitis.....	25	4	8	3	1		2	5	1	1	3	1					
15	Other forms of tuberculosis.....	16	1	1	2	1				3	3	1	1					
16	Cancer and other malignant tumors.....	176						1	1	3	12	27	43	43	39	6	1	
17	Meningitis.....	4										1						
18	Cerebral hemorrhage and softening.....	182			2						1	3	10	24	43	49	29	2
19	Organic diseases of the heart.....	344		1				1	8	11	16	28	55	90	90	39	4	1
20	Acute bronchitis.....	27	17	2				1					1	1	3	2	2	
21	Chronic bronchitis.....	22												1	3	13	4	
22	Pneumonia.....	153	19	6	5	1	1	5	5	8	6	16	22	25	21	12	1	
23a	Bronchopneumonia.....	118	50	21	3	2		2		2	2	4	9	14	8			
23b	Other diseases of the respiratory system.....	24	3	1				1		2	2	1	4	5	5		1	
24	Diseases of the stomach.....	24	8	3	1					3	3	1	1	1	1	2		
25(37)	Diarrhea and enteritis.....	127	98	16			1	1		1	1	1	2	2	2	2	1	
26	Appendicitis and typhlitis.....	28				1			5	7	3	5	1	2				
27	Hernia, intestinal obstruction.....	21						4		3	1	3	3	5	2	3	1	
28	Cirrhosis of the liver.....	12								2	2	1	4	2	1			
29	Acute nephritis and Bright's disease.....	126						2	1	5	10	13	25	36	25	9		
30	Diseases of the female genital organs.....	13								1	2	10						
31	Puerperal fever.....	9								7	2							
32	Other puerperal affections.....	27								13	14							
33	Congenital debility and malformations.....	190	190															
34	Senility.....	12													3	6	1	2
35	Violent deaths (excluding suicide).....	126	6	2	2		4	7	19	15	13	18	17	13	3	4	3	
36	Suicide.....	27								6	8	5	6	2				
(37)	Other defined diseases.....	398	68	5	4		1	8	6	20	37	47	58	56	53	32	3	
38	Diseases ill-defined or unknown.....																	

DETROIT, MICH.

All causes.....		8,400	2,313	347	164	98	62	189	300	774	775	731	794	803	696	305	43	4	2
1	Typhoid fever.....	76						4	17	22	15	8	6	4					
2	Typhus fever.....																		
3	Malaria.....	1	1																
4	Smallpox.....	1								1									
5	Measles.....	41	11	16	5	6		1	1						1				
6	Scarlet fever.....	52	4	6	6	8	5	11	8	4									
7	Whooping cough.....	84	56	18	6	1	2		1										
8	Diphtheria and croup.....	157	11	27	22	18	15	36	11	7	4	4	2						
9	Influenza.....	20	2					1		3			3	3	4	3			
10	Asiatic cholera.....																		
11	Cholera nostras.....	4	2			1				1									
12	Other epidemic diseases.....	36	9		2			2	1	3	7	1	2	4	3	2			
13	Tuberculosis of the lungs.....	557	10	2	2			2	57	195	135	83	51	18	2				
14	Tuberculous meningitis.....	49	13	9	6	2	1	8	3	3	4	2	1						
15	Other forms of tuberculosis.....	49	4	1	2	2	1	1	7	12	8	4	4						
16	Cancer and other malignant tumors.....	424	1	1	1			3	2	10	41	80	118	108	47	11	1		
17	Meningitis.....	115	36	22	12	6	4	13	8	6	2	3	1	1					
18	Cerebral hemorrhage and softening.....	321	1		1		1	1		9	19	37	61	78	87	24	2		
19	Organic diseases of the heart.....	743	9	2	1	3	3	12	39	48	69	91	124	167	125	45	4	1	
20	Acute bronchitis.....	88	55	5	2	1	1	1					4	12	6	1			
21	Chronic bronchitis.....	47						2		2	2	2	5	7	18	8	1		
22	Pneumonia.....	491	71	27	14	8		12	13	42	72	76	58	52	32	13	1		
23a	Bronchopneumonia.....	427	218	72	25	12	8	10	3	9	11	8	11	19	14	5	2		
23b	Other diseases of the respiratory system.....	85	9	4	4	2	3		4	8	5	8	20	7	6	5			
24	Diseases of the stomach.....	141	48	6	2	3		3		6	6	17	14	15	16	4	1		
25(37)	Diarrhea and enteritis.....	717	578	84	12	4	1	6		5	8	7	6	4	4	3			
26	Appendicitis and typhlitis.....	99	1		1			10	14	39	17	6	5	5					
27	Hernia, intestinal obstruction.....	85	22	2		1	1		1	7	7	8	11	11	14				
28	Cirrhosis of the liver.....	111							1	3	18	25	26	22	15	1			
29	Acute nephritis and Bright's disease.....	388	6		3	3	1	3	12	22	38	62	81	73	67	15	1	1	
30	Diseases of the female genital organs.....	45								12	14	9	6	3					
31	Puerperal fever.....	55							3	34	15	3							
32	Other puerperal affections.....	68							3	32	24	4							
33	Congenital debility and malformations.....	786	779	5				2											
34	Senility.....	202											14	82	82	22	2		
35	Violent deaths (excluding suicide).....	514	24	9	20	12	6	23	42	115	97	57	43	28	21	15	1	1	
36	Suicide.....	102							7	26	19	21	17	5	6	1			
(37)	Other defined diseases.....	1,189	334	19	11	4	7	23	43	88	114	104	116	143	116	61	5	1	
38	Diseases ill-defined or unknown.....	35	3	10	4			1		1	3	1	2	8	1				

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
			ST. PAUL, MINN.																	
	All causes.....	2,690	412	56	49	34	25	83	132	275	265	271	340	292	271	164	18	2	1	
1	Typhoid fever.....	26	1		1		1	2	4	9	7		1							
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....																			
5	Measles.....	3	1	1			1													
6	Scarlet fever.....	46	3	5	7	3	6	12	6	4										
7	Whooping cough.....	9	7	1	1								2							
8	Diphtheria and croup.....	60	2	3	12	9	7	18	9	5	1	1								
9	Influenza.....	11	1						2				2	1	3	1	1			
10	Asiatic cholera.....																			
11	Cholera nostras.....	1																		
12	Other epidemic diseases.....	15	3			1									5	2	1			
13	Tuberculosis of the lungs.....	269		1				2	26	87	62	39	32	15	4					
14	Tuberculous meningitis.....	37	5	4	2	3	3	3	7	6	1		3							
15	Other forms of tuberculosis.....	19		1	1			2	3	5	2	3			1					
16	Cancer and other malignant tumors.....	166										27	50	45	25	5				
17	Meningitis.....	17	2	1	2			3	2	1	11	3	1	2						
18	Cerebral hemorrhage and softening.....	103									4	5	14	21	40	18			1	
19	Organic diseases of the heart.....	253	1			1		7	8	9	15	21	43	47	54	44	3			
20	Acute bronchitis.....	6	1			1					1		1		1					
21	Chronic bronchitis.....	16	1							1			3	2	5	4				
22	Pneumonia.....	173	19	3	3	2		1	4	12	26	23	25	23	19	8				
23a	Bronchopneumonia.....	94	47	8	3						2	5	3	7	8	9				
23b	Other diseases of the respiratory system.....	28	4		1	2		2	2	4	1	2	2	3	4	3				
24	Diseases of the stomach.....	21	2		1					4	1	2	4	2	1	3	1			
25(37)	Diarrhea and enteritis.....	132	81	18	9	4	4				1	3	3	5	1	2	1			
26	Appendicitis and typhilitis.....	55						5	9	14	4	6	11	5	1					
27	Hernia, intestinal obstruction.....	26	4	1					1	2		5	1	8	2	2				
28	Cirrhosis of the liver.....	26								1	2	7	7	3	5	1				
29	Acute nephritis and Bright's disease.....	191	1					1	6	12	15	38	38	32	36	12				
30	Diseases of the female genital organs.....	17								5	6	2	3		1					
31	Puerperal fever.....	10							1	5	4									
32	Other puerperal affections.....	19							1	7	6									
33	Congenital debility and malformations.....	183	178	1	1			1	1			1								
34	Senility.....	28												2	7	14	4		1	
35	Violent deaths (excluding suicide).....	212	5	3	3	6	1	12	22	39	36	26	22	18	7	10	1			1
36	Suicide.....	40							3	12	11	5	6	3						
(37)	Other defined diseases.....	369	43	5	2	1	1	12	13	30	43	43	62	40	44	25	5			
38	Diseases ill-defined or unknown.....																			

KANSAS CITY, MO. (TOTAL).

All causes.....		3,039	536	95	51	36	27	77	145	399	502	499	531	454	370	190	27			
1	Typhoid fever.....	46		1		1	1	3	9	13	12	4	2							
2	Typhus fever.....																			
3	Malaria.....		1				1	1		1	1		2		1					
4	Smallpox.....		3		2															
5	Measles.....	5	1	1						1										
6	Scarlet fever.....	4			1		1			1		1								
7	Whooping cough.....	33	15	8	2	4	1	3												
8	Diphtheria and croup.....	68	1	6	9	15	5	22	6	2	1	1								
9	Influenza.....	20	1				1	2			2	2	2	2	5	2				
10	Asiatic cholera.....																			
11	Cholera nostras.....	2										2				1	1			
12	Other epidemic diseases.....	10	6	1																
13	Tuberculosis of the lungs.....	385	6	1	3			3	30	103	96	77	37	21	8					
14	Tuberculous meningitis.....	15		4	4		1	2	1	1				2						
15	Other forms of tuberculosis.....	28	1	2	4		1	1	2	3	11	5								
16	Cancer and other malignant tumors.....	254								6	20	44	68	72	37	6	1			
17	Meningitis.....	23	1	4	1	2	2	2	4	3	6	3	1							
18	Cerebral hemorrhage and softening.....	174								4	6	17	28	53	43	20	3			
19	Organic diseases of the heart.....	373	3	1	1			1	9	16	40	52	72	81	69	24	4			
20	Acute bronchitis.....	30	12	2	2			1		1	3	3		2	2	3	1			
21	Chronic bronchitis.....	18								2	2	2	1	1	4	5	3			
22	Pneumonia.....	227	16	13	2	1	2	2	5	21	33	25	50	18	28	10	1			
23a	Bronchopneumonia.....	105	47	15	5	2	2	1	1	3	2	5	4	4	11	2	1			
23b	Other diseases of the respiratory system.....	35	6		1		1			4	4	7	2	5	3	1				
24	Diseases of the stomach.....	26	4							2	4	2	6	1	5	2				
25(37)	Diarrhea and enteritis.....	190	124	26	5		2	1	3	2	3	6	3	4	5	6				
26	Appendicitis and typhilitis.....	58				1	2	3	11	14	9	14	3	1						
27	Hernia, intestinal obstruction.....	33	6		1			1	3	4	4	4	10	3	4	2				
28	Cirrhosis of the liver.....	29							1	4	5	11	2	3	3					
29	Acute nephritis and Bright's disease.....	332	7	2	1			4	6	11	29	39	60	77	49	37	1			
30	Diseases of the female genital organs.....	59							2	11	18	22	4	1						
31	Puerperal fever.....	36							6	20	7	3								
32	Other puerperal affections.....	26							5	7	13	1								
33	Congenital debility and malformations.....	169	165	2		1		1												
34	Senility.....	10												1	2	5	2			
35	Violent deaths (excluding suicide).....	327	8	1	9	2	2	13	22	71	67	51	39	18	15	5	4			
36	Suicide.....	114							6	29	32	23	17	6	3	1				
(37)	Other defined diseases.....	646	99	4	1	5	2	12	15	40	80	80	96	78	75	54	5			
38	Diseases ill-defined or unknown.....	13	5	1	1					2		1	1	2						

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
ST. LOUIS, MO. (TOTAL).																				
	All causes.....	11,052	1,508	346	179	112	96	284	393	966	1,213	1,349	1,440	1,436	1,123	543	51	6	2	
1	Typhoid fever.....	88	1	2	1	3	22	28	13	10	5	2	1
2	Typhus fever.....
3	Malaria.....	22	2	5	1	1	2	1	3	1	2	2	2
4	Smallpox.....
5	Measles.....	70	13	27	7	7	5	6	5
6	Scarlet fever.....	140	5	21	24	20	13	45	8	3
7	Whooping cough.....	88	47	25	8	2	5	1
8	Diphtheria and croup.....	255	18	29	39	33	32	84	13	2	2	2	1	1
9	Influenza.....	69	6	2	2	2	2	5	12	12	10	8	7	1
10	Asiatic cholera.....	1	1
11	Cholera nostras.....	12	2	1	1	1	1	1	2	3	6	2	2	1
12	Other epidemic diseases.....	35	11	1	1	2	7	87	305	305	195	91	43	15	2
13	Tuberculosis of the lungs.....	1,085	11	1	1	2	5	8	8	3	6	1
14	Tuberculous meningitis.....	63	10	15	2	3	2	4	5	20	18	14	7
15	Other forms of tuberculosis.....	701	3	3	1	4	3	19	47	125	203	171	94	81	2	1
16	Cancer and other malignant tumors.....	32	6	3	4	3	6	3	2	2	1	2
17	Meningitis.....	456	1	1	1	4	5	21	36	108	118	100	59	2
18	Cerebral hemorrhage and softening.....	945	5	1	1	2	15	34	44	94	130	143	208	180	79	8	1
19	Organic diseases of the heart.....	120	58	15	1	1	3	3	1	1	6	12	7	11
20	Acute bronchitis.....	105	1	5	6	7	15	29	36	4
21	Chronic bronchitis.....	708	56	24	15	2	5	12	22	59	93	96	105	112	74	23	7	1
22	Pneumonia.....	417	171	52	27	14	4	13	3	13	18	12	14	27	37	12
23a	Bronchopneumonia.....	86	9	2	1	3	5	11	12	14	8	15	5
23b	Other diseases of the respiratory system.....	89	17	2	1	2	2	7	13	13	6	11	8	6	2
24	Diseases of the stomach.....	538	380	70	12	6	3	3	7	5	5	6	11	11	9	9	1
25(37)	Diarrhea and enteritis.....	85	6	2	1	7	20	22	9	13	11	9	1
26	Appendicitis and typhlitis.....	85	6	2	1	7	20	22	9	13	11	9	1
27	Hernia, intestinal obstruction.....	210	1	1	7	20	22	9	13	11	9	1
28	Cirrhosis of the liver.....	1,262	7	5	2	3	1	7	17	40	104	177	234	299	252	104	10
29	Acute nephritis and Bright's disease.....	74	2	14	29	19	5	3	2
30	Diseases of the female genital organs.....	60	6	26	26	2
31	Puerperal fever.....	53	5	26	16	6
32	Other puerperal affections.....	449	440	3	1	2	2
33	Congenital debility and malformations.....	15
34	Senility.....	685	20	12	11	7	7	22	47	127	127	103	94	48	38	21	1	2
35	Violent deaths (excluding suicide).....	269	9	63	53	64	44	27	7	2
36	Suicide.....	1,613	202	21	16	7	9	24	52	103	158	205	248	232	205	118	12
37	Other defined diseases.....	10
38	Diseases ill-defined or unknown.....

ST. LOUIS, MO. (WHITE).

ST. LOUIS, MO. (WHITE).																				
	All causes.....	9,786	1,372	315	153	102	85	258	331	788	982	1,157	1,295	1,325	1,054	521	45	1	2	
1	Typhoid fever.....	83	1	2	1	3	22	26	11	10	4	2	1
2	Typhus fever.....
3	Malaria.....	18	1	5	1	1	2	1	2	1	2
4	Smallpox.....
5	Measles.....	68	13	27	6	7	5	6	4
6	Scarlet fever.....	134	5	21	23	19	12	42	8	3
7	Whooping cough.....	73	42	20	3	2	5	1
8	Diphtheria and croup.....	243	18	27	37	33	27	81	13	1	2	2	1	1
9	Influenza.....	58	5	2	2	2	2	5	8	1	10	6	7	1
10	Asiatic cholera.....	1	1
11	Cholera nostras.....	12	1	1	1	1	1	2	3	5	1	2
12	Other epidemic diseases.....	31
13	Tuberculosis of the lungs.....	826	8	3	59	229	235	159	78	40	12	2
14	Tuberculous meningitis.....	46	8	13	2	1	2	5	5	4	1	5
15	Other forms of tuberculosis.....	54	3	2	2	1	1	4	13	10	11	6	1
16	Cancer and other malignant tumors.....	671	2	3	17	38	123	196	165	91	31	2	1
17	Meningitis.....	29	5	3	4	2	6	2	2	2	1	2
18	Cerebral hemorrhage and softening.....	425	1	1	1	4	3	17	32	100	113	96	55	2
19	Organic diseases of the heart.....	807	2	1	2	14	29	38	70	94	120	187	169	73	8
20	Acute bronchitis.....	104	53	11	1	1	1	2	5	5	12	7	11
21	Chronic bronchitis.....	100	1	5	7	13	28	36	4
22	Pneumonia.....	608	48	21	14	1	5	11	18	45	73	86	90	104	65	21	6
23a	Bronchopneumonia.....	359	153	45	17	12	4	12	1	9	14	9	12	23	36	12
23b	Other diseases of the respiratory system.....	73	9	2	1	1	3	8	9	13	7	14	5
24	Diseases of the stomach.....	73	13	2	1	2	7	10	9	4	11	6	2
25(37)	Diarrhea and enteritis.....	512	360	68	12	6	2	3	7	5	5	5	11	9	9	1
26	Appendicitis and typhlitis.....	87	1	1	2	7	17	21	8	11	8	9	1
27	Hernia, intestinal obstruction.....	74	6	2	1	6	10	14	8	16	10	1
28	Cirrhosis of the liver.....	197	3	18	58	48	39	28	5
29	Acute nephritis and Bright's																			

CAUSES OF DEATH, BY AGE.

593

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
ST. LOUIS, MO. (COLORED).																		
	All causes.....	1,266	136	31	26	10	11	26	62	178	231	192	145	111	74	22	6	5
1	Typhoid fever.....	5								2	2		1					
2	Typhus fever.....																	
3	Malaria.....	4	1									1	1	1				
4	Smallpox.....																	
5	Measles.....	2		1				1										
6	Scarlet fever.....	6		1	1	1	3											
7	Whooping cough.....	15	5	5	5	1												
8	Diphtheria and croup.....	12		2	2		5	3										
9	Influenza.....	11	1									4	4		2			
10	Asiatic cholera.....																	
11	Cholera nostras.....										1			1	1			
12	Other epidemic diseases.....	4		1										1	1			
13	Tuberculosis of the lungs.....	239	3	1		2		4	28	76	70	36	13	3	3			
14	Tuberculous meningitis.....	17	2	2		2			3	4	2	1	1					
15	Other forms of tuberculosis.....	24		1		2		3	1	7	8	3	1					
16	Cancer and other malignant tumors.....	30					1	1	2	9	2	7	6	3				
17	Meningitis.....	3	1				1	1										
18	Cerebral hemorrhage and softening.....	31						2	4	4	4	8	5	4	4			
19	Organic diseases of the heart.....	138	3			1		1	5	6	24	26	23	21	11	6		1
20	Acute bronchitis.....	16	5	4			2	1	1	1	1	1	1					
21	Chronic bronchitis.....	5												1	1			
22	Pneumonia.....	98	8	3	1	1		1	4	14	20	10	15	8	9	2	1	1
23a	Bronchopneumonia.....	58	18	7	10	2		1	2	4	4	3	2	4	1			
23b	Other diseases of the respiratory system.....	13						2	2	2	3	3	1	1	1			
24	Diseases of the stomach.....	16	4					1			3	4	2		2			
25(37)	Diarrhea and enteritis.....	26	20	2			1				1	1	2					
26	Appendicitis and typhlitis.....	11			1				3	1	1	2	3					
27	Hernia, intestinal obstruction.....	11					1		2	1	2	2	1	2				
28	Cirrhosis of the liver.....	13	1						1	4	2	3		1				1
29	Acute nephritis and Bright's disease.....	131	1					1	1	4	14	31	23	34	16	4	2	
30	Diseases of the female genital organs.....	10							1	1	6	2	1					
31	Puerperal fever.....	5							1	4								
32	Other puerperal affections.....	3							2	1								
33	Congenital debility and malformations.....	33	33															
34	Senility.....	2													1			1
35	Violent deaths (excluding suicide).....	91	6	1	1			4	6	29	24	8	10	1	1			
36	Suicide.....	2								2								
(37)	Other defined diseases.....	174	19	2	3	1		2	4	14	26	34	23	21	15	6	3	1
38	Diseases ill-defined or unknown.....	2			1							1						

OMAHA, NEBR.

	All causes.....	1,837	211	47	21	14	11	56	83	190	220	226*	264	225	185	70	14	
1	Typhoid fever.....	6						1	1		3	1						
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....	1									1							
5	Measles.....	2		1	1													
6	Scarlet fever.....	17	1	1	1		2	7	2	3								
7	Whooping cough.....	10	6	1	1			1										
8	Diphtheria and croup.....	57	4	5	4	6	4	26	6	2								
9	Influenza.....	11						1				2	2	1	3	2		
10	Asiatic cholera.....																	
11	Cholera nostras.....	7	2								1	3					1	
12	Other epidemic diseases.....																	
13	Tuberculosis of the lungs.....	135	3	1				1	5	41	37	23	15	10				
14	Tuberculous meningitis.....	7	1	1			1		1	1	1	1						
15	Other forms of tuberculosis.....	22						1	3	7	7	3	1					
16	Cancer and other malignant tumors.....	12							2	3	11	26	41	33	22	2		
17	Meningitis.....	140	1	2	2	1		1	1	3					1			
18	Cerebral hemorrhage and softening.....	85	1						1	1	2	9	20	21	22	6	3	
19	Organic diseases of the heart.....	145	1			1		1	3	11	18	22	30	26	22	9	1	
20	Acute bronchitis.....	9	1	1				1	1	1	1	1	1	2	4	1		
21	Chronic bronchitis.....	9														1		
22	Pneumonia.....	94	3	1				1	7	6	13	20	16	16	11	4	1	
23a	Bronchopneumonia.....	78	22	10	4	1	1	1	1	1	1	1	2	9	13	11	1	
23b	Other diseases of the respiratory system.....	10								3	3	3	2	2				
24	Diseases of the stomach.....	17	3	1				1	1	2	2	3	5	2	1			
25(37)	Diarrhea and enteritis.....	67	41	12	6				1	3	3	2	2	1	1			
26	Appendicitis and typhlitis.....	46		1			1	4	8	13	9	6	3	1				
27	Hernia, intestinal obstruction.....	40	6	2						1	7	3	7	8	3	3		
28	Cirrhosis of the liver.....	18								1	5	4	6	2				
29	Acute nephritis and Bright's disease.....	139					1	2	2	9	10	17	33	23	32	8	2	
30	Diseases of the female genital organs.....	19							2	4	5	5	5					
31	Puerperal fever.....	14							2	6	4	2						
32	Other puerperal affections.....	13							3	6	3	1						
33	Congenital debility and malformations.....	88	86		2													
34	Senility.....	21													10	9	2	
35	Violent deaths (excluding suicide).....	128	2	4	1			2	13	26	33	19	10	10	5	3		
36	Suicide.....	48							2	8	12	11	8	4	2	1		
(37)	Other defined diseases.....	321	27	2	1	3	1	4	19	32	32	44	59	50	30	13	4	
38	Diseases ill-defined or unknown.....	1													1			

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
JERSEY CITY, N. J.																				
	All causes.....	4,042	750	153	89	45	42	118	164	301	440	494	470	469	358	124	22	3	
1	Typhoid fever.....	22				1	1	3	5	8	1	3								
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....																			
5	Measles.....	13	1	4	3	3	1	1												
6	Scarlet fever.....	22		5	3	1	1	9	1	1			1							
7	Whooping cough.....	12	5	3	3			1												
8	Diphtheria and croup.....	91	4	12	18	14	10	23	7	1	1			1		1		2	1	
9	Influenza.....	11										1	2							
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	23	6	1	1			1		2	4				3					
13	Tuberculosis of the lungs.....	410	4	1			1	1	35	99	123	91	37	12	5					1
14	Tuberculous meningitis.....	33	4	7	1	1	4	6	5	3	2									
15	Other forms of tuberculosis.....	31	5					3	5	6	3	6	2	1						
16	Cancer and other malignant tumors.....	217						1	1	4	18	34	53	64	31	11				
17	Meningitis.....	31	7	4	8	2	1	5	2	2										
18	Cerebral hemorrhage and softening.....	193	3							2	7	15	33	61	55	17				
19	Organic diseases of the heart.....	370	1				1	10	24	23	27	48	61	78	78	15			4	
20	Acute bronchitis.....	47	31	2	2			2					1	1	6	3			1	
21	Chronic bronchitis.....	17	1									1	1	8	3	3				
22	Pneumonia.....	330	46	26	16	4	3	6	12	21	42	48	34	37	22	10			3	
23a	Bronchopneumonia.....	163	84	19	7	7	3	6	4	2	5	3	1	6	10	5			1	
23b	Other diseases of the respiratory system.....	43	4	4	1		1	3	1	4	7	4	4	3	3	4				
24	Diseases of the stomach.....	44	3	1						4	8	5	11	8	4					
25(37)	Diarrhea and enteritis.....	294	205	47	9	4	2	3	1	1	5	2	2	5	6	3				
26	Appendicitis and typhlitis.....	39						1	9	8	6	9	2	4						
27	Hernia, intestinal obstruction.....	45	11	1							4	8	8	4	7	1			1	
28	Cirrhosis of the liver.....	57									11	14	15	12	3	2				
29	Acute nephritis and Bright's disease.....	394	4	1	1		1	3	9	22	44	78	89	75	46	18			3	
30	Diseases of the female genital organs.....	13								2	6	2	1		1	1				
31	Puerperal fever.....	22							2	10	10									
32	Other puerperal affections.....	22								11	10	1								
33	Congenital debility and malformations.....	216	242		1		2		1											
34	Senility.....	22												1	10	9			2	
35	Violent deaths (excluding suicide).....	227	2	6	10	4	9	15	15	34	35	35	22	19	14	4			2	1
36	Suicide.....	45								1	2	10	13	11	5	3				
(37)	Other defined diseases.....	485	76	7	5	3	1	15	23	28	51	72	76	59	47	17			4	1
38	Diseases ill-defined or unknown.....	8	1	2		1						1	1	1		1				

NEWARK, N. J.

	All causes.....	5,650	1,139	291	106	72	41	139	163	375	538	635	727	660	535	203	25	1	
1	Typhoid fever.....	29	2					4	8	3	2	7	1	1	1					
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....																			
5	Measles.....	71	19	30	9	5	2	4		2										
6	Scarlet fever.....	27	2	3	4	4	3	8	2	1										
7	Whooping cough.....	23	13	8	2															
8	Diphtheria and croup.....	43	4	9	9	6	2	11	1			1								
9	Influenza.....	22	3	1	1						3		7			4			2	
10	Asiatic cholera.....																			
11	Cholera nostras.....	1	1																	
12	Other epidemic diseases.....	43	13	4	2	1		1		3	1	7	5	2	3	1				
13	Tuberculosis of the lungs.....	612	4	3	2	2		6	42	142	160	116	94	28	11	2				
14	Tuberculous meningitis.....	51	9	8	7	7	5	5	5	3	7			1	3					
15	Other forms of tuberculosis.....	28	4	3	1		2	2	2	5	21	58	96	92	52	7			2	
16	Cancer and other malignant tumors.....	340	1		1	2		1	4	4	1									
17	Meningitis.....	28	7	5	1	4	1	4	4	1										
18	Cerebral hemorrhage and softening.....	318	2							6	29	61	86	87	40	2			1	
19	Organic diseases of the heart.....	502	2		1			8	23	27	34	48	95	109	109	41			5	
20	Acute bronchitis.....	61	37	9				1	1	1			2	2	5	2			2	
21	Chronic bronchitis.....	33	1					1					3	6	11	5			2	
22	Pneumonia.....	420	61	43	14	9	5	16	12	24	51	50	54	54	18	9				
23a	Bronchopneumonia.....	301	128	79	24	10	4	8	5	3	4	4	7	7	11	7				
23b	Other diseases of the respiratory system.....	51	6	4		1		2		2	3	10	2	7	8	5			1	
24	Diseases of the stomach.....	37	7							1	6	6	6	1	1	1				
25(37)	Diarrhea and enteritis.....	453	341	65	9	3	2	6	1	7	7	2	2	4	7	3				
26	Appendicitis and typhlitis.....	46	2				1	4	3	2	7	6	8	7	4					
27	Hernia, intestinal obstruction.....	44	7					1		1		11	14	18	12	7			1	
28	Cirrhosis of the liver.....	68									4	11	14	18	12	7				
29	Acute nephritis and Bright's disease.....	547	1	1		5	4	8	4	27	46	94	125	114	94	23			1	
30	Diseases of the female genital organs.....	22								3	10	2	4	3						
31	Puerperal fever.....	22							2	14	5	1								
32	Other puerperal affections.....	22							1	16	11	4								
33	Congenital debility and malformations.....	334	333				1													
34	Senility.....	27												1	10	13			3	
35	Violent deaths (excluding suicide).....	293	13	5	12	6	7	19	23	36	36	53	26	25	17	11			1	
36	Suicide.....	80								16	17	26	10	8	2					
(37)	Other defined diseases.....	637	118	7	6	5	2	18	18	23	74	79	92	87	73	30			5	
38	Diseases ill-defined or unknown.....	7		4		1		1					1							

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
	BUFFALO, N. Y.																			
	All causes.....	7,045	1,525	220	96	55	41	149	261	565	590	749	894	830	676	354	39	1		
1	Typhoid fever.....	74					1		12	26	18	15	1	1						
2	Typhus fever.....																			
3	Malaria.....	3	1											1	1					
4	Smallpox.....																			
5	Measles.....	10	2	6	1					1										
6	Scarlet fever.....	26	3	2	2	4	3	11		1										
7	Whooping cough.....	75	40	17	10	1	1	6												
8	Diphtheria and croup.....	67	2	17	11	7	3	18	6		2	1								
9	Influenza.....	11	1						1	1	1		1	2	4					
10	Asiatic cholera.....																			
11	Cholera nostras.....	2	1											1	5	4	3			
12	Other epidemic diseases.....	40	11		1		2	1		3	2	4	4	5	4					
13	Tuberculosis of the lungs.....	649	4	2	2		2	4	64	209	148	117	67	23	6	1				
14	Tuberculous meningitis.....	57	8	10	7	6	1	11	5	10	7	2	2	3	2					
15	Other forms of tuberculosis.....	47	1	2	1		1	3	5	10	34	84	127	92	64	19				
16	Cancer and other malignant tumors.....	435							3	10	10	34	84	127	92	64	19			
17	Meningitis.....	30	9	3	2	1	1	3	3	3	1	2	1	2	1					
18	Cerebral hemorrhage and softening.....	383	2	1					2	2	13	43	88	93	97	40	2			
19	Organic diseases of the heart.....	731	7				1	11	23	25	42	77	107	188	149	91	11	1		
20	Acute bronchitis.....	50	27	5	2	1							2	3	3	6				
21	Chronic bronchitis.....	33											1	3	3	8	2			
22	Pneumonia.....	318	22	21	8		3	6	12	25	28	46	59	41	32	13	2			
23a	Bronchopneumonia.....	348	162	48	16	7	2	8	2	6	6	8	11	24	27	18	3			
23b	Other diseases of the respiratory system.....	62	7	4	1		1	1	3	3	4	9	11	6	7	4	1			
24	Diseases of the stomach.....	49	10	1		2		1	1	1	5	4	5	9	4	5	1			
25(37)	Diarrhea and enteritis.....	580	472	62	8	4	2	4	2	3	5	4	3	1	7	2	1			
26	Appendicitis and typhlitis.....	75		1	1			9	23	18	10	5	1	5	2					
27	Hernia, intestinal obstruction.....	67	12	2	2	1	1	2	2	4	5	7	12	5	8	4				
28	Cirrhosis of the liver.....	89								1	17	22	27	13	8	1				
29	Acute nephritis and Bright's disease.....	571	9	1	1	2	1	4	8	20	33	80	120	128	108	49	7			
30	Diseases of the female genital organs.....	41							1	9	15	6	3	1						
31	Puerperal fever.....	37							3	18	15	1	6	3	1					
32	Other puerperal affections.....	46							1	21	22	2								
33	Congenital debility and malformations.....	429	425		1	2			1						2	8	2			
34	Senility.....	12																		
35	Violent deaths (excluding suicide).....	381	8	6	9	9	8	24	39	68	56	46	41	30	20	16	1			
36	Suicide.....	59							2	11	12	13	9	7	4	1				
(37)	Other defined diseases.....	1,157	279	9	10	8	7	20	31	63	84	146	182	140	107	65	6			
38	Diseases ill-defined or unknown.....	1													1					

NEW YORK, N. Y. (TOTAL).

	All causes.....	75,020	13,342	3,410	1,321	892	628	1,792	2,694	5,743	7,653	9,250	9,694	9,020	6,647	2,611	308	11		4
1	Typhoid fever.....	337	2	1	1	4	2	13	67	93	79	41	22	12						
2	Typhus fever.....	1																		
3	Malaria.....	18							1	1	3	1	4	5	3					
4	Smallpox.....																			
5	Measles.....	576	138	290	70	33	16	25	1	1	1	1								
6	Scarlet fever.....	486	13	69	93	68	59	119	37	15	9	1	3							
7	Whooping cough.....	262	153	62	25	9	7	6												
8	Diphtheria and croup.....	1,507	161	391	248	206	146	276	40	21	7	5	3	2		1				
9	Influenza.....	225	18	7	2	2	2	3	9	10	17	21	26	41	42	22	3			
10	Asiatic cholera.....																			
11	Cholera nostras.....	2	1																	
12	Other epidemic diseases.....	407	150	222	4		4	1	8	24	38	39	42	41	26	8				
13	Tuberculosis of the lungs.....	9,204	65	33	31	26	25	89	671	2,015	2,464	2,106	1,119	443	94	21	1			1
14	Tuberculous meningitis.....	760	163	174	82	57	36	105	61	40	25	8	6	2						
15	Other forms of tuberculosis.....	337	18	19	14	13	8	49	39	72	58	45	27	19	6					
16	Cancer and other malignant tumors.....	4,452	6	3	6	3	4	8	31	110	352	880	1,243	1,092	586	122	6			
17	Meningitis.....	378	106	58	26	15	9	47	34	29	20	16	11	5	1					
18	Cerebral hemorrhage and softening.....	3,025	12	1			1		7	16	85	314	679	860	729	287	34			
19	Organic diseases of the heart.....	7,776	27	11	6	15	18	151	345	387	555	902	1,220	1,883	1,543	643	67	3		
20	Acute bronchitis.....	605	421	58	11	11	4	3	2	1	5	8	8	14	24	30	5			
21	Chronic bronchitis.....	258	6	3					1	1	6	12	28	36	87	64	11			
22	Pneumonia.....	5,302	493	381	116	57	46	106	189	428	663	826	765	625	439	148	15			
23a	Bronchopneumonia.....	4,302	1,900	913	233	116	41	78	36	58	58	120	154	239	232	106	14	1		1
23b	Other diseases of the respiratory system.....	630	64	69	33	15	9	14	17	23	68	58	77	60	66	45	7			
24	Diseases of the stomach.....	379	56	5	3	2	1	3	8	34	64	69	58	33	31	8	3	1		
25(37)	Diarrhea and enteritis.....	3,963	3,059	520	86	32	19	20	10	25	35	24	28	41	37	20	7			
26	Appendicitis and typhlitis.....	722	3	3	6	7	9	59	129	136	116	118	82	36	14	3				
27	Hernia, intestinal obstruction.....	549	75	15	2	4	2	11	12	24	49	90	88	94	59	23	1			
28	Cirrhosis of the liver.....	890	2	1	2			2	2	16	128	263	240	165	64					
29	Acute nephritis and Bright's disease.....	7,412	38	10	13	17	10	45	118	285	661	1,161	1,639	1,636	1,291	452	35	1		
30	Diseases of the female genital organs.....	331							7	52	102	104	40	15						
31	Puerperal fever.....	375							18	210	134	13								
32	Other puerperal affections.....	396							18	172	179	27								
33	Congenital debility and malformations.....	4,360	4,305	28	9	3	3	6	4	1										
34	Senility.....	322																		
35	Violent deaths (excluding suicide).....	3,973																		

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
NEW YORK, N. Y. (BRONX BOROUGH, COLORED).			93	14	4	1	2	3	3	2	10	14	9	15	7	6	2	1	
	All causes.....	93	14	4	1	2	3	3	2	10	14	9	15	7	6	2	1		
1	Typhoid fever.....																		
2	Typhus fever.....																		
3	Malaria.....																		
4	Smallpox.....																		
5	Measles.....																		
6	Scarlet fever.....																		
7	Whooping cough.....																		
8	Diphtheria and croup.....	1				1													
9	Influenza.....																		
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....																		
13	Tuberculosis of the lungs.....	22						1	2	5	7	3	3	1					
14	Tuberculous meningitis.....	1						1											
15	Other forms of tuberculosis.....																		
16	Cancer and other malignant tumors.....	5										1	2	2					
17	Meningitis.....																		
18	Cerebral hemorrhage and softening.....	3											1	2					
19	Organic diseases of the heart.....	12				1					2	2	2	1	2	1	1		
20	Acute bronchitis.....																		
21	Chronic bronchitis.....																		
22	Pneumonia.....	9				1					3	2	2		1				
23a	Bronchopneumonia.....	2		1											1				
23b	Other diseases of the respiratory system.....	2																	
24	Diseases of the stomach.....																		
25(37)	Diarrhea and enteritis.....	8	5	1							1				1				
26	Appendicitis and typhlitis.....	1								1									
27	Hernia, intestinal obstruction.....	1																	
28	Cirrhosis of the liver.....	1											1						
29	Acute nephritis and Bright's disease.....	4				1							3						
30	Diseases of the female genital organs.....	1									1								
31	Puerperal fever.....																		
32	Other puerperal affections.....	1								1									
33	Congenital debility and malformations.....	7	7																
34	Senility.....																		
35	Violent deaths (excluding suicide).....	4		2	1					1									
36	Suicide.....	1								1									
(37)	Other defined diseases.....	10	2			1		1		1		1	1	1	1	1			
38	Diseases ill-defined or unknown.....																		

NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).

	All causes.....	25,259	4,330	1,049	428	291	215	598	1,025	1,854	2,415	3,039	3,225	3,079	2,569	1,031	110	1
1	Typhoid fever.....	126	2	1	1			2	29	36	21	21	6	7					
2	Typhus fever.....	1																	
3	Malaria.....	10							1	1	1		2	3	2				
4	Smallpox.....																		
5	Measles.....	125	32	61	20	6	1	5											
6	Scarlet fever.....	119	5	11	21	22	15	28	12	3	1		1						
7	Whooping cough.....	76	45	18	8	1	3	1											
8	Diphtheria and croup.....	463	39	98	83	70	51	95	19	3	2	2	1						
9	Influenza.....	87	6	5	1	1		2	3	4	7	5	11	15	19	7	1		
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	126	44	6	2		2	1	2	6	13	12	14	11	12	1			
13	Tuberculosis of the lungs.....	2,766	13	5	5	5	6	24	249	651	741	639	303	95	25	3	1		1
14	Tuberculous meningitis.....	236	58	50	23	20	12	28	22	11	8	1	1	2					
15	Other forms of tuberculosis.....	133	9	6	2	4	2	18	20	25	18	15	12	3	1				
16	Cancer and other malignant tumors.....	1,439				1	2	2	15	25	111	262	400	347	223	48	2		
17	Meningitis.....	115	37	14	7	2	3	18	16	8	2	5	1	1					
18	Cerebral hemorrhage and softening.....	1,161	9	1				2	1	24	118	256	330	271	129	19			
19	Organic diseases of the heart.....	2,977	14	6	3	6	10	61	139	146	192	331	426	689	653	279	22		
20	Acute bronchitis.....	258	184	22	2	5	2	2	1		4	3	5	10	15	1			
21	Chronic bronchitis.....	104	1	1				1			4	8	10	11	37	27	4		
22	Pneumonia.....	1,805	169	114	36	15	15	40	79	134	218	271	265	214	171	58	6		
23a	Bronchopneumonia.....	1,459	620	320	88	45	15	32	19	21	23	42	46	72	75	37	4		
23b	Other diseases of the respiratory system.....	242	19	20	14	6	5	5	8	7	24	27	35	20	19	28	5		
24	Diseases of the stomach.....	137	17		1	1	1	2	1	12	31	28	20	9	9	4	1		
25(37)	Diarrhea and enteritis.....	1,438	1,091	189	38	14	13	14	2	8	12	8	8	11	18	9	3		
26	Appendicitis and typhlitis.....	273	2	2	1	3	2	22	65	43	43	40	31	13	5	1			
27	Hernia, intestinal obstruction.....	162	23	5				3	3	5	13	28	27	33	14	8			
28	Cirrhosis of the liver.....	321						1		4	44	95	80	65	31	1			
29	Acute nephritis and Bright's disease.....	2,568	17	1	3	7	3	15	58	106	250	403	561	520	467	145	9		
30	Diseases of the female genital organs.....	122							1	19	36	41	15	7	3				
31	Puerperal fever.....	115							6	63	42	4			3				
32	Other puerperal affections.....	123							7	59	48								
33	Congenital debility and malformations.....	1,298	1,284	6	1	1	1	2	2	1									
34	Senility.....	111											10	38	52	11			
35	Violent deaths (excluding suicide).....	1,264	43	43	39	31	32	100	101	190	161	189	140	104	54	35	2		
36	Suicide.....	255							8	46	47	49	53	35	15	2			
(37)	Other defined diseases.....	3,237	546	39	28	25	18	77	134	215	276	382	497	446	396	139	19		
38	Diseases ill-defined or unknown.....	7	1	4	1									1					

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
	All causes.....	2,208	418	55	21	26	16	38	61	153	158	212	269	322	298	139	22	
1	Typhoid fever.....	15			1				3	5	2	1	1	1		1		
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	4	2	1				1										
6	Scarlet fever.....	12		1	3	2		4	1	1								
7	Whooping cough.....	19	9	4	2	1	1	1	1									
8	Diphtheria and croup.....	16	1	2	3	1	5	3			1							
9	Influenza.....	7								1			2			3	1	
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	8	2											3	3			
13	Tuberculosis of the lungs.....	161	1		1	1			9	49	34	36	16	10	4			
14	Tuberculous meningitis.....	19	2	2	5	2		2	5		1							
15	Other forms of tuberculosis.....	17	5	1	1			1	2	2	3		1					
16	Cancer and other malignant tumors.....	126							1	1	10	15	34	40	21	4		
17	Meningitis.....	8	2			1	2	1	1	1	1	1						
18	Cerebral hemorrhage and softening.....	161		1					3	1	8	27	46	51	22	2		
19	Organic diseases of the heart.....	274	1				4	6	5	13	26	38	66	68	43	4		
20	Acute bronchitis.....	14	10								1	1	1					
21	Chronic bronchitis.....	6													5		1	
22	Pneumonia.....	143	11	2	1	1	1	2	2	12	15	18	17	25	26	9	1	
23a	Bronchopneumonia.....	65	29	12	5	1			2	2	2	1	2	2	8			
23b	Other diseases of the respiratory system.....	18	2					1		1	4	2	3	1	1	3		
24	Diseases of the stomach.....	21	7		1				2	2	1	3	2	2	3			
25(37)	Diarrhea and enteritis.....	159	116	24	2	4	2			1	1	1	1	2	3	2		
26	Appendicitis and typhlitis.....	21				1		1	2	7	4	3	3	3				
27	Hernia, intestinal obstruction.....	19	2						2	2	1	3	4	3	3	2		
28	Cirrhosis of the liver.....	29							1	6	11	5	14	5	3	14	1	
29	Acute nephritis and Bright's disease.....	152	1	1				3	6	11	17	32	33	33				
30	Diseases of the female genital organs.....	16						1	1	1	2	2	2					
31	Puerperal fever.....	14						4	8	3	4							
32	Other puerperal affections.....	7							3	4								
33	Congenital debility and malformations.....	147	145		1			1						1	5		3	
34	Senility.....	15														5		
35	Violent deaths (excluding suicide).....	122	3	2	1	5	1	5	9	18	14	19	12	16	9	6	5	3
36	Suicide.....	32								4	11	8	6	3				
(37)	Other defined diseases.....	360	66	3	3	2		10	11	17	25	35	51	57	52	22	6	
38	Diseases ill-defined or unknown.....	1	1															

CINCINNATI, OHIO (TOTAL).

	All causes.....	6,431	750	134	65	54	30	116	187	565	674	790	897	911	837	373	45	2	1
1	Typhoid fever.....	25						2	2	11	5	1	1	3					
2	Typhus fever.....																		
3	Malaria.....	3				1		1		1									
4	Smallpox.....	2									1			1					
5	Measles.....																		
6	Scarlet fever.....	19	2	1	3	2	1	8	2										
7	Whooping cough.....	44	18	15	2	7	1	1											
8	Diphtheria and croup.....	73	2	9	14	8	10	18	8	2		1	1						
9	Influenza.....	64	6	2	1	1		1	2	4	2	4	9	12	13	7			
10	Asiatic cholera.....																		
11	Cholera nostras.....	3	1					1							1				
12	Other epidemic diseases.....	41	7	1	1				3	3	5	6	5	5	6	2	1		
13	Tuberculosis of the lungs.....	884	8	6	1			8	51	215	233	189	115	48	10				
14	Tuberculous meningitis.....	48	12	7	4	3	1	6	6	3	4	4				1			
15	Other forms of tuberculosis.....	49			1		1	8	5	7	9	10	4	3	1				
16	Cancer and other malignant tumors.....	419	1				1	1	9	32	66	113	106	69	17	3			
17	Meningitis.....	29	8	1	4	1	2		6	2	2	2		1					
18	Cerebral hemorrhage and softening.....	369							3	2	10	27	57	109	111	43	6	1	
19	Organic diseases of the heart.....	771	6	1			6	18	30	53	81	135	176	176	84	4	1		
20	Acute bronchitis.....	53	16	5	2						3	1	2	16	6	2			
21	Chronic bronchitis.....	58	2	1					1	1	4	4	9	20	14	2			
22	Pneumonia.....	310	6	8	4	5	3	2	7	31	32	49	47	51	46	18	1		
23a	Bronchopneumonia.....	227	67	31	8	9	5	3	4	5	3	10	25	38	16	3			
23b	Other diseases of the respiratory system.....	28				2	1	3	2	2	1	6	1	4	5	1			
24	Diseases of the stomach.....	42	4	2		1	1	1	2	5	3	9	4	2	4	3	1		
25(37)	Diarrhea and enteritis.....	292	209	33	6	1		1	2	2	2	3	6	7	15	6	1		
26	Appendicitis and typhlitis.....	61						3	9	16	13	9	5	3	2				
27	Hernia, intestinal obstruction.....	73	4	1		2		3	1	3	10	8	17	14	8	2			
28	Cirrhosis of the liver.....	100							1	13	26	27	19	13	1				
29	Acute nephritis and Bright's disease.....	583	5		2	1	3	6	21	31	83	116	119	137	53	6			
30	Diseases of the female genital organs.....	47						2	10	13	13	5	3	1					
31	Puerperal fever.....	48						3	27	17	1								
32	Other puerperal affections.....	23						1	11	9	2								
33	Congenital debility and malformations.....	245	241		1	1		1	1										
34	Senility.....	1												1					
35	Violent deaths (excluding suicide).....	394	11	6	6	4	4	15	23	73	66	54	50	33	24	21	4		
36	Suicide.....	63						2	9	16	14	15	5	2					
(37)	Other defined diseases.....	931	112	4	6	3	3	19	19	59	93	113	147	148	118	76	11		
38	Diseases ill-defined or unknown.....	9	2							1			1	1	1	2			1

CAUSES OF DEATH, BY AGE.

607

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.
CINCINNATI, OHIO (WHITE).			5,787	675	123	60	44	28	108	163	448	575	674	813	858	815	360	42	1
	All causes.....	5,787	675	123	60	44	28	108	163	448	575	674	813	858	815	360	42	1	
1	Typhoid fever.....	23						1	2	11	4	1	1	3					
2	Typhus fever.....																		
3	Malaria.....	2						1		1									
4	Smallpox.....	1												1					
5	Measles.....																		
6	Scarlet fever.....	19	2	1	3	2	1	3	2										
7	Whooping cough.....	41	17	15	2	5	1	1	1										
8	Diphtheria and croup.....	70	2	9	14	1	10	17	7			1	1						
9	Influenza.....	62	6	2	1	1		1	2	3	2	4	9	12	12	7			
10	Asiatic cholera.....																		
11	Cholera nostras.....	3	7	1			1							6	1	2	1		
12	Other epidemic diseases.....	38	1	1	1				2	3	4	4	6	4	6				
13	Tuberculosis of the lungs.....	713	5	5	1			6	37	163	197	155	93	43	8				
14	Tuberculous meningitis.....	45	11	7	4	2	1	1	6	6	8	4	4	2	1	1			
15	Other forms of tuberculosis.....	43			1		1	6	5	5	7	8	4	2					
16	Cancer and other malignant tumors.....	400	1				1	1	5	7	7	29	58	111	102	69	17	3	
17	Meningitis.....	26	8	1	4	1	1		5	3	2	2	2	1					
18	Cerebral hemorrhage and softening.....	348						6	17	23	42	69	116	162	171	79	4	4	
19	Organic diseases of the heart.....	696	6	1				6	17	23	42	69	116	162	171	79	4	4	
20	Acute bronchitis.....	50	15	4	2				1	1		3	4	9	20	14	2	2	
21	Chronic bronchitis.....	57	2	1					1	1		3	4	9	45	15	1	3	
22	Pneumonia.....	261	6	8	3	3		18	21	4	39	39	10	23	38	18	1	3	
23a	Bronchopneumonia.....	199	52	29	5	6		7	3	2	5	6	10	23	33	5	1	3	
23b	Other diseases of the respiratory system.....	27					1	3	1	1	2	3	4	6	7	15	3	6	
24	Diseases of the stomach.....	41	4	2		1	1		1	2	5	1	4	2	2	6	1	1	
25(37)	Diarrhea and enteritis.....	270	195	26	6				1	2	5	3	4	7	15	6		1	
26	Appendicitis and typhlitis.....	59							9	15	13	9	5	2	2	2			
27	Hernia, intestinal obstruction.....	68	3	1		2		1	1	2	1	2	2	17	14	8	2		
28	Cirrhosis of the liver.....	96							1	1	1	2	2	19	13	1			
29	Acute nephritis and Bright's disease.....	534	5			1	1	3	6	20	27	71	104	109	133	48	6		
30	Diseases of the female genital organs.....	40							2	2	5	13	11	3	1				
31	Puerperal fever.....	42							2	2	1	1	5	1					
32	Other puerperal affections.....	20							1	1		1	1						
33	Congenital debility and malformations.....	222	218		1	1	1	1						1					
34	Senility.....	1							57	50	48	45	33	24	21	4			
35	Violent deaths (excluding suicide).....	344	9	6	5	4	4	14	20	16	14	14	14	5	2				
36	Suicide.....	62							2	9	16	14	14	1					
(37)	Other defined diseases.....	857	99	4	6	3	2	19	18	51	84	95	135	143	112	76	10		
38	Diseases ill-defined or unknown.....	7	1							1			1	1	2			1	

CINCINNATI, OHIO (COLORED).

CINCINNATI, OHIO (COLORED).			644	75	11	5	10	2	8	24	117	99	116	84	53	22	13	3	2
	All causes.....	644	75	11	5	10	2	8	24	117	99	116	84	53	22	13	3	2	
1	Typhoid fever.....	2						1			1								
2	Typhus fever.....																		
3	Malaria.....	1				1													
4	Smallpox.....	1									1								
5	Measles.....																		
6	Scarlet fever.....																		
7	Whooping cough.....	3	1			2													
8	Diphtheria and croup.....	3				1		1											
9	Influenza.....	2								1									
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	3								1		1							
13	Tuberculosis of the lungs.....	171	3	1			2	14	52	36	34	22	5	2					
14	Tuberculous meningitis.....	3	1			1		1											
15	Other forms of tuberculosis.....	6					2			1	2		1						
16	Cancer and other malignant tumors.....	19							2	3	8	2	4						
17	Meningitis.....	3					1		1										
18	Cerebral hemorrhage and softening.....	21							2	4	4	4	4	4	2	2	2	1	
19	Organic diseases of the heart.....	75						1	7	11	12	19	14	5	5	5	5	1	1
20	Acute bronchitis.....	3	1	1															
21	Chronic bronchitis.....	1																	
22	Pneumonia.....	49			1	1			13	11	10	7	4	1					
23a	Bronchopneumonia.....	28	15	2	3	3			1	1									
23b	Other diseases of the respiratory system.....	1																	
24	Diseases of the stomach.....	1							1										
25(37)	Diarrhea and enteritis.....	22	14	7						1									
26	Appendicitis and typhlitis.....	2								1									
27	Hernia, intestinal obstruction.....	5	1						1	1	2								
28	Cirrhosis of the liver.....	4								1	3								
29	Acute nephritis and Bright's disease.....	49				1				4	12	12	10	4	5				
30	Diseases of the female genital organs.....	7							5	2									
31	Puerperal fever.....	6							1	4	1								
32	Other puerperal affections.....	3							2										
33	Congenital debility and malformations.....	23	23																
34	Senility.....	1																	
35	Violent deaths (excluding suicide).....	50	2		1		1	3	16	16	6	5	1						
36	Suicide.....	1																	
(37)	Other defined diseases.....	74	13				1		1	8	9	18	12	5	6		1		
38	Diseases ill-defined or unknown.....	2	1												1				

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910; BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.				
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.	100 years and over.	
CLEVELAND, OHIO.																				
	All causes.....	8,183	1,854	296	126	89	67	187	281	695	769	915	914	927	721	291	47	1	3	
1	Typhoid fever.....	52						4	9	15	8	12	3	1						
2	Typhus fever.....																			
3	Malaria.....	1											1							
4	Smallpox.....																			
5	Measles.....	29	4	13	6	4	1	1												
6	Scarlet fever.....	51	4	10	12	4	3	8	7	2	1									
7	Whooping cough.....	44	25	11	4	2		2												
8	Diphtheria and croup.....	163	17	36	25	20	14	45	5					1	4	5	1			
9	Influenza.....	26	4		1		1	1		1	1	4	3	4						
10	Asiatic cholera.....																			
11	Cholera nostras.....	4	1					1		1		1	1							
12	Other epidemic diseases.....	26	8	2				1		4	4	4		2	4					
13	Tuberculosis of the lungs.....	744	10	2	1	1	2	4	68	214	185	140	78	27	10	2				
14	Tuberculous meningitis.....	64	8	7	8	2	3	7	8	11	5	3	2							
15	Other forms of tuberculosis.....	63	5	3	1	1	1	3	6	17	7	3	6	9	2					
16	Cancer and other malignant tumors.....	483	2		1	1	1	3	11	33	101	130	122	55	23					
17	Meningitis.....	47	4	4	2	4	3	9	3	5	5	4	3	1						
18	Cerebral hemorrhage and softening.....	443	2		1			6	20	40	83	120	118	46	7					
19	Organic diseases of the heart.....	651	2	2	3	1	1	19	23	29	42	55	89	162	151	65	6			1
20	Acute bronchitis.....	119	70	10	5	2	1	1		1	2	2	4	10	7	3				
21	Chronic bronchitis.....	44						2		2	3	7	6	15	9					
22	Pneumonia.....	415	63	20	2	4	5	8	6	30	51	67	60	52	34	12	1			
23a	Bronchopneumonia.....	308	157	39	6	4	4	3	4	3	11	5	23	13	23	11	2			
23b	Other diseases of the respiratory system.....	75	4	5	2	2	1	3	2	11	11	8	14	9	5	1				
24	Diseases of the stomach.....	62	13	1	3		2	2	1	3	6	6	8	5	7	6	1			
25(37)	Diarrhea and enteritis.....	750	594	97	18	8	2	1	1	2	5	3	4	9	5	1				
26	Appendicitis and typhlitis.....	87						3	17	23	14	14	8	6	1					
27	Hernia, intestinal obstruction.....	75	11	1	3	1		2	2	7	5	10	8	18	6	1				
28	Cirrhosis of the liver.....	95							1	8	28	27	20	10	1					
29	Acute nephritis and Bright's disease.....	540	6	1	1	4		4	7	17	38	84	108	128	99	38	4			1
30	Diseases of the female genital organs.....	46							2	12	11	14	4	3						
31	Puerperal fever.....	57							3	30	20	4								
32	Other puerperal affections.....	57							6	25	20	6								
33	Congenital debility and malformations.....	520	514	3		1		2												
34	Senility.....	28												2	11	10	4	1		
35	Violent deaths (excluding suicide).....	579	23	14	12	13	12	30	49	101	108	79	52	39	29	12	1			
36	Suicide.....	147							7	31	34	26	13	13	2	2				
(37)	Other defined diseases.....	1,239	280	11	8	6	11	25	40	86	113	178	161	150	113	39	17			1
38	Diseases ill-defined or unknown.....	49	23	4				1	2	2	2	2	3	6	4					

COLUMBUS, OHIO (TOTAL).

	All causes.....	3,022	401	53	33	27	17	43	105	276	326	344	404	409	378	177	24			
1	Typhoid fever.....	27				2		2	4	11	5	1	2							
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....																			
5	Measles.....	24	2	9	3	2	2	2	3			1								
6	Scarlet fever.....	3	1				1		1											
7	Whooping cough.....	14	9	1		3		1												
8	Diphtheria and croup.....	18	2	2	3	2	3	2	2	1	1									
9	Influenza.....	16									1	1	2	4	6	2				
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	15	2		1					1	1	2	3	3	1					
13	Tuberculosis of the lungs.....	281	2	1	1	1	2	18	75	68	56	33	20	4						
14	Tuberculous meningitis.....	18	2	5	1	3	1	3	1	1	1	1								
15	Other forms of tuberculosis.....	41	10					3	4	5	10	7	2							
16	Cancer and other malignant tumors.....	230		1					1	1	20	39	66	57	27	9				
17	Meningitis.....	15	1	1	1		1		4	2	1	1	1	1						
18	Cerebral hemorrhage and softening.....	213							6	9	25	35	53	57	21	4				
19	Organic diseases of the heart.....	281						1	5	14	13	29	47	80	65	26	1			
20	Acute bronchitis.....	15	3	1	1	1	1					1	2	2	2	2	1			
21	Chronic bronchitis.....	17	2						1		3	1	1	2	6	1				
22	Pneumonia.....	130	9	2	3	1		2	11	18	16	17	22	20	7					
23a	Bronchopneumonia.....	104	32	7	5	2			1	3	2	4	7	10	19	11	1			
23b	Other diseases of the respiratory system.....	31	7	1				1	1	1	1	6	4	4	5	2				
24	Diseases of the stomach.....	18	3						2	1	1	3	3	2	1					
25(37)	Diarrhea and enteritis.....	116	77	16	2	3	2	3	1	1	1	2	3	4	6					
26	Appendicitis and typhlitis.....	47			1	1	1	13	11	5	7	9	2	4	1					
27	Hernia, intestinal obstruction.....	44	4			1		3	3	3	7	5	12	8	4	5				
28	Cirrhosis of the liver.....	39							2	4	13	27	33	35	40	15				
29	Acute nephritis and Bright's disease.....	171	1					1	2	4	13	27	33	35	40	15				
30	Diseases of the female genital organs.....	47							1	11	15	16	3	1						
31	Puerperal fever.....	20							4	10	6									
32	Other puerperal affections.....	26							1	14	9	2								
33	Congenital debility and malformations.....	163	162	1										4	21	33	10			
34	Senility.....	63																		
35	Violent deaths (excluding suicide).....	195	6	4	5	3	3	10	18	32	33	19	23	12	10	14	3			
36	Suicide.....	44							10	10	8	8	6	2	2					
(37)	Other defined diseases.....	533	63	4	5	2	1	8	17	41	65	57	91	73	75	27	4			
38	Diseases ill-defined or unknown.....	8	1	2	2			1					1		1					

CAUSES OF DEATH, BY AGE.

609

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
	All causes.....	2,704	348	51	30	20	16	39	91	244	278	295	371	377	354	169	21	
1	Typhoid fever.....	24				1		2	3	11	4	1	2					
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	22	1	9	2	2	2	2	3			1						
6	Scarlet fever.....	3	1				1					1						
7	Whooping cough.....	9	7	1					1									
8	Diphtheria and croup.....	17	2	2	3	2	3	2	2	1								
9	Influenza.....	14										1	2	3	6	2		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	14	2		1					1	1	2	3	3	1			
13	Tuberculosis of the lungs.....	231	1	1			1		13	60	58	45	29	19	4			
14	Tuberculous meningitis.....	18	2	5	1	3	1			1	1	1	1					
15	Other forms of tuberculosis.....	37	10					3	2	5	8	7	2					
16	Cancer and other malignant tumors.....	208		1						1	18	35	64	55	25	9		
17	Meningitis.....	12	1		1		1		1	4	1	1	1	1				
18	Cerebral hemorrhage and softening.....	194						3	6	7	21	33	47	54	19	4		
19	Organic diseases of the heart.....	235						1	5	11	10	19	38	66	61	23	1	
20	Acute bronchitis.....	15	3	1	1	1	1					1	2	2	2	1		
21	Chronic bronchitis.....	15	2							1	1	1	1	2	6	1		
22	Pneumonia.....	106	6	2	3	1		2	1	8	14	11	16	19	16	7		
23a	Bronchopneumonia.....	87	25	5	5	1				3	2	4	5	9	17	11	1	
23b	Other diseases of the respiratory system.....	26	5	1				1	1	1		6	3	4	4			
24	Diseases of the stomach.....	14	2							2		2	3	2	2	1		
25(37)	Diarrhea and enteritis.....	98	62	15	2	3	2	3		1	2	3	5	5				
26	Appendicitis and typhlitis.....	45		1	1	1	1		13	9	5	7	2	4	1			
27	Hernia, intestinal obstruction.....	43	4			1			3	3	6	9	7	3	2	5		
28	Cirrhosis of the liver.....	37								2	7	5	11	8	3	1		
29	Acute nephritis and Bright's disease.....	154						1	2	3	9	23	29	35	38	14		
30	Diseases of the female genital organs.....	42							1	10	15	13	2	1				
31	Puerperal fever.....	19							4	10	5							
32	Other puerperal affections.....	24								14	9	1						
33	Congenital debility and malformations.....	150	150															
34	Senility.....	63											4	19	32	8		
35	Violent deaths (excluding suicide).....	177	6	3	5	2	3	10	15	31	29	14	22	11	10	13	3	
36	Suicide.....	42								9	8	8	6	2				
(37)	Other defined diseases.....	506	56	4	5	1		7	17	38	62	56	87	70	73	27	3	
38	Diseases ill-defined or unknown.....	3		1				1								1		

COLUMBUS, OHIO (COLORED).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	All causes.....	318	53	7	3	7	1	4	14	32	48	49	33	32	24	8	3		
1	Typhoid fever.....	3				1			1		1								
2	Typhus fever.....																		
3	Malaria.....																		
4	Smallpox.....																		
5	Measles.....	2	1		1														
6	Scarlet fever.....																		
7	Whooping cough.....	5	2			2		1											
8	Diphtheria and croup.....	1										1							
9	Influenza.....	2										1							
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	1								1									
13	Tuberculosis of the lungs.....	50	1			1		2	5	15	10	11	4	1					
14	Tuberculous meningitis.....	4																	
15	Other forms of tuberculosis.....	4								2	2	4	2	2	2				
16	Cancer and other malignant tumors.....	12								2	2	2	4	2	2				
17	Meningitis.....	3								2	2	4	2	2					
18	Cerebral hemorrhage and softening.....	19								2	2	4	2	6	3	2			
19	Organic diseases of the heart.....	46								3	3	10	9	14	4	3			
20	Acute bronchitis.....	2																	
21	Chronic bronchitis.....	2								2	2								
22	Pneumonia.....	24	3						1	3	4	5	1	3	4				
23a	Bronchopneumonia.....	17	7	2		1				2	2	5	2	1	2				
23b	Other diseases of the respiratory system.....	5	2							1	1		1	1	1				
24	Diseases of the stomach.....	4	1																
25(37)	Diarrhea and enteritis.....	13	15	1					1	1	1				1				
26	Appendicitis and typhlitis.....	2								1	2								
27	Hernia, intestinal obstruction.....	1									1								
28	Cirrhosis of the liver.....	2												1	1				
29	Acute nephritis and Bright's disease.....	17	1							1	4	4	4	2	1				
30	Diseases of the female genital organs.....	5								1	1	3	1						
31	Puerperal fever.....	1									1								
32	Other puerperal affections.....	2																	
33	Congenital debility and malformations.....	13	12	1					1			1							
34	Senility.....	5													2	1	2		
35	Violent deaths (excluding suicide).....	13		1		1			3	1	4	5	1	1	2	1			
36	Suicide.....	2								1	1	1							
(37)	Other defined diseases.....	27	7			1	1	1		3	3	1	4	3	2		1		
38	Diseases ill-defined or unknown.....	5	1	1	2								1						

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
DAYTON, OHIO.																		
	All causes.....	1,704	268	45	23	11	16	35	53	143	153	181	206	232	218	110	8	1
1	Typhoid fever.....	14			1			3	4	2	3	1						
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	7	2	2	1		1		1									
6	Scarlet fever.....	9	1	1	2	2	1	1	1									
7	Whooping cough.....	15	8	6	1													
8	Diphtheria and croup.....	22	4	1	3	2	4	6	2									
9	Influenza.....	4	1										1		1	1		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	14	4		1	1		1			1	2	2	3	1			
13	Tuberculosis of the lungs.....	150			1	1		1	10	43	33	23	24	12	2			
14	Tuberculous meningitis.....	6	1	1	1		1	1										
15	Other forms of tuberculosis.....	11							3	3	2	1	1					
16	Cancer and other malignant tumors.....	133									9	21	31	35	25	10	1	
17	Meningitis.....	19	4	3	2		2	2	2		1	1	1	1				
18	Cerebral hemorrhage and softening.....	101							1	5		8	12	25	30	20		
19	Organic diseases of the heart.....	196						2	3		15	19	33	50	55	18	1	
20	Acute bronchitis.....	9	4	1					1					1	1	1		
21	Chronic bronchitis.....	14				1			1					5	7	6	3	
22	Pneumonia.....	72	12	4	2		1	1	4	5	5	10	12	7	6	3	8	
23a	Bronchopneumonia.....	59	25	5	4	1	2	4	1		1	1	1	3	3	3		1
23b	Other diseases of the respiratory system.....	19							1		1	1	1	1	3	6	3	
24	Diseases of the stomach.....	28	3	1	1		1		2	2	3	1	5	3	7	1		
25(37)	Diarrhea and enteritis.....	79	56	13	2				2	2	2	1	3	1	1	1		
26	Appendicitis and typhlitis.....	26							5	4			1	1	1			
27	Hernia, intestinal obstruction.....	22	1			1			5	9	1	7	5	2	3	1		
28	Cirrhosis of the liver.....	15					1			1	3	3	4	3	1			
29	Acute nephritis and Bright's disease.....	134	3	1				2	1	9	10	12	17	32	30	15	2	
30	Diseases of the female genital organs.....	23							1	7	5	7	3	1				
31	Puerperal fever.....	16							2	7	7							
32	Other puerperal affections.....	11							1	3	7							
33	Congenital debility and malformations.....	103	101	1				1								2	7	1
34	Senility.....	10																
35	Violent deaths (excluding suicide).....	114	4	4		2	1	8	5	20	20	13	10	14	9	3	1	
36	Suicide.....	32							1	10	8	7	4	1	1			
(37)	Other defined diseases.....	216	33	1	2			3	3	12	13	39	35	31	28	13	2	
38	Diseases ill-defined or unknown.....	1	1															
TOLEDO, OHIO.																		
	All causes.....	2,849	469	71	22	27	16	67	106	256	272	301	360	367	347	143	23	1
1	Typhoid fever.....	68		3	1			4	18	21	7	6	4	4				
2	Typhus fever.....																	
3	Malaria.....	1	1															
4	Smallpox.....																	
5	Measles.....	7	1	3	1	1		1										
6	Scarlet fever.....	2					1		1									
7	Whooping cough.....	13	7	3		1	1	1										
8	Diphtheria and croup.....	33	1	4	2	3	6	14	2				1					
9	Influenza.....	8	2										1		2	3		
10	Asiatic cholera.....																	
11	Cholera nostras.....	1				1												
12	Other epidemic diseases.....	9	3	1						1		1		1	2			
13	Tuberculosis of the lungs.....	294	4	1					21	93	68	44	29	21	11	2		
14	Tuberculous meningitis.....	9	2	1				2	1			1	4					
15	Other forms of tuberculosis.....	25	2					2	2	4	4	5	3	1	2			
16	Cancer and other malignant tumors.....	184							1	2	9	33	52	43	37	7		
17	Meningitis.....	14	2	1	3				2	2	3	1	1					
18	Cerebral hemorrhage and softening.....	163		2	1	1			1	7	11	32	32	45	46	18	1	
19	Organic diseases of the heart.....	275						4	5	10	16	27	52	67	59	31	4	
20	Acute bronchitis.....	28	14	1	2		1							2	6			
21	Chronic bronchitis.....	11						1					1	2	3	4		
22	Pneumonia.....	115	14	4	1	3		3	5	6	10	15	18	18	12	6		
23a	Bronchopneumonia.....	90	36	9	2	1	1	2	1	2	3	6	1	9	8	7	2	
23b	Other diseases of the respiratory system.....	15	1		1			3		1	1	2	2	1	1	2		
24	Diseases of the stomach.....	31	3		2			1	2	4	3	3	6	1	6			
25(37)	Diarrhea and enteritis.....	183	135	21	3	4	1	2	1	1	1	4	2	5	1	1	1	
26	Appendicitis and typhlitis.....	29				2		3	8	10	1	2	3					
27	Hernia, intestinal obstruction.....	34	5	1	1				3	4	3	4	4	9				
28	Cirrhosis of the liver.....	41							1	1	9	14	10	6				
29	Acute nephritis and Bright's disease.....	181	3	3		1		1	6	16	18	30	42	39	19	2		
30	Diseases of the female genital organs.....	23							3	6	10	3	1					
31	Puerperal fever.....	29							2	16	11							
32	Other puerperal affections.....	17							1	8	3	5						
33	Congenital debility and malformations.....	161	157	2				2						7	20	15		
34	Senility.....	48																
35	Violent deaths (excluding suicide).....	211	2	5	4	4	2	14	15	31	47	24	28	18	14	3		
36	Suicide.....	37							4	7	10	5	5	5	1			
(37)	Other defined diseases.....	456	74	4		2	3	8	16	28	41	67	70	55	63	19	5	
38	Diseases ill-defined or unknown.....	3		1										2				

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.	90 to 99 years.
PORTLAND, OREG.																		
	All causes.....	2,363	265	45	27	16	13	44	87	212	271	255	362	320	290	139	13	2
1	Typhoid fever.....	18							1	10	4		1	2				
2	Typhus fever.....																	
3	Malaria.....																	
4	Smallpox.....																	
5	Measles.....	21	3	10	2		1	3	1	1								
6	Scarlet fever.....	5			1	2		1	1									
7	Whooping cough.....	3	1	1	1													
8	Diphtheria and croup.....	26	4	2	2	3	3	8	1	2	1							
9	Influenza.....	13	4	1				1			2	1	3	1	1	3		
10	Asiatic cholera.....																	
11	Cholera nostras.....																	
12	Other epidemic diseases.....	3	1											1	1			
13	Tuberculosis of the lungs.....	160	2	1	1	1	1	1	10	53	22	25	16	14	3			
14	Tuberculous meningitis.....	26	7	5	2	1			2	2	5			1				
15	Other forms of tuberculosis.....	40		1	1			1	9	8	8		2	1				
16	Cancer and other malignant tumors.....	229			1	1		1	2	8	22	34	60	53	33	13		1
17	Meningitis.....	16	4	1				1	3	2	2	1		1	1			
18	Cerebral hemorrhage and softening.....	140									2	1	15	36	30	40	18	
19	Organic diseases of the heart.....	275	1	1				3	8	13	16	30	56	53	63	28	2	1
20	Acute bronchitis.....	7	2	1						1				1	1		1	
21	Chronic bronchitis.....	10												2	2	5	1	
22	Pneumonia.....	113	20	2	3		1	1	5	7	12	13	14	20	2	10		
23a	Bronchopneumonia.....	44	19	2	6	2	2			1	1	2	3	1	6			
23b	Other diseases of the respiratory system.....	26		2				1	1	2	1	5	9	2	2	2		
24	Diseases of the stomach.....	29	4						2	2	5	6	4	5	2			
25(37)	Diarrhea and enteritis.....	45	17	7	2	1	1		2	2	3	3	3	2	3			
26	Appendicitis and typhlitis.....	33				1		4	7	3	3	3	5	4	3			
27	Hernia, intestinal obstruction.....	32	3					1		3	11	4	5	1	4	2	2	
28	Cirrhosis of the liver.....	22	1								2	1	5	7	6			
29	Acute nephritis and Bright's disease.....	173				1			1	7	15	16	40	43	33	14	1	
30	Diseases of the female genital organs.....	11							1	7	1	1				1		
31	Puerperal fever.....	13							1	7	7	6						
32	Other puerperal affections.....	13								7	7							
33	Congenital debility and malformations.....	129						1	1	5	7							
34	Senility.....	50												3	22	19	5	1
35	Violent deaths (excluding suicide).....	175	4	3	4	2	2	7	16	42	32	26	19	5	9	3	1	
36	Suicide.....	66								12	18	16	11	5	2			
(37)	Other defined diseases.....	388	42	1	1	2	1	9	13	17	49	43	69	64	49	24	3	
38	Diseases ill-defined or unknown.....	9	1	3						2		1	1	1				

PHILADELPHIA, PA. (TOTAL).

	All causes.....	4,870	1,001	444	286	197	539	807	1,801	2,308	2,954	3,338	3,597	3,051	1,332	201	10	3
1	Typhoid fever.....	126		1	2	3		8	23	41	25	15	3					
2	Typhus fever.....																	
3	Malaria.....	8							1	2		3	1	1				
4	Smallpox.....																	
5	Measles.....	73	16	30	14	6	1	5		1								
6	Scarlet fever.....	135	7	14	27	18	15	34	9	6	3		2					
7	Whooping cough.....	246	126	66	25	13	4	9	2									
8	Diphtheria and croup.....	322	22	71	62	48	29	71	9	4	3	2	1					
9	Influenza.....	161	9	2			1	2	4	8	7	11	22	37	36	19	3	
10	Asiatic cholera.....																	
11	Cholera nostras.....	5	1					1				2	1					
12	Other epidemic diseases.....	132	37	7	1	1		4	2	6	13	19	17	8	11	5	1	
13	Tuberculosis of the lungs.....	2,780	29	13	6	5	8	15	199	674	678	584	361	157	43	8		
14	Tuberculous meningitis.....	197	51	38	22	12	8	22	12	11	13	3	3	2				
15	Other forms of tuberculosis.....	183	13	8	3	2	4	10	22	30	30	29	19	8	4	1		
16	Cancer and other malignant tumors.....	1,541	2	1				3	10	32	114	304	412	359	242	55	5	
17	Meningitis.....	98	25	18	8	2	3	14	3	6	8	8	1	1	1			
18	Cerebral hemorrhage and softening.....	1,094	5	1	1			2	9	21	71	191	324	309	150	10		
19	Organic diseases of the heart.....	3,260	22	5	3	3	4	43	114	115	184	330	467	801	770	346	50	3
20	Acute bronchitis.....	295	176	28	18	3	2	1	1	1	3	3	14	28	13	3		
21	Chronic bronchitis.....	163	2	1	3	2				6	3	8	21	32	36	37	9	
22	Pneumonia.....	1,514	193	84	39	27	15	35	48	90	160	195	234	213	128	46	6	1
23a	Bronchopneumonia.....	1,266	499	201	81	40	20	30	13	23	16	49	74	86	88	36	6	2
23b	Other diseases of the respiratory system.....	349	53	25	12	6	5	12	13	22	23	40	49	43	27	14	5	
24	Diseases of the stomach.....	244	51	5	4	3	1	4	1	15	23	31	47	24	16	18	1	
25(37)	Diarrhea and enteritis.....	2,008	1,537	243	32	17	13	18	7	8	15	22	21	29	33	10	3	
26	Appendicitis and typhlitis.....	202			2	3	2	12	48	39	36	21	27	8	2	1		
27	Hernia, intestinal obstruction.....	228	30	3	3	1	2	4	3	17	18	28	34	41	26	17	1	
28	Cirrhosis of the liver.....	279							2	31	68	67	56	40	9	1		
29	Acute nephritis and Bright's disease.....	2,891	20	13	4	7	4	18	29	91	225	385	566	687	589	222	31	
30	Diseases of the female genital organs.....	140							5	26	39	46	19	1	4			
31	Puerperal fever.....	169							8	93	59	9						
32	Other puerperal affections.....	151							10	58	70	13						
33	Congenital debility and malformations.....	1,363	1,347	9	1	2	1	1	2									
34	Senility.....	195												12	67	84	28	3
35	Violent deaths (excluding suicide).....	1,238	62	34	47	41	33	66	74	130	177	168	129	125	99	52	1	
36	Suicide.....	273							14	53	56	54	59	29	7			
(37)	Other defined diseases.....	3,370	527	59	24	19	22	92	110	182	254	433	483	495	443	190	35	2
38	Diseases ill-defined or unknown.....	40	7	21				1			2	3	3	2	1			

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
PITTSBURGH, PA. (TOTAL).																				
	All causes.....	8,857	1,868	399	167	129	96	283	341	748	891	941	948	957	748	304	35	1	1	
1	Typhoid fever.....	85				2	1	2	13	37	19	6	4	1						
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....	1				1														
5	Measles.....	53	15	22	7	3		2												
6	Scarlet fever.....	188	5	19	18	22	21	57	32	10	3	1								
7	Whooping cough.....	51	20	21	2	3	1	3	1											
8	Diphtheria and croup.....	158	9	31	20	24	13	44	13	1	3									
9	Influenza.....	35	2	1		1				2	2		4	4	4	10	4	1		
10	Asiatic cholera.....																			
11	Cholera nostras.....	6	2																	
12	Other epidemic diseases.....	36	5	4	1	1	1	1		1	2	3	2	3	1	4				
13	Tuberculosis of the lungs.....	617	32	4	1	1	1	9	45	167	163	106	48	29	10	1				
14	Tuberculous meningitis.....	55	13	7	5	6	2	7	9	21	11	9	1	2						
15	Other forms of tuberculosis.....	84	4	3		1	1	1	1	11	4	88	138	111	61	18	2	1		
16	Cancer and other malignant tumors.....	481			2			7	1	21	43	88	138	111	61	18	2	1		
17	Meningitis.....	54	12	3	4	4	2	7	6	5	7	2	2	2						
18	Cerebral hemorrhage and softening.....	356	2							14	32	63	105	94	41	3				
19	Organic diseases of the heart.....	671	3			2		14	29	37	74	98	109	148	117	36	2			
20	Acute bronchitis.....	95	38	13	7		1	3		1	1	3	8	8	7	4	2			
21	Chronic bronchitis.....	70								1	1	2	4	19	23	13	4			
22	Pneumonia.....	783	54	21	15	7	1	13	29	57	114	120	141	106	79	20	6			
23a	Bronchopneumonia.....	575	222	57	34	16	11	22	3	5	15	26	36	55	46	25	1			
23b	Other diseases of the respiratory system.....	136	13	7	2	1	2	1	1	2	17	15	21	22	17	11	1			
24	Diseases of the stomach.....	97	25					1	1	1	4	11	13	11	13	8	1			
25(37)	Diarrhea and enteritis.....	668	455	131	17	5	3	9	2	5	5	6	9	9	8	8	1			
26	Appendicitis and typhlitis.....	94						6	23	23	13	17	5	3	2	1				
27	Hernia, intestinal obstruction.....	82	7	5	2	2		4	2	3	9	12	10	16	9	1				
28	Cirrhosis of the liver.....	94						2	2	2	16	22	24	20	8					
29	Acute nephritis and Bright's disease.....	501	11	5	3	2	3	9	18	27	52	77	86	100	73	34	1			
30	Diseases of the female genital organs.....	49							1	13	14	12	7		2					
31	Puerperal fever.....	63							2	31	24	6								
32	Other puerperal affections.....	54							1	29	20	4								
33	Congenital debility and malformations.....	635	629	3	1		1	1												
34	Senility.....	49												5	14	24	6			
35	Violent deaths (excluding suicide).....	619	21	15	11	19	17	31	48	127	98	86	54	46	35	9	1			1
36	Suicide.....	95							2	34	25	17	10	4	3					
(37)	Other defined diseases.....	1,150	265	20	9	2	9	29	45	89	106	142	146	127	112	46	3			
38	Diseases ill-defined or unknown.....	17		5	4	1					2	1	2	2						

PITTSBURGH, PA. (WHITE).

	All causes.....	8,264	1,763	377	157	124	90	258	300	692	808	832	887	912	729	299	34	1	1	
1	Typhoid fever.....	84				2	1	2	12	37	19	6	4	1						
2	Typhus fever.....																			
3	Malaria.....																			
4	Smallpox.....	1				1														
5	Measles.....	49	14	22	6	2	3	2												
6	Scarlet fever.....	185	5	19	17	22	20	57	31	10	3	1								
7	Whooping cough.....	42	17	19	1	2	1	2												
8	Diphtheria and croup.....	156	9	30	20	24	13	43	13	1	3									
9	Influenza.....	34	1	1		1				2	2		4	4	4	10	4	1		
10	Asiatic cholera.....																			
11	Cholera nostras.....	6	2																	
12	Other epidemic diseases.....	33	8	4	1	1	1	1		1	1	3	7	1	3	4				
13	Tuberculosis of the lungs.....	528	31	4	1			4	26	149	139	92	43	28	10	1				
14	Tuberculous meningitis.....	51	13	6	5	6	2	5	4	2	3	1								
15	Other forms of tuberculosis.....	73	4	3		1	1	5	6	17	15	11	8	2						
16	Cancer and other malignant tumors.....	460		1	2			3	10	42	79	134	109	61	16	2	1			
17	Meningitis.....	50	12	3	4	4	2	7	6	5	5	1	1							
18	Cerebral hemorrhage and softening.....	343	2			1				13	32	60	99	93	40	3				
19	Organic diseases of the heart.....	616	3	1		2		14	26	36	67	80	98	137	114	36	2			
20	Acute bronchitis.....	89	36	12	6		1	3		1	2	4	2	7	7	4	2			
21	Chronic bronchitis.....	67								1	3	2	4	17	22	13	4			
22	Pneumonia.....	710	51	20	14	7	1	11	29	48	101	97	129	102	74	20	6			
23a	Bronchopneumonia.....	524	200	49	32	16	10	16	3	5	15	20	32	55	46	24	1			
23b	Other diseases of the respiratory system.....	125	11	7	2	1	2	2	3	2	11	14	20	21	17	11	1			
24	Diseases of the stomach.....	87	23			1	1	1	1	2	4	8	12	11	13	8	1			
25(37)	Diarrhea and enteritis.....	638	437	125	17	5	3	7	1	5	7	6	8	7	8	1				
26	Appendicitis and typhlitis.....	90				1		5	23	22	13	16	5	2	1	1				
27	Hernia, intestinal obstruction.....	79	7	5	1	2		4	2	3	9	11	10	16	8	1				
28	Cirrhosis of the liver.....	87						2	2	15	20	22	18	8						
29	Acute nephritis and Bright's disease.....	461	9	5	3	2	3	9	16	26	44	70	78	92	70	33	1			
30	Diseases of the female genital organs.....	44							1	11	12	11	7		2					
31	Puerperal fever.....	62							2	30	24	6								
32	Other puerperal affections.....	49							1	25	19	4								
33	Congenital debility and malformations.....	601	596	2	1		1	1												
34	Senility.....	48												5	13	24	6			
35	Violent deaths (excluding suicide).....	585	19	14	10	18	16	29	43	123	94	78	52	45	33	9	1			1
36	Suicide.....	91							2	31	24	17	10	4	3					
(37)	Other defined diseases.....	1,103	253	20	8	2	8	28	43	86	99	130	143	124	111</					

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—													Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		80 to 89 years.
PITTSBURGH, PA. (COLORED).																	
	All causes.....	593	105	22	10	5	6	25	41	56	83	109	61	45	19	5	1
1	Typhoid fever.....	1								1							
2	Typhus fever.....																
3	Malaria.....																
4	Smallpox.....																
5	Measles.....	4			1	1	1										
6	Scarlet fever.....	3	1		1	1	1										
7	Whooping cough.....	9	3	2	1	1	1		1	1							
8	Diphtheria and croup.....	2	1	1				1									
9	Influenza.....	1	1														
10	Asiatic cholera.....																
11	Cholera nostras.....																
12	Other epidemic diseases.....	3	1								1		1				
13	Tuberculosis of the lungs.....	89	1			1	1	5	19	18	24	14	5	1			
14	Tuberculous meningitis.....	4		1				1	1	1	1						
15	Other forms of tuberculosis.....	11						2	3	4	1		1				
16	Cancer and other malignant tumors.....	21						1	1	1	1	9	1	2		2	
17	Meningitis.....	4										1					
18	Cerebral hemorrhage and softening.....	13								1	2	1	1				
19	Organic diseases of the heart.....	55							3	1	8	18	11	6	1	1	
20	Acute bronchitis.....	6	2	1	1								1	1			
21	Chronic bronchitis.....	3											1				
22	Pneumonia.....	73	3	1	1		2			9	13	28	12	1	5		
23a	Bronchopneumonia.....	51	22	8	2		6					6	4	1		1	
23b	Other diseases of the respiratory system.....	11	2									1	1				
24	Diseases of the stomach.....	10	2						1	2	1	3	1				
25(37)	Diarrhea and enteritis.....	30	18	6			2	1	1	1	1	1	1	1	1		
26	Appendicitis and typhlitis.....	4					1										
27	Hernia, intestinal obstruction.....	3			1							1			1		
28	Cirrhosis of the liver.....	7															
29	Acute nephritis and Bright's disease.....	40	2					2		1	3	7	2	2	3	1	
30	Diseases of the female genital organs.....	5								1	2	1					
31	Puerperal fever.....	5								1							
32	Other puerperal affections.....	5															
33	Congenital debility and malformations.....	34	33	1						4	1						
34	Senility.....	1															
35	Violent deaths (excluding suicide).....	34	2	1	1	1	2	5	4	4	4	8	2	1	2		
36	Suicide.....	4								3	1	1					
(37)	Other defined diseases.....	47	12		1	1	1	2	3	3	7	12	3	3	1		1
38	Diseases ill-defined or unknown.....	4				1					1	1	1				

SCRANTON, PA.

	All causes.....	2,231	550	114	43	27	19	52	100	182	204	209	231	248	183	61	8
1	Typhoid fever.....	13						1	5	3	1	3					
2	Typhus fever.....																
3	Malaria.....																
4	Smallpox.....																
5	Measles.....	10	2	6			1	1									
6	Scarlet fever.....	4			1	1	1	1									
7	Whooping cough.....	21	12	3	2	3		1									
8	Diphtheria and croup.....	32	1	5	9	7	3	5		1							1
9	Influenza.....	7						1	1				1	3	1		
10	Asiatic cholera.....																
11	Cholera nostras.....	2	2														
12	Other epidemic diseases.....	17	7	2		1						3	2		2		
13	Tuberculosis of the lungs.....	108	4	1					19	24	28	14	9	8	1		
14	Tuberculous meningitis.....	13	2	1		1		5	2		1	1					
15	Other forms of tuberculosis.....	15						3		4	6		1	1			
16	Cancer and other malignant tumors.....	85	2							2	6	16	25	18	12	4	
17	Meningitis.....	10	2	3		1				3			1				
18	Cerebral hemorrhage and softening.....	117								1	3	13	18	35	34	12	1
19	Organic diseases of the heart.....	208		1	1		1	6	16	11	7	28	41	53	33	10	
20	Acute bronchitis.....	29	21	3	1	1						1			1		
21	Chronic bronchitis.....	11	1					1					1	4	3		
22	Pneumonia.....	169	16	10	4	2		4	5	23	19	29	23	19	10	2	3
23a	Bronchopneumonia.....	163	89	16	10	4	3	6	3		4	1	6	11	7	3	
23b	Other diseases of the respiratory system.....	23	2				1				2	1	4	6	3	4	
24	Diseases of the stomach.....	32	14	2		1				3	4	2	2	3			1
25(37)	Diarrhea and enteritis.....	257	184	46	7	1	2	1		1	1	1	2	4	6	2	
26	Appendicitis and typhlitis.....	30						1		10	8	4	4	2	1		
27	Hernia, intestinal obstruction.....	28	6		1		1			4	2	2	5	3	4		
28	Cirrhosis of the liver.....	13									2	1	4	2	4		
29	Acute nephritis and Bright's disease.....	121	1					6	4	16	17	21	26	22	8		
30	Diseases of the female genital organs.....	8						1		2	3	1	1				
31	Puerperal fever.....	12						1	6	4	1						
32	Other puerperal affections.....	26						1	15	8	2						
33	Congenital debility and malformations.....	126	125		1												
34	Senility.....	4															
35	Violent deaths (excluding suicide).....	222	4	9	4		4	4	13	49	57	26	29	13	6	3	1
36	Suicide.....	20							3	5	3	2	4	2	1		
(37)	Other defined diseases.....	273	53	6	3	3	1	12	13	15	23	39	28	36	31	9	1
38	Diseases ill-defined or unknown.....	2					1						1				

CAUSES OF DEATH, BY AGE.

615

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.	
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.
PROVIDENCE, R. I.																		
	All causes.....	3,723	699	164	63	35	34	69	113	248	330	402	441	503	414	179	28	1
1	Typhoid fever.....	27			1		1	1	5	8	4	2	3	2				
2	Typhus fever.....	1																
3	Malaria.....	1																
4	Smallpox.....	3		1							1	1						
5	Measles.....	37	7	21	5	2	1		1									
6	Scarlet fever.....	20	1					6	4	1	1		1					
7	Whooping cough.....	24	14	5	2			2	1									
8	Diphtheria and croup.....	59	6	11	8	8	7	12	6	1								
9	Influenza.....	16							1	1	1	2	1	2	4	4		
10	Asiatic cholera.....	1																
11	Cholera nostras.....	1	1															
12	Other epidemic diseases.....	28	10	1				1	1	2	5	3	1	3	1			
13	Tuberculosis of the lungs.....	298	3	4	2			3	28	70	78	60	34	13	2		1	
14	Tuberculous meningitis.....	42	8	9	7	4	2	3	2	5	2	2						
15	Other forms of tuberculosis.....	29	6	1		1	2		4	4	4	2		2	3			
16	Cancer and other malignant tumors.....	227			1			2	3	2	13	38	49	67	43	8	1	
17	Meningitis.....	21	3	5	2	1		1	3	1			3	2				
18	Cerebral hemorrhage and softening.....	220								6	23	45	67	56	22	1		
19	Organic diseases of the heart.....	411	1						6	18	29	34	64	105	107	43	4	
20	Acute bronchitis.....	27	14	3		2							1	4	3			
21	Chronic bronchitis.....	19	1							1			5	2	4	4	1	
22	Pneumonia.....	261	46	20	5	2	1	8	5	20	24	32	29	32	23	11	2	
23a	Bronchopneumonia.....	135	49	35	4	6	4	2	1		2	2	2	7	13	7	1	1
23b	Other diseases of the respiratory system.....	37	1	4				1	1	7	5	3	1	6	5	2	1	
24	Diseases of the stomach.....	29	7		1		1	1	1	2	1	3	4	5	2	2		
25(37)	Diarrhea and enteritis.....	204	154	22	4	1		3	1	2	2	4	2	4	5	2		
26	Appendicitis and typhlitis.....	41			1			4	5	10	11	7	3					
27	Hernia, intestinal obstruction.....	32	5				1	4	2	2	5	6	9	2				
28	Cirrhosis of the liver.....	26								2	6	11	5	1	1			
29	Acute nephritis and Bright's disease.....	327	1		1	1		1	3	21	34	42	68	76	59	17	3	
30	Diseases of the female genital organs.....	15								4	6	4	1					
31	Puerperal fever.....	11							1	4	2	4	1					
32	Other puerperal affections.....	29							1	10	16	2						
33	Congenital debility and malformations.....	227	224	1		2												
34	Senility.....	19											2	7	7	3		
35	Violent deaths (excluding suicide).....	221	7	3	8	4	7	16	9	24	31	33	23	17	15	16	3	
36	Suicide.....	40							2	8	8	12	3	7				
(37)	Other defined diseases.....	541	124	16	8	1		4	18	23	43	71	72	66	60	28	7	
38	Diseases ill-defined or unknown.....	18	6	1	2				1	1	2	3	1					

MEMPHIS, TENN. (TOTAL).

	All causes.....	2,970	317	61	39	24	19	53	180	512	505	376	329	273	153	61	9	6	53
1	Typhoid fever.....	61		2				3	20	22	6		4						4
2	Typhus fever.....																		
3	Malaria.....	79	3	1		1	4	8	21	10	12	8	5	2	1				2
4	Smallpox.....																		
5	Measles.....	8	1	1	1	1	1	1	2										
6	Scarlet fever.....	3						1	1										
7	Whooping cough.....	13	8	1	3			1	1										
8	Diphtheria and croup.....	22	8	1	2	3	3	4	1										
9	Influenza.....	26	1	2					1		7	2	3	6	2	2			
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	25	2	2			1	2	3	4	3	2	2	2	1				1
13	Tuberculosis of the lungs.....	391	5	3	1		1	6	52	134	92	50	21	15	4				7
14	Tuberculous meningitis.....	11		2					5	2	1	1							
15	Other forms of tuberculosis.....	27	1					3	2	9	1	5	1	3	1				1
16	Cancer and other malignant tumors.....	114			1				2	2	15	25	31	23	9	6			2
17	Meningitis.....	20	1	1	3			1	3	4	4	2	1						
18	Cerebral hemorrhage and softening.....	87	2	1					5	3	22	22	18	4	5				5
19	Organic diseases of the heart.....	192	1					1	7	20	40	27	31	34	21	4			6
20	Acute bronchitis.....	13	2		1				2	2	2	2	2	1	1				
21	Chronic bronchitis.....	8							1										1
22	Pneumonia.....	149	8	3	4	1	1	3	9	22	36	13	21	12	9	4			3
23a	Bronchopneumonia.....	74	30	10	4	4	3	1	4	3	3	3	3	3	1	1			1
23b	Other diseases of the respiratory system.....	41	2	2	2	1	1	2	2	3	8	10	5	1	3				2
24	Diseases of the stomach.....	52	3	2		1	1	2	2	6	11	9	5	4	4				2
25(37)	Diarrhea and enteritis.....	125	65	21	7	2	5	1	2	5	2	1	4	4	4	2			2
26	Appendicitis and typhlitis.....	55	1					4	8	15	15	6	4	4	2				
27	Hernia, intestinal obstruction.....	29	1		1	1			2	4	8	5	3	4	4				1
28	Cirrhosis of the liver.....	20								1	3	7	3						1
29	Acute nephritis and Bright's disease.....	255	3		1	1		6	25	31	40	51	48	2	11	4			3
30	Diseases of the female genital organs.....	35						2	2	7	17	6	2						1
31	Puerperal fever.....	15						2	10	2	1								
32	Other puerperal affections.....	17							13	4									
33	Congenital debility and malformations.....	99	98		1														
34	Senility.....	38											1	7	16	10	1		3
35	Violent deaths (excluding suicide).....	245	4	2	2	2	1	8	18	76	63	32	18	10	4	3			1
36	Suicide.....	27							3	6	8	1	5	2					1
(37)	Other defined diseases.....	513	53	3	4	4	1	9	23	80	97	80	67	49	26	8	2	1	6
38	Diseases ill-defined or unknown.....	81	14	3	1	2		1	1	4	11	10	10	15	7				1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
MEMPHIS, TENN. (WHITE).																				
	All causes.....	1,275	160	29	16	10	10	23	47	150	148	157	180	181	104	37	4	1	18	
1	Typhoid fever.....	31		2				1	10	11	4		2							1
2	Typhus fever.....																			
3	Malaria.....	20	2	1					2	6	3	3	2		1					
4	Smallpox.....																			
5	Measles.....	4		1		1			1	1										
6	Scarlet fever.....	3							1											
7	Whooping cough.....	4	3	1			1	1	1											
8	Diphtheria and croup.....	11	1	1	2	2	2	2		1										
9	Influenza.....	7									2			1	2	2				
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	6							1		2			1	2					
13	Tuberculosis of the lungs.....	98	1	1					6	23	19	21	14	10	3					
14	Tuberculous meningitis.....	4		2					1	1	1									
15	Other forms of tuberculosis.....	5	1						1											
16	Cancer and other malignant tumors.....	86			1			1	1	6	15	26	23	9	5					1
17	Meningitis.....	9	1						2	1	2	2	2	3						
18	Cerebral hemorrhage and softening.....	50			1			1	2	1	3	9	14	15	2	2				5
19	Organic diseases of the heart.....	90	1					1	2	7	7	12	17	24	13	3				3
20	Acute bronchitis.....	3												1						
21	Chronic bronchitis.....	2												1						
22	Pneumonia.....	53			2			3	1	7	8	7	9	1	3					1
23a	Bronchopneumonia.....	19	6	4	1	1	2		2				1	2						
23b	Other diseases of the respiratory system.....	16								1	3	5	1	1						1
24	Diseases of the stomach.....	12	1	1							2			4	3					
25(37)	Diarrhea and enteritis.....	64	32	12	1	1	3	1	4	5	10	6	3	4	3	4	1			2
26	Appendicitis and typhlitis.....	33									2	3	4	1						
27	Hernia, intestinal obstruction.....	14	1		1	1				2	2	2	1	4						
28	Cirrhosis of the liver.....	8								2	2	2	1	3						
29	Acute nephritis and Bright's disease.....	122	1		1				2	9	10	13	24	32	21	6	2			1
30	Diseases of the female genital organs.....	9								4	3	1	1							
31	Puerperal fever.....	5								4	1									
32	Other puerperal affections.....	9								7	2									
33	Congenital debility and malformations.....	73	72		1															
34	Senility.....	17													10	6	1			
35	Violent deaths (excluding suicide).....	108	1	2	2	2	1	4	5	25	26	15	15	6	1	2			1	
36	Suicide.....	20							1	3	7	1	5	2						
(37)	Other defined diseases.....	231	32	1	2	1	1	4	5	22	23	33	36	35	18	5				2
38	Diseases ill-defined or unknown.....	29	2		1					1	1	5	6	7	4		1			

MEMPHIS, TENN. (COLORED).

	All causes.....	1,695	157	32	23	14	9	30	133	362	357	219	149	92	40	24	5	5	35	
1	Typhoid fever.....	30						2	10	11	2		2							3
2	Typhus fever.....																			
3	Malaria.....	59	1			1	1	4	6	15	7	9	6	5	1	1				2
4	Smallpox.....																			
5	Measles.....	4	1		1			1		1										
6	Scarlet fever.....																			
7	Whooping cough.....	9	5		3				1											
8	Diphtheria and croup.....	11	7			1	1	2												
9	Influenza.....	19	1	2					1		5	2	3	5						
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	19	2	2			1		1	3	2	3	2	1		1				1
13	Tuberculosis of the lungs.....	293	4	2	1		1	6	46	111	73	29	7	5	1					7
14	Tuberculous meningitis.....	7								4	1	1	1							
15	Other forms of tuberculosis.....	22							2	9	5	1	2	1						1
16	Cancer and other malignant tumors.....	28								2	9	10	5			1				1
17	Meningitis.....	11		1	2				1	3	3	1	1							
18	Cerebral hemorrhage and softening.....	37	2	1						3	2	13	8	3	2	3				
19	Organic diseases of the heart.....	102							5	13	33	15	14	10	8	1				3
20	Acute bronchitis.....	10	1		1					2	2	2	2							
21	Chronic bronchitis.....	6																		
22	Pneumonia.....	96	8	3	2	1	1		8	15	28	6	12	7	1	1				1
23a	Bronchopneumonia.....	55	24	6	3	3	1	1	2	3	3	3	2	1	1	1				1
23b	Other diseases of the respiratory system.....	25	1	1	1	1	1		2	2	5	5	4	1						1
24	Diseases of the stomach.....	40	2	1		1		2	2	6	10	7	5	5	1					2
25(37)	Diarrhea and enteritis.....	61	33	9	6	1	2		2	3	2	7	3	1		1	1			
26	Appendicitis and typhlitis.....	22	1						3	5	9	3	3	1						
27	Hernia, intestinal obstruction.....	15							2	2	6	3	2							
28	Cirrhosis of the liver.....	12								1	1	5	2							
29	Acute nephritis and Bright's disease.....	133	2			1			4	17	21	27	27	16	9	5	2			2
30	Diseases of the female genital organs.....	26							2	3	14	5	1							1
31	Puerperal fever.....	10							2	6	1	1								
32	Other puerperal affections.....	8								2										
33	Congenital debility and malformations.....	26	26																	
34	Senility.....	21											1	7	6	4				3
35	Violent deaths (excluding suicide).....	137	3					4	13	51	37	17	3	4	3	1				1
36	Suicide.....	7							2	3	1									
(37)	Other defined diseases.....	282	21	2	2	3		5	18	58	68	42	31	14	8	3	2	1		4
38	Diseases ill-defined or unknown.....	52	12	3	1	1		1	1	3	10	5	4	8	3					

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
NASHVILLE, TENN. (TOTAL).																			
	All causes.....	2,119	328	48	26	25	15	43	119	258	251	239	262	240	185	56	18	3	3
1	Typhoid fever.....	59						3	16	23	8	6	2		1				
2	Typhus fever.....																		
3	Malaria.....	13	1							2	2	2	2	1	2	1			
4	Smallpox.....																		
5	Measles.....	8	3	1	1	2							1						
6	Scarlet fever.....																		
7	Whooping cough.....	24	17		2	1	1	3											
8	Diphtheria and croup.....	11		1	1	4	1	2			1	1							
9	Influenza.....	25		3						1	1	3	4	3	7	3			
10	Asiatic cholera.....																		
11	Cholera nostras.....	1										1							
12	Other epidemic diseases.....	14	2	3						1			3	4	1				
13	Tuberculosis of the lungs.....	232	4	2	2		2	5	22	78	47	34	23	8	4			1	
14	Tuberculous meningitis.....	10	3		1				2	1	1	1							
15	Other forms of tuberculosis.....	28	1	1	1			2	5	4	8	2	3	1					
16	Cancer and other malignant tumors.....	98				1			1	3	10	24	24	22	9	3	1		
17	Meningitis.....	14	1	1		1		1	4	4	1	1							
18	Cerebral hemorrhage and softening.....	111	1						2	6	5	18	24	23	24	6	1		1
19	Organic diseases of the heart.....	247					1		3	10	37	38	51	49	47	8	3		
20	Acute bronchitis.....	1	1																
21	Chronic bronchitis.....	9											1	1	2	2			
22	Pneumonia.....	122	18	4	2	3	2	5	4	13	21	10	12	15	8	4	1		
23a	Bronchopneumonia.....	77	41	8	4	7		2		2	1	1	1	2	5	2	1		
23b	Other diseases of the respiratory system.....	27	2	2	2				4	3	3	4	1	2	4	2	1		
24	Diseases of the stomach.....	34	6			1	1			7	4	3	6	2	2	1	1		
25(37)	Diarrhea and enteritis.....	102	61	17	3	3		2	1	1	1	1	1	5	3	1	2		
26	Appendicitis and typhlitis.....	45						3	13	10	7	1	4	7					
27	Hernia, intestinal obstruction.....	23	4	1				2	1	1	2	4	5	1	2				
28	Cirrhosis of the liver.....	22						1	1	1	5	4	4	7					
29	Acute nephritis and Bright's disease.....	145	1	3				2	3	8	20	12	29	39	23	5			
30	Diseases of the female genital organs.....	22							1	6	5	8	2						
31	Puerperal fever.....	9							3	4	2								
32	Other puerperal affections.....	12							5	5	2								
33	Congenital debility and malformations.....	103	102				1												
34	Senility.....	18												1	6	5	5	1	
35	Violent deaths (excluding suicide).....	122	6		7		5	4	15	30	18	14	12	3	6				1
36	Suicide.....	18							3	5	5	2	3						
(37)	Other defined diseases.....	294	45			1	1	7	8	28	34	41	42	44	28	12	2	1	
38	Diseases ill-defined or unknown.....	19	8	1					1	1		2	2	1	1				1

NASHVILLE, TENN. (WHITE).

	All causes.....	1,125	194	22	15	12	7	21	64	104	94	95	137	168	135	44	11		2
1	Typhoid fever.....	34						1	12	10	4	5	1		1				
2	Typhus fever.....																		
3	Malaria.....	6	1							1				1	2	1			
4	Smallpox.....																		
5	Measles.....	5	2		1	2													
6	Scarlet fever.....																		
7	Whooping cough.....	11	10					1											
8	Diphtheria and croup.....	9		1	1	3	1	2			1								
9	Influenza.....	9											1		6	2			
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	8	1	1									3	3					
13	Tuberculosis of the lungs.....	92	3	1				1	7	26	14	17	16	6	1				
14	Tuberculous meningitis.....	6	1						1	1	1	1	1						
15	Other forms of tuberculosis.....	10			1				3	1	2	1	1	1					
16	Cancer and other malignant tumors.....	68				1			1	2	4	12	14	22	9	3			
17	Meningitis.....	9	1	1		1			2	2	1	1	8	13	18	17			
18	Cerebral hemorrhage and softening.....	64							1	1	1	1	8	18	17	5			
19	Organic diseases of the heart.....	103					1		2	1	9	11	16	26	30	5	2		
20	Acute bronchitis.....																		
21	Chronic bronchitis.....	5													1	2	2		
22	Pneumonia.....	56	10	1	1	1	1	1	2	7	2	1	6	12	7	4	1		
23a	Bronchopneumonia.....	34	20	1	2	2	1	1	1	7	2	1	1	1	4	4	3	1	
23b	Other diseases of the respiratory system.....	14			1				3	2	2	1			1	1			
24	Diseases of the stomach.....	15	5			1	1			1	1		1	2	2	2	1		
25(37)	Diarrhea and enteritis.....	67	40	13	2	1		1	1	1	1		1	5	2		1		
26	Appendicitis and typhlitis.....	36						3	12	6	4	1	4	6					
27	Hernia, intestinal obstruction.....	14	3	1				2				1	4	4	1				
28	Cirrhosis of the liver.....	10									1	3	2	4					
29	Acute nephritis and Bright's disease.....	75		1						3	3	3	14	28	13	5			
30	Diseases of the female genital organs.....	11							2	4	3	3	1						
31	Puerperal fever.....	6							2	2	2								
32	Other puerperal affections.....	6							2	3	1								
33	Congenital debility and malformations.....	73	72				1												
34	Senility.....	14												1	6	4	3		
35	Violent deaths (excluding suicide).....	66	4		5		1	4	7	12	10	8	7	3	3				1
36	Suicide.....	13							1	2	5	2	3						
(37)	Other defined diseases.....	168	18			1	4	4	5	16	19	12	29	28	24	10	2		
38	Diseases ill-defined or unknown.....	8	3	1								1	1		1				1

MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
NASHVILLE, TENN. (COLORED).																				
	All causes.....	994	134	26	11	13	8	22	55	154	157	144	125	72	50	12	7	3	1	
1	Typhoid fever.....	25					2	4	13	4	1	1								
2	Typhus fever.....																			
3	Malaria.....	7							1	2	2	2								
4	Smallpox.....																			
5	Measles.....	3	1	1								1								
6	Scarlet fever.....																			
7	Whooping cough.....	13	7		2	1	1	2												
8	Diphtheria and croup.....	2										1								
9	Influenza.....	16		3						1	1	3	3	3	1	1				
10	Asiatic cholera.....																			
11	Cholera nostras.....	1										1								
12	Other epidemic diseases.....	6	1	2						1			1	1						
13	Tuberculosis of the lungs.....	140	1	1	2		2	4	15	52	33	17	7	2	3				1	
14	Tuberculous meningitis.....	4	2			1			1											
15	Other forms of tuberculosis.....	18	1	1				2	2	3	6	1	2							
16	Cancer and other malignant tumors.....	30							1	6	12	10							1	
17	Meningitis.....	5					1	2	2	2										
18	Cerebral hemorrhage and softening.....	47	1					1	5	4	10	11	5	7	1	1				1
19	Organic diseases of the heart.....	144						1	9	23	27	35	23	17	3	1				
20	Acute bronchitis.....	1	1																	
21	Chronic bronchitis.....	4																		
22	Pneumonia.....	66	8	3	1	2	1	4	2	6	19	9	6	3	1	1				
23a	Bronchopneumonia.....	43	21	7	2	5		1		2	1		1	1	1				1	
23b	Other diseases of the respiratory system.....	13	2	2	1				1	1	1	3	1	1		1				
24	Diseases of the stomach.....	19	1						6	4	3	5								
25(37)	Diarrhea and enteritis.....	35	21	4	1	2		1		1	1				1	1	1			
26	Appendicitis and typhlitis.....	9							1	4	3			1						
27	Hernia, intestinal obstruction.....	9	1						1	1	2	1	1	1	1					
28	Cirrhosis of the liver.....	12							1	1	4	1		3						
29	Acute nephritis and Bright's disease.....	70	1	2			2	3	5	12	9	15	11	10						
30	Diseases of the female genital organs.....	11							1	2	2	5								
31	Puerperal fever.....	3							1	2										
32	Other puerperal affections.....	3							3	2	1									
33	Congenital debility and malformations.....	30	30																	
34	Senility.....	4																		
35	Violent deaths (excluding suicide).....	56	2		2		4		8	18	8	6	5		3	1	2		1	
36	Suicide.....	5							2	3										
(37)	Other defined diseases.....	126	27		1		3	3	12	15	29	13	16	4	2				1	
38	Diseases ill-defined or unknown.....	11	5					1	1		1	1	1		1					

RICHMOND, VA. (TOTAL).

	All causes.....	2,658	510	85	37	16	12	40	111	284	298	298	342	312	217	82	11	3	
1	Typhoid fever.....	19					1	1	5	6	2	4								
2	Typhus fever.....																			
3	Malaria.....	1			1															
4	Smallpox.....																			
5	Measles.....	1								1										
6	Scarlet fever.....	2						1	1											
7	Whooping cough.....	69	36	20	5	3	3	2												
8	Diphtheria and croup.....	4		1				1												
9	Influenza.....	25	4	2	1				1	2	1	3	4	3	2	2				
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	14	2			1				1	1	1	2	3	1	1	1			
13	Tuberculosis of the lungs.....	254	3	3				4	26	89	60	32	23	5	5	3				
14	Tuberculous meningitis.....	17	4	3	2			1	1	2	1		1	2						
15	Other forms of tuberculosis.....	25	5	2	2	1			6	5	2									
16	Cancer and other malignant tumors.....	127							2	11	30	38	29	12	5					
17	Meningitis.....	15	5	2	2	1		1	1	2	1									
18	Cerebral hemorrhage and softening.....	172	2	1					1	9	7	19	40	46	34	11	1	1		1
19	Organic diseases of the heart.....	244						1	3	9	40	37	50	48	39	16				
20	Acute bronchitis.....	18	8	1	3	1		1							2	1				
21	Chronic bronchitis.....	10	2							1	2	1			1	1				
22	Pneumonia.....	134	7	2	1	2		5	12	15	13	21	24	19	11	1	1			
23a	Bronchopneumonia.....	111	47	13	8	3	2	2	1	2	6	3	5	9	5	5				
23b	Other diseases of the respiratory system.....	62	3	1				1	4	12	7	9	6	6	1					
24	Diseases of the stomach.....	25	4	1	1			1		5	2	1	2	5	1	2				
25(37)	Diarrhea and enteritis.....	125	89	12	1			1		2	5	2	4	4	4	1				
26	Appendicitis and typhlitis.....	27						1	8	5	5	5	2	1	1					
27	Hernia, intestinal obstruction.....	23	4						1	3	2	4	3	3						
28	Cirrhosis of the liver.....	35							1	2	5	9	7	6	5					
29	Acute nephritis and Bright's disease.....	230		3	2		2	2	3	13	39	57	56	37	12	3	1			
30	Diseases of the female genital organs.....	14							1	3	7	2		1						
31	Puerperal fever.....	27						6	12	5	4									
32	Other puerperal affections.....	20						2	13	4	1									
33	Congenital debility and malformations.....	168	168																	
34	Senility.....	19											7							
35	Violent deaths (excluding suicide).....	196	26	8	1	2	3	8	23	40	37	13	15	7	9	4				
36	Suicide.....	14							5	2	5	2								
(37)	Other defined diseases.....	365	76	5	5	1	2	4	9	29	43	45	51	49	33	12	1			
38	Diseases ill-defined or unknown.....	46	14	5		1		2	1	3	6	7	3	1	3					

CAUSES OF DEATH, BY AGE.

619

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
RICHMOND, VA. (WHITE).																			
	All causes.....	1,298	225	25	13	5	4	16	40	96	110	124	170	210	175	75	9	1	
1	Typhoid fever.....	8					1		1	2	1	3							
2	Typhus fever.....																		
3	Malaria.....				1														
4	Smallpox.....																		
5	Measles.....	1								1									
6	Scarlet fever.....	2						1	1										
7	Whooping cough.....	18	11	5	2														
8	Diphtheria and croup.....	3		1	1			1											
9	Influenza.....	15	1	1	1						1	1	4	2	2	2			
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	9	1			1				1				3	1	1	1		
13	Tuberculosis of the lungs.....	85	1					4	4	26	24	11	11	2	5	1			
14	Tuberculous meningitis.....	15	4	2	2			1	1	2	1	1	1	2					
15	Other forms of tuberculosis.....	16	4	2	2	1				3	1	1							
16	Cancer and other malignant tumors.....	89								1	4	17	29	22	11	5			
17	Meningitis.....	6	2	1	1					1									
18	Cerebral hemorrhage and softening.....	99	1							2	5	8	5	19	31	28	11	1	
19	Organic diseases of the heart.....	124	1				1	2	5	8	8	8	8	20	37	29	13		
20	Acute bronchitis.....	4					1								2	1			
21	Chronic bronchitis.....	4	1							1					1	1			
22	Pneumonia.....	46	1			1		2	1	2	3	3	11	11	9	1	1		
23a	Bronchopneumonia.....	31	14	1						1	1	1	1	7	3	4			
23b	Other diseases of the respiratory system.....	20	1					1	2	1	2	2	2	3	5	1	1		
24	Diseases of the stomach.....	13	4	1						1	1	1	1	3	1	1	1		
25(37)	Diarrhea and enteritis.....	64	48	3				1		4	4	1	1	3	3	1			
26	Appendicitis and typhlitis.....	14							4	1	4	3	1	1					
27	Hernia, intestinal obstruction.....	9	2						1	1			2	1		2			
28	Cirrhosis of the liver.....	21								1	5	2	4	6	5				
29	Acute nephritis and Bright's disease.....	128						1	1	5	14	24	24	38	30	12	2	1	
30	Diseases of the female genital organs.....	5						1		2	2	2	2						
31	Puerperal fever.....	10						2	5	1	2	2							
32	Other puerperal affections.....	11						1	6	3	1								
33	Congenital debility and malformations.....	93	93																
34	Senility.....	10													5	2	3		
35	Violent deaths (excluding suicide).....	91	4	6		2	2	4	13	14	13	9	6	7	7	4			
36	Suicide.....	14								5	2	2	2						
(37)	Other defined diseases.....	209	29	2	4		1	3	5	14	25	24	34	31	24	12	1		
38	Diseases ill-defined or unknown.....	11	2					1		1	1	2	1	1	2				

RICHMOND, VA. (COLORED).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.			
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.	
RICHMOND, VA. (COLORED).																				
	All causes.....	1,360	285	60	24	11	8	24	71	188	188	174	172	102	42	7	2	2		
1	Typhoid fever.....	11						1	4	4	1	1								
2	Typhus fever.....																			
3	Malaria.....	1			1															
4	Smallpox.....																			
5	Measles.....																			
6	Scarlet fever.....																			
7	Whooping cough.....	51	25	15	3	3	3	2												
8	Diphtheria and croup.....	1								1										
9	Influenza.....	10	3	1						1	2			1						
10	Asiatic cholera.....																			
11	Cholera nostras.....																			
12	Other epidemic diseases.....	5	1							1	1	2								
13	Tuberculosis of the lungs.....	169	2	3	1			4	22	63	36	21	12	3		2				
14	Tuberculous meningitis.....	2		1				1												
15	Other forms of tuberculosis.....	9	1							3	4	1								
16	Cancer and other malignant tumors.....	38								1	7	13	9	7	1					
17	Meningitis.....	9	3	1	1	1		1	1	1										
18	Cerebral hemorrhage and softening.....	73	1	1						8	5	14	21	15	6					
19	Organic diseases of the heart.....	120								1	4	32	29	30	11	10	3			
20	Acute bronchitis.....	14	8	1	3	1				4										
21	Chronic bronchitis.....	6	1							2				2						
22	Pneumonia.....	88	6	2	1	1		3	11	13	10	18	13	8	2	2				
23a	Bronchopneumonia.....	80	33	12	8	3	2	2	1	2	5	2	5	2	2	1				
23b	Other diseases of the respiratory system.....	42	2	1					2	11	10	5	7	3	1	1				
24	Diseases of the stomach.....	12			1			1		4	1	1	2	2		1				
25(37)	Diarrhea and enteritis.....	61	41	9	1					2	1	1	4	1	1					
26	Appendicitis and typhlitis.....	13						1	4	4	1	2	1							
27	Hernia, intestinal obstruction.....	14	2					1		2	2	2	2	3						
28	Cirrhosis of the liver.....	14							1	2	4	4	4	3						
29	Acute nephritis and Bright's disease.....	102		3	2			2	1	2	8	25	33	18	7		1			
30	Diseases of the female genital organs.....	9								3	5	5		1						
31	Puerperal fever.....	17							4	7	4	2								
32	Other puerperal affections.....	9							1	7	1									
33	Congenital debility and malformations.....	75	75																	
34	Senility.....	9												7			1	1		
35	Violent deaths (excluding suicide).....	105	22	2	1		1	4	10	26	24	4	9		2					
36	Suicide.....																			
(37)	Other defined diseases.....	156	47	3	1	1	1	1	4	15	18	21	17	18	9					
38	Diseases ill-defined or unknown.....	35	12	5		1		1	1	2	5	5	5	2	1					

CAUSES OF DEATH, BY AGE.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.		
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		90 to 99 years.	100 years and over.
MILWAUKEE, WIS.																			
	All causes.....	4,959	1,159	217	91	66	55	169	177	399	392	391	513	543	464	286	35	2	
1	Typhoid fever.....	34			3	1	1	3	7	6	7	3	2	1					
2	Typhus fever.....																		
3	Malaria.....																		
4	Smallpox.....																		
5	Measles.....	38	14	13	3	2		6											
6	Scarlet fever.....	95	3	9	14	11	11	33	6	7	1								
7	Whooping cough.....	14	9	4		1													
8	Diphtheria and croup.....	140	5	25	16	24	10	45	8	3	1	2	1						
9	Influenza.....	15	3							1	4	1		1	3	2			
10	Asiatic cholera.....																		
11	Cholera nostras.....																		
12	Other epidemic diseases.....	18	7	2							3	2	1	1	1	1			
13	Tuberculosis of the lungs.....	391	2	3	1		1	4	36	142	94	46	40	14	7	1			
14	Tuberculous meningitis.....	23			3			4	3	2	3								
15	Other forms of tuberculosis.....	28	1	1				2	8	6	3	4	1						
16	Cancer and other malignant tumors.....	291	1			1	1	1	3	3	16	39	76	78	55	16	1		
17	Meningitis.....	81	11	6	2	2	1	1	3	1	3								
18	Cerebral hemorrhage and softening.....	258	2	1					6	6	6	19	43	76	62	41	2		
19	Organic diseases of the heart.....	388	1					6	14	13	20	41	68	85	95	40	4	1	
20	Acute bronchitis.....	66	41	4	4		5				1	1			3	6			1
21	Chronic bronchitis.....	57	2					1		1	2	5	7	13	21	5			
22	Pneumonia.....	303	52	26	3	4	4	4	4	23	26	31	40	40	30	9	1		
23a	Bronchopneumonia.....	192	90	26	3	3	7	10	3	3	6	4	5	12	11	8	1		
23b	Other diseases of the respiratory system.....	53	5	4	2			3	3	1	4	7	3	6	5	8	2		
24	Diseases of the stomach.....	70	37	1	1			2		2	5	8	7	2	2	3			
25 (37)	Diarrhea and enteritis.....	328	232	57	10	4	3	1		1	4	1	1	4	4	3	1		
26	Appendicitis and typhlitis.....	78	1		1	1		3	20	19	10	7	4	1	1				
27	Hernia, intestinal obstruction.....	45	11	1	1			1	2		4	6	5	7	5	2			
28	Cirrhosis of the liver.....	73									12	17	18	9	4				
29	Acute nephritis and Bright's disease.....	293	7		2	1	3	10	5	15	21	34	58	63	48	27	1		
30	Diseases of the female genital organs.....	17								5	4								
31	Puerperal fever.....	28							2	15	8	3							
32	Other puerperal affections.....	40							1	18	21								
33	Congenital debility and malformations.....	422	417	2	1		1		1										
34	Senility.....	71												2	21	38	10		
35	Violent deaths (excluding suicide).....	248	10	5	6	3	2	12	29	45	32	30	32	17	13	11	1		
36	Suicide.....	89							3	16	19	19	20	6	6				
(37)	Other defined diseases.....	718	195	21	10	4	3	16	16	45	54	58	82	97	68	43	6		
38	Diseases ill-defined or unknown.....	6		1		1						1		1	1				

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SUMMARY.														
THE REGISTRATION AREA.														
	All causes.....	898,059	82,700	77,744	89,870	81,172	76,483	67,044	70,044	71,621	68,258	68,358	69,496	75,269
1	Typhoid fever.....	10,185	684	565	576	529	589	624	878	1,153	1,289	1,288	1,167	843
3	Malaria.....	1,477	57	50	65	80	92	142	183	193	197	196	152	70
5	Measles.....	4,401	487	581	825	760	664	436	244	112	44	76	119	163
6	Scarlet fever.....	4,340	503	561	665	562	500	337	225	155	123	180	236	288
7	Whooping cough.....	6,816	980	668	807	848	826	646	612	534	324	318	325	318
8	Diphtheria and croup.....	11,736	1,247	1,047	1,071	858	762	571	558	627	839	1,272	1,521	1,413
9	Influenza.....	6,014	1,052	1,003	1,341	959	418	149	87	59	66	126	273	481
13	Tuberculosis of the lungs.....	34,366	7,524	8,537	8,238	7,782	6,901	6,528	6,209	6,031	6,009	6,212	6,873	6,873
14-15	Other forms of tuberculosis.....	12,537	995	1,027	1,285	1,230	1,288	1,114	1,084	1,010	870	952	730	902
17	Meningitis.....	5,823	442	515	611	625	580	516	458	438	426	404	381	427
20-21	Bronchitis.....	11,446	1,384	1,460	1,613	1,293	941	620	485	476	562	664	869	1,079
22	Pneumonia.....	51,661	7,205	6,673	8,320	6,233	4,397	2,246	1,474	1,414	1,784	2,490	3,866	5,549
(23)	Bronchopneumonia.....	32,153	4,297	4,228	4,835	3,961	2,807	1,518	1,141	1,055	1,146	1,653	2,301	3,211
25	Diarrhea and enteritis (under 2 years).....	43,532	1,649	1,527	1,833	1,830	2,185	2,927	6,639	9,052	7,227	4,708	2,381	1,574
(37)	Diarrhea and enteritis (2 years and over).....	8,875	502	417	510	520	528	707	1,027	1,432	1,270	894	595	473
(33)	Congenital debility ¹	18,739	977	1,003	1,139	1,015	1,123	903	1,179	1,436	1,521	1,342	1,086	1,015
35	Violent deaths (excluding suicide).....	56,617	4,454	3,984	4,373	4,283	4,779	5,240	5,770	5,395	4,695	4,598	4,553	4,543
36	Suicide.....	10,993	854	731	969	960	1,065	977	973	942	951	939	804	768
	All other causes.....	521,308	47,844	44,230	50,495	46,388	45,157	40,470	40,499	39,929	38,893	40,249	41,875	45,279
REGISTRATION STATES.²														
	All causes.....	819,880	75,772	70,979	81,993	74,009	69,619	60,693	63,954	65,677	62,710	62,464	63,462	68,548
1	Typhoid fever.....	9,249	625	529	537	484	539	548	761	1,046	1,156	1,180	1,075	769
3	Malaria.....	1,157	46	41	55	62	76	112	137	151	162	143	119	53
5	Measles.....	4,200	421	548	761	726	619	404	229	104	41	73	114	160
6	Scarlet fever.....	4,025	467	501	614	525	459	309	205	147	116	172	232	278
7	Whooping cough.....	6,280	558	624	735	764	754	580	566	494	300	301	313	301
8	Diphtheria and croup.....	10,593	1,143	950	961	772	683	510	494	555	737	1,141	1,261	1,256
9	Influenza.....	5,487	960	914	1,223	835	389	132	76	65	61	117	247	428
13	Tuberculosis of the lungs.....	76,002	6,789	6,745	7,709	7,412	7,029	6,222	5,878	5,615	5,468	5,387	5,557	6,191
14-15	Other forms of tuberculosis.....	11,518	850	950	1,160	1,132	1,188	1,012	1,001	912	812	872	716	828
17	Meningitis.....	5,000	395	480	559	566	538	490	428	409	401	380	361	393
20-21	Bronchitis.....	10,795	1,296	1,370	1,513	1,225	885	582	456	444	523	617	815	1,009
22	Pneumonia.....	46,988	6,370	6,086	7,542	5,661	3,975	2,041	1,342	1,269	1,630	2,308	3,503	5,051
(23)	Bronchopneumonia.....	29,025	3,901	3,798	4,337	3,548	2,322	1,378	1,017	963	1,037	1,510	2,089	2,925
25	Diarrhea and enteritis (under 2 years).....	38,288	1,389	1,233	1,506	1,471	1,699	2,431	5,899	8,326	6,656	4,266	2,105	1,307
(37)	Diarrhea and enteritis (2 years and over).....	7,991	446	366	463	455	453	597	953	1,324	1,188	813	537	416
(33)	Congenital debility ¹	12,885	917	934	1,069	957	1,049	827	1,115	1,366	1,435	1,271	1,012	933
35	Violent deaths (excluding suicide).....	51,674	4,037	3,589	4,003	3,896	4,359	4,770	5,300	4,970	4,303	4,176	4,201	4,070
36	Suicide.....	9,833	756	650	870	861	963	883	888	844	856	848	722	692
	All other causes.....	478,570	44,121	40,671	46,376	42,607	41,440	36,865	37,229	36,683	35,828	36,889	38,383	41,478
CITIES IN REGISTRATION STATES.²														
	All causes.....	440,461	41,088	38,414	44,344	39,872	37,866	32,325	34,337	35,117	33,082	33,012	33,839	37,165
1	Typhoid fever.....	4,036	261	249	269	248	282	253	360	415	490	489	389	331
3	Malaria.....	285	10	8	13	11	18	21	46	29	32	29	25	13
5	Measles.....	2,313	244	258	330	378	368	244	148	64	28	49	63	94
6	Scarlet fever.....	2,511	308	321	386	338	304	206	120	85	70	86	138	149
7	Whooping cough.....	2,773	247	324	310	349	361	249	272	256	143	123	103	108
8	Diphtheria and croup.....	6,320	675	595	612	509	436	347	329	319	404	586	720	738
9	Influenza.....	2,054	390	351	436	340	132	47	25	22	27	44	74	166
13	Tuberculosis of the lungs.....	41,904	3,779	4,336	3,998	3,866	3,331	3,175	3,057	2,975	3,016	3,106	3,517	3,517
14-15	Other forms of tuberculosis.....	6,742	511	555	664	635	697	599	621	522	487	491	408	508
17	Meningitis.....	2,764	210	242	304	286	294	262	206	209	194	171	182	203
20-21	Bronchitis.....	5,946	688	788	863	672	461	322	258	261	274	350	430	579
22	Pneumonia.....	26,769	3,567	3,300	4,206	2,352	1,242	855	795	976	1,404	2,013	2,822	4,300
(23)	Bronchopneumonia.....	18,526	2,405	2,340	2,711	2,214	1,661	879	744	684	685	951	1,344	1,810
25	Diarrhea and enteritis (under 2 years).....	22,809	861	775	927	921	997	1,341	3,805	5,090	3,763	2,383	1,204	842
(37)	Diarrhea and enteritis (2 years and over).....	3,577	219	171	210	222	221	282	404	598	476	331	230	213
(33)	Congenital debility ¹	7,007	491	527	563	537	530	433	621	761	794	701	506	493
35	Violent deaths (excluding suicide).....	26,558	2,158	1,869	2,104	2,061	2,257	2,452	2,553	2,426	2,240	2,116	2,159	2,153
36	Suicide.....	5,872	475	410	523	507	547	510	516	505	501	502	426	450
	All other causes.....	251,720	23,588	21,443	24,527	22,359	21,982	19,205	19,269	19,019	18,523	19,300	20,319	21,986
RURAL PART OF REGISTRATION STATES.														
	All causes.....	379,419	34,684	32,565	37,649	34,137	31,753	28,368	29,617	30,560	29,628	29,452	29,623	31,383
1	Typhoid fever.....	5,213	364	280	268	236	257	295	401	631	666	691	686	438
3	Malaria.....	902	36	33	42	51	58	91	91	122	130	114	94	40
5	Measles.....	1,882	177	290	381	348	251	160	81	40	13	24	51	66
6	Scarlet fever.....	1,514	159	180	228	187	155	103	85	62	46	86	94	129
7	Whooping cough.....	3,517	318	360	425	415	393	331	294	238	157	178	210	198
8	Diphtheria and croup.....	4,243	468	355	349	263	197	163	165	236	333	555	641	518
9	Influenza.....	3,433	570	563	787	545	257	85	51	33	34	73	173	262
13	Tuberculosis of the lungs.....	34,098	3,010	2,997	3,373	3,414	3,163	2,891	2,703	2,558	2,493	2,371	2,451	2,674
14-15	Other forms of tuberculosis.....	4,776	415	395	496	447	491	413	380	390	325	391	308	325
17	Meningitis.....	2,636	184	238	255	280	244	228	200	207	209	179	190	190
20-21	Bronchitis.....	4,789	608	582	650	553	424	260	198	188	249	267	385	430
22	Pneumonia.....	20,219	3,003	2,786	3,336	2,424	1,623	799	487	474	654	904	1,490	2,239
(23)	Bronchopneumonia.....	10,499	1,498	1,458	1,626	1,334	861	399	273	279	352	559	745	1,115
25	Diarrhea and enteritis (under 2 years).....	15,479	523	458	579	550	702	1,090	2,094	3,236	2,893	1,983	901	465
(37)	Diarrhea and enteritis (2 years and over).....	4,414	227	195	253	233	232	315	529	726	712	482	307	203

DEATHS, BY MONTH OF OCCURRENCE.

623

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SUMMARY—Continued.														
REGISTRATION CITIES IN OTHER STATES.														
	All causes.....	78,179	6,928	6,765	7,877	7,163	6,864	6,351	6,090	5,944	5,548	5,894	6,034	6,721
1	Typhoid fever.....	936	59	36	39	45	50	76	117	107	133	108	92	74
3	Malaria.....	320	11	9	10	13	16	30	46	42	35	53	33	17
5	Measles.....	261	16	33	64	34	45	32	15	8	3	3	5	3
6	Scarlet fever.....	315	41	60	51	37	41	28	20	8	7	8	4	10
7	Whooping cough.....	526	32	44	72	84	72	66	46	40	24	17	12	17
8	Diphtheria and croup.....	1,223	104	97	110	86	79	61	64	72	102	131	160	157
9	Influenza.....	527	92	89	118	74	29	17	11	4	5	9	26	53
13	Tuberculosis of the lungs.....	8,364	733	779	828	826	753	679	650	594	563	622	655	682
14-15	Other forms of tuberculosis.....	1,019	60	77	125	98	100	102	83	98	58	80	64	74
17	Meningitis.....	423	47	35	52	59	42	26	30	29	25	24	20	34
20-21	Bronchitis.....	711	88	90	100	68	56	38	29	32	39	47	54	70
22	Pneumonia.....	4,663	635	587	778	572	422	205	132	145	154	182	363	488
(23)	Bronchopneumonia.....	3,128	396	430	498	413	285	140	124	92	109	143	212	286
25	Diarrhea and enteritis (under 2 years).....	5,244	260	294	327	359	486	496	740	726	571	442	276	267
(37)	Diarrhea and enteritis (2 years and over).....	884	56	51	47	65	75	110	94	108	82	81	58	57
(33)	Congenital debility ¹	854	60	69	70	58	74	76	64	70	86	71	74	82
35	Violent deaths (excluding suicide).....	4,943	417	345	370	387	420	470	470	425	392	422	352	473
36	Suicide.....	1,100	98	81	99	99	102	94	85	98	95	91	82	76
	All other causes.....	42,788	3,723	3,559	4,119	3,781	3,717	3,605	3,270	3,246	3,065	3,360	3,492	3,801
ALL REGISTRATION CITIES. ²														
	All causes.....	518,640	48,016	45,179	52,221	47,035	44,730	38,676	40,427	41,061	38,630	38,906	39,873	43,886
1	Typhoid fever.....	4,972	320	285	308	293	332	329	477	522	623	597	481	405
3	Malaria.....	575	21	17	23	29	34	51	92	71	67	82	58	30
5	Measles.....	2,579	260	291	444	412	413	276	163	72	31	52	68	97
6	Scarlet fever.....	2,826	349	351	437	375	345	234	140	93	77	94	142	159
7	Whooping cough.....	3,299	272	308	332	433	433	315	318	296	167	140	115	120
8	Diphtheria and croup.....	7,543	779	692	722	595	565	408	393	391	506	717	880	895
9	Influenza.....	2,581	482	440	554	414	161	64	36	26	32	53	100	219
13	Tuberculosis of the lungs.....	50,268	4,512	4,527	5,164	4,824	4,619	4,010	3,825	3,651	3,538	3,638	3,761	4,199
14-15	Other forms of tuberculosis.....	7,761	580	632	789	783	797	701	704	620	545	561	472	577
17	Meningitis.....	3,187	258	277	356	345	336	288	236	238	219	195	202	237
20-21	Bronchitis.....	6,657	776	878	963	740	517	360	287	293	313	397	484	649
22	Pneumonia.....	31,432	4,202	3,887	4,984	3,809	2,774	1,447	987	940	1,130	1,586	2,376	3,310
(23)	Bronchopneumonia.....	21,654	2,799	2,770	3,209	2,627	1,946	1,119	868	776	794	1,094	1,556	2,096
25	Diarrhea and enteritis (under 2 years).....	28,053	1,121	1,069	1,254	1,280	1,483	1,837	4,545	5,816	4,334	2,725	1,480	1,109
(37)	Diarrhea and enteritis (2 years and over).....	4,461	275	222	237	287	296	392	498	706	558	412	288	270
(33)	Congenital debility ¹	7,861	551	596	633	595	654	509	685	831	880	772	580	575
35	Violent deaths (excluding suicide).....	31,501	2,575	2,214	2,474	2,448	2,677	2,922	3,033	2,851	2,632	2,538	2,511	2,626
36	Suicide.....	6,972	573	491	622	606	649	604	601	603	596	593	508	526
	All other causes.....	294,458	27,311	25,202	28,646	26,140	25,699	22,810	22,539	22,265	21,588	22,660	23,811	25,787
REGISTRATION STATES.														
CALIFORNIA.														
	All causes.....	37,542	3,384	3,114	3,298	3,156	3,083	3,073	2,929	2,821	2,818	2,934	3,220	3,712
1	Typhoid fever.....	370	26	24	25	35	25	29	43	39	36	23	43	22
3	Malaria.....	52	2	3	1	3	3	6	4	6	11	5	7	1
5	Measles.....	168	2	3	6	20	22	25	31	7	7	9	13	23
6	Scarlet fever.....	95	18	10	6	14	12	5	4	6	4	8	6	6
7	Whooping cough.....	293	24	17	34	36	25	35	26	33	15	15	17	16
8	Diphtheria and croup.....	262	22	16	16	10	23	18	9	17	25	33	34	39
9	Influenza.....	137	33	13	13	15	2	3	4	5	9	6	16	18
13	Tuberculosis of the lungs.....	4,698	396	475	466	439	390	412	357	311	321	344	352	435
14-15	Other forms of tuberculosis.....	630	64	54	75	60	69	57	50	38	51	43	44	75
17	Meningitis.....	277	21	35	31	17	25	24	26	13	11	24	27	23
20-21	Bronchitis.....	375	43	45	36	29	23	25	26	17	32	28	26	45
22	Pneumonia.....	1,654	187	147	142	138	123	121	89	100	103	114	141	249
(23)	Bronchopneumonia.....	926	122	89	97	72	61	59	45	42	50	63	88	138
25	Diarrhea and enteritis (under 2 years).....	844	56	47	44	72	69	78	66	81	61	109	99	62
(37)	Diarrhea and enteritis (2 years and over).....	308	24	12	16	28	32	38	24	32	23	29	30	20
(33)	Congenital debility ¹	230	19	13	20	22	21	17	17	22	12	18	23	26
35	Violent deaths (excluding suicide).....	3,128	273	232	255	229	234	273	291	278	255	246	285	277
36	Suicide.....	920	69	72	85	81	78	90	74	86	79	59	66	81
	All other causes.....	22,125	1,983	1,807	1,930	1,836	1,846	1,758	1,743	1,692	1,711	1,762	1,901	2,156
COLORADO.														
	All causes.....	10,166	923	876	982	954	818	738	798	828	765	785	784	915
1	Typhoid fever.....	155	6	7	8	6	3	2	5	17	18	27	29	27
3	Malaria.....													
5	Measles.....	85	7	13	22	16	9	3	2	3		1	1	8
6	Scarlet fever.....	95	12	15	20	10	5	5	9		4	4	6	5
7	Whooping cough.....	78	5	7	14	9	9	4	8	10	6	1	3	2
8	Diphtheria and croup.....	65	6	4	1	6	4	3	5	3	8	6	8	11
9	Influenza.....	48	13	11	10	4	1	2						4
13	Tuberculosis of the lungs.....	1,526	140	126	134	153	106	122	116	126	116	126	112	149
14-15	Other forms of tuberculosis.....	126	17	9	14	12	16	11	10	12	2	5	11	7
17	Meningitis.....	86	4	11	17	12	5	3	3	7	6	4	3	8
20-21	Bronchitis.....	64	12	8	10	4	5	3	3		4	4	4	7
22	Pneumonia.....	708	86	90	111	69	54	31	20	18	24	45	60	100
(23)	Bronchopneumonia.....	324	33	49	51	37	31	20	11	8	12	15	14	43
25	Diarrhea and enteritis (under 2 years).....	355	12	17	18	15	18	22	49	72	57	36	30	9
(37)	Diarrhea and enteritis (2 years and over).....	115	8	3	7	8	5	6	13	18	20	7	11	9
(33)	Congenital debility ¹	163	12	5	11	15	9	8	19	12	21	24	12	15
35	Violent deaths (excluding suicide).....	830	65	56	47	95	68	72	96	75	65	69	68	54
36	Suicide.....	165	8	15	16	17	17	15	16	9	12	16	10	10
	All other causes.....	5,173	477	430	471	469	453	401	414	431	393	396	396	447

¹ Excluding premature birth.

² Includes District of Columbia.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION STATES—Continued.														
CONNECTICUT.														
	All causes.....	18,220	1,677	1,627	1,845	1,650	1,507	1,235	1,438	1,596	1,523	1,323	1,324	1,475
1	Typhoid fever.....	111	4	3	9	9	10	8	7	12	20	6	9	14
3	Malaria.....	12												
5	Measles.....	144	20	29	29	26	12	2	3	2	3	1	2	9
6	Scarlet fever.....	82	10	18	7	5	4	10	5	4	4	3	5	7
7	Whooping cough.....	193	6	22	8	21	21	8	10	14	7	8	4	9
8	Diphtheria and croup.....	230	37	16	21	20	20	9	16	10	13	20	23	31
9	Influenza.....	107	30	28	36	32	12	3	5	1	2	5	5	8
13	Tuberculosis of the lungs.....	1,515	120	131	152	145	135	107	112	137	117	112	118	129
14-15	Other forms of tuberculosis.....	286	22	26	21	22	27	18	24	24	21	23	21	17
17	Meningitis.....	152	10	14	20	12	19	15	13	9	10	12	9	9
20-21	Bronchitis.....	278	38	53	35	24	22	12	8	12	11	13	17	33
22	Pneumonia.....	1,228	145	154	207	158	99	66	36	32	43	66	94	128
(23)	Bronchopneumonia.....	628	107	102	110	69	45	26	12	23	25	34	30	45
25	Diarrhea and enteritis (under 2 years).....	1,048	29	22	24	24	35	40	176	304	229	87	45	33
(37)	Diarrhea and enteritis (2 years and over).....	144	6	5	3	7	11	11	18	32	28	14	4	7
(38)	Congenital debility ¹	293	18	18	34	27	15	20	32	25	30	34	21	19
35	Violent deaths (excluding suicide).....	1,063	92	76	76	80	30	68	100	122	99	93	78	69
36	Suicide.....	252	18	18	17	17	23	24	25	25	35	16	21	13
	All other causes.....	10,463	965	892	1,036	951	907	767	829	805	825	773	818	895
INDIANA.														
	All causes.....	35,930	3,177	3,038	3,668	3,402	3,086	2,655	2,877	2,906	2,791	2,793	2,675	2,862
1	Typhoid fever.....	588	39	36	42	37	21	32	36	70	73	78	79	45
3	Malaria.....	69	3	2	1	3	4	10	7	5	17	8	2	7
5	Measles.....	150	10	20	22	31	26	18	7	3	1	4	6	2
6	Scarlet fever.....	115	18	7	10	21	5	5	4		6	9	9	21
7	Whooping cough.....	282	25	21	43	51	46	22	27	8	7	12	8	12
8	Diphtheria and croup.....	388	47	42	36	21	21	13	11	21	28	40	51	57
9	Influenza.....	261	43	50	60	45	29	3	3	1	2	2	5	18
13	Tuberculosis of the lungs.....	3,473	297	334	344	342	323	295	279	254	258	248	234	265
14-15	Other forms of tuberculosis.....	627	40	36	63	61	69	45	53	50	57	55	43	55
17	Meningitis.....	214	15	19	19	22	30	20	19	12	18	16	11	13
20-21	Bronchitis.....	390	34	41	63	56	41	20	20	26	16	15	30	28
22	Pneumonia.....	1,762	274	234	334	264	135	52	37	48	41	63	113	167
(23)	Bronchopneumonia.....	1,157	175	159	192	196	85	35	35	27	23	46	68	116
25	Diarrhea and enteritis (under 2 years).....	1,608	60	49	57	64	83	92	265	299	281	224	91	43
(37)	Diarrhea and enteritis (2 years and over).....	445	32	22	27	25	20	27	58	83	60	37	31	23
(38)	Congenital debility ¹	231	18	26	22	20	17	14	25	16	14	25	16	18
35	Violent deaths (excluding suicide).....	2,204	153	155	133	147	176	200	236	225	183	198	182	166
36	Suicide.....	480	39	28	43	48	46	54	36	41	37	48	31	29
	All other causes.....	21,486	1,855	1,757	2,107	1,948	1,909	1,698	1,719	1,717	1,669	1,655	1,665	1,777
KANSAS.														
	All causes.....	17,497	1,621	1,398	1,697	1,426	1,422	1,300	1,477	1,399	1,284	1,431	1,429	1,613
1	Typhoid fever.....	338	26	11	9	10	9	19	27	58	46	47	46	30
3	Malaria.....	39								6	2	4	4	2
5	Measles.....	76	2	3	1	17	16	10	3	4			2	1
6	Scarlet fever.....	33	3	2	9	5	4	3	3				3	
7	Whooping cough.....	151	6	9	15	20	23	16	14	6	8	8	9	9
8	Diphtheria and croup.....	167	15	8	5	7	4	5	5	4	9	3	1	12
9	Influenza.....	169	24	27	43	32	11	4	3	5	4	7	70	73
13	Tuberculosis of the lungs.....	880	83	66	95	79	91	59	75	59	59	7	6	16
14-15	Other forms of tuberculosis.....	133	13	8	12	9	13	12	7	12	7	18	6	4
17	Meningitis.....	102	5	5	12	13	6	8	8	11	16	7	11	23
20-21	Bronchitis.....	177	25	21	21	26	12	2	7	12	3	14	11	23
22	Pneumonia.....	919	134	146	177	95	62	26	22	15	23	29	72	118
(23)	Bronchopneumonia.....	278	39	33	49	30	18	10	4	3	4	20	21	42
25	Diarrhea and enteritis (under 2 years).....	561	16	20	20	18	20	48	109	114	90	64	29	13
(37)	Diarrhea and enteritis (2 years and over).....	281	12	7	16	6	6	19	53	66	42	23	17	14
(38)	Congenital debility ¹	364	32	27	28	22	35	31	36	27	34	31	29	32
35	Violent deaths (excluding suicide).....	1,166	88	73	54	76	106	123	124	106	106	102	89	119
36	Suicide.....	201	15	13	21	14	26	27	12	15	20	17	15	6
	All other causes.....	11,462	1,083	914	1,094	945	957	873	956	861	817	929	967	1,066
KENTUCKY (TOTAL).														
	All causes.....	30,360	2,806	2,591	3,109	2,639	2,354	2,371	2,630	2,447	2,077	2,358	2,415	2,563
1	Typhoid fever.....	980	51	50	35	52	46	55	90	135	102	121	140	103
3	Malaria.....	165	10	4	7	14	5	13	17	26	17	19	24	9
5	Measles.....	271	16	57	73	49	38	21	9	4	1	2	1	7
6	Scarlet fever.....	62	11	8	10	5	3	2	2	1	2	3	6	1
7	Whooping cough.....	349	38	62	46	36	37	20	22	11	13	25	30	9
8	Diphtheria and croup.....	515	34	27	29	27	19	3	13	30	52	91	105	85
9	Influenza.....	346	67	52	58	53	22	13	6	6	1	8	23	39
13	Tuberculosis of the lungs.....	4,282	430	387	451	456	377	306	357	291	264	285	298	320
14-15	Other forms of tuberculosis.....	602	59	47	67	45	67	51	43	46	39	61	39	40
17	Meningitis.....	423	32	33	38	43	28	31	49	45	41	23	26	34
20-21	Bronchitis.....	376	43	39	50	37	26	24	25	17	20	19	27	49
22	Pneumonia.....	1,803	281	252	296	196	99	53	58	45	52	90	151	230
(23)	Bronchopneumonia.....	746	117	101	123	70	65	20	15	24	20	49	61	81
25	Diarrhea and enteritis (under 2 years).....	1,121	25	23	33	30	41	154	231	177	153	143	85	26
(37)	Diarrhea and enteritis (2 years and over).....	425	22	19	27	24	24	60	65	50	39	47	32	16
(38)	Congenital debility ¹	510	32	35	43	22	34	28	71	73	43	42	44	43
35	Violent deaths (excluding suicide).....	1,790	168	140	155	125	140	182	170	141	125	113	153	178
36	Suicide.....	233	16	8	16	21	27	22	22	23	19	23	17	19
	All other causes.....	15,361	1,354	1,247	1,552	1,334	1,256	1,253	1,365	1,304	1,075	1,195	1,152	1,274

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

625

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION STATES—Continued.														
KENTUCKY (WHITE).														
	All causes.....	24,668	2,301	2,152	2,538	2,128	1,862	1,920	2,112	2,006	1,678	1,924	1,960	2,087
1	Typhoid fever.....	809	49	44	27	44	30	43	73	111	85	99	117	87
3	Malaria.....	119	9	2	6	11	5	8	11	21	11	12	15	8
5	Measles.....	255	16	56	71	45	34	21	7	4				1
6	Scarlet fever.....	58	9	7	10	5	2	2	4	1	2	3	6	7
7	Whooping cough.....	284	29	56	34	28	29	16	16	9	13	21	26	7
8	Diphtheria and croup.....	485	32	24	25	24	17	3	13	27	49	88	103	80
9	Influenza.....	266	59	43	48	39	14	8	3	2	1	5	17	27
13	Tuberculosis of the lungs.....	3,181	331	306	348	333	275	269	254	206	193	212	210	244
14-15	Other forms of tuberculosis.....	475	52	35	51	32	46	41	29	33	31	52	36	32
17	Meningitis.....	379	27	29	37	39	25	28	44	42	34	18	24	32
20-21	Bronchitis.....	291	31	32	36	27	22	14	18	13	16	15	25	42
22	Pneumonia.....	1,456	230	204	244	152	83	40	42	35	47	74	119	186
(23)	Bronchopneumonia.....	623	102	91	104	57	49	16	13	19	17	40	49	66
25	Diarrhea and enteritis (under 2 years).....	970	22	21	30	27	34	130	192	158	133	124	73	26
(37)	Diarrhea and enteritis (2 years and over).....	365	18	18	23	21	19	51	57	45	36	35	29	13
(33)	Congenital debility ¹	437	25	29	36	21	31	24	65	64	35	35	36	36
35	Violent deaths (excluding suicide).....	1,377	126	98	126	97	117	148	135	105	91	91	117	126
36	Suicide.....	219	15	8	16	18	27	21	21	19	18	23	15	18
	All other causes.....	12,619	1,119	1,049	1,266	1,108	1,003	1,037	1,115	1,087	866	977	943	1,049
KENTUCKY (COLORED).														
	All causes.....	5,692	505	439	571	511	492	451	518	441	399	434	455	476
1	Typhoid fever.....	171	2	6	8	8	16	12	17	24	17	22	23	16
3	Malaria.....	46	1	2	1	3		5	6	5	6	7	9	1
5	Measles.....	16		1	2	4	4		2			1	2	
6	Scarlet fever.....	4	2	1		1								
7	Whooping cough.....	65	9	6	12	8	8	4	6	2		4	4	2
8	Diphtheria and croup.....	30	2	3	4	3	2		3	3	3	3	6	12
9	Influenza.....	80	8	9	10	14	8	5	3	2	3	3	6	76
13	Tuberculosis of the lungs.....	1,101	99	81	103	123	102	97	103	85	71	73	88	8
14-15	Other forms of tuberculosis.....	127	7	12	16	13	21	10	12	8	8	5	3	2
17	Meningitis.....	44	5	4	4	3	3	3	5	4	7	4	2	7
20-21	Bronchitis.....	85	12	7	14	10	4	10	7	4	4	4	32	44
22	Pneumonia.....	347	51	48	52	44	16	13	16	10	5	16	15	15
(23)	Bronchopneumonia.....	123	15	10	19	13	16	4	2	5	3	19	12	
25	Diarrhea and enteritis (under 2 years).....	151	3	2	3	3	7	24	39	19	20	12	3	3
(37)	Diarrhea and enteritis (2 years and over).....	60	4	1	4	3	5	9	8	5	3	12	3	7
(33)	Congenital debility ¹	73	7	6	7	1	3	4	6	6	8	7	8	3
35	Violent deaths (excluding suicide).....	413	42	42	29	28	23	34	35	36	34	22	36	52
36	Suicide.....	14	1		3	3	1	1	1	4		2	2	1
	All other causes.....	2,742	235	198	286	226	253	216	250	217	209	218	209	225
MAINE.														
	All causes.....	11,925	1,087	1,042	1,139	1,092	1,103	849	865	899	1,003	1,000	920	926
1	Typhoid fever.....	122	9	9	7	9	12	9	6	8	11	19	16	7
3	Malaria.....	7			1	2		2	1					
5	Measles.....	43	11	3	8	8	3	4	1	2	1	1	1	1
6	Scarlet fever.....	17	2		3		2	4	1	1				3
7	Whooping cough.....	95	10	11	7	9	7	7	6	10	5	7	6	10
8	Diphtheria and croup.....	86	5	8	4	8	6	5	2	4	8	14	16	6
9	Influenza.....	92	10	14	17	16	12	3	3			3	7	7
13	Tuberculosis of the lungs.....	719	63	60	84	86	78	45	53	53	59	46	39	53
14-15	Other forms of tuberculosis.....	201	13	19	22	29	22	14	19	14	11	16	11	11
17	Meningitis.....	78	2	15	3	5	4	5	6	6	7	12	7	6
20-21	Bronchitis.....	163	22	23	15	22	16	6	8	7	7	9	11	17
22	Pneumonia.....	756	95	88	97	91	111	30	28	15	29	39	50	83
(23)	Bronchopneumonia.....	363	57	52	63	47	35	13	7	11	10	22	22	24
25	Diarrhea and enteritis (under 2 years).....	396	10	6	15	10	7	10	15	89	138	71	18	7
(37)	Diarrhea and enteritis (2 years and over).....	122	3	8	6	9	10	6	11	14	21	19	10	5
(33)	Congenital debility ¹	230	12	15	13	23	27	19	10	22	29	21	22	17
35	Violent deaths (excluding suicide).....	551	46	43	44	34	51	50	55	48	38	61	49	32
36	Suicide.....	107	10	5	11	9	15	7	9	8	9	8	6	10
	All other causes.....	7,777	707	663	719	675	685	610	624	589	618	631	629	627
MARYLAND (TOTAL).														
	All causes.....	21,314	1,937	1,867	2,130	1,801	1,712	1,503	1,790	1,828	1,672	1,594	1,700	1,780
1	Typhoid fever.....	321	18	21	13	7	18	27	26	37	40	45	45	24
3	Malaria.....	14			2		3		1	1			2	1
5	Measles.....	24	6	4	7	2	3	1				1	6	6
6	Scarlet fever.....	76	10	13	14	4	6	5	4	5	1	2	8	10
7	Whooping cough.....	195	18	19	15	17	18	23	32	15	10	10	8	25
8	Diphtheria and croup.....	177	25	15	16	11	10	4	4	12	12	11	32	4
9	Influenza.....	148	42	30	34	16	11	4	1	1	1	176	194	203
13	Tuberculosis of the lungs.....	2,427	205	242	259	227	222	173	178	170	178	176	15	20
14-15	Other forms of tuberculosis.....	282	22	22	30	28	20	23	24	25	23	25	15	4
17	Meningitis.....	116	12	8	6	8	14	15	15	9	9	9	7	21
20-21	Bronchitis.....	279	41	36	40	28	25	10	12	9	12	16	29	124
22	Pneumonia.....	1,167	181	163	188	138	89	52	29	33	41	42	87	78
(23)	Bronchopneumonia.....	955	110	153	161	120	109	30	40	22	30	138	95	35
25	Diarrhea and enteritis (under 2 years).....	1,243	27	23	24	18	24	53	282	314	210	138	95	10
(37)	Diarrhea and enteritis (2 years and over).....	200	18	3	9	11	10	16	24	34	31	25	9	22
(33)	Congenital debility ¹	474	32	32	36	30	30	26	38	81	54	54	39	94
35	Violent deaths (excluding suicide).....	1,111	74	68	85	97	91	105	119	109	93	94	82	14
36	Suicide.....	210	17	8	18	26	19	14	22	13	26	18	15	14
	All other causes.....	11,895	1,079	1,007	1,173	1,013	990	915	939	938	899	882	975	1,085

¹Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION STATES—Continued.														
MARYLAND (WHITE).														
	All causes.....	15,759	1,429	1,378	1,592	1,331	1,247	1,085	1,312	1,308	1,254	1,171	1,288	1,364
1	Typhoid fever.....	237	10	14	12	7	14	21	20	26	28	29	35	21
3	Malaria.....	8	1	2	2	1	1	1	1	1	1	1	1	1
5	Measles.....	15	4	2	3	2	3	1	3	3	1	2	6	4
6	Scarlet fever.....	68	9	13	11	4	6	4	3	3	1	2	6	6
7	Whooping cough.....	102	12	10	10	10	13	11	17	6	4	3	2	4
8	Diphtheria and croup.....	160	25	13	14	10	8	4	4	11	10	10	29	22
9	Influenza.....	110	30	22	30	9	7	3	1	1	1	1	3	3
13	Tuberculosis of the lungs.....	1,553	129	158	169	159	129	101	120	91	114	109	127	147
14-15	Other forms of tuberculosis.....	179	14	15	23	16	14	14	15	15	14	16	10	13
17	Meningitis.....	82	7	6	3	6	8	11	10	8	9	7	5	2
20-21	Bronchitis.....	208	29	30	30	23	16	6	5	6	7	13	26	17
22	Pneumonia.....	794	117	114	133	97	61	35	17	24	26	26	63	81
(23)	Bronchopneumonia.....	657	68	102	119	83	75	21	31	12	22	24	41	59
25	Diarrhea and enteritis (under 2 years).....	955	24	18	19	12	19	44	214	244	165	100	74	22
(37)	Diarrhea and enteritis (2 years and over).....	150	13	3	8	9	8	13	17	26	20	20	4	9
(38)	Congenital debility ¹	310	21	15	27	20	19	19	24	51	42	29	27	16
35	Violent deaths (excluding suicide).....	876	60	51	68	78	68	85	90	85	71	80	67	73
36	Suicide.....	200	17	8	17	25	18	14	22	11	25	18	12	13
	All other causes.....	9,095	840	784	894	761	760	677	701	688	690	684	755	855
MARYLAND (COLORED).														
	All causes.....	5,555	508	489	538	470	465	418	478	520	418	423	412	416
1	Typhoid fever.....	84	8	7	1	4	6	6	11	12	16	10	3	3
3	Malaria.....	6	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	9	2	2	4	2	2	1	2	2	1	1	1	1
6	Scarlet fever.....	8	1	1	3	1	1	1	2	1	1	1	1	1
7	Whooping cough.....	93	6	9	5	7	5	12	15	9	6	7	6	6
8	Diphtheria and croup.....	17	2	2	2	1	2	2	1	2	1	3	3	3
9	Influenza.....	38	12	8	4	7	4	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	874	76	84	90	68	93	72	58	79	64	67	67	56
14-15	Other forms of tuberculosis.....	103	8	7	7	12	6	14	9	10	9	9	5	7
17	Meningitis.....	34	5	2	3	2	6	4	5	1	2	2	2	2
20-21	Bronchitis.....	71	12	6	10	5	9	4	7	3	5	3	3	4
22	Pneumonia.....	373	64	49	55	41	28	17	12	9	15	16	24	43
(23)	Bronchopneumonia.....	238	42	51	42	37	34	9	9	10	8	21	16	19
25	Diarrhea and enteritis (under 2 years).....	288	3	5	5	6	5	9	68	70	45	38	21	13
(37)	Diarrhea and enteritis (2 years and over).....	50	5	1	2	2	3	7	8	11	5	5	1	1
(38)	Congenital debility ¹	164	11	17	9	10	11	7	14	30	12	25	12	6
35	Violent deaths (excluding suicide).....	235	14	17	17	19	23	20	29	24	22	14	15	21
36	Suicide.....	10	1	1	1	1	1	1	2	2	1	3	1	1
	All other causes.....	2,800	239	223	279	252	230	238	238	250	203	198	220	230
MASSACHUSETTS.														
	All causes.....	52,854	5,056	4,594	5,152	4,819	4,545	3,841	3,802	4,138	4,178	4,178	4,041	4,510
1	Typhoid fever.....	275	22	17	17	10	22	12	21	26	28	35	39	26
3	Malaria.....	3	1	1	1	1	1	1	2	2	1	1	1	1
5	Measles.....	199	13	13	18	22	32	30	17	10	5	7	17	15
6	Scarlet fever.....	253	37	37	41	25	22	18	5	5	12	13	12	17
7	Whooping cough.....	302	30	30	53	22	23	28	23	17	22	13	16	16
8	Diphtheria and croup.....	656	64	69	53	56	40	41	25	36	44	72	69	85
9	Influenza.....	213	31	30	50	42	18	8	6	1	3	2	6	169
13	Tuberculosis of the lungs.....	4,285	372	376	404	382	419	366	318	334	291	300	319	359
14-15	Other forms of tuberculosis.....	533	72	67	85	76	93	78	75	69	42	75	49	52
17	Meningitis.....	17	26	29	21	51	40	26	31	19	25	16	16	33
20-21	Bronchitis.....	832	102	104	123	105	76	48	23	31	40	45	69	66
22	Pneumonia.....	3,526	463	372	500	426	316	158	90	97	109	175	250	370
(23)	Bronchopneumonia.....	2,284	333	301	303	272	209	113	70	73	78	150	107	209
25	Diarrhea and enteritis (under 2 years).....	2,947	83	100	93	106	119	139	367	684	630	363	106	97
(37)	Diarrhea and enteritis (2 years and over).....	404	28	14	29	22	18	15	48	58	77	45	21	29
(38)	Congenital debility ¹	730	61	44	55	48	65	49	54	75	100	78	52	49
35	Violent deaths (excluding suicide).....	2,712	211	213	201	236	206	266	236	269	223	217	208	221
36	Suicide.....	483	27	26	44	34	56	49	50	49	38	41	39	30
	All other causes.....	31,779	3,095	2,747	3,061	2,884	2,770	2,393	2,328	2,277	2,423	2,452	2,529	2,820
MICHIGAN.														
	All causes.....	39,751	3,536	3,515	4,047	3,695	3,443	2,986	2,943	3,217	3,032	3,034	3,053	3,250
1	Typhoid fever.....	396	31	27	41	30	25	15	31	29	50	38	48	31
3	Malaria.....	22	1	1	2	1	3	1	2	2	4	4	1	2
5	Measles.....	177	12	33	29	25	33	18	11	3	2	3	8	8
6	Scarlet fever.....	179	19	19	20	18	22	5	10	9	10	20	19	19
7	Whooping cough.....	290	30	29	33	26	36	31	18	29	15	14	18	11
8	Diphtheria and croup.....	512	52	62	48	25	30	25	24	33	46	68	48	51
9	Influenza.....	302	56	44	75	57	18	7	2	3	1	5	18	16
13	Tuberculosis of the lungs.....	2,364	193	213	240	236	218	199	191	184	165	171	179	175
14-15	Other forms of tuberculosis.....	416	31	35	48	41	43	44	42	22	22	33	27	28
17	Meningitis.....	296	16	28	39	25	29	23	19	29	21	30	22	15
20-21	Bronchitis.....	644	75	92	82	79	42	35	17	28	35	36	61	62
22	Pneumonia.....	1,863	281	220	318	238	175	85	50	44	46	79	128	199
(23)	Bronchopneumonia.....	888	114	145	152	115	79	32	23	24	27	37	58	82
25	Diarrhea and enteritis (under 2 years).....	1,672	74	75	90	73	74	106	186	377	265	191	92	69
(37)	Diarrhea and enteritis (2 years and over).....	413	24	25	27	20	21	18	30	62	82	52	37	15
(38)	Congenital debility ¹	925	71	59	79	67	83	54	78	101	99	94	79	61
35	Violent deaths (excluding suicide).....	2,409	188	176	194	179	198	234	262	245	187	192	190	164
36	Suicide.....	462	36	38	35	36	44	48	48	37	41	39	27	33
	All other causes.....	25,521	2,232	2,194	2,495	2,404	2,270	2,006	1,899	1,958	1,916	1,941	1,997	2,209

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

627

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu-ary.	Febru-ary.	March.	April.	May.	June.	July.	Aug-ust.	Sep-tember.	Octo-ber.	Novem-ber.	Decem-ber.
REGISTRATION STATES—Continued.														
MINNESOTA.														
	All causes.....	23,483	2,228	2,012	2,289	2,225	2,132	1,803	1,894	1,735	1,794	1,694	1,857	1,820
1	Typhoid fever.....	224	25	15	16	9	13	18	11	19	20	33	31	14
3	Malaria.....	3			1							2		
5	Measles.....	79	6	14	20	14	11	8		2		2	1	1
6	Scarlet fever.....	333	37	35	58	71	52	20	10	9	7	5	14	15
7	Whooping cough.....	193	16	17	22	27	22	14	15	13	10	9	13	15
8	Diphtheria and croup.....	359	41	24	42	30	30	23	31	23	25	32	26	32
9	Influenza.....	107	18	15	22	22	2	4	3	1	2	3	4	11
13	Tuberculosis of the lungs.....	1,990	163	153	220	225	188	158	189	150	125	128	157	134
14-15	Other forms of tuberculosis.....	390	34	44	40	36	36	40	31	32	25	26	19	27
17	Meningitis.....	120	4	12	8	14	15	12	16	8	6	9	7	9
20-21	Bronchitis.....	248	34	30	41	28	22	13	9	9	18	11	17	16
22	Pneumonia.....	1,383	213	201	186	178	133	62	37	33	47	68	99	126
(23)	Bronchopneumonia.....	772	112	104	102	97	58	40	28	22	26	34	54	95
25	Diarrhea and enteritis (under 2 years).....	750	53	40	53	44	59	49	75	112	94	70	57	44
(37)	Diarrhea and enteritis (2 years and over).....	228	10	3	18	9	9	10	29	47	32	26	21	14
(38)	Congenital debility ¹	312	30	20	27	27	28	25	30	21	27	25	22	30
35	Violent deaths (excluding suicide).....	1,724	109	116	95	119	154	166	211	167	143	176	163	105
36	Suicide.....	347	31	21	27	33	35	25	37	16	30	39	34	19
	All other causes.....	13,921	1,292	1,148	1,291	1,242	1,265	1,116	1,132	1,051	1,157	996	1,118	1,113
MISSOURI.														
	All causes.....	41,356	3,827	3,529	4,279	3,593	3,247	3,205	3,517	3,228	2,938	3,279	3,272	3,442
1	Typhoid fever.....	805	49	38	31	24	29	44	86	99	101	130	90	84
3	Malaria.....	365	13	16	18	23	25	37	46	44	30	50	48	15
5	Measles.....	413	46	58	125	83	57	22	12	3		4		3
6	Scarlet fever.....	211	18	17	39	20	27	22	7	13	6	10	15	17
7	Whooping cough.....	427	40	38	51	57	44	43	55	37	14	13	17	18
8	Diphtheria and croup.....	693	79	55	59	33	30	20	12	25	55	106	120	99
9	Influenza.....	347	68	67	86	48	15	4	2	3	2	1	16	35
13	Tuberculosis of the lungs.....	4,464	393	425	483	440	389	386	339	299	319	304	329	358
14-15	Other forms of tuberculosis.....	551	54	49	55	59	52	43	45	52	30	41	36	35
17	Meningitis.....	245	19	27	25	20	25	24	25	16	12	17	19	15
20-21	Bronchitis.....	617	81	64	94	66	41	35	31	28	22	39	49	67
22	Pneumonia.....	2,322	394	341	429	250	138	57	54	51	57	88	166	267
(23)	Bronchopneumonia.....	1,352	214	192	208	157	86	52	38	35	35	66	117	158
25	Diarrhea and enteritis (under 2 years).....	1,833	71	57	84	57	64	213	337	272	240	265	111	62
(37)	Diarrhea and enteritis (2 years and over).....	502	25	15	19	26	23	53	100	74	57	60	33	17
(38)	Congenital debility ¹	304	21	18	24	25	15	19	26	25	23	37	32	39
35	Violent deaths (excluding suicide).....	2,597	181	164	232	171	192	263	295	289	220	199	197	194
36	Suicide.....	702	50	47	64	59	85	49	51	61	48	80	60	48
	All other causes.....	22,606	2,011	1,841	2,153	1,945	1,910	1,819	1,956	1,802	1,666	1,769	1,823	1,911
MONTANA.														
	All causes.....	4,846	439	417	423	447	417	399	330	395	389	396	338	406
1	Typhoid fever.....	66	6	2	5	4	10	2	5	5	7	8	5	7
3	Malaria.....													
5	Measles.....	27	6	7	5	3	5						1	
6	Scarlet fever.....	33	13	2	5	2	3		1	3	1	1		2
7	Whooping cough.....	18	3	3	1	3	1			1	1	1	1	3
8	Diphtheria and croup.....	36	6	1	5	3	5	2	2	1	2	4	2	3
9	Influenza.....	22	4	4	5	6	1				1	1		1
13	Tuberculosis of the lungs.....	400	36	37	32	43	36	35	28	30	26	34	29	34
14-15	Other forms of tuberculosis.....	72	4	5	7	10	8	10	6	7	4	6	2	3
17	Meningitis.....	42	4	4	5	1	3	5	3	4	4	4	3	1
20-21	Bronchitis.....	38	6	2	3	3	4	2	1	1	4	4	4	4
22	Pneumonia.....	345	38	39	29	41	38	16	13	18	15	26	27	45
(23)	Bronchopneumonia.....	119	22	18	9	14	5	4	1	2	5	9	10	20
25	Diarrhea and enteritis (under 2 years).....	167	8	5	12	3	5	7	23	36	29	18	11	10
(37)	Diarrhea and enteritis (2 years and over).....	42	1	4	3	2	2	3	13	7	1	4	2	2
(38)	Congenital debility ¹	62	3	9	5	5	4	3	5	4	10	4	3	7
35	Violent deaths (excluding suicide).....	556	42	43	43	48	47	47	74	58	48	37	37	32
36	Suicide.....	125	7	7	5	5	15	15	12	15	12	12	11	9
	All other causes.....	2,676	229	225	244	251	226	250	203	197	214	226	188	223
NEW HAMPSHIRE.														
	All causes.....	7,166	687	645	658	586	611	565	528	583	609	574	538	582
1	Typhoid fever.....	38	1	1	3	4	2	4	1	2	5	9	5	1
3	Malaria.....	4										2		
5	Measles.....	37	6	5	2	4	8	5	5	1		1		
6	Scarlet fever.....	25	5	5	2		7				3		1	1
7	Whooping cough.....	52	4	4	3	4	10	1	2	3	4	4	6	6
8	Diphtheria and croup.....	45	9	7	4	1	2	1	5	4	2	4	2	4
9	Influenza.....	75	11	14	12	12	9	1			3	3		9
13	Tuberculosis of the lungs.....	438	36	38	45	36	43	36	30	31	39	36	25	43
14-15	Other forms of tuberculosis.....	103	10	10	10	10	15	11	3	8	16	5	9	6
17	Meningitis.....	59	3	5	4	8	4	6	6	8	7	1	5	3
20-21	Bronchitis.....	343	19	25	13	18	11	12	5	4	3	13	14	11
22	Pneumonia.....	387	66	57	59	46	24	24	7	5	10	19	31	42
(23)	Bronchopneumonia.....	174	32	20	29	13	16	7	4	2	8	8	15	18
25	Diarrhea and enteritis (under 2 years).....	269	18	6	13	12	13	15	27	67	52	31	12	3
(37)	Diarrhea and enteritis (2 years and over).....	76	5	5	3	4	4	4	6	11	19	7	5	3
(38)	Congenital debility ¹	125	13	7	10	10	5	10	9	20	16	12	8	5
35	Violent deaths (excluding suicide).....	361	28	30	24	17	30	29	53	41	34	17	28	30
36	Suicide.....	55	3	6	4	4	7	7	6	1	4	7	7	1
	All other causes.....	4,700	417	404	418	388	401	391	360	373	391	397	364	396

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION STATES—Continued.														
NEW JERSEY.														
	All causes.....	39,901	3,728	3,573	4,064	3,426	3,354	2,813	3,210	3,331	3,080	2,893	3,041	3,388
1	Typhoid fever.....	231	15	11	16	14	19	13	20	20	34	29	19	21
3	Malaria.....	9		1						2	3		1	1
5	Measles.....	229	35	36	38	31	29	25	18	6	3	1	2	5
6	Scarlet fever.....	243	22	41	48	42	31	17	13	4	4	6	7	8
7	Whooping cough.....	267	32	27	30	37	32	26	22	24	7	11	9	10
8	Diphtheria and croup.....	614	53	57	60	30	50	28	31	36	36	67	76	90
9	Influenza.....	206	37	39	36	42	15	4	3		2	2	10	16
13	Tuberculosis of the lungs.....	3,862	359	363	388	357	337	280	315	295	293	262	307	311
14-15	Other forms of tuberculosis.....	489	31	35	46	43	53	46	43	19	16	18	11	18
17	Meningitis.....	247	14	25	33	22	36	21	23	23	21	24	35	55
20-21	Bronchitis.....	536	74	78	80	57	47	19	23	22	21	24	35	55
22	Pneumonia.....	2,805	346	394	462	325	258	124	76	62	100	142	213	304
(23)	Bronchopneumonia.....	1,523	249	216	222	138	112	67	45	53	63	76	126	156
25	Diarrhea and enteritis (under 2 years).....	2,409	85	51	69	92	80	105	486	597	385	237	139	33
(37)	Diarrhea and enteritis (2 years and over).....	367	13	23	17	23	21	21	52	64	56	31	29	17
(33)	Congenital debility ¹	612	21	32	50	49	45	42	72	67	83	67	45	39
35	Violent deaths (excluding suicide).....	2,365	196	137	165	176	214	218	259	217	208	200	175	203
36	Suicide.....	501	42	25	45	47	43	51	38	51	43	34	36	41
	All other causes.....	22,382	2,104	1,982	2,263	1,901	1,927	1,706	1,670	1,758	1,677	1,657	1,765	1,972
NEW YORK.														
	All causes.....	145,708	13,512	13,008	14,855	13,322	12,925	10,626	10,957	11,581	11,056	10,755	10,979	12,132
1	Typhoid fever.....	884	70	56	53	62	63	45	70	74	114	117	94	66
3	Malaria.....	50	5	1	7	3	6	3	9	2	8		3	3
5	Measles.....	852	123	99	125	130	143	97	36	31	9	15	20	24
6	Scarlet fever.....	724	75	95	111	116	100	64	38	30	18	20	26	31
7	Whooping cough.....	706	58	55	74	92	87	64	55	67	46	42	34	32
8	Diphtheria and croup.....	2,035	204	214	237	217	206	148	137	89	84	131	167	201
9	Influenza.....	782	129	129	206	102	54	24	12	11	13	20	30	52
13	Tuberculosis of the lungs.....	14,682	1,350	1,287	1,499	1,406	1,345	1,220	1,095	1,068	1,091	1,042	1,041	1,238
14-15	Other forms of tuberculosis.....	1,961	151	179	196	192	194	173	181	167	147	120	129	132
17	Meningitis.....	781	51	54	75	72	81	87	53	65	61	54	61	87
20-21	Bronchitis.....	1,815	209	219	264	193	131	99	89	71	98	119	137	185
22	Pneumonia.....	8,980	1,124	1,142	1,433	1,002	847	460	284	239	334	461	657	927
(23)	Bronchopneumonia.....	6,476	755	761	842	761	660	400	328	280	264	337	467	621
25	Diarrhea and enteritis (under 2 years).....	6,480	251	236	288	265	300	310	930	1,519	1,216	642	288	235
(37)	Diarrhea and enteritis (2 years and over).....	1,068	66	61	67	79	76	63	93	174	169	114	54	52
(33)	Congenital debility ¹	2,313	174	184	191	189	248	137	160	287	258	206	170	139
35	Violent deaths (excluding suicide).....	8,083	650	542	586	611	734	735	839	802	738	637	637	552
36	Suicide.....	1,645	139	128	150	149	150	127	147	133	140	141	104	137
	All other causes.....	85,441	7,928	7,566	8,451	7,681	7,500	6,370	6,401	6,482	6,248	6,517	6,860	7,437
NORTH CAROLINA² (TOTAL).														
	All causes.....	8,966	804	651	797	648	785	902	859	737	689	669	696	729
1	Typhoid fever.....	267	9	3	6	4	9	22	55	47	45	29	25	13
3	Malaria.....	103	4	3	6	2	5	14	11	15	21	10	8	4
5	Measles.....	51	10	8	13	11	4	2	3					1
6	Scarlet fever.....	3		1					1					1
7	Whooping cough.....	78	5	12	10	5	10	10	7	4	3	5	4	3
8	Diphtheria and croup.....	85	5	5	5	4	5	7	6	11	18	15	7	8
9	Influenza.....	88	13	18	16	14	7	2	1	2	2	7	7	9
13	Tuberculosis of the lungs.....	1,047	110	96	108	94	81	102	75	71	76	66	75	10
14-15	Other forms of tuberculosis.....	114	9	5	8	6	20	11	12	8	8	9	6	4
17	Meningitis.....	66	12	2	7	6	7	10	3	1	6	4	5	10
20-21	Bronchitis.....	74	4	7	10	8	6	11	3	5	1	4	3	6
22	Pneumonia.....	477	99	68	81	53	30	9	7	10	10	15	33	62
(23)	Bronchopneumonia.....	232	45	29	33	25	16	14	7	4	5	11	20	23
25	Diarrhea and enteritis (under 2 years).....	633	10	7	5	12	96	142	115	91	68	45	33	9
(37)	Diarrhea and enteritis (2 years and over).....	112	6	1	4	3	14	25	14	16	13	10	7	9
(33)	Congenital debility ¹	150	10	4	8	5	14	20	31	14	12	11	9	12
35	Violent deaths (excluding suicide).....	510	45	41	44	37	48	38	41	37	35	35	48	61
36	Suicide.....	31	4	3	1	1	4	1	3	3	5	4	1	1
	All other causes.....	4,845	404	338	432	358	409	469	465	413	368	395	392	402
NORTH CAROLINA² (WHITE).														
	All causes.....	4,765	418	340	443	310	439	489	468	375	371	351	377	384
1	Typhoid fever.....	138	6	3	3		6	9	35	26		13	11	4
3	Malaria.....	39	1	1	4		3	7	5	7		5	2	1
5	Measles.....	40	10	4	10		4	1	3					
6	Scarlet fever.....	2		1					1					2
7	Whooping cough.....	38	2	7	5	1	5	7	3	3			13	3
8	Diphtheria and croup.....	63	4	3	4	3	3	5	3	3	14		4	3
9	Influenza.....	47	7	11	9	8	2	1	1	1			39	39
13	Tuberculosis of the lungs.....	496	53	50	52	34	41	48	35	32	42	31	4	6
14-15	Other forms of tuberculosis.....	66	6	3	4	4	14	7	2	7	5	1	3	3
17	Meningitis.....	42	6	2	6	2	5	6	2	2	2	2	4	5
20-21	Bronchitis.....	32	3	4	4	1	4	2	2	1	1	4	15	31
22	Pneumonia.....	217	45	30	42	15	18	4	5	3	4	4	8	10
(23)	Bronchopneumonia.....	113	22	16	18	12	8	4	5	3	3	4	18	4
25	Diarrhea and enteritis (under 2 years).....	346	4	4	2	5	55	82	68	38	42	24	8	7
(37)	Diarrhea and enteritis (2 years and over).....	80	5	1	4	2	11	18	10	4	8	8	2	7
(33)	Congenital debility ¹	85	7	2	2	3	11	11	15	9	5	8	6	6
35	Violent deaths (excluding suicide).....	264	27	16	22	13	23	20	25	17	20	24	27	30
36	Suicide.....	28	4	3	1	1	4	1	3	2	3	4	1	1
	All other causes.....	2,629	206	179	251	198	222	261	246	216	196	206	219	229

¹ Excluding premature birth.

² Includes only municipalities having a population of 1,000 or over in 1910.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION STATES—Continued.														
NORTH CAROLINA¹ (COLORED).														
	All causes.....	4,201	386	311	354	338	346	413	391	362	318	318	319	345
1	Typhoid fever.....	129	3	3	4	3	13	20	21	23	16	14	9	9
3	Malaria.....	64	3	2	2	2	7	6	8	16	7	6	3	3
5	Measles.....	11	4	3	3	1	1	1	1	1	1	1	1	1
6	Scarlet fever.....	1	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	40	3	5	5	4	5	3	4	2	1	4	3	1
8	Diphtheria and croup.....	22	1	2	1	1	2	2	3	3	4	2	1	1
9	Influenza.....	41	6	7	7	6	5	1	1	1	3	3	5	5
13	Tuberculosis of the lungs.....	551	57	46	56	60	40	54	40	39	34	35	36	54
14-15	Other forms of tuberculosis.....	48	3	2	4	2	6	4	10	1	3	5	4	4
17	Meningitis.....	24	6	1	4	2	4	1	1	1	1	1	1	1
20-21	Bronchitis.....	42	1	3	6	7	2	9	1	4	1	2	1	5
22	Pneumonia.....	260	54	38	39	38	12	5	3	5	6	11	18	31
(23)	Bronchopneumonia.....	119	23	13	15	13	8	10	2	1	2	7	12	13
25	Diarrhea and enteritis (under 2 years).....	287	6	3	3	7	41	60	47	53	26	21	15	5
(37)	Diarrhea and enteritis (2 years and over).....	32	1	1	1	1	3	7	4	2	5	2	5	2
(38)	Congenital debility ²	65	3	2	6	2	3	9	16	5	7	3	3	6
35	Violent deaths (excluding suicide).....	246	18	25	22	24	25	18	16	20	15	11	21	31
36	Suicide.....	3	1	1	1	1	1	1	1	1	1	1	1	1
	All other causes.....	2,216	198	159	181	160	187	208	219	197	172	189	173	173
OHIO.														
	All causes.....	65,132	6,059	5,655	6,762	6,029	5,672	4,783	5,052	5,178	4,887	4,910	4,949	5,196
1	Typhoid fever.....	912	80	62	66	58	71	61	49	90	112	116	85	62
3	Malaria.....	30	2	3	2	2	6	2	2	3	3	3	1	4
5	Measles.....	239	12	31	50	47	41	30	11	5	8	2	4	5
6	Scarlet fever.....	234	30	34	33	17	20	14	7	7	8	13	18	33
7	Whooping cough.....	375	34	39	45	53	44	35	37	26	21	17	10	14
8	Diphtheria and croup.....	783	103	84	67	49	41	33	36	40	54	91	114	71
9	Influenza.....	520	83	79	123	81	40	12	7	6	13	13	30	45
13	Tuberculosis of the lungs.....	5,670	484	461	578	577	609	480	437	408	395	400	406	435
14-15	Other forms of tuberculosis.....	379	66	71	95	92	91	69	78	78	63	61	58	57
17	Meningitis.....	428	25	57	57	64	37	34	25	25	22	22	27	21
20-21	Bronchitis.....	807	99	101	130	104	72	45	34	36	42	40	58	46
22	Pneumonia.....	3,167	470	414	588	332	265	127	72	73	105	148	213	310
(23)	Bronchopneumonia.....	2,265	270	299	383	333	203	97	61	72	84	101	142	220
25	Diarrhea and enteritis (under 2 years).....	2,808	120	109	114	126	133	129	454	612	463	305	153	90
(37)	Diarrhea and enteritis (2 years and over).....	608	32	34	31	28	32	31	72	120	96	51	48	31
(38)	Congenital debility ²	608	48	46	61	50	46	33	45	66	69	51	57	41
35	Violent deaths (excluding suicide).....	4,383	301	317	337	315	371	444	442	435	371	358	363	329
36	Suicide.....	611	65	49	77	73	53	72	78	70	76	64	61	43
	All other causes.....	39,607	3,730	3,365	3,927	3,578	3,467	3,035	3,101	3,007	2,901	3,052	3,101	3,343
PENNSYLVANIA.														
	All causes.....	114,832	10,736	9,825	11,634	10,735	9,469	7,916	8,581	9,568	9,240	8,811	8,891	9,426
1	Typhoid fever.....	1,071	70	70	77	66	81	55	65	107	134	129	123	94
3	Malaria.....	20	1	1	2	2	1	2	1	3	3	2	2	3
5	Measles.....	549	46	62	68	106	62	51	35	13	7	17	34	43
6	Scarlet fever.....	860	91	103	132	93	54	87	53	41	24	54	46	52
7	Whooping cough.....	939	94	109	123	120	128	83	75	64	35	31	44	33
8	Diphtheria and croup.....	1,925	227	163	188	145	85	95	76	99	161	190	265	226
9	Influenza.....	760	130	133	164	142	94	16	7	6	8	15	33	52
13	Tuberculosis of the lungs.....	8,841	788	756	908	860	868	689	654	705	677	607	636	698
14-15	Other forms of tuberculosis.....	1,371	114	110	129	150	138	117	125	97	100	111	79	101
17	Meningitis.....	654	48	48	68	85	67	56	40	60	47	47	46	44
20-21	Bronchitis.....	1,644	188	223	220	215	141	85	72	71	77	77	114	140
22	Pneumonia.....	6,934	691	680	1,073	933	631	302	170	174	237	370	518	655
(23)	Bronchopneumonia.....	5,104	552	657	848	682	450	241	175	152	183	249	360	455
25	Diarrhea and enteritis (under 2 years).....	7,868	284	217	299	282	293	361	1,234	1,930	1,490	871	383	254
(37)	Diarrhea and enteritis (2 years and over).....	1,221	52	54	80	77	62	86	133	217	200	114	85	61
(38)	Congenital debility ²	2,518	167	211	207	180	180	151	193	286	316	247	189	186
35	Violent deaths (excluding suicide).....	8,012	656	550	660	651	686	679	769	687	684	619	689	682
36	Suicide.....	1,035	66	63	82	94	84	93	107	93	97	81	81	64
	All other causes.....	63,504	6,072	5,410	6,311	5,853	5,375	4,666	4,592	4,764	4,760	4,959	5,164	5,378
RHODE ISLAND.														
	All causes.....	8,702	872	759	833	753	779	585	653	722	679	694	675	698
1	Typhoid fever.....	48	2	2	2	2	3	4	7	4	10	10	2	2
3	Malaria.....	5	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	57	3	10	10	11	11	4	3	3	2	4	7	4
6	Scarlet fever.....	46	6	2	3	6	5	1	5	1	2	4	7	4
7	Whooping cough.....	82	3	6	10	7	8	7	7	8	5	7	7	7
8	Diphtheria and croup.....	108	12	10	11	4	7	4	6	7	12	19	12	12
9	Influenza.....	49	8	4	11	5	10	2	2	2	3	3	6	6
13	Tuberculosis of the lungs.....	796	74	68	78	76	62	64	75	67	63	50	58	61
14-15	Other forms of tuberculosis.....	140	15	9	12	18	11	11	14	8	13	7	8	14
17	Meningitis.....	48	6	3	3	3	4	5	1	3	4	2	8	8
20-21	Bronchitis.....	139	18	23	27	14	13	4	2	7	4	6	9	12
22	Pneumonia.....	537	79	73	72	64	33	31	24	14	23	28	44	52
(23)	Bronchopneumonia.....	309	52	43	41	49	22	8	9	8	12	18	20	27
25	Diarrhea and enteritis (under 2 years).....	435	17	9	13	10	18	18	44	111	98	59	27	11
(37)	Diarrhea and enteritis (2 years and over).....	85	11	3	2	7	5	6	10	15	10	7	5	4
(38)	Congenital debility ²	206	20	10	18	16	12	8	16	18	28	37	14	9
35	Violent deaths (excluding suicide).....	440	41	25	43	23	50	33	47	46	29	37	36	30
36	Suicide.....	76	3	9	6	6	14	3	6	9	3	6	6	5
	All other causes.....	5,006	502	449	470	432	493	373	377	394	371	404	399	432

¹ Includes only municipalities having a population of 1,000 or over in 1910.

² Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION STATES—Continued.														
UTAH.														
	All causes.....	4,199	421	337	363	317	363	294	288	309	346	349	378	429
1	Typhoid fever.....	66	2	5	2	2	4	3	5	9	10	8	12	4
3	Malaria.....	1												
5	Measles.....	12	1	1	4	2	4							
6	Scarlet fever.....	14	1	2	2	3	1	3			1	1		
7	Whooping cough.....	49	1	2	4	7	12	8	3	2	2	1	3	4
8	Diphtheria and croup.....	39	4	1	3	2	6	2	1	2	4	6	5	3
9	Influenza.....	26	9	4	3	3	1				1	1	1	3
13	Tuberculosis of the lungs.....	169	20	17	12	24	17	13	12	9	12	8	17	8
14-15	Other forms of tuberculosis.....	40	2	2	4	5	4	5	1	3	4	6	2	2
17	Meningitis.....	32	1		7	4	1	2	3		4	2	2	6
20-21	Bronchitis.....	57	8	2	6		9	3	1	1	2	4	9	12
22	Pneumonia.....	263	34	27	26	9	22	15	13	6	9	15	33	54
(23)	Bronchopneumonia.....	204	31	32	22	11	10	4	1	2	7	8	21	55
25	Diarrhea and enteritis (under 2 years).....	128	7	4	8	3	3	9	9	25	23	15	11	6
(37)	Diarrhea and enteritis (2 years and over).....	42	4	1	4		5		4	6	7	5	3	3
(33)	Congenital debility ¹	33	4		5	2	2		3	2	4	4	2	5
35	Violent deaths (excluding suicide).....	427	51	20	25	33	38	38	37	49	39	41	27	29
36	Suicide.....	63	6	3	5	4	5	3	5	6	8	10	6	3
	All other causes.....	2,534	236	214	221	203	224	186	190	187	203	214	224	232
VERMONT.														
	All causes.....	5,430	482	460	543	479	467	412	390	421	474	454	432	416
1	Typhoid fever.....	42	2	6	3	5	2	3	2	2	6	6	1	4
3	Malaria.....	1				1								
5	Measles.....	4				1								
6	Scarlet fever.....	12		1	4	1		2	1					
7	Whooping cough.....	36	5	4	2	4	5			2				2
8	Diphtheria and croup.....	38	6	2	1	3	2	1	2	1	6	4	8	5
9	Influenza.....	71	8	8	20	12	6	1	1	4	1	2	8	3
13	Tuberculosis of the lungs.....	291	23	25	23	34	32	24	18	15	26	26	24	21
14-15	Other forms of tuberculosis.....	77	4	5	17	6	6	9	8	8	1	5	4	7
17	Meningitis.....	49	7	4	5	4	6	4	4	4	4	3	2	2
20-21	Bronchitis.....	111	15	10	14	13	15	6	4	4	4	5	14	6
22	Pneumonia.....	337	42	45	54	39	36	16	6	8	17	24	20	31
(23)	Bronchopneumonia.....	70	9	14	17	9	9	2	1	2	1	3	3	7
25	Diarrhea and enteritis (under 2 years).....	193	8	7	16	12	5	7	7	47	50	30	7	7
(37)	Diarrhea and enteritis (2 years and over).....	49	2	2	5	2	2	7	5	2	3	8	5	5
(33)	Congenital debility ¹	51	2	4	7	2	4	2	5	2	3	8	3	3
35	Violent deaths (excluding suicide).....	277	17	14	26	26	22	19	30	29	24	19	32	19
36	Suicide.....	46	1	2		2	4	8	3	4	8	4	3	7
	All other causes.....	3,675	331	307	339	304	319	295	289	282	315	304	303	287
VIRGINIA (TOTAL).														
	All causes.....	30,117	2,756	2,603	2,996	2,651	2,364	2,555	2,743	2,419	2,165	2,159	2,291	2,415
1	Typhoid fever.....	556	29	22	23	12	28	34	70	102	99	74	57	36
3	Malaria.....	169	4	1	3	3	9	10	20	35	34	30	15	5
5	Measles.....	116	5	12	33	28	18	9						1
6	Scarlet fever.....	38	5	10	8	3	2							1
7	Whooping cough.....	680	50	53	81	82	80				2	3	4	
8	Diphtheria and croup.....	340	34	21	16	20	10	8	79	53	33	19	34	27
9	Influenza.....	261	50	51	51	38	19	5	14	3	28	46	79	47
13	Tuberculosis of the lungs.....	3,478	339	305	350	345	285	285	281	264	254	233	261	231
14-15	Other forms of tuberculosis.....	436	20	46	39	45	38	51	34	37	33	35	29	29
17	Meningitis.....	243	22	16	21	23	15	19	21	17	24	21	11	30
20-21	Bronchitis.....	308	41	44	44	30	25	13	6	8	13	18	28	33
22	Pneumonia.....	1,636	261	264	317	188	89	40	33	39	58	49	121	177
(23)	Bronchopneumonia.....	642	102	80	103	94	48	28	18	16	14	30	50	59
25	Diarrhea and enteritis (under 2 years).....	1,258	37	27	30	38	48	264	308	210	139	103	41	18
(37)	Diarrhea and enteritis (2 years and over).....	330	17	18	21	16	19	51	45	51	32	27	13	20
(33)	Congenital debility ¹	663	34	55	63	44	41	61	82	63	69	67	47	37
35	Violent deaths (excluding suicide).....	1,835	162	139	174	132	159	172	163	150	109	141	153	181
36	Suicide.....	155	10	9	16	17	15	10	10	15	10	14	12	17
	All other causes.....	16,943	1,539	1,425	1,603	1,493	1,418	1,414	1,548	1,330	1,212	1,245	1,324	1,392
VIRGINIA (WHITE).														
	All causes.....	16,918	1,545	1,497	1,690	1,502	1,320	1,414	1,510	1,350	1,205	1,212	1,311	1,362
1	Typhoid fever.....	337	19	19	15	4	17	21	30	51	41	41	23	23
3	Malaria.....	51	3		1	1	3	3	4	13	11	9	4	2
5	Measles.....	87	2	8	26	16	16	5						
6	Scarlet fever.....	33	5	10	8	3	2							1
7	Whooping cough.....	271	29	33	37	29	27				2	3	4	
8	Diphtheria and croup.....	265	26	15	15	13	9	27	29	16	11	9	13	11
9	Influenza.....	163	34	31	34	24	6	4	8	12	18	8	67	40
13	Tuberculosis of the lungs.....	1,575	167	143	170	158	116	120	123	116	110	109	107	131
14-15	Other forms of tuberculosis.....	247	14	26	19	23	22	29	19	24	20	17	14	20
17	Meningitis.....	167	15	7	12	17	14	14	14	13	16	14	7	24
20-21	Bronchitis.....	154	14	25	23	11	14	7	4	4	9	10	15	15
22	Pneumonia.....	833	124	143	150	100	45	18	20	22	34	19	68	85
(23)	Bronchopneumonia.....	322	48	40	51	57	10	14	9	6	4	14	25	35
25	Diarrhea and enteritis (under 2 years).....	718	15	14	18	16	25	128	201	128	70	66	17	10
(37)	Diarrhea and enteritis (2 years and over).....	203	11	9	12	7	9	33	31	39	22	15	9	6
(33)	Congenital debility ¹	330	18	20	26	20	25	25	33	33	36	35	25	20
35	Violent deaths (excluding suicide).....	1,025	81	73	91	81	95	92	99	93	69	88	76	87
36	Suicide.....	140	9	9	13	15	13	9	8	15	9	13	11	16
	All other causes.....	9,989	911	853	969	897	843	861	868	762	697	709	797	822

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION STATES—Continued.														
VIRGINIA (COLORED).														
	All causes.....	13,199	1,211	1,106	1,306	1,149	1,044	1,141	1,233	1,069	960	947	980	1,053
1	Typhoid fever.....	249	10	3	8	8	11	13	40	51	43	33	16	13
3	Malaria.....	115	1	1	2	2	6	7	16	22	23	21	11	3
5	Measles.....	29	3	4	7	2	2	4	6					1
6	Scarlet fever.....													
7	Whooping cough.....	409	21	25	44	53	53	57	50	37	22	10	21	16
8	Diphtheria and croup.....	75	8	6	1	7	1	1	6	13	5	8	12	7
9	Influenza.....	98	16	20	17	14	13	1	2	2		1	4	10
13	Tuberculosis of the lungs.....	1,903	172	157	180	187	164	165	158	148	144	124	154	150
14-15	Other forms of tuberculosis.....	189	6	20	20	22	16	22	15	13	13	18	15	9
17	Meningitis.....	76	7	9	9	6	4	5	7	4	8	7	4	6
20-21	Bronchitis.....	154	27	19	21	19	11	6	2	4	9	8	10	18
22	Pneumonia.....	803	137	116	167	88	44	22	13	17	24	30	53	92
(23)	Bronchopneumonia.....	320	54	40	52	37	29	14	9	10	10	16	25	24
25	Diarrhea and enteritis (under 2 years).....	540	17	13	12	22	23	136	107	81	60	37	24	8
(37)	Diarrhea and enteritis (2 years and over).....	127	6	9	9	9	10	18	14	12	10	12	4	14
(33)	Congenital debility ¹	333	16	26	37	24	16	36	44	30	33	32	22	17
35	Violent deaths (excluding suicide).....	810	81	66	83	51	64	80	64	57	40	53	77	94
36	Suicide.....	15	1		3	2	2	1	2		1	1	1	1
	All other causes.....	6,954	625	572	634	596	575	553	680	568	515	536	527	570
WASHINGTON.														
	All causes.....	11,448	987	972	1,032	993	1,000	845	891	949	869	901	929	1,080
1	Typhoid fever.....	151	17	16	8	4	4	14	7	11	21	25	10	14
3	Malaria.....	1												
5	Measles.....	51	9	11	6	8	10	4	1	1	1			1
6	Scarlet fever.....	25	3	4	2	3	4					1	3	3
7	Whooping cough.....	56	2	3	4	7	4	4	3	4	4	2	4	5
8	Diphtheria and croup.....	47	7	3	2	6	5	4	7	3	4	2	4	5
9	Influenza.....	54	3	10	8	7	2					6	6	6
13	Tuberculosis of the lungs.....	984	89	80	99	100	101	81	60	69	70	70	78	87
14-15	Other forms of tuberculosis.....	262	25	13	20	29	32	16	29	25	19	18	11	20
17	Meningitis.....	69	4	10	6	2	10	5	6	2	3	7	5	5
20-21	Bronchitis.....	75	10	8	6	4	3	5	5	6	6	5	2	9
22	Pneumonia.....	831	43	36	42	40	26	21	20	14	20	25	37	57
(23)	Bronchopneumonia.....	332	86	30	40	29	20	21	6	13	25	22	33	59
25	Diarrhea and enteritis (under 2 years).....	221	7	14	13	13	12	10	16	36	40	22	18	14
(37)	Diarrhea and enteritis (2 years and over).....	115	7	9	4	5	4	5	5	28	20	11	7	10
(33)	Congenital debility ¹	142	9	5	11	8	14	9	11	15	15	10	21	14
35	Violent deaths (excluding suicide).....	1,201	76	99	107	107	106	106	113	137	96	89	76	89
36	Suicide.....	303	23	22	36	25	26	30	31	20	20	33	19	18
	All other causes.....	6,978	610	536	611	594	611	509	570	566	503	553	595	664
WISCONSIN.														
	All causes.....	27,181	2,463	2,342	2,786	2,643	2,479	2,021	2,011	2,013	1,909	2,071	2,146	2,292
1	Typhoid fever.....	159	13	11	18	8	12	17	16	10	12	16	12	14
3	Malaria.....	3						1				1		
5	Measles.....	146	14	14	32	31	21	14	6	2	2	3	5	2
6	Scarlet fever.....	216	21	20	27	38	36	14	8	3	3	6	16	19
7	Whooping cough.....	141	13	13	8	12	20	4	14	16	3	13	9	16
8	Diphtheria and croup.....	323	49	27	30	34	21	13	16	16	22	26	36	28
9	Influenza.....	173	21	25	53	31	13	1	2	2	3	3	5	14
13	Tuberculosis of the lungs.....	2,079	189	168	195	204	231	176	169	155	134	132	143	178
14-15	Other forms of tuberculosis.....	372	33	35	39	41	36	36	27	27	25	27	22	21
17	Meningitis.....	219	19	13	26	26	25	25	8	16	15	19	13	14
20-21	Bronchitis.....	454	45	59	71	51	42	39	17	13	18	26	32	41
22	Pneumonia.....	1,626	205	216	260	228	131	54	59	51	65	71	123	163
(23)	Bronchopneumonia.....	710	94	93	100	78	66	26	22	26	22	44	56	83
25	Diarrhea and enteritis (under 2 years).....	890	50	54	71	68	75	45	53	121	129	112	53	59
(37)	Diarrhea and enteritis (2 years and over).....	236	15	13	16	13	12	15	16	33	39	32	13	19
(33)	Congenital debility ¹	561	50	46	39	46	49	38	41	45	51	55	46	55
35	Violent deaths (excluding suicide).....	1,682	104	100	123	118	132	161	215	194	127	148	131	129
36	Suicide.....	358	18	19	36	32	33	32	38	32	31	36	18	33
	All other causes.....	16,333	1,515	1,416	1,642	1,533	1,524	1,305	1,284	1,246	1,205	1,301	1,408	1,404

¹ Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.														
BIRMINGHAM, ALA. (TOTAL).														
	All causes.....	2,907	233	247	300	249	267	257	256	205	186	206	242	259
1	Typhoid fever.....	66	1	1	2	1	2	4	16	11	14	7	4	3
3	Malaria.....	16	1	3	2	1	3	3	3	1	2	2	1	1
5	Measles.....	15	1	1	6	2	2	1	1	1	1	1	1	2
6	Scarlet fever.....	7	7	6	13	2	6	3	6	1	1	1	1	2
7	Whooping cough.....	43	7	6	13	2	6	3	6	1	1	2	4	2
8	Diphtheria and croup.....	15	2	1	2	2	2	1	1	1	1	2	4	2
9	Influenza.....	18	3	6	6	1	1	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	351	17	31	31	27	31	35	28	26	23	33	31	33
14-15	Other forms of tuberculosis.....	51	4	1	10	4	4	8	2	1	3	8	4	2
17	Meningitis.....	20	1	1	3	6	2	2	1	1	1	1	1	3
20-21	Bronchitis.....	20	4	2	3	2	6	1	2	1	1	1	1	1
22	Pneumonia.....	197	31	24	42	21	22	7	4	3	4	1	17	22
(23)	Bronchopneumonia.....	89	12	14	18	12	6	1	4	1	4	6	8	9
25	Diarrhea and enteritis (under 2 years).....	123	2	2	5	8	16	22	27	13	9	4	5	8
(37)	Diarrhea and enteritis (2 years and over).....	25	2	3	4	2	3	6	5	1	2	3	3	3
(33)	Congenital debility.....	22	2	3	4	1	2	2	2	1	3	4	4	4
35	Violent deaths (excluding suicide).....	328	35	30	15	29	29	29	33	15	22	20	23	48
36	Suicide.....	36	2	1	5	3	7	3	3	4	4	1	5	2
	All other causes.....	1,465	110	118	134	126	130	131	123	122	96	115	137	123
BIRMINGHAM, ALA. (WHITE).														
	All causes.....	1,323	114	109	144	121	118	125	107	86	84	90	111	114
1	Typhoid fever.....	36	1	1	1	1	3	11	6	8	3	2	2	3
3	Malaria.....	2	2	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	12	1	1	4	2	2	1	1	1	1	1	1	2
6	Scarlet fever.....	6	6	6	13	2	6	3	6	1	1	1	1	2
7	Whooping cough.....	20	5	1	6	3	3	2	3	1	1	1	3	1
8	Diphtheria and croup.....	10	1	1	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	5	2	1	1	1	1	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	94	5	11	11	8	7	12	5	2	9	8	8	8
14-15	Other forms of tuberculosis.....	14	2	1	2	2	1	2	1	1	2	1	1	1
17	Meningitis.....	9	1	1	2	2	1	1	1	1	1	1	1	1
20-21	Bronchitis.....	9	2	2	2	2	3	1	1	1	1	1	1	1
22	Pneumonia.....	78	14	8	15	9	7	4	2	2	1	7	11	11
(23)	Bronchopneumonia.....	39	5	6	8	7	1	1	2	1	1	4	4	4
25	Diarrhea and enteritis (under 2 years).....	74	2	1	4	6	9	11	16	7	6	4	3	5
(37)	Diarrhea and enteritis (2 years and over).....	11	1	1	2	2	1	3	1	1	1	2	2	2
(33)	Congenital debility.....	9	2	2	2	1	2	2	2	1	2	2	2	2
35	Violent deaths (excluding suicide).....	130	14	9	5	15	12	16	8	4	12	10	10	15
36	Suicide.....	30	2	1	5	3	6	1	1	3	1	1	5	2
	All other causes.....	735	58	66	75	61	64	68	55	61	42	55	67	63
BIRMINGHAM, ALA. (COLORED).														
	All causes.....	1,584	119	138	156	128	149	132	149	119	102	116	131	145
1	Typhoid fever.....	30	1	1	1	2	1	5	5	6	4	2	2	3
3	Malaria.....	14	1	3	1	1	3	3	3	1	2	2	1	1
5	Measles.....	3	3	2	2	2	2	1	1	1	1	1	1	2
6	Scarlet fever.....	1	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	23	2	5	7	2	3	1	3	1	1	1	1	1
8	Diphtheria and croup.....	5	1	1	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	13	1	6	5	1	1	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	257	12	20	20	19	24	23	23	24	19	25	23	25
14-15	Other forms of tuberculosis.....	37	2	8	2	3	6	2	1	1	2	6	4	2
17	Meningitis.....	11	2	1	1	2	1	1	1	1	1	1	1	1
20-21	Bronchitis.....	11	2	1	2	2	1	1	1	1	1	1	1	1
22	Pneumonia.....	119	17	16	27	12	15	3	2	3	3	10	11	11
(23)	Bronchopneumonia.....	50	7	8	10	5	5	1	2	2	3	4	5	5
25	Diarrhea and enteritis (under 2 years).....	49	1	1	1	2	7	11	11	6	3	2	2	3
(37)	Diarrhea and enteritis (2 years and over).....	14	2	2	1	2	2	3	4	1	1	1	1	1
(33)	Congenital debility.....	13	2	1	2	2	2	2	4	1	3	2	2	2
35	Violent deaths (excluding suicide).....	198	21	21	10	14	17	13	25	11	10	10	13	33
36	Suicide.....	6	1	1	1	1	1	2	2	1	1	1	1	1
	All other causes.....	730	52	52	59	65	66	63	68	61	54	60	70	60
LOS ANGELES, CAL. (TOTAL).														
	All causes.....	5,643	547	481	521	471	464	469	441	425	389	428	486	521
1	Typhoid fever.....	34	1	1	5	5	2	7	1	3	1	3	3	1
3	Malaria.....	1	1	1	1	1	1	4	1	1	1	1	1	1
5	Measles.....	6	2	2	2	2	2	3	3	1	1	1	1	2
6	Scarlet fever.....	5	5	5	11	2	5	1	5	1	1	1	1	2
7	Whooping cough.....	11	1	3	3	1	1	1	1	2	2	1	1	1
8	Diphtheria and croup.....	30	3	3	3	1	4	1	1	3	3	5	4	1
9	Influenza.....	15	7	2	2	2	2	2	2	2	2	1	1	1
13	Tuberculosis of the lungs.....	882	67	92	80	79	79	76	75	45	65	85	59	80
14-15	Other forms of tuberculosis.....	112	10	6	11	14	14	6	4	5	5	10	9	16
17	Meningitis.....	52	3	5	6	4	5	4	2	3	4	6	6	4
20-21	Bronchitis.....	46	2	6	2	5	4	4	5	2	6	4	5	5
22	Pneumonia.....	228	31	22	18	17	15	21	14	19	9	11	21	30
(23)	Bronchopneumonia.....	105	20	11	11	8	9	7	4	2	5	5	11	12
25	Diarrhea and enteritis (under 2 years).....	135	5	10	9	6	4	21	15	11	10	17	16	11
(37)	Diarrhea and enteritis (2 years and over).....	45	4	2	6	6	6	6	4	4	2	4	3	4
(33)	Congenital debility.....	42	2	4	4	8	6	3	4	3	3	3	6	3
35	Violent deaths (excluding suicide).....	400	50	31	42	26	23	26	35	39	26	30	38	34
36	Suicide.....	150	14	11	17	9	9	14	21	15	9	7	14	10
	All other causes.....	3,344	325	283	306	277	278	279	247	272	238	239	290	310

1 Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

633

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
LOS ANGELES, CAL. (WHITE).														
	All causes.....	5,317	525	453	492	444	437	441	404	406	369	403	455	488
1	Typhoid fever.....	32	1	1	5	5	2	4	5	1	3	1	3	1
3	Malaria.....	1					1							
5	Measles.....	6				2			3	1				
6	Scarlet fever.....	5	2				2							
7	Whooping cough.....	11	1		3	3	1	1			2			
8	Diphtheria and croup.....	30	3	1	3	1	4	1	1	3	3	5	4	1
9	Influenza.....	13	7	1							2	2		
13	Tuberculosis of the lungs.....	805	61	86	74	75	70	68	62	43	61	78	54	73
14-15	Other forms of tuberculosis.....	103	10	4	10	14	16	6	4	4	5	8	8	14
17	Meningitis.....	40	3	4	5	2	4	3	1	2	4	5	5	2
20-21	Bronchitis.....	45	2	5	2	5	4	5	2	2	6	4	5	5
22	Pneumonia.....	209	23	21	16	16	12	19	12	19	9	11	18	23
(23)	Bronchopneumonia.....	99	20	11	10	7	3	7	4	2	4	5	11	10
25	Diarrhea and enteritis (under 2 years).....	123	5	9	8	6	3	18	13	11	9	16	15	10
(37)	Diarrhea and enteritis (2 years and over).....	39	4		2	7	4	5	4	3	1	4	3	4
(33)	Congenital debility ¹	39	2			5	5	3	4	3		3	5	3
35	Violent deaths (excluding suicide).....	379	49	29	39	24	22	24	32	39	26	30	34	31
36	Suicide.....	144	14	10	16	8	9	13	20	15	9	7	13	10
	All other causes.....	3,194	313	271	294	263	270	269	234	238	225	225	276	296
LOS ANGELES, CAL. (COLORED).														
	All causes.....	326	22	28	29	27	27	28	37	19	20	25	31	33
1	Typhoid fever.....	2							2					
3	Malaria.....													
5	Measles.....													
6	Scarlet fever.....													
7	Whooping cough.....													
8	Diphtheria and croup.....													
9	Influenza.....	2		1	1									
13	Tuberculosis of the lungs.....	77	6	6	6	4	9	8	13	2	4	7	5	7
14-15	Other forms of tuberculosis.....	9	2	1	1					1		2	1	2
17	Meningitis.....	12	1	1	1	2	1	1	1	1		1	1	2
20-21	Bronchitis.....	1		1										
22	Pneumonia.....	19	3	1	2	1	3	2	2				3	2
(23)	Bronchopneumonia.....	6		1	1	1	1	1			1		1	2
25	Diarrhea and enteritis (under 2 years).....	12		1	1		1	3	2		1	1	1	1
(37)	Diarrhea and enteritis (2 years and over).....	6				1	2	1		1				
(33)	Congenital debility ¹	3				1	1						1	
35	Violent deaths (excluding suicide).....	21	1	2	3	2	1	2	3				4	3
36	Suicide.....	6		1	1	1	1	1	1				1	
	All other causes.....	180	12	12	12	14	8	10	13	14	13	14	14	14
OAKLAND, CAL. (TOTAL).														
	All causes.....	2,121	207	164	188	165	183	181	163	161	165	162	175	207
1	Typhoid fever.....	12	1	1	1	4		2	1		1		1	
3	Malaria.....	2						1	1					
5	Measles.....	28				1	7	6	13				1	
6	Scarlet fever.....	5				4							1	
7	Whooping cough.....	28				4	4	4	2	7	2	1	2	2
8	Diphtheria and croup.....	24	1		3	2	4	3	2	1	1	3	1	3
9	Influenza.....	5		1		1		1					2	
13	Tuberculosis of the lungs.....	185	18	22	12	12	16	10	15	21	13	14	17	15
14-15	Other forms of tuberculosis.....	41	6	4	6	2	2	2	3	2	6	2	2	4
17	Meningitis.....	10	1	3	1		2	2					1	
20-21	Bronchitis.....	26	2	2	6	1	1	2		4	2	3	6	3
22	Pneumonia.....	95	12	5	10	7	8	13	5	4	7	8	8	10
(23)	Bronchopneumonia.....	63	5	2	5	6	5	5	3	8	4	4	8	8
25	Diarrhea and enteritis (under 2 years).....	35	3	3	3	2	4	2	1	7		3	5	2
(37)	Diarrhea and enteritis (2 years and over).....	15	1		2	2	2				2	4	1	2
(33)	Congenital debility ¹	10			2		1	1		1	1	2	1	1
35	Violent deaths (excluding suicide).....	115	7	6	14	8	8	8	5	14	8	8	11	12
36	Suicide.....	67	6	5	5	6	5	3	4	8	5	3	4	13
	All other causes.....	1,355	144	110	118	105	114	110	104	93	107	107	112	131
OAKLAND, CAL. (WHITE).														
	All causes.....	2,002	196	155	176	162	175	167	156	149	152	150	167	197
1	Typhoid fever.....	12	1	1	1	4		2	1		1		1	
3	Malaria.....	2						1	1					
5	Measles.....	27				1	7	6	12				1	
6	Scarlet fever.....	5				4							1	
7	Whooping cough.....	25				4	4	4	2	7	1	1	2	1
8	Diphtheria and croup.....	23	1		3	2	4	2	2	1	1	3	1	3
9	Influenza.....	4				1		1					2	
13	Tuberculosis of the lungs.....	158	16	19	9	12	14	9	13	16	11	12	15	12
14-15	Other forms of tuberculosis.....	38	5	4	6	2	2	2	3	2	6		1	3
17	Meningitis.....	10	1	3	1		2	2					1	
20-21	Bronchitis.....	25	2	2	5	1	1	2		4	2	3	6	3
22	Pneumonia.....	86	12	5	9	6	7	12	5	3	5	6	8	10
(23)	Bronchopneumonia.....	62	5	2	5	6	5	5	3	8	4	4	6	7
25	Diarrhea and enteritis (under 2 years).....	32	2	3	3	2	4	2	1	6		2	5	2
(37)	Diarrhea and enteritis (2 years and over).....	15	1		2	2	2	1			2	1	1	1
(33)	Congenital debility ¹	10			2		1	1		1	1	2	1	1
35	Violent deaths (excluding suicide).....	107	6	6	13	7	8	14	8	5	14	5	10	11
36	Suicide.....	64	6	4	4	6	5	3	4	8	5	3	4	12
	All other causes.....	1,297	138	106	113	104	109	100	100	88	99	104	107	129

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu-ary.	Febru-ary.	March.	April.	May.	June.	July.	Aug-ust.	Sep-tember.	Octo-ber.	Novem-ber.	Decem-ber.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
OAKLAND, CAL. (COLORED).														
	All causes.....	119	11	9	12	3	8	14	7	12	13	12	8	10
1	Typhoid fever.....													
3	Malaria.....													
5	Measles.....	1							1					
6	Scarlet fever.....	3						1						1
7	Whooping cough.....	1									1			
8	Diphtheria and croup.....	1												
9	Influenza.....	1		1										
13	Tuberculosis of the lungs.....	27	2	3	3		2	1	2	5	2	2	2	3
14-15	Other forms of tuberculosis.....	3	1									1		1
17	Meningitis.....	1			1									
20-21	Bronchitis.....	1			1									
22	Pneumonia.....	9			1	1	1	1		1	2	2		
(23)	Bronchopneumonia.....	1												1
25	Diarrhea and enteritis (under 2 years).....	3	1							1		1		
(37)	Diarrhea and enteritis (2 years and over).....													
(33)	Congenital debility ¹				1									
35	Violent deaths (excluding suicide).....	8	1		1	1						3	1	1
36	Suicide.....	3		1	1									1
	All other causes.....	58	6	4	5	1	5	10	4	5	8	3	5	2
SAN FRANCISCO, CAL. (TOTAL).														
	All causes.....	6,943	613	588	640	608	542	545	509	473	536	543	627	719
1	Typhoid fever.....	57	3	6	6	8	6	3	3		5	2	10	5
3	Malaria.....	4			1		1				2	1	1	
5	Measles.....	47	1		2	7	5	3	5	4	2	5	6	7
6	Scarlet fever.....	5	1	1					1	1	1			4
7	Whooping cough.....	55	4	9	8	9	3	4	3	2	2	4	3	4
8	Diphtheria and croup.....	87	5	5	3	2	9	6	3	1	15	13	9	16
9	Influenza.....	11	3		2						1		1	3
13	Tuberculosis of the lungs.....	808	68	75	75	80	69	80	50	53	63	45	57	93
14-15	Other forms of tuberculosis.....	151	11	12	10	15	16	17	13	6	13	12	10	16
17	Meningitis.....	43	1	5	3	5	3	6	3	1	2	2	7	5
20-21	Bronchitis.....	91	10	8	12	5	7	7	5	4	8	7	7	11
22	Pneumonia.....	293	38	24	35	27	24	20	20	15	18	16	15	46
(23)	Bronchopneumonia.....	241	32	21	33	20	17	10	10	9	19	11	20	39
25	Diarrhea and enteritis (under 2 years).....	101	9	7	8	8	4	2	11	10	8	18	10	6
(37)	Diarrhea and enteritis (2 years and over).....	35	2	2	1	3		5	3	6	2	5	3	3
(33)	Congenital debility ¹	18	1	1	6	3			2	1	1	1	1	1
35	Violent deaths (excluding suicide).....	496	43	45	38	32	36	34	26	32	44	48	68	50
36	Suicide.....	235	20	20	24	22	17	25	15	15	20	16	21	20
	All other causes.....	4,160	361	347	375	360	325	322	337	312	312	337	378	394
SAN FRANCISCO, CAL. (WHITE).														
	All causes.....	6,571	588	547	610	580	513	515	479	445	505	510	598	681
1	Typhoid fever.....	52	3	5	6	8	6	3	2		3	1	10	5
3	Malaria.....	1			1									
5	Measles.....	46	1		2	6	5	3	5	4	1	5	6	7
6	Scarlet fever.....	5	1	1					1	1	2			4
7	Whooping cough.....	54	4	9	8	9	3	4	3	2	3	3	3	4
8	Diphtheria and croup.....	84	5	3	3	2	9	6	3	1	15	13	9	15
9	Influenza.....	8	1		2						1		1	3
13	Tuberculosis of the lungs.....	722	65	67	71	70	59	70	44	46	58	40	51	81
14-15	Other forms of tuberculosis.....	140	10	10	8	14	16	16	12	6	12	11	10	15
17	Meningitis.....	39	1	3	3	5	3	6	2	1	2	1	7	5
20-21	Bronchitis.....	84	10	8	11	5	6	6	4	7	7	7	6	10
22	Pneumonia.....	290	37	22	34	27	24	20	19	15	18	14	15	45
(23)	Bronchopneumonia.....	222	31	20	32	19	13	9	9	9	15	10	19	36
25	Diarrhea and enteritis (under 2 years).....	98	9	6	8	8	4	2	10	10	8	18	9	6
(37)	Diarrhea and enteritis (2 years and over).....	33	2	2	1	3		4	3	5	2	5	3	3
(33)	Congenital debility ¹	18	1	1	6	3			1	2	1	1	1	1
35	Violent deaths (excluding suicide).....	471	42	40	37	32	35	33	23	28	44	44	65	48
36	Suicide.....	221	19	19	20	21	16	25	15	15	18	15	20	18
	All other causes.....	3,983	347	331	359	346	314	307	323	296	296	322	363	379
SAN FRANCISCO, CAL. (COLORED).														
	All causes.....	372	25	41	30	28	29	30	30	28	31	33	29	38
1	Typhoid fever.....	5		1					1		2	1		
3	Malaria.....	3					1					1	1	
5	Measles.....	1				1								
6	Scarlet fever.....													
7	Whooping cough.....	1										1		
8	Diphtheria and croup.....	3		2										1
9	Influenza.....	3	3											
13	Tuberculosis of the lungs.....	36	3	8	4	10	10	10	6	7	5	5	6	12
14-15	Other forms of tuberculosis.....	11	1	2	2	1		1	1	1	1	1	1	1
17	Meningitis.....	4		2								1		
20-21	Bronchitis.....	7			1		1	1			1		1	1
22	Pneumonia.....	8	1	2	1			1	1			2		1
(23)	Bronchopneumonia.....	19	1	1	1	1	4	1	1		4	1	1	3
25	Diarrhea and enteritis (under 2 years).....	3		1					1				1	
(37)	Diarrhea and enteritis (2 years and over).....	2						1		1				
(33)	Congenital debility ¹													
35	Violent deaths (excluding suicide).....	25	1	5	1		1	1	3	4		4	3	2
36	Suicide.....	14	1	1	4	1	1	1			2	1	1	2
	All other causes.....	177	14	16	16	14	11	15	14	16	16	15	15	15

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

635

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
DENVER, COLO.														
	All causes.....	3,247	332	285	314	299	262	261	223	243	218	267	254	289
1	Typhoid fever.....	22	2	1	1	1	1	1	1	1	4	7	1	3
3	Malaria.....	1	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	10	1	1	3	5	1	1	3	1	1	1	1	1
6	Scarlet fever.....	26	3	7	3	2	1	4	3	1	1	1	1	1
7	Whooping cough.....	9	1	1	2	1	1	1	2	2	2	1	1	1
8	Diphtheria and croup.....	10	2	1	1	1	1	1	3	2	2	1	1	1
9	Influenza.....	7	2	1	1	1	1	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	593	65	59	48	59	43	44	36	46	33	54	47	59
14-15	Other forms of tuberculosis.....	49	6	2	4	2	6	6	6	5	2	1	5	4
17	Meningitis.....	22	1	3	6	2	2	2	1	1	1	2	1	1
20-21	Bronchitis.....	22	7	6	2	2	1	1	1	1	1	2	1	1
22	Pneumonia.....	261	31	37	44	26	19	12	8	7	11	19	16	31
(23)	Bronchopneumonia.....	75	10	7	12	16	8	4	6	6	10	3	6	1
25	Diarrhea and enteritis (under 2 years).....	63	4	6	3	5	4	4	3	3	3	4	1	3
(37)	Diarrhea and enteritis (2 years and over).....	28	2	1	2	4	2	4	4	4	4	8	1	3
(33)	Congenital debility ¹	44	4	1	5	7	4	4	6	4	4	8	1	8
35	Violent deaths (excluding suicide).....	137	9	2	7	7	13	17	14	16	16	10	12	8
36	Suicide.....	56	2	2	2	4	8	11	1	7	4	5	5	5
	All other causes.....	1,813	181	143	169	159	148	150	136	142	124	144	156	161
BRIDGEPORT, CONN.														
	All causes.....	1,729	171	159	182	159	132	99	147	165	128	141	118	123
1	Typhoid fever.....	4	1	1	1	1	1	1	1	1	1	1	1	2
3	Malaria.....	3	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	33	9	6	7	9	2	1	1	3	2	3	2	2
6	Scarlet fever.....	19	1	4	1	1	6	1	1	2	1	1	1	1
7	Whooping cough.....	21	1	6	4	3	3	2	5	3	1	5	2	5
8	Diphtheria and croup.....	4	2	1	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	7	4	3	4	6	3	2	5	3	1	1	1	1
13	Tuberculosis of the lungs.....	113	7	8	14	7	8	7	9	12	12	6	14	9
14-15	Other forms of tuberculosis.....	34	2	5	5	4	3	3	3	2	3	5	2	2
17	Meningitis.....	10	1	1	1	3	2	2	1	1	1	1	1	1
20-21	Bronchitis.....	24	7	5	1	1	3	1	1	1	1	1	1	3
22	Pneumonia.....	137	10	24	17	25	6	9	4	4	6	10	6	16
(23)	Bronchopneumonia.....	84	22	7	23	4	1	3	1	3	4	5	8	4
25	Diarrhea and enteritis (under 2 years).....	124	6	2	3	4	1	5	32	36	22	4	7	2
(37)	Diarrhea and enteritis (2 years and over).....	9	1	1	1	1	1	1	1	2	2	2	2	2
(33)	Congenital debility ¹	34	2	1	3	1	2	2	4	3	3	9	4	8
35	Violent deaths (excluding suicide).....	117	12	6	16	11	12	11	8	5	5	17	6	8
36	Suicide.....	27	2	1	1	1	2	4	3	5	4	2	1	2
	All other causes.....	886	84	80	87	77	82	52	72	82	62	73	62	73
NEW HAVEN, CONN.														
	All causes.....	2,326	239	213	234	227	182	165	183	159	187	152	170	215
1	Typhoid fever.....	22	2	3	4	3	1	1	1	4	2	1	2	2
3	Malaria.....	2	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	31	2	2	3	6	4	1	5	2	1	1	6	6
6	Scarlet fever.....	7	1	1	2	1	1	1	1	1	2	1	1	1
7	Whooping cough.....	19	1	2	1	1	1	1	1	1	1	1	2	2
8	Diphtheria and croup.....	28	6	1	5	2	1	1	1	1	1	2	3	6
9	Influenza.....	1	1	1	3	1	1	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	160	17	16	11	15	12	12	14	10	14	15	12	12
14-15	Other forms of tuberculosis.....	47	5	7	4	2	3	2	5	3	7	5	2	2
17	Meningitis.....	14	1	1	2	1	2	1	2	1	1	1	1	2
20-21	Bronchitis.....	37	3	8	5	5	3	2	1	1	1	2	2	4
22	Pneumonia.....	194	27	15	34	27	12	12	7	6	9	11	12	22
(23)	Bronchopneumonia.....	85	11	16	7	10	6	7	3	5	2	3	7	8
25	Diarrhea and enteritis (under 2 years).....	100	4	4	3	1	1	6	21	31	13	6	6	4
(37)	Diarrhea and enteritis (2 years and over).....	15	1	1	2	3	3	3	3	1	1	1	1	1
(33)	Congenital debility ¹	31	1	1	3	2	2	6	4	1	3	6	1	3
35	Violent deaths (excluding suicide).....	126	13	12	9	11	9	7	9	8	18	6	8	16
36	Suicide.....	33	6	2	1	2	3	1	5	3	4	3	2	1
	All other causes.....	1,378	137	127	138	137	115	106	103	84	107	88	112	124
WASHINGTON, D. C. (TOTAL).														
	All causes.....	5,854	562	529	612	528	477	418	451	429	443	425	439	491
1	Typhoid fever.....	42	3	4	1	1	1	2	3	11	8	2	2	4
3	Malaria.....	5	1	1	1	1	2	2	1	1	1	1	1	1
5	Measles.....	1	1	1	1	1	1	1	1	1	1	1	1	1
6	Scarlet fever.....	1	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	19	1	2	1	1	1	1	1	4	2	2	1	2
8	Diphtheria and croup.....	29	2	4	2	2	1	1	2	4	1	2	6	3
9	Influenza.....	63	19	15	11	8	6	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	642	52	56	72	46	51	49	65	60	40	50	51	50
14-15	Other forms of tuberculosis.....	95	10	8	6	10	15	6	14	7	8	5	5	1
17	Meningitis.....	21	2	3	3	2	1	2	2	2	4	4	1	1
20-21	Bronchitis.....	101	10	11	13	14	9	5	3	2	5	6	3	10
22	Pneumonia.....	271	38	23	61	40	11	10	8	8	12	17	22	21
(23)	Bronchopneumonia.....	192	19	26	37	30	11	9	11	9	7	7	15	11
25	Diarrhea and enteritis (under 2 years).....	151	5	8	5	4	5	5	35	29	21	15	11	8
(37)	Diarrhea and enteritis (2 years and over).....	53	3	2	2	1	6	4	4	11	5	9	3	3
(33)	Congenital debility ¹	75	9	9	2	3	6	3	2	7	10	9	7	8
35	Violent deaths (excluding suicide).....	254	20	15	25	14	16	29	23	14	24	18	25	31
36	Suicide.....	67	4	6	10	10	4	5	3	2	8	4	10	1
	All other causes.....	3,782	365	337	362	342	328	287	275	259	291	274	326	386

¹ Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
WASHINGTON, D. C. (WHITE).														
	All causes.....	3,488	354	309	366	295	298	247	259	239	258	246	305	312
1	Typhoid fever.....	16		2		1	1	1		7	1	1		2
3	Malaria.....	4					1	2			1			
5	Measles.....													
6	Scarlet fever.....	1					1							
7	Whooping cough.....	6		1						1		2		1
8	Diphtheria and croup.....	23	2	4	2	1	1		1	3		1	5	3
9	Influenza.....	35	8	10	8	4	4							1
13	Tuberculosis of the lungs.....	268	29	19	27	19	23	23	33	25	17	16	24	13
14-15	Other forms of tuberculosis.....	41	6	6	2	4	5	2	5	5	3	1	2	
17	Meningitis.....	11	1	2	2				1	1		2	1	
20-21	Bronchitis.....	42	4	6	9	3	1	2	3	1	2	3	2	6
22	Pneumonia.....	141	19	10	30	18	7	5	3	4	7	12	13	13
(23)	Bronchopneumonia.....	88	10	10	21	11	5	1	6	8	2	4	6	4
25	Diarrhea and enteritis (under 2 years).....	52	1	2	3	1	1	2	10	12	11	5	4	4
(37)	Diarrhea and enteritis (2 years and over).....	35	3	2	2			5	2	4	7	2	4	2
(33)	Congenital debility ¹	48	6	3	1	2	4	2	1	3	7	5	7	7
35	Violent deaths (excluding suicide).....	169	12	9	17	9	13	19	16	11	14	13	14	22
36	Suicide.....	58	4	4	9	9	3	3	2	2	8	4	9	1
	All other causes.....	2,450	249	219	233	213	222	183	174	149	183	173	219	233
WASHINGTON, D. C. (COLORED).														
	All causes.....	2,366	208	220	246	233	179	171	192	190	185	179	184	179
1	Typhoid fever.....	26	3	2	1			1	3	4	7	1	2	2
3	Malaria.....	1					1							
5	Measles.....	1					1							
6	Scarlet fever.....													
7	Whooping cough.....	13	1	1		1	2	1	1	3	2			1
8	Diphtheria and croup.....	6						1	1	1	1	1	1	
9	Influenza.....	28	11	5	3	4	2	1				1	1	
13	Tuberculosis of the lungs.....	374	23	37	45	27	28	26	32	35	23	34	27	37
14-15	Other forms of tuberculosis.....	54	4	2	4	6	10	4	9	2	5	4	3	1
17	Meningitis.....	10	1	1	1	2			1	1		2	2	1
20-21	Bronchitis.....	49	6	5	4	11	8	3	1	3	3	3	1	4
22	Pneumonia.....	130	19	13	31	22	4	5	5	4	5	5	9	8
(23)	Bronchopneumonia.....	104	9	16	16	19	6	8	5	1	5	3	9	7
25	Diarrhea and enteritis (under 2 years).....	99	4	6	2	3	4	3	25	17	10	10	11	4
(37)	Diarrhea and enteritis (2 years and over).....	18				1	1	2	4	3	5	1	1	1
(33)	Congenital debility ¹	27	3	6	1	1	2	1	1	4	3	4	4	1
35	Violent deaths (excluding suicide).....	85	8	6	8	5	3	10	7	3	10	5	11	9
36	Suicide.....	9	2	1	1	1	1	2	1	1			1	
	All other causes.....	1,332	116	118	129	129	106	104	101	110	108	101	107	103
ATLANTA, GA. (TOTAL).														
	All causes.....	2,956	241	229	301	244	285	239	249	210	210	236	224	233
1	Typhoid fever.....	83	3	1	1		3	10	14	15	18	8	6	5
3	Malaria.....	10		1	1			2	1	3	2			
5	Measles.....	25	5	9	1	3	4			1		1	1	
6	Scarlet fever.....	2									1	1		
7	Whooping cough.....	32			4	3	4	5	3	2	1	3	2	5
8	Diphtheria and croup.....	19		3	3	2		1	1	2	5	2	2	1
9	Influenza.....	31	7	3	5	7	1	2		1	1	2	2	2
13	Tuberculosis of the lungs.....	208	21	22	23	18	22	15	8	14	18	22	14	11
14-15	Other forms of tuberculosis.....	29	2	2	4	3	3	2	2	4	4	1	1	2
17	Meningitis.....	16	3	1	3	1	1		2	1	1	2	2	1
20-21	Bronchitis.....	22	3	1	1	3	3	3	2	1	2	4	2	3
22	Pneumonia.....	150	14	14	31	18	17	8	3	2	5	7	9	22
(23)	Bronchopneumonia.....	107	7	16	17	12	9	5	2	3	6	6	8	17
25	Diarrhea and enteritis (under 2 years).....	132	7	3	2	6	25	27	25	9	10	9	6	3
(37)	Diarrhea and enteritis (2 years and over).....	41	2	1	2	4	5	8	4	4	2	6	3	
(33)	Congenital debility ¹	51	2	7	3	4	3	10	5	6	6	3	3	2
35	Violent deaths (excluding suicide).....	212	16	17	14	20	19	20	18	15	12	22	21	18
36	Suicide.....	28	1	3		6	1	2	3	3	2	1	6	3
	All other causes.....	1,758	153	130	178	139	166	170	151	131	120	139	138	143
ATLANTA, GA. (WHITE).														
	All causes.....	1,572	130	128	153	129	173	153	136	108	110	109	118	125
1	Typhoid fever.....	55	2		1		2	5	9	9	11	6	6	4
3	Malaria.....	5		1	1				1	2				
5	Measles.....	12	5	3			3	1						
6	Scarlet fever.....	1									1			
7	Whooping cough.....	10				1	2	3	2		1			1
8	Diphtheria and croup.....		3									3		1
9	Influenza.....	5	2		2									
13	Tuberculosis of the lungs.....	98	8	11	12	10	11	7	3	3	9	7	10	7
14-15	Other forms of tuberculosis.....	15	1	1	2	2		2	1	2	3		1	1
17	Meningitis.....	8	1		1		1		1	1	1			2
20-21	Bronchitis.....	5		1								1		2
22	Pneumonia.....	53	4	7	10	4	7	3	1		1	2	5	10
(23)	Bronchopneumonia.....	54	4	10	10	1	4	2	1		6	2	5	8
25	Diarrhea and enteritis (under 2 years).....	70	1	1		1	14	14	12	6	5	9	5	2
(37)	Diarrhea and enteritis (2 years and over).....	20	2		1	3	3	2	2	2	3	3	1	2
(33)	Congenital debility ¹	29	2	4	2		3	4	3	3	4	3	1	
35	Violent deaths (excluding suicide).....	113	7	9	5	12	16	9	11	11	9	9	10	9
36	Suicide.....	25	1	3		6	1	1	2	2	2	1	5	2
	All other causes.....	955	93	72	101	78	108	100	85	68	67	65	72	76

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

637.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Incl. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
ATLANTA, GA. (COLORED).														
	All causes.....	1,384	111	101	148	115	112	136	113	102	100	127	106	113
1	Typhoid fever.....	28	1			1	5	5	6	7	2			1
3	Malaria.....	5					2		1	2				
5	Measles.....	13		6	1		3		1			1	1	
6	Scarlet fever.....	1												
7	Whooping cough.....	22		4	2	2	2		1	2		3	2	4
8	Diphtheria and croup.....	10		1	2				1		2	2	2	
9	Influenza.....	26	5	3	3	6	1	1	2		2	2	2	2
13	Tuberculosis of the lungs.....	110	13	11	11	8	11	8	5	11	9	15	4	4
14-15	Other forms of tuberculosis.....	14	2	1	2	1	3		1	2	1			1
17	Meningitis.....	8	2	1	2				1			1		1
20-21	Bronchitis.....	17	2		1		3		2		2	3	2	1
22	Pneumonia.....	97	10	7	21	14	10	5	1	1	5	5	2	4
(23)	Bronchopneumonia.....	53	3	6	7	4	5	3	3	3	4	4	3	1
25	Diarrhea and enteritis (under 2 years).....	62	3	2	2	5	11	13	3	5	5	4	3	1
(37)	Diarrhea and enteritis (2 years and over).....	21		1	1	1	2	6	2	2		3	2	2
(33)	Congenital debility ¹	22		3	1	1	2	6		3	2		2	2
35	Violent deaths (excluding suicide).....	99	9	8	9	8	3	11	7	4	7	13	11	9
36	Suicide.....	3						1	1				1	
	All other causes.....	773	60	58	77	61	58	70	66	63	53	74	66	67
CHICAGO, ILL. (TOTAL).														
	All causes.....	33,959	3,065	3,142	3,601	3,298	2,996	2,393	2,670	2,710	2,426	2,380	2,516	2,762
1	Typhoid fever.....	159	18	10	12	11	8	7	6	17	20	12	25	13
3	Malaria.....	9	2				1	1	2	1			1	1
5	Measles.....	76	5	3	13	12	16	12	7	4		1	1	2
6	Scarlet fever.....	242	29	43	39	33	38	23	15	6	4	4	2	6
7	Whooping cough.....	223	13	19	28	44	32	23	21	17	9	7	4	6
8	Diphtheria and croup.....	772	68	68	76	61	55	51	48	53	58	73	86	75
9	Influenza.....	93	17	17	14	12	5	5	4			2	5	12
13	Tuberculosis of the lungs.....	3,502	294	311	343	370	361	296	285	257	216	231	269	269
14-15	Other forms of tuberculosis.....	452	32	37	63	49	50	33	39	40	23	31	24	31
17	Meningitis.....	152	15	14	16	19	16	9	14	12	11	7	8	11
20-21	Bronchitis.....	312	29	51	48	33	25	14	11	11	13	19	27	31
22	Pneumonia.....	2,253	300	304	342	292	231	101	59	75	92	88	176	193
(23)	Bronchopneumonia.....	2,027	268	290	335	277	183	96	92	56	70	80	119	161
25	Diarrhea and enteritis (under 2 years).....	3,143	177	218	249	220	177	163	475	520	369	264	148	163
(37)	Diarrhea and enteritis (2 years and over).....	293	27	22	15	18	15	25	35	42	29	28	18	19
(33)	Congenital debility ¹	208	16	24	20	11	15	15	12	19	26	20	15	15
35	Violent deaths (excluding suicide).....	2,033	159	124	143	157	169	187	197	200	162	196	162	177
36	Suicide.....	580	59	45	47	52	57	48	47	47	55	49	39	35
	All other causes.....	17,430	1,537	1,542	1,798	1,627	1,543	1,284	1,302	1,332	1,268	1,268	1,387	1,542
CHICAGO, ILL. (WHITE).														
	All causes.....	32,755	2,962	3,031	3,480	3,168	2,873	2,302	2,577	2,607	2,354	2,309	2,416	2,676
1	Typhoid fever.....	152	15	10	11	10	8	7	6	17	20	12	25	11
3	Malaria.....	9	2				1	1	2	1			1	1
5	Measles.....	76	5	3	13	12	16	12	7	4		1	1	2
6	Scarlet fever.....	239	29	42	39	31	38	23	15	6	4	4	2	6
7	Whooping cough.....	210	13	16	28	41	31	21	19	17	8	6	4	6
8	Diphtheria and croup.....	763	68	68	74	61	55	48	48	52	58	72	84	75
9	Influenza.....	89	16	17	13	11	5	5	4			2	3	12
13	Tuberculosis of the lungs.....	3,240	275	291	320	347	330	270	259	237	201	214	245	251
14-15	Other forms of tuberculosis.....	428	29	34	62	46	47	32	36	39	21	30	23	29
17	Meningitis.....	144	14	14	15	17	15	8	14	12	10	7	7	11
20-21	Bronchitis.....	309	29	51	47	32	25	14	11	11	13	18	27	31
22	Pneumonia.....	2,168	283	295	332	277	222	95	56	73	90	84	172	189
(23)	Bronchopneumonia.....	1,975	260	285	328	263	180	93	89	54	68	77	118	160
25	Diarrhea and enteritis (under 2 years).....	3,111	173	215	245	216	175	162	472	515	367	262	147	162
(37)	Diarrhea and enteritis (2 years and over).....	286	27	22	15	18	13	24	34	41	28	28	18	18
(33)	Congenital debility ¹	206	16	23	20	11	15	15	12	18	26	20	15	15
35	Violent deaths (excluding suicide).....	1,959	151	124	138	151	161	181	194	190	158	187	153	171
36	Suicide.....	575	58	44	47	52	56	48	46	47	54	49	39	35
	All other causes.....	16,816	1,499	1,477	1,733	1,572	1,431	1,243	1,254	1,272	1,227	1,236	1,331	1,491
CHICAGO, ILL. (COLORED).														
	All causes.....	1,204	103	111	121	130	123	91	93	103	72	71	100	86
1	Typhoid fever.....	7	3		1	1								2
3	Malaria.....													
5	Measles.....	3				2								
6	Scarlet fever.....	3				2								
7	Whooping cough.....	13		3		3	1	2	2		1	1		
8	Diphtheria and croup.....	9			2			3		1		1		
9	Influenza.....	4	1		1	1							2	
13	Tuberculosis of the lungs.....	262	19	20	23	23	31	26	26	20	15	17	24	18
14-15	Other forms of tuberculosis.....	24	3	3	1	3	3	1	3	1	2	1	1	2
17	Meningitis.....	8	1		1	2	1	1			1		1	
20-21	Bronchitis.....	3			1							1		
22	Pneumonia.....	85	17	9	10	15	9	6	3	2	2	4	4	4
(23)	Bronchopneumonia.....	52	8	5	7	14	3	3	3	2	2	3	1	1
25	Diarrhea and enteritis (under 2 years).....	32	4	3	4	4	2	1	3	5	2	2	1	1
(37)	Diarrhea and enteritis (2 years and over).....	7					2	1	1	1				1
(33)	Congenital debility ¹	2		1						1				
35	Violent deaths (excluding suicide).....	74	8		5	6	8	6	3	10	4	9	9	6
36	Suicide.....	5	1				1		1		1		1	
	All other causes.....	614	38	65	65	55	62	41	48	60	41	32	56	51

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
INDIANAPOLIS, IND. (TOTAL).														
	All causes.....	4,142	350	342	413	398	393	314	339	325	307	349	284	328
1	Typhoid fever.....	67	2	5	4	4	1	3	2	7	12	12	11	4
3	Malaria.....	3									2	1		
5	Measles.....	21	1	2	2	4	6	5	1			2	2	1
6	Scarlet fever.....	17	1	2	1	3	3	2	2		1		2	1
7	Whooping cough.....	16	2	2	3	2	3	2	2				3	3
8	Diphtheria and croup.....	29	3	2	5	3	2		2			2	3	2
9	Influenza.....	15	2	2		3	3							2
13	Tuberculosis of the lungs.....	456	33	37	48	52	40	45	37	35	33	33	30	33
14-15	Other forms of tuberculosis.....	111	6	6	14	12	12	8	14	5	14	8	5	7
17	Meningitis.....	33	3	3	2	7	8	2	2	2	1		3	3
20-21	Bronchitis.....	32	6	1	2	6	5	1	1	1		4	5	
22	Pneumonia.....	179	26	17	34	22	11	4	5	8	8	12	14	18
(23)	Bronchopneumonia.....	187	19	31	25	34	14	11	6	4	5	6	11	21
25	Diarrhea and enteritis (under 2 years).....	157	3	4	5	7	14	13	34	28	17	26	4	2
(37)	Diarrhea and enteritis (2 years and over).....	27	2	1	1	2		3	2	2	4	2	2	1
(33)	Congenital debility ¹	23	2	3				2	7	1	3	4	2	2
35	Violent deaths (excluding suicide).....	262	29	23	18	15	25	22	28	27	15	24	19	17
36	Suicide.....	76	7	3	2	3	10	11	8	10	4	8	6	4
	All other causes.....	2,431	207	200	244	221	236	182	186	193	188	205	166	203
INDIANAPOLIS, IND. (WHITE).														
	All causes.....	3,569	304	298	358	344	330	276	284	280	261	297	249	288
1	Typhoid fever.....	53	1	5	3	3	1	3	2	7	9	9	8	2
3	Malaria.....	3									1	1		
5	Measles.....	16			2	2	5	5	1			1		
6	Scarlet fever.....	16	1	2	1	3	1	2	2		1		2	1
7	Whooping cough.....	9	2	1	1	3							1	1
8	Diphtheria and croup.....	28	3	2	4	2	2		2			2	3	8
9	Influenza.....	13	2	1	3	2	2							2
13	Tuberculosis of the lungs.....	337	25	30	38	38	27	35	29	27	23	24	23	18
14-15	Other forms of tuberculosis.....	82	4	5	9	11	10	5	8	2	10	6	5	7
17	Meningitis.....	25	3	1	4	7	2	1	2	1		1	1	3
20-21	Bronchitis.....	26	6	1	1	3	3	1	1	1		4	5	
22	Pneumonia.....	151	24	13	28	20	8	2	4	8	6	11	11	16
(23)	Bronchopneumonia.....	156	15	27	19	31	10	9	4	4	5	5	8	19
25	Diarrhea and enteritis (under 2 years).....	133	2	4	4	5	11	12	26	27	10	26	4	2
(37)	Diarrhea and enteritis (2 years and over).....	19			1	2		2	6	1	3	2	1	1
(33)	Congenital debility ¹	19	2	2			1	2	2	1	3	2	2	2
35	Violent deaths (excluding suicide).....	238	25	21	16	14	22	20	28	23	15	21	19	14
36	Suicide.....	70	6	3	2	3	8	11	7	10	3	7	6	4
	All other causes.....	2,176	186	178	225	199	212	165	161	165	171	176	150	185
INDIANAPOLIS, IND. (COLORED).														
	All causes.....	573	46	44	55	54	63	38	55	45	46	52	35	40
1	Typhoid fever.....	14	1		1	1					3	3	3	2
3	Malaria.....	1									1			
5	Measles.....	5		1		2	1					1		
6	Scarlet fever.....	1												1
7	Whooping cough.....	7			2		3		2					
8	Diphtheria and croup.....	1			1									
9	Influenza.....	2		1			1							
13	Tuberculosis of the lungs.....	119	8	7	10	14	13	10	8	8	10	9	7	15
14-15	Other forms of tuberculosis.....	29	2	1	5	1	2	3	6	3	4	2		
17	Meningitis.....	8			1	3	1		1				2	
20-21	Bronchitis.....	6			1	3	2							
22	Pneumonia.....	28	2	4	6	2	3	2	1		2	1	3	2
(23)	Bronchopneumonia.....	31	4	4	6	3	4	2	2		1	3	2	
25	Diarrhea and enteritis (under 2 years).....	24	1	1	2	3	1	8	1	7				
(37)	Diarrhea and enteritis (2 years and over).....	8	2	1				1	1	1	1		1	
(33)	Congenital debility ¹	4		1			1					2		
35	Violent deaths (excluding suicide).....	24	4	2	2	1	3	2		4		3		3
36	Suicide.....	6	1			2	2	1	1		1	1		
	All other causes.....	255	21	22	19	22	24	17	25	28	17	29	16	15
LOUISVILLE, KY. (TOTAL).														
	All causes.....	3,869	329	337	436	321	338	277	326	317	249	278	304	357
1	Typhoid fever.....	61	2	4	3	2	7	3	3	12	6	11	4	4
3	Malaria.....	9							2	2	1	2	1	1
5	Measles.....	20		4	7	3	2		3	1				
6	Scarlet fever.....	12	2	1	3	3	2	1						
7	Whooping cough.....	17	1	2		4	2	3	1	1	3			
8	Diphtheria and croup.....	17	1	4			2	1				2	4	3
9	Influenza.....	47	6	7	7	4	2	3		2		2	4	10
13	Tuberculosis of the lungs.....	435	33	34	61	45	46	28	30	37	20	25	39	37
14-15	Other forms of tuberculosis.....	64	8	3	6	3	8	5	4	7	4	8	5	3
17	Meningitis.....	24	2	1	5	4	1			4	2	2	1	2
20-21	Bronchitis.....	69	8	8	11	6	3	3	3	3		4	6	14
22	Pneumonia.....	232	25	19	48	24	13	14	8	5	5	13	18	40
(23)	Bronchopneumonia.....	119	15	18	33	13	5	5	3	3	1	6	8	9
25	Diarrhea and enteritis (under 2 years).....	103	2	3	1	6	9	11	27	16	11	10	4	3
(37)	Diarrhea and enteritis (2 years and over).....	39	3	2	4		6	2	7	6	2	5	1	1
(33)	Congenital debility ¹	92	5	5	10	6	2	4	16	15	12	2	7	8
35	Violent deaths (excluding suicide).....	215	15	18	16	17	17	21	22	22	15	11	20	21
36	Suicide.....	39	2	3	2	3	6	4	2	3	3	3	3	5
	All other causes.....	2,255	199	201	219	178	205	169	195	178	164	172	179	196

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
LOUISVILLE, KY. (WHITE).														
	All causes.....	2,854	246	254	326	235	250	194	229	241	190	201	229	259
1	Typhoid fever.....	46	2	2	1	2	4	3	3	9	4	10	3	3
3	Malaria.....	16		3	6	3	1		2	1				
5	Measles.....	11	2	1	3	3	1	1						
6	Scarlet fever.....	14	1	1		3	2	3	1					
7	Whooping cough.....	16	1	3		2	1							
8	Diphtheria and croup.....	24	6	4	5	1						2	4	3
9	Influenza.....	275	23	21	42	28	27	15	16	24	13	16	21	29
13	Tuberculosis of the lungs.....	56	8	2	6	3	6	4	3	6	4	6	5	3
14-15	Other forms of tuberculosis.....	20	2	1	5	2	1			4	2	1		2
17	Meningitis.....	50	5	6	6	3	1	1	2	4	2	4	6	11
20-21	Bronchitis.....	151	15	10	34	15	9	8	4	4	5	8	13	26
22	Pneumonia.....	80	11	17	25	8	4	2	2	2	2	2	4	5
(23)	Bronchopneumonia.....	83	2	3		6	7	6	21	16	8	8	3	3
25	Diarrhea and enteritis (under 2 years).....	27	2	1	3		6	1	5	5	1	2	4	1
(37)	Diarrhea and enteritis (2 years and over).....	73	4	3	6	6	2	4	14	11	9	2	6	6
(38)	Congenital debility ¹	159	9	10	13	12	15	15	15	16	11	10	17	16
35	Violent deaths (excluding suicide).....	35	2	3	2	2	6	3	2	2	3	3	2	5
36	Suicide.....	1,718	151	163	169	136	158	125	140	138	127	126	142	143
	All other causes.....													
LOUISVILLE, KY. (COLORED).														
	All causes.....	1,015	83	83	110	86	88	83	97	76	59	77	75	98
1	Typhoid fever.....	15		2	2		3			3	2	1	1	1
3	Malaria.....	9							2	2	1	2	1	1
5	Measles.....	4		1	1		1		1					
6	Scarlet fever.....	1					1							
7	Whooping cough.....	3		1		1				1				
8	Diphtheria and croup.....	1												
9	Influenza.....	23	3	2	3	2	3		1		1	1	7	
13	Tuberculosis of the lungs.....	160	10	13	19	17	19	13	14	13	7	9	13	8
14-15	Other forms of tuberculosis.....	8		1			2	1	1	1		1		
17	Meningitis.....	4				2						1		
20-21	Bronchitis.....	19	3	2	5	1		2	2	1			3	
22	Pneumonia.....	81	10	9	14	9	4	6	4	1		5	5	14
(23)	Bronchopneumonia.....	39	4	1	8	5	5	1	1	1	1	4	4	4
25	Diarrhea and enteritis (under 2 years).....	20			1		2	5	6	3	2	2	1	
(37)	Diarrhea and enteritis (2 years and over).....	12	1	1	1		1	2	2	1	1	3	1	2
(38)	Congenital debility ¹	19	1	2	4			2	2	4	3	1	1	2
35	Violent deaths (excluding suicide).....	56	6	8	3	5	2	6	7	6	4	1	3	5
36	Suicide.....	4				1		1	1	1		1	1	
	All other causes.....	537	43	33	50	42	47	44	55	40	37	46	37	53
NEW ORLEANS, LA. (TOTAL).														
	All causes.....	7,417	676	624	742	605	595	574	526	517	527	632	638	761
1	Typhoid fever.....	79	4		3	2	4	5	4	6	7	7	10	27
3	Malaria.....	32	1		2	3	1	1	5	5		7	6	1
5	Measles.....	8		2	2	3								
6	Scarlet fever.....	2		1		1								
7	Whooping cough.....	112	8			2	2	2	3	2	2	1	1	1
8	Diphtheria and croup.....	112	8		12	6	5	3	8	15	15	11	21	21
9	Influenza.....	114	20	18	31	20	24	1	1		3	6	10	10
13	Tuberculosis of the lungs.....	977	88	95	92	78	68	58	35	67	75	84	86	101
14-15	Other forms of tuberculosis.....	84	4	4	7	5	13	11	8	5	6	10	6	8
17	Meningitis.....	34	4	2	6	3	8	2	2	2	4	4	7	7
20-21	Bronchitis.....	60	8	6	7	3	7	3	3	4	1	4	2	7
22	Pneumonia.....	504	59	58	93	49	36	27	16	20	15	23	45	63
(23)	Bronchopneumonia.....	171	23	22	23	14	9	4	8	6	12	13	18	19
25	Diarrhea and enteritis (under 2 years).....	310	24	20	14	33	37	34	15	15	41	37	28	21
(37)	Diarrhea and enteritis (2 years and over).....	72	8	2	3	2	5	5	8	7	7	5	6	7
(38)	Congenital debility ¹	33	2	4		3	2	1	6	3	3	3	3	6
35	Violent deaths (excluding suicide).....	370	25	27	26	31	31	40	43	27	22	29	25	44
36	Suicide.....	70	7	5	5	1	3	7	6	13	5	3	8	7
	All other causes.....	4,352	394	350	411	337	362	367	317	329	314	383	370	418
NEW ORLEANS, LA. (WHITE).														
	All causes.....	4,397	419	371	471	342	350	335	307	298	319	359	368	458
1	Typhoid fever.....	50	2		2	2	2	5	3	4	5	2	7	16
3	Malaria.....	16			1	1	1	1	4	3		2	3	
5	Measles.....	8		2	2	3								
6	Scarlet fever.....	2		1		1								
7	Whooping cough.....	13		1		1	3				1	1	1	1
8	Diphtheria and croup.....	13		1		1	1	2		2	1	1	1	1
9	Influenza.....	75	8	4	8	3	2	1	6	10	9	9	6	16
13	Tuberculosis of the lungs.....	484	16	13	24	13	2	1			3	3	2	5
14-15	Other forms of tuberculosis.....	37	50	53	59	35	34	23	43	24	31	41	41	50
17	Meningitis.....	27	1	2	4	2	7	5	3	1	4	4	1	3
20-21	Bronchitis.....	35	3	2	4	4	2	1	2	2	2	2	2	6
22	Pneumonia.....	233	32	26	50	20	13	17	8	8	5	12	14	28
(23)	Bronchopneumonia.....	82	8	8	9	8	2	2	6	3	5	6	12	13
25	Diarrhea and enteritis (under 2 years).....	194	13	12	11	20	25	24	7	9	24	19	18	12
(37)	Diarrhea and enteritis (2 years and over).....	33	4	1	2	3	2	2	1	4	4	3	3	4
(38)	Congenital debility ¹	25	13	3	4	2	2	5	5	2	2	2	2	3
35	Violent deaths (excluding suicide).....	62	7	5	2	18	22	23	23	13	16	15	14	27
36	Suicide.....	7	5	5	2	1	3	7	4	11	5	3	7	7
	All other causes.....	2,729	284	221	268	205	225	219	194	207	205	233	231	267

¹ Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	Aug- ust.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NEW ORLEANS, LA. (COLORED).														
	All causes.....	3,020	257	253	271	263	245	239	219	219	208	273	270	303
1	Typhoid fever.....	29	2	1	1	2	2	1	2	2	5	3	11	
3	Malaria.....	16	1	1	2			1	2		5	3	1	
5	Measles.....													
6	Scarlet fever.....													
7	Whooping cough.....	6	2	1	1	1	1		1	1	1			
8	Diphtheria and croup.....	37	4	5	4	2	1	1	2	5	6	5	5	
9	Influenza.....	35	4	5	7	7	2	1				4	4	5
13	Tuberculosis of the lungs.....	493	38	42	33	43	34	35	42	43	44	43	45	51
14-15	Other forms of tuberculosis.....	47	2	2	3	3	6	6	5	4	2	6	5	5
17	Meningitis.....	9	1	2	2	4	2							
20-21	Bronchitis.....	23	2	4	2	1	3	1	1	2	1	2	3	1
22	Pneumonia.....	271	27	32	43	29	23	10	8	12	10	11	31	35
(23)	Bronchopneumonia.....	89	15	14	14	6	7	2	2	3	7	7	6	6
25	Diarrhea and enteritis (under 2 years).....	125	11	8	3	13	12	10	8	6	17	18	10	9
(37)	Diarrhea and enteritis (2 years and over).....	39	4	1	1	4	3	7	4	4	3	2	3	3
(33)	Congenital debility ¹	15		1	1	1	1	1	1	1	1	1	1	3
35	Violent deaths (excluding suicide).....	155	12	12	10	13	9	17	20	14	6	14	11	17
36	Suicide.....	8			3			2	2			1	1	
	All other causes.....	1,623	140	129	143	132	137	148	123	122	109	150	139	151
BALTIMORE, MD. (TOTAL).														
	All causes.....	10,486	1,007	946	1,109	924	870	756	913	832	785	715	793	836
1	Typhoid fever.....	131	8	6	3	6	5	14	9	9	18	22	17	14
3	Malaria.....	4	1	1	1		1	2						1
5	Measles.....	6	3	1	1				1					
6	Scarlet fever.....	32	4	5	12	2			1	3		2		
7	Whooping cough.....	89	5	7	7	10	10	13	17	8	3	5	2	
8	Diphtheria and croup.....	86	13	7	4	7	7	1	3	7	5	4	8	9
9	Influenza.....	51	11	9	12	6	3	3	1	1	1	1	1	3
13	Tuberculosis of the lungs.....	1,178	100	128	138	107	96	89	98	78	83	80	74	98
14-15	Other forms of tuberculosis.....	142	9	10	18	14	11	12	12	12	16	11	10	7
17	Meningitis.....	59	7	5	2	6	8	7	8	2	4	3	4	3
20-21	Bronchitis.....	133	16	15	16	15	12	5	8	7	6	10	14	9
22	Pneumonia.....	668	113	91	112	77	54	31	22	17	24	24	43	60
(23)	Bronchopneumonia.....	563	88	82	93	58	68	21	34	12	17	33	38	49
25	Diarrhea and enteritis (under 2 years).....	588	12	9	13	12	13	31	168	131	88	47	50	14
(37)	Diarrhea and enteritis (2 years and over).....	73	8		2	4	5	6	9	13	9	10	3	4
(33)	Congenital debility ¹	229	18	19	21	23	14	8	18	38	30	15	15	10
35	Violent deaths (excluding suicide).....	478	35	30	34	41	32	53	53	48	46	37	31	38
36	Suicide.....	136	14	6	12	18	7	11	16	7	16	7	10	12
	All other causes.....	5,846	561	518	609	521	523	447	436	439	419	405	463	505
BALTIMORE, MD. (WHITE).														
	All causes.....	7,879	762	707	848	671	643	552	682	623	589	537	605	660
1	Typhoid fever.....	109	5	4	3	6	4	10	7	7	16	18	17	12
3	Malaria.....	3						1						1
5	Measles.....	6	3	1	1		1							
6	Scarlet fever.....	26	4	5	9	2		1		1		2		
7	Whooping cough.....	41	3	4	2	4	7	3	8	2	1	1		
8	Diphtheria and croup.....	78	16	5	5	4	5	1	3	7	4	5	15	8
9	Influenza.....	34	8	5	9	2	3	2	1	1			1	2
13	Tuberculosis of the lungs.....	757	65	87	92	68	56	56	69	39	52	47	51	75
14-15	Other forms of tuberculosis.....	95	7	3	13	9	10	5	8	6	10	7	6	6
17	Meningitis.....	42	3	4	1	4	4	5	7	2	4	3	3	2
20-21	Bronchitis.....	102	9	12	14	14	7	3	3	4	5	9	14	8
22	Pneumonia.....	448	73	63	78	49	37	20	13	13	14	16	32	40
(23)	Bronchopneumonia.....	401	38	57	73	39	49	14	26	7	13	18	27	40
25	Diarrhea and enteritis (under 2 years).....	478	12	9	12	9	10	27	134	109	67	38	42	9
(37)	Diarrhea and enteritis (2 years and over).....	55	6		1	3	4	6	8	9	6	7	2	3
(33)	Congenital debility ¹	160	11	10	16	15	11	6	12	29	21	10	11	8
35	Violent deaths (excluding suicide).....	350	28	24	28	33	24	45	41	38	34	29	25	31
36	Suicide.....	130	14	6	11	17	7	11	16	6	16	7	7	12
	All other causes.....	4,535	457	403	479	393	403	331	326	343	326	320	351	403
BALTIMORE, MD. (COLORED).														
	All causes.....	2,607	245	239	261	253	227	204	231	209	196	178	188	176
1	Typhoid fever.....	22	3	2			1	4	2	2	2	4		2
3	Malaria.....	1						1						
5	Measles.....	7			3			1	1	2				
6	Scarlet fever.....													
7	Whooping cough.....	42	2	3		6	3	5	9	6		3	2	1
8	Diphtheria and croup.....	8			2		2				1		2	
9	Influenza.....	17	3	4	3			1						1
13	Tuberculosis of the lungs.....	421	44	41	46	39	40	33	29	39	31	33	23	23
14-15	Other forms of tuberculosis.....	47	2	2	5	5	1	7	4	6	6	4	4	1
17	Meningitis.....	17	4	1	1	2	4	2	1	4			1	1
20-21	Bronchitis.....	31	7	3	2	1	5	2	5	3	1	1		1
22	Pneumonia.....	220	40	28	34	28	17	11	9	4	10	8	11	20
(23)	Bronchopneumonia.....	162	20	25	20	19	19	7	8	5	4	15	11	9
25	Diarrhea and enteritis (under 2 years).....	110			3	3	4	34	22	21	9	8	5	5
(37)	Diarrhea and enteritis (2 years and over).....	18			1	1	1	1	4	3	3	1	1	1
(33)	Congenital debility ¹	69	7	9	5	8	3	2	6	9	9	5	4	2
35	Violent deaths (excluding suicide).....	98	7	6	6	8	8	8	12	10	12	8	6	7
36	Suicide.....	6			1					1			3	
	All other causes.....	1,311	104	115	130	128	120	116	110	96	93	85	112	102

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

641

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
BOSTON, MASS. (TOTAL).														
	All causes.....	11,831	1,168	998	1,143	1,118	983	966	785	874	886	929	929	1,052
1	Typhoid fever.....	66	14	8	6	2	2	4	-----	3	10	4	7	6
3	Malaria.....	60	1	-----	4	6	11	10	8	2	2	-----	9	7
5	Measles.....	60	12	2	12	6	7	4	7	2	2	5	2	7
6	Scarlet fever.....	47	3	3	5	1	2	4	5	4	6	6	4	4
7	Whooping cough.....	168	18	12	14	13	14	10	8	12	7	17	22	21
8	Diphtheria and croup.....	24	4	6	2	8	2	-----	1	-----	-----	-----	-----	1
9	Influenza.....	1,029	83	97	92	84	87	87	79	85	70	85	77	103
13	Tuberculosis of the lungs.....	230	20	16	25	22	17	21	22	22	18	18	15	14
14-15	Other forms of tuberculosis.....	74	8	4	5	10	10	7	6	5	5	3	5	6
17	Meningitis.....	118	12	9	10	21	12	7	5	6	6	5	12	13
20-21	Bronchitis.....	971	129	76	143	133	98	57	31	34	39	61	77	93
22	Pneumonia.....	428	49	41	45	55	43	36	16	24	16	30	30	43
(23)	Bronchopneumonia.....	474	10	22	18	23	14	26	40	92	108	69	27	25
25	Diarrhea and enteritis (under 2 years).....	70	8	5	7	3	1	2	6	5	14	11	2	6
(37)	Diarrhea and enteritis (2 years and over).....	97	6	5	10	6	5	12	8	7	8	11	12	7
(33)	Congenital debility ¹	744	64	58	63	65	52	88	47	66	62	59	58	62
35	Violent deaths (excluding suicide).....	133	10	7	13	9	12	14	11	16	14	11	7	9
36	Suicide.....	7,032	717	627	669	651	594	577	485	489	501	534	563	625
	All other causes.....													
BOSTON, MASS. (WHITE).														
	All causes.....	11,426	1,130	965	1,111	1,076	945	929	754	838	855	904	898	1,021
1	Typhoid fever.....	64	14	8	6	2	2	4	-----	3	8	4	7	6
3	Malaria.....	60	1	-----	4	6	11	10	8	2	2	-----	9	7
5	Measles.....	60	12	2	12	6	7	4	7	2	2	5	2	7
6	Scarlet fever.....	45	3	3	5	1	2	3	4	4	6	6	4	4
7	Whooping cough.....	165	18	12	14	12	14	8	8	12	7	17	22	21
8	Diphtheria and croup.....	23	4	6	2	8	1	-----	1	-----	-----	-----	-----	1
9	Influenza.....	936	77	92	85	75	74	76	71	74	63	80	70	99
13	Tuberculosis of the lungs.....	214	19	16	23	21	17	19	20	19	16	18	13	13
14-15	Other forms of tuberculosis.....	73	8	4	5	10	10	7	6	4	5	3	5	6
17	Meningitis.....	116	12	9	10	20	12	7	5	6	5	5	12	13
20-21	Bronchitis.....	939	127	72	137	127	95	55	29	32	39	59	74	93
22	Pneumonia.....	416	46	41	43	55	43	35	16	23	16	28	29	41
(23)	Bronchopneumonia.....	462	10	22	18	21	14	25	40	39	106	67	27	28
25	Diarrhea and enteritis (under 2 years).....	69	8	5	7	3	1	2	5	5	14	11	2	6
(37)	Diarrhea and enteritis (2 years and over).....	98	6	4	10	6	5	12	8	7	8	11	12	7
(33)	Congenital debility ¹	727	60	57	63	62	50	88	46	66	62	58	54	61
35	Violent deaths (excluding suicide).....	133	10	7	13	9	12	14	11	16	14	11	7	9
36	Suicide.....	6,822	695	605	654	632	575	560	469	474	484	521	549	604
	All other causes.....													
BOSTON, MASS. (COLORED).														
	All causes.....	405	38	33	32	42	38	37	31	36	31	25	31	31
1	Typhoid fever.....	2	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----
3	Malaria.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5	Measles.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
6	Scarlet fever.....	2	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
7	Whooping cough.....	3	-----	-----	-----	-----	-----	2	1	-----	-----	-----	-----	-----
8	Diphtheria and croup.....	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
9	Influenza.....	93	6	5	7	9	13	11	8	11	7	5	7	4
13	Tuberculosis of the lungs.....	16	1	-----	2	1	-----	2	2	-----	-----	-----	2	1
14-15	Other forms of tuberculosis.....	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
17	Meningitis.....	32	2	4	6	1	3	2	2	2	-----	2	3	-----
20-21	Bronchitis.....	12	3	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
22	Pneumonia.....	12	3	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
(23)	Bronchopneumonia.....	12	3	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
25	Diarrhea and enteritis (under 2 years).....	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
(37)	Diarrhea and enteritis (2 years and over).....	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
(33)	Congenital debility ¹	17	4	1	-----	3	2	-----	1	-----	-----	1	4	1
35	Violent deaths (excluding suicide).....	210	22	22	15	19	19	17	16	15	17	13	14	21
36	Suicide.....													
	All other causes.....													
CAMBRIDGE, MASS.														
	All causes.....	1,452	140	126	145	142	118	97	94	111	107	124	118	130
1	Typhoid fever.....	2	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
3	Malaria.....	12	2	2	1	-----	1	-----	-----	-----	2	3	-----	1
5	Measles.....	10	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
6	Scarlet fever.....	10	1	1	-----	2	1	2	-----	-----	-----	2	-----	-----
7	Whooping cough.....	17	1	2	2	1	1	2	-----	2	1	2	1	3
8	Diphtheria and croup.....	6	1	1	1	1	-----	-----	-----	-----	1	-----	1	1
9	Influenza.....	185	15	14	19	17	14	22	11	13	17	12	13	18
13	Tuberculosis of the lungs.....	23	3	1	2	6	2	2	-----	1	-----	2	2	2
14-15	Other forms of tuberculosis.....	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
17	Meningitis.....	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
20-21	Bronchitis.....	30	3	5	3	6	4	2	1	1	2	2	1	2
22	Pneumonia.....	100	8	11	16	18	14	1	3	3	3	6	9	8
(23)	Bronchopneumonia.....	77	16	11	11	9	6	1	-----	3	2	7	5	6
25	Diarrhea and enteritis (under 2 years).....	68	3	2	3	4	3	4	7	15	12	10	2	3
(37)	Diarrhea and enteritis (2 years and over).....	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
(33)	Congenital debility ¹	19	1	1	2	-----	-----	-----	2	3	-----	4	3	2
35	Violent deaths (excluding suicide).....	74	3	6	8	5	7	4	4	6	7	6	12	6
36	Suicide.....	4	1	-----	1	-----	-----	-----	-----	-----	-----	1	-----	1
	All other causes.....	804	83	68	72	72	64	55	62	60	61	66	67	74

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
FALL RIVER, MASS.														
	All causes.....	2,167	230	158	194	179	183	144	228	189	192	158	153	159
1	Typhoid fever.....	12			2	1	2		2	1	1		1	2
3	Malaria.....	3												1
5	Measles.....	13	1	3	3		1	2					1	1
6	Scarlet fever.....	22	1	1	3		4		1	1			2	1
7	Whooping cough.....	26	5	2	6	3	2	2	1	1	1		2	4
8	Diphtheria and croup.....	5	2	1	1	1	1	1						
9	Influenza.....	17	9	5	9	4	5	3	2	2	2		2	3
13	Tuberculosis of the lungs.....	184	17	15	19	14	25	13	21	15	9	16	13	7
14-15	Other forms of tuberculosis.....	27	3	5	1	2	1	3	1	1	1	4	2	3
17	Meningitis.....	11		2		4	1	1	2	2			1	1
20-21	Bronchitis.....	41	9	5	9	5	1	3	2	2		2	3	3
22	Pneumonia.....	90	15	14	17	11	10	8	2	1	4	3	8	6
(23)	Bronchopneumonia.....	194	43	28	27	17	20	10	11	3	7	4	10	14
25	Diarrhea and enteritis (under 2 years).....	371	68	7	6	11	16	24	33	84	64	37	24	9
(37)	Diarrhea and enteritis (2 years and over).....	18	2		1	1			3	3	1	5	1	1
(33)	Congenital debility ¹	60	2	1	1	2	3	2	9	12	8	12	5	3
35	Violent deaths (excluding suicide).....	61	5	6	8	6	8	2	8	5	2	2	5	6
36	Suicide.....	17	2	2	2	2	1	1	3	1		1		2
	All other causes.....	1,004	117	66	89	98	91	62	85	60	94	68	78	96
LOWELL, MASS.														
	All causes.....	1,769	153	170	182	155	146	111	114	141	145	162	143	147
1	Typhoid fever.....	12	1	1		1	1	1	3	2		2		
3	Malaria.....	12												
5	Measles.....	12	1	3	6		1			1				
6	Scarlet fever.....	9	1	1										
7	Whooping cough.....	2			1					1	1			2
8	Diphtheria and croup.....	26	5	6	3	1	2		1	1	1		3	6
9	Influenza.....	8		1	1	2								
13	Tuberculosis of the lungs.....	106	16	11	11	9	8	11	6	8	4	7	6	9
14-15	Other forms of tuberculosis.....	32	1	4	3	2	3	3	3	4	2	3	3	1
17	Meningitis.....	17	1	4	2	1	1	1	3	3	4	1		6
20-21	Bronchitis.....	68	7	12	12	5	3	4	2	3	5	6	3	1
22	Pneumonia.....	93	14	15	12	13	6	2	4	1	3	5	9	9
(23)	Bronchopneumonia.....	74	6	10	17	8	5	3	3	1	2	4	6	9
25	Diarrhea and enteritis (under 2 years).....	156	2	5	4	8	2	8	15	42	40	24	5	2
(37)	Diarrhea and enteritis (2 years and over).....	13	1	1	1				2	4	1	2	2	1
(33)	Congenital debility ¹	60	7	3	7	7	5	2	5	3	7	6	4	4
35	Violent deaths (excluding suicide).....	32	4	9	10	7	4	3	9	6	7	6	11	6
36	Suicide.....	10			1	1	3	1				2	1	1
	All other causes.....	994	86	86	91	90	102	72	58	65	70	92	92	90
WORCESTER, MASS.														
	All causes.....	2,483	233	227	221	244	212	199	196	212	182	183	173	201
1	Typhoid fever.....	6	1			1	1		1		1	1		
3	Malaria.....	18	2		1	4	1	8	2					
5	Measles.....	7	1	1	1	1	2							
6	Scarlet fever.....	13	1	1	2	1	1			3	2	1	2	
7	Whooping cough.....	19	4	2	1	2			1	1	2	2	2	3
8	Diphtheria and croup.....	4	1	1	1		1					1		
9	Influenza.....	189	16	15	15	17	14	29	18	12	10	14	14	14
13	Tuberculosis of the lungs.....	41	4	5	4	3	8	2	7	1	1	1	1	4
14-15	Other forms of tuberculosis.....	4				2								
17	Meningitis.....	49	3	10	5	2	8	4	2	1	3	2	2	7
20-21	Bronchitis.....	153	24	20	17	20	17	7	3	5	3	10	6	21
22	Pneumonia.....	118	17	15	11	19	11	10	4	4	1	8	7	11
(23)	Bronchopneumonia.....	114	3	4	1	4	5	4	21	27	27	11	6	1
25	Diarrhea and enteritis (under 2 years).....	13	2	2	2	2	1	1	1	5	5	1	1	1
(37)	Diarrhea and enteritis (2 years and over).....	38	2	2	4	5	4		3	3	3	1	3	6
(33)	Congenital debility ¹	126	11	14	10	12	7	14	13	13	5	12	7	8
35	Violent deaths (excluding suicide).....	27	3	1	2	2	3	2		5	1	3	3	4
36	Suicide.....	1,545	143	133	144	148	130	118	120	135	118	116	119	121
	All other causes.....													
DETROIT, MICH.														
	All causes.....	8,400	702	752	873	724	721	640	667	738	659	616	590	718
1	Typhoid fever.....	78	6	5	7	1	5	3	11	9	10	4	7	8
3	Malaria.....	41		8		6	8	2				1	1	2
5	Measles.....	52	5	5	5	6	6		4	5	4	6	5	1
6	Scarlet fever.....	84	11	7	12	6	12	15	4	12	2	2		5
7	Whooping cough.....	157	15	21	16	7	12	13	5	9	14	8	14	23
8	Diphtheria and croup.....	20	3	6	3	5		1					2	
9	Influenza.....	557	40	45	56	50	54	46	57	36	39	40	43	51
13	Tuberculosis of the lungs.....	98	5	11	9	13	12	12	11	1	6	3	3	12
14-15	Other forms of tuberculosis.....	115	3	10	14	8	12	10	8	12	8	14	11	5
17	Meningitis.....	135	9	17	22	11	4	7	1	10	9	9	13	23
20-21	Bronchitis.....	491	62	58	91	61	43	25	15	13	13	22	31	57
22	Pneumonia.....	427	54	67	69	55	33	16	9	17	14	20	23	45
(23)	Bronchopneumonia.....	657	26	35	35	31	28	42	101	173	80	54	24	28
25	Diarrhea and enteritis (under 2 years).....	60	5	4	2	5	5	5	5	14	9	7	3	1
(37)	Diarrhea and enteritis (2 years and over).....	291	13	15	15	16	23	19	44	38	42	36	16	14
(33)	Congenital debility ¹	514	31	42	46	38	55	68	48	43	44	40	33	26
35	Violent deaths (excluding suicide).....	102	7	6	6	6	7	11	11	9	8	9	9	8
36	Suicide.....	4,522	403	388	456	402	402	345	334	338	356	343	346	409

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
GRAND RAPIDS, MICH.														
	All causes.....	1,593	144	166	150	148	147	111	106	137	109	114	129	132
1	Typhoid fever.....	34	2	3	5	6	2	1	1	4	4	4	4	3
3	Malaria.....	2	1	2	1	1	1	1	1	1	1	1	1	1
5	Measles.....	5	1	2	1	1	1	1	1	1	1	1	1	1
5	Scarlet fever.....	22	5	3	2	3	4	1	1	2	2	2	2	1
6	Whooping cough.....	6	1	1	1	1	1	1	1	1	1	1	1	1
7	Diphtheria and croup.....	33	2	4	4	2	2	1	5	1	7	2	2	1
8	Influenza.....	7	2	4	3	1	1	1	1	1	1	1	1	1
9	Tuberculosis of the lungs.....	84	6	18	4	10	6	8	1	6	5	2	12	6
14-15	Other forms of tuberculosis.....	13	2	2	1	1	1	1	1	1	2	1	1	2
17	Meningitis.....	17	1	3	1	2	1	1	1	4	1	3	1	2
20-21	Bronchitis.....	25	2	7	3	4	1	2	2	1	1	1	1	2
22	Pneumonia.....	59	14	9	7	4	5	6	1	3	3	4	3	3
(23)	Bronchopneumonia.....	34	2	4	9	3	6	2	1	1	3	3	1	1
25	Diarrhea and enteritis (under 2 years).....	52	2	2	3	4	2	2	4	15	9	6	3	2
(37)	Diarrhea and enteritis (2 years and over).....	23	1	1	2	3	2	1	1	3	3	1	3	2
(33)	Congenital debility ¹	54	8	6	4	5	7	4	2	6	4	2	3	4
35	Violent deaths (excluding suicide).....	62	5	8	1	3	7	3	5	7	3	8	8	3
36	Suicide.....	27	5	3	3	1	3	4	1	2	2	2	2	2
	All other causes.....	1,034	87	93	96	96	99	74	81	88	65	76	80	99
MINNEAPOLIS, MINN.														
	All causes.....	4,116	420	324	397	389	390	284	353	298	303	313	329	316
1	Typhoid fever.....	43	3	2	3	1	3	3	4	5	2	6	6	5
3	Malaria.....	9	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	90	12	12	17	20	20	7	4	2	3	1	1	1
6	Scarlet fever.....	44	2	2	4	9	12	3	4	2	1	1	1	1
7	Whooping cough.....	145	26	12	15	8	10	7	10	10	7	14	13	13
8	Diphtheria and croup.....	14	2	1	2	5	1	1	1	1	1	1	1	2
9	Influenza.....	390	31	40	41	45	35	18	35	28	25	31	33	28
14-15	Other forms of tuberculosis.....	78	5	7	5	5	6	9	7	9	3	3	7	12
17	Meningitis.....	19	2	2	3	1	1	1	4	2	1	2	2	1
20-21	Bronchitis.....	29	2	3	6	5	4	1	1	1	1	1	3	1
22	Pneumonia.....	253	38	31	42	34	20	9	9	7	8	15	21	19
(23)	Bronchopneumonia.....	165	25	20	18	19	14	11	10	5	8	8	11	16
25	Diarrhea and enteritis (under 2 years).....	141	10	4	6	8	8	9	17	29	19	15	8	8
(37)	Diarrhea and enteritis (2 years and over).....	34	1	1	6	2	1	1	4	8	5	2	1	3
(33)	Congenital debility ¹	27	2	1	1	1	5	2	1	1	3	1	6	5
35	Violent deaths (excluding suicide).....	264	20	22	10	17	29	20	30	28	21	30	21	16
36	Suicide.....	87	10	6	7	11	6	10	11	2	6	11	5	2
	All other causes.....	2,284	231	160	210	196	212	170	207	161	190	173	190	184
ST. PAUL, MINN.														
	All causes.....	2,680	261	225	257	242	241	220	226	219	201	176	231	191
1	Typhoid fever.....	26	1	1	1	2	2	2	4	2	2	5	5	2
3	Malaria.....	3	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	46	6	2	8	14	4	2	3	1	1	4	4	1
6	Scarlet fever.....	9	1	1	1	1	1	1	4	4	1	1	1	1
7	Whooping cough.....	69	2	2	10	10	8	5	12	4	9	3	3	3
8	Diphtheria and croup.....	11	2	2	1	4	1	1	1	1	1	1	1	2
9	Influenza.....	269	19	23	26	25	24	26	35	22	17	15	20	17
14-15	Other forms of tuberculosis.....	56	5	8	4	3	8	5	3	4	3	2	2	4
17	Meningitis.....	17	1	2	1	1	1	1	3	3	1	1	1	1
20-21	Bronchitis.....	22	4	2	6	1	2	2	2	2	2	2	1	1
22	Pneumonia.....	173	17	15	22	31	15	12	2	4	10	6	15	20
(23)	Bronchopneumonia.....	94	9	12	15	8	11	5	4	4	1	6	12	7
25	Diarrhea and enteritis (under 2 years).....	99	8	4	2	4	5	5	14	19	17	4	12	5
(37)	Diarrhea and enteritis (2 years and over).....	33	3	1	3	2	2	2	5	9	3	4	3	2
(33)	Congenital debility ¹	31	3	3	1	3	4	1	1	2	2	4	1	2
35	Violent deaths (excluding suicide).....	212	16	22	11	18	20	23	16	15	15	25	22	9
36	Suicide.....	40	3	1	2	2	2	5	3	3	4	7	7	3
	All other causes.....	1,480	164	124	144	113	132	120	111	116	116	101	124	115
KANSAS CITY, MO. (TOTAL).														
	All causes.....	3,939	356	302	367	332	311	312	342	353	277	315	344	328
1	Typhoid fever.....	46	3	2	6	3	4	3	10	3	3	7	7	2
3	Malaria.....	3	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	3	1	1	1	1	1	1	1	1	1	1	1	1
6	Scarlet fever.....	43	6	2	8	14	4	2	3	1	1	4	4	1
7	Whooping cough.....	4	1	1	1	1	1	1	4	4	1	1	1	1
8	Diphtheria and croup.....	68	2	6	3	7	2	3	3	2	2	2	2	2
9	Influenza.....	20	6	3	5	3	5	6	1	2	1	13	8	11
13	Tuberculosis of the lungs.....	385	33	29	35	45	32	6	3	8	3	4	2	2
14-15	Other forms of tuberculosis.....	43	1	4	1	6	3	1	3	2	2	1	2	2
17	Meningitis.....	48	5	7	6	7	4	2	4	4	3	3	6	4
20-21	Bronchitis.....	227	37	31	33	27	23	7	8	7	7	11	17	22
22	Pneumonia.....	105	18	9	14	12	7	2	4	7	5	8	7	12
(23)	Bronchopneumonia.....	150	11	6	7	5	2	13	33	28	14	11	6	14
25	Diarrhea and enteritis (under 2 years).....	40	2	1	2	2	2	4	7	6	7	5	5	5
(37)	Diarrhea and enteritis (2 years and over).....	22	1	1	2	2	2	1	3	3	2	3	3	3
(33)	Congenital debility ¹	327	27	15	22	22	20	39	37	34	26	23	32	30
35	Violent deaths (excluding suicide).....	114	6	10	12	4	11	12	8	7	10	12	11	11
36	Suicide.....	27	5	3	3	1	3	4	1	2	2	2	2	2
	All other causes.....	2,273	200	168	216	172	189	175	196	215	167	193	210	172

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
KANSAS CITY, MO. (WHITE).														
	All causes	3,305	307	253	308	270	255	253	294	295	231	273	291	275
1	Typhoid fever.....	33	2	1	4	1	4	3	9	3	2	2	2
3	Malaria.....	6	1	1	2	2	1
5	Measles.....	3	1	1	1
6	Scarlet fever.....	4	1	1	1
7	Whooping cough.....	27	2	6	2	7	1	1	3	3	2
8	Diphtheria and croup.....	66	3	9	5	4	5	4	1	2	1	13	8	11
9	Influenza.....	14	5	1	3	2	2
13	Tuberculosis of the lungs.....	254	20	19	24	33	19	28	24	12	13	14	21	27
14-15	Other forms of tuberculosis.....	37	1	4	1	3	6	2	3	8	3	3	2	1
17	Meningitis.....	21	2	1	4	6	2	1	2	2	1
20-21	Bronchitis.....	40	2	7	6	5	6	2	6	3
22	Pneumonia.....	193	35	22	32	23	19	6	6	4	7	7	13	19
(23)	Bronchopneumonia.....	80	15	7	11	8	4	5	5	4	6	9
25	Diarrhea and enteritis (under 2 years).....	141	11	6	6	3	1	12	32	27	14	10	5	14
(37)	Diarrhea and enteritis (2 years and over).....	35	2	1	2	2	3	7	3	4	7	5
(33)	Congenital debility ¹	22	1	2	5
(35)	Violent deaths (excluding suicide).....	261	24	12	17	19	17	30	28	25	21	22	28	18
36	Suicide.....	111	6	9	12	3	11	11	8	7	10	12	11	11
	All other causes.....	1,957	174	147	180	146	160	149	170	182	144	174	179	152
KANSAS CITY, MO. (COLORED).														
	All causes	634	49	49	59	62	56	59	48	58	46	42	53	53
1	Typhoid fever.....	13	1	1	2	2	1	1	5
3	Malaria.....	2	1
5	Measles.....
6	Scarlet fever.....
7	Whooping cough.....	6	1	1	2	2
8	Diphtheria and croup.....	2
9	Influenza.....	6	2
13	Tuberculosis of the lungs.....	131	13	10	11	12	13	13	8	8	16	9	7	11
14-15	Other forms of tuberculosis.....	6	3	1	1	1
17	Meningitis.....	2	1	1
20-21	Bronchitis.....	8	2	2	2	1	1
22	Pneumonia.....	34	2	9	1	4	4	1	2	2	4	4	4	3
(23)	Bronchopneumonia.....	25	3	2	3	4	1	2	2	4	1	1	3
25	Diarrhea and enteritis (under 2 years).....	9	1	2	1	1	1	1	1	1	1
(37)	Diarrhea and enteritis (2 years and over).....	5	1	1	1	2
(33)	Congenital debility ¹
35	Violent deaths (excluding suicide).....	66	3	3	5	3	3	9	9	9	5	1	4	12
36	Suicide.....	3	1	1	1	1	1
	All other causes.....	316	26	21	36	26	29	26	26	33	23	19	31	20
ST. LOUIS, MO. (TOTAL).														
	All causes	11,052	1,063	930	1,172	1,016	932	872	870	813	769	825	874	916
1	Typhoid fever.....	88	8	4	5	2	4	6	13	9	11	14	6	6
2	Malaria.....	22	1	1	1	6	3	2	3	2	2
5	Measles.....	70	8	8	15	17	15	4	3
6	Scarlet fever.....	140	9	12	28	12	15	15	6	8	5	7	10	13
7	Whooping cough.....	88	4	7	7	14	17	13	14	9	2	1
8	Diphtheria and croup.....	255	19	19	22	15	17	9	10	16	22	18	47	41
9	Influenza.....	69	14	13	14	15	2	1	2	1	1	3	3
13	Tuberculosis of the lungs.....	1,065	88	92	130	115	77	90	75	67	78	74	100	79
14-15	Other forms of tuberculosis.....	141	10	10	18	17	16	10	19	12	7	11	8	3
17	Meningitis.....	32	1	4	3	2	6	3	3	2	1	3	1	3
20-21	Bronchitis.....	225	24	32	37	23	13	11	10	7	9	18	15	26
22	Pneumonia.....	706	114	82	107	86	50	26	21	26	25	40	61	68
(23)	Bronchopneumonia.....	417	68	50	50	52	39	31	17	13	12	20	25	40
25	Diarrhea and enteritis (under 2 years).....	450	23	23	31	22	21	30	67	65	68	60	21	19
(37)	Diarrhea and enteritis (2 years and over).....	88	8	1	8	7	3	11	13	9	13	9	4	2
(33)	Congenital debility ¹	65	3	6	5	2	5	6	7	9	10	8	4
35	Violent deaths (excluding suicide).....	685	48	47	85	49	53	71	88	62	37	43	50	52
36	Suicide.....	269	26	18	16	24	30	19	24	28	15	32	20	17
	All other causes.....	6,177	587	507	590	538	552	516	473	470	452	462	492	538
ST. LOUIS, MO. (WHITE).														
	All causes	9,786	955	829	1,064	894	809	758	743	725	687	731	773	818
1	Typhoid fever.....	83	7	4	5	2	4	6	12	8	11	13	6	5
3	Malaria.....	18	1	1	1	4	3	2	2	2	1
5	Measles.....	68	8	8	15	17	15	2	3
6	Scarlet fever.....	134	9	12	28	12	13	14	5	7	5	7	9	13
7	Whooping cough.....	73	4	7	7	13	17	11	6	5	2	1
8	Diphtheria and croup.....	243	18	18	19	13	17	9	10	15	18	18	47	41
9	Influenza.....	58	14	10	9	13	2	2	1	1	3	3
13	Tuberculosis of the lungs.....	826	72	76	106	83	58	64	57	49	58	57	80	66
14-15	Other forms of tuberculosis.....	100	8	7	12	14	11	8	12	8	5	7	6	2
17	Meningitis.....	29	2	4	3	2	6	2	2	2	1	3	3
20-21	Bronchitis.....	204	20	30	34	22	12	7	10	7	8	17	14	23
22	Pneumonia.....	608	93	63	95	75	44	22	16	24	19	36	56	60
(23)	Bronchopneumonia.....	359	64	46	42	45	37	24	14	11	10	15	18	33
25	Diarrhea and enteritis (under 2 years).....	428	21	22	30	21	20	23	63	62	67	56	19	19
(37)	Diarrhea and enteritis (2 years and over).....	84	7	1	8	6	3	11	11	9	13	9	4	2
(33)	Congenital debility ¹	57	6	5	2	5	5	3	3	9	7	4
35	Violent deaths (excluding suicide).....	594	40	39	79	42	47	61	71	53	35	37	43	47
36	Suicide.....	267	26	18	16	24	30	19	24	27	15	32	19	17
	All other causes.....	5,533	535	463	550	484	471	464	416	432	408	412	439	479

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

645

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
ST. LOUIS, MO. (COLORED).														
	All causes.....	1,266	108	101	108	122	123	114	127	88	82	94	101	98
1	Typhoid fever.....	5	1						1	1		1		1
3	Malaria.....	2							2			1		1
5	Measles.....	2						2	1					
6	Scarlet fever.....	2						2	1					
7	Whooping cough.....	15				1	2	1	8	1			1	
8	Diphtheria and croup.....	12	1	1	3	2			2	1				
9	Influenza.....	11		3	5	2			1	1	4			
13	Tuberculosis of the lungs.....	239	16	16	24	32	19	26	18	18	20	17	20	13
14-15	Other forms of tuberculosis.....	41	2	3	6	3	5	2	7	4	2	4	2	1
17	Meningitis.....	3						1	1				1	
20-21	Bronchitis.....	21	4	2		1	1	4	1		1	1	1	3
22	Pneumonia.....	98	16	19	12	11	6	4	5	2	6	4	5	8
(23)	Bronchopneumonia.....	58	4	4	8	7	2	7	3	2	2	5	7	7
25	Diarrhea and enteritis (under 2 years).....	22	2	1	1	1	1	2	4	3	1	4	2	
(37)	Diarrhea and enteritis (2 years and over).....	4	1			1			2					
(33)	Congenital debility ¹	8	1						1	4		1	1	
35	Violent deaths (excluding suicide).....	91	8	8	6	7	6	10	17	9	2	6	7	5
36	Suicide.....	2								1			1	
	All other causes.....	624	52	44	40	54	31	52	57	38	44	50	53	59
OMAHA, NEBB.														
	All causes.....	1,337	160	154	168	162	172	133	173	147	132	136	162	138
1	Typhoid fever.....	6		1	1		1		1	1	1			
3	Malaria.....	2												
5	Measles.....	2		1										1
6	Scarlet fever.....	17	6	4	5		1					1		
7	Whooping cough.....	10	2	1	2	2		2	1					
8	Diphtheria and croup.....	57	12	4	5	7	6	4	4	1	4	1	2	7
9	Influenza.....	11	2	1	2	1	3							1
13	Tuberculosis of the lungs.....	135	6	14	14	17	16	9	11	10	8	12	10	8
14-15	Other forms of tuberculosis.....	29		3	1	2	1	3	3	6	1	3	4	2
17	Meningitis.....	12	2			2	1	1	1		2	2		
20-21	Bronchitis.....	18	5	6		1	2			1	1	2	2	
22	Pneumonia.....	94	16	12	9	12	5	6	3	7	6	3	6	9
(23)	Bronchopneumonia.....	78	13	9	12	9	8	1	5	1	5	1	9	5
25	Diarrhea and enteritis (under 2 years).....	53		5	1	2	2	19	4	7	7	4	3	4
(37)	Diarrhea and enteritis (2 years and over).....	14		1	1			1	4	2	3	2	2	
(33)	Congenital debility ¹	32	5		1		8		1	2	5	2	5	3
35	Violent deaths (excluding suicide).....	128	10	5	9	6	14	18	21	14	7	8	11	5
36	Suicide.....	48	1	4	5	5	3	3	4	4	7	8	2	2
	All other causes.....	1,033	80	83	100	96	100	83	100	91	76	87	108	89
JERSEY CITY, N. J.														
	All causes.....	4,042	391	334	420	317	348	256	312	334	303	306	321	400
1	Typhoid fever.....	22		1	2	1	1		2	4	2	2	3	4
3	Malaria.....	2												
5	Measles.....	13	2	1		2	3	3	2					
6	Scarlet fever.....	22	2	3	4	4	1	1		2	2	2	2	
7	Whooping cough.....	12	2	1	1			2	1					
8	Diphtheria and croup.....	91	4	5	6	4	7	9	7	3	5	14	12	11
9	Influenza.....	11	1	1	1	4	1						1	2
13	Tuberculosis of the lungs.....	410	49	39	52	37	29	20	31	28	31	21	34	39
14-15	Other forms of tuberculosis.....	64	3	1	6	6	7	7	3	6	6	1	10	10
17	Meningitis.....	31	2	2	2	2	4	2	2	1	3	3	3	3
20-21	Bronchitis.....	64	8	8	8	8	8	6	5	5	4	4	3	2
22	Pneumonia.....	380	44	46	47	28	27	13	11	8	16	16	32	42
(23)	Bronchopneumonia.....	163	21	18	32	13	11	11	4	7	8	4	16	18
25	Diarrhea and enteritis (under 2 years).....	252	6	6	14	13	7	7	50	65	42	25	11	8
(37)	Diarrhea and enteritis (2 years and over).....	42	1	3	4	2	3	1	6	8	2	6	3	3
(33)	Congenital debility ¹	63	4	3	3	4	3		10	7	7	7	5	10
35	Violent deaths (excluding suicide).....	227	20	9	15	14	32	19	18	14	19	26	16	25
36	Suicide.....	45	6	2	5	1	2	6	2	3	6	1	4	7
	All other causes.....	2,180	216	185	214	174	202	149	156	176	148	169	175	216
NEWARK, N. J.														
	All causes.....	5,650	516	551	605	464	513	400	442	446	426	387	410	490
1	Typhoid fever.....	29	2	1		3	6	3	2	2	3	3	2	2
3	Malaria.....	2												
5	Measles.....	71	14	17	20	8	6	3	2					1
6	Scarlet fever.....	27	6	2	5	2	4	1	3	1			1	1
7	Whooping cough.....	23	2	1	1	2	3	3	3			1	1	1
8	Diphtheria and croup.....	43	2	4	6	3	5	1	1	4		3	5	8
9	Influenza.....	22	7	5	4	5		1						
13	Tuberculosis of the lungs.....	612	62	53	69	60	59	39	42	39	43	38	55	48
14-15	Other forms of tuberculosis.....	79	5	6	11	5	9	6	5	5	9	6	6	6
17	Meningitis.....	28		2	3	4	2	2	5	3	1		3	3
20-21	Bronchitis.....	94	13	13	20	10	6		2	5	4	7	4	10
22	Pneumonia.....	420	35	69	64	45	52	27	16	7	12	20	32	41
(23)	Bronchopneumonia.....	301	33	48	44	25	26	19	10	13	11	14	24	34
25	Diarrhea and enteritis (under 2 years).....	405	13	8	9	12	10	19	94	102	62	35	22	20
(37)	Diarrhea and enteritis (2 years and over).....	47	1	2		3	3	6	5	10	8	6	3	
(33)	Congenital debility ¹	80	3		9	11	10	5	8	3	7	12	3	4
35	Violent deaths (excluding suicide).....	290	23	22	26	23	32	24	28	20	23	17	26	26
36	Suicide.....	80	5	5	3	7	8	6	5	10	10	7	7	7
	All other causes.....	2,998	290	283	311	236	272	235	211	218	232	215	217	278

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
PATERSON, N. J.														
	All causes.....	1,810	194	156	183	147	152	111	148	142	134	130	141	172
1	Typhoid fever.....	6	1			1			1		1	1		1
3	Malaria.....	1												
5	Measles.....	13	1		1	1	3	3	2	2				
6	Scarlet fever.....	1		1										
7	Whooping cough.....	7		1		1		1		2			1	1
8	Diphtheria and croup.....	21	3			4		1						5
9	Influenza.....	5	1	1	2	1			1		2	1	4	5
13	Tuberculosis of the lungs.....	153	12	16	16	11	20	10	11	14	9	11	7	16
14-15	Other forms of tuberculosis.....	17	1	2	4	3	2	1	2	2		1	2	3
17	Meningitis.....	17	1	1	4	5	5	11	7	1		1	1	2
20-21	Bronchitis.....	25	7	5	3	3	2	1	1	1	1	1	1	3
22	Pneumonia.....	127	13	10	23	10	11	7	7	1		1	1	2
(23)	Bronchopneumonia.....	73	13	10	9	5	4	1	1	3	9	5	5	19
25	Diarrhea and enteritis (under 2 years).....	82	2	3	2	4	1	1	11	28	15	8	4	9
(37)	Diarrhea and enteritis (2 years and over).....	16	1	1	1	2	2	1	1	2	15	1	1	3
(33)	Congenital debility ¹	31		1	6	1	3	3	4	2	4	4	1	2
35	Violent deaths (excluding suicide).....	93	6	9	5	8	8	6	8	12	8	5	8	10
36	Suicide.....	25	3	1	1		2	2	5	2	2	3	2	2
	All other causes.....	1,102	130	94	111	92	89	75	91	73	79	77	93	98
ALBANY, N. Y.														
	All causes.....	1,993	190	174	208	194	140	155	143	143	153	164	149	170
1	Typhoid fever.....	18		2	3	2	1		1	4	1		2	2
3	Malaria.....	2							1					
5	Measles.....	2	1	1										
6	Scarlet fever.....	8								1	3	2	1	1
7	Whooping cough.....	5	1	1		1			2	2				
8	Diphtheria and croup.....	13	1		1	3	2			1	1	1	2	1
9	Influenza.....	14	5	3	1	2						1		
13	Tuberculosis of the lungs.....	253	21	15	30	27	19	28	24	17	15	27	10	20
14-15	Other forms of tuberculosis.....	33	4	2	4	5	2	4	2	2	1	4		3
17	Meningitis.....	15	1	2		1	2	2	2	1	2	1	3	1
20-21	Bronchitis.....	21	2	2	5	1	1	1	3	2	2	2	1	1
22	Pneumonia.....	94	19	15	16	11	8	2	2	1	2	3	7	8
(23)	Bronchopneumonia.....	40	13	2	6	5	2		1	3	2	1	5	5
25	Diarrhea and enteritis (under 2 years).....	46	2	5	2	2	3	2	5	6	11	5	2	3
(37)	Diarrhea and enteritis (2 years and over).....	18	3		1	2	1	2	2	3	3	3	1	2
(33)	Congenital debility ¹	29	2		1	6		1	2	4	6	3	3	1
35	Violent deaths (excluding suicide).....	84	10	9	7	5	8	4	4	5	6	12	5	9
36	Suicide.....	12	1		3	1	1	1	2		1			3
	All other causes.....	1,286	104	115	128	121	87	108	102	103	96	98	113	111
BUFFALO, N. Y.														
	All causes.....	7,045	614	586	737	672	627	546	571	556	549	523	489	575
1	Typhoid fever.....	74	4	6	4	8	3	2	6	4	10	8	10	9
3	Malaria.....	5	2			1								
5	Measles.....	10		1	4	1	3		1					
6	Scarlet fever.....	26	2	1	3	1	3	5				3	1	7
7	Whooping cough.....	75	12	5	16	12	11	10	4	1			2	20
8	Diphtheria and croup.....	67	4	3	1	3	2	6	3	2	5	6	7	2
9	Influenza.....	11	1	3	1	2	1	2	1					
13	Tuberculosis of the lungs.....	649	55	51	69	66	72	54	37	53	53	48	32	59
14-15	Other forms of tuberculosis.....	104	6	4	13	7	10	15	3	8	7	13	4	4
17	Meningitis.....	36	4	2	4	7	3	3	3	3	4	2	4	4
20-21	Bronchitis.....	39	10	14	15	7	3	3	2	3	3	1	2	3
22	Pneumonia.....	318	33	29	59	44	35	11	12	4	17	15	26	33
(23)	Bronchopneumonia.....	343	44	52	52	49	36	23	13	9	10	17	21	22
25	Diarrhea and enteritis (under 2 years).....	534	21	25	26	19	14	26	73	125	109	52	23	21
(37)	Diarrhea and enteritis (2 years and over).....	46	2	1	3	3	6	4	3	8	4	4	3	4
(33)	Congenital debility ¹	54	2	7	2	3	3	1	8	9	4	1	5	3
35	Violent deaths (excluding suicide).....	381	29	20	36	19	39	36	46	32	21	33	44	26
36	Suicide.....	59	2	10	3	6	4	6	8	9	4	2	1	4
	All other causes.....	4,173	381	350	423	415	375	344	344	286	292	320	294	349
NEW YORK, N. Y. (TOTAL).														
	All causes.....	75,020	6,998	6,888	7,724	6,854	6,797	5,404	5,662	5,966	5,468	5,291	5,563	6,405
1	Typhoid fever.....	337	28	17	15	16	29	21	35	32	55	40	26	23
3	Malaria.....	18	1		2	1	3	1	5		3		2	
5	Measles.....	576	74	52	81	93	104	70	30	21	3	10	2	20
6	Scarlet fever.....	486	57	65	68	81	74	48	28	15	8	10	17	17
7	Whooping cough.....	262	12	19	25	34	28	19	30	28	28	20	12	12
8	Diphtheria and croup.....	1,507	145	168	197	165	171	117	111	63	60	87	99	124
9	Influenza.....	225	43	43	62	33	8	3	1	3	2	5	7	15
13	Tuberculosis of the lungs.....	9,204	862	821	962	857	812	728	680	663	674	662	701	782
14-15	Other forms of tuberculosis.....	1,147	80	108	110	116	122	103	102	102	87	71	67	79
17	Meningitis.....	378	29	27	39	36	41	41	24	27	25	26	31	32
20-21	Bronchitis.....	861	95	94	114	79	59	58	46	44	42	56	71	103
22	Pneumonia.....	5,302	624	692	844	553	490	279	182	176	204	272	401	585
(23)	Bronchopneumonia.....	4,302	453	467	540	474	458	295	236	211	180	221	306	461
25	Diarrhea and enteritis (under 2 years).....	3,579	136	126	173	155	184	162	570	895	591	302	149	136
(37)	Diarrhea and enteritis (2 years and over).....	384	20	19	27	35	33	25	46	64	49	30	18	18
(33)	Congenital debility ¹	1,553	127	131	137	119	180	95	101	173	152	133	107	93
35	Violent deaths (excluding suicide).....	3,973	324	280	304	336	344	336	377	378	392	301	288	303
36	Suicide.....	939	82	79	103	89	86	59	68	64	82	87	48	92
	All other causes.....	39,987	3,806	3,680	3,921	3,582	3,571	2,944	2,992	3,002	2,831	2,958	3,190	3,510

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NEW YORK, N. Y. (WHITE).														
	All causes.....	72,382	6,751	6,637	7,462	6,600	6,569	5,209	5,481	5,739	5,282	5,113	5,360	6,179
1	Typhoid fever.....	329	27	17	15	16	28	20	33	31	53	40	26	23
3	Malaria.....	17	1	2	2	1	3	1	5	3	3	1	1	1
5	Measles.....	564	73	52	80	91	101	67	29	20	8	10	13	20
6	Scarlet fever.....	485	57	65	63	81	73	48	26	15	8	10	17	17
7	Whooping cough.....	243	11	19	24	32	27	18	28	25	23	19	12	10
8	Diphtheria and croup.....	1,474	143	163	195	158	166	116	108	60	59	86	97	123
9	Influenza.....	220	41	42	61	33	8	3	1	3	2	4	7	15
13	Tuberculosis of the lungs.....	8,616	811	765	910	805	765	680	643	602	624	617	654	740
14-15	Other forms of tuberculosis.....	1,036	73	103	106	111	116	98	99	95	81	64	62	78
17	Meningitis.....	369	28	27	39	36	38	40	23	26	25	26	30	31
20-21	Bronchitis.....	817	87	90	110	76	54	57	42	43	40	53	68	97
22	Pneumonia.....	5,081	599	662	807	522	465	267	177	170	193	260	386	568
(23)	Bronchopneumonia.....	4,137	432	451	521	456	440	282	228	204	172	216	297	438
25	Diarrhea and enteritis (under 2 years).....	3,459	128	118	170	147	178	151	554	872	574	292	142	133
(37)	Diarrhea and enteritis (2 years and over).....	371	19	18	27	33	31	25	42	64	46	30	18	18
(33)	Congenital debility ¹	1,503	121	127	132	117	177	91	96	171	151	127	104	89
35	Violent deaths (excluding suicide).....	3,860	314	268	294	325	338	330	370	369	379	293	292	288
36	Suicide.....	924	81	78	101	87	86	58	67	62	82	84	48	90
	All other causes.....	38,822	3,705	3,572	3,800	3,473	3,475	2,857	2,910	2,907	2,754	2,832	3,086	3,401
NEW YORK, N. Y. (COLORED).														
	All causes.....	2,638	247	251	262	254	228	195	181	227	186	178	203	226
1	Typhoid fever.....	8	1	1	1	1	1	1	2	1	2	1	1	1
3	Malaria.....	1	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	12	1	1	1	2	3	3	1	1	1	1	1	1
6	Scarlet fever.....	1	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	14	1	1	1	2	1	1	2	3	1	1	2	2
8	Diphtheria and croup.....	33	2	5	2	7	5	1	3	3	1	1	2	1
9	Influenza.....	5	2	1	1	1	1	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	583	51	56	52	52	47	48	37	61	50	45	47	42
14-15	Other forms of tuberculosis.....	61	7	5	4	5	6	5	3	7	6	7	5	1
17	Meningitis.....	9	1	1	1	1	1	1	1	1	1	1	1	1
20-21	Bronchitis.....	44	8	4	4	3	3	3	1	1	2	3	3	6
22	Pneumonia.....	221	25	30	37	31	25	12	5	6	6	12	15	17
(23)	Bronchopneumonia.....	165	21	16	19	18	18	13	8	7	8	5	9	23
25	Diarrhea and enteritis (under 2 years).....	120	8	8	3	8	6	11	16	23	17	10	7	4
(37)	Diarrhea and enteritis (2 years and over).....	13	1	1	1	2	2	2	4	3	3	3	3	3
(33)	Congenital debility ¹	50	6	4	5	2	3	4	5	7	1	6	3	4
35	Violent deaths (excluding suicide).....	113	10	12	10	11	6	6	7	9	13	8	6	15
36	Suicide.....	15	1	1	2	2	1	1	1	1	3	3	2	2
	All other causes.....	1,165	101	108	121	109	96	87	82	95	77	76	104	109
NEW YORK, N. Y. (BRONX BOROUGH, TOTAL).														
	All causes.....	7,136	616	674	731	636	646	514	525	547	550	561	557	579
1	Typhoid fever.....	28	3	2	2	1	2	3	2	2	5	3	2	1
3	Malaria.....	1	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	37	4	5	5	7	5	5	2	1	1	1	1	2
6	Scarlet fever.....	40	5	3	9	5	7	1	4	1	1	1	1	1
7	Whooping cough.....	17	1	2	2	1	2	1	4	1	3	2	1	2
8	Diphtheria and croup.....	181	19	24	29	18	25	9	7	10	10	11	13	13
9	Influenza.....	32	6	8	11	5	8	3	7	10	6	11	11	1
13	Tuberculosis of the lungs.....	925	82	78	82	85	80	74	70	64	78	79	86	67
14-15	Other forms of tuberculosis.....	309	25	27	16	10	14	10	11	7	2	4	2	7
17	Meningitis.....	45	5	3	6	6	6	2	3	2	3	3	5	5
20-21	Bronchitis.....	47	7	6	7	4	2	2	3	2	2	2	4	5
22	Pneumonia.....	510	53	73	73	49	52	33	22	16	20	10	47	53
(23)	Bronchopneumonia.....	305	28	36	45	35	20	21	22	13	21	23	15	26
25	Diarrhea and enteritis (under 2 years).....	265	7	10	16	13	12	7	36	73	42	23	15	11
(37)	Diarrhea and enteritis (2 years and over).....	33	1	3	3	1	3	3	4	3	3	3	3	2
(33)	Congenital debility ¹	108	6	10	6	8	12	3	7	18	9	8	13	6
35	Violent deaths (excluding suicide).....	334	32	24	23	29	23	28	32	31	28	34	25	25
36	Suicide.....	118	10	8	13	7	9	15	10	10	9	12	8	7
	All other causes.....	4,014	345	372	385	352	372	299	286	295	309	335	319	345
NEW YORK, N. Y. (BRONX BOROUGH, WHITE).														
	All causes.....	7,043	607	662	719	633	640	505	521	539	543	554	547	573
1	Typhoid fever.....	28	3	2	2	1	2	3	2	2	5	3	2	1
3	Malaria.....	1	1	1	1	1	1	1	1	1	1	1	1	1
5	Measles.....	37	4	5	5	7	5	5	2	1	1	1	1	2
6	Scarlet fever.....	40	5	3	9	5	7	1	4	1	1	1	1	1
7	Whooping cough.....	17	1	2	2	1	2	1	4	1	3	2	1	2
8	Diphtheria and croup.....	180	19	24	29	18	25	9	7	10	10	11	13	13
9	Influenza.....	32	6	8	11	5	8	3	7	10	6	11	11	1
13	Tuberculosis of the lungs.....	903	80	78	80	84	79	71	70	63	75	76	82	65
14-15	Other forms of tuberculosis.....	45	5	7	6	4	14	10	7	7	6	4	2	7
17	Meningitis.....	45	5	3	6	6	6	3	3	2	3	3	5	5
20-21	Bronchitis.....	47	7	6	7	4	2	2	3	2	2	2	4	5
22	Pneumonia.....	501	52	70	70	49	52	32	22	16	20	18	47	53
(23)	Bronchopneumonia.....	303	28	36	45	34	20	20	22	13	21	23	15	26
25	Diarrhea and enteritis (under 2 years).....	259	7	9	16	13	12	7	36	70	42	22	14	11
(37)	Diarrhea and enteritis (2 years and over).....	31	1	3	3	1	6	2	3	4	3	3	3	2
(33)	Congenital debility ¹	104	6	10	6	8	12	3	7	17	9	8	13	5
35	Violent deaths (excluding suicide).....	330	31	24	21	29	23	28	32	31	27	34	25	25
36	Suicide.....	117	10	8	13	7	9	14	10	10	9	12	8	7
	All other causes.....	3,971	340	364	381	351	367	296	285	292	306	333	314	342

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NEW YORK, N. Y. (BRONX BOROUGH, COLORED).														
	All causes.....	93	9	12	12	3	6	9	4	8	7	7	10	6
1	Typhoid fever.....													
3	Malaria.....													
5	Measles.....													
6	Scarlet fever.....													
7	Whooping cough.....													
8	Diphtheria and croup.....	1		1										
9	Influenza.....													
13	Tuberculosis of the lungs.....	22	2		2	1	1	3		1	3	3	4	2
14-15	Other forms of tuberculosis.....	1							1					
17	Meningitis.....													
20-21	Bronchitis.....													
22	Pneumonia.....	9	1	3	3			1				1		
(23)	Bronchopneumonia.....	2				1		1						
25	Diarrhea and enteritis (under 2 years).....	6		1						3		1	1	
(37)	Diarrhea and enteritis (2 years and over).....	2							2					
(33)	Congenital debility ¹	2												1
35	Violent deaths (excluding suicide).....	4	1		2						1			
36	Suicide.....	1						1						
	All other causes.....	43	5	8	4	1	5	3	1	3	3	2	5	3
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).														
	All causes.....	25,259	2,385	2,230	2,567	2,295	2,245	1,797	1,973	2,080	1,837	1,761	1,876	2,193
1	Typhoid fever.....	126	7	9	5	2	10	5	9	14	35	13	8	9
3	Malaria.....	10			2		2		2	3	3	1	1	
5	Measles.....	125	11	11	13	21	25	18	7	8	4	3	1	3
6	Scarlet fever.....	119	19	9	13	24	15	11	4	4	2	6	7	5
7	Whooping cough.....	76	4	3	8	11	9	6	9	4	10	5	3	4
8	Diphtheria and croup.....	463	45	52	54	47	46	39	31	21	17	31	36	44
9	Influenza.....	87	16	16	25	14	5	2	1	1	2	2		5
13	Tuberculosis of the lungs.....	2,766	262	243	273	263	247	212	206	223	190	207	189	246
14-15	Other forms of tuberculosis.....	369	18	32	39	40	37	30	45	38	24	22	18	26
17	Meningitis.....	115	11	17	14	11	13	11	8	5	4	8	6	7
20-21	Bronchitis.....	362	34	35	40	40	23	21	22	24	18	24	30	51
22	Pneumonia.....	1,805	224	238	300	198	149	83	55	53	76	87	145	192
(23)	Bronchopneumonia.....	1,459	160	170	187	155	145	105	73	69	54	72	91	178
25	Diarrhea and enteritis (under 2 years).....	1,280	48	36	60	43	63	51	235	316	210	114	53	51
(37)	Diarrhea and enteritis (2 years and over).....	158	10	5	11	9	11	14	17	30	22	14	12	3
(33)	Congenital debility ¹	348	27	26	30	23	39	19	38	33	33	29	28	18
35	Violent deaths (excluding suicide).....	1,264	103	87	92	98	117	105	135	121	132	94	88	92
36	Suicide.....	255	15	18	29	23	24	16	21	23	24	20	13	24
	All other causes.....	14,072	1,371	1,223	1,372	1,268	1,265	1,049	1,055	1,078	999	1,010	1,147	1,235
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE.)														
	All causes.....	24,606	2,330	2,171	2,502	2,230	2,191	1,745	1,922	2,015	1,807	1,733	1,828	2,132
1	Typhoid fever.....	124	7	9	5	2	10	5	8	13	35	13	8	9
3	Malaria.....	10			2		2		2	3	3	1	1	
5	Measles.....	123	11	11	13	21	25	17	7	7	4	3	1	3
6	Scarlet fever.....	119	19	9	13	24	15	11	4	4	2	6	7	5
7	Whooping cough.....	70	3	3	7	11	8	6	8	3	10	5	3	3
8	Diphtheria and croup.....	452	45	49	54	43	43	39	31	21	17	31	36	43
9	Influenza.....	84	16	15	24	14	5	2	1	1	1	1		5
13	Tuberculosis of the lungs.....	2,644	251	233	264	257	239	206	202	201	174	200	181	236
14-15	Other forms of tuberculosis.....	359	15	31	38	38	37	30	44	37	23	22	18	26
17	Meningitis.....	113	11	17	14	11	13	10	7	5	4	8	6	7
20-21	Bronchitis.....	349	34	33	39	39	22	21	20	24	17	24	28	48
22	Pneumonia.....	1,752	220	233	289	192	143	81	53	54	74	85	142	186
(23)	Bronchopneumonia.....	1,415	156	162	180	143	143	100	71	67	53	72	89	174
25	Diarrhea and enteritis (under 2 years).....	1,246	47	33	59	39	60	49	229	310	205	112	52	51
(37)	Diarrhea and enteritis (2 years and over).....	153	9	5	11	9	10	14	16	30	20	14	12	3
(33)	Congenital debility ¹	335	27	26	28	23	38	18	34	37	33	27	27	17
35	Violent deaths (excluding suicide).....	1,237	100	84	90	96	115	102	133	120	127	93	87	90
36	Suicide.....	253	15	18	29	23	24	16	21	26	24	20	13	24
	All other causes.....	13,768	1,344	1,200	1,343	1,240	1,239	1,018	1,031	1,055	982	997	1,117	1,202
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).														
	All causes.....	653	55	59	65	65	54	52	51	65	50	28	48	61
1	Typhoid fever.....	2							1	1				
3	Malaria.....													
5	Measles.....	2						1		1				
6	Scarlet fever.....													
7	Whooping cough.....	6	1		1				1	1				1
8	Diphtheria and croup.....	11		3		4	3							1
9	Influenza.....	3												
13	Tuberculosis of the lungs.....	122	11	10	9	11	8	6	4	22	16	7	8	10
14-15	Other forms of tuberculosis.....	10	3	1	1	2			1	1	1			
17	Meningitis.....	2						1	1					
20-21	Bronchitis.....	13		2	1	1		2	2		1		2	3
22	Pneumonia.....	53	4	5	11	6	6	2	2	4	2	2	3	6
(23)	Bronchopneumonia.....	44	4	8	7	7	2	5	2	2	1	2	2	4
25	Diarrhea and enteritis (under 2 years).....	34	1	3	1	4	3	2	6	6	5	2	1	
(37)	Diarrhea and enteritis (2 years and over).....	5	1				1	1	1		2			
(33)	Congenital debility ¹	13			2		1	1	4	1		2	1	1
35	Violent deaths (excluding suicide).....	27	3	3	2	2	2	3	2	1	5	1	1	2
36	Suicide.....	2												
	All other causes.....	304	27	23	29	28	26	31	24	23	17	13	30	33

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

649

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).														
	All causes.....	36,201	3,418	3,409	3,837	3,343	3,396	2,623	2,648	2,770	2,521	2,500	2,653	3,083
1	Typhoid fever.....	156	14	6	6	13	14	12	20	13	13	20	13	12
3	Malaria.....	5				1	1	1	2					
5	Measles.....	337	54	36	61	61	68	43	18	12	4	6	12	12
6	Scarlet fever.....	233	30	49	39	45	43	31	17	10	4	1	6	8
7	Whooping cough.....	146	7	12	13	20	17	11	17	16	9	11	8	5
8	Diphtheria and croup.....	768	74	84	108	92	97	59	65	24	27	38	42	58
9	Influenza.....	88	18	15	24	12	1	1		2	2	2	4	7
13	Tuberculosis of the lungs.....	4,877	446	451	539	447	433	393	360	319	351	327	388	403
14-15	Other forms of tuberculosis.....	596	51	59	47	56	61	53	38	46	50	38	44	43
17	Meningitis.....	182	14	6	16	13	24	23	9	18	13	10	17	19
20-21	Bronchitis.....	388	48	45	57	30	29	30	17	14	16	27	32	43
22	Pneumonia.....	2,581	291	325	409	263	259	147	90	98	94	142	175	293
(23)	Bronchopneumonia.....	2,253	225	224	278	258	271	154	131	124	91	107	166	229
25	Diarrhea and enteritis (under 2 years).....	1,686	74	70	83	82	97	80	237	421	265	135	70	69
(37)	Diarrhea and enteritis (2 years and over).....	146	8	9	11	21	10	8	20	26	12	11	2	8
(38)	Congenital debility ¹	1,005	87	87	97	79	121	66	52	105	94	91	62	64
35	Violent deaths (excluding suicide).....	1,999	159	143	165	178	176	170	166	184	192	150	159	157
36	Suicide.....	485	51	48	52	47	44	25	34	24	42	45	21	52
	All other causes.....	18,200	1,767	1,740	1,837	1,625	1,630	1,316	1,355	1,319	1,289	1,339	1,432	1,601
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).														
	All causes.....	34,450	3,245	3,244	3,661	3,169	3,237	2,500	2,531	2,634	2,401	2,367	2,521	2,940
1	Typhoid fever.....	151	13	6	6	13	13	12	19	13	11	20	13	12
3	Malaria.....	5				1	1	1	2					
5	Measles.....	379	54	36	60	59	66	41	17	12	4	6	12	12
6	Scarlet fever.....	282	30	49	39	45	42	31	17	10	4	1	6	8
7	Whooping cough.....	139	7	12	13	18	17	10	16	15	9	10	8	4
8	Diphtheria and croup.....	747	72	82	107	89	95	58	62	21	26	37	40	58
9	Influenza.....	86	16	15	24	12	1	1		2	2	2	4	7
13	Tuberculosis of the lungs.....	4,432	411	406	499	408	397	354	327	284	322	294	354	376
14-15	Other forms of tuberculosis.....	537	47	55	44	53	55	48	37	41	45	31	39	42
17	Meningitis.....	175	13	6	16	13	21	23	9	17	13	10	16	18
20-21	Bronchitis.....	358	40	44	54	28	25	29	15	13	15	24	31	40
22	Pneumonia.....	2,433	273	305	387	240	240	138	88	91	90	134	164	283
(23)	Bronchopneumonia.....	2,140	208	217	262	248	256	147	125	119	84	103	161	210
25	Diarrhea and enteritis (under 2 years).....	1,617	67	66	81	79	94	76	228	410	256	128	66	66
(37)	Diarrhea and enteritis (2 years and over).....	142	8	9	11	19	10	8	19	26	11	11	2	8
(38)	Congenital debility ¹	971	82	83	94	77	119	63	51	100	93	87	60	62
35	Violent deaths (excluding suicide).....	1,930	153	134	160	170	172	169	164	177	185	145	155	146
36	Suicide.....	473	50	47	50	45	44	25	33	24	42	42	21	50
	All other causes.....	17,453	1,701	1,672	1,754	1,552	1,569	1,266	1,302	1,259	1,189	1,282	1,369	1,538
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).														
	All causes.....	1,751	173	165	176	174	159	123	117	136	120	133	132	143
1	Typhoid fever.....	5	1				1		1		2			
3	Malaria.....	1												
5	Measles.....	8			1	2		2	1					
6	Scarlet fever.....	7				1		1						
7	Whooping cough.....	1				1		1						1
8	Diphtheria and croup.....	21	2	2	1	3	2	1	3	3	1	1	2	
9	Influenza.....	2	2			2		1	1					
13	Tuberculosis of the lungs.....	425	35	45	40	39	36	39	33	35	29	33	34	27
14-15	Other forms of tuberculosis.....	49	4	4	3	3	6	5	1	5	5	7	5	1
17	Meningitis.....	7	1			3	3	5	1	1				
20-21	Bronchitis.....	30	3	1	3	2	1	2	1	2	3	1	3	
22	Pneumonia.....	148	18	20	22	23	19	9	2	4	8	11	10	
(23)	Bronchopneumonia.....	113	17	7	11	10	15	7	6	5	7	4	5	
25	Diarrhea and enteritis (under 2 years).....	69	7	4	2	3	3	4	9	11	12	7	4	3
(37)	Diarrhea and enteritis (2 years and over).....	4				2		1	1	1	1	1	1	
(38)	Congenital debility ¹	34	5	4	3	2	2	3	1	5	1	4	2	2
35	Violent deaths (excluding suicide).....	69	6	9	5	8	4	1	2	7	7	5	4	11
36	Suicide.....	12	1	1	2	2			1		3		2	2
	All other causes.....	747	66	68	83	73	61	50	53	60	50	57	63	63
NEW YORK, N. Y. (QUEENS BOROUGH, TOTAL).														
	All causes.....	4,903	445	429	456	438	393	349	390	428	408	370	366	431
1	Typhoid fever.....	21	3		2		3	1	3	1	2	3	2	1
3	Malaria.....	1											1	
5	Measles.....	23	4		2	4	5	3	3					2
6	Scarlet fever.....	41	3	3	6	6	9	5	1		2	1	3	2
7	Whooping cough.....	17		2	4	2		1		4		1	3	3
8	Diphtheria and croup.....	86	4	7	6	8	3	10	8	7	5	10	9	9
9	Influenza.....	16	3	4		2							3	2
13	Tuberculosis of the lungs.....	502	56	36	58	39	37	36	38	46	35	36	32	53
14-15	Other forms of tuberculosis.....	75	3	9	6	8	9	9	6	10	6	4	2	3
17	Meningitis.....	26	1	1	2	2		3	4	2	4	4	3	
20-21	Bronchitis.....	50	5	6	8	3	3	4	2	4	5	3	3	4
22	Pneumonia.....	319	45	43	50	31	25	13	14	5	10	22	28	33
(23)	Bronchopneumonia.....	230	31	29	25	22	16	15	9	5	13	13	28	24
25	Diarrhea and enteritis (under 2 years).....	285	7	10	13	17	8	22	49	63	60	25	7	4
(37)	Diarrhea and enteritis (2 years and over).....	38	1	2	1	2	6	3	4	5	7	2	1	4
(38)	Congenital debility ¹	73	5	7	4	7	7	5	3	13	11	3	3	5
35	Violent deaths (excluding suicide).....	259	19	18	14	21	21	17	33	28	26	21	20	21
36	Suicide.....	68	4	5	8	8	9	3	2	2	6	9	4	8
	All other causes.....	2,773	251	247	247	256	230	199	211	233	216	213	217	253

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NEW YORK, N. Y. (QUEENS BOROUGH, WHITE).														
	All causes.....	4,795	438	418	450	429	386	340	383	412	403	363	356	417
1	Typhoid fever.....	20	3	2	2	3	3	3	3	1	2	3	2	1
3	Malaria.....	22	3	2	4	5	3	3	3	1	2	3	2	2
5	Measles.....	41	3	6	6	9	5	1	1	2	1	3	3	3
6	Scarlet fever.....	16	3	2	2	1	1	3	3	3	5	10	9	9
7	Whooping cough.....	86	4	7	6	8	3	10	8	7	5	10	9	9
8	Diphtheria and croup.....	16	3	4	2	2	2	2	2	2	2	3	3	2
9	Influenza.....	486	54	35	57	38	36	36	38	43	34	34	31	50
13	Tuberculosis of the lungs.....	74	3	9	6	8	9	9	6	9	6	4	2	3
14-15	Other forms of tuberculosis.....	26	1	1	2	2	3	3	4	2	4	4	3	3
17	Meningitis.....	50	5	6	8	3	3	4	2	4	5	3	3	4
20-21	Bronchitis.....	310	43	41	49	80	25	13	13	5	10	22	27	32
22	Pneumonia.....	225	31	28	24	22	15	15	9	5	13	13	26	24
(23)	Bronchopneumonia.....	274	7	10	13	16	8	17	48	60	60	25	6	4
25	Diarrhea and enteritis (under 2 years).....	36	1	1	1	2	5	3	4	5	7	2	1	4
(37)	Diarrhea and enteritis (2 years and over).....	72	4	7	4	7	7	5	3	13	11	3	3	5
(33)	Congenital debility ¹	249	19	18	13	21	21	16	31	27	26	19	19	19
35	Violent deaths (excluding suicide).....	68	4	5	8	8	9	3	2	2	6	9	4	8
36	Suicide.....	2,724	250	241	245	250	226	197	208	226	212	210	214	245
	All other causes.....													
NEW YORK, N. Y. (QUEENS BOROUGH, COLORED).														
	All causes.....	108	7	11	6	9	7	9	7	16	5	7	10	14
1	Typhoid fever.....	1						1						
3	Malaria.....	1											1	
5	Measles.....	1	1											
6	Scarlet fever.....	1												
7	Whooping cough.....	1							1					
8	Diphtheria and croup.....	1												
9	Influenza.....	16	2	1	1	1	1			3	1	2	1	3
13	Tuberculosis of the lungs.....	1								1				
14-15	Other forms of tuberculosis.....	9	2	2	1	1							1	1
17	Meningitis.....	5	1	1	1	1	1						2	
20-21	Bronchitis.....	11	1	1	1	1	1	5	1	3			1	
22	Pneumonia.....	2	1				1							
(23)	Bronchopneumonia.....	1	1											
25	Diarrhea and enteritis (under 2 years).....	10	1		1			1	2	1		2	1	2
(37)	Diarrhea and enteritis (2 years and over).....	10	1											
(33)	Congenital debility ¹	1												
35	Violent deaths (excluding suicide).....	49	1	6	2	6	4	2	3	7	4	3	3	8
36	Suicide.....													
	All other causes.....													
NEW YORK, N. Y. (RICHMOND BOROUGH, TOTAL).														
	All causes.....	1,521	134	146	133	142	117	121	126	141	132	99	111	119
1	Typhoid fever.....	6	1					1	2			1	1	
3	Malaria.....	2	1					1	1					
5	Measles.....	4	1			1	1		1					
6	Scarlet fever.....	3		1	1	1								
7	Whooping cough.....	6							4	1	1			
8	Diphtheria and croup.....	9	3	1					1	1	2	1		
9	Influenza.....	2			2									
13	Tuberculosis of the lungs.....	154	16	13	10	18	15	13	6	11	20	13	6	13
14-15	Other forms of tuberculosis.....	18	3	1	2	2	1	1	2	1	1	3	1	
17	Meningitis.....	10	1		1	4	1	1		1				1
20-21	Bronchitis.....	14	1	2	2	2	2	2	2				2	
22	Pneumonia.....	87	11	13	12	12	5	3	1	4	4	2	6	14
(23)	Bronchopneumonia.....	55	9	8	10	4	6		1	1	1	6	6	4
25	Diarrhea and enteritis (under 2 years).....	63			1		4	2	13	22	11	5	4	1
(37)	Diarrhea and enteritis (2 years and over).....	9			1	2			1	4	4			1
(33)	Congenital debility ¹	21	2	1		2	1	2	1	4	5	2	1	
35	Violent deaths (excluding suicide).....	117	11	8	10	10	7	16	11	14	14	2	6	8
36	Suicide.....	13	2		1	4			1	1	1	1	2	1
	All other causes.....	928	72	98	80	81	74	81	85	77	68	61	75	76
NEW YORK, N. Y. (RICHMOND BOROUGH, WHITE).														
	All causes.....	1,488	131	142	130	139	115	119	124	139	123	96	103	117
1	Typhoid fever.....	6	1					1	2			1	1	
3	Malaria.....	2	1					1	1					
5	Measles.....	3	1					1	1					
6	Scarlet fever.....	3		1	1	1								
7	Whooping cough.....	6							4	1	1			
8	Diphtheria and croup.....	9	3	1					1	1	2	1		
9	Influenza.....	2			2									
13	Tuberculosis of the lungs.....	151	15	13	10	18	14	13	6	11	19	13	6	13
14-15	Other forms of tuberculosis.....	18	3	1	2	2	1	1	2	1	1	3	1	
17	Meningitis.....	10	1		1	4	1	1		1				1
20-21	Bronchitis.....	13	1	1	2	2	2	2	2				2	
22	Pneumonia.....	85	11	13	12	11	5	3	1	4	4	1	6	14
(23)	Bronchopneumonia.....	54	9	8	10	4	6		1	1	1	5	6	4
25	Diarrhea and enteritis (under 2 years).....	63			1		4	2	13	22	11	5	4	1
(37)	Diarrhea and enteritis (2 years and over).....	9			1	2			1	4	4			1
(33)	Congenital debility ¹	21	2	1		2	1	2	1	4	5	2	1	
35	Violent deaths (excluding suicide).....	114	11	8	10	9	7	15	10	14	14	2	6	8
36	Suicide.....	13	2		1	4			1	1	1	1	2	1
	All other causes.....	906	70	95	77	80	74	80	84	75	65	60	72	74

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

651

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NEW YORK, N. Y. (RICHMOND BOROUGH, COLORED).														
	All causes.....	33	3	4	3	3	2	2	2	2	4	3	3	2
1	Typhoid fever.....													
3	Malaria.....													
5	Measles.....	1				1								
6	Scarlet fever.....													
7	Whooping cough.....													
8	Diphtheria and croup.....													
9	Influenza.....													
13	Tuberculosis of the lungs.....	3	1				1			1				
14-15	Other forms of tuberculosis.....													
17	Meningitis.....													
20-21	Bronchitis.....	1	1											
22	Pneumonia.....	1			1							1		
(23)	Bronchopneumonia.....	1										1		
25	Diarrhea and enteritis (under 2 years).....													
(37)	Diarrhea and enteritis (2 years and over).....													
(33)	Congenital debility ¹													
35	Violent deaths (excluding suicide).....	3			1		1	1						
36	Suicide.....													
	All other causes.....	22	2	3	3	1		1	1	2	3	1	3	2
ROCHESTER, N. Y.														
	All causes.....	3,514	301	319	345	325	336	305	233	260	272	278	271	269
1	Typhoid fever.....	25		2			2	1	5	3	4	4	2	2
3	Malaria.....	1			1									
5	Measles.....	13	1	2	5	3	1	1						
6	Scarlet fever.....	27	2	1	9	7	4	1	1				1	1
7	Whooping cough.....	6			1		3	1				1		
8	Diphtheria and croup.....	29	1	3	6	3	1	1	3	2	2	1	1	5
9	Influenza.....	15	4	3	4	1					1			2
13	Tuberculosis of the lungs.....	223	13	22	16	21	21	18	10	11	23	20	16	32
14-15	Other forms of tuberculosis.....	54	3	5	6	6	9	2	8	3	3	4	3	2
17	Meningitis.....	21	1	4	2	3	1	1	3	2	1		1	2
20-21	Bronchitis.....	37	6	6	8	5	3	2	2		2	2	2	2
22	Pneumonia.....	171	23	23	31	15	17	13	5	3	7	10	13	11
(23)	Bronchopneumonia.....	169	20	25	19	30	22	6	6	6	8	7	15	5
25	Diarrhea and enteritis (under 2 years).....	177	10	9	6	8	4	19	22	31	32	18	11	7
(37)	Diarrhea and enteritis (2 years and over).....	29	1	3	1	2	1	3	3	6	4	5	2	1
(33)	Congenital debility ¹	10		1	1	2		2	1	1	2			
35	Violent deaths (excluding suicide).....	148	16	9	12	10	21	20	16	8	9	6	11	10
36	Suicide.....	57	6	5	2	6	2	3	6	8	6	3	3	7
	All other causes.....	2,302	195	197	218	201	224	210	145	175	170	197	190	180
SYRACUSE, N. Y.														
	All causes.....	2,208	217	174	199	215	187	158	203	192	157	170	167	169
1	Typhoid fever.....	15	1	1				1		1	2	4	3	2
3	Malaria.....													
5	Measles.....	4			2	1	1	1						
6	Scarlet fever.....	12			5	2	1	2	1				1	
7	Whooping cough.....	10	2	3	3	1	4	4	1	1				
8	Diphtheria and croup.....	16	2	1	1	1	1		1		1	1	3	4
9	Influenza.....	7	3	2	1								1	
13	Tuberculosis of the lungs.....	161	20	14	14	21	15	10	12	12	8	10	10	15
14-15	Other forms of tuberculosis.....	36	7	3	3	8	2	2	1	2	1	3	2	2
17	Meningitis.....	8	2			1	1	1		2			1	
20-21	Bronchitis.....	20	4	3	3	2	1	1	2			3	1	8
22	Pneumonia.....	143	21	13	16	19	18	8	9	4	7	8	12	8
(23)	Bronchopneumonia.....	65	12	6	12	2	4	4	2	2	3	4	2	2
25	Diarrhea and enteritis (under 2 years).....	140	8	3	1	5	6	6	34	22	23	21	8	3
(37)	Diarrhea and enteritis (2 years and over).....	19	2	3	1	1	1	2	3	1	3	2		
(33)	Congenital debility ¹	31	2	2	4	6	1		5		6		1	1
35	Violent deaths (excluding suicide).....	122	8	8	7	5	8	12	12	19	7	18	12	6
36	Suicide.....	32	4	1	2	1	3	5	3	3	2	1	6	1
	All other causes.....	1,358	119	105	130	129	123	99	115	123	95	93	102	125
CINCINNATI, OHIO (TOTAL).														
	All causes.....	6,431	634	574	722	578	562	454	527	431	443	492	488	526
1	Typhoid fever.....	25	1	2	4		4	4		3	3	2	2	
3	Malaria.....	3				1			2					
5	Measles.....													
6	Scarlet fever.....	19	2	2	4	3	3	1		1	1			2
7	Whooping cough.....	44	7	5	6	5	4	4	7	1	1	3	1	
8	Diphtheria and croup.....	73	14	13	5	8	4	2	2	2	5	10	8	
9	Influenza.....	64	11	12	12	8	2		2	1	2	5	9	
13	Tuberculosis of the lungs.....	884	90	76	81	87	97	60	69	55	64	70	63	72
14-15	Other forms of tuberculosis.....	97	8	7	13	10	12	8	6	5	7	8	2	6
17	Meningitis.....	29	2	6	2	3		2	1	5		1	3	4
20-21	Bronchitis.....	111	12	12	22	21	5	8	9	2	4	4	6	6
22	Pneumonia.....	310	48	44	55	27	19	14	7	9	6	23	26	32
(23)	Bronchopneumonia.....	227	27	37	56	26	16	4	3	5	10	9	12	22
25	Diarrhea and enteritis (under 2 years).....	242	8	9	12	13	14	9	52	40	35	19	13	13
(37)	Diarrhea and enteritis (2 years and over).....	50	2	3	3		2	3	8	9	8	6	4	2
(33)	Congenital debility ¹	11							1	1	1	3		1
35	Violent deaths (excluding suicide).....	394	28	28	27	32	41	43	35	33	27	30	39	31
36	Suicide.....	63	6	8	3	3	6	4	6	4	5	7	7	4
	All other causes.....	3,785	366	310	412	331	333	286	317	255	271	300	290	314

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
CINCINNATI, OHIO (WHITE).														
	All causes.....	5,787	566	526	654	520	498	410	482	393	395	436	445	462
1	Typhoid fever.....	23		2	4		4	4		3	2	2	2	
3	Malaria.....	2							2					
5	Measles.....													
6	Scarlet fever.....	19	2	2	4	3	3	1		1	1			2
7	Whooping cough.....	41	6	5	6	4	4	4	7	1	1	2	1	
8	Diphtheria and croup.....	70	14	13	4	8	4	1	2	2		5	9	8
9	Influenza.....	62	11	11	12	8	2		2	1		2	4	9
13	Tuberculosis of the lungs.....	713	69	65	69	76	72	49	60	46	48	50	47	62
14-15	Other forms of tuberculosis.....	88	7	7	18	10	8		5	5	7	7	2	5
17	Meningitis.....	26	2	6	2	2		1	1	4		1	3	4
20-21	Bronchitis.....	107	12	12	19	21	4	8	9	2	4	4	6	6
22	Pneumonia.....	261	39	38	48	21	15	11	6	9	5	23	25	21
(23)	Bronchopneumonia.....	199	25	33	46	25	14	4	1	5	10	7	11	18
25	Diarrhea and enteritis (under 2 years).....	221	8	7	12	12	12	8	46	36	32	19	17	12
(37)	Diarrhea and enteritis (2 years and over).....	49	2	2	3		2	3	8	9	8	6	4	2
(33)	Congenital debility ¹	10	2				2	2	1	1		3		1
35	Violent deaths (excluding suicide).....	344	24	24	23	29	35	41	31	26	26	24	33	28
36	Suicide.....	62	6	8	3	3	6	4	6	4	5	6	7	4
	All other causes.....	3,490	337	291	381	298	313	262	295	238	246	275	274	230
CINCINNATI, OHIO (COLORED.)														
	All causes.....	644	68	48	68	58	64	44	45	38	48	56	43	64
1	Typhoid fever.....	2	1								1			
3	Malaria.....	1				1								
5	Measles.....													
6	Scarlet fever.....													
7	Whooping cough.....	3	1			1						1		
8	Diphtheria and croup.....	3			1			1					1	
9	Influenza.....	2		1									1	
13	Tuberculosis of the lungs.....	171	21	11	12	11	25	11	9	9	16	20	16	10
14-15	Other forms of tuberculosis.....	9	1				4	1	1			1		1
17	Meningitis.....	3				1				1				
20-21	Bronchitis.....	4			3		1							
22	Pneumonia.....	49	9	6	7	6	4	3	1		1		1	11
(23)	Bronchopneumonia.....	28	2	4	10	1	2		2			2	1	4
25	Diarrhea and enteritis (under 2 years).....	21		2		1	2	1	6	4	3		1	1
(37)	Diarrhea and enteritis (2 years and over).....	1		1			2							
(33)	Congenital debility ¹	1									1			
35	Violent deaths (excluding suicide).....	50	4	4	4	3	6	2	4	7	1	6	6	3
36	Suicide.....	1										1		
	All other causes.....	295	29	19	31	33	20	24	22	17	25	25	16	34
CLEVELAND, OHIO.														
	All causes.....	8,183	739	714	795	756	687	584	689	707	602	624	622	664
1	Typhoid fever.....	52	6	2	7	2	1	3	1	5	6	9	4	6
3	Malaria.....	1									1			
5	Measles.....	29	2	6	7	4	6	2		2				1
6	Scarlet fever.....	51	10	11	6	3	4	4	3	2	1	1	3	3
7	Whooping cough.....	44	2	3	5	1	4	3	7	6	7	2	1	3
8	Diphtheria and croup.....	163	18	18	15	12	6	7	9	7	14	22	20	15
9	Influenza.....	26	5	3	8	3	1	1					2	2
13	Tuberculosis of the lungs.....	744	56	57	64	77	68	52	55	61	66	42	70	70
14-15	Other forms of tuberculosis.....	127	12	17	10	10	12	8	14	12	11	7	6	8
17	Meningitis.....	47	6	8	7	6	7	2	4	1	1	1	2	2
20-21	Bronchitis.....	163	27	27	25	13	14	3	3	14	5	10	11	11
22	Pneumonia.....	415	46	46	60	58	43	14	12	9	15	26	37	49
(23)	Bronchopneumonia.....	308	36	37	39	45	32	13	16	15	16	10	22	27
25	Diarrhea and enteritis (under 2 years).....	691	38	34	33	37	27	35	144	139	73	76	31	24
(37)	Diarrhea and enteritis (2 years and over).....	59	3	2	3	3	2	2	12	9	11	5	2	5
(33)	Congenital debility ¹	55	7	6	8	8	5	5	1	6	3	2	3	1
35	Violent deaths (excluding suicide).....	579	31	40	50	56	47	58	60	59	48	44	35	51
36	Suicide.....	147	9	9	16	10	19	14	15	19	15	8	9	4
	All other causes.....	4,482	425	388	432	408	381	342	336	347	314	335	392	382
COLUMBUS, OHIO (TOTAL).														
	All causes.....	3,022	249	251	326	277	285	229	235	260	211	213	218	268
1	Typhoid fever.....	27	3	2	1		3	3	2	8	3	2		
3	Malaria.....													
5	Measles.....	24			2	9	7	5	1					1
6	Scarlet fever.....	3		1			1						1	2
7	Whooping cough.....	14	2	1	2			1	2		1	1	1	3
8	Diphtheria and croup.....	18	2		3		1			2	1	2	5	2
9	Influenza.....	16	2	2	4	3						1		2
13	Tuberculosis of the lungs.....	281	22	21	27	23	31	19	20	28	21	26	22	21
14-15	Other forms of tuberculosis.....	59	7	5	6	6	5	6	5	6	1	4	6	2
17	Meningitis.....	15		2	5	2	1	1	1		1	2		3
20-21	Bronchitis.....	32		6	4	5	1	2	3		3	2	3	16
22	Pneumonia.....	130	19	13	21	14	8	6	8	4	9	4	8	16
(23)	Bronchopneumonia.....	104	12	7	17	13	15	5	4	3	4	7	5	12
25	Diarrhea and enteritis (under 2 years).....	93	3	7	3	6	1	7	13	28	12	9	1	3
(37)	Diarrhea and enteritis (2 years and over).....	23		2	1		1	2	5	3	4	1	1	3
(33)	Congenital debility ¹	68	2	10	8	3	2	2	5	14	10	6	4	2
35	Violent deaths (excluding suicide).....	195	8	8	21	18	18	27	12	19	9	12	27	16
36	Suicide.....	44	1	2	6	4	3	3	6	2	8	3	3	3
	All other causes.....	1,876	166	162	195	171	185	140	148	143	124	131	132	179

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

653

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
COLUMBUS, OHIO (WHITE).														
	All causes.....	2,704	225	221	285	246	259	200	207	230	202	186	202	241
1	Typhoid fever.....	24	3	2	1		3	2	2	6	3	2		
3	Malaria.....													
5	Measles.....	22		2	9	5	5	1						
6	Scarlet fever.....	3		1			1							
7	Whooping cough.....	9			2				2			1	1	3
8	Diphtheria and croup.....	17	2	2	2		1			2	1	2	5	2
9	Influenza.....	14	2	2	3	3	1					1	1	2
13	Tuberculosis of the lungs.....	231	21	20	18	18	26	16	18	20	20	19	16	19
14-15	Other forms of tuberculosis.....	55	7	5	5	5	4	5	5	6	1	4	6	2
17	Meningitis.....	12	2	4	2				1		1	2		
20-21	Bronchitis.....	30	6	4	4	4	1	2	3		1	1	3	3
22	Pneumonia.....	106	17	11	14	11	8	5	7	4	8	3	8	10
(23)	Bronchopneumonia.....	87	12	4	14	13	11	3	3	3	3	6	4	11
25	Diarrhea and enteritis (under 2 years).....	77	2	5	3	4	1	6	9	24	12	7	1	3
(37)	Diarrhea and enteritis (2 years and over).....	21	1	1	1	2	1	2	5	3	4	1	1	2
(33)	Congenital debility ¹	60	2	3	7	2	2	2	5	13	9	5	3	2
35	Violent deaths (excluding suicide).....	177	7	3	19	18	17	25	8	17	9	11	24	14
36	Suicide.....	42	1	2	6	4	2	3	6	2	8	3	3	2
	All other causes.....	1,717	149	144	180	153	175	124	132	130	120	118	127	165
COLUMBUS, OHIO (COLORED).														
	All causes.....	318	24	30	41	31	26	29	23	30	9	27	16	27
1	Typhoid fever.....	3						1		2				
3	Malaria.....													
5	Measles.....	2					2							
6	Scarlet fever.....													
7	Whooping cough.....	5	2	1				1						
8	Diphtheria and croup.....	1			1						1			
9	Influenza.....	2			1									
13	Tuberculosis of the lungs.....	50	1	1	9	5	1	3	2	8	1	7	6	2
14-15	Other forms of tuberculosis.....	4			1	1								
17	Meningitis.....	3			1		1							
20-21	Bronchitis.....	2			1									
22	Pneumonia.....	24	2	2	7	3		1	1		1	1		6
(23)	Bronchopneumonia.....	17			3	3		1	1		1	1		1
25	Diarrhea and enteritis (under 2 years).....	16	1	2	3	4		2	4		1	1	1	1
(37)	Diarrhea and enteritis (2 years and over).....	2			2			1	4		4	2		1
(33)	Congenital debility ¹	8			1									1
35	Violent deaths (excluding suicide).....	18	1	2	2	1		2		2	1	1	3	2
36	Suicide.....	2					1	2	4	1	1	1		2
	All other causes.....	159	17	18	15	18	10	16	16	13	4	13	5	14
DAYTON, OHIO.														
	All causes.....	1,704	141	149	185	178	146	113	135	144	122	117	137	137
1	Typhoid fever.....	14	1			1		1	1	2	3	1	1	3
3	Malaria.....													
5	Measles.....	7			4	1			1					
6	Scarlet fever.....	9	1		1	2								2
7	Whooping cough.....	15			2	3	2		2			1	1	1
8	Diphtheria and croup.....	22	2	2	5	4			2	1	1	2	2	1
9	Influenza.....	4	2		1			1			2		1	
13	Tuberculosis of the lungs.....	150	11	18	17	9	22	5	15	15	11	8	11	8
14-15	Other forms of tuberculosis.....	17	5	1	3	3	3		1	2			1	2
17	Meningitis.....	19	3	2	3	1	3	3	3	2			1	2
20-21	Bronchitis.....	23	1	1	5	5	3	2	1	1		2	2	7
22	Pneumonia.....	72	9	13	13	12	7	1	2	4	4	2	3	7
(23)	Bronchopneumonia.....	59	5	8	10	10	5	2	1	1	5	5	5	8
25	Diarrhea and enteritis (under 2 years).....	69	2	4	2	1	5	1	3	22	11	7	7	8
(37)	Diarrhea and enteritis (2 years and over).....	10	1					1	1	3	11	1	2	1
(33)	Congenital debility ¹	15	1	3		1		2	1	4	1	1	1	1
35	Violent deaths (excluding suicide).....	114	6	6	16	9	7	16	9	9	9	10	6	9
36	Suicide.....	32	3	2	2	2	1	3	3	4	3	1	5	3
	All other causes.....	1,053	87	89	105	113	91	73	86	76	77	78	88	90
TOLEDO, OHIO.														
	All causes.....	2,849	259	229	270	285	261	197	204	264	210	206	220	244
1	Typhoid fever.....	68	5	3	4	2	7	7	6	11	5	10	8	
3	Malaria.....													
5	Measles.....	7			1	2	1	1						
6	Scarlet fever.....	2	1											1
7	Whooping cough.....	13	1			3	5		3				1	
8	Diphtheria and croup.....	33	4	5	1	1	4	3		1	2		3	8
9	Influenza.....	8	2			2						1	1	1
13	Tuberculosis of the lungs.....	294	19	18	46	33	37	25	14	26	22	9	20	25
14-15	Other forms of tuberculosis.....	34	3	4	4	3	2	2	5	4		1	2	4
17	Meningitis.....	14	3	1	1	1	1	1	1	1		1	2	2
20-21	Bronchitis.....	39	7	5	7	4	4	4		2		1	1	4
22	Pneumonia.....	115	15	15	24	17	6	5	6	5	2	3	9	8
(23)	Bronchopneumonia.....	90	9	12	9	16	4	4	2	5	3	7	9	10
25	Diarrhea and enteritis (under 2 years).....	156	8	8	6	9	10	1	19	32	28	23	9	3
(37)	Diarrhea and enteritis (2 years and over).....	27	4	1	2	2	1		1	10	4	1	1	1
(33)	Congenital debility ¹	13		3	1	1	2	1		1		1	2	1
35	Violent deaths (excluding suicide).....	211	17	15	16	11	20	20	27	18	20	16	20	11
36	Suicide.....	37	1			7	5	5	1	2	4	5	3	4
	All other causes.....	1,687	161	137	148	171	152	118	120	146	119	125	129	161

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
PORTLAND, OREG.														
	All causes.....	2,363	213	216	211	227	205	216	158	176	184	169	162	226
1	Typhoid fever.....	18		3	1	3	1		1		3	3	1	2
3	Malaria.....													
5	Measles.....	21	3	7	5	2	2	1	1					
6	Scarlet fever.....	5		1	1	1		1	1					
7	Whooping cough.....	3	1	1				1						
8	Diphtheria and croup.....	26	3	1	1	1	3		1	1	3	2	5	5
9	Influenza.....	13	4		2	1		1					1	2
13	Tuberculosis of the lungs.....	160	13	16	13	18	16	20	7	10	11	9	10	17
14-15	Other forms of tuberculosis.....	66	4	4	7	8	5	8	3	2	7	7	6	2
17	Meningitis.....	16	1	4			1	2	1	1	1		1	2
20-21	Bronchitis.....	17	3	2	3			1	1	1	2		6	15
22	Pneumonia.....	113	12	15	10	12	15	3	6	6	8	5	3	10
(23)	Bronchopneumonia.....	44	4	3	2	10	5					3	3	3
25	Diarrhea and enteritis (under 2 years).....	24	1	4	3		1		2	5	2	2	3	3
(37)	Diarrhea and enteritis (2 years and over).....	21	2	2	3	3		3	2	3	6	1	5	3
(33)	Congenital debility ¹	39	6	7	2		1		5	5	23	12	13	13
35	Violent deaths (excluding suicide).....	175	13	7	10	18	18	15	18	15	7	5	3	6
36	Suicide.....	96	6		7	5	7	1		1	7	3	3	8
	All other causes.....	1,536	137	138	137	142	128	152	107	116	113	119	104	143
PHILADELPHIA, PA. (TOTAL).														
	All causes.....	26,739	2,634	2,365	2,857	2,566	2,171	1,823	2,082	2,107	1,827	1,864	2,099	2,344
1	Typhoid fever.....	126	7	11	13	11	15	9	14	13	11	10	6	6
3	Malaria.....	8			7						1	1	1	2
5	Measles.....	73	26	25	20	25	16	13	2	3	3	4	7	16
6	Scarlet fever.....	135	21	29	32	40	50	21	25	19	5	1	2	1
7	Whooping cough.....	246	52	33	42	27	15	5	15	16	13	38	50	12
8	Diphtheria and croup.....	322	38	24	33	34	8	1	2	2	3	3	6	6
9	Influenza.....	161	25	23	26	27	28	22	19	21	20	19	19	23
13	Tuberculosis of the lungs.....	2,780	257	223	269	279	282	255	199	213	207	199	194	233
14-15	Other forms of tuberculosis.....	380	28	31	40	46	40	28	41	26	24	26	22	23
17	Meningitis.....	98	5	4	11	9	11	9	9	6	8	9	6	6
20-21	Bronchitis.....	453	54	66	71	61	34	20	25	18	16	28	24	41
22	Pneumonia.....	1,514	231	187	250	201	113	58	40	44	47	69	122	152
(23)	Bronchopneumonia.....	1,366	172	178	213	148	95	64	47	45	36	62	91	115
25	Diarrhea and enteritis (under 2 years).....	1,730	58	53	74	63	64	88	418	421	206	157	101	77
(37)	Diarrhea and enteritis (2 years and over).....	228	9	7	17	22	17	20	25	29	26	18	20	18
(33)	Congenital debility ¹	373	31	41	27	23	33	20	35	41	46	38	18	30
35	Violent deaths (excluding suicide).....	1,238	105	85	106	107	127	94	102	94	84	89	130	115
36	Suicide.....	273	24	14	21	35	23	20	23	25	23	17	25	20
	All other causes.....	15,275	1,517	1,347	1,611	1,426	1,222	1,107	1,064	1,089	1,066	1,126	1,279	1,421
PHILADELPHIA, PA. (WHITE).														
	All causes.....	24,454	2,410	2,163	2,599	2,328	1,967	1,655	1,916	1,930	1,653	1,719	1,937	2,172
1	Typhoid fever.....	115	7	11	12	11	12	9	14	10	9	9	6	5
3	Malaria.....	7				1		1			1	1	1	2
5	Measles.....	71	26	25	20	25	16	13	2	3	3	4	7	16
6	Scarlet fever.....	135	21	29	32	40	50	21	25	19	5	1	2	1
7	Whooping cough.....	202	52	33	41	25	15	5	15	16	13	38	49	1
8	Diphtheria and croup.....	317	38	24	33	34	8	1	2	2	3	3	6	11
9	Influenza.....	155	32	24	32	32	8	1	1	2	3	3	6	11
13	Tuberculosis of the lungs.....	2,360	210	189	225	234	242	192	171	185	172	169	170	201
14-15	Other forms of tuberculosis.....	318	21	26	32	40	35	24	33	24	17	21	20	25
17	Meningitis.....	91	7	3	11	9	10	6	8	6	8	9	6	6
20-21	Bronchitis.....	406	50	58	63	55	30	18	22	16	14	23	20	37
22	Pneumonia.....	1,364	212	169	219	186	93	52	37	40	40	63	111	142
(23)	Bronchopneumonia.....	1,159	159	157	199	134	82	62	45	40	35	58	83	105
25	Diarrhea and enteritis (under 2 years).....	1,643	57	48	67	61	60	81	393	393	184	143	91	70
(37)	Diarrhea and enteritis (2 years and over).....	206	9	5	17	18	16	17	21	28	21	17	20	17
(33)	Congenital debility ¹	341	23	37	25	20	31	19	30	35	40	32	17	27
35	Violent deaths (excluding suicide).....	1,140	97	77	90	101	117	79	94	85	82	87	121	107
36	Suicide.....	265	23	14	21	36	23	17	23	25	22	17	24	20
	All other causes.....	14,154	1,404	1,257	1,494	1,301	1,128	1,021	992	1,000	988	1,050	1,189	1,330
PHILADELPHIA, PA. (COLORED).														
	All causes.....	2,285	224	202	253	238	204	168	166	177	169	145	162	172
1	Typhoid fever.....	11			1		3			3	2	1		1
3	Malaria.....	1											1	
5	Measles.....	2			1	1								
6	Scarlet fever.....													
7	Whooping cough.....	44	6	6	7	5	7	2	6	3	1		1	1
8	Diphtheria and croup.....	5			1	2		1						
9	Influenza.....	6			1	2								
13	Tuberculosis of the lungs.....	420	47	34	44	45	40	33	28	28	35	30	24	32
14-15	Other forms of tuberculosis.....	62	7	5	8	6	5	4	8	2	7	5	2	3
17	Meningitis.....	7	1				1	3	1					
20-21	Bronchitis.....	52	4	8	8	6	4	2	3	2	2	5	4	4
22	Pneumonia.....	150	19	18	31	15	20	6	3	4	7	6	11	10
(23)	Bronchopneumonia.....	107	13	21	14	13	13	2	2	5	1	4	8	10
25	Diarrhea and enteritis (under 2 years).....	132	1	5	7	2	4	7	25	28	22	14	10	7
(37)	Diarrhea and enteritis (2 years and over).....	22		2		4	1	3	4	1	5	1	1	1
(33)	Congenital debility ¹	37	3	4	2	3	2	1	5	6	6	1	1	3
35	Violent deaths (excluding suicide).....	98	8	8	16	6	10	15	8	6	2	2	9	8
36	Suicide.....	8	1			2		3			1		1	
	All other causes.....	1,121	113	90	117	125	94	86	72	89	78	76	90	91

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
PITTSBURGH, PA. (TOTAL).														
	All causes.....	8,857	848	836	951	783	719	600	678	696	684	713	664	685
1	Typhoid fever.....	85	6	8	7	6	4	8	5	8	6	9	8	10
3	Malaria.....	1												
5	Measles.....	53	3	4	3	2	7	5	5	1	1	6	3	13
6	Scarlet fever.....	188	19	18	22	16	17	21	10	11	6	13	19	16
7	Whooping cough.....	51	6	3	11	5	9	3	4	5	1	1	2	1
8	Diphtheria and croup.....	158	13	9	12	19	10	6	4	11	17	22	24	11
9	Influenza.....	85	2	9	10	5	2	2				2		3
13	Tuberculosis of the lungs.....	617	57	61	59	57	63	51	44	54	49	42	46	34
14-15	Other forms of tuberculosis.....	139	17	13	13	22	9	8	9	6	10	10	9	13
17	Meningitis.....	54	7	2	3	9	4	7	3	6	7	2	2	2
20-21	Bronchitis.....	165	17	24	20	22	13	4	5	14	12	7	14	13
22	Pneumonia.....	783	109	112	119	100	67	38	22	27	31	49	47	62
(23)	Bronchopneumonia.....	575	86	70	130	52	41	23	25	12	21	36	37	42
25	Diarrhea and enteritis (under 2 years).....	586	24	20	26	23	28	32	112	113	97	54	31	26
(37)	Diarrhea and enteritis (2 years and over).....	82	1	5	7	9	5	8	8	15	8	3	7	6
(33)	Congenital debility ¹	184	11	20	6	8	13	5	15	24	21	23	17	21
35	Violent deaths (excluding suicide).....	619	51	45	56	48	46	57	55	57	60	63	42	39
36	Suicide.....	95	7	11	9	5	6	6	18	10	11	5	4	3
	All other causes.....	4,388	412	402	438	375	375	316	334	322	326	366	352	370
PITTSBURGH, PA. (WHITE).														
	All causes.....	8,264	785	777	888	737	666	559	620	652	646	672	627	635
1	Typhoid fever.....	84	6	8	7	6	3	8	5	8	6	9	8	10
3	Malaria.....	1												
5	Measles.....	49	3	4	3	2	7	5	5	1	1	5	2	11
6	Scarlet fever.....	185	18	18	22	16	16	21	10	11	6	13	18	16
7	Whooping cough.....	42	4	2	11	4	7	3	2	5	1	1	1	1
8	Diphtheria and croup.....	156	12	9	12	19	10	6	4	11	17	22	24	10
9	Influenza.....	34	2	9	10	5	2	2				1		3
13	Tuberculosis of the lungs.....	528	52	51	51	53	56	38	32	45	42	37	43	28
14-15	Other forms of tuberculosis.....	124	15	12	12	19	9	8	9	3	7	9	9	12
17	Meningitis.....	50	5	2	3	8	4	6	3	6	7	2	2	2
20-21	Bronchitis.....	156	17	22	20	22	12	4	5	11	12	6	14	11
22	Pneumonia.....	710	99	101	107	87	60	37	19	27	29	45	44	55
(23)	Bronchopneumonia.....	524	77	66	118	49	36	19	23	11	20	34	33	38
25	Diarrhea and enteritis (under 2 years).....	562	24	19	25	23	25	31	105	111	92	54	30	23
(37)	Diarrhea and enteritis (2 years and over).....	76	1	5	7	9	4	6	7	14	8	3	7	5
(33)	Congenital debility ¹	167	11	19	4	7	11	5	13	22	19	21	17	18
35	Violent deaths (excluding suicide).....	585	44	40	52	47	46	55	52	55	56	61	40	37
36	Suicide.....	91	7	9	8	5	6	6	18	10	10	5	4	3
	All other causes.....	4,141	388	381	416	356	352	299	308	301	313	344	331	352
PITTSBURGH, PA. (COLORED).														
	All causes.....	593	63	59	63	46	53	41	58	44	38	41	37	50
1	Typhoid fever.....	1					1							
3	Malaria.....													
5	Measles.....	4										1	1	2
6	Scarlet fever.....	1	1				1					1	1	
7	Whooping cough.....	2	2	1		1	2		2				1	
8	Diphtheria and croup.....	2	1											1
9	Influenza.....	1										1		
13	Tuberculosis of the lungs.....	89	5	10	8	4	7	13	12	9	7	5	3	6
14-15	Other forms of tuberculosis.....	15	2	1	1	3			3	3	1	1		1
17	Meningitis.....	4	2			1		1						
20-21	Bronchitis.....	9		2			1			3		1		2
22	Pneumonia.....	73	10	11	12	13	7	1	3	1	2	4	3	7
(23)	Bronchopneumonia.....	51	9	4	12	3	5	4	2	1	1	2	4	4
25	Diarrhea and enteritis (under 2 years).....	24	1	1	1	3	3	1	2	1	5	1	1	3
(37)	Diarrhea and enteritis (2 years and over).....	6					1	2	1	2	2	2	1	3
(33)	Congenital debility ¹	17	1	2	1	1	2	2	2	2	2	2	2	2
35	Violent deaths (excluding suicide).....	34	7	5	4	1		2	3	2	4	2	2	2
36	Suicide.....	4									1			
	All other causes.....	247	24	21	22	19	23	17	26	21	13	22	21	18
SCRANTON, PA.														
	All causes.....	2,231	157	177	201	178	180	170	199	216	189	172	170	222
1	Typhoid fever.....	13	1		1	1	2			1	4			3
3	Malaria.....													
5	Measles.....	10	1			1	5	1	1	1				
6	Scarlet fever.....	4		1										3
7	Whooping cough.....	21		1	2	2	2	3	2	3	2	2	2	1
8	Diphtheria and croup.....	32	6	2	3	2	4	3	2	2	1	3	6	2
9	Influenza.....	7	1	2	2	3	1	1	2					2
13	Tuberculosis of the lungs.....	103	9	5	13	6	9	5	9	11	10	8	8	13
14-15	Other forms of tuberculosis.....	28	3	3	3	1	4	3	1	1	1	2	1	5
17	Meningitis.....	10		1	1	3	1		5	1		2	1	
20-21	Bronchitis.....	40	3	14	6	3	1	2		1	1	2	3	5
22	Pneumonia.....	169	12	19	21	25	19	12	3	3	6	13	17	19
(23)	Bronchopneumonia.....	163	12	16	20	15	19	14	13	8	12	7	13	14
25	Diarrhea and enteritis (under 2 years).....	230	7	3	6	9	4	7	48	73	44	17	5	7
(37)	Diarrhea and enteritis (2 years and over).....	27	2	1	2	2	2	3	3	5	2	2	2	1
(33)	Congenital debility ¹	15	1			1		4	2	2	2	3	1	
35	Violent deaths (excluding suicide).....	222	14	18	12	19	16	14	17	14	20	22	20	36
36	Suicide.....	20	1	1	1		2		1	6	5	3		
	All other causes.....	1,112	88	92	108	81	93	103	91	88	76	85	95	112

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
PROVIDENCE, R. I.														
	All causes.....	3,723	381	310	356	338	319	283	284	308	277	308	290	319
1	Typhoid fever.....	27	2	1	1	2	1	5	4	5	5	1	5	2
3	Malaria.....	37	3	6	5	8	5	3	3	3	1	2	2	1
5	Measles.....	20	2	1	3	2	1	3	1	1	2	2	2	3
6	Scarlet fever.....	24	1	3	4	3	4	2	2	2	2	2	4	7
7	Whooping cough.....	59	6	4	8	3	2	1	2	6	10	8	7	4
8	Diphtheria and croup.....	16	1	2	2	2	4	1	1	2	4	3	3	3
9	Influenza.....	298	30	22	21	23	27	24	28	34	19	22	20	20
13	Tuberculosis of the lungs.....	71	9	5	4	10	3	4	7	7	5	4	10	10
14-15	Other forms of tuberculosis.....	21	2	1	3	2	1	1	3	1	2	2	4	4
17	Meningitis.....	46	7	3	8	4	3	2	7	1	1	2	8	8
20-21	Bronchitis.....	261	45	41	31	36	14	15	12	8	15	16	20	20
22	Pneumonia.....	135	24	18	21	25	5	1	4	3	7	9	8	10
(23)	Bronchopneumonia.....	176	7	6	6	3	5	8	19	36	35	31	16	4
25	Diarrhea and enteritis (under 2 years).....	28	4	2	1	3	3	4	2	3	2	2	1	1
(37)	Diarrhea and enteritis (2 years and over).....	81	8	5	7	8	3	2	9	5	16	14	1	3
(33)	Congenital debility ¹	221	13	12	24	14	29	13	18	27	14	23	16	18
35	Violent deaths (excluding suicide).....	40	2	4	2	5	8	3	3	3	1	3	4	5
36	Suicide.....	2,159	215	177	206	186	200	150	169	174	138	166	182	196
	All other causes.....													
MEMPHIS, TENN. (TOTAL).														
	All causes.....	2,970	244	225	258	252	230	315	217	221	219	266	245	278
1	Typhoid fever.....	61	5	2	4	2	8	6	3	5	10	11	5	6
3	Malaria.....	79	2	1	1	4	6	14	10	7	12	8	8	6
5	Measles.....	8	1	1	5	1	1	1	1	1	1	1	1	1
6	Scarlet fever.....	3	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	13	3	3	3	1	2	2	2	2	2	2	2	2
8	Diphtheria and croup.....	22	4	2	1	1	1	1	1	1	1	1	1	1
9	Influenza.....	26	5	6	2	3	1	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	391	37	36	52	31	24	40	29	25	32	34	28	28
14-15	Other forms of tuberculosis.....	38	3	4	1	5	2	4	6	2	4	3	2	2
17	Meningitis.....	20	4	2	3	2	4	2	1	1	2	2	1	1
20-21	Bronchitis.....	21	3	2	2	3	1	3	1	1	2	2	4	4
22	Pneumonia.....	149	21	16	32	23	13	3	3	1	3	15	16	16
(23)	Bronchopneumonia.....	74	6	7	7	10	11	4	2	3	7	4	11	11
25	Diarrhea and enteritis (under 2 years).....	86	2	2	2	5	7	26	5	9	8	12	7	3
(37)	Diarrhea and enteritis (2 years and over).....	39	1	1	2	2	10	2	3	7	2	4	5	5
(33)	Congenital debility ¹	31	3	1	1	1	4	4	3	3	4	3	3	5
35	Violent deaths (excluding suicide).....	245	24	25	12	20	23	30	14	19	22	15	14	27
36	Suicide.....	27	1	3	2	3	2	1	1	4	3	1	4	2
	All other causes.....	1,637	123	118	125	138	130	168	127	134	133	154	133	154
MEMPHIS, TENN. (WHITE).														
	All causes.....	1,275	102	84	115	106	90	149	75	90	110	112	123	119
1	Typhoid fever.....	31	4	3	3	2	6	2	2	3	4	5	2	2
3	Malaria.....	20	2	1	1	2	2	5	2	1	1	1	3	3
5	Measles.....	4	1	1	1	1	1	1	1	1	1	1	1	1
6	Scarlet fever.....	3	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	4	1	1	1	1	1	1	1	1	1	1	1	1
8	Diphtheria and croup.....	11	2	1	1	1	1	1	1	1	2	2	2	2
9	Influenza.....	7	1	1	1	1	1	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	98	6	8	18	10	5	11	4	3	5	7	14	7
14-15	Other forms of tuberculosis.....	9	1	1	1	2	1	1	1	1	1	2	1	1
17	Meningitis.....	9	3	2	2	1	1	1	1	1	1	1	1	1
20-21	Bronchitis.....	5	1	1	2	2	1	1	1	1	1	1	1	1
22	Pneumonia.....	53	7	2	14	10	5	1	1	2	1	4	5	5
(23)	Bronchopneumonia.....	19	2	2	3	4	1	1	1	1	2	1	2	2
25	Diarrhea and enteritis (under 2 years).....	44	1	2	2	1	2	18	3	5	5	3	2	2
(37)	Diarrhea and enteritis (2 years and over).....	20	1	1	1	1	1	7	1	4	1	2	3	3
(33)	Congenital debility ¹	23	2	1	1	1	4	1	3	2	3	3	4	4
35	Violent deaths (excluding suicide).....	108	18	11	4	6	9	15	3	9	9	7	8	8
36	Suicide.....	20	2	1	3	2	2	1	1	4	2	1	4	1
	All other causes.....	787	53	55	59	66	58	81	54	57	75	76	77	76
MEMPHIS, TENN. (COLORED).														
	All causes.....	1,695	142	141	143	146	140	166	142	131	109	154	122	159
1	Typhoid fever.....	30	1	2	1	2	2	4	1	2	6	6	6	3
3	Malaria.....	59	1	1	1	4	4	9	8	6	11	7	7	3
5	Measles.....	4	1	2	1	1	1	1	1	1	1	1	1	1
6	Scarlet fever.....	4	1	1	1	1	1	1	1	1	1	1	1	1
7	Whooping cough.....	9	2	2	2	2	1	2	2	2	2	2	2	2
8	Diphtheria and croup.....	11	2	2	1	2	1	1	1	1	3	1	2	4
9	Influenza.....	19	4	4	1	2	1	1	1	1	1	1	1	1
13	Tuberculosis of the lungs.....	293	31	28	34	21	19	29	25	22	13	25	20	21
14-15	Other forms of tuberculosis.....	29	3	4	1	3	2	3	5	1	1	2	3	1
17	Meningitis.....	11	1	1	1	1	3	1	1	1	1	2	1	1
20-21	Bronchitis.....	16	2	2	2	1	1	3	1	1	1	1	3	3
22	Pneumonia.....	96	14	14	18	13	8	2	2	1	2	2	11	11
(23)	Bronchopneumonia.....	55	4	5	4	10	7	3	2	2	1	5	3	9
25	Diarrhea and enteritis (under 2 years).....	42	1	1	1	4	5	8	2	4	3	10	4	1
(37)	Diarrhea and enteritis (2 years and over).....	19	1	1	1	1	3	2	2	2	3	1	2	2
(33)	Congenital debility ¹	8	1	1	1	1	1	3	3	1	1	1	1	1
35	Violent deaths (excluding suicide).....	137	6	14	8	14	14	15	11	10	13	6	7	19
36	Suicide.....	7	1	1	1	1	1	1	1	1	1	1	1	1
	All other causes.....	850	70	68	66	72	72	87	73	77	58	78	56	78

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
NASHVILLE, TENN. (TOTAL).														
	All causes.....	2,119	174	160	222	178	184	186	189	145	155	194	156	176
1	Typhoid fever.....	59	6	1	2	5	2	-----	15	5	8	10	3	2
3	Malaria.....	13	-----	-----	-----	-----	-----	-----	3	1	2	5	1	1
5	Measles.....	8	1	-----	3	-----	1	1	2	-----	-----	-----	-----	-----
6	Scarlet fever.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
7	Whooping cough.....	24	3	-----	3	-----	5	3	2	-----	1	1	-----	-----
8	Diphtheria and croup.....	11	1	-----	-----	1	-----	1	1	1	2	3	-----	2
9	Influenza.....	25	1	3	9	2	-----	1	-----	-----	-----	1	1	5
13	Tuberculosis of the lungs.....	232	24	17	30	26	14	21	23	12	18	17	15	15
14-15	Other forms of tuberculosis.....	38	1	1	1	4	6	8	2	3	2	5	3	2
17	Meningitis.....	14	-----	2	-----	2	2	2	1	1	1	1	-----	2
20-21	Bronchitis.....	10	1	-----	-----	-----	-----	1	-----	2	-----	-----	1	6
22	Pneumonia.....	122	18	13	22	14	18	2	6	7	3	5	-----	8
(23)	Bronchopneumonia.....	77	6	15	16	11	3	6	-----	1	3	3	5	2
25	Diarrhea and enteritis (under 2 years).....	78	2	1	3	1	10	13	12	11	11	10	2	1
(37)	Diarrhea and enteritis (2 years and over).....	24	-----	1	-----	-----	2	3	6	5	2	3	1	1
(33)	Congenital debility ¹	28	4	-----	2	2	3	4	1	2	4	3	2	1
35	Violent deaths (excluding suicide).....	122	13	9	11	5	12	11	9	10	8	14	7	13
36	Suicide.....	18	1	-----	2	1	1	2	3	3	2	2	1	-----
	All other causes.....	1,216	92	97	118	97	103	108	103	81	89	110	102	116
NASHVILLE, TENN. (WHITE).														
	All causes.....	1,125	84	83	111	86	100	95	103	78	91	109	95	90
1	Typhoid fever.....	34	1	-----	1	-----	1	-----	10	5	4	8	3	1
3	Malaria.....	6	-----	-----	-----	-----	-----	-----	1	-----	2	2	-----	1
5	Measles.....	5	1	-----	2	-----	-----	1	1	-----	-----	-----	-----	-----
6	Scarlet fever.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
7	Whooping cough.....	11	2	-----	2	1	3	-----	-----	1	1	1	-----	2
8	Diphtheria and croup.....	9	-----	-----	-----	1	-----	1	1	1	1	1	1	1
9	Influenza.....	9	1	2	1	1	1	1	-----	-----	-----	-----	-----	8
13	Tuberculosis of the lungs.....	92	13	3	12	11	4	10	11	2	6	6	6	8
14-15	Other forms of tuberculosis.....	16	1	1	1	4	3	3	1	1	1	1	1	2
17	Meningitis.....	9	-----	2	-----	1	1	1	-----	-----	-----	-----	-----	-----
20-21	Bronchitis.....	5	-----	-----	-----	1	-----	-----	-----	2	-----	-----	-----	3
22	Pneumonia.....	56	7	8	9	6	11	1	2	2	2	1	4	5
(23)	Bronchopneumonia.....	34	2	5	11	5	-----	7	7	10	6	8	4	1
25	Diarrhea and enteritis (under 2 years).....	53	2	1	2	-----	7	7	7	10	6	3	2	1
(37)	Diarrhea and enteritis (2 years and over).....	14	-----	-----	-----	-----	1	1	1	4	2	2	1	1
(33)	Congenital debility ¹	21	3	-----	2	2	3	3	2	2	5	9	4	4
35	Violent deaths (excluding suicide).....	66	7	5	4	2	9	6	6	6	2	2	1	-----
36	Suicide.....	13	1	-----	1	1	-----	2	2	1	2	2	1	61
	All other causes.....	672	43	56	63	50	56	57	59	42	59	63	63	61
NASHVILLE, TENN. (COLORED).														
	All causes.....	994	90	77	111	92	84	91	86	67	64	85	61	86
1	Typhoid fever.....	25	5	1	1	5	1	-----	5	-----	4	2	-----	1
3	Malaria.....	7	-----	-----	-----	-----	-----	-----	2	1	-----	3	1	-----
5	Measles.....	3	-----	-----	1	-----	-----	1	1	-----	-----	-----	-----	-----
6	Scarlet fever.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
7	Whooping cough.....	13	1	-----	1	4	2	3	2	-----	-----	-----	-----	4
8	Diphtheria and croup.....	9	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
9	Influenza.....	16	1	1	8	1	1	-----	-----	-----	1	-----	-----	7
13	Tuberculosis of the lungs.....	140	11	14	18	15	10	11	12	10	12	11	9	2
14-15	Other forms of tuberculosis.....	22	-----	-----	-----	-----	3	5	2	2	2	4	2	7
17	Meningitis.....	5	-----	-----	-----	1	1	1	1	-----	-----	1	-----	-----
20-21	Bronchitis.....	5	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	3
22	Pneumonia.....	60	11	5	13	8	7	1	4	5	1	4	4	3
(23)	Bronchopneumonia.....	43	4	10	5	6	4	4	4	1	3	3	1	3
25	Diarrhea and enteritis (under 2 years).....	25	-----	-----	1	1	3	6	5	1	5	2	-----	1
(37)	Diarrhea and enteritis (2 years and over).....	10	-----	1	-----	-----	1	1	4	1	-----	-----	1	1
(33)	Congenital debility ¹	7	1	-----	7	3	3	6	3	4	3	5	3	9
35	Violent deaths (excluding suicide).....	56	6	4	1	1	1	1	1	2	30	47	39	55
36	Suicide.....	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	All other causes.....	544	49	41	55	47	47	51	44	39	30	47	39	55
RICHMOND, VA. (TOTAL).														
	All causes.....	2,658	264	219	268	247	207	247	239	186	185	192	203	201
1	Typhoid fever.....	19	3	-----	1	-----	2	1	2	4	3	-----	1	2
3	Malaria.....	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
5	Measles.....	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
6	Scarlet fever.....	2	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
7	Whooping cough.....	69	11	9	8	9	12	6	4	5	5	-----	-----	-----
8	Diphtheria and croup.....	4	-----	-----	-----	-----	-----	-----	-----	1	1	2	-----	-----
9	Influenza.....	25	5	2	3	5	2	-----	-----	-----	-----	-----	1	2
13	Tuberculosis of the lungs.....	254	28	17	25	23	19	16	21	20	17	18	25	25
14-15	Other forms of tuberculosis.....	42	1	4	5	6	5	5	2	1	4	3	2	4
17	Meningitis.....	15	-----	2	3	2	-----	2	2	-----	-----	-----	-----	4
20-21	Bronchitis.....	28	3	3	5	-----	5	1	-----	1	2	1	3	4
22	Pneumonia.....	134	21	13	28	10	6	4	2	6	9	9	9	17
(23)	Bronchopneumonia.....	111	20	13	18	16	10	5	3	5	1	5	3	12
25	Diarrhea and enteritis (under 2 years).....	101	1	2	2	2	2	33	24	13	11	7	4	-----
(37)	Diarrhea and enteritis (2 years and over).....	24	2	2	1	1	-----	4	5	1	4	2	1	1
(33)	Congenital debility ¹	55	1	3	4	3	-----	8	12	5	5	4	7	3
35	Violent deaths (excluding suicide).....	196	19	20	21	19	14	16	18	12	7	16	20	14
36	Suicide.....	14	1	2	1	2	-----	2	2	2	1	-----	1	2
	All other causes.....	1,563	148	126	138	148	129	144	144	109	115	123	125	114

¹ Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
RICHMOND, VA. (WHITE).														
	All causes.....	1,298	117	110	130	127	94	123	127	89	92	87	107	95
1	Typhoid fever.....	8	2				1		1	1			1	1
3	Malaria.....													
5	Measles.....	1			1									
6	Scarlet fever.....	2		1									1	
7	Whooping cough.....	18	4	4	2	2	3	1	1	1				
8	Diphtheria and croup.....	3								1		2		
9	Influenza.....	15	2	2	5	3	1							2
13	Tuberculosis of the lungs.....	85	11	5	7	7	5	7	6	8	6	8	5	10
14-15	Other forms of tuberculosis.....	31		3	5	4	4	4	1	1	3	2	1	3
17	Meningitis.....	6			1			1	2			1	1	1
20-21	Bronchitis.....	8			1			2			2	1	1	1
22	Pneumonia.....	46	3	4	15	3		1	1	2	2	1	1	1
(23)	Bronchopneumonia.....	31	8	1	6	6	1				2	3	4	8
25	Diarrhea and enteritis (under 2 years).....	51			1	1	1	16	14	6	7	4	1	7
(37)	Diarrhea and enteritis (2 years and over).....	13	1		1	1		4	2	1	2		1	
(38)	Congenital debility ¹	27		3				3	7	3	1	2	5	2
35	Violent deaths (excluding suicide).....	91	8	15	8	8	7	3	11	6	3	8	10	4
36	Suicide.....	14	1	2	1	2	2	3	2	2	1	1	2	2
	All other causes.....	848	77	70	76	89	69	81	80	57	64	55	76	54
RICHMOND, VA. (COLORED).														
	All causes.....	1,360	147	109	138	120	113	124	112	97	93	105	96	106
1	Typhoid fever.....	11	1		1		1	1	1	3	2			1
3	Malaria.....	1								1				
5	Measles.....													
6	Scarlet fever.....													
7	Whooping cough.....	51	7		6	7	9	5	3	5				
8	Diphtheria and croup.....	1		5				5	3	4	5			
9	Influenza.....	10	3		3	2	1			1			1	
13	Tuberculosis of the lungs.....	169	17	12	18	16	14	9	15	12	11	10	20	15
14-15	Other forms of tuberculosis.....	11	1	1		2	1	1	1	1	1	1	1	1
17	Meningitis.....	9		2	2	2	1	1			1	1		
20-21	Bronchitis.....	20	3	3	4	3	3			1			2	3
22	Pneumonia.....	88	18	9	13	7	6	3	1	4	7	6	5	9
(23)	Bronchopneumonia.....	80	12	12	12	10	9	5	2	5	1	4	3	5
25	Diarrhea and enteritis (under 2 years).....	50	1	2	1	1	1	17	10	7	4	3	3	
(37)	Diarrhea and enteritis (2 years and over).....	11	1	2				3	3	2	2	2	3	1
(38)	Congenital debility ¹	28	1		3	3		5	5	2	4	2	2	1
35	Violent deaths (excluding suicide).....	105	11	5	13	11	7	13	7	6	4	8	10	10
36	Suicide.....													
	All other causes.....	715	71	56	62	59	60	63	64	59	51	68	49	60
SEATTLE, WASH.														
	All causes.....	2,537	226	213	235	222	202	174	218	212	186	197	208	244
1	Typhoid fever.....	22	2	1	2			1	1	3	2	7		3
3	Malaria.....	1		1										
5	Measles.....	1			1									
6	Scarlet fever.....	3					2					1		
7	Whooping cough.....	10	2	2	1					2		1	1	1
8	Diphtheria and croup.....	7		1		2	1	1			1		1	
9	Influenza.....	5			1					1	1			3
13	Tuberculosis of the lungs.....	209	16	21	25	21	20	12	14	18	9	16	19	18
14-15	Other forms of tuberculosis.....	69	8	4	5	9	8	8	8	6	3	4	2	4
17	Meningitis.....	17		5	3	1	2		1			2	2	1
20-21	Bronchitis.....	20	3	2	3	1		2	2	1	3		1	2
22	Pneumonia.....	112	16	12	9	15	11	3	5	6	6	8	8	13
(23)	Bronchopneumonia.....	57	7	7	8	7	3	1	2	3	3	3	8	6
25	Diarrhea and enteritis (under 2 years).....	35	1	2	4	3	3	2	4	4	5	2	2	3
(37)	Diarrhea and enteritis (2 years and over).....	22	2		1	1	2	2	4	3	2	2	3	2
(38)	Congenital debility ¹	30			4	2	3		1	1	5	4	6	2
35	Violent deaths (excluding suicide).....	216	18	21	19	17	14	16	23	25	26	8	13	16
36	Suicide.....	89	6	9	10	4	10	8	9	8	7	11	2	5
	All other causes.....	1,612	145	125	139	139	123	116	148	132	112	128	140	165
SPOKANE, WASH.														
	All causes.....	1,170	102	91	116	86	91	83	88	87	97	113	108	108
1	Typhoid fever.....	17		1	2	1			1	2	3	3	3	1
3	Malaria.....													
5	Measles.....	9	2	3		1	1	1	1					
6	Scarlet fever.....	2			1								1	
7	Whooping cough.....													
8	Diphtheria and croup.....	5		1	1			1			1			1
9	Influenza.....	4		1								2	1	
13	Tuberculosis of the lungs.....	73	12	6	9	5	3	9	5	2	7	6	4	5
14-15	Other forms of tuberculosis.....	24	3	2	1	6			4	1	1	2	1	3
17	Meningitis.....	7	1					1			1			2
20-21	Bronchitis.....	5			1	1		2				1	1	
22	Pneumonia.....	51	2	5	7	3	6	4	3	1	2	3	9	6
(23)	Bronchopneumonia.....	32	5	1	3	1	3	1	1	1	2	4	6	4
25	Diarrhea and enteritis (under 2 years).....	28		3	3	2	3	1	1	6	2	2	3	2
(37)	Diarrhea and enteritis (2 years and over).....	5			1					2	1	1	1	
(38)	Congenital debility ¹	11		1		1	1		1	2	2	1	1	1
35	Violent deaths (excluding suicide).....	88	6	3	9	5	6	11	8	9	13	8	4	6
36	Suicide.....	39	2	2	5	3	3	2	3	3	4	5	2	5
	All other causes.....	770	69	62	74	56	62	52	60	58	58	76	71	72

¹ Excluding premature birth.

DEATHS, BY MONTH OF OCCURRENCE.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.														
	MILWAUKEE, WIS.													
	All causes	4,959	456	433	534	483	446	359	346	339	336	380	418	429
1	Typhoid fever	34		2	5	2	3	4	7	2	2	3		4
2	Malaria													
3	Measles	38	1	4	10	6	5	4	2		1	2	2	1
4	Scarlet fever	95	12	10	14	12	14	3	3	3	1	3	11	9
5	Whooping cough	14	2	1	1		4	1	1		1		2	1
6	Diphtheria and croup	140	21	9	12	12	11	7	8	4	13		21	11
7	Influenza	15	2		7	2	1					1	21	2
8	Tuberculosis of the lungs	391	32	46	40	40	43	22	31	23	25	21	32	36
9	Other forms of tuberculosis	51	2	5	5	2	5	10	4	4	5	4	1	4
10	Meningitis	31	3	1	3	7	5	2	2	1	2	1	3	1
11	Bronchitis	123	11	15	23	14	4	14	6	6	5	1	13	7
12	Pneumonia	303	32	48	52	33	29	9	9	12	10	13	27	29
13	Bronchopneumonia	192	21	14	40	25	22	8	7	6	4	11	11	23
14	Diarrhea and enteritis (under 2 years)	289	15	18	21	22	25	9	14	7	4	39	19	24
15	Diarrhea and enteritis (2 years and over)	37	2		3	3	2	5	3	4	4	3	3	1
16	Congenital debility ¹	139	18	13	10	15	8	12	8	7	5	3	3	16
17	Violent deaths (excluding suicide)	243	19	11	17	23	20	22	32	20	12	17	31	24
18	Suicide	89	5	5	9	6	9	8	7	9	9	10	4	8
19	All other causes	2,730	258	231	262	259	236	219	202	191	191	225	228	228

¹ Excluding premature birth.

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
SUMMARY.																
	THE REGISTRATION AREA.															
	All causes.....	155,075	22,657	7,835	5,701	11,330	47,523	10,009	7,310	5,711	70,553	14,227	11,765	25,829	18,463	14,238
5	Measles.....	1,041	4	2	5	11	12	18	13	54	46	54	142	298	447
6	Scarlet fever.....	204	2	2	3	5	8	18	10	5	40	48	88
7	Whooping cough.....	3,899	2	6	4	9	21	23	86	177	307	568	441	997	853	733
8	Diphtheria and croup.....	977	3	4	4	11	22	32	29	30	113	67	47	157	230	363
9	Influenza.....	481	2	13	15	20	17	83	72	47	107	98	74
(12)	Dysentery.....	573	1	1	6	8	8	11	9	36	39	55	176	137	130
(12)	Erysipelas.....	740	5	2	6	10	13	42	79	212	204	77	103	94	50
(37)	Tetanus.....	368	7	9	9	111	136	181	21	14	352	5	3	2	2	4
13	Tuberculosis of the lungs.....	883	7	3	3	14	27	17	11	17	72	41	59	260	236	215
14	Tuberculous meningitis.....	1,118	2	7	9	17	13	13	52	33	62	291	356	324
15	Other forms of tuberculosis.....	448	2	4	6	4	11	11	32	47	40	143	104	82
(37)	Syphilis.....	1,982	189	71	31	94	335	159	144	126	764	369	254	382	137	76
17	Meningitis.....	1,659	2	8	17	76	103	80	57	35	275	113	139	408	403	321
(37)	Convulsions.....	2,950	98	146	235	473	952	339	180	104	1,575	285	200	447	274	169
19	Organic diseases of the heart.....	596	25	10	44	72	151	47	47	32	277	84	54	91	48	42
20	Acute bronchitis.....	3,453	12	27	40	101	180	204	241	190	815	528	405	800	547	363
22	Pneumonia.....	6,925	21	41	84	233	379	346	289	279	1,293	722	638	1,676	1,393	1,213
(23)	Bronchopneumonia.....	13,653	27	68	121	359	575	590	634	599	2,398	1,642	1,342	3,143	2,308	2,320
24	Diseases of the stomach.....	2,556	3	12	35	124	174	176	178	120	648	419	366	652	300	171
25	Diarrhea and enteritis.....	35,130	29	49	104	563	750	1,100	1,233	1,190	4,323	3,887	4,119	10,452	7,307	5,092
(33)	Malformations.....	9,663	2,136	1,083	851	1,637	5,707	1,019	1,555	346	7,627	665	364	529	301	177
(33)	Premature birth.....	28,270	13,731	3,767	2,063	2,993	22,554	2,440	1,359	704	27,057	729	229	194	41	20
(33,37)	Congenital debility.....	18,549	2,846	1,196	990	2,317	7,349	1,823	1,157	890	11,219	2,185	1,639	2,303	806	397
(37)	Injuries at birth.....	5,716	2,713	877	631	968	5,189	332	95	49	5,665	37	14	272
35	External causes.....	1,926	121	64	56	118	359	97	73	75	604	242	202	369	237	109
38	Diseases ill-defined or unknown.....	2,964	523	242	164	322	1,256	251	164	138	1,809	300	211	375	160	109
	All other causes.....	8,296	197	146	208	689	1,240	647	553	433	2,873	888	699	1,590	1,255	991
	REGISTRATION STATES.¹															
	All causes.....	141,912	21,219	7,215	5,290	10,402	44,126	9,082	6,682	5,222	65,112	13,006	10,717	23,421	16,769	12,887
5	Measles.....	978	4	2	5	11	12	17	12	52	44	52	134	278	418
6	Scarlet fever.....	181	2	2	3	3	7	15	10	3	35	44	74
7	Whooping cough.....	3,612	2	6	4	7	19	19	83	166	287	526	420	924	783	672
8	Diphtheria and croup.....	886	2	4	4	9	19	32	24	25	100	62	42	137	214	331
9	Influenza.....	450	2	13	15	19	16	81	69	44	102	87	67
(12)	Dysentery.....	535	1	1	4	6	7	10	7	30	34	51	107	132	121
(12)	Erysipelas.....	690	4	2	6	12	39	75	73	199	190	73	94	89	45
(37)	Tetanus.....	245	4	9	8	69	90	121	12	10	233	4	2	4
13	Tuberculosis of the lungs.....	807	7	3	3	11	24	16	9	13	62	40	55	242	216	192
14	Tuberculous meningitis.....	1,042	2	6	8	16	12	13	49	31	59	272	329	302
15	Other forms of tuberculosis.....	412	2	4	6	4	10	9	29	33	35	134	98	78
(37)	Syphilis.....	1,715	122	61	30	84	297	137	133	109	676	309	214	334	119	63
17	Meningitis.....	1,586	2	8	15	70	93	78	55	33	289	109	136	391	387	304
(37)	Convulsions.....	2,779	91	130	219	437	877	316	174	99	1,466	274	190	423	265	161
19	Organic diseases of the heart.....	553	24	10	41	67	142	42	44	31	259	77	53	84	43	42
20	Acute bronchitis.....	3,289	11	25	40	97	173	228	178	182	772	505	330	754	508	340
22	Pneumonia.....	6,421	17	37	80	220	354	327	273	238	1,212	663	602	1,532	1,275	1,132
(23)	Bronchopneumonia.....	12,154	26	59	108	312	505	518	564	532	2,119	1,453	1,190	2,804	2,508	2,079
24	Diseases of the stomach.....	2,443	2	12	34	120	168	171	116	119	629	405	344	621	283	161
25	Diarrhea and enteritis.....	30,942	23	45	87	473	631	908	1,079	1,041	3,659	3,419	3,633	9,240	6,499	4,492
(33)	Malformations.....	9,047	2,018	1,019	790	1,529	5,356	956	527	320	7,159	624	324	492	277	161
(33)	Premature birth.....	26,404	12,914	3,491	1,927	2,777	21,109	2,236	1,260	661	25,286	676	211	174	37	20
(33,37)	Congenital debility.....	17,268	2,649	1,083	814	2,142	6,783	1,679	1,074	662	10,367	2,060	1,548	2,173	755	365
(37)	Injuries at birth.....	5,799	2,497	791	577	871	4,736	292	96	45	5,160	37	12	257
35	External causes.....	1,209	111	57	53	111	332	65	65	68	558	225	159	343	227	128
38	Diseases ill-defined or unknown.....	2,815	507	224	158	313	1,202	235	160	133	1,730	287	200	346	151	101
	All other causes.....	7,675	180	138	191	642	1,151	593	517	403	2,664	827	645	1,167	905	905
	CITIES IN REGISTRATION STATES.¹															
	All causes.....	78,976	10,740	3,873	2,821	5,438	22,872	4,713	3,647	2,799	34,036	7,389	6,145	13,659	10,043	7,704
5	Measles.....	575	2	2	2	4	5	3	14	11	21	74	181	274
6	Scarlet fever.....	110	1	1	2	2	4	9	5	1	18	32	45
7	Whooping cough.....	1,543	2	1	1	4	4	28	41	77	182	159	418	384	330
8	Diphtheria and croup.....	481	1	1	1	3	12	8	29	26	22	64	131	209
9	Influenza.....	163	1	2	4	9	7	22	27	14	40	33	27
(12)	Dysentery.....	208	1	2	2	3	2	4	3	12	15	22	59	59	41
(12)	Erysipelas.....	422	2	2	4	8	31	45	40	124	111	43	62	52	30
(37)	Tetanus.....	108	4	6	5	29	44	47	6	5	102	2	2	1
13	Tuberculosis of the lungs.....	439	3	1	3	8	15	9	5	5	34	23	31	128	106	117
14	Tuberculous meningitis.....	666	2	2	2	6	3	17	16	33	168	220	212	212
15	Other forms of tuberculosis.....	230	1	2	3	1	5	1	10	19	18	75	61	47
(37)	Syphilis.....	1,302	94	40	19	61	214	109	106	78	507	249	154	258	92	42
17	Meningitis.....	731	2	4	30	36	25	26	14	101	46	59	190	192	143
(37)	Convulsions.....	1,339	35	56	95	194	380	132	81	45	638	138	94	214	164	91
19	Organic diseases of the heart.....	263	10	7	18	25	60	18	24	12	114	33	25	40	25	26
20	Acute bronchitis.....	2,055	5	14	23	64	106	129	136	126	497	307	241	465	333	212
22	Pneumonia.....	3,275	7													

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
SUMMARY—Continued.																
	RURAL PART OF REGISTRATION STATES.															
	All causes.....	62,936	10,479	3,342	2,469	4,964	21,254	4,364	3,035	2,423	31,076	5,617	4,572	9,762	6,726	5,183
5	Measles.....	403	4	2	3	9	8	12	9	38	33	31	60	97	144
6	Scarlet fever.....	71	1	1	1	1	3	6	5	2	17	12	29
7	Whooping cough.....	2,064	2	4	3	6	15	15	55	125	210	344	261	508	399	342
8	Diphtheria and croup.....	405	2	4	4	8	18	24	12	17	71	36	20	73	83	122
9	Influenza.....	287	1	12	13	15	7	24	59	42	30	62	54	40
(12)	Dysentery.....	327	1	2	3	5	6	4	18	19	29	108	73	89
(12)	Erysipelas.....	268	2	2	4	8	20	33	75	79	30	32	37	15
(37)	Tetanus.....	137	3	3	4	46	74	6	5	131	2	1	3
13	Tuberculosis of the lungs.....	368	4	2	30	9	7	4	8	28	17	24	114	110	75
14	Tuberculous meningitis.....	376	2	4	6	10	6	10	32	15	26	104	109	90
15	Other forms of tuberculosis.....	182	1	2	3	3	5	8	19	19	17	59	37	21
(37)	Syphilis.....	413	28	21	11	23	83	28	27	31	169	60	60	76	27	21
17	Meningitis.....	855	2	4	11	40	57	53	29	19	158	63	77	201	195	161
(37)	Convulsions.....	1,440	56	74	124	243	497	184	93	54	828	136	96	209	101	70
19	Organic diseases of the heart.....	295	14	3	23	42	82	24	20	19	145	44	28	44	18	16
20	Acute bronchitis.....	1,204	6	11	17	33	67	64	92	52	275	193	139	289	175	128
22	Pneumonia.....	3,146	10	22	40	114	186	173	123	136	623	353	318	767	604	481
(23)	Bronchopneumonia.....	4,140	12	21	44	119	196	198	211	185	790	533	428	1,009	770	610
24	Diseases of the stomach.....	1,442	2	8	18	79	107	114	114	68	403	246	192	362	159	80
25	Diarrhea and enteritis.....	11,744	11	17	36	215	279	380	416	409	1,484	1,249	1,314	3,408	2,489	1,800
(33)	Malformations.....	4,333	1,016	491	366	757	2,630	446	266	150	3,492	266	158	210	141	66
(33)	Premature birth.....	12,129	6,400	1,503	831	1,203	9,937	968	521	265	11,691	251	89	74	14	10
(33,37)	Congenital debility.....	7,871	1,330	533	453	1,096	3,412	890	500	413	5,215	899	604	824	266	153
(37)	Injuries at birth.....	2,087	1,004	330	225	325	1,887	120	40	18	2,065	17	5
35	External causes.....	949	49	28	26	49	152	42	34	38	266	123	114	187	130	129
38	Diseases ill-defined or unknown.....	2,385	439	188	137	261	1,025	216	133	118	1,492	248	159	279	124	83
	All other causes.....	3,615	85	73	92	280	530	294	267	202	1,293	410	321	685	502	404
	REGISTRATION CITIES IN OTHER STATES.															
	All causes.....	13,163	1,438	620	411	923	3,397	927	628	489	5,441	1,221	1,048	2,408	1,694	1,351
5	Measles.....	63	1	1	2	2	2	3	20	29
6	Scarlet fever.....	23	2	2	3	5	4	9
7	Whooping cough.....	287	2	2	4	5	11	20	42	21	73	70	61
8	Diphtheria and croup.....	91	1	2	3	5	5	13	5	5	20	16	32
9	Influenza.....	31	1	1	1	2	3	3	5	11	7
(12)	Dysentery.....	38	2	2	1	1	2	6	6	4	4	5	9
(12)	Erysipelas.....	50	1	1	1	3	4	5	13	14	4	9	5	5
(37)	Tetanus.....	123	3	1	42	46	60	9	4	119	1	1	2	23
13	Tuberculosis of the lungs.....	76	3	3	1	2	4	10	1	4	18	20	23
14	Tuberculous meningitis.....	76	1	1	1	1	3	2	3	19	27	22
15	Other forms of tuberculosis.....	36	1	2	3	2	5	9	6	4
(37)	Syphilis.....	267	17	10	1	10	33	22	11	17	88	60	40	48	18	13
17	Meningitis.....	73	2	2	6	10	2	2	2	16	10	4	8	17	18
(37)	Convulsions.....	171	7	16	16	36	75	23	6	5	109	11	10	24	9	8
19	Organic diseases of the heart.....	38	1	3	5	9	5	3	18	7	1	7	7	23
20	Acute bronchitis.....	199	1	2	4	7	11	13	12	43	23	25	46	39	23
22	Pneumonia.....	504	4	4	4	13	25	19	19	21	81	54	36	144	108	81
(23)	Bronchopneumonia.....	1,499	1	9	13	47	70	72	70	67	279	186	152	339	302	241
24	Diseases of the stomach.....	113	1	1	4	6	5	7	1	19	14	22	31	17	10
25	Diarrhea and enteritis.....	4,238	6	4	17	92	119	192	204	149	664	468	486	1,212	808	600
(33)	Malformations.....	616	118	64	61	108	351	63	28	26	468	41	30	37	24	16
(33)	Premature birth.....	1,866	817	276	136	216	1,445	184	99	43	1,771	53	13	20
(33,37)	Congenital debility.....	1,281	197	113	76	175	561	144	88	64	852	125	91	130	51	32
(37)	Injuries at birth.....	507	216	86	54	97	433	40	8	4	505
35	External causes.....	127	10	7	3	7	27	4	8	4	46	17	13	26	10
38	Diseases ill-defined or unknown.....	149	21	18	6	9	54	16	4	5	79	13	11	29	9	8
	All other causes.....	621	17	8	17	47	89	54	36	30	209	61	54	123	88	86
	ALL REGISTRATION CITIES.¹															
	All causes.....	92,139	12,178	4,493	3,232	6,366	26,269	5,645	4,275	3,288	39,477	8,610	7,193	16,067	11,737	9,055
5	Measles.....	638	2	2	4	6	4	16	13	23	82	201	303
6	Scarlet fever.....	133	1	1	2	4	5	12	5	3	23	36	54
7	Whooping cough.....	1,835	2	1	3	4	8	31	52	97	224	180	489	454	391
8	Diphtheria and croup.....	572	1	3	4	8	17	13	42	31	27	84	147	241
9	Influenza.....	194	1	3	2	5	10	7	24	30	17	45	44	34
(12)	Dysentery.....	246	1	4	5	3	5	5	18	20	26	68	64	50
(12)	Erysipelas.....	472	3	2	7	9	34	49	45	137	125	47	71	57	35
(37)	Tetanus.....	231	7	6	4	11	107	15	9	221	3	1	2	1
13	Tuberculosis of the lungs.....	515	3	3	3	10	7	9	44	24	35	146	126	140
14	Tuberculous meningitis.....	742	2	3	7	3	20	18	36	187	247	234
15	Other forms of tuberculosis.....	266	1	6	13	28	23	84	67	51
(37)	Syphilis.....	1,599	111	50	20	71	252	131	117	95	595	309	194	306	110	55
17	Meningitis.....	804	4	6	36	46	27	28	16	117	50	62	207	208	160
(37)	Convulsions.....	1,510	42	72	111	230	455	155	87	50	747	149	104	238	173	99
19	Organic diseases of the heart.....	301	11	7	21	30	69	23	27	13	132	40	26	47	30	26
20	Acute bronchitis.....	2,254	6	16	23	68	113	140	149	138	540	330	266	511	372	235
22	Pneumonia.....	3,779	11	19	44	119	193	173	161	143	670	369	320	909	779	732
(23)	Bronchopneumonia.....	9,513	15	47	77	240	379	392	423	414	1,608	1,109	914	2,134	2,038	1,710
24	Diseases of the stomach.....	1,114	1	4	6	7	6	4	245	173	174	290	141	91
25	Diarrhea and enteritis.....	23,436	18	32	68	353	471	720	867	781	2,839	2,805	2,805	7,044	4,818	3,292
(33)	Malformations.....	5,330	1,120	592	485	880	3,077	573								

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES.																
CALIFORNIA.																
	All causes.....	3,956	636	250	148	306	1,340	278	179	120	1,917	378	299	600	437	325
5	Measles.....	36				1	1				1	1	1	7	10	16
6	Scarlet fever.....	2												1		1
7	Whooping cough.....	166							3	7	10	31	18	33	34	40
8	Diphtheria and croup.....	9			1		1				2			1	3	3
9	Influenza.....	12				2	2	2			4	1		1	5	1
(12)	Dysentery.....	18						1	1		2	2	2	7	5	1
(12)	Erysipelas.....	11						1	1	1	3	1	2		4	1
(37)	Tetanus.....	13			1	5	6	5	1	1	1	1	2		5	1
13	Tuberculosis of the lungs.....	46		1	3	2	6	3	1	1	9		1	16	10	10
14	Tuberculous meningitis.....	52			1		1				1	1	4	11	17	18
15	Other forms of tuberculosis.....	22				1	1				1	2		8	9	2
(37)	Syphilis.....	77	5	1	2	3	11	6	7	5	29	17	12	13	15	13
17	Meningitis.....	66			1	5	6	3	4		13	6	4	15	15	13
(37)	Convulsions.....	28	3	3	2	2	8	6	1	2	17	1	2	5	2	1
19	Organic diseases of the heart.....	19			5	4	9	3	1	1	11	3		3	2	6
20	Acute bronchitis.....	64	1	3		2	6	3	5	2	16	9	3	20	10	38
22	Pneumonia.....	231	1	1	2	7	11	10	13	9	43	32	24	53	41	38
(23)	Bronchopneumonia.....	332		3	3	17	23	13	12	16	64	41	44	85	66	32
24	Diseases of the stomach.....	75		1	1	3	5	8	2	1	16	19	10	19	6	5
25	Diarrhea and enteritis.....	694		3	2	17	22	31	30	15	98	101	89	187	131	88
(33)	Malformations.....	293	69	33	19	51	172	24	12	8	216	24	17	19	10	7
(33)	Premature birth.....	849	402	122	52	86	682	69	50	22	803	28	6	8	2	2
(33, 37)	Congenital debility.....	351	71	37	27	53	188	53	21	21	233	31	32	26	6	3
(37)	Injuries at birth.....	174	76	34	18	27	155	17	2	1	173	1	1			
35	External causes.....	64	1	2	3	1	7	4	2	2	15	7	9	14	7	12
38	Diseases ill-defined or unknown.....	1														
	All other causes.....	221	7	6	5	19	37	21	12	6	76	19	18	48	37	23
COLORADO.																
	All causes.....	1,521	335	104	51	127	617	89	76	54	836	110	94	231	126	124
5	Measles.....	16										3	1		6	6
6	Scarlet fever.....	7	1				1				1			2	2	1
7	Whooping cough.....	47				1	1		3	3	7	3	1	18	10	8
8	Diphtheria and croup.....	5											2	1	1	1
9	Influenza.....	4											1	1	2	
(12)	Dysentery.....	1														
(12)	Erysipelas.....	12						1	1	1	3	2	2	1	2	2
(37)	Tetanus.....	3									3					
13	Tuberculosis of the lungs.....	6		1			1	1			1			4	1	
14	Tuberculous meningitis.....	8												6	2	
15	Other forms of tuberculosis.....	2												2		
(37)	Syphilis.....	29	1	1			2	1	4	3	10	7	4	4	1	3
17	Meningitis.....	19				1	1	2	2		5	1	3	4	4	2
(37)	Convulsions.....	8			1	4	5	2	1		6			2		
19	Organic diseases of the heart.....	5				2	2			1	3		1	1		
20	Acute bronchitis.....	18				2	2	1	4	2	7	5	1	2	1	2
22	Pneumonia.....	59	1			2	3	3	2	5	13	1	7	17	10	11
(23)	Bronchopneumonia.....	161	1	2		8	11	8	10	7	36	15	19	32	28	31
24	Diseases of the stomach.....	1													1	
25	Diarrhea and enteritis.....	258		1	2	7	10	8	7	9	34	26	30	84	41	43
(33)	Malformations.....	125	25	25	14	20	84	11	6	4	105	7		9	2	2
(33)	Premature birth.....	360	222	43	14	28	307	27	12	4	350	6	2	2		
(33, 37)	Congenital debility.....	247	55	22	15	39	131	20	17	9	177	23	18	20	5	4
(37)	Injuries at birth.....	52	25	8	4	8	45	2	3	2	52					
35	External causes.....	23	4				4	2	2	1	9	4		5	4	1
38	Diseases ill-defined or unknown.....	1													1	
	All other causes.....	44		1	1	6	8	2	2	2	14	6	2	14	1	7
CONNECTICUT.																
	All causes.....	3,478	426	225	115	246	1,012	211	162	127	1,512	311	277	571	460	347
5	Measles.....	27										1	2	3	7	14
6	Scarlet fever.....	5													4	1
7	Whooping cough.....	89							2	1	3	9	22	17	16	22
8	Diphtheria and croup.....	16											1	2	2	11
9	Influenza.....	16									2		5	1	3	5
(12)	Dysentery.....	17				1	1	1			1			6	6	4
(12)	Erysipelas.....	5						2	5	2	10	4	1	2	3	
(37)	Tetanus.....	20					1	1			5					
13	Tuberculosis of the lungs.....	17										2	2	5	2	6
14	Tuberculous meningitis.....	31									1			9	13	8
15	Other forms of tuberculosis.....	14									1	1		4	5	3
(37)	Syphilis.....	26	2	4		1	7	2		1	10	7	2	7		
17	Meningitis.....	47			1	3	4	3	1	1	9	2	7	9	10	10
(37)	Convulsions.....	50	2	1	2	11	16	4	6		26	4	2	8	8	2
19	Organic diseases of the heart.....	6		1		1	2			1	3					
20	Acute bronchitis.....	95	1		1	3	5	7	13	7	32	15	7	18	14	9
22	Pneumonia.....	160		1		8	9	12	4	12	37	13	12	35	36	27
(23)	Bronchopneumonia.....	281	1		1	7	9	8	13	11	41	35	23	71	68	43
24	Diseases of the stomach.....	37		1		1	2	4	5	2	13	6	5	9	2	2
25	Diarrhea and enteritis.....	915	2		1	12	15	23	28	28	94	109	113	268	201	130
(33)	Malformations.....	185	35	27	15	34	111	22	12	6	151	10	5	8	9	2
(33)	Premature birth.....	577	227	114	47	67	455	55	30	19	559	14	3	1		
(33, 37)	Congenital debility.....	420	56	31	32	54	173	41	27	16	257	49	42	43	20	9
(37)	Injuries at birth.....	151	81	35	8	18	142	3	2	3	150	1				
35	External causes.....	38	4	3			7	2	1	3	13	4	3	8	1	9
38	Diseases ill-defined or unknown.....	35	11	2		2	15	2		2	19	6	4	6		
	All other causes.....	198	4	5	7	21	37	16	12	10	75	16	16	31	30	30

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
INDIANA.																
	All causes.....	5,430	1,017	280	233	452	1,982	368	248	181	2,779	439	367	830	577	438
5	Measles.....	33							3		3	2	5	6	9	8
6	Scarlet fever.....	3													2	1
7	Whooping cough.....	153		1			1	3	5	13	22	28	20	33	33	22
8	Diphtheria and croup.....	26					1	1	1	1	3	1	2	4	7	9
9	Influenza.....	22	1				1	2	2	1	6	3	1	5	2	5
(12)	Dysentery.....	30			1		1		1		2	4	2	10	6	6
(12)	Erysipelas.....	25						1	2	2	5	8	3	4	4	1
(37)	Tetanus.....	13		1		3	4	6	2		12					1
13	Tuberculosis of the lungs.....	45				1	1	2	1	1	5	3	6	16	6	9
14	Tuberculous meningitis.....	39						1	3	1	5	2	4	6	11	11
15	Other forms of tuberculosis.....	24	1				1				1	1		10	6	6
(37)	Syphilis.....	77	12	4	3	2	21	5	5	4	35	7	14	12	6	3
17	Meningitis.....	65				4	4	6	4	1	15	4	6	11	17	12
(37)	Convulsions.....	30	1	3	4	8	16	2	2	1	21		7	7	1	1
19	Organic diseases of the heart.....	23			1	3	4	3	3	3	13	3	4			1
20	Acute bronchitis.....	100	1		3	2	6	5	9	2	22	16	13	16	18	15
22	Pneumonia.....	226	1	2	2	14	19	12	10	7	48	25	14	58	46	35
(23)	Bronchopneumonia.....	461	2	5	6	18	31	36	24	27	118	58	37	114	72	62
24	Diseases of the stomach.....	166		2	3	8	13	12	14	11	50	30	14	45	17	10
25	Diarrhea and enteritis.....	1,165	1	3	3	19	26	40	34	36	136	119	146	342	249	173
(33)	Malformations.....	486	119	56	48	96	319	42	27	14	402	33	11	25	10	5
(33)	Premature birth.....	1,208	669	129	86	120	1,004	100	45	21	1,170	23	5	8		
(33, 37)	Congenital debility.....	434	107	37	38	76	258	53	23	20	354	25	17	25	11	2
(37)	Injuries at birth.....	205	87	30	24	40	181	17	2	1	201	2	2			
35	External causes.....	79	2	2	2	9	15	3	3	5	26	12	13	13	6	9
38	Diseases ill-defined or unknown.....	14	5			2	7	1	1		9		4			1
	All other causes.....	273	8	6	8	27	49	15	22	9	95	30	24	58	36	30
KANSAS.																
	All causes.....	2,652	569	174	97	253	1,093	196	103	101	1,493	213	183	328	238	197
5	Measles.....	16			1		1				1	3	2	1	3	6
6	Scarlet fever.....	1														
7	Whooping cough.....	87							1	4	5	23	14	21	10	14
8	Diphtheria and croup.....	9							2		2	1	2	2	4	4
9	Influenza.....	13								1	1	3	3	3	4	2
(12)	Dysentery.....	19								1	1	1	1	5	8	3
(12)	Erysipelas.....	19						1	2	4	7	5	3	2	1	1
(37)	Tetanus.....	2					1	1			2					
13	Tuberculosis of the lungs.....	6				1	1				1			2	3	
14	Tuberculous meningitis.....	4												3		1
15	Other forms of tuberculosis.....	1												1		
(37)	Syphilis.....	13		1		1	2		2	2	4	3	3	2	2	
17	Meningitis.....	32			1	1	2	1		1	4	4	2	8	9	5
(37)	Convulsions.....	50	4	2	4	11	21	8	1	3	33	5	4	4	2	2
19	Organic diseases of the heart.....	20		1	2	3	6	2	2	2	12	1	2	3	1	1
20	Acute bronchitis.....	35			1	2	9	2	2	2	4	9	4	13	2	3
22	Pneumonia.....	153		4	4	9	5	4	4	4	22	21	21	38	26	25
(23)	Bronchopneumonia.....	98	1	2	1	5	9	4	6	3	22	13	9	22	19	13
24	Diseases of the stomach.....	72	1		1	5	7	8	4	1	20	12	8	14	10	8
25	Diarrhea and enteritis.....	349		1	1	11	13	16	11	10	50	17	34	100	83	65
(33)	Malformations.....	187	46	20	12	41	119	14	8	8	149	13	7	11	5	2
(33)	Premature birth.....	593	350	62	32	65	509	37	19	11	576	8	7	2		
(33, 37)	Congenital debility.....	435	100	57	17	46	220	66	23	21	330	82	24	31	14	4
(37)	Injuries at birth.....	91	43	16	9	16	84	6	2		90	1				
35	External causes.....	56	2	1	2	3	8	2	4	3	17	7	8	11	5	8
38	Diseases ill-defined or unknown.....	82	17	5	4	14	40	5	4	2	51	15	5	4	1	6
	All other causes.....	209	5	4	6	24	39	20	10	20	89	19	22	27	28	24
KENTUCKY (TOTAL).																
	All causes.....	5,311	880	311	172	420	1,783	387	254	213	2,637	480	358	828	518	490
5	Measles.....	50	1			1	2	3		1	6	4	7	12	12	9
6	Scarlet fever.....	2										1				1
7	Whooping cough.....	189			1		1	2	5	16	24	31	17	46	43	28
8	Diphtheria and croup.....	100	1	2	1	4	8	9	6	5	28	15	2	14	17	24
9	Influenza.....	26						1			1	7	2	7	4	5
(12)	Dysentery.....	53									2	2	2	8	16	10
(12)	Erysipelas.....	21		1			1	3	4	4	8	5	5	2	1	
(37)	Tetanus.....	12					4	6	4	1	12					
13	Tuberculosis of the lungs.....	61	1	1		1	3	3		2	8	2	4	21	19	7
14	Tuberculous meningitis.....	57				1	1	3		3	9	3	3	14	15	13
15	Other forms of tuberculosis.....	25				2	2		3		5	3	1	8	4	4
(37)	Syphilis.....	51	2	1		5	8	4	3	1	16	11	9	9	4	2
17	Meningitis.....	153	1	2	1	7	11	8	2	1	22	14	14	40	27	36
(37)	Convulsions.....	80	4	4	7	20	35	10	3	6	54	6	6	10	3	1
19	Organic diseases of the heart.....	13	1			1	2	2	1	1	6	2		3	1	1
20	Acute bronchitis.....	93		2	2	4	8	7	3	3	21	10	10	26	15	11
22	Pneumonia.....	308	1	2	4	5	12	20	22	15	69	38	26	76	45	54
(23)	Bronchopneumonia.....	265	1	2		9	12	17	14	14	57	35	28	61	47	37
24	Diseases of the stomach.....	122				5	5	16	9	2	32	17	21	28	14	10
25	Diarrhea and enteritis.....	686	1	2		9	13	22	24	20	79	62	70	205	132	138
(33)	Malformations.....	189	45	25	16	39	125	10	11	9	155	7	8	13	4	2
(33)	Premature birth.....	1,012	542	144	58	106	880	78	34	22	984	16	5	4		
(33, 37)	Congenital debility.....	640	120	37	25	76	258	73	52	33	416	65	42	67	29	21
(37)	Injuries at birth.....	106	46	17	12	21	96	7	2	1	106					
35	External causes.....	93	3	7	5	3	18	3	4	4	29	13	9	19	13	10
38	Diseases ill-defined or unknown.....	575	101	54	29	71	255	54	26	31	366	75	34	64	22	14
	All other causes.....	329	9	6	10	26	51	31	23	17	122	36	27	63	34	47

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
KENTUCKY (WHITE).																
	All causes.....	4,574	804	263	144	372	1,533	334	220	193	2,330	415	315	672	426	416
5	Measles.....	45	1			1	2	3		1	6	4	7	11	9	8
6	Scarlet fever.....	2									1					1
7	Whooping cough.....	157			1		1	1	5	15	22	30	17	37	39	21
8	Diphtheria and croup.....	90	1	2	1	4	8	9	5	5	27	14	7	10	17	21
9	Influenza.....	21									1	2	8	5	3	3
(12)	Dysentery.....	42								1	2	7	8	11	9	12
(12)	Erysipelas.....	19		1			1		3	4	8	4	4	2	1	
(37)	Tetanus.....	8		1				2	1	1	8					
13	Tuberculosis of the lungs.....	45	1			3	4	2	1	1	9	1	4	17	14	5
14	Tuberculous meningitis.....	48				1	1	3	2	3	4	3	3	11	12	10
15	Other forms of tuberculosis.....	21				2	2		1	3	3	2	1	8	4	3
(37)	Syphilis.....	36	2	1		3	6	4	2	1	13	10	7	5	1	
17	Meningitis.....	147	1	2	1	7	11	8	1	1	21	14	13	39	27	33
(37)	Convulsions.....	55	3	3	6	15	27	4	3	5	39	3	5	5	2	1
19	Organic diseases of the heart.....	11	1			1	2	2	1	1	6	2		1	1	1
20	Acute bronchitis.....	79		2	2	4	8	6	3	2	19	10	10	18	14	8
22	Pneumonia.....	254	1	2	3	4	10	17	21	14	62	32	20	62	31	47
(23)	Bronchopneumonia.....	224	1	2		8	11	13	14	12	50	32	25	45	43	28
24	Diseases of the stomach.....	102		2		4	4	11	8	2	25	14	18	23	12	10
25	Diarrhea and enteritis.....	580	1		1	7	9	18	19	19	65	51	63	168	111	122
(33)	Malformations.....	180	45	25	14	36	120	10	10	8	148	5	8	13	4	2
(33)	Premature birth.....	897	496	121	47	90	754	72	28	17	871	15	4	4	3	2
(33, 37)	Congenital debility.....	549	104	32	10	70	225	65	45	29	364	53	35	57	22	18
(37)	Injuries at birth.....	96	43	13	10	21	87	6	2	1	96					
35	External causes.....	75	3	4	4	1	12	3	4	4	23	11	7	15	10	9
38	Diseases ill-defined or unknown.....	505	94	48	26	67	235	45	23	30	333	67	28	51	15	11
	All other causes.....	286	6	4	9	23	42	29	18	16	105	30	25	54	31	41
KENTUCKY (COLORED).																
	All causes.....	737	76	48	28	48	200	53	34	20	307	65	43	156	92	74
5	Measles.....	5												1	3	1
6	Scarlet fever.....															
7	Whooping cough.....	32						1		1	2	1		9	13	7
8	Diphtheria and croup.....	10							1		1	1		4	3	3
9	Influenza.....	5									1			2	1	2
(12)	Dysentery.....	11										2		5	1	3
(12)	Erysipelas.....	2										1	1			
(37)	Tetanus.....	4		1		1	2	2			4					
13	Tuberculosis of the lungs.....	16		1		1	2	1			4	1		4	5	2
14	Tuberculous meningitis.....	9									4			3	3	3
15	Other forms of tuberculosis.....	4							2		2	1		4	3	1
(37)	Syphilis.....	15			2	2	2		1		3	1	2	4	3	2
17	Meningitis.....	6							1		1	1	1	1	1	3
(37)	Convulsions.....	25	1	1	1	5	8	6		1	15	3	1	5	1	
19	Organic diseases of the heart.....	2												2	2	
20	Acute bronchitis.....	14					2	1		1	2			8	1	3
22	Pneumonia.....	54			1	1	2	3	1	1	7	6	6	14	14	7
(23)	Bronchopneumonia.....	41			1	1	1	4		2	7	3	3	16	4	8
24	Diseases of the stomach.....	20			1	1	1	5	1		7	3	3	5	2	
25	Diarrhea and enteritis.....	106		2		2	4	4	5	1	14	11	7	37	21	16
(33)	Malformations.....	9			2	3	5	1	1	1	7	2				
(33)	Premature birth.....	115	46	23	11	16	96	6	6	5	113	1	1			
(33, 37)	Congenital debility.....	91	16	5	6	6	33	8	7	4	52	12	7	10	7	3
(37)	Injuries at birth.....	10	3	4	2		9	1			10					
35	External causes.....	18		3	1	2	6	6			6	2	2	4	3	1
38	Diseases ill-defined or unknown.....	70	7	3	3	4	20	9	3	1	33	8	6	13	7	3
	All other causes.....	43	3	2	1	3	9	2	5	1	17	6	2	9	3	6
MAINE.																
	All causes.....	1,680	103	184	73	124	484	73	64	62	683	168	150	327	197	155
5	Measles.....	15						1			1	1	1	1	4	7
6	Scarlet fever.....	1												1		
7	Whooping cough.....	57							2	3	5	8	6	17	11	10
8	Diphtheria and croup.....	8			1		1			1	2		1	3	3	2
9	Influenza.....	16			2		2	2			4	3	3	2	2	2
(12)	Dysentery.....	4												1	1	3
(12)	Erysipelas.....	2													1	1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	9												4	2	3
14	Tuberculous meningitis.....	13												4	5	4
15	Other forms of tuberculosis.....	10												4	3	2
(37)	Syphilis.....	11		1		1	2			1	4	3	3		1	1
17	Meningitis.....	22				1	1	1			2	4	2	8	5	1
(37)	Convulsions.....	24	1		1	6	8	1	2	1	12	2	4	1	2	3
19	Organic diseases of the heart.....	9			2	2	4		1		5	1	1	1	1	
20	Acute bronchitis.....	34				1	2	2	3	3	9	2	6	7	3	7
22	Pneumonia.....	97	1			4	5	3	6	3	17	12	10	23	19	16
(23)	Bronchopneumonia.....	101			1	1	2	2	2	2	8	13	13	29	18	20
24	Diseases of the stomach.....	50			1	1	1	1	1	2	5	9	9	19	7	1
25	Diarrhea and enteritis.....	342		1	1	2	4	3	12	9	28	37	32	124	78	43
(33)	Malformations.....	73	4	15	4	14	37	6	4	5	52	7	5	3	2	4
(33)	Premature birth.....	282	62	110	32	31	235	21	8	9	273	4	3	2		
(33, 37)	Congenital debility.....	279	17	24	14	37	92	18	15	12	137	41	39	42	16	4
(37)	Injuries at birth.....	53	10	19	11	7	47	3	1		51	2				
35	External causes.....	11				1	2	2			2	2	1	3	1	2
38	Diseases ill-defined or unknown.....	57	5	11	4	6	26	4	1	4	35	3	1	14	1	3
	All other causes.....	100	3	3	2	6	14	3	6	7	30	14	10	18	12	16

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

665

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
MARYLAND (TOTAL).																
	All causes.....	4,070	524	170	143	245	1,082	211	156	142	1,591	403	357	782	562	375
5	Measles.....	5											1	1	2	1
6	Scarlet fever.....	3												1	1	1
7	Whooping cough.....	114				1	1	2		2	5	16	15	28	30	20
8	Diphtheria and croup.....	13							2		2	2	1	1	1	6
9	Influenza.....	10						1		1	2		2	3	3	3
(12)	Dysentery.....	11											1	6	3	1
(12)	Erysipelas.....	7												3	1	1
(37)	Tetanus.....	11	1			4	5	3	1	2	11			3	1	
13	Tuberculosis of the lungs.....	24										1	4	5	8	6
14	Tuberculous meningitis.....	19										1	3	6	4	5
15	Other forms of tuberculosis.....	13										2	2	6	1	1
(37)	Syphilis.....	70	7	1	2	5	15		4		1	24	11	12	17	6
17	Meningitis.....	38					4	1	2		7	3	3	10	8	7
(37)	Convulsions.....	108	2	4	6	23	35	16	4	6	61	11	9	14	10	3
19	Organic diseases of the heart.....	13		1			2	1	2	1	6	3	1	1	1	1
20	Acute bronchitis.....	94				1	2	5	5	5	17	11	15	22	15	14
22	Pneumonia.....	118				1	2	5	3	3	13	19	9	30	25	22
(23)	Bronchopneumonia.....	372	1	1	2	2	9	10	9	19	47	53	38	75	97	62
24	Diseases of the stomach.....	42				1	2				2	7	4	13	11	5
25	Diarrhea and enteritis.....	1,938		1	1	7	9	15	17	23	64	93	131	353	242	156
(33)	Malformations.....	680	41	17	14	27	99	22	12	7	140	9	10	11	8	5
(33)	Premature birth.....	623	73	88	58	53	516	60	31	16	623	17	7	3		
(33, 37)	Congenital debility.....	623	73	37	37	59	206	38	37	39	320	80	55	110	35	23
(37)	Injuries at birth.....	123	63	11	14	23	111	3	5		119	4				
35	External causes.....	43	1			3	4	2	4	1	11	3	3	9	5	7
38	Diseases ill-defined or unknown.....	124	15	6	3	11	35	13	5	5	58	23	9	19	8	7
	All other causes.....	201	3	3	4	15	25	14	13	6	58	27	24	37	37	18
MARYLAND (WHITE).																
	All causes.....	2,821	407	116	106	162	791	136	115	102	1,144	265	255	526	368	263
5	Measles.....	1											1			1
6	Scarlet fever.....	3												1	1	1
7	Whooping cough.....	64				1	1	1		2	4	10	11	14	14	11
8	Diphtheria and croup.....	12							2		2	2	1	1	1	6
9	Influenza.....	7						1		1	2			3	3	1
(12)	Dysentery.....	6												3	2	1
(12)	Erysipelas.....	6												3	2	1
(37)	Tetanus.....	8	1			3	4	1	1	2	8	1		3	1	1
13	Tuberculosis of the lungs.....	11											1	2	3	5
14	Tuberculous meningitis.....	16											1	5	3	5
15	Other forms of tuberculosis.....	6											1	2	1	1
(37)	Syphilis.....	31	4			2	6		2	4	12	4	6	8	1	
17	Meningitis.....	27				3	3	1	1		5	2	2	7	7	4
(37)	Convulsions.....	69	1	3	4	11	19	10	4	6	39	6	6	7	8	3
19	Organic diseases of the heart.....	11		1		1	2	1	2	1	6	3	1	1	1	
20	Acute bronchitis.....	53				1	1	3	4	3	11	7	11	11	7	6
22	Pneumonia.....	61			1	1	1	3	2	2	8	10	1	18	11	13
(23)	Bronchopneumonia.....	248	1	1	1	4	7	7	6	13	33	36	28	48	63	40
24	Diseases of the stomach.....	30				1	1				1	5		12	9	3
25	Diarrhea and enteritis.....	781		1		6	7	10	15	17	49	63	105	263	178	123
(33)	Malformations.....	160	36	15	14	22	87	19	12	7	125	8	7	9	6	5
(33)	Premature birth.....	472	249	56	43	31	379	38	26	11	454	11	7			
(33, 37)	Congenital debility.....	412	50	26	24	38	138	23	22	23	206	57	44	70	22	13
(37)	Injuries at birth.....	112	57	10	14	21	102	3	4		109	3				
35	External causes.....	28				2	2	1	2	1	6	5	2	6	3	6
38	Diseases ill-defined or unknown.....	44	6		1	5	12	3	2	3	20	10	4	8	3	2
	All other causes.....	142	2	3	3	11	19	11	8	6	44	20	14	25	26	13
MARYLAND (COLORED).																
	All causes.....	1,249	117	54	37	83	291	75	41	40	447	138	102	256	194	112
5	Measles.....	4												1	2	1
6	Scarlet fever.....															
7	Whooping cough.....	50						1			1	6	4	14	16	9
8	Diphtheria and croup.....	1												1	1	
9	Influenza.....	3												1	1	2
(12)	Dysentery.....	5											1	3	1	
(12)	Erysipelas.....	1														
(37)	Tetanus.....	3				1	1	2			3					
13	Tuberculosis of the lungs.....	13										1	3	2	6	1
14	Tuberculous meningitis.....	3											1	1	1	
15	Other forms of tuberculosis.....	7									1	1	1	4		
(37)	Syphilis.....	39	3	1	2	3	9		2	1	12	7	6	9	5	
17	Meningitis.....	11				1	1		1		2	1	1	3	1	3
(37)	Convulsions.....	39	1	1	2	12	16	6			22	5	3	7	2	
19	Organic diseases of the heart.....	2													1	1
20	Acute bronchitis.....	41				1	1	2	1	2	6	4	4	11	8	8
22	Pneumonia.....	57				1	1	2	1	1	5	9	8	12	14	9
(23)	Bronchopneumonia.....	124			1	1	2	3	3	6	14	17	10	27	34	22
24	Diseases of the stomach.....	12				1	1				1	2	4	1	2	2
25	Diarrhea and enteritis.....	257		2	1	1	2	5	2	6	15	30	26	89	64	33
(33)	Malformations.....	23	5			5	12	3			15	1	3	2	2	
(33)	Premature birth.....	178	68	32	15	22	137	22	5	5	169	6		3		
(33, 37)	Congenital debility.....	211	23	11	13	21	68	15	15	16	114	23	11	40	13	10
(37)	Injuries at birth.....	11	6			2	9		1		10	1				
35	External causes.....	15	1			1	2	1	2		5	3	1	3	2	1
38	Diseases ill-defined or unknown.....	80	9	6	2	6	23	10	3	2	38	13	5	11	8	5
	All other causes.....	59	1		1	4	6	3	5		14	7	10	12	11	5

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
MASSACHUSETTS.																
	All causes.....	9,802	1,330	450	390	632	2,852	471	445	304	4,072	905	756	1,753	1,311	1,005
5	Measles.....	68										1	2	7	27	31
6	Scarlet fever.....	13							1		1			2	2	7
7	Whooping cough.....	185							2	8	10	20	13	47	59	36
8	Diphtheria and croup.....	51									1			8	17	25
9	Influenza.....	16								1	1		1	3	4	5
(12)	Dysentery.....	42						1			1	5	1	12	9	14
(12)	Erysipelas.....	50							9	5	14	15	6	8	6	1
(37)	Tetanus.....	3		2			2		1		3					
13	Tuberculosis of the lungs.....	49								1	1			12	16	19
14	Tuberculous meningitis.....	103						2			2	2	4	31	26	38
15	Other forms of tuberculosis.....	31						1	2		3	3	2	7	6	10
(37)	Syphilis.....	109	6	2	2	4	14	8	14	6	42	19	10	23	12	3
17	Meningitis.....	102				3	3	4	3	2	12	9	8	30	23	20
(37)	Convulsions.....	131	3	3	9	21	36	11	9	6	62	15	6	20	14	14
19	Organic diseases of the heart.....	24				3	5	2	4	1	12	3	1	4	1	3
20	Acute bronchitis.....	243		2	2	4	8	9	13	15	45	37	31	60	44	26
22	Pneumonia.....	373		3	6	11	20	15	15	11	61	31	33	80	79	89
(23)	Bronchopneumonia.....	965	1	2	7	15	25	27	40	42	134	99	92	215	229	196
24	Diseases of the stomach.....	121			3	3	6	5	5	7	23	18	23	38	14	5
25	Diarrhea and enteritis.....	2,590	2	2	8	27	39	41	84	65	229	318	334	809	555	345
(33)	Malformations.....	646	141	77	52	107	377	59	34	15	485	49	24	46	23	19
(33)	Premature birth.....	1,700	771	246	169	199	1,384	143	90	47	1,664	54	24	16	2	
(33,37)	Congenital debility.....	1,021	173	52	50	130	414	89	74	32	609	131	87	133	51	10
(37)	Injuries at birth.....	405	204	46	46	86	382	12	9	2	405					
35	External causes.....	99	11	5	5	8	29	3	3	5	40	14	5	21	5	14
38	Diseases ill-defined or unknown.....	70	8	1	6	7	22	4	7	6	39	4	8	8	5	6
	All other causes.....	532	10	7	15	54	86	35	26	27	174	53	41	113	82	69
MICHIGAN.																
	All causes.....	7,350	1,140	327	327	600	2,464	519	366	262	3,611	663	532	1,185	785	574
5	Measles.....	54						1	2	1	4		1	11	17	21
6	Scarlet fever.....	9								1	1			3	1	4
7	Whooping cough.....	181		1		1	2	1	7	9	19	35	19	53	29	26
8	Diphtheria and croup.....	35						1	1		2	3	3	5	8	14
9	Influenza.....	23				1	1	1	2		5	1	3	5	5	4
(12)	Dysentery.....	20				1	1				1	1		9	3	6
(12)	Erysipelas.....	29						1	4	1	6	3	3	6	3	3
(37)	Tetanus.....	3		1			1	2			3					
13	Tuberculosis of the lungs.....	24				1	1	1			2		1	11	4	6
14	Tuberculous meningitis.....	30							1		1	1	4	7	6	11
15	Other forms of tuberculosis.....	8											2	1	3	2
(37)	Syphilis.....	67	3	3		3	9	8	9	9	35	10	9	6	3	4
17	Meningitis.....	79				3	3	3	1	2	9	8	1	26	19	16
(37)	Convulsions.....	298	10	14	29	36	89	34	27	9	159	25	13	46	35	20
19	Organic diseases of the heart.....	54	7	1	7	5	20	4	2	3	29	6	5	8	3	3
20	Acute bronchitis.....	221	1	1	4	8	14	16	14	10	54	30	25	47	34	31
22	Pneumonia.....	292	2	1	4	13	20	18	17	9	64	25	29	65	65	44
(23)	Bronchopneumonia.....	410	2	4	4	11	21	17	20	16	74	56	40	89	70	81
24	Diseases of the stomach.....	207		1	2	11	14	14	16	12	56	35	29	49	27	11
25	Diarrhea and enteritis.....	1,352	2	5	4	24	35	35	53	52	175	146	168	408	297	158
(33)	Malformations.....	514	120	58	51	80	309	55	30	16	410	35	15	26	18	10
(33)	Premature birth.....	1,404	683	170	112	162	1,127	116	58	40	1,341	38	11	12	2	
(33,37)	Congenital debility.....	1,174	169	86	57	145	457	127	63	48	695	137	99	161	58	24
(37)	Injuries at birth.....	243	111	40	29	45	225	13	3	1	242		1			
35	External causes.....	102	5	2	6	8	21	7	3	3	34	13	7	22	8	18
38	Diseases ill-defined or unknown.....	72	20	1	5	7	33	7	6	1	47	6	2	9	5	3
	All other causes.....	445	5	8	13	35	61	37	28	17	143	44	42	100	62	54
MINNESOTA.																
	All causes.....	3,872	780	213	185	364	1,542	309	195	153	2,199	331	258	491	338	255
5	Measles.....	12								1	1			2	3	5
6	Scarlet fever.....	14							1		1		1	2	4	4
7	Whooping cough.....	123		1		1	2	1	3	11	17	22	23	30	21	10
8	Diphtheria and croup.....	23	1			1	2	4	1	1	8	1	3	4	5	8
9	Influenza.....	6							1		1	1	1	2	1	1
(12)	Dysentery.....	10									2		2	3	2	1
(12)	Erysipelas.....	27						1	5	5	11	9	1	2	3	1
(37)	Tetanus.....	9				3	3	6			9					
13	Tuberculosis of the lungs.....	13										1		5	6	6
14	Tuberculous meningitis.....	37				1	1				1		2	8	13	13
15	Other forms of tuberculosis.....	3										1		2		
(37)	Syphilis.....	48	4	2	1	2	9	3	4	3	19	6	5	11	5	2
17	Meningitis.....	28				1	1	2	1	4	8	1	4	6	6	3
(37)	Convulsions.....	89	1	4	11	22	38	12	6	2	58	9	1	7	7	7
19	Organic diseases of the heart.....	11				1	3	4	2		6	1	1	1	1	1
20	Acute bronchitis.....	43		1			1	5	3		14	8	5	9	4	3
22	Pneumonia.....	144		4	4	6	14	13	2	5	34	21	10	33	19	27
(23)	Bronchopneumonia.....	351	2	1	3	9	15	19	16	18	68	48	33	86	66	50
24	Diseases of the stomach.....	63			1	8	9	4	5	3	21	6	12	17	8	4
25	Diarrhea and enteritis.....	572	1	1	4	18	24	30	37	27	118	77	73	141	95	68
(33)	Malformations.....	304	71	30	30	53	184	28	10	7	229	15	15	24	18	3
(33)	Premature birth.....	929	494	91	56	92	733	79	48	24	884	26	11	7	1	
(33,37)	Congenital debility.....	458	76	37	32	86	231	61	17	21	330	46	32	34	11	5
(37)	Injuries at birth.....	174	90	25	22	20	157	9	3	2	171	3				
35	External causes.....	42	4	3	2	4	13	1	2	1	17	3	6	6	6	4
38	Diseases ill-defined or unknown.....	121	34	12	11	11	68	14	9	4	95	5	5	8	5	3
	All other causes.....	202	2	1	7	23	33	14	19	10	76	18	12	41	29	26

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA. REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
MISSOURI.																
	All causes.....	6,352	1,148	294	251	479	2,172	451	284	236	3,143	533	451	956	708	561
5	Measles.....	76	1		1	1	3		5	1	9	8	3	13	14	29
6	Scarlet fever.....	10									1			2	4	3
7	Whooping cough.....	233		1	1		2		9	15	26	30	27	59	52	39
8	Diphtheria and croup.....	50									5	2	2	9	12	22
9	Influenza.....	33			1	1	1	1	1	4	7	8	2	5	6	5
(12)	Dysentery.....	62		1					1	1	3	5	2	14	19	19
(12)	Erysipelas.....	23			1	1	1	1	1	3	6	5	2	4	1	5
(37)	Tetanus.....	30	1		2	8	11	15	2		28					2
13	Tuberculosis of the lungs.....	54	4			1	5	1	3		6	4	4	16	12	12
14	Tuberculous meningitis.....	42			1	1	1	1			5	1	1	12	13	10
15	Other forms of tuberculosis.....	13									3	3		2	3	2
(37)	Syphilis.....	105	4	2	2	6	14	7	2	3	26	14	16	30	13	6
17	Meningitis.....	58			1	2	3	3	5	1	12	6	6	8	14	12
(37)	Convulsions.....	52	3	6	7	10	26	6	6	1	39	2	2	3	4	2
19	Organic diseases of the heart.....	27	4	1	2	5	12		2	1	15	4	3	2	1	1
20	Acute bronchitis.....	141	1	3	3	5	12	10	13	9	44	27	15	26	16	13
22	Pneumonia.....	232		2	5	6	13	8	6	11	38	20	28	63	44	39
(23)	Bronchopneumonia.....	504		2	10	23	35	33	25	21	114	63	52	108	97	70
24	Diseases of the stomach.....	118		1	2	5	8	15	7	7	37	21	16	22	14	8
25	Diarrhea and enteritis.....	1,278	4	2	9	25	40	41	36	43	160	166	143	369	251	189
(33)	Malformations.....	333	39	42	33	52	216	21	17	7	261	19	23	15	12	3
(33)	Premature birth.....	1,359	782	127	86	137	1,132	117	45	22	1,316	24	4	11	4	
(33,37)	Congenital debility.....	489	105	35	29	74	243	68	38	30	379	29	25	37	14	5
(37)	Injuries at birth.....	187	70	27	24	43	164	14	4	5	187					
35	External causes.....	117	4	4	5	5	18	11	1	6	36	13	13	22	17	16
38	Diseases ill-defined or unknown.....	291	63	24	19	32	138	32	25	22	217	15	20	24	9	6
	All other causes.....	435	13	14	9	37	73	43	31	21	168	41	42	80	62	42
MONTANA.																
	All causes.....	834	162	49	41	92	344	53	43	29	469	84	64	101	73	43
5	Measles.....	5										1			2	2
6	Scarlet fever.....	1														1
7	Whooping cough.....	13								1	1	6		2	2	1
8	Diphtheria and croup.....	1											1			
9	Influenza.....	7							1		1	2		1	2	1
(12)	Dysentery.....	2											1			
(12)	Erysipelas.....	7								1	1	3		2		
(37)	Tetanus.....															1
13	Tuberculosis of the lungs.....	2													2	3
14	Tuberculous meningitis.....	6										1		1	1	
15	Other form of tuberculosis.....	4												1	1	
(37)	Syphilis.....	6			1	1	1		2	1	3	4	1	2		2
17	Meningitis.....	14			1	1	1		2		4	7	2	5	1	2
(37)	Convulsions.....	13	1	1	1	1	4	1		2	2	2	1	1		
19	Organic diseases of the heart.....	2				1	1				2	2		2	1	1
20	Acute bronchitis.....	10			3	3	8	2	1	1	15	4	6	10	11	1
22	Pneumonia.....	46	2		3	4	8	2	3	3	18	11	3	10	7	10
(23)	Bronchopneumonia.....	57			2	4	6	5	2	2	16	11	1	10	1	
24	Diseases of the stomach.....	6									2	2	2	4	2	2
25	Diarrhea and enteritis.....	134	19	1	8	3	4	7	4	4	22	19	20	40	25	8
(33)	Malformations.....	77	19	9	8	18	54	7	1	1	66	4	1	2	2	2
(33)	Premature birth.....	154	99	21	16	17	153	11	4	6	175	7	2	8	2	
(33,37)	Congenital debility.....	97	21	3	6	24	54	12	6	4	76	6	5	8	2	
(37)	Injuries at birth.....	40	15	9	3	12	39		1	1	40					
35	External causes.....	14	1		1	2	2	1	1	2	3	3	3	3	4	1
38	Diseases ill-defined or unknown.....	33	3	4	1	5	13	1	1	2	17	3	5	3	3	2
	All other causes.....	53	1	1	1	1	4	5	6	1	16	8	9	9	6	5
NEW HAMPSHIRE.																
	All causes.....	1,106	138	69	33	85	325	60	50	26	461	123	90	201	132	99
5	Measles.....	13						1			1			3	4	5
6	Scarlet fever.....	1						1			1			15	6	8
7	Whooping cough.....	36								1	1	4	2	1	1	1
8	Diphtheria and croup.....	3											1	2	3	1
9	Influenza.....	7												1	1	
(12)	Dysentery.....	2									2	3				
(12)	Erysipelas.....	5						1		1						
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1												3	3	6
14	Tuberculous meningitis.....	14										1		2		
15	Other forms of tuberculosis.....	3												1		1
(37)	Syphilis.....	7			1	1	2	2	1		1	1	3	4	5	6
17	Meningitis.....	24				3	6	3		1	10	2	4	4	5	2
(37)	Convulsions.....	27		2	1	3	3	3	1		4	2	4	1		
19	Organic diseases of the heart.....	7									4	2	6	10	11	6
20	Acute bronchitis.....	43				1	1	1	5	1	7	8	6	10	9	6
22	Pneumonia.....	60				1	1	1		3	5	11	10	13	7	14
(23)	Bronchopneumonia.....	19				1	1	1	2		4	4	3	4	2	2
24	Diseases of the stomach.....	242									9	20	31	79	53	32
25	Diarrhea and enteritis.....	58	12	4	1	9	26	10	2	1	39	10	4	3	1	1
(33)	Malformations.....	223	99	43	13	22	177	13	13	8	210	7	5	1		
(33)	Premature birth.....	176	13	13	9	35	75	17	8	4	104	24	14	22	11	1
(33,37)	Congenital debility.....	25	7	3	7	5	22	3			25					
(37)	Injuries at birth.....	9				1	3			1	4			2	1	1
35	External causes.....	4									1			1	1	1
38	Diseases ill-defined or unknown.....	4									1			1	1	1
	All other causes.....	51	2	2	1	3	8	2	4	2	16	6	3	12	8	6

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
NEW JERSEY.																
	All causes.....	7,359	901	290	228	443	1,862	443	393	299	2,997	672	577	1,407	983	753
5	Measles.....	55						1	1		2		1	3	17	32
6	Scarlet fever.....	14												5	2	7
7	Whooping cough.....	164							3	3	6	26	10	51	39	32
8	Diphtheria and croup.....	42						2	1	1	4	2	1	8	14	13
9	Influenza.....	17	1				1	1	1	2	5	2		2	5	3
(12)	Dysentery.....	11												6	4	1
(12)	Erysipelas.....	15		1			1	5	6	5	17	10	3	5	5	1
(37)	Tetanus.....	41		1	1	1	3	10	1		14	1				
13	Tuberculosis of the lungs.....	31						1	1	1	3	3		12	9	4
14	Tuberculous meningitis.....	63								3	3	4	2	22	12	20
15	Other forms of tuberculosis.....	23							1	1	2	3	2	10	3	3
(37)	Syphilis.....	60	3	3	3	2	11	4	7	2	24	11	6	15	3	1
17	Meningitis.....	73		1		4	5	6	1	1	13	5	6	12	22	15
(37)	Convulsions.....	136	7	5	8	20	40	19	7	5	62	15	11	27	9	12
19	Organic diseases of the heart.....	44	3	2	2	2	9	5	6	4	24	6	2	10	1	1
20	Acute bronchitis.....	159	1	3	1	6	11	14	15	17	57	23	28	41	22	18
22	Pneumonia.....	475	2	4	4	14	24	16	28	20	88	43	40	127	92	85
(23)	Bronchopneumonia.....	708		4	5	11	20	27	27	38	112	94	71	160	140	131
24	Diseases of the stomach.....	88	1		3	1	5	4	5	3	17	13	13	21	13	11
25	Diarrhea and enteritis.....	2,025		1		20	21	53	81	78	233	216	218	624	447	287
(33)	Malformations.....	443	106	40	46	71	263	57	32	18	370	27	15	15	7	9
(33)	Premature birth.....	1,169	504	140	92	149	885	125	68	36	1,114	36	10	3	4	2
(33, 37)	Congenital debility.....	801	115	35	26	67	243	60	70	36	409	83	101	139	48	21
(37)	Injuries at birth.....	259	136	45	30	31	242	12	3	1	258	1				
35	External causes.....	67	5	2	2	3	12	2	5	2	21	10	5	12	9	10
38	Diseases ill-defined or unknown.....	19	4	1	1	4	10	2	2	2	12	1	1	3		2
	All other causes.....	357	13	3	3	37	56	27	21	23	127	37	31	74	56	32
NEW YORK.																
	All causes.....	23,733	3,322	1,130	818	1,497	6,767	1,359	1,034	888	10,048	2,233	1,854	4,068	3,092	2,438
5	Measles.....	198				1	1	1			2	5	6	23	53	109
6	Scarlet fever.....	27									1	1	1	1	9	14
7	Whooping cough.....	404						2	9	12	23	42	44	101	103	91
8	Diphtheria and croup.....	188							2	4	6	7	3	22	63	87
9	Influenza.....	58							2	4	6	10	9	20	5	8
(12)	Dysentery.....	42				2			2	1	3	1	5	13	14	6
(12)	Erysipelas.....	177		1		3	14	22	20	59	53	15	16	24	10	
(37)	Tetanus.....	23			2	9	11	11			22					
13	Tuberculosis of the lungs.....	107				1	1	1	2		4	2	6	28	30	37
14	Tuberculous meningitis.....	232	1			1	1	1	1	2	5	2	10	59	86	70
15	Other forms of tuberculosis.....	50				1	1	1		2	5	2	6	15	11	13
(37)	Syphilis.....	415	29	14	3	20	66	40	35	24	165	94	45	70	29	12
17	Meningitis.....	220	7	11	19	32	69	26	12	7	114	23	25	50	66	47
(37)	Convulsions.....	282	7	11	19	32	69	26	12	7	114	23	25	50	47	17
19	Organic diseases of the heart.....	74	3	1	2	6	12	4	5	2	23	9	13	10	9	10
20	Acute bronchitis.....	666	1	2	12	24	39	48	51	51	189	110	81	136	95	55
22	Pneumonia.....	866	2	4	9	25	40	33	36	27	136	71	60	193	201	205
(23)	Bronchopneumonia.....	2,691	3	4	18	66	96	89	107	102	394	260	233	509	641	564
24	Diseases of the stomach.....	280	1		6	15	22	15	14	11	62	43	42	74	23	16
25	Diarrhea and enteritis.....	5,512	1	3	18	47	69	125	182	202	678	587	696	1,727	1,157	767
(33)	Malformations.....	1,380	285	147	127	225	704	156	79	67	1,066	105	69	68	44	28
(33)	Premature birth.....	4,230	1,970	575	324	434	3,303	406	231	99	4,039	124	29	32	4	2
(33, 37)	Congenital debility.....	3,099	412	178	129	295	1,014	214	147	175	1,550	511	334	482	148	74
(37)	Injuries at birth.....	1,123	571	156	121	186	1,034	59	15	9	1,117	5	1			
35	External causes.....	211	8	3	2	19	34	12	6	6	58	22	22	44	35	30
38	Diseases ill-defined or unknown.....	32	11	3	2	4	20	2	3	2	25	2	2	3		
	All other causes.....	1,166	37	19	22	80	158	95	63	57	373	122	78	232	195	166
NORTH CAROLINA¹ (TOTAL).																
	All causes.....	1,886	218	83	61	133	525	136	79	63	808	199	159	301	235	184
5	Measles.....	11											1	3	3	4
6	Scarlet fever.....															
7	Whooping cough.....	47									4	4	8	11	14	6
8	Diphtheria and croup.....	11				1	1				1	1	2	4	2	5
9	Influenza.....	4									1	1	3	4		
(12)	Dysentery.....	31									1	1	2	6	5	6
(12)	Erysipelas.....	4									1	2	6	11	5	
(37)	Tetanus.....	43	1	1		14	16	20	2	3	41	2		2		
13	Tuberculosis of the lungs.....	13												1	1	3
14	Tuberculous meningitis.....	4												1	1	1
15	Other forms of tuberculosis.....	6												1	1	1
(37)	Syphilis.....	10			2		2	1		1	4	2	1	2	2	1
17	Meningitis.....	27			1	1	2	1	1		4	4	3	7	1	1
(37)	Convulsions.....	22			7		9	4	3		16	2	3	1	6	6
19	Organic diseases of the heart.....	6	1				2	1		1	3	2	2	1	1	
20	Acute bronchitis.....	25	1			2	3	1	1	2	7	3	2	5	5	3
22	Pneumonia.....	84			2	2	4	4	3	2	13	4	8	23	18	8
(23)	Bronchopneumonia.....	121	1	1	2	1	5	6	5	7	23	17	8	25	28	20
24	Diseases of the stomach.....	44			1	2	3		2		5	9	8	8	9	5
25	Diarrhea and enteritis.....	383			4	4	5	13	10	12	40	37	42	94	81	89
(33)	Malformations.....	54	11	4	11	34	5	3	2	2	44	3	1	4	1	1
(33)	Premature birth.....	328	153	35	27	35	250	31	15	8	304	17	3	2		
(33, 37)	Congenital debility.....	181	36	6	6	18	66	13	11	7	97	28	23	18	9	6
(37)	Injuries at birth.....	28	10	8	1	7	26	2			28					
35	External causes.....	40	4		2	6	6		1	3	10	8	7	8	5	2
38	Diseases ill-defined or unknown.....	241	23	21	9	20	78	19	11	8	116	22	26	50	23	4
	All other causes.....	116	2	2	3	6	13	16	9	8	46	19	8	17	13	13

¹ Includes only municipalities having a population of 1,000 or over in 1910.

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
NORTH CAROLINA¹ (WHITE).																
	All causes.....	941	156	44	33	66	299	52	41	32	424	102	81	134	104	96
5	Measles.....	7												1	2	4
6	Scarlet fever.....	26														
7	Whooping cough.....	8							1	3	4	2	5	5	8	2
8	Diphtheria and croup.....	3												1	2	5
9	Influenza.....	3										2		1		
(12)	Dysentery.....	3										1	2	2	2	1
(12)	Erysipelas.....	3												1	2	
(37)	Tetanus.....	6		1		1	2	3	1		6			1	2	
13	Tuberculosis of the lungs.....	6										1	1	1	1	2
14	Tuberculous meningitis.....	3												1	1	1
15	Other forms of tuberculosis.....	1												1		
(37)	Syphilis.....	4			1		1			1	2	2				
17	Meningitis.....	20			1	1	2	1	1		4	1	3	3	3	6
(37)	Convulsions.....	12			1	4	5	2	3		10	2				
19	Organic diseases of the heart.....	5	1		1		2			1	3	1			1	
20	Acute bronchitis.....	9	1				1		1	2	2	1		1	1	2
22	Pneumonia.....	30	1		1		1	1		3	5	3		8	9	2
(23)	Bronchopneumonia.....	58			1		1	4	5	4	14	9	5	11	9	10
24	Diseases of the stomach.....	24					1	1		2	6	5	4	4	5	2
25	Diarrhea and enteritis.....	191			2		2	3	6	4	15	14	21	50	42	49
(33)	Malformations.....	50	9	8	3	11	31	5	3	2	41	2	1	4	1	1
(33)	Premature birth.....	219	114	22	12	23	171	17	7	6	201	14	3	1		
(33, 37)	Congenital debility.....	97	14	3	5	9	31	6	6	2	45	21	13	13	3	2
(37)	Injuries at birth.....	16	8	2	1	4	15	1			16					
35	External causes.....	18	1				1				1	4	4	5	3	1
38	Diseases ill-defined or unknown.....	59	6	7	4	4	21	4	3	3	31	3	10	12	3	
	All other causes.....	58	2	1	2	6	11	5	3	5	24	10	4	9	5	6
NORTH CAROLINA¹ (COLORED).																
	All causes.....	945	92	39	28	67	226	84	38	36	384	97	78	167	131	88
5	Measles.....	4											1	2	1	
6	Scarlet fever.....	21										2	3	6	6	4
7	Whooping cough.....	3									1	1		1		
8	Diphtheria and croup.....	5			1		1				1	1		3		
9	Influenza.....	23							1	1	1	1	4	9	3	5
(12)	Dysentery.....	1									1			1		
(12)	Erysipelas.....	37												1		
(37)	Tetanus.....	1	1			13	14	17	1	3	35	2				
13	Tuberculosis of the lungs.....	7										1		1	4	1
14	Tuberculous meningitis.....	1											1	1	1	1
15	Other forms of tuberculosis.....	5										1	1	1	1	1
(37)	Syphilis.....	6			1		1	1			2		1	1	1	1
17	Meningitis.....	10												4	3	
(37)	Convulsions.....	7			1	3	4	2			6		1	2	1	
19	Organic diseases of the heart.....	1										1				
20	Acute bronchitis.....	16				2	2	1	1	1	5	1	1	4	4	1
22	Pneumonia.....	54			1	2	3	3	2	2	10	9	5	15	9	6
(23)	Bronchopneumonia.....	63	1	1	1	1	4	3	2	3	9	8	3	14	19	10
24	Diseases of the stomach.....	20			1		2	1		1	3	3	3	4	4	3
25	Diarrhea and enteritis.....	192		1		2	3	10	4	8	25	23	21	44	39	40
(33)	Malformations.....	4			1		3				3	1				
(33)	Premature birth.....	107	39	13	15	12	79	14	8	2	103	3		1		
(33, 37)	Congenital debility.....	94	22	3	1	9	35	7	5	5	52	7	10	5	6	4
(37)	Injuries at birth.....	12	2	6		3	11	1			12					
35	External causes.....	22	2			2	5		1	3	9	4	3	3	2	1
38	Diseases ill-defined or unknown.....	182	33	14	5	16	57	15	8	5	85	19	16	38	20	4
	All other causes.....	58		1	1		2	11	6	3	22	9	4	8	8	7
OHIO.																
	All causes.....	10,130	1,703	578	423	849	3,553	695	519	369	5,136	859	681	1,580	1,038	836
5	Measles.....	49							1		1	1	2	13	15	17
6	Scarlet fever.....	16								1	1			2	4	8
7	Whooping cough.....	205							5	6	11	31	23	44	44	52
8	Diphtheria and croup.....	51									1	3		8	11	24
9	Influenza.....	38				2	2	1	3	3	9	10	4	8	6	4
(12)	Dysentery.....	35					1				1	1	4	11	10	8
(12)	Erysipelas.....	43					1	2	2	5	10	8	10	7	3	5
(37)	Tetanus.....	14			2	4	6	6	1	1	13		1			
13	Tuberculosis of the lungs.....	64		1			1	1	1	3	6	7	4	16	21	10
14	Tuberculous meningitis.....	59					1	4	1	1	7	4	3	6	21	18
15	Other forms of tuberculosis.....	45									1	4	4	18	11	7
(37)	Syphilis.....	148	11	9	3	6	29	14	10	15	68	20	12	32	9	7
17	Meningitis.....	106			1	4	5	8	1	4	18	6	10	29	23	20
(37)	Convulsions.....	134	4	7	16	29	56	18	3	4	81	12	15	16	8	2
19	Organic diseases of the heart.....	32			6	2	8	5	2		15	2	6	3	5	1
20	Acute bronchitis.....	192		1	7	7	15	17	11	9	52	29	16	56	21	18
22	Pneumonia.....	361	1	1	4	18	24	25	16	15	81	47	40	73	65	55
(23)	Bronchopneumonia.....	896	2	7	8	25	42	46	68	43	199	109	99	216	160	113
24	Diseases of the stomach.....	167		1		9	10	9	12	12	43	27	25	54	10	8
25	Diarrhea and enteritis.....	2,263	2	4	6	39	51	88	81	72	292	264	236	703	426	342
(33)	Malformations.....	844	196	93	75	152	516	88	51	33	688	49	21	39	27	20
(33)	Premature birth.....	2,135	1,071	302	144	214	1,731	167	109	55	2,062	46	13	9	2	3
(33, 37)	Congenital debility.....	959	157	62	72	179	470	114	70	39	693	91	62	77	27	9
(37)	Injuries at birth.....	445	217	66	48	82	407	22	6	4	439	4	2			
35	External causes.....	151	9	7	7	9	32	12	8	4	56	18	14	27	18	18
38	Diseases ill-defined or unknown.....	136	25	18	10	23	76	6	10	6	98	14	6	14	4	
	All other causes.....	542	8	5	14	42	69	41	46	34	190	51	48	99	87	67

¹ Includes only municipalities having a population of 1,000 or over in 1910.

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
PENNSYLVANIA.																
	All causes	25,146	3,030	1,048	836	1,732	6,646	1,694	1,261	984	10,585	2,448	2,035	4,404	3,233	2,441
5	Measles	133	2		1	3	1	1	1	1	6	8	7	10	45	62
6	Scarlet fever	34	1			2				3	3	1	1	8	6	15
7	Whooping cough	509			1	1	2	11	16	30	65	57	127	116	114	
8	Diphtheria and croup	128			1	1	5	4	3	13	8	7	20	29	51	
9	Influenza	61			3	3	4	2	4	13	8	5	14	13	8	
(12)	Dysentery	51			2	2	1		1	4	5	5	15	13	9	
(12)	Erysipelas	98		1	2	3	7	9	9	28	29	10	17	9	5	
(37)	Tetanus	16	1		3	4	9	1	1	15	1					
13	Tuberculosis of the lungs	142			3	3	2	2	2	9	9	14	43	40	27	
14	Tuberculous meningitis	131			1	1	2	1	2	6	5	8	39	43	30	
15	Other forms of tuberculosis	69					1	1	2	4	4	8	22	17	14	
(37)	Syphilis	236	26	3	5	12	46	19	18	99	42	26	48	11	12	
17	Meningitis	205		1	3	12	16	10	7	37	13	20	47	56	33	
(37)	Convulsions	734	19	30	48	85	182	90	50	242	344	37	55	123	77	43
19	Organic diseases of the heart	112	3	1	6	12	22	7	5	6	40	16	9	22	11	14
20	Acute bronchitis	610	1	4	3	17	25	22	33	24	104	98	70	166	111	61
22	Pneumonia	1,348	2	8	15	33	58	72	53	62	245	152	150	327	267	205
(23)	Bronchopneumonia	2,207	4	7	22	55	88	101	115	94	398	281	231	557	447	383
24	Diseases of the stomach	502		3	5	22	30	37	48	35	148	81	57	125	61	33
25	Diarrhea and enteritis	6,495	3	7	15	127	152	216	228	224	820	688	738	1,821	1,418	1,010
(33)	Malformations	1,721	377	182	134	304	997	220	109	61	1,387	128	50	90	41	25
(33)	Premature birth	3,806	1,786	503	301	442	3,032	336	193	126	3,687	102	36	25	10	6
(33, 37)	Congenital debility	3,122	374	145	148	343	1,010	348	227	168	1,743	400	314	438	145	82
(37)	Injuries at birth	773	359	119	81	118	677	61	16	7	761	8				
35	External causes	265	17	4	8	14	43	11	6	11	71	34	29	47	43	42
38	Diseases ill-defined or unknown	221	30	6	26	70	13	20	12	115	25	17	37	18	11	
	All other causes	1,259	25	24	34	93	176	97	101	81	455	150	107	218	188	141
RHODE ISLAND.																
	All causes	1,674	184	95	51	104	434	79	91	53	657	160	156	324	223	154
5	Measles	13								1	1	1	4	3	4	
6	Scarlet fever	3								2	2		17	14	4	
7	Whooping cough	49		1			1		1	2			2	4	5	
8	Diphtheria and croup	12								4	1		2	1	3	
9	Influenza	2											1			
(12)	Dysentery	6											2			
(12)	Erysipelas	7									4	1	2			
(37)	Tetanus															
13	Tuberculosis of the lungs	9							1		1			1	7	
14	Tuberculous meningitis	19							1		1	2	3	5	6	
15	Other forms of tuberculosis	11								1	1	1	2	2	2	
(37)	Syphilis	22	2		1	2	5	3	2	1	11	4	1	5	6	
17	Meningitis	12								1	1	1	2	2	2	
(37)	Convulsions	31		2	3	3	8	2	1	1	12	2	3	5	5	
19	Organic diseases of the heart	4					1		1	1	3				1	
20	Acute bronchitis	61				1	1	7	3	12	7	12	17	10	3	
22	Pneumonia	92		2		3	5	4	2	11	8	5	29	20	19	
(23)	Bronchopneumonia	115					5	4	2	9	10	19	32	26	19	
24	Diseases of the stomach	26						5	2	3	9	6	6	4	4	
25	Diarrhea and enteritis	384	1		1	2	4	11	14	7	36	47	51	125	80	45
(33)	Malformations	101	17	20	7	15	59	9	9	5	82	10	3	2	2	
(33)	Premature birth	232	94	39	21	23	177	17	18	6	218	6	2	5	1	
(33, 37)	Congenital debility	245	21	13	9	24	67	11	15	11	104	34	35	48	17	7
(37)	Injuries at birth	97	45	15	5	20	85	7	2	1	95	2				
35	External causes	20	1	1	2	2	4	1	2	1	8	2	1	3	3	5
38	Diseases ill-defined or unknown	15	1	2	3	3	6	2		8	8	1	2	2	2	2
	All other causes	86	2		4	5	11	6	12	4	33	10	8	10	18	7
UTAH.																
	All causes	857	226	32	33	58	349	54	45	52	500	83	38	96	80	60
5	Measles	5												1	1	3
6	Scarlet fever	1												6	7	3
7	Whooping cough	34								5	9	4	1	3	1	
8	Diphtheria and croup	6		1			1			3	1		2	1	1	
9	Influenza	7								1			2			
(12)	Dysentery	3								3			2			
(12)	Erysipelas	11								1	3	1	3	3		
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	3									2			1		
17	Meningitis	6												2		2
(37)	Convulsions	18			2	6	8	2	1	1	12	3		3	1	
19	Organic diseases of the heart	4	1		1		2	1	1	1	3			1	1	
20	Acute bronchitis	47					1	3	4	1	9			2		1
22	Pneumonia	117		1		2	2	3	5	19	11	3	6	5	10	
(23)	Bronchopneumonia	7					1	6	13	27	22	9	27	17	15	
24	Diseases of the stomach	93			1	1	3	3	3	1	1	1	1	3	1	
25	Diarrhea and enteritis	67						3	3	7	15	9	9	24	22	14
(33)	Malformations	87	17	5	9	15	36	5	6	4	51	5	2	4		
(33)	Premature birth	295	164	20	9	17	209	16	7	3	235	2	2	4		
(33, 37)	Congenital debility	55	13	1	5	13	32	8	4	4	48	3	2	3		
(37)	Injuries at birth	23	14	2	3	2	21	2	2	2	23					
35	External causes	10					2			1	4					
38	Diseases ill-defined or unknown	30	15	1	2	1	19	1	2	2	2	2	2	2	2	1
	All other causes	45	1		1	8	10	3	7	2	22	5	2	6	6	4

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.	
REGISTRATION STATES—Continued.																	
VERMONT.																	
	All causes.....	729	84	55	29	56	224	43	39	30	336	88	58	136	70	41	
5	Measles.....	1														1	
6	Scarlet fever.....																
7	Whooping cough.....	21							1		1	3	4	5	2	6	
8	Diphtheria and croup.....																
9	Influenza.....	6						1			1	1	2	2			
(12)	Dysentery.....	1															
(12)	Erysipelas.....	2								1	1			1			
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....			1		1					1	1	1	2	2	1	
14	Tuberculous meningitis.....	8															
15	Other forms of tuberculosis.....	2													1		
(37)	Syphilis.....	3		1		1	1	1	1	3							4
17	Meningitis.....	22						2			3	1		11	3		
(37)	Convulsions.....	12	1	1	1	2	5				5	1	2	2	2	2	2
19	Organic diseases of the heart.....	7									2	2	2	2			
20	Acute bronchitis.....	15								1	4	4	2	6	2	2	7
22	Pneumonia.....	44							3	2	7	7	4	11	6	12	6
(23)	Bronchopneumonia.....	27							1	1	3	4	2	3	3	6	4
24	Diseases of the stomach.....	13								3	5	1	2	3	2	2	
25	Diarrhea and enteritis.....	168			2	8	10	4	7	9	30	23	13	55	30	12	12
(33)	Malformations.....	64	11	8	6	6	33	4	7	2	44	7	5	8			
(33)	Premature birth.....	156	55	32	10	15	112	16	11	8	147	7	1	1	1		
(33, 37)	Congenital debility.....	70	6	4	4	9	23	4	7	1	35	14	10	9	2		
(37)	Injuries at birth.....	23	7	6	3	4	20	1		1	22	1					
35	External causes.....	10								1	1			4	4		1
38	Diseases ill-defined or unknown.....	9	3			3	9	1		1	5	4					
	All other causes.....	42	1	3	2	3	9	2	2	3	16	7	8	8	1	2	
VIRGINIA (TOTAL).																	
	All causes.....	5,898	915	279	193	427	1,814	410	264	211	2,699	528	445	984	717	525	
5	Measles.....	25								2	7	3	3	2	4	6	
6	Scarlet fever.....	4								4	7	1	3	1	1	1	
7	Whooping cough.....	357	2	1	2	2	5	7	7	13	31	46	49	100	69	62	62
8	Diphtheria and croup.....	77		1		1	4	6	3	7	25	11	8	18	8	9	3
9	Influenza.....	23			2			1		2	7	3	3	5	6	3	3
(12)	Dysentery.....	44						2		2	6	6	6	10	9	3	3
(12)	Erysipelas.....	20								1	2	1	2	4	3		
(37)	Tetanus.....	24				7	7	15		1	23	2	2	1			
13	Tuberculosis of the lungs.....	53	1				1	1		1	3	2	4	18	14	12	12
14	Tuberculous meningitis.....	30						1		1	3		2	10	13	5	3
15	Other forms of tuberculosis.....	20	1				1		1		3	4	3	4	3	3	5
(37)	Syphilis.....	67	2	6		5	13	3	3	4	23	5	11	18	7	3	3
17	Meningitis.....	77		1		1	2	4	4	2	12	3	6	21	20	15	15
(37)	Convulsions.....	137	1	7	8	27	43	26	4	5	78	15	10	20	6	8	8
19	Organic diseases of the heart.....	21		1		3	4	2	2	2	8	4	1	5	1	2	
20	Acute bronchitis.....	80		1	1	1	3	5	3	1	12	7	7	21	22	11	11
22	Pneumonia.....	312	1		6	19	26	15	13	10	64	26	28	32	65	47	47
(23)	Bronchopneumonia.....	262	1	2	2	6	11	14	17	12	54	32	26	62	54	34	34
24	Diseases of the stomach.....	76			1	2	3	5	2	1	11	12	10	20	17	6	6
25	Diarrhea and enteritis.....	975	2	2		20	24	28	35	32	119	98	92	273	222	171	171
(33)	Malformations.....	239	70	18	17	26	131	29	21	7	188	13	13	14	9	2	
(33)	Premature birth.....	988	516	112	60	105	793	87	41	16	937	30	10	9			
(33, 37)	Congenital debility.....	807	123	48	46	103	320	72	48	42	482	87	53	103	48	34	
(37)	Injuries at birth.....	131	69	20	11	15	115	9	4	1	129	2					
35	External causes.....	129	20	3		5	28	8	5	1	42	18	20	20	17	12	12
38	Diseases ill-defined or unknown.....	559	99	50	34	53	236	50	25	25	336	54	43	63	37	26	26
	All other causes.....	361	7	6	5	26	44	18	21	20	103	41	35	80	62	40	
VIRGINIA (WHITE).																	
	All causes.....	3,280	620	175	115	222	1,132	228	151	127	1,638	288	227	500	336	291	
5	Measles.....	15							2	4	6	2	2		1	4	
6	Scarlet fever.....	4										1		1	1	1	
7	Whooping cough.....	160	1			1	2	1	2	9	14	25	23	47	27	24	24
8	Diphtheria and croup.....	53		1	1		2	4	2	6	14	8	7	13	3	8	8
9	Influenza.....	9								2	2	2	1	2	1	1	1
(12)	Dysentery.....	17								1	4	2	2	4	1	4	4
(12)	Erysipelas.....	17								1	1	5	1	4	3	3	3
(37)	Tetanus.....	4				2	2		1		4						
13	Tuberculosis of the lungs.....	18	1				1			1	4	1	2	3	4	7	7
14	Tuberculous meningitis.....	25											1	7	12	5	2
15	Other forms of tuberculosis.....	14	1				1		1	1	3	2	2	4	1	2	2
(37)	Syphilis.....	26	1	1			2	2	3	2	6	1	5	9	3	2	2
17	Meningitis.....	54		1		1	2	2	3	1	8	3	5	16	11	11	11
(37)	Convulsions.....	51		3	3	13	19	9	1	2	31	7	2	6	1	4	4
19	Organic diseases of the heart.....	12				2	2	2	1		5	4		3			
20	Acute bronchitis.....	27			1	1	2	2	2		6	3		6	7	4	4
22	Pneumonia.....	135	1		2	9	12	8	10	6	36	12	10	31	26	20	20
(23)	Bronchopneumonia.....	140	1	1	1	3	6	9	15	7	37	22	11	31	17	22	22
24	Diseases of the stomach.....	47			1	1	1	3	1	1	6	7	6	12	11	5	5
25	Diarrhea and enteritis.....	537	1			4	5	14	18	12	49	52	53	149	125	109	109
(33)	Malformations.....	203	57	14	16	21	108	26	17	7	158	11	12	13	7	2	2
(33)	Premature birth.....	669	378	80	35	60	553	56	21	12	642	15	4	6			
(33, 37)	Congenital debility.....	406	74	27	22	46	169	37	25	26	257	39	27	50	21	12	12
(37)	Injuries at birth.....	94	49	13	10	9	81	8	4		93	1					
35	External causes.....	46	3	1		3	7	2	2		11	9	6	9	7	4	4
38	Diseases ill-defined or unknown.....	309	51	28	20	29	128	32	15	16	191	33	26	36	13	10	10
	All other causes.....	188	1	6	4	17	27	8	7	11	53	21	18	33	33	25	25

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.																
VIRGINIA (COLORED)																
	All causes.....	2,618	295	104	78	205	682	182	113	84	1,061	240	218	484	381	234
5	Measles.....	10						1			1	1	1	2	3	2
6	Scarlet fever.....															
7	Whooping cough.....	197	1	1		1	3	5	5	4	17	21	26	53	42	38
8	Diphtheria and croup.....	24			1	1	2	5	1	1	9	3	1	5	5	1
9	Influenza.....	14									1	1	2	3	5	2
(12)	Dysentery.....	27							1	1	2	3	4	6	8	4
(12)	Erysipelas.....	3								1	1	1	1			
(37)	Tetanus.....	29				5	5	14			19			1		
13	Tuberculosis of the lungs.....	35						1		1	2	1	2	15	10	5
14	Tuberculous meningitis.....	5											1	3		
15	Other forms of tuberculosis.....	6									2	1	1	2	1	1
(37)	Syphilis.....	41	1	5		5	11	1	3	2	17	4	6	9	4	4
17	Meningitis.....	23						2	1	1	4		1	5	9	4
(37)	Convulsions.....	86	1	4	5	14	24	17	3	3	47	8	8	14	5	4
19	Organic diseases of the heart.....	9		1		1	2		1	1	3		1	2	1	2
20	Acute bronchitis.....	53		1			1	3	1	1	6	4	6	15	15	7
22	Pneumonia.....	177			4	10	14	7	3	4	28	14	18	51	39	27
(23)	Bronchopneumonia.....	122		1	1	3	5	5	2	5	17	10	15	31	37	12
24	Diseases of the stomach.....	29			1	1	2	2	1		5	5	4	8	6	1
25	Diarrhea and enteritis.....	438	1	2		16	19	14	17	20	70	46	39	124	97	62
(33)	Malformations.....	36	13	4	1	5	23	3	4		30	2	1	1	2	
(33)	Premature birth.....	319	138	32	25	45	240	31	20	4	295	15	6	3		
(33, 37)	Congenital debility.....	401	49	21	24	57	151	35	23	16	225	48	26	53	27	22
(37)	Injuries at birth.....	37	20	7	1	6	34	1		1	36	1				
35	External causes.....	83	17	2		2	21	6	3	1	31	9	14	11	10	8
38	Diseases ill-defined or unknown.....	250	48	22	14	24	108	18	10	9	145	21	17	27	24	16
	All other causes.....	173	6	1	1	9	17	10	14	9	50	20	17	42	29	15
WASHINGTON																
	All causes.....	1,540	323	104	101	148	676	133	70	56	935	132	100	170	113	90
5	Measles.....	14							1		1	1		3	4	5
6	Scarlet fever.....															
7	Whooping cough.....	34		1			1			1	2	7	7	6	6	6
8	Diphtheria and croup.....	1														1
9	Influenza.....	3									1		1			1
(12)	Dysentery.....															
(12)	Erysipelas.....	8								1	1	2	1	1	3	
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	9						2			3		2	3	3	3
14	Tuberculous meningitis.....	17										1	2	5	3	6
15	Other forms of tuberculosis.....	2												1	1	1
(37)	Syphilis.....	20		1		2	3	4	1	1	9	5	3	1	3	2
17	Meningitis.....	17			2	3	7		2	2	5		1	1	2	
(37)	Convulsions.....	14			4	1	3		1	2	10			3		
19	Organic diseases of the heart.....	6		1			1				2		1	2	2	
20	Acute bronchitis.....	16						2	2	1	5	3	2	2	2	3
22	Pneumonia.....	36			3	3	5	6	1	2	14	4	1	2	7	13
(23)	Bronchopneumonia.....	149			3	4	7	6	6	9	28	28	24	36	20	13
24	Diseases of the stomach.....	23		1		3	4	1	1	2	8	5	2	4	4	21
25	Diarrhea and enteritis.....	156			1	4	5	6	7	7	25	23	18	40	29	21
(33)	Malformations.....	137	30	14	19	27	90	13	4	4	111	9	3	3	3	5
(33)	Premature birth.....	421	219	54	27	31	331	42	22	9	404	10	3	6	1	
(33, 37)	Congenital debility.....	219	39	18	19	40	116	32	14	9	171	14	14	16	2	2
(37)	Injuries at birth.....	69	24	14	14	9	61	4	3	1	69					
35	External causes.....	39	2		1	3	6	1	1	1	9	5	6	10	4	5
38	Diseases ill-defined or unknown.....	43	4	1	6	5	16	4	2	2	24	4	4	4	4	3
	All other causes.....	86	4		3	13	20	10	2	2	34	9	6	14	15	8
WISCONSIN																
	All causes.....	4,804	979	299	228	427	1,933	319	238	180	2,670	405	315	659	435	320
5	Measles.....	43						2	1	2	5		5	5	12	16
6	Scarlet fever.....	10						2				1		2	2	3
7	Whooping cough.....	97			1		1		3	11	15	20	12	30	10	10
8	Diphtheria and croup.....	12								1	1			3	3	5
9	Influenza.....	15				1	1	1	2		4	2		3	6	
(12)	Dysentery.....	19								1	1		4	5	6	4
(12)	Erysipelas.....	20		1			1	1	1	1	4	4	1	1	6	
(37)	Tetanus.....	3				1	1	2			3					
13	Tuberculosis of the lungs.....	9													5	4
14	Tuberculous meningitis.....	21								1	1	1	1	9	5	4
15	Other forms of tuberculosis.....	7												1	2	1
(37)	Syphilis.....	22	2	1		1	4	1	1	1	7	6	2	6	18	13
17	Meningitis.....	68				3	3	3	3	2	11	4	6	16	15	8
(37)	Convulsions.....	258	16	20	22	46	104	22	22	12	160	22	13	40	15	
19	Organic diseases of the heart.....	13		1	1	2	3	1	3	2	9	1		1	2	
20	Acute bronchitis.....	111	1		3	5	17	9	4	3	23	17	11	17	22	17
22	Pneumonia.....	255			3	13	17	15	12	11	56	45	21	80	66	51
(23)	Bronchopneumonia.....	299	1	3	7	9	20	13	14	9	56	19	24	26	6	5
24	Diseases of the stomach.....	123			4	13	17	11	11	4	43	27	93	211	120	77
25	Diarrhea and enteritis.....	738	1	3	6	23	33	42	39	36	150	87	93	23	12	2
(33)	Malformations.....	309	74	41	24	40	179	35	17	10	241	19	3	7	2	2
(33)	Premature birth.....	1,074	596	132	67	105	900	75	46	24	1,045	19	3	5		12
(33, 37)	Congenital debility.....	731	168	61	49	107	335	60	35	33	513	66	52	68	20	
(37)	Injuries at birth.....	190	105	24	28	23	180	5	2	1	188	1	1	6	6	11
35	External causes.....	50	3	3	1	4	11	4	2	2	19	5	3	7	2	
38	Diseases ill-defined or unknown.....	28	5	1	3	6	15	1			18	2	1	7	2	
	All other causes.....	279	7	8	11	25	51	14	19	13	97	32	20	52	53	25

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.																
BIRMINGHAM, ALA. (TOTAL).																
	All causes.....	405	71	17	19	27	134	34	18	12	198	44	10	59	56	29
5	Measles.....	2												1		1
6	Scarlet fever.....															
7	Whooping cough.....	19			1	1	2				3	4	1	6	5	1
8	Diphtheria and croup.....	4	1			1					1			1	1	1
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....	6					4	1			5				1	
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	3													2	1
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	8	1	1		3	1	2			6	2				
17	Meningitis.....	1			1	1					1					
(37)	Convulsions.....	7	1		1	2	4	1			5	1				1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	6						1			1	1		2	1	1
22	Pneumonia.....	8									3	2	2	2	2	2
(23)	Bronchopneumonia.....	37					3	1	1		5	11	1	9	7	4
24	Diseases of the stomach.....	9				1	2	2			3	1	2	2	1	1
25	Diarrhea and enteritis.....	74	2	1	1	2	1	1	2	2	6	6	3	23	25	11
(33)	Malformations.....	20	2	1	2	3	8	3	1	1	13	2	2	2	1	
(33)	Premature birth.....	101	51	8	9	11	79	10	3	1	93	5	1	1	1	
(33, 37)	Congenital debility.....	28	2	1	1	2	6	3	1	5	15	3	3	2	4	1
(37)	Injuries at birth.....	12	4	3	1	1	9	3			12			3	3	
35	External causes.....	18	2	1	1	1	5			2	7	1	3	3	2	2
38	Diseases ill-defined or unknown.....	18	7	2	2	1	11		1		12	2	3	3	3	1
	All other causes.....	22			1	2	3	2	5		10	1		3	4	4
BIRMINGHAM, ALA. (WHITE).																
	All causes.....	219	50	10	9	15	84	19	7	10	120	26	6	27	24	16
5	Measles.....	2												1		1
6	Scarlet fever.....															
7	Whooping cough.....	8						1			1	2		4	1	
8	Diphtheria and croup.....	1													1	
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....	2						1	1		2					
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	1														1
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1										1				
17	Meningitis.....	1				1	1				1					
(37)	Convulsions.....	1			1	1	1				1					
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	2												1	1	1
22	Pneumonia.....	4										2			1	1
(23)	Bronchopneumonia.....	17						2		1	3	8		1	2	3
24	Diseases of the stomach.....	6				1	1				2	1		2	1	7
25	Diarrhea and enteritis.....	41	2	1	1	3	7	3	1	2	2	3	2	13	14	
(33)	Malformations.....	16				3	6	3	1		11	2	2	2	1	
(33)	Premature birth.....	67	42	4	3	6	55	5	1	1	62	3	3	1	1	
(33, 37)	Congenital debility.....	14	1	1	1	2	5	2		4	11	2		1	1	
(37)	Injuries at birth.....	11	3	3	1	1	8	3			11					
35	External causes.....	7			1	1	2			2	4		2		1	
38	Diseases ill-defined or unknown.....	6	2	1	1	1	4		1		5	1				
	All other causes.....	10					4	2	2		4	1		1	1	3
BIRMINGHAM, ALA. (COLORED).																
	All causes.....	186	21	7	10	12	50	15	11	2	78	18	13	32	32	13
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	11				1	1	1			2	2		2	4	
8	Diphtheria and croup.....	3	1				1				1			1		1
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....	4						3			3				1	
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	2													2	
15	Other forms of tuberculosis.....	1														
(37)	Syphilis.....	7	1	1		3	1	2			6	1				
17	Meningitis.....															
(37)	Convulsions.....	6	1			2	3	1			4	1				1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	4						1			1	1		1		
22	Pneumonia.....	4										1				
(23)	Bronchopneumonia.....	20						1	1		2	1	1	1	5	1
24	Diseases of the stomach.....	3									1	1		1		1
25	Diarrhea and enteritis.....	33			1	1	2	1	1		4	3		10	11	4
(33)	Malformations.....	4					1			1						
(33)	Premature birth.....	34	9	4	6	5	24	5	2		31	2	2	1		1
(33, 37)	Congenital debility.....	14	1				1	1	1	1	4	1	1	3	4	
(37)	Injuries at birth.....	1					1				1					2
35	External causes.....	11	2	1			3				3	1	1	3	1	1
38	Diseases ill-defined or unknown.....	12	5	1	1		7				7	1		3	3	1
	All other causes.....	12			1	2	3		3		6	1		2	3	1

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
LOS ANGELES, CAL. (TOTAL).																
	All causes.....	614	106	45	35	39	225	36	31	22	314	53	53	89	57	49
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	5														
8	Diphtheria and croup.....	2														
9	Influenza.....	1														
(12)	Dysentery.....	2							1		1					
(12)	Erysipelas.....															
(37)	Tetanus.....	3				1	1	1			3					
13	Tuberculosis of the lungs.....	15		1	3	2	6		1	1	7			2	3	3
14	Tuberculous meningitis.....	2												3	1	4
15	Other forms of tuberculosis.....	2												1	1	
(37)	Syphilis.....	12	1			1	2			1	3	4	3	1	1	
17	Meningitis.....	3										2	1	1	1	2
(37)	Convulsions.....	4			1		1				1		1	1	1	
19	Organic diseases of the heart.....	3			1	1	2				2			1	1	
20	Acute bronchitis.....	3		1				1			4	2				1
22	Pneumonia.....	35				2	2	1	1	3	8	1	6	10	7	6
(23)	Bronchopneumonia.....	55			2	3	5	1	4	4	14	8	10	8	7	3
24	Diseases of the stomach.....	8						1			1	2		3	1	1
25	Diarrhea and enteritis.....	118		1		3	4	7	5	3	19	17	17	30	17	16
(33)	Malformations.....	46	12	4	3	3	22	1	1	1	25	5	6	5	3	2
(33)	Premature birth.....	146	70	25	11	11	117	4	8	5	134	6	6	6		
(33, 37)	Congenital debility.....	60	6	5	6	10	27	12	3	3	45	3	4	7	1	
(37)	Injuries at birth.....	31	16	7	6	1	30	1		1	31					
35	External causes.....	12			2		2	2		1	6			2		4
38	Diseases ill-defined or unknown.....															
	All other causes.....	33	1	1		1	3	5	2		10	3	4	7	5	4
LOS ANGELES, CAL. (WHITE).																
	All causes.....	564	101	42	35	34	212	31	31	19	293	49	45	82	52	43
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	5												1	1	1
8	Diphtheria and croup.....	2														
9	Influenza.....	1														
(12)	Dysentery.....	2									1					
(12)	Erysipelas.....															
(37)	Tetanus.....	2				1	1	1			2					
13	Tuberculosis of the lungs.....	14			3	2	5		1	1	6			2	3	3
14	Tuberculous meningitis.....	4												2		2
15	Other forms of tuberculosis.....	2													2	
(37)	Syphilis.....	11	1			1	2				2	4	3	1	1	
17	Meningitis.....	4										1		1	1	2
(37)	Convulsions.....	4			1		1				1			1	1	
19	Organic diseases of the heart.....	3			1	1	2				2				1	
20	Acute bronchitis.....	8		1			1	1		1	4	2			1	1
22	Pneumonia.....	32				2	2	1	3	3	8	1	2	9	7	5
(23)	Bronchopneumonia.....	45			2	3	5	1	4	3	13	7	10	7	6	2
24	Diseases of the stomach.....	8						1			1	2		3	1	1
25	Diarrhea and enteritis.....	107		1		2	3	5	5	2	15	16	16	28	17	15
(33)	Malformations.....	46	12	4	3	3	22	1	1	1	25	5	6	5	3	2
(33)	Premature birth.....	135	65	23	11	9	108	3	8	5	124	6	6	5		
(33, 37)	Congenital debility.....	56	6	5	6	8	25	11	3	3	42	3	3	7	1	
(37)	Injuries at birth.....	31	16	7	6	1	30	1		1	31					
35	External causes.....	12			2		2	2		1	6			2		4
38	Diseases ill-defined or unknown.....															
	All other causes.....	30	1	1		1	3	5	2		10	2	3	7	4	4
LOS ANGELES, CAL. (COLORED).																
	All causes.....	50	5	3		5	13	5		3	21	4	8	7	5	5
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....	1						1			1					
13	Tuberculosis of the lungs.....	1		1			1				1					
14	Tuberculous meningitis.....	4												1	1	2
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1								1	1					
17	Meningitis.....	4										1	1	1	1	
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1													1	
22	Pneumonia.....	6											4	1		1
(23)	Bronchopneumonia.....	5									1	1	1	1	1	1
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	9				1	1	2		1	4	1	1	2		1
(33)	Malformations.....															
(33)	Premature birth.....	11	5	2		2	9	1			10			1		
(33, 37)	Congenital debility.....	4				2	2	1			3		1			
(37)	Injuries at birth.....															
35	External causes.....															
38	Diseases ill-defined or unknown.....															
	All other causes.....	3										1	1		1	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

675

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
OAKLAND, CAL. (TOTAL).																
	All causes.....	227	34	20	6	21	81	17	11	11	120	15	14	35	22	21
5	Measles.....	7												2	1	4
6	Scarlet fever.....															
7	Whooping cough.....	15								1	1	1	1	4	4	4
8	Diphtheria and croup.....	1														1
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	4										1			2	1
15	Other forms of tuberculosis.....	1													1	
(37)	Syphilis.....	5						1	1		2	1	1	1		
17	Meningitis.....															
(37)	Convulsions.....	3		1			1	1		1	3					
19	Organic diseases of the heart.....	1				1	1				1					
20	Acute bronchitis.....	1														
22	Pneumonia.....	13			1		1			2	3	2	2	1	2	3
(23)	Bronchopneumonia.....	24				2	2	1	1		4	2	4	7	3	4
24	Diseases of the stomach.....	1										1				
25	Diarrhea and enteritis.....	32				2	2	1	3		6	5	2	11	4	4
(33)	Malformations.....	20	6		1	4	16	2		1	19	1				
(33)	Premature birth.....	54	20	12	3	5	40	6	4	4	54					
(33, 37)	Congenital debility.....	15	4			1	5	5	2		12		3			
(37)	Injuries at birth.....	9	3	2	1	2	8			1	9					
35	External causes.....	5												3	2	
38	Diseases ill-defined or unknown.....															
	All other causes.....	15	1			4	5			1	6	1	1	4	3	
OAKLAND, CAL. (WHITE).																
	All causes.....	214	33	19	6	19	77	15	9	11	112	14	14	34	21	19
5	Measles.....	7												2	1	4
6	Scarlet fever.....															
7	Whooping cough.....	13								1	1	1	1	4	3	3
8	Diphtheria and croup.....	1														1
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	4										1			2	1
15	Other forms of tuberculosis.....	1													1	
(37)	Syphilis.....	5						1	1		2	1	1	1		
17	Meningitis.....															
(37)	Convulsions.....	3		1			1	1		1	3					
19	Organic diseases of the heart.....	1				1	1				1					
20	Acute bronchitis.....	1														
22	Pneumonia.....	12			1		1			2	3	2	2	1	2	2
(23)	Bronchopneumonia.....	23				1	1	1	1		3	2	4	7	3	4
24	Diseases of the stomach.....	1										1				
25	Diarrhea and enteritis.....	29				2	2	1	2		5	4	2	10	4	4
(33)	Malformations.....	20	6	5	1	4	16	2		1	19	1				
(33)	Premature birth.....	50	20	12	3	4	39	4	3	4	50					
(33, 37)	Congenital debility.....	15	4			1	5	5	2		12		3			
(37)	Injuries at birth.....	8	3	1	1	2	7			1	8					
35	External causes.....	5												3	2	
38	Diseases ill-defined or unknown.....															
	All other causes.....	14				4	4			1	5	1	1	4	3	
OAKLAND, CAL. (COLORED).																
	All causes.....	13	1	1		2	4	2	2		8	1		1	1	2
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	2													1	1
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....															
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....															
22	Pneumonia.....	1														
(23)	Bronchopneumonia.....	1				1	1				1					
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	3							1		1	1		1		
(33)	Malformations.....															
(33)	Premature birth.....	4				1	1	2	1		4					
(33, 37)	Congenital debility.....															
(37)	Injuries at birth.....	1		1			1				1					
35	External causes.....															
38	Diseases ill-defined or unknown.....															
	All other causes.....	1	1				1				1					

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
SAN FRANCISCO, CAL. (TOTAL).																
	All causes.....	630	109	35	23	53	220	34	19	23	296	59	41	95	75	64
5	Measles.....	9												1	4	4
6	Scarlet fever.....															
7	Whooping cough.....	31								1	1	1	5	7	9	8
8	Diphtheria and croup.....	1														1
9	Influenza.....	3										1			1	1
(12)	Dysentery.....	1													1	
(12)	Erysipelas.....	4							1	1	2	1			1	
(37)	Tetanus.....	7														
13	Tuberculosis of the lungs.....	12								1	1			6	2	3
14	Tuberculous meningitis.....	13											1	4	4	4
15	Other forms of tuberculosis.....	6			1	1	1				1	2	2	2	1	1
(37)	Syphilis.....	13			1	1	1			1	2	3	1	4	2	1
17	Meningitis.....	7			1	1	1				1			1	3	2
(37)	Convulsions.....															
19	Organic diseases of the heart.....	3			1	1	1			1	2			1		
20	Acute bronchitis.....	16	1			1	1				2	3	1	4	2	4
22	Pneumonia.....	30				1	1	1	2	4	5	5	2	8	5	6
(23)	Bronchopneumonia.....	71		1		3	4	1	6	11	7	8	19	18	18	8
24	Diseases of the stomach.....	7				1	1			1	2	2	1	1	1	
25	Diarrhea and enteritis.....	79		1	1	2	4	2	3	11	14	11	18	14	11	11
(33)	Malformations.....	50	11	6	3	11	31	2	1	34	6	6	2	2	2	2
(33)	Premature birth.....	143	69	11	8	18	106	14	8	4	132	9	1	1	1	
(33, 37)	Congenital debility.....	63	18	13	7	10	48	5	2	3	58	1	1	3		
(37)	Injuries at birth.....	19	8	1	1	4	14	4		3	18		1			
35	External causes.....	9	1	2			3				3	1		2	1	2
38	Diseases ill-defined or unknown.....															
	All other causes.....	40	1		2	2	5	4	1	2	12	3	1	12	5	7
SAN FRANCISCO, CAL. (WHITE).																
	All causes.....	586	106	34	22	47	209	31	18	22	280	55	40	90	65	56
5	Measles.....	9												1	4	4
6	Scarlet fever.....															
7	Whooping cough.....	30								1	1	1	5	7	8	8
8	Diphtheria and croup.....	1														1
9	Influenza.....	3													1	1
(12)	Dysentery.....	1													1	
(12)	Erysipelas.....	4							1	1	2	1			1	
(37)	Tetanus.....	7														
13	Tuberculosis of the lungs.....	11								1	1			5	2	3
14	Tuberculous meningitis.....	11											1	4	2	4
15	Other forms of tuberculosis.....	6				1	1				1	2	2	2	1	1
(37)	Syphilis.....	12				1	1			1	2	3	1	3	1	2
17	Meningitis.....	7				1	1				1			1	3	2
(37)	Convulsions.....															
19	Organic diseases of the heart.....	3			1	1	1			1	2			1		
20	Acute bronchitis.....	14	1			1	1				2	2	1	4	2	3
22	Pneumonia.....	27				1	3	1	2	4	4	4	2	8	4	5
(23)	Bronchopneumonia.....	61		1		2	3	1	5	9	6	8	16	16	16	6
24	Diseases of the stomach.....	7				1	1			1	2	2	1	1	1	
25	Diarrhea and enteritis.....	76		1	1	2	3	2	3	10	14	11	18	13	13	10
(33)	Malformations.....	48	10	6	3	10	29	2	1	32	6	6	2	2	2	2
(33)	Premature birth.....	136	67	10	7	16	100	13	8	4	125	9	1	1	1	
(33, 37)	Congenital debility.....	60	18	13	7	8	48	5	1	3	55	1	1	3		
(37)	Injuries at birth.....	18	8	1	1	4	14	4		3	18					
35	External causes.....	8	1	2			3				3	1		2		2
38	Diseases ill-defined or unknown.....															
	All other causes.....	36	1		2	2	5	3	1	2	11	3	1	12	4	5
SAN FRANCISCO, CAL. (COLORED).																
	All causes.....	44	3	1	1	6	11	3	1	1	16	4	1	5	10	8
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	1													1	
8	Diphtheria and croup.....															
9	Influenza.....	3										1			1	1
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	2													2	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1												1		
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	2										1				1
22	Pneumonia.....	3										1			1	1
(23)	Bronchopneumonia.....	10				1	1			1	2	1		3	2	2
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	3						1			1				1	1
(33)	Malformations.....	2	1			1	2			2	2					
(33)	Premature birth.....	7	2	1	1	2	6	1		7	7					
(33, 37)	Congenital debility.....	3				2	2		1		3					
(37)	Injuries at birth.....	1											1			
35	External causes.....	1														
38	Diseases ill-defined or unknown.....														1	
	All other causes.....	4						1			1				1	2

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

677

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
DENVER, COLO.																
	All causes.....	327	59	30	11	33	133	18	17	20	188	38	18	45	23	15
5	Measles.....	3										1				2
6	Scarlet fever.....															
7	Whooping cough.....	5										1		2	2	
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....	1													1	
(12)	Erysipelas.....	2														1
(37)	Tetanus.....	1		1			1				1					
13	Tuberculosis of the lungs.....	2				1	1				1			1		
14	Tuberculous meningitis.....	2												4	2	
15	Other forms of tuberculosis.....	6														
(37)	Syphilis.....	19		1			1	1	4	1	7	6	2	2	1	1
17	Meningitis.....	3							1		1		1		1	
(37)	Convulsions.....	4			1	2	3				3			1		
19	Organic diseases of the heart.....	2				2	2				2					
20	Acute bronchitis.....	6							2		2	2	1		1	
22	Pneumonia.....	17	1				1	2		5	8		1	5	2	1
(23)	Bronchopneumonia.....	25				2	2		2	3	7	4	2	6	3	3
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	49		1		2	3	2	2	3	10	8	4	16	6	5
(33)	Malformations.....	37	8	8	2	6	24	5	2	1	32	2		2	1	
(33)	Premature birth.....	60	32	9	3	7	51	5	2	1	59	1				
(33, 37)	Congenital debility.....	61	13	8	6	8	34	2	1	2	39	9	6	3	2	2
(37)	Injuries at birth.....	11	5	2		2	9			2	11					
35	External causes.....	4							1		1	2			1	
38	Diseases ill-defined or unknown.....															
	All other causes.....	9				1	1	1		2	4	2	1	2		
BRIDGEPORT, CONN.																
	All causes.....	408	48	21	11	21	101	29	16	13	159	36	29	75	56	53
5	Measles.....	6												1	1	4
6	Scarlet fever.....	4													4	
7	Whooping cough.....	10										1	1	2	2	4
8	Diphtheria and croup.....	1														1
9	Influenza.....															
(12)	Dysentery.....	1												1		
(12)	Erysipelas.....	4												1	1	
(37)	Tetanus.....	4										2		1		
13	Tuberculosis of the lungs.....	5											1	1	1	1
14	Tuberculous meningitis.....	4												1	2	1
15	Other forms of tuberculosis.....	2												1	1	
(37)	Syphilis.....	6												3		
17	Meningitis.....	5									1		1	1		2
(37)	Convulsions.....	7						1	1		1		1		5	1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	13								1	1	2	3	3	3	1
22	Pneumonia.....	24								3	7		1	3	4	9
(23)	Bronchopneumonia.....	44				2	2		2	2	5	6	4	12	9	8
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	108	1			2	3	5	7	4	19	13	9	34	17	16
(33)	Malformations.....	14	6	2		3	11	1	7	4	12	1			1	
(33)	Premature birth.....	52	22	13	4	4	40	10	2		52					
(33, 37)	Congenital debility.....	55	9	4	6	10	29	6	1	1	37	7	3	7	1	
(37)	Injuries at birth.....	12	9	1			11	1			12					
35	External causes.....	7	1				1	1			2		1	1		3
38	Diseases ill-defined or unknown.....															
	All other causes.....	24		1		3	4	1	3	2	10		4	4	4	2
NEW HAVEN, CONN.																
	All causes.....	410	47	46	10	39	142	33	15	16	206	38	16	63	37	50
5	Measles.....	3													1	2
6	Scarlet fever.....															
7	Whooping cough.....	3												2	1	
8	Diphtheria and croup.....	1														1
9	Influenza.....	1														
(12)	Dysentery.....	2													1	1
(12)	Erysipelas.....	1													1	1
(37)	Tetanus.....														1	
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	5												2	1	2
15	Other forms of tuberculosis.....	2												2		
(37)	Syphilis.....	5		1			1			1	2	1		2	1	1
17	Meningitis.....	3												1		
(37)	Convulsions.....	2						1			1	1				
19	Organic diseases of the heart.....			1			1				1	1				
20	Acute bronchitis.....	17	1			2	3		3		8				1	4
22	Pneumonia.....	22		1		2	3	2		2	7	1	3	3	3	5
(23)	Bronchopneumonia.....	36			1	3	4	3		4	11	4	1	6	8	6
24	Diseases of the stomach.....	4		1			2				2	1		1		
25	Diarrhea and enteritis.....	87	1			2	3	2	2	2	9	10	9	23	14	17
(33)	Malformations.....	25	7	5	1	5	18	1			19	2	2	2		
(33)	Premature birth.....	75	22	21	4	9	56	10	4	4	74	1	2			
(33, 37)	Congenital debility.....	52	6	7	1	11	25	5	4	1	35	8		5	1	3
(37)	Injuries at birth.....	15	6	7	1	1	15				15					
35	External causes.....	7		2			2				3			3		1
38	Diseases ill-defined or unknown.....	6	2				2	1		1	4	1		1		
	All other causes.....	33	2		2	3	7	6	2		15	3	1	4	3	7

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
WASHINGTON, D. C. (TOTAL).																
	All causes.....	712	116	52	30	53	251	41	24	22	338	58	63	108	88	57
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	13										1		7	3	2
8	Diphtheria and croup.....	3									1		1	1		
9	Influenza.....	1												1		
(12)	Dysentery.....	1														
(12)	Erysipelas.....	1													1	
(37)	Tetanus.....	2				1	1	1			2					
13	Tuberculosis of the lungs.....	8										1	3	2	1	1
14	Tuberculous meningitis.....	2													2	
15	Other forms of tuberculosis.....	4												1	2	1
(37)	Syphilis.....	13	1	1			2	2		1	5	1	3	3	1	
17	Meningitis.....	5				1	1				1		1	2	1	
(37)	Convulsions.....	13	1		1	1	3	2	2		7	2		3	1	
19	Organic diseases of the heart.....	2									1	1				
20	Acute bronchitis.....	28	1			1	2		1	1	4	4	3	7	6	4
22	Pneumonia.....	23				1	1			2	3	3	4	1	7	5
(23)	Bronchopneumonia.....	54	1	1		1	3	4	2	3	12	3	6	12	10	11
24	Diseases of the stomach.....	7									1	3	1	1		1
25	Diarrhea and enteritis.....	135		1			1	4	4	5	14	14	17	35	34	21
(33)	Malformations.....	35	8	5	5	4	22	1	3	1	27	2		4	2	
(33)	Premature birth.....	178	67	37	16	22	142	12	6	6	166	5	4	3		
(33, 37)	Congenital debility.....	104	24	4	4	10	42	7	5	1	55	10	17	13	6	3
(37)	Injuries at birth.....	19	12	2	1	3	18	1			19					
35	External causes.....	16			2	1	3				3	1	1	4	2	5
38	Diseases ill-defined or unknown.....	2			1		1				1			1		
	All other causes.....	43	1	1		7	9	6		1	16	7	2	6	9	3
WASHINGTON, D. C. (WHITE).																
	All causes.....	343	75	24	13	29	141	22	13	13	189	26	28	46	38	16
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	4										1		1	1	1
8	Diphtheria and croup.....	3									1		1	1		
9	Influenza.....	1												1		
(12)	Dysentery.....	1														
(12)	Erysipelas.....	1													1	
(37)	Tetanus.....	2				1	1	1			2					
13	Tuberculosis of the lungs.....	1														1
14	Tuberculous meningitis.....	1													1	
15	Other forms of tuberculosis.....	2												1	1	
(37)	Syphilis.....	2						1		1	2					
17	Meningitis.....	4											1	2	1	
(37)	Convulsions.....	7			1		1	2			5	1		1		
19	Organic diseases of the heart.....	2									1	1				
20	Acute bronchitis.....	5									1	1		2	1	
22	Pneumonia.....	7				1	1				2	2		2	2	1
(23)	Bronchopneumonia.....	14	1	1		1	3	2		2	7	1		2	2	2
24	Diseases of the stomach.....	5						1			1	3		1		
25	Diarrhea and enteritis.....	48						1	2	2	5	2	8	13	12	8
(33)	Malformations.....	28	6	3	4	3	16	1	3	1	21	1		4	2	
(33)	Premature birth.....	89	43	16	2	10	71	4	4	4	83	2	2	2		
(33, 37)	Congenital debility.....	68	15	2	4	6	27	4	1		32	8	16	7	4	1
(37)	Injuries at birth.....	14	9	1		3	13	1			14					
35	External causes.....	8			1	1	2				2			3	2	1
38	Diseases ill-defined or unknown.....	1			1		1				1					
	All other causes.....	25	1	1		3	5	4			9	3		4	8	1
WASHINGTON, D. C. (COLORED).																
	All causes.....	369	41	28	17	24	110	19	11	9	149	32	35	62	50	41
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	9												6	2	1
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	7										1	3	2	1	
14	Tuberculous meningitis.....	1													1	
15	Other forms of tuberculosis.....	2													1	1
(37)	Syphilis.....	11	1	1							3	1	3	3	1	
17	Meningitis.....	1				1	2				1					
(37)	Convulsions.....	6	1			1	2				2	1		2	1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	23	1			1	2			1	3	3	3	5	5	4
22	Pneumonia.....	16									1	1	4	1	5	4
(23)	Bronchopneumonia.....	40						2	2	1	5	2	6	10	8	9
24	Diseases of the stomach.....	2											1	1		1
25	Diarrhea and enteritis.....	87		1			1	3	2	3	6	12	9	22	22	13
(33)	Malformations.....	7	2	2	1	1	6				6	1				
(33)	Premature birth.....	89	24	21	14	12	71	8	2	2	83	3	2	1	6	
(33, 37)	Congenital debility.....	36	9	2		4	15	3	4	1	23	2	1	1	2	2
(37)	Injuries at birth.....	5	3	1	1		5				5					
35	External causes.....	8			1		1				1	1	1	1		4
38	Diseases ill-defined or unknown.....	1												1		
	All other causes.....	13				4	4	2		1	7	4	2	2	1	2

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
ATLANTA, GA. (TOTAL).																
	All causes.....	420	53	15	11	20	99	22	20	18	159	47	37	60	58	59
5	Measles.....	4											1		1	2
6	Scarlet fever.....															
7	Whooping cough.....	13										5	2	2	4	5
8	Diphtheria and croup.....	1							1		1					
9	Influenza.....	6						1			1		1	1	2	1
(12)	Dysentery.....	8									1	3		1	1	3
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	6	1				1	1			2	1			1	2
17	Meningitis.....															
(37)	Convulsions.....	4			1		1				1				1	2
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	2				1	1			1						
22	Pneumonia.....	22							1		2	7	2	6	4	1
(23)	Bronchopneumonia.....	50			1	1	2	5	3	2	12	2	4	1	11	13
24	Diseases of the stomach.....	6														
25	Diarrhea and enteritis.....	90										6	8	21	24	20
(33)	Malformations.....	15	2	1	2	2	7	1	1	1	4	1	1	1	1	2
(33)	Premature birth.....	78	36	11	4	10	61	4	3	2	10	7	8	2	1	2
(33, 37)	Congenital debility.....	61	9	1	1	1	12	4	6	6	7	5	12	3	9	3
(37)	Injuries at birth.....	9	4	1	2	1	8	1			3	2				2
35	External causes.....	9									3					2
38	Diseases ill-defined or unknown.....	6	1	1	1		3				3	1				1
	All other causes.....	25				1	1	1	3	2	7	1	2	6	7	2
ATLANTA, GA. (WHITE).																
	All causes.....	230	35	8	10	10	63	14	11	7	95	25	21	32	28	29
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	4										2			2	
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....	5										1		1	1	2
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	5	1				1	1			2	1			1	1
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1								1	1					
22	Pneumonia.....	9						1			1	5		2	1	
(23)	Bronchopneumonia.....	28			1		1	4	2	2	9	1	3	4	5	6
24	Diseases of the stomach.....	2										1	1			
25	Diarrhea and enteritis.....	50						1	1	1	3	4	5	13	12	13
(33)	Malformations.....	12	1	1	2	2	6	1	1	1	8	2	1			1
(33)	Premature birth.....	46	24	4	3	7	38	2	1		41	3		2		
(33, 37)	Congenital debility.....	33	5	1	1		7	2	3	1	13	4	9	4	1	2
(37)	Injuries at birth.....	8	3	1	2	1	7	1			8					
35	External causes.....	4								1	2					1
38	Diseases ill-defined or unknown.....	4	1	1	1		3				3					1
	All other causes.....	18						1	3		4	1	2	5	5	1
ATLANTA, GA. (COLORED).																
	All causes.....	190	18	7	1	10	36	8	9	11	64	22	16	28	30	30
5	Measles.....	3											1		1	1
6	Scarlet fever.....															
7	Whooping cough.....	14										3	2	2	2	5
8	Diphtheria and croup.....	1							1		1					
9	Influenza.....	6									1		1	2	1	1
(12)	Dysentery.....	3										2				
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1														1
17	Meningitis.....															
(37)	Convulsions.....	4			1		1				1				1	2
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1				1	1				1					
22	Pneumonia.....	13								1		2		4	3	1
(23)	Bronchopneumonia.....	22				1	1	1	1		3	1	1	4	6	7
24	Diseases of the stomach.....	4										1	1	1		
25	Diarrhea and enteritis.....	40				2	2			3	5	4	4	8	12	7
(33)	Malformations.....	3									2					1
(33)	Premature birth.....	32	12	7	1	3	23	2	2	2	29	2		1		
(33, 37)	Congenital debility.....	28	4			1	5	4	3	4	16	3	3	5		1
(37)	Injuries at birth.....	1	1				1				1					
35	External causes.....	5										3		1		1
38	Diseases ill-defined or unknown.....	2										1	1			
	All other causes.....	7				1	1			2	3			1	2	1

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.	
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																	
CHICAGO, ILL. (TOTAL).																	
	All causes.....	6,878	710	314	211	488	1,723	453	355	258	2,789	659	537	1,224	935	734	
5	Measles.....	80														14	12
6	Scarlet fever.....	20														3	9
7	Whooping cough.....	131						2	1	3	6	15	7	34	36	33	33
8	Diphtheria and croup.....	48									3	3	2	8	10	22	22
9	Influenza.....	4									1				1	2	2
(12)	Dysentery.....	7				1	1				1				2	1	2
(12)	Erysipelas.....	31						2	3	1	6	10	3	4	3	5	5
(37)	Tetanus.....	4									4						
13	Tuberculosis of the lungs.....	28				2	2	4		3	5			5	9	9	9
14	Tuberculous meningitis.....	47									1		2	12	16	14	14
15	Other forms of tuberculosis.....	5													3	1	1
(37)	Syphilis.....	109	6	4	1	2	13	11	5	8	37	20	19	24	6	3	3
17	Meningitis.....	32									8	2		8	7	7	7
(37)	Convulsions.....	44	5	6	9	10	30	3	1	1	35	3	1	4	1		
19	Organic diseases of the heart.....	18									9	2		4	3		
20	Acute bronchitis.....	105	1	1		3	5	5	12	6	28	14	13	15	23	12	12
22	Pneumonia.....	194	1	3	3	6	13	11	4	10	38	21	10	47	46	32	32
(23)	Bronchopneumonia.....	1,047	1	8	10	36	55	47	50	53	205	135	107	212	220	163	163
24	Diseases of the stomach.....	15				1	1				3	2	3	5	1	1	1
25	Diarrhea and enteritis.....	2,684	3	4	14	65	86	128	160	109	483	335	307	742	471	346	346
(33)	Malformations.....	352	72	41	37	63	213	40	18	14	285	20	13	19	9	6	6
(33)	Premature birth.....	776	343	105	57	97	602	82	47	18	749	17	6	3	1		
(33, 37)	Congenital debility.....	474	97	65	36	95	293	70	29	12	404	28	20	14	6	2	2
(37)	Injuries at birth.....	361	167	62	34	69	332	22	5	2	361						
35	External causes.....	39	5	3		3	11		4		15	2	4	7	5	6	6
38	Diseases ill-defined or unknown.....	9					9				9						
	All other causes.....	264	9	2	7	28	46	24	10	11	91	27	18	46	40	42	42
CHICAGO, ILL. (WHITE).																	
	All causes.....	6,767	693	309	209	480	1,691	447	353	253	2,744	652	529	1,202	915	725	
5	Measles.....	30														14	12
6	Scarlet fever.....	19														3	9
7	Whooping cough.....	124						2	1	3	6	15	6	32	32	33	33
8	Diphtheria and croup.....	47									3	3	2	8	10	21	21
9	Influenza.....	4									1				1	2	2
(12)	Dysentery.....	7				1	1				1				2	1	2
(12)	Erysipelas.....	31						2	3	1	6	10	3	4	3	5	5
(37)	Tetanus.....	4									4						
13	Tuberculosis of the lungs.....	27				2	2	4		3	5			5	8	9	9
14	Tuberculous meningitis.....	46									1		2	12	16	13	13
15	Other forms of tuberculosis.....	5													3	1	1
(37)	Syphilis.....	98	4	3	1	2	10	9	4	7	30	19	18	23	5	3	3
17	Meningitis.....	32									8	2		8	7	7	7
(37)	Convulsions.....	42	5	5	8	10	28	3	1	1	33	3	1	4	1		
19	Organic diseases of the heart.....	18									9	2		4	3		
20	Acute bronchitis.....	105	1	1		3	5	5	12	6	28	14	13	15	23	12	12
22	Pneumonia.....	189	1	3	3	6	13	11	4	10	38	20	10	44	45	32	32
(23)	Bronchopneumonia.....	1,024	1	8	10	35	54	46	50	51	201	135	105	206	214	163	163
24	Diseases of the stomach.....	15				1	1				3	2	3	5	1	1	1
25	Diarrhea and enteritis.....	2,659	2	4	14	65	85	127	159	109	480	331	306	733	465	344	344
(33)	Malformations.....	351	71	41	37	63	212	40	18	14	284	20	12	19	9	6	6
(33)	Premature birth.....	759	335	104	56	92	587	82	47	18	734	16	5	3	1		
(33, 37)	Congenital debility.....	466	93	65	36	98	287	70	29	10	396	28	20	14	6	2	2
(37)	Injuries at birth.....	357	166	60	34	69	329	21	5	2	357						
35	External causes.....	39	5	3		3	11		4		15	2	4	7	5	6	6
38	Diseases ill-defined or unknown.....	9					9				9						
	All other causes.....	260	9	2	7	28	46	23	10	11	90	27	17	45	39	42	42
CHICAGO, ILL. (COLORED).																	
	All causes.....	111	17	5	2	8	32	6	2	5	45	7	8	22	20	9	
5	Measles.....																
6	Scarlet fever.....	1											1				
7	Whooping cough.....	7											1	2	4		
8	Diphtheria and croup.....	1														1	
9	Influenza.....																
(12)	Dysentery.....																
(12)	Erysipelas.....																
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	1														1	
14	Tuberculous meningitis.....	1														1	
15	Other forms of tuberculosis.....																
(37)	Syphilis.....	11	2	1			3	2	1	1	7	1	1	1	1		
17	Meningitis.....																
(37)	Convulsions.....	2		1	1		2				2						
19	Organic diseases of the heart.....																
20	Acute bronchitis.....																
22	Pneumonia.....	5										1		3	1		
(23)	Bronchopneumonia.....	23				1	1	1		2	4		2	6	6	5	5
24	Diseases of the stomach.....																
25	Diarrhea and enteritis.....	25	1				1	1	1		3	4	1	9	6	2	2
(33)	Malformations.....	1	1				1				1			1	1		
(33)	Premature birth.....	17	8	1	1	5	15				15	1	1				
(33, 37)	Congenital debility.....	8	4			2	6			2	8						
(37)	Injuries at birth.....	4	1	2			3	1			4						
35	External causes.....																
38	Diseases ill-defined or unknown.....																
	All other causes.....	4						1			1		1	1	1		

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
INDIANAPOLIS, IND. (TOTAL).																
	All causes.....	558	102	24	38	47	211	26	22	19	278	48	35	88	62	47
5	Measles.....	4													3	1
6	Scarlet fever.....	1														
7	Whooping cough.....	6										1		1	4	
8	Diphtheria and croup.....	1														1
9	Influenza.....	1														1
(12)	Dysentery.....	3												1	1	1
(12)	Erysipelas.....	4										1	1	2		
(37)	Tetanus.....	5														
13	Tuberculosis of the lungs.....	7										1	1	3		2
14	Tuberculous meningitis.....	3								1	1		1		1	1
15	Other forms of tuberculosis.....	4	1				3				1				1	2
(37)	Syphilis.....	17	2	1			1	2	1		6	1	5	3	2	
17	Meningitis.....	5										1		1	1	2
(37)	Convulsions.....	7			2	1	3		2		5			1		1
19	Organic diseases of the heart.....	1											1			
20	Acute bronchitis.....	4										1			2	1
22	Pneumonia.....	19				4	4	1	1		6	3	1	2	5	2
(23)	Bronchopneumonia.....	68	1		2	1	4	2	5	6	17	11	2	17	10	11
24	Diseases of the stomach.....	6										1	1	2	1	1
25	Diarrhea and enteritis.....	120				2	2	2	1	6	11	12	16	37	25	19
(33)	Malformations.....	46	10	4	6	10	30	5	5	1	41	1		3	1	
(33)	Premature birth.....	142	74	15	18	11	118	8	6	2	134	7		3	1	
(33, 37)	Congenital debility.....	51	10	1	7	13	31	4	1	2	38	6	2	5		
(37)	Injuries at birth.....	11	4	3	2	1	10	1			11	6		1	1	
35	External causes.....	6				2	2			1	3		1	1	1	
38	Diseases ill-defined or unknown.....															
	All other causes.....	22			1	2	3	1			4	1	3	8	5	1
INDIANAPOLIS, IND. (WHITE).																
	All causes.....	476	91	22	34	41	188	23	20	15	246	35	32	76	48	39
5	Measles.....	3													3	
6	Scarlet fever.....	1														
7	Whooping cough.....	3										1			2	
8	Diphtheria and croup.....	1														1
9	Influenza.....	1														1
(12)	Dysentery.....	3												1	1	1
(12)	Erysipelas.....	3											1	2		
(37)	Tetanus.....	5														
13	Tuberculosis of the lungs.....	3												1		2
14	Tuberculous meningitis.....	3								1	1		1		1	1
15	Other forms of tuberculosis.....	3	1				1				1					2
(37)	Syphilis.....	15	2	1			3	2	1		6	1	5	3	1	
17	Meningitis.....	3										1		1	1	
(37)	Convulsions.....	7			2	1	3		2		5			1		1
19	Organic diseases of the heart.....	1											1			
20	Acute bronchitis.....	2													1	1
22	Pneumonia.....	16				3	3	1	1		5	3		2	5	1
(23)	Bronchopneumonia.....	56	1		2	1	3	2	5	5	15	8	2	15	6	10
24	Diseases of the stomach.....	6										1	1	2	1	1
25	Diarrhea and enteritis.....	102				1	1	2	1	5	9	10	16	31	20	16
(33)	Malformations.....	43	9	4	6	10	29	5	3	1	38	1		3	1	
(33)	Premature birth.....	124	66	14	15	10	105	5	6	2	118	6		3	1	
(33, 37)	Congenital debility.....	42	8	1	6	11	26	4	1		31	4	2	5		
(37)	Injuries at birth.....	10	4	2	2	1	9	1			10	4		1	1	
35	External causes.....	6				2	2			1	3		1	1	1	
38	Diseases ill-defined or unknown.....															
	All other causes.....	20			1	2	3	1			4		2	8	5	1
INDIANAPOLIS, IND. (COLORED).																
	All causes.....	82	11	2	4	6	23	3	2	4	32	13	3	12	14	8
5	Measles.....	1														1
6	Scarlet fever.....	1														
7	Whooping cough.....	3												1	2	
8	Diphtheria and croup.....	1														
9	Influenza.....	1														
(12)	Dysentery.....	1														
(12)	Erysipelas.....	1										1				
(37)	Tetanus.....	4												1	1	2
13	Tuberculosis of the lungs.....	1										1	1	2		
14	Tuberculous meningitis.....	1													1	
15	Other forms of tuberculosis.....	1													1	
(37)	Syphilis.....	2										1			1	
17	Meningitis.....	2														2
(37)	Convulsions.....	2														
19	Organic diseases of the heart.....	2														
20	Acute bronchitis.....	2										1			1	
22	Pneumonia.....	3				1	1				1		1			1
(23)	Bronchopneumonia.....	12				1	1			1	2	3		2	4	1
24	Diseases of the stomach.....	3														
25	Diarrhea and enteritis.....	18				1	1			1	2	2		6	5	3
(33)	Malformations.....	3	1				1		2		2	3				
(33)	Premature birth.....	18	8	1	3	1	13	3			16	1		1		
(33, 37)	Congenital debility.....	9	2		1	2	5		2		7	2				
(37)	Injuries at birth.....	1		1			1				1					
35	External causes.....															
38	Diseases ill-defined or unknown.....															
	All other causes.....	2										1	1			

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

683

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
NEW ORLEANS, LA. (TOTAL).																
	All causes.....	883	102	26	20	51	199	60	43	35	337	108	86	191	89	72
5	Measles.....	2											1			1
6	Scarlet fever.....	1														
7	Whooping cough.....	11								1	1	2	1	3	3	1
8	Diphtheria and croup.....	6											1	1	1	3
9	Influenza.....	3										2				
(12)	Dysentery.....	1												1		
(12)	Erysipelas.....	4								1	1	2		1		
(37)	Tetanus.....	31	3		1	11	15	10	4	1	30		1			
13	Tuberculosis of the lungs.....	6										1	1	3		1
14	Tuberculous meningitis.....	2														2
15	Other forms of tuberculosis.....	23							1	2	3	6	4	6	2	2
(37)	Syphilis.....	56	3	2		4	9	4		5	18	18	4	10	3	3
17	Meningitis.....	2													1	1
(37)	Convulsions.....	7	1				1	2		1	4	1			2	
19	Organic diseases of the heart.....	1						1								
20	Acute bronchitis.....	26						2	2	4	6	2	2	9	6	1
22	Pneumonia.....	68	1			1	2	1	2	1	6	7	7	30	9	9
(23)	Bronchopneumonia.....	74						2	3	1	6	11	12	26	10	9
24	Diseases of the stomach.....	8												2	1	2
25	Diarrhea and enteritis.....	259	2			8	10	13	11	11	45	33	31	78	43	29
(33)	Malformations.....	36	8	3	2	6	19	1	1		21	3	3	6	3	
(33)	Premature birth.....	122	60	13	15	11	99	11	10	2	122					
(33, 37)	Congenital debility.....	65	16	5	2	6	29	4	6	4	43	10	7	3	1	1
(37)	Injuries at birth.....	14	6	1		3	10	2	1	1	14					
35	External causes.....	3										1			1	1
38	Diseases ill-defined or unknown.....															
	All other causes.....	53	2	2		1	5	7	4		16	6	11	11	3	6
NEW ORLEANS, LA. (WHITE).																
	All causes.....	517	64	13	11	25	113	34	24	26	197	77	49	100	51	43
5	Measles.....	2											1			1
6	Scarlet fever.....	1														
7	Whooping cough.....	9								1	1	2	1	3	1	1
8	Diphtheria and croup.....	3											1	1	1	1
9	Influenza.....	2										2				
(12)	Dysentery.....	1														
(12)	Erysipelas.....	4								1	1	2		1		
(37)	Tetanus.....	13	2		1	4	7	3	1	1	12		1			
13	Tuberculosis of the lungs.....	2											1	1		1
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	8								2	3	1	1	1		2
(37)	Syphilis.....	37	1				1	4		5	10	14	4	5	2	1
17	Meningitis.....	1														1
(37)	Convulsions.....	4	1				1				1	1			2	
19	Organic diseases of the heart.....	1						1			1					
20	Acute bronchitis.....	13						2		3	5	2		3	3	6
22	Pneumonia.....	29	1				1		2	1	4	3	4	7	5	6
(23)	Bronchopneumonia.....	27						2	1	1	4	7	2	9	1	4
24	Diseases of the stomach.....	5									3	3		1		1
25	Diarrhea and enteritis.....	161	1			2	3	4	4	7	18	25	17	53	30	18
(33)	Malformations.....	33	8	3	2	4	17	1	1		19	3	3	5	3	
(33)	Premature birth.....	68	32	5	7	7	51	10	6	1	68					
(33, 37)	Congenital debility.....	42	11	3	1	4	19	3	5	3	30	5	4	1	1	1
(37)	Injuries at birth.....	11	5			3	8	2	1		11					
35	External causes.....	2														1
38	Diseases ill-defined or unknown.....															
	All other causes.....	39	2	2		1	5	2	3		10	5	9	9	2	4
NEW ORLEANS, LA. (COLORED).																
	All causes.....	366	38	13	9	26	86	26	19	9	140	31	37	91	38	29
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	2													2	
8	Diphtheria and croup.....	3													1	2
9	Influenza.....	1												1		
(12)	Dysentery.....	1												1		
(12)	Erysipelas.....															
(37)	Tetanus.....	18	1			7	8	7	3		18					
13	Tuberculosis of the lungs.....	4										1		2		1
14	Tuberculous meningitis.....	1														1
15	Other forms of tuberculosis.....	15							1		1	3	3	5	1	1
(37)	Syphilis.....	19	2	2		4	8				8	4		5	2	1
17	Meningitis.....	1													1	
(37)	Convulsions.....	3						2			3					
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	13								1	1		2	6	3	1
22	Pneumonia.....	39				1	1	1			2	4	3	23	4	3
(23)	Bronchopneumonia.....	47							2		2	4	10	17	9	5
24	Diseases of the stomach.....	3												1	1	1
25	Diarrhea and enteritis.....	98	1			6	7	9	7	4	27	8	14	25	13	11
(33)	Malformations.....	3				2	2	2			2			1		
(33)	Premature birth.....	54	28	8	8	4	48	1	4	1	54					
(33, 37)	Congenital debility.....	23	5	2	1	2	10	1	1	1	13	5	3	2		
(37)	Injuries at birth.....	3	1	1			2				3					
35	External causes.....	1										1				
38	Diseases ill-defined or unknown.....															
	All other causes.....	14						5	1		6	1	2	2	1	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—														
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.	
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																	
BALTIMORE, MD. (TOTAL).																	
	All causes.....	1,949	257	88	71	96	512	97	78	63	750	196	180	363	265	195	
5	Measles.....	1											1				
6	Scarlet fever.....	2												1	1		
7	Whooping cough.....	46										7	3	13	17	6	
8	Diphtheria and croup.....	10							2		2	2	1	1		4	
9	Influenza.....	2													2		
(12)	Dysentery.....	1															
(12)	Erysipelas.....	7											1				
(37)	Tetanus.....	1	1				1				1			3	1	1	
13	Tuberculosis of the lungs.....	9											2	1	3	3	
14	Tuberculous meningitis.....	12											2	4	2	4	
15	Other forms of tuberculosis.....	3												1	1		
(37)	Syphilis.....	49	5	1	1	4	11		2	3	16	9	10	11	3		
17	Meningitis.....	19							2	2	3	1	1	6	3	5	
(37)	Convulsions.....	45	1	2		5	8	5	3	2	18	5	4	10	6	2	
19	Organic diseases of the heart.....	7		1			1			1	2	1	1	1	1	1	
20	Acute bronchitis.....	47				2	2	4	2	4	12	4	9	10	5	7	
22	Pneumonia.....	54			1	1	2	3	1	2	8	6	2	12	11	15	
(23)	Bronchopneumonia.....	217	1	1	1	3	6	4	6	11	27	28	25	42	56	39	
24	Diseases of the stomach.....	17										4	1	4	6	2	
25	Diarrhea and enteritis.....	495		1		3	4	9	8	12	33	55	60	152	110	85	
(33)	Malformations.....	82	21	8	6	15	50	6	5	3	64	3	6	6	1	2	
(33)	Premature birth.....	325	145	52	35	23	255	36	17	3	311	6	6	2			
(33, 37)	Congenital debility.....	307	39	16	17	22	94	19	19	19	151	42	20	58	19	7	
(37)	Injuries at birth.....	65	40	5	8	9	62	1	2	2	65						
35	External causes.....	16				1	1		2		3	3	1	4	1	4	
38	Diseases ill-defined or unknown.....	6	2				2	1	1	1	4	2					
	All other causes.....	104	2	1	2	8	13	8	6	3	30	15	14	21	16	8	
BALTIMORE, MD. (WHITE).																	
	All causes.....	1,457	201	58	52	67	378	67	62	55	562	145	146	267	192	145	
5	Measles.....	1											1				
6	Scarlet fever.....	2												1	1		
7	Whooping cough.....	26										5	2	7	10	2	
8	Diphtheria and croup.....	10							2		2	2	1	1		4	
9	Influenza.....	2													2		
(12)	Dysentery.....	1															
(12)	Erysipelas.....	6															
(37)	Tetanus.....	1	1				1				1			3	1	1	
13	Tuberculosis of the lungs.....	5											1		1	3	
14	Tuberculous meningitis.....	11											2	2	2	4	
15	Other forms of tuberculosis.....	3												1	1		
(37)	Syphilis.....	23	3		2		5		1	2	8	1	6	5			
17	Meningitis.....	15							1	1	2	1	1	5	3	3	
(37)	Convulsions.....	38		2		4	6	5	3	2	16	5	4	5	6	2	
19	Organic diseases of the heart.....	5		1			1			1	2	1	1	1			
20	Acute bronchitis.....	32				1	1	3	2	3	9	3	8	6	3	3	
22	Pneumonia.....	31			1		1	2	1	2	6	4		8	4	9	
(23)	Bronchopneumonia.....	156	1	1		2	4	2	5	10	21	17	20	30	41	27	
24	Diseases of the stomach.....	13										3		3	5	2	
25	Diarrhea and enteritis.....	399		1		3	4	6	8	11	29	42	52	120	85	71	
(33)	Malformations.....	71	19	7	6	12	44	5	5	3	57	3	4	5		2	
(33)	Premature birth.....	232	110	30	26	15	181	25	14	3	223	3	6				
(33, 37)	Congenital debility.....	216	29	10	9	13	61	10	13	15	99	34	26	41	12	4	
(37)	Injuries at birth.....	59	35	5	8	8	56	1	2	2	59						
35	External causes.....	12					1		1		1	1	1	4	1	4	
38	Diseases ill-defined or unknown.....	3	1				1				1	2					
	All other causes.....	85	2	1	2	7	12	7	4	3	26	13	10	18	14	4	
BALTIMORE, MD. (COLORED).																	
	All causes.....	492	56	30	19	29	134	30	16	8	188	51	34	96	73	50	
5	Measles.....																
6	Scarlet fever.....																
7	Whooping cough.....	20										2	1	6	7	4	
8	Diphtheria and croup.....																
9	Influenza.....																
(12)	Dysentery.....	1											1				
(12)	Erysipelas.....	1															
(37)	Tetanus.....																
13	Tuberculosis of the lungs.....	4											1	1	2		
14	Tuberculous meningitis.....	1												1			
15	Other forms of tuberculosis.....																
(37)	Syphilis.....	26	2	1	1	2	6		1	1	8	5	4	6	3		
17	Meningitis.....	4							1					1		2	
(37)	Convulsions.....	7	1			1	2				2			5			
19	Organic diseases of the heart.....	2													1	1	
20	Acute bronchitis.....	15				1	1	1		1	3	1	1	4	2	4	
22	Pneumonia.....	23				1	1	1		1	2	2	2	4	7	6	
(23)	Bronchopneumonia.....	61			1	1	2	2	1	1	6	11	5	12	15	12	
24	Diseases of the stomach.....	4										1	1	1	1		
25	Diarrhea and enteritis.....	96						3		1	4	13	8	32	25	14	
(33)	Malformations.....	11	2			3	6				7		2	1	1		
(33)	Premature birth.....	93	35	22	9	8	74	11	3		88	3		2			
(33, 37)	Congenital debility.....	91	10	6	8	9	33	9	6	4	52	8	4	17	7	3	
(37)	Injuries at birth.....	6	5				6				6						
35	External causes.....	4				1	1		1		2	2					
38	Diseases ill-defined or unknown.....	3	1				1	1	1	1	3						
	All other causes.....	19				1	1	1	2		4	2	4	3	2	4	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
BOSTON, MASS. (TOTAL).																
	All causes.....	2,007	314	94	87	160	655	105	85	75	920	172	130	295	259	231
5	Measles.....	17												2	6	9
6	Scarlet fever.....	3												1	1	1
7	Whooping cough.....	22								1	1	1	1	3	9	7
8	Diphtheria and croup.....	13										1			3	9
9	Influenza.....	3													2	1
(12)	Dysentery.....	17											1	3	3	8
(12)	Erysipelas.....	18							1	1	2	7	5	2	1	1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	19												4	6	9
14	Tuberculous meningitis.....	32						1			1	2	1	9	6	13
15	Other forms of tuberculosis.....	10							1		1	2	2	2	1	4
(37)	Syphilis.....	34	3		1	2	6	3	6	2	17	7	1	5	3	5
17	Meningitis.....	24						1	2	1	4	1	5	6	3	5
(37)	Convulsions.....	14			1	3	4		3		7	3		1	2	1
19	Organic diseases of the heart.....	2												1	1	1
20	Acute bronchitis.....	29		1			1	2	1	4			4	4	6	7
22	Pneumonia.....	133			4	9	13	4	8	10	8	11	6	24	27	30
(23)	Bronchopneumonia.....	185	1	2	1	5	9	7	5	9	30	21	13	31	50	40
24	Diseases of the stomach.....	16				1	1			1	2	3	2	4	3	2
25	Diarrhea and enteritis.....	400			1	2	3	9	9	13	34	45	55	125	90	51
(33)	Malformations.....	175	51	23	12	21	107	17	6	4	134	12	6	14	5	4
(33)	Premature birth.....	376	172	42	38	44	296	32	22	9	359	12	5			
(33, 37)	Congenital debility.....	156	24	8	7	21	60	13	12	5	90	25	11	21	8	1
(37)	Injuries at birth.....	120	56	13	13	32	114	3	3		120					
35	External causes.....	24	1	2	2	1	6		1	2	9	3	1	4	2	5
38	Diseases ill-defined or unknown.....	10				3	5		1	2	8	1		1		
	All other causes.....	155	6	3	5	16	30	13	4	11	58	15	11	28	22	21
BOSTON, MASS. (WHITE).																
	All causes.....	1,959	305	91	82	157	635	103	83	75	896	169	127	287	251	229
5	Measles.....	17												2	6	9
6	Scarlet fever.....	3												1	1	1
7	Whooping cough.....	21								1	1	1	1	3	8	7
8	Diphtheria and croup.....	13													3	9
9	Influenza.....	3													2	1
(12)	Dysentery.....	16											1	3	3	8
(12)	Erysipelas.....	18							1	1	2	7	5	2	1	1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	19												4	6	9
14	Tuberculous meningitis.....	31						1			1	2	1	9	5	13
15	Other forms of tuberculosis.....	10							1		1	2	2	2	1	4
(37)	Syphilis.....	34	3		1	2	6	3	6	2	17	7	1	5	3	5
17	Meningitis.....	24						1	2	1	4	1	5	6	3	5
(37)	Convulsions.....	14			1	3	4		3		7	3		1	2	1
19	Organic diseases of the heart.....	2												1	1	1
20	Acute bronchitis.....	28		1			1	2	1	4	8		4	4	6	6
22	Pneumonia.....	132			4	9	13	3	8	10	34	11	6	24	27	30
(23)	Bronchopneumonia.....	180	1	2	1	5	9	7	5	9	30	21	12	30	47	40
24	Diseases of the stomach.....	16				1	1			1	2	3	2	4	3	2
25	Diarrhea and enteritis.....	390			1	2	3	8	9	13	33	44	55	121	87	50
(33)	Malformations.....	174	51	23	12	21	107	17	6	4	134	12	6	13	5	4
(33)	Premature birth.....	361	165	40	34	43	282	32	21	9	344	12	5			
(33, 37)	Congenital debility.....	152	24	8	6	21	59	13	11	5	88	24	10	21	8	1
(37)	Injuries at birth.....	117	54	13	13	31	111	3	3		117					
35	External causes.....	24	1	2	2	1	6		1	2	9	3	1	4	2	5
38	Diseases ill-defined or unknown.....	10				3	5		1	2	8	1		1		
	All other causes.....	150	6	2	5	15	28	13	4	11	56	15	10	26	22	21
BOSTON, MASS. (COLORED).																
	All causes.....	48	9	3	5	3	20	2	2		24	3	3	8	8	2
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	1													1	
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....	1										1				
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	1													1	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....															
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1														1
22	Pneumonia.....	1														
(23)	Bronchopneumonia.....	5							1		1		1	1	3	
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	10						1			1	1		4	3	1
(33)	Malformations.....	1												1		
(33)	Premature birth.....	15	7	2	4	1	14		1		15					
(33, 37)	Congenital debility.....	4			1		1		1		2	1	1			
(37)	Injuries at birth.....	3	2		1		3				3					
35	External causes.....															
38	Diseases ill-defined or unknown.....															
	All other causes.....	5		1		1	2				2		1	2		

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
CAMBRIDGE, MASS.																
	All causes.....	243	34	7	5	15	61	12	11	6	90	26	15	45	36	31
5	Measles.....	4													3	1
6	Scarlet fever.....	7										3			3	1
7	Whooping cough.....	2														2
8	Diphtheria and croup.....	2														
9	Influenza.....	2														
(12)	Dysentery.....	2										1		1		
(12)	Erysipelas.....	2														
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	4												1		3
15	Other forms of tuberculosis.....	1												1		
(37)	Syphilis.....	1												1		
17	Meningitis.....	1										1				
(37)	Convulsions.....	2												1		
19	Organic diseases of the heart.....	2				1	1		1		2					
20	Acute bronchitis.....	6								1	1	1			1	1
22	Pneumonia.....	14						2			2	2		5		5
(23)	Bronchopneumonia.....	35							2		2	4	3	8	10	8
24	Diseases of the stomach.....	3									1		1			
25	Diarrhea and enteritis.....	59				1	1	1	1	1	4	6	3	17	16	8
(33)	Malformations.....	18	5	3	1	2	11	1		1	13	1	1	2		1
(33)	Premature birth.....	45	22	3	4	6	35	4	2	2	43	2				
(33, 37)	Congenital debility.....	27	6	1		3	10	3	4	1	18	3	1	5		
(37)	Injuries at birth.....	1	1				1				1					
35	External causes.....	1										1				
38	Diseases ill-defined or unknown.....	7				2	2		1		3		1		2	1
	All other causes.....	7				2	2		1		3		1		2	1
FALL RIVER, MASS.																
	All causes.....	748	55	24	18	28	125	29	35	16	205	74	66	169	144	90
5	Measles.....	1													1	
6	Scarlet fever.....	2												1		1
7	Whooping cough.....	17									2	1		3	9	2
8	Diphtheria and croup.....	3							1	1	2			2	2	1
9	Influenza.....	3														
(12)	Dysentery.....	3						1			1			1	1	
(12)	Erysipelas.....	1													1	
(37)	Tetanus.....	2														
13	Tuberculosis of the lungs.....	4													2	2
14	Tuberculous meningitis.....	2														2
15	Other forms of tuberculosis.....	6									2	1	2		1	
(37)	Syphilis.....	2						1	1							
17	Meningitis.....	9	1		3		4				4	2		1	1	1
(37)	Convulsions.....	1				1	1				1					
19	Organic diseases of the heart.....	18					1	1			1	6	3	6	2	
20	Acute bronchitis.....	10									1	1	1	3	3	2
22	Pneumonia.....	109						2	2	4	8	9	8	29	29	26
(23)	Bronchopneumonia.....	2														
24	Diseases of the stomach.....	326			1	1	2	3	13	2	20	41	41	97	82	45
25	Diarrhea and enteritis.....	21	2	2	3	8	15	1	4		20	1				
(33)	Malformations.....	83	34	16	7	6	63	10	6	3	82	1				
(33)	Premature birth.....	72	5	3		6	14	8	7	3	32	8	8	15	6	3
(33, 37)	Congenital debility.....	20	10	3	1	6	20				20					
(37)	Injuries at birth.....	4				1	1			1	2	1		1		
35	External causes.....	17	3		2	5	5	1			6	2	2	5	1	3
38	Diseases ill-defined or unknown.....	15						1	1	2	4	1		5	3	2
	All other causes.....	15						1	1	2	4	1		5	3	2
LOWELL, MASS.																
	All causes.....	431	49	22	15	21	107	21	21	13	162	32	42	85	64	46
5	Measles.....	5													1	4
6	Scarlet fever.....	6										1		1	2	2
7	Whooping cough.....	2												1		1
8	Diphtheria and croup.....	2														
9	Influenza.....	2														
(12)	Dysentery.....	2														
(12)	Erysipelas.....	3									1	1				
(37)	Tetanus.....	8						1						4	2	1
13	Tuberculosis of the lungs.....	3									1				2	
14	Tuberculous meningitis.....	3													2	1
15	Other forms of tuberculosis.....	4						1			1			1	1	1
(37)	Syphilis.....	6				1	1		1		2	1		1		
17	Meningitis.....	8										1			3	2
(37)	Convulsions.....	30					2	2		2	5		2	1		
19	Organic diseases of the heart.....	13									2	2	4	9	4	6
20	Acute bronchitis.....	27				1	1				2	1	3	2	4	1
22	Pneumonia.....	27									1	3	3	7	9	4
(23)	Bronchopneumonia.....	3												1	2	
24	Diseases of the stomach.....	138						2	6	4	12	10	18	50	28	20
25	Diarrhea and enteritis.....	24	9	2	4	2	17	2	1		20			2	2	2
(33)	Malformations.....	46	21	8	3	5	37	2	3	1	43	2	1			
(33)	Premature birth.....	78	17	12	7	7	43	9	6	1	59	8	8	3		
(33, 37)	Congenital debility.....	5	2		1	1	4				5					
(37)	Injuries at birth.....	4														
35	External causes.....	20				2	2	1	1	1	5	2	3	4	4	2
38	Diseases ill-defined or unknown.....	20				2	2	1	1	1	5	2	3	4	4	2
	All other causes.....	20				2	2	1	1	1	5	2	3	4	4	2

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
WORCESTER, MASS.																
	All causes.....	488	87	19	22	35	163	28	17	17	225	47	36	72	61	47
5	Measles.....	8											1		3	4
6	Scarlet fever.....	1														1
7	Whooping cough.....	7													4	
8	Diphtheria and croup.....	2														1
9	Influenza.....	1										1				
(12)	Dysentery.....															
(12)	Erysipelas.....	3								1	1	2				
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2														2
14	Tuberculous meningitis.....	4													2	2
15	Other forms of tuberculosis.....	1														1
(37)	Syphilis.....	5								1	1	2	1		1	
17	Meningitis.....															
(37)	Convulsions.....	8			1		1	1		1	3	1	1			3
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	17				1	1	1		1	5	1	1	3	5	2
22	Pneumonia.....	19		1			1			1	2	2	2	5	6	3
(23)	Bronchopneumonia.....	50			1	2	3	1		3	8	7	8	9	8	10
24	Diseases of the stomach.....	8					1				1	4	1	2		
25	Diarrhea and enteritis.....	98						1	3	3	7	13	11	29	24	14
(33)	Malformations.....	25	5	2	3	4	14	3	1	1	2	2	1	1	2	1
(33)	Premature birth.....	127	61	11	11	10	93	12	6	2	113	4	3	7		
(33,37)	Congenital debility.....	52	8	3	5	6	22	4	1	3	30	5	4	9	3	1
(37)	Injuries at birth.....	24	10	2	1	7	20	2	2		24					
35	External causes.....	6	3				3	1	1		5	1				
38	Diseases ill-defined or unknown.....															
	All other causes.....	20			1	3	4	2	1		7	2	1	5	3	2
DETROIT, MICH.																
	All causes.....	2,313	242	104	71	170	587	151	125	85	948	238	187	431	302	207
5	Measles.....	11								1	1				4	6
6	Scarlet fever.....	4													1	2
7	Whooping cough.....	56		1		1	2		3	2	7	8	8	14	8	11
8	Diphtheria and croup.....	11							1	2	1	1	1	1	3	4
9	Influenza.....	2									1				1	1
(12)	Dysentery.....	2														2
(12)	Erysipelas.....	7										2	1	2		2
(37)	Tetanus.....	10														1
13	Tuberculosis of the lungs.....	13				1	1	1			2			6	1	5
14	Tuberculous meningitis.....	4									1			1	1	2
15	Other forms of tuberculosis.....	4														3
(37)	Syphilis.....	44	1	1		1	3	5	3	6	17	8	8	4	3	4
17	Meningitis.....	36					1				2	2		14	10	8
(37)	Convulsions.....	101	3	3	5	10	21	13	9	4	47	9	2	18	17	8
19	Organic diseases of the heart.....	9	1	1	1		3	3	1		7	1				
20	Acute bronchitis.....	55		1			1	7	4	3	15	10	7	11	8	4
22	Pneumonia.....	71				4	4	6	5	2	17	12	6	16	10	10
(23)	Bronchopneumonia.....	218	1	3	3	7	14	12	12	9	47	24	21	46	40	40
24	Diseases of the stomach.....	48					3	3	4	1	11	6	9	14	5	3
25	Diarrhea and enteritis.....	573	1	2		5	8	13	24	21	66	70	61	176	135	65
(33)	Malformations.....	115	25	11	12	19	67	13	6	6	92	10	3	6	2	2
(33)	Premature birth.....	373	167	48	27	57	299	27	18	9	353	12	5	2		
(33,37)	Congenital debility.....	332	18	18	5	33	74	34	21	11	140	47	41	67	23	9
(37)	Injuries at birth.....	64	22	15	11	13	61	3			64					
35	External causes.....	24	2		3		7	3	2	1	13	2	1	2	2	4
38	Diseases ill-defined or unknown.....	3	1				1				1			2	2	
	All other causes.....	127			5	12	17	8	10	8	43	13	10	30	16	15
GRAND RAPIDS, MICH.																
	All causes.....	239	36	13	12	21	82	19	16	10	127	24	16	38	21	13
5	Measles.....	2							1		1				1	
6	Scarlet fever.....	1														1
7	Whooping cough.....	4										1	1	1	1	
8	Diphtheria and croup.....	1												1		
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	2						1			1	1				
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1													1	
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	1											1			
(37)	Syphilis.....	3						1	1	1	3					
17	Meningitis.....	4				1	1			1	2			2		
(37)	Convulsions.....	4			1		2	2			4					
19	Organic diseases of the heart.....	4	1			1	2				3			1		
20	Acute bronchitis.....	8							2		2	2			3	1
22	Pneumonia.....	9						1			1	1	1	4	2	1
(23)	Bronchopneumonia.....	8							1		1	2			2	3
24	Diseases of the stomach.....	6								1	1	3	1			1
25	Diarrhea and enteritis.....	40							1	2	3	6	3	17	7	4
(33)	Malformations.....	17	2	4	2	3	11	2	1	1	15	3	3	1	1	
(33)	Premature birth.....	45	27	4	5	3	39	2	2	2	43	7	1	1		
(33,37)	Congenital debility.....	60	6	3	3	9	21	10	4	3	38	7	6	6	3	
(37)	Injuries at birth.....	4		2	1	1	4				4					
35	External causes.....	2					1				1					1
38	Diseases ill-defined or unknown.....															
	All other causes.....	13				1	1		3		4	2	2	3	1	1

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
MINNEAPOLIS, MINN.																
	All causes.....	659	121	31	24	49	225	50	37	28	340	64	46	101	58	50
5	Measles.....	2													1	1
6	Scarlet fever.....	4							1		1					
7	Whooping cough.....	29								1	1	5	6	11	1	5
8	Diphtheria and croup.....	12								1	1	1	1	1	2	5
9	Influenza.....	1														
(12)	Dysentery.....	6												1		
(12)	Erysipelas.....	6								2	2	3				
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	3												1	1	1
14	Tuberculous meningitis.....	3												1	1	1
15	Other forms of tuberculosis.....	1												1	1	1
(37)	Syphilis.....	22	4		1	1	6	2	1	1	10		3	6	2	1
17	Meningitis.....	8						1	1	1	3		1	1	2	1
(37)	Convulsions.....	9			1	2	3	2			5			1	1	2
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	5						1			1		1	2		
22	Pneumonia.....	18		1			1	1		1	4	5		3	2	4
(23)	Bronchopneumonia.....	91				4	4	7	5	7	23	12	6	22	17	11
24	Diseases of the stomach.....	8									1	1	6	3	2	
25	Diarrhea and enteritis.....	106				1			3	4	43	15	15	26	17	15
(33)	Malformations.....	60	12	6	4	10	32	6		1	152	6	3	6	1	
(33)	Premature birth.....	163	80	14	11	15	120	14	12	6	33	7	1	4		
(33,37)	Congenital debility.....	45	11	4	3	5	23	6	2		26					
(37)	Injuries at birth.....	28	12	6	2	3	23	3			3	2				
35	External causes.....	8	1			2	3				3		1	2	2	
38	Diseases ill-defined or unknown.....	1	1			1	1				1					
	All other causes.....	26			2	6	8		1	2	11	2	1	5	5	2
ST. PAUL, MINN.																
	All causes.....	412	74	22	22	31	149	35	20	12	216	37	41	56	40	22
5	Measles.....	1												1		
6	Scarlet fever.....	3														
7	Whooping cough.....	7								1	1				1	
8	Diphtheria and croup.....	2									1					
9	Influenza.....	1														1
(12)	Dysentery.....	2														
(12)	Erysipelas.....	2						1			1	1				
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	5												1	2	2
14	Tuberculous meningitis.....	5												1	1	
15	Other forms of tuberculosis.....	2												1	1	
(37)	Syphilis.....	4		1			1				1	1	1	1	1	
17	Meningitis.....	2									2	1		1	1	
(37)	Convulsions.....	5		1		1	2				1			1	1	
19	Organic diseases of the heart.....	1						1								
20	Acute bronchitis.....	1												1		
22	Pneumonia.....	19		1			2	2		2	6	3	1	4	2	3
(23)	Bronchopneumonia.....	47				2	2	3	1	1	7	7	9	8	10	6
24	Diseases of the stomach.....	2				3	3	2	8	4	17	7	15	24	14	4
25	Diarrhea and enteritis.....	82				3	3	2		1	31	3	2	5	3	
(33)	Malformations.....	42	11	2	5	7	25	5		1	93	9	2	1		
(33)	Premature birth.....	105	47	10	8	11	74	12	7	2	29	4	4	5	1	1
(33,37)	Congenital debility.....	44	5	4	3	5	18	7	2	1	17	4	4	5	1	1
(37)	Injuries at birth.....	17	9	3	3	2	17				1	1	1	1	1	1
35	External causes.....	5	1				1				1	1	1	1	1	1
38	Diseases ill-defined or unknown.....	16	1			3	4	1	3		8			2	3	3
	All other causes.....															
KANSAS CITY, MO. (TOTAL).																
	All causes.....	536	92	31	16	57	196	37	19	14	266	55	43	79	60	33
5	Measles.....	1														1
6	Scarlet fever.....	15												6	6	2
7	Whooping cough.....	1										1			1	
8	Diphtheria and croup.....	1														1
9	Influenza.....	3										1			2	
(12)	Dysentery.....	3									2		1			
(12)	Erysipelas.....	3			1		1				3					
(37)	Tetanus.....	3				2		1			1		1		1	1
13	Tuberculosis of the lungs.....	6	1				1				1	2	1		1	1
14	Tuberculous meningitis.....	1														
15	Other forms of tuberculosis.....	1									6	1	6	8	4	1
(37)	Syphilis.....	26		1			1	4		1					1	
17	Meningitis.....	1									1				1	
(37)	Convulsions.....	3				1	1				1		1			
19	Organic diseases of the heart.....	1									3			2	1	4
20	Acute bronchitis.....	12				1	1	1		1	3	2		2	1	4
22	Pneumonia.....	16					1	1		1	2	2	2	5	5	2
(23)	Bronchopneumonia.....	47			1	5	6		2	2	11	6	4	12	7	7
24	Diseases of the stomach.....	4						1			1	2	1			
25	Diarrhea and enteritis.....	124	2		2	2	6	1	1	3	11	32	14	34	21	12
(33)	Malformations.....	33	6	6	3	10	25	1	3		29	1	2		1	
(33)	Premature birth.....	110	55	17	3	14	89	12	5	2	108	17	5	1		
(33,37)	Congenital debility.....	38	10	2	1	5	18	7	4		29	1	5	2	1	
(37)	Injuries at birth.....	33	15	1	3	10	29	3		1	33			2	1	1
35	External causes.....	8	1			1	2			1	3	1		2	1	1
38	Diseases ill-defined or unknown.....	5	1	1			2		1		3	1	1			
	All other causes.....	41	1	3	1	6	11	4	3	1	19	2	5	7	7	1

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

689

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
KANSAS CITY, MO. (WHITE).																
	All causes.....	478	89	26	15	48	178	34	16	12	240	55	39	66	48	30
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	12										1		6	3	2
8	Diphtheria and croup.....	1													1	
9	Influenza.....	3										1				
(12)	Dysentery.....	3			1		1			1	2		1			2
(12)	Erysipelas.....	3				2		1			3		1			
(37)	Tetanus.....	3			2			1			1					
13	Tuberculosis of the lungs.....	6	1			1					3		1		1	1
14	Tuberculous meningitis.....	1									1		2			
15	Other forms of tuberculosis.....	1									1		1			
(37)	Syphilis.....	21		1			1	3		1	5	1	5	6	1	1
17	Meningitis.....	1									1				1	
(37)	Convulsions.....	1				1					1					
19	Organic diseases of the heart.....	3			1		1				1		1			
20	Acute bronchitis.....	9							1		1		2		1	3
22	Pneumonia.....	11								1	1		1		3	2
(23)	Bronchopneumonia.....	38			1	5	6	1	2		10	6	4	4	7	6
24	Diseases of the stomach.....	4									1	2	1			
25	Diarrhea and enteritis.....	117	2		2	1	5	1	1	3	10	32	13	32	18	12
(33)	Malformations.....	31	6	5	3	9	23	1	3		27	1	2		1	
(33)	Premature birth.....	99	54	13	2	11	80	11	4	2	97	1		1		
(33, 37)	Congenital debility.....	37	10	2	1	4	17	7	4		28	1	5	2	1	
(37)	Injuries at birth.....	32	14	1	3	10	28	3		1	32					
35	External causes.....	6	1				1			1	2	1		1	1	1
38	Diseases ill-defined or unknown.....	4		1			1		1		2	1	1			
	All other causes.....	34	1	3	1	5	10	4	1	1	16	2	4	5	6	1
KANSAS CITY, MO. (COLORED).																
	All causes.....	58	3	5	1	9	18	3	3	2	26		4	13	12	3
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	3													3	
8	Diphtheria and croup.....															
9	Influenza.....	1														1
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	5						1			1		1	2	1	
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	3				1	1				2					1
22	Pneumonia.....	5						1			1		1	1	2	1
(23)	Bronchopneumonia.....	9								1	1			5	2	1
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	7				1	1				1		1	2	3	
(33)	Malformations.....	2		1		1	2				2					
(33)	Premature birth.....	11	1	4	1	3	9	1	1		11					
(33, 37)	Congenital debility.....	1				1	1				1					
(37)	Injuries at birth.....	1	1				1				1					
35	External causes.....	2				1	1				1			1		
38	Diseases ill-defined or unknown.....	1	1				1				1					
	All other causes.....	7				1	1		2		3		1	2	1	
ST. LOUIS, MO. (TOTAL).																
	All causes.....	1,508	236	53	53	99	441	71	68	40	620	151	115	277	205	140
5	Measles.....	13												1	4	8
6	Scarlet fever.....	5												1	4	
7	Whooping cough.....	47							1	3	4	4	5	14	14	6
8	Diphtheria and croup.....	18										1	2	2	6	7
9	Influenza.....	6											1	2	2	1
(12)	Dysentery.....	1		1			1				1					
(12)	Erysipelas.....	8								1	2	1				4
(37)	Tetanus.....	9	1		1	3	5	2	2		9			1		
13	Tuberculosis of the lungs.....	11	1				1				1			6	2	2
14	Tuberculous meningitis.....	10										1		1	4	4
15	Other forms of tuberculosis.....	3													1	1
(37)	Syphilis.....	51	2		1	5	8	1	1	1	11	10	6	15	6	3
17	Meningitis.....	6										2			3	1
(37)	Convulsions.....	7		1	1	1	3		2		5			1	1	
19	Organic diseases of the heart.....	5			1	1	1				1	1	1	1		1
20	Acute bronchitis.....	58		1	1	3	5	2	4	4	15	8	4	13	11	7
22	Pneumonia.....	56			2	4	6	1	4	1	12	4	1	14	13	12
(23)	Bronchopneumonia.....	171		1	1	4	6	7	6	4	23	23	24	35	41	25
24	Diseases of the stomach.....	17									2	5	2	3	2	3
25	Diarrhea and enteritis.....	380	2		1	4	7	9	20	11	47	53	53	120	62	45
(33)	Malformations.....	83	17	7	13	12	49	5	3	1	58	7	6	7	4	1
(33)	Premature birth.....	292	161	28	19	29	237	20	11	5	273	10	1	6	2	
(33, 37)	Congenital debility.....	118	33	8	5	19	65	14	8	3	90	7	4	13	4	
(37)	Injuries at birth.....	39	17	3	6	8	34	3	1	1	39					
35	External causes.....	20	1			2	3	3			6	2		3	7	2
38	Diseases ill-defined or unknown.....															
	All other causes.....	74	3	1	1	5	10	3	5	3	21	11	5	18	12	7

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
ST. LOUIS, MO. (WHITE).																
	All causes.....	1,372	211	52	51	88	402	65	65	36	568	135	108	255	184	122
5	Measles.....	13												1	4	8
6	Scarlet fever.....	5												1	4	
7	Whooping cough.....	42							1	3	4	3	5	13	13	4
8	Diphtheria and croup.....	18									1	2	2	6	6	7
9	Influenza.....	5										1	1	2	2	1
(12)	Dysentery.....	1		1							1					
(12)	Erysipelas.....	8					1		1	1	2	1		1		4
(37)	Tetanus.....	8	1		1	3	5	2	1		8					
13	Tuberculosis of the lungs.....	8					1				1			5	1	1
14	Tuberculous meningitis.....	8	1								1			1	4	3
15	Other forms of tuberculosis.....	3										1		1	1	1
(37)	Syphilis.....	41			1	4	5	1	1	1	8	8	5	13	5	2
17	Meningitis.....	5									2	2		2	2	1
(37)	Convulsions.....	7		1	1	1	3		2		5			1	1	
19	Organic diseases of the heart.....	2										1	1			
20	Acute bronchitis.....	53		1	1	3	5	2	4	3	14	6	4	12	11	6
22	Pneumonia.....	48			2	4	6	1	4	4	12	3	1	11	12	9
(23)	Bronchopneumonia.....	153		1	1	4	6	6	6	3	21	23	22	31	35	21
24	Diseases of the stomach.....	13								1	1	4	1	3	2	2
25	Diarrhea and enteritis.....	360		1	1	2	5	8	19	11	43	50	51	116	57	43
(33)	Malformations.....	76	16	7	13	9	45	5	3	1	54	5	6	6	4	1
(33)	Premature birth.....	269	144	28	19	26	217	19	11	5	252	9	1	6	1	
(33, 37)	Congenital debility.....	106	28	8	5	18	59	12	8	2	81	6	4	11	4	
(37)	Injuries at birth.....	38	17	3	5	8	33	3	1	1	38					
35	External causes.....	14	1		2		3	2			5	1		3	4	1
38	Diseases ill-defined or unknown.....															
	All other causes.....	68	3	1	1	3	8	3	4	3	18	11	4	17	11	7
ST. LOUIS, MO. (COLORED).																
	All causes.....	136	25	1	2	11	39	6	3	4	52	16	7	22	21	18
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	5										1		1	1	2
8	Diphtheria and croup.....															
9	Influenza.....	1												1		
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....	1							1		1					
13	Tuberculosis of the lungs.....	3												1	1	1
14	Tuberculous meningitis.....	2												1		1
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	10	2			1	3				3	2	1	2	1	1
17	Meningitis.....	1													1	
(37)	Convulsions.....															
19	Organic diseases of the heart.....	3			1		1				1			1		1
20	Acute bronchitis.....	5								1	1			1		1
22	Pneumonia.....	8									2			3	1	3
(23)	Bronchopneumonia.....	18								1	2			4	6	4
24	Diseases of the stomach.....	4								1	1	1		1	1	1
25	Diarrhea and enteritis.....	20		1			2	1	1	1	4	3	2	4	5	2
(33)	Malformations.....	7	1			3	4				4	2		1		
(33)	Premature birth.....	23	17		3	20	6	1			21	1		1	1	
(33, 37)	Congenital debility.....	12	5		1	6	2			1	9	1		2		
(37)	Injuries at birth.....	6			1	1	1				1	1				1
35	External causes.....	1									1					
38	Diseases ill-defined or unknown.....														3	1
	All other causes.....	6				2	2		1		3		1	1	1	
OMAHA, NEBR.																
	All causes.....	211	10	26	10	17	63	12	18	11	104	21	17	34	21	14
5	Measles.....															
6	Scarlet fever.....	1														
7	Whooping cough.....	6										4		1		1
8	Diphtheria and croup.....	4												2	1	
9	Influenza.....								1		1					
(12)	Dysentery.....															
(12)	Erysipelas.....	2									1	1				
(37)	Tetanus.....									1	1	1				
13	Tuberculosis of the lungs.....	3														2
14	Tuberculous meningitis.....	1												1		
15	Other forms of tuberculosis.....														1	
(37)	Syphilis.....	4									1	1		1		1
17	Meningitis.....	1												1		
(37)	Convulsions.....	1												1		
19	Organic diseases of the heart.....	1												1		
20	Acute bronchitis.....	1												1		
22	Pneumonia.....	3												1		
(23)	Bronchopneumonia.....	22			1	2	3	2	2	2	9		2	5	3	3
24	Diseases of the stomach.....	3									1			1		
25	Diarrhea and enteritis.....	41						3	4	1	8	5	4	9	12	3
(33)	Malformations.....	12	1	2	2	1	6	1	1	1	8	1		1		3
(33)	Premature birth.....	42	8	17	4	4	33	2	3	2	40	1	1	3	2	
(33, 37)	Congenital debility.....	38	1	4	2	5	12	1	5	2	20	6	7	3	2	
(37)	Injuries at birth.....	9		3	1	3	7	1		1	9					
35	External causes.....	2									1			1		
38	Diseases ill-defined or unknown.....															
	All other causes.....	14				2	2	1	1	1	5		1	6	1	1

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
ALBANY, N. Y.																
	All causes.....	267	40	11	9	17	83	13	15	6	117	22	23	57	32	16
5	Measles.....	2												1		1
6	Scarlet fever.....	1												1		
7	Whooping cough.....	1														1
8	Diphtheria and croup.....	2												1		
9	Influenza.....	2												1		1
(12)	Dysentery.....	1												1		
(12)	Erysipelas.....	1												1		
(37)	Tetanus.....	1			1		1				1					
13	Tuberculosis of the lungs.....	7												3	2	1
14	Tuberculous meningitis.....	7													1	1
15	Other forms of tuberculosis.....	1													1	
(37)	Syphilis.....	7	1				1				1			5	1	
17	Meningitis.....	3						1			2					1
(37)	Convulsions.....	7			1		1	2	1		4	1		1	1	
19	Organic diseases of the heart.....	2					1				1				1	
20	Acute bronchitis.....	5				1	1				1		1			
22	Pneumonia.....	21						1	2	2	5		1	3	7	1
(23)	Bronchopneumonia.....	12						1		2	5		1	3	7	2
24	Diseases of the stomach.....	8							1		1		1	3	2	3
25	Diarrhea and enteritis.....	38				1	1		1	1	3	6	6	11	10	2
(33)	Malformations.....	18	4		4	3	11	1			3	6	6	11	10	2
(33)	Premature birth.....	58	28	3	3	4	42	2	4	1	12	1	3	4	1	1
(33, 37)	Congenital debility.....	40	4	2	1	4	11	3	4	1	49	5	4	8	1	1
(37)	Injuries at birth.....	13	8	1		3	12	1			13					
35	External causes.....	1			1		1				1					
38	Diseases ill-defined or unknown.....	18	1				1	2	2		5	1	1	7	3	1
	All other causes.....	18	1				1	2	2		5	1	1	7	3	1
BUFFALO, N. Y.																
	All causes.....	1,525	243	65	50	87	445	98	77	56	676	149	110	265	193	132
5	Measles.....	2														1
6	Scarlet fever.....	3													3	
7	Whooping cough.....	40												12	12	7
8	Diphtheria and croup.....	2							3		3	4	2	1		1
9	Influenza.....	1												1		
(12)	Dysentery.....	6								1	2	1	1	1		1
(12)	Erysipelas.....	5								1	2	1	1	1		1
(37)	Tetanus.....	3					3			1	3	1			1	1
13	Tuberculosis of the lungs.....	4									3					1
14	Tuberculous meningitis.....	8									1			2		4
15	Other forms of tuberculosis.....	1													4	1
(37)	Syphilis.....	80	1	4	1	3	9	2	8	7	26	31	8	8	5	2
17	Meningitis.....	9			1	3	1				2	2	1	1	2	2
(37)	Convulsions.....	30	1		2	4	7	3	1		11	9	2	6	2	
19	Organic diseases of the heart.....	7	1				1		1	1	3	1	1	1	2	
20	Acute bronchitis.....	27	1	1			4		2	1	10	2	1	6	4	4
22	Pneumonia.....	22				2	5	4	11	8	10	2	4	5	6	6
(23)	Bronchopneumonia.....	162	1	2		2	5	4	11	8	28	17	15	45	30	27
24	Diseases of the stomach.....	10					1	1			2	2	1	3	2	
25	Diarrhea and enteritis.....	472			3	6	9	15	27	21	72	37	54	151	96	62
(33)	Malformations.....	103	29	9	10	10	58	12	6	5	81	9	3	6	4	
(33)	Premature birth.....	288	141	31	19	28	219	30	8	1	258	7	3	6	4	
(33, 37)	Congenital debility.....	84	15	5	6	12	38	12	1	1	52	13	6	7	4	2
(37)	Injuries at birth.....	82	50	11	7	8	78	5			81	1				
35	External causes.....	8			3		3	1			5	1		1		1
38	Diseases ill-defined or unknown.....	86	3	2	1	6	12	9	4	8	33	11	8	10	15	9
	All other causes.....	86	3	2	1	6	12	9	4	8	33	11	8	10	15	9
NEW YORK, N. Y. (TOTAL).																
	All causes.....	13,342	1,559	548	429	784	3,320	753	566	491	5,130	1,290	1,084	2,345	1,919	1,574
5	Measles.....	138				1	1				1		1	19	36	81
6	Scarlet fever.....	13												5	8	
7	Whooping cough.....	153							4	4	8	11	17	37	40	40
8	Diphtheria and croup.....	161							2	4	6	4	2	19	55	75
9	Influenza.....	18												9	2	4
(12)	Dysentery.....	17												5	9	2
(12)	Erysipelas.....	119	1				1	11	16	12	40	32	10	12	17	8
(37)	Tetanus.....	14			2	2	4	9			13	2	1	5	4	
13	Tuberculosis of the lungs.....	65	1				1	1			2	1	5	15	18	24
14	Tuberculous meningitis.....	163					1	1			2	1	5	41	64	50
15	Other forms of tuberculosis.....	18					1	1			1	3	2	3	3	6
(37)	Syphilis.....	220	17	7		12	36	25	17	15	93	43	25	42	15	2
17	Meningitis.....	106							4	1	5	4	7	30	36	24
(37)	Convulsions.....	127	4	2	6	10	22	4	5	3	34	10	14	26	31	12
19	Organic diseases of the heart.....	27	2	1	1	2	6	1	3		10		4	2	3	8
20	Acute bronchitis.....	421			10	12	22	36	34	32	124	81	48	78	60	30
22	Pneumonia.....	498		1	6	11	18	22	18	11	69	35	33	103	123	135
(23)	Bronchopneumonia.....	1,900	2	3	14	45	64	65	69	64	262	179	170	401	466	422
24	Diseases of the stomach.....	56			3	3	6	2	2	1	11	9	9	18	5	4
25	Diarrhea and enteritis.....	3,059		2	12	23	37	70	90	95	292	308	383	966	662	448
(33)	Malformations.....	606	103	56	49	105	313	80	33	35	461	52	37	28	16	12
(33)	Premature birth.....	2,146	917	284	178	239	1,618	222	132	65	2,037	74	17	14	3	1
(33, 37)	Congenital debility.....	2,053	245	118	78	158	599	127	94	115	935	369	240	337	114	58
(37)	Injuries at birth.....	526	239	66	58	116	479	29	9	6	523	3				
35	External causes.....	113	6	2	1	7	16	4	3	1	24	14	15	20	20	20
38	Diseases ill-defined or unknown.....	2	1				1				1			1		
	All other causes.....	603	22	5	11	36	74	45	31	26	176	55	37	119	116	100

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
NEW YORK, N. Y. (WHITE).																
	All causes.....	12,885	1,504	532	413	766	3,215	736	554	474	4,979	1,243	1,046	2,258	1,852	1,507
5	Measles.....	136				1	1				1		1	19	35	80
6	Scarlet fever.....	13													5	8
7	Whooping cough.....	149									8	11	16	35	40	39
8	Diphtheria and croup.....	156									4	4	2	18	54	72
9	Influenza.....	17											2	1	2	4
(12)	Dysentery.....	17											1	1	5	2
(12)	Erysipelas.....	116		1			1	11	16	11	39	32	10	12	16	7
(37)	Tetanus.....	14			2	2	4	9			13		1			
13	Tuberculosis of the lungs.....	56	1				1	1			2	1	5	13	17	18
14	Tuberculous meningitis.....	155					1	1			2	1	5	38	60	49
15	Other forms of tuberculosis.....	17									1	3	1	3	3	6
(37)	Syphilis.....	203	13	5		11	29	24	16	14	83	41	23	40	14	2
17	Meningitis.....	103									5	4	7	28	35	24
(37)	Convulsions.....	123	4	2	6	10	22	4	4	3	33	10	13	25	30	12
19	Organic diseases of the heart.....	27	2	1	1	2	6	1	1		10		4	2	3	3
20	Acute bronchitis.....	407			10	12	22	35	32	31	120	79	47	76	58	27
22	Pneumonia.....	478		1	6	11	13	22	18	11	69	35	29	97	118	130
(23)	Bronchopneumonia.....	1,831	2	3	14	44	63	65	68	62	253	172	164	384	449	404
24	Diseases of the stomach.....	54			3	3	6	2	2	2	11	8	8	15	5	4
25	Diarrhea and enteritis.....	2,960		55	12	23	37	68	90	90	285	297	374	933	642	429
(33)	Malformations.....	591	100	55	49	105	309	76	33	34	452	51	34	27	16	11
(33)	Premature birth.....	2,076	334	277	169	232	1,562	216	128	64	1,970	72	17	13	3	1
(33, 37)	Congenital debility.....	1,980	233	113	76	151	573	125	91	113	902	352	232	330	108	56
(37)	Injuries at birth.....	519	236	66	56	115	473	29	9	5	516	3	3	1	1	1
35	External causes.....	108	6	2	1	7	16	4	3	1	24	12	15	18	19	20
38	Diseases ill-defined or unknown.....	2	1				1				1			1		
	All other causes.....	577	22	4	8	35	69	44	31	24	168	53	36	115	111	94
NEW YORK, N. Y. (COLORED).																
	All causes.....	457	55	16	16	18	105	17	12	17	151	47	38	87	67	67
5	Measles.....	2													1	1
6	Scarlet fever.....															
7	Whooping cough.....	4											1	2	1	1
8	Diphtheria and croup.....	5												1	1	3
9	Influenza.....	1												1		
(12)	Dysentery.....	1														
(12)	Erysipelas.....	3								1	1				1	1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	9												2	1	6
14	Tuberculous meningitis.....	8												3	4	1
15	Other forms of tuberculosis.....	1											1			
(37)	Syphilis.....	17	4	2		1	7	1	1	1	10	2	2	2	1	
17	Meningitis.....	3												2	1	
(37)	Convulsions.....	4									1		1	1	1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	14						1	2	1	4	2	1	2	2	3
22	Pneumonia.....	20											4	6	5	5
(23)	Bronchopneumonia.....	69				1	1		1	2	4	7	6	17	17	18
24	Diseases of the stomach.....	2										1	1			
25	Diarrhea and enteritis.....	99						2	2	5	7	11	9	33	20	19
(33)	Malformations.....	15	3	1			4	4	4	1	9	1	3	1		1
(33)	Premature birth.....	70	33	7	9	7	56	6	4	1	67	2	2	1		1
(33, 37)	Congenital debility.....	73	12	5	2	7	26	2	3	2	33	17	8	7	6	2
(37)	Injuries at birth.....	7	3		2	1	6			1	7					
35	External causes.....	5										2		2	1	
38	Diseases ill-defined or unknown.....							1						1		
	All other causes.....	26		1	3	1	5	1		2	8	2	1	4	5	6
NEW YORK, N. Y. (BRONX BOROUGH, TOTAL).																
	All causes.....	1,127	179	47	46	89	361	72	49	45	527	85	88	165	153	109
5	Measles.....	11												1	6	4
6	Scarlet fever.....	1													1	
7	Whooping cough.....	11											1	3	5	2
8	Diphtheria and croup.....	15												2	5	6
9	Influenza.....	2														
(12)	Dysentery.....															
(12)	Erysipelas.....	8								1	1	3	1		3	
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2													1	1
14	Tuberculous meningitis.....	7												1	4	2
15	Other forms of tuberculosis.....	2													1	1
(37)	Syphilis.....	17				2	2	4	2	3	11	3	1	2	2	
17	Meningitis.....	11									1		2	3	2	3
(37)	Convulsions.....	9	1		2	4	7				7			2	2	
19	Organic diseases of the heart.....	1														
20	Acute bronchitis.....	24						4	1	3	8	4	3	6	1	2
22	Pneumonia.....	50		1		2	3	2	1	1	7	7	6	10	15	12
(23)	Bronchopneumonia.....	141			2	7	9	9	4	4	26	17	14	27	29	28
24	Diseases of the stomach.....	2												1		1
25	Diarrhea and enteritis.....	219			1	2	3	6	4	9	22	24	28	62	57	26
(33)	Malformations.....	62	13		4	13	30	7	2	6	45	3	7	3	2	2
(33)	Premature birth.....	217	105	32	18	14	169	23	14	7	213	4				
(33, 37)	Congenital debility.....	172	35	8	11	20	74	9	11	4	98	18	17	29	7	3
(37)	Injuries at birth.....	59	22	6	5	21	54	3	1	1	59					
35	External causes.....	12						1	2		3	1	2	1	3	2
38	Diseases ill-defined or unknown.....	1												1		
	All other causes.....	71	3		3	4	10	4	6	6	26	5	4	13	9	14

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
	NEW YORK, N. Y. (BRONX BOROUGH, WHITE).															
	All causes.....	1,113	177	45	45	89	356	70	49	44	519	83	88	161	153	109
5	Measles.....	11												1	6	4
6	Scarlet fever.....	1													1	
7	Whooping cough.....	11											1	3		
8	Diphtheria and croup.....	15										2	2	5	2	6
9	Influenza.....	2										1	1			
(12)	Dysentery.....															
(12)	Erysipelas.....	8								1	1	3	1		3	
(37)	Tetanus.....	2														1
13	Tuberculosis of the lungs.....	7												1	1	2
14	Tuberculous meningitis.....	2													1	1
15	Other forms of tuberculosis.....	17				2	2	4	2	3	11	3	1	2	2	1
(37)	Syphilis.....	11											2	3	2	3
17	Meningitis.....	9	1		2	4	7				7		1	2	2	
(37)	Convulsions.....	1														
19	Organic diseases of the heart.....	24														
20	Acute bronchitis.....	50		1		2	3	4	1	3	8	4	3	6	1	2
22	Pneumonia.....	141			2	7	9	9	4	4	26	17	14	10	15	12
(23)	Bronchopneumonia.....	2												27	29	28
24	Diseases of the stomach.....	62			1	2	3	7	2	2	21	24	28	58	57	26
25	Diarrhea and enteritis.....	214			4	13	30	7	4	8	45	7	7	3	2	2
(33)	Malformations.....	62	13								7	4				
(33)	Premature birth.....	212	104	31	17	14	166	21	14	7	208	4				
(33, 37)	Congenital debility.....	108	34	7	11	20	72	9	11	4	59	16	17	29	7	3
(37)	Injuries at birth.....	59	22	6	5	21	54	3	1	1	59					
35	External causes.....	12						1	2		3	1	2	1	3	2
38	Diseases ill-defined or unknown.....	1												1		
	All other causes.....	71	3		3	4	10	4	6	6	26	5	4	13	9	14
	NEW YORK, N. Y. (BRONX BOROUGH, COLORED).															
	All causes.....	14	2	2	1		5	2		1	8	2		4		
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....															
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....															
22	Pneumonia.....															
(23)	Bronchopneumonia.....															
24	Diseases of the stomach.....	5								1	1			4		
25	Diarrhea and enteritis.....															
(33)	Malformations.....															
(33)	Premature birth.....	5	1	1	1		3	2			5					
(33, 37)	Congenital debility.....	4	1	1			2				2	2				
(37)	Injuries at birth.....															
35	External causes.....															
38	Diseases ill-defined or unknown.....															
	All other causes.....															
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).															
	All causes.....	4,330	511	186	152	278	1,127	256	174	141	1,698	399	348	768	615	502
5	Measles.....	32				1	1				1		1	4	10	16
6	Scarlet fever.....	5													3	2
7	Whooping cough.....	45									2	2	6	9	9	17
8	Diphtheria and croup.....	39								2	3	5		5	14	15
9	Influenza.....	6												3	3	3
(12)	Dysentery.....	10											1	3	5	1
(12)	Erysipelas.....	33									14	9	1	6	2	1
(37)	Tetanus.....	4									4					4
13	Tuberculosis of the lungs.....	13										1	1	3	4	18
14	Tuberculous meningitis.....	58												14	22	3
15	Other forms of tuberculosis.....	9												1	4	3
(37)	Syphilis.....	66	6	1		5	12	7	4	5	28	12	6	16	11	6
17	Meningitis.....	37									2	2	1	14	11	6
(37)	Convulsions.....	50	1	2	3	5	11	1	2	1	15	3	6	9	3	6
19	Organic diseases of the heart.....	14									6				3	3
20	Acute bronchitis.....	184									51	40	21	36	28	13
22	Pneumonia.....	169									21	14	14	36	42	42
(23)	Bronchopneumonia.....	620	2	1	8	12	23	23	29	21	96	62	55	141	144	122
24	Diseases of the stomach.....	17									4	3	2	6	2	
25	Diarrhea and enteritis.....	1,091		1	9	17	17	27	32	29	105	105	148	337	226	170
(33)	Malformations.....	244	40	23	22	49	139	36	12	13	200	15	9	11	4	5
(33)	Premature birth.....	692	294	94	55	82	525	76	37	20	653	28	3	2	1	
(33, 37)	Congenital debility.....	473	62	34	13	48	157	35	14	19	225	83	45	73	33	14
(37)	Injuries at birth.....	198	94	20	28	39	181	10	3	2	196	2				
35	External causes.....	43		1	1	4	6	1			7	3	8	9	6	10
38	Diseases ill-defined or unknown.....	1					1				1					
	All other causes.....	177	11	4	3	13	31	12	9	4	56	15	11	30	34	31

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).															
	All causes.....	4,220	494	183	149	273	1,099	254	171	137	1,661	388	333	747	597	494
5	Measles.....	32				1	1				1		1	4	10	16
6	Scarlet fever.....	5													3	2
7	Whooping cough.....	43									2	2	6	8	9	16
8	Diphtheria and croup.....	38							2	3	5		5	13	15	
9	Influenza.....	6											3	3	3	
(12)	Dysentery.....	10											1	3	5	
(12)	Erysipelas.....	32									13	9	1	6	2	
(37)	Tetanus.....	4					4	5	4		4					
13	Tuberculosis of the lungs.....	13										1	1	3	4	
14	Tuberculous meningitis.....	58									1		3	14	22	
15	Other forms of tuberculosis.....	8										1	1	1	2	
(37)	Syphilis.....	63	5	1		4	10	7	4	5	26	11	6	16	4	
17	Meningitis.....	50									2	1	3	12	11	
(37)	Convulsions.....	35	1	2	3	5	11	1	2	1	15	3	6	9	11	
19	Organic diseases of the heart.....	14									6				3	
20	Acute bronchitis.....	183			5	6	11	13	15	12	51	40	21	36	22	
22	Pneumonia.....	163			3	5	8	5	5	3	21	14	11	34	42	
(23)	Bronchopneumonia.....	606	2	1	8	12	23	23	28	21	95	59	53	138	140	
24	Diseases of the stomach.....	16			1	1	2	1	1		4	2	2	6	2	
25	Diarrhea and enteritis.....	1,063		1	9	7	17	27	32	27	103	101	143	331	218	
(33)	Malformations.....	235	37	27	22	49	135	35	12	12	194	15	7	10	4	
(33)	Premature birth.....	674	283	92	53	82	510	75	36	20	641	27	3	2	1	
(33, 37)	Congenital debility.....	457	60	34	13	45	152	35	13	19	219	83	43	68	30	
(37)	Injuries at birth.....	197	94	20	28	38	180	10	3	2	195	2	2			
35	External causes.....	42		1	1	4	6	1			7	3	8	8	6	
38	Diseases ill-defined or unknown.....	1	1				1				1					
	All other causes.....	172	11	4	2	13	30	12	9	4	55	14	11	30	33	
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).															
	All causes.....	110	17	3	3	5	28	2	3	4	37	11	15	21	18	
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	2												1	1	
8	Diphtheria and croup.....	1														
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	1									1					
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	1											1			
(37)	Syphilis.....	3	1			1	2				2	1				
17	Meningitis.....	2												2		
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1													1	
22	Pneumonia.....	6											3	2		
(23)	Bronchopneumonia.....	14							1		1	3	2	3	4	
24	Diseases of the stomach.....	1										1				
25	Diarrhea and enteritis.....	28									2	4	5	6	8	
(33)	Malformations.....	9	3	1			4	1		1	6		2	1		
(33)	Premature birth.....	18	11	2	2		15	1	1	1	17	1				
(33, 37)	Congenital debility.....	16	2			3	6	1			6		2	5	3	
(37)	Injuries at birth.....	1				1	1				1					
35	External causes.....	1												1		
38	Diseases ill-defined or unknown.....															
	All other causes.....	5			1		1				1	1			1	
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).															
	All causes.....	6,793	702	266	202	345	1,515	347	306	268	2,436	714	577	1,217	1,007	842
5	Measles.....	91												14	19	
6	Scarlet fever.....	7												1	6	
7	Whooping cough.....	85							4	2	6	8	8	19	25	
8	Diphtheria and croup.....	103								1	1	2	2	10	34	
9	Influenza.....	7												5	2	
(12)	Dysentery.....	3												1	2	
(12)	Erysipelas.....	71		1							22	18	8	5	11	
(37)	Tetanus.....	6			1	2	3	2	10	5	5		1			
13	Tuberculosis of the lungs.....	49	1								2		4	11	13	
14	Tuberculous meningitis.....	79					1				1		2	20	30	
15	Other forms of tuberculosis.....	5												1	2	
(37)	Syphilis.....	128	10	5		5	20	13	9	7	49	28	17	22	10	
17	Meningitis.....	48									2	3	3	12	19	
(37)	Convulsions.....	62	2			1	3	3	3	2	11	6	8	16	16	
19	Organic diseases of the heart.....	11	2	1		1	4				4		1	2	5	
20	Acute bronchitis.....	194			3	5	8	16	18	17	59	33	21	32	36	
22	Pneumonia.....	244			2	3	5	13	12	6	86	19	11	48	60	
(23)	Bronchopneumonia.....	1,016		2	4	22	28	30	29	34	121	88	98	200	269	
24	Diseases of the stomach.....	36			2	2	4	1	1	1	7	6	7	10	3	
25	Diarrhea and enteritis.....	1,454		1	2	11	14	31	48	41	134	150	172	481	309	
(33)	Malformations.....	226	30	21	20	32	103	23	16	14	156	27	19	11	8	
(33)	Premature birth.....	1,022	424	129	91	115	759	99	71	34	963	34	13	9	2	
(33, 37)	Congenital debility.....	1,278	127	71	52	79	329	70	63	37	549	251	163	217	66	
(37)	Injuries at birth.....	209	94	33	20	45	192	10	4	2	208	1				
35	External causes.....	49	5	1		2	8	2	1	1	12	9	5	6	10	
38	Diseases ill-defined or unknown.....															
	All other causes.....	310	7	1	5	19	32	27	15	14	88	28	21	65	62	

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).															
	All causes.....	6,487	668	255	192	335	1,450	337	297	256	2,340	683	556	1,162	962	784
5	Measles.....	39												14	18	57
6	Scarlet fever.....	7													1	6
7	Whooping cough.....	83						4	2	6	8	7	18	25	19	
8	Diphtheria and croup.....	99								1	1	2	2	9	34	51
9	Influenza.....	6												4	2	
(12)	Dysentery.....	3												1	2	
(12)	Erysipelas.....	69		1			1	6	10	5	22	18	8	5	10	6
(37)	Tetanus.....	6			1	2	3	2		5	5	1	4			
13	Tuberculosis of the lungs.....	40	1				1	1			2			9	12	13
14	Tuberculous meningitis.....	72				1	1				1	1	2	17	27	24
15	Other forms of tuberculosis.....	5												1	2	2
(37)	Syphilis.....	115	7	3		5	15	13	8	6	42	27	15	20	9	2
17	Meningitis.....	47							2	2	2	3	1	12	18	11
(37)	Convulsions.....	58	2			1	3	3	2	2	10	6	7	15	15	5
19	Organic diseases of the heart.....	11	2	1		1	4				4		1	2	4	4
20	Acute bronchitis.....	181			3	5	8	15	16	16	55	31	20	30	35	10
22	Pneumonia.....	231			2	3	5	13	12	6	36	19	11	44	55	66
(23)	Bronchopneumonia.....	964		2	4	22	28	30	29	32	119	85	89	187	256	228
24	Diseases of the stomach.....	35			2	2	4	1	1	1	7	6	6	10	3	3
25	Diarrhea and enteritis.....	1,396		1	2	11	14	29	48	39	130	143	168	462	300	193
(33)	Malformations.....	222	30	21	20	32	103	22	16	14	155	26	18	11	8	4
(33)	Premature birth.....	980	405	125	86	109	725	96	68	33	922	33	13	9	2	1
(33, 37)	Congenital debility.....	1,227	118	67	50	76	311	68	61	85	525	236	158	215	63	30
(37)	Injuries at birth.....	204	91	33	19	45	188	10	4	1	203	1				
35	External causes.....	47	5	1		2	8	2	1	1	12	8	5	6	9	7
38	Diseases ill-defined or unknown.....															
	All other causes.....	290	7		3	18	28	26	15	12	81	28	20	61	58	42
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).															
	All causes.....	306	34	11	10	10	65	10	9	12	96	31	21	55	45	58
5	Measles.....	2													1	1
6	Scarlet fever.....															
7	Whooping cough.....	2											1			
8	Diphtheria and croup.....	4														3
9	Influenza.....	1												1		
(12)	Dysentery.....															
(12)	Erysipelas.....	2													1	1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	9												2	1	6
14	Tuberculous meningitis.....	7												3	3	1
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	13	3	2			5		1	1	7	1	2	2	1	
17	Meningitis.....	1													1	
(37)	Convulsions.....	4							1		1		1	1	1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	13						1	2	1	4	2	1	2	1	3
22	Pneumonia.....	13												4	5	4
(23)	Bronchopneumonia.....	52								2	2	3	4	13	13	17
24	Diseases of the stomach.....	1											1			
25	Diarrhea and enteritis.....	58									4	7	4	19	9	15
(33)	Malformations.....	4						2	1	2	4	1	1			1
(33)	Premature birth.....	42	19	4	5	6	34	3	3	1	41	1	1			
(33, 37)	Congenital debility.....	51	9	4	2	3	18	2	2	2	24	15	5	2	3	2
(37)	Injuries at birth.....	5	3		1	3	4			1	5					
35	External causes.....	2										1			1	
38	Diseases ill-defined or unknown.....															
	All other causes.....	20		1	2	1	4	1		2	7		1	4	4	4
	NEW YORK, N. Y. (QUEENS BOROUGH, TOTAL).															
	All causes.....	870	136	38	26	59	259	57	30	24	370	69	56	153	122	100
5	Measles.....	3													1	2
6	Scarlet fever.....															
7	Whooping cough.....	11										1	2	6	1	1
8	Diphtheria and croup.....	4												2	2	
9	Influenza.....	1														1
(12)	Dysentery.....	4														1
(12)	Erysipelas.....	3													2	1
(37)	Tetanus.....	2			1		1	1			1	1		1		
13	Tuberculosis of the lungs.....	1														
14	Tuberculous meningitis.....	15												1	4	5
15	Other forms of tuberculosis.....	2					1				1			1	1	
(37)	Syphilis.....	7	1				1	1	2		4		1	1	4	
17	Meningitis.....	10											1	1	2	4
(37)	Convulsions.....	5			1		1									1
19	Organic diseases of the heart.....	1									6	3	2	3		2
20	Acute bronchitis.....	16			2	1	3				5	2	2	6	4	10
22	Pneumonia.....	29			1	1	4	2	6	2	15	6	4	28	21	23
(23)	Bronchopneumonia.....	97			4		4	3	6		12			1	21	23
24	Diseases of the stomach.....	1														
25	Diarrhea and enteritis.....	243			3	3	3	5	6	13	27	24	30	66	62	34
(33)	Malformations.....	63	17	6	3	10	36	11	3		51	7	2	2	1	
(33)	Premature birth.....	159	72	22	12	22	128	13	6	2	149	6	1	3		
(33, 37)	Congenital debility.....	105	21	4	2	7	34	11	6	2	53	12	10	15	7	8
(37)	Injuries at birth.....	50	24	6	4	9	43	5	1	1	50					
35	External causes.....	8	1			1	2				2	1		3	1	1
38	Diseases ill-defined or unknown.....															
	All other causes.....	30						2		1	3	5	1	7	7	7

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
	NEW YORK, N. Y. (QUEENS BOROUGH, WHITE).															
	All causes.....	846	134	38	25	56	253	55	30	24	362	67	54	146	118	99
5	Measles.....	3													1	2
6	Scarlet fever.....															
7	Whooping cough.....	11										1	2	6	1	1
8	Diphtheria and croup.....	4												2	2	1
9	Influenza.....	1												1	2	1
(12)	Dysentery.....	4												1		
(12)	Erysipelas.....	3								1	1			1		
(37)	Tetanus.....	2		1			1	1			2			1		
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	14				1	1							4	5	5
15	Other forms of tuberculosis.....	2					1				1			1		
(37)	Syphilis.....	6	1				1				3			1	4	4
17	Meningitis.....	10											1	1	4	4
(37)	Convulsions.....	5			1		1				1	1		1	2	1
19	Organic diseases of the heart.....	1														2
20	Acute bronchitis.....	16			2	1	3	3			6	3		3	4	10
22	Pneumonia.....	28			1	1	2	2			5	2	1	1	4	10
(23)	Bronchopneumonia.....	94			1	3	3	3	6	2	14	5	4	27	21	23
24	Diseases of the stomach.....	1												1		
25	Diarrhea and enteritis.....	235				3	5	6	6	13	27	24	30	62	59	33
(33)	Malformations.....	62	17	6	3	10	36	10	3	1	50	7	2	2	1	
(33)	Premature birth.....	154	70	22	11	21	124	13	6	2	145	12	1	15	7	8
(33, 37)	Congenital debility.....	103	21	4	2	6	33	11	6	2	52	6	9	15	7	8
(37)	Injuries at birth.....	50	24	6	4	9	43	5	1	1	50	2		2	1	1
35	External causes.....	6	1			1	2				2			2	1	1
38	Diseases ill-defined or unknown.....															
	All other causes.....	30						2		1	3	5	1	7	7	7
	NEW YORK, N. Y. (QUEENS BOROUGH, COLORED).															
	All causes.....	24	2		1	3	6	2			8	2	2	7	4	1
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	1													1	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1						1			1					
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....															
22	Pneumonia.....	1														
(23)	Bronchopneumonia.....	3				1	1				1	1		1		
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	8												4	3	1
(33)	Malformations.....	1														
(33)	Premature birth.....	5	2		1	1	4	1			1	4		1		
(33, 37)	Congenital debility.....	2				1	1				1		1	1		
(37)	Injuries at birth.....															
35	External causes.....	2														
38	Diseases ill-defined or unknown.....															
	All other causes.....															
	NEW YORK, N. Y. (RICHMOND BOROUGH, TOTAL).															
	All causes.....	222	31	11	3	13	58	21	7	13	99	23	15	42	22	21
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	1														1
8	Diphtheria and croup.....															
9	Influenza.....	2												1		
(12)	Dysentery.....															
(12)	Erysipelas.....	4														
(37)	Tetanus.....	2						1	1		2	1			1	
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	4													2	2
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	2		1			1				1			1		
17	Meningitis.....															
(37)	Convulsions.....	1														1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	3										1	1	1		1
22	Pneumonia.....	6												3	2	4
(23)	Bronchopneumonia.....	26							1	3	4	6	4	5	3	1
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	52						1		3	4	5	5	20	8	10
(33)	Malformations.....	11	3	1		1	5	3		1	9			1	1	
(33)	Premature birth.....	56	22	7	2	6	37	11	4	2	54	2				
(33, 37)	Congenital debility.....	25		1		4	5	2		3	10	5	5	3	1	1
(37)	Injuries at birth.....	10	5	1	1	2	9	1			10					
35	External causes.....	1														
38	Diseases ill-defined or unknown.....															
	All other causes.....	15	1				1		1	1	3	2		4	4	2

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
	NEW YORK, N. Y. (RICHMOND BOROUGH, WHITE.)															
	All causes.....	219	31	11	2	13	57	20	7	13	97	22	15	42	22	21
5	Measles.....	1														1
6	Scarlet fever.....															1
7	Whooping cough.....	1														
8	Diphtheria and croup.....															
9	Influenza.....	2										1		1		
(12)	Dysentery.....															
(12)	Erysipelas.....	4						1	1		2	1			1	
(37)	Tetanus.....	2						2			2					
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	4												2	2	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	2		1			1				1			1		
17	Meningitis.....															
(37)	Convulsions.....	1														1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	3										1	1	1		
22	Pneumonia.....	6												3	2	1
(23)	Bronchopneumonia.....	26							1	3	4	6	4	5	3	4
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	52									4	5	5	20	8	10
(33)	Malformations.....	10	3	1		1	5	2		1	8			1	1	
(33)	Premature birth.....	56	22	7	2	6	37	11	4	2	54	2				
(33,37)	Congenital debility.....	25		1		4	5	2		3	10	5	5	3	1	1
(37)	Injuries at birth.....	9	5	1		2	8	1			9					
35	External causes.....	1														
38	Diseases ill-defined or unknown.....															
	All other causes.....	14	1				1		1	1	3	1		4	4	2
	NEW YORK, N. Y. (RICHMOND BOROUGH, COLORED.)															
	All causes.....	3			1		1	1			2	1				
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....															
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....															
22	Pneumonia.....															
(23)	Bronchopneumonia.....															
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....															
(33)	Malformations.....	1						1			1					
(33)	Premature birth.....															
(33,37)	Congenital debility.....															
(37)	Injuries at birth.....	1			1		1				1					
35	External causes.....															
38	Diseases ill-defined or unknown.....															
	All other causes.....	1										1				
	ROCHESTER, N. Y.															
	All causes.....	559	119	39	31	44	233	32	21	18	304	41	28	87	52	47
5	Measles.....	2														2
6	Scarlet fever.....	3										1				2
7	Whooping cough.....	3											1		1	1
8	Diphtheria and croup.....	2													1	1
9	Influenza.....	2									1			1		
(12)	Dysentery.....															
(12)	Erysipelas.....	3									2		1			
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	2											1	1		
14	Tuberculous meningitis.....	3											1	1	1	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	6				2	2	1			3	3				
17	Meningitis.....	7		1			1				1			2	2	1
(37)	Convulsions.....	1			1		1				1					
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	9						1	2		3	1	1		1	3
22	Pneumonia.....	9							1	1	1				2	4
(23)	Bronchopneumonia.....	65				3	3	2	2	3	10	3	3	18	21	10
24	Diseases of the stomach.....	5												1	1	1
25	Diarrhea and enteritis.....	143				2	2	3	6	10	21	22	16	50	15	19
(33)	Malformations.....	37	8	5	4	4	21	6	2	1	29	3		2	2	1
(33)	Premature birth.....	169	89	24	14	21	148	14	6	1	169					
(33,37)	Congenital debility.....	17	2	2	1	3	8		1	1	10	4	1	2		
(37)	Injuries at birth.....	40	19	6	9	4	38	2			40					
35	External causes.....	1														
38	Diseases ill-defined or unknown.....															
	All other causes.....	30	1	1	2	5	9	3	1		13	2	1	6	3	6

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
CINCINNATI, OHIO (COLORED).																
	All causes.....	75	13	2	3	5	23	5	5	4	37	7	8	8	8	7
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	1														1
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3								1	1	1		1		
14	Tuberculous meningitis.....	1								1						
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	6			1	1	1	1		1	3		1	1	1	
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1									1					
22	Pneumonia.....															
(23)	Bronchopneumonia.....	15									1	1	2	2	4	5
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	14									2	2	4	4	1	1
(33)	Malformations.....	2														
(33)	Premature birth.....	20	10	2	2	3	17	1	1	1	19	1				
(33,37)	Congenital debility.....	4			1		1				2	1			1	
(37)	Injuries at birth.....	2	1			1	2				2					
35	External causes.....	2										1			1	
38	Diseases ill-defined or unknown.....	1	1				1				1					
	All other causes.....	3						1		1	2		1			
CLEVELAND, OHIO.																
	All causes.....	1,854	292	94	79	98	563	113	97	70	843	183	118	322	206	182
5	Measles.....	4												1		3
6	Scarlet fever.....	4													1	3
7	Whooping cough.....	25								2	2	3	1	3	4	6
8	Diphtheria and croup.....	17										2	2	9	4	6
9	Influenza.....	4								1	1	1		1		1
(12)	Dysentery.....	1														
(12)	Erysipelas.....	6														
(37)	Tetanus.....	5						3			4		1			4
13	Tuberculosis of the lungs.....	10							1		1	1		2	2	4
14	Tuberculous meningitis.....	8										1		2	1	2
15	Other forms of tuberculosis.....	5												2	2	1
(37)	Syphilis.....	45	4	1		1	6	4	3	4	17	7	1	17	3	
17	Meningitis.....	4													4	
(37)	Convulsions.....	14		2	2	1	5	3	1		9	1	2	1	1	
19	Organic diseases of the heart.....	2					2				2					
20	Acute bronchitis.....	70			4	4	8	5	5	5	23	10	6	18	4	9
22	Pneumonia.....	63			2	2	3	4	2	2	11	8	3	12	15	14
(23)	Bronchopneumonia.....	157			2	2	4	6	13	7	30	24	10	41	22	30
24	Diseases of the stomach.....	13									1	3	2	4	2	1
25	Diarrhea and enteritis.....	594	1	1	2	6	10	30	27	20	87	71	63	176	113	84
(33)	Malformations.....	109	28	13	13	14	68	10	3	5	86	9	4	3	5	2
(33)	Premature birth.....	350	172	52	20	27	280	26	20	11	337	7	3	1	1	2
(33,37)	Congenital debility.....	113	17	8	9	18	52	12	9	6	79	15	8	9	2	
(37)	Injuries at birth.....	97	63	10	3	12	93	3			96	1				
35	External causes.....	23	2		2	2	7	2	2	1	12	2		3	3	3
38	Diseases ill-defined or unknown.....	23	4	7	2	2	15	1	1	1	17	4		2		
	All other causes.....	88	1		1	8	10	5	10	3	28	10	11	11	17	11
COLUMBUS, OHIO (TOTAL).																
	All causes.....	401	64	20	12	34	130	14	24	16	184	37	32	74	49	25
5	Measles.....	2													2	
6	Scarlet fever.....	1													1	
7	Whooping cough.....	9												2	5	
8	Diphtheria and croup.....	2							1		1			1		1
9	Influenza.....															
(12)	Dysentery.....	2														
(12)	Erysipelas.....															
(37)	Tetanus.....	1				1	1				1					
13	Tuberculosis of the lungs.....	2													1	
14	Tuberculous meningitis.....	2														1
15	Other forms of tuberculosis.....	10										2	2	5	1	
(37)	Syphilis.....	5										2	1	2		
17	Meningitis.....	1														1
(37)	Convulsions.....	12		1		4	5				5	1	4	1	1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	3													2	
22	Pneumonia.....	9									1	1	1	1	4	1
(23)	Bronchopneumonia.....	32					1		1	3	6	4	2	11	5	4
24	Diseases of the stomach.....	3										1	1	1		
25	Diarrhea and enteritis.....	77									6	11	7	26	16	11
(33)	Malformations.....	25	6	2	1	7	16	2	1	3	19	2		3	1	
(33)	Premature birth.....	69	41	8	4	4	57	2	3	5	67	1		1		
(33,37)	Congenital debility.....	88	10	4	4	11	29	5	8	4	46	9	11	13	7	2
(37)	Injuries at birth.....	12	5	2	2	2	11	1			12					
35	External causes.....	6	1				2	1	1		4		1			1
38	Diseases ill-defined or unknown.....	1		1			1				1					
	All other causes.....	27	1	1	1	3	6	2	5	1	14	2	2	4	3	2

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
COLUMBUS, OHIO (WHITE).																
	All causes.....	348	59	17	11	33	120	12	21	12	165	30	32	60	33	23
5	Measles.....	1														1
6	Scarlet fever.....	1														1
7	Whooping cough.....	7							1		1			2	4	
8	Diphtheria and croup.....	2												1		1
9	Influenza.....															
(12)	Dysentery.....	2													2	
(12)	Erysipelas.....															
(37)	Tetanus.....	1			1	1					1					
13	Tuberculosis of the lungs.....	1													1	
14	Tuberculous meningitis.....	2								1	1					1
15	Other forms of tuberculosis.....	10										2	2	5	1	
(37)	Syphilis.....	5										2	1	2		
17	Meningitis.....	1														1
(37)	Convulsions.....	12		1		4	5				5	1	4	1	1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	3												2		1
22	Pneumonia.....	6										1			3	1
(23)	Bronchopneumonia.....	25				1	1		1	2	4	3	2	10	3	3
24	Diseases of the stomach.....	2												1		
25	Diarrhea and enteritis.....	62				1	1		2	1	4	9	7	19	13	10
(33)	Malformations.....	25	6	2	1	7	16	2	1	1	19	2		3	1	
(33)	Premature birth.....	65	39	7	4	4	54	2	3	5	64	1		3		
(33, 37)	Congenital debility.....	79	10	4	4	11	29	4	8	2	43	7	11	11	5	2
(37)	Injuries at birth.....	9	2	2	2		8	1			9					
35	External causes.....	6	1	1			2	1	1		4			1		1
38	Diseases ill-defined or unknown.....															
	All other causes.....	21	1			2	3	2	4	1	10	2	2	3	2	2
COLUMBUS, OHIO (COLORED).																
	All causes.....	53	5	3	1	1	10	2	3	4	19	7		14	11	2
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	2										1			1	
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....															
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....															
22	Pneumonia.....	3									1				1	
(23)	Bronchopneumonia.....	7								2	2	1		1	2	1
24	Diseases of the stomach.....	1										1				
25	Diarrhea and enteritis.....	15								2	2	2		7	3	1
(33)	Malformations.....															
(33)	Premature birth.....	4	2	1			3				3			1		
(33, 37)	Congenital debility.....	9								2	3			2	2	
(37)	Injuries at birth.....	3	3				3				3					
35	External causes.....															
38	Diseases ill-defined or unknown.....	1		1		1	1				1					
	All other causes.....	6		1	1	1	3		1		4			1	1	
DAYTON, OHIO.																
	All causes.....	268	52	12	10	22	96	16	11	10	133	25	23	41	27	19
5	Measles.....	2														2
6	Scarlet fever.....	1														1
7	Whooping cough.....	8										1	1	3	1	2
8	Diphtheria and croup.....	4													1	3
9	Influenza.....	1														
(12)	Dysentery.....	1													1	
(12)	Erysipelas.....	3														
(37)	Tetanus.....								1			1	1			
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	1													1	
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	6	1		1		2	1			3	1	2			1
17	Meningitis.....	4														
(37)	Convulsions.....	1						1								
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	4									1					
22	Pneumonia.....	12									1	2		1		1
(23)	Bronchopneumonia.....	25				1	1			2	5	4	4	6	5	1
24	Diseases of the stomach.....	3														
25	Diarrhea and enteritis.....	58				2	2	2	1	1	6	7	2	16	13	6
(33)	Malformations.....	18	2	1		3	6	2	2	2	12	2	2	1	1	1
(33)	Premature birth.....	68	43	7	6	4	60	3	3	2	67	1		1		
(33, 37)	Congenital debility.....	26	5	3	2	7	17	2	2		21	2		2	1	
(37)	Injuries at birth.....	8	1	1	1	4	7	1			8					
35	External causes.....	4						1			2		1			
38	Diseases ill-defined or unknown.....	1														
	All other causes.....	11				1	1	1	2	2	6	2		2		1

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
TOLEDO, OHIO.																
	All causes	469	92	21	13	39	165	33	21	12	231	31	36	72	51	48
5	Measles	1														1
6	Scarlet fever	7														2
7	Whooping cough	1									1	2			2	1
8	Diphtheria and croup	2													1	1
9	Influenza	2									1					2
(12)	Dysentery	2														1
(12)	Erysipelas	1												1		
(37)	Tetanus	4			1	1	2				2		1		1	
13	Tuberculosis of the lungs	2												1	2	1
14	Tuberculous meningitis	2										1		1	1	
15	Other forms of tuberculosis	2												1	1	
(37)	Syphilis	7								1	1	2		1	2	1
17	Meningitis	2												1	1	
(37)	Convulsions	4				1	2				2		1		1	
19	Organic diseases of the heart	14									3	2	2	4	2	1
20	Acute bronchitis	14					1	1	2		3	2	2	4	2	1
22	Pneumonia	36			1	3	3	3	4	2	12	1	4	9	4	6
(23)	Bronchopneumonia	3									1	1	1	1	1	
24	Diseases of the stomach	36				3	3	3		5	17	14	20	38	24	22
25	Diarrhea and enteritis	3				2	2	5	5	5	17	14	20	38	24	22
(33)	Malformations	135	12	4	3	4	23	9	2	28	3	3	4	4	2	3
(33)	Premature birth	40	47	13	4	19	83	14	2	1	100	2	1	1		
(33, 37)	Congenital debility	104	19	1	2	5	27	6	2	2	37	2	3	3		
(37)	Injuries at birth	45	13	3	1	4	21		1		22					
35	External causes	2	1				1				1					1
38	Diseases ill-defined or unknown	2														
	All other causes	19			1	1	2		2		4	2	1	3	4	5
PORTLAND, OREG.																
	All causes	265	34	25	13	34	106	27	17	13	163	20	15	31	19	17
5	Measles	3							1		1				1	1
6	Scarlet fever	7														
7	Whooping cough	1													1	
8	Diphtheria and croup	4									2	2				
9	Influenza	2														
(12)	Dysentery	1														
(12)	Erysipelas	1													1	
(37)	Tetanus	2														
13	Tuberculosis of the lungs	7				1	1				1			2	2	2
14	Tuberculous meningitis	4					1	2			3					1
15	Other forms of tuberculosis	4					1				1			1		
(37)	Syphilis	4				1	1				3					
17	Meningitis	4				1	1				1	1		1		
(37)	Convulsions	4		1		2	3				3				1	
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	2												1		
22	Pneumonia	20			1	2	3	2	1	3	9			1	3	1
(23)	Bronchopneumonia	19					1	1	1	2	4	4	2	5	3	1
24	Diseases of the stomach	4				1	1			1	2		1	1	1	
25	Diarrhea and enteritis	17					1	1	1	2	2	1	3	7	3	1
(33)	Malformations	33	4	4	1	6	15	6	2	1	24	3	1	2	2	1
(33)	Premature birth	55	17	9	4	8	38	8	3	1	50	4	1	2		
(33, 37)	Congenital debility	49	11	5	1	11	28	3	3	3	37	2	3	6	1	
(37)	Injuries at birth	12	1	5	3	1	10	2			12					
35	External causes	4	1	1	1		2				2			1		
38	Diseases ill-defined or unknown	1									1					
	All other causes	18	1		2		3	2	4	1	10	1	1		2	4
PHILADELPHIA, PA. (TOTAL).																
	All causes	4,870	401	183	152	318	1,054	349	235	191	1,829	469	372	895	771	534
5	Measles	16										2	2	2	4	6
6	Scarlet fever	7												2	1	4
7	Whooping cough	126							3	2	5	12	6	25	36	42
8	Diphtheria and croup	22				1	1	2		1	4	3	3	4	5	3
9	Influenza	9										2	1	1	5	
(12)	Dysentery	10				1	1					1	1	3	2	
(12)	Erysipelas	24		1		1	2	1	2	1	6	8	2	4	2	2
(37)	Tetanus	1									1					
13	Tuberculosis of the lungs	29				1	1				2		2	7	10	8
14	Tuberculous meningitis	51					1				2	2	1	16	19	11
15	Other forms of tuberculosis	13									1		1	3	3	5
(37)	Syphilis	81	8	1	1	6	16	6	5	9	36	12	9	18	3	3
17	Meningitis	25				1	1				2	1	2	6	11	3
(37)	Convulsions	64	1	3	3	11	18	8	2	1	29	10	2	8	9	6
19	Organic diseases of the heart	22			1	4	5	1	1	1	8	2	1	4	5	2
20	Acute bronchitis	176		2	2	5	9	8	9	12	38	25	13	44	31	25
22	Pneumonia	193		1	4	7	12	8	9	11	40	20	21	45	43	24
(23)	Bronchopneumonia	499	1	1	4	8	14	19	14	26	73	59	38	110	127	92
24	Diseases of the stomach	51				4	5	1	2	3	11	6	6	16	9	3
25	Diarrhea and enteritis	1,537	1	2	8	30	41	70	45	44	200	152	171	441	347	226
(33)	Malformations	308	61	26	26	49	162	46	20	8	236	29	11	19	6	7
(33)	Premature birth	661	203	93	54	98	448	83	53	35	619	26	9	2		
(33, 37)	Congenital debility	498	71	27	26	51	174	47	45	23	289	60	38	61	31	19
(37)	Injuries at birth	133	55	17	14	18	104	22	4		130	2	1			
35	External causes	62	1	3	1	3	8				13	8	6	17	9	9
38	Diseases ill-defined or unknown	7									1			3		3
	All other causes	245		5	8	19	32	19	19	12	82	27	23	34	48	31

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
PHILADELPHIA, PA. (WHITE).																
	All causes.....	4,420	365	169	140	288	962	327	206	179	1,674	433	335	795	698	485
5	Measles.....	16										2	2	2	4	6
6	Scarlet fever.....	7														4
7	Whooping cough.....	107							3	2	5	11	5	20	31	35
8	Diphtheria and croup.....	22				1	1	2		1	4	3	5	4	5	9
9	Influenza.....	9											1	1	1	
(12)	Dysentery.....	8				1	1				1	2	1	3	2	
(12)	Erysipelas.....	22		1			2	1	2	1	6	7	2	3	2	2
(37)	Tetanus.....	1									1	1				
13	Tuberculosis of the lungs.....	26				1	1	1	1	1	2		1	6	10	7
14	Tuberculous meningitis.....	44									2	1	1	12	18	10
15	Other forms of tuberculosis.....	11									1	1	1	3	2	4
(37)	Syphilis.....	59	5	1	1	5	12	6	3	7	28	9	7	12	3	4
17	Meningitis.....	23				1	1	1			2	1	2	6	9	3
(37)	Convulsions.....	58	1	3	3	11	13	8	2	1	29	7	2	7	8	5
19	Organic diseases of the heart.....	21				4	5	1	1	1	7	2	1	4	5	2
20	Acute bronchitis.....	148		2	2	5	9	8	9	12	33	21	11	34	23	21
22	Pneumonia.....	174		1	4	5	10	8	7	11	36	18	20	42	37	21
(23)	Bronchopneumonia.....	453	1	1	3	8	13	17	12	23	65	55	34	97	119	83
24	Diseases of the stomach.....	48		1		4	5	1	2	3	11	6	6	13	9	3
25	Diarrhea and enteritis.....	1,418	1	1	6	28	36	66	37	40	179	146	156	404	322	211
(33)	Malformations.....	296	60	24	26	46	156	46	17	8	227	29	10	18	6	6
(33)	Premature birth.....	596	182	88	49	87	406	74	48	33	561	22	8	1	4	
(33, 37)	Congenital debility.....	446	62	25	24	42	153	42	40	22	257	57	35	56	23	18
(37)	Injuries at birth.....	126	52	16	13	16	97	22	4		123	2	1			
35	External causes.....	48	1	1	1	3	6	2		2	10	8	3	12	7	8
38	Diseases ill-defined or unknown.....	7						1			1			3		3
	All other causes.....	226		4	7	19	30	18	18	12	78	24	21	30	43	30
PHILADELPHIA, PA. (COLORED).																
	All causes.....	450	36	14	12	30	92	22	29	12	155	36	37	100	73	49
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	19										1	1	5	5	7
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....	2										1	1			
(12)	Erysipelas.....	2										1		1		
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3											1	1	1	1
14	Tuberculous meningitis.....	7										1		4	1	1
15	Other forms of tuberculosis.....	2												1	1	1
(37)	Syphilis.....	22	3			1	4		2	2	8	3	2	6	2	3
17	Meningitis.....	2													2	
(37)	Convulsions.....	6										3		1	1	1
19	Organic diseases of the heart.....	1							1		1					
20	Acute bronchitis.....	28										4	2	10	8	4
22	Pneumonia.....	19				2	2	2	2	2	4	2	1	3	6	3
(23)	Bronchopneumonia.....	46			1		1	2	2	3	8	4	4	13	8	9
24	Diseases of the stomach.....	3												3		
25	Diarrhea and enteritis.....	119			2	2	5	4	8	4	21	6	15	37	25	15
(33)	Malformations.....	12	1	2	2	3	6	3	3	2	9	1	1	1	1	1
(33)	Premature birth.....	65	21	5	5	11	42	9	5	2	58	4	1	1	1	
(33, 37)	Congenital debility.....	52	8	2	2	9	21	5	5	1	32	3	3	5	8	1
(37)	Injuries at birth.....	7	3	1	1	2	7				7					
35	External causes.....	14		2			2	1			3		3	5	2	1
38	Diseases ill-defined or unknown.....															
	All other causes.....	19		1	1		2	1	1		4	3	2	4	5	1
PITTSBURGH, PA. (TOTAL).																
	All causes.....	1,868	261	75	63	127	526	114	55	61	756	177	170	341	221	203
5	Measles.....	15				1	1				1	1			6	7
6	Scarlet fever.....	5	1				1				1			1	3	3
7	Whooping cough.....	20										3	3	6	3	5
8	Diphtheria and croup.....	9										1	1	2	1	5
9	Influenza.....	2													1	
(12)	Dysentery.....	5													2	1
(12)	Erysipelas.....	3						1			1				1	1
(37)	Tetanus.....	2														
13	Tuberculosis of the lungs.....	32				1	1				2		4	5	14	6
14	Tuberculous meningitis.....	13										1		4	4	4
15	Other forms of tuberculosis.....	4												4	4	4
(37)	Syphilis.....	24	2			2	4	1	3	2	10	1	3	5	3	2
17	Meningitis.....	12											1	3	5	3
(37)	Convulsions.....	39	1	1	1	3	6	6	1	1	14	5	2	5	7	6
19	Organic diseases of the heart.....	3														3
20	Acute bronchitis.....	38						3		1	4	8	5	14	4	3
22	Pneumonia.....	54	1			2	4	2	1		7	5	8	11	11	12
(23)	Bronchopneumonia.....	222			3	9	12	10	10	6	33	27	23	47	42	45
24	Diseases of the stomach.....	25						1	1	2	4	5	2	10	2	2
25	Diarrhea and enteritis.....	455		1		9	11	14	14	16	55	47	57	130	88	78
(33)	Malformations.....	143	33	10	13	21	77	21	5	13	116	12	4	10	1	2
(33)	Premature birth.....	302	150	31	17	36	234	27	8	10	279	10	5	5	1	2
(33, 37)	Congenital debility.....	255	35	11	17	20	83	19	7	5	114	35	35	50	13	8
(37)	Injuries at birth.....	85	34	20	9	16	79	3	1		83	1	1			4
35	External causes.....	21	1			2	1				3		3	4	5	4
38	Diseases ill-defined or unknown.....															
	All other causes.....	80	2	1	1	5	9	5	4	4	22	9	11	15	15	8

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
PITTSBURGH, PA. (WHITE).																
	All causes.....	1,763	252	74	59	115	500	111	50	60	721	166	160	317	210	189
5	Measles.....	14				1	1				1	1			6	6
6	Scarlet fever.....	5	1				1				1					3
7	Whooping cough.....	17										3	3	5	3	3
8	Diphtheria and croup.....	9											1	2	1	5
9	Influenza.....	1													1	
(12)	Dysentery.....	4												1	2	1
(12)	Erysipelas.....	3						1			1				1	1
(37)	Tetanus.....	2	1			1	2				2					
13	Tuberculosis of the lungs.....	31				1	1				2		5	13	6	4
14	Tuberculous meningitis.....	13										1		4	4	1
15	Other forms of tuberculosis.....	4												4		
(37)	Syphilis.....	21	1			2	3	1	3	2	9	1	3	4	3	1
17	Meningitis.....	12												3	5	3
(37)	Convulsions.....	39	1	1	1	3	6	6	1	1	14	5	2	5	7	6
19	Organic diseases of the heart.....	2														3
20	Acute bronchitis.....	35								1	3	8	5	13	4	3
22	Pneumonia.....	51	1			2	4	2	1		7	4	7	10	11	12
(23)	Bronchopneumonia.....	200			2	8	10	10	8	6	34	25	22	44	37	38
24	Diseases of the stomach.....	23						1	1	2	4	4	2	9	2	2
25	Diarrhea and enteritis.....	437		1	1		11	14	13	15	53	47	55	123	84	75
(33)	Malformations.....	141	33	10	13	20	76	21	4	13	114	12	4	10	1	
(33)	Premature birth.....	288	145	31	16	31	223	26	7	10	256	9	5	5	1	2
(33, 37)	Congenital debility.....	85	33	10	15	19	77	18	7	5	107	31	31	46	12	8
(37)	Injuries at birth.....	21	34	20	9	12	75	3	1		79	1	1	4	4	4
35	External causes.....	19	1			1	2	1			3	1	3			
38	Diseases ill-defined or unknown.....	74	1	1	1	5	8	5	4	4	21	9	10	11	15	8
	All other causes.....															
PITTSBURGH, PA. (COLORED).																
	All causes.....	105	9	1	4	12	26	3	5	1	35	11	10	24	11	14
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	3														2
8	Diphtheria and croup.....													1		
9	Influenza.....	1														
(12)	Dysentery.....	1											1			
(12)	Erysipelas.....											1				
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	3	1				1				1			1		1
17	Meningitis.....															
(37)	Convulsions.....															
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	2						1			1			1		
22	Pneumonia.....	3										1		1		
(23)	Bronchopneumonia.....	22			1	1	2		2		4	2	1	3	5	7
24	Diseases of the stomach.....	2										1		1		
25	Diarrhea and enteritis.....	18							1	1	2	1		7	4	3
(33)	Malformations.....	2				1	1				2	2		2		
(33)	Premature birth.....	14	5		1	5	11	1	1		2	1				
(33, 37)	Congenital debility.....	20	2	1	2	1	6	1	1		7	4		4	1	
(37)	Injuries at birth.....	4				4	4				4					
35	External causes.....	2										1			1	
38	Diseases ill-defined or unknown.....	6	1				1				1		1	4		
	All other causes.....															
SCRANTON, PA.																
	All causes.....	550	44	23	16	51	134	28	30	29	221	42	32	101	87	67
5	Measles.....	2														2
6	Scarlet fever.....															
7	Whooping cough.....	12						1			1	1	2	4	2	2
8	Diphtheria and croup.....	1														1
9	Influenza.....															
(12)	Dysentery.....	5														
(12)	Erysipelas.....	2										1		2	2	
(37)	Tetanus.....							1			1				1	
13	Tuberculosis of the lungs.....	4				1	1				1					
14	Tuberculous meningitis.....	2									1		2		1	
15	Other forms of tuberculosis.....													2		
(37)	Syphilis.....	4									1	1			1	1
17	Meningitis.....	2														
(37)	Convulsions.....	15		1	3		4	4	1		9	1		3	1	1
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	21				3	3		2	1	6	3	3	1	5	3
22	Pneumonia.....	16		1			1				1			1	4	3
(23)	Bronchopneumonia.....	89	1	1		4	6	5	4	5	20	11	8	17	15	18
24	Diseases of the stomach.....	14				3	3	1	1	1	3			2	1	2
25	Diarrhea and enteritis.....	184				6	7	8	7	10	32	16	13	54	41	28
(33)	Malformations.....	27	4	2	2	9	17	1	2	1	31	1		4	1	
(33)	Premature birth.....	83	31	15	4	15	65	5	8	3	21	1		4	1	
(33, 37)	Congenital debility.....	18			1	3	4				81			1	1	
(37)	Injuries at birth.....	14	7	3	3	1	14	2	1		11	2		3	2	
35	External causes.....	4					1				14					
38	Diseases ill-defined or unknown.....									1			1			1
	All other causes.....	31	1		1	6	8		3	1	12	4		2	9	4

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

705

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	* Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
PROVIDENCE, R. I.																
	All causes.....	699	101	34	23	36	194	34	31	19	278	61	62	135	92	71
5	Measles.....	7											1	2	3	1
6	Scarlet fever.....	1														1
7	Whooping cough.....	14								1	1	1	2	4	5	1
8	Diphtheria and croup.....	6													2	3
9	Influenza.....	12												1		1
(12)	Dysentery.....	2														
(12)	Erysipelas.....	7										4	1	2		
(37)	Tetanus.....	3														
13	Tuberculosis of the lungs.....	8							1		1			2	3	3
14	Tuberculous meningitis.....	6												2	3	1
15	Other forms of tuberculosis.....	6				1	4	3	1		8	1	1	1	1	1
(37)	Syphilis.....	2	2		1											
17	Meningitis.....	3								1	3		2	2	3	2
(37)	Convulsions.....	12			1	1	2									1
19	Organic diseases of the heart.....	1								1	1	2	3	6	2	
20	Acute bronchitis.....	14														
22	Pneumonia.....	46		1		1	2	2	1	1	5	4	2	15	9	11
(23)	Bronchopneumonia.....	49						1	1	1	3	3	8	15	10	10
24	Diseases of the stomach.....	7								1	2	1	1	2		1
25	Diarrhea and enteritis.....	154			1		1	4	6	1	12	13	26	52	28	23
(33)	Malformations.....	41	6	4	2	6	18	3	5	3	29	8		1	1	2
(33)	Premature birth.....	102	53	18	7	7	85	7	4	2	98	3		1		2
(33)	Congenital debility.....	102	14	6	5	5	30	4	5	4	43	15	13	19	10	2
(37)	Injuries at birth.....	53	26	4	2	12	44	4	2	1	51	2				
35	External causes.....	7		1			1	1			2			2	1	2
38	Diseases ill-defined or unknown.....	6				2	2	1			3		1	1	1	1
	All other causes.....	36			4	1	5	4	4	3	16	4	1	4	8	3
MEMPHIS, TENN. (TOTAL).																
	All causes.....	317	40	19	6	20	85	24	16	8	133	27	34	52	37	34
5	Measles.....	1													1	
6	Scarlet fever.....															
7	Whooping cough.....	8								1	1	2	3			2
8	Diphtheria and croup.....	8				2	2		2		4		3			1
9	Influenza.....	2													1	
(12)	Dysentery.....	1						1			1				1	
(12)	Erysipelas.....	2														
(37)	Tetanus.....	1														
13	Tuberculosis of the lungs.....	5								1	1				2	2
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	1														1
(37)	Syphilis.....	16							1		1	3	5	5	2	
17	Meningitis.....	1				1					1					
(37)	Convulsions.....	7		1		1	2	1			3		2	2		
19	Organic diseases of the heart.....	2									1					1
20	Acute bronchitis.....	1														
22	Pneumonia.....	8												3	4	1
(23)	Bronchopneumonia.....	30			1	1	1	1	3	1	6	2	6	6	4	6
24	Diseases of the stomach.....	3												3		
25	Diarrhea and enteritis.....	65				2	2	3	1	1	7	7	11	15	13	12
(33)	Malformations.....	9	1	2	1	2	6				6		2	1		
(33)	Premature birth.....	58	27	13	2	4	46	5	2	1	54	2		1	1	
(33)	Congenital debility.....	39	7	2	2	3	14	5	5	1	25	5		5	2	2
(37)	Injuries at birth.....	7	2	1	1	2	6		1		7					
35	External causes.....	4												2		1
38	Diseases ill-defined or unknown.....	14	3				3	5			8	2	2	2		
	All other causes.....	27				2	2	2	1	2	7	4	1	5	5	5
MEMPHIS, TENN. (WHITE).																
	All causes.....	160	29	13	4	12	58	11	8	4	81	14	13	20	14	18
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	3										1	2			
8	Diphtheria and croup.....	1												1		
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1													1	
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	1														1
(37)	Syphilis.....	15							1		1	3	4	5	2	
17	Meningitis.....	1				1	1				1					
(37)	Convulsions.....															
19	Organic diseases of the heart.....	1									1					1
20	Acute bronchitis.....	1														
22	Pneumonia.....	6									1			1		1
(23)	Bronchopneumonia.....	1												1		
24	Diseases of the stomach.....	1														
25	Diarrhea and enteritis.....	32	1	2	1	2	6	1	1	1	3	2	3	3	6	10
(33)	Malformations.....	8														
(33)	Premature birth.....	41	21	8	2	3	34	3	2	1	40	1		1		
(33)	Congenital debility.....	27	5	2	1	3	11	4	2		17	5		3	1	1
(37)	Injuries at birth.....	5	2			2	5				5					1
35	External causes.....	2									1					1
38	Diseases ill-defined or unknown.....	1						1			1					1
	All other causes.....	13				1	1	1	1	2	5	1		4		3

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
			REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	MEMPHIS, TENN. (COLORED).															
	All causes.....	157	11	6	2	8	27	13	8	4	52	13	21	32	23	16
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	5								1						2
8	Diphtheria and croup.....	7				2	2		2		1	1				1
9	Influenza.....	1														
(12)	Dysentery.....	2						1			1					
(12)	Erysipelas.....	2														1
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	4								1	1				1	2
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1										1				
17	Meningitis.....															
(37)	Convulsions.....	7		1		1	2	1			3		2	2		
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1														1
22	Pneumonia.....	8														4
(23)	Bronchopneumonia.....	24				1	1	1	2	1	5	2	3	3	4	5
24	Diseases of the stomach.....	2														
25	Diarrhea and enteritis.....	33				2	2	2			4	5	8	7	7	2
(33)	Malformations.....	1														
(33)	Premature birth.....	17	6	5		1	12	2			14	1		1	1	
(33, 37)	Congenital debility.....	12	2				3	1	3	1	8			2	1	1
(37)	Injuries at birth.....	2			1		1				2					
35	External causes.....	3											2	1		
38	Diseases ill-defined or unknown.....	12	3				3	4			7	1	2	2		2
	All other causes.....	14				1	1	1			2	3	1	5	1	2
	NASHVILLE, TENN. (TOTAL).															
	All causes.....	328	55	25	11	14	105	20	8	7	140	18	20	71	41	38
5	Measles.....	3														3
6	Scarlet fever.....															
7	Whooping cough.....	17									1	2	1	6	1	6
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	1														
(37)	Tetanus.....	1				1	1				1					1
13	Tuberculosis of the lungs.....	4												1	2	1
14	Tuberculous meningitis.....	3												1	2	
15	Other forms of tuberculosis.....	1												1		
(37)	Syphilis.....	4	1	1			2				2	1		1		
17	Meningitis.....	1														
(37)	Convulsions.....	8			1	1	2	2	1		5			3	1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1											1			4
22	Pneumonia.....	18									1	1	2	7	3	4
(23)	Bronchopneumonia.....	41				2	2	3			5	6	5	10	10	5
24	Diseases of the stomach.....	6												2	3	
25	Diarrhea and enteritis.....	61	3	3	1	1	1		2	2	5	1	7	20	14	14
(33)	Malformations.....	14	3	3	1	1	8		1	1	9	2		1	2	
(33)	Premature birth.....	60	38	10	2	3	53	4	2		59			1		
(33, 37)	Congenital debility.....	40	7	7	4	3	21	5	1		27	3	2	6		2
(37)	Injuries at birth.....	6			2	2	4	2			6					
35	External causes.....	6	2	1			3			1	4	1		1		
38	Diseases ill-defined or unknown.....	8	3	1			4				4			3	1	
	All other causes.....	24	1	2	1		4	3	1	3	11	1	1	7	1	3
	NASHVILLE, TENN. (WHITE).															
	All causes.....	194	37	12	5	6	60	12	6	5	83	10	8	44	22	27
5	Measles.....	2														2
6	Scarlet fever.....															
7	Whooping cough.....	10												4	1	5
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	1														
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	3												1	1	1
14	Tuberculous meningitis.....	1												1		
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	1	1				1				1					
17	Meningitis.....	1														
(37)	Convulsions.....	1			1		1				1					
19	Organic diseases of the heart.....															
20	Acute bronchitis.....															
22	Pneumonia.....	10									1			3		3
(23)	Bronchopneumonia.....	20				1	1	3			4	3	1	2	3	2
24	Diseases of the stomach.....	5												3	2	2
25	Diarrhea and enteritis.....	40	2	2		1			1	2	3	1	3	16	6	11
(33)	Malformations.....	10				1	5				6	2		1	1	
(33)	Premature birth.....	41	28	4	2	1	35	3	2		40			1		
(33, 37)	Congenital debility.....	25	5	4	1	2	12	3	1		16	2	1	4		2
(37)	Injuries at birth.....	4			1	1	2	2			4					
35	External causes.....	4		1			1			1	2	1		1		
38	Diseases ill-defined or unknown.....	3	1				1				1			2		
	All other causes.....	12		1			1		1	2	4	1		5	1	1

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

707

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
NASHVILLE, TENN. (COLORED).																
	All causes.....	134	18	13	6	8	45	8	2	2	57	8	12	27	19	11
5	Measles.....	1														1
6	Scarlet fever.....															
7	Whooping cough.....	7								1	1	2	1	2		1
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....															
(37)	Tetanus.....	1			1	1					1					
13	Tuberculosis of the lungs.....	1													1	
14	Tuberculous meningitis.....	2													2	
15	Other forms of tuberculosis.....	1												1		
(37)	Syphilis.....	3		1			1				1	1		1		
17	Meningitis.....															
(37)	Convulsions.....	7				1	1	2	1		4			3		
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	1														
22	Pneumonia.....	8										1	1	4	1	1
(23)	Bronchopneumonia.....	21				1	1				1	3	3	7	4	3
24	Diseases of the stomach.....	1													1	
25	Diarrhea and enteritis.....	21				1							4	4	8	3
(33)	Malformations.....	4	1	1	1	3					2				1	
(33)	Premature birth.....	19	10	6		2	18	1			19					
(33, 37)	Congenital debility.....	15	2	3	3	1	9	2			11	1	1	2		
(37)	Injuries at birth.....	2			1	1	2				2					
35	External causes.....	2	2			2	2				2					
38	Diseases ill-defined or unknown.....	5	2	1		3	3				3			1	1	
	All other causes.....	12	1	1	1	3	3	3		1	7		1	2		2
RICHMOND, VA. (TOTAL).																
	All causes.....	510	78	8	9	29	124	30	19	15	188	46	50	112	69	45
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	36										5	1	16	4	10
8	Diphtheria and croup.....															
9	Influenza.....	4												2	1	1
(12)	Dysentery.....	1														
(12)	Erysipelas.....	1									1			1		
(37)	Tetanus.....	5				1	1	4			5					
13	Tuberculosis of the lungs.....	3												1	2	
14	Tuberculous meningitis.....	4												1	3	
15	Other forms of tuberculosis.....	5											2	1	1	1
(37)	Syphilis.....	14	1				1		3		4		3	4	2	1
17	Meningitis.....	5						1			1			1	2	1
(37)	Convulsions.....	16		1		3	5				5	2	3	3	1	2
19	Organic diseases of the heart.....	1												1		2
20	Acute bronchitis.....	8												2	3	2
22	Pneumonia.....	7				1	1			1	1	1	1	1	1	1
(23)	Bronchopneumonia.....	47			1	2	3	2	1	3	9	4	5	13	9	7
24	Diseases of the stomach.....	4											1	2	2	1
25	Diarrhea and enteritis.....	89											12	32	21	13
(33)	Malformations.....	20	7			2	9	1	1	1	11	2	1	5	1	
(33)	Premature birth.....	93	43	3	4	15	65	11	6	1	33	7	2	1		
(33, 37)	Congenital debility.....	65	6	2	2	5	15	4	2	4	25	11	8	16	4	1
(37)	Injuries at birth.....	10	5	1		5	6	3		1	10					
35	External causes.....	26	13				13	2	1		16	3	2	2	2	1
38	Diseases ill-defined or unknown.....	14	3	1	1		5	1	1	1	7		4	3		
	All other causes.....	32						1	1	1	3	5	5	6	10	3
RICHMOND, VA. (WHITE).																
	All causes.....	225	40	5	4	11	60	11	4	7	82	22	26	49	25	21
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	11										2		4	1	4
8	Diphtheria and croup.....															
9	Influenza.....	1														1
(12)	Dysentery.....															
(12)	Erysipelas.....	1												1		
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....	1												1		
14	Tuberculous meningitis.....	4													3	
15	Other forms of tuberculosis.....	4											2	1	1	1
(37)	Syphilis.....	6	1				1				1	1		2	1	1
17	Meningitis.....	2												1	1	
(37)	Convulsions.....	6		1		2	4				4		1	1		
19	Organic diseases of the heart.....	1												1		
20	Acute bronchitis.....															
22	Pneumonia.....	1					1				1					
(23)	Bronchopneumonia.....	14					1	1	1	1	4	2		3	1	3
24	Diseases of the stomach.....	4											1	2	2	1
25	Diarrhea and enteritis.....	48											9	15	9	8
(33)	Malformations.....	18	5	1		2	7	1	1	1	3	4	9	5	1	
(33)	Premature birth.....	48	31	2	3	3	38	4	1	1	44	2	1	1		
(33, 37)	Congenital debility.....	30	2	2		2	6	1		3	10	6	4	9	1	
(37)	Injuries at birth.....	4		1			1	3			4					
35	External causes.....	4	1				1	1			2					
38	Diseases ill-defined or unknown.....	2									2			1		
	All other causes.....	15										2	4	2	5	2

MORTALITY STATISTICS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1914—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
RICHMOND, VA. (COLORED).																
	All causes	285	38	3	5	18	64	19	15	8	106	24	24	63	44	24
5	Measles.....															
6	Scarlet fever.....															
7	Whooping cough.....	25										3	1	12	3	6
8	Diphtheria and croup.....															
9	Influenza.....	3														
(12)	Dysentery.....	1								1	1					
(12)	Erysipelas.....															
(37)	Tetanus.....	5			1	1	4				5					
13	Tuberculosis of the lungs.....	2														2
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	1														1
(37)	Syphilis.....	8							3		3		2	2	1	
17	Meningitis.....	3						1			1					1
(37)	Convulsions.....	10			1	1					1	2	2	2	1	2
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	8									1					2
22	Pneumonia.....	6									1	1		2	1	1
(23)	Bronchopneumonia.....	33			1	1	2	1		2	5	2	4	10	8	4
24	Diseases of the stomach.....															
25	Diarrhea and enteritis.....	41							2		2	2	3	17	12	5
(33)	Malformations.....	2									2					
(33)	Premature birth.....	45	12	2	1	12	27	7	5		39	5	1			
(33, 37)	Congenital debility.....	35	4		2	3	9	3	2	1	15	5	4	7	3	1
(37)	Injuries at birth.....	6	5				5				6					
35	External causes.....	22	12				12	1	1		14	1	2	2	2	1
38	Diseases ill-defined or unknown.....	12	3	1	1		5	1	1	1	7		3	2		
	All other causes.....	17	3				5	1	1	1	3	3	1	4	5	1
SEATTLE, WASH.																
	All causes	303	53	17	25	32	127	28	19	11	185	28	20	35	18	17
5	Measles.....	1														
6	Scarlet fever.....															
7	Whooping cough.....	4											2	1	1	
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	3								1	1				1	
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....	3														2
15	Other forms of tuberculosis.....	2														1
(37)	Syphilis.....	6				2	2	1	1	1	5	1		1		
17	Meningitis.....	6									2					
(37)	Convulsions.....	2			1		1				1			3	1	
19	Organic diseases of the heart.....															
20	Acute bronchitis.....	4									2	1				
22	Pneumonia.....	13			1	1	2	2		1	5	1		1	2	4
(23)	Bronchopneumonia.....	25					1	1	1	3	5	5	3	7	4	1
24	Diseases of the stomach.....	6									1	3		1	1	
25	Diarrhea and enteritis.....	27					2	1	4		7	4	6	4	1	5
(33)	Malformations.....	28	2	4	3	4	13	4	1	1	19	3		3	2	1
(33)	Premature birth.....	73	32	9	7	4	52	9	3	3	67	3	1	1	1	
(33, 37)	Congenital debility.....	45	6		7	9	22	5	6	1	34	3	2	6		
(37)	Injuries at birth.....	24	10	4	5	2	21	2	1		24					
35	External causes.....	12	2			3	5				5	1	1	3		2
38	Diseases ill-defined or unknown.....	19	1		1	3	5	2			7	3	2	3	3	1
	All other causes.....															
SPOKANE, WASH.																
	All causes	163	28	18	12	11	69	18	8	7	102	15	7	19	12	8
5	Measles.....	2							1		1					1
6	Scarlet fever.....															
7	Whooping cough.....															
8	Diphtheria and croup.....															
9	Influenza.....															
(12)	Dysentery.....															
(12)	Erysipelas.....	1										1				
(37)	Tetanus.....															
13	Tuberculosis of the lungs.....															
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....															
(37)	Syphilis.....	6							2		2	2	1	1		
17	Meningitis.....															
(37)	Convulsions.....	1			1		1				1					
19	Organic diseases of the heart.....	1	1				1				1					
20	Acute bronchitis.....	4									1					
22	Pneumonia.....	7						1	1		2	1	1		2	1
(23)	Bronchopneumonia.....	17			1	1	2	1	2		5	6	1	3	1	1
24	Diseases of the stomach.....	2						1			1				1	
25	Diarrhea and enteritis.....	23							1	4	6	2	3	6	2	4
(33)	Malformations.....	15	3		5	2	10	2			12			1	1	1
(33)	Premature birth.....	50	22	14	4	2	42	5	1	1	49	1				
(33, 37)	Congenital debility.....	16	1	1	1	3	6	2	1		9	1	1	5		
(37)	Injuries at birth.....	5		3			3	1			5					
35	External causes.....	5						1			2	1		1		1
38	Diseases ill-defined or unknown.....															
	All other causes.....	8	1			3	4	1			5			1	2	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
	MILWAUKEE, WIS.															
	All causes.....	1,159	210	83	56	80	429	58	57	39	583	82	81	164	138	111
5	Measles.....	14												2	7	5
6	Scarlet fever.....	3						1			1				1	1
7	Whooping cough.....	9										1	2	5	2	1
8	Diphtheria and croup.....	5												1	2	2
9	Influenza.....	3				1	1		1		2				1	
(12)	Dysentery.....	1														1
(12)	Erysipelas.....	5						1	1		2	1			2	
(37)	Tetanus.....	1						1			1					
13	Tuberculosis of the lungs.....	2												1		1
14	Tuberculous meningitis.....															
15	Other forms of tuberculosis.....	1														1
(37)	Syphilis.....	6	1				1		1		2	2		1		1
17	Meningitis.....	11						1	2		3			3	1	4
(37)	Convulsions.....	58	1	5	6	9	21	6	3	2	32	6	2	8	6	4
19	Organic diseases of the heart.....	1							1		1					
20	Acute bronchitis.....	41			1	1	2		1	1	4	6	4	8	10	9
22	Pneumonia.....	52			1	3	4		3	5	12	4	4	15	2	15
(23)	Bronchopneumonia.....	90		1			1	3	1	3	8	10	3	18	27	24
24	Diseases of the stomach.....	37			1	4	5	3	4	2	14	2	8	7	3	3
25	Diarrhea and enteritis.....	232	1	1	1	5	8	11	11	7	37	26	36	61	49	23
(33)	Malformations.....	50	10	9	7	6	32	6	3	2	43	3		2	2	
(33)	Premature birth.....	228	118	39	15	20	192	12	12	6	222	4	2			
(33, 37)	Congenital debility.....	183	48	19	14	20	101	8	8	7	124	13	15	19	10	2
(37)	Injuries at birth.....	55	30	7	8	6	51	1	1	1	54		1			
35	External causes.....	10	1	1		1	3	1	1	1	6					4
33	Diseases ill-defined or unknown.....															
	All other causes.....	61		1	2	4	7	3	3	2	15	4	4	13	15	10

INDEX.

- Abdominal tuberculosis. *See* Tuberculosis (all forms).
- Abscess, acute, deaths from, 64; in cities and rural districts, 392; by sex, 414; by age, 414, 446.
— death rate, 156.
- Absorption of deleterious gases (conflagration excepted), deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Accidental or undefined causes (total), deaths from, 64; in cities and rural districts, 394; by sex, 418; by age, 418, 446.
— death rate, 66, 158.
- Accidents and injuries, automobile, railroad, and street-car, deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Addison's disease, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Age, deaths by, 192, 218, 408, 444, 567.
- Alcoholism (acute or chronic), deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Amputations, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.
- Anemia, chlorosis, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Aneurism. *See* Arteries, diseases of, etc.
- Angina pectoris, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Ankylostomiasis, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Anthrax, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Apoplexy. *See* Cerebral hemorrhage, etc.
- Appendicitis and typhlitis, deaths from, 63; by color, 305; in cities and rural districts, 390; by sex, 414; by age, 414, 445, 567.
— death rate, 67, 154.
- Arteries, diseases of, atheroma, aneurism, etc., deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Asiatic cholera, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567.
— death rate, 152.
- Asthma, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Atheroma. *See* Arteries, diseases of, etc.
- Atrophy. *See* Congenital debility, etc.
- Automobile accidents and injuries. *See* Accidents, etc.
- Beriberi, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Biliary calculi, deaths from, 63; in cities and rural districts, 390; by sex, 414; by age, 414, 445.
— death rate, 154.
- Bladder, diseases of, deaths from, 64; in cities and rural districts, 392; by sex, 414; by age, 414, 446.
— death rate, 156.
- Bones, diseases of (tuberculosis excepted), deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.
- Bones and organs of locomotion, diseases of, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.
- Breast, nonpuerperal diseases of (cancer excepted), deaths from, 64; in cities and rural districts, 392; by sex, 414; by age, 414, 446.
— death rate, 156.
- Breast, puerperal diseases of, deaths from, 64; in cities and rural districts, 392; by sex, 414, 446.
— death rate, 156.
- Bright's disease, deaths from, 32, 63; by color, 305; in cities and rural districts, 392; by sex, 414; by age, 414, 445, 567.
— death rate, 67, 156.
- Bronchitis (acute and chronic), deaths from, 63; by color, 305; in cities and rural districts, 390; by sex, 412; by age, 412, 445, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 67, 154.
- Bronchopneumonia, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 154.
- Burns (conflagration excepted), deaths from, 64; in cities and rural districts, 394; by sex, 418; by age, 418, 446.
— death rate, 158.
- Calculi of the urinary passages, deaths from, 63; in cities and rural districts, 392; by sex, 414; by age, 414, 445.
— death rate, 156.
- Cancer and other malignant tumors (total), deaths from, 29, 62; by color, 305; in cities and rural districts, 388; by sex, 410; by age, 410, 444, 567.
— death rate, 66, 152.
- Causes of death, 62, 304, 388.
- Cellular tissue, diseases of. *See* Skin, etc.
- Cerebral hemorrhage, apoplexy, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 154.
- Cerebral hemorrhage and softening, deaths from, by color, 305; by age, 567.
— death rate, 67. *See also* Softening of the brain.
- Cerebrospinal fever, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Cerebrospinal meningitis. *See* Meningitis (total).
- Childbirth, deaths following, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Chinese, deaths of, 218.
- Chlorosis. *See* Anemia, etc.
- Cholera nostras, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567.
— death rate, 152.
- Chorea, deaths from, 63; in cities and rural districts, 390; by sex, 410; by age, 410, 445.
— death rate, 154.
- Chyluria, deaths from, 63; in cities and rural districts, 392; by sex, 414; by age, 414, 445.
— death rate, 156.
- Circulatory system, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Cirrhosis of the liver, deaths from, 63; by color, 305; in cities and rural districts, 390; by sex, 414; by age, 414, 445, 567.
— death rate, 67, 154.
- Cities in nonregistration states, deaths in, 39; by months, 174, 623; by age, sex, color, and nativity, 222; by cause, 388; by days, weeks, and months, 660.
— death rate, 66.
- Cities in registration states, deaths in, 39; by months, 174, 622; by age, sex, color, and nativity, 220; by cause, 388; by days, weeks, and months, 660.
— death rate, 66, 152.
- Cities of 100,000 population or over, deaths in, by age, 218, 567; by sex, color, and nativity, 218; by cause, 567; by months, 632; by days, weeks, and months, 673.
— death rate, 66.
- Cold, excessive, deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Color, deaths by, 183, 192, 218, 304, 420, 432.
- Colored population, deaths of, 10, 39, 183; by age, 192, 218, 432; by sex, 218, 432; by cause, 304, 432.
— death rate, 66.
- Conflagration, deaths from, 64; in cities and rural districts, 394; by sex, 418; by age, 418, 446.
— death rate, 158.
- Congenital debility, deaths from, by months, 622; by days, weeks, and months, 660.
- Congenital debility, "atrophy," "marasmus," etc., deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.
- Congenital debility, icterus, and sclerema (total), deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.
- Congenital debility and malformations, deaths from, by color, 305; by age, 567.
— death rate, 67.

- Congenital malformations (stillbirths not included) (total), deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.
- Congenital malformations of the heart, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.
- Convulsions (nonpuerperal), deaths from, 63; in cities and rural districts, 390; by sex, 410; by age, 410, 445; by days, weeks, and months, 660.
— death rate, 154.
- Convulsions of infants, deaths from, 63; in cities and rural districts, 390; by sex, 410; by age, 410, 445.
— death rate, 154.
- Croup. *See* Diphtheria, etc.
- Cysts and other tumors of the ovary, deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Death rates, in registration area, 11, 39; in registration states and cities, 12; in foreign countries, 13; by color, 16, 66; by cause, 22, 62, 66; in cities and rural districts, 152.
- Deaths, in registration area, 10, 39; of non-residents, 18; by cause, 62, 304, 388; by months, 174, 622; by color, 183, 192, 218, 304, 420, 432; by nativity, 183, 218; by age, 192, 218, 408, 444, 567; by sex, 218, 408; by days, weeks, and months, 660.
- Diabetes, deaths from, 62; by color, 305; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 67, 152.
- Diarrhea and enteritis (under 2 years), deaths from, 32, 63; by color, 305; in cities and rural districts, 390; by sex, 412; by age, 412, 445, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 67, 154.
- Diarrhea and enteritis (2 years and over), deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445, 567; by months, 622.
— death rate, 154.
- Digestive system, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Diphtheria and croup, deaths from, 26, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 66, 152.
- Disseminated tuberculosis. *See* Tuberculosis (all forms).
- Drowning, accidental, deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Dysentery, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444; by days, weeks, and months, 660.
— death rate, 152.
- Ears, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Electricity (lightning excepted), deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Embolism and thrombosis, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Embolus. *See* Puerperal phlegmasia alba dolens, etc.
- Encephalitis, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Endocarditis, acute, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Enteritis. *See* Diarrhea, etc.
- Epidemic diseases, deaths from, 27, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567.
— death rate, 152.
- Epilepsy, deaths from, 63; in cities and rural districts, 390; by sex, 410; by age, 410, 445.
— death rate, 154.
- Erysipelas, deaths from, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444; by days, weeks, and months, 660.
— death rate, 66, 152.
- Esophagus, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Exophthalmic goiter, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- External causes, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446; by days, weeks, and months, 660.
— death rate, 158.
- Eyes and their annexa, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Female genital organs, diseases of, deaths from, by age, 567. *See also* Salpingitis, etc.
- Foreign countries, death rates of, 13.
- Foreign-born white population, deaths of, 183, 218.
- Fractures (cause not specified), deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Furuncle, deaths from, 64; in cities and rural districts, 392; by sex, 414; by age, 414, 446.
— death rate, 156.
- Gangrene, deaths from, 64; in cities and rural districts, 392; by sex, 414; by age, 414, 446.
— death rate, 156.
- Gangrene of the lung, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- General diseases, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Genito-urinary system and annexa, non-venereal diseases of, deaths from, 63; in cities and rural districts, 392; by sex, 414; by age, 414, 445.
— death rate, 156.
- Glanders, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Goiter. *See* Exophthalmic goiter.
- Gonococcus infection, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Gout. *See* Rheumatism, etc.
- Heart, organic diseases of, deaths from, 30, 63; by color, 305; in cities and rural districts, 390; by sex, 412; by age, 412, 445, 567; by days, weeks, and months, 660.
- Heart, organic diseases of, death rate, 67, 154.
- Heat, effects of, deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 153.
- Hemorrhage; other diseases of the circulatory system, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Hemorrhoids. *See* Veins, diseases of, etc.
- Hernia, intestinal obstruction (total), deaths from, 63; by color, 305; in cities and rural districts, 390; by sex, 414; by age, 414, 445, 567.
— death rate, 67, 154.
- Homicide (total), deaths by, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Hydatid tumor of the liver, deaths from, 63; in cities and rural districts, 390; by sex, 414; by age, 414, 445.
— death rate, 154.
- Hydrocephalus, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.
- Icterus. *See* Congenital debility, etc.
- Ill-defined diseases, deaths from, 65; by color, 305; in cities and rural districts, 394; by sex, 418; by age, 418, 447, 567; by days, weeks, and months, 660.
— death rate, 67, 158.
- Indians, deaths of, 218.
- Infancy, early, deaths in, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446; by days, weeks, and months, 660.
— death rate, 156.
- Infantile paralysis. *See* Poliomyelitis, etc.
- Influenza, deaths from, 26, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 66, 152.
- Injuries. *See* Accidents, etc.
- Injuries at birth, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446; by days, weeks, and months, 660.
— death rate, 156.
- Injuries by animals, deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Intestinal obstruction. *See* Hernia, etc.
- Intestinal parasites, deaths from, 63; in cities and rural districts, 390; by sex, 414; by age, 414, 445.
— death rate, 154.
- Intestines, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 414; by age, 414, 445.
— death rate, 154.
- Japanese, deaths of, 218.
- Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.
- Kidneys and annexa, diseases of, deaths from, 63; in cities and rural districts, 392; by sex, 414; by age, 414, 445.
— death rate, 156.
- Lack of care, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.

- Landslide, other crushing, deaths from, 64; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Larynx, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Lead poisoning, chronic, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Leprosy, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Leukemia, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Lightning, deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Liver, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 414; by age, 414, 445.
— death rate, 156.
- Lobar pneumonia. *See* Pneumonia (total).
- Locomotor ataxia, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 154.
- Lymphangitis. *See* Lymphatic system, diseases of, etc.
- Lymphatic system (lymphangitis, etc.), diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Malaria, deaths from, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567; by months, 622.
— death rate, 66, 152.
- Male genital organs, nonvenereal diseases of, deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Malformations, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446; by days, weeks, and months, 660.
— death rate, 156. *See also* Congenital malformations.
- Marasmus. *See* Congenital debility, etc.
- Measles, deaths from, 24, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 66, 152.
- Meningitis (total), deaths from, 62; by color, 305; in cities and rural districts, 388; by sex, 410; by age, 410, 444, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 67, 152.
- Mental alienation, forms of, deaths from, 63; in cities and rural districts, 390; by sex, 410; by age, 410, 444.
— death rate, 154.
- Millary fever, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Millary tuberculosis, acute. *See* Tuberculosis (all forms).
- Mouth and annexa, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Mycoses, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Nasal fossae, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
- Nasal fossae, diseases of, death rate, 154.
- Native white population, deaths of, 183, 218.
- Nativity, deaths by, 183, 218.
- Negroes, deaths of, 183, 218.
- Nephritis, acute, deaths from, 32, 63; by color, 305; in cities and rural districts, 392; by sex, 414; by age, 414, 445, 567.
— death rate, 67, 156.
- Nervous system, diseases of, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Neuralgia and neuritis, deaths from, 63; in cities and rural districts, 390; by sex, 410; by age, 410, 445.
— death rate, 154.
- Neuritis. *See* Neuralgia, etc.
- Nonresidents, deaths of, 18.
- Occupation poisonings, chronic, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Old age, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446.
— death rate, 156.
- Organs of locomotion, diseases of. *See* Bones, etc.
- Paralysis of the insane, deaths from, 63; in cities and rural districts, 390; by sex, 410; by age, 410, 444.
— death rate, 154.
- Paralysis without specified cause, deaths from, 63; in cities and rural districts, 390; by sex, 410; by age, 410, 444.
— death rate, 154.
- Pellagra, deaths from, 27, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Pericarditis, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Peritonitis, simple (nonpuerperal), deaths from, 63; in cities and rural districts, 390; by sex, 414; by age, 414, 445.
— death rate, 156.
- Pharynx, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Phlebitis. *See* Veins, diseases of, etc.
- Plague, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Pleurisy, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Pneumonia (total), deaths from, 31, 63; by color, 305; in cities and rural districts, 390; by sex, 412; by age, 412, 445, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 67, 154.
- Poisoning by food, deaths from, 64; in cities and rural districts, 394; by sex, 418; by age, 418, 446.
— death rate, 158.
- Poisonings, acute, deaths from, 64; in cities and rural districts, 394; by sex, 418; by age, 418, 446.
— death rate, 158.
- Poliomyelitis, acute anterior (infantile paralysis), deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 154.
- Pott's disease, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
- Pott's disease, death rate, 152.
- Pregnancy, accidents of, deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Premature birth, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446; by days, weeks, and months, 660.
— death rate, 156.
- Prostate, diseases of, deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Puerperal albuminuria and convulsions, deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Puerperal fever, deaths from, by color, 305; by age, 567.
— death rate, 67.
- Puerperal hemorrhage, deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Puerperal phlegmasia alba dolens, embolus, sudden death, deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Puerperal septicemia, deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Pulmonary apoplexy. *See* Pulmonary congestion, etc.
- Pulmonary congestion, pulmonary apoplexy, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Pulmonary emphysema, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Purulent infection and septicemia, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Rabies, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Railroad accidents and injuries. *See* Accidents, etc.
- Registration area, growth of, 1880-1914, 9; states included in, 10; deaths in, 39; by cause, 62, 304, 388; by months, 174, 622; by color, 183, 192, 218, 304, 420, 432; by nativity, 183, 218; by age, 192, 218, 408, 444; by sex, 218, 408; by days, weeks, and months, 660.
— death rate, 62, 66.
- Registration cities, deaths in, 39; by months, 174, 622; by color, 183, 194, 222, 306; by nativity, 183, 222; by age, 194, 222; by sex, 222; by cause, 306, 388; by days, weeks, and months, 661.
— death rate, 66.
- Registration states, deaths in, 39; by months, 174, 622; by color, 183, 192, 218, 304; by nativity, 183, 218; by age, 192, 218, 447; by sex, 218; by cause, 304, 388; by days, weeks, and months, 660.
— death rate, 66.
- Relapsing fever, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Respiratory system, diseases of, deaths from, 63; by color, 305; in cities and rural districts, 390; by sex, 412; by age, 412, 445, 567.
— death rate, 67, 154.

- Rheumatism, acute articular, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Rheumatism, chronic, and gout, deaths from, 62; by color, 304; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 66, 152.
- Rickets, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Rural part of registration states, deaths in, 39; by months, 174, 622; by age, sex, color, and nativity, 220; by cause, 330, 388; by days, weeks, and months, 661.
— death rate, 66.
- Salpingitis and other diseases of the female genital organs, deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Scarlet fever, deaths from, 25, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 66, 152.
- Sclerema. *See* Congenital debility, etc.
- Scurvy, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 152.
- Senility, deaths from, 64; in cities and rural districts, 392; by sex, 416; by age, 416, 446, 567.
— death rate, 156.
- Septicemia. *See* Purulent infection, etc., and Puerperal septicemia.
- Sex, deaths by, 218, 408.
- Skin and cellular tissue, diseases of, deaths from, 64; in cities and rural districts, 392; by sex, 414; by age, 414, 446.
— death rate, 156.
- Smallpox, deaths from, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567.
— death rate, 66, 152.
- Softening of the brain, deaths from, 63; in cities and rural districts, 390; by sex, 410; by age, 410, 444.
— death rate, 154.
- Spinal cord, diseases of, deaths from, 62; in cities and rural districts, 388; by sex, 410; by age, 410, 444.
— death rate, 154.
- Spleen, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 414; by age, 414, 445.
— death rate, 156.
- Starvation, deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
- Starvation, death rate, 158.
- Stomach, diseases of (cancer excepted), deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445, 567; by days, weeks, and months, 660.
— death rate, 154.
- Street-car accidents and injuries. *See* Accidents, etc.
- Sudden deaths, number of, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158. *See also* Puerperal phlegmasia alba dolens, etc.
- Suicide, deaths from, 33, 64; by color, 305; in cities and rural districts, 392; by sex, 416; by age, 416, 446, 567; by months, 622.
— death rate, 67, 158.
- Syphilis, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444; by days, weeks, and months, 660.
— death rate, 152.
- Tetanus, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444; by days, weeks, and months, 660.
— death rate, 152.
- Thrombosis. *See* Embolism, etc.
- Thyroid body, diseases of, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Traumatism, deaths from, 65; in cities and rural districts, 394; by sex, 418; by age, 418, 447.
— death rate, 158.
- Tuberculosis (all forms), deaths from, 28, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Tuberculosis of the lungs, deaths from, 28, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 66, 152.
- Tuberculous meningitis, deaths from, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567; by days, weeks, and months, 660.
— death rate, 66, 152.
- Tumors, malignant. *See* Cancer, etc.
- Typhlitis. *See* Appendicitis, etc.
- Typhoid fever, deaths from, 24, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567; by months, 622.
— death rate, 66, 152.
- Typhus fever, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567.
— death rate, 152.
- Ulcer of the stomach, deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Urethra, diseases of, urinary abscess, etc., deaths from, 64; in cities and rural districts, 392; by sex, 414; by age, 414, 446.
— death rate, 156.
- Urinary abscess. *See* Urethra, diseases of, etc.
- Uterine hemorrhage (nonpuerperal), deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Uterine tumors (noncancerous), deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Uterus, diseases of, deaths from, 64; in cities and rural districts, 392; by age, 414, 446.
— death rate, 156.
- Varices. *See* Veins, diseases of, etc.
- Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), deaths from, 63; in cities and rural districts, 390; by sex, 412; by age, 412, 445.
— death rate, 154.
- Violent deaths (excluding suicide), number of, 33; by color, 305; in cities and rural districts, 394; by sex, 418; by age, 418, 447, 567; by months, 622.
— death rate, 67, 158.
- White population, deaths of, 10, 39, 183; by nativity, 183, 218; by age, 192, 218, 420; by sex, 218, 420; by cause, 304, 420.
— death rate, 66.
- White swellings, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.
- Whooping cough, deaths from, 25, 62; by color, 304; in cities and rural districts, 388; by sex, 408; by age, 408, 444, 567; by months, 622; by days, weeks, and months, 660.
— death rate, 66, 152.
- Yellow atrophy of the liver, acute, deaths from, 63; in cities and rural districts, 390; by sex, 414; by age, 414, 445.
— death rate, 154.
- Yellow fever, deaths from, 62; in cities and rural districts, 388; by sex, 408; by age, 408, 444.
— death rate, 152.